### **Preventing Violence in California**

### Volume 1: The Role of Public Health



"Violence is a public health concern. Together with its state and local partners the California Department of Public Health can play a leadership role in bringing people together to have a meaningful dialogue about violence and how it can be prevented."

- Karen L. Smith, M.D., M.P.H.

Director and State Public Health Officer, California Department of Public Health



# Preventing Violence in California Volume 1: The Role of Public Health

In 2015, the California Department of Public Health (CDPH) launched the Violence Prevention Initiative by linking efforts of many programs to elevate violence prevention as a departmental priority. This initiative has been facilitated by the Fusion Center for Strategic Development and External Relations in its role to inform, explore, and advance the future of public health.

This report is the initial issue of a planned series on the public health role in violence prevention that is intended to serve as a resource for local health jurisdictions and other stakeholders. This issue has focused on a broad overview of the complex topic of violence prevention. Following issues will delve further into specific topics, including data on forms of violence and prevention strategies. Based on input from local health jurisdictions the following three topics have been prioritized:

- Child Maltreatment
- Intimate Partner Violence
- Gun Violence

### <u>Acknowledgements</u>

We acknowledge and appreciate the efforts of the <u>Violence Prevention</u> <u>Initiative team and the many partners who contributed</u> to the development of this report.

#### **Feedback**

If you have feedback or questions, please contact:

violenceprevention@cdph.ca.gov

### Suggested Citation

California Public Health Department (2017). Preventing Violence in California Volume 1: The Role of Public Health. Sacramento, CA: California Public Health Department.



### Preventing Violence in California Volume 1: The Role of Public health

**Topics Covered** 

⊥ Problem:

The Impact of Violence on Californians

2

Solutions:

Violence is Preventable What's Next:

Engage and

Mobilize

- Interconnected forms of VIOLENCE
- A LEADING CAUSE OF DEATH
- HEALTH OUTCOMES
- TRAUMA AND TOXIC STRESS
- LIFELONG EFFECTS
- DISPARITIES
- IMPACT ON COMMUNITIES
- Social determinants of Health

- PUBLIC HEALTH ROLE
- PRIMARY PREVENTION APPROACH
- NATIONAL PUBLIC HEALTH PERSPECTIVE
- PUBLIC HEALTH PROGRAMS
- Local efforts and priorities
- MULTI-SECTOR COLLABORATION

- ELEVATING VIOLENCE-PREVENTION
- ALIGNMENT TO ACTION
- VIOLENCE PREVENTION RESOURCE SERIES
- MAXIMIZING VIOLENCE PREVENTION EFFORTS



### Violence is a leading cause of injury, disability, and death

Violence is a leading cause of injury, disability, and death. It impacts the health and well-being of all Californians – our families, neighbors, coworkers, schools, and communities. The consequences of violence are costly, and influence nearly all health and mental health outcomes throughout life. In 2014, there were over 6,000 violent deaths, over 27,000 hospitalizations, and 154,000 emergency department visits for violent injuries in California, with an estimated annual cost of over \$11 billion in medical costs and lost productivity. Although these data represent the best available estimates, violence is often underreported, which means that the full magnitude and consequences of violence are far more substantial than reflected in these figures.

There are many different forms of violence that negatively impact individuals, relationships, communities and society. There are unique characteristics and different approaches for addressing each category of violence. These forms are also interconnected and share many of the same root causes, such as harmful social norms, substance abuse, social isolation, and poverty and income inequality.<sup>3,4,5</sup>

### Forms of violence

- Child maltreatment
- Intimate partner violence
- Teen dating violence
- · Sexual violence
- Bullying/harassment
- · Youth violence
- · Elder maltreatment
- Suicide

- Workplace violence
- · Community violence and trauma
- · Gang violence
- Gun violence
- · Police-involved violence
- Crime (assault, robbery)
- Hate crimes
- Terrorism

#### What is violence?

The World Health Organization defines violence as "the intentional use of physical force or power, threatened or actual, against oneself, another person, or against a group or community, that either results in or has a high likelihood of resulting in injury, death, psychological harm, maldevelopment, or deprivation."





### Violence across all ages

In both number and relative ranking, violent deaths significantly contribute to mortality across the life course. Violent deaths (homicide and suicide) are among the top six leading causes of death across all age groups in California, with the exception of infants and adults 55 and over.<sup>7</sup> The greatest number of homicides occur among adults ages 15-24.<sup>7</sup> The greatest number of suicides occur among adults ages 45-54.<sup>7</sup>

	Age <1	1-4	5–9	10-14	15-24	25-34	35-44	45-54	55-64	65+
#1	Congenital Anomalies <b>545</b>	Unintentional Injury <b>92</b>	Unintentional Injury <b>53</b>	Unintentional Injury 73	Unintentional Injury 1,187	Unintentional Injury 1,603	Unintentional Injury 1,423	Cancer <b>4,279</b>	Cancer <b>10,939</b>	Heart Disease <b>50,185</b>
#2	Short Gestation <b>337</b>	Congenital Anomalies <b>57</b>	Cancer <b>49</b>	Cancer <b>55</b>	Homicide <b>556</b>	Suicide <b>625</b>	Cancer <b>1,277</b>	Heart Disease <b>2,988</b>	Heart Disease <b>6,805</b>	Cancer <b>42,26</b> 8
#3	Maternal Complications <b>204</b>	Cancer <b>40</b>	Congenital Anomalies 16	Suicide <b>23</b>	Suicide 483	Homicide <b>532</b>	Heart Disease <b>870</b>	Unintentional Injury 2,046	Unintentional Injury 2,167	Alzheimer's Disease 14,926
#4	SIDS 118	Homicide <b>20</b>	Homicide <b>12</b>	Homicide <b>17</b>	Cancer <b>216</b>	Cancer <b>499</b>	Suicide <b>609</b>	Liver Disease 1,228	Liver Disease 1,801	Cerebrovascular
#5	Placenta Cord Membranes <b>90</b>	Heart Disease <b>11</b>	Heart Disease <b>11</b>	Congenital Anomalies 14	Heart Disease <b>86</b>	Heart Disease 298	Liver Disease <b>429</b>	Suicide <b>768</b>	Diabetes Mellitus 1,493	Chronic Lower Respiratory Disease 11,975
#6	Unintentional Injury 65	Influenza & Pneumonia 	Chronic Lower Respiratory Disease	Heart Disease 11	Congenital Anomalies <b>49</b>	Liver Disease 117	Homicide <b>325</b>	Diabetes Mellitus <b>654</b>	Cerebro- vascular 1,269	Diabetes Mellitus <b>6,399</b>


#### Leading Causes of Death, California 2015

**Note:** Includes all races, both sexes. For leading cause categories in this state-level chart, counts of less than ten deaths have been suppressed. **Produced by:** California Department of Public Health **Data Source:** National Center for Health Statistics (NCHS), National Vital Statistics System (WISQARS™)



### Deaths are only the "tip of the iceberg"

Deaths and injuries due to violence are only the "tip of the iceberg" of harm to individuals, families, and communities.



The immediate, lasting, and multigenerational effects of violence ultimately influence society as a whole. As a result of violence, medical and criminal justice costs increase, economic investments decrease, and employment and educational opportunities are lost.<sup>8,9</sup> In addition, communities of color are disproportionately impacted; concentrated, segregated areas of poverty grow; and community resilience and trust is diminished resulting in persistent inequities.<sup>8</sup>



### Violence contributes to negative health outcomes

Exposure to violence has a negative impact on many individual health outcomes. Witnessing or experiencing violence increases the risk of mental health issues (e.g., hopelessness, depression, post-traumatic stress disorder, attachment disorder, anxiety, sleep and eating disorders, and suicide attempts) and chronic diseases (e.g., cardiovascular disease, lung disease, and diabetes). <sup>10</sup> In addition to mental health issues and chronic diseases, violence is associated with infectious diseases (e.g., HIV, other sexually transmitted infections). <sup>10</sup> Violence contributes to these negative health outcomes through trauma and toxic stress. It is also associated with an increase in unhealthy risk behaviors, including alcohol and substance abuse, tobacco use, physical inactivity, early initiation of sexual activity and multiple partners, aggression, revenge seeking behavior, and gang involvement. <sup>10</sup>

### Impact on communities

Trauma extends beyond the individuals who are exposed to violence.<sup>8</sup> In addition to individual impacts, there are serious social and economic consequences of violence for families and communities. Increased crime can lead to reduced business investment, lack of job opportunities, and other economic impacts.<sup>9</sup> When violence becomes a common occurrence, entire communities can also experience trauma on a collective level. Violence is experienced not only as injury but as psychic trauma to individuals and communities and can lead to a breakdown of social networks, social relationships, and positive social norms across the community.<sup>8</sup> Violence and the fear of violence hinder access to basic human needs such as food, shelter, education, and employment.<sup>8</sup>

### **Key concepts**

**Trauma** results from an event, series of events, or set of circumstances that may have long lasting and harmful effects on a person's physical, social, and emotional well-being. 11, 12

**Toxic stress** results from adverse experiences that are severely traumatic, sustained for a long period of time, or cumulative. Prolonged activation of the stress response system floods the brain and body with stress hormones, which can disrupt early brain development, compromise the functioning of important biological systems, and lead to long-term health problems. <sup>13, 14</sup>

**Resilience** is the ability to adapt well, recover, and thrive despite being confronted with adversity, trauma, tragedy, threats, or significant sources of stress. Resilience enables individuals, families and communities to overcome exposure to violence and trauma. 15, 16



### **Disparities**

Though violence affects all Californians, the occurrence and impact is not equally distributed. There are significant disparities and inequities in the burden of and exposure to violence across socioeconomic and population demographics and across communities.<sup>16</sup>



1 in 3 women (31.5 percent) have experienced violence in an intimate partner relationship in their lifetime.<sup>17</sup>



Young black men (ages 15-29), compared to other racial groups, are nearly six times more likely to die from gun violence.<sup>18</sup>



Homicide is the second leading cause of injury death for infants, behind unintentional suffocation.<sup>18</sup>



Youth ages 10-14 are more likely to die from suicide than motor vehicle crashes. 18



Hate crime events increased 10 percent in 2015, with notable increases in crimes involving anti-Hispanic and anti-Islamic bias.<sup>19</sup>



Older white men living in rural counties have the highest rates of suicide (37/100,000).<sup>18</sup>

### Lifelong consequences of early exposure

Early childhood exposure to violence (child abuse, intimate partner violence) and chronic stress (poverty, neglect, and emotional abuse) can result in injury, disease, and premature death.<sup>20,21</sup> A growing body of research on adverse childhood experiences has demonstrated that toxic, chronic stress harms brain development and leads to lifelong effects on learning, behavior, and health.<sup>22,23,24,25</sup>

Additionally, there is a strong likelihood that adverse childhood experiences can contribute to a continuing cycle of violence throughout the individual's lifespan, and even for the next generation.<sup>26,27</sup> In other words, the impacts of violence can be intergenerational. For example, several studies reveal that children who witness violence are more likely to become either victims or perpetrators of violence as adults.<sup>28</sup>





#### **Breaking the Cycle of Violence**

Used with permission from <u>Together for Girls</u>. Developed by the U.S. Centers for Disease Control and Prevention, *Ending Violence Against Children: Six Strategies for Action*, and by UNICEF and the United States Government Action Plan on Children in Adversity.



#### Violence and the social determinants of health

There is growing recognition that the social, economic, and physical environments in which people live, work, learn, and play have a measurable effect on quality and length of life, a concept often referred to as social determinants of health. The social determinants of physical and mental health (e.g., education, income, and environment) can contribute to positive or negative health outcomes.

Violence itself is a social determinant of health, but may also be a result of the environments in which people live and children grow. For example, those who grow up and live in environments with limited social, educational, and economic opportunities and where violence, racism, and community and domestic instability are daily stressors are at increased risk of multiple forms of violence. Therefore, in order to prevent violence, the underlying social determinants of health need to be addressed, including root causes of inequity and social disadvantage. <sup>10,29</sup>





### The public health approach to preventing violence

Public health has a long-standing mission to prevent negative health outcomes, promote healthy communities, and resilient individuals, and protect the health of entire populations.

Public health recognizes that **violence is preventable** and takes a primary prevention approach, working "upstream" to address underlying causes to prevent violence from happening in the first place. Public health works to: promote safe, stable, nurturing, healthy relationships and environments; address individual, interpersonal, community, and societal risk and protective factors; decrease structural violence; and, build individual and community resilience.

The field of public health approaches violence as it does many other issues by using data to understand and describe the problem; implementing and evaluating strategies; and, ensuring widespread adoption of evidence-informed strategies.

By addressing the multiple forms of violence and their shared risk and protective factors, we can also address overall health. Promoting safe communities, non-violent behavior as social norms, access to services, social support, housing, and economic stability. This not only creates conditions that prevent violence, but also contributes to other public health goals like increasing physical activity, reducing chronic disease and obesity, promoting healthy eating, and reducing depression.



Read more about the <u>History of Violence as a Public Health issue</u> and the <u>CDC</u> <u>Strategic Vision for Preventing Multiple Forms of Violence.</u>

### Role for public health agencies

The Safe States Alliance released recommended roles for national, state, and local public health departments in violence prevention. CDPH has adopted this framework at the state level.



Develop a statewide agenda for preventing violence



Develop and implement policy approaches



Collect, analyze and disseminate data and information



**Build local capacity** 



Contribute to national efforts



Conduct needs assessment and strategic planning



Maximize existing resources and identify new funding streams



Translate research into practice

#### Public health as convener

Public health serves an important role as a catalyst and convener to help bring together stakeholders to pursue a "multilevel and multifaceted approach, promoting policies and programs that encourage collaboration, increased government efficiency, and a focus on equity." Public health is a direct partner in violence prevention working alongside contributors in many sectors, from the criminal justice system to education to healthcare.

### National recognition of public health role

There has been growing national recognition of the significance of violence as a public health problem. Mass shootings, high profile domestic and sexual violence cases, rising rates of suicide, and other violent incidents have elevated the public's concern. Many organizations including the Centers for Disease Control and Prevention, Medical Association, American Public Health Association, and the former U.S. Surgeon General have issued statements highlighting the importance of addressing violence from a public health perspective.

"Violence is a serious public health problem. From infants to the elderly, it affects people in all stages of life. Many more survive violence and suffer physical, mental, and or emotional health problems throughout the rest of their lives. CDC is committed to stopping violence before it begins."<sup>34</sup>

-Centers for Disease Control and Prevention







### What are governmental public health agencies doing?

At the state level, the California Department of Public Health (CDPH) collects and analyzes data to better understand the causes of and factors contributing to violence and implements many programs that address multiple forms of violence through a variety of strategies, including promoting positive social norms, community mobilization, and strengthening parent-child relationships. CDPH also facilitates collaboration among multisector partners to promote effective interventions and support policies that build and sustain healthy communities.

In order to elevate violence prevention as a departmental priority and work towards a more integrated internal approach, CDPH staff members across programs have collaborated in a department-wide <u>Violence Prevention Initiative</u>. Through this initiative, CDPH will continue to take a leadership role to elevate and frame the public health state government role in addressing violence and further efforts to support violence prevention work in California.



CDPH implements programs, policy initiatives, and surveillance activities to address violence at the state and local levels:

### **Programs and policy**

- Rape Prevention and Education <u>Program</u>
- <u>Domestic Violence Training and</u> <u>Education Program</u>
- Essentials for Childhood Initiative
- California Home Visiting Program
- Health in All Policies Task Force: Action Plan to Promote Violence-Free and Resilient Communities

### Data and surveillance


- <u>California Electronic Violent</u> <u>Death Reporting System</u>
- EpiCenter California Injury Data Online
- Vital Statistics
- Open Data Portal
- Let's Get Healthy California
- Healthy Community Indicators
   Project
- Maternal and Infant Health
   Assessment



### Local health jurisdiction violence prevention efforts

The CDPH Violence Prevention Initiative conducted a survey of local health jurisdictions (LHJs) to better understand the scope of local violence prevention activities, and identify barriers, needs, and opportunities for collaboration. The most common focus areas at the local level are child maltreatment and intimate partner violence. LHJs have noted additional future priorities around suicide and youth violence prevention; one of the greatest changes in priority concerns gun violence, with 33 percent of LHJs interested in addressing prevention in the future compared to 17 percent that are currently addressing this issue.

Additionally, LHJs reported building coalitions and partnerships, enhancing public awareness, and implementing evidence-based policies and programs as their most frequent activities. CDPH will use these survey findings to support local efforts by providing data, actionable information, and shared messaging that will generate new opportunities for state and local governmental public health to work together to prevent violence in California.



### **Local Health Jurisdiction Survey Results**

Blue bars reflect current LHJ violence prevention efforts. LHJs were also asked to identify up to five priority areas for future violence prevention activities. The orange bars reflect these priority areas of focus for future efforts.



### Public health driven multi-sector collaborations

Violence is a cross-sectoral issue involving significant partners such as criminal justice, land use planning, education, housing, social services, transportation, and more that are essential in addressing the underlying determinants of violence. Non-governmental entities including community based organizations, private institutions, health systems, and foundations also have an important role to play. Through collaborative efforts we can more effectively recognize and address the connections among the forms of violence.

CDPH will continue to align violence prevention activities across sectors through California Health and Human Services Agency initiatives and other state-level collaborative efforts such as the <u>California Campaign to Counter Childhood Adversity</u>, <u>ACEs Connection</u>, <u>Let's Get Healthy California</u>, and <u>Health in All Policies</u>.









# 3 What's Next? Engage and Mobilize

### Collaboration as a foundation

Through the Violence Prevention Initiative, CDPH staff from across programs have strengthened internal collaboration, working to share data, identify opportunities and challenges, and elevate the role of CDPH in violence prevention. CDPH is committed to taking a leadership role in highlighting and framing the role of public health in addressing interpersonal and community violence. Two key aspects of this role are providing actionable data and serving as convener to facilitate engagement across sectors, systems, and initiatives.

### From alignment to action

CDPH is taking additional steps to advance prevention and intervention efforts to reduce violence across California, including:

- Developing a common language and issue framework for understanding violence as a public health issue, particularly in the context of social determinants of health;
- Providing informational reports for state and local partners on the current status of violence prevention in California;
- Using both supportive state legislation and funding from CDC, building a Violent Death Reporting System to enhance data collection and provide more actionable information on violence in California;
- Identifying effective, evidence-based strategies and best practices used by other states and national initiatives;
- Expanding dialogue with local and interdepartmental stakeholders to develop strategies to address key priorities;
- Leveraging statewide survey feedback from LHJs in California to more effectively align violence prevention efforts and resources across California; and,
- Continuing to align violence prevention activities across projects and link with statewide initiatives, including Let's Get Healthy California, and Health in All Policies.



# 3 What's Next? Engage and Mobilize

### Tangible success as the goal

Although many effective public policy, community-based, and programmatic solutions have been developed throughout California, the full range of available resources must be mobilized to address multiple forms of violence. By joining together in the interest of statewide public health, California can maximize violence prevention efforts for greater impact.

Through the Violence Prevention Initiative, CDPH will promote a collaborative vision for addressing violence prevention, track population-based indicators, and provide technical assistance to local partners on evidence-informed or evidence-based public health strategies through future reports and collaborative activities. CDPH is dedicated to achieving tangible and measurable success in addressing violence from a public health perspective using public health approaches to reduce violence and create safer, healthier communities across California.



### Preventing Violence in California - Report Series

The development of this series provides an opportunity for collaboration. Feedback on potential topics and content is welcome. Interested partners may contact <a href="mailto:violenceprevention@cdph.ca.gov">violenceprevention@cdph.ca.gov</a> to provide feedback, sign-up for updates, or find out more about participating in this collective effort.

### **Endnotes**

- 1. CDPH Vital Statistics Death Statistical Master Files and California Office of Statewide Health Planning and Development, Inpatient Discharge Data; Prepared by: CDPH, Safe and Active Communities Branch April 2017
- 2. CDC National Center for Health Statistics. WISQARS Cost of Injury Reports; Using California data generated from EpiCenter, November 2016. Retrieved from: https://wisqars.cdc.gov:8443/costT/
- **3.** Wilkins, N., Tsao, B., Hertz, M., Davis, R., & Klevens, J. (2014). Connecting the dots: an overview of the links among multiple forms of violence. Retrieved from <a href="http://www.cdc.gov/violenceprevention/pdf/connecting">http://www.cdc.gov/violenceprevention/pdf/connecting</a> the dots a.pdf
- **4.** Pinderhughes, H. (2016). Healing from adverse community experiences: public health strategies to prevent/address community trauma. Retrieved from http://healthequity.ucla.edu/sites/default/files/downloads/Pinderhughes\_UCLA.pdf
- 5. Health in All Policies Task Force. (2016). Action plan to promote violence free and resilient communities. Retrieved from http://sgc.ca.gov/pdf/HiAP%20Action%20Plan%20to%20Promote%20Violence Free%20and%20Resilient%20 Communities\_%20End....pdf
- 6. World Health Organization. Global status report on violence prevention, 2014. Geneva: World Health Organization; 2014.
- **7.** CDC National Center for Health Statistics. WISQARS National Vital Statistics Sytem; Produced by California Department of Public Health, March 2017.
- **8.** Pinderhughes, H., Davis, R. A., & Williams, M. (2015). Adverse community experiences and resilience. Retrieved from <a href="http://www.cdph.ca.gov/programs/Documents/PreventionInstituteReport AdverseCommunityExperiences.pdf">http://www.cdph.ca.gov/programs/Documents/PreventionInstituteReport AdverseCommunityExperiences.pdf</a>
- **9.** Cure Violence. (2015). The return on investment (ROI) of cure violence. Retrieved from http://cureviolence.org/wp content/uploads/2015/08/Return on Investment ROI.pdf
- **10.** Houry, D. E., & Mercy, J. A. (2016). Preventing multiple forms of violence: a strategic vision for connecting the dots. Retrieved from https://www.cdc.gov/violenceprevention/pdf/strategic\_vision.pdf
- **11.** Substance Abuse and Mental Health Services Administration. (n.d.). Trauma. Retrieved from http://www.integration.samhsa.gov/clinical practice/trauma
- 12. NHS Human Services. (n.d.). Trauma informed care. Retrieved from https://www.nhsonline.org/trauma informed care.html
- **13.** Middlebrooks, J.S., & Audage, N.C. (2008). The effects of childhood stress on health across the lifespan. Retrieved from http://health equity.lib.umd.edu/932/1/Childhood\_Stress.pdf
- **14.** Substance Abuse and Mental Health Services Administration. (2012). Supporting infants, toddlers, and families impacted by caregiver mental health problems, substance abuse, and trauma. Retrieved from http://www.quantumunitsed.com/materials/0622\_Supporting Families Impacted Mental Health Substance Abuse-and Trauma.pdf
- **15.** American Psychological Association. (n.d.) The road to resilience. Retrieved from http://www.apa.org/helpcenter/road resilience.aspx
- **16.** Egerter, S., Barclay, C., Grossman Kahn, R., & Braveman, P. (2011). How social factors shape health: violence, social disadvantage and health. Retrieved from <a href="https://www.preventioninstitute.org/sites/default/files/publications/How%20Social%20Factors%20Shape%20Health.pdf">https://www.preventioninstitute.org/sites/default/files/publications/How%20Social%20Factors%20Shape%20Health.pdf</a>
- **17.** Breiding, M. J., Smith, S. G., Basile, K.C., Walters, M. L., Chen, J., & Merrick, M.T. (2014). Prevalence and characteristics of sexual violence, stalking, and intimate partner violence victimization national intimate partner and sexual violence survey, United States, 2011. Retrieved from https://www.cdc.gov/mmwr/pdf/ss/ss6308.pdf
- **18.** CDC National Center for Health Statistics. WISQARS Vital Statistics System for numbers of deaths. Bureau of Census for population estimates.

### **Endnotes**

- **19.** Harris, K.D. (2015). Homicide in california 2015. Retrieved from https://oag.ca.gov/sites/all/files/agweb/pdfs/cjsc/publications/homicide/hm15/hm15.pdf
- **20.** Centers for Disease Control and Prevention. (2016). About adverse childhood experiences. Retrieved from http://www.cdc. gov/violenceprevention/acestudy/about\_ace.html
- **21.** Shonkoff, J. P., et al. (2012). The lifelong effects of early childhood adversity and toxic stress. Pediatrics, 129(1), e232 e246. Retrieved from http://pediatrics.aappublications.org/content/129/1/e232
- **22.** Felitti, V.J., Anda, R. F., Nordenberg, D., Williamson, D.F., Spitz, A.M., Edwards, V.,...Marks, J.S. (1998). Relationship of childhood abuse and household dysfunction to many of the leading causes of death in adults. Retrieved from http://www.ajpmonline.org/article/S0749 3797(98)00017 8/pdf
- 23. Child and Adolescent Health Measurement Initiative. (2014). 4 essential facts about lifelong health, school success and adverse childhood experiences among California s children. Retrieved from: http://childhealthdata.org/docs/presentations / californiadata.pdf?Status Master
- **24.** The Center for the Developing Child. (n.d.). Brain architecture. Retrieved from http://developingchild.harvard.edu/science/key concepts/brain architecture
- **25.** Bethell, C. D., Newacheck, P., Hawes, E., & Halfon, N. (2015). Adverse childhood experiences: assessing the impact on health and school engagement and the mitigating role of resilience. Health Affairs, 33(12), 2106–2115. Retrieved from <a href="http://content.healthaffairs.org/content/33/12/2106">http://content.healthaffairs.org/content/33/12/2106</a>
- **26.** Wilkins, N., Tsao, B., Hertz, M., Davis, R., & Klevens, J. (2014). Connecting the dots: an overview of the links among multiple forms of violence. Retrieved from http://www.cdc.gov/violenceprevention/pdf/connecting\_the\_dots a.pdf
- **27.** Moore, K., Sacks, V., Bandy, T., & Murphey, D. (2014). Fact sheet: adverse childhood experiences and the well being of adolescents. Retrieved from https://www.childtrends.org/wp content/uploads/2014/07/Fact sheet adverse childhood experiences\_FINAL.pdf
- **28.** Unicef (2006). Behind closed doors the impact of domestic violence on children. Retrieved from https://www.unicef.org/media/files/BehindClosedDoors.pdf
- **29.** Corbin, T., Bloom, S., Wilson, A., Rich, L. & Rich, J. (2010). Approaching the health and well being of boys and men of color through trauma informed practice. In C. Edley, Jr. & J. R. de Velasco (Eds.), Changing places: How communities will improve the health of boys of color (pp. 407–428). Berkeley and Los Angeles, CA: University of California Press.
- **30.** National Center for Injury Prevention and Control. (2015). The public health approach to violence prevention. Retrieved from https://www.cdc.gov/violenceprevention/pdf/PH\_App\_Violence a.pdf
- **31.** American Medical Association. (2016). AMA calls gun violence "a public health crisis . Retrieved from https://www.ama assn.org/ama calls gun violence public health crisis
- **32.** American Public Health Association. (2016). We can build violence free communities. Retrieved from https://www.apha.org/news and media/news releases/apha news releases/2016/we can build violence free communities
- **33.** Bernstein, L. (2015). Surgeon General Vivek Murthy wants to move U.S health care toward a 'prevention base society . Retrieved from https://www.washingtonpost.com/news/to your health/wp/2015/04/23/surgeon general vivek murthy wants to move u s health care toward a prevention based society/?utm\_term .1de1a0be69a3
- **34.** Centers for Disease Control and Prevention. (n.d.). Violence prevention. Retrieved from https://www.cdc.gov/violenceprevention/index.html
- **35.** Photo credit: iStockphoto.com

