

## MIHA Data Snapshot, California by Income, 2013-2015 Maternal and Infant Health Assessment (MIHA) Survey

	California		0-100% Federal Poverty Guideline		101-200% Federal Poverty Guideline		> 200% Federal Poverty Guideline	
	% 95% CI	Ν	% 95% CI	Ν	% 95% CI	N	% 95% CI	Ν
Total	100	487,900	40.0 38.9 - 41.2	181,800	21.0 19.8 - 22.1 9	95,300	<b>39.0</b> 37.9 - 40.1	177,000
Health Status before Pregnancy								
In good to excellent health	<b>92.0</b> 91.2 - 92.7	448,000	86.0 84.4 - 87.6	156,000	93.5 92.1 - 94.9 8	38,900	<b>97.7</b> 97.2 - 98.3	172,900
Chronic conditions								
Diabetes <sup>+</sup>	2.5 2.1 - 3.0	12,200	4.1 3.1 - 5.1	7,300	<b>2.1</b> 1.3 - 3.0	2,000	1.4 0.9 - 1.8	2,400
Hypertension <sup>†</sup>	2.6 2.3 - 3.0	12,600	<b>2.8</b> 2.3 - 3.4	5,000	3.1 2.1 - 4.2	2,900	<b>2.1</b> 1.6 - 2.7	3,800
Asthma <sup>+</sup>	8.4 7.6 - 9.1	40,000	9.7 8.4 - 11.0	17,200	7.7 6.2 - 9.1	7,200	<b>7.9</b> 6.7 - 9.0	13,800
Nutrition and Weight	22.0		22.4.44.4		27.4		10.0 10.0 01.0	
Daily folic acid use, month before pregnancy	<b>33.8</b> 32.5 - 35.0	164,400	<b>22.4</b> 20.6 - 24.3	40,700		26,100	<b>49.0</b> 46.7 - 51.3	86,600
Overweight before pregnancy Obese before pregnancy	<b>25.1</b> 23.8 - 26.3 <b>20.1</b> 19.0 - 21.2	116,100	<b>29.2</b> 27.0 - 31.4 <b>25.7</b> 23.7 - 27.8	49,200 43,200		23,700	<b>21.2</b> 19.4 - 23.1 <b>12.8</b> 11.3 - 14.2	37,200 22,400
Inadequate weight gain during pregnancy	<b>18.2</b> 17.0 - 19.4	93,000 74,300	<b>20.6</b> 18.4 - 22.8	43,200 30,100	-	22,900 16,600	<b>12.8</b> 11.3 - 14.2 <b>13.8</b> 12.2 - 15.4	22,400
Excessive weight gain during pregnancy	41.2 39.7 - 42.6	168,100	40.8 38.3 - 43.3	59,700		30,100	42.7 40.4 - 45.1	68,700
Food insecurity during pregnancy	15.6 14.6 - 16.5	75,100	28.7 26.6 - 30.7	51,400		15,000	2.5 1.7 - 3.2	4,300
Intimate Partner Violence (IPV) and Depressive Symptoms	10.0 100 100	, 5,100	20.7 2010 5017	51,100	13.0 15.0 17.5	20,000	2.0 1.0 0.12	1,500
Physical or psychological IPV during pregnancy	7.0 6.3 - 7.7	34,000	<b>12.6</b> 11.1 - 14.0	22,700	5.9 4.5 - 7.3	5,600	<b>2.3</b> 1.6 - 3.0	4,000
Prenatal depressive symptoms	14.1 13.1 - 15.0	68,500	20.7 18.9 - 22.6	37,600		14,100	7.0 5.8 - 8.1	12,400
Postpartum depressive symptoms	13.5 12.6 - 14.4	65,700	18.2 16.5 - 20.0	33,100		13,600	<b>9.2</b> 8.0 - 10.5	16,300
Hardships and Support during Pregnancy								
Experienced two or more hardships during childhood	<b>24.6</b> 23.4 - 25.7	116,800	<b>33.1</b> 31.0 - 35.2	58,100	26.5 23.9 - 29.2 2	24,600	16.5 14.8 - 18.1	28,800
Homeless or did not have a regular place to sleep	3.0 2.6 - 3.4	14,500	5.9 4.9 - 6.9	10,600		1,700	0.6 * 0.2 - 0.9	1,000
Moved due to problems paying rent or mortgage	6.4 5.8 - 7.1	31,100	11.6 10.2 - 13.0	20,800	5.1 3.9 - 6.2	4,800	1.8 1.2 - 2.4	3,200
Woman or partner lost job	<b>14.3</b> 13.3 - 15.2	68,700	<b>22.8</b> 20.8 - 24.7	40,600	15.0 12.8 - 17.3 1	14,100	5.7 4.7 - 6.6	10,000
Woman or partner had pay or hours cut back	11.4 10.5 - 12.2	54,700	15.6 14.0 - 17.1	27,700	<b>12.7</b> 10.9 - 14.6	11,900	7.0 5.8 - 8.1	12,300
Became separated or divorced	7.0 6.3 - 7.7	34,000	13.0 11.5 - 14.6	23,300	6.4 4.9 - 7.9	6,000	1.3 0.8 - 1.8	2,300
Had no practical or emotional support	4.6 4.0 - 5.2	22,500	<b>7.9</b> 6.6 - 9.2	14,300	3.3 2.3 - 4.3	3,100	1.4 0.9 - 2.0	2,500
Substance Use								
Any smoking, 3 months before pregnancy	10.8 9.9 - 11.6	52,100	15.5 13.9 - 17.1	27,900		10,400	6.4 5.4 - 7.5	11,300
Any smoking, 3rd trimester <sup>+</sup>	2.7 2.3 - 3.1	13,200	5.0 4.1 - 5.9	9,000	<b>2.7</b> 1.6 - 3.9	2,600	0.6 0.4 - 0.9	1,100
Any smoking, postpartum	5.4 4.8 - 6.0	26,100	9.0 7.8 - 10.1	16,200	5.9 4.2 - 7.5	5,500	<b>2.1</b> 1.5 - 2.6	3,600
Any binge drinking, 3 months before pregnancy Any alcohol use, 3rd trimester <sup>+</sup>	15.1 14.1 - 16.0 7.3 6.6 - 8.1	72,600 35,600	<b>13.5</b> 11.9 - 15.0 <b>4.1</b> 3.0 - 5.1	24,100 7,300		15,500 4,500	<b>17.4</b> 15.7 - 19.1 <b>12.9</b> 11.4 - 14.4	30,500 22,600
	7.5 0.0 - 0.1	33,000	4.1 5.0 - 5.1	7,500	4.0 5.4 - 0.2	4,500	12.9 11.4 - 14.4	22,000
Pregnancy Intention and Family Planning Mistimed or unwanted pregnancy	30.5 29.3 - 31.8	147,900	<b>42.3</b> 40.0 - 44.5	76,500	<b>32.6</b> 29.7 - 35.5 3	30,900	16.7 14.9 - 18.4	29,300
Unsure of pregnancy intentions	<b>12.8</b> 11.9 - 13.7	62,100	<b>16.8</b> 15.2 - 18.5	30,500		13,900	7.6 6.4 - 8.8	13,400
Postpartum birth control use <sup>†</sup>	81.0 79.9 - 82.1	386,400	81.3 79.5 - 83.1	143,800		77,600	<b>79.2</b> 77.3 - 81.1	138,300
Infant Sleep and Breastfeeding	01.0	,	01.0	,		.,	75.2	
Placed infant on back to sleep	80.3 79.2 - 81.4	384,100	74.5 72.5 - 76.6	132,100	81.5 79.1 - 84.0 7	76,700	<b>85.9</b> 84.3 - 87.6	150,300
Infant always or often shared bed	34.6 33.3 - 35.9	165,100	40.5 38.3 - 42.7	71,700		32,900	28.3 26.3 - 30.4	49,500
Intended to breastfeed, before birth	<b>92.4</b> 91.7 - 93.2	441,900	89.9 88.5 - 91.2	159,000		37,600	95.1 94.1 - 96.2	166,500
Intended to breastfeed exclusively, before birth	<b>64.7</b> 63.3 - 66.0	309,100	56.5 54.2 - 58.8	100,000	<b>62.2</b> 59.1 - 65.3	58,500	75.6 73.6 - 77.7	132,400
Breastfeeding practices								
Any breastfeeding, 1 month after delivery	83.8 82.8 - 84.8	397,900	<b>77.9</b> 76.1 - 79.8	136,900	81.3 78.9 - 83.8 7	75,600	91.2 89.9 - 92.5	158,800
Exclusive breastfeeding, 1 month after delivery	<b>44.2</b> 42.9 - 45.6	206,800	<b>38.7</b> 36.5 - 40.9	66,500		38,900	<b>51.2</b> 48.8 - 53.5	88,100
Any breastfeeding, 3 months after delivery	67.3 65.8 - 68.8	252,100	<b>56.5</b> 53.9 - 59.1	80,200		46,100	81.7 79.6 - 83.7	106,800
Exclusive breastfeeding, 3 months after delivery	<b>29.1</b> 27.7 - 30.5	107,600	20.3 18.3 - 22.3	28,300	<b>27.3</b> 24.2 - 30.4 1	19,700	40.6 38.0 - 43.2	52,600

MIHA is a collaborative effort of the Maternal, Child and Adolescent Health Division and the Women, Infants and Children Division in the California Department of Public Health and the Center on Social Disparities in Health at the University of California San Francisco.



## MIHA Data Snapshot, California by Income, 2013-2015 Maternal and Infant Health Assessment (MIHA) Survey

	California		0-100% Federal Poverty Guideline		101-200% Federal Poverty Guideline		> 200% Federal Poverty Guideline	
	% 95% CI	N	% 95% CI	N	% 95% CI	N	% 95% CI	N
Service Utilization and Health Insurance Coverage								
Had a usual source of pre-pregnancy care	<b>70.6</b> 69.4 - 71.9	343,800	<b>61.7</b> 59.5 - 63.9	111,700	65.1 62.1 - 68.1	61,900	84.3 82.6 - 86.0	148,900
Initiated prenatal care in 1st trimester	<b>89.4</b> 88.6 - 90.2	428,900	<b>82.9</b> 81.2 - 84.5	148,300	<b>88.9</b> 87.1 - 90.8	83,800	<b>97.0</b> 96.3 - 97.7	170,200
Mom or infant needed but couldn't afford care postpartum	11.5 10.6 - 12.4	54,200	<b>17.2</b> 15.4 - 19.0	30,200	<b>15.2</b> 13.1 - 17.4	14,100	<b>3.7</b> 3.0 - 4.5	6,500
Participated in WIC during pregnancy <sup>+</sup>	<b>53.4</b> 52.4 - 54.4	254,400	<b>88.1</b> 86.7 - 89.4	159,500	<b>65.8</b> 62.9 - 68.7	62,400	<b>6.2</b> 5.2 - 7.1	10,900
Received CalFresh (food stamps) during pregnancy	<b>25.2</b> 24.1 - 26.2	121,600	<b>53.7</b> 51.4 - 55.9	96,900	15.8 13.7 - 17.9	14,900	1.1 0.7 - 1.5	1,900
Pre-pregnancy insurance								
Medi-Cal	<b>26.7</b> 25.6 - 27.8	129,800	52.2 49.9 - 54.4	94,400	20.3 18.1 - 22.6	19,300	1.9 1.4 - 2.4	3,400
Uninsured	<b>21.6</b> 20.5 - 22.7	105,000	<b>33.6</b> 31.4 - 35.7	60,700	<b>30.5</b> 27.6 - 33.5	29,000	<b>3.8</b> 2.9 - 4.6	6,700
Private	47.8 46.7 - 48.9	232,400	<b>11.1</b> 9.6 - 12.5	20,000	43.4 40.3 - 46.4	41,200	90.6 89.4 - 91.9	160,400
Prenatal insurance								
Medi-Cal	<b>50.1</b> 49.0 - 51.1	243,600	<b>89.3</b> 87.9 - 90.7	161,800	<b>55.0</b> 51.9 - 58.1	52,400	4.8 4.0 - 5.6	8,400
Uninsured	1.6 1.3 - 2.0	7,800	<b>1.9</b> 1.4 - 2.5	3,500	<b>1.9</b> 1.0 - 2.9	1,800	0.7 0.3 - 1.1	1,200
Private	<b>44.1</b> 43.1 - 45.2	214,700	<b>7.3</b> 6.1 - 8.5	13,200	<b>35.1</b> 32.1 - 38.1	33,400	<b>89.8</b> 88.6 - 91.1	158,700
Maternal postpartum insurance								
Medi-Cal	<b>38.4</b> 37.3 - 39.5	185,700	70.7 68.6 - 72.9	127,200	<b>38.9</b> 36.0 - 41.9	36,800	3.4 2.7 - 4.1	6,000
Uninsured	<b>13.0</b> 12.0 - 13.9	62,600	20.2 18.3 - 22.1	36,400	<b>17.6</b> 15.2 - 20.0	16,600	<b>2.8</b> 2.0 - 3.5	4,900
Private	45.3 44.2 - 46.3	218,800	<b>7.3</b> 6.1 - 8.5	13,100	<b>38.1</b> 35.1 - 41.2	36,100	<b>90.2</b> 89.0 - 91.5	159,600
Infant health insurance								
Medi-Cal	<b>52.8</b> 51.7 - 53.8	251,800	<b>90.4</b> 89.0 - 91.8	159,500	<b>64.3</b> 61.3 - 67.2	60,300	<b>6.3</b> 5.4 - 7.3	11,100
Uninsured	<b>2.8</b> 2.3 - 3.2	13,100	3.3 2.4 - 4.2	5,800	<b>3.9</b> 2.6 - 5.2	3,600	<b>1.2</b> 0.7 - 1.6	2,100
Private	40.9 39.8 - 41.9	195,000	<b>4.6</b> 3.6 - 5.6	8,200	26.0 23.3 - 28.8	24,400	<b>88.2</b> 86.8 - 89.5	154,400
Maternal Demographics								
Did not complete high school (or GED)	<b>16.3</b> 15.3 - 17.3	78,500	30.4 28.2 - 32.5	54,500	<b>12.4</b> 10.3 - 14.5	11,700	1.0 0.6 - 1.4	1,700
Unmarried	40.5 39.2 - 41.7	196,000	<b>67.5</b> 65.3 - 69.6	121,900	<b>39.9</b> 36.9 - 42.9	37,900	11.0 9.7 - 12.3	19,400
Race/Ethnicity								
White	<b>29.3</b> 28.1 - 30.4	140,000	<b>15.2</b> 13.7 - 16.7	27,300	<b>23.6</b> 21.1 - 26.1	22,100	<b>49.7</b> 47.4 - 51.9	85,300
Hispanic	<b>49.2</b> 48.0 - 50.4	235,200	<b>68.9</b> 67.0 - 70.8	123,800	<b>57.8</b> 54.8 - 60.8	54,100	20.5 18.6 - 22.3	35,200
Asian/Pacific Islander	<b>15.4</b> 14.3 - 16.5	73,800	6.6 5.4 - 7.8	11,900	<b>12.6</b> 10.2 - 14.9	11,800	<b>26.8</b> 24.5 - 29.0	46,000
Black	5.6 5.4 - 5.9	26,900	8.6 7.8 - 9.3	15,400	5.6 4.7 - 6.5	5,200	<b>2.8</b> 2.4 - 3.3	4,900
Born outside the U.S.	<b>37.7</b> 36.3 - 39.0	183,800	41.2 39.0 - 43.4	74,900	<b>36.8</b> 33.7 - 39.9	35,100	<b>31.3</b> 29.0 - 33.6	55,400
Speaks non-English language at home	<b>30.7</b> 29.4 - 32.0	147,700	37.1 34.9 - 39.3	66,800	32.1 29.0 - 35.1	30,400	20.1 18.0 - 22.1	35,100
Lives in a high poverty neighborhood	<b>38.8</b> 37.5 - 40.1	182,400	<b>59.3</b> 57.0 - 61.5	102,400	40.4 37.4 - 43.5	36,900	16.0 14.3 - 17.8	27,800

-- Estimate not shown because the relative standard error (RSE) is greater than 50%, or fewer than 5 women reported.

\* Estimate should be interpreted with caution due to low statistical reliability (RSE is between 30% and 50%)

<sup>†</sup> Measure/definition may not be comparable to previous Snapshots (see Technical Notes).

Notes: MIHA is an annual population-based survey of California resident women with a live birth. Data from MIHA 2013-2015 were combined, resulting in a statewide sample size of 20,762. Percent (%), 95% confidence interval (95% CI) and estimated number of women in the population with the health indicator/characteristic (i.e., numerator of the percent rounded to the nearest hundred) are weighted to represent all women with a live birth who resided in California in 2013-2015. Population estimate (N) is a three-year average. See the Technical Notes for information on weighting, comparability to prior years and technical definitions. Visit the MIHA website at www.cdph.ca.gov/MIHA.

Table Citation: Maternal and Infant Health Assessment (MIHA) Survey Data Snapshots, 2013-2015. California Department of Public Health; 2018.