

## MIHA Data Snapshot, California by Prenatal Health Insurance, 2013-2014 Maternal and Infant Health Assessment (MIHA) Survey

	California		Medi-Cal		Uninsured		Private		
	% 95% CI	N	% 95% CI	N	% 95% CI	N	% 95% CI	N	
Total	100	490,200	<b>49.7</b> 48.4 - 51.0	242,800	1.6 1.2 - 2.0	7,900	44.5 43.1 - 45.8	217,100	
Health Status before Pregnancy									
In good to excellent health	92.4 91.5 - 93.3	452,800	87.5 85.9 - 89.2	212,300	95.3 * 91.8 - 98.8	7,500	97.8 97.1 - 98.5	212,200	
Chronic conditions									
Diabetes†	2.3 1.8 - 2.8	10,900	3.2 2.3 - 4.0	7,500			1.2 0.7 - 1.8	2,700	
Hypertension† Asthma†	2.5 2.0 - 2.9	11,900	2.6 2.0 - 3.2	6,200		400	2.2 1.5 - 3.0	4,800	
	7.8 7.0 - 8.6	37,500	8.6 7.4 - 9.8	20,500	5.5 * 1.5 - 9.5	400	7.1 5.9 - 8.4	15,300	
Nutrition and Weight  Daily folic acid use, month before pregnancy	22.7 24.4 24.2	150,000	24.7. 40.0. 22.7	F2 700	10.6 44.4 20.4	4.500	44.0 42.2 47.6	07.500	
Overweight before pregnancy	32.7 31.1 - 34.3 24.7 23.2 - 26.2	159,900	<b>21.7</b> 19.8 - 23.7 <b>26.8</b> 24.6 - 29.0	52,700 60,000	19.6 11.1 - 28.1 23.1 10.0 - 36.2	1,500	<b>44.9 42.3</b> - <b>47.6 22.6 20.4</b> - <b>24.8</b>	97,500 48,100	
Obese before pregnancy	20.3 18.9 - 21.7	114,900 94,400	<b>25.7</b> 23.5 - 27.9	57,500	20.1 9.9 - 30.4	1,500 1,300	15.5 13.6 - 17.3	33,000	
Inadequate weight gain during pregnancy	17.7 16.2 - 19.2	72,900	20.5 18.2 - 22.8	39,300	27.8 12.4 - 43.1	1,500	14.6 12.7 - 16.6	28,400	
Excessive weight gain during pregnancy	41.4 39.5 - 43.2	170,100	40.4 37.8 - 43.0	77,500	34.3 21.6 - 46.9	1,900	43.0 40.2 - 45.8	83,400	
Food insecurity during pregnancy	<b>16.6</b> 15.4 - 17.9	80,500	<b>27.5</b> 25.3 - 29.7	65,600	24.6 12.1 - 37.1	1,900	4.6 3.6 - 5.6	10,000	
Intimate Partner Violence (IPV) and Depressive Symptoms	10.0 15.4 17.5	00,500	27.5 25.5 25.7	03,000	24.0 12.1 37.1	1,500	4.0 5.0 5.0	10,000	
Physical or psychological IPV during pregnancy	7.1 6.2 - 7.9	34,500	10.7 9.3 - 12.2	26,000	15.8 6.7 - 24.9	1,200	2.8 1.9 - 3.7	6,000	
Prenatal depressive symptoms	14.1 12.9 - 15.3	68,900	19.0 17.1 - 20.8	45,900	33.9 19.5 - 48.3	2,700	7.5 6.2 - 8.7	16,200	
Postpartum depressive symptoms	13.0 11.8 - 14.1	63,200	16.7 14.9 - 18.5	40,300	12.3 * 4.2 - 20.4	1,000	9,2 7.8 - 10.5	19,800	
Hardships and Support during Pregnancy	20.0	,		.,		,,,,,,	3,12		
Experienced two or more hardships during childhood	25.3 23.8 - 26.7	121,600	32.7 30.4 - 35.0	77,600	28.1 16.4 - 39.8	2,200	16.5 14.7 - 18.4	35,500	
Homeless or did not have a regular place to sleep	2.9 2.4 - 3.4	14,000	4.8 3.9 - 5.7	11,600	8.0 * 0.5 - 15.5	600	0.7 0.3 - 1.1	1,500	
Moved due to problems paying rent or mortgage	<b>6.9</b> 6.0 - 7.7	33,600	10.3 8.9 - 11.8	25,000	12.8 * 2.0 - 23.7	1,000	2.9 2.0 - 3.8	6,300	
Woman or partner lost job	14.6 13.4 - 15.8	71,000	<b>21.5</b> 19.5 - 23.5	51,500	20.8 9.5 - 32.2	1,600	<b>7.4</b> 6.0 - 8.7	15,900	
Woman or partner had pay or hours cut back	11.8 10.7 - 12.8	57,100	<b>15.3</b> 13.6 - 17.0	36,700	13.5 * 4.7 - 22.3	1,000	8.1 6.7 - 9.5	17,400	
Became separated or divorced	7.6 6.7 - 8.5	37,000	11.6 10.1 - 13.1	28,000	<b>21.3</b> * 8.2 - 34.5	1,700	<b>2.9</b> 2.0 - 3.9	6,300	
Had no practical or emotional support	<b>4.4</b> 3.7 - 5.2	21,700	6.7 5.4 - 8.0	16,200	9.2 * 0.7 - 17.6	700	1.8 1.1 - 2.4	3,800	
Substance Use									
Any smoking, 3 months before pregnancy	11.6 10.5 - 12.7	56,500	<b>14.6</b> 12.9 - 16.3	35,300	<b>24.7</b> 11.9 - 37.5	1,900	<b>7.1</b> 5.9 - 8.4	15,400	
Any smoking, 3rd trimester†	2.9 2.3 - 3.4	13,900	4.3 3.4 - 5.2	10,400	6.7 * 1.7 - 11.7	500	0.8 0.5 - 1.0	1,600	
Any smoking, postpartum	5.6 4.8 - 6.3	27,300	8.1 6.8 - 9.3	19,500	<b>9.1</b> * 3.4 - 14.9	700	<b>2.4</b> 1.7 - 3.1	5,200	
Any binge drinking, 3 months before pregnancy	15.1 13.8 - 16.3	72,900	<b>13.6</b> 11.9 - 15.3	32,600	<b>21.5</b> * 7.8 - 35.2	1,700	<b>15.3</b> 13.5 - 17.1	33,000	
Any alcohol use, 3rd trimester†	7.6 6.6 - 8.6	37,000	4.1 2.9 - 5.2	9,900	13.9 * 2.8 - 25.0	1,100	11.2 9.5 - 12.8	24,100	
Pregnancy Intention and Family Planning									
Mistimed or unwanted pregnancy	31.2 29.6 - 32.8	151,800	41.2 38.8 - 43.6	99,300	47.3 33.3 - 61.2	3,700	20.0 17.9 - 22.1	43,100	
Unsure of pregnancy intentions	12.9 11.8 - 14.0	62,700	16.5 14.7 - 18.2	39,700	8.7 * 3.2 - 14.2	700	8.9 7.4 - 10.4	19,200	
Postpartum birth control use†	81.6 80.3 - 83.0	390,200	83.4 81.6 - 85.1	197,400	72.9 60.4 - 85.3	5,600	80.3 78.1 - 82.6	170,600	
Infant Sleep and Breastfeeding					0= 0		0.1		
Placed infant on back to sleep	79.7 78.3 - 81.1	383,200	76.1 74.0 - 78.2	180,600	65.2 50.9 - 79.5	4,900	84.5 82.6 - 86.5	,	
Infant always or often shared bed Intended to breastfeed, before birth	34.1 32.5 - 35.7	163,700	38.4 36.1 - 40.7	91,000	55.8 42.0 - 69.5	4,200	28.8 26.3 - 31.2	61,600	
, ,	92.4 91.5 - 93.4 64.2 62.6 - 65.9	444,100	90.8 89.5 - 92.1 57.8 55.4 - 60.2	215,000 136,900	83.6 * 73.2 - 94.0 46.0 32.3 - 59.7	6,300	94.5 93.2 - 95.9 71.7 69.2 - 74.2	202,700 153,800	
Intended to breastfeed exclusively, before birth Breastfeeding practices	<b>64.2</b> 62.6 - 65.9	308,500	57.8 55.4 - 60.2	130,900	46.0 32.3 - 59.7	3,500	71.7 69.2 - 74.2	103,800	
Any breastfeeding, 1 month after delivery	83.5 82.3 - 84.8	398,500	<b>78.4</b> 76.4 - 80.4	184,100	86.1 79.3 - 92.8	6,300	89.3 87.6 - 90.9	190,400	
Exclusive breastfeeding, 1 month after delivery	42.7 41.0 - 44.4	200,700	37.3 35.0 - 39.6	86,100	37.9 24.1 - 51.7	2,700	48.2 45.5 - 50.9	101,500	
Any breastfeeding, 3 months after delivery	66.2 64.3 - 68.2	244,200	57.7 54.9 - 60.5	109,200	61.8 46.7 - 77.0	3,100	76.6 73.9 - 79.3	120,100	
Exclusive breastfeeding, 3 months after delivery	27.4 25.7 - 29.1	99,800	19.4 17.4 - 21.4	36,200	17.4 8.5 - 26.2	800	36.2 33.2 - 39.2	56,300	

MIHA is a collaborative effort of the Maternal, Child and Adolescent Health Division and the Women, Infants and Children Division in the California Department of Public Health and the Center on Social Disparities in Health at the University of California San Francisco.



## MIHA Data Snapshot, California by Prenatal Health Insurance, 2013-2014

Maternal and Infant Health Assessment (MIHA) Survey

	California			Medi-Cal		Uninsured			Private			
	%	95% CI	N	%	95% CI	N	%	95% CI	N	%	95% CI	N
Service Utilization and Health Insurance Coverage												
Had a usual source of pre-pregnancy care	70.4	68.8 - 71.9	344,100	58.7	56.3 - 61.1	142,300	45.0	31.4 - 58.6	3,400	84.1	82.1 - 86.1	182,400
Initiated prenatal care in 1st trimester	89.7	88.7 - 90.6	433,500	84.2	82.5 - 85.8	201,700	66.6	54.2 - 79.0	5,100	96.8	95.9 - 97.6	207,200
Had a postpartum medical visit	87.5	86.4 - 88.7	427,500	81.4	79.5 - 83.3	197,200	69.2	56.9 - 81.6	5,400	95.0	93.7 - 96.3	205,700
Mom or infant needed but couldn't afford care postpartum	12.6	11.4 - 13.7	59,700	18.5	16.5 - 20.5	43,500	30.0	17.6 - 42.3	2,300	5.6	4.4 - 6.7	11,800
Participated in WIC during pregnancy†	54.1	52.9 - 55.4	259,300	88.1	86.7 - 89.4	211,300	52.9	39.2 - 66.7	4,100	16.2	14.3 - 18.1	34,000
Received CalFresh (food stamps) during pregnancy Pre-pregnancy insurance	24.9	23.6 - 26.3	121,000	47.4	45.0 - 49.8	113,500	22.1	11.2 - 33.0	1,700	2.2	1.5 - 2.8	4,700
Medi-Cal	24.5	23.1 - 25.8	119,600	48.1	45.8 - 50.5	116,600	13.3 *	2.0 - 24.7	1,000	0.5 *	0.2 - 0.9	1,200
Uninsured	24.0	22.6 - 25.4	117,500	42.4	40.0 - 44.8	102,700	78.3	66.2 - 90.3	6,100	1.8	1.1 - 2.4	3,800
Private	47.5	46.2 - 48.9	232,500	7.3	6.2 - 8.4	17,700	5.5 *	1.3 - 9.7	400	97.5	96.7 - 98.2	211,400
Maternal postpartum insurance												
Medi-Cal	36.2	34.7 - 37.6	175,700	69.8	67.7 - 72.0	167,300	_	18.1 - 39.3	2,200	2.2	1.5 - 3.0	4,900
Uninsured	15.0	13.8 - 16.2	72,800	24.7	22.6 - 26.9	59,300	59.3		4,600	2.3	1.4 - 3.1	4,900
Private	45.7	44.3 - 47.0	221,900	4.5	3.7 - 5.4	10,900	10.7 *	2.2 - 19.2	800	95.3	94.1 - 96.4	206,800
Infant health insurance												
Medi-Cal	52.2		250,400	93.4		220,800	63.4		4,700	8.9	7.4 - 10.3	19,000
Uninsured		2.2 - 3.5	13,700	2.8	1.9 - 3.6	6,500		12.9 - 40.7	2,000		1.4 - 3.0	4,700
Private	41.3	40.0 - 42.6	198,000	2.7	2.0 - 3.4	6,300	8.1 *	2.7 - 13.4	600	88.2	86.6 - 89.9	189,100
Maternal Demographics												
Age												
15-19		4.9 - 6.4	27,500	9.5	8.2 - 10.9	23,100		1.1 - 10.8	500	1.5	0.8 - 2.2	3,300
20-34	74.5		365,300		76.0 - 79.9	189,300		65.4 - 87.2	6,000	70.1		152,200
35+		18.5 - 21.3	97,400	_	11.0 - 14.0	30,300	_	7.7 - 27.9	1,400	28.4		61,700
Did not complete high school (or GED)	16.5		79,900	_	27.1 - 31.6	70,300		23.3 - 51.5	2,900		1.6 - 3.2	5,300
Unmarried Race/Ethnicity	40.9	39.4 - 42.4	199,000	64.8	62.5 - 67.1	155,800	55.4	41.7 - 69.0	4,300	16.5	14.6 - 18.3	35,600
Hispanic	49.2		236,500		67.5 - 71.5	167,100	63.0		4,800	27.2		57,300
Black		5.3 - 6.1	27,400	7.5	6.8 - 8.1	18,000		1.9 - 9.8	400	3.2	2.6 - 3.8	6,800
White	29.3	27.9 - 30.7	140,900	15.4	13.8 - 17.0	37,100	15.5	8.6 - 22.5	1,200	44.4	41.9 - 47.0	93,600
Asian/Pacific Islander	15.3	13.9 - 16.7	73,700	7.0	5.7 - 8.3	16,800	15.5 *	3.3 - 27.8	1,200	24.8	22.2 - 27.5	52,300
Born outside the U.S.	37.9	36.2 - 39.6	185,700	42.6	40.3 - 45.0	103,500	62.3	49.9 - 74.8	4,900	32.6	30.0 - 35.3	70,900
Speaks non-English language at home	30.1	28.5 - 31.7	144,800	37.7	35.4 - 40.1	90,100	53.3	39.7 - 67.0	4,100	21.2	18.8 - 23.6	45,200
Lives in a high poverty neighborhood Income as a percent of the Federal Poverty Guideline	38.9	37.3 - 40.5	182,900	56.8	54.4 - 59.2	130,800	37.7	24.0 - 51.5	2,800	20.7	18.5 - 23.0	43,700
0-100%	41.0	39.5 - 42.4	188,800	74.0	71.9 - 76.1	167,200	52.1	37.8 - 66.5	3,500	7.1	5.7 - 8.5	14,700
101-200%	20.8	19.4 - 22.2	96,000	23.0	21.0 - 25.0	51,900	31.1	16.6 - 45.6	2,100	15.9	13.9 - 17.8	33,000
> 200%		36.9 - 39.6	176,200		2.3 - 3.7	6,800		5.5 - 28.0	1,100		74.9 - 79.3	160,200

<sup>--</sup> Estimate not shown because the relative standard error (RSE) is greater than 50% or fewer than 5 women reported.

Notes: MIHA is an annual population-based survey of California resident women with a live birth. Data from MIHA 2013-2014 were combined, resulting in a statewide sample size of 13,963. Percent (%), 95% confidence interval (95% CI) and estimated number of women in the population with the health indicator/characteristic (N), i.e., numerator of the percent rounded to the nearest hundred, are weighted to represent all women with a live birth who resided in California in 2013-2014. Population estimate (N) is a two-year average. See the Technical Notes for information on weighting, comparability to prior years and technical definitions. Visit the MIHA website at www.cdph.ca.gov/MIHA.

Table Citation: Maternal and Infant Health Assessment (MIHA) Survey Data Snapshots, 2013-2014. California Department of Public Health. 2016.

<sup>\*</sup> Estimate should be interpreted with caution due to low statistical reliability (RSE is between 30% and 50%).

<sup>†</sup> Measure/definition changed for this indicator and is not comparable to prior years (see Technical Notes).