



# Cannabis Information for Health Care Providers

It is legal for adults 21 or older to possess, consume and cultivate cannabis in California. Sale of cannabis from licensed retail outlets will become legal January 1, 2018. If you are 18 or older, you can use cannabis if you have a current qualifying physician's recommendation or a valid county-issued medical marijuana identification card. However, cannabis is not recommended for women who are pregnant or breastfeeding, or who plan to become pregnant. Additionally, regular cannabis use by youth can result in intermediate and long-term health impacts. Here are recommendations from professional organizations serving pregnant women, their infants, and children, as well as key data and information from scientific research on the health risks associated with cannabis use.



## **Using Cannabis During Pregnancy is Not Recommended**

- The American College of Obstetricians and Gynecologists recommend women who are pregnant or contemplating pregnancy should be encouraged to discontinue use of cannabis.<sup>1</sup>
- If a pregnant patient is already using cannabis for medicinal purposes, use should be discontinued in favor of an alternative treatment shown to be safe during pregnancy.<sup>2</sup>
- The American Academy of Pediatrics recommends infants not be exposed to cannabis, given research demonstrating it may have negative effects on health and brain development.<sup>3</sup>

- Possible negative effects of using cannabis during pregnancy include fetal growth restriction and low birth weight.<sup>2</sup>
- Research has demonstrated that cannabis use may increase the chance of having a stillbirth.<sup>4,5</sup>
- Evidence indicates cannabis use during pregnancy, or while breastfeeding, can affect infant neurodevelopment.<sup>6,7</sup>

### Using Cannabis While Breastfeeding is Not Recommended

- The American Academy of Pediatrics and other professional organizations recommend that women do not use cannabis while breastfeeding.<sup>3,8</sup>
- Regardless of the method of consumption (smoking, vaping, eating, or drinking), the active ingredient in cannabis, tetrahydrocannabinol (THC), is present in the breast milk of women who use cannabis and is transmitted to infants who nurse.<sup>9,10</sup>
- Infants exposed to breast milk that contains THC may have trouble nursing because of sedation, reduced muscular tone, and poor sucking ability.<sup>11</sup>



#### **How Cannabis Affects Children and Youth**

- Secondhand smoke from cannabis products entering the lungs of infants and children contains THC as well as many of the same chemicals as tobacco smoke.<sup>18</sup>
- The way cannabis plants are grown has changed over the past few decades. Many plants now contain higher amounts of THC.<sup>19,20</sup> The higher the THC content, the stronger the effects on your brain and behavior.<sup>21</sup>
- Since the brain is still developing into the mid-20s, using cannabis during adolescence can negatively affect the developing brain, leading to short-term and long-term consequences. Such consequences may jeopardize educational, professional, and social achievements.
- Research shows that youth who use cannabis before age 18, or use cannabis regularly, may be at higher risk of:
  - Skipping classes<sup>12</sup>
  - Lower grades and an increased risk of dropping out of school<sup>13,14</sup>
  - Unemployment or having less fulfilling jobs later in life<sup>15</sup>
- Cannabis use in adolescence can lead to addiction and increase the risk of use or abuse of other substances and illegal drugs.<sup>16,17</sup>

### **Cannabis Use May Affect Youth Mental Health**

- Regular cannabis use has been linked to anxiety, depression, suicidal thoughts and attempts, and death by suicide, especially for teens with a family history of mental illness.<sup>22,23,24</sup>
- Although rare, cannabis use also increases the risk of schizophrenia and other psychoses, with the highest risk among those who use cannabis more frequently.<sup>25</sup>

#### **Communicate with Your Patients**

- It is important to ask your patients about their cannabis use and provide information, without judgment, about safety concerns and referral for treatment if needed.
  - More than 1 in 10 pregnant and non-pregnant women reported using cannabis in the past 12 months.<sup>26</sup>
  - In 2016, less than 1 in 5 high school students in California reported using cannabis in the past 30 days.<sup>27</sup>
  - Both groups reported beliefs that there is slight or no risk of harm from using cannabis once or twice a week.
- As acceptance of cannabis use increases, it is important to counsel pregnant women on the potential medical consequences of use during pregnancy.<sup>28,29</sup>





- 1 Marijuana use during pregnancy and lactation. Committee Opinion No. 637. American College of Obstetricians and Gynecologists. Obstet Gynecol 2015;126:234-8. https://www.acog.org/Resources-And-
- Publications/Committee-Opinions/Committee-on-Obstetric-Practice/Marijuana-Use-During-Pregnancy-and-Lactation
- 2 Gunn JKL, Rosales, XB, Center, KE, et al. Prenatal exposure to cannabis and maternal and child health outcomes: A systematic review and meta-analysis. BMJ Open. 20166(4):e009986
- 3 American Academy of Pediatrics Policy Statement. The Impact of Marijuana Policies on Youth: Clinical, Research, and Legal Update Committee on Substance Abuse, Committee on Adolescence. March, 2015 doi:
- 10.1542/peds.2014-4146
- 4 Varner MW, Silver RM, Rowland Hogue CJ, Willinger M, Parker CB, Thorsten VR, et al. Association between stillbirth and illicit drug use and smoking during pregnancy. Eunice Kennedy Shriver National Institute of
- Child Health and Human Development Stillbirth Collaborative Research Network, Obstet Gynecol 2014;123:113-25.
- 5 National Institute for Health, Eunice Shriver Kennedy National Institute of Child and Human Development. Tobacco, drug use in pregnancy can double risk of stillbirth. News Releases; December 11, 2013. https://www.nih. gov/news-events/news-releases/tobacco-drug-use-pregnancy-can-double-risk-stillbirth
- 6 Chia-Shan Wu, Christopher P Jew, Hui-Chen Lu. Lasting impacts of prenatal cannabis exposure and the role of endogenous cannabinoids in the developing brain. Future Neurol. 2011 Jul 1; 6(4): 459–480.
- 7 Leech SL, Richardson GA, Goldschmidt L, Day NL. Prenatal substance exposure: effects on attention and impulsivity of 6-year-olds. Neurotoxicol Teratol. 1999 Mar-Apr;21(2):109-18.
- 8 Reece-Stremtan, Kathleen A Marinelli. ABM Clinical Protocol #21: Guidelines for Breastfeeding and Substance Use or Substance Use Disorder, Revised 2015. Breastfeed Med. 2015 April; 10(3):135-141.
- 9 Garry, A., V. Rigourd, A. Amirouche, V. Faurox, S. Aubry, and R. Serreau. 2009. Cannabis and breastfeeding. Journal of Toxicology 2009(596149):1-5.
- 10 Perez-Reyes M, Wall ME. Presence of delta9-tetrahydrocannabinol in human milk. N Engl J Med 1982;307:819–20.
- 11 Liston, J. Breastfeeding and the use of recreational drugs alcohol, caffeine, nicotine and marijuana. Breastfeed Rev. 1998;6:27-30.
- 12 National Academies of Sciences, Engineering, and Medicine. The health effects of cannabis and cannabinoids: The current state of evidence and recommendations for research. 2017. Washington, DC:
- The National Academies Press
- 13 Arria AM, Garnier-Dykstra LM, Cook ET, Caldeira KM, Vincent KB, Baron RA, et al. Drug use patterns in young adulthood and post-college employment. Drug and Alcohol Dependence. 2013;127(1):23-30. (Reviewed in: National Academies of Sciences, Engineering and Medicine. 2017. The health effects of cannabis and cannabinoids: The current state of evidence and recommendations for research. Washington, DC: The National Academies Press. doi:10.17296/24625. p. 277)
- 14 Macleod J, Oakles R, Copello A, Crome I, Egger M, Hickman M, et al. Psychological and social sequelae of cannabis and other illicit drug use by young people: A systematic review of longitudinal, general population studies. Lancet. 2010;363(9421):1579-1588. (Reviewed in: National Academies of Sciences, Engineering and Medicine. 2017. The health effects of cannabis and cannabinoids: The current state of evidence and recommendations for research. Washington, DC: The National Academies Press. doi:10.17226/24625. pp. 271-275).
- 15 Fergusson DM and Boden JM. Cannabis use and later life outcomes. Addiction. 2008;103(6):p. 969-76; discussion 977-8. (Reviewed in: National Academies of Sciences, Engineering and Medicine. 2017. The health effects of cannabis and cannabinoids: The current state of evidence and recommendations for research. Washington, DC: The National Academies Press. doi:10.17226/24625. pp. 276-279 (education); pp. 280-281 (unemployment)).
- 16 Zhang C, JS Brook, D O'Connel, J Peterson, V Welch, et al. Trajectories of marijuana use from adolescence to adulthood as predictors of unemployment status in the early forties. 2016. American Journal on

#### Addictions, 25(3):203-209,

- 14Chuan-Yu Chen, Megan S. O'Brien, and James C. Anthony. 2005. "Who becomes cannabis dependent soon after onset of use? Epidemiological evidence from the United States: 2000-2001." Drug and Alcohol Dependence. 79(1):11-22. (Reviewed in: National Academies of Sciences, Engineering and Medicine. 2017. The health effects of cannabis and cannabinoids: The current state of evidence and recommendations for research. Washington, DC: The National Academies Press. P. 342-343).
- 18 Moir D, Rickert WS, Levasseur G, Larose Y, Maertens R, White P, et al. A comparison of mainstream and sidestream marijuana and tobacco cigarette smoke produced under two machine smoking conditions. Chem Res Toxicol 2008:21:494–502.
- 19 Mahmoud A. ElSohly, Zlatko Mehmedic, Susan Foster, Chandrani Gon, Suman Chandra, and James Church. 2016. "Changes in Cannabis Potency over the Last Two Decades (1995-2014) Analysis of Current Data in the United States." Biological Psychiatry 89(7):613-619. (Reviewed in: National Academies of Sciences, Engineering and Medicine. 2017. The health effects of cannabis and cannabinoids: The current state of evidence and recommendations for research. Washington, DC: The National Academies Press. P.51).
- 20 Mehmedic Z, Chandra S, Slade D, et al. Potency trends of Δ9-THC and other cannabinoids in confiscated cannabis preparations from 1993 to 2008. J Forensic Sci. 2010;55(5):1209-1217. doi:10.1111/j.1556-4029.2010.01441.x. National Academies of Sciences, Engineering, and Medicine. 2017
- $21\ National\ Institute\ on\ Drug\ Abuse.\ 2017.\ "What\ is\ marijuana?"\ drugabuse.gov.\ Accessed\ August\ 14,2017.\ https://www.drugabuse.gov/publications/drugfacts/marijuana?"\ drugabuse.gov.\ August\ 14,2017.\ https://www.drugabuse.gov.\$
- 22 Lev-Ran S, Le Foll B, McKenzie K, George TP, Rehm J. Bipolar disorder and co-occurring cannabis use disorders: Characteristics, co-morbidities and clinical correlates. Psychiatry Research. 2013;209(3):459-465. (Reviewed in: National Academies of Sciences, Engineering and Medicine. 2017. The health effects of cannabis and cannabinoids: The current state of evidence and recommendations for research. Washington, DC: The National Academies Press. doi:10.17226/24625. p. 308).
- 23 Moore TH, Zammit S, Lingford-Hughes A, Barnes TR, Jones PB, Burke M, et al. Cannabis use and risk of psychotic or affective mental health outcomes: A systematic review. Lancet. 2007;370(9584):319-328. (Reviewed in: National Academies of Sciences, Engineering and Medicine. 2017. The health effects of cannabis and cannabinoids: The current state of evidence and recommendations for research. Washington, DC: The National Academies Press. doi:10.17226/24625. pp. 289-326).
- 24 Borges G, Bagge CL, Orozco R. A literature review and meta-analyses of cannabis use and suicidality. Journal of Affective Disorders. 2016;195(63-74). (Reviewed in: National Academies of Sciences, Engineering and Medicine. 2017. The health effects of cannabis and cannabinoids: The current state of evidence and recommendations for research. Washington, DC: The National Academies Press. doi:10.17226/24625. pp. 311-312).
- 25 Marconi A, Di Forti M, Lewis CM, Murray RM, Vassos E. Meta-analysis of the association between the level of cannabis use and risk of psychosis. Schizophrenia Bulletin. 2016;42(5):1262-1269. (Reviewed in: National Academies of Sciences, Engineering and Medicine. 2017. The health effects of cannabis and cannabinoids: The current state of evidence and recommendations for research. Washington, DC: The National Academies Press. doi:10.17226/24625. pp. 289-326).
- 26 Ko JY, Farr SL, Tong VT, Creanga AA, Callaghan WM. Prevalence and patterns of marijuana use among pregnant and nonpregnant women of reproductive age. Am J Obstet Gynecol. 2015;213(2):201.e1-201.e10.
- $27\,California\,Department\,of\,Public\,Health,\,Tobacco\,Control\,Program.\,2016\,California\,Student\,Tobacco\,Survey.\,2016\,California\,Student\,Tobacco\,Survey.\,2016\,California\,Student\,Tobacco\,Survey.\,2016\,California\,Student\,Tobacco\,Survey.\,2016\,California\,Student\,Tobacco\,Survey.\,2016\,California\,Student\,Tobacco\,Survey.\,2016\,California\,Student\,Tobacco\,Survey.\,2016\,California\,Student\,Tobacco\,Survey.\,2016\,California\,Student\,Tobacco\,Survey.\,2016\,California\,Student\,Tobacco\,Survey.\,2016\,California\,Student\,Survey.\,2016\,Cal$
- $28\,Harrison, Pam.\, ``Marijuana\,Use\,Jumps\,in\,Pregnant\,Women.''\,Medscape, December\,29, 2016.\,http://www.medscape.com/viewarticle/873834.$
- 29 Phillips, Dana. "Few Ob/Gyns Counsel Pregnant Patients About Marijuana Use." Medscape, March 16, 2016. https://www.nih.gov/news-events/news-releases/tobacco-drug-use-pregnancy-can-double-risk-stillbirth

