

**CALIFORNIA WOMEN'S HEALTH SURVEY
SAS DATASET DOCUMENTATION AND TECHNICAL REPORT
1997-2005**

Survey Research Group
Cancer Surveillance Section
California Department of Health Services
1700 Tribute Rd. Suite 100
Sacramento, CA 95815

May 2006



**CALIFORNIA WOMEN'S HEALTH SURVEY
SAS DATASET DOCUMENTATION AND TECHNICAL REPORT**

ACKNOWLEDGMENTS	2
Collaboration (Co-Author) Option	2
Acknowledgement Option	2
Document prepared by:	2
INTRODUCTION	3
The California Women's Health Survey	3
Survey Research Group (SRG)	4
SRG Capabilities:	4
Present, Past and Future Research:	4
California Behavioral Risk Factor Survey (BRFS)	4
California Adult Tobacco Survey (CATS)	5
California Youth Tobacco Survey (CYTS)	5
Sacramento and Santa Clara Lung Cancer Risk Factor Survey, 1991	5
Women's Access to Cancer Screening Services, 1994.	5
Questions concerning the CWHS, this documentation or SRG	5
PART I: CWHS TECHNICAL REPORT	6
Sample and Methods	6
Questionnaire Design	6
Interview Procedures	6
Sample Selection	6
Response Rates	7
The Dataset	8
Representativeness of the Sample	8
Weighting Procedures	14
PART II: DATA DICTIONARY	16
PART III: CODING CONTINUOUS VARIABLES WITH SPECIAL CODES	41
PART IV: CATEGORICAL VARIABLE FORMATS	43
PART V: INDEX VARIABLE NAMES BY SUBJECT, LOCATION ON QUESTIONNAIRES	75
PART VI: WEIGHTS	90
The choice of the standard population.	90
Single year weights	90
CWHS Final Weights	91
Values for Age Variables:	91
Values for Race Variables:	92
Department of Finance (DOF) 1990 and 2000 California Population Estimates	93

Figures

Figure 1.	Distribution Of Race/Ethnicity	9
Figure 2.	Percent of Women Aged 25 & Older with Some College Education	11
Figure 3.	Distribution of Household Income	12
Figure 4.	Distribution of Age by Race.....	13

Tables

Table I.	Sample Sizes In Age/Race Cells In Cumulative 1997-2005 Dataset	8
Table II.	Race Distribution Of The CWHS Sample (1997-2005)	9
Table III.	Educational Level Among Adults Aged 25 Years And Older	10
Table IV.	DOF 1990 California Population Estimates By 10-Year Age Category	93
Table V.	DOF 1990 California Population Estimates By 2 Age Categories	93
Table VI.	DOF 1990 California Population Estimates By 6 10-Yr Age Categories	93
Table VII.	DOF 2000 California Population Estimates By 10-Year Age Category	94
Table VIII.	DOF 2000 California Population Estimates By 2 Age Categories	94
Table IX.	DOF 2000 California Population Estimates By 6 10-Yr Age Categories	94

Acknowledgments

When a publication or abstract results from analysis of California Women's Health Survey data, the CWHS Group's contributions will be acknowledged. The following wording is strongly recommended for use in such acknowledgements.

"Data for these analyses were provided by The California Women's Health Survey (CWHS) Group. The CWHS is coordinated by the California Department of Health Services in collaboration with the California Department of Mental Health, the California Department of Alcohol and Drug Programs, CMRI, the Department of Social Services, and the Public Health Institute. Questionnaire development and funding for the survey was provided by the collaborating programs. Analyses, findings and conclusions described in this report are not necessarily endorsed by the CWHS Group."

Suggested Citation:

California Women's Health Survey SAS Dataset Documentation and Technical Report, Survey Research Group, California Department of Health Services, 2006.

Document prepared by:

This documentation was prepared by Marta Induni and Bonnie Davis. Administrative support by Ann Webb of the Survey Research Group.

INTRODUCTION

The California Women's Health Survey

The California Women's Health Survey (CWHs) is an on-going monthly telephone survey that collects information on a wide variety of health-related behaviors and attitudes from a sample of randomly selected adult women. This survey began in March of 1997 as a collaborative effort between the California Department of Health Services, the California Department of Mental Health, the Department of Alcohol and Drug Program, CMRI (formerly the California Medical Review, Inc.), the Department of Social Services, and the Public Health Institute (formerly California Public Health Foundation). These data or subsets of the data are made available upon request on diskette as a SAS dataset, which will be updated annually. This documentation is designed to facilitate use of this database by public health researchers.

Part I is a technical report which summarizes CWHs interview procedures, sample selection and questionnaire design. Parts II -V include a data dictionary, coding for categorical and numeric variables, and a cross-reference of variable name and question number. Part VI provides information about weights.

In planning your analyses and reviewing this document, a few critical features of CWHs and the dataset should be kept in mind:

- Although the SAS labels shown in the data dictionary provide some information on the content of the variable, they are, of necessity, a very abbreviated version of the question. It is highly recommended that the actual question and response categories be carefully reviewed before analyzing data.
- Not every question is asked of all participants. Some questions are skipped during the interview because of answers to previous questions or because of age or sex criteria. Skip patterns and selection criteria are indicated on the survey instruments. In general, questions that have been skipped are set to missing, thus restricting the denominator for the rate based on that question. For example, only people who state that they have been pregnant in the past five years (PREG5YR) or who are currently pregnant (PREGNANT) are asked if they have had the AFP blood test (AFPTEST). Therefore, the frequency of AFPTEST=1 (yes) is the proportion of those who were pregnant in the last five years and those who are currently pregnant but who were not pregnant in the past five years. To calculate the proportion of the population who had blood drawn for an AFP test, a new variable must be created which combines information from PREGNANT, PREG5YR and AFPTEST.
- Some, but not all, continuous variables have special values (i.e., 999 = refused). These values may need to be re-coded (e.g., set to missing) prior to analysis to obtain meaningful results. Such variables are indicated on the data dictionary in Part II and a list of codes given in Part III.
- The age, race and sex distribution of the sample does not completely match that of the California population. To adjust for this and to equalize the probability of being drawn into the sample, weights have been created. The creation and use of these weights are discussed in Part VI. It is important to use these weights to obtain meaningful prevalence estimates for the California population and to assess changes in behavior while controlling for changes in the demographics of the California population.
- The annual weights have been calculated to sum to the total 2000 California population, thus adjusting for the changes in sample size. To calculate meaningful estimates based on data

aggregated over two or more years, weights must be calculated to account for the pooling of data, as discussed in Part VI.

- Standard statistical packages such as SAS7, BMDP7, SPSS7, etc. can be used to analyze the data.
- The dataset does not contain any personal identifiers such as name, address or social security number. Unique records can be identified with the variable RESPNO or _PSU.
- Although every effort has been made to accurately document the database, it is possible that the database contains some coding errors or inconsistencies. A prudent approach would be to first run a simple frequency on any question you intend to use in your analyses to check for out of range values, special codes, or unexpected skip patterns. We would be grateful to have any such problems brought to our immediate attention.

Survey Research Group (SRG)

The CWHS is administered by the Survey Research Group, which is co-located with the Cancer Surveillance Section of the California Department of Health Services and was established in 1985. SRG specializes in conducting scientific health-related telephone surveys of the California population. Quality control procedures are rigorous to ensure a high level of quality in the data collected.

SRG Capabilities:

SRG has an 80-workstation capacity and 12 silent monitoring stations for survey management for interviewing. This capacity allows interviewers to work simultaneously on an unlimited number of survey research projects at one time. The software that facilitates the interviewing process allows questionnaire design and sampling strategy to be tailored to the needs of each research project. For example, it is possible to randomly sample from the statewide California population or from populations limited to smaller geographic areas. It is also possible to sample populations with special characteristics, such as women over the age of 40 or youth between the ages of 12 and 17.

SRG has the in-house capability to generate Waksberg-Mitofsky method samples or straight RDD (random digit dialing) samples. Samples purchased from commercial sampling firms also are implemented with CATI technology. SRG currently has the capacity to conduct several thousand general population interviews per month and is available to conduct interviews seven days a week in all time zones. Approximately 25 percent of the interviewing staff and 35 percent of the supervisory staff are fluent Spanish speakers, so interviews can be conducted in Spanish as necessary. All interviewers receive training in general telephone survey techniques as well as in any special technical requirements of surveys implemented throughout the unit.

Present, Past and Future Research:

The following are examples of survey research projects undertaken by SRG in addition to the CWHS.

California Behavioral Risk Factor Survey (BRFS)

Funded by the Centers for Disease Control and Prevention and the California Department of Health Services. Ongoing since January 1984. Interviews are conducted statewide with adults aged 18 and

over. The BRFSS surveys Californians about a wide variety of health behaviors. The survey is part of a surveillance effort planned by the Centers for Disease Control and the California Department of Health Services. The annual sample size for this survey increased from 1,200 interviews in 1984 to a current sample size of 5500.

California Adult Tobacco Survey (CATS). Funded by the Tobacco Control Section of the California Department of Health Services. Ongoing since February 1993. The emphasis of this survey is on adult tobacco use, past and present. The survey is part of a surveillance effort planned by the Tobacco Control Section, to be conducted annually. The projected annual sample size for this survey is 4,200 interviews per year.

California Teen Eating, Exercising and Nutrition Survey (Cal TEENS), 1998, 2000, 2002, 2004. Supported by the California Department of Health Services, Cancer Prevention and Nutrition Section and the California Wellness Foundation. Interviews were conducted statewide with youth aged 12 through 17. The emphasis of the survey is on youth eating and exercising behaviors and attitudes. Approximately 1,200 completed interviews were collected.

California Adult Dietary Practices Survey 2003. Supported by the California Department of Health Services, Cancer Prevention and Nutrition Section. Interviews were conducted statewide with an over sample of low income respondents. The emphasis of the survey is on dietary behaviors and attitudes. Approximately 1,600 completed interviews were collected.

Monterey County BRFSS: IMPACTO 2, 2000. Working with the Monterey County Health Department and Stanford University, SRG conducted a county-specific BRFSS among Latinos in Eastern Monterey County. Sample for this point-in-time survey was randomly drawn based on census tract numbers and telephone exchanges. This area was selected for sampling because a very high proportion of the population is Latino, many of whom are farm workers. In addition to traditional BRFSS questions, the survey instrument included questions of local interest and concern. These questions addressed issues such as over-crowding, perceptions of neighborhood safety, and perceptions of police responsiveness to community concerns. The survey was conducted between July and September 2000, and resulted in a final dataset of 817.

California Department of Transportation Pedestrian Safety Study, 2001 – 2002. Funded by the California Department of Transportation (Caltrans) and the California Department of Health Services Epidemiology and Prevention for Injury Control Branch. The emphasis of this survey was to learn about pedestrian related activities, practices and safety issues. Specifically, the focus of this survey was to determine what type of pedestrian activities (such as walking/jogging) California adults take part in, how often they do these activities, and where they engage in them. Barriers to these pedestrian activities were also investigated. Regional quota sampling was undertaken so that each of the 12 Caltrans regions had a minimum of 785 completed interviews. Over 12,000 interviews were gathered between July 2001 and June 2002. Within each region, telephone numbers were randomly drawn.

Questions concerning the CWHS, this documentation or SRG should be addressed to:

Marta Induni
Interim Chief, Survey Research Group
Public Health Institute
1700 Tribute Road
Sacramento, CA 95815-4402
Phone: (916) 779-0331
Fax: (916) 779-0336
Email: minduni@surveyresearchgroup.com
Website: <http://surveyresearchgroup.com/>

Part I: CWHS Technical Report

Sample and Methods

The California Women's Health Survey (CWHS) is an on-going monthly telephone survey that collects information on a wide variety of health-related behaviors and attitudes from a sample of randomly selected adult women. The California Women's Health Survey (CWHS) is an ongoing effort by the California Department of Health Services, the California Department of Mental Health, CMRI, the California Department of Alcohol and Drug Program, the Department of Social Services, and the Public Health Institute (formerly California Public Health Foundation). Data are collected monthly from a random sample of California adult women living in households with telephones. The CWHS database contains information on California residents from March through December 1997, May through December 1998, February through December 1999, and January through December thereafter.

Questionnaire Design

The CWHS questionnaire was developed by the California Women's Health Survey Group and SRG staff working collaboratively with experts in women's health research. Wherever possible, questions have been selected from previously conducted national or statewide surveys for comparability. Changes to the CWHS questionnaire can be implemented at any time to address issues of topical interest. Because the questionnaire has been modified since the survey began, researchers should review questions carefully before undertaking analyses of these data.

Participants in the CWHS are asked about a wide variety of behaviors related to past and present involvement in health care systems, participation in the government nutrition program, WIC, prenatal care, vitamin consumption, alcohol consumption, breastfeeding, sexually transmitted diseases, utilization of cancer screening procedures and other preventative measures. They also are asked for basic demographic information such as age, race/ethnicity, employment status, and education. Participation in the CWHS is completely voluntary and anonymous.

Interview Procedures

Interviews are conducted by trained interviewers following standardized procedures developed by SRG staff and the Centers for Disease Control and Prevention (CDCP). In general, interviews are conducted during weekday evenings and on weekends, although some interviews are conducted during weekday business hours. The average interview conducted in English takes approximately 30 minutes to complete. Appointments are made as needed for bilingual interviewers to conduct interviews in Spanish.

Using the CATI system, interviewers read questions as they are displayed on a computer screen. Responses are keyed directly into the computer. Automatic data editing and coding programs prevent invalid responses from being entered and greatly increase the accuracy and speed of data entry. In addition, the interview process is facilitated by automatically skipping questions based on prior responses, so that, for example, women who are age 60 or over are not asked if they are currently pregnant.

Sample Selection

During 1992, SRG undertook a methodological study to compare the characteristics of the Waksberg random digit dial sample with a screened random digit dial (RDD) sample purchased from a commercial sampling firm. Prior to testing for differences between samples, the variance estimates calculated for the Waksberg sample were corrected to adjust for the design effect introduced through the multi-

stage cluster sample. Demographic and behavioral characteristics were compared to determine if bias was introduced in the process of selecting and screening the purchased sample. It was determined that the screening process used in developing the purchased sample did not produce a biased sample of adult Californians living in households with telephones.

The screened RDD sample also was more costeffective and efficient than samples generated by the Waksberg method. Additionally, when using samples derived from a screened RDD, standard statistical packages can be used to calculate variance and other sample statistics. Because of the absence of cluster sampling or stratification, the screened RDD does not introduce a design effect into the sample. Based on the demonstrated unbiasedness of the sample and its cost and efficiency, California used a screened RDD sample purchased from a commercial sampling firm¹ for the CWHS.

Once a household is reached, all women living in the household aged 18 years or older are eligible to participate in the survey. If more than one member of the household is eligible, one person is selected at random (using a computer-generated random selection algorithm) to become the respondent. If the person selected is not available, an appointment is made to conduct the interview at a different time or on another day. Once a respondent is selected no other household member can be selected, even if it is not possible to obtain an interview from the selected respondent.

In order to maximize the representativeness of the sample, standardized procedures are followed for calling back numbers that ring with no answer or give a busy signal, or for encouraging selected respondents who are reluctant to participate. Each time a number is called, a record is kept of the outcome of the phone call. Numbers can be eliminated from the system only when it is determined that: 1) a telephone number is non-working (this is confirmed with the operator) or assigned to a business; 2) there is no eligible respondent in the household, or; 3) the selected respondent is unavailable during the time period of the survey, is unable to complete the interview in English or Spanish, or has some impairment that prevents him or her from communicating over the telephone.

Respondents who refuse to participate are not eliminated immediately; in an effort to persuade them to cooperate, they receive a second call after a 2 to 5 day "cooling off" period. If a second refusal comes from a household member other than the respondent, or if the interviewer or supervisor believes that the respondent might change her mind after a second refusal, a third call is made to the household a day or two after the second refusal. A number is eliminated if this third call results in a refusal. Telephones that ring with no answer, give a busy signal, or are picked up by an answering machine are eliminated after 15 attempts have been made to reach them, with at least one call each during an evening, weekend, and day shift.

Response Rates

Response rates measure how successful a survey has been in reaching selected Respondents. Two response rates are calculated for the CWHS, an "upperbound" rate and a CASRO rate. The upperbound response rate indicates the proportion of eligible households contacted that resulted in a completed interview.

The upperbound response rate for the CWHS in 1997 was 67%, it was 70% in 1998, 81% in 1999, 74% in 2000, 74% in 2001, 72% in 2002, 72% in 2003, 74% in 2004, and 73% in 2005. During 2000, and again in 2001, the disposition codes for the CWHS were changed to correspond exactly with CDC disposition codes. Because of this, the upper-bound and CASRO response rates declined from prior years.

The CASRO (Council of American Survey Research Organizations) rate assumes that some numbers that could not be reached represent eligible households. The CASRO rate for the 1997 and 1998 CWHS was 49%, was 46% in 1999, 38% in 2000, 25% in 2001, 37% in 2002, 40% in 2003, 41% in 2004, and 42% in 2005.

The Dataset

Each year a dataset will be created containing information from all the CWHS interviews collected during that calendar year. Each month, before the data are added to the annual database, they are checked extensively for possible errors. Any suspicious or outofrange values are compared to the respondent’s original answers as recorded at the time of the interview. When errors are found they are corrected. The annual datasets will be combined into a cumulative dataset for the year 1997 through the present. The sample size was n=4,010 in 1997, was n=4,006 in 1998, was n=4,163 in 1999, was n=4,012 in 2000, was n=4018 in 2001, n= 4,009 in 2002, n=4,004 in 2003, n=4,037 in 2004, and n=4,025 in 2005.

Beginning in 2002, the dataset will include all observations that had complete demographic information. To determine whether a particular respondent completed the entire survey, a variable named “PARTIAL” was created. The researcher has the option of not including those observations marked as “PARTIAL” and should note (as when analyzing any other subgroup of the data) that weighting procedures do not change. The sample size for partials was n=416 in 2002, n=393 in 2003, n=520 in 2004, and n=600 in 2005.

Table I shows the distribution of the cumulative sample (1997-2005) by age and race before weighting and without partials. In this table, and in the remainder of this report, “White” refers to non-Hispanic Whites, “Hispanic” refers to those persons who indicated that they were of Hispanic origin regardless of race, “Black” refers to those persons who indicated that their race was African American, and the categories “Asian/Other” or “Other” refer to all other racial/ethnic groups combined.

Table I. Sample Sizes In Age/Race Cells In Cumulative 1997-2005 Dataset

Race/Ethnicity	18-24	25-34	35-44	45-54	55-64	65+	Total
White	1,319	3,409	4,929	4,962	3,624	4,923	23,166
Black	232	444	496	413	247	261	2,093
Hispanic	1,467	3,379	2,703	1,381	719	555	10,204
Asian/Other	302	739	734	527	246	202	2,750
Total	3,320	7,971	8,862	7,283	4,836	5,941	38,213

Note: Table I data does not include partial completes.
 Source: 1997-2005 CWHS (n=38,213)


Representativeness of the Sample

Through the sampling process described above, California attempts to collect interviews from a random sample that is representative of the population of the state. In an effort to assess the degree to which the composition of the sample matches the demographic composition of the state, the cumulative sample for the years 1997-2005 has been compared to the Department of Finance population estimates for 2005 on several important variables. These include race and ethnicity, educational level, household income, and age. In the discussion that follows, the “sample” refers to the 2005 CWHS sample, unless otherwise indicated.

Figure 1 and Table II compare the racial/ethnic distribution of the unweighted CWHS sample with the distribution of racial/ethnic groups in the 2005 California population estimates. As the figure shows, Whites are somewhat over-represented in the sample, while the other race/ethnicity groups are under-represented. Approximately 13.9% additional interviews with whites were obtained in the sample than would be expected given the proportion of whites in the California population. Blacks had approximately 1.6% fewer interviews than expected, while Hispanics had 4.5% fewer interviews

than expected. Persons of "Other" race/ethnicity constitute the most underrepresented group, with 7.9% fewer interviews obtained than expected.

**Figure 1. Distribution of Race/Ethnicity
2005 CWHS Sample Vs. 2005 CA Population Estimate**



Source:
2005 CWHS Sample (n=4,025)
2005 California Population Estimate (California Department of Finance)

**Table II. Race Distribution of the 2005 CWHS Sample
Compared to the 2005 California Population Estimate**

Race/Ethnicity	CWHS	Sample	CA 2005	Expected	Difference	
					Net	Proportional
White	61.4%	2,471	47.5%	1,911	560	13.9%
Black	5.0%	200	6.6%	265	-65	-1.6%
Hispanic	26.3%	1,060	30.8%	1,239	-179	-4.4%
Asian/Other	7.3%	294	15.2%	610	-316	-7.9%
Total	100.0%	4,025	100.0%	4,025	0	0.0%

Source:
2005 CWHS Sample (n=4,025)
2005 California Population Estimate (California Department of Finance)

Table III shows the distribution of educational level among adults aged 25 and older, comparing the CWHS sample to data from the 2005 California Current Population Survey (CPS).

**Table III. Educational Level Among Adults Aged 25 Years And Older
2005 CWHS Sample vs. 2004 Current Population Survey**


Education Levels	Whites		Blacks		Hispanics		Asian/Other	
	CWHS	CPS	CWHS	CPS	CWHS	CPS	CWHS	CPS
Not a High School Grad	4.2%	6.4%	5.6%	13.3%	40.3%	45.8%	5.2%	14.7%
High School	20.0%	22.4%	22.2%	21.2%	23.8%	24.1%	10.3%	14.6%
Some College	33.4%	31.3%	42.8%	42.3%	21.1%	20.3%	21.3%	20.6%
College Grad	23.1%	26.1%	19.4%	16.2%	10.2%	7.5%	38.2%	33.6%
Master's or more	19.4%	13.8%	10.0%	7.1%	4.6%	2.4%	25.0%	16.5%

Source:
2005 CWHS Sample age 25+ (n=3,760)
2004 Current Population Survey

As shown in Table III, the CWHS sample is somewhat better educated than the general population. Those persons with less than a high school education or those with a high school education are under-represented in the CWHS sample. The most under-represented are Asian/Pacific Islanders with a high school education or less.

The percent of people who report that they have graduated from college or that they have had some college should be comparable across the two surveys ("Some college", "College graduate and post-grad"). Figure 2 compares the CWHS sample to the CPS data only for those persons aged 25 or older who have had some college education, obtained a college degree, or had some post-graduate education. As this figure shows, the CWHS sample has a larger proportion of more highly educated persons across all racial/ethnic groups, except Blacks, than would be expected given their proportions in the population. The discrepancy is proportionally greatest among Asian/Pacific Islanders. The sample appears to be least biased for Blacks.

**Figure 2. Percent of Women Aged 25 & Older with at Least Some College Education
2005 CWHS Sample vs. 2004 Current Population Survey**




Source:
2005 CWHS Sample age 25+ (n=3,760)
2004 Current Population Survey

Analyses comparing the CWHS income distribution to population-based income distributions are difficult, since 6.9% of the CWHS respondents decline to provide their household income.

Figure 3 compares the household income distribution of the CWHS sample to the 2004 CPS (reporting 2003 household income), including those who said they did not know their household income or who refused to answer the question. The CWHS sample shows a larger proportion of persons in the lower income groups and a much smaller proportion of persons in the highest household income category than was observed in the CPS highest income category. If it can be assumed that persons in the “unknown/refused” category actually have incomes greater than \$75,000, the two distributions look a little less skewed.

**Figure 3. Distribution of Household Income
2005 CWHS Sample vs. 2004 California Current Population Survey**





Source:

2005 CWHS Sample (n=4,025)


2005 California Population Survey(California Department of Finance, 2003 reported income)

Figure 4 compares the age distribution by race for the unweighted 2005 CWHS sample and the 2004 California population. Females aged 18 to 24 are under-represented in all race\ethnicity groups. Women aged 25 to 34 are over-represented among Blacks, Hispanics and Asian\Others and under-represented among Whites. Women aged 35 to 44 and aged are over-represented in every race\ethnicity group. Women aged 45 to 54 are slightly over-represented among Whites and Blacks, slightly under-represented among Hispanics, and und-represented among Asian\Others. Women aged 55 to 64 are over-represented among Whites and Asian\Others and under-represented among Blacks and Hispanics. Although women aged 65+ are slightly over-represented among Whites, and under-represented among Blacks, Hispanics, and Asian\Others.


Figure 4. Distribution of Age by Race
2005 CWHS Sample vs. 2005 CA Population Estimates



HISPANIC



ASIAN/OTHER



Source:
 2005 CWHS Sample (n=4,025)
 2005 CA Population Estimate age 18 and older

Weighting Procedures

As discussed above, the age and race characteristics of the CWHS sample differ to some extent from the age and race characteristics of the female California population. Weighting adjustments are used to compensate for this discrepancy. Prior to performing analyses on the CWHS data, the sample should always be weighted so that its age and race corresponds to that of the California population.

Representativeness of the Sample

Weights that adjust for age and race have been calculated for the CWHS sample, and are discussed in a later chapter of this document.

The weights provided with the dataset adjust only for age and race discrepancies between the CWHS sample and the California female population. No adjustment is made for the observed differences in education or income. Data users should control for education and income in their analyses when these variables are relevant and, possibly, confounding.

Part II: Data Dictionary

Dataset Name: **CWHS9705**
 Creation Date: May, 2005
 N Records: 38,213

Description: Contains data from interviews with 38,213 randomly selected California women conducted during 1997 through 2005.

Formats referenced below (e.g., YESNO.) are provided in Part IV in the program FORM9705.SAS, and can be obtained on diskette by request. Continuous variables which contain special values (e.g., 999=refused) are identified with Roman numerals, which are explained in Part III. Variables with no specified format are either character strings or numeric with no special values; i.e., all missing values are coded as '.' on the SAS dataset.

Documentation providing information on the specific questions asked, the location of the question on the questionnaire, definitions of calculated variables, and use of weights are found in Parts V, VI and VII and should be consulted prior to using the dataset.

<u>Variable</u>	<u>Format</u>	<u>Year</u>	<u>Label</u>
ABTREAT	YESNO.	2000	TREAT URINARY TRACT INFECT. W/ANTIBIOTIC
ACEDEPMI	YESNO.	2003-2005	BEFORE 18 LIVE WITH SOMEONE MENTALLY ILL
ACEDVMOM	YESNO.	2003	BEFORE 18 MOM TREATED VIOLENTLY
ACEDVMO2	YESNO.	2004-2005	BEFORE 18 MOM TREATED VIOLENTLY
ACEDVRC	YESNO.	2004-2005	BEFORE 18 PARENTS SEPARATED/DIVORCED
ACEHNGR	YESNO.	2005	BEFORE 18 EVER HUNGRY
ACEJAIL	YESNO.	2003-2005	BEFORE 18 LIVED WITH SOMEONE WHO WENT TO JAIL
ACESUBAB	YESNO.	2003-2005	BEFORE 18 LIVED WITH SUBSTANCE ABUSER
ACEWLFAR	YESNO.	2005	BEFORE 18 HOUSEHOLD RECEIVED WELFARE
AFPBOOK	YESNO.	1997-1999	GET A BOOKLET ABOUT AFP TEST
AFPNOT1	YESNO.	1997-1999	NOT TOLD OF AFP TEST/ASKED IF WANTED IT
AFPNOT2	YESNO.	1997-1999	DIDNT UNDERSTAND REASON FOR AFP TEST
AFPNOT3	YESNO.	1997-1999	NO TEST: DONT LIKE HAVING BLOOD DRAWN
AFPNOT4	YESNO.	1997-1999	HEARD AFP RESULTS WERE UNRELIABLE
AFPNOT5	YESNO.	1997-1999	HAD AMNIOCENTESIS INSTEAD OF AFP TEST
AFPNOT6	YESNO.	1997-1999	DIDNT WANT TO KNOW OF BIRTH DEFECT
AFPNOT7	YESNO.	1997-1999	DIDNT WANT TO DECIDE ABOUT ABORTION
AFPNOT8	YESNO.	1997-1999	AFP BLOOD TEST TOO EXPENSIVE.
AFPNOT9	YESNO.	1997-1999	REASON DIDNT HAVE AFP TEST (SPECIFY)
AFPNOTXT	AFPNOTXT.	1997-1999	REASON DIDNT HAVE AFP TEST (TEXT)
AFPTST	YESNOTER.	1997-1999	HAVE YOUR BLOOD DRAWN FOR AFP TEST
AFRDMEAL	TRUEFALB.	1998-2005	WHEN COULD NOT AFFORD BALANCED MEALS
AGE	TYPEI.	1997-2001	REPORTED AGE IN YEARS
AGEB	TYPEI.	2002-2005	REPORTED AGE IN YEARS
AGEBRTH	TYPEI.	1998-2000	AGE AT BIRTH OF FIRST CHILD
AIDSNOT	AIDSNOT.	1997	MAIN REASON FOR NOT BEING TESTED FOR HIV
AIDSTALK	AIDSTALK.	1998	TALK ABOUT AIDS WITH SEX PARTNER
AIDSTST3	YESNO.	1997	EVER TESTED FOR HIV
ALTD	YESNO.	2000	TELL DOCTOR ABOUT USE OF HERBAL PRODUCT
ALTB	YESNO.	2000	USED HERBAL PRODUCT LAST 12 MONTHS
ANTBEAR	YESNO.	2000	SHOULD TAKE ANTIBIOTIC: EAR INFECTION
ANTBLAD	YESNO.	2000	SHOULD TAKE ANTIBIOTIC:BLADDER INFECTION
ANTCOLD	YESNO.	2000	SHOULD TAKE ANTIBIOTIC: COLDS OR FLU
ANTCOLD2	YESNO.	2003	COLD/FLU SHOULD BE TREATED WITH ANTIBIOTICS
AREACODE		1997-2005	
ASKFRTST	SCALED.	1998-2000	HOW LIKELY ASK CHLAMYDIA TEST NEXT YEAR
ASTHEVER	YESNO.	2004	DOCTOR SAID YOU HAD ASTHMA
ASTHSTL	YESNO.	2004-2005	STILL HAVE ASTHMA
BABY	BABY.	1997	EVER GIVEN BIRTH TO A LIVE BABY
BABYWHEN	TYPEI.	1997	YEAR LAST GAVE BIRTH TO LIVE BABY
BARRPA	BARRPA.	2003-2004	MAIN REASON NOT MORE PHYSICALLY ACTIVE
BARRPA2	BARRPA2.	2005	MAIN REASON NOT MORE PHYSICALLY ACTIVE
BCBAR	BCBAR.	1997	FREQUENCY OF CONDOM USE

Variable	Format	Year	Label
BCBAR2	BCBAR.	1998	FREQUENCY OF CONDOM USE
BCBARNO2	BCBARNOB.	1998	WHY NOT ALWAYS USING CONDOM
BCBARNOT	BCBARNOT.	1997	MAIN REASON NOT USING CONDOM ALWAYS
BCFAM	YESNO.	1997	FAMILY MEMBERS EVER HAD BREAST CANCER
BCGENET	YESNO.	2001	TAKE GENETIC BREAST CANCER RISK TEST
BCHAD	YESNO.	1997-2002	EVER HAD BREAST CANCER
BCMEMA	YESNO.	1997	MOTHER HAD BREAST CANCER
BCMEMB	YESNO.	1997	SISTER HAD BREAST CANCER
BCMEMC	YESNO.	1997	DAUGHTER HAD BREAST CANCER
BCMEMD	YESNO.	1997	OTHER RELATIVE HAD BREAST CANCER
BCPAY_A	YESNO.	1999-2004	HOW PAY FOR BC: PRIVATE INSURANCE
BCPAY_B	YESNO.	1999-2004	HOW PAY FOR BC: MEDI-CAL
BCPAY_C	YESNO.	1999-2004	HOW PAY FOR BC: FAMILY PACT
BCPAY_D	YESNO.	1999-2004	HOW PAY FOR BC: COLLEGE INSURANCE
BCPAY_E	YESNO.	1999-2004	HOW PAY FOR BC: FREE NOT SCHOOL CLINIC
BCPAY_F	YESNO.	1999-2004	HOW PAY FOR BC: FREE SCHOOL CLINIC
BCPAY_G	YESNO.	1999-2004	HOW PAY FOR BC: RESPONDENT PAID CO-PAY
BCPAY_H	YESNO.	1999-2004	HOW PAY FOR BC: PARTNER PAID CO-PAY
BCPAY_I	YESNO.	1999-2004	HOW PAY FOR BC: RESPONDENT PAID ALL COST
BCPAY_J	YESNO.	1999-2004	HOW PAY FOR BC: PARTNER PAID ALL COST
BCPAY_K	YESNO.	1999-2004	HOW PAY FOR BC: SHARED COST WITH PARTNER
BCPAY_L	YESNO.	1999-2004	HOW PAY FOR BC: FAMILY MEMBER PAID COST
BCPAY_M	YESNO.	1999-2004	HOW PAY FOR BC: OTHER (SPECIFY)
BCPAY_N	YESNO.	1999-2004	HOW PAY FOR BC: DO NOT USE BIRTH CONTROL
BCPAY2_A	YESNO.	2000-2004	STERILIZATION PAID: PRIVATE HEALTH INS
BCPAY2_B	YESNO.	2000-2004	STERILIZATION PAID: MEDI-CAL
BCPAY2_C	YESNO.	2000-2004	STERILIZATION PAID: FAMILY PACT ETC.
BCPAY2_D	YESNO.	2000-2004	STERILIZATION PAID: COLLEGE HEALTH INS
BCPAY2_E	YESNO.	2000-2004	STERILIZATION PAID:FREE COMM. CLINIC
BCPAY2_F	YESNO.	2000-2004	STERILIZATION PAID:FREE @SCHOOL CLINIC
BCPAY2_G	YESNO.	2000-2004	STERILIZATION PAID:YOU PAID COPAY
BCPAY2_H	YESNO.	2000-2004	STERILIZATION PAID:PARTNER PAID COPAY
BCPAY2_I	YESNO.	2000-2004	STERILIZATION PAID:YOU PAID FULL COST
BCPAY2_J	YESNO.	2000-2004	STERILIZATION PAID:PARTNER PAY FULL COST
BCPAY2_K	YESNO.	2000-2004	STERILIZATION PAID:SHARE COST W/PARTNER
BCPAY2_L	YESNO.	2000-2004	STERILIZATION PAID:FAMILY MEMBER PAID
BCPAY2_M	YESNO.	2000-2004	STERILIZATION PAID:OTHER (SPECIFY)
BCPAY2_N	YESNO.	2000-2004	STERILIZATION PAID:NOT STERILIZED
BCPAY2TX	BCPAYTXT.	2000-2004	STERILIZATION PAID:TEXT RESPONSE
BCPAYTXT	BCPAYTXT.	1999,2001-2004	HOW PAY FOR BC: TEXT
BCPREVNT	YESNO.	1999-2000	EVER HEARD OF TAMOXIFEN OR RALOXIFENE
BCPRVMD	YESNO.	1999-2000	DISCUSSED MEDS TO PREVENT BREAST CANCER
BCRISK	SCALEB.	1998	PERCEIVED RISK OF GETTING BREAST CANCER
BCRISK2	RISKB.	1999-2000	PERCEIVED RISK OF GETTING BREAST CANCER
BCTYP_A	YESNO.	1997-2004	BIRTH CONTROL USED: MALE STERILIZATION
BCTYP_B	YESNO.	1997-2004	BIRTH CONTROL USED: FEMALE STERILIZATION
BCTYP_C	YESNO.	1997-2004	BIRTH CONTROL USED: NORPLANT/IMPLANTS
BCTYP_D	YESNO.	1997-2004	BIRTH CONTROL USED:DEPO-PROVERA
BCTYP_E	YESNO.	1997-2004	BIRTH CONTROL USED: ORAL CONTRACEPTIVE
BCTYP_F	YESNO.	1997-2004	BIRTH CONTROL USED: IUD/COIL/LOOP
BCTYP_G	YESNO.	1997-2004	BIRTH CONTROL USED: CONDOMS
BCTYP_H	YESNO.	1997-2004	BIRTH CONTROL USED: DIAPHRAGM
BCTYP_I	YESNO.	1997-2004	BIRTH CONTROL USED: FEMALE CONDOM/POUCH
BCTYP_J	YESNO.	1997-2004	BIRTH CONTROL USED: CERVICAL CAP
BCTYP_K	YESNO.	1997-2004	BC USED:FOAM/JELLY/CREAM/ETC
BCTYP_L	YESNO.	1997-2004	BIRTH CONTROL USED: WITHDRAWAL
BCTYP_M	YESNO.	1997-2004	BIRTH CONTROL USED:NATURAL FAM. PLANNING
BCTYP_N	YESNO.	1997-2004	BIRTH CONTROL USED: OTHER (SPECIFY)
BCTYP_O	YESNO.	1997-2004	REFUSED BIRTH CONTROL MODULE
BCTYP_P	YESNO.	2004	BIRTH CONTROL USED: PATCH (ORTHO EVRA)
BCTYP_Q	YESNO.	2004	BIRTH CONTROL USED: VAGINA RING (NUVARING)
BCTYP_R	YESNO.	2004	BIRTH CONTROL USED: EMERGENCY CONTRACEPTION
BCTYPTXT	BCTYPETX.	1997-2002, 2004	BIRTH CONTROL USED: TEXT
BCTYPTX2	BCTYPETB.	2003	BIRTH CONTROL USED: TEXT
BCUSE2	YESNOM.	1998-99	USING BIRTH CONTROL TO PREVENT PREGNANCY
BCUSE3	YESNOM.	2000-03	USING BIRTH CONTROL TO PREVENT PREGNANCY
BCUSE4	YESNOM.	2004-05	USING BIRTH CONTROL TO PREVENT PREGNANCY

Variable	Format	Year	Label
BCWHYNOT	BCWHYNOT.	1997-2004	MAIN REASON NOT USING BIRTH CONTROL
BCWHYNOX	BCWHYNOT.	1998-2004	REASON NOT USING BIRTH CONTROL:TEXT
BCWNTHOW	PORTION.	1999-2003	IF WANTED BIRTH CONTROL HOW MUCH INS PAY
BFBENEFT	YESNO.	1997	MD DISCUSS BENEFITS OF BREASTFEEDING
BFDIS_A	YESNO.	1997	OBSTETRICIAN DISCOURAGED BREASTFEEDING
BFDIS_B	YESNO.	1997	PEDIATRICIAN DISCOURAGED BREASTFEEDING
BFDIS_C	YESNO.	1997	FAM. PRACTICE DOC DISCOURAGED BRSTFEED
BFDIS_D	YESNO.	1997	OTHER DOCTOR DISCOURAGED BREASTFEEDING
BFDIS_E	YESNO.	1997	NURSE DISCOURAGED BREASTFEEDING
BFDIS_F	YESNO.	1997	DIETITIAN DISCOURAGED BREASTFEEDING
BFDIS_G	YESNO.	1997	FRIEND DISCOURAGED BREASTFEEDING
BFDIS_H	YESNO.	1997	MOTHER DISCOURAGED BREASTFEEDING
BFDIS_I	YESNO.	1997	GRANDMOTHER DISCOURAGED BREASTFEEDING
BFDIS_J	YESNO.	1997	SISTER DISCOURAGED BREASTFEEDING
BFDIS_K	YESNO.	1997	HUSBAND DISCOURAGED BREASTFEEDING
BFDIS_L	YESNO.	1997	LACTATION CONSULT DISCOURAGED BREASTFEED
BFDIS_M	YESNO.	1997	WIC STAFF DISCOURAGED BREASTFEEDING
BFDIS_N	YESNO.	1997	COWORKER DISCOURAGED BREASTFEEDING
BFDIS_O	YESNO.	1997	EMPLOYER DISCOURAGED BREASTFEEDING
BFDIS_P	YESNO.	1997	NO ONE/SELF DISCOURAGED BREASTFEEDING
BFDIS_Q	YESNO.	1997	OTHER DISCOURAGED BREASTFEED (SPECIFY)
BFDISCOU	YESNO.	1997	POST BIRTH ANYONE DISCOURAGE BRSTFEEDING
BFDISTXT	BFDISCOR.	1997	OTHER WHO DISCOURAGED BRSTFEEDING (TEXT)
BFENC_A	YESNO.	1997	DOCTOR ENCOURAGED BREASTFEEDING
BFENC_B	YESNO.	1997	NURSE ENCOURAGED BREASTFEEDING
BFENC_C	YESNO.	1997	LACTATION SPECIALIST ENCOURAGE BRSTFEED
BFENC_D	YESNO.	1997	WIC STAFF ENCOURAGED BREASTFEEDING
BFENC_E	YESNO.	1997	FRIEND ENCOURAGED BREASTFEEDING
BFENC_F	YESNO.	1997	HUSBAND ENCOURAGED BREASTFEEDING
BFENC_G	YESNO.	1997	MOTHER ENCOURAGED BREASTFEEDING
BFENC_H	YESNO.	1997	FATHER ENCOURAGED BREASTFEEDING
BFENC_J	YESNO.	1997	MIDWIFE ENCOURAGED BREASTFEEDING
BFENC_K	YESNO.	1997	NO ONE/SELF ENCOURAGED BREASTFEEDING
BFENC_L	YESNO.	1997	OTHER WHO ENCOURAGED BRSTFEED (SPECIFY)
BFENCXTXT	BFENCWHO.	1997	OTHER WHO ENCOURAGED BRSTFEEDING (TXT)
BFFORM	BFFORM.	1997	GET FORMULA/COUPONS ON LEAVING HOSPITAL
BFHELP	YESNO.	1997	GET HELP WITH BREASTFEEDING PROBLEM
BFHLP_A	YESNO.	1997	OBSTETRICIAN HELPED BREASTFEEDING PROB
BFHLP_B	YESNO.	1997	PEDIATRICIAN HELPED BREASTFEEDING PROB
BFHLP_C	YESNO.	1997	FAMILY PRACTICE DOC HELPED BRSTFEED PROB
BFHLP_D	YESNO.	1997	HOSPITAL NURSE HELPED BREASTFEED PROB
BFHLP_E	YESNO.	1997	OFFICE NURSE HELPED BREASTFEEDING PROB
BFHLP_F	YESNO.	1997	FRIEND HELPED BREASTFEED PROBLEM
BFHLP_G	YESNO.	1997	MOTHER HELPED BREASTFEED PROBLEM
BFHLP_H	YESNO.	1997	GRANDMOTHER HELPED BREASTFEED PROBLEM
BFHLP_I	YESNO.	1997	SISTER HELPED BREASTFEED PROBLEM
BFHLP_J	YESNO.	1997	HUSBAND HELPED BREASTFEED PROBLEM
BFHLP_K	YESNO.	1997	LA LECHE LEAGUE HELPED BRSTFEED PROB
BFHLP_L	YESNO.	1997	LACTATION CONSULT. HELPED BRSTFEED PROB
BFHLP_M	YESNO.	1997	WIC STAFF HELPED BREASTFEED PROBLEM
BFHLP_N	YESNO.	1997	COWORKER HELPED BREASTFEED PROBLEM
BFHLP_O	YESNO.	1997	SELF: BOOK HELPED BREASTFEED PROBLEM
BFHLP_P	YESNO.	1997	SELF: PAST EXPERIENCE HELP BRSTFEED PROB
BFHLP_Q	YESNO.	1997	OTR HELP SOURCE BRSTFEED PROB (SPECIFY)
BFINF_A	YESNO.	1997	GOT BREASTFEED INFO: NOWHERE/NO ONE
BFINF_B	YESNO.	1997	GOT BREASTFEED INFO: NURSE
BFINF_C	YESNO.	1997	GOT BREASTFEED INFO: LACTATION CONSULT
BFINF_D	YESNO.	1997	GOT BREASTFEED INFO: WIC STAFF
BFINF_E	YESNO.	1997	GOT BREASTFEED INFO: BOOK
BFINF_F	YESNO.	1997	GOT BREASTFEED INFO: FRIEND
BFINF_G	YESNO.	1997	GOT BREASTFEED INFO: COWORKER
BFINF_H	YESNO.	1997	GOT BREASTFEED INFO: MOTHER
BFINF_I	YESNO.	1997	GOT BREASTFEED INFO: CHILDS FATHER
BFINF_J	YESNO.	1997	GOT BREASTFEED INFO: SISTER
BFINF_K	YESNO.	1997	GOT BREASTFEED INFO: GRANDMOTHER
BFINF_L	YESNO.	1997	GOT BREASTFEED INFO: OTHER FAMILY MEMBER
BFINF_M	YESNO.	1997	GOT BREASTFEED INFO: MAGAZINE

<u>Variable</u>	<u>Format</u>	<u>Year</u>	<u>Label</u>
BFINF_N	YESNO.	1997	GOT BREASTFEED INFO: PAMPHLET
BFINF_O	YESNO.	1997	GOT BREASTFEED INFO: CHILDBRTH PREP CLASS
BFINF_P	YESNO.	1997	GOT BREASTFEED INFO: PARENTING CLASS
BFINF_Q	YESNO.	1997	GOT BREASTFEED INFO: LA LECHE LEAGUE
BFINF_R	YESNO.	1997	DIDNT GET BRSTFEED INFO TIL AFTER BIRTH
BFINF_S	YESNO.	1997	GOT BREASTFEED INFO: OTHER (SPECIFY)
BFINTXT	BFENCWHO.	1997	GOT BREASTFEED INFO: OTHER (TEXT)
BFLONG	BFLONG.	1997	LENGTH OF TIME BREASTFED
BFMLKGD	BFMLKGD.	1997	BELIEF ABOUT BREASTMILK
BFNOTXT	BFNOT.	1997	WHY NOT BREASTFEED: OTHER REASON (TEXT)
BFNURSE	BFNURSE.	1997	NURSES ENCOURAGEMENT OF BREASTFEEDING
BFPRBTXT	BFPROBTX.	1997	OTHER BREASTFEEDING PROBLEM (TEXT)
BFPRO_A	YESNO.	1997	BREASTFEED PROB: ENGORGED BREASTS
BFPRO_B	YESNO.	1997	BREASTFEED PROB: SORE NIPPLES
BFPRO_C	YESNO.	1997	BREASTFEED PROB: MASTITIS (FEVER, SORE)
BFPRO_D	YESNO.	1997	BREASTFEED PROB: OBSTRUCTED DUCT
BFPRO_E	YESNO.	1997	BREASTFEED PROB: NOT ENOUGH MILK
BFPRO_F	YESNO.	1997	BREASTFEED PROB: BABY REFUSED BREAST
BFPRO_G	YESNO.	1997	BREASTFEED PROB: BABY WANTED FORMULA
BFPRO_H	YESNO.	1997	BREASTFEED PROB: BABY NURSED TOO OFTEN
BFPRO_I	YESNO.	1997	BREASTFEED PROB: BABY COULD NOT GET MILK
BFPRO_J	YESNO.	1997	OTHER BREASTFEEDING PROBLEM (SPECIFY)
BFPROB	YESNO.	1997	EVER HAVE ANY PROBLEMS BREASTFEEDING
BFWHERE2	YESNO.	1999	OFFENDED WHEN SEE BREASTFEEDING IN PUBLI
BFWHERE	BFWHERE.	1997-1998	BELIEF ABOUT BREASTFEEDING IN PUBLIC
BFWHOTXT	BFENCWHO.	1997	OTR SOURCE OF HELP BRSTFEED PROB(TEXT)
BFWHY_A	YESNO.	1997	WHY QUIT BREASTFEED: RETURNED TO WORK
BFWHY_B	YESNO.	1997	WHY QUIT BREASTFEED: RETURNED TO SCHOOL
BFWHY_C	YESNO.	1997	WHY QUIT BREASTFEED: NOT ENOUGH TIME
BFWHY_D	YESNO.	1997	WHY QUIT BREASTFEED: NOT ENOUGH MILK
BFWHY_E	YESNO.	1997	WHY QUIT BRETFEED: UNCOMFORTABLE BODY
BFWHY_F	YESNO.	1997	WHY QUIT BREASTFEED: FELT EMBARRASSED
BFWHY_G	YESNO.	1997	WHY QUIT BREASTFEED: PAIN
BFWHY_H	YESNO.	1997	WHY QUIT BRSTFEED: HUSBAND CANT FEED
BFWHY_I	YESNO.	1997	WHY QUIT BRETFEED: NO FAMILY SUPPORT
BFWHY_J	YESNO.	1997	WHY QUIT BREASTFEED: BABY GOT BENEFIT
BFWHY_K	YESNO.	1997	WHY QUIT BREASTFEED: BABY DIDNT SLEEP
BFWHY_L	YESNO.	1997	WHY QUIT BRSTFEED: BEGAN BIRTH CONTROL
BFWHY_M	YESNO.	1997	WHY QUIT BRSTFEED: TAKING MEDS NOT BC
BFWHY_N	YESNO.	1997	WHY QUIT BREASTFEED: HIV POSITIVE
BFWHY_O	YESNO.	1997	WHY QUIT BREASTFEED: BABY TEETHING
BFWHY_P	YESNO.	1997	WHY QUIT BRSTFEED: BABY REFUSED BREAST
BFWHY_Q	YESNO.	1997	WHY QUIT BREASTFEED: MED PROB NOT HIV
BFWHY_R	YESNO.	1997	WHY QUIT BREASTFEED: OTHER (SPECIFY)
BFWHYNA	YESNO.	1997	WHY NOT BRSTFEED: NEVER OCCURRED TO YOU
BFWHYNB	YESNO.	1997	WHY DIDNT BREASTFEED: RETURN TO SCHOOL
BFWHYNC	YESNO.	1997	WHY DIDNT BREASTFEED: RETURN TO WORK
BFWHYND	YESNO.	1997	WHY DIDNT BREASTFEED: EMBARRASSMENT
BFWHYNE	YESNO.	1997	WHY DIDNT BREASTFEED: UNAPPEALING
BFWHYNF	YESNO.	1997	WHY DIDNT BREASTFEED: HEARD IT HURT
BFWHYNG	YESNO.	1997	WHY DIDNT BREASTFEED: BREASTS TOO SMALL
BFWHYNH	YESNO.	1997	WHY DIDNT BREASTFEED: INVERTED NIPPLES
BFWHYNI	YESNO.	1997	WHY NOT BRSTFEED: PREVIOUS BAD EXPERIENCE
BFWHYNJ	YESNO.	1997	WHY NOT BRSTFEED: FORMULA EQ BREASTMILK
BFWHYNK	YESNO.	1997	WHY DIDNT BRSTFEED: DIDNT KNOW ADVANTAGE
BFWHYNL	YESNO.	1997	WHY DIDNT BREASTFEED: TOO BUSY
BFWHYNM	YESNO.	1997	WHY DIDNT BRSTFEED: BABYS FATHER OPPOSED
BFWHYNN	YESNO.	1997	WHY DIDNT BREASTFEED: MOTHER OPPOSED
BFWHYNO	YESNO.	1997	WHY DIDNT BREASTFEED: WORRIED ABOUT DIET
BFWHYNP	YESNO.	1997	WHY DIDNT BRSTFEED: WORRIED ABOUT ALCOHOL
BFWHYNQ	YESNO.	1997	WHY DIDNT BREASTFEED: WORRIED ABOUT MOOD
BFWHYNR	YESNO.	1997	WHY DIDNT BREASTFEED: TOO MUCH TROUBLE
BFWHYNS	YESNO.	1997	WHY DIDNT BREASTFEED: BABY PREMATURE
BFWHYNT	YESNO.	1997	WHY DIDNT BREASTFEED: BABY ADOPTED
BFWHYNU	YESNO.	1997	WHY NOT BRSTFEED: OTHER REASON (SPECIFY)
BFWHYTXT	BFWHYQT.	1997	WHY QUIT BREASTFEED: OTHER (TEXT)
BIRTHPLC	BIRTHPLC.	1997-2002,04-05	COUNTRY OF BIRTH

<u>Variable</u>	<u>Format</u>	<u>Year</u>	<u>Label</u>
BLADINF	YESNO.	1997	HAD BLADDER INFECTION SYMPTOMS 3+ MONTHS
BLADINF2	YESNO.	2000	URINARY TRACT INFECTION LAST 12 MONTHS
BLKACT	TYPEIII.	1998-1999	CITY BLOCKS WALKED PER DAY
BPCK12M	YESNO.	2001-2002	HAD BLOOD PRESSURE CHECKED IN LAST 12 MOS
BRSTFED2	YESNO.	2001-2003	TRY TO BREASTFEED BABY BORN IN YEAR
BRSTFEED	BABY.	1997-1998	TRY TO BREASTFEED LAST BABY
BRTHMNT	MON_YEAR.	1998-2000	MONTH LAST GAVE BIRTH TO LIVE BABY
BRTHW_A	TYPEII.	1999-2005	WEIGHT IN POUNDS OF LAST BABY
BRTHW_B	TYPEII.	1999-2005	WEIGHT IN OUNCES OF LAST BABY
BRTHW_C	TYPEII.	1999-2005	WEIGHT IN GRAMS OF LAST BABY
BRTHYR	TYPEIV.	1998-2000	YEAR LAST GAVE BIRTH TO LIVE BABY
CAREGIV2	YESNO.	1998	GIVE FREQUENT CARE DURING LAST 12 MONTHS
CAREGIVE	YESNO.	1997	GIVE FREQUENT CARE DURING LAST 12 MONTHS
CAREL_A	TYPEV.	1997	NUMBER OF DAYS ACTED AS CAREGIVER
CAREL_B	TYPEV.	1997	NUMBER OF WEEKS ACTED AS CAREGIVER
CAREL_C	TYPEV.	1997	NUMBER OF MONTHS ACTED AS CAREGIVER
CAREL_D	TYPEV.	1997	NUMBER OF YEARS ACTED AS CAREGIVER
CARER_A	YESNO.	1997	REASON FOR CARE: SURGERY/MAJOR ILLNESS
CARER_B	YESNO.	1997	REASON FOR CARE: PHYS. ILLNESS/DISABILITY
CARER_C	YESNO.	1997	REASON FOR CARE: HANDLE A MENTAL PROBLEM
CARER_D	YESNO.	1997	OTHER REASON FOR CARE (SPECIFY)
CARERESP	SCALEC.	1998	CAREGIVING LIMITED FULFILLING OTHR DUTIE
CARERTXT	CAREWHY.	1997	OTHER REASON FOR CARE (TEXT)
CAREW_A	YESNO.	1997-1998	GAVE CARE TO SPOUSE
CAREW_B	YESNO.	1997	GAVE CARE TO SON OR DAUGHTER
CAREW_C	YESNO.	1997-1998	GAVE CARE TO PARENT OR PARENT-IN-LAW
CAREW_D	YESNO.	1997-1998	GAVE CARE TO GRANDPARENT
CAREW_E	YESNO.	1997-1998	GAVE CARE TO OTHER RELATIVE
CAREW_F	YESNO.	1997-1998	GAVE CARE TO FRIEND OR NEIGHBOR
CAREW_G	YESNO.	1997-1998	GAVE CARE TO OTHER PERSON (SPECIFY)
CAREW_H	YESNO.	1998	GAVE CARE TO ADULT CHILD\STEPCHILD
CAREW_I	YESNO.	1998	GAVE CARE TO MINOR CHILD\STEPCHILD
CAREW_J	YESNO.	1998	GAVE CARE TO GRANDCHILD
CAREWTXT	CAREWHO.	1997	GAVE CARE TO OTHER PERSON (TEXT)
CAREWXTXT	CAREWHOB.	1998	GAVE CARE TO OTHER PERSON: TEXT
CBEGUID2	IMPORT.	1999-2000	HOW IMPORTANT IS CBE FOR WOMAN RESP AGE
CBEGUIDE	BGUIDE.	1997	HOW OFTEN SHOULD WOMAN 40+ HAVE CBE(<40)
CBEGUIDE	BGUIDE.	1998	HOW OFTEN SHOULD WOMAN 40+ HAVE CBE (ALL)
CHCK12M	YESNO.	2001-2002	HAD CHOLESTEROL CHECKED IN LAST 12 MONTHS
CHD1317	CHILD.	1997-2005	NUMBER OF CHILDREN AGED 13 TO 17 IN HH
CHECKUP2	HOWLONG.	1997-2004	HOW LONG SINCE LAST ROUTINE CHECKUP
CHILD1	TYPEII.	1997-2005	AGE OF YOUNGEST CHILD
CHILD2	TYPEII.	1997-2005	AGE OF 2ND YOUNGEST CHILD
CHILD3	TYPEII.	1997-2005	AGE OF 3RD YOUNGEST CHILD
CHILD4	TYPEII.	1997-2005	AGE OF 4TH YOUNGEST CHILD
CHILD5	TYPEII.	1997-2005	AGE OF 5TH YOUNGEST CHILD
CHILD6	TYPEII.	1997-2005	AGE OF 6TH YOUNGEST CHILD
CHILD7	TYPEII.	1997-2005	AGE OF 7TH YOUNGEST CHILD
CHILD8	TYPEII.	1997-2005	AGE OF 8TH YOUNGEST CHILD
CHILD9	TYPEII.	1997-2005	AGE OF 9TH YOUNGEST CHILD
CHILD18	TYPEII.	1997-2005	CHILDREN UNDER 18 IN HOUSEHOLD
CHILD612	CHILD.	1997-2005	NUMBER OF CHILDREN AGED 6 TO 12 IN HH
CHILDLT1	CHILDLT.	1999-2003	AGE OF CHILD LESS THAN 1 YEAR
CHILDLT6	CHILD.	2003-2005	NUMBER OF CHILDREN AGED 1 TO 5 IN HH
CHILDPRT	CHILDAGE.	1998	AGE BABY WHEN MOM RETURN TO WORK\SCHOOL
CHKHGHT	HOWLONGK	2004	LAST TIME HEALTH PROFESSIONAL MEASURED HEIGHT
CHLD__0	YESNO.	2000-2003	AGE LESS THAN 1 MONTH
CHLD__1	YESNO.	2000-2003	AGE 1 MONTH TO LT 2 MONTH
CHLD__2	YESNO.	2000-2003	AGE 2 MONTHS TO LT 3 MONTHS
CHLD__3	YESNO.	2000-2003	AGE 3 MONTHS TO LT 4 MONTHS
CHLD__4	YESNO.	2000-2003	AGE 4 MONTHS TO LT 5 MONTHS
CHLD__5	YESNO.	2000-2003	AGE 5 MONTHS TO LT 6 MONTHS
CHLD__6	YESNO.	2000-2003	AGE 6 MONTHS TO LT 7 MONTHS
CHLD__7	YESNO.	2000-2003	AGE 7 MONTHS TO LT 8 MONTHS
CHLD__8	YESNO.	2000-2003	AGE 8 MONTHS TO LT 9 MONTHS
CHLD__9	YESNO.	2000-2003	AGE 9 MONTHS TO LT 10 MONTHS
CHLD__10	YESNO.	2000-2003	AGE 10 MONTHS TO LT 11 MONTHS

Variable	Format	Year	Label
CHLD__11	YESNO.	2000-2003	AGE 11 MONTHS TO LT 12 MONTHS
CHLD__12	YESNO.	2000-2003	CHILD EXACTLY 1 YEAR
CHLYDTST	YESNOUN.	1998-2002	TESTED FOR CHLAMYDIA PAST YEAR
CHLYDTS2	YESNOUN.	2003, 2005	TESTED FOR CHLAMTDIA PAST YEAR
CHLYDTS3	YESNOUN.	2004	TESTED FOR CHLAMYDIA PAST YEAR
CHLYDTXT	STDWHETX.	1999-2000	WHERE TESTED FOR CHLAMYDIA - TEXT
CHLYDWHR	WHERE.	1999-2000, 2002	WHERE TESTED FOR CHLAMYDIA
CHLYDWH2	WHERE.	2003, 2005	WHERE TESTED FOR CHLAMYDIA
CNCBELIF	CNCBELIF.	2002	WHAT IS LEADING CAUSE OF CANCER DEATH FOR WOMEN
CNCRTYPE	YESNO.	2004	DOCTOR SAID YOU HAD BREAST/REPRODUCTIVE CANCER
COLOEVER	YESNO.	2000-2002	EVER HAD A BLOOD STOOL TEST
COLOIMP	IMPORTB.	2000	HOW IMPORTANT A PROBLEM IS COLON CANCER
COLOTLK	YESNO.	2001-2002	DOCTOR/NURSE EVER TALK ABOUT COLORECTAL EXAM
CONSEC		1997-2001	
COUNTY1\$	COUNTYA.	1997-2005	COUNTY OF RESIDENCE, FIPS CODING
COUPLE	YESNO.	1998	MEMBER OF COUPLE LAST 12 MONTHS
CRC1	AGREEE.	2005	UNCOMFORTABLE WHEN PARTNER WANT TO BE CLOSE
CRC2	AGREEE.	2005	WORRY A LOT ABOUT RELATIONSHIPS
CRC3	AGREEE.	2005	WORRY ABOUT LOSING MY PARTNERS
CRC4	AGREEE.	2005	WORRY PARTNERS DON'T CARE ABOUT ME AS MUCH
CRC5	AGREEE.	2005	COMFORTABLE SHARING FEELINGS WITH PARTNER
CRC6	AGREEE.	2005	WISH PARTNERS FEELINGS WERE AS STRONG AS MINE
CRC7	AGREEE.	2005	COMFORTABLE BEING CLOSE TO PARTNERS
CRC8	AGREEE.	2005	PULL AWAY WHEN PARTNERS GET CLOSE
CRC9	AGREEE.	2005	I DON'T WORRY ABOUT BEING ABANDONED
CRC10	AGREEE.	2005	PREFER NOT TO SHOW PARTNERS MY FEELINGS
CRC1REV	AGREER.	2005	REVERSE SCALE OF CRC1
CRC2REV	AGREER.	2005	REVERSE SCALE OF CRC2
CRC3REV	AGREER.	2005	REVERSE SCALE OF CRC3
CRC4REV	AGREER.	2005	REVERSE SCALE OF CRC4
CRC6REV	AGREER.	2005	REVERSE SCALE OF CRC6
CRC8REV	AGREER.	2005	REVERSE SCALE OF CRC8
CRC10REV	AGREER.	2005	REVERSE SCALE OF CRC10
CRCSCALE		2005	ATTACHMENT SCALE-AVERAGED
CRIME	SAFE.	2004-2005	HOW SAFE IS NEIGHBORHOOD: CRIME
CRIMJAIL	YESNO.	2005	BEEN CONVICTED OF CRIME AND SPENT TIME IN JAIL
CURRALOX	YESNO.	1999-2000	CURRENTLY TAKING RALOXIFENE
CURRTAMX	YESNO.	1999-2000	CURRENTLY TAKING TAMOXIFEN
CUTMEAL	YESNO.	1999-2005	CUT MEAL SIZE BECAUSE NO \$\$ FOR FOOD
CUTOFTN	HOWLONGG.	1999-2005	FREQUENCY CUT SIZE OF MEAL BECAUSE NO \$\$
CVDBELI2	CBDMORTB.	2001-2002	WHAT IS LEADING CAUSE OF DEATH FOR WOMEN
CVDBELIF	TRUEFALS.	1999	HEART DISEASE IS LEADING CAUSE OF DEATH
CVDMORT	CVDMORT.	1999	LEADING CAUSE OF DEATH OF WOMEN
CVDPROB	CVDPROB.	1999	GREATEST HEALTH PROBLEM FACING WOMEN
CYSTITIS	YESNOTS.	1997	MD TOLD YOU HAD INTERSTITIAL CYSTITIS
DAILYEAT	TYPEIII.	2001-2005	AVG SERVINGS OF FRUIT/VEGS EAT PER DAY
DAILYMLK	TYPEII.	2000-2001	AVG SERVINGS OF MILK PRODUCTS U SHOULD EAT/DAY
DAILYMLK	TYPEXIII.	2002	AVG SERVINGS OF MILK PRODUCTS YOU SHOULD EAT/DAY
DAILYVEG	TYPEIII.	2002-2005	AVG SERVINGS OF FRUIT/VEGS YOU SHOULD EAT/DAY
DAILYVEG	TYPEII.	2000-2001	AVG SERVINGS OF RUIT/VEGS YOU SHOULD EAT/DAY
DATEB_A	MON_YEAB.	2002-2004	MONTH LAST GAVE BIRTH TO LIVE BABY
DATEB_B	MON_YEAB.	2002-2004	YEAR LAST GAVE BIRTH TO LIVE BABY
DATEB_MON	MON_YEAB.	2005	MONTH LAST GAVE BIRTH TO LIVE BABY (NUMERIC)
DATEB_YR	MON_YEAB.	2005	YEAR LAST GAVE BIRTH TO LIVE BABY (NUMERIC)
DATEBRTH		1998-2005	DATE LAST GAVE BIRTH TO LIVE BABY
DAYSANX	TYPEIII.	1998-2000,02-05	DAYS WORRIED OR ANXIOUS PAST 30 DAYS
DAYSLEEP	TYPEIII.	1997	DAYS DID NOT GET ENOUGH SLEEP IN PAST 30
DAYSSAD	TYPEIII.	1998-2005	DAYS SAD PAST 30 DAYS
DAYURIN	TYPEIII.	1998	URINE LOSS FREQUENCY DURING LAST MONTH
DCTRHERB	YESNO.	2005	TOLD DOCTOR YOU USE HERBS
DCTRHIV	YESNO.	2002-2003	MD TALK OF RISK OF HIV PAST 12 MTS
DEMOC1R	CHILDREL.	2005	HOW IS 1ST CHILD RELATED TO YOU
DEMOC2R	CHILDREL.	2005	HOW IS 2ND CHILD RELATED TO YOU
DEMOC3R	CHILDREL.	2005	HOW IS 3RD CHILD RELATED TO YOU
DEMOC4R	CHILDREL.	2005	HOW IS 4TH CHILD RELATED TO YOU
DEMOC5R	CHILDREL.	2005	HOW IS 5TH CHILD RELATED TO YOU
DEMOC6R	CHILDREL.	2005	HOW IS 6TH CHILD RELATED TO YOU

Variable	Format	Year	Label
DEMOC7R	CHILDREL.	2005	HOW IS 7TH CHILD RELATED TO YOU
DEMOC8R	CHILDREL.	2005	HOW IS 8TH CHILD RELATED TO YOU
DEMOC9R	CHILDREL.	2005	HOW IS 9TH CHILD RELATED TO YOU
DIABDRN2	YESNOPG.	1999	HAVE GLUCOLA TEST DURING LAST PREGNANCY
DIABDRNK	YESNOPG.	1998	HAVE GLUCOLA TEST DURING LAST PREGNANCY
DIABEVR	YESNOGES.	2004	DOCTOR SAID YOU HAVE DIABETES
DIABPREG	YESNO.	2004-2005	DIABETES ONLY WHILE PREGNANT
DIET12M	YESNO.	2001-2005	TRIED TO LOSE WEIGHT IN LAST 12 MONTHS
DIETDRK	OFTENA.	2001-2002	HOW OFTEN REPLACE MEAL WITH SUPPLEMENT
DIETLB	TYPEIV.	2001	HOW MANY POUNDS LOST
DIETLBYO	TYPEIV.	2001	HOW MANY POUNDS LOST MOST RECENT ATTEMPT
DIETPILL	OFTENA.	2001-2002	HOW OFTEN USE OTC PILLS TO LOSE WEIGHT
DIETYOYB	YESNO.	2002	LOSE AND GAIN WEIGHT MORE THAN ONCE
DIETYOYO	YESNO.	2001	LOSE AND GAIN WEIGHT MORE THAN ONCE
DISANY	YESNO.	2003-2005	ANY PHYSICAL, MENTAL, EMOTIONAL LIMITATION
DISBEND	YESNO.	1999-2000	HEALTH LIMITS BENDING OR LIFTING
DISCARE	YESNO.	2003-2004	HAS PROBLEM MADE IT HARD TO GET MEDICAL CARE
DISLONG	HOWLONGJ.	2003	HOW LONG HAVE YOU BEEN LIMITED
DISLONGB	HOWLONGJ.	2004	HOW LONG HAVE YOU BEEN LIMITED
DISMD_A	YESNO.	2003-2004	PROBLEMS GETTING MEDICAL CARE: TRANSPORTATION
DISMD_B	YESNO.	2003-2004	PROBLEMS GETTING MEDICAL CARE: NO SPECIALISTS
DISMD_C	YESNO.	2003-2004	PROBLEMS GETTING MEDICAL CARE: WRONG EQUIPMENT
DISMD_D	YESNO.	2003-2004	PROBLEMS GETTING MEDICAL CARE: NO ASSISTANCE
DISMD_E	YESNO.	2003-2004	PROBLEMS GETTING MEDICAL CARE: BAD ATTITUDE
DISMD_F	YESNO.	2003-2004	PROBLEMS GETTING MEDICAL CARE: COSTS/INSURANCE
DISMD_G	YESNO.	2003-2004	PROBLEMS GETTING MEDICAL CARE: APPT TOO SHORT
DISMD_H	YESNO.	2003-2004	PROBLEMS GETTING MEDICAL CARE: OTHER
DISMODER	YESNO.	1998-1999	HEALTH LIMITS MODERATE ACTIVITY
DISSTAIR	YESNO.	1998-1999	HEALTH LIMITS CLIMBING
DISUSUAL	YESNO.	1998-1999	HEALTH LIMITS CARING FOR SELF
DISVIGOR	YESNO.	1998-1999	HEALTH LIMITS VIGOROUS ACTIVITY
DISWALK	YESNO.	1998-1999	HEALTH LIMITS WALKING ONE BLOCK
DISWORK	OFTENC.	2003-2005	HOW OFTEN LIMITATION AFFECTED WORK OR EDUCATION
DMPREG	YESNO.	1997	WOMEN WITH DM NEED SPEC CARE BEFORE PG
DOUCHEVR	YESNO.	2000-2001	DOUCHED DURING PAST 12 MONTHS
DOUCHOFN	TYPEIV.	2000-2001	TIMES DOUCHED LAST 12 MONTHS
DRINKGE5	TYPEIII.	1997-2005	TIMES HAD FIVE+ ALCOHOLIC DRINKS
DRKAL_A	TYPEIII.	1998, 2004	NUMBER OF TIMES DRANK ALCOHOL
DRKAL_A1	WHENV.	1998, 2004	WK OR MN FOR DRANK ALCOHOL
DRKALC	TYPEIII.	1997-2005	TIMES DRANK ALCOHOL PER WEEK OR MONTH
DRKGUILT	YESNODK.	2000-2003	FEEL GUILTY ABOUT DRINKING LAST 12 MTHS
DRNKANY1	YESNO.	1997-2005	DRANK ALCOHOL IN PAST MONTH
DRNKHARM	YESNO.	2004-2005	DRINKING EVER HARM HEALTH
DRNKHLP	YESNO.	2004-2005	EVER SEEN PROFESSIONAL ABOUT DRINKING
DRNKPROB	YESNO.	1997-1998	HAVING PROB FROM OTHERS DRINKING EXCESS
DRUNK	TYPEIII.	1999-2001	HOW OFTEN GET DRUNK IN PAST YEAR
DRUNK	TYPEIV.	2002-2005	HOW OFTEN GET DRUNK IN PAST YEAR
DRUNKNUM	TYPEIII.	1999-2003	HOW MANY DRINKS FOR YOU TO FEEL DRUNK
DVAID_A	YESNO.	2002	DV PROGRAM YOU WOULD USE: FINANCIAL'
DVAID_B	YESNO.	2002	DV PROGRAM YOU WOULD USE: CHILD COUNS'
DVAID_C	YESNO.	2002	DV PROGRAM YOU WOULD USE: CRISIS COUNS'
DVAID_D	YESNO.	2002	DV PROGRAM YOU WOULD USE: JOB HELP'
DVAID_E	YESNO.	2002	DV PROGRAM YOU WOULD USE: LEGAL'
DVAID_F	YESNO.	2002	DV PROGRAM YOU WOULD USE: HOUSING HELP'
DVAID_G	YESNO.	2002	DV PROGRAM YOU WOULD USE: SUPPORT GROUP'
DVAID_H	YESNO.	2002	DV PROGRAM YOU WOULD USE: HEALTH SERVICES'
DVAID_I	YESNO.	2002	DV PROGRAM YOU WOULD USE: SAFEHOUSE'
DVAID_J	YESNO.	2002	DV PROGRAM YOU WOULD USE: OTHER(SPECIFY)'
DVBEATDG	SCALEE.	2000-2001	BEAT UP LAST YR: DRUGS INVOLVED
DVBEATU2	WHO.	1998-2001,03-05	WHICH PARTNER BEAT YOU UP LAST YEAR
DVBEATUP	YESNODVA.	1998-1999	PARTNER BEAT YOU UP DURING PAST 12 MTHS
DVCANTLK	YESNORF.	1998-2001	HAVE PRIVACY TO TALK ABOUT DV
DVCHLD	YESNO.	2005	WERE ANY KIDS PRESENT FOR DV INCIDENT
DVCHOKE	YESNODVA.	1998-1999	PARTNER CHOKED YOU DURING PAST 12 MTHS
DVCHOKE2	WHO.	1998-1999	WHICH PARTNER CHOKED YOU
DVCNTROL	YESNODVA.	1999-2001,03-05	PARTNER TRIED TO CONTROL PAST 12 MONTHS
DVDRGALC	SCALEE.	2005	HOW MUCH DRUGS/ALCOHOL INVOLVED IN DV INCIDENT

Variable	Format	Year	Label
DVEBETDG	SCALEE.	2000	BEAT UP EVER: DRUGS INVOLVED
DVEHITDG	SCALEE.	2000	KICKED\HIT EVER: DRUGS INVOLVED
DVEMED11	YESNORF.	2000	EVER SEEK MED CARE @THREAT W\KNIFE\GUN
DVEMED13	YESNORF.	2000	EVER SEEK MED CARE CAUSE KNIFE\GUN ON U
DVEMED14	YESNORF.	2000	EVER SEEK MEDICAL CARE CAUSE FORCED SEX
DVESEXDG	SCALEE.	2000	FORCED SEX EVER: DRUGS INVOLVED
DVETHRDG	SCALEE.	2000	THROWN OBJECT EVER: DRUGS INVOLVED
DVEUSEDG	SCALEE.	2000	USED KNIFE\GUN EVER: DRUGS INVOLVED
DVEVBET2	WHO.	2000	WHICH PARTNER BEAT YOU UP EVER
DVEVHIT2	WHO.	2000	WHICH PARTNER KICKED\HIT YOU EVER
DVEVMED4	YESNORF.	2000	EVER SEEK MEDICAL CARE @THROWN OBJECT
DVEVMED5	YESNORF.	2000	EVER SEEK MEDICAL CARE BECAUSE PUSHED
DVEVMED7	YESNORF.	2000	EVER SEEK MEDICAL CARE CAUSE KICKED\HIT
DVEVMED9	YESNORF.	2000	EVER SEEK MEDICAL CARE BECAUSE BEATEN UP
DVEVPSDG	SCALEE.	2000	PUSHED EVER: DRUGS INVOLVED
DVEVPSH2	WHO.	2000	WHICH PARTNER PUSHED YOU EVER
DVEVRBET	YESNORF.	2000	PARTNER BEAT YOU UP EVER
DVEVRCMB	YESNO.	2002	ANY DV COMBINED EVER
DVEVRHIT	YESNORF.	2000	PARTNER KICKED\HIT YOU EVER
DVEVRPSH	YESNORF.	2000	PARTNER PUSHED EVER
DVEVRSEX	YESNORF.	2000	PARTNER FORCED SEX EVER
DVEVRTH2	WHO.	2000	WHICH PARTNER THREW OBJECT EVER
DVEVRTHR	YESNORF.	2000	PARTNER THREW OBJECT EVER
DVEVRUSE	YESNORF.	2000	PARTNER USED KNIFE\GUN ON U EVER
DVEVRWPN	YESNORF.	2000	PARTNER THREATEN W\KNIFE OR GUN EVER
DVEVSEX2	WHO.	2000	WHICH PARTNER FORCED SEX EVER
DVEVUSE2	WHO.	2000	WHICH PARTNER USED KNIFE\GUN ON U EVER
DVEVWPN2	WHO.	2000	WHICH PARTNER THREATEN W\KNIFE\GUN EVER
DVEWPNDG	SCALEE.	2000	THREATEN W\KNIFE\GUN EVER: DRUGS INVOLVED
DVFEAR	YESNODVA.	1999-2005	AFRAID OF PARTNER PAST 12 MONTHS
DVFLODG	SCALEE.	2001	PARTNER FOLLOWED U LAST YR: DRUGS INVOLVED
DVFLOWU	WHO.	2001-2005	WHICH PARTNER FOLLOWED U LAST YR
DVHITDG	SCALEE.	2000-2001	KICKED\HIT LAST YR: DRUGS INVOLVED
DVHITTH2	WHO.	1998-1999	WHICH PARTNER TRIED TO HIT YOU W/OBJECT
DVHITTHG	YESNODVA.	1998-1999	PARTNER TRIED HIT W/OBJECT PAST 12 MTHS
DVHITYO2	WHO.	1998-2001,03-05	WHICH PARTNER KICKED\HIT U LAST YR
DVHITYOU	YESNODVA.	1998-1999	PARTNER KICKED\HIT YOU PAST 12 MTHS
DVINSLT	YESNODVA.	1998-1999	INSULTED BY PARTNER PAST 12 MONTHS
DVINSLT2	WHO.	1998-1999	WHICH PARTNER INSULTED
DVMED1	YESNODVA.	1998-1999	SEEK MEDICAL CARE FOR INSULT
DVMED10	YESNODVA.	1998-1999	SEEK MEDICAL CARE BECAUSE CHOCKED
DVMED11	YESNODVA.	1998-2000	SEEK MED CARE:THREAT W\KNIFE\GUN LAST YR
DVMED11	YESNORF.	1999	SEEK MED CARE FOR THREAT W\KNIFE\GUN
DVMED12	YESNODVA.	1998	SEEK MED CARE CAUSE OF KNIFE\GUN WOUND
DVMED13	YESNODVA.	1999	SEEK MED CARE CAUSE OF KNIFE\GUN ON U
DVMED13	YESNORF.	2000	SEEK MED CARE FOR KNIFE\GUN ON U LAST YR
DVMED14	YESNORF.	2000	SEEK MEDICAL CARE FOR FORCED SEX LAST YR
DVMED2	YESNODVA.	1998-1999	SEEK MEDICAL CARE FOR THREAT TO HIT
DVMED3	YESNODVA.	1998-1999	SEEK MEDICAL CARE DUE TO THROWN OBJECT
DVMED4	YESNODVA.	1998-2000	SEEK MEDICAL CARE:THROWN OBJECT LAST YR
DVMED4	YESNORF.	1999	SEEK MED CARE FOR OBJECT THROWN AT YOU
DVMED5	YESNODVA.	1998-2000	SEEK MEDICAL CARE CAUSE PUSHED LAST YR
DVMED5	YESNORF.	1999	SEEK MEDICAL CARE BECAUSE PUSHED
DVMED6	YESNODVA.	1998-1999	SEEK MEDICAL CARE BECAUSE SLAPPED
DVMED7	YESNODVA.	1998-2000	SEEK MED CARE CAUSE KICKED\HIT LAST YR
DVMED7	YESNORF.	1999	SEEK MEDICAL CARE BECAUSE KICKED\HIT
DVMED8	YESNODVA.	1998-1999	SEEK MED CARE CAUSE TRIED HIT U W/OBJECT
DVMED9	YESNODVA.	1998-2000	SEEK MED CARE CAUSE BEATEN UP LAST YR
DVMED9	YESNORF.	1999	SEEK MEDICAL CARE BECAUSE BEATEN UP
DVPUSHDG	SCALEE.	2000-2001	PUSHED LAST YR: DRUGS INVOLVED
DVPUSHE2	WHO.	1998-2001,03-05	WHICH PARTNER PUSHED YOU LAST YR
DVPUSHED	YESNODVA.	1998-1999	PARTNER PUSHED DURING PAST 12 MONTHS
DVSEXDG	SCALEE.	2000-2001	FORCED SEX LAST YR: DRUGS INVOLVED
DVSKHLP	YESNO.	2003-2004	SEEK HELP AFTER ANY DV INCIDENT
DVSHLTER	YESNODVA.	1999-2000	KNOWLEDGE OF COMMUNITY DV PROGRAMS
DVSLAP	YESNODVA.	1998-1999	PARTNER SLAPPED YOU DURING PAST 12 MTHS
DVSLAP2	WHO.	1998-1999	WHICH PARTNER SLAPPED YOU

Variable	Format	Year	Label
DVTHRDG	SCALEE.	2000,01,03-05	THROWN OBJECT LAST YEAR: DRUGS INVOLVED
DVTHRTH2	WHO.	1998-1999	WHICH PARTNER THREW OBJECT
DVTHRTHG	YESNODVA.	1998-1999	PARTNER THREW OBJECT PAST 12 MONTHS
DVTHRTN	YESNODVA.	1998-1999	PARTNER THREATEN HIT DURING PAST 12 MTHS
DVTHRTN2	WHO.	1998-1999	WHICH PARTNER THREATENED TO HIT
DVTHRWP2	WHO.	1998-2001,03-05	WHO THREATEN W/KNIFE OR GUN LAST YR
DVTHRWPN	YESNODVA.	1998-1999	PARTNER THREATENED YOU WITH KNIFE\GUN
DVTHRYO2	WHO.	1998-2001,03-05	WHICH PARTNER THREW OBJECT LAST YEAR
DVTHRYOU	YESNODVA.	1998-1999	PARTNER THREW OBJECT AT YOU PAST 12 MTHS
DVUSEDG	SCALEE.	2000-2001	USED KNIFE\GUN LAST YR: DRUGS INVOLVED
DVUSEWP2	WHO.	1998	WHICH PARTNER USED KNIFE\GUN
DVUSEWPN	YESNODVA.	1998-1999	PARTNER USED KNIFE\GUN PAST 12 MTHS
DVWHR1	WHEREHLP.	1998-1999	WHERE RECEIVED MEDICAL CARE FOR INSULT
DVWHR1_A	WHEREHLPB.	2000	CARE EVER - THROWN OBJECT: 1ST SOURCE
DVWHR1_B	WHEREHLPB.	2000	CARE EVER - THROWN OBJECT: 2ND SOURCE
DVWHR1_C	WHEREHLPB.	2000	CARE EVER - THROWN OBJECT: 3RD SOURCE
DVWHR1_D	WHEREHLPB.	2000	CARE EVER - THROWN OBJECT: 4TH SOURCE
DVWHR1_E	WHEREHLPB.	2000	CARE EVER - THROWN OBJECT: 5TH SOURCE
DVWHR1_F	WHEREHLPB.	2000	CARE EVER - THROWN OBJECT: 6TH SOURCE
DVWHR1_G	WHEREHLPB.	2000	CARE EVER - THROWN OBJECT: 7TH SOURCE
DVWHR1_H	WHEREHLPB.	2000	CARE EVER - THROWN OBJECT: 8TH SOURCE
DVWHR1_I	WHEREHLPB.	2000	CARE EVER - THROWN OBJECT: 9TH SOURCE
DVWHR1_J	WHEREHLPB.	2000	CARE EVER - THROWN OBJECT: 10TH SOURCE
DVWHR1_K	WHEREHLPB.	2000	CARE EVER - THROWN OBJECT: 11TH SOURCE
DVWHR10	WHEREHLP.	1998-1999	WHERE RECD MEDICAL CARE BECAUSE CHOCKED
DVWHR11	WHEREHLP.	1998-1999	WHERE GET MED CARE: THREATEN W/KNIFE\GUN
DVWHR12	WHEREHLP.	1998	WHERE GET MED CARE FOR KNIFE\GUN WOUND
DVWHR13	WHEREHLP.	1999	WHERE GET MED CARE FOR KNIFE\GUN ON U
DVWHR2	WHEREHLP.	1998-1999	WHERE RECD MED CARE FOR THREATENED HIT
DVWHR2_A	WHEREHLPB.	2000	CARE EVER - PUSHED: 1ST SOURCE
DVWHR2_B	WHEREHLPB.	2000	CARE EVER - PUSHED: 2ND SOURCE
DVWHR2_C	WHEREHLPB.	2000	CARE EVER - PUSHED: 3RD SOURCE
DVWHR2_D	WHEREHLPB.	2000	CARE EVER - PUSHED: 4TH SOURCE
DVWHR2_E	WHEREHLPB.	2000	CARE EVER - PUSHED: 5TH SOURCE
DVWHR2_F	WHEREHLPB.	2000	CARE EVER - PUSHED: 6TH SOURCE
DVWHR2_G	WHEREHLPB.	2000	CARE EVER - PUSHED: 7TH SOURCE
DVWHR2_H	WHEREHLPB.	2000	CARE EVER - PUSHED: 8TH SOURCE
DVWHR2_I	WHEREHLPB.	2000	CARE EVER - PUSHED: 9TH SOURCE
DVWHR2_J	WHEREHLPB.	2000	CARE EVER - PUSHED: 10TH SOURCE
DVWHR2_K	WHEREHLPB.	2000	CARE EVER - PUSHED: 11TH SOURCE
DVWHR3	WHEREHLP.	1998-1999	WHERE RECD MED CARE DUE TO THROWN OBJECT
DVWHR3_A	WHEREHLPB.	2000	CARE EVER - KICKED OR HIT: 1ST SOURCE
DVWHR3_B	WHEREHLPB.	2000	CARE EVER - KICKED OR HIT: 2ND SOURCE
DVWHR3_C	WHEREHLPB.	2000	CARE EVER - KICKED OR HIT: 3RD SOURCE
DVWHR3_D	WHEREHLPB.	2000	CARE EVER - KICKED OR HIT: 4TH SOURCE
DVWHR3_E	WHEREHLPB.	2000	CARE EVER - KICKED OR HIT: 5TH SOURCE
DVWHR3_F	WHEREHLPB.	2000	CARE EVER - KICKED OR HIT: 6TH SOURCE
DVWHR3_G	WHEREHLPB.	2000	CARE EVER - KICKED OR HIT: 7TH SOURCE
DVWHR3_H	WHEREHLPB.	2000	CARE EVER - KICKED OR HIT: 8TH SOURCE
DVWHR3_I	WHEREHLPB.	2000	CARE EVER - KICKED OR HIT: 9TH SOURCE
DVWHR3_J	WHEREHLPB.	2000	CARE EVER - KICKED OR HIT: 10TH SOURCE
DVWHR3_K	WHEREHLPB.	2000	CARE EVER - KICKED OR HIT: 11TH SOURCE
DVWHR4	WHEREHLP.	1998-1999	WHERE RECD MED CARE FOR OBJ THROWN AT U
DVWHR4_A	WHEREHLPB.	2000	CARE EVER - BEAT UP: 1ST SOURCE
DVWHR4_B	WHEREHLPB.	2000	CARE EVER - BEAT UP: 2ND SOURCE
DVWHR4_C	WHEREHLPB.	2000	CARE EVER - BEAT UP: 3RD SOURCE
DVWHR4_D	WHEREHLPB.	2000	CARE EVER - BEAT UP: 4TH SOURCE
DVWHR4_E	WHEREHLPB.	2000	CARE EVER - BEAT UP: 5TH SOURCE
DVWHR4_F	WHEREHLPB.	2000	CARE EVER - BEAT UP: 6TH SOURCE
DVWHR4_G	WHEREHLPB.	2000	CARE EVER - BEAT UP: 7TH SOURCE
DVWHR4_H	WHEREHLPB.	2000	CARE EVER - BEAT UP: 8TH SOURCE
DVWHR4_I	WHEREHLPB.	2000	CARE EVER - BEAT UP: 9TH SOURCE
DVWHR4_J	WHEREHLPB.	2000	CARE EVER - BEAT UP: 10TH SOURCE
DVWHR4_K	WHEREHLPB.	2000	CARE EVER - BEAT UP: 11TH SOURCE
DVWHR5	WHEREHLP.	1998-1999	WHERE RECD MEDICAL CARE BECAUSE PUSHED
DVWHR5_A	WHEREHLPB.	2000	CARE EVER - FORCED SEX: 1ST SOURCE
DVWHR5_B	WHEREHLPB.	2000	CARE EVER - FORCED SEX: 2ND SOURCE

Variable	Format	Year	Label
DVWHR5_C	WHEREHLPB.	2000	CARE EVER - FORCED SEX: 3RD SOURCE
DVWHR5_D	WHEREHLPB.	2000	CARE EVER - FORCED SEX: 4TH SOURCE
DVWHR5_E	WHEREHLPB.	2000	CARE EVER - FORCED SEX: 5TH SOURCE
DVWHR5_F	WHEREHLPB.	2000	CARE EVER - FORCED SEX: 6TH SOURCE
DVWHR5_G	WHEREHLPB.	2000	CARE EVER - FORCED SEX: 7TH SOURCE
DVWHR5_H	WHEREHLPB.	2000	CARE EVER - FORCED SEX: 8TH SOURCE
DVWHR5_I	WHEREHLPB.	2000	CARE EVER - FORCED SEX: 9TH SOURCE
DVWHR5_J	WHEREHLPB.	2000	CARE EVER - FORCED SEX: 10TH SOURCE
DVWHR5_K	WHEREHLPB.	2000	CARE EVER - FORCED SEX: 11TH SOURCE
DVWHR6	WHEREHLP.	1998-1999	WHERE RECD MEDICAL CARE BECAUSE SLAPPED
DVWHR6_A	WHEREHLPB.	2000	CARE EVER - THREAT W/KNIFE: 1ST SOURCE
DVWHR6_B	WHEREHLPB.	2000	CARE EVER - THREAT W/KNIFE: 2ND SOURCE
DVWHR6_C	WHEREHLPB.	2000	CARE EVER - THREAT W/KNIFE: 3RD SOURCE
DVWHR6_D	WHEREHLPB.	2000	CARE EVER - THREAT W/KNIFE: 4TH SOURCE
DVWHR6_E	WHEREHLPB.	2000	CARE EVER - THREAT W/KNIFE: 5TH SOURCE
DVWHR6_F	WHEREHLPB.	2000	CARE EVER - THREAT W/KNIFE: 6TH SOURCE
DVWHR6_G	WHEREHLPB.	2000	CARE EVER - THREAT W/KNIFE: 7TH SOURCE
DVWHR6_H	WHEREHLPB.	2000	CARE EVER - THREAT W/KNIFE: 8TH SOURCE
DVWHR6_I	WHEREHLPB.	2000	CARE EVER - THREAT W/KNIFE: 9TH SOURCE
DVWHR6_J	WHEREHLPB.	2000	CARE EVER - THREAT W/KNIFE: 10TH SOURCE
DVWHR6_K	WHEREHLPB.	2000	CARE EVER - THREAT W/KNIFE: 11TH SOURCE
DVWHR7	WHEREHLP.	1998-1999	WHERE RECD MEDICAL CARE CAUSE KICKED\HIT
DVWHR7_A	WHEREHLPB.	2000	CARE EVER - USED KNIFE OR GUN:1ST SOURCE
DVWHR7_B	WHEREHLPB.	2000	CARE EVER - USED KNIFE OR GUN:2ND SOURCE
DVWHR7_C	WHEREHLPB.	2000	CARE EVER - USED KNIFE OR GUN:3RD SOURCE
DVWHR7_D	WHEREHLPB.	2000	CARE EVER - USED KNIFE OR GUN:4TH SOURCE
DVWHR7_E	WHEREHLPB.	2000	CARE EVER - USED KNIFE OR GUN:5TH SOURCE
DVWHR7_F	WHEREHLPB.	2000	CARE EVER - USED KNIFE OR GUN:6TH SOURCE
DVWHR7_G	WHEREHLPB.	2000	CARE EVER - USED KNIFE OR GUN:7TH SOURCE
DVWHR7_H	WHEREHLPB.	2000	CARE EVER - USED KNIFE OR GUN:8TH SOURCE
DVWHR7_I	WHEREHLPB.	2000	CARE EVER - USED KNIFE OR GUN:9TH SOURCE
DVWHR7_J	WHEREHLPB.	2000	CARE EVER - USED KNIFE OR GUN:10TH SOURC
DVWHR7_K	WHEREHLPB.	2000	CARE EVER - USED KNIFE OR GUN:11TH SOURC
DVWHR8	WHEREHLP.	1998-1999	WHERE GET MED CARE: TRIED HIT U W/OBJECT
DVWHR9	WHEREHLP.	1998-1999	WHERE GET MEDICAL CARE BECAUSE BEATEN UP
DVWPNDG	SCALEE.	2000-2001	THREAT W/KNIFE\GUN LAST YR: DRUGS INVOLVE
DVWPNON2	WHO.	1999-2001,03-05	WHICH PARTNER USE KNIFE\GUN ON U LAST YR
DVWPNONU	YESNODVA.	1999	PARTNER USED KNIFE\GUN ON U PAST 12 MTHS
DVYRBEAT	YESNORF.	1999-2001,03-05	PARTNER BEAT YOU UP DURING PAST 12 MTHS
DVYRCMB	YESNO.	2002	ANY DV COMBINED PAST 12 MONTHS
DVYRFLOW	YESNORF.	2000-2001,03-05	'PARTNER FOLLOWED U PAST 12 MTHS'
DVYRHIT	YESNORF.	2000-2001,03-05	PARTNER KICKED\HIT YOU PAST 12 MTHS
DVYRPUSH	YESNORF.	2000-2001,03-05	PARTNER PUSHED DURING PAST 12 MONTHS
DVYRSEX	YESNORF.	2000-2001,03-05	PARTNER FORCED SEX LAST 12 MONTHS
DVYRSEX2	WHO.	2000-2001,03-04	WHICH PARTNER FORCED SEX LAST YR
DVYRTHRW	YESNORF.	2000-2001,03-05	PARTNER THREW OBJECT PAST 12 MONTHS
DVYRUSE	YESNORF.	2000-2001,03-04	PARTNER USED KNIFE\GUN ON U PAST 12 MTHS
DVYRUSE2	YESNO.	2005	PARTNER USED KNIFE\GUN ON U PAST 12 MTHS
DVYRW1_A	WHEREHLPB.	2000	CARE LAST YR - THROWN OBJECT:1ST SOURCE
DVYRW1_B	WHEREHLPB.	2000	CARE LAST YR - THROWN OBJECT:2ND SOURCE
DVYRW1_C	WHEREHLPB.	2000	CARE LAST YR - THROWN OBJECT:3RD SOURCE
DVYRW1_D	WHEREHLPB.	2000	CARE LAST YR - THROWN OBJECT:4TH SOURCE
DVYRW1_E	WHEREHLPB.	2000	CARE LAST YR - THROWN OBJECT:5TH SOURCE
DVYRW1_F	WHEREHLPB.	2000	CARE LAST YR - THROWN OBJECT:6TH SOURCE
DVYRW1_G	WHEREHLPB.	2000	CARE LAST YR - THROWN OBJECT:7TH SOURCE
DVYRW1_H	WHEREHLPB.	2000	CARE LAST YR - THROWN OBJECT:8TH SOURCE
DVYRW1_I	WHEREHLPB.	2000	CARE LAST YR - THROWN OBJECT:9TH SOURCE
DVYRW1_J	WHEREHLPB.	2000	CARE LAST YR - THROWN OBJECT:10TH SOURCE
DVYRW1_K	WHEREHLPB.	2000	CARE LAST YR - THROWN OBJECT:11TH SOURCE
DVYRW2_A	WHEREHLPB.	2000	CARE LAST YR - PUSHED: 1ST SOURCE
DVYRW2_B	WHEREHLPB.	2000	CARE LAST YR - PUSHED: 2ND SOURCE
DVYRW2_C	WHEREHLPB.	2000	CARE LAST YR - PUSHED: 3RD SOURCE
DVYRW2_D	WHEREHLPB.	2000	CARE LAST YR - PUSHED: 4TH SOURCE
DVYRW2_E	WHEREHLPB.	2000	CARE LAST YR - PUSHED: 5TH SOURCE
DVYRW2_F	WHEREHLPB.	2000	CARE LAST YR - PUSHED: 6TH SOURCE
DVYRW2_G	WHEREHLPB.	2000	CARE LAST YR - PUSHED: 7TH SOURCE
DVYRW2_H	WHEREHLPB.	2000	CARE LAST YR - PUSHED: 8TH SOURCE

Variable	Format	Year	Label
DVYRW2_I	WHERHLPB.	2000	CARE LAST YR - PUSHED: 9TH SOURCE
DVYRW2_J	WHERHLPB.	2000	CARE LAST YR - PUSHED: 10TH SOURCE
DVYRW2_K	WHERHLPB.	2000	CARE LAST YR - PUSHED: 11TH SOURCE
DVYRW3_A	WHERHLPB.	2000	CARE LAST YR - KICKED\HIT: 1ST SOURCE
DVYRW3_B	WHERHLPB.	2000	CARE LAST YR - KICKED\HIT: 2ND SOURCE
DVYRW3_C	WHERHLPB.	2000	CARE LAST YR - KICKED\HIT: 3RD SOURCE
DVYRW3_D	WHERHLPB.	2000	CARE LAST YR - KICKED\HIT: 4TH SOURCE
DVYRW3_E	WHERHLPB.	2000	CARE LAST YR - KICKED\HIT: 5TH SOURCE
DVYRW3_F	WHERHLPB.	2000	CARE LAST YR - KICKED\HIT: 6TH SOURCE
DVYRW3_G	WHERHLPB.	2000	CARE LAST YR - KICKED\HIT: 7TH SOURCE
DVYRW3_H	WHERHLPB.	2000	CARE LAST YR - KICKED\HIT: 8TH SOURCE
DVYRW3_I	WHERHLPB.	2000	CARE LAST YR - KICKED\HIT: 9TH SOURCE
DVYRW3_J	WHERHLPB.	2000	CARE LAST YR - KICKED\HIT: 10TH SOURCE
DVYRW3_K	WHERHLPB.	2000	CARE LAST YR - KICKED\HIT: 11TH SOURCE
DVYRW4_A	WHERHLPB.	2000	CARE LAST YR - BEAT UP: 1ST SOURCE
DVYRW4_B	WHERHLPB.	2000	CARE LAST YR - BEAT UP: 2ND SOURCE
DVYRW4_C	WHERHLPB.	2000	CARE LAST YR - BEAT UP: 3RD SOURCE
DVYRW4_D	WHERHLPB.	2000	CARE LAST YR - BEAT UP: 4TH SOURCE
DVYRW4_E	WHERHLPB.	2000	CARE LAST YR - BEAT UP: 5TH SOURCE
DVYRW4_F	WHERHLPB.	2000	CARE LAST YR - BEAT UP: 6TH SOURCE
DVYRW4_G	WHERHLPB.	2000	CARE LAST YR - BEAT UP: 7TH SOURCE
DVYRW4_H	WHERHLPB.	2000	CARE LAST YR - BEAT UP: 8TH SOURCE
DVYRW4_I	WHERHLPB.	2000	CARE LAST YR - BEAT UP: 9TH SOURCE
DVYRW4_J	WHERHLPB.	2000	CARE LAST YR - BEAT UP: 10TH SOURCE
DVYRW4_K	WHERHLPB.	2000	CARE LAST YR - BEAT UP: 11TH SOURCE
DVYRW5_A	WHERHLPB.	2000	CARE LAST YR - FORCED SEX: 1ST SOURCE
DVYRW5_B	WHERHLPB.	2000	CARE LAST YR - FORCED SEX: 2ND SOURCE
DVYRW5_C	WHERHLPB.	2000	CARE LAST YR - FORCED SEX: 3RD SOURCE
DVYRW5_D	WHERHLPB.	2000	CARE LAST YR - FORCED SEX: 4TH SOURCE
DVYRW5_E	WHERHLPB.	2000	CARE LAST YR - FORCED SEX: 5TH SOURCE
DVYRW5_F	WHERHLPB.	2000	CARE LAST YR - FORCED SEX: 6TH SOURCE
DVYRW5_G	WHERHLPB.	2000	CARE LAST YR - FORCED SEX: 7TH SOURCE
DVYRW5_H	WHERHLPB.	2000	CARE LAST YR - FORCED SEX: 8TH SOURCE
DVYRW5_I	WHERHLPB.	2000	CARE LAST YR - FORCED SEX: 9TH SOURCE
DVYRW5_J	WHERHLPB.	2000	CARE LAST YR - FORCED SEX: 10TH SOURCE
DVYRW5_K	WHERHLPB.	2000	CARE LAST YR - FORCED SEX: 11TH SOURCE
DVYRW6_A	WHERHLPB.	2000	CARE LAST YR - THREAT W/KNIFE:1ST SOURCE
DVYRW6_B	WHERHLPB.	2000	CARE LAST YR - THREAT W/KNIFE:2ND SOURCE
DVYRW6_C	WHERHLPB.	2000	CARE LAST YR - THREAT W/KNIFE:3RD SOURCE
DVYRW6_D	WHERHLPB.	2000	CARE LAST YR - THREAT W/KNIFE:4TH SOURCE
DVYRW6_E	WHERHLPB.	2000	CARE LAST YR - THREAT W/KNIFE:5TH SOURCE
DVYRW6_F	WHERHLPB.	2000	CARE LAST YR - THREAT W/KNIFE:6TH SOURCE
DVYRW6_G	WHERHLPB.	2000	CARE LAST YR - THREAT W/KNIFE:7TH SOURCE
DVYRW6_H	WHERHLPB.	2000	CARE LAST YR - THREAT W/KNIFE:8TH SOURCE
DVYRW6_I	WHERHLPB.	2000	CARE LAST YR - THREAT W/KNIFE:9TH SOURCE
DVYRW6_J	WHERHLPB.	2000	CARE LAST YR - THREAT W/KNIFE:10TH SOURC
DVYRW6_K	WHERHLPB.	2000	CARE LAST YR - THREAT W/KNIFE:11TH SOURC
DVYRW7_A	WHERHLPB.	2000	CARE LAST YR - USED KNIFE: 1ST SOURCE
DVYRW7_B	WHERHLPB.	2000	CARE LAST YR - USED KNIFE: 2ND SOURCE
DVYRW7_C	WHERHLPB.	2000	CARE LAST YR - USED KNIFE: 3RD SOURCE
DVYRW7_D	WHERHLPB.	2000	CARE LAST YR - USED KNIFE: 4TH SOURCE
DVYRW7_E	WHERHLPB.	2000	CARE LAST YR - USED KNIFE: 5TH SOURCE
DVYRW7_F	WHERHLPB.	2000	CARE LAST YR - USED KNIFE: 6TH SOURCE
DVYRW7_G	WHERHLPB.	2000	CARE LAST YR - USED KNIFE: 7TH SOURCE
DVYRW7_H	WHERHLPB.	2000	CARE LAST YR - USED KNIFE: 8TH SOURCE
DVYRW7_I	WHERHLPB.	2000	CARE LAST YR - USED KNIFE: 9TH SOURCE
DVYRW7_J	WHERHLPB.	2000	CARE LAST YR - USED KNIFE: 10TH SOURCE
DVYRW7_K	WHERHLPB.	2000	CARE LAST YR - USED KNIFE: 11TH SOURCE
DVYRWPN	YESNORF.	2000-2001, 2003	PARTNER THREATEN W/KNIFEGUN LAST YR
EATBURGR	TYPEIV.	1999	FREQUENCY ATE RARE HAMBURGERS LAST YEAR
EATCATCH	YESNO.	2005	EAT CAUGHT FISH PAST 12 MTHS
EATCHKID	YESNOKID.	2005	CHILDREN IN HOUSEHOLD EAT CAUGHT FISH
EATCHOFN	TYPEXIV.	2005	HOW MANY TIMES EAT CAUGFHT FISH IN PAST 30 DAYS
EATEGG	TYPEIV.	1999	FREQUENCY ATE EGGS W\RUNNY YOLK LAST YR
EATFSKID	YESNOKID.	2005	CHILDREN IN HOUSEHOLD EAT STORE FISH
EATFSMKT	YESNO.	2005	EAT STORE FISH PAST 12 MTHS
EATFSOFN	TYPEXIV.	2005	HOW MANY TIMES EAT STORE FISH PAST 30 DAYS

Variable	Format	Year	Label
EATLESSB	YESNO.	1997	ATE LESS BECAUSE NO FOOD/\$\$ FOR FOOD
EATLESSC	YESNO.	1998-2005	ATE LESS BECAUSE NO \$\$ FOR FOOD
EATRAW2	TYPEIV.	1999	FREQUENCY ATE RAW OYSTERS LAST YEAR
EATSPROT	TYPEIV.	1999	FREQUENCY ATE ALFALFA SPROUTS LAST YEAR
EDUCA	EDUCA.	1997-2004	EDUCATION LEVEL
EDUCA2	EDUCA.	2005	EDUCATION LEVEL
EMERGWHT	EMERGWHT.	1999-2004	KNOWLEDGE OF EMERGENCY BIRTH CONTROL
EMPLOY3	EMPLOYB.	1997-2005	EMPLOYMENT STATUS
EMPPLAN	YESNO.	1997-2005	OWN EMPLOYER PROVIDES HEALTH COVERAGE
EMRGBC	YESNO.	1999-2004	DOES EMERGENCY BIRTH CONTROL EXIST?
EPHEDRA	YESNOUN.	2001-2002	TAKE EPHEDRA IN LAST 12 MONTHS
EQUIP	YESNO.	2005	ANY SPECIAL EQUIPMENT FOR DISABILITY
ESTROHR2	ESTROHRT.	1997	TAKING ESTROGEN OR HRT
ESTROHR3	YESNO.	1999	CURRENTLY TAKING ESTROGEN FOR MENOPAUSE
ESTROHR4	YESNO.	2001	NOW TAKING ESTROGEN/PROGESTERONE FOR MENOPAUSE
ESTROHRT	YESNO.	1997	TAKING ESTROGEN OR HRT
EVEREST	YESNO.	1999	EVER TAKEN ESTROGEN FOR MENOPAUSE
EVEREST2	YESNO.	2001	EVER TAKEN ESTROGEN/PROGESTERONE FOR MENOPAUSE
EVRHNGRY	YESNO.	1998-2005	EVER HUNGRY BECAUSE COULDN'T AFFORD FOOD
EXBMODAB	TYPEIII.	2002-2005	HOW MANY DAYS SHOULD DO MOD ACTIVITY
EXBMODAY	TYPEIII.	2001	HOW MANY DAYS SHOULD DO MOD ACTIVITY
EXBMODMB	TYPEIII.	2002-2005	HOW MANY MINUTES SHOULD DO MOD ACTIVITY
EXBMODMI	TYPEIII.	2001	HOW MANY MINUTES SHOULD DO MOD ACTIVITY
EXERM0D	TYPEIII.	2001-2002	DAYS PER WK DO MOD ACTIVITY FOR 10 MIN
EXERM0D2	TYPEIII.	2003-2005	DAYS PER WK DO MOD/VIG ACTIVITY FOR 10 MIN
EXEROFTM	TYPEXIV.	2001-2002	HOW MUCH AVG TIME DO MOD ACTIVITY (IN MINUTES)
EXEROFT2	TYPEXIV.	2003-2005	HOW MUCH AVG TIME DO MOD/VIG ACTIVITY (IN MIN)
EXERWORK	EXERWORK.	2001-2004	PHYSICAL ACTIVITY DURING WORK
EXPHRS	TYPEIX.	1997-1998	HRS AND MIN EXPOSED TO SECOND HAND SMOKE
F40	YESNO.	1997	WOMAN AGE 40+ LIVING IN HOUSEHOLD
F40A	TYPEI.	1997	AGE OLDEST WOMAN 40+ LIVING IN HOUSEHOLD
F40B	TYPEI.	1997	AGE 2ND OLDEST WOMAN 40+ IN HOUSEHOLD
F40C	TYPEI.	1997	AGE OF 3RD OLDEST WOMAN 40+ IN HOUSEHOLD
F40CBEG	BGUIDE.	1997	HOW OFTEN SHOULD WOMEN 40+ HAVE CBE(40+)
F40CBEGB	BGUIDE.	2002-2004	HOW OFTEN SHOULD WOMEN YOUR AGE HAVE CBE
F40DFPAY	DIFFIC.	1997	DIFFICULTY PAYING FOR MAMMOGRAM (40+)
F40GUID2	BGUIDE.	2000	MAMMOGRAM FREQUENCY FOR WOMAN RESP AGE
F40GUIDE	BGUIDE.	1997-1999	FREQUENCY OF MAMMOGRAMS WOMAN 40+ (40+)
F40INPAY	YESNO.	1997	INSURANCE PAYS FOR MAMMOGRAM (40+)
F40NUM	TYPEII.	1997	NUMBER OF WOMEN 40+ LIVING IN HOUSEHOLD
F40RXMAM	YESNO.	1997	DR. SUGGEST LAST MAMMOGRAM (AGE 40+)
F40RXMAM	YESNO.	1998	DR. SUGGEST LAST MAMMOGRAM (ALL)
F40SFPAY	YESNO.	1997	PAID FOR ALL/PART OF LAST MAMMO (40+)
F50GUID2	IMPORT.	1997-1998	HOW IMPORT MAMM 50+ NO BC IN FAMILY(ALL)
F50GUID3	IMPORT.	1997-1998	HOW IMPORT MAMM, 50+ NO BC SYMPTOMS(ALL)
F50GUIDE	BGUIDE.	1997	FREQUENCY OF MAMMOGRAMS WOMAN 50+ (<50)
F50GUIDE	BGUIDE.	1998	FREQUENCY OF MAMMOGRAMS WOMAN 50+(ALL)
F50RXMAM	YESNO.	1997-1998	EVER TOLD BY DR. NEED MAMMOGRAM
FALLBRK	YESNO.	2002	BROKEN BONE FROM FALL LAST 12 MONTHS
FALLBR2	YESNO.	2004	BROKEN BONE FROM FALL EVER
FALLTEST	YESNO.	2004	DID YOU HAVE BONE DENSITY TEST BECAUSE YOU FELL
FAS	FAS.	1999	KNOWLEDGE ABOUT FETAL ALCOHOL SYNDROME
FDSTMAPP	YESNO.	2000-2005	APPLY FOR FOOD STAMPS LAST 12 MONTHS
FDSTMEN	YESNO.	2000-2005	DENIED FOOD STAMPS LAST 12 MONTHS
FERTADV	YESNO.	2005	SERVICE TO HELP FERTILITY:ADVICE
FERTBRD	YESNO.	2005	SERVICE TO HELP FERTILITY:TRTMT/SRGRY FIBROIDS
FERTCAM	YESNO.	2005	SERVICE TO HELP FERTILITY:OTHER ALTERNATIVE HELP
FERTDCTR	YESNO.	2005	TALKED WITH HEALTH PROFESSIONAL ABOUT FERTILITY
FERTDRUG	YESNO.	2005	SERVICE TO HELP FERTILITY:FERT DRUGS
FERTINSM	YESNO.	2005	SERVICE TO HELP FERTILITY:INSEMINATION
FERTIVF	YESNO.	2005	SERVICE TO HELP FERTILITY:IVF
FERTOTHR	YESNO.	2005	SERVICE TO HELP FERTILITY:OTHER MEDICAL HELP
FERTTEST	YESNO.	2005	SERVICE TO HELP FERTILITY:FERT TESTING
FERTTUBE	YESNO.	2005	SERVICE TO HELP FERTILITY:TUBE SURGERY
FIBROIDS	YESNO.	2005	DOCTOR SAID YOU HAD FIBROIDS
FIPS		1997-2004	
FISHOFT	TYPEIV.	2003	HOW OFTEN DO YOU EAT FISH

Variable	Format	Year	Label
FISHPORT	TYPEIV.	2005	PORTIONS OF FISH EATEN PER OCCASION
FISHSERV	TYPEIV.	2003	HOW MANY SERVINGS OF FISH DO YOU EAT
FISHWARN	YESNO.	2003, 2005	AWARE OF PUBLIC HEALTH WARNINGS ABOUT FISH
FLUVAC	YESNO.	2003-2004	FLU SHOT IN PAST 12 MONTHS
FLUVAC2	YESNO.	2005	FLU SHOT OR SPRAY IN PAST 12 MONTHS
FLUVAC50	TYPEXVI.	2003-2004	AGE RECOMMENDED THAT GEN PUBLIC GET FLU SHOT
FNLQUEST	FNLQUEST.	2002	QUESTION WHERE PARTIAL SURVEY TERMINATED
FOLIC_A	YESNO.	1997	FOODS INCREASE FOLIC ACID
FOLIC_B	YESNO.	1997	VITAMIN SUPPLEMENTS INCREASE FOLIC ACID
FOLIC_C	YESNO.	1997	PRESCRIPTION MEDS INCREASE FOLIC ACID
FOLIC_D	YESNO.	1997	WAYS TO INCREASE FOLIC ACID (SPECIFY)
FOLICEAB	FOLICEAT.	2002	MORE LIKELY TO BUY CEREAL WITH FOLATE
FOLICEAT	FOLICEAT.	2001	MORE LIKELY TO BUY CEREAL WITH FOLATE
FOLICHER	YESNO.	1997-2000	EVER HEARD OF FOLIC ACID
FOLICIN2	SOURCE.	1998	WAYS TO INCREASE FOLIC ACID INTAKE
FOLICL_A	YESNO.	1998-2000, 2003	FOLATE EDUC: MAGAZINE ARTICLE
FOLICL_B	YESNO.	1998-2000, 2003	FOLATE EDUC: RADIO
FOLICL_C	YESNO.	1998-2000, 2003	FOLATE EDUC: TELEVISION
FOLICL_D	YESNO.	1998-2000, 2003	FOLATE EDUC: PHYSICIAN
FOLICL_E	YESNO.	1998-2000, 2003	FOLATE EDUC: BOOKS
FOLICL_F	YESNO.	1998-2000, 2003	FOLATE EDUC: BROCHURES IN DOCTORS OFFICE
FOLICL_G	YESNO.	1998-2000, 2003	FOLATE EDUC: FRIEND
FOLICL_H	YESNO.	1998-2000, 2003	FOLATE EDUC: SCHOOL
FOLICL_I	YESNO.	1998-2000, 2003	FOLATE EDUC: LABEL ON VITAMIN BOTTLE
FOLICL_J	YESNO.	1998-2000, 2003	FOLATE ED: NUTRITION CLASS OUT OF SCHOOL
FOLICL_K	YESNO.	1998-2000, 2003	FOLATE EDUC: NURSE\NURSE PRACTITIONER
FOLICL_L	YESNO.	1998-2000, 2003	FOLATE EDUC: NURSING SCHOOL
FOLICL_M	YESNO.	1998-2000, 2003	FOLATE EDUC: MEDIA
FOLICL_N	YESNO.	1998-2000, 2003	FOLATE EDUC: OTHER (SPECIFY)
FOLICL_O	YESNO.	2003	FOLATE EDUC: MOVIE THEATER
FOLICLTX	FOLICLTX.	1998-2000	FOLATE EDUC: TEXT
FOLICS_A	YESNO.	1998	FOLATE SOURCE: BROCCOLI
FOLICS_B	YESNO.	1998	FOLATE SOURCE: SPINACH
FOLICS_C	YESNO.	1998	FOLATE SOURCE: GREEN VEGETABLES
FOLICS_D	YESNO.	1998	FOLATE SOURCE: GREEN SALAD
FOLICS_E	YESNO.	1998	FOLATE SOURCE: OTHER NOT GREEN VEGS
FOLICS_F	YESNO.	1998	FOLATE SOURCE: DRIED BEANS OR PEAS
FOLICS_G	YESNO.	1998	FOLATE SOURCE: CEREALS AND GRAINS
FOLICS_H	YESNO.	1998	FOLATE SOURCE: DAIRY PRODUCTS
FOLICS_I	YESNO.	1998	FOLATE SOURCE: MEAT
FOLICS_J	YESNO.	1998	FOLATE SOURCE: ORANGE JUICE
FOLICS_K	YESNO.	1998	FOLATE SOURCE: FRUITS
FOLICS_L	YESNO.	1998	FOLATE SOURCE: OTHER (SPECIFY)
FOLICSOA	FOLICSOA.	1997	BEST SOURCE OF FOLIC ACID
FOLICTX	FOLICTXT.	1998	FOLATE SOURCE: TEXT
FOLICTXT	FOLICTXT.	1997-2003	WAYS TO INCREASE FOLIC ACID (TEXT)
FOLICWHY	RISK.	1997	EFFECT OF FOLIC ACID ON BIRTH DEFECTS
FOODBANK	YESNO.	2000-2005	FOOD ASSISTANCE: FOODBANK
FOODKIT	YESNO.	2000-2002	FOOD ASSISTANCE: MEALS AT COMMUNITY SITE
FOODS_A	FOODSTORE.	1997	FOOD PREPARED IN HOME: CONVENIENCE STORES
FOODS_B	FOODSTORE.	1997	FOOD PREPARED IN HOME: HOME GARDEN
FOODS_C	FOODSTORE.	1997	FOOD PREPARED IN HOME: COMMUNITY GARDEN
FOODS_D	FOODSTORE.	1997	FOOD PREPARED IN HOME: FARMERS MARKET
FOODS_E	FOODSTORE.	1997	FOOD PREPARED IN HOME: FRUIT & VEG STANDS
FOODS_F	FOODSTORE.	1997	FOOD PREPARED IN HOME: FOOD BANKS
FOODS_G	FOODSTORE.	1997	FOOD PREPARED IN HOME: FOOD OUTLETS
FOODS_H	FOODSTORE.	1997	FOOD PREPARED IN HOME: FRIENDS/RELATIVES
FOODS_I	FOODSTORE.	1997	FOOD PREPARED IN HOME: GROCERY STORE ONLY
FOODS_J	FOODSTORE.	1997	FOOD PREPARE IN HOME: OTHR PLACE(SPECIFY)
FOODSEN	YESNO.	2000-2002	FOOD ASSISTANCE: SENIOR MEAL OR DELIVERY
FOODSTLS	TYPEIII.	2001-2005	HOW MANY DAYS OUT OF MONTH DO FOOD STAMPS LAST
FOODSTP	YESNO.	2001-2003	FOOD ASSISTANCE: FOOD STAMPS
FOODSTP2	YESNO.	2004-2005	FOOD ASSISTANCE: FOOD STAMPS OR EBT CARD
FOODSTXT	FOODSHOP.	1997	FOOD PREPARED IN HOME: OTHER PLACE (TEXT)
FOODWIC	YESNO.	2000-2002	FOOD ASSISTANCE: WIC
FOODWIC2	YESNO.	2003-2005	FOOD ASSISTANCE: WIC
FOSTCARE	YESNO.	2001-2005	EVER REMOVED FROM HOME BY GOVT OR COURT

Variable	Format	Year	Label
FPDENAP	YESNORF.	1998-2004	GONE W/O BC SUPPLY:NO CONVENIENT APOINTM
FPDENIE2	YESNORF.	1998-2002	GONE W/O BC SUPPLY CAUSE NO \$\$ TO BUY
FPDENIE3	YESNORF.	2003-2004	GONE W/O BC SUPPLY CAUSE NO \$\$ TO BUY
FPDENIED	YESNO.	1997	GONE W/O BC PLANNING FROM NO MONEY
FPDENLO	YESNORF.	1998-2002	GONE W/O BC SUPPLY:DIDNT KNOW WHERE TO G
FPDENLO2	YESNORF.	2003-2004	GONE W/O BC SUPPLY:DONT KNOW WHERE TO GET
FPKID	AGREE.	1997	FAMILY PLANNING:DECIDING # OF CHILDREN
FPKIDWEN	AGREE.	1997	FAMILY PLAN:DECIDING WHEN TO HAVE KIDS
FPOTHR	YESNO.	1997	WHAT ELSE FAMILY PLANNING MEANS(SPECIFY)
FPOTHTXT	FPOTHTXT.	1997	WHAT ELSE FAMILY PLANNING MEANS(TEXT)
FPPREG	AGREE.	1997	FAMILY PLANNING:PREVENTING UNINTENDED PG
FPREPRO	AGREE.	1997	FAMILY PLANNING:IMPROVING WOMEN HEALTH
FPWHEN	HOWLONGD.	1997	WHEN LAST VISIT TO DISCUSS BIRTH CONTROL
FPWHEN2	HOWLONGD.	1998-2004	LAST VISIT TO DISCUSS\GET BIRTH CONTROL
FPWHERE	FPWHERE.	1997	WHERE USUALLY GO FOR BIRTH CONTROL SERV
FPWHERE2	FPWHERE.	1998	WHERE USUALLY GET BIRTH CONTROL SUPPLY
FPWHETX2	FPLOCATE.	1998	WHERE USUALLY GO FOR BC SUPPLIES: TEXT
FPWHETXT	FPLOCATE.	1997	WHERE USUALLY GO FOR BC SERVICES (TEXT)
FRSTCOND	YESNORF.	1998-2002, 2004	USE CONDOM WITH NEW SEX PARTNER 1ST TIME
FSEGGS	YESNO.	1999	HEAR EGGS W/RUNNY YOLK CAUSE ILLNESS
FSHAMB	YESNO.	1999	HEAR RARE HAMBURGER CAUSE ILLNESS
FSOYSTER	YESNO.	1999	HEAR RAW OYSTERS CAUSE ILLNESS
FSSPROUT	YESNO.	1999	HEAR ALFALFA SPROUTS CAUSE ILLNESS
GAPPLN	YESNO.	1997-2003	GAP IN HEALTH COVERAGE IN PAST 12 MONTHS
GAPPLNT	TYPEII.	1997-2002	NUMBER OF MONTHS W/O HEALTH COVERAGE
GAPPLNT2	TYPEII.	2003-2005	NUMBER OF MONTHS W/O HEALTH COVERAGE
GENHLTH	HEALTH.	1998-2005	GENERAL HEALTH STATUS
GYNEXAM	TYPEIV.	2003-2004	WHEN WAS LAST GYNECOLOGIC EXAM
HADCBE	YESNO.	1997-2005	EVER HAD CLINICAL BREAST EXAM
HADMAM	YESNO.	1997-2003, 2005	EVER HAD MAMMOGRAM
HADPAP	YESNO.	1997, 1999-2001	EVER HAD A PAP SMEAR
HADPAP2	YESNO.	2005	EVER HAD A PAP SMEAR
HARTATCK	YESNO.	2004	DOCTOR SAID YOU HAD HEART ATTACK
HARTDIS	YESNO.	2004	DOCTOR SAID YOU HAD ANGINA
HARTSTRK	YESNO.	2004	DOCTOR SAID YOU HAD A STROKE
HAVEPLN3	YESNO.	1997-2005	HAVE ANY HEALTH CARE PLAN
HEARSERV	YESNO.	2002	NOTICED ANY MEDIA ABOUT NUM OF FRUIT/VEG TO EAT
HEARSTOR	YESNO.	2002	NOTICED IN PRODUCE SECTION NUM OF FRUIT/VEG TO EAT
HEARTEAT	RISCK.	2001	DOES DIET MAKE DIF IN HEART DISEASE RISK
HEARTEXR	RISCK.	2000	EFFECT OF EXERCISE ON HEART DISEASE RISK
HEARTHBP	RISCK.	2000	EFFECT OF HBP ON HEART DISEASE RISK
HEARTHRT	RISCK.	2001	DOES HRT MAKE DIF IN HEART DISEASE RISK
HEARTIMP	IMPORTB.	2000	HOW IMPORTANT IS HEART DISEASE FOR WOMEN
HEARTSMK	RISCK.	2000	EFFECT OF SMOKING ON HEART DISEASE RISK
HEARTTLK	YESNO.	2000-2002	DOCTOR TALKED W/YOU ABOUT HEART DISEASE
HEARTWT	RISCK.	2001	DOES WEIGHT MAKE DIF IN HEART DISEASE RISK
HEIGHT	TYPEIV.	1997-2005	REPORTED HEIGHT IN FEET AND INCHES
HELP3TXT	MHWHELPC.	2002	PROVIDED HELP FOR MENTAL HEALTH CONDITION
HELPGOOD	YESNO.	2000	GOOD TO GET PROF. MENTAL HEALTH HELP
HELPKID	OFTENB.	2001-2002	ENOUGH SUPPORT TO HELP W/STRESS OF CHILD
HERBSORC	HERBSORC.	2003	MOST IMPORTANT SOURCE IN DECIDING TO USE HERBS
HERBSUP	YESNO.	2003-2004	TAKEN ANY HERBS FROM LIST
HERBTAK	YESNO.	2003-2004	TAKEN ANY HERBS IN PAST 12 MOS
HERBTAK2	YESNO.	2005	TAKEN ANY HERBAL SUPPLEMENTS IN PAST 12 MOS
HERBTALK	YESNO.	2003-2005	HEALTHCARE PROVIDER KNOW ABOUT HERB USE
HHSIZE		1997-2005	HOUSEHOLD SIZE
HINSNTRN	YESNO.	2002-2005	HEALH INSURANCE COVER NUTRITION/WEIGHT LOSS
HISP3	YESNO.	2002-2005	HISPANIC ORIGIN
HISPANIC	YESNO.	1997-2001	HISPANIC ORIGIN
HIVPGTLK	YESNO.	2003-2005	HEALTH PROVIDER DISCUSS HIV DURING LAST PREG
HIVPGTST	YESNO.	2003-2005	HAVE HIV BLOOD TEST WHEN PREG IN LAST 5 YEARS
HLPACT	YESNO.	1997-1998	GET HELP IF NEEDED WITH DAILY ACTIVITIES
HLPmoney	YESNO.	1997-1998	BORROW A LITTLE MONEY IF NEEDED
HLPRIDE	YESNO.	1997-1998	GET RIDE TO APPOINTMENT IF NEEDED
HLPSICK	YESNO.	1997-1998	GET HELP IF SICK OR INJURED
HLTHLIST	HLTHLIBS.	1999-2002	HEALTH PLAN THAT PAYS MOST MEDICAL CARE
HLTHLIST	HLTHLIST.	1997-1998	HEALTH PLAN THAT PAYS MOST MEDICAL CARE

Variable	Format	Year	Label
HLTHLIST	HLTHLISC.	2003-2005	HEALTH PLAN THAT PAYS MOST MEDICAL CARE
HLHTXT	HLTHLIB.	2002	HEALTH PLAN DEFINED - TEXT
HLHTXT	HLTHLISC.	2003-2005	HEALTH PLAN DEFINED - TEXT
HLHTXT	TYPEII.	1999-2001	HEALTH PLAN DEFINED - TEXT
HMLSADQ	YESNO.	2003	PAST 12 MONTHS TROUBLE FINDING ACCEPTABLE HOUSING
HMLSMOVE	TYPEIV.	2003	PAST 12 MONTHS HOW MANY TIMES MOVED
HMLSENT	YESNO.	2003	PAST 12 MONTHS LATE WITH RENT/MORTGAGE
HMOPPO2	YESNO.	1997-2005	HEALTH PLAN IS HMO
HOMELESS	YESNO.	2003	PAST 12 MONTHS BEEN WITHOUT HOUSING
HOWLONG2	HOWLONGB.	1997-2005	HOW LONG SINCE LAST MAMMOGRAM (1992)
HRTBELIF	YESNOEST.	1997	POST MENOPAUSE WOMEN SHOULD HAVE HRT
HTF		1997-2000	REPORTED HEIGHT - FEET
HTI		1997-2000, 2005	REPORTED HEIGHT - INCHES
HYSTER2	YESNO.	1997-2005	HAD A HYSTERECTOMY, ALL WOMEN
IDEAL_A	TYPEVIII.	1998	TIME (NUMBER) IDEAL TIME FOR BREASTFEEDI
IDEAL_A1	WHENV.	1998	TIMEFRAME FOR IDEAL TIME FOR BEASTFEEDIN
IDEALBF	TYPEVIII.	1998	IDEAL LENGTH OF TIME FOR BREASTFEEDING
ILLDR_A	YESNODR.	1997	USED MARIJUANA PAST MONTH
ILLDR_B	YESNODR.	1997	USED COCAINE PAST MONTH
ILLDR_C	YESNODR.	1997	USED AMPHETAMINES PAST MONTH
ILLDR_D	YESNODR.	1997	USED HEROIN PAST MONTH
ILLDR_E	YESNODR.	1997	USED PCP PAST MONTH
ILLDR_F	YESNODR.	1997	USED OTHER HALLUCINOGENS PAST MONTH
ILLDR_G	YESNODR.	1997	USED OTHER STREET DRUGS PAST MONTH
INCOM01	INCOMEB.	2001-2002, 2005	HOUSEHOLD INCOME
INCOM02	INCOMEB.	2003-2004	HOUSEHOLD INCOME
INCOM94B	INCOME.C.	1997-2004	PERSONAL INCOME
INCOM95	INCOME.C.	1997-2000	HOUSEHOLD INCOME
INCOMADQ	YESNO.	1997,2000-2005	FEEL HAD ENOUGH MONEY FOR BASIC NEEDS
INDIANHS	YESNO.	1997,2000-2005	INDIAN HEALTH SERVICE
INDOTHR	YESNO.	1998	INDIAN HEALTH SERVICE OR SOME OTHER PLAN
INFERTIL	YESNORF.	1997-1998,01,03	EVER TOLD YOU WERE INFERTILE
INTEREST	INTEREST.	1997	INTERESTED IN WIC IF ELIGIBLE
INTID		1998-2001,03,04	INTERVIEWER ID
IRON	YESNO.	1997-98	CURRENTLY TAKING IRON SUPPLEMENT
IRONLOCK	YESNO.	1997	KEEP IRON SUPPLEMENTS IN LOCKED CABINET
LANGCHLD	LANGMORE.	2005	WHAT LANG USED AS CHILD
LANGFRND	LANGMORE.	2005	WHAT LANG SPEAK WITH FRIENDS
LANGHOME	LANGMORE.	2005	WHAT LANG SPEAK AT HOME
LANGSPK	LANGMORE.	2005	WHAT LANG READ AND SPEAK
LANGTHNK	LANGMORE.	2005	WHAT LANG THINK IN
LAXWGHT	YESNO.	2000	CONTROL WEIGHT LAST 12 MONTHS: LAXATIVE
LIKEWT2	TYPEIV.	2001-2003	WHAT IS HEALTHY WEIGHT FOR YOU
LIVEBRT2	TYPEII.	2001-2005	NUMBER OF LIVE BIRTHS EVER HAD
LIVEBRTH	TYPEIII.	1998-2000	NUMBER OF LIVE BIRTHS EVER HAD
LOBRTHWT	TYPEII.	2003-2005	HOW MANY HAD BIRTH WEIGHT OF LESS THAN 5.5 POUNDS
LOSEWT	YESNO.	1998	EVER TRY TO LOSE WEIGHT
LTCBUY	YESNO.	2003	PURCHASED/WILL PURCHASE LONG TERM CARE FOR SELF/FAMILY
LTCDISC	YESNO.	2003	DISCUSSED OWN LONG TERM CARE NEEDS
LTCGIVE	YESNO.	2003	PROVIDED LONG TERM CARE FOR MORE THAN 1 MONTH
LTCRCVD	YESNO.	2003	KNOW ANYONE WHO RECEIVED LONG TERM CARE
LTCWHO	LTCWHO.	2003	WHO WILL CARE FOR YOU IF YOU ARE UNABLE
LUMPOFT2	YESNO.	2001	EXAMINED OWN BREASTS LAST 12 MONTHS
MAINCOND	YESNORF.	1997	LAST MAIN PARTNER INTERCOURSE USE CONDOM
MAINPART	YESNORF.	1997	HAVE A MAIN MALE PARTNER PAST 12 MONTHS
MAINPLAN	MAINPLN.	1997	PLAN THAT PAYS FOR MOST OF MEDICAL CARE
MAINPLN2	MAINPLNB.	1998-2005	PLAN THAT PAYS FOR MOST OF MEDICAL CARE
MAJRPROB	MAJRPROB.	1998-1999	MAJOR PROBLEM THAT LIMITS ACTIVITIES
MAMMDFP	DIFFIC.	1998-2001	DIFFICULTY PAYING FOR MAMMOGRAM
MAMMDFPB	DIFFIC.	2002-2004	DIFFICULTY PAYING FOR MAMMOGRAM
MAMMED12	YESNO.	2001	SINCE JAN 2000 SEEN ADS FOR MAMMOGRAM
MAMMEDIB	YESNO.	1997-1998	SAW MAMMOGRAM IN MEDIA RECENT PAST
MAMMPAY	PORTION.	1998-2004	PORTION OF MAMMOGRAM WOMAN MUST PAY
MANYCBE	TYPEII.	2002-2004	HOW MANY CLINICAL BREAST EXAMS LAST 5 YEARS
MANYMAM	TYPEII.	1997,2002-2004	NUMBER OF MAMMOGRAMS IN LAST 5 YEARS
MARITAL	MARITAL.	1997-2005	MARITAL STATUS
MEDI_FU2	YESNO.	2001-2005	HAVE RED WHITE & BLUE SOCIAL SECURITY CARD

Variable	Format	Year	Label
MEDI_FUP	YESNO.	1999-2000	EVER HAD MEDICARE CARD (NO MEDICARE REP)
MEDICAL	YESNO.	1997-2005	COVERED BY MEDI-CAL
MEDICARE	YESNO.	1997-2005	COVERED BY MEDICARE
MENODEPR	YESNO.	1997	BECOME DEPRESSED FROM MENOPAUSE SYMPTOMS
MENOLMT	YESNO.	1997	MENO. SYMPTOMS: DIDNT DO USUAL ACTIVITIES
MENOMED	YESNO.	1997	SEEK MEDICAL CARE FOR MENOPAUSE SYMPTOMS
MENOPAUS	MENOPAUS.	1997	STAGE OF LIFE - MENOPAUSE
MENOWHEN	TYPEI.	1997	AGE PERIODS STOPPED/BECAME IRREGULAR
MENOWORK	YESNO.	1997	LOST WORK DAYS DUE TO MENOPAUSE SYMPTOMS
MENSES	TYPEII.	1997	AGE AT FIRST MENSES
MENTBELF	TYPEIV.	2001	PERCENT OF ADULTS YOU THINK HAVE MH PROB
MENTHELP	YESNO.	2001	EMBARRASSED TO GET HELP FROM MH PROFESIONAL
MENTHLTH	TYPEIII.	1998-2005	DAYS OF POOR MENTAL HEALTH IN LAST MO.
MENTMED	AGREED.	2001	MEDICATION AVAILABLE TO HELP MH PROB
MHDX	MHDX.	1997	MENTAL HEALTH CONDITION DIAGNOSIS
MHDX2	MHDXB.	1998-1999, 2005	MENTAL HEALTH CONDITION DIAGNOSIS
MHELPEVR	YESNO.	2000	EVER GET PROFESSIONAL MENTAL HEALTH HELP
MHEVER	YESNO.	1998	EVER DIAGNOSED WITH MENTL HLTH CONDITION
MHHELP	YESNO.	1997	WANT MENTAL HEALTH HELP IN PAST 12 MTHS
MHHELP2	YESNO.	1998-2000.02-05	WANT MENTAL HEALTH HELP IN PAST 12 MTHS
MHHELP3	YESNO.	2001	WANT MH PROFESSIONAL HELP IN PAST 12 MTHS
MHHELPTX	MHHELPTX.	1999	HELP MENTAL HEALTH: TEXT RESPONSE
MHHLAWN2	YESNO.	1999,2001-2004	GET MENTAL HEALTH HELP
MHHLAWN3	YESNO.	2000	GET MENTAL HEALTH HELP IN LAST 12 MONTHS
MHHLAWN1	YESNO.	1997-1998, 2005	GET MENTAL HEALTH HELP WANTED
MHLMTDY	SCALEC.	1998	MOOD LIMITED DAILY ACTIVITY PAST 30 DAYS
MHLMTWK	SCALEC.	1998	MOOD LIMITED ABILITY TO WORK PAST 30 DYS
MHLONG	TYPEV.	1997	LENGTH OF TIME HAD MH CONDITON
MHMED	YESNO.	1997, 2005	TAKEN MEDS FOR MENTAL COND LAST 12 MTHS
MHMED2	YESNO.	1998-1999	PRESCRIBE MEDS FOR MENTAL HEALTH PROBLEM
MHNO2_A	MHWHYNOB.	1998-1999, 2005	WHY NO MH HELP: 1ST REASON
MHNO2_B	MHWHYNOB.	1998-1999, 2005	WHY NO MH HELP: 2ND REASON
MHNO2_C	MHWHYNOB.	1998-1999, 2005	WHY NO MH HELP: 3RD REASON
MHNO2_D	MHWHYNOB.	1998-1999, 2005	WHY NO MH HELP: 4TH REASON
MHNO2_E	MHWHYNOB.	1998-1999, 2005	WHY NO MH HELP: 5TH REASON
MHNO2_F	MHWHYNOB.	1998-1999, 2005	WHY NO MH HELP: 6TH REASON
MHNO2_G	MHWHYNOB.	1998-1999, 2005	WHY NO MH HELP: 6TH REASON
MHNO2_H	MHWHYNOB.	1998-1999, 2005	WHY NO MH HELP: 6TH REASON
MHNOINTX	MHNOINTX.	1998-1999	WHY NO INSURANCE FOR MH CARE: TEXT
MHNOT_A	YESNO.	1997	WHY NO MH HELP: NO MONEY TO PAY FOR HELP
MHNOT_B	YESNO.	1997	WHY NO MH HELP: NO INSURANCE
MHNOT_C	YESNO.	1997	WHY NO MH HELP: INSURANCE WOULDNT PAY
MHNOT_D	YESNO.	1997	WHY NO MH HELP: DIDNT KNOW WHERE TO GO
MHNOT_E	YESNO.	1997	WHY NO MH HELP: NO ONE TAKE AS PATIENT
MHNOT_F	YESNO.	1997	WHY NO MH HELP: COULDN'T GET APPOINTMENT
MHNOT_G	YESNO.	1997	WHY NO MH HELP: OFFICE HRS NOT CONVENIENT
MHNOT_H	YESNO.	1997	WHY NO MH HELP: NO TRANSPORT TO OFFICE
MHNOT_I	YESNO.	1997	WHY DIDNT GET MH HELP: NO CHILD CARE
MHNOT_J	YESNO.	1997	WHY NO MH HELP: NO TIME OFF WORK
MHNOT_K	YESNO.	1997	WHY NO MH HELP: COUNSELING HELP LINE BUSY
MHNOT_L	YESNO.	1997	WHY NO MH HELP: DR DIDNT UNDERSTAND PROB
MHNOT_M	YESNO.	1997	WHY NO HELP: DIDNT WANT MENTAL ILL LABEL
MHNOT_N	YESNO.	1997	WHY NO MH HELP: OTHER REASON (SPECIFY)
MHNOTTX2	MHWHYNOT.	1998-1999	WHY NO MH HELP: TEXT
MHNOTTXT	MHWHYNOT.	1997	WHY NO MH HELP: OTHER REASON (TEXT)
MHNOW	YESNO.	1997, 2005+	CURRENTLY HAVE MH CONDITION 6+ MONTHS
MHNTCTRL	OFTEN.	1999-2002	HOW OFTEN FELT OUT-OF-CONTROL IN PAST 30
MHOVRWL2	OFTEN.	2000	HOW OFTEN FELT OVERWHELMED IN PAST 30
MHOVRWLM	OFTEN.	1997-1999,02-05	DAYS FELT OVERWHELMED IN PAST 30
MHPAYDIF	DIFFICB.	2000	DIFFICULTY PAYING FOR MENTAL HEALTH HELP
MHPAYDOC	MHPAYDOB.	1997	WHO PAID FOR MENTAL HEALTH PROVIDER
MHPAYDOC	MHPAYDOC.	1998-1999, 2005	WHO PAID FOR MENTAL HEALTH PROVIDER
MHPAYRX	MHPAY.	1997	WHO PAID FOR MENTAL HLTH COND MEDS
MHPROHLP	YESNO.	1997, 2005	EVER GET HELP FOR MENTAL HLTH CONDITION
MHTLKHLP	YESNO.	2000	DID TALKING W/MENTAL HEALTH PROF. HELP
MHTRYHL2	YESNO.	2001	TRY TO GET MENTAL HEALTH HELP FROM PROFESSIONAL
MHTRYHLP	YESNO.	1999	SEEK MENTAL HEALTH AID FROM PROFESSIONAL

Variable	Format	Year	Label
MHUSUAL	YESNO.	1997	DOES MH CONDITION LIMIT USUAL ACTIVITIES
MHWHE_A	YESNO.	1998-1999,2002	MENTAL HEALTH HELP: PSYCHIATRIST
MHWHE_B	YESNO.	1998-1999,2002	MENTAL HEALTH HELP: PSYCHOLOGIST
MHWHE_C	YESNO.	1998-1999,2002	MENTAL HEALTH HELP: MEDICAL DOCTOR
MHWHE_D	YESNO.	1998-1999,2002	MENTAL HEALTH HELP: COUNSELOR (SPECIFY)
MHWHE_E	YESNO.	1998-1999,2002	MENTAL HEALTH HELP: SOCIAL WORKER
MHWHE_F	YESNO.	1998-1999,2002	MENTAL HEALTH HELP: MINISTER/PRIEST/RABBI
MHWHE_G	YESNO.	1998-1999,2002	MENTAL HEALTH HELP: SELFHLP GROUP
MHWHE_H	YESNO.	1998-1999,2002	MENTAL HEALTH HELP: HEALER
MHWHE_I	YESNO.	1998-1999,2002	MENTAL HEALTH HELP: CASE MANAGER
MHWHE_J	YESNO.	1998-1999,2002	MENTAL HEALTH HELP: OTHER (SPECIFY)
MHWHE_K	YESNO.	1999	MENTAL HEALTH HELP: DIDNT KNOW ANSWER
MHWHE_L	YESNO.	1999	MENTAL HEALTH HELP: REFUSED QUESTION
MHWHE2_A	YESNO.	2005	MENTAL HEALTH HELP: PSYCHOTHERAPIST
MHWHE2_B	YESNO.	2005	MENTAL HEALTH HELP: PSYCHIATRIST
MHWHE2_C	YESNO.	2005	MENTAL HEALTH HELP: PSYCHOLOGIST
MHWHE2_D	YESNO.	2005	MENTAL HEALTH HELP: MEDICAL DOCTOR
MHWHE2_E	YESNO.	2005	MENTAL HEALTH HELP: COUNSELOR (SPECIFY)
MHWHE2_F	YESNO.	2005	MENTAL HEALTH HELP: MINISTER/PRIEST/RABBI
MHWHE2_G	YESNO.	2005	MENTAL HEALTH HELP: SELFHLP GRP EMOTIONAL STRESS
MHWHE2_H	YESNO.	2005	MENTAL HEALTH HELP: OTHER (SPECIFY)
MHWHE2_I	YESNO.	2005	MENTAL HEALTH HELP: SELFHLP GRP MENTAL ILLNESS STRESS
MHWHELP	MHWHELP.	1997	PROVIDED HELP FOR MENTAL HLTH CONDITION
MHWHELP2	MHWHELPB.	1997	PROVIDED HELP FOR MENTAL HLTH CONDITION
MHWHERGO	YESNO.	2000	KNOW WHERE TO GET PROF. MENTAL HLTH HELP
MHWHETXT	MHWHO.	1998-1999	MENTAL HEALTH HELP: TEXT
MHWORK	YESNO.	1997, 2005	DOES MH CONDITION LIMIT WORK KIND/AMOUNT
MHWTH_A	YESNO.	1999	HELP MENTAL HEALTH: CHILDCARE
MHWTH_B	YESNO.	1999	HELP MENTAL HEALTH: BETTER JOB
MHWTH_C	YESNO.	1999	HELP MENTAL HEALTH: HEALTH CARE
MHWTH_D	YESNO.	1999	HELP MENTAL HEALTH: ENOUGH FOOD
MHWTH_E	YESNO.	1999	HELP MENTAL HEALTH: COUNSELING
MHWTH_F	YESNO.	1999	HELP MENTAL HEALTH: TRANSPORTATION
MHWTH_G	YESNO.	1999	HELP MENTAL HEALTH: HOUSING
MHWTH_H	YESNO.	1999	HELP MENTAL HEALTH: MORE MONEY
MHWTH_I	YESNO.	1999	HELP MENTAL HEALTH: CONVENIENT COUNSELIN
MHWTH_J	YESNO.	1999	HELP MENTAL HEALTH: OTHER (SPECIFY)
MHWTH_K	YESNO.	1999	HELP MENTAL HEALTH: NOTHING WOULD HELP
MILINDOT	YESNO.	1997	MIL/CHAMPUS/VA/IHS/OTHER COVERS HEALTH
MILPLAN	YESNO.	1998-2005	MIL/CHAMPUS/VA HEALTH
MLKPREWK	MILK.	1998	MILK FOR BABY MONTH BEFORE RETURING WORK
MLKPSTWK	MILKB.	1998	MILK FOR BABY 2 MTHS AFTER RETURN WORK
MONTH	MONTH.	1997	MONTH OF DATA COLLECTION
MONTHS	MONTHS.	1998-2005	MONTH OF DATA COLLECTION
NALCOCC	TYPEIII.	1997-2005	NUMBER OF DRINKS PER OCCASION
NEEDDOC2	YESNO.	1997-1998	NEEDED TO SEE MD IN PAST 12 MONTHS
NEWCHILD	YESNO.	1997	ADOPTING OR FOSTERING CHILD <5
NOFDHLTH	YESNO.	2000-2001	DONT HAVE FOOD WANT: HLTH POOR CANT COOK
NOFDOUT	YESNO.	2000	DONT HAVE FOOD WANT: NOT AT WORK OR OUT
NOFDOUT2	YESNO.	2001	DONT HAVE FOOD WANT: NOT AT WORK OR OUT
NOFDSTOR	YESNO.	2000-2001	DONT HAVE FOOD WANT:HARD TO GET TO STORE
NOTEAT	YESNO.	2000-2005	EAT LESS SO OTHERS COULD EAT
NOTMED	YESNO.	2000	DELAYED GETTING MEDICAL CARE TO BUY FOOD
NUMADULT		1997-2005	NUMBER OF ADULTS IN HOUSEHOLD
NUMHRWRK	TYPEIII.	1998	NUMBER HRS AWAY FROM BABY FIRST 2 MONTHS
NUMMEN		1997-2005	NUMBER OF ADULT MALES IN HOUSEHOLD
NUMPHON2	TYPEII.	1997-2005	HOW MANY UNIQUE PHONE NUMBERS
NUMWOMEN		1997-2005	NUMBER OF ADULT FEMALES IN HOUSEHOLD
OEMPLAN	YESNO.	1997-2005	ANOTHERS EEMPL. PROVIDES HEALTH COVERAGE
OFTCERL	TYPEIV.	2003	HOW OFTEN EAT COLD CEREAL
ORACE	ORACE.	1997-2000	REPORTED RACE
ORACE2	ORACEB.	1997-2000	REPORTED RACE (EXPANDED)
ORACE2A	ORACE2A.	1997-2005	REPORTED RACE - ASIAN
ORACE3	ORACEC.	2001-2005	REPORTED RACE (EXPANDED)
ORACE4	ORACEC.	2001-2005	WHICH BEST REPRESENTS YOUR RACE
ORACE3_A	YESNO.	2001-2005	REPORTED RACE: WHITE
ORACE3_B	YESNO.	2001-2005	REPORTED RACE: BLACK

Variable	Format	Year	Label
ORACE3_C	YESNO.	2001-2005	REPORTED RACE: ASIAN
ORACE3_D	YESNO.	2001-2005	REPORTED RACE: HAWAII/PI
ORACE3_E	YESNO.	2001-2005	REPORTED RACE: AM IND/ALASKA NATIVE
ORACE3_F	YESNO.	2001-2005	REPORTED RACE: OTHER
OSTEO	YESNO.	1999	HAD BONE DENSITY TEST LAST 2 YEARS
OSTEO2	YESNO.	2004	EVER HAD BONE DENSITY TEST FOR OSTEOPOROSIS
OSTEODEF	OSTEO.	2000-2002	WHAT IS OSTEOPOROSIS
OSTEOHRD	YESNO.	2000-2001	EVER HEARD OF OSTEOPOROSIS
OSTEOIMP	IMPORTB.	2000-2001	HOW IMPORTANT IS OSTEOPOROSIS FOR WOMEN
OSTEOPHY	SCALEF.	2002	INCREASE PHYSICAL ACTIVITY TO PREVENT OSTEOPOROSIS
OSTEOPRV	YESNO.	2004	DOING ANY OSTEOPOROSIS PREVENTION/MANAGEMENT
OSTEORSK	YESNO.	2004-2005	THINK YOU HAVE RISK FACTOR FOR OSTEOPOROSIS
OSTEOTL2	YESNO.	2002	EVER TOLD YOU HAVE OSTEOPOROSIS'3
OSTEOTL3	YESNO.	2004-2005	DOCTOR SAID YOU HAVE OSTEOPOROSIS
OSTEOTLB	YESNO.	2002	DOC EVER TALKED @PREVENTING OSTEOPOROSIS
OSTEOTLC	YESNO.	2004-05	DOCTOR DISCUSSED OSTEOPOROSIS PREVENTION
OSTEOTLD	YESNO.	2000-2001,04-05	EVER TOLD YOU HAVE OSTEOPOROSIS
OSTEOTLK	YESNO.	2000-01	DOC EVER TALKED @PREVENTING OSTEOPOROSIS
OTHRCOND	YESNORF.	1997	LAST NON-STEADY INTERCOURSE USED CONDOM
OTHRPAR2	YESNORF.	1998-1999	HAVE NEW MALE SEX PARTNER LAST YR
OTHRPAR3	YESNORF.	2000, 2002, 2004	HAVE NEW MALE SEX PARTNER LAST YR
OTHRPART	YESNORF.	1997	HAVE NON-STEADY/NEW MALE PARTNER LAST YR
OTHRSRCE	YESNO.	1999-2005	SOME OTHER SOURCE OF HEALTH INSURANCE
OUTOFFD	TRUEFALB.	1998-2005	WHEN DID NOT HAVE ENOUGH FOOD
OVARRISK	OVARRISK.	2002	NAME RISK FOR OVARIAN CANCER
OWNPLAN	YESNO.	1997-2005	BUYS OWN HEALTH COVERAGE
PAIN	YESNO.	1998-1999	PAIN PREVENTS DOING WHAT WANTED
PAPINFO	YESNO.	2001	RECEIVE PAMPHLET AT LAST PAP EXAM
PAPINFO2	YESNO.	2002-2004	RECEIVE PAMPHLET AT LAST PAP EXAM
PARTIAL	YESNO.	2002-2005	INCOMPLETE SURVEY—COMPLETED THROUGH DEMOS
PASTPLAN	HOWLONGC.	1997-2005	HOW LONG SINCE LAST HEALTH CARE PLAN
PHONE93		1997-2000,03-05	UNIQUE PHONE NUMBERS IN HOUSEHOLD
PHYSLTH	TYPEIII.	1998-2005	DAYS OF POOR PHYSICAL HEALTH IN LAST MO.
PLEASANT	PLEASANT.	2004-2005	HOW PLEASANT IS YOUR NEIGHBORHOOD
POORHLTH	TYPEIII.	1998-2005	DAYS OF RESTRICTED ACTIVITY IN LAST MO.
PREG5YR	YESNO.	1997-2005	PREGNANT IN THE PAST FIVE YEARS
PREGHLTH	HEALTH.	2000	GENERAL HEALTH DURING LAST PREGNANCY
PREGNANT	YESNO.	1997-2005	PREGNANCY STATUS
PREGNUM	TYPEX.	1998	TOTAL NUMBER OF PREGNANCIES EVER HAD
PRENATA2	TYPEX.	1999-2000	WKS OR MNTS PREGNANT 1ST PRENATAL VISIT
PRENATAL	TYPEX.	1997	TIME IN PREGNANCY WHEN 1ST SAW PHYSICIAN
PRENHIV	YESNO.	1998	DOC DISCUSS HIV RISK LAST PREGNANCY
PREVB_A	MON_YEAR.	2000	MONTH 2ND MOST RECENT BIRTH OF LIVE BABY
PREVB_B	MON_YEAR.	2000	YEAR 2ND MOST RECENT BIRTH OF LIVE BABY
PRIORBIR		2000	MONTH & YEAR PRIOR RECENT LIVE BIRTH
PRIORMNT	TYPEII.	2000	MONTH OF PRIOR RECENT LIVE BIRTH
PRIORYR	TYPEIV.	2000	YEAR OF PRIOR RECENT LIVE BIRTH
PROBPREG	YESNORF.	97-1998,01,03	TRIED 12+ MONTHS TO GET PREGNANT
PROBR_A	YESNO.	2005	NAME AN STD PROB: INFERTILITY
PROBR_B	YESNO.	2005	NAME AN STD PROB: MORE CERVICAL CANCER RISK
PROBR_C	YESNO.	2005	NAME AN STD PROB: PREG COMPLICATION
PROBR_D	YESNO.	2005	NAME AN STD PROB: PELVIC INFLAM DISEASE
PROBR_E	YESNO.	2005	NAME AN STD PROB: BLINDNESS
PROBR_F	YESNO.	2005	NAME AN STD PROB: MENTAL ILLNESS
PROBR_G	YESNO.	2005	NAME AN STD PROB: DEATH
PROBR_H	YESNO.	2005	NAME AN STD PROB: SCARRING
PROBR_I	YESNO.	2005	NAME AN STD PROB: LIFE-LONG SYMPTOMS
PROBR_J	YESNO.	2005	NAME AN STD PROB: MORE AIDS/HIV RISK
PROBR_K	YESNO.	2005	NAME AN STD PROB: OTHER
PROBR_L	YESNO.	2005	NAME AN STD PROB: CAN'T NAME ANY, KNOW EXIST
PROBR_M	YESNO.	2005	NAME AN STD PROB: ALWAYS TAKE MEDICATIONS
PTSD1	_DV.	2002-2003	EVER HAD A HORRIBLE EXPERIENCE
PTSD1	YESNO.	2000-2001,04-05	EVER HAD A HORRIBLE EXPERIENCE
PTSD2	YESNO.	2000-2005	LAST 30 DAYS:HAVE NIGHTMARES @EXPERIENCE
PTSD3	YESNO.	2000-2005	LAST 30 DAYS:TRY TO NOT THINK @EXPERIENCE
PTSD4	YESNO.	2000-2005	LAST 30 DAYS: CONSTANTLY ON GUARD
PTSD5	YESNO.	2000-2005	LAST 30 DAYS: FELT DETACHED FROM OTHERS

Variable	Format	Year	Label
PUBASST	YESNO.	2001	RECEIVE MONEY THROUGH PUBLIC ASSISTANCE
PUBASST2	YESNO.	2002	RECEIVE MONEY THROUGH PUBLIC ASSISTANCE
PUBASST3	YESNO.	2003-2005	RECEIVE MONEY THROUGH PUBLIC ASSISTANCE
PUBASTCH	YESNO.	2004	AS CHILD DID YOUR FAMILY RECEIVE WELFARE
PUBASTN2	YESNO.	2002-2005	LAST 30 DAYS RECEIVE PUBLIC ASSISTANCE
PUBASTNW	YESNO.	2001	CURRENTLY RECEIVING PUBLIC ASSISTANCE
QUARTER		2005	QUARTER RESPNO COLLECTED
REASTST3	REASTSTC.	1997	WHY WAS LAST AIDS TEST DONE
RECSERV	TYPEIII.	2002	WHAT WAS THE NUM OF FRUIT/VEG RECOMMENDED
RESPNO		1997-2005	
RUBELLA	YESNO.	1999-2000	EVER VACCINATED FOR RUBELLA
SCHLBRTH	TYPEII.	1998	EDUCATION AT FIRST BIRTH
SEEDOC	YESNO.	1997-1998	SAW MD FOR HEALTH CONDITION
SEHEALTH	AGREEC.	1999	SELF EFFICACY: HEALTH DEPENDS ON SELF
SELFWGHT	WEIGHT.	2000-2005	ASSESSMENT OF CURRENT WEIGHT
SEX	SEX.	1997-2005	SEX
SEXBEH1	TYPEVIII.	1997	HOW MANY NEW MALE PARTNERS LAST YEAR
SEXBHAGE	TYPEVIII.	1997-2003	AGE AT FIRST INTERCOURSE
SEXBHAG2	TYPEVIII.	2004-2005	AGE AT FIRST INTERCOURSE WITH MAN
SEXBHNU2	YESNORF.	2002	MORE THAN ONE MALE SEX PARTNER LAST 12 MONTHS
SEXBHNU3	NUMCOUNT.	2005	HOW MANY MALE SEX PARTNERS PAST 12 MTHS
SEXBHNUM	TYPEVIII.	1997-1998, 04-05	NUMBER MALE PARTNERS PAST 12 MONTHS
SEXBHVER	YESNO.	1998-2004	VERIFICATION OF AGES 12 AND YOUNGER
SEXED	AGREEB.	1997	SCHOOLS SHOULD TEACH HUMAN SEXUALITY
SEXEDBC	AGREEB.	1997	SCHOOLS SHOULD TEACH CONTRACEPTION
SEXEDSTD	AGREEB.	1997	SCHOOLS SHOULD TEACH STD PREVENTION
SEXWOTHR	SCALEG.	2002	HOW LIKELY SEX PARTNERS HAVE HAD SEX WITH OTHER
SEXWOTH2	SCALEG.	2004	HOW LIKELY RECENT MALE SEX PARTNER HAD SEX WITH
SFCHEESE	YESNO.	2000	LAST PREGNANCY: EAT SOFT CHEESE
SFMEAT	YESNO.	2000	LAST PREGNANCY: EAT PROCESSED MEATS
SIGEVER	YESNO.	2000-2002	EVER HAD A SIGMOIDOSCOPY TEST
SIZEFEE2	RELATED.	2000	WEIGHT INFLUENCE FEELINGS OF SELF WORTH
SIZEFEEL	SCALE.	1998	WEIGHT INFLUENCE FEELINGS OF SELF WORTH
SMKEVDA2	EVDAY.	1997-2005	SMOKE EVERY DAY/SOME DAYS/NOT AT ALL
SMOKE100	YESNO.	1997-2005	SMOKED AT LEAST 100 CIGS
SPANINT	SPANINT.	1997-2005	LANGUAGE OF SURVEY
STAIR_A	TYPEIV.	1998	NUMBER OF FLIGHTS OF STAIRS CLIMBED
STAIR_A1	WHENI.	1998	TIMEFRAME FOR FLIGHTS OF STAIRS CLIMBED
STAIRAC2	TYPEIII.	1998	FLIGHT OF STAIRS CLIMBED DAILY OR WEEKLY
STDADV	HOWLONGE.	1998	MD TALK OF SEXUAL BEHAVIOR PAST 12 MTS
STDADV2	YESNORF.	1997	MD TALK OF SEXUAL BEHAVIOR PAST 12 MTS
STDCHK	YESNO.	2002-2004	MD TALK OF SEXUAL BEHAVIOR PAST 12 MTS
STDCHK	YESNO.	2002	HAD STD CHECK/TREATMENT PAST 12 MONTHS
STDCHK	YESNORF.	1997-1998	HAD STD CHECK/TREATMENT PAST 12 MONTHS
STDCHLTD	YESNOUN.	2003-2005	EVER TOLD YOU HAVE CHLAMYDIA
STDCHLY2	TRUEFALS.	1997,2000-2001	WOMEN WITH CHLAMYDIA HAVE SYMPTOMS?
STDCHLY3	YESNOUN.	2002-03	WOMEN WITH CHLAMYDIA HAVE SYMPTOMS?
STDCHLYD	YESNORF.	1997, 2000-01, 04	EVER HEARD OF CHLAMYDIA
STDDX_A	YESNO.	1997, 2004	STD DX: CHLAMYDIA
STDDX_B	YESNO.	1997, 2004	STD DX: GENITAL HERPES
STDDX_C	YESNO.	1997, 2004	STD DX: GENITAL WARTS (HPV)
STDDX_D	YESNO.	1997, 2004	STD DX: GONORRHEA
STDDX_E	YESNO.	1997, 2004	STD DX: HIV OR AIDS
STDDX_F	YESNO.	1997, 2004	STD DX: PELVIC INFLAMMATORY DISEASE (PID)
STDDX_G	YESNO.	1997, 2004	STD DX: SYPHILIS
STDDX_H	YESNO.	1997, 2004	STD DX: TRICHOMONAS
STDDX_I	YESNO.	1997, 2004	STD DX: YEAST INFECTION
STDDX_J	YESNO.	1997, 2004	STD DX: OTHER (SPECIFY)
STDDX_K	YESNO.	1997, 2004	REFUSED STD MODULE
STDDX2_A	YESNO.	2005	WHAT WAS STD: CHLAMYDIA
STDDX2_B	YESNO.	2005	WHAT WAS STD: GENITAL HERPES
STDDX2_C	YESNO.	2005	WHAT WAS STD: GENITAL WARTS (HPV)
STDDX2_D	YESNO.	2005	WHAT WAS STD: GONORRHEA
STDDX2_E	YESNO.	2005	WHAT WAS STD: HIV OR AIDS
STDDX2_F	YESNO.	2005	WHAT WAS STD: PELVIC INFLAMMATORY DISEASE (PID)
STDDX2_G	YESNO.	2005	WHAT WAS STD: SYPHILIS
STDDX2_H	YESNO.	2005	WHAT WAS STD: TRICHOMONAS

Variable	Format	Year	Label
STDDX2_I	YESNO.	2005	WHAT WAS STD: YEAST INFECTION
STDDX2_J	YESNO.	2005	WHAT WAS STD: OTHER (SPECIFY)
STDDX2_K	YESNO.	2005	WHAT WAS STD: BACTERIAL VAGINOSIS
STDDX2_L	YESNO.	2005	WHAT WAS STD: CHRANCROID
STDDX2_M	YESNO.	2005	WHAT WAS STD: CYTOMEGALOVIRUS
STDDX2_N	YESNO.	2005	WHAT WAS STD: CRABS
STDDX2_O	YESNO.	2005	WHAT WAS STD: HEPATITIS
STDDX2_P	YESNO.	2005	WHAT WAS STD: PUBIC LICE
STDDX2_Q	YESNO.	2005	WHAT WAS STD: SCABIES
STDDX2_R	YESNO.	2005	WHAT WAS STD: CAN'T NAME ANY
STDDXTXT	STDDXTXT.	1997-2004	STD DX: OTHER (TEXT)
STDHI_A	YESNO.	1998	STD INCREASES RISK OF HIV INFECTION
STDHI_B	YESNO.	1998	STD HAVE NO EFFECT ON HIV INFECTION RISK
STDHI_C	YESNO.	1998	STD DECREASES RISK OF HIV INFECTION
STDHRPNO	TRUEFALS.	1999-2001	GENITAL HERPES KNOWLEDGE: PEOPLE KNOW IT
STDHRPT2	TRUEFALS.	2001	GENITAL HERPES KNOWLEDGE: OUTBREAK
STDHRPT3	TRUEFALS.	2002	GENITAL HERPES KNOWLEDGE: OUTBREAK
STDHRPTD	YESNO.	1999-2003	EVER TOLD HAVE GENITAL HERPES
STDHRPTR	TRUEFALS.	1999	GENITAL HERPES KNOWLEDGE: OUTBREAK
STDPROB	YESNO.	2005	ANY LONG TERM HEALTH PROB FOR WOMEN W/STD
STDPROPG	YESNORF.	2001	WOMEN WITH CHLAMYDIA HAVE PROBS GETTING PREGNANT
STDRC_A	YESNO.	2005	NAME AN STD: GONORRHEA
STDRC_B	YESNO.	2005	NAME AN STD: SYPHILIS
STDRC_C	YESNO.	2005	NAME AN STD: GENITAL HERPES
STDRC_D	YESNO.	2005	NAME AN STD: AIDS/HIV
STDRC_E	YESNO.	2005	NAME AN STD: CHLAMYDIA
STDRC_F	YESNO.	2005	NAME AN STD: GENITAL WARTS
STDRC_G	YESNO.	2005	NAME AN STD: HEPATITIS
STDRC_H	YESNO.	2005	NAME AN STD: CRABS
STDRC_I	YESNO.	2005	NAME AN STD: TRICHOMONIASIS
STDRC_J	YESNO.	2005	NAME AN STD: PELVIC INFLAM DISEASE
STDRC_K	YESNO.	2005	NAME AN STD: PUBIC LICE
STDRC_L	YESNO.	2005	NAME AN STD: BACTERIAL VAGINOSIS
STDRC_M	YESNO.	2005	NAME AN STD: CHRANCROID
STDRC_N	YESNO.	2005	NAME AN STD: YEAST INFECTION
STDRC_O	YESNO.	2005	NAME AN STD: SCABIES
STDRC_P	YESNO.	2005	NAME AN STD: CYTOMEGALVIRUS
STDRC_Q	YESNO.	2005	NAME AN STD: OTHER
STDRC_R	YESNO.	2005	NAME AN STD: CAN'T NAME ANY
STDTALK	DISCUSS.	2003	ANY DISCUSSION WITH PARENTS ABOUT SEX
STDTALK2	SEXTALK.	2004	ANY DISCUSSION WITH MALE PARTNER ABOUT STDS
STDTEST	YESNO.	2004	PAST 12 MOS DOCTOR SAID YOU HAD STD
STDTOLD	YESNORF.	1997	PAST 12 MONTHS MD TOLD YOU HAVE STD
STDTOLD2	YESNO.	2005	DOCTOR EVER SAID YOU HAD STD
STDWH_A	YESNO.	1997-1998	HAD STD CHECK AT PUBLIC STD CLINIC
STDWH_B	YESNO.	1997-1998	HAD STD CHECK AT OTHER PUBLIC CLINIC
STDWH_C	YESNO.	1997-1998	HAD STD CHECK AT FAMILY PLANNING CLINIC
STDWH_D	YESNO.	1997-1998	HAD STD CHECK AT COMMUNITY CLINIC
STDWH_E	YESNO.	1997	HAD STD CHECK AT PRIVATE DOCTOR/HMO
STDWH_E	YESNO.	1998	HAD STD CHECK AT PRIVATE DOCTOR
STDWH_F	YESNO.	1997-1998	HAD STD CHECK AT EMERGENCY ROOM
STDWH_G	YESNO.	1997-1998	HAD STD CHECK AT STUDENT HEALTH CENTER
STDWH_H	YESNO.	1997-1998	HAD STD CHECK AT MILITARY FACILITY
STDWH_I	YESNO.	1997-1998	HAD STD CHECK AT JAIL/DETENTION FACILITY
STDWH_J	YESNO.	1997-1998	HAD STD CHECK AT OTHER LOCATION(SPECIFY)
STDWH_K	YESNO.	1997-1998	REFUSED STD CHECK MODULE
STDWH_L	YESNO.	1998	HAD STD CHECK AT HMO
STDWHTXT	STDWHETX.	1997-1998	HAD STD CHECK AT OTHER LOCATION: TEXT
STOPSUPP	YESNO.	1999-2000	STOPPED SUPPLEMENT DUE TO BAD REACTION
STRATUM		1997-2004	
SUPSLEEP	YESNO.	1999	TAKE ANYTHING TO CALM NERVES PAST YEAR
SXORIENT	ORIENT.	2004	<u>WHICH DESCRIBES YOUR SEXUAL ORIENTATION[1]</u>
SXORIEN2	ORIENT.	2005	SEXUAL ORIENTATION: NEW SPANISH INTRO
SYMPL_A	TYPEV.	2000	DAYS URINARY TRACT INFECTION LASTED
SYMPL_B	TYPEV.	2000	WEEKS URINARY TRACT INFECTION LASTED
SYMPL_C	TYPEV.	2000	MONTHS URINARY TRACT INFECTION LASTED
TAKEMED	YESNO.	1998-1999	TAKE MEDS FOR MH PROBLEM AS DIRECTED

<u>Variable</u>	<u>Format</u>	<u>Year</u>	<u>Label</u>
TAKESUPP	YESNO.	2000	TAKE ANY SUPPLEMENTS LAST 12 MONTHS
THRESH	YESNO.	2004	
THRESH95	THRESH.	1997-1999	POVERTY THRESHOLDS FOR PRIOR YEAR
THRESH98	THRESH.	2000	POVERTY THRESHOLDS FOR PRIOR YEAR
THRSH185	THRESH.	1999-2000	185% OF POVERTY FOR PRIOR YEAR
THRSH250	THRESH.	2000	200% OF POVERTY FOR PRIOR YEAR
TIMEPLAN	HOWLNGD.	1998-2002	HOW LONG HAD CURRENT HEALTH CARE PLAN
TIMES_A	TYPEVIII.	1998	HOURS SPENT SITTING DAILY
TIMES_B	TYPEVIII.	1998	MINUTES SPENT SITTING DAILY
TIMESIT		1998	HOURS & MINUTES SPENT SITTING DAILY
TIMESIT2	TYPEIX.	2001	HOURS & MINUTES SPENT SITTING DAILY
TLDSTRPB	YESNO.	2000	LAST PREG: PREVENT GROUP B STREP PLAN
TOLDINF	YESNOTS.	1997	MD TOLD HAD BLADDER INFECTION 3+ MONTHS
TRAFFIC	SAFE.	2004-2005	HOW SAFE IS NEIGHBORHOOD: TRAFFIC
TRYLO_A	YESNO.	1998	WEIGHT LOSS ACTION TAKEN: NOTHING
TRYLO_B	YESNO.	1998	WEIGHT LOSS ACTION TAKEN: DIET
TRYLO_C	YESNO.	1998	WEIGHT LOSS ACTION TAKEN: FAST
TRYLO_D	YESNO.	1998	WEIGHT LOSS ACTION TAKEN: LAXATIVES, ETC
TRYLO_E	YESNO.	1998	WEIGHT LOSS ACTION TAKEN: PURGE
TRYLO_F	YESNO.	1998	WEIGHT LOSS ACTION TAKEN: DRANK ALCOHOL
TRYLO_G	YESNO.	1998	WEIGHT LOSS ACTION TAKEN: SMOKE TOBACCO
TRYLO_H	YESNO.	1998	WEIGHT LOSS ACTION TAKEN: EXERCISE
TRYLO_I	YESNO.	1998	WEIGHT LOSS ACTION TAKEN: OTHER (SPECIFY)
TRYLOTXT	TRYLOTXT.	1998	WEIGHT LOSS ACTION TAKEN: TEXT
TRYPREG	YESNO.	1997, 1999, 00-05	CURRENTLY TRYING TO GET PREGNANT
TSSBTAD	YESNORF.	2001-2005	AS ADULT ANYONE EVER BEAT YOU
TSSBTCH	YESNORF.	2001-2005	AS CHILD ANYONE EVER BEAT YOU (Begun 6/01)
TSSDIAD	YESNORF.	2001-2005	AS ADULT ANYONE CLOSE DIE IN ACCIDENT
TSSDICH	YESNORF.	2001-2005	AS CHILD ANYONE CLOSE DIE IN ACCIDENT (Begun 6/01)
TSSINSCH	YESNORF.	2001-2005	AS CHILD ANYONE IN HOUSEHOLD INSULT OR THREATEN YOU
TSSSXAD	YESNORF.	2001-2005	AS ADULT ANYONE FORCE SEX ON YOU
TSSSXCH	YESNORF.	2001-2005	AS CHILD ANYONE FORCE SEX ON YOU (Begun 6/01)
TSSXYR	YESNORF.	2005	DID FORCE SEX HAPPEN IN PAST 12 MTHS
TSSTKAD	YESNORF.	2001-2005	AS ADULT ANYONE FORCE SOMETHING FROM YOU
TSSTKCH	YESNORF.	2001-2005	AS CHILD ANYONE FORCE SOMETHING FROM YOU (Begun 6/01)
UIPROB	YESNO.	1997-1998	CURRENTLY HAVE PROB WITH LEAKING URINE
USENTRY	TYPEIV.	1998-2001	YEAR FIRST ENTERED US
USENTRY2	TYPEIV.	2003-2005	YEAR FIRST LIVED IN US
VITAIU	IU.	2000	DOSAGE OF IU OF VITAMIN A
VITAMA	YESNO.	1999	NOW TAKING: VITAMIN A
VITAMBF	BABY.	1997-1998	TAKE PRENATAL VITAMINS PRE-PREGNANCY
VITAMCT	YESNO.	1997	CURRENTLY TAKING MULTI-VITAMINS
VITAMCT2	YESNO.	1998	CURRENTLY TAKING MULTI-VITAMINS
VITANX	YESNO.	1999	TAKING SUPPLEMENT: ANXIETY OR DEPRESSION
VITAT_A	YESNO.	1998	CURRENTLY TAKING: MULTI\PRENATAL VITAMIN
VITAT_B	YESNO.	1998-1999	CURRENTLY TAKING: FOLATE
VITAT_C	YESNO.	1998	CURRENTLY TAKING: VITAMIN C SUPPLEMENT
VITAT_D	YESNO.	1998	CURRENTLY TAKING: IRON SUPPLEMENT
VITAT_E	YESNO.	1998	CURRENTLY TAKING: BODY BUILDING SUPPLEME
VITAT_F	YESNO.	1998	CURRENTLY TAKING: WEIGHT LOSS DRINK
VITAT_G	YESNO.	1998	CURRENTLY TAKING: VITAMIN FORIFIED DRINK
VITAT_H	YESNO.	1998	CURRENTLY TAKING: OTHER (SPECIFY)
VITATAK2	YESNO.	1999	NOW TAKING: OTHER VITAMIN OR MINERALS
VITATXT	VITAMIN.	1998	OTHER SUPPLEMENTS: TEXT
VITBWHY	VITBWHY.	2000	REASON WOMEN SHOULD TAKE B VITAMIN
VITBWHYB	VITBWHYB.	2002-2004	REASON WOMEN SHOULD TAKE B VITAMIN
VITCVD	YESNO.	1999	TAKING SUPPLEMENT: CARDIOVASCULAR HEALTH
VITDAILY	YESNO.	2002-2005	DO YOU TAKE VITAMIN B DAILY
VITGHLT	YESNO.	1999	TAKING SUPPLEMENT: GENERAL HEALTH
VITIMMU	YESNO.	1999	TAKING SUPPLEMENT: IMMUNE FUNCTION
VITMILK	YESNO.	2003	DRINK REMAINING MILK IN BOWL
VITMNAL	YESNO.	1999	TAKING SUPPLEMENT: MENTAL ALERTNESS
VITOTR	YESNO.	1999	TAKING SUPPLEMENT: OTHER REASON
VITPREN	YESNO.	1999	NOW TAKING: MULTI OR PRENATAL VITAMIN
VITPREN2	YESNO.	2000-2001	CURRENTLY TAKE: MULTI OR PRENATAL VITAMIN
VITSEDOC	YESNO.	1999-2000	GET CARE FOR REACTION TO SUPPLEMENT
VITTAKEA	YESNO.	2000	CURRENTLY TAKE: VITAMIN A PILL

Variable	Format	Year	Label
VITTAKEB	YESNO.	2000-2001	CURRENTLY TAKE: B VITAMIN FOLATE PILL
VITTAKEC	YESNO.	2002-2005	CURRENTLY TAKE: B VITAMIN FOLATE PILL
VITWTL5	YESNO.	1999	TAKING SUPPLEMENT: WEIGHT LOSS
VOMTWGHT	YESNO.	2000	CONTROL WEIGHT LAST 12 MONTHS: VOMIT
WATCHTV	TYPEXIV.	2004-2005	TIME SPENT WATCHING TV YESTERDAY IN MINUTES
WEIGHT	TYPEIV.	1997-2005	REPORTED WEIGHT IN POUNDS
WGHTHLTH	YESNO.	2003	CONSIDER YOURSELF AT A HEALTHY WEIGHT
WHATBONE	WHATBONE.	2002, 2004	WHICH BONE WAS BROKEN
WHAT2_A	YESNO.	2003	WIC FOR PEOPLE ON WELFARE
WHAT2_B	YESNO.	2003	WIC FOR PEOPLE ON MEDI-CAL
WHAT2_C	YESNO.	2003	WIC FOR PREGNANT WOMEN
WHAT2_D	YESNO.	2003	WIC FOR TEENS
WHAT2_E	YESNO.	2003	WIC FOR WOMEN AND THEIR CHILDREN
WHAT2_F	YESNO.	2003	WIC FOR FREE FOOD AND FORMULA
WHAT2_G	YESNO.	2003	WIC FOR NUTRITION COUNSELING
WHAT2_H	YESNO.	2003	WIC FOR LOWER INCOME PEOPLE
WHAT2_I	YESNO.	2003	WIC FOR CHILDREN UNDER 5
WHAT2_J	YESNO.	2003	WHAT ELSE HEARD ABOUT WIC (SPECIFY)
WHAT2TXT	WHATHEAX.	2003	WHAT ELSE HEARD ABOUT WIC (TEXT)
WHATB_A	WHATBONE.	2004	BONE BROKEN: 1
WHATB_B	WHATBONE.	2004	BONE BROKEN: 2
WHATB_C	WHATBONE.	2004	BONE BROKEN: 3
WHATB_D	WHATBONE.	2004	BONE BROKEN: 4
WHATB_E	WHATBONE.	2004	BONE BROKEN: 5
WHATB_F	WHATBONE.	2004	BONE BROKEN: 6
WHATB_G	WHATBONE.	2004	BONE BROKEN: 7
WHATB_H	WHATBONE.	2004	BONE BROKEN: 8
WHATB_I	WHATBONE.	2004	BONE BROKEN: 9
WHATB_J	WHATBONE.	2004	BONE BROKEN: 10
WHATB_K	WHATBONE.	2004	BONE BROKEN: 11
WHATB_L	WHATBONE.	2004	BONE BROKEN: 12
WHATB_M	WHATBONE.	2004	BONE BROKEN: 13
WHATB_N	WHATBONE.	2004	BONE BROKEN: 14
WHATH_A	YESNO.	1997, 1999	WIC FOR PEOPLE ON WELFARE
WHATH_B	YESNO.	1997, 1999	WIC FOR PEOPLE ON MEDI-CAL
WHATH_C	YESNO.	1997, 1999	WIC FOR PREGNANT WOMEN
WHATH_D	YESNO.	1997, 1999	WIC FOR WOMEN AND THEIR CHILDREN
WHATH_E	YESNO.	1997, 1999	GET FREE FOOD OR FORMULA FROM WIC
WHATH_F	YESNO.	1997, 1999	GET NUTRITION COUNSELING FROM WIC
WHATH_G	YESNO.	1997	GET COUPONS FOR DAIRY PRODUCTS
WHATH_H	YESNO.	1997	WIC FOR THE NEEDY/LOW INCOME PEOPLE
WHATH_I	YESNO.	1997, 1999	WHAT ELSE HEARD ABOUT WIC (SPECIFY)
WHATH_J	YESNO.	1999	WIC FOR TEEN PARENTS
WHATH_K	YESNO.	1999	WIC FOR LOWER INCOME PEOPLE
WHATP_A	YESNO.	2002	WHAT DETECTED BY PAP: OVARIAN CANCER
WHATP_B	YESNO.	2002	WHAT DETECTED BY PAP: CERVICAL CANCER
WHATP_C	YESNO.	2002	WHAT DETECTED BY PAP: STD
WHATP_D	YESNO.	2002	WHAT DETECTED BY PAP: NONE
WHATP_E	YESNO.	2002	WHAT DETECTED BY PAP: OTHER
WHATPAP	WHATCA.	2000-2001	WHICH CANCER DETECTED BY PAP
WHATTXT	WHATHEAX.	1997, 1999, 2003	WHAT ELSE HEARD ABOUT WIC (TEXT)
WHENCARD	HOWLONGH.	2000-2002	WHEN WAS LAST BLOOD STOOL TEST
WHENCBE	HOWLONGB.	1997-2005	WHEN WAS LAST CLINICAL BREAST EXAM
WHEND_B	TYPEV.	1997	# OF TIMES USED DRUGS/MNT IN PAST MONTH
WHEND_B1	WHENII.	1997	USED DRUGS PER MONTH IN PAST MONTH
WHENDRUG		1997	TIMES PER WK OR MONTH USED ILLEGAL DRUGS
WHENPAP2	HOWLONGB.	1997, 1998, 2000	WHEN WAS LAST PAP SMEAR (1992)
WHENPAP3		2001, 2003	WHEN WAS LAST PAP SMEAR (MONTH AND YEAR)
WHENPAP4	HOWLONGB.	2005	HOW LONG AGO WAS LAST PAP SMEAR
WHENSIG	HOWLONGH.	2000-2001	WHEN WAS LAST SIGMOIDOSCOPY TEST
WHENSIG2	HOWLONGI.	2002	WHEN WAS LAST SIGMOIDOSCOPY TEST
WHERCARE	WHERCARE.	20010-2005	LAST 12 MONTHS WHERE USUALLY GO FOR CARE
WHERH_A	YESNO.	1997, 1999	HEARD OF WIC AT FOOD STORE
WHERH_B	YESNO.	1997, 1999	HEARD OF WIC AT PRIVATE DOCTORS OFFICE
WHERH_C	YESNO.	1997, 1999	HEARD OF WIC AT PUBLIC HEALTH CLINIC
WHERH_D	YESNO.	1997, 1999	READ OF WIC IN NEWSPAPER OR MAGAZINE
WHERH_E	YESNO.	1997, 1999	HEARD OF WIC AT SOCIAL SERVICES AGENCY

Variable	Format	Year	Label
WHERH_F	YESNO.	1997, 1999, 2001	HEARD OF WIC ON TELEVISION
WHERH_G	YESNO.	1997, 1999, 2001	HEARD OF WIC FROM RADIO
WHERH_H	YESNO.	1997, 1999, 2001	HEARD OF WIC FROM FRIEND
WHERH_I	YESNO.	1997	SAW AD FOR WIC ON PUBLIC TRANSPORTATION
WHERH_J	YESNO.	1997, 1999, 2001	HEARD OF WIC FROM OTHER SOURCE (SPECIFY)
WHERH_K	YESNO.	1999	SAW AD FOR WIC ON BILLBOARD
WHERH_L	YESNO.	1999	SAW AD FOR WIC ON BUS BENCHES
WHERH_M	YESNO.	1999	HEAR OF WIC AT HOSPITAL
WHERH_N	YESNO.	2001	HEARD OF WIC FROM DOCTORS OFFICE
WHERH_O	YESNO.	2001-2004	HEARD OF WIC FROM BILLBOARD
WHERTXT	WHEREHR.	1997, 1999	HEARD OF WIC FROM OTHER SOURCE (TEXT)
WHNSTPBF	CHILDAGE.	1998	BABYS AGE WHEN STOPPED BREASTFEEDING
WHOSEX	WHOSEX.	1998	SEXUAL PARTNERS DURING PAST 5 YEARS
WHOSX12M	WHOSEXB.	1999-2005	SEXUAL PARTNERS OVER LAST 12 MONTHS
WHOSXEVR	WHOSEXB.	1999-2004	SEXUAL PARTNERS OVER ADULT LIFE
WHTHLPBF	PUMPHLP.	1998	HELP BREASTFEED AFTER RETURNING WORK
WHTHLTXT	PUMPHLP.	1998	HELP BREASTFEED AFTER RETURN WORK: TEXT
WHYCBE	WHYCBE.	1997-1998	WHY HAD LAST CLINICAL BREAST EXAM
WHYCBE2	WHYDONE.	2005	WHY HAD LAST CLINICAL BREAST EXAM
WHYDON2	WHYDONEB.	1999-2001	MAIN REASON HAD MAMMOGRAM
WHYDONE	WHYDONE.	1997-1998,02-05	WHY HAD MAMMOGRAM
WHYNO_A	YESNO.	1997-1998	DIDNT HAVE ENOUGH MONEY OR INSURANCE
WHYNO_B	YESNO.	1997-1998	DIDNT KNOW WHERE TO GET HEALTH CARE
WHYNO_C	YESNO.	1997-1998	COULDNT FIND A HEALTH CARE PROVIDER
WHYNO_D	YESNO.	1997-1998	COULDNT GET AN APPOINTMENT
WHYNO_E	YESNO.	1997-1998	OFFICE HOURS NOT CONVENIENT
WHYNO_F	YESNO.	1997-1998	NO TRANSPORTATION TO GET TO OFFICE
WHYNO_G	YESNO.	1997-1998	NO CHILD CARE
WHYNO_H	YESNO.	1997-1998	COULDNT TAKE OFF FROM WORK
WHYNO_I	YESNO.	1997-1998	FELT BETTER PROBLEM WENT AWAY
WHYNO_J	YESNO.	1997-1998	TOO EMBARRASSED TO GO TO DOCTOR
WHYNO_K	YESNO.	1997-1998	DIDNT WANT LECTURE ABOUT WEIGHT
WHYNO_L	YESNO.	1997-1998	LANGUAGE PROBLEM
WHYNO_M	YESNO.	1997-1998	AGAINST RELIGION
WHYNO_N	YESNO.	1997-1998	DONT BELIEVE IN WESTERN MEDICINE
WHYNO_O	YESNO.	1997-1998	OTHER REASON (SPECIFY)
WHYNOFS	WHYNOFS.	2002-2005	MAIN REASON NOT CURRENTLY RECEIVING FOOD STAMPS
WHYNOMED	WHYNOMED.	1998-1999	WHY NOT TAKE MH PROBLEM MEDS AS DIRECTED
WHYNOSIG	WHYNODNB.	2000-2002	WHY HAVENT YOU HAD A SIGMOIDOSCOPY TEST
WHYNOTDB	WHYNOTDB.	2002-2004	MAIN REASON NO MAMMOGRAM IN PAST YEAR
WHYNOTDC	WHYNOTDC.	2005	MAIN REASON NO MAMMOGRAM IN PAST YEAR
WHYNOTDN	WHYNOTDN.	1999-2001	MAIN REASON NO MAMMOGRAM PAST 2 YEARS
WHYNOTFV	WHYNOTFVB.	2005	MAIN REASON DON'T EAT MORE FRUIT/VEG
WHYNOTIN	WHYNOTIN.	1997	MAIN REASON NOT INTERESTED IN WIC
WHYNOTXT	WHYNOTXT.	1997-1998	REASON DIDNT GET MEDICAL CARE (TEXT)
WHYNOVAC	WHYNOVAC.	2005	WHY NO FLU SHOT/SPRAY IN PAST 12 MTHS
WHYNU_A	YESNO.	1998-1999, 2005	INSURANCE DIDNT COVER MENTAL HLTH CARE
WHYNU_B	YESNO.	1998-1999, 2005	INSURANCE FOR MENTAL HEALTH CARE USED UP
WHYNU_C	YESNO.	1998-1999, 2005	INSURANCE REFUSED PAY MENTAL HLTH CARE
WHYNU_D	YESNO.	1998-1999, 2005	DIDNT WANT RECORD OF MENTAL HLTH CARE
WHYNU_E	YESNO.	1998-1999, 2005	DIDNT LIKE HEALTH PLAN APPROVED PROVIDER
WHYNU_F	YESNO.	1998-1999, 2005	DIDNT WANT INSURANCE OVERSEEING CARE
WHYNU_G	YESNO.	1998-1999, 2005	DID USE INSURANCE
WHYNU_H	YESNO.	1998-1999, 2005	WHY NO INSURANCE FOR MH CARE:OTR SPECIFY
WHYPAP	WHYPAP.	1997-1998	WHY HAD LAST PAP SMEAR
WHYSIG	WHYDONEC.	2001-2002	MAIN REASON FOR LAST SIGMOIDOSCOPY
WIC2YR	YESNO.	1998-1999	ENROLLED IN WIC DURING LAST 2 YEARS
WICAD	YESNO.	2001	IN LAST 12 MONTHS SEEN MESSAGES ABOUT WIC
WICCURR	YESNO.	1998-1999	CURRENTLY ENROLLED IN WIC
WICDISLK	WICDISLK.	1997-1998	WHAT LEAST LIKED ABOUT WIC
WICDITXT	WICDISLK.	1998	WHAT LEAST LIKED ABOUT WIC: TEXT
WICDSLK2	WICDISLKB.	1999	WHAT LEAST LIKED ABOUT WIC
WICEVER	YESNO.	1997	EVER BEEN ENROLLED IN THE WIC
WICHEAR	YESNO.	1997, 1999, 03-04	EVER HEARD OF WIC
WICHEAR2	YESNO.	2001	EVER HEARD OF WIC
WICLIKE	WICLIKE.	1997-1998	WHAT MOST LIKED ABOUT WIC
WICLIKE2	WICLIKEB.	1999	WHAT MOST LIKED ABOUT WIC

Variable	Format	Year	Label
WICLITXT	WICLIKE.	1998	WHAT MOST LIKED ABOUT WIC: TEXT
WICNOGO	WHYNOGO.	1998	MAIN REASON DIDNT FOLLOW WIC REFERRAL
WICNOTE2	WICNOTE.B.	1999	REASON NO LONGER ENROLLED IN WIC
WICNOTEN	WICNOTEN.	1998	REASON NO LONGER ENROLLED IN WIC
WICNOTXT	WICNOTEN.	1998	REASON NO LONGER ENROLLED IN WIC: TEXT
WICQU_A	YESNO.	2004	WIC IS FOR PEOPLE ON WELFARE
WICQU_B	YESNO.	2004	WIC IS FOR PEOPLE ON MEDI-CAL
WICQU_C	YESNO.	2004	WIC IS FOR PREGNANT WOMEN
WICQU_D	YESNO.	2004	WIC IS FOR WOMEN AND KIDS UNDER 5
WICQU_E	YESNO.	2004	WIC IS FOR KIDS UNDER 5
WICQU_F	YESNO.	2004	WIC IS FOR OTHER
WICQU_G	YESNO.	2004	WIC IS FOR ANYBODY
WICQU_H	YESNO.	2004	WIC IS FOR SICK/DISABLED PEOPLE
WICQU_I	YESNO.	2004	WIC IS FOR SICK/DISABLED KIDS
WICQU_J	YESNO.	2004	WIC IS FOR ELDERLY/OLDER PEOPLE
WICQU_K	YESNO.	2004	WIC IS FOR SINGLE PARENTS
WICQU_L	YESNO.	2004	WIC IS FOR THE UNINSURED
WICQU_M	YESNO.	2004	WIC IS FOR NUTRITION FOR KIDS
WICQU_N	YESNO.	2004	WIC IS FOR TEEN MOMS
WICRE_A	REFERRAL.	1998	WIC REFERRAL: 1ST
WICRE_B	REFERRAL.	1998	WIC REFERRAL: 2ND
WICRE_C	REFERRAL.	1998	WIC REFERRAL: 3RD
WICRE_D	REFERRAL.	1998	WIC REFERRAL: 4TH
WICRE_E	REFERRAL.	1998	WIC REFERRAL: 5TH
WICRE_F	REFERRAL.	1998	WIC REFERRAL: 6TH
WICRE_G	REFERRAL.	1998	WIC REFERRAL: 7TH
WICRE_H	REFERRAL.	1998	WIC REFERRAL: 8TH
WICRE_I	REFERRAL.	1998	WIC REFERRAL: 9TH
WICRE_J	REFERRAL.	1998	WIC REFERRAL: 10TH
WICRE_K	REFERRAL.	1998	WIC REFERRAL: 11TH
WICRE_L	REFERRAL.	1998	WIC REFERRAL: 12TH
WICRE_M	REFERRAL.	1998	WIC REFERRAL: 13TH
WICRE_N	REFERRAL.	1998	WIC REFERRAL: 14TH
WICREF	YESNO.	1998	WIC REFERRED TO COMMUNITY PROGRAM
WICRETX	REFERRAL.	1998	WIC REFERRAL: TEXT
WICSVGO	YESNO.	1998	FOLLOWED WIC REFERRAL
WICWHEN	HOWLONGF.	1999	WHEN FIRST HEAR ABOUT WIC
WNSTPBF2	TYPEIV.	2001-2003	HOW OLD CHILD WHEN STOPPED BREASTFEEDING (IN WEEKS)
WORKNTRN	YESNO.	2002-2005	EMPLOYER PROVIDE NUTRITION BENEFITS
WORKPHYS	YESNO.	2002-2005	EMPLOYER PROVIDE PHYSICAL FITNESS BENEFITS
WT12M	TYPEIV.	2001	WEIGHT ONE YEAR AGO
WT12MB	TYPEIV.	2002-2003	WEIGHT ONE YEAR AGO
WTBARRI	WTBARRI.	2003, 2005	SINGLE BIGGEST BARRIER TO HEALTHY WIEGHT
WTFACIL	WTFACIL.	2003	ONE CHANGE TO HELP REACH HEALTHY WEIGHT
WTFACIL2	WTFACIL.	2004, 2005	ONE CHANGE TO HELP REACH HEALTHY WEIGHT
WTGAIN	TYPEIV.	1997-2000	PREGNANCY WEIGHT GAIN
WTGAINRT	GAIN.	1997-2000	BELIEF ABOUT PREGNANCY WEIGHT GAIN
WTGAIVER	YESNO.	1999-2000	VERIFIED RESPONSE IF GAIN GE 55 LBS
WTPREPG	TYPEIV.	1997-2000	PRE-PREGNANCY WEIGHT
WWWHELTH	WHENVI.	2002	LAST TIME YOU USED THE INTERNET FOR HEALTH INFO
WWWIN_A	YESNO.	2002	HEALTH INFO LOOKING FOR YOURSELF: SPECIFIC ILLNESS'
WWWIN_B	YESNO.	2002	HEALTH INFO LOOKING FOR YOURSELF: SPECIFIC DOCTOR/HMO'
WWWIN_C	YESNO.	2002	HEALTH INFO LOOKING FOR YOURSELF: BASIC HEALTH INFO'
WWWIN_D	YESNO.	2002	HEALTH INFO LOOKING FOR YOURSELF: FITNESS AND NUTRITION'
WWWIN_E	YESNO.	2002	HEALTH INFO LOOKING FOR YOURSELF: OTHER'
WWWVHER	WWWVHER.	2002	WHERE DO YOU USUALLY ACCESS THE INTERNET'
YEAR		1997-2005	YEAR OF DATA COLLECTION
<u>ZIPCODE *</u>	TYPEIX.	1997-2005	ZIP CODE OF RESIDENCE
_AGEG	_AGEG.	1997-2005	TEN YEAR AGE CATEGORY
_AGEGB	_AGEGB.	1997-2005	TEN YEAR AGE CATEGORY, AT DECADE
_AGEGC	_AGEGC.	1997-2005	TWO AGE CATEGORIES: 18-44 & 45+
_APA		1997-2001	ADULTS PER PHONE ADJUSTMENT
_BFLONG	BFLONG.	1997	DAYS BREASTFED
_BMI		1997-2005	BODY MASS INDEX
_BMIREV	_BMIREV.	1999-2002	REVISED (1998) WEIGHT CATEGORIES
_CARELNG	TYPEIX.	1997	DAYS ACTED AS CAREGIVER
_CBE1	_BREASTA.	1997-1998	NEVER/EVER HAD CBE, ASYMPTOMATIC WOMEN

Data Dictionary

Variable	Format	Year	Label
_CBE2	_BREASTB.	1997-1998	CBE STATUS, ASYMPTOMATIC WOMEN
_CBE3	_BREASTA.	1997-2002, 04-05	NEVER/EVER HAD CBE, ALL WOMEN
_CBE4	_BREASTB.	1997-2002, 04-05	CLINICAL BREAST EXAM STATUS, ALL WOMEN
_CSA		1997-2001	
_DRKALC	TYPEIII.	1997-2002, 2005	TIMES DRANK ALCOHOL PER MONTH
_DVANY	_DV.	1998	ANY TYPE OF DOMESTIC VIOLENCE REPORTED
_DVERBAL	_DV.	1998	VERBAL ABUSE REPORTED
_DVEVHIT	YESNORF.	2000	EVER EXPERIENCED: PARTNER KICKED, BIT, H
_DVEVRBT	YESNORF.	2000	EVER EXPERIENCED: PARTNER BEAT OR CHOCKE
_DVEVRPS	YESNORF.	2000	EVER EXPERIENCED:PUSHED, GRABBED, SHOVED
_DVEVRTH	YESNORF.	2000	EVER EXPERIENCED: PARTNER THREW OBJECT
_DVEVSEX	YESNORF.	2000	EVER EXPERIENCED: PARTNER FORCED SEX
_DVEVUSE	YESNORF.	2000	EVER EXPERIENCED: PARTNER USE KNIFE OR G
_DVEVWPN	YESNORF.	2000	EVER EXPERIENCED: PARTNER THREATENED W/G
_DVMINOR	_DV.	1998	DV:LESS SEVERE PHYSICAL ABUSE (<=DVSLAP)
_DVPHYS	_DV.	1998	ANY PHYSICAL ABUSE REPORTED
_DVSEVRE	_DV.	1998	DV:SEVERE ABUSE REPORTED (>=DVHITYOU)
_DVTTYPE	_DVTTYPE.	1998-1999	DOMESTIC ABUSE:MOST SEVERE TYPE REPORTED
_DVTTYPE2	_DVTTYPEB.	2000	DOMESTIC ABUSE:MOST SEVERE LAST 12 MONTHS
_DVTTYPEV	_DVTTYPEC.	2000	DOMESTIC ABUSE:MOST SEVERE TYPE EVER
_EXPHRS	TYPEIX.	1997-1998	MINUTES EXPOSED TO SECOND HAND SMOKE
_IDEALBF		1998	IDEAL LENGTH OF TIME FOR BRSTFEED (MNTS)
_MAINPL2	MAINPLNB.	1998-2000	PLAN THAT PAYS FOR MOST OF MEDICAL CARE
_MAINPLN	MAINPLN.	1997	PLAN THAT PAYS FOR MOST OF MEDICAL CARE
_MAMM1	_BREASTA.	1997-1998	NEVER/EVER HAD MAMMOGRAM, ASYMPTOMATIC
_MAMM2	_BREASTB.	1997-1998	MAMMOGRAPHY STATUS, ASYMPTOMATIC WOMEN
_MAMM3	_BREASTA.	1997-2002, 2005	NEVER/EVER HAD MAMMOGRAM, ALL WOMEN
_MAMM4	_BREASTB.	1997-2002, 2005	MAMMOGRAPHY STATUS, ALL WOMEN
_MHLONG	TYPEIX.	1997	DAYS HAD MENTAL HEALTH CONDITION
_NALCMO	TYPEIII.	97,99,00-02, 05	TOTAL ALCOHOL CONSUMED MONTHLY
_PAP5	_PAPC.	97,99,00-02, 05	NEVER/EVER PAP SMEAR, NO HYSTERECTOMY
_PAP6	_PAPD.	97,99,00	PAP SMEAR STATUS, WOMEN W/O HYSTERECTOMY
_PAP7	_PAPC.	97,99,00-02, 05	NEVER/EVER PAP SMEAR, ALL WOMEN
_PAP8	_PAPD.	1997, 1999, 2000	PAP SMEAR STATUS, ALL WOMEN
_POVST	_POVST.	1997-1998	POVERTY STATUS—RELATIVE TO POVERTY LINE
_POVST2	_POVSTE.	1999	POVERTY STATUS—RELATIVE TO POVERTY LINE
_POVST3	_POVSTF.	2000	POVERTY STATUS—RELATIVE TO POVERTY LINE
_POVST4	_POVSTG.	2001-2002, 2005	POVERTY STATUS—RELATIVE TO POVERTY LINE
_PRENATL	TYPEX.	1997	DAYS PREGNANT WHEN FIRST SAW PHYSICIAN
_PST90		1997-2004	POSTSTRATIF. TO 1990 CA POP— _WT90
_PST90B		1997-2004	POSTSTRATIF. TO 1990 CA POP— _WT90B
_PST90C		1997-2004	POSTSTRATIF. TO 1990 CA POP— _WT90R4
_PSU		1997-2005	PRIMARY SAMPLING UNIT
_RACE	_RACE.	1997-2005	RACE, 8 CATEGORIES
_RACEG	_RACEG.	1997-2005	RACE, WHITE-NONWHITE
_RACEGR	_RACEGR.	1997-2005	RACE, 4 CATEGORIES
_RAWWT		1997-2004	RAW WEIGHT (_CSA * _APA)
_RFDRACU	_RF.	1997-2002, 2005	AT RISK FOR ACUTE DRINKING
_RFDRCH2	_RF.	1997,99,00-02, 05	AT RISK FOR CHRONIC DRINKING
_RFHUNGR	_RF.	1997-2000	AT RISK FOR HUNGER
_RFSMOKE	_RF.	1997-2000, 02, 05	AT RISK FOR SMOKING, INC IRREGULAR
_RFWHBMI	_RF.	1997-2002, 2005	AT RISK FOR OVERWEIGHT (BASED ON BMI)
_SMOKER	_SMOKER.	1997-2000, 02, 05	SMOKING STATUS
_STATE		1997-2004	STATE FIPS CODE
_STDHIV	_STDHIV.	1998	BELIEF ABOUT STD AND HIV RELATIONSHIP
_STRATA		1997-2004	STRATUM CODE
_STSTR		1997-2004	_STATE AND _STRATA COMBINED
_WHENDRG		1997	TIMES USED DRUGS IN PAST MONTH
_WT90		1997-2004	FINAL WEIGHT: 2 RACE, 6 AGE GPS TO 1990
_WT90B		1997-2004	FINAL WEIGHT: 4 RACE, 2 AGE GPS TO 1990
_WT90R4		1997-2004	FINAL WEIGHT: 4 RACE, 6 AGE GPS TO 1990
_WWWUSE	TYPEXV.	2002	HOW OFTEN USED INTERNET IN LAST 12 MONTHS

§ Counties with populations of less than 100,000 have been suppressed from the dataset, to preserve confidentiality

[1] Use caution when analyzing the 2004 SXORIENT data for Spanish speaking respondents. The Spanish translation for this question has been changed in 2005 to be more culturally appropriate.

*Suppressed from dataset to preserve confidentiality

+ Use with cation when analyzing. the 2005 MHNOW variable was asked of fewer respondents (different skip pattern)

PART III: Coding Continuous Variables With Special Codes

<u>Format Type</u>	<u>Special Codes</u>	<u>Variables</u>
CHILD.	9 = 'REF';	CHD1317, CHILD612, CHLDLT6
TYPEI	7 = 'DNK\NS' 9 = 'REF';	AGE, AGEB, BABYWHEN, F40A, F40B, F40C, MENOWHEN
TYPEII	88 = 'NA' 77 = 'DNK\NS' 98 = 'OTHER' 99 = 'REF';	BRTHW_A, BRTHW _B, BRTHW_C, CHILD1-CHILD9, CHILD18, DAILYMLK, DAILYVEG, F40NUM, GAPPLNT, HLTHTXT, LIVEBRT2, MANYMAM, MENSES, NUMPHON2, PRIORMNT, SCHLBRTH, GAPPLNT2, LOBRTHWT, MANYCBE
TYPEIII	88 = 'NONE' 888 = 'NONE' 77 = 'DNK\NS' 777 = 'DNK\NS' 99 = 'REF' 999 = 'REF';	BLKACT, DAYSANX, DAYSLEEP, DAYSSAD, DAYURIN, DAILYEAT, DRINKGE5, DRKAL_A, DRKALC, DRUNK, DRUNKNUM, EXBMODAY, EXBMODMI, EXERMOD, FOODSTLS, LIVEBRTH, MENTHLTH, NALCOCC, NUMHRWRK, PHYSHLTH, POORHLTH, STAIRAC2, _DRKALC, _NALCMO, DAILYVEG, EXBMODAB, EXBMODMB, EXBMOD2, RECSERV
TYPEIV	777, 7777 = 'DNK\NS' 888, 8888 = 'NA\NONE' 999, 9999 = 'REF';	BRTHYR, DIETLB, DIETLBYO, DOUCHOFN, EATBURGR, EATEGG, EATRAW2, EATSPROT, HEIGHT, LIKEWT2, MENTBELF, PRIORYR, STAIR_A, USENTRY, WEIGHT, WTGAIN, WTPREPG, WNSTPBF2, WT12M, DRUNK, FISHOFT, FISHSERV, HMLSMOVE, OFTCERL, USENTRY2, WT12MB
TYPEV	88, 888 = 'TIME FRAME DOES NOT APPLY' 77, 777 = 'DNK\NS' 99, 999 = 'REF';	CAREL_A, CAREL_B, CAREL_C, CAREL_D, MHLONG, SYMPL_A, SYMPL_B, SYMPL_C, WHEND_B
TYPEVI	44 = 'AT DELIVERY' 77 = 'DNK\NS' 99 = 'REF';	
TYPEVII	77 = 'DNK\NS' 88 = 'NONE' 99 = 'REF';	
TYPEVIII	555, 5555 = 'NEVER' 777, 7777 = 'DNK\NS' 888, 8888 = 'REFUSED MODULE' 999, 9999 = 'REF QUESTION';	IDEAL_A, IDEALBF, SEXBEH1, SEXBHAGE, SEXBHNUM, TIMES_A TIMES _B
TYPEIX	77777 = 'DNK\NS' 88888 = 'TIME FRAME DOES NOT APPLY' 99999 = 'REF';	EXPHRS, TIMESIT2, ZIPCODE*, _CARELNG, _EXPHRS, _MHLONG
TYPE X	444, 4444 = 'AT DELIVERY' 888, 8888 = 'AT DELIVERY' 777, 7777 = 'DNK\NS' 999, 9999 = 'REF';	PREGNUM, PRENATA2, PRENATAL, _PRENATL
TYPE XI	5555 = 'NEVER' 7777 = 'DNK\NS' 8888 = '0' 9999 = 'REFUSED';	
TYPEXIII	88 = 'LACTOSE' 77 = 'DNK\NS' 99 = 'REF';	DAILYMLK, INTOLERANT

<u>Format Type</u>	<u>Special Codes</u>	<u>Variables</u>
TYPEXIV	8888 = 'N/A' 7777 = 'DNK\NS' 9999 = 'REF';	EXEROFTM, EXEROFT2
TYPEXV	88888 = 'NEVER' 77777 = 'DNK\NS' 99999 = 'REF';	_WWWUSE
TYPEXVI	8888 = 'HAVE NOT HEARD' 7777 = 'DNK\NS' 9999 = 'REF';	FLUVAC50
WHENI	1 = 'WK' 2 = 'MN' 777 = 'DNK\NS' 888 = 'NONE' 999 = 'REF';	STAIR_A1, DRKAL_A1, PRENA_A1
WHENII	1 = 'WK' 2 = 'MN' 777 = 'DNK\NS' 88 = 'TIME FRAME DOES NOT APPLY' 888 = 'TIME FRAME DOES NOT APPLY' 999 = 'REF';	WHEND_B1
WHENIII	1 = 'DY' 2 = 'WK' 3 = 'MN' 44 = 'AT DELIVERY' 77 = 'DNK\NS' 99 = 'REF';	
WHENIV	1 = 'DY' 2 = 'WK' 3 = 'MN' 4 = 'YR' 55 = 'STILL BREAST FEEDING' 5555 = 'STILL BREAST FEEDING' 77 = 'DNK\NS' 7777 = 'DNK\NS' 99 = 'REF' 9999 = 'REF' ;	
WHENV	1 = 'DY' 2 = 'WK' 3 = 'MN' 4 = 'YR' 555, 5555 = 'NOT AT ALL' 888, 8888 = 'TIME FRAME DOES NOT APPLY' 777, 7777 = 'DNK\NS' 999, 9999 = 'REF';	DRKAL_A, 1IDEAL_A1
WHENVI	1 = 'WEEK' 2 = 'MONTH' 3 = '6 MONTHS' 4 = 'OVER 6 MONTHS ' 5 = 'NEVER' = 'NEVER' 7 = 'DNK\NS' 9 = 'REF';	WWWHELTH

Part IV: Categorical Variable Formats

* FORM9705.SAS

The code below creates formats for use with categorical variables in the 1997-2005 CWHHS database. Continuous variables may also contain codes-this is discussed in the data dictionary;

VALUE AFPNOTXT

1 = 'PREGNANCY TERMINATED'	2 = 'WOULDN'T TERMINATE PREGNANCY'
3 = 'DIDNT WANT TO KNOW'	4 = 'HAD OTHER TEST'
5 = 'TOO EARLY IN PREGNANCY'	6 = 'NOT AT RISK FOR BIRTH DEFECTS'
7 = 'DIDNT KNOW ABOUT AFP'	8 = 'DOESNT WANT TO BE GUINEA PIG'
9 = 'TEST UNNECESSARY'	10 = 'TOO LATE IN PREGNANCY'
11 = 'UNRELIABLE RESULTS'	12 = 'CONCERNS ABOUT MISCARRIAGE'
13 = 'AGAINST RELIGION'	14 = 'NO REGULAR PHYSICIAN'
15 = 'FAMILY RECOMMENDED AGAINST TEST'	
16 = 'OTHER';	

VALUE AGREE

1 = 'AGREE'	2 = 'DISAGREE'
7 = 'DNK\NS'	9 = 'REF';

VALUE AGREEB

1 = 'STRONGLY AGREE'	2 = 'AGREE'
3 = 'NEITHER AGREE NOR DISAGREE'	4 = 'DISAGREE'
5 = 'STRONGLY DISAGREE'	
7 = 'DNK\NS'	9 = 'REF';

VALUE AGREEC

1 = 'STRONGLY AGREE'	2 = 'AGREE'
3 = 'DISAGREE'	4 = 'STRONGLY DISAGREE'
7 = 'DNK\NS'	9 = 'REF';

VALUE AGREED

1 = 'AGREE'	2 = 'DISAGREE'
3 = 'NEITHER AGREE NOR DISAGREE'	7 = 'DNK\NS'
9 = 'REF';	

VALUE AGREEE

1 = 'STRONGLY AGREE'	2 = 'AGREE'
3 = 'DISAGREE'	4 = 'STRONGLY DISAGREE'
8 = 'NOT APPLICABLE'	
7 = 'DNK\NS'	9 = 'REF';

VALUE AGREER

1 = 'STRONGLY DISAGREE'	2 = 'DISAGREE'
3 = 'AGREE'	4 = 'STRONGLY AGREE'
8 = 'NOT APPLICABLE'	
7 = 'DNK\NS'	9 = 'REF';

VALUE AIDSNOT

1 = 'NOT HIGH RISK GROUP'	2 = 'FEEL NERVOUS ABOUT RESULTS'
3 = 'DONT KNOW HOW TO GET TESTED'	4 = 'CONFIDENTIALITY CONCERNS'
5 = 'CELIBATE'	6 = 'MONOGAMOUS'
7 = 'FEAR OF NEEDLES'	8 = 'HAD OTHER BLOOD TEST'
9 = 'PHYSICIAN DISCOURAGED'	10 = 'PHYSICIAN DIDNT RECOMMEND'
11 = 'NO SYMPTOMS'	12 = 'PARTNER TESTED NEGATIVE'
13 = 'DIDNT WANT TO HAVE TEST'	14 = 'DIDNT WANT TO KNOW'
15 = 'NOT USING DRUGS'	16 = 'NO AIDS IN FAMILY'
17 = 'TOO OLD'	18 = 'NO INSURANCE'
19 = 'NOT PROMISCUOUS'	20 = 'INCONVENIENT'
21 = 'NO REASON\IDIDNT THINK ABOUT IT'	
22 = 'DOESNT RECEIVE REGULAR MEDICAL CARE'	
23 = 'OTHER REASON'	24 = 'NEVER BEEN ASKED TO HAVE TEST'
77 = 'DNK\NS'	99 = 'REF';

Formats-Catigorical Variables

VALUE AIDSTALK

- 1 = 'NEVER TALKED TO YOUR PARTNER ABOUT AIDS'
- 2 = 'MENTIONED AIDS 1 OR 2 TIMES, NOT SERIOUS TALK'
- 3 = 'TALKED SERIOUSLY ABOUT YOUR RISKS'
- 8 = 'REFUSED MODULE'
- 7 = 'DNK\NS'
- 9 = 'REF';

VALUE BABY

- 1 = 'YES'
- 3 = 'NEVER BEEN PREGNANT'
- 7 = 'DNK\NS'
- 2 = 'NO'
- 9 = 'REF';

VALUE BARRPA

- 1='ALREADY EXERCISE ENOUGH'
- 3='LAZY/NO REASON'
- 5='LACK SELF-MOTIVATION'
- 7='PREGNANT/RECENT BIRTH'
- 9='DEPRESSED'
- 11='ON A PROGRAM'
- 13='INCONVENIENT'
- 15='NO ONE TO EXERCISE WITH'
- 77 = 'DNK\NS'
- 2='NOT ENOUGH TIME/TOO BUSY/TOO TIRED'
- 4='DO NOT FIND EXERCISE ENJOYABLE/BORING'
- 6='MEDICAL/HEALTH CONDITION/DISABILITY'
- 8='WEATHER'
- 10='CHILD CARE'
- 12='AGE'
- 14='SAFETY CONCERNS'
- 16='OTHER'
- 99 = 'REF';

VALUE BARRPAB

- 1='ALREADY EXERCISE ENOUGH'
- 3='TOO TIRED'
- 5='DONT FIND EXERCISE ENJOYABLE/BORING'
- 6='LACK SELF-MOTIVATION'
- 8='WEATHER'
- 10='CHILD CARE'
- 12='AGE'
- 14='SAFETY CONCERNS'
- 30='PREGNANT/RECENT BIRTH'
- 32='OTHER PRIORITIES'
- 34='NO COMPANION'
- 77='DNK\NS'
- 2='NOT ENOUGH TIME/TOO BUSY'
- 4='LAZY'
- 7='MEDICAL/HEALTH CONDITION/DISABILITY'
- 9='DEPRESSED'
- 11='ON A PROGRAM'
- 13='INCONVENIENT'
- 15='OTHER'
- 31='MONEY/COSTS'
- 33='NO EQUIPMENT'
- 99='REF';

VALUE BCBAR

- 1 = 'ALWAYS USE IT'
- 3 = 'NEVER USE IT'
- 7 = 'DNK\NS'
- 8 = 'REFUSED MODULE';
- 2 = 'USE IT SOMETIMES'
- 4 = 'NO MALE SEX PARTNER'
- 9 = 'REF'

VALUE BCBARNOT

- 1 = 'USE BIRTH CONTROL PILLS\OTHER METHOD'
- 2 = 'BELIEVE THERE IS A SAFE TIME OF MONTH'
- 3 = 'METHOD NOT AVAILABLE'
- 5 = 'PARTNER DISLIKES METHOD'
- 7 = 'DOESNT SEE A NEED TO USE CONDOMS'
- 8 = 'WANTS TO GET PREGNANT'
- 10 = 'DIDNT FEEL LIKE IT'
- 12 = 'CANT GET PREGNANT\STERILIZED'
- 14 = 'BOTH PARTNERS TESTED FOR HIV'
- 16 = 'CURRENTLY\RECENTLY PREGNANT'
- 17 = 'DOESNT BELIEVE IN METHOD\UNSAFE METHOD'
- 18 = 'COSTLY & INCONVENIENT'
- 77 = 'DNK\NS'
- 4 = 'RESPONDENT DISLIKES METHOD'
- 6 = 'DIDNT THINK ABOUT IT'
- 9 = 'UNDER THE INFLUENCE OF DRUGS\ALCOHOL'
- 11 = 'IN A MONOGAMOUS RELATIONSHIP'
- 13 = 'ALLERGIC TO METHOD'
- 15 = 'PREGNANCY NOT A PROBLEM'
- 19 = 'OTHER REASON'
- 99 = 'REF';

VALUE BCBARNOB

- 1 = 'USE BIRTH CONTROL PILLS\OTHER METHOD'
- 2 = 'BELIEVE THERE IS A SAFE TIME OF MONTH'
- 3 = 'METHOD NOT AVAILABLE'
- 5 = 'PARTNER DISLIKES METHOD'
- 7 = 'DOESNT SEE A NEED TO USE CONDOMS'
- 8 = 'WANTS TO GET PREGNANT'
- 10 = 'UNDER THE INFLUENCE OF DRUGS\ALCOHOL'
- 11 = 'DIDNT FEEL LIKE IT'
- 4 = 'RESPONDENT DISLIKES METHOD'
- 6 = 'DIDNT THINK ABOUT IT'
- 9 = 'CANT GET PREGNANT\STERILIZED'
- 12 = 'IN A MONOGAMOUS RELATIONSHIP'

Formats-Catigorical Variables

13 = 'ALLERGIC TO METHOD'
15 = 'PREGNANCY NOT A PROBLEM'
17 = 'DOESNT BELIEVE IN METHOD\UNSAFE METHOD'
18 = 'COSTLY & INCONVENIENT'
20 = 'TOO OLD'
22 = 'HEALTH REASONS'
77 = 'DNK\NS'

14 = 'BOTH PARTNERS TESTED FOR HIV'
16 = 'CURRENTLY\RECENTLY PREGNANT'
19 = 'REFUSED MODULE'
21 = 'NOT SEXUALLY ACTIVE'
99 = 'REF';

VALUE BCPAYTXT

1 = 'FREE CLINIC'
3 = 'NATURAL FAMILY PLANNING METHOD'
4 = 'NO COST'
6 = 'INFERTILITY PROBLEM'
8 = 'MENOPAUSAL'
98 = 'OTHER';

2 = 'PLANNED PARENTHOOD CLINIC'
5 = 'OTHER'
7 = 'DOESNT REMEMBER'

VALUE BCTYPETX

1 = 'CELIBATE\ABSTINENT'
3 = 'SPERMICIDE\SPERMICIDE FOR WOMEN'
4 = 'SPONGE'
6 = 'MULTIPLE TYPES USED'
8 = 'NOTHING'
77 = 'DNK\NS'

2 = 'NATURAL FAMILY PLANNING'
5 = 'OTHER'
7 = 'CURRENTLY PREGNANT'
9 = 'MENOPAUSAL'
99 = 'REF';

VALUE BCTYPETB

1 = 'CELIBATE\ABSTINENT'
3 = 'SPERMICIDE\SPERMICIDE FOR WOMEN'
4 = 'SPONGE'
6 = 'MULTIPLE TYPES USED'
8 = 'NOTHING'
10 = 'PATCH'
77 = 'DNK\NS'

2 = 'NATURAL FAMILY PLANNING'
5 = 'OTHER'
7 = 'CURRENTLY PREGNANT'
9 = 'MENOPAUSAL'
99 = 'REF';

VALUE BCWHYNOT

1 = 'DOES NOT LIKE SIDE EFFECTS'
3 = 'LOVEMAKING WOULD BE INTERRUPTED'
4 = 'BIRTH CONTROL IS TOO MESSY'
5 = 'CONCERNED ABOUT LONG TERM HEALTH PROBLEM'
6 = 'PARTNER OBJECTS TO USING BIRTH CONTROL'
7 = 'DOES NOT KNOW HOW OR WHERE TO GET'
8 = 'CANNOT AFFORD BIRTH CONTROL'
10 = 'PREGNANCY WOULD BE O.K.'
12 = 'DIDNT THINK ABOUT IT'
14 = 'CANT GET PREGNANT\STERILIZED'
16 = 'REFUSED MODULE'
18 = 'NATURAL FAMILY PLANNING'
20 = 'DOESNT LIKE\WANT TO USE B.C.'
22 = 'HEALTH REASONS'
24 = 'TOO OLD TO GET PREGNANT'
26 = 'OTHER REASON'
77 = 'DNK\NS'

2 = 'BIRTH CONTROL IS TOO DIFFICULT TO USE'
9 = 'AGAINST RELIGION'
11 = 'POSTPARTUM NURSING'
13 = 'NOT SEXUALLY ACTIVE'
15 = 'PARTNER IS A WOMAN'
17 = 'PARTNER STERILE'
19 = 'MONOGAMOUS'
21 = 'INFREQUENT SEXUAL ACTIVITY'
23 = 'NOT WORRIED ABOUT PREGNANCY'
25 = 'NO NEED FOR BIRTH CONTROL'
51 = 'PREGNANT\RECENTLY PREGNANT'
99 = 'REF';

VALUE BFLONG

55 = 'STILL BREASTFEEDING'
5555 = 'STILL BREASTFEEDING'
77 = 'DNK\NS'
7777 = 'DNK\NS'
99 = 'REF'
9999 = 'REF';

555 = 'STILL BREASTFEEDING'
777 = 'DNK\NS'
999 = 'REF'

VALUE BIRTHPLC

1 = 'UNITED STATES'
4 = 'CHINA'
7 = 'KOREA'
10 = 'INDONESIA'
13 = 'CANADA'
16 = 'IRELAND'

2 = 'MEXICO'
5 = 'TAIWAN'
8 = 'VIETNAM'
11 = 'CAMBODIA'
14 = 'GUATEMALA'
17 = 'EUROPE'

3 = 'JAPAN'
6 = 'PHILIPPINES'
9 = 'INDIA'
12 = 'LAOS'
15 = 'ENGLAND'
18 = 'SWEDEN'

Formats-Catigorical Variables

19 = 'DENMARK'	20 = 'NORWAY'	21 = 'HOLLAND'
22 = 'BELGIUM'	23 = 'FRANCE'	24 = 'ITALY'
25 = 'SWITZERLAND'	26 = 'RUSSIA'	27 = 'ARMENIA'
28 = 'CROATIA'	29 = 'ISRAEL'	30 = 'LEBANON'
31 = 'IRAN'	32 = 'IRAQ'	33 = 'PAKISTAN'
34 = 'GERMANY'	35 = 'UKRAINE'	36 = 'SOUTH AMERICA'
37 = 'ARGENTINA'	38 = 'PERU'	39 = 'BRAZIL'
40 = 'VENEZUELA'	41 = 'HONDURAS'	42 = 'NICARAGUA'
43 = 'EL SALVADOR'	44 = 'ECUADOR'	45 = 'PANAMA'
46 = 'CUBA'	47 = 'BANGLADESH'	48 = 'FIJI'
49 = 'AMERICAN SAMOA'	50 = 'SAIPAN'	51 = 'AUSTRALIA'
52 = 'AFRICA'	53 = 'ZIMBABWE'	54 = 'GREECE'
55 = 'JORDAN'	56 = 'NIGERIA'	57 = 'PANAMA'
58 = 'PORTUGAL'	59 = 'THAILAND'	60 = 'VIRGIN ISLANDS'
61 = 'BURMA'	62 = 'COLUMBIA'	63 = 'YUGOSLAVIA'
64 = 'AUSTRIA'	65 = 'DOMINICAN REPUBLIC'	68 = 'BELIZE'
66 = 'POLAND'	67 = 'WEST INDIES'	71 = 'SINGAPORE'
69 = 'EGYPT'	70 = 'IVORY COAST'	74 = 'FINLAND'
72 = 'URUGUAY'	73 = 'GUAM'	79 = 'MALAYSIA'
75 = 'HUNGARY'	76 = 'UNITED KINGDOM'	82 = 'ROMANIA'
77 = 'SPAIN'	78 = 'CHILE'	85 = 'BAHRAIN'
80 = 'OTHER'	81 = 'BOSNIA'	88 = 'TAHITI'
83 = 'PUERTO RICO'	84 = 'ALBANIA'	91 = 'SLOVAKIA'
86 = 'BOLIVIA'	87 = 'MOROCCO'	94 = 'LATVIA'
89 = 'SOUTH AFRICA'	90 = 'TRINIDAD'	97 = 'SUDAN'
92 = 'GUYANA'	93 = 'SAUDI ARABIA'	100 = 'HONG KONG'
95 = 'ICELAND'	96 = 'KENYA'	103 = 'COSTA RICA'
98 = 'NEW ZEALAND'	99 = 'PARAGUAY'	106 = 'TUNISIA'
101 = 'AFGHANISTAN'	102 = 'SYRIA'	109 = 'BARBADOS'
104 = 'CZECH REPUBLIC'	105 = 'SRI LANKA'	112 = 'BULGARIA'
107 = 'CYPRUS'	108 = 'SCOTLAND'	115 = 'UGANDA'
110 = 'LIBYA'	111 = 'JAMAICA'	118 = 'TONGA'
113 = 'MOZAMBIQUE'	114 = 'TURKEY'	121 = 'KAZAKHSTAN'
116 = 'BERMUDA'	117 = 'ESTONIA'	124 = 'NETHERLANDS'
119 = 'LITHUANIA'	120 = 'MARSHALL ISLANDS'	127 = 'MOLDOVA'
122 = 'ETHIOPIA'	123 = 'MALTA'	
125 = 'YEMEN'	126 = 'GHANA'	
128 = 'SIERRA LEONE'	129 = 'PALAU'	
777 = 'DNK\NS'	999 = 'REF';	

VALUE BFDISCOR

1 = 'OTHER CHILDREN';

VALUE BFENCWHO

1 = 'SISTER\SISTER-IN-LAW'	2 = 'OTHER RELATIVE'
3 = 'PEDIATRICIAN'	4 = 'PHYSICIAN'
5 = 'SELF\NO ONE ELSE'	6 = 'BOOK\LITERATURE\VIDEO'
7 = 'BREASTFEEDING CLASS'	8 = 'BIRTHING CLASS'
9 = 'LA LECHE SOCIETY\OTHER BF GROUP'	11 = 'MIDWIFE'
10 = 'HEALTHCARE ORGANIZATION'	13 = 'PRIOR EXPERIENCE'
12 = 'HOSPITAL\CLINIC'	15 = 'OTHER, NONRELATED PERSONS'
14 = 'WIC'	17 = 'OTHER HEALTH PROFESSIONAL'
16 = 'OTHER SOURCE'	19 = 'MOTHER\MOTHER-IN-LAW'
18 = 'GRANDMOTHER'	99 = 'REF';
77 = 'DNK\NS'	

VALUE BFFORM

1 = 'YES'	2 = 'NO'
3 = 'HOME BIRTH'	9 = 'REF';
7 = 'DNK\NS'	

VALUE BFMLKGD

1 = 'FORMULA A LOT HEALTHIER'	2 = 'FORMULA A LITTLE HEALTHIER'
3 = 'THERE IS NO DIFFERENCE'	4 = 'BREASTMILK A LITTLE HEALTHIER'
5 = 'BREASTMILK A LOT HEALTHIER'	9 = 'REF';
7 = 'DNK\NS'	

VALUE BFNOT

- | | |
|-------------------------------------|---------------------------------|
| 1 = 'DR. ADVISED AGAINST' | 2 = 'BABY REFUSED' |
| 3 = 'MOTHER HAD MEDICAL PROBLEM' | 4 = 'MOTHER TAKING MEDS.' |
| 5 = 'BABY ILL' | 6 = 'MOTHER TOO YOUNG' |
| 7 = 'DIDNT LIKE PRIOR EXPERIENCE' | 8 = 'TOO PAINFUL' |
| 9 = 'INCONVENIENT' | 10 = 'DIDNT WANT TO' |
| 11 = 'DIDNT WANT TO DAMAGE BREASTS' | 12 = 'DIDNT FEEL COMFORTABLE' |
| 13 = 'NOT ENOUGH MILK FOR BABY' | 14 = 'BOTTLE FEEDING EASIER' |
| 15 = 'WORK DEMANDS MADE DIFFICULT' | 16 = 'HOME DEMANDS TOO GREAT' |
| 17 = 'HAD CESAREAN SECTION' | 18 = 'UNABLE TO BREASTFEED' |
| 19 = 'MULTIPLE BIRTHS' | 20 = 'BREASTFEEDING NOT COMMON' |
| 21 = 'OTHER'; | |

VALUE BFNURSE

- | | |
|-----------------------------------|----------------------------|
| 1 = 'STRONGLY ENCOURAGED' | 2 = 'SLIGHTLY ENCOURAGED' |
| 3 = 'DIDNT MENTION BREASTFEEDING' | 4 = 'SLIGHTLY DISCOURAGED' |
| 5 = 'STRONGLY DISCOURAGED' | |
| 7 = 'DNK\NS' | 9 = 'REF'; |

VALUE BFPROBTX

- | | |
|-----------------------------------|----------------------------------|
| 1 = 'BABY ILL' | 2 = 'MOTHER HAD MEDICAL PROBLEM' |
| 3 = 'PRE-EXISTING BREAST PROBLEM' | 4 = 'BABY COULDNT NURSE' |
| 5 = 'TOO PAINFUL' | 6 = 'NOT ENOUGH MILK FOR BABY' |
| 7 = 'INVERTED NIPPLES' | 8 = 'DIDNT KNOW HOW TO B.F.' |
| 9 = 'ENGORGED BREAST' | 10 = 'SORE NIPPLES' |
| 11 = 'OTHER'; | |

VALUE BFWHERE

- | | |
|--|----------------------------------|
| 1 = 'BOTTLE FEED AT TIME' | 2 = 'NOT TAKE BABY OUT OF HOUSE' |
| 3 = 'FIND PRIVATE PLACE TO BREASTFEED' | |
| 4 = 'BREASTFEED DISCREETLY W/O SHOWING BREAST' | |
| 5 = 'BREASTFEED OPENLY EVEN IF SHOWS BREAST' | |
| 7 = 'DNK\NS' | 9 = 'REF'; |

VALUE BFWHYQT

- | | |
|-----------------------------------|--|
| 1 = 'BABY BECAME ILL' | 2 = 'MOTHER BECAME ILL' |
| 3 = 'AGE OF BABY' | 4 = 'BABY DRINKING FROM CUP' |
| 5 = 'NOT ENOUGH MILK FOR BABY' | 6 = 'BABY WOULDNT TAKE BOTTLE' |
| 7 = 'TRAVELING W/O BABY' | 8 = 'RETURNED TO WORK' |
| 9 = 'NURSING PROBLEMS' | 10 = 'BABY REFUSED BREAST' |
| 11 = 'BECAME PREGNANT' | 12 = 'MOTHERS DIET NOT HEALTHY ENOUGH' |
| 13 = 'INCONVENIENT TO BREASTFEED' | 14 = 'STILL BREASTFEEDING' |
| 15 = 'JUST WANTED TO QUIT' | 16 = 'BREAST PROBLEM' |
| 17 = 'OTHER'; | |

VALUE BGUIDE

- | | |
|--|------------------------------------|
| 1 = 'MORE THAN 1 A YEAR' | 2 = 'ONCE PER YEAR' |
| 3 = 'LT 1\YR BUT AT LEAST EVERY 2\YRS' | 4 = 'LESS THAN ONCE EVERY 2 YEARS' |
| 5 = 'NEVER' | |
| 7 = 'DNK\NS' | 9 = 'REF'; |

VALUE CAREWHO

- | | |
|-------------------------------|-------------------------------|
| 1 = 'SPOUSE\EX-SPOUSE' | 2 = 'SON OR DAUGHTER\IN-LAWS' |
| 3 = 'PARENT OR PARENT-IN-LAW' | 4 = 'GRANDPARENT' |
| 5 = 'OTHER RELATIVE' | 6 = 'FRIEND OR NEIGHBOR' |
| 7 = 'OTHER NON-RELATED ADULT' | 8 = 'OTHER NON-RELATED CHILD' |
| 9 = 'SIGNIFICANT OTHER' | 10 = 'FOSTER CHILD\SIBLING' |
| 11 = 'GRANDCHILD' | 12 = 'REF'; |

VALUE CAREWHOB

- | | |
|-------------------------------|-------------------------------|
| 1 = 'EX-SPOUSE' | 2 = 'SON OR DAUGHTER\IN-LAWS' |
| 3 = 'BROTHER\SISTER-IN-LAW' | 4 = 'GRANDPARENT' |
| 5 = 'OTHER RELATIVE' | 6 = 'FRIEND OR NEIGHBOR' |
| 7 = 'OTHER NON-RELATED ADULT' | 8 = 'OTHER NON-RELATED CHILD' |
| 9 = 'SIGNIFICANT OTHER' | 10 = 'FOSTER CHILD\SIBLING' |
| 11 = 'GRANDCHILD' | 12 = 'REF'; |

Formats-Catigorical Variables

VALUE CAREWHY

1 = 'RECOVERY FROM SURGERY\MAJOR ILLNESS' 2 = 'PHYSICAL ILLNESS OR DISABILITY'
3 = 'MENTAL ILLNESS OR DISABILITY' 4 = 'CHILDCARE NEEDED'
5 = 'ELDERLY' 6 = 'FINANCIAL PROBLEM'
7 = 'TRANSPORTATION PROBLEMS' 8 = 'FAMILY CRISIS'
9 = 'PREGNANT\HAD BABY' 10 = 'NEEDED COMPANIONSHIP'
11 = 'OTHER' 12 = 'REF';

VALUE CHLDAGE

61 = 'LT 1 MONTH' 1 = '1 MONTH' 2 = '2 MONTHS'
3 = '3 MONTHS' 4 = '4 MONTHS' 5 = '5 MONTHS'
6 = '6 MONTHS' 7 = '7 MONTHS' 8 = '8 MONTHS'
9 = '9 MONTHS' 10 = '10 MONTHS' 11 = '11 MONTHS'
12 = '1 YR' 13 = '1 YR 1 MONTHS' 14 = '1 YR 2 MONTHS'
15 = '1 YR 3 MONTHS' 16 = '1 YR 4 MONTHS' 17 = '1 YR 5 MONTHS'
18 = '1 YR 6 MONTHS' 19 = '1 YR 7 MONTHS' 20 = '1 YR 8 MONTHS'
21 = '1 YR 9 MONTHS' 22 = '1 YR 10 MONTHS' 23 = '1 YR 11 MONTHS'
24 = '2 YRS 0 MONTHS' 25 = '2 YRS 1 MONTHS' 26 = '2 YRS 2 MONTHS'
27 = '2 YRS 3 MONTHS' 28 = '2 YRS 4 MONTHS' 29 = '2 YRS 5 MONTHS'
30 = '2 YRS 6 MONTHS' 31 = '2 YRS 7 MONTHS' 32 = '2 YRS 8 MONTHS'
33 = '2 YRS 9 MONTHS' 34 = '2 YRS 10 MONTHS' 35 = '2 YRS 11 MONTHS'
36 = '3 YRS 0 MONTHS' 37 = '3 YRS 1 MONTHS' 38 = '3 YRS 2 MONTHS'
39 = '3 YRS 3 MONTHS' 40 = '3 YRS 4 MONTHS' 41 = '3 YRS 5 MONTHS'
42 = '3 YRS 6 MONTHS' 43 = '3 YRS 7 MONTHS' 44 = '3 YRS 8 MONTHS'
45 = '3 YRS 9 MONTHS' 46 = '3 YRS 10 MONTHS' 47 = '3 YRS 11 MONTHS'
48 = '4 YRS 0 MONTHS' 49 = '4 YRS 1 MONTHS' 50 = '4 YRS 2 MONTHS'
51 = '4 YRS 3 MONTHS' 52 = '4 YRS 4 MONTHS' 53 = '4 YRS 5 MONTHS'
54 = '4 YRS 6 MONTHS' 55 = '4 YRS 7 MONTHS' 56 = '4 YRS 8 MONTHS'
57 = '4 YRS 9 MONTHS' 58 = '4 YRS 10 MONTHS' 59 = '4 YRS 11 MONTHS'
60 = '5+ YRS'
88 = 'NA' 77 = 'DNK\NS' 99 = 'REF';

VALUE CHLDLT

1 = 'LT 1 MONTH' 2 = '1 TO LT 2 MONTHS' 3 = '2 TO LT 3 MONTHS'
4 = '3 TO LT 4 MONTHS' 5 = '4 TO LT 5 MONTHS' 6 = '5 TO LT 6 MONTHS'
7 = '6 TO LT 7 MONTHS' 8 = '7 TO LT 8 MONTHS' 9 = '8 TO LT 9 MONTHS'
10 = '9 TO LT 10 MONTHS' 11 = '10 TO LT 11 MONTHS' 12 = '11 TO LT 12 MONTHS'
13 = 'CHILD EXACTLY 1 YEAR' 14 = '1+ YEARS' 15 = 'MORE THAN 1 CHILD UNDER1'
77 = 'DNK\NS' 99 = 'REF';

VALUE CHLDREL

1 = 'OWN CHILD' 2 = 'GRANDCHILD'
3 = 'PARTNERS CHILD' 4 = 'BROTHER/SISTER'
5 = 'NIECE/NEPHEW' 6 = 'COUSIN'
7 = 'UNRELATED CHILD' 8 = 'STEPCHILD'
9 = 'ADOPTED' 10 = 'GREAT GRANDCHILD'
11 = 'OTHER'
77 = 'DNK\NS' 99 = 'REF';

VALUE CNCBELIF

1 = 'LUNG CANCER' 2 = 'BREAST CANCER'
3 = 'OVARIAN CANCER' 4 = 'COLON OR RECTAL CANCER'
5 = 'NONE OF THESE'
7 = 'DNK\NS' 9 = 'REF';

VALUE COUNTY

1 = 'ALAMEDA' 2 = 'ALPINE' 3 = 'AMADOR'
4 = 'BUTTE' 5 = 'CALAVERAS' 6 = 'COLUSA'
7 = 'CONTRA COSTA' 8 = 'DEL NORTE' 9 = 'EL DORADO'
10 = 'FRESNO' 11 = 'GLENN' 12 = 'HUMBOLDT'
13 = 'IMPERIAL' 14 = 'INYO' 15 = 'KERN'
16 = 'KINGS' 17 = 'LAKE' 18 = 'LASSEN'
19 = 'LOS ANGELES' 20 = 'MADERA' 21 = 'MARIN'
22 = 'MARIPOSA' 23 = 'MENDOCINO' 24 = 'MERCED'
25 = 'MODOC' 26 = 'MONO' 27 = 'MONTEREY'
28 = 'NAPA' 29 = 'NEVADA' 30 = 'ORANGE'

Formats-Catigorical Variables

31 = 'PLACER'	32 = 'PLUMAS'	33 = 'RIVERSIDE'
34 = 'SACRAMENTO'	35 = 'SAN BENITO'	36 = 'SAN BERNARDINO'
37 = 'SAN DIEGO'	38 = 'SAN FRANCISCO'	39 = 'SAN JOAQUIN'
40 = 'SAN LUIS OBISPO'	41 = 'SAN MATEO'	42 = 'SANTA BARBARA'
43 = 'SANTA CLARA'	44 = 'SANTA CRUZ'	45 = 'SHASTA'
46 = 'SIERRA'	47 = 'SISKIYOU'	48 = 'SOLANO'
49 = 'SONOMA'	50 = 'STANISLAUS'	51 = 'SUTTER'
52 = 'TEHAMA'	53 = 'TRINITY'	54 = 'TULARE'
55 = 'TUOLUMNE'	56 = 'VENTURA'	57 = 'YOLO'
58 = 'YUBA'	777 = 'DNK\NS'	999 = 'REF';

VALUE COUNTYA

001 = 'ALAMEDA'	041 = 'MARIN'	081 = 'SAN MATEO'
003 = 'ALPINE'	043 = 'MARIPOSA'	083 = 'SANTA BARBARA'
005 = 'AMADOR'	045 = 'MENDOCINO'	085 = 'SANTA CLARA'
007 = 'BUTTE'	047 = 'MERCED'	087 = 'SANTA CRUZ'
009 = 'CALAVERAS'	049 = 'MODOC'	091 = 'SIERRA'
013 = 'CONTRA COSTA'	053 = 'MONTEREY'	093 = 'SISKIYOU'
015 = 'DEL NORTE'	055 = 'NAPA'	095 = 'SOLANO'
017 = 'EL DORADO'	057 = 'NEVADA'	097 = 'SONOMA'
019 = 'FRESNO'	059 = 'ORANGE'	099 = 'STANISLAUS'
021 = 'GLENN'	061 = 'PLACER'	101 = 'SUTTER'
023 = 'HUMBOLDT'	063 = 'PLUMAS'	103 = 'TEHAMA'
025 = 'IMPERIAL'	065 = 'RIVERSIDE'	105 = 'TRINITY'
027 = 'INYO'	067 = 'SACRAMENTO'	107 = 'TULARE'
029 = 'KERN'	069 = 'SAN BENITO'	109 = 'TUOLUMNE'
031 = 'KINGS'	071 = 'SAN BERNARDINO'	111 = 'VENTURA'
033 = 'LAKE'	073 = 'SAN DIEGO'	113 = 'YOLO'
035 = 'LASSEN'	075 = 'SAN FRANCISCO'	115 = 'YUBA'
037 = 'LOS ANGELES'	077 = 'SAN JOAQUIN'	777 = 'DNK\NS'
039 = 'MADERA'	079 = 'SAN L OBISPO'	999 = 'REF';

VALUE CVDPROB

1 = 'AIDS'	2 = 'CANCER (GENERAL)'
3 = 'HEART DISEASE/ HEART ATTACK'	4 = 'SMOKING'
5 = 'DRUG ADDICTION/ALCOHOLISM'	6 = 'BREAST CANCER'
7 = 'STROKE'	8 = 'DIABETES'
9 = 'OSTEOPOROSIS'	10 = 'ALZHEIMERS'
11 = 'MENOPAUSE'	12 = 'WEIGHT'
13 = 'STRESS'	14 = 'HEALTH INSURANCE'
15 = 'DIET AND EXERCISE'	16 = 'AGING'
17 = 'ARTHRITIS'	18 = 'DEPRESSION'
19 = 'OVARIAN\UTERINE\CERVICAL CANCER'	21 = 'DOMESTIC VIOLENCE'
20 = 'OTHER'	24 = 'GYNECOLOGICAL (PREG, MENOPAUSE, ETC.)'
22 = 'BLOOD PRESSURE'	26 = 'LACK OF EDUCATION'
23 = 'MENTAL HEALTH'	99 = 'REF';
25 = 'HORMONAL'	
27 = 'EXERCISE'	
77 = 'DNK\NS'	

VALUE CVDMORT

1 = 'CANCER (GENERAL)'	2 = 'HEART DISEASE/HEART ATTACK'
3 = 'AIDS'	4 = 'BREAST CANCER'
5 = 'LUNG CANCER'	6 = 'SMOKING'
7 = 'DRUG ADDICTION/ALCOHOLISM'	8 = 'VIOLENT CRIME'
9 = 'STROKE'	10 = 'DIABETES'
11 = 'ACCIDENTAL DEATH\DRUNK DRIVERS'	12 = 'OSTEOPOROSIS'
13 = 'AGING'	14 = 'OVARIAN\UTERINE\CERVICAL CANCER'
15 = 'DOMESTIC VIOLENCE'	16 = 'OTHER'
17 = 'BLOOD PRESSURE'	18 = 'MENTAL HEALTH/STRESS/DEPRESSION'
19 = 'WEIGHT'	20 = 'NUTRITION'
21 = 'HEALTHCARE'	99 = 'REF';
77 = 'DNK\NS'	

VALUE CVDMORTB

1 = 'BREAST CANCER'	2 = 'HEART DISEASE'
3 = 'NEITHER'	4 = 'BOTH'
7 = 'DNK\NS'	9 = 'REF';

Formats-Catigorical Variables

VALUE DIFFIC

- | | |
|--------------------------|----------------------------|
| 1 = 'VERY DIFFICULT' | 2 = 'SOMEWHAT DIFFICULT' |
| 3 = 'NOT VERY DIFFICULT' | 4 = 'NOT AT ALL DIFFICULT' |
| 7 = 'DNK\NS' | 9 = 'REF'; |

VALUE DIFFICB

- | | |
|----------------------|--------------------------|
| 1 = 'VERY DIFFICULT' | 2 = 'SOMEWHAT DIFFICULT' |
| 3 = 'SOMEWHAT EASY' | 4 = 'VERY EASY' |
| 7 = 'DNK\NS' | 9 = 'REF'; |

VALUE DISCUSS

- | | |
|---------------------------|---------------------------|
| 1 = 'NO DISCUSSION' | 2 = 'A LITTLE DISCUSSION' |
| 3 = 'SOME DISCUSSION' | 4 = 'MODERATE DISCUSSION' |
| 5 = 'A LOT OF DISCUSSION' | |
| 7 = 'DNK\NS' | 9 = 'REF'; |

VALUE EDUCA

- | | |
|-----------------------------|-----------------------------|
| 1 = 'LESS THAN 9TH GRADE' | 2 = 'SOME HIGH SCHOOL' |
| 3 = 'HS GRAD OR GED CERT' | 4 = 'SOME TECHNICAL SCHOOL' |
| 5 = 'TECHNICAL SCHOOL GRAD' | 6 = 'SOME COLLEGE' |
| 7 = 'COLLEGE GRADUATE' | 8 = 'POST GRAD' |
| 9 = 'REF'; | |

VALUE EDUCAB

- | | |
|---|--|
| 1 = 'EIGHTH GRADE OR LESS (GRADES 0-8)' | 2 = 'SOME HIGH SCHOOL (GRADES 9-11)' |
| 3 = 'GRADE 12 OR GED CERTIFICATE' | 4 = 'SOME TECHNICAL SCHOOL' |
| 5 = 'TECHNICAL SCHOOL GRAD' | 6 = 'SOME COLLEGE (INCLUDE AA)' |
| 7 = 'COLLEGE GRADUATE' | 8 = 'POST GRADUATE OR PROFESSIONAL DEGREE' |
| 9 = 'REFUSED'; | |

VALUE EMERGWHT

- | | |
|-----------------------------------|-------------------------------------|
| 1 = 'USE EMERGENCY CONTRACEPTION' | 2 = 'TAKE THE MORNING AFTER PILL' |
| 3 = 'HAVE IUD INSERTED' | 4 = 'TAKE HIGH DOSE\EXTRA BC PILLS' |
| 5 = 'TAKE BIRTH CONTROL PILLS' | 6 = 'TAKE RU486' |
| 7 = 'HAVE AN ABORTION' | 8 = 'DOUCHE' |
| 9 = 'PRAY' | 10 = 'KNOWS RU486 IS ILLEGAL IN US' |
| 11 = 'SEEK MEDICAL HELP' | 12 = 'INJECTION' |
| 13 = 'HERBAL REMEDIES' | 14 = 'OTHER' |
| 15 = 'PILL - DIDNT KNOW NAME' | |
| 77 = 'DNK\NS' | 99 = 'REF'; |

VALUE EMPLOYB

- | | |
|--------------------------|--------------------------|
| 1 = 'EMPLOYED FULL TIME' | 2 = 'EMPLOYED PARTTIME' |
| 3 = 'SELF EMPLOYED' | 4 = 'OUT OF WORK > 1 YR' |
| 5 = 'OUT OF WORK < 1 YR' | 6 = 'HOMEMAKER' |
| 7 = 'STUDENT' | 8 = 'RETIRED' |
| 9 = 'UNABLE TO WORK' | |
| 77 = 'DNK\NS' | 99 = 'REF'; |

VALUE ESTROHRT

- | | |
|--------------------|---------------------|
| 1 = 'YES - PILLS' | 2 = 'YES - PATCHES' |
| 3 = 'YES - CREAMS' | 4 = 'NO' |
| 7 = 'DNK\NS' | 9 = 'REF'; |

VALUE EVDAY

- | | |
|------------------|----------------|
| 1 = 'EVERYDAY' | 2 = 'SOMEDAYS' |
| 3 = 'NOT AT ALL' | 9 = 'REF'; |

VALUE EXERWORK

- | | |
|-----------------------------|-------------------|
| 1 = 'MOSTLY SIT/STAND' | 2 = 'MOSTLY WALK' |
| 3 = 'MOSTLY PHYSICAL LABOR' | 4 = 'DOESNT WORK' |
| 7 = 'DNK\NS' | 9 = 'REF'; |

VALUE FAS

- | | |
|----------------------------------|-------------------------------|
| 1 = 'DRUNK' | 2 = 'ADDICTED TO ALCOHOL' |
| 3 = 'WITH CERTAIN BIRTH DEFECTS' | 4 = 'DOESNT KNOW WHAT FAS IS' |
| 7 = 'DNK\NS' | 9 = 'REF'; |

VALUE FERTALT

- | | |
|--------------------------|----------------------------------|
| 1 = 'ACUPUNCTURE' | 2 = 'MASSAGE' |
| 3 = 'HERBAL TREATMENT' | 4 = 'ENDOMETRIOSIS TREATMENT' |
| 5 = 'CHARTING OVULATION' | 6 = 'SURGERY' |
| 7 = 'D & C' | 8 = 'PROCEDURE TO UNBLOCK TUBES' |
| 9 = 'REMOVE ADHESIONS' | 10 = 'EGG REMOVAL/ZIFT' |
| 11 = 'OTHER' | |
| 77 = 'DK/NS' | 99 = 'REFUSED'; |

VALUE FOLICEAT

- | | |
|-------------------|--------------------------------------|
| 1 = 'NOT AT ALL' | 2 = 'SOMEWHAT' |
| 3 = 'VERY LIKELY' | 4 = 'DOESNT EAT CEREAL' |
| 7 = 'DNK\NS' | 8 = 'DOESNT KNOW WHAT FOLIC ACID IS' |
| 9 = 'REFUSED'; | |

VALUE FOLICTXT

- | | |
|--------------------------------|-------------------------|
| 1 = 'GREEN VEG.\VEG.' | 2 = 'OJ\ORANGES' |
| 3 = 'OTHER FOODS' | 4 = 'DIET' |
| 5 = 'PILLS\SUPPLEMENTS' | 6 = 'MINERALS\VITAMINS' |
| 7 = 'ASK PHYSICIAN' | 8 = 'INJECTIONS' |
| 9 = 'IRON PILLS' | 10 = 'TOPICAL CREAM' |
| 11 = 'PERSONAL RESPONSIBILITY' | 12 = 'SUNSHINE' |
| 13 = 'OTHER' | 77 = 'DNK\NS'; |

VALUE FOLICLTX

- | | |
|--|-------------------------------------|
| 1 = 'FOOD LABEL' | 2 = 'HEALTH FOOD STORE' |
| 3 = 'OTHER HEALTHCARE PROVIDER' | 4 = 'READ ABOUT IT, UNKNOWN SOURCE' |
| 5 = 'WIC' | 6 = 'WORK' |
| 7 = 'DIDNT REMEMBER' | 8 = 'FAMILY & FRIENDS' |
| 9 = 'OTHER SOURCE' | 10 = 'INTERNET' |
| 11 = 'JUST HEARD TERM, NO KNOWLEDGE OF IT' | |
| 12 = 'FAMILY PLANNING CLINIC' | 13 = 'ADVERTISEMENT, BILLBOARD'; |

VALUE FOLICSOA

- | | |
|----------------------------|---------------|
| 1 = 'MILK' | 2 = 'MEAT' |
| 3 = 'DRIED BEANS' | 4 = 'BANANAS' |
| 5 = 'NONE ARE GOOD SOURCE' | |
| 7 = 'DNK\NS' | 9 = 'REF'; |

VALUE FOODSHOP

- | | |
|---|-------------------------------------|
| 1 = 'CONVENIENCE STORES' | 2 = 'HOME GARDEN' |
| 3 = 'COMMUNITY GARDEN' | 4 = 'FARMERS MARKET' |
| 5 = 'FRUIT & VEGETABLE STANDS' | 6 = 'FOOD BANKS' |
| 7 = 'FOOD OUTLETS' | 8 = 'FRIENDS AND RELATIVES' |
| 9 = 'NO OTHER PLACE-GROCERY STORE ONLY' | 10 = 'OTHER' |
| 11 = 'COMMISSARY' | 12 = 'SPECIALTY STORE' |
| 13 = 'RESTAURANTS' | |
| 14 = 'FOOD SERVICE\HOME DELIVERY' | 15 = 'FOOD CO-OP' |
| 16 = 'HEALTH FOOD STORE' | 17 = 'DRUG STORE' |
| 18 = 'GROCERY STORE' | 19 = 'HUNTING\FISHING' |
| 20 = 'MEALS-ON-WHEELS' | 21 = 'WIC' |
| 22 = 'AT WORK' | |
| 77 = 'DNK\NS' | 88 = 'NO FOOD PREPARED IN THE HOME' |
| 99 = 'REF'; | |

VALUE FOODSTOR

- | | |
|--------------|--------------------------------|
| 1 = 'YES' | 2 = 'NO' |
| 7 = 'DNK\NS' | 8 = 'NO FOOD PREPARED AT HOME' |
| 9 = 'REF'; | |

VALUE FPLOCATE

- | | |
|--|--------------------------|
| 1 = 'PRIVATE DOCTORS OFFICE' | 2 = 'HMO' |
| 3 = 'HEALTH DEPT FAMILY PLANNING CLINIC' | 4 = 'PLANNED PARENTHOOD' |
| 5 = 'OTHER FAMILY PLANNING CLINIC' | 6 = 'OTHER CLINIC' |
| 7 = 'HOSPITAL' | 8 = 'FRIEND' |
| 9 = 'STUDENT HEALTH CTR.' | 10 = 'DRUG STORE' |
| 11 = 'CHURCH' | 12 = 'FAMILY MEMBER' |
| 13 = 'MILITARY' | 14 = 'OTHER' |

Formats-Catigorical Variables

15 = 'WOMENS HEALTH CLINIC'
17 = 'NO WHERE'
19 = 'GROCERY STORE'

16 = 'NO NEED FOR BIRTH CONTROL'
18 = 'MAIL ORDER PHARMACY'
77 = 'DNK';

VALUE FPOTHTXT

1 = 'COUPLES DECISION\BOTH PARTNERS'
3 = 'ACCESS'
5 = 'AWARENESS'
7 = 'COMMUNICATION'
9 = 'DEALING W/OVERPOPULATION'
11 = 'EDUCATION & COUNSELING'
13 = 'FINDING RIGHT PARTNER\RELATIONSHIP W\PARTNER'
14 = 'GOV. PROGRAM\INTERFERENCE\AN ORGANIZATION'
15 = 'HEALTHCARE'
17 = 'IMPROVING QUALITY OF LIFE'
19 = 'PREPAREDNESS'
21 = 'RESPONSIBILITY'
23 = 'WOMENS HEALTH'
25 = 'DECIDING WHEN\IF TO HAVE KIDS'
26 = 'OTHER'
77 = 'DNK\NS';

2 = 'ABORTION\CHOICE\PREG TERMINATION'
4 = 'ADOPTION'
6 = 'BIRTH CONTROL\CONTRACEPTION'
8 = 'COUNSELING'
10 = 'DOES NOT INCLUDE ABORTION'
12 = 'FINANCIAL PLANNING\FAMILY SECURITY'
16 = 'HELP RAISING KIDS\CARING FOR FAMILY'
18 = 'INFERTILITY SERVICES'
20 = 'PREVENTION OF STDS'
22 = 'SEX EDUCATION'
24 = 'CONTROL\PREVENT UNWANTED PREG'

VALUE FPWHERE

1 = 'PRIVATE DOCTORS OFFICE'
3 = 'HEALTH DEPT FAMILY PLANNING CLINIC'
5 = 'OTHER FAMILY PLANNING CLINIC'
7 = 'HOSPITAL'
9 = 'OTHER (SPECIFY)'
11 = 'CHURCH\NATURAL BIRTH CONTROL'
13 = 'DOESNT GO ANYWHERE'
15 = 'STUDENT HEALTH CTR.'
77 = 'DNK\NS'

2 = 'HMO'
4 = 'PLANNED PARENTHOOD'
6 = 'OTHER CLINIC (SPECIFY)'
8 = 'FRIEND'
10 = 'DRUG STORE'
12 = 'FAMILY MEMBER'
14 = 'STERILE\PARTNER STERILE'
16 = 'REFUSED MODULE'
99 = 'REF';

VALUE GAIN

1 = 'TOO LITTLE'
3 = 'JUST RIGHT'
8 = 'NOT APPLICABLE'

2 = 'TOO MUCH'
7 = 'DNK\NS'
9 = 'REF';

VALUE HERBSORC

1 = 'PHYSICIAN'
3 = 'HEALTH FOOD STORE EMPLOYEE'
5 = 'HERBALIST'
7 = 'PRODUCT LABEL'
9 = 'INTERNET'
11 = 'FRIEND/RELATIVE/CO-WORKER'
13 = 'OTHER'
77 = 'DONT KNOW/NOT SURE'

2 = 'OTHER HEALTH CARE PROVIDER'
4 = 'PHARMACIST'
6 = 'OTHER ALTERNATIVE HEALTH PROVIDER'
8 = 'MAGAZINES/BOOKS'
10 = 'TELEVISION/RADIO/NEWSPAPER'
12 = 'SAFETY/SIDE EFFECT INFO'
99 = 'REFUSED';

VALUE HEALTH

1 = 'EXCELLENT'
3 = 'GOOD'
5 = 'POOR'
7, 77 = 'DONT KNOW/NOT SURE'
96 = 'OTHER';

2 = 'VERY GOOD'
4 = 'FAIR'
9, 99 = 'REFUSED'

VALUE HLTHLIST

1 = 'AETNA\SENIOR CHOICE'
3 = 'CAREAMERICA'
5 = 'FHP\FOUNDAT HLTH\TAKE CARE'
7 = 'HLTH PLAN REDWOODS\MEDI-PRIME'
9 = 'KAISER'
11 = 'MAXICARE'
13 = 'OMNI HEALTHCARE'
15 = 'PRUD\CAREPLUS\SENIOR CARE'
17 = 'UC CARE'
19 = 'SELF-PAY'
21 = 'MEDI-CAL'
23 = 'UNION INS. PLAN'

2 = 'BS\BC\CA CARE'
4 = 'CIGNA HEALTH CARE'
6 = 'HEALTH NET\SENIORITY+'
8 = 'INTER VALLEY HEALTH PLAN'
10 = 'LIFEGUARD HEALTH PLAN'
12 = 'NAT. HLTH PLANS\SECURITY CARE'
14 = 'PACIFICARE\SECURE HORIZONS'
16 = 'TRICARE PRIME (CHAMPUS)'
18 = 'UNITED HEALTH PLAN'
20 = 'MEDICARE'
22 = 'MET LIFE'
24 = 'CHAMPUS\VA\TRICARE'

25 = 'AARP'
 27 = 'FARM BUREAU'
 29 = 'GREAT WESTERN'
 31 = 'NORTHWEST NAT. LIFE'
 33 = 'GOV.EMP.HOS.ASSO.'
 35 = 'TRAVELERS'
 37 = 'GOLDEN OUTLOOK'
 39 = 'SHARP HEALTH PLAN'
 41 = 'SIERRA COMM. CARE'
 43 = 'TOWER HEALTH'
 45 = 'UNITED INS. CO. OF AMERICA'
 47 = 'ANTHEM HEALTH CO.'
 49 = 'GALLAGHER BASSET SERVICE PPO'
 51 = 'HEALTH PLAN OF SAN MATEO'
 53 = 'KEY HEALTH PLAN'
 55 = 'PRINCIPAL FINANCIAL GROUP'
 57 = 'ALAMEDA ALLIANCE FOR HEALTH'
 59 = 'AM. WESTERN LIFE'
 61 = 'SUTTER PREFERRED'
 63 = 'JOHN ALDEN LIFE'
 65 = 'AFFORDABLE\HEALTH CARE COMPARE'
 67 = 'KERN HEALTH SYSTEMS'
 69 = 'ACCORDIA'
 71 = 'CONNECTICUT GENERAL'
 73 = 'FLEXNET'
 75 = 'GENERAL AMERICAN'
 77 = 'MAILHANDLERS UNION INS.'
 79 = 'VALLEY CLERKS UNION INS.'
 81 = 'MEMORIAL HEALTHCARE'
 83 = 'INDIAN HEALTH SERVICE'
 85 = 'PHYSICIANS HEALTH CARE'
 888 = 'NONE'

26 = 'EMPLOYER INS. PLAN'
 28 = 'FARMERS INS.'
 30 = 'NEW YORK LIFE'
 32 = 'PERS CARE'
 34 = 'INLAND EMPIRE HLTH. PLAN'
 36 = 'GUARDIAN\PHN'
 38 = 'JOINT BENEFIT TRUST'
 40 = 'SCAN HEALTH PLAN'
 42 = 'STATE FARM INS.'
 44 = 'UNITED H EATLH CARE\METRA HEALTH'
 46 = 'VALLEY HEALTH PLAN'
 48 = 'CCN'
 50 = 'HEALTH PLAN OF SAN JOAQUIN'
 52 = 'HMO CA\EMPLOYERS HEALTH'
 54 = 'PROVIDENT INSURANCE'
 56 = 'OTHER'
 58 = 'DELTA HEALTH CARE'
 60 = 'MASS. MUTUAL'
 62 = 'BECKWICK, HIGHTOWER &'
 64 = 'JOHN HANCOCK'
 66 = 'MOLINA MEDICAL CENTER'
 68 = 'SOLANO PARTNERSHIP HEALTHPLAN'
 70 = 'CARPENTERS HEALTH & WELFARE'
 72 = 'CONTRA COSTA HEALTH PLAN'
 74 = 'FRIENDLY HILLS'
 76 = 'OPERATING ENGINEERS UNION INS.'
 78 = 'RELIA-STAR'
 80 = 'JEFFERSON PILOT'
 82 = 'OTHER'
 84 = 'MEDICAL INDEMNITY'
 777 = 'DNK\NS'
 999 = 'REFUSED';

VALUE HLTHLISB

1 = 'AETNA HEALTH PLANS'
 3 = 'ANTHEM HEALTH COMPANIES'
 5 = 'BLUE SHIELD'
 7 = 'CARE FIRST HEALTH PLAN'
 9 = 'CCN'
 11 = 'CIGNA HEALTH CARE'
 13 = 'COMMUNITY HEALTH GROUP'
 15 = 'CONTRA COSTA HEALTH PLAN'
 17 = 'GREAT AMERICAN HEALTH PLAN'
 19 = 'GUARDIAN'
 21 = 'HEALTH PLAN OF SAN JOAQUIN'
 23 = 'HEALTH PLAN OF REDWOODS'
 25 = 'EMPLOYERS HEALTH (HMO CA)'
 27 = 'INTER VALLEY HEALTH PLAN'
 29 = 'KERN HEALTH SYSTEMS'
 31 = 'L.A. CARE HEALTH PLAN'
 33 = 'MAXICARE'
 35 = 'NATIONAL HEALTH PLAN'
 39 = 'PACIFICARE OF CALIFORNIA'
 41 = 'PRUDENTIAL HLTHCARE OF CA, INC'
 43 = 'SANTA BARBARA HEALTH INITIATIVE'
 45 = 'SANTA CRUZ COUNTY HEALTH OPTIONS'
 47 = 'SHARP HEALTH PLAN'
 49 = 'TOWER HEALTH'
 51 = 'UNITED HEALTH CARE (METRA HEALTH)'
 53 = 'UNITED HEALTH PLAN'
 55 = 'UNIVERSAL CARE, INC'
 57 = 'VENTURA COUNTY HEALTH CARE PLAN'
 59 = 'BLUE CROSS CALIFORNIA CARE'
 61 = 'PRUCARE OF CALIFORNIA'
 63 = 'FOUNDATION SENIOR VALUE'
 65 = 'PACIFICARE SECURE HORIZONS'
 67 = 'AFFORDABLE/HEALTH CARE COMPARE'
 69 = 'BEECH STREET'

2 = 'ALAMEDA ALLIANCE FOR HEALTH'
 4 = 'BLUE CROSS'
 6 = 'BPS (VIVAHEALTH)'
 8 = 'CAREAMERICA'
 10 = 'CHINESE COMMUNITY HEALTH PLAN'
 12 = 'CNA'
 14 = 'COMMUNITY HEALTH PLAN'
 16 = 'FOUNDATION HEALTH SYSTEMS'
 18 = 'GREATER PACIFIC HEALTHPLAN'
 20 = 'HEALTH NET'
 22 = 'HEALTH PLAN OF SAN MATEO'
 24 = 'HMO CALIFORNIA (EMPLOYERS HLTH)'
 26 = 'INLAND EMPIRE HEALTH PLAN'
 28 = 'KAISER FOUNDATION HLTH PLAN'
 30 = 'KEY HEALTH PLAN'
 32 = 'LIFEGUARD HEALTH PLAN'
 34 = 'MOLINA MEDICAL CENTER'
 38 = 'PACIFIC MUTUAL LIFE INS CO'
 40 = 'PRINCIPAL FINANCIAL GROUP'
 42 = 'SAN FRANCISCO HEALTH PLAN'
 44 = 'SANTA CLARA CNTY HLTH AUTHORITY'
 46 = 'SCAN HEALTH PLAN'
 48 = 'SOLANO PARTNERSHIP HEALTHPLAN'
 50 = 'ULLICO INC'
 52 = 'METRA HLTH (UNITED HLTH CARE)'
 54 = 'UNITED INS COMPANY OF AMERICA'
 56 = 'VALLEY HEALTH PLAN'
 58 = 'WESTERN HEALTH ADVANTAGE'
 60 = 'BLUE SHIELD ACCESS+/HMO'
 62 = 'BLUE CROSS SENIOR CA CARE'
 64 = 'HEALTH NET SENIORITY PLUS'
 66 = 'SHIELD 65'
 68 = 'ANTHEM HEALTH'
 70 = 'BLUE CROSS PRUDENT BUYER'

Formats-Catigorical Variables

71 = 'BLUE CROSS STANDARD (STANDARD INS)'	72 = 'BECKWITH, HIGHTOWER, & RENBERG'
73 = 'FOUNDATION'	74 = 'HEALTHCARE FOUNDATION OF SUPERIOR CA'
75 = 'HEALTH NET ELECT'	76 = 'HEALTH NET SELECT'
77 = 'INTERPLAN'	78 = 'OUCH'
79 = 'PACIFICARE'	80 = 'PACIFIC HEALTH ALLIANCE'
81 = 'PPO ALLIANCE'	82 = 'PRU NET (PRUDENTIAL)'
83 = 'QUAL CARE'	84 = 'UNIVERSAL HEALTH NETWORK'
85 = 'OTHER (SPECIFY)'	86 = 'MEDICARE'
87 = 'MEDI-CAL'	88 = 'SELF PAY'
89 = 'TRICARE PRIME (CHAMPUS)'	90 = 'CHAMPUS\VA\TRICARE'
91 = 'UC CARE'	92 = 'MET LIFE'
93 = 'UNION SELF- INSURED'	94 = 'EMPLOYER SELF-INSURED'
95 = 'FARM BUREAU'	96 = 'FARMERS INSURANCE'
97 = 'GREAT WESTERN'	98 = 'NEW YORK LIFE'
99 = 'NORTHWEST NAT LIFE'	100 = 'PERS CARE'
101 = 'GOV. HOSP. ASSO.'	102 = 'TRAVELERS'
103 = 'GOLDEN OUTLOOK'	104 = 'JOINT BENEFIT TRUST'
105 = 'SIERRA COMM. CARE'	106 = 'STATE FARM INS.'
107 = 'GALLAGHER BASSET SERVICE PPO'	108 = 'PROVIDENT INSURANCE'
109 = 'DELTA HEALTH CARE'	110 = 'AM. WESTERN LIFE'
111 = 'MASS. MUTUAL'	112 = 'SUTTER PREFERRED'
113 = 'JOHN ALDEN LIFE'	114 = 'JOHN HANCOCK'
115 = 'OPERATING ENGINEERS'	116 = 'PACIFICARE SECURE HORIZONS'
117 = 'CAL FARM'	118 = 'MOTION PICTURE'
119 = 'CAL OPTIMA'	120 = 'AARP'
121 = 'FIRST HEALTH'	122 = 'HARDER & COMPANY'
123 = 'UNICARE'	124 = 'GENERAL AMERICAN'
125 = 'GOV. EMPLOYEE HEALTH ASSOCIATION'	126 = 'MUTUAL OF OMAHA'
127 = 'ADVENTIST HEALTH'	128 = 'EXCLUSIVE HEALTH CARE'
129 = 'RISK MANAGEMENT'	130 = 'UNITED AMERICAN'
131 = 'HUMANA EMPLOYERS HEALTH'	132 = 'SELF INSURED SCHOOLS OF CA.'
133 = 'CORESTAR'	134 = 'AFTRA'
888 = 'NONE'	
777 = 'DNK\NS'	999 = 'REFUSED';

VALUE HLTHLISC

1 = 'AETNA HEALTH PLANS'	2 = 'ALAMEDA ALLIANCE FOR HEALTH'
3 = 'ANTHEM HEALTH COMPANIES'	4 = 'BLUE CROSS'
5 = 'BLUE SHIELD'	6 = 'BPS (VIVAHEALTH)'
7 = 'CARE FIRST HEALTH PLAN'	8 = 'CAREAMERICA'
9 = 'CCN'	10 = 'CHINESE COMMUNITY HEALTH PLAN'
11 = 'CIGNA HEALTH CARE'	12 = 'CNA'
13 = 'COMMUNITY HEALTH GROUP'	14 = 'COMMUNITY HEALTH PLAN'
15 = 'CONTRA COSTA HEALTH PLAN'	16 = 'FOUNDATION HEALTH SYSTEMS'
17 = 'GREAT AMERICAN HEALTH PLAN'	18 = 'GREATER PACIFIC HEALTHPLAN'
19 = 'GUARDIAN'	20 = 'HEALTH NET'
21 = 'HEALTH PLAN OF SAN JOAQUIN'	22 = 'HEALTH PLAN OF SAN MATEO'
23 = 'HEALTH PLAN OF REDWOODS'	24 = 'HMO CALIFORNIA (EMPLOYERS HLTH)'
25 = 'EMPLOYERS HEALTH (HMO CA)'	26 = 'INLAND EMPIRE HEALTH PLAN'
27 = 'INTER VALLEY HEALTH PLAN'	28 = 'KAISER FOUNDATION HLTH PLAN'
29 = 'KERN HEALTH SYSTEMS'	30 = 'KEY HEALTH PLAN'
31 = 'L.A. CARE HEALTH PLAN'	32 = 'LIFEGUARD HEALTH PLAN'
33 = 'MAXICARE'	34 = 'MOLINA MEDICAL CENTER'
35 = 'NATIONAL HEALTH PLAN'	36 = 'OMNI HEALTHCARE INC'
37 = 'ONE HEALTH PLAN OF CA, INC'	38 = 'PACIFIC MUTUAL LIFE INS CO'
39 = 'PACIFICARE OF CALIFORNIA'	40 = 'PRINCIPAL FINANCIAL GROUP'
41 = 'PRUDENTIAL HLTHCARE OF CA, INC'	42 = 'SAN FRANCISCO HEALTH PLAN'
43 = 'SANTA BARBARA HEALTH INITIATIVE'	44 = 'SANTA CLARA CNTY HLTH AUTHORITY'
45 = 'SANTA CRUZ COUNTY HEALTH OPTIONS'	46 = 'SCAN HEALTH PLAN'
47 = 'SHARP HEALTH PLAN'	48 = 'SOLANO PARTNERSHIP HEALTHPLAN'
49 = 'TOWER HEALTH'	50 = 'ULLICO INC'
51 = 'UNITED HEALTH CARE (METRA HEALTH)'	52 = 'METRA HLTH (UNITED HLTH CARE)'
53 = 'UNITED HEALTH PLAN'	54 = 'UNITED INS COMPANY OF AMERICA'
55 = 'UNIVERSAL CARE, INC'	56 = 'VALLEY HEALTH PLAN'
57 = 'VENTURA COUNTY HEALTH CARE PLAN'	58 = 'WESTERN HEALTH ADVANTAGE'
59 = 'BLUE CROSS CALIFORNIA CARE'	60 = 'BLUE SHIELD ACCESS+/HMO'
61 = 'PRUCARE OF CALIFORNIA'	62 = 'BLUE CROSS SENIOR CA CARE'
63 = 'FOUNDATION SENIOR VALUE'	64 = 'HEALTH NET SENIORITY PLUS'

Formats-Catigorical Variables

65 = 'PACIFICARE SECURE HORIZONS'	66 = 'SHIELD 65'
67 = 'AFFORDABLE/HEALTH CARE COMPARE'	68 = 'ANTHEM HEALTH'
69 = 'BEECH STREET'	70 = 'BLUE CROSS PRUDENT BUYER'
71 = 'BLUE CROSS STANDARD (STANDARD INS)'	72 = 'BECKWITH, HIGHTOWER, & RENBERG'
73 = 'FOUNDATION'	74 = 'HEALTHCARE FOUNDATION OF SUPERIOR CA'
75 = 'HEALTH NET ELECT'	76 = 'HEALTH NET SELECT'
77 = 'INTERPLAN'	78 = 'OUCH'
79 = 'PACIFICARE'	80 = 'PACIFIC HEALTH ALLIANCE'
81 = 'PPO ALLIANCE'	82 = 'PRU NET (PRUDENTIAL)'
83 = 'QUAL CARE'	84 = 'UNIVERSAL HEALTH NETWORK'
85 = 'OTHER (SPECIFY)'	86 = 'MEDICARE'
87 = 'MEDI-CAL'	88 = 'SELF PAY'
89 = 'TRICARE PRIME (CHAMPUS)'	90 = 'CHAMPUS\VA\TRICARE'
91 = 'UC CARE'	92 = 'MET LIFE'
93 = 'UNION SELF- INSURED'	94 = 'EMPLOYER SELF-INSURED'
95 = 'FARM BUREAU'	96 = 'FARMERS INSURANCE'
97 = 'GREAT WESTERN'	98 = 'NEW YORK LIFE'
99 = 'NORTHWEST NAT LIFE'	100 = 'PERS CARE'
101 = 'GOV. HOSP. ASSO.'	102 = 'TRAVELERS'
103 = 'GOLDEN OUTLOOK'	104 = 'JOINT BENEFIT TRUST'
105 = 'SIERRA COMM. CARE'	106 = 'STATE FARM INS.'
107 = 'GALLAGHER BASSET SERVICE PPO'	108 = 'PROVIDENT INSURANCE'
109 = 'DELTA HEALTH CARE'	110 = 'AM. WESTERN LIFE'
111 = 'MASS. MUTUAL'	112 = 'SUTTER PREFERRED'
113 = 'JOHN ALDEN LIFE'	114 = 'JOHN HANCOCK'
115 = 'OPERATING ENGINEERS'	116 = 'PACIFICARE SECURE HORIZONS'
117 = 'CAL FARM'	118 = 'MOTION PICTURE'
119 = 'CAL OPTIMA'	120 = 'AARP'
121 = 'FIRST HEALTH'	122 = 'HARDER & COMPANY'
123 = 'UNICARE'	124 = 'GENERAL AMERICAN'
125 = 'GOV. EMPLOYEE HEALTH ASSOCIATION'	126 = 'MUTUAL OF OMAHA'
127 = 'ADVENTIST HEALTH'	128 = 'EXCLUSIVE HEALTH CARE'
129 = 'RISK MANAGEMENT'	130 = 'UNITED AMERICAN'
131 = 'HUMANA EMPLOYERS HEALTH'	132 = 'SELF INSURED SCHOOLS OF CA.'
133 = 'CORESTAR'	134 = 'AFTRA'
135 = 'HEALTHY FAMILIES '	136 = 'CARPENTERS HEALTH AND WELFARE FUND'
137 = 'CENTRAL VALLEY TRUST '	138 = 'GSHIP GRAD STUD HLTH INS PLAN'
139 = 'GREAT WEST- ONE HEALTH PLAN'	140 = 'BLUE CROSS/BLUE SHIELD'
888 = 'NONE'	
777 = 'DNK\NS'	999 = 'REFUSED';

VALUE HOWLONG

1 = 'WITHIN PAST YR'	2 = 'WITHIN PAST TWO YRS'
3 = 'WITHIN PAST FIVE YRS'	4 = 'MORE THAN FIVE YRS'
5 = 'REFUSED MODULE'	8 = 'NEVER HAD'
7 = 'DNK\NS'	9 = 'REF';

VALUE HOWLONGB

1 = 'WITHIN PAST YR'	2 = 'WITHIN PAST 2 YRS'
3 = 'WITHIN PAST 3 YRS'	4 = 'WITHIN PAST 5 YRS'
5 = 'MORE THAN 5 YRS'	
7 = 'DNK\NS'	9 = 'REF';

VALUE HOWLONGC

1 = 'WITHIN PAST 6 MONTHS'	2 = 'WITHIN PAST YR'
3 = 'WITHIN PAST 2 YRS'	4 = 'WITHIN PAST 5 YRS'
5 = 'MORE THAN 5 YRS'	8 = 'NEVER HAD'
7 = 'DNK\NS'	9 = 'REF';

VALUE HOWLONGD

1 = 'WITHIN PAST 6 MONTHS'	2 = 'WITHIN PAST YR'
3 = 'WITHIN PAST 2 YRS'	4 = 'MORE THAN 2 YRS'
5 = 'NEVER'	8 = 'REFUSED MODULE'
7 = 'DNK\NS'	9 = 'REF';

Formats-Catigorical Variables

VALUE HOWLNGD

- | | |
|-----------------------------|-----------------------------|
| 1 = 'WITHIN PAST 6 MONTHS' | 2 = 'WITHIN THE PAST YR' |
| 3 = 'WITHIN THE PAST 2 YRS' | 4 = 'WITHIN THE PAST 5 YRS' |
| 5 = 'MORE THAN 5 YRS AGO' | 8 = 'NEVER' |
| 7 = 'DNK\NS' | 9 = 'REF'; |

VALUE HOWLONGE

- | | |
|----------------------------|---------------------------|
| 1 = 'WITHIN PAST YR' | 2 = 'WITHIN PAST TWO YRS' |
| 3 = 'WITHIN PAST FIVE YRS' | 4 = 'MORE THAN FIVE YRS' |
| 5 = 'NEVER HAD' | 8 = 'REFUSED MODULE' |
| 7 = 'DNK\NS' | 9 = 'REF'; |

VALUE HOWLONGF

- | | |
|----------------------------|------------------------|
| 1 = 'WITHIN PAST 6 MONTHS' | 2 = 'WITHIN PAST YEAR' |
| 3 = 'MORE THAN A YEAR AGO' | 9 = 'REF'; |
| 7 = 'DNK\NS' | |

VALUE HOWLONGG

- | | |
|---------------------------------|---------------------------------|
| 1 = 'ALMOST EVERY MONTH' | 2 = 'SOME, BUT NOT EVERY MONTH' |
| 3 = 'ONLY IN ONE OR TWO MONTHS' | 9 = 'REF'; |
| 7 = 'DNK\NS' | |

VALUE HOWLONGH

- | | |
|-------------------------|-----------------|
| 1 = 'LT 1 YEAR' | 2 = '1-2 YEARS' |
| 3 = 'MORE THAN 2 YEARS' | 9 = 'REF'; |
| 7 = 'DNK/NS' | |

VALUE HOWLONGI

- | | |
|-------------------------|-----------------|
| 1 = 'LT 1 YEAR' | 2 = '1-5 YEARS' |
| 3 = 'MORE THAN 5 YEARS' | 9 = 'REF'; |
| 7 = 'DNK/NS' | |

VALUE HOWLONGJ

- | | |
|-------------------|-------------------------|
| 1 = 'LT 6 MONTHS' | 2 = '6-12 MONTHS' |
| 3 = '1-5 YEARS' | 4 = 'MORE THAN 5 YEARS' |
| 7 = 'DNK/NS' | 9 = 'REF'; |

VALUE HOWLONGK

- | | |
|-----------------|-------------------------|
| 1 = 'LAST YEAR' | 2 = '1-2 YEARS' |
| 3 = '2-5 YEARS' | 4 = 'MORE THAN 5 YEARS' |
| 5 = 'NEVER' | 9 = 'REF'; |
| 7 = 'DNK/NS' | |

VALUE IMPORT

- | | |
|--------------------------|----------------------------|
| 1 = 'VERY IMPORTANT' | 2 = 'SOMEWHAT IMPORTANT' |
| 3 = 'NOT VERY IMPORTANT' | 4 = 'NOT AT ALL IMPORTANT' |
| 7 = 'DNK\NS' | 9 = 'REF'; |

VALUE IMPORTB

- | | |
|----------------------------|--------------------------|
| 1 = 'NOT AT ALL IMPORTANT' | 2 = 'NOT VERY IMPORTANT' |
| 3 = 'SOMEWHAT IMPORTANT' | 4 = 'VERY IMPORTANT' |
| 7 = 'DNK\NS' | 9 = 'REF'; |

VALUE INCOME B

- | | |
|-------------------------|-------------------------|
| 1 = '< \$10,000' | 2 = '\$10,000-\$14,999' |
| 3 = '\$15,000-\$19,999' | 4 = '\$20,000-\$24,999' |
| 5 = '\$25,000-\$34,999' | 6 = '\$35,000-\$49,999' |
| 7 = '\$50,000-\$75,000' | 8 = '\$75,000-\$99,999' |
| 9 = '> \$100,000' | 10 = '\$0, NO INCOME' |
| 77 = 'DNK\NS' | 99 = 'REF'; |

VALUE INCOME C

- | | |
|-------------------------------|-------------------------|
| 1 = '< \$10,000' | 2 = '\$10,000-\$14,999' |
| 3 = '\$15,000-\$19,999' | 4 = '\$20,000-\$24,999' |
| 5 = '\$25,000-\$34,999' | 6 = '\$35,000-\$49,999' |
| 7 = '\$50,000-\$75,000' | 8 = 'OVER \$75,000' |
| 9 = '\$0; NO PERSONAL INCOME' | 99 = 'REF'; |
| 77 = 'DNK\NS' | |

Formats-Catigorical Variables

VALUE INTEREST

- 1 = 'YES'
- 3 = 'NOT LOW INCOME'
- 7 = 'DNK\NS'
- 2 = 'NO'
- 9 = 'REF';

VALUE IU

- 1 = '<10,000 IU'
- 7 = 'DNK\NS'
- 2 = '>10,000 IU'
- 9 = 'REF';

VALUE LANGBET

- 1 = 'ONLY SPANISH'
- 3 = 'BOTH EQUALLY'
- 5 = 'ONLY ENGLISH'
- 7 = 'DNK\NS'
- 2 = 'SPAN BETTER THAN ENG'
- 4 = 'BETTER ENG THAN SPAN'
- 9 = 'REF';

VALUE LANGMORE

- 1 = 'ONLY SPANISH'
- 3 = 'BOTH EQUALLY'
- 5 = 'ONLY ENGLISH'
- 7 = 'DNK\NS'
- 2 = 'MORE SPAN THAN ENG'
- 4 = 'MORE ENG THAN SPAN'
- 9 = 'REF';

VALUE LTCWHO

- 1 = 'FAMILY/SPOUSE/PARTNER'
- 3 = 'COMMUNITY SERVICES'
- 5 = 'ASSISTED LIVING'
- 7 = 'NEVER THOUGHT ABOUT IT'
- 9 = 'MYSELF'
- 11 = 'NURSE'
- 13 = 'OTHER'
- 88 = 'NA'
- 77 = 'DNK\NS'
- 2 = 'FRIENDS'
- 4 = 'NURSING HOME'
- 6 = 'GOVERNMENT'
- 8 = 'NO ONE'
- 10 = 'HEALTH CARE PROGRAM'
- 12 = 'LAWYER'
- 14 = 'LONG TERM CARE INS'
- 99 = 'REF';

VALUE MAINPLN

- 1 = 'YOUR EMPLOYER'
- 3 = 'A PLAN YOU BUY'
- 5 = 'MEDI-CAL (MEDICAID)'
- 7 = 'NONE'
- 77 = 'DNK\NS'
- 2 = 'SOMEONE ELSE'S EMPLOYER'
- 4 = 'MEDICARE'
- 6 = 'MILITARY\CHAMPUS\VA\IHS\OTHER'
- 88 = 'NA'
- 99 = 'REF';

VALUE MAINPLNB

- 1 = 'YOUR EMPLOYER'
- 3 = 'A PLAN YOU BUY'
- 5 = 'MEDI-CAL (MEDICAID)'
- 7 = 'INDIAN HEALTH SERVICE'
- 9 = 'NONE'
- 77 = 'DNK\NS'
- 2 = 'SOMEONE ELSE'S EMPLOYER'
- 4 = 'MEDICARE'
- 6 = 'MILITARY\CHAMPUS\VA'
- 8 = 'SOME OTHER SOURCE'
- 88 = 'NA'
- 99 = 'REF';

VALUE MAJRPROB

- 1 = 'BACK OR NECK PROBLEM'
- 3 = 'PROBLEMS WALKING'
- 5 = 'LUNG OR BREATHING PROBLEM'
- 7 = 'HEART TROUBLE'
- 9 = 'CANCER, OTHER THAN SKIN CANCER'
- 11 = 'FLU'
- 13 = 'POOR HEALTH\DOESNT FEEL GOOD'
- 15 = 'OTHER'
- 17 = 'ACCIDENT\INJURY'
- 19 = 'OVERWEIGHT\WEIGHT RELATED ISSUES'
- 21 = 'RESPIRATORY AILMENT'
- 23 = 'DIABETES, COMPLICATIONS OF DIABETES'
- 25 = 'OTHER ACUTE CONDITIONS'
- 27 = 'MENTIONED BODY PART (NOT CONDITION OR DX)'
- 77 = 'DNK\NS'
- 2 = 'BROKEN BONE OR JOINT INJURY'
- 4 = 'HEARING PROBLEM'
- 6 = 'ARTHRITIS OR RHEUMATISM'
- 8 = 'STROKE'
- 10 = 'DEPRESSION'
- 12 = 'AGING\GETTING OLD'
- 14 = 'TOO TIRED\EXHAUSTED\FATIGUED'
- 16 = 'PREGNANCY\PREG. RELATED ISSUES'
- 18 = 'SURGERY'
- 20 = 'INFECTION'
- 22 = 'MULTIPLE PROBLEMS (2 OR MORE INDICATED)'
- 24 = 'OTHER CHRONIC CONDITIONS'
- 26 = 'PAIN'
- 99 = 'REF';

Formats-Catigorical Variables

VALUE MARITAL

- | | |
|---------------------|------------------------|
| 1 = 'MARRIED' | 2 = 'DIVORCED' |
| 3 = 'WIDOWED' | 4 = 'SEPARATED' |
| 5 = 'NEVER MARRIED' | 6 = 'UNMARRIED COUPLE' |
| 7 = 'DNK\NS' | 9 = 'REF'; |

VALUE MENOPAUS

- | | |
|--|------------|
| 1 = 'STILL HAVING PERIODS' | |
| 2 = 'PERIODS STOPPED MEDICAL\SURGICAL REASONS' | |
| 3 = 'PERIODS IRREGULAR BECAUSE OF MENOPAUSE' | |
| 4 = 'PERIODS STOPPED BECAUSE OF MENOPAUSE' | |
| 7 = 'DNK\NS' | 9 = 'REF'; |

VALUE MHDX

- | | |
|---|---|
| 1 = 'EATING DISORDER' | 2 = 'MAJOR (CLINICAL) DEPRESSION' |
| 3 = 'SITUATIONAL (TEMPORARY) DEPRESSION' | 4 = 'MANIC DEPRESSION OR BI-POLAR DISORDER' |
| 5 = 'ANXIETY' | 6 = 'PANIC DISORDER' |
| 7 = 'POST TRAUMATIC STRESS DISORDER (PTSD)' | 8 = 'SCHIZOPHRENIA' |
| 9 = 'ATTENTION DEFICIT DISORDER (ADD)' | 10 = 'MENTAL BREAKDOWN' |
| 11 = 'NEUROSIS' | 12 = 'ALZHEIMERS DISEASE' |
| 13 = 'SENILE DEMENTIA' | 14 = 'EFFECTS OF HEART DISEASE OR STROKE' |
| 15 = 'ALCOHOL ABUSE' | 16 = 'DRUG ABUSE' |
| 17 = 'FAMILY PROBLEMS' | 18 = 'DISASSOCIATIVE IDENTITY DISORDER (DID)' |
| 19 = 'OTHER' | |
| 77 = 'DNK\NS' | 99 = 'REF'; |

VALUE MHDXB

- | | |
|---|---|
| 1 = 'EATING DISORDER' | 2 = 'MAJOR (CLINICAL) DEPRESSION' |
| 3 = 'SITUATIONAL (TEMPORARY) DEPRESSION' | 4 = 'MANIC DEPRESSION OR BI-POLAR DISORDER' |
| 5 = 'ANXIETY' | 6 = 'PANIC DISORDER' |
| 7 = 'POST TRAUMATIC STRESS DISORDER (PTSD)' | 8 = 'SCHIZOPHRENIA' |
| 9 = 'ATTENTION DEFICIT DISORDER (ADD)' | 10 = 'MENTAL BREAKDOWN' |
| 11 = 'NEUROSIS' | 12 = 'ALZHEIMERS DISEASE' |
| 13 = 'SENILE DEMENTIA' | 14 = 'EFFECTS OF HEART DISEASE OR STROKE' |
| 15 = 'ALCOHOL ABUSE' | 16 = 'DRUG ABUSE' |
| 17 = 'STRESS' | 18 = 'OBSESSIVE COMPULSIVE DISORDER (OCD)' |
| 19 = 'DISSOCIATIVE IDENTITY DISORDER (DID)' | 20 = 'MULTIPLE PERSONALITY DISORDER (MPD)' |
| 21 = 'MOURNING/BEREAVEMENT' | 22 = 'ADJUSTMENT DISORDER' |
| 23 = 'MARITAL PROBLEMS' | 24 = 'DEMENTIA' |
| 25 = 'EMOTIONAL REACTION TO PHYSICAL ILLNESS' | |
| 26 = 'DIDNT TELL ME WHAT IT WAS' | 27 = 'RELATIONSHIP PROBLEM' |
| 28 = 'PARENTING PROBLEM' | 29 = 'OTHER' |
| 77 = 'DNK\NS' | 99 = 'REF'; |

VALUE MHHELPTX

- | | |
|--|---|
| 1 = 'CHILD CARE/FAMILY CARE' | 2 = 'BETTER JOB/ MORE STEADY JOB/ JOB TRAINING' |
| 3 = 'MEDICAL OR DENTAL CARE' | 4 = 'ADEQUATE FOOD' |
| 5 = 'COUNSELING' | 6 = 'TRANSPORTATION' |
| 7 = 'HOUSING' | 8 = 'MORE MONEY/FINANCIAL HELP' |
| 9 = 'MORE CONVENIENT COUNSELING' | 10 = 'OTHER' |
| 11 = 'NOTHING WOULD HAVE HELPED' | 12 = 'A FRIEND/SOMEONE TO TALK TO' |
| 13 = 'HOUSEHOLD HELP' | 14 = 'LAWYER/LEGAL SERVICES' |
| 15 = 'TIME OFF/TIME TO RELAX/VACATION' | 16 = 'SPIRITUAL SUPPORT/RELIGIOUS HELP' |
| 17 = 'MORE TIME/TIME MANAGEMENT' | 18 = 'SUPPORT FROM FAMILY' |
| 19 = 'HELP AT WORK/WORKING/FINDING WORK' | 20 = 'DONT KNOW/HAVENT THOUGHT ABOUT IT' |
| 21 = 'EXERCISE/FITNESS/WEIGHT' | 22 = 'DONT NEED HELP/NO PROBLEMS' |
| 23 = 'SOCIAL SERVICES'; | |

VALUE MHPAY

- | | |
|-------------------------|-------------------------------------|
| 1 = 'SELF' | 2 = 'PRIVATE INSURANCE' |
| 3 = 'MEDICARE' | 4 = 'MEDI-CAL' |
| 5 = 'HUSBAND\PARTNER' | 6 = 'BOYFRIEND\GIRLFRIEND' |
| 7 = 'PARENT' | 8 = 'OTHER FAMILY MEMBER' |
| 9 = 'OTHER FRIEND' | 10 = 'COUNTY MENTAL HEALTH PROGRAM' |
| 11 = 'COMMUNITY CLINIC' | 12 = 'SELF & INSURANCE' |
| 13 = 'EMPLOYER & STATE' | 14 = 'MEDICARE & MEDI-CAL' |
| 15 = 'MILITARY' | 16 = 'STATE\WORKMANS COMP' |

Formats-Catigorical Variables

17 = 'EMPLOYER'
19 = 'SELF & STATE'
77 = 'DNK\NS'

18 = 'MEDICARE & INSURANCE'

99 = 'REF';

VALUE MHPAYDOC

1 = 'SELF'
3 = 'MEDICARE'
5 = 'HUSBAND\PARTNER'
7 = 'PARENT'
9 = 'OTHER FRIEND'
11 = 'COMMUNITY CLINIC'
13 = 'EMPLOYER & STATE'
15 = 'MILITARY'
17 = 'EMPLOYER'
19 = 'EMPLOYEE ASSISTANCE PROGRAM'
21 = 'NO ONE-FREE'
77 = 'DNK\NS'

2 = 'PRIVATE INSURANCE'
4 = 'MEDI-CAL'
6 = 'BOYFRIEND\GIRLFRIEND'
8 = 'OTHER FAMILY MEMBER'
10 = 'COUNTY MENTAL HEALTH PROGRAM'
12 = 'SELF & INSURANCE'
14 = 'MEDICARE & MEDI-CAL'
16 = 'STATE\WORKMANS COMP'
18 = 'SELF & STATE'
20 = 'OTHER'

99 = 'REF';

VALUE MHPAYDOD

1 = 'SELF'
3 = 'MEDICARE'
5 = 'HUSBAND\PARTNER'
7 = 'PARENT'
9 = 'OTHER FRIEND'
11 = 'COMMUNITY CLINIC'
13 = 'EMPLOYER & STATE'
15 = 'MILITARY'
17 = 'EMPLOYER'
19 = 'EMPLOYEE ASSISTANCE PROGRAM'
77 = 'DNK\NS'

2 = 'PRIVATE INSURANCE'
4 = 'MEDI-CAL'
6 = 'BOYFRIEND\GIRLFRIEND'
8 = 'OTHER FAMILY MEMBER'
10 = 'COUNTY MENTAL HEALTH PROGRAM'
12 = 'SELF & INSURANCE'
14 = 'MEDICARE & MEDI-CAL'
16 = 'STATE\WORKMANS COMP'
18 = 'SELF & STATE'
20 = 'NO ONE — FREE'
99 = 'REF';

VALUE MHPAYDOB

1 = 'SELF'
3 = 'MEDICARE'
5 = 'HUSBAND/PARTNER'
7 = 'PARENT'
9 = 'OTHER FRIEND'
11 = 'COMMUNITY CLINIC'
13 = 'EMPLOYER'
15 = 'MILITARY'
17 = 'EMPLOYEE ASSISTANCE PROGRAM'
19 = 'OTHER'
77 = 'DNK'

2 = 'PRIVATE INSURANCE'
4 = 'MEDI-CAL'
6 = 'BOYFRIEND/GIRLFRIEND'
8 = 'OTHER FAMILY MEMBER'
10 = 'COUNTY MENTAL HEALTH PROGRAM'
12 = 'SELF & INSURANCE'
14 = 'MEDICARE & MEDI-CAL'
16 = 'WORKERS COMP'
18 = 'NO ONE/FREE'

99 = 'REF';

VALUE MHWHELP

1 = 'MENTAL HEALTH PROFESSIONAL'
3 = 'SELF-HELP SUPPORT GROUP'
7 = 'DNK\NS'

2 = 'PARAPROFESSIONAL, MEDICAL DOCTOR, CLERGY'
8 = 'NOT APPLICABLE'
9 = 'REF';

VALUE MHWHELPB

1 = 'PSYCHOTHERAPIST'
3 = 'PSYCHOLOGIST'
5 = 'COUNSELOR'
7 = 'SELF-SUPPORT GROUP FOR EMOTIONAL STRESS'
77 = 'DNK\NS'
99 = 'REF';

2 = 'PSYCHIATRIST'
4 = 'MEDICAL DOCTOR'
6 = 'MINISTER\PRIEST\RABBI'
88 = 'NOT APPLICABLE'

VALUE MHWHELPB

1 = 'PSYCHIATRIST '
3 = 'MEDICAL DOCTOR'
5 = 'SOCIAL WORKER'
7 = 'SELF-HELP, SUPPORT GROUP'
9 = 'CASE WORKER'
11 = 'MFT, MFCC'
13 = 'NON-PROFESSIONAL'
77 = 'DNK\NS'
99 = 'REF';

2 = 'PSYCHOLOGIST'
4 = 'COUNSELOR'
6 = 'MINISTER\PRIEST\RABBI'
8 = 'HEALER, MEDICINE PERSON'
10 = 'OTHER'
12 = 'ALTERNATIVE, SPIRITUAL'
14 = 'HMO'
88 = 'NOT APPLICABLE'

Formats-Catigorical Variables

VALUE MHWHO

- | | |
|--|------------------------|
| 1 = 'COUNTY MENTAL HEALTH COUNSELOR' | 2 = 'FAMILY MEMBER' |
| 3 = 'NURSE\OTHER HEALTH CARE PROVIDER' | 4 = 'SPIRITUAL LEADER' |
| 5 = 'THERAPIST' | 6 = 'FRIEND' |
| 7 = 'HEALTH CLINIC' | 8 = 'OTHER' |
| 9 = 'SUPPORT GROUP'; | |

VALUE MHWHYNOT

- | | |
|--|-------------------------------------|
| 1 = 'RESOLVED PROBLEM BY SELF' | 2 = 'PROBLEM NOT BAD ENOUGH' |
| 3 = 'FAMILY\FRIEND DISCOURAGED' | 4 = 'FAMILY\FRIEND WOULDNT GO' |
| 5 = 'DIDNT TAKE INSURANCE' | 6 = 'NO INSURANCE' |
| 7 = 'NO MONEY FOR TREATMENT' | 8 = 'CHILDCARE PROBLEMS' |
| 9 = 'EMBARRASSED\PRIDE' | 10 = 'LANGUAGE BARRIER' |
| 11 = 'INCONVENIENT' | 12 = 'JUST DIDNT DO IT' |
| 13 = 'NO TIME TO SEEK HELP' | 14 = 'DIDNT KNOW WHERE TO GET HELP' |
| 15 = 'DIDNT KNOW HELP AVAILABLE' | 16 = 'GOT HELP ELSEWHERE' |
| 17 = 'COULDNT FIND ANYONE WHO HELPED' | 18 = 'DOESNT TRUST MH PROF.\FEAR' |
| 19 = 'DID SEEK HELP BUT DIDNT GET ANY' | 20 = 'CURRENTLY SEEKING HELP' |
| 21 = 'OTHER REASON' | |
| 77 = 'DNK\NS' | 99 = 'REF'; |

VALUE MHWHYNOB

- | | |
|--|---|
| 1 = 'COULDNT AFFORD IT' | 2 = 'DIDNT KNOW WHERE TO GO' |
| 3 = 'CONCERNED WHAT OTHERS WOULD THINK' | 4 = 'APPOINTMENT TIMES INCONVENIENT' |
| 5 = 'DIDNT WANT MEDICAL RECORD OF CONDITION' | 7 = 'DIDNT LIKE PROVIDER\PROVIDER DIDNT HELP' |
| 6 = 'OTHER' | 88 = 'REF'; |
| 77 = 'DNK\NS' | |

VALUE MILK

- | | |
|--|--|
| 1 = 'BREASTMILK ONLY' | 2 = 'FORMULA & BREASTMILK COMBINATION' |
| 3 = 'FORMULA ONLY' | 4 = 'COWS MILK & BREASTMILK' |
| 5 = 'COWS MILK ONLY' | 6 = 'COWS MILK & FORMULA COMBINATION' |
| 7 = 'GOATS MILK & FORMULA COMBINATION' | 8 = 'SOY MILK ONLY' |
| 9 = 'GOATS MILK\GOATS MILK + OTHER' | 10 = 'BREASTMILK & SOY MILK COMBINATION' |
| 77 = 'DNK\NS' | 99 = 'REF'; |

VALUE MILKB

- | | |
|--|--|
| 1 = 'BREASTMILK ONLY' | 2 = 'FORMULA & BREASTMILK COMBINATION' |
| 3 = 'FORMULA ONLY' | 4 = 'COWS MILK & BREASTMILK' |
| 5 = 'COWS MILK ONLY' | 6 = 'COWS MILK & FORMULA COMBINATION' |
| 7 = 'GOATS MILK & FORMULA COMBINATION' | 8 = 'SOY MILK ONLY' |
| 9 = 'NA\BABY TOO YOUNG TO RESPOND' | 10 = 'GOATS MILK\GOATS MILK + OTHER' |
| 77 = 'DNK\NS' | 99 = 'REF'; |

VALUE MHNOINTX

- | | |
|------------------------------------|--|
| 1 = 'NEEDED REFERRAL' | 2 = 'DIDNT WANT TO WAIT FOR REFERRAL' |
| 3 = 'INSURANCE NOT NEEDED' | 4 = 'INCONVENIENT LOCATION IF USED INS.' |
| 5 = 'USED UP INSURANCE COVERAGE' | 6 = 'OTHER' |
| 7 = 'NO INSURANCE AT TIME OF CARE' | 8 = 'INSURANCE DIDNT COVER ENTIRE COST'; |

VALUE MONTHS

- | | |
|-----------------|-----------------|
| 1 = 'JANUARY' | 2 = 'FEBRUARY' |
| 3 = 'MARCH' | 4 = 'APRIL' |
| 5 = 'MAY' | 6 = 'JUNE' |
| 7 = 'JULY' | 8 = 'AUGUST' |
| 9 = 'SEPTEMBER' | 10 = 'OCTOBER' |
| 11 = 'NOVEMBER' | 12 = 'DECEMBER' |
| 77 = 'DNK\NS' | 99 = 'REF'; |

VALUE MON_YEAR

- | | |
|-----------------|-----------------|
| 1 = 'JANUARY' | 2 = 'FEBRUARY' |
| 3 = 'MARCH' | 4 = 'APRIL' |
| 5 = 'MAY' | 6 = 'JUNE' |
| 7 = 'JULY' | 8 = 'AUGUST' |
| 9 = 'SEPTEMBER' | 10 = 'OCTOBER' |
| 11 = 'NOVEMBER' | 12 = 'DECEMBER' |
| 841928 = '1928' | 831929 = '1929' |
| 821930 = '1930' | 811931 = '1931' |

801932 = '1932'
 781934 = '1934'
 761936 = '1936'
 741938 = '1938'
 721940 = '1940'
 701942 = '1942'
 681944 = '1944'
 661946 = '1946'
 641948 = '1948'
 621950 = '1950'
 601952 = '1952'
 581954 = '1954'
 561956 = '1956'
 541958 = '1958'
 521960 = '1960'
 501962 = '1962'
 481964 = '1964'
 461966 = '1966'
 441968 = '1968'
 421970 = '1970'
 401972 = '1972'
 381974 = '1974'
 361976 = '1976'
 341978 = '1978'
 321980 = '1980'
 301982 = '1982'
 281984 = '1984'
 261986 = '1986'
 241988 = '1988'
 221990 = '1990'
 201992 = '1992'
 181994 = '1994'
 161996 = '1996'
 141998 = '1998'
 852000 = '2000'
 872002 = '2002'
 77 = 'DNK MONTH'
 88 = 'NA'

791933 = '1933'
 771935 = '1935'
 751937 = '1937'
 731939 = '1939'
 711941 = '1941'
 691943 = '1943'
 671945 = '1945'
 651947 = '1947'
 631949 = '1949'
 611951 = '1951'
 591953 = '1953'
 571955 = '1955'
 551957 = '1957'
 531959 = '1959'
 511961 = '1961'
 491963 = '1963'
 471965 = '1965'
 451967 = '1967'
 431969 = '1969'
 411971 = '1971'
 391973 = '1973'
 371975 = '1975'
 351977 = '1977'
 331979 = '1979'
 311981 = '1981'
 291983 = '1983'
 271985 = '1985'
 251987 = '1987'
 231989 = '1989'
 211991 = '1991'
 191993 = '1993'
 171995 = '1995'
 151997 = '1997'
 131999 = '1999'
 862001 = '2001'
 7777 = 'DNK YEAR'
 99 = 'REF MONTH';

VALUE MON_YEAB

1 = 'JANUARY'
 3 = 'MARCH'
 5 = 'MAY'
 7 = 'JULY'
 9 = 'SEPTEMBER'
 11 = 'NOVEMBER'
 841928 = '1928'
 821930 = '1930'
 801932 = '1932'
 781934 = '1934'
 761936 = '1936'
 741938 = '1938'
 721940 = '1940'
 701942 = '1942'
 681944 = '1944'
 661946 = '1946'
 641948 = '1948'
 621950 = '1950'
 601952 = '1952'
 581954 = '1954'
 561956 = '1956'
 541958 = '1958'
 521960 = '1960'
 501962 = '1962'
 481964 = '1964'
 461966 = '1966'
 441968 = '1968'
 421970 = '1970'

2 = 'FEBRUARY'
 4 = 'APRIL'
 6 = 'JUNE'
 8 = 'AUGUST'
 10 = 'OCTOBER'
 12 = 'DECEMBER'
 831929 = '1929'
 811931 = '1931'
 791933 = '1933'
 771935 = '1935'
 751937 = '1937'
 731939 = '1939'
 711941 = '1941'
 691943 = '1943'
 671945 = '1945'
 651947 = '1947'
 631949 = '1949'
 611951 = '1951'
 591953 = '1953'
 571955 = '1955'
 551957 = '1957'
 531959 = '1959'
 511961 = '1961'
 491963 = '1963'
 471965 = '1965'
 451967 = '1967'
 431969 = '1969'
 411971 = '1971'

Formats-Catigorical Variables

401972 = '1972'
381974 = '1974'
361976 = '1976'
341978 = '1978'
321980 = '1980'
301982 = '1982'
281984 = '1984'
261986 = '1986'
241988 = '1988'
221990 = '1990'
201992 = '1992'
181994 = '1994'
161996 = '1996'
141998 = '1998'
852000 = '2000'
872002 = '2002'
77, 13 = 'DNK MONTH'
88 = 'NA'
99, 15 = 'REF MONTH'

391973 = '1973'
371975 = '1975'
351977 = '1977'
331979 = '1979'
311981 = '1981'
291983 = '1983'
271985 = '1985'
251987 = '1987'
231989 = '1989'
211991 = '1991'
191993 = '1993'
171995 = '1995'
151997 = '1997'
131999 = '1999'
862001 = '2001'
7777, 16 = 'DNK YEAR'
9999, 17 = 'REF YEAR';

VALUE NUMCOUNT

1 = 'ONE'
3 = 'MORE THAN TWO'
7 = 'DNK\NS'

2 = 'TWO'
4 = 'NONE'
9 = 'REF';

VALUE OFTEN

1 = 'VERY OFTEN'
3 = 'SOMETIMES'
5 = 'NEVER'
7 = 'DNK\NS'

2 = 'OFTEN'
4 = 'RARELY'
9 = 'REF';

VALUE OFTENA

1 = 'REGULARLY'
3 = 'NEVER'
7 = 'DNK\NS'

2 = 'OCCASIONALLY'
9 = 'REF';

VALUE OFTENB

1 = 'ALL THE TIME'
3 = 'SOME OF THE TIME'
7 = 'DNK\NS'
9 = 'REF';

2 = 'MOST OF THE TIME'
4 = 'ALMOST NEVER'
8 = 'NOT APPLICABLE'

VALUE OFTENC

1 = 'ALWAYS'
3 = 'SOMETIMES'
5 = 'NEVER'
7 = 'DNK\NS'

2 = 'NEARLY ALWAYS'
4 = 'SELDOM'
6 = 'RETIRED'
9 = 'REF';

VALUE ORACE

1 = 'WHITE'
3 = 'ASIAN OR PACIFIC ISLANDER'
5 = 'OTHER'
7 = 'DNK\NS'

2 = 'BLACK'
4 = 'ALEUTIAN, ESKIMO OR AMERICAN INDIAN'
9 = 'REF';

VALUE ORACEB

1 = 'WHITE'
3 = 'ASIAN'
5 = 'AMERICAN INDIAN, ALASKA NATIVE'
7 = 'DNK\NS'

2 = 'BLACK'
4 = 'PACIFIC ISLANDER'
6 = 'OTHER'
9 = 'REF';

VALUE ORACEC

1 = 'WHITE'
3 = 'ASIAN'
5 = 'AMERICAN INDIAN, ALASKA NATIVE'
7 = 'DNK\NS'

2 = 'BLACK'
4 = 'NATIVE HAWAIIAN, PACIFIC ISLANDER'
6 = 'OTHER'
9 = 'REF';

VALUE ORACE2A

- | | |
|-------------------|--------------------|
| 1 = 'CHINESE' | 2 = 'JAPANESE' |
| 3 = 'KOREAN' | 4 = 'FILIPINO' |
| 5 = 'VIETNAMESE' | 6 = 'CAMBODIAN' |
| 7 = 'LAOTIAN' | 8 = 'EAST INDIAN' |
| 9 = 'INDONESIAN' | 10 = 'HAWAIIAN' |
| 11 = 'SAMOAN' | 12 = 'PAKISTANI' |
| 13 = 'SAIPANESE' | 14 = 'FIJIAN' |
| 15 = 'BURMESE' | 16 = 'TAHITAN' |
| 17 = 'IRANIAN' | 18 = 'THAI' |
| 19 = 'GUAMANIAN' | 20 = 'MACRONESIAN' |
| 21 = 'AFGHAN' | 22 = 'MALAYAN' |
| 23 = 'MONGILAN' | 24 = 'HMONG' |
| 25 = 'SRI LANKAN' | 26 = 'TONGANESE' |
| 27 = 'TAIWANESE' | 88 = 'OTHER' |
| 77 = 'DNK\NS' | 99 = 'REF'; |

VALUE ORACE2X

- | | |
|------------------------------------|---------------------------------|
| 1 = 'WHITE HISPANIC' | 2 = 'BLACK HISPANIC' |
| 3 = 'ASIAN HISPANIC' | 4 = 'PACIFIC ISLANDER HISPANIC' |
| 5 = 'AMERICAN INDIAN AND HISPANIC' | 6 = 'OTHER HISPANIC' |
| 77 = 'DNK\NS' | 99 = 'REF'; |

VALUE ORIENT

- | | |
|--------------------|----------------------|
| 1 = 'HETEROSEXUAL' | 2 = 'GAY OR LESBIAN' |
| 3 = 'BISEXUAL' | 4 = 'UNSURE' |
| 7 = 'DNK\NS' | 9 = 'REF'; |

VALUE OSTEO

- | | |
|-----------------|----------------------|
| 1 = 'BONE LOSS' | 2 = 'JOINT PROBLEMS' |
| 3 = 'OTHER' | |
| 7 = 'DNK/NS' | 9 = 'REF'; |

VALUE OVARRISK

- | | |
|-----------------------|--------------------------|
| 1='HRT' | 2='FAMILY HISTORY' |
| 3='BREAST CANCER' | 4='TALC IN GENITAL AREA' |
| 5='NEVER GIVEN BIRTH' | 6='FERTILITY DRUGS' |
| 7='GI PROBLEMS' | 88='OTHER' |
| 77='DNK/NS' | 99='REFUSED'; |

VALUE PLEASANT

- | | |
|---------------------------|-------------------------|
| 1 = 'VERY PLEASANT' | 2 = 'SOMEWHAT PLEASANT' |
| 3 = 'SOMEWHAT UNPLEASANT' | 4 = 'VERY UNPLEASANT' |
| 7 = 'DNK\NS' | 9 = 'REF'; |

VALUE PORTION

- | | |
|--------------|------------|
| 1 = 'ALL' | 2 = 'PART' |
| 3 = 'NONE' | |
| 7 = 'DNK\NS' | 9 = 'REF'; |

VALUE PUMPHLP

- | | |
|----------------------------------|---------------------------------------|
| 1 = 'ACCESS TO PUMP' | 2 = 'TIME TO PUMP' |
| 3 = 'PLACE TO PUMP' | 4 = 'BABY AT WORK\SCHOOL WITH MOTHER' |
| 5 = 'MORE SUPPORT FROM EMPLOYER' | 6 = 'BETTER BREAST PUMP' |
| 7 = 'MORE TIME' | 8 = 'NOT RETURNING TO WORK\SCHOOL' |
| 9 = 'DID CONTINUE TO BREASTFEED' | 10 = 'OTHER NON-WORK RELATED' |
| 11 = 'MORE INFORMATION' | 12 = 'NOTHING WOULD HAVE HELPED' |
| 77 = 'DNK\NS' | 99 = 'REF'; |

VALUE REASTSTC

- | | |
|---|---|
| 1 = 'HOSPITALIZATION\SURGICAL PROC' | 2 = 'ROUTINE CHECKUP' |
| 3 = 'PART OF A BLOOD DONATION' | 4 = 'BECAUSE OF PREGNANCY' |
| 5 = 'FIND OUT IF INFECTED\CURIOSITY' | 6 = 'PARTNER IS HIV POSITIVE' |
| 7 = 'PARTNER SHOOTS DRUGS' | 8 = 'MALE PARTNER HAS SEX W\MEN' |
| 9 = 'PARTNER WITH HEMOPHILIA' | 10 = 'TOLD BY DOCTOR HAD A STD' |
| 11 = 'I HAVE SHOT DRUGS' | 12 = 'UNPROTECTED SEX W\PARTNER UNK DRUG USE' |
| 13 = 'UNPROTECTED SEX W\PARTNER UNK HIV STATUS' | |
| 14 = 'OCCUPATIONAL EXPOSURE' | 15 = 'FOR EMPLOYMENT' |

Formats-Catigorical Variables

16 = 'MARRIAGE'
18 = 'FOR IMMIGRATION'
20 = 'HAD BLOOD TRANSFUSION'
22 = 'MULTIPLE SEX PARTNERS'
24 = 'BECAUSE OF HEALTH PROBLEM'
77 = 'DNK\NS'

17 = 'FOR INSURANCE POLICY'
19 = 'UNSURE ABOUT SEX PARTNER'
21 = 'NEW SEXUAL RELATIONSHIP'
23 = 'IT WAS FREE'
25 = 'OTHER'
99 = 'REF';

VALUE REFERRAL

1 = 'HEALTHCARE'
3 = 'DRUG TREATMENT OR SUPPORT PROGRAMS'
4 = 'STOP SMOKING CLASSES'
6 = 'HEAD START'
8 = 'FAMILY COUNSELING'
10 = 'BATTERED WOMENS SHELTER'
12 = 'LEGAL SERVICES'
14 = 'OTHER (SPECIFY)'
16 = 'FOOD CO-OP'
77 = 'DNK\NS'

2 = 'ALCOHOL TREATMENT OR SUPPORT PROGRAMS'
5 = 'CHILD CARE REFERRALS'
7 = 'FOOD CLOSET'
9 = 'HOMELESS SERVICES'
11 = 'FAMILY VIOLENCE PROGRAMS'
13 = 'CHILD ABUSE PROGRAMS'
15 = 'BREASTFEEDING'
88 = 'NA'
99 = 'REF';

VALUE RELATED

1 = 'VERY RELATED'
3 = 'NOT VERY RELATED'
7 = 'DNK\NS'

2 = 'SOMEWHAT RELATED'
4 = 'NOT AT ALL RELATED'
9 = 'REF';

VALUE RISK

1 = 'INCREASE RISK'
3 = 'NO EFFECT'
7 = 'DNK\NS'

2 = 'REDUCE RISK'
9 = 'REF';

VALUE RISKB

1 = 'MUCH HIGHER'
3 = 'ABOUT THE SAME'
7 = 'DNK\NS'

2 = 'SOMEWHAT HIGHER'
4 = 'LOWER'
9 = 'REF';

VALUE RISKC

1 = 'INCREASE'
3 = 'MAKE NO DIFFERENCE'
7 = 'DNK\NS'

2 = 'DECREASE'
9 = 'REF';

VALUE SAFE

1 = 'VERY SAFE'
3 = 'SOMEWHAT UNSAFE'
7 = 'DNK\NS'

2 = 'SOMEWHAT SAFE'
4 = 'VERY UNSAFE'
9 = 'REF';

VALUE SCALE

1 = 'VERY MUCH'
3 = 'NOT VERY MUCH'
7 = 'DNK\NS'

2 = 'SOMEWHAT'
4 = 'NOT AT ALL'
9 = 'REF';

VALUE SCALEB

1 = 'HIGH'
3 = 'LOW'
7 = 'DNK\NS'

2 = 'MEDIUM'
4 = 'NONE'
9 = 'REF';

VALUE SCALEC

1 = 'NOT AT ALL'
3 = 'MODERATELY'
8 = 'REFUSED MODULE'
7 = 'DNK\NS'

2 = 'SLIGHTLY'
4 = 'EXTREMELY'
9 = 'REF';

VALUE SCALED

1 = 'VERY LIKELY'
3 = 'SOMEWHAT UNLIKELY'
5 = 'DOESNT KNOW TERM'
7 = 'DNK\NS'

2 = 'SOMEWHAT LIKELY'
4 = 'VERY UNLIKELY'
8 = 'REFUSED MODULE'
9 = 'REF';

Formats-Catigorical Variables

VALUE VITAMIN

1 = 'VITAMIN A'	2 = 'B VITAMINS'
3 = 'CALCIUM'	4 = 'VITAMIN C'
5 = 'VITAMIN D'	6 = 'VITAMIN E'
7 = 'GARLIC'	9 = 'MINERALS\MINERAL SUPPLEMENTS'
10 = 'MULTIPURPOSE VITAMIN'	11 = 'ANTIOXIDANTS'
12 = 'OTHER'	13 = 'BODYBUILDING/PROTEIN SUPPLEMENT'
14 = 'WEIGHT LOSS DRINK'	15 = 'OTHER HERBS'
16 = 'VITAMIN FORTIFIED DRINK'	17 = 'OMEGA 3 & OMEGA 6 FATTY ACIDS'
18 = 'FOLIC ACID/FOLIATE'	19 = 'FOOD SUPPLEMENT'
20 = 'GINKGO BILOBA, GINKGO'	21 = 'GINSENG'
22 = 'IRON'	23 = 'MAGNESIUM'
24 = 'SELENIUM'	25 = 'ZINC'
77 = 'DNK\NS'	99 = 'REF';

VALUE VITBWHY

1 = 'MAKE STRONG BONES'	2 = 'PREVENT BIRTH DEFECTS'
3 = 'PREVENT HIGH BLOOD PRESSURE'	
7 = 'DNK\NS'	9 = 'REF';

VALUE VITBWHYB

1 = 'MAKE STRONG BONES'	2 = 'PREVENT BIRTH DEFECTS'
3 = 'PREVENT WEIGHT GAIN'	
7 = 'DNK\NS'	9 = 'REF';

VALUE WEIGHT

1 = 'OVERWEIGHT'	2 = 'UNDERWEIGHT'
3 = 'ABOUT RIGHT'	
7 = 'DNK\NS'	9 = 'REF';

VALUE WHATCA

1 = 'OVARIAN'	2 = 'CERVICAL'
3 = 'BOTH'	4 = 'NEITHER'
7 = 'DNK\NS'	9 = 'REF';

VALUE WHATBONE

1 = 'HIP OR PELVIS'	2 = 'WRIST OR FOREARM'
3 = 'FOOT OR LEG'	4 = 'BACK'
5 = 'CLAVICLE'	6 = 'FINGERS'
7 = 'RIBS'	8 = 'MULTIPLE BONES'
9 = 'KNEE'	10 = 'TOE'
11 = 'ELBOW'	12 = 'ANKLE'
13 = 'SHOULDER'	14 = 'OTHER BONE'
77 = 'DNK\NS'	99 = 'REF';

VALUE WHATHEAX

1 = 'JUST NAME-DONT KNOW ABOUT PROGRAM'	2 = 'I\RELATIVE\FRIEND HAS BEEN ON WIC'
3 = 'GOVERNMENT PROGRAM'	4 = 'HEALTH\NUTRITION PROGRAM'
5 = 'PROGRAM FOR WOMEN\CHILDREN'	6 = 'PROVIDES FREE SERVICE\FREE FOOD'
7 = 'OFFERS CLASSES'	8 = 'WELFARE PROGRAM'
9 = 'PROGRAM FOR LOW INCOME PEOPLE'	10 = 'ITS A GOOD PROGRAM'
11 = 'FOR TEENS\TEEN MOTHERS'	12 = 'OTHER'
13 = 'DONT REMEMBER\DNK'	14 = 'REF'
15 = 'BREASTFEEDING PROGRAM'	16 = 'FAMILY PLANNING\SEX ED'
17 = 'JOB TRAINING'	18 = 'WORKS AT SOCIAL SERVICE AGENCY';

VALUE WHERE

1 = 'PUBLIC STD CLINIC'	2 = 'OTHER PUBLIC CLINIC'
3 = 'FAMILY PLANNING CLINIC'	4 = 'COMMUNITY CLINIC'
5 = 'PRIVATE DOCTOR'	6 = 'EMERGENCY ROOM'
7 = 'STUDENT HEALTH CENTER'	8 = 'MILITARY FACILITY'
9 = 'JAIL OR OTHER DETENTION FACILITY'	
10 = 'HMO'	11 = 'OTHER (SPECIFY)'
77 = 'DNK\NS'	99 = 'REF';

VALUE WHERECARE

1 = 'EMERGENCY ROOM'	2 = 'PRIVATE DOCTOR'
3 = 'HOSPITAL CLINIC'	4 = 'HMO CLINIC'

Formats-Catigorical Variables

5 = 'COMMUNITY CLINIC'
7 = 'URGENT CARE CLINIC'
9 = 'DIDNT SEE ANYONE DURING PAST 12 MONTHS'
10 = 'OTHER (SPECIFY)'
12 = 'MILITARY CLINIC'
77 = 'DNK\NS'

6 = 'ACUTE CARE CLINIC'
8 = 'DOESNT GO ONE PLACE MOST OFTEN'
11 = 'CAMPUS HEALTH CENTER'
13 = 'ALTERNATIVE PRACTITIONER'
99 = 'REF';

VALUE WHERECAREB

1 = 'EMERGENCY ROOM'
3 = 'HOSPITAL CLINIC'
5 = 'COMMUNITY CLINIC'
7 = 'URGENT CARE CLINIC'
9 = 'DIDNT SEE ANYONE DURING PAST 12 MONTHS'
10 = 'MILITARY CLINIC'
77 = 'DNK\NS'

2 = 'PRIVATE DOCTOR'
4 = 'HMO CLINIC'
6 = 'ACUTE CARE CLINIC'
8 = 'DOESNT GO ONE PLACE MOST OFTEN'
11 = 'OTHER (SPECIFY)'
99 = 'REF';

VALUE WHEREHLP

1 = 'OVERNIGHT HOSPITAL STAY'
3 = 'DOCTORS OFFICE, CLINIC, WALKIN CTR'
5 = 'MENTAL HEALTH CARE'
88 = 'REFUSED MODULE'
77 = 'DNK\NS'

2 = 'EMERGENCY ROOM VISIT'
4 = 'DENTIST'
7 = 'WOMENS SHELTER'
99 = 'REF';

VALUE WHEREHLPB

1 = 'OVERNIGHT HOSPITAL STAY'
3 = 'DOCTORS OFFICE, CLINIC, WALKIN CTR'
5 = 'MENTAL HEALTH CARE'
7 = 'CLERGY'
9 = 'MARRIAGE COUNSELOR'
11 = 'FRIENDS'
14 = 'LAWYER'
16 = 'OTHER'
77 = 'DNK\NS'

2 = 'EMERGENCY ROOM VISIT'
4 = 'DENTIST'
6 = 'WOMENS SHELTER'
8 = 'POLICE'
10 = 'PARENTS\RELATIVES'
13 = 'SUPPORT GROUP'
15 = 'MILITARY'
88 = 'REFUSED MODULE'
99 = 'REF';

VALUE WHEREHR

1 = 'SCHOOL\CLASS'
3 = 'AT WORK'
5 = 'GROCERY STORE'
7 = 'COUNTY HEALTH DEPT.'
9 = 'NURSING SCHOOL\NURSE'
11 = 'AFDC'
13 = 'MILITARY'
15 = 'OTHER'
77 = 'DNK\NS'

2 = 'FRIEND\FAMILY'
4 = 'AT CHURCH'
6 = 'HOSPITAL\DR.\DDS OFFICE\CLINIC'
8 = 'CHILDCARE CENTER'
10 = 'MEDIA CAMPAIGN'
12 = 'COMMUNITY CENTER\SHELTER'
14 = 'DONT REMEMBER'
16 = 'PERSONAL EXPERIENCE'
99 = 'REF';

VALUE WHO

1 = 'HUSBAND'
3 = 'PARTNER'
5 = 'BOYFRIEND'
7 = 'FORMER BOYFRIEND'
10 = 'CHILDS FATHER'
12 = 'FATHER\STEP-FATHER'
14 = 'UNCLE\COUSIN'
16 = 'FAMILY FRIEND'
18 = 'OTHER FAMILY MEMBER'
88 = 'REFUSED MODULE'
77 = 'DNK\NS'

2 = 'FORMER HUSBAND'
4 = 'FORMER PARTNER'
6 = 'GIRLFRIEND'
8 = 'FORMER GIRLFRIEND'
11 = 'FRIEND (GENDER NOT INDICATED)'
13 = 'BROTHER\STEP-BROTHER'
15 = 'STRANGER'
17 = 'ROOMMATE\HOUSEMATE'
9 = 'REFUSED MODULE'
99 = 'REF';

VALUE WHOB

1 = 'HUSBAND'
3 = 'PARTNER'
5 = 'BOYFRIEND'
7 = 'FORMER BOYFRIEND'
9 = 'REFUSED MODULE'
77 = 'DNK\NS'
98 = 'OTHER (SPECIFY)';

2 = 'FORMER HUSBAND'
4 = 'FORMER PARTNER'
6 = 'GIRLFRIEND'
8 = 'FORMER GIRLFRIEND'
99 = 'REF'

VALUE WHYNOVAC

- | | |
|--|-------------------------------------|
| 1 = 'DIDNT KNOW I NEEDED IT' | 2 = 'DIDNT THINK OF IT' |
| 3 = 'COST' | 4 = 'DIDNT KNOW WHERE TO GET SHOT' |
| 5 = 'INCONVENIENT TIME OR LOCATION' | 6 = 'FLU VACCINE UNAVAILABLE' |
| 7 = 'ASKED DOCTOR, BUT SAID I DIDNT NEED IT' | 8 = 'DR DIDNT RECOMMEND IT' |
| 9 = 'DIDNT THINK IT WOULD WORK' | 10 = 'I AM NOT AT RISK/NOT SERIOUS' |
| 11 = 'FLU SHOT GIVES YOU FLU' | 12 = 'SERIOUS SIDE EFFECTS' |
| 13 = 'MEDICAL REASONS' | 14 = 'DONT LIKE SHOTS OR NEEDLES' |
| 15 = 'OTHER' | 16 = 'SAVE FOR OTHERS MORE AT RISK' |
| 17 = 'GOT PNEUMONIA SHOT' | 18 = 'DOES NOT BELIEVE IN THEM' |
| 19 = 'ALLERGIC' | 20 = 'JUST DIDNT WANT ONE' |
| 77 = 'DK\NS' | 99 = 'REFUSED'; |

VALUE WHYPAP

- | | |
|--------------------|---------------------|
| 1 = 'ROUTINE EXAM' | 2 = 'CHECK PROBLEM' |
| 3 = 'OTHER' | |
| 7 = 'DNK\NS' | 9 = 'REF'; |

VALUE WHYNOTFV

- | | |
|---------------------------------|-----------------------------------|
| 1 = 'TAKE TOO MUCH TIME' | 2 = 'NOT AVAILABLE' |
| 3 = 'NOT IN HABIT' | 4 = 'TOO EXPENSIVE' |
| 5 = 'DONT LIKE TASTE ' | 6 = 'NOT SURE HOW TO SELECT' |
| 7 = 'IM NOT SURE HOW TO FIX' | 8 = 'DIET RESTRICTION' |
| 9 = 'THEY ARE MESSY' | 10 = 'HARD TO GET IN RESTAURANTS' |
| 11 = 'HARD TO GET AT WORK' | 12 = 'I EAT ENOUGH NOW' |
| 13 = 'OTHER' | 14 = 'RATHER EAT OTHER FOODS' |
| 15 = 'DONT EAT MUCH/NOT HUNGRY' | 16 = 'CREATES PHYSICAL PROBLEMS' |
| 17 = 'TOO MANY CALORIES/CARBS' | 18 = 'SPOIL EASILY' |
| 19 = 'OTHERS DONT LIKE THEM' | 77 = 'DNK\NS' |
| 99 = 'REF'; | |

VALUE WHYNOTFVB

- | | |
|------------------------------|-----------------------------------|
| 1 = 'TAKE TOO MUCH TIME' | 2 = 'NOT AVAILABLE' |
| 3 = 'NOT IN HABIT' | 4 = 'TOO EXPENSIVE' |
| 5 = 'DONT LIKE TASTE ' | 6 = 'NOT SURE HOW TO SELECT' |
| 7 = 'IM NOT SURE HOW TO FIX' | 8 = 'DIET RESTRICTION' |
| 9 = 'THEY ARE MESSY' | 10 = 'HARD TO GET IN RESTAURANTS' |
| 11 = 'HARD TO GET AT WORK' | 12 = 'I EAT ENOUGH NOW' |
| 13 = 'SPOIL EASILY' | 14 = 'OTHER' |
| 77 = 'DNK\NS' | 99 = 'REF'; |

VALUE WHYNOTIN

- | | |
|--|--|
| 1 = 'DONT WANT GOV. ASSISTANCE' | 2 = 'DOESNT THINK MEETS INCOME GUIDELINES' |
| 3 = 'WORK-CANT LEAVE WORK DURING DAY' | 4 = 'NO NUTRITION PROBLEMS IN FAMILY' |
| 5 = 'NO TRANSPORTATION' | 6 = 'NO CHILDCARE WHILE GOING TO WIC' |
| 7 = 'TOO OLD TO RECEIVE' | 8 = 'NO CHILDREN\KIDS TOO OLD\NOT AT HOME' |
| 9 = 'SELF\SPOUSE EMPLOYED' | 10 = 'TRY TO TAKE CARE OF SELF' |
| 11 = 'NO NEED FOR IT' | 12 = 'RECEIVE HELP ELSEWHERE' |
| 13 = 'NO KNOWLEDGE OF PROGRAM' | 14 = 'HAS MEDICAL INSURANCE' |
| 15 = 'ALWAYS BEEN HEALTHY' | 16 = 'TOO BUSY' |
| 17 = 'TOO YOUNG\STUDENT' | 18 = 'NOT PLANNING PREG\PAST CHILDBEARING' |
| 19 = 'GET INFO\MEDICAL INFO ELSEWHERE' | 20 = 'FINANCIALLY SECURE' |
| 21 = 'PROGRAM COSTS TOO MUCH TO USE' | 22 = 'NOT ELIGIBLE' |
| 23 = 'JUST NOT INTERESTED' | 24 = 'DOESNT BELIEVE IN GOV. PROGRAMS' |
| 25 = 'NOT INTERESTED IN DIET PROGRAMS' | 26 = 'OTHER' |
| 77 = 'DNK\NS' | 99 = 'REF'; |

VALUE WHYNOMED

- | | |
|----------------------------------|-------------------------------------|
| 1 = 'COULD NOT AFFORD TO BUY IT' | 2 = 'FELT MEDICINE WAS UNNECESSARY' |
| 3 = 'DIDNT LIKE SIDE AFFECTS' | 4 = 'DONT LIKE TAKING PILLS' |
| 5 = 'DIDNT THINK IT WORKED' | 6 = 'OTHER' |
| 7 = 'DNK\NS' | 9 = 'REF'; |

VALUE WHYNOTXT

- | | |
|------------------------------|----------------------------------|
| 1 = 'AFRAID OF DOCTORS' | 2 = 'CONDITION NOT TREATABLE' |
| 3 = 'TRIED ALTERNATIVE CURE' | 4 = 'RECEIVED TREATMENT' |
| 5 = 'DISCUSSED OVER PHONE' | 6 = 'COULDNT GET APPOINTMENT' |
| 7 = 'TOO BUSY' | 8 = 'PROBLEM SEASONAL-WENT AWAY' |

Formats-Catigorical Variables

9 = 'JUST DIDNT SEE PHYSICIAN'
11 = 'NO REGULAR DOC'
13 = 'HAVE UPCOMING APPOINTMENT'

10 = 'NO INSURANCE'
12 = 'OTHER'
14 = 'DIDNT WANT TO CARE FOR SELF';

VALUE WHYNOFS

1 = 'DONT NEED THEM'
3 = 'DONT KNOW HOW TO GET THEM'
5 = 'DONT WANT GOVT HELP'
7 = 'TOO EMBARRASSED'
9 = 'DONT QUALIFY'
11 = 'IN PROCESS'
13 = 'DENIED FOOD STAMPS'
77 = 'DNK\NS'

2 = 'DONT THINK IM ELIGIBLE'
4 = 'TOO HARD TO APPLY'
6 = 'WORRIED ABOUT CITIZENSHIP'
8 = 'DIDNT THINK ABOUT IT'
10 = 'DIDNT KNOW ABOUT THEM'
12 = 'OTHER'
99 = 'REFUSED';

VALUE WHYNOGO

1 = 'NO TRANSPORTATION'
3 = 'DIDNT WANT SERVICE\DIDNT WANT TO GO'
5 = 'DIDNT THINK SERVICE WOULD HELP'
7 = 'DNK\NS'

2 = 'DIDNT NEED SERVICE'
4 = 'NO CHILD CARE'
6 = 'OTHER REASON'
9 = 'REF';

VALUE WICLIKE

1 = 'FREE FOOD\FORMULA'
3 = 'SUPPORT WITH BREASTFEEDING'
5 = 'CONCERNED ABOUT CHILDREN'
7 = 'PROVIDES VOUCHERS FOR FOOD'
9 = 'LETS YOU PICK STORE YOU WANT'
11 = 'NOTHING-DONT LIKE WIC'
13 = 'LIKED EVERYTHING'
15 = 'OTHER'
77 = 'DONT KNOW'

2 = 'NUTRITION EDUCATION & COUNSELING'
4 = 'PROVIDES HEALTHY FOOD TO CHILDREN'
6 = 'HELPS LOW INCOME WOMEN\KIDS\FAMILIES'
8 = 'ONE-ON-ONE NUTRITIONAL COUNSELING'
10 = 'NICE STAFF'
12 = 'CLASSES PROVIDED'
14 = 'HEALTH EXAMS\CONCERN ABOUT HEALTH'
99 = 'REFUSED';

VALUE WICLIKEB

1 = 'FREE FOOD OR FORMULA'
3 = 'PARENTING CLASSES'
5 = 'NOTHING, I DID NOT LIKE WIC'
7 = 'DNK\NS'

2 = 'NUTRITION EDUCATION'
4 = 'BREASTFEEDING SUPPORT'
6 = 'LIKED EVERYTHING'
9 = 'REF';

VALUE WICDISLK

1 = 'WAITING TIME FOR APPOINTMENTS'
3 = 'HEALTH CLASSES'
5 = 'TREATMENT BY WIC STAFF'
7 = 'NO CHILDCARE WHILE GOING TO WIC'
8 = 'TOO MUCH PAPERWORK'
10 = 'DO NOT DISLIKE ANYTHING ABOUT WIC'
11 = 'WAIT AT GROCERY STORE'
13 = 'CLINIC FACILITIES'
15 = 'WIC FOOD\CHOICES'
17 = 'EMBARRASSING TO BE ON WIC'
19 = 'WAIT FOR VOUCHERS'
21 = 'CLIENTS NOT SCREEN ENOUGH'
23 = 'LIMITED APPT. TIMES (NOT EARLY ENOUGH)'
24 = 'PROGRAM ENDS TOO SOON'
26 = 'OTHER'
77 = 'DNK\NS'

2 = 'NUTRITION\DIETARY COUNSELING'
4 = 'NUTRITION CLASSES'
6 = 'TREATMENT BY STORE STAFF W USING WIC'
9 = 'NEED TO RETURN TO WIC REGULARLY'
12 = 'THE COUPONS'
14 = 'KIDS DONT LIKE WIC FOOD'
16 = 'NOT ENOUGH FOOD\MILK PROVIDED'
18 = 'MEDICAL CHECKUPS FOR CHILDREN'
20 = 'CLINIC LOCATION\NEED TRANSPORTATION'
22 = 'LIMITED CHOICE OF STORES'
25 = 'HEALTH LIMITATIONS NEEDED TO RECD WIC'
99 = 'REF';

VALUE WICDSLKB

1 = 'NOTHING, I REALLY LIKED WIC'
3 = 'WAITING TIME TO GET AN APPOINTMENT'
4 = 'HEALTH CLASSES'
6 = 'TREATMENT BY WIC STAFF'
7 = 'TREATMENT BY STORE STAFF WHEN USING WIC'
8 = 'NO ONE TO WATCH CHILD WHILE GOING TO WIC'
9 = 'TOO MUCH PAPERWORK'
77 = 'DNK\NS'

2 = 'WAITING AT THE CLINIC'
5 = 'NUTRITION OR DIETARY COUNSELING'
10 = 'NO TRANSPORTATION'
99 = 'REF';

VALUE WICNOTEN

1 = 'NO LONGER QUALIFIED'
3 = 'DIDNT NEED IT ANY MORE'

2 = 'MOVED'
4 = 'DID NOT LIKE WIC'

Formats-Catigorical Variables

5 = 'NO CHILDCARE AVAILABLE TO GO TO WIC' 6 = 'TOO MUCH PAPERWORK'
7 = 'WAITING TIME AT WIC TOO LONG' 8 = 'TOO HARD TO GET REQUIRED MEDICAL INFO'
9 = 'NO HLTH INSURANCE\CANT AFFORD HLTH CARE'
10 = 'TOO HARD TO GET A MEDICAL APPOINTMENT'
11 = 'CANT AFFORD MEDICAL VISITS\CO-PAY' 12 = 'TRANSPORTATION PROBLEMS GETTING TO WIC'
13 = 'CANT GET TIME FROM WORK TO GO TO WIC' 14 = 'OTHER (SPECIFY)'
15 = 'MISSED APPOINTMENT' 88 = 'NA'
77 = 'DNK\NS' 99 = 'REF';

VALUE WICNOTE6

1 = 'ARE NO LONGER ELIGIBLE' 2 = 'DID NOT LIKE WIC'
3 = 'MOVED' 4 = 'OTHER'
7 = 'DNK\NS' 9 = 'REF';

VALUE WTBARRI

1 = 'WEIGHT ALREADY HEALTHY' 2 = 'INACTIVITY'
3 = 'NOT ABLE TO EXERCISE (ILL, DISABLED)'
5 = 'METABOLISM/GENETICS/HEREDITY/AGE ' 4 = 'NO TIME TO EXERCISE/EXERCISE MORE'
7 = 'LAZY/TIRED' 6 = 'STRESS'
9 = 'ENJOY EATING/AMOUNT (TYPE) OF FOOD I EAT' 8 = 'LACK OF DISCIPLINE/WILLPOWER'
10 = 'MONEY/MONEY TO BUY NUTRITIOUS FOOD/GYM'
11 = 'HEALTH ISSUES/HEALTH CARE' 12 = 'NO ONE TO EXERCISE WITH'
13 = 'FINDING HEALTHY FOODS WHEN EATING OUT'
14 = 'TIME PROBLEM' 15 = 'BEHAVIORS/HABITS'
16 = 'NO BARRIER' 17 = 'OTHER'
18 = 'NO SUPPORT'
77 = 'DNK\NS' 99 = 'REF';

VALUE WTFACIL

1 = 'NOTHING WOULD HELP/HEREDITY/TOO OLD' 2 = 'MAKING TIME FOR EXERCISE/MORE TIME'
3 = 'FINDING AN EXERCISE I LIKE' 4 = 'MOTIVATION'
5 = 'EATING LESS' 6 = 'EATING DIFFERENT KINDS OF FOOD'
7 = 'WEIGHT LOSS CLASSES OR DOCTOR VISITS' 8 = 'MORE DISCIPLINE/ MORE WILL POWER'
9 = 'DONT NEED TO/DONT WORRY ABOUT IT' 10 = 'MORE FOOD'
11 = 'REDUCE STRESS' 12 = 'MEDICAL HELP'
13 = 'COUNSELING/WEIGHT LOSS PROGRAM' 14 = 'MONEY'
15 = 'COMPANIONSHIP/FAMILY SUPPORT' 16 = 'CAN NOT GAIN WEIGHT/UNDERWEIGHT'
17 = 'MOVE/CHANGE JOBS' 18 = 'OTHER'
19 = 'STOP SMOKING/STOP DRINKING'
77 = 'DNK\NS' 99 = 'REF';

VALUE WTFACILB

1 = 'NOTHING WOULD HELP/HEREDITY/TOO OLD' 2 = 'MAKING TIME FOR EXERCISE/MORE TIME'
3 = 'FINDING AN EXERCISE I LIKE' 4 = 'MOTIVATION'
5 = 'EATING LESS' 6 = 'EATING DIFFERENT KINDS OF FOOD'
7 = 'WEIGHT LOSS CLASSES OR DOCTOR VISITS' 8 = 'MORE DISCIPLINE/ MORE WILL POWER'
9 = 'DONT NEED TO/DONT WORRY ABOUT IT' 10 = 'MORE FOOD'
11 = 'REDUCE STRESS' 12 = 'MEDICAL HELP'
13 = 'COUNSELING/WEIGHT LOSS PROGRAM' 14 = 'MONEY'
15 = 'COMPANIONSHIP/FAMILY SUPPORT' 16 = 'OTHER'
77 = 'DNK\NS' 99 = 'REF';

VALUE WWWWHER

1 = 'HOME' 2 = 'WORK'
3 = 'SCHOOL' 4 = 'LIBRARY'
5 = 'HEALTH CENTER' 6 = 'OTHER'
7 = 'DNK\NS' 9 = 'REF';

VALUE YESNO

1 = 'YES' 2 = 'NO'
8 = 'NA'
7 = 'DNK\NS' 9 = 'REF';

VALUE YESNODVA

1 = 'YES' 2 = 'NO'
3 = 'NEVER BEEN ABUSED' 4 = 'NO PARTNER'
5 = 'COULD NOT RECONTACT' 8 = 'REFUSED MODULE'
7 = 'DNK\NS' 9 = 'REF';

Formats-Catigorical Variables

VALUE _PAPC

1 = 'NEVER HAD'
9 = 'DNK\REF';

2 = 'EVER HAD'

VALUE _PAPD

1 = 'NEVER HAD'
3 = 'HAD W\IN 2 YRS'
5 = 'HAD W\IN 5 YRS'
9 = 'DNK\REF';

2 = 'HAD W\IN 1 YR'
4 = 'HAD W\IN 3 YRS'
6 = 'HAD > 5 YRS AGO'

Part V: Index to Variable Names by Subject, Reference to Location on Questionnaires

Note: The last question on the survey is indicated by underscore and bold (e.g., **54**).

Variable Name	Question Number									
	1997	1998	1999	2000	2001	2002	2003	2004	2005	
<u>Acculturation Scales</u>										
LANGCHLD	102
LANGFRND	105
LANGHOME	103
LANGSPK	101
LANGTHNK	104
<u>Adverse Childhood Experiences</u>										
ACEDEPMI	184	184	190	
ACEDVMOM	185	.	.	
ACEDVMO2	185	191	
ACEDVRCE	187	193	
ACEHNGR	194	
ACEJAIL	186	186	192	
ACESUBAB	183	183	189	
ACEWLFAR	195	
<u>AFP Awareness</u>										
AFPBOOK	40	61	59
AFPNOT1	42	63	61
AFPNOT2	43	64	62
AFPNOT3	44	65	63
AFPNOT4	45	66	64
AFPNOT5	46	67	65
AFPNOT6	47	68	66
AFPNOT7	48	69	67
AFPNOT8	49	70	68
AFPNOT9	50	71	69
AFPTEST	41	62	60
<u>AIDS Awareness</u>										
AIDSNOT	180
AIDSTALK	.	180
AIDSTST3	178
DCTRHIV	178	169	.	.	.
HIVPGTLK	170	.	.	.
HIVPGTST	171	172	.	.
PRENHIV	.	60
REASTST3	179
STDHIV	.	186
<u>Alcohol Consumption</u>										
DRINKGE5	174	164	160	151	150	150	142	143	162	
DRKALC	172	162	158	149	148	148	140	141	160	
DRKGUILT	.	.	.	154	153	153	145	.	.	
DRNKANY1	171	161	157	148	147	147	139	140	159	
DRNKHARM	145	164	
DRNKHLP	146	165	
DRNKPROB	175	165	
DRUNK	.	.	161	152	151	151	143	144	163	
DRUNKNUM	.	.	162	153	152	152	144	.	.	
FAS	.	.	163	
NALCOCC	173	163	159	150	149	149	141	142	161	
<u>Antibiotic Use</u>										
ABTREAT	.	.	.	106	
ALTD0C	.	.	.	52	
ALTHERB	.	.	.	51	
ANTBEAR	.	.	.	101	
ANTBLAD	.	.	.	103	

Variable Names and Locations

Variable Name	1997	1998	1999	2000	2001	2002	2003	2004	2005
ANTCOLD	.	.	.	102
ANTCOLD2	119	.	.

Asthma

ASTHEVR	108	.
ASTHSTL	109	.

Attitudes about Sex Education in Schools

SEXED	168
SEXEDBC	169
SEXEDSTD	170

Attachment Scale

CRI1	211
CRI2	212
CRI3	213
CRI4	214
CRI5	215
CRI6	216
CRI7	217
CRI8	218
CRI9	219
CRI10	220

Birth Control Use

BCBAR	200
BCBAR2	.	175
BCBARNO2	.	176
BCBARNOT	201
BCPAY	.	.	172	163	162	162	154	155	.
BCPAY2	.	.	.	163.5	162.5	162.5	154.5	155.5	.
BCTYPE	184	173	170	161	160	160	152	153	.
BCTYPTXT	.	.	.	161.5	160.5	160.5	152.5	153.5	.
BCUSE	183
BCUSE2	.	172	169
BCUSE3	.	.	.	160	159	159	151	152	.
BCUSE4	152	167
BCWHYNOT	185	174	171	162	161	161	153	154	.
BCWHYNOX	.	.	.	162.5	161.5	161.5	153.5	154.5	.
BCWNTHOW	.	.	173	164	163	163	155	.	.
EMERGWHT	.	.	175	166	165	165	157	157	.
EMRGBC	.	.	174	165	164	164	156	156	.
OTHRCOND	199

Breast and Cervical Cancer Screening

BCFAM	113
BCHAD	112	124	125	112	112	114	.	.	.
BCMEMA-BCMAMD	114
BCRISK	.	125
BCRISK2	.	.	126	113
CBEGUID2	.	.	131	118
CBEGUIDE	122	131
CNCRTYPE	103	.
F40	98
F40A-F40C	100
F40CBEG	121
F40CBEBG	120	130	131	.
F40DFPAY	117
F40GUIDE	106	118	124	111
F40INPAY	115
F40NUM	99
F40RXMAM	110	122
F40SFPAY	116
F50GUID2	108	120

Variable Names and Locations

Variable Name	1997	1998	1999	2000	2001	2002	2003	2004	2005
F50GUID3	109	121
F50GUIDE	107	119
F50RXMAM	111	123
GYNEXAM	122	131	132	.
HADCBE	118	128	129	116	116	117	127	129	137
HADMAM	101	114	120	107	108	109	120	121	133
HADPAP	123	132	.	119	120
HADPAP2	140
HOWLONG2	102	115	121	108	109	110	121	122	134
HYSTER2	126	135	132	122	124	125	133	134	143
LUMPOFT2	118
MAMMDFP	.	127	128	115	114
MAMMDFPB	116	126	127	.
MAMMED12	115
MAMMEDIB	105	117
MAMMPAY	.	126	127	114	113	115	125	126	.
MANYCBE	119	129	130	.
MANYMAM	103	111	122	123	.
PAPINFO	122
PAPINFO2	123	132	133	.
WHATPAP	.	.	.	121	123
WHATPAPB	121	.	.	.
WHENCBE	119	129	130	117	117	118	128	129	138
WHENPAP2	124	133	.	120
WHENPAP3	121
WHENPAP4	141
WHYCBE	120	130
WHYCBE2	139
WHYDON2	.	.	122	109	110
WHYDONE	104	116	.	.	.	112	123	124	135
WHYNOTDB	113	124	125	.
WHYNOTDC	136
WHYNOTDN	.	.	123	110	111
WHYPAP	125	134

Breast Cancer Drug Prevention

BCGENET	119
BCPREVNT	.	.	133	123
BCPRVME	.	.	136	126
CURRALOX	.	.	135	125
CURRTAMX	.	.	134	124

Breastfeeding

BFBENEFT	60
BFDISCOU	72
BFDISWHO	73
BFENCOUR	62
BFFORM	68
BFHELP	66
BFHLPWHO	67
BFINFO	61
BFLONG	69
BFMLKGD	74
BFNURSE	63
BFPROB	64
BFPROB1	65
BFWHERE2	.	.	46
BFWHERE	75	87
BFWHYNOT	71
BFWHYQT	70
BRSTFED2	43	38	45	.	.
BRSTFEED	59	79
CHILDPRT	.	80
IDEALBF	.	86
MLKPREWK	.	82
MLKPSTWK	.	83

Variable Names and Locations

Variable Name	1997	1998	1999	2000	2001	2002	2003	2004	2005
NUMHRWRK	.	81
WHNSTPBF	.	85
WHTHLPBF	.	84
WNSTPBF2	44	39	46	.	.
<i>Cardiovascular</i>									
BPCK12M	27	24	.	.	.
CHCK12M	28	25	.	.	.
CVDBELI2	26	.	.	.
CVDBELI2	29
CVDBELIF	.	.	139
CVDMORT	.	.	34
CVDPROB	.	.	33
HARTATCK	104	.
HARTDIS	105	.
HARTSTRK	106	.
HEARTEAT	26
HEARTEXR	.	.	.	26
HEARTHBP	.	.	.	25
HEARTHRT	24
HEARTIMP	.	.	.	22
HEARTSMK	.	.	.	24
HEARTTLK	.	.	.	23	23	23	.	.	.
HEARTWT	25
<i>Care Giver Responsibilities</i>									
CAREGIV2	.	142
CAREGIVE	141
CARELONG	144
CAREREA	143
CARERESP	.	144
CAREWHO	142	143
HELPKID	139	139	.	.	.
<i>Colorectal Cancer Screening</i>									
COLOEVER	.	.	.	128	126	127	.	.	.
COLOIMP	.	.	.	127
COLOTLK	125	126	.	.	.
SIGEVER	.	.	.	130	128	129	.	.	.
WHENCARD	.	.	.	129	127	128	.	.	.
WHENSIG	.	.	.	131	129	130	.	.	.
WHYNOSIG	.	.	.	132	130	131	.	.	.
WHYSIG	131	132	.	.	.
<i>Demographics</i>									
<i>Respondent Characteristics</i>									
AGE	29	47	47	29	36
AGEB	31	37	32	23
BIRTHPLC	79	91	90	61	58	57	68	53	51
BIRTHTXT	53.5	51.5
CHILD18	81	94	93	64	61	60	71	56	54
CHILD1-CHILD9	82	.	94	65	62	61	72	57	55
CHILDLT1	.	.	94.5	65.5	62.5	61.5	.	.	.
COUNTY1	92	104	103	74	72	71	82	66	64
DEMOC1R-DEMOC9R	56
EDUCA	84	96	95	66	63	62	73	58	.
EDUCA2	57
EMPLOY3	85	97	96	67	64	63	74	59	58
HEIGHT	90	102	101	72	69	68	79	64	62
HHSIZE	86	98	97	68	65	64	75	60	59
HISP3	53	64	49	47
HISPANIC	76	88	87	58	54
INCOM01	66	65	.	.	.
INCOM02	76	61	60
INCOM94B	89	101	100	71	68	67	78	63	.

Variable Names and Locations

Variable Name	1997	1998	1999	2000	2001	2002	2003	2004	2005
INCOM95	87	99	98	69
MARITAL	80	93	92	63	60	59	70	55	53
NEWCHILD	83
NUMPHON2	93	105	104	75	74	73	84	68	66
ORACE2	77	89	88	59
ORACE2A	78	90	89	60	57	56	67	52	50
ORACE3	55	54	65	50	48
ORACE4	56	55	66	51	49
THRESH00	67	66.6	.	.	.
THRESH01	67.1	66.8	.	.	.
THRESH02	67.2	66.9	77	.	.
THRESH03	62	61
THRESH95	88	100	99
THRESH98	.	.	.	70
USENTRY	.	92	91	62	59	58	.	54	.
USENTRY2	69	.	52
WEIGHT	91	103	102	73	70	69	80	65	63
WT12M	71
WT12MB	70	81	.	.
ZIPCODE*	94	106	105	76	73	72	83	67	65
<u>Diabetes</u>									
DIABDRN2	.	.	58
DIABDRNK	.	59
DIABEVR	110	.
DIABPREG	111	.
DMPREG	39
<u>Dieting Behavior</u>									
DIET12M	102	105	116	97	94
DIETLBYO	105
DIETPILL	106	107	.	.	.
DIETYOYB	106	.	.	.
DIETYOYO	103
EPHEDRA	48	44	.	.	.
LIKEWT2	50	46	58	.	.
<u>Disability</u>									
DISANY	20	20	17
DISBEND	.	27	26
DISCARE	23	23	.
DISLONG	21	21	.
DISMDPRB	24	24	.
DISMODER	.	25	24
DISSTAIR	.	26	25
DISUSUAL	.	29	28
DISVIGOR	.	24	23
DISWALK	.	28	27
DISWORK	22	22	.
EQUIP	16
MAJRPROB	.	30	29
PAIN	.	34	30
POORHLTH	.	4	4	4	4	4	4	4	4
<u>Domestic Violence</u>									
COUPLE	.	189
DVCANTLK	.	190	187	178	178
FOSTCARE	95	96	102	87	84
<u>Violence Last 12 Months</u>									
DVAID	182	.	.	.
DVBEATDG	.	.	.	184.2	184.2
DVBEATU2	.	224	196.1	184.1	184.1
DVBEATUP	.	223	196
DVCHLD	187
DVCHOKE	.	227	197

Variable Names and Locations

Variable Name	1997	1998	1999	2000	2001	2002	2003	2004	2005
DVCHOKE2	.	228	197.1
DVCNTROL	.	.	204	180	180	.	173	174	179
DVDRGALC	188
DVFEAR	.	.	205	179	179	179	172	173	178
DVFLODGD	188.2
DVFLOWU	188.1
DVHITDG	.	.	.	183.2	183.2
DVHITTH2	.	220	195.1
DVHITTHG	.	219	195
DVHITYO2	.	216	194.1	183.1	183.1
DVHITYOU	.	215	194
DVINSLT	.	191	188
DVINSLT2	.	192	188.1
DVMED1	.	193	188.2
DVMED10	.	229	197.2
DVMED11	.	233	198.2	186.3
DVMED12	.	237
DVMED13	.	.	200.2	187.3
DVMED14	.	.	.	185.3
DVMED2	.	197	189.2
DVMED3	.	201	190.2
DVMED4	.	205	191.2	181.3
DVMED5	.	209	192.2	182.3
DVMED6	.	213	193.2
DVMED7	.	217	194.2	183.3
DVMED8	.	221	195.2
DVMED9	.	225	196.2	184.3
DVPUSHDGD	.	.	.	182.2	182.2
DVPUSHE2	.	208	192.1	182.1	182.1
DVSKHLP	182	182	.
DVSLAP	.	211	193
DVSLAP2	.	212	193.1
DVTHRDGD	.	.	.	181.2	181.2
DVTHRTH2	.	200	190.1
DVTHRTHG	.	199	190
DVTHRTN	.	195	189
DVTHRTN2	.	196	189.1
DVTHRWP2	.	232	198.1	186.1	186.1
DVTHRWPN	.	231	198
DVTHRYO2	.	204	191.1	181.1	181.1
DVTHRYOU	.	203	191
DVUSEDGD	.	.	.	187.2	187.2
DVUSEWP2	.	236
DVUSEWPN	.	235	199
DVWHR1	.	194	188.3
DVWHR10	.	230	197.3
DVWHR11	.	234	198.3
DVWHR12	.	238
DVWHR13	.	.	200.3
DVWHR2	.	198	189.3
DVWHR3	.	202	190.3
DVWHR4	.	206	191.3
DVWHR5	.	210	192.3
DVWHR6	.	214	193.3
DVWHR7	.	218	194.3
DVWHR8	.	222	195.3
DVWHR9	.	226	196.3
DVWPNDGD	.	.	.	186.2	186.2
DVWPNON2	.	.	200.1	187.1	187.1
DVWPNONU	.	.	200
DVYRBEAT	.	.	.	184	184	.	177	178	183
DVYRFLOW	188	.	181	181	186
DVYRHIT	.	.	.	183	183	.	176	177	182
DVYRPUSH	.	.	.	182	182	.	175	176	181
DVYRSEX	.	.	.	185	185	.	178	179	184
DVYRSEX2	.	.	.	185.1	185.1
DVYRTHRWD	.	.	.	181	181	.	174	175	180

Variable Names and Locations

Variable Name	1997	1998	1999	2000	2001	2002	2003	2004	2005
DVYRUSE2									185
DVYRUSE	.	.	.	187	187	.	180	180	.
DVYRW1_A-K	.	.	.	181.4
DVYRW2_A-K	.	.	.	182.4
DVYRW3_A-K	.	.	.	183.4
DVYRW4_A-K	.	.	.	184.4
DVYRW5_A-K	.	.	.	185.4
DVYRW6_A-K	.	.	.	186.4
DVYRW7_A-K	.	.	.	187.4
DVYRWPN	.	.	.	186	186	.	179	.	.

Violence Ever In Lifetime

DVEBETDG	.	.	.	191.2
DVEHITDG	.	.	.	190.2
DVEMED11	.	.	.	193.3
DVEMED13	.	.	.	194.3
DVEMED14	.	.	.	192.3
DVERVCMB	181	.	.	.
DVESEXDG	.	.	.	192.2
DVETHRDG	.	.	.	188.2
DVEUSEDG	.	.	.	194.2
DVEVBET2	.	.	.	191.1
DVEVHIT2	.	.	.	190.1
DVEVMED4	.	.	.	188.3
DVEVMED9	.	.	.	190.3
DVEVPSDG	.	.	.	191.3
DVEVPSH2	.	.	.	189.2
DVEVRBET	.	.	.	189.1
DVEVRHIT	.	.	.	191
DVEVRPSH	.	.	.	190
DVEVRSEX	.	.	.	189
DVEVRTH2	.	.	.	192
DVEVRTHR	.	.	.	188.1
DVEVRUSE	.	.	.	188
DVEVRWPN	.	.	.	194
DVEVSEX2	.	.	.	193
DVEVUSE2	.	.	.	192.1
DVEVWPN2	.	.	.	194.1
DVEWPNDG	.	.	.	193.1
DVSHLTER	.	.	206	193.2
DVWHR1_A - DVWHR1_K	195
DVWHR2_A - DVWHR2_K	188.4
DVWHR3_A - DVWHR3_K	189.4
DVWHR4_A - DVWHR4_K	190.4
DVWHR5_A - DVWHR5_K	191.4
DVWHR6_A - DVWHR6_K	192.4
DVWHR7_A - DVWHR7_K	193.4
DVYRCMB	.	.	.	194.4	.	180	.	.	.

Drug Use/Criminal Behavior

CRIMJAIL	85
ILLDRUGS	176
WHENDRUG	177

Exercise/Physical Activity

BARRPA	112	93	.	.
BARRPA2	90
BLKACT	.	32	31
CRIME	100	98	.
EXBMODAB	100	110	91	88	.
EXBMODAY	.	.	.	99
EXBMODMB	101	111	92	89	.
EXERMOD	.	.	.	97	98
EXERMOD2	108	89	86	.
EXEROFT2	109	90	87	.
EXEROFTM	.	.	.	98	99

Variable Names and Locations

Variable Name	1997	1998	1999	2000	2001	2002	2003	2004	2005
EXERWORK	96	97	107	88	.
EXMODMI	100
PLEASANT	102	100
STAIRAC2	.	31
TIMESIT	.	33
TIMESIT2	101
TRAFFIC	101	99
WATCHTV	99	97
WORKPHYS	102	113	94	91

Fish Consumption

EATCATCH	39
EATCHKID	41
EATCHOFN	40
EATFSKID	44
EATFSMKT	42
EATFSOFN	43
FISHOFT	61	.	.	.
FISHPORT	45
FISHSERV	62	.	.	.
FISHWARN	63	.	.	46

Family Planning

Access to Family Planning Services

Attitudes

FPDENAP	.	171	168	159	158	158	150	151	.
FPDENIE2	.	169	166	157	156	156	.	.	.
FPDENIE3	148	149	.
FPDENIED	167
FPDENLO	.	170	167	158	157	157	.	.	.
FPDENLO2	149	150	.
FPKID	160
FPKIDWEN	161
FPOTHR	164
FPPREG	163
FPREPRO	162
FPWHEN	165
FPWHEN2	.	167	165	156	155	155	147	148	.
FPWHERE	166
FPWHERE2	.	168

Fertility

FERTDCTR	123
FIBROIDS	122
FERTADV	124
FERTTEST	125
FERTDRUG	126
FERTTUBE	127
FERTINSM	128
FERTIVF	129
FERTFBRD	130
FERTOTHR	131
FERTCAM	132

Folic Acid

FOLICEAB	41	.	.	.
FOLICEAT	45
FOLICHER	35	55	56	40
FOLICIN2	.	56
FOLICINC	37
FOLICLRN	.	58	57	41	.	.	52	.	.
FOLICLTX	.	.	.	41.5
FOLICSO2	.	57
FOLICSOA	38

Variable Names and Locations

Variable Name	1997	1998	1999	2000	2001	2002	2003	2004	2005
FOLICWHY	36
<i>Food Adequacy</i>									
AFRDMEAL	.	108	107	79	77	80	87	71	69
CUTMEAL	.	.	108	80	78	81	88	72	70
CUTOFTN	.	.	109	81	79	82	89	73	71
EATLESSB	96
EATLESSC	.	109	110	82	80	83	90	74	72
EVRHNGRY	.	110	111	83	81	84	91	75	73
FDSTMAPP	.	.	.	93	83	86	93	77	75
FDSTMDEN	.	.	.	94	84	87	94	78	76
FOODBANK	.	.	.	89	85	88	95	79	77
FOODKIT	.	.	.	90	86	89	.	.	.
FOODSENR	.	.	.	92	87	90	.	.	.
FOODSTLS	89	93	99	83	81
FOODSTOR	97
FOODSTP	88	91	96	.	.
FOODSTP2	80	78
FOODWIC	.	.	.	91	35	30	.	81	.
FOODWIC2	97	.	79
INCOMADQ	95	.	.	77	75	78	85	69	67
NOFDHLTH	.	.	.	88	92
NOFDOUT	.	.	.	87
NOFDOUT2	91
NOFDSTOR	.	.	.	86	90
NOTEAT	.	.	.	84	82	85	92	76	74
NOTMED	.	.	.	85
OUTOFFD	.	107	106	78	76	79	86	70	68
WHYNOFS	92	98	82	80
<i>Food Safety</i>									
EATBURGR	.	.	112
EATEGG	.	.	113
EATRAW2	.	.	114
EATSPROT	.	.	115
FSEGGs	.	.	118
FSHAMB	.	.	117
FSOYSTER	.	.	116
FSSPROUT	.	.	119
<i>Health Access</i>									
EMPPPLAN	2	6	6	6	6	6	6	6	6
GAPPLN	9	14	15	15	15	15	.	.	.
GAPPLNT	10	15	16	16	16	16	.	.	.
GAPPLNT2	15	15	14
HAVEPLN3	1	5	5	5	5	5	5	5	5
HLTHLIST	12	17	18	18	18	18	17	17	.
HLTHPLAN	2	6	6	6	6	6	.	.	.
HLTHTXT	.	.	.	18a	18a	18a	.	.	.
HMOPPO2	11	16	17	17	17	17	16	16	.
INDIANHS	.	.	12	12	12	.	12	12	12
INDOTHER	.	12
MAINPLAN	8	.	.	.	14	14	14	14	.
MAINPLN2	.	13	14	14
MEDI_FU2	<u>205</u>	<u>201</u>	<u>202</u>	<u>221</u>
MEDI_FUP	.	.	<u>207</u>	<u>201</u>	<u>204</u>
MEDICAL	6	10	10	10	10	.	10	10	10
MEDICARE	5	9	9	9	9	.	9	9	9
MILINDOT	7
MILPLAN	.	11	11	11	11	.	11	11	11
OEMPLAN	3	7	7	7	7	.	7	7	7
OTHRSRCE	.	.	13	13	13	.	13	13	13
OWNPLAN	4	8	8	8	8	.	8	8	8
PASTPLAN	13	19	20	20	20	20	18	18	15
TIMEPLAN	.	18	19	19	19	19	.	.	.

Variable Names and Locations

Variable Name	1997	1998	1999	2000	2001	2002	2003	2004	2005
<i>Health Information and Health Decisions</i>									
CHECKUP2	17	23	21	21	21	21	19	19	.
CNCBELIF	27	.	.	.
GENHLTH	.	1	1	1	1	1	1	1	1
NEEDDOC2	14	20
OVARRISK	124	.	.	.
PHYSHLTH	.	2	2	2	2	2	2	2	2
SEEDOC	15	21
SEHEALTH	.	.	22
WHERCARE	22	22	27	27	20
WHYNODOC	16	22
WWWHELTH	76	.	.	.
WWWINFO	77	.	.	.
WWWUSE	74	.	.	.
WWWHER	75	.	.	.
<i>Herbs</i>									
DCTRHERB	34
HERBSORC	56	.	.
HERBSUP	54	44	.
HERBTAKE	53	43	.
HERBTAKE2	33
HERBTALK	55	45	.
<i>Housing</i>									
HMLSADQ	106	.	.
HMLSMOVE	105	.	.
HMLSRENT	103	.	.
HOMELESS	104	.	.
<i>Immunization</i>									
FLUVAC	25	25	.
FLUVAC2	18
FLUVAC50	26	26	.
WHYNOVAC	19
<i>Income Adequacy</i>									
PUBASST	93
PUBASST2	94	.	.	.
PUBASST3	100	84	82
PUBASTCH	86	.
PUBASTN2	95	101	85	83
PUBASTNW	94
<i>Long Term Care</i>									
LTCBUY	30	.	.
LTCDISC	31	.	.
LTCGIVE	29	.	.
LTCRCVD	28	.	.
LTCWHO	32	.	.
<i>Menopause</i>									
ESTROHR2	131
ESTROHR3	.	.	138
ESTROHR4	138
ESTROHRT	131
EVEREST	.	.	137
EVEREST2	137
HRTBELIF	132
MEDWHEN	130
MENOPAUS	128
MENOWHEN	129
MENSES	127

Variable Names and Locations

Variable Name	1997	1998	1999	2000	2001	2002	2003	2004	2005
<i>Mental Health Issues</i>									
DAYSANX	.	146	143	143	.	142	135	136	145
DAYSLEEP	145
DAYSSAD	.	147	144	144	.	143	136	137	146
HELPGOOD	.	.	.	138
MENTBELF	140
MENTHELP	142
MENTHLTH	.	3	3	3	3	3	3	3	3
MENTMED	141
MHDX	156
MHDX2	.	.	151	154
MHELPEVR	.	.	.	147
MHEVER	.	151.5
MHHELP	147
MHHELP2	.	152	146	145	.	144	137	.	147
MHHELP3	143
MHHLAWN2	.	.	147	.	145	145	138	139	.
MHHLAWN3	.	.	.	146
MHHLAWNNT	148	153	148
MHLMTDY	.	151
MHLMTWK	.	150
MHLONG	151
MHMED	158	157
MHMED2	.	158	154
MHNOTGE2	.	154	149	149
MHNOTGET	149
MHNOW	150	150
MHNTCTRL	.	.	140	141	146	140	.	.	.
MHOVRWL2	.	.	.	142
MHOVRWLM	146	145	141	.	.	141	134	135	144
MHPAYDIF	.	.	.	140
MHPAYDOC	157	157	152	155
MHPAYRX	159	158
MHPROHLP	154	152
MHTLKHLP	.	.	.	146a
MHTRYHL2	144
MHTRYHLP	.	.	148
MHUSUAL	153
MHWHELP	155
MHWHELP2	155.1	155	153
MHWHELP3	.	.	150	.	.	146	.	.	.
MHWHERGO	.	.	.	139
MHWORK	152	151
MHWTHelp	.	.	142
TAKEMED	.	159	155
WHYNOINS	.	157.5	153	156
WHYNOMED	.	160	156
<i>Nutritional Decisions</i>									
DAILYEAT	51	47	59	47	36
DAILYMLK	.	.	.	57	53	49	.	.	.
DAILYVEG	.	.	.	56	52	48	60	48	37
HEARSERV	50	.	.	.
HEARSTOR	51	.	.	.
HINSNTRN	104	115	96	93
RECSERV	52	.	.	.
WORKNTRN	103	114	95	92
WHYNOTFV	38
<i>Osteoporosis</i>									
CHKHGHT	119	.
FALLBRK	136	.	.	.
FALLBR2	114	.
OSTEO	.	.	32
FALLTEST	117	.
OSTEO2	116	.

Variable Names and Locations

Variable Name	1997	1998	1999	2000	2001	2002	2003	2004	2005
OSTEODEF	.	.	.	134	133	133	.	.	.
OSTEOHRD	.	.	.	133	132
OSTEOIMP	.	.	.	135	134
OSTEOPHY	138	.	.	.
OSTEOPRV	120	.
OSTEORSK	118	.
OSTEOTL2	135	.	.	.
OSTEOTL3	107	.
OSTEOTLC	112	.
OSTEOTLB	134	.	.	.
OSTEOTLD	.	.	.	137	136	.	.	113	.
OSTEOTLK	.	.	.	136	135
WHATBONE	137	.	115	.

Post Traumatic Stress Disorder

PTSD1	.	.	.	196	199	200	196	197	206
PTSD2	.	.	.	197	200	201	197	198	207
PTSD3	.	.	.	198	201	202	198	199	208
PTSD4	.	.	.	199	202	203	199	200	209
PTSD5	.	.	.	200	203	204	200	201	210
TSSBTAD	192	193	188	189	197
TSSBTCH	196	197	193	194	203
TSSDIAD	194	195	190	191	198
TSSDICH	198	199	195	196	205
TSSINSCH	191	192	201
TSSSXAD	193	194	189	190	199
TSSSXCH	197	198	194	195	204
TSSXYR	200
TSSTKAD	191	192	187	188	196
TSSTKCH	195	196	192	193	202

Prenatal Care

BIRTHWGHT	.	.	54	37	42	37	44	39	30
DATEBRTH	38	29
LIVEBRT2	36	27
LOBRTHWT	42	37	28
PREGHLTH	.	.	.	39
PREG5YR	35	26
PREGNANT	33	24
PRENATA2	.	.	53	36
PRENATAL	51
PREVBRTH	.	.	.	35
RUBELLA	.	.	73	46
SFCHEESE	.	.	.	95
SFMEAT	.	.	.	96
TLDSTRPB	.	.	.	104
TRYPREG	34	25
WTGAIN	53	73	71	44
WTGAINRT	54	74	72	45
WTPREPG	52	72	70	43

Sexual Behavior

FRSTCOND	.	179	179	170	.	169	.	165	.
MAINCOND	196
MAINPART	195
OTHRPAR2	.	178	178
OTHRPAR3	.	.	.	169	.	168	.	164	.
OTHRPART	197
SEXBEH1	198
SEXBHAGE	181	166	164	155	154	154	146	.	.
SEXBHAG2	147	166
SEXBHNU2	170	.	.	.
SEXBHNU3	175
SEXBHNUM	182	177	163	.
SXORIENT	160	.
SXORIEN2	169

Variable Names and Locations

Variable Name	1997	1998	1999	2000	2001	2002	2003	2004	2005
SEXWOTHR	171	.	.	.
SEXWOTH2	167	.
WHOSEX	.	239
WHOSX12M	.	.	177	168	167	167	159	159	168
WHOSXEVR	.	.	176	167	166	166	158	158	.
<i>Sexually Transmitted Disease</i>									
ASKFRTST	.	182	182	175
CHLYDTS2	161	.	173
CHLYDTS3	162	.
CHLYDTST	.	181	180	173	171	173	.	.	.
CHLYDXTX	.	.	.	174a
CHLYDWH2	162	.	174
CHLYDWHR	.	.	181	174	.	174	.	.	.
DOUCHEVR	.	.	.	176	174
DOUCHOFN	.	.	.	177	175
INFERTIL	189	188	.	.	177	.	165	.	.
PROBPREG	188	187	164	.	.
PROBRCAL	172
STDADV	190	185
STDADV2	177	163	168	.
STDCHK	193	183	.	.	.	176	.	.	.
STDCHLTD	167	.	142
STDCHLY2	187	.	.	172	169	172	.	.	.
STDCHLY3	160	.	.
STDCHLYD	186	.	.	171	168	.	.	161	.
STDDX	192
STDDX2	177
STDDXTXT
STDHRPNO	.	.	184	.	173
STDHRPT2	172
STDHRPT3	175	.	.	.
STDHRPTD	.	.	185	.	.	.	166	.	.
STDHRPTR	.	.	183
STDPROB	171
STDPROPG	170
STDRCALL	170
STD TALK	168	.	.
STD TALK2	166	.
STDTEST	169	.
STD TOLD	191
STD TOLD2	176
STD TSTWT	170	.
STDWHERE	194	184
<i>Size Acceptance</i>									
LAXWGHT	.	.	.	100
LOSEWT	.	112
SELFWGHT	.	.	.	97	49	45	57	46	35
SIZEFEE2	.	.	.	98
SIZEFEEL	.	111
TRYLOSE	.	113
VOMTWGHT	.	.	.	99
<i>Smoking</i>									
<i>Exposure</i>									
EXPHRS	20	37
<i>History</i>									
SMKEVDA2	19	36	36	28	31	29	34	29	22
SMOKE100	18	35	35	27	30	28	33	28	21
<i>Social Support</i>									
HLPACT	137	138
HLP MONEY	138	139

Variable Names and Locations

Variable Name	1997	1998	1999	2000	2001	2002	2003	2004	2005
HLPRIDE	140	141
HLPSICK	139	140
<i>Urinary Incontinence and Bladder Problems</i>									
BLADINF	134
BLADINF2	.	.	.	105
CYSTITIS	136
DAYURIN	.	137
SYMPLAST	.	.	.	105a
TOLDINF	135
UIPROB	133	136
<i>Vitamins and Minerals</i>									
IRON	57	78
IRONLOCK	58
OFTCERL	48	.	.
STOPSUPP	.	.	85	54
SUPSLEEP	.	.	145
TAKESUPP	.	.	.	53
VITAIU	.	.	.	50
VITAMA	.	.	76
VITAMBF	55	75
VITAMCT	56
VITAMCT2	.	76
VITAMCT3	.	.	74
VITANX	.	.	78
VITAT_B	.	.	75
VITATAK2	.	.	77
VITATAKE	.	77
VITBWHY	.	.	.	42
VITBWHYB	40	47	40	.
VITCVD	.	.	79
VITDAILY	43	51	42	32
VITGHLT	.	.	80
VITIMMU	.	.	81
VITMILK	49	.	.
VITMNAL	.	.	82
VITOTR	.	.	84
VITPREN	.	.	74a
VITPREN2	.	.	.	47	46
VITSEDOC	.	.	86	55
VITTAKEA	.	.	.	49
VITTAKEB	.	.	.	48	47
VITTAKEC	42	50	41	31
VITWTLS	.	.	83
<i>Weight</i>									
WEIGHT	91	103	102	73	70	69	80	65	63
WTBARRI	117	.	95
WTFACIL	118	.	.
WTFACIL2	98	.	96
<i>WIC Outreach</i>									
INTEREST	27
WHATHEA2	.	.	38
WHATHEA3	36	.	.
WHATHEAR	22
WHERHEA2	34
WHERHEAR	23	.	39
WHYNOTIN	28
WIC2YR	.	38	41
WICAD	33
WICCARR	.	41	42
WICDISLK	26	40
WICDSLK2	.	.	45
WICEVER	24

Variable Names and Locations

Variable Name	1997	1998	1999	2000	2001	2002	2003	2004	2005
WICQUAL	31	.
WICHEAR	21	.	37	.	.	.	35	30	.
WICHEAR2	32
WICLIKE	25	39
WICLIKE2	.	.	44
WICNOGO	.	46
WICNOTEN	.	42	43
WICREF	.	43
WICSVGO	.	45
WICWHEN	.	.	40

Part VI: Weights

As previously discussed, the age and race distribution of the CWHS sample does not completely match that of the California female population. Therefore, to obtain meaningful population estimates, CWHS data must always be weighted before undertaking any analyses. The attached tables provide the names of and relevant information on all weights included in the CWHS dataset and the population estimates used to construct the weights.

Each weight listed in the table combines post-stratification weighting and probability of selection adjustments. The post-stratification weights used here and discussed in more detail below, are ratio-adjusted and correct the age and race distribution of the CWHS sample so that it matches the demographics of the California female population. The probability of selection adjustments used in creating the weights take into account the following factors: number of women in the household and the number of unique telephone numbers in the household. All weights are constructed so that they sum to a standard population.

When undertaking analyses of CWHS data, the researcher should consider carefully which weight or weights to select, as different weights can yield different results. For example, point estimates obtained using `_WT00B` will be slightly different from point estimates obtained using `_WT00`. In general, census estimates are more accurate than intercensal estimates therefore the 2000 weights are the only weights provided on the dataset. It is possible that, after reviewing these weights, researchers may find that none of the weights provided suits the needs of the planned analysis. If this is the case, we recommend consulting with a statistician familiar with weighting procedures for assistance in developing weights appropriate to the analytical task.

The weights provided on the dataset differ on several dimensions, as summarized in the attached table:

The choice of the standard population.

The standard population to which the sample is adjusted is the 2000 California population.

The following types of weights have been included in the dataset:

Single year weights

Name: `_WT00`, `_WT00B`, `_WT00R4`

Three standardized weights have been included in the dataset which weight annual data to 2000. Each of these weights adjusts a single year's sample to the age and race distribution of the 2000 California population, regardless of the year of data collection. These weights should be selected when the purpose of the analysis is to compare annual trends for two or more years. Using one of these weights will allow the researcher to control for changes in the age and race structure of the population over time. The choice of the weight depends upon the planned analysis. For example, if an analysis were planned to examine the prevalence of mammography screening in the population, `_WT00R4` would be an appropriate choice. However, if one wished to examine a variable which occurred infrequently in the population, for example, mental health condition diagnosis (MHDX), either `_WT00` OR `_WT00B` would be a more appropriate choice.

Data users should be aware that these weights were developed for analyses of the California population. Breakdowns by smaller geographic areas, such as region or county, is not recommended. State weights yield biased point estimates for populations that look different demographically than the

California population as a whole. If data users wish to undertake regional analysis, it is necessary to develop regional weights based upon the population of the specific region. We recommend consulting with a statistician familiar with regional weighting procedures.

Finally, data users also should be aware that the weights discussed here adjust only for differences in age and race between the CWHS sample and the California population. The weights do not adjust for any differences between the CWHS sample and the California population in education or income. Also, if the researcher wishes to compare differences among race \ ethnicity groups, the data should be age adjusted. Age adjust necessitates the development of a weight not included on the dataset.

CWHS FINAL WEIGHTS

<u>Age/Race Variable</u>	<u>Variables</u>	<u>Weight Characteristics</u>
_WT00	_AGEG _RACEG	Weight each year to Dept. Of Finance (DOF) Population estimates for 2000; 2 race groups—White, Non-White. 6 age groups.
_WT00B	_AGEGC _RACEGR	Weights each year to DOF Population estimates for 2000, 4 race groups—White, Black, Hispanic, Asian/Other. 2 age groups.
_WT00R4	_AGEG _RACEGR	Weights each year to DOF population estimates for 2000, 4 race groups—White, Black, Hispanic, Asian/Other. 6 age groups.
_WT90*	_AGEG _RACEG	Weight each year to Dept. Of Finance (DOF) Population estimates for 1990; 2 race groups—White, Non-White. 6 age groups.
_WT90B	_AGEGC _RACEGR	Weights each year to DOF Population estimates for 1990, 4 race groups—White, Black, Hispanic, Asian/Other. 2 age groups.
_WT90R4	_AGEG _RACEGR	Weights each year to DOF population estimates for 1990 4 race groups—White, Black, Hispanic, Asian/Other. 6 age groups.

Values for Age Variables:

_AGEG	18-24	_AGEGC	18-44
	25-34		45+
	35-44		
	45-54		
	55-64		
	65+		

Values for Race Variables:

_RACEGR	White	_RACEG	White
	Black		Non-White
	Hispanic		
	Asian\Other		

*NOTE: These are the weights currently being used by the Cancer Surveillance Section. They have been constructed using the most recent population estimates available from the Dept. Of Finance—i.e., Baseline 1997 Population Projection Series, 1990-1996.

**Table IV. DOF 1990 CA POPULATION ESTIMATES USED TO CREATE WEIGHT _WT90N
BY TWO RACE GROUPS, 10-YEAR AGE CATEGORIES**

Sex	Race/Ethnicity	Age Category						Total
		18-24	25-34	35-44	45-54	55-64	65+	
Female	White	784,757	1,518,975	1,407,811	948,299	802,625	1,447,907	6,910,374
	Non-White	823,984	1,233,129	891,208	507,923	369,059	387,990	4,213,293
Total		1,608,741	2,752,104	2,299,019	1,456,222	1,171,684	1,835,897	11,123,667

**Table V. DOF 1990 CA POPULATION ESTIMATES USED TO CREATE WEIGHT _WT90BN
BY FOUR RACE GROUPS, 2 AGE CATEGORIES**

Sex	Race/Ethnicity	Age Category		Total
		18-44	45+	
Female	White	3,711,543	3,198,831	6,910,374
	Black	492,743	263,387	756,130
	Hispanic	1,736,995	627,494	2,364,489
	Other	718,583	374,091	1,092,674
Total		6,659,864	4,463,803	11,123,667

**Table VI. DOF 1990 CA POPULATION ESTIMATES USED TO CREATE WEIGHT _WT90CN
BY FOUR RACE GROUPS, 10-YEAR AGE CATEGORIES**

Sex	Race/Ethnicity	Age Category						Total
		18-24	25-34	35-44	45-54	55-64	65+	
Female	White	784,757	1,518,975	1,407,811	948,299	802,625	1,447,907	6,910,374
	Black	124,443	209,467	158,833	98,982	72,234	92,171	756,130
	Hispanic	530,761	733,653	472,581	261,099	183,863	182,532	2,364,489
	Other	168,780	290,009	259,794	147,842	112,962	113,287	1,092,674
Total		1,608,741	2,752,104	2,299,019	1,456,222	1,171,684	1,835,897	11,123,667

Table VII. DOF 2000 CA POPULATION ESTIMATES USED TO CREATE WEIGHT _WT00 BY TWO RACE GROUPS, 10-YEAR AGE CATEGORIES

		Age Category						Total
Sex	Race/Ethnicity	18-24	25-34	35-44	45-54	55-64	65+	
Female	White	594,737	1,016,140	1,344,110	1,265,745	836,345	1,471,842	6,528,919
	Non-White	1,022,242	1,527,123	1,374,451	954,873	534,385	626,221	6,039,295
Total		1,616,979	2,543,263	2,718,561	2,220,618	1,370,730	2,098,063	12,568,214

Table VIII. DOF 2000 CA POPULATION ESTIMATES USED TO CREATE WEIGHT _WT00B BY FOUR RACE GROUPS, 2 AGE CATEGORIES

		Age Category		Total
Sex	Race/Ethnicity	18-44	45+	
Female	White	2,954,987	3,573,932	6,528,919
	Black	465,957	339,260	805,217
	Hispanic	2,407,966	1,014,927	3,422,893
	Other	1,049,893	761,292	1,811,185
Total		6,878,803	5,689,411	12,568,214

Table IX. DOF 2000 CA POPULATION ESTIMATES USED TO CREATE WEIGHT _WT00R4 BY FOUR RACE GROUPS, 10-YEAR AGE CATEGORIES

		Age Category						Total
Sex	Race/Ethnicity	18-24	25-34	35-44	45-54	55-64	65+	
Female	White	594,737	1,016,140	1,344,110	1,265,745	836,345	1,471,842	6,528,919
	Black	107,199	166,056	192,702	142,778	87,510	108,972	805,217
	Hispanic	665,600	964,324	778,042	478,130	256,932	279,865	3,422,893
	Other	249,443	396,743	403,707	333,965	189,943	237,384	1,811,185
Total		1,616,979	2,543,263	2,718,561	2,220,618	1,370,730	2,098,063	12,568,214