



Supplemental Tables to the California HIV Surveillance Report — 2018

The California HIV Surveillance Report is published annually by the California Department of Public Health, Center for Infectious Diseases, Office of AIDS, Sacramento, California.

Supplemental Tables to the California HIV Surveillance Report — 2018

Table of Tables

Table S1a. Persons newly diagnosed with HIV infection, by race/ethnicity and selected demographic characteristics, 2018 — California	Page 3
Table S1b. Persons newly diagnosed with HIV infection, by race/ethnicity and transmission category, 2018 — California	Page 4
Table S2a. Persons living with diagnosed HIV infection, by race/ethnicity and selected demographic characteristics, 2018 — California	Page 5
Table S2b. Persons living with diagnosed HIV infection, by race/ethnicity and transmission category, 2018 — California	Page 6
Table S3a. Persons living with diagnosed HIV infection ever classified as stage 3 (AIDS), by year and selected demographic characteristics, 2014-2018 — California	Page 7
Table S3b. Persons living with diagnosed HIV infection ever classified as stage 3 (AIDS), by year and transmission category, 2014-2018 — California	Page 8
Table S3c. Persons living with diagnosed HIV infection ever classified as stage 3 (AIDS), by year and local health jurisdiction, 2014-2018 — California	Page 9
Table S4a. Persons living with diagnosed HIV infection ever classified as stage 3 (AIDS), by race/ethnicity and selected demographic characteristics, 2018 — California	Page 10
Table S4b. Persons living with diagnosed HIV infection ever classified as stage 3 (AIDS), by race/ethnicity and transmission category, 2018 — California	Page 11
Technical Notes on the Supplemental Tables	Page 12

Table S1a. Persons newly diagnosed with HIV infection by race/ethnicity, and selected demographic characteristics, 2018—California

		In A	nerican Idian/ Iaska ative		sian	A	lack/ frican erican		panic/ atinx	Hav Pa	ative waiian acific ander		/hite		ltiple aces	Te	otal
Characteristic		N	Rate	N	Rate	N	Rate	N	Rate	N	Rate	N	Rate	N	Rate	N	Rate
Age at diagnosis (in ye	ears) 0 to11	0	0.0	0	0.0	2	0.6	1	0.0	0	0.0	2	0.1	0	0.0	5	0.1
, 190 at alagiloois ()	12 to 14	0	0.0	0	0.0	1	1.2	1	0.1	0	0.0	0	0.0	0	0.0	2	0.1
	15 to 17	0	0.0	1	0.6	5	5.3	17	2.2	0	0.0	4	0.9	2	3.2	29	1.8
	18 to 19	2	38.9	9	6.8	32	41.8	62	11.2	1	22.9	20	5.5	8	17.6	134	11.4
	20 to 24	2	15.6	28	8.3	159	85.8	407	27.9	3	26.9	136	15.3	19	16.1	754	25.0
	25 to 29	1	8.6	57	18.5	196	113.3	508	42.2	4	35.7	193	23.4	24	29.9	983	37.6
	30 to 34	3	27.9	52	15.1	132	86.3	389	35.0	4	36.6	179	19.8	19	27.8	778	29.9
	35 to 39	2	18.4	31	8.0	74	49.5	288	25.2	2	18.0	149	15.5	13	20.1	559	20.5
	40 to 44	2	20.2	34	8.8	60	43.6	170	15.9	0	0.0	110	12.8	9	17.3	385	15.3
	45 to 49	3	27.5	25	6.1	73	48.1	180	17.4	2	19.9	119	12.2	6	12.4	408	15.5
	50 to 54	2	17.2	10	2.7	42	26.4	117	12.8	0	0.0	85	8.1	5	11.5	261	10.2
	55 to 59	0	0.0	6	1.7	35	21.4	59	7.7	1	10.1	108	8.8	8	18.8	217	8.4
	60 to 64	0	0.0	9	2.7	24	17.3	32	5.3	0	0.0	45	3.7	4	11.5	114	4.9
	65 to 74	0	0.0	9	1.8	20	11.0	35	4.8	0	0.0	29	1.5	6	13.6	99	2.9
	≥ 75	0	0.0	3	8.0	2	1.7	6	1.3	0	0.0	8	0.6	0	0.0	19	0.8
Gender	Cisgender men	12	14.1	244	9.8	677	60.3	2,027	25.8	17	23.9	1,044	13.7	98	18.6	4,119	20.8
	Cisgender women	1	1.1	26	0.9	170	14.7	210	2.7	0	0.0	128	1.7	22	4.0	557	2.8
	Transgender women	4	-	4	-	8	-	33	-	0	-	9	-	3	-	61	-
	Transgender men	0	-	0	-	2	-	2	-	0	-	6	-	0	-	10	-
Alte	ernative Gender Identity	0	-	0	_	0	_	0		0	-	0	-	0	-	0	
	Total	17	9.9	274	5.2	857	37.6	2,272	14.5	17	11.8	1,187	7.8	123	11.5	4,747	11.9

Note: Rates are per 100,000 population. Dash (—) indicates rates not calculated due to unknown population denominators. Until 2003, Asian/Native Hawaiian/Pacific Islander was classified as a single category; therefore persons with race/ethnicity data only available prior to 2003 are classified as Asian because they cannot be disaggregated.

Table S1b. Persons newly diagnosed with HIV infection, by race/ethnicity and transmission category, 2018—California

		America Indian Alaska Native	1	Asian	ı	Black/ African America		Hispan Latin		Nativ Hawaii Pacifi Island	an/ ic	White	e	Multip Race:		Tota	ıl
Demographic group	Transmission category	N	%	N	%	N	%	N	%	N	%	N	%	N	%	N	%
Cisgender men	Male-to-male sexual contact (MMSC)	11	91.7%	197	80.7%	438	64.8%	1,512	74.6%	11	64.7%	706	67.8%	72	73.5%	2,947	71.6%
(age ≥12 at diagnosis)	Injection drug use (IDU)	0	0.0%	0	0.0%	22	3.3%	65	3.2%	0	0.0%	61	5.9%	7	7.1%	155	3.8%
	MMSC and IDU	0	0.0%	4	1.6%	14	2.1%	77	3.8%	0	0.0%	75	7.2%	6	6.1%	176	4.3%
	High-risk heterosexual contact	0	0.0%	12	4.9%	22	3.3%	37	1.8%	0	0.0%	31	3.0%	1	1.0%	103	2.5%
	Heterosexual contact (non-high-risk)	1	8.3%	10	4.1%	89	13.2%	166	8.2%	2	11.8%	89	8.5%	6	6.1%	363	8.8%
	Perinatal/Unknown risk/Other	0	0.0%	21	8.6%	91	13.5%	170	8.4%	4	23.5%	80	7.7%	6	6.1%	372	9.0%
	Subtotal	12		244		676		2,027		17		1,042		98		4,116	
Cisgender women	Injection drug use	0	0.0%	0	0.0%	12	7.1%	20	9.6%	0	0.0%	36	28.1%	3	13.6%	71	12.8%
(age ≥12 at diagnosis)	High-risk heterosexual contact	1	100.0%	11	42.3%	47	27.8%	79	37.8%	0	0.0%	29	22.7%	6	27.3%	173	31.2%
	Heterosexual contact (non-high-risk)	0	0.0%	13	50.0%	86	50.9%	91	43.5%	0	0.0%	55	43.0%	11	50.0%	256	46.1%
	Perinatal/Unknown risk/Other	0	0.0%	2	7.7%	24	14.2%	19	9.1%	0	0.0%	8	6.3%	2	9.1%	55	9.9%
	Subtotal	1		26		169		209		0		128		22		555	
Transgender Women	Sexual contact	4	100.0%	4	100.0%	8	100.0%	30	90.9%	0	0.0%	9	100.0%	3	100.0%	58	95.1%
(age ≥12 at diagnosis)	Injection drug use (IDU)	0	0.0%	0	0.0%	0	0.0%	1	3.0%	0	0.0%	0	0.0%	0	0.0%	1	1.6%
	Perinatal/Unknown risk/Other	0	0.0%	0	0.0%	0	0.0%	2	6.1%	0	0.0%	0	0.0%	0	0.0%	2	3.3%
	Subtotal	4		4		8		33		0		9		3		61	
Transgender Men	Sexual contact	0	0.0%	0	0.0%	1	50.0%	1	50.0%	0	0.0%	5	83.3%	0	0.0%	7	70.0%
(age ≥12 at diagnosis)	Injection drug use	0	0.0%	0	0.0%	0	0.0%	1	50.0%	0	0.0%	0	0.0%	0	0.0%	1	10.0%
	Perinatal/Unknown risk/Other	0	0.0%	0	0.0%	1	50.0%	0	0.0%	0	0.0%	1	16.7%	0	0.0%	2	20.0%
	Subtotal	0		0		2		2		0		6		0		10	
Child	Perinatal	0	0.0%	0	0.0%	0	0.0%	1	100.0%	0	0.0%	2	100.0%	0	0.0%	3	60.0%
(age <12 at diagnosis)	Unknown risk	0	0.0%	0	0.0%	2	100.0%	0	0.0%	0	0.0%	0	0.0%	0	0.0%	2	40.0%
	Other	0	0.0%	0	0.0%	0	0.0%	0	0.0%	0	0.0%	0	0.0%	0	0.0%	0	0.0%
	Subtotal	0		0		2		1		0		2		0		5	
	Total	17		274	<u> </u>	857		2,272		17		1,187		123		4,747	

Note: High-risk heterosexual contact: heterosexual intercourse with a person of the opposite sex-at-birth who has a high risk for HIV (e.g., MMSC, IDU). Heterosexual contact (non-high-risk): heterosexual intercourse with a person of the opposite sex-at-birth who does not have a high risk for HIV. Transgender persons who report sexual contact are placed in the transmission category of sexual contact, regardless of IDU. Other includes hemophilia, blood transfusion, and risk factor not reported or not identified. Until 2003, Asian/Native Hawaiian/Pacific Islander was classified as a single category; therefore persons with race/ethnicity data only available prior to 2003 are classified as Asian because they cannot be disaggregated. The number of perinatal diagnoses in a given year do not reflect the number of transmissions during that year since some cases are not diagnosed at birth.

Table S2a. Persons living with diagnosed HIV infection bt race/ethnicity, and selected demographic characteristics, 2018—California

	3 3	Ameri India Alasi Nativ	n/ ka	Asia	an	Black Africa Americ	ın	Hispan Latin		Native Hawaii Pacifie Island	an/	White	e	Multip Race		Tota	ıl
Characteristic	_	N	Rate	N	Rate	N	Rate	N	Rate	N	Rate	N	Rate	N	Rate	N	Rate
Age at year end (years)	0 to11	0	0.0	9	1.3	31	9.9	29	1.0	0	0.0	20	1.1	11	4.1	100	1.7
	12 to 14	0	0.0	8	4.8	25	30.5	16	2.0	1	19.1	11	2.6	2	2.8	63	4.1
	15 to 17	0	0.0	5	2.9	34	36.0	43	5.4	0	0.0	15	3.3	6	9.6	103	6.5
	18 to 19	2	38.9	14	10.6	57	74.4	111	20.1	1	22.9	32	8.9	13	28.6	230	19.5
	20 to 24	7	54.6	129	38.4	728	392.7	1,403	96.1	6	53.9	485	54.6	92	77.9	2,851	94.7
	25 to 29	15	128.8	421	136.3	1,837	1,062.3	3,681	306.1	27	241.1	1,548	187.5	353	439.2	7,882	301.6
	30 to 34	32	297.5	609	176.4	2,338	1,527.7	5,117	459.8	32	292.7	2,583	286.0	410	600.2	11,121	427.1
	35 to 39	35	321.3	655	168.8	2,095	1,400.7	6,002	525.5	41	368.0	3,109	323.1	468	722.1	12,405	454.6
	40 to 44	32	322.5	753	196.0	1,935	1,407.2	6,118	573.2	25	252.5	3,385	394.1	463	890.8	12,711	504.4
	45 to 49	54	495.8	867	213.0	2,498	1,645.8	7,168	694.6	41	408.5	5,577	573.4	551	1,140.8	16,756	636.5
	50 to 54	63	543.0	803	219.0	3,472	2,184.9	8,029	880.3	34	346.2	8,945	848.0	657	1,514.1	22,004	860.4
	55 to 59	60	454.6	534	148.8	3,506	2,145.3	6,075	792.3	20	202.6	10,651	871.7	592	1,389.5	21,438	832.0
	60 to 64	33	275.3	395	118.5	2,530	1,821.5	3,508	581.8	19	235.5	7,348	610.2	375	1,073.5	14,208	608.7
	65 to 74	21	122.0	372	75.2	2,004	1,106.1	2,584	354.2	10	96.5	6,984	357.7	310	702.4	12,287	358.3
	≥ 75	4	39.5	67	18.1	323	274.6	569	124.0	2	32.4	1,393	96.1	49	191.8	2,407	98.7
Gender	Cisgender men	292	342.3	4,871	195.6	17,789	1,585.5	43,759	556.0	217	305.0	48,073	630.6	3,704	702.3	118,708	599.9
	Cisgender women	56	64.3	680	24.8	5,077	439.8	5,772	74.5	35	48.3	3,763	49.0	553	101.6	15,937	79.5
	Transgender women	10	-	90	-	529	-	893	-	7	-	231	-	91	-	1,851	-
	Transgender women	0	_	0	-	18	-	23	-	0	-	19	-	3	-	63	-
	Alternative Gender Identity	0	-	0	-	0	-	6	-	0	-	0	-	1	-	7	-
	Total	358	207.7	5,641	107.7	23,413	1,028.6	50,453	323.1	259	180.3	52,086	340.3	4,352	406.1	136,566	342.9

Note: Rates are per 100,000 population. Dash (—) indicates rates not calculated due to unknown population denominators. Until 2003, Asian/Native Hawaiian/Pacific Islander was classified as a single category; therefore persons with race/ethnicity data only available prior to 2003 are classified as Asian because they cannot be disaggregated. There were four persons diagnosed and living with HIV in California with an unknown race/ethnicity.

Table S2b. Persons living with diagnosed HIV infection, by race/ethnicity and transmission category, 2018—California

	Sons living with diagnosca	Americ Indiar Alask Native	an / a	Asian		Black/ Africar America	1	Hispani Latinx	ic/	Native Hawaiia Pacific Islande	n/	White		Multipl Races	e	Total	
Demographic group	Transmission category	N	%	N	%	N	%	N	%	N	%	N	%	N	%	N	%
Cisgender men	Male-to-male sexual contact (MMSC)	202	69.2%	3,972	81.6%	11,741	66.1%	33,522	76.6%	171	78.8%	38,624	80.4%	2,850	77.0%	91,083	76.8%
(age ≥12 at year end)	Injection drug use (IDU)	26	8.9%	83	1.7%	1,311	7.4%	1,722	3.9%	6	2.8%	1,807	3.8%	133	3.6%	5,088	4.3%
	MMSC and IDU	43	14.7%	163	3.3%	1,277	7.2%	2,489	5.7%	13	6.0%	4,499	9.4%	380	10.3%	8,864	7.5%
	High-risk heterosexual contact	5	1.7%	175	3.6%	1,082	6.1%	1,463	3.3%	2	0.9%	839	1.7%	92	2.5%	3,660	3.1%
	Heterosexual contact (non-high-risk)	4	1.4%	232	4.8%	1,144	6.4%	2,259	5.2%	14	6.5%	912	1.9%	96	2.6%	4,661	3.9%
	Perinatal/Unknown risk/Other	12	4.1%	243	5.0%	1,219	6.9%	2,288	5.2%	11	5.1%	1,384	2.9%	149	4.0%	5,306	4.5%
	Subtotal	292	83.9%	4,868	87.8%	17,774	77.8%	43,743	88.4%	217	86.1%	48,065	92.8%	3,700	87.1%	118,662	88.2%
Cisgender women	Injection drug use	24	42.9%	26	3.9%	833	16.5%	643	11.2%	6	17.1%	1,075	28.7%	112	20.5%	2,719	17.1%
(age ≥12 at year end)	High-risk heterosexual contact	21	37.5%	411	61.0%	2,414	47.7%	3,168	55.0%	18	51.4%	1,809	48.2%	243	44.5%	8,084	50.9%
	Heterosexual contact (non-high-risk)	8	14.3%	169	25.1%	1,310	25.9%	1,351	23.5%	10	28.6%	591	15.8%	138	25.3%	3,577	22.5%
	Perinatal/Unknown risk/Other	3	5.4%	68	10.1%	504	10.0%	597	10.4%	1	2.9%	276	7.4%	53	9.7%	1,503	9.5%
	Subtotal	56	16.1%	674	12.2%	5,061	22.2%	5,759	11.6%	35	13.9%	3,751	7.2%	546	12.9%	15,883	11.8%
Transgender women	Sexual contact	9	90.0%	89	98.9%	515	97.4%	874	97.9%	7	100.0%	226	97.8%	87	95.6%	1,807	97.6%
(age ≥12 at year end)	Injection drug use (IDU)	0	0.0%	0	0.0%	3	0.6%	4	0.4%	0	0.0%	1	0.4%	1	1.1%	9	0.5%
	Perinatal/Unknown risk/Other	1	10.0%	1	1.1%	11	2.1%	15	1.7%	0	0.0%	4	1.7%	3	3.3%	35	1.9%
	Subtotal	10	100.0%	90	100.0%	529	96.7%	893	97.5%	7	100.0%	231	92.4%	91	96.8%	1,851	96.7%
Transgender men	Sexual contact	0	0.0%	0	0.0%	11	61.1%	18	78.3%	0	0.0%	15	78.9%	1	33.3%	45	71.4%
(age ≥12 at year end)	Injection drug use	0	0.0%	0	0.0%	4	22.2%	2	8.7%	0	0.0%	3	15.8%	2	66.7%	11	17.5%
	Perinatal/Unknown risk/Other	0	0.0%	0	0.0%	3	16.7%	3	13.0%	0	0.0%	1	5.3%	0	0.0%	7	11.1%
	Subtotal	0	0.0%	0	0.0%	18	3.3%	23	2.5%	0	0.0%	19	7.6%	3	3.2%	63	3.3%
Alternative gender	Sexual contact	0	0.0%	0	0.0%	0	0.0%	6	100.0%	0	0.0%	0	0.0%	1	100.0%	7	100.0%
(age ≥12 at year end)	Injection drug use	0	0.0%	0	0.0%	0	0.0%	0	0.0%	0	0.0%	0	0.0%	0	0.0%	0	0.0%
	Subtotal	0	0.0%	0	0.0%	0	0.0%	6	100.0%	0	0.0%	0	0.0%	1	100.0%	7	100.0%
Child	Perinatal	0	0.0%	7	77.8%	24	77.4%	25	86.2%	0	0.0%	17	85.0%	11	100.0%	84	84.0%
(age <12 at year end)	Unknown risk	0	0.0%	2	22.2%	7	22.6%	3	10.3%	0	0.0%	2	10.0%	0	0.0%	14	14.0%
	Other	0	0.0%	0	0.0%	0	0.0%	1	3.4%	0	0.0%	1	5.0%	0	0.0%	2	2.0%
	Subtotal	0	0.0%		100.0%		100.0%		100.0%	0	0.0%		100.0%		100.0%		100.0%
	Total	358		5,641		23,413		50,453		259		52,086		4,352		136,566	

Note: High-risk heterosexual contact: heterosexual intercourse with a person of the opposite sex-at-birth who has a high risk for HIV (e.g., MMSC, IDU). Heterosexual contact (non-high-risk): heterosexual intercourse with a person of the opposite sex-at-birth who does not have a high risk for HIV. Transgender persons who report sexual contact are placed in the transmission category of sexual contact, regardless of IDU. Other includes hemophilia, blood transfusion, and risk factor not reported or not identified. Until 2003, Asian/Native Hawaiian/Pacific Islander was classified as a single category; therefore persons with race/ethnicity data only available prior to 2003 are classified as Asian because they cannot be disaggregated. There were four persons diagnosed and living with HIV in California with an unknown race/ethnicity.

Table S3a. Persons living with diagnosed HIV infection ever classified as stage 3 (AIDS), by year and selected demographic characteristics, 2014–2018 — California

			2014			2015			2016			2017			2018	
Characteristic	•	N	%	Rate												
Age at year end (in years)	0 to11	30	0.0%	0.5	23	0.0%	0.4	22	0.0%	0.4	19	0.0%	0.3	19	0.0%	0.3
	12 to 14	13	0.0%	8.0	18	0.0%	1.2	17	0.0%	1.1	15	0.0%	1.0	9	0.0%	0.6
	15 to 17	36	0.1%	2.2	27	0.0%	1.7	23	0.0%	1.4	13	0.0%	8.0	18	0.0%	1.1
	18 to 19	54	0.1%	4.4	42	0.1%	3.5	30	0.0%	2.5	35	0.1%	3.0	23	0.0%	2.0
	20 to 24	545	0.8%	18.3	492	0.7%	16.3	457	0.7%	15.0	388	0.6%	12.8	350	0.5%	11.6
	25 to 29	1,640	2.4%	64.4	1,542	2.3%	61.5	1,506	2.2%	60.0	1,431	2.1%	56.2	1,322	2.0%	50.6
	30 to 34	3,066		110.3	2,974	4.4%	107.5	2,867	4.2%	105.1	2,762	4.1%	103.3	2,702	4.0%	103.8
	35 to 39	4,463		175.6	4,305	6.4%	166.7	4,296	6.3%	163.4	4,204	6.2%	156.7	4,053	6.1%	148.5
	40 to 44	7,239			6,412		249.4	5,873	8.7%	232.1	5,491	8.1%	217.9	5,211	7.8%	206.8
	45 to 49	12,054	17.8%	465.8	11,156	16.5%	427.1	10,249	15.1%	388.6	9,366	13.9%	353.7	8,318	12.4%	316.0
	50 to 54							14,190				19.9%	518.6	12,638	18.9%	494.2
	55 to 59	10,758	15.9%	437.1	11,444	17.0%	455.8	12,216	18.0%	480.4	12,783	18.9%	498.5	13,186	19.7%	511.8
	60 to 64	6,818			7,329	10.9%	340.9	8,057	11.9%	363.5	8,783	13.0%	384.9	9,203	13.8%	394.2
	65 to 74	5,209		181.7	5,951	8.8%		6,641	9.8%	210.0	7,371	10.9%	223.2	8,156	12.2%	237.8
	≥ 75	954	1.4%		1,118	1.7%	50.3	1,302	1.9%	57.1	1,489	2.2%	63.2	1,679	2.5%	68.8
Race/ethnicity	Hispanic/Latinx	24,824	36.7%	166.3	25,157	37.3%	166.4	25,610	37.8%	167.5	25,938	38.4%	167.7	26,126	39.1%	167.3
	American Indian/Alaska Native	164	0.2%	96.9	162	0.2%	95.2	166	0.2%	97.1	167	0.2%	97.2	161	0.2%	
	Asian	2,308	3.4%		2,372	3.5%	46.4	2,425	3.6%	47.1	2,494	3.7%	48.0	2,532	3.8%	48.3
	Black/African American	11,507	17.0%		11,385			11,366			11,304		498.0	11,176	16.7%	491.0
	Native Hawaiian/Other Pacific Islander	108	0.2%		109	0.2%	77.5	113	0.2%	79.8	111	0.2%	77.7	111	0.2%	77.3
	White	,			26,271	38.9%	172.1	,			25,579	37.9%	167.1	24,840	37.1%	162.3
	Multiple races	2,015		202.3	2,011		197.9	2,006		193.9	1,970	2.9%	187.0	1,937		180.7
	Unknown race	4	0.0%	-	4	0.0%	-	4	0.0%	-	4	0.0%	-	4	0.0%	
Gender	Cisgender men	58,884			,						58,728					
	Cisgender women	7,804		40.1	7,870		40.1	7,913		40.0	•		39.8	7,910	11.8%	
	Transgender women	857	1.3%	-	870	1.3%	-	876	1.3%	-	886	1.3%	-	885	1.3%	
	Transgender women	18	0.0%	-	18	0.0%	-	18	0.0%	-	19	0.0%	-	19	0.0%	
	Alternative Gender Identity	3	0.0%	-	2	0.0%	-	2	0.0%	-	2	0.0%	-	1	0.0%	
	Total	67,566		174.3	67,471		172.7	67,746		172.3	67,567		170.6	66,887		168.0

Note: Rates are per 100,000 population. Dash (—) indicates rates not calculated due to unknown population denominators. Until 2003, Asian/Native Hawaiian/Pacific Islander was classified as a single category; therefore persons with race/ethnicity data only available prior to 2003 are classified as Asian because they cannot be disaggregated.

Table S3b. Persons living with diagnosed HIV infection ever classified as stage 3 (AIDS), by year and transmission category, 2014–2018 — California

Demographic group	Transmission category	2014	%	2015	%	2016	%	2017	%	2018	%
Cisgender men	Male-to-male sexual contact (MMSC)	43,319	73.6%	43,244	73.7%	43,431	73.7%	43,269	73.7%	42,812	73.7%
(age ≥12 at year end)	Injection drug use (IDU)	3,574	6.1%	3,501	6.0%	3,440	5.8%	3,388	5.8%	3,300	5.7%
	MMSC and IDU	5,654	9.6%	5,507	9.4%	5,447	9.2%	5,323	9.1%	5,155	8.9%
	High-risk heterosexual contact	2,272	3.9%	2,284	3.9%	2,289	3.9%	2,273	3.9%	2,262	3.9%
	Heterosexual contact (non-high-risk)	2,053	3.5%	2,121	3.6%	2,226	3.8%	2,310	3.9%	2,344	4.0%
	Perinatal/Unknown risk/Other	1,998	3.4%	2,043	3.5%	2,092	3.6%	2,153	3.7%	2,187	3.8%
	Subtotal	58,870	88.3%	58,700	88.2%	58,925	88.2%	58,716	88.1%	58,060	88.0%
Cisgender women	Injection drug use	1,770	22.7%	1,732	22.0%	1,699	21.5%	1,668	21.0%	1,613	20.4%
(age ≥12 at year end)	High-risk heterosexual contact	4,253	54.6%	4,285	54.5%	4,297	54.4%	4,303	54.3%	4,285	54.2%
	Heterosexual contact (non-high-risk)	1,179	15.1%	1,242	15.8%	1,282	16.2%	1,324	16.7%	1,363	17.2%
	Perinatal/Unknown risk/Other	586	7.5%	599	7.6%	625	7.9%	630	7.9%	642	8.1%
	Subtotal	7,788	11.7%	7,858	11.8%	7,903	11.8%	7,925	11.9%	7,903	12.0%
Transgender women	Transgender sexual contact	848	98.9%	861	99.0%	867	99.0%	875	98.8%	873	98.6%
(age ≥12 at year end)	Injection drug use (IDU)	7	0.8%	7	0.8%	6	0.7%	6	0.7%	7	0.8%
	Perinatal/Unknown risk/Other	2	0.2%	2	0.2%	3	0.3%	5	0.6%	5	0.6%
	Subtotal	857	97.9%	870	98.0%	876	98.0%	886	97.9%	885	97.9%
Transgender men	Transgender sexual contact	13	72.2%	12	66.7%	12	66.7%	13	68.4%	14	73.7%
(age ≥12 at year end)	Injection drug use	4	22.2%	5	27.8%	5	27.8%	5	26.3%	4	21.1%
	Perinatal/Unknown risk/Other	1	5.6%	1	5.6%	1	5.6%	1	5.3%	1	5.3%
	Subtotal	18	2.1%	18	2.0%	18	2.0%	19	2.1%	19	2.1%
Alternative gender	Sexual contact	2	66.7%	1	50.0%	1	50.0%	1	50.0%	1	100.0%
(age ≥12 at year end)	Injection drug use	1	33.3%	1	50.0%	1	50.0%	1	50.0%	0	0.0%
	Subtotal	3	100.0%	2	100.0%	2	100.0%	2	100.0%	1	100.0%
Child	Perinatal	26	86.7%	20	87.0%	19	86.4%	16	84.2%	14	73.7%
(age <12 at year end)	Unknown risk	3	10.0%	2	8.7%	2	9.1%	2	10.5%	4	21.1%
	Other	1	3.3%	1	4.3%	1	4.5%	1	5.3%	1	5.3%
	Subtotal	30	100.0%	23	100.0%	22	100.0%	19	100.0%	19	100.0%
	Total	67,566	_	67,471		67,746	_	67,567		66,887	

Note: High-risk heterosexual contact: heterosexual intercourse with a person of the opposite sex-at-birth who has a high risk for HIV (e.g., MMSC, IDU). Heterosexual contact (non-high-risk): heterosexual intercourse with a person of the opposite sex-at-birth who does not have a high risk for HIV. Transgender persons who report sexual contact are placed in the transmission category of sexual contact, regardless of IDU. Other includes hemophilia, blood transfusion, and risk factor not reported or not identified.

Table S3c. Persons living with diagnosed HIV infection ever classified as stage 3 (AIDS), by year and local health jurisdiction, 2014–2018 — California

O		2014			2015			2016			2017			2018	
County of current residence	N	%	Rate												
Alameda	3,625	5.4%	226.4	3,580	5.3%	220.8	3,492	5.2%	213.2	3,456	5.1%	209.3	3,363	5.0%	202.3
Alpine	0	0.0%	0.0	0	0.0%	0.0	2	0.0%	173.8	2	0.0%		2	0.0%	175.3
Amador	25	0.0%	68.7	39	0.1%	107.2	92	0.1%	249.6	106		283.4	102	0.2%	268.0
Butte	128	0.2%	57.1	127	0.2%	56.6	145	0.2%	64.4	150	0.2%	66.2	152	0.2%	66.7
Calaveras	19	0.0%	42.2	22	0.0%	49.0	28	0.0%	62.6	26	0.0%	58.2	28	0.0%	62.7
Colusa	3	0.0%	13.5	2	0.0%	9.0	2	0.0%	8.9	4	0.0%	17.7	6	0.0%	26.4
Contra Costa	1,332	2.0%	120.6	1,333	2.0%	119.2	1,426	2.1%	126.2	1,387	2.1%	121.9	1,401	2.1%	122.3
Del Norte	11	0.0%	40.4	12	0.0%	44.2	11	0.0%	40.8	10	0.0%	37.3	11	0.0%	40.3
El Dorado	82	0.1%	44.9	80	0.1%	43.6	96	0.1%	52.1	102	0.2%	54.7	110	0.2%	58.2
Fresno	944	1.4%	97.4	956	1.4%	97.5	987	1.5%	99.8	1,017	1.5%	101.7	1,026	1.5%	101.5
Glenn	5	0.0%	17.3	6	0.0%	20.7	11	0.0%	37.8	12	0.0%	41.1	12	0.0%	40.9
Humboldt	87	0.1%	64.5	96	0.1%	71.0	106	0.2%	78.0	100	0.1%	73.6	99	0.1%	73.0
Imperial	144	0.2%	78.7	149	0.2%	80.5	164	0.2%	87.9	173	0.3%	92.0	175	0.3%	92.4
Inyo	13	0.0%	69.7	12	0.0%	64.4	14	0.0%	75.2	12	0.0%	64.6	10	0.0%	54.0
Kern	846	1.3%	96.5	855	1.3%	96.7	821	1.2%	92.4	845	1.3%	94.1	871	1.3%	96.0
Kings	88	0.1%	58.8	85	0.1%	56.7	92	0.1%	61.6	90	0.1%	59.6	94	0.1%	61.2
Lake	70	0.1%	107.4	87	0.1%	134.1	91	0.1%	140.9	94	0.1%		96	0.1%	147.3
Lassen	13	0.0%	40.8	12	0.0%	38.7	10	0.0%	32.7	9	0.0%	29.4	7	0.0%	22.9
Los Angeles	26,581	39.3%		26,168	38.8%					25,226			25,002		243.2
Madera	103	0.2%	66.9	101	0.1%	65.3	101	0.1%	65.0	102	0.2%	65.0	102	0.2%	64.5
Marin	534	0.8%	204.5	495	0.7%	189.2	464	0.1%	176.8	445	0.2 %	169.8	446	0.7%	170.1
	13	0.0%	71.7	13	0.7 %	71.9	12	0.7 %	66.4	12	0.7 %	66.7	13	0.7 %	72.6
Mariposa Mendocino	109	0.0%	123.2	105	0.0%	118.9	109	0.0%	122.8	104	0.0%	116.8	97	0.0%	109.0
		0.2%	35.1		0.2 %	37.4	135				0.2%	53.5			49.9
Merced	94			101				0.2%	49.6	148			140	0.2%	
Modoc	0	0.0%	0.0	0	0.0%	0.0	0	0.0%	0.0	0	0.0%	0.0	1	0.0%	10.5
Mono	0	0.0%	0.0	4	0.0%	28.8	4	0.0%	29.0	5	0.0%	36.1	5	0.0%	36.0
Monterey	425	0.6%	98.9	419	0.6%	96.2	415	0.6%	94.4	416	0.6%	94.1	401	0.6%	90.4
Napa	101	0.1%	71.8	140	0.2%	99.1	150	0.2%	106.0	153	0.2%	108.4	149	0.2%	106.1
Nevada	52	0.1%	52.8	57	0.1%	58.0	75	0.1%	76.3	77	0.1%	78.1	77	0.1%	78.0
Orange	3,742	5.5%	119.2	3,639	5.4%	115.0	3,522	5.2%	110.7	3,491	5.2%	108.9	3,420	5.1%	106.3
Placer	125	0.2%	33.9	131	0.2%	35.3	181	0.3%	48.1	188	0.3%	49.1	194	0.3%	49.9
Plumas	3	0.0%	15.2	5	0.0%	25.5	6	0.0%	30.6	8	0.0%	40.9	7	0.0%	35.9
Riverside	3,001	4.4%	130.0	3,388	5.0%	145.1	4,119	6.1%	174.4	4,471	6.6%	186.9	4,558	6.8%	188.4
Sacramento	1,917	2.8%	130.0	1,930	2.9%	129.5	2,085	3.1%	138.5	2,075	3.1%	136.5	2,088	3.1%	136.0
San Benito	20	0.0%	34.5	19	0.0%	32.4	25	0.0%	42.0	33	0.0%	54.7	31	0.0%	50.6
San Bernardino	1,773	2.6%	83.9	1,830	2.7%	85.9	2,103	3.1%	98.0	2,152	3.2%	99.5	2,247	3.4%	103.1
San Diego	6,597	9.8%	203.0	6,548	9.7%	199.9	6,760	10.0%	205.0	6,756	10.0%	203.5	6,634	9.9%	198.4
San Francisco	7,363	10.9%	861.6	7,402	11.0%	855.8	6,887	10.2%	789.0	6,636	9.8%	753.3	6,380	9.5%	718.8
San Joaquin	695	1.0%	96.8	702	1.0%	96.4	706	1.0%	95.6	684	1.0%	91.2	685	1.0%	90.2
San Luis Obispo	344	0.5%	124.5	283	0.4%	102.2	226	0.3%	81.2	232	0.3%	83.2	184	0.3%	65.9
San Mateo	835	1.2%	110.3	823	1.2%	107.6	824	1.2%	107.2	819	1.2%	106.1	800	1.2%	103.3
Santa Barbara	343	0.5%	77.9	344	0.5%	77.4	335	0.5%	74.9	281	0.4%	62.4	282	0.4%	62.2
Santa Clara	2,178	3.2%	115.0	2,070	3.1%	107.8	1,937	2.9%	100.2		2.8%	98.6	1,871	2.8%	95.6
Santa Cruz	246	0.4%	90.4	257	0.4%	93.6	265	0.4%	96.1	266	0.4%	96.4	267	0.4%	97.0
Shasta	107	0.2%	59.7	101	0.1%	56.6	105	0.2%	59.1	111	0.2%	62.3	107	0.2%	60.0
Sierra	1	0.0%	31.5	1	0.0%	31.7	1	0.0%	31.8	1	0.0%	31.8	1	0.0%	31.7
Siskiyou	25	0.0%	55.9	32	0.0%	71.8	39	0.1%	87.8	38	0.1%	85.9	41	0.1%	93.0
Solano	684	1.0%	160.7	719	1.1%	167.4	744	1.1%	171.6	731	1.1%		720	1.1%	163.8
Sonoma	779	1.2%	156.3	797	1.2%	159.0	896	1.3%	178.0	877		174.1	848	1.3%	169.1
Stanislaus	365	0.5%	68.6	395	0.6%	73.4	439	0.6%	80.8	451	0.7%	81.9	456	0.7%	82.2
Sutter	37	0.1%	38.2	37	0.0%	38.0	43	0.0%	43.9	49	0.1%	49.8	51	0.1%	51.7
Tehama	21	0.1%	32.8	22	0.1%	34.3	25	0.1%	38.9	27	0.1%	41.9	21	0.1%	32.5
Trinity	10	0.0%	73.4	10	0.0%	73.8	10	0.0%	74.1	10	0.0%	74.3	8	0.0%	59.7
Tulare	182	0.3%	39.6	192	0.3%	41.3	209	0.3%	44.6	217	0.3%	45.9	228	0.3%	47.8
Tuolumne	22	0.0%	40.9	19	0.0%	35.5	24	0.0%	45.0	24	0.0%	45.4	30	0.0%	56.8
Ventura	533	0.8%	62.8	543	0.8%	63.7	529	0.8%	62.0	545	0.8%	63.7	534	0.8%	62.4
Yolo	135	0.2%	64.3	137	0.2%	64.3	139	0.2%	64.1	144	0.2%	65.5	149	0.2%	67.3
Yuba	36	0.1%	48.7	39	0.1%	52.3	47	0.1%	62.3	48	0.1%	62.5	47	0.1%	60.6
Total	67,566			67,471			67,746			67,567			66,887		168.0
Berkeley city	261	0.4%	219.8	266	0.4%	220.3	263	0.4%	216.5	253		207.4	239	0.4%	196.5
Long Beach city	2,777	4.1%	591.4	2,696	4.0%	572.8	2,572	3.8%	547.9	2,495	3.7%	533.8	2,361	3.5%	505.2
		0.5%										210.6			

Note: Rates are per 100,000 population. Numbers for the city health jurisdictions of Berkeley, Long Beach and Pasadena are subsets of the numbers for the counties in which they are located (numbers on Alameda, and Los Angeles counties (above) include the respective city LHJ numbers).

Table S4a. Persons living with diagnosed HIV infection ever classified as stage 3 (AIDS), by race/ethnicity, and selected demographic characteristics, 2018—California

		Americ Indiar Alask Nativ	n/ a	Asia	1	Black Africa Americ	n	Hispa Lati		Native Hawaii Pacifie Island	an/	Whit	e	Multipl Races		Tota	ıl
Characteristic	_	N	Rate	N	Rate	N	Rate	N	Rate	N	Rate	N	Rate	N	Rate	N	Rate
Age at year end (years)	0 to11	0	0.0	1	0.1	5	1.6	8	0.3	0	0.0	2	0.1	3	1.1	19	0.3
	12 to 14	0	0.0	0	0.0	5	6.1	3	0.4	1	19.1	0	0.0	0	0.0	9	0.6
	15 to 17	0	0.0	2	1.2	3	3.2	8	1.0	0	0.0	1	0.2	4	6.4	18	1.1
	18 to 19	0	0.0	2	1.5	6	7.8	13	2.4	0	0.0	2	0.6	0	0.0	23	2.0
	20 to 24	0	0.0	14	4.2	117	63.1	170	11.6	0	0.0	37	4.2	11	9.3	350	11.6
	25 to 29	4	34.3	68	22.0	315	182.2	695	57.8	6	53.6	180	21.8	54	67.2	1,322	50.6
	30 to 34	2	18.6	126	36.5	570	372.5	1,420	127.6	7	64.0	467	51.7	110	161.0	2,702	103.8
	35 to 39	13	119.3	205	52.8	635	424.6	2,308	202.1	15	134.6	732	76.1	145	223.7	4,053	148.5
	40 to 44	11	110.8	279	72.6	768	558.5	2,892	271.0	9	90.9	1,070	124.6	182	350.2	5,211	206.8
	45 to 49	25	229.5	429	105.4	1,225	807.1	4,105	397.8	18	179.3	2,248	231.1	268	554.9	8,318	316.0
	50 to 54	34	293.1	472	128.7	2,032	1,278.7	5,276	578.4	19	193.5	4,454	422.3	350	806.6	12,638	494.2
	55 to 59	37	280.4	353	98.4	2,215	1,355.4	4,291	559.6	14	141.8	5,925	484.9	351	823.8	13,186	511.8
	60 to 64	20	166.9	271	81.3	1,689	1,216.0	2,562	424.9	13	161.1	4,422	367.2	226	647.0	9,203	394.2
	65 to 74	13	75.5	256	51.7	1,355	747.9	1,938	265.7	7	67.6	4,382	224.4	203	459.9	8,156	237.8
	≥ 75	2	19.7	54	14.6	236	200.6	437	95.2	2	32.4	918	63.3	30	117.4	1,679	68.8
Gender	Cisgender men	130	152.4	2,136	85.8	8,402	748.8	22,690	288.3	93	130.7	22,974	301.4	1,644	311.7	58,072	293.4
	Cisgender women	30	34.4	350	12.7	2,519	218.2	2,974	38.4	15	20.7	1,767	23.0	254	46.7	7,910	39.5
	Transgender women	1	-	46	_	249	-	452	-	3	-	96	-	38	-	885	-
	Transgender women	0	-	0	_	6	-	10	-	0	-	3	-	0	-	19	-
	Alternative Gender Identity	0	_	0	_	0	_	0	_	0	-	0	_	1	-	1	-
	Total	161	93.4	2,532	48.3	11,176	491.0	26,126	167.3	111	77.3	24,840	162.3	1,937	180.7	66,887	168.0

Note: Rates are per 100,000 population. Dash (—) indicates rates not calculated due to unknown population denominators. Until 2003, Asian/Native Hawaiian/Pacific Islander was classified as a single category; therefore persons with race/ethnicity data only available prior to 2003 are classified as Asian because they cannot be disaggregated. There were four persons diagnosed and living with HIV in California with an unknown race/ethnicity.

Table S4b. Persons living with diagnosed HIV infection ever classified as stage 3 (AIDS), by race/ethnicity and transmission category, 2018—California

		Americ Indian Alaska Native	a a	Asia	n	Black/ African Americar	1	Hispanio Latinx		Native Hawaiia Pacific	an/	White	e	Multipl Races		Total
Demographic group	Transmission category	N	%	N	%	N	%	N	%	N	%	N	%	N	%	N
Cisgender men	Male-to-male sexual contact (MMSC)	79	60.8%	1,672	78.3%	5,118	60.9%	16,645	73.4%	67	72.0%	18,037	78.5%	1,193	72.7%	42,812
(age ≥12 at year end)	Injection drug use (IDU)	19	14.6%	45	2.1%	863	10.3%	1,178	5.2%	2	2.2%	1,108	4.8%	85	5.2%	3,300
	MMSC and IDU	25	19.2%	90	4.2%	807	9.6%	1,514	6.7%	9	9.7%	2,503	10.9%	207	12.6%	5,155
	High-risk heterosexual contact	2	1.5%	102	4.8%	655	7.8%	1,016	4.5%	1	1.1%	436	1.9%	48	2.9%	2,262
	Heterosexual contact (non-high-risk)	3	2.3%	125	5.9%	517	6.2%	1,243	5.5%	8	8.6%	403	1.8%	45	2.7%	2,344
	Perinatal/Unknown risk/Other	2	1.5%	101	4.7%	439	5.2%	1,089	4.8%	6	6.5%	486	2.1%	64	3.9%	2,187
	Subtotal	130	81.3%	2,135	85.9%	8,399	76.9%	22,685	88.4%	93	86.1%	22,973	92.9%	1,642	86.6%	58,060
Cisgender women	Injection drug use	13	43.3%	20	5.7%	546	21.7%	388	13.1%	2	13.3%	590	33.4%	54	21.3%	1,613
(age ≥12 at year end)	High-risk heterosexual contact	11	36.7%	229	65.4%	1,277	50.7%	1,749	58.9%	8	53.3%	888	50.3%	123	48.6%	4,285
	Heterosexual contact (non-high-risk)	4	13.3%	70	20.0%	479	19.0%	557	18.7%	5	33.3%	198	11.2%	50	19.8%	1,363
	Perinatal/Unknown risk/Other	2	6.7%	31	8.9%	215	8.5%	277	9.3%	0	0.0%	90	5.1%	26	10.3%	642
	Subtotal	30	18.8%	350	14.1%	2,517	23.1%	2,971	11.6%	15	13.9%	1,766	7.1%	253	13.4%	7,903
Transgender women	Transgender sexual contact	1	100.0%	45	97.8%	245	98.4%	447	98.9%	3	100.0%	95	99.0%	37	97.4%	873
(age ≥12 at year end)	Injection drug use (IDU)	0	0.0%	0	0.0%	2	0.8%	3	0.7%	0	0.0%	1	1.0%	1	2.6%	7
	Perinatal/Unknown risk/Other	0	0.0%	1	2.2%	2	0.8%	2	0.4%	0	0.0%	0	0.0%	0	0.0%	5
	Subtotal	1	100.0%	46	100.0%	249	97.6%	452	97.8%	3	100.0%	96	97.0%	38	100.0%	885
Transgender men	Transgender sexual contact	0	0.0%	0	0.0%	5	83.3%	8	80.0%	0	0.0%	1	33.3%	0	0.0%	14
(age ≥12 at year end)	Injection drug use	0	0.0%	0	0.0%	1	16.7%	1	10.0%	0	0.0%	2	66.7%	0	0.0%	4
	Perinatal/Unknown risk/Other	0	0.0%	0	0.0%	0	0.0%	1	10.0%	0	0.0%	0	0.0%	0	0.0%	1
	Subtotal	0	0.0%	0	0.0%	6	2.4%	10	2.2%	0	0.0%	3	3.0%	0	0.0%	19
Alternative gender	Sexual contact	0	0.0%	0	0.0%	0	0.0%	0	0.0%	0	0.0%	0	0.0%	1	100.0%	1
(age ≥12 at year end)	Injection drug use	0	0.0%	0	0.0%	0	0.0%	0	0.0%	0	0.0%	0	0.0%	0	0.0%	0
	Subtotal	0	0.0%	0	0.0%	0	0.0%	0	0.0%	0	0.0%	0	0.0%	1	100.0%	1
Child	Perinatal	0	0.0%	1	100.0%	2	40.0%	6	75.0%	0	0.0%	2	100.0%	3	100.0%	14
(age <12 at year end)	Unknown risk	0	0.0%	0	0.0%	3	60.0%	1	12.5%	0	0.0%	0	0.0%	0	0.0%	4
	Other	0	0.0%	0	0.0%	0	0.0%	1	12.5%	0	0.0%	0	0.0%	0	0.0%	1
	Subtotal	0	0.0%	1	100.0%	5	100.0%	8	100.0%	0	0.0%	2	100.0%	3	100.0%	19
	Total	161		2,532		11,176		26,126		111		24,840		1,937		66,887

Note: High-risk heterosexual contact: heterosexual intercourse with a person of the opposite sex-at-birth who has a high risk for HIV (e.g., MMSC, IDU). Heterosexual contact (non-high-risk): heterosexual intercourse with a person of the opposite sex-at-birth who does not have a high risk for HIV. Transgender persons who report sexual contact are placed in the transmission category of sexual contact, regardless of IDU. Other includes hemophilia, blood transfusion, and risk factor not reported or not identified. There were four persons diagnosed and living with HIV in California with an unknown race/ethnicity.

Technical Notes on the Supplemental Tables

The information presented in this report is based on HIV surveillance data reported to the OA through January 6, 2020 allowing for a minimum of 12 months' reporting delay. Persons are presumed to reside in California if the most recent available address is located in the state.

The term HIV infection is defined as any diagnosis of HIV infection that met the CDC surveillance case definition, regardless of the stage of disease (stage 0, 1, 2, 3 [AIDS], or unknown) at time of initial diagnosis. The term "stage 3 (AIDS)" refers specifically to the subset of persons with diagnosed HIV whose infection was classified as stage 3 (AIDS) during a given year (for tables of persons newly diagnosed) or whose infection has ever been classified as stage 3 (AIDS) (for tables of persons living with diagnosed infection). Stage 3 HIV infection (AIDS) is diagnosed when the immune system of a person infected with HIV becomes severely compromised—defined as low CD4 cell count (<200 cells/µL), or the diagnosis of an AIDS-defining opportunistic infection or illness. This report does not include estimates of the number of persons who are infected with HIV, but not yet diagnosed. Because persons test at differing times after becoming infected, the number of persons with newly diagnosed HIV infection is not necessarily representative of persons newly infected with HIV (HIV incidence).

Please use caution when interpreting data on trends for groups with fewer than 20 cases. Small fluctuations from year to year can lead to dramatic changes in rates, which may not be indicative of changes in the epidemiology of HIV in these populations.

Age: Children refers to persons aged less than 12 years. For newly diagnosed persons, the age group is based on the date of diagnosis. For persons living with HIV, the age group is based on the age at the end of the specified calendar year. For deaths, the age group is based on the age at death.

Gender: Persons were classified as being transgender if a case report form affirming their transgender status was present in HIV surveillance data by January 6, 2020. Otherwise individuals were classified according to their sex-at-birth.

Race and ethnicity: Hispanic/Latinx persons can be of any race. Race/ethnicity data were collected using Asian/Native Hawaiian/Pacific Islander as a single category until 2003; therefore persons who were classified as Asian/Native Hawaiian/Pacific Islander prior to 2003 and for whom no subsequent race/ethnicity information is available are classified as Asian, because they cannot be disaggregated. Although California Government Code Section 8310.5 requires CDPH to tabulate information by expanded ethnicities for each major Asian and Pacific Islander group, the data shown here are not disaggregated into those groups in order to maintain the confidentiality of these persons.

Geography: Jurisdiction of residence was determined at the time of diagnosis for newly diagnosed persons. For all living and deceased cases, jurisdiction of residence was based on the most recent available address.

Transmission category: Transmission category is the term for classifying cases based on a person's reported HIV risk factors. The classification is based on the CDC algorithm and results from selecting the single risk factor most likely to have been responsible for transmission, even if multiple risk factors were reported. The CDC hierarchy of risk factors, from most likely to lead to HIV transmission, to least likely, is as follows: male-to-male sexual contact (MMSC) and injection drug use (IDU), MMSC alone, IDU alone, receipt of clotting factor blood product for treatment of hemophilia or other chronic coagulation disorder, and high-risk-heterosexual (HRH) contact. Non-high-risk heterosexual contact was added by OA, and is last in the hierarchy.

Gay, bisexual, and other men who have sex with men are in the transmission category of MMSC. Transgender persons who report sexual contact are placed in the transmission category of sexual contact, regardless of IDU. Persons who inject drugs are in the transmission category of IDU. Persons whose transmission category is classified as HRH contact are persons who reported engaging in heterosexual intercourse with a person of the opposite sex-at-birth, and that partner was known to be HIV positive or engaged in an activity that put them at high risk for HIV (i.e., MMSC, IDU). The transmission category heterosexual contact non-HRH includes persons with no other identified risk, who reported engaging in heterosexual intercourse with a person of the opposite sex of their sex-at-birth. The heterosexual categories exclude men who report ever having had sexual contact with both men and women— these persons are classified as MMSC. Perinatal includes persons who were exposed immediately before or during birth, or by breastfeeding. Cases of HIV infection reported without a risk factor listed in the hierarchy of transmission categories are classified as "unknown risk." Other includes exposure to blood transfusion or blood products, receiving a transplant, and other unspecified risks.

Rates: Rates per 100,000 persons are based on population estimates from the State of California, Department of Finance, Report P-3: State and County Population Projections by Race/Ethnicity, Detailed Age, and Gender, 2010-2060 (Sacramento, California, May 2019). For rates at the city level we used the U.S. Census Bureau, Population Division, Annual Estimates of the Resident Population: April 1, 2010 to July 1, 2018, May 2019. Dashes (—) indicate where rates could not be calculated due to unknown population denominators.