

Certified Water Treatment Devices

(listed by four digit certificate number)

Certificate # 92 - 1053

Model Designation:

Seagull IV X-1 (CA)

System Type

under counter

Replacement Elements:

HC-1SG (CA)

RS-1SG (CA)

Date Issued: May 1, 2012

Manufacturer: General Ecology, Inc.

Rated Service Flow: 1 gpm

Rated Service Capacity: 900 gal.

Technology: carbon block

Comments:

Do not use where water is microbiologically unsafe or with water of unknown quality, except that systems claiming cyst reduction may be used on water containing cysts.

Contaminants Reduced:

Microbiological/Turbidity:

Cysts (Protozoan)

Inorganic/Radiological:

None

Organic:

Trichloroethylene (TCE)

Certificate # 92 - 1069

Model Designation:

Seagull IV X-2 (CA)

System Type

under counter

Replacement Elements:

HC-2SG (CA)

RS-2SG (CA)

Date Issued: May 1, 2012

Manufacturer: General Ecology, Inc.

Rated Service Flow: 2 gpm

Rated Service Capacity: 1800 gallons

Technology: carbon block

Comments:

Do not use where water is microbiologically unsafe or with water of unknown quality, except that systems claiming cyst reduction may be used on water containing cysts.

Contaminants Reduced:

Microbiological/Turbidity:

Cysts (Protozoan)

Inorganic/Radiological:

None

Organic:

Trichloroethylene (TCE)

Certificate # 96 - 1234

Model Designation:

Doulton® HIP/Ultracarb Inline

System Type

in line

Replacement Elements:

Doulton Ultracarb

Certified Water Treatment Devices

(listed by four digit certificate number)

Date Issued: July 24, 2011

Manufacturer: **Fairey Industrial Ceramics Limited**

Rated Service Flow: 0.5 gpm

Rated Service Capacity: 600 gallons

Technology: ceramic/carbon

Comments:

Do not use where water is microbiologically unsafe or with water of unknown quality, except that systems claiming cyst reduction may be used on water containing cysts.

Contaminants Reduced:

Microbiological/Turbidity:

Cysts (protozoan)

Turbidity

Inorganic/Radiological:

Lead

Organic:

None

Certificate # 97 - 1294

Model Designation:

MP750SB

System Type

under counter

Replacement Elements:

CB6

MP750SC

counter top

CB6

MP750SI

in line

CB6

MPCT

counter top

CB6

Date Issued: June 23, 2012

Manufacturer: **Multipure International**

Rated Service Flow: 0.75 gpm

Rated Service Capacity: 750 gallons

Technology: carbon block

Comments:

Do not use where water is microbiologically unsafe or with water of unknown quality, except that systems claiming cyst reduction may be used on water containing cysts.

¹Do not use on water sources with a radon activity greater than 4000 pCi/L and follow the manufacturer's recommended replacement schedule for the carbon filter (to a maximum of one year). System treats radon from drinking water only and does not

Contaminants Reduced:

Microbiological/Turbidity:

Cysts (protozoan)

Turbidity

Inorganic/Radiological:

Asbestos

Lead

Mercury

Radon¹

Organic:

Chlordane

PCBs

Toxaphene

MTBE

VOCs

Certified Water Treatment Devices

(listed by four digit certificate number)

Certificate # 97 - 1295

Model Designation:

Multi-Pure MP1200EL

System Type

under counter

Replacement Elements:

CB6

Date Issued: **June 23, 2012**

Manufacturer: **Multipure International**

Rated Service Flow: **0.75 gpm**

Rated Service Capacity: **1200 gallons**

Technology: **carbon block**

Comments:

Do not use where water is microbiologically unsafe or with water of unknown quality, except that systems claiming cyst reduction may be used on water containing cysts.

¹Do not use on water sources with a radon activity greater than 4000 pCi/L and follow the manufacturer's recommended replacement schedule for the carbon filter (to a maximum of one year). System treats radon from drinking water only and does not

Contaminants Reduced:

Microbiological/Turbidity:

Cysts (protozoan)

Turbidity

Inorganic/Radiological:

Asbestos

Lead

Mercury

Radon¹

Organic:

Chlordane

PCBs

Toxaphene

MTBE

VOCs

Certificate # 98 - 1345

Model Designation:

AquaPure EP25/EP25

System Type

under counter

Replacement Elements:

EP 25

Date Issued: **April 9, 2008**

Manufacturer: **Cuno, Inc.**

Rated Service Flow: **0.6 gpm**

Rated Service Capacity: **1150 gallons**

Technology: **mechanical/carbon**

Comments:

Do not use where water is microbiologically unsafe or with water of unknown quality, except that systems claiming cyst reduction may be used on water containing cysts.

Contaminants Reduced:

Microbiological/Turbidity:

Cysts (protozoan)

Inorganic/Radiological:

Asbestos

Lead

Mercury

Organic:

Atrazene

Benzene

Carbofuran

p-Dichlorobenzene

Lindane

2.4 D reduction

Certified Water Treatment Devices

(listed by four digit certificate number)

California Department of Public Health
Drinking Water Program
Water Treatment Device Directory
January 2013

Certificate # 98 - 1352

Model Designation:

Brita Faucet Filtration System
FR-200

System Type

faucet mount

Replacement Elements:

FR-200

Date Issued: June 23, 2008

Date Revised: October 28, 2010

Manufacturer: Brita LP

Rated Service Flow: 0.58 gpm

Rated Service Capacity: 100 gallons

Technology: carbon block

Comments:

Do not use where water is microbiologically unsafe or with water of unknown quality, except that systems claiming cyst reduction may be used on water containing cysts.

Contaminants Reduced:

Microbiological/Turbidity:

Cysts (protozoan)

Turbidity

Inorganic/Radiological:

Asbestos

Lead

Organic:

Atrazine

Benzene

Lindane

Trichloroethylene

Alachlor

Carbofuran

Chlordane

2,4-D

Carbon tetrachloride

Endrin

o-Dichlorobenzene

VOCs

Chlorobenzene

Ethylbenzene

Methoxychlor

Styrene

Tetrachloroethylene

Toluene

Toxaphene

Trihalomethanes (THMs)

Simazine

Certificate # 99 - 1409

Model Designation:

WF1-NLC200

System Type

in line
refrigerator

Replacement Elements:

NLC200

Certified Water Treatment Devices

(listed by four digit certificate number)

Date Issued: December 14, 2009

Manufacturer: Whirlpool Corporation

Rated Service Flow: 0.5 gpm

Rated Service Capacity: 200 gallons

Technology: carbon block

Comments:

Do not use where water is microbiologically unsafe or with water of unknown quality, except that systems claiming cyst reduction may be used on water containing cysts.

Contaminants Reduced:

Microbiological/Turbidity:

Cysts (protozoan)

Turbidity

Inorganic/Radiological:

Lead

Organic:

None

Certificate # 99 - 1410

Model Designation:

WF1-NLCS200

System Type

in line
refrigerator

Replacement Elements:

NLCS200

Date Issued: December 14, 2009

Date Revised: February 5, 2007

Manufacturer: Sears Roebuck and Company

Rated Service Flow: 0.5 gpm

Rated Service Capacity: 200 gallons

Technology: carbon block

Comments:

Do not use where water is microbiologically unsafe or with water of unknown quality, except that systems claiming cyst reduction may be used on water containing cysts.

Contaminants Reduced:

Microbiological/Turbidity:

Cysts (protozoan)

Turbidity

Inorganic/Radiological:

Lead

Organic:

None

Certificate # 00 - 1413

Model Designation:

Kohler K-200/K-201

System Type

under counter

Replacement Elements:

K-201

Kohler K6665-F/K-201

under counter

K-201

Kohler K6666-F/K-201

under counter

K-201

Certified Water Treatment Devices

(listed by four digit certificate number)

Date Issued: January 19, 2010

Manufacturer: Kohler Co.

Rated Service Flow: 1.5 gpm

Rated Service Capacity: 1500 gallons

Technology: carbon block

Comments:

Do not use where water is microbiologically unsafe or with water of unknown quality, except that systems claiming cyst reduction may be used on water containing cysts.

Contaminants Reduced:

Microbiological/Turbidity:

Cysts (protozoan)

Turbidity

Inorganic/Radiological:

None

Organic:

None

Certificate # 00 - 1414

Model Designation:

Kohler K-200/K-202

System Type

under counter

Replacement Elements:

K-202

Kohler K-6665-F/K-202

under counter

K-202

Kohler K-6666-F/K-202

under counter

K-202

Date Issued: January 19, 2010

Manufacturer: Kohler Co.

Rated Service Flow: 0.6 gpm

Rated Service Capacity: 1500 gallons

Technology: carbon block

Comments:

Do not use where water is microbiologically unsafe or with water of unknown quality, except that systems claiming cyst reduction may be used on water containing cysts.

Contaminants Reduced:

Microbiological/Turbidity:

Cysts (protozoan)

Turbidity

Inorganic/Radiological:

Lead

Organic:

None

Certificate # 99 - 1420

Model Designation:

Water Factory EVP 2400

System Type

in line

Replacement Elements:

EVP 2400

Certified Water Treatment Devices

(listed by four digit certificate number)

Date Issued: **March 14, 2010**
Manufacturer: **3M Purification**
Rated Service Flow: **0.5 gpm**
Rated Service Capacity: **1400 gallons**
Technology: **carbon block**
Comments:

Do not use where water is microbiologically unsafe or with water of unknown quality, except that systems claiming cyst reduction may be used on water containing cysts.

Contaminants Reduced:

Microbiological/Turbidity:
Cysts (protozoan)
Turbidity
Inorganic/Radiological:
Lead
Organic:
None

Certificate # 00 - 1423

Model Designation:
WF40

System Type
in line
refrigerator

Replacement Elements:
WF401S (New part name)
12527304 (Old part name)

Date Issued: **March 14, 2010**
Revised: October 25, 2011
Manufacturer: **3M Filtration Inc.**
Rated Service Flow: **0.5 gpm**
Rated Service Capacity: **300 gallons**
Technology: **carbon block/ion**
Comments:

Do not use where water is microbiologically unsafe or with water of unknown quality, except that systems claiming cyst reduction may be used on water containing cysts.

Contaminants Reduced:

Microbiological/Turbidity:
Cysts (protozoan)
Turbidity
Inorganic/Radiological:
Asbestos
Lead
Organic:
Atrazine
Lindane
2,4-D

Certificate # 00 - 1426

Model Designation:
FM DWS 1500

System Type
under counter

Replacement Elements:
47-5574704

Certified Water Treatment Devices

(listed by four digit certificate number)

Date Issued: **March 14, 2010**

Date Revised: **June 2, 2008**

Manufacturer: **Cuno/Water Factory**

Rated Service Flow: **0.6 gpm**

Rated Service Capacity: **1500 gallons**

Technology: **carbon block**

Comments:

Do not use where water is microbiologically unsafe or with water of unknown quality, except that systems certified for cyst reduction may be used on disinfected waters that may contain filterable cysts.

Contaminants Reduced:

Microbiological/Turbidity:
Cysts (protozoan)

Inorganic/Radiological:
Lead
Asbestos

Organic:
None

Certificate # 00 - 1431

Model Designation:

Kenmore 12527302

System Type

**in line
refrigerator**

Replacement Elements:

46 9014

Date Issued: **April 4, 2010**

Manufacturer: **Sears Roebuck & Co.**

Rated Service Flow: **0.5 gpm**

Rated Service Capacity: **300 gallons**

Technology: **carbon block**

Comments:

Do not use where water is microbiologically unsafe or with water of unknown quality, except that systems claiming cyst reduction may be used on water containing cysts.

Contaminants Reduced:

Microbiological/Turbidity:
Cysts (protozoan)
Turbidity

Inorganic/Radiological:
Asbestos
Lead

Organic:
Atrazine
Lindane
2,4-D

Certificate # 01 - 1474

Model Designation:

Frigidaire PureSource 2 NGFC-200
**in line
refrigerator**

System Type

Replacement Elements:

FC-100
FC-300

Electrolux Pure Advantage NGFC
**in line
refrigerator**

FC-100
FC-300

Pure Advantage NGFC 2000
**in line
refrigerator**

FC-300

Certified Water Treatment Devices

(listed by four digit certificate number)

Date Issued: April 25, 2011

Manufacturer: Electrolux Home Products

Rated Service Flow: 0.5 gpm

Rated Service Capacity: 400 gal, (240

Technology: carbon block

Comments:

Do not use where water is microbiologically unsafe or with water of unknown quality, except that systems claiming cyst reduction may be used on water containing cysts.

Contaminants Reduced:

Microbiological/Turbidity:

Cysts (protozoan)

Turbidity

Inorganic/Radiological:

Lead

Mercury

Organic:

Alachlor

Atrazine

Lindane

2,4-D

Toxaphene

Certificate # 01 - 1475

Model Designation:

Kenmore NGFC-2000

System Type

in line
refrigerator

Replacement Elements:

FC-100

Date Issued: May 2, 2011

Manufacturer: Sears Roebuck & Co.

Rated Service Flow: 0.5 gpm

Rated Service Capacity: 400 gallons

Technology: carbon block

Comments:

Do not use where water is microbiologically unsafe or with water of unknown quality, except that systems claiming cyst reduction may be used on water containing cysts.

Contaminants Reduced:

Microbiological/Turbidity:

Cysts (protozoan)

Turbidity

Inorganic/Radiological:

Lead

Mercury

Organic:

Alachlor

Atrazine

Lindane

2,4-D

Toxaphene

Certificate # 03 - 1549

Model Designation:

Whirlpool WF-NL240V

System Type

in line
refrigerator

Replacement Elements:

NL240V

Whirlpool WF-L400V

in line
refrigerator

L400V

Certified Water Treatment Devices

(listed by four digit certificate number)

Date Issued: **January 21, 2008**
Manufacturer: **Whirlpool Corp.**

Rated Service Flow: **0.5 gpm**
Rated Service Capacity: **400 gal**

Technology: **carbon block**

Comments:

Do not use with water that is microbiologically unsafe or of unknown quality, without adequate disinfection before or after the system.

Contaminants Reduced:

Microbiological/Turbidity:
None

Inorganic/Radiological:
Lead
Mercury

Organic:
Benzene
p-Dichlorobenzene
Toxaphene
Carbofuran

Certificate # 03 - 1551

Model Designation:
Whirlpool WF-NLC240V

System Type
in line
refrigerator

Replacement Elements:
NLC240V

Whirlpool WF-LC400V

in line
refrigerator

LC400V

Date Issued: **January 21, 2008**
Manufacturer: **Whirlpool Corp.**

Rated Service Flow: **0.5 gpm**
Rated Service Capacity: **400 gal**

Technology: **carbon block**

Comments:

Do not use where water is microbiologically unsafe or with water of unknown quality, except that systems certified for cyst reduction may be used on disinfected waters that may contain filterable cysts.

Contaminants Reduced:

Microbiological/Turbidity:
Cysts
Turbidity

Inorganic/Radiological:
Asbestos
Lead
Mercury

Organic:
Atrazine
2,4-D
Benzene
p-Dichlorobenzene
Toxaphene

Certificate # 03 - 1558

Model Designation:
Sears-Kenmore WF-NLC240V

System Type
in line

Replacement Elements:
NLC240V

Sears-Kenmore WF-LC400V

in line

LC400V

Certified Water Treatment Devices

(listed by four digit certificate number)

Date Issued: **March 3, 2008**

Manufacturer: **Sears Roebuck Co**

Rated Service Flow: **0.5 gpm**

Rated Service Capacity: **400 gal**

Technology: **carbon block**

Comments:

Do not use where water is microbiologically unsafe or with water of unknown quality, except that systems certified for cyst reduction may be used on disinfected waters that may contain filterable cysts.

Contaminants Reduced:

Microbiological/Turbidity:

Cysts

Turbidity

Inorganic/Radiological:

Asbestos

Lead

Mercury

Organic:

Atrazine

2,4-D

Benzene

p-dichlorobenzene

Toxaphene

Certificate # 03 - 1569

Model Designation:

Multi-Pure MP880SB

System Type

under counter

Replacement Elements:

CB11As

Multi-Pure MP880SC

counter top

CB11As

Multi-Pure MP880SI

in line

CB11As

Multi-Pure MP880EL(960 gallons) under counter

CB11As

Certified Water Treatment Devices

(listed by four digit certificate number)

Date Issued: **May 22, 2008**

Manufacturer: **Multipure International**

Rated Service Flow: **1.0 gpm**

Rated Service Capacity: **600 gallons**

Technology: **carbon block**

Comments:

Do not use where water is microbiologically unsafe or with water of unknown quality, except that systems certified for cyst reduction may be used on disinfected waters that may contain filterable cysts.

¹ Claims for arsenic reduction shall only be made on water supplies maintaining detectable residual free chlorine at the system inlet. Water systems using an in-line chlorinator should provide a minimum of 1 minute chlorine contact time before the filtration system.

Contaminants Reduced:

Microbiological/Turbidity:

- Cysts
- Turbidity

Inorganic/Radiological:

- Arsenic V (50 ppb)
- Asbestos
- Lead
- Mercury

Organic:

- Chlordane
- MTBE
- PCB
- Toxaphene
- VOCs by chloroform surrogate

Certificate # 03 - 1571

Model Designation:

Multi-Pure CB-As-SB

System Type

counter top in
line under

Replacement Elements:

CBTAs

Multi-Pure CB-As-SC

counter top in
line under

CBTAs

Multi-Pure CB-As-SI

counter top in
line under

CBTAs

Multi-Pure CB-As-SB-PID(960

counter top in
line under

CBTAs

Multi-Pure CB-As-SC-PID(960

counter top in
line under

CBTAs

Certified Water Treatment Devices

(listed by four digit certificate number)

Date Issued: **June 11, 2008**

Manufacturer: **Multipure International**

Rated Service Flow: **1.0 gpm**

Rated Service Capacity: **600 gal**

Technology: **carbon block**

Comments:

Do not use where water is microbiologically unsafe or with water of unknown quality, except that systems certified for cyst reduction may be used on disinfected waters that may contain filterable cysts.

¹ Claims for arsenic reduction shall only be made on water supplies maintaining detectable residual free chlorine at the reverse osmosis (RO) system inlet.

Water systems using an in-line chlorinator should provide a minimum of 1 minute chlorine contact time before

Contaminants Reduced:

Microbiological/Turbidity:

Cysts

Turbidity

Inorganic/Radiological:

Arsenic V (50 ppb)

Asbestos

Lead

Mercury

Organic:

Chlordane

PCB

Toxaphene

MTBE

VOCs by chloroform surrogate

Certificate # 03 - 1580

Model Designation:

Multi-Pure CB-VOC-SB

System Type

counter top in
line under

Replacement Elements:

CBTVOC

Multi-Pure CB-VOC-SC

counter top in
line under

CBTVOC

Multi-Pure CB-VOC-SI

counter top in
line under

CBTVOC

Certified Water Treatment Devices

(listed by four digit certificate number)

Date Issued: June 25, 2008

Manufacturer: **Multipure International**

Rated Service Flow: 1.0 gpm

Rated Service Capacity: 750 gal

Technology: carbon block

Comments:

Do not use where water is microbiologically unsafe or with water of unknown quality, except that systems certified for cyst reduction may be used on disinfected waters that may contain filterable cysts.

Contaminants Reduced:

Microbiological/Turbidity:

Cysts

Turbidity

Inorganic/Radiological:

Asbestos

Lead

Mercury

Organic:

Chlordane

MTBE

PCB

Toxaphene

VOCs

Certificate # 03 - 1582

Model Designation:

Multi-Pure CB-AS-PB

System Type

under counter

Replacement Elements:

CBNAs

Multi-Pure CB-AS-PI

under counter

CBNAs

Multi-Pure CB-AS-PB-PID(960

under counter

CBNAs

Date Issued: June 25, 2008

Manufacturer: **Multipure International**

Rated Service Flow: 1.0 gpm

Rated Service Capacity: 600 gal

Technology: carbon block

Comments:

Do not use where water is microbiologically unsafe or with water of unknown quality, except that systems certified for cyst reduction may be used on disinfected waters that may contain filterable cysts.

¹ Claims for arsenic reduction shall only be made on water supplies maintaining detectable residual free chlorine at the system inlet. Water systems using an in-line chlorinator should provide a minimum of 1 minute chlorine contact time before the filter system.

Contaminants Reduced:

Microbiological/Turbidity:

Cysts

Turbidity

Inorganic/Radiological:

Arsenic V (50 ppb)

Asbestos

Lead

Mercury

Organic:

Chlordane

MTBE

PCB

Toxaphene

VOCs

Certified Water Treatment Devices

(listed by four digit certificate number)

Certificate # 03 - 1583

Model Designation:

UKF8001AXX-750

System Type

in line
refrigerator

Replacement Elements:

UKF8001

46 9006-750

in line
refrigerator

46 9006

67003523-750

in line
refrigerator

UKF8001

Date Issued: September 16, 2008

April 22, 2009

Manufacturer: Cuno Inc.

Rated Service Flow: 0.78 gpm

Rated Service Capacity: 750 gal.

Technology: mechanical/carbon

Comments:

Do not use where water is microbiologically unsafe or with water of unknown quality, except that systems certified for cyst reduction may be used on disinfected waters that may contain filterable cysts.

Contaminants Reduced:

Microbiological/Turbidity:

Cysts

Turbidity

Inorganic/Radiological:

Asbestos

Lead

Mercury

Organic:

Atrazine

Lindane

Benzene

Carbofuran

p-dichlorobenzene

Toxaphene

Tetrachloroethylene

Certificate # 03 - 1586

Model Designation:

Maytag UKF7003AXX (with PID)

System Type

in line
refrigerator

Replacement Elements:

UKF7003AXX

Certified Water Treatment Devices

(listed by four digit certificate number)

Date Issued: December 9, 2008

Manufacturer: Cuno Inc.

Rated Service Flow: 0.5 gpm

Rated Service Capacity: 416 gal.

Technology: carbon block

Comments:

Do not use where water is microbiologically unsafe or with water of unknown quality, except that systems certified for cyst reduction may be used on disinfected waters that may contain filterable cysts.

Contaminants Reduced:

Microbiological/Turbidity:

Cysts

Turbidity

Inorganic/Radiological:

Asbestos

Lead

Mercury

Organic:

Benzene

Carbofuran

p-Dichlorobenzene

Certificate # 04 - 1600

Model Designation:

GXSL55 F

System Type

under counter

Replacement Elements:

FQSLF

GQSL55 F

under counter

FQSLF

GXSL55 R

under counter

FQSLF

Date Issued: February 9, 2009

Manufacturer: General Electric Company

Rated Service Flow: 0.78 gpm

Rated Service Capacity: 1200gal

Technology: mechanical/carbon

Comments:

Do not use where water is microbiologically unsafe or with water of unknown quality, except that systems certified for cyst reduction may be used on disinfected waters that may contain filterable cysts.

Contaminants Reduced:

Microbiological/Turbidity:

Cysts

Turbidity

Inorganic/Radiological:

Asbestos

Lead

Mercury

Organic:

Atrazine

Lindane

2-4,D

Toxaphene

Certificate # 04 - 1601

Model Designation:

GXSV65 F

System Type

under counter

Replacement Elements:

FQSVF

GQSV65 F

under counter

FQSVF

Certified Water Treatment Devices

(listed by four digit certificate number)

GNSV70 FBL under counter FQSVF

GNSV75 FWW under counter FQSVF

GXSV65 R under counter FQSVF

GNSV75 RWW under counter FQSVF

GNSV70 RBL under counter FQSVF

Date Issued: February 9, 2009

Manufacturer: General Electric Company

Rated Service Flow: 0.6 gpm

Rated Service Capacity: 160 gal

Technology: mechanical/carbon

Comments:

Do not use where water is microbiologically unsafe or with water of unknown quality, except that systems certified for cyst reduction may be used on disinfected waters that may contain filterable cysts.

Contaminants Reduced:

Microbiological/Turbidity:

Cysts
Turbidity

Inorganic/Radiological:

Asbestos
Lead
Mercury

Organic:

Atrazine
Lindane
Benzene
VOCs

Certificate # 04 - 1604

Model Designation:

Everpure H-300-HSD

System Type

under counter

Replacement Elements:

H-300-HSD

Date Issued: March 4, 2009

Manufacturer: Everpure, Inc.

Rated Service Flow: 0.5 gpm

Rated Service Capacity: 300 gal

Technology: mechanical/GAC

Comments:

Do not use where water is microbiologically unsafe or with water of unknown quality, except that systems certified for cyst reduction may be used on disinfected waters that may contain filterable cysts.

Contaminants Reduced:

Microbiological/Turbidity:

Cysts

Inorganic/Radiological:

Lead

Organic:

VOCs

Certified Water Treatment Devices

(listed by four digit certificate number)

California Department of Public Health
Drinking Water Program
Water Treatment Device Directory
January 2013

Certificate # 04 - 1605

Model Designation:	System Type	Replacement Elements:
Kenmore Advanced Refrigerator Filter T1KB1	in line refrigerator	T1RFKB1
Kenmore T1KB1	in line refrigerator	T1RFKB1
Kenmore Ultimate T1KB1	in line refrigerator	T1RFKB1
Kenmore Ultimate II T1KB1	in line refrigerator	T1RFKB1

Date Issued: January 5, 2009

Manufacturer: Sears, Roebuck and Company

Rated Service Flow: 0.5 gpm

Rated Service Capacity: 100 gal

Technology: mechanical/carbon

Comments:

Do not use where water is microbiologically unsafe or with water of unknown quality, except that systems certified for cyst reduction may be used on disinfected waters that may contain filterable cysts.

Contaminants Reduced:

Microbiological/Turbidity:

Cysts
Turbidity

Inorganic/Radiological:

Asbestos
Lead
Mercury

Organic:

Alachlor
Atrazine
Benzene
Endrin
Ethylbenzene
Lindane
VOCs
Monochlorobenzene
MTBE
o-dichlorobenzene
Styrene
Tetrachloroethylene
Toxaphene
Trihalomethanes

Certificate # 04 - 1606

Model Designation:	System Type	Replacement Elements:
Kenmore Advanced Refrigerator Filter T1KB2	in line refrigerator	T1RFKB2
Kenmore Ultimate II T1KB2	in line refrigerator	T1RFKB2

Certified Water Treatment Devices

(listed by four digit certificate number)

Date Issued: January 5, 2009

Manufacturer: Sears, Roebuck and Company

Rated Service Flow: 0.5 gpm

Rated Service Capacity: 200 gal

Technology: mechanical/carbon

Comments:

Do not use where water is microbiologically unsafe or with water of unknown quality, except that systems certified for cyst reduction may be used on disinfected waters that may contain filterable cysts.

Contaminants Reduced:

Microbiological/Turbidity:

Cysts
Turbidity

Inorganic/Radiological:

Asbestos
Lead
Mercury

Organic:

Alachlor
Atrazine
Benzene
Endrin
Ethylbenzene
Lindane
Monochlorobenzene
o-dichlorobenzene
Styrene
Tetrachloroethylene
Toxaphene

Certificate # 04 - 1611

Model Designation:

WF-NLC120V

System Type

in line
refrigerator

Replacement Elements:

NLC120V

WF-LC200V w/PID 200 gallon

in line
refrigerator

LC200V

Date Issued: February 2, 2009

Manufacturer: Whirlpool Corporation

Rated Service Flow: 0.5 gpm

Rated Service Capacity: 120 gallons

Technology: carbon block

Comments:

Do not use where water is microbiologically unsafe or with water of unknown quality, except that systems certified for cyst reduction may be used on disinfected waters that may contain filterable cysts.

Contaminants Reduced:

Microbiological/Turbidity:

Cysts
Turbidity

Inorganic/Radiological:

Asbestos
Lead
Mercury

Organic:

Benzene
Endrin
Ethyl Benzene
O-Dichlorobenzene
p-Dichlorobenzene
Toxaphene
1,2,4-trichlorobenzene

Certified Water Treatment Devices

(listed by four digit certificate number)

Certificate # 04 - 1612

Model Designation:

WF-NL120V

System Type

in line
refrigerator

Replacement Elements:

NL120V

WF-L200V w/PID capacity 200

in line
refrigerator

L200V

Date Issued: **February 2, 2009**

Manufacturer: **Whirlpool Corporation**

Rated Service Flow: **0.5 gpm**

Rated Service Capacity: **120 gallons**

Technology: **carbon block**

Comments:

Do not use where water is microbiologically unsafe or with water of unknown quality, except that systems certified for cyst reduction may be used on disinfected waters that may contain filterable cysts.

Contaminants Reduced:

Microbiological/Turbidity:

None

Inorganic/Radiological:

Lead

Mercury

Organic:

Benzene

Ethyl Benzene

O-Dichlorobenzene

p-Dichlorobenzene

Toxaphene

1,2,4-trichlorobenzene

Certificate # 04 - 1613

Model Designation:

WF-NLC120V

System Type

in line
refrigerator

Replacement Elements:

NLC120V

WF-LC200V w/PID capacity 200

in line
refrigerator

LC200V

Certified Water Treatment Devices

(listed by four digit certificate number)

Date Issued: February 2, 2009

Manufacturer: Sears, Roebuck & Co.

Rated Service Flow: 0.5 gpm

Rated Service Capacity: 120

Technology: carbon block

Comments:

Do not use where water is microbiologically unsafe or with water of unknown quality, except that systems certified for cyst reduction may be used on disinfected waters that may contain filterable cysts.

Contaminants Reduced:

Microbiological/Turbidity:

Cysts

Turbidity

Inorganic/Radiological:

Asbestos

Lead

Mercury

Organic:

Benzene

Endrin

Ethyl Benzene

O-Dichlorobenzene

p-Dichlorobenzene

Toxaphene

1,2,4-trichlorobenzene

Certificate # 04 - 1635

Model Designation:

Whirlpool Advanced T1WB2

System Type

in line
refrigerator

Replacement Elements:

T1RFWB2

Whirlpool Advanced T1WB2L

in line
refrigerator

T1RFWB2

Kitchenaid Advanced T1WB2

in line
refrigerator

T1RFWB2

Kitchenaid Advanced T1WB2L

in line
refrigerator

T1RFWB2

Certified Water Treatment Devices

(listed by four digit certificate number)

Date Issued: April 8, 2009

Manufacturer: Whirlpool Corporation

Rated Service Flow: 0.5 gpm

Rated Service Capacity: 200 gals

Technology: carbon block

Comments:

Do not use where water is microbiologically unsafe or with water of unknown quality, except that systems certified for cyst reduction may be used on disinfected waters that may contain filterable cysts.

Contaminants Reduced:

Microbiological/Turbidity:

Cysts

Turbidity

Inorganic/Radiological:

Asbestos

Lead

Mercury

Organic:

Alachlor

Atrazine

Benzene

o-Dichlorobenzene

Endrin

Ethylbenzene

Lindane

Monochlorobenzene

Styrene

Tetrachloroethylene

Toxaphene

Certificate # 04 - 1647

Model Designation:

GE RO Filtration System

CVR1110001

System Type

under counter

Replacement Elements:

FX12M (RO Membrane)

FX12P (Pre and Post Filters)

Certified Water Treatment Devices

(listed by four digit certificate number)

Date Issued: July 27, 2009

Manufacturer: General Electric Company

Rated Service Flow: 10 gpd

Rated Service Capacity: N/A

Technology: reverse osmosis

Comments:

Do not use where water is microbiologically unsafe or with water of unknown quality, except that systems certified for cyst reduction may be used on disinfected waters that may contain filterable cysts.

¹ Claims for arsenic reduction shall only be made on water supplies maintaining detectable residual free chlorine at the reverse osmosis (RO) system inlet.

Water systems using an in-line chlorinator should provide a minimum of 1 minute chlorine contact time before

Contaminants Reduced:

Microbiological/Turbidity:

Cysts

Turbidity

Inorganic/Radiological:

Arsenic (pentavalent)¹

Barium

Cadmium

Chromium (hexalent)

Chromium (trivalent)

Copper

Fluoride

Lead

Nitrate/Nitrite²

Radium 226/228

Selenium

Organic:

None

Certificate # 04 - 1651

Model Designation:

Rayne Pure Plus

System Type

under counter

Replacement Elements:

S7028RC (prefilter)

S1229RS (membrane)

Certified Water Treatment Devices

(listed by four digit certificate number)

Date Issued: **June 29, 2009**

Manufacturer: **Rayne Corporation**

Rated Service Flow: **14 gal/day**

Rated Service Capacity: **not applicable**

Technology: **reverse osmosis**

Comments:

Do not use where water is microbiologically unsafe or with water of unknown quality, except that systems certified for cyst reduction may be used on disinfected waters that may contain filterable cysts.

¹Claims for arsenic reduction shall only be made on water supplies maintaining detectable residual free chlorine at the reverse osmosis (RO) system inlet.

Water systems using an in-line chlorinator should provide a minimum of 1 minute chlorine contact time before

Contaminants Reduced:

Microbiological/Turbidity:
Cysts (protozoan)

Inorganic/Radiological:
Arsenic (pentavalent)¹

Barium

Cadmium

Chromium (hexavalent)

Chromium (trivalent)

Copper

Fluoride

Lead

Nitrate/Nitrite²

Radium 226/228

Selenium

Organic:

None

Certificate # 04 - 1660

Model Designation:

Samsung DA61-00159A-B

System Type

in line
refrigerator

Replacement Elements:

DA29-00003

Samsung DA97-06317A

in line
refrigerator

DA29-00003G

Date Issued: **July 7, 2009**

Manufacturer: **Cuno Incorporated**

Rated Service Flow: **0.5 gpm**

Rated Service Capacity: **300 gal**

Technology: **carbon block**

Comments:

Do not use where water is microbiologically unsafe or with water of unknown quality, except that systems certified for cyst reduction may be used on disinfected waters that may contain filterable cysts.

Contaminants Reduced:

Microbiological/Turbidity:
Cysts

Turbidity

Inorganic/Radiological:
Asbestos

Lead

Mercury

Organic:

Benzene

Carbofuran

p-Dichlorobenzene

Certified Water Treatment Devices

(listed by four digit certificate number)

California Department of Public Health
Drinking Water Program
Water Treatment Device Directory
January 2013

Certificate # 04 - 1661

Model Designation:

RWF DISP

System Type

in line
refrigerator

Replacement Elements:

RWF DISP

Date Issued: August 26, 2009

Manufacturer: Viking Range Corporation

Rated Service Flow: 0.78 gpm

Rated Service Capacity: 750 gals

Technology: carbon block

Comments:

Do not use where water is microbiologically unsafe or with water of unknown quality, except that systems certified for cyst reduction may be used on disinfected waters that may contain filterable cysts.

Contaminants Reduced:

Microbiological/Turbidity:

Cysts

Turbidity

Inorganic/Radiological:

Asbestos

Lead

Mercury

Organic:

Atrazine

Lindane

Toxaphene

Certificate # 04 - 1665

Model Designation:

Mach 2030S

System Type

water softener

Replacement Elements:

None

Date Issued: October 13, 2009

Manufacturer: Kinetico Incorporated

Rated Service Flow: 9 gpm

Rated Service Capacity: Not Applicable

Technology: ion exchange

Comments:

Do not use with water that is microbiologically unsafe or of unknown quality, without adequate disinfection before or after the system.

Contaminants Reduced:

Microbiological/Turbidity:

None

Inorganic/Radiological:

Barium

Radium 226/228

Organic:

None

Certificate # 04 - 1666

Model Designation:

Mach 2040S OD

System Type

water softener

Replacement Elements:

None

Certified Water Treatment Devices

(listed by four digit certificate number)

Date Issued: **October 13, 2009**

Manufacturer: **Kinetico Incorporated**

Rated Service Flow: **11 gpm**

Rated Service Capacity: **Not Applicable**

Technology: **ion exchange**

Comments:

Do not use with water that is microbiologically unsafe or of unknown quality, without adequate disinfection before or after the system.

Contaminants Reduced:

Microbiological/Turbidity:
None

Inorganic/Radiological:
Barium
Radium 226/228

Organic:
None

Certificate # 04 - 1667

Model Designation:

Mach 2060 S

System Type

water softener

Replacement Elements:

None

Date Issued: **October 13, 2009**

Manufacturer: **Kinetico Incorporated**

Rated Service Flow: **11.5 gpm**

Rated Service Capacity: **Not Applicable**

Technology: **ion exchange**

Comments:

Do not use with water that is microbiologically unsafe or of unknown quality, without adequate disinfection before or after the system.

Contaminants Reduced:

Microbiological/Turbidity:
None

Inorganic/Radiological:
Barium
Radium 226/228

Organic:
None

Certificate # 04 - 1668

Model Designation:

Mach 2060 S OD

System Type

water softener

Replacement Elements:

None

Certified Water Treatment Devices

(listed by four digit certificate number)

Date Issued: **October 13, 2009**

Manufacturer: **Kinetico Incorporated**

Rated Service Flow: **20 gpm**

Rated Service Capacity: **Not Applicable**

Technology: **ion exchange**

Comments:

Do not use with water that is microbiologically unsafe or of unknown quality, without adequate disinfection before or after the system.

Contaminants Reduced:

Microbiological/Turbidity:
None

Inorganic/Radiological:
Barium
Radium 226/228

Organic:
None

Certificate # 04 - 1669

Model Designation:

Mach 2100 S

System Type

water softener

Replacement Elements:

None

Date Issued: **October 13, 2009**

Manufacturer: **Kinetico Incorporated**

Rated Service Flow: **12 gpm**

Rated Service Capacity: **Not Applicable**

Technology: **ion exchange**

Comments:

Do not use with water that is microbiologically unsafe or of unknown quality, without adequate disinfection before or after the system.

Contaminants Reduced:

Microbiological/Turbidity:
None

Inorganic/Radiological:
Barium
Radium 226/228

Organic:
None

Certificate # 04 - 1670

Model Designation:

Mach 2100 S OD

System Type

water softener

Replacement Elements:

None

Certified Water Treatment Devices

(listed by four digit certificate number)

Date Issued: **October 13, 2009**

Manufacturer: **Kinetico Incorporated**

Rated Service Flow: **21 gpm**

Rated Service Capacity: **Not Applicable**

Technology: **ion exchange**

Comments:

Do not use with water that is microbiologically unsafe or of unknown quality, without adequate disinfection before or after the system.

Contaminants Reduced:

Microbiological/Turbidity:
None

Inorganic/Radiological:
Barium
Radium 226/228

Organic:
None

Certificate # 04 - 1672

Model Designation:

Mach 4040 S OD

System Type

water softener

Replacement Elements:

None

Date Issued: **October 13, 2009**

Manufacturer: **Kinetico Incorporated**

Rated Service Flow: **11 gpm**

Rated Service Capacity: **Not Applicable**

Technology: **ion exchange**

Comments:

Do not use with water that is microbiologically unsafe or of unknown quality, without adequate disinfection before or after the system.

Contaminants Reduced:

Microbiological/Turbidity:
None

Inorganic/Radiological:
Barium
Radium 226/228

Organic:
None

Certificate # 05 - 1677

Model Designation:

GE Smartwater PXRQ15F

System Type

under counter

Replacement Elements:

FQROPF (Pre and Post Filter)
FQROMF (Membrane)

GE Smartwater PNRQ15FBL

under counter

FQROPF (Pre and Post Filter)
FQROMF (Membrane)

GE Smartwater PXRQ15RBL

under counter

FQROPF (Pre and Post Filter)
FQROMF (Membrane)

GE Smartwater PNRQ15RBL

under counter

FQROPF (Pre and Post Filter)
FQROMF (Membrane)

Certified Water Treatment Devices

(listed by four digit certificate number)

Date Issued: January 6, 2005

Date Revised: April 30, 2010

Manufacturer: General Electric Company

Rated Service Flow: 8.46 gpd

Rated Service Capacity: 900 gal

Technology: reverse osmosis

Comments:

Do not use where water is microbiologically unsafe or with water of unknown quality, except that systems certified for cyst reduction may be used on disinfected waters that may contain filterable cysts.

¹ Claims for arsenic reduction shall only be made on water supplies maintaining detectable residual free chlorine at the reverse osmosis (RO) system inlet.

Water systems using an in-line chlorinator should provide a minimum of 1 minute chlorine contact time before

Contaminants Reduced:

Microbiological/Turbidity:

Cysts
Turbidity

Inorganic/Radiological:

Arsenic¹
Asbestos
Barium
Cadmium
Chromium (hexavalent)
Chromium (trivalent)
Copper
Lead
Selenium

Organic:

None

Certificate # 04 - 1687

Model Designation:

US-1000

System Type

under counter

Replacement Elements:

P-250A Kit (D-40 & D-25)

Date Issued: November 30, 2009

Manufacturer: Pentek

Rated Service Flow: 0.6 gpm

Rated Service Capacity: 500 gal

Technology: carbon block/GAC

Comments:

Do not use where water is microbiologically unsafe or with water of unknown quality, except that systems certified for cyst reduction may be used on disinfected waters that may contain filterable cysts.

Contaminants Reduced:

Microbiological/Turbidity:

Cysts

Inorganic/Radiological:

Asbestos
Lead
Mercury

Organic:

MTBE
VOCs chloroform surrogate

Certified Water Treatment Devices

(listed by four digit certificate number)

Certificate # 04 - 1688

Model Designation:

US-1500

System Type

under counter

Replacement Elements:

P-250 Kit

Date Issued: November 30, 2009

Manufacturer: Pentek

Rated Service Flow: 0.6 gpm

Rated Service Capacity: 1000 gal

Technology: carbon block/GAC

Comments:

Do not use where water is microbiologically unsafe or with water of unknown quality, except that systems certified for cyst reduction may be used on disinfected waters that may contain filterable cysts.

Contaminants Reduced:

Microbiological/Turbidity:

Cysts

Inorganic/Radiological:

Asbestos

Lead

Mercury

Organic:

VOCs by chloroform surrogate

Certificate # 05 - 1698

Model Designation:

GE MWF

System Type

in line
refrigerator

Replacement Elements:

MWF

Date Issued: February 2, 2010

Manufacturer: General Electric Company

Rated Service Flow: 0.5 gpm

Rated Service Capacity: 300 gal

Technology: carbon block

Comments:

Do not use where water is microbiologically unsafe or with water of unknown quality, except that systems certified for cyst reduction may be used on disinfected waters that may contain filterable cysts.

Contaminants Reduced:

Microbiological/Turbidity:

Cysts

Inorganic/Radiological:

Asbestos

Lead

Mercury

Organic:

Atrazine

Benzene

Carbofuran

Endrin

Lindane

Tetrachloroethylene

Toxaphene

1,4-dichlorobenzene

2, 4-D

Certified Water Treatment Devices

(listed by four digit certificate number)

Certificate # 05 - 1702

Model Designation:

Whirlpool Deluxe T1WG2

System Type

in line
refrigerator

Replacement Elements:

T2RFGW2

Whirlpool Deluxe T1WG2L

in line
refrigerator

T2RFGW2

KitchenAid Deluxe T1WG2

in line
refrigerator

T2RFGW2

KitchenAid Deluxe T1WG2L

in line
refrigerator

T2RFGW2

Date Issued: April 6, 2010

Manufacturer: Whirlpool Corporation

Rated Service Flow: 0.5 gpm

Rated Service Capacity: 200 gals

Technology: carbon block

Comments:

Do not use with water that is microbiologically unsafe or of unknown quality, without adequate disinfection before or after the system.

Contaminants Reduced:

Microbiological/Turbidity:

None

Inorganic/Radiological:

Lead

Mercury

Organic:

Benzene

Carbofuran

o-Dichlorobenzene

Toxaphene

Certificate # 05 - 1703

Model Designation:

Whirlpool Deluxe T2WG2

System Type

in line
refrigerator

Replacement Elements:

T2RFGW2

Whirlpool Deluxe T2WG2L

in line
refrigerator

T2RFGW2

KitchenAid Deluxe T2WG2

in line
refrigerator

T2RFGW2

KitchenAid Deluxe T2WG2L

in line
refrigerator

T2RFGW2

Certified Water Treatment Devices

(listed by four digit certificate number)

Date Issued: **April 6, 2010**

Manufacturer: **Whirlpool Corporation**

Rated Service Flow: **0.85 gpm**

Rated Service Capacity: **200 gals**

Technology: **carbon block**

Comments:

Do not use with water that is microbiologically unsafe or of unknown quality, without adequate disinfection before or after the system.

Contaminants Reduced:

Microbiological/Turbidity:
None

Inorganic/Radiological:
Lead
Mercury

Organic:
Benzene
Carbofuran
o-Dichlorobenzene
Toxaphene

Certificate # 05 - 1704

Model Designation:

Micromax 6500 TFC

System Type

under counter

Replacement Elements:

47-126001PRI Sediment Prefilter
66-5706PRI RO Module

Date Issued: **December 12, 2010**

Manufacturer: **Puronic Water Systems, Inc.**

Rated Service Flow: **8.28gal/day**

Rated Service Capacity: **n/a**

Technology: **reverse osmosis**

Comments:

Do not use where water is microbiologically unsafe or with water of unknown quality, except that systems certified for cyst reduction may be used on disinfected waters that may contain filterable cysts.

¹ Claims for arsenic reduction shall only be made on water supplies maintaining detectable residual free chlorine at the reverse osmosis (RO) system inlet. Water systems using an in-line chlorinator should provide a minimum of 1 minute chlorine contact time before

Contaminants Reduced:

Microbiological/Turbidity:
Cysts
Turbidity

Inorganic/Radiological:
Arsenic (pentavalent)¹

Barium
Cadmium
Chromium (hexavalent)
Chromium (trivalent)
Copper
Fluoride
Lead
Radium 226/228
Selenium

Organic:
None

Certificate # 05 - 1706

Model Designation:

GE Profile PNRQ20FBL

System Type

under counter

Replacement Elements:

FQROPF Prefilter
FQROMF Membrane

Certified Water Treatment Devices

(listed by four digit certificate number)

California Department of Public Health
Drinking Water Program
Water Treatment Device Directory
January 2013

GE Profile PNRQ20FBB	under counter	FQROPF Prefilter FQROMF Membrane
GE Profile PNRQ20FCC	under counter	FQROPF Prefilter FQROMF Membrane
GE Profile PNRQ20FWW	under counter	FQROPF Prefilter FQROMF Membrane
GE Profile PNRQ21LRB	under counter	FQROPF Prefilter FQROMF Membrane
GE Profile PNRQ21LBN	under counter	FQROPF Prefilter FQROMF Membrane
GE Profile PNRQ21LBC	under counter	FQROPF Prefilter FQROMF Membrane
GE Profile PNRQ20RBL	under counter	FQROPF Prefilter FQROMF Membrane
GE Profile PNRQ21RBN	under counter	FQROPF Prefilter FQROMF Membrane
GE Profile PNRQ21RRB	under counter	FQROPF Prefilter FQROMF Membrane

Certified Water Treatment Devices

(listed by four digit certificate number)

Date Issued: April 18, 2010

Manufacturer: General Electric Company

Rated Service Flow: 13.16 gpd

Rated Service Capacity: 900 gal

Technology: reverse osmosis

Comments:

Do not use where water is microbiologically unsafe or with water of unknown quality, except that systems certified for cyst reduction may be used on disinfected waters that may contain filterable cysts.

¹ Claims for arsenic reduction shall only be made on water supplies maintaining detectable residual free chlorine at the reverse osmosis (RO) system inlet.

System has been tested for reduction of arsenic at concentrations of 0.050 mg/L or less. Water systems using an in-line

Contaminants Reduced:

Microbiological/Turbidity:

Cysts
Turbidity

Inorganic/Radiological:

Arsenic¹
Asbestos
Barium
Cadmium
Chromium (hexavalent)
Chromium (trivalent)
Copper
Lead
Selenium

Organic:

None

Certificate # 05 - 1708

Model Designation:

Sub-Zero 4290510

System Type

in line
refrigerator

Replacement Elements:

4204490

Date Issued: April 18, 2010

Manufacturer: 3M Purification Inc.

Rated Service Flow: 0.78 gpm

Rated Service Capacity: 750 gals

Technology: carbon block

Comments:

Do not use where water is microbiologically unsafe or with water of unknown quality, except that systems certified for cyst reduction may be used on disinfected waters that may contain filterable cysts.

Contaminants Reduced:

Microbiological/Turbidity:

Cysts
Turbidity

Inorganic/Radiological:

Asbestos
Lead
Mercury

Organic:

Atrazine
Benzene
Carbofuran
Lindane
p-dichlorobenzene
Toxaphene

Certified Water Treatment Devices

(listed by four digit certificate number)

Certificate # 05 - 1711

Model Designation:

Hague WaterMax 52 AMQ

System Type

water softener

Replacement Elements:

N/A

Hague WaterMax 62 AMQ

water softener

N/A

Date Issued: June 22, 2010

Manufacturer: Hague Quality Water, International

Rated Service Flow: 8 gpm

Rated Service Capacity: N/A

Technology: ion exchange

Comments:

Do not use with water that is microbiologically unsafe or of unknown quality, without adequate disinfection before or after the system.

Contaminants Reduced:

Microbiological/Turbidity:

None

Inorganic/Radiological:

Barium

Radium 226/228

Organic:

None

Certificate # 05 - 1712

Model Designation:

Hague Watermax 52 APQ

System Type

water softener

Replacement Elements:

N/A

Hague Watermax 62 APQ

water softener

N/A

Date Issued: June 22, 2010

Manufacturer: Hague Quality Water, International

Rated Service Flow: 8 gpm

Rated Service Capacity: N/A

Technology: ion exchange

Comments:

Do not use with water that is microbiologically unsafe or of unknown quality, without adequate disinfection before or after the system.

Contaminants Reduced:

Microbiological/Turbidity:

None

Inorganic/Radiological:

Barium

Radium 226/228

Organic:

None

Certificate # 05 - 1713

Model Designation:

Hague WaterMax 53 BEQ

System Type

water softener

Replacement Elements:

N/A

Hague WaterMax 63 BEQ

water softener

N/A

Certified Water Treatment Devices

(listed by four digit certificate number)

Date Issued: **June 22, 2010**

Manufacturer: **Hague Quality Water, International**

Rated Service Flow: **8 gpm**

Rated Service Capacity: **N/A**

Technology: **ion exchange**

Comments:

Do not use with water that is microbiologically unsafe or of unknown quality, without adequate disinfection before or after the system.

Contaminants Reduced:

Microbiological/Turbidity:
None

Inorganic/Radiological:
Barium
Radium 226/228

Organic:
None

Certificate # 05 - 1714

Model Designation:

Hague WaterMax 53 MAQ

System Type

water softener

Replacement Elements:

N/A

Hague WaterMax 63 MAQ

water softener

N/A

Date Issued: **June 22, 2010**

Manufacturer: **Hague Quality Water, International**

Rated Service Flow: **8 gpm**

Rated Service Capacity: **N/A**

Technology: **ion exchange**

Comments:

Do not use with water that is microbiologically unsafe or of unknown quality, without adequate disinfection before or after the system.

Contaminants Reduced:

Microbiological/Turbidity:
None

Inorganic/Radiological:
Barium
Radium 226/228

Organic:
None

Certificate # 05 - 1715

Model Designation:

Hague WaterMax 53 MXQ

System Type

water softener

Replacement Elements:

N/A

Hague WaterMax 63 MXQ

water softener

N/A

Certified Water Treatment Devices

(listed by four digit certificate number)

Date Issued: **June 22, 2010**

Manufacturer: **Hague Quality Water, International**

Rated Service Flow: **8 gpm**

Rated Service Capacity: **N/A**

Technology: **ion exchange**

Comments:

Do not use with water that is microbiologically unsafe or of unknown quality, without adequate disinfection before or after the system.

Contaminants Reduced:

Microbiological/Turbidity:
None

Inorganic/Radiological:
Barium
Radium 226/228

Organic:
None

Certificate # 05 - 1717

Model Designation:

Hague Maximizer 96 MM

System Type

water softener

Replacement Elements:

N/A

Date Issued: **June 22, 2010**

Manufacturer: **Hague Quality Water, International**

Rated Service Flow: **8 gpm**

Rated Service Capacity: **N/A**

Technology: **ion exchange**

Comments:

Do not use with water that is microbiologically unsafe or of unknown quality, without adequate disinfection before or after the system.

Contaminants Reduced:

Microbiological/Turbidity:
None

Inorganic/Radiological:
Barium
Radium 226/228

Organic:
None

Certificate # 05 - 1718

Model Designation:

Waterboss 700

System Type

water softener

Replacement Elements:

N/A

Certified Water Treatment Devices

(listed by four digit certificate number)

Date Issued: December 21, 2010

Manufacturer: Waterboss

Rated Service Flow: 8 gpm

Rated Service Capacity: N/A

Technology: ion exchange

Comments:

Do not use with water that is microbiologically unsafe or of unknown quality, without adequate disinfection before or after the system.

Contaminants Reduced:

Microbiological/Turbidity:
None

Inorganic/Radiological:
Barium
Radium 226/228

Organic:
None

Certificate # 05 - 1719

Model Designation:

Waterboss 900

System Type

water softener

Replacement Elements:

N/A

Date Issued: December 21, 2010

Manufacturer: Waterboss

Rated Service Flow: 8 gpm

Rated Service Capacity: N/A

Technology: ion exchange

Comments:

Do not use with water that is microbiologically unsafe or of unknown quality, without adequate disinfection before or after the system.

Contaminants Reduced:

Microbiological/Turbidity:
None

Inorganic/Radiological:
Barium
Radium 226/228

Organic:
None

Certificate # 05 - 1720

Model Designation:

Waterboss 950

System Type

water softener

Replacement Elements:

N/A

Certified Water Treatment Devices

(listed by four digit certificate number)

Date Issued: **December 21, 2010**

Manufacturer: **Waterboss**

Rated Service Flow: **8 gpm**

Rated Service Capacity: **N/A**

Technology: **ion exchange**

Comments:

Do not use with water that is microbiologically unsafe or of unknown quality, without adequate disinfection before or after the system.

Contaminants Reduced:

Microbiological/Turbidity:
None

Inorganic/Radiological:
Barium
Radium 226/228

Organic:
None

Certificate # 05 - 1730

Model Designation:

Micromax 6000 TFC

System Type

**plumbed in to
separate tap**

Replacement Elements:

47-124001PRI Sediment Prefilter
66-5706PRI RO Module

Date Issued: **December 12, 2010**

Manufacturer: **Puronic Water Systems, Inc.**

Rated Service Flow: **8.28 gal/day**

Rated Service Capacity: **N/A**

Technology: **reverse osmosis**

Comments:

Do not use where water is microbiologically unsafe or with water of unknown quality, except that systems certified for cyst reduction may be used on disinfected waters that may contain filterable cysts.

¹ Claims for arsenic reduction shall only be made on water supplies maintaining detectable residual free chlorine at the reverse osmosis (RO) system inlet.

Water systems using an in-line chlorinator should provide a minimum of 1 minute chlorine contact time before

Contaminants Reduced:

Microbiological/Turbidity:
Cysts
Turbidity

Inorganic/Radiological:
Arsenic (pentavalent)¹

Barium
Cadmium
Chromium (hexavalent)
Chromium (trivalent)
Copper
Fluoride
Lead
Radium 226/228
Selenium

Organic:
None

Certificate # 05 - 1736

Model Designation:

Multi-Pure MPAD

System Type

counter top

Replacement Elements:

CB6AD

Multi-Pure MPADC

counter top

CBTAD

Certified Water Treatment Devices

(listed by four digit certificate number)

Date Issued: **October 20, 2010**

Manufacturer: **Multipure International**

Rated Service Flow: **0.75 gpm**

Rated Service Capacity: **750 gals**

Technology: **carbon block**

Comments:

Do not use where water is microbiologically unsafe or with water of unknown quality, except that systems certified for cyst reduction may be used on disinfected waters that may contain filterable cysts.

Contaminants Reduced:

Microbiological/Turbidity:

Cysts

Turbidity

Inorganic/Radiological:

Asbestos

Lead

Mercury

Organic:

Chlordane

MTBE

PCB

Toxaphene

VOCs

Certificate # 08 - 1747

Model Designation:

System Type

Replacement Elements:

AC-30 2 gal, AC-30M 3 gal, AC-30L

00401538 Pre Filter

01007402 Membrane

Date Issued: **May 20, 2008**

Manufacturer: **Culligan International**

Rated Service Flow: **n/a**

Rated Service Capacity: **n/a**

Technology: **reverse osmosis**

Comments:

Do not use with water that is microbiologically unsafe or of unknown quality, without adequate disinfection before or after the system.

This is a protocol certificate only and will be used to support testing of a device.

Contaminants Reduced:

Microbiological/Turbidity:

None

Inorganic/Radiological:

Barium

Cadmium

Chromium (hexavalent)

Chromium (trivalent)

Copper

Lead

Radium 226/228

Selenium

Organic:

None

Certificate # 06 - 1750

Model Designation:

System Type

Replacement Elements:

GXSF30H

water softener

N/A

Certified Water Treatment Devices

(listed by four digit certificate number)

Date Issued: **January 6, 2011**

Manufacturer: **General Electric Company**

Rated Service Flow: **7.5 gpm**

Rated Service Capacity: **N/A**

Technology: **ion exchange**

Comments:

Do not use with water that is microbiologically unsafe or of unknown quality, without adequate disinfection before or after the system.

Contaminants Reduced:

Microbiological/Turbidity:
None

Inorganic/Radiological:
Barium
Radium 226/228

Organic:
None

Certificate # 06 - 1752

Model Designation:

GXSF40H

System Type

water softener

Replacement Elements:

N/A

Date Issued: **January 6, 2011**

Manufacturer: **General Electric Company**

Rated Service Flow: **7.5 gpm**

Rated Service Capacity: **N/A**

Technology: **ion exchange**

Comments:

Do not use with water that is microbiologically unsafe or of unknown quality, without adequate disinfection before or after the system.

Contaminants Reduced:

Microbiological/Turbidity:
None

Inorganic/Radiological:
Barium
Radium 226/228

Organic:
None

Certificate # 06 - 1756

Model Designation:

ECR3500R20

System Type

water softener

Replacement Elements:

N/A

Certified Water Treatment Devices

(listed by four digit certificate number)

Date Issued: January 17, 2011

Manufacturer: EcoWater Systems

Rated Service Flow: 9 gpm

Rated Service Capacity: N/A

Technology: ion exchange

Comments:

Do not use with water that is microbiologically unsafe or of unknown quality, without adequate disinfection before or after the system.

Contaminants Reduced:

Microbiological/Turbidity:
None

Inorganic/Radiological:
Barium
Radium 226/228

Organic:
None

Certificate # 06 - 1757

Model Designation:

ECR3500R30

System Type

water softener

Replacement Elements:

N/A

ECR3502R30

water softener

N/A

Date Issued: January 17, 2011

Manufacturer: EcoWater Systems

Rated Service Flow: 11 gpm

Rated Service Capacity: N/A

Technology: ion exchange

Comments:

Do not use with water that is microbiologically unsafe or of unknown quality, without adequate disinfection before or after the system.

Contaminants Reduced:

Microbiological/Turbidity:
None

Inorganic/Radiological:
Barium
Radium 226/228

Organic:
None

Certificate # 06 - 1758

Model Designation:

ECR3502R40

System Type

water softener

Replacement Elements:

N/A

Certified Water Treatment Devices

(listed by four digit certificate number)

Date Issued: **January 17, 2011**

Manufacturer: **EcoWater Systems**

Rated Service Flow: **12 gpm**

Rated Service Capacity: **N/A**

Technology: **ion exchange**

Comments:

Do not use with water that is microbiologically unsafe or of unknown quality, without adequate disinfection before or after the system.

Contaminants Reduced:

Microbiological/Turbidity:
None

Inorganic/Radiological:
Barium
Radium 226/228

Organic:
None

Certificate # 06 - 1759

Model Designation:

ECR3502R50S

System Type

water softener

Replacement Elements:

N/A

Date Issued: **January 17, 2011**

Manufacturer: **EcoWater Systems LLC**

Rated Service Flow: **20 gpm**

Rated Service Capacity: **N/A**

Technology: **ion exchange**

Comments:

Do not use with water that is microbiologically unsafe or of unknown quality, without adequate disinfection before or after the system.

Contaminants Reduced:

Microbiological/Turbidity:
None

Inorganic/Radiological:
Barium
Radium 226/228

Organic:
None

Certificate # 06 - 1760

Model Designation:

ECR3502R70

System Type

water softener

Replacement Elements:

N/A

Certified Water Treatment Devices

(listed by four digit certificate number)

Date Issued: **January 17, 2011**

Manufacturer: **EcoWater Systems**

Rated Service Flow: **12 gpm**

Rated Service Capacity: **N/A**

Technology: **ion exchange**

Comments:

Do not use with water that is microbiologically unsafe or of unknown quality, without adequate disinfection before or after the system.

Contaminants Reduced:

Microbiological/Turbidity:
None

Inorganic/Radiological:
Barium
Radium 226/228

Organic:
None

Certificate # 06 - 1761

Model Designation:

ERR3500R20

System Type

water softener

Replacement Elements:

N/A

Date Issued: **January 17, 2011**

Manufacturer: **EcoWater Systems**

Rated Service Flow: **9 gpm**

Rated Service Capacity: **N/A**

Technology: **ion exchange**

Comments:

Do not use with water that is microbiologically unsafe or of unknown quality, without adequate disinfection before or after the system.

Contaminants Reduced:

Microbiological/Turbidity:
None

Inorganic/Radiological:
Barium
Radium 226/228

Organic:
None

Certificate # 06 - 1762

Model Designation:

ERR3502R30

System Type

water softener

Replacement Elements:

N/A

Certified Water Treatment Devices

(listed by four digit certificate number)

Date Issued: **January 17, 2011**
Manufacturer: **EcoWater Systems**

Rated Service Flow: **10 gpm**
Rated Service Capacity: **N/A**

Technology: **ion exchange**

Comments:

Do not use with water that is microbiologically unsafe or of unknown quality, without adequate disinfection before or after the system.

Contaminants Reduced:

Microbiological/Turbidity:
None

Inorganic/Radiological:
Barium
Radium 226/228

Organic:
None

Certificate # 05 - 1768

Model Designation:
Whirlpool WHED20

System Type
under counter

Replacement Elements:
WHEEDF 1
WHEEDF 2

Date Issued: **December 19, 2010**
Manufacturer: **Ecodyne Systems**

Rated Service Flow: **0.6 gpm**
Rated Service Capacity: **270 gals**

Technology: **mechanical/carbon**

Comments:

Do not use where water is microbiologically unsafe or with water of unknown quality, except that systems certified for cyst reduction may be used on disinfected waters that may contain filterable cysts.

Contaminants Reduced:

Microbiological/Turbidity:
Cysts

Inorganic/Radiological:
Lead

Organic:
MTBE
VOC

Certificate # 06 - 1772

Model Designation:
MAC 7500

System Type
under counter

Replacement Elements:
9308A

Plumline PD1500C

under counter

13824

Certified Water Treatment Devices

(listed by four digit certificate number)

Date Issued: February 2, 2011

Manufacturer: Kinetico Incorporated

Rated Service Flow: 0.75 gpm

Rated Service Capacity: 500 gallons

Technology: mechanical

Comments:

Do not use where water is microbiologically unsafe or with water of unknown quality, except that systems claiming cyst reduction may be used on water containing cysts.

Contaminants Reduced:

Microbiological/Turbidity:
None

Inorganic/Radiological:
Lead

Organic:
MTBE
VOCs

Certificate # 06 - 1773

Model Designation:
DA97-03175A

System Type
in line
refrigerator

Replacement Elements:
DA29-00012A

Date Issued: February 1, 2011

Manufacturer: Cuno Incorporated

Rated Service Flow: 0.75 gpm

Rated Service Capacity: 300 gallons

Technology: carbon block

Comments:

Do not use where water is microbiologically unsafe or with water of unknown quality, except that systems certified for cyst reduction may be used on disinfected waters that may contain filterable cysts.

Contaminants Reduced:

Microbiological/Turbidity:
Cysts (protozoan)
Turbidity

Inorganic/Radiological:
Asbestos
Lead

Mercury

Organic:
Atrazine
Benzene
Carbofuran
Lindane
p-dichlorobenzene
Toxaphene
2-4, D

Certificate # 06 - 1774

Model Designation:
Kenmore 5231JA2006-S

System Type
in line
refrigerator

Replacement Elements:
5231JA2006

Certified Water Treatment Devices

(listed by four digit certificate number)

Date Issued: **January 12, 2011**

Manufacturer: **Sears Brands Management Corporation**

Rated Service Flow: **0.5 gpm**

Rated Service Capacity: **300 gallons**

Technology: **carbon block**

Comments:

Do not use where water is microbiologically unsafe or with water of unknown quality, except that systems certified for cyst reduction may be used on disinfected waters that may contain filterable cysts.

Contaminants Reduced:

Microbiological/Turbidity:

Cysts (protozoan)

Turbidity

Inorganic/Radiological:

Lead

Mercury

Organic:

Atrazine

Benzene

Lindane

2, 4-D

Certificate # 06 - 1775

Model Designation:

Bosch 9000 077095

System Type

in line
refrigerator

Replacement Elements:

9000 077104

Miele 07134220

in line
refrigerator

07134220

Daewoo 9000 077096

in line
refrigerator

9000 077104

Date Issued: **March 10, 2011**

Manufacturer: **3M Purification**

Rated Service Flow: **0.75 gpm**

Rated Service Capacity: **740 gals**

Technology: **carbon block**

Comments:

Do not use where water is microbiologically unsafe or with water of unknown quality, except that systems certified for cyst reduction may be used on disinfected waters that may contain filterable cysts.

Contaminants Reduced:

Microbiological/Turbidity:

Cysts

Turbidity

Inorganic/Radiological:

None

Organic:

None

Certified Water Treatment Devices

(listed by four digit certificate number)

California Department of Public Health
Drinking Water Program
Water Treatment Device Directory
January 2013

Certificate # 06 - 1777

Model Designation:

EcoWater EWS VOC Filter

System Type

under counter

Replacement Elements:

7273183

Date Issued: June 15, 2011

Manufacturer: EcoWater Systems

Rated Service Flow: 0.6 gpm

Rated Service Capacity: 250 gallons

Technology: carbon block

Comments:

Do not use with water that is microbiologically unsafe or of unknown quality, without adequate disinfection before or after the system.

Contaminants Reduced:

Microbiological/Turbidity:

None

Inorganic/Radiological:

None

Organic:

VOCs

Certificate # 06 - 1780

Model Designation:

Whirlpool WHER 25

System Type

under counter

Replacement Elements:

Pre/Post-filter: WHEERF

RO membrane: WHEERM

Date Issued: June 22, 2011

Manufacturer: Ecodyne Water Systems LLC

Rated Service Flow: 14.53 gals

Rated Service Capacity: not applicable

Technology: reverse osmosis

Comments:

Do not use where water is microbiologically unsafe or with water of unknown quality, except that systems certified for cyst reduction may be used on disinfected waters that may contain filterable cysts.

¹ Claims for arsenic reduction shall only be made on water supplies maintaining detectable residual free chlorine at the reverse osmosis (RO) system inlet. Water systems using an in-line chlorinator should provide a minimum of 1 minute chlorine contact time before

Contaminants Reduced:

Microbiological/Turbidity:

Cysts (protozoan)

Turbidity

Inorganic/Radiological:

Arsenic¹ (pentavalent)

Barium

Cadmium

Chromium (hexavalent)

Chromium (trivalent)

Copper

Fluoride

Lead

Nitrate/Nitrite²

Radium 226/228

Selenium

Organic:

None

Certified Water Treatment Devices

(listed by four digit certificate number)

Certificate # 06 - 1783

Model Designation:
EcoWater ERO-375E

System Type
under counter

Replacement Elements:
Pre/Post filter: 7278913
RO Membrane: 7278905

EcoWater ERO-375

under counter

Pre/Post filter: 7278913
RO Membrane: 7278905

EcoWater ERO375 HERO

under counter

Pre/Post filter: 7278913
RO Membrane: 7278905

Date Issued: April 24, 2011

Manufacturer: EcoWater Systems

Rated Service Flow: 17.4 gallons/day

Rated Service Capacity: not applicable

Technology: reverse osmosis

Comments:

Do not use where water is microbiologically unsafe or with water of unknown quality, except that systems certified for cyst reduction may be used on disinfected waters that may contain filterable cysts.

¹Claims for arsenic reduction shall only be made on water supplies maintaining detectable residual free chlorine at the reverse osmosis (RO) system inlet. Water systems using an in-line chlorinator should provide a minimum of 1 minute chlorine contact time before

Contaminants Reduced:

Microbiological/Turbidity:
Cysts (protozoan)
Turbidity

Inorganic/Radiological:
Arsenic¹(pentavalent)

Barium

Cadmium

Chromium (hexavalent)

Chromium (trivalent)

Copper

Fluoride

Lead

Nitrate/Nitrite²

Radium 226/228

Selenium

Organic:

None

Certificate # 06 - 1786

Model Designation:
WIC-600

System Type
in line

Replacement Elements:
600R

DW-600

in line

600R

Certified Water Treatment Devices

(listed by four digit certificate number)

Date Issued: **March 9, 2011**

Manufacturer: **American Plumber**

Rated Service Flow: **0.5 gpm**

Rated Service Capacity: **500 gals**

Technology: **carbon block**

Comments:

Do not use where water is microbiologically unsafe or with water of unknown quality, except that systems certified for cyst reduction may be used on disinfected waters that may contain filterable cysts.

Contaminants Reduced:

Microbiological/Turbidity:

Cysts

Turbidity

Inorganic/Radiological:

Lead

Organic:

Atrazine

Lindane

Certificate # 06 - 1787

Model Designation:

UKF9001AXX-100

System Type

in line
refrigerator

Replacement Elements:

UKF8001

Kenmore 46 9992-100

in line
refrigerator

46 9006

Date Issued: **April 6, 2011**

Manufacturer: **3M Purification**

Rated Service Flow: **0.55 gpm**

Rated Service Capacity: **100 gals**

Technology: **mechanical/carbon**

Comments:

Do not use where water is microbiologically unsafe or with water of unknown quality, except that systems certified for cyst reduction may be used on disinfected waters that may contain filterable cysts.

Contaminants Reduced:

Microbiological/Turbidity:

Cysts

Turbidity

Inorganic/Radiological:

Asbestos

Lead

Mercury

Organic:

Atrazine

Benzene

Carbofuran

Chlorobenzene

o-dichlorobenzene

p-dichlorobenzene

Endrin

Ethylbenzene

Lindane

MTBE

Tetrachloroethylene

Toxaphene

VOCs by chloroform surrogate

Certified Water Treatment Devices

(listed by four digit certificate number)

Certificate # 06 - 1789

Model Designation:
PUR 2-Stage DS-1800Z

System Type
pour through

Replacement Elements:
CRF-950Z

PUR 2-Stage CR-6000

pour through

CRF-950Z

PUR 2-Stage CR-6000C

pour through

CRF-950Z

PUR 2-Stage CR-5000

pour through

CRF-950Z

PUR 2-Stage CR-4000

pour through

CRF-950Z

Date Issued: April 25, 2011

Date Revised: November 9,
2012

Manufacturer: Kaz USA, Inc.

Rated Service Flow: n/a

Rated Service Capacity: 40 gal

Technology: GAC

Comments:

Do not use with water that is
microbiologically unsafe or of unknown
quality, without adequate disinfection
before or after the system.

Contaminants Reduced:

Microbiological/Turbidity:
None

Inorganic/Radiological:
Cadmium
Copper
Mercury

Organic:
Atrazine
Benzene
Carbon tetrachloride
Simazine
Tetrachloroethylene
2, 4-D

Certificate # 06 - 1790

Model Designation:
Viking, RWFFR-750

System Type
in line
refrigerator

Replacement Elements:
RWFFR

Certified Water Treatment Devices

(listed by four digit certificate number)

Date Issued: **June 1, 2011**

Manufacturer: **3M Purification Inc.**

Rated Service Flow: **0.78 gpm**

Rated Service Capacity: **750 gals**

Technology: **carbon block**

Comments:

Do not use where water is microbiologically unsafe or with water of unknown quality, except that systems certified for cyst reduction may be used on disinfected waters that may contain filterable cysts.

Contaminants Reduced:

Microbiological/Turbidity:

Cysts

Turbidity

Inorganic/Radiological:

Asbestos

Lead

Mercury

Organic:

Atrazine

Benzene

Carbofuran

Lindane

p-Dichlorobenzene

Toxaphene

Certificate # 06 - 1792

Model Designation:

Aquasana, AQ-4000

System Type

counter top

Replacement Elements:

AQ-4025

AQ-4035

Dr. Mercola PC CWF2000

counter top

PC CFR2000

Pure H2O 14030

counter top

Pure H2O Cartridges 14032

Date Issued: **July 28, 2011**

Manufacturer: **Sun Water Systems, Inc.**

Rated Service Flow: **0.4 gpm**

Rated Service Capacity: **500 gals**

Technology: **carbon block**

Comments:

Do not use where water is microbiologically unsafe or with water of unknown quality, except that systems certified for cyst reduction may be used on disinfected waters that may contain filterable cysts.

Contaminants Reduced:

Microbiological/Turbidity:

Cysts

Turbidity

Inorganic/Radiological:

Asbestos

Lead

Mercury

Organic:

MTBE

VOCs

Certificate # 06 - 1793

Model Designation:

Cyst-FF

System Type

in line

Replacement Elements:

C-Cysts-FF

Certified Water Treatment Devices

(listed by four digit certificate number)

Date Issued: **June 2, 2011**

Manufacturer: **3M Purification**

Rated Service Flow: **1.5 gpm**

Rated Service Capacity: **2000 gal**

Technology: **carbon block**

Comments:

Do not use where water is microbiologically unsafe or with water of unknown quality, except that systems certified for cyst reduction may be used on disinfected waters that may contain filterable cysts.

Contaminants Reduced:

Microbiological/Turbidity:
Cysts

Inorganic/Radiological:
None

Organic:
None

Certificate # 06 - 1801

Model Designation:

RainSoft EC4 150 CV

System Type

water softener

Replacement Elements:

N/A

Date Issued: **July 28, 2011**

Manufacturer: **RainSoft, A Division of Aquion, Inc.**

Rated Service Flow: **10.4 gpm**

Rated Service Capacity: **N/A**

Technology: **ion exchange**

Comments:

Do not use with water that is microbiologically unsafe or of unknown quality, without adequate disinfection before or after the system.

Contaminants Reduced:

Microbiological/Turbidity:
None

Inorganic/Radiological:
Barium
Radium 226/228

Organic:
None

Certificate # 06 - 1802

Model Designation:

RainSoft EC4 100 CV

System Type

water softener

Replacement Elements:

N/A

Certified Water Treatment Devices

(listed by four digit certificate number)

Date Issued: July 28, 2011

Manufacturer: RainSoft, A Division of Aquion, Inc.

Rated Service Flow: 10.0 gpm

Rated Service Capacity: N/A

Technology: ion exchange

Comments:

Do not use with water that is microbiologically unsafe or of unknown quality, without adequate disinfection before or after the system.

Contaminants Reduced:

Microbiological/Turbidity:
None

Inorganic/Radiological:
Barium
Radium 226/228

Organic:
None

Certificate # 06 - 1803

Model Designation:

RainSoft EC4 75 CV

System Type

water softener

Replacement Elements:

N/A

Date Issued: July 28, 2011

Manufacturer: RainSoft, A Division of Aquion, Inc.

Rated Service Flow: 9.2 gpm

Rated Service Capacity: N/A

Technology: ion exchange

Comments:

Do not use with water that is microbiologically unsafe or of unknown quality, without adequate disinfection before or after the system.

Contaminants Reduced:

Microbiological/Turbidity:
None

Inorganic/Radiological:
Barium
Radium 226/228

Organic:
None

Certificate # 06 - 1806

Model Designation:

Fisher & Paykel 836860

System Type

in line
refrigerator

Replacement Elements:

836848

Certified Water Treatment Devices

(listed by four digit certificate number)

Date Issued: July 18, 2011

Manufacturer: 3M Purification Inc.

Rated Service Flow: 0.78 gpm

Rated Service Capacity: 750 gal

Technology: carbon block

Comments:

Do not use where water is microbiologically unsafe or with water of unknown quality, except that systems certified for cyst reduction may be used on disinfected waters that may contain filterable cysts.

Contaminants Reduced:

Microbiological/Turbidity:

Cysts

Turbidity

Inorganic/Radiological:

Asbestos

Lead

Mercury

Organic:

Atrazine

Benzene

Carbofuran

Lindane

p-dichlorobenzene

Toxaphene

Certificate # 06 - 1812

Model Designation:

0060820860

System Type

in line
refrigerator

Replacement Elements:

0060218743

Date Issued: August 22, 2011

Manufacturer: 3M Purification Inc.,

Rated Service Flow: 0.75 gpm

Rated Service Capacity: 750 gals

Technology: carbon block

Comments:

Do not use where water is microbiologically unsafe or with water of unknown quality, except that systems certified for cyst reduction may be used on disinfected waters that may contain filterable cysts.

Contaminants Reduced:

Microbiological/Turbidity:

Cysts

Turbidity

Inorganic/Radiological:

Asbestos

Lead

Mercury

Organic:

Atrazine

Benzene

Carbofuran

Lindane

Toxaphene

1,4 dichlorobenzene

Certificate # 06 - 1813

Model Designation:

Kenmore Ultra filter
42-38056

System Type

under counter

Replacement Elements:

42-38056 Filter
3857705 Membrane

Kenmore Ultra filter
42-38056

under counter

42-38056 Filters Pre & Post
3857705 Membrane

Certified Water Treatment Devices

(listed by four digit certificate number)

Date Issued: **October 12, 2011**

Manufacturer: **Sears Roebuck and Company**

Rated Service Flow: **18.46 gpd**

Rated Service Capacity: **n/a**

Technology: **reverse osmosis**

Comments:

Do not use where water is microbiologically unsafe or with water of unknown quality, except that systems certified for cyst reduction may be used on disinfected waters that may contain filterable cysts.

¹ Claims for arsenic reduction shall only be made on water supplies maintaining detectable residual free chlorine at the reverse osmosis (RO) system inlet.

Water systems using an in-line chlorinator should provide a minimum of 1 minute chlorine contact time before

Contaminants Reduced:

Microbiological/Turbidity:

Cysts

Turbidity

Inorganic/Radiological:

Arsenic¹ (pentavalent)

Barium

Cadmium

Chromium (hexavalent)

Chromium (trivalent)

Copper

Lead

Nitrate/Nitrite²

Radium 226/228

Selenium

Organic:

None

Certificate # 06 - 1814

Model Designation:

NorthStar NSRO42C4

System Type

under counter

Replacement Elements:

7287506

7287514

Certified Water Treatment Devices

(listed by four digit certificate number)

Date Issued: **October 12, 2011**

Manufacturer: **North Star Water Conditioning**

Rated Service Flow: **18.46 gpd**

Rated Service Capacity: **n/a**

Technology: **reverse osmosis**

Comments:

Do not use where water is microbiologically unsafe or with water of unknown quality, except that systems certified for cyst reduction may be used on disinfected waters that may contain filterable cysts.

¹ Claims for arsenic reduction shall only be made on water supplies maintaining detectable residual free chlorine at the reverse osmosis (RO) system inlet.

Water systems using an in-line chlorinator should provide a minimum of 1 minute chlorine contact time before

Contaminants Reduced:

Microbiological/Turbidity:

Cysts

Turbidity

Inorganic/Radiological:

Arsenic¹ (pentavalent)

Barium

Cadmium

Chromium (hexavalent)

Chromium (trivalent)

Copper

Lead

Nitrate/Nitrite²

Radium 226/228

Selenium

Organic:

None

Certificate # 06 - 1815

Model Designation:

Aqua-Pure APRO5500

System Type

under counter

Replacement Elements:

55981-01 (Pre & Post)

56084-01 (RO membrane)

Certified Water Treatment Devices

(listed by four digit certificate number)

Date Issued: August 17, 2011

Manufacturer: 3M Purification Inc.

Rated Service Flow: 11 gpd

Rated Service Capacity: n/a

Technology: reverse osmosis

Comments:

Do not use where water is microbiologically unsafe or with water of unknown quality, except that systems certified for cyst reduction may be used on disinfected waters that may contain filterable cysts.

¹ Claims for arsenic reduction shall only be made on water supplies maintaining detectable residual free chlorine at the reverse osmosis (RO) system inlet.

Water systems using an in-line chlorinator should provide a minimum of 1 minute chlorine contact time before

Contaminants Reduced:

Microbiological/Turbidity:

Cysts

Turbidity

Inorganic/Radiological:

Arsenic¹ (pentavalent)

Barium

Cadmium

Chromium (hexavalent)

Chromium (trivalent)

Copper

Fluoride

Lead

Radium 226/228

Selenium

Organic:

None

Certificate # 06 - 1824

Model Designation:

System Type

Replacement Elements:

PUR 3-Stage Horizontal w/ Flavor pour through

RF-9999

PUR 3-Stage Horizontal w/ Flavor pour through

RF-9999

Certified Water Treatment Devices

(listed by four digit certificate number)

Date Issued: September 25, 2011

Manufacturer: The Procter and Gamble Company

Rated Service Flow: 0.66 gpm

Rated Service Capacity: 100 gals

Technology: GAC

Comments:

Do not use where water is microbiologically unsafe or with water of unknown quality, except that systems certified for cyst reduction may be used on disinfected waters that may contain filterable cysts.

Contaminants Reduced:

Microbiological/Turbidity:

Cysts

Turbidity

Inorganic/Radiological:

Asbestos

Lead

Mercury

Organic:

Atrazine

Benzene

Carbofuran

Carbon Tetrachloride

Chlordane

Chlorobenzene

Endrin

Ethylbenzene

Heptachlor Epoxide

Lindane

Methoxychlor

MTBE

o-Dichlorobenzene

Simazine

Styrene

Tetrachloroethylene

Toluene

Toxaphene

Trichloroethylene

Trihalomethane

2, 4-D

2, 4, 5-TP

Certificate # 06 - 1834

Model Designation:

GE MSWF

System Type

in line
refrigerator

Replacement Elements:

MSWF

Certified Water Treatment Devices

(listed by four digit certificate number)

Date Issued: **December 6, 2011**
Manufacturer: **General Electric Company**

Rated Service Flow: **0.90 gpm**
Rated Service Capacity: **300 gals**

Technology: **carbon block**

Comments:

Do not use where water is microbiologically unsafe or with water of unknown quality, except that systems certified for cyst reduction may be used on disinfected waters that may contain filterable cysts.

Contaminants Reduced:

Microbiological/Turbidity:

Cysts
Turbidity

Inorganic/Radiological:

Asbestos
Lead
Mercury

Organic:

Atrazine
Benzene
Carbofluran
Lindane
p-Dichlorobenzene
Toxaphene
2, 4-D

Certificate # 06 - 1835

Model Designation:
EcoPure ECOP20

System Type
under counter

Replacement Elements:

ECODWF Filter 1
ECODWF Filter 2

Date Issued: **December 21, 2012**
Manufacturer: **EcoPure Water Products**

Rated Service Flow: **0.5 gpm**
Rated Service Capacity: **270 gals**

Technology: **carbon block**

Comments:

Do not use where water is microbiologically unsafe or with water of unknown quality, except that systems certified for cyst reduction may be used on disinfected waters that may contain filterable cysts.

Contaminants Reduced:

Microbiological/Turbidity:

Cysts

Inorganic/Radiological:

Lead

Organic:

MTBE
VOCs

Certificate # 06 - 1836

Model Designation:
EcoPure ECOP30

System Type
under counter

Replacement Elements:

ECOROF pre/post filter
ECOROM RO Membrane

EcoPure EP-RO25

under counter

EPROF Pre/Post Filter
EPROM RO Membrane

Certified Water Treatment Devices

(listed by four digit certificate number)

Date Issued: **December 21, 2011**

Manufacturer: **EcoPure**

Rated Service Flow: **18.46 gal/day**

Rated Service Capacity: **n/a**

Technology: **reverse osmosis**

Comments:

Do not use where water is microbiologically unsafe or with water of unknown quality, except that systems certified for cyst reduction may be used on disinfected waters that may contain filterable cysts.

¹ Claims for arsenic reduction shall only be made on water supplies maintaining detectable residual free chlorine at the reverse osmosis (RO) system inlet.

Water systems using an in-line chlorinator should provide a minimum of 1 minute chlorine contact time before

Contaminants Reduced:

Microbiological/Turbidity:

Cysts

Turbidity

Inorganic/Radiological:

Arsenic¹ (pentavalent)

Barium

Cadmium

Chromium (hexavalent)

Chromium (trivalent)

Copper

Lead

Nitrate/Nitrite²

Radium 226/228

Selenium

Organic:

None

Certificate # 07 - 1847

Model Designation:

Culligan System US-EZ-3

System Type

under counter

Replacement Elements:

RC-EZ-3

Date Issued: **May 3, 2012**

Manufacturer: **Culligan International**

Rated Service Flow: **0.5 gpm**

Rated Service Capacity: **500 gallons**

Technology: **carbon block**

Comments:

Do not use where water is microbiologically unsafe or with water of unknown quality, except that systems certified for cyst reduction may be used on disinfected waters that may contain filterable cysts.

Contaminants Reduced:

Microbiological/Turbidity:

Cysts

Turbidity

Inorganic/Radiological:

Lead

Organic:

Atrazine

Lindane

Certificate # 07 - 1848

Model Designation:

Culligan System US-EZ-4

System Type

under counter

Replacement Elements:

RC-EZ-4

Certified Water Treatment Devices

(listed by four digit certificate number)

Date Issued: May 3, 2012

Manufacturer: Culligan International

Rated Service Flow: 0.5 gpm

Rated Service Capacity: 500 gallons

Technology: carbon block

Comments:

Do not use where water is microbiologically unsafe or with water of unknown quality, except that systems certified for cyst reduction may be used on disinfected waters that may contain filterable cysts.

Contaminants Reduced:

Microbiological/Turbidity:

Cysts

Turbidity

Inorganic/Radiological:

Lead

Mercury

Organic:

MTBE

VOCs

Certificate # 07 - 1849

Model Designation:

Culligan System IC-EZ-3

System Type

in line
refrigerator

Replacement Elements:

RC-EZ-3

Date Issued: May 3, 2012

Manufacturer: Culligan International

Rated Service Flow: 0.5 gpm

Rated Service Capacity: 500 gallons

Technology: GAC

Comments:

Do not use where water is microbiologically unsafe or with water of unknown quality, except that systems certified for cyst reduction may be used on disinfected waters that may contain filterable cysts.

Contaminants Reduced:

Microbiological/Turbidity:

Cysts

Turbidity

Inorganic/Radiological:

Lead

Organic:

Atrazine

Lindane

Certificate # 07 - 1850

Model Designation:

Culligan System IC-EZ-4

System Type

under counter

Replacement Elements:

RC-EZ-4

Certified Water Treatment Devices

(listed by four digit certificate number)

Date Issued: **May 3, 2012**

Manufacturer: **Culligan International**

Rated Service Flow: **0.5 gpm**

Rated Service Capacity: **500 gallons**

Technology: **GAC**

Comments:

Do not use where water is microbiologically unsafe or with water of unknown quality, except that systems certified for cyst reduction may be used on disinfected waters that may contain filterable cysts.

Contaminants Reduced:

Microbiological/Turbidity:

Cysts

Turbidity

Inorganic/Radiological:

Lead

Mercury

Organic:

MTBE

VOCs

Certificate # 07 - 1852

Model Designation:

Kenmore 46-38446

System Type

**in line
refrigerator**

Replacement Elements:

None

Date Issued: **July 23, 2012**

Manufacturer: **Sears Roebuck**

Rated Service Flow: **0.5 gpm**

Rated Service Capacity: **2,000 gal**

Technology: **carbon block**

Comments:

Do not use where water is microbiologically unsafe or with water of unknown quality, except that systems certified for cyst reduction may be used on disinfected waters that may contain filterable cysts.

Contaminants Reduced:

Microbiological/Turbidity:

Cysts

Inorganic/Radiological:

Lead

Organic:

None

Certificate # 07 - 1871

Model Designation:

Kenmore 625.385010

System Type

under counter

Replacement Elements:

42-34381

Certified Water Treatment Devices

(listed by four digit certificate number)

Date Issued: **June 7, 2012**

Manufacturer: **Sears Roebuck and Company**

Rated Service Flow: **0.5 gpm**

Rated Service Capacity: **270 gal**

Technology: **carbon block**

Comments:

Do not use where water is microbiologically unsafe or with water of unknown quality, except that systems certified for cyst reduction may be used on disinfected waters that may contain filterable cysts.

Contaminants Reduced:

Microbiological/Turbidity:
Cysts

Inorganic/Radiological:
Lead

Organic:
MTBE
VOCs

Certificate # 08 - 1893

Model Designation:
SPA-400 DWS

System Type
under counter

Replacement Elements:
SPA-400

PBS-400 DWS

under counter

PBS-400

Date Issued: **February 21, 2008**

Manufacturer: **Everpure**

Rated Service Flow: **2.2 gpm**

Rated Service Capacity: **3,000 gals**

Technology: **mechanical/carbon**

Comments:

Do not use where water is microbiologically unsafe or with water of unknown quality, except that systems certified for cyst reduction may be used on disinfected waters that may contain filterable cysts.

Contaminants Reduced:

Microbiological/Turbidity:
Cysts
Turbidity

Inorganic/Radiological:
Lead

Organic:
None

Certificate # 08 - 1895

Model Designation:
P1WG2

System Type
in line
refrigerator

Replacement Elements:
P2RFGW2

P1WG2L

in line
refrigerator

P2RFGW2

Certified Water Treatment Devices

(listed by four digit certificate number)

Date Issued: **March 24, 2008**
Manufacturer: **Whirlpool Corp**

Rated Service Flow: **0.5 gpm**
Rated Service Capacity: **200 gal**

Technology: **carbon block**

Comments:

Do not use with water that is microbiologically unsafe or of unknown quality, without adequate disinfection before or after the system.

Contaminants Reduced:

Microbiological/Turbidity:
None

Inorganic/Radiological:
Lead
Mercury

Organic:
Benzene
O-dichlorobenzene
Toxaphene

Certificate # 08 - 1896

Model Designation:
P2WG2

System Type
in line
refrigerator

Replacement Elements:
P2RFGW2

P2WG2L

in line
refrigerator

P2RFGW2

Date Issued: **March 24, 2008**
Manufacturer: **Whirlpool Corp**

Rated Service Flow: **0.85 gpm**
Rated Service Capacity: **200 gal**

Technology: **carbon block**

Comments:

Do not use with water that is microbiologically unsafe or of unknown quality, without adequate disinfection before or after the system.

Contaminants Reduced:

Microbiological/Turbidity:
None

Inorganic/Radiological:
Lead
Mercury

Organic:
Benzene
O-dichlorobenzene
Toxaphene

Certificate # 08 - 1900

Model Designation:
Good Water Machine AC-30

System Type
under counter

Replacement Elements:
Particulate Prefilter: 00-4015-38
GAC Prefilter: 01-0125-80

Good Water Machine AC-30 PLUSunder counter

Particulate Prefilter: 00-4015-38
GAC Prefilter: 01-0125-80

Certified Water Treatment Devices

(listed by four digit certificate number)

Date Issued: August 13, 2008

Manufacturer: Culligan International

Rated Service Flow: 14.5 gpd

Rated Service Capacity: n/a

Technology: RO w/ carbon

Comments:

Do not use with water that is microbiologically unsafe or of unknown quality, without adequate disinfection before or after the system.

Contaminants Reduced:

Microbiological/Turbidity:
None

Inorganic/Radiological:
Barium
Cadmium
Chromium (hexavalent)
Chromium (trivalent)
Copper
Lead
Radium 226/228
Selenium

Organic:
None

Certificate # 08 - 1901

Model Designation:

Good Water Machine AC-30M

System Type

under counter

Replacement Elements:

Particulate Prefilter: 00-4015-38
GAC Prefilter: 01-0125-80

Good Water Machine AC-30M Pluunder counter

Particulate Prefilter: 00-4015-38
GAC Prefilter: 01-0125-80

Date Issued: August 13, 2008

Manufacturer: Culligan International

Rated Service Flow: 11.8 gpd

Rated Service Capacity: n/a

Technology: RO w/ carbon

Comments:

Do not use with water that is microbiologically unsafe or of unknown quality, without adequate disinfection before or after the system.

Contaminants Reduced:

Microbiological/Turbidity:
None

Inorganic/Radiological:
Barium
Cadmium
Chromium (hexavalent)
Chromium (trivalent)
Copper
Lead
Radium 226/228
Selenium

Organic:
None

Certificate # 08 - 1902

Model Designation:

SQC3

System Type

under counter

Replacement Elements:

Sediment/Carbon prefilter
R.O. Membrane 66-4706G2

SQC4

under counter

Sediment prefilter 47-55702G2
Carbon prefilter 47-55704G2

Certified Water Treatment Devices

(listed by four digit certificate number)

Date Issued: **March 20, 2008**

Manufacturer: **CUNO Inc., a 3M Company**

Rated Service Flow: **8.28 gallons/day**

Rated Service Capacity: **not applicable**

Technology: **reverse osmosis**

Comments:

Do not use where water is microbiologically unsafe or with water of unknown quality, except that systems certified for cyst reduction may be used on disinfected waters that may contain filterable cysts.

¹ Claims for arsenic reduction shall only be made on water supplies maintaining detectable residual free chlorine at the reverse osmosis (RO) system inlet.

Water systems using an in-line chlorinator should provide a minimum of 1 minute chlorine contact time before

Contaminants Reduced:

Microbiological/Turbidity:

Cysts
Turbidity

Inorganic/Radiological:

Arsenic ¹ (Pentavalent)
Barium
Cadmium
Chromium (Hexavalent)
Chromium (Trivalent)
Copper
Fluoride
Lead
Radium 226 / 228
Selenium

Organic:

None

Certificate # 08 - 1909

Model Designation:

Good Water Machine AC-30L

System Type

under counter

Replacement Elements:

Particulate Prefilter: **00-4015-38**
GAC Prefilter: **01-0125-80**

Good Water Machine AC-30L PLU under counter

Particulate Prefilter: **00-4015-38**
GAC Prefilter: **01-0125-80**

Date Issued: **August 13, 2008**

Manufacturer: **Culligan International**

Rated Service Flow: **11.7 gpd**

Rated Service Capacity: **n/a**

Technology: **RO w/ carbon**

Comments:

Do not use with water that is microbiologically unsafe or of unknown quality, without adequate disinfection before or after the system.

Contaminants Reduced:

Microbiological/Turbidity:

None

Inorganic/Radiological:

Barium
Cadmium
Chromium (hexavalent)
Chromium (trivalent)
Copper
Lead
Radium 226/228
Selenium

Organic:

None

Certified Water Treatment Devices

(listed by four digit certificate number)

Certificate # 08 - 1910

Model Designation:

Advanced Filtration System

3US-PF01

System Type

under counter

Replacement Elements:

3US-PF01

Date Issued: **September 23, 2008**

Date Revised: **October 7, 2010**

Manufacturer: **Filtrete™** Brand from 3M

Rated Service Flow: **1.5 gpm**

Rated Service Capacity: **2000 gallons**

Technology: **mechanical/GAC**

Comments:

Do not use where water is microbiologically unsafe or with water of unknown quality, except that systems certified for cyst reduction may be used on disinfected waters that may contain filterable cysts.

Contaminants Reduced:

Microbiological/Turbidity:

Cysts

Inorganic/Radiological:

None

Organic:

None

Certificate # 08 - 1911

Model Designation:

EP15/EP15

System Type

under counter

Replacement Elements:

EP15

Date Issued: **October 16, 2008**

Manufacturer: **Cuno Inc. a 3M company**

Rated Service Flow: **0.5 gpm**

Rated Service Capacity: **2000 gal**

Technology: **mechanical/GAC**

Comments:

Do not use where water is microbiologically unsafe or with water of unknown quality, except that systems certified for cyst reduction may be used on disinfected waters that may contain filterable cysts.

Contaminants Reduced:

Microbiological/Turbidity:

Cysts

Turbidity

Inorganic/Radiological:

None

Organic:

None

Certificate # 08 - 1912

Model Designation:

WHKF-DUF-DB1

System Type

under counter

Replacement Elements:

WHKF-DB1

Certified Water Treatment Devices

(listed by four digit certificate number)

Date Issued: **June 12, 2008**

Manufacturer: **Whirlpool Corporation**

Rated Service Flow: **1.0 gpm**

Rated Service Capacity: **1000 gallons**

Technology: **carbon block**

Comments:

Do not use where water is microbiologically unsafe or with water of unknown quality, except that systems certified for cyst reduction may be used on disinfected waters that may contain filterable cysts.

Contaminants Reduced:

Microbiological/Turbidity:
Cysts

Inorganic/Radiological:
None

Organic:
None

Certificate # 08 - 1913

Model Designation:
WHKF-IMTOL

System Type
in line

Replacement Elements:
N/A

Date Issued: **June 12, 2008**

Manufacturer: **Whirlpool Corporation**

Rated Service Flow: **0.5 gpm**

Rated Service Capacity: **750 gallons**

Technology: **carbon block**

Comments:

Do not use with water that is microbiologically unsafe or of unknown quality, without adequate disinfection before or after the system.

Contaminants Reduced:

Microbiological/Turbidity:
None

Inorganic/Radiological:
Lead

Organic:
None

Certificate # 08 - 1914

Model Designation:
SQC-VIRO-4

System Type
under counter

Replacement Elements:
47-557104G2
66-470601G2

Certified Water Treatment Devices

(listed by four digit certificate number)

Date Issued: **October 6, 2008**

Manufacturer: **Cuno Inc. a 3M company**

Rated Service Flow: **<75 gpd**

Rated Service Capacity:

Technology: **reverse osmosis**

Comments:

Do not use for the treatment of water that is visually contaminated (cloudy) or has an obvious contamination source, such as contamination by raw sewage.

¹ Claims for arsenic reduction shall only be made on water supplies maintaining detectable residual free chlorine at the reverse osmosis (RO) system inlet.

Water systems using an in-line chlorinator should provide a minimum of 1 minute chlorine contact time before

Contaminants Reduced:

Microbiological/Turbidity:

Cysts
Turbidity
Bacteria
Virus

Inorganic/Radiological:

Arsenic¹
Barium
Cadmium
Chromium (hexavalent)
Chromium (trivalent)
Copper
Fluoride
Lead
Radium 226-228
Selenium

Organic:

Benzene
Dichlorobenzene
Toxaphene

Certificate # 08 - 1915

Model Designation:

FM-2 Lead Plus

System Type

under counter

Replacement Elements:

47-55711G2
47-55707G2

Date Issued: **December 18, 2008**

Manufacturer: **Cuno Inc. a 3M company**

Rated Service Flow: **500 gpm**

Rated Service Capacity: **0.6 gal**

Technology: **mechanical/carbon**

Comments:

Do not use where water is microbiologically unsafe or with water of unknown quality, except that systems certified for cyst reduction may be used on disinfected waters that may contain filterable cysts.

Contaminants Reduced:

Microbiological/Turbidity:

Cysts
Turbidity

Inorganic/Radiological:

Lead

Organic:

None

Certified Water Treatment Devices

(listed by four digit certificate number)

Certificate # 08 - 1916

Model Designation:

KWC PureStream Plus Z534.330

System Type

in line

Replacement Elements:

Z.633.398

Date Issued: **June 23, 2008**

Manufacturer: **Cuno Inc. a 3M company**

Rated Service Flow: **0.92 gpm**

Rated Service Capacity: **500 gal**

Technology: **mechanical/carbon**

Comments:

Do not use where water is microbiologically unsafe or with water of unknown quality, except that systems certified for cyst reduction may be used on disinfected waters that may contain filterable cysts.

Contaminants Reduced:

Microbiological/Turbidity:

Cysts

Inorganic/Radiological:

Asbestos

Lead

Organic:

None

Certificate # 08 - 1918

Model Designation:

Whirlpool P1WB2L

System Type

**in line
refrigerator**

Replacement Elements:

P1RFBW2

Date Issued: **June 13, 2008**

Manufacturer: **Whirlpool Corporation**

Rated Service Flow: **0.5 gpm**

Rated Service Capacity: **200 gal**

Technology: **carbon block**

Comments:

Do not use where water is microbiologically unsafe or with water of unknown quality, except that systems certified for cyst reduction may be used on disinfected waters that may contain filterable cysts.

Contaminants Reduced:

Microbiological/Turbidity:

Cysts (protozoan)

Turbidity

Inorganic/Radiological:

Asbestos

Lead

Mercury

Organic:

Alachlor

Atrazine

Benzene

Chlorobenzene

Endrin

Ethylbenzene

Lindane

o-Dichlorobenzene

Styrene

Tetrachloroethylene

Toxaphene

Certified Water Treatment Devices

(listed by four digit certificate number)

Certificate # 08 - 1919

Model Designation:

Whirlpool/ Kenmore P1KB2

System Type

in line
refrigerator

Replacement Elements:

P1RFKB2

Sears/Ultimate II P1KB2

in line
refrigerator

P1RFKB2

Date Issued: June 13, 2008

Manufacturer: Whirlpool Corporation

Rated Service Flow: 0.5 gpm

Rated Service Capacity: 200 gal

Technology: carbon block

Comments:

Do not use where water is microbiologically unsafe or with water of unknown quality, except that systems certified for cyst reduction may be used on disinfected waters that may contain filterable cysts.

Contaminants Reduced:

Microbiological/Turbidity:

Cysts (protozoan)

Turbidity

Inorganic/Radiological:

Asbestos

Lead

Mercury

Organic:

Alachlor

Atrazine

Benzene

Chlorobenzene

Endrin

Ethylbenzene

Lindane

o-Dichlorobenzene

Styrene

Tetrachloroethylene

Toxaphene

Certificate # 08 - 1920

Model Designation:

Whirlpool P1WB2

System Type

in line
refrigerator

Replacement Elements:

P1RFWB2

Certified Water Treatment Devices

(listed by four digit certificate number)

Date Issued: June 13, 2008

Manufacturer: Whirlpool Corporation

Rated Service Flow: 0.5 gpm

Rated Service Capacity: 200 gal

Technology: carbon block

Comments:

Do not use where water is microbiologically unsafe or with water of unknown quality, except that systems certified for cyst reduction may be used on disinfected waters that may contain filterable cysts.

Contaminants Reduced:

Microbiological/Turbidity:

Cysts (protozoan)

Turbidity

Inorganic/Radiological:

Asbestos

Lead

Mercury

Organic:

Alachlor

Atrazine

Benzene

Chlorobenzene

Endrin

Ethylbenzene

Lindane

o-Dichlorobenzene

Styrene

Tetrachloroethylene

Toxaphene

Certificate # 08 - 1921

Model Designation:

Whirlpool/Kenmore P1KB1

System Type

in line
refrigerator

Replacement Elements:

P1RFKB1

Sears/Ultimate II P1KB1

in line
refrigerator

P1RFKB1

Certified Water Treatment Devices

(listed by four digit certificate number)

Date Issued: **June 13, 2008**

Manufacturer: **Whirlpool Corporation**

Rated Service Flow: **0.5 gpm**

Rated Service Capacity: **100 gal**

Technology: **carbon block**

Comments:

Do not use where water is microbiologically unsafe or with water of unknown quality, except that systems certified for cyst reduction may be used on disinfected waters that may contain filterable cysts.

Contaminants Reduced:

Microbiological/Turbidity:

Cysts (protozoan)

Turbidity

Inorganic/Radiological:

Asbestos

Lead

Mercury

Organic:

Alachlor

Atrazine

Benzene

Chlorobenzene

Endrin

Ethylbenzene

Lindane

VOCs

MTBE

o-Dichlorobenzene

Styrene

Tetrachloroethylene

Toxaphene

Trihalomethanes (TTHMs)

Certificate # 08 - 1922

Model Designation:

Whirlpool PWF-L400V

System Type

in line
refrigerator

Replacement Elements:

PL400V

Date Issued: **June 12, 2008**

Manufacturer: **Whirlpool Corporation**

Rated Service Flow: **0.5 gpm**

Rated Service Capacity: **400 gal**

Technology: **carbon block**

Comments:

Do not use with water that is microbiologically unsafe or of unknown quality, without adequate disinfection before or after the system.

Contaminants Reduced:

Microbiological/Turbidity:

None

Inorganic/Radiological:

Lead

Mercury

Organic:

Benzene

Carbofuran

p-Dichlorobenzene

Toxaphene

Certificate # 08 - 1923

Model Designation:

Whirlpool PWF-NL240V

System Type

in line
refrigerator

Replacement Elements:

PNL240V

Certified Water Treatment Devices

(listed by four digit certificate number)

Date Issued: June 12, 2008

Manufacturer: Whirlpool Corporation

Rated Service Flow: 0.5 gpm

Rated Service Capacity: 240 gal

Technology: carbon block

Comments:

Do not use with water that is microbiologically unsafe or of unknown quality, without adequate disinfection before or after the system.

Contaminants Reduced:

Microbiological/Turbidity:
None

Inorganic/Radiological:
Lead
Mercury

Organic:
Benzene
Carbofuran
p-Dichlorobenzene
Toxaphene

Certificate # 08 - 1924

Model Designation:

Whirlpool UKF7003

System Type

in line
refrigerator

Replacement Elements:

UKF7003

Date Issued: June 12, 2008

Manufacturer: Whirlpool Corporation

Rated Service Flow: 0.5 gpm

Rated Service Capacity: 250gal

Technology: carbon block

Comments:

Do not use where water is microbiologically unsafe or with water of unknown quality, except that systems certified for cyst reduction may be used on disinfected waters that may contain filterable cysts.

Contaminants Reduced:

Microbiological/Turbidity:
Cysts
Turbidity

Inorganic/Radiological:
Lead

Organic:
None

Certificate # 08 - 1925

Model Designation:

UKF7003

System Type

in line
refrigerator

Replacement Elements:

UKF7003

Certified Water Treatment Devices

(listed by four digit certificate number)

Date Issued: June 12, 2008

Manufacturer: Whirlpool Corporation

Rated Service Flow: 0.5 gpm

Rated Service Capacity: 416 gal

Technology: carbon block

Comments:

Do not use where water is microbiologically unsafe or with water of unknown quality, except that systems certified for cyst reduction may be used on disinfected waters that may contain filterable cysts.

Contaminants Reduced:

Microbiological/Turbidity:

Cysts

Turbidity

Inorganic/Radiological:

Asbestos

Lead

Organic:

Benzene

Carbofuran

Certificate # 08 - 1926

Model Designation:

Always Fresh H₂O HFC-1000

System Type

in line

Replacement Elements:

RC-HFC-1000

SEMPER CLEAR SCFF-PLUS

in line

RC-SCFF-PLUS

Date Issued: June 12, 2008

Revised: 6/30/2010

Manufacturer: Waterline Technology

Rated Service Flow: 1.5 gpm

Rated Service Capacity: 500 gal

Technology: Mech Filter/Carbon

Comments:

Do not use where water is microbiologically unsafe or with water of unknown quality, except that systems certified for cyst reduction may be used on disinfected waters that may contain filterable cysts.

Contaminants Reduced:

Microbiological/Turbidity:

Cysts

Turbidity

Inorganic/Radiological:

Lead

Organic:

MTBE

Trihalomethanes

VOCs

Certificate # 10 - 1928

Model Designation:

Culligan International

System Type

under counter

Replacement Elements:

RO-30 01020268 - RO Membrane

Certified Water Treatment Devices

(listed by four digit certificate number)

Date Issued: July 16, 2010

Manufacturer: Culligan

Rated Service Flow: 11.09 gpd

Rated Service Capacity: N/A

Technology: reverse osmosis

Comments:

Do not use where water is microbiologically unsafe or with water of unknown quality, except that systems certified for cyst reduction may be used on disinfected waters that may contain filterable cysts.

¹ Claims for arsenic reduction shall only be made on water supplies maintaining detectable residual free chlorine at the reverse osmosis (RO) system inlet.

Water systems using an in-line chlorinator should provide a minimum of 1 minute chlorine contact time before

Contaminants Reduced:

Microbiological/Turbidity:

Cysts (protozoan)

Turbidity

Inorganic/Radiological:

Arsenic¹ (pentavalent) 50 ppb

Barium

Cadmium

Chromium (hexavalent)

Chromium (trivalent)

Copper

Fluoride

Lead

Nitrate/Nitrite²

Radium 226/228

Selenium

Organic:

None

Certificate # 08 - 1931

Model Designation:

Body Glove BG-3000

System Type

under counter

Replacement Elements:

Body Glove BG-3000C

Date Issued: September 29, 2008

Date Revised: October 16, 2008

Manufacturer: 3M Brand from 3M

Rated Service Flow: 0.75 gpm

Rated Service Capacity: 450 gal

Technology: mechanical/carbon

Comments:

Do not use where water is microbiologically unsafe or with water of unknown quality, except that systems certified for cyst reduction may be used on disinfected waters that may contain filterable cysts.

Contaminants Reduced:

Microbiological/Turbidity:

Cysts

Inorganic/Radiological:

Asbestos

Lead

Organic:

Trihalomethanes

VOCs

Certified Water Treatment Devices

(listed by four digit certificate number)

Certificate # 08 - 1932

Model Designation:

Body Glove BG-3000S

System Type

under counter

Replacement Elements:

BG-3000R

Date Issued: September 29, 2008

Date Revised: October 21, 2010

Manufacturer: 3M Brand from 3M

Rated Service Flow: 0.5 gpm

Rated Service Capacity: 350 gal

Technology: mechanical/carbon

Comments:

Do not use where water is microbiologically unsafe or with water of unknown quality, except that systems certified for cyst reduction may be used on disinfected waters that may contain filterable cysts.

Contaminants Reduced:

Microbiological/Turbidity:

Cysts

Inorganic/Radiological:

Asbestos

Lead

Organic:

MTBE

Trihalomethanes

VOCs

Certificate # 08 - 1933

Model Designation:

Aqua Pure AP-DWS1000

System Type

under counter

Replacement Elements:

AP-DW80

AP-DW90

Date Issued: August 4, 2008

Manufacturer: Cuno Inc. a 3M company

Rated Service Flow: 0.6 gpm

Rated Service Capacity: 625 gal

Technology: mechanical/carbon

Comments:

Do not use where water is microbiologically unsafe or with water of unknown quality, except that systems certified for cyst reduction may be used on disinfected waters that may contain filterable cysts.

Contaminants Reduced:

Microbiological/Turbidity:

Cysts

Turbidity

Inorganic/Radiological:

Lead

Organic:

MTBE

VOCs

Certificate # 08 - 1938

Model Designation:

Body Glove BG-1000

System Type

under counter

Replacement Elements:

BG-1000C

Certified Water Treatment Devices

(listed by four digit certificate number)

Date Issued: October 3, 2008

Date Revised: October 16, 2008

Manufacturer: 3M Brand from 3M

Rated Service Flow: 0.75 gpm

Rated Service Capacity: 1000 gal

Technology: mechanical/carbon

Comments:

Do not use where water is microbiologically unsafe or with water of unknown quality, except that systems certified for cyst reduction may be used on disinfected waters that may contain filterable cysts.

Contaminants Reduced:

Microbiological/Turbidity:
Cysts

Inorganic/Radiological:
Asbestos

Lead

Organic:
None

Certificate # 08 - 1939

Model Designation:

Body Glove BG-12000

System Type

under counter

Replacement Elements:

BG-12000C

Date Issued: October 3, 2008

Date Revised: October 16, 2008

Manufacturer: 3M Brand from 3M

Rated Service Flow: 0.75 gpm

Rated Service Capacity: 1000 gal

Technology: mechanical/carbon

Comments:

Do not use where water is microbiologically unsafe or with water of unknown quality, except that systems certified for cyst reduction may be used on disinfected waters that may contain filterable cysts.

Contaminants Reduced:

Microbiological/Turbidity:
Cysts

Inorganic/Radiological:
Asbestos

Lead

Organic:
MTBE
TTHM
VOCs

Certificate # 08 - 1940

Model Designation:

Zero Technologies, LLC ZeroWaterpour through
ZF-201

System Type

Replacement Elements:

ZF-201

Certified Water Treatment Devices

(listed by four digit certificate number)

Date Issued: August 5, 2008

Date Revised: October 25, 2011

Manufacturer: Zero Technologies, LLC

Rated Service Flow: 4.5 gpd

Rated Service Capacity: 22.5 gal

Technology: Mech Filter/GAC/Ion

Comments:

Do not use with water that is microbiologically unsafe or of unknown quality, without adequate disinfection before or after the system.

Contaminants Reduced:

Microbiological/Turbidity:
None

Inorganic/Radiological:
Chromium (hexavalent)
Chromium (trivalent)
Copper
Lead
Mercury

Organic:
None

Certificate # 09 - 1941

Model Designation:

Complete

System Type

under counter

Replacement Elements:

C-Complete

Complete Cooler

under counter

C-Complete

Date Issued: January 28, 2009

Manufacturer: Cuno Inc. a 3M company

Rated Service Flow: 0.75 gpm

Rated Service Capacity: 750 gal

Technology: mechanical/carbon

Comments:

Do not use where water is microbiologically unsafe or with water of unknown quality, except that systems certified for cyst reduction may be used on disinfected waters that may contain filterable cysts.

Contaminants Reduced:

Microbiological/Turbidity:
Cysts

Inorganic/Radiological:
Asbestos
Lead
Mercury

Organic:
Atrazine
Benzene
Carbofuran
Lindane
p-Dichlorobenzene
Toxaphene

Certificate # 09 - 1942

Model Designation:

LC

System Type

under counter

Replacement Elements:

C-LC

LC Cooler

under counter

C-LC

Certified Water Treatment Devices

(listed by four digit certificate number)

Date Issued: January 28, 2009

Manufacturer: Cuno Inc. a 3M company

Rated Service Flow: 0.75 gpm

Rated Service Capacity: 750 gal

Technology: carbon block

Comments:

Do not use where water is microbiologically unsafe or with water of unknown quality, except that systems certified for cyst reduction may be used on disinfected waters that may contain filterable cysts.

Contaminants Reduced:

Microbiological/Turbidity:

Cysts

Inorganic/Radiological:

Lead

Organic:

None

Certificate # 10 - 1944

Model Designation:

Culligan International Company

System Type

under counter

Replacement Elements:

RO-30 01020268 - RO Membrane

TD-01020274 - Post Filter

Date Issued: July 16, 2010

Manufacturer: Culligan

Rated Service Flow: 0.5 gpm

Rated Service Capacity: 1000 gals

Technology: RO w/ carbon

Comments:

Do not use where water is microbiologically unsafe or with water of unknown quality, except that systems certified for cyst reduction may be used on disinfected waters that may contain filterable cysts.

¹ Claims for arsenic reduction shall only be made on water supplies maintaining detectable residual free chlorine at the reverse osmosis (RO) system inlet.

Water systems using an in-line chlorinator should provide a minimum of 1 minute chlorine contact time before

Contaminants Reduced:

Microbiological/Turbidity:

Cysts (protozoan)

Turbidity

Inorganic/Radiological:

Arsenic¹(pentavalent) 50 ppb

Barium

Cadmium

Chromium (hexavalent)

Chromium (trivalent)

Copper

Fluoride

Lead

Mercury

Nitrate/Nitrite²

Radium 226/228

Organic:

MTBE

VOCs

Certified Water Treatment Devices

(listed by four digit certificate number)

California Department of Public Health
Drinking Water Program
Water Treatment Device Directory
January 2013

Certificate # 10 - 1947

Model Designation:

Culligan International Company

System Type

under counter

Replacement Elements:

TD- 01020274

Date Issued: **July 16, 2010**

Manufacturer: **Culligan**

Rated Service Flow: **0.5 gpm**

Rated Service Capacity: **1000 gal**

Technology: **carbon block**

Comments:

Do not use where water is microbiologically unsafe or with water of unknown quality, except that systems certified for cyst reduction may be used on disinfected waters that may contain filterable cysts.

Contaminants Reduced:

Microbiological/Turbidity:

Cysts (protozoan)

Turbidity

Inorganic/Radiological:

Lead

Mercury

Organic:

MTBE

VOCs

Certificate # 10 - 1948

Model Designation:

Culligan International Company

System Type

under counter

Replacement Elements:

RO-30 01020268 - RO Membrane

AS3 - P1020272 - Post Filter

Date Issued: **July 16, 2010**

Manufacturer: **Culligan International Company**

Rated Service Flow: **0.035 gpm**

Rated Service Capacity: **1000 gal**

Technology: **RO/Ion Exchange**

Comments:

Do not use where water is microbiologically unsafe or with water of unknown quality, except that systems certified for cyst reduction may be used on disinfected waters that may contain filterable cysts.

¹ Claims for arsenic reduction shall only be made on water supplies maintaining detectable residual free chlorine at the reverse osmosis (RO) system inlet.

Water systems using an in-line chlorinator should provide a minimum of 1 minute chlorine contact time before

Contaminants Reduced:

Microbiological/Turbidity:

Cysts (protozoan)

Turbidity

Inorganic/Radiological:

Arsenic¹ (pentavalent) 50 ppb

Arsenic¹ (trivalent) 50 ppb

Barium

Cadmium

Chromium (hexavalent)

Chromium (trivalent)

Copper

Fluoride

Lead

Nitrate/Nitrite²

Radium 226/228

Organic:

None

Certified Water Treatment Devices

(listed by four digit certificate number)

Certificate # 10 - 1949

Model Designation:

Culligan International Company

Ames Clear Advanced Drinking

System Type

under counter

Replacement Elements:

RO-30 01020268 - RO Membrane

TD - 01020274 - Post Filter

Date Issued: July 16, 2010

Manufacturer: Culligan International Company

Rated Service Flow: 0.035 gpm

Rated Service Capacity: 1000 gal

Technology: RO/Ion/Carbon

Comments:

Do not use where water is microbiologically unsafe or with water of unknown quality, except that systems certified for cyst reduction may be used on disinfected waters that may contain filterable cysts.

¹ Claims for arsenic reduction shall only be made on water supplies maintaining detectable residual free chlorine at the reverse osmosis (RO) system inlet.

Water systems using an in-line chlorinator should provide a minimum of 1 minute chlorine contact time before

Contaminants Reduced:

Microbiological/Turbidity:

Cysts (protozoan)

Turbidity

Inorganic/Radiological:

Arsenic¹ (pentavalent) 50 ppb

Arsenic¹ (trivalent) 50 ppb

Barium

Cadmium

Chromium (hexavalent)

Chromium (trivalent)

Copper

Fluoride

Lead

Nitrate/Nitrite²

Radium 226/228

Organic:

MTBE

VOCs

Certificate # 08 - 1952

Model Designation:

GE SmartWater GX1S50R

System Type

under counter

Replacement Elements:

GXRLQR

GE SmartWater GXRLQ

under counter

GXRLQR

Certified Water Treatment Devices

(listed by four digit certificate number)

Date Issued: December 15, 2008

Date Revised: June 29, 2009

Manufacturer: GE Appliance

Rated Service Flow: 0.78 gpm

Rated Service Capacity: 750 gal

Technology: carbon block

Comments:

Do not use where water is microbiologically unsafe or with water of unknown quality, except that systems certified for cyst reduction may be used on disinfected waters that may contain filterable cysts.

Contaminants Reduced:

Microbiological/Turbidity:

Cysts

Turbidity

Inorganic/Radiological:

Asbestos

Lead

Mercury

Organic:

Atrazine

Lindane

Toxaphene

Certificate # 09 - 1953

Model Designation:

System Type

Replacement Elements:

Instapure Brands Inc. F5 Complete faucet mount

R5

Date Issued: March 24, 2009

Manufacturer: Instapure Brands Inc.

Rated Service Flow: 0.45 gpm

Rated Service Capacity: 200 gal

Technology: carbon block

Comments:

Do not use where water is microbiologically unsafe or with water of unknown quality, except that systems certified for cyst reduction may be used on disinfected waters that may contain filterable cysts.

Contaminants Reduced:

Microbiological/Turbidity:

Cysts (protozoan)

Inorganic/Radiological:

Lead

Organic:

None

Certificate # 10 - 1954

Model Designation:

System Type

Replacement Elements:

Culligan International Company under counter

RO-30 01020268 - RO Membrane

Certified Water Treatment Devices

(listed by four digit certificate number)

Date Issued: July 16, 2010

Manufacturer: Culligan International Company

Rated Service Flow: 11.09 gpd

Rated Service Capacity: N/A

Technology: reverse osmosis

Comments:

Do not use where water is microbiologically unsafe or with water of unknown quality, except that systems certified for cyst reduction may be used on disinfected waters that may contain filterable cysts.

¹ Claims for arsenic reduction shall only be made on water supplies maintaining detectable residual free chlorine at the reverse osmosis (RO) system inlet.

Water systems using an in-line chlorinator should provide a minimum of 1 minute chlorine contact time before

Contaminants Reduced:

Microbiological/Turbidity:

Cysts (protozoan)

Turbidity

Inorganic/Radiological:

Arsenic¹ (pentavalent) 50 ppb

Barium

Cadmium

Chromium (hexavalent)

Chromium (trivalent)

Copper

Fluoride

Lead

Nitrate/Nitrite²

Radium 226/228

Selenium

Organic:

None

Certificate # 10 - 1955

Model Designation:

Culligan International Company

System Type

under counter

Replacement Elements:

RO-30 01020268 - RO Membrane

Certified Water Treatment Devices

(listed by four digit certificate number)

Date Issued: July 16, 2010

Manufacturer: Culligan International Company

Rated Service Flow: 11.09 gpd

Rated Service Capacity: N/A

Technology: reverse osmosis

Comments:

Do not use where water is microbiologically unsafe or with water of unknown quality, except that systems certified for cyst reduction may be used on disinfected waters that may contain filterable cysts.

¹ Claims for arsenic reduction shall only be made on water supplies maintaining detectable residual free chlorine at the reverse osmosis (RO) system inlet.

Water systems using an in-line chlorinator should provide a minimum of 1 minute chlorine contact time before

Contaminants Reduced:

Microbiological/Turbidity:

Cysts (protozoan)

Turbidity

Inorganic/Radiological:

Arsenic¹ (pentavalent) 50 ppb

Barium

Cadmium

Chromium (hexavalent)

Chromium (trivalent)

Copper

Fluoride

Lead

Nitrate/Nitrite²

Radium 226/228

Selenium

Organic:

None

Certificate # 10 - 1956

Model Designation:

Culligan International Company

Aqua-Clean Advanced Drinking

System Type

under counter

Replacement Elements:

TD- 01020274

Date Issued: July 16, 2010

Manufacturer: Culligan International Company

Rated Service Flow: 0.5 gpm

Rated Service Capacity: 1000 gal

Technology: carbon block

Comments:

Do not use where water is microbiologically unsafe or with water of unknown quality, except that systems certified for cyst reduction may be used on disinfected waters that may contain filterable cysts.

Contaminants Reduced:

Microbiological/Turbidity:

Cysts (protozoan)

Turbidity

Inorganic/Radiological:

Lead

Mercury

Organic:

MTBE

VOCs

Certificate # 10 - 1957

Model Designation:

Culligan International Company

Aqua-Clean Advanced Drinking

System Type

under counter

Replacement Elements:

TD- 01020274

Certified Water Treatment Devices

(listed by four digit certificate number)

Date Issued: July 16, 2010

Manufacturer: Culligan International Company

Rated Service Flow: 0.5 gpm

Rated Service Capacity: 1000 gal

Technology: carbon block

Comments:

Do not use where water is microbiologically unsafe or with water of unknown quality, except that systems certified for cyst reduction may be used on disinfected waters that may contain filterable cysts.

Contaminants Reduced:

Microbiological/Turbidity:

Cysts (protozoan)

Turbidity

Inorganic/Radiological:

Lead

Mercury

Organic:

MTBE

VOCs

Certificate # 10 - 1958

Model Designation:

Culligan International Company

System Type

under counter

Replacement Elements:

RO-30 01020268 - RO Membrane

TD-01020274 - Post Filter

Date Issued: July 16, 2010

Manufacturer: Culligan International Company

Rated Service Flow: 0.5 gpm

Rated Service Capacity: 1000 gal

Technology: RO w/ carbon

Comments:

Do not use where water is microbiologically unsafe or with water of unknown quality, except that systems certified for cyst reduction may be used on disinfected waters that may contain filterable cysts.

¹ Claims for arsenic reduction shall only be made on water supplies maintaining detectable residual free chlorine at the reverse osmosis (RO) system inlet.

Water systems using an in-line chlorinator should provide a minimum of 1 minute chlorine contact time before

Contaminants Reduced:

Microbiological/Turbidity:

Cysts (protozoan)

Turbidity

Inorganic/Radiological:

Arsenic¹(pentavalent) 50 ppb

Barium

Cadmium

Chromium (hexavalent)

Chromium (trivalent)

Copper

Fluoride

Lead

Mercury

Nitrate/Nitrite²

Radium 226/228

Organic:

MTBE

VOCs

Certified Water Treatment Devices

(listed by four digit certificate number)

California Department of Public Health
Drinking Water Program
Water Treatment Device Directory
January 2013

Certificate # 10 - 1959

Model Designation:

Culligan International Company

Apura Clear Advanced Drinking

System Type

under counter

Replacement Elements:

RO-30 01020268 - RO Membrane

TD-01020274 - Post Filter

Date Issued: July 16, 2010

Manufacturer: Culligan International Company

Rated Service Flow: 0.5 gpm

Rated Service Capacity: 1000 gal

Technology: RO w/ carbon

Comments:

Do not use where water is microbiologically unsafe or with water of unknown quality, except that systems certified for cyst reduction may be used on disinfected waters that may contain filterable cysts.

¹ Claims for arsenic reduction shall only be made on water supplies maintaining detectable residual free chlorine at the reverse osmosis (RO) system inlet.

Water systems using an in-line chlorinator should provide a minimum of 1 minute chlorine contact time before

Contaminants Reduced:

Microbiological/Turbidity:

Cysts (protozoan)

Turbidity

Inorganic/Radiological:

Arsenic¹ (pentavalent) 50 ppb

Barium

Cadmium

Chromium (hexavalent)

Chromium (trivalent)

Copper

Fluoride

Lead

Mercury

Nitrate/Nitrite²

Radium 226/228

Organic:

MTBE

VOCs

Certificate # 10 - 1960

Model Designation:

Culligan International Company

Apura Clear Advanced Drinking

System Type

under counter

Replacement Elements:

RO-30 01020268 - RO Membrane

AS3 - P1020272 - Post Filter

Certified Water Treatment Devices

(listed by four digit certificate number)

Date Issued: July 16, 2010

Manufacturer: Culligan International Company

Rated Service Flow: 0.035 gpm

Rated Service Capacity: 1000 gal

Technology: RO/Ion Exchange

Comments:

Do not use where water is microbiologically unsafe or with water of unknown quality, except that systems certified for cyst reduction may be used on disinfected waters that may contain filterable cysts.

¹ Claims for arsenic reduction shall only be made on water supplies maintaining detectable residual free chlorine at the reverse osmosis (RO) system inlet.

Water systems using an in-line chlorinator should provide a minimum of 1 minute chlorine contact time before

Contaminants Reduced:

Microbiological/Turbidity:

Cysts (protozoan)

Turbidity

Inorganic/Radiological:

Arsenic¹ (pentavalent) 50 ppb

Arsenic¹ (trivalent) 50 ppb

Barium

Cadmium

Chromium (hexavalent)

Chromium (trivalent)

Copper

Fluoride

Lead

Nitrate/Nitrite²

Radium 226/228

Organic:

None

Certificate # 10 - 1961

Model Designation:

Culligan International Company

Ames Clean Advanced Drinking

System Type

under counter

Replacement Elements:

RO-30 01020268 - RO Membrane

AS3 - P1020272 - Post Filter

Certified Water Treatment Devices

(listed by four digit certificate number)

Date Issued: July 16, 2010

Manufacturer: Culligan International Company

Rated Service Flow: 0.035 gpm

Rated Service Capacity: 1000 gal

Technology: RO/Ion Exchange

Comments:

Do not use where water is microbiologically unsafe or with water of unknown quality, except that systems certified for cyst reduction may be used on disinfected waters that may contain filterable cysts.

¹ Claims for arsenic reduction shall only be made on water supplies maintaining detectable residual free chlorine at the reverse osmosis (RO) system inlet.

Water systems using an in-line chlorinator should provide a minimum of 1 minute chlorine contact time before

Contaminants Reduced:

Microbiological/Turbidity:

Cysts (protozoan)

Turbidity

Inorganic/Radiological:

Arsenic¹ (pentavalent) 50 ppb

Arsenic¹ (trivalent) 50 ppb

Barium

Cadmium

Chromium (hexavalent)

Chromium (trivalent)

Copper

Fluoride

Lead

Nitrate/Nitrite²

Radium 226/228

Organic:

None

Certificate # 10 - 1962

Model Designation:

Culligan International Company

Ames Clean Advanced Drinking

System Type

under counter

Replacement Elements:

RO-30 01020268 - RO Membrane

TD - 01020274 - Post Filter

Certified Water Treatment Devices

(listed by four digit certificate number)

Date Issued: July 16, 2010

Manufacturer: Culligan International Company

Rated Service Flow: 0.035 gpm

Rated Service Capacity: 1000 gal

Technology: RO/Ion/Carbon

Comments:

Do not use where water is microbiologically unsafe or with water of unknown quality, except that systems certified for cyst reduction may be used on disinfected waters that may contain filterable cysts.

¹ Claims for arsenic reduction shall only be made on water supplies maintaining detectable residual free chlorine at the reverse osmosis (RO) system inlet.

Water systems using an in-line chlorinator should provide a minimum of 1 minute chlorine contact time before

Contaminants Reduced:

Microbiological/Turbidity:

Cysts (protozoan)

Turbidity

Inorganic/Radiological:

Arsenic¹ (pentavalent) 50 ppb

Arsenic¹ (trivalent) 50 ppb

Barium

Cadmium

Chromium (hexavalent)

Chromium (trivalent)

Copper

Fluoride

Lead

Nitrate/Nitrite²

Radium 226/228

Organic:

MTBE

VOCs

Certificate # 10 - 1963

Model Designation:

Culligan International Company

Ames Clear Advanced Drinking

System Type

under counter

Replacement Elements:

RO-30 01020268 - RO Membrane

TD - 01020274 - Post Filter

Certified Water Treatment Devices

(listed by four digit certificate number)

Date Issued: July 16, 2010

Manufacturer: Culligan International Company

Rated Service Flow: 0.035 gpm

Rated Service Capacity: 1000 gal

Technology: RO/Ion/Carbon

Comments:

Do not use where water is microbiologically unsafe or with water of unknown quality, except that systems certified for cyst reduction may be used on disinfected waters that may contain filterable cysts.

¹ Claims for arsenic reduction shall only be made on water supplies maintaining detectable residual free chlorine at the reverse osmosis (RO) system inlet.

Water systems using an in-line chlorinator should provide a minimum of 1 minute chlorine contact time before

Contaminants Reduced:

Microbiological/Turbidity:

Cysts (protozoan)

Turbidity

Inorganic/Radiological:

Arsenic¹ (pentavalent) 50 ppb

Arsenic¹ (trivalent) 50 ppb

Barium

Cadmium

Chromium (hexavalent)

Chromium (trivalent)

Copper

Fluoride

Lead

Nitrate/Nitrite²

Radium 226/228

Organic:

MTBE

VOCs

Certificate # 08 - 1972

Model Designation:

GE SmartWater GSWF

System Type

in line

Replacement Elements:

GSWF

Date Issued: December 18, 2008

Manufacturer: GE Appliance

Rated Service Flow: 0.5 gpm

Rated Service Capacity: 750 gal

Technology: carbon block

Comments:

Do not use where water is microbiologically unsafe or with water of unknown quality, except that systems certified for cyst reduction may be used on disinfected waters that may contain filterable cysts.

Contaminants Reduced:

Microbiological/Turbidity:

Cysts

Turbidity

Inorganic/Radiological:

Lead

Organic:

Atrazine

Lindane

Certificate # 09 - 1973

Model Designation:

Electrolux Home Products

System Type

in line

Replacement Elements:

ULTRAWF

Certified Water Treatment Devices

(listed by four digit certificate number)

Electrolux Home Products in line

ULTRAWF

Date Issued: February 11, 2009

Date Revised 4/13/2010

Manufacturer: **Electrolux Home Products**

Rated Service Flow: **0.65 gpm**

Rated Service Capacity: **200 gal (120 gal**

Technology: **carbon block**

Comments:

Do not use where water is microbiologically unsafe or with water of unknown quality, except that systems certified for cyst reduction may be used on disinfected waters that may contain filterable cysts.

Contaminants Reduced:

Microbiological/Turbidity:

Cysts (protozoan)

Turbidity

Inorganic/Radiological:

Asbestos

Lead

Mercury

Organic:

Alachlor

Atrazine

Benzene

Endrin

Ethylbenzene

Lindane

Monochlorobenzene

VOCs by surrogate

MTBE

o-dichlorobenzene

Styrene

Tetrachloroethylene

Toxaphene

Trihalomethanes

1,2,4-trichlorobenzene

Certificate # 09 - 1976

Model Designation:

Whirlpool WHKF-SUFC

System Type

in line

Replacement Elements:

WHKF-SRC

Certified Water Treatment Devices

(listed by four digit certificate number)

Date Issued: December 3, 2009

Manufacturer: Whirlpool

Rated Service Flow: 1.5 gpm

Rated Service Capacity: 2000 gal

Technology: carbon block

Comments:

Do not use where water is microbiologically unsafe or with water of unknown quality, except that systems certified for cyst reduction may be used on disinfected waters that may contain filterable cysts.

Contaminants Reduced:

Microbiological/Turbidity:
Cysts

Inorganic/Radiological:
None

Organic:
None

Certificate # 11 - 1978

Model Designation:

EcoWater ERO-175

System Type

under counter

Replacement Elements:

7308263

7308174

Date Issued: March 24, 2011

Manufacturer: EcoWater Systems

Rated Service Flow: 14.53 gpd

Rated Service Capacity: N/A

Technology: Mechanical/ROMembra

Comments:

Do not use where water is microbiologically unsafe or with water of unknown quality, except that systems certified for cyst reduction may be used on disinfected waters that may contain filterable cysts.

¹ Claims for arsenic reduction shall only be made on water supplies maintaining detectable residual free chlorine at the reverse osmosis (RO) system inlet.

Water systems using an in-line chlorinator should provide a minimum of 1 minute chlorine contact time before

Contaminants Reduced:

Microbiological/Turbidity:
Cyst
Turbidity

Inorganic/Radiological:
Arsenic(Pentavalent)¹
Barium

Cadmium

Chromium (hexavalent)

Chromium (trivalent)

Copper

Fluoride

Lead

Nitrate/Nitrite²

Radium 226/228

Selenium

Organic:
None

Certified Water Treatment Devices

(listed by four digit certificate number)

Certificate # 09 - 1979

Model Designation:

UKF8001AXX-200

System Type

in line

Replacement Elements:

UKF8001

Kenmore 46 9006-200

in line

46 9006

Date Issued: May 8, 2009

Date Revised: 6/22/2010

Manufacturer: 3M Purification

Rated Service Flow: 0.55 gpm

Rated Service Capacity: 200 gal

Technology: mechanical/carbon

Comments:

Do not use where water is microbiologically unsafe or with water of unknown quality, except that systems certified for cyst reduction may be used on disinfected waters that may contain filterable cysts.

Contaminants Reduced:

Microbiological/Turbidity:

Cysts

Turbidity

Inorganic/Radiological:

Asbestos

Lead

Mercury

Organic:

Atrazine

Benzene

Carbofuran

Chlorobenzene

Endrin

Ethylbenzene

Lindane

o-dichlorobenzene

p-dichlorobenzene

Tetrachloroethylene

Toxaphene

2,4-D

Certificate # 09 - 1980

Model Designation:

NGRG-2000 without PID

System Type

in line

Replacement Elements:

WFPS-200

NGRG-2000 with PID

in line

WFPS-400

Certified Water Treatment Devices

(listed by four digit certificate number)

Date Issued: July 27, 2009

Date Revised: October 18, 2012

Manufacturer: Electrolux Home Products

Rated Service Flow: 0.5 gpm

Rated Service Capacity: 400 gal

Technology: mechanical/carbon

Comments:

Do not use where water is microbiologically unsafe or with water of unknown quality, except that systems certified for cyst reduction may be used on disinfected waters that may contain filterable cysts.

Contaminants Reduced:

Microbiological/Turbidity:

Cysts

Turbidity

Inorganic/Radiological:

Lead

Organic:

2, 4-D

Atrazine

Certificate # 09 - 1981

Model Designation:

H-54 Drinking Water System

System Type

under counter

Replacement Elements:

H-54

Date Issued: August 19, 2009

Manufacturer: Everpure, LLC

Rated Service Flow: 0.5 gpm

Rated Service Capacity: 750 gal

Technology: mechanical/GAC

Comments:

Do not use where water is microbiologically unsafe or with water of unknown quality, except that systems certified for cyst reduction may be used on disinfected waters that may contain filterable cysts.

Contaminants Reduced:

Microbiological/Turbidity:

Cysts

Inorganic/Radiological:

Lead

Organic:

None

Certificate # 09 - 1982

Model Designation:

H-104 Drinking Water System

System Type

under counter

Replacement Elements:

H-104

Certified Water Treatment Devices

(listed by four digit certificate number)

Date Issued: August 20, 2009
Manufacturer: Everpure, LLC

Rated Service Flow: 0.5 gpm
Rated Service Capacity: 1000 gal

Technology: mechanical/GAC

Comments:

Do not use where water is microbiologically unsafe or with water of unknown quality, except that systems certified for cyst reduction may be used on disinfected waters that may contain filterable cysts.

Contaminants Reduced:

Microbiological/Turbidity:
Cysts

Inorganic/Radiological:
Lead

Organic:
None

Certificate # 09 - 1983

Model Designation: H-300+M Drinking Water System
System Type: under counter

Replacement Elements:
H-300+M

Date Issued: August 19, 2009
Manufacturer: Everpure, LLC

Rated Service Flow: 0.5 gpm
Rated Service Capacity: 500 gal

Technology: mechanical/GAC

Comments:

Do not use where water is microbiologically unsafe or with water of unknown quality, except that systems certified for cyst reduction may be used on disinfected waters that may contain filterable cysts.

Contaminants Reduced:

Microbiological/Turbidity:
Cysts

Inorganic/Radiological:
Lead

Organic:
VOCs

Certificate # 09 - 1984

Model Designation: H-1200 Drinking Water System
System Type: under counter

Replacement Elements:
H-1200 #1
H-1200 #2

Certified Water Treatment Devices

(listed by four digit certificate number)

Date Issued: August 19, 2009

Manufacturer: Everpure, LLC

Rated Service Flow: 0.5 gpm

Rated Service Capacity: 1000 gal

Technology: mechanical/GAC

Comments:

Do not use where water is microbiologically unsafe or with water of unknown quality, except that systems certified for cyst reduction may be used on disinfected waters that may contain filterable cysts.

Contaminants Reduced:

Microbiological/Turbidity:
Cysts

Inorganic/Radiological:
Lead

Organic:
MTBE
VOCs

Certificate # 09 - 1985

Model Designation:

Culligan International Company

System Type

water softener

Replacement Elements:

N/A

Culligan International Company

water softener

N/A

Date Issued: June 4, 2009

Manufacturer: Culligan International Company

Rated Service Flow: 10.6 gpm

Rated Service Capacity: N/A

Technology: ion exchange

Comments:

Do not use with water that is microbiologically unsafe or of unknown quality, without adequate disinfection before or after the system.

Contaminants Reduced:

Microbiological/Turbidity:
None

Inorganic/Radiological:
Barium
Radium

Organic:
None

Certificate # 09 - 1986

Model Designation:

Culligan International Company

System Type

water softener

Replacement Elements:

N/A

Culligan International Company

water softener

N/A

Certified Water Treatment Devices

(listed by four digit certificate number)

Date Issued: June 4, 2009

Manufacturer: Culligan International Company

Rated Service Flow: 9 gpm

Rated Service Capacity: N/A

Technology: ion exchange

Comments:

Do not use with water that is microbiologically unsafe or of unknown quality, without adequate disinfection before or after the system.

Contaminants Reduced:

Microbiological/Turbidity:
None

Inorganic/Radiological:
Barium
Radium

Organic:
None

Certificate # 09 - 1987

Model Designation:

Culligan International Company

System Type

water softener

Replacement Elements:

N/A

Culligan International Company

water softener

N/A

Date Issued: June 4, 2009

Manufacturer: Culligan International Company

Rated Service Flow: 5.9 gpm

Rated Service Capacity: N/A

Technology: ion exchange

Comments:

Do not use with water that is microbiologically unsafe or of unknown quality, without adequate disinfection before or after the system.

Contaminants Reduced:

Microbiological/Turbidity:
None

Inorganic/Radiological:
Barium
Radium

Organic:
None

Certificate # 09 - 1988

Model Designation:

Culligan International Company

System Type

water softener

Replacement Elements:

N/A

Culligan International Company

water softener

N/A

Certified Water Treatment Devices

(listed by four digit certificate number)

Date Issued: **June 4, 2009**

Manufacturer: **Culligan International Company**

Rated Service Flow: **10 gpm**

Rated Service Capacity: **N/A**

Technology: **ion exchange**

Comments:

Do not use with water that is microbiologically unsafe or of unknown quality, without adequate disinfection before or after the system.

Contaminants Reduced:

Microbiological/Turbidity:
None

Inorganic/Radiological:
Barium
Radium

Organic:
None

Certificate # 09 - 1991

Model Designation:

LG 5231JA2006B-S

System Type

in line
refrigerator

Replacement Elements:

5231JA2006B

Date Issued: **October 20, 2009**

Manufacturer: **Cuno Inc. a 3M company**

Rated Service Flow: **0.5 gpm**

Rated Service Capacity: **300 gal**

Technology: **mechanical/carbon**

Comments:

Do not use where water is microbiologically unsafe or with water of unknown quality, except that systems certified for cyst reduction may be used on disinfected waters that may contain filterable cysts.

Contaminants Reduced:

Microbiological/Turbidity:
Cysts
Turbidity

Inorganic/Radiological:
Lead
Mercury

Organic:
Atrazine
Benzene
Lindane
2,4-D

Certificate # 09 - 1993

Model Designation:

US-600A with D-40A

System Type

under counter

Replacement Elements:

D-40A

Certified Water Treatment Devices

(listed by four digit certificate number)

Date Issued: **June 22, 2009**

Manufacturer: **Culligan International Company**

Rated Service Flow: **0.6 gpm**

Rated Service Capacity: **600 gal**

Technology: **carbon block**

Comments:

Do not use where water is microbiologically unsafe or with water of unknown quality, except that systems certified for cyst reduction may be used on disinfected waters that may contain filterable cysts.

Contaminants Reduced:

Microbiological/Turbidity:

Cysts

Turbidity

Inorganic/Radiological:

Asbestos

Lead

Mercury

Organic:

Atrazine

Lindane

Certificate # 09 - 1994

Model Designation:

US-600A with D-30A

System Type

under counter

Replacement Elements:

D-30A

Date Issued: **June 22, 2009**

Manufacturer: **Culligan International Company**

Rated Service Flow: **0.9 gpm**

Rated Service Capacity: **1000 gal**

Technology: **carbon block**

Comments:

Do not use where water is microbiologically unsafe or with water of unknown quality, except that systems certified for cyst reduction may be used on disinfected waters that may contain filterable cysts.

Contaminants Reduced:

Microbiological/Turbidity:

Cysts

Turbidity

Inorganic/Radiological:

Asbestos

Organic:

None

Certificate # 09 - 1996

Model Designation:

4158622 with 4158721 cartridge

System Type

under counter

Replacement Elements:

4158721

Certified Water Treatment Devices

(listed by four digit certificate number)

Date Issued: **June 22, 2009**

Manufacturer: **Culligan International Company**

Rated Service Flow: **0.9 gpm**

Rated Service Capacity: **1000 gal**

Technology: **carbon block**

Comments:

Do not use where water is microbiologically unsafe or with water of unknown quality, except that systems certified for cyst reduction may be used on disinfected waters that may contain filterable cysts.

Contaminants Reduced:

Microbiological/Turbidity:

Cysts

Turbidity

Inorganic/Radiological:

Asbestos

Organic:

None

Certificate # 09 - 1997

Model Designation:

Gold Arsenic 10"

System Type

point of entry

Replacement Elements:

N/A

Date Issued: **June 16, 2009**

Manufacturer: **Culligan International Company**

Rated Service Flow: **5.0 gpm**

Rated Service Capacity: **75,000 gal**

Technology: **Adsorption Media**

Comments:

Do not use with water that is microbiologically unsafe or of unknown quality, without adequate disinfection before or after the system.

Contaminants Reduced:

Microbiological/Turbidity:

None

Inorganic/Radiological:

Arsenic¹

(Reduces both trivalent and pentavalent species)

Organic:

None

Certificate # 09 - 1998

Model Designation:

Gold Arsenic 12"

System Type

point of entry

Replacement Elements:

N/A

Certified Water Treatment Devices

(listed by four digit certificate number)

Date Issued: **June 16, 2009**

Manufacturer: **Culligan International Company**

Rated Service Flow: **6.0 gpm**

Rated Service Capacity: **100,000 gal**

Technology: **Adsorption Media**

Comments:

Do not use with water that is microbiologically unsafe or of unknown quality, without adequate disinfection before or after the system.

Contaminants Reduced:

Microbiological/Turbidity:
None

Inorganic/Radiological:
Arsenic¹
(Reduces both trivalent and pentavalent species)

Organic:
None

Certificate # 09 - 1999

Model Designation:

Gold Arsenic 14"

System Type

point of entry

Replacement Elements:

N/A

Date Issued: **June 16, 2009**

Manufacturer: **Culligan International Company**

Rated Service Flow: **9.5 gpm**

Rated Service Capacity: **200,000 gal**

Technology: **Adsorption Media**

Comments:

Do not use with water that is microbiologically unsafe or of unknown quality, without adequate disinfection before or after the system.

Contaminants Reduced:

Microbiological/Turbidity:
None

Inorganic/Radiological:
Arsenic¹
(Reduces both trivalent and pentavalent species)

Organic:
None

Certificate # 09 - 2004

Model Designation:

PUR FM-3333B

System Type

faucet mount

Replacement Elements:

RF-3375

PUR FM-2000B

faucet mount

RF-3375

Certified Water Treatment Devices

(listed by four digit certificate number)

Date Issued: September 28, 2009

Date Revised: November 9, 2012

Manufacturer: Kaz USA, Inc.

Rated Service Flow: 0.52 gpm

Rated Service Capacity: 100 gal

Technology: mechanical

Comments:

Do not use where water is microbiologically unsafe or with water of unknown quality, except that systems certified for cyst reduction may be used on disinfected waters that may contain filterable cysts.

Contaminants Reduced:

Microbiological/Turbidity:

Cysts
Turbidity

Inorganic/Radiological:

Asbestos
Lead
Mercury

Organic:

2,4-D
2,4,5-TP
Atrazine
Benzene
Carbofuran
Carbon tetrachloride
Chlordane
Endrin
Ethylbenzene
Heptachlor epoxide
Lindane
VOCs by Surrogate
Methoxychlor
Chlorobenzene
o-dichlorobenzene
Simazine
Styrene
Tetrachloroethylene
Toluene
Toxaphene
Trichloroethylene
Trihalomethanes
MTBE

Certificate # 09 - 2005

Model Designation:	System Type	Replacement Elements:
PUR Faucet Mount FM-3400B	faucet mount	RF-9999
PUR Faucet Mount FM-3500B	faucet mount	RF-9999
PUR Faucet Mount FM-3700B	faucet mount	RF-9999
PUR Faucet Mount FM-3800B	faucet mount	RF-9999

Certified Water Treatment Devices

(listed by four digit certificate number)

PUR Faucet Mount FM-4100B

faucet mount

RF-9999

Date Issued: September 28, 2009

Date Revised: November 9, 2012

Manufacturer: Kaz USA, Inc.

Rated Service Flow: 0.52 gpm

Rated Service Capacity: 100 gal

Technology: mechanical

Comments:

Do not use where water is microbiologically unsafe or with water of unknown quality, except that systems certified for cyst reduction may be used on disinfected waters that may contain filterable cysts.

Contaminants Reduced:

Microbiological/Turbidity:

Cysts

Turbidity

Inorganic/Radiological:

Asbestos

Lead

Mercury

Organic:

2,4-D

2,4,5-TP

Atrazine

Benzene

Carbofuran

Carbon Tetrachloride

Chlordane

Chlorobenzene

o-Dichlorobenzene

Endrin

Ethylbenzene

Heptachlor Epoxide

Lindane

Methoxychlor

MTBE

Simazine

Styrene

Tetrachloroethylene

Toluene

Toxaphene

Trichloroethylene

Trihalomethanes

VOCs

Certificate # 09 - 2006

Model Designation:

PUR Faucet Mount FM-9100B

System Type

faucet mount

Replacement Elements:

RF-9999

PUR Faucet Mount FM-9400B

faucet mount

RF-9999

PUR Faucet Mount FM-9500B

faucet mount

RF-9999

Certified Water Treatment Devices

(listed by four digit certificate number)

PUR Faucet Mount FM-9600B faucet mount RF-9999

PUR Faucet Mount FM-9700B faucet mount RF-9999

PUR Faucet Mount FM-5050B faucet mount RF-9999

Date Issued: September 28, 2009

Date Revised: November 9, 2012

Manufacturer: Kaz USA, Inc.

Rated Service Flow: 0.52 gpm

Rated Service Capacity: 100 gal

Technology: mechanical

Comments:

Do not use where water is microbiologically unsafe or with water of unknown quality, except that systems certified for cyst reduction may be used on disinfected waters that may contain filterable cysts.

Contaminants Reduced:

Microbiological/Turbidity:

Cysts
Turbidity

Inorganic/Radiological:

Asbestos
Lead
Mercury

Organic:

2,4-D
2,4,5-TP
Atrazine
Benzene
Carbofuran
Carbon Tetrachloride
Chlordane
Chlorobenzene
o-Dichlorobenzene
Endrin
Ethylbenzene
VOCs by surrogate
Heptachlor Epoxide
Lindane
Methoxychlor
MTBE
Simazine
Styrene
Tetrachloroethylene
Toluene
Toxaphene
Trichloroethylene
Trihalomethanes

Certificate # 10 - 2010

Model Designation:

EVOLFLTR10

System Type

in line
refrigerator

Replacement Elements:

EVOLFLTR10

Certified Water Treatment Devices

(listed by four digit certificate number)

Date Issued: **January 29, 2010**

Manufacturer: **Cuno Inc. a 3M Company**

Rated Service Flow: **0.5 gpm**

Rated Service Capacity: **240 gal**

Technology: **mechanical/carbon**

Comments:

Do not use where water is microbiologically unsafe or with water of unknown quality, except that systems certified for cyst reduction may be used on disinfected waters that may contain filterable cysts.

Contaminants Reduced:

Microbiological/Turbidity:

Cysts

Turbidity

Inorganic/Radiological:

Asbestos

Lead

Mercury

Organic:

2,4-D

Atrazine

Benzene

Toxaphene

p-Dichlorobenzene

Certificate # 09 - 2011

Model Designation:

3MDW301

System Type

under counter

Replacement Elements:

3MDW311

Date Issued: **October 1, 2009**

Manufacturer: **3M Brand from 3M**

Rated Service Flow: **0.75 gpm**

Rated Service Capacity: **1000 gal**

Technology: **mechanical/carbon**

Comments:

Do not use where water is microbiologically unsafe or with water of unknown quality, except that systems certified for cyst reduction may be used on disinfected waters that may contain filterable cysts.

Contaminants Reduced:

Microbiological/Turbidity:

Cysts

Inorganic/Radiological:

Asbestos

Lead

Organic:

MTBE

Trihalomethanes

VOCs

Certificate # 09 - 2012

Model Designation:

3MDW101

System Type

under counter

Replacement Elements:

3MDW111

Certified Water Treatment Devices

(listed by four digit certificate number)

California Department of Public Health
Drinking Water Program
Water Treatment Device Directory
January 2013

Date Issued: **October 1, 2009**

Revised **October 6, 2010**

Manufacturer: **3M Brand from 3M**

Rated Service Flow: **0.75 gpm**

Rated Service Capacity: **500 gal**

Technology: **mechanical/carbon**

Comments:

Do not use where water is microbiologically unsafe or with water of unknown quality, except that systems certified for cyst reduction may be used on disinfected waters that may contain filterable cysts.

Contaminants Reduced:

Microbiological/Turbidity:

Cysts

Inorganic/Radiological:

Asbestos

Lead

Mercury

Organic:

Atrazine

Benzene

Carbofuran

Lindane

p-Dichlorobenzene

Toxaphene

Certificate # 09 - 2013

Model Designation:

Better Waters XL7000

System Type

under counter

Replacement Elements:

XL7000CR

Date Issued: **October 22, 2009**

Manufacturer: **Cuno, Inc.**

Rated Service Flow: **2.5 gpm**

Rated Service Capacity: **6000 gal**

Technology: **mechanical/carbon**

Comments:

Do not use where water is microbiologically unsafe or with water of unknown quality, except that systems certified for cyst reduction may be used on disinfected waters that may contain filterable cysts.

Contaminants Reduced:

Microbiological/Turbidity:

Cysts

Inorganic/Radiological:

Lead

Organic:

Benzene

p-Dichlorobenzene

Toxaphene

Certificate # 09 - 2015

Model Designation:

3MRO401

System Type

under counter

Replacement Elements:

Sediment Prefilter 3MR0P411

Carbon Prefilter 3MR0P412

Certified Water Treatment Devices

(listed by four digit certificate number)

Date Issued: **October 23, 2009**

Manufacturer: **3M Brand from 3M**

Rated Service Flow: **8.28 gpd**

Rated Service Capacity: **not applicable**

Technology: **reverse osmosis/carbon**

Comments:

Do not use where water is microbiologically unsafe or with water of unknown quality, except that systems certified for cyst reduction may be used on disinfected waters that may contain filterable cysts.

¹ Claims for arsenic reduction shall only be made on water supplies maintaining detectable residual free chlorine at the reverse osmosis (RO) system inlet.

Water systems using an in-line chlorinator should provide a minimum of 1 minute chlorine contact time before

Contaminants Reduced:

Microbiological/Turbidity:

Cysts
Turbidity

Inorganic/Radiological:

Arsenic¹
Barium
Cadmium
Chromium (hexavalent)
Chromium (trivalent)
Copper
Fluoride
Lead
Radium 226/228
Selenium

Organic:

None

Certificate # 09 - 2016

Model Designation:

3MDW201

System Type

under counter

Replacement Elements:

3MDW211

Date Issued: **October 30, 2009**

Manufacturer: **3M Brand from 3M**

Rated Service Flow: **2.5 gpm**

Rated Service Capacity: **6000 gal**

Technology: **mechanical/carbon**

Comments:

Do not use where water is microbiologically unsafe or with water of unknown quality, except that systems certified for cyst reduction may be used on disinfected waters that may contain filterable cysts.

Contaminants Reduced:

Microbiological/Turbidity:

Cysts

Inorganic/Radiological:

Lead

Organic:

Benzene
p-Dichlorobenzene
Toxaphene

Certificate # 09 - 2017

Model Designation:

3MFF100

System Type

under counter

Replacement Elements:

3MFF101

Certified Water Treatment Devices

(listed by four digit certificate number)

California Department of Public Health
Drinking Water Program
Water Treatment Device Directory
January 2013

Date Issued: **October 23, 2009**

Manufacturer: **Cuno Inc.**

Rated Service Flow: **2.5 gpm**

Rated Service Capacity: **6000 gal**

Technology: **mechanical/carbon**

Comments:

Do not use where water is microbiologically unsafe or with water of unknown quality, except that systems certified for cyst reduction may be used on disinfected waters that may contain filterable cysts.

Contaminants Reduced:

Microbiological/Turbidity:
Cysts

Inorganic/Radiological:
Lead

Organic:
Benzene
p-Dichlorobenzene
Toxaphene

Certificate # 09 - 2018

Model Designation:
ADQ36006101-S

System Type
in line
refrigerator

Replacement Elements:
ADQ36006101

Date Issued: **December 15, 2009**

Manufacturer: **Cuno Inc.**

Rated Service Flow: **0.5 gpm**

Rated Service Capacity: **200 gal**

Technology: **mechanical/carbon**

Comments:

Contaminants Reduced:

Microbiological/Turbidity:
Cysts

Inorganic/Radiological:
Asbestos

Lead
Mercury

Organic:
2,4-D Reduction
Atrazine
Benzene
Carbofuran
Lindane
p-Dichlorobenzene
Toxaphene

Certificate # 09 - 2019

Model Designation:
ADQ36006102-S

System Type
in line
refrigerator

Replacement Elements:
ADQ36006102

Certified Water Treatment Devices

(listed by four digit certificate number)

Date Issued: **December 15, 2009**
Manufacturer: **Sears Roebuck and Co.**

Rated Service Flow: **0.5 gpm**
Rated Service Capacity: **200 gal**
Technology: **mechanical/carbon**
Comments:

Contaminants Reduced:

Microbiological/Turbidity:
Cysts

Inorganic/Radiological:
Asbestos

Lead
Mercury

Organic:
2,4-D Reduction
Atrazine
Benzene
Carbofuran
Lindane
p-Dichlorobenzene
Toxaphene

Certificate # 10 - 2021

Model Designation:
Kenmore DA97-06317A

System Type
in line
refrigerator

Replacement Elements:
DA29-00003H

Date Issued: **April 27, 2010**
Manufacturer: **Cuno, Inc.**

Rated Service Flow: **0.5 gpm**
Rated Service Capacity: **300 gal**
Technology: **mechanical/carbon**

Comments:

Do not use where water is microbiologically unsafe or with water of unknown quality, except that systems certified for cyst reduction may be used on disinfected waters that may contain filterable cysts.

Contaminants Reduced:

Microbiological/Turbidity:
Asbestos

Cysts
Turbidity

Inorganic/Radiological:
Lead

Mercury

Organic:
Benzene
Carbofuran
p-Dichlorobenzene

Certificate # 09 - 2025

Model Designation:
PureSource 3

System Type
in line
refrigerator

Replacement Elements:
WF3CB

Certified Water Treatment Devices

(listed by four digit certificate number)

Date Issued: December 15, 2009

Manufacturer: Electrolux

Rated Service Flow: 0.5 gpm

Rated Service Capacity: 200 gal

Technology: carbon block

Comments:

Do not use where water is microbiologically unsafe or with water of unknown quality, except that systems certified for cyst reduction may be used on disinfected waters that may contain filterable cysts.

Contaminants Reduced:

Microbiological/Turbidity:

Cysts

Turbidity

Inorganic/Radiological:

Lead

Mercury

Organic:

Atrazine

Chlorobenzene

Lindane

o-Dichlorobenzene

Styrene

Tetrachloroethylene

Toxaphene

2,4 D

Certificate # 10 - 2026

Model Designation:

RO185011

System Type

in line
refrigerator

Replacement Elements:

67003662

Date Issued: April 5, 2010

Manufacturer: Cuno, Inc.

Rated Service Flow: 0.78 gpm

Rated Service Capacity: 750 gal

Technology: mechanical/carbon

Comments:

Do not use where water is microbiologically unsafe or with water of unknown quality, except that systems certified for cyst reduction may be used on disinfected waters that may contain filterable cysts.

Contaminants Reduced:

Microbiological/Turbidity:

Cysts

Turbidity

Inorganic/Radiological:

Asbestos

Lead

Mercury

Organic:

Atrazine

Benzene

Carbofuran

p-Dichlorobenzene

Lindane

Toxaphene

Certificate # 09 - 2027

Model Designation:

Gold 10" Aquasensor

System Type

water softener

Replacement Elements:

None

Gold 10" Softminder

water softener

None

Certified Water Treatment Devices

(listed by four digit certificate number)

Date Issued: **June 4, 2009**

Manufacturer: **Culligan International Company**

Rated Service Flow: **9.4 gpm**

Rated Service Capacity: **N/A**

Technology: **ion exchange**

Comments:

Do not use with water that is microbiologically unsafe or of unknown quality, without adequate disinfection before or after the system.

Contaminants Reduced:

Microbiological/Turbidity:
None

Inorganic/Radiological:
Barium
Radium 226/228

Organic:
None

Certificate # 10 - 2028

Model Designation:

GEN11053F-08

System Type

in line

Replacement Elements:

GEN11053FR-08

Date Issued: **February 22, 2010**

Manufacturer: **Microfilter Co., Ltd**

Rated Service Flow: **0.5 gpm**

Rated Service Capacity: **300 gal**

Technology: **carbon block**

Comments:

Do not use where water is microbiologically unsafe or with water of unknown quality, except that systems certified for cyst reduction may be used on disinfected waters that may contain filterable cysts.

Contaminants Reduced:

Microbiological/Turbidity:
Cysts

Inorganic/Radiological:
Lead

Organic:
Atrazine
Benzene

Certificate # 10 - 2029

Model Designation:

DA97-08006A-B

System Type

in line
refrigerator

Replacement Elements:

DA29-0020B

Certified Water Treatment Devices

(listed by four digit certificate number)

Date Issued: **March 15, 2010**

Manufacturer: **Microfilter Co. Ltd**

Rated Service Flow: **0.5 gpm**

Rated Service Capacity: **300 gal**

Technology: **carbon block**

Comments:

Do not use where water is microbiologically unsafe or with water of unknown quality, except that systems certified for cyst reduction may be used on disinfected waters that may contain filterable cysts.

Contaminants Reduced:

Microbiological/Turbidity:

Cysts

Turbidity

Inorganic/Radiological:

Asbestos

Lead

Organic:

Atrazine

Benzene

Lindane

Certificate # 10 - 2030

Model Designation:

P5WB2L

System Type

**in line
refrigerator**

Replacement Elements:

P4RFBW

Date Issued: **February 26, 2010**

Manufacturer: **Whirlpool Corporation**

Rated Service Flow: **0.5 gpm**

Rated Service Capacity: **200 gal**

Technology: **carbon block**

Comments:

Do not use where water is microbiologically unsafe or with water of unknown quality, except that systems certified for cyst reduction may be used on disinfected waters that may contain filterable cysts.

Contaminants Reduced:

Microbiological/Turbidity:

Cysts

Inorganic/Radiological:

Asbestos

Lead

Organic:

Atrazine

Lindane

Toxaphene

2, 4 - D

Certificate # 10 - 2034

Model Designation:

SQC-VIRO-4

System Type

under counter

Replacement Elements:

47-557104G2

66-4710G2

Certified Water Treatment Devices

(listed by four digit certificate number)

California Department of Public Health
Drinking Water Program
Water Treatment Device Directory
January 2013

Date Issued: December 21, 2010

Manufacturer: 3M Purification Inc. (formerly Cuno Inc)

Rated Service Flow: <75 gpd

Rated Service Capacity: 3.17 gal

Technology: reverse osmosis

Comments:

Do not use where water is microbiologically unsafe or with water of unknown quality, except that systems certified for cyst reduction may be used on disinfected waters that may contain filterable cysts.

¹ Claims for arsenic reduction shall only be made on water supplies maintaining detectable residual free chlorine at the reverse osmosis (RO) system inlet. Water systems using an in-line chlorinator should provide a minimum of 1 minute chlorine contact time before

Contaminants Reduced:

Microbiological/Turbidity:

Cysts
Turbidity
Bacteria
Virus

Inorganic/Radiological:

Arsenic¹
Barium
Cadmium
Chromium (hexavalent)
Chromium (trivalent)
Copper
Fluoride
Lead
Radium 226/228
Selenium

Organic:

Carbofuran
o-Dichlorobenzene
p-Dichlorobenzene
Toxaphene

Certificate # 10 - 2035

Model Designation:

System Type

Fresca Pure Ultra (Model WF0601 counter top

Replacement Elements:

WF0650 (carbon block)
WF0651 (mineralizer)

Date Issued: June 14, 2010

Revised: May 19, 2011

Manufacturer: Hy Cite Corporation

Rated Service Flow: 0.6 gpm

Rated Service Capacity: 1250 gallons

Technology: mechanical/carbon

Comments:

Do not use where water is microbiologically unsafe or with water of unknown quality, except that systems certified for cyst reduction may be used on disinfected waters that may contain filterable cysts.

Contaminants Reduced:

Microbiological/Turbidity:

Turbidity

Inorganic/Radiological:

Lead

Organic:

VOCs

Certified Water Treatment Devices

(listed by four digit certificate number)

California Department of Public Health
Drinking Water Program
Water Treatment Device Directory
January 2013

Certificate # 10 - 2043

Model Designation:	System Type	Replacement Elements:
High Efficiency: 10" Aqua-Sensor	water softener	
10" Soft-Minder Meter	water softener	
Upflow 10" Soft-Minder Meter	water softener	
Upflow 10" Aqua-Sensor	water softener	

Date Issued: August 2, 2010

Manufacturer: Culligan International

Rated Service Flow: 9.4 gpm

Rated Service Capacity:

Technology: ion exchange

Comments:

Do not use where water is microbiologically unsafe or with water of unknown quality, except that systems certified for cyst reduction may be used on disinfected waters that may contain filterable cysts.

Contaminants Reduced:

Microbiological/Turbidity:

Inorganic/Radiological:

Barium

Radium

Organic:

Certificate # 10 - 2044

Model Designation:	System Type	Replacement Elements:
High Efficiency: 9" Aqua-Sensor	water softener	
9" Soft-Minder Meter	water softener	
Upflow 9" Soft-Minder Meter	water softener	
Upflow 9" Aqua-Sensor	water softener	

Certified Water Treatment Devices

(listed by four digit certificate number)

Date Issued: August 2, 2010

Manufacturer: Culligan International

Rated Service Flow: 9 gpm

Rated Service Capacity:

Technology: ion exchange

Comments:

Do not use where water is microbiologically unsafe or with water of unknown quality, except that systems certified for cyst reduction may be used on disinfected waters that may contain filterable cysts.

Contaminants Reduced:

Microbiological/Turbidity:

Inorganic/Radiological:

Barium

Radium

Organic:

Certificate # 10 - 2045

Model Designation:

High Efficiency 14" Aqua-Sensor

System Type

water softener

Replacement Elements:

High Efficiency 14" Soft-Minder

water softener

Date Issued: August 2, 2010

Manufacturer: Culligan International

Rated Service Flow: 10.6 gpm

Rated Service Capacity:

Technology: ion exchange

Comments:

Do not use where water is microbiologically unsafe or with water of unknown quality, except that systems certified for cyst reduction may be used on disinfected waters that may contain filterable cysts.

Contaminants Reduced:

Microbiological/Turbidity:

Inorganic/Radiological:

Barium

Radium

Organic:

Certificate # 10 - 2046

Model Designation:

High Efficiency 12" Aqua-Sensor

System Type

water softener

Replacement Elements:

High Efficiency 12" Soft-Minder

water softener

Certified Water Treatment Devices

(listed by four digit certificate number)

Date Issued: **August 2, 2010**

Manufacturer: **Culligan International**

Rated Service Flow: **10 gpm**

Rated Service Capacity:

Technology: **ion exchange**

Comments:

Do not use where water is microbiologically unsafe or with water of unknown quality, except that systems certified for cyst reduction may be used on disinfected waters that may contain filterable cysts.

Contaminants Reduced:

Microbiological/Turbidity:

Inorganic/Radiological:

Barium

Radium

Organic:

Certificate # 10 - 2047

Model Designation:

Shaklee Pitcher 52114

System Type

pour through

Replacement Elements:

52117

52115

Date Issued: **October 22, 2010**

Manufacturer: **Shaklee Corporation**

Rated Service Flow: **2 gpd**

Rated Service Capacity: **80 gal**

Technology: **GAC**

Comments:

Do not use with water that is microbiologically unsafe or of unknown quality, without adequate disinfection before or after the system.

Contaminants Reduced:

Microbiological/Turbidity:

None

Inorganic/Radiological:

Cadmium

Lead

Mercury

Organic:

VOCs by chloroform surrogate

Certificate # 10 - 2050

Model Designation:

Essence AHW-45

System Type

under counter

Replacement Elements:

A-45

BESTFILTERS UCT200

under counter

REPUCT 200

Certified Water Treatment Devices

(listed by four digit certificate number)

Date Issued: August 12, 2010

Date Revised: March 18, 2011

Manufacturer: Water Safety Corporation

Rated Service Flow: 0.75 gpm

Rated Service Capacity: 800 gals

Technology: carbon block

Comments:

Do not use where water is microbiologically unsafe or with water of unknown quality, except that systems certified for cyst reduction may be used on disinfected waters that may contain filterable cysts.

Contaminants Reduced:

Microbiological/Turbidity:
Cysts

Inorganic/Radiological:
Lead

Organic:
MTBE
VOCs

Certificate # 10 - 2051

Model Designation:

ESSENCE AHW-35

System Type

counter top

Replacement Elements:

A-35

Bestfilters CTP200

counter top

REPCTP200

Date Issued: August 12, 2010

Date Revised: March 18, 2011

Manufacturer: Water Safety Corporation

Rated Service Flow: 0.75 gpm

Rated Service Capacity: 800 gals

Technology: carbon block

Comments:

Do not use where water is microbiologically unsafe or with water of unknown quality, except that systems certified for cyst reduction may be used on disinfected waters that may contain filterable cysts.

Contaminants Reduced:

Microbiological/Turbidity:
Cysts

Inorganic/Radiological:
Lead

Organic:
MTBE
VOCs

Certificate # 10 - 2052

Model Designation:

Essence HW-35

System Type

counter top

Replacement Elements:

H-35

Bestfilters CTP100

counter top

REPCTP100

Certified Water Treatment Devices

(listed by four digit certificate number)

California Department of Public Health
Drinking Water Program
Water Treatment Device Directory
January 2013

Date Issued: August 12, 2010

Revised: March 18, 2011

Manufacturer: Water Safety Corporation

Rated Service Flow: 0.75 gpm

Rated Service Capacity: 480 gals

Technology: carbon block

Comments:

Do not use where water is microbiologically unsafe or with water of unknown quality, except that systems certified for cyst reduction may be used on disinfected waters that may contain filterable cysts.

Contaminants Reduced:

Microbiological/Turbidity:
Cysts

Inorganic/Radiological:
Lead

Organic:
MTBE
VOCs

Certificate # 10 - 2053

Model Designation:
FF-6000

System Type
under counter

Replacement Elements:
FF-6000R

Date Issued: October 18, 2010

Manufacturer: 3M Purification Inc.

Rated Service Flow: 2.5 gpm

Rated Service Capacity: 6000 gals

Technology: carbon block

Comments:

Do not use where water is microbiologically unsafe or with water of unknown quality, except that systems certified for cyst reduction may be used on disinfected waters that may contain filterable cysts.

Contaminants Reduced:

Microbiological/Turbidity:
Cysts(protozoan)

Inorganic/Radiological:
Lead

Organic:
Benzene
p-Dichlorobenzene
Toxaphene

Certificate # 11 - 2054

Model Designation:
Whirlpool - WHEMB 40

System Type
under counter

Replacement Elements:
WHEMBF

Certified Water Treatment Devices

(listed by four digit certificate number)

Date Issued: **March 8, 2011**

Manufacturer: **KX Technologies LLC**

Rated Service Flow: **0.74 gpm**

Rated Service Capacity: **350 gals**

Technology: **ceramic**

Comments:

Do not use for the treatment of water that is visually contaminated (cloudy) or has an obvious contamination source, such as contamination by raw sewage.

Contaminants Reduced:

Microbiological/Turbidity:

Cysts (protozoan)

Bacteria

Virus

Inorganic/Radiological:

Lead

Organic:

VOCs

Certificate # 11 - 2055

Model Designation:

Ecowater Sytems - EPS 1000

System Type

under counter

Replacement Elements:

7320697

7308069

Date Issued: **February 3, 2011**

Manufacturer: **KX Technologies LLC**

Rated Service Flow: **0.74 gpm**

Rated Service Capacity: **350 gals**

Technology: **carbon block**

Comments:

Do not use for the treatment of water that is visually contaminated (cloudy) or has an obvious contamination source, such as contamination by raw sewage.

Contaminants Reduced:

Microbiological/Turbidity:

Cysts (protozoan)

Bacteria

Virus

Inorganic/Radiological:

Lead

Organic:

VOCs

Certificate # 10 - 2056

Model Designation:

EP35

System Type

under counter

Replacement Elements:

EP35R

Certified Water Treatment Devices

(listed by four digit certificate number)

Date Issued: **October 21, 2010**
Manufacturer: **3M Purification**

Rated Service Flow: **0.5 gpm**
Rated Service Capacity: **350 gals**

Technology: **mechanical/carbon**

Comments:

Do not use where water is microbiologically unsafe or with water of unknown quality, except that systems certified for cyst reduction may be used on disinfected waters that may contain filterable cysts.

Contaminants Reduced:

Microbiological/Turbidity:
Cysts (protozoan)

Inorganic/Radiological:
Asbestos

Lead

Organic:

MTBE

TTHM

VOCs (chloroform surrogate)

Certificate # 11 - 2058

Model Designation: **K-5 Drinking Water Station with**
System Type: **under counter**

Replacement Elements:
9309 A Prefilter no chlorine
9461 A Prefilter with chlorine

Date Issued: **July 29, 2011**
Manufacturer: **Kinetico Incorporated**

Rated Service Flow: **not applicable**
Rated Service Capacity: **500 gallon**

Technology: **RO w/ carbon**

Comments:

Do not use where water is microbiologically unsafe or with water of unknown quality, except that systems certified for cyst reduction may be used on disinfected waters that may contain filterable cysts.

¹ Claims for arsenic reduction shall only be made on water supplies maintaining detectable residual free chlorine at the reverse osmosis (RO) system inlet. Water systems using an in-line chlorinator should provide a minimum of 1 minute chlorine contact time before

Contaminants Reduced:

Microbiological/Turbidity:
Cysts
Turbidity

Inorganic/Radiological:
Arsenic (pentavalent)¹

Barium

Cadmium

Chromium (hexavalent)

Chromium (trivalent)

Copper

Fluoride

Lead

Nitrate/Nitrite

Radium 226/228

Selenium

Organic:

VOCs (by chloroform surrogate)

MTBE

Certified Water Treatment Devices

(listed by four digit certificate number)

California Department of Public Health
Drinking Water Program
Water Treatment Device Directory
January 2013

Certificate # 11 - 2064

Model Designation:	System Type	Replacement Elements:
Brita Hydration Station 2000	stand-alone dispenser	6424
Brita Hydration Station 2000 SM	stand-alone dispenser	6424
Hydration Station 2010	stand-alone dispenser	6423
Hydration Station 2010 SM	stand-alone dispenser	6423
Brita Hydration Station 2000S	stand-alone dispenser	6429
Brita Hydration Station 2000SMS	stand-alone dispenser	6429

Date Issued: March 11, 2011

Date Revised: May 3, 2012

Manufacturer: HAWS Corporation

Rated Service Flow: 0.5 gpm

Rated Service Capacity: 2500 gals

Technology: carbon block

Comments:

Do not use where water is microbiologically unsafe or with water of unknown quality, except that systems certified for cyst reduction may be used on disinfected waters that may contain filterable cysts.

Contaminants Reduced:

Microbiological/Turbidity:
Cysts

Inorganic/Radiological:
Lead

Organic:
None

Certificate # 11 - 2066

Model Designation:	System Type	Replacement Elements:
Kenmore Model 625.384200	water softener	N/A

Certified Water Treatment Devices

(listed by four digit certificate number)

Date Issued: **April 12, 2011**

Manufacturer: **Sears Brands Management Corp.**

Rated Service Flow: **9.0 gpm**

Rated Service Capacity: **N/A**

Technology: **ion exchange**

Comments:

Do not use where water is microbiologically unsafe or with water of unknown quality, except that systems certified for cyst reduction may be used on disinfected waters that may contain filterable cysts.

Contaminants Reduced:

Microbiological/Turbidity:

Inorganic/Radiological:

Barium

Radium 226/228

Organic:

Certificate # 11 - 2067

Model Designation:

Brita Faucet Filtration System

CAFE 100

System Type

faucet mount

Replacement Elements:

FR-200

Certified Water Treatment Devices

(listed by four digit certificate number)

Date Issued: February 8, 2011

Manufacturer: BRITA LP

Rated Service Flow: 0.58 gpm

Rated Service Capacity: 100 gals

Technology: carbon block

Comments:

Do not use where water is microbiologically unsafe or with water of unknown quality, except that systems certified for cyst reduction may be used on disinfected waters that may contain filterable cysts.

Contaminants Reduced:

Microbiological/Turbidity:
Turbidity

Inorganic/Radiological:
Asbestos
Lead

Organic:

Alachlor
Atrazine
Benzene
Carbofuran
Carbon tetrachloride
Chlordane
Chlorobenzene
Endrin
Ethylbenzene
Lindane
Methoxychlor
o-Dichlorobenzene
Simazine
Styrene
Tetrachloroethylene
Toluene
Toxaphene
Trichloroethylene
Trihalomethanes (TTHMs)
2,4-D
VOCs by chloroform surrogate

Certificate # 11 - 2068

Model Designation:

Body Glove BG-6000FF

System Type

under counter

Replacement Elements:

BG-6000FFC

Certified Water Treatment Devices

(listed by four digit certificate number)

Date Issued: **March 1, 2011**

Manufacturer: **3M Brand from 3M**

Rated Service Flow: **2.5 gpm**

Rated Service Capacity: **6000 gals**

Technology: **mechanical/carbon**

Comments:

Do not use where water is microbiologically unsafe or with water of unknown quality, except that systems certified for cyst reduction may be used on disinfected waters that may contain filterable cysts.

Contaminants Reduced:

Microbiological/Turbidity:
Cysts (protozoan)

Inorganic/Radiological:
Lead

Organic:
Benzene
Dichlorobenzene
Toxaphene

Certificate # 11 - 2069

Model Designation:
P5WB12NL

System Type
in line
refrigerator

Replacement Elements:
P4RFB12

Date Issued: **March 15, 2011**

Manufacturer: **Whirlpool Corp.**

Rated Service Flow: **0.5 gpm**

Rated Service Capacity: **120 gallons**

Technology: **mechanical/carbon**

Comments:

Do not use where water is microbiologically unsafe or with water of unknown quality, except that systems certified for cyst reduction may be used on disinfected waters that may contain filterable cysts.

Contaminants Reduced:

Microbiological/Turbidity:
Cysts

Inorganic/Radiological:
Asbestos
Lead

Organic:
Atrazine
Lindane
Toxaphene
2,4-D

Certificate # 11 - 2070

Model Designation:
K5 Drinking Water Station

System Type
under counter

Replacement Elements:
9309 A (Prefilter no chlorine)
9461 A (Prefilter with chlorine)

Certified Water Treatment Devices

(listed by four digit certificate number)

Date Issued: August 5, 2011

Manufacturer: KINETICO INCORPORATED

Rated Service Flow: 20.4 gpd with std

Rated Service Capacity: N/A

Technology: reverse osmosis/carbon

Comments:

Do not use where water is microbiologically unsafe or with water of unknown quality, except that systems certified for cyst reduction may be used on disinfected waters that may contain filterable cysts.

¹ Claims for arsenic reduction shall only be made on water supplies maintaining detectable residual free chlorine at the reverse osmosis (RO) system inlet.

Water systems using an in-line chlorinator should provide a minimum of 1 minute chlorine contact time before

Contaminants Reduced:

Microbiological/Turbidity:

- Cysts
- Turbidity
- TDS

Inorganic/Radiological:

- Arsenic (pentavalent)¹
- Barium
- Cadmium
- Chromium (hexavalent)
- Chromium (trivalent)
- Copper
- Fluoride
- Lead
- Nitrate/Nitrite
- Radium 226/228
- Selenium

Organic:

- None

Certificate # 11 - 2072

Model Designation:	System Type	Replacement Elements:
High Efficiency Twin 9" Aqua-Carbon	water softener	N/A
High Efficiency Twin 9" Soft-Minder Meter	water softener	N/A
High Efficiency Twin 9" Outdoor Aqua-Carbon	water softener	N/A
High Efficiency Twin 9" Outdoor Soft-Minder Meter	water softener	N/A
High Efficiency Twin Upflow 9" Outdoor Aqua-Carbon	water softener	N/A
High Efficiency Twin Upflow 9" Outdoor Soft-Minder Meter	water softener	N/A
High Efficiency Twin Upflow 9" Aqua-Carbon	water softener	N/A
High Efficiency Twin Upflow 9" Soft-Minder Meter	water softener	N/A

Certified Water Treatment Devices

(listed by four digit certificate number)

Date Issued: **March 30, 2011**

Manufacturer: **Culligan International**

Rated Service Flow: **9.0 gpm**

Rated Service Capacity: **not applicable**

Technology: **ion exchange**

Comments:

Do not use with water that is microbiologically unsafe or of unknown quality, without adequate disinfection before or after the system.

Contaminants Reduced:

Microbiological/Turbidity:
None

Inorganic/Radiological:
Barium
Radium 226/228

Organic:
None

Certificate # 11 - 2073

Model Designation:

High Efficiency Twin 12"

Ames Careser

System Type

water softener

Replacement Elements:

N/A

High Efficiency Twin 12"

Soft-Minder Master

water softener

N/A

High Efficiency Twin 12" Outdoor water softener

Ames Careser

N/A

High Efficiency Twin 12" Outdoor water softener

Soft-Minder Master

N/A

Date Issued: **March 30, 2011**

Manufacturer: **Culligan International**

Rated Service Flow: **10.0 gpm**

Rated Service Capacity: **not applicable**

Technology: **ion exchange**

Comments:

Do not use with water that is microbiologically unsafe or of unknown quality, without adequate disinfection before or after the system.

Contaminants Reduced:

Microbiological/Turbidity:
None

Inorganic/Radiological:
Barium
Radium 226/228

Organic:
None

Certificate # 11 - 2074

Model Designation:

High Efficiency Twin 14"

Ames Careser

System Type

water softener

Replacement Elements:

N/A

High Efficiency Twin 14"

Soft-Minder Master

water softener

N/A

Certified Water Treatment Devices

(listed by four digit certificate number)

High Efficiency Twin 14" Outdoor water softener N/A

High Efficiency Twin 14" Outdoor water softener N/A

Date Issued: **March 30, 2011**
 Manufacturer: **Culligan International**

Rated Service Flow: **10.6 gpm**
 Rated Service Capacity: **not applicable**

Technology: **ion exchange**

Comments:

Do not use with water that is microbiologically unsafe or of unknown quality, without adequate disinfection before or after the system.

Contaminants Reduced:

Microbiological/Turbidity:
None

Inorganic/Radiological:
Barium
Radium 226/228

Organic:
None

Certificate # 11 - 2075

Model Designation:	System Type	Replacement Elements:
High Efficiency Twin 10"	water softener	N/A
High Efficiency Twin 10"	water softener	N/A
High Efficiency Twin 10" Outdoor water softener		N/A
High Efficiency Twin 10" Outdoor water softener		N/A
High Efficiency Twin Upflow 10"	water softener	N/A
High Efficiency Twin Upflow 10"	water softener	N/A
High Efficiency Twin Upflow 10"	water softener	N/A
High Efficiency Twin Upflow 10"	water softener	N/A

Certified Water Treatment Devices

(listed by four digit certificate number)

Date Issued: **March 30, 2011**

Manufacturer: **Culligan International**

Rated Service Flow: **9.4 gpm**

Rated Service Capacity: **not applicable**

Technology: **ion exchange**

Comments:

Do not use with water that is microbiologically unsafe or of unknown quality, without adequate disinfection before or after the system.

Contaminants Reduced:

Microbiological/Turbidity:
None

Inorganic/Radiological:
Barium
Radium 226/228

Organic:
None

Certificate # 11 - 2076

Model Designation:

Nimbus Water Maker Five -
WMF5-FC

System Type

under counter

Replacement Elements:

TF50 104592
GAC postfilter 104803

Pura Flow 500 Reverse Osmosis
System

under counter

4 stage cartridge 104592
Post filter 104803

Pelican Water PRO-RO

under counter

4 stage cartridge 104863
GAC postfilter 104851

Certified Water Treatment Devices

(listed by four digit certificate number)

Date Issued: May 10, 2011

Date Revised: May 24, 2012

Manufacturer: Nimbus Water Systems

Rated Service Flow: 14.61 gal/day

Rated Service Capacity: n/a

Technology: Mech Filter/RO/GAC

Comments:

Do not use where water is microbiologically unsafe or with water of unknown quality, except that systems certified for cyst reduction may be used on disinfected waters that may contain filterable cysts.

¹ Claims for arsenic reduction shall only be made on water supplies maintaining detectable residual free chlorine at the reverse osmosis (RO) system inlet.

Water systems using an in-line chlorinator should provide a minimum of 1 minute chlorine contact time before

Contaminants Reduced:

Microbiological/Turbidity:
Cysts (protozoan)

Inorganic/Radiological:
Arsenic V (50ppb)

Fluoride

Lead

Organic:

None

Certificate # 11 - 2078

Model Designation:

IDYLIS IWF-11-P070

System Type

pour through

Replacement Elements:

IWF-11-PRF3

Date Issued: May 10, 2011

Manufacturer: Kemflo/Filbur

Rated Service Flow: 10 LPD

Rated Service Capacity: 40 gals

Technology: GAC

Comments:

Do not use where water is microbiologically unsafe or with water of unknown quality, except that systems certified for cyst reduction may be used on disinfected waters that may contain filterable cysts.

Contaminants Reduced:

Microbiological/Turbidity:
None

Inorganic/Radiological:
Cadmium

Mercury

Organic:

Atrazine

Certified Water Treatment Devices

(listed by four digit certificate number)

California Department of Public Health
Drinking Water Program
Water Treatment Device Directory
January 2013

Certificate # 11 - 2088

Model Designation:
Kenmore 625.385200

System Type
water softener

Replacement Elements:
None

Date Issued: August 2, 2011

Manufacturer: Sears Brands Management Corporation

Rated Service Flow: 8 gpm

Rated Service Capacity: n/a

Technology: ion exchange

Comments:

Do not use with water that is microbiologically unsafe or of unknown quality, without adequate disinfection before or after the system.

Contaminants Reduced:

Microbiological/Turbidity:
None

Inorganic/Radiological:
Barium
Radium 226/228

Organic:
None

Certificate # 11 - 2090

Model Designation:
GE GSBF-1750

System Type
under counter

Replacement Elements:
GSBF-1750R

Date Issued: September 9, 2011

Manufacturer: Pentair Residential Filtration, LLC

Rated Service Flow: 0.6 gpm

Rated Service Capacity: 750 gallons

Technology:

Comments:

Do not use where water is microbiologically unsafe or with water of unknown quality, except that systems certified for cyst reduction may be used on disinfected waters that may contain filterable cysts.

Contaminants Reduced:

Microbiological/Turbidity:
Cysts

Inorganic/Radiological:
Asbestos
Lead
Mercury

Organic:
Atrazine
Lindane

Certificate # 11 - 2091

Model Designation:
US1750

System Type
under counter

Replacement Elements:
1750R

Certified Water Treatment Devices

(listed by four digit certificate number)

Date Issued: [September 12, 2011](#)

Manufacturer: **OmniFilter**

Rated Service Flow: **0.6 gpm**

Rated Service Capacity: **750 gallons**

Technology:

Comments:

Do not use where water is microbiologically unsafe or with water of unknown quality, except that systems certified for cyst reduction may be used on disinfected waters that may contain filterable cysts.

Contaminants Reduced:

Microbiological/Turbidity:
[Cysts](#)

Inorganic/Radiological:
[Asbestos](#)

[Lead](#)

[Mercury](#)

Organic:

[Atrazine](#)

[Lindane](#)

Certificate # 11 - 2092

Model Designation:

GE GDBF-2000

System Type

[under counter](#)

Replacement Elements:

[GSBF-1250R](#)

[GSBF-1750R](#)

Date Issued: [September 9, 2011](#)

Manufacturer: **Pentair Residential Filtration, LLC**

Rated Service Flow: **0.6 gpm**

Rated Service Capacity: **750 gallons**

Technology:

Comments:

Do not use where water is microbiologically unsafe or with water of unknown quality, except that systems certified for cyst reduction may be used on disinfected waters that may contain filterable cysts.

Contaminants Reduced:

Microbiological/Turbidity:
[Cysts](#)

Inorganic/Radiological:
[Asbestos](#)

[Lead](#)

[Mercury](#)

Organic:

[Atrazine](#)

[Lindane](#)

Certificate # 11 - 2093

Model Designation:

US2000

System Type

[under counter](#)

Replacement Elements:

[1250R](#)

[1750R](#)

Certified Water Treatment Devices

(listed by four digit certificate number)

Date Issued: [September 9, 2011](#)

Manufacturer: **OmniFilter**

Rated Service Flow: **0.6 gpm**

Rated Service Capacity: **750 gallons**

Technology:

Comments:

Do not use where water is microbiologically unsafe or with water of unknown quality, except that systems certified for cyst reduction may be used on disinfected waters that may contain filterable cysts.

Contaminants Reduced:

Microbiological/Turbidity:
[Cysts](#)

Inorganic/Radiological:
[Asbestos](#)

[Lead](#)

[Mercury](#)

Organic:

[Atrazine](#)

[Lindane](#)

Certificate # 11 - 2094

Model Designation:

PB1F-750

System Type

[under counter](#)

Replacement Elements:

[PW-C750R](#)

Date Issued: [September 9, 2011](#)

Manufacturer: **Pentair Residential Filtration, LLC**

Rated Service Flow: **0.6 gpm**

Rated Service Capacity: **750 gallons**

Technology:

Comments:

Do not use where water is microbiologically unsafe or with water of unknown quality, except that systems certified for cyst reduction may be used on disinfected waters that may contain filterable cysts.

Contaminants Reduced:

Microbiological/Turbidity:
[Cysts](#)

Inorganic/Radiological:
[Asbestos](#)

[Lead](#)

[Mercury](#)

Organic:

[Atrazine](#)

[Lindane](#)

Certificate # 11 - 2095

Model Designation:

GE G3RO-50

System Type

[under counter](#)

Replacement Elements:

[GR-RO50R](#) (RO Membrane)

[GSBF-1500R](#) (Pre Filter)

Certified Water Treatment Devices

(listed by four digit certificate number)

Date Issued: **October 24, 2011**

Manufacturer: **Pentair Residential Filtration, LLC**

Rated Service Flow: **13.8 gpd**

Rated Service Capacity: **N/A**

Technology: **reverse osmosis**

Comments:

Do not use where water is microbiologically unsafe or with water of unknown quality, except that systems certified for cyst reduction may be used on disinfected waters that may contain filterable cysts.

Contaminants Reduced:

Microbiological/Turbidity:

Cysts
Turbidity

Inorganic/Radiological:

Cadmium
Chromium (hexalent)
Chromium (trivalent)
Copper
Fluoride
Lead
Selenium

Organic:

None

Certificate # 11 - 2096

Model Designation:

OmniFilter RO4000

System Type

under counter

Replacement Elements:

OM4 (RO Membrane)
1250R (Pre Filter)

Date Issued: **October 24, 2011**

Manufacturer: **OmniFilter**

Rated Service Flow: **13.8 gpd**

Rated Service Capacity: **N/A**

Technology: **reverse osmosis**

Comments:

Do not use where water is microbiologically unsafe or with water of unknown quality, except that systems certified for cyst reduction may be used on disinfected waters that may contain filterable cysts.

Contaminants Reduced:

Microbiological/Turbidity:

Cysts
Turbidity

Inorganic/Radiological:

Cadmium
Chromium (hexalent)
Chromium (trivalent)
Copper
Fluoride
Lead
Selenium

Organic:

None

Certificate # 11 - 2097

Model Designation:

Pentair Water PB4RO-75

System Type

under counter

Replacement Elements:

PW-RO75R (RO Membrane)
PW-S2500R (Pre Filters)

Certified Water Treatment Devices

(listed by four digit certificate number)

Date Issued: **October 24, 2011**

Manufacturer: **Pentair Residential Filtration, LLC**

Rated Service Flow: **24.8 gpd**

Rated Service Capacity: **1250 gal**

Technology: **reverse osmosis**

Comments:

Do not use where water is microbiologically unsafe or with water of unknown quality, except that systems certified for cyst reduction may be used on disinfected waters that may contain filterable cysts.

¹ Claims for arsenic reduction shall only be made on water supplies maintaining detectable residual free chlorine at the reverse osmosis (RO) system inlet.

Water systems using an in-line chlorinator should provide a minimum of 1 minute chlorine contact time before

Contaminants Reduced:

Microbiological/Turbidity:

Cysts

Turbidity

Inorganic/Radiological:

Arsenic (pentavalent)¹

Barium

Cadmium

Chromium (hexalent)

Chromium (trivalent)

Copper

Fluoride

Lead

Radium 226/228

Selenium

Organic:

None

Certificate # 11 - 2098

Model Designation:

Pentair Water PB5RO-75

System Type

under counter

Replacement Elements:

PW-RO75R (RO Membrane)

PW-S2500R (Pre Filters)

Certified Water Treatment Devices

(listed by four digit certificate number)

Date Issued: **October 24, 2011**

Manufacturer: **Pentair Residential Filtration, LLC**

Rated Service Flow: **24.8 gpd**

Rated Service Capacity: **1250 gal**

Technology: **reverse osmosis**

Comments:

Do not use where water is microbiologically unsafe or with water of unknown quality, except that systems certified for cyst reduction may be used on disinfected waters that may contain filterable cysts.

¹ Claims for arsenic reduction shall only be made on water supplies maintaining detectable residual free chlorine at the reverse osmosis (RO) system inlet.

Water systems using an in-line chlorinator should provide a minimum of 1 minute chlorine contact time before

Contaminants Reduced:

Microbiological/Turbidity:

Cysts

Turbidity

Inorganic/Radiological:

Arsenic (pentavalent)¹

Barium

Cadmium

Chromium (hexalent)

Chromium (trivalent)

Copper

Fluoride

Lead

Radium 226/228

Selenium

Organic:

None

Certificate # 11 - 2099

Model Designation:

Pentair Water PP4RO-75

System Type

under counter

Replacement Elements:

PW-RO75R (RO Membrane)

PW-S2500R (Pre Filters)

Certified Water Treatment Devices

(listed by four digit certificate number)

Date Issued: **October 24, 2011**

Manufacturer: **Pentair Residential Filtration, LLC**

Rated Service Flow: **24.8 gpd**

Rated Service Capacity: **1250 gal**

Technology: **reverse osmosis**

Comments:

Do not use where water is microbiologically unsafe or with water of unknown quality, except that systems certified for cyst reduction may be used on disinfected waters that may contain filterable cysts.

¹ Claims for arsenic reduction shall only be made on water supplies maintaining detectable residual free chlorine at the reverse osmosis (RO) system inlet.

Water systems using an in-line chlorinator should provide a minimum of 1 minute chlorine contact time before

Contaminants Reduced:

Microbiological/Turbidity:

Cysts
Turbidity

Inorganic/Radiological:

Arsenic (pentavalent)¹
Barium
Cadmium
Chromium (hexalent)
Chromium (trivalent)
Copper
Fluoride
Lead
Radium 226/228
Selenium

Organic:

None

Certificate # 12 - 2101

Model Designation:

GE VOC300

System Type

under counter

Replacement Elements:

VOC300

Date Issued: **July 19, 2012**

Manufacturer: **Pentair Residential Filtration, LLC**

Rated Service Flow: **0.5 gpm**

Rated Service Capacity: **300 gal**

Technology: **GAC**

Comments:

Do not use where water is microbiologically unsafe or with water of unknown quality, except that systems certified for cyst reduction may be used on disinfected waters that may contain filterable cysts.

Contaminants Reduced:

Microbiological/Turbidity:

Cysts (protozoan)

Inorganic/Radiological:

Lead

Organic:

VOCs

Certificate # 12 - 2102

Model Designation:

GE CTO1500

System Type

under counter

Replacement Elements:

CTO1500

Certified Water Treatment Devices

(listed by four digit certificate number)

Date Issued: July 19, 2012

Manufacturer: Pentair Residential Filtration, LLC

Rated Service Flow: 0.5 gpm

Rated Service Capacity: 1500 gal

Technology: GAC

Comments:

Do not use where water is microbiologically unsafe or with water of unknown quality, except that systems certified for cyst reduction may be used on disinfected waters that may contain filterable cysts.

Contaminants Reduced:

Microbiological/Turbidity:
Cysts (protozoan)

Inorganic/Radiological:
None

Organic:
None

Certificate # 12 - 2103

Model Designation:

Everpure S-54 DWS

System Type

under counter

Replacement Elements:

S-54

Date Issued: September 6, 2012

Manufacturer: Pentair Residential Filtration, LLC

Rated Service Flow: 0.5 gpm

Rated Service Capacity: 750 gal

Technology: GAC

Comments:

Do not use where water is microbiologically unsafe or with water of unknown quality, except that systems certified for cyst reduction may be used on disinfected waters that may contain filterable cysts.

Contaminants Reduced:

Microbiological/Turbidity:
Cysts

Inorganic/Radiological:
Lead

Organic:
None

Certificate # 11 - 2104

Model Designation:

Everpure H-300 DWS

System Type

under counter

Replacement Elements:

H-300

Certified Water Treatment Devices

(listed by four digit certificate number)

Date Issued: [September 9, 2011](#)

Manufacturer: **Pentair Residential Filtration, LLC**

Rated Service Flow: **0.5 gpm**

Rated Service Capacity: **500 gal**

Technology: **mechanical/GAC**

Comments:

Do not use where water is microbiologically unsafe or with water of unknown quality, except that systems certified for cyst reduction may be used on disinfected waters that may contain filterable cysts.

Contaminants Reduced:

Microbiological/Turbidity:
Cysts

Inorganic/Radiological:
Lead

Organic:
VOCs

Certificate # 12 - 2105

Model Designation:

Everpure CTS-H54

System Type

counter top

Replacement Elements:

H-54

Date Issued: [September 6, 2012](#)

Manufacturer: **Pentair Residential Filtration, LLC**

Rated Service Flow: **0.5 gpm**

Rated Service Capacity: **750 gal**

Technology: **GAC**

Comments:

Do not use where water is microbiologically unsafe or with water of unknown quality, except that systems certified for cyst reduction may be used on disinfected waters that may contain filterable cysts.

Contaminants Reduced:

Microbiological/Turbidity:
Cysts

Inorganic/Radiological:
Lead

Organic:
None

Certificate # 12 - 2106

Model Designation:

Everpure CTS-ADC

System Type

counter top

Replacement Elements:

ADC

Certified Water Treatment Devices

(listed by four digit certificate number)

Date Issued: **September 6, 2012**

Manufacturer: **Pentair Residential Filtration, LLC**

Rated Service Flow: **0.5 gpm**

Rated Service Capacity: **750 gal**

Technology: **GAC**

Comments:

Do not use where water is microbiologically unsafe or with water of unknown quality, except that systems certified for cyst reduction may be used on disinfected waters that may contain filterable cysts.

Contaminants Reduced:

Microbiological/Turbidity:
Cysts

Inorganic/Radiological:
Asbestos

Organic:
None

Certificate # 11 - 2107

Model Designation:
GXSF30V

System Type
water softener

Replacement Elements:
None

Date Issued: **September 16, 2011**

Manufacturer: **General Electric Company**

Rated Service Flow: **7.5 gpm**

Rated Service Capacity: **n/a**

Technology: **ion exchange**

Comments:

Do not use with water that is microbiologically unsafe or of unknown quality, without adequate disinfection before or after the system.

Contaminants Reduced:

Microbiological/Turbidity:
None

Inorganic/Radiological:
Barium
Radium

Organic:
None

Certificate # 11 - 2108

Model Designation:
GXSH40V

System Type
water softener

Replacement Elements:
None

Certified Water Treatment Devices

(listed by four digit certificate number)

Date Issued: [September 16, 2011](#)
Manufacturer: **General Electric Company**

Rated Service Flow: **9.5 gpm**

Rated Service Capacity: **n/a**

Technology: **ion exchange**

Comments:

Do not use with water that is microbiologically unsafe or of unknown quality, without adequate disinfection before or after the system.

Contaminants Reduced:

Microbiological/Turbidity:
None

Inorganic/Radiological:
Barium
Radium

Organic:
None

Certificate # 11 - 2109

Model Designation:
GXSH45V

System Type
water softener

Replacement Elements:
None

Date Issued: [September 16, 2011](#)

Manufacturer: **General Electric Company**

Rated Service Flow: **9.5 gpm**

Rated Service Capacity: **n/a**

Technology: **ion exchange**

Comments:

Do not use with water that is microbiologically unsafe or of unknown quality, without adequate disinfection before or after the system.

Contaminants Reduced:

Microbiological/Turbidity:
None

Inorganic/Radiological:
Barium
Radium

Organic:
None

Certificate # 11 - 2110

Model Designation:
GE RPWF

System Type
in line

Replacement Elements:
RPWF

Certified Water Treatment Devices

(listed by four digit certificate number)

Date Issued: **November 16, 2011**
Manufacturer: **3M Purification Inc.**

Rated Service Flow: **0.5 gpm**
Rated Service Capacity: **170 gallons**

Technology: **carbon block**

Comments:

Do not use where water is microbiologically unsafe or with water of unknown quality, except that systems certified for cyst reduction may be used on disinfected waters that may contain filterable cysts.

Contaminants Reduced:

Microbiological/Turbidity:
Cysts

Inorganic/Radiological:
Asbestos

Lead

Mercury

Organic:

Atrazine

Benzene

Carbofuran

Lindane

p-Dichlorobenzene

Toxaphene

2, 4-D

VOCs

Certificate # 11 - 2111

Model Designation:
GE RSWF

System Type
in line

Replacement Elements:
RSWF

Date Issued: **November 16, 2011**
Manufacturer: **3M Purification Inc.**

Rated Service Flow: **0.5 gpm**
Rated Service Capacity: **170 gallons**

Technology: **carbon block**

Comments:

Do not use with water that is microbiologically unsafe or of unknown quality, without adequate disinfection before or after the system.

Contaminants Reduced:

Microbiological/Turbidity:
None

Inorganic/Radiological:
None

Organic:

Benzene

Carbofuran

p-Dichlorobenzene

Toxaphene

Certificate # 11 - 2112

Model Designation:
WFP1.5-20BB

System Type
point of entry

Replacement Elements:
WFP-20BB

Certified Water Treatment Devices

(listed by four digit certificate number)

Date Issued: **December 9, 2011**
Manufacturer: **American Plumber**
Rated Service Flow: **25 gpm**
Rated Service Capacity: **50,000 gallons**
Technology: **carbon block**
Comments:

Do not use where water is microbiologically unsafe or with water of unknown quality, except that systems certified for cyst reduction may be used on disinfected waters that may contain filterable cysts.

Contaminants Reduced:

Microbiological/Turbidity:
Cysts
Inorganic/Radiological:
None
Organic:
None

Certificate # 11 - 2113

Model Designation:
WFP1-10BB

System Type
point of entry

Replacement Elements:
WFP-10BB

Date Issued: **December 9, 2011**
Manufacturer: **American Plumber**
Rated Service Flow: **15 gpm**
Rated Service Capacity: **25,000 gallons**
Technology: **carbon block**
Comments:

Do not use where water is microbiologically unsafe or with water of unknown quality, except that systems certified for cyst reduction may be used on disinfected waters that may contain filterable cysts.

Contaminants Reduced:

Microbiological/Turbidity:
Cysts
Inorganic/Radiological:
None
Organic:
None

Certificate # 11 - 2115

Model Designation:
Oster Water Filtration System

System Type
pour through

Replacement Elements:
PUR RF-9999 or
PUR RF-3375

Certified Water Treatment Devices

(listed by four digit certificate number)

Date Issued: **November 7, 2011**

Manufacturer: **Jarden Consumer Solutions**

Rated Service Flow: **0.22 gpm**

Rated Service Capacity: **100 gals**

Technology: **GAC**

Comments:

Do not use where water is microbiologically unsafe or with water of unknown quality, except that systems certified for cyst reduction may be used on disinfected waters that may contain filterable cysts.

Contaminants Reduced:

Microbiological/Turbidity:

Cysts

Turbidity

Inorganic/Radiological:

Asbestos

Lead

Mercury

Organic:

Atrazine

Benzene

Carbofuran

Carbon Tetrachloride

Chlordane

Chlorobenzene

Endrin

Ethylbenzene

Heptachlor Epoxide

Lindane

Methoxychlor

MTBE

o-Dichlorobenzene

Simazine

Styrene

Tetrachloroethylene

Toluene

Toxaphene

Trichloroethylene

Trihalomethane

2, 4-D

2, 4, 5-TP

Certificate # 11 - 2116

Model Designation:

Eco, Extra, Grand Neo, Grand,
Alumina

System Type

pour through

Replacement Elements:

Standard or

Hardness or

Certified Water Treatment Devices

(listed by four digit certificate number)

Date Issued: **November 14, 2011**

Manufacturer: **Mettem Technologies Zao**

Rated Service Flow: **2 gpd**

Rated Service Capacity: **80 gallons**

Technology: **GAC**

Comments:

Do not use where water is microbiologically unsafe or with water of unknown quality, except that systems certified for cyst reduction may be used on disinfected waters that may contain filterable cysts.

Contaminants Reduced:

Microbiological/Turbidity:
None

Inorganic/Radiological:
Cadmium

Copper

Mercury

Organic:

None

Certificate # 12 - 2117

Model Designation:

Franke FRCNSTR/FRC05 CAL

System Type

under counter

Replacement Elements:

FRC05

Franke FRXNSTR/FRX01 CAL

under counter

FRX01

Date Issued: **March 23, 2012**

Manufacturer: **Franke Kitchen Systems Division**

Rated Service Flow: **0.5 gpm**

Rated Service Capacity: **1000 gals**

Technology: **mechanical/carbon**

Comments:

Do not use where water is microbiologically unsafe or with water of unknown quality, except that systems certified for cyst reduction may be used on disinfected waters that may contain filterable cysts.

Contaminants Reduced:

Microbiological/Turbidity:
Cysts (protozoan)

Turbidity

Inorganic/Radiological:

Organic:

None

Certificate # 12 - 2118

Model Designation:

Franke FRCNSTR/FRC06 CAL

System Type

under counter

Replacement Elements:

FRC06

Franke FRXNSTR/FRX02 CAL

under counter

FRX02

Certified Water Treatment Devices

(listed by four digit certificate number)

California Department of Public Health
Drinking Water Program
Water Treatment Device Directory
January 2013

Date Issued: **March 23, 2012**

Manufacturer: **Franke Kitchen Systems Division**

Rated Service Flow: **0.5 gpm**

Rated Service Capacity: **600 gals**

Technology: **mechanical/carbon**

Comments:

Do not use where water is microbiologically unsafe or with water of unknown quality, except that systems certified for cyst reduction may be used on disinfected waters that may contain filterable cysts.

Contaminants Reduced:

Microbiological/Turbidity:

Cysts (protozoan)

Turbidity

Inorganic/Radiological:

Lead

Organic:

None

Certificate # 12 - 2119

Model Designation:

Streaming Filter Faucet 4662

System Type

**plumbed in to
separate tap**

Replacement Elements:

F 30

Date Issued: **March 7, 2012**

Manufacturer: **AS America, Inc.**

Rated Service Flow: **0.7 gpm**

Rated Service Capacity: **250 gals**

Technology: **carbon block**

Comments:

Do not use with water that is microbiologically unsafe or of unknown quality, without adequate disinfection before or after the system.

Contaminants Reduced:

Microbiological/Turbidity:

None

Inorganic/Radiological:

Lead

Organic:

None

Certificate # 12 - 2120

Model Designation:

Ultrefiner II - FMV

System Type

under counter

Replacement Elements:

Prefilter: 51635

RO Membrane: 51637

Certified Water Treatment Devices

(listed by four digit certificate number)

California Department of Public Health
Drinking Water Program
Water Treatment Device Directory
January 2013

Date Issued: **May 3, 2012**

Manufacturer: **RainSoft, A Division of Aquion, Inc.**

Rated Service Flow: **16.02 gpd**

Rated Service Capacity: **225 gals**

Technology: **RO w/ carbon**

Comments:

Do not use with water that is microbiologically unsafe or of unknown quality, without adequate disinfection before or after the system.

¹ Claims for arsenic reduction shall only be made on water supplies maintaining detectable residual free chlorine at the reverse osmosis (RO) system inlet.

Water systems using an in-line chlorinator should provide a minimum of 1 minute chlorine contact time before

Contaminants Reduced:

Microbiological/Turbidity:

Cysts (protozoan)

Turbidity

Inorganic/Radiological:

Arsenic (pentavalent)¹

Barium

Cadmium

Chromium (hexavalent)

Chromium (trivalent)

Copper

Fluoride

Lead

Nitrate/Nitrite²

Radium 226/228

Selenium

Organic:

VOCs (by chloroform surrogate)

Certificate # 12 - 2121

Model Designation:

Everpure S-104

System Type

under counter

Replacement Elements:

S-104

Date Issued: **September 6, 2012**

Manufacturer: **Pentair Residential Filtration, LLC**

Rated Service Flow: **0.5 gpm**

Rated Service Capacity: **1000 gals**

Technology: **Mech Filter/GAC/Ion**

Comments:

Do not use where water is microbiologically unsafe or with water of unknown quality, except that systems certified for cyst reduction may be used on disinfected waters that may contain filterable cysts.

Contaminants Reduced:

Microbiological/Turbidity:

Cysts

Inorganic/Radiological:

Lead

Organic:

None

Certificate # 12 - 2122

Model Designation:

Everpure BW-400

System Type

under counter

Replacement Elements:

BW-400

Certified Water Treatment Devices

(listed by four digit certificate number)

Date Issued: **September 13, 2012**

Manufacturer: **Pentair Residential Filtration, LLC**

Rated Service Flow: **0.5 gpm**

Rated Service Capacity: **1000 gals**

Technology: **Mech Filter/GAC/Ion**

Comments:

Do not use where water is microbiologically unsafe or with water of unknown quality, except that systems certified for cyst reduction may be used on disinfected waters that may contain filterable cysts.

Contaminants Reduced:

Microbiological/Turbidity:
Cysts

Inorganic/Radiological:
Lead

Organic:
None

Certificate # 12 - 2123

Model Designation:

OmniFilter R1100

System Type

under counter

Replacement Elements:

1100R

Date Issued: **August 23, 2012**

Manufacturer: **OmniFilter**

Rated Service Flow: **0.5 gpm**

Rated Service Capacity: **500 gals**

Technology: **carbon block/ion**

Comments:

Do not use where water is microbiologically unsafe or with water of unknown quality, except that systems certified for cyst reduction may be used on disinfected waters that may contain filterable cysts.

Contaminants Reduced:

Microbiological/Turbidity:
Cysts
Turbidity

Inorganic/Radiological:
Lead

Organic:
Atrazine
Lindane

Certificate # 12 - 2125

Model Designation:

DA97-08043ABC

System Type

**in line
refrigerator**

Replacement Elements:

DA2900020BC

Certified Water Treatment Devices

(listed by four digit certificate number)

Date Issued: **March 6, 2012**

Manufacturer: **Microfilter CO., LTD**

Rated Service Flow: **0.5 gpm**

Rated Service Capacity: **300 gals**

Technology: **mechanical**

Comments:

Do not use where water is microbiologically unsafe or with water of unknown quality, except that systems certified for cyst reduction may be used on disinfected waters that may contain filterable cysts.

Contaminants Reduced:

Microbiological/Turbidity:

Cysts

Inorganic/Radiological:

Asbestos

Lead

Organic:

Atrazine

Benzene

Lindane

O-dichlorobenzene

Certificate # 12 - 2126

Model Designation:

Classic OB01

System Type

pour through

Replacement Elements:

OB03

Slim OB11

pour through

OB03

Space Saver OB21

pour through

OB03

UltraMax OB24

pour through

OB03

Atlantis OB32

pour through

OB03

Riviera OB35

pour through

OB03

Grand OB36

pour through

OB03

Chrome OB39

pour through

OB03

Pacifica OB41

pour through

OB03

Vintage OB43

pour through

OB03

Bella OB44

pour through

OB03

Everyday OB46

pour through

OB03

Certified Water Treatment Devices

(listed by four digit certificate number)

California Department of Public Health
Drinking Water Program
Water Treatment Device Directory
January 2013

Certificate # 12 - 2131

Model Designation:

FP3000 Plus

System Type

counter top

Replacement Elements:

RC-30-FP

Date Issued: **November 19, 2012**

Manufacturer: **Royal Prestige**

Rated Service Flow: **0.65 gpm**

Rated Service Capacity: **600 gallons**

Technology: **carbon block**

Comments:

Do not use where water is microbiologically unsafe or with water of unknown quality, except that systems certified for cyst reduction may be used on disinfected waters that may contain filterable cysts.

Contaminants Reduced:

Microbiological/Turbidity:

Cysts

Inorganic/Radiological:

Lead

Organic:

MTBE

VOCs by surrogate

Certificate # 12 - 2132

Model Designation:

FM 750

System Type

under counter

Replacement Elements:

47-550101

Date Issued: **April 23, 2012**

Manufacturer: **3M Purification Inc.**

Rated Service Flow: **0.75 gpm**

Rated Service Capacity: **750 gal**

Technology: **mechanical/carbon**

Comments:

Do not use where water is microbiologically unsafe or with water of unknown quality, except that systems certified for cyst reduction may be used on disinfected waters that may contain filterable cysts.

Contaminants Reduced:

Microbiological/Turbidity:

Cysts

Inorganic/Radiological:

Asbestos

Lead

Mercury

Organic:

Atrazine

Benzene

Carbofuran

Lindane

p-Dichlorobenzene

Toxaphene

Certificate # 12 - 2133

Model Designation:

KWC Purestream Z534.329

System Type

under counter

Replacement Elements:

Z633.397

Certified Water Treatment Devices

(listed by four digit certificate number)

Date Issued: **November 15, 2012**
Manufacturer: **3M Purification Inc.**

Rated Service Flow: **1.05 gpm**

Rated Service Capacity: **500 gal**

Technology: **carbon block**

Comments:

Do not use where water is microbiologically unsafe or with water of unknown quality, except that systems certified for cyst reduction may be used on disinfected waters that may contain filterable cysts.

Contaminants Reduced:

Microbiological/Turbidity:

Cysts (protozoan)

Turbidity

Inorganic/Radiological:

None

Organic:

None

Certificate # 12 - 2137

Model Designation:
Preferred Series 150

System Type
under counter

Replacement Elements:
Preferred Series 150

Date Issued: **April 21, 2012**
Manufacturer: **Culligan International**

Rated Service Flow: **0.5 gpm**

Rated Service Capacity: **750 gal**

Technology: **GAC/ion exchange**

Comments:

Do not use where water is microbiologically unsafe or with water of unknown quality, except that systems certified for cyst reduction may be used on disinfected waters that may contain filterable cysts.

Contaminants Reduced:

Microbiological/Turbidity:

Cysts

Inorganic/Radiological:

Lead

Organic:

None

Certificate # 12 - 2138

Model Designation:
Preferred Series 250

System Type
under counter

Replacement Elements:
Preferred Series 250

Certified Water Treatment Devices

(listed by four digit certificate number)

Date Issued: **April 21, 2012**

Manufacturer: **Culligan International**

Rated Service Flow: **0.5 gpm**

Rated Service Capacity: **1000 gal**

Technology: **GAC/ion exchange**

Comments:

Do not use where water is microbiologically unsafe or with water of unknown quality, except that systems certified for cyst reduction may be used on disinfected waters that may contain filterable cysts.

Contaminants Reduced:

Microbiological/Turbidity:
Cysts

Inorganic/Radiological:
Lead

Organic:
None

Certificate # 12 - 2139

Model Designation:

Preferred Series 350

System Type

under counter

Replacement Elements:

Preferred Series 350

Date Issued: **April 21, 2012**

Manufacturer: **Culligan International**

Rated Service Flow: **0.5 gpm**

Rated Service Capacity: **300 gal**

Technology: **GAC/ion exchange**

Comments:

Do not use where water is microbiologically unsafe or with water of unknown quality, except that systems certified for cyst reduction may be used on disinfected waters that may contain filterable cysts.

Contaminants Reduced:

Microbiological/Turbidity:
Cysts

Inorganic/Radiological:
Lead

Organic:
VOCs

Certificate # 12 - 2141

Model Designation:

Everpure H-100

System Type

under counter

Replacement Elements:

H-100

Certified Water Treatment Devices

(listed by four digit certificate number)

Date Issued: [June 25, 2012](#)

Manufacturer: **Pentair Residential Filtration, LLC**

Rated Service Flow: **0.5 gpm**

Rated Service Capacity: **1500 gals**

Technology: **mechanical/GAC**

Comments:

Do not use where water is microbiologically unsafe or with water of unknown quality, except that systems certified for cyst reduction may be used on disinfected waters that may contain filterable cysts.

Contaminants Reduced:

Microbiological/Turbidity:
Cysts

Inorganic/Radiological:
None

Organic:
None

Certificate # 12 - 2143

Model Designation:

Everpure BW-100

System Type

under counter

Replacement Elements:

BW-100

Date Issued: [September 13, 2012](#)

Manufacturer: **Pentair Residential Filtration, LLC**

Rated Service Flow: **0.5 gpm**

Rated Service Capacity: **1500 gals**

Technology: **GAC**

Comments:

Do not use where water is microbiologically unsafe or with water of unknown quality, except that systems certified for cyst reduction may be used on disinfected waters that may contain filterable cysts.

Contaminants Reduced:

Microbiological/Turbidity:
Cysts

Inorganic/Radiological:
None

Organic:
None

Certificate # 12 - 2144

Model Designation:

Everpure BW-500

System Type

under counter

Replacement Elements:

BW-500

Certified Water Treatment Devices

(listed by four digit certificate number)

Date Issued: [September 6, 2012](#)

Manufacturer: **Pentair Residential Filtration, LLC**

Rated Service Flow: **0.5 gpm**

Rated Service Capacity: **480 gals**

Technology: **GAC/ion exchange**

Comments:

Do not use where water is microbiologically unsafe or with water of unknown quality, except that systems certified for cyst reduction may be used on disinfected waters that may contain filterable cysts.

Contaminants Reduced:

Microbiological/Turbidity:
Cysts

Inorganic/Radiological:
Lead

Organic:
Trihalomethanes

Certificate # 12 - 2145

Model Designation:

Everpure S-100 DWS

System Type

under counter

Replacement Elements:

S-100

Date Issued: [September 6, 2012](#)

Manufacturer: **Pentair Residential Filtration, LLC**

Rated Service Flow: **0.5 gpm**

Rated Service Capacity: **1500 gals**

Technology: **mechanical/GAC**

Comments:

Do not use where water is microbiologically unsafe or with water of unknown quality, except that systems certified for cyst reduction may be used on disinfected waters that may contain filterable cysts.

Contaminants Reduced:

Microbiological/Turbidity:
Cysts

Inorganic/Radiological:
None

Organic:
None

Certificate # 12 - 2146

Model Designation:

Sylvan Source M-600

System Type

wall mount

Replacement Elements:

None

Certified Water Treatment Devices

(listed by four digit certificate number)

Date Issued: **June 19, 2012**

Manufacturer: **Sylvan Source**

Rated Service Flow: **not applicable**

Rated Service Capacity: **not applicable**

Technology: **distillation**

Comments:

Do not use with water that is microbiologically unsafe or of unknown quality, without adequate disinfection before or after the system.

¹This system is acceptable for treatment of influent perchlorate concentrations of no more than 100 ug/L.

Contaminants Reduced:

Microbiological/Turbidity:
None

Inorganic/Radiological:
Arsenic (pentavalent)

Barium

Cadmium

Chromium (hexavalent)

Chromium (trivalent)

Copper

Fluoride

Lead

Perchlorate (≤ 100 ug/L)¹

Selenium

Organic:

None

Certificate # 12 - 2148

Model Designation:

4IL-CLC-S01

System Type

**in line
refrigerator**

Replacement Elements:

None

Date Issued: **July 24, 2012**

Manufacturer: **3M Purification Inc.**

Rated Service Flow: **0.75 gpm**

Rated Service Capacity: **750gals**

Technology: **carbon block**

Comments:

Do not use where water is microbiologically unsafe or with water of unknown quality, except that systems certified for cyst reduction may be used on disinfected waters that may contain filterable cysts.

Contaminants Reduced:

Microbiological/Turbidity:
Cysts

Inorganic/Radiological:
Lead

Organic:

None

Certificate # 12 - 2149

Model Designation:

4US-MAXS-S01

System Type

under counter

Replacement Elements:

4US-MAXS-F01

Certified Water Treatment Devices

(listed by four digit certificate number)

Date Issued: **August 23, 2012**
Manufacturer: **3M Purification Inc.**

Rated Service Flow: **0.75 gpm**
Rated Service Capacity: **750gals**
Technology: **mechanical/carbon**

Comments:

Do not use where water is microbiologically unsafe or with water of unknown quality, except that systems certified for cyst reduction may be used on disinfected waters that may contain filterable cysts.

Contaminants Reduced:

Microbiological/Turbidity:
Cysts
Inorganic/Radiological:
Lead
Organic:
None

Certificate # 12 - 2150

Model Designation:
4US-MAXL-S01

System Type
under counter

Replacement Elements:
4US-MAXL-F01

Date Issued: **August 23, 2012**
Manufacturer: **3M Purification Inc.**

Rated Service Flow: **0.75 gpm**
Rated Service Capacity: **750gals**
Technology: **mechanical/carbon**

Comments:

Do not use where water is microbiologically unsafe or with water of unknown quality, except that systems certified for cyst reduction may be used on disinfected waters that may contain filterable cysts.

Contaminants Reduced:

Microbiological/Turbidity:
Cysts
Inorganic/Radiological:
Lead
Organic:
Atrazine
Benzene
p-Dichlorobenzene
Toxaphene

Certificate # 12 - 2151

Model Designation:
Kenmorepure

System Type
in line

Replacement Elements:
46-9999

Certified Water Treatment Devices

(listed by four digit certificate number)

Date Issued: August 30, 2012

Manufacturer: Sears Brands Management

Rated Service Flow: 0.5 gpm

Rated Service Capacity: 200 gal

Technology: carbon block

Comments:

Do not use where water is microbiologically unsafe or with water of unknown quality, except that systems certified for cyst reduction may be used on disinfected waters that may contain filterable cysts.

Contaminants Reduced:

Microbiological/Turbidity:

Cysts (protozoan)

Turbidity

Inorganic/Radiological:

Asbestos

Lead

Mercury

Organic:

Alachlor

Atrazine

Benzene

Endrin

Ethylbenzene

Lindane

Monochlorobenzene

VOCs by surrogate

MTBE

o-dichlorobenzene

Styrene

Tetrachloroethylene

Toxaphene

Trihalomethanes

1,2,4-trichlorobenzene

Certificate # 12 - 2152

Model Designation:

VB-750

System Type

under counter

Replacement Elements:

47-550102

Date Issued: October 18, 2012

Manufacturer: 3M Purification Inc.

Rated Service Flow: 0.75 gpm

Rated Service Capacity: 750 gals

Technology: mechanical/carbon

Comments:

Do not use where water is microbiologically unsafe or with water of unknown quality, except that systems certified for cyst reduction may be used on disinfected waters that may contain filterable cysts.

Contaminants Reduced:

Microbiological/Turbidity:

Cysts

Inorganic/Radiological:

Asbestos

Lead

Mercury

Organic:

Atrazine

Benzene

Carbofuran

Lindane

p-dichlorobenzene

Toxaphene

Certified Water Treatment Devices

(listed by four digit certificate number)

California Department of Public Health
Drinking Water Program
Water Treatment Device Directory
January 2013

Certificate # 12 - 2153

Model Designation:

FM-1200

System Type

under counter

Replacement Elements:

47-921601

Date Issued: **October 18, 2012**

Manufacturer: **3M Purification Inc.**

Rated Service Flow: **0.6 gpm**

Rated Service Capacity: **1200 gal**

Technology: **mechanical/carbon**

Comments:

Do not use where water is microbiologically unsafe or with water of unknown quality, except that systems certified for cyst reduction may be used on disinfected waters that may contain filterable cysts.

Contaminants Reduced:

Microbiological/Turbidity:

Cysts

Inorganic/Radiological:

Asbestos

Lead

Organic:

None

Certificate # 12 - 2154

Model Designation:

DA97-08043ABC

System Type

**in line
refrigerator**

Replacement Elements:

DA29-00020B

Date Issued: **November 8, 2012**

Manufacturer: **3M Purification Inc.**

Rated Service Flow: **0.5 gpm**

Rated Service Capacity: **300**

Technology: **mechanical/carbon**

Comments:

Do not use where water is microbiologically unsafe or with water of unknown quality, except that systems certified for cyst reduction may be used on disinfected waters that may contain filterable cysts.

Contaminants Reduced:

Microbiological/Turbidity:

Cysts

Turbidity

Inorganic/Radiological:

Asbestos

Lead

Mercury

Organic:

Atrazine

Benzene

Carbofuran

2,4-D

o-Dichlorobenzene

p-Dichlorobenzene

Endrin

Lindane

Tetrachloroethylene

Toxaphene

Certified Water Treatment Devices

(listed by four digit certificate number)

California Department of Public Health
Drinking Water Program
Water Treatment Device Directory
January 2013

Certificate # 12 - 2157

Model Designation:

Club Water Systems K6842A

System Type

faucet mount

Replacement Elements:

KSA1254

Club Water Systems K6843B

faucet mount

KSA1254

IMPERIAL MAXIMUM K6845

faucet mount

KSA1255

Date Issued: December 18, 2012

Manufacturer: Regal Ware, Inc.

Rated Service Flow: 0.7 gpm

Rated Service Capacity: 1000 gals

Technology: carbon block

Comments:

Do not use where water is microbiologically unsafe or with water of unknown quality, except that systems certified for cyst reduction may be used on disinfected waters that may contain filterable cysts.

Contaminants Reduced:

Microbiological/Turbidity:

Cysts

Inorganic/Radiological:

Lead

Organic:

Trihalomethanes

VOCs

Certificate # 13 - 2158

Model Designation:

3MDW001

System Type

under counter

Replacement Elements:

3MDW011

Date Issued: January 8, 2013

Manufacturer: 3M Purification Inc.

Rated Service Flow: 1.0 gpm

Rated Service Capacity: 2,000 gals

Technology: mechanical/carbon

Comments:

Do not use where water is microbiologically unsafe or with water of unknown quality, except that systems certified for cyst reduction may be used on disinfected waters that may contain filterable cysts.

Contaminants Reduced:

Microbiological/Turbidity:

Cysts

Turbidity

Inorganic/Radiological:

None

Organic:

None