

**Congenital Syphilis in Infants less than One Year of Age, Cases and Incidence Rates, California Counties and Selected City Health Jurisdictions, 2010–2014 Provisional Data**

COUNTY	2010		2011		2012		2013		2014	
	Cases	Rate	Cases	Rate	Cases	Rate	Cases	Rate	Cases	Rate
<b>CALIFORNIA</b>	<b>51</b>	<b>10.0</b>	<b>48</b>	<b>9.6</b>	<b>30</b>	<b>6.0</b>	<b>56</b>	<b>11.3</b>	<b>100</b>	<b>20.0</b>
Alameda	2	10.4	2	10.5	-	-	1	5.2	2	10.4
— Berkeley <sup>1</sup>	-	-	-	-	-	-	-	-	-	-
Alpine	-	-	-	-	-	-	-	-	-	-
Amador	-	-	-	-	-	-	-	-	-	-
Butte	-	-	-	-	-	-	-	-	-	-
Calaveras	-	-	-	-	-	-	-	-	-	-
Colusa	-	-	-	-	-	-	-	-	-	-
Contra Costa	1	8.1	-	-	1	8.3	-	-	1	8.0
Del Norte	-	-	-	-	-	-	-	-	-	-
El Dorado	-	-	-	-	-	-	-	-	-	-
Fresno	3	18.4	2	12.4	2	12.5	13	82.6	18	110.9
Glenn	-	-	-	-	-	-	-	-	-	-
Humboldt	-	-	-	-	-	-	-	-	-	-
Imperial	1	32.6	-	-	-	-	-	-	1	30.9
Inyo	-	-	-	-	-	-	-	-	-	-
Kern	-	-	1	7.0	4	27.5	4	28.3	18	121.0
Kings	-	-	-	-	-	-	-	-	2	81.6
Lake	-	-	-	-	-	-	2	263.9	-	-
Lassen	-	-	-	-	-	-	-	-	-	-
Los Angeles	9	6.8	17	13.0	7	5.3	8	6.2	31	24.2
— Long Beach <sup>1</sup>	2	28.9	2	29.3	1	14.7	1	15.2	-	-
— Pasadena <sup>1</sup>	-	-	-	-	-	-	-	-	-	-
Madera	-	-	-	-	-	-	-	-	-	-
Marin	-	-	-	-	-	-	-	-	-	-
Mariposa	-	-	-	-	-	-	-	-	-	-
Mendocino	-	-	-	-	-	-	-	-	-	-
Merced	-	-	-	-	1	23.2	-	-	-	-
Modoc	-	-	-	-	-	-	-	-	-	-
Mono	-	-	-	-	-	-	-	-	-	-
Monterey	-	-	-	-	-	-	-	-	-	-
Napa	-	-	-	-	-	-	-	-	-	-
Nevada	-	-	-	-	-	-	-	-	-	-
Orange	1	2.6	1	2.6	-	-	4	10.7	3	7.9
Placer	-	-	1	26.1	-	-	-	-	-	-
Plumas	-	-	-	-	-	-	-	-	-	-
Riverside	1	3.3	3	9.8	3	9.9	5	16.7	4	12.8
Sacramento	2	10.0	6	30.0	1	5.1	2	10.3	1	5.1
San Benito	-	-	-	-	-	-	-	-	-	-
San Bernardino	-	-	-	-	1	3.3	6	19.9	4	13.0
San Diego	13	29.0	2	4.6	4	9.0	2	4.6	5	11.7
San Francisco	-	-	1	11.3	-	-	-	-	-	-
San Joaquin	6	56.6	3	29.0	1	9.9	2	20.4	2	19.2
San Luis Obispo	-	-	-	-	-	-	-	-	1	38.3
San Mateo	-	-	3	33.2	1	10.9	-	-	-	-
Santa Barbara	1	17.2	-	-	-	-	1	17.4	-	-
Santa Clara	1	4.2	2	8.5	-	-	1	4.3	1	4.3
Santa Cruz	-	-	-	-	1	32.4	-	-	-	-
Shasta	1	46.8	-	-	-	-	-	-	-	-
Sierra	-	-	-	-	-	-	-	-	-	-
Siskiyou	-	-	-	-	1	199.6	-	-	-	-
Solano	-	-	1	19.4	-	-	-	-	1	19.0
Sonoma	-	-	-	-	-	-	-	-	1	18.9
Stanislaus	1	12.8	2	25.8	-	-	2	26.4	-	-
Sutter	-	-	-	-	-	-	-	-	-	-
Tehama	-	-	-	-	-	-	-	-	-	-
Trinity	-	-	-	-	-	-	-	-	-	-
Tulare	7	85.8	1	12.6	2	25.0	3	39.2	4	50.1
Tuolumne	-	-	-	-	-	-	-	-	-	-
Ventura	-	-	-	-	-	-	-	-	-	-
Yolo	1	41.2	-	-	-	-	-	-	-	-
Yuba	-	-	-	-	-	-	-	-	-	-

<sup>1</sup> City Health Department numbers are included in their respective county totals.

Note: Incidence rates are per 100,000 live births.

Source: California Department of Public Health, STD Control Branch (data reported through 06/09/2015)

State of California, Department of Public Health, Center for Health Statistics, Birth Statistical Master Files

State of California, Department of Finance, Demographic Research Unit, Historical and Projected Births by County, 1970-2022, with Actual and Projected Fertility Rates by Mother's Age and Race/Ethnicity, 2000-2022. Sacramento, California, November 2013

**Congenital Syphilis in Infants less than One Year of Age, Cases and Incidence Rates by Race/Ethnicity of Mother, California, 2010–2014 Provisional Data**

RACE/ETHNICITY	2010		2011		2012		2013		2014	
	Cases	Rate	Cases	Rate	Cases	Rate	Cases	Rate	Cases	Rate
<b>CALIFORNIA</b>	<b>51</b>	<b>10.0</b>	<b>48</b>	<b>9.6</b>	<b>30</b>	<b>6.0</b>	<b>56</b>	<b>11.3</b>	<b>100</b>	<b>19.6</b>
Native American/Alaskan Native	0	0.0	0	0.0	0	0.0	3	167.2	0	0.0
Asian/Pacific Islander	3	4.8	7	10.9	2	2.8	3	4.3	12	16.5
African-American/Black	9	32.5	14	51.7	7	26.4	8	31.0	8	29.9
Hispanic/Latina	27	10.5	19	7.6	15	6.1	25	10.5	42	17.0
White	12	8.5	6	4.3	6	4.4	7	5.1	18	12.6
Not Specified	0	-	2	-	0	-	10	-	20	-

Note: Incidence rates are per 100,000 live births.

Source: California Department of Public Health, STD Control Branch (data reported through 06/09/2015)

State of California, Department of Public Health, Center for Health Statistics, Birth Statistical Master Files

State of California, Department of Finance, Demographic Research Unit, *Historical and Projected Births by County, 1970-2023, with Actual and Projected Fertility Rates by Mother's Age and Race/Ethnicity, 2000-2023*. Sacramento, California, December 2014

(2014 denominator data were estimated by multiplying the 2013 race/ethnic percent distribution by the 2014 projected births.)

**Congenital Syphilis in Infants less than One Year of Age, Cases by Classification, California Counties and Selected City Health Jurisdictions, 2014 Provisional Data**

COUNTY	Total Cases	Confirmed Cases	Stillbirth Cases	Presumptive Cases	
				Probable <sup>1</sup>	Possible <sup>2</sup>
<b>CALIFORNIA</b>	<b>100</b>	<b>1</b>	<b>6</b>	<b>90</b>	<b>3</b>
Alameda	2	-	-	2	-
— Berkeley <sup>3</sup>	-	-	-	-	-
Alpine	-	-	-	-	-
Amador	-	-	-	-	-
Butte	-	-	-	-	-
Calaveras	-	-	-	-	-
Colusa	-	-	-	-	-
Contra Costa	1	1	-	-	-
Del Norte	-	-	-	-	-
El Dorado	-	-	-	-	-
Fresno	18	-	1	17	-
Glenn	-	-	-	-	-
Humboldt	-	-	-	-	-
Imperial	1	-	-	1	-
Inyo	-	-	-	-	-
Kern	18	-	-	18	-
Kings	2	-	2	-	-
Lake	-	-	-	-	-
Lassen	-	-	-	-	-
Los Angeles	31	-	1	27	3
— Long Beach <sup>3</sup>	-	-	-	-	-
— Pasadena <sup>3</sup>	-	-	-	-	-
Madera	-	-	-	-	-
Marin	-	-	-	-	-
Mariposa	-	-	-	-	-
Mendocino	-	-	-	-	-
Merced	-	-	-	-	-
Modoc	-	-	-	-	-
Mono	-	-	-	-	-
Monterey	-	-	-	-	-
Napa	-	-	-	-	-
Nevada	-	-	-	-	-
Orange	3	-	-	3	-
Placer	-	-	-	-	-
Plumas	-	-	-	-	-
Riverside	4	-	-	4	-
Sacramento	1	-	1	-	-
San Benito	-	-	-	-	-
San Bernardino	4	-	-	4	-
San Diego	5	-	1	4	-
San Francisco	-	-	-	-	-
San Joaquin	2	-	-	2	-
San Luis Obispo	1	-	-	1	-
San Mateo	-	-	-	-	-
Santa Barbara	-	-	-	-	-
Santa Clara	1	-	-	1	-
Santa Cruz	-	-	-	-	-
Shasta	-	-	-	-	-
Sierra	-	-	-	-	-
Siskiyou	-	-	-	-	-
Solano	1	-	-	1	-
Sonoma	1	-	-	1	-
Stanislaus	-	-	-	-	-
Sutter	-	-	-	-	-
Tehama	-	-	-	-	-
Trinity	-	-	-	-	-
Tulare	4	-	-	4	-
Tuolumne	-	-	-	-	-
Ventura	-	-	-	-	-
Yolo	-	-	-	-	-
Yuba	-	-	-	-	-

CDC Algorithm for Presumptive Cases

<sup>1</sup> Mother not treated adequately or treatment unknown before or during pregnancy; or mother treated adequately before or during pregnancy, but evidence of treatment failure or reinfection.

<sup>2</sup> Mother treated adequately before or during pregnancy, but response was equivocal or could not be determined prior to delivery and infant was not evaluated.

<sup>3</sup> City Health Department numbers are included in their respective county totals.

Source: California Department of Public Health, STD Control Branch (data reported through 06/09/2015)