










Glenn County – Chlamydia, Gonorrhea, and P&S Syphilis Rates by Age Group (2010), Race/Ethnicity (2010), and Year



■ Female ■ Male

— Female - - - Male



s Numbers suppressed for confidentiality
 * Race data may be missing for a substantial number of cases. See the 'Data Limitations' page for further information.
 Note: Rates are per 100,000 population.
 Source: California Department of Public Health, STD Control Branch

Glenn County – Chlamydia, Gonorrhea, and Early Syphilis Cases and Rates Tables for 2010

| Gender & Age Group | Chlamydia | | | Gonorrhea | | | P&S Syphilis | | | Early Latent Syphilis | | | Population | |
|---------------------|-----------|----------------------|---------|-----------|----------------------|-------|--------------|----------------------|------|-----------------------|----------------------|------|------------|----------------------|
| | Cases | Percent ¹ | Rate | Cases | Percent ¹ | Rate | Cases | Percent ¹ | Rate | Cases | Percent ¹ | Rate | Number | Percent ¹ |
| COUNTY TOTAL | 46 | 100.0% | 155.9 | 7 | 100.0% | 23.7 | 0 | 100.0% | 0.0 | 0 | 100.0% | 0.0 | 30,880 | 100.0% |
| Female Total | 34 | 73.9% | 222.9 | 5 | 71.4% | 32.8 | 0 | 0.0% | 0.0 | 0 | 0.0% | 0.0 | 15,255 | 49.4% |
| Ages | | | | | | | | | | | | | | |
| 0 – 9 | 0 | 0.0% | 0.0 | 0 | 0.0% | 0.0 | 0 | 0.0% | 0.0 | 0 | 0.0% | 0.0 | 2,249 | 14.7% |
| 10 – 14 | 0 | 0.0% | 0.0 | 0 | 0.0% | 0.0 | 0 | 0.0% | 0.0 | 0 | 0.0% | 0.0 | 1,053 | 6.9% |
| 15 – 19 | 16 | 47.1% | 1,340.0 | 1 | 20.0% | 83.8 | 0 | 0.0% | 0.0 | 0 | 0.0% | 0.0 | 1,194 | 7.8% |
| 20 – 24 | 9 | 26.5% | 715.4 | 1 | 20.0% | 79.5 | 0 | 0.0% | 0.0 | 0 | 0.0% | 0.0 | 1,258 | 8.2% |
| 25 – 29 | 6 | 17.6% | 552.5 | 1 | 20.0% | 92.1 | 0 | 0.0% | 0.0 | 0 | 0.0% | 0.0 | 1,086 | 7.1% |
| 30 – 34 | 2 | 5.9% | 255.4 | 1 | 20.0% | 127.7 | 0 | 0.0% | 0.0 | 0 | 0.0% | 0.0 | 783 | 5.1% |
| 35 – 44 | 1 | 2.9% | 58.2 | 1 | 20.0% | 58.2 | 0 | 0.0% | 0.0 | 0 | 0.0% | 0.0 | 1,719 | 11.3% |
| 45 + | 0 | 0.0% | 0.0 | 0 | 0.0% | 0.0 | 0 | 0.0% | 0.0 | 0 | 0.0% | 0.0 | 5,913 | 38.8% |
| Not Specified | 0 | 0.0% | - | 0 | 0.0% | - | 0 | 0.0% | - | 0 | 0.0% | - | | |
| Male Total | 11 | 23.9% | 70.4 | 2 | 28.6% | 12.8 | 0 | 0.0% | 0.0 | 0 | 0.0% | 0.0 | 15,625 | 50.6% |
| Ages | | | | | | | | | | | | | | |
| 0 – 9 | 0 | 0.0% | 0.0 | 0 | 0.0% | 0.0 | 0 | 0.0% | 0.0 | 0 | 0.0% | 0.0 | 2,251 | 14.4% |
| 10 – 14 | 0 | 0.0% | 0.0 | 0 | 0.0% | 0.0 | 0 | 0.0% | 0.0 | 0 | 0.0% | 0.0 | 1,133 | 7.3% |
| 15 – 19 | 2 | 18.2% | 158.1 | 0 | 0.0% | 0.0 | 0 | 0.0% | 0.0 | 0 | 0.0% | 0.0 | 1,265 | 8.1% |
| 20 – 24 | 4 | 36.4% | 294.3 | 1 | 50.0% | 73.6 | 0 | 0.0% | 0.0 | 0 | 0.0% | 0.0 | 1,359 | 8.7% |
| 25 – 29 | 3 | 27.3% | 229.5 | 1 | 50.0% | 76.5 | 0 | 0.0% | 0.0 | 0 | 0.0% | 0.0 | 1,307 | 8.4% |
| 30 – 34 | 2 | 18.2% | 226.8 | 0 | 0.0% | 0.0 | 0 | 0.0% | 0.0 | 0 | 0.0% | 0.0 | 882 | 5.6% |
| 35 – 44 | 0 | 0.0% | 0.0 | 0 | 0.0% | 0.0 | 0 | 0.0% | 0.0 | 0 | 0.0% | 0.0 | 1,798 | 11.5% |
| 45 + | 0 | 0.0% | 0.0 | 0 | 0.0% | 0.0 | 0 | 0.0% | 0.0 | 0 | 0.0% | 0.0 | 5,630 | 36.0% |
| Not Specified | 0 | 0.0% | - | 0 | 0.0% | - | 0 | 0.0% | - | 0 | 0.0% | - | | |

| Gender & Race/Ethnicity | Chlamydia | | | Gonorrhea | | | P&S Syphilis | | | Early Latent Syphilis | | | Population | |
|-------------------------------|-----------|----------------------|-------|-----------|----------------------|------|--------------|----------------------|------|-----------------------|----------------------|------|------------|----------------------|
| | Cases | Percent ¹ | Rate | Cases | Percent ¹ | Rate | Cases | Percent ¹ | Rate | Cases | Percent ¹ | Rate | Number | Percent ¹ |
| COUNTY TOTAL | 46 | 100.0% | 155.9 | 7 | 100.0% | 23.7 | 0 | 100.0% | 0.0 | 0 | 100.0% | 0.0 | 30,880 | 100.0% |
| Female Total | 34 | 73.9% | 222.9 | 5 | 71.4% | 32.8 | 0 | 0.0% | 0.0 | 0 | 0.0% | 0.0 | 15,255 | 49.4% |
| American Indian/Alaska Native | 2 | 7.1% | 701.8 | s | s | s | 0 | 0.0% | 0.0 | 0 | 0.0% | 0.0 | 285 | 1.9% |
| Asian/Pacific Islander | 1 | 3.6% | 182.1 | s | s | s | 0 | 0.0% | 0.0 | 0 | 0.0% | 0.0 | 549 | 3.6% |
| Black/African-American | 0 | 0.0% | 0.0 | s | s | s | 0 | 0.0% | 0.0 | 0 | 0.0% | 0.0 | 57 | 0.4% |
| Latina/Hispanic | 20 | 71.4% | 414.9 | 2 | 66.7% | 41.5 | 0 | 0.0% | 0.0 | 0 | 0.0% | 0.0 | 4,821 | 31.6% |
| White | 5 | 17.9% | 54.1 | s | s | s | 0 | 0.0% | 0.0 | 0 | 0.0% | 0.0 | 9,246 | 60.6% |
| Other/Multi/Not Specified | 6 | 17.6% | - | s | s | - | 0 | 0.0% | - | 0 | 0.0% | - | 297 | 1.9% |
| Male Total | 11 | 23.9% | 70.4 | 2 | 28.6% | 12.8 | 0 | 0.0% | 0.0 | 0 | 0.0% | 0.0 | 15,625 | 50.6% |
| American Indian/Alaska Native | 0 | 0.0% | 0.0 | 0 | 0.0% | 0.0 | 0 | 0.0% | 0.0 | 0 | 0.0% | 0.0 | 227 | 1.5% |
| Asian/Pacific Islander | 0 | 0.0% | 0.0 | 0 | 0.0% | 0.0 | 0 | 0.0% | 0.0 | 0 | 0.0% | 0.0 | 531 | 3.4% |
| Black/African-American | 0 | 0.0% | 0.0 | 0 | 0.0% | 0.0 | 0 | 0.0% | 0.0 | 0 | 0.0% | 0.0 | 95 | 0.6% |
| Latina/Hispanic | 5 | 55.6% | 90.9 | 2 | 100.0% | 36.4 | 0 | 0.0% | 0.0 | 0 | 0.0% | 0.0 | 5,501 | 35.2% |
| White | 4 | 44.4% | 44.5 | 0 | 0.0% | 0.0 | 0 | 0.0% | 0.0 | 0 | 0.0% | 0.0 | 8,989 | 57.5% |
| Other/Multi/Not Specified | 2 | 18.2% | - | 0 | 0.0% | - | 0 | 0.0% | - | 0 | 0.0% | - | 282 | 1.8% |

s Numbers suppressed for confidentiality.

¹ Gender specific age groups and race/ethnicity percent calculations exclude "Not Specified" from the denominator.

² Overall county rates were calculated using the July 1 county population estimates from the Department of Finance. (For Glenn County, the July 1, 2010 estimate is 29,505).

Note: Rates are per 100,000 population.

Source: California Department of Public Health, STD Control Branch

