










# Long Beach City – Chlamydia, Gonorrhea, and P&S Syphilis Rates by Age Group (2010), Race/Ethnicity (2010), and Year



■ Female    ■ Male

— Female    - - - Male



\* Race data may be missing for a substantial number of cases. See the 'Data Limitations' page for further information.  
 Note: Rates are per 100,000 population.  
 Source: California Department of Public Health, STD Control Branch

## Long Beach City – Chlamydia, Gonorrhea, and Early Syphilis Cases and Rates Tables for 2010

Gender & Age Group	Chlamydia			Gonorrhea			P&S Syphilis			Early Latent Syphilis			Population	
	Cases	Percent <sup>1</sup>	Rate	Cases	Percent <sup>1</sup>	Rate	Cases	Percent <sup>1</sup>	Rate	Cases	Percent <sup>1</sup>	Rate	Number	Percent <sup>1</sup>
<b>CITY TOTAL</b>	2,644	100.0%	536.0	444	100.0%	90.0	47	100.0%	9.5	37	100.0%	7.5	493,257	100.0%
<b>Female Total</b>	1,915	72.4%	763.1	175	39.4%	69.7	0	0.0%	0.0	2	5.4%	0.8	250,949	50.9%
Ages														
0 – 9	1	0.1%	2.4	0	0.0%	0.0	0	0.0%	0.0	0	0.0%	0.0	41,893	16.7%
10 – 14	18	0.9%	97.2	0	0.0%	0.0	0	0.0%	0.0	0	0.0%	0.0	18,511	7.4%
15 – 19	631	33.1%	3,498.4	43	24.7%	238.4	0	0.0%	0.0	0	0.0%	0.0	18,037	7.2%
20 – 24	690	36.2%	3,481.2	67	38.5%	338.0	0	0.0%	0.0	0	0.0%	0.0	19,821	7.9%
25 – 29	320	16.8%	1,493.2	32	18.4%	149.3	0	0.0%	0.0	0	0.0%	0.0	21,430	8.5%
30 – 34	132	6.9%	615.7	14	8.0%	65.3	0	0.0%	0.0	0	0.0%	0.0	21,440	8.5%
35 – 44	80	4.2%	208.7	13	7.5%	33.9	0	0.0%	0.0	1	50.0%	2.6	38,330	15.3%
45 +	35	1.8%	49.0	5	2.9%	7.0	0	0.0%	0.0	1	50.0%	1.4	71,486	28.5%
Not Specified	8	0.4%	-	1	0.6%	-	0	0.0%	-	0	0.0%	-		
<b>Male Total</b>	720	27.2%	297.1	268	60.4%	110.6	47	100.0%	19.4	35	94.6%	14.4	242,307	49.1%
Ages														
0 – 9	0	0.0%	0.0	0	0.0%	0.0	0	0.0%	0.0	0	0.0%	0.0	43,539	18.0%
10 – 14	4	0.6%	20.4	2	0.7%	10.2	0	0.0%	0.0	0	0.0%	0.0	19,581	8.1%
15 – 19	129	18.1%	724.3	32	11.9%	179.7	2	4.3%	11.2	0	0.0%	0.0	17,811	7.4%
20 – 24	227	31.8%	1,239.8	56	20.9%	305.8	5	10.6%	27.3	0	0.0%	0.0	18,310	7.6%
25 – 29	151	21.2%	741.9	51	19.0%	250.6	9	19.1%	44.2	2	5.7%	9.8	20,352	8.4%
30 – 34	77	10.8%	353.4	37	13.8%	169.8	6	12.8%	27.5	3	8.6%	13.8	21,789	9.0%
35 – 44	81	11.4%	207.8	51	19.0%	130.8	15	31.9%	38.5	15	42.9%	38.5	38,986	16.1%
45 +	44	6.2%	71.0	39	14.6%	63.0	10	21.3%	16.1	15	42.9%	24.2	61,939	25.6%
Not Specified	7	1.0%	-	0	0.0%	-	0	0.0%	-	0	0.0%	-		

Gender & Race/Ethnicity	Chlamydia			Gonorrhea			P&S Syphilis			Early Latent Syphilis			Population	
	Cases	Percent <sup>1</sup>	Rate	Cases	Percent <sup>1</sup>	Rate	Cases	Percent <sup>1</sup>	Rate	Cases	Percent <sup>1</sup>	Rate	Number	Percent <sup>1</sup>
<b>CITY TOTAL</b>	2,644	100.0%	536.0	444	100.0%	90.0	47	100.0%	9.5	37	100.0%	7.5	493,257	100.0%
<b>Female Total</b>	1,915	72.4%	763.1	175	39.4%	69.7	0	0.0%	0.0	2	5.4%	0.8	250,949	50.9%
American Indian/Alaska Native	1	0.1%	103.5	0	0.0%	0.0	0	0.0%	0.0	0	0.0%	0.0	966	0.4%
Asian/Pacific Islander	91	6.9%	266.4	1	0.8%	2.9	0	0.0%	0.0	0	0.0%	0.0	34,161	13.6%
Black/African-American	508	38.5%	1,320.4	68	54.8%	176.7	0	0.0%	0.0	0	0.0%	0.0	38,473	15.3%
Latina/Hispanic	585	44.3%	675.6	36	29.0%	41.6	0	0.0%	0.0	1	50.0%	1.2	86,584	34.5%
White	136	10.3%	164.1	19	15.3%	22.9	0	0.0%	0.0	1	50.0%	1.2	82,856	33.0%
Other/Multi/Not Specified	594	31.0%	-	51	29.1%	-	0	0.0%	-	0	0.0%	-	7,910	3.2%
<b>Male Total</b>	720	27.2%	297.1	268	60.4%	110.6	47	100.0%	19.4	35	94.6%	14.4	242,307	49.1%
American Indian/Alaska Native	3	0.6%	323.3	0	0.0%	0.0	0	0.0%	0.0	0	0.0%	0.0	928	0.4%
Asian/Pacific Islander	30	6.1%	99.0	11	5.8%	36.3	2	4.3%	6.6	1	2.9%	3.3	30,316	12.5%
Black/African-American	187	38.1%	567.4	83	43.7%	251.8	11	23.9%	33.4	7	20.0%	21.2	32,958	13.6%
Latina/Hispanic	203	41.3%	225.9	57	30.0%	63.4	12	26.1%	13.4	12	34.3%	13.4	89,860	37.1%
White	68	13.8%	84.4	39	20.5%	48.4	21	45.7%	26.1	15	42.9%	18.6	80,557	33.2%
Other/Multi/Not Specified	229	31.8%	-	78	29.1%	-	1	2.1%	-	0	0.0%	-	7,688	3.2%

<sup>1</sup> Gender specific age groups and race/ethnicity percent calculations exclude "Not Specified" from the denominator.

<sup>2</sup> Total city population was calculated by multiplying the July 1 county population estimate by the January 1 (E-1) city to county ratio from the Department of Finance. Census 2000 gender/age/race distribution percentages were then applied to this total.

Note: Rates are per 100,000 population.

Source: California Department of Public Health, STD Control Branch

