

2010 MIHA Charts by Income

Indicators from the Maternal and Infant Health Assessment (MIHA) Survey

Maternal, Child and Adolescent Health Program


Center for Family Health

California Department of Public Health

September 2013




Daily folic acid use in the month before pregnancy, MIHA 2010




The Maternal and Infant Health Assessment (MIHA) Survey is an annual population-based survey of women with a live birth, with a sample size of n=6,817 in 2010. Percentages and 95% confidence intervals are weighted to represent all women with a live birth in 2010 in California and in the counties shown. Confidence intervals are shown as thin black lines extending above and below the top of the bars. Family income calculated as a percentage of the Federal Poverty Guideline (FPG).

Obesity before pregnancy (BMI 30+), MIHA 2010




The Maternal and Infant Health Assessment (MIHA) Survey is an annual population-based survey of women with a live birth, with a sample size of n=6,817 in 2010. Percentages and 95% confidence intervals are weighted to represent all women with a live birth in 2010 in California and in the counties shown. Confidence intervals are shown as thin black lines extending above and below the top of the bars. Family income calculated as a percentage of the Federal Poverty Guideline (FPG).

Excessive weight gain during pregnancy, MIHA 2010




The Maternal and Infant Health Assessment (MIHA) Survey is an annual population-based survey of women with a live birth, with a sample size of n=6,817 in 2010. Percentages and 95% confidence intervals are weighted to represent all women with a live birth in 2010 in California and in the counties shown. Confidence intervals are shown as thin black lines extending above and below the top of the bars. Family income calculated as a percentage of the Federal Poverty Guideline (FPG).

Food insecurity during pregnancy, MIHA 2010




The Maternal and Infant Health Assessment (MIHA) Survey is an annual population-based survey of women with a live birth, with a sample size of n=6,817 in 2010. Percentages and 95% confidence intervals are weighted to represent all women with a live birth in 2010 in California and in the counties shown. Confidence intervals are shown as thin black lines extending above and below the top of the bars. Family income calculated as a percentage of the Federal Poverty Guideline (FPG).

Participated in WIC during pregnancy, MIHA 2010




The Maternal and Infant Health Assessment (MIHA) Survey is an annual population-based survey of women with a live birth, with a sample size of n=6,817 in 2010. Percentages and 95% confidence intervals are weighted to represent all women with a live birth in 2010 in California and in the counties shown. Confidence intervals are shown as thin black lines extending above and below the top of the bars. Family income calculated as a percentage of the Federal Poverty Guideline (FPG).

Received CalFresh (food stamps) during pregnancy, MIHA 2010




The Maternal and Infant Health Assessment (MIHA) Survey is an annual population-based survey of women with a live birth, with a sample size of n=6,817 in 2010. Percentages and 95% confidence intervals are weighted to represent all women with a live birth in 2010 in California and in the counties shown. Confidence intervals are shown as thin black lines extending above and below the top of the bars. Family income calculated as a percentage of the Federal Poverty Guideline (FPG).

Physical or psychological intimate partner violence (IPV) during pregnancy, MIHA 2010




The Maternal and Infant Health Assessment (MIHA) Survey is an annual population-based survey of women with a live birth, with a sample size of n=6,817 in 2010. Percentages and 95% confidence intervals are weighted to represent all women with a live birth in 2010 in California and in the counties shown. Confidence intervals are shown as thin black lines extending above and below the top of the bars. Family income calculated as a percentage of the Federal Poverty Guideline (FPG).

Prenatal depressive symptoms, MIHA 2010




The Maternal and Infant Health Assessment (MIHA) Survey is an annual population-based survey of women with a live birth, with a sample size of n=6,817 in 2010. Percentages and 95% confidence intervals are weighted to represent all women with a live birth in 2010 in California and in the counties shown. Confidence intervals are shown as thin black lines extending above and below the top of the bars. Family income calculated as a percentage of the Federal Poverty Guideline (FPG).

Postpartum depressive symptoms, MIHA 2010




The Maternal and Infant Health Assessment (MIHA) Survey is an annual population-based survey of women with a live birth, with a sample size of n=6,817 in 2010. Percentages and 95% confidence intervals are weighted to represent all women with a live birth in 2010 in California and in the counties shown. Confidence intervals are shown as thin black lines extending above and below the top of the bars. Family income calculated as a percentage of the Federal Poverty Guideline (FPG).

Had a lot of unpaid bills during pregnancy, MIHA 2010



The Maternal and Infant Health Assessment (MIHA) Survey is an annual population-based survey of women with a live birth, with a sample size of n=6,817 in 2010. Percentages and 95% confidence intervals are weighted to represent all women with a live birth in 2010 in California and in the counties shown. Confidence intervals are shown as thin black lines extending above and below the top of the bars. Family income calculated as a percentage of the Federal Poverty Guideline (FPG).



Woman or partner lost job during pregnancy, MIHA 2010



The Maternal and Infant Health Assessment (MIHA) Survey is an annual population-based survey of women with a live birth, with a sample size of n=6,817 in 2010. Percentages and 95% confidence intervals are weighted to represent all women with a live birth in 2010 in California and in the counties shown. Confidence intervals are shown as thin black lines extending above and below the top of the bars. Family income calculated as a percentage of the Federal Poverty Guideline (FPG).




Any smoking during the 1st or 3rd trimester, MIHA 2010




The Maternal and Infant Health Assessment (MIHA) Survey is an annual population-based survey of women with a live birth, with a sample size of n=6,817 in 2010. Percentages and 95% confidence intervals are weighted to represent all women with a live birth in 2010 in California and in the counties shown. Confidence intervals are shown as thin black lines extending above and below the top of the bars. Family income calculated as a percentage of the Federal Poverty Guideline (FPG).

Any binge drinking during the 3 months before pregnancy, MIHA 2010




The Maternal and Infant Health Assessment (MIHA) Survey is an annual population-based survey of women with a live birth, with a sample size of n=6,817 in 2010. Percentages and 95% confidence intervals are weighted to represent all women with a live birth in 2010 in California and in the counties shown. Confidence intervals are shown as thin black lines extending above and below the top of the bars. Family income calculated as a percentage of the Federal Poverty Guideline (FPG).

Placed infant on back to sleep, MIHA 2010




The Maternal and Infant Health Assessment (MIHA) Survey is an annual population-based survey of women with a live birth, with a sample size of n=6,817 in 2010. Percentages and 95% confidence intervals are weighted to represent all women with a live birth in 2010 in California and in the counties shown. Confidence intervals are shown as thin black lines extending above and below the top of the bars. Family income calculated as a percentage of the Federal Poverty Guideline (FPG).

Exclusive breastfeeding at 3 months after delivery, MIHA 2010




The Maternal and Infant Health Assessment (MIHA) Survey is an annual population-based survey of women with a live birth, with a sample size of n=6,817 in 2010. Percentages and 95% confidence intervals are weighted to represent all women with a live birth in 2010 in California and in the counties shown. Confidence intervals are shown as thin black lines extending above and below the top of the bars. Family income calculated as a percentage of the Federal Poverty Guideline (FPG).

Had a usual source of pre-pregnancy health care, MIHA 2010




The Maternal and Infant Health Assessment (MIHA) Survey is an annual population-based survey of women with a live birth, with a sample size of n=6,817 in 2010. Percentages and 95% confidence intervals are weighted to represent all women with a live birth in 2010 in California and in the counties shown. Confidence intervals are shown as thin black lines extending above and below the top of the bars. Family income calculated as a percentage of the Federal Poverty Guideline (FPG).

Initiated prenatal care in the 1st trimester, MIHA 2010




The Maternal and Infant Health Assessment (MIHA) Survey is an annual population-based survey of women with a live birth, with a sample size of n=6,817 in 2010. Percentages and 95% confidence intervals are weighted to represent all women with a live birth in 2010 in California and in the counties shown. Confidence intervals are shown as thin black lines extending above and below the top of the bars. Family income calculated as a percentage of the Federal Poverty Guideline (FPG).

Mom or infant needed but could not afford care postpartum, MIHA 2010



The Maternal and Infant Health Assessment (MIHA) Survey is an annual population-based survey of women with a live birth, with a sample size of n=6,817 in 2010. Percentages and 95% confidence intervals are weighted to represent all women with a live birth in 2010 in California and in the counties shown. Confidence intervals are shown as thin black lines extending above and below the top of the bars. Family income calculated as a percentage of the Federal Poverty Guideline (FPG).



Uninsured before pregnancy, MIHA 2010



The Maternal and Infant Health Assessment (MIHA) Survey is an annual population-based survey of women with a live birth, with a sample size of n=6,817 in 2010. Percentages and 95% confidence intervals are weighted to represent all women with a live birth in 2010 in California and in the counties shown. Confidence intervals are shown as thin black lines extending above and below the top of the bars. Family income calculated as a percentage of the Federal Poverty Guideline (FPG).




Covered by Medi-Cal during pregnancy, MIHA 2010




The Maternal and Infant Health Assessment (MIHA) Survey is an annual population-based survey of women with a live birth, with a sample size of n=6,817 in 2010. Percentages and 95% confidence intervals are weighted to represent all women with a live birth in 2010 in California and in the counties shown. Confidence intervals are shown as thin black lines extending above and below the top of the bars. Family income calculated as a percentage of the Federal Poverty Guideline (FPG).

Uninsured postpartum, MIHA 2010



The Maternal and Infant Health Assessment (MIHA) Survey is an annual population-based survey of women with a live birth, with a sample size of n=6,817 in 2010. Percentages and 95% confidence intervals are weighted to represent all women with a live birth in 2010 in California and in the counties shown. Confidence intervals are shown as thin black lines extending above and below the top of the bars. Family income calculated as a percentage of the Federal Poverty Guideline (FPG).



Infant covered by Medi-Cal, MIHA 2010



The Maternal and Infant Health Assessment (MIHA) Survey is an annual population-based survey of women with a live birth, with a sample size of n=6,817 in 2010. Percentages and 95% confidence intervals are weighted to represent all women with a live birth in 2010 in California and in the counties shown. Confidence intervals are shown as thin black lines extending above and below the top of the bars. Family income calculated as a percentage of the Federal Poverty Guideline (FPG).



Speaks non-English language at home, MIHA 2010



The Maternal and Infant Health Assessment (MIHA) Survey is an annual population-based survey of women with a live birth, with a sample size of n=6,817 in 2010. Percentages and 95% confidence intervals are weighted to represent all women with a live birth in 2010 in California and in the counties shown. Confidence intervals are shown as thin black lines extending above and below the top of the bars. Family income calculated as a percentage of the Federal Poverty Guideline (FPG).