

2011 MIHA Charts by Income


Indicators from the California Maternal and Infant Health Assessment (MIHA) Survey

Maternal, Child and Adolescent Health Program
Center for Family Health
California Department of Public Health

September 2013




Daily folic acid use in the month before pregnancy, MIHA 2011




The Maternal and Infant Health Assessment (MIHA) Survey is an annual population-based survey of women with a live birth, with a sample size of n=6,853 in 2011. Percentages and 95% confidence intervals are weighted to represent all women with a live birth in 2011 in California. Confidence intervals are shown as thin black lines extending above and below the top of the blue bars. Family income calculated as a percentage of the Federal Poverty Guideline (FPG).

Obesity before pregnancy (BMI 30+), MIHA 2011




The Maternal and Infant Health Assessment (MIHA) Survey is an annual population-based survey of women with a live birth, with a sample size of n=6,853 in 2011. Percentages and 95% confidence intervals are weighted to represent all women with a live birth in 2011 in California. Confidence intervals are shown as thin black lines extending above and below the top of the blue bars. Family income calculated as a percentage of the Federal Poverty Guideline (FPG).

Excessive weight gain during pregnancy, MIHA 2011




The Maternal and Infant Health Assessment (MIHA) Survey is an annual population-based survey of women with a live birth, with a sample size of n=6,853 in 2011. Percentages and 95% confidence intervals are weighted to represent all women with a live birth in 2011 in California. Confidence intervals are shown as thin black lines extending above and below the top of the blue bars. Family income calculated as a percentage of the Federal Poverty Guideline (FPG).

Food insecurity during pregnancy, MIHA 2011



The Maternal and Infant Health Assessment (MIHA) Survey is an annual population-based survey of women with a live birth, with a sample size of n=6,853 in 2011. Percentages and 95% confidence intervals are weighted to represent all women with a live birth in 2011 in California. Confidence intervals are shown as thin black lines extending above and below the top of the blue bars. Family income calculated as a percentage of the Federal Poverty Guideline (FPG).


Received CalFresh (food stamps) during pregnancy, MIHA 2011



The Maternal and Infant Health Assessment (MIHA) Survey is an annual population-based survey of women with a live birth, with a sample size of n=6,853 in 2011. Percentages and 95% confidence intervals are weighted to represent all women with a live birth in 2011 in California. Confidence intervals are shown as thin black lines extending above and below the top of the blue bars. Family income calculated as a percentage of the Federal Poverty Guideline (FPG). *Data are not presented because fewer than 10 women reported.




Physical or psychological intimate partner violence (IPV) during pregnancy, MIHA 2011




The Maternal and Infant Health Assessment (MIHA) Survey is an annual population-based survey of women with a live birth, with a sample size of n=6,853 in 2011. Percentages and 95% confidence intervals are weighted to represent all women with a live birth in 2011 in California. Confidence intervals are shown as thin black lines extending above and below the top of the blue bars. Family income calculated as a percentage of the Federal Poverty Guideline (FPG).

Prenatal depressive symptoms, MIHA 2011



The Maternal and Infant Health Assessment (MIHA) Survey is an annual population-based survey of women with a live birth, with a sample size of n=6,853 in 2011. Percentages and 95% confidence intervals are weighted to represent all women with a live birth in 2011 in California. Confidence intervals are shown as thin black lines extending above and below the top of the blue bars. Family income calculated as a percentage of the Federal Poverty Guideline (FPG).



Postpartum depressive symptoms, MIHA 2011



The Maternal and Infant Health Assessment (MIHA) Survey is an annual population-based survey of women with a live birth, with a sample size of n=6,853 in 2011. Percentages and 95% confidence intervals are weighted to represent all women with a live birth in 2011 in California. Confidence intervals are shown as thin black lines extending above and below the top of the blue bars. Family income calculated as a percentage of the Federal Poverty Guideline (FPG).




Woman or partner lost job during pregnancy, MIHA 2011




The Maternal and Infant Health Assessment (MIHA) Survey is an annual population-based survey of women with a live birth, with a sample size of n=6,853 in 2011. Percentages and 95% confidence intervals are weighted to represent all women with a live birth in 2011 in California. Confidence intervals are shown as thin black lines extending above and below the top of the blue bars. Family income calculated as a percentage of the Federal Poverty Guideline (FPG).

Had to move due to problems paying rent or mortgage during pregnancy, MIHA 2011




The Maternal and Infant Health Assessment (MIHA) Survey is an annual population-based survey of women with a live birth, with a sample size of n=6,853 in 2011. Percentages and 95% confidence intervals are weighted to represent all women with a live birth in 2011 in California. Confidence intervals are shown as thin black lines extending above and below the top of the blue bars. Family income calculated as a percentage of the Federal Poverty Guideline (FPG).

Any smoking during the 1st or 3rd trimester, MIHA 2011




The Maternal and Infant Health Assessment (MIHA) Survey is an annual population-based survey of women with a live birth, with a sample size of n=6,853 in 2011. Percentages and 95% confidence intervals are weighted to represent all women with a live birth in 2011 in California. Confidence intervals are shown as thin black lines extending above and below the top of the blue bars. Family income calculated as a percentage of the Federal Poverty Guideline (FPG).

Any binge drinking during the 3 months before pregnancy, MIHA 2011




The Maternal and Infant Health Assessment (MIHA) Survey is an annual population-based survey of women with a live birth, with a sample size of n=6,853 in 2011. Percentages and 95% confidence intervals are weighted to represent all women with a live birth in 2011 in California. Confidence intervals are shown as thin black lines extending above and below the top of the blue bars. Family income calculated as a percentage of the Federal Poverty Guideline (FPG).

Mistimed or unwanted pregnancy, MIHA 2011




The Maternal and Infant Health Assessment (MIHA) Survey is an annual population-based survey of women with a live birth, with a sample size of n=6,853 in 2011. Percentages and 95% confidence intervals are weighted to represent all women with a live birth in 2011 in California. Confidence intervals are shown as thin black lines extending above and below the top of the blue bars. Family income calculated as a percentage of the Federal Poverty Guideline (FPG).

Postpartum birth control use, MIHA 2011




The Maternal and Infant Health Assessment (MIHA) Survey is an annual population-based survey of women with a live birth, with a sample size of n=6,853 in 2011. Percentages and 95% confidence intervals are weighted to represent all women with a live birth in 2011 in California. Confidence intervals are shown as thin black lines extending above and below the top of the blue bars. Family income calculated as a percentage of the Federal Poverty Guideline (FPG).

Placed infant on back to sleep, MIHA 2011




The Maternal and Infant Health Assessment (MIHA) Survey is an annual population-based survey of women with a live birth, with a sample size of n=6,853 in 2011. Percentages and 95% confidence intervals are weighted to represent all women with a live birth in 2011 in California. Confidence intervals are shown as thin black lines extending above and below the top of the blue bars. Family income calculated as a percentage of the Federal Poverty Guideline (FPG).

Always or often bedshared, MIHA 2011




The Maternal and Infant Health Assessment (MIHA) Survey is an annual population-based survey of women with a live birth, with a sample size of n=6,853 in 2011. Percentages and 95% confidence intervals are weighted to represent all women with a live birth in 2011 in California. Confidence intervals are shown as thin black lines extending above and below the top of the blue bars. Family income calculated as a percentage of the Federal Poverty Guideline (FPG).

Exclusive breastfeeding at 3 months after delivery, MIHA 2011




The Maternal and Infant Health Assessment (MIHA) Survey is an annual population-based survey of women with a live birth, with a sample size of n=6,853 in 2011. Percentages and 95% confidence intervals are weighted to represent all women with a live birth in 2011 in California. Confidence intervals are shown as thin black lines extending above and below the top of the blue bars. Family income calculated as a percentage of the Federal Poverty Guideline (FPG).

Had a usual source of pre-pregnancy health care, MIHA 2011




The Maternal and Infant Health Assessment (MIHA) Survey is an annual population-based survey of women with a live birth, with a sample size of n=6,853 in 2011. Percentages and 95% confidence intervals are weighted to represent all women with a live birth in 2011 in California. Confidence intervals are shown as thin black lines extending above and below the top of the blue bars. Family income calculated as a percentage of the Federal Poverty Guideline (FPG).

Initiated prenatal care in the 1st trimester, MIHA 2011




The Maternal and Infant Health Assessment (MIHA) Survey is an annual population-based survey of women with a live birth, with a sample size of n=6,853 in 2011. Percentages and 95% confidence intervals are weighted to represent all women with a live birth in 2011 in California. Confidence intervals are shown as thin black lines extending above and below the top of the blue bars. Family income calculated as a percentage of the Federal Poverty Guideline (FPG).

Mom or infant needed but could not afford care postpartum, MIHA 2011




The Maternal and Infant Health Assessment (MIHA) Survey is an annual population-based survey of women with a live birth, with a sample size of n=6,853 in 2011. Percentages and 95% confidence intervals are weighted to represent all women with a live birth in 2011 in California. Confidence intervals are shown as thin black lines extending above and below the top of the blue bars. Family income calculated as a percentage of the Federal Poverty Guideline (FPG).

Uninsured before pregnancy, MIHA 2011




The Maternal and Infant Health Assessment (MIHA) Survey is an annual population-based survey of women with a live birth, with a sample size of n=6,853 in 2011. Percentages and 95% confidence intervals are weighted to represent all women with a live birth in 2011 in California. Confidence intervals are shown as thin black lines extending above and below the top of the blue bars. Family income calculated as a percentage of the Federal Poverty Guideline (FPG).

Covered by Medi-Cal during pregnancy, MIHA 2011




The Maternal and Infant Health Assessment (MIHA) Survey is an annual population-based survey of women with a live birth, with a sample size of n=6,853 in 2011. Percentages and 95% confidence intervals are weighted to represent all women with a live birth in 2011 in California. Confidence intervals are shown as thin black lines extending above and below the top of the blue bars. Family income calculated as a percentage of the Federal Poverty Guideline (FPG).

Uninsured postpartum, MIHA 2011




The Maternal and Infant Health Assessment (MIHA) Survey is an annual population-based survey of women with a live birth, with a sample size of n=6,853 in 2011. Percentages and 95% confidence intervals are weighted to represent all women with a live birth in 2011 in California. Confidence intervals are shown as thin black lines extending above and below the top of the blue bars. Family income calculated as a percentage of the Federal Poverty Guideline (FPG).

Infant covered by Medi-Cal, MIHA 2011



The Maternal and Infant Health Assessment (MIHA) Survey is an annual population-based survey of women with a live birth, with a sample size of n=6,853 in 2011. Percentages and 95% confidence intervals are weighted to represent all women with a live birth in 2011 in California. Confidence intervals are shown as thin black lines extending above and below the top of the blue bars. Family income calculated as a percentage of the Federal Poverty Guideline (FPG).

Speaks non-English language at home, MIHA 2011



The Maternal and Infant Health Assessment (MIHA) Survey is an annual population-based survey of women with a live birth, with a sample size of n=6,853 in 2011. Percentages and 95% confidence intervals are weighted to represent all women with a live birth in 2011 in California. Confidence intervals are shown as thin black lines extending above and below the top of the blue bars. Family income calculated as a percentage of the Federal Poverty Guideline (FPG).