



MIHA Data Snapshot, Napa County, 2013-2014

Maternal and Infant Health Assessment (MIHA) Survey

✓ better than rest of California ✗ worse than rest of California ♦ no statistical difference

		Napa County			California		
		%	95% CI	Population Estimate	%	95% CI	Population Estimate
Health Status Before Pregnancy							
In good to excellent health	♦	93.7	91.2 - 96.1	1,300	92.4	91.5 - 93.3	452,800
Chronic conditions							
Diabetes†	♦	2.0 *	0.6 - 3.4	< 100	2.3	1.8 - 2.8	10,900
Hypertension†	♦	3.5	1.5 - 5.4	< 100	2.5	2.0 - 2.9	11,900
Asthma†	✗	12.8	9.1 - 16.5	200	7.8	7.0 - 8.6	37,500
Nutrition and Weight							
Daily folic acid use, month before pregnancy	✓	41.0	35.8 - 46.3	600	32.7	31.1 - 34.3	159,900
Overweight before pregnancy	♦	24.2	19.4 - 28.9	300	24.7	23.2 - 26.2	114,900
Obese before pregnancy	♦	23.1	18.7 - 27.5	300	20.3	18.9 - 21.7	94,400
Inadequate weight gain during pregnancy	♦	19.7	14.7 - 24.8	200	17.7	16.2 - 19.2	72,900
Excessive weight gain during pregnancy	♦	44.3	38.4 - 50.2	500	41.4	39.5 - 43.2	170,100
Food insecurity during pregnancy	♦	15.1	11.2 - 19.0	200	16.6	15.4 - 17.9	80,500
Intimate Partner Violence (IPV) and Depressive Symptoms							
Physical or psychological IPV during pregnancy	✓	2.8 *	1.1 - 4.5	< 100	7.1	6.2 - 7.9	34,500
Prenatal depressive symptoms	♦	12.0	8.8 - 15.1	200	14.1	12.9 - 15.3	68,900
Postpartum depressive symptoms	♦	12.1	8.7 - 15.5	200	13.0	11.8 - 14.1	63,200
Hardships and Support during Pregnancy							
Experienced two or more hardships during childhood	♦	24.6	20.0 - 29.2	300	25.3	23.8 - 26.7	121,600
Homeless or did not have a regular place to sleep	♦	1.6 *	0.3 - 2.8	< 100	2.9	2.4 - 3.4	14,000
Moved due to problems paying rent or mortgage	✓	2.3 *	0.6 - 4.1	< 100	6.9	6.0 - 7.7	33,600
Woman or partner lost job	♦	11.7	8.3 - 15.1	200	14.6	13.4 - 15.8	71,000
Woman or partner had pay or hours cut back	♦	11.8	8.4 - 15.2	200	11.8	10.7 - 12.8	57,100
Became separated or divorced	✓	4.2	2.2 - 6.2	100	7.6	6.7 - 8.5	37,000
Had no practical or emotional support	♦	3.5	1.8 - 5.2	< 100	4.4	3.7 - 5.2	21,700
Substance Use							
Any smoking, 3 months before pregnancy	♦	11.8	8.2 - 15.4	200	11.6	10.5 - 12.7	56,500
Any smoking, 3rd trimester†	♦	2.7 *	0.9 - 4.5	< 100	2.9	2.3 - 3.4	13,900
Any smoking, postpartum	♦	4.6	2.1 - 7.1	100	5.6	4.8 - 6.3	27,300
Any binge drinking, 3 months before pregnancy	♦	11.4	8.3 - 14.6	200	15.1	13.8 - 16.3	72,900
Any alcohol use, 3rd trimester†	✗	11.2	8.3 - 14.1	200	7.6	6.6 - 8.6	37,000
Pregnancy Intention and Family Planning							
Mistimed or unwanted pregnancy	✓	25.0	20.2 - 29.7	400	31.2	29.6 - 32.8	151,800
Unsure of pregnancy intentions	♦	11.4	7.9 - 14.9	200	12.9	11.8 - 14.0	62,700
Postpartum birth control use†	♦	84.9	81.0 - 88.7	1,200	81.6	80.3 - 83.0	390,200
Infant Sleep and Breastfeeding							
Placed infant on back to sleep	✓	88.4	84.8 - 91.9	1,300	79.7	78.3 - 81.1	383,200
Infant always or often shared bed	♦	32.9	28.0 - 37.9	500	34.1	32.5 - 35.7	163,700
Intended to breastfeed, before birth	✓	96.6 *	94.4 - 98.7	1,400	92.4	91.5 - 93.4	444,100
Intended to breastfeed exclusively, before birth	✓	77.1	72.6 - 81.6	1,100	64.2	62.6 - 65.9	308,500
Breastfeeding practices							
Any breastfeeding, 1 month after delivery	♦	85.6	81.6 - 89.6	1,200	83.5	82.3 - 84.8	398,500
Exclusive breastfeeding, 1 month after delivery	✓	55.3	49.8 - 60.7	800	42.7	41.0 - 44.4	200,700
Any breastfeeding, 3 months after delivery	✓	74.9	69.1 - 80.7	800	66.2	64.3 - 68.2	244,200
Exclusive breastfeeding, 3 months after delivery	✓	43.5	37.1 - 49.8	400	27.4	25.7 - 29.1	99,800



MIHA Data Snapshot, Napa County, 2013-2014

Maternal and Infant Health Assessment (MIHA) Survey

↑ higher than rest of California ↓ lower than rest of California ♦ no statistical difference

		Napa County			California		
		%	95% CI	Population Estimate	%	95% CI	Population Estimate
Health Care Utilization and Public Program Participation							
Had a usual source of pre-pregnancy care	↑	75.8	71.3 - 80.2	1,100	70.4	68.8 - 71.9	344,100
Initiated prenatal care in 1st trimester	↑	93.1	90.5 - 95.8	1,300	89.7	88.7 - 90.6	433,500
Had a postpartum medical visit	↑	91.8	89.2 - 94.4	1,300	87.5	86.4 - 88.7	427,500
Mom or infant needed but couldn't afford care postpartum	♦	10.7	7.6 - 13.7	200	12.6	11.4 - 13.7	59,700
Participated in WIC during pregnancy†	↓	48.4	43.0 - 53.9	700	54.1	52.9 - 55.4	259,300
Received CalFresh (food stamps) during pregnancy	↓	11.6	8.2 - 14.9	200	24.9	23.6 - 26.3	121,000
Health Insurance Coverage							
Pre-pregnancy insurance							
Medi-Cal	↓	17.2	13.0 - 21.4	200	24.5	23.1 - 25.8	119,600
Uninsured	♦	27.7	22.9 - 32.5	400	24.0	22.6 - 25.4	117,500
Private	↑	53.3	47.9 - 58.6	800	47.5	46.2 - 48.9	232,500
Prenatal insurance							
Medi-Cal	↓	43.3	38.1 - 48.6	600	49.7	48.4 - 51.0	242,800
Uninsured	♦	1.4 *	0.4 - 2.4	< 100	1.6	1.2 - 2.0	7,900
Private	↑	50.7	45.4 - 56.1	700	44.5	43.1 - 45.8	217,100
Maternal postpartum insurance							
Medi-Cal	↓	23.0	18.4 - 27.5	300	36.2	34.7 - 37.6	175,700
Uninsured	↑	20.7	16.3 - 25.1	300	15.0	13.8 - 16.2	72,800
Private	↑	53.8	48.5 - 59.2	800	45.7	44.3 - 47.0	221,900
Infant health insurance							
Medi-Cal	♦	48.4	43.1 - 53.7	700	52.2	50.9 - 53.6	250,400
Uninsured	♦	2.6 *	0.9 - 4.2	< 100	2.9	2.2 - 3.5	13,700
Private	↑	47.1	41.8 - 52.4	700	41.3	40.0 - 42.6	198,000
Maternal Demographics							
Age							
15-19	♦	3.9 *	1.5 - 6.3	100	5.6	4.9 - 6.4	27,500
20-34	♦	73.9	69.3 - 78.6	1,100	74.5	73.0 - 76.0	365,300
35+	♦	22.2	17.9 - 26.5	300	19.9	18.5 - 21.3	97,400
Did not complete high school (or GED)	♦	13.2	9.8 - 16.5	200	16.5	15.2 - 17.7	79,900
Unmarried	↓	31.2	26.2 - 36.3	400	40.9	39.4 - 42.4	199,000
Race/Ethnicity							
Hispanic	♦	51.3	45.9 - 56.7	700	49.2	47.7 - 50.7	236,500
Black	--	--	--	--	5.7	5.3 - 6.1	27,400
White	↑	40.2	35.0 - 45.3	600	29.3	27.9 - 30.7	140,900
Asian/Pacific Islander	↓	7.5	3.7 - 11.3	100	15.3	13.9 - 16.7	73,700
Nativity and Language							
Born outside the U.S.	♦	39.7	34.5 - 44.9	600	37.9	36.2 - 39.6	185,700
Speaks non-English language at home	♦	33.9	28.7 - 39.1	500	30.1	28.5 - 31.7	144,800
Lives in a high poverty neighborhood	↓	6.8	4.0 - 9.5	100	38.9	37.3 - 40.5	182,900
Income as a percent of the Federal Poverty Guideline							
0-100%	↓	26.3	21.5 - 31.1	400	41.0	39.5 - 42.4	188,800
101-200%	↑	31.2	26.1 - 36.3	400	20.8	19.4 - 22.2	96,000
> 200%	♦	42.5	37.1 - 47.9	600	38.2	36.9 - 39.6	176,200

-- Estimate not shown because the relative standard error (RSE) is greater than 50% or fewer than 5 women reported.

* Estimate should be interpreted with caution due to low statistical reliability (RSE is between 30% and 50%).

† Measure/definition changed for this indicator and is not comparable to prior years (see Technical Notes).

Notes: MIHA is an annual population-based survey of California resident women with a live birth. Data from MIHA 2013-2014 were combined, resulting in a statewide sample size of 13,963. The sample size of Napa County was 376. Percent (%), 95% confidence interval (95% CI) and estimated number of women in the population with the health indicator/characteristic (i.e., numerator of the percent rounded to the nearest hundred) are weighted to represent all women with a live birth who resided in California and the county in 2013-2014. Population estimate is a two-year average. Symbols indicate whether the health indicator in the county was statistically different from the rest of the state (p-value < 0.05, chi-square test). See the Technical Notes for information on weighting, comparability to prior years and technical definitions. Visit the MIHA website at www.cdph.ca.gov/MIHA.

Table Citation: Maternal and Infant Health Assessment (MIHA) Survey Data Snapshots, 2013-2014. California Department of Public Health. 2016.