

**CLABSI Table 29. Rates of central line-associated bloodstream infection in patient care locations providing general pediatric rehabilitation care, reported by California hospitals, January - December 2013 (inclusive)**

Reporting hospital*	Cases	Central line-days	Rate	95% Confidence Interval	Statistical interpretation**
<b>STATE OF CALIFORNIA POOLED DATA</b>	<b>4</b>	<b>2966</b>	<b>1.35</b>		
CHILDREN'S HOSP CENTRAL CA, MADERA	1	1415	0.71	(0.02,3.94)	+
CHILDRENS HOSP OF LOS ANGELES	3	1551	1.93	(0.40,5.65)	+

\* Hospitals with only one acute care campus associated with their license were listed by the campus name; hospitals with more than one campus associated with their license were listed by licensee names with acute care campus name(s) indented below

\*\*Statistical interpretation indicates hospital-specific rates that were statistically higher (●), lower (○), or no different (⊙) than California average rates, or rates that were not tested due to too few central line-days or too few hospitals reported in the location category (+)

† Hospital reported infection data aggregated over all acute care campuses

‡ Hospital reported infection data separately by acute care campus

Notes: Rate per 1000 central line days;95% confidence interval calculated for rates based on exact Poisson distribution; pediatric rehabilitation general care locations provide care to patients who have lost function due to acute or chronic pain, musculoskeletal problems, stroke, or catastrophic events resulting in complete or partial paralysis

Source: Central Line-Associated Bloodstream Infections and Central Line Insertion Practices in California Hospitals, January through December 2013. California Department of Public Health