

CLABSI Table 5. Central Line-Associated Bloodstream Infection (CLABSI) Rates and Central Line Insertion Practices (CLIP) Adherence Percentages in Medical Critical Care Units, Reported by California Major Teaching Hospitals, January - December 2014

Hospitals highlighted in red did not participate in 2014 data validation; completeness of reported infections has not been evaluated

County	Hospital Name	CLABSI count	Central line-days	Rate per 1000*	95% Confidence Interval**	Statistical Interpretation***	CLIP Adherence %^
	STATE OF CALIFORNIA POOLED DATA	100	62875	1.59			97.6
Fresno	Community Regional Medical Center	4	2078	1.92	(0.52,4.93)	N	98.8
Los Angeles	Cedars-Sinai Medical Center	2	5464	0.37	(0.04,1.32)	L	95.1
Los Angeles	Kaiser Foundation Hospital, Los Angeles	0	2489	0	(0.00,1.20)	L	90.7
Los Angeles	Keck Hospital of USC	1	1536	0.65	(0.02,3.63)	N	99.1
Los Angeles	LAC+USC Medical Center	8	5048	1.58	(0.68,3.12)	N	99.3
<i>Los Angeles</i>	<i>LAC/Harbor-UCLA Medical Center</i>	<i>3</i>	<i>2325</i>	<i>1.29</i>	<i>(0.27,3.77)</i>	<i>N</i>	<i>97.8</i>
<i>Los Angeles</i>	<i>Los Angeles County Olive View-UCLA Medical Center</i>	<i>3</i>	<i>2105</i>	<i>1.43</i>	<i>(0.29,4.16)</i>	<i>N</i>	<i>99.6</i>
Los Angeles	Ronald Reagan UCLA Medical Center	36	13867	2.6	(1.82,3.59)	H	99.9
Orange	University of California Irvine Medical Center	1	4488	0.22	(0.01,1.24)	L	99.2
Sacramento	University of California Davis Medical Center	5	2424	2.06	(0.67,4.81)	N	98.6
San Bernardino	Arrowhead Regional Medical Center	1	2058	0.49	(0.01,2.71)	N	99.4
San Bernardino	Loma Linda University Medical Center	17	7080	2.4	(1.40,3.84)	N	94.3
San Diego	Scripps Mercy Hospital	1	1315	0.76	(0.02,4.24)	N	95
San Diego	University of California, San Diego Medical Center	13	3190	4.08	(2.17,6.97)	H	97
San Francisco	San Francisco General Hospital	2	2329	0.86	(0.10,3.10)	N	100
Santa Clara	Santa Clara Valley Medical Center	1	3077	0.32	(0.01,1.81)	N	95.4
Santa Clara	Stanford Hospital	2	2002	1	(0.12,3.61)	N	99.6

*Rate per 1000 central line days

**95% confidence interval calculated for rates based on exact Poisson distribution.

*** Statistical interpretation indicates hospital-specific rates that were statistically higher (H), lower (L), or no different (N) than California average rates, or rates that were not tested due to too few central line-days or too few hospitals reported (---).

^The CLIP bundle includes eight components: hand hygiene, recommend skin preparation agent, allowing the skin preparation agent to dry, and five maximal sterile barriers (cap, mask, gown, gloves, and drape).

Source: Central Line-Associated Bloodstream Infections and Central Line Insertion Practices in California Hospitals, January 2014 through December 2014 (Inclusive).

CLABSI Table 6. Central Line-Associated Bloodstream Infection (CLABSI) Rates and Central Line Insertion Practices (CLIP) Adherence Percentages in Medical/Surgical Critical Care Units, Reported by California Major Teaching Hospitals, January - December 2014

Hospitals highlighted in red did not participate in 2014 data validation; completeness of reported infections has not been evaluated

County	Hospital Name	CLABSI count	Central line-days	Rate per 1000*	95% Confidence Interval**	Statistical Interpretation***	CLIP Adherence %^
	STATE OF CALIFORNIA POOLED DATA	67	57765	1.16			99.2
Alameda	Highland Hospital	3	3339	0.9	(0.19,2.63)	N	99.5
Fresno	Community Regional Medical Center	19	7224	2.63	(1.58,4.11)	H	99.7
Kern	Kern Medical Center	0	2058	0	(0.00,1.46)	N	100
Los Angeles	Cedars-Sinai Medical Center	2	955	2.09	(0.25,7.57)	N	98.6
Los Angeles	Kaiser Foundation Hospital, Los Angeles	1	3231	0.31	(0.01,1.72)	N	96.7
Los Angeles	Keck Hospital of USC	6	2989	2.01	(0.74,4.37)	N	98.2
<i>Los Angeles</i>	<i>Santa Monica - UCLA Medical Center and Orthopaedic Hospital</i>	<i>3</i>	<i>2884</i>	<i>1.04</i>	<i>(0.21,3.04)</i>	<i>N</i>	<i>99.7</i>
Riverside	Eisenhower Medical Center	2	3579	0.56	(0.07,2.02)	N	99.4
Riverside	Riverside County Regional Medical Center	1	5436	0.18	(0.00,1.02)	L	100
Sacramento	University of California Davis Medical Center	2	1416	1.41	(0.17,5.10)	N	99
San Bernardino	Loma Linda University Medical Center	1	261	3.83	(0.10,21.35)	N	100
San Diego	Scripps Mercy Hospital	0	28	.	-----	---	100
San Diego	University of California, San Diego Medical Center	8	6610	1.21	(0.52,2.38)	N	97.1
San Francisco	Kaiser Foundation Hospital, San Francisco	0	1152	0	(0.00,2.60)	N	98.9
San Francisco	UCSF Medical Center	8	6001	1.33	(0.58,2.63)	N	99.8
Santa Clara	O'Connor Hospital	2	2973	0.67	(0.08,2.43)	N	96.6
Santa Clara	Stanford Hospital	9	7629	1.18	(0.54,2.24)	N	99.8

*Rate per 1000 central line days

**95% confidence interval calculated for rates based on exact Poisson distribution.

*** Statistical interpretation indicates hospital-specific rates that were statistically higher (H), lower (L), or no different (N) than California average rates, or rates that were not tested due to too few central line-days or too few hospitals reported (---).

^The CLIP bundle includes eight components: hand hygiene, recommend skin preparation agent, allowing the skin preparation agent to dry, and five maximal sterile barriers (cap, mask, gown, gloves, and drape).

Source: Central Line-Associated Bloodstream Infections and Central Line Insertion Practices in California Hospitals, January 2014 through December 2014 (Inclusive).

CLABSI Table 7. Central Line-Associated Bloodstream Infection (CLABSI) Rates and Central Line Insertion Practices (CLIP) Adherence Percentages in Medical Critical Care Units, Reported by California Hospitals (Excluding Major Teaching Hospitals), January - December 2014

Hospitals highlighted in red did not participate in 2014 data validation; completeness of reported infections has not been evaluated

County	Hospital Name	CLABSI count	Central line-days	Rate per 1000*	95% Confidence Interval**	Statistical Interpretation***	CLIP Adherence %^
	STATE OF CALIFORNIA POOLED DATA	89	108802	0.82			96.4
Alameda	Alameda Hospital	0	438	0	(0.00,6.84)	N	100
Butte	Feather River Hospital	0	887	0	(0.00,3.38)	N	98.7
Contra Costa	Doctors Medical Center - San Pablo	0	1219	0	(0.00,2.46)	N	100
Contra Costa	John Muir Medical Center-Walnut Creek Campus	10	4345	2.3	(1.10,4.23)	H	99.5
El Dorado	Marshall Medical Center	1	1334	0.75	(0.02,4.18)	N	99.1
Fresno	Saint Agnes Medical Center	3	3848	0.78	(0.16,2.28)	N	97.5
Kern	San Joaquin Community Hospital	7	4190	1.67	(0.67,3.44)	N	94.4
Los Angeles	California Hospital Medical Center - Los Angeles	1	2055	0.49	(0.01,2.71)	N	100
Los Angeles	Citrus Valley Medical Center - IC Campus	0	1681	0	(0.00,1.78)	N	100
Los Angeles	Community Hospital Long Beach	1	743	1.35	(0.03,7.50)	N	88
Los Angeles	Gardens Regional Hospital and Medical Center	2	1139	1.76	(0.21,6.34)	N	100
Los Angeles	Garfield Medical Center	0	862	0	(0.00,3.48)	N	98.9
Los Angeles	Glendale Adventist Medical Center	3	3309	0.91	(0.19,2.65)	N	97.7
Los Angeles	Kaiser Foundation Hospital, Baldwin Park	3	1051	2.85	(0.59,8.34)	N	91.3
Los Angeles	Kaiser Foundation Hospital, West LA	2	1510	1.32	(0.16,4.78)	N	89.8
Los Angeles	Lakewood Regional Medical Center	2	3287	0.61	(0.07,2.20)	N	99.1
<i>Los Angeles</i>	<i>Marina Del Rey Hospital</i>	<i>1</i>	<i>1371</i>	<i>0.73</i>	<i>(0.02,4.06)</i>	<i>N</i>	<i>99.1</i>
<i>Los Angeles</i>	<i>Olympia Medical Center</i>	<i>1</i>	<i>1411</i>	<i>0.71</i>	<i>(0.02,3.95)</i>	<i>N</i>	<i>.</i>
<i>Los Angeles</i>	<i>Providence Tarzana Medical Center</i>	<i>1</i>	<i>1620</i>	<i>0.62</i>	<i>(0.02,3.44)</i>	<i>N</i>	<i>98.4</i>
Los Angeles	Southern California Hospital at Culiver City	0	1329	0	(0.00,2.25)	N	100
Los Angeles	White Memorial Medical Center	0	416	0	(0.00,7.20)	N	.
Los Angeles	Whittier Hospital Medical Center	0	953	0	(0.00,3.14)	N	100
Mendocino	Frank R. Howard Memorial Hospital	0	143	0	(0.00,20.95)	N	96.8
Mendocino	Ukiah Valley Medical Center	0	488	0	(0.00,6.14)	N	100
Orange	AHMC Anaheim Regional Medical Center	5	1987	2.52	(0.82,5.87)	N	100
Orange	Mission Hospital Regional Medical Center	7	5523	1.27	(0.51,2.61)	N	98.4
Riverside	Desert Regional Medical Center	6	4934	1.22	(0.45,2.65)	N	32
Riverside	Hemet Valley Medical Center	0	665	0	(0.00,4.50)	N	73
Riverside	Kaiser Foundation Hospital, Riverside	0	3065	0	(0.00,0.98)	N	98.4
Riverside	Riverside Community Hospital	2	3806	0.53	(0.06,1.90)	N	98.8
Riverside	Temecula Valley Hospital	0	1024	0	(0.00,2.93)	N	92
Sacramento	Mercy General Hospital	0	420	0	(0.00,7.13)	N	100
Sacramento	Mercy San Juan Medical Center	0	3655	0	(0.00,0.82)	N	99.6
San Benito	Hazel Hawkins Memorial Hospital	2	293	6.83	(0.83,24.66)	H	100
San Bernardino	Chino Valley Medical Center	1	907	1.1	(0.03,6.14)	N	97.7

CLABSI Table 7. Central Line-Associated Bloodstream Infection (CLABSI) Rates and Central Line Insertion Practices (CLIP) Adherence Percentages in Medical Critical Care Units, Reported by California Hospitals (Excluding Major Teaching Hospitals), January - December 2014

Hospitals highlighted in red did not participate in 2014 data validation; completeness of reported infections has not been evaluated

County	Hospital Name	CLABSI count	Central line-days	Rate per 1000*	95% Confidence Interval**	Statistical Interpretation***	CLIP Adherence %^
	STATE OF CALIFORNIA POOLED DATA	89	108802	0.82			96.4
San Bernardino	Community Hospital of San Bernardino	0	1309	0	(0.00,2.29)	N	98.5
San Bernardino	Hi-Desert Medical Center	0	179	0	(0.00,16.74)	N	100
San Diego	Alvarado Hospital Medical Center	0	1177	0	(0.00,2.55)	N	100
San Diego	Grossmont Hospital	0	3931	0	(0.00,0.76)	L	96.8
San Diego	Palomar Medical Center	0	5153	0	(0.00,0.58)	L	98.2
San Diego	Sharp Coronado Hospital and Healthcare Center	2	421	4.75	(0.58,17.16)	N	100
San Diego	Sharp Memorial Hospital	2	4754	0.42	(0.05,1.52)	N	99.4
San Francisco	California Pacific Medical Center - Davies Campus Hospital	0	391	0	(0.00,7.66)	N	.
San Joaquin	Dameron Hospital	1	834	1.2	(0.03,6.68)	N	96.9
San Joaquin	San Joaquin General Hospital	6	2360	2.54	(0.93,5.53)	H	94.6
San Joaquin	St. Joseph's Medical Center Of Stockton	1	3857	0.26	(0.01,1.44)	N	97.7
Santa Barbara	Goleta Valley Cottage Hospital	0	105	0	(0.00,28.53)	N	100
Santa Barbara	Lompoc Valley Medical Center	0	332	0	(0.00,9.02)	N	.
Santa Barbara	Santa Barbara Cottage Hospital	0	1762	0	(0.00,1.70)	N	100
Santa Clara	El Camino Hospital	0	906	0	(0.00,3.31)	N	98.4
Santa Clara	Good Samaritan Hospital, San Jose	3	2901	1.03	(0.21,3.02)	N	98.9
Santa Clara	Regional Medical Center of San Jose	5	2093	2.39	(0.78,5.57)	N	98.7
Shasta	Shasta Regional Medical Center	6	2612	2.3	(0.84,5.00)	H	99.7
<i>Stanislaus</i>	<i>Doctors Medical Center</i>	<i>2</i>	<i>2909</i>	<i>0.69</i>	<i>(0.08,2.48)</i>	<i>N</i>	<i>96.7</i>
Stanislaus	Emanuel Medical Center	0	1608	0	(0.00,1.86)	N	97.9
Ventura	Los Robles Hospital & Medical Center	0	1626	0	(0.00,1.84)	N	98.2
Ventura	Ojai Valley Community Hospital	0	106	0	(0.00,28.26)	N	100
<i>Ventura</i>	<i>St Johns Regional Medical Center</i>	<i>0</i>	<i>1568</i>	<i>0</i>	<i>(0.00,1.91)</i>	<i>N</i>	<i>98</i>

*Rate per 1000 central line days

**95% confidence interval calculated for rates based on exact Poisson distribution.

*** Statistical interpretation indicates hospital-specific rates that were statistically higher (H), lower (L), or no different (N) than California average rates, or rates that were not tested due to too few central line-days or too few hospitals reported (---).

^The CLIP bundle includes eight components: hand hygiene, recommend skin preparation agent, allowing the skin preparation agent to dry, and five maximal sterile barriers (cap, mask, gown, gloves, and drape).

Source: Central Line-Associated Bloodstream Infections and Central Line Insertion Practices in California Hospitals, January 2014 through December 2014 (Inclusive).

CLABSI Table 8. Central Line-Associated Bloodstream Infection (CLABSI) Rates and Central Line Insertion Practices (CLIP) Adherence Percentages in Medica/Surgical Critical Care Units, Reported by California Hospitals (Excluding Major Teaching Hospitals), January - December 2014

Hospitals highlighted in red did not participate in 2014 data validation; completeness of reported infections has not been evaluated

County	Hospital Name	CLABSI count	Central line-days	Rate per 1000*	95% Confidence Interval**	Statistical Interpretation***	CLIP Adherence %^
	STATE OF CALIFORNIA POOLED DATA	326	424142	0.77			96.1
Alameda	Alta Bates Summit Medical Center	3	4003	0.75	(0.15,2.19)	N	99.7
Alameda	Alta Bates Summit Medical Center-Alta Bates Campus	4	3244	1.23	(0.34,3.16)	N	99
Alameda	Eden Medical Center	3	3766	0.8	(0.16,2.33)	N	99
Alameda	Kaiser Foundation Hospital, Fremont	0	1874	0	(0.00,1.60)	N	92
Alameda	Kaiser Foundation Hospital, Oakland/Richmond	4	2414	1.66	(0.45,4.24)	N	92.2
Alameda	San Leandro Hospital	1	636	1.57	(0.04,8.76)	N	84.6
Alameda	St Rose Hospital	2	1558	1.28	(0.16,4.64)	N	97.6
Alameda	Valleycare Medical Center	0	2202	0	(0.00,1.36)	N	96.1
Alameda	Washington Hospital	4	3950	1.01	(0.28,2.59)	N	100
Amador	Sutter Amador Hospital	0	967	0	(0.00,3.10)	N	100
<i>Butte</i>	<i>Biggs Gridley Memorial Hospital</i>	<i>0</i>	<i>19</i>	<i>.</i>	<i>-----</i>	<i>---</i>	<i>100</i>
Butte	Enloe Medical Center - Esplanade	0	1969	0	(0.00,1.52)	N	95.8
Butte	Oroville Hospital	0	1069	0	(0.00,2.80)	N	99
Calaveras	Mark Twain Medical Center	0	290	0	(0.00,10.33)	N	98.2
Colusa	Colusa Regional Medical Center	0	28	.	-----	---	100
Contra Costa	Contra Costa Regional Medical Center	0	858	0	(0.00,3.49)	N	100
Contra Costa	John Muir Medical Center-Concord Campus	1	1802	0.55	(0.01,3.09)	N	97.1
Contra Costa	Kaiser Foundation Hospital, Antioch	1	880	1.14	(0.03,6.33)	N	97.1
Contra Costa	Kaiser Foundation Hospital, Walnut Creek	2	3003	0.67	(0.08,2.41)	N	98.8
Contra Costa	San Ramon Regional Medical Center	1	812	1.23	(0.03,6.86)	N	78.6
Contra Costa	Sutter Delta Medical Center	1	1533	0.65	(0.02,3.63)	N	98.8
Del Norte	Sutter Coast Hospital	0	311	0	(0.00,9.63)	N	100
El Dorado	Barton Memorial Hospital	0	252	0	(0.00,11.89)	N	96.4
Fresno	Clovis Community Medical Center	4	4295	0.93	(0.25,2.38)	N	95.4
Fresno	Fresno Heart and Surgical Hospital	3	1273	2.36	(0.49,6.89)	N	100
Fresno	Kaiser Foundation Hospital, Fresno	0	1262	0	(0.00,2.37)	N	100
Humboldt	Mad River Community Hospital	0	323	0	(0.00,9.27)	N	100
Humboldt	Redwood Memorial Hospital	0	219	0	(0.00,13.68)	N	93.3
Humboldt	St. Joseph Hospital	0	1174	0	(0.00,2.55)	N	88.9
Imperial	El Centro Regional Medical Center	3	1093	2.74	(0.57,8.02)	N	95.7
Imperial	Pioneers Memorial Healthcare District	1	879	1.14	(0.03,6.34)	N	100
Inyo	Northern Inyo Hospital	0	29	.	-----	---	100
Kern	Bakersfield Heart Hospital	1	1885	0.53	(0.01,2.96)	N	97.7
Kern	Bakersfield Memorial Hospital	1	3633	0.28	(0.01,1.53)	N	100
<i>Kern</i>	<i>Good Samaritan Hospital, Bakersfield</i>	<i>0</i>	<i>7</i>	<i>.</i>	<i>-----</i>	<i>---</i>	<i>.</i>

CLABSI Table 8. Central Line-Associated Bloodstream Infection (CLABSI) Rates and Central Line Insertion Practices (CLIP) Adherence Percentages in Medica/Surgical Critical Care Units, Reported by California Hospitals (Excluding Major Teaching Hospitals), January - December 2014

Hospitals highlighted in red did not participate in 2014 data validation; completeness of reported infections has not been evaluated

County	Hospital Name	CLABSI count	Central line-days	Rate per 1000*	95% Confidence Interval**	Statistical Interpretation***	CLIP Adherence %^
	STATE OF CALIFORNIA POOLED DATA	326	424142	0.77			96.1
Kern	Mercy Hospital	0	2113	0	(0.00,1.42)	N	97.6
<i>Kern</i>	<i>Mercy Southwest Hospital</i>	<i>0</i>	<i>1310</i>	<i>0</i>	<i>(0.00,2.29)</i>	<i>N</i>	<i>98.9</i>
<i>Kern</i>	<i>Ridgecrest Regional Hospital</i>	<i>2</i>	<i>161</i>	<i>12.42</i>	<i>(1.50,44.87)</i>	<i>H</i>	<i>91.2</i>
Kings	Adventist Medical Center	1	1389	0.72	(0.02,4.01)	N	99.3
Lake	St. Helena Hospital - Clearlake	0	259	0	(0.00,11.57)	N	90.2
Lake	Sutter Lakeside Hospital	0	347	0	(0.00,8.63)	N	100
Los Angeles	Alhambra Hospital Medical Center	0	1313	0	(0.00,2.28)	N	100
Los Angeles	Antelope Valley Hospital	11	5452	2.02	(1.01,3.61)	H	99.5
Los Angeles	Beverly Hospital	1	1419	0.7	(0.02,3.93)	N	100
Los Angeles	California Hospital Medical Center - Los Angeles	0	595	0	(0.00,5.03)	N	96.9
Los Angeles	Centinela Hospital Medical Center	2	5153	0.39	(0.05,1.40)	N	98.3
Los Angeles	Citrus Valley Medical Center - IC Campus	3	2404	1.25	(0.26,3.65)	N	92.5
<i>Los Angeles</i>	<i>Coast Plaza Hospital</i>	<i>0</i>	<i>902</i>	<i>0</i>	<i>(0.00,3.32)</i>	<i>N</i>	<i>62.5</i>
Los Angeles	College Medical Center	1	380	2.63	(0.07,14.66)	N	50
Los Angeles	Community Hospital Long Beach	0	2	.	-----	---	.
Los Angeles	Community Hospital of Huntington Park	0	713	0	(0.00,4.20)	N	100
Los Angeles	East Los Angeles Doctors Hospital	1	1230	0.81	(0.02,4.53)	N	98.6
Los Angeles	Encino Hospital Medical Center	0	348	0	(0.00,8.61)	N	100
<i>Los Angeles</i>	<i>Foothill Presbyterian Hospital-Johnston Memorial</i>	<i>0</i>	<i>997</i>	<i>0</i>	<i>(0.00,3.00)</i>	<i>N</i>	<i>100</i>
Los Angeles	Garfield Medical Center	1	1431	0.7	(0.02,3.89)	N	98.4
Los Angeles	Glendale Adventist Medical Center	0	1868	0	(0.00,1.60)	N	97
<i>Los Angeles</i>	<i>Glendale Memorial Hospital and Health Center</i>	<i>0</i>	<i>2598</i>	<i>0</i>	<i>(0.00,1.15)</i>	<i>N</i>	<i>98.7</i>
<i>Los Angeles</i>	<i>Glendora Community Hospital</i>	<i>0</i>	<i>208</i>	<i>0</i>	<i>(0.00,14.40)</i>	<i>N</i>	<i>89.3</i>
Los Angeles	Good Samaritan Hospital, Los Angeles	7	3575	1.96	(0.79,4.03)	H	100
Los Angeles	Greater El Monte Community Hospital	0	570	0	(0.00,5.26)	N	98.7
Los Angeles	Henry Mayo Newhall Hospital	4	2934	1.36	(0.37,3.49)	N	100
Los Angeles	Hollywood Presbyterian Medical Center	0	3462	0	(0.00,0.87)	N	97.8
Los Angeles	Huntington Memorial Hospital	0	1934	0	(0.00,1.55)	N	97
Los Angeles	Kaiser Foundation Hospital, Baldwin Park	2	1061	1.89	(0.23,6.81)	N	94.7
Los Angeles	Kaiser Foundation Hospital, Downey	0	1769	0	(0.00,1.69)	N	98.7
Los Angeles	Kaiser Foundation Hospital, Panorama City	1	1506	0.66	(0.02,3.70)	N	51.9
Los Angeles	Kaiser Foundation Hospital, South Bay	0	954	0	(0.00,3.14)	N	1.9
Los Angeles	Kaiser Foundation Hospital, Woodland Hills	1	1582	0.63	(0.02,3.52)	N	100
Los Angeles	LAC/Rancho Los Amigos National Rehabilitation Ctr	1	653	1.53	(0.04,8.53)	N	97.1
Los Angeles	Lakewood Regional Medical Center	0	1676	0	(0.00,1.79)	N	98.7

CLABSI Table 8. Central Line-Associated Bloodstream Infection (CLABSI) Rates and Central Line Insertion Practices (CLIP) Adherence Percentages in Medica/Surgical Critical Care Units, Reported by California Hospitals (Excluding Major Teaching Hospitals), January - December 2014

Hospitals highlighted in red did not participate in 2014 data validation; completeness of reported infections has not been evaluated

County	Hospital Name	CLABSI count	Central line-days	Rate per 1000*	95% Confidence Interval**	Statistical Interpretation***	CLIP Adherence %^
	STATE OF CALIFORNIA POOLED DATA	326	424142	0.77			96.1
Los Angeles	Long Beach Memorial Medical Center	6	4543	1.32	(0.48,2.87)	N	93.9
Los Angeles	Los Angeles Community Hospital	5	1655	3.02	(0.98,7.05)	H	95.4
<i>Los Angeles</i>	<i>Memorial Hospital of Gardena</i>	<i>0</i>	<i>1811</i>	<i>0</i>	<i>(0.00,1.65)</i>	<i>N</i>	<i>98.5</i>
Los Angeles	Methodist Hospital of Southern California	0	2622	0	(0.00,1.14)	N	99.3
<i>Los Angeles</i>	<i>Mission Community Hospital</i>	<i>3</i>	<i>1143</i>	<i>2.62</i>	<i>(0.54,7.67)</i>	<i>N</i>	<i>.</i>
Los Angeles	Monterey Park Hospital	0	495	0	(0.00,6.05)	N	100
Los Angeles	Northridge Hospital Medical Center	1	1652	0.61	(0.02,3.37)	N	95.8
Los Angeles	PIH Hospital - Downey	1	1497	0.67	(0.02,3.72)	N	96.7
Los Angeles	Pacific Alliance Medical Center	0	464	0	(0.00,6.46)	N	100
<i>Los Angeles</i>	<i>Pacifica Hospital of the Valley</i>	<i>4</i>	<i>665</i>	<i>6.02</i>	<i>(1.64,15.40)</i>	<i>H</i>	<i>88.7</i>
Los Angeles	Palmdale Regional Medical Center	0	2348	0	(0.00,1.28)	N	69.1
Los Angeles	Pomona Valley Hospital Medical Center	9	4337	2.08	(0.95,3.94)	H	93.3
Los Angeles	Presbyterian Intercommunity Hospital	0	3095	0	(0.00,0.97)	N	99.1
Los Angeles	Providence Holy Cross Medical Center	6	4695	1.28	(0.47,2.78)	N	97.5
Los Angeles	Providence Little Company of Mary Medical Center San Pedro	0	1402	0	(0.00,2.14)	N	100
Los Angeles	Providence Little Company of Mary Medical Center Torrance	2	4476	0.45	(0.05,1.61)	N	98.2
Los Angeles	Providence Saint John's Health Center	4	3081	1.3	(0.35,3.32)	N	100
Los Angeles	Providence Saint Joseph Medical Center	6	6308	0.95	(0.35,2.07)	N	100
<i>Los Angeles</i>	<i>Providence Tarzana Medical Center</i>	<i>3</i>	<i>1600</i>	<i>1.88</i>	<i>(0.39,5.48)</i>	<i>N</i>	<i>100</i>
Los Angeles	Saint Francis Medical Center	7	3600	1.94	(0.78,4.01)	H	99.7
Los Angeles	Saint Vincent Medical Center	1	1643	0.61	(0.02,3.39)	N	98.2
Los Angeles	San Dimas Community Hospital	0	1213	0	(0.00,2.47)	N	95.2
Los Angeles	San Gabriel Valley Medical Center	2	1397	1.43	(0.17,5.17)	N	98.9
Los Angeles	Sherman Oaks Hospital	2	1097	1.82	(0.22,6.59)	N	99.1
Los Angeles	Silver Lake Medical Center	0	394	0	(0.00,7.60)	N	100
Los Angeles	Southern California Hospital at Hollywood	1	400	2.5	(0.06,13.93)	N	79.7
Los Angeles	St. Mary Medical Center, Long Beach	1	2680	0.37	(0.01,2.08)	N	99.2
Los Angeles	Torrance Memorial Medical Center	3	6647	0.45	(0.09,1.32)	N	94.9
Los Angeles	USC Verdugo Hills Hospital	3	1116	2.69	(0.55,7.86)	N	100
Los Angeles	Valley Presbyterian Hospital	3	3320	0.9	(0.19,2.64)	N	99.3
Los Angeles	West Hills Hospital & Medical Center	7	4508	1.55	(0.62,3.20)	N	96.6
Los Angeles	White Memorial Medical Center	1	1268	0.79	(0.02,4.39)	N	98.3
<i>Madera</i>	<i>Madera Community Hospital</i>	<i>1</i>	<i>346</i>	<i>2.89</i>	<i>(0.07,16.10)</i>	<i>N</i>	<i>100</i>
Marin	Kaiser Foundation Hospital, San Rafael	0	1331	0	(0.00,2.25)	N	99.5
Marin	Marin General Hospital	1	2203	0.45	(0.01,2.53)	N	100

CLABSI Table 8. Central Line-Associated Bloodstream Infection (CLABSI) Rates and Central Line Insertion Practices (CLIP) Adherence Percentages in Medica/Surgical Critical Care Units, Reported by California Hospitals (Excluding Major Teaching Hospitals), January - December 2014

Hospitals highlighted in red did not participate in 2014 data validation; completeness of reported infections has not been evaluated

County	Hospital Name	CLABSI count	Central line-days	Rate per 1000*	95% Confidence Interval**	Statistical Interpretation***	CLIP Adherence %^
	STATE OF CALIFORNIA POOLED DATA	326	424142	0.77			96.1
Marin	Novato Community Hospital	0	422	0	(0.00,7.10)	N	97.8
Mendocino	Mendocino Coast District Hospital	0	114	0	(0.00,26.28)	N	91.7
Merced	Memorial Hospital Los Banos	0	76	0	(0.00,39.42)	N	88.9
Merced	Mercy Medical Center	0	1838	0	(0.00,1.63)	N	99.3
Mono	Mammoth Hospital	0	10	.	-----	---	.
Monterey	Community Hospital of The Monterey Peninsula	1	2518	0.4	(0.01,2.21)	N	99.8
Monterey	George L. Mee Memorial Hospital	1	163	6.13	(0.16,34.18)	N	83.3
Monterey	Natividad Medical Center	0	1138	0	(0.00,2.63)	N	100
Monterey	Salinas Valley Memorial Hospital	2	3010	0.66	(0.08,2.40)	N	100
<i>Napa</i>	<i>Queen of the Valley Medical Center</i>	<i>2</i>	<i>1774</i>	<i>1.13</i>	<i>(0.14,4.07)</i>	<i>N</i>	<i>97.8</i>
Napa	St. Helena Hospital	5	2336	2.14	(0.69,5.00)	N	89.4
Nevada	Sierra Nevada Memorial Hospital	0	752	0	(0.00,3.98)	N	97.2
Nevada	Tahoe Forest Hospital	0	135	0	(0.00,22.19)	N	100
Orange	Chapman Medical Center	1	158	6.33	(0.16,35.26)	N	100
Orange	Coastal Communities Hospital	1	599	1.67	(0.04,9.30)	N	100
Orange	Fountain Valley Regional Hospital & Medical Center	0	5383	0	(0.00,0.56)	L	100
Orange	Garden Grove Hospital and Medical Center	5	1068	4.68	(1.52,10.93)	H	98
Orange	Hoag Hospital Irvine	0	965	0	(0.00,3.10)	N	100
Orange	Hoag Memorial Hospital Presbyterian	8	3966	2.02	(0.87,3.97)	H	.
Orange	Huntington Beach Hospital	3	1024	2.93	(0.60,8.56)	N	95.7
Orange	Kaiser Foundation Hospital, Orange County, Anaheim	1	1899	0.53	(0.01,2.93)	N	93
Orange	Kaiser Foundation Hospital, Orange County, Irvine	0	1364	0	(0.00,2.20)	N	83.9
Orange	La Palma Intercommunity Hospital	0	649	0	(0.00,4.62)	N	100
Orange	Los Alamitos Medical Center	0	1795	0	(0.00,1.67)	N	100
Orange	Mission Hospital Laguna Beach	0	162	0	(0.00,18.49)	N	100
Orange	Orange Coast Memorial Medical Center	1	1580	0.63	(0.02,3.53)	N	100
Orange	Placentia Linda Hospital	0	613	0	(0.00,4.89)	N	85.5
Orange	Saddleback Memorial Medical Center	0	2803	0	(0.00,1.07)	N	99.5
Orange	St Joseph Hospital	3	3093	0.97	(0.20,2.83)	N	100
Orange	St. Jude Medical Center	6	4281	1.4	(0.51,3.05)	N	99.8
Orange	West Anaheim Medical Center	0	1479	0	(0.00,2.03)	N	100
Orange	Western Medical Center Anaheim	1	761	1.31	(0.03,7.32)	N	100
Orange	Western Medical Center Santa Ana	3	3572	0.84	(0.17,2.45)	N	97.3
Placer	Kaiser Foundation Hospital, Roseville	0	2334	0	(0.00,1.28)	N	99.7
<i>Placer</i>	<i>Sutter Auburn Faith Hospital</i>	<i>0</i>	<i>676</i>	<i>0</i>	<i>(0.00,4.43)</i>	<i>N</i>	<i>100</i>

CLABSI Table 8. Central Line-Associated Bloodstream Infection (CLABSI) Rates and Central Line Insertion Practices (CLIP) Adherence Percentages in Medica/Surgical Critical Care Units, Reported by California Hospitals (Excluding Major Teaching Hospitals), January - December 2014

Hospitals highlighted in red did not participate in 2014 data validation; completeness of reported infections has not been evaluated

County	Hospital Name	CLABSI count	Central line-days	Rate per 1000*	95% Confidence Interval**	Statistical Interpretation***	CLIP Adherence %^
	STATE OF CALIFORNIA POOLED DATA	326	424142	0.77			96.1
Placer	Sutter Roseville Medical Center	1	3205	0.31	(0.01,1.74)	N	99.2
Riverside	Corona Regional Medical Center	1	1331	0.75	(0.02,4.19)	N	100
Riverside	Hemet Valley Medical Center	1	1721	0.58	(0.01,3.24)	N	76.7
Riverside	John F. Kennedy Memorial Hospital	1	2053	0.49	(0.01,2.71)	N	95.1
Riverside	Kaiser Foundation Hospital, Moreno Valley	1	462	2.16	(0.05,12.06)	N	91.8
Riverside	Loma Linda University Medical Center - Murrieta	3	1963	1.53	(0.32,4.47)	N	64.3
Riverside	Menifee Valley Medical Center	0	714	0	(0.00,4.20)	N	99.3
Riverside	Palo Verde Hospital	0	100	0	(0.00,29.96)	N	90
Riverside	Parkview Community Hospital Medical Center	3	2569	1.17	(0.24,3.41)	N	98.4
Riverside	Riverside Community Hospital	0	466	0	(0.00,6.43)	N	100
Riverside	San Geronio Memorial Hospital	0	1197	0	(0.00,2.50)	N	100
Riverside	Southwest Healthcare System, Murrieta	0	994	0	(0.00,3.01)	N	100
Riverside	Southwest Healthcare System, Wildomar	1	2223	0.45	(0.01,2.51)	N	100
Sacramento	Kaiser Foundation Hospital, Sacramento	1	3425	0.29	(0.01,1.63)	N	93.6
Sacramento	Kaiser Foundation Hospital, South Sacramento	0	2899	0	(0.00,1.03)	N	99.7
Sacramento	Mercy General Hospital	0	985	0	(0.00,3.04)	N	100
Sacramento	Mercy Hospital of Folsom	0	1420	0	(0.00,2.11)	N	99
Sacramento	Mercy San Juan Medical Center	1	1517	0.66	(0.02,3.67)	N	100
Sacramento	Methodist Hospital of Sacramento	0	3163	0	(0.00,0.95)	N	95.1
Sacramento	Sutter General Hospital	4	7900	0.51	(0.14,1.30)	N	99.4
San Bernardino	Barstow Community Hospital	0	436	0	(0.00,6.87)	N	100
San Bernardino	Kaiser Foundation Hospital, Fontana	1	4285	0.23	(0.01,1.30)	N	40.8
San Bernardino	Kaiser Foundation Hospital, Ontario	0	1325	0	(0.00,2.26)	N	84.7
San Bernardino	Montclair Hospital Medical Center	0	725	0	(0.00,4.13)	N	84.1
San Bernardino	Redlands Community Hospital	2	3105	0.64	(0.08,2.33)	N	97.2
San Bernardino	San Antonio Community Hospital	1	4366	0.23	(0.01,1.28)	N	90.6
San Bernardino	St. Bernardine Medical Center	4	9415	0.42	(0.12,1.09)	N	99.4
San Bernardino	St. Mary Medical Center, Apple Valley	3	3690	0.81	(0.17,2.38)	N	80.8
San Bernardino	Victor Valley Global Medical Center	0	990	0	(0.00,3.03)	N	100
San Diego	Alvarado Hospital Medical Center	0	52	0	(0.00,57.61)	N	100
San Diego	Paradise Valley Hospital	1	1357	0.74	(0.02,4.11)	N	94.5
San Diego	Pomerado Hospital	0	2021	0	(0.00,1.48)	N	100
San Diego	Scripps Green Hospital	8	4774	1.68	(0.72,3.30)	N	100
San Diego	Scripps Memorial Hospital - Encinitas	2	1353	1.48	(0.18,5.34)	N	98.4
San Diego	Scripps Memorial Hospital - La Jolla	3	1664	1.8	(0.37,5.27)	N	100

CLABSI Table 8. Central Line-Associated Bloodstream Infection (CLABSI) Rates and Central Line Insertion Practices (CLIP) Adherence Percentages in Medica/Surgical Critical Care Units, Reported by California Hospitals (Excluding Major Teaching Hospitals), January - December 2014

Hospitals highlighted in red did not participate in 2014 data validation; completeness of reported infections has not been evaluated

County	Hospital Name	CLABSI count	Central line-days	Rate per 1000*	95% Confidence Interval**	Statistical Interpretation***	CLIP Adherence %^
	STATE OF CALIFORNIA POOLED DATA	326	424142	0.77			96.1
San Diego	Scripps Mercy Hospital Chula Vista	1	2026	0.49	(0.01,2.75)	N	95.2
San Diego	Sharp Chula Vista Medical Center	4	5535	0.72	(0.20,1.85)	N	97.5
San Diego	Tri-City Medical Center	4	4027	0.99	(0.27,2.54)	N	100
San Francisco	California Pacific Medical Center - Davies Campus Hospital	2	1461	1.37	(0.17,4.95)	N	97.5
San Francisco	California Pacific Medical Center - Pacific Campus Hospital	9	6966	1.29	(0.59,2.45)	N	86.4
San Francisco	California Pacific Medical Center – St. Luke’s Campus Hospital	3	1111	2.7	(0.56,7.89)	N	80.9
San Francisco	Chinese Hospital	0	116	0	(0.00,25.83)	N	.
San Francisco	Saint Francis Memorial Hospital	2	2444	0.82	(0.10,2.96)	N	100
San Francisco	St. Mary’s Medical Center	1	1194	0.84	(0.02,4.67)	N	98
San Joaquin	Dameron Hospital	3	1537	1.95	(0.40,5.70)	N	98.9
San Joaquin	Doctors Hospital of Manteca	0	745	0	(0.00,4.02)	N	100
San Joaquin	Lodi Memorial Hospital	3	3403	0.88	(0.18,2.58)	N	99.4
<i>San Joaquin</i>	<i>Sutter Tracy Community Hospital</i>	<i>2</i>	<i>940</i>	<i>2.13</i>	<i>(0.26,7.69)</i>	<i>N</i>	<i>99.2</i>
San Luis Obispo	French Hospital Medical Center	1	1163	0.86	(0.02,4.79)	N	100
San Luis Obispo	Marian Regional Medical Center, Arroyo Grande	0	510	0	(0.00,5.87)	N	100
San Luis Obispo	Sierra Vista Regional Medical Center	1	805	1.24	(0.03,6.92)	N	99.2
<i>San Luis Obispo</i>	<i>Twin Cities Community Hospital</i>	<i>0</i>	<i>659</i>	<i>0</i>	<i>(0.00,4.55)</i>	<i>N</i>	<i>100</i>
San Mateo	Kaiser Foundation Hospital, Redwood City	1	909	1.1	(0.03,6.13)	N	92.9
San Mateo	Kaiser Foundation Hospital, South San Francisco	0	1046	0	(0.00,2.86)	N	96.4
San Mateo	Mills-Peninsula Medical Center	0	2308	0	(0.00,1.30)	N	97.5
San Mateo	San Mateo Medical Center	0	558	0	(0.00,5.37)	N	98
San Mateo	Sequoia Hospital	1	1564	0.64	(0.02,3.56)	N	100
San Mateo	Seton Medical Center	0	2377	0	(0.00,1.26)	N	99.4
Santa Barbara	Lompoc Valley Medical Center	0	42	.	-----	---	100
<i>Santa Barbara</i>	<i>Marian Regional Medical Center</i>	<i>1</i>	<i>2192</i>	<i>0.46</i>	<i>(0.01,2.54)</i>	<i>N</i>	<i>99.2</i>
Santa Barbara	Santa Ynez Valley Cottage Hospital	0	78	0	(0.00,38.41)	N	.
Santa Clara	El Camino Hospital	0	1704	0	(0.00,1.76)	N	100
Santa Clara	El Camino Hospital Los Gatos	0	300	0	(0.00,9.99)	N	100
Santa Clara	Good Samaritan Hospital, San Jose	0	2848	0	(0.00,1.05)	N	99.5
Santa Clara	Kaiser Foundation Hospital, San Jose	4	1528	2.62	(0.71,6.70)	N	98
Santa Clara	Kaiser Foundation Hospital, Santa Clara	0	3199	0	(0.00,0.94)	N	93.8
Santa Clara	Saint Louise Regional Hospital	0	706	0	(0.00,4.24)	N	100
Santa Cruz	Dominican Hospital	0	3147	0	(0.00,0.95)	N	99.6
<i>Santa Cruz</i>	<i>Watsonville Community Hospital</i>	<i>0</i>	<i>657</i>	<i>0</i>	<i>(0.00,4.56)</i>	<i>N</i>	<i>100</i>
Shasta	Mercy Medical Center Redding	1	3626	0.28	(0.01,1.54)	N	100

CLABSI Table 8. Central Line-Associated Bloodstream Infection (CLABSI) Rates and Central Line Insertion Practices (CLIP) Adherence Percentages in Medica/Surgical Critical Care Units, Reported by California Hospitals (Excluding Major Teaching Hospitals), January - December 2014

Hospitals highlighted in red did not participate in 2014 data validation; completeness of reported infections has not been evaluated

County	Hospital Name	CLABSI count	Central line-days	Rate per 1000*	95% Confidence Interval**	Statistical Interpretation***	CLIP Adherence %^
	STATE OF CALIFORNIA POOLED DATA	326	424142	0.77			96.1
Siskiyou	Fairchild Medical Center	0	191	0	(0.00,15.68)	N	93
Siskiyou	Mercy Medical Center Mt. Shasta	0	17	.	-----	---	100
Solano	Kaiser Foundation Hospital and Rehab Center, Vallejo	2	1221	1.64	(0.20,5.92)	N	96.3
Solano	Kaiser Foundation Hospital, Vacaville	1	1194	0.84	(0.02,4.67)	N	96.1
Solano	Northbay Medical Center	2	2127	0.94	(0.11,3.40)	N	99.5
Solano	Northbay Vacavalley Hospital	1	751	1.33	(0.03,7.42)	N	99.1
<i>Solano</i>	<i>Sutter Solano Medical Center</i>	<i>0</i>	<i>1734</i>	<i>0</i>	<i>(0.00,1.73)</i>	<i>N</i>	<i>98.6</i>
Sonoma	Healdsburg District Hospital	0	166	0	(0.00,18.05)	N	100
Sonoma	Kaiser Foundation Hospital, Santa Rosa	1	1354	0.74	(0.02,4.11)	N	99.5
Sonoma	Petaluma Valley Hospital	0	326	0	(0.00,9.19)	N	100
Sonoma	Santa Rosa Memorial Hospital	0	5218	0	(0.00,0.57)	L	99.8
Sonoma	Sonoma Valley Hospital	0	302	0	(0.00,9.92)	N	100
Stanislaus	Kaiser Foundation Hospital, Manteca	3	2201	1.36	(0.28,3.98)	N	99.2
<i>Stanislaus</i>	<i>Memorial Medical Center</i>	<i>11</i>	<i>4401</i>	<i>2.5</i>	<i>(1.25,4.47)</i>	<i>H</i>	<i>100</i>
<i>Stanislaus</i>	<i>Oak Valley Hospital District (2-Rh)</i>	<i>0</i>	<i>88</i>	<i>0</i>	<i>(0.00,34.04)</i>	<i>N</i>	<i>93.8</i>
Sutter	Rideout Memorial Hospital	2	1926	1.04	(0.13,3.75)	N	100
Tulare	Kaweah Delta Medical Center	0	4220	0	(0.00,0.71)	L	98.6
Tulare	Sierra View Medical Center	1	581	1.72	(0.04,9.59)	N	98.9
Tulare	Tulare Regional Medical Center	0	811	0	(0.00,3.69)	N	100
Tuolumne	Sonora Regional Medical Center	0	535	0	(0.00,5.60)	N	97.6
Ventura	Community Memorial Hospital - San Buenaventura	3	2406	1.25	(0.26,3.64)	N	98.8
<i>Ventura</i>	<i>Simi Valley Hospital & Health Care Services</i>	<i>3</i>	<i>1134</i>	<i>2.65</i>	<i>(0.55,7.73)</i>	<i>N</i>	<i>100</i>
Ventura	St Johns Pleasant Valley Hospital	0	881	0	(0.00,3.40)	N	98.2
<i>Ventura</i>	<i>St Johns Regional Medical Center</i>	<i>0</i>	<i>1209</i>	<i>0</i>	<i>(0.00,2.48)</i>	<i>N</i>	<i>97.3</i>
Ventura	Ventura County Medical Center	3	839	3.58	(0.74,10.45)	N	97.2
Ventura	Ventura County Medical Center - Santa Paula Hospital	0	143	0	(0.00,20.95)	N	82.4
Yolo	Sutter Davis Hospital	0	354	0	(0.00,8.46)	N	100
Yolo	Woodland Memorial Hospital	0	1174	0	(0.00,2.55)	N	100

*Rate per 1000 central line days

**95% confidence interval calculated for rates based on exact Poisson distribution.

*** Statistical interpretation indicates hospital-specific rates that were statistically higher (H), lower (L), or no different (N) than California average rates, or rates that were not tested due to too few central line-days or too few hospitals reported (---).

^The CLIP bundle includes eight components: hand hygiene, recommend skin preparation agent, allowing the skin preparation agent to dry, and five maximal sterile barriers (cap, mask, gown, gloves, and drape).

Source: Central Line-Associated Bloodstream Infections and Central Line Insertion Practices in California Hospitals, January 2014 through December 2014 (Inclusive).

CLABSI Table 9. Central Line-Associated Bloodstream Infection (CLABSI) Rates and Central Line Insertion Practices (CLIP) Adherence Percentages in Surgical Critical Care Units, Reported by California Hospitals, January- December 2014

Hospitals highlighted in red did not participate in 2014 data validation; completeness of reported infections has not been evaluated

County	Hospital Name	CLABSI count	Central line-days	Rate per 1000*	95% Confidence Interval**	Statistical Interpretation***	CLIP Adherence %^
	STATE OF CALIFORNIA POOLED DATA	132	164332	0.8			98.3
Butte	Enloe Medical Center - Esplanade	0	1477	0	(0.00,2.03)	N	96.5
Contra Costa	John Muir Medical Center-Concord Campus	1	1911	0.52	(0.01,2.92)	N	100
Contra Costa	John Muir Medical Center-Walnut Creek Campus	2	925	2.16	(0.26,7.81)	N	97.1
Fresno	Community Regional Medical Center	7	2426	2.89	(1.16,5.95)	H	81.8
Fresno	Saint Agnes Medical Center	2	1717	1.16	(0.14,4.21)	N	100
Kern	San Joaquin Community Hospital	2	2362	0.85	(0.10,3.06)	N	96.7
Los Angeles	California Hospital Medical Center - Los Angeles	0	67	0	(0.00,44.71)	N	100
Los Angeles	Cedars-Sinai Medical Center	4	10739	0.37	(0.10,0.95)	N	98.7
Los Angeles	Good Samaritan Hospital, Los Angeles	1	1795	0.56	(0.01,3.10)	N	100
Los Angeles	Kaiser Foundation Hospital, Los Angeles	0	3933	0	(0.00,0.76)	L	95.6
Los Angeles	Keck Hospital of USC	10	8868	1.13	(0.54,2.07)	N	99.6
Los Angeles	LAC+USC Medical Center	4	5179	0.77	(0.21,1.98)	N	99.3
<i>Los Angeles</i>	<i>LAC/Harbor-UCLA Medical Center</i>	<i>0</i>	<i>1879</i>	<i>0</i>	<i>(0.00,1.59)</i>	<i>N</i>	<i>98</i>
Los Angeles	Long Beach Memorial Medical Center	6	2712	2.21	(0.81,4.82)	H	90.1
Los Angeles	Providence Saint Joseph Medical Center	1	533	1.88	(0.05,10.45)	N	100
Los Angeles	Ronald Reagan UCLA Medical Center	23	13927	1.65	(1.05,2.48)	H	99.6
Los Angeles	Southern California Hospital at Culiver City	0	1268	0	(0.00,2.36)	N	100
Orange	AHMC Anaheim Regional Medical Center	5	2986	1.67	(0.54,3.91)	N	100
Orange	Hoag Memorial Hospital Presbyterian	1	1413	0.71	(0.02,3.94)	N	.
Orange	Mission Hospital Regional Medical Center	3	2881	1.04	(0.21,3.04)	N	99.1
Orange	University of California Irvine Medical Center	1	3000	0.33	(0.01,1.86)	N	99.6
Riverside	Riverside Community Hospital	1	3660	0.27	(0.01,1.52)	N	97.4
Sacramento	Mercy General Hospital	0	7118	0	(0.00,0.42)	L	98.5
Sacramento	Mercy San Juan Medical Center	0	3241	0	(0.00,0.92)	N	100
Sacramento	Sutter General Hospital	0	3821	0	(0.00,0.78)	L	100
Sacramento	University of California Davis Medical Center	2	2638	0.76	(0.09,2.74)	N	97.2
San Bernardino	Arrowhead Regional Medical Center	0	2456	0	(0.00,1.22)	N	99.3
San Bernardino	Desert Valley Hospital	1	1362	0.73	(0.02,4.09)	N	96
San Bernardino	Kaiser Foundation Hospital, Fontana	1	660	1.52	(0.04,8.44)	N	79
San Bernardino	Loma Linda University Medical Center	5	4195	1.19	(0.39,2.78)	N	97.1
San Diego	Alvarado Hospital Medical Center	1	1275	0.78	(0.02,4.37)	N	100
San Diego	Grossmont Hospital	1	3836	0.26	(0.01,1.45)	N	99.3
San Diego	Kaiser Foundation Hospital, San Diego	1	2474	0.4	(0.01,2.25)	N	99.7
San Diego	Scripps Memorial Hospital - La Jolla	5	4361	1.15	(0.37,2.68)	N	100
San Diego	Scripps Mercy Hospital	1	2129	0.47	(0.01,2.62)	N	97.9

CLABSI Table 9. Central Line-Associated Bloodstream Infection (CLABSI) Rates and Central Line Insertion Practices (CLIP) Adherence Percentages in Surgical Critical Care Units, Reported by California Hospitals, January- December 2014

Hospitals highlighted in red did not participate in 2014 data validation; completeness of reported infections has not been evaluated

County	Hospital Name	CLABSI count	Central line-days	Rate per 1000*	95% Confidence Interval**	Statistical Interpretation***	CLIP Adherence %^
	STATE OF CALIFORNIA POOLED DATA	132	164332	0.8			98.3
San Diego	Sharp Chula Vista Medical Center	0	602	0	(0.00,4.98)	N	97.5
San Diego	Sharp Memorial Hospital	1	3731	0.27	(0.01,1.49)	N	100
San Diego	University of California, San Diego Medical Center	9	3551	2.53	(1.16,4.81)	H	98.1
San Francisco	Kaiser Foundation Hospital, San Francisco	0	2178	0	(0.00,1.38)	N	96.6
San Francisco	UCSF Medical Center	2	7983	0.25	(0.03,0.91)	N	100
San Joaquin	St. Joseph's Medical Center Of Stockton	0	2141	0	(0.00,1.40)	N	97.6
Santa Barbara	Santa Barbara Cottage Hospital	0	2030	0	(0.00,1.48)	N	91.3
Santa Clara	Kaiser Foundation Hospital, Santa Clara	1	1896	0.53	(0.01,2.94)	N	96.5
Santa Clara	Regional Medical Center of San Jose	6	4432	1.35	(0.50,2.95)	N	98.5
Santa Clara	Santa Clara Valley Medical Center	0	1588	0	(0.00,1.89)	N	99.2
Santa Clara	Stanford Hospital	10	6826	1.46	(0.70,2.69)	N	99.4
Shasta	Mercy Medical Center Redding	2	788	2.54	(0.31,9.17)	N	100
Sonoma	Sutter Santa Rosa Regional Hospital	2	2681	0.75	(0.09,2.69)	N	100
<i>Stanislaus</i>	<i>Doctors Medical Center</i>	<i>2</i>	<i>3880</i>	<i>0.52</i>	<i>(0.06,1.86)</i>	<i>N</i>	<i>99.3</i>
Sutter	Rideout Memorial Hospital	4	2056	1.95	(0.53,4.98)	N	99
Ventura	Los Robles Hospital & Medical Center	1	2745	0.36	(0.01,2.03)	N	97.8

*Rate per 1000 central line days

**95% confidence interval calculated for rates based on exact Poisson distribution.

*** Statistical interpretation indicates hospital-specific rates that were statistically higher (H), lower (L), or no different (N) than California average rates, or rates that were not tested due to too few central line-days or too few hospitals reported (---).

^The CLIP bundle includes eight components: hand hygiene, recommend skin preparation agent, allowing the skin preparation agent to dry, and five maximal sterile barriers (cap, mask, gown, gloves, and drape).

Source: Central Line-Associated Bloodstream Infections and Central Line Insertion Practices in California Hospitals, January 2014 through December 2014 (Inclusive).

CLABSI Table 10. Central Line-Associated Bloodstream Infection (CLABSI) Rates and Central Line Insertion Practices (CLIP) Adherence Percentages in Burn Critical Care Units, Reported by California Hospitals, January - December 2014

County	Hospital Name	CLABSI count	Central line-days	Rate per 1000*	95% Confidence Interval**	Statistical Interpretation***	CLIP Adherence %^
	STATE OF CALIFORNIA POOLED DATA	31	13052	2.38			98.1
Fresno	Community Regional Medical Center	5	1339	3.73	(1.21,8.71)	N	100
Kern	San Joaquin Community Hospital	1	239	4.18	(0.11,23.31)	N	88.9
Los Angeles	LAC+USC Medical Center	0	885	0	(0.00,3.39)	N	100
Los Angeles	Torrance Memorial Medical Center	0	1271	0	(0.00,2.36)	L	100
Los Angeles	West Hills Hospital & Medical Center	4	537	7.45	(2.03,19.07)	N	100
Orange	University of California Irvine Medical Center	1	1491	0.67	(0.02,3.74)	N	100
Orange	Western Medical Center Santa Ana	1	128	7.81	(0.20,43.53)	N	87.5
Sacramento	University of California Davis Medical Center	8	2734	2.93	(1.26,5.77)	N	99.4
San Bernardino	Arrowhead Regional Medical Center	2	325	6.15	(0.75,22.23)	N	100
San Diego	University of California, San Diego Medical Center	6	1595	3.76	(1.38,8.19)	N	94.3
San Francisco	Saint Francis Memorial Hospital	2	1730	1.16	(0.14,4.18)	N	100
Santa Clara	Santa Clara Valley Medical Center	1	778	1.29	(0.03,7.16)	N	95.3

*Rate per 1000 central line days

**95% confidence interval calculated for rates based on exact Poisson distribution.

*** Statistical interpretation indicates hospital-specific rates that were statistically higher (H), lower (L), or no different (N) than California average rates, or rates that were not tested due to too few central line-days or too few hospitals reported (---).

^The CLIP bundle includes eight components: hand hygiene, recommend skin preparation agent, allowing the skin preparation agent to dry, and five maximal sterile barriers (cap, mask, gown, gloves, and drape).

Source: Central Line-Associated Bloodstream Infections and Central Line Insertion Practices in California Hospitals, January 2014 through December 2014 (Inclusive).

CLABSI Table 11. Central Line-Associated Bloodstream Infection (CLABSI) Rates and Central Line Insertion Practices (CLIP) Adherence Percentages in Trauma Critical Care Units, Reported by California Hospitals, January - December 2014

Hospitals highlighted in red did not participate in 2014 data validation; completeness of reported infections has not been evaluated

County	Hospital Name	CLABSI count	Central line-days	Rate per 1000*	95% Confidence Interval**	Statistical Interpretation***	CLIP Adherence % [^]
	STATE OF CALIFORNIA POOLED DATA	15	26854	0.56			97.2
Los Angeles	California Hospital Medical Center - Los Angeles	1	1100	0.91	(0.02,5.07)	N	100
<i>Los Angeles</i>	<i>LAC/Harbor-UCLA Medical Center</i>	<i>4</i>	<i>2434</i>	<i>1.64</i>	<i>(0.45,4.21)</i>	<i>N</i>	<i>96.7</i>
Orange	University of California Irvine Medical Center	0	3862	0	(0.00,0.78)	N	98.6
Placer	Sutter Roseville Medical Center	0	2343	0	(0.00,1.28)	N	100
Riverside	Desert Regional Medical Center	0	1711	0	(0.00,1.75)	N	21.4
Sacramento	Mercy San Juan Medical Center	0	990	0	(0.00,3.03)	N	98.9
Sacramento	University of California Davis Medical Center	4	4629	0.86	(0.24,2.21)	N	98.8
San Diego	Palomar Medical Center	2	2147	0.93	(0.11,3.37)	N	98.2
San Diego	Scripps Memorial Hospital - La Jolla	2	2062	0.97	(0.12,3.50)	N	100
San Francisco	San Francisco General Hospital	1	2800	0.36	(0.01,1.99)	N	99.4
Santa Clara	Santa Clara Valley Medical Center	1	2776	0.36	(0.01,2.01)	N	97.7

*Rate per 1000 central line days

**95% confidence interval calculated for rates based on exact Poisson distribution.

*** Statistical interpretation indicates hospital-specific rates that were statistically higher (H), lower (L), or no different (N) than California average rates, or rates that were not tested due to too few central line-days or too few hospitals reported (---).

[^]The CLIP bundle includes eight components: hand hygiene, recommend skin preparation agent, allowing the skin preparation agent to dry, and five maximal sterile barriers (cap, mask, gown, gloves, and drape).

Source: Central Line-Associated Bloodstream Infections and Central Line Insertion Practices in California Hospitals, January 2014 through December 2014 (Inclusive).

CLABSI Table 12. Central Line-Associated Bloodstream Infection (CLABSI) Rates and Central Line Insertion Practices (CLIP) Adherence Percentages in Long-Term Acute Critical Care Units, Reported by California Hospitals, January - December 2014

County	Hospital Name	CLABSI count	Central line-days	Rate per 1000*	95% Confidence Interval**	Statistical Interpretation***	CLIP Adherence %^
	STATE OF CALIFORNIA POOLED DATA	34	26133	1.3			99.1
Alameda	Kindred Hospital, San Francisco Bay Area	1	1937	0.52	(0.01,2.88)	N	100
Los Angeles	Barlow Respiratory Hospital	0	833	0	(0.00,3.60)	N	100
Los Angeles	Kindred Hospital, Baldwin Park	3	1946	1.54	(0.32,4.51)	N	.
Los Angeles	Kindred Hospital, La Mirada	2	874	2.29	(0.28,8.27)	N	100
Los Angeles	Kindred Hospital, Los Angeles	2	1826	1.1	(0.13,3.96)	N	100
Los Angeles	Kindred Hospital, San Gabriel Valley	3	1360	2.21	(0.45,6.45)	N	.
Los Angeles	Kindred Hospital, South Bay, Gardena	1	1347	0.74	(0.02,4.14)	N	100
Orange	Kindred Hospital, Brea	7	869	8.06	(3.24,16.60)	H	100
Orange	Kindred Hospital, Santa Ana	0	1492	0	(0.00,2.01)	N	.
Orange	Kindred Hospital, Westminster	3	4405	0.68	(0.14,1.99)	N	98.1
Riverside	Kindred Hospital, Riverside	3	1737	1.73	(0.36,5.05)	N	95.2
Sacramento	Vibra Hospital of Sacramento	1	1647	0.61	(0.02,3.38)	N	100
San Bernardino	Kindred Hospital, Ontario	1	930	1.08	(0.03,5.99)	N	.
San Bernardino	Kindred Hospital, Rancho	1	1657	0.6	(0.02,3.36)	N	100
San Diego	Kindred Hospital, San Diego	1	1886	0.53	(0.01,2.95)	N	100
San Diego	Vibra Hospital of San Diego	5	1387	3.6	(1.17,8.41)	N	97.9

*Rate per 1000 central line days

**95% confidence interval calculated for rates based on exact Poisson distribution.

*** Statistical interpretation indicates hospital-specific rates that were statistically higher (H), lower (L), or no different (N) than California average rates, or rates that were not tested due to too few central line-days or too few hospitals reported (---).

^The CLIP bundle includes eight components: hand hygiene, recommend skin preparation agent, allowing the skin preparation agent to dry, and five maximal sterile barriers (cap, mask, gown, gloves, and drape).

Source: Central Line-Associated Bloodstream Infections and Central Line Insertion Practices in California Hospitals, January 2014 through December 2014 (Inclusive).

CLABSI Table 13. Central Line-Associated Bloodstream Infection (CLABSI) Rates and Central Line Insertion Practices (CLIP) Adherence Percentages in Pediatric Critical Care Units, Reported by California hospitals, January - December 2014

Hospitals highlighted in red did not participate in 2014 data validation; completeness of reported infections has not been evaluated

County	Hospital Name	CLABSI count	Central line-days	Rate per 1000*	95% Confidence Interval**	Statistical Interpretation***	CLIP Adherence %^
	STATE OF CALIFORNIA POOLED DATA	81	73105	1.11			96.6
Alameda	Children's Hospital & Research Center Oakland	2	2467	0.81	(0.10,2.93)	N	99
Alameda	Kaiser Foundation Hospital, Oakland/Richmond	0	511	0	(0.00,5.86)	N	79.2
Kern	Bakersfield Memorial Hospital	1	191	5.24	(0.13,29.17)	N	100
Los Angeles	Cedars-Sinai Medical Center	1	546	1.83	(0.05,10.20)	N	100
Los Angeles	Childrens Hospital Los Angeles	11	10704	1.03	(0.51,1.84)	N	96.4
Los Angeles	Earl & Loraine Miller Children's Hospital	1	1845	0.54	(0.01,3.02)	N	93.9
Los Angeles	Huntington Memorial Hospital	0	25	.	-----	---	80
Los Angeles	Kaiser Foundation Hospital, Downey	1	263	3.8	(0.10,21.18)	N	94.7
Los Angeles	Kaiser Foundation Hospital, Los Angeles	2	949	2.11	(0.26,7.61)	N	96.2
Los Angeles	LAC+USC Medical Center	0	171	0	(0.00,17.52)	N	95.2
<i>Los Angeles</i>	<i>LAC/Harbor-UCLA Medical Center</i>	<i>0</i>	<i>600</i>	<i>0</i>	<i>(0.00,4.99)</i>	<i>N</i>	<i>97.6</i>
Los Angeles	Northridge Hospital Medical Center	0	163	0	(0.00,18.38)	N	100
<i>Los Angeles</i>	<i>Providence Tarzana Medical Center</i>	<i>0</i>	<i>61</i>	<i>0</i>	<i>(0.00,49.11)</i>	<i>N</i>	<i>100</i>
Los Angeles	Ronald Reagan UCLA Medical Center	9	5640	1.6	(0.73,3.03)	N	99.3
<i>Los Angeles</i>	<i>Santa Monica - UCLA Medical Center and Orthopaedic Hospital</i>	<i>0</i>	<i>139</i>	<i>0</i>	<i>(0.00,21.55)</i>	<i>N</i>	<i>100</i>
Los Angeles	Valley Presbyterian Hospital	0	25	.	-----	---	90
Los Angeles	White Memorial Medical Center	0	55	0	(0.00,54.47)	N	.
Madera	Children's Hospital Central California	5	7039	0.71	(0.23,1.66)	N	98.9
<i>Orange</i>	<i>Children's Hospital at Mission</i>	<i>0</i>	<i>142</i>	<i>0</i>	<i>(0.00,21.10)</i>	<i>N</i>	<i>100</i>
Orange	Children's Hospital of Orange County	2	4768	0.42	(0.05,1.52)	N	97.2
Orange	Fountain Valley Regional Hospital & Medical Center	0	347	0	(0.00,8.63)	N	100
Placer	Kaiser Foundation Hospital, Roseville	0	595	0	(0.00,5.03)	N	98.4
Riverside	Riverside County Regional Medical Center	0	147	0	(0.00,20.38)	N	100
Sacramento	Shriners Hospitals for Children North CA	4	1120	3.57	(0.97,9.14)	N	99.5
Sacramento	Sutter General Hospital	0	1507	0	(0.00,1.99)	N	98.2
Sacramento	University of California Davis Medical Center	5	2946	1.7	(0.55,3.96)	N	98.9
San Bernardino	Kaiser Foundation Hospital, Fontana	2	460	4.35	(0.53,15.71)	N	39.6
San Bernardino	Loma Linda University Medical Center	2	4616	0.43	(0.05,1.57)	N	93.3
San Diego	Rady Children's Hospital - San Diego	10	10162	0.98	(0.47,1.81)	N	98.8
San Francisco	California Pacific Medical Center – California West Campus Hospital	0	259	0	(0.00,11.57)	N	86.7
San Francisco	UCSF Medical Center	4	3463	1.16	(0.31,2.96)	N	99.6
Santa Barbara	Santa Barbara Cottage Hospital	0	198	0	(0.00,15.13)	N	0

CLABSI Table 13. Central Line-Associated Bloodstream Infection (CLABSI) Rates and Central Line Insertion Practices (CLIP) Adherence Percentages in Pediatric Critical Care Units, Reported by California hospitals, January - December 2014

Hospitals highlighted in red did not participate in 2014 data validation; completeness of reported infections has not been evaluated

County	Hospital Name	CLABSI count	Central line-days	Rate per 1000*	95% Confidence Interval**	Statistical Interpretation***	CLIP Adherence %^
	STATE OF CALIFORNIA POOLED DATA	81	73105	1.11			96.6
Santa Clara	Good Samaritan Hospital, San Jose	0	71	0	(0.00,42.19)	N	100
Santa Clara	Kaiser Foundation Hospital, Santa Clara	0	378	0	(0.00,7.93)	N	93.5
Santa Clara	Lucile Salter Packard Children's Hospital at Stanford	18	9990	1.8	(1.07,2.85)	N	98.8
Santa Clara	Santa Clara Valley Medical Center	1	435	2.3	(0.06,12.81)	N	93.8
Ventura	Ventura County Medical Center	0	107	0	(0.00,28.00)	N	93.1

*Rate per 1000 central line days

**95% confidence interval calculated for rates based on exact Poisson distribution.

*** Statistical interpretation indicates hospital-specific rates that were statistically higher (H), lower (L), or no different (N) than California average rates, or rates that were not tested due to too few central line-days or too few hospitals reported (---).

^The CLIP bundle includes eight components: hand hygiene, recommend skin preparation agent, allowing the skin preparation agent to dry, and five maximal sterile barriers (cap, mask, gown, gloves, and drape).

Source: Central Line-Associated Bloodstream Infections and Central Line Insertion Practices in California Hospitals, January 2014 through December 2014 (Inclusive).

CLABSI Table 14. Central Line-Associated Bloodstream Infection (CLABSI) Rates and Central Line Insertion Practices (CLIP) Adherence Percentages in Neonatal Critical Care Units for Neonates Weighing Less Than or Equal to 750 Grams at Birth, as Reported by California Hospitals, January - December 2014

Hospitals highlighted in red did not participate in 2014 data validation; completeness of reported infections has not been evaluated.

County	Hospital Name	CLABSI count	Central line-days	Rate per 1000*	95% Confidence Interval**	Statistical Interpretation***	CLIP Adherence %^
	STATE OF CALIFORNIA POOLED DATA	46	29078	1.58			96.1
Alameda	Alta Bates Summit Medical Center-Alta Bates Campus	0	435	0	(0.00,6.89)	N	100
Alameda	Children's Hospital & Research Center Oakland	1	69	14.49	(0.37,80.75)	N	100
Alameda	Kaiser Foundation Hospital, Fremont	0	49	.	-----	---	94.3
Alameda	Kaiser Foundation Hospital, Oakland/Richmond	0	268	0	(0.00,11.18)	N	93
Contra Costa	John Muir Medical Center-Walnut Creek Campus	0	74	0	(0.00,40.48)	N	88.9
Contra Costa	Kaiser Foundation Hospital, Walnut Creek	0	232	0	(0.00,12.91)	N	97.6
Fresno	Community Regional Medical Center	1	551	1.81	(0.05,10.11)	N	98.7
Kern	Bakersfield Memorial Hospital	0	241	0	(0.00,12.43)	N	98.3
Kern	Kern Medical Center	0	560	0	(0.00,5.35)	N	100
<i>Kern</i>	<i>Mercy Southwest Hospital</i>	<i>0</i>	<i>65</i>	<i>0</i>	<i>(0.00,46.09)</i>	<i>N</i>	<i>100</i>
Kern	San Joaquin Community Hospital	0	213	0	(0.00,14.06)	N	98.4
Los Angeles	Antelope Valley Hospital	7	208	33.65	(13.53,69.34)	H	97.8
Los Angeles	California Hospital Medical Center - Los Angeles	1	96	10.42	(0.26,58.04)	N	100
Los Angeles	Cedars-Sinai Medical Center	1	339	2.95	(0.07,16.44)	N	90.8
Los Angeles	Centinela Hospital Medical Center	0	10	.	-----	---	94.7
Los Angeles	Childrens Hospital Los Angeles	1	2369	0.42	(0.01,2.35)	N	85.1
Los Angeles	Citrus Valley Medical Center - IC Campus	1	264	3.79	(0.10,21.10)	N	94.8
Los Angeles	Earl & Loraine Miller Children's Hospital	1	934	1.07	(0.03,5.97)	N	93.1
Los Angeles	Garfield Medical Center	0	119	0	(0.00,25.17)	N	100
Los Angeles	Glendale Adventist Medical Center	0	20	.	-----	---	97.2
<i>Los Angeles</i>	<i>Glendale Memorial Hospital and Health Center</i>	<i>0</i>	<i>10</i>	<i>.</i>	<i>-----</i>	<i>---</i>	<i>100</i>
Los Angeles	Good Samaritan Hospital, Los Angeles	0	325	0	(0.00,9.22)	N	100
Los Angeles	Hollywood Presbyterian Medical Center	0	106	0	(0.00,28.26)	N	98
Los Angeles	Huntington Memorial Hospital	1	311	3.22	(0.08,17.92)	N	98.1
Los Angeles	Kaiser Foundation Hospital, Downey	0	753	0	(0.00,3.98)	N	99.4
Los Angeles	Kaiser Foundation Hospital, Los Angeles	0	485	0	(0.00,6.18)	N	96.1
Los Angeles	Kaiser Foundation Hospital, Panorama City	0	123	0	(0.00,24.36)	N	64.3
Los Angeles	LAC+USC Medical Center	0	690	0	(0.00,4.34)	N	98.8
<i>Los Angeles</i>	<i>LAC/Harbor-UCLA Medical Center</i>	<i>1</i>	<i>315</i>	<i>3.17</i>	<i>(0.08,17.69)</i>	<i>N</i>	<i>86.8</i>
<i>Los Angeles</i>	<i>Los Angeles County Olive View-UCLA Medical Center</i>	<i>0</i>	<i>30</i>	<i>.</i>	<i>-----</i>	<i>---</i>	<i>100</i>
Los Angeles	Northridge Hospital Medical Center	0	37	.	-----	---	100
Los Angeles	PIH Hospital - Downey	0	1	.	-----	---	100
Los Angeles	Pomona Valley Hospital Medical Center	2	1138	1.76	(0.21,6.35)	N	93
Los Angeles	Presbyterian Intercommunity Hospital	0	53	0	(0.00,56.52)	N	100
Los Angeles	Providence Holy Cross Medical Center	0	46	.	-----	---	.

CLABSI Table 14. Central Line-Associated Bloodstream Infection (CLABSI) Rates and Central Line Insertion Practices (CLIP) Adherence Percentages in Neonatal Critical Care Units for Neonates Weighing Less Than or Equal to 750 Grams at Birth, as Reported by California Hospitals, January - December 2014

Hospitals highlighted in red did not participate in 2014 data validation; completeness of reported infections has not been evaluated.

County	Hospital Name	CLABSI count	Central line-days	Rate per 1000*	95% Confidence Interval**	Statistical Interpretation***	CLIP Adherence %^
	STATE OF CALIFORNIA POOLED DATA	46	29078	1.58			96.1
Los Angeles	Providence Little Company of Mary Medical Center Torrance	1	59	16.95	(0.43,94.43)	N	97.2
Los Angeles	Providence Saint John's Health Center	0	56	0	(0.00,53.50)	N	100
Los Angeles	Providence Saint Joseph Medical Center	0	133	0	(0.00,22.52)	N	100
<i>Los Angeles</i>	<i>Providence Tarzana Medical Center</i>	<i>0</i>	<i>58</i>	<i>0</i>	<i>(0.00,51.65)</i>	<i>N</i>	<i>95</i>
Los Angeles	Ronald Reagan UCLA Medical Center	0	370	0	(0.00,8.10)	N	96.6
Los Angeles	Saint Francis Medical Center	0	84	0	(0.00,35.66)	N	98
Los Angeles	San Gabriel Valley Medical Center	0	63	0	(0.00,47.55)	N	100
Los Angeles	St. Mary Medical Center, Long Beach	0	140	0	(0.00,21.40)	N	100
Los Angeles	Torrance Memorial Medical Center	1	106	9.43	(0.24,52.56)	N	92.9
Los Angeles	Valley Presbyterian Hospital	0	172	0	(0.00,17.42)	N	96.8
Los Angeles	White Memorial Medical Center	1	152	6.58	(0.17,36.66)	N	100
Madera	Children's Hospital Central California	3	1292	2.32	(0.48,6.79)	N	98.6
Monterey	Natividad Medical Center	0	5	.	-----	---	100
Orange	AHMC Anaheim Regional Medical Center	1	38	.	-----	---	100
<i>Orange</i>	<i>Children's Hospital at Mission</i>	<i>0</i>	<i>77</i>	<i>0</i>	<i>(0.00,38.91)</i>	<i>N</i>	<i>100</i>
Orange	Children's Hospital of Orange County	0	643	0	(0.00,4.66)	N	98.9
Orange	Fountain Valley Regional Hospital & Medical Center	0	164	0	(0.00,18.27)	N	100
Orange	Hoag Memorial Hospital Presbyterian	0	80	0	(0.00,37.45)	N	.
Orange	Kaiser Foundation Hospital, Orange County, Anaheim	0	450	0	(0.00,6.66)	N	91
Orange	Kaiser Foundation Hospital, Orange County, Irvine	0	1	.	-----	---	76.5
Orange	Saddleback Memorial Medical Center	1	11	.	-----	---	100
Orange	St. Jude Medical Center	0	19	.	-----	---	100
Orange	University of California Irvine Medical Center	1	762	1.31	(0.03,7.31)	N	98.3
Orange	Western Medical Center Santa Ana	0	6	.	-----	---	100
Placer	Kaiser Foundation Hospital, Roseville	0	744	0	(0.00,4.03)	N	98.6
Riverside	Desert Regional Medical Center	0	187	0	(0.00,16.02)	N	86.7
Riverside	Kaiser Foundation Hospital, Riverside	0	34	.	-----	---	100
Riverside	Riverside Community Hospital	0	164	0	(0.00,18.27)	N	97.8
Riverside	Riverside County Regional Medical Center	0	93	0	(0.00,32.21)	N	100
Sacramento	Mercy San Juan Medical Center	0	249	0	(0.00,12.03)	N	99.5
Sacramento	Sutter General Hospital	4	1045	3.83	(1.04,9.80)	N	98
Sacramento	University of California Davis Medical Center	0	436	0	(0.00,6.87)	N	94.6
San Bernardino	Arrowhead Regional Medical Center	0	102	0	(0.00,29.37)	N	97.6
San Bernardino	Community Hospital of San Bernardino	0	2	.	-----	---	100
San Bernardino	Kaiser Foundation Hospital, Fontana	5	798	6.27	(2.03,14.62)	H	44.7

CLABSI Table 14. Central Line-Associated Bloodstream Infection (CLABSI) Rates and Central Line Insertion Practices (CLIP) Adherence Percentages in Neonatal Critical Care Units for Neonates Weighing Less Than or Equal to 750 Grams at Birth, as Reported by California Hospitals, January - December 2014

Hospitals highlighted in red did not participate in 2014 data validation; completeness of reported infections has not been evaluated.

County	Hospital Name	CLABSI count	Central line-days	Rate per 1000*	95% Confidence Interval**	Statistical Interpretation***	CLIP Adherence %^
	STATE OF CALIFORNIA POOLED DATA	46	29078	1.58			96.1
San Bernardino	Loma Linda University Medical Center	0	1246	0	(0.00,2.40)	N	92.1
San Bernardino	Redlands Community Hospital	0	144	0	(0.00,20.80)	N	98.6
San Bernardino	San Antonio Community Hospital	0	124	0	(0.00,24.16)	N	94.6
San Bernardino	St. Bernardine Medical Center	0	311	0	(0.00,9.63)	N	97.7
San Bernardino	St. Mary Medical Center, Apple Valley	0	72	0	(0.00,41.61)	N	73.3
San Bernardino	Victor Valley Global Medical Center	0	1	.	-----	---	.
San Diego	Kaiser Foundation Hospital, San Diego	0	423	0	(0.00,7.08)	N	99.5
San Diego	Rady Children's Hospital - San Diego	0	551	0	(0.00,5.44)	N	99.2
San Diego	Scripps Mercy Hospital Chula Vista	0	2	.	-----	---	100
San Diego	Sharp Mary Birch Hospital For Women And Newborns	3	1073	2.8	(0.58,8.17)	N	99.9
San Diego	Tri-City Medical Center	0	21	.	-----	---	100
San Diego	University of California, San Diego Medical Center	1	1052	0.95	(0.02,5.30)	N	100
San Francisco	California Pacific Medical Center – California West Campus Hospital	0	198	0	(0.00,15.13)	N	75.4
San Francisco	Kaiser Foundation Hospital, San Francisco	1	185	5.41	(0.14,30.12)	N	100
San Francisco	San Francisco General Hospital	0	115	0	(0.00,26.05)	N	100
San Francisco	UCSF Medical Center	2	729	2.74	(0.33,9.91)	N	100
San Joaquin	Dameron Hospital	1	82	12.2	(0.31,67.95)	N	83.1
San Joaquin	San Joaquin General Hospital	0	84	0	(0.00,35.66)	N	100
San Luis Obispo	Sierra Vista Regional Medical Center	0	103	0	(0.00,29.08)	N	90.5
Santa Barbara	Marian Regional Medical Center	0	12	.	-----	---	100
Santa Barbara	Santa Barbara Cottage Hospital	0	68	0	(0.00,44.05)	N	98.7
Santa Clara	El Camino Hospital	0	208	0	(0.00,14.40)	N	100
Santa Clara	Good Samaritan Hospital, San Jose	1	585	1.71	(0.04,9.52)	N	96.7
Santa Clara	Kaiser Foundation Hospital, Santa Clara	0	214	0	(0.00,14.00)	N	91.1
Santa Clara	Lucile Salter Packard Children's Hospital at Stanford	1	586	1.71	(0.04,9.51)	N	99.3
Santa Clara	Santa Clara Valley Medical Center	0	71	0	(0.00,42.19)	N	88
Shasta	Mercy Medical Center Redding	0	12	.	-----	---	100
<i>Stanislaus</i>	<i>Doctors Medical Center</i>	<i>0</i>	<i>135</i>	<i>0</i>	<i>(0.00,22.19)</i>	<i>N</i>	<i>98</i>
Stanislaus	Kaiser Foundation Hospital, Manteca	0	2	.	-----	---	100

CLABSI Table 14. Central Line-Associated Bloodstream Infection (CLABSI) Rates and Central Line Insertion Practices (CLIP) Adherence Percentages in Neonatal Critical Care Units for Neonates Weighing Less Than or Equal to 750 Grams at Birth, as Reported by California Hospitals, January - December 2014

Hospitals highlighted in red did not participate in 2014 data validation; completeness of reported infections has not been evaluated.

County	Hospital Name	CLABSI count	Central line-days	Rate per 1000*	95% Confidence Interval**	Statistical Interpretation***	CLIP Adherence %^
	STATE OF CALIFORNIA POOLED DATA	46	29078	1.58			96.1
Ventura	Community Memorial Hospital - San Buenaventura	0	163	0	(0.00,18.38)	N	.
Ventura	Los Robles Hospital & Medical Center	0	25	.	-----	---	100
<i>Ventura</i>	<i>Simi Valley Hospital & Health Care Services</i>	<i>0</i>	<i>3</i>	<i>.</i>	<i>-----</i>	<i>---</i>	<i>94.4</i>
<i>Ventura</i>	<i>St Johns Regional Medical Center</i>	<i>0</i>	<i>28</i>	<i>.</i>	<i>-----</i>	<i>---</i>	<i>95.7</i>
Ventura	Ventura County Medical Center	0	116	0	(0.00,25.83)	N	96.9

*Rate per 1000 central line days

**95% confidence interval calculated for rates based on exact Poisson distribution.

*** Statistical interpretation indicates hospital-specific rates that were statistically higher (H), lower (L), or no different (N) than California average rates, or rates that were not tested due to too few central line-days or too few hospitals reported (---).

^ Reported neonatal critical care CLIP data is combined for all birthweight categories.

Source: Central Line-Associated Bloodstream Infections and Central Line Insertion Practices in California Hospitals, January 2014 through December 2014 (Inclusive).

CLABSI Table 15. Central Line-Associated Bloodstream Infection (CLABSI) Rates and Central Line Insertion Practices (CLIP) Adherence Percentages in Neonatal Critical Care Units for Neonates Weighing 751 and 1000 Grams at Birth, Reported by California Hospitals, January - December 2014

Hospitals highlighted in red did not participate in 2014 data validation; completeness of reported infections has not been evaluated.

County	Hospital Name	CLABSI count	Central line-days	Rate per 1000*	95% Confidence Interval**	Statistical Interpretation***	CLIP Adherence %^
	STATE OF CALIFORNIA POOLED DATA	36	30322	1.19			96.1
Alameda	Alta Bates Summit Medical Center-Alta Bates Campus	1	496	2.02	(0.05,11.23)	N	100
Alameda	Children's Hospital & Research Center Oakland	1	150	6.67	(0.17,37.14)	N	100
Alameda	Kaiser Foundation Hospital, Fremont	0	32	.	-----	---	94.3
Alameda	Kaiser Foundation Hospital, Oakland/Richmond	0	102	0	(0.00,29.37)	N	93
Butte	Enloe Medical Center - Esplanade	0	1	.	-----	---	.
Contra Costa	John Muir Medical Center-Walnut Creek Campus	0	81	0	(0.00,36.98)	N	88.9
Contra Costa	Kaiser Foundation Hospital, Walnut Creek	0	180	0	(0.00,16.64)	N	97.6
Fresno	Community Regional Medical Center	3	1294	2.32	(0.48,6.78)	N	98.7
Kern	Bakersfield Memorial Hospital	0	378	0	(0.00,7.93)	N	98.3
Kern	Kern Medical Center	0	554	0	(0.00,5.41)	N	100
<i>Kern</i>	<i>Mercy Southwest Hospital</i>	<i>0</i>	<i>132</i>	<i>0</i>	<i>(0.00,22.69)</i>	<i>N</i>	<i>100</i>
Kern	San Joaquin Community Hospital	1	178	5.62	(0.14,31.30)	N	98.4
Los Angeles	Antelope Valley Hospital	1	97	10.31	(0.26,57.44)	N	97.8
Los Angeles	California Hospital Medical Center - Los Angeles	0	85	0	(0.00,35.24)	N	100
Los Angeles	Cedars-Sinai Medical Center	1	634	1.58	(0.04,8.79)	N	90.8
Los Angeles	Centinela Hospital Medical Center	0	97	0	(0.00,30.88)	N	94.7
Los Angeles	Childrens Hospital Los Angeles	1	1823	0.55	(0.01,3.06)	N	85.1
Los Angeles	Citrus Valley Medical Center - IC Campus	0	547	0	(0.00,5.48)	N	94.8
Los Angeles	Earl & Loraine Miller Children's Hospital	2	953	2.1	(0.25,7.58)	N	93.1
Los Angeles	Garfield Medical Center	0	34	.	-----	---	100
Los Angeles	Glendale Adventist Medical Center	0	59	0	(0.00,50.78)	N	97.2
<i>Los Angeles</i>	<i>Glendale Memorial Hospital and Health Center</i>	<i>0</i>	<i>76</i>	<i>0</i>	<i>(0.00,39.42)</i>	<i>N</i>	<i>100</i>
Los Angeles	Good Samaritan Hospital, Los Angeles	0	118	0	(0.00,25.39)	N	100
Los Angeles	Hollywood Presbyterian Medical Center	0	68	0	(0.00,44.05)	N	98
Los Angeles	Huntington Memorial Hospital	0	211	0	(0.00,14.20)	N	98.1
Los Angeles	Kaiser Foundation Hospital, Baldwin Park	0	4	.	-----	---	80
Los Angeles	Kaiser Foundation Hospital, Downey	0	240	0	(0.00,12.48)	N	99.4
Los Angeles	Kaiser Foundation Hospital, Los Angeles	0	408	0	(0.00,7.34)	N	96.1
Los Angeles	Kaiser Foundation Hospital, Panorama City	0	254	0	(0.00,11.79)	N	64.3
Los Angeles	Kaiser Foundation Hospital, West LA	0	51	0	(0.00,58.74)	N	84.6
Los Angeles	LAC+USC Medical Center	0	274	0	(0.00,10.93)	N	98.8
<i>Los Angeles</i>	<i>LAC/Harbor-UCLA Medical Center</i>	<i>1</i>	<i>260</i>	<i>3.85</i>	<i>(0.10,21.43)</i>	<i>N</i>	<i>86.8</i>
<i>Los Angeles</i>	<i>Los Angeles County Olive View-UCLA Medical Center</i>	<i>0</i>	<i>102</i>	<i>0</i>	<i>(0.00,29.37)</i>	<i>N</i>	<i>100</i>
Los Angeles	Methodist Hospital of Southern California	0	19	.	-----	---	100
Los Angeles	Northridge Hospital Medical Center	0	108	0	(0.00,27.74)	N	100

CLABSI Table 15. Central Line-Associated Bloodstream Infection (CLABSI) Rates and Central Line Insertion Practices (CLIP) Adherence Percentages in Neonatal Critical Care Units for Neonates Weighing 751 and 1000 Grams at Birth, Reported by California Hospitals, January - December 2014

Hospitals highlighted in red did not participate in 2014 data validation; completeness of reported infections has not been evaluated.

County	Hospital Name	CLABSI count	Central line-days	Rate per 1000*	95% Confidence Interval**	Statistical Interpretation***	CLIP Adherence %^
	STATE OF CALIFORNIA POOLED DATA	36	30322	1.19			96.1
Los Angeles	Pomona Valley Hospital Medical Center	2	1154	1.73	(0.21,6.26)	N	93
Los Angeles	Presbyterian Intercommunity Hospital	0	144	0	(0.00,20.80)	N	100
Los Angeles	Providence Holy Cross Medical Center	0	33	.	-----	---	.
Los Angeles	Providence Little Company of Mary Medical Center Torrance	2	113	17.7	(2.14,63.94)	H	97.2
Los Angeles	Providence Saint John's Health Center	0	61	0	(0.00,49.11)	N	100
Los Angeles	Providence Saint Joseph Medical Center	0	96	0	(0.00,31.21)	N	100
<i>Los Angeles</i>	<i>Providence Tarzana Medical Center</i>	<i>0</i>	<i>151</i>	<i>0</i>	<i>(0.00,19.84)</i>	<i>N</i>	<i>95</i>
Los Angeles	Ronald Reagan UCLA Medical Center	1	376	2.66	(0.07,14.82)	N	96.6
Los Angeles	Saint Francis Medical Center	1	246	4.07	(0.10,22.65)	N	98
Los Angeles	San Gabriel Valley Medical Center	0	34	.	-----	---	100
<i>Los Angeles</i>	<i>Santa Monica - UCLA Medical Center and Orthopaedic Hospital</i>	<i>1</i>	<i>310</i>	<i>3.23</i>	<i>(0.08,17.97)</i>	<i>N</i>	<i>100</i>
Los Angeles	St. Mary Medical Center, Long Beach	0	141	0	(0.00,21.25)	N	100
Los Angeles	Torrance Memorial Medical Center	1	291	3.44	(0.09,19.15)	N	92.9
Los Angeles	Valley Presbyterian Hospital	0	200	0	(0.00,14.98)	N	96.8
Los Angeles	White Memorial Medical Center	0	178	0	(0.00,16.83)	N	100
Madera	Children's Hospital Central California	1	1694	0.59	(0.01,3.29)	N	98.6
Monterey	Natividad Medical Center	0	30	.	-----	---	100
<i>Napa</i>	<i>Queen of the Valley Medical Center</i>	<i>0</i>	<i>2</i>	<i>.</i>	<i>-----</i>	<i>---</i>	<i>94.1</i>
Orange	AHMC Anaheim Regional Medical Center	0	7	.	-----	---	100
<i>Orange</i>	<i>Children's Hospital at Mission</i>	<i>1</i>	<i>140</i>	<i>7.14</i>	<i>(0.18,39.80)</i>	<i>N</i>	<i>100</i>
Orange	Children's Hospital of Orange County	0	509	0	(0.00,5.89)	N	98.9
Orange	Fountain Valley Regional Hospital & Medical Center	1	129	7.75	(0.20,43.19)	N	100
Orange	Hoag Memorial Hospital Presbyterian	0	158	0	(0.00,18.96)	N	.
Orange	Kaiser Foundation Hospital, Orange County, Anaheim	0	371	0	(0.00,8.07)	N	91
Orange	Kaiser Foundation Hospital, Orange County, Irvine	0	2	.	-----	---	76.5
Orange	Saddleback Memorial Medical Center	0	33	.	-----	---	100
Orange	St. Jude Medical Center	0	24	.	-----	---	100
Orange	University of California Irvine Medical Center	1	656	1.52	(0.04,8.49)	N	98.3
Orange	Western Medical Center Santa Ana	0	34	.	-----	---	100
Placer	Kaiser Foundation Hospital, Roseville	0	505	0	(0.00,5.93)	N	98.6
Riverside	Desert Regional Medical Center	1	201	4.98	(0.13,27.72)	N	86.7
Riverside	Kaiser Foundation Hospital, Riverside	0	39	.	-----	---	100
Riverside	Parkview Community Hospital Medical Center	0	88	0	(0.00,34.04)	N	100
Riverside	Riverside Community Hospital	0	101	0	(0.00,29.66)	N	97.8
Riverside	Riverside County Regional Medical Center	0	106	0	(0.00,28.26)	N	100

CLABSI Table 15. Central Line-Associated Bloodstream Infection (CLABSI) Rates and Central Line Insertion Practices (CLIP) Adherence Percentages in Neonatal Critical Care Units for Neonates Weighing 751 and 1000 Grams at Birth, Reported by California Hospitals, January - December 2014

Hospitals highlighted in red did not participate in 2014 data validation; completeness of reported infections has not been evaluated.

County	Hospital Name	CLABSI count	Central line-days	Rate per 1000*	95% Confidence Interval**	Statistical Interpretation***	CLIP Adherence %^
	STATE OF CALIFORNIA POOLED DATA	36	30322	1.19			96.1
Sacramento	Mercy San Juan Medical Center	0	346	0	(0.00,8.66)	N	99.5
Sacramento	Sutter General Hospital	0	453	0	(0.00,6.61)	N	98
Sacramento	University of California Davis Medical Center	0	288	0	(0.00,10.40)	N	94.6
San Bernardino	Arrowhead Regional Medical Center	2	246	8.13	(0.98,29.37)	N	97.6
San Bernardino	Community Hospital of San Bernardino	0	2	.	-----	---	100
San Bernardino	Kaiser Foundation Hospital, Fontana	0	802	0	(0.00,3.74)	N	44.7
San Bernardino	Loma Linda University Medical Center	0	1348	0	(0.00,2.22)	N	92.1
San Bernardino	Redlands Community Hospital	0	62	0	(0.00,48.32)	N	98.6
San Bernardino	San Antonio Community Hospital	0	499	0	(0.00,6.00)	N	94.6
San Bernardino	St. Bernardine Medical Center	0	63	0	(0.00,47.55)	N	97.7
San Bernardino	St. Mary Medical Center, Apple Valley	0	53	0	(0.00,56.52)	N	73.3
San Bernardino	Victor Valley Global Medical Center	0	1	.	-----	---	.
San Diego	Grossmont Hospital	0	13	.	-----	---	97.2
San Diego	Kaiser Foundation Hospital, San Diego	1	576	1.74	(0.04,9.67)	N	99.5
San Diego	Rady Children's Hospital - San Diego	1	577	1.73	(0.04,9.66)	N	99.2
San Diego	Scripps Mercy Hospital Chula Vista	0	5	.	-----	---	100
San Diego	Sharp Mary Birch Hospital For Women And Newborns	0	1486	0	(0.00,2.02)	N	99.9
San Diego	Tri-City Medical Center	0	51	0	(0.00,58.74)	N	100
San Diego	University of California, San Diego Medical Center	1	461	2.17	(0.05,12.09)	N	100
San Francisco	California Pacific Medical Center – California West Campus Hospital	0	190	0	(0.00,15.77)	N	75.4
San Francisco	Kaiser Foundation Hospital, San Francisco	1	259	3.86	(0.10,21.51)	N	100
San Francisco	San Francisco General Hospital	0	106	0	(0.00,28.26)	N	100
San Francisco	UCSF Medical Center	1	646	1.55	(0.04,8.62)	N	100
San Joaquin	Dameron Hospital	1	120	8.33	(0.21,46.43)	N	83.1
San Joaquin	San Joaquin General Hospital	0	90	0	(0.00,33.29)	N	100
San Joaquin	St. Joseph's Medical Center Of Stockton	0	8	.	-----	---	93.8
San Luis Obispo	Sierra Vista Regional Medical Center	0	38	.	-----	---	90.5
<i>Santa Barbara</i>	<i>Marian Regional Medical Center</i>	<i>0</i>	<i>97</i>	<i>0</i>	<i>(0.00,30.88)</i>	<i>N</i>	<i>100</i>
Santa Barbara	Santa Barbara Cottage Hospital	0	70	0	(0.00,42.80)	N	98.7
Santa Clara	El Camino Hospital	0	122	0	(0.00,24.56)	N	100
Santa Clara	El Camino Hospital Los Gatos	0	1	.	-----	---	.
Santa Clara	Good Samaritan Hospital, San Jose	0	817	0	(0.00,3.67)	N	96.7
Santa Clara	Kaiser Foundation Hospital, Santa Clara	0	201	0	(0.00,14.90)	N	91.1
Santa Clara	Lucile Salter Packard Children's Hospital at Stanford	2	780	2.56	(0.31,9.26)	N	99.3
Santa Clara	O'Connor Hospital	0	27	.	-----	---	92.3

CLABSI Table 15. Central Line-Associated Bloodstream Infection (CLABSI) Rates and Central Line Insertion Practices (CLIP) Adherence Percentages in Neonatal Critical Care Units for Neonates Weighing 751 and 1000 Grams at Birth, Reported by California Hospitals, January - December 2014

Hospitals highlighted in red did not participate in 2014 data validation; completeness of reported infections has not been evaluated.

County	Hospital Name	CLABSI count	Central line-days	Rate per 1000*	95% Confidence Interval**	Statistical Interpretation***	CLIP Adherence %^
	STATE OF CALIFORNIA POOLED DATA	36	30322	1.19			96.1
Santa Clara	Santa Clara Valley Medical Center	0	94	0	(0.00,31.87)	N	88
Santa Cruz	Dominican Hospital	0	56	0	(0.00,53.50)	N	100
Shasta	Mercy Medical Center Redding	0	59	0	(0.00,50.78)	N	100
Solano	Northbay Medical Center	0	22	.	-----	---	100
Sonoma	Sutter Santa Rosa Regional Hospital	0	12	.	-----	---	100
<i>Stanislaus</i>	<i>Doctors Medical Center</i>	<i>0</i>	<i>217</i>	<i>0</i>	<i>(0.00,13.81)</i>	<i>N</i>	<i>98</i>
Stanislaus	Kaiser Foundation Hospital, Manteca	0	21	.	-----	---	100
Tulare	Kaweah Delta Medical Center	0	45	.	-----	---	98.1
Ventura	Community Memorial Hospital - San Buenaventura	0	272	0	(0.00,11.01)	N	.
Ventura	Los Robles Hospital & Medical Center	0	22	.	-----	---	100
<i>Ventura</i>	<i>Simi Valley Hospital & Health Care Services</i>	<i>0</i>	<i>2</i>	<i>.</i>	<i>-----</i>	<i>---</i>	<i>94.4</i>
<i>Ventura</i>	<i>St Johns Regional Medical Center</i>	<i>1</i>	<i>67</i>	<i>14.93</i>	<i>(0.38,83.16)</i>	<i>N</i>	<i>95.7</i>
Ventura	Ventura County Medical Center	0	72	0	(0.00,41.61)	N	96.9

*Rate per 1000 central line days

**95% confidence interval calculated for rates based on exact Poisson distribution.

*** Statistical interpretation indicates hospital-specific rates that were statistically higher (H), lower (L), or no different (N) than California average rates, or rates that were not tested due to too few central line-days or too few hospitals reported (---).

^ Reported neonatal critical care CLIP data is combined for all birthweight categories.

Source: Central Line-Associated Bloodstream Infections and Central Line Insertion Practices in California Hospitals, January 2014 through December 2014 (Inclusive).

CLABSI Table 16. Central Line-Associated Bloodstream Infection (CLABSI) Rates and Central Line Insertion Practices (CLIP) Adherence Percentages in Neonatal Critical Care Units for Neonates Weighing Between 1001 and 1500 Grams at Birth, Reported by California Hospitals, January - December 2014

Hospitals highlighted in red did not participate in 2014 data validation; completeness of reported infections has not been evaluated.

County	Hospital Name	CLABSI count	Central line-days	Rate per 1000*	95% Confidence Interval**	Statistical Interpretation***	CLIP Adherence %^
	STATE OF CALIFORNIA POOLED DATA	32	35918	0.89			96.1
Alameda	Alta Bates Summit Medical Center-Alta Bates Campus	1	709	1.41	(0.04,7.86)	N	100
Alameda	Children's Hospital & Research Center Oakland	1	419	2.39	(0.06,13.30)	N	100
Alameda	Kaiser Foundation Hospital, Fremont	0	91	0	(0.00,32.92)	N	94.3
Alameda	Kaiser Foundation Hospital, Oakland/Richmond	2	341	5.87	(0.71,21.19)	N	93
Butte	Enloe Medical Center - Esplanade	0	2	.	-----	---	.
Contra Costa	John Muir Medical Center-Walnut Creek Campus	0	238	0	(0.00,12.59)	N	88.9
Contra Costa	Kaiser Foundation Hospital, Walnut Creek	0	265	0	(0.00,11.30)	N	97.6
Fresno	Clovis Community Medical Center	0	24	.	-----	---	100
Fresno	Community Regional Medical Center	0	1339	0	(0.00,2.24)	N	98.7
Kern	Bakersfield Memorial Hospital	0	724	0	(0.00,4.14)	N	98.3
Kern	Kern Medical Center	0	875	0	(0.00,3.42)	N	100
<i>Kern</i>	<i>Mercy Southwest Hospital</i>	<i>0</i>	<i>390</i>	<i>0</i>	<i>(0.00,7.68)</i>	<i>N</i>	<i>100</i>
Kern	San Joaquin Community Hospital	0	126	0	(0.00,23.78)	N	98.4
Los Angeles	Antelope Valley Hospital	1	135	7.41	(0.19,41.27)	N	97.8
Los Angeles	California Hospital Medical Center - Los Angeles	0	3	.	-----	---	100
Los Angeles	Cedars-Sinai Medical Center	1	564	1.77	(0.04,9.88)	N	90.8
Los Angeles	Centinela Hospital Medical Center	1	84	11.9	(0.30,66.33)	N	94.7
Los Angeles	Childrens Hospital Los Angeles	0	1295	0	(0.00,2.31)	N	85.1
Los Angeles	Citrus Valley Medical Center - IC Campus	0	430	0	(0.00,6.97)	N	94.8
Los Angeles	Earl & Loraine Miller Children's Hospital	0	864	0	(0.00,3.47)	N	93.1
Los Angeles	Garfield Medical Center	0	38	.	-----	---	100
Los Angeles	Glendale Adventist Medical Center	0	218	0	(0.00,13.74)	N	97.2
<i>Los Angeles</i>	<i>Glendale Memorial Hospital and Health Center</i>	<i>0</i>	<i>164</i>	<i>0</i>	<i>(0.00,18.27)</i>	<i>N</i>	<i>100</i>
Los Angeles	Good Samaritan Hospital, Los Angeles	0	451	0	(0.00,6.64)	N	100
Los Angeles	Henry Mayo Newhall Hospital	0	33	.	-----	---	.
Los Angeles	Hollywood Presbyterian Medical Center	0	385	0	(0.00,7.78)	N	98
Los Angeles	Huntington Memorial Hospital	0	400	0	(0.00,7.49)	N	98.1
Los Angeles	Kaiser Foundation Hospital, Baldwin Park	0	52	0	(0.00,57.61)	N	80
Los Angeles	Kaiser Foundation Hospital, Downey	0	333	0	(0.00,9.00)	N	99.4
Los Angeles	Kaiser Foundation Hospital, Los Angeles	1	437	2.29	(0.06,12.75)	N	96.1
Los Angeles	Kaiser Foundation Hospital, Panorama City	0	405	0	(0.00,7.40)	N	64.3
Los Angeles	Kaiser Foundation Hospital, South Bay	0	2	.	-----	---	.
Los Angeles	Kaiser Foundation Hospital, West LA	0	82	0	(0.00,36.53)	N	84.6
Los Angeles	Kaiser Foundation Hospital, Woodland Hills	0	1	.	-----	---	100
Los Angeles	LAC+USC Medical Center	0	497	0	(0.00,6.03)	N	98.8

CLABSI Table 16. Central Line-Associated Bloodstream Infection (CLABSI) Rates and Central Line Insertion Practices (CLIP) Adherence Percentages in Neonatal Critical Care Units for Neonates Weighing Between 1001 and 1500 Grams at Birth, Reported by California Hospitals, January - December 2014

Hospitals highlighted in red did not participate in 2014 data validation; completeness of reported infections has not been evaluated.

County	Hospital Name	CLABSI count	Central line-days	Rate per 1000*	95% Confidence Interval**	Statistical Interpretation***	CLIP Adherence %^
	STATE OF CALIFORNIA POOLED DATA	32	35918	0.89			96.1
<i>Los Angeles</i>	<i>LAC/Harbor-UCLA Medical Center</i>	<i>0</i>	<i>345</i>	<i>0</i>	<i>(0.00,8.68)</i>	<i>N</i>	<i>86.8</i>
<i>Los Angeles</i>	<i>Los Angeles County Olive View-UCLA Medical Center</i>	<i>0</i>	<i>72</i>	<i>0</i>	<i>(0.00,41.61)</i>	<i>N</i>	<i>100</i>
Los Angeles	Methodist Hospital of Southern California	0	13	.	-----	---	100
Los Angeles	Northridge Hospital Medical Center	0	68	0	(0.00,44.05)	N	100
Los Angeles	PIH Hospital - Downey	0	20	.	-----	---	100
Los Angeles	Pomona Valley Hospital Medical Center	1	1316	0.76	(0.02,4.23)	N	93
Los Angeles	Presbyterian Intercommunity Hospital	0	501	0	(0.00,5.98)	N	100
Los Angeles	Providence Holy Cross Medical Center	0	38	.	-----	---	.
Los Angeles	Providence Little Company of Mary Medical Center Torrance	0	99	0	(0.00,30.26)	N	97.2
Los Angeles	Providence Saint John's Health Center	0	142	0	(0.00,21.10)	N	100
Los Angeles	Providence Saint Joseph Medical Center	0	25	.	-----	---	100
<i>Los Angeles</i>	<i>Providence Tarzana Medical Center</i>	<i>0</i>	<i>177</i>	<i>0</i>	<i>(0.00,16.93)</i>	<i>N</i>	<i>95</i>
Los Angeles	Ronald Reagan UCLA Medical Center	1	786	1.27	(0.03,7.09)	N	96.6
Los Angeles	Saint Francis Medical Center	0	480	0	(0.00,6.24)	N	98
Los Angeles	San Gabriel Valley Medical Center	0	63	0	(0.00,47.55)	N	100
<i>Los Angeles</i>	<i>Santa Monica - UCLA Medical Center and Orthopaedic Hospital</i>	<i>0</i>	<i>187</i>	<i>0</i>	<i>(0.00,16.02)</i>	<i>N</i>	<i>100</i>
Los Angeles	St. Mary Medical Center, Long Beach	0	88	0	(0.00,34.04)	N	100
Los Angeles	Torrance Memorial Medical Center	2	197	10.15	(1.23,36.67)	H	92.9
Los Angeles	Valley Presbyterian Hospital	0	140	0	(0.00,21.40)	N	96.8
Los Angeles	West Hills Hospital & Medical Center	0	51	0	(0.00,58.74)	N	100
Los Angeles	White Memorial Medical Center	1	125	8	(0.20,44.57)	N	100
Madera	Children's Hospital Central California	1	1785	0.56	(0.01,3.12)	N	98.6
Monterey	Natividad Medical Center	0	23	.	-----	---	100
Orange	AHMC Anaheim Regional Medical Center	0	108	0	(0.00,27.74)	N	100
<i>Orange</i>	<i>Children's Hospital at Mission</i>	<i>0</i>	<i>116</i>	<i>0</i>	<i>(0.00,25.83)</i>	<i>N</i>	<i>100</i>
Orange	Children's Hospital of Orange County	1	670	1.49	(0.04,8.32)	N	98.9
Orange	Fountain Valley Regional Hospital & Medical Center	0	319	0	(0.00,9.39)	N	100
Orange	Hoag Memorial Hospital Presbyterian	0	160	0	(0.00,18.72)	N	.
Orange	Kaiser Foundation Hospital, Orange County, Anaheim	1	394	2.54	(0.06,14.14)	N	91
Orange	Kaiser Foundation Hospital, Orange County, Irvine	0	6	.	-----	---	76.5
Orange	Saddleback Memorial Medical Center	0	13	.	-----	---	100
Orange	St. Jude Medical Center	0	87	0	(0.00,34.43)	N	100
Orange	University of California Irvine Medical Center	0	374	0	(0.00,8.01)	N	98.3
Orange	Western Medical Center Santa Ana	0	63	0	(0.00,47.55)	N	100
Placer	Kaiser Foundation Hospital, Roseville	0	542	0	(0.00,5.53)	N	98.6

CLABSI Table 16. Central Line-Associated Bloodstream Infection (CLABSI) Rates and Central Line Insertion Practices (CLIP) Adherence Percentages in Neonatal Critical Care Units for Neonates Weighing Between 1001 and 1500 Grams at Birth, Reported by California Hospitals, January - December 2014

Hospitals highlighted in red did not participate in 2014 data validation; completeness of reported infections has not been evaluated.

County	Hospital Name	CLABSI count	Central line-days	Rate per 1000*	95% Confidence Interval**	Statistical Interpretation***	CLIP Adherence %^
	STATE OF CALIFORNIA POOLED DATA	32	35918	0.89			96.1
Placer	Sutter Roseville Medical Center	0	17	.	-----	---	100
Riverside	Desert Regional Medical Center	0	132	0	(0.00,22.69)	N	86.7
Riverside	Kaiser Foundation Hospital, Riverside	0	151	0	(0.00,19.84)	N	100
Riverside	Parkview Community Hospital Medical Center	0	115	0	(0.00,26.05)	N	100
Riverside	Riverside Community Hospital	0	250	0	(0.00,11.98)	N	97.8
Riverside	Riverside County Regional Medical Center	1	179	5.59	(0.14,31.13)	N	100
Sacramento	Mercy San Juan Medical Center	0	463	0	(0.00,6.47)	N	99.5
Sacramento	Sutter General Hospital	1	473	2.11	(0.05,11.78)	N	98
Sacramento	University of California Davis Medical Center	1	455	2.2	(0.06,12.25)	N	94.6
San Bernardino	Arrowhead Regional Medical Center	0	181	0	(0.00,16.55)	N	97.6
San Bernardino	Community Hospital of San Bernardino	0	8	.	-----	---	100
San Bernardino	Kaiser Foundation Hospital, Fontana	1	358	2.79	(0.07,15.56)	N	44.7
San Bernardino	Kaiser Foundation Hospital, Ontario	0	9	.	-----	---	90.9
San Bernardino	Loma Linda University Medical Center	3	1403	2.14	(0.44,6.25)	N	92.1
San Bernardino	Redlands Community Hospital	0	118	0	(0.00,25.39)	N	98.6
San Bernardino	San Antonio Community Hospital	0	388	0	(0.00,7.72)	N	94.6
San Bernardino	St. Bernardine Medical Center	0	92	0	(0.00,32.56)	N	97.7
San Bernardino	St. Mary Medical Center, Apple Valley	0	71	0	(0.00,42.19)	N	73.3
San Bernardino	Victor Valley Global Medical Center	0	1	.	-----	---	.
San Diego	Grossmont Hospital	0	171	0	(0.00,17.52)	N	97.2
San Diego	Kaiser Foundation Hospital, San Diego	0	475	0	(0.00,6.31)	N	99.5
San Diego	Rady Children's Hospital - San Diego	0	696	0	(0.00,4.30)	N	99.2
San Diego	Scripps Mercy Hospital	0	10	.	-----	---	94.1
San Diego	Sharp Mary Birch Hospital For Women And Newborns	2	1697	1.18	(0.14,4.26)	N	99.9
San Diego	Tri-City Medical Center	0	136	0	(0.00,22.03)	N	100
San Diego	University of California, San Diego Medical Center	0	660	0	(0.00,4.54)	N	100
San Francisco	California Pacific Medical Center – California West Campus Hospital	0	428	0	(0.00,7.00)	N	75.4
San Francisco	Kaiser Foundation Hospital, San Francisco	0	240	0	(0.00,12.48)	N	100
San Francisco	San Francisco General Hospital	0	16	.	-----	---	100
San Francisco	UCSF Medical Center	0	491	0	(0.00,6.10)	N	100
San Joaquin	Dameron Hospital	0	193	0	(0.00,15.52)	N	83.1
San Joaquin	San Joaquin General Hospital	0	105	0	(0.00,28.53)	N	100
San Joaquin	St. Joseph's Medical Center Of Stockton	0	1	.	-----	---	93.8
San Luis Obispo	Sierra Vista Regional Medical Center	1	112	8.93	(0.23,49.75)	N	90.5
<i>Santa Barbara</i>	<i>Marian Regional Medical Center</i>	<i>0</i>	<i>100</i>	<i>0</i>	<i>(0.00,29.96)</i>	<i>N</i>	<i>100</i>

CLABSI Table 16. Central Line-Associated Bloodstream Infection (CLABSI) Rates and Central Line Insertion Practices (CLIP) Adherence Percentages in Neonatal Critical Care Units for Neonates Weighing Between 1001 and 1500 Grams at Birth, Reported by California Hospitals, January - December 2014

Hospitals highlighted in red did not participate in 2014 data validation; completeness of reported infections has not been evaluated.

County	Hospital Name	CLABSI count	Central line-days	Rate per 1000*	95% Confidence Interval**	Statistical Interpretation***	CLIP Adherence %^
	STATE OF CALIFORNIA POOLED DATA	32	35918	0.89			96.1
Santa Barbara	Santa Barbara Cottage Hospital	1	70	14.29	(0.36,79.59)	N	98.7
Santa Clara	El Camino Hospital	0	197	0	(0.00,15.21)	N	100
Santa Clara	Good Samaritan Hospital, San Jose	1	368	2.72	(0.07,15.14)	N	96.7
Santa Clara	Kaiser Foundation Hospital, Santa Clara	1	369	2.71	(0.07,15.10)	N	91.1
Santa Clara	Lucile Salter Packard Children's Hospital at Stanford	0	835	0	(0.00,3.59)	N	99.3
Santa Clara	O'Connor Hospital	0	50	0	(0.00,59.91)	---	92.3
Santa Clara	Santa Clara Valley Medical Center	1	249	4.02	(0.10,22.38)	N	88
Santa Cruz	Dominican Hospital	0	46	.	-----	---	100
Shasta	Mercy Medical Center Redding	0	112	0	(0.00,26.75)	N	100
Solano	Northbay Medical Center	1	54	18.52	(0.47,103.18)	N	100
Sonoma	Santa Rosa Memorial Hospital	0	11	.	-----	---	.
Sonoma	Sutter Santa Rosa Regional Hospital	1	106	9.43	(0.24,52.56)	N	100
<i>Stanislaus</i>	<i>Doctors Medical Center</i>	<i>0</i>	<i>399</i>	<i>0</i>	<i>(0.00,7.51)</i>	<i>N</i>	<i>98</i>
Stanislaus	Kaiser Foundation Hospital, Manteca	0	82	0	(0.00,36.53)	N	100
Tulare	Kaweah Delta Medical Center	0	187	0	(0.00,16.02)	N	98.1
Ventura	Community Memorial Hospital - San Buenaventura	0	176	0	(0.00,17.02)	N	.
Ventura	Los Robles Hospital & Medical Center	0	53	0	(0.00,56.52)	N	100
<i>Ventura</i>	<i>Simi Valley Hospital & Health Care Services</i>	<i>0</i>	<i>45</i>	<i>.</i>	<i>-----</i>	<i>---</i>	<i>94.4</i>
<i>Ventura</i>	<i>St Johns Regional Medical Center</i>	<i>0</i>	<i>36</i>	<i>.</i>	<i>-----</i>	<i>---</i>	<i>95.7</i>
Ventura	Ventura County Medical Center	0	69	0	(0.00,43.42)	N	96.9

*Rate per 1000 central line days

**95% confidence interval calculated for rates based on exact Poisson distribution.

*** Statistical interpretation indicates hospital-specific rates that were statistically higher (H), lower (L), or no different (N) than California average rates, or rates that were not tested due to too few central line-days or too few hospitals reported (---).

^ Reported neonatal critical care CLIP data is combined for all birthweight categories.

Source: Central Line-Associated Bloodstream Infections and Central Line Insertion Practices in California Hospitals, January 2014 through December 2014 (Inclusive).

CLABSI Table 17. Central Line-Associated Bloodstream Infection (CLABSI) Rates and Central Line Insertion Practices (CLIP) Adherence Percentages in Neonatal Critical Care Units for Neonates Weighing Between 1501 and 2500 Grams at Birth, Reported by California Hospitals, January - December 2014

Hospitals highlighted in red did not participate in 2014 data validation; completeness of reported infections has not been evaluated.

County	Hospital Name	CLABSI count	Central line-days	Rate per 1000*	95% Confidence Interval**	Statistical Interpretation***	CLIP Adherence %^
	STATE OF CALIFORNIA POOLED DATA	13	33488	0.39			96.1
Alameda	Alta Bates Summit Medical Center-Alta Bates Campus	0	569	0	(0.00,5.26)	N	100
Alameda	Children's Hospital & Research Center Oakland	2	865	2.31	(0.28,8.35)	N	100
Alameda	Kaiser Foundation Hospital, Fremont	0	72	0	(0.00,41.61)	N	94.3
Alameda	Kaiser Foundation Hospital, Oakland/Richmond	0	239	0	(0.00,12.53)	N	93
Alameda	Valleycare Medical Center	0	28	.	-----	---	100
Butte	Enloe Medical Center - Esplanade	0	5	.	-----	---	.
Contra Costa	John Muir Medical Center-Walnut Creek Campus	0	174	0	(0.00,17.22)	N	88.9
Contra Costa	Kaiser Foundation Hospital, Walnut Creek	1	172	5.81	(0.15,32.39)	N	97.6
Contra Costa	San Ramon Regional Medical Center	0	6	.	-----	---	50
Fresno	Clovis Community Medical Center	0	55	0	(0.00,54.47)	N	100
Fresno	Community Regional Medical Center	0	1194	0	(0.00,2.51)	N	98.7
Kern	Bakersfield Memorial Hospital	0	827	0	(0.00,3.62)	N	98.3
Kern	Kern Medical Center	0	161	0	(0.00,18.61)	N	100
<i>Kern</i>	<i>Mercy Southwest Hospital</i>	<i>0</i>	<i>98</i>	<i>0</i>	<i>(0.00,30.57)</i>	<i>N</i>	<i>100</i>
Kern	San Joaquin Community Hospital	0	36	.	-----	---	98.4
Los Angeles	Antelope Valley Hospital	0	34	.	-----	---	97.8
Los Angeles	California Hospital Medical Center - Los Angeles	0	5	.	-----	---	100
Los Angeles	Cedars-Sinai Medical Center	0	317	0	(0.00,9.45)	N	90.8
Los Angeles	Centinela Hospital Medical Center	1	33	.	-----	---	94.7
Los Angeles	Childrens Hospital Los Angeles	1	2231	0.45	(0.01,2.50)	N	85.1
Los Angeles	Citrus Valley Medical Center - IC Campus	0	327	0	(0.00,9.16)	N	94.8
Los Angeles	Earl & Loraine Miller Children's Hospital	0	793	0	(0.00,3.78)	N	93.1
Los Angeles	Garfield Medical Center	0	14	.	-----	---	100
Los Angeles	Glendale Adventist Medical Center	0	707	0	(0.00,4.24)	N	97.2
<i>Los Angeles</i>	<i>Glendale Memorial Hospital and Health Center</i>	<i>0</i>	<i>73</i>	<i>0</i>	<i>(0.00,41.04)</i>	<i>N</i>	<i>100</i>
Los Angeles	Good Samaritan Hospital, Los Angeles	0	328	0	(0.00,9.13)	N	100
Los Angeles	Henry Mayo Newhall Hospital	0	74	0	(0.00,40.48)	N	.
Los Angeles	Hollywood Presbyterian Medical Center	0	426	0	(0.00,7.03)	N	98
Los Angeles	Huntington Memorial Hospital	0	115	0	(0.00,26.05)	N	98.1
Los Angeles	Kaiser Foundation Hospital, Baldwin Park	0	8	.	-----	---	80
Los Angeles	Kaiser Foundation Hospital, Downey	0	312	0	(0.00,9.60)	N	99.4
Los Angeles	Kaiser Foundation Hospital, Los Angeles	0	349	0	(0.00,8.58)	N	96.1
Los Angeles	Kaiser Foundation Hospital, Panorama City	0	259	0	(0.00,11.57)	N	64.3
Los Angeles	Kaiser Foundation Hospital, South Bay	0	10	.	-----	---	.
Los Angeles	Kaiser Foundation Hospital, West LA	0	20	.	-----	---	84.6

CLABSI Table 17. Central Line-Associated Bloodstream Infection (CLABSI) Rates and Central Line Insertion Practices (CLIP) Adherence Percentages in Neonatal Critical Care Units for Neonates Weighing Between 1501 and 2500 Grams at Birth, Reported by California Hospitals, January - December 2014

Hospitals highlighted in red did not participate in 2014 data validation; completeness of reported infections has not been evaluated.

County	Hospital Name	CLABSI count	Central line-days	Rate per 1000*	95% Confidence Interval**	Statistical Interpretation***	CLIP Adherence %^
	STATE OF CALIFORNIA POOLED DATA	13	33488	0.39			96.1
Los Angeles	Kaiser Foundation Hospital, Woodland Hills	0	13	.	-----	---	100
Los Angeles	LAC+USC Medical Center	0	476	0	(0.00,6.29)	N	98.8
<i>Los Angeles</i>	<i>LAC/Harbor-UCLA Medical Center</i>	<i>0</i>	<i>226</i>	<i>0</i>	<i>(0.00,13.26)</i>	<i>N</i>	<i>86.8</i>
<i>Los Angeles</i>	<i>Los Angeles County Olive View-UCLA Medical Center</i>	<i>0</i>	<i>316</i>	<i>0</i>	<i>(0.00,9.48)</i>	<i>N</i>	<i>100</i>
Los Angeles	Methodist Hospital of Southern California	1	11	.	-----	---	100
Los Angeles	Northridge Hospital Medical Center	0	95	0	(0.00,31.53)	N	100
Los Angeles	PIH Hospital - Downey	0	33	.	-----	---	100
Los Angeles	Pomona Valley Hospital Medical Center	1	886	1.13	(0.03,6.29)	N	93
Los Angeles	Presbyterian Intercommunity Hospital	0	180	0	(0.00,16.64)	N	100
Los Angeles	Providence Holy Cross Medical Center	0	9	.	-----	---	.
Los Angeles	Providence Little Company of Mary Medical Center Torrance	0	37	.	-----	---	97.2
Los Angeles	Providence Saint John's Health Center	0	9	.	-----	---	100
Los Angeles	Providence Saint Joseph Medical Center	0	30	.	-----	---	100
<i>Los Angeles</i>	<i>Providence Tarzana Medical Center</i>	<i>0</i>	<i>35</i>	<i>.</i>	<i>-----</i>	<i>---</i>	<i>95</i>
Los Angeles	Ronald Reagan UCLA Medical Center	0	1431	0	(0.00,2.09)	N	96.6
Los Angeles	Saint Francis Medical Center	0	108	0	(0.00,27.74)	N	98
Los Angeles	San Gabriel Valley Medical Center	0	9	.	-----	---	100
<i>Los Angeles</i>	<i>Santa Monica - UCLA Medical Center and Orthopaedic Hospital</i>	<i>0</i>	<i>225</i>	<i>0</i>	<i>(0.00,13.31)</i>	<i>N</i>	<i>100</i>
Los Angeles	St. Mary Medical Center, Long Beach	0	27	.	-----	---	100
Los Angeles	Torrance Memorial Medical Center	0	38	.	-----	---	92.9
Los Angeles	Valley Presbyterian Hospital	0	62	0	(0.00,48.32)	N	96.8
Los Angeles	West Hills Hospital & Medical Center	0	6	.	-----	---	100
Los Angeles	White Memorial Medical Center	0	116	0	(0.00,25.83)	N	100
Madera	Children's Hospital Central California	0	1686	0	(0.00,1.78)	N	98.6
Marin	Marin General Hospital	0	1	.	-----	---	.
Monterey	Natividad Medical Center	0	22	.	-----	---	100
Monterey	Salinas Valley Memorial Hospital	0	43	.	-----	---	.
<i>Napa</i>	<i>Queen of the Valley Medical Center</i>	<i>0</i>	<i>66</i>	<i>0</i>	<i>(0.00,45.39)</i>	<i>N</i>	<i>94.1</i>
Orange	AHMC Anaheim Regional Medical Center	1	119	8.4	(0.21,46.82)	N	100
<i>Orange</i>	<i>Children's Hospital at Mission</i>	<i>0</i>	<i>132</i>	<i>0</i>	<i>(0.00,22.69)</i>	<i>N</i>	<i>100</i>
Orange	Children's Hospital of Orange County	0	1174	0	(0.00,2.55)	N	98.9
Orange	Fountain Valley Regional Hospital & Medical Center	0	160	0	(0.00,18.72)	N	100
Orange	Hoag Memorial Hospital Presbyterian	0	202	0	(0.00,14.83)	N	.
Orange	Kaiser Foundation Hospital, Orange County, Anaheim	0	145	0	(0.00,20.66)	N	91
Orange	Orange Coast Memorial Medical Center	0	3	.	-----	---	100

CLABSI Table 17. Central Line-Associated Bloodstream Infection (CLABSI) Rates and Central Line Insertion Practices (CLIP) Adherence Percentages in Neonatal Critical Care Units for Neonates Weighing Between 1501 and 2500 Grams at Birth, Reported by California Hospitals, January - December 2014

Hospitals highlighted in red did not participate in 2014 data validation; completeness of reported infections has not been evaluated.

County	Hospital Name	CLABSI count	Central line-days	Rate per 1000*	95% Confidence Interval**	Statistical Interpretation***	CLIP Adherence %^
	STATE OF CALIFORNIA POOLED DATA	13	33488	0.39			96.1
Orange	Saddleback Memorial Medical Center	0	14	.	-----	---	100
Orange	St. Jude Medical Center	0	28	.	-----	---	100
Orange	University of California Irvine Medical Center	0	408	0	(0.00,7.34)	N	98.3
Orange	Western Medical Center Santa Ana	0	8	.	-----	---	100
Placer	Kaiser Foundation Hospital, Roseville	0	247	0	(0.00,12.13)	N	98.6
Placer	Sutter Roseville Medical Center	0	9	.	-----	---	100
Riverside	Desert Regional Medical Center	0	31	.	-----	---	86.7
Riverside	Kaiser Foundation Hospital, Riverside	0	66	0	(0.00,45.39)	N	100
Riverside	Parkview Community Hospital Medical Center	0	29	.	-----	---	100
Riverside	Riverside Community Hospital	0	46	.	-----	---	97.8
Riverside	Riverside County Regional Medical Center	0	113	0	(0.00,26.51)	N	100
Sacramento	Mercy San Juan Medical Center	0	232	0	(0.00,12.91)	N	99.5
Sacramento	Sutter General Hospital	0	490	0	(0.00,6.11)	N	98
Sacramento	University of California Davis Medical Center	0	639	0	(0.00,4.69)	N	94.6
San Bernardino	Arrowhead Regional Medical Center	0	121	0	(0.00,24.76)	N	97.6
San Bernardino	Community Hospital of San Bernardino	0	6	.	-----	---	100
San Bernardino	Kaiser Foundation Hospital, Fontana	0	211	0	(0.00,14.20)	N	44.7
San Bernardino	Kaiser Foundation Hospital, Ontario	0	42	.	-----	---	90.9
San Bernardino	Loma Linda University Medical Center	1	1749	0.57	(0.01,3.19)	N	92.1
San Bernardino	Redlands Community Hospital	0	42	.	-----	---	98.6
San Bernardino	San Antonio Community Hospital	0	475	0	(0.00,6.31)	N	94.6
San Bernardino	St. Bernardine Medical Center	0	79	0	(0.00,37.92)	N	97.7
San Bernardino	St. Mary Medical Center, Apple Valley	0	78	0	(0.00,38.41)	N	73.3
San Diego	Grossmont Hospital	0	91	0	(0.00,32.92)	N	97.2
San Diego	Kaiser Foundation Hospital, San Diego	0	140	0	(0.00,21.40)	N	99.5
San Diego	Rady Children's Hospital - San Diego	1	1785	0.56	(0.01,3.12)	N	99.2
San Diego	Scripps Mercy Hospital	0	202	0	(0.00,14.83)	N	94.1
San Diego	Scripps Mercy Hospital Chula Vista	0	2	.	-----	---	100
San Diego	Sharp Mary Birch Hospital For Women And Newborns	0	1484	0	(0.00,2.02)	N	99.9
San Diego	Tri-City Medical Center	0	213	0	(0.00,14.06)	N	100
San Diego	University of California, San Diego Medical Center	0	278	0	(0.00,10.78)	N	100
San Francisco	California Pacific Medical Center – California West Campus Hospital	0	411	0	(0.00,7.29)	N	75.4
San Francisco	Kaiser Foundation Hospital, San Francisco	0	132	0	(0.00,22.69)	N	100
San Francisco	San Francisco General Hospital	0	40	.	-----	---	100
San Francisco	UCSF Medical Center	0	891	0	(0.00,3.36)	N	100

CLABSI Table 17. Central Line-Associated Bloodstream Infection (CLABSI) Rates and Central Line Insertion Practices (CLIP) Adherence Percentages in Neonatal Critical Care Units for Neonates Weighing Between 1501 and 2500 Grams at Birth, Reported by California Hospitals, January - December 2014

Hospitals highlighted in red did not participate in 2014 data validation; completeness of reported infections has not been evaluated.

County	Hospital Name	CLABSI count	Central line-days	Rate per 1000*	95% Confidence Interval**	Statistical Interpretation***	CLIP Adherence %^
	STATE OF CALIFORNIA POOLED DATA	13	33488	0.39			96.1
San Joaquin	Dameron Hospital	0	50	0	(0.00,59.91)	---	83.1
San Joaquin	San Joaquin General Hospital	0	20	.	-----	---	100
San Joaquin	St. Joseph's Medical Center Of Stockton	0	3	.	-----	---	93.8
San Luis Obispo	Sierra Vista Regional Medical Center	0	29	.	-----	---	90.5
<i>Santa Barbara</i>	<i>Marian Regional Medical Center</i>	<i>0</i>	<i>55</i>	<i>0</i>	<i>(0.00,54.47)</i>	<i>N</i>	<i>100</i>
Santa Barbara	Santa Barbara Cottage Hospital	0	224	0	(0.00,13.37)	N	98.7
Santa Clara	El Camino Hospital	0	119	0	(0.00,25.17)	N	100
Santa Clara	Good Samaritan Hospital, San Jose	0	288	0	(0.00,10.40)	N	96.7
Santa Clara	Kaiser Foundation Hospital, Santa Clara	0	98	0	(0.00,30.57)	N	91.1
Santa Clara	Lucile Salter Packard Children's Hospital at Stanford	3	1547	1.94	(0.40,5.67)	H	99.3
Santa Clara	O'Connor Hospital	0	31	.	-----	---	92.3
Santa Clara	Santa Clara Valley Medical Center	0	79	0	(0.00,37.92)	N	88
Santa Cruz	Dominican Hospital	0	14	.	-----	---	100
Shasta	Mercy Medical Center Redding	0	67	0	(0.00,44.71)	N	100
Solano	Northbay Medical Center	0	40	.	-----	---	100
Sonoma	Santa Rosa Memorial Hospital	0	20	.	-----	---	.
Sonoma	Sutter Santa Rosa Regional Hospital	0	90	0	(0.00,33.29)	N	100
<i>Stanislaus</i>	<i>Doctors Medical Center</i>	<i>0</i>	<i>97</i>	<i>0</i>	<i>(0.00,30.88)</i>	<i>N</i>	<i>98</i>
Stanislaus	Kaiser Foundation Hospital, Manteca	0	68	0	(0.00,44.05)	N	100
Tulare	Kaweah Delta Medical Center	0	336	0	(0.00,8.92)	N	98.1
Ventura	Community Memorial Hospital - San Buenaventura	0	71	0	(0.00,42.19)	N	.
Ventura	Los Robles Hospital & Medical Center	0	107	0	(0.00,28.00)	N	100
<i>Ventura</i>	<i>Simi Valley Hospital & Health Care Services</i>	<i>0</i>	<i>18</i>	<i>.</i>	<i>-----</i>	<i>---</i>	<i>94.4</i>
<i>Ventura</i>	<i>St Johns Regional Medical Center</i>	<i>0</i>	<i>50</i>	<i>0</i>	<i>(0.00,59.91)</i>	<i>---</i>	<i>95.7</i>
Ventura	Ventura County Medical Center	0	68	0	(0.00,44.05)	N	96.9

*Rate per 1000 central line days

**95% confidence interval calculated for rates based on exact Poisson distribution.

*** Statistical interpretation indicates hospital-specific rates that were statistically higher (H), lower (L), or no different (N) than California average rates, or rates that were not tested due to too few central line-days or too few hospitals reported (---).

^ Reported neonatal critical care CLIP data is combined for all birthweight categories.

Source: Central Line-Associated Bloodstream Infections and Central Line Insertion Practices in California Hospitals, January 2014 through December 2014 (Inclusive).

CLABSI Table 18. Central Line-Associated Bloodstream Infection (CLABSI) Rates and Central Line Insertion Practices (CLIP) Adherence Percentages in Neonatal Critical Care Units for Neonates Weighing More Than 2500 Grams at Birth, Reported by California Hospitals, January - December 2014

Hospitals highlighted in red did not participate in 2014 data validation; completeness of reported infections has not been evaluated.

County	Hospital Name	CLABSI count	Central line-days	Rate per 1000*	95% Confidence Interval**	Statistical Interpretation***	CLIP Adherence %^
	STATE OF CALIFORNIA POOLED DATA	13	38943	0.33			96.1
Alameda	Alta Bates Summit Medical Center-Alta Bates Campus	0	145	0	(0.00,20.66)	N	100
Alameda	Children's Hospital & Research Center Oakland	2	2213	0.9	(0.11,3.26)	N	100
Alameda	Kaiser Foundation Hospital, Fremont	0	15	.	-----	---	94.3
Alameda	Kaiser Foundation Hospital, Oakland/Richmond	0	279	0	(0.00,10.74)	N	93
Alameda	Valleycare Medical Center	0	5	.	-----	---	100
Butte	Enloe Medical Center - Esplanade	0	6	.	-----	---	.
Contra Costa	John Muir Medical Center-Walnut Creek Campus	0	85	0	(0.00,35.24)	N	88.9
Contra Costa	Kaiser Foundation Hospital, Walnut Creek	0	169	0	(0.00,17.73)	N	97.6
Contra Costa	San Ramon Regional Medical Center	0	8	.	-----	---	50
Fresno	Clovis Community Medical Center	0	20	.	-----	---	100
Fresno	Community Regional Medical Center	0	488	0	(0.00,6.14)	N	98.7
Kern	Bakersfield Memorial Hospital	0	303	0	(0.00,9.89)	N	98.3
Kern	Kern Medical Center	0	190	0	(0.00,15.77)	N	100
<i>Kern</i>	<i>Mercy Southwest Hospital</i>	<i>0</i>	<i>26</i>	<i>.</i>	<i>-----</i>	<i>---</i>	<i>100</i>
Kern	San Joaquin Community Hospital	0	14	.	-----	---	98.4
Los Angeles	Antelope Valley Hospital	0	8	.	-----	---	97.8
Los Angeles	California Hospital Medical Center - Los Angeles	0	20	.	-----	---	100
Los Angeles	Cedars-Sinai Medical Center	0	136	0	(0.00,22.03)	N	90.8
Los Angeles	Childrens Hospital Los Angeles	0	3712	0	(0.00,0.81)	N	85.1
Los Angeles	Citrus Valley Medical Center - IC Campus	0	262	0	(0.00,11.43)	N	94.8
Los Angeles	Earl & Loraine Miller Children's Hospital	0	1233	0	(0.00,2.43)	N	93.1
Los Angeles	Garfield Medical Center	0	36	.	-----	---	100
Los Angeles	Glendale Adventist Medical Center	0	393	0	(0.00,7.62)	N	97.2
<i>Los Angeles</i>	<i>Glendale Memorial Hospital and Health Center</i>	<i>0</i>	<i>3</i>	<i>.</i>	<i>-----</i>	<i>---</i>	<i>100</i>
Los Angeles	Good Samaritan Hospital, Los Angeles	0	84	0	(0.00,35.66)	N	100
Los Angeles	Henry Mayo Newhall Hospital	0	87	0	(0.00,34.43)	N	.
Los Angeles	Hollywood Presbyterian Medical Center	0	230	0	(0.00,13.02)	N	98
Los Angeles	Huntington Memorial Hospital	0	100	0	(0.00,29.96)	N	98.1
Los Angeles	Kaiser Foundation Hospital, Baldwin Park	0	65	0	(0.00,46.09)	N	80
Los Angeles	Kaiser Foundation Hospital, Downey	0	544	0	(0.00,5.51)	N	99.4
Los Angeles	Kaiser Foundation Hospital, Los Angeles	0	535	0	(0.00,5.60)	N	96.1
Los Angeles	Kaiser Foundation Hospital, Panorama City	0	82	0	(0.00,36.53)	N	64.3
Los Angeles	Kaiser Foundation Hospital, South Bay	0	9	.	-----	---	.
Los Angeles	Kaiser Foundation Hospital, West LA	0	19	.	-----	---	84.6
Los Angeles	Kaiser Foundation Hospital, Woodland Hills	0	7	.	-----	---	100

CLABSI Table 18. Central Line-Associated Bloodstream Infection (CLABSI) Rates and Central Line Insertion Practices (CLIP) Adherence Percentages in Neonatal Critical Care Units for Neonates Weighing More Than 2500 Grams at Birth, Reported by California Hospitals, January - December 2014

Hospitals highlighted in red did not participate in 2014 data validation; completeness of reported infections has not been evaluated.

County	Hospital Name	CLABSI count	Central line-days	Rate per 1000*	95% Confidence Interval**	Statistical Interpretation***	CLIP Adherence %^
	STATE OF CALIFORNIA POOLED DATA	13	38943	0.33			96.1
Los Angeles	LAC+USC Medical Center	0	372	0	(0.00,8.05)	N	98.8
<i>Los Angeles</i>	<i>LAC/Harbor-UCLA Medical Center</i>	<i>0</i>	<i>174</i>	<i>0</i>	<i>(0.00,17.22)</i>	<i>N</i>	<i>86.8</i>
<i>Los Angeles</i>	<i>Los Angeles County Olive View-UCLA Medical Center</i>	<i>0</i>	<i>165</i>	<i>0</i>	<i>(0.00,18.16)</i>	<i>N</i>	<i>100</i>
Los Angeles	Methodist Hospital of Southern California	0	19	.	-----	---	100
Los Angeles	Northridge Hospital Medical Center	0	70	0	(0.00,42.80)	N	100
Los Angeles	PIH Hospital - Downey	0	2	.	-----	---	100
Los Angeles	Pomona Valley Hospital Medical Center	0	445	0	(0.00,6.73)	N	93
Los Angeles	Presbyterian Intercommunity Hospital	0	94	0	(0.00,31.87)	N	100
Los Angeles	Providence Holy Cross Medical Center	0	8	.	-----	---	.
Los Angeles	Providence Little Company of Mary Medical Center Torrance	0	111	0	(0.00,26.99)	N	97.2
Los Angeles	Providence Saint John's Health Center	0	42	.	-----	---	100
Los Angeles	Providence Saint Joseph Medical Center	0	21	.	-----	---	100
<i>Los Angeles</i>	<i>Providence Tarzana Medical Center</i>	<i>0</i>	<i>24</i>	<i>.</i>	<i>-----</i>	<i>---</i>	<i>95</i>
Los Angeles	Ronald Reagan UCLA Medical Center	0	1359	0	(0.00,2.20)	N	96.6
Los Angeles	Saint Francis Medical Center	0	37	.	-----	---	98
Los Angeles	San Gabriel Valley Medical Center	0	8	.	-----	---	100
<i>Los Angeles</i>	<i>Santa Monica - UCLA Medical Center and Orthopaedic Hospital</i>	<i>0</i>	<i>37</i>	<i>.</i>	<i>-----</i>	<i>---</i>	<i>100</i>
Los Angeles	St. Mary Medical Center, Long Beach	0	35	.	-----	---	100
Los Angeles	Torrance Memorial Medical Center	0	19	.	-----	---	92.9
Los Angeles	Valley Presbyterian Hospital	0	97	0	(0.00,30.88)	N	96.8
Los Angeles	White Memorial Medical Center	0	124	0	(0.00,24.16)	N	100
Madera	Children's Hospital Central California	2	3126	0.64	(0.08,2.31)	N	98.6
Monterey	Natividad Medical Center	0	69	0	(0.00,43.42)	N	100
Monterey	Salinas Valley Memorial Hospital	0	114	0	(0.00,26.28)	N	.
<i>Napa</i>	<i>Queen of the Valley Medical Center</i>	<i>0</i>	<i>45</i>	<i>.</i>	<i>-----</i>	<i>---</i>	<i>94.1</i>
Orange	AHMC Anaheim Regional Medical Center	0	24	.	-----	---	100
<i>Orange</i>	<i>Children's Hospital at Mission</i>	<i>0</i>	<i>57</i>	<i>0</i>	<i>(0.00,52.56)</i>	<i>N</i>	<i>100</i>
Orange	Children's Hospital of Orange County	1	1646	0.61	(0.02,3.38)	N	98.9
Orange	Fountain Valley Regional Hospital & Medical Center	0	218	0	(0.00,13.74)	N	100
Orange	Hoag Memorial Hospital Presbyterian	0	79	0	(0.00,37.92)	N	.
Orange	Kaiser Foundation Hospital, Orange County, Anaheim	0	116	0	(0.00,25.83)	N	91
Orange	Kaiser Foundation Hospital, Orange County, Irvine	0	15	.	-----	---	76.5
Orange	Orange Coast Memorial Medical Center	0	26	.	-----	---	100
Orange	Saddleback Memorial Medical Center	0	10	.	-----	---	100
Orange	St. Jude Medical Center	0	12	.	-----	---	100

CLABSI Table 18. Central Line-Associated Bloodstream Infection (CLABSI) Rates and Central Line Insertion Practices (CLIP) Adherence Percentages in Neonatal Critical Care Units for Neonates Weighing More Than 2500 Grams at Birth, Reported by California Hospitals, January - December 2014

Hospitals highlighted in red did not participate in 2014 data validation; completeness of reported infections has not been evaluated.

County	Hospital Name	CLABSI count	Central line-days	Rate per 1000*	95% Confidence Interval**	Statistical Interpretation***	CLIP Adherence %^
	STATE OF CALIFORNIA POOLED DATA	13	38943	0.33			96.1
Orange	University of California Irvine Medical Center	0	897	0	(0.00,3.34)	N	98.3
Orange	Western Medical Center Santa Ana	0	22	.	-----	---	100
Placer	Kaiser Foundation Hospital, Roseville	0	445	0	(0.00,6.73)	N	98.6
Riverside	Desert Regional Medical Center	0	80	0	(0.00,37.45)	N	86.7
Riverside	Kaiser Foundation Hospital, Riverside	0	42	.	-----	---	100
Riverside	Parkview Community Hospital Medical Center	0	25	.	-----	---	100
Riverside	Riverside Community Hospital	0	90	0	(0.00,33.29)	N	97.8
Riverside	Riverside County Regional Medical Center	0	261	0	(0.00,11.48)	N	100
Sacramento	Mercy San Juan Medical Center	0	201	0	(0.00,14.90)	N	99.5
Sacramento	Sutter General Hospital	0	669	0	(0.00,4.48)	N	98
Sacramento	University of California Davis Medical Center	1	879	1.14	(0.03,6.34)	N	94.6
San Bernardino	Arrowhead Regional Medical Center	0	154	0	(0.00,19.45)	N	97.6
San Bernardino	Community Hospital of San Bernardino	0	11	.	-----	---	100
San Bernardino	Kaiser Foundation Hospital, Fontana	0	254	0	(0.00,11.79)	N	44.7
San Bernardino	Kaiser Foundation Hospital, Ontario	0	39	.	-----	---	90.9
San Bernardino	Loma Linda University Medical Center	2	3412	0.59	(0.07,2.12)	N	92.1
San Bernardino	Redlands Community Hospital	0	85	0	(0.00,35.24)	N	98.6
San Bernardino	San Antonio Community Hospital	0	90	0	(0.00,33.29)	N	94.6
San Bernardino	St. Bernardine Medical Center	0	56	0	(0.00,53.50)	N	97.7
San Bernardino	St. Mary Medical Center, Apple Valley	0	42	.	-----	---	73.3
San Bernardino	Victor Valley Global Medical Center	0	5	.	-----	---	.
San Diego	Grossmont Hospital	0	97	0	(0.00,30.88)	N	97.2
San Diego	Kaiser Foundation Hospital, San Diego	0	290	0	(0.00,10.33)	N	99.5
San Diego	Rady Children's Hospital - San Diego	2	2214	0.9	(0.11,3.26)	N	99.2
San Diego	Scripps Mercy Hospital	0	66	0	(0.00,45.39)	N	94.1
San Diego	Scripps Mercy Hospital Chula Vista	0	31	.	-----	---	100
San Diego	Sharp Mary Birch Hospital For Women And Newborns	0	877	0	(0.00,3.42)	N	99.9
San Diego	Tri-City Medical Center	0	375	0	(0.00,7.99)	N	100
San Diego	University of California, San Diego Medical Center	2	440	4.55	(0.55,16.42)	H	100
San Francisco	California Pacific Medical Center – California West Campus Hospital	0	408	0	(0.00,7.34)	N	75.4
San Francisco	Kaiser Foundation Hospital, San Francisco	0	99	0	(0.00,30.26)	N	100
San Francisco	San Francisco General Hospital	0	6	.	-----	---	100
San Francisco	UCSF Medical Center	0	1234	0	(0.00,2.43)	N	100
San Joaquin	Dameron Hospital	0	13	.	-----	---	83.1
San Joaquin	San Joaquin General Hospital	0	46	.	-----	---	100

CLABSI Table 18. Central Line-Associated Bloodstream Infection (CLABSI) Rates and Central Line Insertion Practices (CLIP) Adherence Percentages in Neonatal Critical Care Units for Neonates Weighing More Than 2500 Grams at Birth, Reported by California Hospitals, January - December 2014

Hospitals highlighted in red did not participate in 2014 data validation; completeness of reported infections has not been evaluated.

County	Hospital Name	CLABSI count	Central line-days	Rate per 1000*	95% Confidence Interval**	Statistical Interpretation***	CLIP Adherence %^
	STATE OF CALIFORNIA POOLED DATA	13	38943	0.33			96.1
San Joaquin	St. Joseph's Medical Center Of Stockton	0	20	.	-----	---	93.8
San Luis Obispo	Sierra Vista Regional Medical Center	0	63	0	(0.00,47.55)	N	90.5
San Mateo	Mills-Peninsula Medical Center	0	12	.	-----	---	.
<i>Santa Barbara</i>	<i>Marian Regional Medical Center</i>	<i>0</i>	<i>84</i>	<i>0</i>	<i>(0.00,35.66)</i>	<i>N</i>	<i>100</i>
Santa Barbara	Santa Barbara Cottage Hospital	0	225	0	(0.00,13.31)	N	98.7
Santa Clara	El Camino Hospital	0	87	0	(0.00,34.43)	N	100
Santa Clara	El Camino Hospital Los Gatos	0	1	.	-----	---	.
Santa Clara	Good Samaritan Hospital, San Jose	0	130	0	(0.00,23.04)	N	96.7
Santa Clara	Kaiser Foundation Hospital, Santa Clara	0	222	0	(0.00,13.49)	N	91.1
Santa Clara	Lucile Salter Packard Children's Hospital at Stanford	0	2332	0	(0.00,1.28)	N	99.3
Santa Clara	O'Connor Hospital	0	12	.	-----	---	92.3
Santa Clara	Santa Clara Valley Medical Center	0	142	0	(0.00,21.10)	N	88
Santa Cruz	Dominican Hospital	0	85	0	(0.00,35.24)	N	100
Shasta	Mercy Medical Center Redding	0	60	0	(0.00,49.93)	N	100
Solano	Northbay Medical Center	0	25	.	-----	---	100
Sonoma	Santa Rosa Memorial Hospital	0	4	.	-----	---	.
Sonoma	Sutter Santa Rosa Regional Hospital	0	25	.	-----	---	100
<i>Stanislaus</i>	<i>Doctors Medical Center</i>	<i>0</i>	<i>103</i>	<i>0</i>	<i>(0.00,29.08)</i>	<i>N</i>	<i>98</i>
Stanislaus	Kaiser Foundation Hospital, Manteca	0	25	.	-----	---	100
Sutter	Rideout Memorial Hospital	0	2	.	-----	---	.
Tulare	Kaweah Delta Medical Center	1	431	2.32	(0.06,12.93)	N	98.1
Ventura	Community Memorial Hospital - San Buenaventura	0	195	0	(0.00,15.36)	N	.
Ventura	Los Robles Hospital & Medical Center	0	33	.	-----	---	100
<i>Ventura</i>	<i>Simi Valley Hospital & Health Care Services</i>	<i>0</i>	<i>23</i>	<i>.</i>	<i>-----</i>	<i>---</i>	<i>94.4</i>
<i>Ventura</i>	<i>St Johns Regional Medical Center</i>	<i>0</i>	<i>34</i>	<i>.</i>	<i>-----</i>	<i>---</i>	<i>95.7</i>
Ventura	Ventura County Medical Center	0	262	0	(0.00,11.43)	N	96.9

*Rate per 1000 central line days

**95% confidence interval calculated for rates based on exact Poisson distribution.

*** Statistical interpretation indicates hospital-specific rates that were statistically higher (H), lower (L), or no different (N) than California average rates, or rates that were not tested due to too few central line-days or too few hospitals reported (---).

^ Reported neonatal critical care CLIP data is combined for all birthweight categories.

Source: Central Line-Associated Bloodstream Infections and Central Line Insertion Practices in California Hospitals, January 2014 through December 2014 (Inclusive).

CLABSI Table 19. Central Line-Associated Bloodstream Infection (CLABSI) Rates in Adult Step-Down Care Wards, Reported by California Hospitals, January 2014 - December 2014
Hospitals highlighted in red did not participate in 2014 data validation; completeness of reported infections has not been evaluated.

County	Hospital Name	CLABSI count	Central line-days	Rate per 1000*	95% Confidence Interval**	Statistical Interpretation***
	STATE OF CALIFORNIA POOLED DATA	135	183196	0.74		
Alameda	Eden Medical Center	0	371	0	(0.00,8.07)	N
Alameda	Highland Hospital	1	1683	0.59	(0.02,3.31)	N
Alameda	Kaiser Foundation Hospital, Fremont	0	230	0	(0.00,13.02)	N
Alameda	Kaiser Foundation Hospital, Oakland/Richmond	2	729	2.74	(0.33,9.91)	N
Alameda	Washington Hospital	0	295	0	(0.00,10.16)	N
Butte	Feather River Hospital	0	211	0	(0.00,14.20)	N
Contra Costa	Contra Costa Regional Medical Center	0	460	0	(0.00,6.51)	N
Contra Costa	John Muir Medical Center-Concord Campus	0	1225	0	(0.00,2.45)	N
Contra Costa	John Muir Medical Center-Walnut Creek Campus	4	1783	2.24	(0.61,5.74)	N
Contra Costa	Kaiser Foundation Hospital, Walnut Creek	0	898	0	(0.00,3.34)	N
Contra Costa	San Ramon Regional Medical Center	0	694	0	(0.00,4.32)	N
Contra Costa	Sutter Delta Medical Center	0	794	0	(0.00,3.77)	N
Fresno	Community Regional Medical Center	6	3173	1.89	(0.69,4.12)	N
Humboldt	St. Joseph Hospital	4	2214	1.81	(0.49,4.63)	N
Imperial	Pioneers Memorial Healthcare District	0	205	0	(0.00,14.61)	N
Kern	Kern Medical Center	2	1071	1.87	(0.23,6.75)	N
Kern	San Joaquin Community Hospital	1	2218	0.45	(0.01,2.51)	N
Los Angeles	Antelope Valley Hospital	1	1868	0.54	(0.01,2.98)	N
Los Angeles	Beverly Hospital	2	676	2.96	(0.36,10.69)	N
Los Angeles	East Los Angeles Doctors Hospital	2	1210	1.65	(0.20,5.97)	N
Los Angeles	Encino Hospital Medical Center	0	52	0	(0.00,57.61)	N
Los Angeles	Good Samaritan Hospital, Los Angeles	0	1255	0	(0.00,2.39)	N
Los Angeles	Hollywood Presbyterian Medical Center	2	1304	1.53	(0.19,5.54)	N
Los Angeles	Huntington Memorial Hospital	0	3016	0	(0.00,0.99)	N
Los Angeles	Kaiser Foundation Hospital, Baldwin Park	2	1086	1.84	(0.22,6.65)	N
Los Angeles	Kaiser Foundation Hospital, Downey	0	1068	0	(0.00,2.80)	N
Los Angeles	Kaiser Foundation Hospital, Los Angeles	0	1600	0	(0.00,1.87)	N
Los Angeles	Kaiser Foundation Hospital, Panorama City	1	782	1.28	(0.03,7.12)	N
Los Angeles	Kaiser Foundation Hospital, South Bay	1	532	1.88	(0.05,10.47)	N
Los Angeles	Kaiser Foundation Hospital, West LA	0	693	0	(0.00,4.32)	N
Los Angeles	Kaiser Foundation Hospital, Woodland Hills	0	844	0	(0.00,3.55)	N

CLABSI Table 19. Central Line-Associated Bloodstream Infection (CLABSI) Rates in Adult Step-Down Care Wards, Reported by California Hospitals, January 2014 - December 2014
Hospitals highlighted in red did not participate in 2014 data validation; completeness of reported infections has not been evaluated.

County	Hospital Name	CLABSI count	Central line-days	Rate per 1000*	95% Confidence Interval**	Statistical Interpretation***
	STATE OF CALIFORNIA POOLED DATA	135	183196	0.74		
Los Angeles	Keck Hospital of USC	4	2593	1.54	(0.42,3.95)	N
Los Angeles	Long Beach Memorial Medical Center	3	3754	0.8	(0.16,2.34)	N
<i>Los Angeles</i>	<i>Los Angeles County Olive View-UCLA Medical Center</i>	<i>3</i>	<i>1278</i>	<i>2.35</i>	<i>(0.48,6.86)</i>	<i>N</i>
Los Angeles	Methodist Hospital of Southern California	0	735	0	(0.00,4.08)	N
Los Angeles	Northridge Hospital Medical Center	3	1312	2.29	(0.47,6.68)	N
<i>Los Angeles</i>	<i>Olympia Medical Center</i>	<i>7</i>	<i>1339</i>	<i>5.23</i>	<i>(2.10,10.77)</i>	<i>H</i>
Los Angeles	Providence Holy Cross Medical Center	1	1606	0.62	(0.02,3.47)	N
Los Angeles	Providence Saint John's Health Center	0	1240	0	(0.00,2.42)	N
Los Angeles	Providence Saint Joseph Medical Center	3	1417	2.12	(0.44,6.19)	N
Los Angeles	Ronald Reagan UCLA Medical Center	3	1533	1.96	(0.40,5.72)	N
<i>Los Angeles</i>	<i>Santa Monica - UCLA Medical Center and Orthopaedic Hospital</i>	<i>4</i>	<i>3028</i>	<i>1.32</i>	<i>(0.36,3.38)</i>	<i>N</i>
Los Angeles	Sherman Oaks Hospital	2	529	3.78	(0.46,13.66)	N
Los Angeles	Southern California Hospital at Culiver City	1	1009	0.99	(0.03,5.52)	N
Los Angeles	Torrance Memorial Medical Center	1	1886	0.53	(0.01,2.95)	N
Los Angeles	USC Verdugo Hills Hospital	0	609	0	(0.00,4.92)	N
Los Angeles	White Memorial Medical Center	2	1753	1.14	(0.14,4.12)	N
Los Angeles	Whittier Hospital Medical Center	0	783	0	(0.00,3.83)	N
Monterey	Salinas Valley Memorial Hospital	1	3305	0.3	(0.01,1.69)	N
Napa	St. Helena Hospital	2	1849	1.08	(0.13,3.91)	N
Orange	AHMC Anaheim Regional Medical Center	0	945	0	(0.00,3.17)	N
Orange	Fountain Valley Regional Hospital & Medical Center	1	1537	0.65	(0.02,3.63)	N
Orange	Hoag Memorial Hospital Presbyterian	0	1738	0	(0.00,1.72)	N
Orange	Kaiser Foundation Hospital, Orange County, Anaheim	1	920	1.09	(0.03,6.06)	N
Orange	Kaiser Foundation Hospital, Orange County, Irvine	0	1860	0	(0.00,1.61)	N
Orange	Mission Hospital Regional Medical Center	0	2189	0	(0.00,1.37)	N
Orange	Orange Coast Memorial Medical Center	0	1353	0	(0.00,2.21)	N
Orange	St Joseph Hospital	2	1937	1.03	(0.13,3.73)	N
Orange	St. Jude Medical Center	1	2258	0.44	(0.01,2.47)	N
Orange	University of California Irvine Medical Center	0	5365	0	(0.00,0.56)	L
Orange	West Anaheim Medical Center	1	1096	0.91	(0.02,5.08)	N
Riverside	Corona Regional Medical Center	1	1156	0.87	(0.02,4.82)	N

CLABSI Table 19. Central Line-Associated Bloodstream Infection (CLABSI) Rates in Adult Step-Down Care Wards, Reported by California Hospitals, January 2014 - December 2014
Hospitals highlighted in red did not participate in 2014 data validation; completeness of reported infections has not been evaluated.

County	Hospital Name	CLABSI count	Central line-days	Rate per 1000*	95% Confidence Interval**	Statistical Interpretation***
	STATE OF CALIFORNIA POOLED DATA	135	183196	0.74		
Riverside	Desert Regional Medical Center	3	2383	1.26	(0.26,3.68)	N
Riverside	Hemet Valley Medical Center	1	670	1.49	(0.04,8.32)	N
Riverside	Kaiser Foundation Hospital, Moreno Valley	0	153	0	(0.00,19.58)	N
Riverside	Kaiser Foundation Hospital, Riverside	0	1762	0	(0.00,1.70)	N
Riverside	Parkview Community Hospital Medical Center	1	1335	0.75	(0.02,4.17)	N
Riverside	Riverside Community Hospital	1	2155	0.46	(0.01,2.59)	N
Riverside	Riverside County Regional Medical Center	4	1902	2.1	(0.57,5.38)	N
Riverside	Southwest Healthcare System, Murrieta	1	195	5.13	(0.13,28.57)	N
Riverside	Southwest Healthcare System, Wildomar	0	775	0	(0.00,3.87)	N
Sacramento	Mercy General Hospital	0	7067	0	(0.00,0.42)	L
Sacramento	Mercy Hospital of Folsom	0	1673	0	(0.00,1.79)	N
Sacramento	University of California Davis Medical Center	1	1925	0.52	(0.01,2.89)	N
San Bernardino	Desert Valley Hospital	0	270	0	(0.00,11.10)	N
San Bernardino	Kaiser Foundation Hospital, Fontana	2	2170	0.92	(0.11,3.33)	N
San Bernardino	Kaiser Foundation Hospital, Ontario	1	1252	0.8	(0.02,4.45)	N
San Bernardino	Loma Linda University Medical Center	4	2809	1.42	(0.39,3.65)	N
San Bernardino	Redlands Community Hospital	0	2517	0	(0.00,1.19)	N
San Bernardino	St. Bernardine Medical Center	0	1177	0	(0.00,2.55)	N
San Bernardino	St. Mary Medical Center, Apple Valley	0	401	0	(0.00,7.47)	N
San Diego	Kaiser Foundation Hospital, San Diego	0	2007	0	(0.00,1.49)	N
San Diego	Palomar Medical Center	2	3558	0.56	(0.07,2.03)	N
San Diego	Paradise Valley Hospital	4	766	5.22	(1.42,13.37)	H
San Diego	Scripps Green Hospital	1	1874	0.53	(0.01,2.97)	N
San Diego	Scripps Memorial Hospital - Encinitas	0	166	0	(0.00,18.05)	N
San Diego	Scripps Memorial Hospital - La Jolla	2	1131	1.77	(0.21,6.39)	N
San Diego	Scripps Mercy Hospital	0	714	0	(0.00,4.20)	N
San Diego	Sharp Chula Vista Medical Center	5	4667	1.07	(0.35,2.50)	N
San Francisco	California Pacific Medical Center - Davies Campus Hospital	0	617	0	(0.00,4.86)	N
San Francisco	California Pacific Medical Center - Pacific Campus Hospital	0	1956	0	(0.00,1.53)	N
San Francisco	San Francisco General Hospital	1	1215	0.82	(0.02,4.59)	N
San Francisco	UCSF Medical Center	5	7220	0.69	(0.22,1.62)	N

CLABSI Table 19. Central Line-Associated Bloodstream Infection (CLABSI) Rates in Adult Step-Down Care Wards, Reported by California Hospitals, January 2014 - December 2014
Hospitals highlighted in red did not participate in 2014 data validation; completeness of reported infections has not been evaluated.

County	Hospital Name	CLABSI count	Central line-days	Rate per 1000*	95% Confidence Interval**	Statistical Interpretation***
	STATE OF CALIFORNIA POOLED DATA	135	183196	0.74		
San Luis Obispo	Sierra Vista Regional Medical Center	2	792	2.53	(0.31,9.12)	N
<i>San Luis Obispo</i>	<i>Twin Cities Community Hospital</i>	<i>0</i>	<i>481</i>	<i>0</i>	<i>(0.00,6.23)</i>	<i>N</i>
San Mateo	Mills-Peninsula Medical Center	0	1415	0	(0.00,2.12)	N
San Mateo	Sequoia Hospital	0	3290	0	(0.00,0.91)	N
<i>Santa Barbara</i>	<i>Marian Regional Medical Center</i>	<i>0</i>	<i>1576</i>	<i>0</i>	<i>(0.00,1.90)</i>	<i>N</i>
Santa Clara	Kaiser Foundation Hospital, San Jose	5	1245	4.02	(1.30,9.37)	H
Santa Clara	Kaiser Foundation Hospital, Santa Clara	0	996	0	(0.00,3.01)	N
Santa Clara	Santa Clara Valley Medical Center	2	2575	0.78	(0.09,2.81)	N
Santa Clara	Stanford Hospital	6	15573	0.39	(0.14,0.84)	N
Shasta	Shasta Regional Medical Center	1	1044	0.96	(0.02,5.34)	N
Stanislaus	Emanuel Medical Center	0	1543	0	(0.00,1.94)	N
<i>Stanislaus</i>	<i>Memorial Medical Center</i>	<i>2</i>	<i>2304</i>	<i>0.87</i>	<i>(0.11,3.14)</i>	<i>N</i>
<i>Tehama</i>	<i>St. Elizabeth Community Hospital</i>	<i>0</i>	<i>202</i>	<i>0</i>	<i>(0.00,14.83)</i>	<i>N</i>
Tulare	Kaweah Delta Medical Center	0	1221	0	(0.00,2.45)	N
Tulare	Tulare Regional Medical Center	0	271	0	(0.00,11.05)	N
Tuolumne	Sonora Regional Medical Center	0	162	0	(0.00,18.49)	N
Ventura	Los Robles Hospital & Medical Center	0	1425	0	(0.00,2.10)	N
Ventura	Ventura County Medical Center	0	363	0	(0.00,8.25)	N
Ventura	Ventura County Medical Center - Santa Paula Hospital	0	84	0	(0.00,35.66)	N

*Rate per 1000 central line days (total infections/total central line-days multiplied by 1000).

**95% confidence interval calculated for rates based on exact Poisson distribution.

*** Statistical interpretation indicates hospital-specific rates that were statistically higher (H), lower (L), or no different (N) than California average rates, or rates that were not tested due to too few central line-days or too few hospitals reported (---).

Source: Central Line-Associated Bloodstream Infections and Central Line Insertion Practices in California Hospitals, January 2014 through December 2014 (Inclusive).

CLABSI Table 20. Central Line-Associated Bloodstream Infection (CLABSI) Rates in Neonatal Step-Down Care Wards, Reported by California Hospitals, January - December 2014
Hospitals highlighted in red did not participate in 2014 data validation; completeness of reported infections has not been evaluated.

County	Hospital Name	CLABSI count	Central line-days	Rate per 1000*	95% Confidence Interval**	Statistical Interpretation***
	STATE OF CALIFORNIA POOLED DATA	0	1999	0		
Alameda	Highland Hospital	0	13	.	-----	---
Contra Costa	Kaiser Foundation Hospital, Antioch	0	2	.	-----	---
Contra Costa	Sutter Delta Medical Center	0	15	.	-----	---
Fresno	Kaiser Foundation Hospital, Fresno	0	15	.	-----	---
Monterey	Community Hospital of The Monterey Peninsula	0	2	.	-----	---
Orange	Garden Grove Hospital and Medical Center	0	30	.	-----	---
Sacramento	Kaiser Foundation Hospital, South Sacramento	0	5	.	-----	---
Sacramento	Methodist Hospital of Sacramento	0	70	0	(0.00,42.80)	N
Sacramento	University of California Davis Medical Center	0	818	0	(0.00,3.66)	N
San Diego	Pomerado Hospital	0	3	.	-----	---
San Diego	Rady Children's Hospital - San Diego	0	762	0	(0.00,3.93)	N
San Diego	Sharp Chula Vista Medical Center	0	128	0	(0.00,23.40)	N
Santa Clara	Lucile Salter Packard Children's Hospital at Stanford	0	89	0	(0.00,33.66)	N
Santa Clara	Regional Medical Center of San Jose	0	3	.	-----	---
<i>Santa Cruz</i>	<i>Watsonville Community Hospital</i>	<i>0</i>	<i>33</i>	<i>.</i>	<i>-----</i>	<i>---</i>
Sonoma	Kaiser Foundation Hospital, Santa Rosa	0	3	.	-----	---
<i>Stanislaus</i>	<i>Memorial Medical Center</i>	<i>0</i>	<i>8</i>	<i>.</i>	<i>-----</i>	<i>---</i>

*Rate per 1000 central line days (total infections/total central line-days multiplied by 1000).

**95% confidence interval calculated for rates based on exact Poisson distribution.

*** Statistical interpretation indicates hospital-specific rates that were statistically higher (H), lower (L), or no different (N) than California average rates, or rates that were not tested due to too few central line-days or too few hospitals reported (---).

Source: Central Line-Associated Bloodstream Infections and Central Line Insertion Practices in California Hospitals, January 2014 through December 2014 (Inclusive).

CLABSI Table 21. Central Line-Associated Bloodstream Infection (CLABSI) Rates in Pediatric Step-Down Care Wards, Reported by California Hospitals, January 2014 - December 2014
Hospitals highlighted in red did not participate in 2014 data validation; completeness of reported infections has not been evaluated.

County	Hospital Name	CLABSI count	Central line-days	Rate per 1000*	95% Confidence Interval**	Statistical Interpretation***
	STATE OF CALIFORNIA POOLED DATA	0	521	0		
<i>Los Angeles</i>	<i>LAC/Harbor-UCLA Medical Center</i>	<i>0</i>	<i>114</i>	<i>0</i>	<i>(0.00,26.28)</i>	<i>---</i>
San Francisco	UCSF Medical Center	0	407	0	(0.00,7.36)	---

*Rate per 1000 central line days (total infections/total central line-days multiplied by 1000).

**95% confidence interval calculated for rates based on exact Poisson distribution.

*** Statistical interpretation indicates hospital-specific rates that were statistically higher (H), lower (L), or no different (N) than California average rates, or rates that were not tested due to too few central line-days or too few hospitals reported (---).

Source: Central Line-Associated Bloodstream Infections and Central Line Insertion Practices in California Hospitals, January 2014 through December 2014 (Inclusive).

CLABSI Table 22. Central Line-Associated Bloodstream Infection (CLABSI) Rates in General Medical Care Wards, Reported by California Hospitals, January - December 2014

Hospitals highlighted in red did not participate in 2014 data validation; completeness of reported infections has not been evaluated.

County	Hospital Name	CLABSI count	Central line-days	Rate per 1000*	95% Confidence Interval**	Statistical Interpretation***
	STATE OF CALIFORNIA POOLED DATA	357	443250	0.81		
Alameda	Alameda Hospital	0	314	0	(0.00,9.54)	N
Alameda	Eden Medical Center	0	1089	0	(0.00,2.75)	N
Alameda	Highland Hospital	2	4214	0.47	(0.06,1.71)	N
Alameda	Kaiser Foundation Hospital, Oakland/Richmond	0	406	0	(0.00,7.38)	N
Alameda	Valleycare Medical Center	1	1653	0.6	(0.02,3.37)	N
Alameda	Washington Hospital	2	2743	0.73	(0.09,2.63)	N
Butte	Enloe Medical Center - Esplanade	1	6544	0.15	(0.00,0.85)	N
Butte	Feather River Hospital	1	991	1.01	(0.03,5.62)	N
Butte	Oroville Hospital	0	777	0	(0.00,3.86)	N
Contra Costa	Contra Costa Regional Medical Center	0	1283	0	(0.00,2.33)	N
Contra Costa	Doctors Medical Center - San Pablo	3	660	4.55	(0.94,13.28)	H
Contra Costa	John Muir Medical Center-Concord Campus	6	6897	0.87	(0.32,1.89)	N
Contra Costa	John Muir Medical Center-Walnut Creek Campus	2	5534	0.36	(0.04,1.31)	N
Contra Costa	Kaiser Foundation Hospital, Antioch	0	750	0	(0.00,3.99)	N
Contra Costa	Sutter Delta Medical Center	1	497	2.01	(0.05,11.21)	N
Del Norte	Sutter Coast Hospital	1	215	4.65	(0.12,25.91)	N
El Dorado	Marshall Medical Center	0	2046	0	(0.00,1.46)	N
Fresno	Clovis Community Medical Center	1	1361	0.73	(0.02,4.09)	N
Fresno	Community Regional Medical Center	6	4631	1.3	(0.48,2.82)	N
Fresno	Fresno Heart and Surgical Hospital	0	1309	0	(0.00,2.29)	N
Fresno	Kaiser Foundation Hospital, Fresno	1	1164	0.86	(0.02,4.79)	N
Fresno	Saint Agnes Medical Center	16	10787	1.48	(0.85,2.41)	H
Glenn	Glenn Medical Center	0	73	0	(0.00,41.04)	N
Imperial	Pioneers Memorial Healthcare District	2	389	5.14	(0.62,18.57)	N
Kern	Bakersfield Heart Hospital	3	2429	1.24	(0.25,3.61)	N
Kern	Bakersfield Memorial Hospital	1	4039	0.25	(0.01,1.38)	N
Kern	San Joaquin Community Hospital	2	4663	0.43	(0.05,1.55)	N
Los Angeles	Alhambra Hospital Medical Center	0	456	0	(0.00,6.57)	N
Los Angeles	California Hospital Medical Center - Los Angeles	2	1072	1.87	(0.23,6.74)	N
Los Angeles	Cedars-Sinai Medical Center	10	13990	0.71	(0.34,1.31)	N
Los Angeles	Centinela Hospital Medical Center	0	2614	0	(0.00,1.15)	N

CLABSI Table 22. Central Line-Associated Bloodstream Infection (CLABSI) Rates in General Medical Care Wards, Reported by California Hospitals, January - December 2014

Hospitals highlighted in red did not participate in 2014 data validation; completeness of reported infections has not been evaluated.

County	Hospital Name	CLABSI count	Central line-days	Rate per 1000*	95% Confidence Interval**	Statistical Interpretation***
	STATE OF CALIFORNIA POOLED DATA	357	443250	0.81		
Los Angeles	Citrus Valley Medical Center - IC Campus	4	4106	0.97	(0.27,2.49)	N
<i>Los Angeles</i>	<i>Coast Plaza Hospital</i>	<i>0</i>	<i>138</i>	<i>0</i>	<i>(0.00,21.71)</i>	<i>N</i>
Los Angeles	College Medical Center	1	156	6.41	(0.16,35.72)	N
Los Angeles	Community Hospital of Huntington Park	0	610	0	(0.00,4.91)	N
<i>Los Angeles</i>	<i>Foothill Presbyterian Hospital-Johnston Memorial</i>	<i>0</i>	<i>438</i>	<i>0</i>	<i>(0.00,6.84)</i>	<i>N</i>
Los Angeles	Garfield Medical Center	0	1034	0	(0.00,2.90)	N
Los Angeles	Glendale Adventist Medical Center	3	6556	0.46	(0.09,1.34)	N
<i>Los Angeles</i>	<i>Glendale Memorial Hospital and Health Center</i>	<i>0</i>	<i>2416</i>	<i>0</i>	<i>(0.00,1.24)</i>	<i>N</i>
<i>Los Angeles</i>	<i>Glendora Community Hospital</i>	<i>1</i>	<i>88</i>	<i>11.36</i>	<i>(0.29,63.31)</i>	<i>N</i>
Los Angeles	Good Samaritan Hospital, Los Angeles	2	2846	0.7	(0.09,2.54)	N
Los Angeles	Hollywood Presbyterian Medical Center	0	762	0	(0.00,3.93)	N
Los Angeles	Huntington Memorial Hospital	1	6534	0.15	(0.00,0.85)	N
Los Angeles	Kaiser Foundation Hospital, Los Angeles	2	3758	0.53	(0.06,1.92)	N
Los Angeles	Kaiser Foundation Hospital, Panorama City	0	362	0	(0.00,8.28)	N
Los Angeles	Kaiser Foundation Hospital, West LA	5	1483	3.37	(1.09,7.87)	H
Los Angeles	Kaiser Foundation Hospital, Woodland Hills	4	1079	3.71	(1.01,9.49)	H
Los Angeles	LAC+USC Medical Center	0	227	0	(0.00,13.20)	N
<i>Los Angeles</i>	<i>LAC/Harbor-UCLA Medical Center</i>	<i>4</i>	<i>2961</i>	<i>1.35</i>	<i>(0.37,3.46)</i>	<i>N</i>
Los Angeles	LAC/Rancho Los Amigos National Rehabilitation Ctr	0	64	0	(0.00,46.81)	N
Los Angeles	Lakewood Regional Medical Center	3	2718	1.1	(0.23,3.23)	N
Los Angeles	Long Beach Memorial Medical Center	6	6777	0.89	(0.32,1.93)	N
<i>Los Angeles</i>	<i>Los Angeles County Olive View-UCLA Medical Center</i>	<i>0</i>	<i>1369</i>	<i>0</i>	<i>(0.00,2.19)</i>	<i>N</i>
<i>Los Angeles</i>	<i>Marina Del Rey Hospital</i>	<i>2</i>	<i>679</i>	<i>2.95</i>	<i>(0.36,10.64)</i>	<i>N</i>
<i>Los Angeles</i>	<i>Memorial Hospital of Gardena</i>	<i>1</i>	<i>1181</i>	<i>0.85</i>	<i>(0.02,4.72)</i>	<i>N</i>
Los Angeles	Methodist Hospital of Southern California	0	2595	0	(0.00,1.15)	N
Los Angeles	Monterey Park Hospital	0	173	0	(0.00,17.32)	N
Los Angeles	Northridge Hospital Medical Center	0	541	0	(0.00,5.54)	N
<i>Los Angeles</i>	<i>Olympia Medical Center</i>	<i>0</i>	<i>353</i>	<i>0</i>	<i>(0.00,8.49)</i>	<i>N</i>
Los Angeles	PIH Hospital - Downey	2	592	3.38	(0.41,12.20)	N
Los Angeles	Palmdale Regional Medical Center	0	991	0	(0.00,3.02)	N
Los Angeles	Presbyterian Intercommunity Hospital	1	11383	0.09	(0.00,0.49)	L

CLABSI Table 22. Central Line-Associated Bloodstream Infection (CLABSI) Rates in General Medical Care Wards, Reported by California Hospitals, January - December 2014

Hospitals highlighted in red did not participate in 2014 data validation; completeness of reported infections has not been evaluated.

County	Hospital Name	CLABSI count	Central line-days	Rate per 1000*	95% Confidence Interval**	Statistical Interpretation***
	STATE OF CALIFORNIA POOLED DATA	357	443250	0.81		
Los Angeles	Providence Holy Cross Medical Center	7	4899	1.43	(0.57,2.94)	N
Los Angeles	Providence Little Company of Mary Medical Center Torrance	5	5361	0.93	(0.30,2.18)	N
Los Angeles	Providence Saint Joseph Medical Center	3	3038	0.99	(0.20,2.89)	N
<i>Los Angeles</i>	<i>Providence Tarzana Medical Center</i>	<i>0</i>	<i>1564</i>	<i>0</i>	<i>(0.00,1.92)</i>	<i>N</i>
Los Angeles	Ronald Reagan UCLA Medical Center	10	8253	1.21	(0.58,2.23)	N
Los Angeles	Saint Vincent Medical Center	1	1223	0.82	(0.02,4.56)	N
Los Angeles	San Gabriel Valley Medical Center	0	749	0	(0.00,4.00)	N
<i>Los Angeles</i>	<i>Santa Monica - UCLA Medical Center and Orthopaedic Hospital</i>	<i>1</i>	<i>876</i>	<i>1.14</i>	<i>(0.03,6.36)</i>	<i>N</i>
Los Angeles	Southern California Hospital at Culiver City	0	1133	0	(0.00,2.64)	N
Los Angeles	St. Mary Medical Center, Long Beach	0	1560	0	(0.00,1.92)	N
Los Angeles	Torrance Memorial Medical Center	6	5498	1.09	(0.40,2.38)	N
Los Angeles	Valley Presbyterian Hospital	5	2291	2.18	(0.71,5.09)	N
Los Angeles	West Hills Hospital & Medical Center	3	3965	0.76	(0.16,2.21)	N
Los Angeles	White Memorial Medical Center	3	2648	1.13	(0.23,3.31)	N
Los Angeles	Whittier Hospital Medical Center	0	601	0	(0.00,4.98)	N
Marin	Marin General Hospital	0	803	0	(0.00,3.73)	N
Mariposa	John C. Fremont Healthcare District	0	157	0	(0.00,19.08)	N
Merced	Mercy Medical Center	1	2602	0.38	(0.01,2.14)	N
<i>Modoc</i>	<i>Modoc Medical Center</i>	<i>0</i>	<i>2</i>	<i>.</i>	<i>-----</i>	<i>---</i>
Monterey	Community Hospital of The Monterey Peninsula	2	5523	0.36	(0.04,1.31)	N
Monterey	Salinas Valley Memorial Hospital	0	2389	0	(0.00,1.25)	N
<i>Napa</i>	<i>Queen of the Valley Medical Center</i>	<i>1</i>	<i>1090</i>	<i>0.92</i>	<i>(0.02,5.11)</i>	<i>N</i>
Nevada	Sierra Nevada Memorial Hospital	1	468	2.14	(0.05,11.91)	N
Orange	AHMC Anaheim Regional Medical Center	5	1803	2.77	(0.90,6.47)	H
Orange	Fountain Valley Regional Hospital & Medical Center	5	5653	0.88	(0.29,2.06)	N
Orange	Garden Grove Hospital and Medical Center	0	626	0	(0.00,4.79)	N
Orange	Hoag Hospital Irvine	1	749	1.34	(0.03,7.44)	N
Orange	Hoag Memorial Hospital Presbyterian	4	2327	1.72	(0.47,4.40)	N
Orange	Huntington Beach Hospital	3	769	3.9	(0.80,11.40)	N
Orange	Kaiser Foundation Hospital, Orange County, Anaheim	0	740	0	(0.00,4.05)	N
Orange	Kaiser Foundation Hospital, Orange County, Irvine	1	561	1.78	(0.05,9.93)	N

CLABSI Table 22. Central Line-Associated Bloodstream Infection (CLABSI) Rates in General Medical Care Wards, Reported by California Hospitals, January - December 2014

Hospitals highlighted in red did not participate in 2014 data validation; completeness of reported infections has not been evaluated.

County	Hospital Name	CLABSI count	Central line-days	Rate per 1000*	95% Confidence Interval**	Statistical Interpretation***
	STATE OF CALIFORNIA POOLED DATA	357	443250	0.81		
Orange	La Palma Intercommunity Hospital	2	1510	1.32	(0.16,4.78)	N
Orange	Los Alamitos Medical Center	3	2525	1.19	(0.25,3.47)	N
Orange	Mission Hospital Regional Medical Center	1	2206	0.45	(0.01,2.53)	N
Orange	Orange Coast Memorial Medical Center	0	714	0	(0.00,4.20)	N
Orange	Placentia Linda Hospital	2	614	3.26	(0.39,11.77)	N
Orange	Saddleback Memorial Medical Center	1	1414	0.71	(0.02,3.94)	N
Orange	St Joseph Hospital	2	2399	0.83	(0.10,3.01)	N
Orange	St. Jude Medical Center	1	1181	0.85	(0.02,4.72)	N
Orange	West Anaheim Medical Center	0	716	0	(0.00,4.18)	N
Orange	Western Medical Center Santa Ana	0	1159	0	(0.00,2.58)	N
Placer	Sutter Roseville Medical Center	0	2786	0	(0.00,1.08)	N
Riverside	Desert Regional Medical Center	4	3303	1.21	(0.33,3.10)	N
Riverside	Eisenhower Medical Center	2	7940	0.25	(0.03,0.91)	N
Riverside	Hemet Valley Medical Center	0	1108	0	(0.00,2.70)	N
Riverside	John F. Kennedy Memorial Hospital	1	2472	0.4	(0.01,2.25)	N
Riverside	Loma Linda University Medical Center - Murrieta	4	1071	3.73	(1.02,9.56)	H
Riverside	Menifee Valley Medical Center	1	669	1.49	(0.04,8.33)	N
Riverside	Riverside Community Hospital	1	5859	0.17	(0.00,0.95)	N
Riverside	Riverside County Regional Medical Center	0	2099	0	(0.00,1.43)	N
Riverside	San Geronio Memorial Hospital	0	1075	0	(0.00,2.79)	N
Riverside	Temecula Valley Hospital	0	1145	0	(0.00,2.62)	N
Sacramento	Kaiser Foundation Hospital, Sacramento	2	2021	0.99	(0.12,3.57)	N
Sacramento	Mercy General Hospital	0	7936	0	(0.00,0.38)	L
Sacramento	Mercy San Juan Medical Center	1	6816	0.15	(0.00,0.82)	N
Sacramento	Methodist Hospital of Sacramento	1	2387	0.42	(0.01,2.33)	N
Sacramento	Sutter General Hospital	1	1265	0.79	(0.02,4.40)	N
Sacramento	University of California Davis Medical Center	2	2588	0.77	(0.09,2.79)	N
San Bernardino	Arrowhead Regional Medical Center	3	3375	0.89	(0.18,2.60)	N
San Bernardino	Chino Valley Medical Center	0	616	0	(0.00,4.86)	N
San Bernardino	Community Hospital of San Bernardino	1	937	1.07	(0.03,5.95)	N
San Bernardino	Kaiser Foundation Hospital, Fontana	5	2810	1.78	(0.58,4.15)	N

CLABSI Table 22. Central Line-Associated Bloodstream Infection (CLABSI) Rates in General Medical Care Wards, Reported by California Hospitals, January - December 2014

Hospitals highlighted in red did not participate in 2014 data validation; completeness of reported infections has not been evaluated.

County	Hospital Name	CLABSI count	Central line-days	Rate per 1000*	95% Confidence Interval**	Statistical Interpretation***
	STATE OF CALIFORNIA POOLED DATA	357	443250	0.81		
San Bernardino	Loma Linda University Medical Center	12	4498	2.67	(1.38,4.66)	H
San Bernardino	Redlands Community Hospital	0	57	0	(0.00,52.56)	N
San Bernardino	San Antonio Community Hospital	2	3409	0.59	(0.07,2.12)	N
San Bernardino	St. Bernardine Medical Center	0	1237	0	(0.00,2.42)	N
San Bernardino	St. Mary Medical Center, Apple Valley	2	4876	0.41	(0.05,1.48)	N
San Diego	Alvarado Hospital Medical Center	0	2161	0	(0.00,1.39)	N
San Diego	Grossmont Hospital	5	5170	0.97	(0.31,2.26)	N
San Diego	Kaiser Foundation Hospital, San Diego	1	1894	0.53	(0.01,2.94)	N
San Diego	Palomar Medical Center	4	5646	0.71	(0.19,1.81)	N
San Diego	Scripps Green Hospital	0	1035	0	(0.00,2.89)	N
San Diego	Scripps Memorial Hospital - Encinitas	2	1757	1.14	(0.14,4.11)	N
San Diego	Scripps Memorial Hospital - La Jolla	4	3614	1.11	(0.30,2.83)	N
San Diego	Scripps Mercy Hospital	5	6255	0.8	(0.26,1.87)	N
San Diego	Scripps Mercy Hospital Chula Vista	0	1028	0	(0.00,2.91)	N
San Diego	Sharp Chula Vista Medical Center	13	2643	4.92	(2.62,8.41)	H
San Diego	Sharp Memorial Hospital	1	3028	0.33	(0.01,1.84)	N
San Diego	Tri-City Medical Center	8	6192	1.29	(0.56,2.55)	N
San Diego	University of California, San Diego Medical Center	21	13114	1.6	(0.99,2.45)	H
San Francisco	Laguna Honda Hospital & Rehabilitation Center	0	17	.	-----	---
San Francisco	UCSF Medical Center	1	5175	0.19	(0.00,1.08)	N
San Joaquin	Lodi Memorial Hospital	1	484	2.07	(0.05,11.51)	N
San Joaquin	St. Joseph's Medical Center Of Stockton	0	1746	0	(0.00,1.72)	N
<i>San Joaquin</i>	<i>Sutter Tracy Community Hospital</i>	<i>0</i>	<i>326</i>	<i>0</i>	<i>(0.00,9.19)</i>	<i>N</i>
San Luis Obispo	French Hospital Medical Center	0	837	0	(0.00,3.58)	N
San Mateo	Kaiser Foundation Hospital, Redwood City	0	39	.	-----	---
San Mateo	Mills-Peninsula Medical Center	1	2040	0.49	(0.01,2.73)	N

CLABSI Table 22. Central Line-Associated Bloodstream Infection (CLABSI) Rates in General Medical Care Wards, Reported by California Hospitals, January - December 2014

Hospitals highlighted in red did not participate in 2014 data validation; completeness of reported infections has not been evaluated.

County	Hospital Name	CLABSI count	Central line-days	Rate per 1000*	95% Confidence Interval**	Statistical Interpretation***
	STATE OF CALIFORNIA POOLED DATA	357	443250	0.81		
San Mateo	Seton Medical Center	1	1158	0.86	(0.02,4.81)	N
Santa Barbara	Lompoc Valley Medical Center	0	438	0	(0.00,6.84)	N
Santa Barbara	Santa Barbara Cottage Hospital	2	4585	0.44	(0.05,1.58)	N
Santa Clara	El Camino Hospital	6	3910	1.53	(0.56,3.34)	N
Santa Clara	Good Samaritan Hospital, San Jose	2	3338	0.6	(0.07,2.16)	N
Santa Clara	Kaiser Foundation Hospital, San Jose	4	2823	1.42	(0.39,3.63)	N
Santa Clara	Kaiser Foundation Hospital, Santa Clara	3	2095	1.43	(0.30,4.18)	N
Santa Clara	O'Connor Hospital	2	1185	1.69	(0.20,6.10)	N
Santa Clara	Regional Medical Center of San Jose	6	1429	4.2	(1.54,9.14)	H
Santa Clara	Saint Louise Regional Hospital	0	953	0	(0.00,3.14)	N
Santa Clara	Santa Clara Valley Medical Center	4	2363	1.69	(0.46,4.33)	N
Santa Clara	Stanford Hospital	1	3023	0.33	(0.01,1.84)	N
Santa Cruz	Dominican Hospital	1	6190	0.16	(0.00,0.90)	N
Shasta	Mercy Medical Center Redding	1	2929	0.34	(0.01,1.90)	N
Solano	California Medical Facility	6	693	8.66	(3.18,18.84)	H
Solano	Kaiser Foundation Hospital and Rehab Center, Vallejo	0	993	0	(0.00,3.02)	N
Solano	Northbay Medical Center	0	1342	0	(0.00,2.23)	N
<i>Solano</i>	<i>Sutter Solano Medical Center</i>	<i>1</i>	<i>704</i>	<i>1.42</i>	<i>(0.04,7.91)</i>	<i>N</i>
<i>Sonoma</i>	<i>Sonoma Developmental Center</i>	<i>0</i>	<i>471</i>	<i>0</i>	<i>(0.00,6.36)</i>	<i>N</i>
Sonoma	Sutter Santa Rosa Regional Hospital	2	281	7.12	(0.86,25.71)	H
<i>Stanislaus</i>	<i>Doctors Medical Center</i>	<i>7</i>	<i>8246</i>	<i>0.85</i>	<i>(0.34,1.75)</i>	<i>N</i>
Stanislaus	Emanuel Medical Center	0	2236	0	(0.00,1.34)	N
<i>Stanislaus</i>	<i>Memorial Medical Center</i>	<i>1</i>	<i>4830</i>	<i>0.21</i>	<i>(0.01,1.15)</i>	<i>N</i>
Sutter	Rideout Memorial Hospital	1	1031	0.97	(0.02,5.40)	N
Tulare	Kaweah Delta Medical Center	0	1313	0	(0.00,2.28)	N
<i>Tulare</i>	<i>Porterville Developmental Center</i>	<i>0</i>	<i>34</i>	<i>.</i>	<i>-----</i>	<i>---</i>
Tulare	Sierra View Medical Center	0	237	0	(0.00,12.64)	N
Ventura	Los Robles Hospital & Medical Center	2	4994	0.4	(0.05,1.45)	N
<i>Ventura</i>	<i>Simi Valley Hospital & Health Care Services</i>	<i>2</i>	<i>1309</i>	<i>1.53</i>	<i>(0.19,5.52)</i>	<i>N</i>
<i>Ventura</i>	<i>St Johns Regional Medical Center</i>	<i>1</i>	<i>3225</i>	<i>0.31</i>	<i>(0.01,1.73)</i>	<i>N</i>
Ventura	Ventura County Medical Center	3	1417	2.12	(0.44,6.19)	N

CLABSI Table 22. Central Line-Associated Bloodstream Infection (CLABSI) Rates in General Medical Care Wards, Reported by California Hospitals, January - December 2014

Hospitals highlighted in red did not participate in 2014 data validation; completeness of reported infections has not been evaluated.

County	Hospital Name	CLABSI count	Central line-days	Rate per 1000*	95% Confidence Interval**	Statistical Interpretation***
	STATE OF CALIFORNIA POOLED DATA	357	443250	0.81		

*Rate per 1000 central line days (total infections/total central line-days multiplied by 1000).

**95% confidence interval calculated for rates based on exact Poisson distribution.

*** Statistical interpretation indicates hospital-specific rates that were statistically higher (H), lower (L), or no different (N) than California average rates, or rates that were not tested due to too few central line-days or too few hospitals reported (---).

Source: Central Line-Associated Bloodstream Infections and Central Line Insertion Practices in California Hospitals, January 2014 through December 2014 (Inclusive).

CLABSI Table 23. Central Line-Associated Bloodstream Infection (CLABSI) Rates in General Medical/Surgical Care Wards, Reported by California Hospitals, January - December 2014
Hospitals highlighted in red did not participate in 2014 data validation; completeness of reported infections has not been evaluated.

County	Hospital Name	CLABSI count	Central line-days	Rate per 1000*	95% Confidence Interval**	Statistical Interpretation***
	STATE OF CALIFORNIA POOLED DATA	367	520599	0.7		
Alameda	Alameda Hospital	0	296	0	(0.00,10.12)	N
Alameda	Alta Bates Summit Medical Center	5	7173	0.7	(0.23,1.63)	N
Alameda	Alta Bates Summit Medical Center-Alta Bates Campus	9	8104	1.11	(0.51,2.11)	N
Alameda	Kaiser Foundation Hospital, Fremont	2	2918	0.69	(0.08,2.48)	N
Alameda	Kaiser Foundation Hospital, Oakland/Richmond	2	2921	0.68	(0.08,2.47)	N
Alameda	San Leandro Hospital	0	546	0	(0.00,5.49)	N
Alameda	St Rose Hospital	2	2294	0.87	(0.11,3.15)	N
Alameda	Valleycare Medical Center	0	7	.	-----	---
Alameda	Washington Hospital	4	3429	1.17	(0.32,2.99)	N
Amador	Sutter Amador Hospital	0	1081	0	(0.00,2.77)	N
<i>Butte</i>	<i>Biggs Gridley Memorial Hospital</i>	<i>0</i>	<i>49</i>	<i>.</i>	<i>-----</i>	<i>---</i>
Butte	Enloe Medical Center - Esplanade	0	2263	0	(0.00,1.32)	N
Butte	Oroville Hospital	0	1534	0	(0.00,1.95)	N
Calaveras	Mark Twain Medical Center	0	224	0	(0.00,13.37)	N
Colusa	Colusa Regional Medical Center	0	33	.	-----	---
Contra Costa	John Muir Medical Center-Walnut Creek Campus	0	433	0	(0.00,6.92)	N
Contra Costa	Kaiser Foundation Hospital, Antioch	0	1054	0	(0.00,2.84)	N
Contra Costa	Kaiser Foundation Hospital, Walnut Creek	3	5135	0.58	(0.12,1.71)	N
Contra Costa	San Ramon Regional Medical Center	1	925	1.08	(0.03,6.02)	N
El Dorado	Barton Memorial Hospital	0	356	0	(0.00,8.41)	N
El Dorado	Marshall Medical Center	0	1267	0	(0.00,2.36)	N
Fresno	Adventist Medical Center - Reedley	0	27	.	-----	---
Fresno	Adventist Medical Center - Selma	0	229	0	(0.00,13.08)	N
Fresno	Clovis Community Medical Center	3	2878	1.04	(0.21,3.05)	N
Fresno	Coalinga Regional Medical Center	0	3	.	-----	---
Fresno	Community Regional Medical Center	15	5623	2.67	(1.49,4.40)	H
Fresno	Kaiser Foundation Hospital, Fresno	1	2479	0.4	(0.01,2.25)	N
Fresno	Saint Agnes Medical Center	0	60	0	(0.00,49.93)	N
Humboldt	Mad River Community Hospital	0	789	0	(0.00,3.80)	N
Humboldt	Redwood Memorial Hospital	0	183	0	(0.00,16.37)	N

CLABSI Table 23. Central Line-Associated Bloodstream Infection (CLABSI) Rates in General Medical/Surgical Care Wards, Reported by California Hospitals, January - December 2014
Hospitals highlighted in red did not participate in 2014 data validation; completeness of reported infections has not been evaluated.

County	Hospital Name	CLABSI count	Central line-days	Rate per 1000*	95% Confidence Interval**	Statistical Interpretation***
	STATE OF CALIFORNIA POOLED DATA	367	520599	0.7		
Humboldt	St. Joseph Hospital	1	2821	0.35	(0.01,1.98)	N
Imperial	El Centro Regional Medical Center	3	1148	2.61	(0.54,7.64)	N
Inyo	Northern Inyo Hospital	1	126	7.94	(0.20,44.22)	N
Kern	Bakersfield Memorial Hospital	1	4502	0.22	(0.01,1.24)	N
Kern	Delano Regional Medical Center	2	488	4.1	(0.50,14.80)	N
<i>Kern</i>	<i>Good Samaritan Hospital, Bakersfield</i>	<i>0</i>	<i>88</i>	<i>0</i>	<i>(0.00,34.04)</i>	<i>N</i>
Kern	Kern Medical Center	0	2756	0	(0.00,1.09)	N
Kern	Kern Valley Healthcare District	0	364	0	(0.00,8.23)	N
Kern	Mercy Hospital	1	4127	0.24	(0.01,1.35)	N
<i>Kern</i>	<i>Mercy Southwest Hospital</i>	<i>1</i>	<i>2192</i>	<i>0.46</i>	<i>(0.01,2.54)</i>	<i>N</i>
<i>Kern</i>	<i>Ridgecrest Regional Hospital</i>	<i>0</i>	<i>462</i>	<i>0</i>	<i>(0.00,6.48)</i>	<i>N</i>
Kern	San Joaquin Community Hospital	5	5591	0.89	(0.29,2.09)	N
Kern	Tehachapi Hospital	0	1	.	-----	---
Kings	Adventist Medical Center	0	3611	0	(0.00,0.83)	N
Lake	St. Helena Hospital - Clearlake	0	301	0	(0.00,9.95)	N
Lake	Sutter Lakeside Hospital	0	618	0	(0.00,4.85)	N
<i>Lassen</i>	<i>Banner Lassen Medical Center</i>	<i>0</i>	<i>237</i>	<i>0</i>	<i>(0.00,12.64)</i>	<i>N</i>
Los Angeles	Alhambra Hospital Medical Center	0	195	0	(0.00,15.36)	N
Los Angeles	Antelope Valley Hospital	4	6218	0.64	(0.18,1.65)	N
Los Angeles	Beverly Hospital	3	2261	1.33	(0.27,3.88)	N
Los Angeles	California Hospital Medical Center - Los Angeles	1	3286	0.3	(0.01,1.70)	N
Los Angeles	Cedars-Sinai Medical Center	2	4791	0.42	(0.05,1.51)	N
Los Angeles	Centinela Hospital Medical Center	2	2075	0.96	(0.12,3.48)	N
Los Angeles	Citrus Valley Medical Center - IC Campus	5	5900	0.85	(0.28,1.98)	N
<i>Los Angeles</i>	<i>Coast Plaza Hospital</i>	<i>0</i>	<i>85</i>	<i>0</i>	<i>(0.00,35.24)</i>	<i>N</i>
Los Angeles	College Medical Center	1	79	12.66	(0.32,70.53)	N
Los Angeles	Community Hospital Long Beach	0	912	0	(0.00,3.28)	N
Los Angeles	Community Hospital of Huntington Park	0	399	0	(0.00,7.51)	N
Los Angeles	Doctors Hospital of West Covina, Inc.	0	24	.	-----	---
Los Angeles	Earl & Loraine Miller Children's Hospital	0	58	0	(0.00,51.65)	N

CLABSI Table 23. Central Line-Associated Bloodstream Infection (CLABSI) Rates in General Medical/Surgical Care Wards, Reported by California Hospitals, January - December 2014
Hospitals highlighted in red did not participate in 2014 data validation; completeness of reported infections has not been evaluated.

County	Hospital Name	CLABSI count	Central line-days	Rate per 1000*	95% Confidence Interval**	Statistical Interpretation***
	STATE OF CALIFORNIA POOLED DATA	367	520599	0.7		
Los Angeles	East Los Angeles Doctors Hospital	2	753	2.66	(0.32,9.59)	N
Los Angeles	Encino Hospital Medical Center	0	446	0	(0.00,6.72)	N
<i>Los Angeles</i>	<i>Foothill Presbyterian Hospital-Johnston Memorial</i>	<i>1</i>	<i>1113</i>	<i>0.9</i>	<i>(0.02,5.01)</i>	<i>N</i>
Los Angeles	Garfield Medical Center	3	992	3.02	(0.62,8.84)	N
Los Angeles	Glendale Adventist Medical Center	0	74	0	(0.00,40.48)	N
<i>Los Angeles</i>	<i>Glendale Memorial Hospital and Health Center</i>	<i>0</i>	<i>1843</i>	<i>0</i>	<i>(0.00,1.63)</i>	<i>N</i>
<i>Los Angeles</i>	<i>Glendora Community Hospital</i>	<i>0</i>	<i>108</i>	<i>0</i>	<i>(0.00,27.74)</i>	<i>N</i>
Los Angeles	Good Samaritan Hospital, Los Angeles	0	573	0	(0.00,5.23)	N
Los Angeles	Greater El Monte Community Hospital	0	132	0	(0.00,22.69)	N
Los Angeles	Henry Mayo Newhall Hospital	6	7462	0.8	(0.30,1.75)	N
Los Angeles	Hollywood Presbyterian Medical Center	1	1585	0.63	(0.02,3.52)	N
Los Angeles	Kaiser Foundation Hospital, Baldwin Park	1	3373	0.3	(0.01,1.65)	N
Los Angeles	Kaiser Foundation Hospital, Downey	2	3918	0.51	(0.06,1.84)	N
Los Angeles	Kaiser Foundation Hospital, Los Angeles	2	1396	1.43	(0.17,5.18)	N
Los Angeles	Kaiser Foundation Hospital, Panorama City	0	1241	0	(0.00,2.41)	N
Los Angeles	Kaiser Foundation Hospital, South Bay	0	2208	0	(0.00,1.36)	N
Los Angeles	Kaiser Foundation Hospital, West LA	0	20	.	-----	---
Los Angeles	Kaiser Foundation Hospital, Woodland Hills	0	621	0	(0.00,4.82)	N
Los Angeles	Keck Hospital of USC	7	11788	0.59	(0.24,1.22)	N
Los Angeles	LAC+USC Medical Center	8	10621	0.75	(0.33,1.48)	N
<i>Los Angeles</i>	<i>LAC/Harbor-UCLA Medical Center</i>	<i>0</i>	<i>118</i>	<i>0</i>	<i>(0.00,25.39)</i>	<i>N</i>
Los Angeles	LAC/Rancho Los Amigos National Rehabilitation Ctr	0	2555	0	(0.00,1.17)	N
Los Angeles	Lakewood Regional Medical Center	2	2120	0.94	(0.11,3.41)	N
Los Angeles	Los Angeles Community Hospital	1	799	1.25	(0.03,6.97)	N
<i>Los Angeles</i>	<i>Los Angeles County Olive View-UCLA Medical Center</i>	<i>4</i>	<i>3892</i>	<i>1.03</i>	<i>(0.28,2.63)</i>	<i>N</i>
<i>Los Angeles</i>	<i>Marina Del Rey Hospital</i>	<i>0</i>	<i>408</i>	<i>0</i>	<i>(0.00,7.34)</i>	<i>N</i>
<i>Los Angeles</i>	<i>Memorial Hospital of Gardena</i>	<i>0</i>	<i>1726</i>	<i>0</i>	<i>(0.00,1.74)</i>	<i>N</i>
Los Angeles	Methodist Hospital of Southern California	1	1017	0.98	(0.02,5.48)	N
<i>Los Angeles</i>	<i>Mission Community Hospital</i>	<i>6</i>	<i>1548</i>	<i>3.88</i>	<i>(1.42,8.44)</i>	<i>H</i>
Los Angeles	Monterey Park Hospital	0	72	0	(0.00,41.61)	N

CLABSI Table 23. Central Line-Associated Bloodstream Infection (CLABSI) Rates in General Medical/Surgical Care Wards, Reported by California Hospitals, January - December 2014
Hospitals highlighted in red did not participate in 2014 data validation; completeness of reported infections has not been evaluated.

County	Hospital Name	CLABSI count	Central line-days	Rate per 1000*	95% Confidence Interval**	Statistical Interpretation***
	STATE OF CALIFORNIA POOLED DATA	367	520599	0.7		
Los Angeles	Northridge Hospital Medical Center	6	2349	2.55	(0.94,5.56)	H
<i>Los Angeles</i>	<i>Olympia Medical Center</i>	<i>4</i>	<i>1356</i>	<i>2.95</i>	<i>(0.80,7.55)</i>	<i>H</i>
Los Angeles	Pacific Alliance Medical Center	0	2516	0	(0.00,1.19)	N
<i>Los Angeles</i>	<i>Pacifica Hospital of the Valley</i>	<i>0</i>	<i>223</i>	<i>0</i>	<i>(0.00,13.43)</i>	<i>N</i>
Los Angeles	Palmdale Regional Medical Center	0	2104	0	(0.00,1.42)	N
Los Angeles	Pomona Valley Hospital Medical Center	5	7290	0.69	(0.22,1.60)	N
Los Angeles	Providence Holy Cross Medical Center	2	2796	0.72	(0.09,2.58)	N
Los Angeles	Providence Little Company of Mary Medical Center San Pedro	0	2245	0	(0.00,1.33)	N
Los Angeles	Providence Little Company of Mary Medical Center Torrance	2	1064	1.88	(0.23,6.79)	N
Los Angeles	Providence Saint John's Health Center	3	2355	1.27	(0.26,3.72)	N
Los Angeles	Providence Saint Joseph Medical Center	1	1369	0.73	(0.02,4.07)	N
<i>Los Angeles</i>	<i>Providence Tarzana Medical Center</i>	<i>1</i>	<i>2108</i>	<i>0.47</i>	<i>(0.01,2.64)</i>	<i>N</i>
Los Angeles	Ronald Reagan UCLA Medical Center	5	6945	0.72	(0.23,1.68)	N
Los Angeles	Saint Francis Medical Center	11	4589	2.4	(1.20,4.29)	H
Los Angeles	Saint Vincent Medical Center	0	1129	0	(0.00,2.65)	N
Los Angeles	San Dimas Community Hospital	8	1872	4.27	(1.84,8.42)	H
Los Angeles	San Gabriel Valley Medical Center	0	1125	0	(0.00,2.66)	N
<i>Los Angeles</i>	<i>Santa Monica - UCLA Medical Center and Orthopaedic Hospital</i>	<i>4</i>	<i>3184</i>	<i>1.26</i>	<i>(0.34,3.22)</i>	<i>N</i>
Los Angeles	Sherman Oaks Hospital	0	582	0	(0.00,5.15)	N
Los Angeles	Silver Lake Medical Center	0	762	0	(0.00,3.93)	N
Los Angeles	Southern California Hospital at Culiver City	0	1621	0	(0.00,1.85)	N
Los Angeles	Southern California Hospital at Hollywood	5	915	5.46	(1.77,12.75)	H
Los Angeles	St. Mary Medical Center, Long Beach	1	1093	0.91	(0.02,5.10)	N
Los Angeles	Torrance Memorial Medical Center	2	4895	0.41	(0.05,1.48)	N
Los Angeles	USC Verdugo Hills Hospital	2	496	4.03	(0.49,14.57)	N
Los Angeles	Valley Presbyterian Hospital	4	4511	0.89	(0.24,2.27)	N
<i>Madera</i>	<i>Madera Community Hospital</i>	<i>0</i>	<i>874</i>	<i>0</i>	<i>(0.00,3.43)</i>	<i>N</i>
Marin	Kaiser Foundation Hospital, San Rafael	0	1994	0	(0.00,1.50)	N
Marin	Marin General Hospital	8	2251	3.55	(1.53,7.00)	H
Marin	Novato Community Hospital	0	345	0	(0.00,8.68)	N

CLABSI Table 23. Central Line-Associated Bloodstream Infection (CLABSI) Rates in General Medical/Surgical Care Wards, Reported by California Hospitals, January - December 2014
Hospitals highlighted in red did not participate in 2014 data validation; completeness of reported infections has not been evaluated.

County	Hospital Name	CLABSI count	Central line-days	Rate per 1000*	95% Confidence Interval**	Statistical Interpretation***
	STATE OF CALIFORNIA POOLED DATA	367	520599	0.7		
Mendocino	Frank R. Howard Memorial Hospital	0	499	0	(0.00,6.00)	N
Mendocino	Mendocino Coast District Hospital	0	258	0	(0.00,11.61)	N
Mendocino	Ukiah Valley Medical Center	1	657	1.52	(0.04,8.48)	N
Merced	Memorial Hospital Los Banos	0	119	0	(0.00,25.17)	N
Mono	Mammoth Hospital	0	45	.	-----	---
Monterey	Community Hospital of The Monterey Peninsula	2	4080	0.49	(0.06,1.77)	N
Monterey	George L. Mee Memorial Hospital	0	505	0	(0.00,5.93)	N
Monterey	Natividad Medical Center	0	779	0	(0.00,3.85)	N
Monterey	Salinas Valley Memorial Hospital	1	4323	0.23	(0.01,1.29)	N
<i>Napa</i>	<i>Queen of the Valley Medical Center</i>	<i>2</i>	<i>2002</i>	<i>1</i>	<i>(0.12,3.61)</i>	<i>N</i>
Napa	St. Helena Hospital	0	2354	0	(0.00,1.27)	N
Nevada	Sierra Nevada Memorial Hospital	0	956	0	(0.00,3.13)	N
Nevada	Tahoe Forest Hospital	0	17	.	-----	---
Orange	AHMC Anaheim Regional Medical Center	0	1166	0	(0.00,2.57)	N
Orange	Chapman Medical Center	1	140	7.14	(0.18,39.80)	N
Orange	Coastal Communities Hospital	1	850	1.18	(0.03,6.55)	N
Orange	College Hospital Costa Mesa	0	448	0	(0.00,6.69)	N
Orange	Garden Grove Hospital and Medical Center	1	851	1.18	(0.03,6.55)	N
Orange	Hoag Hospital Irvine	0	93	0	(0.00,32.21)	N
Orange	Hoag Memorial Hospital Presbyterian	1	1006	0.99	(0.03,5.54)	N
Orange	Huntington Beach Hospital	1	474	2.11	(0.05,11.75)	N
Orange	Kaiser Foundation Hospital, Orange County, Anaheim	6	2514	2.39	(0.88,5.19)	H
Orange	Kaiser Foundation Hospital, Orange County, Irvine	3	2183	1.37	(0.28,4.02)	N
Orange	Los Alamitos Medical Center	0	155	0	(0.00,19.33)	N
Orange	Mission Hospital Laguna Beach	3	688	4.36	(0.90,12.74)	H
Orange	Mission Hospital Regional Medical Center	0	4393	0	(0.00,0.68)	L
Orange	Placentia Linda Hospital	0	261	0	(0.00,11.48)	N
Orange	Saddleback Memorial Medical Center	1	2012	0.5	(0.01,2.77)	N
Orange	St. Jude Medical Center	4	4147	0.96	(0.26,2.47)	N
Orange	University of California Irvine Medical Center	3	8791	0.34	(0.07,1.00)	N

CLABSI Table 23. Central Line-Associated Bloodstream Infection (CLABSI) Rates in General Medical/Surgical Care Wards, Reported by California Hospitals, January - December 2014
Hospitals highlighted in red did not participate in 2014 data validation; completeness of reported infections has not been evaluated.

County	Hospital Name	CLABSI count	Central line-days	Rate per 1000*	95% Confidence Interval**	Statistical Interpretation***
	STATE OF CALIFORNIA POOLED DATA	367	520599	0.7		
Orange	West Anaheim Medical Center	1	504	1.98	(0.05,11.05)	N
Orange	Western Medical Center Anaheim	0	348	0	(0.00,8.61)	N
Orange	Western Medical Center Santa Ana	1	840	1.19	(0.03,6.63)	N
Placer	Kaiser Foundation Hospital, Roseville	1	5054	0.2	(0.01,1.10)	N
<i>Placer</i>	<i>Sutter Auburn Faith Hospital</i>	<i>1</i>	<i>1653</i>	<i>0.6</i>	<i>(0.02,3.37)</i>	<i>N</i>
Placer	Sutter Roseville Medical Center	0	1028	0	(0.00,2.91)	N
Plumas	Plumas District Hospital	0	41	.	-----	---
Riverside	Corona Regional Medical Center	0	1155	0	(0.00,2.59)	N
Riverside	Eisenhower Medical Center	0	2083	0	(0.00,1.44)	N
Riverside	Hemet Valley Medical Center	1	792	1.26	(0.03,7.03)	N
Riverside	Kaiser Foundation Hospital, Moreno Valley	0	530	0	(0.00,5.65)	N
Riverside	Kaiser Foundation Hospital, Riverside	3	5427	0.55	(0.11,1.62)	N
Riverside	Loma Linda University Medical Center - Murrieta	6	1387	4.33	(1.59,9.42)	H
Riverside	Menifee Valley Medical Center	0	200	0	(0.00,14.98)	N
Riverside	Palo Verde Hospital	1	143	6.99	(0.18,38.96)	N
Riverside	Parkview Community Hospital Medical Center	0	2413	0	(0.00,1.24)	N
Riverside	Riverside County Regional Medical Center	0	1922	0	(0.00,1.56)	N
Riverside	San Geronio Memorial Hospital	0	572	0	(0.00,5.24)	N
Riverside	Southwest Healthcare System, Murrieta	0	1903	0	(0.00,1.57)	N
Riverside	Southwest Healthcare System, Wildomar	0	1913	0	(0.00,1.57)	N
Sacramento	Kaiser Foundation Hospital, Sacramento	2	3021	0.66	(0.08,2.39)	N
Sacramento	Kaiser Foundation Hospital, South Sacramento	4	5480	0.73	(0.20,1.87)	N
Sacramento	Mercy Hospital of Folsom	0	1557	0	(0.00,1.92)	N
Sacramento	Mercy San Juan Medical Center	0	2066	0	(0.00,1.45)	N
Sacramento	Methodist Hospital of Sacramento	0	514	0	(0.00,5.83)	N
Sacramento	Sutter General Hospital	1	8841	0.11	(0.00,0.63)	L
Sacramento	University of California Davis Medical Center	4	10081	0.4	(0.11,1.02)	N
San Benito	Hazel Hawkins Memorial Hospital	0	421	0	(0.00,7.12)	N
San Bernardino	Arrowhead Regional Medical Center	1	3874	0.26	(0.01,1.44)	N
San Bernardino	Barstow Community Hospital	0	296	0	(0.00,10.12)	N

CLABSI Table 23. Central Line-Associated Bloodstream Infection (CLABSI) Rates in General Medical/Surgical Care Wards, Reported by California Hospitals, January - December 2014
Hospitals highlighted in red did not participate in 2014 data validation; completeness of reported infections has not been evaluated.

County	Hospital Name	CLABSI count	Central line-days	Rate per 1000*	95% Confidence Interval**	Statistical Interpretation***
	STATE OF CALIFORNIA POOLED DATA	367	520599	0.7		
San Bernardino	Bear Valley Community Hospital	0	5	.	-----	---
San Bernardino	Colorado River Medical Center	0	50	0	(0.00,59.91)	---
San Bernardino	Community Hospital of San Bernardino	2	907	2.21	(0.27,7.97)	N
San Bernardino	Desert Valley Hospital	1	1215	0.82	(0.02,4.59)	N
San Bernardino	Hi-Desert Medical Center	0	367	0	(0.00,8.16)	N
San Bernardino	Kaiser Foundation Hospital, Fontana	0	206	0	(0.00,14.54)	N
San Bernardino	Kaiser Foundation Hospital, Ontario	0	1081	0	(0.00,2.77)	N
San Bernardino	Loma Linda University Medical Center	3	3589	0.84	(0.17,2.44)	N
San Bernardino	Montclair Hospital Medical Center	0	566	0	(0.00,5.29)	N
San Bernardino	Redlands Community Hospital	0	2969	0	(0.00,1.01)	N
San Bernardino	San Antonio Community Hospital	1	2948	0.34	(0.01,1.89)	N
San Bernardino	St. Bernardine Medical Center	1	2434	0.41	(0.01,2.29)	N
San Bernardino	St. Mary Medical Center, Apple Valley	1	1117	0.9	(0.02,4.99)	N
San Bernardino	Victor Valley Global Medical Center	0	1740	0	(0.00,1.72)	N
San Diego	Grossmont Hospital	1	4991	0.2	(0.01,1.12)	N
San Diego	Kaiser Foundation Hospital, San Diego	7	1963	3.57	(1.43,7.35)	H
San Diego	Palomar Health Downtown Campus	0	3	.	-----	---
San Diego	Palomar Medical Center	0	16	.	-----	---
San Diego	Paradise Valley Hospital	1	505	1.98	(0.05,11.03)	N
San Diego	Pomerado Hospital	2	2307	0.87	(0.10,3.13)	N
San Diego	Scripps Mercy Hospital Chula Vista	1	1040	0.96	(0.02,5.36)	N
San Diego	Sharp Chula Vista Medical Center	1	1344	0.74	(0.02,4.15)	N
San Diego	Sharp Coronado Hospital and Healthcare Center	0	304	0	(0.00,9.85)	N
San Diego	Sharp Mary Birch Hospital For Women And Newborns	0	38	.	-----	---
San Diego	Tri-City Medical Center	0	1352	0	(0.00,2.22)	N
San Diego	University of California, San Diego Medical Center	15	13006	1.15	(0.65,1.90)	N
San Francisco	California Pacific Medical Center - Davies Campus Hospital	1	1052	0.95	(0.02,5.30)	N
San Francisco	California Pacific Medical Center - Pacific Campus Hospital	7	13566	0.52	(0.21,1.06)	N
San Francisco	California Pacific Medical Center – St. Luke’s Campus Hospital	2	1385	1.44	(0.17,5.22)	N
San Francisco	Chinese Hospital	0	213	0	(0.00,14.06)	N

CLABSI Table 23. Central Line-Associated Bloodstream Infection (CLABSI) Rates in General Medical/Surgical Care Wards, Reported by California Hospitals, January - December 2014
Hospitals highlighted in red did not participate in 2014 data validation; completeness of reported infections has not been evaluated.

County	Hospital Name	CLABSI count	Central line-days	Rate per 1000*	95% Confidence Interval**	Statistical Interpretation***
	STATE OF CALIFORNIA POOLED DATA	367	520599	0.7		
San Francisco	Kaiser Foundation Hospital, San Francisco	0	4416	0	(0.00,0.68)	L
San Francisco	Saint Francis Memorial Hospital	2	2943	0.68	(0.08,2.45)	N
San Francisco	San Francisco General Hospital	1	1752	0.57	(0.01,3.18)	N
San Francisco	St. Mary's Medical Center	0	1121	0	(0.00,2.67)	N
San Joaquin	Dameron Hospital	1	3249	0.31	(0.01,1.71)	N
San Joaquin	Doctors Hospital of Manteca	0	1258	0	(0.00,2.38)	N
San Joaquin	Lodi Memorial Hospital	0	69	0	(0.00,43.42)	N
San Joaquin	San Joaquin General Hospital	0	3747	0	(0.00,0.80)	N
San Joaquin	St. Joseph's Medical Center Of Stockton	5	5358	0.93	(0.30,2.18)	N
<i>San Joaquin</i>	<i>Sutter Tracy Community Hospital</i>	<i>0</i>	<i>1011</i>	<i>0</i>	<i>(0.00,2.96)</i>	<i>N</i>
San Luis Obispo	California Mens Colony	1	1125	0.89	(0.02,4.95)	N
San Luis Obispo	French Hospital Medical Center	0	394	0	(0.00,7.60)	N
San Luis Obispo	Sierra Vista Regional Medical Center	0	1177	0	(0.00,2.55)	N
<i>San Luis Obispo</i>	<i>Twin Cities Community Hospital</i>	<i>1</i>	<i>762</i>	<i>1.31</i>	<i>(0.03,7.31)</i>	<i>N</i>
San Mateo	Kaiser Foundation Hospital, Redwood City	2	2136	0.94	(0.11,3.38)	N
San Mateo	Kaiser Foundation Hospital, South San Francisco	1	1233	0.81	(0.02,4.52)	N
San Mateo	Mills-Peninsula Medical Center	1	411	2.43	(0.06,13.56)	N
<i>San Mateo</i>	<i>San Mateo Medical Center</i>	<i>0</i>	<i>1046</i>	<i>0</i>	<i>(0.00,2.86)</i>	<i>N</i>
San Mateo	Sequoia Hospital	0	781	0	(0.00,3.84)	N
San Mateo	Seton Medical Center	0	2010	0	(0.00,1.49)	N
Santa Barbara	Goleta Valley Cottage Hospital	0	158	0	(0.00,18.96)	N
<i>Santa Barbara</i>	<i>Marian Regional Medical Center</i>	<i>1</i>	<i>1364</i>	<i>0.73</i>	<i>(0.02,4.08)</i>	<i>N</i>
Santa Barbara	Santa Barbara Cottage Hospital	1	1563	0.64	(0.02,3.56)	N
Santa Clara	El Camino Hospital Los Gatos	0	431	0	(0.00,6.95)	N
Santa Clara	Kaiser Foundation Hospital, Santa Clara	2	4333	0.46	(0.06,1.67)	N
Santa Clara	O'Connor Hospital	0	1539	0	(0.00,1.95)	N
Santa Clara	Regional Medical Center of San Jose	7	3923	1.78	(0.72,3.68)	H
Santa Clara	Stanford Hospital	3	3771	0.8	(0.16,2.32)	N
Santa Cruz	Sutter Maternity & Surgery Center of Santa Cruz	0	46	.	-----	---
<i>Santa Cruz</i>	<i>Watsonville Community Hospital</i>	<i>0</i>	<i>1239</i>	<i>0</i>	<i>(0.00,2.42)</i>	<i>N</i>

CLABSI Table 23. Central Line-Associated Bloodstream Infection (CLABSI) Rates in General Medical/Surgical Care Wards, Reported by California Hospitals, January - December 2014
Hospitals highlighted in red did not participate in 2014 data validation; completeness of reported infections has not been evaluated.

County	Hospital Name	CLABSI count	Central line-days	Rate per 1000*	95% Confidence Interval**	Statistical Interpretation***
	STATE OF CALIFORNIA POOLED DATA	367	520599	0.7		
Shasta	Mayers Memorial Hospital	0	48	.	-----	---
Shasta	Mercy Medical Center Redding	1	1547	0.65	(0.02,3.60)	N
Shasta	Shasta Regional Medical Center	2	984	2.03	(0.25,7.34)	N
Siskiyou	Fairchild Medical Center	0	142	0	(0.00,21.10)	N
Siskiyou	Mercy Medical Center Mt. Shasta	0	54	0	(0.00,55.48)	N
Solano	Kaiser Foundation Hospital and Rehab Center, Vallejo	4	1789	2.24	(0.61,5.72)	N
Solano	Kaiser Foundation Hospital, Vacaville	1	1710	0.58	(0.01,3.26)	N
Solano	Northbay Vacavalley Hospital	0	994	0	(0.00,3.01)	N
<i>Solano</i>	<i>Sutter Solano Medical Center</i>	<i>0</i>	<i>1104</i>	<i>0</i>	<i>(0.00,2.71)</i>	<i>N</i>
Sonoma	Healdsburg District Hospital	0	475	0	(0.00,6.31)	N
Sonoma	Kaiser Foundation Hospital, Santa Rosa	2	2570	0.78	(0.09,2.81)	N
Sonoma	Petaluma Valley Hospital	0	705	0	(0.00,4.25)	N
Sonoma	Santa Rosa Memorial Hospital	3	6176	0.49	(0.10,1.42)	N
Sonoma	Sonoma Valley Hospital	0	172	0	(0.00,17.42)	N
Stanislaus	Kaiser Foundation Hospital, Manteca	2	3132	0.64	(0.08,2.31)	N
<i>Stanislaus</i>	<i>Memorial Medical Center</i>	<i>0</i>	<i>4971</i>	<i>0</i>	<i>(0.00,0.60)</i>	<i>L</i>
<i>Stanislaus</i>	<i>Oak Valley Hospital District (2-Rh)</i>	<i>0</i>	<i>293</i>	<i>0</i>	<i>(0.00,10.22)</i>	<i>N</i>
Sutter	Rideout Memorial Hospital	3	3442	0.87	(0.18,2.55)	N
<i>Tehama</i>	<i>St. Elizabeth Community Hospital</i>	<i>0</i>	<i>396</i>	<i>0</i>	<i>(0.00,7.56)</i>	<i>N</i>
<i>Trinity</i>	<i>Trinity Hospital</i>	<i>0</i>	<i>130</i>	<i>0</i>	<i>(0.00,23.04)</i>	<i>N</i>
Tulare	Kaweah Delta Medical Center	5	5944	0.84	(0.27,1.96)	N
Tulare	Sierra View Medical Center	1	456	2.19	(0.06,12.22)	N
Tulare	Tulare Regional Medical Center	1	1653	0.6	(0.02,3.37)	N
Tuolumne	Sonora Regional Medical Center	0	1418	0	(0.00,2.11)	N
Ventura	Community Memorial Hospital - San Buenaventura	2	2490	0.8	(0.10,2.90)	N
Ventura	Ojai Valley Community Hospital	0	119	0	(0.00,25.17)	N
<i>Ventura</i>	<i>Simi Valley Hospital & Health Care Services</i>	<i>2</i>	<i>1770</i>	<i>1.13</i>	<i>(0.14,4.08)</i>	<i>N</i>
Ventura	St Johns Pleasant Valley Hospital	0	1571	0	(0.00,1.91)	N
<i>Ventura</i>	<i>St Johns Regional Medical Center</i>	<i>2</i>	<i>1364</i>	<i>1.47</i>	<i>(0.18,5.30)</i>	<i>N</i>
Ventura	Ventura County Medical Center - Santa Paula Hospital	0	129	0	(0.00,23.22)	N

CLABSI Table 23. Central Line-Associated Bloodstream Infection (CLABSI) Rates in General Medical/Surgical Care Wards, Reported by California Hospitals, January - December 2014
Hospitals highlighted in red did not participate in 2014 data validation; completeness of reported infections has not been evaluated.

County	Hospital Name	CLABSI count	Central line-days	Rate per 1000*	95% Confidence Interval**	Statistical Interpretation***
	STATE OF CALIFORNIA POOLED DATA	367	520599	0.7		
Yolo	Sutter Davis Hospital	1	611	1.64	(0.04,9.12)	N
Yolo	Woodland Memorial Hospital	0	1261	0	(0.00,2.38)	N

*Rate per 1000 central line days (total infections/total central line-days multiplied by 1000).

**95% confidence interval calculated for rates based on exact Poisson distribution.

*** Statistical interpretation indicates hospital-specific rates that were statistically higher (H), lower (L), or no different (N) than California average rates, or rates that were not tested due to too few central line-days or too few hospitals reported (---).

Source: Central Line-Associated Bloodstream Infections and Central Line Insertion Practices in California Hospitals, January 2014 through December 2014 (Inclusive).

CLABSI Table 24. Central Line-Associated Bloodstream Infection (CLABSI) Rates in General Surgical Care Wards, Reported by California Hospitals, January - December 2014

Hospitals highlighted in red did not participate in 2014 data validation; completeness of reported infections has not been evaluated.

County	Hospital Name	CLABSI count	Central line-days	Rate per 1000*	95% Confidence Interval**	Statistical Interpretation***
	STATE OF CALIFORNIA POOLED DATA	79	164723	0.48		
Alameda	Alta Bates Summit Medical Center	0	237	0	(0.00,12.64)	N
Alameda	Eden Medical Center	0	2024	0	(0.00,1.48)	N
Alameda	Kaiser Foundation Hospital, Oakland/Richmond	0	189	0	(0.00,15.85)	N
Alameda	Valleycare Medical Center	0	449	0	(0.00,6.67)	N
Alameda	Washington Hospital	1	756	1.32	(0.03,7.37)	N
Butte	Enloe Medical Center - Esplanade	2	2760	0.72	(0.09,2.62)	N
Butte	Feather River Hospital	0	607	0	(0.00,4.94)	N
Contra Costa	Contra Costa Regional Medical Center	2	1644	1.22	(0.15,4.39)	N
Contra Costa	John Muir Medical Center-Concord Campus	0	1011	0	(0.00,2.96)	N
Contra Costa	John Muir Medical Center-Walnut Creek Campus	1	2387	0.42	(0.01,2.33)	N
Contra Costa	Sutter Delta Medical Center	0	122	0	(0.00,24.56)	N
El Dorado	Barton Memorial Hospital	0	112	0	(0.00,26.75)	N
Fresno	Fresno Heart and Surgical Hospital	0	1051	0	(0.00,2.85)	N
Fresno	Fresno Surgical Hospital	0	1	.	-----	---
Fresno	Saint Agnes Medical Center	1	1923	0.52	(0.01,2.90)	N
Kern	Mercy Hospital	1	573	1.75	(0.04,9.72)	N
Kern	San Joaquin Community Hospital	0	1648	0	(0.00,1.82)	N
Los Angeles	Cedars-Sinai Medical Center	6	13090	0.46	(0.17,1.00)	N
Los Angeles	Garfield Medical Center	0	412	0	(0.00,7.27)	N
Los Angeles	Glendale Adventist Medical Center	1	1228	0.81	(0.02,4.54)	N
Los Angeles	Huntington Memorial Hospital	0	3583	0	(0.00,0.84)	N
Los Angeles	Kaiser Foundation Hospital, Los Angeles	0	897	0	(0.00,3.34)	N
Los Angeles	Kaiser Foundation Hospital, South Bay	0	721	0	(0.00,4.15)	N
Los Angeles	Kaiser Foundation Hospital, West LA	1	236	4.24	(0.11,23.61)	N
Los Angeles	Kaiser Foundation Hospital, Woodland Hills	1	312	3.21	(0.08,17.86)	N
Los Angeles	Keck Hospital of USC	1	1262	0.79	(0.02,4.41)	N
<i>Los Angeles</i>	<i>LAC/Harbor-UCLA Medical Center</i>	<i>4</i>	<i>2219</i>	<i>1.8</i>	<i>(0.49,4.62)</i>	<i>H</i>
Los Angeles	LAC/Rancho Los Amigos National Rehabilitation Ctr	1	3155	0.32	(0.01,1.77)	N
Los Angeles	Long Beach Memorial Medical Center	1	1757	0.57	(0.01,3.17)	N
<i>Los Angeles</i>	<i>Marina Del Rey Hospital</i>	<i>0</i>	<i>82</i>	<i>0</i>	<i>(0.00,36.53)</i>	<i>N</i>
Los Angeles	Methodist Hospital of Southern California	0	1034	0	(0.00,2.90)	N

CLABSI Table 24. Central Line-Associated Bloodstream Infection (CLABSI) Rates in General Surgical Care Wards, Reported by California Hospitals, January - December 2014
Hospitals highlighted in red did not participate in 2014 data validation; completeness of reported infections has not been evaluated.

County	Hospital Name	CLABSI count	Central line-days	Rate per 1000*	95% Confidence Interval**	Statistical Interpretation***
	STATE OF CALIFORNIA POOLED DATA	79	164723	0.48		
<i>Los Angeles</i>	<i>Olympia Medical Center</i>	<i>0</i>	<i>407</i>	<i>0</i>	<i>(0.00,7.36)</i>	<i>N</i>
Los Angeles	PIH Hospital - Downey	1	645	1.55	(0.04,8.64)	N
Los Angeles	Presbyterian Intercommunity Hospital	0	1187	0	(0.00,2.52)	N
Los Angeles	Providence Holy Cross Medical Center	0	44	.	-----	---
Los Angeles	Providence Saint John's Health Center	0	645	0	(0.00,4.64)	N
Los Angeles	Providence Saint Joseph Medical Center	1	935	1.07	(0.03,5.96)	N
Los Angeles	Ronald Reagan UCLA Medical Center	3	3073	0.98	(0.20,2.85)	N
<i>Los Angeles</i>	<i>Santa Monica - UCLA Medical Center and Orthopaedic Hospital</i>	<i>0</i>	<i>847</i>	<i>0</i>	<i>(0.00,3.54)</i>	<i>N</i>
Los Angeles	Torrance Memorial Medical Center	1	1043	0.96	(0.02,5.34)	N
Los Angeles	White Memorial Medical Center	0	434	0	(0.00,6.90)	N
Marin	Marin General Hospital	0	876	0	(0.00,3.42)	N
Merced	Mercy Medical Center	0	606	0	(0.00,4.94)	N
Nevada	Sierra Nevada Memorial Hospital	0	12	.	-----	---
Orange	Fountain Valley Regional Hospital & Medical Center	0	1123	0	(0.00,2.67)	N
Orange	Hoag Memorial Hospital Presbyterian	6	2489	2.41	(0.88,5.25)	H
Orange	Hoag Orthopedic Institute	0	190	0	(0.00,15.77)	N
Orange	Los Alamitos Medical Center	1	400	2.5	(0.06,13.93)	N
Orange	Orange Coast Memorial Medical Center	0	313	0	(0.00,9.57)	N
Orange	St Joseph Hospital	0	1911	0	(0.00,1.57)	N
Orange	St. Jude Medical Center	0	98	0	(0.00,30.57)	N
Orange	West Anaheim Medical Center	0	343	0	(0.00,8.73)	N
Orange	Western Medical Center Santa Ana	1	356	2.81	(0.07,15.65)	N
Placer	Sutter Roseville Medical Center	0	1037	0	(0.00,2.89)	N
Riverside	Desert Regional Medical Center	1	2263	0.44	(0.01,2.46)	N
Riverside	John F. Kennedy Memorial Hospital	0	892	0	(0.00,3.36)	N
Riverside	Loma Linda University Medical Center - Murrieta	0	941	0	(0.00,3.18)	N
Riverside	Parkview Community Hospital Medical Center	0	418	0	(0.00,7.17)	N
Riverside	Riverside Community Hospital	3	5212	0.58	(0.12,1.68)	N
Riverside	Riverside County Regional Medical Center	0	2975	0	(0.00,1.01)	N
Sacramento	Mercy General Hospital	0	1820	0	(0.00,1.65)	N
Sacramento	Mercy San Juan Medical Center	0	1868	0	(0.00,1.60)	N

CLABSI Table 24. Central Line-Associated Bloodstream Infection (CLABSI) Rates in General Surgical Care Wards, Reported by California Hospitals, January - December 2014

Hospitals highlighted in red did not participate in 2014 data validation; completeness of reported infections has not been evaluated.

County	Hospital Name	CLABSI count	Central line-days	Rate per 1000*	95% Confidence Interval**	Statistical Interpretation***
	STATE OF CALIFORNIA POOLED DATA	79	164723	0.48		
Sacramento	Methodist Hospital of Sacramento	1	2069	0.48	(0.01,2.69)	N
Sacramento	Sutter General Hospital	2	1586	1.26	(0.15,4.56)	N
Sacramento	University of California Davis Medical Center	4	9654	0.41	(0.11,1.06)	N
San Bernardino	Arrowhead Regional Medical Center	0	878	0	(0.00,3.41)	N
San Bernardino	Kaiser Foundation Hospital, Fontana	0	1206	0	(0.00,2.48)	N
San Bernardino	Loma Linda University Medical Center	2	1720	1.16	(0.14,4.20)	N
San Bernardino	Redlands Community Hospital	1	988	1.01	(0.03,5.64)	N
San Bernardino	St. Bernardine Medical Center	0	754	0	(0.00,3.97)	N
San Diego	Alvarado Hospital Medical Center	1	264	3.79	(0.10,21.10)	N
San Diego	Palomar Medical Center	0	2279	0	(0.00,1.31)	N
San Diego	Scripps Green Hospital	0	859	0	(0.00,3.49)	N
San Diego	Scripps Memorial Hospital - Encinitas	0	973	0	(0.00,3.08)	N
San Diego	Scripps Memorial Hospital - La Jolla	1	2501	0.4	(0.01,2.23)	N
San Diego	Scripps Mercy Hospital	2	4210	0.48	(0.06,1.72)	N
San Diego	Scripps Mercy Hospital Chula Vista	3	1554	1.93	(0.40,5.64)	N
San Diego	Sharp Memorial Hospital	0	4328	0	(0.00,0.69)	N
San Diego	Tri-City Medical Center	2	1185	1.69	(0.20,6.10)	N
San Diego	University of California, San Diego Medical Center	1	1897	0.53	(0.01,2.94)	N
San Francisco	San Francisco General Hospital	0	1266	0	(0.00,2.37)	N
San Francisco	St. Mary's Medical Center	0	1495	0	(0.00,2.00)	N
San Francisco	UCSF Medical Center	2	8206	0.24	(0.03,0.88)	N
San Joaquin	Dameron Hospital	0	478	0	(0.00,6.27)	N
San Mateo	Kaiser Foundation Hospital, Redwood City	0	854	0	(0.00,3.51)	N
San Mateo	Menlo Park Surgical Hospital	0	28	.	-----	---
San Mateo	Seton Medical Center	0	700	0	(0.00,4.28)	N
Santa Barbara	Santa Barbara Cottage Hospital	0	411	0	(0.00,7.29)	N
Santa Clara	El Camino Hospital	1	795	1.26	(0.03,7.01)	N
Santa Clara	El Camino Hospital Los Gatos	0	30	.	-----	---
Santa Clara	Good Samaritan Hospital, San Jose	2	1350	1.48	(0.18,5.35)	N
Santa Clara	Kaiser Foundation Hospital, San Jose	0	707	0	(0.00,4.24)	N
Santa Clara	O'Connor Hospital	0	1010	0	(0.00,2.97)	N

CLABSI Table 24. Central Line-Associated Bloodstream Infection (CLABSI) Rates in General Surgical Care Wards, Reported by California Hospitals, January - December 2014

Hospitals highlighted in red did not participate in 2014 data validation; completeness of reported infections has not been evaluated.

County	Hospital Name	CLABSI count	Central line-days	Rate per 1000*	95% Confidence Interval**	Statistical Interpretation***
	STATE OF CALIFORNIA POOLED DATA	79	164723	0.48		
Santa Clara	Santa Clara Valley Medical Center	8	3603	2.22	(0.96,4.38)	H
Santa Clara	Stanford Hospital	3	10586	0.28	(0.06,0.83)	N
Shasta	Mercy Medical Center Redding	0	260	0	(0.00,11.52)	N
Sonoma	Santa Rosa Memorial Hospital	0	811	0	(0.00,3.69)	N
<i>Stanislaus</i>	<i>Doctors Medical Center</i>	<i>0</i>	<i>2350</i>	<i>0</i>	<i>(0.00,1.27)</i>	<i>N</i>
Stanislaus	Emanuel Medical Center	0	611	0	(0.00,4.90)	N
Stanislaus	Memorial Medical Center	0	2628	0	(0.00,1.14)	N
Stanislaus	Stanislaus Surgical Hospital	0	5	.	-----	---
Sutter	Rideout Memorial Hospital	0	1564	0	(0.00,1.92)	N
Sutter	Sutter Surgical Hospital - North Valley	0	40	.	-----	---
Tulare	Kaweah Delta Medical Center	0	1523	0	(0.00,1.97)	N
Ventura	Community Memorial Hospital - San Buenaventura	0	463	0	(0.00,6.47)	N
Ventura	Los Robles Hospital & Medical Center	1	660	1.52	(0.04,8.44)	N
Ventura	Thousand Oaks Surgical Hospital	0	12	.	-----	---
Ventura	Ventura County Medical Center	0	487	0	(0.00,6.15)	N

*Rate per 1000 central line days (total infections/total central line-days multiplied by 1000).

**95% confidence interval calculated for rates based on exact Poisson distribution.

*** Statistical interpretation indicates hospital-specific rates that were statistically higher (H), lower (L), or no different (N) than California average rates, or rates that were not tested due to too few central line-days or too few hospitals reported (---).

Source: Central Line-Associated Bloodstream Infections and Central Line Insertion Practices in California Hospitals, January 2014 through December 2014 (Inclusive).

CLABSI Table 25. Central Line-Associated Bloodstream Infection (CLABSI) Rates in Long-Term Acute Care Wards, Reported by California Hospitals, January - December 2014
Hospitals highlighted in red did not participate in 2014 data validation; completeness of reported infections has not been evaluated.

County	Hospital Name	CLABSI count	Central line-days	Rate per 1000*	95% Confidence Interval**	Statistical Interpretation***
	STATE OF CALIFORNIA POOLED DATA	172	214462	0.8		
Alameda	Kindred Hospital, San Francisco Bay Area	4	10573	0.38	(0.10,0.97)	N
Los Angeles	Barlow Respiratory Hospital	15	8008	1.87	(1.05,3.09)	H
Los Angeles	Kindred Hospital, Baldwin Park	10	8858	1.13	(0.54,2.08)	N
Los Angeles	Kindred Hospital, La Mirada	2	6125	0.33	(0.04,1.18)	N
Los Angeles	Kindred Hospital, Los Angeles	8	13141	0.61	(0.26,1.20)	N
Los Angeles	Kindred Hospital, San Gabriel Valley	4	6811	0.59	(0.16,1.50)	N
Los Angeles	Kindred Hospital, South Bay, Gardena	4	7136	0.56	(0.15,1.44)	N
Los Angeles	Kindred Hospital, South Bay, Hawaiian Gardens	1	3373	0.3	(0.01,1.65)	N
Los Angeles	Monrovia Memorial Hospital	13	5528	2.35	(1.25,4.02)	H
Los Angeles	Promise Hospital of East Los Angeles-East L.A Campus	8	4801	1.67	(0.72,3.28)	N
Los Angeles	Promise Hospital of East Los Angeles-Suburban Campus	31	27411	1.13	(0.77,1.61)	N
<i>Marin</i>	<i>Kentfield Rehabilitation & Specialty Hospital</i>	<i>6</i>	<i>9227</i>	<i>0.65</i>	<i>(0.24,1.42)</i>	<i>N</i>
Orange	Kindred Hospital, Brea	3	7346	0.41	(0.08,1.19)	N
Orange	Kindred Hospital, Santa Ana	4	7342	0.54	(0.15,1.39)	N
Orange	Kindred Hospital, Westminster	17	16246	1.05	(0.61,1.68)	N
Riverside	Kindred Hospital, Riverside	5	4534	1.1	(0.36,2.57)	N
Sacramento	Vibra Hospital of Sacramento	2	7426	0.27	(0.03,0.97)	N
San Bernardino	Kindred Hospital, Ontario	2	12479	0.16	(0.02,0.58)	L
San Bernardino	Kindred Hospital, Rancho	8	7012	1.14	(0.49,2.25)	N
San Diego	Kindred Hospital, San Diego	0	7039	0	(0.00,0.43)	L
<i>San Diego</i>	<i>Promise Hospital of San Diego</i>	<i>0</i>	<i>6148</i>	<i>0</i>	<i>(0.00,0.49)</i>	<i>L</i>
San Diego	Vibra Hospital of San Diego	8	10371	0.77	(0.33,1.52)	N
Shasta	Vibra Hospital of Northern California	2	9888	0.2	(0.02,0.73)	L
<i>Stanislaus</i>	<i>Central Valley Specialty Hospital</i>	<i>15</i>	<i>7639</i>	<i>1.96</i>	<i>(1.10,3.24)</i>	<i>H</i>

*Rate per 1000 central line days (total infections/total central line-days multiplied by 1000).

**95% confidence interval calculated for rates based on exact Poisson distribution.

*** Statistical interpretation indicates hospital-specific rates that were statistically higher (H), lower (L), or no different (N) than California average rates, or rates that were not tested due to too few central line-days or too few hospitals reported (---).

Source: Central Line-Associated Bloodstream Infections and Central Line Insertion Practices in California Hospitals, January 2014 through December 2014 (Inclusive).

CLABSI Table 26. Central Line-Associated Bloodstream Infection (CLABSI) Rates in Adult Rehabilitation Care Wards, Reported by California Hospitals, January - December 2014
Hospitals highlighted in red did not participate in 2014 data validation; completeness of reported infections has not been evaluated.

County	Hospital Name	CLABSI count	Central line-days	Rate per 1000*	95% Confidence Interval**	Statistical Interpretation***
	STATE OF CALIFORNIA POOLED DATA	9	38921	0.23		
Alameda	Highland Hospital	0	356	0	(0.00,8.41)	N
Butte	Enloe Medical Center - Esplanade	0	821	0	(0.00,3.65)	N
Contra Costa	John Muir Medical Center-Walnut Creek Campus	0	623	0	(0.00,4.81)	N
Fresno	Community Regional Medical Center	1	697	1.43	(0.04,7.99)	N
Fresno	San Joaquin Valley Rehab Hospital	0	635	0	(0.00,4.72)	N
Humboldt	The General Hospital	0	282	0	(0.00,10.62)	N
Kern	Healthsouth Bakersfield Rehabilitation Hospital	0	2808	0	(0.00,1.07)	N
Los Angeles	Alhambra Hospital Medical Center	0	737	0	(0.00,4.06)	N
Los Angeles	Casa Colina Hospital for Rehabilitative Medicine	0	1581	0	(0.00,1.89)	N
Los Angeles	Cedars-Sinai Medical Center	1	976	1.02	(0.03,5.71)	N
Los Angeles	Centinela Hospital Medical Center	0	839	0	(0.00,3.57)	N
Los Angeles	Citrus Valley Medical Center - IC Campus	0	26	.	-----	---
Los Angeles	Garfield Medical Center	0	312	0	(0.00,9.60)	N
Los Angeles	Glendale Adventist Medical Center	0	396	0	(0.00,7.56)	N
<i>Los Angeles</i>	<i>Glendale Memorial Hospital and Health Center</i>	<i>0</i>	<i>195</i>	<i>0</i>	<i>(0.00,15.36)</i>	<i>N</i>
Los Angeles	Henry Mayo Newhall Hospital	0	397	0	(0.00,7.55)	N
Los Angeles	Hollywood Presbyterian Medical Center	0	463	0	(0.00,6.47)	N
Los Angeles	Huntington Memorial Hospital	0	378	0	(0.00,7.93)	N
Los Angeles	Keck Hospital of USC	0	990	0	(0.00,3.03)	N
Los Angeles	LAC/Rancho Los Amigos National Rehabilitation Ctr	2	2136	0.94	(0.11,3.38)	N
Los Angeles	Long Beach Memorial Medical Center	0	542	0	(0.00,5.53)	N
Los Angeles	Methodist Hospital of Southern California	0	465	0	(0.00,6.44)	N
Los Angeles	Northridge Hospital Medical Center	1	179	5.59	(0.14,31.13)	N
Los Angeles	Providence Holy Cross Medical Center	0	178	0	(0.00,16.83)	N
Los Angeles	Providence Little Company of Mary Medical Center San Pedro	0	342	0	(0.00,8.76)	N
Los Angeles	Providence Saint Joseph Medical Center	0	191	0	(0.00,15.68)	N
Los Angeles	Ronald Reagan UCLA Medical Center	0	252	0	(0.00,11.89)	N
Los Angeles	Saint Vincent Medical Center	0	310	0	(0.00,9.66)	N
Los Angeles	Southern California Hospital at Culiver City	1	790	1.27	(0.03,7.05)	N
Los Angeles	St. Mary Medical Center, Long Beach	0	384	0	(0.00,7.80)	N
Los Angeles	Valley Presbyterian Hospital	0	480	0	(0.00,6.24)	N

CLABSI Table 26. Central Line-Associated Bloodstream Infection (CLABSI) Rates in Adult Rehabilitation Care Wards, Reported by California Hospitals, January - December 2014
Hospitals highlighted in red did not participate in 2014 data validation; completeness of reported infections has not been evaluated.

County	Hospital Name	CLABSI count	Central line-days	Rate per 1000*	95% Confidence Interval**	Statistical Interpretation***
Los Angeles	White Memorial Medical Center	0	179	0	(0.00,16.74)	N
Monterey	Community Hospital of The Monterey Peninsula	0	332	0	(0.00,9.02)	N
Monterey	Natividad Medical Center	0	385	0	(0.00,7.78)	N
<i>Napa</i>	<i>Queen of the Valley Medical Center</i>	<i>0</i>	<i>215</i>	<i>0</i>	<i>(0.00,13.93)</i>	<i>N</i>
Orange	Healthsouth Tustin Rehabilitation Hospital	1	1255	0.8	(0.02,4.44)	N
Orange	Mission Hospital Regional Medical Center	0	570	0	(0.00,5.26)	N
Orange	St. Jude Medical Center	0	500	0	(0.00,5.99)	N
Orange	University of California Irvine Medical Center	0	712	0	(0.00,4.21)	N
Placer	Sutter Roseville Medical Center	1	1382	0.72	(0.02,4.03)	N
Riverside	Desert Regional Medical Center	0	57	0	(0.00,52.56)	N
Riverside	Eisenhower Medical Center	0	537	0	(0.00,5.58)	N
Sacramento	Mercy General Hospital	0	368	0	(0.00,8.14)	N
Sacramento	University of California Davis Medical Center	0	628	0	(0.00,4.77)	N
San Bernardino	Ballard Rehabilitation Hospital	0	1436	0	(0.00,2.09)	N
San Bernardino	Loma Linda University Medical Center	0	1191	0	(0.00,2.52)	N
San Diego	Alvarado Hospital Medical Center	0	186	0	(0.00,16.11)	N
San Diego	Grossmont Hospital	0	293	0	(0.00,10.22)	N
San Diego	Palomar Health Downtown Campus	1	658	1.52	(0.04,8.47)	N
San Diego	Paradise Valley Hospital	0	166	0	(0.00,18.05)	N
San Diego	Scripps Memorial Hospital - Encinitas	0	375	0	(0.00,7.99)	N
San Diego	Sharp Memorial Hospital	0	409	0	(0.00,7.32)	N
San Diego	Tri-City Medical Center	0	202	0	(0.00,14.83)	N
San Francisco	Laguna Honda Hospital & Rehabilitation Center	0	28	.	-----	---
San Francisco	Saint Francis Memorial Hospital	0	322	0	(0.00,9.30)	N
San Francisco	St. Mary's Medical Center	0	307	0	(0.00,9.76)	N
San Joaquin	Lodi Memorial Hospital	0	78	0	(0.00,38.41)	N
San Luis Obispo	Marian Regional Medical Center, Arroyo Grande	0	418	0	(0.00,7.17)	N
Santa Barbara	Santa Barbara Cottage Hospital	0	921	0	(0.00,3.25)	N
Santa Clara	El Camino Hospital Los Gatos	0	316	0	(0.00,9.48)	N
Santa Clara	Good Samaritan Hospital, San Jose	0	331	0	(0.00,9.05)	N
Santa Clara	Santa Clara Valley Medical Center	0	1065	0	(0.00,2.81)	N
Santa Cruz	Dominican Hospital	0	1148	0	(0.00,2.61)	N

CLABSI Table 26. Central Line-Associated Bloodstream Infection (CLABSI) Rates in Adult Rehabilitation Care Wards, Reported by California Hospitals, January - December 2014
Hospitals highlighted in red did not participate in 2014 data validation; completeness of reported infections has not been evaluated.

County	Hospital Name	CLABSI count	Central line-days	Rate per 1000*	95% Confidence Interval**	Statistical Interpretation***
Solano	Kaiser Foundation Hospital and Rehab Center, Vallejo	0	295	0	(0.00,10.16)	N
Sonoma	Santa Rosa Memorial Hospital	0	412	0	(0.00,7.27)	N
Tulare	Kaweah Delta Medical Center	0	351	0	(0.00,8.53)	N
Tuolumne	Sonora Regional Medical Center	0	702	0	(0.00,4.27)	N
Ventura	Los Robles Hospital & Medical Center	0	197	0	(0.00,15.21)	N
<i>Ventura</i>	<i>St Johns Regional Medical Center</i>	<i>0</i>	<i>233</i>	<i>0</i>	<i>(0.00,12.86)</i>	<i>N</i>

*Rate per 1000 central line days (total infections/total central line-days multiplied by 1000).

**95% confidence interval calculated for rates based on exact Poisson distribution.

*** Statistical interpretation indicates hospital-specific rates that were statistically higher (H), lower (L), or no different (N) than California average rates, or rates that were not tested due to too few central line-days or too few hospitals reported (---).

Source: Central Line-Associated Bloodstream Infections and Central Line Insertion Practices in California Hospitals, January 2014 through December 2014 (Inclusive).

CLABSI Table 27. Central Line-Associated Bloodstream Infection (CLABSI) Rates in Labor, Delivery, Recovery, and Post-partum Care Wards, Reported by California Hospitals, January - December 2014

Hospitals highlighted in red did not participate in 2014 data validation; completeness of reported infections has not been evaluated.

County	Hospital Name	CLABSI count	Central line-days	Rate per 1000*	95% Confidence Interval**	Statistical Interpretation***
	STATE OF CALIFORNIA POOLED DATA	3	4742	0.63		
Alameda	Alta Bates Summit Medical Center-Alta Bates Campus	0	117	0	(0.00,25.60)	N
Alameda	Kaiser Foundation Hospital, Fremont	0	73	0	(0.00,41.04)	N
Alameda	Kaiser Foundation Hospital, Oakland/Richmond	0	5	.	-----	---
Butte	Oroville Hospital	0	4	.	-----	---
Contra Costa	John Muir Medical Center-Walnut Creek Campus	0	13	.	-----	---
Contra Costa	Kaiser Foundation Hospital, Walnut Creek	0	50	0	(0.00,59.91)	---
Fresno	Community Regional Medical Center	0	98	0	(0.00,30.57)	N
Fresno	Kaiser Foundation Hospital, Fresno	0	268	0	(0.00,11.18)	N
Fresno	Saint Agnes Medical Center	0	38	.	-----	---
Humboldt	Mad River Community Hospital	0	7	.	-----	---
Kern	Delano Regional Medical Center	0	20	.	-----	---
Kern	Kern Medical Center	0	24	.	-----	---
<i>Kern</i>	<i>Mercy Southwest Hospital</i>	<i>0</i>	<i>133</i>	<i>0</i>	<i>(0.00,22.52)</i>	<i>N</i>
<i>Kern</i>	<i>Ridgecrest Regional Hospital</i>	<i>0</i>	<i>5</i>	<i>.</i>	<i>-----</i>	<i>---</i>
Kern	San Joaquin Community Hospital	0	1	.	-----	---
Lake	St. Helena Hospital - Clearlake	0	4	.	-----	---
Lake	Sutter Lakeside Hospital	0	42	.	-----	---
Los Angeles	Beverly Hospital	0	2	.	-----	---
Los Angeles	Cedars-Sinai Medical Center	0	5	.	-----	---
Los Angeles	Centinela Hospital Medical Center	0	43	.	-----	---
Los Angeles	Glendale Adventist Medical Center	0	8	.	-----	---
Los Angeles	Huntington Memorial Hospital	0	132	0	(0.00,22.69)	N
Los Angeles	Kaiser Foundation Hospital, Baldwin Park	0	3	.	-----	---
Los Angeles	Kaiser Foundation Hospital, Downey	0	15	.	-----	---
Los Angeles	Kaiser Foundation Hospital, Los Angeles	0	46	.	-----	---
Los Angeles	Kaiser Foundation Hospital, Woodland Hills	0	8	.	-----	---
Los Angeles	LAC+USC Medical Center	1	522	1.92	(0.05,10.67)	N
<i>Los Angeles</i>	<i>Los Angeles County Olive View-UCLA Medical Center</i>	<i>0</i>	<i>7</i>	<i>.</i>	<i>-----</i>	<i>---</i>
Los Angeles	Pacific Alliance Medical Center	0	4	.	-----	---
Los Angeles	Pomona Valley Hospital Medical Center	0	7	.	-----	---
Los Angeles	Providence Holy Cross Medical Center	0	16	.	-----	---

CLABSI Table 27. Central Line-Associated Bloodstream Infection (CLABSI) Rates in Labor, Delivery, Recovery, and Post-partum Care Wards, Reported by California Hospitals, January - December 2014

Hospitals highlighted in red did not participate in 2014 data validation; completeness of reported infections has not been evaluated.

County	Hospital Name	CLABSI count	Central line-days	Rate per 1000*	95% Confidence Interval**	Statistical Interpretation***
	STATE OF CALIFORNIA POOLED DATA	3	4742	0.63		
Los Angeles	Providence Saint John's Health Center	0	6	.	-----	---
Los Angeles	Providence Saint Joseph Medical Center	0	125	0	(0.00,23.97)	N
<i>Los Angeles</i>	<i>Providence Tarzana Medical Center</i>	<i>0</i>	<i>4</i>	<i>.</i>	<i>-----</i>	<i>---</i>
<i>Los Angeles</i>	<i>Santa Monica - UCLA Medical Center and Orthopaedic Hospital</i>	<i>0</i>	<i>1</i>	<i>.</i>	<i>-----</i>	<i>---</i>
Los Angeles	Torrance Memorial Medical Center	0	2	.	-----	---
Los Angeles	White Memorial Medical Center	0	124	0	(0.00,24.16)	N
<i>Madera</i>	<i>Madera Community Hospital</i>	<i>0</i>	<i>1</i>	<i>.</i>	<i>-----</i>	<i>---</i>
Monterey	Salinas Valley Memorial Hospital	0	122	0	(0.00,24.56)	N
Nevada	Sierra Nevada Memorial Hospital	0	5	.	-----	---
Orange	AHMC Anaheim Regional Medical Center	0	4	.	-----	---
Orange	Hoag Memorial Hospital Presbyterian	0	2	.	-----	---
Orange	St Joseph Hospital	0	10	.	-----	---
Orange	University of California Irvine Medical Center	0	14	.	-----	---
Placer	Kaiser Foundation Hospital, Roseville	1	626	1.6	(0.04,8.90)	N
Placer	Sutter Roseville Medical Center	0	3	.	-----	---
Riverside	Corona Regional Medical Center	0	3	.	-----	---
Riverside	Kaiser Foundation Hospital, Riverside	0	10	.	-----	---
Riverside	Loma Linda University Medical Center - Murrieta	0	7	.	-----	---
Riverside	Parkview Community Hospital Medical Center	0	8	.	-----	---
Riverside	Riverside Community Hospital	0	10	.	-----	---
Riverside	Riverside County Regional Medical Center	0	48	.	-----	---
Riverside	San Geronio Memorial Hospital	0	1	.	-----	---
Sacramento	Kaiser Foundation Hospital, South Sacramento	0	4	.	-----	---
Sacramento	Mercy General Hospital	0	14	.	-----	---
Sacramento	Mercy San Juan Medical Center	0	10	.	-----	---
Sacramento	Methodist Hospital of Sacramento	0	1	.	-----	---
Sacramento	Sutter General Hospital	0	129	0	(0.00,23.22)	N
Sacramento	University of California Davis Medical Center	0	450	0	(0.00,6.66)	N
San Bernardino	Kaiser Foundation Hospital, Fontana	0	32	.	-----	---
San Bernardino	Kaiser Foundation Hospital, Ontario	0	1	.	-----	---
San Bernardino	Loma Linda University Medical Center	0	101	0	(0.00,29.66)	N

CLABSI Table 27. Central Line-Associated Bloodstream Infection (CLABSI) Rates in Labor, Delivery, Recovery, and Post-partum Care Wards, Reported by California Hospitals, January - December 2014

Hospitals highlighted in red did not participate in 2014 data validation; completeness of reported infections has not been evaluated.

County	Hospital Name	CLABSI count	Central line-days	Rate per 1000*	95% Confidence Interval**	Statistical Interpretation***
	STATE OF CALIFORNIA POOLED DATA	3	4742	0.63		
San Diego	Palomar Health Downtown Campus	0	1	.	-----	---
San Diego	Scripps Memorial Hospital - Encinitas	0	9	.	-----	---
San Diego	Scripps Memorial Hospital - La Jolla	0	13	.	-----	---
San Diego	Scripps Mercy Hospital	0	11	.	-----	---
San Diego	Sharp Chula Vista Medical Center	0	31	.	-----	---
San Diego	Sharp Mary Birch Hospital For Women And Newborns	0	104	0	(0.00,28.81)	N
San Diego	Tri-City Medical Center	0	30	.	-----	---
San Diego	University of California, San Diego Medical Center	0	97	0	(0.00,30.88)	N
San Francisco	Kaiser Foundation Hospital, San Francisco	0	5	.	-----	---
San Francisco	San Francisco General Hospital	0	2	.	-----	---
San Francisco	UCSF Medical Center	0	237	0	(0.00,12.64)	N
San Joaquin	Dameron Hospital	0	2	.	-----	---
San Mateo	Mills-Peninsula Medical Center	0	1	.	-----	---
San Mateo	Sequoia Hospital	0	6	.	-----	---
Santa Clara	El Camino Hospital	0	104	0	(0.00,28.81)	N
Santa Clara	El Camino Hospital Los Gatos	0	5	.	-----	---
Santa Clara	Good Samaritan Hospital, San Jose	0	8	.	-----	---
Santa Clara	Kaiser Foundation Hospital, Santa Clara	0	6	.	-----	---
Santa Clara	Lucile Salter Packard Children's Hospital at Stanford	0	86	0	(0.00,34.83)	N
Santa Clara	O'Connor Hospital	0	6	.	-----	---
Santa Cruz	Dominican Hospital	0	19	.	-----	---
<i>Santa Cruz</i>	<i>Watsonville Community Hospital</i>	<i>0</i>	<i>4</i>	<i>.</i>	<i>-----</i>	<i>---</i>
Shasta	Mercy Medical Center Redding	0	5	.	-----	---
Siskiyou	Fairchild Medical Center	0	1	.	-----	---
Solano	Kaiser Foundation Hospital and Rehab Center, Vallejo	0	12	.	-----	---
Solano	Kaiser Foundation Hospital, Vacaville	0	1	.	-----	---
Solano	Northbay Medical Center	0	2	.	-----	---
Sonoma	Kaiser Foundation Hospital, Santa Rosa	0	12	.	-----	---
Sonoma	Santa Rosa Memorial Hospital	0	9	.	-----	---
Stanislaus	Kaiser Foundation Hospital, Manteca	0	149	0	(0.00,20.11)	N
Stanislaus	Memorial Medical Center	0	3	.	-----	---

CLABSI Table 27. Central Line-Associated Bloodstream Infection (CLABSI) Rates in Labor, Delivery, Recovery, and Post-partum Care Wards, Reported by California Hospitals, January - December 2014

Hospitals highlighted in red did not participate in 2014 data validation; completeness of reported infections has not been evaluated.

County	Hospital Name	CLABSI count	Central line-days	Rate per 1000*	95% Confidence Interval**	Statistical Interpretation***
	STATE OF CALIFORNIA POOLED DATA	3	4742	0.63		
Sutter	Rideout Memorial Hospital	0	28	.	-----	---
Tulare	Sierra View Medical Center	0	1	.	-----	---
Tulare	Tulare Regional Medical Center	0	50	0	(0.00,59.91)	---
Tuolumne	Sonora Regional Medical Center	0	3	.	-----	---
Ventura	Community Memorial Hospital - San Buenaventura	0	15	.	-----	---
<i>Ventura</i>	<i>Simi Valley Hospital & Health Care Services</i>	<i>1</i>	<i>56</i>	<i>17.86</i>	<i>(0.45,99.49)</i>	<i>N</i>
Ventura	Ventura County Medical Center	0	10	.	-----	---

*Rate per 1000 central line days (total infections/total central line-days multiplied by 1000).

**95% confidence interval calculated for rates based on exact Poisson distribution.

*** Statistical interpretation indicates hospital-specific rates that were statistically higher (H), lower (L), or no different (N) than California average rates, or rates that were not tested due to too few central line-days or too few hospitals reported (---).

Source: Central Line-Associated Bloodstream Infections and Central Line Insertion Practices in California Hospitals, January 2014 through December 2014 (Inclusive).

CLABSI Table 28. Central Line-Associated Bloodstream Infection (CLABSI) Rates in Behavioral Health/Psychiatric Care Wards, Reported by California Hospitals, January - December 2014

County	Hospital Name	CLABSI count	Central line-days	Rate per 1000*	95% Confidence Interval**	Statistical Interpretation***
	STATE OF CALIFORNIA POOLED DATA	2	1155	1.73		
Los Angeles	College Medical Center	1	10	.	-----	---
Los Angeles	Encino Hospital Medical Center	0	1	.	-----	---
Los Angeles	Glendale Adventist Medical Center	0	30	.	-----	---
Los Angeles	Huntington Memorial Hospital	0	20	.	-----	---
Los Angeles	LAC+USC Medical Center	0	68	0	(0.00,44.05)	N
Los Angeles	USC Verdugo Hills Hospital	0	6	.	-----	---
Orange	Chapman Medical Center	0	5	.	-----	---
Orange	Coastal Communities Hospital	0	43	.	-----	---
Orange	Huntington Beach Hospital	0	64	0	(0.00,46.81)	N
Orange	Los Alamitos Medical Center	0	130	0	(0.00,23.04)	N
Orange	University of California Irvine Medical Center	0	34	.	-----	---
Orange	West Anaheim Medical Center	0	139	0	(0.00,21.55)	N
San Diego	Grossmont Hospital	1	144	6.94	(0.18,38.69)	N
San Diego	Pomerado Hospital	0	5	.	-----	---
San Diego	University of California, San Diego Medical Center	0	132	0	(0.00,22.69)	N
Santa Barbara	Santa Barbara Cottage Hospital	0	4	.	-----	---
Santa Clara	Stanford Hospital	0	266	0	(0.00,11.26)	N
Yolo	Woodland Memorial Hospital	0	54	0	(0.00,55.48)	N

*Rate per 1000 central line days (total infections/total central line-days multiplied by 1000).

**95% confidence interval calculated for rates based on exact Poisson distribution.

*** Statistical interpretation indicates hospital-specific rates that were statistically higher (H), lower (L), or no different (N) than California average rates, or rates that were not tested due to too few central line-days or too few hospitals reported (---).

Source: Central Line-Associated Bloodstream Infections and Central Line Insertion Practices in California Hospitals, January 2014 through December 2014 (Inclusive).

CLABSI Table 29. Central Line-Associated Bloodstream Infection (CLABSI) Rates in Jail Wards, Reported by California Hospitals, January - December 2014

Hospitals highlighted in red did not participate in 2014 data validation; completeness of reported infections has not been evaluated.

County	Hospital Name	CLABSI count	Central line-days	Rate per 1000*	95% Confidence Interval**	Statistical Interpretation***
	STATE OF CALIFORNIA POOLED DATA	4	4330	0.92		
Contra Costa	Doctors Medical Center - San Pablo	0	10	.	-----	---
Kern	Mercy Hospital	0	980	0	(0.00,3.06)	N
Kern	San Joaquin Community Hospital	0	656	0	(0.00,4.57)	N
Los Angeles	LAC+USC Medical Center	0	424	0	(0.00,7.07)	N
Orange	Western Medical Center Anaheim	1	281	3.56	(0.09,19.83)	N
Riverside	Riverside County Regional Medical Center	0	614	0	(0.00,4.88)	N
San Diego	Alvarado Hospital Medical Center	0	295	0	(0.00,10.16)	N
San Diego	Tri-City Medical Center	3	977	3.07	(0.63,8.97)	N
<i>San Luis Obispo</i>	<i>Twin Cities Community Hospital</i>	<i>0</i>	<i>93</i>	<i>0</i>	<i>(0.00,32.21)</i>	<i>N</i>

*Rate per 1000 central line days (total infections/total central line-days multiplied by 1000).

**95% confidence interval calculated for rates based on exact Poisson distribution.

*** Statistical interpretation indicates hospital-specific rates that were statistically higher (H), lower (L), or no different (N) than California average rates, or rates that were not tested due to too few central line-days or too few hospitals reported (---).

Source: Central Line-Associated Bloodstream Infections and Central Line Insertion Practices in California Hospitals, January 2014 through December 2014 (Inclusive).

CLABSI Table 30. Central Line-Associated Bloodstream Infection (CLABSI) Rates in General Pediatric Care Wards, Reported by California Hospitals, January - December 2014

Hospitals highlighted in red did not participate in 2014 data validation; completeness of reported infections has not been evaluated.

County	Hospital Name	CLABSI count	Central line-days	Rate per 1000*	95% Confidence Interval**	Statistical Interpretation***
	STATE OF CALIFORNIA POOLED DATA	75	78256	0.96		
Alameda	Children's Hospital & Research Center Oakland	2	802	2.49	(0.30,9.01)	N
Alameda	Kaiser Foundation Hospital, Oakland/Richmond	1	1219	0.82	(0.02,4.57)	N
Contra Costa	Contra Costa Regional Medical Center	0	11	.	-----	---
Contra Costa	John Muir Medical Center-Walnut Creek Campus	0	186	0	(0.00,16.11)	N
Contra Costa	Kaiser Foundation Hospital, Walnut Creek	0	96	0	(0.00,31.21)	N
Fresno	Community Regional Medical Center	0	156	0	(0.00,19.20)	N
Imperial	El Centro Regional Medical Center	0	3	.	-----	---
Kern	Bakersfield Memorial Hospital	0	110	0	(0.00,27.23)	N
Kern	Kern Medical Center	0	5	.	-----	---
Los Angeles	Cedars-Sinai Medical Center	1	608	1.64	(0.04,9.16)	N
Los Angeles	Childrens Hospital Los Angeles	28	14863	1.88	(1.25,2.72)	H
Los Angeles	Citrus Valley Medical Center - IC Campus	0	1	.	-----	---
Los Angeles	Earl & Loraine Miller Children's Hospital	1	2642	0.38	(0.01,2.11)	N
Los Angeles	Huntington Memorial Hospital	0	130	0	(0.00,23.04)	N
Los Angeles	Kaiser Foundation Hospital, Downey	1	494	2.02	(0.05,11.28)	N
Los Angeles	Kaiser Foundation Hospital, Los Angeles	0	1892	0	(0.00,1.58)	N
Los Angeles	Kaiser Foundation Hospital, Panorama City	0	23	.	-----	---
Los Angeles	LAC+USC Medical Center	0	256	0	(0.00,11.70)	N
Los Angeles	Northridge Hospital Medical Center	0	157	0	(0.00,19.08)	N
<i>Los Angeles</i>	<i>Providence Tarzana Medical Center</i>	<i>0</i>	<i>119</i>	<i>0</i>	<i>(0.00,25.17)</i>	<i>N</i>
Los Angeles	Ronald Reagan UCLA Medical Center	3	5276	0.57	(0.12,1.66)	N
<i>Los Angeles</i>	<i>Santa Monica - UCLA Medical Center and Orthopaedic Hospital</i>	<i>0</i>	<i>1583</i>	<i>0</i>	<i>(0.00,1.89)</i>	<i>N</i>
Los Angeles	Valley Presbyterian Hospital	0	82	0	(0.00,36.53)	N
Los Angeles	White Memorial Medical Center	0	28	.	-----	---
Madera	Children's Hospital Central California	4	8523	0.47	(0.13,1.20)	N
Marin	Marin General Hospital	0	11	.	-----	---
Monterey	Natividad Medical Center	0	2	.	-----	---
Monterey	Salinas Valley Memorial Hospital	0	10	.	-----	---
<i>Orange</i>	<i>Children's Hospital at Mission</i>	<i>0</i>	<i>190</i>	<i>0</i>	<i>(0.00,15.77)</i>	<i>N</i>
Orange	Children's Hospital of Orange County	2	3710	0.54	(0.07,1.95)	N
Orange	Fountain Valley Regional Hospital & Medical Center	0	80	0	(0.00,37.45)	N

CLABSI Table 30. Central Line-Associated Bloodstream Infection (CLABSI) Rates in General Pediatric Care Wards, Reported by California Hospitals, January - December 2014
Hospitals highlighted in red did not participate in 2014 data validation; completeness of reported infections has not been evaluated.

County	Hospital Name	CLABSI count	Central line-days	Rate per 1000*	95% Confidence Interval**	Statistical Interpretation***
	STATE OF CALIFORNIA POOLED DATA	75	78256	0.96		
<i>Orange</i>	<i>Healthbridge Children's Hospital - Orange</i>	<i>0</i>	<i>215</i>	<i>0</i>	<i>(0.00,13.93)</i>	<i>N</i>
Orange	Kaiser Foundation Hospital, Orange County, Anaheim	0	499	0	(0.00,6.00)	N
Placer	Kaiser Foundation Hospital, Roseville	3	1367	2.19	(0.45,6.41)	N
<i>Placer</i>	<i>Sutter Roseville Medical Center</i>	<i>0</i>	<i>2</i>	<i>.</i>	<i>-----</i>	<i>---</i>
Riverside	Corona Regional Medical Center	0	12	.	-----	---
Riverside	Parkview Community Hospital Medical Center	0	14	.	-----	---
Riverside	Riverside Community Hospital	0	13	.	-----	---
Riverside	Riverside County Regional Medical Center	0	278	0	(0.00,10.78)	N
Sacramento	Mercy General Hospital	0	10	.	-----	---
Sacramento	Mercy San Juan Medical Center	0	37	.	-----	---
Sacramento	Shriners Hospitals for Children North CA	0	162	0	(0.00,18.49)	N
Sacramento	Sutter General Hospital	1	1314	0.76	(0.02,4.24)	N
Sacramento	University of California Davis Medical Center	2	3983	0.5	(0.06,1.81)	N
San Bernardino	Kaiser Foundation Hospital, Fontana	2	790	2.53	(0.31,9.15)	N
San Bernardino	Loma Linda University Medical Center	4	4591	0.87	(0.24,2.23)	N
San Bernardino	San Antonio Community Hospital	0	17	.	-----	---
San Diego	Kaiser Foundation Hospital, San Diego	4	326	12.27	(3.34,31.42)	H
San Diego	Rady Children's Hospital - San Diego	1	5832	0.17	(0.00,0.96)	N
San Francisco	California Pacific Medical Center – California West Campus Hospital	0	759	0	(0.00,3.95)	N
San Francisco	Kaiser Foundation Hospital, San Francisco	0	86	0	(0.00,34.83)	N
San Francisco	San Francisco General Hospital	0	21	.	-----	---
San Francisco	UCSF Medical Center	1	3473	0.29	(0.01,1.60)	N
San Luis Obispo	Sierra Vista Regional Medical Center	0	3	.	-----	---
<i>Santa Barbara</i>	<i>Marian Regional Medical Center</i>	<i>0</i>	<i>50</i>	<i>0</i>	<i>(0.00,59.91)</i>	<i>---</i>
Santa Barbara	Santa Barbara Cottage Hospital	1	831	1.2	(0.03,6.70)	N
Santa Clara	Good Samaritan Hospital, San Jose	1	165	6.06	(0.15,33.77)	N
Santa Clara	Kaiser Foundation Hospital, Santa Clara	2	1163	1.72	(0.21,6.21)	N
Santa Clara	Lucile Salter Packard Children's Hospital at Stanford	10	8531	1.17	(0.56,2.16)	N
Santa Clara	Regional Medical Center of San Jose	0	9	.	-----	---
Shasta	Mercy Medical Center Redding	0	42	.	-----	---
Sonoma	Kaiser Foundation Hospital, Santa Rosa	0	6	.	-----	---

CLABSI Table 30. Central Line-Associated Bloodstream Infection (CLABSI) Rates in General Pediatric Care Wards, Reported by California Hospitals, January - December 2014

Hospitals highlighted in red did not participate in 2014 data validation; completeness of reported infections has not been evaluated.

County	Hospital Name	CLABSI count	Central line-days	Rate per 1000*	95% Confidence Interval**	Statistical Interpretation***
	STATE OF CALIFORNIA POOLED DATA	75	78256	0.96		
Sonoma	Santa Rosa Memorial Hospital	0	52	0	(0.00,57.61)	N
<i>Stanislaus</i>	<i>Doctors Medical Center</i>	<i>0</i>	<i>83</i>	<i>0</i>	<i>(0.00,36.09)</i>	<i>N</i>
Ventura	Community Memorial Hospital - San Buenaventura	0	5	.	-----	---
Ventura	Ventura County Medical Center	0	247	0	(0.00,12.13)	N

*Rate per 1000 central line days (total infections/total central line-days multiplied by 1000).

**95% confidence interval calculated for rates based on exact Poisson distribution.

*** Statistical interpretation indicates hospital-specific rates that were statistically higher (H), lower (L), or no different (N) than California average rates, or rates that were not tested due to too few central line-days or too few hospitals reported (---).

Source: Central Line-Associated Bloodstream Infections and Central Line Insertion Practices in California Hospitals, January 2014 through December 2014 (Inclusive).

CLABSI Table 31. Central Line-Associated Bloodstream Infection (CLABSI) Rates in Pediatric Rehabilitation Care Wards, Reported by California Hospitals, January - December 2014

County	Hospital Name	CLABSI count	Central line-days	Rate per 1000*	95% Confidence Interval**	Statistical Interpretation***
	STATE OF CALIFORNIA POOLED DATA	4	2010	1.99		
Los Angeles	Childrens Hospital Los Angeles	2	909	2.2	(0.27,7.95)	---
Madera	Children's Hospital Central California	2	1101	1.82	(0.22,6.56)	---

*Rate per 1000 central line days (total infections/total central line-days multiplied by 1000).

**95% confidence interval calculated for rates based on exact Poisson distribution.

*** Statistical interpretation indicates hospital-specific rates that were statistically higher (H), lower (L), or no different (N) than California average rates, or rates that were not tested due to too few central line-days or too few hospitals reported (---).

Source: Central Line-Associated Bloodstream Infections and Central Line Insertion Practices in California Hospitals, January 2014 through December 2014 (Inclusive).

CLABSI Table 32. Central Line-Associated Bloodstream Infection (CLABSI) Rates Related to Permanent-Type Central Lines in Oncology Medical/Surgical Critical Care Units, Reported by California Hospitals, January - December 2014

County	Hospital Name	CLABSI count	Central line-days	Rate per 1000*	95% Confidence Interval**	Statistical Interpretation***	CLIP Adherence %^
	STATE OF CALIFORNIA POOLED DATA	6	1724	3.48			100.0
Los Angeles	City of Hope Helford Clinical Research Hospital	5	1601	3.12	(1.01,7.29)	---	100.0
Los Angeles	USC Kenneth Norris Jr. Cancer Hospital	1	123	8.13	(0.21,45.30)	---	100.0

*Rate per 1000 central line days.

**95% confidence interval calculated for rates based on exact Poisson distribution.

*** Statistical interpretation indicates hospital-specific rates that were statistically higher (H), lower (L), or no different (N) than California average rates, or rates that were not tested due to too few central line-days or too few hospitals reported (---).

^The CLIP bundle includes eight components: hand hygiene, recommend skin preparation agent, allowing the skin preparation agent to dry, and five maximal sterile barriers (cap, mask, gown, gloves, and drape). CLIP adherence rates for permanent central lines and temporary central lines are combined.

Source: Central Line-Associated Bloodstream Infections and Central Line Insertion Practices in California Hospitals, January 2014 through December 2014 (Inclusive).

CLABSI Table 33. Central Line-Associated Bloodstream Infection (CLABSI) Rates Related to Permanent-Type Central Lines in Hematology/Oncology Care Units, Reported by California Hospitals, January - December 2014

Hospitals highlighted in red did not participate in 2014 data validation; completeness of reported infections has not been evaluated.

County	Hospital Name	CLABSI count	Central line-days	Rate per 1000*	95% Confidence Interval**	Statistical Interpretation***
	STATE OF CALIFORNIA POOLED DATA	51	43393	1.18		
Fresno	Community Regional Medical Center	8	1276	6.27	(2.71,12.35)	H
Los Angeles	Cedars-Sinai Medical Center	1	476	2.1	(0.05,11.71)	N
Los Angeles	City of Hope Helford Clinical Research Hospital	1	3815	0.26	(0.01,1.46)	N
Los Angeles	Kaiser Foundation Hospital, Los Angeles	2	719	2.78	(0.34,10.05)	N
Los Angeles	LAC+USC Medical Center	0	341	0	(0.00,8.79)	N
Los Angeles	Long Beach Memorial Medical Center	2	2450	0.82	(0.10,2.95)	N
Los Angeles	Providence Saint John's Health Center	0	1009	0	(0.00,2.97)	N
<i>Los Angeles</i>	<i>Providence Tarzana Medical Center</i>	<i>1</i>	<i>1201</i>	<i>0.83</i>	<i>(0.02,4.64)</i>	<i>N</i>
Los Angeles	Saint Vincent Medical Center	0	148	0	(0.00,20.24)	N
<i>Los Angeles</i>	<i>Santa Monica - UCLA Medical Center and Orthopaedic Hospital</i>	<i>1</i>	<i>2444</i>	<i>0.41</i>	<i>(0.01,2.28)</i>	<i>N</i>
Los Angeles	USC Kenneth Norris Jr. Cancer Hospital	6	1081	5.55	(2.04,12.08)	H
Orange	Hoag Memorial Hospital Presbyterian	2	1446	1.38	(0.17,5.00)	N
Orange	Orange Coast Memorial Medical Center	0	93	0	(0.00,32.21)	N
Orange	St Joseph Hospital	0	1080	0	(0.00,2.77)	N
Orange	University of California Irvine Medical Center	1	1125	0.89	(0.02,4.95)	N
Placer	Sutter Roseville Medical Center	0	1163	0	(0.00,2.58)	N
Sacramento	Sutter General Hospital	2	2032	0.98	(0.12,3.56)	N
San Bernardino	Arrowhead Regional Medical Center	0	432	0	(0.00,6.93)	N
San Bernardino	Loma Linda University Medical Center	2	780	2.56	(0.31,9.26)	N
San Bernardino	St. Bernardine Medical Center	0	163	0	(0.00,18.38)	N
San Diego	Scripps Green Hospital	1	1383	0.72	(0.02,4.03)	N
San Diego	Sharp Memorial Hospital	3	3819	0.79	(0.16,2.30)	N
San Francisco	UCSF Medical Center	10	5417	1.85	(0.89,3.39)	N
Santa Barbara	Santa Barbara Cottage Hospital	2	1301	1.54	(0.19,5.55)	N
Santa Clara	Good Samaritan Hospital, San Jose	0	856	0	(0.00,3.50)	N
Santa Clara	Stanford Hospital	0	2359	0	(0.00,1.27)	N
Shasta	Mercy Medical Center Redding	1	1791	0.56	(0.01,3.11)	N
Sonoma	Santa Rosa Memorial Hospital	0	1179	0	(0.00,2.54)	N
Ventura	Los Robles Hospital & Medical Center	5	2014	2.48	(0.81,5.79)	N

*Rate per 1000 central line days.

**95% confidence interval calculated for rates based on exact Poisson distribution.

*** Statistical interpretation indicates hospital-specific rates that were statistically higher (H), lower (L), or no different (N) than California average rates, or rates that were not tested due to too few central line-days or too few hospitals reported (---).

Source: Central Line-Associated Bloodstream Infections and Central Line Insertion Practices in California Hospitals, January 2014 through December 2014 (Inclusive).

CLABSI Table 34. Central Line-Associated Bloodstream Infection (CLABSI) Rates Related to Permanent-Type Central Lines in Hematology/Oncology Pediatric Care Units, Reported by California Hospitals, January - December 2014

County	Hospital Name	CLABSI count	Central line-days	Rate per 1000*	95% Confidence Interval**	Statistical Interpretation***
	STATE OF CALIFORNIA POOLED DATA	121	52376	2.31		
Alameda	Children's Hospital & Research Center Oakland	9	3531	2.55	(1.17,4.84)	N
Los Angeles	Childrens Hospital Los Angeles	30	6469	4.64	(3.13,6.62)	H
Los Angeles	City of Hope Helford Clinical Research Hospital	11	3730	2.95	(1.47,5.28)	N
Los Angeles	Earl & Loraine Miller Children's Hospital	6	2847	2.11	(0.77,4.59)	N
Madera	Children's Hospital Central California	9	5323	1.69	(0.77,3.21)	N
Orange	Children's Hospital of Orange County	11	8645	1.27	(0.64,2.28)	L
San Bernardino	Loma Linda University Medical Center	8	4256	1.88	(0.81,3.70)	N
San Diego	Rady Children's Hospital - San Diego	9	7988	1.13	(0.52,2.14)	L
San Francisco	UCSF Medical Center	16	4960	3.23	(1.84,5.24)	N
Santa Clara	Lucile Salter Packard Children's Hospital at Stanford	12	4627	2.59	(1.34,4.53)	N

*Rate per 1000 central line days.

**95% confidence interval calculated for rates based on exact Poisson distribution.

*** Statistical interpretation indicates hospital-specific rates that were statistically higher (H), lower (L), or no different (N) than California average rates, or rates that were not tested due to too few central line-days or too few hospitals reported (---).

Source: Central Line-Associated Bloodstream Infections and Central Line Insertion Practices in California Hospitals, January 2014 through December 2014 (Inclusive).

CLABSI Table 35. Central Line-Associated Bloodstream Infection (CLABSI) Rates Related to Permanent-Type Central Lines in Bone Marrow Transplant Care Units, Reported by California Hospitals, January - December 2014

County	Hospital Name	CLABSI count	Central line-days	Rate per 1000*	95% Confidence Interval**	Statistical Interpretation***
	STATE OF CALIFORNIA POOLED DATA	70	23763	2.95		
Los Angeles	City of Hope Helford Clinical Research Hospital	39	11087	3.52	(2.50,4.81)	---
Los Angeles	Ronald Reagan UCLA Medical Center	5	455	10.99	(3.57,25.64)	---
Sacramento	Sutter General Hospital	6	3195	1.88	(0.69,4.09)	---
Sacramento	University of California Davis Medical Center	10	4390	2.28	(1.09,4.19)	---
San Diego	University of California, San Diego Medical Center	5	1235	4.05	(1.31,9.45)	---
Santa Clara	Stanford Hospital	5	3401	1.47	(0.48,3.43)	---

*Rate per 1000 central line days.

**95% confidence interval calculated for rates based on exact Poisson distribution.

*** Statistical interpretation indicates hospital-specific rates that were statistically higher (H), lower (L), or no different (N) than California average rates, or rates that were not tested due to too few central line-days or too few hospitals reported (---).

Source: Central Line-Associated Bloodstream Infections and Central Line Insertion Practices in California Hospitals, January 2014 through December 2014 (Inclusive).

CLABSI Table 36. Central Line-Associated Bloodstream Infection (CLABSI) Rates Related to Permanent-Type Central Lines in Bone Marrow Transplant Pediatric Care Units, Reported by California Hospitals, January - December 2014

County	Hospital Name	CLABSI count	Central line-days	Rate per 1000*	95% Confidence Interval**	Statistical Interpretation***
	STATE OF CALIFORNIA POOLED DATA	17	4699	3.62		
Alameda	Children's Hospital & Research Center Oakland	6	1144	5.24	(1.92,11.42)	---
Los Angeles	Childrens Hospital Los Angeles	10	2826	3.54	(1.70,6.51)	---
Los Angeles	Ronald Reagan UCLA Medical Center	1	729	1.37	(0.03,7.64)	---

*Rate per 1000 central line days.

**95% confidence interval calculated for rates based on exact Poisson distribution.

*** Statistical interpretation indicates hospital-specific rates that were statistically higher (H), lower (L), or no different (N) than California average rates, or rates that were not tested due to too few central line-days or too few hospitals reported (---).

Source: Central Line-Associated Bloodstream Infections and Central Line Insertion Practices in California Hospitals, January 2014 through December 2014 (Inclusive).

CLABSI Table 37. Central Line-Associated Bloodstream Infection (CLABSI) Rates Related to Permanent-Type Central Lines in Oncology Solid Tumor Care Ward, Reported by California Hospitals, January - December 2014

County	Hospital Name	CLABSI count	Central line-days	Rate per 1000*	95% Confidence Interval**	Statistical Interpretation***
	STATE OF CALIFORNIA POOLED DATA	1	493	2.03		
Los Angeles	Keck Hospital of USC	1	493	2.03	(0.05,11.30)	---

*Rate per 1000 central line days.

**95% confidence interval calculated for rates based on exact Poisson distribution.

*** Statistical interpretation indicates hospital-specific rates that were statistically higher (H), lower (L), or no different (N) than California average rates, or rates that were not tested due to too few central line-days or too few hospitals reported (---).

Source: Central Line-Associated Bloodstream Infections and Central Line Insertion Practices in California Hospitals, January 2014 through December 2014 (Inclusive).

CLABSI Table 38. Central Line-Associated Bloodstream Infection (CLABSI) Rates Related to Permanent-Type Central Lines in Solid Organ Transplant Care Units, Reported by California Hospitals, January - December 2014

Hospitals highlighted in red did not participate in 2014 data validation; completeness of reported infections has not been evaluated.

County	Hospital Name	CLABSI count	Central line-days	Rate per 1000*	95% Confidence Interval**	Statistical Interpretation***
	STATE OF CALIFORNIA POOLED DATA	5	2099	2.38		
Los Angeles	Keck Hospital of USC	0	28	.	-----	---
<i>Los Angeles</i>	<i>LAC/Harbor-UCLA Medical Center</i>	<i>0</i>	<i>90</i>	<i>0</i>	<i>(0.00,33.29)</i>	<i>---</i>
Los Angeles	Ronald Reagan UCLA Medical Center	2	189	10.58	(1.28,38.23)	---
Los Angeles	Saint Vincent Medical Center	0	624	0	(0.00,4.80)	---
Riverside	Riverside Community Hospital	2	114	17.54	(2.12,63.37)	---
San Diego	Sharp Memorial Hospital	0	690	0	(0.00,4.34)	---
San Francisco	UCSF Medical Center	1	364	2.75	(0.07,15.31)	---

*Rate per 1000 central line days.

**95% confidence interval calculated for rates based on exact Poisson distribution.

*** Statistical interpretation indicates hospital-specific rates that were statistically higher (H), lower (L), or no different (N) than California average rates, or rates that were not tested due to too few central line-days or too few hospitals reported (---).

Source: Central Line-Associated Bloodstream Infections and Central Line Insertion Practices in California Hospitals, January 2014 through December 2014 (Inclusive).

CLABSI Table 39. Central Line-Associated Bloodstream Infection (CLABSI) Rates Related to Temporary-Type Central Lines in Oncology Medical/Surgical Critical Care Units, Reported by California Hospitals, January - December 2014

County	Hospital Name	CLABSI count	Central line-days	Rate per 1000*	95% Confidence Interval**	Statistical Interpretation***	CLIP Adherence %^
	STATE OF CALIFORNIA POOLED DATA	8	2282	3.51			100.0
Los Angeles	City of Hope Helford Clinical Research Hospital	6	1786	3.36	(1.23,7.31)	---	100.0
Los Angeles	USC Kenneth Norris Jr. Cancer Hospital	2	496	4.03	(0.49,14.57)	---	100.0

*Rate per 1000 central line days.

**95% confidence interval calculated for rates based on exact Poisson distribution.

*** Statistical interpretation indicates hospital-specific rates that were statistically higher (H), lower (L), or no different (N) than California average rates, or rates that were not tested due to too few central line-days or too few hospitals reported (---).

^The CLIP bundle includes eight components: hand hygiene, recommend skin preparation agent, allowing the skin preparation agent to dry, and five maximal sterile barriers (cap, mask, gown, gloves, and drape). CLIP adherence rates for permanent central lines and temporary central lines are combined.

Source: Central Line-Associated Bloodstream Infections and Central Line Insertion Practices in California Hospitals, January 2014 through December 2014 (Inclusive).

CLABSI Table 40. Central Line-Associated Bloodstream Infection (CLABSI) Rates Related to Temporary-Type Central Lines in Hematology/Oncology Care Units, Reported by California Hospitals, January - December 2014

Hospitals highlighted in red did not participate in 2014 data validation; completeness of reported infections has not been evaluated.

County	Hospital Name	CLABSI count	Central line-days	Rate per 1000*	95% Confidence Interval**	Statistical Interpretation***
	STATE OF CALIFORNIA POOLED DATA	111	70218	1.58		
Fresno	Community Regional Medical Center	1	212	4.72	(0.12,26.28)	N
Los Angeles	Cedars-Sinai Medical Center	10	6338	1.58	(0.76,2.90)	N
Los Angeles	City of Hope Helford Clinical Research Hospital	9	3886	2.32	(1.06,4.40)	N
Los Angeles	LAC+USC Medical Center	0	2775	0	(0.00,1.08)	L
Los Angeles	Long Beach Memorial Medical Center	6	1632	3.68	(1.35,8.00)	N
Los Angeles	Providence Holy Cross Medical Center	0	77	0	(0.00,38.91)	N
Los Angeles	Providence Saint John's Health Center	0	1234	0	(0.00,2.43)	N
Los Angeles	Saint Vincent Medical Center	0	223	0	(0.00,13.43)	N
<i>Los Angeles</i>	<i>Santa Monica - UCLA Medical Center and Orthopaedic Hospital</i>	<i>2</i>	<i>2038</i>	<i>0.98</i>	<i>(0.12,3.54)</i>	<i>N</i>
Los Angeles	USC Kenneth Norris Jr. Cancer Hospital	21	6459	3.25	(2.01,4.97)	H
Orange	Hoag Memorial Hospital Presbyterian	2	779	2.57	(0.31,9.27)	N
Orange	Orange Coast Memorial Medical Center	0	382	0	(0.00,7.84)	N
Orange	St Joseph Hospital	4	1994	2.01	(0.55,5.14)	N
Orange	University of California Irvine Medical Center	4	3775	1.06	(0.29,2.71)	N
Placer	Sutter Roseville Medical Center	0	1846	0	(0.00,1.62)	N
Sacramento	Mercy San Juan Medical Center	1	3533	0.28	(0.01,1.58)	N
Sacramento	Sutter General Hospital	1	494	2.02	(0.05,11.28)	N
San Bernardino	Arrowhead Regional Medical Center	3	1564	1.92	(0.40,5.61)	N
San Bernardino	Loma Linda University Medical Center	6	1811	3.31	(1.22,7.21)	N
San Bernardino	St. Bernardine Medical Center	2	1955	1.02	(0.12,3.70)	N
San Diego	Scripps Green Hospital	3	1907	1.57	(0.32,4.60)	N
San Diego	Sharp Memorial Hospital	0	2576	0	(0.00,1.16)	L
San Francisco	San Francisco General Hospital	1	1472	0.68	(0.02,3.79)	N
San Francisco	UCSF Medical Center	20	8584	2.33	(1.42,3.60)	N
Santa Barbara	Santa Barbara Cottage Hospital	2	1004	1.99	(0.24,7.20)	N
Santa Clara	Good Samaritan Hospital, San Jose	2	511	3.91	(0.47,14.14)	N
Santa Clara	Stanford Hospital	10	7497	1.33	(0.64,2.45)	N
Shasta	Mercy Medical Center Redding	0	1068	0	(0.00,2.80)	N
Sonoma	Santa Rosa Memorial Hospital	0	1007	0	(0.00,2.97)	N
Ventura	Los Robles Hospital & Medical Center	1	1585	0.63	(0.02,3.52)	N

*Rate per 1000 central line days.

**95% confidence interval calculated for rates based on exact Poisson distribution.

*** Statistical interpretation indicates hospital-specific rates that were statistically higher (H), lower (L), or no different (N) than California average rates, or rates that were not tested due to too few central line-days or too few hospitals reported (---).

Source: Central Line-Associated Bloodstream Infections and Central Line Insertion Practices in California Hospitals, January 2014 through December 2014 (Inclusive).

CLABSI Table 41. Central Line-Associated Bloodstream Infection (CLABSI) Rates Related to Temporary-Type Central Lines in Hematology/Oncology Pediatric Care Units, Reported by California Hospitals, January - December 2014

County	Hospital Name	CLABSI count	Central line-days	Rate per 1000*	95% Confidence Interval**	Statistical Interpretation***
	STATE OF CALIFORNIA POOLED DATA	36	16732	2.15		
Los Angeles	Childrens Hospital Los Angeles	23	5910	3.89	(2.47,5.84)	H
Los Angeles	City of Hope Helford Clinical Research Hospital	1	1003	1	(0.03,5.55)	N
Los Angeles	Earl & Loraine Miller Children's Hospital	0	933	0	(0.00,3.21)	N
Madera	Children's Hospital Central California	1	931	1.07	(0.03,5.98)	N
Orange	Children's Hospital of Orange County	0	913	0	(0.00,3.28)	N
San Bernardino	Loma Linda University Medical Center	3	2212	1.36	(0.28,3.96)	N
San Diego	Rady Children's Hospital - San Diego	2	851	2.35	(0.28,8.49)	N
San Francisco	UCSF Medical Center	6	2171	2.76	(1.01,6.02)	N
Santa Clara	Lucile Salter Packard Children's Hospital at Stanford	0	1808	0	(0.00,1.66)	L

*Rate per 1000 central line days.

**95% confidence interval calculated for rates based on exact Poisson distribution.

*** Statistical interpretation indicates hospital-specific rates that were statistically higher (H), lower (L), or no different (N) than California average rates, or rates that were not tested due to too few central line-days or too few hospitals reported (---).

Source: Central Line-Associated Bloodstream Infections and Central Line Insertion Practices in California Hospitals, January 2014 through December 2014 (Inclusive).

CLABSI Table 42. Central Line-Associated Bloodstream Infection (CLABSI) Rates Related to Temporary-Type Central Lines in Bone Marrow Transplant Care Units, Reported by California Hospitals, January - December 2014

County	Hospital Name	CLABSI count	Central line-days	Rate per 1000*	95% Confidence Interval**	Statistical Interpretation***
	STATE OF CALIFORNIA POOLED DATA	139	43709	3.18		
Los Angeles	City of Hope Helford Clinical Research Hospital	56	17583	3.18	(2.41,4.14)	---
Los Angeles	Ronald Reagan UCLA Medical Center	28	7950	3.52	(2.34,5.09)	---
Sacramento	Sutter General Hospital	4	3758	1.06	(0.29,2.73)	---
Sacramento	University of California Davis Medical Center	15	4031	3.72	(2.08,6.14)	---
San Diego	University of California, San Diego Medical Center	27	6751	4	(2.64,5.82)	---
Santa Clara	Stanford Hospital	9	3636	2.48	(1.13,4.70)	---

*Rate per 1000 central line days.

**95% confidence interval calculated for rates based on exact Poisson distribution.

*** Statistical interpretation indicates hospital-specific rates that were statistically higher (H), lower (L), or no different (N) than California average rates, or rates that were not tested due to too few central line-days or too few hospitals reported (---).

Source: Central Line-Associated Bloodstream Infections and Central Line Insertion Practices in California Hospitals, January 2014 through December 2014 (Inclusive).

CLABSI Table 43. Central Line-Associated Bloodstream Infection (CLABSI) Rates Related to Temporary-Type Central Lines in Bone Marrow Transplant Pediatric Care Units, Reported by California Hospitals, January - December 2014

County	Hospital Name	CLABSI count	Central line-days	Rate per 1000*	95% Confidence Interval**	Statistical Interpretation***
	STATE OF CALIFORNIA POOLED DATA	9	3944	2.28		
Alameda	Children's Hospital & Research Center Oakland	0	56	0	(0.00,53.50)	---
Los Angeles	Childrens Hospital Los Angeles	6	1621	3.7	(1.36,8.06)	---
Los Angeles	Ronald Reagan UCLA Medical Center	3	2267	1.32	(0.27,3.87)	---

*Rate per 1000 central line days.

**95% confidence interval calculated for rates based on exact Poisson distribution.

*** Statistical interpretation indicates hospital-specific rates that were statistically higher (H), lower (L), or no different (N) than California average rates, or rates that were not tested due to too few central line-days or too few hospitals reported (---).

Source: Central Line-Associated Bloodstream Infections and Central Line Insertion Practices in California Hospitals, January 2014 through December 2014 (Inclusive).

CLABSI Table 44. Central Line-Associated Bloodstream Infection (CLABSI) Rates Related to Temporary-Type Central Lines in Oncology Solid Tumor Care Ward, Reported by California Hospitals, January - December 2014

County	Hospital Name	CLABSI count	Central line-days	Rate per 1000*	95% Confidence Interval**	Statistical Interpretation***
	STATE OF CALIFORNIA POOLED DATA	0	1824	0		
Los Angeles	Keck Hospital of USC	0	1824	0	(0.00,1.64)	---

*Rate per 1000 central line days.

**95% confidence interval calculated for rates based on exact Poisson distribution.

*** Statistical interpretation indicates hospital-specific rates that were statistically higher (H), lower (L), or no different (N) than California average rates, or rates that were not tested due to too few central line-days or too few hospitals reported (---).

Source: Central Line-Associated Bloodstream Infections and Central Line Insertion Practices in California Hospitals, January 2014 through December 2014 (Inclusive).

CLABSI Table 45. Central Line-Associated Bloodstream Infection (CLABSI) Rates Related to Temporary-Type Central Lines in Solid Organ Transplant Care Units, Reported by California Hospitals, January - December 2014

Hospitals highlighted in red did not participate in 2014 data validation; completeness of reported infections has not been evaluated.

County	Hospital Name	CLABSI count	Central line-days	Rate per 1000*	95% Confidence Interval**	Statistical Interpretation***
	STATE OF CALIFORNIA POOLED DATA	13	14286	0.91		
Los Angeles	Keck Hospital of USC	4	2035	1.97	(0.54,5.03)	---
<i>Los Angeles</i>	<i>LAC/Harbor-UCLA Medical Center</i>	<i>0</i>	<i>332</i>	<i>0</i>	<i>(0.00,9.02)</i>	<i>---</i>
Los Angeles	Ronald Reagan UCLA Medical Center	7	5284	1.32	(0.53,2.73)	---
Los Angeles	Saint Vincent Medical Center	0	415	0	(0.00,7.22)	---
Riverside	Riverside Community Hospital	0	1963	0	(0.00,1.53)	---
San Diego	Sharp Memorial Hospital	2	2155	0.93	(0.11,3.35)	---
San Francisco	UCSF Medical Center	0	2102	0	(0.00,1.43)	---

*Rate per 1000 central line days.

**95% confidence interval calculated for rates based on exact Poisson distribution.

*** Statistical interpretation indicates hospital-specific rates that were statistically higher (H), lower (L), or no different (N) than California average rates, or rates that were not tested due to too few central line-days or too few hospitals reported (---).

Source: Central Line-Associated Bloodstream Infections and Central Line Insertion Practices in California Hospitals, January 2014 through December 2014 (Inclusive).