

CLABSI Table 21. Central Line-Associated Bloodstream Infection (CLABSI) Rates in Pediatric Step-Down Care Wards, Reported by California Hospitals, January 2014 - December 2014
Hospitals highlighted in red did not participate in 2014 data validation; completeness of reported infections has not been evaluated.

County	Hospital Name	CLABSI count	Central line-days	Rate per 1000*	95% Confidence Interval**	Statistical Interpretation***
	STATE OF CALIFORNIA POOLED DATA	0	521	0		
<i>Los Angeles</i>	<i>LAC/Harbor-UCLA Medical Center</i>	<i>0</i>	<i>114</i>	<i>0</i>	<i>(0.00,26.28)</i>	<i>---</i>
San Francisco	UCSF Medical Center	0	407	0	(0.00,7.36)	---

*Rate per 1000 central line days (total infections/total central line-days multiplied by 1000).

**95% confidence interval calculated for rates based on exact Poisson distribution.

*** Statistical interpretation indicates hospital-specific rates that were statistically higher (H), lower (L), or no different (N) than California average rates, or rates that were not tested due to too few central line-days or too few hospitals reported (---).

Source: Central Line-Associated Bloodstream Infections and Central Line Insertion Practices in California Hospitals, January 2014 through December 2014 (Inclusive).