

CLABSI Table 41. Central Line-Associated Bloodstream Infection (CLABSI) Rates Related to Temporary-Type Central Lines in Hematology/Oncology Pediatric Care Units, Reported by California Hospitals, January - December 2014

County	Hospital Name	CLABSI count	Central line-days	Rate per 1000*	95% Confidence Interval**	Statistical Interpretation***
	STATE OF CALIFORNIA POOLED DATA	36	16732	2.15		
Los Angeles	Childrens Hospital Los Angeles	23	5910	3.89	(2.47,5.84)	H
Los Angeles	City of Hope Helford Clinical Research Hospital	1	1003	1	(0.03,5.55)	N
Los Angeles	Earl & Loraine Miller Children's Hospital	0	933	0	(0.00,3.21)	N
Madera	Children's Hospital Central California	1	931	1.07	(0.03,5.98)	N
Orange	Children's Hospital of Orange County	0	913	0	(0.00,3.28)	N
San Bernardino	Loma Linda University Medical Center	3	2212	1.36	(0.28,3.96)	N
San Diego	Rady Children's Hospital - San Diego	2	851	2.35	(0.28,8.49)	N
San Francisco	UCSF Medical Center	6	2171	2.76	(1.01,6.02)	N
Santa Clara	Lucile Salter Packard Children's Hospital at Stanford	0	1808	0	(0.00,1.66)	L

*Rate per 1000 central line days.

**95% confidence interval calculated for rates based on exact Poisson distribution.

*** Statistical interpretation indicates hospital-specific rates that were statistically higher (H), lower (L), or no different (N) than California average rates, or rates that were not tested due to too few central line-days or too few hospitals reported (---).

Source: Central Line-Associated Bloodstream Infections and Central Line Insertion Practices in California Hospitals, January 2014 through December 2014 (Inclusive).