

**CLABSI Table 14. Central Line-Associated Bloodstream Infection (CLABSI) Rates and Central Line Insertion Practices (CLIP) Adherence Percentages in Pediatric Critical Care Units, Reported by California Hospitals, January-December 2015**

County	Hospital Name	CLABSI count	Central line days	Rate per 1000*	95% Confidence Interval**	Statistical Interpretation***	CLIP Adherence %^
	<b>STATE OF CALIFORNIA POOLED DATA</b>	<b>128</b>	<b>81381</b>	<b>1.57</b>			<b>96.5</b>
Alameda	Children's Hospital & Research Center Oakland	5	2992	1.67	(0.54,3.90)	No difference	98.4
Alameda	Kaiser Foundation Hospital, Oakland/Richmond	1	751	1.33	(0.03,7.42)	No difference	96.7
Contra Costa	John Muir Medical Center - Walnut Creek Campus	0	76	0.00	(0.00,39.42)	No difference	100
Kern	Bakersfield Memorial Hospital	1	199	5.03	(0.13,28.00)	No difference	94.7
Los Angeles	Cedars-Sinai Medical Center	0	1256	0.00	(0.00,2.39)	No difference	91.7
Los Angeles	Children's Hospital Los Angeles	19	11660	1.63	(0.98,2.54)	No difference	94.2
Los Angeles	Earl & Lorraine Miller Children's Hospital	3	1991	1.51	(0.31,4.40)	No difference	90.8
Los Angeles	Huntington Memorial Hospital	0	78	0.00	(0.00,38.41)	No difference	100
Los Angeles	Kaiser Foundation Hospital, Downey	0	431	0.00	(0.00,6.95)	No difference	100
Los Angeles	Kaiser Foundation Hospital, Los Angeles	6	1463	4.10	(1.51,8.93)	No difference	100
Los Angeles	LAC+USC Medical Center	0	186	0.00	(0.00,16.11)	No difference	93.8
Los Angeles	LAC/Harbor-UCLA Medical Center	0	354	0.00	(0.00,8.46)	No difference	100
Los Angeles	Northridge Hospital Medical Center	0	163	0.00	(0.00,18.38)	No difference	92.9
Los Angeles	Providence Tarzana Medical Center	0	143	0.00	(0.00,20.95)	No difference	100
Los Angeles	Ronald Reagan UCLA Medical Center	5	5538	0.90	(0.29,2.11)	No difference	99.5
Los Angeles	Valley Presbyterian Hospital	0	10				100
Los Angeles	White Memorial Medical Center	0	28				
Madera	Valley Children's Hospital	6	5501	1.09	(0.40,2.37)	No difference	88.8
Orange	Children's Hospital at Mission	1	242	4.13	(0.10,23.02)	No difference	100
Orange	Children's Hospital of Orange County	5	6414	0.78	(0.25,1.82)	No difference	100
Orange	Fountain Valley Regional Hospital & Medical Center	0	390	0.00	(0.00,7.68)	No difference	
Placer	Kaiser Foundation Hospital, Roseville	2	666	3.00	(0.36,10.85)	No difference	100
Riverside	Riverside County Regional Medical Center	0	173	0.00	(0.00,17.32)	No difference	100
Sacramento	Shriners Hospitals for Children Northern California	2	1225	1.63	(0.20,5.90)	No difference	96.8
Sacramento	Sutter Medical Center, Sacramento	4	1549	2.58	(0.70,6.61)	No difference	97.9
Sacramento	University of California Davis Medical Center	3	3159	0.95	(0.20,2.78)	No difference	97.7
San Bernardino	Kaiser Foundation Hospital, Fontana	0	395	0.00	(0.00,7.58)	No difference	100
San Bernardino	Loma Linda University Children's Hospital	9	6703	1.34	(0.61,2.55)	No difference	96.7
San Diego	Rady Children's Hospital - San Diego	11	10799	1.02	(0.51,1.82)	No difference	95.8
San Francisco	California Pacific Medical Center - California West Campus Hospital	0	100	0.00	(0.00,29.96)	No difference	87.5
San Francisco	UCSF Medical Center	16	5084	3.15	(1.80,5.11)	Higher	99.4
Santa Barbara	Santa Barbara Cottage Hospital	0	408	0.00	(0.00,7.34)	No difference	
Santa Clara	Good Samaritan Hospital, San Jose	0	43				100
Santa Clara	Kaiser Foundation Hospital, Santa Clara	1	459	2.18	(0.06,12.14)	No difference	100
Santa Clara	Lucile Packard Children's Hospital Stanford	25	10073	2.48	(1.61,3.66)	Higher	96.1
Santa Clara	Santa Clara Valley Medical Center	3	679	4.42	(0.91,12.91)	No difference	100

\*CLABSI rate per 1000 central line days.

\*\*95% confidence interval calculated for rates based on exact Poisson distribution.

\*\*\* Statistical interpretation indicates hospital-specific rates that were statistically higher, lower, or no different than California average rates, or rates that were not tested due to too few central line days or too few hospitals reported.

^ The CLIP bundle includes eight components: hand hygiene, recommend skin preparation agent, allowing the skin preparation agent to dry, and five maximal sterile barriers (cap, mask, gown, gloves, and drape).

Source: Central Line-Associated Bloodstream Infections and Central Line Insertion Practices in California Hospitals, January through December 2015. California Department of Public Health.