

CLABSI Table 16. Central Line-Associated Bloodstream Infection (CLABSI) and Central Line Insertion Practices (CLIP) Adherence Percentages in Neonatal Critical Care Units for Neonates Weighing Between 751 and 1000 Grams at Birth, as Reported by California Hospitals, January-December 2015

County	Hospital Name	CLABSI count	Central line days	Rate per 1000*	95% Confidence Interval**	Statistical Interpretation***	CLIP Adherence %^
	STATE OF CALIFORNIA POOLED DATA	48	25699	1.87			96.5
Alameda	Alta Bates Summit Medical Center - Alta Bates Campus	0	333	0.00	(0.00,9.00)	No difference	44.1
Alameda	Children's Hospital & Research Center Oakland	2	438	4.57	(0.55,16.49)	No difference	98.1
Alameda	Kaiser Foundation Hospital, Oakland/Richmond	1	198	5.05	(0.13,28.14)	No difference	100
Alameda	Kaiser Foundation Hospital, San Leandro	0	141	0.00	(0.00,21.25)	No difference	96.3
Butte	Enloe Medical Center - Esplanade	0	1				
Contra Costa	John Muir Medical Center - Walnut Creek Campus	4	179	22.35	(6.09,57.22)	Higher	100
Contra Costa	Kaiser Foundation Hospital, Walnut Creek	1	209	4.78	(0.12,26.66)	No difference	97.6
Fresno	Community Regional Medical Center	0	843	0.00	(0.00,3.55)	No difference	95.6
Kern	Bakersfield Memorial Hospital	2	588	3.40	(0.41,12.29)	No difference	99.1
Kern	Kern Medical Center	0	247	0.00	(0.00,12.13)	No difference	100
Kern	Mercy Southwest Hospital	0	169	0.00	(0.00,17.73)	No difference	100
Kern	San Joaquin Community Hospital	0	87	0.00	(0.00,34.43)	No difference	94.9
Los Angeles	Antelope Valley Hospital	0	119	0.00	(0.00,25.17)	No difference	82.5
Los Angeles	California Hospital Medical Center - Los Angeles	2	198	10.10	(1.22,36.49)	No difference	100
Los Angeles	Cedars-Sinai Medical Center	2	484	4.13	(0.50,14.93)	No difference	94.6
Los Angeles	Centinela Hospital Medical Center	0	48				100
Los Angeles	Children's Hospital Los Angeles	1	638	1.57	(0.04,8.73)	No difference	98.9
Los Angeles	Citrus Valley Medical Center - IC Campus	0	251	0.00	(0.00,11.94)	No difference	89.3
Los Angeles	Earl & Lorraine Miller Children's Hospital	2	1047	1.91	(0.23,6.90)	No difference	92.4
Los Angeles	Glendale Adventist Medical Center	0	67	0.00	(0.00,44.71)	No difference	100
Los Angeles	Glendale Memorial Hospital and Health Center	0	111	0.00	(0.00,26.99)	No difference	100
Los Angeles	Good Samaritan Hospital, Los Angeles	1	130	7.69	(0.19,42.86)	No difference	98.3
Los Angeles	Hollywood Presbyterian Medical Center	0	84	0.00	(0.00,35.66)	No difference	91.7
Los Angeles	Huntington Memorial Hospital	0	302	0.00	(0.00,9.92)	No difference	100
Los Angeles	Kaiser Foundation Hospital, Baldwin Park	0	73	0.00	(0.00,41.04)	No difference	84.2
Los Angeles	Kaiser Foundation Hospital, Downey	1	419	2.39	(0.06,13.30)	No difference	98.9
Los Angeles	Kaiser Foundation Hospital, Los Angeles	0	339	0.00	(0.00,8.84)	No difference	100
Los Angeles	Kaiser Foundation Hospital, Panorama City	0	89	0.00	(0.00,33.66)	No difference	100
Los Angeles	Kaiser Foundation Hospital, West LA	0	15				97.1
Los Angeles	LAC+USC Medical Center	1	189	5.29	(0.13,29.48)	No difference	99.1
Los Angeles	LAC/Harbor-UCLA Medical Center	1	343	2.92	(0.07,16.24)	No difference	93.3
Los Angeles	LAC/Olive View-UCLA Medical Center	0	50	0.00	(0.00,59.91)	No difference	100
Los Angeles	Methodist Hospital of Southern California	0	2				100
Los Angeles	Northridge Hospital Medical Center	0	50	0.00	(0.00,59.91)	No difference	100
Los Angeles	Pomona Valley Hospital Medical Center	1	925	1.08	(0.03,6.02)	No difference	99.0
Los Angeles	Presbyterian Intercommunity Hospital	0	155	0.00	(0.00,19.33)	No difference	97.4
Los Angeles	Providence Holy Cross Medical Center	0	90	0.00	(0.00,33.29)	No difference	
Los Angeles	Providence Little Company of Mary Medical Center Torrance	0	122	0.00	(0.00,24.56)	No difference	100
Los Angeles	Providence Saint John's Health Center	0	50	0.00	(0.00,59.91)	No difference	100
Los Angeles	Providence Saint Joseph Medical Center	0	27				99.0
Los Angeles	Providence Tarzana Medical Center	0	185	0.00	(0.00,16.19)	No difference	100
Los Angeles	Ronald Reagan UCLA Medical Center	1	433	2.31	(0.06,12.87)	No difference	97.4
Los Angeles	Saint Francis Medical Center	0	165	0.00	(0.00,18.16)	No difference	100
Los Angeles	San Gabriel Valley Medical Center	0	79	0.00	(0.00,37.92)	No difference	100
Los Angeles	Santa Monica - UCLA Medical Center and Orthopaedic Hospital	1	143	6.99	(0.18,38.96)	No difference	100
Los Angeles	St. Mary Medical Center, Long Beach	0	127	0.00	(0.00,23.59)	No difference	100
Los Angeles	Torrance Memorial Medical Center	0	5				92.7
Los Angeles	Valley Presbyterian Hospital	0	26				100
Los Angeles	White Memorial Medical Center	1	197	5.08	(0.13,28.28)	No difference	100
Madera	Valley Children's Hospital	1	863	1.16	(0.03,6.46)	No difference	91.7
Monterey	Natividad Medical Center	0	29				100

CLABSI Table 16. Central Line-Associated Bloodstream Infection (CLABSI) and Central Line Insertion Practices (CLIP) Adherence Percentages in Neonatal Critical Care Units for Neonates Weighing Between 751 and 1000 Grams at Birth, as Reported by California Hospitals, January-December 2015

County	Hospital Name	CLABSI count	Central line days	Rate per 1000*	95% Confidence Interval**	Statistical Interpretation***	CLIP Adherence %^
Orange	AHMC Anaheim Regional Medical Center	0	13				96.8
Orange	Children's Hospital at Mission	0	75	0.00	(0.00,39.94)	No difference	100
Orange	Children's Hospital of Orange County	0	561	0.00	(0.00,5.34)	No difference	99.2
Orange	Fountain Valley Regional Hospital & Medical Center	0	132	0.00	(0.00,22.69)	No difference	100
Orange	Hoag Memorial Hospital Presbyterian	0	144	0.00	(0.00,20.80)	No difference	98.9
Orange	Kaiser Foundation Hospital, Orange County, Anaheim	0	354	0.00	(0.00,8.46)	No difference	88.1
Orange	Orange County Global Medical Center	0	18				100
Orange	Saddleback Memorial Medical Center	0	37				97.5
Orange	St. Jude Medical Center	0	30				100
Orange	University of California Irvine Medical Center	1	644	1.55	(0.04,8.65)	No difference	100
Placer	Kaiser Foundation Hospital, Roseville	0	403	0.00	(0.00,7.43)	No difference	98.7
Riverside	Desert Regional Medical Center	1	116	8.62	(0.22,48.03)	No difference	100
Riverside	Parkview Community Hospital Medical Center	2	140	14.29	(1.73,51.60)	No difference	100
Riverside	Riverside Community Hospital	0	204	0.00	(0.00,14.68)	No difference	98.3
Riverside	Riverside County Regional Medical Center	0	270	0.00	(0.00,11.10)	No difference	100
Sacramento	Mercy San Juan Medical Center	0	393	0.00	(0.00,7.62)	No difference	100
Sacramento	Sutter Medical Center, Sacramento	1	330	3.03	(0.08,16.88)	No difference	98.4
Sacramento	University of California Davis Medical Center	0	247	0.00	(0.00,12.13)	No difference	97.4
San Bernardino	Arrowhead Regional Medical Center	0	213	0.00	(0.00,14.06)	No difference	100
San Bernardino	Community Hospital of San Bernardino	0	3				100
San Bernardino	Kaiser Foundation Hospital, Fontana	1	768	1.30	(0.03,7.25)	No difference	100
San Bernardino	Kaiser Foundation Hospital, Ontario	0	1				88.9
San Bernardino	Loma Linda University Children's Hospital	3	1318	2.28	(0.47,6.65)	No difference	91.4
San Bernardino	Redlands Community Hospital	0	48				100
San Bernardino	San Antonio Regional Hospital	1	282	3.55	(0.09,19.76)	No difference	91.4
San Bernardino	St. Bernardine Medical Center	0	158	0.00	(0.00,18.96)	No difference	100
San Diego	Kaiser Foundation Hospital, San Diego	0	194	0.00	(0.00,15.44)	No difference	99.3
San Diego	Rady Children's Hospital - San Diego	5	788	6.35	(2.06,14.81)	Higher	96.7
San Diego	Scripps Mercy Hospital	0	1				96.8
San Diego	Sharp Mary Birch Hospital For Women And Newborns	2	1034	1.93	(0.23,6.99)	No difference	99.9
San Diego	Tri-City Medical Center	0	8				100
San Diego	University of California, San Diego Medical Center	2	582	3.44	(0.42,12.41)	No difference	100
San Francisco	California Pacific Medical Center - California West Campus Hospital	0	240	0.00	(0.00,12.48)	No difference	89.9
San Francisco	Kaiser Foundation Hospital, San Francisco	0	299	0.00	(0.00,10.02)	No difference	100
San Francisco	San Francisco General Hospital	0	46				95.5
San Francisco	UCSF Medical Center	1	410	2.44	(0.06,13.59)	No difference	99.2
San Joaquin	Dameron Hospital	0	76	0.00	(0.00,39.42)	No difference	95.7
San Joaquin	San Joaquin General Hospital	0	70	0.00	(0.00,42.80)	No difference	100
San Joaquin	St. Joseph's Medical Center Of Stockton	0	13				85.0
San Luis Obispo	Sierra Vista Regional Medical Center	0	74	0.00	(0.00,40.48)	No difference	97.9
Santa Barbara	Marian Regional Medical Center	0	88	0.00	(0.00,34.04)	No difference	97.4
Santa Barbara	Santa Barbara Cottage Hospital	0	102	0.00	(0.00,29.37)	No difference	100
Santa Clara	El Camino Hospital	0	131	0.00	(0.00,22.87)	No difference	98.2
Santa Clara	Good Samaritan Hospital, San Jose	0	474	0.00	(0.00,6.32)	No difference	100
Santa Clara	Kaiser Foundation Hospital, Santa Clara	0	249	0.00	(0.00,12.03)	No difference	87.9
Santa Clara	Lucile Packard Children's Hospital Stanford	1	1014	0.99	(0.02,5.49)	No difference	98.6
Santa Clara	O'Connor Hospital	0	22				100
Santa Clara	Santa Clara Valley Medical Center	0	30				100
Shasta	Mercy Medical Center Redding	1	78	12.82	(0.32,71.43)	No difference	
Stanislaus	Doctors Medical Center	0	204	0.00	(0.00,14.68)	No difference	99.4
Stanislaus	Kaiser Foundation Hospital, Manteca	0	23				100
Tulare	Kaweah Delta Medical Center	0	31				99.2

CLABSI Table 16. Central Line-Associated Bloodstream Infection (CLABSI) and Central Line Insertion Practices (CLIP) Adherence Percentages in Neonatal Critical Care Units for Neonates Weighing Between 751 and 1000 Grams at Birth, as Reported by California Hospitals, January-December 2015

County	Hospital Name	CLABSI count	Central line days	Rate per 1000*	95% Confidence Interval**	Statistical Interpretation***	CLIP Adherence %^
Ventura	Community Memorial Hospital - San Buenaventura	0	46				
Ventura	Los Robles Hospital & Medical Center	0	14				100
Ventura	Simi Valley Hospital & Health Care Services	0	1				100
Ventura	St Johns Regional Medical Center	0	125	0.00	(0.00,23.97)	No difference	100
Ventura	Ventura County Medical Center	0	228	0.00	(0.00,13.14)	No difference	100

*CLABSI rate per 1000 central line days.

**95% confidence interval calculated for rates based on exact Poisson distribution.

*** Statistical interpretation indicates hospital-specific rates that were statistically higher, lower, or no different than California average rates, or rates that were not tested due to too few central line days or too few hospitals reported.

^ The CLIP bundle includes eight components: hand hygiene, recommend skin preparation agent, allowing the skin preparation agent to dry, and five maximal sterile barriers (cap, mask, gown, gloves, and drape). All CLIP data reported combined for all birthweight categories.

Source: Central Line-Associated Bloodstream Infections and Central Line Insertion Practices in California Hospitals, January through December 2015. California Department of Public Health.