DISTRICT 49

LOS ANGELES COUNTY

DRINKING WATER MONITORING SCHEDULE

THE CALIFORNIA DEPARTMENT OF PUBIC HEALTH (CDPH) MONITORING SCHEDULER LISTS REQUIRED CONTAMINANT TESTING OF DRINKING WATER FOR PUBLIC WATER SYSTEMS IN CALIFORNIA. THE SCHEDULE INCLUDES REQUIRED UPCOMING TESTING, PAST DUE REQUIRED, AND WAIVED TESTING.

THIS INFORMATION IS VALID AS OF MAY 24, 2012.

UPDATES WILL BE REGULARLY PERFORMED REFLECTING CHANGES IN THE WATER QUALITY MONITORING DATABASE. THESE DOCUMENTS SHOULD BE CONSIDERED "DRAFT" IN THAT THEY MAY CHANGE WITH SUBSEQUENT UPDATES AS NEW DATA ARE SUBMITTED, OR AS MONITORING SCHEDULES ARE REVISED. THIS MONITORING SCHEDULE SHOULD NOT BE USED TO DETERMINE IF SYSTEMS ARE IN COMPLETE COMPLIANCE WITH MONITORING REQUIREMENTS. THE PURPOSE IS TO ASSIST SYSTEMS IN THEIR PLANNING FOR SAMPLING EVENTS, AND VERIFICATION OF SCHEDULED MONITORING WITH CDHS RECORDS.

THE TELEPHONE NUMBER FOR THE LOCAL DRINKING WATER OFFICE IS:

(626) 430-5388

Please be aware that the monitoring schedules do not reflect compliance with initial monitoring for newly regulated constituents (such as MTBE), or constituents that require special monitoring frequencies. Specifically, the database is unable to accurately forecast the following for the Monitoring Schedules:

The SOC frequency for large water systems serving over 3,300 people of 2 quarters every 3 years. In addition, if you have been advised of any increased monitoring that is not reflected in the Monitoring Schedule for a particular source, please contact your local Drinking Water office

Some older data may not be present in the database, and these are indicated in the schedule as "DUE." If these samples were taken, have your laboratory submit the data. Since January 1, 2001, data have been required to be submitted directly to CDPH via electronic data transfer (EDT).

If sampled after January 1, 2001, have your lab submit those data (and data prior to 2001 if possible) electronically as required to CDPH via EDT. Your laboratory can contact Anthony Meeks in the CDPH Monitoring and Evaluation Unit at (916) 449-5568 or at edt@cdph.ca.gov for further information. Changes in the monitoring notification documents will be seen in the next update.

System Number: ***1900003***

System Name: ***QUARTZ HILLS HIGH SCHOOL***

PS Code: ***1900003-002***

Source Name: ***PURCHASED WATER***

Source Number: ***002***

Source Status: ***ACTIVE RAW***

Water type: ***SURFACE***

	STORET NUMBER	TESTING INTERVAL (MONTHS)*	LAST TEST DATE (yyyy/mm/dd)	LAST RESULT REPORTED	NEXT TEST DATE (yyyy/mm)
GENERAL NON CHAP 15					
DIAZINON	39570	WAIVED			
INORGANIC					
ALUMINUM	01105	WAIVED			
ANTIMONY	01097	WAIVED			
ARSENIC	01002	WAIVED			
ASBESTOS	81855	WAIVED			
BARIUM	01007	WAIVED			
BERYLLIUM	01012	WAIVED			
CADMIUM	01027	WAIVED			
CHROMIUM (TOTAL)	01034	WAIVED			
CYANIDE	01291	WAIVED			
FLUORIDE (F) (NATURAL-SOURCE)	00951	WAIVED			
LEAD	01051	WAIVED			
MERCURY	71900	WAIVED			
NICKEL	01067	WAIVED			
PERCHLORATE	A-031	WAIVED			
SELENIUM	01147	WAIVED			
THALLIUM	01059	WAIVED			
NITRATE/NITRITE					
NITRATE (AS NO3)	71850	WAIVED	2002/02/20	63.700	
NITRITE (AS N)	00620	WAIVED			
RADIOLOGICAL					
GROSS ALPHA	01501	WAIVED			
GROSS BETA	03501	WAIVED			
RA-226 FOR CWS OR TOTAL RA FOR NTNC BY 903.0	A-080	WAIVED			
RA-226 OR TOTAL RA BY 903.0 C.E.	A-081	WAIVED			
RADIUM 226	09501	WAIVED			
RADIUM 228	11501	WAIVED			

**Testing interval is in months;*
0 = No data for this constituent and is DUE NOW
999 = Waived testing (not required)
I = Invalid (NOT) valid analyses reported

System Number: ***1900003***

System Name: ***QUARTZ HILLS HIGH SCHOOL***

PS Code: ***1900003-002***

Source Name: ***PURCHASED WATER***

Source Number: ***002***

Source Status: ***ACTIVE RAW***

Water type: ***SURFACE***

	STORET NUMBER	TESTING INTERVAL (MONTHS)*	LAST TEST DATE (yyyy/mm/dd)	LAST RESULT REPORTED	NEXT TEST DATE (yyyy/mm)
RADIOLOGICAL					
RADIUM, TOTAL, MDA95-NTNC ONLY, BY 903.0	A-082	WAIVED			
STRONTIUM-90	13501	WAIVED			
TRITIUM	07000	WAIVED			
URANIUM (PCI/L)	28012	WAIVED			
REGULATED SOC					
2,3,7,8-TCDD (DIOXIN)	34676	WAIVED			
2,4,5-TP (SILVEX)	39045	WAIVED			
2,4-D	39730	WAIVED			
ALACHLOR	77825	WAIVED			
ATRAZINE	39033	WAIVED			
BENTAZON	38710	WAIVED			
BENZO (A) PYRENE	34247	WAIVED			
CARBOFURAN	81405	WAIVED			
CHLORDANE	39350	WAIVED			
DALAPON	38432	WAIVED			
DI(2-ETHYLHEXYL)ADIPATE	A-026	WAIVED			
DI(2-ETHYLHEXYL)PHTHALATE	39100	WAIVED			
DIBROMOCHLOROPROPANE (DBCP)	38761	WAIVED			
DINOSEB	81287	WAIVED			
DIQUAT	78885	WAIVED			
ENDOTHALL	38926	WAIVED			
ENDRIN	39390	WAIVED			
ETHYLENE DIBROMIDE (EDB)	77651	WAIVED			
GLYPHOSATE	79743	WAIVED			
HEPTACHLOR	39410	WAIVED			
HEPTACHLOR EPOXIDE	39420	WAIVED			
HEXACHLOROBENZENE	39700	WAIVED			
HEXACHLOROCYCLOPENTADIENE	34386	WAIVED			
LINDANE	39340	WAIVED			

**Testing interval is in months;*
0 = No data for this constituent and is DUE NOW
999 = Waived testing (not required)
I = Invalid (NOT) valid analyses reported

System Number: ***1900003***

System Name: ***QUARTZ HILLS HIGH SCHOOL***

PS Code: ***1900003-002***

Source Name: ***PURCHASED WATER***

Source Number: ***002***

Source Status: ***ACTIVE RAW***

Water type: ***SURFACE***

	STORET NUMBER	TESTING INTERVAL (MONTHS)*	LAST TEST DATE (yyyy/mm/dd)	LAST RESULT REPORTED	NEXT TEST DATE (yyyy/mm)
REGULATED SOC					
METHOXYCHLOR	39480	WAIVED			
MOLINATE	82199	WAIVED			
OXAMYL	38865	WAIVED			
PENTACHLOROPHENOL	39032	WAIVED			
PICLORAM	39720	WAIVED			
POLYCHLORINATED BIPHENYLS, TOTAL, AS DCB	39516	WAIVED			
SIMAZINE	39055	WAIVED			
THIOBENCARB	A-001	WAIVED			
TOXAPHENE	39400	WAIVED			
REGULATED VOC					
1,1,1-TRICHLOROETHANE	34506	WAIVED			
1,1,2,2-TETRACHLOROETHANE	34516	WAIVED			
1,1,2-TRICHLORO-1,2,2-TRIFLUOROETHANE	81611	WAIVED			
1,1,2-TRICHLOROETHANE	34511	WAIVED			
1,1-DICHLOROETHANE	34496	WAIVED			
1,1-DICHLOROETHYLENE	34501	WAIVED			
1,2,4-TRICHLOROBENZENE	34551	WAIVED			
1,2-DICHLOROBENZENE	34536	WAIVED			
1,2-DICHLOROETHANE	34531	WAIVED			
1,2-DICHLOROPROPANE	34541	WAIVED			
1,3-DICHLOROPROPENE (TOTAL)	34561	WAIVED			
1,4-DICHLOROBENZENE	34571	WAIVED			
BENZENE	34030	WAIVED			
CARBON TETRACHLORIDE	32102	WAIVED			
CIS-1,2-DICHLOROETHYLENE	77093	WAIVED			
DICHLOROMETHANE	34423	WAIVED			
ETHYLBENZENE	34371	WAIVED			
METHYL-TERT-BUTYL-ETHER (MTBE)	46491	WAIVED			
MONOCHLOROBENZENE	34301	WAIVED			

**Testing interval is in months;*
0 = No data for this constituent and is DUE NOW
999 = Waived testing (not required)
I = Invalid (NOT) valid analyses reported

System Number: ***1900003***

System Name: ***QUARTZ HILLS HIGH SCHOOL***

PS Code: ***1900003-002***

Source Name: ***PURCHASED WATER***

Source Number: ***002***

Source Status: ***ACTIVE RAW***

Water type: ***SURFACE***

	STORET NUMBER	TESTING INTERVAL (MONTHS)*	LAST TEST DATE (yyyy/mm/dd)	LAST RESULT REPORTED	NEXT TEST DATE (yyyy/mm)
REGULATED VOC					
STYRENE	77128	WAIVED			
TETRACHLOROETHYLENE	34475	WAIVED			
TOLUENE	34010	WAIVED			
TRANS-1,2-DICHLOROETHYLENE	34546	WAIVED			
TRICHLOROETHYLENE	39180	WAIVED			
TRICHLOROFLUOROMETHANE	34488	WAIVED			
VINYL CHLORIDE	39175	WAIVED			
XYLENES (TOTAL)	81551	WAIVED			
SECONDARY/GP					
AGGRSSIVE INDEX (CORROSIVITY)	82383	WAIVED			
BICARBONATE ALKALINITY	00440	WAIVED			
CALCIUM	00916	WAIVED			
CARBONATE ALKALINITY	00445	WAIVED			
CHLORIDE	00940	WAIVED			
COLOR	00081	WAIVED			
COPPER	01042	WAIVED			
FOAMING AGENTS (MBAS)	38260	WAIVED			
HARDNESS (TOTAL) AS CACO3	00900	WAIVED			
HYDROXIDE ALKALINITY	71830	WAIVED			
IRON	01045	WAIVED			
MAGNESIUM	00927	WAIVED			
MANGANESE	01055	WAIVED			
ODOR THRESHOLD @ 60 C	00086	WAIVED			
PH, LABORATORY	00403	WAIVED			
SILVER	01077	WAIVED			
SODIUM	00929	WAIVED			
SPECIFIC CONDUCTANCE	00095	WAIVED			
SULFATE	00945	WAIVED			
TOTAL DISSOLVED SOLIDS	70300	WAIVED			

**Testing interval is in months;*
0 = No data for this constituent and is DUE NOW
999 = Waived testing (not required)
I = Invalid (NOT) valid analyses reported

System Number: ***1900003***

System Name: ***QUARTZ HILLS HIGH SCHOOL***

PS Code: ***1900003-002***

Source Name: ***PURCHASED WATER***

Source Number: ***002***

Source Status: ***ACTIVE RAW***

Water type: ***SURFACE***

	STORET NUMBER	TESTING INTERVAL (MONTHS)*	LAST TEST DATE (yyyy/mm/dd)	LAST RESULT REPORTED	NEXT TEST DATE (yyyy/mm)
SECONDARY/GP					
TURBIDITY, LABORATORY	82079	WAIVED			
ZINC	01092	WAIVED			

**Testing interval is in months;*
0 = No data for this constituent and is DUE NOW
999 = Waived testing (not required)
I = Invalid (NOT) valid analyses reported

System Number: ***1900006***

System Name: ***KRATKA RIDGE SKI RESORT***

PS Code: ***1900006-001***

Source Name: ***WELL 01***

Source Number: ***001***

Source Status: ***ACTIVE UNTREATED***

Water type: ***GROUNDWATER OR WELL***

	STORET NUMBER	TESTING INTERVAL (MONTHS)*	LAST TEST DATE (yyyy/mm/dd)	LAST RESULT REPORTED	NEXT TEST DATE (yyyy/mm)
GENERAL NON CHAP 15					
DIAZINON	39570	WAIVED			
INORGANIC					
ALUMINUM	01105	WAIVED	2002/10/17	.000	
ANTIMONY	01097	WAIVED	2002/10/17	.000	
ARSENIC	01002	WAIVED	2002/10/17	.000	
ASBESTOS	81855	WAIVED			
BARIUM	01007	WAIVED	2002/10/17	.000	
BERYLLIUM	01012	WAIVED			
CADMIUM	01027	WAIVED	2002/10/17	.000	
CHROMIUM (TOTAL)	01034	WAIVED	2002/10/17	.000	
CYANIDE	01291	WAIVED			
FLUORIDE (F) (NATURAL-SOURCE)	00951	WAIVED	2002/10/17	.130	
LEAD	01051	WAIVED	2002/10/17	.000	
MERCURY	71900	WAIVED	2002/10/17	.000	
NICKEL	01067	WAIVED	2002/10/17	.000	
PERCHLORATE	A-031	WAIVED			
SELENIUM	01147	WAIVED	2002/10/17	.000	
THALLIUM	01059	WAIVED			
NITRATE/NITRITE					
NITRATE (AS NO3)	71850	WAIVED	2002/10/17	.000	
NITRITE (AS N)	00620	WAIVED			
RADIOLOGICAL					
GROSS ALPHA	01501	WAIVED			
GROSS BETA	03501	WAIVED			
RA-226 FOR CWS OR TOTAL RA FOR NTNC BY 903.0	A-080	WAIVED			
RA-226 OR TOTAL RA BY 903.0 C.E.	A-081	WAIVED			
RADIUM 226	09501	WAIVED			
RADIUM 228	11501	WAIVED			

**Testing interval is in months;*
0 = No data for this constituent and is DUE NOW
999 = Waived testing (not required)
I = Invalid (NOT) valid analyses reported

System Number: ***1900006***

System Name: ***KRATKA RIDGE SKI RESORT***

PS Code: ***1900006-001***

Source Name: ***WELL 01***

Source Number: ***001***

Source Status: ***ACTIVE UNTREATED***

Water type: ***GROUNDWATER OR WELL***

	STORET NUMBER	TESTING INTERVAL (MONTHS)*	LAST TEST DATE (yyyy/mm/dd)	LAST RESULT REPORTED	NEXT TEST DATE (yyyy/mm)
RADIOLOGICAL					
RADIUM, TOTAL, MDA95-NTNC ONLY, BY 903.0	A-082	WAIVED			
STRONTIUM-90	13501	WAIVED			
TRITIUM	07000	WAIVED			
URANIUM (PCI/L)	28012	WAIVED			
REGULATED SOC					
2,3,7,8-TCDD (DIOXIN)	34676	WAIVED			
2,4,5-TP (SILVEX)	39045	WAIVED			
2,4-D	39730	WAIVED			
ALACHLOR	77825	WAIVED			
ATRAZINE	39033	WAIVED			
BENTAZON	38710	WAIVED			
BENZO (A) PYRENE	34247	WAIVED			
CARBOFURAN	81405	WAIVED			
CHLORDANE	39350	WAIVED			
DALAPON	38432	WAIVED			
DI(2-ETHYLHEXYL)ADIPATE	A-026	WAIVED			
DI(2-ETHYLHEXYL)PHTHALATE	39100	WAIVED			
DIBROMOCHLOROPROPANE (DBCP)	38761	WAIVED			
DINOSEB	81287	WAIVED			
DIQUAT	78885	WAIVED			
ENDOTHALL	38926	WAIVED			
ENDRIN	39390	WAIVED			
ETHYLENE DIBROMIDE (EDB)	77651	WAIVED			
GLYPHOSATE	79743	WAIVED			
HEPTACHLOR	39410	WAIVED			
HEPTACHLOR EPOXIDE	39420	WAIVED			
HEXACHLOROBENZENE	39700	WAIVED			
HEXACHLOROCYCLOPENTADIENE	34386	WAIVED			
LINDANE	39340	WAIVED			

**Testing interval is in months;*
0 = No data for this constituent and is DUE NOW
999 = Waived testing (not required)
I = Invalid (NOT) valid analyses reported

System Number: ***1900006***

System Name: ***KRATKA RIDGE SKI RESORT***

PS Code: ***1900006-001***

Source Name: ***WELL 01***

Source Number: ***001***

Source Status: ***ACTIVE UNTREATED***

Water type: ***GROUNDWATER OR WELL***

	STORET NUMBER	TESTING INTERVAL (MONTHS)*	LAST TEST DATE (yyyy/mm/dd)	LAST RESULT REPORTED	NEXT TEST DATE (yyyy/mm)
REGULATED SOC					
METHOXYCHLOR	39480	WAIVED			
MOLINATE	82199	WAIVED			
OXAMYL	38865	WAIVED			
PENTACHLOROPHENOL	39032	WAIVED			
PICLORAM	39720	WAIVED			
POLYCHLORINATED BIPHENYLS, TOTAL, AS DCB	39516	WAIVED			
SIMAZINE	39055	WAIVED			
THIOBENCARB	A-001	WAIVED			
TOXAPHENE	39400	WAIVED			
REGULATED VOC					
1,1,1-TRICHLOROETHANE	34506	WAIVED			
1,1,2,2-TETRACHLOROETHANE	34516	WAIVED			
1,1,2-TRICHLORO-1,2,2-TRIFLUOROETHANE	81611	WAIVED			
1,1,2-TRICHLOROETHANE	34511	WAIVED			
1,1-DICHLOROETHANE	34496	WAIVED			
1,1-DICHLOROETHYLENE	34501	WAIVED			
1,2,4-TRICHLOROBENZENE	34551	WAIVED			
1,2-DICHLOROBENZENE	34536	WAIVED			
1,2-DICHLOROETHANE	34531	WAIVED			
1,2-DICHLOROPROPANE	34541	WAIVED			
1,3-DICHLOROPROPENE (TOTAL)	34561	WAIVED			
1,4-DICHLOROBENZENE	34571	WAIVED			
BENZENE	34030	WAIVED			
CARBON TETRACHLORIDE	32102	WAIVED			
CIS-1,2-DICHLOROETHYLENE	77093	WAIVED			
DICHLOROMETHANE	34423	WAIVED			
ETHYLBENZENE	34371	WAIVED			
METHYL-TERT-BUTYL-ETHER (MTBE)	46491	WAIVED			
MONOCHLOROBENZENE	34301	WAIVED			

**Testing interval is in months;*
0 = No data for this constituent and is DUE NOW
999 = Waived testing (not required)
I = Invalid (NOT) valid analyses reported

System Number: ***1900006***

System Name: ***KRATKA RIDGE SKI RESORT***

PS Code: ***1900006-001***

Source Name: ***WELL 01***

Source Number: ***001***

Source Status: ***ACTIVE UNTREATED***

Water type: ***GROUNDWATER OR WELL***

	STORET NUMBER	TESTING INTERVAL (MONTHS)*	LAST TEST DATE (yyyy/mm/dd)	LAST RESULT REPORTED	NEXT TEST DATE (yyyy/mm)
REGULATED VOC					
STYRENE	77128	WAIVED			
TETRACHLOROETHYLENE	34475	WAIVED			
TOLUENE	34010	WAIVED			
TRANS-1,2-DICHLOROETHYLENE	34546	WAIVED			
TRICHLOROETHYLENE	39180	WAIVED			
TRICHLOROFLUOROMETHANE	34488	WAIVED			
VINYL CHLORIDE	39175	WAIVED			
XYLENES (TOTAL)	81551	WAIVED			
SECONDARY/GP					
AGGRSSIVE INDEX (CORROSIVITY)	82383	WAIVED			
BICARBONATE ALKALINITY	00440	WAIVED	2002/10/17	104.000	
CALCIUM	00916	WAIVED	2002/10/17	23.000	
CARBONATE ALKALINITY	00445	WAIVED	2002/10/17	.000	
CHLORIDE	00940	WAIVED	2002/10/17	10.300	
COLOR	00081	WAIVED	2002/10/17	.000	
COPPER	01042	WAIVED	2002/10/17	.000	
FOAMING AGENTS (MBAS)	38260	WAIVED	2002/10/17	.000	
HARDNESS (TOTAL) AS CACO3	00900	WAIVED	2002/10/17	80.000	
HYDROXIDE ALKALINITY	71830	WAIVED	2002/10/17	.000	
IRON	01045	WAIVED	2002/10/17	.000	
MAGNESIUM	00927	WAIVED	2002/10/17	5.470	
MANGANESE	01055	WAIVED	2002/10/17	.000	
ODOR THRESHOLD @ 60 C	00086	WAIVED	2002/10/17	.000	
PH, LABORATORY	00403	WAIVED	2002/10/17	7.630	
SILVER	01077	WAIVED	2002/10/17	.000	
SODIUM	00929	WAIVED	2002/10/17	14.700	
SPECIFIC CONDUCTANCE	00095	WAIVED	2002/10/17	187.000	
SULFATE	00945	WAIVED	2002/10/17	8.000	
TOTAL DISSOLVED SOLIDS	70300	WAIVED	2002/10/17	120.000	

**Testing interval is in months;*
0 = No data for this constituent and is DUE NOW
999 = Waived testing (not required)
I = Invalid (NOT) valid analyses reported

System Number: ***1900006***

System Name: ***KRATKA RIDGE SKI RESORT***

PS Code: ***1900006-001***

Source Name: ***WELL 01***

Source Number: ***001***

Source Status: ***ACTIVE UNTREATED***

Water type: ***GROUNDWATER OR WELL***

	STORET NUMBER	TESTING INTERVAL (MONTHS)*	LAST TEST DATE (yyyy/mm/dd)	LAST RESULT REPORTED	NEXT TEST DATE (yyyy/mm)
SECONDARY/GP					
TURBIDITY, LABORATORY	82079	WAIVED	2002/10/17	95.000	
ZINC	01092	WAIVED	2002/10/17	340.000	

PS Code: ***1900006-002***

Source Name: ***WELL 02***

Source Number: ***002***

Source Status: ***ACTIVE UNTREATED***

Water type: ***GROUNDWATER OR WELL***

GENERAL NON CHAP 15					
DIAZINON	39570	WAIVED			
INORGANIC					
ALUMINUM	01105	WAIVED	2002/10/17	.000	
ANTIMONY	01097	WAIVED	2002/10/17	.000	
ARSENIC	01002	WAIVED	2002/10/17	.000	
ASBESTOS	81855	WAIVED			
BARIUM	01007	WAIVED	2002/10/17	.000	
BERYLLIUM	01012	WAIVED			
CADMIUM	01027	WAIVED	2002/10/17	.000	
CHROMIUM (TOTAL)	01034	WAIVED	2002/10/17	.000	
CYANIDE	01291	WAIVED			
FLUORIDE (F) (NATURAL-SOURCE)	00951	WAIVED	2002/10/17	.160	
LEAD	01051	WAIVED	2002/10/17	.000	
MERCURY	71900	WAIVED	2002/10/17	.000	
NICKEL	01067	WAIVED	2002/10/17	.000	
PERCHLORATE	A-031	WAIVED			
SELENIUM	01147	WAIVED	2002/10/17	.000	
THALLIUM	01059	WAIVED			

**Testing interval is in months;*
0 = No data for this constituent and is DUE NOW
999 = Waived testing (not required)
I = Invalid (NOT) valid analyses reported

System Number: ***1900006***

System Name: ***KRATKA RIDGE SKI RESORT***

PS Code: ***1900006-002***

Source Name: ***WELL 02***

Source Number: ***002***

Source Status: ***ACTIVE UNTREATED***

Water type: ***GROUNDWATER OR WELL***

	STORET NUMBER	TESTING INTERVAL (MONTHS)*	LAST TEST DATE (yyyy/mm/dd)	LAST RESULT REPORTED	NEXT TEST DATE (yyyy/mm)
NITRATE/NITRITE					
NITRATE (AS NO3)	71850	WAIVED	2002/10/17	.000	
NITRITE (AS N)	00620	WAIVED			
RADIOLOGICAL					
GROSS ALPHA	01501	WAIVED			
GROSS BETA	03501	WAIVED			
RA-226 FOR CWS OR TOTAL RA FOR NTNC BY 903.0	A-080	WAIVED			
RA-226 OR TOTAL RA BY 903.0 C.E.	A-081	WAIVED			
RADIUM 226	09501	WAIVED			
RADIUM 228	11501	WAIVED			
RADIUM, TOTAL, MDA95-NTNC ONLY, BY 903.0	A-082	WAIVED			
STRONTIUM-90	13501	WAIVED			
TRITIUM	07000	WAIVED			
URANIUM (PCI/L)	28012	WAIVED			
REGULATED SOC					
2,3,7,8-TCDD (DIOXIN)	34676	WAIVED			
2,4,5-TP (SILVEX)	39045	WAIVED			
2,4-D	39730	WAIVED			
ALACHLOR	77825	WAIVED			
ATRAZINE	39033	WAIVED			
BENTAZON	38710	WAIVED			
BENZO (A) PYRENE	34247	WAIVED			
CARBOFURAN	81405	WAIVED			
CHLORDANE	39350	WAIVED			
DALAPON	38432	WAIVED			
DI(2-ETHYLHEXYL)ADIPATE	A-026	WAIVED			
DI(2-ETHYLHEXYL)PHTHALATE	39100	WAIVED			
DIBROMOCHLOROPROPANE (DBCP)	38761	WAIVED			
DINOSEB	81287	WAIVED			
DIQUAT	78885	WAIVED			

**Testing interval is in months;*
0 = No data for this constituent and is DUE NOW
999 = Waived testing (not required)
I = Invalid (NOT) valid analyses reported

System Number: ***1900006***

System Name: ***KRATKA RIDGE SKI RESORT***

PS Code: ***1900006-002***

Source Name: ***WELL 02***

Source Number: ***002***

Source Status: ***ACTIVE UNTREATED***

Water type: ***GROUNDWATER OR WELL***

	STORET NUMBER	TESTING INTERVAL (MONTHS)*	LAST TEST DATE (yyyy/mm/dd)	LAST RESULT REPORTED	NEXT TEST DATE (yyyy/mm)
REGULATED SOC					
ENDOTHALL	38926	WAIVED			
ENDRIN	39390	WAIVED			
ETHYLENE DIBROMIDE (EDB)	77651	WAIVED			
GLYPHOSATE	79743	WAIVED			
HEPTACHLOR	39410	WAIVED			
HEPTACHLOR EPOXIDE	39420	WAIVED			
HEXACHLOROBENZENE	39700	WAIVED			
HEXACHLOROCYCLOPENTADIENE	34386	WAIVED			
LINDANE	39340	WAIVED			
METHOXYCHLOR	39480	WAIVED			
MOLINATE	82199	WAIVED			
OXAMYL	38865	WAIVED			
PENTACHLOROPHENOL	39032	WAIVED			
PICLORAM	39720	WAIVED			
POLYCHLORINATED BIPHENYLS, TOTAL, AS DCB	39516	WAIVED			
SIMAZINE	39055	WAIVED			
THIOBENCARB	A-001	WAIVED			
TOXAPHENE	39400	WAIVED			
REGULATED VOC					
1,1,1-TRICHLOROETHANE	34506	WAIVED			
1,1,2,2-TETRACHLOROETHANE	34516	WAIVED			
1,1,2-TRICHLORO-1,2,2-TRIFLUOROETHANE	81611	WAIVED			
1,1,2-TRICHLOROETHANE	34511	WAIVED			
1,1-DICHLOROETHANE	34496	WAIVED			
1,1-DICHLOROETHYLENE	34501	WAIVED			
1,2,4-TRICHLOROBENZENE	34551	WAIVED			
1,2-DICHLOROBENZENE	34536	WAIVED			
1,2-DICHLOROETHANE	34531	WAIVED			
1,2-DICHLOROPROPANE	34541	WAIVED			

**Testing interval is in months;*
0 = No data for this constituent and is DUE NOW
999 = Waived testing (not required)
I = Invalid (NOT) valid analyses reported

System Number: ***1900006***

System Name: ***KRATKA RIDGE SKI RESORT***

PS Code: ***1900006-002***

Source Name: ***WELL 02***

Source Number: ***002***

Source Status: ***ACTIVE UNTREATED***

Water type: ***GROUNDWATER OR WELL***

	STORET NUMBER	TESTING INTERVAL (MONTHS)*	LAST TEST DATE (yyyy/mm/dd)	LAST RESULT REPORTED	NEXT TEST DATE (yyyy/mm)
REGULATED VOC					
1,3-DICHLOROPROPENE (TOTAL)	34561	WAIVED			
1,4-DICHLOROBENZENE	34571	WAIVED			
BENZENE	34030	WAIVED			
CARBON TETRACHLORIDE	32102	WAIVED			
CIS-1,2-DICHLOROETHYLENE	77093	WAIVED			
DICHLOROMETHANE	34423	WAIVED			
ETHYLBENZENE	34371	WAIVED			
METHYL-TERT-BUTYL-ETHER (MTBE)	46491	WAIVED			
MONOCHLOROBENZENE	34301	WAIVED			
STYRENE	77128	WAIVED			
TETRACHLOROETHYLENE	34475	WAIVED			
TOLUENE	34010	WAIVED			
TRANS-1,2-DICHLOROETHYLENE	34546	WAIVED			
TRICHLOROETHYLENE	39180	WAIVED			
TRICHLOROFLUOROMETHANE	34488	WAIVED			
VINYL CHLORIDE	39175	WAIVED			
XYLENES (TOTAL)	81551	WAIVED			
SECONDARY/GP					
AGGRSSIVE INDEX (CORROSIVITY)	82383	WAIVED			
BICARBONATE ALKALINITY	00440	WAIVED	2002/10/17	125.000	
CALCIUM	00916	WAIVED	2002/10/17	26.100	
CARBONATE ALKALINITY	00445	WAIVED	2002/10/17	.000	
CHLORIDE	00940	WAIVED	2002/10/17	4.000	
COLOR	00081	WAIVED	2002/10/17	.000	
COPPER	01042	WAIVED	2002/10/17	.000	
FOAMING AGENTS (MBAS)	38260	WAIVED	2002/10/17	.000	
HARDNESS (TOTAL) AS CACO3	00900	WAIVED	2002/10/17	100.000	
HYDROXIDE ALKALINITY	71830	WAIVED	2002/10/17	.000	
IRON	01045	WAIVED	2002/10/17	269.000	

**Testing interval is in months;*
0 = No data for this constituent and is DUE NOW
999 = Waived testing (not required)
I = Invalid (NOT) valid analyses reported

System Number: ***1900006***

System Name: ***KRATKA RIDGE SKI RESORT***

PS Code: ***1900006-002***

Source Name: ***WELL 02***

Source Number: ***002***

Source Status: ***ACTIVE UNTREATED***

Water type: ***GROUNDWATER OR WELL***

SECONDARY/GP

	STORET NUMBER	TESTING INTERVAL (MONTHS)*	LAST TEST DATE (yyyy/mm/dd)	LAST RESULT REPORTED	NEXT TEST DATE (yyyy/mm)
MAGNESIUM	00927	WAIVED	2002/10/17	8.510	
MANGANESE	01055	WAIVED	2002/10/17	.000	
ODOR THRESHOLD @ 60 C	00086	WAIVED	2002/10/17	.000	
PH, LABORATORY	00403	WAIVED	2002/10/17	7.150	
SILVER	01077	WAIVED	2002/10/17	.000	
SODIUM	00929	WAIVED	2002/10/17	10.200	
SPECIFIC CONDUCTANCE	00095	WAIVED	2002/10/17	199.000	
SULFATE	00945	WAIVED	2002/10/17	10.000	
TOTAL DISSOLVED SOLIDS	70300	WAIVED	2002/10/17	128.000	
TURBIDITY, LABORATORY	82079	WAIVED	2002/10/17	120.000	
ZINC	01092	WAIVED	2002/10/17	147.000	

**Testing interval is in months;*
0 = No data for this constituent and is DUE NOW
999 = Waived testing (not required)
I = Invalid (NOT) valid analyses reported

System Number: ***1900007***

System Name: ***CALIFORNIA CONSERVATION CAMP # 14***

PS Code: ***1900007-001***

Source Name: ***WELL 03***

Source Number: ***001***

Source Status: ***ACTIVE UNTREATED***

Water type: ***GROUNDWATER OR WELL***

	STORET NUMBER	TESTING INTERVAL (MONTHS)*	LAST TEST DATE (yyyy/mm/dd)	LAST RESULT REPORTED	NEXT TEST DATE (yyyy/mm)
GENERAL NON CHAP 15					
DIAZINON	39570	WAIVED	2010/01/27	.000	
INORGANIC					
ALUMINUM	01105	WAIVED	2010/01/27	.000	
ANTIMONY	01097	WAIVED	2010/01/27	.000	
ARSENIC	01002	WAIVED	2010/01/27	.000	
ASBESTOS	81855	WAIVED			
BARIUM	01007	WAIVED	2010/01/27	.000	
BERYLLIUM	01012	WAIVED	2010/01/27	.000	
CADMIUM	01027	WAIVED	2010/01/27	.000	
CHROMIUM (TOTAL)	01034	WAIVED	2010/01/27	.000	
CYANIDE	01291	WAIVED	2010/01/27	.000	
FLUORIDE (F) (NATURAL-SOURCE)	00951	WAIVED	2010/01/27	.622	
LEAD	01051	WAIVED	2010/01/27	.000	
MERCURY	71900	WAIVED	2010/01/27	.000	
NICKEL	01067	WAIVED	2010/01/27	16.100	
PERCHLORATE	A-031	WAIVED	2010/01/27	.000	
SELENIUM	01147	WAIVED	2010/01/27	.000	
THALLIUM	01059	WAIVED	2010/01/27	.000	
NITRATE/NITRITE					
NITRATE (AS NO3)	71850	WAIVED	2010/01/27	4.160	
NITRITE (AS N)	00620	WAIVED	2010/01/27	.000	
RADIOLOGICAL					
GROSS ALPHA	01501	WAIVED	2010/01/27	1.470	
GROSS BETA	03501	WAIVED	2010/01/27	1.950	
RA-226 FOR CWS OR TOTAL RA FOR NTNC BY 903.0	A-080	WAIVED			
RA-226 OR TOTAL RA BY 903.0 C.E.	A-081	WAIVED			
RADIUM 226	09501	WAIVED	2010/01/27	.244	
RADIUM 228	11501	WAIVED	2010/01/27	.000	

**Testing interval is in months;*
0 = No data for this constituent and is DUE NOW
999 = Waived testing (not required)
I = Invalid (NOT) valid analyses reported

System Number: ***1900007***

System Name: ***CALIFORNIA CONSERVATION CAMP # 14***

PS Code: ***1900007-001***

Source Name: ***WELL 03***

Source Number: ***001***

Source Status: ***ACTIVE UNTREATED***

Water type: ***GROUNDWATER OR WELL***

	STORET NUMBER	TESTING INTERVAL (MONTHS)*	LAST TEST DATE (yyyy/mm/dd)	LAST RESULT REPORTED	NEXT TEST DATE (yyyy/mm)
RADIOLOGICAL					
RADIUM, TOTAL, MDA95-NTNC ONLY, BY 903.0	A-082	WAIVED			
STRONTIUM-90	13501	WAIVED			
TRITIUM	07000	WAIVED			
URANIUM (PCI/L)	28012	WAIVED	2010/01/27	3.050	
REGULATED SOC					
2,3,7,8-TCDD (DIOXIN)	34676	WAIVED			
2,4,5-TP (SILVEX)	39045	WAIVED	2010/01/27	.000	
2,4-D	39730	WAIVED	2010/01/27	.000	
ALACHLOR	77825	WAIVED	2010/01/27	.000	
ATRAZINE	39033	WAIVED	2010/01/27	.000	
BENTAZON	38710	WAIVED	2010/01/27	.000	
BENZO (A) PYRENE	34247	WAIVED	2010/01/27	.000	
CARBOFURAN	81405	WAIVED	2010/01/27	.000	
CHLORDANE	39350	WAIVED	2010/01/27	.000	
DALAPON	38432	WAIVED	2010/01/27	.000	
DI(2-ETHYLHEXYL)ADIPATE	A-026	WAIVED	2010/01/27	.000	
DI(2-ETHYLHEXYL)PHTHALATE	39100	WAIVED	2010/01/27	.000	
DIBROMOCHLOROPROPANE (DBCP)	38761	WAIVED	2010/01/27	.000	
DINOSEB	81287	WAIVED	2010/01/27	.000	
DIQUAT	78885	WAIVED	2010/01/27	.000	
ENDOTHALL	38926	WAIVED	2010/01/27	.000	
ENDRIN	39390	WAIVED	2010/01/27	.000	
ETHYLENE DIBROMIDE (EDB)	77651	WAIVED	2010/01/27	.000	
GLYPHOSATE	79743	WAIVED	2010/01/27	.000	
HEPTACHLOR	39410	WAIVED	2010/01/27	.000	
HEPTACHLOR EPOXIDE	39420	WAIVED	2010/01/27	.000	
HEXACHLOROBENZENE	39700	WAIVED	2010/01/27	.000	
HEXACHLOROCYCLOPENTADIENE	34386	WAIVED	2010/01/27	.000	
LINDANE	39340	WAIVED	2010/01/27	.000	

**Testing interval is in months;*
0 = No data for this constituent and is DUE NOW
999 = Waived testing (not required)
I = Invalid (NOT) valid analyses reported

System Number: 1900007
System Name: CALIFORNIA CONSERVATION CAMP # 14

PS Code: 1900007-001
Source Name: WELL 03
Source Number: 001
Source Status: ACTIVE UNTREATED
Water type: GROUNDWATER OR WELL

	STORET NUMBER	TESTING INTERVAL (MONTHS)*	LAST TEST DATE (yyyy/mm/dd)	LAST RESULT REPORTED	NEXT TEST DATE (yyyy/mm)
REGULATED SOC					
METHOXYCHLOR	39480	WAIVED	2010/01/27	.000	
MOLINATE	82199	WAIVED	2010/01/27	.000	
OXAMYL	38865	WAIVED	2010/01/27	.000	
PENTACHLOROPHENOL	39032	WAIVED	2010/01/27	.000	
PICLORAM	39720	WAIVED	2010/01/27	.000	
POLYCHLORINATED BIPHENYLS, TOTAL, AS DCB	39516	WAIVED	2010/01/27	.000	
SIMAZINE	39055	WAIVED	2010/01/27	.000	
THIOBENCARB	A-001	WAIVED	2010/01/27	.000	
TOXAPHENE	39400	WAIVED	2010/01/27	.000	
REGULATED VOC					
1,1,1-TRICHLOROETHANE	34506	WAIVED	2010/01/27	.000	
1,1,2,2-TETRACHLOROETHANE	34516	WAIVED	2010/01/27	.000	
1,1,2-TRICHLORO-1,2,2-TRIFLUOROETHANE	81611	WAIVED	2010/01/27	.000	
1,1,2-TRICHLOROETHANE	34511	WAIVED	2010/01/27	.000	
1,1-DICHLOROETHANE	34496	WAIVED	2010/01/27	.000	
1,1-DICHLOROETHYLENE	34501	WAIVED	2010/01/27	.000	
1,2,4-TRICHLOROBENZENE	34551	WAIVED	2010/01/27	.000	
1,2-DICHLOROBENZENE	34536	WAIVED	2010/01/27	.000	
1,2-DICHLOROETHANE	34531	WAIVED	2010/01/27	.000	
1,2-DICHLOROPROPANE	34541	WAIVED	2010/01/27	.000	
1,3-DICHLOROPROPENE (TOTAL)	34561	WAIVED	2010/01/27	.000	
1,4-DICHLOROBENZENE	34571	WAIVED	2010/01/27	.000	
BENZENE	34030	WAIVED	2010/01/27	.000	
CARBON TETRACHLORIDE	32102	WAIVED	2010/01/27	.000	
CIS-1,2-DICHLOROETHYLENE	77093	WAIVED	2010/01/27	.000	
DICHLOROMETHANE	34423	WAIVED	2010/01/27	.000	
ETHYLBENZENE	34371	WAIVED	2010/01/27	.000	
METHYL-TERT-BUTYL-ETHER (MTBE)	46491	WAIVED	2010/01/27	.000	
MONOCHLOROBENZENE	34301	WAIVED	2010/01/27	.000	

**Testing interval is in months;*
0 = No data for this constituent and is DUE NOW
999 = Waived testing (not required)
I = Invalid (NOT) valid analyses reported

System Number: 1900007
System Name: CALIFORNIA CONSERVATION CAMP # 14

PS Code: 1900007-001
Source Name: WELL 03
Source Number: 001
Source Status: ACTIVE UNTREATED
Water type: GROUNDWATER OR WELL

	STORET NUMBER	TESTING INTERVAL (MONTHS)*	LAST TEST DATE (yyyy/mm/dd)	LAST RESULT REPORTED	NEXT TEST DATE (yyyy/mm)
REGULATED VOC					
STYRENE	77128	WAIVED	2010/01/27	.000	
TETRACHLOROETHYLENE	34475	WAIVED	2010/01/27	.000	
TOLUENE	34010	WAIVED	2010/01/27	.000	
TRANS-1,2-DICHLOROETHYLENE	34546	WAIVED	2010/01/27	.000	
TRICHLOROETHYLENE	39180	WAIVED	2010/01/27	.000	
TRICHLOROFLUOROMETHANE	34488	WAIVED	2010/01/27	.000	
VINYL CHLORIDE	39175	WAIVED	2010/01/27	.000	
XYLENES (TOTAL)	81551	WAIVED	2010/01/27	.000	
SECONDARY/GP					
AGGRSSIVE INDEX (CORROSIVITY)	82383	WAIVED			
BICARBONATE ALKALINITY	00440	WAIVED	2010/01/27	303.000	
CALCIUM	00916	WAIVED	2010/01/27	94.000	
CARBONATE ALKALINITY	00445	WAIVED	2010/01/27	.000	
CHLORIDE	00940	WAIVED	2010/01/27	38.900	
COLOR	00081	WAIVED	2010/01/27	.000	
COPPER	01042	WAIVED	2010/01/27	333.000	
FOAMING AGENTS (MBAS)	38260	WAIVED	2010/01/27	.000	
HARDNESS (TOTAL) AS CACO3	00900	WAIVED	2010/01/27	440.000	
HYDROXIDE ALKALINITY	71830	WAIVED	2010/01/27	.000	
IRON	01045	WAIVED	2010/01/27	.000	
MAGNESIUM	00927	WAIVED	2010/01/27	49.000	
MANGANESE	01055	WAIVED	2010/01/27	.000	
ODOR THRESHOLD @ 60 C	00086	WAIVED	2010/01/27	.000	
PH, LABORATORY	00403	WAIVED	2010/01/27	8.020	
SILVER	01077	WAIVED	2010/01/27	.000	
SODIUM	00929	WAIVED	2010/01/27	46.200	
SPECIFIC CONDUCTANCE	00095	WAIVED	2010/01/27	877.000	
SULFATE	00945	WAIVED	2010/01/27	202.000	
TOTAL DISSOLVED SOLIDS	70300	WAIVED	2010/01/27	590.000	

**Testing interval is in months;*
0 = No data for this constituent and is DUE NOW
999 = Waived testing (not required)
I = Invalid (NOT) valid analyses reported

System Number: ***1900007***

System Name: ***CALIFORNIA CONSERVATION CAMP # 14***

PS Code: ***1900007-001***

Source Name: ***WELL 03***

Source Number: ***001***

Source Status: ***ACTIVE UNTREATED***

Water type: ***GROUNDWATER OR WELL***

SECONDARY/GP

	STORET NUMBER	TESTING INTERVAL (MONTHS)*	LAST TEST DATE (yyyy/mm/dd)	LAST RESULT REPORTED	NEXT TEST DATE (yyyy/mm)
TURBIDITY, LABORATORY	82079	WAIVED	2010/01/27	.290	
ZINC	01092	WAIVED	2010/01/27	420.000	

**Testing interval is in months;*
0 = No data for this constituent and is DUE NOW
999 = Waived testing (not required)
I = Invalid (NOT) valid analyses reported

System Number: ***1900008***

System Name: ***BIG ROCK CREEK CAMP***

PS Code: ***1900008-001***

Source Name: ***WELL 01***

Source Number: ***001***

Source Status: ***ACTIVE UNTREATED***

Water type: ***GROUNDWATER OR WELL***

	STORET NUMBER	TESTING INTERVAL (MONTHS)*	LAST TEST DATE (yyyy/mm/dd)	LAST RESULT REPORTED	NEXT TEST DATE (yyyy/mm)
GENERAL NON CHAP 15					
DIAZINON	39570	WAIVED			
INORGANIC					
ALUMINUM	01105	WAIVED	2001/12/11	.000	
ANTIMONY	01097	WAIVED			
ARSENIC	01002	WAIVED	2001/12/11	.000	
ASBESTOS	81855	WAIVED			
BARIUM	01007	WAIVED	2001/12/11	128.000	
BERYLLIUM	01012	WAIVED			
CADMIUM	01027	WAIVED	2001/12/11	.000	
CHROMIUM (TOTAL)	01034	WAIVED	2001/12/11	12.800	
CYANIDE	01291	WAIVED			
FLUORIDE (F) (NATURAL-SOURCE)	00951	WAIVED	2001/12/11	.120	
LEAD	01051	WAIVED	2001/12/11	.000	
MERCURY	71900	WAIVED	2001/12/11	.000	
NICKEL	01067	WAIVED	2001/12/11	.000	
PERCHLORATE	A-031	WAIVED			
SELENIUM	01147	WAIVED	2001/12/11	.000	
THALLIUM	01059	WAIVED			
NITRATE/NITRITE					
NITRATE (AS NO3)	71850	WAIVED	2011/02/22	< .000	
NITRITE (AS N)	00620	WAIVED			
RADIOLOGICAL					
GROSS ALPHA	01501	WAIVED	2000/12/11	1.440	
GROSS BETA	03501	WAIVED			
RA-226 FOR CWS OR TOTAL RA FOR NTNC BY 903.0	A-080	WAIVED			
RA-226 OR TOTAL RA BY 903.0 C.E.	A-081	WAIVED			
RADIUM 226	09501	WAIVED			
RADIUM 228	11501	WAIVED			

**Testing interval is in months;*
0 = No data for this constituent and is DUE NOW
999 = Waived testing (not required)
I = Invalid (NOT) valid analyses reported

System Number: ***1900008***

System Name: ***BIG ROCK CREEK CAMP***

PS Code: ***1900008-001***

Source Name: ***WELL 01***

Source Number: ***001***

Source Status: ***ACTIVE UNTREATED***

Water type: ***GROUNDWATER OR WELL***

	STORET NUMBER	TESTING INTERVAL (MONTHS)*	LAST TEST DATE (yyyy/mm/dd)	LAST RESULT REPORTED	NEXT TEST DATE (yyyy/mm)
RADIOLOGICAL					
RADIUM, TOTAL, MDA95-NTNC ONLY, BY 903.0	A-082	WAIVED			
STRONTIUM-90	13501	WAIVED			
TRITIUM	07000	WAIVED			
URANIUM (PCI/L)	28012	WAIVED			
REGULATED SOC					
2,3,7,8-TCDD (DIOXIN)	34676	WAIVED			
2,4,5-TP (SILVEX)	39045	WAIVED			
2,4-D	39730	WAIVED			
ALACHLOR	77825	WAIVED			
ATRAZINE	39033	WAIVED			
BENTAZON	38710	WAIVED			
BENZO (A) PYRENE	34247	WAIVED			
CARBOFURAN	81405	WAIVED			
CHLORDANE	39350	WAIVED			
DALAPON	38432	WAIVED			
DI(2-ETHYLHEXYL)ADIPATE	A-026	WAIVED			
DI(2-ETHYLHEXYL)PHTHALATE	39100	WAIVED			
DIBROMOCHLOROPROPANE (DBCP)	38761	WAIVED			
DINOSEB	81287	WAIVED			
DIQUAT	78885	WAIVED			
ENDOTHALL	38926	WAIVED			
ENDRIN	39390	WAIVED			
ETHYLENE DIBROMIDE (EDB)	77651	WAIVED			
GLYPHOSATE	79743	WAIVED			
HEPTACHLOR	39410	WAIVED			
HEPTACHLOR EPOXIDE	39420	WAIVED			
HEXACHLOROBENZENE	39700	WAIVED			
HEXACHLOROCYCLOPENTADIENE	34386	WAIVED			
LINDANE	39340	WAIVED			

**Testing interval is in months;*
0 = No data for this constituent and is DUE NOW
999 = Waived testing (not required)
I = Invalid (NOT) valid analyses reported

System Number: ***1900008***

System Name: ***BIG ROCK CREEK CAMP***

PS Code: ***1900008-001***

Source Name: ***WELL 01***

Source Number: ***001***

Source Status: ***ACTIVE UNTREATED***

Water type: ***GROUNDWATER OR WELL***

	STORET NUMBER	TESTING INTERVAL (MONTHS)*	LAST TEST DATE (yyyy/mm/dd)	LAST RESULT REPORTED	NEXT TEST DATE (yyyy/mm)
REGULATED SOC					
METHOXYCHLOR	39480	WAIVED			
MOLINATE	82199	WAIVED			
OXAMYL	38865	WAIVED			
PENTACHLOROPHENOL	39032	WAIVED			
PICLORAM	39720	WAIVED			
POLYCHLORINATED BIPHENYLS, TOTAL, AS DCB	39516	WAIVED			
SIMAZINE	39055	WAIVED			
THIOBENCARB	A-001	WAIVED	2001/12/11	.000	
TOXAPHENE	39400	WAIVED			
REGULATED VOC					
1,1,1-TRICHLOROETHANE	34506	WAIVED			
1,1,2,2-TETRACHLOROETHANE	34516	WAIVED			
1,1,2-TRICHLORO-1,2,2-TRIFLUOROETHANE	81611	WAIVED			
1,1,2-TRICHLOROETHANE	34511	WAIVED			
1,1-DICHLOROETHANE	34496	WAIVED			
1,1-DICHLOROETHYLENE	34501	WAIVED			
1,2,4-TRICHLOROBENZENE	34551	WAIVED			
1,2-DICHLOROBENZENE	34536	WAIVED			
1,2-DICHLOROETHANE	34531	WAIVED			
1,2-DICHLOROPROPANE	34541	WAIVED			
1,3-DICHLOROPROPENE (TOTAL)	34561	WAIVED			
1,4-DICHLOROBENZENE	34571	WAIVED			
BENZENE	34030	WAIVED			
CARBON TETRACHLORIDE	32102	WAIVED			
CIS-1,2-DICHLOROETHYLENE	77093	WAIVED			
DICHLOROMETHANE	34423	WAIVED			
ETHYLBENZENE	34371	WAIVED			
METHYL-TERT-BUTYL-ETHER (MTBE)	46491	WAIVED			
MONOCHLOROBENZENE	34301	WAIVED			

**Testing interval is in months;*
0 = No data for this constituent and is DUE NOW
999 = Waived testing (not required)
I = Invalid (NOT) valid analyses reported

System Number: ***1900008***

System Name: ***BIG ROCK CREEK CAMP***

PS Code: ***1900008-001***

Source Name: ***WELL 01***

Source Number: ***001***

Source Status: ***ACTIVE UNTREATED***

Water type: ***GROUNDWATER OR WELL***

	STORET NUMBER	TESTING INTERVAL (MONTHS)*	LAST TEST DATE (yyyy/mm/dd)	LAST RESULT REPORTED	NEXT TEST DATE (yyyy/mm)
REGULATED VOC					
STYRENE	77128	WAIVED			
TETRACHLOROETHYLENE	34475	WAIVED			
TOLUENE	34010	WAIVED			
TRANS-1,2-DICHLOROETHYLENE	34546	WAIVED			
TRICHLOROETHYLENE	39180	WAIVED			
TRICHLOROFLUOROMETHANE	34488	WAIVED			
VINYL CHLORIDE	39175	WAIVED			
XYLENES (TOTAL)	81551	WAIVED			
SECONDARY/GP					
AGGRSSIVE INDEX (CORROSIVITY)	82383	WAIVED			
BICARBONATE ALKALINITY	00440	WAIVED	2001/12/11	252.000	
CALCIUM	00916	WAIVED	2001/12/11	72.100	
CARBONATE ALKALINITY	00445	WAIVED	2001/12/11	.000	
CHLORIDE	00940	WAIVED	2001/12/11	1.700	
COLOR	00081	WAIVED	2001/12/11	.000	
COPPER	01042	WAIVED	2001/12/11	.000	
FOAMING AGENTS (MBAS)	38260	WAIVED	2001/12/11	.000	
HARDNESS (TOTAL) AS CACO3	00900	WAIVED	2001/12/11	240.000	
HYDROXIDE ALKALINITY	71830	WAIVED	2001/12/11	.000	
IRON	01045	WAIVED	2001/12/11	125.000	
MAGNESIUM	00927	WAIVED	2001/12/11	14.600	
MANGANESE	01055	WAIVED	2001/12/11	.000	
ODOR THRESHOLD @ 60 C	00086	WAIVED	2001/12/11	.000	
PH, LABORATORY	00403	WAIVED	2001/12/11	7.740	
SILVER	01077	WAIVED	2001/12/11	.000	
SODIUM	00929	WAIVED	2001/12/11	9.380	
SPECIFIC CONDUCTANCE	00095	WAIVED	2001/12/11	457.000	
SULFATE	00945	WAIVED	2001/12/11	39.000	
TOTAL DISSOLVED SOLIDS	70300	WAIVED	2001/12/11	288.000	

**Testing interval is in months;*
0 = No data for this constituent and is DUE NOW
999 = Waived testing (not required)
I = Invalid (NOT) valid analyses reported

System Number: ***1900008***

System Name: ***BIG ROCK CREEK CAMP***

PS Code: ***1900008-001***

Source Name: ***WELL 01***

Source Number: ***001***

Source Status: ***ACTIVE UNTREATED***

Water type: ***GROUNDWATER OR WELL***

SECONDARY/GP	STORET NUMBER	TESTING INTERVAL (MONTHS)*	LAST TEST DATE (yyyy/mm/dd)	LAST RESULT REPORTED	NEXT TEST DATE (yyyy/mm)
TURBIDITY, LABORATORY	82079	WAIVED			
ZINC	01092	WAIVED	2001/12/11	86.400	

**Testing interval is in months;*
0 = No data for this constituent and is DUE NOW
999 = Waived testing (not required)
I = Invalid (NOT) valid analyses reported

System Number: ***1900009***

System Name: ***ADAMS RANCH MUTUAL***

PS Code: ***1900009-002***

Source Name: ***PURCHASED WATER***

Source Number: ***002***

Source Status: ***PURCHASED TREATED***

Water type: ***SURFACE***

	STORET NUMBER	TESTING INTERVAL (MONTHS)*	LAST TEST DATE (yyyy/mm/dd)	LAST RESULT REPORTED	NEXT TEST DATE (yyyy/mm)
GENERAL NON CHAP 15					
DIAZINON	39570	WAIVED			
INORGANIC					
ALUMINUM	01105	WAIVED			
ANTIMONY	01097	WAIVED			
ARSENIC	01002	WAIVED			
ASBESTOS	81855	WAIVED			
BARIUM	01007	WAIVED			
BERYLLIUM	01012	WAIVED			
CADMIUM	01027	WAIVED			
CHROMIUM (TOTAL)	01034	WAIVED			
CYANIDE	01291	WAIVED			
FLUORIDE (F) (NATURAL-SOURCE)	00951	WAIVED			
LEAD	01051	WAIVED			
MERCURY	71900	WAIVED			
NICKEL	01067	WAIVED			
PERCHLORATE	A-031	WAIVED			
SELENIUM	01147	WAIVED			
THALLIUM	01059	WAIVED			
NITRATE/NITRITE					
NITRATE (AS NO3)	71850	WAIVED			
NITRITE (AS N)	00620	WAIVED			
RADIOLOGICAL					
GROSS ALPHA	01501	WAIVED			
GROSS BETA	03501	WAIVED			
RA-226 FOR CWS OR TOTAL RA FOR NTNC BY 903.0	A-080	WAIVED			
RA-226 OR TOTAL RA BY 903.0 C.E.	A-081	WAIVED			
RADIUM 226	09501	WAIVED			
RADIUM 228	11501	WAIVED			

**Testing interval is in months;*
0 = No data for this constituent and is DUE NOW
999 = Waived testing (not required)
I = Invalid (NOT) valid analyses reported

System Number: ***1900009***

System Name: ***ADAMS RANCH MUTUAL***

PS Code: ***1900009-002***

Source Name: ***PURCHASED WATER***

Source Number: ***002***

Source Status: ***PURCHASED TREATED***

Water type: ***SURFACE***

	STORET NUMBER	TESTING INTERVAL (MONTHS)*	LAST TEST DATE (yyyy/mm/dd)	LAST RESULT REPORTED	NEXT TEST DATE (yyyy/mm)
RADIOLOGICAL					
RADIUM, TOTAL, MDA95-NTNC ONLY, BY 903.0	A-082	WAIVED			
STRONTIUM-90	13501	WAIVED			
TRITIUM	07000	WAIVED			
URANIUM (PCI/L)	28012	WAIVED			
REGULATED SOC					
2,3,7,8-TCDD (DIOXIN)	34676	WAIVED			
2,4,5-TP (SILVEX)	39045	WAIVED			
2,4-D	39730	WAIVED			
ALACHLOR	77825	WAIVED			
ATRAZINE	39033	WAIVED			
BENTAZON	38710	WAIVED			
BENZO (A) PYRENE	34247	WAIVED			
CARBOFURAN	81405	WAIVED			
CHLORDANE	39350	WAIVED			
DALAPON	38432	WAIVED			
DI(2-ETHYLHEXYL)ADIPATE	A-026	WAIVED			
DI(2-ETHYLHEXYL)PHTHALATE	39100	WAIVED			
DIBROMOCHLOROPROPANE (DBCP)	38761	WAIVED			
DINOSEB	81287	WAIVED			
DIQUAT	78885	WAIVED			
ENDOTHALL	38926	WAIVED			
ENDRIN	39390	WAIVED			
ETHYLENE DIBROMIDE (EDB)	77651	WAIVED			
GLYPHOSATE	79743	WAIVED			
HEPTACHLOR	39410	WAIVED			
HEPTACHLOR EPOXIDE	39420	WAIVED			
HEXACHLOROBENZENE	39700	WAIVED			
HEXACHLOROCYCLOPENTADIENE	34386	WAIVED			
LINDANE	39340	WAIVED			

**Testing interval is in months;*
0 = No data for this constituent and is DUE NOW
999 = Waived testing (not required)
I = Invalid (NOT) valid analyses reported

System Number: ***1900009***

System Name: ***ADAMS RANCH MUTUAL***

PS Code: ***1900009-002***

Source Name: ***PURCHASED WATER***

Source Number: ***002***

Source Status: ***PURCHASED TREATED***

Water type: ***SURFACE***

	STORET NUMBER	TESTING INTERVAL (MONTHS)*	LAST TEST DATE (yyyy/mm/dd)	LAST RESULT REPORTED	NEXT TEST DATE (yyyy/mm)
REGULATED SOC					
METHOXYCHLOR	39480	WAIVED			
MOLINATE	82199	WAIVED			
OXAMYL	38865	WAIVED			
PENTACHLOROPHENOL	39032	WAIVED			
PICLORAM	39720	WAIVED			
POLYCHLORINATED BIPHENYLS, TOTAL, AS DCB	39516	WAIVED			
SIMAZINE	39055	WAIVED			
THIOBENCARB	A-001	WAIVED			
TOXAPHENE	39400	WAIVED			
REGULATED VOC					
1,1,1-TRICHLOROETHANE	34506	WAIVED			
1,1,2,2-TETRACHLOROETHANE	34516	WAIVED			
1,1,2-TRICHLORO-1,2,2-TRIFLUOROETHANE	81611	WAIVED			
1,1,2-TRICHLOROETHANE	34511	WAIVED			
1,1-DICHLOROETHANE	34496	WAIVED			
1,1-DICHLOROETHYLENE	34501	WAIVED			
1,2,4-TRICHLOROBENZENE	34551	WAIVED			
1,2-DICHLOROBENZENE	34536	WAIVED			
1,2-DICHLOROETHANE	34531	WAIVED			
1,2-DICHLOROPROPANE	34541	WAIVED			
1,3-DICHLOROPROPENE (TOTAL)	34561	WAIVED			
1,4-DICHLOROBENZENE	34571	WAIVED			
BENZENE	34030	WAIVED			
CARBON TETRACHLORIDE	32102	WAIVED			
CIS-1,2-DICHLOROETHYLENE	77093	WAIVED			
DICHLOROMETHANE	34423	WAIVED			
ETHYLBENZENE	34371	WAIVED			
METHYL-TERT-BUTYL-ETHER (MTBE)	46491	WAIVED			
MONOCHLOROBENZENE	34301	WAIVED			

**Testing interval is in months;*
0 = No data for this constituent and is DUE NOW
999 = Waived testing (not required)
I = Invalid (NOT) valid analyses reported

System Number: ***1900009***

System Name: ***ADAMS RANCH MUTUAL***

PS Code: ***1900009-002***

Source Name: ***PURCHASED WATER***

Source Number: ***002***

Source Status: ***PURCHASED TREATED***

Water type: ***SURFACE***

	STORET NUMBER	TESTING INTERVAL (MONTHS)*	LAST TEST DATE (yyyy/mm/dd)	LAST RESULT REPORTED	NEXT TEST DATE (yyyy/mm)
REGULATED VOC					
STYRENE	77128	WAIVED			
TETRACHLOROETHYLENE	34475	WAIVED			
TOLUENE	34010	WAIVED			
TRANS-1,2-DICHLOROETHYLENE	34546	WAIVED			
TRICHLOROETHYLENE	39180	WAIVED			
TRICHLOROFLUOROMETHANE	34488	WAIVED			
VINYL CHLORIDE	39175	WAIVED			
XYLENES (TOTAL)	81551	WAIVED			
SECONDARY/GP					
AGGRSSIVE INDEX (CORROSIVITY)	82383	WAIVED			
BICARBONATE ALKALINITY	00440	WAIVED			
CALCIUM	00916	WAIVED			
CARBONATE ALKALINITY	00445	WAIVED			
CHLORIDE	00940	WAIVED			
COLOR	00081	WAIVED			
COPPER	01042	WAIVED			
FOAMING AGENTS (MBAS)	38260	WAIVED			
HARDNESS (TOTAL) AS CACO3	00900	WAIVED			
HYDROXIDE ALKALINITY	71830	WAIVED			
IRON	01045	WAIVED			
MAGNESIUM	00927	WAIVED			
MANGANESE	01055	WAIVED			
ODOR THRESHOLD @ 60 C	00086	WAIVED			
PH, LABORATORY	00403	WAIVED			
SILVER	01077	WAIVED			
SODIUM	00929	WAIVED			
SPECIFIC CONDUCTANCE	00095	WAIVED			
SULFATE	00945	WAIVED			
TOTAL DISSOLVED SOLIDS	70300	WAIVED			

**Testing interval is in months;*
0 = No data for this constituent and is DUE NOW
999 = Waived testing (not required)
I = Invalid (NOT) valid analyses reported

System Number: ***1900009***

System Name: ***ADAMS RANCH MUTUAL***

PS Code: ***1900009-002***

Source Name: ***PURCHASED WATER***

Source Number: ***002***

Source Status: ***PURCHASED TREATED***

Water type: ***SURFACE***

	STORET NUMBER	TESTING INTERVAL (MONTHS)*	LAST TEST DATE (yyyy/mm/dd)	LAST RESULT REPORTED	NEXT TEST DATE (yyyy/mm)
SECONDARY/GP					
TURBIDITY, LABORATORY	82079	WAIVED			
ZINC	01092	WAIVED			

PS Code: ***1900009-003***

Source Name: ***WELL 03***

Source Number: ***003***

Source Status: ***ACTIVE UNTREATED***

Water type: ***GROUNDWATER OR WELL***

GENERAL NON CHAP 15					
DIAZINON	39570	WAIVED			
INORGANIC					
ALUMINUM	01105	WAIVED	2009/05/05	.000	
ANTIMONY	01097	WAIVED	2009/05/05	.000	
ARSENIC	01002	WAIVED	2009/05/05	.000	
ASBESTOS	81855	WAIVED	2006/05/02	.000	
BARIUM	01007	WAIVED	2009/05/05	.000	
BERYLLIUM	01012	WAIVED	2009/05/05	.000	
CADMIUM	01027	WAIVED	2009/05/05	.000	
CHROMIUM (TOTAL)	01034	WAIVED	2009/05/05	.000	
CYANIDE	01291	WAIVED	2006/05/02	.000	
FLUORIDE (F) (NATURAL-SOURCE)	00951	WAIVED	2009/05/05	.870	
LEAD	01051	WAIVED	2008/05/07	.000	
MERCURY	71900	WAIVED	2009/05/05	.000	
NICKEL	01067	WAIVED	2009/05/05	.000	
PERCHLORATE	A-031	WAIVED	2011/08/15	< .000	
SELENIUM	01147	WAIVED	2009/05/05	.000	
THALLIUM	01059	WAIVED	2009/05/05	.000	

**Testing interval is in months;*
0 = No data for this constituent and is DUE NOW
999 = Waived testing (not required)
I = Invalid (NOT) valid analyses reported

System Number: ***1900009***

System Name: ***ADAMS RANCH MUTUAL***

PS Code: ***1900009-003***

Source Name: ***WELL 03***

Source Number: ***003***

Source Status: ***ACTIVE UNTREATED***

Water type: ***GROUNDWATER OR WELL***

	STORET NUMBER	TESTING INTERVAL (MONTHS)*	LAST TEST DATE (yyyy/mm/dd)	LAST RESULT REPORTED	NEXT TEST DATE (yyyy/mm)
NITRATE/NITRITE					
NITRATE (AS NO3)	71850	WAIVED	2011/05/02	17.000	
NITRITE (AS N)	00620	WAIVED	2009/05/05	.000	
RADIOLOGICAL					
GROSS ALPHA	01501	WAIVED	2004/12/06	.000	
GROSS BETA	03501	WAIVED			
RA-226 FOR CWS OR TOTAL RA FOR NTNC BY 903.0	A-080	WAIVED			
RA-226 OR TOTAL RA BY 903.0 C.E.	A-081	WAIVED			
RADIUM 226	09501	WAIVED	2004/12/06	.000	
RADIUM 228	11501	WAIVED	2004/12/06	.000	
RADIUM, TOTAL, MDA95-NTNC ONLY, BY 903.0	A-082	WAIVED			
STRONTIUM-90	13501	WAIVED			
TRITIUM	07000	WAIVED			
URANIUM (PCI/L)	28012	WAIVED	2010/01/07	3.000	
REGULATED SOC					
2,3,7,8-TCDD (DIOXIN)	34676	WAIVED			
2,4,5-TP (SILVEX)	39045	WAIVED			
2,4-D	39730	WAIVED			
ALACHLOR	77825	WAIVED			
ATRAZINE	39033	WAIVED			
BENTAZON	38710	WAIVED			
BENZO (A) PYRENE	34247	WAIVED			
CARBOFURAN	81405	WAIVED			
CHLORDANE	39350	WAIVED			
DALAPON	38432	WAIVED			
DI(2-ETHYLHEXYL)ADIPATE	A-026	WAIVED			
DI(2-ETHYLHEXYL)PHTHALATE	39100	WAIVED			
DIBROMOCHLOROPROPANE (DBCP)	38761	WAIVED			
DINOSEB	81287	WAIVED			
DIQUAT	78885	WAIVED			

**Testing interval is in months;*
0 = No data for this constituent and is DUE NOW
999 = Waived testing (not required)
I = Invalid (NOT) valid analyses reported

System Number: ***1900009***

System Name: ***ADAMS RANCH MUTUAL***

PS Code: ***1900009-003***

Source Name: ***WELL 03***

Source Number: ***003***

Source Status: ***ACTIVE UNTREATED***

Water type: ***GROUNDWATER OR WELL***

	STORET NUMBER	TESTING INTERVAL (MONTHS)*	LAST TEST DATE (yyyy/mm/dd)	LAST RESULT REPORTED	NEXT TEST DATE (yyyy/mm)
REGULATED SOC					
ENDOTHALL	38926	WAIVED			
ENDRIN	39390	WAIVED			
ETHYLENE DIBROMIDE (EDB)	77651	WAIVED			
GLYPHOSATE	79743	WAIVED			
HEPTACHLOR	39410	WAIVED			
HEPTACHLOR EPOXIDE	39420	WAIVED			
HEXACHLOROBENZENE	39700	WAIVED			
HEXACHLOROCYCLOPENTADIENE	34386	WAIVED			
LINDANE	39340	WAIVED			
METHOXYCHLOR	39480	WAIVED			
MOLINATE	82199	WAIVED			
OXAMYL	38865	WAIVED			
PENTACHLOROPHENOL	39032	WAIVED			
PICLORAM	39720	WAIVED			
POLYCHLORINATED BIPHENYLS, TOTAL, AS DCB	39516	WAIVED			
SIMAZINE	39055	WAIVED			
THIOBENCARB	A-001	WAIVED	2006/05/02	.000	
TOXAPHENE	39400	WAIVED			
REGULATED VOC					
1,1,1-TRICHLOROETHANE	34506	WAIVED	2011/11/09	< .000	
1,1,2,2-TETRACHLOROETHANE	34516	WAIVED	2011/11/09	< .000	
1,1,2-TRICHLORO-1,2,2-TRIFLUOROETHANE	81611	WAIVED	2011/11/09	< .000	
1,1,2-TRICHLOROETHANE	34511	WAIVED	2011/11/09	< .000	
1,1-DICHLOROETHANE	34496	WAIVED	2011/11/09	< .000	
1,1-DICHLOROETHYLENE	34501	WAIVED	2011/11/09	< .000	
1,2,4-TRICHLOROBENZENE	34551	WAIVED	2011/11/09	< .000	
1,2-DICHLOROBENZENE	34536	WAIVED	2011/11/09	< .000	
1,2-DICHLOROETHANE	34531	WAIVED	2011/11/09	< .000	
1,2-DICHLOROPROPANE	34541	WAIVED	2011/11/09	< .000	

**Testing interval is in months;*
0 = No data for this constituent and is DUE NOW
999 = Waived testing (not required)
I = Invalid (NOT) valid analyses reported

System Number: ***1900009***

System Name: ***ADAMS RANCH MUTUAL***

PS Code: ***1900009-003***

Source Name: ***WELL 03***

Source Number: ***003***

Source Status: ***ACTIVE UNTREATED***

Water type: ***GROUNDWATER OR WELL***

	STORET NUMBER	TESTING INTERVAL (MONTHS)*	LAST TEST DATE (yyyy/mm/dd)	LAST RESULT REPORTED	NEXT TEST DATE (yyyy/mm)
REGULATED VOC					
1,3-DICHLOROPROPENE (TOTAL)	34561	WAIVED	2011/11/09	< .000	
1,4-DICHLOROBENZENE	34571	WAIVED	2011/11/09	< .000	
BENZENE	34030	WAIVED	2011/11/09	< .000	
CARBON TETRACHLORIDE	32102	WAIVED	2011/11/09	< .000	
CIS-1,2-DICHLOROETHYLENE	77093	WAIVED	2011/11/09	< .000	
DICHLOROMETHANE	34423	WAIVED	2011/11/09	< .000	
ETHYLBENZENE	34371	WAIVED	2011/11/09	< .000	
METHYL-TERT-BUTYL-ETHER (MTBE)	46491	WAIVED	2011/11/09	< .000	
MONOCHLOROBENZENE	34301	WAIVED	2011/11/09	< .000	
STYRENE	77128	WAIVED	2011/11/09	< .000	
TETRACHLOROETHYLENE	34475	WAIVED	2012/02/06	3.000	
TOLUENE	34010	WAIVED	2011/11/09	< .000	
TRANS-1,2-DICHLOROETHYLENE	34546	WAIVED	2011/11/09	< .000	
TRICHLOROETHYLENE	39180	WAIVED	2012/02/06	4.800	
TRICHLOROFLUOROMETHANE	34488	WAIVED	2011/11/09	< .000	
VINYL CHLORIDE	39175	WAIVED	2011/11/09	< .000	
XYLENES (TOTAL)	81551	WAIVED	2011/11/09	< .000	
SECONDARY/GP					
AGGRSSIVE INDEX (CORROSIVITY)	82383	WAIVED			
BICARBONATE ALKALINITY	00440	WAIVED	2008/05/07	213.000	
CALCIUM	00916	WAIVED	2008/05/07	54.300	
CARBONATE ALKALINITY	00445	WAIVED	2008/05/07	.000	
CHLORIDE	00940	WAIVED	2008/05/07	13.300	
COLOR	00081	WAIVED	2008/05/07	.000	
COPPER	01042	WAIVED	2008/05/07	.000	
FOAMING AGENTS (MBAS)	38260	WAIVED	2008/05/07	.000	
HARDNESS (TOTAL) AS CACO3	00900	WAIVED	2008/05/07	195.000	
HYDROXIDE ALKALINITY	71830	WAIVED	2008/05/07	.000	
IRON	01045	WAIVED	2008/05/07	.000	

**Testing interval is in months;*
0 = No data for this constituent and is DUE NOW
999 = Waived testing (not required)
I = Invalid (NOT) valid analyses reported

System Number: ***1900009***

System Name: ***ADAMS RANCH MUTUAL***

PS Code: ***1900009-003***

Source Name: ***WELL 03***

Source Number: ***003***

Source Status: ***ACTIVE UNTREATED***

Water type: ***GROUNDWATER OR WELL***

SECONDARY/GP

	STORET NUMBER	TESTING INTERVAL (MONTHS)*	LAST TEST DATE (yyyy/mm/dd)	LAST RESULT REPORTED	NEXT TEST DATE (yyyy/mm)
MAGNESIUM	00927	WAIVED	2008/05/07	14.500	
MANGANESE	01055	WAIVED	2008/05/07	.000	
ODOR THRESHOLD @ 60 C	00086	WAIVED	2008/05/07	.000	
PH, LABORATORY	00403	WAIVED	2008/05/07	8.070	
SILVER	01077	WAIVED	2009/05/05	.000	
SODIUM	00929	WAIVED	2008/05/07	20.900	
SPECIFIC CONDUCTANCE	00095	WAIVED	2008/05/07	440.000	
SULFATE	00945	WAIVED	2008/05/07	24.000	
TOTAL DISSOLVED SOLIDS	70300	WAIVED	2008/05/07	300.000	
TURBIDITY, LABORATORY	82079	WAIVED	2008/05/07	.200	
ZINC	01092	WAIVED	2008/05/07	.000	

PS Code: ***1900009-004***

Source Name: ***TREATMENT: AIR STRIPPING TOWER***

Source Number: ***004***

Source Status: ***ACTIVE TREATED***

Water type: ***GROUNDWATER OR WELL***

GENERAL NON CHAP 15

DIAZINON	39570	WAIVED

INORGANIC

ALUMINUM	01105	WAIVED
ANTIMONY	01097	WAIVED
ARSENIC	01002	WAIVED
ASBESTOS	81855	WAIVED
BARIUM	01007	WAIVED
BERYLLIUM	01012	WAIVED
CADMIUM	01027	WAIVED
CHROMIUM (TOTAL)	01034	WAIVED
CYANIDE	01291	WAIVED

**Testing interval is in months;*
0 = No data for this constituent and is DUE NOW
999 = Waived testing (not required)
I = Invalid (NOT) valid analyses reported

System Number: ***1900009***

System Name: ***ADAMS RANCH MUTUAL***

PS Code: ***1900009-004***

Source Name: ***TREATMENT: AIR STRIPPING TOWER***

Source Number: ***004***

Source Status: ***ACTIVE TREATED***

Water type: ***GROUNDWATER OR WELL***

	STORET NUMBER	TESTING INTERVAL (MONTHS)*	LAST TEST DATE (yyyy/mm/dd)	LAST RESULT REPORTED	NEXT TEST DATE (yyyy/mm)
INORGANIC					
FLUORIDE (F) (NATURAL-SOURCE)	00951	WAIVED			
LEAD	01051	WAIVED			
MERCURY	71900	WAIVED			
NICKEL	01067	WAIVED			
PERCHLORATE	A-031	WAIVED			
SELENIUM	01147	WAIVED			
THALLIUM	01059	WAIVED			
NITRATE/NITRITE					
NITRATE (AS NO3)	71850	WAIVED			
NITRITE (AS N)	00620	WAIVED			
RADIOLOGICAL					
GROSS ALPHA	01501	WAIVED			
GROSS BETA	03501	WAIVED			
RA-226 FOR CWS OR TOTAL RA FOR NTNC BY 903.0	A-080	WAIVED			
RA-226 OR TOTAL RA BY 903.0 C.E.	A-081	WAIVED			
RADIUM 226	09501	WAIVED			
RADIUM 228	11501	WAIVED			
RADIUM, TOTAL, MDA95-NTNC ONLY, BY 903.0	A-082	WAIVED			
STRONTIUM-90	13501	WAIVED			
TRITIUM	07000	WAIVED			
URANIUM (PCI/L)	28012	WAIVED			
REGULATED SOC					
2,3,7,8-TCDD (DIOXIN)	34676	WAIVED			
2,4,5-TP (SILVEX)	39045	WAIVED			
2,4-D	39730	WAIVED			
ALACHLOR	77825	WAIVED			
ATRAZINE	39033	WAIVED			
BENTAZON	38710	WAIVED			

**Testing interval is in months;*
0 = No data for this constituent and is DUE NOW
999 = Waived testing (not required)
I = Invalid (NOT) valid analyses reported

System Number: ***1900009***

System Name: ***ADAMS RANCH MUTUAL***

PS Code: ***1900009-004***

Source Name: ***TREATMENT: AIR STRIPPING TOWER***

Source Number: ***004***

Source Status: ***ACTIVE TREATED***

Water type: ***GROUNDWATER OR WELL***

REGULATED SOC

	STORET NUMBER	TESTING INTERVAL (MONTHS)*	LAST TEST DATE (yyyy/mm/dd)	LAST RESULT REPORTED	NEXT TEST DATE (yyyy/mm)
BENZO (A) PYRENE	34247	WAIVED			
CARBOFURAN	81405	WAIVED			
CHLORDANE	39350	WAIVED			
DALAPON	38432	WAIVED			
DI(2-ETHYLHEXYL)ADIPATE	A-026	WAIVED			
DI(2-ETHYLHEXYL)PHTHALATE	39100	WAIVED			
DIBROMOCHLOROPROPANE (DBCP)	38761	WAIVED			
DINOSEB	81287	WAIVED			
DIQUAT	78885	WAIVED			
ENDOTHALL	38926	WAIVED			
ENDRIN	39390	WAIVED			
ETHYLENE DIBROMIDE (EDB)	77651	WAIVED			
GLYPHOSATE	79743	WAIVED			
HEPTACHLOR	39410	WAIVED			
HEPTACHLOR EPOXIDE	39420	WAIVED			
HEXACHLOROBENZENE	39700	WAIVED			
HEXACHLOROCYCLOPENTADIENE	34386	WAIVED			
LINDANE	39340	WAIVED			
METHOXYCHLOR	39480	WAIVED			
MOLINATE	82199	WAIVED			
OXAMYL	38865	WAIVED			
PENTACHLOROPHENOL	39032	WAIVED			
PICLORAM	39720	WAIVED			
POLYCHLORINATED BIPHENYLS, TOTAL, AS DCB	39516	WAIVED			
SIMAZINE	39055	WAIVED			
THIOBENCARB	A-001	WAIVED			
TOXAPHENE	39400	WAIVED			

REGULATED VOC

1,1,1-TRICHLOROETHANE	34506	WAIVED			

**Testing interval is in months;*
0 = No data for this constituent and is DUE NOW
999 = Waived testing (not required)
I = Invalid (NOT) valid analyses reported

System Number: ***1900009***

System Name: ***ADAMS RANCH MUTUAL***

PS Code: ***1900009-004***

Source Name: ***TREATMENT: AIR STRIPPING TOWER***

Source Number: ***004***

Source Status: ***ACTIVE TREATED***

Water type: ***GROUNDWATER OR WELL***

	STORET NUMBER	TESTING INTERVAL (MONTHS)*	LAST TEST DATE (yyyy/mm/dd)	LAST RESULT REPORTED	NEXT TEST DATE (yyyy/mm)
REGULATED VOC					
1,1,2,2-TETRACHLOROETHANE	34516	WAIVED			
1,1,2-TRICHLORO-1,2,2-TRIFLUOROETHANE	81611	WAIVED			
1,1,2-TRICHLOROETHANE	34511	WAIVED			
1,1-DICHLOROETHANE	34496	WAIVED			
1,1-DICHLOROETHYLENE	34501	WAIVED			
1,2,4-TRICHLOROBENZENE	34551	WAIVED			
1,2-DICHLOROBENZENE	34536	WAIVED			
1,2-DICHLOROETHANE	34531	WAIVED			
1,2-DICHLOROPROPANE	34541	WAIVED			
1,3-DICHLOROPROPENE (TOTAL)	34561	WAIVED			
1,4-DICHLOROBENZENE	34571	WAIVED			
BENZENE	34030	WAIVED			
CARBON TETRACHLORIDE	32102	WAIVED			
CIS-1,2-DICHLOROETHYLENE	77093	WAIVED			
DICHLOROMETHANE	34423	WAIVED			
ETHYLBENZENE	34371	WAIVED			
METHYL-TERT-BUTYL-ETHER (MTBE)	46491	WAIVED			
MONOCHLOROBENZENE	34301	WAIVED			
STYRENE	77128	WAIVED			
TETRACHLOROETHYLENE	34475	WAIVED			
TOLUENE	34010	WAIVED			
TRANS-1,2-DICHLOROETHYLENE	34546	WAIVED			
TRICHLOROETHYLENE	39180	WAIVED			
TRICHLOROFLUOROMETHANE	34488	WAIVED			
VINYL CHLORIDE	39175	WAIVED			
XYLENES (TOTAL)	81551	WAIVED			
SECONDARY/GP					
AGGRSSIVE INDEX (CORROSIVITY)	82383	WAIVED			
BICARBONATE ALKALINITY	00440	WAIVED			

**Testing interval is in months;*
0 = No data for this constituent and is DUE NOW
999 = Waived testing (not required)
I = Invalid (NOT) valid analyses reported

System Number: ***1900009***

System Name: ***ADAMS RANCH MUTUAL***

PS Code: ***1900009-004***

Source Name: ***TREATMENT: AIR STRIPPING TOWER***

Source Number: ***004***

Source Status: ***ACTIVE TREATED***

Water type: ***GROUNDWATER OR WELL***

SECONDARY/GP

	STORET NUMBER	TESTING INTERVAL (MONTHS)*	LAST TEST DATE (yyyy/mm/dd)	LAST RESULT REPORTED	NEXT TEST DATE (yyyy/mm)
CALCIUM	00916	WAIVED			
CARBONATE ALKALINITY	00445	WAIVED			
CHLORIDE	00940	WAIVED			
COLOR	00081	WAIVED			
COPPER	01042	WAIVED			
FOAMING AGENTS (MBAS)	38260	WAIVED			
HARDNESS (TOTAL) AS CACO3	00900	WAIVED			
HYDROXIDE ALKALINITY	71830	WAIVED			
IRON	01045	WAIVED			
MAGNESIUM	00927	WAIVED			
MANGANESE	01055	WAIVED			
ODOR THRESHOLD @ 60 C	00086	WAIVED			
PH, LABORATORY	00403	WAIVED			
SILVER	01077	WAIVED			
SODIUM	00929	WAIVED			
SPECIFIC CONDUCTANCE	00095	WAIVED			
SULFATE	00945	WAIVED			
TOTAL DISSOLVED SOLIDS	70300	WAIVED			
TURBIDITY, LABORATORY	82079	WAIVED			
ZINC	01092	WAIVED			

PS Code: ***1900009-005***

Source Name: ***CHLORINATOR: HYPO***

Source Number: ***005***

Source Status: ***ACTIVE TREATED***

Water type: ***GROUNDWATER OR WELL***

GENERAL NON CHAP 15

DIAZINON	39570	WAIVED			

**Testing interval is in months;*
0 = No data for this constituent and is DUE NOW
999 = Waived testing (not required)
I = Invalid (NOT) valid analyses reported

System Number: ***1900009***

System Name: ***ADAMS RANCH MUTUAL***

PS Code: ***1900009-005***

Source Name: ***CHLORINATOR: HYPO***

Source Number: ***005***

Source Status: ***ACTIVE TREATED***

Water type: ***GROUNDWATER OR WELL***

	STORET NUMBER	TESTING INTERVAL (MONTHS)*	LAST TEST DATE (yyyy/mm/dd)	LAST RESULT REPORTED	NEXT TEST DATE (yyyy/mm)
INORGANIC					
ALUMINUM	01105	WAIVED			
ANTIMONY	01097	WAIVED			
ARSENIC	01002	WAIVED			
ASBESTOS	81855	WAIVED			
BARIUM	01007	WAIVED			
BERYLLIUM	01012	WAIVED			
CADMIUM	01027	WAIVED			
CHROMIUM (TOTAL)	01034	WAIVED			
CYANIDE	01291	WAIVED			
FLUORIDE (F) (NATURAL-SOURCE)	00951	WAIVED			
LEAD	01051	WAIVED			
MERCURY	71900	WAIVED			
NICKEL	01067	WAIVED			
PERCHLORATE	A-031	WAIVED			
SELENIUM	01147	WAIVED			
THALLIUM	01059	WAIVED			
NITRATE/NITRITE					
NITRATE (AS NO3)	71850	WAIVED			
NITRITE (AS N)	00620	WAIVED			
RADIOLOGICAL					
GROSS ALPHA	01501	WAIVED			
GROSS BETA	03501	WAIVED			
RA-226 FOR CWS OR TOTAL RA FOR NTNC BY 903.0	A-080	WAIVED			
RA-226 OR TOTAL RA BY 903.0 C.E.	A-081	WAIVED			
RADIUM 226	09501	WAIVED			
RADIUM 228	11501	WAIVED			
RADIUM, TOTAL, MDA95-NTNC ONLY, BY 903.0	A-082	WAIVED			
STRONTIUM-90	13501	WAIVED			
TRITIUM	07000	WAIVED			

**Testing interval is in months;*
0 = No data for this constituent and is DUE NOW
999 = Waived testing (not required)
I = Invalid (NOT) valid analyses reported

System Number: ***1900009***

System Name: ***ADAMS RANCH MUTUAL***

PS Code: ***1900009-005***

Source Name: ***CHLORINATOR: HYPO***

Source Number: ***005***

Source Status: ***ACTIVE TREATED***

Water type: ***GROUNDWATER OR WELL***

	STORET NUMBER	TESTING INTERVAL (MONTHS)*	LAST TEST DATE (yyyy/mm/dd)	LAST RESULT REPORTED	NEXT TEST DATE (yyyy/mm)
RADIOLOGICAL					
URANIUM (PCI/L)	28012	WAIVED			
REGULATED SOC					
2,3,7,8-TCDD (DIOXIN)	34676	WAIVED			
2,4,5-TP (SILVEX)	39045	WAIVED			
2,4-D	39730	WAIVED			
ALACHLOR	77825	WAIVED			
ATRAZINE	39033	WAIVED			
BENTAZON	38710	WAIVED			
BENZO (A) PYRENE	34247	WAIVED			
CARBOFURAN	81405	WAIVED			
CHLORDANE	39350	WAIVED			
DALAPON	38432	WAIVED			
DI(2-ETHYLHEXYL)ADIPATE	A-026	WAIVED			
DI(2-ETHYLHEXYL)PHTHALATE	39100	WAIVED			
DIBROMOCHLOROPROPANE (DBCP)	38761	WAIVED			
DINOSEB	81287	WAIVED			
DIQUAT	78885	WAIVED			
ENDOTHALL	38926	WAIVED			
ENDRIN	39390	WAIVED			
ETHYLENE DIBROMIDE (EDB)	77651	WAIVED			
GLYPHOSATE	79743	WAIVED			
HEPTACHLOR	39410	WAIVED			
HEPTACHLOR EPOXIDE	39420	WAIVED			
HEXACHLOROBENZENE	39700	WAIVED			
HEXACHLOROCYCLOPENTADIENE	34386	WAIVED			
LINDANE	39340	WAIVED			
METHOXYCHLOR	39480	WAIVED			
MOLINATE	82199	WAIVED			
OXAMYL	38865	WAIVED			

**Testing interval is in months;*
0 = No data for this constituent and is DUE NOW
999 = Waived testing (not required)
I = Invalid (NOT) valid analyses reported

System Number: ***1900009***

System Name: ***ADAMS RANCH MUTUAL***

PS Code: ***1900009-005***

Source Name: ***CHLORINATOR: HYPO***

Source Number: ***005***

Source Status: ***ACTIVE TREATED***

Water type: ***GROUNDWATER OR WELL***

	STORET NUMBER	TESTING INTERVAL (MONTHS)*	LAST TEST DATE (yyyy/mm/dd)	LAST RESULT REPORTED	NEXT TEST DATE (yyyy/mm)
REGULATED SOC					
PENTACHLOROPHENOL	39032	WAIVED			
PICLORAM	39720	WAIVED			
POLYCHLORINATED BIPHENYLS, TOTAL, AS DCB	39516	WAIVED			
SIMAZINE	39055	WAIVED			
THIOBENCARB	A-001	WAIVED			
TOXAPHENE	39400	WAIVED			
REGULATED VOC					
1,1,1-TRICHLOROETHANE	34506	WAIVED			
1,1,2,2-TETRACHLOROETHANE	34516	WAIVED			
1,1,2-TRICHLORO-1,2,2-TRIFLUOROETHANE	81611	WAIVED			
1,1,2-TRICHLOROETHANE	34511	WAIVED			
1,1-DICHLOROETHANE	34496	WAIVED			
1,1-DICHLOROETHYLENE	34501	WAIVED			
1,2,4-TRICHLOROBENZENE	34551	WAIVED			
1,2-DICHLOROBENZENE	34536	WAIVED			
1,2-DICHLOROETHANE	34531	WAIVED			
1,2-DICHLOROPROPANE	34541	WAIVED			
1,3-DICHLOROPROPENE (TOTAL)	34561	WAIVED			
1,4-DICHLOROBENZENE	34571	WAIVED			
BENZENE	34030	WAIVED			
CARBON TETRACHLORIDE	32102	WAIVED			
CIS-1,2-DICHLOROETHYLENE	77093	WAIVED			
DICHLOROMETHANE	34423	WAIVED			
ETHYLBENZENE	34371	WAIVED			
METHYL-TERT-BUTYL-ETHER (MTBE)	46491	WAIVED			
MONOCHLOROBENZENE	34301	WAIVED			
STYRENE	77128	WAIVED			
TETRACHLOROETHYLENE	34475	WAIVED			
TOLUENE	34010	WAIVED			

**Testing interval is in months;*
0 = No data for this constituent and is DUE NOW
999 = Waived testing (not required)
I = Invalid (NOT) valid analyses reported

System Number: ***1900009***

System Name: ***ADAMS RANCH MUTUAL***

PS Code: ***1900009-005***

Source Name: ***CHLORINATOR: HYPO***

Source Number: ***005***

Source Status: ***ACTIVE TREATED***

Water type: ***GROUNDWATER OR WELL***

	STORET NUMBER	TESTING INTERVAL (MONTHS)*	LAST TEST DATE (yyyy/mm/dd)	LAST RESULT REPORTED	NEXT TEST DATE (yyyy/mm)
REGULATED VOC					
TRANS-1,2-DICHLOROETHYLENE	34546	WAIVED			
TRICHLOROETHYLENE	39180	WAIVED			
TRICHLOROFLUOROMETHANE	34488	WAIVED			
VINYL CHLORIDE	39175	WAIVED			
XYLENES (TOTAL)	81551	WAIVED			
SECONDARY/GP					
AGGRSSIVE INDEX (CORROSIVITY)	82383	WAIVED			
BICARBONATE ALKALINITY	00440	WAIVED			
CALCIUM	00916	WAIVED			
CARBONATE ALKALINITY	00445	WAIVED			
CHLORIDE	00940	WAIVED			
COLOR	00081	WAIVED			
COPPER	01042	WAIVED			
FOAMING AGENTS (MBAS)	38260	WAIVED			
HARDNESS (TOTAL) AS CACO3	00900	WAIVED			
HYDROXIDE ALKALINITY	71830	WAIVED			
IRON	01045	WAIVED			
MAGNESIUM	00927	WAIVED			
MANGANESE	01055	WAIVED			
ODOR THRESHOLD @ 60 C	00086	WAIVED			
PH, LABORATORY	00403	WAIVED			
SILVER	01077	WAIVED			
SODIUM	00929	WAIVED			
SPECIFIC CONDUCTANCE	00095	WAIVED			
SULFATE	00945	WAIVED			
TOTAL DISSOLVED SOLIDS	70300	WAIVED			
TURBIDITY, LABORATORY	82079	WAIVED			
ZINC	01092	WAIVED			

**Testing interval is in months;*
0 = No data for this constituent and is DUE NOW
999 = Waived testing (not required)
I = Invalid (NOT) valid analyses reported

System Number: ***1900011***

System Name: ***CAMPS SCOTT & SCUDDER***

PS Code: ***1900011-001***

Source Name: ***WELL 01***

Source Number: ***001***

Source Status: ***ACTIVE UNTREATED***

Water type: ***GROUNDWATER OR WELL***

	STORET NUMBER	TESTING INTERVAL (MONTHS)*	LAST TEST DATE (yyyy/mm/dd)	LAST RESULT REPORTED	NEXT TEST DATE (yyyy/mm)
GENERAL NON CHAP 15					
DIAZINON	39570	WAIVED			
INORGANIC					
ALUMINUM	01105	WAIVED	2004/09/08	.000	
ANTIMONY	01097	WAIVED	2004/09/08	.000	
ARSENIC	01002	WAIVED	2004/09/08	2.370	
ASBESTOS	81855	WAIVED			
BARIUM	01007	WAIVED	2004/09/08	.000	
BERYLLIUM	01012	WAIVED			
CADMIUM	01027	WAIVED	2004/09/08	.000	
CHROMIUM (TOTAL)	01034	WAIVED	2004/09/08	.000	
CYANIDE	01291	WAIVED			
FLUORIDE (F) (NATURAL-SOURCE)	00951	WAIVED	2004/09/08	.480	
LEAD	01051	WAIVED	2004/09/08	.000	
MERCURY	71900	WAIVED	2004/09/08	.000	
NICKEL	01067	WAIVED	2004/09/08	.000	
PERCHLORATE	A-031	WAIVED			
SELENIUM	01147	WAIVED	2004/09/08	.000	
THALLIUM	01059	WAIVED			
NITRATE/NITRITE					
NITRATE (AS NO3)	71850	WAIVED	2004/09/08	8.070	
NITRITE (AS N)	00620	WAIVED			
RADIOLOGICAL					
GROSS ALPHA	01501	WAIVED			
GROSS BETA	03501	WAIVED			
RA-226 FOR CWS OR TOTAL RA FOR NTNC BY 903.0	A-080	WAIVED			
RA-226 OR TOTAL RA BY 903.0 C.E.	A-081	WAIVED			
RADIUM 226	09501	WAIVED			
RADIUM 228	11501	WAIVED			

**Testing interval is in months;*
0 = No data for this constituent and is DUE NOW
999 = Waived testing (not required)
I = Invalid (NOT) valid analyses reported

System Number: ***1900011***

System Name: ***CAMPS SCOTT & SCUDDER***

PS Code: ***1900011-001***

Source Name: ***WELL 01***

Source Number: ***001***

Source Status: ***ACTIVE UNTREATED***

Water type: ***GROUNDWATER OR WELL***

	STORET NUMBER	TESTING INTERVAL (MONTHS)*	LAST TEST DATE (yyyy/mm/dd)	LAST RESULT REPORTED	NEXT TEST DATE (yyyy/mm)
RADIOLOGICAL					
RADIUM, TOTAL, MDA95-NTNC ONLY, BY 903.0	A-082	WAIVED			
STRONTIUM-90	13501	WAIVED			
TRITIUM	07000	WAIVED			
URANIUM (PCI/L)	28012	WAIVED			
REGULATED SOC					
2,3,7,8-TCDD (DIOXIN)	34676	WAIVED			
2,4,5-TP (SILVEX)	39045	WAIVED			
2,4-D	39730	WAIVED			
ALACHLOR	77825	WAIVED	2000/04/06	.000	
ATRAZINE	39033	WAIVED			
BENTAZON	38710	WAIVED			
BENZO (A) PYRENE	34247	WAIVED			
CARBOFURAN	81405	WAIVED			
CHLORDANE	39350	WAIVED	2000/04/06	.000	
DALAPON	38432	WAIVED			
DI(2-ETHYLHEXYL)ADIPATE	A-026	WAIVED			
DI(2-ETHYLHEXYL)PHTHALATE	39100	WAIVED			
DIBROMOCHLOROPROPANE (DBCP)	38761	WAIVED			
DINOSEB	81287	WAIVED			
DIQUAT	78885	WAIVED			
ENDOTHALL	38926	WAIVED			
ENDRIN	39390	WAIVED	2000/04/06	.000	
ETHYLENE DIBROMIDE (EDB)	77651	WAIVED			
GLYPHOSATE	79743	WAIVED			
HEPTACHLOR	39410	WAIVED	2000/04/06	.000	
HEPTACHLOR EPOXIDE	39420	WAIVED	2000/04/06	.000	
HEXACHLOROBENZENE	39700	WAIVED	2000/04/06	.000	
HEXACHLOROCYCLOPENTADIENE	34386	WAIVED	2000/04/06	.000	
LINDANE	39340	WAIVED	2000/04/06	.000	

**Testing interval is in months;*
0 = No data for this constituent and is DUE NOW
999 = Waived testing (not required)
I = Invalid (NOT) valid analyses reported

System Number: ***1900011***

System Name: ***CAMPS SCOTT & SCUDDER***

PS Code: ***1900011-001***

Source Name: ***WELL 01***

Source Number: ***001***

Source Status: ***ACTIVE UNTREATED***

Water type: ***GROUNDWATER OR WELL***

	STORET NUMBER	TESTING INTERVAL (MONTHS)*	LAST TEST DATE (yyyy/mm/dd)	LAST RESULT REPORTED	NEXT TEST DATE (yyyy/mm)
REGULATED SOC					
METHOXYCHLOR	39480	WAIVED	2000/04/06	.000	
MOLINATE	82199	WAIVED			
OXAMYL	38865	WAIVED			
PENTACHLOROPHENOL	39032	WAIVED			
PICLORAM	39720	WAIVED			
POLYCHLORINATED BIPHENYLS, TOTAL, AS DCB	39516	WAIVED	2000/04/06	.000	
SIMAZINE	39055	WAIVED			
THIOBENCARB	A-001	WAIVED			
TOXAPHENE	39400	WAIVED	2000/04/06	.000	
REGULATED VOC					
1,1,1-TRICHLOROETHANE	34506	WAIVED	2000/04/06	.000	
1,1,2,2-TETRACHLOROETHANE	34516	WAIVED	2000/04/06	.000	
1,1,2-TRICHLORO-1,2,2-TRIFLUOROETHANE	81611	WAIVED	2000/04/06	.000	
1,1,2-TRICHLOROETHANE	34511	WAIVED	2000/04/06	.000	
1,1-DICHLOROETHANE	34496	WAIVED	2000/04/06	.000	
1,1-DICHLOROETHYLENE	34501	WAIVED	2000/04/06	.000	
1,2,4-TRICHLOROBENZENE	34551	WAIVED	2000/04/06	.000	
1,2-DICHLOROBENZENE	34536	WAIVED	2000/04/06	.000	
1,2-DICHLOROETHANE	34531	WAIVED	2000/04/06	.000	
1,2-DICHLOROPROPANE	34541	WAIVED	2000/04/06	.000	
1,3-DICHLOROPROPENE (TOTAL)	34561	WAIVED	2000/04/06	.000	
1,4-DICHLOROBENZENE	34571	WAIVED	2000/04/06	.000	
BENZENE	34030	WAIVED	2000/04/06	.000	
CARBON TETRACHLORIDE	32102	WAIVED	2000/04/06	.000	
CIS-1,2-DICHLOROETHYLENE	77093	WAIVED	2000/04/06	.000	
DICHLOROMETHANE	34423	WAIVED	2000/04/06	.000	
ETHYLBENZENE	34371	WAIVED	2000/04/06	.000	
METHYL-TERT-BUTYL-ETHER (MTBE)	46491	WAIVED	2000/04/06	.000	
MONOCHLOROBENZENE	34301	WAIVED	2000/04/06	.000	

**Testing interval is in months;*
0 = No data for this constituent and is DUE NOW
999 = Waived testing (not required)
I = Invalid (NOT) valid analyses reported

System Number: ***1900011***

System Name: ***CAMPS SCOTT & SCUDDER***

PS Code: ***1900011-001***

Source Name: ***WELL 01***

Source Number: ***001***

Source Status: ***ACTIVE UNTREATED***

Water type: ***GROUNDWATER OR WELL***

	STORET NUMBER	TESTING INTERVAL (MONTHS)*	LAST TEST DATE (yyyy/mm/dd)	LAST RESULT REPORTED	NEXT TEST DATE (yyyy/mm)
REGULATED VOC					
STYRENE	77128	WAIVED	2000/04/06	.000	
TETRACHLOROETHYLENE	34475	WAIVED	2000/04/06	.000	
TOLUENE	34010	WAIVED	2000/04/06	.000	
TRANS-1,2-DICHLOROETHYLENE	34546	WAIVED	2000/04/06	.000	
TRICHLOROETHYLENE	39180	WAIVED	2000/04/06	.000	
TRICHLOROFLUOROMETHANE	34488	WAIVED	2000/04/06	.000	
VINYL CHLORIDE	39175	WAIVED	2000/04/06	.000	
XYLENES (TOTAL)	81551	WAIVED	2000/04/06	.000	
SECONDARY/GP					
AGGRSSIVE INDEX (CORROSIVITY)	82383	WAIVED			
BICARBONATE ALKALINITY	00440	WAIVED	2004/09/08	349.000	
CALCIUM	00916	WAIVED	2004/09/08	52.100	
CARBONATE ALKALINITY	00445	WAIVED	2004/09/08	.000	
CHLORIDE	00940	WAIVED	2004/09/08	42.500	
COLOR	00081	WAIVED	2000/02/15	< 5.000	
COPPER	01042	WAIVED	2004/09/08	.000	
FOAMING AGENTS (MBAS)	38260	WAIVED	2004/09/08	.000	
HARDNESS (TOTAL) AS CACO3	00900	WAIVED	2004/09/08	290.000	
HYDROXIDE ALKALINITY	71830	WAIVED	2004/09/08	.000	
IRON	01045	WAIVED	2004/09/08	.000	
MAGNESIUM	00927	WAIVED	2004/09/08	38.900	
MANGANESE	01055	WAIVED	2004/09/08	.000	
ODOR THRESHOLD @ 60 C	00086	WAIVED	2000/02/15	.000	
PH, LABORATORY	00403	WAIVED	2004/09/08	7.290	
SILVER	01077	WAIVED	2004/09/08	.000	
SODIUM	00929	WAIVED	2004/09/08	58.400	
SPECIFIC CONDUCTANCE	00095	WAIVED	2004/09/08	782.000	
SULFATE	00945	WAIVED	2004/09/08	64.000	
TOTAL DISSOLVED SOLIDS	70300	WAIVED	2004/09/08	464.000	

**Testing interval is in months;*
0 = No data for this constituent and is DUE NOW
999 = Waived testing (not required)
I = Invalid (NOT) valid analyses reported

System Number: ***1900011***

System Name: ***CAMPS SCOTT & SCUDDER***

PS Code: ***1900011-001***

Source Name: ***WELL 01***

Source Number: ***001***

Source Status: ***ACTIVE UNTREATED***

Water type: ***GROUNDWATER OR WELL***

	STORET NUMBER	TESTING INTERVAL (MONTHS)*	LAST TEST DATE (yyyy/mm/dd)	LAST RESULT REPORTED	NEXT TEST DATE (yyyy/mm)
SECONDARY/GP					
TURBIDITY, LABORATORY	82079	WAIVED	2004/09/08	.210	
ZINC	01092	WAIVED	2004/09/08	1197.000	

PS Code: ***1900011-002***

Source Name: ***WELL 02***

Source Number: ***002***

Source Status: ***ACTIVE UNTREATED***

Water type: ***GROUNDWATER OR WELL***

GENERAL NON CHAP 15					
DIAZINON	39570	WAIVED			
INORGANIC					
ALUMINUM	01105	WAIVED	2004/04/08	.000	
ANTIMONY	01097	WAIVED	2004/04/08	.000	
ARSENIC	01002	WAIVED	2004/04/08	2.920	
ASBESTOS	81855	WAIVED			
BARIUM	01007	WAIVED	2004/04/08	.000	
BERYLLIUM	01012	WAIVED			
CADMIUM	01027	WAIVED	2004/04/08	.000	
CHROMIUM (TOTAL)	01034	WAIVED	2004/04/08	.000	
CYANIDE	01291	WAIVED			
FLUORIDE (F) (NATURAL-SOURCE)	00951	WAIVED	2004/04/08	.400	
LEAD	01051	WAIVED	2004/04/08	.000	
MERCURY	71900	WAIVED	2004/04/08	.000	
NICKEL	01067	WAIVED	2004/04/08	.000	
PERCHLORATE	A-031	WAIVED	2002/12/27	.000	
SELENIUM	01147	WAIVED	2004/04/08	.000	
THALLIUM	01059	WAIVED			

**Testing interval is in months;*
0 = No data for this constituent and is DUE NOW
999 = Waived testing (not required)
I = Invalid (NOT) valid analyses reported

System Number: ***1900011***

System Name: ***CAMPS SCOTT & SCUDDER***

PS Code: ***1900011-002***

Source Name: ***WELL 02***

Source Number: ***002***

Source Status: ***ACTIVE UNTREATED***

Water type: ***GROUNDWATER OR WELL***

	STORET NUMBER	TESTING INTERVAL (MONTHS)*	LAST TEST DATE (yyyy/mm/dd)	LAST RESULT REPORTED	NEXT TEST DATE (yyyy/mm)
NITRATE/NITRITE					
NITRATE (AS NO3)	71850	WAIVED	2009/09/27	11.000	
NITRITE (AS N)	00620	WAIVED			
RADIOLOGICAL					
GROSS ALPHA	01501	WAIVED			
GROSS BETA	03501	WAIVED			
RA-226 FOR CWS OR TOTAL RA FOR NTNC BY 903.0	A-080	WAIVED			
RA-226 OR TOTAL RA BY 903.0 C.E.	A-081	WAIVED			
RADIUM 226	09501	WAIVED			
RADIUM 228	11501	WAIVED			
RADIUM, TOTAL, MDA95-NTNC ONLY, BY 903.0	A-082	WAIVED			
STRONTIUM-90	13501	WAIVED			
TRITIUM	07000	WAIVED			
URANIUM (PCI/L)	28012	WAIVED			
REGULATED SOC					
2,3,7,8-TCDD (DIOXIN)	34676	WAIVED			
2,4,5-TP (SILVEX)	39045	WAIVED			
2,4-D	39730	WAIVED			
ALACHLOR	77825	WAIVED	2003/06/11	.000	
ATRAZINE	39033	WAIVED			
BENTAZON	38710	WAIVED			
BENZO (A) PYRENE	34247	WAIVED			
CARBOFURAN	81405	WAIVED			
CHLORDANE	39350	WAIVED	2003/06/11	.000	
DALAPON	38432	WAIVED			
DI(2-ETHYLHEXYL)ADIPATE	A-026	WAIVED			
DI(2-ETHYLHEXYL)PHTHALATE	39100	WAIVED			
DIBROMOCHLOROPROPANE (DBCP)	38761	WAIVED			
DINOSEB	81287	WAIVED			
DIQUAT	78885	WAIVED			

**Testing interval is in months;*
0 = No data for this constituent and is DUE NOW
999 = Waived testing (not required)
I = Invalid (NOT) valid analyses reported

System Number: ***1900011***

System Name: ***CAMPS SCOTT & SCUDDER***

PS Code: ***1900011-002***

Source Name: ***WELL 02***

Source Number: ***002***

Source Status: ***ACTIVE UNTREATED***

Water type: ***GROUNDWATER OR WELL***

	STORET NUMBER	TESTING INTERVAL (MONTHS)*	LAST TEST DATE (yyyy/mm/dd)	LAST RESULT REPORTED	NEXT TEST DATE (yyyy/mm)
REGULATED SOC					
ENDOTHALL	38926	WAIVED			
ENDRIN	39390	WAIVED	2003/06/11	.000	
ETHYLENE DIBROMIDE (EDB)	77651	WAIVED			
GLYPHOSATE	79743	WAIVED			
HEPTACHLOR	39410	WAIVED	2003/06/11	.000	
HEPTACHLOR EPOXIDE	39420	WAIVED	2003/06/11	.000	
HEXACHLOROBENZENE	39700	WAIVED	2003/06/11	.000	
HEXACHLOROCYCLOPENTADIENE	34386	WAIVED	2003/06/11	.000	
LINDANE	39340	WAIVED	2003/06/11	.000	
METHOXYCHLOR	39480	WAIVED	2003/06/11	.000	
MOLINATE	82199	WAIVED			
OXAMYL	38865	WAIVED			
PENTACHLOROPHENOL	39032	WAIVED			
PICLORAM	39720	WAIVED			
POLYCHLORINATED BIPHENYLS, TOTAL, AS DCB	39516	WAIVED	2003/06/11	.000	
SIMAZINE	39055	WAIVED			
THIOBENCARB	A-001	WAIVED	2002/12/27	.000	
TOXAPHENE	39400	WAIVED	2003/06/11	.000	
REGULATED VOC					
1,1,1-TRICHLOROETHANE	34506	WAIVED	2003/06/11	.000	
1,1,2,2-TETRACHLOROETHANE	34516	WAIVED	2003/06/11	.000	
1,1,2-TRICHLORO-1,2,2-TRIFLUOROETHANE	81611	WAIVED	2003/06/11	.000	
1,1,2-TRICHLOROETHANE	34511	WAIVED	2003/06/11	.000	
1,1-DICHLOROETHANE	34496	WAIVED	2003/06/11	.000	
1,1-DICHLOROETHYLENE	34501	WAIVED	2003/06/11	.000	
1,2,4-TRICHLOROBENZENE	34551	WAIVED	2003/06/11	.000	
1,2-DICHLOROBENZENE	34536	WAIVED	2003/06/11	.000	
1,2-DICHLOROETHANE	34531	WAIVED	2003/06/11	.000	
1,2-DICHLOROPROPANE	34541	WAIVED	2003/06/11	.000	

**Testing interval is in months;*
0 = No data for this constituent and is DUE NOW
999 = Waived testing (not required)
I = Invalid (NOT) valid analyses reported

System Number: ***1900011***

System Name: ***CAMPS SCOTT & SCUDDER***

PS Code: ***1900011-002***

Source Name: ***WELL 02***

Source Number: ***002***

Source Status: ***ACTIVE UNTREATED***

Water type: ***GROUNDWATER OR WELL***

	STORET NUMBER	TESTING INTERVAL (MONTHS)*	LAST TEST DATE (yyyy/mm/dd)	LAST RESULT REPORTED	NEXT TEST DATE (yyyy/mm)
REGULATED VOC					
1,3-DICHLOROPROPENE (TOTAL)	34561	WAIVED	2003/06/11	.000	
1,4-DICHLOROBENZENE	34571	WAIVED	2003/06/11	.000	
BENZENE	34030	WAIVED	2003/06/11	.000	
CARBON TETRACHLORIDE	32102	WAIVED	2003/06/11	.000	
CIS-1,2-DICHLOROETHYLENE	77093	WAIVED	2003/06/11	.000	
DICHLOROMETHANE	34423	WAIVED	2003/06/11	.000	
ETHYLBENZENE	34371	WAIVED	2003/06/11	.000	
METHYL-TERT-BUTYL-ETHER (MTBE)	46491	WAIVED	2003/06/11	.000	
MONOCHLOROBENZENE	34301	WAIVED	2003/06/11	.000	
STYRENE	77128	WAIVED	2003/06/11	.000	
TETRACHLOROETHYLENE	34475	WAIVED	2003/06/11	.000	
TOLUENE	34010	WAIVED	2003/06/11	.000	
TRANS-1,2-DICHLOROETHYLENE	34546	WAIVED	2003/06/11	.000	
TRICHLOROETHYLENE	39180	WAIVED	2003/06/11	.000	
TRICHLOROFLUOROMETHANE	34488	WAIVED	2003/06/11	.000	
VINYL CHLORIDE	39175	WAIVED	2003/06/11	.000	
XYLENES (TOTAL)	81551	WAIVED	2003/06/11	.000	
SECONDARY/GP					
AGGRSSIVE INDEX (CORROSIVITY)	82383	WAIVED			
BICARBONATE ALKALINITY	00440	WAIVED	2009/09/27	370.000	
CALCIUM	00916	WAIVED	2009/09/27	64.000	
CARBONATE ALKALINITY	00445	WAIVED	2009/09/27	< 3.000	
CHLORIDE	00940	WAIVED	2009/09/27	46.000	
COLOR	00081	WAIVED	2009/09/27	< 3.000	
COPPER	01042	WAIVED	2009/09/27	< 50.000	
FOAMING AGENTS (MBAS)	38260	WAIVED	2009/09/27	< .050	
HARDNESS (TOTAL) AS CACO3	00900	WAIVED	2009/09/27	300.000	
HYDROXIDE ALKALINITY	71830	WAIVED	2009/09/27	< 3.000	
IRON	01045	WAIVED	2009/09/27	< 100.000	

**Testing interval is in months;*
0 = No data for this constituent and is DUE NOW
999 = Waived testing (not required)
I = Invalid (NOT) valid analyses reported

System Number: ***1900011***

System Name: ***CAMPS SCOTT & SCUDDER***

PS Code: ***1900011-002***

Source Name: ***WELL 02***

Source Number: ***002***

Source Status: ***ACTIVE UNTREATED***

Water type: ***GROUNDWATER OR WELL***

	STORET NUMBER	TESTING INTERVAL (MONTHS)*	LAST TEST DATE (yyyy/mm/dd)	LAST RESULT REPORTED	NEXT TEST DATE (yyyy/mm)
SECONDARY/GP					
MAGNESIUM	00927	WAIVED	2009/09/27	35.000	
MANGANESE	01055	WAIVED	2009/09/27	< 20.000	
ODOR THRESHOLD @ 60 C	00086	WAIVED	2009/09/27	< 1.000	
PH, LABORATORY	00403	WAIVED	2009/09/27	7.600	
SILVER	01077	WAIVED	2004/04/08	.000	
SODIUM	00929	WAIVED	2009/09/27	77.000	
SPECIFIC CONDUCTANCE	00095	WAIVED	2009/09/27	860.000	
SULFATE	00945	WAIVED	2009/09/27	81.000	
TOTAL DISSOLVED SOLIDS	70300	WAIVED	2009/09/27	500.000	
TURBIDITY, LABORATORY	82079	WAIVED	2009/09/27	< .200	
ZINC	01092	WAIVED	2009/09/27	< 50.000	

PS Code: ***1900011-003***

Source Name: ***WELL 03***

Source Number: ***003***

Source Status: ***ACTIVE UNTREATED***

Water type: ***GROUNDWATER OR WELL***

GENERAL NON CHAP 15					
DIAZINON	39570	WAIVED			
INORGANIC					
ALUMINUM	01105	WAIVED	2004/04/08	.000	
ANTIMONY	01097	WAIVED	2004/04/08	.000	
ARSENIC	01002	WAIVED	2004/04/08	2.980	
ASBESTOS	81855	WAIVED			
BARIUM	01007	WAIVED	2004/04/08	.000	
BERYLLIUM	01012	WAIVED			
CADMIUM	01027	WAIVED	2004/04/08	.000	
CHROMIUM (TOTAL)	01034	WAIVED	2004/04/08	.000	
CYANIDE	01291	WAIVED			

**Testing interval is in months;*
0 = No data for this constituent and is DUE NOW
999 = Waived testing (not required)
I = Invalid (NOT) valid analyses reported

System Number: ***1900011***

System Name: ***CAMPS SCOTT & SCUDDER***

PS Code: ***1900011-003***

Source Name: ***WELL 03***

Source Number: ***003***

Source Status: ***ACTIVE UNTREATED***

Water type: ***GROUNDWATER OR WELL***

	STORET NUMBER	TESTING INTERVAL (MONTHS)*	LAST TEST DATE (yyyy/mm/dd)	LAST RESULT REPORTED	NEXT TEST DATE (yyyy/mm)
INORGANIC					
FLUORIDE (F) (NATURAL-SOURCE)	00951	WAIVED	2004/04/08	.370	
LEAD	01051	WAIVED	2004/04/08	.000	
MERCURY	71900	WAIVED	2004/04/08	.000	
NICKEL	01067	WAIVED	2004/04/08	.000	
PERCHLORATE	A-031	WAIVED			
SELENIUM	01147	WAIVED	2004/04/08	.000	
THALLIUM	01059	WAIVED			
NITRATE/NITRITE					
NITRATE (AS NO3)	71850	WAIVED	2004/04/08	7.610	
NITRITE (AS N)	00620	WAIVED			
RADIOLOGICAL					
GROSS ALPHA	01501	WAIVED			
GROSS BETA	03501	WAIVED			
RA-226 FOR CWS OR TOTAL RA FOR NTNC BY 903.0	A-080	WAIVED			
RA-226 OR TOTAL RA BY 903.0 C.E.	A-081	WAIVED			
RADIUM 226	09501	WAIVED			
RADIUM 228	11501	WAIVED			
RADIUM, TOTAL, MDA95-NTNC ONLY, BY 903.0	A-082	WAIVED			
STRONTIUM-90	13501	WAIVED			
TRITIUM	07000	WAIVED			
URANIUM (PCI/L)	28012	WAIVED			
REGULATED SOC					
2,3,7,8-TCDD (DIOXIN)	34676	WAIVED			
2,4,5-TP (SILVEX)	39045	WAIVED			
2,4-D	39730	WAIVED			
ALACHLOR	77825	WAIVED	2003/06/11	.000	
ATRAZINE	39033	WAIVED			
BENTAZON	38710	WAIVED			

**Testing interval is in months;*
0 = No data for this constituent and is DUE NOW
999 = Waived testing (not required)
I = Invalid (NOT) valid analyses reported

System Number: ***1900011***

System Name: ***CAMPS SCOTT & SCUDDER***

PS Code: ***1900011-003***

Source Name: ***WELL 03***

Source Number: ***003***

Source Status: ***ACTIVE UNTREATED***

Water type: ***GROUNDWATER OR WELL***

	STORET NUMBER	TESTING INTERVAL (MONTHS)*	LAST TEST DATE (yyyy/mm/dd)	LAST RESULT REPORTED	NEXT TEST DATE (yyyy/mm)
REGULATED SOC					
BENZO (A) PYRENE	34247	WAIVED			
CARBOFURAN	81405	WAIVED			
CHLORDANE	39350	WAIVED	2003/06/11	.000	
DALAPON	38432	WAIVED			
DI(2-ETHYLHEXYL)ADIPATE	A-026	WAIVED			
DI(2-ETHYLHEXYL)PHTHALATE	39100	WAIVED			
DIBROMOCHLOROPROPANE (DBCP)	38761	WAIVED			
DINOSEB	81287	WAIVED			
DIQUAT	78885	WAIVED			
ENDOTHALL	38926	WAIVED			
ENDRIN	39390	WAIVED	2003/06/11	.000	
ETHYLENE DIBROMIDE (EDB)	77651	WAIVED			
GLYPHOSATE	79743	WAIVED			
HEPTACHLOR	39410	WAIVED	2003/06/11	.000	
HEPTACHLOR EPOXIDE	39420	WAIVED	2003/06/11	.000	
HEXACHLOROBENZENE	39700	WAIVED	2003/06/11	.000	
HEXACHLOROCYCLOPENTADIENE	34386	WAIVED	2003/06/11	.000	
LINDANE	39340	WAIVED	2003/06/11	.000	
METHOXYCHLOR	39480	WAIVED	2003/06/11	.000	
MOLINATE	82199	WAIVED			
OXAMYL	38865	WAIVED			
PENTACHLOROPHENOL	39032	WAIVED			
PICLORAM	39720	WAIVED			
POLYCHLORINATED BIPHENYLS, TOTAL, AS DCB	39516	WAIVED	2003/06/11	.000	
SIMAZINE	39055	WAIVED			
THIOBENCARB	A-001	WAIVED			
TOXAPHENE	39400	WAIVED	2003/06/11	.000	
REGULATED VOC					
1,1,1-TRICHLOROETHANE	34506	WAIVED	2003/06/11	.000	

**Testing interval is in months;*
0 = No data for this constituent and is DUE NOW
999 = Waived testing (not required)
I = Invalid (NOT) valid analyses reported

System Number: 1900011
System Name: CAMPS SCOTT & SCUDDER

PS Code: 1900011-003
Source Name: WELL 03
Source Number: 003
Source Status: ACTIVE UNTREATED
Water type: GROUNDWATER OR WELL

	STORET NUMBER	TESTING INTERVAL (MONTHS)*	LAST TEST DATE (yyyy/mm/dd)	LAST RESULT REPORTED	NEXT TEST DATE (yyyy/mm)
REGULATED VOC					
1,1,2,2-TETRACHLOROETHANE	34516	WAIVED	2003/06/11	.000	
1,1,2-TRICHLORO-1,2,2-TRIFLUOROETHANE	81611	WAIVED	2003/06/11	.000	
1,1,2-TRICHLOROETHANE	34511	WAIVED	2003/06/11	.000	
1,1-DICHLOROETHANE	34496	WAIVED	2003/06/11	.000	
1,1-DICHLOROETHYLENE	34501	WAIVED	2003/06/11	.000	
1,2,4-TRICHLOROBENZENE	34551	WAIVED	2003/06/11	.000	
1,2-DICHLOROBENZENE	34536	WAIVED	2003/06/11	.000	
1,2-DICHLOROETHANE	34531	WAIVED	2003/06/11	.000	
1,2-DICHLOROPROPANE	34541	WAIVED	2003/06/11	.000	
1,3-DICHLOROPROPENE (TOTAL)	34561	WAIVED	2003/06/11	.000	
1,4-DICHLOROBENZENE	34571	WAIVED	2003/06/11	.000	
BENZENE	34030	WAIVED	2003/06/11	.000	
CARBON TETRACHLORIDE	32102	WAIVED	2003/06/11	.000	
CIS-1,2-DICHLOROETHYLENE	77093	WAIVED	2003/06/11	.000	
DICHLOROMETHANE	34423	WAIVED	2003/06/11	.000	
ETHYLBENZENE	34371	WAIVED	2003/06/11	.000	
METHYL-TERT-BUTYL-ETHER (MTBE)	46491	WAIVED	2003/06/11	.000	
MONOCHLOROBENZENE	34301	WAIVED	2003/06/11	.000	
STYRENE	77128	WAIVED	2003/06/11	.000	
TETRACHLOROETHYLENE	34475	WAIVED	2003/06/11	.000	
TOLUENE	34010	WAIVED	2003/06/11	.000	
TRANS-1,2-DICHLOROETHYLENE	34546	WAIVED	2003/06/11	.000	
TRICHLOROETHYLENE	39180	WAIVED	2003/06/11	.000	
TRICHLOROFLUOROMETHANE	34488	WAIVED	2003/06/11	.000	
VINYL CHLORIDE	39175	WAIVED	2003/06/11	.000	
XYLENES (TOTAL)	81551	WAIVED	2003/06/11	.000	
SECONDARY/GP					
AGGRSSIVE INDEX (CORROSIVITY)	82383	WAIVED			
BICARBONATE ALKALINITY	00440	WAIVED	2004/04/08	342.000	

**Testing interval is in months;*
0 = No data for this constituent and is DUE NOW
999 = Waived testing (not required)
I = Invalid (NOT) valid analyses reported

System Number: ***1900011***

System Name: ***CAMPS SCOTT & SCUDDER***

PS Code: ***1900011-003***

Source Name: ***WELL 03***

Source Number: ***003***

Source Status: ***ACTIVE UNTREATED***

Water type: ***GROUNDWATER OR WELL***

SECONDARY/GP

	STORET NUMBER	TESTING INTERVAL (MONTHS)*	LAST TEST DATE (yyyy/mm/dd)	LAST RESULT REPORTED	NEXT TEST DATE (yyyy/mm)
CALCIUM	00916	WAIVED	2004/04/08	54.100	
CARBONATE ALKALINITY	00445	WAIVED	2004/04/08	.000	
CHLORIDE	00940	WAIVED	2004/04/08	42.600	
COLOR	00081	WAIVED			
COPPER	01042	WAIVED	2004/04/08	.000	
FOAMING AGENTS (MBAS)	38260	WAIVED	2004/04/08	.000	
HARDNESS (TOTAL) AS CACO3	00900	WAIVED	2004/04/08	285.000	
HYDROXIDE ALKALINITY	71830	WAIVED	2004/04/08	.000	
IRON	01045	WAIVED	2004/04/08	.000	
MAGNESIUM	00927	WAIVED	2004/04/08	36.500	
MANGANESE	01055	WAIVED	2004/04/08	.000	
ODOR THRESHOLD @ 60 C	00086	WAIVED			
PH, LABORATORY	00403	WAIVED	2004/04/08	7.830	
SILVER	01077	WAIVED	2004/04/08	.000	
SODIUM	00929	WAIVED	2004/04/08	58.200	
SPECIFIC CONDUCTANCE	00095	WAIVED			
SULFATE	00945	WAIVED	2004/04/08	69.700	
TOTAL DISSOLVED SOLIDS	70300	WAIVED	2004/04/08	476.000	
TURBIDITY, LABORATORY	82079	WAIVED			
ZINC	01092	WAIVED	2004/04/08	.000	

PS Code: ***1900011-004***

Source Name: ***AUTOMATIC CHLORINATION UNIT***

Source Number: ***004***

Source Status: ***ACTIVE TREATED***

Water type: ***GROUNDWATER OR WELL***

GENERAL NON CHAP 15

DIAZINON	39570	WAIVED			

**Testing interval is in months;*
0 = No data for this constituent and is DUE NOW
999 = Waived testing (not required)
I = Invalid (NOT) valid analyses reported

System Number: ***1900011***

System Name: ***CAMPS SCOTT & SCUDDER***

PS Code: ***1900011-004***

Source Name: ***AUTOMATIC CHLORINATION UNIT***

Source Number: ***004***

Source Status: ***ACTIVE TREATED***

Water type: ***GROUNDWATER OR WELL***

	STORET NUMBER	TESTING INTERVAL (MONTHS)*	LAST TEST DATE (yyyy/mm/dd)	LAST RESULT REPORTED	NEXT TEST DATE (yyyy/mm)
INORGANIC					
ALUMINUM	01105	WAIVED			
ANTIMONY	01097	WAIVED			
ARSENIC	01002	WAIVED			
ASBESTOS	81855	WAIVED			
BARIUM	01007	WAIVED			
BERYLLIUM	01012	WAIVED			
CADMIUM	01027	WAIVED			
CHROMIUM (TOTAL)	01034	WAIVED			
CYANIDE	01291	WAIVED			
FLUORIDE (F) (NATURAL-SOURCE)	00951	WAIVED			
LEAD	01051	WAIVED			
MERCURY	71900	WAIVED			
NICKEL	01067	WAIVED			
PERCHLORATE	A-031	WAIVED			
SELENIUM	01147	WAIVED			
THALLIUM	01059	WAIVED			
NITRATE/NITRITE					
NITRATE (AS NO3)	71850	WAIVED			
NITRITE (AS N)	00620	WAIVED			
RADIOLOGICAL					
GROSS ALPHA	01501	WAIVED			
GROSS BETA	03501	WAIVED			
RA-226 FOR CWS OR TOTAL RA FOR NTNC BY 903.0	A-080	WAIVED			
RA-226 OR TOTAL RA BY 903.0 C.E.	A-081	WAIVED			
RADIUM 226	09501	WAIVED			
RADIUM 228	11501	WAIVED			
RADIUM, TOTAL, MDA95-NTNC ONLY, BY 903.0	A-082	WAIVED			
STRONTIUM-90	13501	WAIVED			
TRITIUM	07000	WAIVED			

**Testing interval is in months;*
0 = No data for this constituent and is DUE NOW
999 = Waived testing (not required)
I = Invalid (NOT) valid analyses reported

System Number: ***1900011***

System Name: ***CAMPS SCOTT & SCUDDER***

PS Code: ***1900011-004***

Source Name: ***AUTOMATIC CHLORINATION UNIT***

Source Number: ***004***

Source Status: ***ACTIVE TREATED***

Water type: ***GROUNDWATER OR WELL***

	STORET NUMBER	TESTING INTERVAL (MONTHS)*	LAST TEST DATE (yyyy/mm/dd)	LAST RESULT REPORTED	NEXT TEST DATE (yyyy/mm)
RADIOLOGICAL					
URANIUM (PCI/L)	28012	WAIVED			
REGULATED SOC					
2,3,7,8-TCDD (DIOXIN)	34676	WAIVED			
2,4,5-TP (SILVEX)	39045	WAIVED			
2,4-D	39730	WAIVED			
ALACHLOR	77825	WAIVED			
ATRAZINE	39033	WAIVED			
BENTAZON	38710	WAIVED			
BENZO (A) PYRENE	34247	WAIVED			
CARBOFURAN	81405	WAIVED			
CHLORDANE	39350	WAIVED			
DALAPON	38432	WAIVED			
DI(2-ETHYLHEXYL)ADIPATE	A-026	WAIVED			
DI(2-ETHYLHEXYL)PHTHALATE	39100	WAIVED			
DIBROMOCHLOROPROPANE (DBCP)	38761	WAIVED			
DINOSEB	81287	WAIVED			
DIQUAT	78885	WAIVED			
ENDOTHALL	38926	WAIVED			
ENDRIN	39390	WAIVED			
ETHYLENE DIBROMIDE (EDB)	77651	WAIVED			
GLYPHOSATE	79743	WAIVED			
HEPTACHLOR	39410	WAIVED			
HEPTACHLOR EPOXIDE	39420	WAIVED			
HEXACHLOROBENZENE	39700	WAIVED			
HEXACHLOROCYCLOPENTADIENE	34386	WAIVED			
LINDANE	39340	WAIVED			
METHOXYCHLOR	39480	WAIVED			
MOLINATE	82199	WAIVED			
OXAMYL	38865	WAIVED			

**Testing interval is in months;*
0 = No data for this constituent and is DUE NOW
999 = Waived testing (not required)
I = Invalid (NOT) valid analyses reported

System Number: ***1900011***

System Name: ***CAMPS SCOTT & SCUDDER***

PS Code: ***1900011-004***

Source Name: ***AUTOMATIC CHLORINATION UNIT***

Source Number: ***004***

Source Status: ***ACTIVE TREATED***

Water type: ***GROUNDWATER OR WELL***

	STORET NUMBER	TESTING INTERVAL (MONTHS)*	LAST TEST DATE (yyyy/mm/dd)	LAST RESULT REPORTED	NEXT TEST DATE (yyyy/mm)
REGULATED SOC					
PENTACHLOROPHENOL	39032	WAIVED			
PICLORAM	39720	WAIVED			
POLYCHLORINATED BIPHENYLS, TOTAL, AS DCB	39516	WAIVED			
SIMAZINE	39055	WAIVED			
THIOBENCARB	A-001	WAIVED			
TOXAPHENE	39400	WAIVED			
REGULATED VOC					
1,1,1-TRICHLOROETHANE	34506	WAIVED			
1,1,2,2-TETRACHLOROETHANE	34516	WAIVED			
1,1,2-TRICHLORO-1,2,2-TRIFLUOROETHANE	81611	WAIVED			
1,1,2-TRICHLOROETHANE	34511	WAIVED			
1,1-DICHLOROETHANE	34496	WAIVED			
1,1-DICHLOROETHYLENE	34501	WAIVED			
1,2,4-TRICHLOROBENZENE	34551	WAIVED			
1,2-DICHLOROBENZENE	34536	WAIVED			
1,2-DICHLOROETHANE	34531	WAIVED			
1,2-DICHLOROPROPANE	34541	WAIVED			
1,3-DICHLOROPROPENE (TOTAL)	34561	WAIVED			
1,4-DICHLOROBENZENE	34571	WAIVED			
BENZENE	34030	WAIVED			
CARBON TETRACHLORIDE	32102	WAIVED			
CIS-1,2-DICHLOROETHYLENE	77093	WAIVED			
DICHLOROMETHANE	34423	WAIVED			
ETHYLBENZENE	34371	WAIVED			
METHYL-TERT-BUTYL-ETHER (MTBE)	46491	WAIVED			
MONOCHLOROBENZENE	34301	WAIVED			
STYRENE	77128	WAIVED			
TETRACHLOROETHYLENE	34475	WAIVED			
TOLUENE	34010	WAIVED			

**Testing interval is in months;*
0 = No data for this constituent and is DUE NOW
999 = Waived testing (not required)
I = Invalid (NOT) valid analyses reported

System Number: ***1900011***

System Name: ***CAMPS SCOTT & SCUDDER***

PS Code: ***1900011-004***

Source Name: ***AUTOMATIC CHLORINATION UNIT***

Source Number: ***004***

Source Status: ***ACTIVE TREATED***

Water type: ***GROUNDWATER OR WELL***

	STORET NUMBER	TESTING INTERVAL (MONTHS)*	LAST TEST DATE (yyyy/mm/dd)	LAST RESULT REPORTED	NEXT TEST DATE (yyyy/mm)
REGULATED VOC					
TRANS-1,2-DICHLOROETHYLENE	34546	WAIVED			
TRICHLOROETHYLENE	39180	WAIVED			
TRICHLOROFLUOROMETHANE	34488	WAIVED			
VINYL CHLORIDE	39175	WAIVED			
XYLENES (TOTAL)	81551	WAIVED			
SECONDARY/GP					
AGGRSSIVE INDEX (CORROSIVITY)	82383	WAIVED			
BICARBONATE ALKALINITY	00440	WAIVED			
CALCIUM	00916	WAIVED			
CARBONATE ALKALINITY	00445	WAIVED			
CHLORIDE	00940	WAIVED			
COLOR	00081	WAIVED			
COPPER	01042	WAIVED			
FOAMING AGENTS (MBAS)	38260	WAIVED			
HARDNESS (TOTAL) AS CACO3	00900	WAIVED			
HYDROXIDE ALKALINITY	71830	WAIVED			
IRON	01045	WAIVED			
MAGNESIUM	00927	WAIVED			
MANGANESE	01055	WAIVED			
ODOR THRESHOLD @ 60 C	00086	WAIVED			
PH, LABORATORY	00403	WAIVED			
SILVER	01077	WAIVED			
SODIUM	00929	WAIVED			
SPECIFIC CONDUCTANCE	00095	WAIVED			
SULFATE	00945	WAIVED			
TOTAL DISSOLVED SOLIDS	70300	WAIVED			
TURBIDITY, LABORATORY	82079	WAIVED			
ZINC	01092	WAIVED			

**Testing interval is in months;*
0 = No data for this constituent and is DUE NOW
999 = Waived testing (not required)
I = Invalid (NOT) valid analyses reported

System Number: 1900017

System Name: LEGG LAKE COUNTY PARK-WHITTIER NARROWS

PS Code: 1900017-001

Source Name: WELL 01

Source Number: 001

Source Status: ACTIVE UNTREATED

Water type: GROUNDWATER OR WELL

	STORET NUMBER	TESTING INTERVAL (MONTHS)*	LAST TEST DATE (yyyy/mm/dd)	LAST RESULT REPORTED	NEXT TEST DATE (yyyy/mm)
GENERAL NON CHAP 15					
DIAZINON	39570	WAIVED	2002/03/27	.000	
INORGANIC					
ALUMINUM	01105	WAIVED	2002/03/27	.000	
ANTIMONY	01097	WAIVED	2002/03/27	.000	
ARSENIC	01002	WAIVED	2002/03/27	.000	
ASBESTOS	81855	WAIVED			
BARIUM	01007	WAIVED	2002/03/27	105.000	
BERYLLIUM	01012	WAIVED			
CADMIUM	01027	WAIVED	2002/03/27	.000	
CHROMIUM (TOTAL)	01034	WAIVED	2002/03/27	.000	
CYANIDE	01291	WAIVED			
FLUORIDE (F) (NATURAL-SOURCE)	00951	WAIVED	2004/05/12	.220	
LEAD	01051	WAIVED	2002/03/27	.000	
MERCURY	71900	WAIVED	2002/03/27	.000	
NICKEL	01067	WAIVED	2002/03/27	.000	
PERCHLORATE	A-031	WAIVED			
SELENIUM	01147	WAIVED	2002/03/27	.000	
THALLIUM	01059	WAIVED			
NITRATE/NITRITE					
NITRATE (AS NO3)	71850	WAIVED	2004/05/12	6.300	
NITRITE (AS N)	00620	WAIVED			
RADIOLOGICAL					
GROSS ALPHA	01501	WAIVED			
GROSS BETA	03501	WAIVED			
RA-226 FOR CWS OR TOTAL RA FOR NTNC BY 903.0	A-080	WAIVED			
RA-226 OR TOTAL RA BY 903.0 C.E.	A-081	WAIVED			
RADIUM 226	09501	WAIVED			
RADIUM 228	11501	WAIVED			

**Testing interval is in months;*
0 = No data for this constituent and is DUE NOW
999 = Waived testing (not required)
I = Invalid (NOT) valid analyses reported

System Number: ***1900017***

System Name: ***LEGG LAKE COUNTY PARK-WHITTIER NARROWS***

PS Code: ***1900017-001***

Source Name: ***WELL 01***

Source Number: ***001***

Source Status: ***ACTIVE UNTREATED***

Water type: ***GROUNDWATER OR WELL***

	STORET NUMBER	TESTING INTERVAL (MONTHS)*	LAST TEST DATE (yyyy/mm/dd)	LAST RESULT REPORTED	NEXT TEST DATE (yyyy/mm)
RADIOLOGICAL					
RADIUM, TOTAL, MDA95-NTNC ONLY, BY 903.0	A-082	WAIVED			
STRONTIUM-90	13501	WAIVED			
TRITIUM	07000	WAIVED			
URANIUM (PCI/L)	28012	WAIVED			
REGULATED SOC					
2,3,7,8-TCDD (DIOXIN)	34676	WAIVED			
2,4,5-TP (SILVEX)	39045	WAIVED			
2,4-D	39730	WAIVED			
ALACHLOR	77825	WAIVED	2002/03/27	.000	
ATRAZINE	39033	WAIVED	2002/03/27	.000	
BENTAZON	38710	WAIVED			
BENZO (A) PYRENE	34247	WAIVED			
CARBOFURAN	81405	WAIVED			
CHLORDANE	39350	WAIVED	2002/03/27	.000	
DALAPON	38432	WAIVED			
DI(2-ETHYLHEXYL)ADIPATE	A-026	WAIVED			
DI(2-ETHYLHEXYL)PHTHALATE	39100	WAIVED			
DIBROMOCHLOROPROPANE (DBCP)	38761	WAIVED			
DINOSEB	81287	WAIVED			
DIQUAT	78885	WAIVED			
ENDOTHALL	38926	WAIVED			
ENDRIN	39390	WAIVED	2002/03/27	.000	
ETHYLENE DIBROMIDE (EDB)	77651	WAIVED			
GLYPHOSATE	79743	WAIVED			
HEPTACHLOR	39410	WAIVED	2002/03/27	.000	
HEPTACHLOR EPOXIDE	39420	WAIVED	2002/03/27	.000	
HEXACHLOROBENZENE	39700	WAIVED	2002/03/27	.000	
HEXACHLOROCYCLOPENTADIENE	34386	WAIVED	2002/03/27	.000	
LINDANE	39340	WAIVED	2002/03/27	.000	

**Testing interval is in months;*
0 = No data for this constituent and is DUE NOW
999 = Waived testing (not required)
I = Invalid (NOT) valid analyses reported

System Number: 1900017

System Name: LEGG LAKE COUNTY PARK-WHITTIER NARROWS

PS Code: 1900017-001

Source Name: WELL 01

Source Number: 001

Source Status: ACTIVE UNTREATED

Water type: GROUNDWATER OR WELL

	STORET NUMBER	TESTING INTERVAL (MONTHS)*	LAST TEST DATE (yyyy/mm/dd)	LAST RESULT REPORTED	NEXT TEST DATE (yyyy/mm)
REGULATED SOC					
METHOXYCHLOR	39480	WAIVED	2002/03/27	.000	
MOLINATE	82199	WAIVED	2002/03/27	.000	
OXAMYL	38865	WAIVED			
PENTACHLOROPHENOL	39032	WAIVED			
PICLORAM	39720	WAIVED			
POLYCHLORINATED BIPHENYLS, TOTAL, AS DCB	39516	WAIVED	2002/03/27	.000	
SIMAZINE	39055	WAIVED	2002/03/27	.000	
THIOBENCARB	A-001	WAIVED	2002/03/27	.000	
TOXAPHENE	39400	WAIVED	2002/03/27	.000	
REGULATED VOC					
1,1,1-TRICHLOROETHANE	34506	WAIVED	2002/03/27	.000	
1,1,2,2-TETRACHLOROETHANE	34516	WAIVED	2002/03/27	.000	
1,1,2-TRICHLORO-1,2,2-TRIFLUOROETHANE	81611	WAIVED	2002/03/27	.000	
1,1,2-TRICHLOROETHANE	34511	WAIVED	2002/03/27	.000	
1,1-DICHLOROETHANE	34496	WAIVED	2002/03/27	.000	
1,1-DICHLOROETHYLENE	34501	WAIVED	2002/03/27	.000	
1,2,4-TRICHLOROBENZENE	34551	WAIVED	2002/03/27	.000	
1,2-DICHLOROBENZENE	34536	WAIVED	2002/03/27	.000	
1,2-DICHLOROETHANE	34531	WAIVED	2002/03/27	.000	
1,2-DICHLOROPROPANE	34541	WAIVED	2002/03/27	.000	
1,3-DICHLOROPROPENE (TOTAL)	34561	WAIVED	2002/03/27	.000	
1,4-DICHLOROBENZENE	34571	WAIVED	2002/03/27	.000	
BENZENE	34030	WAIVED	2002/03/27	.000	
CARBON TETRACHLORIDE	32102	WAIVED	2002/03/27	.000	
CIS-1,2-DICHLOROETHYLENE	77093	WAIVED	2002/03/27	.000	
DICHLOROMETHANE	34423	WAIVED	2002/03/27	.000	
ETHYLBENZENE	34371	WAIVED	2002/03/27	.000	
METHYL-TERT-BUTYL-ETHER (MTBE)	46491	WAIVED	2002/03/27	.000	
MONOCHLOROBENZENE	34301	WAIVED	2002/03/27	.000	

**Testing interval is in months;*
0 = No data for this constituent and is DUE NOW
999 = Waived testing (not required)
I = Invalid (NOT) valid analyses reported

System Number: 1900017

System Name: LEGG LAKE COUNTY PARK-WHITTIER NARROWS

PS Code: 1900017-001

Source Name: WELL 01

Source Number: 001

Source Status: ACTIVE UNTREATED

Water type: GROUNDWATER OR WELL

	STORET NUMBER	TESTING INTERVAL (MONTHS)*	LAST TEST DATE (yyyy/mm/dd)	LAST RESULT REPORTED	NEXT TEST DATE (yyyy/mm)
REGULATED VOC					
STYRENE	77128	WAIVED	2002/03/27	.000	
TETRACHLOROETHYLENE	34475	WAIVED	2002/06/12	.000	
TOLUENE	34010	WAIVED	2002/03/27	.000	
TRANS-1,2-DICHLOROETHYLENE	34546	WAIVED	2002/03/27	.000	
TRICHLOROETHYLENE	39180	WAIVED	2002/03/27	.000	
TRICHLOROFLUOROMETHANE	34488	WAIVED	2002/03/27	.000	
VINYL CHLORIDE	39175	WAIVED	2002/03/27	.000	
XYLENES (TOTAL)	81551	WAIVED	2002/03/27	.000	
SECONDARY/GP					
AGGRSSIVE INDEX (CORROSIVITY)	82383	WAIVED			
BICARBONATE ALKALINITY	00440	WAIVED	2004/05/12	200.000	
CALCIUM	00916	WAIVED	2004/05/12	76.000	
CARBONATE ALKALINITY	00445	WAIVED	2004/05/12	.000	
CHLORIDE	00940	WAIVED	2004/05/12	29.900	
COLOR	00081	WAIVED	2002/03/27	.000	
COPPER	01042	WAIVED	2002/03/27	.000	
FOAMING AGENTS (MBAS)	38260	WAIVED	2002/03/27	.000	
HARDNESS (TOTAL) AS CACO3	00900	WAIVED	2004/05/12	238.000	
HYDROXIDE ALKALINITY	71830	WAIVED	2004/05/12	.000	
IRON	01045	WAIVED	2004/05/12	.000	
MAGNESIUM	00927	WAIVED	2004/05/12	11.700	
MANGANESE	01055	WAIVED	2004/05/12	.000	
ODOR THRESHOLD @ 60 C	00086	WAIVED	2002/03/27	.000	
PH, LABORATORY	00403	WAIVED	2004/05/12	7.600	
SILVER	01077	WAIVED	2002/03/27	.000	
SODIUM	00929	WAIVED	2004/05/12	15.900	
SPECIFIC CONDUCTANCE	00095	WAIVED	2002/03/27	383.000	
SULFATE	00945	WAIVED	2004/05/12	67.000	
TOTAL DISSOLVED SOLIDS	70300	WAIVED	2004/05/12	320.000	

**Testing interval is in months;*
0 = No data for this constituent and is DUE NOW
999 = Waived testing (not required)
I = Invalid (NOT) valid analyses reported

System Number: ***1900017***

System Name: ***LEGG LAKE COUNTY PARK-WHITTIER NARROWS***

PS Code: ***1900017-001***

Source Name: ***WELL 01***

Source Number: ***001***

Source Status: ***ACTIVE UNTREATED***

Water type: ***GROUNDWATER OR WELL***

	STORET NUMBER	TESTING INTERVAL (MONTHS)*	LAST TEST DATE (yyyy/mm/dd)	LAST RESULT REPORTED	NEXT TEST DATE (yyyy/mm)
SECONDARY/GP					
TURBIDITY, LABORATORY	82079	WAIVED	2002/03/27	.420	
ZINC	01092	WAIVED	2002/03/27	155.000	

PS Code: ***1900017-002***

Source Name: ***WELL 02***

Source Number: ***002***

Source Status: ***ACTIVE UNTREATED***

Water type: ***GROUNDWATER OR WELL***

	STORET NUMBER	TESTING INTERVAL (MONTHS)*	LAST TEST DATE (yyyy/mm/dd)	LAST RESULT REPORTED	NEXT TEST DATE (yyyy/mm)
GENERAL NON CHAP 15					
DIAZINON	39570	WAIVED	2003/04/15	.000	
INORGANIC					
ALUMINUM	01105	WAIVED	2006/02/09	.000	
ANTIMONY	01097	WAIVED	2003/05/07	.000	
ARSENIC	01002	WAIVED	2006/02/09	.000	
ASBESTOS	81855	WAIVED	2003/05/07	.000	
BARIUM	01007	WAIVED	2006/02/09	107.000	
BERYLLIUM	01012	WAIVED	2003/05/07	.000	
CADMIUM	01027	WAIVED	2006/02/09	.000	
CHROMIUM (TOTAL)	01034	WAIVED	2006/02/09	.000	
CYANIDE	01291	WAIVED	2003/05/07	.000	
FLUORIDE (F) (NATURAL-SOURCE)	00951	WAIVED	2006/02/09	.220	
LEAD	01051	WAIVED	2006/02/09	.000	
MERCURY	71900	WAIVED	2006/02/09	.000	
NICKEL	01067	WAIVED	2006/02/09	.000	
PERCHLORATE	A-031	WAIVED			
SELENIUM	01147	WAIVED	2006/02/09	.000	
THALLIUM	01059	WAIVED	2003/05/07	.000	

**Testing interval is in months;*
0 = No data for this constituent and is DUE NOW
999 = Waived testing (not required)
I = Invalid (NOT) valid analyses reported

System Number: ***1900017***

System Name: ***LEGG LAKE COUNTY PARK-WHITTIER NARROWS***

PS Code: ***1900017-002***

Source Name: ***WELL 02***

Source Number: ***002***

Source Status: ***ACTIVE UNTREATED***

Water type: ***GROUNDWATER OR WELL***

	STORET NUMBER	TESTING INTERVAL (MONTHS)*	LAST TEST DATE (yyyy/mm/dd)	LAST RESULT REPORTED	NEXT TEST DATE (yyyy/mm)
NITRATE/NITRITE					
NITRATE (AS NO3)	71850	WAIVED	2006/02/09	6.430	
NITRITE (AS N)	00620	WAIVED			
RADIOLOGICAL					
GROSS ALPHA	01501	WAIVED			
GROSS BETA	03501	WAIVED			
RA-226 FOR CWS OR TOTAL RA FOR NTNC BY 903.0	A-080	WAIVED			
RA-226 OR TOTAL RA BY 903.0 C.E.	A-081	WAIVED			
RADIUM 226	09501	WAIVED			
RADIUM 228	11501	WAIVED			
RADIUM, TOTAL, MDA95-NTNC ONLY, BY 903.0	A-082	WAIVED			
STRONTIUM-90	13501	WAIVED			
TRITIUM	07000	WAIVED			
URANIUM (PCI/L)	28012	WAIVED			
REGULATED SOC					
2,3,7,8-TCDD (DIOXIN)	34676	WAIVED			
2,4,5-TP (SILVEX)	39045	WAIVED			
2,4-D	39730	WAIVED			
ALACHLOR	77825	WAIVED	2003/04/15	.000	
ATRAZINE	39033	WAIVED	2003/04/15	.000	
BENTAZON	38710	WAIVED			
BENZO (A) PYRENE	34247	WAIVED			
CARBOFURAN	81405	WAIVED			
CHLORDANE	39350	WAIVED	2003/04/15	.000	
DALAPON	38432	WAIVED			
DI(2-ETHYLHEXYL)ADIPATE	A-026	WAIVED			
DI(2-ETHYLHEXYL)PHTHALATE	39100	WAIVED			
DIBROMOCHLOROPROPANE (DBCP)	38761	WAIVED			
DINOSEB	81287	WAIVED			
DIQUAT	78885	WAIVED			

**Testing interval is in months;*
0 = No data for this constituent and is DUE NOW
999 = Waived testing (not required)
I = Invalid (NOT) valid analyses reported

System Number: ***1900017***

System Name: ***LEGG LAKE COUNTY PARK-WHITTIER NARROWS***

PS Code: ***1900017-002***

Source Name: ***WELL 02***

Source Number: ***002***

Source Status: ***ACTIVE UNTREATED***

Water type: ***GROUNDWATER OR WELL***

	STORET NUMBER	TESTING INTERVAL (MONTHS)*	LAST TEST DATE (yyyy/mm/dd)	LAST RESULT REPORTED	NEXT TEST DATE (yyyy/mm)
REGULATED SOC					
ENDOTHALL	38926	WAIVED			
ENDRIN	39390	WAIVED	2003/04/15	.000	
ETHYLENE DIBROMIDE (EDB)	77651	WAIVED			
GLYPHOSATE	79743	WAIVED			
HEPTACHLOR	39410	WAIVED	2003/04/15	.000	
HEPTACHLOR EPOXIDE	39420	WAIVED	2003/04/15	.000	
HEXACHLOROBENZENE	39700	WAIVED	2003/04/15	.000	
HEXACHLOROCYCLOPENTADIENE	34386	WAIVED	2003/04/15	.000	
LINDANE	39340	WAIVED	2003/04/15	.000	
METHOXYCHLOR	39480	WAIVED	2003/04/15	.000	
MOLINATE	82199	WAIVED	2003/04/15	.000	
OXAMYL	38865	WAIVED			
PENTACHLOROPHENOL	39032	WAIVED			
PICLORAM	39720	WAIVED			
POLYCHLORINATED BIPHENYLS, TOTAL, AS DCB	39516	WAIVED	2003/04/15	.000	
SIMAZINE	39055	WAIVED	2003/04/15	.000	
THIOBENCARB	A-001	WAIVED	2003/04/15	.000	
TOXAPHENE	39400	WAIVED	2003/04/15	.000	
REGULATED VOC					
1,1,1-TRICHLOROETHANE	34506	WAIVED	2003/04/15	.000	
1,1,2,2-TETRACHLOROETHANE	34516	WAIVED	2003/04/15	.000	
1,1,2-TRICHLORO-1,2,2-TRIFLUOROETHANE	81611	WAIVED	2003/04/15	.000	
1,1,2-TRICHLOROETHANE	34511	WAIVED	2003/04/15	.000	
1,1-DICHLOROETHANE	34496	WAIVED	2003/04/15	.000	
1,1-DICHLOROETHYLENE	34501	WAIVED	2003/04/15	.000	
1,2,4-TRICHLOROBENZENE	34551	WAIVED	2003/04/15	.000	
1,2-DICHLOROBENZENE	34536	WAIVED	2003/04/15	.000	
1,2-DICHLOROETHANE	34531	WAIVED	2003/04/15	.000	
1,2-DICHLOROPROPANE	34541	WAIVED	2003/04/15	.000	

**Testing interval is in months;*
0 = No data for this constituent and is DUE NOW
999 = Waived testing (not required)
I = Invalid (NOT) valid analyses reported

System Number: 1900017

System Name: LEGG LAKE COUNTY PARK-WHITTIER NARROWS

PS Code: 1900017-002

Source Name: WELL 02

Source Number: 002

Source Status: ACTIVE UNTREATED

Water type: GROUNDWATER OR WELL

	STORET NUMBER	TESTING INTERVAL (MONTHS)*	LAST TEST DATE (yyyy/mm/dd)	LAST RESULT REPORTED	NEXT TEST DATE (yyyy/mm)
REGULATED VOC					
1,3-DICHLOROPROPENE (TOTAL)	34561	WAIVED	2003/04/15	.000	
1,4-DICHLOROBENZENE	34571	WAIVED	2003/04/15	.000	
BENZENE	34030	WAIVED	2003/04/15	.000	
CARBON TETRACHLORIDE	32102	WAIVED	2003/04/15	.000	
CIS-1,2-DICHLOROETHYLENE	77093	WAIVED	2003/04/15	.000	
DICHLOROMETHANE	34423	WAIVED	2003/04/15	.000	
ETHYLBENZENE	34371	WAIVED	2003/04/15	.000	
METHYL-TERT-BUTYL-ETHER (MTBE)	46491	WAIVED	2003/04/15	.000	
MONOCHLOROBENZENE	34301	WAIVED	2003/04/15	.000	
STYRENE	77128	WAIVED	2003/04/15	.000	
TETRACHLOROETHYLENE	34475	WAIVED	2003/04/15	2.300	
TOLUENE	34010	WAIVED	2003/04/15	.000	
TRANS-1,2-DICHLOROETHYLENE	34546	WAIVED	2003/04/15	.000	
TRICHLOROETHYLENE	39180	WAIVED	2003/04/15	.000	
TRICHLOROFLUOROMETHANE	34488	WAIVED	2003/04/15	.000	
VINYL CHLORIDE	39175	WAIVED	2003/04/15	.000	
XYLENES (TOTAL)	81551	WAIVED	2003/04/15	.000	
SECONDARY/GP					
AGGRSSIVE INDEX (CORROSIVITY)	82383	WAIVED			
BICARBONATE ALKALINITY	00440	WAIVED	2006/02/09	181.000	
CALCIUM	00916	WAIVED	2006/02/09	64.900	
CARBONATE ALKALINITY	00445	WAIVED	2006/02/09	.000	
CHLORIDE	00940	WAIVED	2006/02/09	24.300	
COLOR	00081	WAIVED	2003/05/07	.000	
COPPER	01042	WAIVED	2006/02/09	.000	
FOAMING AGENTS (MBAS)	38260	WAIVED	2003/05/07	.000	
HARDNESS (TOTAL) AS CACO3	00900	WAIVED	2006/02/09	232.000	
HYDROXIDE ALKALINITY	71830	WAIVED	2006/02/09	.000	
IRON	01045	WAIVED	2006/02/09	.000	

**Testing interval is in months;*
0 = No data for this constituent and is DUE NOW
999 = Waived testing (not required)
I = Invalid (NOT) valid analyses reported

System Number: ***1900017***

System Name: ***LEGG LAKE COUNTY PARK-WHITTIER NARROWS***

PS Code: ***1900017-002***

Source Name: ***WELL 02***

Source Number: ***002***

Source Status: ***ACTIVE UNTREATED***

Water type: ***GROUNDWATER OR WELL***

	STORET NUMBER	TESTING INTERVAL (MONTHS)*	LAST TEST DATE (yyyy/mm/dd)	LAST RESULT REPORTED	NEXT TEST DATE (yyyy/mm)
SECONDARY/GP					
MAGNESIUM	00927	WAIVED	2006/02/09	17.000	
MANGANESE	01055	WAIVED	2006/02/09	.000	
ODOR THRESHOLD @ 60 C	00086	WAIVED	2003/05/07	.000	
PH, LABORATORY	00403	WAIVED	2006/02/09	7.560	
SILVER	01077	WAIVED	2006/02/09	.000	
SODIUM	00929	WAIVED	2006/02/09	15.300	
SPECIFIC CONDUCTANCE	00095	WAIVED	2003/05/07	518.000	
SULFATE	00945	WAIVED	2006/02/09	50.500	
TOTAL DISSOLVED SOLIDS	70300	WAIVED	2006/02/09	292.000	
TURBIDITY, LABORATORY	82079	WAIVED	2006/02/09	.140	
ZINC	01092	WAIVED	2006/02/09	.000	

PS Code: ***1900017-003***

Source Name: ***AUTOMATIC CHLORINATION UNIT***

Source Number: ***003***

Source Status: ***ACTIVE TREATED***

Water type: ***GROUNDWATER OR WELL***

GENERAL NON CHAP 15					
DIAZINON	39570	WAIVED			
INORGANIC					
ALUMINUM	01105	WAIVED			
ANTIMONY	01097	WAIVED			
ARSENIC	01002	WAIVED			
ASBESTOS	81855	WAIVED			
BARIUM	01007	WAIVED			
BERYLLIUM	01012	WAIVED			
CADMIUM	01027	WAIVED			
CHROMIUM (TOTAL)	01034	WAIVED			
CYANIDE	01291	WAIVED			

**Testing interval is in months;*
0 = No data for this constituent and is DUE NOW
999 = Waived testing (not required)
I = Invalid (NOT) valid analyses reported

System Number: ***1900017***

System Name: ***LEGG LAKE COUNTY PARK-WHITTIER NARROWS***

PS Code: ***1900017-003***

Source Name: ***AUTOMATIC CHLORINATION UNIT***

Source Number: ***003***

Source Status: ***ACTIVE TREATED***

Water type: ***GROUNDWATER OR WELL***

	STORET NUMBER	TESTING INTERVAL (MONTHS)*	LAST TEST DATE (yyyy/mm/dd)	LAST RESULT REPORTED	NEXT TEST DATE (yyyy/mm)
INORGANIC					
FLUORIDE (F) (NATURAL-SOURCE)	00951	WAIVED			
LEAD	01051	WAIVED			
MERCURY	71900	WAIVED			
NICKEL	01067	WAIVED			
PERCHLORATE	A-031	WAIVED			
SELENIUM	01147	WAIVED			
THALLIUM	01059	WAIVED			
NITRATE/NITRITE					
NITRATE (AS NO3)	71850	WAIVED			
NITRITE (AS N)	00620	WAIVED			
RADIOLOGICAL					
GROSS ALPHA	01501	WAIVED			
GROSS BETA	03501	WAIVED			
RA-226 FOR CWS OR TOTAL RA FOR NTNC BY 903.0	A-080	WAIVED			
RA-226 OR TOTAL RA BY 903.0 C.E.	A-081	WAIVED			
RADIUM 226	09501	WAIVED			
RADIUM 228	11501	WAIVED			
RADIUM, TOTAL, MDA95-NTNC ONLY, BY 903.0	A-082	WAIVED			
STRONTIUM-90	13501	WAIVED			
TRITIUM	07000	WAIVED			
URANIUM (PCI/L)	28012	WAIVED			
REGULATED SOC					
2,3,7,8-TCDD (DIOXIN)	34676	WAIVED			
2,4,5-TP (SILVEX)	39045	WAIVED			
2,4-D	39730	WAIVED			
ALACHLOR	77825	WAIVED			
ATRAZINE	39033	WAIVED			
BENTAZON	38710	WAIVED			

**Testing interval is in months;*
0 = No data for this constituent and is DUE NOW
999 = Waived testing (not required)
I = Invalid (NOT) valid analyses reported

System Number: ***1900017***

System Name: ***LEGG LAKE COUNTY PARK-WHITTIER NARROWS***

PS Code: ***1900017-003***

Source Name: ***AUTOMATIC CHLORINATION UNIT***

Source Number: ***003***

Source Status: ***ACTIVE TREATED***

Water type: ***GROUNDWATER OR WELL***

REGULATED SOC

	STORET NUMBER	TESTING INTERVAL (MONTHS)*	LAST TEST DATE (yyyy/mm/dd)	LAST RESULT REPORTED	NEXT TEST DATE (yyyy/mm)
BENZO (A) PYRENE	34247	WAIVED			
CARBOFURAN	81405	WAIVED			
CHLORDANE	39350	WAIVED			
DALAPON	38432	WAIVED			
DI(2-ETHYLHEXYL)ADIPATE	A-026	WAIVED			
DI(2-ETHYLHEXYL)PHTHALATE	39100	WAIVED			
DIBROMOCHLOROPROPANE (DBCP)	38761	WAIVED			
DINOSEB	81287	WAIVED			
DIQUAT	78885	WAIVED			
ENDOTHALL	38926	WAIVED			
ENDRIN	39390	WAIVED			
ETHYLENE DIBROMIDE (EDB)	77651	WAIVED			
GLYPHOSATE	79743	WAIVED			
HEPTACHLOR	39410	WAIVED			
HEPTACHLOR EPOXIDE	39420	WAIVED			
HEXACHLOROBENZENE	39700	WAIVED			
HEXACHLOROCYCLOPENTADIENE	34386	WAIVED			
LINDANE	39340	WAIVED			
METHOXYCHLOR	39480	WAIVED			
MOLINATE	82199	WAIVED			
OXAMYL	38865	WAIVED			
PENTACHLOROPHENOL	39032	WAIVED			
PICLORAM	39720	WAIVED			
POLYCHLORINATED BIPHENYLS, TOTAL, AS DCB	39516	WAIVED			
SIMAZINE	39055	WAIVED			
THIOBENCARB	A-001	WAIVED			
TOXAPHENE	39400	WAIVED			

REGULATED VOC

1,1,1-TRICHLOROETHANE	34506	WAIVED			

**Testing interval is in months;*
0 = No data for this constituent and is DUE NOW
999 = Waived testing (not required)
I = Invalid (NOT) valid analyses reported

System Number: ***1900017***

System Name: ***LEGG LAKE COUNTY PARK-WHITTIER NARROWS***

PS Code: ***1900017-003***

Source Name: ***AUTOMATIC CHLORINATION UNIT***

Source Number: ***003***

Source Status: ***ACTIVE TREATED***

Water type: ***GROUNDWATER OR WELL***

REGULATED VOC

	STORET NUMBER	TESTING INTERVAL (MONTHS)*	LAST TEST DATE (yyyy/mm/dd)	LAST RESULT REPORTED	NEXT TEST DATE (yyyy/mm)
1,1,2,2-TETRACHLOROETHANE	34516	WAIVED			
1,1,2-TRICHLORO-1,2,2-TRIFLUOROETHANE	81611	WAIVED			
1,1,2-TRICHLOROETHANE	34511	WAIVED			
1,1-DICHLOROETHANE	34496	WAIVED			
1,1-DICHLOROETHYLENE	34501	WAIVED			
1,2,4-TRICHLOROBENZENE	34551	WAIVED			
1,2-DICHLOROBENZENE	34536	WAIVED			
1,2-DICHLOROETHANE	34531	WAIVED			
1,2-DICHLOROPROPANE	34541	WAIVED			
1,3-DICHLOROPROPENE (TOTAL)	34561	WAIVED			
1,4-DICHLOROBENZENE	34571	WAIVED			
BENZENE	34030	WAIVED			
CARBON TETRACHLORIDE	32102	WAIVED			
CIS-1,2-DICHLOROETHYLENE	77093	WAIVED			
DICHLOROMETHANE	34423	WAIVED			
ETHYLBENZENE	34371	WAIVED			
METHYL-TERT-BUTYL-ETHER (MTBE)	46491	WAIVED			
MONOCHLOROBENZENE	34301	WAIVED			
STYRENE	77128	WAIVED			
TETRACHLOROETHYLENE	34475	WAIVED			
TOLUENE	34010	WAIVED			
TRANS-1,2-DICHLOROETHYLENE	34546	WAIVED			
TRICHLOROETHYLENE	39180	WAIVED			
TRICHLOROFLUOROMETHANE	34488	WAIVED			
VINYL CHLORIDE	39175	WAIVED			
XYLENES (TOTAL)	81551	WAIVED			

SECONDARY/GP

AGGRSSIVE INDEX (CORROSIVITY)	82383	WAIVED			
BICARBONATE ALKALINITY	00440	WAIVED			

**Testing interval is in months;*
0 = No data for this constituent and is DUE NOW
999 = Waived testing (not required)
I = Invalid (NOT) valid analyses reported

System Number: ***1900017***

System Name: ***LEGG LAKE COUNTY PARK-WHITTIER NARROWS***

PS Code: ***1900017-003***

Source Name: ***AUTOMATIC CHLORINATION UNIT***

Source Number: ***003***

Source Status: ***ACTIVE TREATED***

Water type: ***GROUNDWATER OR WELL***

SECONDARY/GP

	STORET NUMBER	TESTING INTERVAL (MONTHS)*	LAST TEST DATE (yyyy/mm/dd)	LAST RESULT REPORTED	NEXT TEST DATE (yyyy/mm)
CALCIUM	00916	WAIVED			
CARBONATE ALKALINITY	00445	WAIVED			
CHLORIDE	00940	WAIVED			
COLOR	00081	WAIVED			
COPPER	01042	WAIVED			
FOAMING AGENTS (MBAS)	38260	WAIVED			
HARDNESS (TOTAL) AS CACO3	00900	WAIVED			
HYDROXIDE ALKALINITY	71830	WAIVED			
IRON	01045	WAIVED			
MAGNESIUM	00927	WAIVED			
MANGANESE	01055	WAIVED			
ODOR THRESHOLD @ 60 C	00086	WAIVED			
PH, LABORATORY	00403	WAIVED			
SILVER	01077	WAIVED			
SODIUM	00929	WAIVED			
SPECIFIC CONDUCTANCE	00095	WAIVED			
SULFATE	00945	WAIVED			
TOTAL DISSOLVED SOLIDS	70300	WAIVED			
TURBIDITY, LABORATORY	82079	WAIVED			
ZINC	01092	WAIVED			

**Testing interval is in months;*
0 = No data for this constituent and is DUE NOW
999 = Waived testing (not required)
I = Invalid (NOT) valid analyses reported

System Number: ***1900018***

System Name: ***LIVINGSTON-GRAHAM HANSON AGGREGATES***

PS Code: ***1900018-001***

Source Name: ***WELL 408***

Source Number: ***001***

Source Status: ***ACTIVE UNTREATED***

Water type: ***GROUNDWATER OR WELL***

	STORET NUMBER	TESTING INTERVAL (MONTHS)*	LAST TEST DATE (yyyy/mm/dd)	LAST RESULT REPORTED	NEXT TEST DATE (yyyy/mm)
GENERAL NON CHAP 15					
DIAZINON	39570	WAIVED			
INORGANIC					
ALUMINUM	01105	WAIVED	2010/08/18	< .050	
ANTIMONY	01097	WAIVED	2010/08/18	< .200	
ARSENIC	01002	WAIVED	2010/08/18	1.420	
ASBESTOS	81855	WAIVED	2010/08/18	< .200	
BARIUM	01007	WAIVED	2010/08/18	116.000	
BERYLLIUM	01012	WAIVED	2010/08/18	< .200	
CADMIUM	01027	WAIVED	2010/08/18	< .005	
CHROMIUM (TOTAL)	01034	WAIVED	2003/01/21	.000	
CYANIDE	01291	WAIVED	2010/08/18	< .010	
FLUORIDE (F) (NATURAL-SOURCE)	00951	WAIVED	2010/08/18	.150	
LEAD	01051	WAIVED	2010/08/18	< .050	
MERCURY	71900	WAIVED	2010/08/18	< .200	
NICKEL	01067	WAIVED	1999/05/18	.000	
PERCHLORATE	A-031	WAIVED	2011/05/31	< 2.000	
SELENIUM	01147	WAIVED	2010/08/18	< 1.000	
THALLIUM	01059	WAIVED	2010/08/18	< .500	
NITRATE/NITRITE					
NITRATE (AS NO3)	71850	WAIVED	2000/12/22	2.280	
NITRITE (AS N)	00620	WAIVED	2011/08/31	3.750	
RADIOLOGICAL					
GROSS ALPHA	01501	WAIVED	2011/05/31	3.180	
GROSS BETA	03501	WAIVED			
RA-226 FOR CWS OR TOTAL RA FOR NTNC BY 903.0	A-080	WAIVED			
RA-226 OR TOTAL RA BY 903.0 C.E.	A-081	WAIVED	2011/05/31	< .035	
RADIUM 226	09501	WAIVED			
RADIUM 228	11501	WAIVED	2010/11/18	< .294	

**Testing interval is in months;*
0 = No data for this constituent and is DUE NOW
999 = Waived testing (not required)
I = Invalid (NOT) valid analyses reported

System Number: ***1900018***

System Name: ***LIVINGSTON-GRAHAM HANSON AGGREGATES***

PS Code: ***1900018-001***

Source Name: ***WELL 408***

Source Number: ***001***

Source Status: ***ACTIVE UNTREATED***

Water type: ***GROUNDWATER OR WELL***

	STORET NUMBER	TESTING INTERVAL (MONTHS)*	LAST TEST DATE (yyyy/mm/dd)	LAST RESULT REPORTED	NEXT TEST DATE (yyyy/mm)
RADIOLOGICAL					
RADIUM, TOTAL, MDA95-NTNC ONLY, BY 903.0	A-082	WAIVED			
STRONTIUM-90	13501	WAIVED			
TRITIUM	07000	WAIVED			
URANIUM (PCI/L)	28012	WAIVED	2011/05/31	2.520	
REGULATED SOC					
2,3,7,8-TCDD (DIOXIN)	34676	WAIVED			
2,4,5-TP (SILVEX)	39045	WAIVED			
2,4-D	39730	WAIVED			
ALACHLOR	77825	WAIVED	2003/01/21	.000	
ATRAZINE	39033	WAIVED			
BENTAZON	38710	WAIVED			
BENZO (A) PYRENE	34247	WAIVED			
CARBOFURAN	81405	WAIVED			
CHLORDANE	39350	WAIVED	2003/01/21	.000	
DALAPON	38432	WAIVED			
DI(2-ETHYLHEXYL)ADIPATE	A-026	WAIVED			
DI(2-ETHYLHEXYL)PHTHALATE	39100	WAIVED			
DIBROMOCHLOROPROPANE (DBCP)	38761	WAIVED	2011/08/31	< .010	
DINOSEB	81287	WAIVED			
DIQUAT	78885	WAIVED			
ENDOTHALL	38926	WAIVED			
ENDRIN	39390	WAIVED	2003/01/21	.000	
ETHYLENE DIBROMIDE (EDB)	77651	WAIVED	2011/08/31	< .020	
GLYPHOSATE	79743	WAIVED			
HEPTACHLOR	39410	WAIVED	2003/01/21	.000	
HEPTACHLOR EPOXIDE	39420	WAIVED	2003/01/21	.000	
HEXACHLOROBENZENE	39700	WAIVED	2003/01/21	.000	
HEXACHLOROCYCLOPENTADIENE	34386	WAIVED	2003/01/21	.000	
LINDANE	39340	WAIVED	2003/01/21	.000	

**Testing interval is in months;*
0 = No data for this constituent and is DUE NOW
999 = Waived testing (not required)
I = Invalid (NOT) valid analyses reported

System Number: ***1900018***

System Name: ***LIVINGSTON-GRAHAM HANSON AGGREGATES***

PS Code: ***1900018-001***

Source Name: ***WELL 408***

Source Number: ***001***

Source Status: ***ACTIVE UNTREATED***

Water type: ***GROUNDWATER OR WELL***

	STORET NUMBER	TESTING INTERVAL (MONTHS)*	LAST TEST DATE (yyyy/mm/dd)	LAST RESULT REPORTED	NEXT TEST DATE (yyyy/mm)
REGULATED SOC					
METHOXYCHLOR	39480	WAIVED	2003/01/21	.000	
MOLINATE	82199	WAIVED			
OXAMYL	38865	WAIVED			
PENTACHLOROPHENOL	39032	WAIVED			
PICLORAM	39720	WAIVED			
POLYCHLORINATED BIPHENYLS, TOTAL, AS DCB	39516	WAIVED	2003/01/21	.000	
SIMAZINE	39055	WAIVED			
THIOBENCARB	A-001	WAIVED	2010/08/18	< .110	
TOXAPHENE	39400	WAIVED	2003/01/21	.000	
REGULATED VOC					
1,1,1-TRICHLOROETHANE	34506	WAIVED	2011/08/31	< .250	
1,1,2,2-TETRACHLOROETHANE	34516	WAIVED	2011/08/31	< .500	
1,1,2-TRICHLORO-1,2,2-TRIFLUOROETHANE	81611	WAIVED	2011/08/31	< .500	
1,1,2-TRICHLOROETHANE	34511	WAIVED	2011/08/31	< .250	
1,1-DICHLOROETHANE	34496	WAIVED	2011/08/31	< .250	
1,1-DICHLOROETHYLENE	34501	WAIVED	2011/08/31	< .250	
1,2,4-TRICHLOROBENZENE	34551	WAIVED	2011/08/31	< .500	
1,2-DICHLOROBENZENE	34536	WAIVED	2011/08/31	< .250	
1,2-DICHLOROETHANE	34531	WAIVED	2011/08/31	< .250	
1,2-DICHLOROPROPANE	34541	WAIVED	2011/08/31	< .250	
1,3-DICHLOROPROPENE (TOTAL)	34561	WAIVED	2003/01/21	.000	
1,4-DICHLOROBENZENE	34571	WAIVED	2011/08/31	< .250	
BENZENE	34030	WAIVED	2011/08/31	< .250	
CARBON TETRACHLORIDE	32102	WAIVED	2011/08/31	< .250	
CIS-1,2-DICHLOROETHYLENE	77093	WAIVED	2011/08/31	< .250	
DICHLOROMETHANE	34423	WAIVED	2011/08/31	< .500	
ETHYLBENZENE	34371	WAIVED	2011/08/31	< .250	
METHYL-TERT-BUTYL-ETHER (MTBE)	46491	WAIVED	2010/08/18	< .250	
MONOCHLOROBENZENE	34301	WAIVED	2011/08/31	< .250	

**Testing interval is in months;*
0 = No data for this constituent and is DUE NOW
999 = Waived testing (not required)
I = Invalid (NOT) valid analyses reported

System Number: ***1900018***

System Name: ***LIVINGSTON-GRAHAM HANSON AGGREGATES***

PS Code: ***1900018-001***

Source Name: ***WELL 408***

Source Number: ***001***

Source Status: ***ACTIVE UNTREATED***

Water type: ***GROUNDWATER OR WELL***

	STORET NUMBER	TESTING INTERVAL (MONTHS)*	LAST TEST DATE (yyyy/mm/dd)	LAST RESULT REPORTED	NEXT TEST DATE (yyyy/mm)
REGULATED VOC					
STYRENE	77128	WAIVED	2011/08/31	< .250	
TETRACHLOROETHYLENE	34475	WAIVED	2011/08/31	< .250	
TOLUENE	34010	WAIVED	2011/08/31	< .250	
TRANS-1,2-DICHLOROETHYLENE	34546	WAIVED	2011/08/31	< .250	
TRICHLOROETHYLENE	39180	WAIVED	2011/08/31	< .250	
TRICHLOROFLUOROMETHANE	34488	WAIVED	2011/08/31	< .500	
VINYL CHLORIDE	39175	WAIVED	2011/08/31	< .250	
XYLENES (TOTAL)	81551	WAIVED	2003/01/21	.000	
SECONDARY/GP					
AGGRSSIVE INDEX (CORROSIVITY)	82383	WAIVED			
BICARBONATE ALKALINITY	00440	WAIVED	1999/05/18	183.000	
CALCIUM	00916	WAIVED	2010/08/18	62.500	
CARBONATE ALKALINITY	00445	WAIVED	2010/08/18	< 1.000	
CHLORIDE	00940	WAIVED	2010/08/18	31.200	
COLOR	00081	WAIVED	2010/08/18	< 1.000	
COPPER	01042	WAIVED	1999/05/18	.000	
FOAMING AGENTS (MBAS)	38260	WAIVED	2010/08/18	< .030	
HARDNESS (TOTAL) AS CACO3	00900	WAIVED	1999/05/18	150.000	
HYDROXIDE ALKALINITY	71830	WAIVED	2010/08/18	< 1.000	
IRON	01045	WAIVED	2010/08/18	.217	
MAGNESIUM	00927	WAIVED	1999/05/18	9.720	
MANGANESE	01055	WAIVED	1999/05/18	.000	
ODOR THRESHOLD @ 60 C	00086	WAIVED	2010/08/18	< 1.000	
PH, LABORATORY	00403	WAIVED	1999/05/18	7.060	
SILVER	01077	WAIVED	2010/08/18	< .200	
SODIUM	00929	WAIVED	2010/08/18	16.200	
SPECIFIC CONDUCTANCE	00095	WAIVED	2010/08/18	504.000	
SULFATE	00945	WAIVED	2010/08/18	40.700	
TOTAL DISSOLVED SOLIDS	70300	WAIVED	2010/08/18	332.000	

**Testing interval is in months;*
0 = No data for this constituent and is DUE NOW
999 = Waived testing (not required)
I = Invalid (NOT) valid analyses reported

System Number: ***1900018***

System Name: ***LIVINGSTON-GRAHAM HANSON AGGREGATES***

PS Code: ***1900018-001***

Source Name: ***WELL 408***

Source Number: ***001***

Source Status: ***ACTIVE UNTREATED***

Water type: ***GROUNDWATER OR WELL***

	STORET NUMBER	TESTING INTERVAL (MONTHS)*	LAST TEST DATE (yyyy/mm/dd)	LAST RESULT REPORTED	NEXT TEST DATE (yyyy/mm)
SECONDARY/GP					
TURBIDITY, LABORATORY	82079	WAIVED	2010/08/18	< .500	
ZINC	01092	WAIVED	2010/08/18	.049	

PS Code: ***1900018-002***

Source Name: ***WELL 409***

Source Number: ***002***

Source Status: ***ACTIVE UNTREATED***

Water type: ***GROUNDWATER OR WELL***

GENERAL NON CHAP 15					
DIAZINON	39570	WAIVED			
INORGANIC					
ALUMINUM	01105	WAIVED	2010/08/18	< .050	
ANTIMONY	01097	WAIVED	2010/08/18	< .200	
ARSENIC	01002	WAIVED	2010/08/18	1.700	
ASBESTOS	81855	WAIVED	2010/08/18	< .200	
BARIUM	01007	WAIVED	2010/08/18	107.000	
BERYLLIUM	01012	WAIVED	2010/08/18	< .200	
CADMIUM	01027	WAIVED	2010/08/18	< .005	
CHROMIUM (TOTAL)	01034	WAIVED			
CYANIDE	01291	WAIVED	2010/08/18	< .010	
FLUORIDE (F) (NATURAL-SOURCE)	00951	WAIVED	2010/08/18	.125	
LEAD	01051	WAIVED	2010/08/18	< .050	
MERCURY	71900	WAIVED	2010/08/18	< .200	
NICKEL	01067	WAIVED			
PERCHLORATE	A-031	WAIVED	2011/05/31	< 2.000	
SELENIUM	01147	WAIVED	2010/08/18	< 1.000	
THALLIUM	01059	WAIVED	2010/08/18	< .500	

**Testing interval is in months;*
0 = No data for this constituent and is DUE NOW
999 = Waived testing (not required)
I = Invalid (NOT) valid analyses reported

System Number: ***1900018***

System Name: ***LIVINGSTON-GRAHAM HANSON AGGREGATES***

PS Code: ***1900018-002***

Source Name: ***WELL 409***

Source Number: ***002***

Source Status: ***ACTIVE UNTREATED***

Water type: ***GROUNDWATER OR WELL***

	STORET NUMBER	TESTING INTERVAL (MONTHS)*	LAST TEST DATE (yyyy/mm/dd)	LAST RESULT REPORTED	NEXT TEST DATE (yyyy/mm)
NITRATE/NITRITE					
NITRATE (AS NO3)	71850	WAIVED			
NITRITE (AS N)	00620	WAIVED	2011/08/31	1.200	
RADIOLOGICAL					
GROSS ALPHA	01501	WAIVED	2011/05/31	1.990	
GROSS BETA	03501	WAIVED			
RA-226 FOR CWS OR TOTAL RA FOR NTNC BY 903.0	A-080	WAIVED			
RA-226 OR TOTAL RA BY 903.0 C.E.	A-081	WAIVED	2011/05/31	.292	
RADIUM 226	09501	WAIVED			
RADIUM 228	11501	WAIVED	2010/11/18	< .294	
RADIUM, TOTAL, MDA95-NTNC ONLY, BY 903.0	A-082	WAIVED			
STRONTIUM-90	13501	WAIVED			
TRITIUM	07000	WAIVED			
URANIUM (PCI/L)	28012	WAIVED	2011/05/31	.915	
REGULATED SOC					
2,3,7,8-TCDD (DIOXIN)	34676	WAIVED			
2,4,5-TP (SILVEX)	39045	WAIVED			
2,4-D	39730	WAIVED			
ALACHLOR	77825	WAIVED			
ATRAZINE	39033	WAIVED			
BENTAZON	38710	WAIVED			
BENZO (A) PYRENE	34247	WAIVED			
CARBOFURAN	81405	WAIVED			
CHLORDANE	39350	WAIVED			
DALAPON	38432	WAIVED			
DI(2-ETHYLHEXYL)ADIPATE	A-026	WAIVED			
DI(2-ETHYLHEXYL)PHTHALATE	39100	WAIVED			
DIBROMOCHLOROPROPANE (DBCP)	38761	WAIVED	2011/08/31	< .010	
DINOSEB	81287	WAIVED			
DIQUAT	78885	WAIVED			

**Testing interval is in months;*
0 = No data for this constituent and is DUE NOW
999 = Waived testing (not required)
I = Invalid (NOT) valid analyses reported

System Number: ***1900018***

System Name: ***LIVINGSTON-GRAHAM HANSON AGGREGATES***

PS Code: ***1900018-002***

Source Name: ***WELL 409***

Source Number: ***002***

Source Status: ***ACTIVE UNTREATED***

Water type: ***GROUNDWATER OR WELL***

	STORET NUMBER	TESTING INTERVAL (MONTHS)*	LAST TEST DATE (yyyy/mm/dd)	LAST RESULT REPORTED	NEXT TEST DATE (yyyy/mm)
REGULATED SOC					
ENDOTHALL	38926	WAIVED			
ENDRIN	39390	WAIVED			
ETHYLENE DIBROMIDE (EDB)	77651	WAIVED	2011/08/31	< .020	
GLYPHOSATE	79743	WAIVED			
HEPTACHLOR	39410	WAIVED			
HEPTACHLOR EPOXIDE	39420	WAIVED			
HEXACHLOROBENZENE	39700	WAIVED			
HEXACHLOROCYCLOPENTADIENE	34386	WAIVED			
LINDANE	39340	WAIVED			
METHOXYCHLOR	39480	WAIVED			
MOLINATE	82199	WAIVED			
OXAMYL	38865	WAIVED			
PENTACHLOROPHENOL	39032	WAIVED			
PICLORAM	39720	WAIVED			
POLYCHLORINATED BIPHENYLS, TOTAL, AS DCB	39516	WAIVED			
SIMAZINE	39055	WAIVED			
THIOBENCARB	A-001	WAIVED	2010/08/18	< .110	
TOXAPHENE	39400	WAIVED			
REGULATED VOC					
1,1,1-TRICHLOROETHANE	34506	WAIVED	2011/08/31	< .250	
1,1,2,2-TETRACHLOROETHANE	34516	WAIVED	2011/08/31	< .500	
1,1,2-TRICHLORO-1,2,2-TRIFLUOROETHANE	81611	WAIVED	2011/08/31	< .500	
1,1,2-TRICHLOROETHANE	34511	WAIVED	2011/08/31	< .250	
1,1-DICHLOROETHANE	34496	WAIVED	2011/08/31	< .250	
1,1-DICHLOROETHYLENE	34501	WAIVED	2011/08/31	< .250	
1,2,4-TRICHLOROBENZENE	34551	WAIVED	2011/08/31	< .500	
1,2-DICHLOROBENZENE	34536	WAIVED	2011/08/31	< .250	
1,2-DICHLOROETHANE	34531	WAIVED	2011/08/31	< .250	
1,2-DICHLOROPROPANE	34541	WAIVED	2011/08/31	< .250	

**Testing interval is in months;*
0 = No data for this constituent and is DUE NOW
999 = Waived testing (not required)
I = Invalid (NOT) valid analyses reported

System Number: ***1900018***

System Name: ***LIVINGSTON-GRAHAM HANSON AGGREGATES***

PS Code: ***1900018-002***

Source Name: ***WELL 409***

Source Number: ***002***

Source Status: ***ACTIVE UNTREATED***

Water type: ***GROUNDWATER OR WELL***

	STORET NUMBER	TESTING INTERVAL (MONTHS)*	LAST TEST DATE (yyyy/mm/dd)	LAST RESULT REPORTED	NEXT TEST DATE (yyyy/mm)
REGULATED VOC					
1,3-DICHLOROPROPENE (TOTAL)	34561	WAIVED			
1,4-DICHLOROBENZENE	34571	WAIVED	2011/08/31	< .250	
BENZENE	34030	WAIVED	2011/08/31	< .250	
CARBON TETRACHLORIDE	32102	WAIVED	2011/08/31	< .250	
CIS-1,2-DICHLOROETHYLENE	77093	WAIVED	2011/08/31	< .250	
DICHLOROMETHANE	34423	WAIVED	2011/08/31	< .500	
ETHYLBENZENE	34371	WAIVED	2011/08/31	< .250	
METHYL-TERT-BUTYL-ETHER (MTBE)	46491	WAIVED	2010/08/18	< .250	
MONOCHLOROBENZENE	34301	WAIVED	2011/08/31	< .250	
STYRENE	77128	WAIVED	2011/08/31	< .250	
TETRACHLOROETHYLENE	34475	WAIVED	2011/08/31	< .250	
TOLUENE	34010	WAIVED	2011/08/31	< .250	
TRANS-1,2-DICHLOROETHYLENE	34546	WAIVED	2011/08/31	< .250	
TRICHLOROETHYLENE	39180	WAIVED	2011/08/31	< .250	
TRICHLOROFLUOROMETHANE	34488	WAIVED	2011/08/31	< .500	
VINYL CHLORIDE	39175	WAIVED	2011/08/31	< .250	
XYLENES (TOTAL)	81551	WAIVED			
SECONDARY/GP					
AGGRSSIVE INDEX (CORROSIVITY)	82383	WAIVED			
BICARBONATE ALKALINITY	00440	WAIVED			
CALCIUM	00916	WAIVED	2010/08/18	54.300	
CARBONATE ALKALINITY	00445	WAIVED	2010/08/18	< 1.000	
CHLORIDE	00940	WAIVED	2010/08/18	24.700	
COLOR	00081	WAIVED	2010/08/18	< 1.000	
COPPER	01042	WAIVED			
FOAMING AGENTS (MBAS)	38260	WAIVED	2010/08/18	< .030	
HARDNESS (TOTAL) AS CACO3	00900	WAIVED			
HYDROXIDE ALKALINITY	71830	WAIVED	2010/08/18	< 1.000	
IRON	01045	WAIVED	2010/08/18	< .030	

**Testing interval is in months;*
0 = No data for this constituent and is DUE NOW
999 = Waived testing (not required)
I = Invalid (NOT) valid analyses reported

System Number: ***1900018***

System Name: ***LIVINGSTON-GRAHAM HANSON AGGREGATES***

PS Code: ***1900018-002***

Source Name: ***WELL 409***

Source Number: ***002***

Source Status: ***ACTIVE UNTREATED***

Water type: ***GROUNDWATER OR WELL***

	STORET NUMBER	TESTING INTERVAL (MONTHS)*	LAST TEST DATE (yyyy/mm/dd)	LAST RESULT REPORTED	NEXT TEST DATE (yyyy/mm)
SECONDARY/GP					
MAGNESIUM	00927	WAIVED			
MANGANESE	01055	WAIVED			
ODOR THRESHOLD @ 60 C	00086	WAIVED	2010/08/18	< 1.000	
PH, LABORATORY	00403	WAIVED			
SILVER	01077	WAIVED	2010/08/18	< .200	
SODIUM	00929	WAIVED	2010/08/18	16.000	
SPECIFIC CONDUCTANCE	00095	WAIVED	2010/08/18	451.000	
SULFATE	00945	WAIVED	2010/08/18	42.300	
TOTAL DISSOLVED SOLIDS	70300	WAIVED	2010/08/18	305.000	
TURBIDITY, LABORATORY	82079	WAIVED	2010/08/18	< .500	
ZINC	01092	WAIVED	2010/08/18	.048	

PS Code: ***1900018-003***

Source Name: ***WELL 410***

Source Number: ***003***

Source Status: ***ACTIVE UNTREATED***

Water type: ***GROUNDWATER OR WELL***

GENERAL NON CHAP 15					
DIAZINON	39570	WAIVED			
INORGANIC					
ALUMINUM	01105	WAIVED	2010/08/18	< .050	
ANTIMONY	01097	WAIVED	2010/08/18	< .200	
ARSENIC	01002	WAIVED	2010/08/18	1.480	
ASBESTOS	81855	WAIVED	2010/08/18	< .200	
BARIUM	01007	WAIVED	2010/08/18	112.000	
BERYLLIUM	01012	WAIVED	2010/08/18	< .200	
CADMIUM	01027	WAIVED	2010/08/18	< .005	
CHROMIUM (TOTAL)	01034	WAIVED			
CYANIDE	01291	WAIVED	2010/08/18	< .010	

**Testing interval is in months;*
0 = No data for this constituent and is DUE NOW
999 = Waived testing (not required)
I = Invalid (NOT) valid analyses reported

System Number: ***1900018***

System Name: ***LIVINGSTON-GRAHAM HANSON AGGREGATES***

PS Code: ***1900018-003***

Source Name: ***WELL 410***

Source Number: ***003***

Source Status: ***ACTIVE UNTREATED***

Water type: ***GROUNDWATER OR WELL***

	STORET NUMBER	TESTING INTERVAL (MONTHS)*	LAST TEST DATE (yyyy/mm/dd)	LAST RESULT REPORTED	NEXT TEST DATE (yyyy/mm)
INORGANIC					
FLUORIDE (F) (NATURAL-SOURCE)	00951	WAIVED	2010/08/18	.122	
LEAD	01051	WAIVED	2010/08/18	< .050	
MERCURY	71900	WAIVED	2010/08/18	< .200	
NICKEL	01067	WAIVED			
PERCHLORATE	A-031	WAIVED	2011/05/31	< 2.000	
SELENIUM	01147	WAIVED	2010/08/18	< 1.000	
THALLIUM	01059	WAIVED	2010/08/18	< .500	
NITRATE/NITRITE					
NITRATE (AS NO3)	71850	WAIVED			
NITRITE (AS N)	00620	WAIVED	2011/09/02	1.840	
RADIOLOGICAL					
GROSS ALPHA	01501	WAIVED	2011/05/31	4.040	
GROSS BETA	03501	WAIVED			
RA-226 FOR CWS OR TOTAL RA FOR NTNC BY 903.0	A-080	WAIVED			
RA-226 OR TOTAL RA BY 903.0 C.E.	A-081	WAIVED	2011/05/31	.145	
RADIUM 226	09501	WAIVED			
RADIUM 228	11501	WAIVED	2010/11/18	< .294	
RADIUM, TOTAL, MDA95-NTNC ONLY, BY 903.0	A-082	WAIVED			
STRONTIUM-90	13501	WAIVED			
TRITIUM	07000	WAIVED			
URANIUM (PCI/L)	28012	WAIVED	2011/05/31	1.720	
REGULATED SOC					
2,3,7,8-TCDD (DIOXIN)	34676	WAIVED			
2,4,5-TP (SILVEX)	39045	WAIVED			
2,4-D	39730	WAIVED			
ALACHLOR	77825	WAIVED			
ATRAZINE	39033	WAIVED			
BENTAZON	38710	WAIVED			

**Testing interval is in months;*
0 = No data for this constituent and is DUE NOW
999 = Waived testing (not required)
I = Invalid (NOT) valid analyses reported

System Number: ***1900018***

System Name: ***LIVINGSTON-GRAHAM HANSON AGGREGATES***

PS Code: ***1900018-003***

Source Name: ***WELL 410***

Source Number: ***003***

Source Status: ***ACTIVE UNTREATED***

Water type: ***GROUNDWATER OR WELL***

	STORET NUMBER	TESTING INTERVAL (MONTHS)*	LAST TEST DATE (yyyy/mm/dd)	LAST RESULT REPORTED	NEXT TEST DATE (yyyy/mm)
REGULATED SOC					
BENZO (A) PYRENE	34247	WAIVED			
CARBOFURAN	81405	WAIVED			
CHLORDANE	39350	WAIVED			
DALAPON	38432	WAIVED			
DI(2-ETHYLHEXYL)ADIPATE	A-026	WAIVED			
DI(2-ETHYLHEXYL)PHTHALATE	39100	WAIVED			
DIBROMOCHLOROPROPANE (DBCP)	38761	WAIVED	2011/09/02	< .010	
DINOSEB	81287	WAIVED			
DIQUAT	78885	WAIVED			
ENDOTHALL	38926	WAIVED			
ENDRIN	39390	WAIVED			
ETHYLENE DIBROMIDE (EDB)	77651	WAIVED	2011/09/02	< .020	
GLYPHOSATE	79743	WAIVED			
HEPTACHLOR	39410	WAIVED			
HEPTACHLOR EPOXIDE	39420	WAIVED			
HEXACHLOROBENZENE	39700	WAIVED			
HEXACHLOROCYCLOPENTADIENE	34386	WAIVED			
LINDANE	39340	WAIVED			
METHOXYCHLOR	39480	WAIVED			
MOLINATE	82199	WAIVED			
OXAMYL	38865	WAIVED			
PENTACHLOROPHENOL	39032	WAIVED			
PICLORAM	39720	WAIVED			
POLYCHLORINATED BIPHENYLS, TOTAL, AS DCB	39516	WAIVED			
SIMAZINE	39055	WAIVED			
THIOBENCARB	A-001	WAIVED	2010/08/18	< .110	
TOXAPHENE	39400	WAIVED			
REGULATED VOC					
1,1,1-TRICHLOROETHANE	34506	WAIVED	2011/09/02	< .250	

**Testing interval is in months;*
0 = No data for this constituent and is DUE NOW
999 = Waived testing (not required)
I = Invalid (NOT) valid analyses reported

System Number: ***1900018***

System Name: ***LIVINGSTON-GRAHAM HANSON AGGREGATES***

PS Code: ***1900018-003***

Source Name: ***WELL 410***

Source Number: ***003***

Source Status: ***ACTIVE UNTREATED***

Water type: ***GROUNDWATER OR WELL***

	STORET NUMBER	TESTING INTERVAL (MONTHS)*	LAST TEST DATE (yyyy/mm/dd)	LAST RESULT REPORTED	NEXT TEST DATE (yyyy/mm)
REGULATED VOC					
1,1,2,2-TETRACHLOROETHANE	34516	WAIVED	2011/09/02	< .500	
1,1,2-TRICHLORO-1,2,2-TRIFLUOROETHANE	81611	WAIVED	2011/09/02	< .500	
1,1,2-TRICHLOROETHANE	34511	WAIVED	2011/09/02	< .250	
1,1-DICHLOROETHANE	34496	WAIVED	2011/09/02	< .250	
1,1-DICHLOROETHYLENE	34501	WAIVED	2011/09/02	< .250	
1,2,4-TRICHLOROBENZENE	34551	WAIVED	2011/09/02	< .500	
1,2-DICHLOROBENZENE	34536	WAIVED	2011/09/02	< .250	
1,2-DICHLOROETHANE	34531	WAIVED	2011/09/02	< .250	
1,2-DICHLOROPROPANE	34541	WAIVED	2011/09/02	< .250	
1,3-DICHLOROPROPENE (TOTAL)	34561	WAIVED			
1,4-DICHLOROBENZENE	34571	WAIVED	2011/09/02	< .250	
BENZENE	34030	WAIVED	2011/09/02	< .250	
CARBON TETRACHLORIDE	32102	WAIVED	2011/09/02	< .250	
CIS-1,2-DICHLOROETHYLENE	77093	WAIVED	2011/09/02	< .250	
DICHLOROMETHANE	34423	WAIVED	2011/09/02	< .500	
ETHYLBENZENE	34371	WAIVED	2011/09/02	< .250	
METHYL-TERT-BUTYL-ETHER (MTBE)	46491	WAIVED	2010/08/18	< .250	
MONOCHLOROBENZENE	34301	WAIVED	2011/09/02	< .250	
STYRENE	77128	WAIVED	2011/09/02	< .250	
TETRACHLOROETHYLENE	34475	WAIVED	2011/09/02	< .250	
TOLUENE	34010	WAIVED	2011/09/02	< .250	
TRANS-1,2-DICHLOROETHYLENE	34546	WAIVED	2011/09/02	< .250	
TRICHLOROETHYLENE	39180	WAIVED	2011/09/02	< .250	
TRICHLOROFLUOROMETHANE	34488	WAIVED	2011/09/02	< .500	
VINYL CHLORIDE	39175	WAIVED	2011/09/02	< .250	
XYLENES (TOTAL)	81551	WAIVED			
SECONDARY/GP					
AGGRSSIVE INDEX (CORROSIVITY)	82383	WAIVED			
BICARBONATE ALKALINITY	00440	WAIVED			

**Testing interval is in months;*
0 = No data for this constituent and is DUE NOW
999 = Waived testing (not required)
I = Invalid (NOT) valid analyses reported

System Number: ***1900018***

System Name: ***LIVINGSTON-GRAHAM HANSON AGGREGATES***

PS Code: ***1900018-003***

Source Name: ***WELL 410***

Source Number: ***003***

Source Status: ***ACTIVE UNTREATED***

Water type: ***GROUNDWATER OR WELL***

SECONDARY/GP

	STORET NUMBER	TESTING INTERVAL (MONTHS)*	LAST TEST DATE (yyyy/mm/dd)	LAST RESULT REPORTED	NEXT TEST DATE (yyyy/mm)
CALCIUM	00916	WAIVED	2010/08/18	61.600	
CARBONATE ALKALINITY	00445	WAIVED	2010/08/18	< 1.000	
CHLORIDE	00940	WAIVED	2010/08/18	28.600	
COLOR	00081	WAIVED	2010/08/18	< 1.000	
COPPER	01042	WAIVED			
FOAMING AGENTS (MBAS)	38260	WAIVED	2010/08/18	< .030	
HARDNESS (TOTAL) AS CACO3	00900	WAIVED			
HYDROXIDE ALKALINITY	71830	WAIVED	2010/08/18	< 1.000	
IRON	01045	WAIVED	2010/08/18	< .030	
MAGNESIUM	00927	WAIVED			
MANGANESE	01055	WAIVED			
ODOR THRESHOLD @ 60 C	00086	WAIVED	2010/08/18	< 1.000	
PH, LABORATORY	00403	WAIVED			
SILVER	01077	WAIVED	2010/08/18	< .200	
SODIUM	00929	WAIVED	2010/08/18	15.300	
SPECIFIC CONDUCTANCE	00095	WAIVED	2010/08/18	477.000	
SULFATE	00945	WAIVED	2010/08/18	36.800	
TOTAL DISSOLVED SOLIDS	70300	WAIVED	2010/08/18	326.000	
TURBIDITY, LABORATORY	82079	WAIVED	2010/08/18	< .500	
ZINC	01092	WAIVED	2010/08/18	.038	

PS Code: ***1900018-004***

Source Name: ***AUTOMATIC CHLORINATION UNIT #1***

Source Number: ***004***

Source Status: ***ACTIVE TREATED***

Water type: ***GROUNDWATER OR WELL***

GENERAL NON CHAP 15

DIAZINON	39570	WAIVED			

**Testing interval is in months;*
0 = No data for this constituent and is DUE NOW
999 = Waived testing (not required)
I = Invalid (NOT) valid analyses reported

System Number: ***1900018***

System Name: ***LIVINGSTON-GRAHAM HANSON AGGREGATES***

PS Code: ***1900018-004***

Source Name: ***AUTOMATIC CHLORINATION UNIT #1***

Source Number: ***004***

Source Status: ***ACTIVE TREATED***

Water type: ***GROUNDWATER OR WELL***

	STORET NUMBER	TESTING INTERVAL (MONTHS)*	LAST TEST DATE (yyyy/mm/dd)	LAST RESULT REPORTED	NEXT TEST DATE (yyyy/mm)
INORGANIC					
ALUMINUM	01105	WAIVED			
ANTIMONY	01097	WAIVED			
ARSENIC	01002	WAIVED			
ASBESTOS	81855	WAIVED			
BARIUM	01007	WAIVED			
BERYLLIUM	01012	WAIVED			
CADMIUM	01027	WAIVED			
CHROMIUM (TOTAL)	01034	WAIVED			
CYANIDE	01291	WAIVED			
FLUORIDE (F) (NATURAL-SOURCE)	00951	WAIVED			
LEAD	01051	WAIVED			
MERCURY	71900	WAIVED			
NICKEL	01067	WAIVED			
PERCHLORATE	A-031	WAIVED			
SELENIUM	01147	WAIVED			
THALLIUM	01059	WAIVED			
NITRATE/NITRITE					
NITRATE (AS NO3)	71850	WAIVED			
NITRITE (AS N)	00620	WAIVED			
RADIOLOGICAL					
GROSS ALPHA	01501	WAIVED			
GROSS BETA	03501	WAIVED			
RA-226 FOR CWS OR TOTAL RA FOR NTNC BY 903.0	A-080	WAIVED			
RA-226 OR TOTAL RA BY 903.0 C.E.	A-081	WAIVED			
RADIUM 226	09501	WAIVED			
RADIUM 228	11501	WAIVED			
RADIUM, TOTAL, MDA95-NTNC ONLY, BY 903.0	A-082	WAIVED			
STRONTIUM-90	13501	WAIVED			
TRITIUM	07000	WAIVED			

**Testing interval is in months;*
0 = No data for this constituent and is DUE NOW
999 = Waived testing (not required)
I = Invalid (NOT) valid analyses reported

System Number: ***1900018***

System Name: ***LIVINGSTON-GRAHAM HANSON AGGREGATES***

PS Code: ***1900018-004***

Source Name: ***AUTOMATIC CHLORINATION UNIT #1***

Source Number: ***004***

Source Status: ***ACTIVE TREATED***

Water type: ***GROUNDWATER OR WELL***

	STORET NUMBER	TESTING INTERVAL (MONTHS)*	LAST TEST DATE (yyyy/mm/dd)	LAST RESULT REPORTED	NEXT TEST DATE (yyyy/mm)
RADIOLOGICAL					
URANIUM (PCI/L)	28012	WAIVED			
REGULATED SOC					
2,3,7,8-TCDD (DIOXIN)	34676	WAIVED			
2,4,5-TP (SILVEX)	39045	WAIVED			
2,4-D	39730	WAIVED			
ALACHLOR	77825	WAIVED			
ATRAZINE	39033	WAIVED			
BENTAZON	38710	WAIVED			
BENZO (A) PYRENE	34247	WAIVED			
CARBOFURAN	81405	WAIVED			
CHLORDANE	39350	WAIVED			
DALAPON	38432	WAIVED			
DI(2-ETHYLHEXYL)ADIPATE	A-026	WAIVED			
DI(2-ETHYLHEXYL)PHTHALATE	39100	WAIVED			
DIBROMOCHLOROPROPANE (DBCP)	38761	WAIVED			
DINOSEB	81287	WAIVED			
DIQUAT	78885	WAIVED			
ENDOTHALL	38926	WAIVED			
ENDRIN	39390	WAIVED			
ETHYLENE DIBROMIDE (EDB)	77651	WAIVED			
GLYPHOSATE	79743	WAIVED			
HEPTACHLOR	39410	WAIVED			
HEPTACHLOR EPOXIDE	39420	WAIVED			
HEXACHLOROBENZENE	39700	WAIVED			
HEXACHLOROCYCLOPENTADIENE	34386	WAIVED			
LINDANE	39340	WAIVED			
METHOXYCHLOR	39480	WAIVED			
MOLINATE	82199	WAIVED			
OXAMYL	38865	WAIVED			

**Testing interval is in months;*
0 = No data for this constituent and is DUE NOW
999 = Waived testing (not required)
I = Invalid (NOT) valid analyses reported

System Number: ***1900018***

System Name: ***LIVINGSTON-GRAHAM HANSON AGGREGATES***

PS Code: ***1900018-004***

Source Name: ***AUTOMATIC CHLORINATION UNIT #1***

Source Number: ***004***

Source Status: ***ACTIVE TREATED***

Water type: ***GROUNDWATER OR WELL***

	STORET NUMBER	TESTING INTERVAL (MONTHS)*	LAST TEST DATE (yyyy/mm/dd)	LAST RESULT REPORTED	NEXT TEST DATE (yyyy/mm)
REGULATED SOC					
PENTACHLOROPHENOL	39032	WAIVED			
PICLORAM	39720	WAIVED			
POLYCHLORINATED BIPHENYLS, TOTAL, AS DCB	39516	WAIVED			
SIMAZINE	39055	WAIVED			
THIOBENCARB	A-001	WAIVED			
TOXAPHENE	39400	WAIVED			
REGULATED VOC					
1,1,1-TRICHLOROETHANE	34506	WAIVED			
1,1,2,2-TETRACHLOROETHANE	34516	WAIVED			
1,1,2-TRICHLORO-1,2,2-TRIFLUOROETHANE	81611	WAIVED			
1,1,2-TRICHLOROETHANE	34511	WAIVED			
1,1-DICHLOROETHANE	34496	WAIVED			
1,1-DICHLOROETHYLENE	34501	WAIVED			
1,2,4-TRICHLOROBENZENE	34551	WAIVED			
1,2-DICHLOROBENZENE	34536	WAIVED			
1,2-DICHLOROETHANE	34531	WAIVED			
1,2-DICHLOROPROPANE	34541	WAIVED			
1,3-DICHLOROPROPENE (TOTAL)	34561	WAIVED			
1,4-DICHLOROBENZENE	34571	WAIVED			
BENZENE	34030	WAIVED			
CARBON TETRACHLORIDE	32102	WAIVED			
CIS-1,2-DICHLOROETHYLENE	77093	WAIVED			
DICHLOROMETHANE	34423	WAIVED			
ETHYLBENZENE	34371	WAIVED			
METHYL-TERT-BUTYL-ETHER (MTBE)	46491	WAIVED			
MONOCHLOROBENZENE	34301	WAIVED			
STYRENE	77128	WAIVED			
TETRACHLOROETHYLENE	34475	WAIVED			
TOLUENE	34010	WAIVED			

**Testing interval is in months;*
0 = No data for this constituent and is DUE NOW
999 = Waived testing (not required)
I = Invalid (NOT) valid analyses reported

System Number: ***1900018***

System Name: ***LIVINGSTON-GRAHAM HANSON AGGREGATES***

PS Code: ***1900018-004***

Source Name: ***AUTOMATIC CHLORINATION UNIT #1***

Source Number: ***004***

Source Status: ***ACTIVE TREATED***

Water type: ***GROUNDWATER OR WELL***

	STORET NUMBER	TESTING INTERVAL (MONTHS)*	LAST TEST DATE (yyyy/mm/dd)	LAST RESULT REPORTED	NEXT TEST DATE (yyyy/mm)
REGULATED VOC					
TRANS-1,2-DICHLOROETHYLENE	34546	WAIVED			
TRICHLOROETHYLENE	39180	WAIVED			
TRICHLOROFLUOROMETHANE	34488	WAIVED			
VINYL CHLORIDE	39175	WAIVED			
XYLENES (TOTAL)	81551	WAIVED			
SECONDARY/GP					
AGGRSSIVE INDEX (CORROSIVITY)	82383	WAIVED			
BICARBONATE ALKALINITY	00440	WAIVED			
CALCIUM	00916	WAIVED			
CARBONATE ALKALINITY	00445	WAIVED			
CHLORIDE	00940	WAIVED			
COLOR	00081	WAIVED			
COPPER	01042	WAIVED			
FOAMING AGENTS (MBAS)	38260	WAIVED			
HARDNESS (TOTAL) AS CACO3	00900	WAIVED			
HYDROXIDE ALKALINITY	71830	WAIVED			
IRON	01045	WAIVED			
MAGNESIUM	00927	WAIVED			
MANGANESE	01055	WAIVED			
ODOR THRESHOLD @ 60 C	00086	WAIVED			
PH, LABORATORY	00403	WAIVED			
SILVER	01077	WAIVED			
SODIUM	00929	WAIVED			
SPECIFIC CONDUCTANCE	00095	WAIVED			
SULFATE	00945	WAIVED			
TOTAL DISSOLVED SOLIDS	70300	WAIVED			
TURBIDITY, LABORATORY	82079	WAIVED			
ZINC	01092	WAIVED			

**Testing interval is in months;*
0 = No data for this constituent and is DUE NOW
999 = Waived testing (not required)
I = Invalid (NOT) valid analyses reported

System Number: ***1900018***

System Name: ***LIVINGSTON-GRAHAM HANSON AGGREGATES***

PS Code: ***1900018-005***

Source Name: ***AUTOMATIC CHLORINATION UNIT #2***

Source Number: ***005***

Source Status: ***ACTIVE TREATED***

Water type: ***GROUNDWATER OR WELL***

	STORET NUMBER	TESTING INTERVAL (MONTHS)*	LAST TEST DATE (yyyy/mm/dd)	LAST RESULT REPORTED	NEXT TEST DATE (yyyy/mm)
GENERAL NON CHAP 15					
DIAZINON	39570	WAIVED			
INORGANIC					
ALUMINUM	01105	WAIVED			
ANTIMONY	01097	WAIVED			
ARSENIC	01002	WAIVED			
ASBESTOS	81855	WAIVED			
BARIUM	01007	WAIVED			
BERYLLIUM	01012	WAIVED			
CADMIUM	01027	WAIVED			
CHROMIUM (TOTAL)	01034	WAIVED			
CYANIDE	01291	WAIVED			
FLUORIDE (F) (NATURAL-SOURCE)	00951	WAIVED			
LEAD	01051	WAIVED			
MERCURY	71900	WAIVED			
NICKEL	01067	WAIVED			
PERCHLORATE	A-031	WAIVED			
SELENIUM	01147	WAIVED			
THALLIUM	01059	WAIVED			
NITRATE/NITRITE					
NITRATE (AS NO3)	71850	WAIVED			
NITRITE (AS N)	00620	WAIVED			
RADIOLOGICAL					
GROSS ALPHA	01501	WAIVED			
GROSS BETA	03501	WAIVED			
RA-226 FOR CWS OR TOTAL RA FOR NTNC BY 903.0	A-080	WAIVED			
RA-226 OR TOTAL RA BY 903.0 C.E.	A-081	WAIVED			
RADIUM 226	09501	WAIVED			
RADIUM 228	11501	WAIVED			

**Testing interval is in months;*
0 = No data for this constituent and is DUE NOW
999 = Waived testing (not required)
I = Invalid (NOT) valid analyses reported

System Number: ***1900018***

System Name: ***LIVINGSTON-GRAHAM HANSON AGGREGATES***

PS Code: ***1900018-005***

Source Name: ***AUTOMATIC CHLORINATION UNIT #2***

Source Number: ***005***

Source Status: ***ACTIVE TREATED***

Water type: ***GROUNDWATER OR WELL***

	STORET NUMBER	TESTING INTERVAL (MONTHS)*	LAST TEST DATE (yyyy/mm/dd)	LAST RESULT REPORTED	NEXT TEST DATE (yyyy/mm)
RADIOLOGICAL					
RADIUM, TOTAL, MDA95-NTNC ONLY, BY 903.0	A-082	WAIVED			
STRONTIUM-90	13501	WAIVED			
TRITIUM	07000	WAIVED			
URANIUM (PCI/L)	28012	WAIVED			
REGULATED SOC					
2,3,7,8-TCDD (DIOXIN)	34676	WAIVED			
2,4,5-TP (SILVEX)	39045	WAIVED			
2,4-D	39730	WAIVED			
ALACHLOR	77825	WAIVED			
ATRAZINE	39033	WAIVED			
BENTAZON	38710	WAIVED			
BENZO (A) PYRENE	34247	WAIVED			
CARBOFURAN	81405	WAIVED			
CHLORDANE	39350	WAIVED			
DALAPON	38432	WAIVED			
DI(2-ETHYLHEXYL)ADIPATE	A-026	WAIVED			
DI(2-ETHYLHEXYL)PHTHALATE	39100	WAIVED			
DIBROMOCHLOROPROPANE (DBCP)	38761	WAIVED			
DINOSEB	81287	WAIVED			
DIQUAT	78885	WAIVED			
ENDOTHALL	38926	WAIVED			
ENDRIN	39390	WAIVED			
ETHYLENE DIBROMIDE (EDB)	77651	WAIVED			
GLYPHOSATE	79743	WAIVED			
HEPTACHLOR	39410	WAIVED			
HEPTACHLOR EPOXIDE	39420	WAIVED			
HEXACHLOROBENZENE	39700	WAIVED			
HEXACHLOROCYCLOPENTADIENE	34386	WAIVED			
LINDANE	39340	WAIVED			

**Testing interval is in months;*
0 = No data for this constituent and is DUE NOW
999 = Waived testing (not required)
I = Invalid (NOT) valid analyses reported

System Number: ***1900018***

System Name: ***LIVINGSTON-GRAHAM HANSON AGGREGATES***

PS Code: ***1900018-005***

Source Name: ***AUTOMATIC CHLORINATION UNIT #2***

Source Number: ***005***

Source Status: ***ACTIVE TREATED***

Water type: ***GROUNDWATER OR WELL***

REGULATED SOC

	STORET NUMBER	TESTING INTERVAL (MONTHS)*	LAST TEST DATE (yyyy/mm/dd)	LAST RESULT REPORTED	NEXT TEST DATE (yyyy/mm)
METHOXYCHLOR	39480	WAIVED			
MOLINATE	82199	WAIVED			
OXAMYL	38865	WAIVED			
PENTACHLOROPHENOL	39032	WAIVED			
PICLORAM	39720	WAIVED			
POLYCHLORINATED BIPHENYLS, TOTAL, AS DCB	39516	WAIVED			
SIMAZINE	39055	WAIVED			
THIOBENCARB	A-001	WAIVED			
TOXAPHENE	39400	WAIVED			

REGULATED VOC

1,1,1-TRICHLOROETHANE	34506	WAIVED			
1,1,2,2-TETRACHLOROETHANE	34516	WAIVED			
1,1,2-TRICHLORO-1,2,2-TRIFLUOROETHANE	81611	WAIVED			
1,1,2-TRICHLOROETHANE	34511	WAIVED			
1,1-DICHLOROETHANE	34496	WAIVED			
1,1-DICHLOROETHYLENE	34501	WAIVED			
1,2,4-TRICHLOROBENZENE	34551	WAIVED			
1,2-DICHLOROBENZENE	34536	WAIVED			
1,2-DICHLOROETHANE	34531	WAIVED			
1,2-DICHLOROPROPANE	34541	WAIVED			
1,3-DICHLOROPROPENE (TOTAL)	34561	WAIVED			
1,4-DICHLOROBENZENE	34571	WAIVED			
BENZENE	34030	WAIVED			
CARBON TETRACHLORIDE	32102	WAIVED			
CIS-1,2-DICHLOROETHYLENE	77093	WAIVED			
DICHLOROMETHANE	34423	WAIVED			
ETHYLBENZENE	34371	WAIVED			
METHYL-TERT-BUTYL-ETHER (MTBE)	46491	WAIVED			
MONOCHLOROBENZENE	34301	WAIVED			

**Testing interval is in months;*
0 = No data for this constituent and is DUE NOW
999 = Waived testing (not required)
I = Invalid (NOT) valid analyses reported

System Number: ***1900018***

System Name: ***LIVINGSTON-GRAHAM HANSON AGGREGATES***

PS Code: ***1900018-005***

Source Name: ***AUTOMATIC CHLORINATION UNIT #2***

Source Number: ***005***

Source Status: ***ACTIVE TREATED***

Water type: ***GROUNDWATER OR WELL***

	STORET NUMBER	TESTING INTERVAL (MONTHS)*	LAST TEST DATE (yyyy/mm/dd)	LAST RESULT REPORTED	NEXT TEST DATE (yyyy/mm)
REGULATED VOC					
STYRENE	77128	WAIVED			
TETRACHLOROETHYLENE	34475	WAIVED			
TOLUENE	34010	WAIVED			
TRANS-1,2-DICHLOROETHYLENE	34546	WAIVED			
TRICHLOROETHYLENE	39180	WAIVED			
TRICHLOROFLUOROMETHANE	34488	WAIVED			
VINYL CHLORIDE	39175	WAIVED			
XYLENES (TOTAL)	81551	WAIVED			
SECONDARY/GP					
AGGRSSIVE INDEX (CORROSIVITY)	82383	WAIVED			
BICARBONATE ALKALINITY	00440	WAIVED			
CALCIUM	00916	WAIVED			
CARBONATE ALKALINITY	00445	WAIVED			
CHLORIDE	00940	WAIVED			
COLOR	00081	WAIVED			
COPPER	01042	WAIVED			
FOAMING AGENTS (MBAS)	38260	WAIVED			
HARDNESS (TOTAL) AS CACO3	00900	WAIVED			
HYDROXIDE ALKALINITY	71830	WAIVED			
IRON	01045	WAIVED			
MAGNESIUM	00927	WAIVED			
MANGANESE	01055	WAIVED			
ODOR THRESHOLD @ 60 C	00086	WAIVED			
PH, LABORATORY	00403	WAIVED			
SILVER	01077	WAIVED			
SODIUM	00929	WAIVED			
SPECIFIC CONDUCTANCE	00095	WAIVED			
SULFATE	00945	WAIVED			
TOTAL DISSOLVED SOLIDS	70300	WAIVED			

**Testing interval is in months;*
0 = No data for this constituent and is DUE NOW
999 = Waived testing (not required)
I = Invalid (NOT) valid analyses reported

System Number: ***1900018***

System Name: ***LIVINGSTON-GRAHAM HANSON AGGREGATES***

PS Code: ***1900018-005***

Source Name: ***AUTOMATIC CHLORINATION UNIT #2***

Source Number: ***005***

Source Status: ***ACTIVE TREATED***

Water type: ***GROUNDWATER OR WELL***

SECONDARY/GP

	STORET NUMBER	TESTING INTERVAL (MONTHS)*	LAST TEST DATE (yyyy/mm/dd)	LAST RESULT REPORTED	NEXT TEST DATE (yyyy/mm)
TURBIDITY, LABORATORY	82079	WAIVED			
ZINC	01092	WAIVED			

**Testing interval is in months;*
0 = No data for this constituent and is DUE NOW
999 = Waived testing (not required)
I = Invalid (NOT) valid analyses reported

System Number: ***1900021***

System Name: ***SIERRA INN***

PS Code: ***1900021-001***

Source Name: ***WELL 03***

Source Number: ***001***

Source Status: ***ACTIVE UNTREATED***

Water type: ***GROUNDWATER OR WELL***

	STORET NUMBER	TESTING INTERVAL (MONTHS)*	LAST TEST DATE (yyyy/mm/dd)	LAST RESULT REPORTED	NEXT TEST DATE (yyyy/mm)
GENERAL NON CHAP 15					
DIAZINON	39570	WAIVED			
INORGANIC					
ALUMINUM	01105	WAIVED	2002/10/18	.000	
ANTIMONY	01097	WAIVED	2002/10/18	.000	
ARSENIC	01002	WAIVED	2002/10/18	.000	
ASBESTOS	81855	WAIVED			
BARIUM	01007	WAIVED	2002/10/18	.000	
BERYLLIUM	01012	WAIVED			
CADMIUM	01027	WAIVED	2002/10/18	.000	
CHROMIUM (TOTAL)	01034	WAIVED	2002/10/18	.000	
CYANIDE	01291	WAIVED			
FLUORIDE (F) (NATURAL-SOURCE)	00951	WAIVED	2002/10/18	.400	
LEAD	01051	WAIVED	2002/10/18	.000	
MERCURY	71900	WAIVED	2002/10/18	.000	
NICKEL	01067	WAIVED	2002/10/18	.000	
PERCHLORATE	A-031	WAIVED	2002/10/18	.000	
SELENIUM	01147	WAIVED	2002/10/18	7.720	
THALLIUM	01059	WAIVED	1998/04/28	.000	
NITRATE/NITRITE					
NITRATE (AS NO3)	71850	WAIVED	2002/10/18	2.870	
NITRITE (AS N)	00620	WAIVED			
RADIOLOGICAL					
GROSS ALPHA	01501	WAIVED			
GROSS BETA	03501	WAIVED			
RA-226 FOR CWS OR TOTAL RA FOR NTNC BY 903.0	A-080	WAIVED			
RA-226 OR TOTAL RA BY 903.0 C.E.	A-081	WAIVED			
RADIUM 226	09501	WAIVED			
RADIUM 228	11501	WAIVED			

**Testing interval is in months;*
0 = No data for this constituent and is DUE NOW
999 = Waived testing (not required)
I = Invalid (NOT) valid analyses reported

System Number: ***1900021***

System Name: ***SIERRA INN***

PS Code: ***1900021-001***

Source Name: ***WELL 03***

Source Number: ***001***

Source Status: ***ACTIVE UNTREATED***

Water type: ***GROUNDWATER OR WELL***

	STORET NUMBER	TESTING INTERVAL (MONTHS)*	LAST TEST DATE (yyyy/mm/dd)	LAST RESULT REPORTED	NEXT TEST DATE (yyyy/mm)
RADIOLOGICAL					
RADIUM, TOTAL, MDA95-NTNC ONLY, BY 903.0	A-082	WAIVED			
STRONTIUM-90	13501	WAIVED			
TRITIUM	07000	WAIVED			
URANIUM (PCI/L)	28012	WAIVED			
REGULATED SOC					
2,3,7,8-TCDD (DIOXIN)	34676	WAIVED			
2,4,5-TP (SILVEX)	39045	WAIVED			
2,4-D	39730	WAIVED			
ALACHLOR	77825	WAIVED			
ATRAZINE	39033	WAIVED			
BENTAZON	38710	WAIVED			
BENZO (A) PYRENE	34247	WAIVED			
CARBOFURAN	81405	WAIVED			
CHLORDANE	39350	WAIVED			
DALAPON	38432	WAIVED			
DI(2-ETHYLHEXYL)ADIPATE	A-026	WAIVED			
DI(2-ETHYLHEXYL)PHTHALATE	39100	WAIVED			
DIBROMOCHLOROPROPANE (DBCP)	38761	WAIVED			
DINOSEB	81287	WAIVED			
DIQUAT	78885	WAIVED			
ENDOTHALL	38926	WAIVED			
ENDRIN	39390	WAIVED			
ETHYLENE DIBROMIDE (EDB)	77651	WAIVED			
GLYPHOSATE	79743	WAIVED			
HEPTACHLOR	39410	WAIVED			
HEPTACHLOR EPOXIDE	39420	WAIVED			
HEXACHLOROBENZENE	39700	WAIVED			
HEXACHLOROCYCLOPENTADIENE	34386	WAIVED			
LINDANE	39340	WAIVED			

**Testing interval is in months;*
0 = No data for this constituent and is DUE NOW
999 = Waived testing (not required)
I = Invalid (NOT) valid analyses reported

System Number: ***1900021***

System Name: ***SIERRA INN***

PS Code: ***1900021-001***

Source Name: ***WELL 03***

Source Number: ***001***

Source Status: ***ACTIVE UNTREATED***

Water type: ***GROUNDWATER OR WELL***

	STORET NUMBER	TESTING INTERVAL (MONTHS)*	LAST TEST DATE (yyyy/mm/dd)	LAST RESULT REPORTED	NEXT TEST DATE (yyyy/mm)
REGULATED SOC					
METHOXYCHLOR	39480	WAIVED			
MOLINATE	82199	WAIVED			
OXAMYL	38865	WAIVED			
PENTACHLOROPHENOL	39032	WAIVED			
PICLORAM	39720	WAIVED			
POLYCHLORINATED BIPHENYLS, TOTAL, AS DCB	39516	WAIVED			
SIMAZINE	39055	WAIVED			
THIOBENCARB	A-001	WAIVED	2002/10/18	.000	
TOXAPHENE	39400	WAIVED			
REGULATED VOC					
1,1,1-TRICHLOROETHANE	34506	WAIVED			
1,1,2,2-TETRACHLOROETHANE	34516	WAIVED			
1,1,2-TRICHLORO-1,2,2-TRIFLUOROETHANE	81611	WAIVED			
1,1,2-TRICHLOROETHANE	34511	WAIVED			
1,1-DICHLOROETHANE	34496	WAIVED			
1,1-DICHLOROETHYLENE	34501	WAIVED			
1,2,4-TRICHLOROBENZENE	34551	WAIVED			
1,2-DICHLOROBENZENE	34536	WAIVED			
1,2-DICHLOROETHANE	34531	WAIVED			
1,2-DICHLOROPROPANE	34541	WAIVED			
1,3-DICHLOROPROPENE (TOTAL)	34561	WAIVED			
1,4-DICHLOROBENZENE	34571	WAIVED			
BENZENE	34030	WAIVED			
CARBON TETRACHLORIDE	32102	WAIVED			
CIS-1,2-DICHLOROETHYLENE	77093	WAIVED			
DICHLOROMETHANE	34423	WAIVED			
ETHYLBENZENE	34371	WAIVED			
METHYL-TERT-BUTYL-ETHER (MTBE)	46491	WAIVED			
MONOCHLOROBENZENE	34301	WAIVED			

**Testing interval is in months;*
0 = No data for this constituent and is DUE NOW
999 = Waived testing (not required)
I = Invalid (NOT) valid analyses reported

System Number: ***1900021***

System Name: ***SIERRA INN***

PS Code: ***1900021-001***

Source Name: ***WELL 03***

Source Number: ***001***

Source Status: ***ACTIVE UNTREATED***

Water type: ***GROUNDWATER OR WELL***

	STORET NUMBER	TESTING INTERVAL (MONTHS)*	LAST TEST DATE (yyyy/mm/dd)	LAST RESULT REPORTED	NEXT TEST DATE (yyyy/mm)
REGULATED VOC					
STYRENE	77128	WAIVED			
TETRACHLOROETHYLENE	34475	WAIVED			
TOLUENE	34010	WAIVED			
TRANS-1,2-DICHLOROETHYLENE	34546	WAIVED			
TRICHLOROETHYLENE	39180	WAIVED			
TRICHLOROFLUOROMETHANE	34488	WAIVED			
VINYL CHLORIDE	39175	WAIVED			
XYLENES (TOTAL)	81551	WAIVED			
SECONDARY/GP					
AGGRSSIVE INDEX (CORROSIVITY)	82383	WAIVED			
BICARBONATE ALKALINITY	00440	WAIVED	2002/10/18	429.000	
CALCIUM	00916	WAIVED	2002/10/18	118.000	
CARBONATE ALKALINITY	00445	WAIVED	2002/10/18	.000	
CHLORIDE	00940	WAIVED	2002/10/18	103.000	
COLOR	00081	WAIVED	2002/10/18	.000	
COPPER	01042	WAIVED	2002/10/18	.000	
FOAMING AGENTS (MBAS)	38260	WAIVED	2002/10/18	.000	
HARDNESS (TOTAL) AS CACO3	00900	WAIVED	2002/10/18	530.000	
HYDROXIDE ALKALINITY	71830	WAIVED	2002/10/18	.000	
IRON	01045	WAIVED	2002/10/18	.000	
MAGNESIUM	00927	WAIVED	2002/10/18	57.100	
MANGANESE	01055	WAIVED	2002/10/18	.000	
ODOR THRESHOLD @ 60 C	00086	WAIVED	2002/10/18	.000	
PH, LABORATORY	00403	WAIVED	2002/10/18	8.500	
SILVER	01077	WAIVED	2002/10/18	.000	
SODIUM	00929	WAIVED	2002/10/18	56.800	
SPECIFIC CONDUCTANCE	00095	WAIVED	2002/10/18	1266.000	
SULFATE	00945	WAIVED	2002/10/18	125.000	
TOTAL DISSOLVED SOLIDS	70300	WAIVED	2002/10/18	754.000	

**Testing interval is in months;*
0 = No data for this constituent and is DUE NOW
999 = Waived testing (not required)
I = Invalid (NOT) valid analyses reported

System Number: ***1900021***

System Name: ***SIERRA INN***

PS Code: ***1900021-001***

Source Name: ***WELL 03***

Source Number: ***001***

Source Status: ***ACTIVE UNTREATED***

Water type: ***GROUNDWATER OR WELL***

SECONDARY/GP

	STORET NUMBER	TESTING INTERVAL (MONTHS)*	LAST TEST DATE (yyyy/mm/dd)	LAST RESULT REPORTED	NEXT TEST DATE (yyyy/mm)
TURBIDITY, LABORATORY	82079	WAIVED	2002/10/18	.200	
ZINC	01092	WAIVED	2002/10/18	58.200	

**Testing interval is in months;*
0 = No data for this constituent and is DUE NOW
999 = Waived testing (not required)
I = Invalid (NOT) valid analyses reported

System Number: ***1900034***

System Name: ***MARTINEZ/SIERRA HIGHWAY SHELL STATION***

PS Code: ***1900034-001***

Source Name: ***WELL 01***

Source Number: ***001***

Source Status: ***ACTIVE UNTREATED***

Water type: ***GROUNDWATER OR WELL***

	STORET NUMBER	TESTING INTERVAL (MONTHS)*	LAST TEST DATE (yyyy/mm/dd)	LAST RESULT REPORTED	NEXT TEST DATE (yyyy/mm)
GENERAL NON CHAP 15					
DIAZINON	39570	WAIVED			
INORGANIC					
ALUMINUM	01105	WAIVED	2004/05/26	.000	
ANTIMONY	01097	WAIVED	2004/05/26	.000	
ARSENIC	01002	WAIVED	2004/05/26	2.580	
ASBESTOS	81855	WAIVED			
BARIUM	01007	WAIVED	2002/12/27	.000	
BERYLLIUM	01012	WAIVED	2004/05/26	.000	
CADMIUM	01027	WAIVED	2004/05/26	.000	
CHROMIUM (TOTAL)	01034	WAIVED	2004/05/26	10.800	
CYANIDE	01291	WAIVED	2004/05/26	.000	
FLUORIDE (F) (NATURAL-SOURCE)	00951	WAIVED	2004/05/26	.420	
LEAD	01051	WAIVED	2004/05/26	.000	
MERCURY	71900	WAIVED	2004/05/26	.000	
NICKEL	01067	WAIVED	2004/05/26	.000	
PERCHLORATE	A-031	WAIVED	2002/12/27	.000	
SELENIUM	01147	WAIVED	2004/05/26	6.860	
THALLIUM	01059	WAIVED	2004/05/26	.000	
NITRATE/NITRITE					
NITRATE (AS NO3)	71850	WAIVED	2005/09/28	40.100	
NITRITE (AS N)	00620	WAIVED	1996/10/29	.000	
RADIOLOGICAL					
GROSS ALPHA	01501	WAIVED			
GROSS BETA	03501	WAIVED			
RA-226 FOR CWS OR TOTAL RA FOR NTNC BY 903.0	A-080	WAIVED			
RA-226 OR TOTAL RA BY 903.0 C.E.	A-081	WAIVED			
RADIUM 226	09501	WAIVED			
RADIUM 228	11501	WAIVED			

**Testing interval is in months;*
0 = No data for this constituent and is DUE NOW
999 = Waived testing (not required)
I = Invalid (NOT) valid analyses reported

System Number: ***1900034***

System Name: ***MARTINEZ/SIERRA HIGHWAY SHELL STATION***

PS Code: ***1900034-001***

Source Name: ***WELL 01***

Source Number: ***001***

Source Status: ***ACTIVE UNTREATED***

Water type: ***GROUNDWATER OR WELL***

	STORET NUMBER	TESTING INTERVAL (MONTHS)*	LAST TEST DATE (yyyy/mm/dd)	LAST RESULT REPORTED	NEXT TEST DATE (yyyy/mm)
RADIOLOGICAL					
RADIUM, TOTAL, MDA95-NTNC ONLY, BY 903.0	A-082	WAIVED			
STRONTIUM-90	13501	WAIVED			
TRITIUM	07000	WAIVED			
URANIUM (PCI/L)	28012	WAIVED			
REGULATED SOC					
2,3,7,8-TCDD (DIOXIN)	34676	WAIVED			
2,4,5-TP (SILVEX)	39045	WAIVED			
2,4-D	39730	WAIVED			
ALACHLOR	77825	WAIVED			
ATRAZINE	39033	WAIVED			
BENTAZON	38710	WAIVED			
BENZO (A) PYRENE	34247	WAIVED			
CARBOFURAN	81405	WAIVED			
CHLORDANE	39350	WAIVED			
DALAPON	38432	WAIVED			
DI(2-ETHYLHEXYL)ADIPATE	A-026	WAIVED			
DI(2-ETHYLHEXYL)PHTHALATE	39100	WAIVED			
DIBROMOCHLOROPROPANE (DBCP)	38761	WAIVED			
DINOSEB	81287	WAIVED			
DIQUAT	78885	WAIVED			
ENDOTHALL	38926	WAIVED			
ENDRIN	39390	WAIVED			
ETHYLENE DIBROMIDE (EDB)	77651	WAIVED			
GLYPHOSATE	79743	WAIVED			
HEPTACHLOR	39410	WAIVED			
HEPTACHLOR EPOXIDE	39420	WAIVED			
HEXACHLOROBENZENE	39700	WAIVED			
HEXACHLOROCYCLOPENTADIENE	34386	WAIVED			
LINDANE	39340	WAIVED			

**Testing interval is in months;*
0 = No data for this constituent and is DUE NOW
999 = Waived testing (not required)
I = Invalid (NOT) valid analyses reported

System Number: ***1900034***

System Name: ***MARTINEZ/SIERRA HIGHWAY SHELL STATION***

PS Code: ***1900034-001***

Source Name: ***WELL 01***

Source Number: ***001***

Source Status: ***ACTIVE UNTREATED***

Water type: ***GROUNDWATER OR WELL***

	STORET NUMBER	TESTING INTERVAL (MONTHS)*	LAST TEST DATE (yyyy/mm/dd)	LAST RESULT REPORTED	NEXT TEST DATE (yyyy/mm)
REGULATED SOC					
METHOXYCHLOR	39480	WAIVED			
MOLINATE	82199	WAIVED			
OXAMYL	38865	WAIVED			
PENTACHLOROPHENOL	39032	WAIVED			
PICLORAM	39720	WAIVED			
POLYCHLORINATED BIPHENYLS, TOTAL, AS DCB	39516	WAIVED			
SIMAZINE	39055	WAIVED			
THIOBENCARB	A-001	WAIVED	2002/12/27	.000	
TOXAPHENE	39400	WAIVED			
REGULATED VOC					
1,1,1-TRICHLOROETHANE	34506	WAIVED			
1,1,2,2-TETRACHLOROETHANE	34516	WAIVED			
1,1,2-TRICHLORO-1,2,2-TRIFLUOROETHANE	81611	WAIVED			
1,1,2-TRICHLOROETHANE	34511	WAIVED			
1,1-DICHLOROETHANE	34496	WAIVED			
1,1-DICHLOROETHYLENE	34501	WAIVED			
1,2,4-TRICHLOROBENZENE	34551	WAIVED			
1,2-DICHLOROBENZENE	34536	WAIVED			
1,2-DICHLOROETHANE	34531	WAIVED			
1,2-DICHLOROPROPANE	34541	WAIVED			
1,3-DICHLOROPROPENE (TOTAL)	34561	WAIVED			
1,4-DICHLOROBENZENE	34571	WAIVED			
BENZENE	34030	WAIVED			
CARBON TETRACHLORIDE	32102	WAIVED			
CIS-1,2-DICHLOROETHYLENE	77093	WAIVED			
DICHLOROMETHANE	34423	WAIVED			
ETHYLBENZENE	34371	WAIVED			
METHYL-TERT-BUTYL-ETHER (MTBE)	46491	WAIVED			
MONOCHLOROBENZENE	34301	WAIVED			

**Testing interval is in months;*
0 = No data for this constituent and is DUE NOW
999 = Waived testing (not required)
I = Invalid (NOT) valid analyses reported

System Number: ***1900034***

System Name: ***MARTINEZ/SIERRA HIGHWAY SHELL STATION***

PS Code: ***1900034-001***

Source Name: ***WELL 01***

Source Number: ***001***

Source Status: ***ACTIVE UNTREATED***

Water type: ***GROUNDWATER OR WELL***

	STORET NUMBER	TESTING INTERVAL (MONTHS)*	LAST TEST DATE (yyyy/mm/dd)	LAST RESULT REPORTED	NEXT TEST DATE (yyyy/mm)
REGULATED VOC					
STYRENE	77128	WAIVED			
TETRACHLOROETHYLENE	34475	WAIVED			
TOLUENE	34010	WAIVED			
TRANS-1,2-DICHLOROETHYLENE	34546	WAIVED			
TRICHLOROETHYLENE	39180	WAIVED			
TRICHLOROFLUOROMETHANE	34488	WAIVED			
VINYL CHLORIDE	39175	WAIVED			
XYLENES (TOTAL)	81551	WAIVED			
SECONDARY/GP					
AGGRSSIVE INDEX (CORROSIVITY)	82383	WAIVED			
BICARBONATE ALKALINITY	00440	WAIVED	2004/05/26	497.000	
CALCIUM	00916	WAIVED	2004/05/26	140.000	
CARBONATE ALKALINITY	00445	WAIVED	2004/05/26	.000	
CHLORIDE	00940	WAIVED	2004/05/26	157.000	
COLOR	00081	WAIVED	2004/05/26	.000	
COPPER	01042	WAIVED	2004/05/26	.000	
FOAMING AGENTS (MBAS)	38260	WAIVED	2004/05/26	.000	
HARDNESS (TOTAL) AS CACO3	00900	WAIVED	2004/05/26	580.000	
HYDROXIDE ALKALINITY	71830	WAIVED	2004/05/26	.000	
IRON	01045	WAIVED	2004/05/26	.000	
MAGNESIUM	00927	WAIVED	2004/05/26	55.900	
MANGANESE	01055	WAIVED	2004/05/26	.000	
ODOR THRESHOLD @ 60 C	00086	WAIVED	2004/05/26	.000	
PH, LABORATORY	00403	WAIVED	2004/05/26	7.220	
SILVER	01077	WAIVED	2004/05/26	.000	
SODIUM	00929	WAIVED	2004/05/26	131.000	
SPECIFIC CONDUCTANCE	00095	WAIVED	2004/05/26	1550.000	
SULFATE	00945	WAIVED	2004/05/26	215.000	
TOTAL DISSOLVED SOLIDS	70300	WAIVED	2004/05/26	1094.000	

**Testing interval is in months;*
0 = No data for this constituent and is DUE NOW
999 = Waived testing (not required)
I = Invalid (NOT) valid analyses reported

System Number: ***1900034***

System Name: ***MARTINEZ/SIERRA HIGHWAY SHELL STATION***

PS Code: ***1900034-001***

Source Name: ***WELL 01***

Source Number: ***001***

Source Status: ***ACTIVE UNTREATED***

Water type: ***GROUNDWATER OR WELL***

SECONDARY/GP

	STORET NUMBER	TESTING INTERVAL (MONTHS)*	LAST TEST DATE (yyyy/mm/dd)	LAST RESULT REPORTED	NEXT TEST DATE (yyyy/mm)
TURBIDITY, LABORATORY	82079	WAIVED	2004/05/26	.210	
ZINC	01092	WAIVED	2004/05/26	92.700	

**Testing interval is in months;*
0 = No data for this constituent and is DUE NOW
999 = Waived testing (not required)
I = Invalid (NOT) valid analyses reported

System Number: ***1900035***

System Name: ***MILLER BREWING***

PS Code: ***1900035-001***

Source Name: ***WELL 01 SW WELL***

Source Number: ***001***

Source Status: ***ACTIVE UNTREATED***

Water type: ***GROUNDWATER OR WELL***

	STORET NUMBER	TESTING INTERVAL (MONTHS)*	LAST TEST DATE (yyyy/mm/dd)	LAST RESULT REPORTED	NEXT TEST DATE (yyyy/mm)
GENERAL NON CHAP 15					
DIAZINON	39570	WAIVED	2001/06/27	.000	
INORGANIC					
ALUMINUM	01105	WAIVED	2008/06/03	9.700	
ANTIMONY	01097	WAIVED	2008/06/03	.000	
ARSENIC	01002	WAIVED	2008/06/03	3.900	
ASBESTOS	81855	WAIVED			
BARIUM	01007	WAIVED	2008/06/03	110.000	
BERYLLIUM	01012	WAIVED	2008/06/03	.000	
CADMIUM	01027	WAIVED	2008/06/03	.000	
CHROMIUM (TOTAL)	01034	WAIVED	2008/06/03	.300	
CYANIDE	01291	WAIVED	2008/06/03	.000	
FLUORIDE (F) (NATURAL-SOURCE)	00951	WAIVED	2008/06/03	.370	
LEAD	01051	WAIVED	2008/06/03	.000	
MERCURY	71900	WAIVED	2008/06/03	.000	
NICKEL	01067	WAIVED	2008/06/03	.000	
PERCHLORATE	A-031	WAIVED	2008/06/03	.000	
SELENIUM	01147	WAIVED	2008/06/03	.000	
THALLIUM	01059	WAIVED	2008/06/03	.000	
NITRATE/NITRITE					
NITRATE (AS NO3)	71850	WAIVED	2008/06/03	4.700	
NITRITE (AS N)	00620	WAIVED	2008/06/03	.000	
RADIOLOGICAL					
GROSS ALPHA	01501	WAIVED			
GROSS BETA	03501	WAIVED			
RA-226 FOR CWS OR TOTAL RA FOR NTNC BY 903.0	A-080	WAIVED			
RA-226 OR TOTAL RA BY 903.0 C.E.	A-081	WAIVED			
RADIUM 226	09501	WAIVED			
RADIUM 228	11501	WAIVED			

**Testing interval is in months;*
0 = No data for this constituent and is DUE NOW
999 = Waived testing (not required)
I = Invalid (NOT) valid analyses reported

System Number: ***1900035***

System Name: ***MILLER BREWING***

PS Code: ***1900035-001***

Source Name: ***WELL 01 SW WELL***

Source Number: ***001***

Source Status: ***ACTIVE UNTREATED***

Water type: ***GROUNDWATER OR WELL***

	STORET NUMBER	TESTING INTERVAL (MONTHS)*	LAST TEST DATE (yyyy/mm/dd)	LAST RESULT REPORTED	NEXT TEST DATE (yyyy/mm)
RADIOLOGICAL					
RADIUM, TOTAL, MDA95-NTNC ONLY, BY 903.0	A-082	WAIVED			
STRONTIUM-90	13501	WAIVED			
TRITIUM	07000	WAIVED			
URANIUM (PCI/L)	28012	WAIVED			
REGULATED SOC					
2,3,7,8-TCDD (DIOXIN)	34676	WAIVED			
2,4,5-TP (SILVEX)	39045	WAIVED			
2,4-D	39730	WAIVED			
ALACHLOR	77825	WAIVED	2001/06/27	.000	
ATRAZINE	39033	WAIVED	2001/06/27	.000	
BENTAZON	38710	WAIVED			
BENZO (A) PYRENE	34247	WAIVED			
CARBOFURAN	81405	WAIVED			
CHLORDANE	39350	WAIVED	2001/06/27	.000	
DALAPON	38432	WAIVED			
DI(2-ETHYLHEXYL)ADIPATE	A-026	WAIVED			
DI(2-ETHYLHEXYL)PHTHALATE	39100	WAIVED			
DIBROMOCHLOROPROPANE (DBCP)	38761	WAIVED			
DINOSEB	81287	WAIVED			
DIQUAT	78885	WAIVED			
ENDOTHALL	38926	WAIVED			
ENDRIN	39390	WAIVED	2001/06/27	.000	
ETHYLENE DIBROMIDE (EDB)	77651	WAIVED			
GLYPHOSATE	79743	WAIVED			
HEPTACHLOR	39410	WAIVED	2000/02/18	.000	
HEPTACHLOR EPOXIDE	39420	WAIVED	2000/02/18	.000	
HEXACHLOROBENZENE	39700	WAIVED	2001/06/27	.000	
HEXACHLOROCYCLOPENTADIENE	34386	WAIVED	2001/06/27	.000	
LINDANE	39340	WAIVED	2001/06/27	.000	

**Testing interval is in months;*
0 = No data for this constituent and is DUE NOW
999 = Waived testing (not required)
I = Invalid (NOT) valid analyses reported

System Number: ***1900035***

System Name: ***MILLER BREWING***

PS Code: ***1900035-001***

Source Name: ***WELL 01 SW WELL***

Source Number: ***001***

Source Status: ***ACTIVE UNTREATED***

Water type: ***GROUNDWATER OR WELL***

	STORET NUMBER	TESTING INTERVAL (MONTHS)*	LAST TEST DATE (yyyy/mm/dd)	LAST RESULT REPORTED	NEXT TEST DATE (yyyy/mm)
REGULATED SOC					
METHOXYCHLOR	39480	WAIVED	2001/06/27	.000	
MOLINATE	82199	WAIVED	2001/06/27	.000	
OXAMYL	38865	WAIVED			
PENTACHLOROPHENOL	39032	WAIVED			
PICLORAM	39720	WAIVED			
POLYCHLORINATED BIPHENYLS, TOTAL, AS DCB	39516	WAIVED	2001/06/27	.000	
SIMAZINE	39055	WAIVED	2001/06/27	.000	
THIOBENCARB	A-001	WAIVED	2001/06/27	.000	
TOXAPHENE	39400	WAIVED	2001/06/27	.000	
REGULATED VOC					
1,1,1-TRICHLOROETHANE	34506	WAIVED	2008/06/20	.000	
1,1,2,2-TETRACHLOROETHANE	34516	WAIVED	2008/06/20	.000	
1,1,2-TRICHLORO-1,2,2-TRIFLUOROETHANE	81611	WAIVED	2008/06/20	.000	
1,1,2-TRICHLOROETHANE	34511	WAIVED	2008/06/20	.000	
1,1-DICHLOROETHANE	34496	WAIVED	2008/06/20	.000	
1,1-DICHLOROETHYLENE	34501	WAIVED	2008/06/20	.000	
1,2,4-TRICHLOROBENZENE	34551	WAIVED	2008/06/20	.000	
1,2-DICHLOROBENZENE	34536	WAIVED	2008/06/20	.000	
1,2-DICHLOROETHANE	34531	WAIVED	2008/06/20	.000	
1,2-DICHLOROPROPANE	34541	WAIVED	2008/06/20	.000	
1,3-DICHLOROPROPENE (TOTAL)	34561	WAIVED	2008/06/20	.000	
1,4-DICHLOROBENZENE	34571	WAIVED	2008/06/20	.000	
BENZENE	34030	WAIVED	2008/06/20	.000	
CARBON TETRACHLORIDE	32102	WAIVED	2008/06/20	.000	
CIS-1,2-DICHLOROETHYLENE	77093	WAIVED	2008/06/20	.000	
DICHLOROMETHANE	34423	WAIVED	2008/06/20	.000	
ETHYLBENZENE	34371	WAIVED	2008/06/20	.000	
METHYL-TERT-BUTYL-ETHER (MTBE)	46491	WAIVED	2008/06/20	.000	
MONOCHLOROBENZENE	34301	WAIVED	2008/06/20	.000	

**Testing interval is in months;*
0 = No data for this constituent and is DUE NOW
999 = Waived testing (not required)
I = Invalid (NOT) valid analyses reported

System Number: ***1900035***

System Name: ***MILLER BREWING***

PS Code: ***1900035-001***

Source Name: ***WELL 01 SW WELL***

Source Number: ***001***

Source Status: ***ACTIVE UNTREATED***

Water type: ***GROUNDWATER OR WELL***

	STORET NUMBER	TESTING INTERVAL (MONTHS)*	LAST TEST DATE (yyyy/mm/dd)	LAST RESULT REPORTED	NEXT TEST DATE (yyyy/mm)
REGULATED VOC					
STYRENE	77128	WAIVED	2008/06/20	.000	
TETRACHLOROETHYLENE	34475	WAIVED	2008/06/20	.000	
TOLUENE	34010	WAIVED	2008/06/20	.000	
TRANS-1,2-DICHLOROETHYLENE	34546	WAIVED	2008/06/20	.000	
TRICHLOROETHYLENE	39180	WAIVED	2008/06/20	.000	
TRICHLOROFLUOROMETHANE	34488	WAIVED	2008/06/20	.000	
VINYL CHLORIDE	39175	WAIVED	2008/06/20	.000	
XYLENES (TOTAL)	81551	WAIVED	2008/06/20	.000	
SECONDARY/GP					
AGGRSSIVE INDEX (CORROSIVITY)	82383	WAIVED	2008/06/03	12.300	
BICARBONATE ALKALINITY	00440	WAIVED	2008/06/03	200.000	
CALCIUM	00916	WAIVED	2008/06/03	47.000	
CARBONATE ALKALINITY	00445	WAIVED	2008/06/03	.000	
CHLORIDE	00940	WAIVED	2008/06/03	22.000	
COLOR	00081	WAIVED	2008/06/03	.000	
COPPER	01042	WAIVED	2008/06/03	.000	
FOAMING AGENTS (MBAS)	38260	WAIVED	2008/06/03	.000	
HARDNESS (TOTAL) AS CACO3	00900	WAIVED	2008/06/03	160.000	
HYDROXIDE ALKALINITY	71830	WAIVED	2008/06/03	.000	
IRON	01045	WAIVED	2008/06/03	.000	
MAGNESIUM	00927	WAIVED	2008/06/03	11.000	
MANGANESE	01055	WAIVED	2008/06/03	.000	
ODOR THRESHOLD @ 60 C	00086	WAIVED	2008/06/03	1.000	
PH, LABORATORY	00403	WAIVED	2008/06/03	7.880	
SILVER	01077	WAIVED	2008/06/03	.000	
SODIUM	00929	WAIVED	2008/06/03	25.000	
SPECIFIC CONDUCTANCE	00095	WAIVED	2008/06/03	440.000	
SULFATE	00945	WAIVED	2008/06/03	31.000	
TOTAL DISSOLVED SOLIDS	70300	WAIVED	2008/06/03	230.000	

**Testing interval is in months;*
0 = No data for this constituent and is DUE NOW
999 = Waived testing (not required)
I = Invalid (NOT) valid analyses reported

System Number: ***1900035***

System Name: ***MILLER BREWING***

PS Code: ***1900035-001***

Source Name: ***WELL 01 SW WELL***

Source Number: ***001***

Source Status: ***ACTIVE UNTREATED***

Water type: ***GROUNDWATER OR WELL***

	STORET NUMBER	TESTING INTERVAL (MONTHS)*	LAST TEST DATE (yyyy/mm/dd)	LAST RESULT REPORTED	NEXT TEST DATE (yyyy/mm)
SECONDARY/GP					
TURBIDITY, LABORATORY	82079	WAIVED	2008/06/03	.180	
ZINC	01092	WAIVED	2008/06/03	5.000	

PS Code: ***1900035-002***

Source Name: ***WELL 02 NW WELL***

Source Number: ***002***

Source Status: ***ACTIVE UNTREATED***

Water type: ***GROUNDWATER OR WELL***

	STORET NUMBER	TESTING INTERVAL (MONTHS)*	LAST TEST DATE (yyyy/mm/dd)	LAST RESULT REPORTED	NEXT TEST DATE (yyyy/mm)
GENERAL NON CHAP 15					
DIAZINON	39570	WAIVED	2011/05/24	< .000	
INORGANIC					
ALUMINUM	01105	WAIVED	2011/05/24	< .000	
ANTIMONY	01097	WAIVED	2011/05/24	< .000	
ARSENIC	01002	WAIVED	2011/05/24	3.500	
ASBESTOS	81855	WAIVED	2011/05/24	< .200	
BARIUM	01007	WAIVED	2011/05/24	100.000	
BERYLLIUM	01012	WAIVED	2011/05/24	< .000	
CADMIUM	01027	WAIVED	2011/05/24	< .000	
CHROMIUM (TOTAL)	01034	WAIVED	2011/05/24	< .000	
CYANIDE	01291	WAIVED	2011/05/24	< .000	
FLUORIDE (F) (NATURAL-SOURCE)	00951	WAIVED	2011/05/24	.330	
LEAD	01051	WAIVED	2011/05/24	< .000	
MERCURY	71900	WAIVED	2011/05/24	< .000	
NICKEL	01067	WAIVED	2011/05/24	< .000	
PERCHLORATE	A-031	WAIVED	2011/05/24	< .000	
SELENIUM	01147	WAIVED	2011/05/24	< .000	
THALLIUM	01059	WAIVED	2011/05/24	< .000	

**Testing interval is in months;*
0 = No data for this constituent and is DUE NOW
999 = Waived testing (not required)
I = Invalid (NOT) valid analyses reported

System Number: ***1900035***

System Name: ***MILLER BREWING***

PS Code: ***1900035-002***

Source Name: ***WELL 02 NW WELL***

Source Number: ***002***

Source Status: ***ACTIVE UNTREATED***

Water type: ***GROUNDWATER OR WELL***

	STORET NUMBER	TESTING INTERVAL (MONTHS)*	LAST TEST DATE (yyyy/mm/dd)	LAST RESULT REPORTED	NEXT TEST DATE (yyyy/mm)
NITRATE/NITRITE					
NITRATE (AS NO3)	71850	WAIVED	2011/05/24	3.000	
NITRITE (AS N)	00620	WAIVED	2011/05/24	< .000	
RADIOLOGICAL					
GROSS ALPHA	01501	WAIVED	2011/05/24	3.600	
GROSS BETA	03501	WAIVED			
RA-226 FOR CWS OR TOTAL RA FOR NTNC BY 903.0	A-080	WAIVED	2011/05/24	.190	
RA-226 OR TOTAL RA BY 903.0 C.E.	A-081	WAIVED	2011/05/24	.224	
RADIUM 226	09501	WAIVED			
RADIUM 228	11501	WAIVED	2011/05/24	.000	
RADIUM, TOTAL, MDA95-NTNC ONLY, BY 903.0	A-082	WAIVED	2011/05/24	.412	
STRONTIUM-90	13501	WAIVED			
TRITIUM	07000	WAIVED			
URANIUM (PCI/L)	28012	WAIVED	2011/05/24	1.300	
REGULATED SOC					
2,3,7,8-TCDD (DIOXIN)	34676	WAIVED	2011/05/24	.000	
2,4,5-TP (SILVEX)	39045	WAIVED			
2,4-D	39730	WAIVED			
ALACHLOR	77825	WAIVED	2011/05/24	< .000	
ATRAZINE	39033	WAIVED	2011/05/24	< .000	
BENTAZON	38710	WAIVED			
BENZO (A) PYRENE	34247	WAIVED	2011/05/24	< .000	
CARBOFURAN	81405	WAIVED	2011/05/24	< .000	
CHLORDANE	39350	WAIVED	2011/05/24	< .000	
DALAPON	38432	WAIVED			
DI(2-ETHYLHEXYL)ADIPATE	A-026	WAIVED	2011/05/24	< .000	
DI(2-ETHYLHEXYL)PHTHALATE	39100	WAIVED	2011/05/24	< .000	
DIBROMOCHLOROPROPANE (DBCP)	38761	WAIVED	2011/05/24	< .000	
DINOSEB	81287	WAIVED			
DIQUAT	78885	WAIVED	2011/05/24	< .000	

**Testing interval is in months;*
0 = No data for this constituent and is DUE NOW
999 = Waived testing (not required)
I = Invalid (NOT) valid analyses reported

System Number: ***1900035***

System Name: ***MILLER BREWING***

PS Code: ***1900035-002***

Source Name: ***WELL 02 NW WELL***

Source Number: ***002***

Source Status: ***ACTIVE UNTREATED***

Water type: ***GROUNDWATER OR WELL***

	STORET NUMBER	TESTING INTERVAL (MONTHS)*	LAST TEST DATE (yyyy/mm/dd)	LAST RESULT REPORTED	NEXT TEST DATE (yyyy/mm)
REGULATED SOC					
ENDOTHALL	38926	WAIVED	2011/05/24	< .000	
ENDRIN	39390	WAIVED	2011/05/24	< .000	
ETHYLENE DIBROMIDE (EDB)	77651	WAIVED	2011/05/24	< .000	
GLYPHOSATE	79743	WAIVED	2011/05/24	< .000	
HEPTACHLOR	39410	WAIVED	2011/05/24	< .000	
HEPTACHLOR EPOXIDE	39420	WAIVED	2011/05/24	< .000	
HEXACHLOROBENZENE	39700	WAIVED	2011/05/24	< .000	
HEXACHLOROCYCLOPENTADIENE	34386	WAIVED	2011/05/24	< .000	
LINDANE	39340	WAIVED	2011/05/24	< .000	
METHOXYCHLOR	39480	WAIVED	2011/05/24	< .000	
MOLINATE	82199	WAIVED	2011/05/24	< .000	
OXAMYL	38865	WAIVED	2011/05/24	< .000	
PENTACHLOROPHENOL	39032	WAIVED			
PICLORAM	39720	WAIVED			
POLYCHLORINATED BIPHENYLS, TOTAL, AS DCB	39516	WAIVED	2011/05/24	< .000	
SIMAZINE	39055	WAIVED	2011/05/24	< .000	
THIOBENCARB	A-001	WAIVED	2011/05/24	< .000	
TOXAPHENE	39400	WAIVED	2011/05/24	< .000	
REGULATED VOC					
1,1,1-TRICHLOROETHANE	34506	WAIVED	2011/05/24	< .000	
1,1,2,2-TETRACHLOROETHANE	34516	WAIVED	2011/05/24	< .000	
1,1,2-TRICHLORO-1,2,2-TRIFLUOROETHANE	81611	WAIVED	2011/05/24	< .000	
1,1,2-TRICHLOROETHANE	34511	WAIVED	2011/05/24	< .000	
1,1-DICHLOROETHANE	34496	WAIVED	2011/05/24	< .000	
1,1-DICHLOROETHYLENE	34501	WAIVED	2011/05/24	< .000	
1,2,4-TRICHLOROBENZENE	34551	WAIVED	2011/05/24	< .000	
1,2-DICHLOROBENZENE	34536	WAIVED	2011/05/24	< .000	
1,2-DICHLOROETHANE	34531	WAIVED	2011/05/24	< .000	
1,2-DICHLOROPROPANE	34541	WAIVED	2011/05/24	< .000	

**Testing interval is in months;*
0 = No data for this constituent and is DUE NOW
999 = Waived testing (not required)
I = Invalid (NOT) valid analyses reported

System Number: ***1900035***

System Name: ***MILLER BREWING***

PS Code: ***1900035-002***

Source Name: ***WELL 02 NW WELL***

Source Number: ***002***

Source Status: ***ACTIVE UNTREATED***

Water type: ***GROUNDWATER OR WELL***

	STORET NUMBER	TESTING INTERVAL (MONTHS)*	LAST TEST DATE (yyyy/mm/dd)	LAST RESULT REPORTED	NEXT TEST DATE (yyyy/mm)
REGULATED VOC					
1,3-DICHLOROPROPENE (TOTAL)	34561	WAIVED	2011/05/24	< .000	
1,4-DICHLOROBENZENE	34571	WAIVED	2011/05/24	< .000	
BENZENE	34030	WAIVED	2011/05/24	< .000	
CARBON TETRACHLORIDE	32102	WAIVED	2011/05/24	< .000	
CIS-1,2-DICHLOROETHYLENE	77093	WAIVED	2011/05/24	< .000	
DICHLOROMETHANE	34423	WAIVED	2011/05/24	< .000	
ETHYLBENZENE	34371	WAIVED	2011/05/24	< .000	
METHYL-TERT-BUTYL-ETHER (MTBE)	46491	WAIVED	2011/05/24	< .000	
MONOCHLOROBENZENE	34301	WAIVED	2011/05/24	< .000	
STYRENE	77128	WAIVED	2011/05/24	< .000	
TETRACHLOROETHYLENE	34475	WAIVED	2011/05/24	< .000	
TOLUENE	34010	WAIVED	2011/05/24	< .000	
TRANS-1,2-DICHLOROETHYLENE	34546	WAIVED	2011/05/24	< .000	
TRICHLOROETHYLENE	39180	WAIVED	2011/05/24	< .000	
TRICHLOROFLUOROMETHANE	34488	WAIVED	2011/05/24	< .000	
VINYL CHLORIDE	39175	WAIVED	2011/05/24	< .000	
XYLENES (TOTAL)	81551	WAIVED	2011/05/24	< .000	
SECONDARY/GP					
AGGRSSIVE INDEX (CORROSIVITY)	82383	WAIVED	2008/05/19	12.300	
BICARBONATE ALKALINITY	00440	WAIVED	2011/05/24	200.000	
CALCIUM	00916	WAIVED	2011/05/24	48.000	
CARBONATE ALKALINITY	00445	WAIVED	2011/05/24	< .000	
CHLORIDE	00940	WAIVED	2011/05/24	20.000	
COLOR	00081	WAIVED	2011/05/24	< .000	
COPPER	01042	WAIVED	2011/05/24	< .000	
FOAMING AGENTS (MBAS)	38260	WAIVED	2011/05/24	< .000	
HARDNESS (TOTAL) AS CACO3	00900	WAIVED	2011/05/24	170.000	
HYDROXIDE ALKALINITY	71830	WAIVED	2011/05/24	< .000	
IRON	01045	WAIVED	2011/05/24	< .000	

**Testing interval is in months;*
0 = No data for this constituent and is DUE NOW
999 = Waived testing (not required)
I = Invalid (NOT) valid analyses reported

System Number: ***1900035***

System Name: ***MILLER BREWING***

PS Code: ***1900035-002***

Source Name: ***WELL 02 NW WELL***

Source Number: ***002***

Source Status: ***ACTIVE UNTREATED***

Water type: ***GROUNDWATER OR WELL***

SECONDARY/GP

	STORET NUMBER	TESTING INTERVAL (MONTHS)*	LAST TEST DATE (yyyy/mm/dd)	LAST RESULT REPORTED	NEXT TEST DATE (yyyy/mm)
MAGNESIUM	00927	WAIVED	2011/05/24	11.000	
MANGANESE	01055	WAIVED	2011/05/24	< .000	
ODOR THRESHOLD @ 60 C	00086	WAIVED	2011/05/24	1.000	
PH, LABORATORY	00403	WAIVED	2011/05/24	7.500	
SILVER	01077	WAIVED	2011/05/24	< .000	
SODIUM	00929	WAIVED	2011/05/24	21.000	
SPECIFIC CONDUCTANCE	00095	WAIVED	2011/05/24	360.000	
SULFATE	00945	WAIVED	2011/05/24	25.000	
TOTAL DISSOLVED SOLIDS	70300	WAIVED	2011/05/24	240.000	
TURBIDITY, LABORATORY	82079	WAIVED	2011/05/24	< .000	
ZINC	01092	WAIVED	2011/05/24	< .000	

PS Code: ***1900035-003***

Source Name: ***PURCHASED WATER - RAW***

Source Number: ***003***

Source Status: ***PURCHASED UNTREATED***

Water type: ***GROUNDWATER OR WELL***

GENERAL NON CHAP 15

DIAZINON	39570	WAIVED

INORGANIC

ALUMINUM	01105	WAIVED
ANTIMONY	01097	WAIVED
ARSENIC	01002	WAIVED
ASBESTOS	81855	WAIVED
BARIUM	01007	WAIVED
BERYLLIUM	01012	WAIVED
CADMIUM	01027	WAIVED
CHROMIUM (TOTAL)	01034	WAIVED
CYANIDE	01291	WAIVED

**Testing interval is in months;*
0 = No data for this constituent and is DUE NOW
999 = Waived testing (not required)
I = Invalid (NOT) valid analyses reported

System Number: ***1900035***

System Name: ***MILLER BREWING***

PS Code: ***1900035-003***

Source Name: ***PURCHASED WATER - RAW***

Source Number: ***003***

Source Status: ***PURCHASED UNTREATED***

Water type: ***GROUNDWATER OR WELL***

	STORET NUMBER	TESTING INTERVAL (MONTHS)*	LAST TEST DATE (yyyy/mm/dd)	LAST RESULT REPORTED	NEXT TEST DATE (yyyy/mm)
INORGANIC					
FLUORIDE (F) (NATURAL-SOURCE)	00951	WAIVED			
LEAD	01051	WAIVED			
MERCURY	71900	WAIVED			
NICKEL	01067	WAIVED			
PERCHLORATE	A-031	WAIVED			
SELENIUM	01147	WAIVED			
THALLIUM	01059	WAIVED			
NITRATE/NITRITE					
NITRATE (AS NO3)	71850	WAIVED			
NITRITE (AS N)	00620	WAIVED			
RADIOLOGICAL					
GROSS ALPHA	01501	WAIVED			
GROSS BETA	03501	WAIVED			
RA-226 FOR CWS OR TOTAL RA FOR NTNC BY 903.0	A-080	WAIVED			
RA-226 OR TOTAL RA BY 903.0 C.E.	A-081	WAIVED			
RADIUM 226	09501	WAIVED			
RADIUM 228	11501	WAIVED			
RADIUM, TOTAL, MDA95-NTNC ONLY, BY 903.0	A-082	WAIVED			
STRONTIUM-90	13501	WAIVED			
TRITIUM	07000	WAIVED			
URANIUM (PCI/L)	28012	WAIVED			
REGULATED SOC					
2,3,7,8-TCDD (DIOXIN)	34676	WAIVED			
2,4,5-TP (SILVEX)	39045	WAIVED			
2,4-D	39730	WAIVED			
ALACHLOR	77825	WAIVED			
ATRAZINE	39033	WAIVED			
BENTAZON	38710	WAIVED			

**Testing interval is in months;*
0 = No data for this constituent and is DUE NOW
999 = Waived testing (not required)
I = Invalid (NOT) valid analyses reported

System Number: ***1900035***

System Name: ***MILLER BREWING***

PS Code: ***1900035-003***

Source Name: ***PURCHASED WATER - RAW***

Source Number: ***003***

Source Status: ***PURCHASED UNTREATED***

Water type: ***GROUNDWATER OR WELL***

	STORET NUMBER	TESTING INTERVAL (MONTHS)*	LAST TEST DATE (yyyy/mm/dd)	LAST RESULT REPORTED	NEXT TEST DATE (yyyy/mm)
REGULATED SOC					
BENZO (A) PYRENE	34247	WAIVED			
CARBOFURAN	81405	WAIVED			
CHLORDANE	39350	WAIVED			
DALAPON	38432	WAIVED			
DI(2-ETHYLHEXYL)ADIPATE	A-026	WAIVED			
DI(2-ETHYLHEXYL)PHTHALATE	39100	WAIVED			
DIBROMOCHLOROPROPANE (DBCP)	38761	WAIVED			
DINOSEB	81287	WAIVED			
DIQUAT	78885	WAIVED			
ENDOTHALL	38926	WAIVED			
ENDRIN	39390	WAIVED			
ETHYLENE DIBROMIDE (EDB)	77651	WAIVED			
GLYPHOSATE	79743	WAIVED			
HEPTACHLOR	39410	WAIVED			
HEPTACHLOR EPOXIDE	39420	WAIVED			
HEXACHLOROBENZENE	39700	WAIVED			
HEXACHLOROCYCLOPENTADIENE	34386	WAIVED			
LINDANE	39340	WAIVED			
METHOXYCHLOR	39480	WAIVED			
MOLINATE	82199	WAIVED			
OXAMYL	38865	WAIVED			
PENTACHLOROPHENOL	39032	WAIVED			
PICLORAM	39720	WAIVED			
POLYCHLORINATED BIPHENYLS, TOTAL, AS DCB	39516	WAIVED			
SIMAZINE	39055	WAIVED			
THIOBENCARB	A-001	WAIVED			
TOXAPHENE	39400	WAIVED			
REGULATED VOC					
1,1,1-TRICHLOROETHANE	34506	WAIVED			

**Testing interval is in months;*
0 = No data for this constituent and is DUE NOW
999 = Waived testing (not required)
I = Invalid (NOT) valid analyses reported

System Number: ***1900035***

System Name: ***MILLER BREWING***

PS Code: ***1900035-003***

Source Name: ***PURCHASED WATER - RAW***

Source Number: ***003***

Source Status: ***PURCHASED UNTREATED***

Water type: ***GROUNDWATER OR WELL***

	STORET NUMBER	TESTING INTERVAL (MONTHS)*	LAST TEST DATE (yyyy/mm/dd)	LAST RESULT REPORTED	NEXT TEST DATE (yyyy/mm)
REGULATED VOC					
1,1,2,2-TETRACHLOROETHANE	34516	WAIVED			
1,1,2-TRICHLORO-1,2,2-TRIFLUOROETHANE	81611	WAIVED			
1,1,2-TRICHLOROETHANE	34511	WAIVED			
1,1-DICHLOROETHANE	34496	WAIVED			
1,1-DICHLOROETHYLENE	34501	WAIVED			
1,2,4-TRICHLOROBENZENE	34551	WAIVED			
1,2-DICHLOROBENZENE	34536	WAIVED			
1,2-DICHLOROETHANE	34531	WAIVED			
1,2-DICHLOROPROPANE	34541	WAIVED			
1,3-DICHLOROPROPENE (TOTAL)	34561	WAIVED			
1,4-DICHLOROBENZENE	34571	WAIVED			
BENZENE	34030	WAIVED			
CARBON TETRACHLORIDE	32102	WAIVED			
CIS-1,2-DICHLOROETHYLENE	77093	WAIVED			
DICHLOROMETHANE	34423	WAIVED			
ETHYLBENZENE	34371	WAIVED			
METHYL-TERT-BUTYL-ETHER (MTBE)	46491	WAIVED			
MONOCHLOROBENZENE	34301	WAIVED			
STYRENE	77128	WAIVED			
TETRACHLOROETHYLENE	34475	WAIVED			
TOLUENE	34010	WAIVED			
TRANS-1,2-DICHLOROETHYLENE	34546	WAIVED			
TRICHLOROETHYLENE	39180	WAIVED			
TRICHLOROFLUOROMETHANE	34488	WAIVED			
VINYL CHLORIDE	39175	WAIVED			
XYLENES (TOTAL)	81551	WAIVED			
SECONDARY/GP					
AGGRSSIVE INDEX (CORROSIVITY)	82383	WAIVED			
BICARBONATE ALKALINITY	00440	WAIVED			

**Testing interval is in months;*
0 = No data for this constituent and is DUE NOW
999 = Waived testing (not required)
I = Invalid (NOT) valid analyses reported

System Number: ***1900035***

System Name: ***MILLER BREWING***

PS Code: ***1900035-003***

Source Name: ***PURCHASED WATER - RAW***

Source Number: ***003***

Source Status: ***PURCHASED UNTREATED***

Water type: ***GROUNDWATER OR WELL***

SECONDARY/GP

	STORET NUMBER	TESTING INTERVAL (MONTHS)*	LAST TEST DATE (yyyy/mm/dd)	LAST RESULT REPORTED	NEXT TEST DATE (yyyy/mm)
CALCIUM	00916	WAIVED			
CARBONATE ALKALINITY	00445	WAIVED			
CHLORIDE	00940	WAIVED			
COLOR	00081	WAIVED			
COPPER	01042	WAIVED			
FOAMING AGENTS (MBAS)	38260	WAIVED			
HARDNESS (TOTAL) AS CACO3	00900	WAIVED			
HYDROXIDE ALKALINITY	71830	WAIVED			
IRON	01045	WAIVED			
MAGNESIUM	00927	WAIVED			
MANGANESE	01055	WAIVED			
ODOR THRESHOLD @ 60 C	00086	WAIVED			
PH, LABORATORY	00403	WAIVED			
SILVER	01077	WAIVED			
SODIUM	00929	WAIVED			
SPECIFIC CONDUCTANCE	00095	WAIVED			
SULFATE	00945	WAIVED			
TOTAL DISSOLVED SOLIDS	70300	WAIVED			
TURBIDITY, LABORATORY	82079	WAIVED			
ZINC	01092	WAIVED			

PS Code: ***1900035-004***

Source Name: ***AUTOMATIC CHLORINATION UNIT***

Source Number: ***004***

Source Status: ***ACTIVE TREATED***

Water type: ***MIXED - MIXTURE OF SURFACE AND GROUNDWATER***

GENERAL NON CHAP 15

DIAZINON	39570	WAIVED			

**Testing interval is in months;*
0 = No data for this constituent and is DUE NOW
999 = Waived testing (not required)
I = Invalid (NOT) valid analyses reported

System Number: ***1900035***

System Name: ***MILLER BREWING***

PS Code: ***1900035-004***

Source Name: ***AUTOMATIC CHLORINATION UNIT***

Source Number: ***004***

Source Status: ***ACTIVE TREATED***

Water type: ***MIXED - MIXTURE OF SURFACE AND GROUNDWATER***

	STORET NUMBER	TESTING INTERVAL (MONTHS)*	LAST TEST DATE (yyyy/mm/dd)	LAST RESULT REPORTED	NEXT TEST DATE (yyyy/mm)
INORGANIC					
ALUMINUM	01105	WAIVED			
ANTIMONY	01097	WAIVED			
ARSENIC	01002	WAIVED			
ASBESTOS	81855	WAIVED			
BARIUM	01007	WAIVED			
BERYLLIUM	01012	WAIVED			
CADMIUM	01027	WAIVED			
CHROMIUM (TOTAL)	01034	WAIVED			
CYANIDE	01291	WAIVED			
FLUORIDE (F) (NATURAL-SOURCE)	00951	WAIVED			
LEAD	01051	WAIVED			
MERCURY	71900	WAIVED			
NICKEL	01067	WAIVED			
PERCHLORATE	A-031	WAIVED			
SELENIUM	01147	WAIVED			
THALLIUM	01059	WAIVED			
NITRATE/NITRITE					
NITRATE (AS NO3)	71850	WAIVED			
NITRITE (AS N)	00620	WAIVED			
RADIOLOGICAL					
GROSS ALPHA	01501	WAIVED			
GROSS BETA	03501	WAIVED			
RA-226 FOR CWS OR TOTAL RA FOR NTNC BY 903.0	A-080	WAIVED			
RA-226 OR TOTAL RA BY 903.0 C.E.	A-081	WAIVED			
RADIUM 226	09501	WAIVED			
RADIUM 228	11501	WAIVED			
RADIUM, TOTAL, MDA95-NTNC ONLY, BY 903.0	A-082	WAIVED			
STRONTIUM-90	13501	WAIVED			
TRITIUM	07000	WAIVED			

**Testing interval is in months;*
0 = No data for this constituent and is DUE NOW
999 = Waived testing (not required)
I = Invalid (NOT) valid analyses reported

System Number: ***1900035***

System Name: ***MILLER BREWING***

PS Code: ***1900035-004***

Source Name: ***AUTOMATIC CHLORINATION UNIT***

Source Number: ***004***

Source Status: ***ACTIVE TREATED***

Water type: ***MIXED - MIXTURE OF SURFACE AND GROUNDWATER***

	STORET NUMBER	TESTING INTERVAL (MONTHS)*	LAST TEST DATE (yyyy/mm/dd)	LAST RESULT REPORTED	NEXT TEST DATE (yyyy/mm)
RADIOLOGICAL					
URANIUM (PCI/L)	28012	WAIVED			
REGULATED SOC					
2,3,7,8-TCDD (DIOXIN)	34676	WAIVED			
2,4,5-TP (SILVEX)	39045	WAIVED			
2,4-D	39730	WAIVED			
ALACHLOR	77825	WAIVED			
ATRAZINE	39033	WAIVED			
BENTAZON	38710	WAIVED			
BENZO (A) PYRENE	34247	WAIVED			
CARBOFURAN	81405	WAIVED			
CHLORDANE	39350	WAIVED			
DALAPON	38432	WAIVED			
DI(2-ETHYLHEXYL)ADIPATE	A-026	WAIVED			
DI(2-ETHYLHEXYL)PHTHALATE	39100	WAIVED			
DIBROMOCHLOROPROPANE (DBCP)	38761	WAIVED			
DINOSEB	81287	WAIVED			
DIQUAT	78885	WAIVED			
ENDOTHALL	38926	WAIVED			
ENDRIN	39390	WAIVED			
ETHYLENE DIBROMIDE (EDB)	77651	WAIVED			
GLYPHOSATE	79743	WAIVED			
HEPTACHLOR	39410	WAIVED			
HEPTACHLOR EPOXIDE	39420	WAIVED			
HEXACHLOROBENZENE	39700	WAIVED			
HEXACHLOROCYCLOPENTADIENE	34386	WAIVED			
LINDANE	39340	WAIVED			
METHOXYCHLOR	39480	WAIVED			
MOLINATE	82199	WAIVED			
OXAMYL	38865	WAIVED			

**Testing interval is in months;*
0 = No data for this constituent and is DUE NOW
999 = Waived testing (not required)
I = Invalid (NOT) valid analyses reported

System Number: ***1900035***

System Name: ***MILLER BREWING***

PS Code: ***1900035-004***

Source Name: ***AUTOMATIC CHLORINATION UNIT***

Source Number: ***004***

Source Status: ***ACTIVE TREATED***

Water type: ***MIXED - MIXTURE OF SURFACE AND GROUNDWATER***

	STORET NUMBER	TESTING INTERVAL (MONTHS)*	LAST TEST DATE (yyyy/mm/dd)	LAST RESULT REPORTED	NEXT TEST DATE (yyyy/mm)
REGULATED SOC					
PENTACHLOROPHENOL	39032	WAIVED			
PICLORAM	39720	WAIVED			
POLYCHLORINATED BIPHENYLS, TOTAL, AS DCB	39516	WAIVED			
SIMAZINE	39055	WAIVED			
THIOBENCARB	A-001	WAIVED			
TOXAPHENE	39400	WAIVED			
REGULATED VOC					
1,1,1-TRICHLOROETHANE	34506	WAIVED			
1,1,2,2-TETRACHLOROETHANE	34516	WAIVED			
1,1,2-TRICHLORO-1,2,2-TRIFLUOROETHANE	81611	WAIVED			
1,1,2-TRICHLOROETHANE	34511	WAIVED			
1,1-DICHLOROETHANE	34496	WAIVED			
1,1-DICHLOROETHYLENE	34501	WAIVED			
1,2,4-TRICHLOROBENZENE	34551	WAIVED			
1,2-DICHLOROBENZENE	34536	WAIVED			
1,2-DICHLOROETHANE	34531	WAIVED			
1,2-DICHLOROPROPANE	34541	WAIVED			
1,3-DICHLOROPROPENE (TOTAL)	34561	WAIVED			
1,4-DICHLOROBENZENE	34571	WAIVED			
BENZENE	34030	WAIVED			
CARBON TETRACHLORIDE	32102	WAIVED			
CIS-1,2-DICHLOROETHYLENE	77093	WAIVED			
DICHLOROMETHANE	34423	WAIVED			
ETHYLBENZENE	34371	WAIVED			
METHYL-TERT-BUTYL-ETHER (MTBE)	46491	WAIVED			
MONOCHLOROBENZENE	34301	WAIVED			
STYRENE	77128	WAIVED			
TETRACHLOROETHYLENE	34475	WAIVED			
TOLUENE	34010	WAIVED			

**Testing interval is in months;*
0 = No data for this constituent and is DUE NOW
999 = Waived testing (not required)
I = Invalid (NOT) valid analyses reported

System Number: ***1900035***

System Name: ***MILLER BREWING***

PS Code: ***1900035-004***

Source Name: ***AUTOMATIC CHLORINATION UNIT***

Source Number: ***004***

Source Status: ***ACTIVE TREATED***

Water type: ***MIXED - MIXTURE OF SURFACE AND GROUNDWATER***

	STORET NUMBER	TESTING INTERVAL (MONTHS)*	LAST TEST DATE (yyyy/mm/dd)	LAST RESULT REPORTED	NEXT TEST DATE (yyyy/mm)
REGULATED VOC					
TRANS-1,2-DICHLOROETHYLENE	34546	WAIVED			
TRICHLOROETHYLENE	39180	WAIVED			
TRICHLOROFLUOROMETHANE	34488	WAIVED			
VINYL CHLORIDE	39175	WAIVED			
XYLENES (TOTAL)	81551	WAIVED			
SECONDARY/GP					
AGGRSSIVE INDEX (CORROSIVITY)	82383	WAIVED			
BICARBONATE ALKALINITY	00440	WAIVED			
CALCIUM	00916	WAIVED			
CARBONATE ALKALINITY	00445	WAIVED			
CHLORIDE	00940	WAIVED			
COLOR	00081	WAIVED			
COPPER	01042	WAIVED			
FOAMING AGENTS (MBAS)	38260	WAIVED			
HARDNESS (TOTAL) AS CACO3	00900	WAIVED			
HYDROXIDE ALKALINITY	71830	WAIVED			
IRON	01045	WAIVED			
MAGNESIUM	00927	WAIVED			
MANGANESE	01055	WAIVED			
ODOR THRESHOLD @ 60 C	00086	WAIVED			
PH, LABORATORY	00403	WAIVED			
SILVER	01077	WAIVED			
SODIUM	00929	WAIVED			
SPECIFIC CONDUCTANCE	00095	WAIVED			
SULFATE	00945	WAIVED			
TOTAL DISSOLVED SOLIDS	70300	WAIVED			
TURBIDITY, LABORATORY	82079	WAIVED			
ZINC	01092	WAIVED			

**Testing interval is in months;*
0 = No data for this constituent and is DUE NOW
999 = Waived testing (not required)
I = Invalid (NOT) valid analyses reported

System Number: 1900038
System Name: LANCASTER PARK MOBILE HOME PARK

PS Code: 1900038-001
Source Name: WELL 01
Source Number: 001
Source Status: ACTIVE UNTREATED
Water type: GROUNDWATER OR WELL

	STORET NUMBER	TESTING INTERVAL (MONTHS)*	LAST TEST DATE (yyyy/mm/dd)	LAST RESULT REPORTED	NEXT TEST DATE (yyyy/mm)
GENERAL NON CHAP 15					
DIAZINON	39570	WAIVED			
INORGANIC					
ALUMINUM	01105	WAIVED	2001/11/13	.000	
ANTIMONY	01097	WAIVED	2001/11/13	.000	
ARSENIC	01002	WAIVED	2012/03/13	15.000	
ASBESTOS	81855	WAIVED			
BARIUM	01007	WAIVED	2001/11/13	100.000	
BERYLLIUM	01012	WAIVED			
CADMIUM	01027	WAIVED	2001/11/13	.000	
CHROMIUM (TOTAL)	01034	WAIVED	2003/03/21	.000	
CYANIDE	01291	WAIVED			
FLUORIDE (F) (NATURAL-SOURCE)	00951	WAIVED	2001/11/13	.630	
LEAD	01051	WAIVED	2001/11/13	.000	
MERCURY	71900	WAIVED	2001/11/13	.000	
NICKEL	01067	WAIVED	2001/11/13	.000	
PERCHLORATE	A-031	WAIVED	2008/01/24	< 4.000	
SELENIUM	01147	WAIVED	2001/11/13	.000	
THALLIUM	01059	WAIVED			
NITRATE/NITRITE					
NITRATE (AS NO3)	71850	WAIVED	2008/04/30	5.600	
NITRITE (AS N)	00620	WAIVED	2008/04/30	< 50.000	
RADIOLOGICAL					
GROSS ALPHA	01501	WAIVED	2009/03/12	.000	
GROSS BETA	03501	WAIVED			
RA-226 FOR CWS OR TOTAL RA FOR NTNC BY 903.0	A-080	WAIVED			
RA-226 OR TOTAL RA BY 903.0 C.E.	A-081	WAIVED			
RADIUM 226	09501	WAIVED	2009/03/12	.190	
RADIUM 228	11501	WAIVED	2009/03/12	.550	

**Testing interval is in months;*
0 = No data for this constituent and is DUE NOW
999 = Waived testing (not required)
I = Invalid (NOT) valid analyses reported

System Number: ***1900038***

System Name: ***LANCASTER PARK MOBILE HOME PARK***

PS Code: ***1900038-001***

Source Name: ***WELL 01***

Source Number: ***001***

Source Status: ***ACTIVE UNTREATED***

Water type: ***GROUNDWATER OR WELL***

	STORET NUMBER	TESTING INTERVAL (MONTHS)*	LAST TEST DATE (yyyy/mm/dd)	LAST RESULT REPORTED	NEXT TEST DATE (yyyy/mm)
RADIOLOGICAL					
RADIUM, TOTAL, MDA95-NTNC ONLY, BY 903.0	A-082	WAIVED			
STRONTIUM-90	13501	WAIVED			
TRITIUM	07000	WAIVED			
URANIUM (PCI/L)	28012	WAIVED	2009/03/12	3.100	
REGULATED SOC					
2,3,7,8-TCDD (DIOXIN)	34676	WAIVED			
2,4,5-TP (SILVEX)	39045	WAIVED			
2,4-D	39730	WAIVED			
ALACHLOR	77825	WAIVED	2003/03/21	.000	
ATRAZINE	39033	WAIVED			
BENTAZON	38710	WAIVED			
BENZO (A) PYRENE	34247	WAIVED			
CARBOFURAN	81405	WAIVED			
CHLORDANE	39350	WAIVED	2003/03/21	.000	
DALAPON	38432	WAIVED			
DI(2-ETHYLHEXYL)ADIPATE	A-026	WAIVED			
DI(2-ETHYLHEXYL)PHTHALATE	39100	WAIVED			
DIBROMOCHLOROPROPANE (DBCP)	38761	WAIVED	2008/01/24	< 1.000	
DINOSEB	81287	WAIVED			
DIQUAT	78885	WAIVED			
ENDOTHALL	38926	WAIVED			
ENDRIN	39390	WAIVED	2003/03/21	.000	
ETHYLENE DIBROMIDE (EDB)	77651	WAIVED			
GLYPHOSATE	79743	WAIVED			
HEPTACHLOR	39410	WAIVED	2003/03/21	.000	
HEPTACHLOR EPOXIDE	39420	WAIVED	2003/03/21	.000	
HEXACHLOROBENZENE	39700	WAIVED	2003/03/21	.000	
HEXACHLOROCYCLOPENTADIENE	34386	WAIVED	2003/03/21	.000	
LINDANE	39340	WAIVED	2003/03/21	.000	

**Testing interval is in months;*
0 = No data for this constituent and is DUE NOW
999 = Waived testing (not required)
I = Invalid (NOT) valid analyses reported

System Number: ***1900038***

System Name: ***LANCASTER PARK MOBILE HOME PARK***

PS Code: ***1900038-001***

Source Name: ***WELL 01***

Source Number: ***001***

Source Status: ***ACTIVE UNTREATED***

Water type: ***GROUNDWATER OR WELL***

	STORET NUMBER	TESTING INTERVAL (MONTHS)*	LAST TEST DATE (yyyy/mm/dd)	LAST RESULT REPORTED	NEXT TEST DATE (yyyy/mm)
REGULATED SOC					
METHOXYCHLOR	39480	WAIVED	2003/03/21	.000	
MOLINATE	82199	WAIVED			
OXAMYL	38865	WAIVED			
PENTACHLOROPHENOL	39032	WAIVED			
PICLORAM	39720	WAIVED			
POLYCHLORINATED BIPHENYLS, TOTAL, AS DCB	39516	WAIVED	2003/03/21	.000	
SIMAZINE	39055	WAIVED			
THIOBENCARB	A-001	WAIVED			
TOXAPHENE	39400	WAIVED	2003/03/21	.000	
REGULATED VOC					
1,1,1-TRICHLOROETHANE	34506	WAIVED	2008/01/24	< .500	
1,1,2,2-TETRACHLOROETHANE	34516	WAIVED	2008/01/24	< .500	
1,1,2-TRICHLORO-1,2,2-TRIFLUOROETHANE	81611	WAIVED	2008/01/24	< .500	
1,1,2-TRICHLOROETHANE	34511	WAIVED	2008/01/24	< .500	
1,1-DICHLOROETHANE	34496	WAIVED	2008/01/24	< .500	
1,1-DICHLOROETHYLENE	34501	WAIVED	2008/01/24	< .500	
1,2,4-TRICHLOROBENZENE	34551	WAIVED	2008/01/24	< .500	
1,2-DICHLOROBENZENE	34536	WAIVED	2008/01/24	< .500	
1,2-DICHLOROETHANE	34531	WAIVED	2008/01/24	< .500	
1,2-DICHLOROPROPANE	34541	WAIVED	2008/01/24	< .500	
1,3-DICHLOROPROPENE (TOTAL)	34561	WAIVED	2008/01/24	< 1.000	
1,4-DICHLOROBENZENE	34571	WAIVED	2008/01/24	< .500	
BENZENE	34030	WAIVED	2008/01/24	< .500	
CARBON TETRACHLORIDE	32102	WAIVED	2008/01/24	< .500	
CIS-1,2-DICHLOROETHYLENE	77093	WAIVED	2008/01/24	< .500	
DICHLOROMETHANE	34423	WAIVED	2008/01/24	< 1.000	
ETHYLBENZENE	34371	WAIVED	2008/01/24	< .500	
METHYL-TERT-BUTYL-ETHER (MTBE)	46491	WAIVED	2008/01/24	< .500	
MONOCHLOROBENZENE	34301	WAIVED	2008/01/24	< .500	

**Testing interval is in months;*
0 = No data for this constituent and is DUE NOW
999 = Waived testing (not required)
I = Invalid (NOT) valid analyses reported

System Number: ***1900038***

System Name: ***LANCASTER PARK MOBILE HOME PARK***

PS Code: ***1900038-001***

Source Name: ***WELL 01***

Source Number: ***001***

Source Status: ***ACTIVE UNTREATED***

Water type: ***GROUNDWATER OR WELL***

	STORET NUMBER	TESTING INTERVAL (MONTHS)*	LAST TEST DATE (yyyy/mm/dd)	LAST RESULT REPORTED	NEXT TEST DATE (yyyy/mm)
REGULATED VOC					
STYRENE	77128	WAIVED	2008/01/24	< .500	
TETRACHLOROETHYLENE	34475	WAIVED	2008/01/24	< .500	
TOLUENE	34010	WAIVED	2008/01/24	< .500	
TRANS-1,2-DICHLOROETHYLENE	34546	WAIVED	2008/01/24	< .500	
TRICHLOROETHYLENE	39180	WAIVED	2008/01/24	< .500	
TRICHLOROFLUOROMETHANE	34488	WAIVED	2008/01/24	< .500	
VINYL CHLORIDE	39175	WAIVED	2008/01/24	< .500	
XYLENES (TOTAL)	81551	WAIVED	2008/01/24	< 1.000	
SECONDARY/GP					
AGGRSSIVE INDEX (CORROSIVITY)	82383	WAIVED			
BICARBONATE ALKALINITY	00440	WAIVED	2001/11/13	272.000	
CALCIUM	00916	WAIVED	2001/11/13	40.100	
CARBONATE ALKALINITY	00445	WAIVED	2001/11/13	.000	
CHLORIDE	00940	WAIVED	2001/11/13	17.200	
COLOR	00081	WAIVED	2001/11/13	.000	
COPPER	01042	WAIVED	2001/11/13	.000	
FOAMING AGENTS (MBAS)	38260	WAIVED	2001/11/13	.000	
HARDNESS (TOTAL) AS CACO3	00900	WAIVED	2001/11/13	140.000	
HYDROXIDE ALKALINITY	71830	WAIVED	2001/11/13	.000	
IRON	01045	WAIVED	2001/11/13	.000	
MAGNESIUM	00927	WAIVED	2001/11/13	9.720	
MANGANESE	01055	WAIVED	2001/11/13	.000	
ODOR THRESHOLD @ 60 C	00086	WAIVED	2001/11/13	.000	
PH, LABORATORY	00403	WAIVED	2001/11/13	7.980	
SILVER	01077	WAIVED	2001/11/13	.000	
SODIUM	00929	WAIVED	2001/11/13	69.300	
SPECIFIC CONDUCTANCE	00095	WAIVED	2001/11/13	524.000	
SULFATE	00945	WAIVED	2001/11/13	24.000	
TOTAL DISSOLVED SOLIDS	70300	WAIVED	2001/11/13	346.000	

**Testing interval is in months;*
0 = No data for this constituent and is DUE NOW
999 = Waived testing (not required)
I = Invalid (NOT) valid analyses reported

System Number: ***1900038***

System Name: ***LANCASTER PARK MOBILE HOME PARK***

PS Code: ***1900038-001***

Source Name: ***WELL 01***

Source Number: ***001***

Source Status: ***ACTIVE UNTREATED***

Water type: ***GROUNDWATER OR WELL***

SECONDARY/GP

	STORET NUMBER	TESTING INTERVAL (MONTHS)*	LAST TEST DATE (yyyy/mm/dd)	LAST RESULT REPORTED	NEXT TEST DATE (yyyy/mm)
TURBIDITY, LABORATORY	82079	WAIVED	2001/11/13	.340	
ZINC	01092	WAIVED	2001/11/13	.000	

**Testing interval is in months;*
0 = No data for this constituent and is DUE NOW
999 = Waived testing (not required)
I = Invalid (NOT) valid analyses reported

System Number: ***1900041***

System Name: ***PROPERTY OWNERS WATER SYSTEM***

PS Code: ***1900041-001***

Source Name: ***WELL 01***

Source Number: ***001***

Source Status: ***ACTIVE UNTREATED***

Water type: ***GROUNDWATER OR WELL***

	STORET NUMBER	TESTING INTERVAL (MONTHS)*	LAST TEST DATE (yyyy/mm/dd)	LAST RESULT REPORTED	NEXT TEST DATE (yyyy/mm)
GENERAL NON CHAP 15					
DIAZINON	39570	WAIVED			
INORGANIC					
ALUMINUM	01105	WAIVED	2009/10/21	< 10.000	
ANTIMONY	01097	WAIVED	2009/10/21	< 1.000	
ARSENIC	01002	WAIVED	2009/10/21	2.000	
ASBESTOS	81855	WAIVED			
BARIUM	01007	WAIVED	2009/10/21	89.900	
BERYLLIUM	01012	WAIVED	2009/10/21	< .200	
CADMIUM	01027	WAIVED	2009/10/21	< .200	
CHROMIUM (TOTAL)	01034	WAIVED	2009/10/21	1.000	
CYANIDE	01291	WAIVED	1998/06/17	.000	
FLUORIDE (F) (NATURAL-SOURCE)	00951	WAIVED	2009/10/21	.600	
LEAD	01051	WAIVED	2009/10/21	.500	
MERCURY	71900	WAIVED	2009/10/21	< .020	
NICKEL	01067	WAIVED	2009/10/21	< 1.000	
PERCHLORATE	A-031	WAIVED	2002/12/27	.000	
SELENIUM	01147	WAIVED	2009/10/21	5.000	
THALLIUM	01059	WAIVED	2009/10/21	< .200	
NITRATE/NITRITE					
NITRATE (AS NO3)	71850	WAIVED	2012/04/18	26.300	
NITRITE (AS N)	00620	WAIVED	2009/10/21	< .100	
RADIOLOGICAL					
GROSS ALPHA	01501	WAIVED			
GROSS BETA	03501	WAIVED			
RA-226 FOR CWS OR TOTAL RA FOR NTNC BY 903.0	A-080	WAIVED			
RA-226 OR TOTAL RA BY 903.0 C.E.	A-081	WAIVED			
RADIUM 226	09501	WAIVED			
RADIUM 228	11501	WAIVED			

**Testing interval is in months;*
0 = No data for this constituent and is DUE NOW
999 = Waived testing (not required)
I = Invalid (NOT) valid analyses reported

System Number: ***1900041***

System Name: ***PROPERTY OWNERS WATER SYSTEM***

PS Code: ***1900041-001***

Source Name: ***WELL 01***

Source Number: ***001***

Source Status: ***ACTIVE UNTREATED***

Water type: ***GROUNDWATER OR WELL***

	STORET NUMBER	TESTING INTERVAL (MONTHS)*	LAST TEST DATE (yyyy/mm/dd)	LAST RESULT REPORTED	NEXT TEST DATE (yyyy/mm)
RADIOLOGICAL					
RADIUM, TOTAL, MDA95-NTNC ONLY, BY 903.0	A-082	WAIVED			
STRONTIUM-90	13501	WAIVED			
TRITIUM	07000	WAIVED			
URANIUM (PCI/L)	28012	WAIVED			
REGULATED SOC					
2,3,7,8-TCDD (DIOXIN)	34676	WAIVED			
2,4,5-TP (SILVEX)	39045	WAIVED			
2,4-D	39730	WAIVED			
ALACHLOR	77825	WAIVED	2000/06/14	.000	
ATRAZINE	39033	WAIVED			
BENTAZON	38710	WAIVED			
BENZO (A) PYRENE	34247	WAIVED			
CARBOFURAN	81405	WAIVED			
CHLORDANE	39350	WAIVED	2000/06/14	.000	
DALAPON	38432	WAIVED			
DI(2-ETHYLHEXYL)ADIPATE	A-026	WAIVED			
DI(2-ETHYLHEXYL)PHTHALATE	39100	WAIVED			
DIBROMOCHLOROPROPANE (DBCP)	38761	WAIVED			
DINOSEB	81287	WAIVED			
DIQUAT	78885	WAIVED			
ENDOTHALL	38926	WAIVED			
ENDRIN	39390	WAIVED	2000/06/14	.000	
ETHYLENE DIBROMIDE (EDB)	77651	WAIVED			
GLYPHOSATE	79743	WAIVED			
HEPTACHLOR	39410	WAIVED	2000/06/14	.000	
HEPTACHLOR EPOXIDE	39420	WAIVED	2000/06/14	.000	
HEXACHLOROBENZENE	39700	WAIVED	2000/06/14	.000	
HEXACHLOROCYCLOPENTADIENE	34386	WAIVED	2000/06/14	.000	
LINDANE	39340	WAIVED	2000/06/14	.000	

**Testing interval is in months;*
0 = No data for this constituent and is DUE NOW
999 = Waived testing (not required)
I = Invalid (NOT) valid analyses reported

System Number: ***1900041***

System Name: ***PROPERTY OWNERS WATER SYSTEM***

PS Code: ***1900041-001***

Source Name: ***WELL 01***

Source Number: ***001***

Source Status: ***ACTIVE UNTREATED***

Water type: ***GROUNDWATER OR WELL***

	STORET NUMBER	TESTING INTERVAL (MONTHS)*	LAST TEST DATE (yyyy/mm/dd)	LAST RESULT REPORTED	NEXT TEST DATE (yyyy/mm)
REGULATED SOC					
METHOXYCHLOR	39480	WAIVED	2000/06/14	.000	
MOLINATE	82199	WAIVED			
OXAMYL	38865	WAIVED			
PENTACHLOROPHENOL	39032	WAIVED			
PICLORAM	39720	WAIVED			
POLYCHLORINATED BIPHENYLS, TOTAL, AS DCB	39516	WAIVED	2000/06/14	.000	
SIMAZINE	39055	WAIVED			
THIOBENCARB	A-001	WAIVED	2002/12/27	.000	
TOXAPHENE	39400	WAIVED	2000/06/14	.000	
REGULATED VOC					
1,1,1-TRICHLOROETHANE	34506	WAIVED	2000/06/14	.000	
1,1,2,2-TETRACHLOROETHANE	34516	WAIVED	2000/06/14	.000	
1,1,2-TRICHLORO-1,2,2-TRIFLUOROETHANE	81611	WAIVED	2000/06/14	.000	
1,1,2-TRICHLOROETHANE	34511	WAIVED	2000/06/14	.000	
1,1-DICHLOROETHANE	34496	WAIVED	2000/06/14	.000	
1,1-DICHLOROETHYLENE	34501	WAIVED	2000/06/14	.000	
1,2,4-TRICHLOROBENZENE	34551	WAIVED	2000/06/14	.000	
1,2-DICHLOROBENZENE	34536	WAIVED	2000/06/14	.000	
1,2-DICHLOROETHANE	34531	WAIVED	2000/06/14	.000	
1,2-DICHLOROPROPANE	34541	WAIVED	2000/06/14	.000	
1,3-DICHLOROPROPENE (TOTAL)	34561	WAIVED	2000/06/14	.000	
1,4-DICHLOROBENZENE	34571	WAIVED	2000/06/14	.000	
BENZENE	34030	WAIVED	2000/06/14	.000	
CARBON TETRACHLORIDE	32102	WAIVED	2000/06/14	.000	
CIS-1,2-DICHLOROETHYLENE	77093	WAIVED	2000/06/14	.000	
DICHLOROMETHANE	34423	WAIVED	2000/06/14	.000	
ETHYLBENZENE	34371	WAIVED	2000/06/14	.000	
METHYL-TERT-BUTYL-ETHER (MTBE)	46491	WAIVED	2000/06/14	.000	
MONOCHLOROBENZENE	34301	WAIVED	2000/06/14	.000	

**Testing interval is in months;*
0 = No data for this constituent and is DUE NOW
999 = Waived testing (not required)
I = Invalid (NOT) valid analyses reported

System Number: ***1900041***

System Name: ***PROPERTY OWNERS WATER SYSTEM***

PS Code: ***1900041-001***

Source Name: ***WELL 01***

Source Number: ***001***

Source Status: ***ACTIVE UNTREATED***

Water type: ***GROUNDWATER OR WELL***

	STORET NUMBER	TESTING INTERVAL (MONTHS)*	LAST TEST DATE (yyyy/mm/dd)	LAST RESULT REPORTED	NEXT TEST DATE (yyyy/mm)
REGULATED VOC					
STYRENE	77128	WAIVED	2000/06/14	.000	
TETRACHLOROETHYLENE	34475	WAIVED	2000/06/14	.000	
TOLUENE	34010	WAIVED	2000/06/14	.000	
TRANS-1,2-DICHLOROETHYLENE	34546	WAIVED	2000/06/14	.000	
TRICHLOROETHYLENE	39180	WAIVED	2000/06/14	.000	
TRICHLOROFLUOROMETHANE	34488	WAIVED	2000/06/14	.000	
VINYL CHLORIDE	39175	WAIVED	2000/06/14	.000	
XYLENES (TOTAL)	81551	WAIVED	2000/06/14	.000	
SECONDARY/GP					
AGGRSSIVE INDEX (CORROSIVITY)	82383	WAIVED	2009/10/21	12.300	
BICARBONATE ALKALINITY	00440	WAIVED	2009/10/21	450.000	
CALCIUM	00916	WAIVED	2009/10/21	120.000	
CARBONATE ALKALINITY	00445	WAIVED	2009/10/21	< 10.000	
CHLORIDE	00940	WAIVED	2009/10/21	142.000	
COLOR	00081	WAIVED	2009/10/21	< 5.000	
COPPER	01042	WAIVED	2009/10/21	< 10.000	
FOAMING AGENTS (MBAS)	38260	WAIVED	2009/10/21	< .100	
HARDNESS (TOTAL) AS CACO3	00900	WAIVED	2009/10/21	509.000	
HYDROXIDE ALKALINITY	71830	WAIVED	2009/10/21	< 10.000	
IRON	01045	WAIVED	2009/10/21	< 50.000	
MAGNESIUM	00927	WAIVED	2009/10/21	51.000	
MANGANESE	01055	WAIVED	2009/10/21	< 10.000	
ODOR THRESHOLD @ 60 C	00086	WAIVED	2009/10/21	< 1.000	
PH, LABORATORY	00403	WAIVED	2009/10/21	7.300	
SILVER	01077	WAIVED	2009/10/21	< 1.000	
SODIUM	00929	WAIVED	2009/10/21	132.000	
SPECIFIC CONDUCTANCE	00095	WAIVED	2009/10/21	1430.000	
SULFATE	00945	WAIVED	2009/10/21	172.000	
TOTAL DISSOLVED SOLIDS	70300	WAIVED	2009/10/21	880.000	

**Testing interval is in months;*
0 = No data for this constituent and is DUE NOW
999 = Waived testing (not required)
I = Invalid (NOT) valid analyses reported

System Number: ***1900041***

System Name: ***PROPERTY OWNERS WATER SYSTEM***

PS Code: ***1900041-001***

Source Name: ***WELL 01***

Source Number: ***001***

Source Status: ***ACTIVE UNTREATED***

Water type: ***GROUNDWATER OR WELL***

	STORET NUMBER	TESTING INTERVAL (MONTHS)*	LAST TEST DATE (yyyy/mm/dd)	LAST RESULT REPORTED	NEXT TEST DATE (yyyy/mm)
SECONDARY/GP					
TURBIDITY, LABORATORY	82079	WAIVED	2009/10/21	< .200	
ZINC	01092	WAIVED	2009/10/21	< 20.000	

PS Code: ***1900041-002***

Source Name: ***WELL 02***

Source Number: ***002***

Source Status: ***ACTIVE UNTREATED***

Water type: ***GROUNDWATER OR WELL***

GENERAL NON CHAP 15					
DIAZINON	39570	WAIVED			
INORGANIC					
ALUMINUM	01105	WAIVED	2009/10/21	< 10.000	
ANTIMONY	01097	WAIVED	2009/10/21	< 1.000	
ARSENIC	01002	WAIVED	2009/10/21	4.000	
ASBESTOS	81855	WAIVED			
BARIUM	01007	WAIVED	2009/10/21	86.600	
BERYLLIUM	01012	WAIVED	2009/10/21	< .200	
CADMIUM	01027	WAIVED	2009/10/21	< .200	
CHROMIUM (TOTAL)	01034	WAIVED	2009/10/21	1.000	
CYANIDE	01291	WAIVED			
FLUORIDE (F) (NATURAL-SOURCE)	00951	WAIVED	2009/10/21	.600	
LEAD	01051	WAIVED	2009/10/21	.700	
MERCURY	71900	WAIVED	2009/10/21	< .020	
NICKEL	01067	WAIVED	2009/10/21	< 1.000	
PERCHLORATE	A-031	WAIVED	2002/12/27	.000	
SELENIUM	01147	WAIVED	2009/10/21	4.000	
THALLIUM	01059	WAIVED	2009/10/21	< .200	

**Testing interval is in months;*
0 = No data for this constituent and is DUE NOW
999 = Waived testing (not required)
I = Invalid (NOT) valid analyses reported

System Number: ***1900041***

System Name: ***PROPERTY OWNERS WATER SYSTEM***

PS Code: ***1900041-002***

Source Name: ***WELL 02***

Source Number: ***002***

Source Status: ***ACTIVE UNTREATED***

Water type: ***GROUNDWATER OR WELL***

	STORET NUMBER	TESTING INTERVAL (MONTHS)*	LAST TEST DATE (yyyy/mm/dd)	LAST RESULT REPORTED	NEXT TEST DATE (yyyy/mm)
NITRATE/NITRITE					
NITRATE (AS NO3)	71850	WAIVED	2012/03/23	25.800	
NITRITE (AS N)	00620	WAIVED	2009/10/21	< .100	
RADIOLOGICAL					
GROSS ALPHA	01501	WAIVED			
GROSS BETA	03501	WAIVED			
RA-226 FOR CWS OR TOTAL RA FOR NTNC BY 903.0	A-080	WAIVED			
RA-226 OR TOTAL RA BY 903.0 C.E.	A-081	WAIVED			
RADIUM 226	09501	WAIVED			
RADIUM 228	11501	WAIVED			
RADIUM, TOTAL, MDA95-NTNC ONLY, BY 903.0	A-082	WAIVED			
STRONTIUM-90	13501	WAIVED			
TRITIUM	07000	WAIVED			
URANIUM (PCI/L)	28012	WAIVED			
REGULATED SOC					
2,3,7,8-TCDD (DIOXIN)	34676	WAIVED			
2,4,5-TP (SILVEX)	39045	WAIVED			
2,4-D	39730	WAIVED			
ALACHLOR	77825	WAIVED	2000/06/14	.000	
ATRAZINE	39033	WAIVED			
BENTAZON	38710	WAIVED			
BENZO (A) PYRENE	34247	WAIVED			
CARBOFURAN	81405	WAIVED			
CHLORDANE	39350	WAIVED	2000/06/14	.000	
DALAPON	38432	WAIVED			
DI(2-ETHYLHEXYL)ADIPATE	A-026	WAIVED			
DI(2-ETHYLHEXYL)PHTHALATE	39100	WAIVED			
DIBROMOCHLOROPROPANE (DBCP)	38761	WAIVED			
DINOSEB	81287	WAIVED			
DIQUAT	78885	WAIVED			

**Testing interval is in months;*
0 = No data for this constituent and is DUE NOW
999 = Waived testing (not required)
I = Invalid (NOT) valid analyses reported

System Number: ***1900041***

System Name: ***PROPERTY OWNERS WATER SYSTEM***

PS Code: ***1900041-002***

Source Name: ***WELL 02***

Source Number: ***002***

Source Status: ***ACTIVE UNTREATED***

Water type: ***GROUNDWATER OR WELL***

	STORET NUMBER	TESTING INTERVAL (MONTHS)*	LAST TEST DATE (yyyy/mm/dd)	LAST RESULT REPORTED	NEXT TEST DATE (yyyy/mm)
REGULATED SOC					
ENDOTHALL	38926	WAIVED			
ENDRIN	39390	WAIVED	2000/06/14	.000	
ETHYLENE DIBROMIDE (EDB)	77651	WAIVED			
GLYPHOSATE	79743	WAIVED			
HEPTACHLOR	39410	WAIVED	2000/06/14	.000	
HEPTACHLOR EPOXIDE	39420	WAIVED	2000/06/14	.000	
HEXACHLOROBENZENE	39700	WAIVED	2000/06/14	.000	
HEXACHLOROCYCLOPENTADIENE	34386	WAIVED	2000/06/14	.000	
LINDANE	39340	WAIVED	2000/06/14	.000	
METHOXYCHLOR	39480	WAIVED	2000/06/14	.000	
MOLINATE	82199	WAIVED			
OXAMYL	38865	WAIVED			
PENTACHLOROPHENOL	39032	WAIVED			
PICLORAM	39720	WAIVED			
POLYCHLORINATED BIPHENYLS, TOTAL, AS DCB	39516	WAIVED	2000/06/14	.000	
SIMAZINE	39055	WAIVED			
THIOBENCARB	A-001	WAIVED	2002/12/27	.000	
TOXAPHENE	39400	WAIVED	2000/06/14	.000	
REGULATED VOC					
1,1,1-TRICHLOROETHANE	34506	WAIVED	2000/06/14	.000	
1,1,2,2-TETRACHLOROETHANE	34516	WAIVED	2000/06/14	.000	
1,1,2-TRICHLORO-1,2,2-TRIFLUOROETHANE	81611	WAIVED	2000/06/14	.000	
1,1,2-TRICHLOROETHANE	34511	WAIVED	2000/06/14	.000	
1,1-DICHLOROETHANE	34496	WAIVED	2000/06/14	.000	
1,1-DICHLOROETHYLENE	34501	WAIVED	2000/06/14	.000	
1,2,4-TRICHLOROBENZENE	34551	WAIVED	2000/06/14	.000	
1,2-DICHLOROBENZENE	34536	WAIVED	2000/06/14	.000	
1,2-DICHLOROETHANE	34531	WAIVED	2000/06/14	.000	
1,2-DICHLOROPROPANE	34541	WAIVED	2000/06/14	.000	

**Testing interval is in months;*
0 = No data for this constituent and is DUE NOW
999 = Waived testing (not required)
I = Invalid (NOT) valid analyses reported

System Number: 1900041
System Name: PROPERTY OWNERS WATER SYSTEM

PS Code: 1900041-002
Source Name: WELL 02
Source Number: 002
Source Status: ACTIVE UNTREATED
Water type: GROUNDWATER OR WELL

	STORET NUMBER	TESTING INTERVAL (MONTHS)*	LAST TEST DATE (yyyy/mm/dd)	LAST RESULT REPORTED	NEXT TEST DATE (yyyy/mm)
REGULATED VOC					
1,3-DICHLOROPROPENE (TOTAL)	34561	WAIVED	2000/06/14	.000	
1,4-DICHLOROBENZENE	34571	WAIVED	2000/06/14	.000	
BENZENE	34030	WAIVED	2000/06/14	.000	
CARBON TETRACHLORIDE	32102	WAIVED	2000/06/14	.000	
CIS-1,2-DICHLOROETHYLENE	77093	WAIVED	2000/06/14	.000	
DICHLOROMETHANE	34423	WAIVED	2000/06/14	.000	
ETHYLBENZENE	34371	WAIVED	2000/06/14	.000	
METHYL-TERT-BUTYL-ETHER (MTBE)	46491	WAIVED	2000/06/14	.000	
MONOCHLOROBENZENE	34301	WAIVED	2000/06/14	.000	
STYRENE	77128	WAIVED	2000/06/14	.000	
TETRACHLOROETHYLENE	34475	WAIVED	2000/06/14	.000	
TOLUENE	34010	WAIVED	2000/06/14	.000	
TRANS-1,2-DICHLOROETHYLENE	34546	WAIVED	2000/06/14	.000	
TRICHLOROETHYLENE	39180	WAIVED	2000/06/14	.000	
TRICHLOROFLUOROMETHANE	34488	WAIVED	2000/06/14	.000	
VINYL CHLORIDE	39175	WAIVED	2000/06/14	.000	
XYLENES (TOTAL)	81551	WAIVED	2000/06/14	.000	
SECONDARY/GP					
AGGRSSIVE INDEX (CORROSIVITY)	82383	WAIVED	2009/10/21	12.300	
BICARBONATE ALKALINITY	00440	WAIVED	2009/10/21	440.000	
CALCIUM	00916	WAIVED	2009/10/21	113.000	
CARBONATE ALKALINITY	00445	WAIVED	2009/10/21	< 10.000	
CHLORIDE	00940	WAIVED	2009/10/21	135.000	
COLOR	00081	WAIVED	2009/10/21	< 5.000	
COPPER	01042	WAIVED	2009/10/21	< 10.000	
FOAMING AGENTS (MBAS)	38260	WAIVED	2009/10/21	< .100	
HARDNESS (TOTAL) AS CACO3	00900	WAIVED	2009/10/21	488.000	
HYDROXIDE ALKALINITY	71830	WAIVED	2009/10/21	< 10.000	
IRON	01045	WAIVED	2009/10/21	70.000	

**Testing interval is in months;*
0 = No data for this constituent and is DUE NOW
999 = Waived testing (not required)
I = Invalid (NOT) valid analyses reported

System Number: ***1900041***

System Name: ***PROPERTY OWNERS WATER SYSTEM***

PS Code: ***1900041-002***

Source Name: ***WELL 02***

Source Number: ***002***

Source Status: ***ACTIVE UNTREATED***

Water type: ***GROUNDWATER OR WELL***

SECONDARY/GP

	STORET NUMBER	TESTING INTERVAL (MONTHS)*	LAST TEST DATE (yyyy/mm/dd)	LAST RESULT REPORTED	NEXT TEST DATE (yyyy/mm)
MAGNESIUM	00927	WAIVED	2009/10/21	50.000	
MANGANESE	01055	WAIVED	2009/10/21	< 10.000	
ODOR THRESHOLD @ 60 C	00086	WAIVED	2009/10/21	< 1.000	
PH, LABORATORY	00403	WAIVED	2009/10/21	7.300	
SILVER	01077	WAIVED	2009/10/21	< 1.000	
SODIUM	00929	WAIVED	2009/10/21	141.000	
SPECIFIC CONDUCTANCE	00095	WAIVED	2009/10/21	1390.000	
SULFATE	00945	WAIVED	2009/10/21	166.000	
TOTAL DISSOLVED SOLIDS	70300	WAIVED	2009/10/21	820.000	
TURBIDITY, LABORATORY	82079	WAIVED	2009/10/21	.200	
ZINC	01092	WAIVED	2009/10/21	< 20.000	

PS Code: ***1900041-003***

Source Name: ***STANDBY PURCHASED WATER***

Source Number: ***003***

Source Status: ***PURCHASED UNTREATED***

Water type: ***GROUNDWATER OR WELL***

GENERAL NON CHAP 15

DIAZINON	39570	WAIVED

INORGANIC

ALUMINUM	01105	WAIVED
ANTIMONY	01097	WAIVED
ARSENIC	01002	WAIVED
ASBESTOS	81855	WAIVED
BARIUM	01007	WAIVED
BERYLLIUM	01012	WAIVED
CADMIUM	01027	WAIVED
CHROMIUM (TOTAL)	01034	WAIVED
CYANIDE	01291	WAIVED

**Testing interval is in months;*
0 = No data for this constituent and is DUE NOW
999 = Waived testing (not required)
I = Invalid (NOT) valid analyses reported

System Number: ***1900041***

System Name: ***PROPERTY OWNERS WATER SYSTEM***

PS Code: ***1900041-003***

Source Name: ***STANDBY PURCHASED WATER***

Source Number: ***003***

Source Status: ***PURCHASED UNTREATED***

Water type: ***GROUNDWATER OR WELL***

	STORET NUMBER	TESTING INTERVAL (MONTHS)*	LAST TEST DATE (yyyy/mm/dd)	LAST RESULT REPORTED	NEXT TEST DATE (yyyy/mm)
INORGANIC					
FLUORIDE (F) (NATURAL-SOURCE)	00951	WAIVED			
LEAD	01051	WAIVED			
MERCURY	71900	WAIVED			
NICKEL	01067	WAIVED			
PERCHLORATE	A-031	WAIVED			
SELENIUM	01147	WAIVED			
THALLIUM	01059	WAIVED			
NITRATE/NITRITE					
NITRATE (AS NO3)	71850	WAIVED			
NITRITE (AS N)	00620	WAIVED			
RADIOLOGICAL					
GROSS ALPHA	01501	WAIVED			
GROSS BETA	03501	WAIVED			
RA-226 FOR CWS OR TOTAL RA FOR NTNC BY 903.0	A-080	WAIVED			
RA-226 OR TOTAL RA BY 903.0 C.E.	A-081	WAIVED			
RADIUM 226	09501	WAIVED			
RADIUM 228	11501	WAIVED			
RADIUM, TOTAL, MDA95-NTNC ONLY, BY 903.0	A-082	WAIVED			
STRONTIUM-90	13501	WAIVED			
TRITIUM	07000	WAIVED			
URANIUM (PCI/L)	28012	WAIVED			
REGULATED SOC					
2,3,7,8-TCDD (DIOXIN)	34676	WAIVED			
2,4,5-TP (SILVEX)	39045	WAIVED			
2,4-D	39730	WAIVED			
ALACHLOR	77825	WAIVED			
ATRAZINE	39033	WAIVED			
BENTAZON	38710	WAIVED			

**Testing interval is in months;*
0 = No data for this constituent and is DUE NOW
999 = Waived testing (not required)
I = Invalid (NOT) valid analyses reported

System Number: ***1900041***

System Name: ***PROPERTY OWNERS WATER SYSTEM***

PS Code: ***1900041-003***

Source Name: ***STANDBY PURCHASED WATER***

Source Number: ***003***

Source Status: ***PURCHASED UNTREATED***

Water type: ***GROUNDWATER OR WELL***

	STORET NUMBER	TESTING INTERVAL (MONTHS)*	LAST TEST DATE (yyyy/mm/dd)	LAST RESULT REPORTED	NEXT TEST DATE (yyyy/mm)
REGULATED SOC					
BENZO (A) PYRENE	34247	WAIVED			
CARBOFURAN	81405	WAIVED			
CHLORDANE	39350	WAIVED			
DALAPON	38432	WAIVED			
DI(2-ETHYLHEXYL)ADIPATE	A-026	WAIVED			
DI(2-ETHYLHEXYL)PHTHALATE	39100	WAIVED			
DIBROMOCHLOROPROPANE (DBCP)	38761	WAIVED			
DINOSEB	81287	WAIVED			
DIQUAT	78885	WAIVED			
ENDOTHALL	38926	WAIVED			
ENDRIN	39390	WAIVED			
ETHYLENE DIBROMIDE (EDB)	77651	WAIVED			
GLYPHOSATE	79743	WAIVED			
HEPTACHLOR	39410	WAIVED			
HEPTACHLOR EPOXIDE	39420	WAIVED			
HEXACHLOROBENZENE	39700	WAIVED			
HEXACHLOROCYCLOPENTADIENE	34386	WAIVED			
LINDANE	39340	WAIVED			
METHOXYCHLOR	39480	WAIVED			
MOLINATE	82199	WAIVED			
OXAMYL	38865	WAIVED			
PENTACHLOROPHENOL	39032	WAIVED			
PICLORAM	39720	WAIVED			
POLYCHLORINATED BIPHENYLS, TOTAL, AS DCB	39516	WAIVED			
SIMAZINE	39055	WAIVED			
THIOBENCARB	A-001	WAIVED			
TOXAPHENE	39400	WAIVED			
REGULATED VOC					
1,1,1-TRICHLOROETHANE	34506	WAIVED			

**Testing interval is in months;*
0 = No data for this constituent and is DUE NOW
999 = Waived testing (not required)
I = Invalid (NOT) valid analyses reported

System Number: ***1900041***

System Name: ***PROPERTY OWNERS WATER SYSTEM***

PS Code: ***1900041-003***

Source Name: ***STANDBY PURCHASED WATER***

Source Number: ***003***

Source Status: ***PURCHASED UNTREATED***

Water type: ***GROUNDWATER OR WELL***

	STORET NUMBER	TESTING INTERVAL (MONTHS)*	LAST TEST DATE (yyyy/mm/dd)	LAST RESULT REPORTED	NEXT TEST DATE (yyyy/mm)
REGULATED VOC					
1,1,2,2-TETRACHLOROETHANE	34516	WAIVED			
1,1,2-TRICHLORO-1,2,2-TRIFLUOROETHANE	81611	WAIVED			
1,1,2-TRICHLOROETHANE	34511	WAIVED			
1,1-DICHLOROETHANE	34496	WAIVED			
1,1-DICHLOROETHYLENE	34501	WAIVED			
1,2,4-TRICHLOROBENZENE	34551	WAIVED			
1,2-DICHLOROBENZENE	34536	WAIVED			
1,2-DICHLOROETHANE	34531	WAIVED			
1,2-DICHLOROPROPANE	34541	WAIVED			
1,3-DICHLOROPROPENE (TOTAL)	34561	WAIVED			
1,4-DICHLOROBENZENE	34571	WAIVED			
BENZENE	34030	WAIVED			
CARBON TETRACHLORIDE	32102	WAIVED			
CIS-1,2-DICHLOROETHYLENE	77093	WAIVED			
DICHLOROMETHANE	34423	WAIVED			
ETHYLBENZENE	34371	WAIVED			
METHYL-TERT-BUTYL-ETHER (MTBE)	46491	WAIVED			
MONOCHLOROBENZENE	34301	WAIVED			
STYRENE	77128	WAIVED			
TETRACHLOROETHYLENE	34475	WAIVED			
TOLUENE	34010	WAIVED			
TRANS-1,2-DICHLOROETHYLENE	34546	WAIVED			
TRICHLOROETHYLENE	39180	WAIVED			
TRICHLOROFLUOROMETHANE	34488	WAIVED			
VINYL CHLORIDE	39175	WAIVED			
XYLENES (TOTAL)	81551	WAIVED			
SECONDARY/GP					
AGGRSSIVE INDEX (CORROSIVITY)	82383	WAIVED			
BICARBONATE ALKALINITY	00440	WAIVED			

**Testing interval is in months;*
0 = No data for this constituent and is DUE NOW
999 = Waived testing (not required)
I = Invalid (NOT) valid analyses reported

System Number: ***1900041***

System Name: ***PROPERTY OWNERS WATER SYSTEM***

PS Code: ***1900041-003***

Source Name: ***STANDBY PURCHASED WATER***

Source Number: ***003***

Source Status: ***PURCHASED UNTREATED***

Water type: ***GROUNDWATER OR WELL***

SECONDARY/GP

	STORET NUMBER	TESTING INTERVAL (MONTHS)*	LAST TEST DATE (yyyy/mm/dd)	LAST RESULT REPORTED	NEXT TEST DATE (yyyy/mm)
CALCIUM	00916	WAIVED			
CARBONATE ALKALINITY	00445	WAIVED			
CHLORIDE	00940	WAIVED			
COLOR	00081	WAIVED			
COPPER	01042	WAIVED			
FOAMING AGENTS (MBAS)	38260	WAIVED			
HARDNESS (TOTAL) AS CACO3	00900	WAIVED			
HYDROXIDE ALKALINITY	71830	WAIVED			
IRON	01045	WAIVED			
MAGNESIUM	00927	WAIVED			
MANGANESE	01055	WAIVED			
ODOR THRESHOLD @ 60 C	00086	WAIVED			
PH, LABORATORY	00403	WAIVED			
SILVER	01077	WAIVED			
SODIUM	00929	WAIVED			
SPECIFIC CONDUCTANCE	00095	WAIVED			
SULFATE	00945	WAIVED			
TOTAL DISSOLVED SOLIDS	70300	WAIVED			
TURBIDITY, LABORATORY	82079	WAIVED			
ZINC	01092	WAIVED			

PS Code: ***1900041-004***

Source Name: ***AUTOMATIC CHLORINATION UNIT***

Source Number: ***004***

Source Status: ***ACTIVE TREATED***

Water type: ***MIXED - MIXTURE OF SURFACE AND GROUNDWATER***

GENERAL NON CHAP 15

DIAZINON	39570	WAIVED			

**Testing interval is in months;*
0 = No data for this constituent and is DUE NOW
999 = Waived testing (not required)
I = Invalid (NOT) valid analyses reported

System Number: ***1900041***

System Name: ***PROPERTY OWNERS WATER SYSTEM***

PS Code: ***1900041-004***

Source Name: ***AUTOMATIC CHLORINATION UNIT***

Source Number: ***004***

Source Status: ***ACTIVE TREATED***

Water type: ***MIXED - MIXTURE OF SURFACE AND GROUNDWATER***

	STORET NUMBER	TESTING INTERVAL (MONTHS)*	LAST TEST DATE (yyyy/mm/dd)	LAST RESULT REPORTED	NEXT TEST DATE (yyyy/mm)
INORGANIC					
ALUMINUM	01105	WAIVED			
ANTIMONY	01097	WAIVED			
ARSENIC	01002	WAIVED			
ASBESTOS	81855	WAIVED			
BARIUM	01007	WAIVED			
BERYLLIUM	01012	WAIVED			
CADMIUM	01027	WAIVED			
CHROMIUM (TOTAL)	01034	WAIVED			
CYANIDE	01291	WAIVED			
FLUORIDE (F) (NATURAL-SOURCE)	00951	WAIVED			
LEAD	01051	WAIVED			
MERCURY	71900	WAIVED			
NICKEL	01067	WAIVED			
PERCHLORATE	A-031	WAIVED			
SELENIUM	01147	WAIVED			
THALLIUM	01059	WAIVED			
NITRATE/NITRITE					
NITRATE (AS NO3)	71850	WAIVED			
NITRITE (AS N)	00620	WAIVED			
RADIOLOGICAL					
GROSS ALPHA	01501	WAIVED			
GROSS BETA	03501	WAIVED			
RA-226 FOR CWS OR TOTAL RA FOR NTNC BY 903.0	A-080	WAIVED			
RA-226 OR TOTAL RA BY 903.0 C.E.	A-081	WAIVED			
RADIUM 226	09501	WAIVED			
RADIUM 228	11501	WAIVED			
RADIUM, TOTAL, MDA95-NTNC ONLY, BY 903.0	A-082	WAIVED			
STRONTIUM-90	13501	WAIVED			
TRITIUM	07000	WAIVED			

**Testing interval is in months;*
0 = No data for this constituent and is DUE NOW
999 = Waived testing (not required)
I = Invalid (NOT) valid analyses reported

System Number: ***1900041***

System Name: ***PROPERTY OWNERS WATER SYSTEM***

PS Code: ***1900041-004***

Source Name: ***AUTOMATIC CHLORINATION UNIT***

Source Number: ***004***

Source Status: ***ACTIVE TREATED***

Water type: ***MIXED - MIXTURE OF SURFACE AND GROUNDWATER***

	STORET NUMBER	TESTING INTERVAL (MONTHS)*	LAST TEST DATE (yyyy/mm/dd)	LAST RESULT REPORTED	NEXT TEST DATE (yyyy/mm)
RADIOLOGICAL					
URANIUM (PCI/L)	28012	WAIVED			
REGULATED SOC					
2,3,7,8-TCDD (DIOXIN)	34676	WAIVED			
2,4,5-TP (SILVEX)	39045	WAIVED			
2,4-D	39730	WAIVED			
ALACHLOR	77825	WAIVED			
ATRAZINE	39033	WAIVED			
BENTAZON	38710	WAIVED			
BENZO (A) PYRENE	34247	WAIVED			
CARBOFURAN	81405	WAIVED			
CHLORDANE	39350	WAIVED			
DALAPON	38432	WAIVED			
DI(2-ETHYLHEXYL)ADIPATE	A-026	WAIVED			
DI(2-ETHYLHEXYL)PHTHALATE	39100	WAIVED			
DIBROMOCHLOROPROPANE (DBCP)	38761	WAIVED			
DINOSEB	81287	WAIVED			
DIQUAT	78885	WAIVED			
ENDOTHALL	38926	WAIVED			
ENDRIN	39390	WAIVED			
ETHYLENE DIBROMIDE (EDB)	77651	WAIVED			
GLYPHOSATE	79743	WAIVED			
HEPTACHLOR	39410	WAIVED			
HEPTACHLOR EPOXIDE	39420	WAIVED			
HEXACHLOROBENZENE	39700	WAIVED			
HEXACHLOROCYCLOPENTADIENE	34386	WAIVED			
LINDANE	39340	WAIVED			
METHOXYCHLOR	39480	WAIVED			
MOLINATE	82199	WAIVED			
OXAMYL	38865	WAIVED			

**Testing interval is in months;*
0 = No data for this constituent and is DUE NOW
999 = Waived testing (not required)
I = Invalid (NOT) valid analyses reported

System Number: ***1900041***

System Name: ***PROPERTY OWNERS WATER SYSTEM***

PS Code: ***1900041-004***

Source Name: ***AUTOMATIC CHLORINATION UNIT***

Source Number: ***004***

Source Status: ***ACTIVE TREATED***

Water type: ***MIXED - MIXTURE OF SURFACE AND GROUNDWATER***

	STORET NUMBER	TESTING INTERVAL (MONTHS)*	LAST TEST DATE (yyyy/mm/dd)	LAST RESULT REPORTED	NEXT TEST DATE (yyyy/mm)
REGULATED SOC					
PENTACHLOROPHENOL	39032	WAIVED			
PICLORAM	39720	WAIVED			
POLYCHLORINATED BIPHENYLS, TOTAL, AS DCB	39516	WAIVED			
SIMAZINE	39055	WAIVED			
THIOBENCARB	A-001	WAIVED			
TOXAPHENE	39400	WAIVED			
REGULATED VOC					
1,1,1-TRICHLOROETHANE	34506	WAIVED			
1,1,2,2-TETRACHLOROETHANE	34516	WAIVED			
1,1,2-TRICHLORO-1,2,2-TRIFLUOROETHANE	81611	WAIVED			
1,1,2-TRICHLOROETHANE	34511	WAIVED			
1,1-DICHLOROETHANE	34496	WAIVED			
1,1-DICHLOROETHYLENE	34501	WAIVED			
1,2,4-TRICHLOROBENZENE	34551	WAIVED			
1,2-DICHLOROBENZENE	34536	WAIVED			
1,2-DICHLOROETHANE	34531	WAIVED			
1,2-DICHLOROPROPANE	34541	WAIVED			
1,3-DICHLOROPROPENE (TOTAL)	34561	WAIVED			
1,4-DICHLOROBENZENE	34571	WAIVED			
BENZENE	34030	WAIVED			
CARBON TETRACHLORIDE	32102	WAIVED			
CIS-1,2-DICHLOROETHYLENE	77093	WAIVED			
DICHLOROMETHANE	34423	WAIVED			
ETHYLBENZENE	34371	WAIVED			
METHYL-TERT-BUTYL-ETHER (MTBE)	46491	WAIVED			
MONOCHLOROBENZENE	34301	WAIVED			
STYRENE	77128	WAIVED			
TETRACHLOROETHYLENE	34475	WAIVED			
TOLUENE	34010	WAIVED			

**Testing interval is in months;*
0 = No data for this constituent and is DUE NOW
999 = Waived testing (not required)
I = Invalid (NOT) valid analyses reported

System Number: ***1900041***

System Name: ***PROPERTY OWNERS WATER SYSTEM***

PS Code: ***1900041-004***

Source Name: ***AUTOMATIC CHLORINATION UNIT***

Source Number: ***004***

Source Status: ***ACTIVE TREATED***

Water type: ***MIXED - MIXTURE OF SURFACE AND GROUNDWATER***

	STORET NUMBER	TESTING INTERVAL (MONTHS)*	LAST TEST DATE (yyyy/mm/dd)	LAST RESULT REPORTED	NEXT TEST DATE (yyyy/mm)
REGULATED VOC					
TRANS-1,2-DICHLOROETHYLENE	34546	WAIVED			
TRICHLOROETHYLENE	39180	WAIVED			
TRICHLOROFLUOROMETHANE	34488	WAIVED			
VINYL CHLORIDE	39175	WAIVED			
XYLENES (TOTAL)	81551	WAIVED			
SECONDARY/GP					
AGGRSSIVE INDEX (CORROSIVITY)	82383	WAIVED			
BICARBONATE ALKALINITY	00440	WAIVED			
CALCIUM	00916	WAIVED			
CARBONATE ALKALINITY	00445	WAIVED			
CHLORIDE	00940	WAIVED			
COLOR	00081	WAIVED			
COPPER	01042	WAIVED			
FOAMING AGENTS (MBAS)	38260	WAIVED			
HARDNESS (TOTAL) AS CACO3	00900	WAIVED			
HYDROXIDE ALKALINITY	71830	WAIVED			
IRON	01045	WAIVED			
MAGNESIUM	00927	WAIVED			
MANGANESE	01055	WAIVED			
ODOR THRESHOLD @ 60 C	00086	WAIVED			
PH, LABORATORY	00403	WAIVED			
SILVER	01077	WAIVED			
SODIUM	00929	WAIVED			
SPECIFIC CONDUCTANCE	00095	WAIVED			
SULFATE	00945	WAIVED			
TOTAL DISSOLVED SOLIDS	70300	WAIVED			
TURBIDITY, LABORATORY	82079	WAIVED			
ZINC	01092	WAIVED			

**Testing interval is in months;*
0 = No data for this constituent and is DUE NOW
999 = Waived testing (not required)
I = Invalid (NOT) valid analyses reported

System Number: ***1900045***

System Name: ***1000 TRAILS / SOLEDAD CYN PRESERVE***

PS Code: ***1900045-001***

Source Name: ***WELL 01 WEST WELL***

Source Number: ***001***

Source Status: ***ACTIVE UNTREATED***

Water type: ***GROUNDWATER OR WELL***

	STORET NUMBER	TESTING INTERVAL (MONTHS)*	LAST TEST DATE (yyyy/mm/dd)	LAST RESULT REPORTED	NEXT TEST DATE (yyyy/mm)
GENERAL NON CHAP 15					
DIAZINON	39570	WAIVED			
INORGANIC					
ALUMINUM	01105	WAIVED	2002/05/28	.000	
ANTIMONY	01097	WAIVED	2002/05/28	.000	
ARSENIC	01002	WAIVED	2002/05/28	.000	
ASBESTOS	81855	WAIVED			
BARIUM	01007	WAIVED	2002/05/28	.000	
BERYLLIUM	01012	WAIVED			
CADMIUM	01027	WAIVED	2002/05/28	.000	
CHROMIUM (TOTAL)	01034	WAIVED	2002/05/28	.000	
CYANIDE	01291	WAIVED			
FLUORIDE (F) (NATURAL-SOURCE)	00951	WAIVED	2002/05/28	.280	
LEAD	01051	WAIVED	2002/05/28	.000	
MERCURY	71900	WAIVED	2002/05/28	.000	
NICKEL	01067	WAIVED	2002/05/28	.000	
PERCHLORATE	A-031	WAIVED			
SELENIUM	01147	WAIVED	2002/05/28	.000	
THALLIUM	01059	WAIVED			
NITRATE/NITRITE					
NITRATE (AS NO3)	71850	WAIVED	2011/03/17	12.000	
NITRITE (AS N)	00620	WAIVED	2011/03/17	< .000	
RADIOLOGICAL					
GROSS ALPHA	01501	WAIVED			
GROSS BETA	03501	WAIVED			
RA-226 FOR CWS OR TOTAL RA FOR NTNC BY 903.0	A-080	WAIVED			
RA-226 OR TOTAL RA BY 903.0 C.E.	A-081	WAIVED			
RADIUM 226	09501	WAIVED			
RADIUM 228	11501	WAIVED			

**Testing interval is in months;*
0 = No data for this constituent and is DUE NOW
999 = Waived testing (not required)
I = Invalid (NOT) valid analyses reported

System Number: ***1900045***

System Name: ***1000 TRAILS / SOLEDAD CYN PRESERVE***

PS Code: ***1900045-001***

Source Name: ***WELL 01 WEST WELL***

Source Number: ***001***

Source Status: ***ACTIVE UNTREATED***

Water type: ***GROUNDWATER OR WELL***

	STORET NUMBER	TESTING INTERVAL (MONTHS)*	LAST TEST DATE (yyyy/mm/dd)	LAST RESULT REPORTED	NEXT TEST DATE (yyyy/mm)
RADIOLOGICAL					
RADIUM, TOTAL, MDA95-NTNC ONLY, BY 903.0	A-082	WAIVED			
STRONTIUM-90	13501	WAIVED			
TRITIUM	07000	WAIVED			
URANIUM (PCI/L)	28012	WAIVED			
REGULATED SOC					
2,3,7,8-TCDD (DIOXIN)	34676	WAIVED			
2,4,5-TP (SILVEX)	39045	WAIVED			
2,4-D	39730	WAIVED			
ALACHLOR	77825	WAIVED			
ATRAZINE	39033	WAIVED			
BENTAZON	38710	WAIVED			
BENZO (A) PYRENE	34247	WAIVED			
CARBOFURAN	81405	WAIVED			
CHLORDANE	39350	WAIVED			
DALAPON	38432	WAIVED			
DI(2-ETHYLHEXYL)ADIPATE	A-026	WAIVED			
DI(2-ETHYLHEXYL)PHTHALATE	39100	WAIVED			
DIBROMOCHLOROPROPANE (DBCP)	38761	WAIVED			
DINOSEB	81287	WAIVED			
DIQUAT	78885	WAIVED			
ENDOTHALL	38926	WAIVED			
ENDRIN	39390	WAIVED			
ETHYLENE DIBROMIDE (EDB)	77651	WAIVED			
GLYPHOSATE	79743	WAIVED			
HEPTACHLOR	39410	WAIVED			
HEPTACHLOR EPOXIDE	39420	WAIVED			
HEXACHLOROBENZENE	39700	WAIVED			
HEXACHLOROCYCLOPENTADIENE	34386	WAIVED			
LINDANE	39340	WAIVED			

**Testing interval is in months;*
0 = No data for this constituent and is DUE NOW
999 = Waived testing (not required)
I = Invalid (NOT) valid analyses reported

System Number: ***1900045***

System Name: ***1000 TRAILS / SOLEDAD CYN PRESERVE***

PS Code: ***1900045-001***

Source Name: ***WELL 01 WEST WELL***

Source Number: ***001***

Source Status: ***ACTIVE UNTREATED***

Water type: ***GROUNDWATER OR WELL***

	STORET NUMBER	TESTING INTERVAL (MONTHS)*	LAST TEST DATE (yyyy/mm/dd)	LAST RESULT REPORTED	NEXT TEST DATE (yyyy/mm)
REGULATED SOC					
METHOXYCHLOR	39480	WAIVED			
MOLINATE	82199	WAIVED			
OXAMYL	38865	WAIVED			
PENTACHLOROPHENOL	39032	WAIVED			
PICLORAM	39720	WAIVED			
POLYCHLORINATED BIPHENYLS, TOTAL, AS DCB	39516	WAIVED			
SIMAZINE	39055	WAIVED			
THIOBENCARB	A-001	WAIVED			
TOXAPHENE	39400	WAIVED			
REGULATED VOC					
1,1,1-TRICHLOROETHANE	34506	WAIVED			
1,1,2,2-TETRACHLOROETHANE	34516	WAIVED			
1,1,2-TRICHLORO-1,2,2-TRIFLUOROETHANE	81611	WAIVED			
1,1,2-TRICHLOROETHANE	34511	WAIVED			
1,1-DICHLOROETHANE	34496	WAIVED			
1,1-DICHLOROETHYLENE	34501	WAIVED			
1,2,4-TRICHLOROBENZENE	34551	WAIVED			
1,2-DICHLOROBENZENE	34536	WAIVED			
1,2-DICHLOROETHANE	34531	WAIVED			
1,2-DICHLOROPROPANE	34541	WAIVED			
1,3-DICHLOROPROPENE (TOTAL)	34561	WAIVED			
1,4-DICHLOROBENZENE	34571	WAIVED			
BENZENE	34030	WAIVED			
CARBON TETRACHLORIDE	32102	WAIVED			
CIS-1,2-DICHLOROETHYLENE	77093	WAIVED			
DICHLOROMETHANE	34423	WAIVED			
ETHYLBENZENE	34371	WAIVED			
METHYL-TERT-BUTYL-ETHER (MTBE)	46491	WAIVED			
MONOCHLOROBENZENE	34301	WAIVED			

**Testing interval is in months;*
0 = No data for this constituent and is DUE NOW
999 = Waived testing (not required)
I = Invalid (NOT) valid analyses reported

System Number: ***1900045***

System Name: ***1000 TRAILS / SOLEDAD CYN PRESERVE***

PS Code: ***1900045-001***

Source Name: ***WELL 01 WEST WELL***

Source Number: ***001***

Source Status: ***ACTIVE UNTREATED***

Water type: ***GROUNDWATER OR WELL***

	STORET NUMBER	TESTING INTERVAL (MONTHS)*	LAST TEST DATE (yyyy/mm/dd)	LAST RESULT REPORTED	NEXT TEST DATE (yyyy/mm)
REGULATED VOC					
STYRENE	77128	WAIVED			
TETRACHLOROETHYLENE	34475	WAIVED			
TOLUENE	34010	WAIVED			
TRANS-1,2-DICHLOROETHYLENE	34546	WAIVED			
TRICHLOROETHYLENE	39180	WAIVED			
TRICHLOROFLUOROMETHANE	34488	WAIVED			
VINYL CHLORIDE	39175	WAIVED			
XYLENES (TOTAL)	81551	WAIVED			
SECONDARY/GP					
AGGRSSIVE INDEX (CORROSIVITY)	82383	WAIVED			
BICARBONATE ALKALINITY	00440	WAIVED	2002/05/28	208.000	
CALCIUM	00916	WAIVED	2002/05/28	65.700	
CARBONATE ALKALINITY	00445	WAIVED	2002/05/28	.000	
CHLORIDE	00940	WAIVED	2002/05/28	43.000	
COLOR	00081	WAIVED			
COPPER	01042	WAIVED	2002/05/28	.000	
FOAMING AGENTS (MBAS)	38260	WAIVED			
HARDNESS (TOTAL) AS CACO3	00900	WAIVED	2002/05/28	228.000	
HYDROXIDE ALKALINITY	71830	WAIVED	2002/05/28	.000	
IRON	01045	WAIVED	2002/05/28	.000	
MAGNESIUM	00927	WAIVED	2002/05/28	15.600	
MANGANESE	01055	WAIVED	2002/05/28	.000	
ODOR THRESHOLD @ 60 C	00086	WAIVED			
PH, LABORATORY	00403	WAIVED	2002/05/28	7.630	
SILVER	01077	WAIVED	2002/05/28	.000	
SODIUM	00929	WAIVED	2002/05/28	33.200	
SPECIFIC CONDUCTANCE	00095	WAIVED	2002/05/28	614.000	
SULFATE	00945	WAIVED	2002/05/28	56.100	
TOTAL DISSOLVED SOLIDS	70300	WAIVED	2002/05/28	434.000	

**Testing interval is in months;*
0 = No data for this constituent and is DUE NOW
999 = Waived testing (not required)
I = Invalid (NOT) valid analyses reported

System Number: 1900045

System Name: 1000 TRAILS / SOLEDAD CYN PRESERVE

PS Code: 1900045-001

Source Name: WELL 01 WEST WELL

Source Number: 001

Source Status: ACTIVE UNTREATED

Water type: GROUNDWATER OR WELL

	STORET NUMBER	TESTING INTERVAL (MONTHS)*	LAST TEST DATE (yyyy/mm/dd)	LAST RESULT REPORTED	NEXT TEST DATE (yyyy/mm)
SECONDARY/GP					
TURBIDITY, LABORATORY	82079	WAIVED			
ZINC	01092	WAIVED	2002/05/28	.000	

PS Code: 1900045-002

Source Name: WELL 02 OLD EAST WELL

Source Number: 002

Source Status: ACTIVE UNTREATED

Water type: GROUNDWATER OR WELL

GENERAL NON CHAP 15					
DIAZINON	39570	WAIVED			
INORGANIC					
ALUMINUM	01105	WAIVED			
ANTIMONY	01097	WAIVED			
ARSENIC	01002	WAIVED			
ASBESTOS	81855	WAIVED			
BARIUM	01007	WAIVED			
BERYLLIUM	01012	WAIVED			
CADMIUM	01027	WAIVED			
CHROMIUM (TOTAL)	01034	WAIVED			
CYANIDE	01291	WAIVED			
FLUORIDE (F) (NATURAL-SOURCE)	00951	WAIVED			
LEAD	01051	WAIVED			
MERCURY	71900	WAIVED			
NICKEL	01067	WAIVED			
PERCHLORATE	A-031	WAIVED			
SELENIUM	01147	WAIVED			
THALLIUM	01059	WAIVED			

**Testing interval is in months;*
0 = No data for this constituent and is DUE NOW
999 = Waived testing (not required)
I = Invalid (NOT) valid analyses reported

System Number: ***1900045***

System Name: ***1000 TRAILS / SOLEDAD CYN PRESERVE***

PS Code: ***1900045-002***

Source Name: ***WELL 02 OLD EAST WELL***

Source Number: ***002***

Source Status: ***ACTIVE UNTREATED***

Water type: ***GROUNDWATER OR WELL***

	STORET NUMBER	TESTING INTERVAL (MONTHS)*	LAST TEST DATE (yyyy/mm/dd)	LAST RESULT REPORTED	NEXT TEST DATE (yyyy/mm)
NITRATE/NITRITE					
NITRATE (AS NO3)	71850	WAIVED	2002/12/13	18.400	
NITRITE (AS N)	00620	WAIVED			
RADIOLOGICAL					
GROSS ALPHA	01501	WAIVED			
GROSS BETA	03501	WAIVED			
RA-226 FOR CWS OR TOTAL RA FOR NTNC BY 903.0	A-080	WAIVED			
RA-226 OR TOTAL RA BY 903.0 C.E.	A-081	WAIVED			
RADIUM 226	09501	WAIVED			
RADIUM 228	11501	WAIVED			
RADIUM, TOTAL, MDA95-NTNC ONLY, BY 903.0	A-082	WAIVED			
STRONTIUM-90	13501	WAIVED			
TRITIUM	07000	WAIVED			
URANIUM (PCI/L)	28012	WAIVED			
REGULATED SOC					
2,3,7,8-TCDD (DIOXIN)	34676	WAIVED			
2,4,5-TP (SILVEX)	39045	WAIVED			
2,4-D	39730	WAIVED			
ALACHLOR	77825	WAIVED			
ATRAZINE	39033	WAIVED			
BENTAZON	38710	WAIVED			
BENZO (A) PYRENE	34247	WAIVED			
CARBOFURAN	81405	WAIVED			
CHLORDANE	39350	WAIVED			
DALAPON	38432	WAIVED			
DI(2-ETHYLHEXYL)ADIPATE	A-026	WAIVED			
DI(2-ETHYLHEXYL)PHTHALATE	39100	WAIVED			
DIBROMOCHLOROPROPANE (DBCP)	38761	WAIVED			
DINOSEB	81287	WAIVED			
DIQUAT	78885	WAIVED			

**Testing interval is in months;*
0 = No data for this constituent and is DUE NOW
999 = Waived testing (not required)
I = Invalid (NOT) valid analyses reported

System Number: ***1900045***

System Name: ***1000 TRAILS / SOLEDAD CYN PRESERVE***

PS Code: ***1900045-002***

Source Name: ***WELL 02 OLD EAST WELL***

Source Number: ***002***

Source Status: ***ACTIVE UNTREATED***

Water type: ***GROUNDWATER OR WELL***

REGULATED SOC

	STORET NUMBER	TESTING INTERVAL (MONTHS)*	LAST TEST DATE (yyyy/mm/dd)	LAST RESULT REPORTED	NEXT TEST DATE (yyyy/mm)
ENDOTHALL	38926	WAIVED			
ENDRIN	39390	WAIVED			
ETHYLENE DIBROMIDE (EDB)	77651	WAIVED			
GLYPHOSATE	79743	WAIVED			
HEPTACHLOR	39410	WAIVED			
HEPTACHLOR EPOXIDE	39420	WAIVED			
HEXACHLOROBENZENE	39700	WAIVED			
HEXACHLOROCYCLOPENTADIENE	34386	WAIVED			
LINDANE	39340	WAIVED			
METHOXYCHLOR	39480	WAIVED			
MOLINATE	82199	WAIVED			
OXAMYL	38865	WAIVED			
PENTACHLOROPHENOL	39032	WAIVED			
PICLORAM	39720	WAIVED			
POLYCHLORINATED BIPHENYLS, TOTAL, AS DCB	39516	WAIVED			
SIMAZINE	39055	WAIVED			
THIOBENCARB	A-001	WAIVED			
TOXAPHENE	39400	WAIVED			

REGULATED VOC

1,1,1-TRICHLOROETHANE	34506	WAIVED			
1,1,2,2-TETRACHLOROETHANE	34516	WAIVED			
1,1,2-TRICHLORO-1,2,2-TRIFLUOROETHANE	81611	WAIVED			
1,1,2-TRICHLOROETHANE	34511	WAIVED			
1,1-DICHLOROETHANE	34496	WAIVED			
1,1-DICHLOROETHYLENE	34501	WAIVED			
1,2,4-TRICHLOROBENZENE	34551	WAIVED			
1,2-DICHLOROBENZENE	34536	WAIVED			
1,2-DICHLOROETHANE	34531	WAIVED			
1,2-DICHLOROPROPANE	34541	WAIVED			

**Testing interval is in months;*
0 = No data for this constituent and is DUE NOW
999 = Waived testing (not required)
I = Invalid (NOT) valid analyses reported

System Number: ***1900045***

System Name: ***1000 TRAILS / SOLEDAD CYN PRESERVE***

PS Code: ***1900045-002***

Source Name: ***WELL 02 OLD EAST WELL***

Source Number: ***002***

Source Status: ***ACTIVE UNTREATED***

Water type: ***GROUNDWATER OR WELL***

	STORET NUMBER	TESTING INTERVAL (MONTHS)*	LAST TEST DATE (yyyy/mm/dd)	LAST RESULT REPORTED	NEXT TEST DATE (yyyy/mm)
REGULATED VOC					
1,3-DICHLOROPROPENE (TOTAL)	34561	WAIVED			
1,4-DICHLOROBENZENE	34571	WAIVED			
BENZENE	34030	WAIVED			
CARBON TETRACHLORIDE	32102	WAIVED			
CIS-1,2-DICHLOROETHYLENE	77093	WAIVED			
DICHLOROMETHANE	34423	WAIVED			
ETHYLBENZENE	34371	WAIVED			
METHYL-TERT-BUTYL-ETHER (MTBE)	46491	WAIVED			
MONOCHLOROBENZENE	34301	WAIVED			
STYRENE	77128	WAIVED			
TETRACHLOROETHYLENE	34475	WAIVED			
TOLUENE	34010	WAIVED			
TRANS-1,2-DICHLOROETHYLENE	34546	WAIVED			
TRICHLOROETHYLENE	39180	WAIVED			
TRICHLOROFLUOROMETHANE	34488	WAIVED			
VINYL CHLORIDE	39175	WAIVED			
XYLENES (TOTAL)	81551	WAIVED			
SECONDARY/GP					
AGGRSSIVE INDEX (CORROSIVITY)	82383	WAIVED			
BICARBONATE ALKALINITY	00440	WAIVED			
CALCIUM	00916	WAIVED			
CARBONATE ALKALINITY	00445	WAIVED			
CHLORIDE	00940	WAIVED			
COLOR	00081	WAIVED			
COPPER	01042	WAIVED			
FOAMING AGENTS (MBAS)	38260	WAIVED			
HARDNESS (TOTAL) AS CACO3	00900	WAIVED			
HYDROXIDE ALKALINITY	71830	WAIVED			
IRON	01045	WAIVED			

**Testing interval is in months;*
0 = No data for this constituent and is DUE NOW
999 = Waived testing (not required)
I = Invalid (NOT) valid analyses reported

System Number: ***1900045***

System Name: ***1000 TRAILS / SOLEDAD CYN PRESERVE***

PS Code: ***1900045-002***

Source Name: ***WELL 02 OLD EAST WELL***

Source Number: ***002***

Source Status: ***ACTIVE UNTREATED***

Water type: ***GROUNDWATER OR WELL***

SECONDARY/GP

	STORET NUMBER	TESTING INTERVAL (MONTHS)*	LAST TEST DATE (yyyy/mm/dd)	LAST RESULT REPORTED	NEXT TEST DATE (yyyy/mm)
MAGNESIUM	00927	WAIVED			
MANGANESE	01055	WAIVED			
ODOR THRESHOLD @ 60 C	00086	WAIVED			
PH, LABORATORY	00403	WAIVED			
SILVER	01077	WAIVED			
SODIUM	00929	WAIVED			
SPECIFIC CONDUCTANCE	00095	WAIVED			
SULFATE	00945	WAIVED			
TOTAL DISSOLVED SOLIDS	70300	WAIVED			
TURBIDITY, LABORATORY	82079	WAIVED			
ZINC	01092	WAIVED			

PS Code: ***1900045-003***

Source Name: ***WELL 03 NEW EAST WELL***

Source Number: ***003***

Source Status: ***ACTIVE UNTREATED***

Water type: ***GROUNDWATER OR WELL***

GENERAL NON CHAP 15

DIAZINON	39570	WAIVED			

INORGANIC

ALUMINUM	01105	WAIVED			
ANTIMONY	01097	WAIVED			
ARSENIC	01002	WAIVED			
ASBESTOS	81855	WAIVED			
BARIUM	01007	WAIVED			
BERYLLIUM	01012	WAIVED			
CADMIUM	01027	WAIVED			
CHROMIUM (TOTAL)	01034	WAIVED			
CYANIDE	01291	WAIVED			

**Testing interval is in months;*
0 = No data for this constituent and is DUE NOW
999 = Waived testing (not required)
I = Invalid (NOT) valid analyses reported

System Number: ***1900045***

System Name: ***1000 TRAILS / SOLEDAD CYN PRESERVE***

PS Code: ***1900045-003***

Source Name: ***WELL 03 NEW EAST WELL***

Source Number: ***003***

Source Status: ***ACTIVE UNTREATED***

Water type: ***GROUNDWATER OR WELL***

	STORET NUMBER	TESTING INTERVAL (MONTHS)*	LAST TEST DATE (yyyy/mm/dd)	LAST RESULT REPORTED	NEXT TEST DATE (yyyy/mm)
INORGANIC					
FLUORIDE (F) (NATURAL-SOURCE)	00951	WAIVED			
LEAD	01051	WAIVED			
MERCURY	71900	WAIVED			
NICKEL	01067	WAIVED			
PERCHLORATE	A-031	WAIVED			
SELENIUM	01147	WAIVED			
THALLIUM	01059	WAIVED			
NITRATE/NITRITE					
NITRATE (AS NO3)	71850	WAIVED			
NITRITE (AS N)	00620	WAIVED			
RADIOLOGICAL					
GROSS ALPHA	01501	WAIVED			
GROSS BETA	03501	WAIVED			
RA-226 FOR CWS OR TOTAL RA FOR NTNC BY 903.0	A-080	WAIVED			
RA-226 OR TOTAL RA BY 903.0 C.E.	A-081	WAIVED			
RADIUM 226	09501	WAIVED			
RADIUM 228	11501	WAIVED			
RADIUM, TOTAL, MDA95-NTNC ONLY, BY 903.0	A-082	WAIVED			
STRONTIUM-90	13501	WAIVED			
TRITIUM	07000	WAIVED			
URANIUM (PCI/L)	28012	WAIVED			
REGULATED SOC					
2,3,7,8-TCDD (DIOXIN)	34676	WAIVED			
2,4,5-TP (SILVEX)	39045	WAIVED			
2,4-D	39730	WAIVED			
ALACHLOR	77825	WAIVED			
ATRAZINE	39033	WAIVED			
BENTAZON	38710	WAIVED			

**Testing interval is in months;*
0 = No data for this constituent and is DUE NOW
999 = Waived testing (not required)
I = Invalid (NOT) valid analyses reported

System Number: ***1900045***

System Name: ***1000 TRAILS / SOLEDAD CYN PRESERVE***

PS Code: ***1900045-003***

Source Name: ***WELL 03 NEW EAST WELL***

Source Number: ***003***

Source Status: ***ACTIVE UNTREATED***

Water type: ***GROUNDWATER OR WELL***

	STORET NUMBER	TESTING INTERVAL (MONTHS)*	LAST TEST DATE (yyyy/mm/dd)	LAST RESULT REPORTED	NEXT TEST DATE (yyyy/mm)
REGULATED SOC					
BENZO (A) PYRENE	34247	WAIVED			
CARBOFURAN	81405	WAIVED			
CHLORDANE	39350	WAIVED			
DALAPON	38432	WAIVED			
DI(2-ETHYLHEXYL)ADIPATE	A-026	WAIVED			
DI(2-ETHYLHEXYL)PHTHALATE	39100	WAIVED			
DIBROMOCHLOROPROPANE (DBCP)	38761	WAIVED			
DINOSEB	81287	WAIVED			
DIQUAT	78885	WAIVED			
ENDOTHALL	38926	WAIVED			
ENDRIN	39390	WAIVED			
ETHYLENE DIBROMIDE (EDB)	77651	WAIVED			
GLYPHOSATE	79743	WAIVED			
HEPTACHLOR	39410	WAIVED			
HEPTACHLOR EPOXIDE	39420	WAIVED			
HEXACHLOROBENZENE	39700	WAIVED			
HEXACHLOROCYCLOPENTADIENE	34386	WAIVED			
LINDANE	39340	WAIVED			
METHOXYCHLOR	39480	WAIVED			
MOLINATE	82199	WAIVED			
OXAMYL	38865	WAIVED			
PENTACHLOROPHENOL	39032	WAIVED			
PICLORAM	39720	WAIVED			
POLYCHLORINATED BIPHENYLS, TOTAL, AS DCB	39516	WAIVED			
SIMAZINE	39055	WAIVED			
THIOBENCARB	A-001	WAIVED			
TOXAPHENE	39400	WAIVED			
REGULATED VOC					
1,1,1-TRICHLOROETHANE	34506	WAIVED			

**Testing interval is in months;*
0 = No data for this constituent and is DUE NOW
999 = Waived testing (not required)
I = Invalid (NOT) valid analyses reported

System Number: ***1900045***

System Name: ***1000 TRAILS / SOLEDAD CYN PRESERVE***

PS Code: ***1900045-003***

Source Name: ***WELL 03 NEW EAST WELL***

Source Number: ***003***

Source Status: ***ACTIVE UNTREATED***

Water type: ***GROUNDWATER OR WELL***

	STORET NUMBER	TESTING INTERVAL (MONTHS)*	LAST TEST DATE (yyyy/mm/dd)	LAST RESULT REPORTED	NEXT TEST DATE (yyyy/mm)
REGULATED VOC					
1,1,2,2-TETRACHLOROETHANE	34516	WAIVED			
1,1,2-TRICHLORO-1,2,2-TRIFLUOROETHANE	81611	WAIVED			
1,1,2-TRICHLOROETHANE	34511	WAIVED			
1,1-DICHLOROETHANE	34496	WAIVED			
1,1-DICHLOROETHYLENE	34501	WAIVED			
1,2,4-TRICHLOROBENZENE	34551	WAIVED			
1,2-DICHLOROBENZENE	34536	WAIVED			
1,2-DICHLOROETHANE	34531	WAIVED			
1,2-DICHLOROPROPANE	34541	WAIVED			
1,3-DICHLOROPROPENE (TOTAL)	34561	WAIVED			
1,4-DICHLOROBENZENE	34571	WAIVED			
BENZENE	34030	WAIVED			
CARBON TETRACHLORIDE	32102	WAIVED			
CIS-1,2-DICHLOROETHYLENE	77093	WAIVED			
DICHLOROMETHANE	34423	WAIVED			
ETHYLBENZENE	34371	WAIVED			
METHYL-TERT-BUTYL-ETHER (MTBE)	46491	WAIVED			
MONOCHLOROBENZENE	34301	WAIVED			
STYRENE	77128	WAIVED			
TETRACHLOROETHYLENE	34475	WAIVED			
TOLUENE	34010	WAIVED			
TRANS-1,2-DICHLOROETHYLENE	34546	WAIVED			
TRICHLOROETHYLENE	39180	WAIVED			
TRICHLOROFLUOROMETHANE	34488	WAIVED			
VINYL CHLORIDE	39175	WAIVED			
XYLENES (TOTAL)	81551	WAIVED			
SECONDARY/GP					
AGGRSSIVE INDEX (CORROSIVITY)	82383	WAIVED			
BICARBONATE ALKALINITY	00440	WAIVED			

**Testing interval is in months;*
0 = No data for this constituent and is DUE NOW
999 = Waived testing (not required)
I = Invalid (NOT) valid analyses reported

System Number: ***1900045***

System Name: ***1000 TRAILS / SOLEDAD CYN PRESERVE***

PS Code: ***1900045-003***

Source Name: ***WELL 03 NEW EAST WELL***

Source Number: ***003***

Source Status: ***ACTIVE UNTREATED***

Water type: ***GROUNDWATER OR WELL***

SECONDARY/GP

	STORET NUMBER	TESTING INTERVAL (MONTHS)*	LAST TEST DATE (yyyy/mm/dd)	LAST RESULT REPORTED	NEXT TEST DATE (yyyy/mm)
CALCIUM	00916	WAIVED			
CARBONATE ALKALINITY	00445	WAIVED			
CHLORIDE	00940	WAIVED			
COLOR	00081	WAIVED			
COPPER	01042	WAIVED			
FOAMING AGENTS (MBAS)	38260	WAIVED			
HARDNESS (TOTAL) AS CACO3	00900	WAIVED			
HYDROXIDE ALKALINITY	71830	WAIVED			
IRON	01045	WAIVED			
MAGNESIUM	00927	WAIVED			
MANGANESE	01055	WAIVED			
ODOR THRESHOLD @ 60 C	00086	WAIVED			
PH, LABORATORY	00403	WAIVED			
SILVER	01077	WAIVED			
SODIUM	00929	WAIVED			
SPECIFIC CONDUCTANCE	00095	WAIVED			
SULFATE	00945	WAIVED			
TOTAL DISSOLVED SOLIDS	70300	WAIVED			
TURBIDITY, LABORATORY	82079	WAIVED			
ZINC	01092	WAIVED			

**Testing interval is in months;*
0 = No data for this constituent and is DUE NOW
999 = Waived testing (not required)
I = Invalid (NOT) valid analyses reported

System Number: 1900055
System Name: BLUE SKIES TRAILER PARK

PS Code: 1900055-001
Source Name: WELL 01
Source Number: 001
Source Status: ACTIVE UNTREATED
Water type: GROUNDWATER OR WELL

	STORET NUMBER	TESTING INTERVAL (MONTHS)*	LAST TEST DATE (yyyy/mm/dd)	LAST RESULT REPORTED	NEXT TEST DATE (yyyy/mm)
GENERAL NON CHAP 15					
DIAZINON	39570	WAIVED			
INORGANIC					
ALUMINUM	01105	WAIVED	2010/10/26	< .000	
ANTIMONY	01097	WAIVED	2010/10/26	< .000	
ARSENIC	01002	WAIVED	2010/10/26	< .000	
ASBESTOS	81855	WAIVED	2008/02/26	.000	
BARIUM	01007	WAIVED	2010/10/26	< .000	
BERYLLIUM	01012	WAIVED	2010/10/26	< .000	
CADMIUM	01027	WAIVED	2010/10/26	< .000	
CHROMIUM (TOTAL)	01034	WAIVED	2010/10/26	< .000	
CYANIDE	01291	WAIVED	2010/10/26	< .000	
FLUORIDE (F) (NATURAL-SOURCE)	00951	WAIVED	2010/10/26	.300	
LEAD	01051	WAIVED	2010/10/26	< .000	
MERCURY	71900	WAIVED	2010/10/26	< .000	
NICKEL	01067	WAIVED	2010/10/26	< .000	
PERCHLORATE	A-031	WAIVED	2010/10/26	< .000	
SELENIUM	01147	WAIVED	2010/10/26	< .000	
THALLIUM	01059	WAIVED	2010/10/26	< .000	
NITRATE/NITRITE					
NITRATE (AS NO3)	71850	WAIVED	2011/09/06	< .000	
NITRITE (AS N)	00620	WAIVED	2010/10/26	< .000	
RADIOLOGICAL					
GROSS ALPHA	01501	WAIVED	2010/10/26	< .000	
GROSS BETA	03501	WAIVED			
RA-226 FOR CWS OR TOTAL RA FOR NTNC BY 903.0	A-080	WAIVED	2010/10/26	.115	
RA-226 OR TOTAL RA BY 903.0 C.E.	A-081	WAIVED	2010/10/26	.250	
RADIUM 226	09501	WAIVED	2008/12/09	.147	
RADIUM 228	11501	WAIVED	2010/10/26	.000	

**Testing interval is in months;*
0 = No data for this constituent and is DUE NOW
999 = Waived testing (not required)
I = Invalid (NOT) valid analyses reported

System Number: ***1900055***

System Name: ***BLUE SKIES TRAILER PARK***

PS Code: ***1900055-001***

Source Name: ***WELL 01***

Source Number: ***001***

Source Status: ***ACTIVE UNTREATED***

Water type: ***GROUNDWATER OR WELL***

	STORET NUMBER	TESTING INTERVAL (MONTHS)*	LAST TEST DATE (yyyy/mm/dd)	LAST RESULT REPORTED	NEXT TEST DATE (yyyy/mm)
RADIOLOGICAL					
RADIUM, TOTAL, MDA95-NTNC ONLY, BY 903.0	A-082	WAIVED	2010/10/26	.549	
STRONTIUM-90	13501	WAIVED			
TRITIUM	07000	WAIVED			
URANIUM (PCI/L)	28012	WAIVED	2010/10/26	1.900	
REGULATED SOC					
2,3,7,8-TCDD (DIOXIN)	34676	WAIVED			
2,4,5-TP (SILVEX)	39045	WAIVED			
2,4-D	39730	WAIVED			
ALACHLOR	77825	WAIVED	2003/03/28	.000	
ATRAZINE	39033	WAIVED			
BENTAZON	38710	WAIVED			
BENZO (A) PYRENE	34247	WAIVED			
CARBOFURAN	81405	WAIVED			
CHLORDANE	39350	WAIVED	2003/03/28	.000	
DALAPON	38432	WAIVED			
DI(2-ETHYLHEXYL)ADIPATE	A-026	WAIVED			
DI(2-ETHYLHEXYL)PHTHALATE	39100	WAIVED	1999/06/28	.000	
DIBROMOCHLOROPROPANE (DBCP)	38761	WAIVED			
DINOSEB	81287	WAIVED			
DIQUAT	78885	WAIVED			
ENDOTHALL	38926	WAIVED			
ENDRIN	39390	WAIVED	2003/03/28	.000	
ETHYLENE DIBROMIDE (EDB)	77651	WAIVED			
GLYPHOSATE	79743	WAIVED			
HEPTACHLOR	39410	WAIVED	2003/03/28	.000	
HEPTACHLOR EPOXIDE	39420	WAIVED	2003/03/28	.000	
HEXACHLOROBENZENE	39700	WAIVED	2003/03/28	.000	
HEXACHLOROCYCLOPENTADIENE	34386	WAIVED	2003/03/28	.000	
LINDANE	39340	WAIVED	2003/03/28	.000	

**Testing interval is in months;*
0 = No data for this constituent and is DUE NOW
999 = Waived testing (not required)
I = Invalid (NOT) valid analyses reported

System Number: ***1900055***

System Name: ***BLUE SKIES TRAILER PARK***

PS Code: ***1900055-001***

Source Name: ***WELL 01***

Source Number: ***001***

Source Status: ***ACTIVE UNTREATED***

Water type: ***GROUNDWATER OR WELL***

	STORET NUMBER	TESTING INTERVAL (MONTHS)*	LAST TEST DATE (yyyy/mm/dd)	LAST RESULT REPORTED	NEXT TEST DATE (yyyy/mm)
REGULATED SOC					
METHOXYCHLOR	39480	WAIVED	2003/03/28	.000	
MOLINATE	82199	WAIVED			
OXAMYL	38865	WAIVED			
PENTACHLOROPHENOL	39032	WAIVED			
PICLORAM	39720	WAIVED			
POLYCHLORINATED BIPHENYLS, TOTAL, AS DCB	39516	WAIVED	2003/03/28	.000	
SIMAZINE	39055	WAIVED			
THIOBENCARB	A-001	WAIVED	2001/12/06	.000	
TOXAPHENE	39400	WAIVED	2003/03/28	.000	
REGULATED VOC					
1,1,1-TRICHLOROETHANE	34506	WAIVED	2003/03/28	.000	
1,1,2,2-TETRACHLOROETHANE	34516	WAIVED	2003/03/28	.000	
1,1,2-TRICHLORO-1,2,2-TRIFLUOROETHANE	81611	WAIVED	2003/03/28	.000	
1,1,2-TRICHLOROETHANE	34511	WAIVED	2003/03/28	.000	
1,1-DICHLOROETHANE	34496	WAIVED	2003/03/28	.000	
1,1-DICHLOROETHYLENE	34501	WAIVED	2003/03/28	.000	
1,2,4-TRICHLOROBENZENE	34551	WAIVED	2003/03/28	.000	
1,2-DICHLOROBENZENE	34536	WAIVED	2003/03/28	.000	
1,2-DICHLOROETHANE	34531	WAIVED	2003/03/28	.000	
1,2-DICHLOROPROPANE	34541	WAIVED	2003/03/28	.000	
1,3-DICHLOROPROPENE (TOTAL)	34561	WAIVED	2003/03/28	.000	
1,4-DICHLOROBENZENE	34571	WAIVED	2003/03/28	.000	
BENZENE	34030	WAIVED	2003/03/28	.000	
CARBON TETRACHLORIDE	32102	WAIVED	2003/03/28	.000	
CIS-1,2-DICHLOROETHYLENE	77093	WAIVED	2003/03/28	.000	
DICHLOROMETHANE	34423	WAIVED	2003/03/28	.000	
ETHYLBENZENE	34371	WAIVED	2003/03/28	.000	
METHYL-TERT-BUTYL-ETHER (MTBE)	46491	WAIVED	2003/03/28	.000	
MONOCHLOROBENZENE	34301	WAIVED	2003/03/28	.000	

**Testing interval is in months;*
0 = No data for this constituent and is DUE NOW
999 = Waived testing (not required)
I = Invalid (NOT) valid analyses reported

System Number: ***1900055***

System Name: ***BLUE SKIES TRAILER PARK***

PS Code: ***1900055-001***

Source Name: ***WELL 01***

Source Number: ***001***

Source Status: ***ACTIVE UNTREATED***

Water type: ***GROUNDWATER OR WELL***

	STORET NUMBER	TESTING INTERVAL (MONTHS)*	LAST TEST DATE (yyyy/mm/dd)	LAST RESULT REPORTED	NEXT TEST DATE (yyyy/mm)
REGULATED VOC					
STYRENE	77128	WAIVED	2003/03/28	.000	
TETRACHLOROETHYLENE	34475	WAIVED	2003/03/28	.000	
TOLUENE	34010	WAIVED	2003/03/28	.000	
TRANS-1,2-DICHLOROETHYLENE	34546	WAIVED	2003/03/28	.000	
TRICHLOROETHYLENE	39180	WAIVED	2003/03/28	.000	
TRICHLOROFLUOROMETHANE	34488	WAIVED	2003/03/28	.000	
VINYL CHLORIDE	39175	WAIVED	2003/03/28	.000	
XYLENES (TOTAL)	81551	WAIVED	2003/03/28	.000	
SECONDARY/GP					
AGGRSSIVE INDEX (CORROSIVITY)	82383	WAIVED	2007/11/29	12.000	
BICARBONATE ALKALINITY	00440	WAIVED	2010/10/26	190.000	
CALCIUM	00916	WAIVED	2010/10/26	40.000	
CARBONATE ALKALINITY	00445	WAIVED	2010/10/26	< .000	
CHLORIDE	00940	WAIVED	2010/10/26	6.400	
COLOR	00081	WAIVED	2010/10/26	< .000	
COPPER	01042	WAIVED	2010/10/26	< .000	
FOAMING AGENTS (MBAS)	38260	WAIVED	2010/10/26	< .000	
HARDNESS (TOTAL) AS CACO3	00900	WAIVED	2010/10/26	140.000	
HYDROXIDE ALKALINITY	71830	WAIVED	2010/10/26	< .000	
IRON	01045	WAIVED	2010/10/26	< .000	
MAGNESIUM	00927	WAIVED	2010/10/26	9.900	
MANGANESE	01055	WAIVED	2010/10/26	< .000	
ODOR THRESHOLD @ 60 C	00086	WAIVED	2010/10/26	1.000	
PH, LABORATORY	00403	WAIVED	2010/10/26	8.400	
SILVER	01077	WAIVED	2010/10/26	< .000	
SODIUM	00929	WAIVED	2010/10/26	18.000	
SPECIFIC CONDUCTANCE	00095	WAIVED	2010/10/26	360.000	
SULFATE	00945	WAIVED	2010/10/26	23.000	
TOTAL DISSOLVED SOLIDS	70300	WAIVED	2010/10/26	230.000	

**Testing interval is in months;*
0 = No data for this constituent and is DUE NOW
999 = Waived testing (not required)
I = Invalid (NOT) valid analyses reported

System Number: ***1900055***

System Name: ***BLUE SKIES TRAILER PARK***

PS Code: ***1900055-001***

Source Name: ***WELL 01***

Source Number: ***001***

Source Status: ***ACTIVE UNTREATED***

Water type: ***GROUNDWATER OR WELL***

	STORET NUMBER	TESTING INTERVAL (MONTHS)*	LAST TEST DATE (yyyy/mm/dd)	LAST RESULT REPORTED	NEXT TEST DATE (yyyy/mm)
SECONDARY/GP					
TURBIDITY, LABORATORY	**82079**	**WAIVED**	2010/10/26	**< .000**	
ZINC	**01092**	**WAIVED**	2010/10/26	**< .000**	

**Testing interval is in months;*
0 = No data for this constituent and is DUE NOW
999 = Waived testing (not required)
I = Invalid (NOT) valid analyses reported

System Number: ***1900057***

System Name: ***ST ANDREWS ABBEY***

PS Code: ***1900057-001***

Source Name: ***WELL 01***

Source Number: ***001***

Source Status: ***ACTIVE UNTREATED***

Water type: ***GROUNDWATER OR WELL***

	STORET NUMBER	TESTING INTERVAL (MONTHS)*	LAST TEST DATE (yyyy/mm/dd)	LAST RESULT REPORTED	NEXT TEST DATE (yyyy/mm)
GENERAL NON CHAP 15					
DIAZINON	39570	WAIVED			
INORGANIC					
ALUMINUM	01105	WAIVED	2007/06/21	.000	
ANTIMONY	01097	WAIVED	2004/04/19	.000	
ARSENIC	01002	WAIVED	2007/06/21	.000	
ASBESTOS	81855	WAIVED			
BARIUM	01007	WAIVED	2004/04/19	.000	
BERYLLIUM	01012	WAIVED			
CADMIUM	01027	WAIVED	2007/06/21	.000	
CHROMIUM (TOTAL)	01034	WAIVED	2007/06/21	.000	
CYANIDE	01291	WAIVED			
FLUORIDE (F) (NATURAL-SOURCE)	00951	WAIVED	2007/03/22	.270	
LEAD	01051	WAIVED	2007/06/21	.000	
MERCURY	71900	WAIVED	2007/06/21	.000	
NICKEL	01067	WAIVED	2007/06/21	.000	
PERCHLORATE	A-031	WAIVED			
SELENIUM	01147	WAIVED	2007/06/21	.000	
THALLIUM	01059	WAIVED			
NITRATE/NITRITE					
NITRATE (AS NO3)	71850	WAIVED	2011/02/22	5.600	
NITRITE (AS N)	00620	WAIVED			
RADIOLOGICAL					
GROSS ALPHA	01501	WAIVED			
GROSS BETA	03501	WAIVED			
RA-226 FOR CWS OR TOTAL RA FOR NTNC BY 903.0	A-080	WAIVED			
RA-226 OR TOTAL RA BY 903.0 C.E.	A-081	WAIVED			
RADIUM 226	09501	WAIVED			
RADIUM 228	11501	WAIVED			

**Testing interval is in months;*
0 = No data for this constituent and is DUE NOW
999 = Waived testing (not required)
I = Invalid (NOT) valid analyses reported

System Number: ***1900057***

System Name: ***ST ANDREWS ABBEY***

PS Code: ***1900057-001***

Source Name: ***WELL 01***

Source Number: ***001***

Source Status: ***ACTIVE UNTREATED***

Water type: ***GROUNDWATER OR WELL***

	STORET NUMBER	TESTING INTERVAL (MONTHS)*	LAST TEST DATE (yyyy/mm/dd)	LAST RESULT REPORTED	NEXT TEST DATE (yyyy/mm)
RADIOLOGICAL					
RADIUM, TOTAL, MDA95-NTNC ONLY, BY 903.0	A-082	WAIVED			
STRONTIUM-90	13501	WAIVED			
TRITIUM	07000	WAIVED			
URANIUM (PCI/L)	28012	WAIVED			
REGULATED SOC					
2,3,7,8-TCDD (DIOXIN)	34676	WAIVED			
2,4,5-TP (SILVEX)	39045	WAIVED			
2,4-D	39730	WAIVED			
ALACHLOR	77825	WAIVED			
ATRAZINE	39033	WAIVED			
BENTAZON	38710	WAIVED			
BENZO (A) PYRENE	34247	WAIVED			
CARBOFURAN	81405	WAIVED			
CHLORDANE	39350	WAIVED			
DALAPON	38432	WAIVED			
DI(2-ETHYLHEXYL)ADIPATE	A-026	WAIVED			
DI(2-ETHYLHEXYL)PHTHALATE	39100	WAIVED			
DIBROMOCHLOROPROPANE (DBCP)	38761	WAIVED			
DINOSEB	81287	WAIVED			
DIQUAT	78885	WAIVED			
ENDOTHALL	38926	WAIVED			
ENDRIN	39390	WAIVED			
ETHYLENE DIBROMIDE (EDB)	77651	WAIVED			
GLYPHOSATE	79743	WAIVED			
HEPTACHLOR	39410	WAIVED			
HEPTACHLOR EPOXIDE	39420	WAIVED			
HEXACHLOROBENZENE	39700	WAIVED			
HEXACHLOROCYCLOPENTADIENE	34386	WAIVED			
LINDANE	39340	WAIVED			

**Testing interval is in months;*
0 = No data for this constituent and is DUE NOW
999 = Waived testing (not required)
I = Invalid (NOT) valid analyses reported

System Number: ***1900057***

System Name: ***ST ANDREWS ABBEY***

PS Code: ***1900057-001***

Source Name: ***WELL 01***

Source Number: ***001***

Source Status: ***ACTIVE UNTREATED***

Water type: ***GROUNDWATER OR WELL***

	STORET NUMBER	TESTING INTERVAL (MONTHS)*	LAST TEST DATE (yyyy/mm/dd)	LAST RESULT REPORTED	NEXT TEST DATE (yyyy/mm)
REGULATED SOC					
METHOXYCHLOR	39480	WAIVED			
MOLINATE	82199	WAIVED			
OXAMYL	38865	WAIVED			
PENTACHLOROPHENOL	39032	WAIVED			
PICLORAM	39720	WAIVED			
POLYCHLORINATED BIPHENYLS, TOTAL, AS DCB	39516	WAIVED			
SIMAZINE	39055	WAIVED			
THIOBENCARB	A-001	WAIVED	2004/04/19	.000	
TOXAPHENE	39400	WAIVED			
REGULATED VOC					
1,1,1-TRICHLOROETHANE	34506	WAIVED			
1,1,2,2-TETRACHLOROETHANE	34516	WAIVED			
1,1,2-TRICHLORO-1,2,2-TRIFLUOROETHANE	81611	WAIVED			
1,1,2-TRICHLOROETHANE	34511	WAIVED			
1,1-DICHLOROETHANE	34496	WAIVED			
1,1-DICHLOROETHYLENE	34501	WAIVED			
1,2,4-TRICHLOROBENZENE	34551	WAIVED			
1,2-DICHLOROBENZENE	34536	WAIVED			
1,2-DICHLOROETHANE	34531	WAIVED			
1,2-DICHLOROPROPANE	34541	WAIVED			
1,3-DICHLOROPROPENE (TOTAL)	34561	WAIVED			
1,4-DICHLOROBENZENE	34571	WAIVED			
BENZENE	34030	WAIVED			
CARBON TETRACHLORIDE	32102	WAIVED			
CIS-1,2-DICHLOROETHYLENE	77093	WAIVED			
DICHLOROMETHANE	34423	WAIVED			
ETHYLBENZENE	34371	WAIVED			
METHYL-TERT-BUTYL-ETHER (MTBE)	46491	WAIVED			
MONOCHLOROBENZENE	34301	WAIVED			

**Testing interval is in months;*
0 = No data for this constituent and is DUE NOW
999 = Waived testing (not required)
I = Invalid (NOT) valid analyses reported

System Number: ***1900057***

System Name: ***ST ANDREWS ABBEY***

PS Code: ***1900057-001***

Source Name: ***WELL 01***

Source Number: ***001***

Source Status: ***ACTIVE UNTREATED***

Water type: ***GROUNDWATER OR WELL***

	STORET NUMBER	TESTING INTERVAL (MONTHS)*	LAST TEST DATE (yyyy/mm/dd)	LAST RESULT REPORTED	NEXT TEST DATE (yyyy/mm)
REGULATED VOC					
STYRENE	77128	WAIVED			
TETRACHLOROETHYLENE	34475	WAIVED			
TOLUENE	34010	WAIVED			
TRANS-1,2-DICHLOROETHYLENE	34546	WAIVED			
TRICHLOROETHYLENE	39180	WAIVED			
TRICHLOROFLUOROMETHANE	34488	WAIVED			
VINYL CHLORIDE	39175	WAIVED			
XYLENES (TOTAL)	81551	WAIVED			
SECONDARY/GP					
AGGRSSIVE INDEX (CORROSIVITY)	82383	WAIVED			
BICARBONATE ALKALINITY	00440	WAIVED	2007/03/22	181.000	
CALCIUM	00916	WAIVED	2007/03/22	40.100	
CARBONATE ALKALINITY	00445	WAIVED	2007/03/22	.000	
CHLORIDE	00940	WAIVED	2007/03/22	4.040	
COLOR	00081	WAIVED	2004/04/19	.000	
COPPER	01042	WAIVED	2007/06/21	.000	
FOAMING AGENTS (MBAS)	38260	WAIVED	2004/04/19	.000	
HARDNESS (TOTAL) AS CACO3	00900	WAIVED	2007/03/22	160.000	
HYDROXIDE ALKALINITY	71830	WAIVED	2007/03/22	.000	
IRON	01045	WAIVED	2007/06/21	.000	
MAGNESIUM	00927	WAIVED	2007/03/22	14.600	
MANGANESE	01055	WAIVED	2007/06/21	.000	
ODOR THRESHOLD @ 60 C	00086	WAIVED	2004/04/19	.000	
PH, LABORATORY	00403	WAIVED	2007/03/22	7.250	
SILVER	01077	WAIVED	2007/06/21	.000	
SODIUM	00929	WAIVED	2007/03/22	14.700	
SPECIFIC CONDUCTANCE	00095	WAIVED	2004/04/19	363.000	
SULFATE	00945	WAIVED	2007/03/22	21.100	
TOTAL DISSOLVED SOLIDS	70300	WAIVED	2007/03/22	190.000	

**Testing interval is in months;*
0 = No data for this constituent and is DUE NOW
999 = Waived testing (not required)
I = Invalid (NOT) valid analyses reported

System Number: ***1900057***

System Name: ***ST ANDREWS ABBEY***

PS Code: ***1900057-001***

Source Name: ***WELL 01***

Source Number: ***001***

Source Status: ***ACTIVE UNTREATED***

Water type: ***GROUNDWATER OR WELL***

	STORET NUMBER	TESTING INTERVAL (MONTHS)*	LAST TEST DATE (yyyy/mm/dd)	LAST RESULT REPORTED	NEXT TEST DATE (yyyy/mm)
SECONDARY/GP					
TURBIDITY, LABORATORY	82079	WAIVED	2004/04/19	.110	
ZINC	01092	WAIVED	2007/06/21	.000	

PS Code: ***1900057-002***

Source Name: ***WELL 02***

Source Number: ***002***

Source Status: ***ACTIVE UNTREATED***

Water type: ***GROUNDWATER OR WELL***

	STORET NUMBER	TESTING INTERVAL (MONTHS)*	LAST TEST DATE (yyyy/mm/dd)	LAST RESULT REPORTED	NEXT TEST DATE (yyyy/mm)
GENERAL NON CHAP 15					
DIAZINON	39570	WAIVED			
INORGANIC					
ALUMINUM	01105	WAIVED	2007/06/21	.000	
ANTIMONY	01097	WAIVED	2004/04/19	.000	
ARSENIC	01002	WAIVED	2007/06/21	.000	
ASBESTOS	81855	WAIVED			
BARIUM	01007	WAIVED	2004/04/19	.000	
BERYLLIUM	01012	WAIVED	2001/06/11	.000	
CADMIUM	01027	WAIVED	2007/06/21	.000	
CHROMIUM (TOTAL)	01034	WAIVED	2007/06/21	.000	
CYANIDE	01291	WAIVED	2001/06/11	.000	
FLUORIDE (F) (NATURAL-SOURCE)	00951	WAIVED	2007/06/21	.260	
LEAD	01051	WAIVED	2007/06/21	.000	
MERCURY	71900	WAIVED	2007/06/21	.000	
NICKEL	01067	WAIVED	2007/06/21	.000	
PERCHLORATE	A-031	WAIVED			
SELENIUM	01147	WAIVED	2007/06/21	.000	
THALLIUM	01059	WAIVED	2001/06/11	.000	

**Testing interval is in months;*
0 = No data for this constituent and is DUE NOW
999 = Waived testing (not required)
I = Invalid (NOT) valid analyses reported

System Number: ***1900057***

System Name: ***ST ANDREWS ABBEY***

PS Code: ***1900057-002***

Source Name: ***WELL 02***

Source Number: ***002***

Source Status: ***ACTIVE UNTREATED***

Water type: ***GROUNDWATER OR WELL***

	STORET NUMBER	TESTING INTERVAL (MONTHS)*	LAST TEST DATE (yyyy/mm/dd)	LAST RESULT REPORTED	NEXT TEST DATE (yyyy/mm)
NITRATE/NITRITE					
NITRATE (AS NO3)	71850	WAIVED	2007/06/21	7.640	
NITRITE (AS N)	00620	WAIVED	2001/06/11	.000	
RADIOLOGICAL					
GROSS ALPHA	01501	WAIVED			
GROSS BETA	03501	WAIVED			
RA-226 FOR CWS OR TOTAL RA FOR NTNC BY 903.0	A-080	WAIVED			
RA-226 OR TOTAL RA BY 903.0 C.E.	A-081	WAIVED			
RADIUM 226	09501	WAIVED			
RADIUM 228	11501	WAIVED			
RADIUM, TOTAL, MDA95-NTNC ONLY, BY 903.0	A-082	WAIVED			
STRONTIUM-90	13501	WAIVED			
TRITIUM	07000	WAIVED			
URANIUM (PCI/L)	28012	WAIVED			
REGULATED SOC					
2,3,7,8-TCDD (DIOXIN)	34676	WAIVED			
2,4,5-TP (SILVEX)	39045	WAIVED			
2,4-D	39730	WAIVED			
ALACHLOR	77825	WAIVED			
ATRAZINE	39033	WAIVED			
BENTAZON	38710	WAIVED			
BENZO (A) PYRENE	34247	WAIVED			
CARBOFURAN	81405	WAIVED			
CHLORDANE	39350	WAIVED			
DALAPON	38432	WAIVED			
DI(2-ETHYLHEXYL)ADIPATE	A-026	WAIVED			
DI(2-ETHYLHEXYL)PHTHALATE	39100	WAIVED			
DIBROMOCHLOROPROPANE (DBCP)	38761	WAIVED			
DINOSEB	81287	WAIVED			
DIQUAT	78885	WAIVED			

**Testing interval is in months;*
0 = No data for this constituent and is DUE NOW
999 = Waived testing (not required)
I = Invalid (NOT) valid analyses reported

System Number: ***1900057***

System Name: ***ST ANDREWS ABBEY***

PS Code: ***1900057-002***

Source Name: ***WELL 02***

Source Number: ***002***

Source Status: ***ACTIVE UNTREATED***

Water type: ***GROUNDWATER OR WELL***

	STORET NUMBER	TESTING INTERVAL (MONTHS)*	LAST TEST DATE (yyyy/mm/dd)	LAST RESULT REPORTED	NEXT TEST DATE (yyyy/mm)
REGULATED SOC					
ENDOTHALL	38926	WAIVED			
ENDRIN	39390	WAIVED			
ETHYLENE DIBROMIDE (EDB)	77651	WAIVED			
GLYPHOSATE	79743	WAIVED			
HEPTACHLOR	39410	WAIVED			
HEPTACHLOR EPOXIDE	39420	WAIVED			
HEXACHLOROBENZENE	39700	WAIVED			
HEXACHLOROCYCLOPENTADIENE	34386	WAIVED			
LINDANE	39340	WAIVED			
METHOXYCHLOR	39480	WAIVED			
MOLINATE	82199	WAIVED			
OXAMYL	38865	WAIVED			
PENTACHLOROPHENOL	39032	WAIVED			
PICLORAM	39720	WAIVED			
POLYCHLORINATED BIPHENYLS, TOTAL, AS DCB	39516	WAIVED			
SIMAZINE	39055	WAIVED			
THIOBENCARB	A-001	WAIVED	2004/04/19	.000	
TOXAPHENE	39400	WAIVED			
REGULATED VOC					
1,1,1-TRICHLOROETHANE	34506	WAIVED			
1,1,2,2-TETRACHLOROETHANE	34516	WAIVED			
1,1,2-TRICHLORO-1,2,2-TRIFLUOROETHANE	81611	WAIVED			
1,1,2-TRICHLOROETHANE	34511	WAIVED			
1,1-DICHLOROETHANE	34496	WAIVED			
1,1-DICHLOROETHYLENE	34501	WAIVED			
1,2,4-TRICHLOROBENZENE	34551	WAIVED			
1,2-DICHLOROBENZENE	34536	WAIVED			
1,2-DICHLOROETHANE	34531	WAIVED			
1,2-DICHLOROPROPANE	34541	WAIVED			

**Testing interval is in months;*
0 = No data for this constituent and is DUE NOW
999 = Waived testing (not required)
I = Invalid (NOT) valid analyses reported

System Number: ***1900057***

System Name: ***ST ANDREWS ABBEY***

PS Code: ***1900057-002***

Source Name: ***WELL 02***

Source Number: ***002***

Source Status: ***ACTIVE UNTREATED***

Water type: ***GROUNDWATER OR WELL***

	STORET NUMBER	TESTING INTERVAL (MONTHS)*	LAST TEST DATE (yyyy/mm/dd)	LAST RESULT REPORTED	NEXT TEST DATE (yyyy/mm)
REGULATED VOC					
1,3-DICHLOROPROPENE (TOTAL)	34561	WAIVED			
1,4-DICHLOROBENZENE	34571	WAIVED			
BENZENE	34030	WAIVED			
CARBON TETRACHLORIDE	32102	WAIVED			
CIS-1,2-DICHLOROETHYLENE	77093	WAIVED			
DICHLOROMETHANE	34423	WAIVED			
ETHYLBENZENE	34371	WAIVED			
METHYL-TERT-BUTYL-ETHER (MTBE)	46491	WAIVED			
MONOCHLOROBENZENE	34301	WAIVED			
STYRENE	77128	WAIVED			
TETRACHLOROETHYLENE	34475	WAIVED			
TOLUENE	34010	WAIVED			
TRANS-1,2-DICHLOROETHYLENE	34546	WAIVED			
TRICHLOROETHYLENE	39180	WAIVED			
TRICHLOROFLUOROMETHANE	34488	WAIVED			
VINYL CHLORIDE	39175	WAIVED			
XYLENES (TOTAL)	81551	WAIVED			
SECONDARY/GP					
AGGRSSIVE INDEX (CORROSIVITY)	82383	WAIVED			
BICARBONATE ALKALINITY	00440	WAIVED	2007/06/21	188.000	
CALCIUM	00916	WAIVED	2007/06/21	44.100	
CARBONATE ALKALINITY	00445	WAIVED	2007/06/21	.000	
CHLORIDE	00940	WAIVED	2007/06/21	4.830	
COLOR	00081	WAIVED	2004/04/19	.000	
COPPER	01042	WAIVED	2007/06/21	.000	
FOAMING AGENTS (MBAS)	38260	WAIVED	2004/04/19	.000	
HARDNESS (TOTAL) AS CACO3	00900	WAIVED	2007/06/21	190.000	
HYDROXIDE ALKALINITY	71830	WAIVED	2007/06/21	.000	
IRON	01045	WAIVED	2007/06/21	237.000	

**Testing interval is in months;*
0 = No data for this constituent and is DUE NOW
999 = Waived testing (not required)
I = Invalid (NOT) valid analyses reported

System Number: ***1900057***

System Name: ***ST ANDREWS ABBEY***

PS Code: ***1900057-002***

Source Name: ***WELL 02***

Source Number: ***002***

Source Status: ***ACTIVE UNTREATED***

Water type: ***GROUNDWATER OR WELL***

SECONDARY/GP

	STORET NUMBER	TESTING INTERVAL (MONTHS)*	LAST TEST DATE (yyyy/mm/dd)	LAST RESULT REPORTED	NEXT TEST DATE (yyyy/mm)
MAGNESIUM	00927	WAIVED	2007/06/21	19.400	
MANGANESE	01055	WAIVED	2007/06/21	.000	
ODOR THRESHOLD @ 60 C	00086	WAIVED	2004/04/19	.000	
PH, LABORATORY	00403	WAIVED	2007/06/21	6.880	
SILVER	01077	WAIVED	2007/06/21	.000	
SODIUM	00929	WAIVED	2007/06/21	16.400	
SPECIFIC CONDUCTANCE	00095	WAIVED	2004/04/19	362.000	
SULFATE	00945	WAIVED	2007/06/21	23.600	
TOTAL DISSOLVED SOLIDS	70300	WAIVED	2007/06/21	224.000	
TURBIDITY, LABORATORY	82079	WAIVED	2004/04/19	.230	
ZINC	01092	WAIVED	2007/06/21	.000	

**Testing interval is in months;*
0 = No data for this constituent and is DUE NOW
999 = Waived testing (not required)
I = Invalid (NOT) valid analyses reported

System Number: ***1900058***

System Name: ***USFS-BUCKHORN CAMP A-12***

PS Code: ***1900058-001***

Source Name: ***WELL 01***

Source Number: ***001***

Source Status: ***ACTIVE UNTREATED***

Water type: ***GROUNDWATER OR WELL***

	STORET NUMBER	TESTING INTERVAL (MONTHS)*	LAST TEST DATE (yyyy/mm/dd)	LAST RESULT REPORTED	NEXT TEST DATE (yyyy/mm)
GENERAL NON CHAP 15					
DIAZINON	39570	WAIVED			
INORGANIC					
ALUMINUM	01105	WAIVED	2005/09/27	.000	
ANTIMONY	01097	WAIVED	2004/10/22	.000	
ARSENIC	01002	WAIVED	2007/06/18	.000	
ASBESTOS	81855	WAIVED			
BARIUM	01007	WAIVED	2004/10/22	.000	
BERYLLIUM	01012	WAIVED			
CADMIUM	01027	WAIVED	2007/06/18	.000	
CHROMIUM (TOTAL)	01034	WAIVED	2005/09/27	.000	
CYANIDE	01291	WAIVED			
FLUORIDE (F) (NATURAL-SOURCE)	00951	WAIVED	2005/09/27	.000	
LEAD	01051	WAIVED	2007/06/18	.000	
MERCURY	71900	WAIVED	2005/09/27	.000	
NICKEL	01067	WAIVED	2005/09/27	.000	
PERCHLORATE	A-031	WAIVED			
SELENIUM	01147	WAIVED	2005/09/27	.000	
THALLIUM	01059	WAIVED			
NITRATE/NITRITE					
NITRATE (AS NO3)	71850	WAIVED	2011/10/04	< 2.000	
NITRITE (AS N)	00620	WAIVED			
RADIOLOGICAL					
GROSS ALPHA	01501	WAIVED			
GROSS BETA	03501	WAIVED			
RA-226 FOR CWS OR TOTAL RA FOR NTNC BY 903.0	A-080	WAIVED			
RA-226 OR TOTAL RA BY 903.0 C.E.	A-081	WAIVED			
RADIUM 226	09501	WAIVED			
RADIUM 228	11501	WAIVED			

**Testing interval is in months;*
0 = No data for this constituent and is DUE NOW
999 = Waived testing (not required)
I = Invalid (NOT) valid analyses reported

System Number: ***1900058***

System Name: ***USFS-BUCKHORN CAMP A-12***

PS Code: ***1900058-001***

Source Name: ***WELL 01***

Source Number: ***001***

Source Status: ***ACTIVE UNTREATED***

Water type: ***GROUNDWATER OR WELL***

	STORET NUMBER	TESTING INTERVAL (MONTHS)*	LAST TEST DATE (yyyy/mm/dd)	LAST RESULT REPORTED	NEXT TEST DATE (yyyy/mm)
RADIOLOGICAL					
RADIUM, TOTAL, MDA95-NTNC ONLY, BY 903.0	A-082	WAIVED			
STRONTIUM-90	13501	WAIVED			
TRITIUM	07000	WAIVED			
URANIUM (PCI/L)	28012	WAIVED			
REGULATED SOC					
2,3,7,8-TCDD (DIOXIN)	34676	WAIVED			
2,4,5-TP (SILVEX)	39045	WAIVED			
2,4-D	39730	WAIVED			
ALACHLOR	77825	WAIVED			
ATRAZINE	39033	WAIVED			
BENTAZON	38710	WAIVED			
BENZO (A) PYRENE	34247	WAIVED			
CARBOFURAN	81405	WAIVED			
CHLORDANE	39350	WAIVED			
DALAPON	38432	WAIVED			
DI(2-ETHYLHEXYL)ADIPATE	A-026	WAIVED			
DI(2-ETHYLHEXYL)PHTHALATE	39100	WAIVED			
DIBROMOCHLOROPROPANE (DBCP)	38761	WAIVED			
DINOSEB	81287	WAIVED			
DIQUAT	78885	WAIVED			
ENDOTHALL	38926	WAIVED			
ENDRIN	39390	WAIVED			
ETHYLENE DIBROMIDE (EDB)	77651	WAIVED			
GLYPHOSATE	79743	WAIVED			
HEPTACHLOR	39410	WAIVED			
HEPTACHLOR EPOXIDE	39420	WAIVED			
HEXACHLOROBENZENE	39700	WAIVED			
HEXACHLOROCYCLOPENTADIENE	34386	WAIVED			
LINDANE	39340	WAIVED			

**Testing interval is in months;*
0 = No data for this constituent and is DUE NOW
999 = Waived testing (not required)
I = Invalid (NOT) valid analyses reported

System Number: ***1900058***

System Name: ***USFS-BUCKHORN CAMP A-12***

PS Code: ***1900058-001***

Source Name: ***WELL 01***

Source Number: ***001***

Source Status: ***ACTIVE UNTREATED***

Water type: ***GROUNDWATER OR WELL***

	STORET NUMBER	TESTING INTERVAL (MONTHS)*	LAST TEST DATE (yyyy/mm/dd)	LAST RESULT REPORTED	NEXT TEST DATE (yyyy/mm)
REGULATED SOC					
METHOXYCHLOR	39480	WAIVED			
MOLINATE	82199	WAIVED			
OXAMYL	38865	WAIVED			
PENTACHLOROPHENOL	39032	WAIVED			
PICLORAM	39720	WAIVED			
POLYCHLORINATED BIPHENYLS, TOTAL, AS DCB	39516	WAIVED			
SIMAZINE	39055	WAIVED			
THIOBENCARB	A-001	WAIVED			
TOXAPHENE	39400	WAIVED			
REGULATED VOC					
1,1,1-TRICHLOROETHANE	34506	WAIVED			
1,1,2,2-TETRACHLOROETHANE	34516	WAIVED			
1,1,2-TRICHLORO-1,2,2-TRIFLUOROETHANE	81611	WAIVED			
1,1,2-TRICHLOROETHANE	34511	WAIVED			
1,1-DICHLOROETHANE	34496	WAIVED			
1,1-DICHLOROETHYLENE	34501	WAIVED			
1,2,4-TRICHLOROBENZENE	34551	WAIVED			
1,2-DICHLOROBENZENE	34536	WAIVED			
1,2-DICHLOROETHANE	34531	WAIVED			
1,2-DICHLOROPROPANE	34541	WAIVED			
1,3-DICHLOROPROPENE (TOTAL)	34561	WAIVED			
1,4-DICHLOROBENZENE	34571	WAIVED			
BENZENE	34030	WAIVED			
CARBON TETRACHLORIDE	32102	WAIVED			
CIS-1,2-DICHLOROETHYLENE	77093	WAIVED			
DICHLOROMETHANE	34423	WAIVED			
ETHYLBENZENE	34371	WAIVED			
METHYL-TERT-BUTYL-ETHER (MTBE)	46491	WAIVED			
MONOCHLOROBENZENE	34301	WAIVED			

**Testing interval is in months;*
0 = No data for this constituent and is DUE NOW
999 = Waived testing (not required)
I = Invalid (NOT) valid analyses reported

System Number: ***1900058***

System Name: ***USFS-BUCKHORN CAMP A-12***

PS Code: ***1900058-001***

Source Name: ***WELL 01***

Source Number: ***001***

Source Status: ***ACTIVE UNTREATED***

Water type: ***GROUNDWATER OR WELL***

	STORET NUMBER	TESTING INTERVAL (MONTHS)*	LAST TEST DATE (yyyy/mm/dd)	LAST RESULT REPORTED	NEXT TEST DATE (yyyy/mm)
REGULATED VOC					
STYRENE	77128	WAIVED			
TETRACHLOROETHYLENE	34475	WAIVED			
TOLUENE	34010	WAIVED			
TRANS-1,2-DICHLOROETHYLENE	34546	WAIVED			
TRICHLOROETHYLENE	39180	WAIVED			
TRICHLOROFLUOROMETHANE	34488	WAIVED			
VINYL CHLORIDE	39175	WAIVED			
XYLENES (TOTAL)	81551	WAIVED			
SECONDARY/GP					
AGGRSSIVE INDEX (CORROSIVITY)	82383	WAIVED			
BICARBONATE ALKALINITY	00440	WAIVED	2005/09/27	114.000	
CALCIUM	00916	WAIVED	2005/09/27	24.000	
CARBONATE ALKALINITY	00445	WAIVED	2005/09/27	.000	
CHLORIDE	00940	WAIVED	2005/09/27	.720	
COLOR	00081	WAIVED	2004/10/22	.000	
COPPER	01042	WAIVED	2005/09/27	.000	
FOAMING AGENTS (MBAS)	38260	WAIVED	2004/10/22	.000	
HARDNESS (TOTAL) AS CACO3	00900	WAIVED	2005/09/27	95.000	
HYDROXIDE ALKALINITY	71830	WAIVED	2005/09/27	.000	
IRON	01045	WAIVED	2007/06/18	.000	
MAGNESIUM	00927	WAIVED	2005/09/27	8.500	
MANGANESE	01055	WAIVED	2005/09/27	.000	
ODOR THRESHOLD @ 60 C	00086	WAIVED	2004/10/22	.000	
PH, LABORATORY	00403	WAIVED	2007/06/18	7.090	
SILVER	01077	WAIVED	2005/09/27	.000	
SODIUM	00929	WAIVED	2005/09/27	.000	
SPECIFIC CONDUCTANCE	00095	WAIVED	2004/10/22	187.200	
SULFATE	00945	WAIVED	2005/09/27	.950	
TOTAL DISSOLVED SOLIDS	70300	WAIVED	2007/06/18	94.000	

**Testing interval is in months;*
0 = No data for this constituent and is DUE NOW
999 = Waived testing (not required)
I = Invalid (NOT) valid analyses reported

System Number: ***1900058***

System Name: ***USFS-BUCKHORN CAMP A-12***

PS Code: ***1900058-001***

Source Name: ***WELL 01***

Source Number: ***001***

Source Status: ***ACTIVE UNTREATED***

Water type: ***GROUNDWATER OR WELL***

SECONDARY/GP

	STORET NUMBER	TESTING INTERVAL (MONTHS)*	LAST TEST DATE (yyyy/mm/dd)	LAST RESULT REPORTED	NEXT TEST DATE (yyyy/mm)
TURBIDITY, LABORATORY	82079	WAIVED	2007/06/18	.330	
ZINC	01092	WAIVED	2007/06/18	.000	

**Testing interval is in months;*
0 = No data for this constituent and is DUE NOW
999 = Waived testing (not required)
I = Invalid (NOT) valid analyses reported

System Number: 1900062

System Name: L.A RETARDED CHILDREN RANCH WATER AGENCY

PS Code: 1900062-002

Source Name: WELL 05

Source Number: 002

Source Status: ACTIVE UNTREATED

Water type: GROUNDWATER OR WELL

	STORET NUMBER	TESTING INTERVAL (MONTHS)*	LAST TEST DATE (yyyy/mm/dd)	LAST RESULT REPORTED	NEXT TEST DATE (yyyy/mm)
GENERAL NON CHAP 15					
DIAZINON	39570	WAIVED			
INORGANIC					
ALUMINUM	01105	WAIVED	2009/09/16	< 10.000	
ANTIMONY	01097	WAIVED	2009/09/16	< 1.000	
ARSENIC	01002	WAIVED	2009/09/16	< 2.000	
ASBESTOS	81855	WAIVED			
BARIUM	01007	WAIVED	2009/09/16	88.100	
BERYLLIUM	01012	WAIVED	2009/09/16	< .200	
CADMIUM	01027	WAIVED	2009/09/16	< .200	
CHROMIUM (TOTAL)	01034	WAIVED	2009/09/16	1.000	
CYANIDE	01291	WAIVED	2009/09/16	< .004	
FLUORIDE (F) (NATURAL-SOURCE)	00951	WAIVED	2009/09/16	.600	
LEAD	01051	WAIVED	2009/09/16	< .200	
MERCURY	71900	WAIVED	2009/09/16	< .020	
NICKEL	01067	WAIVED	2009/09/16	< 1.000	
PERCHLORATE	A-031	WAIVED	2010/03/22	< 2.000	
SELENIUM	01147	WAIVED	2009/09/16	< 2.000	
THALLIUM	01059	WAIVED	2009/09/16	< .200	
NITRATE/NITRITE					
NITRATE (AS NO3)	71850	WAIVED	2010/07/14	3.700	
NITRITE (AS N)	00620	WAIVED	2009/09/16	< .100	
RADIOLOGICAL					
GROSS ALPHA	01501	WAIVED	2010/06/17	2.290	
GROSS BETA	03501	WAIVED			
RA-226 FOR CWS OR TOTAL RA FOR NTNC BY 903.0	A-080	WAIVED			
RA-226 OR TOTAL RA BY 903.0 C.E.	A-081	WAIVED			
RADIUM 226	09501	WAIVED			
RADIUM 228	11501	WAIVED			

**Testing interval is in months;*
0 = No data for this constituent and is DUE NOW
999 = Waived testing (not required)
I = Invalid (NOT) valid analyses reported

System Number: 1900062

System Name: L.A RETARDED CHILDREN RANCH WATER AGENCY

PS Code: 1900062-002

Source Name: WELL 05

Source Number: 002

Source Status: ACTIVE UNTREATED

Water type: GROUNDWATER OR WELL

	STORET NUMBER	TESTING INTERVAL (MONTHS)*	LAST TEST DATE (yyyy/mm/dd)	LAST RESULT REPORTED	NEXT TEST DATE (yyyy/mm)
RADIOLOGICAL					
RADIUM, TOTAL, MDA95-NTNC ONLY, BY 903.0	A-082	WAIVED			
STRONTIUM-90	13501	WAIVED			
TRITIUM	07000	WAIVED			
URANIUM (PCI/L)	28012	WAIVED			
REGULATED SOC					
2,3,7,8-TCDD (DIOXIN)	34676	WAIVED			
2,4,5-TP (SILVEX)	39045	WAIVED			
2,4-D	39730	WAIVED			
ALACHLOR	77825	WAIVED	2009/09/16	< .200	
ATRAZINE	39033	WAIVED			
BENTAZON	38710	WAIVED			
BENZO (A) PYRENE	34247	WAIVED			
CARBOFURAN	81405	WAIVED			
CHLORDANE	39350	WAIVED	2009/09/16	< .100	
DALAPON	38432	WAIVED			
DI(2-ETHYLHEXYL)ADIPATE	A-026	WAIVED			
DI(2-ETHYLHEXYL)PHTHALATE	39100	WAIVED			
DIBROMOCHLOROPROPANE (DBCP)	38761	WAIVED			
DINOSEB	81287	WAIVED			
DIQUAT	78885	WAIVED			
ENDOTHALL	38926	WAIVED			
ENDRIN	39390	WAIVED	2009/09/16	< .010	
ETHYLENE DIBROMIDE (EDB)	77651	WAIVED			
GLYPHOSATE	79743	WAIVED			
HEPTACHLOR	39410	WAIVED	2009/09/16	< .010	
HEPTACHLOR EPOXIDE	39420	WAIVED	2009/09/16	< .010	
HEXACHLOROBENZENE	39700	WAIVED	2009/09/16	< .010	
HEXACHLOROCYCLOPENTADIENE	34386	WAIVED	2009/09/16	< .100	
LINDANE	39340	WAIVED	2009/09/16	< .050	

**Testing interval is in months;*
0 = No data for this constituent and is DUE NOW
999 = Waived testing (not required)
I = Invalid (NOT) valid analyses reported

System Number: 1900062
System Name: L.A RETARDED CHILDREN RANCH WATER AGENCY

PS Code: 1900062-002
Source Name: WELL 05
Source Number: 002
Source Status: ACTIVE UNTREATED
Water type: GROUNDWATER OR WELL

	STORET NUMBER	TESTING INTERVAL (MONTHS)*	LAST TEST DATE (yyyy/mm/dd)	LAST RESULT REPORTED	NEXT TEST DATE (yyyy/mm)
REGULATED SOC					
METHOXYCHLOR	39480	WAIVED	2009/09/16	< .100	
MOLINATE	82199	WAIVED			
OXAMYL	38865	WAIVED			
PENTACHLOROPHENOL	39032	WAIVED			
PICLORAM	39720	WAIVED			
POLYCHLORINATED BIPHENYLS, TOTAL, AS DCB	39516	WAIVED	2003/06/10	.000	
SIMAZINE	39055	WAIVED			
THIOBENCARB	A-001	WAIVED	2009/09/16	< 1.000	
TOXAPHENE	39400	WAIVED	2009/09/16	< .500	
REGULATED VOC					
1,1,1-TRICHLOROETHANE	34506	WAIVED	2011/09/28	< .500	
1,1,2,2-TETRACHLOROETHANE	34516	WAIVED	2011/09/28	< .500	
1,1,2-TRICHLORO-1,2,2-TRIFLUOROETHANE	81611	WAIVED	2011/09/28	< .500	
1,1,2-TRICHLOROETHANE	34511	WAIVED	2011/09/28	< .500	
1,1-DICHLOROETHANE	34496	WAIVED	2011/09/28	< .500	
1,1-DICHLOROETHYLENE	34501	WAIVED	2011/09/28	< .500	
1,2,4-TRICHLOROBENZENE	34551	WAIVED	2011/09/28	< .500	
1,2-DICHLOROBENZENE	34536	WAIVED	2011/09/28	< .500	
1,2-DICHLOROETHANE	34531	WAIVED	2011/09/28	< .500	
1,2-DICHLOROPROPANE	34541	WAIVED	2011/09/28	< .500	
1,3-DICHLOROPROPENE (TOTAL)	34561	WAIVED	2011/09/28	< .500	
1,4-DICHLOROBENZENE	34571	WAIVED	2011/09/28	< .500	
BENZENE	34030	WAIVED	2011/09/28	< .500	
CARBON TETRACHLORIDE	32102	WAIVED	2011/09/28	< .500	
CIS-1,2-DICHLOROETHYLENE	77093	WAIVED	2011/09/28	< .500	
DICHLOROMETHANE	34423	WAIVED	2011/09/28	< .500	
ETHYLBENZENE	34371	WAIVED	2011/09/28	< .500	
METHYL-TERT-BUTYL-ETHER (MTBE)	46491	WAIVED	2011/09/28	< 1.000	
MONOCHLOROBENZENE	34301	WAIVED	2011/09/28	< .500	

**Testing interval is in months;*
0 = No data for this constituent and is DUE NOW
999 = Waived testing (not required)
I = Invalid (NOT) valid analyses reported

System Number: 1900062
System Name: L.A RETARDED CHILDREN RANCH WATER AGENCY

PS Code: 1900062-002
Source Name: WELL 05
Source Number: 002
Source Status: ACTIVE UNTREATED
Water type: GROUNDWATER OR WELL

	STORET NUMBER	TESTING INTERVAL (MONTHS)*	LAST TEST DATE (yyyy/mm/dd)	LAST RESULT REPORTED	NEXT TEST DATE (yyyy/mm)
REGULATED VOC					
STYRENE	77128	WAIVED	2011/09/28	< .500	
TETRACHLOROETHYLENE	34475	WAIVED	2011/09/28	< .500	
TOLUENE	34010	WAIVED	2011/09/28	< .500	
TRANS-1,2-DICHLOROETHYLENE	34546	WAIVED	2011/09/28	< .500	
TRICHLOROETHYLENE	39180	WAIVED	2011/09/28	< .500	
TRICHLOROFLUOROMETHANE	34488	WAIVED	2011/09/28	< .500	
VINYL CHLORIDE	39175	WAIVED	2011/09/28	< .500	
XYLENES (TOTAL)	81551	WAIVED	2011/09/28	< .500	
SECONDARY/GP					
AGGRSSIVE INDEX (CORROSIVITY)	82383	WAIVED	2009/09/16	12.300	
BICARBONATE ALKALINITY	00440	WAIVED	2009/09/16	310.000	
CALCIUM	00916	WAIVED	2009/09/16	59.000	
CARBONATE ALKALINITY	00445	WAIVED	2009/09/16	< 10.000	
CHLORIDE	00940	WAIVED	2009/09/16	39.000	
COLOR	00081	WAIVED	2009/09/16	< 5.000	
COPPER	01042	WAIVED	2009/09/16	< 10.000	
FOAMING AGENTS (MBAS)	38260	WAIVED	2009/09/16	< .100	
HARDNESS (TOTAL) AS CACO3	00900	WAIVED	2009/09/16	250.000	
HYDROXIDE ALKALINITY	71830	WAIVED	2009/09/16	< 10.000	
IRON	01045	WAIVED	2009/09/16	< 50.000	
MAGNESIUM	00927	WAIVED	2009/09/16	25.000	
MANGANESE	01055	WAIVED	2009/09/16	< 10.000	
ODOR THRESHOLD @ 60 C	00086	WAIVED	2009/09/16	< 1.000	
PH, LABORATORY	00403	WAIVED	2009/09/16	7.700	
SILVER	01077	WAIVED	2009/09/16	< 1.000	
SODIUM	00929	WAIVED	2009/09/16	48.000	
SPECIFIC CONDUCTANCE	00095	WAIVED	2009/09/16	688.000	
SULFATE	00945	WAIVED	2009/09/16	47.000	
TOTAL DISSOLVED SOLIDS	70300	WAIVED	2009/09/16	410.000	

**Testing interval is in months;*
0 = No data for this constituent and is DUE NOW
999 = Waived testing (not required)
I = Invalid (NOT) valid analyses reported

System Number: ***1900062***

System Name: ***L.A RETARDED CHILDREN RANCH WATER AGENCY***

PS Code: ***1900062-002***

Source Name: ***WELL 05***

Source Number: ***002***

Source Status: ***ACTIVE UNTREATED***

Water type: ***GROUNDWATER OR WELL***

	STORET NUMBER	TESTING INTERVAL (MONTHS)*	LAST TEST DATE (yyyy/mm/dd)	LAST RESULT REPORTED	NEXT TEST DATE (yyyy/mm)
SECONDARY/GP					
TURBIDITY, LABORATORY	82079	WAIVED	2009/09/16	< .200	
ZINC	01092	WAIVED	2009/09/16	< 20.000	

PS Code: ***1900062-003***

Source Name: ***WELL 06***

Source Number: ***003***

Source Status: ***ACTIVE UNTREATED***

Water type: ***GROUNDWATER OR WELL***

GENERAL NON CHAP 15					
DIAZINON	39570	WAIVED			
INORGANIC					
ALUMINUM	01105	WAIVED	2009/09/16	< 10.000	
ANTIMONY	01097	WAIVED	2009/09/16	< 1.000	
ARSENIC	01002	WAIVED	2009/09/16	< 2.000	
ASBESTOS	81855	WAIVED			
BARIUM	01007	WAIVED	2009/09/16	89.300	
BERYLLIUM	01012	WAIVED	2009/09/16	< .200	
CADMIUM	01027	WAIVED	2009/09/16	< .200	
CHROMIUM (TOTAL)	01034	WAIVED	2009/09/16	< 1.000	
CYANIDE	01291	WAIVED	2009/09/16	< .004	
FLUORIDE (F) (NATURAL-SOURCE)	00951	WAIVED	2009/09/16	.600	
LEAD	01051	WAIVED	2009/09/16	< .200	
MERCURY	71900	WAIVED	2009/09/16	< .020	
NICKEL	01067	WAIVED	2009/09/16	< 1.000	
PERCHLORATE	A-031	WAIVED	2010/03/22	< 2.000	
SELENIUM	01147	WAIVED	2009/09/16	< 2.000	
THALLIUM	01059	WAIVED	2009/09/16	< .200	

**Testing interval is in months;*
0 = No data for this constituent and is DUE NOW
999 = Waived testing (not required)
I = Invalid (NOT) valid analyses reported

System Number: 1900062

System Name: L.A RETARDED CHILDREN RANCH WATER AGENCY

PS Code: 1900062-003

Source Name: WELL 06

Source Number: 003

Source Status: ACTIVE UNTREATED

Water type: GROUNDWATER OR WELL

	STORET NUMBER	TESTING INTERVAL (MONTHS)*	LAST TEST DATE (yyyy/mm/dd)	LAST RESULT REPORTED	NEXT TEST DATE (yyyy/mm)
NITRATE/NITRITE					
NITRATE (AS NO3)	71850	WAIVED	2010/07/14	5.300	
NITRITE (AS N)	00620	WAIVED	2009/09/16	< .100	
RADIOLOGICAL					
GROSS ALPHA	01501	WAIVED	2010/06/17	2.640	
GROSS BETA	03501	WAIVED			
RA-226 FOR CWS OR TOTAL RA FOR NTNC BY 903.0	A-080	WAIVED			
RA-226 OR TOTAL RA BY 903.0 C.E.	A-081	WAIVED			
RADIUM 226	09501	WAIVED			
RADIUM 228	11501	WAIVED			
RADIUM, TOTAL, MDA95-NTNC ONLY, BY 903.0	A-082	WAIVED			
STRONTIUM-90	13501	WAIVED			
TRITIUM	07000	WAIVED			
URANIUM (PCI/L)	28012	WAIVED	2009/09/16	2.170	
REGULATED SOC					
2,3,7,8-TCDD (DIOXIN)	34676	WAIVED			
2,4,5-TP (SILVEX)	39045	WAIVED			
2,4-D	39730	WAIVED			
ALACHLOR	77825	WAIVED			
ATRAZINE	39033	WAIVED			
BENTAZON	38710	WAIVED			
BENZO (A) PYRENE	34247	WAIVED			
CARBOFURAN	81405	WAIVED			
CHLORDANE	39350	WAIVED			
DALAPON	38432	WAIVED			
DI(2-ETHYLHEXYL)ADIPATE	A-026	WAIVED			
DI(2-ETHYLHEXYL)PHTHALATE	39100	WAIVED			
DIBROMOCHLOROPROPANE (DBCP)	38761	WAIVED			
DINOSEB	81287	WAIVED			
DIQUAT	78885	WAIVED			

**Testing interval is in months;*
0 = No data for this constituent and is DUE NOW
999 = Waived testing (not required)
I = Invalid (NOT) valid analyses reported

System Number: 1900062

System Name: L.A RETARDED CHILDREN RANCH WATER AGENCY

PS Code: 1900062-003

Source Name: WELL 06

Source Number: 003

Source Status: ACTIVE UNTREATED

Water type: GROUNDWATER OR WELL

	STORET NUMBER	TESTING INTERVAL (MONTHS)*	LAST TEST DATE (yyyy/mm/dd)	LAST RESULT REPORTED	NEXT TEST DATE (yyyy/mm)
REGULATED SOC					
ENDOTHALL	38926	WAIVED			
ENDRIN	39390	WAIVED			
ETHYLENE DIBROMIDE (EDB)	77651	WAIVED			
GLYPHOSATE	79743	WAIVED			
HEPTACHLOR	39410	WAIVED			
HEPTACHLOR EPOXIDE	39420	WAIVED			
HEXACHLOROBENZENE	39700	WAIVED			
HEXACHLOROCYCLOPENTADIENE	34386	WAIVED			
LINDANE	39340	WAIVED			
METHOXYCHLOR	39480	WAIVED			
MOLINATE	82199	WAIVED			
OXAMYL	38865	WAIVED			
PENTACHLOROPHENOL	39032	WAIVED			
PICLORAM	39720	WAIVED			
POLYCHLORINATED BIPHENYLS, TOTAL, AS DCB	39516	WAIVED			
SIMAZINE	39055	WAIVED			
THIOBENCARB	A-001	WAIVED	2002/10/18	.000	
TOXAPHENE	39400	WAIVED			
REGULATED VOC					
1,1,1-TRICHLOROETHANE	34506	WAIVED	2011/09/28	< .500	
1,1,2,2-TETRACHLOROETHANE	34516	WAIVED	2011/09/28	< .500	
1,1,2-TRICHLORO-1,2,2-TRIFLUOROETHANE	81611	WAIVED	2011/09/28	< .500	
1,1,2-TRICHLOROETHANE	34511	WAIVED	2011/09/28	< .500	
1,1-DICHLOROETHANE	34496	WAIVED	2011/09/28	< .500	
1,1-DICHLOROETHYLENE	34501	WAIVED	2011/09/28	< .500	
1,2,4-TRICHLOROBENZENE	34551	WAIVED	2011/09/28	< .500	
1,2-DICHLOROBENZENE	34536	WAIVED	2011/09/28	< .500	
1,2-DICHLOROETHANE	34531	WAIVED	2011/09/28	< .500	
1,2-DICHLOROPROPANE	34541	WAIVED	2011/09/28	< .500	

**Testing interval is in months;*
0 = No data for this constituent and is DUE NOW
999 = Waived testing (not required)
I = Invalid (NOT) valid analyses reported

System Number: 1900062
System Name: L.A RETARDED CHILDREN RANCH WATER AGENCY

PS Code: 1900062-003
Source Name: WELL 06
Source Number: 003
Source Status: ACTIVE UNTREATED
Water type: GROUNDWATER OR WELL

	STORET NUMBER	TESTING INTERVAL (MONTHS)*	LAST TEST DATE (yyyy/mm/dd)	LAST RESULT REPORTED	NEXT TEST DATE (yyyy/mm)
REGULATED VOC					
1,3-DICHLOROPROPENE (TOTAL)	34561	WAIVED	2011/09/28	< .500	
1,4-DICHLOROBENZENE	34571	WAIVED	2011/09/28	< .500	
BENZENE	34030	WAIVED	2011/09/28	< .500	
CARBON TETRACHLORIDE	32102	WAIVED	2011/09/28	< .500	
CIS-1,2-DICHLOROETHYLENE	77093	WAIVED	2011/09/28	< .500	
DICHLOROMETHANE	34423	WAIVED	2011/09/28	< .500	
ETHYLBENZENE	34371	WAIVED	2011/09/28	< .500	
METHYL-TERT-BUTYL-ETHER (MTBE)	46491	WAIVED	2011/09/28	< 1.000	
MONOCHLOROBENZENE	34301	WAIVED	2011/09/28	< .500	
STYRENE	77128	WAIVED	2011/09/28	< .500	
TETRACHLOROETHYLENE	34475	WAIVED	2011/09/28	< .500	
TOLUENE	34010	WAIVED	2011/09/28	< .500	
TRANS-1,2-DICHLOROETHYLENE	34546	WAIVED	2011/09/28	< .500	
TRICHLOROETHYLENE	39180	WAIVED	2011/09/28	< .500	
TRICHLOROFLUOROMETHANE	34488	WAIVED	2011/09/28	< .500	
VINYL CHLORIDE	39175	WAIVED	2011/09/28	< .500	
XYLENES (TOTAL)	81551	WAIVED	2011/09/28	< .500	
SECONDARY/GP					
AGGRSSIVE INDEX (CORROSIVITY)	82383	WAIVED	2009/09/16	12.100	
BICARBONATE ALKALINITY	00440	WAIVED	2009/09/16	310.000	
CALCIUM	00916	WAIVED	2009/09/16	55.000	
CARBONATE ALKALINITY	00445	WAIVED	2009/09/16	< 10.000	
CHLORIDE	00940	WAIVED	2009/09/16	38.000	
COLOR	00081	WAIVED	2009/09/16	5.000	
COPPER	01042	WAIVED	2009/09/16	< 10.000	
FOAMING AGENTS (MBAS)	38260	WAIVED	2009/09/16	< .100	
HARDNESS (TOTAL) AS CACO3	00900	WAIVED	2009/09/16	236.000	
HYDROXIDE ALKALINITY	71830	WAIVED	2009/09/16	< 10.000	
IRON	01045	WAIVED	2009/09/16	< 50.000	

**Testing interval is in months;*
0 = No data for this constituent and is DUE NOW
999 = Waived testing (not required)
I = Invalid (NOT) valid analyses reported

System Number: ***1900062***

System Name: ***L.A RETARDED CHILDREN RANCH WATER AGENCY***

PS Code: ***1900062-003***

Source Name: ***WELL 06***

Source Number: ***003***

Source Status: ***ACTIVE UNTREATED***

Water type: ***GROUNDWATER OR WELL***

	STORET NUMBER	TESTING INTERVAL (MONTHS)*	LAST TEST DATE (yyyy/mm/dd)	LAST RESULT REPORTED	NEXT TEST DATE (yyyy/mm)
SECONDARY/GP					
MAGNESIUM	00927	WAIVED	2009/09/16	24.000	
MANGANESE	01055	WAIVED	2009/09/16	< 10.000	
ODOR THRESHOLD @ 60 C	00086	WAIVED	2009/09/16	< 1.000	
PH, LABORATORY	00403	WAIVED	2009/09/16	7.500	
SILVER	01077	WAIVED	2009/09/16	< 1.000	
SODIUM	00929	WAIVED	2009/09/16	43.000	
SPECIFIC CONDUCTANCE	00095	WAIVED	2009/09/16	698.000	
SULFATE	00945	WAIVED	2009/09/16	48.000	
TOTAL DISSOLVED SOLIDS	70300	WAIVED	2009/09/16	400.000	
TURBIDITY, LABORATORY	82079	WAIVED	2009/09/16	.400	
ZINC	01092	WAIVED	2009/09/16	< 20.000	

PS Code: ***1900062-006***

Source Name: ***CLORINATOR, WELL 5***

Source Number: ***006***

Source Status: ***ACTIVE TREATED***

Water type: ***GROUNDWATER OR WELL***

GENERAL NON CHAP 15		
DIAZINON	39570	WAIVED
INORGANIC		
ALUMINUM	01105	WAIVED
ANTIMONY	01097	WAIVED
ARSENIC	01002	WAIVED
ASBESTOS	81855	WAIVED
BARIUM	01007	WAIVED
BERYLLIUM	01012	WAIVED
CADMIUM	01027	WAIVED
CHROMIUM (TOTAL)	01034	WAIVED
CYANIDE	01291	WAIVED

**Testing interval is in months;*
0 = No data for this constituent and is DUE NOW
999 = Waived testing (not required)
I = Invalid (NOT) valid analyses reported

System Number: ***1900062***

System Name: ***L.A RETARDED CHILDREN RANCH WATER AGENCY***

PS Code: ***1900062-006***

Source Name: ***CLORINATOR, WELL 5***

Source Number: ***006***

Source Status: ***ACTIVE TREATED***

Water type: ***GROUNDWATER OR WELL***

	STORET NUMBER	TESTING INTERVAL (MONTHS)*	LAST TEST DATE (yyyy/mm/dd)	LAST RESULT REPORTED	NEXT TEST DATE (yyyy/mm)
INORGANIC					
FLUORIDE (F) (NATURAL-SOURCE)	00951	WAIVED			
LEAD	01051	WAIVED			
MERCURY	71900	WAIVED			
NICKEL	01067	WAIVED			
PERCHLORATE	A-031	WAIVED			
SELENIUM	01147	WAIVED			
THALLIUM	01059	WAIVED			
NITRATE/NITRITE					
NITRATE (AS NO3)	71850	WAIVED			
NITRITE (AS N)	00620	WAIVED			
RADIOLOGICAL					
GROSS ALPHA	01501	WAIVED			
GROSS BETA	03501	WAIVED			
RA-226 FOR CWS OR TOTAL RA FOR NTNC BY 903.0	A-080	WAIVED			
RA-226 OR TOTAL RA BY 903.0 C.E.	A-081	WAIVED			
RADIUM 226	09501	WAIVED			
RADIUM 228	11501	WAIVED			
RADIUM, TOTAL, MDA95-NTNC ONLY, BY 903.0	A-082	WAIVED			
STRONTIUM-90	13501	WAIVED			
TRITIUM	07000	WAIVED			
URANIUM (PCI/L)	28012	WAIVED			
REGULATED SOC					
2,3,7,8-TCDD (DIOXIN)	34676	WAIVED			
2,4,5-TP (SILVEX)	39045	WAIVED			
2,4-D	39730	WAIVED			
ALACHLOR	77825	WAIVED			
ATRAZINE	39033	WAIVED			
BENTAZON	38710	WAIVED			

**Testing interval is in months;*
0 = No data for this constituent and is DUE NOW
999 = Waived testing (not required)
I = Invalid (NOT) valid analyses reported

System Number: 1900062

System Name: L.A RETARDED CHILDREN RANCH WATER AGENCY

PS Code: 1900062-006

Source Name: CLORINATOR, WELL 5

Source Number: 006

Source Status: ACTIVE TREATED

Water type: GROUNDWATER OR WELL

	STORET NUMBER	TESTING INTERVAL (MONTHS)*	LAST TEST DATE (yyyy/mm/dd)	LAST RESULT REPORTED	NEXT TEST DATE (yyyy/mm)
REGULATED SOC					
BENZO (A) PYRENE	34247	WAIVED			
CARBOFURAN	81405	WAIVED			
CHLORDANE	39350	WAIVED			
DALAPON	38432	WAIVED			
DI(2-ETHYLHEXYL)ADIPATE	A-026	WAIVED			
DI(2-ETHYLHEXYL)PHTHALATE	39100	WAIVED			
DIBROMOCHLOROPROPANE (DBCP)	38761	WAIVED			
DINOSEB	81287	WAIVED			
DIQUAT	78885	WAIVED			
ENDOTHALL	38926	WAIVED			
ENDRIN	39390	WAIVED			
ETHYLENE DIBROMIDE (EDB)	77651	WAIVED			
GLYPHOSATE	79743	WAIVED			
HEPTACHLOR	39410	WAIVED			
HEPTACHLOR EPOXIDE	39420	WAIVED			
HEXACHLOROBENZENE	39700	WAIVED			
HEXACHLOROCYCLOPENTADIENE	34386	WAIVED			
LINDANE	39340	WAIVED			
METHOXYCHLOR	39480	WAIVED			
MOLINATE	82199	WAIVED			
OXAMYL	38865	WAIVED			
PENTACHLOROPHENOL	39032	WAIVED			
PICLORAM	39720	WAIVED			
POLYCHLORINATED BIPHENYLS, TOTAL, AS DCB	39516	WAIVED			
SIMAZINE	39055	WAIVED			
THIOBENCARB	A-001	WAIVED			
TOXAPHENE	39400	WAIVED			
REGULATED VOC					
1,1,1-TRICHLOROETHANE	34506	WAIVED			

**Testing interval is in months;*
0 = No data for this constituent and is DUE NOW
999 = Waived testing (not required)
I = Invalid (NOT) valid analyses reported

System Number: ***1900062***

System Name: ***L.A RETARDED CHILDREN RANCH WATER AGENCY***

PS Code: ***1900062-006***

Source Name: ***CLORINATOR, WELL 5***

Source Number: ***006***

Source Status: ***ACTIVE TREATED***

Water type: ***GROUNDWATER OR WELL***

	STORET NUMBER	TESTING INTERVAL (MONTHS)*	LAST TEST DATE (yyyy/mm/dd)	LAST RESULT REPORTED	NEXT TEST DATE (yyyy/mm)
REGULATED VOC					
1,1,2,2-TETRACHLOROETHANE	34516	WAIVED			
1,1,2-TRICHLORO-1,2,2-TRIFLUOROETHANE	81611	WAIVED			
1,1,2-TRICHLOROETHANE	34511	WAIVED			
1,1-DICHLOROETHANE	34496	WAIVED			
1,1-DICHLOROETHYLENE	34501	WAIVED			
1,2,4-TRICHLOROBENZENE	34551	WAIVED			
1,2-DICHLOROBENZENE	34536	WAIVED			
1,2-DICHLOROETHANE	34531	WAIVED			
1,2-DICHLOROPROPANE	34541	WAIVED			
1,3-DICHLOROPROPENE (TOTAL)	34561	WAIVED			
1,4-DICHLOROBENZENE	34571	WAIVED			
BENZENE	34030	WAIVED			
CARBON TETRACHLORIDE	32102	WAIVED			
CIS-1,2-DICHLOROETHYLENE	77093	WAIVED			
DICHLOROMETHANE	34423	WAIVED			
ETHYLBENZENE	34371	WAIVED			
METHYL-TERT-BUTYL-ETHER (MTBE)	46491	WAIVED			
MONOCHLOROBENZENE	34301	WAIVED			
STYRENE	77128	WAIVED			
TETRACHLOROETHYLENE	34475	WAIVED			
TOLUENE	34010	WAIVED			
TRANS-1,2-DICHLOROETHYLENE	34546	WAIVED			
TRICHLOROETHYLENE	39180	WAIVED			
TRICHLOROFLUOROMETHANE	34488	WAIVED			
VINYL CHLORIDE	39175	WAIVED			
XYLENES (TOTAL)	81551	WAIVED			
SECONDARY/GP					
AGGRSSIVE INDEX (CORROSIVITY)	82383	WAIVED			
BICARBONATE ALKALINITY	00440	WAIVED			

**Testing interval is in months;*
0 = No data for this constituent and is DUE NOW
999 = Waived testing (not required)
I = Invalid (NOT) valid analyses reported

System Number: ***1900062***

System Name: ***L.A RETARDED CHILDREN RANCH WATER AGENCY***

PS Code: ***1900062-006***

Source Name: ***CLORINATOR, WELL 5***

Source Number: ***006***

Source Status: ***ACTIVE TREATED***

Water type: ***GROUNDWATER OR WELL***

SECONDARY/GP

	STORET NUMBER	TESTING INTERVAL (MONTHS)*	LAST TEST DATE (yyyy/mm/dd)	LAST RESULT REPORTED	NEXT TEST DATE (yyyy/mm)
CALCIUM	00916	WAIVED			
CARBONATE ALKALINITY	00445	WAIVED			
CHLORIDE	00940	WAIVED			
COLOR	00081	WAIVED			
COPPER	01042	WAIVED			
FOAMING AGENTS (MBAS)	38260	WAIVED			
HARDNESS (TOTAL) AS CACO3	00900	WAIVED			
HYDROXIDE ALKALINITY	71830	WAIVED			
IRON	01045	WAIVED			
MAGNESIUM	00927	WAIVED			
MANGANESE	01055	WAIVED			
ODOR THRESHOLD @ 60 C	00086	WAIVED			
PH, LABORATORY	00403	WAIVED			
SILVER	01077	WAIVED			
SODIUM	00929	WAIVED			
SPECIFIC CONDUCTANCE	00095	WAIVED			
SULFATE	00945	WAIVED			
TOTAL DISSOLVED SOLIDS	70300	WAIVED			
TURBIDITY, LABORATORY	82079	WAIVED			
ZINC	01092	WAIVED			

PS Code: ***1900062-007***

Source Name: ***CHORINATOR, WELL 6***

Source Number: ***007***

Source Status: ***ACTIVE TREATED***

Water type: ***GROUNDWATER OR WELL***

GENERAL NON CHAP 15

DIAZINON	39570	WAIVED			

**Testing interval is in months;*
0 = No data for this constituent and is DUE NOW
999 = Waived testing (not required)
I = Invalid (NOT) valid analyses reported

System Number: ***1900062***

System Name: ***L.A RETARDED CHILDREN RANCH WATER AGENCY***

PS Code: ***1900062-007***

Source Name: ***CHORINATOR, WELL 6***

Source Number: ***007***

Source Status: ***ACTIVE TREATED***

Water type: ***GROUNDWATER OR WELL***

	STORET NUMBER	TESTING INTERVAL (MONTHS)*	LAST TEST DATE (yyyy/mm/dd)	LAST RESULT REPORTED	NEXT TEST DATE (yyyy/mm)
INORGANIC					
ALUMINUM	01105	WAIVED			
ANTIMONY	01097	WAIVED			
ARSENIC	01002	WAIVED			
ASBESTOS	81855	WAIVED			
BARIUM	01007	WAIVED			
BERYLLIUM	01012	WAIVED			
CADMIUM	01027	WAIVED			
CHROMIUM (TOTAL)	01034	WAIVED			
CYANIDE	01291	WAIVED			
FLUORIDE (F) (NATURAL-SOURCE)	00951	WAIVED			
LEAD	01051	WAIVED			
MERCURY	71900	WAIVED			
NICKEL	01067	WAIVED			
PERCHLORATE	A-031	WAIVED			
SELENIUM	01147	WAIVED			
THALLIUM	01059	WAIVED			
NITRATE/NITRITE					
NITRATE (AS NO3)	71850	WAIVED			
NITRITE (AS N)	00620	WAIVED			
RADIOLOGICAL					
GROSS ALPHA	01501	WAIVED			
GROSS BETA	03501	WAIVED			
RA-226 FOR CWS OR TOTAL RA FOR NTNC BY 903.0	A-080	WAIVED			
RA-226 OR TOTAL RA BY 903.0 C.E.	A-081	WAIVED			
RADIUM 226	09501	WAIVED			
RADIUM 228	11501	WAIVED			
RADIUM, TOTAL, MDA95-NTNC ONLY, BY 903.0	A-082	WAIVED			
STRONTIUM-90	13501	WAIVED			
TRITIUM	07000	WAIVED			

**Testing interval is in months;*
0 = No data for this constituent and is DUE NOW
999 = Waived testing (not required)
I = Invalid (NOT) valid analyses reported

System Number: ***1900062***

System Name: ***L.A RETARDED CHILDREN RANCH WATER AGENCY***

PS Code: ***1900062-007***

Source Name: ***CHORINATOR, WELL 6***

Source Number: ***007***

Source Status: ***ACTIVE TREATED***

Water type: ***GROUNDWATER OR WELL***

	STORET NUMBER	TESTING INTERVAL (MONTHS)*	LAST TEST DATE (yyyy/mm/dd)	LAST RESULT REPORTED	NEXT TEST DATE (yyyy/mm)
RADIOLOGICAL					
URANIUM (PCI/L)	28012	WAIVED			
REGULATED SOC					
2,3,7,8-TCDD (DIOXIN)	34676	WAIVED			
2,4,5-TP (SILVEX)	39045	WAIVED			
2,4-D	39730	WAIVED			
ALACHLOR	77825	WAIVED			
ATRAZINE	39033	WAIVED			
BENTAZON	38710	WAIVED			
BENZO (A) PYRENE	34247	WAIVED			
CARBOFURAN	81405	WAIVED			
CHLORDANE	39350	WAIVED			
DALAPON	38432	WAIVED			
DI(2-ETHYLHEXYL)ADIPATE	A-026	WAIVED			
DI(2-ETHYLHEXYL)PHTHALATE	39100	WAIVED			
DIBROMOCHLOROPROPANE (DBCP)	38761	WAIVED			
DINOSEB	81287	WAIVED			
DIQUAT	78885	WAIVED			
ENDOTHALL	38926	WAIVED			
ENDRIN	39390	WAIVED			
ETHYLENE DIBROMIDE (EDB)	77651	WAIVED			
GLYPHOSATE	79743	WAIVED			
HEPTACHLOR	39410	WAIVED			
HEPTACHLOR EPOXIDE	39420	WAIVED			
HEXACHLOROBENZENE	39700	WAIVED			
HEXACHLOROCYCLOPENTADIENE	34386	WAIVED			
LINDANE	39340	WAIVED			
METHOXYCHLOR	39480	WAIVED			
MOLINATE	82199	WAIVED			
OXAMYL	38865	WAIVED			

**Testing interval is in months;*
0 = No data for this constituent and is DUE NOW
999 = Waived testing (not required)
I = Invalid (NOT) valid analyses reported

System Number: ***1900062***

System Name: ***L.A RETARDED CHILDREN RANCH WATER AGENCY***

PS Code: ***1900062-007***

Source Name: ***CHORINATOR, WELL 6***

Source Number: ***007***

Source Status: ***ACTIVE TREATED***

Water type: ***GROUNDWATER OR WELL***

	STORET NUMBER	TESTING INTERVAL (MONTHS)*	LAST TEST DATE (yyyy/mm/dd)	LAST RESULT REPORTED	NEXT TEST DATE (yyyy/mm)
REGULATED SOC					
PENTACHLOROPHENOL	39032	WAIVED			
PICLORAM	39720	WAIVED			
POLYCHLORINATED BIPHENYLS, TOTAL, AS DCB	39516	WAIVED			
SIMAZINE	39055	WAIVED			
THIOBENCARB	A-001	WAIVED			
TOXAPHENE	39400	WAIVED			
REGULATED VOC					
1,1,1-TRICHLOROETHANE	34506	WAIVED			
1,1,2,2-TETRACHLOROETHANE	34516	WAIVED			
1,1,2-TRICHLORO-1,2,2-TRIFLUOROETHANE	81611	WAIVED			
1,1,2-TRICHLOROETHANE	34511	WAIVED			
1,1-DICHLOROETHANE	34496	WAIVED			
1,1-DICHLOROETHYLENE	34501	WAIVED			
1,2,4-TRICHLOROBENZENE	34551	WAIVED			
1,2-DICHLOROBENZENE	34536	WAIVED			
1,2-DICHLOROETHANE	34531	WAIVED			
1,2-DICHLOROPROPANE	34541	WAIVED			
1,3-DICHLOROPROPENE (TOTAL)	34561	WAIVED			
1,4-DICHLOROBENZENE	34571	WAIVED			
BENZENE	34030	WAIVED			
CARBON TETRACHLORIDE	32102	WAIVED			
CIS-1,2-DICHLOROETHYLENE	77093	WAIVED			
DICHLOROMETHANE	34423	WAIVED			
ETHYLBENZENE	34371	WAIVED			
METHYL-TERT-BUTYL-ETHER (MTBE)	46491	WAIVED			
MONOCHLOROBENZENE	34301	WAIVED			
STYRENE	77128	WAIVED			
TETRACHLOROETHYLENE	34475	WAIVED			
TOLUENE	34010	WAIVED			

**Testing interval is in months;*
0 = No data for this constituent and is DUE NOW
999 = Waived testing (not required)
I = Invalid (NOT) valid analyses reported

System Number: ***1900062***

System Name: ***L.A RETARDED CHILDREN RANCH WATER AGENCY***

PS Code: ***1900062-007***

Source Name: ***CHORINATOR, WELL 6***

Source Number: ***007***

Source Status: ***ACTIVE TREATED***

Water type: ***GROUNDWATER OR WELL***

	STORET NUMBER	TESTING INTERVAL (MONTHS)*	LAST TEST DATE (yyyy/mm/dd)	LAST RESULT REPORTED	NEXT TEST DATE (yyyy/mm)
REGULATED VOC					
TRANS-1,2-DICHLOROETHYLENE	34546	WAIVED			
TRICHLOROETHYLENE	39180	WAIVED			
TRICHLOROFLUOROMETHANE	34488	WAIVED			
VINYL CHLORIDE	39175	WAIVED			
XYLENES (TOTAL)	81551	WAIVED			
SECONDARY/GP					
AGGRSSIVE INDEX (CORROSIVITY)	82383	WAIVED			
BICARBONATE ALKALINITY	00440	WAIVED			
CALCIUM	00916	WAIVED			
CARBONATE ALKALINITY	00445	WAIVED			
CHLORIDE	00940	WAIVED			
COLOR	00081	WAIVED			
COPPER	01042	WAIVED			
FOAMING AGENTS (MBAS)	38260	WAIVED			
HARDNESS (TOTAL) AS CACO3	00900	WAIVED			
HYDROXIDE ALKALINITY	71830	WAIVED			
IRON	01045	WAIVED			
MAGNESIUM	00927	WAIVED			
MANGANESE	01055	WAIVED			
ODOR THRESHOLD @ 60 C	00086	WAIVED			
PH, LABORATORY	00403	WAIVED			
SILVER	01077	WAIVED			
SODIUM	00929	WAIVED			
SPECIFIC CONDUCTANCE	00095	WAIVED			
SULFATE	00945	WAIVED			
TOTAL DISSOLVED SOLIDS	70300	WAIVED			
TURBIDITY, LABORATORY	82079	WAIVED			
ZINC	01092	WAIVED			

**Testing interval is in months;*
0 = No data for this constituent and is DUE NOW
999 = Waived testing (not required)
I = Invalid (NOT) valid analyses reported

System Number: 1900064

System Name: SAN DIMAS CANYON IMPROVMENT ASSOCIATION

PS Code: 1900064-001

Source Name: WELL 01

Source Number: 001

Source Status: ACTIVE UNTREATED

Water type: GROUNDWATER OR WELL

	STORET NUMBER	TESTING INTERVAL (MONTHS)*	LAST TEST DATE (yyyy/mm/dd)	LAST RESULT REPORTED	NEXT TEST DATE (yyyy/mm)
GENERAL NON CHAP 15					
DIAZINON	39570	WAIVED			
INORGANIC					
ALUMINUM	01105	WAIVED	2002/06/19	.000	
ANTIMONY	01097	WAIVED	2002/06/19	.000	
ARSENIC	01002	WAIVED	2002/06/19	6.390	
ASBESTOS	81855	WAIVED			
BARIUM	01007	WAIVED	2002/06/19	.000	
BERYLLIUM	01012	WAIVED			
CADMIUM	01027	WAIVED	2002/06/19	.000	
CHROMIUM (TOTAL)	01034	WAIVED	2002/06/19	.000	
CYANIDE	01291	WAIVED			
FLUORIDE (F) (NATURAL-SOURCE)	00951	WAIVED	2002/08/07	1.860	
LEAD	01051	WAIVED	2002/06/19	.000	
MERCURY	71900	WAIVED	2002/06/19	.000	
NICKEL	01067	WAIVED	2002/06/19	.000	
PERCHLORATE	A-031	WAIVED			
SELENIUM	01147	WAIVED	2002/06/19	.000	
THALLIUM	01059	WAIVED			
NITRATE/NITRITE					
NITRATE (AS NO3)	71850	WAIVED	2002/06/19	.000	
NITRITE (AS N)	00620	WAIVED			
RADIOLOGICAL					
GROSS ALPHA	01501	WAIVED	2002/09/06	30.800	
GROSS BETA	03501	WAIVED			
RA-226 FOR CWS OR TOTAL RA FOR NTNC BY 903.0	A-080	WAIVED			
RA-226 OR TOTAL RA BY 903.0 C.E.	A-081	WAIVED			
RADIUM 226	09501	WAIVED			
RADIUM 228	11501	WAIVED			

**Testing interval is in months;*
0 = No data for this constituent and is DUE NOW
999 = Waived testing (not required)
I = Invalid (NOT) valid analyses reported

System Number: ***1900064***

System Name: ***SAN DIMAS CANYON IMPROVMENT ASSOCIATION***

PS Code: ***1900064-001***

Source Name: ***WELL 01***

Source Number: ***001***

Source Status: ***ACTIVE UNTREATED***

Water type: ***GROUNDWATER OR WELL***

	STORET NUMBER	TESTING INTERVAL (MONTHS)*	LAST TEST DATE (yyyy/mm/dd)	LAST RESULT REPORTED	NEXT TEST DATE (yyyy/mm)
RADIOLOGICAL					
RADIUM, TOTAL, MDA95-NTNC ONLY, BY 903.0	A-082	WAIVED			
STRONTIUM-90	13501	WAIVED			
TRITIUM	07000	WAIVED			
URANIUM (PCI/L)	28012	WAIVED			
REGULATED SOC					
2,3,7,8-TCDD (DIOXIN)	34676	WAIVED			
2,4,5-TP (SILVEX)	39045	WAIVED			
2,4-D	39730	WAIVED			
ALACHLOR	77825	WAIVED	2002/05/31	.000	
ATRAZINE	39033	WAIVED			
BENTAZON	38710	WAIVED			
BENZO (A) PYRENE	34247	WAIVED			
CARBOFURAN	81405	WAIVED			
CHLORDANE	39350	WAIVED	2002/05/31	.000	
DALAPON	38432	WAIVED			
DI(2-ETHYLHEXYL)ADIPATE	A-026	WAIVED			
DI(2-ETHYLHEXYL)PHTHALATE	39100	WAIVED			
DIBROMOCHLOROPROPANE (DBCP)	38761	WAIVED			
DINOSEB	81287	WAIVED			
DIQUAT	78885	WAIVED			
ENDOTHALL	38926	WAIVED			
ENDRIN	39390	WAIVED	2002/05/31	.000	
ETHYLENE DIBROMIDE (EDB)	77651	WAIVED			
GLYPHOSATE	79743	WAIVED			
HEPTACHLOR	39410	WAIVED	2002/05/31	.000	
HEPTACHLOR EPOXIDE	39420	WAIVED	2002/05/31	.000	
HEXACHLOROBENZENE	39700	WAIVED	2002/05/31	.000	
HEXACHLOROCYCLOPENTADIENE	34386	WAIVED	2002/05/31	.000	
LINDANE	39340	WAIVED	2002/05/31	.000	

**Testing interval is in months;*
0 = No data for this constituent and is DUE NOW
999 = Waived testing (not required)
I = Invalid (NOT) valid analyses reported

System Number: ***1900064***

System Name: ***SAN DIMAS CANYON IMPROVMENT ASSOCIATION***

PS Code: ***1900064-001***

Source Name: ***WELL 01***

Source Number: ***001***

Source Status: ***ACTIVE UNTREATED***

Water type: ***GROUNDWATER OR WELL***

	STORET NUMBER	TESTING INTERVAL (MONTHS)*	LAST TEST DATE (yyyy/mm/dd)	LAST RESULT REPORTED	NEXT TEST DATE (yyyy/mm)
REGULATED SOC					
METHOXYCHLOR	39480	WAIVED	2002/05/31	.000	
MOLINATE	82199	WAIVED			
OXAMYL	38865	WAIVED			
PENTACHLOROPHENOL	39032	WAIVED			
PICLORAM	39720	WAIVED			
POLYCHLORINATED BIPHENYLS, TOTAL, AS DCB	39516	WAIVED	2002/05/31	.000	
SIMAZINE	39055	WAIVED			
THIOBENCARB	A-001	WAIVED			
TOXAPHENE	39400	WAIVED	2002/05/31	.000	
REGULATED VOC					
1,1,1-TRICHLOROETHANE	34506	WAIVED	2002/05/31	.000	
1,1,2,2-TETRACHLOROETHANE	34516	WAIVED	2002/05/31	.000	
1,1,2-TRICHLORO-1,2,2-TRIFLUOROETHANE	81611	WAIVED	2002/05/31	.000	
1,1,2-TRICHLOROETHANE	34511	WAIVED	2002/05/31	.000	
1,1-DICHLOROETHANE	34496	WAIVED	2002/05/31	.000	
1,1-DICHLOROETHYLENE	34501	WAIVED	2002/05/31	.000	
1,2,4-TRICHLOROBENZENE	34551	WAIVED	2002/05/31	.000	
1,2-DICHLOROBENZENE	34536	WAIVED	2002/05/31	.000	
1,2-DICHLOROETHANE	34531	WAIVED	2002/05/31	.000	
1,2-DICHLOROPROPANE	34541	WAIVED	2002/05/31	.000	
1,3-DICHLOROPROPENE (TOTAL)	34561	WAIVED	2002/05/31	.000	
1,4-DICHLOROBENZENE	34571	WAIVED	2002/05/31	.000	
BENZENE	34030	WAIVED	2002/05/31	.000	
CARBON TETRACHLORIDE	32102	WAIVED	2002/05/31	.000	
CIS-1,2-DICHLOROETHYLENE	77093	WAIVED	2002/05/31	.000	
DICHLOROMETHANE	34423	WAIVED	2002/05/31	.000	
ETHYLBENZENE	34371	WAIVED	2002/05/31	.000	
METHYL-TERT-BUTYL-ETHER (MTBE)	46491	WAIVED	2002/05/31	.000	
MONOCHLOROBENZENE	34301	WAIVED	2002/05/31	.000	

**Testing interval is in months;*
0 = No data for this constituent and is DUE NOW
999 = Waived testing (not required)
I = Invalid (NOT) valid analyses reported

System Number: 1900064

System Name: SAN DIMAS CANYON IMPROVMENT ASSOCIATION

PS Code: 1900064-001

Source Name: WELL 01

Source Number: 001

Source Status: ACTIVE UNTREATED

Water type: GROUNDWATER OR WELL

	STORET NUMBER	TESTING INTERVAL (MONTHS)*	LAST TEST DATE (yyyy/mm/dd)	LAST RESULT REPORTED	NEXT TEST DATE (yyyy/mm)
REGULATED VOC					
STYRENE	77128	WAIVED	2002/05/31	.000	
TETRACHLOROETHYLENE	34475	WAIVED	2002/05/31	.000	
TOLUENE	34010	WAIVED	2002/05/31	.000	
TRANS-1,2-DICHLOROETHYLENE	34546	WAIVED	2002/05/31	.000	
TRICHLOROETHYLENE	39180	WAIVED	2002/05/31	.000	
TRICHLOROFLUOROMETHANE	34488	WAIVED	2002/05/31	.000	
VINYL CHLORIDE	39175	WAIVED	2002/05/31	.000	
XYLENES (TOTAL)	81551	WAIVED	2002/05/31	.000	
SECONDARY/GP					
AGGRSSIVE INDEX (CORROSIVITY)	82383	WAIVED			
BICARBONATE ALKALINITY	00440	WAIVED	2002/06/19	260.000	
CALCIUM	00916	WAIVED	2002/06/19	68.100	
CARBONATE ALKALINITY	00445	WAIVED	2002/06/19	.000	
CHLORIDE	00940	WAIVED	2002/06/19	11.700	
COLOR	00081	WAIVED	2002/06/19	.000	
COPPER	01042	WAIVED	2002/06/19	.000	
FOAMING AGENTS (MBAS)	38260	WAIVED	2002/06/19	.000	
HARDNESS (TOTAL) AS CACO3	00900	WAIVED	2002/06/19	250.000	
HYDROXIDE ALKALINITY	71830	WAIVED	2002/06/19	.000	
IRON	01045	WAIVED	2002/06/19	.000	
MAGNESIUM	00927	WAIVED	2002/06/19	19.400	
MANGANESE	01055	WAIVED	2002/08/07	.000	
ODOR THRESHOLD @ 60 C	00086	WAIVED	2002/06/19	.000	
PH, LABORATORY	00403	WAIVED	2002/06/19	7.510	
SILVER	01077	WAIVED	2002/06/19	.000	
SODIUM	00929	WAIVED	2002/06/19	22.600	
SPECIFIC CONDUCTANCE	00095	WAIVED	2002/06/19	568.000	
SULFATE	00945	WAIVED	2002/06/19	56.200	
TOTAL DISSOLVED SOLIDS	70300	WAIVED	2002/06/19	374.000	

**Testing interval is in months;*
0 = No data for this constituent and is DUE NOW
999 = Waived testing (not required)
I = Invalid (NOT) valid analyses reported

System Number: 1900064

System Name: SAN DIMAS CANYON IMPROVMENT ASSOCIATION

PS Code: 1900064-001

Source Name: WELL 01

Source Number: 001

Source Status: ACTIVE UNTREATED

Water type: GROUNDWATER OR WELL

	STORET NUMBER	TESTING INTERVAL (MONTHS)*	LAST TEST DATE (yyyy/mm/dd)	LAST RESULT REPORTED	NEXT TEST DATE (yyyy/mm)
SECONDARY/GP					
TURBIDITY, LABORATORY	82079	WAIVED	2002/06/19	.220	
ZINC	01092	WAIVED	2002/06/19	316.000	

PS Code: 1900064-002

Source Name: STREAM PICK-UP-EAST-FORK

Source Number: 002

Source Status: STANDBY RAW

Water type: SURFACE

GENERAL NON CHAP 15					
DIAZINON	39570	WAIVED			
INORGANIC					
ALUMINUM	01105	WAIVED	2002/05/31	.000	
ANTIMONY	01097	WAIVED	2002/05/31	.000	
ARSENIC	01002	WAIVED	2002/05/31	.000	
ASBESTOS	81855	WAIVED			
BARIUM	01007	WAIVED	2002/05/31	.000	
BERYLLIUM	01012	WAIVED			
CADMIUM	01027	WAIVED	2002/05/31	.000	
CHROMIUM (TOTAL)	01034	WAIVED	2002/06/19	.000	
CYANIDE	01291	WAIVED			
FLUORIDE (F) (NATURAL-SOURCE)	00951	WAIVED	2002/05/31	1.250	
LEAD	01051	WAIVED	2002/05/31	.000	
MERCURY	71900	WAIVED	2002/05/31	.000	
NICKEL	01067	WAIVED	2002/05/31	.000	
PERCHLORATE	A-031	WAIVED			
SELENIUM	01147	WAIVED	2002/05/31	.000	
THALLIUM	01059	WAIVED			

**Testing interval is in months;*
0 = No data for this constituent and is DUE NOW
999 = Waived testing (not required)
I = Invalid (NOT) valid analyses reported

System Number: ***1900064***

System Name: ***SAN DIMAS CANYON IMPROVMENT ASSOCIATION***

PS Code: ***1900064-002***

Source Name: ***STREAM PICK-UP-EAST-FORK***

Source Number: ***002***

Source Status: ***STANDBY RAW***

Water type: ***SURFACE***

	STORET NUMBER	TESTING INTERVAL (MONTHS)*	LAST TEST DATE (yyyy/mm/dd)	LAST RESULT REPORTED	NEXT TEST DATE (yyyy/mm)
NITRATE/NITRITE					
NITRATE (AS NO3)	71850	WAIVED	2002/05/31	.000	
NITRITE (AS N)	00620	WAIVED			
RADIOLOGICAL					
GROSS ALPHA	01501	WAIVED			
GROSS BETA	03501	WAIVED			
RA-226 FOR CWS OR TOTAL RA FOR NTNC BY 903.0	A-080	WAIVED			
RA-226 OR TOTAL RA BY 903.0 C.E.	A-081	WAIVED			
RADIUM 226	09501	WAIVED			
RADIUM 228	11501	WAIVED			
RADIUM, TOTAL, MDA95-NTNC ONLY, BY 903.0	A-082	WAIVED			
STRONTIUM-90	13501	WAIVED			
TRITIUM	07000	WAIVED			
URANIUM (PCI/L)	28012	WAIVED			
REGULATED SOC					
2,3,7,8-TCDD (DIOXIN)	34676	WAIVED			
2,4,5-TP (SILVEX)	39045	WAIVED			
2,4-D	39730	WAIVED			
ALACHLOR	77825	WAIVED	2002/06/19	.000	
ATRAZINE	39033	WAIVED			
BENTAZON	38710	WAIVED			
BENZO (A) PYRENE	34247	WAIVED			
CARBOFURAN	81405	WAIVED			
CHLORDANE	39350	WAIVED	2002/06/19	.000	
DALAPON	38432	WAIVED			
DI(2-ETHYLHEXYL)ADIPATE	A-026	WAIVED			
DI(2-ETHYLHEXYL)PHTHALATE	39100	WAIVED			
DIBROMOCHLOROPROPANE (DBCP)	38761	WAIVED			
DINOSEB	81287	WAIVED			
DIQUAT	78885	WAIVED			

**Testing interval is in months;*
0 = No data for this constituent and is DUE NOW
999 = Waived testing (not required)
I = Invalid (NOT) valid analyses reported

System Number: 1900064

System Name: SAN DIMAS CANYON IMPROVMENT ASSOCIATION

PS Code: 1900064-002

Source Name: STREAM PICK-UP-EAST-FORK

Source Number: 002

Source Status: STANDBY RAW

Water type: SURFACE

	STORET NUMBER	TESTING INTERVAL (MONTHS)*	LAST TEST DATE (yyyy/mm/dd)	LAST RESULT REPORTED	NEXT TEST DATE (yyyy/mm)
REGULATED SOC					
ENDOTHALL	38926	WAIVED			
ENDRIN	39390	WAIVED	2002/06/19	.000	
ETHYLENE DIBROMIDE (EDB)	77651	WAIVED			
GLYPHOSATE	79743	WAIVED			
HEPTACHLOR	39410	WAIVED	2002/06/19	.000	
HEPTACHLOR EPOXIDE	39420	WAIVED	2002/06/19	.000	
HEXACHLOROBENZENE	39700	WAIVED	2002/06/19	.000	
HEXACHLOROCYCLOPENTADIENE	34386	WAIVED	2002/06/19	.000	
LINDANE	39340	WAIVED	2002/06/19	.000	
METHOXYCHLOR	39480	WAIVED	2002/06/19	.000	
MOLINATE	82199	WAIVED			
OXAMYL	38865	WAIVED			
PENTACHLOROPHENOL	39032	WAIVED			
PICLORAM	39720	WAIVED			
POLYCHLORINATED BIPHENYLS, TOTAL, AS DCB	39516	WAIVED	2002/06/19	.000	
SIMAZINE	39055	WAIVED			
THIOBENCARB	A-001	WAIVED			
TOXAPHENE	39400	WAIVED	2002/06/19	.000	
REGULATED VOC					
1,1,1-TRICHLOROETHANE	34506	WAIVED	2002/06/19	.000	
1,1,2,2-TETRACHLOROETHANE	34516	WAIVED	2002/06/19	.000	
1,1,2-TRICHLORO-1,2,2-TRIFLUOROETHANE	81611	WAIVED	2002/06/19	.000	
1,1,2-TRICHLOROETHANE	34511	WAIVED	2002/06/19	.000	
1,1-DICHLOROETHANE	34496	WAIVED	2002/06/19	.000	
1,1-DICHLOROETHYLENE	34501	WAIVED	2002/06/19	.000	
1,2,4-TRICHLOROBENZENE	34551	WAIVED	2002/06/19	.000	
1,2-DICHLOROBENZENE	34536	WAIVED	2002/06/19	.000	
1,2-DICHLOROETHANE	34531	WAIVED	2002/06/19	.000	
1,2-DICHLOROPROPANE	34541	WAIVED	2002/06/19	.000	

**Testing interval is in months;*
0 = No data for this constituent and is DUE NOW
999 = Waived testing (not required)
I = Invalid (NOT) valid analyses reported

System Number: 1900064
System Name: SAN DIMAS CANYON IMPROVMENT ASSOCIATION

PS Code: 1900064-002
Source Name: STREAM PICK-UP-EAST-FORK
Source Number: 002
Source Status: STANDBY RAW
Water type: SURFACE

	STORET NUMBER	TESTING INTERVAL (MONTHS)*	LAST TEST DATE (yyyy/mm/dd)	LAST RESULT REPORTED	NEXT TEST DATE (yyyy/mm)
REGULATED VOC					
1,3-DICHLOROPROPENE (TOTAL)	34561	WAIVED	2002/06/19	.000	
1,4-DICHLOROBENZENE	34571	WAIVED	2002/06/19	.000	
BENZENE	34030	WAIVED	2002/06/19	.000	
CARBON TETRACHLORIDE	32102	WAIVED	2002/06/19	.000	
CIS-1,2-DICHLOROETHYLENE	77093	WAIVED	2002/06/19	.000	
DICHLOROMETHANE	34423	WAIVED	2002/06/19	.000	
ETHYLBENZENE	34371	WAIVED	2002/06/19	.000	
METHYL-TERT-BUTYL-ETHER (MTBE)	46491	WAIVED	2002/06/19	.000	
MONOCHLOROBENZENE	34301	WAIVED	2002/06/19	.000	
STYRENE	77128	WAIVED	2002/06/19	.000	
TETRACHLOROETHYLENE	34475	WAIVED	2002/06/19	.000	
TOLUENE	34010	WAIVED	2002/06/19	.000	
TRANS-1,2-DICHLOROETHYLENE	34546	WAIVED	2002/06/19	.000	
TRICHLOROETHYLENE	39180	WAIVED	2002/06/19	.000	
TRICHLOROFLUOROMETHANE	34488	WAIVED	2002/06/19	.000	
VINYL CHLORIDE	39175	WAIVED	2002/06/19	.000	
XYLENES (TOTAL)	81551	WAIVED	2002/06/19	.000	
SECONDARY/GP					
AGGRSSIVE INDEX (CORROSIVITY)	82383	WAIVED			
BICARBONATE ALKALINITY	00440	WAIVED	2002/05/31	295.000	
CALCIUM	00916	WAIVED	2002/05/31	58.100	
CARBONATE ALKALINITY	00445	WAIVED	2002/05/31	.000	
CHLORIDE	00940	WAIVED	2002/05/31	9.630	
COLOR	00081	WAIVED	2002/05/31	.000	
COPPER	01042	WAIVED	2002/05/31	.000	
FOAMING AGENTS (MBAS)	38260	WAIVED	2002/05/31	.000	
HARDNESS (TOTAL) AS CACO3	00900	WAIVED	2002/05/31	252.000	
HYDROXIDE ALKALINITY	71830	WAIVED	2002/05/31	.000	
IRON	01045	WAIVED	2002/05/31	.000	

**Testing interval is in months;*
0 = No data for this constituent and is DUE NOW
999 = Waived testing (not required)
I = Invalid (NOT) valid analyses reported

System Number: 1900064

System Name: SAN DIMAS CANYON IMPROVMENT ASSOCIATION

PS Code: 1900064-002

Source Name: STREAM PICK-UP-EAST-FORK

Source Number: 002

Source Status: STANDBY RAW

Water type: SURFACE

	STORET NUMBER	TESTING INTERVAL (MONTHS)*	LAST TEST DATE (yyyy/mm/dd)	LAST RESULT REPORTED	NEXT TEST DATE (yyyy/mm)
SECONDARY/GP					
MAGNESIUM	00927	WAIVED	2002/05/31	26.000	
MANGANESE	01055	WAIVED	2002/05/31	.000	
ODOR THRESHOLD @ 60 C	00086	WAIVED	2002/05/31	.000	
PH, LABORATORY	00403	WAIVED	2002/05/31	8.100	
SILVER	01077	WAIVED	2002/05/31	.000	
SODIUM	00929	WAIVED	2002/05/31	24.900	
SPECIFIC CONDUCTANCE	00095	WAIVED	2002/05/31	532.000	
SULFATE	00945	WAIVED	2002/05/31	34.000	
TOTAL DISSOLVED SOLIDS	70300	WAIVED	2002/05/31	344.000	
TURBIDITY, LABORATORY	82079	WAIVED	2002/05/31	.190	
ZINC	01092	WAIVED	2002/05/31	.000	

PS Code: 1900064-003

Source Name: STREAM PICK-UP-WEST-FORK

Source Number: 003

Source Status: STANDBY RAW

Water type: SURFACE

GENERAL NON CHAP 15					
DIAZINON	39570	WAIVED			
INORGANIC					
ALUMINUM	01105	WAIVED			
ANTIMONY	01097	WAIVED			
ARSENIC	01002	WAIVED			
ASBESTOS	81855	WAIVED			
BARIUM	01007	WAIVED			
BERYLLIUM	01012	WAIVED			
CADMIUM	01027	WAIVED			
CHROMIUM (TOTAL)	01034	WAIVED			
CYANIDE	01291	WAIVED			

**Testing interval is in months;*
0 = No data for this constituent and is DUE NOW
999 = Waived testing (not required)
I = Invalid (NOT) valid analyses reported

System Number: ***1900064***

System Name: ***SAN DIMAS CANYON IMPROVMENT ASSOCIATION***

PS Code: ***1900064-003***

Source Name: ***STREAM PICK-UP-WEST-FORK***

Source Number: ***003***

Source Status: ***STANDBY RAW***

Water type: ***SURFACE***

	STORET NUMBER	TESTING INTERVAL (MONTHS)*	LAST TEST DATE (yyyy/mm/dd)	LAST RESULT REPORTED	NEXT TEST DATE (yyyy/mm)
INORGANIC					
FLUORIDE (F) (NATURAL-SOURCE)	00951	WAIVED			
LEAD	01051	WAIVED			
MERCURY	71900	WAIVED			
NICKEL	01067	WAIVED			
PERCHLORATE	A-031	WAIVED			
SELENIUM	01147	WAIVED			
THALLIUM	01059	WAIVED			
NITRATE/NITRITE					
NITRATE (AS NO3)	71850	WAIVED			
NITRITE (AS N)	00620	WAIVED			
RADIOLOGICAL					
GROSS ALPHA	01501	WAIVED			
GROSS BETA	03501	WAIVED			
RA-226 FOR CWS OR TOTAL RA FOR NTNC BY 903.0	A-080	WAIVED			
RA-226 OR TOTAL RA BY 903.0 C.E.	A-081	WAIVED			
RADIUM 226	09501	WAIVED			
RADIUM 228	11501	WAIVED			
RADIUM, TOTAL, MDA95-NTNC ONLY, BY 903.0	A-082	WAIVED			
STRONTIUM-90	13501	WAIVED			
TRITIUM	07000	WAIVED			
URANIUM (PCI/L)	28012	WAIVED			
REGULATED SOC					
2,3,7,8-TCDD (DIOXIN)	34676	WAIVED			
2,4,5-TP (SILVEX)	39045	WAIVED			
2,4-D	39730	WAIVED			
ALACHLOR	77825	WAIVED			
ATRAZINE	39033	WAIVED			
BENTAZON	38710	WAIVED			

**Testing interval is in months;*
0 = No data for this constituent and is DUE NOW
999 = Waived testing (not required)
I = Invalid (NOT) valid analyses reported

System Number: ***1900064***

System Name: ***SAN DIMAS CANYON IMPROVMENT ASSOCIATION***

PS Code: ***1900064-003***

Source Name: ***STREAM PICK-UP-WEST-FORK***

Source Number: ***003***

Source Status: ***STANDBY RAW***

Water type: ***SURFACE***

	STORET NUMBER	TESTING INTERVAL (MONTHS)*	LAST TEST DATE (yyyy/mm/dd)	LAST RESULT REPORTED	NEXT TEST DATE (yyyy/mm)
REGULATED SOC					
BENZO (A) PYRENE	34247	WAIVED			
CARBOFURAN	81405	WAIVED			
CHLORDANE	39350	WAIVED			
DALAPON	38432	WAIVED			
DI(2-ETHYLHEXYL)ADIPATE	A-026	WAIVED			
DI(2-ETHYLHEXYL)PHTHALATE	39100	WAIVED			
DIBROMOCHLOROPROPANE (DBCP)	38761	WAIVED			
DINOSEB	81287	WAIVED			
DIQUAT	78885	WAIVED			
ENDOTHALL	38926	WAIVED			
ENDRIN	39390	WAIVED			
ETHYLENE DIBROMIDE (EDB)	77651	WAIVED			
GLYPHOSATE	79743	WAIVED			
HEPTACHLOR	39410	WAIVED			
HEPTACHLOR EPOXIDE	39420	WAIVED			
HEXACHLOROBENZENE	39700	WAIVED			
HEXACHLOROCYCLOPENTADIENE	34386	WAIVED			
LINDANE	39340	WAIVED			
METHOXYCHLOR	39480	WAIVED			
MOLINATE	82199	WAIVED			
OXAMYL	38865	WAIVED			
PENTACHLOROPHENOL	39032	WAIVED			
PICLORAM	39720	WAIVED			
POLYCHLORINATED BIPHENYLS, TOTAL, AS DCB	39516	WAIVED			
SIMAZINE	39055	WAIVED			
THIOBENCARB	A-001	WAIVED			
TOXAPHENE	39400	WAIVED			
REGULATED VOC					
1,1,1-TRICHLOROETHANE	34506	WAIVED			

**Testing interval is in months;*
0 = No data for this constituent and is DUE NOW
999 = Waived testing (not required)
I = Invalid (NOT) valid analyses reported

System Number: 1900064

System Name: SAN DIMAS CANYON IMPROVMENT ASSOCIATION

PS Code: 1900064-003

Source Name: STREAM PICK-UP-WEST-FORK

Source Number: 003

Source Status: STANDBY RAW

Water type: SURFACE

	STORET NUMBER	TESTING INTERVAL (MONTHS)*	LAST TEST DATE (yyyy/mm/dd)	LAST RESULT REPORTED	NEXT TEST DATE (yyyy/mm)
REGULATED VOC					
1,1,2,2-TETRACHLOROETHANE	34516	WAIVED			
1,1,2-TRICHLORO-1,2,2-TRIFLUOROETHANE	81611	WAIVED			
1,1,2-TRICHLOROETHANE	34511	WAIVED			
1,1-DICHLOROETHANE	34496	WAIVED			
1,1-DICHLOROETHYLENE	34501	WAIVED			
1,2,4-TRICHLOROBENZENE	34551	WAIVED			
1,2-DICHLOROBENZENE	34536	WAIVED			
1,2-DICHLOROETHANE	34531	WAIVED			
1,2-DICHLOROPROPANE	34541	WAIVED			
1,3-DICHLOROPROPENE (TOTAL)	34561	WAIVED			
1,4-DICHLOROBENZENE	34571	WAIVED			
BENZENE	34030	WAIVED			
CARBON TETRACHLORIDE	32102	WAIVED			
CIS-1,2-DICHLOROETHYLENE	77093	WAIVED			
DICHLOROMETHANE	34423	WAIVED			
ETHYLBENZENE	34371	WAIVED			
METHYL-TERT-BUTYL-ETHER (MTBE)	46491	WAIVED			
MONOCHLOROBENZENE	34301	WAIVED			
STYRENE	77128	WAIVED			
TETRACHLOROETHYLENE	34475	WAIVED			
TOLUENE	34010	WAIVED			
TRANS-1,2-DICHLOROETHYLENE	34546	WAIVED			
TRICHLOROETHYLENE	39180	WAIVED			
TRICHLOROFLUOROMETHANE	34488	WAIVED			
VINYL CHLORIDE	39175	WAIVED			
XYLENES (TOTAL)	81551	WAIVED			
SECONDARY/GP					
AGGRSSIVE INDEX (CORROSIVITY)	82383	WAIVED			
BICARBONATE ALKALINITY	00440	WAIVED			

**Testing interval is in months;*
0 = No data for this constituent and is DUE NOW
999 = Waived testing (not required)
I = Invalid (NOT) valid analyses reported

System Number: ***1900064***

System Name: ***SAN DIMAS CANYON IMPROVMENT ASSOCIATION***

PS Code: ***1900064-003***

Source Name: ***STREAM PICK-UP-WEST-FORK***

Source Number: ***003***

Source Status: ***STANDBY RAW***

Water type: ***SURFACE***

SECONDARY/GP

	STORET NUMBER	TESTING INTERVAL (MONTHS)*	LAST TEST DATE (yyyy/mm/dd)	LAST RESULT REPORTED	NEXT TEST DATE (yyyy/mm)
CALCIUM	00916	WAIVED			
CARBONATE ALKALINITY	00445	WAIVED			
CHLORIDE	00940	WAIVED			
COLOR	00081	WAIVED			
COPPER	01042	WAIVED			
FOAMING AGENTS (MBAS)	38260	WAIVED			
HARDNESS (TOTAL) AS CACO3	00900	WAIVED			
HYDROXIDE ALKALINITY	71830	WAIVED			
IRON	01045	WAIVED			
MAGNESIUM	00927	WAIVED			
MANGANESE	01055	WAIVED			
ODOR THRESHOLD @ 60 C	00086	WAIVED			
PH, LABORATORY	00403	WAIVED			
SILVER	01077	WAIVED			
SODIUM	00929	WAIVED			
SPECIFIC CONDUCTANCE	00095	WAIVED			
SULFATE	00945	WAIVED			
TOTAL DISSOLVED SOLIDS	70300	WAIVED			
TURBIDITY, LABORATORY	82079	WAIVED			
ZINC	01092	WAIVED			

**Testing interval is in months;*
0 = No data for this constituent and is DUE NOW
999 = Waived testing (not required)
I = Invalid (NOT) valid analyses reported

System Number: ***1900074***

System Name: ***THE PAINTED TURTLE CAMP***

PS Code: ***1900074-001***

Source Name: ***WELL 03 BOATHOUSE***

Source Number: ***001***

Source Status: ***ACTIVE UNTREATED***

Water type: ***GROUNDWATER OR WELL***

	STORET NUMBER	TESTING INTERVAL (MONTHS)*	LAST TEST DATE (yyyy/mm/dd)	LAST RESULT REPORTED	NEXT TEST DATE (yyyy/mm)
GENERAL NON CHAP 15					
DIAZINON	39570	WAIVED	2003/03/11	.000	
INORGANIC					
ALUMINUM	01105	WAIVED	2011/03/14	< .000	
ANTIMONY	01097	WAIVED	2011/03/14	< .000	
ARSENIC	01002	WAIVED	2011/03/14	< .000	
ASBESTOS	81855	WAIVED	2011/03/14	.000	
BARIUM	01007	WAIVED	2011/03/14	< .000	
BERYLLIUM	01012	WAIVED	2011/03/14	< .000	
CADMIUM	01027	WAIVED	2011/03/14	< .000	
CHROMIUM (TOTAL)	01034	WAIVED	2011/03/14	< .000	
CYANIDE	01291	WAIVED	2011/03/14	< .000	
FLUORIDE (F) (NATURAL-SOURCE)	00951	WAIVED	2011/03/14	.790	
LEAD	01051	WAIVED	2011/03/14	< .000	
MERCURY	71900	WAIVED	2011/03/14	< .000	
NICKEL	01067	WAIVED	2011/03/14	< .000	
PERCHLORATE	A-031	WAIVED	2011/10/18	< .000	
SELENIUM	01147	WAIVED	2011/03/14	< .000	
THALLIUM	01059	WAIVED	2011/03/14	< .000	
NITRATE/NITRITE					
NITRATE (AS NO3)	71850	WAIVED	2011/03/14	3.300	
NITRITE (AS N)	00620	WAIVED	2011/03/14	< .000	
RADIOLOGICAL					
GROSS ALPHA	01501	WAIVED	2006/11/28	< 3.000	
GROSS BETA	03501	WAIVED			
RA-226 FOR CWS OR TOTAL RA FOR NTNC BY 903.0	A-080	WAIVED			
RA-226 OR TOTAL RA BY 903.0 C.E.	A-081	WAIVED			
RADIUM 226	09501	WAIVED	2006/11/28	< 1.000	
RADIUM 228	11501	WAIVED	2006/11/28	< 1.000	

**Testing interval is in months;*
0 = No data for this constituent and is DUE NOW
999 = Waived testing (not required)
I = Invalid (NOT) valid analyses reported

System Number: ***1900074***

System Name: ***THE PAINTED TURTLE CAMP***

PS Code: ***1900074-001***

Source Name: ***WELL 03 BOATHOUSE***

Source Number: ***001***

Source Status: ***ACTIVE UNTREATED***

Water type: ***GROUNDWATER OR WELL***

	STORET NUMBER	TESTING INTERVAL (MONTHS)*	LAST TEST DATE (yyyy/mm/dd)	LAST RESULT REPORTED	NEXT TEST DATE (yyyy/mm)
RADIOLOGICAL					
RADIUM, TOTAL, MDA95-NTNC ONLY, BY 903.0	A-082	WAIVED			
STRONTIUM-90	13501	WAIVED			
TRITIUM	07000	WAIVED			
URANIUM (PCI/L)	28012	WAIVED	2006/11/28	3.900	
REGULATED SOC					
2,3,7,8-TCDD (DIOXIN)	34676	WAIVED	2003/03/11	.000	
2,4,5-TP (SILVEX)	39045	WAIVED	2003/03/11	.000	
2,4-D	39730	WAIVED	2003/03/11	.000	
ALACHLOR	77825	WAIVED	2007/04/17	.000	
ATRAZINE	39033	WAIVED	2007/04/17	.000	
BENTAZON	38710	WAIVED	2003/03/11	.000	
BENZO (A) PYRENE	34247	WAIVED	2003/03/11	.000	
CARBOFURAN	81405	WAIVED	2003/03/11	.000	
CHLORDANE	39350	WAIVED	2003/03/11	.000	
DALAPON	38432	WAIVED	2003/03/11	.000	
DI(2-ETHYLHEXYL)ADIPATE	A-026	WAIVED	2003/03/11	.000	
DI(2-ETHYLHEXYL)PHTHALATE	39100	WAIVED	2003/03/11	.000	
DIBROMOCHLOROPROPANE (DBCP)	38761	WAIVED	2005/02/22	.000	
DINOSEB	81287	WAIVED	2003/03/11	.000	
DIQUAT	78885	WAIVED	2003/03/11	.000	
ENDOTHALL	38926	WAIVED	2003/03/11	.000	
ENDRIN	39390	WAIVED	2003/03/11	.000	
ETHYLENE DIBROMIDE (EDB)	77651	WAIVED	2005/02/22	.000	
GLYPHOSATE	79743	WAIVED	2003/03/11	.000	
HEPTACHLOR	39410	WAIVED	2003/03/11	.000	
HEPTACHLOR EPOXIDE	39420	WAIVED	2003/03/11	.000	
HEXACHLOROBENZENE	39700	WAIVED	2003/03/11	.000	
HEXACHLOROCYCLOPENTADIENE	34386	WAIVED	2003/03/11	.000	
LINDANE	39340	WAIVED	2003/03/11	.000	

**Testing interval is in months;*
0 = No data for this constituent and is DUE NOW
999 = Waived testing (not required)
I = Invalid (NOT) valid analyses reported

System Number: 1900074
System Name: THE PAINTED TURTLE CAMP

PS Code: 1900074-001
Source Name: WELL 03 BOATHOUSE
Source Number: 001
Source Status: ACTIVE UNTREATED
Water type: GROUNDWATER OR WELL

	STORET NUMBER	TESTING INTERVAL (MONTHS)*	LAST TEST DATE (yyyy/mm/dd)	LAST RESULT REPORTED	NEXT TEST DATE (yyyy/mm)
REGULATED SOC					
METHOXYCHLOR	39480	WAIVED	2003/03/11	.000	
MOLINATE	82199	WAIVED	2007/04/17	.000	
OXAMYL	38865	WAIVED	2003/03/11	.000	
PENTACHLOROPHENOL	39032	WAIVED	2003/03/11	.000	
PICLORAM	39720	WAIVED	2003/03/11	.000	
POLYCHLORINATED BIPHENYLS, TOTAL, AS DCB	39516	WAIVED	2003/03/11	.000	
SIMAZINE	39055	WAIVED	2007/04/17	.000	
THIOBENCARB	A-001	WAIVED	2007/04/17	.000	
TOXAPHENE	39400	WAIVED	2003/03/11	.000	
REGULATED VOC					
1,1,1-TRICHLOROETHANE	34506	WAIVED	2007/02/21	.000	
1,1,2,2-TETRACHLOROETHANE	34516	WAIVED	2007/02/21	.000	
1,1,2-TRICHLORO-1,2,2-TRIFLUOROETHANE	81611	WAIVED	2007/02/21	.000	
1,1,2-TRICHLOROETHANE	34511	WAIVED	2007/02/21	.000	
1,1-DICHLOROETHANE	34496	WAIVED	2007/02/21	.000	
1,1-DICHLOROETHYLENE	34501	WAIVED	2007/02/21	.000	
1,2,4-TRICHLOROBENZENE	34551	WAIVED	2007/02/21	.000	
1,2-DICHLOROBENZENE	34536	WAIVED	2007/02/21	.000	
1,2-DICHLOROETHANE	34531	WAIVED	2007/02/21	.000	
1,2-DICHLOROPROPANE	34541	WAIVED	2007/02/21	.000	
1,3-DICHLOROPROPENE (TOTAL)	34561	WAIVED	2007/02/21	.000	
1,4-DICHLOROBENZENE	34571	WAIVED	2007/02/21	.000	
BENZENE	34030	WAIVED	2007/02/21	.000	
CARBON TETRACHLORIDE	32102	WAIVED	2007/02/21	.000	
CIS-1,2-DICHLOROETHYLENE	77093	WAIVED	2007/02/21	.000	
DICHLOROMETHANE	34423	WAIVED	2007/02/21	.000	
ETHYLBENZENE	34371	WAIVED	2007/02/21	.000	
METHYL-TERT-BUTYL-ETHER (MTBE)	46491	WAIVED	2007/02/21	.000	
MONOCHLOROBENZENE	34301	WAIVED	2007/02/21	.000	

**Testing interval is in months;*
0 = No data for this constituent and is DUE NOW
999 = Waived testing (not required)
I = Invalid (NOT) valid analyses reported

System Number: 1900074
System Name: THE PAINTED TURTLE CAMP

PS Code: 1900074-001
Source Name: WELL 03 BOATHOUSE
Source Number: 001
Source Status: ACTIVE UNTREATED
Water type: GROUNDWATER OR WELL

	STORET NUMBER	TESTING INTERVAL (MONTHS)*	LAST TEST DATE (yyyy/mm/dd)	LAST RESULT REPORTED	NEXT TEST DATE (yyyy/mm)
REGULATED VOC					
STYRENE	77128	WAIVED	2007/02/21	.000	
TETRACHLOROETHYLENE	34475	WAIVED	2007/02/21	.000	
TOLUENE	34010	WAIVED	2007/02/21	.000	
TRANS-1,2-DICHLOROETHYLENE	34546	WAIVED	2007/02/21	.000	
TRICHLOROETHYLENE	39180	WAIVED	2007/02/21	.000	
TRICHLOROFLUOROMETHANE	34488	WAIVED	2007/02/21	.000	
VINYL CHLORIDE	39175	WAIVED	2007/02/21	.000	
XYLENES (TOTAL)	81551	WAIVED	2007/02/21	.000	
SECONDARY/GP					
AGGRSSIVE INDEX (CORROSIVITY)	82383	WAIVED	2011/03/14	13.000	
BICARBONATE ALKALINITY	00440	WAIVED	2011/03/14	290.000	
CALCIUM	00916	WAIVED	2011/03/14	74.000	
CARBONATE ALKALINITY	00445	WAIVED	2011/03/14	< .000	
CHLORIDE	00940	WAIVED	2011/03/14	39.000	
COLOR	00081	WAIVED	2011/03/14	< .000	
COPPER	01042	WAIVED	2011/03/14	< .000	
FOAMING AGENTS (MBAS)	38260	WAIVED	2011/03/14	< .000	
HARDNESS (TOTAL) AS CACO3	00900	WAIVED	2011/03/14	290.000	
HYDROXIDE ALKALINITY	71830	WAIVED	2011/03/14	< .000	
IRON	01045	WAIVED	2011/03/14	150.000	
MAGNESIUM	00927	WAIVED	2011/03/14	25.000	
MANGANESE	01055	WAIVED	2011/03/14	110.000	
ODOR THRESHOLD @ 60 C	00086	WAIVED	2011/03/14	< .000	
PH, LABORATORY	00403	WAIVED	2011/03/14	8.200	
SILVER	01077	WAIVED	2011/03/14	< .000	
SODIUM	00929	WAIVED	2011/03/14	41.000	
SPECIFIC CONDUCTANCE	00095	WAIVED	2011/03/14	700.000	
SULFATE	00945	WAIVED	2011/03/14	53.000	
TOTAL DISSOLVED SOLIDS	70300	WAIVED	2011/03/14	400.000	

**Testing interval is in months;*
0 = No data for this constituent and is DUE NOW
999 = Waived testing (not required)
I = Invalid (NOT) valid analyses reported

System Number: ***1900074***

System Name: ***THE PAINTED TURTLE CAMP***

PS Code: ***1900074-001***

Source Name: ***WELL 03 BOATHOUSE***

Source Number: ***001***

Source Status: ***ACTIVE UNTREATED***

Water type: ***GROUNDWATER OR WELL***

	STORET NUMBER	TESTING INTERVAL (MONTHS)*	LAST TEST DATE (yyyy/mm/dd)	LAST RESULT REPORTED	NEXT TEST DATE (yyyy/mm)
SECONDARY/GP					
TURBIDITY, LABORATORY	**82079**	**WAIVED**	2011/03/14	**.570**	
ZINC	**01092**	**WAIVED**	2011/03/14	**78.000**	

**Testing interval is in months;*
0 = No data for this constituent and is DUE NOW
999 = Waived testing (not required)
I = Invalid (NOT) valid analyses reported

System Number: 1900075
System Name: BLEICH FLATS MUTUAL

PS Code: 1900075-001
Source Name: WELL 01
Source Number: 001
Source Status: ACTIVE UNTREATED
Water type: GROUNDWATER OR WELL

	STORET NUMBER	TESTING INTERVAL (MONTHS)*	LAST TEST DATE (yyyy/mm/dd)	LAST RESULT REPORTED	NEXT TEST DATE (yyyy/mm)
GENERAL NON CHAP 15					
DIAZINON	39570	WAIVED			
INORGANIC					
ALUMINUM	01105	WAIVED	2011/12/20	< 10.000	
ANTIMONY	01097	WAIVED	2011/12/20	< 1.000	
ARSENIC	01002	WAIVED	2011/12/20	< 2.000	
ASBESTOS	81855	WAIVED	2011/12/20	< .200	
BARIUM	01007	WAIVED	2011/12/20	34.500	
BERYLLIUM	01012	WAIVED	2011/12/20	< 1.000	
CADMIUM	01027	WAIVED	2011/12/20	< 1.000	
CHROMIUM (TOTAL)	01034	WAIVED	2011/12/20	< 1.000	
CYANIDE	01291	WAIVED	2011/12/20	< .004	
FLUORIDE (F) (NATURAL-SOURCE)	00951	WAIVED	2011/12/20	.900	
LEAD	01051	WAIVED	2011/12/20	< .200	
MERCURY	71900	WAIVED	2011/12/20	< .020	
NICKEL	01067	WAIVED	2011/12/20	< 1.000	
PERCHLORATE	A-031	WAIVED	2006/01/24	.000	
SELENIUM	01147	WAIVED	2011/12/20	< 2.000	
THALLIUM	01059	WAIVED	2011/12/20	< 1.000	
NITRATE/NITRITE					
NITRATE (AS NO3)	71850	WAIVED	2011/12/20	2.800	
NITRITE (AS N)	00620	WAIVED	2011/12/20	< .100	
RADIOLOGICAL					
GROSS ALPHA	01501	WAIVED	2012/04/03	13.400	
GROSS BETA	03501	WAIVED			
RA-226 FOR CWS OR TOTAL RA FOR NTNC BY 903.0	A-080	WAIVED			
RA-226 OR TOTAL RA BY 903.0 C.E.	A-081	WAIVED			
RADIUM 226	09501	WAIVED	2009/04/21	.150	
RADIUM 228	11501	WAIVED	2009/04/21	.218	

**Testing interval is in months;*
0 = No data for this constituent and is DUE NOW
999 = Waived testing (not required)
I = Invalid (NOT) valid analyses reported

System Number: ***1900075***

System Name: ***BLEICH FLATS MUTUAL***

PS Code: ***1900075-001***

Source Name: ***WELL 01***

Source Number: ***001***

Source Status: ***ACTIVE UNTREATED***

Water type: ***GROUNDWATER OR WELL***

	STORET NUMBER	TESTING INTERVAL (MONTHS)*	LAST TEST DATE (yyyy/mm/dd)	LAST RESULT REPORTED	NEXT TEST DATE (yyyy/mm)
RADIOLOGICAL					
RADIUM, TOTAL, MDA95-NTNC ONLY, BY 903.0	A-082	WAIVED			
STRONTIUM-90	13501	WAIVED			
TRITIUM	07000	WAIVED			
URANIUM (PCI/L)	28012	WAIVED	2012/04/03	12.200	
REGULATED SOC					
2,3,7,8-TCDD (DIOXIN)	34676	WAIVED			
2,4,5-TP (SILVEX)	39045	WAIVED			
2,4-D	39730	WAIVED			
ALACHLOR	77825	WAIVED	2002/04/17	.000	
ATRAZINE	39033	WAIVED			
BENTAZON	38710	WAIVED			
BENZO (A) PYRENE	34247	WAIVED			
CARBOFURAN	81405	WAIVED			
CHLORDANE	39350	WAIVED	2002/04/17	.000	
DALAPON	38432	WAIVED			
DI(2-ETHYLHEXYL)ADIPATE	A-026	WAIVED			
DI(2-ETHYLHEXYL)PHTHALATE	39100	WAIVED	2011/12/20	< 3.000	
DIBROMOCHLOROPROPANE (DBCP)	38761	WAIVED			
DINOSEB	81287	WAIVED			
DIQUAT	78885	WAIVED			
ENDOTHALL	38926	WAIVED			
ENDRIN	39390	WAIVED	2002/04/17	.000	
ETHYLENE DIBROMIDE (EDB)	77651	WAIVED			
GLYPHOSATE	79743	WAIVED			
HEPTACHLOR	39410	WAIVED	2002/04/17	.000	
HEPTACHLOR EPOXIDE	39420	WAIVED	2002/04/17	.000	
HEXACHLOROBENZENE	39700	WAIVED	2002/04/17	.000	
HEXACHLOROCYCLOPENTADIENE	34386	WAIVED	2002/04/17	.000	
LINDANE	39340	WAIVED	2002/04/17	.000	

**Testing interval is in months;*
0 = No data for this constituent and is DUE NOW
999 = Waived testing (not required)
I = Invalid (NOT) valid analyses reported

System Number: ***1900075***

System Name: ***BLEICH FLATS MUTUAL***

PS Code: ***1900075-001***

Source Name: ***WELL 01***

Source Number: ***001***

Source Status: ***ACTIVE UNTREATED***

Water type: ***GROUNDWATER OR WELL***

	STORET NUMBER	TESTING INTERVAL (MONTHS)*	LAST TEST DATE (yyyy/mm/dd)	LAST RESULT REPORTED	NEXT TEST DATE (yyyy/mm)
REGULATED SOC					
METHOXYCHLOR	39480	WAIVED	2002/04/17	.000	
MOLINATE	82199	WAIVED			
OXAMYL	38865	WAIVED			
PENTACHLOROPHENOL	39032	WAIVED			
PICLORAM	39720	WAIVED			
POLYCHLORINATED BIPHENYLS, TOTAL, AS DCB	39516	WAIVED	2002/04/17	.000	
SIMAZINE	39055	WAIVED			
THIOBENCARB	A-001	WAIVED	2011/12/20	< 1.000	
TOXAPHENE	39400	WAIVED	2002/04/17	.000	
REGULATED VOC					
1,1,1-TRICHLOROETHANE	34506	WAIVED	2011/12/27	< .500	
1,1,2,2-TETRACHLOROETHANE	34516	WAIVED	2011/12/27	< .500	
1,1,2-TRICHLORO-1,2,2-TRIFLUOROETHANE	81611	WAIVED	2011/12/27	< .500	
1,1,2-TRICHLOROETHANE	34511	WAIVED	2011/12/27	< .500	
1,1-DICHLOROETHANE	34496	WAIVED	2011/12/27	< .500	
1,1-DICHLOROETHYLENE	34501	WAIVED	2011/12/27	< .500	
1,2,4-TRICHLOROBENZENE	34551	WAIVED	2011/12/27	< .500	
1,2-DICHLOROBENZENE	34536	WAIVED	2011/12/27	< .500	
1,2-DICHLOROETHANE	34531	WAIVED	2011/12/27	< .500	
1,2-DICHLOROPROPANE	34541	WAIVED	2011/12/27	< .500	
1,3-DICHLOROPROPENE (TOTAL)	34561	WAIVED	2011/12/27	< .500	
1,4-DICHLOROBENZENE	34571	WAIVED	2011/12/27	< .500	
BENZENE	34030	WAIVED	2011/12/27	< .500	
CARBON TETRACHLORIDE	32102	WAIVED	2011/12/27	< .500	
CIS-1,2-DICHLOROETHYLENE	77093	WAIVED	2011/12/27	< .500	
DICHLOROMETHANE	34423	WAIVED	2011/12/27	< .500	
ETHYLBENZENE	34371	WAIVED	2011/12/27	< .500	
METHYL-TERT-BUTYL-ETHER (MTBE)	46491	WAIVED	2011/12/27	< 1.000	
MONOCHLOROBENZENE	34301	WAIVED	2011/12/27	< .500	

**Testing interval is in months;*
0 = No data for this constituent and is DUE NOW
999 = Waived testing (not required)
I = Invalid (NOT) valid analyses reported

System Number: ***1900075***

System Name: ***BLEICH FLATS MUTUAL***

PS Code: ***1900075-001***

Source Name: ***WELL 01***

Source Number: ***001***

Source Status: ***ACTIVE UNTREATED***

Water type: ***GROUNDWATER OR WELL***

	STORET NUMBER	TESTING INTERVAL (MONTHS)*	LAST TEST DATE (yyyy/mm/dd)	LAST RESULT REPORTED	NEXT TEST DATE (yyyy/mm)
REGULATED VOC					
STYRENE	77128	WAIVED	2011/12/27	< .500	
TETRACHLOROETHYLENE	34475	WAIVED	2011/12/27	< .500	
TOLUENE	34010	WAIVED	2011/12/27	< .500	
TRANS-1,2-DICHLOROETHYLENE	34546	WAIVED	2011/12/27	< .500	
TRICHLOROETHYLENE	39180	WAIVED	2011/12/27	< .500	
TRICHLOROFLUOROMETHANE	34488	WAIVED	2011/12/27	< .500	
VINYL CHLORIDE	39175	WAIVED	2011/12/27	< .500	
XYLENES (TOTAL)	81551	WAIVED	2011/12/27	< .500	
SECONDARY/GP					
AGGRSSIVE INDEX (CORROSIVITY)	82383	WAIVED	2011/12/20	11.800	
BICARBONATE ALKALINITY	00440	WAIVED	2011/12/20	290.000	
CALCIUM	00916	WAIVED	2011/12/20	53.000	
CARBONATE ALKALINITY	00445	WAIVED	2011/12/20	< 10.000	
CHLORIDE	00940	WAIVED	2011/12/20	14.000	
COLOR	00081	WAIVED	2011/12/20	< 5.000	
COPPER	01042	WAIVED	2011/12/20	< 10.000	
FOAMING AGENTS (MBAS)	38260	WAIVED	2011/12/20	< .100	
HARDNESS (TOTAL) AS CACO3	00900	WAIVED	2011/12/20	206.000	
HYDROXIDE ALKALINITY	71830	WAIVED	2011/12/20	< 10.000	
IRON	01045	WAIVED	2011/12/20	< 50.000	
MAGNESIUM	00927	WAIVED	2011/12/20	18.000	
MANGANESE	01055	WAIVED	2011/12/20	< 10.000	
ODOR THRESHOLD @ 60 C	00086	WAIVED	2011/12/20	< 1.000	
PH, LABORATORY	00403	WAIVED	2011/12/20	7.300	
SILVER	01077	WAIVED	2011/12/20	< 1.000	
SODIUM	00929	WAIVED	2011/12/20	30.000	
SPECIFIC CONDUCTANCE	00095	WAIVED	2011/12/20	544.000	
SULFATE	00945	WAIVED	2011/12/20	20.000	
TOTAL DISSOLVED SOLIDS	70300	WAIVED	2011/12/20	290.000	

**Testing interval is in months;*
0 = No data for this constituent and is DUE NOW
999 = Waived testing (not required)
I = Invalid (NOT) valid analyses reported

System Number: ***1900075***

System Name: ***BLEICH FLATS MUTUAL***

PS Code: ***1900075-001***

Source Name: ***WELL 01***

Source Number: ***001***

Source Status: ***ACTIVE UNTREATED***

Water type: ***GROUNDWATER OR WELL***

	STORET NUMBER	TESTING INTERVAL (MONTHS)*	LAST TEST DATE (yyyy/mm/dd)	LAST RESULT REPORTED	NEXT TEST DATE (yyyy/mm)
SECONDARY/GP					
TURBIDITY, LABORATORY	82079	WAIVED	2011/12/20	< .200	
ZINC	01092	WAIVED	2011/12/20	< 20.000	

PS Code: ***1900075-002***

Source Name: ***WELL 02***

Source Number: ***002***

Source Status: ***ACTIVE UNTREATED***

Water type: ***GROUNDWATER OR WELL***

GENERAL NON CHAP 15					
DIAZINON	39570	WAIVED			
INORGANIC					
ALUMINUM	01105	WAIVED	2006/01/24	.000	
ANTIMONY	01097	WAIVED	2006/01/24	.000	
ARSENIC	01002	WAIVED	2006/01/24	.000	
ASBESTOS	81855	WAIVED	2008/03/13	.000	
BARIUM	01007	WAIVED	2006/01/24	.000	
BERYLLIUM	01012	WAIVED			
CADMIUM	01027	WAIVED	2006/01/24	.000	
CHROMIUM (TOTAL)	01034	WAIVED	2006/01/24	.000	
CYANIDE	01291	WAIVED			
FLUORIDE (F) (NATURAL-SOURCE)	00951	WAIVED	2006/01/24	.690	
LEAD	01051	WAIVED	2006/01/24	.000	
MERCURY	71900	WAIVED	2006/01/24	.000	
NICKEL	01067	WAIVED	2006/01/24	.000	
PERCHLORATE	A-031	WAIVED	2006/01/24	.000	
SELENIUM	01147	WAIVED	2006/01/24	.000	
THALLIUM	01059	WAIVED			

**Testing interval is in months;*
0 = No data for this constituent and is DUE NOW
999 = Waived testing (not required)
I = Invalid (NOT) valid analyses reported

System Number: ***1900075***

System Name: ***BLEICH FLATS MUTUAL***

PS Code: ***1900075-002***

Source Name: ***WELL 02***

Source Number: ***002***

Source Status: ***ACTIVE UNTREATED***

Water type: ***GROUNDWATER OR WELL***

	STORET NUMBER	TESTING INTERVAL (MONTHS)*	LAST TEST DATE (yyyy/mm/dd)	LAST RESULT REPORTED	NEXT TEST DATE (yyyy/mm)
NITRATE/NITRITE					
NITRATE (AS NO3)	71850	WAIVED	2011/09/06	1.500	
NITRITE (AS N)	00620	WAIVED	2011/09/06	< .300	
RADIOLOGICAL					
GROSS ALPHA	01501	WAIVED	2012/04/03	16.400	
GROSS BETA	03501	WAIVED			
RA-226 FOR CWS OR TOTAL RA FOR NTNC BY 903.0	A-080	WAIVED			
RA-226 OR TOTAL RA BY 903.0 C.E.	A-081	WAIVED			
RADIUM 226	09501	WAIVED	2009/04/21	.248	
RADIUM 228	11501	WAIVED	2009/04/21	.000	
RADIUM, TOTAL, MDA95-NTNC ONLY, BY 903.0	A-082	WAIVED			
STRONTIUM-90	13501	WAIVED			
TRITIUM	07000	WAIVED			
URANIUM (PCI/L)	28012	WAIVED	2012/04/03	14.500	
REGULATED SOC					
2,3,7,8-TCDD (DIOXIN)	34676	WAIVED			
2,4,5-TP (SILVEX)	39045	WAIVED			
2,4-D	39730	WAIVED			
ALACHLOR	77825	WAIVED	2002/04/17	.000	
ATRAZINE	39033	WAIVED			
BENTAZON	38710	WAIVED			
BENZO (A) PYRENE	34247	WAIVED			
CARBOFURAN	81405	WAIVED			
CHLORDANE	39350	WAIVED	2002/04/17	.000	
DALAPON	38432	WAIVED			
DI(2-ETHYLHEXYL)ADIPATE	A-026	WAIVED			
DI(2-ETHYLHEXYL)PHTHALATE	39100	WAIVED			
DIBROMOCHLOROPROPANE (DBCP)	38761	WAIVED			
DINOSEB	81287	WAIVED			
DIQUAT	78885	WAIVED			

**Testing interval is in months;*
0 = No data for this constituent and is DUE NOW
999 = Waived testing (not required)
I = Invalid (NOT) valid analyses reported

System Number: ***1900075***

System Name: ***BLEICH FLATS MUTUAL***

PS Code: ***1900075-002***

Source Name: ***WELL 02***

Source Number: ***002***

Source Status: ***ACTIVE UNTREATED***

Water type: ***GROUNDWATER OR WELL***

	STORET NUMBER	TESTING INTERVAL (MONTHS)*	LAST TEST DATE (yyyy/mm/dd)	LAST RESULT REPORTED	NEXT TEST DATE (yyyy/mm)
REGULATED SOC					
ENDOTHALL	38926	WAIVED			
ENDRIN	39390	WAIVED	2002/04/17	.000	
ETHYLENE DIBROMIDE (EDB)	77651	WAIVED			
GLYPHOSATE	79743	WAIVED			
HEPTACHLOR	39410	WAIVED	2002/04/17	.000	
HEPTACHLOR EPOXIDE	39420	WAIVED	2002/04/17	.000	
HEXACHLOROBENZENE	39700	WAIVED	2002/04/17	.000	
HEXACHLOROCYCLOPENTADIENE	34386	WAIVED	2002/04/17	.000	
LINDANE	39340	WAIVED	2002/04/17	.000	
METHOXYCHLOR	39480	WAIVED	2002/04/17	.000	
MOLINATE	82199	WAIVED			
OXAMYL	38865	WAIVED			
PENTACHLOROPHENOL	39032	WAIVED			
PICLORAM	39720	WAIVED			
POLYCHLORINATED BIPHENYLS, TOTAL, AS DCB	39516	WAIVED	2002/04/17	.000	
SIMAZINE	39055	WAIVED			
THIOBENCARB	A-001	WAIVED			
TOXAPHENE	39400	WAIVED	2002/04/17	.000	
REGULATED VOC					
1,1,1-TRICHLOROETHANE	34506	WAIVED	2002/04/17	.000	
1,1,2,2-TETRACHLOROETHANE	34516	WAIVED	2002/04/17	.000	
1,1,2-TRICHLORO-1,2,2-TRIFLUOROETHANE	81611	WAIVED	2002/04/17	.000	
1,1,2-TRICHLOROETHANE	34511	WAIVED	2002/04/17	.000	
1,1-DICHLOROETHANE	34496	WAIVED	2002/04/17	.000	
1,1-DICHLOROETHYLENE	34501	WAIVED	2002/04/17	.000	
1,2,4-TRICHLOROBENZENE	34551	WAIVED	2002/04/17	.000	
1,2-DICHLOROBENZENE	34536	WAIVED	2002/04/17	.000	
1,2-DICHLOROETHANE	34531	WAIVED	2002/04/17	.000	
1,2-DICHLOROPROPANE	34541	WAIVED	2002/04/17	.000	

**Testing interval is in months;*
0 = No data for this constituent and is DUE NOW
999 = Waived testing (not required)
I = Invalid (NOT) valid analyses reported

System Number: ***1900075***

System Name: ***BLEICH FLATS MUTUAL***

PS Code: ***1900075-002***

Source Name: ***WELL 02***

Source Number: ***002***

Source Status: ***ACTIVE UNTREATED***

Water type: ***GROUNDWATER OR WELL***

	STORET NUMBER	TESTING INTERVAL (MONTHS)*	LAST TEST DATE (yyyy/mm/dd)	LAST RESULT REPORTED	NEXT TEST DATE (yyyy/mm)
REGULATED VOC					
1,3-DICHLOROPROPENE (TOTAL)	34561	WAIVED	2002/04/17	.000	
1,4-DICHLOROBENZENE	34571	WAIVED	2002/04/17	.000	
BENZENE	34030	WAIVED	2002/04/17	.000	
CARBON TETRACHLORIDE	32102	WAIVED	2002/04/17	.000	
CIS-1,2-DICHLOROETHYLENE	77093	WAIVED	2002/04/17	.000	
DICHLOROMETHANE	34423	WAIVED	2002/04/17	.000	
ETHYLBENZENE	34371	WAIVED	2002/04/17	.000	
METHYL-TERT-BUTYL-ETHER (MTBE)	46491	WAIVED	2002/04/17	.000	
MONOCHLOROBENZENE	34301	WAIVED	2002/04/17	.000	
STYRENE	77128	WAIVED	2002/04/17	.000	
TETRACHLOROETHYLENE	34475	WAIVED	2002/04/17	.000	
TOLUENE	34010	WAIVED	2002/04/17	.000	
TRANS-1,2-DICHLOROETHYLENE	34546	WAIVED	2002/04/17	.000	
TRICHLOROETHYLENE	39180	WAIVED	2002/04/17	.000	
TRICHLOROFLUOROMETHANE	34488	WAIVED	2002/04/17	.000	
VINYL CHLORIDE	39175	WAIVED	2002/04/17	.000	
XYLENES (TOTAL)	81551	WAIVED	2002/04/17	.000	
SECONDARY/GP					
AGGRSSIVE INDEX (CORROSIVITY)	82383	WAIVED			
BICARBONATE ALKALINITY	00440	WAIVED	2006/01/24	291.000	
CALCIUM	00916	WAIVED	2006/01/24	52.100	
CARBONATE ALKALINITY	00445	WAIVED	2006/01/24	.000	
CHLORIDE	00940	WAIVED	2006/01/24	13.600	
COLOR	00081	WAIVED	2006/01/24	.000	
COPPER	01042	WAIVED	2006/01/24	.000	
FOAMING AGENTS (MBAS)	38260	WAIVED	2006/01/24	.000	
HARDNESS (TOTAL) AS CACO3	00900	WAIVED	2006/01/24	230.000	
HYDROXIDE ALKALINITY	71830	WAIVED	2006/01/24	.000	
IRON	01045	WAIVED	2006/01/24	.000	

**Testing interval is in months;*
0 = No data for this constituent and is DUE NOW
999 = Waived testing (not required)
I = Invalid (NOT) valid analyses reported

System Number: ***1900075***

System Name: ***BLEICH FLATS MUTUAL***

PS Code: ***1900075-002***

Source Name: ***WELL 02***

Source Number: ***002***

Source Status: ***ACTIVE UNTREATED***

Water type: ***GROUNDWATER OR WELL***

SECONDARY/GP

	STORET NUMBER	TESTING INTERVAL (MONTHS)*	LAST TEST DATE (yyyy/mm/dd)	LAST RESULT REPORTED	NEXT TEST DATE (yyyy/mm)
MAGNESIUM	00927	WAIVED	2006/01/24	24.300	
MANGANESE	01055	WAIVED	2006/01/24	.000	
ODOR THRESHOLD @ 60 C	00086	WAIVED	2006/01/24	.000	
PH, LABORATORY	00403	WAIVED	2006/01/24	7.670	
SILVER	01077	WAIVED	2006/01/24	.000	
SODIUM	00929	WAIVED	2006/01/24	27.400	
SPECIFIC CONDUCTANCE	00095	WAIVED	2006/01/24	510.000	
SULFATE	00945	WAIVED	2006/01/24	12.500	
TOTAL DISSOLVED SOLIDS	70300	WAIVED	2006/01/24	302.000	
TURBIDITY, LABORATORY	82079	WAIVED	2006/01/24	.230	
ZINC	01092	WAIVED	2006/01/24	.000	

PS Code: ***1900075-003***

Source Name: ***WELL 03***

Source Number: ***003***

Source Status: ***ACTIVE UNTREATED***

Water type: ***GROUNDWATER OR WELL***

GENERAL NON CHAP 15

DIAZINON	39570	WAIVED	2008/03/13	< .200	

INORGANIC

ALUMINUM	01105	WAIVED	2011/12/20	< 10.000	
ANTIMONY	01097	WAIVED	2011/12/20	< 1.000	
ARSENIC	01002	WAIVED	2011/12/20	< 2.000	
ASBESTOS	81855	WAIVED	2011/12/20	< .200	
BARIUM	01007	WAIVED	2011/12/20	42.500	
BERYLLIUM	01012	WAIVED	2011/12/20	< 1.000	
CADMIUM	01027	WAIVED	2011/12/20	< 1.000	
CHROMIUM (TOTAL)	01034	WAIVED	2011/12/20	< 1.000	
CYANIDE	01291	WAIVED	2011/12/20	< .004	

**Testing interval is in months;*
0 = No data for this constituent and is DUE NOW
999 = Waived testing (not required)
I = Invalid (NOT) valid analyses reported

System Number: ***1900075***

System Name: ***BLEICH FLATS MUTUAL***

PS Code: ***1900075-003***

Source Name: ***WELL 03***

Source Number: ***003***

Source Status: ***ACTIVE UNTREATED***

Water type: ***GROUNDWATER OR WELL***

	STORET NUMBER	TESTING INTERVAL (MONTHS)*	LAST TEST DATE (yyyy/mm/dd)	LAST RESULT REPORTED	NEXT TEST DATE (yyyy/mm)
INORGANIC					
FLUORIDE (F) (NATURAL-SOURCE)	00951	WAIVED	2011/12/20	.800	
LEAD	01051	WAIVED	2011/12/20	< .200	
MERCURY	71900	WAIVED	2011/12/20	< .020	
NICKEL	01067	WAIVED	2011/12/20	< 1.000	
PERCHLORATE	A-031	WAIVED	2011/09/06	< 2.000	
SELENIUM	01147	WAIVED	2011/12/20	< 2.000	
THALLIUM	01059	WAIVED	2011/12/20	< 1.000	
NITRATE/NITRITE					
NITRATE (AS NO3)	71850	WAIVED	2011/12/20	1.800	
NITRITE (AS N)	00620	WAIVED	2011/12/20	< .100	
RADIOLOGICAL					
GROSS ALPHA	01501	WAIVED	2012/04/03	8.430	
GROSS BETA	03501	WAIVED			
RA-226 FOR CWS OR TOTAL RA FOR NTNC BY 903.0	A-080	WAIVED			
RA-226 OR TOTAL RA BY 903.0 C.E.	A-081	WAIVED			
RADIUM 226	09501	WAIVED	2009/04/21	.197	
RADIUM 228	11501	WAIVED	2009/04/21	.142	
RADIUM, TOTAL, MDA95-NTNC ONLY, BY 903.0	A-082	WAIVED			
STRONTIUM-90	13501	WAIVED			
TRITIUM	07000	WAIVED			
URANIUM (PCI/L)	28012	WAIVED	2012/04/03	8.150	
REGULATED SOC					
2,3,7,8-TCDD (DIOXIN)	34676	WAIVED			
2,4,5-TP (SILVEX)	39045	WAIVED			
2,4-D	39730	WAIVED			
ALACHLOR	77825	WAIVED	2008/03/13	< .200	
ATRAZINE	39033	WAIVED	2008/03/13	< .300	
BENTAZON	38710	WAIVED			

**Testing interval is in months;*
0 = No data for this constituent and is DUE NOW
999 = Waived testing (not required)
I = Invalid (NOT) valid analyses reported

System Number: ***1900075***

System Name: ***BLEICH FLATS MUTUAL***

PS Code: ***1900075-003***

Source Name: ***WELL 03***

Source Number: ***003***

Source Status: ***ACTIVE UNTREATED***

Water type: ***GROUNDWATER OR WELL***

	STORET NUMBER	TESTING INTERVAL (MONTHS)*	LAST TEST DATE (yyyy/mm/dd)	LAST RESULT REPORTED	NEXT TEST DATE (yyyy/mm)
REGULATED SOC					
BENZO (A) PYRENE	34247	WAIVED	2008/03/13	< .100	
CARBOFURAN	81405	WAIVED			
CHLORDANE	39350	WAIVED	2002/04/17	.000	
DALAPON	38432	WAIVED			
DI(2-ETHYLHEXYL)ADIPATE	A-026	WAIVED	2008/03/13	< 1.000	
DI(2-ETHYLHEXYL)PHTHALATE	39100	WAIVED	2011/12/20	< 3.000	
DIBROMOCHLOROPROPANE (DBCP)	38761	WAIVED			
DINOSEB	81287	WAIVED			
DIQUAT	78885	WAIVED			
ENDOTHALL	38926	WAIVED			
ENDRIN	39390	WAIVED	2002/04/17	.000	
ETHYLENE DIBROMIDE (EDB)	77651	WAIVED			
GLYPHOSATE	79743	WAIVED			
HEPTACHLOR	39410	WAIVED	2002/04/17	.000	
HEPTACHLOR EPOXIDE	39420	WAIVED	2002/04/17	.000	
HEXACHLOROBENZENE	39700	WAIVED	2008/03/13	< .100	
HEXACHLOROCYCLOPENTADIENE	34386	WAIVED	2008/03/13	< 3.000	
LINDANE	39340	WAIVED	2008/03/13	< .100	
METHOXYCHLOR	39480	WAIVED	2008/03/13	< .300	
MOLINATE	82199	WAIVED	2008/03/13	< .500	
OXAMYL	38865	WAIVED			
PENTACHLOROPHENOL	39032	WAIVED			
PICLORAM	39720	WAIVED			
POLYCHLORINATED BIPHENYLS, TOTAL, AS DCB	39516	WAIVED	2002/04/17	.000	
SIMAZINE	39055	WAIVED	2008/03/13	< .300	
THIOBENCARB	A-001	WAIVED	2011/12/20	< 1.000	
TOXAPHENE	39400	WAIVED	2002/04/17	.000	
REGULATED VOC					
1,1,1-TRICHLOROETHANE	34506	WAIVED	2011/12/27	< .500	

**Testing interval is in months;*
0 = No data for this constituent and is DUE NOW
999 = Waived testing (not required)
I = Invalid (NOT) valid analyses reported

System Number: ***1900075***

System Name: ***BLEICH FLATS MUTUAL***

PS Code: ***1900075-003***

Source Name: ***WELL 03***

Source Number: ***003***

Source Status: ***ACTIVE UNTREATED***

Water type: ***GROUNDWATER OR WELL***

	STORET NUMBER	TESTING INTERVAL (MONTHS)*	LAST TEST DATE (yyyy/mm/dd)	LAST RESULT REPORTED	NEXT TEST DATE (yyyy/mm)
REGULATED VOC					
1,1,2,2-TETRACHLOROETHANE	34516	WAIVED	2011/12/27	< .500	
1,1,2-TRICHLORO-1,2,2-TRIFLUOROETHANE	81611	WAIVED	2011/12/27	< .500	
1,1,2-TRICHLOROETHANE	34511	WAIVED	2011/12/27	< .500	
1,1-DICHLOROETHANE	34496	WAIVED	2011/12/27	< .500	
1,1-DICHLOROETHYLENE	34501	WAIVED	2011/12/27	< .500	
1,2,4-TRICHLOROBENZENE	34551	WAIVED	2011/12/27	< .500	
1,2-DICHLOROBENZENE	34536	WAIVED	2011/12/27	< .500	
1,2-DICHLOROETHANE	34531	WAIVED	2011/12/27	< .500	
1,2-DICHLOROPROPANE	34541	WAIVED	2011/12/27	< .500	
1,3-DICHLOROPROPENE (TOTAL)	34561	WAIVED	2011/12/27	< .500	
1,4-DICHLOROBENZENE	34571	WAIVED	2011/12/27	< .500	
BENZENE	34030	WAIVED	2011/12/27	< .500	
CARBON TETRACHLORIDE	32102	WAIVED	2011/12/27	< .500	
CIS-1,2-DICHLOROETHYLENE	77093	WAIVED	2011/12/27	< .500	
DICHLOROMETHANE	34423	WAIVED	2011/12/27	< .500	
ETHYLBENZENE	34371	WAIVED	2011/12/27	< .500	
METHYL-TERT-BUTYL-ETHER (MTBE)	46491	WAIVED	2011/12/27	< 1.000	
MONOCHLOROBENZENE	34301	WAIVED	2011/12/27	< .500	
STYRENE	77128	WAIVED	2011/12/27	< .500	
TETRACHLOROETHYLENE	34475	WAIVED	2011/12/27	< .500	
TOLUENE	34010	WAIVED	2011/12/27	< .500	
TRANS-1,2-DICHLOROETHYLENE	34546	WAIVED	2011/12/27	< .500	
TRICHLOROETHYLENE	39180	WAIVED	2011/12/27	< .500	
TRICHLOROFLUOROMETHANE	34488	WAIVED	2011/12/27	< .500	
VINYL CHLORIDE	39175	WAIVED	2011/12/27	< .500	
XYLENES (TOTAL)	81551	WAIVED	2011/12/27	< .500	
SECONDARY/GP					
AGGRSSIVE INDEX (CORROSIVITY)	82383	WAIVED	2011/12/20	11.900	
BICARBONATE ALKALINITY	00440	WAIVED	2011/12/20	320.000	

**Testing interval is in months;*
0 = No data for this constituent and is DUE NOW
999 = Waived testing (not required)
I = Invalid (NOT) valid analyses reported

System Number: ***1900075***

System Name: ***BLEICH FLATS MUTUAL***

PS Code: ***1900075-003***

Source Name: ***WELL 03***

Source Number: ***003***

Source Status: ***ACTIVE UNTREATED***

Water type: ***GROUNDWATER OR WELL***

SECONDARY/GP

	STORET NUMBER	TESTING INTERVAL (MONTHS)*	LAST TEST DATE (yyyy/mm/dd)	LAST RESULT REPORTED	NEXT TEST DATE (yyyy/mm)
CALCIUM	00916	WAIVED	2011/12/20	55.000	
CARBONATE ALKALINITY	00445	WAIVED	2011/12/20	< 10.000	
CHLORIDE	00940	WAIVED	2011/12/20	14.000	
COLOR	00081	WAIVED	2011/12/20	< 5.000	
COPPER	01042	WAIVED	2011/12/20	< 10.000	
FOAMING AGENTS (MBAS)	38260	WAIVED	2011/12/20	< .100	
HARDNESS (TOTAL) AS CACO3	00900	WAIVED	2011/12/20	224.000	
HYDROXIDE ALKALINITY	71830	WAIVED	2011/12/20	< 10.000	
IRON	01045	WAIVED	2011/12/20	< 50.000	
MAGNESIUM	00927	WAIVED	2011/12/20	21.000	
MANGANESE	01055	WAIVED	2011/12/20	< 10.000	
ODOR THRESHOLD @ 60 C	00086	WAIVED	2011/12/20	< 1.000	
PH, LABORATORY	00403	WAIVED	2011/12/20	7.300	
SILVER	01077	WAIVED	2011/12/20	< 1.000	
SODIUM	00929	WAIVED	2011/12/20	32.000	
SPECIFIC CONDUCTANCE	00095	WAIVED	2011/12/20	598.000	
SULFATE	00945	WAIVED	2011/12/20	23.000	
TOTAL DISSOLVED SOLIDS	70300	WAIVED	2011/12/20	320.000	
TURBIDITY, LABORATORY	82079	WAIVED	2011/12/20	< .200	
ZINC	01092	WAIVED	2011/12/20	< 20.000	

PS Code: ***1900075-004***

Source Name: ***WELL 04***

Source Number: ***004***

Source Status: ***ACTIVE UNTREATED***

Water type: ***GROUNDWATER OR WELL***

GENERAL NON CHAP 15

DIAZINON	39570	WAIVED			

**Testing interval is in months;*
0 = No data for this constituent and is DUE NOW
999 = Waived testing (not required)
I = Invalid (NOT) valid analyses reported

System Number: 1900075
System Name: BLEICH FLATS MUTUAL

PS Code: 1900075-004
Source Name: WELL 04
Source Number: 004
Source Status: ACTIVE UNTREATED
Water type: GROUNDWATER OR WELL

	STORET NUMBER	TESTING INTERVAL (MONTHS)*	LAST TEST DATE (yyyy/mm/dd)	LAST RESULT REPORTED	NEXT TEST DATE (yyyy/mm)
INORGANIC					
ALUMINUM	01105	WAIVED	2006/01/24	.000	
ANTIMONY	01097	WAIVED	2006/01/24	.000	
ARSENIC	01002	WAIVED	2006/01/24	.000	
ASBESTOS	81855	WAIVED			
BARIUM	01007	WAIVED	2006/01/24	.000	
BERYLLIUM	01012	WAIVED			
CADMIUM	01027	WAIVED	2006/01/24	.000	
CHROMIUM (TOTAL)	01034	WAIVED	2006/01/24	.000	
CYANIDE	01291	WAIVED			
FLUORIDE (F) (NATURAL-SOURCE)	00951	WAIVED	2006/01/24	.630	
LEAD	01051	WAIVED	2006/01/24	.000	
MERCURY	71900	WAIVED	2006/01/24	.000	
NICKEL	01067	WAIVED	2006/01/24	.000	
PERCHLORATE	A-031	WAIVED	2006/01/24	.000	
SELENIUM	01147	WAIVED	2006/01/24	.000	
THALLIUM	01059	WAIVED			
NITRATE/NITRITE					
NITRATE (AS NO3)	71850	WAIVED	2011/09/06	2.900	
NITRITE (AS N)	00620	WAIVED	2011/09/06	< .300	
RADIOLOGICAL					
GROSS ALPHA	01501	WAIVED	2012/04/03	13.600	
GROSS BETA	03501	WAIVED			
RA-226 FOR CWS OR TOTAL RA FOR NTNC BY 903.0	A-080	WAIVED			
RA-226 OR TOTAL RA BY 903.0 C.E.	A-081	WAIVED			
RADIUM 226	09501	WAIVED	2009/04/21	.196	
RADIUM 228	11501	WAIVED	2009/04/21	.000	
RADIUM, TOTAL, MDA95-NTNC ONLY, BY 903.0	A-082	WAIVED			
STRONTIUM-90	13501	WAIVED			
TRITIUM	07000	WAIVED			

**Testing interval is in months;*
0 = No data for this constituent and is DUE NOW
999 = Waived testing (not required)
I = Invalid (NOT) valid analyses reported

System Number: ***1900075***

System Name: ***BLEICH FLATS MUTUAL***

PS Code: ***1900075-004***

Source Name: ***WELL 04***

Source Number: ***004***

Source Status: ***ACTIVE UNTREATED***

Water type: ***GROUNDWATER OR WELL***

	STORET NUMBER	TESTING INTERVAL (MONTHS)*	LAST TEST DATE (yyyy/mm/dd)	LAST RESULT REPORTED	NEXT TEST DATE (yyyy/mm)
RADIOLOGICAL					
URANIUM (PCI/L)	28012	WAIVED	2012/04/03	13.600	
REGULATED SOC					
2,3,7,8-TCDD (DIOXIN)	34676	WAIVED			
2,4,5-TP (SILVEX)	39045	WAIVED			
2,4-D	39730	WAIVED			
ALACHLOR	77825	WAIVED	2002/04/17	.000	
ATRAZINE	39033	WAIVED			
BENTAZON	38710	WAIVED			
BENZO (A) PYRENE	34247	WAIVED			
CARBOFURAN	81405	WAIVED			
CHLORDANE	39350	WAIVED	2002/04/17	.000	
DALAPON	38432	WAIVED			
DI(2-ETHYLHEXYL)ADIPATE	A-026	WAIVED			
DI(2-ETHYLHEXYL)PHTHALATE	39100	WAIVED			
DIBROMOCHLOROPROPANE (DBCP)	38761	WAIVED			
DINOSEB	81287	WAIVED			
DIQUAT	78885	WAIVED			
ENDOTHALL	38926	WAIVED			
ENDRIN	39390	WAIVED	2002/04/17	.000	
ETHYLENE DIBROMIDE (EDB)	77651	WAIVED			
GLYPHOSATE	79743	WAIVED			
HEPTACHLOR	39410	WAIVED	2002/04/17	.000	
HEPTACHLOR EPOXIDE	39420	WAIVED	2002/04/17	.000	
HEXACHLOROBENZENE	39700	WAIVED	2002/04/17	.000	
HEXACHLOROCYCLOPENTADIENE	34386	WAIVED	2002/04/17	.000	
LINDANE	39340	WAIVED	2002/04/17	.000	
METHOXYCHLOR	39480	WAIVED	2002/04/17	.000	
MOLINATE	82199	WAIVED			
OXAMYL	38865	WAIVED			

**Testing interval is in months;*
0 = No data for this constituent and is DUE NOW
999 = Waived testing (not required)
I = Invalid (NOT) valid analyses reported

System Number: ***1900075***

System Name: ***BLEICH FLATS MUTUAL***

PS Code: ***1900075-004***

Source Name: ***WELL 04***

Source Number: ***004***

Source Status: ***ACTIVE UNTREATED***

Water type: ***GROUNDWATER OR WELL***

	STORET NUMBER	TESTING INTERVAL (MONTHS)*	LAST TEST DATE (yyyy/mm/dd)	LAST RESULT REPORTED	NEXT TEST DATE (yyyy/mm)
REGULATED SOC					
PENTACHLOROPHENOL	39032	WAIVED			
PICLORAM	39720	WAIVED			
POLYCHLORINATED BIPHENYLS, TOTAL, AS DCB	39516	WAIVED	2002/04/17	.000	
SIMAZINE	39055	WAIVED			
THIOBENCARB	A-001	WAIVED			
TOXAPHENE	39400	WAIVED	2002/04/17	.000	
REGULATED VOC					
1,1,1-TRICHLOROETHANE	34506	WAIVED	2002/04/17	.000	
1,1,2,2-TETRACHLOROETHANE	34516	WAIVED	2002/04/17	.000	
1,1,2-TRICHLORO-1,2,2-TRIFLUOROETHANE	81611	WAIVED	2002/04/17	.000	
1,1,2-TRICHLOROETHANE	34511	WAIVED	2002/04/17	.000	
1,1-DICHLOROETHANE	34496	WAIVED	2002/04/17	.000	
1,1-DICHLOROETHYLENE	34501	WAIVED	2002/04/17	.000	
1,2,4-TRICHLOROBENZENE	34551	WAIVED	2002/04/17	.000	
1,2-DICHLOROBENZENE	34536	WAIVED	2002/04/17	.000	
1,2-DICHLOROETHANE	34531	WAIVED	2002/04/17	.000	
1,2-DICHLOROPROPANE	34541	WAIVED	2002/04/17	.000	
1,3-DICHLOROPROPENE (TOTAL)	34561	WAIVED	2002/04/17	.000	
1,4-DICHLOROBENZENE	34571	WAIVED	2002/04/17	.000	
BENZENE	34030	WAIVED	2002/04/17	.000	
CARBON TETRACHLORIDE	32102	WAIVED	2002/04/17	.000	
CIS-1,2-DICHLOROETHYLENE	77093	WAIVED	2002/04/17	.000	
DICHLOROMETHANE	34423	WAIVED	2002/04/17	.000	
ETHYLBENZENE	34371	WAIVED	2002/04/17	.000	
METHYL-TERT-BUTYL-ETHER (MTBE)	46491	WAIVED	2002/04/17	.000	
MONOCHLOROBENZENE	34301	WAIVED	2002/04/17	.000	
STYRENE	77128	WAIVED	2002/04/17	.000	
TETRACHLOROETHYLENE	34475	WAIVED	2002/04/17	.000	
TOLUENE	34010	WAIVED	2002/04/17	.000	

**Testing interval is in months;*
0 = No data for this constituent and is DUE NOW
999 = Waived testing (not required)
I = Invalid (NOT) valid analyses reported

System Number: ***1900075***

System Name: ***BLEICH FLATS MUTUAL***

PS Code: ***1900075-004***

Source Name: ***WELL 04***

Source Number: ***004***

Source Status: ***ACTIVE UNTREATED***

Water type: ***GROUNDWATER OR WELL***

	STORET NUMBER	TESTING INTERVAL (MONTHS)*	LAST TEST DATE (yyyy/mm/dd)	LAST RESULT REPORTED	NEXT TEST DATE (yyyy/mm)
REGULATED VOC					
TRANS-1,2-DICHLOROETHYLENE	34546	WAIVED	2002/04/17	.000	
TRICHLOROETHYLENE	39180	WAIVED	2002/04/17	.000	
TRICHLOROFLUOROMETHANE	34488	WAIVED	2002/04/17	.000	
VINYL CHLORIDE	39175	WAIVED	2002/04/17	.000	
XYLENES (TOTAL)	81551	WAIVED	2002/04/17	.000	
SECONDARY/GP					
AGGRSSIVE INDEX (CORROSIVITY)	82383	WAIVED			
BICARBONATE ALKALINITY	00440	WAIVED	2006/01/24	318.000	
CALCIUM	00916	WAIVED	2006/01/24	56.100	
CARBONATE ALKALINITY	00445	WAIVED	2006/01/24	.000	
CHLORIDE	00940	WAIVED	2006/01/24	11.700	
COLOR	00081	WAIVED	2006/01/24	.000	
COPPER	01042	WAIVED	2006/01/24	.000	
FOAMING AGENTS (MBAS)	38260	WAIVED	2006/01/24	.000	
HARDNESS (TOTAL) AS CACO3	00900	WAIVED	2006/01/24	235.000	
HYDROXIDE ALKALINITY	71830	WAIVED	2006/01/24	.000	
IRON	01045	WAIVED	2006/01/24	.000	
MAGNESIUM	00927	WAIVED	2006/01/24	23.100	
MANGANESE	01055	WAIVED	2006/01/24	.000	
ODOR THRESHOLD @ 60 C	00086	WAIVED	2006/01/24	.000	
PH, LABORATORY	00403	WAIVED	2006/01/24	7.650	
SILVER	01077	WAIVED	2006/01/24	.000	
SODIUM	00929	WAIVED	2006/01/24	31.000	
SPECIFIC CONDUCTANCE	00095	WAIVED	2006/01/24	556.000	
SULFATE	00945	WAIVED	2006/01/24	17.600	
TOTAL DISSOLVED SOLIDS	70300	WAIVED	2006/01/24	332.000	
TURBIDITY, LABORATORY	82079	WAIVED	2006/01/24	.190	
ZINC	01092	WAIVED	2006/01/24	.000	

**Testing interval is in months;*
0 = No data for this constituent and is DUE NOW
999 = Waived testing (not required)
I = Invalid (NOT) valid analyses reported

System Number: ***1900077***

System Name: ***USFS-CHANTRY FLATS A-16***

PS Code: ***1900077-001***

Source Name: ***WELL 02***

Source Number: ***001***

Source Status: ***ACTIVE UNTREATED***

Water type: ***GROUNDWATER OR WELL***

	STORET NUMBER	TESTING INTERVAL (MONTHS)*	LAST TEST DATE (yyyy/mm/dd)	LAST RESULT REPORTED	NEXT TEST DATE (yyyy/mm)
GENERAL NON CHAP 15					
DIAZINON	39570	WAIVED			
INORGANIC					
ALUMINUM	01105	WAIVED	2008/12/17	< 50.000	
ANTIMONY	01097	WAIVED	2008/12/17	< 6.000	
ARSENIC	01002	WAIVED	2008/12/17	2.300	
ASBESTOS	81855	WAIVED			
BARIUM	01007	WAIVED	2008/12/17	< 100.000	
BERYLLIUM	01012	WAIVED	2008/12/17	< 1.000	
CADMIUM	01027	WAIVED	2008/12/17	< 1.000	
CHROMIUM (TOTAL)	01034	WAIVED	2008/12/17	< 10.000	
CYANIDE	01291	WAIVED	2008/12/17	< 100.000	
FLUORIDE (F) (NATURAL-SOURCE)	00951	WAIVED	2008/12/17	.930	
LEAD	01051	WAIVED	2008/12/17	< 5.000	
MERCURY	71900	WAIVED	2008/12/17	< 1.000	
NICKEL	01067	WAIVED	2008/12/17	< 10.000	
PERCHLORATE	A-031	WAIVED			
SELENIUM	01147	WAIVED	2008/12/17	< 5.000	
THALLIUM	01059	WAIVED	2008/12/17	< 1.000	
NITRATE/NITRITE					
NITRATE (AS NO3)	71850	WAIVED	2011/10/03	4.100	
NITRITE (AS N)	00620	WAIVED	2008/12/17	< 400.000	
RADIOLOGICAL					
GROSS ALPHA	01501	WAIVED	2008/12/17	6.000	
GROSS BETA	03501	WAIVED			
RA-226 FOR CWS OR TOTAL RA FOR NTNC BY 903.0	A-080	WAIVED			
RA-226 OR TOTAL RA BY 903.0 C.E.	A-081	WAIVED			
RADIUM 226	09501	WAIVED	2008/12/17	< 1.000	
RADIUM 228	11501	WAIVED	2008/12/17	< 1.000	

**Testing interval is in months;*
0 = No data for this constituent and is DUE NOW
999 = Waived testing (not required)
I = Invalid (NOT) valid analyses reported

System Number: ***1900077***

System Name: ***USFS-CHANTRY FLATS A-16***

PS Code: ***1900077-001***

Source Name: ***WELL 02***

Source Number: ***001***

Source Status: ***ACTIVE UNTREATED***

Water type: ***GROUNDWATER OR WELL***

	STORET NUMBER	TESTING INTERVAL (MONTHS)*	LAST TEST DATE (yyyy/mm/dd)	LAST RESULT REPORTED	NEXT TEST DATE (yyyy/mm)
RADIOLOGICAL					
RADIUM, TOTAL, MDA95-NTNC ONLY, BY 903.0	A-082	WAIVED			
STRONTIUM-90	13501	WAIVED			
TRITIUM	07000	WAIVED			
URANIUM (PCI/L)	28012	WAIVED	2008/12/17	8.700	
REGULATED SOC					
2,3,7,8-TCDD (DIOXIN)	34676	WAIVED			
2,4,5-TP (SILVEX)	39045	WAIVED			
2,4-D	39730	WAIVED			
ALACHLOR	77825	WAIVED			
ATRAZINE	39033	WAIVED	2008/12/17	< .500	
BENTAZON	38710	WAIVED			
BENZO (A) PYRENE	34247	WAIVED	2008/12/17	< .100	
CARBOFURAN	81405	WAIVED			
CHLORDANE	39350	WAIVED			
DALAPON	38432	WAIVED			
DI(2-ETHYLHEXYL)ADIPATE	A-026	WAIVED	2008/12/17	< 5.000	
DI(2-ETHYLHEXYL)PHTHALATE	39100	WAIVED	2008/12/17	< 3.000	
DIBROMOCHLOROPROPANE (DBCP)	38761	WAIVED			
DINOSEB	81287	WAIVED			
DIQUAT	78885	WAIVED			
ENDOTHALL	38926	WAIVED			
ENDRIN	39390	WAIVED			
ETHYLENE DIBROMIDE (EDB)	77651	WAIVED			
GLYPHOSATE	79743	WAIVED			
HEPTACHLOR	39410	WAIVED			
HEPTACHLOR EPOXIDE	39420	WAIVED			
HEXACHLOROBENZENE	39700	WAIVED	2008/12/17	< .500	
HEXACHLOROCYCLOPENTADIENE	34386	WAIVED	2008/12/17	< 1.000	
LINDANE	39340	WAIVED			

**Testing interval is in months;*
0 = No data for this constituent and is DUE NOW
999 = Waived testing (not required)
I = Invalid (NOT) valid analyses reported

System Number: ***1900077***

System Name: ***USFS-CHANTRY FLATS A-16***

PS Code: ***1900077-001***

Source Name: ***WELL 02***

Source Number: ***001***

Source Status: ***ACTIVE UNTREATED***

Water type: ***GROUNDWATER OR WELL***

	STORET NUMBER	TESTING INTERVAL (MONTHS)*	LAST TEST DATE (yyyy/mm/dd)	LAST RESULT REPORTED	NEXT TEST DATE (yyyy/mm)
REGULATED SOC					
METHOXYCHLOR	39480	WAIVED			
MOLINATE	82199	WAIVED	2008/12/17	< 2.000	
OXAMYL	38865	WAIVED			
PENTACHLOROPHENOL	39032	WAIVED			
PICLORAM	39720	WAIVED			
POLYCHLORINATED BIPHENYLS, TOTAL, AS DCB	39516	WAIVED			
SIMAZINE	39055	WAIVED	2008/12/17	< 1.000	
THIOBENCARB	A-001	WAIVED	2008/12/17	< 1.000	
TOXAPHENE	39400	WAIVED			
REGULATED VOC					
1,1,1-TRICHLOROETHANE	34506	WAIVED	2008/12/17	< .500	
1,1,2,2-TETRACHLOROETHANE	34516	WAIVED	2008/12/17	< .500	
1,1,2-TRICHLORO-1,2,2-TRIFLUOROETHANE	81611	WAIVED	2008/12/17	< 10.000	
1,1,2-TRICHLOROETHANE	34511	WAIVED	2008/12/17	< .500	
1,1-DICHLOROETHANE	34496	WAIVED	2008/12/17	< .500	
1,1-DICHLOROETHYLENE	34501	WAIVED	2008/12/17	< .500	
1,2,4-TRICHLOROBENZENE	34551	WAIVED	2008/12/17	< .500	
1,2-DICHLOROBENZENE	34536	WAIVED	2008/12/17	< .500	
1,2-DICHLOROETHANE	34531	WAIVED	2008/12/17	< .500	
1,2-DICHLOROPROPANE	34541	WAIVED	2008/12/17	< .500	
1,3-DICHLOROPROPENE (TOTAL)	34561	WAIVED	2008/12/17	< .500	
1,4-DICHLOROBENZENE	34571	WAIVED	2008/12/17	< .500	
BENZENE	34030	WAIVED	2008/12/17	< .500	
CARBON TETRACHLORIDE	32102	WAIVED	2008/12/17	< .500	
CIS-1,2-DICHLOROETHYLENE	77093	WAIVED	2008/12/17	< .500	
DICHLOROMETHANE	34423	WAIVED	2008/12/17	< .500	
ETHYLBENZENE	34371	WAIVED	2008/12/17	< .500	
METHYL-TERT-BUTYL-ETHER (MTBE)	46491	WAIVED	2008/12/17	< 3.000	
MONOCHLOROBENZENE	34301	WAIVED	2008/12/17	< .500	

**Testing interval is in months;*
0 = No data for this constituent and is DUE NOW
999 = Waived testing (not required)
I = Invalid (NOT) valid analyses reported

System Number: ***1900077***

System Name: ***USFS-CHANTRY FLATS A-16***

PS Code: ***1900077-001***

Source Name: ***WELL 02***

Source Number: ***001***

Source Status: ***ACTIVE UNTREATED***

Water type: ***GROUNDWATER OR WELL***

	STORET NUMBER	TESTING INTERVAL (MONTHS)*	LAST TEST DATE (yyyy/mm/dd)	LAST RESULT REPORTED	NEXT TEST DATE (yyyy/mm)
REGULATED VOC					
STYRENE	77128	WAIVED	2008/12/17	< .500	
TETRACHLOROETHYLENE	34475	WAIVED	2008/12/17	< .500	
TOLUENE	34010	WAIVED	2008/12/17	< .500	
TRANS-1,2-DICHLOROETHYLENE	34546	WAIVED	2008/12/17	< .500	
TRICHLOROETHYLENE	39180	WAIVED	2008/12/17	< .500	
TRICHLOROFLUOROMETHANE	34488	WAIVED	2008/12/17	< 5.000	
VINYL CHLORIDE	39175	WAIVED	2008/12/17	< .500	
XYLENES (TOTAL)	81551	WAIVED	2008/12/17	< 1.000	
SECONDARY/GP					
AGGRSSIVE INDEX (CORROSIVITY)	82383	WAIVED	2008/12/17	13.000	
BICARBONATE ALKALINITY	00440	WAIVED	2008/12/17	235.000	
CALCIUM	00916	WAIVED	2008/12/17	51.000	
CARBONATE ALKALINITY	00445	WAIVED	2008/12/17	< 2.000	
CHLORIDE	00940	WAIVED	2008/12/17	6.600	
COLOR	00081	WAIVED	2008/12/17	< 3.000	
COPPER	01042	WAIVED	2008/12/17	< 50.000	
FOAMING AGENTS (MBAS)	38260	WAIVED	2008/12/17	< .050	
HARDNESS (TOTAL) AS CACO3	00900	WAIVED	2008/12/17	173.000	
HYDROXIDE ALKALINITY	71830	WAIVED	2008/12/17	< 2.000	
IRON	01045	WAIVED	2008/12/17	< 100.000	
MAGNESIUM	00927	WAIVED	2008/12/17	11.000	
MANGANESE	01055	WAIVED	2008/12/17	< 20.000	
ODOR THRESHOLD @ 60 C	00086	WAIVED	2008/12/17	1.000	
PH, LABORATORY	00403	WAIVED	2008/12/17	8.100	
SILVER	01077	WAIVED	2008/12/17	< 10.000	
SODIUM	00929	WAIVED	2008/12/17	19.000	
SPECIFIC CONDUCTANCE	00095	WAIVED	2008/12/17	392.000	
SULFATE	00945	WAIVED	2008/12/17	9.400	
TOTAL DISSOLVED SOLIDS	70300	WAIVED	2008/12/17	218.000	

**Testing interval is in months;*
0 = No data for this constituent and is DUE NOW
999 = Waived testing (not required)
I = Invalid (NOT) valid analyses reported

System Number: ***1900077***

System Name: ***USFS-CHANTRY FLATS A-16***

PS Code: ***1900077-001***

Source Name: ***WELL 02***

Source Number: ***001***

Source Status: ***ACTIVE UNTREATED***

Water type: ***GROUNDWATER OR WELL***

SECONDARY/GP	STORET NUMBER	TESTING INTERVAL (MONTHS)*	LAST TEST DATE (yyyy/mm/dd)	LAST RESULT REPORTED	NEXT TEST DATE (yyyy/mm)
TURBIDITY, LABORATORY	82079	WAIVED	2008/12/17	.150	
ZINC	01092	WAIVED	2008/12/17	150.000	

**Testing interval is in months;*
0 = No data for this constituent and is DUE NOW
999 = Waived testing (not required)
I = Invalid (NOT) valid analyses reported

System Number: ***1900078***

System Name: ***USFS-BIG PINES V-2***

PS Code: ***1900078-001***

Source Name: ***WELL 01***

Source Number: ***001***

Source Status: ***ACTIVE UNTREATED***

Water type: ***GROUNDWATER OR WELL***

	STORET NUMBER	TESTING INTERVAL (MONTHS)*	LAST TEST DATE (yyyy/mm/dd)	LAST RESULT REPORTED	NEXT TEST DATE (yyyy/mm)
GENERAL NON CHAP 15					
DIAZINON	39570	WAIVED			
INORGANIC					
ALUMINUM	01105	WAIVED	2011/11/09	< 10.000	
ANTIMONY	01097	WAIVED	2011/11/09	< 1.000	
ARSENIC	01002	WAIVED	2011/11/09	< 2.000	
ASBESTOS	81855	WAIVED			
BARIUM	01007	WAIVED	2011/11/09	25.100	
BERYLLIUM	01012	WAIVED	2011/11/09	< 1.000	
CADMIUM	01027	WAIVED	2011/11/09	< 1.000	
CHROMIUM (TOTAL)	01034	WAIVED	2011/11/09	< 1.000	
CYANIDE	01291	WAIVED	2008/07/29	< .005	
FLUORIDE (F) (NATURAL-SOURCE)	00951	WAIVED	2011/11/09	.100	
LEAD	01051	WAIVED	2011/11/09	4.200	
MERCURY	71900	WAIVED	2011/11/09	.040	
NICKEL	01067	WAIVED	2011/11/09	2.000	
PERCHLORATE	A-031	WAIVED	2011/11/09	< 2.000	
SELENIUM	01147	WAIVED	2011/11/09	< 2.000	
THALLIUM	01059	WAIVED	2011/11/09	< 1.000	
NITRATE/NITRITE					
NITRATE (AS NO3)	71850	WAIVED	2011/11/09	< .400	
NITRITE (AS N)	00620	WAIVED	2011/11/09	< .100	
RADIOLOGICAL					
GROSS ALPHA	01501	WAIVED	2008/07/22	.725	
GROSS BETA	03501	WAIVED			
RA-226 FOR CWS OR TOTAL RA FOR NTNC BY 903.0	A-080	WAIVED			
RA-226 OR TOTAL RA BY 903.0 C.E.	A-081	WAIVED			
RADIUM 226	09501	WAIVED			
RADIUM 228	11501	WAIVED			

**Testing interval is in months;*
0 = No data for this constituent and is DUE NOW
999 = Waived testing (not required)
I = Invalid (NOT) valid analyses reported

System Number: ***1900078***

System Name: ***USFS-BIG PINES V-2***

PS Code: ***1900078-001***

Source Name: ***WELL 01***

Source Number: ***001***

Source Status: ***ACTIVE UNTREATED***

Water type: ***GROUNDWATER OR WELL***

	STORET NUMBER	TESTING INTERVAL (MONTHS)*	LAST TEST DATE (yyyy/mm/dd)	LAST RESULT REPORTED	NEXT TEST DATE (yyyy/mm)
RADIOLOGICAL					
RADIUM, TOTAL, MDA95-NTNC ONLY, BY 903.0	A-082	WAIVED			
STRONTIUM-90	13501	WAIVED			
TRITIUM	07000	WAIVED			
URANIUM (PCI/L)	28012	WAIVED			
REGULATED SOC					
2,3,7,8-TCDD (DIOXIN)	34676	WAIVED			
2,4,5-TP (SILVEX)	39045	WAIVED			
2,4-D	39730	WAIVED			
ALACHLOR	77825	WAIVED			
ATRAZINE	39033	WAIVED			
BENTAZON	38710	WAIVED			
BENZO (A) PYRENE	34247	WAIVED			
CARBOFURAN	81405	WAIVED			
CHLORDANE	39350	WAIVED			
DALAPON	38432	WAIVED			
DI(2-ETHYLHEXYL)ADIPATE	A-026	WAIVED			
DI(2-ETHYLHEXYL)PHTHALATE	39100	WAIVED			
DIBROMOCHLOROPROPANE (DBCP)	38761	WAIVED			
DINOSEB	81287	WAIVED			
DIQUAT	78885	WAIVED			
ENDOTHALL	38926	WAIVED			
ENDRIN	39390	WAIVED			
ETHYLENE DIBROMIDE (EDB)	77651	WAIVED			
GLYPHOSATE	79743	WAIVED			
HEPTACHLOR	39410	WAIVED			
HEPTACHLOR EPOXIDE	39420	WAIVED			
HEXACHLOROBENZENE	39700	WAIVED			
HEXACHLOROCYCLOPENTADIENE	34386	WAIVED			
LINDANE	39340	WAIVED			

**Testing interval is in months;*
0 = No data for this constituent and is DUE NOW
999 = Waived testing (not required)
I = Invalid (NOT) valid analyses reported

System Number: ***1900078***

System Name: ***USFS-BIG PINES V-2***

PS Code: ***1900078-001***

Source Name: ***WELL 01***

Source Number: ***001***

Source Status: ***ACTIVE UNTREATED***

Water type: ***GROUNDWATER OR WELL***

	STORET NUMBER	TESTING INTERVAL (MONTHS)*	LAST TEST DATE (yyyy/mm/dd)	LAST RESULT REPORTED	NEXT TEST DATE (yyyy/mm)
REGULATED SOC					
METHOXYCHLOR	39480	WAIVED			
MOLINATE	82199	WAIVED			
OXAMYL	38865	WAIVED			
PENTACHLOROPHENOL	39032	WAIVED			
PICLORAM	39720	WAIVED			
POLYCHLORINATED BIPHENYLS, TOTAL, AS DCB	39516	WAIVED			
SIMAZINE	39055	WAIVED			
THIOBENCARB	A-001	WAIVED			
TOXAPHENE	39400	WAIVED			
REGULATED VOC					
1,1,1-TRICHLOROETHANE	34506	WAIVED	2008/07/22	< .500	
1,1,2,2-TETRACHLOROETHANE	34516	WAIVED	2008/07/22	< .500	
1,1,2-TRICHLORO-1,2,2-TRIFLUOROETHANE	81611	WAIVED	2008/07/22	< .500	
1,1,2-TRICHLOROETHANE	34511	WAIVED	2008/07/22	< .500	
1,1-DICHLOROETHANE	34496	WAIVED	2008/07/22	< .500	
1,1-DICHLOROETHYLENE	34501	WAIVED	2008/07/22	< .500	
1,2,4-TRICHLOROBENZENE	34551	WAIVED	2008/07/22	< .500	
1,2-DICHLOROBENZENE	34536	WAIVED	2008/07/22	< .500	
1,2-DICHLOROETHANE	34531	WAIVED	2008/07/22	< .500	
1,2-DICHLOROPROPANE	34541	WAIVED	2008/07/22	< .500	
1,3-DICHLOROPROPENE (TOTAL)	34561	WAIVED			
1,4-DICHLOROBENZENE	34571	WAIVED	2008/07/22	< .500	
BENZENE	34030	WAIVED	2008/07/22	< .500	
CARBON TETRACHLORIDE	32102	WAIVED	2008/07/22	< .500	
CIS-1,2-DICHLOROETHYLENE	77093	WAIVED	2008/07/22	< .500	
DICHLOROMETHANE	34423	WAIVED	2008/07/22	< .500	
ETHYLBENZENE	34371	WAIVED	2008/07/22	< .500	
METHYL-TERT-BUTYL-ETHER (MTBE)	46491	WAIVED	2008/07/22	< 1.000	
MONOCHLOROBENZENE	34301	WAIVED	2008/07/22	< .500	

**Testing interval is in months;*
0 = No data for this constituent and is DUE NOW
999 = Waived testing (not required)
I = Invalid (NOT) valid analyses reported

System Number: ***1900078***

System Name: ***USFS-BIG PINES V-2***

PS Code: ***1900078-001***

Source Name: ***WELL 01***

Source Number: ***001***

Source Status: ***ACTIVE UNTREATED***

Water type: ***GROUNDWATER OR WELL***

	STORET NUMBER	TESTING INTERVAL (MONTHS)*	LAST TEST DATE (yyyy/mm/dd)	LAST RESULT REPORTED	NEXT TEST DATE (yyyy/mm)
REGULATED VOC					
STYRENE	77128	WAIVED	2008/07/22	< .500	
TETRACHLOROETHYLENE	34475	WAIVED	2008/07/22	< .500	
TOLUENE	34010	WAIVED	2008/07/22	< .500	
TRANS-1,2-DICHLOROETHYLENE	34546	WAIVED	2008/07/22	< .500	
TRICHLOROETHYLENE	39180	WAIVED	2008/07/22	< .500	
TRICHLOROFLUOROMETHANE	34488	WAIVED	2008/07/22	< .500	
VINYL CHLORIDE	39175	WAIVED	2008/07/22	< .500	
XYLENES (TOTAL)	81551	WAIVED	2008/07/22	< .500	
SECONDARY/GP					
AGGRSSIVE INDEX (CORROSIVITY)	82383	WAIVED	2011/11/09	11.800	
BICARBONATE ALKALINITY	00440	WAIVED	2011/11/09	240.000	
CALCIUM	00916	WAIVED	2011/11/09	63.000	
CARBONATE ALKALINITY	00445	WAIVED	2011/11/09	< 10.000	
CHLORIDE	00940	WAIVED	2011/11/09	16.000	
COLOR	00081	WAIVED	2011/11/09	< 5.000	
COPPER	01042	WAIVED	2011/11/09	< 10.000	
FOAMING AGENTS (MBAS)	38260	WAIVED	2011/11/09	< .100	
HARDNESS (TOTAL) AS CACO3	00900	WAIVED	2011/11/09	219.000	
HYDROXIDE ALKALINITY	71830	WAIVED	2011/11/09	< 10.000	
IRON	01045	WAIVED	2012/01/25	< 50.000	
MAGNESIUM	00927	WAIVED	2011/11/09	15.000	
MANGANESE	01055	WAIVED	2011/11/09	30.000	
ODOR THRESHOLD @ 60 C	00086	WAIVED	2011/11/09	< 1.000	
PH, LABORATORY	00403	WAIVED	2011/11/09	7.300	
SILVER	01077	WAIVED	2011/11/09	< 1.000	
SODIUM	00929	WAIVED	2011/11/09	11.000	
SPECIFIC CONDUCTANCE	00095	WAIVED	2011/11/09	468.000	
SULFATE	00945	WAIVED	2011/11/09	9.000	
TOTAL DISSOLVED SOLIDS	70300	WAIVED	2011/11/09	240.000	

**Testing interval is in months;*
0 = No data for this constituent and is DUE NOW
999 = Waived testing (not required)
I = Invalid (NOT) valid analyses reported

System Number: ***1900078***

System Name: ***USFS-BIG PINES V-2***

PS Code: ***1900078-001***

Source Name: ***WELL 01***

Source Number: ***001***

Source Status: ***ACTIVE UNTREATED***

Water type: ***GROUNDWATER OR WELL***

	STORET NUMBER	TESTING INTERVAL (MONTHS)*	LAST TEST DATE (yyyy/mm/dd)	LAST RESULT REPORTED	NEXT TEST DATE (yyyy/mm)
SECONDARY/GP					
TURBIDITY, LABORATORY	**82079**	**WAIVED**	2012/01/25	**< .200**	
ZINC	**01092**	**WAIVED**	2011/11/09	**510.000**	

**Testing interval is in months;*
0 = No data for this constituent and is DUE NOW
999 = Waived testing (not required)
I = Invalid (NOT) valid analyses reported

System Number: ***1900080***

System Name: ***CAMP COULTER PINES (SOUTH)***

PS Code: ***1900080-001***

Source Name: ***WELL 01***

Source Number: ***001***

Source Status: ***ACTIVE UNTREATED***

Water type: ***GROUNDWATER OR WELL***

	STORET NUMBER	TESTING INTERVAL (MONTHS)*	LAST TEST DATE (yyyy/mm/dd)	LAST RESULT REPORTED	NEXT TEST DATE (yyyy/mm)
GENERAL NON CHAP 15					
DIAZINON	39570	WAIVED			
INORGANIC					
ALUMINUM	01105	WAIVED	2004/06/22	.000	
ANTIMONY	01097	WAIVED	2004/06/22	.000	
ARSENIC	01002	WAIVED	2004/06/22	.000	
ASBESTOS	81855	WAIVED			
BARIUM	01007	WAIVED	2004/06/22	102.000	
BERYLLIUM	01012	WAIVED			
CADMIUM	01027	WAIVED	2004/06/22	.000	
CHROMIUM (TOTAL)	01034	WAIVED	2004/06/22	37.800	
CYANIDE	01291	WAIVED			
FLUORIDE (F) (NATURAL-SOURCE)	00951	WAIVED	2004/06/22	.270	
LEAD	01051	WAIVED	2004/06/22	.000	
MERCURY	71900	WAIVED	2004/06/22	.000	
NICKEL	01067	WAIVED	2004/06/22	.000	
PERCHLORATE	A-031	WAIVED			
SELENIUM	01147	WAIVED	2004/06/22	.000	
THALLIUM	01059	WAIVED			
NITRATE/NITRITE					
NITRATE (AS NO3)	71850	WAIVED	2010/06/04	2.900	
NITRITE (AS N)	00620	WAIVED	2008/06/10	.000	
RADIOLOGICAL					
GROSS ALPHA	01501	WAIVED			
GROSS BETA	03501	WAIVED			
RA-226 FOR CWS OR TOTAL RA FOR NTNC BY 903.0	A-080	WAIVED			
RA-226 OR TOTAL RA BY 903.0 C.E.	A-081	WAIVED			
RADIUM 226	09501	WAIVED			
RADIUM 228	11501	WAIVED			

**Testing interval is in months;*
0 = No data for this constituent and is DUE NOW
999 = Waived testing (not required)
I = Invalid (NOT) valid analyses reported

System Number: ***1900080***

System Name: ***CAMP COULTER PINES (SOUTH)***

PS Code: ***1900080-001***

Source Name: ***WELL 01***

Source Number: ***001***

Source Status: ***ACTIVE UNTREATED***

Water type: ***GROUNDWATER OR WELL***

	STORET NUMBER	TESTING INTERVAL (MONTHS)*	LAST TEST DATE (yyyy/mm/dd)	LAST RESULT REPORTED	NEXT TEST DATE (yyyy/mm)
RADIOLOGICAL					
RADIUM, TOTAL, MDA95-NTNC ONLY, BY 903.0	A-082	WAIVED			
STRONTIUM-90	13501	WAIVED			
TRITIUM	07000	WAIVED			
URANIUM (PCI/L)	28012	WAIVED			
REGULATED SOC					
2,3,7,8-TCDD (DIOXIN)	34676	WAIVED			
2,4,5-TP (SILVEX)	39045	WAIVED			
2,4-D	39730	WAIVED			
ALACHLOR	77825	WAIVED			
ATRAZINE	39033	WAIVED			
BENTAZON	38710	WAIVED			
BENZO (A) PYRENE	34247	WAIVED			
CARBOFURAN	81405	WAIVED			
CHLORDANE	39350	WAIVED			
DALAPON	38432	WAIVED			
DI(2-ETHYLHEXYL)ADIPATE	A-026	WAIVED			
DI(2-ETHYLHEXYL)PHTHALATE	39100	WAIVED			
DIBROMOCHLOROPROPANE (DBCP)	38761	WAIVED			
DINOSEB	81287	WAIVED			
DIQUAT	78885	WAIVED			
ENDOTHALL	38926	WAIVED			
ENDRIN	39390	WAIVED			
ETHYLENE DIBROMIDE (EDB)	77651	WAIVED			
GLYPHOSATE	79743	WAIVED			
HEPTACHLOR	39410	WAIVED			
HEPTACHLOR EPOXIDE	39420	WAIVED			
HEXACHLOROBENZENE	39700	WAIVED			
HEXACHLOROCYCLOPENTADIENE	34386	WAIVED			
LINDANE	39340	WAIVED			

**Testing interval is in months;*
0 = No data for this constituent and is DUE NOW
999 = Waived testing (not required)
I = Invalid (NOT) valid analyses reported

System Number: ***1900080***

System Name: ***CAMP COULTER PINES (SOUTH)***

PS Code: ***1900080-001***

Source Name: ***WELL 01***

Source Number: ***001***

Source Status: ***ACTIVE UNTREATED***

Water type: ***GROUNDWATER OR WELL***

	STORET NUMBER	TESTING INTERVAL (MONTHS)*	LAST TEST DATE (yyyy/mm/dd)	LAST RESULT REPORTED	NEXT TEST DATE (yyyy/mm)
REGULATED SOC					
METHOXYCHLOR	39480	WAIVED			
MOLINATE	82199	WAIVED			
OXAMYL	38865	WAIVED			
PENTACHLOROPHENOL	39032	WAIVED			
PICLORAM	39720	WAIVED			
POLYCHLORINATED BIPHENYLS, TOTAL, AS DCB	39516	WAIVED			
SIMAZINE	39055	WAIVED			
THIOBENCARB	A-001	WAIVED	2004/06/22	.000	
TOXAPHENE	39400	WAIVED			
REGULATED VOC					
1,1,1-TRICHLOROETHANE	34506	WAIVED			
1,1,2,2-TETRACHLOROETHANE	34516	WAIVED			
1,1,2-TRICHLORO-1,2,2-TRIFLUOROETHANE	81611	WAIVED			
1,1,2-TRICHLOROETHANE	34511	WAIVED			
1,1-DICHLOROETHANE	34496	WAIVED			
1,1-DICHLOROETHYLENE	34501	WAIVED			
1,2,4-TRICHLOROBENZENE	34551	WAIVED			
1,2-DICHLOROBENZENE	34536	WAIVED			
1,2-DICHLOROETHANE	34531	WAIVED			
1,2-DICHLOROPROPANE	34541	WAIVED			
1,3-DICHLOROPROPENE (TOTAL)	34561	WAIVED			
1,4-DICHLOROBENZENE	34571	WAIVED			
BENZENE	34030	WAIVED			
CARBON TETRACHLORIDE	32102	WAIVED			
CIS-1,2-DICHLOROETHYLENE	77093	WAIVED			
DICHLOROMETHANE	34423	WAIVED			
ETHYLBENZENE	34371	WAIVED			
METHYL-TERT-BUTYL-ETHER (MTBE)	46491	WAIVED			
MONOCHLOROBENZENE	34301	WAIVED			

**Testing interval is in months;*
0 = No data for this constituent and is DUE NOW
999 = Waived testing (not required)
I = Invalid (NOT) valid analyses reported

System Number: ***1900080***

System Name: ***CAMP COULTER PINES (SOUTH)***

PS Code: ***1900080-001***

Source Name: ***WELL 01***

Source Number: ***001***

Source Status: ***ACTIVE UNTREATED***

Water type: ***GROUNDWATER OR WELL***

	STORET NUMBER	TESTING INTERVAL (MONTHS)*	LAST TEST DATE (yyyy/mm/dd)	LAST RESULT REPORTED	NEXT TEST DATE (yyyy/mm)
REGULATED VOC					
STYRENE	77128	WAIVED			
TETRACHLOROETHYLENE	34475	WAIVED			
TOLUENE	34010	WAIVED			
TRANS-1,2-DICHLOROETHYLENE	34546	WAIVED			
TRICHLOROETHYLENE	39180	WAIVED			
TRICHLOROFLUOROMETHANE	34488	WAIVED			
VINYL CHLORIDE	39175	WAIVED			
XYLENES (TOTAL)	81551	WAIVED			
SECONDARY/GP					
AGGRSSIVE INDEX (CORROSIVITY)	82383	WAIVED			
BICARBONATE ALKALINITY	00440	WAIVED	2004/06/22	544.000	
CALCIUM	00916	WAIVED	2004/06/22	100.000	
CARBONATE ALKALINITY	00445	WAIVED	2004/06/22	.000	
CHLORIDE	00940	WAIVED	2004/06/22	8.500	
COLOR	00081	WAIVED	2004/06/22	.000	
COPPER	01042	WAIVED	2004/06/22	.000	
FOAMING AGENTS (MBAS)	38260	WAIVED	2004/06/22	.000	
HARDNESS (TOTAL) AS CACO3	00900	WAIVED	2004/06/22	610.000	
HYDROXIDE ALKALINITY	71830	WAIVED	2004/06/22	.000	
IRON	01045	WAIVED	2004/06/22	.000	
MAGNESIUM	00927	WAIVED	2004/06/22	87.500	
MANGANESE	01055	WAIVED	2004/06/22	.000	
ODOR THRESHOLD @ 60 C	00086	WAIVED	2004/06/22	.000	
PH, LABORATORY	00403	WAIVED	2004/06/22	7.520	
SILVER	01077	WAIVED	2004/06/22	.000	
SODIUM	00929	WAIVED	2004/06/22	22.100	
SPECIFIC CONDUCTANCE	00095	WAIVED	2004/06/22	1046.000	
SULFATE	00945	WAIVED	2004/06/22	164.000	
TOTAL DISSOLVED SOLIDS	70300	WAIVED	2004/06/22	660.000	

**Testing interval is in months;*
0 = No data for this constituent and is DUE NOW
999 = Waived testing (not required)
I = Invalid (NOT) valid analyses reported

System Number: ***1900080***

System Name: ***CAMP COULTER PINES (SOUTH)***

PS Code: ***1900080-001***

Source Name: ***WELL 01***

Source Number: ***001***

Source Status: ***ACTIVE UNTREATED***

Water type: ***GROUNDWATER OR WELL***

	STORET NUMBER	TESTING INTERVAL (MONTHS)*	LAST TEST DATE (yyyy/mm/dd)	LAST RESULT REPORTED	NEXT TEST DATE (yyyy/mm)
SECONDARY/GP					
TURBIDITY, LABORATORY	**82079**	**WAIVED**	2004/06/22	**.320**	
ZINC	**01092**	**WAIVED**	2004/06/22	**3090.000**	

**Testing interval is in months;*
0 = No data for this constituent and is DUE NOW
999 = Waived testing (not required)
I = Invalid (NOT) valid analyses reported

System Number: ***1900081***

System Name: ***LE CHENE RESTAURANT***

PS Code: ***1900081-001***

Source Name: ***WELL 01 BEHIND RESTAURANT***

Source Number: ***001***

Source Status: ***ACTIVE UNTREATED***

Water type: ***GROUNDWATER OR WELL***

	STORET NUMBER	TESTING INTERVAL (MONTHS)*	LAST TEST DATE (yyyy/mm/dd)	LAST RESULT REPORTED	NEXT TEST DATE (yyyy/mm)
GENERAL NON CHAP 15					
DIAZINON	39570	WAIVED			
INORGANIC					
ALUMINUM	01105	WAIVED	2011/07/11	10.000	
ANTIMONY	01097	WAIVED	2011/07/11	< 1.000	
ARSENIC	01002	WAIVED	2011/07/11	< 2.000	
ASBESTOS	81855	WAIVED	2011/07/11	< .200	
BARIUM	01007	WAIVED	2011/07/11	122.000	
BERYLLIUM	01012	WAIVED	2011/07/11	< .200	
CADMIUM	01027	WAIVED	2011/07/11	< .200	
CHROMIUM (TOTAL)	01034	WAIVED	2011/07/11	2.000	
CYANIDE	01291	WAIVED	2004/05/26	.000	
FLUORIDE (F) (NATURAL-SOURCE)	00951	WAIVED	2011/07/11	.300	
LEAD	01051	WAIVED	2011/07/11	< .200	
MERCURY	71900	WAIVED	2011/07/11	.020	
NICKEL	01067	WAIVED	2011/07/11	< 1.000	
PERCHLORATE	A-031	WAIVED	2011/07/11	< 2.000	
SELENIUM	01147	WAIVED	2011/07/11	2.000	
THALLIUM	01059	WAIVED	2011/07/11	< .200	
NITRATE/NITRITE					
NITRATE (AS NO3)	71850	WAIVED	2011/07/11	29.100	
NITRITE (AS N)	00620	WAIVED	2011/07/11	< .100	
RADIOLOGICAL					
GROSS ALPHA	01501	WAIVED			
GROSS BETA	03501	WAIVED			
RA-226 FOR CWS OR TOTAL RA FOR NTNC BY 903.0	A-080	WAIVED			
RA-226 OR TOTAL RA BY 903.0 C.E.	A-081	WAIVED			
RADIUM 226	09501	WAIVED			
RADIUM 228	11501	WAIVED			

**Testing interval is in months;*
0 = No data for this constituent and is DUE NOW
999 = Waived testing (not required)
I = Invalid (NOT) valid analyses reported

System Number: ***1900081***

System Name: ***LE CHENE RESTAURANT***

PS Code: ***1900081-001***

Source Name: ***WELL 01 BEHIND RESTAURANT***

Source Number: ***001***

Source Status: ***ACTIVE UNTREATED***

Water type: ***GROUNDWATER OR WELL***

	STORET NUMBER	TESTING INTERVAL (MONTHS)*	LAST TEST DATE (yyyy/mm/dd)	LAST RESULT REPORTED	NEXT TEST DATE (yyyy/mm)
RADIOLOGICAL					
RADIUM, TOTAL, MDA95-NTNC ONLY, BY 903.0	A-082	WAIVED			
STRONTIUM-90	13501	WAIVED			
TRITIUM	07000	WAIVED			
URANIUM (PCI/L)	28012	WAIVED			
REGULATED SOC					
2,3,7,8-TCDD (DIOXIN)	34676	WAIVED			
2,4,5-TP (SILVEX)	39045	WAIVED			
2,4-D	39730	WAIVED			
ALACHLOR	77825	WAIVED	1998/01/23	.000	
ATRAZINE	39033	WAIVED	1998/01/23	.000	
BENTAZON	38710	WAIVED			
BENZO (A) PYRENE	34247	WAIVED			
CARBOFURAN	81405	WAIVED			
CHLORDANE	39350	WAIVED	1998/01/23	.000	
DALAPON	38432	WAIVED			
DI(2-ETHYLHEXYL)ADIPATE	A-026	WAIVED			
DI(2-ETHYLHEXYL)PHTHALATE	39100	WAIVED			
DIBROMOCHLOROPROPANE (DBCP)	38761	WAIVED	1998/01/23	.000	
DINOSEB	81287	WAIVED			
DIQUAT	78885	WAIVED			
ENDOTHALL	38926	WAIVED			
ENDRIN	39390	WAIVED	1998/01/23	.000	
ETHYLENE DIBROMIDE (EDB)	77651	WAIVED	1998/01/23	.000	
GLYPHOSATE	79743	WAIVED			
HEPTACHLOR	39410	WAIVED	1998/01/23	.000	
HEPTACHLOR EPOXIDE	39420	WAIVED	1998/01/23	.000	
HEXACHLOROBENZENE	39700	WAIVED	1998/01/23	.000	
HEXACHLOROCYCLOPENTADIENE	34386	WAIVED	1998/01/23	.000	
LINDANE	39340	WAIVED	1998/01/23	.000	

**Testing interval is in months;*
0 = No data for this constituent and is DUE NOW
999 = Waived testing (not required)
I = Invalid (NOT) valid analyses reported

System Number: ***1900081***

System Name: ***LE CHENE RESTAURANT***

PS Code: ***1900081-001***

Source Name: ***WELL 01 BEHIND RESTAURANT***

Source Number: ***001***

Source Status: ***ACTIVE UNTREATED***

Water type: ***GROUNDWATER OR WELL***

	STORET NUMBER	TESTING INTERVAL (MONTHS)*	LAST TEST DATE (yyyy/mm/dd)	LAST RESULT REPORTED	NEXT TEST DATE (yyyy/mm)
REGULATED SOC					
METHOXYCHLOR	39480	WAIVED	1998/01/23	.000	
MOLINATE	82199	WAIVED	1998/01/23	.000	
OXAMYL	38865	WAIVED			
PENTACHLOROPHENOL	39032	WAIVED			
PICLORAM	39720	WAIVED			
POLYCHLORINATED BIPHENYLS, TOTAL, AS DCB	39516	WAIVED			
SIMAZINE	39055	WAIVED	1998/01/23	.000	
THIOBENCARB	A-001	WAIVED	2002/10/18	.000	
TOXAPHENE	39400	WAIVED	1998/01/23	.000	
REGULATED VOC					
1,1,1-TRICHLOROETHANE	34506	WAIVED	1998/01/23	.000	
1,1,2,2-TETRACHLOROETHANE	34516	WAIVED	1998/01/23	.000	
1,1,2-TRICHLORO-1,2,2-TRIFLUOROETHANE	81611	WAIVED			
1,1,2-TRICHLOROETHANE	34511	WAIVED	1998/01/23	.000	
1,1-DICHLOROETHANE	34496	WAIVED	1998/01/23	.000	
1,1-DICHLOROETHYLENE	34501	WAIVED	1998/01/23	.000	
1,2,4-TRICHLOROBENZENE	34551	WAIVED	1998/01/23	.000	
1,2-DICHLOROBENZENE	34536	WAIVED	1998/01/23	.000	
1,2-DICHLOROETHANE	34531	WAIVED	1998/01/23	.000	
1,2-DICHLOROPROPANE	34541	WAIVED	1998/01/23	.000	
1,3-DICHLOROPROPENE (TOTAL)	34561	WAIVED	1998/01/23	.000	
1,4-DICHLOROBENZENE	34571	WAIVED	1998/01/23	.000	
BENZENE	34030	WAIVED	1998/01/23	.000	
CARBON TETRACHLORIDE	32102	WAIVED	1998/01/23	.000	
CIS-1,2-DICHLOROETHYLENE	77093	WAIVED	1998/01/23	.000	
DICHLOROMETHANE	34423	WAIVED	1998/01/23	.000	
ETHYLBENZENE	34371	WAIVED	1998/01/23	.000	
METHYL-TERT-BUTYL-ETHER (MTBE)	46491	WAIVED	1998/01/23	.000	
MONOCHLOROBENZENE	34301	WAIVED	1998/01/23	.000	

**Testing interval is in months;*
0 = No data for this constituent and is DUE NOW
999 = Waived testing (not required)
I = Invalid (NOT) valid analyses reported

System Number: 1900081
System Name: LE CHENE RESTAURANT

PS Code: 1900081-001
Source Name: WELL 01 BEHIND RESTAURANT
Source Number: 001
Source Status: ACTIVE UNTREATED
Water type: GROUNDWATER OR WELL

	STORET NUMBER	TESTING INTERVAL (MONTHS)*	LAST TEST DATE (yyyy/mm/dd)	LAST RESULT REPORTED	NEXT TEST DATE (yyyy/mm)
REGULATED VOC					
STYRENE	77128	WAIVED	1998/01/23	.000	
TETRACHLOROETHYLENE	34475	WAIVED	1998/01/23	.000	
TOLUENE	34010	WAIVED	1998/01/23	.000	
TRANS-1,2-DICHLOROETHYLENE	34546	WAIVED	1998/01/23	.000	
TRICHLOROETHYLENE	39180	WAIVED	1998/01/23	.000	
TRICHLOROFLUOROMETHANE	34488	WAIVED	1998/01/23	.000	
VINYL CHLORIDE	39175	WAIVED	1998/01/23	.000	
XYLENES (TOTAL)	81551	WAIVED	1998/01/23	.000	
SECONDARY/GP					
AGGRSSIVE INDEX (CORROSIVITY)	82383	WAIVED	2011/07/11	12.100	
BICARBONATE ALKALINITY	00440	WAIVED	2011/07/11	370.000	
CALCIUM	00916	WAIVED	2011/07/11	122.000	
CARBONATE ALKALINITY	00445	WAIVED	2011/07/11	< 10.000	
CHLORIDE	00940	WAIVED	2011/07/11	80.000	
COLOR	00081	WAIVED	2011/07/11	7.000	
COPPER	01042	WAIVED	2011/07/11	< 10.000	
FOAMING AGENTS (MBAS)	38260	WAIVED	2011/07/11	< .100	
HARDNESS (TOTAL) AS CACO3	00900	WAIVED	2011/07/11	502.000	
HYDROXIDE ALKALINITY	71830	WAIVED	2011/07/11	< 10.000	
IRON	01045	WAIVED	2011/07/11	60.000	
MAGNESIUM	00927	WAIVED	2011/07/11	48.000	
MANGANESE	01055	WAIVED	2011/07/11	< 10.000	
ODOR THRESHOLD @ 60 C	00086	WAIVED	2011/07/11	< 1.000	
PH, LABORATORY	00403	WAIVED	2011/07/11	7.100	
SILVER	01077	WAIVED	2011/07/11	< 1.000	
SODIUM	00929	WAIVED	2011/07/11	46.000	
SPECIFIC CONDUCTANCE	00095	WAIVED	2011/07/11	1100.000	
SULFATE	00945	WAIVED	2011/07/11	133.000	
TOTAL DISSOLVED SOLIDS	70300	WAIVED	2011/07/11	670.000	

**Testing interval is in months;*
0 = No data for this constituent and is DUE NOW
999 = Waived testing (not required)
I = Invalid (NOT) valid analyses reported

System Number: ***1900081***

System Name: ***LE CHENE RESTAURANT***

PS Code: ***1900081-001***

Source Name: ***WELL 01 BEHIND RESTAURANT***

Source Number: ***001***

Source Status: ***ACTIVE UNTREATED***

Water type: ***GROUNDWATER OR WELL***

	STORET NUMBER	TESTING INTERVAL (MONTHS)*	LAST TEST DATE (yyyy/mm/dd)	LAST RESULT REPORTED	NEXT TEST DATE (yyyy/mm)
SECONDARY/GP					
TURBIDITY, LABORATORY	82079	WAIVED	2011/07/11	< .200	
ZINC	01092	WAIVED	2011/07/11	< 20.000	

PS Code: ***1900081-002***

Source Name: ***WELL 02 BACK UP WELL ON SIERRA VALLEJO***

Source Number: ***002***

Source Status: ***ACTIVE UNTREATED***

Water type: ***GROUNDWATER OR WELL***

GENERAL NON CHAP 15					
DIAZINON	39570	WAIVED			
INORGANIC					
ALUMINUM	01105	WAIVED	2011/07/11	< 10.000	
ANTIMONY	01097	WAIVED	2011/07/11	< 1.000	
ARSENIC	01002	WAIVED	2011/07/11	< 2.000	
ASBESTOS	81855	WAIVED	2011/07/11	< .200	
BARIUM	01007	WAIVED	2011/07/11	120.000	
BERYLLIUM	01012	WAIVED	2011/07/11	< .200	
CADMIUM	01027	WAIVED	2011/07/11	< .200	
CHROMIUM (TOTAL)	01034	WAIVED	2011/07/11	1.000	
CYANIDE	01291	WAIVED			
FLUORIDE (F) (NATURAL-SOURCE)	00951	WAIVED	2011/07/11	.300	
LEAD	01051	WAIVED	2011/07/11	.300	
MERCURY	71900	WAIVED	2011/07/11	.040	
NICKEL	01067	WAIVED	2011/07/11	< 1.000	
PERCHLORATE	A-031	WAIVED	2011/07/11	< 2.000	
SELENIUM	01147	WAIVED	2011/07/11	2.000	
THALLIUM	01059	WAIVED	2011/07/11	< .200	

**Testing interval is in months;*
0 = No data for this constituent and is DUE NOW
999 = Waived testing (not required)
I = Invalid (NOT) valid analyses reported

System Number: ***1900081***

System Name: ***LE CHENE RESTAURANT***

PS Code: ***1900081-002***

Source Name: ***WELL 02 BACK UP WELL ON SIERRA VALLEJO***

Source Number: ***002***

Source Status: ***ACTIVE UNTREATED***

Water type: ***GROUNDWATER OR WELL***

	STORET NUMBER	TESTING INTERVAL (MONTHS)*	LAST TEST DATE (yyyy/mm/dd)	LAST RESULT REPORTED	NEXT TEST DATE (yyyy/mm)
NITRATE/NITRITE					
NITRATE (AS NO3)	71850	WAIVED	2011/07/11	28.700	
NITRITE (AS N)	00620	WAIVED	2011/07/11	< .100	
RADIOLOGICAL					
GROSS ALPHA	01501	WAIVED			
GROSS BETA	03501	WAIVED			
RA-226 FOR CWS OR TOTAL RA FOR NTNC BY 903.0	A-080	WAIVED			
RA-226 OR TOTAL RA BY 903.0 C.E.	A-081	WAIVED			
RADIUM 226	09501	WAIVED			
RADIUM 228	11501	WAIVED			
RADIUM, TOTAL, MDA95-NTNC ONLY, BY 903.0	A-082	WAIVED			
STRONTIUM-90	13501	WAIVED			
TRITIUM	07000	WAIVED			
URANIUM (PCI/L)	28012	WAIVED			
REGULATED SOC					
2,3,7,8-TCDD (DIOXIN)	34676	WAIVED			
2,4,5-TP (SILVEX)	39045	WAIVED			
2,4-D	39730	WAIVED			
ALACHLOR	77825	WAIVED			
ATRAZINE	39033	WAIVED			
BENTAZON	38710	WAIVED			
BENZO (A) PYRENE	34247	WAIVED			
CARBOFURAN	81405	WAIVED			
CHLORDANE	39350	WAIVED			
DALAPON	38432	WAIVED			
DI(2-ETHYLHEXYL)ADIPATE	A-026	WAIVED			
DI(2-ETHYLHEXYL)PHTHALATE	39100	WAIVED			
DIBROMOCHLOROPROPANE (DBCP)	38761	WAIVED			
DINOSEB	81287	WAIVED			
DIQUAT	78885	WAIVED			

**Testing interval is in months;*
0 = No data for this constituent and is DUE NOW
999 = Waived testing (not required)
I = Invalid (NOT) valid analyses reported

System Number: ***1900081***

System Name: ***LE CHENE RESTAURANT***

PS Code: ***1900081-002***

Source Name: ***WELL 02 BACK UP WELL ON SIERRA VALLEJO***

Source Number: ***002***

Source Status: ***ACTIVE UNTREATED***

Water type: ***GROUNDWATER OR WELL***

	STORET NUMBER	TESTING INTERVAL (MONTHS)*	LAST TEST DATE (yyyy/mm/dd)	LAST RESULT REPORTED	NEXT TEST DATE (yyyy/mm)
REGULATED SOC					
ENDOTHALL	38926	WAIVED			
ENDRIN	39390	WAIVED			
ETHYLENE DIBROMIDE (EDB)	77651	WAIVED			
GLYPHOSATE	79743	WAIVED			
HEPTACHLOR	39410	WAIVED			
HEPTACHLOR EPOXIDE	39420	WAIVED			
HEXACHLOROBENZENE	39700	WAIVED			
HEXACHLOROCYCLOPENTADIENE	34386	WAIVED			
LINDANE	39340	WAIVED			
METHOXYCHLOR	39480	WAIVED			
MOLINATE	82199	WAIVED			
OXAMYL	38865	WAIVED			
PENTACHLOROPHENOL	39032	WAIVED			
PICLORAM	39720	WAIVED			
POLYCHLORINATED BIPHENYLS, TOTAL, AS DCB	39516	WAIVED			
SIMAZINE	39055	WAIVED			
THIOBENCARB	A-001	WAIVED			
TOXAPHENE	39400	WAIVED			
REGULATED VOC					
1,1,1-TRICHLOROETHANE	34506	WAIVED			
1,1,2,2-TETRACHLOROETHANE	34516	WAIVED			
1,1,2-TRICHLORO-1,2,2-TRIFLUOROETHANE	81611	WAIVED			
1,1,2-TRICHLOROETHANE	34511	WAIVED			
1,1-DICHLOROETHANE	34496	WAIVED			
1,1-DICHLOROETHYLENE	34501	WAIVED			
1,2,4-TRICHLOROBENZENE	34551	WAIVED			
1,2-DICHLOROBENZENE	34536	WAIVED			
1,2-DICHLOROETHANE	34531	WAIVED			
1,2-DICHLOROPROPANE	34541	WAIVED			

**Testing interval is in months;*
0 = No data for this constituent and is DUE NOW
999 = Waived testing (not required)
I = Invalid (NOT) valid analyses reported

System Number: ***1900081***

System Name: ***LE CHENE RESTAURANT***

PS Code: ***1900081-002***

Source Name: ***WELL 02 BACK UP WELL ON SIERRA VALLEJO***

Source Number: ***002***

Source Status: ***ACTIVE UNTREATED***

Water type: ***GROUNDWATER OR WELL***

	STORET NUMBER	TESTING INTERVAL (MONTHS)*	LAST TEST DATE (yyyy/mm/dd)	LAST RESULT REPORTED	NEXT TEST DATE (yyyy/mm)
REGULATED VOC					
1,3-DICHLOROPROPENE (TOTAL)	34561	WAIVED			
1,4-DICHLOROBENZENE	34571	WAIVED			
BENZENE	34030	WAIVED			
CARBON TETRACHLORIDE	32102	WAIVED			
CIS-1,2-DICHLOROETHYLENE	77093	WAIVED			
DICHLOROMETHANE	34423	WAIVED			
ETHYLBENZENE	34371	WAIVED			
METHYL-TERT-BUTYL-ETHER (MTBE)	46491	WAIVED			
MONOCHLOROBENZENE	34301	WAIVED			
STYRENE	77128	WAIVED			
TETRACHLOROETHYLENE	34475	WAIVED			
TOLUENE	34010	WAIVED			
TRANS-1,2-DICHLOROETHYLENE	34546	WAIVED			
TRICHLOROETHYLENE	39180	WAIVED			
TRICHLOROFLUOROMETHANE	34488	WAIVED			
VINYL CHLORIDE	39175	WAIVED			
XYLENES (TOTAL)	81551	WAIVED			
SECONDARY/GP					
AGGRSSIVE INDEX (CORROSIVITY)	82383	WAIVED	2011/07/11	12.000	
BICARBONATE ALKALINITY	00440	WAIVED	2011/07/11	370.000	
CALCIUM	00916	WAIVED	2011/07/11	117.000	
CARBONATE ALKALINITY	00445	WAIVED	2011/07/11	< 10.000	
CHLORIDE	00940	WAIVED	2011/07/11	80.000	
COLOR	00081	WAIVED	2011/07/11	8.000	
COPPER	01042	WAIVED	2011/07/11	< 10.000	
FOAMING AGENTS (MBAS)	38260	WAIVED	2011/07/11	< .100	
HARDNESS (TOTAL) AS CACO3	00900	WAIVED	2011/07/11	485.000	
HYDROXIDE ALKALINITY	71830	WAIVED	2011/07/11	< 10.000	
IRON	01045	WAIVED	2011/07/11	130.000	

**Testing interval is in months;*
0 = No data for this constituent and is DUE NOW
999 = Waived testing (not required)
I = Invalid (NOT) valid analyses reported

System Number: ***1900081***

System Name: ***LE CHENE RESTAURANT***

PS Code: ***1900081-002***

Source Name: ***WELL 02 BACK UP WELL ON SIERRA VALLEJO***

Source Number: ***002***

Source Status: ***ACTIVE UNTREATED***

Water type: ***GROUNDWATER OR WELL***

SECONDARY/GP

	STORET NUMBER	TESTING INTERVAL (MONTHS)*	LAST TEST DATE (yyyy/mm/dd)	LAST RESULT REPORTED	NEXT TEST DATE (yyyy/mm)
MAGNESIUM	00927	WAIVED	2011/07/11	47.000	
MANGANESE	01055	WAIVED	2011/07/11	< 10.000	
ODOR THRESHOLD @ 60 C	00086	WAIVED	2011/07/11	< 1.000	
PH, LABORATORY	00403	WAIVED	2011/07/11	7.000	
SILVER	01077	WAIVED	2011/07/11	< 1.000	
SODIUM	00929	WAIVED	2011/07/11	45.000	
SPECIFIC CONDUCTANCE	00095	WAIVED	2011/07/11	1100.000	
SULFATE	00945	WAIVED	2011/07/11	131.000	
TOTAL DISSOLVED SOLIDS	70300	WAIVED	2011/07/11	680.000	
TURBIDITY, LABORATORY	82079	WAIVED	2011/07/11	< .200	
ZINC	01092	WAIVED	2011/07/11	30.000	

PS Code: ***1900081-003***

Source Name: ***WELL 03 BACKUP ON SIERRA HWY***

Source Number: ***003***

Source Status: ***STANDBY UNTREATED***

Water type: ***GROUNDWATER OR WELL***

GENERAL NON CHAP 15

DIAZINON	39570	WAIVED			

INORGANIC

ALUMINUM	01105	WAIVED	2011/07/11	20.000	
ANTIMONY	01097	WAIVED	2011/07/11	< 1.000	
ARSENIC	01002	WAIVED	2011/07/11	< 2.000	
ASBESTOS	81855	WAIVED	2011/07/11	< .200	
BARIUM	01007	WAIVED	2011/07/11	128.000	
BERYLLIUM	01012	WAIVED	2011/07/11	< .200	
CADMIUM	01027	WAIVED	2011/07/11	< .200	
CHROMIUM (TOTAL)	01034	WAIVED	2011/07/11	3.000	
CYANIDE	01291	WAIVED			

**Testing interval is in months;*
0 = No data for this constituent and is DUE NOW
999 = Waived testing (not required)
I = Invalid (NOT) valid analyses reported

System Number: ***1900081***

System Name: ***LE CHENE RESTAURANT***

PS Code: ***1900081-003***

Source Name: ***WELL 03 BACKUP ON SIERRA HWY***

Source Number: ***003***

Source Status: ***STANDBY UNTREATED***

Water type: ***GROUNDWATER OR WELL***

	STORET NUMBER	TESTING INTERVAL (MONTHS)*	LAST TEST DATE (yyyy/mm/dd)	LAST RESULT REPORTED	NEXT TEST DATE (yyyy/mm)
INORGANIC					
FLUORIDE (F) (NATURAL-SOURCE)	00951	WAIVED	2011/07/11	.300	
LEAD	01051	WAIVED	2011/07/11	.500	
MERCURY	71900	WAIVED	2011/07/11	.020	
NICKEL	01067	WAIVED	2011/07/11	< 1.000	
PERCHLORATE	A-031	WAIVED	2011/07/11	< 2.000	
SELENIUM	01147	WAIVED	2011/07/11	3.000	
THALLIUM	01059	WAIVED	2011/07/11	< .200	
NITRATE/NITRITE					
NITRATE (AS NO3)	71850	WAIVED	2011/07/11	32.100	
NITRITE (AS N)	00620	WAIVED	2011/07/11	< .100	
RADIOLOGICAL					
GROSS ALPHA	01501	WAIVED			
GROSS BETA	03501	WAIVED			
RA-226 FOR CWS OR TOTAL RA FOR NTNC BY 903.0	A-080	WAIVED			
RA-226 OR TOTAL RA BY 903.0 C.E.	A-081	WAIVED			
RADIUM 226	09501	WAIVED			
RADIUM 228	11501	WAIVED			
RADIUM, TOTAL, MDA95-NTNC ONLY, BY 903.0	A-082	WAIVED			
STRONTIUM-90	13501	WAIVED			
TRITIUM	07000	WAIVED			
URANIUM (PCI/L)	28012	WAIVED			
REGULATED SOC					
2,3,7,8-TCDD (DIOXIN)	34676	WAIVED			
2,4,5-TP (SILVEX)	39045	WAIVED			
2,4-D	39730	WAIVED			
ALACHLOR	77825	WAIVED			
ATRAZINE	39033	WAIVED			
BENTAZON	38710	WAIVED			

**Testing interval is in months;*
0 = No data for this constituent and is DUE NOW
999 = Waived testing (not required)
I = Invalid (NOT) valid analyses reported

System Number: ***1900081***

System Name: ***LE CHENE RESTAURANT***

PS Code: ***1900081-003***

Source Name: ***WELL 03 BACKUP ON SIERRA HWY***

Source Number: ***003***

Source Status: ***STANDBY UNTREATED***

Water type: ***GROUNDWATER OR WELL***

	STORET NUMBER	TESTING INTERVAL (MONTHS)*	LAST TEST DATE (yyyy/mm/dd)	LAST RESULT REPORTED	NEXT TEST DATE (yyyy/mm)
REGULATED SOC					
BENZO (A) PYRENE	34247	WAIVED			
CARBOFURAN	81405	WAIVED			
CHLORDANE	39350	WAIVED			
DALAPON	38432	WAIVED			
DI(2-ETHYLHEXYL)ADIPATE	A-026	WAIVED			
DI(2-ETHYLHEXYL)PHTHALATE	39100	WAIVED			
DIBROMOCHLOROPROPANE (DBCP)	38761	WAIVED			
DINOSEB	81287	WAIVED			
DIQUAT	78885	WAIVED			
ENDOTHALL	38926	WAIVED			
ENDRIN	39390	WAIVED			
ETHYLENE DIBROMIDE (EDB)	77651	WAIVED			
GLYPHOSATE	79743	WAIVED			
HEPTACHLOR	39410	WAIVED			
HEPTACHLOR EPOXIDE	39420	WAIVED			
HEXACHLOROBENZENE	39700	WAIVED			
HEXACHLOROCYCLOPENTADIENE	34386	WAIVED			
LINDANE	39340	WAIVED			
METHOXYCHLOR	39480	WAIVED			
MOLINATE	82199	WAIVED			
OXAMYL	38865	WAIVED			
PENTACHLOROPHENOL	39032	WAIVED			
PICLORAM	39720	WAIVED			
POLYCHLORINATED BIPHENYLS, TOTAL, AS DCB	39516	WAIVED			
SIMAZINE	39055	WAIVED			
THIOBENCARB	A-001	WAIVED			
TOXAPHENE	39400	WAIVED			
REGULATED VOC					
1,1,1-TRICHLOROETHANE	34506	WAIVED			

**Testing interval is in months;*
0 = No data for this constituent and is DUE NOW
999 = Waived testing (not required)
I = Invalid (NOT) valid analyses reported

System Number: 1900081
System Name: LE CHENE RESTAURANT

PS Code: 1900081-003
Source Name: WELL 03 BACKUP ON SIERRA HWY
Source Number: 003
Source Status: STANDBY UNTREATED
Water type: GROUNDWATER OR WELL

	STORET NUMBER	TESTING INTERVAL (MONTHS)*	LAST TEST DATE (yyyy/mm/dd)	LAST RESULT REPORTED	NEXT TEST DATE (yyyy/mm)
REGULATED VOC					
1,1,2,2-TETRACHLOROETHANE	34516	WAIVED			
1,1,2-TRICHLORO-1,2,2-TRIFLUOROETHANE	81611	WAIVED			
1,1,2-TRICHLOROETHANE	34511	WAIVED			
1,1-DICHLOROETHANE	34496	WAIVED			
1,1-DICHLOROETHYLENE	34501	WAIVED			
1,2,4-TRICHLOROBENZENE	34551	WAIVED			
1,2-DICHLOROBENZENE	34536	WAIVED			
1,2-DICHLOROETHANE	34531	WAIVED			
1,2-DICHLOROPROPANE	34541	WAIVED			
1,3-DICHLOROPROPENE (TOTAL)	34561	WAIVED			
1,4-DICHLOROBENZENE	34571	WAIVED			
BENZENE	34030	WAIVED			
CARBON TETRACHLORIDE	32102	WAIVED			
CIS-1,2-DICHLOROETHYLENE	77093	WAIVED			
DICHLOROMETHANE	34423	WAIVED			
ETHYLBENZENE	34371	WAIVED			
METHYL-TERT-BUTYL-ETHER (MTBE)	46491	WAIVED			
MONOCHLOROBENZENE	34301	WAIVED			
STYRENE	77128	WAIVED			
TETRACHLOROETHYLENE	34475	WAIVED			
TOLUENE	34010	WAIVED			
TRANS-1,2-DICHLOROETHYLENE	34546	WAIVED			
TRICHLOROETHYLENE	39180	WAIVED			
TRICHLOROFLUOROMETHANE	34488	WAIVED			
VINYL CHLORIDE	39175	WAIVED			
XYLENES (TOTAL)	81551	WAIVED			
SECONDARY/GP					
AGGRSSIVE INDEX (CORROSIVITY)	82383	WAIVED	2011/07/11	12.100	
BICARBONATE ALKALINITY	00440	WAIVED	2011/07/11	360.000	

**Testing interval is in months;*
0 = No data for this constituent and is DUE NOW
999 = Waived testing (not required)
I = Invalid (NOT) valid analyses reported

System Number: ***1900081***

System Name: ***LE CHENE RESTAURANT***

PS Code: ***1900081-003***

Source Name: ***WELL 03 BACKUP ON SIERRA HWY***

Source Number: ***003***

Source Status: ***STANDBY UNTREATED***

Water type: ***GROUNDWATER OR WELL***

SECONDARY/GP

	STORET NUMBER	TESTING INTERVAL (MONTHS)*	LAST TEST DATE (yyyy/mm/dd)	LAST RESULT REPORTED	NEXT TEST DATE (yyyy/mm)
CALCIUM	00916	WAIVED	2011/07/11	118.000	
CARBONATE ALKALINITY	00445	WAIVED	2011/07/11	< 10.000	
CHLORIDE	00940	WAIVED	2011/07/11	85.000	
COLOR	00081	WAIVED	2011/07/11	9.000	
COPPER	01042	WAIVED	2011/07/11	< 10.000	
FOAMING AGENTS (MBAS)	38260	WAIVED	2011/07/11	< .100	
HARDNESS (TOTAL) AS CACO3	00900	WAIVED	2011/07/11	484.000	
HYDROXIDE ALKALINITY	71830	WAIVED	2011/07/11	< 10.000	
IRON	01045	WAIVED	2011/07/11	60.000	
MAGNESIUM	00927	WAIVED	2011/07/11	46.000	
MANGANESE	01055	WAIVED	2011/07/11	< 10.000	
ODOR THRESHOLD @ 60 C	00086	WAIVED	2011/07/11	< 1.000	
PH, LABORATORY	00403	WAIVED	2011/07/11	7.200	
SILVER	01077	WAIVED	2011/07/11	< 1.000	
SODIUM	00929	WAIVED	2011/07/11	48.000	
SPECIFIC CONDUCTANCE	00095	WAIVED	2011/07/11	1080.000	
SULFATE	00945	WAIVED	2011/07/11	118.000	
TOTAL DISSOLVED SOLIDS	70300	WAIVED	2011/07/11	660.000	
TURBIDITY, LABORATORY	82079	WAIVED	2011/07/11	.500	
ZINC	01092	WAIVED	2011/07/11	< 20.000	

**Testing interval is in months;*
0 = No data for this constituent and is DUE NOW
999 = Waived testing (not required)
I = Invalid (NOT) valid analyses reported

System Number: ***1900089***

System Name: ***CAMPS MUNZ & MEDNENHALL***

PS Code: ***1900089-001***

Source Name: ***WELL 01***

Source Number: ***001***

Source Status: ***ACTIVE UNTREATED***

Water type: ***GROUNDWATER OR WELL***

	STORET NUMBER	TESTING INTERVAL (MONTHS)*	LAST TEST DATE (yyyy/mm/dd)	LAST RESULT REPORTED	NEXT TEST DATE (yyyy/mm)
GENERAL NON CHAP 15					
DIAZINON	39570	WAIVED			
INORGANIC					
ALUMINUM	01105	WAIVED	2006/01/25	.000	
ANTIMONY	01097	WAIVED	2006/01/25	.000	
ARSENIC	01002	WAIVED	2006/01/25	.000	
ASBESTOS	81855	WAIVED			
BARIUM	01007	WAIVED	2006/01/25	.000	
BERYLLIUM	01012	WAIVED	2004/03/18	.000	
CADMIUM	01027	WAIVED	2006/01/25	.000	
CHROMIUM (TOTAL)	01034	WAIVED	2006/01/25	.000	
CYANIDE	01291	WAIVED			
FLUORIDE (F) (NATURAL-SOURCE)	00951	WAIVED	2006/01/25	.630	
LEAD	01051	WAIVED	2006/01/25	.000	
MERCURY	71900	WAIVED	2006/01/25	.000	
NICKEL	01067	WAIVED	2006/01/25	.000	
PERCHLORATE	A-031	WAIVED	2008/01/15	3.100	
SELENIUM	01147	WAIVED	2006/01/25	.000	
THALLIUM	01059	WAIVED	2004/03/18	.000	
NITRATE/NITRITE					
NITRATE (AS NO3)	71850	WAIVED	2006/01/25	2.930	
NITRITE (AS N)	00620	WAIVED			
RADIOLOGICAL					
GROSS ALPHA	01501	WAIVED			
GROSS BETA	03501	WAIVED			
RA-226 FOR CWS OR TOTAL RA FOR NTNC BY 903.0	A-080	WAIVED			
RA-226 OR TOTAL RA BY 903.0 C.E.	A-081	WAIVED			
RADIUM 226	09501	WAIVED			
RADIUM 228	11501	WAIVED			

**Testing interval is in months;*
0 = No data for this constituent and is DUE NOW
999 = Waived testing (not required)
I = Invalid (NOT) valid analyses reported

System Number: ***1900089***

System Name: ***CAMPS MUNZ & MEDNENHALL***

PS Code: ***1900089-001***

Source Name: ***WELL 01***

Source Number: ***001***

Source Status: ***ACTIVE UNTREATED***

Water type: ***GROUNDWATER OR WELL***

	STORET NUMBER	TESTING INTERVAL (MONTHS)*	LAST TEST DATE (yyyy/mm/dd)	LAST RESULT REPORTED	NEXT TEST DATE (yyyy/mm)
RADIOLOGICAL					
RADIUM, TOTAL, MDA95-NTNC ONLY, BY 903.0	A-082	WAIVED			
STRONTIUM-90	13501	WAIVED			
TRITIUM	07000	WAIVED			
URANIUM (PCI/L)	28012	WAIVED			
REGULATED SOC					
2,3,7,8-TCDD (DIOXIN)	34676	WAIVED			
2,4,5-TP (SILVEX)	39045	WAIVED			
2,4-D	39730	WAIVED			
ALACHLOR	77825	WAIVED	2001/06/27	.000	
ATRAZINE	39033	WAIVED			
BENTAZON	38710	WAIVED			
BENZO (A) PYRENE	34247	WAIVED			
CARBOFURAN	81405	WAIVED			
CHLORDANE	39350	WAIVED	2001/06/27	.000	
DALAPON	38432	WAIVED			
DI(2-ETHYLHEXYL)ADIPATE	A-026	WAIVED			
DI(2-ETHYLHEXYL)PHTHALATE	39100	WAIVED	2001/06/27	.000	
DIBROMOCHLOROPROPANE (DBCP)	38761	WAIVED			
DINOSEB	81287	WAIVED			
DIQUAT	78885	WAIVED			
ENDOTHALL	38926	WAIVED			
ENDRIN	39390	WAIVED	2001/06/27	.000	
ETHYLENE DIBROMIDE (EDB)	77651	WAIVED			
GLYPHOSATE	79743	WAIVED			
HEPTACHLOR	39410	WAIVED	2001/06/27	.000	
HEPTACHLOR EPOXIDE	39420	WAIVED	2001/06/27	.000	
HEXACHLOROBENZENE	39700	WAIVED	2001/06/27	.000	
HEXACHLOROCYCLOPENTADIENE	34386	WAIVED	2001/06/27	.000	
LINDANE	39340	WAIVED	2001/06/27	.000	

**Testing interval is in months;*
0 = No data for this constituent and is DUE NOW
999 = Waived testing (not required)
I = Invalid (NOT) valid analyses reported

System Number: ***1900089***

System Name: ***CAMPS MUNZ & MEDNENHALL***

PS Code: ***1900089-001***

Source Name: ***WELL 01***

Source Number: ***001***

Source Status: ***ACTIVE UNTREATED***

Water type: ***GROUNDWATER OR WELL***

	STORET NUMBER	TESTING INTERVAL (MONTHS)*	LAST TEST DATE (yyyy/mm/dd)	LAST RESULT REPORTED	NEXT TEST DATE (yyyy/mm)
REGULATED SOC					
METHOXYCHLOR	39480	WAIVED	2001/06/27	.000	
MOLINATE	82199	WAIVED			
OXAMYL	38865	WAIVED			
PENTACHLOROPHENOL	39032	WAIVED			
PICLORAM	39720	WAIVED			
POLYCHLORINATED BIPHENYLS, TOTAL, AS DCB	39516	WAIVED	2001/06/27	.000	
SIMAZINE	39055	WAIVED			
THIOBENCARB	A-001	WAIVED			
TOXAPHENE	39400	WAIVED	2001/06/27	.000	
REGULATED VOC					
1,1,1-TRICHLOROETHANE	34506	WAIVED	2001/06/27	.000	
1,1,2,2-TETRACHLOROETHANE	34516	WAIVED	2001/06/27	.000	
1,1,2-TRICHLORO-1,2,2-TRIFLUOROETHANE	81611	WAIVED	2001/06/27	.000	
1,1,2-TRICHLOROETHANE	34511	WAIVED	2001/06/27	.000	
1,1-DICHLOROETHANE	34496	WAIVED	2001/06/27	.000	
1,1-DICHLOROETHYLENE	34501	WAIVED	2001/06/27	.000	
1,2,4-TRICHLOROBENZENE	34551	WAIVED	2001/06/27	.000	
1,2-DICHLOROBENZENE	34536	WAIVED	2001/06/27	.000	
1,2-DICHLOROETHANE	34531	WAIVED	2001/06/27	.000	
1,2-DICHLOROPROPANE	34541	WAIVED	2001/06/27	.000	
1,3-DICHLOROPROPENE (TOTAL)	34561	WAIVED	2001/06/27	.000	
1,4-DICHLOROBENZENE	34571	WAIVED	2001/06/27	.000	
BENZENE	34030	WAIVED	2001/06/27	.000	
CARBON TETRACHLORIDE	32102	WAIVED	2001/06/27	.000	
CIS-1,2-DICHLOROETHYLENE	77093	WAIVED	2001/06/27	.000	
DICHLOROMETHANE	34423	WAIVED	2001/06/27	.000	
ETHYLBENZENE	34371	WAIVED	2001/06/27	.000	
METHYL-TERT-BUTYL-ETHER (MTBE)	46491	WAIVED	2001/06/27	.000	
MONOCHLOROBENZENE	34301	WAIVED	2001/06/27	.000	

**Testing interval is in months;*
0 = No data for this constituent and is DUE NOW
999 = Waived testing (not required)
I = Invalid (NOT) valid analyses reported

System Number: ***1900089***

System Name: ***CAMPS MUNZ & MEDNENHALL***

PS Code: ***1900089-001***

Source Name: ***WELL 01***

Source Number: ***001***

Source Status: ***ACTIVE UNTREATED***

Water type: ***GROUNDWATER OR WELL***

	STORET NUMBER	TESTING INTERVAL (MONTHS)*	LAST TEST DATE (yyyy/mm/dd)	LAST RESULT REPORTED	NEXT TEST DATE (yyyy/mm)
REGULATED VOC					
STYRENE	77128	WAIVED	2001/06/27	.000	
TETRACHLOROETHYLENE	34475	WAIVED	2001/06/27	.000	
TOLUENE	34010	WAIVED	2001/06/27	.000	
TRANS-1,2-DICHLOROETHYLENE	34546	WAIVED	2001/06/27	.000	
TRICHLOROETHYLENE	39180	WAIVED	2001/06/27	.000	
TRICHLOROFLUOROMETHANE	34488	WAIVED	2001/06/27	.000	
VINYL CHLORIDE	39175	WAIVED	2001/06/27	.000	
XYLENES (TOTAL)	81551	WAIVED	2001/06/27	.000	
SECONDARY/GP					
AGGRSSIVE INDEX (CORROSIVITY)	82383	WAIVED			
BICARBONATE ALKALINITY	00440	WAIVED	2006/01/25	236.000	
CALCIUM	00916	WAIVED	2006/01/25	48.100	
CARBONATE ALKALINITY	00445	WAIVED	2006/01/25	.000	
CHLORIDE	00940	WAIVED	2006/01/25	21.000	
COLOR	00081	WAIVED	2006/01/25	.000	
COPPER	01042	WAIVED	2006/01/25	.000	
FOAMING AGENTS (MBAS)	38260	WAIVED	2006/01/25	.000	
HARDNESS (TOTAL) AS CACO3	00900	WAIVED	2006/01/25	220.000	
HYDROXIDE ALKALINITY	71830	WAIVED	2006/01/25	.000	
IRON	01045	WAIVED	2006/01/25	.000	
MAGNESIUM	00927	WAIVED	2006/01/25	24.300	
MANGANESE	01055	WAIVED	2006/01/25	.000	
ODOR THRESHOLD @ 60 C	00086	WAIVED	2006/01/25	.000	
PH, LABORATORY	00403	WAIVED	2006/01/25	7.590	
SILVER	01077	WAIVED	2006/01/25	.000	
SODIUM	00929	WAIVED	2006/01/25	31.500	
SPECIFIC CONDUCTANCE	00095	WAIVED	2006/01/25	531.000	
SULFATE	00945	WAIVED	2006/01/25	51.000	
TOTAL DISSOLVED SOLIDS	70300	WAIVED	2006/01/25	328.000	

**Testing interval is in months;*
0 = No data for this constituent and is DUE NOW
999 = Waived testing (not required)
I = Invalid (NOT) valid analyses reported

System Number: ***1900089***

System Name: ***CAMPS MUNZ & MEDNENHALL***

PS Code: ***1900089-001***

Source Name: ***WELL 01***

Source Number: ***001***

Source Status: ***ACTIVE UNTREATED***

Water type: ***GROUNDWATER OR WELL***

	STORET NUMBER	TESTING INTERVAL (MONTHS)*	LAST TEST DATE (yyyy/mm/dd)	LAST RESULT REPORTED	NEXT TEST DATE (yyyy/mm)
SECONDARY/GP					
TURBIDITY, LABORATORY	82079	WAIVED	2006/01/25	.180	
ZINC	01092	WAIVED	2006/01/25	.000	

PS Code: ***1900089-002***

Source Name: ***WELL 02***

Source Number: ***002***

Source Status: ***ACTIVE UNTREATED***

Water type: ***GROUNDWATER OR WELL***

GENERAL NON CHAP 15					
DIAZINON	39570	WAIVED			
INORGANIC					
ALUMINUM	01105	WAIVED	2006/01/25	.000	
ANTIMONY	01097	WAIVED	2006/01/25	.000	
ARSENIC	01002	WAIVED	2006/01/25	.000	
ASBESTOS	81855	WAIVED			
BARIUM	01007	WAIVED	2006/01/25	.000	
BERYLLIUM	01012	WAIVED	2001/10/30	.000	
CADMIUM	01027	WAIVED	2006/01/25	.000	
CHROMIUM (TOTAL)	01034	WAIVED	2006/01/25	.000	
CYANIDE	01291	WAIVED			
FLUORIDE (F) (NATURAL-SOURCE)	00951	WAIVED	2006/01/25	.630	
LEAD	01051	WAIVED	2006/01/25	.000	
MERCURY	71900	WAIVED	2006/01/25	.000	
NICKEL	01067	WAIVED	2006/01/25	.000	
PERCHLORATE	A-031	WAIVED	2006/01/25	.000	
SELENIUM	01147	WAIVED	2006/01/25	.000	
THALLIUM	01059	WAIVED			

**Testing interval is in months;*
0 = No data for this constituent and is DUE NOW
999 = Waived testing (not required)
I = Invalid (NOT) valid analyses reported

System Number: ***1900089***

System Name: ***CAMPS MUNZ & MEDNENHALL***

PS Code: ***1900089-002***

Source Name: ***WELL 02***

Source Number: ***002***

Source Status: ***ACTIVE UNTREATED***

Water type: ***GROUNDWATER OR WELL***

	STORET NUMBER	TESTING INTERVAL (MONTHS)*	LAST TEST DATE (yyyy/mm/dd)	LAST RESULT REPORTED	NEXT TEST DATE (yyyy/mm)
NITRATE/NITRITE					
NITRATE (AS NO3)	71850	WAIVED	2006/01/25	2.870	
NITRITE (AS N)	00620	WAIVED			
RADIOLOGICAL					
GROSS ALPHA	01501	WAIVED			
GROSS BETA	03501	WAIVED			
RA-226 FOR CWS OR TOTAL RA FOR NTNC BY 903.0	A-080	WAIVED			
RA-226 OR TOTAL RA BY 903.0 C.E.	A-081	WAIVED			
RADIUM 226	09501	WAIVED			
RADIUM 228	11501	WAIVED			
RADIUM, TOTAL, MDA95-NTNC ONLY, BY 903.0	A-082	WAIVED			
STRONTIUM-90	13501	WAIVED			
TRITIUM	07000	WAIVED			
URANIUM (PCI/L)	28012	WAIVED			
REGULATED SOC					
2,3,7,8-TCDD (DIOXIN)	34676	WAIVED			
2,4,5-TP (SILVEX)	39045	WAIVED			
2,4-D	39730	WAIVED			
ALACHLOR	77825	WAIVED	2001/06/27	.000	
ATRAZINE	39033	WAIVED			
BENTAZON	38710	WAIVED			
BENZO (A) PYRENE	34247	WAIVED			
CARBOFURAN	81405	WAIVED			
CHLORDANE	39350	WAIVED	2001/06/27	.000	
DALAPON	38432	WAIVED			
DI(2-ETHYLHEXYL)ADIPATE	A-026	WAIVED			
DI(2-ETHYLHEXYL)PHTHALATE	39100	WAIVED	2001/06/27	.000	
DIBROMOCHLOROPROPANE (DBCP)	38761	WAIVED			
DINOSEB	81287	WAIVED			
DIQUAT	78885	WAIVED			

**Testing interval is in months;*
0 = No data for this constituent and is DUE NOW
999 = Waived testing (not required)
I = Invalid (NOT) valid analyses reported

System Number: ***1900089***

System Name: ***CAMPS MUNZ & MEDNENHALL***

PS Code: ***1900089-002***

Source Name: ***WELL 02***

Source Number: ***002***

Source Status: ***ACTIVE UNTREATED***

Water type: ***GROUNDWATER OR WELL***

	STORET NUMBER	TESTING INTERVAL (MONTHS)*	LAST TEST DATE (yyyy/mm/dd)	LAST RESULT REPORTED	NEXT TEST DATE (yyyy/mm)
REGULATED SOC					
ENDOTHALL	38926	WAIVED			
ENDRIN	39390	WAIVED	2001/06/27	.000	
ETHYLENE DIBROMIDE (EDB)	77651	WAIVED			
GLYPHOSATE	79743	WAIVED			
HEPTACHLOR	39410	WAIVED	2001/06/27	.000	
HEPTACHLOR EPOXIDE	39420	WAIVED	2001/06/27	.000	
HEXACHLOROBENZENE	39700	WAIVED	2001/06/27	.000	
HEXACHLOROCYCLOPENTADIENE	34386	WAIVED	2001/06/27	.000	
LINDANE	39340	WAIVED	2001/06/27	.000	
METHOXYCHLOR	39480	WAIVED	2001/06/27	.000	
MOLINATE	82199	WAIVED			
OXAMYL	38865	WAIVED			
PENTACHLOROPHENOL	39032	WAIVED			
PICLORAM	39720	WAIVED			
POLYCHLORINATED BIPHENYLS, TOTAL, AS DCB	39516	WAIVED	2001/06/27	.000	
SIMAZINE	39055	WAIVED			
THIOBENCARB	A-001	WAIVED			
TOXAPHENE	39400	WAIVED	2001/06/27	.000	
REGULATED VOC					
1,1,1-TRICHLOROETHANE	34506	WAIVED	2001/06/27	.000	
1,1,2,2-TETRACHLOROETHANE	34516	WAIVED	2001/06/27	.000	
1,1,2-TRICHLORO-1,2,2-TRIFLUOROETHANE	81611	WAIVED	2001/06/27	.000	
1,1,2-TRICHLOROETHANE	34511	WAIVED	2001/06/27	.000	
1,1-DICHLOROETHANE	34496	WAIVED	2001/06/27	.000	
1,1-DICHLOROETHYLENE	34501	WAIVED	2001/06/27	.000	
1,2,4-TRICHLOROBENZENE	34551	WAIVED	2001/06/27	.000	
1,2-DICHLOROBENZENE	34536	WAIVED	2001/06/27	.000	
1,2-DICHLOROETHANE	34531	WAIVED	2001/06/27	.000	
1,2-DICHLOROPROPANE	34541	WAIVED	2001/06/27	.000	

**Testing interval is in months;*
0 = No data for this constituent and is DUE NOW
999 = Waived testing (not required)
I = Invalid (NOT) valid analyses reported

System Number: ***1900089***

System Name: ***CAMPS MUNZ & MEDNENHALL***

PS Code: ***1900089-002***

Source Name: ***WELL 02***

Source Number: ***002***

Source Status: ***ACTIVE UNTREATED***

Water type: ***GROUNDWATER OR WELL***

	STORET NUMBER	TESTING INTERVAL (MONTHS)*	LAST TEST DATE (yyyy/mm/dd)	LAST RESULT REPORTED	NEXT TEST DATE (yyyy/mm)
REGULATED VOC					
1,3-DICHLOROPROPENE (TOTAL)	34561	WAIVED	2001/06/27	.000	
1,4-DICHLOROBENZENE	34571	WAIVED	2001/06/27	.000	
BENZENE	34030	WAIVED	2001/06/27	.000	
CARBON TETRACHLORIDE	32102	WAIVED	2001/06/27	.000	
CIS-1,2-DICHLOROETHYLENE	77093	WAIVED	2001/06/27	.000	
DICHLOROMETHANE	34423	WAIVED	2001/06/27	.000	
ETHYLBENZENE	34371	WAIVED	2001/06/27	.000	
METHYL-TERT-BUTYL-ETHER (MTBE)	46491	WAIVED	2001/06/27	.000	
MONOCHLOROBENZENE	34301	WAIVED	2001/06/27	.000	
STYRENE	77128	WAIVED	2001/06/27	.000	
TETRACHLOROETHYLENE	34475	WAIVED	2001/06/27	.000	
TOLUENE	34010	WAIVED	2001/06/27	.000	
TRANS-1,2-DICHLOROETHYLENE	34546	WAIVED	2001/06/27	.000	
TRICHLOROETHYLENE	39180	WAIVED	2001/06/27	.000	
TRICHLOROFLUOROMETHANE	34488	WAIVED	2001/06/27	.000	
VINYL CHLORIDE	39175	WAIVED	2001/06/27	.000	
XYLENES (TOTAL)	81551	WAIVED	2001/06/27	.000	
SECONDARY/GP					
AGGRSSIVE INDEX (CORROSIVITY)	82383	WAIVED			
BICARBONATE ALKALINITY	00440	WAIVED	2006/01/25	238.000	
CALCIUM	00916	WAIVED	2006/01/25	52.100	
CARBONATE ALKALINITY	00445	WAIVED	2006/01/25	.000	
CHLORIDE	00940	WAIVED	2006/01/25	11.400	
COLOR	00081	WAIVED	2006/01/25	.000	
COPPER	01042	WAIVED	2006/01/25	.000	
FOAMING AGENTS (MBAS)	38260	WAIVED	2006/01/25	.000	
HARDNESS (TOTAL) AS CACO3	00900	WAIVED	2006/01/25	230.000	
HYDROXIDE ALKALINITY	71830	WAIVED	2006/01/25	.000	
IRON	01045	WAIVED	2006/01/25	.000	

**Testing interval is in months;*
0 = No data for this constituent and is DUE NOW
999 = Waived testing (not required)
I = Invalid (NOT) valid analyses reported

System Number: ***1900089***

System Name: ***CAMPS MUNZ & MEDNENHALL***

PS Code: ***1900089-002***

Source Name: ***WELL 02***

Source Number: ***002***

Source Status: ***ACTIVE UNTREATED***

Water type: ***GROUNDWATER OR WELL***

SECONDARY/GP

	STORET NUMBER	TESTING INTERVAL (MONTHS)*	LAST TEST DATE (yyyy/mm/dd)	LAST RESULT REPORTED	NEXT TEST DATE (yyyy/mm)
MAGNESIUM	00927	WAIVED	2006/01/25	24.300	
MANGANESE	01055	WAIVED	2006/01/25	.000	
ODOR THRESHOLD @ 60 C	00086	WAIVED	2006/01/25	.000	
PH, LABORATORY	00403	WAIVED	2006/01/25	7.460	
SILVER	01077	WAIVED	2006/01/25	.000	
SODIUM	00929	WAIVED	2006/01/25	25.900	
SPECIFIC CONDUCTANCE	00095	WAIVED	2006/01/25	503.000	
SULFATE	00945	WAIVED	2006/01/25	51.800	
TOTAL DISSOLVED SOLIDS	70300	WAIVED	2006/01/25	308.000	
TURBIDITY, LABORATORY	82079	WAIVED	2006/01/25	.700	
ZINC	01092	WAIVED	2006/01/25	.000	

PS Code: ***1900089-003***

Source Name: ***AUTOMATIC CHLORINATION UNIT***

Source Number: ***003***

Source Status: ***ACTIVE TREATED***

Water type: ***GROUNDWATER OR WELL***

GENERAL NON CHAP 15

DIAZINON	39570	WAIVED			

INORGANIC

ALUMINUM	01105	WAIVED			
ANTIMONY	01097	WAIVED			
ARSENIC	01002	WAIVED			
ASBESTOS	81855	WAIVED			
BARIUM	01007	WAIVED			
BERYLLIUM	01012	WAIVED			
CADMIUM	01027	WAIVED			
CHROMIUM (TOTAL)	01034	WAIVED			
CYANIDE	01291	WAIVED			

**Testing interval is in months;*
0 = No data for this constituent and is DUE NOW
999 = Waived testing (not required)
I = Invalid (NOT) valid analyses reported

System Number: ***1900089***

System Name: ***CAMPS MUNZ & MEDNENHALL***

PS Code: ***1900089-003***

Source Name: ***AUTOMATIC CHLORINATION UNIT***

Source Number: ***003***

Source Status: ***ACTIVE TREATED***

Water type: ***GROUNDWATER OR WELL***

	STORET NUMBER	TESTING INTERVAL (MONTHS)*	LAST TEST DATE (yyyy/mm/dd)	LAST RESULT REPORTED	NEXT TEST DATE (yyyy/mm)
INORGANIC					
FLUORIDE (F) (NATURAL-SOURCE)	00951	WAIVED			
LEAD	01051	WAIVED			
MERCURY	71900	WAIVED			
NICKEL	01067	WAIVED			
PERCHLORATE	A-031	WAIVED			
SELENIUM	01147	WAIVED			
THALLIUM	01059	WAIVED			
NITRATE/NITRITE					
NITRATE (AS NO3)	71850	WAIVED			
NITRITE (AS N)	00620	WAIVED			
RADIOLOGICAL					
GROSS ALPHA	01501	WAIVED			
GROSS BETA	03501	WAIVED			
RA-226 FOR CWS OR TOTAL RA FOR NTNC BY 903.0	A-080	WAIVED			
RA-226 OR TOTAL RA BY 903.0 C.E.	A-081	WAIVED			
RADIUM 226	09501	WAIVED			
RADIUM 228	11501	WAIVED			
RADIUM, TOTAL, MDA95-NTNC ONLY, BY 903.0	A-082	WAIVED			
STRONTIUM-90	13501	WAIVED			
TRITIUM	07000	WAIVED			
URANIUM (PCI/L)	28012	WAIVED			
REGULATED SOC					
2,3,7,8-TCDD (DIOXIN)	34676	WAIVED			
2,4,5-TP (SILVEX)	39045	WAIVED			
2,4-D	39730	WAIVED			
ALACHLOR	77825	WAIVED			
ATRAZINE	39033	WAIVED			
BENTAZON	38710	WAIVED			

**Testing interval is in months;*
0 = No data for this constituent and is DUE NOW
999 = Waived testing (not required)
I = Invalid (NOT) valid analyses reported

System Number: ***1900089***

System Name: ***CAMPS MUNZ & MEDNENHALL***

PS Code: ***1900089-003***

Source Name: ***AUTOMATIC CHLORINATION UNIT***

Source Number: ***003***

Source Status: ***ACTIVE TREATED***

Water type: ***GROUNDWATER OR WELL***

REGULATED SOC

	STORET NUMBER	TESTING INTERVAL (MONTHS)*	LAST TEST DATE (yyyy/mm/dd)	LAST RESULT REPORTED	NEXT TEST DATE (yyyy/mm)
BENZO (A) PYRENE	34247	WAIVED			
CARBOFURAN	81405	WAIVED			
CHLORDANE	39350	WAIVED			
DALAPON	38432	WAIVED			
DI(2-ETHYLHEXYL)ADIPATE	A-026	WAIVED			
DI(2-ETHYLHEXYL)PHTHALATE	39100	WAIVED			
DIBROMOCHLOROPROPANE (DBCP)	38761	WAIVED			
DINOSEB	81287	WAIVED			
DIQUAT	78885	WAIVED			
ENDOTHALL	38926	WAIVED			
ENDRIN	39390	WAIVED			
ETHYLENE DIBROMIDE (EDB)	77651	WAIVED			
GLYPHOSATE	79743	WAIVED			
HEPTACHLOR	39410	WAIVED			
HEPTACHLOR EPOXIDE	39420	WAIVED			
HEXACHLOROBENZENE	39700	WAIVED			
HEXACHLOROCYCLOPENTADIENE	34386	WAIVED			
LINDANE	39340	WAIVED			
METHOXYCHLOR	39480	WAIVED			
MOLINATE	82199	WAIVED			
OXAMYL	38865	WAIVED			
PENTACHLOROPHENOL	39032	WAIVED			
PICLORAM	39720	WAIVED			
POLYCHLORINATED BIPHENYLS, TOTAL, AS DCB	39516	WAIVED			
SIMAZINE	39055	WAIVED			
THIOBENCARB	A-001	WAIVED			
TOXAPHENE	39400	WAIVED			

REGULATED VOC

1,1,1-TRICHLOROETHANE	34506	WAIVED			

**Testing interval is in months;*
0 = No data for this constituent and is DUE NOW
999 = Waived testing (not required)
I = Invalid (NOT) valid analyses reported

System Number: 1900089
System Name: CAMPS MUNZ & MEDNENHALL

PS Code: 1900089-003
Source Name: AUTOMATIC CHLORINATION UNIT
Source Number: 003
Source Status: ACTIVE TREATED
Water type: GROUNDWATER OR WELL

	STORET NUMBER	TESTING INTERVAL (MONTHS)*	LAST TEST DATE (yyyy/mm/dd)	LAST RESULT REPORTED	NEXT TEST DATE (yyyy/mm)
REGULATED VOC					
1,1,2,2-TETRACHLOROETHANE	34516	WAIVED			
1,1,2-TRICHLORO-1,2,2-TRIFLUOROETHANE	81611	WAIVED			
1,1,2-TRICHLOROETHANE	34511	WAIVED			
1,1-DICHLOROETHANE	34496	WAIVED			
1,1-DICHLOROETHYLENE	34501	WAIVED			
1,2,4-TRICHLOROBENZENE	34551	WAIVED			
1,2-DICHLOROBENZENE	34536	WAIVED			
1,2-DICHLOROETHANE	34531	WAIVED			
1,2-DICHLOROPROPANE	34541	WAIVED			
1,3-DICHLOROPROPENE (TOTAL)	34561	WAIVED			
1,4-DICHLOROBENZENE	34571	WAIVED			
BENZENE	34030	WAIVED			
CARBON TETRACHLORIDE	32102	WAIVED			
CIS-1,2-DICHLOROETHYLENE	77093	WAIVED			
DICHLOROMETHANE	34423	WAIVED			
ETHYLBENZENE	34371	WAIVED			
METHYL-TERT-BUTYL-ETHER (MTBE)	46491	WAIVED			
MONOCHLOROBENZENE	34301	WAIVED			
STYRENE	77128	WAIVED			
TETRACHLOROETHYLENE	34475	WAIVED			
TOLUENE	34010	WAIVED			
TRANS-1,2-DICHLOROETHYLENE	34546	WAIVED			
TRICHLOROETHYLENE	39180	WAIVED			
TRICHLOROFLUOROMETHANE	34488	WAIVED			
VINYL CHLORIDE	39175	WAIVED			
XYLENES (TOTAL)	81551	WAIVED			
SECONDARY/GP					
AGGRSSIVE INDEX (CORROSIVITY)	82383	WAIVED			
BICARBONATE ALKALINITY	00440	WAIVED			

**Testing interval is in months;*
0 = No data for this constituent and is DUE NOW
999 = Waived testing (not required)
I = Invalid (NOT) valid analyses reported

System Number: ***1900089***

System Name: ***CAMPS MUNZ & MEDNENHALL***

PS Code: ***1900089-003***

Source Name: ***AUTOMATIC CHLORINATION UNIT***

Source Number: ***003***

Source Status: ***ACTIVE TREATED***

Water type: ***GROUNDWATER OR WELL***

SECONDARY/GP

	STORET NUMBER	TESTING INTERVAL (MONTHS)*	LAST TEST DATE (yyyy/mm/dd)	LAST RESULT REPORTED	NEXT TEST DATE (yyyy/mm)
CALCIUM	00916	WAIVED			
CARBONATE ALKALINITY	00445	WAIVED			
CHLORIDE	00940	WAIVED			
COLOR	00081	WAIVED			
COPPER	01042	WAIVED			
FOAMING AGENTS (MBAS)	38260	WAIVED			
HARDNESS (TOTAL) AS CACO3	00900	WAIVED			
HYDROXIDE ALKALINITY	71830	WAIVED			
IRON	01045	WAIVED			
MAGNESIUM	00927	WAIVED			
MANGANESE	01055	WAIVED			
ODOR THRESHOLD @ 60 C	00086	WAIVED			
PH, LABORATORY	00403	WAIVED			
SILVER	01077	WAIVED			
SODIUM	00929	WAIVED			
SPECIFIC CONDUCTANCE	00095	WAIVED			
SULFATE	00945	WAIVED			
TOTAL DISSOLVED SOLIDS	70300	WAIVED			
TURBIDITY, LABORATORY	82079	WAIVED			
ZINC	01092	WAIVED			

**Testing interval is in months;*
0 = No data for this constituent and is DUE NOW
999 = Waived testing (not required)
I = Invalid (NOT) valid analyses reported

System Number: ***1900092***

System Name: ***FIESTA CYPRESS RESORT***

PS Code: ***1900092-001***

Source Name: ***WELL 01***

Source Number: ***001***

Source Status: ***ACTIVE UNTREATED***

Water type: ***GROUNDWATER OR WELL***

	STORET NUMBER	TESTING INTERVAL (MONTHS)*	LAST TEST DATE (yyyy/mm/dd)	LAST RESULT REPORTED	NEXT TEST DATE (yyyy/mm)
GENERAL NON CHAP 15					
DIAZINON	39570	WAIVED			
INORGANIC					
ALUMINUM	01105	WAIVED	2006/01/17	.000	
ANTIMONY	01097	WAIVED	2006/01/17	.000	
ARSENIC	01002	WAIVED	2006/01/17	.000	
ASBESTOS	81855	WAIVED			
BARIUM	01007	WAIVED	2006/01/17	.000	
BERYLLIUM	01012	WAIVED			
CADMIUM	01027	WAIVED	2006/01/17	.000	
CHROMIUM (TOTAL)	01034	WAIVED	2006/01/17	.000	
CYANIDE	01291	WAIVED			
FLUORIDE (F) (NATURAL-SOURCE)	00951	WAIVED	2006/01/17	.290	
LEAD	01051	WAIVED	2006/01/17	.000	
MERCURY	71900	WAIVED	2006/01/17	.000	
NICKEL	01067	WAIVED	2006/01/17	.000	
PERCHLORATE	A-031	WAIVED			
SELENIUM	01147	WAIVED	2006/01/17	.000	
THALLIUM	01059	WAIVED			
NITRATE/NITRITE					
NITRATE (AS NO3)	71850	WAIVED	2011/04/06	3.600	
NITRITE (AS N)	00620	WAIVED	2011/04/06	< .100	
RADIOLOGICAL					
GROSS ALPHA	01501	WAIVED			
GROSS BETA	03501	WAIVED			
RA-226 FOR CWS OR TOTAL RA FOR NTNC BY 903.0	A-080	WAIVED			
RA-226 OR TOTAL RA BY 903.0 C.E.	A-081	WAIVED			
RADIUM 226	09501	WAIVED			
RADIUM 228	11501	WAIVED			

**Testing interval is in months;*
0 = No data for this constituent and is DUE NOW
999 = Waived testing (not required)
I = Invalid (NOT) valid analyses reported

System Number: ***1900092***

System Name: ***FIESTA CYPRESS RESORT***

PS Code: ***1900092-001***

Source Name: ***WELL 01***

Source Number: ***001***

Source Status: ***ACTIVE UNTREATED***

Water type: ***GROUNDWATER OR WELL***

	STORET NUMBER	TESTING INTERVAL (MONTHS)*	LAST TEST DATE (yyyy/mm/dd)	LAST RESULT REPORTED	NEXT TEST DATE (yyyy/mm)
RADIOLOGICAL					
RADIUM, TOTAL, MDA95-NTNC ONLY, BY 903.0	A-082	WAIVED			
STRONTIUM-90	13501	WAIVED			
TRITIUM	07000	WAIVED			
URANIUM (PCI/L)	28012	WAIVED			
REGULATED SOC					
2,3,7,8-TCDD (DIOXIN)	34676	WAIVED			
2,4,5-TP (SILVEX)	39045	WAIVED			
2,4-D	39730	WAIVED			
ALACHLOR	77825	WAIVED			
ATRAZINE	39033	WAIVED			
BENTAZON	38710	WAIVED			
BENZO (A) PYRENE	34247	WAIVED			
CARBOFURAN	81405	WAIVED			
CHLORDANE	39350	WAIVED			
DALAPON	38432	WAIVED			
DI(2-ETHYLHEXYL)ADIPATE	A-026	WAIVED			
DI(2-ETHYLHEXYL)PHTHALATE	39100	WAIVED			
DIBROMOCHLOROPROPANE (DBCP)	38761	WAIVED			
DINOSEB	81287	WAIVED			
DIQUAT	78885	WAIVED			
ENDOTHALL	38926	WAIVED			
ENDRIN	39390	WAIVED			
ETHYLENE DIBROMIDE (EDB)	77651	WAIVED			
GLYPHOSATE	79743	WAIVED			
HEPTACHLOR	39410	WAIVED			
HEPTACHLOR EPOXIDE	39420	WAIVED			
HEXACHLOROBENZENE	39700	WAIVED			
HEXACHLOROCYCLOPENTADIENE	34386	WAIVED			
LINDANE	39340	WAIVED			

**Testing interval is in months;*
0 = No data for this constituent and is DUE NOW
999 = Waived testing (not required)
I = Invalid (NOT) valid analyses reported

System Number: ***1900092***

System Name: ***FIESTA CYPRESS RESORT***

PS Code: ***1900092-001***

Source Name: ***WELL 01***

Source Number: ***001***

Source Status: ***ACTIVE UNTREATED***

Water type: ***GROUNDWATER OR WELL***

	STORET NUMBER	TESTING INTERVAL (MONTHS)*	LAST TEST DATE (yyyy/mm/dd)	LAST RESULT REPORTED	NEXT TEST DATE (yyyy/mm)
REGULATED SOC					
METHOXYCHLOR	39480	WAIVED			
MOLINATE	82199	WAIVED			
OXAMYL	38865	WAIVED			
PENTACHLOROPHENOL	39032	WAIVED			
PICLORAM	39720	WAIVED			
POLYCHLORINATED BIPHENYLS, TOTAL, AS DCB	39516	WAIVED			
SIMAZINE	39055	WAIVED			
THIOBENCARB	A-001	WAIVED			
TOXAPHENE	39400	WAIVED			
REGULATED VOC					
1,1,1-TRICHLOROETHANE	34506	WAIVED			
1,1,2,2-TETRACHLOROETHANE	34516	WAIVED			
1,1,2-TRICHLORO-1,2,2-TRIFLUOROETHANE	81611	WAIVED			
1,1,2-TRICHLOROETHANE	34511	WAIVED			
1,1-DICHLOROETHANE	34496	WAIVED			
1,1-DICHLOROETHYLENE	34501	WAIVED			
1,2,4-TRICHLOROBENZENE	34551	WAIVED			
1,2-DICHLOROBENZENE	34536	WAIVED			
1,2-DICHLOROETHANE	34531	WAIVED			
1,2-DICHLOROPROPANE	34541	WAIVED			
1,3-DICHLOROPROPENE (TOTAL)	34561	WAIVED			
1,4-DICHLOROBENZENE	34571	WAIVED			
BENZENE	34030	WAIVED			
CARBON TETRACHLORIDE	32102	WAIVED			
CIS-1,2-DICHLOROETHYLENE	77093	WAIVED			
DICHLOROMETHANE	34423	WAIVED			
ETHYLBENZENE	34371	WAIVED			
METHYL-TERT-BUTYL-ETHER (MTBE)	46491	WAIVED			
MONOCHLOROBENZENE	34301	WAIVED			

**Testing interval is in months;*
0 = No data for this constituent and is DUE NOW
999 = Waived testing (not required)
I = Invalid (NOT) valid analyses reported

System Number: ***1900092***

System Name: ***FIESTA CYPRESS RESORT***

PS Code: ***1900092-001***

Source Name: ***WELL 01***

Source Number: ***001***

Source Status: ***ACTIVE UNTREATED***

Water type: ***GROUNDWATER OR WELL***

	STORET NUMBER	TESTING INTERVAL (MONTHS)*	LAST TEST DATE (yyyy/mm/dd)	LAST RESULT REPORTED	NEXT TEST DATE (yyyy/mm)
REGULATED VOC					
STYRENE	77128	WAIVED			
TETRACHLOROETHYLENE	34475	WAIVED			
TOLUENE	34010	WAIVED			
TRANS-1,2-DICHLOROETHYLENE	34546	WAIVED			
TRICHLOROETHYLENE	39180	WAIVED			
TRICHLOROFLUOROMETHANE	34488	WAIVED			
VINYL CHLORIDE	39175	WAIVED			
XYLENES (TOTAL)	81551	WAIVED			
SECONDARY/GP					
AGGRSSIVE INDEX (CORROSIVITY)	82383	WAIVED			
BICARBONATE ALKALINITY	00440	WAIVED	2006/01/17	219.000	
CALCIUM	00916	WAIVED	2006/01/17	72.100	
CARBONATE ALKALINITY	00445	WAIVED	2006/01/17	.000	
CHLORIDE	00940	WAIVED	2006/01/17	41.800	
COLOR	00081	WAIVED			
COPPER	01042	WAIVED	2006/01/17	.000	
FOAMING AGENTS (MBAS)	38260	WAIVED			
HARDNESS (TOTAL) AS CACO3	00900	WAIVED	2006/01/17	260.000	
HYDROXIDE ALKALINITY	71830	WAIVED	2006/01/17	.000	
IRON	01045	WAIVED	2006/01/17	.000	
MAGNESIUM	00927	WAIVED	2006/01/17	19.400	
MANGANESE	01055	WAIVED	2006/01/17	.000	
ODOR THRESHOLD @ 60 C	00086	WAIVED			
PH, LABORATORY	00403	WAIVED	2006/01/17	8.340	
SILVER	01077	WAIVED	2006/01/17	.000	
SODIUM	00929	WAIVED	2006/01/17	40.200	
SPECIFIC CONDUCTANCE	00095	WAIVED	2005/12/22	653.000	
SULFATE	00945	WAIVED	2006/01/17	72.900	
TOTAL DISSOLVED SOLIDS	70300	WAIVED	2006/01/17	418.000	

**Testing interval is in months;*
0 = No data for this constituent and is DUE NOW
999 = Waived testing (not required)
I = Invalid (NOT) valid analyses reported

System Number: ***1900092***

System Name: ***FIESTA CYPRESS RESORT***

PS Code: ***1900092-001***

Source Name: ***WELL 01***

Source Number: ***001***

Source Status: ***ACTIVE UNTREATED***

Water type: ***GROUNDWATER OR WELL***

	STORET NUMBER	TESTING INTERVAL (MONTHS)*	LAST TEST DATE (yyyy/mm/dd)	LAST RESULT REPORTED	NEXT TEST DATE (yyyy/mm)
SECONDARY/GP					
TURBIDITY, LABORATORY	82079	WAIVED	2006/01/17	.170	
ZINC	01092	WAIVED	2006/01/17	.000	

PS Code: ***1900092-002***

Source Name: ***WELL 02 IRRIGATION ONLY***

Source Number: ***002***

Source Status: ***ACTIVE UNTREATED***

Water type: ***GROUNDWATER OR WELL***

GENERAL NON CHAP 15					
DIAZINON	39570	WAIVED			
INORGANIC					
ALUMINUM	01105	WAIVED			
ANTIMONY	01097	WAIVED			
ARSENIC	01002	WAIVED			
ASBESTOS	81855	WAIVED			
BARIUM	01007	WAIVED			
BERYLLIUM	01012	WAIVED			
CADMIUM	01027	WAIVED			
CHROMIUM (TOTAL)	01034	WAIVED			
CYANIDE	01291	WAIVED			
FLUORIDE (F) (NATURAL-SOURCE)	00951	WAIVED			
LEAD	01051	WAIVED			
MERCURY	71900	WAIVED			
NICKEL	01067	WAIVED			
PERCHLORATE	A-031	WAIVED			
SELENIUM	01147	WAIVED			
THALLIUM	01059	WAIVED			

**Testing interval is in months;*
0 = No data for this constituent and is DUE NOW
999 = Waived testing (not required)
I = Invalid (NOT) valid analyses reported

System Number: ***1900092***

System Name: ***FIESTA CYPRESS RESORT***

PS Code: ***1900092-002***

Source Name: ***WELL 02 IRRIGATION ONLY***

Source Number: ***002***

Source Status: ***ACTIVE UNTREATED***

Water type: ***GROUNDWATER OR WELL***

	STORET NUMBER	TESTING INTERVAL (MONTHS)*	LAST TEST DATE (yyyy/mm/dd)	LAST RESULT REPORTED	NEXT TEST DATE (yyyy/mm)
NITRATE/NITRITE					
NITRATE (AS NO3)	71850	WAIVED			
NITRITE (AS N)	00620	WAIVED			
RADIOLOGICAL					
GROSS ALPHA	01501	WAIVED			
GROSS BETA	03501	WAIVED			
RA-226 FOR CWS OR TOTAL RA FOR NTNC BY 903.0	A-080	WAIVED			
RA-226 OR TOTAL RA BY 903.0 C.E.	A-081	WAIVED			
RADIUM 226	09501	WAIVED			
RADIUM 228	11501	WAIVED			
RADIUM, TOTAL, MDA95-NTNC ONLY, BY 903.0	A-082	WAIVED			
STRONTIUM-90	13501	WAIVED			
TRITIUM	07000	WAIVED			
URANIUM (PCI/L)	28012	WAIVED			
REGULATED SOC					
2,3,7,8-TCDD (DIOXIN)	34676	WAIVED			
2,4,5-TP (SILVEX)	39045	WAIVED			
2,4-D	39730	WAIVED			
ALACHLOR	77825	WAIVED			
ATRAZINE	39033	WAIVED			
BENTAZON	38710	WAIVED			
BENZO (A) PYRENE	34247	WAIVED			
CARBOFURAN	81405	WAIVED			
CHLORDANE	39350	WAIVED			
DALAPON	38432	WAIVED			
DI(2-ETHYLHEXYL)ADIPATE	A-026	WAIVED			
DI(2-ETHYLHEXYL)PHTHALATE	39100	WAIVED			
DIBROMOCHLOROPROPANE (DBCP)	38761	WAIVED			
DINOSEB	81287	WAIVED			
DIQUAT	78885	WAIVED			

**Testing interval is in months;*
0 = No data for this constituent and is DUE NOW
999 = Waived testing (not required)
I = Invalid (NOT) valid analyses reported

System Number: ***1900092***

System Name: ***FIESTA CYPRESS RESORT***

PS Code: ***1900092-002***

Source Name: ***WELL 02 IRRIGATION ONLY***

Source Number: ***002***

Source Status: ***ACTIVE UNTREATED***

Water type: ***GROUNDWATER OR WELL***

	STORET NUMBER	TESTING INTERVAL (MONTHS)*	LAST TEST DATE (yyyy/mm/dd)	LAST RESULT REPORTED	NEXT TEST DATE (yyyy/mm)
REGULATED SOC					
ENDOTHALL	38926	WAIVED			
ENDRIN	39390	WAIVED			
ETHYLENE DIBROMIDE (EDB)	77651	WAIVED			
GLYPHOSATE	79743	WAIVED			
HEPTACHLOR	39410	WAIVED			
HEPTACHLOR EPOXIDE	39420	WAIVED			
HEXACHLOROBENZENE	39700	WAIVED			
HEXACHLOROCYCLOPENTADIENE	34386	WAIVED			
LINDANE	39340	WAIVED			
METHOXYCHLOR	39480	WAIVED			
MOLINATE	82199	WAIVED			
OXAMYL	38865	WAIVED			
PENTACHLOROPHENOL	39032	WAIVED			
PICLORAM	39720	WAIVED			
POLYCHLORINATED BIPHENYLS, TOTAL, AS DCB	39516	WAIVED			
SIMAZINE	39055	WAIVED			
THIOBENCARB	A-001	WAIVED			
TOXAPHENE	39400	WAIVED			
REGULATED VOC					
1,1,1-TRICHLOROETHANE	34506	WAIVED			
1,1,2,2-TETRACHLOROETHANE	34516	WAIVED			
1,1,2-TRICHLORO-1,2,2-TRIFLUOROETHANE	81611	WAIVED			
1,1,2-TRICHLOROETHANE	34511	WAIVED			
1,1-DICHLOROETHANE	34496	WAIVED			
1,1-DICHLOROETHYLENE	34501	WAIVED			
1,2,4-TRICHLOROBENZENE	34551	WAIVED			
1,2-DICHLOROBENZENE	34536	WAIVED			
1,2-DICHLOROETHANE	34531	WAIVED			
1,2-DICHLOROPROPANE	34541	WAIVED			

**Testing interval is in months;*
0 = No data for this constituent and is DUE NOW
999 = Waived testing (not required)
I = Invalid (NOT) valid analyses reported

System Number: ***1900092***

System Name: ***FIESTA CYPRESS RESORT***

PS Code: ***1900092-002***

Source Name: ***WELL 02 IRRIGATION ONLY***

Source Number: ***002***

Source Status: ***ACTIVE UNTREATED***

Water type: ***GROUNDWATER OR WELL***

	STORET NUMBER	TESTING INTERVAL (MONTHS)*	LAST TEST DATE (yyyy/mm/dd)	LAST RESULT REPORTED	NEXT TEST DATE (yyyy/mm)
REGULATED VOC					
1,3-DICHLOROPROPENE (TOTAL)	34561	WAIVED			
1,4-DICHLOROBENZENE	34571	WAIVED			
BENZENE	34030	WAIVED			
CARBON TETRACHLORIDE	32102	WAIVED			
CIS-1,2-DICHLOROETHYLENE	77093	WAIVED			
DICHLOROMETHANE	34423	WAIVED			
ETHYLBENZENE	34371	WAIVED			
METHYL-TERT-BUTYL-ETHER (MTBE)	46491	WAIVED			
MONOCHLOROBENZENE	34301	WAIVED			
STYRENE	77128	WAIVED			
TETRACHLOROETHYLENE	34475	WAIVED			
TOLUENE	34010	WAIVED			
TRANS-1,2-DICHLOROETHYLENE	34546	WAIVED			
TRICHLOROETHYLENE	39180	WAIVED			
TRICHLOROFLUOROMETHANE	34488	WAIVED			
VINYL CHLORIDE	39175	WAIVED			
XYLENES (TOTAL)	81551	WAIVED			
SECONDARY/GP					
AGGRSSIVE INDEX (CORROSIVITY)	82383	WAIVED			
BICARBONATE ALKALINITY	00440	WAIVED			
CALCIUM	00916	WAIVED			
CARBONATE ALKALINITY	00445	WAIVED			
CHLORIDE	00940	WAIVED			
COLOR	00081	WAIVED			
COPPER	01042	WAIVED			
FOAMING AGENTS (MBAS)	38260	WAIVED			
HARDNESS (TOTAL) AS CACO3	00900	WAIVED			
HYDROXIDE ALKALINITY	71830	WAIVED			
IRON	01045	WAIVED			

**Testing interval is in months;*
0 = No data for this constituent and is DUE NOW
999 = Waived testing (not required)
I = Invalid (NOT) valid analyses reported

System Number: ***1900092***

System Name: ***FIESTA CYPRESS RESORT***

PS Code: ***1900092-002***

Source Name: ***WELL 02 IRRIGATION ONLY***

Source Number: ***002***

Source Status: ***ACTIVE UNTREATED***

Water type: ***GROUNDWATER OR WELL***

SECONDARY/GP	STORET NUMBER	TESTING INTERVAL (MONTHS)*	LAST TEST DATE (yyyy/mm/dd)	LAST RESULT REPORTED	NEXT TEST DATE (yyyy/mm)
MAGNESIUM	00927	WAIVED			
MANGANESE	01055	WAIVED			
ODOR THRESHOLD @ 60 C	00086	WAIVED			
PH, LABORATORY	00403	WAIVED			
SILVER	01077	WAIVED			
SODIUM	00929	WAIVED			
SPECIFIC CONDUCTANCE	00095	WAIVED			
SULFATE	00945	WAIVED			
TOTAL DISSOLVED SOLIDS	70300	WAIVED			
TURBIDITY, LABORATORY	82079	WAIVED			
ZINC	01092	WAIVED			

**Testing interval is in months;*
0 = No data for this constituent and is DUE NOW
999 = Waived testing (not required)
I = Invalid (NOT) valid analyses reported

System Number: ***1900100***

System Name: ***METTLER VALLEY MUTUAL***

PS Code: ***1900100-001***

Source Name: ***WELL 01***

Source Number: ***001***

Source Status: ***ACTIVE UNTREATED***

Water type: ***GROUNDWATER OR WELL***

	STORET NUMBER	TESTING INTERVAL (MONTHS)*	LAST TEST DATE (yyyy/mm/dd)	LAST RESULT REPORTED	NEXT TEST DATE (yyyy/mm)
GENERAL NON CHAP 15					
DIAZINON	39570	WAIVED	2009/11/03	< .200	
INORGANIC					
ALUMINUM	01105	WAIVED	2009/11/03	< 50.000	
ANTIMONY	01097	WAIVED	2009/11/03	< 2.000	
ARSENIC	01002	WAIVED	2012/04/17	12.000	
ASBESTOS	81855	WAIVED	2009/11/03	.000	
BARIUM	01007	WAIVED	2009/11/03	59.000	
BERYLLIUM	01012	WAIVED	2009/11/03	< 1.000	
CADMIUM	01027	WAIVED	2009/11/03	< 1.000	
CHROMIUM (TOTAL)	01034	WAIVED	2009/11/03	< 10.000	
CYANIDE	01291	WAIVED			
FLUORIDE (F) (NATURAL-SOURCE)	00951	WAIVED	2009/11/03	.590	
LEAD	01051	WAIVED	2009/11/03	< 1.000	
MERCURY	71900	WAIVED	2009/11/03	< .200	
NICKEL	01067	WAIVED	2009/11/03	< 10.000	
PERCHLORATE	A-031	WAIVED	2009/11/03	< 4.000	
SELENIUM	01147	WAIVED	2009/11/03	< 2.000	
THALLIUM	01059	WAIVED	2009/11/03	< 1.000	
NITRATE/NITRITE					
NITRATE (AS NO3)	71850	WAIVED	2011/04/18	15.000	
NITRITE (AS N)	00620	WAIVED	2009/11/03	< 50.000	
RADIOLOGICAL					
GROSS ALPHA	01501	WAIVED	2011/07/11	10.300	
GROSS BETA	03501	WAIVED	2009/11/03	< .000	
RA-226 FOR CWS OR TOTAL RA FOR NTNC BY 903.0	A-080	WAIVED			
RA-226 OR TOTAL RA BY 903.0 C.E.	A-081	WAIVED			
RADIUM 226	09501	WAIVED	2010/04/26	.330	
RADIUM 228	11501	WAIVED	2010/04/26	.620	

**Testing interval is in months;*
0 = No data for this constituent and is DUE NOW
999 = Waived testing (not required)
I = Invalid (NOT) valid analyses reported

System Number: ***1900100***

System Name: ***METTLER VALLEY MUTUAL***

PS Code: ***1900100-001***

Source Name: ***WELL 01***

Source Number: ***001***

Source Status: ***ACTIVE UNTREATED***

Water type: ***GROUNDWATER OR WELL***

	STORET NUMBER	TESTING INTERVAL (MONTHS)*	LAST TEST DATE (yyyy/mm/dd)	LAST RESULT REPORTED	NEXT TEST DATE (yyyy/mm)
RADIOLOGICAL					
RADIUM, TOTAL, MDA95-NTNC ONLY, BY 903.0	A-082	WAIVED			
STRONTIUM-90	13501	WAIVED	2009/11/03	.320	
TRITIUM	07000	WAIVED	2009/11/03	105.000	
URANIUM (PCI/L)	28012	WAIVED	2011/04/18	6.300	
REGULATED SOC					
2,3,7,8-TCDD (DIOXIN)	34676	WAIVED	2009/11/03	.000	
2,4,5-TP (SILVEX)	39045	WAIVED	2009/11/03	< .070	
2,4-D	39730	WAIVED	2009/11/03	< .400	
ALACHLOR	77825	WAIVED	2009/11/03	< .200	
ATRAZINE	39033	WAIVED	2009/11/03	< .300	
BENTAZON	38710	WAIVED	2009/11/03	< .800	
BENZO (A) PYRENE	34247	WAIVED	2009/11/03	< .100	
CARBOFURAN	81405	WAIVED	1995/04/03	.000	
CHLORDANE	39350	WAIVED	2009/11/03	< .500	
DALAPON	38432	WAIVED	2009/11/03	< 5.000	
DI(2-ETHYLHEXYL)ADIPATE	A-026	WAIVED	2009/11/03	< 1.000	
DI(2-ETHYLHEXYL)PHTHALATE	39100	WAIVED	2009/11/03	< 3.000	
DIBROMOCHLOROPROPANE (DBCP)	38761	WAIVED	2009/11/03	< .010	
DINOSEB	81287	WAIVED	2009/11/03	< .200	
DIQUAT	78885	WAIVED	2009/11/03	< .000	
ENDOTHALL	38926	WAIVED	2009/11/03	< .000	
ENDRIN	39390	WAIVED	2009/11/03	< .005	
ETHYLENE DIBROMIDE (EDB)	77651	WAIVED	2009/11/03	< .010	
GLYPHOSATE	79743	WAIVED	2009/11/03	< .000	
HEPTACHLOR	39410	WAIVED	2009/11/03	< .005	
HEPTACHLOR EPOXIDE	39420	WAIVED	2009/11/03	< .005	
HEXACHLOROBENZENE	39700	WAIVED	2009/11/03	< .100	
HEXACHLOROCYCLOPENTADIENE	34386	WAIVED	2009/11/03	< 1.000	
LINDANE	39340	WAIVED	2009/11/03	< .005	

**Testing interval is in months;*
0 = No data for this constituent and is DUE NOW
999 = Waived testing (not required)
I = Invalid (NOT) valid analyses reported

System Number: ***1900100***

System Name: ***METTLER VALLEY MUTUAL***

PS Code: ***1900100-001***

Source Name: ***WELL 01***

Source Number: ***001***

Source Status: ***ACTIVE UNTREATED***

Water type: ***GROUNDWATER OR WELL***

	STORET NUMBER	TESTING INTERVAL (MONTHS)*	LAST TEST DATE (yyyy/mm/dd)	LAST RESULT REPORTED	NEXT TEST DATE (yyyy/mm)
REGULATED SOC					
METHOXYCHLOR	39480	WAIVED	2009/11/03	< .005	
MOLINATE	82199	WAIVED	2009/11/03	< .500	
OXAMYL	38865	WAIVED	1995/04/03	.000	
PENTACHLOROPHENOL	39032	WAIVED	1995/04/03	.000	
PICLORAM	39720	WAIVED			
POLYCHLORINATED BIPHENYLS, TOTAL, AS DCB	39516	WAIVED	2009/11/03	< .200	
SIMAZINE	39055	WAIVED	2009/11/03	< .300	
THIOBENCARB	A-001	WAIVED	2009/11/03	< .500	
TOXAPHENE	39400	WAIVED	2009/11/03	< 2.000	
REGULATED VOC					
1,1,1-TRICHLOROETHANE	34506	WAIVED	2009/11/03	< .500	
1,1,2,2-TETRACHLOROETHANE	34516	WAIVED	2009/11/03	< .500	
1,1,2-TRICHLORO-1,2,2-TRIFLUOROETHANE	81611	WAIVED	2009/11/03	< .500	
1,1,2-TRICHLOROETHANE	34511	WAIVED	2009/11/03	< .500	
1,1-DICHLOROETHANE	34496	WAIVED	2009/11/03	< .500	
1,1-DICHLOROETHYLENE	34501	WAIVED	2009/11/03	< .500	
1,2,4-TRICHLOROBENZENE	34551	WAIVED	2009/11/03	< .500	
1,2-DICHLOROBENZENE	34536	WAIVED	2009/11/03	< .500	
1,2-DICHLOROETHANE	34531	WAIVED	2009/11/03	< .500	
1,2-DICHLOROPROPANE	34541	WAIVED	2009/11/03	< .500	
1,3-DICHLOROPROPENE (TOTAL)	34561	WAIVED	2009/11/03	< .500	
1,4-DICHLOROBENZENE	34571	WAIVED	2009/11/03	< .500	
BENZENE	34030	WAIVED	2009/11/03	< .500	
CARBON TETRACHLORIDE	32102	WAIVED	2009/11/03	< .500	
CIS-1,2-DICHLOROETHYLENE	77093	WAIVED	2009/11/03	< .500	
DICHLOROMETHANE	34423	WAIVED	2009/11/03	< .500	
ETHYLBENZENE	34371	WAIVED	2009/11/03	< .500	
METHYL-TERT-BUTYL-ETHER (MTBE)	46491	WAIVED	2009/11/03	< .500	
MONOCHLOROBENZENE	34301	WAIVED	2009/11/03	< .500	

**Testing interval is in months;*
0 = No data for this constituent and is DUE NOW
999 = Waived testing (not required)
I = Invalid (NOT) valid analyses reported

System Number: ***1900100***

System Name: ***METTLER VALLEY MUTUAL***

PS Code: ***1900100-001***

Source Name: ***WELL 01***

Source Number: ***001***

Source Status: ***ACTIVE UNTREATED***

Water type: ***GROUNDWATER OR WELL***

	STORET NUMBER	TESTING INTERVAL (MONTHS)*	LAST TEST DATE (yyyy/mm/dd)	LAST RESULT REPORTED	NEXT TEST DATE (yyyy/mm)
REGULATED VOC					
STYRENE	77128	WAIVED	2009/11/03	< .500	
TETRACHLOROETHYLENE	34475	WAIVED	2009/11/03	< .500	
TOLUENE	34010	WAIVED	2009/11/03	< .500	
TRANS-1,2-DICHLOROETHYLENE	34546	WAIVED	2009/11/03	< .500	
TRICHLOROETHYLENE	39180	WAIVED	2009/11/03	< .500	
TRICHLOROFLUOROMETHANE	34488	WAIVED	2009/11/03	< .500	
VINYL CHLORIDE	39175	WAIVED	2009/11/03	< .500	
XYLENES (TOTAL)	81551	WAIVED	2009/11/03	< 1.000	
SECONDARY/GP					
AGGRSSIVE INDEX (CORROSIVITY)	82383	WAIVED			
BICARBONATE ALKALINITY	00440	WAIVED	2009/11/03	200.000	
CALCIUM	00916	WAIVED	2009/11/03	45.000	
CARBONATE ALKALINITY	00445	WAIVED	2009/11/03	< 2.500	
CHLORIDE	00940	WAIVED	2009/11/03	7.100	
COLOR	00081	WAIVED	2009/11/03	1.000	
COPPER	01042	WAIVED	2009/11/03	< 10.000	
FOAMING AGENTS (MBAS)	38260	WAIVED	2009/11/03	< .200	
HARDNESS (TOTAL) AS CACO3	00900	WAIVED	2009/11/03	150.000	
HYDROXIDE ALKALINITY	71830	WAIVED	2009/11/03	< 1.400	
IRON	01045	WAIVED	2009/11/03	< 50.000	
MAGNESIUM	00927	WAIVED	2009/11/03	9.900	
MANGANESE	01055	WAIVED	2009/11/03	< 10.000	
ODOR THRESHOLD @ 60 C	00086	WAIVED	2009/11/03	1.000	
PH, LABORATORY	00403	WAIVED	2009/11/03	7.580	
SILVER	01077	WAIVED	2009/11/03	< 10.000	
SODIUM	00929	WAIVED	2009/11/03	31.000	
SPECIFIC CONDUCTANCE	00095	WAIVED	2009/11/03	405.000	
SULFATE	00945	WAIVED	2009/11/03	20.000	
TOTAL DISSOLVED SOLIDS	70300	WAIVED	2009/11/03	290.000	

**Testing interval is in months;*
0 = No data for this constituent and is DUE NOW
999 = Waived testing (not required)
I = Invalid (NOT) valid analyses reported

System Number: ***1900100***

System Name: ***METTLER VALLEY MUTUAL***

PS Code: ***1900100-001***

Source Name: ***WELL 01***

Source Number: ***001***

Source Status: ***ACTIVE UNTREATED***

Water type: ***GROUNDWATER OR WELL***

	STORET NUMBER	TESTING INTERVAL (MONTHS)*	LAST TEST DATE (yyyy/mm/dd)	LAST RESULT REPORTED	NEXT TEST DATE (yyyy/mm)
SECONDARY/GP					
TURBIDITY, LABORATORY	82079	WAIVED	2009/11/03	3.400	
ZINC	01092	WAIVED	2009/11/03	< 50.000	

PS Code: ***1900100-002***

Source Name: ***WELL 02 STANDBY***

Source Number: ***002***

Source Status: ***ACTIVE UNTREATED***

Water type: ***GROUNDWATER OR WELL***

GENERAL NON CHAP 15					
DIAZINON	39570	WAIVED			
INORGANIC					
ALUMINUM	01105	WAIVED			
ANTIMONY	01097	WAIVED			
ARSENIC	01002	WAIVED			
ASBESTOS	81855	WAIVED			
BARIUM	01007	WAIVED			
BERYLLIUM	01012	WAIVED			
CADMIUM	01027	WAIVED			
CHROMIUM (TOTAL)	01034	WAIVED			
CYANIDE	01291	WAIVED			
FLUORIDE (F) (NATURAL-SOURCE)	00951	WAIVED			
LEAD	01051	WAIVED			
MERCURY	71900	WAIVED			
NICKEL	01067	WAIVED			
PERCHLORATE	A-031	WAIVED			
SELENIUM	01147	WAIVED			
THALLIUM	01059	WAIVED			

**Testing interval is in months;*
0 = No data for this constituent and is DUE NOW
999 = Waived testing (not required)
I = Invalid (NOT) valid analyses reported

System Number: ***1900100***

System Name: ***METTLER VALLEY MUTUAL***

PS Code: ***1900100-002***

Source Name: ***WELL 02 STANDBY***

Source Number: ***002***

Source Status: ***ACTIVE UNTREATED***

Water type: ***GROUNDWATER OR WELL***

	STORET NUMBER	TESTING INTERVAL (MONTHS)*	LAST TEST DATE (yyyy/mm/dd)	LAST RESULT REPORTED	NEXT TEST DATE (yyyy/mm)
NITRATE/NITRITE					
NITRATE (AS NO3)	71850	WAIVED			
NITRITE (AS N)	00620	WAIVED			
RADIOLOGICAL					
GROSS ALPHA	01501	WAIVED			
GROSS BETA	03501	WAIVED			
RA-226 FOR CWS OR TOTAL RA FOR NTNC BY 903.0	A-080	WAIVED			
RA-226 OR TOTAL RA BY 903.0 C.E.	A-081	WAIVED			
RADIUM 226	09501	WAIVED			
RADIUM 228	11501	WAIVED			
RADIUM, TOTAL, MDA95-NTNC ONLY, BY 903.0	A-082	WAIVED			
STRONTIUM-90	13501	WAIVED			
TRITIUM	07000	WAIVED			
URANIUM (PCI/L)	28012	WAIVED			
REGULATED SOC					
2,3,7,8-TCDD (DIOXIN)	34676	WAIVED			
2,4,5-TP (SILVEX)	39045	WAIVED			
2,4-D	39730	WAIVED			
ALACHLOR	77825	WAIVED			
ATRAZINE	39033	WAIVED			
BENTAZON	38710	WAIVED			
BENZO (A) PYRENE	34247	WAIVED			
CARBOFURAN	81405	WAIVED			
CHLORDANE	39350	WAIVED			
DALAPON	38432	WAIVED			
DI(2-ETHYLHEXYL)ADIPATE	A-026	WAIVED			
DI(2-ETHYLHEXYL)PHTHALATE	39100	WAIVED			
DIBROMOCHLOROPROPANE (DBCP)	38761	WAIVED			
DINOSEB	81287	WAIVED			
DIQUAT	78885	WAIVED			

**Testing interval is in months;*
0 = No data for this constituent and is DUE NOW
999 = Waived testing (not required)
I = Invalid (NOT) valid analyses reported

System Number: ***1900100***

System Name: ***METTLER VALLEY MUTUAL***

PS Code: ***1900100-002***

Source Name: ***WELL 02 STANDBY***

Source Number: ***002***

Source Status: ***ACTIVE UNTREATED***

Water type: ***GROUNDWATER OR WELL***

	STORET NUMBER	TESTING INTERVAL (MONTHS)*	LAST TEST DATE (yyyy/mm/dd)	LAST RESULT REPORTED	NEXT TEST DATE (yyyy/mm)
REGULATED SOC					
ENDOTHALL	38926	WAIVED			
ENDRIN	39390	WAIVED			
ETHYLENE DIBROMIDE (EDB)	77651	WAIVED			
GLYPHOSATE	79743	WAIVED			
HEPTACHLOR	39410	WAIVED			
HEPTACHLOR EPOXIDE	39420	WAIVED			
HEXACHLOROBENZENE	39700	WAIVED			
HEXACHLOROCYCLOPENTADIENE	34386	WAIVED			
LINDANE	39340	WAIVED			
METHOXYCHLOR	39480	WAIVED			
MOLINATE	82199	WAIVED			
OXAMYL	38865	WAIVED			
PENTACHLOROPHENOL	39032	WAIVED			
PICLORAM	39720	WAIVED			
POLYCHLORINATED BIPHENYLS, TOTAL, AS DCB	39516	WAIVED			
SIMAZINE	39055	WAIVED			
THIOBENCARB	A-001	WAIVED			
TOXAPHENE	39400	WAIVED			
REGULATED VOC					
1,1,1-TRICHLOROETHANE	34506	WAIVED			
1,1,2,2-TETRACHLOROETHANE	34516	WAIVED			
1,1,2-TRICHLORO-1,2,2-TRIFLUOROETHANE	81611	WAIVED			
1,1,2-TRICHLOROETHANE	34511	WAIVED			
1,1-DICHLOROETHANE	34496	WAIVED			
1,1-DICHLOROETHYLENE	34501	WAIVED			
1,2,4-TRICHLOROBENZENE	34551	WAIVED			
1,2-DICHLOROBENZENE	34536	WAIVED			
1,2-DICHLOROETHANE	34531	WAIVED			
1,2-DICHLOROPROPANE	34541	WAIVED			

**Testing interval is in months;*
0 = No data for this constituent and is DUE NOW
999 = Waived testing (not required)
I = Invalid (NOT) valid analyses reported

System Number: ***1900100***

System Name: ***METTLER VALLEY MUTUAL***

PS Code: ***1900100-002***

Source Name: ***WELL 02 STANDBY***

Source Number: ***002***

Source Status: ***ACTIVE UNTREATED***

Water type: ***GROUNDWATER OR WELL***

	STORET NUMBER	TESTING INTERVAL (MONTHS)*	LAST TEST DATE (yyyy/mm/dd)	LAST RESULT REPORTED	NEXT TEST DATE (yyyy/mm)
REGULATED VOC					
1,3-DICHLOROPROPENE (TOTAL)	34561	WAIVED			
1,4-DICHLOROBENZENE	34571	WAIVED			
BENZENE	34030	WAIVED			
CARBON TETRACHLORIDE	32102	WAIVED			
CIS-1,2-DICHLOROETHYLENE	77093	WAIVED			
DICHLOROMETHANE	34423	WAIVED			
ETHYLBENZENE	34371	WAIVED			
METHYL-TERT-BUTYL-ETHER (MTBE)	46491	WAIVED			
MONOCHLOROBENZENE	34301	WAIVED			
STYRENE	77128	WAIVED			
TETRACHLOROETHYLENE	34475	WAIVED			
TOLUENE	34010	WAIVED			
TRANS-1,2-DICHLOROETHYLENE	34546	WAIVED			
TRICHLOROETHYLENE	39180	WAIVED			
TRICHLOROFLUOROMETHANE	34488	WAIVED			
VINYL CHLORIDE	39175	WAIVED			
XYLENES (TOTAL)	81551	WAIVED			
SECONDARY/GP					
AGGRSSIVE INDEX (CORROSIVITY)	82383	WAIVED			
BICARBONATE ALKALINITY	00440	WAIVED			
CALCIUM	00916	WAIVED			
CARBONATE ALKALINITY	00445	WAIVED			
CHLORIDE	00940	WAIVED			
COLOR	00081	WAIVED			
COPPER	01042	WAIVED			
FOAMING AGENTS (MBAS)	38260	WAIVED			
HARDNESS (TOTAL) AS CACO3	00900	WAIVED			
HYDROXIDE ALKALINITY	71830	WAIVED			
IRON	01045	WAIVED			

**Testing interval is in months;*
0 = No data for this constituent and is DUE NOW
999 = Waived testing (not required)
I = Invalid (NOT) valid analyses reported

System Number: ***1900100***

System Name: ***METTLER VALLEY MUTUAL***

PS Code: ***1900100-002***

Source Name: ***WELL 02 STANDBY***

Source Number: ***002***

Source Status: ***ACTIVE UNTREATED***

Water type: ***GROUNDWATER OR WELL***

SECONDARY/GP	STORET NUMBER	TESTING INTERVAL (MONTHS)*	LAST TEST DATE (yyyy/mm/dd)	LAST RESULT REPORTED	NEXT TEST DATE (yyyy/mm)
MAGNESIUM	00927	WAIVED			
MANGANESE	01055	WAIVED			
ODOR THRESHOLD @ 60 C	00086	WAIVED			
PH, LABORATORY	00403	WAIVED			
SILVER	01077	WAIVED			
SODIUM	00929	WAIVED			
SPECIFIC CONDUCTANCE	00095	WAIVED			
SULFATE	00945	WAIVED			
TOTAL DISSOLVED SOLIDS	70300	WAIVED			
TURBIDITY, LABORATORY	82079	WAIVED			
ZINC	01092	WAIVED			

**Testing interval is in months;*
0 = No data for this constituent and is DUE NOW
999 = Waived testing (not required)
I = Invalid (NOT) valid analyses reported

System Number: ***1900102***

System Name: ***WEST SIDE PARK MUTUAL***

PS Code: ***1900102-001***

Source Name: ***WELL 01***

Source Number: ***001***

Source Status: ***ACTIVE UNTREATED***

Water type: ***GROUNDWATER OR WELL***

	STORET NUMBER	TESTING INTERVAL (MONTHS)*	LAST TEST DATE (yyyy/mm/dd)	LAST RESULT REPORTED	NEXT TEST DATE (yyyy/mm)
GENERAL NON CHAP 15					
DIAZINON	39570	WAIVED			
INORGANIC					
ALUMINUM	01105	WAIVED	2009/05/12	.000	
ANTIMONY	01097	WAIVED	2009/05/12	.000	
ARSENIC	01002	WAIVED	2009/05/12	.000	
ASBESTOS	81855	WAIVED	2006/06/27	.000	
BARIUM	01007	WAIVED	2009/05/12	.000	
BERYLLIUM	01012	WAIVED	2009/05/12	.000	
CADMIUM	01027	WAIVED	2009/05/12	.000	
CHROMIUM (TOTAL)	01034	WAIVED	2009/05/12	.000	
CYANIDE	01291	WAIVED	2009/05/12	.000	
FLUORIDE (F) (NATURAL-SOURCE)	00951	WAIVED	2009/05/12	.300	
LEAD	01051	WAIVED	2009/05/12	.000	
MERCURY	71900	WAIVED	2009/05/12	.000	
NICKEL	01067	WAIVED	2009/05/12	.000	
PERCHLORATE	A-031	WAIVED	2008/08/26	.000	
SELENIUM	01147	WAIVED	2009/05/12	.000	
THALLIUM	01059	WAIVED	2009/05/12	.000	
NITRATE/NITRITE					
NITRATE (AS NO3)	71850	WAIVED	2010/12/14	5.300	
NITRITE (AS N)	00620	WAIVED	2009/05/12	.000	
RADIOLOGICAL					
GROSS ALPHA	01501	WAIVED	2006/06/27	.000	
GROSS BETA	03501	WAIVED			
RA-226 FOR CWS OR TOTAL RA FOR NTNC BY 903.0	A-080	WAIVED			
RA-226 OR TOTAL RA BY 903.0 C.E.	A-081	WAIVED			
RADIUM 226	09501	WAIVED	2006/12/12	.000	
RADIUM 228	11501	WAIVED	2006/12/12	.000	

**Testing interval is in months;*
0 = No data for this constituent and is DUE NOW
999 = Waived testing (not required)
I = Invalid (NOT) valid analyses reported

System Number: ***1900102***

System Name: ***WEST SIDE PARK MUTUAL***

PS Code: ***1900102-001***

Source Name: ***WELL 01***

Source Number: ***001***

Source Status: ***ACTIVE UNTREATED***

Water type: ***GROUNDWATER OR WELL***

	STORET NUMBER	TESTING INTERVAL (MONTHS)*	LAST TEST DATE (yyyy/mm/dd)	LAST RESULT REPORTED	NEXT TEST DATE (yyyy/mm)
RADIOLOGICAL					
RADIUM, TOTAL, MDA95-NTNC ONLY, BY 903.0	A-082	WAIVED			
STRONTIUM-90	13501	WAIVED			
TRITIUM	07000	WAIVED			
URANIUM (PCI/L)	28012	WAIVED			
REGULATED SOC					
2,3,7,8-TCDD (DIOXIN)	34676	WAIVED	2006/06/27	.000	
2,4,5-TP (SILVEX)	39045	WAIVED	2006/06/27	.000	
2,4-D	39730	WAIVED	2006/06/27	.000	
ALACHLOR	77825	WAIVED	2006/06/27	< 1.000	
ATRAZINE	39033	WAIVED	2006/06/27	< .500	
BENTAZON	38710	WAIVED	2006/06/27	.000	
BENZO (A) PYRENE	34247	WAIVED	2006/06/27	< .100	
CARBOFURAN	81405	WAIVED	2006/06/27	.000	
CHLORDANE	39350	WAIVED	2006/06/27	< .100	
DALAPON	38432	WAIVED	2006/06/27	.000	
DI(2-ETHYLHEXYL)ADIPATE	A-026	WAIVED	2006/06/27	< 5.000	
DI(2-ETHYLHEXYL)PHTHALATE	39100	WAIVED	2006/06/27	< 3.000	
DIBROMOCHLOROPROPANE (DBCP)	38761	WAIVED	2006/06/27	.000	
DINOSEB	81287	WAIVED	2006/06/27	.000	
DIQUAT	78885	WAIVED	2006/06/27	< 4.000	
ENDOTHALL	38926	WAIVED	2006/06/27	< 45.000	
ENDRIN	39390	WAIVED	2006/06/27	< .100	
ETHYLENE DIBROMIDE (EDB)	77651	WAIVED	2006/06/27	.000	
GLYPHOSATE	79743	WAIVED	2006/06/27	.000	
HEPTACHLOR	39410	WAIVED	2006/06/27	< .010	
HEPTACHLOR EPOXIDE	39420	WAIVED	2006/06/27	< .010	
HEXACHLOROBENZENE	39700	WAIVED	2006/06/27	< .500	
HEXACHLOROCYCLOPENTADIENE	34386	WAIVED	2006/06/27	< 1.000	
LINDANE	39340	WAIVED	2006/06/27	< .200	

**Testing interval is in months;*
0 = No data for this constituent and is DUE NOW
999 = Waived testing (not required)
I = Invalid (NOT) valid analyses reported

System Number: ***1900102***

System Name: ***WEST SIDE PARK MUTUAL***

PS Code: ***1900102-001***

Source Name: ***WELL 01***

Source Number: ***001***

Source Status: ***ACTIVE UNTREATED***

Water type: ***GROUNDWATER OR WELL***

	STORET NUMBER	TESTING INTERVAL (MONTHS)*	LAST TEST DATE (yyyy/mm/dd)	LAST RESULT REPORTED	NEXT TEST DATE (yyyy/mm)
REGULATED SOC					
METHOXYCHLOR	39480	WAIVED	2006/06/27	< 10.000	
MOLINATE	82199	WAIVED	2006/06/27	< 2.000	
OXAMYL	38865	WAIVED	2006/06/27	.000	
PENTACHLOROPHENOL	39032	WAIVED	2006/06/27	.000	
PICLORAM	39720	WAIVED	2006/06/27	.000	
POLYCHLORINATED BIPHENYLS, TOTAL, AS DCB	39516	WAIVED	2006/06/27	< .500	
SIMAZINE	39055	WAIVED	2006/06/27	< 1.000	
THIOBENCARB	A-001	WAIVED	2006/06/27	< 1.000	
TOXAPHENE	39400	WAIVED	2006/06/27	< 1.000	
REGULATED VOC					
1,1,1-TRICHLOROETHANE	34506	WAIVED	2009/05/12	.000	
1,1,2,2-TETRACHLOROETHANE	34516	WAIVED	2009/05/12	.000	
1,1,2-TRICHLORO-1,2,2-TRIFLUOROETHANE	81611	WAIVED	2009/05/12	.000	
1,1,2-TRICHLOROETHANE	34511	WAIVED	2009/05/12	.000	
1,1-DICHLOROETHANE	34496	WAIVED	2009/05/12	.000	
1,1-DICHLOROETHYLENE	34501	WAIVED	2009/05/12	.000	
1,2,4-TRICHLOROBENZENE	34551	WAIVED	2009/05/12	.000	
1,2-DICHLOROBENZENE	34536	WAIVED	2009/05/12	.000	
1,2-DICHLOROETHANE	34531	WAIVED	2009/05/12	.000	
1,2-DICHLOROPROPANE	34541	WAIVED	2009/05/12	.000	
1,3-DICHLOROPROPENE (TOTAL)	34561	WAIVED	2009/05/12	.000	
1,4-DICHLOROBENZENE	34571	WAIVED	2009/05/12	.000	
BENZENE	34030	WAIVED	2009/05/12	.000	
CARBON TETRACHLORIDE	32102	WAIVED	2009/05/12	.000	
CIS-1,2-DICHLOROETHYLENE	77093	WAIVED	2009/05/12	.000	
DICHLOROMETHANE	34423	WAIVED	2009/05/12	.000	
ETHYLBENZENE	34371	WAIVED	2009/05/12	.000	
METHYL-TERT-BUTYL-ETHER (MTBE)	46491	WAIVED	2009/05/12	.000	
MONOCHLOROBENZENE	34301	WAIVED	2009/05/12	.000	

**Testing interval is in months;*
0 = No data for this constituent and is DUE NOW
999 = Waived testing (not required)
I = Invalid (NOT) valid analyses reported

System Number: ***1900102***

System Name: ***WEST SIDE PARK MUTUAL***

PS Code: ***1900102-001***

Source Name: ***WELL 01***

Source Number: ***001***

Source Status: ***ACTIVE UNTREATED***

Water type: ***GROUNDWATER OR WELL***

	STORET NUMBER	TESTING INTERVAL (MONTHS)*	LAST TEST DATE (yyyy/mm/dd)	LAST RESULT REPORTED	NEXT TEST DATE (yyyy/mm)
REGULATED VOC					
STYRENE	77128	WAIVED	2009/05/12	.000	
TETRACHLOROETHYLENE	34475	WAIVED	2009/05/12	.000	
TOLUENE	34010	WAIVED	2009/05/12	.000	
TRANS-1,2-DICHLOROETHYLENE	34546	WAIVED	2009/05/12	.000	
TRICHLOROETHYLENE	39180	WAIVED	2009/05/12	.000	
TRICHLOROFLUOROMETHANE	34488	WAIVED	2009/05/12	.000	
VINYL CHLORIDE	39175	WAIVED	2009/05/12	.000	
XYLENES (TOTAL)	81551	WAIVED	2009/05/12	.000	
SECONDARY/GP					
AGGRSSIVE INDEX (CORROSIVITY)	82383	WAIVED	2006/06/27	12.540	
BICARBONATE ALKALINITY	00440	WAIVED	2009/05/12	240.000	
CALCIUM	00916	WAIVED	2009/05/12	69.000	
CARBONATE ALKALINITY	00445	WAIVED	2009/05/12	.000	
CHLORIDE	00940	WAIVED	2009/05/12	72.000	
COLOR	00081	WAIVED	2009/05/12	.000	
COPPER	01042	WAIVED	2009/05/12	.000	
FOAMING AGENTS (MBAS)	38260	WAIVED	2009/05/12	.000	
HARDNESS (TOTAL) AS CACO3	00900	WAIVED	2009/05/12	230.000	
HYDROXIDE ALKALINITY	71830	WAIVED	2009/05/12	.000	
IRON	01045	WAIVED	2009/05/12	.000	
MAGNESIUM	00927	WAIVED	2009/05/12	15.000	
MANGANESE	01055	WAIVED	2009/05/12	.000	
ODOR THRESHOLD @ 60 C	00086	WAIVED	2009/05/12	1.000	
PH, LABORATORY	00403	WAIVED	2009/05/12	8.000	
SILVER	01077	WAIVED	2009/05/12	.000	
SODIUM	00929	WAIVED	2009/05/12	99.000	
SPECIFIC CONDUCTANCE	00095	WAIVED	2009/05/12	880.000	
SULFATE	00945	WAIVED	2009/05/12	140.000	
TOTAL DISSOLVED SOLIDS	70300	WAIVED	2009/05/12	530.000	

**Testing interval is in months;*
0 = No data for this constituent and is DUE NOW
999 = Waived testing (not required)
I = Invalid (NOT) valid analyses reported

System Number: ***1900102***

System Name: ***WEST SIDE PARK MUTUAL***

PS Code: ***1900102-001***

Source Name: ***WELL 01***

Source Number: ***001***

Source Status: ***ACTIVE UNTREATED***

Water type: ***GROUNDWATER OR WELL***

	STORET NUMBER	TESTING INTERVAL (MONTHS)*	LAST TEST DATE (yyyy/mm/dd)	LAST RESULT REPORTED	NEXT TEST DATE (yyyy/mm)
SECONDARY/GP					
TURBIDITY, LABORATORY	82079	WAIVED	2009/05/12	.300	
ZINC	01092	WAIVED	2009/05/12	.000	

PS Code: ***1900102-002***

Source Name: ***PURCHASED WATER***

Source Number: ***002***

Source Status: ***PURCHASED TREATED***

Water type: ***SURFACE***

GENERAL NON CHAP 15					
DIAZINON	39570	WAIVED			
INORGANIC					
ALUMINUM	01105	WAIVED			
ANTIMONY	01097	WAIVED			
ARSENIC	01002	WAIVED			
ASBESTOS	81855	WAIVED			
BARIUM	01007	WAIVED			
BERYLLIUM	01012	WAIVED			
CADMIUM	01027	WAIVED			
CHROMIUM (TOTAL)	01034	WAIVED			
CYANIDE	01291	WAIVED			
FLUORIDE (F) (NATURAL-SOURCE)	00951	WAIVED			
LEAD	01051	WAIVED			
MERCURY	71900	WAIVED			
NICKEL	01067	WAIVED			
PERCHLORATE	A-031	WAIVED			
SELENIUM	01147	WAIVED			
THALLIUM	01059	WAIVED			

**Testing interval is in months;*
0 = No data for this constituent and is DUE NOW
999 = Waived testing (not required)
I = Invalid (NOT) valid analyses reported

System Number: ***1900102***

System Name: ***WEST SIDE PARK MUTUAL***

PS Code: ***1900102-002***

Source Name: ***PURCHASED WATER***

Source Number: ***002***

Source Status: ***PURCHASED TREATED***

Water type: ***SURFACE***

	STORET NUMBER	TESTING INTERVAL (MONTHS)*	LAST TEST DATE (yyyy/mm/dd)	LAST RESULT REPORTED	NEXT TEST DATE (yyyy/mm)
NITRATE/NITRITE					
NITRATE (AS NO3)	71850	WAIVED			
NITRITE (AS N)	00620	WAIVED			
RADIOLOGICAL					
GROSS ALPHA	01501	WAIVED			
GROSS BETA	03501	WAIVED			
RA-226 FOR CWS OR TOTAL RA FOR NTNC BY 903.0	A-080	WAIVED			
RA-226 OR TOTAL RA BY 903.0 C.E.	A-081	WAIVED			
RADIUM 226	09501	WAIVED			
RADIUM 228	11501	WAIVED			
RADIUM, TOTAL, MDA95-NTNC ONLY, BY 903.0	A-082	WAIVED			
STRONTIUM-90	13501	WAIVED			
TRITIUM	07000	WAIVED			
URANIUM (PCI/L)	28012	WAIVED			
REGULATED SOC					
2,3,7,8-TCDD (DIOXIN)	34676	WAIVED			
2,4,5-TP (SILVEX)	39045	WAIVED			
2,4-D	39730	WAIVED			
ALACHLOR	77825	WAIVED			
ATRAZINE	39033	WAIVED			
BENTAZON	38710	WAIVED			
BENZO (A) PYRENE	34247	WAIVED			
CARBOFURAN	81405	WAIVED			
CHLORDANE	39350	WAIVED			
DALAPON	38432	WAIVED			
DI(2-ETHYLHEXYL)ADIPATE	A-026	WAIVED			
DI(2-ETHYLHEXYL)PHTHALATE	39100	WAIVED			
DIBROMOCHLOROPROPANE (DBCP)	38761	WAIVED			
DINOSEB	81287	WAIVED			
DIQUAT	78885	WAIVED			

**Testing interval is in months;*
0 = No data for this constituent and is DUE NOW
999 = Waived testing (not required)
I = Invalid (NOT) valid analyses reported

System Number: ***1900102***

System Name: ***WEST SIDE PARK MUTUAL***

PS Code: ***1900102-002***

Source Name: ***PURCHASED WATER***

Source Number: ***002***

Source Status: ***PURCHASED TREATED***

Water type: ***SURFACE***

	STORET NUMBER	TESTING INTERVAL (MONTHS)*	LAST TEST DATE (yyyy/mm/dd)	LAST RESULT REPORTED	NEXT TEST DATE (yyyy/mm)
REGULATED SOC					
ENDOTHALL	38926	WAIVED			
ENDRIN	39390	WAIVED			
ETHYLENE DIBROMIDE (EDB)	77651	WAIVED			
GLYPHOSATE	79743	WAIVED			
HEPTACHLOR	39410	WAIVED			
HEPTACHLOR EPOXIDE	39420	WAIVED			
HEXACHLOROBENZENE	39700	WAIVED			
HEXACHLOROCYCLOPENTADIENE	34386	WAIVED			
LINDANE	39340	WAIVED			
METHOXYCHLOR	39480	WAIVED			
MOLINATE	82199	WAIVED			
OXAMYL	38865	WAIVED			
PENTACHLOROPHENOL	39032	WAIVED			
PICLORAM	39720	WAIVED			
POLYCHLORINATED BIPHENYLS, TOTAL, AS DCB	39516	WAIVED			
SIMAZINE	39055	WAIVED			
THIOBENCARB	A-001	WAIVED			
TOXAPHENE	39400	WAIVED			
REGULATED VOC					
1,1,1-TRICHLOROETHANE	34506	WAIVED			
1,1,2,2-TETRACHLOROETHANE	34516	WAIVED			
1,1,2-TRICHLORO-1,2,2-TRIFLUOROETHANE	81611	WAIVED			
1,1,2-TRICHLOROETHANE	34511	WAIVED			
1,1-DICHLOROETHANE	34496	WAIVED			
1,1-DICHLOROETHYLENE	34501	WAIVED			
1,2,4-TRICHLOROBENZENE	34551	WAIVED			
1,2-DICHLOROBENZENE	34536	WAIVED			
1,2-DICHLOROETHANE	34531	WAIVED			
1,2-DICHLOROPROPANE	34541	WAIVED			

**Testing interval is in months;*
0 = No data for this constituent and is DUE NOW
999 = Waived testing (not required)
I = Invalid (NOT) valid analyses reported

System Number: ***1900102***

System Name: ***WEST SIDE PARK MUTUAL***

PS Code: ***1900102-002***

Source Name: ***PURCHASED WATER***

Source Number: ***002***

Source Status: ***PURCHASED TREATED***

Water type: ***SURFACE***

	STORET NUMBER	TESTING INTERVAL (MONTHS)*	LAST TEST DATE (yyyy/mm/dd)	LAST RESULT REPORTED	NEXT TEST DATE (yyyy/mm)
REGULATED VOC					
1,3-DICHLOROPROPENE (TOTAL)	34561	WAIVED			
1,4-DICHLOROBENZENE	34571	WAIVED			
BENZENE	34030	WAIVED			
CARBON TETRACHLORIDE	32102	WAIVED			
CIS-1,2-DICHLOROETHYLENE	77093	WAIVED			
DICHLOROMETHANE	34423	WAIVED			
ETHYLBENZENE	34371	WAIVED			
METHYL-TERT-BUTYL-ETHER (MTBE)	46491	WAIVED			
MONOCHLOROBENZENE	34301	WAIVED			
STYRENE	77128	WAIVED			
TETRACHLOROETHYLENE	34475	WAIVED			
TOLUENE	34010	WAIVED			
TRANS-1,2-DICHLOROETHYLENE	34546	WAIVED			
TRICHLOROETHYLENE	39180	WAIVED			
TRICHLOROFLUOROMETHANE	34488	WAIVED			
VINYL CHLORIDE	39175	WAIVED			
XYLENES (TOTAL)	81551	WAIVED			
SECONDARY/GP					
AGGRSSIVE INDEX (CORROSIVITY)	82383	WAIVED			
BICARBONATE ALKALINITY	00440	WAIVED			
CALCIUM	00916	WAIVED			
CARBONATE ALKALINITY	00445	WAIVED			
CHLORIDE	00940	WAIVED			
COLOR	00081	WAIVED			
COPPER	01042	WAIVED			
FOAMING AGENTS (MBAS)	38260	WAIVED			
HARDNESS (TOTAL) AS CACO3	00900	WAIVED			
HYDROXIDE ALKALINITY	71830	WAIVED			
IRON	01045	WAIVED			

**Testing interval is in months;*
0 = No data for this constituent and is DUE NOW
999 = Waived testing (not required)
I = Invalid (NOT) valid analyses reported

System Number: ***1900102***

System Name: ***WEST SIDE PARK MUTUAL***

PS Code: ***1900102-002***

Source Name: ***PURCHASED WATER***

Source Number: ***002***

Source Status: ***PURCHASED TREATED***

Water type: ***SURFACE***

	STORET NUMBER	TESTING INTERVAL (MONTHS)*	LAST TEST DATE (yyyy/mm/dd)	LAST RESULT REPORTED	NEXT TEST DATE (yyyy/mm)
SECONDARY/GP					
MAGNESIUM	00927	WAIVED			
MANGANESE	01055	WAIVED			
ODOR THRESHOLD @ 60 C	00086	WAIVED			
PH, LABORATORY	00403	WAIVED			
SILVER	01077	WAIVED			
SODIUM	00929	WAIVED			
SPECIFIC CONDUCTANCE	00095	WAIVED			
SULFATE	00945	WAIVED			
TOTAL DISSOLVED SOLIDS	70300	WAIVED			
TURBIDITY, LABORATORY	82079	WAIVED			
ZINC	01092	WAIVED			

PS Code: ***1900102-003***

Source Name: ***AUTOMATIC CHLORINATION UNIT***

Source Number: ***003***

Source Status: ***ACTIVE TREATED***

Water type: ***GROUNDWATER OR WELL***

GENERAL NON CHAP 15					
DIAZINON	39570	WAIVED			
INORGANIC					
ALUMINUM	01105	WAIVED			
ANTIMONY	01097	WAIVED			
ARSENIC	01002	WAIVED			
ASBESTOS	81855	WAIVED			
BARIUM	01007	WAIVED			
BERYLLIUM	01012	WAIVED			
CADMIUM	01027	WAIVED			
CHROMIUM (TOTAL)	01034	WAIVED			
CYANIDE	01291	WAIVED			

**Testing interval is in months;*
0 = No data for this constituent and is DUE NOW
999 = Waived testing (not required)
I = Invalid (NOT) valid analyses reported

System Number: ***1900102***

System Name: ***WEST SIDE PARK MUTUAL***

PS Code: ***1900102-003***

Source Name: ***AUTOMATIC CHLORINATION UNIT***

Source Number: ***003***

Source Status: ***ACTIVE TREATED***

Water type: ***GROUNDWATER OR WELL***

	STORET NUMBER	TESTING INTERVAL (MONTHS)*	LAST TEST DATE (yyyy/mm/dd)	LAST RESULT REPORTED	NEXT TEST DATE (yyyy/mm)
INORGANIC					
FLUORIDE (F) (NATURAL-SOURCE)	00951	WAIVED			
LEAD	01051	WAIVED			
MERCURY	71900	WAIVED			
NICKEL	01067	WAIVED			
PERCHLORATE	A-031	WAIVED			
SELENIUM	01147	WAIVED			
THALLIUM	01059	WAIVED			
NITRATE/NITRITE					
NITRATE (AS NO3)	71850	WAIVED			
NITRITE (AS N)	00620	WAIVED			
RADIOLOGICAL					
GROSS ALPHA	01501	WAIVED			
GROSS BETA	03501	WAIVED			
RA-226 FOR CWS OR TOTAL RA FOR NTNC BY 903.0	A-080	WAIVED			
RA-226 OR TOTAL RA BY 903.0 C.E.	A-081	WAIVED			
RADIUM 226	09501	WAIVED			
RADIUM 228	11501	WAIVED			
RADIUM, TOTAL, MDA95-NTNC ONLY, BY 903.0	A-082	WAIVED			
STRONTIUM-90	13501	WAIVED			
TRITIUM	07000	WAIVED			
URANIUM (PCI/L)	28012	WAIVED			
REGULATED SOC					
2,3,7,8-TCDD (DIOXIN)	34676	WAIVED			
2,4,5-TP (SILVEX)	39045	WAIVED			
2,4-D	39730	WAIVED			
ALACHLOR	77825	WAIVED			
ATRAZINE	39033	WAIVED			
BENTAZON	38710	WAIVED			

**Testing interval is in months;*
0 = No data for this constituent and is DUE NOW
999 = Waived testing (not required)
I = Invalid (NOT) valid analyses reported

System Number: ***1900102***

System Name: ***WEST SIDE PARK MUTUAL***

PS Code: ***1900102-003***

Source Name: ***AUTOMATIC CHLORINATION UNIT***

Source Number: ***003***

Source Status: ***ACTIVE TREATED***

Water type: ***GROUNDWATER OR WELL***

	STORET NUMBER	TESTING INTERVAL (MONTHS)*	LAST TEST DATE (yyyy/mm/dd)	LAST RESULT REPORTED	NEXT TEST DATE (yyyy/mm)
REGULATED SOC					
BENZO (A) PYRENE	34247	WAIVED			
CARBOFURAN	81405	WAIVED			
CHLORDANE	39350	WAIVED			
DALAPON	38432	WAIVED			
DI(2-ETHYLHEXYL)ADIPATE	A-026	WAIVED			
DI(2-ETHYLHEXYL)PHTHALATE	39100	WAIVED			
DIBROMOCHLOROPROPANE (DBCP)	38761	WAIVED			
DINOSEB	81287	WAIVED			
DIQUAT	78885	WAIVED			
ENDOTHALL	38926	WAIVED			
ENDRIN	39390	WAIVED			
ETHYLENE DIBROMIDE (EDB)	77651	WAIVED			
GLYPHOSATE	79743	WAIVED			
HEPTACHLOR	39410	WAIVED			
HEPTACHLOR EPOXIDE	39420	WAIVED			
HEXACHLOROBENZENE	39700	WAIVED			
HEXACHLOROCYCLOPENTADIENE	34386	WAIVED			
LINDANE	39340	WAIVED			
METHOXYCHLOR	39480	WAIVED			
MOLINATE	82199	WAIVED			
OXAMYL	38865	WAIVED			
PENTACHLOROPHENOL	39032	WAIVED			
PICLORAM	39720	WAIVED			
POLYCHLORINATED BIPHENYLS, TOTAL, AS DCB	39516	WAIVED			
SIMAZINE	39055	WAIVED			
THIOBENCARB	A-001	WAIVED			
TOXAPHENE	39400	WAIVED			
REGULATED VOC					
1,1,1-TRICHLOROETHANE	34506	WAIVED			

**Testing interval is in months;*
0 = No data for this constituent and is DUE NOW
999 = Waived testing (not required)
I = Invalid (NOT) valid analyses reported

System Number: ***1900102***

System Name: ***WEST SIDE PARK MUTUAL***

PS Code: ***1900102-003***

Source Name: ***AUTOMATIC CHLORINATION UNIT***

Source Number: ***003***

Source Status: ***ACTIVE TREATED***

Water type: ***GROUNDWATER OR WELL***

	STORET NUMBER	TESTING INTERVAL (MONTHS)*	LAST TEST DATE (yyyy/mm/dd)	LAST RESULT REPORTED	NEXT TEST DATE (yyyy/mm)
REGULATED VOC					
1,1,2,2-TETRACHLOROETHANE	34516	WAIVED			
1,1,2-TRICHLORO-1,2,2-TRIFLUOROETHANE	81611	WAIVED			
1,1,2-TRICHLOROETHANE	34511	WAIVED			
1,1-DICHLOROETHANE	34496	WAIVED			
1,1-DICHLOROETHYLENE	34501	WAIVED			
1,2,4-TRICHLOROBENZENE	34551	WAIVED			
1,2-DICHLOROBENZENE	34536	WAIVED			
1,2-DICHLOROETHANE	34531	WAIVED			
1,2-DICHLOROPROPANE	34541	WAIVED			
1,3-DICHLOROPROPENE (TOTAL)	34561	WAIVED			
1,4-DICHLOROBENZENE	34571	WAIVED			
BENZENE	34030	WAIVED			
CARBON TETRACHLORIDE	32102	WAIVED			
CIS-1,2-DICHLOROETHYLENE	77093	WAIVED			
DICHLOROMETHANE	34423	WAIVED			
ETHYLBENZENE	34371	WAIVED			
METHYL-TERT-BUTYL-ETHER (MTBE)	46491	WAIVED			
MONOCHLOROBENZENE	34301	WAIVED			
STYRENE	77128	WAIVED			
TETRACHLOROETHYLENE	34475	WAIVED			
TOLUENE	34010	WAIVED			
TRANS-1,2-DICHLOROETHYLENE	34546	WAIVED			
TRICHLOROETHYLENE	39180	WAIVED			
TRICHLOROFLUOROMETHANE	34488	WAIVED			
VINYL CHLORIDE	39175	WAIVED			
XYLENES (TOTAL)	81551	WAIVED			
SECONDARY/GP					
AGGRSSIVE INDEX (CORROSIVITY)	82383	WAIVED			
BICARBONATE ALKALINITY	00440	WAIVED			

**Testing interval is in months;*
0 = No data for this constituent and is DUE NOW
999 = Waived testing (not required)
I = Invalid (NOT) valid analyses reported

System Number: ***1900102***

System Name: ***WEST SIDE PARK MUTUAL***

PS Code: ***1900102-003***

Source Name: ***AUTOMATIC CHLORINATION UNIT***

Source Number: ***003***

Source Status: ***ACTIVE TREATED***

Water type: ***GROUNDWATER OR WELL***

SECONDARY/GP

	STORET NUMBER	TESTING INTERVAL (MONTHS)*	LAST TEST DATE (yyyy/mm/dd)	LAST RESULT REPORTED	NEXT TEST DATE (yyyy/mm)
CALCIUM	00916	WAIVED			
CARBONATE ALKALINITY	00445	WAIVED			
CHLORIDE	00940	WAIVED			
COLOR	00081	WAIVED			
COPPER	01042	WAIVED			
FOAMING AGENTS (MBAS)	38260	WAIVED			
HARDNESS (TOTAL) AS CACO3	00900	WAIVED			
HYDROXIDE ALKALINITY	71830	WAIVED			
IRON	01045	WAIVED			
MAGNESIUM	00927	WAIVED			
MANGANESE	01055	WAIVED			
ODOR THRESHOLD @ 60 C	00086	WAIVED			
PH, LABORATORY	00403	WAIVED			
SILVER	01077	WAIVED			
SODIUM	00929	WAIVED			
SPECIFIC CONDUCTANCE	00095	WAIVED			
SULFATE	00945	WAIVED			
TOTAL DISSOLVED SOLIDS	70300	WAIVED			
TURBIDITY, LABORATORY	82079	WAIVED			
ZINC	01092	WAIVED			

PS Code: ***1900102-004***

Source Name: ***WELL 02***

Source Number: ***004***

Source Status: ***ACTIVE UNTREATED***

Water type: ***GROUNDWATER OR WELL***

GENERAL NON CHAP 15

DIAZINON	39570	WAIVED	2005/03/23	.000	

**Testing interval is in months;*
0 = No data for this constituent and is DUE NOW
999 = Waived testing (not required)
I = Invalid (NOT) valid analyses reported

System Number: ***1900102***

System Name: ***WEST SIDE PARK MUTUAL***

PS Code: ***1900102-004***

Source Name: ***WELL 02***

Source Number: ***004***

Source Status: ***ACTIVE UNTREATED***

Water type: ***GROUNDWATER OR WELL***

	STORET NUMBER	TESTING INTERVAL (MONTHS)*	LAST TEST DATE (yyyy/mm/dd)	LAST RESULT REPORTED	NEXT TEST DATE (yyyy/mm)
INORGANIC					
ALUMINUM	01105	WAIVED	2011/04/05	< .000	
ANTIMONY	01097	WAIVED	2011/04/05	< .000	
ARSENIC	01002	WAIVED	2011/04/05	< .000	
ASBESTOS	81855	WAIVED	2008/03/11	.000	
BARIUM	01007	WAIVED	2011/04/05	< .000	
BERYLLIUM	01012	WAIVED	2011/04/05	< .000	
CADMIUM	01027	WAIVED	2011/04/05	< .000	
CHROMIUM (TOTAL)	01034	WAIVED	2011/04/05	< .000	
CYANIDE	01291	WAIVED	2011/04/05	< .000	
FLUORIDE (F) (NATURAL-SOURCE)	00951	WAIVED	2011/04/05	.200	
LEAD	01051	WAIVED	2011/04/05	< .000	
MERCURY	71900	WAIVED	2011/04/05	< .000	
NICKEL	01067	WAIVED	2011/04/05	< .000	
PERCHLORATE	A-031	WAIVED	2011/04/05	< .000	
SELENIUM	01147	WAIVED	2011/04/05	< .000	
THALLIUM	01059	WAIVED	2011/04/05	< .000	
NITRATE/NITRITE					
NITRATE (AS NO3)	71850	WAIVED	2011/04/05	5.200	
NITRITE (AS N)	00620	WAIVED	2011/04/05	< .000	
RADIOLOGICAL					
GROSS ALPHA	01501	WAIVED	2008/03/11	5.900	
GROSS BETA	03501	WAIVED			
RA-226 FOR CWS OR TOTAL RA FOR NTNC BY 903.0	A-080	WAIVED			
RA-226 OR TOTAL RA BY 903.0 C.E.	A-081	WAIVED			
RADIUM 226	09501	WAIVED	2007/09/11	.123	
RADIUM 228	11501	WAIVED	2007/09/11	.000	
RADIUM, TOTAL, MDA95-NTNC ONLY, BY 903.0	A-082	WAIVED			
STRONTIUM-90	13501	WAIVED			
TRITIUM	07000	WAIVED			

**Testing interval is in months;*
0 = No data for this constituent and is DUE NOW
999 = Waived testing (not required)
I = Invalid (NOT) valid analyses reported

System Number: ***1900102***

System Name: ***WEST SIDE PARK MUTUAL***

PS Code: ***1900102-004***

Source Name: ***WELL 02***

Source Number: ***004***

Source Status: ***ACTIVE UNTREATED***

Water type: ***GROUNDWATER OR WELL***

	STORET NUMBER	TESTING INTERVAL (MONTHS)*	LAST TEST DATE (yyyy/mm/dd)	LAST RESULT REPORTED	NEXT TEST DATE (yyyy/mm)
RADIOLOGICAL					
URANIUM (PCI/L)	28012	WAIVED			
REGULATED SOC					
2,3,7,8-TCDD (DIOXIN)	34676	WAIVED	2008/03/11	.000	
2,4,5-TP (SILVEX)	39045	WAIVED	2008/03/11	.000	
2,4-D	39730	WAIVED	2008/03/11	.000	
ALACHLOR	77825	WAIVED	2008/03/11	.000	
ATRAZINE	39033	WAIVED	2008/03/11	.000	
BENTAZON	38710	WAIVED	2008/03/11	.000	
BENZO (A) PYRENE	34247	WAIVED	2008/03/11	.000	
CARBOFURAN	81405	WAIVED	2008/03/11	.000	
CHLORDANE	39350	WAIVED	2008/03/11	.000	
DALAPON	38432	WAIVED	2008/03/11	.000	
DI(2-ETHYLHEXYL)ADIPATE	A-026	WAIVED	2008/03/11	.000	
DI(2-ETHYLHEXYL)PHTHALATE	39100	WAIVED	2008/03/11	.000	
DIBROMOCHLOROPROPANE (DBCP)	38761	WAIVED	2008/03/11	.000	
DINOSEB	81287	WAIVED	2008/03/11	.000	
DIQUAT	78885	WAIVED	2008/03/11	< 4.000	
ENDOTHALL	38926	WAIVED	2008/03/11	< 45.000	
ENDRIN	39390	WAIVED	2008/03/11	.000	
ETHYLENE DIBROMIDE (EDB)	77651	WAIVED	2008/03/11	.000	
GLYPHOSATE	79743	WAIVED	2008/03/11	.000	
HEPTACHLOR	39410	WAIVED	2008/03/11	.000	
HEPTACHLOR EPOXIDE	39420	WAIVED	2008/03/11	.000	
HEXACHLOROBENZENE	39700	WAIVED	2008/03/11	.000	
HEXACHLOROCYCLOPENTADIENE	34386	WAIVED	2008/03/11	.000	
LINDANE	39340	WAIVED	2008/03/11	.000	
METHOXYCHLOR	39480	WAIVED	2008/03/11	.000	
MOLINATE	82199	WAIVED	2008/03/11	.000	
OXAMYL	38865	WAIVED	2008/03/11	.000	

**Testing interval is in months;*
0 = No data for this constituent and is DUE NOW
999 = Waived testing (not required)
I = Invalid (NOT) valid analyses reported

System Number: ***1900102***

System Name: ***WEST SIDE PARK MUTUAL***

PS Code: ***1900102-004***

Source Name: ***WELL 02***

Source Number: ***004***

Source Status: ***ACTIVE UNTREATED***

Water type: ***GROUNDWATER OR WELL***

	STORET NUMBER	TESTING INTERVAL (MONTHS)*	LAST TEST DATE (yyyy/mm/dd)	LAST RESULT REPORTED	NEXT TEST DATE (yyyy/mm)
REGULATED SOC					
PENTACHLOROPHENOL	39032	WAIVED	2008/03/11	.000	
PICLORAM	39720	WAIVED	2008/03/11	.000	
POLYCHLORINATED BIPHENYLS, TOTAL, AS DCB	39516	WAIVED	2008/03/11	.000	
SIMAZINE	39055	WAIVED	2008/03/11	.000	
THIOBENCARB	A-001	WAIVED	2008/03/11	.000	
TOXAPHENE	39400	WAIVED	2008/03/11	.000	
REGULATED VOC					
1,1,1-TRICHLOROETHANE	34506	WAIVED	2011/04/05	< .000	
1,1,2,2-TETRACHLOROETHANE	34516	WAIVED	2011/04/05	< .000	
1,1,2-TRICHLORO-1,2,2-TRIFLUOROETHANE	81611	WAIVED	2011/04/05	< .000	
1,1,2-TRICHLOROETHANE	34511	WAIVED	2011/04/05	< .000	
1,1-DICHLOROETHANE	34496	WAIVED	2011/04/05	< .000	
1,1-DICHLOROETHYLENE	34501	WAIVED	2011/04/05	< .000	
1,2,4-TRICHLOROBENZENE	34551	WAIVED	2011/04/05	< .000	
1,2-DICHLOROBENZENE	34536	WAIVED	2011/04/05	< .000	
1,2-DICHLOROETHANE	34531	WAIVED	2011/04/05	< .000	
1,2-DICHLOROPROPANE	34541	WAIVED	2011/04/05	< .000	
1,3-DICHLOROPROPENE (TOTAL)	34561	WAIVED	2011/04/05	< .000	
1,4-DICHLOROBENZENE	34571	WAIVED	2011/04/05	< .000	
BENZENE	34030	WAIVED	2011/04/05	< .000	
CARBON TETRACHLORIDE	32102	WAIVED	2011/04/05	< .000	
CIS-1,2-DICHLOROETHYLENE	77093	WAIVED	2011/04/05	< .000	
DICHLOROMETHANE	34423	WAIVED	2011/04/05	< .000	
ETHYLBENZENE	34371	WAIVED	2011/04/05	< .000	
METHYL-TERT-BUTYL-ETHER (MTBE)	46491	WAIVED	2011/04/05	< .000	
MONOCHLOROBENZENE	34301	WAIVED	2011/04/05	< .000	
STYRENE	77128	WAIVED	2011/04/05	< .000	
TETRACHLOROETHYLENE	34475	WAIVED	2011/04/05	< .000	
TOLUENE	34010	WAIVED	2011/04/05	< .000	

**Testing interval is in months;*
0 = No data for this constituent and is DUE NOW
999 = Waived testing (not required)
I = Invalid (NOT) valid analyses reported

System Number: ***1900102***

System Name: ***WEST SIDE PARK MUTUAL***

PS Code: ***1900102-004***

Source Name: ***WELL 02***

Source Number: ***004***

Source Status: ***ACTIVE UNTREATED***

Water type: ***GROUNDWATER OR WELL***

	STORET NUMBER	TESTING INTERVAL (MONTHS)*	LAST TEST DATE (yyyy/mm/dd)	LAST RESULT REPORTED	NEXT TEST DATE (yyyy/mm)
REGULATED VOC					
TRANS-1,2-DICHLOROETHYLENE	34546	WAIVED	2011/04/05	< .000	
TRICHLOROETHYLENE	39180	WAIVED	2011/04/05	< .000	
TRICHLOROFLUOROMETHANE	34488	WAIVED	2011/04/05	< .000	
VINYL CHLORIDE	39175	WAIVED	2011/04/05	< .000	
XYLENES (TOTAL)	81551	WAIVED	2011/04/05	< .000	
SECONDARY/GP					
AGGRSSIVE INDEX (CORROSIVITY)	82383	WAIVED	2008/03/11	12.030	
BICARBONATE ALKALINITY	00440	WAIVED	2011/04/05	270.000	
CALCIUM	00916	WAIVED	2011/04/05	82.000	
CARBONATE ALKALINITY	00445	WAIVED	2011/04/05	< .000	
CHLORIDE	00940	WAIVED	2011/04/05	72.000	
COLOR	00081	WAIVED	2011/04/05	< .000	
COPPER	01042	WAIVED	2011/04/05	< .000	
FOAMING AGENTS (MBAS)	38260	WAIVED	2011/04/05	< .000	
HARDNESS (TOTAL) AS CACO3	00900	WAIVED	2011/04/05	290.000	
HYDROXIDE ALKALINITY	71830	WAIVED	2011/04/05	< .000	
IRON	01045	WAIVED	2011/04/05	< .000	
MAGNESIUM	00927	WAIVED	2011/04/05	19.000	
MANGANESE	01055	WAIVED	2011/04/05	< .000	
ODOR THRESHOLD @ 60 C	00086	WAIVED	2011/04/05	1.000	
PH, LABORATORY	00403	WAIVED	2011/04/05	8.000	
SILVER	01077	WAIVED	2011/04/05	< .000	
SODIUM	00929	WAIVED	2011/04/05	96.000	
SPECIFIC CONDUCTANCE	00095	WAIVED	2011/04/05	950.000	
SULFATE	00945	WAIVED	2011/04/05	160.000	
TOTAL DISSOLVED SOLIDS	70300	WAIVED	2011/04/05	580.000	
TURBIDITY, LABORATORY	82079	WAIVED	2011/04/05	.600	
ZINC	01092	WAIVED	2011/04/05	< .000	

**Testing interval is in months;*
0 = No data for this constituent and is DUE NOW
999 = Waived testing (not required)
I = Invalid (NOT) valid analyses reported

System Number: ***1900112***

System Name: ***CAMP TERESITA PINES***

PS Code: ***1900112-001***

Source Name: ***JACKSON LAKE WATER SYSTEM - PURCHASE***

Source Number: ***001***

Source Status: ***PURCHASED TREATED***

Water type: ***GROUNDWATER OR WELL***

	STORET NUMBER	TESTING INTERVAL (MONTHS)*	LAST TEST DATE (yyyy/mm/dd)	LAST RESULT REPORTED	NEXT TEST DATE (yyyy/mm)
GENERAL NON CHAP 15					
DIAZINON	39570	WAIVED			
INORGANIC					
ALUMINUM	01105	WAIVED			
ANTIMONY	01097	WAIVED			
ARSENIC	01002	WAIVED			
ASBESTOS	81855	WAIVED			
BARIUM	01007	WAIVED			
BERYLLIUM	01012	WAIVED			
CADMIUM	01027	WAIVED			
CHROMIUM (TOTAL)	01034	WAIVED			
CYANIDE	01291	WAIVED			
FLUORIDE (F) (NATURAL-SOURCE)	00951	WAIVED			
LEAD	01051	WAIVED			
MERCURY	71900	WAIVED			
NICKEL	01067	WAIVED			
PERCHLORATE	A-031	WAIVED			
SELENIUM	01147	WAIVED			
THALLIUM	01059	WAIVED			
NITRATE/NITRITE					
NITRATE (AS NO3)	71850	WAIVED			
NITRITE (AS N)	00620	WAIVED			
RADIOLOGICAL					
GROSS ALPHA	01501	WAIVED			
GROSS BETA	03501	WAIVED			
RA-226 FOR CWS OR TOTAL RA FOR NTNC BY 903.0	A-080	WAIVED			
RA-226 OR TOTAL RA BY 903.0 C.E.	A-081	WAIVED			
RADIUM 226	09501	WAIVED			
RADIUM 228	11501	WAIVED			

**Testing interval is in months;*
0 = No data for this constituent and is DUE NOW
999 = Waived testing (not required)
I = Invalid (NOT) valid analyses reported

System Number: ***1900112***

System Name: ***CAMP TERESITA PINES***

PS Code: ***1900112-001***

Source Name: ***JACKSON LAKE WATER SYSTEM - PURCHASE***

Source Number: ***001***

Source Status: ***PURCHASED TREATED***

Water type: ***GROUNDWATER OR WELL***

	STORET NUMBER	TESTING INTERVAL (MONTHS)*	LAST TEST DATE (yyyy/mm/dd)	LAST RESULT REPORTED	NEXT TEST DATE (yyyy/mm)
RADIOLOGICAL					
RADIUM, TOTAL, MDA95-NTNC ONLY, BY 903.0	A-082	WAIVED			
STRONTIUM-90	13501	WAIVED			
TRITIUM	07000	WAIVED			
URANIUM (PCI/L)	28012	WAIVED			
REGULATED SOC					
2,3,7,8-TCDD (DIOXIN)	34676	WAIVED			
2,4,5-TP (SILVEX)	39045	WAIVED			
2,4-D	39730	WAIVED			
ALACHLOR	77825	WAIVED			
ATRAZINE	39033	WAIVED			
BENTAZON	38710	WAIVED			
BENZO (A) PYRENE	34247	WAIVED			
CARBOFURAN	81405	WAIVED			
CHLORDANE	39350	WAIVED			
DALAPON	38432	WAIVED			
DI(2-ETHYLHEXYL)ADIPATE	A-026	WAIVED			
DI(2-ETHYLHEXYL)PHTHALATE	39100	WAIVED			
DIBROMOCHLOROPROPANE (DBCP)	38761	WAIVED			
DINOSEB	81287	WAIVED			
DIQUAT	78885	WAIVED			
ENDOTHALL	38926	WAIVED			
ENDRIN	39390	WAIVED			
ETHYLENE DIBROMIDE (EDB)	77651	WAIVED			
GLYPHOSATE	79743	WAIVED			
HEPTACHLOR	39410	WAIVED			
HEPTACHLOR EPOXIDE	39420	WAIVED			
HEXACHLOROBENZENE	39700	WAIVED			
HEXACHLOROCYCLOPENTADIENE	34386	WAIVED			
LINDANE	39340	WAIVED			

**Testing interval is in months;*
0 = No data for this constituent and is DUE NOW
999 = Waived testing (not required)
I = Invalid (NOT) valid analyses reported

System Number: ***1900112***

System Name: ***CAMP TERESITA PINES***

PS Code: ***1900112-001***

Source Name: ***JACKSON LAKE WATER SYSTEM - PURCHASE***

Source Number: ***001***

Source Status: ***PURCHASED TREATED***

Water type: ***GROUNDWATER OR WELL***

REGULATED SOC

	STORET NUMBER	TESTING INTERVAL (MONTHS)*	LAST TEST DATE (yyyy/mm/dd)	LAST RESULT REPORTED	NEXT TEST DATE (yyyy/mm)
METHOXYCHLOR	39480	WAIVED			
MOLINATE	82199	WAIVED			
OXAMYL	38865	WAIVED			
PENTACHLOROPHENOL	39032	WAIVED			
PICLORAM	39720	WAIVED			
POLYCHLORINATED BIPHENYLS, TOTAL, AS DCB	39516	WAIVED			
SIMAZINE	39055	WAIVED			
THIOBENCARB	A-001	WAIVED			
TOXAPHENE	39400	WAIVED			

REGULATED VOC

1,1,1-TRICHLOROETHANE	34506	WAIVED			
1,1,2,2-TETRACHLOROETHANE	34516	WAIVED			
1,1,2-TRICHLORO-1,2,2-TRIFLUOROETHANE	81611	WAIVED			
1,1,2-TRICHLOROETHANE	34511	WAIVED			
1,1-DICHLOROETHANE	34496	WAIVED			
1,1-DICHLOROETHYLENE	34501	WAIVED			
1,2,4-TRICHLOROBENZENE	34551	WAIVED			
1,2-DICHLOROBENZENE	34536	WAIVED			
1,2-DICHLOROETHANE	34531	WAIVED			
1,2-DICHLOROPROPANE	34541	WAIVED			
1,3-DICHLOROPROPENE (TOTAL)	34561	WAIVED			
1,4-DICHLOROBENZENE	34571	WAIVED			
BENZENE	34030	WAIVED			
CARBON TETRACHLORIDE	32102	WAIVED			
CIS-1,2-DICHLOROETHYLENE	77093	WAIVED			
DICHLOROMETHANE	34423	WAIVED			
ETHYLBENZENE	34371	WAIVED			
METHYL-TERT-BUTYL-ETHER (MTBE)	46491	WAIVED			
MONOCHLOROBENZENE	34301	WAIVED			

**Testing interval is in months;*
0 = No data for this constituent and is DUE NOW
999 = Waived testing (not required)
I = Invalid (NOT) valid analyses reported

System Number: ***1900112***

System Name: ***CAMP TERESITA PINES***

PS Code: ***1900112-001***

Source Name: ***JACKSON LAKE WATER SYSTEM - PURCHASE***

Source Number: ***001***

Source Status: ***PURCHASED TREATED***

Water type: ***GROUNDWATER OR WELL***

	STORET NUMBER	TESTING INTERVAL (MONTHS)*	LAST TEST DATE (yyyy/mm/dd)	LAST RESULT REPORTED	NEXT TEST DATE (yyyy/mm)
REGULATED VOC					
STYRENE	77128	WAIVED			
TETRACHLOROETHYLENE	34475	WAIVED			
TOLUENE	34010	WAIVED			
TRANS-1,2-DICHLOROETHYLENE	34546	WAIVED			
TRICHLOROETHYLENE	39180	WAIVED			
TRICHLOROFLUOROMETHANE	34488	WAIVED			
VINYL CHLORIDE	39175	WAIVED			
XYLENES (TOTAL)	81551	WAIVED			
SECONDARY/GP					
AGGRSSIVE INDEX (CORROSIVITY)	82383	WAIVED			
BICARBONATE ALKALINITY	00440	WAIVED			
CALCIUM	00916	WAIVED			
CARBONATE ALKALINITY	00445	WAIVED			
CHLORIDE	00940	WAIVED			
COLOR	00081	WAIVED			
COPPER	01042	WAIVED			
FOAMING AGENTS (MBAS)	38260	WAIVED			
HARDNESS (TOTAL) AS CACO3	00900	WAIVED			
HYDROXIDE ALKALINITY	71830	WAIVED			
IRON	01045	WAIVED			
MAGNESIUM	00927	WAIVED			
MANGANESE	01055	WAIVED			
ODOR THRESHOLD @ 60 C	00086	WAIVED			
PH, LABORATORY	00403	WAIVED			
SILVER	01077	WAIVED			
SODIUM	00929	WAIVED			
SPECIFIC CONDUCTANCE	00095	WAIVED			
SULFATE	00945	WAIVED			
TOTAL DISSOLVED SOLIDS	70300	WAIVED			

**Testing interval is in months;*
0 = No data for this constituent and is DUE NOW
999 = Waived testing (not required)
I = Invalid (NOT) valid analyses reported

System Number: ***1900112***

System Name: ***CAMP TERESITA PINES***

PS Code: ***1900112-001***

Source Name: ***JACKSON LAKE WATER SYSTEM - PURCHASE***

Source Number: ***001***

Source Status: ***PURCHASED TREATED***

Water type: ***GROUNDWATER OR WELL***

SECONDARY/GP

	STORET NUMBER	TESTING INTERVAL (MONTHS)*	LAST TEST DATE (yyyy/mm/dd)	LAST RESULT REPORTED	NEXT TEST DATE (yyyy/mm)
TURBIDITY, LABORATORY	82079	WAIVED			
ZINC	01092	WAIVED			

**Testing interval is in months;*
0 = No data for this constituent and is DUE NOW
999 = Waived testing (not required)
I = Invalid (NOT) valid analyses reported

System Number: ***1900122***

System Name: ***ENVIRONMENTAL CARE INDUSTRIES-VLY CREST***

PS Code: ***1900122-001***

Source Name: ***WELL 01***

Source Number: ***001***

Source Status: ***ACTIVE UNTREATED***

Water type: ***GROUNDWATER OR WELL***

	STORET NUMBER	TESTING INTERVAL (MONTHS)*	LAST TEST DATE (yyyy/mm/dd)	LAST RESULT REPORTED	NEXT TEST DATE (yyyy/mm)
GENERAL NON CHAP 15					
DIAZINON	39570	WAIVED			
INORGANIC					
ALUMINUM	01105	WAIVED	2011/05/18	< 10.000	
ANTIMONY	01097	WAIVED	2011/05/18	< 1.000	
ARSENIC	01002	WAIVED	2011/05/18	< 2.000	
ASBESTOS	81855	WAIVED			
BARIUM	01007	WAIVED	2011/05/18	48.700	
BERYLLIUM	01012	WAIVED	2011/05/18	< .200	
CADMIUM	01027	WAIVED	2011/05/18	< .200	
CHROMIUM (TOTAL)	01034	WAIVED	2011/05/18	< 1.000	
CYANIDE	01291	WAIVED			
FLUORIDE (F) (NATURAL-SOURCE)	00951	WAIVED	2011/05/18	.600	
LEAD	01051	WAIVED	2011/05/18	< .200	
MERCURY	71900	WAIVED	2011/05/18	< .020	
NICKEL	01067	WAIVED	2011/05/18	2.000	
PERCHLORATE	A-031	WAIVED	2002/10/18	.000	
SELENIUM	01147	WAIVED	2011/05/18	< 2.000	
THALLIUM	01059	WAIVED	2011/05/18	< .200	
NITRATE/NITRITE					
NITRATE (AS NO3)	71850	WAIVED	2011/05/18	7.900	
NITRITE (AS N)	00620	WAIVED	2011/05/18	< .100	
RADIOLOGICAL					
GROSS ALPHA	01501	WAIVED	2009/10/20	1.870	
GROSS BETA	03501	WAIVED			
RA-226 FOR CWS OR TOTAL RA FOR NTNC BY 903.0	A-080	WAIVED			
RA-226 OR TOTAL RA BY 903.0 C.E.	A-081	WAIVED			
RADIUM 226	09501	WAIVED			
RADIUM 228	11501	WAIVED			

**Testing interval is in months;*
0 = No data for this constituent and is DUE NOW
999 = Waived testing (not required)
I = Invalid (NOT) valid analyses reported

System Number: ***1900122***

System Name: ***ENVIRONMENTAL CARE INDUSTRIES-VLY CREST***

PS Code: ***1900122-001***

Source Name: ***WELL 01***

Source Number: ***001***

Source Status: ***ACTIVE UNTREATED***

Water type: ***GROUNDWATER OR WELL***

	STORET NUMBER	TESTING INTERVAL (MONTHS)*	LAST TEST DATE (yyyy/mm/dd)	LAST RESULT REPORTED	NEXT TEST DATE (yyyy/mm)
RADIOLOGICAL					
RADIUM, TOTAL, MDA95-NTNC ONLY, BY 903.0	A-082	WAIVED			
STRONTIUM-90	13501	WAIVED			
TRITIUM	07000	WAIVED			
URANIUM (PCI/L)	28012	WAIVED	2009/04/21	1.320	
REGULATED SOC					
2,3,7,8-TCDD (DIOXIN)	34676	WAIVED			
2,4,5-TP (SILVEX)	39045	WAIVED			
2,4-D	39730	WAIVED			
ALACHLOR	77825	WAIVED	2002/05/16	.000	
ATRAZINE	39033	WAIVED			
BENTAZON	38710	WAIVED			
BENZO (A) PYRENE	34247	WAIVED			
CARBOFURAN	81405	WAIVED			
CHLORDANE	39350	WAIVED	2002/05/16	.000	
DALAPON	38432	WAIVED			
DI(2-ETHYLHEXYL)ADIPATE	A-026	WAIVED			
DI(2-ETHYLHEXYL)PHTHALATE	39100	WAIVED			
DIBROMOCHLOROPROPANE (DBCP)	38761	WAIVED	2002/05/16	.000	
DINOSEB	81287	WAIVED			
DIQUAT	78885	WAIVED			
ENDOTHALL	38926	WAIVED			
ENDRIN	39390	WAIVED	2002/05/16	.000	
ETHYLENE DIBROMIDE (EDB)	77651	WAIVED	2002/05/16	.000	
GLYPHOSATE	79743	WAIVED			
HEPTACHLOR	39410	WAIVED	2002/05/16	.000	
HEPTACHLOR EPOXIDE	39420	WAIVED	2002/05/16	.000	
HEXACHLOROBENZENE	39700	WAIVED	2002/05/16	.000	
HEXACHLOROCYCLOPENTADIENE	34386	WAIVED	2002/05/16	.000	
LINDANE	39340	WAIVED	2002/05/16	.000	

**Testing interval is in months;*
0 = No data for this constituent and is DUE NOW
999 = Waived testing (not required)
I = Invalid (NOT) valid analyses reported

System Number: 1900122
System Name: ENVIRONMENTAL CARE INDUSTRIES-VLY CREST

PS Code: 1900122-001
Source Name: WELL 01
Source Number: 001
Source Status: ACTIVE UNTREATED
Water type: GROUNDWATER OR WELL

	STORET NUMBER	TESTING INTERVAL (MONTHS)*	LAST TEST DATE (yyyy/mm/dd)	LAST RESULT REPORTED	NEXT TEST DATE (yyyy/mm)
REGULATED SOC					
METHOXYCHLOR	39480	WAIVED	2002/05/16	.000	
MOLINATE	82199	WAIVED			
OXAMYL	38865	WAIVED			
PENTACHLOROPHENOL	39032	WAIVED			
PICLORAM	39720	WAIVED			
POLYCHLORINATED BIPHENYLS, TOTAL, AS DCB	39516	WAIVED	2002/05/16	.000	
SIMAZINE	39055	WAIVED			
THIOBENCARB	A-001	WAIVED	2002/10/18	.000	
TOXAPHENE	39400	WAIVED	2002/05/16	.000	
REGULATED VOC					
1,1,1-TRICHLOROETHANE	34506	WAIVED	2002/05/16	.000	
1,1,2,2-TETRACHLOROETHANE	34516	WAIVED	2002/05/16	.000	
1,1,2-TRICHLORO-1,2,2-TRIFLUOROETHANE	81611	WAIVED	2002/05/16	.000	
1,1,2-TRICHLOROETHANE	34511	WAIVED	2002/05/16	.000	
1,1-DICHLOROETHANE	34496	WAIVED	2002/05/16	.000	
1,1-DICHLOROETHYLENE	34501	WAIVED	2002/05/16	.000	
1,2,4-TRICHLOROBENZENE	34551	WAIVED	2002/05/16	.000	
1,2-DICHLOROBENZENE	34536	WAIVED	2002/05/16	.000	
1,2-DICHLOROETHANE	34531	WAIVED	2002/05/16	.000	
1,2-DICHLOROPROPANE	34541	WAIVED	2002/05/16	.000	
1,3-DICHLOROPROPENE (TOTAL)	34561	WAIVED	2002/05/16	.000	
1,4-DICHLOROBENZENE	34571	WAIVED	2002/05/16	.000	
BENZENE	34030	WAIVED	2002/05/16	.000	
CARBON TETRACHLORIDE	32102	WAIVED	2002/05/16	.000	
CIS-1,2-DICHLOROETHYLENE	77093	WAIVED	2002/05/16	.000	
DICHLOROMETHANE	34423	WAIVED	2002/05/16	.000	
ETHYLBENZENE	34371	WAIVED	2002/05/16	.000	
METHYL-TERT-BUTYL-ETHER (MTBE)	46491	WAIVED	2002/05/16	.000	
MONOCHLOROBENZENE	34301	WAIVED	2002/05/16	.000	

**Testing interval is in months;*
0 = No data for this constituent and is DUE NOW
999 = Waived testing (not required)
I = Invalid (NOT) valid analyses reported

System Number: 1900122
System Name: ENVIRONMENTAL CARE INDUSTRIES-VLY CREST

PS Code: 1900122-001
Source Name: WELL 01
Source Number: 001
Source Status: ACTIVE UNTREATED
Water type: GROUNDWATER OR WELL

	STORET NUMBER	TESTING INTERVAL (MONTHS)*	LAST TEST DATE (yyyy/mm/dd)	LAST RESULT REPORTED	NEXT TEST DATE (yyyy/mm)
REGULATED VOC					
STYRENE	77128	WAIVED	2002/05/16	.000	
TETRACHLOROETHYLENE	34475	WAIVED	2002/05/16	.000	
TOLUENE	34010	WAIVED	2002/05/16	.000	
TRANS-1,2-DICHLOROETHYLENE	34546	WAIVED	2002/05/16	.000	
TRICHLOROETHYLENE	39180	WAIVED	2002/05/16	.000	
TRICHLOROFLUOROMETHANE	34488	WAIVED	2002/05/16	.000	
VINYL CHLORIDE	39175	WAIVED	2002/05/16	.000	
XYLENES (TOTAL)	81551	WAIVED	2002/05/16	.000	
SECONDARY/GP					
AGGRSSIVE INDEX (CORROSIVITY)	82383	WAIVED	2011/05/18	12.300	
BICARBONATE ALKALINITY	00440	WAIVED	2011/05/18	360.000	
CALCIUM	00916	WAIVED	2011/05/18	168.000	
CARBONATE ALKALINITY	00445	WAIVED	2011/05/18	< 10.000	
CHLORIDE	00940	WAIVED	2011/05/18	64.000	
COLOR	00081	WAIVED	2011/05/18	14.000	
COPPER	01042	WAIVED	2011/05/18	< 10.000	
FOAMING AGENTS (MBAS)	38260	WAIVED	2011/05/18	< .100	
HARDNESS (TOTAL) AS CACO3	00900	WAIVED	2011/05/18	711.000	
HYDROXIDE ALKALINITY	71830	WAIVED	2011/05/18	< 10.000	
IRON	01045	WAIVED	2011/05/18	920.000	
MAGNESIUM	00927	WAIVED	2011/05/18	71.000	
MANGANESE	01055	WAIVED	2011/05/18	220.000	
ODOR THRESHOLD @ 60 C	00086	WAIVED	2011/05/18	< 1.000	
PH, LABORATORY	00403	WAIVED	2011/05/18	7.200	
SILVER	01077	WAIVED	2011/05/18	< 1.000	
SODIUM	00929	WAIVED	2011/05/18	84.000	
SPECIFIC CONDUCTANCE	00095	WAIVED	2011/05/18	1520.000	
SULFATE	00945	WAIVED	2011/05/18	460.000	
TOTAL DISSOLVED SOLIDS	70300	WAIVED	2011/05/18	1080.000	

**Testing interval is in months;*
0 = No data for this constituent and is DUE NOW
999 = Waived testing (not required)
I = Invalid (NOT) valid analyses reported

System Number: ***1900122***

System Name: ***ENVIRONMENTAL CARE INDUSTRIES-VLY CREST***

PS Code: ***1900122-001***

Source Name: ***WELL 01***

Source Number: ***001***

Source Status: ***ACTIVE UNTREATED***

Water type: ***GROUNDWATER OR WELL***

SECONDARY/GP

	STORET NUMBER	TESTING INTERVAL (MONTHS)*	LAST TEST DATE (yyyy/mm/dd)	LAST RESULT REPORTED	NEXT TEST DATE (yyyy/mm)
TURBIDITY, LABORATORY	82079	WAIVED	2011/05/18	4.100	
ZINC	01092	WAIVED	2011/05/18	< 20.000	

**Testing interval is in months;*
0 = No data for this constituent and is DUE NOW
999 = Waived testing (not required)
I = Invalid (NOT) valid analyses reported

System Number: ***1900126***

System Name: ***THE ROBIN S NEST RECR. RESORT***

PS Code: ***1900126-001***

Source Name: ***WELL 01***

Source Number: ***001***

Source Status: ***ACTIVE UNTREATED***

Water type: ***GROUNDWATER OR WELL***

	STORET NUMBER	TESTING INTERVAL (MONTHS)*	LAST TEST DATE (yyyy/mm/dd)	LAST RESULT REPORTED	NEXT TEST DATE (yyyy/mm)
GENERAL NON CHAP 15					
DIAZINON	39570	WAIVED			
INORGANIC					
ALUMINUM	01105	WAIVED			
ANTIMONY	01097	WAIVED			
ARSENIC	01002	WAIVED	1995/04/05	2.000	
ASBESTOS	81855	WAIVED			
BARIUM	01007	WAIVED	1995/04/05	145.000	
BERYLLIUM	01012	WAIVED			
CADMIUM	01027	WAIVED	1995/04/05	.000	
CHROMIUM (TOTAL)	01034	WAIVED	1995/04/05	.000	
CYANIDE	01291	WAIVED			
FLUORIDE (F) (NATURAL-SOURCE)	00951	WAIVED			
LEAD	01051	WAIVED	1995/04/05	.000	
MERCURY	71900	WAIVED	1995/04/05	.000	
NICKEL	01067	WAIVED			
PERCHLORATE	A-031	WAIVED			
SELENIUM	01147	WAIVED	1995/04/05	.000	
THALLIUM	01059	WAIVED			
NITRATE/NITRITE					
NITRATE (AS NO3)	71850	WAIVED	2004/08/25	.000	
NITRITE (AS N)	00620	WAIVED			
RADIOLOGICAL					
GROSS ALPHA	01501	WAIVED	2008/03/19	1.580	
GROSS BETA	03501	WAIVED			
RA-226 FOR CWS OR TOTAL RA FOR NTNC BY 903.0	A-080	WAIVED			
RA-226 OR TOTAL RA BY 903.0 C.E.	A-081	WAIVED			
RADIUM 226	09501	WAIVED			
RADIUM 228	11501	WAIVED			

**Testing interval is in months;*
0 = No data for this constituent and is DUE NOW
999 = Waived testing (not required)
I = Invalid (NOT) valid analyses reported

System Number: ***1900126***

System Name: ***THE ROBIN S NEST RECR. RESORT***

PS Code: ***1900126-001***

Source Name: ***WELL 01***

Source Number: ***001***

Source Status: ***ACTIVE UNTREATED***

Water type: ***GROUNDWATER OR WELL***

	STORET NUMBER	TESTING INTERVAL (MONTHS)*	LAST TEST DATE (yyyy/mm/dd)	LAST RESULT REPORTED	NEXT TEST DATE (yyyy/mm)
RADIOLOGICAL					
RADIUM, TOTAL, MDA95-NTNC ONLY, BY 903.0	A-082	WAIVED			
STRONTIUM-90	13501	WAIVED			
TRITIUM	07000	WAIVED			
URANIUM (PCI/L)	28012	WAIVED			
REGULATED SOC					
2,3,7,8-TCDD (DIOXIN)	34676	WAIVED			
2,4,5-TP (SILVEX)	39045	WAIVED			
2,4-D	39730	WAIVED			
ALACHLOR	77825	WAIVED	2001/06/27	.000	
ATRAZINE	39033	WAIVED	1995/04/05	.000	
BENTAZON	38710	WAIVED			
BENZO (A) PYRENE	34247	WAIVED	1995/04/05	.000	
CARBOFURAN	81405	WAIVED	1995/04/05	.000	
CHLORDANE	39350	WAIVED	2001/06/27	.000	
DALAPON	38432	WAIVED			
DI(2-ETHYLHEXYL)ADIPATE	A-026	WAIVED	1995/04/05	.000	
DI(2-ETHYLHEXYL)PHTHALATE	39100	WAIVED	2001/06/27	.000	
DIBROMOCHLOROPROPANE (DBCP)	38761	WAIVED	1995/04/05	.000	
DINOSEB	81287	WAIVED			
DIQUAT	78885	WAIVED			
ENDOTHALL	38926	WAIVED			
ENDRIN	39390	WAIVED	2001/06/27	.000	
ETHYLENE DIBROMIDE (EDB)	77651	WAIVED	1995/04/05	.000	
GLYPHOSATE	79743	WAIVED	1995/04/05	.000	
HEPTACHLOR	39410	WAIVED	2001/06/27	.000	
HEPTACHLOR EPOXIDE	39420	WAIVED	2001/06/27	.000	
HEXACHLOROBENZENE	39700	WAIVED	2001/06/27	.000	
HEXACHLOROCYCLOPENTADIENE	34386	WAIVED	2001/06/27	.000	
LINDANE	39340	WAIVED	2001/06/27	.000	

**Testing interval is in months;*
0 = No data for this constituent and is DUE NOW
999 = Waived testing (not required)
I = Invalid (NOT) valid analyses reported

System Number: 1900126

System Name: THE ROBIN S NEST RECR. RESORT

PS Code: 1900126-001

Source Name: WELL 01

Source Number: 001

Source Status: ACTIVE UNTREATED

Water type: GROUNDWATER OR WELL

	STORET NUMBER	TESTING INTERVAL (MONTHS)*	LAST TEST DATE (yyyy/mm/dd)	LAST RESULT REPORTED	NEXT TEST DATE (yyyy/mm)
REGULATED SOC					
METHOXYCHLOR	39480	WAIVED	2001/06/27	.000	
MOLINATE	82199	WAIVED	1995/04/05	.000	
OXAMYL	38865	WAIVED	1995/04/05	.000	
PENTACHLOROPHENOL	39032	WAIVED	1995/04/05	.000	
PICLORAM	39720	WAIVED			
POLYCHLORINATED BIPHENYLS, TOTAL, AS DCB	39516	WAIVED	2001/06/27	.000	
SIMAZINE	39055	WAIVED	1995/04/05	.000	
THIOBENCARB	A-001	WAIVED	1995/04/05	.000	
TOXAPHENE	39400	WAIVED	2001/06/27	.000	
REGULATED VOC					
1,1,1-TRICHLOROETHANE	34506	WAIVED	2001/06/27	.000	
1,1,2,2-TETRACHLOROETHANE	34516	WAIVED	2001/06/27	.000	
1,1,2-TRICHLORO-1,2,2-TRIFLUOROETHANE	81611	WAIVED	2001/06/27	.000	
1,1,2-TRICHLOROETHANE	34511	WAIVED	2001/06/27	.000	
1,1-DICHLOROETHANE	34496	WAIVED	2001/06/27	.000	
1,1-DICHLOROETHYLENE	34501	WAIVED	2001/06/27	.000	
1,2,4-TRICHLOROBENZENE	34551	WAIVED	2001/06/27	.000	
1,2-DICHLOROBENZENE	34536	WAIVED	2001/06/27	.000	
1,2-DICHLOROETHANE	34531	WAIVED	2001/06/27	.000	
1,2-DICHLOROPROPANE	34541	WAIVED	2001/06/27	.000	
1,3-DICHLOROPROPENE (TOTAL)	34561	WAIVED	2001/06/27	.000	
1,4-DICHLOROBENZENE	34571	WAIVED	2001/06/27	.000	
BENZENE	34030	WAIVED	2001/06/27	.000	
CARBON TETRACHLORIDE	32102	WAIVED	2001/06/27	.000	
CIS-1,2-DICHLOROETHYLENE	77093	WAIVED	2001/06/27	.000	
DICHLOROMETHANE	34423	WAIVED	2001/06/27	.000	
ETHYLBENZENE	34371	WAIVED	2001/06/27	.000	
METHYL-TERT-BUTYL-ETHER (MTBE)	46491	WAIVED	2001/06/27	.000	
MONOCHLOROBENZENE	34301	WAIVED	2001/06/27	.000	

**Testing interval is in months;*
0 = No data for this constituent and is DUE NOW
999 = Waived testing (not required)
I = Invalid (NOT) valid analyses reported

System Number: ***1900126***

System Name: ***THE ROBIN S NEST RECR. RESORT***

PS Code: ***1900126-001***

Source Name: ***WELL 01***

Source Number: ***001***

Source Status: ***ACTIVE UNTREATED***

Water type: ***GROUNDWATER OR WELL***

	STORET NUMBER	TESTING INTERVAL (MONTHS)*	LAST TEST DATE (yyyy/mm/dd)	LAST RESULT REPORTED	NEXT TEST DATE (yyyy/mm)
REGULATED VOC					
STYRENE	77128	WAIVED	2001/06/27	.000	
TETRACHLOROETHYLENE	34475	WAIVED	2001/06/27	.000	
TOLUENE	34010	WAIVED	2001/06/27	.000	
TRANS-1,2-DICHLOROETHYLENE	34546	WAIVED	2001/06/27	.000	
TRICHLOROETHYLENE	39180	WAIVED	2001/06/27	.000	
TRICHLOROFLUOROMETHANE	34488	WAIVED	2001/06/27	.000	
VINYL CHLORIDE	39175	WAIVED	2001/06/27	.000	
XYLENES (TOTAL)	81551	WAIVED	2001/06/27	.000	
SECONDARY/GP					
AGGRSSIVE INDEX (CORROSIVITY)	82383	WAIVED			
BICARBONATE ALKALINITY	00440	WAIVED			
CALCIUM	00916	WAIVED			
CARBONATE ALKALINITY	00445	WAIVED			
CHLORIDE	00940	WAIVED			
COLOR	00081	WAIVED			
COPPER	01042	WAIVED			
FOAMING AGENTS (MBAS)	38260	WAIVED			
HARDNESS (TOTAL) AS CACO3	00900	WAIVED			
HYDROXIDE ALKALINITY	71830	WAIVED			
IRON	01045	WAIVED			
MAGNESIUM	00927	WAIVED			
MANGANESE	01055	WAIVED			
ODOR THRESHOLD @ 60 C	00086	WAIVED			
PH, LABORATORY	00403	WAIVED			
SILVER	01077	WAIVED	1995/04/05	.000	
SODIUM	00929	WAIVED			
SPECIFIC CONDUCTANCE	00095	WAIVED			
SULFATE	00945	WAIVED			
TOTAL DISSOLVED SOLIDS	70300	WAIVED			

**Testing interval is in months;*
0 = No data for this constituent and is DUE NOW
999 = Waived testing (not required)
I = Invalid (NOT) valid analyses reported

System Number: ***1900126***

System Name: ***THE ROBIN S NEST RECR. RESORT***

PS Code: ***1900126-001***

Source Name: ***WELL 01***

Source Number: ***001***

Source Status: ***ACTIVE UNTREATED***

Water type: ***GROUNDWATER OR WELL***

	STORET NUMBER	TESTING INTERVAL (MONTHS)*	LAST TEST DATE (yyyy/mm/dd)	LAST RESULT REPORTED	NEXT TEST DATE (yyyy/mm)
SECONDARY/GP					
TURBIDITY, LABORATORY	82079	WAIVED			
ZINC	01092	WAIVED			

PS Code: ***1900126-002***

Source Name: ***AUTOMATIC CHLORINATOR UNIT***

Source Number: ***002***

Source Status: ***ACTIVE TREATED***

Water type: ***GROUNDWATER OR WELL***

GENERAL NON CHAP 15					
DIAZINON	39570	WAIVED			
INORGANIC					
ALUMINUM	01105	WAIVED			
ANTIMONY	01097	WAIVED			
ARSENIC	01002	WAIVED			
ASBESTOS	81855	WAIVED			
BARIUM	01007	WAIVED			
BERYLLIUM	01012	WAIVED			
CADMIUM	01027	WAIVED			
CHROMIUM (TOTAL)	01034	WAIVED			
CYANIDE	01291	WAIVED			
FLUORIDE (F) (NATURAL-SOURCE)	00951	WAIVED			
LEAD	01051	WAIVED			
MERCURY	71900	WAIVED			
NICKEL	01067	WAIVED			
PERCHLORATE	A-031	WAIVED			
SELENIUM	01147	WAIVED			
THALLIUM	01059	WAIVED			

**Testing interval is in months;*
0 = No data for this constituent and is DUE NOW
999 = Waived testing (not required)
I = Invalid (NOT) valid analyses reported

System Number: ***1900126***

System Name: ***THE ROBIN S NEST RECR. RESORT***

PS Code: ***1900126-002***

Source Name: ***AUTOMATIC CHLORINATOR UNIT***

Source Number: ***002***

Source Status: ***ACTIVE TREATED***

Water type: ***GROUNDWATER OR WELL***

	STORET NUMBER	TESTING INTERVAL (MONTHS)*	LAST TEST DATE (yyyy/mm/dd)	LAST RESULT REPORTED	NEXT TEST DATE (yyyy/mm)
NITRATE/NITRITE					
NITRATE (AS NO3)	71850	WAIVED			
NITRITE (AS N)	00620	WAIVED			
RADIOLOGICAL					
GROSS ALPHA	01501	WAIVED			
GROSS BETA	03501	WAIVED			
RA-226 FOR CWS OR TOTAL RA FOR NTNC BY 903.0	A-080	WAIVED			
RA-226 OR TOTAL RA BY 903.0 C.E.	A-081	WAIVED			
RADIUM 226	09501	WAIVED			
RADIUM 228	11501	WAIVED			
RADIUM, TOTAL, MDA95-NTNC ONLY, BY 903.0	A-082	WAIVED			
STRONTIUM-90	13501	WAIVED			
TRITIUM	07000	WAIVED			
URANIUM (PCI/L)	28012	WAIVED			
REGULATED SOC					
2,3,7,8-TCDD (DIOXIN)	34676	WAIVED			
2,4,5-TP (SILVEX)	39045	WAIVED			
2,4-D	39730	WAIVED			
ALACHLOR	77825	WAIVED			
ATRAZINE	39033	WAIVED			
BENTAZON	38710	WAIVED			
BENZO (A) PYRENE	34247	WAIVED			
CARBOFURAN	81405	WAIVED			
CHLORDANE	39350	WAIVED			
DALAPON	38432	WAIVED			
DI(2-ETHYLHEXYL)ADIPATE	A-026	WAIVED			
DI(2-ETHYLHEXYL)PHTHALATE	39100	WAIVED			
DIBROMOCHLOROPROPANE (DBCP)	38761	WAIVED			
DINOSEB	81287	WAIVED			
DIQUAT	78885	WAIVED			

**Testing interval is in months;*
0 = No data for this constituent and is DUE NOW
999 = Waived testing (not required)
I = Invalid (NOT) valid analyses reported

System Number: ***1900126***

System Name: ***THE ROBIN S NEST RECR. RESORT***

PS Code: ***1900126-002***

Source Name: ***AUTOMATIC CHLORINATOR UNIT***

Source Number: ***002***

Source Status: ***ACTIVE TREATED***

Water type: ***GROUNDWATER OR WELL***

	STORET NUMBER	TESTING INTERVAL (MONTHS)*	LAST TEST DATE (yyyy/mm/dd)	LAST RESULT REPORTED	NEXT TEST DATE (yyyy/mm)
REGULATED SOC					
ENDOTHALL	38926	WAIVED			
ENDRIN	39390	WAIVED			
ETHYLENE DIBROMIDE (EDB)	77651	WAIVED			
GLYPHOSATE	79743	WAIVED			
HEPTACHLOR	39410	WAIVED			
HEPTACHLOR EPOXIDE	39420	WAIVED			
HEXACHLOROBENZENE	39700	WAIVED			
HEXACHLOROCYCLOPENTADIENE	34386	WAIVED			
LINDANE	39340	WAIVED			
METHOXYCHLOR	39480	WAIVED			
MOLINATE	82199	WAIVED			
OXAMYL	38865	WAIVED			
PENTACHLOROPHENOL	39032	WAIVED			
PICLORAM	39720	WAIVED			
POLYCHLORINATED BIPHENYLS, TOTAL, AS DCB	39516	WAIVED			
SIMAZINE	39055	WAIVED			
THIOBENCARB	A-001	WAIVED			
TOXAPHENE	39400	WAIVED			
REGULATED VOC					
1,1,1-TRICHLOROETHANE	34506	WAIVED			
1,1,2,2-TETRACHLOROETHANE	34516	WAIVED			
1,1,2-TRICHLORO-1,2,2-TRIFLUOROETHANE	81611	WAIVED			
1,1,2-TRICHLOROETHANE	34511	WAIVED			
1,1-DICHLOROETHANE	34496	WAIVED			
1,1-DICHLOROETHYLENE	34501	WAIVED			
1,2,4-TRICHLOROBENZENE	34551	WAIVED			
1,2-DICHLOROBENZENE	34536	WAIVED			
1,2-DICHLOROETHANE	34531	WAIVED			
1,2-DICHLOROPROPANE	34541	WAIVED			

**Testing interval is in months;*
0 = No data for this constituent and is DUE NOW
999 = Waived testing (not required)
I = Invalid (NOT) valid analyses reported

System Number: ***1900126***

System Name: ***THE ROBIN S NEST RECR. RESORT***

PS Code: ***1900126-002***

Source Name: ***AUTOMATIC CHLORINATOR UNIT***

Source Number: ***002***

Source Status: ***ACTIVE TREATED***

Water type: ***GROUNDWATER OR WELL***

	STORET NUMBER	TESTING INTERVAL (MONTHS)*	LAST TEST DATE (yyyy/mm/dd)	LAST RESULT REPORTED	NEXT TEST DATE (yyyy/mm)
REGULATED VOC					
1,3-DICHLOROPROPENE (TOTAL)	34561	WAIVED			
1,4-DICHLOROBENZENE	34571	WAIVED			
BENZENE	34030	WAIVED			
CARBON TETRACHLORIDE	32102	WAIVED			
CIS-1,2-DICHLOROETHYLENE	77093	WAIVED			
DICHLOROMETHANE	34423	WAIVED			
ETHYLBENZENE	34371	WAIVED			
METHYL-TERT-BUTYL-ETHER (MTBE)	46491	WAIVED			
MONOCHLOROBENZENE	34301	WAIVED			
STYRENE	77128	WAIVED			
TETRACHLOROETHYLENE	34475	WAIVED			
TOLUENE	34010	WAIVED			
TRANS-1,2-DICHLOROETHYLENE	34546	WAIVED			
TRICHLOROETHYLENE	39180	WAIVED			
TRICHLOROFLUOROMETHANE	34488	WAIVED			
VINYL CHLORIDE	39175	WAIVED			
XYLENES (TOTAL)	81551	WAIVED			
SECONDARY/GP					
AGGRSSIVE INDEX (CORROSIVITY)	82383	WAIVED			
BICARBONATE ALKALINITY	00440	WAIVED			
CALCIUM	00916	WAIVED			
CARBONATE ALKALINITY	00445	WAIVED			
CHLORIDE	00940	WAIVED			
COLOR	00081	WAIVED			
COPPER	01042	WAIVED			
FOAMING AGENTS (MBAS)	38260	WAIVED			
HARDNESS (TOTAL) AS CACO3	00900	WAIVED			
HYDROXIDE ALKALINITY	71830	WAIVED			
IRON	01045	WAIVED			

**Testing interval is in months;*
0 = No data for this constituent and is DUE NOW
999 = Waived testing (not required)
I = Invalid (NOT) valid analyses reported

System Number: ***1900126***

System Name: ***THE ROBIN S NEST RECR. RESORT***

PS Code: ***1900126-002***

Source Name: ***AUTOMATIC CHLORINATOR UNIT***

Source Number: ***002***

Source Status: ***ACTIVE TREATED***

Water type: ***GROUNDWATER OR WELL***

SECONDARY/GP

	STORET NUMBER	TESTING INTERVAL (MONTHS)*	LAST TEST DATE (yyyy/mm/dd)	LAST RESULT REPORTED	NEXT TEST DATE (yyyy/mm)
MAGNESIUM	00927	WAIVED			
MANGANESE	01055	WAIVED			
ODOR THRESHOLD @ 60 C	00086	WAIVED			
PH, LABORATORY	00403	WAIVED			
SILVER	01077	WAIVED			
SODIUM	00929	WAIVED			
SPECIFIC CONDUCTANCE	00095	WAIVED			
SULFATE	00945	WAIVED			
TOTAL DISSOLVED SOLIDS	70300	WAIVED			
TURBIDITY, LABORATORY	82079	WAIVED			
ZINC	01092	WAIVED			

**Testing interval is in months;*
0 = No data for this constituent and is DUE NOW
999 = Waived testing (not required)
I = Invalid (NOT) valid analyses reported

System Number: ***1900127***

System Name: ***MOUNT WATERMAN SKI RESORT***

PS Code: ***1900127-001***

Source Name: ***WELL 01***

Source Number: ***001***

Source Status: ***ACTIVE UNTREATED***

Water type: ***GROUNDWATER OR WELL***

	STORET NUMBER	TESTING INTERVAL (MONTHS)*	LAST TEST DATE (yyyy/mm/dd)	LAST RESULT REPORTED	NEXT TEST DATE (yyyy/mm)
GENERAL NON CHAP 15					
DIAZINON	39570	WAIVED			
INORGANIC					
ALUMINUM	01105	WAIVED	2000/11/27	.000	
ANTIMONY	01097	WAIVED	2000/11/27	.000	
ARSENIC	01002	WAIVED	2000/11/27	.000	
ASBESTOS	81855	WAIVED			
BARIUM	01007	WAIVED	2000/11/27	.000	
BERYLLIUM	01012	WAIVED			
CADMIUM	01027	WAIVED	2000/11/27	.000	
CHROMIUM (TOTAL)	01034	WAIVED	2000/11/27	.000	
CYANIDE	01291	WAIVED			
FLUORIDE (F) (NATURAL-SOURCE)	00951	WAIVED	2000/11/27	.100	
LEAD	01051	WAIVED	2000/11/27	.000	
MERCURY	71900	WAIVED	2000/11/27	.000	
NICKEL	01067	WAIVED	2000/11/27	.000	
PERCHLORATE	A-031	WAIVED			
SELENIUM	01147	WAIVED	2000/11/27	.000	
THALLIUM	01059	WAIVED			
NITRATE/NITRITE					
NITRATE (AS NO3)	71850	WAIVED	2002/10/17	.000	
NITRITE (AS N)	00620	WAIVED			
RADIOLOGICAL					
GROSS ALPHA	01501	WAIVED			
GROSS BETA	03501	WAIVED			
RA-226 FOR CWS OR TOTAL RA FOR NTNC BY 903.0	A-080	WAIVED			
RA-226 OR TOTAL RA BY 903.0 C.E.	A-081	WAIVED			
RADIUM 226	09501	WAIVED			
RADIUM 228	11501	WAIVED			

**Testing interval is in months;*
0 = No data for this constituent and is DUE NOW
999 = Waived testing (not required)
I = Invalid (NOT) valid analyses reported

System Number: ***1900127***

System Name: ***MOUNT WATERMAN SKI RESORT***

PS Code: ***1900127-001***

Source Name: ***WELL 01***

Source Number: ***001***

Source Status: ***ACTIVE UNTREATED***

Water type: ***GROUNDWATER OR WELL***

	STORET NUMBER	TESTING INTERVAL (MONTHS)*	LAST TEST DATE (yyyy/mm/dd)	LAST RESULT REPORTED	NEXT TEST DATE (yyyy/mm)
RADIOLOGICAL					
RADIUM, TOTAL, MDA95-NTNC ONLY, BY 903.0	A-082	WAIVED			
STRONTIUM-90	13501	WAIVED			
TRITIUM	07000	WAIVED			
URANIUM (PCI/L)	28012	WAIVED			
REGULATED SOC					
2,3,7,8-TCDD (DIOXIN)	34676	WAIVED			
2,4,5-TP (SILVEX)	39045	WAIVED			
2,4-D	39730	WAIVED			
ALACHLOR	77825	WAIVED			
ATRAZINE	39033	WAIVED			
BENTAZON	38710	WAIVED			
BENZO (A) PYRENE	34247	WAIVED			
CARBOFURAN	81405	WAIVED			
CHLORDANE	39350	WAIVED			
DALAPON	38432	WAIVED			
DI(2-ETHYLHEXYL)ADIPATE	A-026	WAIVED			
DI(2-ETHYLHEXYL)PHTHALATE	39100	WAIVED			
DIBROMOCHLOROPROPANE (DBCP)	38761	WAIVED			
DINOSEB	81287	WAIVED			
DIQUAT	78885	WAIVED			
ENDOTHALL	38926	WAIVED			
ENDRIN	39390	WAIVED			
ETHYLENE DIBROMIDE (EDB)	77651	WAIVED			
GLYPHOSATE	79743	WAIVED			
HEPTACHLOR	39410	WAIVED			
HEPTACHLOR EPOXIDE	39420	WAIVED			
HEXACHLOROBENZENE	39700	WAIVED			
HEXACHLOROCYCLOPENTADIENE	34386	WAIVED			
LINDANE	39340	WAIVED			

**Testing interval is in months;*
0 = No data for this constituent and is DUE NOW
999 = Waived testing (not required)
I = Invalid (NOT) valid analyses reported

System Number: ***1900127***

System Name: ***MOUNT WATERMAN SKI RESORT***

PS Code: ***1900127-001***

Source Name: ***WELL 01***

Source Number: ***001***

Source Status: ***ACTIVE UNTREATED***

Water type: ***GROUNDWATER OR WELL***

	STORET NUMBER	TESTING INTERVAL (MONTHS)*	LAST TEST DATE (yyyy/mm/dd)	LAST RESULT REPORTED	NEXT TEST DATE (yyyy/mm)
REGULATED SOC					
METHOXYCHLOR	39480	WAIVED			
MOLINATE	82199	WAIVED			
OXAMYL	38865	WAIVED			
PENTACHLOROPHENOL	39032	WAIVED			
PICLORAM	39720	WAIVED			
POLYCHLORINATED BIPHENYLS, TOTAL, AS DCB	39516	WAIVED			
SIMAZINE	39055	WAIVED			
THIOBENCARB	A-001	WAIVED			
TOXAPHENE	39400	WAIVED			
REGULATED VOC					
1,1,1-TRICHLOROETHANE	34506	WAIVED			
1,1,2,2-TETRACHLOROETHANE	34516	WAIVED			
1,1,2-TRICHLORO-1,2,2-TRIFLUOROETHANE	81611	WAIVED			
1,1,2-TRICHLOROETHANE	34511	WAIVED			
1,1-DICHLOROETHANE	34496	WAIVED			
1,1-DICHLOROETHYLENE	34501	WAIVED			
1,2,4-TRICHLOROBENZENE	34551	WAIVED			
1,2-DICHLOROBENZENE	34536	WAIVED			
1,2-DICHLOROETHANE	34531	WAIVED			
1,2-DICHLOROPROPANE	34541	WAIVED			
1,3-DICHLOROPROPENE (TOTAL)	34561	WAIVED			
1,4-DICHLOROBENZENE	34571	WAIVED			
BENZENE	34030	WAIVED			
CARBON TETRACHLORIDE	32102	WAIVED			
CIS-1,2-DICHLOROETHYLENE	77093	WAIVED			
DICHLOROMETHANE	34423	WAIVED			
ETHYLBENZENE	34371	WAIVED			
METHYL-TERT-BUTYL-ETHER (MTBE)	46491	WAIVED			
MONOCHLOROBENZENE	34301	WAIVED			

**Testing interval is in months;*
0 = No data for this constituent and is DUE NOW
999 = Waived testing (not required)
I = Invalid (NOT) valid analyses reported

System Number: ***1900127***

System Name: ***MOUNT WATERMAN SKI RESORT***

PS Code: ***1900127-001***

Source Name: ***WELL 01***

Source Number: ***001***

Source Status: ***ACTIVE UNTREATED***

Water type: ***GROUNDWATER OR WELL***

	STORET NUMBER	TESTING INTERVAL (MONTHS)*	LAST TEST DATE (yyyy/mm/dd)	LAST RESULT REPORTED	NEXT TEST DATE (yyyy/mm)
REGULATED VOC					
STYRENE	77128	WAIVED			
TETRACHLOROETHYLENE	34475	WAIVED			
TOLUENE	34010	WAIVED			
TRANS-1,2-DICHLOROETHYLENE	34546	WAIVED			
TRICHLOROETHYLENE	39180	WAIVED			
TRICHLOROFLUOROMETHANE	34488	WAIVED			
VINYL CHLORIDE	39175	WAIVED			
XYLENES (TOTAL)	81551	WAIVED			
SECONDARY/GP					
AGGRSSIVE INDEX (CORROSIVITY)	82383	WAIVED			
BICARBONATE ALKALINITY	00440	WAIVED	2000/11/27	98.300	
CALCIUM	00916	WAIVED	2000/11/27	22.400	
CARBONATE ALKALINITY	00445	WAIVED	2000/11/27	.000	
CHLORIDE	00940	WAIVED	2000/11/27	2.000	
COLOR	00081	WAIVED	2000/11/27	.000	
COPPER	01042	WAIVED	2000/11/27	.000	
FOAMING AGENTS (MBAS)	38260	WAIVED	2000/11/27	.000	
HARDNESS (TOTAL) AS CACO3	00900	WAIVED	2000/11/27	76.000	
HYDROXIDE ALKALINITY	71830	WAIVED	2000/11/27	.000	
IRON	01045	WAIVED	2000/11/27	.000	
MAGNESIUM	00927	WAIVED	2000/11/27	4.860	
MANGANESE	01055	WAIVED	2000/11/27	.000	
ODOR THRESHOLD @ 60 C	00086	WAIVED	2000/11/27	.000	
PH, LABORATORY	00403	WAIVED	2000/11/27	7.480	
SILVER	01077	WAIVED	2000/11/27	.000	
SODIUM	00929	WAIVED	2000/11/27	8.600	
SPECIFIC CONDUCTANCE	00095	WAIVED	2000/11/27	176.000	
SULFATE	00945	WAIVED	2000/11/27	7.000	
TOTAL DISSOLVED SOLIDS	70300	WAIVED	2000/11/27	110.000	

**Testing interval is in months;*
0 = No data for this constituent and is DUE NOW
999 = Waived testing (not required)
I = Invalid (NOT) valid analyses reported

System Number: ***1900127***

System Name: ***MOUNT WATERMAN SKI RESORT***

PS Code: ***1900127-001***

Source Name: ***WELL 01***

Source Number: ***001***

Source Status: ***ACTIVE UNTREATED***

Water type: ***GROUNDWATER OR WELL***

	STORET NUMBER	TESTING INTERVAL (MONTHS)*	LAST TEST DATE (yyyy/mm/dd)	LAST RESULT REPORTED	NEXT TEST DATE (yyyy/mm)
SECONDARY/GP					
TURBIDITY, LABORATORY	82079	WAIVED	2000/11/27	1.200	
ZINC	01092	WAIVED	2000/11/27	.000	

PS Code: ***1900127-003***

Source Name: ***WELL 03***

Source Number: ***003***

Source Status: ***ACTIVE UNTREATED***

Water type: ***GROUNDWATER OR WELL***

GENERAL NON CHAP 15					
DIAZINON	39570	WAIVED			
INORGANIC					
ALUMINUM	01105	WAIVED			
ANTIMONY	01097	WAIVED			
ARSENIC	01002	WAIVED			
ASBESTOS	81855	WAIVED			
BARIUM	01007	WAIVED			
BERYLLIUM	01012	WAIVED			
CADMIUM	01027	WAIVED			
CHROMIUM (TOTAL)	01034	WAIVED			
CYANIDE	01291	WAIVED			
FLUORIDE (F) (NATURAL-SOURCE)	00951	WAIVED			
LEAD	01051	WAIVED			
MERCURY	71900	WAIVED			
NICKEL	01067	WAIVED			
PERCHLORATE	A-031	WAIVED			
SELENIUM	01147	WAIVED			
THALLIUM	01059	WAIVED			

**Testing interval is in months;*
0 = No data for this constituent and is DUE NOW
999 = Waived testing (not required)
I = Invalid (NOT) valid analyses reported

System Number: ***1900127***

System Name: ***MOUNT WATERMAN SKI RESORT***

PS Code: ***1900127-003***

Source Name: ***WELL 03***

Source Number: ***003***

Source Status: ***ACTIVE UNTREATED***

Water type: ***GROUNDWATER OR WELL***

	STORET NUMBER	TESTING INTERVAL (MONTHS)*	LAST TEST DATE (yyyy/mm/dd)	LAST RESULT REPORTED	NEXT TEST DATE (yyyy/mm)
NITRATE/NITRITE					
NITRATE (AS NO3)	71850	WAIVED	2002/10/17	.000	
NITRITE (AS N)	00620	WAIVED			
RADIOLOGICAL					
GROSS ALPHA	01501	WAIVED			
GROSS BETA	03501	WAIVED			
RA-226 FOR CWS OR TOTAL RA FOR NTNC BY 903.0	A-080	WAIVED			
RA-226 OR TOTAL RA BY 903.0 C.E.	A-081	WAIVED			
RADIUM 226	09501	WAIVED			
RADIUM 228	11501	WAIVED			
RADIUM, TOTAL, MDA95-NTNC ONLY, BY 903.0	A-082	WAIVED			
STRONTIUM-90	13501	WAIVED			
TRITIUM	07000	WAIVED			
URANIUM (PCI/L)	28012	WAIVED			
REGULATED SOC					
2,3,7,8-TCDD (DIOXIN)	34676	WAIVED			
2,4,5-TP (SILVEX)	39045	WAIVED			
2,4-D	39730	WAIVED			
ALACHLOR	77825	WAIVED			
ATRAZINE	39033	WAIVED			
BENTAZON	38710	WAIVED			
BENZO (A) PYRENE	34247	WAIVED			
CARBOFURAN	81405	WAIVED			
CHLORDANE	39350	WAIVED			
DALAPON	38432	WAIVED			
DI(2-ETHYLHEXYL)ADIPATE	A-026	WAIVED			
DI(2-ETHYLHEXYL)PHTHALATE	39100	WAIVED			
DIBROMOCHLOROPROPANE (DBCP)	38761	WAIVED			
DINOSEB	81287	WAIVED			
DIQUAT	78885	WAIVED			

**Testing interval is in months;*
0 = No data for this constituent and is DUE NOW
999 = Waived testing (not required)
I = Invalid (NOT) valid analyses reported

System Number: ***1900127***

System Name: ***MOUNT WATERMAN SKI RESORT***

PS Code: ***1900127-003***

Source Name: ***WELL 03***

Source Number: ***003***

Source Status: ***ACTIVE UNTREATED***

Water type: ***GROUNDWATER OR WELL***

	STORET NUMBER	TESTING INTERVAL (MONTHS)*	LAST TEST DATE (yyyy/mm/dd)	LAST RESULT REPORTED	NEXT TEST DATE (yyyy/mm)
REGULATED SOC					
ENDOTHALL	38926	WAIVED			
ENDRIN	39390	WAIVED			
ETHYLENE DIBROMIDE (EDB)	77651	WAIVED			
GLYPHOSATE	79743	WAIVED			
HEPTACHLOR	39410	WAIVED			
HEPTACHLOR EPOXIDE	39420	WAIVED			
HEXACHLOROBENZENE	39700	WAIVED			
HEXACHLOROCYCLOPENTADIENE	34386	WAIVED			
LINDANE	39340	WAIVED			
METHOXYCHLOR	39480	WAIVED			
MOLINATE	82199	WAIVED			
OXAMYL	38865	WAIVED			
PENTACHLOROPHENOL	39032	WAIVED			
PICLORAM	39720	WAIVED			
POLYCHLORINATED BIPHENYLS, TOTAL, AS DCB	39516	WAIVED			
SIMAZINE	39055	WAIVED			
THIOBENCARB	A-001	WAIVED			
TOXAPHENE	39400	WAIVED			
REGULATED VOC					
1,1,1-TRICHLOROETHANE	34506	WAIVED			
1,1,2,2-TETRACHLOROETHANE	34516	WAIVED			
1,1,2-TRICHLORO-1,2,2-TRIFLUOROETHANE	81611	WAIVED			
1,1,2-TRICHLOROETHANE	34511	WAIVED			
1,1-DICHLOROETHANE	34496	WAIVED			
1,1-DICHLOROETHYLENE	34501	WAIVED			
1,2,4-TRICHLOROBENZENE	34551	WAIVED			
1,2-DICHLOROBENZENE	34536	WAIVED			
1,2-DICHLOROETHANE	34531	WAIVED			
1,2-DICHLOROPROPANE	34541	WAIVED			

**Testing interval is in months;*
0 = No data for this constituent and is DUE NOW
999 = Waived testing (not required)
I = Invalid (NOT) valid analyses reported

System Number: ***1900127***

System Name: ***MOUNT WATERMAN SKI RESORT***

PS Code: ***1900127-003***

Source Name: ***WELL 03***

Source Number: ***003***

Source Status: ***ACTIVE UNTREATED***

Water type: ***GROUNDWATER OR WELL***

	STORET NUMBER	TESTING INTERVAL (MONTHS)*	LAST TEST DATE (yyyy/mm/dd)	LAST RESULT REPORTED	NEXT TEST DATE (yyyy/mm)
REGULATED VOC					
1,3-DICHLOROPROPENE (TOTAL)	34561	WAIVED			
1,4-DICHLOROBENZENE	34571	WAIVED			
BENZENE	34030	WAIVED			
CARBON TETRACHLORIDE	32102	WAIVED			
CIS-1,2-DICHLOROETHYLENE	77093	WAIVED			
DICHLOROMETHANE	34423	WAIVED			
ETHYLBENZENE	34371	WAIVED			
METHYL-TERT-BUTYL-ETHER (MTBE)	46491	WAIVED			
MONOCHLOROBENZENE	34301	WAIVED			
STYRENE	77128	WAIVED			
TETRACHLOROETHYLENE	34475	WAIVED			
TOLUENE	34010	WAIVED			
TRANS-1,2-DICHLOROETHYLENE	34546	WAIVED			
TRICHLOROETHYLENE	39180	WAIVED			
TRICHLOROFLUOROMETHANE	34488	WAIVED			
VINYL CHLORIDE	39175	WAIVED			
XYLENES (TOTAL)	81551	WAIVED			
SECONDARY/GP					
AGGRSSIVE INDEX (CORROSIVITY)	82383	WAIVED			
BICARBONATE ALKALINITY	00440	WAIVED			
CALCIUM	00916	WAIVED			
CARBONATE ALKALINITY	00445	WAIVED			
CHLORIDE	00940	WAIVED			
COLOR	00081	WAIVED			
COPPER	01042	WAIVED			
FOAMING AGENTS (MBAS)	38260	WAIVED			
HARDNESS (TOTAL) AS CACO3	00900	WAIVED			
HYDROXIDE ALKALINITY	71830	WAIVED			
IRON	01045	WAIVED			

**Testing interval is in months;*
0 = No data for this constituent and is DUE NOW
999 = Waived testing (not required)
I = Invalid (NOT) valid analyses reported

System Number: ***1900127***

System Name: ***MOUNT WATERMAN SKI RESORT***

PS Code: ***1900127-003***

Source Name: ***WELL 03***

Source Number: ***003***

Source Status: ***ACTIVE UNTREATED***

Water type: ***GROUNDWATER OR WELL***

SECONDARY/GP	STORET NUMBER	TESTING INTERVAL (MONTHS)*	LAST TEST DATE (yyyy/mm/dd)	LAST RESULT REPORTED	NEXT TEST DATE (yyyy/mm)
MAGNESIUM	00927	WAIVED			
MANGANESE	01055	WAIVED			
ODOR THRESHOLD @ 60 C	00086	WAIVED			
PH, LABORATORY	00403	WAIVED			
SILVER	01077	WAIVED			
SODIUM	00929	WAIVED			
SPECIFIC CONDUCTANCE	00095	WAIVED			
SULFATE	00945	WAIVED			
TOTAL DISSOLVED SOLIDS	70300	WAIVED			
TURBIDITY, LABORATORY	82079	WAIVED			
ZINC	01092	WAIVED			

**Testing interval is in months;*
0 = No data for this constituent and is DUE NOW
999 = Waived testing (not required)
I = Invalid (NOT) valid analyses reported

System Number: ***1900130***

System Name: ***DEL RIO MUTUAL***

PS Code: ***1900130-001***

Source Name: ***BURKETT WELL***

Source Number: ***001***

Source Status: ***ACTIVE UNTREATED***

Water type: ***GROUNDWATER OR WELL***

	STORET NUMBER	TESTING INTERVAL (MONTHS)*	LAST TEST DATE (yyyy/mm/dd)	LAST RESULT REPORTED	NEXT TEST DATE (yyyy/mm)
GENERAL NON CHAP 15					
DIAZINON	39570	WAIVED			
INORGANIC					
ALUMINUM	01105	WAIVED	2011/09/06	< .000	
ANTIMONY	01097	WAIVED	2011/09/06	< .000	
ARSENIC	01002	WAIVED	2011/09/06	< .000	
ASBESTOS	81855	WAIVED	2003/07/23	.000	
BARIUM	01007	WAIVED	2011/09/06	100.000	
BERYLLIUM	01012	WAIVED	2011/09/06	< .000	
CADMIUM	01027	WAIVED	2011/09/06	< .000	
CHROMIUM (TOTAL)	01034	WAIVED	2011/09/06	< .000	
CYANIDE	01291	WAIVED	2011/09/06	< .000	
FLUORIDE (F) (NATURAL-SOURCE)	00951	WAIVED	2011/09/06	.200	
LEAD	01051	WAIVED	2006/10/03	.000	
MERCURY	71900	WAIVED	2011/09/06	< .000	
NICKEL	01067	WAIVED	2011/09/06	< .000	
PERCHLORATE	A-031	WAIVED	2011/09/06	< .000	
SELENIUM	01147	WAIVED	2011/09/06	< .000	
THALLIUM	01059	WAIVED	2011/09/06	< .000	
NITRATE/NITRITE					
NITRATE (AS NO3)	71850	WAIVED	2011/09/06	21.000	
NITRITE (AS N)	00620	WAIVED	2011/09/06	< .000	
RADIOLOGICAL					
GROSS ALPHA	01501	WAIVED	2010/09/02	4.950	
GROSS BETA	03501	WAIVED			
RA-226 FOR CWS OR TOTAL RA FOR NTNC BY 903.0	A-080	WAIVED			
RA-226 OR TOTAL RA BY 903.0 C.E.	A-081	WAIVED			
RADIUM 226	09501	WAIVED	2005/06/09	.000	
RADIUM 228	11501	WAIVED	2005/06/09	.000	

**Testing interval is in months;*
0 = No data for this constituent and is DUE NOW
999 = Waived testing (not required)
I = Invalid (NOT) valid analyses reported

System Number: ***1900130***

System Name: ***DEL RIO MUTUAL***

PS Code: ***1900130-001***

Source Name: ***BURKETT WELL***

Source Number: ***001***

Source Status: ***ACTIVE UNTREATED***

Water type: ***GROUNDWATER OR WELL***

	STORET NUMBER	TESTING INTERVAL (MONTHS)*	LAST TEST DATE (yyyy/mm/dd)	LAST RESULT REPORTED	NEXT TEST DATE (yyyy/mm)
RADIOLOGICAL					
RADIUM, TOTAL, MDA95-NTNC ONLY, BY 903.0	A-082	WAIVED			
STRONTIUM-90	13501	WAIVED			
TRITIUM	07000	WAIVED			
URANIUM (PCI/L)	28012	WAIVED	2010/09/02	2.700	
REGULATED SOC					
2,3,7,8-TCDD (DIOXIN)	34676	WAIVED			
2,4,5-TP (SILVEX)	39045	WAIVED			
2,4-D	39730	WAIVED			
ALACHLOR	77825	WAIVED	2003/02/18	.000	
ATRAZINE	39033	WAIVED	2003/02/18	.000	
BENTAZON	38710	WAIVED			
BENZO (A) PYRENE	34247	WAIVED			
CARBOFURAN	81405	WAIVED			
CHLORDANE	39350	WAIVED	2003/02/18	.000	
DALAPON	38432	WAIVED			
DI(2-ETHYLHEXYL)ADIPATE	A-026	WAIVED			
DI(2-ETHYLHEXYL)PHTHALATE	39100	WAIVED			
DIBROMOCHLOROPROPANE (DBCP)	38761	WAIVED			
DINOSEB	81287	WAIVED			
DIQUAT	78885	WAIVED			
ENDOTHALL	38926	WAIVED			
ENDRIN	39390	WAIVED	2003/02/18	.000	
ETHYLENE DIBROMIDE (EDB)	77651	WAIVED			
GLYPHOSATE	79743	WAIVED			
HEPTACHLOR	39410	WAIVED	2003/02/18	.000	
HEPTACHLOR EPOXIDE	39420	WAIVED	2003/02/18	.000	
HEXACHLOROBENZENE	39700	WAIVED	2003/02/18	.000	
HEXACHLOROCYCLOPENTADIENE	34386	WAIVED	2003/02/18	.000	
LINDANE	39340	WAIVED	2003/02/18	.000	

**Testing interval is in months;*
0 = No data for this constituent and is DUE NOW
999 = Waived testing (not required)
I = Invalid (NOT) valid analyses reported

System Number: ***1900130***

System Name: ***DEL RIO MUTUAL***

PS Code: ***1900130-001***

Source Name: ***BURKETT WELL***

Source Number: ***001***

Source Status: ***ACTIVE UNTREATED***

Water type: ***GROUNDWATER OR WELL***

	STORET NUMBER	TESTING INTERVAL (MONTHS)*	LAST TEST DATE (yyyy/mm/dd)	LAST RESULT REPORTED	NEXT TEST DATE (yyyy/mm)
REGULATED SOC					
METHOXYCHLOR	39480	WAIVED	2003/02/18	.000	
MOLINATE	82199	WAIVED	1994/03/24	.000	
OXAMYL	38865	WAIVED			
PENTACHLOROPHENOL	39032	WAIVED			
PICLORAM	39720	WAIVED			
POLYCHLORINATED BIPHENYLS, TOTAL, AS DCB	39516	WAIVED	2003/02/18	.000	
SIMAZINE	39055	WAIVED	1994/03/24	.000	
THIOBENCARB	A-001	WAIVED	2006/03/07	.000	
TOXAPHENE	39400	WAIVED	2003/02/18	.000	
REGULATED VOC					
1,1,1-TRICHLOROETHANE	34506	WAIVED	2011/09/06	< .000	
1,1,2,2-TETRACHLOROETHANE	34516	WAIVED	2011/09/06	< .000	
1,1,2-TRICHLORO-1,2,2-TRIFLUOROETHANE	81611	WAIVED	2011/09/06	< .000	
1,1,2-TRICHLOROETHANE	34511	WAIVED	2011/09/06	< .000	
1,1-DICHLOROETHANE	34496	WAIVED	2011/09/06	< .000	
1,1-DICHLOROETHYLENE	34501	WAIVED	2011/09/06	< .000	
1,2,4-TRICHLOROBENZENE	34551	WAIVED	2011/09/06	< .000	
1,2-DICHLOROBENZENE	34536	WAIVED	2011/09/06	< .000	
1,2-DICHLOROETHANE	34531	WAIVED	2011/09/06	< .000	
1,2-DICHLOROPROPANE	34541	WAIVED	2011/09/06	< .000	
1,3-DICHLOROPROPENE (TOTAL)	34561	WAIVED	2011/09/06	< .000	
1,4-DICHLOROBENZENE	34571	WAIVED	2011/09/06	< .000	
BENZENE	34030	WAIVED	2011/09/06	< .000	
CARBON TETRACHLORIDE	32102	WAIVED	2011/09/06	< .000	
CIS-1,2-DICHLOROETHYLENE	77093	WAIVED	2011/09/06	< .000	
DICHLOROMETHANE	34423	WAIVED	2011/09/06	< .000	
ETHYLBENZENE	34371	WAIVED	2011/09/06	< .000	
METHYL-TERT-BUTYL-ETHER (MTBE)	46491	WAIVED	2011/09/06	< .000	
MONOCHLOROBENZENE	34301	WAIVED	2011/09/06	< .000	

**Testing interval is in months;*
0 = No data for this constituent and is DUE NOW
999 = Waived testing (not required)
I = Invalid (NOT) valid analyses reported

System Number: ***1900130***

System Name: ***DEL RIO MUTUAL***

PS Code: ***1900130-001***

Source Name: ***BURKETT WELL***

Source Number: ***001***

Source Status: ***ACTIVE UNTREATED***

Water type: ***GROUNDWATER OR WELL***

	STORET NUMBER	TESTING INTERVAL (MONTHS)*	LAST TEST DATE (yyyy/mm/dd)	LAST RESULT REPORTED	NEXT TEST DATE (yyyy/mm)
REGULATED VOC					
STYRENE	77128	WAIVED	2011/09/06	< .000	
TETRACHLOROETHYLENE	34475	WAIVED	2011/09/06	< .000	
TOLUENE	34010	WAIVED	2011/09/06	< .000	
TRANS-1,2-DICHLOROETHYLENE	34546	WAIVED	2011/09/06	< .000	
TRICHLOROETHYLENE	39180	WAIVED	2011/09/06	< .000	
TRICHLOROFLUOROMETHANE	34488	WAIVED	2011/09/06	< .000	
VINYL CHLORIDE	39175	WAIVED	2011/09/06	< .000	
XYLENES (TOTAL)	81551	WAIVED	2011/09/06	< .000	
SECONDARY/GP					
AGGRSSIVE INDEX (CORROSIVITY)	82383	WAIVED			
BICARBONATE ALKALINITY	00440	WAIVED	2007/05/31	190.000	
CALCIUM	00916	WAIVED	2007/05/31	75.000	
CARBONATE ALKALINITY	00445	WAIVED	2007/05/31	.000	
CHLORIDE	00940	WAIVED	2007/05/31	59.000	
COLOR	00081	WAIVED	2007/05/31	.000	
COPPER	01042	WAIVED	2007/05/31	.000	
FOAMING AGENTS (MBAS)	38260	WAIVED	2007/05/31	.000	
HARDNESS (TOTAL) AS CACO3	00900	WAIVED	2007/05/31	250.000	
HYDROXIDE ALKALINITY	71830	WAIVED	2007/05/31	.000	
IRON	01045	WAIVED	2007/05/31	.000	
MAGNESIUM	00927	WAIVED	2007/05/31	17.000	
MANGANESE	01055	WAIVED	2007/05/31	.000	
ODOR THRESHOLD @ 60 C	00086	WAIVED	2007/05/31	1.000	
PH, LABORATORY	00403	WAIVED	2007/05/31	6.700	
SILVER	01077	WAIVED	2011/09/06	< .000	
SODIUM	00929	WAIVED	2007/05/31	46.000	
SPECIFIC CONDUCTANCE	00095	WAIVED	2007/05/31	630.000	
SULFATE	00945	WAIVED	2007/05/31	86.000	
TOTAL DISSOLVED SOLIDS	70300	WAIVED	2007/05/31	390.000	

**Testing interval is in months;*
0 = No data for this constituent and is DUE NOW
999 = Waived testing (not required)
I = Invalid (NOT) valid analyses reported

System Number: ***1900130***

System Name: ***DEL RIO MUTUAL***

PS Code: ***1900130-001***

Source Name: ***BURKETT WELL***

Source Number: ***001***

Source Status: ***ACTIVE UNTREATED***

Water type: ***GROUNDWATER OR WELL***

SECONDARY/GP

	STORET NUMBER	TESTING INTERVAL (MONTHS)*	LAST TEST DATE (yyyy/mm/dd)	LAST RESULT REPORTED	NEXT TEST DATE (yyyy/mm)
TURBIDITY, LABORATORY	82079	WAIVED	2007/05/31	.500	
ZINC	01092	WAIVED	2007/05/31	.000	

**Testing interval is in months;*
0 = No data for this constituent and is DUE NOW
999 = Waived testing (not required)
I = Invalid (NOT) valid analyses reported

System Number: ***1900131***

System Name: ***USFS-TEXAS CANYON STATION S-3***

PS Code: ***1900131-001***

Source Name: ***WELL 01***

Source Number: ***001***

Source Status: ***ACTIVE UNTREATED***

Water type: ***GROUNDWATER OR WELL***

	STORET NUMBER	TESTING INTERVAL (MONTHS)*	LAST TEST DATE (yyyy/mm/dd)	LAST RESULT REPORTED	NEXT TEST DATE (yyyy/mm)
GENERAL NON CHAP 15					
DIAZINON	39570	WAIVED			
INORGANIC					
ALUMINUM	01105	WAIVED	2004/09/08	.000	
ANTIMONY	01097	WAIVED	2004/09/08	.000	
ARSENIC	01002	WAIVED	2004/09/08	.000	
ASBESTOS	81855	WAIVED			
BARIUM	01007	WAIVED	2004/09/08	.000	
BERYLLIUM	01012	WAIVED			
CADMIUM	01027	WAIVED	2004/09/08	.000	
CHROMIUM (TOTAL)	01034	WAIVED	2004/09/08	.000	
CYANIDE	01291	WAIVED			
FLUORIDE (F) (NATURAL-SOURCE)	00951	WAIVED	2004/09/08	.680	
LEAD	01051	WAIVED	2004/09/08	.000	
MERCURY	71900	WAIVED	2004/09/08	.000	
NICKEL	01067	WAIVED	2004/09/08	.000	
PERCHLORATE	A-031	WAIVED	2002/10/04	.000	
SELENIUM	01147	WAIVED	2004/09/08	.000	
THALLIUM	01059	WAIVED			
NITRATE/NITRITE					
NITRATE (AS NO3)	71850	WAIVED	2010/08/21	< .400	
NITRITE (AS N)	00620	WAIVED			
RADIOLOGICAL					
GROSS ALPHA	01501	WAIVED			
GROSS BETA	03501	WAIVED			
RA-226 FOR CWS OR TOTAL RA FOR NTNC BY 903.0	A-080	WAIVED			
RA-226 OR TOTAL RA BY 903.0 C.E.	A-081	WAIVED			
RADIUM 226	09501	WAIVED			
RADIUM 228	11501	WAIVED			

**Testing interval is in months;*
0 = No data for this constituent and is DUE NOW
999 = Waived testing (not required)
I = Invalid (NOT) valid analyses reported

System Number: ***1900131***

System Name: ***USFS-TEXAS CANYON STATION S-3***

PS Code: ***1900131-001***

Source Name: ***WELL 01***

Source Number: ***001***

Source Status: ***ACTIVE UNTREATED***

Water type: ***GROUNDWATER OR WELL***

	STORET NUMBER	TESTING INTERVAL (MONTHS)*	LAST TEST DATE (yyyy/mm/dd)	LAST RESULT REPORTED	NEXT TEST DATE (yyyy/mm)
RADIOLOGICAL					
RADIUM, TOTAL, MDA95-NTNC ONLY, BY 903.0	A-082	WAIVED			
STRONTIUM-90	13501	WAIVED			
TRITIUM	07000	WAIVED			
URANIUM (PCI/L)	28012	WAIVED			
REGULATED SOC					
2,3,7,8-TCDD (DIOXIN)	34676	WAIVED			
2,4,5-TP (SILVEX)	39045	WAIVED			
2,4-D	39730	WAIVED			
ALACHLOR	77825	WAIVED			
ATRAZINE	39033	WAIVED			
BENTAZON	38710	WAIVED			
BENZO (A) PYRENE	34247	WAIVED			
CARBOFURAN	81405	WAIVED			
CHLORDANE	39350	WAIVED			
DALAPON	38432	WAIVED			
DI(2-ETHYLHEXYL)ADIPATE	A-026	WAIVED			
DI(2-ETHYLHEXYL)PHTHALATE	39100	WAIVED			
DIBROMOCHLOROPROPANE (DBCP)	38761	WAIVED			
DINOSEB	81287	WAIVED			
DIQUAT	78885	WAIVED			
ENDOTHALL	38926	WAIVED			
ENDRIN	39390	WAIVED			
ETHYLENE DIBROMIDE (EDB)	77651	WAIVED			
GLYPHOSATE	79743	WAIVED			
HEPTACHLOR	39410	WAIVED			
HEPTACHLOR EPOXIDE	39420	WAIVED			
HEXACHLOROBENZENE	39700	WAIVED			
HEXACHLOROCYCLOPENTADIENE	34386	WAIVED			
LINDANE	39340	WAIVED			

**Testing interval is in months;*
0 = No data for this constituent and is DUE NOW
999 = Waived testing (not required)
I = Invalid (NOT) valid analyses reported

System Number: ***1900131***

System Name: ***USFS-TEXAS CANYON STATION S-3***

PS Code: ***1900131-001***

Source Name: ***WELL 01***

Source Number: ***001***

Source Status: ***ACTIVE UNTREATED***

Water type: ***GROUNDWATER OR WELL***

	STORET NUMBER	TESTING INTERVAL (MONTHS)*	LAST TEST DATE (yyyy/mm/dd)	LAST RESULT REPORTED	NEXT TEST DATE (yyyy/mm)
REGULATED SOC					
METHOXYCHLOR	39480	WAIVED			
MOLINATE	82199	WAIVED			
OXAMYL	38865	WAIVED			
PENTACHLOROPHENOL	39032	WAIVED			
PICLORAM	39720	WAIVED			
POLYCHLORINATED BIPHENYLS, TOTAL, AS DCB	39516	WAIVED			
SIMAZINE	39055	WAIVED			
THIOBENCARB	A-001	WAIVED			
TOXAPHENE	39400	WAIVED			
REGULATED VOC					
1,1,1-TRICHLOROETHANE	34506	WAIVED			
1,1,2,2-TETRACHLOROETHANE	34516	WAIVED			
1,1,2-TRICHLORO-1,2,2-TRIFLUOROETHANE	81611	WAIVED			
1,1,2-TRICHLOROETHANE	34511	WAIVED			
1,1-DICHLOROETHANE	34496	WAIVED			
1,1-DICHLOROETHYLENE	34501	WAIVED			
1,2,4-TRICHLOROBENZENE	34551	WAIVED			
1,2-DICHLOROBENZENE	34536	WAIVED			
1,2-DICHLOROETHANE	34531	WAIVED			
1,2-DICHLOROPROPANE	34541	WAIVED			
1,3-DICHLOROPROPENE (TOTAL)	34561	WAIVED			
1,4-DICHLOROBENZENE	34571	WAIVED			
BENZENE	34030	WAIVED			
CARBON TETRACHLORIDE	32102	WAIVED			
CIS-1,2-DICHLOROETHYLENE	77093	WAIVED			
DICHLOROMETHANE	34423	WAIVED			
ETHYLBENZENE	34371	WAIVED			
METHYL-TERT-BUTYL-ETHER (MTBE)	46491	WAIVED			
MONOCHLOROBENZENE	34301	WAIVED			

**Testing interval is in months;*
0 = No data for this constituent and is DUE NOW
999 = Waived testing (not required)
I = Invalid (NOT) valid analyses reported

System Number: ***1900131***

System Name: ***USFS-TEXAS CANYON STATION S-3***

PS Code: ***1900131-001***

Source Name: ***WELL 01***

Source Number: ***001***

Source Status: ***ACTIVE UNTREATED***

Water type: ***GROUNDWATER OR WELL***

	STORET NUMBER	TESTING INTERVAL (MONTHS)*	LAST TEST DATE (yyyy/mm/dd)	LAST RESULT REPORTED	NEXT TEST DATE (yyyy/mm)
REGULATED VOC					
STYRENE	77128	WAIVED			
TETRACHLOROETHYLENE	34475	WAIVED			
TOLUENE	34010	WAIVED			
TRANS-1,2-DICHLOROETHYLENE	34546	WAIVED			
TRICHLOROETHYLENE	39180	WAIVED			
TRICHLOROFLUOROMETHANE	34488	WAIVED			
VINYL CHLORIDE	39175	WAIVED			
XYLENES (TOTAL)	81551	WAIVED			
SECONDARY/GP					
AGGRSSIVE INDEX (CORROSIVITY)	82383	WAIVED			
BICARBONATE ALKALINITY	00440	WAIVED	2004/09/08	331.000	
CALCIUM	00916	WAIVED	2004/09/08	52.100	
CARBONATE ALKALINITY	00445	WAIVED	2004/09/08	.000	
CHLORIDE	00940	WAIVED	2004/09/08	38.700	
COLOR	00081	WAIVED	2002/10/04	.000	
COPPER	01042	WAIVED	2004/09/08	.000	
FOAMING AGENTS (MBAS)	38260	WAIVED	2002/10/04	.000	
HARDNESS (TOTAL) AS CACO3	00900	WAIVED	2004/09/08	264.000	
HYDROXIDE ALKALINITY	71830	WAIVED	2004/09/08	.000	
IRON	01045	WAIVED	2004/09/08	.000	
MAGNESIUM	00927	WAIVED	2004/09/08	32.600	
MANGANESE	01055	WAIVED	2004/09/08	.000	
ODOR THRESHOLD @ 60 C	00086	WAIVED	2002/10/04	.000	
PH, LABORATORY	00403	WAIVED	2004/09/08	7.320	
SILVER	01077	WAIVED	2004/09/08	.000	
SODIUM	00929	WAIVED	2004/09/08	46.200	
SPECIFIC CONDUCTANCE	00095	WAIVED	2002/10/04	750.000	
SULFATE	00945	WAIVED	2004/09/08	37.500	
TOTAL DISSOLVED SOLIDS	70300	WAIVED	2004/09/08	398.000	

**Testing interval is in months;*
0 = No data for this constituent and is DUE NOW
999 = Waived testing (not required)
I = Invalid (NOT) valid analyses reported

System Number: ***1900131***

System Name: ***USFS-TEXAS CANYON STATION S-3***

PS Code: ***1900131-001***

Source Name: ***WELL 01***

Source Number: ***001***

Source Status: ***ACTIVE UNTREATED***

Water type: ***GROUNDWATER OR WELL***

	STORET NUMBER	TESTING INTERVAL (MONTHS)*	LAST TEST DATE (yyyy/mm/dd)	LAST RESULT REPORTED	NEXT TEST DATE (yyyy/mm)
SECONDARY/GP					
TURBIDITY, LABORATORY	82079	WAIVED	2004/09/08	1.640	
ZINC	01092	WAIVED	2004/09/08	101.000	

PS Code: ***1900131-002***

Source Name: ***WELL 02***

Source Number: ***002***

Source Status: ***ACTIVE UNTREATED***

Water type: ***GROUNDWATER OR WELL***

GENERAL NON CHAP 15					
DIAZINON	39570	WAIVED			
INORGANIC					
ALUMINUM	01105	WAIVED	2008/07/22	< 10.000	
ANTIMONY	01097	WAIVED	2008/07/22	< 1.000	
ARSENIC	01002	WAIVED	2008/07/22	< 2.000	
ASBESTOS	81855	WAIVED			
BARIUM	01007	WAIVED	2008/07/22	37.400	
BERYLLIUM	01012	WAIVED	2008/07/22	< .200	
CADMIUM	01027	WAIVED	2008/07/22	< .200	
CHROMIUM (TOTAL)	01034	WAIVED	2008/07/22	2.000	
CYANIDE	01291	WAIVED	2008/07/29	< .005	
FLUORIDE (F) (NATURAL-SOURCE)	00951	WAIVED	2008/07/22	.700	
LEAD	01051	WAIVED	2008/07/22	< .200	
MERCURY	71900	WAIVED	2008/07/22	< .020	
NICKEL	01067	WAIVED	2008/07/22	< 1.000	
PERCHLORATE	A-031	WAIVED			
SELENIUM	01147	WAIVED	2008/07/22	< 2.000	
THALLIUM	01059	WAIVED	2008/07/22	< .200	

**Testing interval is in months;*
0 = No data for this constituent and is DUE NOW
999 = Waived testing (not required)
I = Invalid (NOT) valid analyses reported

System Number: ***1900131***

System Name: ***USFS-TEXAS CANYON STATION S-3***

PS Code: ***1900131-002***

Source Name: ***WELL 02***

Source Number: ***002***

Source Status: ***ACTIVE UNTREATED***

Water type: ***GROUNDWATER OR WELL***

	STORET NUMBER	TESTING INTERVAL (MONTHS)*	LAST TEST DATE (yyyy/mm/dd)	LAST RESULT REPORTED	NEXT TEST DATE (yyyy/mm)
NITRATE/NITRITE					
NITRATE (AS NO3)	71850	WAIVED	2008/07/22	< .400	
NITRITE (AS N)	00620	WAIVED	2008/07/22	< .100	
RADIOLOGICAL					
GROSS ALPHA	01501	WAIVED	2008/07/22	2.970	
GROSS BETA	03501	WAIVED			
RA-226 FOR CWS OR TOTAL RA FOR NTNC BY 903.0	A-080	WAIVED			
RA-226 OR TOTAL RA BY 903.0 C.E.	A-081	WAIVED			
RADIUM 226	09501	WAIVED			
RADIUM 228	11501	WAIVED			
RADIUM, TOTAL, MDA95-NTNC ONLY, BY 903.0	A-082	WAIVED			
STRONTIUM-90	13501	WAIVED			
TRITIUM	07000	WAIVED			
URANIUM (PCI/L)	28012	WAIVED			
REGULATED SOC					
2,3,7,8-TCDD (DIOXIN)	34676	WAIVED			
2,4,5-TP (SILVEX)	39045	WAIVED			
2,4-D	39730	WAIVED			
ALACHLOR	77825	WAIVED			
ATRAZINE	39033	WAIVED			
BENTAZON	38710	WAIVED			
BENZO (A) PYRENE	34247	WAIVED			
CARBOFURAN	81405	WAIVED			
CHLORDANE	39350	WAIVED			
DALAPON	38432	WAIVED			
DI(2-ETHYLHEXYL)ADIPATE	A-026	WAIVED			
DI(2-ETHYLHEXYL)PHTHALATE	39100	WAIVED			
DIBROMOCHLOROPROPANE (DBCP)	38761	WAIVED			
DINOSEB	81287	WAIVED			
DIQUAT	78885	WAIVED			

**Testing interval is in months;*
0 = No data for this constituent and is DUE NOW
999 = Waived testing (not required)
I = Invalid (NOT) valid analyses reported

System Number: ***1900131***

System Name: ***USFS-TEXAS CANYON STATION S-3***

PS Code: ***1900131-002***

Source Name: ***WELL 02***

Source Number: ***002***

Source Status: ***ACTIVE UNTREATED***

Water type: ***GROUNDWATER OR WELL***

	STORET NUMBER	TESTING INTERVAL (MONTHS)*	LAST TEST DATE (yyyy/mm/dd)	LAST RESULT REPORTED	NEXT TEST DATE (yyyy/mm)
REGULATED SOC					
ENDOTHALL	38926	WAIVED			
ENDRIN	39390	WAIVED			
ETHYLENE DIBROMIDE (EDB)	77651	WAIVED			
GLYPHOSATE	79743	WAIVED			
HEPTACHLOR	39410	WAIVED			
HEPTACHLOR EPOXIDE	39420	WAIVED			
HEXACHLOROBENZENE	39700	WAIVED			
HEXACHLOROCYCLOPENTADIENE	34386	WAIVED			
LINDANE	39340	WAIVED			
METHOXYCHLOR	39480	WAIVED			
MOLINATE	82199	WAIVED			
OXAMYL	38865	WAIVED			
PENTACHLOROPHENOL	39032	WAIVED			
PICLORAM	39720	WAIVED			
POLYCHLORINATED BIPHENYLS, TOTAL, AS DCB	39516	WAIVED			
SIMAZINE	39055	WAIVED			
THIOBENCARB	A-001	WAIVED			
TOXAPHENE	39400	WAIVED			
REGULATED VOC					
1,1,1-TRICHLOROETHANE	34506	WAIVED	2008/07/22	< .500	
1,1,2,2-TETRACHLOROETHANE	34516	WAIVED	2008/07/22	< .500	
1,1,2-TRICHLORO-1,2,2-TRIFLUOROETHANE	81611	WAIVED	2008/07/22	< .500	
1,1,2-TRICHLOROETHANE	34511	WAIVED	2008/07/22	< .500	
1,1-DICHLOROETHANE	34496	WAIVED	2008/07/22	< .500	
1,1-DICHLOROETHYLENE	34501	WAIVED	2008/07/22	< .500	
1,2,4-TRICHLOROBENZENE	34551	WAIVED	2008/07/22	< .500	
1,2-DICHLOROBENZENE	34536	WAIVED	2008/07/22	< .500	
1,2-DICHLOROETHANE	34531	WAIVED	2008/07/22	< .500	
1,2-DICHLOROPROPANE	34541	WAIVED	2008/07/22	< .500	

**Testing interval is in months;*
0 = No data for this constituent and is DUE NOW
999 = Waived testing (not required)
I = Invalid (NOT) valid analyses reported

System Number: ***1900131***

System Name: ***USFS-TEXAS CANYON STATION S-3***

PS Code: ***1900131-002***

Source Name: ***WELL 02***

Source Number: ***002***

Source Status: ***ACTIVE UNTREATED***

Water type: ***GROUNDWATER OR WELL***

	STORET NUMBER	TESTING INTERVAL (MONTHS)*	LAST TEST DATE (yyyy/mm/dd)	LAST RESULT REPORTED	NEXT TEST DATE (yyyy/mm)
REGULATED VOC					
1,3-DICHLOROPROPENE (TOTAL)	34561	WAIVED			
1,4-DICHLOROBENZENE	34571	WAIVED	2008/07/22	< .500	
BENZENE	34030	WAIVED	2008/07/22	< .500	
CARBON TETRACHLORIDE	32102	WAIVED	2008/07/22	< .500	
CIS-1,2-DICHLOROETHYLENE	77093	WAIVED	2008/07/22	< .500	
DICHLOROMETHANE	34423	WAIVED	2008/07/22	< .500	
ETHYLBENZENE	34371	WAIVED	2008/07/22	< .500	
METHYL-TERT-BUTYL-ETHER (MTBE)	46491	WAIVED	2008/07/22	< 1.000	
MONOCHLOROBENZENE	34301	WAIVED	2008/07/22	< .500	
STYRENE	77128	WAIVED	2008/07/22	< .500	
TETRACHLOROETHYLENE	34475	WAIVED	2008/07/22	< .500	
TOLUENE	34010	WAIVED	2008/07/22	< .500	
TRANS-1,2-DICHLOROETHYLENE	34546	WAIVED	2008/07/22	< .500	
TRICHLOROETHYLENE	39180	WAIVED	2008/07/22	< .500	
TRICHLOROFLUOROMETHANE	34488	WAIVED	2008/07/22	< .500	
VINYL CHLORIDE	39175	WAIVED	2008/07/22	< .500	
XYLENES (TOTAL)	81551	WAIVED	2008/07/22	< .500	
SECONDARY/GP					
AGGRSSIVE INDEX (CORROSIVITY)	82383	WAIVED	2008/07/22	11.500	
BICARBONATE ALKALINITY	00440	WAIVED	2008/07/22	350.000	
CALCIUM	00916	WAIVED	2008/07/22	57.000	
CARBONATE ALKALINITY	00445	WAIVED	2008/07/22	< 10.000	
CHLORIDE	00940	WAIVED	2008/07/22	41.000	
COLOR	00081	WAIVED	2008/07/22	15.000	
COPPER	01042	WAIVED	2008/07/22	< 10.000	
FOAMING AGENTS (MBAS)	38260	WAIVED	2008/07/22	< .100	
HARDNESS (TOTAL) AS CACO3	00900	WAIVED	2008/07/22	282.000	
HYDROXIDE ALKALINITY	71830	WAIVED	2008/07/22	< 10.000	
IRON	01045	WAIVED	2008/07/22	690.000	

**Testing interval is in months;*
0 = No data for this constituent and is DUE NOW
999 = Waived testing (not required)
I = Invalid (NOT) valid analyses reported

System Number: ***1900131***

System Name: ***USFS-TEXAS CANYON STATION S-3***

PS Code: ***1900131-002***

Source Name: ***WELL 02***

Source Number: ***002***

Source Status: ***ACTIVE UNTREATED***

Water type: ***GROUNDWATER OR WELL***

SECONDARY/GP

	STORET NUMBER	TESTING INTERVAL (MONTHS)*	LAST TEST DATE (yyyy/mm/dd)	LAST RESULT REPORTED	NEXT TEST DATE (yyyy/mm)
MAGNESIUM	00927	WAIVED	2008/07/22	34.000	
MANGANESE	01055	WAIVED	2008/07/22	10.000	
ODOR THRESHOLD @ 60 C	00086	WAIVED	2008/07/22	< 1.000	
PH, LABORATORY	00403	WAIVED	2008/07/22	6.900	
SILVER	01077	WAIVED	2008/07/22	< 1.000	
SODIUM	00929	WAIVED	2008/07/22	58.000	
SPECIFIC CONDUCTANCE	00095	WAIVED	2008/07/22	818.000	
SULFATE	00945	WAIVED	2008/07/22	89.000	
TOTAL DISSOLVED SOLIDS	70300	WAIVED	2008/07/22	470.000	
TURBIDITY, LABORATORY	82079	WAIVED	2008/07/22	2.700	
ZINC	01092	WAIVED	2008/07/22	< 20.000	

**Testing interval is in months;*
0 = No data for this constituent and is DUE NOW
999 = Waived testing (not required)
I = Invalid (NOT) valid analyses reported

System Number: ***1900143***

System Name: ***DESERT AIRE GOLF COURSE***

PS Code: ***1900143-001***

Source Name: ***WELL 01***

Source Number: ***001***

Source Status: ***ACTIVE UNTREATED***

Water type: ***GROUNDWATER OR WELL***

	STORET NUMBER	TESTING INTERVAL (MONTHS)*	LAST TEST DATE (yyyy/mm/dd)	LAST RESULT REPORTED	NEXT TEST DATE (yyyy/mm)
GENERAL NON CHAP 15					
DIAZINON	39570	WAIVED			
INORGANIC					
ALUMINUM	01105	WAIVED	2007/12/18	.000	
ANTIMONY	01097	WAIVED	2007/12/18	.000	
ARSENIC	01002	WAIVED	2007/12/18	.000	
ASBESTOS	81855	WAIVED			
BARIUM	01007	WAIVED	2007/12/18	.000	
BERYLLIUM	01012	WAIVED	2007/12/18	.000	
CADMIUM	01027	WAIVED	2007/12/18	.000	
CHROMIUM (TOTAL)	01034	WAIVED	2007/12/18	.000	
CYANIDE	01291	WAIVED	2007/12/18	.000	
FLUORIDE (F) (NATURAL-SOURCE)	00951	WAIVED	2007/12/18	.150	
LEAD	01051	WAIVED	2007/12/18	.000	
MERCURY	71900	WAIVED	2007/12/18	.000	
NICKEL	01067	WAIVED	2007/12/18	.000	
PERCHLORATE	A-031	WAIVED			
SELENIUM	01147	WAIVED	2007/12/18	.000	
THALLIUM	01059	WAIVED	2007/12/18	.000	
NITRATE/NITRITE					
NITRATE (AS NO3)	71850	WAIVED	2007/12/18	2.500	
NITRITE (AS N)	00620	WAIVED	2007/12/18	.000	
RADIOLOGICAL					
GROSS ALPHA	01501	WAIVED			
GROSS BETA	03501	WAIVED			
RA-226 FOR CWS OR TOTAL RA FOR NTNC BY 903.0	A-080	WAIVED			
RA-226 OR TOTAL RA BY 903.0 C.E.	A-081	WAIVED			
RADIUM 226	09501	WAIVED			
RADIUM 228	11501	WAIVED			

**Testing interval is in months;*
0 = No data for this constituent and is DUE NOW
999 = Waived testing (not required)
I = Invalid (NOT) valid analyses reported

System Number: ***1900143***

System Name: ***DESERT AIRE GOLF COURSE***

PS Code: ***1900143-001***

Source Name: ***WELL 01***

Source Number: ***001***

Source Status: ***ACTIVE UNTREATED***

Water type: ***GROUNDWATER OR WELL***

	STORET NUMBER	TESTING INTERVAL (MONTHS)*	LAST TEST DATE (yyyy/mm/dd)	LAST RESULT REPORTED	NEXT TEST DATE (yyyy/mm)
RADIOLOGICAL					
RADIUM, TOTAL, MDA95-NTNC ONLY, BY 903.0	A-082	WAIVED			
STRONTIUM-90	13501	WAIVED			
TRITIUM	07000	WAIVED			
URANIUM (PCI/L)	28012	WAIVED			
REGULATED SOC					
2,3,7,8-TCDD (DIOXIN)	34676	WAIVED			
2,4,5-TP (SILVEX)	39045	WAIVED			
2,4-D	39730	WAIVED			
ALACHLOR	77825	WAIVED			
ATRAZINE	39033	WAIVED			
BENTAZON	38710	WAIVED			
BENZO (A) PYRENE	34247	WAIVED			
CARBOFURAN	81405	WAIVED			
CHLORDANE	39350	WAIVED			
DALAPON	38432	WAIVED			
DI(2-ETHYLHEXYL)ADIPATE	A-026	WAIVED			
DI(2-ETHYLHEXYL)PHTHALATE	39100	WAIVED			
DIBROMOCHLOROPROPANE (DBCP)	38761	WAIVED			
DINOSEB	81287	WAIVED			
DIQUAT	78885	WAIVED			
ENDOTHALL	38926	WAIVED			
ENDRIN	39390	WAIVED			
ETHYLENE DIBROMIDE (EDB)	77651	WAIVED			
GLYPHOSATE	79743	WAIVED			
HEPTACHLOR	39410	WAIVED			
HEPTACHLOR EPOXIDE	39420	WAIVED			
HEXACHLOROBENZENE	39700	WAIVED			
HEXACHLOROCYCLOPENTADIENE	34386	WAIVED			
LINDANE	39340	WAIVED			

**Testing interval is in months;*
0 = No data for this constituent and is DUE NOW
999 = Waived testing (not required)
I = Invalid (NOT) valid analyses reported

System Number: ***1900143***

System Name: ***DESERT AIRE GOLF COURSE***

PS Code: ***1900143-001***

Source Name: ***WELL 01***

Source Number: ***001***

Source Status: ***ACTIVE UNTREATED***

Water type: ***GROUNDWATER OR WELL***

	STORET NUMBER	TESTING INTERVAL (MONTHS)*	LAST TEST DATE (yyyy/mm/dd)	LAST RESULT REPORTED	NEXT TEST DATE (yyyy/mm)
REGULATED SOC					
METHOXYCHLOR	39480	WAIVED			
MOLINATE	82199	WAIVED			
OXAMYL	38865	WAIVED			
PENTACHLOROPHENOL	39032	WAIVED			
PICLORAM	39720	WAIVED			
POLYCHLORINATED BIPHENYLS, TOTAL, AS DCB	39516	WAIVED			
SIMAZINE	39055	WAIVED			
THIOBENCARB	A-001	WAIVED			
TOXAPHENE	39400	WAIVED			
REGULATED VOC					
1,1,1-TRICHLOROETHANE	34506	WAIVED			
1,1,2,2-TETRACHLOROETHANE	34516	WAIVED			
1,1,2-TRICHLORO-1,2,2-TRIFLUOROETHANE	81611	WAIVED			
1,1,2-TRICHLOROETHANE	34511	WAIVED			
1,1-DICHLOROETHANE	34496	WAIVED			
1,1-DICHLOROETHYLENE	34501	WAIVED			
1,2,4-TRICHLOROBENZENE	34551	WAIVED			
1,2-DICHLOROBENZENE	34536	WAIVED			
1,2-DICHLOROETHANE	34531	WAIVED			
1,2-DICHLOROPROPANE	34541	WAIVED			
1,3-DICHLOROPROPENE (TOTAL)	34561	WAIVED			
1,4-DICHLOROBENZENE	34571	WAIVED			
BENZENE	34030	WAIVED			
CARBON TETRACHLORIDE	32102	WAIVED			
CIS-1,2-DICHLOROETHYLENE	77093	WAIVED			
DICHLOROMETHANE	34423	WAIVED			
ETHYLBENZENE	34371	WAIVED			
METHYL-TERT-BUTYL-ETHER (MTBE)	46491	WAIVED			
MONOCHLOROBENZENE	34301	WAIVED			

**Testing interval is in months;*
0 = No data for this constituent and is DUE NOW
999 = Waived testing (not required)
I = Invalid (NOT) valid analyses reported

System Number: 1900143
System Name: DESERT AIRE GOLF COURSE

PS Code: 1900143-001
Source Name: WELL 01
Source Number: 001
Source Status: ACTIVE UNTREATED
Water type: GROUNDWATER OR WELL

	STORET NUMBER	TESTING INTERVAL (MONTHS)*	LAST TEST DATE (yyyy/mm/dd)	LAST RESULT REPORTED	NEXT TEST DATE (yyyy/mm)
REGULATED VOC					
STYRENE	77128	WAIVED			
TETRACHLOROETHYLENE	34475	WAIVED			
TOLUENE	34010	WAIVED			
TRANS-1,2-DICHLOROETHYLENE	34546	WAIVED			
TRICHLOROETHYLENE	39180	WAIVED			
TRICHLOROFLUOROMETHANE	34488	WAIVED			
VINYL CHLORIDE	39175	WAIVED			
XYLENES (TOTAL)	81551	WAIVED			
SECONDARY/GP					
AGGRSSIVE INDEX (CORROSIVITY)	82383	WAIVED	2007/12/18	12.000	
BICARBONATE ALKALINITY	00440	WAIVED	2007/12/18	100.000	
CALCIUM	00916	WAIVED	2007/12/18	20.000	
CARBONATE ALKALINITY	00445	WAIVED	2007/12/18	< 1.000	
CHLORIDE	00940	WAIVED	2007/12/18	5.700	
COLOR	00081	WAIVED	2007/12/18	< 1.000	
COPPER	01042	WAIVED	2007/12/18	.000	
FOAMING AGENTS (MBAS)	38260	WAIVED	2007/12/18	< .050	
HARDNESS (TOTAL) AS CACO3	00900	WAIVED	2007/12/18	55.000	
HYDROXIDE ALKALINITY	71830	WAIVED	2007/12/18	< 1.000	
IRON	01045	WAIVED	2007/12/18	.000	
MAGNESIUM	00927	WAIVED	2007/12/18	1.200	
MANGANESE	01055	WAIVED	2007/12/18	.000	
ODOR THRESHOLD @ 60 C	00086	WAIVED	2007/12/18	1.000	
PH, LABORATORY	00403	WAIVED	2007/12/18	8.100	
SILVER	01077	WAIVED	2007/12/18	.000	
SODIUM	00929	WAIVED	2007/12/18	27.000	
SPECIFIC CONDUCTANCE	00095	WAIVED	2007/12/18	230.000	
SULFATE	00945	WAIVED	2007/12/18	16.000	
TOTAL DISSOLVED SOLIDS	70300	WAIVED	2007/12/18	170.000	

**Testing interval is in months;*
0 = No data for this constituent and is DUE NOW
999 = Waived testing (not required)
I = Invalid (NOT) valid analyses reported

System Number: ***1900143***

System Name: ***DESERT AIRE GOLF COURSE***

PS Code: ***1900143-001***

Source Name: ***WELL 01***

Source Number: ***001***

Source Status: ***ACTIVE UNTREATED***

Water type: ***GROUNDWATER OR WELL***

	STORET NUMBER	TESTING INTERVAL (MONTHS)*	LAST TEST DATE (yyyy/mm/dd)	LAST RESULT REPORTED	NEXT TEST DATE (yyyy/mm)
SECONDARY/GP					
TURBIDITY, LABORATORY	82079	WAIVED	2007/12/18	.150	
ZINC	01092	WAIVED	2007/12/18	70.000	

PS Code: ***1900143-002***

Source Name: ***CHLORINATOR***

Source Number: ***002***

Source Status: ***ACTIVE TREATED***

Water type: ***GROUNDWATER OR WELL***

GENERAL NON CHAP 15					
DIAZINON	39570	WAIVED			
INORGANIC					
ALUMINUM	01105	WAIVED			
ANTIMONY	01097	WAIVED			
ARSENIC	01002	WAIVED			
ASBESTOS	81855	WAIVED			
BARIUM	01007	WAIVED			
BERYLLIUM	01012	WAIVED			
CADMIUM	01027	WAIVED			
CHROMIUM (TOTAL)	01034	WAIVED			
CYANIDE	01291	WAIVED			
FLUORIDE (F) (NATURAL-SOURCE)	00951	WAIVED			
LEAD	01051	WAIVED			
MERCURY	71900	WAIVED			
NICKEL	01067	WAIVED			
PERCHLORATE	A-031	WAIVED			
SELENIUM	01147	WAIVED			
THALLIUM	01059	WAIVED			

**Testing interval is in months;*
0 = No data for this constituent and is DUE NOW
999 = Waived testing (not required)
I = Invalid (NOT) valid analyses reported

System Number: ***1900143***

System Name: ***DESERT AIRE GOLF COURSE***

PS Code: ***1900143-002***

Source Name: ***CHLORINATOR***

Source Number: ***002***

Source Status: ***ACTIVE TREATED***

Water type: ***GROUNDWATER OR WELL***

	STORET NUMBER	TESTING INTERVAL (MONTHS)*	LAST TEST DATE (yyyy/mm/dd)	LAST RESULT REPORTED	NEXT TEST DATE (yyyy/mm)
NITRATE/NITRITE					
NITRATE (AS NO3)	71850	WAIVED			
NITRITE (AS N)	00620	WAIVED			
RADIOLOGICAL					
GROSS ALPHA	01501	WAIVED			
GROSS BETA	03501	WAIVED			
RA-226 FOR CWS OR TOTAL RA FOR NTNC BY 903.0	A-080	WAIVED			
RA-226 OR TOTAL RA BY 903.0 C.E.	A-081	WAIVED			
RADIUM 226	09501	WAIVED			
RADIUM 228	11501	WAIVED			
RADIUM, TOTAL, MDA95-NTNC ONLY, BY 903.0	A-082	WAIVED			
STRONTIUM-90	13501	WAIVED			
TRITIUM	07000	WAIVED			
URANIUM (PCI/L)	28012	WAIVED			
REGULATED SOC					
2,3,7,8-TCDD (DIOXIN)	34676	WAIVED			
2,4,5-TP (SILVEX)	39045	WAIVED			
2,4-D	39730	WAIVED			
ALACHLOR	77825	WAIVED			
ATRAZINE	39033	WAIVED			
BENTAZON	38710	WAIVED			
BENZO (A) PYRENE	34247	WAIVED			
CARBOFURAN	81405	WAIVED			
CHLORDANE	39350	WAIVED			
DALAPON	38432	WAIVED			
DI(2-ETHYLHEXYL)ADIPATE	A-026	WAIVED			
DI(2-ETHYLHEXYL)PHTHALATE	39100	WAIVED			
DIBROMOCHLOROPROPANE (DBCP)	38761	WAIVED			
DINOSEB	81287	WAIVED			
DIQUAT	78885	WAIVED			

**Testing interval is in months;*
0 = No data for this constituent and is DUE NOW
999 = Waived testing (not required)
I = Invalid (NOT) valid analyses reported

System Number: ***1900143***

System Name: ***DESERT AIRE GOLF COURSE***

PS Code: ***1900143-002***

Source Name: ***CHLORINATOR***

Source Number: ***002***

Source Status: ***ACTIVE TREATED***

Water type: ***GROUNDWATER OR WELL***

	STORET NUMBER	TESTING INTERVAL (MONTHS)*	LAST TEST DATE (yyyy/mm/dd)	LAST RESULT REPORTED	NEXT TEST DATE (yyyy/mm)
REGULATED SOC					
ENDOTHALL	38926	WAIVED			
ENDRIN	39390	WAIVED			
ETHYLENE DIBROMIDE (EDB)	77651	WAIVED			
GLYPHOSATE	79743	WAIVED			
HEPTACHLOR	39410	WAIVED			
HEPTACHLOR EPOXIDE	39420	WAIVED			
HEXACHLOROBENZENE	39700	WAIVED			
HEXACHLOROCYCLOPENTADIENE	34386	WAIVED			
LINDANE	39340	WAIVED			
METHOXYCHLOR	39480	WAIVED			
MOLINATE	82199	WAIVED			
OXAMYL	38865	WAIVED			
PENTACHLOROPHENOL	39032	WAIVED			
PICLORAM	39720	WAIVED			
POLYCHLORINATED BIPHENYLS, TOTAL, AS DCB	39516	WAIVED			
SIMAZINE	39055	WAIVED			
THIOBENCARB	A-001	WAIVED			
TOXAPHENE	39400	WAIVED			
REGULATED VOC					
1,1,1-TRICHLOROETHANE	34506	WAIVED			
1,1,2,2-TETRACHLOROETHANE	34516	WAIVED			
1,1,2-TRICHLORO-1,2,2-TRIFLUOROETHANE	81611	WAIVED			
1,1,2-TRICHLOROETHANE	34511	WAIVED			
1,1-DICHLOROETHANE	34496	WAIVED			
1,1-DICHLOROETHYLENE	34501	WAIVED			
1,2,4-TRICHLOROBENZENE	34551	WAIVED			
1,2-DICHLOROBENZENE	34536	WAIVED			
1,2-DICHLOROETHANE	34531	WAIVED			
1,2-DICHLOROPROPANE	34541	WAIVED			

**Testing interval is in months;*
0 = No data for this constituent and is DUE NOW
999 = Waived testing (not required)
I = Invalid (NOT) valid analyses reported

System Number: ***1900143***

System Name: ***DESERT AIRE GOLF COURSE***

PS Code: ***1900143-002***

Source Name: ***CHLORINATOR***

Source Number: ***002***

Source Status: ***ACTIVE TREATED***

Water type: ***GROUNDWATER OR WELL***

	STORET NUMBER	TESTING INTERVAL (MONTHS)*	LAST TEST DATE (yyyy/mm/dd)	LAST RESULT REPORTED	NEXT TEST DATE (yyyy/mm)
REGULATED VOC					
1,3-DICHLOROPROPENE (TOTAL)	34561	WAIVED			
1,4-DICHLOROBENZENE	34571	WAIVED			
BENZENE	34030	WAIVED			
CARBON TETRACHLORIDE	32102	WAIVED			
CIS-1,2-DICHLOROETHYLENE	77093	WAIVED			
DICHLOROMETHANE	34423	WAIVED			
ETHYLBENZENE	34371	WAIVED			
METHYL-TERT-BUTYL-ETHER (MTBE)	46491	WAIVED			
MONOCHLOROBENZENE	34301	WAIVED			
STYRENE	77128	WAIVED			
TETRACHLOROETHYLENE	34475	WAIVED			
TOLUENE	34010	WAIVED			
TRANS-1,2-DICHLOROETHYLENE	34546	WAIVED			
TRICHLOROETHYLENE	39180	WAIVED			
TRICHLOROFLUOROMETHANE	34488	WAIVED			
VINYL CHLORIDE	39175	WAIVED			
XYLENES (TOTAL)	81551	WAIVED			
SECONDARY/GP					
AGGRSSIVE INDEX (CORROSIVITY)	82383	WAIVED			
BICARBONATE ALKALINITY	00440	WAIVED			
CALCIUM	00916	WAIVED			
CARBONATE ALKALINITY	00445	WAIVED			
CHLORIDE	00940	WAIVED			
COLOR	00081	WAIVED			
COPPER	01042	WAIVED			
FOAMING AGENTS (MBAS)	38260	WAIVED			
HARDNESS (TOTAL) AS CACO3	00900	WAIVED			
HYDROXIDE ALKALINITY	71830	WAIVED			
IRON	01045	WAIVED			

**Testing interval is in months;*
0 = No data for this constituent and is DUE NOW
999 = Waived testing (not required)
I = Invalid (NOT) valid analyses reported

System Number: ***1900143***

System Name: ***DESERT AIRE GOLF COURSE***

PS Code: ***1900143-002***

Source Name: ***CHLORINATOR***

Source Number: ***002***

Source Status: ***ACTIVE TREATED***

Water type: ***GROUNDWATER OR WELL***

SECONDARY/GP	STORET NUMBER	TESTING INTERVAL (MONTHS)*	LAST TEST DATE (yyyy/mm/dd)	LAST RESULT REPORTED	NEXT TEST DATE (yyyy/mm)
MAGNESIUM	00927	WAIVED			
MANGANESE	01055	WAIVED			
ODOR THRESHOLD @ 60 C	00086	WAIVED			
PH, LABORATORY	00403	WAIVED			
SILVER	01077	WAIVED			
SODIUM	00929	WAIVED			
SPECIFIC CONDUCTANCE	00095	WAIVED			
SULFATE	00945	WAIVED			
TOTAL DISSOLVED SOLIDS	70300	WAIVED			
TURBIDITY, LABORATORY	82079	WAIVED			
ZINC	01092	WAIVED			

**Testing interval is in months;*
0 = No data for this constituent and is DUE NOW
999 = Waived testing (not required)
I = Invalid (NOT) valid analyses reported

System Number: ***1900145***

System Name: ***REESEDALE MUTUAL***

PS Code: ***1900145-001***

Source Name: ***WELL 01***

Source Number: ***001***

Source Status: ***ACTIVE UNTREATED***

Water type: ***GROUNDWATER OR WELL***

	STORET NUMBER	TESTING INTERVAL (MONTHS)*	LAST TEST DATE (yyyy/mm/dd)	LAST RESULT REPORTED	NEXT TEST DATE (yyyy/mm)
GENERAL NON CHAP 15					
DIAZINON	39570	WAIVED			
INORGANIC					
ALUMINUM	01105	WAIVED	2002/03/15	.000	
ANTIMONY	01097	WAIVED	2002/03/15	.000	
ARSENIC	01002	WAIVED	2002/03/15	.000	
ASBESTOS	81855	WAIVED			
BARIUM	01007	WAIVED	2002/03/15	.000	
BERYLLIUM	01012	WAIVED			
CADMIUM	01027	WAIVED	2002/03/15	.000	
CHROMIUM (TOTAL)	01034	WAIVED	2002/04/17	.000	
CYANIDE	01291	WAIVED			
FLUORIDE (F) (NATURAL-SOURCE)	00951	WAIVED	2002/03/15	.130	
LEAD	01051	WAIVED	2002/03/15	.000	
MERCURY	71900	WAIVED	2002/03/15	.000	
NICKEL	01067	WAIVED	2002/03/15	.000	
PERCHLORATE	A-031	WAIVED	2002/03/15	.000	
SELENIUM	01147	WAIVED	2002/03/15	.000	
THALLIUM	01059	WAIVED			
NITRATE/NITRITE					
NITRATE (AS NO3)	71850	WAIVED	2011/12/27	2.700	
NITRITE (AS N)	00620	WAIVED			
RADIOLOGICAL					
GROSS ALPHA	01501	WAIVED			
GROSS BETA	03501	WAIVED			
RA-226 FOR CWS OR TOTAL RA FOR NTNC BY 903.0	A-080	WAIVED			
RA-226 OR TOTAL RA BY 903.0 C.E.	A-081	WAIVED			
RADIUM 226	09501	WAIVED			
RADIUM 228	11501	WAIVED			

**Testing interval is in months;*
0 = No data for this constituent and is DUE NOW
999 = Waived testing (not required)
I = Invalid (NOT) valid analyses reported

System Number: ***1900145***

System Name: ***REESEDALE MUTUAL***

PS Code: ***1900145-001***

Source Name: ***WELL 01***

Source Number: ***001***

Source Status: ***ACTIVE UNTREATED***

Water type: ***GROUNDWATER OR WELL***

	STORET NUMBER	TESTING INTERVAL (MONTHS)*	LAST TEST DATE (yyyy/mm/dd)	LAST RESULT REPORTED	NEXT TEST DATE (yyyy/mm)
RADIOLOGICAL					
RADIUM, TOTAL, MDA95-NTNC ONLY, BY 903.0	A-082	WAIVED			
STRONTIUM-90	13501	WAIVED			
TRITIUM	07000	WAIVED			
URANIUM (PCI/L)	28012	WAIVED			
REGULATED SOC					
2,3,7,8-TCDD (DIOXIN)	34676	WAIVED			
2,4,5-TP (SILVEX)	39045	WAIVED			
2,4-D	39730	WAIVED			
ALACHLOR	77825	WAIVED	2002/06/25	.000	
ATRAZINE	39033	WAIVED			
BENTAZON	38710	WAIVED			
BENZO (A) PYRENE	34247	WAIVED			
CARBOFURAN	81405	WAIVED			
CHLORDANE	39350	WAIVED	2002/06/25	.000	
DALAPON	38432	WAIVED			
DI(2-ETHYLHEXYL)ADIPATE	A-026	WAIVED			
DI(2-ETHYLHEXYL)PHTHALATE	39100	WAIVED			
DIBROMOCHLOROPROPANE (DBCP)	38761	WAIVED			
DINOSEB	81287	WAIVED			
DIQUAT	78885	WAIVED			
ENDOTHALL	38926	WAIVED			
ENDRIN	39390	WAIVED	2002/06/25	.000	
ETHYLENE DIBROMIDE (EDB)	77651	WAIVED			
GLYPHOSATE	79743	WAIVED			
HEPTACHLOR	39410	WAIVED	2002/06/25	.000	
HEPTACHLOR EPOXIDE	39420	WAIVED	2002/06/25	.000	
HEXACHLOROBENZENE	39700	WAIVED	2002/06/25	.000	
HEXACHLOROCYCLOPENTADIENE	34386	WAIVED	2002/06/25	.000	
LINDANE	39340	WAIVED	2002/06/25	.000	

**Testing interval is in months;*
0 = No data for this constituent and is DUE NOW
999 = Waived testing (not required)
I = Invalid (NOT) valid analyses reported

System Number: ***1900145***

System Name: ***REESEDALE MUTUAL***

PS Code: ***1900145-001***

Source Name: ***WELL 01***

Source Number: ***001***

Source Status: ***ACTIVE UNTREATED***

Water type: ***GROUNDWATER OR WELL***

	STORET NUMBER	TESTING INTERVAL (MONTHS)*	LAST TEST DATE (yyyy/mm/dd)	LAST RESULT REPORTED	NEXT TEST DATE (yyyy/mm)
REGULATED SOC					
METHOXYCHLOR	39480	WAIVED	2002/06/25	.000	
MOLINATE	82199	WAIVED			
OXAMYL	38865	WAIVED			
PENTACHLOROPHENOL	39032	WAIVED			
PICLORAM	39720	WAIVED			
POLYCHLORINATED BIPHENYLS, TOTAL, AS DCB	39516	WAIVED	2002/06/25	.000	
SIMAZINE	39055	WAIVED			
THIOBENCARB	A-001	WAIVED			
TOXAPHENE	39400	WAIVED	2002/06/25	.000	
REGULATED VOC					
1,1,1-TRICHLOROETHANE	34506	WAIVED	2002/04/17	.000	
1,1,2,2-TETRACHLOROETHANE	34516	WAIVED	2002/04/17	.000	
1,1,2-TRICHLORO-1,2,2-TRIFLUOROETHANE	81611	WAIVED	2002/04/17	.000	
1,1,2-TRICHLOROETHANE	34511	WAIVED	2002/04/17	.000	
1,1-DICHLOROETHANE	34496	WAIVED	2002/04/17	.000	
1,1-DICHLOROETHYLENE	34501	WAIVED	2002/04/17	.000	
1,2,4-TRICHLOROBENZENE	34551	WAIVED	2002/04/17	.000	
1,2-DICHLOROBENZENE	34536	WAIVED	2002/04/17	.000	
1,2-DICHLOROETHANE	34531	WAIVED	2002/04/17	.000	
1,2-DICHLOROPROPANE	34541	WAIVED	2002/04/17	.000	
1,3-DICHLOROPROPENE (TOTAL)	34561	WAIVED	2002/04/17	.000	
1,4-DICHLOROBENZENE	34571	WAIVED	2002/04/17	.000	
BENZENE	34030	WAIVED	2002/04/17	.000	
CARBON TETRACHLORIDE	32102	WAIVED	2002/04/17	.000	
CIS-1,2-DICHLOROETHYLENE	77093	WAIVED	2002/04/17	.000	
DICHLOROMETHANE	34423	WAIVED	2002/04/17	.000	
ETHYLBENZENE	34371	WAIVED	2002/04/17	.000	
METHYL-TERT-BUTYL-ETHER (MTBE)	46491	WAIVED	2002/04/17	.000	
MONOCHLOROBENZENE	34301	WAIVED	2002/04/17	.000	

**Testing interval is in months;*
0 = No data for this constituent and is DUE NOW
999 = Waived testing (not required)
I = Invalid (NOT) valid analyses reported

System Number: ***1900145***

System Name: ***REESEDALE MUTUAL***

PS Code: ***1900145-001***

Source Name: ***WELL 01***

Source Number: ***001***

Source Status: ***ACTIVE UNTREATED***

Water type: ***GROUNDWATER OR WELL***

	STORET NUMBER	TESTING INTERVAL (MONTHS)*	LAST TEST DATE (yyyy/mm/dd)	LAST RESULT REPORTED	NEXT TEST DATE (yyyy/mm)
REGULATED VOC					
STYRENE	77128	WAIVED	2002/04/17	.000	
TETRACHLOROETHYLENE	34475	WAIVED	2002/04/17	.000	
TOLUENE	34010	WAIVED	2002/04/17	.000	
TRANS-1,2-DICHLOROETHYLENE	34546	WAIVED	2002/04/17	.000	
TRICHLOROETHYLENE	39180	WAIVED	2002/04/17	.000	
TRICHLOROFLUOROMETHANE	34488	WAIVED	2002/04/17	.000	
VINYL CHLORIDE	39175	WAIVED	2002/04/17	.000	
XYLENES (TOTAL)	81551	WAIVED	2002/04/17	.000	
SECONDARY/GP					
AGGRSSIVE INDEX (CORROSIVITY)	82383	WAIVED			
BICARBONATE ALKALINITY	00440	WAIVED	2002/03/15	156.000	
CALCIUM	00916	WAIVED	2002/03/15	64.100	
CARBONATE ALKALINITY	00445	WAIVED	2002/03/15	.000	
CHLORIDE	00940	WAIVED	2002/03/15	17.300	
COLOR	00081	WAIVED	2002/03/15	.000	
COPPER	01042	WAIVED	2002/03/15	.000	
FOAMING AGENTS (MBAS)	38260	WAIVED	2002/03/15	.000	
HARDNESS (TOTAL) AS CACO3	00900	WAIVED	2002/03/15	200.000	
HYDROXIDE ALKALINITY	71830	WAIVED	2002/03/15	.000	
IRON	01045	WAIVED	2002/03/15	.000	
MAGNESIUM	00927	WAIVED	2002/03/15	9.720	
MANGANESE	01055	WAIVED	2002/03/15	.000	
ODOR THRESHOLD @ 60 C	00086	WAIVED	2002/03/15	.000	
PH, LABORATORY	00403	WAIVED	2002/03/15	7.890	
SILVER	01077	WAIVED	2002/03/15	.000	
SODIUM	00929	WAIVED	2002/03/15	20.400	
SPECIFIC CONDUCTANCE	00095	WAIVED	2002/03/15	467.000	
SULFATE	00945	WAIVED	2002/03/15	95.500	
TOTAL DISSOLVED SOLIDS	70300	WAIVED	2002/03/15	324.000	

**Testing interval is in months;*
0 = No data for this constituent and is DUE NOW
999 = Waived testing (not required)
I = Invalid (NOT) valid analyses reported

System Number: ***1900145***

System Name: ***REESEDALE MUTUAL***

PS Code: ***1900145-001***

Source Name: ***WELL 01***

Source Number: ***001***

Source Status: ***ACTIVE UNTREATED***

Water type: ***GROUNDWATER OR WELL***

SECONDARY/GP	STORET NUMBER	TESTING INTERVAL (MONTHS)*	LAST TEST DATE (yyyy/mm/dd)	LAST RESULT REPORTED	NEXT TEST DATE (yyyy/mm)
TURBIDITY, LABORATORY	82079	WAIVED	2002/03/15	.330	
ZINC	01092	WAIVED	2002/03/15	.000	

**Testing interval is in months;*
0 = No data for this constituent and is DUE NOW
999 = Waived testing (not required)
I = Invalid (NOT) valid analyses reported

System Number: 1900146
System Name: SUNNYSIDE FARMS MUTUAL

PS Code: 1900146-001
Source Name: WELL 01
Source Number: 001
Source Status: ACTIVE UNTREATED
Water type: GROUNDWATER OR WELL

	STORET NUMBER	TESTING INTERVAL (MONTHS)*	LAST TEST DATE (yyyy/mm/dd)	LAST RESULT REPORTED	NEXT TEST DATE (yyyy/mm)
GENERAL NON CHAP 15					
DIAZINON	39570	WAIVED			
INORGANIC					
ALUMINUM	01105	WAIVED	2011/03/22	< .000	
ANTIMONY	01097	WAIVED	2011/03/22	< .000	
ARSENIC	01002	WAIVED	2011/03/22	< .000	
ASBESTOS	81855	WAIVED	2011/03/22	.000	
BARIUM	01007	WAIVED	2011/03/22	< .000	
BERYLLIUM	01012	WAIVED	2011/03/22	< .000	
CADMIUM	01027	WAIVED	2011/03/22	< .000	
CHROMIUM (TOTAL)	01034	WAIVED	2011/03/22	< .000	
CYANIDE	01291	WAIVED	2011/03/22	< .000	
FLUORIDE (F) (NATURAL-SOURCE)	00951	WAIVED	2011/03/22	.230	
LEAD	01051	WAIVED	2011/03/22	< .000	
MERCURY	71900	WAIVED	2011/03/22	< .000	
NICKEL	01067	WAIVED	2011/03/22	< .000	
PERCHLORATE	A-031	WAIVED	2011/10/18	< .000	
SELENIUM	01147	WAIVED	2011/03/22	< .000	
THALLIUM	01059	WAIVED	2011/03/22	< .000	
NITRATE/NITRITE					
NITRATE (AS NO3)	71850	WAIVED	2012/03/13	11.000	
NITRITE (AS N)	00620	WAIVED	2011/03/22	< .000	
RADIOLOGICAL					
GROSS ALPHA	01501	WAIVED	2007/03/19	3.900	
GROSS BETA	03501	WAIVED			
RA-226 FOR CWS OR TOTAL RA FOR NTNC BY 903.0	A-080	WAIVED			
RA-226 OR TOTAL RA BY 903.0 C.E.	A-081	WAIVED			
RADIUM 226	09501	WAIVED	2007/03/19	< 1.000	
RADIUM 228	11501	WAIVED	2007/03/19	< 1.000	

**Testing interval is in months;*
0 = No data for this constituent and is DUE NOW
999 = Waived testing (not required)
I = Invalid (NOT) valid analyses reported

System Number: ***1900146***

System Name: ***SUNNYSIDE FARMS MUTUAL***

PS Code: ***1900146-001***

Source Name: ***WELL 01***

Source Number: ***001***

Source Status: ***ACTIVE UNTREATED***

Water type: ***GROUNDWATER OR WELL***

	STORET NUMBER	TESTING INTERVAL (MONTHS)*	LAST TEST DATE (yyyy/mm/dd)	LAST RESULT REPORTED	NEXT TEST DATE (yyyy/mm)
RADIOLOGICAL					
RADIUM, TOTAL, MDA95-NTNC ONLY, BY 903.0	A-082	WAIVED			
STRONTIUM-90	13501	WAIVED			
TRITIUM	07000	WAIVED			
URANIUM (PCI/L)	28012	WAIVED	2007/03/19	1.300	
REGULATED SOC					
2,3,7,8-TCDD (DIOXIN)	34676	WAIVED			
2,4,5-TP (SILVEX)	39045	WAIVED			
2,4-D	39730	WAIVED			
ALACHLOR	77825	WAIVED			
ATRAZINE	39033	WAIVED			
BENTAZON	38710	WAIVED			
BENZO (A) PYRENE	34247	WAIVED			
CARBOFURAN	81405	WAIVED			
CHLORDANE	39350	WAIVED			
DALAPON	38432	WAIVED			
DI(2-ETHYLHEXYL)ADIPATE	A-026	WAIVED			
DI(2-ETHYLHEXYL)PHTHALATE	39100	WAIVED			
DIBROMOCHLOROPROPANE (DBCP)	38761	WAIVED			
DINOSEB	81287	WAIVED			
DIQUAT	78885	WAIVED			
ENDOTHALL	38926	WAIVED			
ENDRIN	39390	WAIVED			
ETHYLENE DIBROMIDE (EDB)	77651	WAIVED			
GLYPHOSATE	79743	WAIVED			
HEPTACHLOR	39410	WAIVED			
HEPTACHLOR EPOXIDE	39420	WAIVED			
HEXACHLOROBENZENE	39700	WAIVED			
HEXACHLOROCYCLOPENTADIENE	34386	WAIVED			
LINDANE	39340	WAIVED			

**Testing interval is in months;*
0 = No data for this constituent and is DUE NOW
999 = Waived testing (not required)
I = Invalid (NOT) valid analyses reported

System Number: ***1900146***

System Name: ***SUNNYSIDE FARMS MUTUAL***

PS Code: ***1900146-001***

Source Name: ***WELL 01***

Source Number: ***001***

Source Status: ***ACTIVE UNTREATED***

Water type: ***GROUNDWATER OR WELL***

	STORET NUMBER	TESTING INTERVAL (MONTHS)*	LAST TEST DATE (yyyy/mm/dd)	LAST RESULT REPORTED	NEXT TEST DATE (yyyy/mm)
REGULATED SOC					
METHOXYCHLOR	39480	WAIVED			
MOLINATE	82199	WAIVED			
OXAMYL	38865	WAIVED			
PENTACHLOROPHENOL	39032	WAIVED			
PICLORAM	39720	WAIVED			
POLYCHLORINATED BIPHENYLS, TOTAL, AS DCB	39516	WAIVED			
SIMAZINE	39055	WAIVED			
THIOBENCARB	A-001	WAIVED			
TOXAPHENE	39400	WAIVED			
REGULATED VOC					
1,1,1-TRICHLOROETHANE	34506	WAIVED	2011/12/12	< .000	
1,1,2,2-TETRACHLOROETHANE	34516	WAIVED	2011/12/12	< .000	
1,1,2-TRICHLORO-1,2,2-TRIFLUOROETHANE	81611	WAIVED	2011/12/12	< .000	
1,1,2-TRICHLOROETHANE	34511	WAIVED	2011/12/12	< .000	
1,1-DICHLOROETHANE	34496	WAIVED	2011/12/12	< .000	
1,1-DICHLOROETHYLENE	34501	WAIVED	2011/12/12	< .000	
1,2,4-TRICHLOROBENZENE	34551	WAIVED	2011/12/12	< .000	
1,2-DICHLOROBENZENE	34536	WAIVED	2011/12/12	< .000	
1,2-DICHLOROETHANE	34531	WAIVED	2011/12/12	< .000	
1,2-DICHLOROPROPANE	34541	WAIVED	2011/12/12	< .000	
1,3-DICHLOROPROPENE (TOTAL)	34561	WAIVED	2011/12/12	< .000	
1,4-DICHLOROBENZENE	34571	WAIVED	2011/12/12	< .000	
BENZENE	34030	WAIVED	2011/12/12	< .000	
CARBON TETRACHLORIDE	32102	WAIVED	2011/12/12	< .000	
CIS-1,2-DICHLOROETHYLENE	77093	WAIVED	2011/12/12	< .000	
DICHLOROMETHANE	34423	WAIVED	2011/12/12	< .000	
ETHYLBENZENE	34371	WAIVED	2011/12/12	< .000	
METHYL-TERT-BUTYL-ETHER (MTBE)	46491	WAIVED	2011/12/12	< .000	
MONOCHLOROBENZENE	34301	WAIVED	2011/12/12	< .000	

**Testing interval is in months;*
0 = No data for this constituent and is DUE NOW
999 = Waived testing (not required)
I = Invalid (NOT) valid analyses reported

System Number: ***1900146***

System Name: ***SUNNYSIDE FARMS MUTUAL***

PS Code: ***1900146-001***

Source Name: ***WELL 01***

Source Number: ***001***

Source Status: ***ACTIVE UNTREATED***

Water type: ***GROUNDWATER OR WELL***

	STORET NUMBER	TESTING INTERVAL (MONTHS)*	LAST TEST DATE (yyyy/mm/dd)	LAST RESULT REPORTED	NEXT TEST DATE (yyyy/mm)
REGULATED VOC					
STYRENE	77128	WAIVED	2011/12/12	< .000	
TETRACHLOROETHYLENE	34475	WAIVED	2011/12/12	< .000	
TOLUENE	34010	WAIVED	2011/12/12	< .000	
TRANS-1,2-DICHLOROETHYLENE	34546	WAIVED	2011/12/12	< .000	
TRICHLOROETHYLENE	39180	WAIVED	2011/12/12	< .000	
TRICHLOROFLUOROMETHANE	34488	WAIVED	2011/12/12	< .000	
VINYL CHLORIDE	39175	WAIVED	2011/12/12	< .000	
XYLENES (TOTAL)	81551	WAIVED	2011/12/12	< .000	
SECONDARY/GP					
AGGRSSIVE INDEX (CORROSIVITY)	82383	WAIVED	2011/03/22	12.000	
BICARBONATE ALKALINITY	00440	WAIVED	2011/03/22	150.000	
CALCIUM	00916	WAIVED	2011/03/22	120.000	
CARBONATE ALKALINITY	00445	WAIVED	2011/03/22	< .000	
CHLORIDE	00940	WAIVED	2011/03/22	85.000	
COLOR	00081	WAIVED	2011/03/22	< .000	
COPPER	01042	WAIVED	2011/03/22	< .000	
FOAMING AGENTS (MBAS)	38260	WAIVED	2011/03/22	< .000	
HARDNESS (TOTAL) AS CACO3	00900	WAIVED	2011/03/22	410.000	
HYDROXIDE ALKALINITY	71830	WAIVED	2011/03/22	< .000	
IRON	01045	WAIVED	2012/03/13	< .000	
MAGNESIUM	00927	WAIVED	2011/03/22	28.000	
MANGANESE	01055	WAIVED	2011/03/22	< .000	
ODOR THRESHOLD @ 60 C	00086	WAIVED	2011/03/22	< .000	
PH, LABORATORY	00403	WAIVED	2011/03/22	7.900	
SILVER	01077	WAIVED	2011/03/22	< .000	
SODIUM	00929	WAIVED	2011/03/22	82.000	
SPECIFIC CONDUCTANCE	00095	WAIVED	2011/03/22	1000.000	
SULFATE	00945	WAIVED	2011/03/22	290.000	
TOTAL DISSOLVED SOLIDS	70300	WAIVED	2011/03/22	770.000	

**Testing interval is in months;*
0 = No data for this constituent and is DUE NOW
999 = Waived testing (not required)
I = Invalid (NOT) valid analyses reported

System Number: ***1900146***

System Name: ***SUNNYSIDE FARMS MUTUAL***

PS Code: ***1900146-001***

Source Name: ***WELL 01***

Source Number: ***001***

Source Status: ***ACTIVE UNTREATED***

Water type: ***GROUNDWATER OR WELL***

	STORET NUMBER	TESTING INTERVAL (MONTHS)*	LAST TEST DATE (yyyy/mm/dd)	LAST RESULT REPORTED	NEXT TEST DATE (yyyy/mm)
SECONDARY/GP					
TURBIDITY, LABORATORY	82079	WAIVED	2011/03/22	< .000	
ZINC	01092	WAIVED	2011/03/22	< .000	

PS Code: ***1900146-002***

Source Name: ***STANDBY PURCHASED WATER***

Source Number: ***002***

Source Status: ***PURCHASED TREATED***

Water type: ***SURFACE***

GENERAL NON CHAP 15					
DIAZINON	39570	WAIVED			
INORGANIC					
ALUMINUM	01105	WAIVED			
ANTIMONY	01097	WAIVED			
ARSENIC	01002	WAIVED			
ASBESTOS	81855	WAIVED			
BARIUM	01007	WAIVED			
BERYLLIUM	01012	WAIVED			
CADMIUM	01027	WAIVED			
CHROMIUM (TOTAL)	01034	WAIVED			
CYANIDE	01291	WAIVED			
FLUORIDE (F) (NATURAL-SOURCE)	00951	WAIVED			
LEAD	01051	WAIVED			
MERCURY	71900	WAIVED			
NICKEL	01067	WAIVED			
PERCHLORATE	A-031	WAIVED	2008/09/29	.000	
SELENIUM	01147	WAIVED			
THALLIUM	01059	WAIVED			

**Testing interval is in months;*
0 = No data for this constituent and is DUE NOW
999 = Waived testing (not required)
I = Invalid (NOT) valid analyses reported

System Number: ***1900146***

System Name: ***SUNNYSIDE FARMS MUTUAL***

PS Code: ***1900146-002***

Source Name: ***STANDBY PURCHASED WATER***

Source Number: ***002***

Source Status: ***PURCHASED TREATED***

Water type: ***SURFACE***

	STORET NUMBER	TESTING INTERVAL (MONTHS)*	LAST TEST DATE (yyyy/mm/dd)	LAST RESULT REPORTED	NEXT TEST DATE (yyyy/mm)
NITRATE/NITRITE					
NITRATE (AS NO3)	71850	WAIVED	2001/05/04	4.880	
NITRITE (AS N)	00620	WAIVED			
RADIOLOGICAL					
GROSS ALPHA	01501	WAIVED			
GROSS BETA	03501	WAIVED			
RA-226 FOR CWS OR TOTAL RA FOR NTNC BY 903.0	A-080	WAIVED			
RA-226 OR TOTAL RA BY 903.0 C.E.	A-081	WAIVED			
RADIUM 226	09501	WAIVED			
RADIUM 228	11501	WAIVED			
RADIUM, TOTAL, MDA95-NTNC ONLY, BY 903.0	A-082	WAIVED			
STRONTIUM-90	13501	WAIVED			
TRITIUM	07000	WAIVED			
URANIUM (PCI/L)	28012	WAIVED			
REGULATED SOC					
2,3,7,8-TCDD (DIOXIN)	34676	WAIVED			
2,4,5-TP (SILVEX)	39045	WAIVED			
2,4-D	39730	WAIVED			
ALACHLOR	77825	WAIVED	2001/06/20	.000	
ATRAZINE	39033	WAIVED			
BENTAZON	38710	WAIVED			
BENZO (A) PYRENE	34247	WAIVED			
CARBOFURAN	81405	WAIVED			
CHLORDANE	39350	WAIVED	2001/06/20	.000	
DALAPON	38432	WAIVED			
DI(2-ETHYLHEXYL)ADIPATE	A-026	WAIVED			
DI(2-ETHYLHEXYL)PHTHALATE	39100	WAIVED	2001/06/20	.000	
DIBROMOCHLOROPROPANE (DBCP)	38761	WAIVED			
DINOSEB	81287	WAIVED			
DIQUAT	78885	WAIVED			

**Testing interval is in months;*
0 = No data for this constituent and is DUE NOW
999 = Waived testing (not required)
I = Invalid (NOT) valid analyses reported

System Number: ***1900146***

System Name: ***SUNNYSIDE FARMS MUTUAL***

PS Code: ***1900146-002***

Source Name: ***STANDBY PURCHASED WATER***

Source Number: ***002***

Source Status: ***PURCHASED TREATED***

Water type: ***SURFACE***

	STORET NUMBER	TESTING INTERVAL (MONTHS)*	LAST TEST DATE (yyyy/mm/dd)	LAST RESULT REPORTED	NEXT TEST DATE (yyyy/mm)
REGULATED SOC					
ENDOTHALL	38926	WAIVED			
ENDRIN	39390	WAIVED	2001/06/20	.000	
ETHYLENE DIBROMIDE (EDB)	77651	WAIVED			
GLYPHOSATE	79743	WAIVED			
HEPTACHLOR	39410	WAIVED	2001/06/20	.000	
HEPTACHLOR EPOXIDE	39420	WAIVED	2001/06/20	.000	
HEXACHLOROBENZENE	39700	WAIVED	2001/06/20	.000	
HEXACHLOROCYCLOPENTADIENE	34386	WAIVED	2001/06/20	.000	
LINDANE	39340	WAIVED	2001/06/20	.000	
METHOXYCHLOR	39480	WAIVED	2001/06/20	.000	
MOLINATE	82199	WAIVED			
OXAMYL	38865	WAIVED			
PENTACHLOROPHENOL	39032	WAIVED			
PICLORAM	39720	WAIVED			
POLYCHLORINATED BIPHENYLS, TOTAL, AS DCB	39516	WAIVED	2001/06/20	.000	
SIMAZINE	39055	WAIVED			
THIOBENCARB	A-001	WAIVED			
TOXAPHENE	39400	WAIVED	2001/06/20	.000	
REGULATED VOC					
1,1,1-TRICHLOROETHANE	34506	WAIVED	2001/06/20	.000	
1,1,2,2-TETRACHLOROETHANE	34516	WAIVED	2001/06/20	.000	
1,1,2-TRICHLORO-1,2,2-TRIFLUOROETHANE	81611	WAIVED	2001/06/20	.000	
1,1,2-TRICHLOROETHANE	34511	WAIVED	2001/06/20	.000	
1,1-DICHLOROETHANE	34496	WAIVED	2001/06/20	.000	
1,1-DICHLOROETHYLENE	34501	WAIVED	2001/06/20	.000	
1,2,4-TRICHLOROBENZENE	34551	WAIVED	2001/06/20	.000	
1,2-DICHLOROBENZENE	34536	WAIVED	2001/06/20	.000	
1,2-DICHLOROETHANE	34531	WAIVED	2001/06/20	.000	
1,2-DICHLOROPROPANE	34541	WAIVED	2001/06/20	.000	

**Testing interval is in months;*
0 = No data for this constituent and is DUE NOW
999 = Waived testing (not required)
I = Invalid (NOT) valid analyses reported

System Number: ***1900146***

System Name: ***SUNNYSIDE FARMS MUTUAL***

PS Code: ***1900146-002***

Source Name: ***STANDBY PURCHASED WATER***

Source Number: ***002***

Source Status: ***PURCHASED TREATED***

Water type: ***SURFACE***

	STORET NUMBER	TESTING INTERVAL (MONTHS)*	LAST TEST DATE (yyyy/mm/dd)	LAST RESULT REPORTED	NEXT TEST DATE (yyyy/mm)
REGULATED VOC					
1,3-DICHLOROPROPENE (TOTAL)	34561	WAIVED	2001/06/20	.000	
1,4-DICHLOROBENZENE	34571	WAIVED	2001/06/20	.000	
BENZENE	34030	WAIVED	2001/06/20	.000	
CARBON TETRACHLORIDE	32102	WAIVED	2001/06/20	.000	
CIS-1,2-DICHLOROETHYLENE	77093	WAIVED	2001/06/20	.000	
DICHLOROMETHANE	34423	WAIVED	2001/06/20	.000	
ETHYLBENZENE	34371	WAIVED	2001/06/20	.000	
METHYL-TERT-BUTYL-ETHER (MTBE)	46491	WAIVED	2001/06/20	.000	
MONOCHLOROBENZENE	34301	WAIVED	2001/06/20	.000	
STYRENE	77128	WAIVED	2001/06/20	.000	
TETRACHLOROETHYLENE	34475	WAIVED	2001/06/20	.000	
TOLUENE	34010	WAIVED	2001/06/20	.000	
TRANS-1,2-DICHLOROETHYLENE	34546	WAIVED	2001/06/20	.000	
TRICHLOROETHYLENE	39180	WAIVED	2001/06/20	.000	
TRICHLOROFLUOROMETHANE	34488	WAIVED	2001/06/20	.000	
VINYL CHLORIDE	39175	WAIVED	2001/06/20	.000	
XYLENES (TOTAL)	81551	WAIVED	2001/06/20	.000	
SECONDARY/GP					
AGGRSSIVE INDEX (CORROSIVITY)	82383	WAIVED			
BICARBONATE ALKALINITY	00440	WAIVED			
CALCIUM	00916	WAIVED			
CARBONATE ALKALINITY	00445	WAIVED			
CHLORIDE	00940	WAIVED			
COLOR	00081	WAIVED			
COPPER	01042	WAIVED			
FOAMING AGENTS (MBAS)	38260	WAIVED			
HARDNESS (TOTAL) AS CACO3	00900	WAIVED			
HYDROXIDE ALKALINITY	71830	WAIVED			
IRON	01045	WAIVED			

**Testing interval is in months;*
0 = No data for this constituent and is DUE NOW
999 = Waived testing (not required)
I = Invalid (NOT) valid analyses reported

System Number: ***1900146***

System Name: ***SUNNYSIDE FARMS MUTUAL***

PS Code: ***1900146-002***

Source Name: ***STANDBY PURCHASED WATER***

Source Number: ***002***

Source Status: ***PURCHASED TREATED***

Water type: ***SURFACE***

	STORET NUMBER	TESTING INTERVAL (MONTHS)*	LAST TEST DATE (yyyy/mm/dd)	LAST RESULT REPORTED	NEXT TEST DATE (yyyy/mm)
SECONDARY/GP					
MAGNESIUM	00927	WAIVED			
MANGANESE	01055	WAIVED			
ODOR THRESHOLD @ 60 C	00086	WAIVED			
PH, LABORATORY	00403	WAIVED			
SILVER	01077	WAIVED			
SODIUM	00929	WAIVED			
SPECIFIC CONDUCTANCE	00095	WAIVED	2008/09/29	1100.000	
SULFATE	00945	WAIVED			
TOTAL DISSOLVED SOLIDS	70300	WAIVED			
TURBIDITY, LABORATORY	82079	WAIVED			
ZINC	01092	WAIVED			

PS Code: ***1900146-003***

Source Name: ***WELL 02***

Source Number: ***003***

Source Status: ***ACTIVE UNTREATED***

Water type: ***GROUNDWATER OR WELL***

GENERAL NON CHAP 15				
DIAZINON	39570	WAIVED		
INORGANIC				
ALUMINUM	01105	WAIVED	2007/03/22	.000
ANTIMONY	01097	WAIVED	2007/03/22	.000
ARSENIC	01002	WAIVED	2007/03/22	.000
ASBESTOS	81855	WAIVED	2007/03/22	.000
BARIUM	01007	WAIVED	2007/03/22	.000
BERYLLIUM	01012	WAIVED	2007/03/22	.000
CADMIUM	01027	WAIVED	2007/03/22	.000
CHROMIUM (TOTAL)	01034	WAIVED	2007/03/22	.000
CYANIDE	01291	WAIVED	2007/03/22	.000

**Testing interval is in months;*
0 = No data for this constituent and is DUE NOW
999 = Waived testing (not required)
I = Invalid (NOT) valid analyses reported

System Number: ***1900146***

System Name: ***SUNNYSIDE FARMS MUTUAL***

PS Code: ***1900146-003***

Source Name: ***WELL 02***

Source Number: ***003***

Source Status: ***ACTIVE UNTREATED***

Water type: ***GROUNDWATER OR WELL***

	STORET NUMBER	TESTING INTERVAL (MONTHS)*	LAST TEST DATE (yyyy/mm/dd)	LAST RESULT REPORTED	NEXT TEST DATE (yyyy/mm)
INORGANIC					
FLUORIDE (F) (NATURAL-SOURCE)	00951	WAIVED	2007/03/22	.240	
LEAD	01051	WAIVED	2007/03/22	.000	
MERCURY	71900	WAIVED	2007/03/22	.000	
NICKEL	01067	WAIVED	2007/03/22	.000	
PERCHLORATE	A-031	WAIVED	2008/09/29	.000	
SELENIUM	01147	WAIVED	2007/03/22	.000	
THALLIUM	01059	WAIVED	2007/03/22	.000	
NITRATE/NITRITE					
NITRATE (AS NO3)	71850	WAIVED	2007/03/22	16.000	
NITRITE (AS N)	00620	WAIVED	2007/03/22	.000	
RADIOLOGICAL					
GROSS ALPHA	01501	WAIVED	2007/03/22	< 3.000	
GROSS BETA	03501	WAIVED			
RA-226 FOR CWS OR TOTAL RA FOR NTNC BY 903.0	A-080	WAIVED			
RA-226 OR TOTAL RA BY 903.0 C.E.	A-081	WAIVED			
RADIUM 226	09501	WAIVED	2007/03/22	< 1.000	
RADIUM 228	11501	WAIVED	2007/03/22	< 1.000	
RADIUM, TOTAL, MDA95-NTNC ONLY, BY 903.0	A-082	WAIVED			
STRONTIUM-90	13501	WAIVED			
TRITIUM	07000	WAIVED			
URANIUM (PCI/L)	28012	WAIVED	2007/03/22	1.000	
REGULATED SOC					
2,3,7,8-TCDD (DIOXIN)	34676	WAIVED			
2,4,5-TP (SILVEX)	39045	WAIVED			
2,4-D	39730	WAIVED			
ALACHLOR	77825	WAIVED			
ATRAZINE	39033	WAIVED			
BENTAZON	38710	WAIVED			

**Testing interval is in months;*
0 = No data for this constituent and is DUE NOW
999 = Waived testing (not required)
I = Invalid (NOT) valid analyses reported

System Number: ***1900146***

System Name: ***SUNNYSIDE FARMS MUTUAL***

PS Code: ***1900146-003***

Source Name: ***WELL 02***

Source Number: ***003***

Source Status: ***ACTIVE UNTREATED***

Water type: ***GROUNDWATER OR WELL***

	STORET NUMBER	TESTING INTERVAL (MONTHS)*	LAST TEST DATE (yyyy/mm/dd)	LAST RESULT REPORTED	NEXT TEST DATE (yyyy/mm)
REGULATED SOC					
BENZO (A) PYRENE	34247	WAIVED			
CARBOFURAN	81405	WAIVED			
CHLORDANE	39350	WAIVED			
DALAPON	38432	WAIVED			
DI(2-ETHYLHEXYL)ADIPATE	A-026	WAIVED			
DI(2-ETHYLHEXYL)PHTHALATE	39100	WAIVED			
DIBROMOCHLOROPROPANE (DBCP)	38761	WAIVED			
DINOSEB	81287	WAIVED			
DIQUAT	78885	WAIVED			
ENDOTHALL	38926	WAIVED			
ENDRIN	39390	WAIVED			
ETHYLENE DIBROMIDE (EDB)	77651	WAIVED			
GLYPHOSATE	79743	WAIVED			
HEPTACHLOR	39410	WAIVED			
HEPTACHLOR EPOXIDE	39420	WAIVED			
HEXACHLOROBENZENE	39700	WAIVED			
HEXACHLOROCYCLOPENTADIENE	34386	WAIVED			
LINDANE	39340	WAIVED			
METHOXYCHLOR	39480	WAIVED			
MOLINATE	82199	WAIVED			
OXAMYL	38865	WAIVED			
PENTACHLOROPHENOL	39032	WAIVED			
PICLORAM	39720	WAIVED			
POLYCHLORINATED BIPHENYLS, TOTAL, AS DCB	39516	WAIVED			
SIMAZINE	39055	WAIVED			
THIOBENCARB	A-001	WAIVED			
TOXAPHENE	39400	WAIVED			
REGULATED VOC					
1,1,1-TRICHLOROETHANE	34506	WAIVED	2007/03/22	.000	

**Testing interval is in months;*
0 = No data for this constituent and is DUE NOW
999 = Waived testing (not required)
I = Invalid (NOT) valid analyses reported

System Number: 1900146
System Name: SUNNYSIDE FARMS MUTUAL

PS Code: 1900146-003
Source Name: WELL 02
Source Number: 003
Source Status: ACTIVE UNTREATED
Water type: GROUNDWATER OR WELL

	STORET NUMBER	TESTING INTERVAL (MONTHS)*	LAST TEST DATE (yyyy/mm/dd)	LAST RESULT REPORTED	NEXT TEST DATE (yyyy/mm)
REGULATED VOC					
1,1,2,2-TETRACHLOROETHANE	34516	WAIVED	2007/03/22	.000	
1,1,2-TRICHLORO-1,2,2-TRIFLUOROETHANE	81611	WAIVED	2007/03/22	.000	
1,1,2-TRICHLOROETHANE	34511	WAIVED	2007/03/22	.000	
1,1-DICHLOROETHANE	34496	WAIVED	2007/03/22	.000	
1,1-DICHLOROETHYLENE	34501	WAIVED	2007/03/22	.000	
1,2,4-TRICHLOROBENZENE	34551	WAIVED	2007/03/22	.000	
1,2-DICHLOROBENZENE	34536	WAIVED	2007/03/22	.000	
1,2-DICHLOROETHANE	34531	WAIVED	2007/03/22	.000	
1,2-DICHLOROPROPANE	34541	WAIVED	2007/03/22	.000	
1,3-DICHLOROPROPENE (TOTAL)	34561	WAIVED	2007/03/22	.000	
1,4-DICHLOROBENZENE	34571	WAIVED	2007/03/22	.000	
BENZENE	34030	WAIVED	2007/03/22	.000	
CARBON TETRACHLORIDE	32102	WAIVED	2007/03/22	.000	
CIS-1,2-DICHLOROETHYLENE	77093	WAIVED	2007/03/22	.000	
DICHLOROMETHANE	34423	WAIVED	2007/03/22	.000	
ETHYLBENZENE	34371	WAIVED	2007/03/22	.000	
METHYL-TERT-BUTYL-ETHER (MTBE)	46491	WAIVED	2007/03/22	.000	
MONOCHLOROBENZENE	34301	WAIVED	2007/03/22	.000	
STYRENE	77128	WAIVED	2007/03/22	.000	
TETRACHLOROETHYLENE	34475	WAIVED	2007/03/22	.000	
TOLUENE	34010	WAIVED	2007/03/22	.000	
TRANS-1,2-DICHLOROETHYLENE	34546	WAIVED	2007/03/22	.000	
TRICHLOROETHYLENE	39180	WAIVED	2007/03/22	.000	
TRICHLOROFLUOROMETHANE	34488	WAIVED	2007/03/22	.000	
VINYL CHLORIDE	39175	WAIVED	2007/03/22	.000	
XYLENES (TOTAL)	81551	WAIVED	2007/03/22	< .500	
SECONDARY/GP					
AGGRSSIVE INDEX (CORROSIVITY)	82383	WAIVED	2007/03/22	13.000	
BICARBONATE ALKALINITY	00440	WAIVED	2007/03/22	230.000	

**Testing interval is in months;*
0 = No data for this constituent and is DUE NOW
999 = Waived testing (not required)
I = Invalid (NOT) valid analyses reported

System Number: ***1900146***

System Name: ***SUNNYSIDE FARMS MUTUAL***

PS Code: ***1900146-003***

Source Name: ***WELL 02***

Source Number: ***003***

Source Status: ***ACTIVE UNTREATED***

Water type: ***GROUNDWATER OR WELL***

SECONDARY/GP

	STORET NUMBER	TESTING INTERVAL (MONTHS)*	LAST TEST DATE (yyyy/mm/dd)	LAST RESULT REPORTED	NEXT TEST DATE (yyyy/mm)
CALCIUM	00916	WAIVED	2007/03/22	110.000	
CARBONATE ALKALINITY	00445	WAIVED	2007/03/22	< 1.000	
CHLORIDE	00940	WAIVED	2007/03/22	70.000	
COLOR	00081	WAIVED	2007/03/22	< 1.000	
COPPER	01042	WAIVED	2007/03/22	.000	
FOAMING AGENTS (MBAS)	38260	WAIVED	2007/03/22	< .050	
HARDNESS (TOTAL) AS CACO3	00900	WAIVED	2007/03/22	380.000	
HYDROXIDE ALKALINITY	71830	WAIVED	2007/03/22	< 1.000	
IRON	01045	WAIVED	2007/03/22	.000	
MAGNESIUM	00927	WAIVED	2007/03/22	25.000	
MANGANESE	01055	WAIVED	2007/03/22	.000	
ODOR THRESHOLD @ 60 C	00086	WAIVED	2007/03/22	1.000	
PH, LABORATORY	00403	WAIVED	2007/03/22	8.000	
SILVER	01077	WAIVED	2007/03/22	.000	
SODIUM	00929	WAIVED	2007/03/22	73.000	
SPECIFIC CONDUCTANCE	00095	WAIVED	2008/09/29	1100.000	
SULFATE	00945	WAIVED	2007/03/22	260.000	
TOTAL DISSOLVED SOLIDS	70300	WAIVED	2007/03/22	680.000	
TURBIDITY, LABORATORY	82079	WAIVED	2007/03/22	.230	
ZINC	01092	WAIVED	2007/03/22	.000	

PS Code: ***1900146-004***

Source Name: ***WELL 03***

Source Number: ***004***

Source Status: ***ACTIVE UNTREATED***

Water type: ***GROUNDWATER OR WELL***

GENERAL NON CHAP 15

DIAZINON	39570	WAIVED			

**Testing interval is in months;*
0 = No data for this constituent and is DUE NOW
999 = Waived testing (not required)
I = Invalid (NOT) valid analyses reported

System Number: ***1900146***

System Name: ***SUNNYSIDE FARMS MUTUAL***

PS Code: ***1900146-004***

Source Name: ***WELL 03***

Source Number: ***004***

Source Status: ***ACTIVE UNTREATED***

Water type: ***GROUNDWATER OR WELL***

	STORET NUMBER	TESTING INTERVAL (MONTHS)*	LAST TEST DATE (yyyy/mm/dd)	LAST RESULT REPORTED	NEXT TEST DATE (yyyy/mm)
INORGANIC					
ALUMINUM	01105	WAIVED	2011/03/22	< .000	
ANTIMONY	01097	WAIVED	2011/03/22	< .000	
ARSENIC	01002	WAIVED	2011/03/22	< .000	
ASBESTOS	81855	WAIVED	2011/03/22	.000	
BARIUM	01007	WAIVED	2011/03/22	< .000	
BERYLLIUM	01012	WAIVED	2011/03/22	< .000	
CADMIUM	01027	WAIVED	2011/03/22	< .000	
CHROMIUM (TOTAL)	01034	WAIVED	2011/03/22	< .000	
CYANIDE	01291	WAIVED	2011/03/22	< .000	
FLUORIDE (F) (NATURAL-SOURCE)	00951	WAIVED	2011/03/22	.220	
LEAD	01051	WAIVED	2011/03/22	< .000	
MERCURY	71900	WAIVED	2011/03/22	< .000	
NICKEL	01067	WAIVED	2011/03/22	< .000	
PERCHLORATE	A-031	WAIVED	2011/10/18	< .000	
SELENIUM	01147	WAIVED	2011/03/22	< .000	
THALLIUM	01059	WAIVED	2011/03/22	< .000	
NITRATE/NITRITE					
NITRATE (AS NO3)	71850	WAIVED	2012/03/13	29.000	
NITRITE (AS N)	00620	WAIVED	2011/03/22	< .000	
RADIOLOGICAL					
GROSS ALPHA	01501	WAIVED	2007/03/22	< 3.000	
GROSS BETA	03501	WAIVED			
RA-226 FOR CWS OR TOTAL RA FOR NTNC BY 903.0	A-080	WAIVED			
RA-226 OR TOTAL RA BY 903.0 C.E.	A-081	WAIVED			
RADIUM 226	09501	WAIVED	2007/03/22	< 1.000	
RADIUM 228	11501	WAIVED	2007/03/22	< 1.000	
RADIUM, TOTAL, MDA95-NTNC ONLY, BY 903.0	A-082	WAIVED			
STRONTIUM-90	13501	WAIVED			
TRITIUM	07000	WAIVED			

**Testing interval is in months;*
0 = No data for this constituent and is DUE NOW
999 = Waived testing (not required)
I = Invalid (NOT) valid analyses reported

System Number: ***1900146***

System Name: ***SUNNYSIDE FARMS MUTUAL***

PS Code: ***1900146-004***

Source Name: ***WELL 03***

Source Number: ***004***

Source Status: ***ACTIVE UNTREATED***

Water type: ***GROUNDWATER OR WELL***

	STORET NUMBER	TESTING INTERVAL (MONTHS)*	LAST TEST DATE (yyyy/mm/dd)	LAST RESULT REPORTED	NEXT TEST DATE (yyyy/mm)
RADIOLOGICAL					
URANIUM (PCI/L)	28012	WAIVED	2007/03/22	1.000	
REGULATED SOC					
2,3,7,8-TCDD (DIOXIN)	34676	WAIVED			
2,4,5-TP (SILVEX)	39045	WAIVED			
2,4-D	39730	WAIVED			
ALACHLOR	77825	WAIVED			
ATRAZINE	39033	WAIVED			
BENTAZON	38710	WAIVED			
BENZO (A) PYRENE	34247	WAIVED			
CARBOFURAN	81405	WAIVED			
CHLORDANE	39350	WAIVED			
DALAPON	38432	WAIVED			
DI(2-ETHYLHEXYL)ADIPATE	A-026	WAIVED			
DI(2-ETHYLHEXYL)PHTHALATE	39100	WAIVED			
DIBROMOCHLOROPROPANE (DBCP)	38761	WAIVED			
DINOSEB	81287	WAIVED			
DIQUAT	78885	WAIVED			
ENDOTHALL	38926	WAIVED			
ENDRIN	39390	WAIVED			
ETHYLENE DIBROMIDE (EDB)	77651	WAIVED			
GLYPHOSATE	79743	WAIVED			
HEPTACHLOR	39410	WAIVED			
HEPTACHLOR EPOXIDE	39420	WAIVED			
HEXACHLOROBENZENE	39700	WAIVED			
HEXACHLOROCYCLOPENTADIENE	34386	WAIVED			
LINDANE	39340	WAIVED			
METHOXYCHLOR	39480	WAIVED			
MOLINATE	82199	WAIVED			
OXAMYL	38865	WAIVED			

**Testing interval is in months;*
0 = No data for this constituent and is DUE NOW
999 = Waived testing (not required)
I = Invalid (NOT) valid analyses reported

System Number: ***1900146***

System Name: ***SUNNYSIDE FARMS MUTUAL***

PS Code: ***1900146-004***

Source Name: ***WELL 03***

Source Number: ***004***

Source Status: ***ACTIVE UNTREATED***

Water type: ***GROUNDWATER OR WELL***

	STORET NUMBER	TESTING INTERVAL (MONTHS)*	LAST TEST DATE (yyyy/mm/dd)	LAST RESULT REPORTED	NEXT TEST DATE (yyyy/mm)
REGULATED SOC					
PENTACHLOROPHENOL	39032	WAIVED			
PICLORAM	39720	WAIVED			
POLYCHLORINATED BIPHENYLS, TOTAL, AS DCB	39516	WAIVED			
SIMAZINE	39055	WAIVED			
THIOBENCARB	A-001	WAIVED			
TOXAPHENE	39400	WAIVED			
REGULATED VOC					
1,1,1-TRICHLOROETHANE	34506	WAIVED	2011/12/12	< .000	
1,1,2,2-TETRACHLOROETHANE	34516	WAIVED	2011/12/12	< .000	
1,1,2-TRICHLORO-1,2,2-TRIFLUOROETHANE	81611	WAIVED	2011/12/12	< .000	
1,1,2-TRICHLOROETHANE	34511	WAIVED	2011/12/12	< .000	
1,1-DICHLOROETHANE	34496	WAIVED	2011/12/12	< .000	
1,1-DICHLOROETHYLENE	34501	WAIVED	2011/12/12	< .000	
1,2,4-TRICHLOROBENZENE	34551	WAIVED	2011/12/12	< .000	
1,2-DICHLOROBENZENE	34536	WAIVED	2011/12/12	< .000	
1,2-DICHLOROETHANE	34531	WAIVED	2011/12/12	< .000	
1,2-DICHLOROPROPANE	34541	WAIVED	2011/12/12	< .000	
1,3-DICHLOROPROPENE (TOTAL)	34561	WAIVED	2011/12/12	< .000	
1,4-DICHLOROBENZENE	34571	WAIVED	2011/12/12	< .000	
BENZENE	34030	WAIVED	2011/12/12	< .000	
CARBON TETRACHLORIDE	32102	WAIVED	2011/12/12	< .000	
CIS-1,2-DICHLOROETHYLENE	77093	WAIVED	2011/12/12	< .000	
DICHLOROMETHANE	34423	WAIVED	2011/12/12	< .000	
ETHYLBENZENE	34371	WAIVED	2011/12/12	< .000	
METHYL-TERT-BUTYL-ETHER (MTBE)	46491	WAIVED	2011/12/12	< .000	
MONOCHLOROBENZENE	34301	WAIVED	2011/12/12	< .000	
STYRENE	77128	WAIVED	2011/12/12	< .000	
TETRACHLOROETHYLENE	34475	WAIVED	2011/12/12	< .000	
TOLUENE	34010	WAIVED	2011/12/12	< .000	

**Testing interval is in months;*
0 = No data for this constituent and is DUE NOW
999 = Waived testing (not required)
I = Invalid (NOT) valid analyses reported

System Number: ***1900146***

System Name: ***SUNNYSIDE FARMS MUTUAL***

PS Code: ***1900146-004***

Source Name: ***WELL 03***

Source Number: ***004***

Source Status: ***ACTIVE UNTREATED***

Water type: ***GROUNDWATER OR WELL***

	STORET NUMBER	TESTING INTERVAL (MONTHS)*	LAST TEST DATE (yyyy/mm/dd)	LAST RESULT REPORTED	NEXT TEST DATE (yyyy/mm)
REGULATED VOC					
TRANS-1,2-DICHLOROETHYLENE	34546	WAIVED	2011/12/12	< .000	
TRICHLOROETHYLENE	39180	WAIVED	2011/12/12	< .000	
TRICHLOROFLUOROMETHANE	34488	WAIVED	2011/12/12	< .000	
VINYL CHLORIDE	39175	WAIVED	2011/12/12	< .000	
XYLENES (TOTAL)	81551	WAIVED	2011/12/12	< .000	
SECONDARY/GP					
AGGRSSIVE INDEX (CORROSIVITY)	82383	WAIVED	2011/03/22	12.000	
BICARBONATE ALKALINITY	00440	WAIVED	2011/03/22	130.000	
CALCIUM	00916	WAIVED	2011/03/22	120.000	
CARBONATE ALKALINITY	00445	WAIVED	2011/03/22	< .000	
CHLORIDE	00940	WAIVED	2011/03/22	100.000	
COLOR	00081	WAIVED	2011/03/22	< .000	
COPPER	01042	WAIVED	2011/03/22	< .000	
FOAMING AGENTS (MBAS)	38260	WAIVED	2011/03/22	< .000	
HARDNESS (TOTAL) AS CACO3	00900	WAIVED	2011/03/22	430.000	
HYDROXIDE ALKALINITY	71830	WAIVED	2011/03/22	< .000	
IRON	01045	WAIVED	2012/03/13	< .000	
MAGNESIUM	00927	WAIVED	2011/03/22	31.000	
MANGANESE	01055	WAIVED	2011/03/22	< .000	
ODOR THRESHOLD @ 60 C	00086	WAIVED	2011/03/22	< .000	
PH, LABORATORY	00403	WAIVED	2011/03/22	7.900	
SILVER	01077	WAIVED	2011/03/22	< .000	
SODIUM	00929	WAIVED	2011/03/22	77.000	
SPECIFIC CONDUCTANCE	00095	WAIVED	2011/03/22	1000.000	
SULFATE	00945	WAIVED	2011/03/22	270.000	
TOTAL DISSOLVED SOLIDS	70300	WAIVED	2011/03/22	740.000	
TURBIDITY, LABORATORY	82079	WAIVED	2011/03/22	.610	
ZINC	01092	WAIVED	2011/03/22	< .000	

**Testing interval is in months;*
0 = No data for this constituent and is DUE NOW
999 = Waived testing (not required)
I = Invalid (NOT) valid analyses reported

System Number: ***1900154***

System Name: ***TIERRA BONITA MUTUAL WATER COMPANY***

PS Code: ***1900154-001***

Source Name: ***WELL 01***

Source Number: ***001***

Source Status: ***ACTIVE UNTREATED***

Water type: ***GROUNDWATER OR WELL***

	STORET NUMBER	TESTING INTERVAL (MONTHS)*	LAST TEST DATE (yyyy/mm/dd)	LAST RESULT REPORTED	NEXT TEST DATE (yyyy/mm)
GENERAL NON CHAP 15					
DIAZINON	39570	WAIVED			
INORGANIC					
ALUMINUM	01105	WAIVED	2011/03/30	< .000	
ANTIMONY	01097	WAIVED	2011/03/30	< .000	
ARSENIC	01002	WAIVED	2011/03/30	< .000	
ASBESTOS	81855	WAIVED	2011/03/30	.000	
BARIUM	01007	WAIVED	2011/03/30	< .000	
BERYLLIUM	01012	WAIVED	2011/03/30	< .000	
CADMIUM	01027	WAIVED	2011/03/30	< .000	
CHROMIUM (TOTAL)	01034	WAIVED	2011/03/30	< .000	
CYANIDE	01291	WAIVED	2011/03/30	< .000	
FLUORIDE (F) (NATURAL-SOURCE)	00951	WAIVED	2011/03/30	.160	
LEAD	01051	WAIVED	2011/03/30	< .000	
MERCURY	71900	WAIVED	2011/03/30	< .000	
NICKEL	01067	WAIVED	2011/03/30	< .000	
PERCHLORATE	A-031	WAIVED	2011/10/17	< .000	
SELENIUM	01147	WAIVED	2011/03/30	< .000	
THALLIUM	01059	WAIVED	2011/03/30	< .000	
NITRATE/NITRITE					
NITRATE (AS NO3)	71850	WAIVED	2011/03/30	6.400	
NITRITE (AS N)	00620	WAIVED	2011/03/30	< .000	
RADIOLOGICAL					
GROSS ALPHA	01501	WAIVED	1997/03/05	.450	
GROSS BETA	03501	WAIVED			
RA-226 FOR CWS OR TOTAL RA FOR NTNC BY 903.0	A-080	WAIVED			
RA-226 OR TOTAL RA BY 903.0 C.E.	A-081	WAIVED			
RADIUM 226	09501	WAIVED			
RADIUM 228	11501	WAIVED			

**Testing interval is in months;*
0 = No data for this constituent and is DUE NOW
999 = Waived testing (not required)
I = Invalid (NOT) valid analyses reported

System Number: ***1900154***

System Name: ***TIERRA BONITA MUTUAL WATER COMPANY***

PS Code: ***1900154-001***

Source Name: ***WELL 01***

Source Number: ***001***

Source Status: ***ACTIVE UNTREATED***

Water type: ***GROUNDWATER OR WELL***

	STORET NUMBER	TESTING INTERVAL (MONTHS)*	LAST TEST DATE (yyyy/mm/dd)	LAST RESULT REPORTED	NEXT TEST DATE (yyyy/mm)
RADIOLOGICAL					
RADIUM, TOTAL, MDA95-NTNC ONLY, BY 903.0	A-082	WAIVED			
STRONTIUM-90	13501	WAIVED			
TRITIUM	07000	WAIVED			
URANIUM (PCI/L)	28012	WAIVED			
REGULATED SOC					
2,3,7,8-TCDD (DIOXIN)	34676	WAIVED			
2,4,5-TP (SILVEX)	39045	WAIVED			
2,4-D	39730	WAIVED			
ALACHLOR	77825	WAIVED	2002/05/21	.000	
ATRAZINE	39033	WAIVED			
BENTAZON	38710	WAIVED			
BENZO (A) PYRENE	34247	WAIVED			
CARBOFURAN	81405	WAIVED			
CHLORDANE	39350	WAIVED	2002/05/21	.000	
DALAPON	38432	WAIVED			
DI(2-ETHYLHEXYL)ADIPATE	A-026	WAIVED			
DI(2-ETHYLHEXYL)PHTHALATE	39100	WAIVED			
DIBROMOCHLOROPROPANE (DBCP)	38761	WAIVED			
DINOSEB	81287	WAIVED			
DIQUAT	78885	WAIVED			
ENDOTHALL	38926	WAIVED			
ENDRIN	39390	WAIVED	2002/05/21	.000	
ETHYLENE DIBROMIDE (EDB)	77651	WAIVED			
GLYPHOSATE	79743	WAIVED			
HEPTACHLOR	39410	WAIVED	2002/05/21	.000	
HEPTACHLOR EPOXIDE	39420	WAIVED	2002/05/21	.000	
HEXACHLOROBENZENE	39700	WAIVED	2002/05/21	.000	
HEXACHLOROCYCLOPENTADIENE	34386	WAIVED	2002/05/21	.000	
LINDANE	39340	WAIVED	2002/05/21	.000	

**Testing interval is in months;*
0 = No data for this constituent and is DUE NOW
999 = Waived testing (not required)
I = Invalid (NOT) valid analyses reported

System Number: ***1900154***

System Name: ***TIERRA BONITA MUTUAL WATER COMPANY***

PS Code: ***1900154-001***

Source Name: ***WELL 01***

Source Number: ***001***

Source Status: ***ACTIVE UNTREATED***

Water type: ***GROUNDWATER OR WELL***

	STORET NUMBER	TESTING INTERVAL (MONTHS)*	LAST TEST DATE (yyyy/mm/dd)	LAST RESULT REPORTED	NEXT TEST DATE (yyyy/mm)
REGULATED SOC					
METHOXYCHLOR	39480	WAIVED	2002/05/21	.000	
MOLINATE	82199	WAIVED			
OXAMYL	38865	WAIVED			
PENTACHLOROPHENOL	39032	WAIVED			
PICLORAM	39720	WAIVED			
POLYCHLORINATED BIPHENYLS, TOTAL, AS DCB	39516	WAIVED	2002/05/21	.000	
SIMAZINE	39055	WAIVED			
THIOBENCARB	A-001	WAIVED			
TOXAPHENE	39400	WAIVED	2002/05/21	.000	
REGULATED VOC					
1,1,1-TRICHLOROETHANE	34506	WAIVED	2002/05/21	.000	
1,1,2,2-TETRACHLOROETHANE	34516	WAIVED	2002/05/21	.000	
1,1,2-TRICHLORO-1,2,2-TRIFLUOROETHANE	81611	WAIVED	2002/05/21	.000	
1,1,2-TRICHLOROETHANE	34511	WAIVED	2002/05/21	.000	
1,1-DICHLOROETHANE	34496	WAIVED	2002/05/21	.000	
1,1-DICHLOROETHYLENE	34501	WAIVED	2002/05/21	.000	
1,2,4-TRICHLOROBENZENE	34551	WAIVED	2002/05/21	.000	
1,2-DICHLOROBENZENE	34536	WAIVED	2002/05/21	.000	
1,2-DICHLOROETHANE	34531	WAIVED	2002/05/21	.000	
1,2-DICHLOROPROPANE	34541	WAIVED	2002/05/21	.000	
1,3-DICHLOROPROPENE (TOTAL)	34561	WAIVED	2002/05/21	.000	
1,4-DICHLOROBENZENE	34571	WAIVED	2002/05/21	.000	
BENZENE	34030	WAIVED	2002/05/21	.000	
CARBON TETRACHLORIDE	32102	WAIVED	2002/05/21	.000	
CIS-1,2-DICHLOROETHYLENE	77093	WAIVED	2002/05/21	.000	
DICHLOROMETHANE	34423	WAIVED	2002/05/21	.000	
ETHYLBENZENE	34371	WAIVED	2002/05/21	.000	
METHYL-TERT-BUTYL-ETHER (MTBE)	46491	WAIVED	2002/05/21	.000	
MONOCHLOROBENZENE	34301	WAIVED	2002/05/21	.000	

**Testing interval is in months;*
0 = No data for this constituent and is DUE NOW
999 = Waived testing (not required)
I = Invalid (NOT) valid analyses reported

System Number: ***1900154***

System Name: ***TIERRA BONITA MUTUAL WATER COMPANY***

PS Code: ***1900154-001***

Source Name: ***WELL 01***

Source Number: ***001***

Source Status: ***ACTIVE UNTREATED***

Water type: ***GROUNDWATER OR WELL***

	STORET NUMBER	TESTING INTERVAL (MONTHS)*	LAST TEST DATE (yyyy/mm/dd)	LAST RESULT REPORTED	NEXT TEST DATE (yyyy/mm)
REGULATED VOC					
STYRENE	77128	WAIVED	2002/05/21	.000	
TETRACHLOROETHYLENE	34475	WAIVED	2002/05/21	.000	
TOLUENE	34010	WAIVED	2002/05/21	.000	
TRANS-1,2-DICHLOROETHYLENE	34546	WAIVED	2002/05/21	.000	
TRICHLOROETHYLENE	39180	WAIVED	2002/05/21	.000	
TRICHLOROFLUOROMETHANE	34488	WAIVED	2002/05/21	.000	
VINYL CHLORIDE	39175	WAIVED	2002/05/21	.000	
XYLENES (TOTAL)	81551	WAIVED	2002/05/21	.000	
SECONDARY/GP					
AGGRSSIVE INDEX (CORROSIVITY)	82383	WAIVED	2011/03/30	12.000	
BICARBONATE ALKALINITY	00440	WAIVED	2011/03/30	120.000	
CALCIUM	00916	WAIVED	2011/03/30	35.000	
CARBONATE ALKALINITY	00445	WAIVED	2011/03/30	< .000	
CHLORIDE	00940	WAIVED	2011/03/30	12.000	
COLOR	00081	WAIVED	2011/03/30	< .000	
COPPER	01042	WAIVED	2011/03/30	< .000	
FOAMING AGENTS (MBAS)	38260	WAIVED	2011/03/30	< .000	
HARDNESS (TOTAL) AS CACO3	00900	WAIVED	2011/03/30	110.000	
HYDROXIDE ALKALINITY	71830	WAIVED	2011/03/30	< .000	
IRON	01045	WAIVED	2011/03/30	< .000	
MAGNESIUM	00927	WAIVED	2011/03/30	4.900	
MANGANESE	01055	WAIVED	2011/03/30	< .000	
ODOR THRESHOLD @ 60 C	00086	WAIVED	2011/03/30	< .000	
PH, LABORATORY	00403	WAIVED	2011/03/30	8.300	
SILVER	01077	WAIVED	2011/03/30	< .000	
SODIUM	00929	WAIVED	2011/03/30	18.000	
SPECIFIC CONDUCTANCE	00095	WAIVED	2011/03/30	270.000	
SULFATE	00945	WAIVED	2011/03/30	23.000	
TOTAL DISSOLVED SOLIDS	70300	WAIVED	2011/03/30	180.000	

**Testing interval is in months;*
0 = No data for this constituent and is DUE NOW
999 = Waived testing (not required)
I = Invalid (NOT) valid analyses reported

System Number: ***1900154***

System Name: ***TIERRA BONITA MUTUAL WATER COMPANY***

PS Code: ***1900154-001***

Source Name: ***WELL 01***

Source Number: ***001***

Source Status: ***ACTIVE UNTREATED***

Water type: ***GROUNDWATER OR WELL***

SECONDARY/GP

	STORET NUMBER	TESTING INTERVAL (MONTHS)*	LAST TEST DATE (yyyy/mm/dd)	LAST RESULT REPORTED	NEXT TEST DATE (yyyy/mm)
TURBIDITY, LABORATORY	82079	WAIVED	2011/03/30	< .000	
ZINC	01092	WAIVED	2011/03/30	< .000	

**Testing interval is in months;*
0 = No data for this constituent and is DUE NOW
999 = Waived testing (not required)
I = Invalid (NOT) valid analyses reported

System Number: ***1900155***

System Name: ***WILSONA GARDENS MUTUAL***

PS Code: ***1900155-002***

Source Name: ***PURCHASED WATER***

Source Number: ***002***

Source Status: ***PURCHASED TREATED***

Water type: ***SURFACE***

	STORET NUMBER	TESTING INTERVAL (MONTHS)*	LAST TEST DATE (yyyy/mm/dd)	LAST RESULT REPORTED	NEXT TEST DATE (yyyy/mm)
GENERAL NON CHAP 15					
DIAZINON	39570	WAIVED			
INORGANIC					
ALUMINUM	01105	WAIVED			
ANTIMONY	01097	WAIVED			
ARSENIC	01002	WAIVED			
ASBESTOS	81855	WAIVED			
BARIUM	01007	WAIVED			
BERYLLIUM	01012	WAIVED			
CADMIUM	01027	WAIVED			
CHROMIUM (TOTAL)	01034	WAIVED			
CYANIDE	01291	WAIVED			
FLUORIDE (F) (NATURAL-SOURCE)	00951	WAIVED			
LEAD	01051	WAIVED			
MERCURY	71900	WAIVED			
NICKEL	01067	WAIVED			
PERCHLORATE	A-031	WAIVED			
SELENIUM	01147	WAIVED			
THALLIUM	01059	WAIVED			
NITRATE/NITRITE					
NITRATE (AS NO3)	71850	WAIVED	2004/06/24	4.040	
NITRITE (AS N)	00620	WAIVED			
RADIOLOGICAL					
GROSS ALPHA	01501	WAIVED			
GROSS BETA	03501	WAIVED			
RA-226 FOR CWS OR TOTAL RA FOR NTNC BY 903.0	A-080	WAIVED			
RA-226 OR TOTAL RA BY 903.0 C.E.	A-081	WAIVED			
RADIUM 226	09501	WAIVED			
RADIUM 228	11501	WAIVED			

**Testing interval is in months;*
0 = No data for this constituent and is DUE NOW
999 = Waived testing (not required)
I = Invalid (NOT) valid analyses reported

System Number: ***1900155***

System Name: ***WILSONA GARDENS MUTUAL***

PS Code: ***1900155-002***

Source Name: ***PURCHASED WATER***

Source Number: ***002***

Source Status: ***PURCHASED TREATED***

Water type: ***SURFACE***

	STORET NUMBER	TESTING INTERVAL (MONTHS)*	LAST TEST DATE (yyyy/mm/dd)	LAST RESULT REPORTED	NEXT TEST DATE (yyyy/mm)
RADIOLOGICAL					
RADIUM, TOTAL, MDA95-NTNC ONLY, BY 903.0	A-082	WAIVED			
STRONTIUM-90	13501	WAIVED			
TRITIUM	07000	WAIVED			
URANIUM (PCI/L)	28012	WAIVED			
REGULATED SOC					
2,3,7,8-TCDD (DIOXIN)	34676	WAIVED			
2,4,5-TP (SILVEX)	39045	WAIVED			
2,4-D	39730	WAIVED			
ALACHLOR	77825	WAIVED			
ATRAZINE	39033	WAIVED			
BENTAZON	38710	WAIVED			
BENZO (A) PYRENE	34247	WAIVED			
CARBOFURAN	81405	WAIVED			
CHLORDANE	39350	WAIVED			
DALAPON	38432	WAIVED			
DI(2-ETHYLHEXYL)ADIPATE	A-026	WAIVED			
DI(2-ETHYLHEXYL)PHTHALATE	39100	WAIVED			
DIBROMOCHLOROPROPANE (DBCP)	38761	WAIVED			
DINOSEB	81287	WAIVED			
DIQUAT	78885	WAIVED			
ENDOTHALL	38926	WAIVED			
ENDRIN	39390	WAIVED			
ETHYLENE DIBROMIDE (EDB)	77651	WAIVED			
GLYPHOSATE	79743	WAIVED			
HEPTACHLOR	39410	WAIVED			
HEPTACHLOR EPOXIDE	39420	WAIVED			
HEXACHLOROBENZENE	39700	WAIVED			
HEXACHLOROCYCLOPENTADIENE	34386	WAIVED			
LINDANE	39340	WAIVED			

**Testing interval is in months;*
0 = No data for this constituent and is DUE NOW
999 = Waived testing (not required)
I = Invalid (NOT) valid analyses reported

System Number: ***1900155***

System Name: ***WILSONA GARDENS MUTUAL***

PS Code: ***1900155-002***

Source Name: ***PURCHASED WATER***

Source Number: ***002***

Source Status: ***PURCHASED TREATED***

Water type: ***SURFACE***

	STORET NUMBER	TESTING INTERVAL (MONTHS)*	LAST TEST DATE (yyyy/mm/dd)	LAST RESULT REPORTED	NEXT TEST DATE (yyyy/mm)
REGULATED SOC					
METHOXYCHLOR	39480	WAIVED			
MOLINATE	82199	WAIVED			
OXAMYL	38865	WAIVED			
PENTACHLOROPHENOL	39032	WAIVED			
PICLORAM	39720	WAIVED			
POLYCHLORINATED BIPHENYLS, TOTAL, AS DCB	39516	WAIVED			
SIMAZINE	39055	WAIVED			
THIOBENCARB	A-001	WAIVED			
TOXAPHENE	39400	WAIVED			
REGULATED VOC					
1,1,1-TRICHLOROETHANE	34506	WAIVED			
1,1,2,2-TETRACHLOROETHANE	34516	WAIVED			
1,1,2-TRICHLORO-1,2,2-TRIFLUOROETHANE	81611	WAIVED			
1,1,2-TRICHLOROETHANE	34511	WAIVED			
1,1-DICHLOROETHANE	34496	WAIVED			
1,1-DICHLOROETHYLENE	34501	WAIVED			
1,2,4-TRICHLOROBENZENE	34551	WAIVED			
1,2-DICHLOROBENZENE	34536	WAIVED			
1,2-DICHLOROETHANE	34531	WAIVED			
1,2-DICHLOROPROPANE	34541	WAIVED			
1,3-DICHLOROPROPENE (TOTAL)	34561	WAIVED			
1,4-DICHLOROBENZENE	34571	WAIVED			
BENZENE	34030	WAIVED			
CARBON TETRACHLORIDE	32102	WAIVED			
CIS-1,2-DICHLOROETHYLENE	77093	WAIVED			
DICHLOROMETHANE	34423	WAIVED			
ETHYLBENZENE	34371	WAIVED			
METHYL-TERT-BUTYL-ETHER (MTBE)	46491	WAIVED			
MONOCHLOROBENZENE	34301	WAIVED			

**Testing interval is in months;*
0 = No data for this constituent and is DUE NOW
999 = Waived testing (not required)
I = Invalid (NOT) valid analyses reported

System Number: ***1900155***

System Name: ***WILSONA GARDENS MUTUAL***

PS Code: ***1900155-002***

Source Name: ***PURCHASED WATER***

Source Number: ***002***

Source Status: ***PURCHASED TREATED***

Water type: ***SURFACE***

	STORET NUMBER	TESTING INTERVAL (MONTHS)*	LAST TEST DATE (yyyy/mm/dd)	LAST RESULT REPORTED	NEXT TEST DATE (yyyy/mm)
REGULATED VOC					
STYRENE	77128	WAIVED			
TETRACHLOROETHYLENE	34475	WAIVED			
TOLUENE	34010	WAIVED			
TRANS-1,2-DICHLOROETHYLENE	34546	WAIVED			
TRICHLOROETHYLENE	39180	WAIVED			
TRICHLOROFLUOROMETHANE	34488	WAIVED			
VINYL CHLORIDE	39175	WAIVED			
XYLENES (TOTAL)	81551	WAIVED			
SECONDARY/GP					
AGGRSSIVE INDEX (CORROSIVITY)	82383	WAIVED			
BICARBONATE ALKALINITY	00440	WAIVED			
CALCIUM	00916	WAIVED			
CARBONATE ALKALINITY	00445	WAIVED			
CHLORIDE	00940	WAIVED			
COLOR	00081	WAIVED			
COPPER	01042	WAIVED			
FOAMING AGENTS (MBAS)	38260	WAIVED			
HARDNESS (TOTAL) AS CACO3	00900	WAIVED			
HYDROXIDE ALKALINITY	71830	WAIVED			
IRON	01045	WAIVED			
MAGNESIUM	00927	WAIVED			
MANGANESE	01055	WAIVED			
ODOR THRESHOLD @ 60 C	00086	WAIVED			
PH, LABORATORY	00403	WAIVED			
SILVER	01077	WAIVED			
SODIUM	00929	WAIVED			
SPECIFIC CONDUCTANCE	00095	WAIVED			
SULFATE	00945	WAIVED			
TOTAL DISSOLVED SOLIDS	70300	WAIVED			

**Testing interval is in months;*
0 = No data for this constituent and is DUE NOW
999 = Waived testing (not required)
I = Invalid (NOT) valid analyses reported

System Number: ***1900155***

System Name: ***WILSONA GARDENS MUTUAL***

PS Code: ***1900155-002***

Source Name: ***PURCHASED WATER***

Source Number: ***002***

Source Status: ***PURCHASED TREATED***

Water type: ***SURFACE***

SECONDARY/GP

	STORET NUMBER	TESTING INTERVAL (MONTHS)*	LAST TEST DATE (yyyy/mm/dd)	LAST RESULT REPORTED	NEXT TEST DATE (yyyy/mm)
TURBIDITY, LABORATORY	82079	WAIVED			
ZINC	01092	WAIVED			

PS Code: ***1900155-003***

Source Name: ***WELL 02***

Source Number: ***003***

Source Status: ***ACTIVE UNTREATED***

Water type: ***GROUNDWATER OR WELL***

GENERAL NON CHAP 15

DIAZINON	39570	WAIVED			

INORGANIC

ALUMINUM	01105	WAIVED	2012/02/14	< .000	
ANTIMONY	01097	WAIVED	2012/02/14	< .000	
ARSENIC	01002	WAIVED	2012/02/14	2.300	
ASBESTOS	81855	WAIVED	2012/02/14	.000	
BARIUM	01007	WAIVED	2012/02/14	< .000	
BERYLLIUM	01012	WAIVED	2012/02/14	< .000	
CADMIUM	01027	WAIVED	2012/02/14	< .000	
CHROMIUM (TOTAL)	01034	WAIVED	2012/02/14	11.000	
CYANIDE	01291	WAIVED	2012/02/14	< .000	
FLUORIDE (F) (NATURAL-SOURCE)	00951	WAIVED	2012/02/14	.230	
LEAD	01051	WAIVED	2012/02/14	< .000	
MERCURY	71900	WAIVED	2012/02/14	< .000	
NICKEL	01067	WAIVED	2012/02/14	< .000	
PERCHLORATE	A-031	WAIVED	2012/02/14	< .000	
SELENIUM	01147	WAIVED	2012/02/14	< .000	
THALLIUM	01059	WAIVED	2012/02/14	< .000	

**Testing interval is in months;*
0 = No data for this constituent and is DUE NOW
999 = Waived testing (not required)
I = Invalid (NOT) valid analyses reported

System Number: ***1900155***

System Name: ***WILSONA GARDENS MUTUAL***

PS Code: ***1900155-003***

Source Name: ***WELL 02***

Source Number: ***003***

Source Status: ***ACTIVE UNTREATED***

Water type: ***GROUNDWATER OR WELL***

	STORET NUMBER	TESTING INTERVAL (MONTHS)*	LAST TEST DATE (yyyy/mm/dd)	LAST RESULT REPORTED	NEXT TEST DATE (yyyy/mm)
NITRATE/NITRITE					
NITRATE (AS NO3)	71850	WAIVED	2012/02/14	3.700	
NITRITE (AS N)	00620	WAIVED	2012/02/14	< .000	
RADIOLOGICAL					
GROSS ALPHA	01501	WAIVED	2005/11/07	2.110	
GROSS BETA	03501	WAIVED			
RA-226 FOR CWS OR TOTAL RA FOR NTNC BY 903.0	A-080	WAIVED			
RA-226 OR TOTAL RA BY 903.0 C.E.	A-081	WAIVED			
RADIUM 226	09501	WAIVED	2005/11/07	.000	
RADIUM 228	11501	WAIVED	2005/06/05	< 1.000	
RADIUM, TOTAL, MDA95-NTNC ONLY, BY 903.0	A-082	WAIVED			
STRONTIUM-90	13501	WAIVED			
TRITIUM	07000	WAIVED			
URANIUM (PCI/L)	28012	WAIVED	2005/11/07	.000	
REGULATED SOC					
2,3,7,8-TCDD (DIOXIN)	34676	WAIVED			
2,4,5-TP (SILVEX)	39045	WAIVED			
2,4-D	39730	WAIVED			
ALACHLOR	77825	WAIVED	2002/06/18	.000	
ATRAZINE	39033	WAIVED			
BENTAZON	38710	WAIVED			
BENZO (A) PYRENE	34247	WAIVED			
CARBOFURAN	81405	WAIVED			
CHLORDANE	39350	WAIVED	2002/06/18	.000	
DALAPON	38432	WAIVED			
DI(2-ETHYLHEXYL)ADIPATE	A-026	WAIVED			
DI(2-ETHYLHEXYL)PHTHALATE	39100	WAIVED			
DIBROMOCHLOROPROPANE (DBCP)	38761	WAIVED			
DINOSEB	81287	WAIVED			
DIQUAT	78885	WAIVED			

**Testing interval is in months;*
0 = No data for this constituent and is DUE NOW
999 = Waived testing (not required)
I = Invalid (NOT) valid analyses reported

System Number: ***1900155***

System Name: ***WILSONA GARDENS MUTUAL***

PS Code: ***1900155-003***

Source Name: ***WELL 02***

Source Number: ***003***

Source Status: ***ACTIVE UNTREATED***

Water type: ***GROUNDWATER OR WELL***

	STORET NUMBER	TESTING INTERVAL (MONTHS)*	LAST TEST DATE (yyyy/mm/dd)	LAST RESULT REPORTED	NEXT TEST DATE (yyyy/mm)
REGULATED SOC					
ENDOTHALL	38926	WAIVED			
ENDRIN	39390	WAIVED	2002/06/18	.000	
ETHYLENE DIBROMIDE (EDB)	77651	WAIVED			
GLYPHOSATE	79743	WAIVED			
HEPTACHLOR	39410	WAIVED	2002/06/18	.000	
HEPTACHLOR EPOXIDE	39420	WAIVED	2002/06/18	.000	
HEXACHLOROBENZENE	39700	WAIVED	2002/06/18	.000	
HEXACHLOROCYCLOPENTADIENE	34386	WAIVED	2002/06/18	.000	
LINDANE	39340	WAIVED	2002/06/18	.000	
METHOXYCHLOR	39480	WAIVED	2002/06/18	.000	
MOLINATE	82199	WAIVED			
OXAMYL	38865	WAIVED			
PENTACHLOROPHENOL	39032	WAIVED			
PICLORAM	39720	WAIVED			
POLYCHLORINATED BIPHENYLS, TOTAL, AS DCB	39516	WAIVED	2002/06/18	.000	
SIMAZINE	39055	WAIVED			
THIOBENCARB	A-001	WAIVED			
TOXAPHENE	39400	WAIVED	2002/06/18	.000	
REGULATED VOC					
1,1,1-TRICHLOROETHANE	34506	WAIVED	2002/06/18	.000	
1,1,2,2-TETRACHLOROETHANE	34516	WAIVED	2002/06/18	.000	
1,1,2-TRICHLORO-1,2,2-TRIFLUOROETHANE	81611	WAIVED	2002/06/18	.000	
1,1,2-TRICHLOROETHANE	34511	WAIVED	2002/06/18	.000	
1,1-DICHLOROETHANE	34496	WAIVED	2002/06/18	.000	
1,1-DICHLOROETHYLENE	34501	WAIVED	2002/06/18	.000	
1,2,4-TRICHLOROBENZENE	34551	WAIVED	2002/06/18	.000	
1,2-DICHLOROBENZENE	34536	WAIVED	2002/06/18	.000	
1,2-DICHLOROETHANE	34531	WAIVED	2002/06/18	.000	
1,2-DICHLOROPROPANE	34541	WAIVED	2002/06/18	.000	

**Testing interval is in months;*
0 = No data for this constituent and is DUE NOW
999 = Waived testing (not required)
I = Invalid (NOT) valid analyses reported

System Number: ***1900155***

System Name: ***WILSONA GARDENS MUTUAL***

PS Code: ***1900155-003***

Source Name: ***WELL 02***

Source Number: ***003***

Source Status: ***ACTIVE UNTREATED***

Water type: ***GROUNDWATER OR WELL***

	STORET NUMBER	TESTING INTERVAL (MONTHS)*	LAST TEST DATE (yyyy/mm/dd)	LAST RESULT REPORTED	NEXT TEST DATE (yyyy/mm)
REGULATED VOC					
1,3-DICHLOROPROPENE (TOTAL)	34561	WAIVED	2002/06/18	.000	
1,4-DICHLOROBENZENE	34571	WAIVED	2002/06/18	.000	
BENZENE	34030	WAIVED	2002/06/18	.000	
CARBON TETRACHLORIDE	32102	WAIVED	2002/06/18	.000	
CIS-1,2-DICHLOROETHYLENE	77093	WAIVED	2002/06/18	.000	
DICHLOROMETHANE	34423	WAIVED	2002/06/18	.000	
ETHYLBENZENE	34371	WAIVED	2002/06/18	.000	
METHYL-TERT-BUTYL-ETHER (MTBE)	46491	WAIVED	2002/06/18	.000	
MONOCHLOROBENZENE	34301	WAIVED	2002/06/18	.000	
STYRENE	77128	WAIVED	2002/06/18	.000	
TETRACHLOROETHYLENE	34475	WAIVED	2002/06/18	.000	
TOLUENE	34010	WAIVED	2002/06/18	.000	
TRANS-1,2-DICHLOROETHYLENE	34546	WAIVED	2002/06/18	.000	
TRICHLOROETHYLENE	39180	WAIVED	2002/06/18	.000	
TRICHLOROFLUOROMETHANE	34488	WAIVED	2002/06/18	.000	
VINYL CHLORIDE	39175	WAIVED	2002/06/18	.000	
XYLENES (TOTAL)	81551	WAIVED	2002/06/18	.000	
SECONDARY/GP					
AGGRSSIVE INDEX (CORROSIVITY)	82383	WAIVED			
BICARBONATE ALKALINITY	00440	WAIVED	2012/02/14	120.000	
CALCIUM	00916	WAIVED	2012/02/14	61.000	
CARBONATE ALKALINITY	00445	WAIVED	2012/02/14	< .000	
CHLORIDE	00940	WAIVED	2012/02/14	47.000	
COLOR	00081	WAIVED	2012/02/14	< .000	
COPPER	01042	WAIVED	2012/02/14	< .000	
FOAMING AGENTS (MBAS)	38260	WAIVED	2012/02/14	< .000	
HARDNESS (TOTAL) AS CACO3	00900	WAIVED	2012/02/14	200.000	
HYDROXIDE ALKALINITY	71830	WAIVED	2012/02/14	< .000	
IRON	01045	WAIVED	2012/02/14	< .000	

**Testing interval is in months;*
0 = No data for this constituent and is DUE NOW
999 = Waived testing (not required)
I = Invalid (NOT) valid analyses reported

System Number: ***1900155***

System Name: ***WILSONA GARDENS MUTUAL***

PS Code: ***1900155-003***

Source Name: ***WELL 02***

Source Number: ***003***

Source Status: ***ACTIVE UNTREATED***

Water type: ***GROUNDWATER OR WELL***

SECONDARY/GP

	STORET NUMBER	TESTING INTERVAL (MONTHS)*	LAST TEST DATE (yyyy/mm/dd)	LAST RESULT REPORTED	NEXT TEST DATE (yyyy/mm)
MAGNESIUM	00927	WAIVED	2012/02/14	13.000	
MANGANESE	01055	WAIVED	2012/02/14	< .000	
ODOR THRESHOLD @ 60 C	00086	WAIVED	2012/02/14	1.000	
PH, LABORATORY	00403	WAIVED	2012/02/14	7.700	
SILVER	01077	WAIVED	2012/02/14	< .000	
SODIUM	00929	WAIVED	2012/02/14	61.000	
SPECIFIC CONDUCTANCE	00095	WAIVED	2012/02/14	700.000	
SULFATE	00945	WAIVED	2012/02/14	180.000	
TOTAL DISSOLVED SOLIDS	70300	WAIVED	2012/02/14	450.000	
TURBIDITY, LABORATORY	82079	WAIVED	2012/02/14	.100	
ZINC	01092	WAIVED	2012/02/14	< .000	

**Testing interval is in months;*
0 = No data for this constituent and is DUE NOW
999 = Waived testing (not required)
I = Invalid (NOT) valid analyses reported

System Number: ***1900158***

System Name: ***LITTLE BALDY***

PS Code: ***1900158-001***

Source Name: ***WELL 01***

Source Number: ***001***

Source Status: ***ACTIVE UNTREATED***

Water type: ***GROUNDWATER OR WELL***

	STORET NUMBER	TESTING INTERVAL (MONTHS)*	LAST TEST DATE (yyyy/mm/dd)	LAST RESULT REPORTED	NEXT TEST DATE (yyyy/mm)
GENERAL NON CHAP 15					
DIAZINON	39570	WAIVED			
INORGANIC					
ALUMINUM	01105	WAIVED	2009/08/12	< 10.000	
ANTIMONY	01097	WAIVED	2009/08/12	< 1.000	
ARSENIC	01002	WAIVED	2009/08/12	< 2.000	
ASBESTOS	81855	WAIVED	2011/07/12	.000	
BARIUM	01007	WAIVED	2009/08/12	92.800	
BERYLLIUM	01012	WAIVED	2009/08/12	< .200	
CADMIUM	01027	WAIVED	2009/08/12	< .200	
CHROMIUM (TOTAL)	01034	WAIVED	2009/08/12	3.000	
CYANIDE	01291	WAIVED	2009/08/12	< .004	
FLUORIDE (F) (NATURAL-SOURCE)	00951	WAIVED	2011/07/12	1.100	
LEAD	01051	WAIVED	2009/08/12	3.200	
MERCURY	71900	WAIVED	2009/08/12	< .020	
NICKEL	01067	WAIVED	2009/08/12	3.000	
PERCHLORATE	A-031	WAIVED	2009/10/21	< 2.000	
SELENIUM	01147	WAIVED	2009/08/12	< 2.000	
THALLIUM	01059	WAIVED	2009/08/12	< .200	
NITRATE/NITRITE					
NITRATE (AS NO3)	71850	WAIVED	2011/07/12	2.600	
NITRITE (AS N)	00620	WAIVED	2009/08/12	< .100	
RADIOLOGICAL					
GROSS ALPHA	01501	WAIVED	2009/08/12	3.320	
GROSS BETA	03501	WAIVED			
RA-226 FOR CWS OR TOTAL RA FOR NTNC BY 903.0	A-080	WAIVED			
RA-226 OR TOTAL RA BY 903.0 C.E.	A-081	WAIVED			
RADIUM 226	09501	WAIVED			
RADIUM 228	11501	WAIVED	2004/05/10	.000	

**Testing interval is in months;*
0 = No data for this constituent and is DUE NOW
999 = Waived testing (not required)
I = Invalid (NOT) valid analyses reported

System Number: ***1900158***

System Name: ***LITTLE BALDY***

PS Code: ***1900158-001***

Source Name: ***WELL 01***

Source Number: ***001***

Source Status: ***ACTIVE UNTREATED***

Water type: ***GROUNDWATER OR WELL***

	STORET NUMBER	TESTING INTERVAL (MONTHS)*	LAST TEST DATE (yyyy/mm/dd)	LAST RESULT REPORTED	NEXT TEST DATE (yyyy/mm)
RADIOLOGICAL					
RADIUM, TOTAL, MDA95-NTNC ONLY, BY 903.0	A-082	WAIVED			
STRONTIUM-90	13501	WAIVED			
TRITIUM	07000	WAIVED			
URANIUM (PCI/L)	28012	WAIVED	2011/07/12	2.200	
REGULATED SOC					
2,3,7,8-TCDD (DIOXIN)	34676	WAIVED			
2,4,5-TP (SILVEX)	39045	WAIVED			
2,4-D	39730	WAIVED			
ALACHLOR	77825	WAIVED	2002/06/25	.000	
ATRAZINE	39033	WAIVED	1995/04/11	.000	
BENTAZON	38710	WAIVED			
BENZO (A) PYRENE	34247	WAIVED	1995/04/11	.000	
CARBOFURAN	81405	WAIVED	1995/04/11	.000	
CHLORDANE	39350	WAIVED	2002/06/25	.000	
DALAPON	38432	WAIVED			
DI(2-ETHYLHEXYL)ADIPATE	A-026	WAIVED	1995/04/11	.000	
DI(2-ETHYLHEXYL)PHTHALATE	39100	WAIVED	1995/06/14	.000	
DIBROMOCHLOROPROPANE (DBCP)	38761	WAIVED	1995/04/11	.000	
DINOSEB	81287	WAIVED			
DIQUAT	78885	WAIVED			
ENDOTHALL	38926	WAIVED			
ENDRIN	39390	WAIVED	2002/06/25	.000	
ETHYLENE DIBROMIDE (EDB)	77651	WAIVED	1995/04/11	.000	
GLYPHOSATE	79743	WAIVED	1995/04/11	.000	
HEPTACHLOR	39410	WAIVED	2002/06/25	.000	
HEPTACHLOR EPOXIDE	39420	WAIVED	2002/06/25	.000	
HEXACHLOROBENZENE	39700	WAIVED	2002/06/25	.000	
HEXACHLOROCYCLOPENTADIENE	34386	WAIVED	2002/06/25	.000	
LINDANE	39340	WAIVED	2002/06/25	.000	

**Testing interval is in months;*
0 = No data for this constituent and is DUE NOW
999 = Waived testing (not required)
I = Invalid (NOT) valid analyses reported

System Number: ***1900158***

System Name: ***LITTLE BALDY***

PS Code: ***1900158-001***

Source Name: ***WELL 01***

Source Number: ***001***

Source Status: ***ACTIVE UNTREATED***

Water type: ***GROUNDWATER OR WELL***

	STORET NUMBER	TESTING INTERVAL (MONTHS)*	LAST TEST DATE (yyyy/mm/dd)	LAST RESULT REPORTED	NEXT TEST DATE (yyyy/mm)
REGULATED SOC					
METHOXYCHLOR	39480	WAIVED	2002/06/25	.000	
MOLINATE	82199	WAIVED	1995/04/11	.000	
OXAMYL	38865	WAIVED	1995/04/11	.000	
PENTACHLOROPHENOL	39032	WAIVED	1995/04/11	.000	
PICLORAM	39720	WAIVED			
POLYCHLORINATED BIPHENYLS, TOTAL, AS DCB	39516	WAIVED	2002/06/25	.000	
SIMAZINE	39055	WAIVED	1995/04/11	.000	
THIOBENCARB	A-001	WAIVED	2004/04/22	.000	
TOXAPHENE	39400	WAIVED	2002/06/25	.000	
REGULATED VOC					
1,1,1-TRICHLOROETHANE	34506	WAIVED	2011/07/12	< .000	
1,1,2,2-TETRACHLOROETHANE	34516	WAIVED	2011/07/12	< .000	
1,1,2-TRICHLORO-1,2,2-TRIFLUOROETHANE	81611	WAIVED	2011/07/12	< .000	
1,1,2-TRICHLOROETHANE	34511	WAIVED	2011/07/12	< .000	
1,1-DICHLOROETHANE	34496	WAIVED	2011/07/12	< .000	
1,1-DICHLOROETHYLENE	34501	WAIVED	2011/07/12	< .000	
1,2,4-TRICHLOROBENZENE	34551	WAIVED	2011/07/12	< .000	
1,2-DICHLOROBENZENE	34536	WAIVED	2011/07/12	< .000	
1,2-DICHLOROETHANE	34531	WAIVED	2011/07/12	< .000	
1,2-DICHLOROPROPANE	34541	WAIVED	2011/07/12	< .000	
1,3-DICHLOROPROPENE (TOTAL)	34561	WAIVED	2011/07/12	< .000	
1,4-DICHLOROBENZENE	34571	WAIVED	2011/07/12	< .000	
BENZENE	34030	WAIVED	2011/07/12	< .000	
CARBON TETRACHLORIDE	32102	WAIVED	2011/07/12	< .000	
CIS-1,2-DICHLOROETHYLENE	77093	WAIVED	2011/07/12	< .000	
DICHLOROMETHANE	34423	WAIVED	2011/07/12	< .000	
ETHYLBENZENE	34371	WAIVED	2011/07/12	< .000	
METHYL-TERT-BUTYL-ETHER (MTBE)	46491	WAIVED	2011/07/12	< .000	
MONOCHLOROBENZENE	34301	WAIVED	2011/07/12	< .000	

**Testing interval is in months;*
0 = No data for this constituent and is DUE NOW
999 = Waived testing (not required)
I = Invalid (NOT) valid analyses reported

System Number: ***1900158***

System Name: ***LITTLE BALDY***

PS Code: ***1900158-001***

Source Name: ***WELL 01***

Source Number: ***001***

Source Status: ***ACTIVE UNTREATED***

Water type: ***GROUNDWATER OR WELL***

	STORET NUMBER	TESTING INTERVAL (MONTHS)*	LAST TEST DATE (yyyy/mm/dd)	LAST RESULT REPORTED	NEXT TEST DATE (yyyy/mm)
REGULATED VOC					
STYRENE	77128	WAIVED	2011/07/12	< .000	
TETRACHLOROETHYLENE	34475	WAIVED	2011/07/12	< .000	
TOLUENE	34010	WAIVED	2011/07/12	< .000	
TRANS-1,2-DICHLOROETHYLENE	34546	WAIVED	2011/07/12	< .000	
TRICHLOROETHYLENE	39180	WAIVED	2011/07/12	< .000	
TRICHLOROFLUOROMETHANE	34488	WAIVED	2011/07/12	< .000	
VINYL CHLORIDE	39175	WAIVED	2011/07/12	< .000	
XYLENES (TOTAL)	81551	WAIVED	2011/07/12	< .000	
SECONDARY/GP					
AGGRSSIVE INDEX (CORROSIVITY)	82383	WAIVED			
BICARBONATE ALKALINITY	00440	WAIVED	2011/07/12	390.000	
CALCIUM	00916	WAIVED	2011/07/12	75.000	
CARBONATE ALKALINITY	00445	WAIVED	2011/07/12	< .000	
CHLORIDE	00940	WAIVED	2011/07/12	9.500	
COLOR	00081	WAIVED	2011/07/12	< .000	
COPPER	01042	WAIVED	2011/07/12	< .000	
FOAMING AGENTS (MBAS)	38260	WAIVED	2011/07/12	< .000	
HARDNESS (TOTAL) AS CACO3	00900	WAIVED	2011/07/12	350.000	
HYDROXIDE ALKALINITY	71830	WAIVED	2011/07/12	< .000	
IRON	01045	WAIVED	2011/07/12	< .000	
MAGNESIUM	00927	WAIVED	2011/07/12	42.000	
MANGANESE	01055	WAIVED	2011/07/12	< .000	
ODOR THRESHOLD @ 60 C	00086	WAIVED	2011/07/12	1.000	
PH, LABORATORY	00403	WAIVED	2011/07/12	7.700	
SILVER	01077	WAIVED	2009/08/12	< 1.000	
SODIUM	00929	WAIVED	2011/07/12	40.000	
SPECIFIC CONDUCTANCE	00095	WAIVED	2011/07/12	760.000	
SULFATE	00945	WAIVED	2011/07/12	96.000	
TOTAL DISSOLVED SOLIDS	70300	WAIVED	2011/07/12	430.000	

**Testing interval is in months;*
0 = No data for this constituent and is DUE NOW
999 = Waived testing (not required)
I = Invalid (NOT) valid analyses reported

System Number: ***1900158***

System Name: ***LITTLE BALDY***

PS Code: ***1900158-001***

Source Name: ***WELL 01***

Source Number: ***001***

Source Status: ***ACTIVE UNTREATED***

Water type: ***GROUNDWATER OR WELL***

	STORET NUMBER	TESTING INTERVAL (MONTHS)*	LAST TEST DATE (yyyy/mm/dd)	LAST RESULT REPORTED	NEXT TEST DATE (yyyy/mm)
SECONDARY/GP					
TURBIDITY, LABORATORY	82079	WAIVED	2011/07/12	< .000	
ZINC	01092	WAIVED	2011/07/12	< .000	

PS Code: ***1900158-002***

Source Name: ***WELL 02***

Source Number: ***002***

Source Status: ***ACTIVE UNTREATED***

Water type: ***GROUNDWATER OR WELL***

	STORET NUMBER	TESTING INTERVAL (MONTHS)*	LAST TEST DATE (yyyy/mm/dd)	LAST RESULT REPORTED	NEXT TEST DATE (yyyy/mm)
GENERAL NON CHAP 15					
DIAZINON	39570	WAIVED			
INORGANIC					
ALUMINUM	01105	WAIVED	2009/08/12	< 10.000	
ANTIMONY	01097	WAIVED	2009/08/12	< 1.000	
ARSENIC	01002	WAIVED	2009/08/12	< 2.000	
ASBESTOS	81855	WAIVED	2011/07/12	.000	
BARIUM	01007	WAIVED	2009/08/12	106.000	
BERYLLIUM	01012	WAIVED	2009/08/12	< .200	
CADMIUM	01027	WAIVED	2009/08/12	< .200	
CHROMIUM (TOTAL)	01034	WAIVED	2009/08/12	3.000	
CYANIDE	01291	WAIVED	2009/08/12	< .004	
FLUORIDE (F) (NATURAL-SOURCE)	00951	WAIVED	2011/07/26	.900	
LEAD	01051	WAIVED	2009/08/12	1.500	
MERCURY	71900	WAIVED	2009/08/12	< .020	
NICKEL	01067	WAIVED	2009/08/12	3.000	
PERCHLORATE	A-031	WAIVED	2009/10/21	< 2.000	
SELENIUM	01147	WAIVED	2009/08/12	< 2.000	
THALLIUM	01059	WAIVED	2009/08/12	< .200	

**Testing interval is in months;*
0 = No data for this constituent and is DUE NOW
999 = Waived testing (not required)
I = Invalid (NOT) valid analyses reported

System Number: ***1900158***

System Name: ***LITTLE BALDY***

PS Code: ***1900158-002***

Source Name: ***WELL 02***

Source Number: ***002***

Source Status: ***ACTIVE UNTREATED***

Water type: ***GROUNDWATER OR WELL***

	STORET NUMBER	TESTING INTERVAL (MONTHS)*	LAST TEST DATE (yyyy/mm/dd)	LAST RESULT REPORTED	NEXT TEST DATE (yyyy/mm)
NITRATE/NITRITE					
NITRATE (AS NO3)	71850	WAIVED	2011/07/26	< .000	
NITRITE (AS N)	00620	WAIVED	2009/08/12	< .100	
RADIOLOGICAL					
GROSS ALPHA	01501	WAIVED	2009/08/12	2.130	
GROSS BETA	03501	WAIVED			
RA-226 FOR CWS OR TOTAL RA FOR NTNC BY 903.0	A-080	WAIVED			
RA-226 OR TOTAL RA BY 903.0 C.E.	A-081	WAIVED			
RADIUM 226	09501	WAIVED			
RADIUM 228	11501	WAIVED	2004/05/10	.000	
RADIUM, TOTAL, MDA95-NTNC ONLY, BY 903.0	A-082	WAIVED			
STRONTIUM-90	13501	WAIVED			
TRITIUM	07000	WAIVED			
URANIUM (PCI/L)	28012	WAIVED	2011/07/12	2.300	
REGULATED SOC					
2,3,7,8-TCDD (DIOXIN)	34676	WAIVED			
2,4,5-TP (SILVEX)	39045	WAIVED			
2,4-D	39730	WAIVED			
ALACHLOR	77825	WAIVED	2002/06/25	.000	
ATRAZINE	39033	WAIVED			
BENTAZON	38710	WAIVED			
BENZO (A) PYRENE	34247	WAIVED			
CARBOFURAN	81405	WAIVED			
CHLORDANE	39350	WAIVED	2002/06/25	.000	
DALAPON	38432	WAIVED			
DI(2-ETHYLHEXYL)ADIPATE	A-026	WAIVED			
DI(2-ETHYLHEXYL)PHTHALATE	39100	WAIVED			
DIBROMOCHLOROPROPANE (DBCP)	38761	WAIVED			
DINOSEB	81287	WAIVED			
DIQUAT	78885	WAIVED			

**Testing interval is in months;*
0 = No data for this constituent and is DUE NOW
999 = Waived testing (not required)
I = Invalid (NOT) valid analyses reported

System Number: ***1900158***

System Name: ***LITTLE BALDY***

PS Code: ***1900158-002***

Source Name: ***WELL 02***

Source Number: ***002***

Source Status: ***ACTIVE UNTREATED***

Water type: ***GROUNDWATER OR WELL***

	STORET NUMBER	TESTING INTERVAL (MONTHS)*	LAST TEST DATE (yyyy/mm/dd)	LAST RESULT REPORTED	NEXT TEST DATE (yyyy/mm)
REGULATED SOC					
ENDOTHALL	38926	WAIVED			
ENDRIN	39390	WAIVED	2002/06/25	.000	
ETHYLENE DIBROMIDE (EDB)	77651	WAIVED			
GLYPHOSATE	79743	WAIVED			
HEPTACHLOR	39410	WAIVED	2002/06/25	.000	
HEPTACHLOR EPOXIDE	39420	WAIVED	2002/06/25	.000	
HEXACHLOROBENZENE	39700	WAIVED	2002/06/25	.000	
HEXACHLOROCYCLOPENTADIENE	34386	WAIVED	2002/06/25	.000	
LINDANE	39340	WAIVED	2002/06/25	.000	
METHOXYCHLOR	39480	WAIVED	2002/06/25	.000	
MOLINATE	82199	WAIVED			
OXAMYL	38865	WAIVED			
PENTACHLOROPHENOL	39032	WAIVED			
PICLORAM	39720	WAIVED			
POLYCHLORINATED BIPHENYLS, TOTAL, AS DCB	39516	WAIVED	2002/06/25	.000	
SIMAZINE	39055	WAIVED			
THIOBENCARB	A-001	WAIVED	2004/04/22	.000	
TOXAPHENE	39400	WAIVED	2002/06/25	.000	
REGULATED VOC					
1,1,1-TRICHLOROETHANE	34506	WAIVED	2011/07/12	< .000	
1,1,2,2-TETRACHLOROETHANE	34516	WAIVED	2011/07/12	< .000	
1,1,2-TRICHLORO-1,2,2-TRIFLUOROETHANE	81611	WAIVED	2011/07/12	< .000	
1,1,2-TRICHLOROETHANE	34511	WAIVED	2011/07/12	< .000	
1,1-DICHLOROETHANE	34496	WAIVED	2011/07/12	< .000	
1,1-DICHLOROETHYLENE	34501	WAIVED	2011/07/12	< .000	
1,2,4-TRICHLOROBENZENE	34551	WAIVED	2011/07/12	< .000	
1,2-DICHLOROBENZENE	34536	WAIVED	2011/07/12	< .000	
1,2-DICHLOROETHANE	34531	WAIVED	2011/07/12	< .000	
1,2-DICHLOROPROPANE	34541	WAIVED	2011/07/12	< .000	

**Testing interval is in months;*
0 = No data for this constituent and is DUE NOW
999 = Waived testing (not required)
I = Invalid (NOT) valid analyses reported

System Number: ***1900158***

System Name: ***LITTLE BALDY***

PS Code: ***1900158-002***

Source Name: ***WELL 02***

Source Number: ***002***

Source Status: ***ACTIVE UNTREATED***

Water type: ***GROUNDWATER OR WELL***

	STORET NUMBER	TESTING INTERVAL (MONTHS)*	LAST TEST DATE (yyyy/mm/dd)	LAST RESULT REPORTED	NEXT TEST DATE (yyyy/mm)
REGULATED VOC					
1,3-DICHLOROPROPENE (TOTAL)	34561	WAIVED	2011/07/12	< .000	
1,4-DICHLOROBENZENE	34571	WAIVED	2011/07/12	< .000	
BENZENE	34030	WAIVED	2011/07/12	< .000	
CARBON TETRACHLORIDE	32102	WAIVED	2011/07/12	< .000	
CIS-1,2-DICHLOROETHYLENE	77093	WAIVED	2011/07/12	< .000	
DICHLOROMETHANE	34423	WAIVED	2011/07/12	< .000	
ETHYLBENZENE	34371	WAIVED	2011/07/12	< .000	
METHYL-TERT-BUTYL-ETHER (MTBE)	46491	WAIVED	2011/07/12	< .000	
MONOCHLOROBENZENE	34301	WAIVED	2011/07/12	< .000	
STYRENE	77128	WAIVED	2011/07/12	< .000	
TETRACHLOROETHYLENE	34475	WAIVED	2011/07/12	< .000	
TOLUENE	34010	WAIVED	2011/07/12	< .000	
TRANS-1,2-DICHLOROETHYLENE	34546	WAIVED	2011/07/12	< .000	
TRICHLOROETHYLENE	39180	WAIVED	2011/07/12	< .000	
TRICHLOROFLUOROMETHANE	34488	WAIVED	2011/07/12	< .000	
VINYL CHLORIDE	39175	WAIVED	2011/07/12	< .000	
XYLENES (TOTAL)	81551	WAIVED	2011/07/12	< .000	
SECONDARY/GP					
AGGRSSIVE INDEX (CORROSIVITY)	82383	WAIVED			
BICARBONATE ALKALINITY	00440	WAIVED	2011/07/26	400.000	
CALCIUM	00916	WAIVED	2011/07/26	65.000	
CARBONATE ALKALINITY	00445	WAIVED	2011/07/26	< .000	
CHLORIDE	00940	WAIVED	2011/07/26	8.000	
COLOR	00081	WAIVED	2011/07/12	< .000	
COPPER	01042	WAIVED	2011/07/26	< .000	
FOAMING AGENTS (MBAS)	38260	WAIVED	2011/07/26	< .000	
HARDNESS (TOTAL) AS CACO3	00900	WAIVED	2011/07/26	330.000	
HYDROXIDE ALKALINITY	71830	WAIVED	2011/07/26	< .000	
IRON	01045	WAIVED	2011/07/26	< .000	

**Testing interval is in months;*
0 = No data for this constituent and is DUE NOW
999 = Waived testing (not required)
I = Invalid (NOT) valid analyses reported

System Number: ***1900158***

System Name: ***LITTLE BALDY***

PS Code: ***1900158-002***

Source Name: ***WELL 02***

Source Number: ***002***

Source Status: ***ACTIVE UNTREATED***

Water type: ***GROUNDWATER OR WELL***

SECONDARY/GP

	STORET NUMBER	TESTING INTERVAL (MONTHS)*	LAST TEST DATE (yyyy/mm/dd)	LAST RESULT REPORTED	NEXT TEST DATE (yyyy/mm)
MAGNESIUM	00927	WAIVED	2011/07/26	43.000	
MANGANESE	01055	WAIVED	2011/07/26	< .000	
ODOR THRESHOLD @ 60 C	00086	WAIVED	2011/07/12	1.000	
PH, LABORATORY	00403	WAIVED	2011/07/26	7.800	
SILVER	01077	WAIVED	2009/08/12	< 1.000	
SODIUM	00929	WAIVED	2011/07/26	31.000	
SPECIFIC CONDUCTANCE	00095	WAIVED	2011/07/26	700.000	
SULFATE	00945	WAIVED	2011/07/26	53.000	
TOTAL DISSOLVED SOLIDS	70300	WAIVED	2011/07/26	410.000	
TURBIDITY, LABORATORY	82079	WAIVED	2011/07/12	< .000	
ZINC	01092	WAIVED	2011/07/26	< .000	

PS Code: ***1900158-004***

Source Name: ***AUTOMATIC CHLORINATOR UNIT***

Source Number: ***004***

Source Status: ***ACTIVE TREATED***

Water type: ***GROUNDWATER OR WELL***

GENERAL NON CHAP 15

DIAZINON	39570	WAIVED

INORGANIC

ALUMINUM	01105	WAIVED
ANTIMONY	01097	WAIVED
ARSENIC	01002	WAIVED
ASBESTOS	81855	WAIVED
BARIUM	01007	WAIVED
BERYLLIUM	01012	WAIVED
CADMIUM	01027	WAIVED
CHROMIUM (TOTAL)	01034	WAIVED
CYANIDE	01291	WAIVED

**Testing interval is in months;*
0 = No data for this constituent and is DUE NOW
999 = Waived testing (not required)
I = Invalid (NOT) valid analyses reported

System Number: ***1900158***

System Name: ***LITTLE BALDY***

PS Code: ***1900158-004***

Source Name: ***AUTOMATIC CHLORINATOR UNIT***

Source Number: ***004***

Source Status: ***ACTIVE TREATED***

Water type: ***GROUNDWATER OR WELL***

	STORET NUMBER	TESTING INTERVAL (MONTHS)*	LAST TEST DATE (yyyy/mm/dd)	LAST RESULT REPORTED	NEXT TEST DATE (yyyy/mm)
INORGANIC					
FLUORIDE (F) (NATURAL-SOURCE)	00951	WAIVED			
LEAD	01051	WAIVED			
MERCURY	71900	WAIVED			
NICKEL	01067	WAIVED			
PERCHLORATE	A-031	WAIVED			
SELENIUM	01147	WAIVED			
THALLIUM	01059	WAIVED			
NITRATE/NITRITE					
NITRATE (AS NO3)	71850	WAIVED			
NITRITE (AS N)	00620	WAIVED			
RADIOLOGICAL					
GROSS ALPHA	01501	WAIVED			
GROSS BETA	03501	WAIVED			
RA-226 FOR CWS OR TOTAL RA FOR NTNC BY 903.0	A-080	WAIVED			
RA-226 OR TOTAL RA BY 903.0 C.E.	A-081	WAIVED			
RADIUM 226	09501	WAIVED			
RADIUM 228	11501	WAIVED			
RADIUM, TOTAL, MDA95-NTNC ONLY, BY 903.0	A-082	WAIVED			
STRONTIUM-90	13501	WAIVED			
TRITIUM	07000	WAIVED			
URANIUM (PCI/L)	28012	WAIVED			
REGULATED SOC					
2,3,7,8-TCDD (DIOXIN)	34676	WAIVED			
2,4,5-TP (SILVEX)	39045	WAIVED			
2,4-D	39730	WAIVED			
ALACHLOR	77825	WAIVED			
ATRAZINE	39033	WAIVED			
BENTAZON	38710	WAIVED			

**Testing interval is in months;*
0 = No data for this constituent and is DUE NOW
999 = Waived testing (not required)
I = Invalid (NOT) valid analyses reported

System Number: ***1900158***

System Name: ***LITTLE BALDY***

PS Code: ***1900158-004***

Source Name: ***AUTOMATIC CHLORINATOR UNIT***

Source Number: ***004***

Source Status: ***ACTIVE TREATED***

Water type: ***GROUNDWATER OR WELL***

	STORET NUMBER	TESTING INTERVAL (MONTHS)*	LAST TEST DATE (yyyy/mm/dd)	LAST RESULT REPORTED	NEXT TEST DATE (yyyy/mm)
REGULATED SOC					
BENZO (A) PYRENE	34247	WAIVED			
CARBOFURAN	81405	WAIVED			
CHLORDANE	39350	WAIVED			
DALAPON	38432	WAIVED			
DI(2-ETHYLHEXYL)ADIPATE	A-026	WAIVED			
DI(2-ETHYLHEXYL)PHTHALATE	39100	WAIVED			
DIBROMOCHLOROPROPANE (DBCP)	38761	WAIVED			
DINOSEB	81287	WAIVED			
DIQUAT	78885	WAIVED			
ENDOTHALL	38926	WAIVED			
ENDRIN	39390	WAIVED			
ETHYLENE DIBROMIDE (EDB)	77651	WAIVED			
GLYPHOSATE	79743	WAIVED			
HEPTACHLOR	39410	WAIVED			
HEPTACHLOR EPOXIDE	39420	WAIVED			
HEXACHLOROBENZENE	39700	WAIVED			
HEXACHLOROCYCLOPENTADIENE	34386	WAIVED			
LINDANE	39340	WAIVED			
METHOXYCHLOR	39480	WAIVED			
MOLINATE	82199	WAIVED			
OXAMYL	38865	WAIVED			
PENTACHLOROPHENOL	39032	WAIVED			
PICLORAM	39720	WAIVED			
POLYCHLORINATED BIPHENYLS, TOTAL, AS DCB	39516	WAIVED			
SIMAZINE	39055	WAIVED			
THIOBENCARB	A-001	WAIVED			
TOXAPHENE	39400	WAIVED			
REGULATED VOC					
1,1,1-TRICHLOROETHANE	34506	WAIVED			

**Testing interval is in months;*
0 = No data for this constituent and is DUE NOW
999 = Waived testing (not required)
I = Invalid (NOT) valid analyses reported

System Number: ***1900158***

System Name: ***LITTLE BALDY***

PS Code: ***1900158-004***

Source Name: ***AUTOMATIC CHLORINATOR UNIT***

Source Number: ***004***

Source Status: ***ACTIVE TREATED***

Water type: ***GROUNDWATER OR WELL***

	STORET NUMBER	TESTING INTERVAL (MONTHS)*	LAST TEST DATE (yyyy/mm/dd)	LAST RESULT REPORTED	NEXT TEST DATE (yyyy/mm)
REGULATED VOC					
1,1,2,2-TETRACHLOROETHANE	34516	WAIVED			
1,1,2-TRICHLORO-1,2,2-TRIFLUOROETHANE	81611	WAIVED			
1,1,2-TRICHLOROETHANE	34511	WAIVED			
1,1-DICHLOROETHANE	34496	WAIVED			
1,1-DICHLOROETHYLENE	34501	WAIVED			
1,2,4-TRICHLOROBENZENE	34551	WAIVED			
1,2-DICHLOROBENZENE	34536	WAIVED			
1,2-DICHLOROETHANE	34531	WAIVED			
1,2-DICHLOROPROPANE	34541	WAIVED			
1,3-DICHLOROPROPENE (TOTAL)	34561	WAIVED			
1,4-DICHLOROBENZENE	34571	WAIVED			
BENZENE	34030	WAIVED			
CARBON TETRACHLORIDE	32102	WAIVED			
CIS-1,2-DICHLOROETHYLENE	77093	WAIVED			
DICHLOROMETHANE	34423	WAIVED			
ETHYLBENZENE	34371	WAIVED			
METHYL-TERT-BUTYL-ETHER (MTBE)	46491	WAIVED			
MONOCHLOROBENZENE	34301	WAIVED			
STYRENE	77128	WAIVED			
TETRACHLOROETHYLENE	34475	WAIVED			
TOLUENE	34010	WAIVED			
TRANS-1,2-DICHLOROETHYLENE	34546	WAIVED			
TRICHLOROETHYLENE	39180	WAIVED			
TRICHLOROFLUOROMETHANE	34488	WAIVED			
VINYL CHLORIDE	39175	WAIVED			
XYLENES (TOTAL)	81551	WAIVED			
SECONDARY/GP					
AGGRSSIVE INDEX (CORROSIVITY)	82383	WAIVED			
BICARBONATE ALKALINITY	00440	WAIVED			

**Testing interval is in months;*
0 = No data for this constituent and is DUE NOW
999 = Waived testing (not required)
I = Invalid (NOT) valid analyses reported

System Number: ***1900158***

System Name: ***LITTLE BALDY***

PS Code: ***1900158-004***

Source Name: ***AUTOMATIC CHLORINATOR UNIT***

Source Number: ***004***

Source Status: ***ACTIVE TREATED***

Water type: ***GROUNDWATER OR WELL***

SECONDARY/GP

	STORET NUMBER	TESTING INTERVAL (MONTHS)*	LAST TEST DATE (yyyy/mm/dd)	LAST RESULT REPORTED	NEXT TEST DATE (yyyy/mm)
CALCIUM	00916	WAIVED			
CARBONATE ALKALINITY	00445	WAIVED			
CHLORIDE	00940	WAIVED			
COLOR	00081	WAIVED			
COPPER	01042	WAIVED			
FOAMING AGENTS (MBAS)	38260	WAIVED			
HARDNESS (TOTAL) AS CACO3	00900	WAIVED			
HYDROXIDE ALKALINITY	71830	WAIVED			
IRON	01045	WAIVED			
MAGNESIUM	00927	WAIVED			
MANGANESE	01055	WAIVED			
ODOR THRESHOLD @ 60 C	00086	WAIVED			
PH, LABORATORY	00403	WAIVED			
SILVER	01077	WAIVED			
SODIUM	00929	WAIVED			
SPECIFIC CONDUCTANCE	00095	WAIVED			
SULFATE	00945	WAIVED			
TOTAL DISSOLVED SOLIDS	70300	WAIVED			
TURBIDITY, LABORATORY	82079	WAIVED			
ZINC	01092	WAIVED			

**Testing interval is in months;*
0 = No data for this constituent and is DUE NOW
999 = Waived testing (not required)
I = Invalid (NOT) valid analyses reported

System Number: ***1900162***

System Name: ***CANYON CREEK SPORTS COMPLEX***

PS Code: ***1900162-001***

Source Name: ***WELL 01***

Source Number: ***001***

Source Status: ***ACTIVE UNTREATED***

Water type: ***GROUNDWATER OR WELL***

	STORET NUMBER	TESTING INTERVAL (MONTHS)*	LAST TEST DATE (yyyy/mm/dd)	LAST RESULT REPORTED	NEXT TEST DATE (yyyy/mm)
GENERAL NON CHAP 15					
DIAZINON	39570	WAIVED			
INORGANIC					
ALUMINUM	01105	WAIVED	2002/01/22	.000	
ANTIMONY	01097	WAIVED	2002/01/22	.000	
ARSENIC	01002	WAIVED	2002/01/22	.000	
ASBESTOS	81855	WAIVED			
BARIUM	01007	WAIVED	2002/01/22	.000	
BERYLLIUM	01012	WAIVED			
CADMIUM	01027	WAIVED	2002/01/22	.000	
CHROMIUM (TOTAL)	01034	WAIVED	2002/01/22	10.100	
CYANIDE	01291	WAIVED			
FLUORIDE (F) (NATURAL-SOURCE)	00951	WAIVED	2002/01/22	.640	
LEAD	01051	WAIVED	2002/01/22	.000	
MERCURY	71900	WAIVED	2002/01/22	.000	
NICKEL	01067	WAIVED	2002/01/22	.000	
PERCHLORATE	A-031	WAIVED	2002/01/22	.000	
SELENIUM	01147	WAIVED	2002/01/22	.000	
THALLIUM	01059	WAIVED			
NITRATE/NITRITE					
NITRATE (AS NO3)	71850	WAIVED	2004/03/30	2.090	
NITRITE (AS N)	00620	WAIVED			
RADIOLOGICAL					
GROSS ALPHA	01501	WAIVED			
GROSS BETA	03501	WAIVED			
RA-226 FOR CWS OR TOTAL RA FOR NTNC BY 903.0	A-080	WAIVED			
RA-226 OR TOTAL RA BY 903.0 C.E.	A-081	WAIVED			
RADIUM 226	09501	WAIVED			
RADIUM 228	11501	WAIVED			

**Testing interval is in months;*
0 = No data for this constituent and is DUE NOW
999 = Waived testing (not required)
I = Invalid (NOT) valid analyses reported

System Number: ***1900162***

System Name: ***CANYON CREEK SPORTS COMPLEX***

PS Code: ***1900162-001***

Source Name: ***WELL 01***

Source Number: ***001***

Source Status: ***ACTIVE UNTREATED***

Water type: ***GROUNDWATER OR WELL***

	STORET NUMBER	TESTING INTERVAL (MONTHS)*	LAST TEST DATE (yyyy/mm/dd)	LAST RESULT REPORTED	NEXT TEST DATE (yyyy/mm)
RADIOLOGICAL					
RADIUM, TOTAL, MDA95-NTNC ONLY, BY 903.0	A-082	WAIVED			
STRONTIUM-90	13501	WAIVED			
TRITIUM	07000	WAIVED			
URANIUM (PCI/L)	28012	WAIVED			
REGULATED SOC					
2,3,7,8-TCDD (DIOXIN)	34676	WAIVED			
2,4,5-TP (SILVEX)	39045	WAIVED			
2,4-D	39730	WAIVED			
ALACHLOR	77825	WAIVED			
ATRAZINE	39033	WAIVED			
BENTAZON	38710	WAIVED			
BENZO (A) PYRENE	34247	WAIVED			
CARBOFURAN	81405	WAIVED			
CHLORDANE	39350	WAIVED			
DALAPON	38432	WAIVED			
DI(2-ETHYLHEXYL)ADIPATE	A-026	WAIVED			
DI(2-ETHYLHEXYL)PHTHALATE	39100	WAIVED			
DIBROMOCHLOROPROPANE (DBCP)	38761	WAIVED			
DINOSEB	81287	WAIVED			
DIQUAT	78885	WAIVED			
ENDOTHALL	38926	WAIVED			
ENDRIN	39390	WAIVED			
ETHYLENE DIBROMIDE (EDB)	77651	WAIVED			
GLYPHOSATE	79743	WAIVED			
HEPTACHLOR	39410	WAIVED			
HEPTACHLOR EPOXIDE	39420	WAIVED			
HEXACHLOROBENZENE	39700	WAIVED			
HEXACHLOROCYCLOPENTADIENE	34386	WAIVED			
LINDANE	39340	WAIVED			

**Testing interval is in months;*
0 = No data for this constituent and is DUE NOW
999 = Waived testing (not required)
I = Invalid (NOT) valid analyses reported

System Number: ***1900162***

System Name: ***CANYON CREEK SPORTS COMPLEX***

PS Code: ***1900162-001***

Source Name: ***WELL 01***

Source Number: ***001***

Source Status: ***ACTIVE UNTREATED***

Water type: ***GROUNDWATER OR WELL***

	STORET NUMBER	TESTING INTERVAL (MONTHS)*	LAST TEST DATE (yyyy/mm/dd)	LAST RESULT REPORTED	NEXT TEST DATE (yyyy/mm)
REGULATED SOC					
METHOXYCHLOR	39480	WAIVED			
MOLINATE	82199	WAIVED			
OXAMYL	38865	WAIVED			
PENTACHLOROPHENOL	39032	WAIVED			
PICLORAM	39720	WAIVED			
POLYCHLORINATED BIPHENYLS, TOTAL, AS DCB	39516	WAIVED			
SIMAZINE	39055	WAIVED			
THIOBENCARB	A-001	WAIVED			
TOXAPHENE	39400	WAIVED			
REGULATED VOC					
1,1,1-TRICHLOROETHANE	34506	WAIVED			
1,1,2,2-TETRACHLOROETHANE	34516	WAIVED			
1,1,2-TRICHLORO-1,2,2-TRIFLUOROETHANE	81611	WAIVED			
1,1,2-TRICHLOROETHANE	34511	WAIVED			
1,1-DICHLOROETHANE	34496	WAIVED			
1,1-DICHLOROETHYLENE	34501	WAIVED			
1,2,4-TRICHLOROBENZENE	34551	WAIVED			
1,2-DICHLOROBENZENE	34536	WAIVED			
1,2-DICHLOROETHANE	34531	WAIVED			
1,2-DICHLOROPROPANE	34541	WAIVED			
1,3-DICHLOROPROPENE (TOTAL)	34561	WAIVED			
1,4-DICHLOROBENZENE	34571	WAIVED			
BENZENE	34030	WAIVED			
CARBON TETRACHLORIDE	32102	WAIVED			
CIS-1,2-DICHLOROETHYLENE	77093	WAIVED			
DICHLOROMETHANE	34423	WAIVED			
ETHYLBENZENE	34371	WAIVED			
METHYL-TERT-BUTYL-ETHER (MTBE)	46491	WAIVED			
MONOCHLOROBENZENE	34301	WAIVED			

**Testing interval is in months;*
0 = No data for this constituent and is DUE NOW
999 = Waived testing (not required)
I = Invalid (NOT) valid analyses reported

System Number: ***1900162***

System Name: ***CANYON CREEK SPORTS COMPLEX***

PS Code: ***1900162-001***

Source Name: ***WELL 01***

Source Number: ***001***

Source Status: ***ACTIVE UNTREATED***

Water type: ***GROUNDWATER OR WELL***

	STORET NUMBER	TESTING INTERVAL (MONTHS)*	LAST TEST DATE (yyyy/mm/dd)	LAST RESULT REPORTED	NEXT TEST DATE (yyyy/mm)
REGULATED VOC					
STYRENE	77128	WAIVED			
TETRACHLOROETHYLENE	34475	WAIVED			
TOLUENE	34010	WAIVED			
TRANS-1,2-DICHLOROETHYLENE	34546	WAIVED			
TRICHLOROETHYLENE	39180	WAIVED			
TRICHLOROFLUOROMETHANE	34488	WAIVED			
VINYL CHLORIDE	39175	WAIVED			
XYLENES (TOTAL)	81551	WAIVED			
SECONDARY/GP					
AGGRSSIVE INDEX (CORROSIVITY)	82383	WAIVED			
BICARBONATE ALKALINITY	00440	WAIVED	2002/01/22	328.000	
CALCIUM	00916	WAIVED	2002/01/22	70.500	
CARBONATE ALKALINITY	00445	WAIVED	2002/01/22	.000	
CHLORIDE	00940	WAIVED	2002/01/22	20.000	
COLOR	00081	WAIVED	2002/01/22	.000	
COPPER	01042	WAIVED	2002/01/22	.000	
FOAMING AGENTS (MBAS)	38260	WAIVED	2002/01/22	.000	
HARDNESS (TOTAL) AS CACO3	00900	WAIVED	2002/01/22	295.000	
HYDROXIDE ALKALINITY	71830	WAIVED	2002/01/22	.000	
IRON	01045	WAIVED	2002/01/22	.000	
MAGNESIUM	00927	WAIVED	2002/01/22	28.900	
MANGANESE	01055	WAIVED	2002/01/22	.000	
ODOR THRESHOLD @ 60 C	00086	WAIVED	2002/01/22	.000	
PH, LABORATORY	00403	WAIVED	2002/01/22	7.570	
SILVER	01077	WAIVED	2002/01/22	.000	
SODIUM	00929	WAIVED	2002/01/22	32.200	
SPECIFIC CONDUCTANCE	00095	WAIVED	2002/01/22	631.000	
SULFATE	00945	WAIVED	2002/01/22	66.000	
TOTAL DISSOLVED SOLIDS	70300	WAIVED	2002/01/22	408.000	

**Testing interval is in months;*
0 = No data for this constituent and is DUE NOW
999 = Waived testing (not required)
I = Invalid (NOT) valid analyses reported

System Number: ***1900162***

System Name: ***CANYON CREEK SPORTS COMPLEX***

PS Code: ***1900162-001***

Source Name: ***WELL 01***

Source Number: ***001***

Source Status: ***ACTIVE UNTREATED***

Water type: ***GROUNDWATER OR WELL***

	STORET NUMBER	TESTING INTERVAL (MONTHS)*	LAST TEST DATE (yyyy/mm/dd)	LAST RESULT REPORTED	NEXT TEST DATE (yyyy/mm)
SECONDARY/GP					
TURBIDITY, LABORATORY	82079	WAIVED	2002/01/22	.360	
ZINC	01092	WAIVED	2002/01/22	.000	

PS Code: ***1900162-003***

Source Name: ***WELL 03***

Source Number: ***003***

Source Status: ***ACTIVE UNTREATED***

Water type: ***GROUNDWATER OR WELL***

GENERAL NON CHAP 15					
DIAZINON	39570	WAIVED			
INORGANIC					
ALUMINUM	01105	WAIVED			
ANTIMONY	01097	WAIVED			
ARSENIC	01002	WAIVED			
ASBESTOS	81855	WAIVED			
BARIUM	01007	WAIVED			
BERYLLIUM	01012	WAIVED			
CADMIUM	01027	WAIVED			
CHROMIUM (TOTAL)	01034	WAIVED			
CYANIDE	01291	WAIVED			
FLUORIDE (F) (NATURAL-SOURCE)	00951	WAIVED			
LEAD	01051	WAIVED			
MERCURY	71900	WAIVED			
NICKEL	01067	WAIVED			
PERCHLORATE	A-031	WAIVED			
SELENIUM	01147	WAIVED			
THALLIUM	01059	WAIVED			

**Testing interval is in months;*
0 = No data for this constituent and is DUE NOW
999 = Waived testing (not required)
I = Invalid (NOT) valid analyses reported

System Number: ***1900162***

System Name: ***CANYON CREEK SPORTS COMPLEX***

PS Code: ***1900162-003***

Source Name: ***WELL 03***

Source Number: ***003***

Source Status: ***ACTIVE UNTREATED***

Water type: ***GROUNDWATER OR WELL***

	STORET NUMBER	TESTING INTERVAL (MONTHS)*	LAST TEST DATE (yyyy/mm/dd)	LAST RESULT REPORTED	NEXT TEST DATE (yyyy/mm)
NITRATE/NITRITE					
NITRATE (AS NO3)	71850	WAIVED			
NITRITE (AS N)	00620	WAIVED			
RADIOLOGICAL					
GROSS ALPHA	01501	WAIVED			
GROSS BETA	03501	WAIVED			
RA-226 FOR CWS OR TOTAL RA FOR NTNC BY 903.0	A-080	WAIVED			
RA-226 OR TOTAL RA BY 903.0 C.E.	A-081	WAIVED			
RADIUM 226	09501	WAIVED			
RADIUM 228	11501	WAIVED			
RADIUM, TOTAL, MDA95-NTNC ONLY, BY 903.0	A-082	WAIVED			
STRONTIUM-90	13501	WAIVED			
TRITIUM	07000	WAIVED			
URANIUM (PCI/L)	28012	WAIVED			
REGULATED SOC					
2,3,7,8-TCDD (DIOXIN)	34676	WAIVED			
2,4,5-TP (SILVEX)	39045	WAIVED			
2,4-D	39730	WAIVED			
ALACHLOR	77825	WAIVED			
ATRAZINE	39033	WAIVED			
BENTAZON	38710	WAIVED			
BENZO (A) PYRENE	34247	WAIVED			
CARBOFURAN	81405	WAIVED			
CHLORDANE	39350	WAIVED			
DALAPON	38432	WAIVED			
DI(2-ETHYLHEXYL)ADIPATE	A-026	WAIVED			
DI(2-ETHYLHEXYL)PHTHALATE	39100	WAIVED			
DIBROMOCHLOROPROPANE (DBCP)	38761	WAIVED			
DINOSEB	81287	WAIVED			
DIQUAT	78885	WAIVED			

**Testing interval is in months;*
0 = No data for this constituent and is DUE NOW
999 = Waived testing (not required)
I = Invalid (NOT) valid analyses reported

System Number: ***1900162***

System Name: ***CANYON CREEK SPORTS COMPLEX***

PS Code: ***1900162-003***

Source Name: ***WELL 03***

Source Number: ***003***

Source Status: ***ACTIVE UNTREATED***

Water type: ***GROUNDWATER OR WELL***

	STORET NUMBER	TESTING INTERVAL (MONTHS)*	LAST TEST DATE (yyyy/mm/dd)	LAST RESULT REPORTED	NEXT TEST DATE (yyyy/mm)
REGULATED SOC					
ENDOTHALL	38926	WAIVED			
ENDRIN	39390	WAIVED			
ETHYLENE DIBROMIDE (EDB)	77651	WAIVED			
GLYPHOSATE	79743	WAIVED			
HEPTACHLOR	39410	WAIVED			
HEPTACHLOR EPOXIDE	39420	WAIVED			
HEXACHLOROBENZENE	39700	WAIVED			
HEXACHLOROCYCLOPENTADIENE	34386	WAIVED			
LINDANE	39340	WAIVED			
METHOXYCHLOR	39480	WAIVED			
MOLINATE	82199	WAIVED			
OXAMYL	38865	WAIVED			
PENTACHLOROPHENOL	39032	WAIVED			
PICLORAM	39720	WAIVED			
POLYCHLORINATED BIPHENYLS, TOTAL, AS DCB	39516	WAIVED			
SIMAZINE	39055	WAIVED			
THIOBENCARB	A-001	WAIVED			
TOXAPHENE	39400	WAIVED			
REGULATED VOC					
1,1,1-TRICHLOROETHANE	34506	WAIVED			
1,1,2,2-TETRACHLOROETHANE	34516	WAIVED			
1,1,2-TRICHLORO-1,2,2-TRIFLUOROETHANE	81611	WAIVED			
1,1,2-TRICHLOROETHANE	34511	WAIVED			
1,1-DICHLOROETHANE	34496	WAIVED			
1,1-DICHLOROETHYLENE	34501	WAIVED			
1,2,4-TRICHLOROBENZENE	34551	WAIVED			
1,2-DICHLOROBENZENE	34536	WAIVED			
1,2-DICHLOROETHANE	34531	WAIVED			
1,2-DICHLOROPROPANE	34541	WAIVED			

**Testing interval is in months;*
0 = No data for this constituent and is DUE NOW
999 = Waived testing (not required)
I = Invalid (NOT) valid analyses reported

System Number: ***1900162***

System Name: ***CANYON CREEK SPORTS COMPLEX***

PS Code: ***1900162-003***

Source Name: ***WELL 03***

Source Number: ***003***

Source Status: ***ACTIVE UNTREATED***

Water type: ***GROUNDWATER OR WELL***

	STORET NUMBER	TESTING INTERVAL (MONTHS)*	LAST TEST DATE (yyyy/mm/dd)	LAST RESULT REPORTED	NEXT TEST DATE (yyyy/mm)
REGULATED VOC					
1,3-DICHLOROPROPENE (TOTAL)	34561	WAIVED			
1,4-DICHLOROBENZENE	34571	WAIVED			
BENZENE	34030	WAIVED			
CARBON TETRACHLORIDE	32102	WAIVED			
CIS-1,2-DICHLOROETHYLENE	77093	WAIVED			
DICHLOROMETHANE	34423	WAIVED			
ETHYLBENZENE	34371	WAIVED			
METHYL-TERT-BUTYL-ETHER (MTBE)	46491	WAIVED			
MONOCHLOROBENZENE	34301	WAIVED			
STYRENE	77128	WAIVED			
TETRACHLOROETHYLENE	34475	WAIVED			
TOLUENE	34010	WAIVED			
TRANS-1,2-DICHLOROETHYLENE	34546	WAIVED			
TRICHLOROETHYLENE	39180	WAIVED			
TRICHLOROFLUOROMETHANE	34488	WAIVED			
VINYL CHLORIDE	39175	WAIVED			
XYLENES (TOTAL)	81551	WAIVED			
SECONDARY/GP					
AGGRSSIVE INDEX (CORROSIVITY)	82383	WAIVED			
BICARBONATE ALKALINITY	00440	WAIVED			
CALCIUM	00916	WAIVED			
CARBONATE ALKALINITY	00445	WAIVED			
CHLORIDE	00940	WAIVED			
COLOR	00081	WAIVED			
COPPER	01042	WAIVED			
FOAMING AGENTS (MBAS)	38260	WAIVED			
HARDNESS (TOTAL) AS CACO3	00900	WAIVED			
HYDROXIDE ALKALINITY	71830	WAIVED			
IRON	01045	WAIVED			

**Testing interval is in months;*
0 = No data for this constituent and is DUE NOW
999 = Waived testing (not required)
I = Invalid (NOT) valid analyses reported

System Number: ***1900162***

System Name: ***CANYON CREEK SPORTS COMPLEX***

PS Code: ***1900162-003***

Source Name: ***WELL 03***

Source Number: ***003***

Source Status: ***ACTIVE UNTREATED***

Water type: ***GROUNDWATER OR WELL***

SECONDARY/GP	STORET NUMBER	TESTING INTERVAL (MONTHS)*	LAST TEST DATE (yyyy/mm/dd)	LAST RESULT REPORTED	NEXT TEST DATE (yyyy/mm)
MAGNESIUM	00927	WAIVED			
MANGANESE	01055	WAIVED			
ODOR THRESHOLD @ 60 C	00086	WAIVED			
PH, LABORATORY	00403	WAIVED			
SILVER	01077	WAIVED			
SODIUM	00929	WAIVED			
SPECIFIC CONDUCTANCE	00095	WAIVED			
SULFATE	00945	WAIVED			
TOTAL DISSOLVED SOLIDS	70300	WAIVED			
TURBIDITY, LABORATORY	82079	WAIVED			
ZINC	01092	WAIVED			

**Testing interval is in months;*
0 = No data for this constituent and is DUE NOW
999 = Waived testing (not required)
I = Invalid (NOT) valid analyses reported

System Number: ***1900212***

System Name: ***CAMP SINGING PINES***

PS Code: ***1900212-001***

Source Name: ***PURCHASED WATER - TREATED - INACTIVE***

Source Number: ***001***

Source Status: ***PURCHASED TREATED***

Water type: ***GROUNDWATER OR WELL***

	STORET NUMBER	TESTING INTERVAL (MONTHS)*	LAST TEST DATE (yyyy/mm/dd)	LAST RESULT REPORTED	NEXT TEST DATE (yyyy/mm)
GENERAL NON CHAP 15					
DIAZINON	39570	WAIVED			
INORGANIC					
ALUMINUM	01105	WAIVED			
ANTIMONY	01097	WAIVED			
ARSENIC	01002	WAIVED			
ASBESTOS	81855	WAIVED			
BARIUM	01007	WAIVED			
BERYLLIUM	01012	WAIVED			
CADMIUM	01027	WAIVED			
CHROMIUM (TOTAL)	01034	WAIVED			
CYANIDE	01291	WAIVED			
FLUORIDE (F) (NATURAL-SOURCE)	00951	WAIVED			
LEAD	01051	WAIVED			
MERCURY	71900	WAIVED			
NICKEL	01067	WAIVED			
PERCHLORATE	A-031	WAIVED			
SELENIUM	01147	WAIVED			
THALLIUM	01059	WAIVED			
NITRATE/NITRITE					
NITRATE (AS NO3)	71850	WAIVED			
NITRITE (AS N)	00620	WAIVED			
RADIOLOGICAL					
GROSS ALPHA	01501	WAIVED			
GROSS BETA	03501	WAIVED			
RA-226 FOR CWS OR TOTAL RA FOR NTNC BY 903.0	A-080	WAIVED			
RA-226 OR TOTAL RA BY 903.0 C.E.	A-081	WAIVED			
RADIUM 226	09501	WAIVED			
RADIUM 228	11501	WAIVED			

**Testing interval is in months;*
0 = No data for this constituent and is DUE NOW
999 = Waived testing (not required)
I = Invalid (NOT) valid analyses reported

System Number: ***1900212***

System Name: ***CAMP SINGING PINES***

PS Code: ***1900212-001***

Source Name: ***PURCHASED WATER - TREATED - INACTIVE***

Source Number: ***001***

Source Status: ***PURCHASED TREATED***

Water type: ***GROUNDWATER OR WELL***

	STORET NUMBER	TESTING INTERVAL (MONTHS)*	LAST TEST DATE (yyyy/mm/dd)	LAST RESULT REPORTED	NEXT TEST DATE (yyyy/mm)
RADIOLOGICAL					
RADIUM, TOTAL, MDA95-NTNC ONLY, BY 903.0	A-082	WAIVED			
STRONTIUM-90	13501	WAIVED			
TRITIUM	07000	WAIVED			
URANIUM (PCI/L)	28012	WAIVED			
REGULATED SOC					
2,3,7,8-TCDD (DIOXIN)	34676	WAIVED			
2,4,5-TP (SILVEX)	39045	WAIVED			
2,4-D	39730	WAIVED			
ALACHLOR	77825	WAIVED			
ATRAZINE	39033	WAIVED			
BENTAZON	38710	WAIVED			
BENZO (A) PYRENE	34247	WAIVED			
CARBOFURAN	81405	WAIVED			
CHLORDANE	39350	WAIVED			
DALAPON	38432	WAIVED			
DI(2-ETHYLHEXYL)ADIPATE	A-026	WAIVED			
DI(2-ETHYLHEXYL)PHTHALATE	39100	WAIVED			
DIBROMOCHLOROPROPANE (DBCP)	38761	WAIVED			
DINOSEB	81287	WAIVED			
DIQUAT	78885	WAIVED			
ENDOTHALL	38926	WAIVED			
ENDRIN	39390	WAIVED			
ETHYLENE DIBROMIDE (EDB)	77651	WAIVED			
GLYPHOSATE	79743	WAIVED			
HEPTACHLOR	39410	WAIVED			
HEPTACHLOR EPOXIDE	39420	WAIVED			
HEXACHLOROBENZENE	39700	WAIVED			
HEXACHLOROCYCLOPENTADIENE	34386	WAIVED			
LINDANE	39340	WAIVED			

**Testing interval is in months;*
0 = No data for this constituent and is DUE NOW
999 = Waived testing (not required)
I = Invalid (NOT) valid analyses reported

System Number: ***1900212***

System Name: ***CAMP SINGING PINES***

PS Code: ***1900212-001***

Source Name: ***PURCHASED WATER - TREATED - INACTIVE***

Source Number: ***001***

Source Status: ***PURCHASED TREATED***

Water type: ***GROUNDWATER OR WELL***

	STORET NUMBER	TESTING INTERVAL (MONTHS)*	LAST TEST DATE (yyyy/mm/dd)	LAST RESULT REPORTED	NEXT TEST DATE (yyyy/mm)
REGULATED SOC					
METHOXYCHLOR	39480	WAIVED			
MOLINATE	82199	WAIVED			
OXAMYL	38865	WAIVED			
PENTACHLOROPHENOL	39032	WAIVED			
PICLORAM	39720	WAIVED			
POLYCHLORINATED BIPHENYLS, TOTAL, AS DCB	39516	WAIVED			
SIMAZINE	39055	WAIVED			
THIOBENCARB	A-001	WAIVED			
TOXAPHENE	39400	WAIVED			
REGULATED VOC					
1,1,1-TRICHLOROETHANE	34506	WAIVED			
1,1,2,2-TETRACHLOROETHANE	34516	WAIVED			
1,1,2-TRICHLORO-1,2,2-TRIFLUOROETHANE	81611	WAIVED			
1,1,2-TRICHLOROETHANE	34511	WAIVED			
1,1-DICHLOROETHANE	34496	WAIVED			
1,1-DICHLOROETHYLENE	34501	WAIVED			
1,2,4-TRICHLOROBENZENE	34551	WAIVED			
1,2-DICHLOROBENZENE	34536	WAIVED			
1,2-DICHLOROETHANE	34531	WAIVED			
1,2-DICHLOROPROPANE	34541	WAIVED			
1,3-DICHLOROPROPENE (TOTAL)	34561	WAIVED			
1,4-DICHLOROBENZENE	34571	WAIVED			
BENZENE	34030	WAIVED			
CARBON TETRACHLORIDE	32102	WAIVED			
CIS-1,2-DICHLOROETHYLENE	77093	WAIVED			
DICHLOROMETHANE	34423	WAIVED			
ETHYLBENZENE	34371	WAIVED			
METHYL-TERT-BUTYL-ETHER (MTBE)	46491	WAIVED			
MONOCHLOROBENZENE	34301	WAIVED			

**Testing interval is in months;*
0 = No data for this constituent and is DUE NOW
999 = Waived testing (not required)
I = Invalid (NOT) valid analyses reported

System Number: ***1900212***

System Name: ***CAMP SINGING PINES***

PS Code: ***1900212-001***

Source Name: ***PURCHASED WATER - TREATED - INACTIVE***

Source Number: ***001***

Source Status: ***PURCHASED TREATED***

Water type: ***GROUNDWATER OR WELL***

	STORET NUMBER	TESTING INTERVAL (MONTHS)*	LAST TEST DATE (yyyy/mm/dd)	LAST RESULT REPORTED	NEXT TEST DATE (yyyy/mm)
REGULATED VOC					
STYRENE	77128	WAIVED			
TETRACHLOROETHYLENE	34475	WAIVED			
TOLUENE	34010	WAIVED			
TRANS-1,2-DICHLOROETHYLENE	34546	WAIVED			
TRICHLOROETHYLENE	39180	WAIVED			
TRICHLOROFLUOROMETHANE	34488	WAIVED			
VINYL CHLORIDE	39175	WAIVED			
XYLENES (TOTAL)	81551	WAIVED			
SECONDARY/GP					
AGGRSSIVE INDEX (CORROSIVITY)	82383	WAIVED			
BICARBONATE ALKALINITY	00440	WAIVED			
CALCIUM	00916	WAIVED			
CARBONATE ALKALINITY	00445	WAIVED			
CHLORIDE	00940	WAIVED			
COLOR	00081	WAIVED			
COPPER	01042	WAIVED			
FOAMING AGENTS (MBAS)	38260	WAIVED			
HARDNESS (TOTAL) AS CACO3	00900	WAIVED			
HYDROXIDE ALKALINITY	71830	WAIVED			
IRON	01045	WAIVED			
MAGNESIUM	00927	WAIVED			
MANGANESE	01055	WAIVED			
ODOR THRESHOLD @ 60 C	00086	WAIVED			
PH, LABORATORY	00403	WAIVED			
SILVER	01077	WAIVED			
SODIUM	00929	WAIVED			
SPECIFIC CONDUCTANCE	00095	WAIVED			
SULFATE	00945	WAIVED			
TOTAL DISSOLVED SOLIDS	70300	WAIVED			

**Testing interval is in months;*
0 = No data for this constituent and is DUE NOW
999 = Waived testing (not required)
I = Invalid (NOT) valid analyses reported

System Number: ***1900212***

System Name: ***CAMP SINGING PINES***

PS Code: ***1900212-001***

Source Name: ***PURCHASED WATER - TREATED - INACTIVE***

Source Number: ***001***

Source Status: ***PURCHASED TREATED***

Water type: ***GROUNDWATER OR WELL***

SECONDARY/GP

	STORET NUMBER	TESTING INTERVAL (MONTHS)*	LAST TEST DATE (yyyy/mm/dd)	LAST RESULT REPORTED	NEXT TEST DATE (yyyy/mm)
TURBIDITY, LABORATORY	82079	WAIVED			
ZINC	01092	WAIVED			

**Testing interval is in months;*
0 = No data for this constituent and is DUE NOW
999 = Waived testing (not required)
I = Invalid (NOT) valid analyses reported

System Number: ***1900236***

System Name: ***CAMP PAIGE-AFFGBAUGH***

PS Code: ***1900236-001***

Source Name: ***PURCHASED WATER - TREATED***

Source Number: ***001***

Source Status: ***PURCHASED TREATED***

Water type: ***SURFACE***

	STORET NUMBER	TESTING INTERVAL (MONTHS)*	LAST TEST DATE (yyyy/mm/dd)	LAST RESULT REPORTED	NEXT TEST DATE (yyyy/mm)
GENERAL NON CHAP 15					
DIAZINON	39570	WAIVED			
INORGANIC					
ALUMINUM	01105	WAIVED	2006/10/11	.000	
ANTIMONY	01097	WAIVED			
ARSENIC	01002	WAIVED	2006/10/11	.000	
ASBESTOS	81855	WAIVED			
BARIUM	01007	WAIVED			
BERYLLIUM	01012	WAIVED			
CADMIUM	01027	WAIVED	2006/10/11	.000	
CHROMIUM (TOTAL)	01034	WAIVED	2006/10/11	.000	
CYANIDE	01291	WAIVED			
FLUORIDE (F) (NATURAL-SOURCE)	00951	WAIVED	2006/10/11	.200	
LEAD	01051	WAIVED	2006/10/11	.000	
MERCURY	71900	WAIVED	2006/10/11	.000	
NICKEL	01067	WAIVED	2006/10/11	.000	
PERCHLORATE	A-031	WAIVED			
SELENIUM	01147	WAIVED	2006/10/11	.000	
THALLIUM	01059	WAIVED	2006/10/11	.000	
NITRATE/NITRITE					
NITRATE (AS NO3)	71850	WAIVED	2006/10/11	25.100	
NITRITE (AS N)	00620	WAIVED			
RADIOLOGICAL					
GROSS ALPHA	01501	WAIVED			
GROSS BETA	03501	WAIVED			
RA-226 FOR CWS OR TOTAL RA FOR NTNC BY 903.0	A-080	WAIVED			
RA-226 OR TOTAL RA BY 903.0 C.E.	A-081	WAIVED			
RADIUM 226	09501	WAIVED			
RADIUM 228	11501	WAIVED			

**Testing interval is in months;*
0 = No data for this constituent and is DUE NOW
999 = Waived testing (not required)
I = Invalid (NOT) valid analyses reported

System Number: ***1900236***

System Name: ***CAMP PAIGE-AFFGBAUGH***

PS Code: ***1900236-001***

Source Name: ***PURCHASED WATER - TREATED***

Source Number: ***001***

Source Status: ***PURCHASED TREATED***

Water type: ***SURFACE***

	STORET NUMBER	TESTING INTERVAL (MONTHS)*	LAST TEST DATE (yyyy/mm/dd)	LAST RESULT REPORTED	NEXT TEST DATE (yyyy/mm)
RADIOLOGICAL					
RADIUM, TOTAL, MDA95-NTNC ONLY, BY 903.0	A-082	WAIVED			
STRONTIUM-90	13501	WAIVED			
TRITIUM	07000	WAIVED			
URANIUM (PCI/L)	28012	WAIVED			
REGULATED SOC					
2,3,7,8-TCDD (DIOXIN)	34676	WAIVED			
2,4,5-TP (SILVEX)	39045	WAIVED			
2,4-D	39730	WAIVED			
ALACHLOR	77825	WAIVED			
ATRAZINE	39033	WAIVED			
BENTAZON	38710	WAIVED			
BENZO (A) PYRENE	34247	WAIVED			
CARBOFURAN	81405	WAIVED			
CHLORDANE	39350	WAIVED			
DALAPON	38432	WAIVED			
DI(2-ETHYLHEXYL)ADIPATE	A-026	WAIVED			
DI(2-ETHYLHEXYL)PHTHALATE	39100	WAIVED			
DIBROMOCHLOROPROPANE (DBCP)	38761	WAIVED			
DINOSEB	81287	WAIVED			
DIQUAT	78885	WAIVED			
ENDOTHALL	38926	WAIVED			
ENDRIN	39390	WAIVED			
ETHYLENE DIBROMIDE (EDB)	77651	WAIVED			
GLYPHOSATE	79743	WAIVED			
HEPTACHLOR	39410	WAIVED			
HEPTACHLOR EPOXIDE	39420	WAIVED			
HEXACHLOROBENZENE	39700	WAIVED			
HEXACHLOROCYCLOPENTADIENE	34386	WAIVED			
LINDANE	39340	WAIVED			

**Testing interval is in months;*
0 = No data for this constituent and is DUE NOW
999 = Waived testing (not required)
I = Invalid (NOT) valid analyses reported

System Number: ***1900236***

System Name: ***CAMP PAIGE-AFFGBAUGH***

PS Code: ***1900236-001***

Source Name: ***PURCHASED WATER - TREATED***

Source Number: ***001***

Source Status: ***PURCHASED TREATED***

Water type: ***SURFACE***

	STORET NUMBER	TESTING INTERVAL (MONTHS)*	LAST TEST DATE (yyyy/mm/dd)	LAST RESULT REPORTED	NEXT TEST DATE (yyyy/mm)
REGULATED SOC					
METHOXYCHLOR	39480	WAIVED			
MOLINATE	82199	WAIVED			
OXAMYL	38865	WAIVED			
PENTACHLOROPHENOL	39032	WAIVED			
PICLORAM	39720	WAIVED			
POLYCHLORINATED BIPHENYLS, TOTAL, AS DCB	39516	WAIVED			
SIMAZINE	39055	WAIVED			
THIOBENCARB	A-001	WAIVED			
TOXAPHENE	39400	WAIVED			
REGULATED VOC					
1,1,1-TRICHLOROETHANE	34506	WAIVED			
1,1,2,2-TETRACHLOROETHANE	34516	WAIVED			
1,1,2-TRICHLORO-1,2,2-TRIFLUOROETHANE	81611	WAIVED			
1,1,2-TRICHLOROETHANE	34511	WAIVED			
1,1-DICHLOROETHANE	34496	WAIVED			
1,1-DICHLOROETHYLENE	34501	WAIVED			
1,2,4-TRICHLOROBENZENE	34551	WAIVED			
1,2-DICHLOROBENZENE	34536	WAIVED			
1,2-DICHLOROETHANE	34531	WAIVED			
1,2-DICHLOROPROPANE	34541	WAIVED			
1,3-DICHLOROPROPENE (TOTAL)	34561	WAIVED			
1,4-DICHLOROBENZENE	34571	WAIVED			
BENZENE	34030	WAIVED			
CARBON TETRACHLORIDE	32102	WAIVED			
CIS-1,2-DICHLOROETHYLENE	77093	WAIVED			
DICHLOROMETHANE	34423	WAIVED			
ETHYLBENZENE	34371	WAIVED			
METHYL-TERT-BUTYL-ETHER (MTBE)	46491	WAIVED			
MONOCHLOROBENZENE	34301	WAIVED			

**Testing interval is in months;*
0 = No data for this constituent and is DUE NOW
999 = Waived testing (not required)
I = Invalid (NOT) valid analyses reported

System Number: ***1900236***

System Name: ***CAMP PAIGE-AFFGBAUGH***

PS Code: ***1900236-001***

Source Name: ***PURCHASED WATER - TREATED***

Source Number: ***001***

Source Status: ***PURCHASED TREATED***

Water type: ***SURFACE***

	STORET NUMBER	TESTING INTERVAL (MONTHS)*	LAST TEST DATE (yyyy/mm/dd)	LAST RESULT REPORTED	NEXT TEST DATE (yyyy/mm)
REGULATED VOC					
STYRENE	77128	WAIVED			
TETRACHLOROETHYLENE	34475	WAIVED			
TOLUENE	34010	WAIVED			
TRANS-1,2-DICHLOROETHYLENE	34546	WAIVED			
TRICHLOROETHYLENE	39180	WAIVED			
TRICHLOROFLUOROMETHANE	34488	WAIVED			
VINYL CHLORIDE	39175	WAIVED			
XYLENES (TOTAL)	81551	WAIVED			
SECONDARY/GP					
AGGRSSIVE INDEX (CORROSIVITY)	82383	WAIVED			
BICARBONATE ALKALINITY	00440	WAIVED	2006/10/11	114.000	
CALCIUM	00916	WAIVED	2006/10/11	36.100	
CARBONATE ALKALINITY	00445	WAIVED	2006/10/11	.000	
CHLORIDE	00940	WAIVED	2006/10/11	46.500	
COLOR	00081	WAIVED			
COPPER	01042	WAIVED	2006/10/11	.000	
FOAMING AGENTS (MBAS)	38260	WAIVED			
HARDNESS (TOTAL) AS CACO3	00900	WAIVED	2006/10/11	160.000	
HYDROXIDE ALKALINITY	71830	WAIVED	2006/10/11	.000	
IRON	01045	WAIVED	2006/10/11	.000	
MAGNESIUM	00927	WAIVED	2006/10/11	17.000	
MANGANESE	01055	WAIVED	2006/10/11	.000	
ODOR THRESHOLD @ 60 C	00086	WAIVED			
PH, LABORATORY	00403	WAIVED	2006/10/11	7.050	
SILVER	01077	WAIVED	2006/10/11	.000	
SODIUM	00929	WAIVED	2006/10/11	29.200	
SPECIFIC CONDUCTANCE	00095	WAIVED			
SULFATE	00945	WAIVED	2006/10/11	41.100	
TOTAL DISSOLVED SOLIDS	70300	WAIVED	2006/10/11	278.000	

**Testing interval is in months;*
0 = No data for this constituent and is DUE NOW
999 = Waived testing (not required)
I = Invalid (NOT) valid analyses reported

System Number: ***1900236***

System Name: ***CAMP PAIGE-AFFGBAUGH***

PS Code: ***1900236-001***

Source Name: ***PURCHASED WATER - TREATED***

Source Number: ***001***

Source Status: ***PURCHASED TREATED***

Water type: ***SURFACE***

SECONDARY/GP

	STORET NUMBER	TESTING INTERVAL (MONTHS)*	LAST TEST DATE (yyyy/mm/dd)	LAST RESULT REPORTED	NEXT TEST DATE (yyyy/mm)
TURBIDITY, LABORATORY	82079	WAIVED	2006/10/11	.230	
ZINC	01092	WAIVED	2006/10/11	.000	

**Testing interval is in months;*
0 = No data for this constituent and is DUE NOW
999 = Waived testing (not required)
I = Invalid (NOT) valid analyses reported

System Number: ***1900244***

System Name: ***PYRAMID LAKE RV RECREATION RANCH***

PS Code: ***1900244-001***

Source Name: ***WELL 01***

Source Number: ***001***

Source Status: ***ACTIVE UNTREATED***

Water type: ***GROUNDWATER OR WELL***

	STORET NUMBER	TESTING INTERVAL (MONTHS)*	LAST TEST DATE (yyyy/mm/dd)	LAST RESULT REPORTED	NEXT TEST DATE (yyyy/mm)
GENERAL NON CHAP 15					
DIAZINON	39570	WAIVED			
INORGANIC					
ALUMINUM	01105	WAIVED	2006/01/31	.000	
ANTIMONY	01097	WAIVED	2006/01/17	.000	
ARSENIC	01002	WAIVED	2006/01/31	.000	
ASBESTOS	81855	WAIVED			
BARIUM	01007	WAIVED	2006/01/17	.000	
BERYLLIUM	01012	WAIVED			
CADMIUM	01027	WAIVED	2006/01/31	.000	
CHROMIUM (TOTAL)	01034	WAIVED	2006/01/31	.000	
CYANIDE	01291	WAIVED			
FLUORIDE (F) (NATURAL-SOURCE)	00951	WAIVED	2006/01/31	.000	
LEAD	01051	WAIVED	2006/01/31	.000	
MERCURY	71900	WAIVED	2006/01/31	.000	
NICKEL	01067	WAIVED	2006/01/31	.000	
PERCHLORATE	A-031	WAIVED	2002/11/11	.000	
SELENIUM	01147	WAIVED	2006/01/31	.000	
THALLIUM	01059	WAIVED			
NITRATE/NITRITE					
NITRATE (AS NO3)	71850	WAIVED	2011/03/16	22.000	
NITRITE (AS N)	00620	WAIVED	2006/01/17	.000	
RADIOLOGICAL					
GROSS ALPHA	01501	WAIVED			
GROSS BETA	03501	WAIVED			
RA-226 FOR CWS OR TOTAL RA FOR NTNC BY 903.0	A-080	WAIVED			
RA-226 OR TOTAL RA BY 903.0 C.E.	A-081	WAIVED			
RADIUM 226	09501	WAIVED			
RADIUM 228	11501	WAIVED			

**Testing interval is in months;*
0 = No data for this constituent and is DUE NOW
999 = Waived testing (not required)
I = Invalid (NOT) valid analyses reported

System Number: ***1900244***

System Name: ***PYRAMID LAKE RV RECREATION RANCH***

PS Code: ***1900244-001***

Source Name: ***WELL 01***

Source Number: ***001***

Source Status: ***ACTIVE UNTREATED***

Water type: ***GROUNDWATER OR WELL***

	STORET NUMBER	TESTING INTERVAL (MONTHS)*	LAST TEST DATE (yyyy/mm/dd)	LAST RESULT REPORTED	NEXT TEST DATE (yyyy/mm)
RADIOLOGICAL					
RADIUM, TOTAL, MDA95-NTNC ONLY, BY 903.0	A-082	WAIVED			
STRONTIUM-90	13501	WAIVED			
TRITIUM	07000	WAIVED			
URANIUM (PCI/L)	28012	WAIVED			
REGULATED SOC					
2,3,7,8-TCDD (DIOXIN)	34676	WAIVED			
2,4,5-TP (SILVEX)	39045	WAIVED			
2,4-D	39730	WAIVED			
ALACHLOR	77825	WAIVED			
ATRAZINE	39033	WAIVED			
BENTAZON	38710	WAIVED			
BENZO (A) PYRENE	34247	WAIVED			
CARBOFURAN	81405	WAIVED			
CHLORDANE	39350	WAIVED			
DALAPON	38432	WAIVED			
DI(2-ETHYLHEXYL)ADIPATE	A-026	WAIVED			
DI(2-ETHYLHEXYL)PHTHALATE	39100	WAIVED			
DIBROMOCHLOROPROPANE (DBCP)	38761	WAIVED			
DINOSEB	81287	WAIVED			
DIQUAT	78885	WAIVED			
ENDOTHALL	38926	WAIVED			
ENDRIN	39390	WAIVED			
ETHYLENE DIBROMIDE (EDB)	77651	WAIVED			
GLYPHOSATE	79743	WAIVED			
HEPTACHLOR	39410	WAIVED			
HEPTACHLOR EPOXIDE	39420	WAIVED			
HEXACHLOROBENZENE	39700	WAIVED			
HEXACHLOROCYCLOPENTADIENE	34386	WAIVED			
LINDANE	39340	WAIVED			

**Testing interval is in months;*
0 = No data for this constituent and is DUE NOW
999 = Waived testing (not required)
I = Invalid (NOT) valid analyses reported

System Number: ***1900244***

System Name: ***PYRAMID LAKE RV RECREATION RANCH***

PS Code: ***1900244-001***

Source Name: ***WELL 01***

Source Number: ***001***

Source Status: ***ACTIVE UNTREATED***

Water type: ***GROUNDWATER OR WELL***

	STORET NUMBER	TESTING INTERVAL (MONTHS)*	LAST TEST DATE (yyyy/mm/dd)	LAST RESULT REPORTED	NEXT TEST DATE (yyyy/mm)
REGULATED SOC					
METHOXYCHLOR	39480	WAIVED			
MOLINATE	82199	WAIVED			
OXAMYL	38865	WAIVED			
PENTACHLOROPHENOL	39032	WAIVED			
PICLORAM	39720	WAIVED			
POLYCHLORINATED BIPHENYLS, TOTAL, AS DCB	39516	WAIVED			
SIMAZINE	39055	WAIVED			
THIOBENCARB	A-001	WAIVED	2002/11/11	.000	
TOXAPHENE	39400	WAIVED			
REGULATED VOC					
1,1,1-TRICHLOROETHANE	34506	WAIVED			
1,1,2,2-TETRACHLOROETHANE	34516	WAIVED			
1,1,2-TRICHLORO-1,2,2-TRIFLUOROETHANE	81611	WAIVED			
1,1,2-TRICHLOROETHANE	34511	WAIVED			
1,1-DICHLOROETHANE	34496	WAIVED			
1,1-DICHLOROETHYLENE	34501	WAIVED			
1,2,4-TRICHLOROBENZENE	34551	WAIVED			
1,2-DICHLOROBENZENE	34536	WAIVED			
1,2-DICHLOROETHANE	34531	WAIVED			
1,2-DICHLOROPROPANE	34541	WAIVED			
1,3-DICHLOROPROPENE (TOTAL)	34561	WAIVED			
1,4-DICHLOROBENZENE	34571	WAIVED			
BENZENE	34030	WAIVED			
CARBON TETRACHLORIDE	32102	WAIVED			
CIS-1,2-DICHLOROETHYLENE	77093	WAIVED			
DICHLOROMETHANE	34423	WAIVED			
ETHYLBENZENE	34371	WAIVED			
METHYL-TERT-BUTYL-ETHER (MTBE)	46491	WAIVED			
MONOCHLOROBENZENE	34301	WAIVED			

**Testing interval is in months;*
0 = No data for this constituent and is DUE NOW
999 = Waived testing (not required)
I = Invalid (NOT) valid analyses reported

System Number: ***1900244***

System Name: ***PYRAMID LAKE RV RECREATION RANCH***

PS Code: ***1900244-001***

Source Name: ***WELL 01***

Source Number: ***001***

Source Status: ***ACTIVE UNTREATED***

Water type: ***GROUNDWATER OR WELL***

	STORET NUMBER	TESTING INTERVAL (MONTHS)*	LAST TEST DATE (yyyy/mm/dd)	LAST RESULT REPORTED	NEXT TEST DATE (yyyy/mm)
REGULATED VOC					
STYRENE	77128	WAIVED			
TETRACHLOROETHYLENE	34475	WAIVED			
TOLUENE	34010	WAIVED			
TRANS-1,2-DICHLOROETHYLENE	34546	WAIVED			
TRICHLOROETHYLENE	39180	WAIVED			
TRICHLOROFLUOROMETHANE	34488	WAIVED			
VINYL CHLORIDE	39175	WAIVED			
XYLENES (TOTAL)	81551	WAIVED			
SECONDARY/GP					
AGGRSSIVE INDEX (CORROSIVITY)	82383	WAIVED			
BICARBONATE ALKALINITY	00440	WAIVED	2006/01/31	87.200	
CALCIUM	00916	WAIVED	2006/01/31	22.400	
CARBONATE ALKALINITY	00445	WAIVED	2006/01/31	.000	
CHLORIDE	00940	WAIVED	2006/01/31	98.600	
COLOR	00081	WAIVED	2004/03/02	.000	
COPPER	01042	WAIVED	2006/01/31	.000	
FOAMING AGENTS (MBAS)	38260	WAIVED	2006/01/31	.000	
HARDNESS (TOTAL) AS CACO3	00900	WAIVED	2006/01/31	116.000	
HYDROXIDE ALKALINITY	71830	WAIVED	2006/01/31	.000	
IRON	01045	WAIVED	2008/10/01	< 50.000	
MAGNESIUM	00927	WAIVED	2006/01/31	14.600	
MANGANESE	01055	WAIVED	2008/10/01	150.000	
ODOR THRESHOLD @ 60 C	00086	WAIVED	2004/03/02	.000	
PH, LABORATORY	00403	WAIVED	2006/01/31	7.620	
SILVER	01077	WAIVED	2006/01/31	.000	
SODIUM	00929	WAIVED	2006/01/31	62.000	
SPECIFIC CONDUCTANCE	00095	WAIVED	2005/12/20	1335.000	
SULFATE	00945	WAIVED	2006/01/31	41.900	
TOTAL DISSOLVED SOLIDS	70300	WAIVED	2006/01/31	306.000	

**Testing interval is in months;*
0 = No data for this constituent and is DUE NOW
999 = Waived testing (not required)
I = Invalid (NOT) valid analyses reported

System Number: ***1900244***

System Name: ***PYRAMID LAKE RV RECREATION RANCH***

PS Code: ***1900244-001***

Source Name: ***WELL 01***

Source Number: ***001***

Source Status: ***ACTIVE UNTREATED***

Water type: ***GROUNDWATER OR WELL***

SECONDARY/GP

	STORET NUMBER	TESTING INTERVAL (MONTHS)*	LAST TEST DATE (yyyy/mm/dd)	LAST RESULT REPORTED	NEXT TEST DATE (yyyy/mm)
TURBIDITY, LABORATORY	82079	WAIVED	2006/01/31	.200	
ZINC	01092	WAIVED	2006/01/31	83.800	

**Testing interval is in months;*
0 = No data for this constituent and is DUE NOW
999 = Waived testing (not required)
I = Invalid (NOT) valid analyses reported

System Number: ***1900301***

System Name: ***SHADOW ACRES MUTUAL WATER CO***

PS Code: ***1900301-001***

Source Name: ***WELL 01***

Source Number: ***001***

Source Status: ***ACTIVE UNTREATED***

Water type: ***GROUNDWATER OR WELL***

	STORET NUMBER	TESTING INTERVAL (MONTHS)*	LAST TEST DATE (yyyy/mm/dd)	LAST RESULT REPORTED	NEXT TEST DATE (yyyy/mm)
GENERAL NON CHAP 15					
DIAZINON	39570	WAIVED			
INORGANIC					
ALUMINUM	01105	WAIVED	2011/03/22	< .000	
ANTIMONY	01097	WAIVED	2011/03/22	< .000	
ARSENIC	01002	WAIVED	2011/03/22	< .000	
ASBESTOS	81855	WAIVED	2011/03/22	.000	
BARIUM	01007	WAIVED	2011/03/22	< .000	
BERYLLIUM	01012	WAIVED	2011/03/22	< .000	
CADMIUM	01027	WAIVED	2011/03/22	< .000	
CHROMIUM (TOTAL)	01034	WAIVED	2011/03/22	10.000	
CYANIDE	01291	WAIVED	2011/03/22	< .000	
FLUORIDE (F) (NATURAL-SOURCE)	00951	WAIVED	2011/03/22	.840	
LEAD	01051	WAIVED	2011/03/22	< .000	
MERCURY	71900	WAIVED	2011/03/22	< .000	
NICKEL	01067	WAIVED	2011/03/22	< .000	
PERCHLORATE	A-031	WAIVED	2011/10/18	< .000	
SELENIUM	01147	WAIVED	2011/03/22	7.900	
THALLIUM	01059	WAIVED	2011/03/22	< .000	
NITRATE/NITRITE					
NITRATE (AS NO3)	71850	WAIVED	2011/03/22	29.000	
NITRITE (AS N)	00620	WAIVED	2011/03/22	< .000	
RADIOLOGICAL					
GROSS ALPHA	01501	WAIVED			
GROSS BETA	03501	WAIVED			
RA-226 FOR CWS OR TOTAL RA FOR NTNC BY 903.0	A-080	WAIVED			
RA-226 OR TOTAL RA BY 903.0 C.E.	A-081	WAIVED			
RADIUM 226	09501	WAIVED			
RADIUM 228	11501	WAIVED			

**Testing interval is in months;*
0 = No data for this constituent and is DUE NOW
999 = Waived testing (not required)
I = Invalid (NOT) valid analyses reported

System Number: ***1900301***

System Name: ***SHADOW ACRES MUTUAL WATER CO***

PS Code: ***1900301-001***

Source Name: ***WELL 01***

Source Number: ***001***

Source Status: ***ACTIVE UNTREATED***

Water type: ***GROUNDWATER OR WELL***

	STORET NUMBER	TESTING INTERVAL (MONTHS)*	LAST TEST DATE (yyyy/mm/dd)	LAST RESULT REPORTED	NEXT TEST DATE (yyyy/mm)
RADIOLOGICAL					
RADIUM, TOTAL, MDA95-NTNC ONLY, BY 903.0	A-082	WAIVED			
STRONTIUM-90	13501	WAIVED			
TRITIUM	07000	WAIVED			
URANIUM (PCI/L)	28012	WAIVED			
REGULATED SOC					
2,3,7,8-TCDD (DIOXIN)	34676	WAIVED			
2,4,5-TP (SILVEX)	39045	WAIVED			
2,4-D	39730	WAIVED			
ALACHLOR	77825	WAIVED	2003/03/21	.000	
ATRAZINE	39033	WAIVED			
BENTAZON	38710	WAIVED			
BENZO (A) PYRENE	34247	WAIVED			
CARBOFURAN	81405	WAIVED			
CHLORDANE	39350	WAIVED	2003/03/21	.000	
DALAPON	38432	WAIVED			
DI(2-ETHYLHEXYL)ADIPATE	A-026	WAIVED			
DI(2-ETHYLHEXYL)PHTHALATE	39100	WAIVED			
DIBROMOCHLOROPROPANE (DBCP)	38761	WAIVED			
DINOSEB	81287	WAIVED			
DIQUAT	78885	WAIVED			
ENDOTHALL	38926	WAIVED			
ENDRIN	39390	WAIVED	2003/03/21	.000	
ETHYLENE DIBROMIDE (EDB)	77651	WAIVED			
GLYPHOSATE	79743	WAIVED			
HEPTACHLOR	39410	WAIVED	2003/03/21	.000	
HEPTACHLOR EPOXIDE	39420	WAIVED	2003/03/21	.000	
HEXACHLOROBENZENE	39700	WAIVED	2003/03/21	.000	
HEXACHLOROCYCLOPENTADIENE	34386	WAIVED	2003/03/21	.000	
LINDANE	39340	WAIVED	2003/03/21	.000	

**Testing interval is in months;*
0 = No data for this constituent and is DUE NOW
999 = Waived testing (not required)
I = Invalid (NOT) valid analyses reported

System Number: ***1900301***

System Name: ***SHADOW ACRES MUTUAL WATER CO***

PS Code: ***1900301-001***

Source Name: ***WELL 01***

Source Number: ***001***

Source Status: ***ACTIVE UNTREATED***

Water type: ***GROUNDWATER OR WELL***

	STORET NUMBER	TESTING INTERVAL (MONTHS)*	LAST TEST DATE (yyyy/mm/dd)	LAST RESULT REPORTED	NEXT TEST DATE (yyyy/mm)
REGULATED SOC					
METHOXYCHLOR	39480	WAIVED	2003/03/21	.000	
MOLINATE	82199	WAIVED			
OXAMYL	38865	WAIVED			
PENTACHLOROPHENOL	39032	WAIVED			
PICLORAM	39720	WAIVED			
POLYCHLORINATED BIPHENYLS, TOTAL, AS DCB	39516	WAIVED	2003/03/21	.000	
SIMAZINE	39055	WAIVED			
THIOBENCARB	A-001	WAIVED			
TOXAPHENE	39400	WAIVED	2003/03/21	.000	
REGULATED VOC					
1,1,1-TRICHLOROETHANE	34506	WAIVED	2009/12/28	.000	
1,1,2,2-TETRACHLOROETHANE	34516	WAIVED	2009/12/28	.000	
1,1,2-TRICHLORO-1,2,2-TRIFLUOROETHANE	81611	WAIVED	2009/12/28	.000	
1,1,2-TRICHLOROETHANE	34511	WAIVED	2009/12/28	.000	
1,1-DICHLOROETHANE	34496	WAIVED	2009/12/28	.000	
1,1-DICHLOROETHYLENE	34501	WAIVED	2009/12/28	.000	
1,2,4-TRICHLOROBENZENE	34551	WAIVED	2009/12/28	.000	
1,2-DICHLOROBENZENE	34536	WAIVED	2009/12/28	.000	
1,2-DICHLOROETHANE	34531	WAIVED	2009/12/28	.000	
1,2-DICHLOROPROPANE	34541	WAIVED	2009/12/28	.000	
1,3-DICHLOROPROPENE (TOTAL)	34561	WAIVED	2009/12/28	.000	
1,4-DICHLOROBENZENE	34571	WAIVED	2009/12/28	.000	
BENZENE	34030	WAIVED	2009/12/28	.000	
CARBON TETRACHLORIDE	32102	WAIVED	2009/12/28	.000	
CIS-1,2-DICHLOROETHYLENE	77093	WAIVED	2009/12/28	.000	
DICHLOROMETHANE	34423	WAIVED	2009/12/28	.000	
ETHYLBENZENE	34371	WAIVED	2009/12/28	.000	
METHYL-TERT-BUTYL-ETHER (MTBE)	46491	WAIVED	2009/12/28	.000	
MONOCHLOROBENZENE	34301	WAIVED	2009/12/28	.000	

**Testing interval is in months;*
0 = No data for this constituent and is DUE NOW
999 = Waived testing (not required)
I = Invalid (NOT) valid analyses reported

System Number: 1900301
System Name: SHADOW ACRES MUTUAL WATER CO

PS Code: 1900301-001
Source Name: WELL 01
Source Number: 001
Source Status: ACTIVE UNTREATED
Water type: GROUNDWATER OR WELL

	STORET NUMBER	TESTING INTERVAL (MONTHS)*	LAST TEST DATE (yyyy/mm/dd)	LAST RESULT REPORTED	NEXT TEST DATE (yyyy/mm)
REGULATED VOC					
STYRENE	77128	WAIVED	2009/12/28	.000	
TETRACHLOROETHYLENE	34475	WAIVED	2009/12/28	.000	
TOLUENE	34010	WAIVED	2009/12/28	.000	
TRANS-1,2-DICHLOROETHYLENE	34546	WAIVED	2009/12/28	.000	
TRICHLOROETHYLENE	39180	WAIVED	2009/12/28	.000	
TRICHLOROFLUOROMETHANE	34488	WAIVED	2009/12/28	.000	
VINYL CHLORIDE	39175	WAIVED	2009/12/28	.000	
XYLENES (TOTAL)	81551	WAIVED	2009/12/28	< .500	
SECONDARY/GP					
AGGRSSIVE INDEX (CORROSIVITY)	82383	WAIVED	2011/03/22	13.000	
BICARBONATE ALKALINITY	00440	WAIVED	2011/03/22	340.000	
CALCIUM	00916	WAIVED	2011/03/22	130.000	
CARBONATE ALKALINITY	00445	WAIVED	2011/03/22	< .000	
CHLORIDE	00940	WAIVED	2011/03/22	120.000	
COLOR	00081	WAIVED	2011/03/22	10.000	
COPPER	01042	WAIVED	2011/03/22	< .000	
FOAMING AGENTS (MBAS)	38260	WAIVED	2011/03/22	< .000	
HARDNESS (TOTAL) AS CACO3	00900	WAIVED	2011/03/22	480.000	
HYDROXIDE ALKALINITY	71830	WAIVED	2011/03/22	< .000	
IRON	01045	WAIVED	2011/03/22	3800.000	
MAGNESIUM	00927	WAIVED	2011/03/22	40.000	
MANGANESE	01055	WAIVED	2011/03/22	< .000	
ODOR THRESHOLD @ 60 C	00086	WAIVED	2011/03/22	< .000	
PH, LABORATORY	00403	WAIVED	2011/03/22	8.000	
SILVER	01077	WAIVED	2011/03/22	< .000	
SODIUM	00929	WAIVED	2011/03/22	190.000	
SPECIFIC CONDUCTANCE	00095	WAIVED	2011/03/22	1500.000	
SULFATE	00945	WAIVED	2011/03/22	350.000	
TOTAL DISSOLVED SOLIDS	70300	WAIVED	2011/03/22	1000.000	

**Testing interval is in months;*
0 = No data for this constituent and is DUE NOW
999 = Waived testing (not required)
I = Invalid (NOT) valid analyses reported

System Number: ***1900301***

System Name: ***SHADOW ACRES MUTUAL WATER CO***

PS Code: ***1900301-001***

Source Name: ***WELL 01***

Source Number: ***001***

Source Status: ***ACTIVE UNTREATED***

Water type: ***GROUNDWATER OR WELL***

	STORET NUMBER	TESTING INTERVAL (MONTHS)*	LAST TEST DATE (yyyy/mm/dd)	LAST RESULT REPORTED	NEXT TEST DATE (yyyy/mm)
SECONDARY/GP					
TURBIDITY, LABORATORY	82079	WAIVED	2011/03/22	4.400	
ZINC	01092	WAIVED	2011/03/22	130.000	

PS Code: ***1900301-002***

Source Name: ***PURCHASED WATER***

Source Number: ***002***

Source Status: ***PURCHASED UNTREATED***

Water type: ***GROUNDWATER OR WELL***

GENERAL NON CHAP 15					
DIAZINON	39570	WAIVED			
INORGANIC					
ALUMINUM	01105	WAIVED			
ANTIMONY	01097	WAIVED			
ARSENIC	01002	WAIVED			
ASBESTOS	81855	WAIVED	2010/03/22	.000	
BARIUM	01007	WAIVED			
BERYLLIUM	01012	WAIVED			
CADMIUM	01027	WAIVED			
CHROMIUM (TOTAL)	01034	WAIVED			
CYANIDE	01291	WAIVED			
FLUORIDE (F) (NATURAL-SOURCE)	00951	WAIVED			
LEAD	01051	WAIVED	2008/01/21	.000	
MERCURY	71900	WAIVED			
NICKEL	01067	WAIVED			
PERCHLORATE	A-031	WAIVED	2008/09/29	.000	
SELENIUM	01147	WAIVED			
THALLIUM	01059	WAIVED			

**Testing interval is in months;*
0 = No data for this constituent and is DUE NOW
999 = Waived testing (not required)
I = Invalid (NOT) valid analyses reported

System Number: ***1900301***

System Name: ***SHADOW ACRES MUTUAL WATER CO***

PS Code: ***1900301-002***

Source Name: ***PURCHASED WATER***

Source Number: ***002***

Source Status: ***PURCHASED UNTREATED***

Water type: ***GROUNDWATER OR WELL***

	STORET NUMBER	TESTING INTERVAL (MONTHS)*	LAST TEST DATE (yyyy/mm/dd)	LAST RESULT REPORTED	NEXT TEST DATE (yyyy/mm)
NITRATE/NITRITE					
NITRATE (AS NO3)	71850	WAIVED	2011/06/21	25.000	
NITRITE (AS N)	00620	WAIVED			
RADIOLOGICAL					
GROSS ALPHA	01501	WAIVED			
GROSS BETA	03501	WAIVED			
RA-226 FOR CWS OR TOTAL RA FOR NTNC BY 903.0	A-080	WAIVED			
RA-226 OR TOTAL RA BY 903.0 C.E.	A-081	WAIVED			
RADIUM 226	09501	WAIVED			
RADIUM 228	11501	WAIVED			
RADIUM, TOTAL, MDA95-NTNC ONLY, BY 903.0	A-082	WAIVED			
STRONTIUM-90	13501	WAIVED			
TRITIUM	07000	WAIVED			
URANIUM (PCI/L)	28012	WAIVED			
REGULATED SOC					
2,3,7,8-TCDD (DIOXIN)	34676	WAIVED			
2,4,5-TP (SILVEX)	39045	WAIVED			
2,4-D	39730	WAIVED			
ALACHLOR	77825	WAIVED			
ATRAZINE	39033	WAIVED			
BENTAZON	38710	WAIVED			
BENZO (A) PYRENE	34247	WAIVED			
CARBOFURAN	81405	WAIVED			
CHLORDANE	39350	WAIVED			
DALAPON	38432	WAIVED			
DI(2-ETHYLHEXYL)ADIPATE	A-026	WAIVED			
DI(2-ETHYLHEXYL)PHTHALATE	39100	WAIVED			
DIBROMOCHLOROPROPANE (DBCP)	38761	WAIVED			
DINOSEB	81287	WAIVED			
DIQUAT	78885	WAIVED			

**Testing interval is in months;*
0 = No data for this constituent and is DUE NOW
999 = Waived testing (not required)
I = Invalid (NOT) valid analyses reported

System Number: ***1900301***

System Name: ***SHADOW ACRES MUTUAL WATER CO***

PS Code: ***1900301-002***

Source Name: ***PURCHASED WATER***

Source Number: ***002***

Source Status: ***PURCHASED UNTREATED***

Water type: ***GROUNDWATER OR WELL***

	STORET NUMBER	TESTING INTERVAL (MONTHS)*	LAST TEST DATE (yyyy/mm/dd)	LAST RESULT REPORTED	NEXT TEST DATE (yyyy/mm)
REGULATED SOC					
ENDOTHALL	38926	WAIVED			
ENDRIN	39390	WAIVED			
ETHYLENE DIBROMIDE (EDB)	77651	WAIVED			
GLYPHOSATE	79743	WAIVED			
HEPTACHLOR	39410	WAIVED			
HEPTACHLOR EPOXIDE	39420	WAIVED			
HEXACHLOROBENZENE	39700	WAIVED			
HEXACHLOROCYCLOPENTADIENE	34386	WAIVED			
LINDANE	39340	WAIVED			
METHOXYCHLOR	39480	WAIVED			
MOLINATE	82199	WAIVED			
OXAMYL	38865	WAIVED			
PENTACHLOROPHENOL	39032	WAIVED			
PICLORAM	39720	WAIVED			
POLYCHLORINATED BIPHENYLS, TOTAL, AS DCB	39516	WAIVED			
SIMAZINE	39055	WAIVED			
THIOBENCARB	A-001	WAIVED			
TOXAPHENE	39400	WAIVED			
REGULATED VOC					
1,1,1-TRICHLOROETHANE	34506	WAIVED			
1,1,2,2-TETRACHLOROETHANE	34516	WAIVED			
1,1,2-TRICHLORO-1,2,2-TRIFLUOROETHANE	81611	WAIVED			
1,1,2-TRICHLOROETHANE	34511	WAIVED			
1,1-DICHLOROETHANE	34496	WAIVED			
1,1-DICHLOROETHYLENE	34501	WAIVED			
1,2,4-TRICHLOROBENZENE	34551	WAIVED			
1,2-DICHLOROBENZENE	34536	WAIVED			
1,2-DICHLOROETHANE	34531	WAIVED			
1,2-DICHLOROPROPANE	34541	WAIVED			

**Testing interval is in months;*
0 = No data for this constituent and is DUE NOW
999 = Waived testing (not required)
I = Invalid (NOT) valid analyses reported

System Number: ***1900301***

System Name: ***SHADOW ACRES MUTUAL WATER CO***

PS Code: ***1900301-002***

Source Name: ***PURCHASED WATER***

Source Number: ***002***

Source Status: ***PURCHASED UNTREATED***

Water type: ***GROUNDWATER OR WELL***

	STORET NUMBER	TESTING INTERVAL (MONTHS)*	LAST TEST DATE (yyyy/mm/dd)	LAST RESULT REPORTED	NEXT TEST DATE (yyyy/mm)
REGULATED VOC					
1,3-DICHLOROPROPENE (TOTAL)	34561	WAIVED			
1,4-DICHLOROBENZENE	34571	WAIVED			
BENZENE	34030	WAIVED			
CARBON TETRACHLORIDE	32102	WAIVED			
CIS-1,2-DICHLOROETHYLENE	77093	WAIVED			
DICHLOROMETHANE	34423	WAIVED			
ETHYLBENZENE	34371	WAIVED			
METHYL-TERT-BUTYL-ETHER (MTBE)	46491	WAIVED			
MONOCHLOROBENZENE	34301	WAIVED			
STYRENE	77128	WAIVED			
TETRACHLOROETHYLENE	34475	WAIVED			
TOLUENE	34010	WAIVED			
TRANS-1,2-DICHLOROETHYLENE	34546	WAIVED			
TRICHLOROETHYLENE	39180	WAIVED			
TRICHLOROFLUOROMETHANE	34488	WAIVED			
VINYL CHLORIDE	39175	WAIVED			
XYLENES (TOTAL)	81551	WAIVED			
SECONDARY/GP					
AGGRSSIVE INDEX (CORROSIVITY)	82383	WAIVED			
BICARBONATE ALKALINITY	00440	WAIVED			
CALCIUM	00916	WAIVED			
CARBONATE ALKALINITY	00445	WAIVED			
CHLORIDE	00940	WAIVED			
COLOR	00081	WAIVED	2008/01/21	10.000	
COPPER	01042	WAIVED			
FOAMING AGENTS (MBAS)	38260	WAIVED			
HARDNESS (TOTAL) AS CACO3	00900	WAIVED			
HYDROXIDE ALKALINITY	71830	WAIVED			
IRON	01045	WAIVED	2011/06/21	900.000	

**Testing interval is in months;*
0 = No data for this constituent and is DUE NOW
999 = Waived testing (not required)
I = Invalid (NOT) valid analyses reported

System Number: ***1900301***

System Name: ***SHADOW ACRES MUTUAL WATER CO***

PS Code: ***1900301-002***

Source Name: ***PURCHASED WATER***

Source Number: ***002***

Source Status: ***PURCHASED UNTREATED***

Water type: ***GROUNDWATER OR WELL***

SECONDARY/GP

	STORET NUMBER	TESTING INTERVAL (MONTHS)*	LAST TEST DATE (yyyy/mm/dd)	LAST RESULT REPORTED	NEXT TEST DATE (yyyy/mm)
MAGNESIUM	00927	WAIVED			
MANGANESE	01055	WAIVED			
ODOR THRESHOLD @ 60 C	00086	WAIVED			
PH, LABORATORY	00403	WAIVED	2008/01/21	7.600	
SILVER	01077	WAIVED			
SODIUM	00929	WAIVED			
SPECIFIC CONDUCTANCE	00095	WAIVED	2008/09/29	1400.000	
SULFATE	00945	WAIVED			
TOTAL DISSOLVED SOLIDS	70300	WAIVED			
TURBIDITY, LABORATORY	82079	WAIVED	2008/01/21	5.300	
ZINC	01092	WAIVED			

PS Code: ***1900301-003***

Source Name: ***WELL 02***

Source Number: ***003***

Source Status: ***ACTIVE UNTREATED***

Water type: ***GROUNDWATER OR WELL***

GENERAL NON CHAP 15

DIAZINON	39570	WAIVED			

INORGANIC

ALUMINUM	01105	WAIVED	2011/03/22	< .000	
ANTIMONY	01097	WAIVED	2011/03/22	< .000	
ARSENIC	01002	WAIVED	2011/03/22	< .000	
ASBESTOS	81855	WAIVED	2011/03/22	.000	
BARIUM	01007	WAIVED	2011/03/22	< .000	
BERYLLIUM	01012	WAIVED	2011/03/22	< .000	
CADMIUM	01027	WAIVED	2011/03/22	< .000	
CHROMIUM (TOTAL)	01034	WAIVED	2011/03/22	< .000	
CYANIDE	01291	WAIVED	2011/03/22	< .000	

**Testing interval is in months;*
0 = No data for this constituent and is DUE NOW
999 = Waived testing (not required)
I = Invalid (NOT) valid analyses reported

System Number: ***1900301***

System Name: ***SHADOW ACRES MUTUAL WATER CO***

PS Code: ***1900301-003***

Source Name: ***WELL 02***

Source Number: ***003***

Source Status: ***ACTIVE UNTREATED***

Water type: ***GROUNDWATER OR WELL***

	STORET NUMBER	TESTING INTERVAL (MONTHS)*	LAST TEST DATE (yyyy/mm/dd)	LAST RESULT REPORTED	NEXT TEST DATE (yyyy/mm)
INORGANIC					
FLUORIDE (F) (NATURAL-SOURCE)	00951	WAIVED	2011/03/22	.290	
LEAD	01051	WAIVED	2011/03/22	< .000	
MERCURY	71900	WAIVED	2011/03/22	< .000	
NICKEL	01067	WAIVED	2011/03/22	< .000	
PERCHLORATE	A-031	WAIVED	2011/10/18	< .000	
SELENIUM	01147	WAIVED	2011/03/22	< .000	
THALLIUM	01059	WAIVED	2011/03/22	< .000	
NITRATE/NITRITE					
NITRATE (AS NO3)	71850	WAIVED	2011/12/12	14.000	
NITRITE (AS N)	00620	WAIVED	2011/03/22	< .000	
RADIOLOGICAL					
GROSS ALPHA	01501	WAIVED	2007/12/06	5.000	
GROSS BETA	03501	WAIVED			
RA-226 FOR CWS OR TOTAL RA FOR NTNC BY 903.0	A-080	WAIVED			
RA-226 OR TOTAL RA BY 903.0 C.E.	A-081	WAIVED			
RADIUM 226	09501	WAIVED	2007/09/17	< 1.000	
RADIUM 228	11501	WAIVED	2007/09/17	< 1.000	
RADIUM, TOTAL, MDA95-NTNC ONLY, BY 903.0	A-082	WAIVED			
STRONTIUM-90	13501	WAIVED			
TRITIUM	07000	WAIVED			
URANIUM (PCI/L)	28012	WAIVED	2007/09/17	2.900	
REGULATED SOC					
2,3,7,8-TCDD (DIOXIN)	34676	WAIVED	2007/09/17	.000	
2,4,5-TP (SILVEX)	39045	WAIVED			
2,4-D	39730	WAIVED			
ALACHLOR	77825	WAIVED	2009/11/16	.000	
ATRAZINE	39033	WAIVED	2009/11/16	.000	
BENTAZON	38710	WAIVED			

**Testing interval is in months;*
0 = No data for this constituent and is DUE NOW
999 = Waived testing (not required)
I = Invalid (NOT) valid analyses reported

System Number: ***1900301***

System Name: ***SHADOW ACRES MUTUAL WATER CO***

PS Code: ***1900301-003***

Source Name: ***WELL 02***

Source Number: ***003***

Source Status: ***ACTIVE UNTREATED***

Water type: ***GROUNDWATER OR WELL***

	STORET NUMBER	TESTING INTERVAL (MONTHS)*	LAST TEST DATE (yyyy/mm/dd)	LAST RESULT REPORTED	NEXT TEST DATE (yyyy/mm)
REGULATED SOC					
BENZO (A) PYRENE	34247	WAIVED			
CARBOFURAN	81405	WAIVED			
CHLORDANE	39350	WAIVED			
DALAPON	38432	WAIVED			
DI(2-ETHYLHEXYL)ADIPATE	A-026	WAIVED			
DI(2-ETHYLHEXYL)PHTHALATE	39100	WAIVED			
DIBROMOCHLOROPROPANE (DBCP)	38761	WAIVED			
DINOSEB	81287	WAIVED			
DIQUAT	78885	WAIVED			
ENDOTHALL	38926	WAIVED			
ENDRIN	39390	WAIVED			
ETHYLENE DIBROMIDE (EDB)	77651	WAIVED			
GLYPHOSATE	79743	WAIVED			
HEPTACHLOR	39410	WAIVED			
HEPTACHLOR EPOXIDE	39420	WAIVED			
HEXACHLOROBENZENE	39700	WAIVED			
HEXACHLOROCYCLOPENTADIENE	34386	WAIVED			
LINDANE	39340	WAIVED			
METHOXYCHLOR	39480	WAIVED			
MOLINATE	82199	WAIVED	2009/11/16	.000	
OXAMYL	38865	WAIVED			
PENTACHLOROPHENOL	39032	WAIVED			
PICLORAM	39720	WAIVED			
POLYCHLORINATED BIPHENYLS, TOTAL, AS DCB	39516	WAIVED			
SIMAZINE	39055	WAIVED	2009/11/16	.000	
THIOBENCARB	A-001	WAIVED	2009/11/16	.000	
TOXAPHENE	39400	WAIVED			
REGULATED VOC					
1,1,1-TRICHLOROETHANE	34506	WAIVED	2011/12/12	< .000	

**Testing interval is in months;*
0 = No data for this constituent and is DUE NOW
999 = Waived testing (not required)
I = Invalid (NOT) valid analyses reported

System Number: ***1900301***

System Name: ***SHADOW ACRES MUTUAL WATER CO***

PS Code: ***1900301-003***

Source Name: ***WELL 02***

Source Number: ***003***

Source Status: ***ACTIVE UNTREATED***

Water type: ***GROUNDWATER OR WELL***

	STORET NUMBER	TESTING INTERVAL (MONTHS)*	LAST TEST DATE (yyyy/mm/dd)	LAST RESULT REPORTED	NEXT TEST DATE (yyyy/mm)
REGULATED VOC					
1,1,2,2-TETRACHLOROETHANE	34516	WAIVED	2011/12/12	< .000	
1,1,2-TRICHLORO-1,2,2-TRIFLUOROETHANE	81611	WAIVED	2011/12/12	< .000	
1,1,2-TRICHLOROETHANE	34511	WAIVED	2011/12/12	< .000	
1,1-DICHLOROETHANE	34496	WAIVED	2011/12/12	< .000	
1,1-DICHLOROETHYLENE	34501	WAIVED	2011/12/12	< .000	
1,2,4-TRICHLOROBENZENE	34551	WAIVED	2011/12/12	< .000	
1,2-DICHLOROBENZENE	34536	WAIVED	2011/12/12	< .000	
1,2-DICHLOROETHANE	34531	WAIVED	2011/12/12	< .000	
1,2-DICHLOROPROPANE	34541	WAIVED	2011/12/12	< .000	
1,3-DICHLOROPROPENE (TOTAL)	34561	WAIVED	2011/12/12	< .000	
1,4-DICHLOROBENZENE	34571	WAIVED	2011/12/12	< .000	
BENZENE	34030	WAIVED	2011/12/12	< .000	
CARBON TETRACHLORIDE	32102	WAIVED	2011/12/12	< .000	
CIS-1,2-DICHLOROETHYLENE	77093	WAIVED	2011/12/12	< .000	
DICHLOROMETHANE	34423	WAIVED	2011/12/12	< .000	
ETHYLBENZENE	34371	WAIVED	2011/12/12	< .000	
METHYL-TERT-BUTYL-ETHER (MTBE)	46491	WAIVED	2011/12/12	< .000	
MONOCHLOROBENZENE	34301	WAIVED	2011/12/12	< .000	
STYRENE	77128	WAIVED	2011/12/12	< .000	
TETRACHLOROETHYLENE	34475	WAIVED	2011/12/12	< .000	
TOLUENE	34010	WAIVED	2011/12/12	< .000	
TRANS-1,2-DICHLOROETHYLENE	34546	WAIVED	2011/12/12	< .000	
TRICHLOROETHYLENE	39180	WAIVED	2011/12/12	< .000	
TRICHLOROFLUOROMETHANE	34488	WAIVED	2011/12/12	< .000	
VINYL CHLORIDE	39175	WAIVED	2011/12/12	< .000	
XYLENES (TOTAL)	81551	WAIVED	2011/12/12	< .000	
SECONDARY/GP					
AGGRSSIVE INDEX (CORROSIVITY)	82383	WAIVED	2011/03/22	13.000	
BICARBONATE ALKALINITY	00440	WAIVED	2011/03/22	270.000	

**Testing interval is in months;*
0 = No data for this constituent and is DUE NOW
999 = Waived testing (not required)
I = Invalid (NOT) valid analyses reported

System Number: ***1900301***

System Name: ***SHADOW ACRES MUTUAL WATER CO***

PS Code: ***1900301-003***

Source Name: ***WELL 02***

Source Number: ***003***

Source Status: ***ACTIVE UNTREATED***

Water type: ***GROUNDWATER OR WELL***

SECONDARY/GP

	STORET NUMBER	TESTING INTERVAL (MONTHS)*	LAST TEST DATE (yyyy/mm/dd)	LAST RESULT REPORTED	NEXT TEST DATE (yyyy/mm)
CALCIUM	00916	WAIVED	2011/03/22	130.000	
CARBONATE ALKALINITY	00445	WAIVED	2011/03/22	< .000	
CHLORIDE	00940	WAIVED	2011/03/22	100.000	
COLOR	00081	WAIVED	2011/03/22	10.000	
COPPER	01042	WAIVED	2011/03/22	< .000	
FOAMING AGENTS (MBAS)	38260	WAIVED	2011/03/22	< .000	
HARDNESS (TOTAL) AS CACO3	00900	WAIVED	2011/03/22	460.000	
HYDROXIDE ALKALINITY	71830	WAIVED	2011/03/22	< .000	
IRON	01045	WAIVED	2011/06/21	< .000	
MAGNESIUM	00927	WAIVED	2011/03/22	37.000	
MANGANESE	01055	WAIVED	2011/03/22	< .000	
ODOR THRESHOLD @ 60 C	00086	WAIVED	2011/03/22	< .000	
PH, LABORATORY	00403	WAIVED	2011/03/22	7.900	
SILVER	01077	WAIVED	2011/03/22	< .000	
SODIUM	00929	WAIVED	2011/03/22	140.000	
SPECIFIC CONDUCTANCE	00095	WAIVED	2011/03/22	1300.000	
SULFATE	00945	WAIVED	2011/03/22	350.000	
TOTAL DISSOLVED SOLIDS	70300	WAIVED	2011/03/22	930.000	
TURBIDITY, LABORATORY	82079	WAIVED	2011/03/22	3.300	
ZINC	01092	WAIVED	2011/03/22	< .000	

**Testing interval is in months;*
0 = No data for this constituent and is DUE NOW
999 = Waived testing (not required)
I = Invalid (NOT) valid analyses reported

System Number: ***1900303***

System Name: ***LLANO MUTUAL WATER COMPANY***

PS Code: ***1900303-001***

Source Name: ***PURCHASED WATER***

Source Number: ***001***

Source Status: ***PURCHASED UNTREATED***

Water type: ***GROUNDWATER OR WELL***

	STORET NUMBER	TESTING INTERVAL (MONTHS)*	LAST TEST DATE (yyyy/mm/dd)	LAST RESULT REPORTED	NEXT TEST DATE (yyyy/mm)
GENERAL NON CHAP 15					
DIAZINON	39570	WAIVED			
INORGANIC					
ALUMINUM	01105	WAIVED			
ANTIMONY	01097	WAIVED			
ARSENIC	01002	WAIVED			
ASBESTOS	81855	WAIVED			
BARIUM	01007	WAIVED			
BERYLLIUM	01012	WAIVED			
CADMIUM	01027	WAIVED			
CHROMIUM (TOTAL)	01034	WAIVED			
CYANIDE	01291	WAIVED			
FLUORIDE (F) (NATURAL-SOURCE)	00951	WAIVED	1998/03/12	.260	
LEAD	01051	WAIVED			
MERCURY	71900	WAIVED			
NICKEL	01067	WAIVED			
PERCHLORATE	A-031	WAIVED			
SELENIUM	01147	WAIVED			
THALLIUM	01059	WAIVED			
NITRATE/NITRITE					
NITRATE (AS NO3)	71850	WAIVED	1998/03/12	2.080	
NITRITE (AS N)	00620	WAIVED			
RADIOLOGICAL					
GROSS ALPHA	01501	WAIVED			
GROSS BETA	03501	WAIVED			
RA-226 FOR CWS OR TOTAL RA FOR NTNC BY 903.0	A-080	WAIVED			
RA-226 OR TOTAL RA BY 903.0 C.E.	A-081	WAIVED			
RADIUM 226	09501	WAIVED			
RADIUM 228	11501	WAIVED			

**Testing interval is in months;*
0 = No data for this constituent and is DUE NOW
999 = Waived testing (not required)
I = Invalid (NOT) valid analyses reported

System Number: ***1900303***

System Name: ***LLANO MUTUAL WATER COMPANY***

PS Code: ***1900303-001***

Source Name: ***PURCHASED WATER***

Source Number: ***001***

Source Status: ***PURCHASED UNTREATED***

Water type: ***GROUNDWATER OR WELL***

	STORET NUMBER	TESTING INTERVAL (MONTHS)*	LAST TEST DATE (yyyy/mm/dd)	LAST RESULT REPORTED	NEXT TEST DATE (yyyy/mm)
RADIOLOGICAL					
RADIUM, TOTAL, MDA95-NTNC ONLY, BY 903.0	A-082	WAIVED			
STRONTIUM-90	13501	WAIVED			
TRITIUM	07000	WAIVED			
URANIUM (PCI/L)	28012	WAIVED			
REGULATED SOC					
2,3,7,8-TCDD (DIOXIN)	34676	WAIVED			
2,4,5-TP (SILVEX)	39045	WAIVED			
2,4-D	39730	WAIVED			
ALACHLOR	77825	WAIVED			
ATRAZINE	39033	WAIVED			
BENTAZON	38710	WAIVED			
BENZO (A) PYRENE	34247	WAIVED			
CARBOFURAN	81405	WAIVED			
CHLORDANE	39350	WAIVED			
DALAPON	38432	WAIVED			
DI(2-ETHYLHEXYL)ADIPATE	A-026	WAIVED			
DI(2-ETHYLHEXYL)PHTHALATE	39100	WAIVED			
DIBROMOCHLOROPROPANE (DBCP)	38761	WAIVED			
DINOSEB	81287	WAIVED			
DIQUAT	78885	WAIVED			
ENDOTHALL	38926	WAIVED			
ENDRIN	39390	WAIVED			
ETHYLENE DIBROMIDE (EDB)	77651	WAIVED			
GLYPHOSATE	79743	WAIVED			
HEPTACHLOR	39410	WAIVED			
HEPTACHLOR EPOXIDE	39420	WAIVED			
HEXACHLOROBENZENE	39700	WAIVED			
HEXACHLOROCYCLOPENTADIENE	34386	WAIVED			
LINDANE	39340	WAIVED			

**Testing interval is in months;*
0 = No data for this constituent and is DUE NOW
999 = Waived testing (not required)
I = Invalid (NOT) valid analyses reported

System Number: ***1900303***

System Name: ***LLANO MUTUAL WATER COMPANY***

PS Code: ***1900303-001***

Source Name: ***PURCHASED WATER***

Source Number: ***001***

Source Status: ***PURCHASED UNTREATED***

Water type: ***GROUNDWATER OR WELL***

	STORET NUMBER	TESTING INTERVAL (MONTHS)*	LAST TEST DATE (yyyy/mm/dd)	LAST RESULT REPORTED	NEXT TEST DATE (yyyy/mm)
REGULATED SOC					
METHOXYCHLOR	39480	WAIVED			
MOLINATE	82199	WAIVED			
OXAMYL	38865	WAIVED			
PENTACHLOROPHENOL	39032	WAIVED			
PICLORAM	39720	WAIVED			
POLYCHLORINATED BIPHENYLS, TOTAL, AS DCB	39516	WAIVED			
SIMAZINE	39055	WAIVED			
THIOBENCARB	A-001	WAIVED			
TOXAPHENE	39400	WAIVED			
REGULATED VOC					
1,1,1-TRICHLOROETHANE	34506	WAIVED			
1,1,2,2-TETRACHLOROETHANE	34516	WAIVED			
1,1,2-TRICHLORO-1,2,2-TRIFLUOROETHANE	81611	WAIVED			
1,1,2-TRICHLOROETHANE	34511	WAIVED			
1,1-DICHLOROETHANE	34496	WAIVED			
1,1-DICHLOROETHYLENE	34501	WAIVED			
1,2,4-TRICHLOROBENZENE	34551	WAIVED			
1,2-DICHLOROBENZENE	34536	WAIVED			
1,2-DICHLOROETHANE	34531	WAIVED			
1,2-DICHLOROPROPANE	34541	WAIVED			
1,3-DICHLOROPROPENE (TOTAL)	34561	WAIVED			
1,4-DICHLOROBENZENE	34571	WAIVED			
BENZENE	34030	WAIVED			
CARBON TETRACHLORIDE	32102	WAIVED			
CIS-1,2-DICHLOROETHYLENE	77093	WAIVED			
DICHLOROMETHANE	34423	WAIVED			
ETHYLBENZENE	34371	WAIVED			
METHYL-TERT-BUTYL-ETHER (MTBE)	46491	WAIVED			
MONOCHLOROBENZENE	34301	WAIVED			

**Testing interval is in months;*
0 = No data for this constituent and is DUE NOW
999 = Waived testing (not required)
I = Invalid (NOT) valid analyses reported

System Number: ***1900303***

System Name: ***LLANO MUTUAL WATER COMPANY***

PS Code: ***1900303-001***

Source Name: ***PURCHASED WATER***

Source Number: ***001***

Source Status: ***PURCHASED UNTREATED***

Water type: ***GROUNDWATER OR WELL***

	STORET NUMBER	TESTING INTERVAL (MONTHS)*	LAST TEST DATE (yyyy/mm/dd)	LAST RESULT REPORTED	NEXT TEST DATE (yyyy/mm)
REGULATED VOC					
STYRENE	77128	WAIVED			
TETRACHLOROETHYLENE	34475	WAIVED			
TOLUENE	34010	WAIVED			
TRANS-1,2-DICHLOROETHYLENE	34546	WAIVED			
TRICHLOROETHYLENE	39180	WAIVED			
TRICHLOROFLUOROMETHANE	34488	WAIVED			
VINYL CHLORIDE	39175	WAIVED			
XYLENES (TOTAL)	81551	WAIVED			
SECONDARY/GP					
AGGRSSIVE INDEX (CORROSIVITY)	82383	WAIVED			
BICARBONATE ALKALINITY	00440	WAIVED	1998/03/12	202.000	
CALCIUM	00916	WAIVED	1998/03/12	75.700	
CARBONATE ALKALINITY	00445	WAIVED	1998/03/12	.000	
CHLORIDE	00940	WAIVED	1998/03/12	3.370	
COLOR	00081	WAIVED			
COPPER	01042	WAIVED			
FOAMING AGENTS (MBAS)	38260	WAIVED			
HARDNESS (TOTAL) AS CACO3	00900	WAIVED	1998/03/12	292.000	
HYDROXIDE ALKALINITY	71830	WAIVED	1998/03/12	.000	
IRON	01045	WAIVED	1998/03/12	.000	
MAGNESIUM	00927	WAIVED	1998/03/12	20.100	
MANGANESE	01055	WAIVED	1998/03/12	.000	
ODOR THRESHOLD @ 60 C	00086	WAIVED			
PH, LABORATORY	00403	WAIVED	1998/03/12	7.660	
SILVER	01077	WAIVED			
SODIUM	00929	WAIVED	1998/03/12	21.000	
SPECIFIC CONDUCTANCE	00095	WAIVED	1998/03/12	611.000	
SULFATE	00945	WAIVED	1998/03/12	133.000	
TOTAL DISSOLVED SOLIDS	70300	WAIVED	1998/03/12	426.000	

**Testing interval is in months;*
0 = No data for this constituent and is DUE NOW
999 = Waived testing (not required)
I = Invalid (NOT) valid analyses reported

System Number: ***1900303***

System Name: ***LLANO MUTUAL WATER COMPANY***

PS Code: ***1900303-001***

Source Name: ***PURCHASED WATER***

Source Number: ***001***

Source Status: ***PURCHASED UNTREATED***

Water type: ***GROUNDWATER OR WELL***

	STORET NUMBER	TESTING INTERVAL (MONTHS)*	LAST TEST DATE (yyyy/mm/dd)	LAST RESULT REPORTED	NEXT TEST DATE (yyyy/mm)
SECONDARY/GP					
TURBIDITY, LABORATORY	82079	WAIVED			
ZINC	01092	WAIVED	1998/03/12	.000	

**Testing interval is in months;*
0 = No data for this constituent and is DUE NOW
999 = Waived testing (not required)
I = Invalid (NOT) valid analyses reported

System Number: ***1900304***

System Name: ***DEL SUR GARDENS TRAILER PARK***

PS Code: ***1900304-001***

Source Name: ***WELL 01***

Source Number: ***001***

Source Status: ***ACTIVE UNTREATED***

Water type: ***GROUNDWATER OR WELL***

	STORET NUMBER	TESTING INTERVAL (MONTHS)*	LAST TEST DATE (yyyy/mm/dd)	LAST RESULT REPORTED	NEXT TEST DATE (yyyy/mm)
GENERAL NON CHAP 15					
DIAZINON	39570	WAIVED			
INORGANIC					
ALUMINUM	01105	WAIVED	2011/03/14	< .000	
ANTIMONY	01097	WAIVED	2011/03/14	< .000	
ARSENIC	01002	WAIVED	2011/03/14	< .000	
ASBESTOS	81855	WAIVED			
BARIUM	01007	WAIVED	2011/03/14	< .000	
BERYLLIUM	01012	WAIVED	2011/03/14	< .000	
CADMIUM	01027	WAIVED	2011/03/14	< .000	
CHROMIUM (TOTAL)	01034	WAIVED	2011/03/14	< .000	
CYANIDE	01291	WAIVED	2011/03/14	< .000	
FLUORIDE (F) (NATURAL-SOURCE)	00951	WAIVED	2011/03/14	.240	
LEAD	01051	WAIVED	2011/03/14	10.000	
MERCURY	71900	WAIVED	2011/03/14	< .000	
NICKEL	01067	WAIVED	2011/03/14	< .000	
PERCHLORATE	A-031	WAIVED	2011/10/18	< .000	
SELENIUM	01147	WAIVED	2011/03/14	< .000	
THALLIUM	01059	WAIVED	2011/03/14	< .000	
NITRATE/NITRITE					
NITRATE (AS NO3)	71850	WAIVED	2011/12/13	34.000	
NITRITE (AS N)	00620	WAIVED	2011/03/14	< .000	
RADIOLOGICAL					
GROSS ALPHA	01501	WAIVED			
GROSS BETA	03501	WAIVED			
RA-226 FOR CWS OR TOTAL RA FOR NTNC BY 903.0	A-080	WAIVED			
RA-226 OR TOTAL RA BY 903.0 C.E.	A-081	WAIVED			
RADIUM 226	09501	WAIVED			
RADIUM 228	11501	WAIVED			

**Testing interval is in months;*
0 = No data for this constituent and is DUE NOW
999 = Waived testing (not required)
I = Invalid (NOT) valid analyses reported

System Number: ***1900304***

System Name: ***DEL SUR GARDENS TRAILER PARK***

PS Code: ***1900304-001***

Source Name: ***WELL 01***

Source Number: ***001***

Source Status: ***ACTIVE UNTREATED***

Water type: ***GROUNDWATER OR WELL***

	STORET NUMBER	TESTING INTERVAL (MONTHS)*	LAST TEST DATE (yyyy/mm/dd)	LAST RESULT REPORTED	NEXT TEST DATE (yyyy/mm)
RADIOLOGICAL					
RADIUM, TOTAL, MDA95-NTNC ONLY, BY 903.0	A-082	WAIVED			
STRONTIUM-90	13501	WAIVED			
TRITIUM	07000	WAIVED			
URANIUM (PCI/L)	28012	WAIVED			
REGULATED SOC					
2,3,7,8-TCDD (DIOXIN)	34676	WAIVED			
2,4,5-TP (SILVEX)	39045	WAIVED			
2,4-D	39730	WAIVED			
ALACHLOR	77825	WAIVED	1999/05/12	.000	
ATRAZINE	39033	WAIVED			
BENTAZON	38710	WAIVED			
BENZO (A) PYRENE	34247	WAIVED			
CARBOFURAN	81405	WAIVED			
CHLORDANE	39350	WAIVED	1999/05/12	.000	
DALAPON	38432	WAIVED			
DI(2-ETHYLHEXYL)ADIPATE	A-026	WAIVED			
DI(2-ETHYLHEXYL)PHTHALATE	39100	WAIVED			
DIBROMOCHLOROPROPANE (DBCP)	38761	WAIVED			
DINOSEB	81287	WAIVED			
DIQUAT	78885	WAIVED			
ENDOTHALL	38926	WAIVED			
ENDRIN	39390	WAIVED	1999/05/12	.000	
ETHYLENE DIBROMIDE (EDB)	77651	WAIVED			
GLYPHOSATE	79743	WAIVED			
HEPTACHLOR	39410	WAIVED	1999/05/12	.000	
HEPTACHLOR EPOXIDE	39420	WAIVED	1999/05/12	.000	
HEXACHLOROBENZENE	39700	WAIVED	1999/05/12	.000	
HEXACHLOROCYCLOPENTADIENE	34386	WAIVED	1999/05/12	.000	
LINDANE	39340	WAIVED	1999/05/12	.000	

**Testing interval is in months;*
0 = No data for this constituent and is DUE NOW
999 = Waived testing (not required)
I = Invalid (NOT) valid analyses reported

System Number: ***1900304***

System Name: ***DEL SUR GARDENS TRAILER PARK***

PS Code: ***1900304-001***

Source Name: ***WELL 01***

Source Number: ***001***

Source Status: ***ACTIVE UNTREATED***

Water type: ***GROUNDWATER OR WELL***

	STORET NUMBER	TESTING INTERVAL (MONTHS)*	LAST TEST DATE (yyyy/mm/dd)	LAST RESULT REPORTED	NEXT TEST DATE (yyyy/mm)
REGULATED SOC					
METHOXYCHLOR	39480	WAIVED	1999/05/12	.000	
MOLINATE	82199	WAIVED			
OXAMYL	38865	WAIVED			
PENTACHLOROPHENOL	39032	WAIVED			
PICLORAM	39720	WAIVED			
POLYCHLORINATED BIPHENYLS, TOTAL, AS DCB	39516	WAIVED	1999/05/12	.000	
SIMAZINE	39055	WAIVED			
THIOBENCARB	A-001	WAIVED			
TOXAPHENE	39400	WAIVED	1999/05/12	.000	
REGULATED VOC					
1,1,1-TRICHLOROETHANE	34506	WAIVED	1999/05/12	.000	
1,1,2,2-TETRACHLOROETHANE	34516	WAIVED	1999/05/12	.000	
1,1,2-TRICHLORO-1,2,2-TRIFLUOROETHANE	81611	WAIVED	1999/05/12	.000	
1,1,2-TRICHLOROETHANE	34511	WAIVED	1999/05/12	.000	
1,1-DICHLOROETHANE	34496	WAIVED	1999/05/12	.000	
1,1-DICHLOROETHYLENE	34501	WAIVED	1999/05/12	.000	
1,2,4-TRICHLOROBENZENE	34551	WAIVED	1999/05/12	.000	
1,2-DICHLOROBENZENE	34536	WAIVED	1999/05/12	.000	
1,2-DICHLOROETHANE	34531	WAIVED	1999/05/12	.000	
1,2-DICHLOROPROPANE	34541	WAIVED	1999/05/12	.000	
1,3-DICHLOROPROPENE (TOTAL)	34561	WAIVED	1999/05/12	.000	
1,4-DICHLOROBENZENE	34571	WAIVED	1999/05/12	.000	
BENZENE	34030	WAIVED	1999/05/12	.000	
CARBON TETRACHLORIDE	32102	WAIVED	1999/05/12	.000	
CIS-1,2-DICHLOROETHYLENE	77093	WAIVED	1999/05/12	.000	
DICHLOROMETHANE	34423	WAIVED	1999/05/12	.000	
ETHYLBENZENE	34371	WAIVED	1999/05/12	.000	
METHYL-TERT-BUTYL-ETHER (MTBE)	46491	WAIVED	1999/05/12	.000	
MONOCHLOROBENZENE	34301	WAIVED	1999/05/12	.000	

**Testing interval is in months;*
0 = No data for this constituent and is DUE NOW
999 = Waived testing (not required)
I = Invalid (NOT) valid analyses reported

System Number: ***1900304***

System Name: ***DEL SUR GARDENS TRAILER PARK***

PS Code: ***1900304-001***

Source Name: ***WELL 01***

Source Number: ***001***

Source Status: ***ACTIVE UNTREATED***

Water type: ***GROUNDWATER OR WELL***

	STORET NUMBER	TESTING INTERVAL (MONTHS)*	LAST TEST DATE (yyyy/mm/dd)	LAST RESULT REPORTED	NEXT TEST DATE (yyyy/mm)
REGULATED VOC					
STYRENE	77128	WAIVED	1999/05/12	.000	
TETRACHLOROETHYLENE	34475	WAIVED	1999/05/12	.000	
TOLUENE	34010	WAIVED	1999/05/12	.000	
TRANS-1,2-DICHLOROETHYLENE	34546	WAIVED	1999/05/12	.000	
TRICHLOROETHYLENE	39180	WAIVED	1999/05/12	.000	
TRICHLOROFLUOROMETHANE	34488	WAIVED	1999/05/12	.000	
VINYL CHLORIDE	39175	WAIVED	1999/05/12	.000	
XYLENES (TOTAL)	81551	WAIVED	1999/05/12	.000	
SECONDARY/GP					
AGGRSSIVE INDEX (CORROSIVITY)	82383	WAIVED	2011/03/14	12.000	
BICARBONATE ALKALINITY	00440	WAIVED	2011/03/14	180.000	
CALCIUM	00916	WAIVED	2011/03/14	50.000	
CARBONATE ALKALINITY	00445	WAIVED	2011/03/14	< .000	
CHLORIDE	00940	WAIVED	2011/03/14	14.000	
COLOR	00081	WAIVED	2011/03/14	< .000	
COPPER	01042	WAIVED	2011/03/14	98.000	
FOAMING AGENTS (MBAS)	38260	WAIVED	2011/03/14	< .000	
HARDNESS (TOTAL) AS CACO3	00900	WAIVED	2011/03/14	160.000	
HYDROXIDE ALKALINITY	71830	WAIVED	2011/03/14	< .000	
IRON	01045	WAIVED	2011/03/14	< .000	
MAGNESIUM	00927	WAIVED	2011/03/14	8.700	
MANGANESE	01055	WAIVED	2011/03/14	< .000	
ODOR THRESHOLD @ 60 C	00086	WAIVED	2011/03/14	< .000	
PH, LABORATORY	00403	WAIVED	2011/03/14	8.100	
SILVER	01077	WAIVED	2011/03/14	< .000	
SODIUM	00929	WAIVED	2011/03/14	45.000	
SPECIFIC CONDUCTANCE	00095	WAIVED	2011/03/14	520.000	
SULFATE	00945	WAIVED	2011/03/14	54.000	
TOTAL DISSOLVED SOLIDS	70300	WAIVED	2011/03/14	340.000	

**Testing interval is in months;*
0 = No data for this constituent and is DUE NOW
999 = Waived testing (not required)
I = Invalid (NOT) valid analyses reported

System Number: ***1900304***

System Name: ***DEL SUR GARDENS TRAILER PARK***

PS Code: ***1900304-001***

Source Name: ***WELL 01***

Source Number: ***001***

Source Status: ***ACTIVE UNTREATED***

Water type: ***GROUNDWATER OR WELL***

SECONDARY/GP

	STORET NUMBER	TESTING INTERVAL (MONTHS)*	LAST TEST DATE (yyyy/mm/dd)	LAST RESULT REPORTED	NEXT TEST DATE (yyyy/mm)
TURBIDITY, LABORATORY	82079	WAIVED	2011/03/14	.110	
ZINC	01092	WAIVED	2011/03/14	< .000	

**Testing interval is in months;*
0 = No data for this constituent and is DUE NOW
999 = Waived testing (not required)
I = Invalid (NOT) valid analyses reported

System Number: ***1900305***

System Name: ***CHALLENGER MEMORIAL YOUTH CENTER***

PS Code: ***1900305-001***

Source Name: ***WELL 01***

Source Number: ***001***

Source Status: ***ACTIVE UNTREATED***

Water type: ***GROUNDWATER OR WELL***

	STORET NUMBER	TESTING INTERVAL (MONTHS)*	LAST TEST DATE (yyyy/mm/dd)	LAST RESULT REPORTED	NEXT TEST DATE (yyyy/mm)
GENERAL NON CHAP 15					
DIAZINON	39570	WAIVED			
INORGANIC					
ALUMINUM	01105	WAIVED	2002/04/17	.000	
ANTIMONY	01097	WAIVED	2002/04/17	.000	
ARSENIC	01002	WAIVED	2011/12/06	8.090	
ASBESTOS	81855	WAIVED			
BARIUM	01007	WAIVED	2002/04/17	.000	
BERYLLIUM	01012	WAIVED			
CADMIUM	01027	WAIVED	2002/04/17	.000	
CHROMIUM (TOTAL)	01034	WAIVED	2002/04/17	.000	
CYANIDE	01291	WAIVED			
FLUORIDE (F) (NATURAL-SOURCE)	00951	WAIVED	2002/04/17	.240	
LEAD	01051	WAIVED	2002/04/17	.000	
MERCURY	71900	WAIVED	2002/04/17	.000	
NICKEL	01067	WAIVED	2002/04/17	.000	
PERCHLORATE	A-031	WAIVED			
SELENIUM	01147	WAIVED	2002/04/17	.000	
THALLIUM	01059	WAIVED			
NITRATE/NITRITE					
NITRATE (AS NO3)	71850	WAIVED	2004/05/18	10.800	
NITRITE (AS N)	00620	WAIVED			
RADIOLOGICAL					
GROSS ALPHA	01501	WAIVED			
GROSS BETA	03501	WAIVED			
RA-226 FOR CWS OR TOTAL RA FOR NTNC BY 903.0	A-080	WAIVED			
RA-226 OR TOTAL RA BY 903.0 C.E.	A-081	WAIVED			
RADIUM 226	09501	WAIVED			
RADIUM 228	11501	WAIVED			

**Testing interval is in months;*
0 = No data for this constituent and is DUE NOW
999 = Waived testing (not required)
I = Invalid (NOT) valid analyses reported

System Number: ***1900305***

System Name: ***CHALLENGER MEMORIAL YOUTH CENTER***

PS Code: ***1900305-001***

Source Name: ***WELL 01***

Source Number: ***001***

Source Status: ***ACTIVE UNTREATED***

Water type: ***GROUNDWATER OR WELL***

	STORET NUMBER	TESTING INTERVAL (MONTHS)*	LAST TEST DATE (yyyy/mm/dd)	LAST RESULT REPORTED	NEXT TEST DATE (yyyy/mm)
RADIOLOGICAL					
RADIUM, TOTAL, MDA95-NTNC ONLY, BY 903.0	A-082	WAIVED			
STRONTIUM-90	13501	WAIVED			
TRITIUM	07000	WAIVED			
URANIUM (PCI/L)	28012	WAIVED			
REGULATED SOC					
2,3,7,8-TCDD (DIOXIN)	34676	WAIVED			
2,4,5-TP (SILVEX)	39045	WAIVED			
2,4-D	39730	WAIVED			
ALACHLOR	77825	WAIVED	2002/04/17	.000	
ATRAZINE	39033	WAIVED			
BENTAZON	38710	WAIVED			
BENZO (A) PYRENE	34247	WAIVED			
CARBOFURAN	81405	WAIVED			
CHLORDANE	39350	WAIVED	2002/04/17	.000	
DALAPON	38432	WAIVED			
DI(2-ETHYLHEXYL)ADIPATE	A-026	WAIVED			
DI(2-ETHYLHEXYL)PHTHALATE	39100	WAIVED			
DIBROMOCHLOROPROPANE (DBCP)	38761	WAIVED			
DINOSEB	81287	WAIVED			
DIQUAT	78885	WAIVED			
ENDOTHALL	38926	WAIVED			
ENDRIN	39390	WAIVED	2002/04/17	.000	
ETHYLENE DIBROMIDE (EDB)	77651	WAIVED			
GLYPHOSATE	79743	WAIVED			
HEPTACHLOR	39410	WAIVED	2002/04/17	.000	
HEPTACHLOR EPOXIDE	39420	WAIVED	2002/04/17	.000	
HEXACHLOROBENZENE	39700	WAIVED	2002/04/17	.000	
HEXACHLOROCYCLOPENTADIENE	34386	WAIVED	2002/04/17	.000	
LINDANE	39340	WAIVED	2002/04/17	.000	

**Testing interval is in months;*
0 = No data for this constituent and is DUE NOW
999 = Waived testing (not required)
I = Invalid (NOT) valid analyses reported

System Number: ***1900305***

System Name: ***CHALLENGER MEMORIAL YOUTH CENTER***

PS Code: ***1900305-001***

Source Name: ***WELL 01***

Source Number: ***001***

Source Status: ***ACTIVE UNTREATED***

Water type: ***GROUNDWATER OR WELL***

	STORET NUMBER	TESTING INTERVAL (MONTHS)*	LAST TEST DATE (yyyy/mm/dd)	LAST RESULT REPORTED	NEXT TEST DATE (yyyy/mm)
REGULATED SOC					
METHOXYCHLOR	39480	WAIVED	2002/04/17	.000	
MOLINATE	82199	WAIVED			
OXAMYL	38865	WAIVED			
PENTACHLOROPHENOL	39032	WAIVED			
PICLORAM	39720	WAIVED			
POLYCHLORINATED BIPHENYLS, TOTAL, AS DCB	39516	WAIVED	2002/04/17	.000	
SIMAZINE	39055	WAIVED			
THIOBENCARB	A-001	WAIVED			
TOXAPHENE	39400	WAIVED	2002/04/17	.000	
REGULATED VOC					
1,1,1-TRICHLOROETHANE	34506	WAIVED	2002/04/17	.000	
1,1,2,2-TETRACHLOROETHANE	34516	WAIVED	2002/04/17	.000	
1,1,2-TRICHLORO-1,2,2-TRIFLUOROETHANE	81611	WAIVED	2002/04/17	.000	
1,1,2-TRICHLOROETHANE	34511	WAIVED	2002/04/17	.000	
1,1-DICHLOROETHANE	34496	WAIVED	2002/04/17	.000	
1,1-DICHLOROETHYLENE	34501	WAIVED	2002/04/17	.000	
1,2,4-TRICHLOROBENZENE	34551	WAIVED	2002/04/17	.000	
1,2-DICHLOROBENZENE	34536	WAIVED	2002/04/17	.000	
1,2-DICHLOROETHANE	34531	WAIVED	2002/04/17	.000	
1,2-DICHLOROPROPANE	34541	WAIVED	2002/04/17	.000	
1,3-DICHLOROPROPENE (TOTAL)	34561	WAIVED	2002/04/17	.000	
1,4-DICHLOROBENZENE	34571	WAIVED	2002/04/17	.000	
BENZENE	34030	WAIVED	2002/04/17	.000	
CARBON TETRACHLORIDE	32102	WAIVED	2002/04/17	.000	
CIS-1,2-DICHLOROETHYLENE	77093	WAIVED	2002/04/17	.000	
DICHLOROMETHANE	34423	WAIVED	2002/04/17	.000	
ETHYLBENZENE	34371	WAIVED	2002/04/17	.000	
METHYL-TERT-BUTYL-ETHER (MTBE)	46491	WAIVED	2002/04/17	.000	
MONOCHLOROBENZENE	34301	WAIVED	2002/04/17	.000	

**Testing interval is in months;*
0 = No data for this constituent and is DUE NOW
999 = Waived testing (not required)
I = Invalid (NOT) valid analyses reported

System Number: ***1900305***

System Name: ***CHALLENGER MEMORIAL YOUTH CENTER***

PS Code: ***1900305-001***

Source Name: ***WELL 01***

Source Number: ***001***

Source Status: ***ACTIVE UNTREATED***

Water type: ***GROUNDWATER OR WELL***

	STORET NUMBER	TESTING INTERVAL (MONTHS)*	LAST TEST DATE (yyyy/mm/dd)	LAST RESULT REPORTED	NEXT TEST DATE (yyyy/mm)
REGULATED VOC					
STYRENE	77128	WAIVED	2002/04/17	.000	
TETRACHLOROETHYLENE	34475	WAIVED	2002/04/17	.000	
TOLUENE	34010	WAIVED	2002/04/17	.000	
TRANS-1,2-DICHLOROETHYLENE	34546	WAIVED	2002/04/17	.000	
TRICHLOROETHYLENE	39180	WAIVED	2002/04/17	.000	
TRICHLOROFLUOROMETHANE	34488	WAIVED	2002/04/17	.000	
VINYL CHLORIDE	39175	WAIVED	2002/04/17	.000	
XYLENES (TOTAL)	81551	WAIVED	2002/04/17	.000	
SECONDARY/GP					
AGGRSSIVE INDEX (CORROSIVITY)	82383	WAIVED			
BICARBONATE ALKALINITY	00440	WAIVED	2002/04/17	145.000	
CALCIUM	00916	WAIVED	2002/04/17	60.100	
CARBONATE ALKALINITY	00445	WAIVED	2002/04/17	.000	
CHLORIDE	00940	WAIVED	2002/04/17	68.800	
COLOR	00081	WAIVED	2002/04/17	< 5.000	
COPPER	01042	WAIVED	2002/04/17	.000	
FOAMING AGENTS (MBAS)	38260	WAIVED	2002/04/17	.000	
HARDNESS (TOTAL) AS CACO3	00900	WAIVED	2002/04/17	210.000	
HYDROXIDE ALKALINITY	71830	WAIVED	2002/04/17	.000	
IRON	01045	WAIVED	2002/04/17	.000	
MAGNESIUM	00927	WAIVED	2002/04/17	14.600	
MANGANESE	01055	WAIVED	2002/04/17	.000	
ODOR THRESHOLD @ 60 C	00086	WAIVED	2002/04/17	.000	
PH, LABORATORY	00403	WAIVED	2002/04/17	7.870	
SILVER	01077	WAIVED	2002/04/17	.000	
SODIUM	00929	WAIVED	2002/04/17	39.700	
SPECIFIC CONDUCTANCE	00095	WAIVED	2002/04/17	575.000	
SULFATE	00945	WAIVED	2002/04/17	56.100	
TOTAL DISSOLVED SOLIDS	70300	WAIVED	2002/04/17	376.000	

**Testing interval is in months;*
0 = No data for this constituent and is DUE NOW
999 = Waived testing (not required)
I = Invalid (NOT) valid analyses reported

System Number: ***1900305***

System Name: ***CHALLENGER MEMORIAL YOUTH CENTER***

PS Code: ***1900305-001***

Source Name: ***WELL 01***

Source Number: ***001***

Source Status: ***ACTIVE UNTREATED***

Water type: ***GROUNDWATER OR WELL***

	STORET NUMBER	TESTING INTERVAL (MONTHS)*	LAST TEST DATE (yyyy/mm/dd)	LAST RESULT REPORTED	NEXT TEST DATE (yyyy/mm)
SECONDARY/GP					
TURBIDITY, LABORATORY	82079	WAIVED	2002/04/17	.550	
ZINC	01092	WAIVED	2002/04/17	.000	

PS Code: ***1900305-002***

Source Name: ***WELL 02***

Source Number: ***002***

Source Status: ***ACTIVE UNTREATED***

Water type: ***GROUNDWATER OR WELL***

GENERAL NON CHAP 15					
DIAZINON	39570	WAIVED			
INORGANIC					
ALUMINUM	01105	WAIVED			
ANTIMONY	01097	WAIVED			
ARSENIC	01002	WAIVED	2011/09/08	22.600	
ASBESTOS	81855	WAIVED			
BARIUM	01007	WAIVED			
BERYLLIUM	01012	WAIVED			
CADMIUM	01027	WAIVED			
CHROMIUM (TOTAL)	01034	WAIVED	2011/07/08	12.100	
CYANIDE	01291	WAIVED			
FLUORIDE (F) (NATURAL-SOURCE)	00951	WAIVED			
LEAD	01051	WAIVED	2011/07/08	.000	
MERCURY	71900	WAIVED			
NICKEL	01067	WAIVED			
PERCHLORATE	A-031	WAIVED			
SELENIUM	01147	WAIVED			
THALLIUM	01059	WAIVED			

**Testing interval is in months;*
0 = No data for this constituent and is DUE NOW
999 = Waived testing (not required)
I = Invalid (NOT) valid analyses reported

System Number: ***1900305***

System Name: ***CHALLENGER MEMORIAL YOUTH CENTER***

PS Code: ***1900305-002***

Source Name: ***WELL 02***

Source Number: ***002***

Source Status: ***ACTIVE UNTREATED***

Water type: ***GROUNDWATER OR WELL***

	STORET NUMBER	TESTING INTERVAL (MONTHS)*	LAST TEST DATE (yyyy/mm/dd)	LAST RESULT REPORTED	NEXT TEST DATE (yyyy/mm)
NITRATE/NITRITE					
NITRATE (AS NO3)	71850	WAIVED	2001/01/04	5.330	
NITRITE (AS N)	00620	WAIVED			
RADIOLOGICAL					
GROSS ALPHA	01501	WAIVED			
GROSS BETA	03501	WAIVED			
RA-226 FOR CWS OR TOTAL RA FOR NTNC BY 903.0	A-080	WAIVED			
RA-226 OR TOTAL RA BY 903.0 C.E.	A-081	WAIVED			
RADIUM 226	09501	WAIVED			
RADIUM 228	11501	WAIVED			
RADIUM, TOTAL, MDA95-NTNC ONLY, BY 903.0	A-082	WAIVED			
STRONTIUM-90	13501	WAIVED			
TRITIUM	07000	WAIVED			
URANIUM (PCI/L)	28012	WAIVED			
REGULATED SOC					
2,3,7,8-TCDD (DIOXIN)	34676	WAIVED			
2,4,5-TP (SILVEX)	39045	WAIVED			
2,4-D	39730	WAIVED			
ALACHLOR	77825	WAIVED			
ATRAZINE	39033	WAIVED			
BENTAZON	38710	WAIVED			
BENZO (A) PYRENE	34247	WAIVED			
CARBOFURAN	81405	WAIVED			
CHLORDANE	39350	WAIVED			
DALAPON	38432	WAIVED			
DI(2-ETHYLHEXYL)ADIPATE	A-026	WAIVED			
DI(2-ETHYLHEXYL)PHTHALATE	39100	WAIVED			
DIBROMOCHLOROPROPANE (DBCP)	38761	WAIVED			
DINOSEB	81287	WAIVED			
DIQUAT	78885	WAIVED			

**Testing interval is in months;*
0 = No data for this constituent and is DUE NOW
999 = Waived testing (not required)
I = Invalid (NOT) valid analyses reported

System Number: ***1900305***

System Name: ***CHALLENGER MEMORIAL YOUTH CENTER***

PS Code: ***1900305-002***

Source Name: ***WELL 02***

Source Number: ***002***

Source Status: ***ACTIVE UNTREATED***

Water type: ***GROUNDWATER OR WELL***

REGULATED SOC

	STORET NUMBER	TESTING INTERVAL (MONTHS)*	LAST TEST DATE (yyyy/mm/dd)	LAST RESULT REPORTED	NEXT TEST DATE (yyyy/mm)
ENDOTHALL	38926	WAIVED			
ENDRIN	39390	WAIVED			
ETHYLENE DIBROMIDE (EDB)	77651	WAIVED			
GLYPHOSATE	79743	WAIVED			
HEPTACHLOR	39410	WAIVED			
HEPTACHLOR EPOXIDE	39420	WAIVED			
HEXACHLOROBENZENE	39700	WAIVED			
HEXACHLOROCYCLOPENTADIENE	34386	WAIVED			
LINDANE	39340	WAIVED			
METHOXYCHLOR	39480	WAIVED			
MOLINATE	82199	WAIVED			
OXAMYL	38865	WAIVED			
PENTACHLOROPHENOL	39032	WAIVED			
PICLORAM	39720	WAIVED			
POLYCHLORINATED BIPHENYLS, TOTAL, AS DCB	39516	WAIVED			
SIMAZINE	39055	WAIVED			
THIOBENCARB	A-001	WAIVED			
TOXAPHENE	39400	WAIVED			

REGULATED VOC

1,1,1-TRICHLOROETHANE	34506	WAIVED			
1,1,2,2-TETRACHLOROETHANE	34516	WAIVED			
1,1,2-TRICHLORO-1,2,2-TRIFLUOROETHANE	81611	WAIVED			
1,1,2-TRICHLOROETHANE	34511	WAIVED			
1,1-DICHLOROETHANE	34496	WAIVED			
1,1-DICHLOROETHYLENE	34501	WAIVED			
1,2,4-TRICHLOROBENZENE	34551	WAIVED			
1,2-DICHLOROBENZENE	34536	WAIVED			
1,2-DICHLOROETHANE	34531	WAIVED			
1,2-DICHLOROPROPANE	34541	WAIVED			

**Testing interval is in months;*
0 = No data for this constituent and is DUE NOW
999 = Waived testing (not required)
I = Invalid (NOT) valid analyses reported

System Number: ***1900305***

System Name: ***CHALLENGER MEMORIAL YOUTH CENTER***

PS Code: ***1900305-002***

Source Name: ***WELL 02***

Source Number: ***002***

Source Status: ***ACTIVE UNTREATED***

Water type: ***GROUNDWATER OR WELL***

	STORET NUMBER	TESTING INTERVAL (MONTHS)*	LAST TEST DATE (yyyy/mm/dd)	LAST RESULT REPORTED	NEXT TEST DATE (yyyy/mm)
REGULATED VOC					
1,3-DICHLOROPROPENE (TOTAL)	34561	WAIVED			
1,4-DICHLOROBENZENE	34571	WAIVED			
BENZENE	34030	WAIVED			
CARBON TETRACHLORIDE	32102	WAIVED			
CIS-1,2-DICHLOROETHYLENE	77093	WAIVED			
DICHLOROMETHANE	34423	WAIVED			
ETHYLBENZENE	34371	WAIVED			
METHYL-TERT-BUTYL-ETHER (MTBE)	46491	WAIVED			
MONOCHLOROBENZENE	34301	WAIVED			
STYRENE	77128	WAIVED			
TETRACHLOROETHYLENE	34475	WAIVED			
TOLUENE	34010	WAIVED			
TRANS-1,2-DICHLOROETHYLENE	34546	WAIVED			
TRICHLOROETHYLENE	39180	WAIVED			
TRICHLOROFLUOROMETHANE	34488	WAIVED			
VINYL CHLORIDE	39175	WAIVED			
XYLENES (TOTAL)	81551	WAIVED			
SECONDARY/GP					
AGGRSSIVE INDEX (CORROSIVITY)	82383	WAIVED			
BICARBONATE ALKALINITY	00440	WAIVED			
CALCIUM	00916	WAIVED			
CARBONATE ALKALINITY	00445	WAIVED			
CHLORIDE	00940	WAIVED			
COLOR	00081	WAIVED			
COPPER	01042	WAIVED			
FOAMING AGENTS (MBAS)	38260	WAIVED			
HARDNESS (TOTAL) AS CACO3	00900	WAIVED			
HYDROXIDE ALKALINITY	71830	WAIVED			
IRON	01045	WAIVED			

**Testing interval is in months;*
0 = No data for this constituent and is DUE NOW
999 = Waived testing (not required)
I = Invalid (NOT) valid analyses reported

System Number: ***1900305***

System Name: ***CHALLENGER MEMORIAL YOUTH CENTER***

PS Code: ***1900305-002***

Source Name: ***WELL 02***

Source Number: ***002***

Source Status: ***ACTIVE UNTREATED***

Water type: ***GROUNDWATER OR WELL***

SECONDARY/GP

	STORET NUMBER	TESTING INTERVAL (MONTHS)*	LAST TEST DATE (yyyy/mm/dd)	LAST RESULT REPORTED	NEXT TEST DATE (yyyy/mm)
MAGNESIUM	00927	WAIVED			
MANGANESE	01055	WAIVED			
ODOR THRESHOLD @ 60 C	00086	WAIVED			
PH, LABORATORY	00403	WAIVED			
SILVER	01077	WAIVED			
SODIUM	00929	WAIVED			
SPECIFIC CONDUCTANCE	00095	WAIVED			
SULFATE	00945	WAIVED			
TOTAL DISSOLVED SOLIDS	70300	WAIVED			
TURBIDITY, LABORATORY	82079	WAIVED			
ZINC	01092	WAIVED			

PS Code: ***1900305-003***

Source Name: ***WELL 03***

Source Number: ***003***

Source Status: ***ACTIVE UNTREATED***

Water type: ***GROUNDWATER OR WELL***

GENERAL NON CHAP 15

DIAZINON	39570	WAIVED			

INORGANIC

ALUMINUM	01105	WAIVED	2002/04/26	.000	
ANTIMONY	01097	WAIVED	2002/04/26	.000	
ARSENIC	01002	WAIVED	2011/09/08	42.900	
ASBESTOS	81855	WAIVED			
BARIUM	01007	WAIVED	2002/04/26	.000	
BERYLLIUM	01012	WAIVED			
CADMIUM	01027	WAIVED	2002/04/26	.000	
CHROMIUM (TOTAL)	01034	WAIVED	2011/07/08	.000	
CYANIDE	01291	WAIVED			

**Testing interval is in months;*
0 = No data for this constituent and is DUE NOW
999 = Waived testing (not required)
I = Invalid (NOT) valid analyses reported

System Number: ***1900305***

System Name: ***CHALLENGER MEMORIAL YOUTH CENTER***

PS Code: ***1900305-003***

Source Name: ***WELL 03***

Source Number: ***003***

Source Status: ***ACTIVE UNTREATED***

Water type: ***GROUNDWATER OR WELL***

	STORET NUMBER	TESTING INTERVAL (MONTHS)*	LAST TEST DATE (yyyy/mm/dd)	LAST RESULT REPORTED	NEXT TEST DATE (yyyy/mm)
INORGANIC					
FLUORIDE (F) (NATURAL-SOURCE)	00951	WAIVED	2002/04/26	.300	
LEAD	01051	WAIVED	2011/07/08	.000	
MERCURY	71900	WAIVED	2002/04/26	.000	
NICKEL	01067	WAIVED	2002/04/26	.000	
PERCHLORATE	A-031	WAIVED	2002/04/26	.000	
SELENIUM	01147	WAIVED	2002/04/26	.000	
THALLIUM	01059	WAIVED			
NITRATE/NITRITE					
NITRATE (AS NO3)	71850	WAIVED	2002/12/05	9.300	
NITRITE (AS N)	00620	WAIVED			
RADIOLOGICAL					
GROSS ALPHA	01501	WAIVED			
GROSS BETA	03501	WAIVED			
RA-226 FOR CWS OR TOTAL RA FOR NTNC BY 903.0	A-080	WAIVED			
RA-226 OR TOTAL RA BY 903.0 C.E.	A-081	WAIVED			
RADIUM 226	09501	WAIVED			
RADIUM 228	11501	WAIVED			
RADIUM, TOTAL, MDA95-NTNC ONLY, BY 903.0	A-082	WAIVED			
STRONTIUM-90	13501	WAIVED			
TRITIUM	07000	WAIVED			
URANIUM (PCI/L)	28012	WAIVED			
REGULATED SOC					
2,3,7,8-TCDD (DIOXIN)	34676	WAIVED			
2,4,5-TP (SILVEX)	39045	WAIVED			
2,4-D	39730	WAIVED			
ALACHLOR	77825	WAIVED			
ATRAZINE	39033	WAIVED			
BENTAZON	38710	WAIVED			

**Testing interval is in months;*
0 = No data for this constituent and is DUE NOW
999 = Waived testing (not required)
I = Invalid (NOT) valid analyses reported

System Number: ***1900305***

System Name: ***CHALLENGER MEMORIAL YOUTH CENTER***

PS Code: ***1900305-003***

Source Name: ***WELL 03***

Source Number: ***003***

Source Status: ***ACTIVE UNTREATED***

Water type: ***GROUNDWATER OR WELL***

	STORET NUMBER	TESTING INTERVAL (MONTHS)*	LAST TEST DATE (yyyy/mm/dd)	LAST RESULT REPORTED	NEXT TEST DATE (yyyy/mm)
REGULATED SOC					
BENZO (A) PYRENE	34247	WAIVED			
CARBOFURAN	81405	WAIVED			
CHLORDANE	39350	WAIVED			
DALAPON	38432	WAIVED			
DI(2-ETHYLHEXYL)ADIPATE	A-026	WAIVED			
DI(2-ETHYLHEXYL)PHTHALATE	39100	WAIVED			
DIBROMOCHLOROPROPANE (DBCP)	38761	WAIVED			
DINOSEB	81287	WAIVED			
DIQUAT	78885	WAIVED			
ENDOTHALL	38926	WAIVED			
ENDRIN	39390	WAIVED			
ETHYLENE DIBROMIDE (EDB)	77651	WAIVED			
GLYPHOSATE	79743	WAIVED			
HEPTACHLOR	39410	WAIVED			
HEPTACHLOR EPOXIDE	39420	WAIVED			
HEXACHLOROBENZENE	39700	WAIVED			
HEXACHLOROCYCLOPENTADIENE	34386	WAIVED			
LINDANE	39340	WAIVED			
METHOXYCHLOR	39480	WAIVED			
MOLINATE	82199	WAIVED			
OXAMYL	38865	WAIVED			
PENTACHLOROPHENOL	39032	WAIVED			
PICLORAM	39720	WAIVED			
POLYCHLORINATED BIPHENYLS, TOTAL, AS DCB	39516	WAIVED			
SIMAZINE	39055	WAIVED			
THIOBENCARB	A-001	WAIVED			
TOXAPHENE	39400	WAIVED			
REGULATED VOC					
1,1,1-TRICHLOROETHANE	34506	WAIVED			

**Testing interval is in months;*
0 = No data for this constituent and is DUE NOW
999 = Waived testing (not required)
I = Invalid (NOT) valid analyses reported

System Number: ***1900305***

System Name: ***CHALLENGER MEMORIAL YOUTH CENTER***

PS Code: ***1900305-003***

Source Name: ***WELL 03***

Source Number: ***003***

Source Status: ***ACTIVE UNTREATED***

Water type: ***GROUNDWATER OR WELL***

	STORET NUMBER	TESTING INTERVAL (MONTHS)*	LAST TEST DATE (yyyy/mm/dd)	LAST RESULT REPORTED	NEXT TEST DATE (yyyy/mm)
REGULATED VOC					
1,1,2,2-TETRACHLOROETHANE	34516	WAIVED			
1,1,2-TRICHLORO-1,2,2-TRIFLUOROETHANE	81611	WAIVED			
1,1,2-TRICHLOROETHANE	34511	WAIVED			
1,1-DICHLOROETHANE	34496	WAIVED			
1,1-DICHLOROETHYLENE	34501	WAIVED			
1,2,4-TRICHLOROBENZENE	34551	WAIVED			
1,2-DICHLOROBENZENE	34536	WAIVED			
1,2-DICHLOROETHANE	34531	WAIVED			
1,2-DICHLOROPROPANE	34541	WAIVED			
1,3-DICHLOROPROPENE (TOTAL)	34561	WAIVED			
1,4-DICHLOROBENZENE	34571	WAIVED			
BENZENE	34030	WAIVED			
CARBON TETRACHLORIDE	32102	WAIVED			
CIS-1,2-DICHLOROETHYLENE	77093	WAIVED			
DICHLOROMETHANE	34423	WAIVED			
ETHYLBENZENE	34371	WAIVED			
METHYL-TERT-BUTYL-ETHER (MTBE)	46491	WAIVED			
MONOCHLOROBENZENE	34301	WAIVED			
STYRENE	77128	WAIVED			
TETRACHLOROETHYLENE	34475	WAIVED			
TOLUENE	34010	WAIVED			
TRANS-1,2-DICHLOROETHYLENE	34546	WAIVED			
TRICHLOROETHYLENE	39180	WAIVED			
TRICHLOROFLUOROMETHANE	34488	WAIVED			
VINYL CHLORIDE	39175	WAIVED			
XYLENES (TOTAL)	81551	WAIVED			
SECONDARY/GP					
AGGRSSIVE INDEX (CORROSIVITY)	82383	WAIVED			
BICARBONATE ALKALINITY	00440	WAIVED	2002/04/26	143.000	

**Testing interval is in months;*
0 = No data for this constituent and is DUE NOW
999 = Waived testing (not required)
I = Invalid (NOT) valid analyses reported

System Number: ***1900305***

System Name: ***CHALLENGER MEMORIAL YOUTH CENTER***

PS Code: ***1900305-003***

Source Name: ***WELL 03***

Source Number: ***003***

Source Status: ***ACTIVE UNTREATED***

Water type: ***GROUNDWATER OR WELL***

SECONDARY/GP

	STORET NUMBER	TESTING INTERVAL (MONTHS)*	LAST TEST DATE (yyyy/mm/dd)	LAST RESULT REPORTED	NEXT TEST DATE (yyyy/mm)
CALCIUM	00916	WAIVED	2002/04/26	44.900	
CARBONATE ALKALINITY	00445	WAIVED	2002/04/26	.000	
CHLORIDE	00940	WAIVED	2002/04/26	50.800	
COLOR	00081	WAIVED	2002/04/26	.000	
COPPER	01042	WAIVED	2002/04/26	.000	
FOAMING AGENTS (MBAS)	38260	WAIVED	2002/04/26	.000	
HARDNESS (TOTAL) AS CACO3	00900	WAIVED	2002/04/26	150.000	
HYDROXIDE ALKALINITY	71830	WAIVED	2002/04/26	.000	
IRON	01045	WAIVED	2002/04/26	.000	
MAGNESIUM	00927	WAIVED	2002/04/26	9.270	
MANGANESE	01055	WAIVED	2002/04/26	.000	
ODOR THRESHOLD @ 60 C	00086	WAIVED	2002/04/26	.000	
PH, LABORATORY	00403	WAIVED	2002/04/26	7.520	
SILVER	01077	WAIVED	2002/04/26	.000	
SODIUM	00929	WAIVED	2002/04/26	33.800	
SPECIFIC CONDUCTANCE	00095	WAIVED	2002/04/26	478.000	
SULFATE	00945	WAIVED	2002/04/26	34.300	
TOTAL DISSOLVED SOLIDS	70300	WAIVED	2002/04/26	298.000	
TURBIDITY, LABORATORY	82079	WAIVED	2002/04/26	.170	
ZINC	01092	WAIVED	2002/04/26	.000	

PS Code: ***1900305-004***

Source Name: ***AUTOMATIC CHLORINATOR UNIT***

Source Number: ***004***

Source Status: ***ACTIVE TREATED***

Water type: ***GROUNDWATER OR WELL***

GENERAL NON CHAP 15

DIAZINON	39570	WAIVED			

**Testing interval is in months;*
0 = No data for this constituent and is DUE NOW
999 = Waived testing (not required)
I = Invalid (NOT) valid analyses reported

System Number: ***1900305***

System Name: ***CHALLENGER MEMORIAL YOUTH CENTER***

PS Code: ***1900305-004***

Source Name: ***AUTOMATIC CHLORINATOR UNIT***

Source Number: ***004***

Source Status: ***ACTIVE TREATED***

Water type: ***GROUNDWATER OR WELL***

	STORET NUMBER	TESTING INTERVAL (MONTHS)*	LAST TEST DATE (yyyy/mm/dd)	LAST RESULT REPORTED	NEXT TEST DATE (yyyy/mm)
INORGANIC					
ALUMINUM	01105	WAIVED			
ANTIMONY	01097	WAIVED			
ARSENIC	01002	WAIVED	2011/12/06	8.540	
ASBESTOS	81855	WAIVED			
BARIUM	01007	WAIVED			
BERYLLIUM	01012	WAIVED			
CADMIUM	01027	WAIVED			
CHROMIUM (TOTAL)	01034	WAIVED			
CYANIDE	01291	WAIVED			
FLUORIDE (F) (NATURAL-SOURCE)	00951	WAIVED			
LEAD	01051	WAIVED			
MERCURY	71900	WAIVED			
NICKEL	01067	WAIVED			
PERCHLORATE	A-031	WAIVED			
SELENIUM	01147	WAIVED			
THALLIUM	01059	WAIVED			
NITRATE/NITRITE					
NITRATE (AS NO3)	71850	WAIVED			
NITRITE (AS N)	00620	WAIVED			
RADIOLOGICAL					
GROSS ALPHA	01501	WAIVED			
GROSS BETA	03501	WAIVED			
RA-226 FOR CWS OR TOTAL RA FOR NTNC BY 903.0	A-080	WAIVED			
RA-226 OR TOTAL RA BY 903.0 C.E.	A-081	WAIVED			
RADIUM 226	09501	WAIVED			
RADIUM 228	11501	WAIVED			
RADIUM, TOTAL, MDA95-NTNC ONLY, BY 903.0	A-082	WAIVED			
STRONTIUM-90	13501	WAIVED			
TRITIUM	07000	WAIVED			

**Testing interval is in months;*
0 = No data for this constituent and is DUE NOW
999 = Waived testing (not required)
I = Invalid (NOT) valid analyses reported

System Number: ***1900305***

System Name: ***CHALLENGER MEMORIAL YOUTH CENTER***

PS Code: ***1900305-004***

Source Name: ***AUTOMATIC CHLORINATOR UNIT***

Source Number: ***004***

Source Status: ***ACTIVE TREATED***

Water type: ***GROUNDWATER OR WELL***

	STORET NUMBER	TESTING INTERVAL (MONTHS)*	LAST TEST DATE (yyyy/mm/dd)	LAST RESULT REPORTED	NEXT TEST DATE (yyyy/mm)
RADIOLOGICAL					
URANIUM (PCI/L)	28012	WAIVED			
REGULATED SOC					
2,3,7,8-TCDD (DIOXIN)	34676	WAIVED			
2,4,5-TP (SILVEX)	39045	WAIVED			
2,4-D	39730	WAIVED			
ALACHLOR	77825	WAIVED			
ATRAZINE	39033	WAIVED			
BENTAZON	38710	WAIVED			
BENZO (A) PYRENE	34247	WAIVED			
CARBOFURAN	81405	WAIVED			
CHLORDANE	39350	WAIVED			
DALAPON	38432	WAIVED			
DI(2-ETHYLHEXYL)ADIPATE	A-026	WAIVED			
DI(2-ETHYLHEXYL)PHTHALATE	39100	WAIVED			
DIBROMOCHLOROPROPANE (DBCP)	38761	WAIVED			
DINOSEB	81287	WAIVED			
DIQUAT	78885	WAIVED			
ENDOTHALL	38926	WAIVED			
ENDRIN	39390	WAIVED			
ETHYLENE DIBROMIDE (EDB)	77651	WAIVED			
GLYPHOSATE	79743	WAIVED			
HEPTACHLOR	39410	WAIVED			
HEPTACHLOR EPOXIDE	39420	WAIVED			
HEXACHLOROBENZENE	39700	WAIVED			
HEXACHLOROCYCLOPENTADIENE	34386	WAIVED			
LINDANE	39340	WAIVED			
METHOXYCHLOR	39480	WAIVED			
MOLINATE	82199	WAIVED			
OXAMYL	38865	WAIVED			

**Testing interval is in months;*
0 = No data for this constituent and is DUE NOW
999 = Waived testing (not required)
I = Invalid (NOT) valid analyses reported

System Number: ***1900305***

System Name: ***CHALLENGER MEMORIAL YOUTH CENTER***

PS Code: ***1900305-004***

Source Name: ***AUTOMATIC CHLORINATOR UNIT***

Source Number: ***004***

Source Status: ***ACTIVE TREATED***

Water type: ***GROUNDWATER OR WELL***

	STORET NUMBER	TESTING INTERVAL (MONTHS)*	LAST TEST DATE (yyyy/mm/dd)	LAST RESULT REPORTED	NEXT TEST DATE (yyyy/mm)
REGULATED SOC					
PENTACHLOROPHENOL	39032	WAIVED			
PICLORAM	39720	WAIVED			
POLYCHLORINATED BIPHENYLS, TOTAL, AS DCB	39516	WAIVED			
SIMAZINE	39055	WAIVED			
THIOBENCARB	A-001	WAIVED			
TOXAPHENE	39400	WAIVED			
REGULATED VOC					
1,1,1-TRICHLOROETHANE	34506	WAIVED			
1,1,2,2-TETRACHLOROETHANE	34516	WAIVED			
1,1,2-TRICHLORO-1,2,2-TRIFLUOROETHANE	81611	WAIVED			
1,1,2-TRICHLOROETHANE	34511	WAIVED			
1,1-DICHLOROETHANE	34496	WAIVED			
1,1-DICHLOROETHYLENE	34501	WAIVED			
1,2,4-TRICHLOROBENZENE	34551	WAIVED			
1,2-DICHLOROBENZENE	34536	WAIVED			
1,2-DICHLOROETHANE	34531	WAIVED			
1,2-DICHLOROPROPANE	34541	WAIVED			
1,3-DICHLOROPROPENE (TOTAL)	34561	WAIVED			
1,4-DICHLOROBENZENE	34571	WAIVED			
BENZENE	34030	WAIVED			
CARBON TETRACHLORIDE	32102	WAIVED			
CIS-1,2-DICHLOROETHYLENE	77093	WAIVED			
DICHLOROMETHANE	34423	WAIVED			
ETHYLBENZENE	34371	WAIVED			
METHYL-TERT-BUTYL-ETHER (MTBE)	46491	WAIVED			
MONOCHLOROBENZENE	34301	WAIVED			
STYRENE	77128	WAIVED			
TETRACHLOROETHYLENE	34475	WAIVED			
TOLUENE	34010	WAIVED			

**Testing interval is in months;*
0 = No data for this constituent and is DUE NOW
999 = Waived testing (not required)
I = Invalid (NOT) valid analyses reported

System Number: ***1900305***

System Name: ***CHALLENGER MEMORIAL YOUTH CENTER***

PS Code: ***1900305-004***

Source Name: ***AUTOMATIC CHLORINATOR UNIT***

Source Number: ***004***

Source Status: ***ACTIVE TREATED***

Water type: ***GROUNDWATER OR WELL***

	STORET NUMBER	TESTING INTERVAL (MONTHS)*	LAST TEST DATE (yyyy/mm/dd)	LAST RESULT REPORTED	NEXT TEST DATE (yyyy/mm)
REGULATED VOC					
TRANS-1,2-DICHLOROETHYLENE	34546	WAIVED			
TRICHLOROETHYLENE	39180	WAIVED			
TRICHLOROFLUOROMETHANE	34488	WAIVED			
VINYL CHLORIDE	39175	WAIVED			
XYLENES (TOTAL)	81551	WAIVED			
SECONDARY/GP					
AGGRSSIVE INDEX (CORROSIVITY)	82383	WAIVED			
BICARBONATE ALKALINITY	00440	WAIVED			
CALCIUM	00916	WAIVED			
CARBONATE ALKALINITY	00445	WAIVED			
CHLORIDE	00940	WAIVED			
COLOR	00081	WAIVED			
COPPER	01042	WAIVED			
FOAMING AGENTS (MBAS)	38260	WAIVED			
HARDNESS (TOTAL) AS CACO3	00900	WAIVED			
HYDROXIDE ALKALINITY	71830	WAIVED			
IRON	01045	WAIVED			
MAGNESIUM	00927	WAIVED			
MANGANESE	01055	WAIVED			
ODOR THRESHOLD @ 60 C	00086	WAIVED			
PH, LABORATORY	00403	WAIVED			
SILVER	01077	WAIVED			
SODIUM	00929	WAIVED			
SPECIFIC CONDUCTANCE	00095	WAIVED			
SULFATE	00945	WAIVED			
TOTAL DISSOLVED SOLIDS	70300	WAIVED			
TURBIDITY, LABORATORY	82079	WAIVED			
ZINC	01092	WAIVED			

**Testing interval is in months;*
0 = No data for this constituent and is DUE NOW
999 = Waived testing (not required)
I = Invalid (NOT) valid analyses reported

System Number: ***1900505***

System Name: ***ANTELOPE VALLEY PROGRESSIVE CLUB***

PS Code: ***1900505-001***

Source Name: ***WELL***

Source Number: ***001***

Source Status: ***ACTIVE RAW***

Water type: ***GROUNDWATER OR WELL***

	STORET NUMBER	TESTING INTERVAL (MONTHS)*	LAST TEST DATE (yyyy/mm/dd)	LAST RESULT REPORTED	NEXT TEST DATE (yyyy/mm)
GENERAL NON CHAP 15					
DIAZINON	39570	WAIVED			
INORGANIC					
ALUMINUM	01105	WAIVED			
ANTIMONY	01097	WAIVED			
ARSENIC	01002	WAIVED			
ASBESTOS	81855	WAIVED			
BARIUM	01007	WAIVED			
BERYLLIUM	01012	WAIVED			
CADMIUM	01027	WAIVED			
CHROMIUM (TOTAL)	01034	WAIVED			
CYANIDE	01291	WAIVED			
FLUORIDE (F) (NATURAL-SOURCE)	00951	WAIVED			
LEAD	01051	WAIVED			
MERCURY	71900	WAIVED			
NICKEL	01067	WAIVED			
PERCHLORATE	A-031	WAIVED			
SELENIUM	01147	WAIVED			
THALLIUM	01059	WAIVED			
NITRATE/NITRITE					
NITRATE (AS NO3)	71850	WAIVED			
NITRITE (AS N)	00620	WAIVED			
RADIOLOGICAL					
GROSS ALPHA	01501	WAIVED			
GROSS BETA	03501	WAIVED			
RA-226 FOR CWS OR TOTAL RA FOR NTNC BY 903.0	A-080	WAIVED			
RA-226 OR TOTAL RA BY 903.0 C.E.	A-081	WAIVED			
RADIUM 226	09501	WAIVED			
RADIUM 228	11501	WAIVED			

**Testing interval is in months;*
0 = No data for this constituent and is DUE NOW
999 = Waived testing (not required)
I = Invalid (NOT) valid analyses reported

System Number: ***1900505***

System Name: ***ANTELOPE VALLEY PROGRESSIVE CLUB***

PS Code: ***1900505-001***

Source Name: ***WELL***

Source Number: ***001***

Source Status: ***ACTIVE RAW***

Water type: ***GROUNDWATER OR WELL***

	STORET NUMBER	TESTING INTERVAL (MONTHS)*	LAST TEST DATE (yyyy/mm/dd)	LAST RESULT REPORTED	NEXT TEST DATE (yyyy/mm)
RADIOLOGICAL					
RADIUM, TOTAL, MDA95-NTNC ONLY, BY 903.0	A-082	WAIVED			
STRONTIUM-90	13501	WAIVED			
TRITIUM	07000	WAIVED			
URANIUM (PCI/L)	28012	WAIVED			
REGULATED SOC					
2,3,7,8-TCDD (DIOXIN)	34676	WAIVED			
2,4,5-TP (SILVEX)	39045	WAIVED			
2,4-D	39730	WAIVED			
ALACHLOR	77825	WAIVED			
ATRAZINE	39033	WAIVED			
BENTAZON	38710	WAIVED			
BENZO (A) PYRENE	34247	WAIVED			
CARBOFURAN	81405	WAIVED			
CHLORDANE	39350	WAIVED			
DALAPON	38432	WAIVED			
DI(2-ETHYLHEXYL)ADIPATE	A-026	WAIVED			
DI(2-ETHYLHEXYL)PHTHALATE	39100	WAIVED			
DIBROMOCHLOROPROPANE (DBCP)	38761	WAIVED			
DINOSEB	81287	WAIVED			
DIQUAT	78885	WAIVED			
ENDOTHALL	38926	WAIVED			
ENDRIN	39390	WAIVED			
ETHYLENE DIBROMIDE (EDB)	77651	WAIVED			
GLYPHOSATE	79743	WAIVED			
HEPTACHLOR	39410	WAIVED			
HEPTACHLOR EPOXIDE	39420	WAIVED			
HEXACHLOROBENZENE	39700	WAIVED			
HEXACHLOROCYCLOPENTADIENE	34386	WAIVED			
LINDANE	39340	WAIVED			

**Testing interval is in months;*
0 = No data for this constituent and is DUE NOW
999 = Waived testing (not required)
I = Invalid (NOT) valid analyses reported

System Number: ***1900505***

System Name: ***ANTELOPE VALLEY PROGRESSIVE CLUB***

PS Code: ***1900505-001***

Source Name: ***WELL***

Source Number: ***001***

Source Status: ***ACTIVE RAW***

Water type: ***GROUNDWATER OR WELL***

	STORET NUMBER	TESTING INTERVAL (MONTHS)*	LAST TEST DATE (yyyy/mm/dd)	LAST RESULT REPORTED	NEXT TEST DATE (yyyy/mm)
REGULATED SOC					
METHOXYCHLOR	39480	WAIVED			
MOLINATE	82199	WAIVED			
OXAMYL	38865	WAIVED			
PENTACHLOROPHENOL	39032	WAIVED			
PICLORAM	39720	WAIVED			
POLYCHLORINATED BIPHENYLS, TOTAL, AS DCB	39516	WAIVED			
SIMAZINE	39055	WAIVED			
THIOBENCARB	A-001	WAIVED			
TOXAPHENE	39400	WAIVED			
REGULATED VOC					
1,1,1-TRICHLOROETHANE	34506	WAIVED			
1,1,2,2-TETRACHLOROETHANE	34516	WAIVED			
1,1,2-TRICHLORO-1,2,2-TRIFLUOROETHANE	81611	WAIVED			
1,1,2-TRICHLOROETHANE	34511	WAIVED			
1,1-DICHLOROETHANE	34496	WAIVED			
1,1-DICHLOROETHYLENE	34501	WAIVED			
1,2,4-TRICHLOROBENZENE	34551	WAIVED			
1,2-DICHLOROBENZENE	34536	WAIVED			
1,2-DICHLOROETHANE	34531	WAIVED			
1,2-DICHLOROPROPANE	34541	WAIVED			
1,3-DICHLOROPROPENE (TOTAL)	34561	WAIVED			
1,4-DICHLOROBENZENE	34571	WAIVED			
BENZENE	34030	WAIVED			
CARBON TETRACHLORIDE	32102	WAIVED			
CIS-1,2-DICHLOROETHYLENE	77093	WAIVED			
DICHLOROMETHANE	34423	WAIVED			
ETHYLBENZENE	34371	WAIVED			
METHYL-TERT-BUTYL-ETHER (MTBE)	46491	WAIVED			
MONOCHLOROBENZENE	34301	WAIVED			

**Testing interval is in months;*
0 = No data for this constituent and is DUE NOW
999 = Waived testing (not required)
I = Invalid (NOT) valid analyses reported

System Number: ***1900505***

System Name: ***ANTELOPE VALLEY PROGRESSIVE CLUB***

PS Code: ***1900505-001***

Source Name: ***WELL***

Source Number: ***001***

Source Status: ***ACTIVE RAW***

Water type: ***GROUNDWATER OR WELL***

	STORET NUMBER	TESTING INTERVAL (MONTHS)*	LAST TEST DATE (yyyy/mm/dd)	LAST RESULT REPORTED	NEXT TEST DATE (yyyy/mm)
REGULATED VOC					
STYRENE	77128	WAIVED			
TETRACHLOROETHYLENE	34475	WAIVED			
TOLUENE	34010	WAIVED			
TRANS-1,2-DICHLOROETHYLENE	34546	WAIVED			
TRICHLOROETHYLENE	39180	WAIVED			
TRICHLOROFLUOROMETHANE	34488	WAIVED			
VINYL CHLORIDE	39175	WAIVED			
XYLENES (TOTAL)	81551	WAIVED			
SECONDARY/GP					
AGGRSSIVE INDEX (CORROSIVITY)	82383	WAIVED			
BICARBONATE ALKALINITY	00440	WAIVED			
CALCIUM	00916	WAIVED			
CARBONATE ALKALINITY	00445	WAIVED			
CHLORIDE	00940	WAIVED			
COLOR	00081	WAIVED			
COPPER	01042	WAIVED			
FOAMING AGENTS (MBAS)	38260	WAIVED			
HARDNESS (TOTAL) AS CACO3	00900	WAIVED			
HYDROXIDE ALKALINITY	71830	WAIVED			
IRON	01045	WAIVED			
MAGNESIUM	00927	WAIVED			
MANGANESE	01055	WAIVED			
ODOR THRESHOLD @ 60 C	00086	WAIVED			
PH, LABORATORY	00403	WAIVED			
SILVER	01077	WAIVED			
SODIUM	00929	WAIVED			
SPECIFIC CONDUCTANCE	00095	WAIVED			
SULFATE	00945	WAIVED			
TOTAL DISSOLVED SOLIDS	70300	WAIVED			

**Testing interval is in months;*
0 = No data for this constituent and is DUE NOW
999 = Waived testing (not required)
I = Invalid (NOT) valid analyses reported

System Number: ***1900505***

System Name: ***ANTELOPE VALLEY PROGRESSIVE CLUB***

PS Code: ***1900505-001***

Source Name: ***WELL***

Source Number: ***001***

Source Status: ***ACTIVE RAW***

Water type: ***GROUNDWATER OR WELL***

	STORET NUMBER	TESTING INTERVAL (MONTHS)*	LAST TEST DATE (yyyy/mm/dd)	LAST RESULT REPORTED	NEXT TEST DATE (yyyy/mm)
SECONDARY/GP					
TURBIDITY, LABORATORY	82079	WAIVED			
ZINC	01092	WAIVED			

**Testing interval is in months;*
0 = No data for this constituent and is DUE NOW
999 = Waived testing (not required)
I = Invalid (NOT) valid analyses reported

System Number: ***1900512***

System Name: ***USFS-JACKSON FLATS V-2-1***

PS Code: ***1900512-001***

Source Name: ***WELL 01***

Source Number: ***001***

Source Status: ***ACTIVE UNTREATED***

Water type: ***GROUNDWATER OR WELL***

	STORET NUMBER	TESTING INTERVAL (MONTHS)*	LAST TEST DATE (yyyy/mm/dd)	LAST RESULT REPORTED	NEXT TEST DATE (yyyy/mm)
GENERAL NON CHAP 15					
DIAZINON	39570	WAIVED			
INORGANIC					
ALUMINUM	01105	WAIVED	2011/11/09	< 10.000	
ANTIMONY	01097	WAIVED	2011/11/09	< 1.000	
ARSENIC	01002	WAIVED	2011/11/09	< 2.000	
ASBESTOS	81855	WAIVED			
BARIUM	01007	WAIVED	2011/11/09	5.700	
BERYLLIUM	01012	WAIVED	2011/11/09	< 1.000	
CADMIUM	01027	WAIVED	2011/11/09	< 1.000	
CHROMIUM (TOTAL)	01034	WAIVED	2011/11/09	< 1.000	
CYANIDE	01291	WAIVED			
FLUORIDE (F) (NATURAL-SOURCE)	00951	WAIVED	2011/11/09	< .100	
LEAD	01051	WAIVED	2011/11/09	1.700	
MERCURY	71900	WAIVED	2011/11/09	.050	
NICKEL	01067	WAIVED	2011/11/09	< 1.000	
PERCHLORATE	A-031	WAIVED	2011/11/09	< 2.000	
SELENIUM	01147	WAIVED	2011/11/09	< 2.000	
THALLIUM	01059	WAIVED	2011/11/09	< 1.000	
NITRATE/NITRITE					
NITRATE (AS NO3)	71850	WAIVED	2011/11/09	1.000	
NITRITE (AS N)	00620	WAIVED	2011/11/09	< .100	
RADIOLOGICAL					
GROSS ALPHA	01501	WAIVED			
GROSS BETA	03501	WAIVED			
RA-226 FOR CWS OR TOTAL RA FOR NTNC BY 903.0	A-080	WAIVED			
RA-226 OR TOTAL RA BY 903.0 C.E.	A-081	WAIVED			
RADIUM 226	09501	WAIVED			
RADIUM 228	11501	WAIVED			

**Testing interval is in months;*
0 = No data for this constituent and is DUE NOW
999 = Waived testing (not required)
I = Invalid (NOT) valid analyses reported

System Number: ***1900512***

System Name: ***USFS-JACKSON FLATS V-2-1***

PS Code: ***1900512-001***

Source Name: ***WELL 01***

Source Number: ***001***

Source Status: ***ACTIVE UNTREATED***

Water type: ***GROUNDWATER OR WELL***

	STORET NUMBER	TESTING INTERVAL (MONTHS)*	LAST TEST DATE (yyyy/mm/dd)	LAST RESULT REPORTED	NEXT TEST DATE (yyyy/mm)
RADIOLOGICAL					
RADIUM, TOTAL, MDA95-NTNC ONLY, BY 903.0	A-082	WAIVED			
STRONTIUM-90	13501	WAIVED			
TRITIUM	07000	WAIVED			
URANIUM (PCI/L)	28012	WAIVED			
REGULATED SOC					
2,3,7,8-TCDD (DIOXIN)	34676	WAIVED			
2,4,5-TP (SILVEX)	39045	WAIVED			
2,4-D	39730	WAIVED			
ALACHLOR	77825	WAIVED			
ATRAZINE	39033	WAIVED			
BENTAZON	38710	WAIVED			
BENZO (A) PYRENE	34247	WAIVED			
CARBOFURAN	81405	WAIVED			
CHLORDANE	39350	WAIVED			
DALAPON	38432	WAIVED			
DI(2-ETHYLHEXYL)ADIPATE	A-026	WAIVED			
DI(2-ETHYLHEXYL)PHTHALATE	39100	WAIVED			
DIBROMOCHLOROPROPANE (DBCP)	38761	WAIVED			
DINOSEB	81287	WAIVED			
DIQUAT	78885	WAIVED			
ENDOTHALL	38926	WAIVED			
ENDRIN	39390	WAIVED			
ETHYLENE DIBROMIDE (EDB)	77651	WAIVED			
GLYPHOSATE	79743	WAIVED			
HEPTACHLOR	39410	WAIVED			
HEPTACHLOR EPOXIDE	39420	WAIVED			
HEXACHLOROBENZENE	39700	WAIVED			
HEXACHLOROCYCLOPENTADIENE	34386	WAIVED			
LINDANE	39340	WAIVED			

**Testing interval is in months;*
0 = No data for this constituent and is DUE NOW
999 = Waived testing (not required)
I = Invalid (NOT) valid analyses reported

System Number: ***1900512***

System Name: ***USFS-JACKSON FLATS V-2-1***

PS Code: ***1900512-001***

Source Name: ***WELL 01***

Source Number: ***001***

Source Status: ***ACTIVE UNTREATED***

Water type: ***GROUNDWATER OR WELL***

	STORET NUMBER	TESTING INTERVAL (MONTHS)*	LAST TEST DATE (yyyy/mm/dd)	LAST RESULT REPORTED	NEXT TEST DATE (yyyy/mm)
REGULATED SOC					
METHOXYCHLOR	39480	WAIVED			
MOLINATE	82199	WAIVED			
OXAMYL	38865	WAIVED			
PENTACHLOROPHENOL	39032	WAIVED			
PICLORAM	39720	WAIVED			
POLYCHLORINATED BIPHENYLS, TOTAL, AS DCB	39516	WAIVED			
SIMAZINE	39055	WAIVED			
THIOBENCARB	A-001	WAIVED	2004/06/24	.000	
TOXAPHENE	39400	WAIVED			
REGULATED VOC					
1,1,1-TRICHLOROETHANE	34506	WAIVED			
1,1,2,2-TETRACHLOROETHANE	34516	WAIVED			
1,1,2-TRICHLORO-1,2,2-TRIFLUOROETHANE	81611	WAIVED			
1,1,2-TRICHLOROETHANE	34511	WAIVED			
1,1-DICHLOROETHANE	34496	WAIVED			
1,1-DICHLOROETHYLENE	34501	WAIVED			
1,2,4-TRICHLOROBENZENE	34551	WAIVED			
1,2-DICHLOROBENZENE	34536	WAIVED			
1,2-DICHLOROETHANE	34531	WAIVED			
1,2-DICHLOROPROPANE	34541	WAIVED			
1,3-DICHLOROPROPENE (TOTAL)	34561	WAIVED			
1,4-DICHLOROBENZENE	34571	WAIVED			
BENZENE	34030	WAIVED			
CARBON TETRACHLORIDE	32102	WAIVED			
CIS-1,2-DICHLOROETHYLENE	77093	WAIVED			
DICHLOROMETHANE	34423	WAIVED			
ETHYLBENZENE	34371	WAIVED			
METHYL-TERT-BUTYL-ETHER (MTBE)	46491	WAIVED			
MONOCHLOROBENZENE	34301	WAIVED			

**Testing interval is in months;*
0 = No data for this constituent and is DUE NOW
999 = Waived testing (not required)
I = Invalid (NOT) valid analyses reported

System Number: ***1900512***

System Name: ***USFS-JACKSON FLATS V-2-1***

PS Code: ***1900512-001***

Source Name: ***WELL 01***

Source Number: ***001***

Source Status: ***ACTIVE UNTREATED***

Water type: ***GROUNDWATER OR WELL***

	STORET NUMBER	TESTING INTERVAL (MONTHS)*	LAST TEST DATE (yyyy/mm/dd)	LAST RESULT REPORTED	NEXT TEST DATE (yyyy/mm)
REGULATED VOC					
STYRENE	77128	WAIVED			
TETRACHLOROETHYLENE	34475	WAIVED			
TOLUENE	34010	WAIVED			
TRANS-1,2-DICHLOROETHYLENE	34546	WAIVED			
TRICHLOROETHYLENE	39180	WAIVED			
TRICHLOROFLUOROMETHANE	34488	WAIVED			
VINYL CHLORIDE	39175	WAIVED			
XYLENES (TOTAL)	81551	WAIVED			
SECONDARY/GP					
AGGRSSIVE INDEX (CORROSIVITY)	82383	WAIVED	2011/11/09	12.400	
BICARBONATE ALKALINITY	00440	WAIVED	2011/11/09	370.000	
CALCIUM	00916	WAIVED	2011/11/09	99.000	
CARBONATE ALKALINITY	00445	WAIVED	2011/11/09	< 10.000	
CHLORIDE	00940	WAIVED	2011/11/09	3.000	
COLOR	00081	WAIVED	2011/11/09	< 5.000	
COPPER	01042	WAIVED	2011/11/09	< 10.000	
FOAMING AGENTS (MBAS)	38260	WAIVED	2011/11/09	< .100	
HARDNESS (TOTAL) AS CACO3	00900	WAIVED	2011/11/09	325.000	
HYDROXIDE ALKALINITY	71830	WAIVED	2011/11/09	< 10.000	
IRON	01045	WAIVED	2011/11/09	< 50.000	
MAGNESIUM	00927	WAIVED	2011/11/09	19.000	
MANGANESE	01055	WAIVED	2011/11/09	< 10.000	
ODOR THRESHOLD @ 60 C	00086	WAIVED	2011/11/09	< 1.000	
PH, LABORATORY	00403	WAIVED	2011/11/09	7.500	
SILVER	01077	WAIVED	2011/11/09	< 1.000	
SODIUM	00929	WAIVED	2011/11/09	5.000	
SPECIFIC CONDUCTANCE	00095	WAIVED	2011/11/09	623.000	
SULFATE	00945	WAIVED	2011/11/09	15.000	
TOTAL DISSOLVED SOLIDS	70300	WAIVED	2011/11/09	350.000	

**Testing interval is in months;*
0 = No data for this constituent and is DUE NOW
999 = Waived testing (not required)
I = Invalid (NOT) valid analyses reported

System Number: ***1900512***

System Name: ***USFS-JACKSON FLATS V-2-1***

PS Code: ***1900512-001***

Source Name: ***WELL 01***

Source Number: ***001***

Source Status: ***ACTIVE UNTREATED***

Water type: ***GROUNDWATER OR WELL***

SECONDARY/GP

	STORET NUMBER	TESTING INTERVAL (MONTHS)*	LAST TEST DATE (yyyy/mm/dd)	LAST RESULT REPORTED	NEXT TEST DATE (yyyy/mm)
TURBIDITY, LABORATORY	82079	WAIVED	2011/11/09	.400	
ZINC	01092	WAIVED	2011/11/09	3080.000	

**Testing interval is in months;*
0 = No data for this constituent and is DUE NOW
999 = Waived testing (not required)
I = Invalid (NOT) valid analyses reported

System Number: ***1900520***

System Name: ***THE VILLAGE MOBILE HOME PARK***

PS Code: ***1900520-001***

Source Name: ***WELL 01***

Source Number: ***001***

Source Status: ***ACTIVE UNTREATED***

Water type: ***GROUNDWATER OR WELL***

	STORET NUMBER	TESTING INTERVAL (MONTHS)*	LAST TEST DATE (yyyy/mm/dd)	LAST RESULT REPORTED	NEXT TEST DATE (yyyy/mm)
GENERAL NON CHAP 15					
DIAZINON	39570	WAIVED			
INORGANIC					
ALUMINUM	01105	WAIVED	2011/03/16	< .000	
ANTIMONY	01097	WAIVED	2011/03/16	< .000	
ARSENIC	01002	WAIVED	2012/03/13	49.000	
ASBESTOS	81855	WAIVED			
BARIUM	01007	WAIVED	2011/03/16	< .000	
BERYLLIUM	01012	WAIVED	2011/03/16	< .000	
CADMIUM	01027	WAIVED	2011/03/16	< .000	
CHROMIUM (TOTAL)	01034	WAIVED	2011/03/16	< .000	
CYANIDE	01291	WAIVED	2011/03/16	< .000	
FLUORIDE (F) (NATURAL-SOURCE)	00951	WAIVED	2011/03/16	1.300	
LEAD	01051	WAIVED	2011/03/16	< .000	
MERCURY	71900	WAIVED	2011/03/16	< .000	
NICKEL	01067	WAIVED	2011/03/16	< .000	
PERCHLORATE	A-031	WAIVED	2011/10/19	< .000	
SELENIUM	01147	WAIVED	2011/03/16	< .000	
THALLIUM	01059	WAIVED	2011/03/16	< .000	
NITRATE/NITRITE					
NITRATE (AS NO3)	71850	WAIVED	2011/03/16	< .000	
NITRITE (AS N)	00620	WAIVED	2011/03/16	< .000	
RADIOLOGICAL					
GROSS ALPHA	01501	WAIVED	2011/03/16	< .000	
GROSS BETA	03501	WAIVED	2011/03/16	< 4.000	
RA-226 FOR CWS OR TOTAL RA FOR NTNC BY 903.0	A-080	WAIVED			
RA-226 OR TOTAL RA BY 903.0 C.E.	A-081	WAIVED			
RADIUM 226	09501	WAIVED	2011/03/16	< 1.000	
RADIUM 228	11501	WAIVED	2011/03/16	< 1.000	

**Testing interval is in months;*
0 = No data for this constituent and is DUE NOW
999 = Waived testing (not required)
I = Invalid (NOT) valid analyses reported

System Number: ***1900520***

System Name: ***THE VILLAGE MOBILE HOME PARK***

PS Code: ***1900520-001***

Source Name: ***WELL 01***

Source Number: ***001***

Source Status: ***ACTIVE UNTREATED***

Water type: ***GROUNDWATER OR WELL***

	STORET NUMBER	TESTING INTERVAL (MONTHS)*	LAST TEST DATE (yyyy/mm/dd)	LAST RESULT REPORTED	NEXT TEST DATE (yyyy/mm)
RADIOLOGICAL					
RADIUM, TOTAL, MDA95-NTNC ONLY, BY 903.0	A-082	WAIVED			
STRONTIUM-90	13501	WAIVED			
TRITIUM	07000	WAIVED			
URANIUM (PCI/L)	28012	WAIVED	2011/03/16	< .000	
REGULATED SOC					
2,3,7,8-TCDD (DIOXIN)	34676	WAIVED			
2,4,5-TP (SILVEX)	39045	WAIVED			
2,4-D	39730	WAIVED			
ALACHLOR	77825	WAIVED	2003/03/21	.000	
ATRAZINE	39033	WAIVED			
BENTAZON	38710	WAIVED			
BENZO (A) PYRENE	34247	WAIVED			
CARBOFURAN	81405	WAIVED			
CHLORDANE	39350	WAIVED	2003/03/21	.000	
DALAPON	38432	WAIVED			
DI(2-ETHYLHEXYL)ADIPATE	A-026	WAIVED			
DI(2-ETHYLHEXYL)PHTHALATE	39100	WAIVED			
DIBROMOCHLOROPROPANE (DBCP)	38761	WAIVED			
DINOSEB	81287	WAIVED			
DIQUAT	78885	WAIVED			
ENDOTHALL	38926	WAIVED			
ENDRIN	39390	WAIVED	2003/03/21	.000	
ETHYLENE DIBROMIDE (EDB)	77651	WAIVED			
GLYPHOSATE	79743	WAIVED			
HEPTACHLOR	39410	WAIVED	2003/03/21	.000	
HEPTACHLOR EPOXIDE	39420	WAIVED	2003/03/21	.000	
HEXACHLOROBENZENE	39700	WAIVED	2003/03/21	.000	
HEXACHLOROCYCLOPENTADIENE	34386	WAIVED	2003/03/21	.000	
LINDANE	39340	WAIVED	2003/03/21	.000	

**Testing interval is in months;*
0 = No data for this constituent and is DUE NOW
999 = Waived testing (not required)
I = Invalid (NOT) valid analyses reported

System Number: ***1900520***

System Name: ***THE VILLAGE MOBILE HOME PARK***

PS Code: ***1900520-001***

Source Name: ***WELL 01***

Source Number: ***001***

Source Status: ***ACTIVE UNTREATED***

Water type: ***GROUNDWATER OR WELL***

	STORET NUMBER	TESTING INTERVAL (MONTHS)*	LAST TEST DATE (yyyy/mm/dd)	LAST RESULT REPORTED	NEXT TEST DATE (yyyy/mm)
REGULATED SOC					
METHOXYCHLOR	39480	WAIVED	2003/03/21	.000	
MOLINATE	82199	WAIVED			
OXAMYL	38865	WAIVED			
PENTACHLOROPHENOL	39032	WAIVED			
PICLORAM	39720	WAIVED			
POLYCHLORINATED BIPHENYLS, TOTAL, AS DCB	39516	WAIVED	2003/03/21	.000	
SIMAZINE	39055	WAIVED			
THIOBENCARB	A-001	WAIVED			
TOXAPHENE	39400	WAIVED	2003/03/21	.000	
REGULATED VOC					
1,1,1-TRICHLOROETHANE	34506	WAIVED	2009/12/22	.000	
1,1,2,2-TETRACHLOROETHANE	34516	WAIVED	2009/12/22	.000	
1,1,2-TRICHLORO-1,2,2-TRIFLUOROETHANE	81611	WAIVED	2009/12/22	.000	
1,1,2-TRICHLOROETHANE	34511	WAIVED	2009/12/22	.000	
1,1-DICHLOROETHANE	34496	WAIVED	2009/12/22	.000	
1,1-DICHLOROETHYLENE	34501	WAIVED	2009/12/22	.000	
1,2,4-TRICHLOROBENZENE	34551	WAIVED	2009/12/22	.000	
1,2-DICHLOROBENZENE	34536	WAIVED	2009/12/22	.000	
1,2-DICHLOROETHANE	34531	WAIVED	2009/12/22	.000	
1,2-DICHLOROPROPANE	34541	WAIVED	2009/12/22	.000	
1,3-DICHLOROPROPENE (TOTAL)	34561	WAIVED	2009/12/22	.000	
1,4-DICHLOROBENZENE	34571	WAIVED	2009/12/22	.000	
BENZENE	34030	WAIVED	2009/12/22	.000	
CARBON TETRACHLORIDE	32102	WAIVED	2009/12/22	.000	
CIS-1,2-DICHLOROETHYLENE	77093	WAIVED	2009/12/22	.000	
DICHLOROMETHANE	34423	WAIVED	2009/12/22	.000	
ETHYLBENZENE	34371	WAIVED	2009/12/22	.000	
METHYL-TERT-BUTYL-ETHER (MTBE)	46491	WAIVED	2009/12/22	.000	
MONOCHLOROBENZENE	34301	WAIVED	2009/12/22	.000	

**Testing interval is in months;*
0 = No data for this constituent and is DUE NOW
999 = Waived testing (not required)
I = Invalid (NOT) valid analyses reported

System Number: ***1900520***

System Name: ***THE VILLAGE MOBILE HOME PARK***

PS Code: ***1900520-001***

Source Name: ***WELL 01***

Source Number: ***001***

Source Status: ***ACTIVE UNTREATED***

Water type: ***GROUNDWATER OR WELL***

	STORET NUMBER	TESTING INTERVAL (MONTHS)*	LAST TEST DATE (yyyy/mm/dd)	LAST RESULT REPORTED	NEXT TEST DATE (yyyy/mm)
REGULATED VOC					
STYRENE	77128	WAIVED	2009/12/22	.000	
TETRACHLOROETHYLENE	34475	WAIVED	2009/12/22	.000	
TOLUENE	34010	WAIVED	2009/12/22	.000	
TRANS-1,2-DICHLOROETHYLENE	34546	WAIVED	2009/12/22	.000	
TRICHLOROETHYLENE	39180	WAIVED	2009/12/22	.000	
TRICHLOROFLUOROMETHANE	34488	WAIVED	2009/12/22	.000	
VINYL CHLORIDE	39175	WAIVED	2009/12/22	.000	
XYLENES (TOTAL)	81551	WAIVED	2009/12/22	< .500	
SECONDARY/GP					
AGGRSSIVE INDEX (CORROSIVITY)	82383	WAIVED	2011/03/16	12.000	
BICARBONATE ALKALINITY	00440	WAIVED	2011/03/16	150.000	
CALCIUM	00916	WAIVED	2011/03/16	8.300	
CARBONATE ALKALINITY	00445	WAIVED	2011/03/16	9.600	
CHLORIDE	00940	WAIVED	2011/03/16	4.900	
COLOR	00081	WAIVED	2011/03/16	< .000	
COPPER	01042	WAIVED	2011/03/16	< .000	
FOAMING AGENTS (MBAS)	38260	WAIVED	2011/03/16	< .000	
HARDNESS (TOTAL) AS CACO3	00900	WAIVED	2011/03/16	27.000	
HYDROXIDE ALKALINITY	71830	WAIVED	2011/03/16	< .000	
IRON	01045	WAIVED	2011/03/16	< .000	
MAGNESIUM	00927	WAIVED	2011/03/16	1.400	
MANGANESE	01055	WAIVED	2011/03/16	< .000	
ODOR THRESHOLD @ 60 C	00086	WAIVED	2011/03/16	< .000	
PH, LABORATORY	00403	WAIVED	2011/03/16	8.700	
SILVER	01077	WAIVED	2011/03/16	< .000	
SODIUM	00929	WAIVED	2011/03/16	66.000	
SPECIFIC CONDUCTANCE	00095	WAIVED	2011/03/16	290.000	
SULFATE	00945	WAIVED	2011/03/16	12.000	
TOTAL DISSOLVED SOLIDS	70300	WAIVED	2011/03/16	200.000	

**Testing interval is in months;*
0 = No data for this constituent and is DUE NOW
999 = Waived testing (not required)
I = Invalid (NOT) valid analyses reported

System Number: ***1900520***

System Name: ***THE VILLAGE MOBILE HOME PARK***

PS Code: ***1900520-001***

Source Name: ***WELL 01***

Source Number: ***001***

Source Status: ***ACTIVE UNTREATED***

Water type: ***GROUNDWATER OR WELL***

SECONDARY/GP	STORET NUMBER	TESTING INTERVAL (MONTHS)*	LAST TEST DATE (yyyy/mm/dd)	LAST RESULT REPORTED	NEXT TEST DATE (yyyy/mm)
TURBIDITY, LABORATORY	82079	WAIVED	2011/03/16	1.400	
ZINC	01092	WAIVED	2011/03/16	< .000	

**Testing interval is in months;*
0 = No data for this constituent and is DUE NOW
999 = Waived testing (not required)
I = Invalid (NOT) valid analyses reported

System Number: ***1900527***

System Name: ***CLEAR CREEK OUTDOOR ED. CENTER-LAUSD***

PS Code: ***1900527-001***

Source Name: ***WELL 01***

Source Number: ***001***

Source Status: ***ACTIVE UNTREATED***

Water type: ***GROUNDWATER OR WELL***

	STORET NUMBER	TESTING INTERVAL (MONTHS)*	LAST TEST DATE (yyyy/mm/dd)	LAST RESULT REPORTED	NEXT TEST DATE (yyyy/mm)
GENERAL NON CHAP 15					
DIAZINON	39570	WAIVED			
INORGANIC					
ALUMINUM	01105	WAIVED	2000/12/04	.000	
ANTIMONY	01097	WAIVED	2000/12/04	.000	
ARSENIC	01002	WAIVED	2000/12/04	2.870	
ASBESTOS	81855	WAIVED			
BARIUM	01007	WAIVED	2000/12/04	.000	
BERYLLIUM	01012	WAIVED			
CADMIUM	01027	WAIVED	2000/12/04	.000	
CHROMIUM (TOTAL)	01034	WAIVED	2000/12/04	.000	
CYANIDE	01291	WAIVED			
FLUORIDE (F) (NATURAL-SOURCE)	00951	WAIVED	2000/12/04	.350	
LEAD	01051	WAIVED	2000/12/04	.000	
MERCURY	71900	WAIVED	2000/12/04	.000	
NICKEL	01067	WAIVED	2000/12/04	.000	
PERCHLORATE	A-031	WAIVED			
SELENIUM	01147	WAIVED	2000/12/04	.000	
THALLIUM	01059	WAIVED			
NITRATE/NITRITE					
NITRATE (AS NO3)	71850	WAIVED	2004/11/17	6.510	
NITRITE (AS N)	00620	WAIVED			
RADIOLOGICAL					
GROSS ALPHA	01501	WAIVED			
GROSS BETA	03501	WAIVED			
RA-226 FOR CWS OR TOTAL RA FOR NTNC BY 903.0	A-080	WAIVED			
RA-226 OR TOTAL RA BY 903.0 C.E.	A-081	WAIVED			
RADIUM 226	09501	WAIVED			
RADIUM 228	11501	WAIVED			

**Testing interval is in months;*
0 = No data for this constituent and is DUE NOW
999 = Waived testing (not required)
I = Invalid (NOT) valid analyses reported

System Number: ***1900527***

System Name: ***CLEAR CREEK OUTDOOR ED. CENTER-LAUSD***

PS Code: ***1900527-001***

Source Name: ***WELL 01***

Source Number: ***001***

Source Status: ***ACTIVE UNTREATED***

Water type: ***GROUNDWATER OR WELL***

	STORET NUMBER	TESTING INTERVAL (MONTHS)*	LAST TEST DATE (yyyy/mm/dd)	LAST RESULT REPORTED	NEXT TEST DATE (yyyy/mm)
RADIOLOGICAL					
RADIUM, TOTAL, MDA95-NTNC ONLY, BY 903.0	A-082	WAIVED			
STRONTIUM-90	13501	WAIVED			
TRITIUM	07000	WAIVED			
URANIUM (PCI/L)	28012	WAIVED			
REGULATED SOC					
2,3,7,8-TCDD (DIOXIN)	34676	WAIVED			
2,4,5-TP (SILVEX)	39045	WAIVED			
2,4-D	39730	WAIVED			
ALACHLOR	77825	WAIVED			
ATRAZINE	39033	WAIVED			
BENTAZON	38710	WAIVED			
BENZO (A) PYRENE	34247	WAIVED			
CARBOFURAN	81405	WAIVED			
CHLORDANE	39350	WAIVED			
DALAPON	38432	WAIVED			
DI(2-ETHYLHEXYL)ADIPATE	A-026	WAIVED			
DI(2-ETHYLHEXYL)PHTHALATE	39100	WAIVED			
DIBROMOCHLOROPROPANE (DBCP)	38761	WAIVED			
DINOSEB	81287	WAIVED			
DIQUAT	78885	WAIVED			
ENDOTHALL	38926	WAIVED			
ENDRIN	39390	WAIVED			
ETHYLENE DIBROMIDE (EDB)	77651	WAIVED			
GLYPHOSATE	79743	WAIVED			
HEPTACHLOR	39410	WAIVED			
HEPTACHLOR EPOXIDE	39420	WAIVED			
HEXACHLOROBENZENE	39700	WAIVED			
HEXACHLOROCYCLOPENTADIENE	34386	WAIVED			
LINDANE	39340	WAIVED			

**Testing interval is in months;*
0 = No data for this constituent and is DUE NOW
999 = Waived testing (not required)
I = Invalid (NOT) valid analyses reported

System Number: ***1900527***

System Name: ***CLEAR CREEK OUTDOOR ED. CENTER-LAUSD***

PS Code: ***1900527-001***

Source Name: ***WELL 01***

Source Number: ***001***

Source Status: ***ACTIVE UNTREATED***

Water type: ***GROUNDWATER OR WELL***

	STORET NUMBER	TESTING INTERVAL (MONTHS)*	LAST TEST DATE (yyyy/mm/dd)	LAST RESULT REPORTED	NEXT TEST DATE (yyyy/mm)
REGULATED SOC					
METHOXYCHLOR	39480	WAIVED			
MOLINATE	82199	WAIVED			
OXAMYL	38865	WAIVED			
PENTACHLOROPHENOL	39032	WAIVED			
PICLORAM	39720	WAIVED			
POLYCHLORINATED BIPHENYLS, TOTAL, AS DCB	39516	WAIVED			
SIMAZINE	39055	WAIVED			
THIOBENCARB	A-001	WAIVED			
TOXAPHENE	39400	WAIVED			
REGULATED VOC					
1,1,1-TRICHLOROETHANE	34506	WAIVED			
1,1,2,2-TETRACHLOROETHANE	34516	WAIVED			
1,1,2-TRICHLORO-1,2,2-TRIFLUOROETHANE	81611	WAIVED			
1,1,2-TRICHLOROETHANE	34511	WAIVED			
1,1-DICHLOROETHANE	34496	WAIVED			
1,1-DICHLOROETHYLENE	34501	WAIVED			
1,2,4-TRICHLOROBENZENE	34551	WAIVED			
1,2-DICHLOROBENZENE	34536	WAIVED			
1,2-DICHLOROETHANE	34531	WAIVED			
1,2-DICHLOROPROPANE	34541	WAIVED			
1,3-DICHLOROPROPENE (TOTAL)	34561	WAIVED			
1,4-DICHLOROBENZENE	34571	WAIVED			
BENZENE	34030	WAIVED			
CARBON TETRACHLORIDE	32102	WAIVED			
CIS-1,2-DICHLOROETHYLENE	77093	WAIVED			
DICHLOROMETHANE	34423	WAIVED			
ETHYLBENZENE	34371	WAIVED			
METHYL-TERT-BUTYL-ETHER (MTBE)	46491	WAIVED			
MONOCHLOROBENZENE	34301	WAIVED			

**Testing interval is in months;*
0 = No data for this constituent and is DUE NOW
999 = Waived testing (not required)
I = Invalid (NOT) valid analyses reported

System Number: ***1900527***

System Name: ***CLEAR CREEK OUTDOOR ED. CENTER-LAUSD***

PS Code: ***1900527-001***

Source Name: ***WELL 01***

Source Number: ***001***

Source Status: ***ACTIVE UNTREATED***

Water type: ***GROUNDWATER OR WELL***

	STORET NUMBER	TESTING INTERVAL (MONTHS)*	LAST TEST DATE (yyyy/mm/dd)	LAST RESULT REPORTED	NEXT TEST DATE (yyyy/mm)
REGULATED VOC					
STYRENE	77128	WAIVED			
TETRACHLOROETHYLENE	34475	WAIVED			
TOLUENE	34010	WAIVED			
TRANS-1,2-DICHLOROETHYLENE	34546	WAIVED			
TRICHLOROETHYLENE	39180	WAIVED			
TRICHLOROFLUOROMETHANE	34488	WAIVED			
VINYL CHLORIDE	39175	WAIVED			
XYLENES (TOTAL)	81551	WAIVED			
SECONDARY/GP					
AGGRSSIVE INDEX (CORROSIVITY)	82383	WAIVED			
BICARBONATE ALKALINITY	00440	WAIVED	2000/12/04	188.000	
CALCIUM	00916	WAIVED	2000/12/04	32.000	
CARBONATE ALKALINITY	00445	WAIVED	2000/12/04	.000	
CHLORIDE	00940	WAIVED	2000/12/04	5.000	
COLOR	00081	WAIVED	2000/12/04	< .000	
COPPER	01042	WAIVED	2000/12/04	.000	
FOAMING AGENTS (MBAS)	38260	WAIVED	2000/12/04	.000	
HARDNESS (TOTAL) AS CACO3	00900	WAIVED	2000/12/04	150.000	
HYDROXIDE ALKALINITY	71830	WAIVED	2000/12/04	.000	
IRON	01045	WAIVED	2000/12/04	.000	
MAGNESIUM	00927	WAIVED	2000/12/04	17.000	
MANGANESE	01055	WAIVED	2000/12/04	.000	
ODOR THRESHOLD @ 60 C	00086	WAIVED	2000/12/04	.000	
PH, LABORATORY	00403	WAIVED	2000/12/04	7.910	
SILVER	01077	WAIVED	2000/12/04	.000	
SODIUM	00929	WAIVED	2000/12/04	9.700	
SPECIFIC CONDUCTANCE	00095	WAIVED	2000/12/04	335.000	
SULFATE	00945	WAIVED	2000/12/04	9.790	
TOTAL DISSOLVED SOLIDS	70300	WAIVED	2000/12/04	188.000	

**Testing interval is in months;*
0 = No data for this constituent and is DUE NOW
999 = Waived testing (not required)
I = Invalid (NOT) valid analyses reported

System Number: ***1900527***

System Name: ***CLEAR CREEK OUTDOOR ED. CENTER-LAUSD***

PS Code: ***1900527-001***

Source Name: ***WELL 01***

Source Number: ***001***

Source Status: ***ACTIVE UNTREATED***

Water type: ***GROUNDWATER OR WELL***

	STORET NUMBER	TESTING INTERVAL (MONTHS)*	LAST TEST DATE (yyyy/mm/dd)	LAST RESULT REPORTED	NEXT TEST DATE (yyyy/mm)
SECONDARY/GP					
TURBIDITY, LABORATORY	82079	WAIVED	2000/12/04	.460	
ZINC	01092	WAIVED	2000/12/04	.000	

PS Code: ***1900527-002***

Source Name: ***PURCHASED WATER***

Source Number: ***002***

Source Status: ***PURCHASED UNTREATED***

Water type: ***GROUNDWATER OR WELL***

GENERAL NON CHAP 15					
DIAZINON	39570	WAIVED			
INORGANIC					
ALUMINUM	01105	WAIVED			
ANTIMONY	01097	WAIVED			
ARSENIC	01002	WAIVED			
ASBESTOS	81855	WAIVED			
BARIUM	01007	WAIVED			
BERYLLIUM	01012	WAIVED			
CADMIUM	01027	WAIVED			
CHROMIUM (TOTAL)	01034	WAIVED			
CYANIDE	01291	WAIVED			
FLUORIDE (F) (NATURAL-SOURCE)	00951	WAIVED			
LEAD	01051	WAIVED			
MERCURY	71900	WAIVED			
NICKEL	01067	WAIVED			
PERCHLORATE	A-031	WAIVED			
SELENIUM	01147	WAIVED			
THALLIUM	01059	WAIVED			

**Testing interval is in months;*
0 = No data for this constituent and is DUE NOW
999 = Waived testing (not required)
I = Invalid (NOT) valid analyses reported

System Number: ***1900527***

System Name: ***CLEAR CREEK OUTDOOR ED. CENTER-LAUSD***

PS Code: ***1900527-002***

Source Name: ***PURCHASED WATER***

Source Number: ***002***

Source Status: ***PURCHASED UNTREATED***

Water type: ***GROUNDWATER OR WELL***

	STORET NUMBER	TESTING INTERVAL (MONTHS)*	LAST TEST DATE (yyyy/mm/dd)	LAST RESULT REPORTED	NEXT TEST DATE (yyyy/mm)
NITRATE/NITRITE					
NITRATE (AS NO3)	71850	WAIVED			
NITRITE (AS N)	00620	WAIVED			
RADIOLOGICAL					
GROSS ALPHA	01501	WAIVED			
GROSS BETA	03501	WAIVED			
RA-226 FOR CWS OR TOTAL RA FOR NTNC BY 903.0	A-080	WAIVED			
RA-226 OR TOTAL RA BY 903.0 C.E.	A-081	WAIVED			
RADIUM 226	09501	WAIVED			
RADIUM 228	11501	WAIVED			
RADIUM, TOTAL, MDA95-NTNC ONLY, BY 903.0	A-082	WAIVED			
STRONTIUM-90	13501	WAIVED			
TRITIUM	07000	WAIVED			
URANIUM (PCI/L)	28012	WAIVED			
REGULATED SOC					
2,3,7,8-TCDD (DIOXIN)	34676	WAIVED			
2,4,5-TP (SILVEX)	39045	WAIVED			
2,4-D	39730	WAIVED			
ALACHLOR	77825	WAIVED			
ATRAZINE	39033	WAIVED			
BENTAZON	38710	WAIVED			
BENZO (A) PYRENE	34247	WAIVED			
CARBOFURAN	81405	WAIVED			
CHLORDANE	39350	WAIVED			
DALAPON	38432	WAIVED			
DI(2-ETHYLHEXYL)ADIPATE	A-026	WAIVED			
DI(2-ETHYLHEXYL)PHTHALATE	39100	WAIVED			
DIBROMOCHLOROPROPANE (DBCP)	38761	WAIVED			
DINOSEB	81287	WAIVED			
DIQUAT	78885	WAIVED			

**Testing interval is in months;*
0 = No data for this constituent and is DUE NOW
999 = Waived testing (not required)
I = Invalid (NOT) valid analyses reported

System Number: ***1900527***

System Name: ***CLEAR CREEK OUTDOOR ED. CENTER-LAUSD***

PS Code: ***1900527-002***

Source Name: ***PURCHASED WATER***

Source Number: ***002***

Source Status: ***PURCHASED UNTREATED***

Water type: ***GROUNDWATER OR WELL***

	STORET NUMBER	TESTING INTERVAL (MONTHS)*	LAST TEST DATE (yyyy/mm/dd)	LAST RESULT REPORTED	NEXT TEST DATE (yyyy/mm)
REGULATED SOC					
ENDOTHALL	38926	WAIVED			
ENDRIN	39390	WAIVED			
ETHYLENE DIBROMIDE (EDB)	77651	WAIVED			
GLYPHOSATE	79743	WAIVED			
HEPTACHLOR	39410	WAIVED			
HEPTACHLOR EPOXIDE	39420	WAIVED			
HEXACHLOROBENZENE	39700	WAIVED			
HEXACHLOROCYCLOPENTADIENE	34386	WAIVED			
LINDANE	39340	WAIVED			
METHOXYCHLOR	39480	WAIVED			
MOLINATE	82199	WAIVED			
OXAMYL	38865	WAIVED			
PENTACHLOROPHENOL	39032	WAIVED			
PICLORAM	39720	WAIVED			
POLYCHLORINATED BIPHENYLS, TOTAL, AS DCB	39516	WAIVED			
SIMAZINE	39055	WAIVED			
THIOBENCARB	A-001	WAIVED			
TOXAPHENE	39400	WAIVED			
REGULATED VOC					
1,1,1-TRICHLOROETHANE	34506	WAIVED			
1,1,2,2-TETRACHLOROETHANE	34516	WAIVED			
1,1,2-TRICHLORO-1,2,2-TRIFLUOROETHANE	81611	WAIVED			
1,1,2-TRICHLOROETHANE	34511	WAIVED			
1,1-DICHLOROETHANE	34496	WAIVED			
1,1-DICHLOROETHYLENE	34501	WAIVED			
1,2,4-TRICHLOROBENZENE	34551	WAIVED			
1,2-DICHLOROBENZENE	34536	WAIVED			
1,2-DICHLOROETHANE	34531	WAIVED			
1,2-DICHLOROPROPANE	34541	WAIVED			

**Testing interval is in months;*
0 = No data for this constituent and is DUE NOW
999 = Waived testing (not required)
I = Invalid (NOT) valid analyses reported

System Number: ***1900527***

System Name: ***CLEAR CREEK OUTDOOR ED. CENTER-LAUSD***

PS Code: ***1900527-002***

Source Name: ***PURCHASED WATER***

Source Number: ***002***

Source Status: ***PURCHASED UNTREATED***

Water type: ***GROUNDWATER OR WELL***

	STORET NUMBER	TESTING INTERVAL (MONTHS)*	LAST TEST DATE (yyyy/mm/dd)	LAST RESULT REPORTED	NEXT TEST DATE (yyyy/mm)
REGULATED VOC					
1,3-DICHLOROPROPENE (TOTAL)	34561	WAIVED			
1,4-DICHLOROBENZENE	34571	WAIVED			
BENZENE	34030	WAIVED			
CARBON TETRACHLORIDE	32102	WAIVED			
CIS-1,2-DICHLOROETHYLENE	77093	WAIVED			
DICHLOROMETHANE	34423	WAIVED			
ETHYLBENZENE	34371	WAIVED			
METHYL-TERT-BUTYL-ETHER (MTBE)	46491	WAIVED			
MONOCHLOROBENZENE	34301	WAIVED			
STYRENE	77128	WAIVED			
TETRACHLOROETHYLENE	34475	WAIVED			
TOLUENE	34010	WAIVED			
TRANS-1,2-DICHLOROETHYLENE	34546	WAIVED			
TRICHLOROETHYLENE	39180	WAIVED			
TRICHLOROFLUOROMETHANE	34488	WAIVED			
VINYL CHLORIDE	39175	WAIVED			
XYLENES (TOTAL)	81551	WAIVED			
SECONDARY/GP					
AGGRSSIVE INDEX (CORROSIVITY)	82383	WAIVED			
BICARBONATE ALKALINITY	00440	WAIVED			
CALCIUM	00916	WAIVED			
CARBONATE ALKALINITY	00445	WAIVED			
CHLORIDE	00940	WAIVED			
COLOR	00081	WAIVED			
COPPER	01042	WAIVED			
FOAMING AGENTS (MBAS)	38260	WAIVED			
HARDNESS (TOTAL) AS CACO3	00900	WAIVED			
HYDROXIDE ALKALINITY	71830	WAIVED			
IRON	01045	WAIVED			

**Testing interval is in months;*
0 = No data for this constituent and is DUE NOW
999 = Waived testing (not required)
I = Invalid (NOT) valid analyses reported

System Number: ***1900527***

System Name: ***CLEAR CREEK OUTDOOR ED. CENTER-LAUSD***

PS Code: ***1900527-002***

Source Name: ***PURCHASED WATER***

Source Number: ***002***

Source Status: ***PURCHASED UNTREATED***

Water type: ***GROUNDWATER OR WELL***

SECONDARY/GP

	STORET NUMBER	TESTING INTERVAL (MONTHS)*	LAST TEST DATE (yyyy/mm/dd)	LAST RESULT REPORTED	NEXT TEST DATE (yyyy/mm)
MAGNESIUM	00927	WAIVED			
MANGANESE	01055	WAIVED			
ODOR THRESHOLD @ 60 C	00086	WAIVED			
PH, LABORATORY	00403	WAIVED			
SILVER	01077	WAIVED			
SODIUM	00929	WAIVED			
SPECIFIC CONDUCTANCE	00095	WAIVED			
SULFATE	00945	WAIVED			
TOTAL DISSOLVED SOLIDS	70300	WAIVED			
TURBIDITY, LABORATORY	82079	WAIVED			
ZINC	01092	WAIVED			

**Testing interval is in months;*
0 = No data for this constituent and is DUE NOW
999 = Waived testing (not required)
I = Invalid (NOT) valid analyses reported

System Number: ***1900528***

System Name: ***USFS-CHARLTON FLATS A-8***

PS Code: ***1900528-001***

Source Name: ***WELL 01***

Source Number: ***001***

Source Status: ***ACTIVE UNTREATED***

Water type: ***GROUNDWATER OR WELL***

	STORET NUMBER	TESTING INTERVAL (MONTHS)*	LAST TEST DATE (yyyy/mm/dd)	LAST RESULT REPORTED	NEXT TEST DATE (yyyy/mm)
GENERAL NON CHAP 15					
DIAZINON	39570	WAIVED			
INORGANIC					
ALUMINUM	01105	WAIVED	2005/09/27	.000	
ANTIMONY	01097	WAIVED	2002/06/25	.000	
ARSENIC	01002	WAIVED	2005/09/27	.000	
ASBESTOS	81855	WAIVED			
BARIUM	01007	WAIVED	2002/06/25	.000	
BERYLLIUM	01012	WAIVED			
CADMIUM	01027	WAIVED	2005/09/27	.000	
CHROMIUM (TOTAL)	01034	WAIVED	2005/09/27	.000	
CYANIDE	01291	WAIVED			
FLUORIDE (F) (NATURAL-SOURCE)	00951	WAIVED	2005/09/27	.000	
LEAD	01051	WAIVED	2005/09/27	.000	
MERCURY	71900	WAIVED	2005/09/27	.000	
NICKEL	01067	WAIVED	2005/09/27	.000	
PERCHLORATE	A-031	WAIVED			
SELENIUM	01147	WAIVED	2005/09/27	.000	
THALLIUM	01059	WAIVED			
NITRATE/NITRITE					
NITRATE (AS NO3)	71850	WAIVED	2005/09/27	.000	
NITRITE (AS N)	00620	WAIVED			
RADIOLOGICAL					
GROSS ALPHA	01501	WAIVED			
GROSS BETA	03501	WAIVED			
RA-226 FOR CWS OR TOTAL RA FOR NTNC BY 903.0	A-080	WAIVED			
RA-226 OR TOTAL RA BY 903.0 C.E.	A-081	WAIVED			
RADIUM 226	09501	WAIVED			
RADIUM 228	11501	WAIVED			

**Testing interval is in months;*
0 = No data for this constituent and is DUE NOW
999 = Waived testing (not required)
I = Invalid (NOT) valid analyses reported

System Number: ***1900528***

System Name: ***USFS-CHARLTON FLATS A-8***

PS Code: ***1900528-001***

Source Name: ***WELL 01***

Source Number: ***001***

Source Status: ***ACTIVE UNTREATED***

Water type: ***GROUNDWATER OR WELL***

	STORET NUMBER	TESTING INTERVAL (MONTHS)*	LAST TEST DATE (yyyy/mm/dd)	LAST RESULT REPORTED	NEXT TEST DATE (yyyy/mm)
RADIOLOGICAL					
RADIUM, TOTAL, MDA95-NTNC ONLY, BY 903.0	A-082	WAIVED			
STRONTIUM-90	13501	WAIVED			
TRITIUM	07000	WAIVED			
URANIUM (PCI/L)	28012	WAIVED			
REGULATED SOC					
2,3,7,8-TCDD (DIOXIN)	34676	WAIVED			
2,4,5-TP (SILVEX)	39045	WAIVED			
2,4-D	39730	WAIVED			
ALACHLOR	77825	WAIVED			
ATRAZINE	39033	WAIVED			
BENTAZON	38710	WAIVED			
BENZO (A) PYRENE	34247	WAIVED			
CARBOFURAN	81405	WAIVED			
CHLORDANE	39350	WAIVED			
DALAPON	38432	WAIVED			
DI(2-ETHYLHEXYL)ADIPATE	A-026	WAIVED			
DI(2-ETHYLHEXYL)PHTHALATE	39100	WAIVED			
DIBROMOCHLOROPROPANE (DBCP)	38761	WAIVED			
DINOSEB	81287	WAIVED			
DIQUAT	78885	WAIVED			
ENDOTHALL	38926	WAIVED			
ENDRIN	39390	WAIVED			
ETHYLENE DIBROMIDE (EDB)	77651	WAIVED			
GLYPHOSATE	79743	WAIVED			
HEPTACHLOR	39410	WAIVED			
HEPTACHLOR EPOXIDE	39420	WAIVED			
HEXACHLOROBENZENE	39700	WAIVED			
HEXACHLOROCYCLOPENTADIENE	34386	WAIVED			
LINDANE	39340	WAIVED			

**Testing interval is in months;*
0 = No data for this constituent and is DUE NOW
999 = Waived testing (not required)
I = Invalid (NOT) valid analyses reported

System Number: ***1900528***

System Name: ***USFS-CHARLTON FLATS A-8***

PS Code: ***1900528-001***

Source Name: ***WELL 01***

Source Number: ***001***

Source Status: ***ACTIVE UNTREATED***

Water type: ***GROUNDWATER OR WELL***

	STORET NUMBER	TESTING INTERVAL (MONTHS)*	LAST TEST DATE (yyyy/mm/dd)	LAST RESULT REPORTED	NEXT TEST DATE (yyyy/mm)
REGULATED SOC					
METHOXYCHLOR	39480	WAIVED			
MOLINATE	82199	WAIVED			
OXAMYL	38865	WAIVED			
PENTACHLOROPHENOL	39032	WAIVED			
PICLORAM	39720	WAIVED			
POLYCHLORINATED BIPHENYLS, TOTAL, AS DCB	39516	WAIVED			
SIMAZINE	39055	WAIVED			
THIOBENCARB	A-001	WAIVED			
TOXAPHENE	39400	WAIVED			
REGULATED VOC					
1,1,1-TRICHLOROETHANE	34506	WAIVED			
1,1,2,2-TETRACHLOROETHANE	34516	WAIVED			
1,1,2-TRICHLORO-1,2,2-TRIFLUOROETHANE	81611	WAIVED			
1,1,2-TRICHLOROETHANE	34511	WAIVED			
1,1-DICHLOROETHANE	34496	WAIVED			
1,1-DICHLOROETHYLENE	34501	WAIVED			
1,2,4-TRICHLOROBENZENE	34551	WAIVED			
1,2-DICHLOROBENZENE	34536	WAIVED			
1,2-DICHLOROETHANE	34531	WAIVED			
1,2-DICHLOROPROPANE	34541	WAIVED			
1,3-DICHLOROPROPENE (TOTAL)	34561	WAIVED			
1,4-DICHLOROBENZENE	34571	WAIVED			
BENZENE	34030	WAIVED			
CARBON TETRACHLORIDE	32102	WAIVED			
CIS-1,2-DICHLOROETHYLENE	77093	WAIVED			
DICHLOROMETHANE	34423	WAIVED			
ETHYLBENZENE	34371	WAIVED			
METHYL-TERT-BUTYL-ETHER (MTBE)	46491	WAIVED			
MONOCHLOROBENZENE	34301	WAIVED			

**Testing interval is in months;*
0 = No data for this constituent and is DUE NOW
999 = Waived testing (not required)
I = Invalid (NOT) valid analyses reported

System Number: ***1900528***

System Name: ***USFS-CHARLTON FLATS A-8***

PS Code: ***1900528-001***

Source Name: ***WELL 01***

Source Number: ***001***

Source Status: ***ACTIVE UNTREATED***

Water type: ***GROUNDWATER OR WELL***

	STORET NUMBER	TESTING INTERVAL (MONTHS)*	LAST TEST DATE (yyyy/mm/dd)	LAST RESULT REPORTED	NEXT TEST DATE (yyyy/mm)
REGULATED VOC					
STYRENE	77128	WAIVED			
TETRACHLOROETHYLENE	34475	WAIVED			
TOLUENE	34010	WAIVED			
TRANS-1,2-DICHLOROETHYLENE	34546	WAIVED			
TRICHLOROETHYLENE	39180	WAIVED			
TRICHLOROFLUOROMETHANE	34488	WAIVED			
VINYL CHLORIDE	39175	WAIVED			
XYLENES (TOTAL)	81551	WAIVED			
SECONDARY/GP					
AGGRSSIVE INDEX (CORROSIVITY)	82383	WAIVED			
BICARBONATE ALKALINITY	00440	WAIVED	2005/09/27	118.000	
CALCIUM	00916	WAIVED	2005/09/27	22.000	
CARBONATE ALKALINITY	00445	WAIVED	2005/09/27	.000	
CHLORIDE	00940	WAIVED	2005/09/27	4.800	
COLOR	00081	WAIVED	2002/06/25	.000	
COPPER	01042	WAIVED	2005/09/27	.000	
FOAMING AGENTS (MBAS)	38260	WAIVED	2002/06/25	.000	
HARDNESS (TOTAL) AS CACO3	00900	WAIVED	2005/09/27	85.000	
HYDROXIDE ALKALINITY	71830	WAIVED	2005/09/27	.000	
IRON	01045	WAIVED	2005/09/27	.000	
MAGNESIUM	00927	WAIVED	2005/09/27	7.290	
MANGANESE	01055	WAIVED	2005/09/27	.000	
ODOR THRESHOLD @ 60 C	00086	WAIVED	2002/06/25	.000	
PH, LABORATORY	00403	WAIVED	2005/09/27	7.280	
SILVER	01077	WAIVED	2005/09/27	.000	
SODIUM	00929	WAIVED	2005/09/27	14.500	
SPECIFIC CONDUCTANCE	00095	WAIVED	2002/06/25	234.000	
SULFATE	00945	WAIVED	2005/09/27	2.530	
TOTAL DISSOLVED SOLIDS	70300	WAIVED	2005/09/27	138.000	

**Testing interval is in months;*
0 = No data for this constituent and is DUE NOW
999 = Waived testing (not required)
I = Invalid (NOT) valid analyses reported

System Number: ***1900528***

System Name: ***USFS-CHARLTON FLATS A-8***

PS Code: ***1900528-001***

Source Name: ***WELL 01***

Source Number: ***001***

Source Status: ***ACTIVE UNTREATED***

Water type: ***GROUNDWATER OR WELL***

	STORET NUMBER	TESTING INTERVAL (MONTHS)*	LAST TEST DATE (yyyy/mm/dd)	LAST RESULT REPORTED	NEXT TEST DATE (yyyy/mm)
SECONDARY/GP					
TURBIDITY, LABORATORY	82079	WAIVED	2002/06/25	.160	
ZINC	01092	WAIVED	2005/09/27	.000	

PS Code: ***1900528-002***

Source Name: ***WELL 02***

Source Number: ***002***

Source Status: ***ACTIVE UNTREATED***

Water type: ***GROUNDWATER OR WELL***

GENERAL NON CHAP 15					
DIAZINON	39570	WAIVED			
INORGANIC					
ALUMINUM	01105	WAIVED			
ANTIMONY	01097	WAIVED			
ARSENIC	01002	WAIVED			
ASBESTOS	81855	WAIVED			
BARIUM	01007	WAIVED			
BERYLLIUM	01012	WAIVED			
CADMIUM	01027	WAIVED			
CHROMIUM (TOTAL)	01034	WAIVED			
CYANIDE	01291	WAIVED			
FLUORIDE (F) (NATURAL-SOURCE)	00951	WAIVED			
LEAD	01051	WAIVED			
MERCURY	71900	WAIVED			
NICKEL	01067	WAIVED			
PERCHLORATE	A-031	WAIVED			
SELENIUM	01147	WAIVED			
THALLIUM	01059	WAIVED			

**Testing interval is in months;*
0 = No data for this constituent and is DUE NOW
999 = Waived testing (not required)
I = Invalid (NOT) valid analyses reported

System Number: ***1900528***

System Name: ***USFS-CHARLTON FLATS A-8***

PS Code: ***1900528-002***

Source Name: ***WELL 02***

Source Number: ***002***

Source Status: ***ACTIVE UNTREATED***

Water type: ***GROUNDWATER OR WELL***

	STORET NUMBER	TESTING INTERVAL (MONTHS)*	LAST TEST DATE (yyyy/mm/dd)	LAST RESULT REPORTED	NEXT TEST DATE (yyyy/mm)
NITRATE/NITRITE					
NITRATE (AS NO3)	71850	WAIVED	2000/12/12	.000	
NITRITE (AS N)	00620	WAIVED			
RADIOLOGICAL					
GROSS ALPHA	01501	WAIVED			
GROSS BETA	03501	WAIVED			
RA-226 FOR CWS OR TOTAL RA FOR NTNC BY 903.0	A-080	WAIVED			
RA-226 OR TOTAL RA BY 903.0 C.E.	A-081	WAIVED			
RADIUM 226	09501	WAIVED			
RADIUM 228	11501	WAIVED			
RADIUM, TOTAL, MDA95-NTNC ONLY, BY 903.0	A-082	WAIVED			
STRONTIUM-90	13501	WAIVED			
TRITIUM	07000	WAIVED			
URANIUM (PCI/L)	28012	WAIVED			
REGULATED SOC					
2,3,7,8-TCDD (DIOXIN)	34676	WAIVED			
2,4,5-TP (SILVEX)	39045	WAIVED			
2,4-D	39730	WAIVED			
ALACHLOR	77825	WAIVED			
ATRAZINE	39033	WAIVED			
BENTAZON	38710	WAIVED			
BENZO (A) PYRENE	34247	WAIVED			
CARBOFURAN	81405	WAIVED			
CHLORDANE	39350	WAIVED			
DALAPON	38432	WAIVED			
DI(2-ETHYLHEXYL)ADIPATE	A-026	WAIVED			
DI(2-ETHYLHEXYL)PHTHALATE	39100	WAIVED			
DIBROMOCHLOROPROPANE (DBCP)	38761	WAIVED			
DINOSEB	81287	WAIVED			
DIQUAT	78885	WAIVED			

**Testing interval is in months;*
0 = No data for this constituent and is DUE NOW
999 = Waived testing (not required)
I = Invalid (NOT) valid analyses reported

System Number: ***1900528***

System Name: ***USFS-CHARLTON FLATS A-8***

PS Code: ***1900528-002***

Source Name: ***WELL 02***

Source Number: ***002***

Source Status: ***ACTIVE UNTREATED***

Water type: ***GROUNDWATER OR WELL***

	STORET NUMBER	TESTING INTERVAL (MONTHS)*	LAST TEST DATE (yyyy/mm/dd)	LAST RESULT REPORTED	NEXT TEST DATE (yyyy/mm)
REGULATED SOC					
ENDOTHALL	38926	WAIVED			
ENDRIN	39390	WAIVED			
ETHYLENE DIBROMIDE (EDB)	77651	WAIVED			
GLYPHOSATE	79743	WAIVED			
HEPTACHLOR	39410	WAIVED			
HEPTACHLOR EPOXIDE	39420	WAIVED			
HEXACHLOROBENZENE	39700	WAIVED			
HEXACHLOROCYCLOPENTADIENE	34386	WAIVED			
LINDANE	39340	WAIVED			
METHOXYCHLOR	39480	WAIVED			
MOLINATE	82199	WAIVED			
OXAMYL	38865	WAIVED			
PENTACHLOROPHENOL	39032	WAIVED			
PICLORAM	39720	WAIVED			
POLYCHLORINATED BIPHENYLS, TOTAL, AS DCB	39516	WAIVED			
SIMAZINE	39055	WAIVED			
THIOBENCARB	A-001	WAIVED			
TOXAPHENE	39400	WAIVED			
REGULATED VOC					
1,1,1-TRICHLOROETHANE	34506	WAIVED			
1,1,2,2-TETRACHLOROETHANE	34516	WAIVED			
1,1,2-TRICHLORO-1,2,2-TRIFLUOROETHANE	81611	WAIVED			
1,1,2-TRICHLOROETHANE	34511	WAIVED			
1,1-DICHLOROETHANE	34496	WAIVED			
1,1-DICHLOROETHYLENE	34501	WAIVED			
1,2,4-TRICHLOROBENZENE	34551	WAIVED			
1,2-DICHLOROBENZENE	34536	WAIVED			
1,2-DICHLOROETHANE	34531	WAIVED			
1,2-DICHLOROPROPANE	34541	WAIVED			

**Testing interval is in months;*
0 = No data for this constituent and is DUE NOW
999 = Waived testing (not required)
I = Invalid (NOT) valid analyses reported

System Number: ***1900528***

System Name: ***USFS-CHARLTON FLATS A-8***

PS Code: ***1900528-002***

Source Name: ***WELL 02***

Source Number: ***002***

Source Status: ***ACTIVE UNTREATED***

Water type: ***GROUNDWATER OR WELL***

	STORET NUMBER	TESTING INTERVAL (MONTHS)*	LAST TEST DATE (yyyy/mm/dd)	LAST RESULT REPORTED	NEXT TEST DATE (yyyy/mm)
REGULATED VOC					
1,3-DICHLOROPROPENE (TOTAL)	34561	WAIVED			
1,4-DICHLOROBENZENE	34571	WAIVED			
BENZENE	34030	WAIVED			
CARBON TETRACHLORIDE	32102	WAIVED			
CIS-1,2-DICHLOROETHYLENE	77093	WAIVED			
DICHLOROMETHANE	34423	WAIVED			
ETHYLBENZENE	34371	WAIVED			
METHYL-TERT-BUTYL-ETHER (MTBE)	46491	WAIVED			
MONOCHLOROBENZENE	34301	WAIVED			
STYRENE	77128	WAIVED			
TETRACHLOROETHYLENE	34475	WAIVED			
TOLUENE	34010	WAIVED			
TRANS-1,2-DICHLOROETHYLENE	34546	WAIVED			
TRICHLOROETHYLENE	39180	WAIVED			
TRICHLOROFLUOROMETHANE	34488	WAIVED			
VINYL CHLORIDE	39175	WAIVED			
XYLENES (TOTAL)	81551	WAIVED			
SECONDARY/GP					
AGGRSSIVE INDEX (CORROSIVITY)	82383	WAIVED			
BICARBONATE ALKALINITY	00440	WAIVED			
CALCIUM	00916	WAIVED			
CARBONATE ALKALINITY	00445	WAIVED			
CHLORIDE	00940	WAIVED			
COLOR	00081	WAIVED			
COPPER	01042	WAIVED			
FOAMING AGENTS (MBAS)	38260	WAIVED			
HARDNESS (TOTAL) AS CACO3	00900	WAIVED			
HYDROXIDE ALKALINITY	71830	WAIVED			
IRON	01045	WAIVED			

**Testing interval is in months;*
0 = No data for this constituent and is DUE NOW
999 = Waived testing (not required)
I = Invalid (NOT) valid analyses reported

System Number: ***1900528***

System Name: ***USFS-CHARLTON FLATS A-8***

PS Code: ***1900528-002***

Source Name: ***WELL 02***

Source Number: ***002***

Source Status: ***ACTIVE UNTREATED***

Water type: ***GROUNDWATER OR WELL***

SECONDARY/GP	STORET NUMBER	TESTING INTERVAL (MONTHS)*	LAST TEST DATE (yyyy/mm/dd)	LAST RESULT REPORTED	NEXT TEST DATE (yyyy/mm)
MAGNESIUM	00927	WAIVED			
MANGANESE	01055	WAIVED			
ODOR THRESHOLD @ 60 C	00086	WAIVED			
PH, LABORATORY	00403	WAIVED	2000/12/12	6.780	
SILVER	01077	WAIVED			
SODIUM	00929	WAIVED			
SPECIFIC CONDUCTANCE	00095	WAIVED			
SULFATE	00945	WAIVED			
TOTAL DISSOLVED SOLIDS	70300	WAIVED			
TURBIDITY, LABORATORY	82079	WAIVED			
ZINC	01092	WAIVED			

**Testing interval is in months;*
0 = No data for this constituent and is DUE NOW
999 = Waived testing (not required)
I = Invalid (NOT) valid analyses reported

System Number: ***1900529***

System Name: ***CAMP WILLIAMS- RESORT***

PS Code: ***1900529-001***

Source Name: ***WELL 01***

Source Number: ***001***

Source Status: ***ACTIVE UNTREATED***

Water type: ***GROUNDWATER OR WELL***

	STORET NUMBER	TESTING INTERVAL (MONTHS)*	LAST TEST DATE (yyyy/mm/dd)	LAST RESULT REPORTED	NEXT TEST DATE (yyyy/mm)
GENERAL NON CHAP 15					
DIAZINON	39570	WAIVED			
INORGANIC					
ALUMINUM	01105	WAIVED	2000/03/08	.000	
ANTIMONY	01097	WAIVED	2000/03/08	.000	
ARSENIC	01002	WAIVED	2006/04/12	.000	
ASBESTOS	81855	WAIVED			
BARIUM	01007	WAIVED	2000/03/08	.000	
BERYLLIUM	01012	WAIVED			
CADMIUM	01027	WAIVED	2006/04/12	.000	
CHROMIUM (TOTAL)	01034	WAIVED	2006/04/12	.000	
CYANIDE	01291	WAIVED			
FLUORIDE (F) (NATURAL-SOURCE)	00951	WAIVED	2006/04/12	2.020	
LEAD	01051	WAIVED	2007/08/13	< 5.000	
MERCURY	71900	WAIVED	2006/04/12	.000	
NICKEL	01067	WAIVED	2006/04/12	.000	
PERCHLORATE	A-031	WAIVED	2007/06/04	< 4.000	
SELENIUM	01147	WAIVED	2006/04/12	.000	
THALLIUM	01059	WAIVED			
NITRATE/NITRITE					
NITRATE (AS NO3)	71850	WAIVED	2007/12/27	.000	
NITRITE (AS N)	00620	WAIVED	2006/04/12	.000	
RADIOLOGICAL					
GROSS ALPHA	01501	WAIVED	2003/08/12	.000	
GROSS BETA	03501	WAIVED	2003/08/12	< 5.000	
RA-226 FOR CWS OR TOTAL RA FOR NTNC BY 903.0	A-080	WAIVED			
RA-226 OR TOTAL RA BY 903.0 C.E.	A-081	WAIVED			
RADIUM 226	09501	WAIVED			
RADIUM 228	11501	WAIVED			

**Testing interval is in months;*
0 = No data for this constituent and is DUE NOW
999 = Waived testing (not required)
I = Invalid (NOT) valid analyses reported

System Number: ***1900529***

System Name: ***CAMP WILLIAMS- RESORT***

PS Code: ***1900529-001***

Source Name: ***WELL 01***

Source Number: ***001***

Source Status: ***ACTIVE UNTREATED***

Water type: ***GROUNDWATER OR WELL***

	STORET NUMBER	TESTING INTERVAL (MONTHS)*	LAST TEST DATE (yyyy/mm/dd)	LAST RESULT REPORTED	NEXT TEST DATE (yyyy/mm)
RADIOLOGICAL					
RADIUM, TOTAL, MDA95-NTNC ONLY, BY 903.0	A-082	WAIVED			
STRONTIUM-90	13501	WAIVED			
TRITIUM	07000	WAIVED			
URANIUM (PCI/L)	28012	WAIVED			
REGULATED SOC					
2,3,7,8-TCDD (DIOXIN)	34676	WAIVED			
2,4,5-TP (SILVEX)	39045	WAIVED			
2,4-D	39730	WAIVED			
ALACHLOR	77825	WAIVED	1999/06/10	.000	
ATRAZINE	39033	WAIVED			
BENTAZON	38710	WAIVED			
BENZO (A) PYRENE	34247	WAIVED			
CARBOFURAN	81405	WAIVED			
CHLORDANE	39350	WAIVED	1999/06/10	.000	
DALAPON	38432	WAIVED			
DI(2-ETHYLHEXYL)ADIPATE	A-026	WAIVED			
DI(2-ETHYLHEXYL)PHTHALATE	39100	WAIVED			
DIBROMOCHLOROPROPANE (DBCP)	38761	WAIVED			
DINOSEB	81287	WAIVED			
DIQUAT	78885	WAIVED			
ENDOTHALL	38926	WAIVED			
ENDRIN	39390	WAIVED	1999/06/10	.000	
ETHYLENE DIBROMIDE (EDB)	77651	WAIVED			
GLYPHOSATE	79743	WAIVED			
HEPTACHLOR	39410	WAIVED	1999/06/10	.000	
HEPTACHLOR EPOXIDE	39420	WAIVED	1999/06/10	.000	
HEXACHLOROBENZENE	39700	WAIVED	1999/06/10	.000	
HEXACHLOROCYCLOPENTADIENE	34386	WAIVED	1999/06/10	.000	
LINDANE	39340	WAIVED	1999/06/10	.000	

**Testing interval is in months;*
0 = No data for this constituent and is DUE NOW
999 = Waived testing (not required)
I = Invalid (NOT) valid analyses reported

System Number: ***1900529***

System Name: ***CAMP WILLIAMS- RESORT***

PS Code: ***1900529-001***

Source Name: ***WELL 01***

Source Number: ***001***

Source Status: ***ACTIVE UNTREATED***

Water type: ***GROUNDWATER OR WELL***

	STORET NUMBER	TESTING INTERVAL (MONTHS)*	LAST TEST DATE (yyyy/mm/dd)	LAST RESULT REPORTED	NEXT TEST DATE (yyyy/mm)
REGULATED SOC					
METHOXYCHLOR	39480	WAIVED	1999/06/10	.000	
MOLINATE	82199	WAIVED			
OXAMYL	38865	WAIVED			
PENTACHLOROPHENOL	39032	WAIVED			
PICLORAM	39720	WAIVED			
POLYCHLORINATED BIPHENYLS, TOTAL, AS DCB	39516	WAIVED	1999/06/10	.000	
SIMAZINE	39055	WAIVED			
THIOBENCARB	A-001	WAIVED			
TOXAPHENE	39400	WAIVED	1999/06/10	.000	
REGULATED VOC					
1,1,1-TRICHLOROETHANE	34506	WAIVED	1999/06/10	.000	
1,1,2,2-TETRACHLOROETHANE	34516	WAIVED	1999/06/10	.000	
1,1,2-TRICHLORO-1,2,2-TRIFLUOROETHANE	81611	WAIVED	1999/06/10	.000	
1,1,2-TRICHLOROETHANE	34511	WAIVED	1999/06/10	.000	
1,1-DICHLOROETHANE	34496	WAIVED	1999/06/10	.000	
1,1-DICHLOROETHYLENE	34501	WAIVED	1999/06/10	.000	
1,2,4-TRICHLOROBENZENE	34551	WAIVED	1999/06/10	.000	
1,2-DICHLOROBENZENE	34536	WAIVED	1999/06/10	.000	
1,2-DICHLOROETHANE	34531	WAIVED	1999/06/10	.000	
1,2-DICHLOROPROPANE	34541	WAIVED	1999/06/10	.000	
1,3-DICHLOROPROPENE (TOTAL)	34561	WAIVED	1999/06/10	.000	
1,4-DICHLOROBENZENE	34571	WAIVED	1999/06/10	.000	
BENZENE	34030	WAIVED	1999/06/10	.000	
CARBON TETRACHLORIDE	32102	WAIVED	1999/06/10	.000	
CIS-1,2-DICHLOROETHYLENE	77093	WAIVED	1999/06/10	.000	
DICHLOROMETHANE	34423	WAIVED	1999/06/10	.000	
ETHYLBENZENE	34371	WAIVED	1999/06/10	.000	
METHYL-TERT-BUTYL-ETHER (MTBE)	46491	WAIVED	1999/06/10	.000	
MONOCHLOROBENZENE	34301	WAIVED	1999/06/10	.000	

**Testing interval is in months;*
0 = No data for this constituent and is DUE NOW
999 = Waived testing (not required)
I = Invalid (NOT) valid analyses reported

System Number: ***1900529***

System Name: ***CAMP WILLIAMS- RESORT***

PS Code: ***1900529-001***

Source Name: ***WELL 01***

Source Number: ***001***

Source Status: ***ACTIVE UNTREATED***

Water type: ***GROUNDWATER OR WELL***

	STORET NUMBER	TESTING INTERVAL (MONTHS)*	LAST TEST DATE (yyyy/mm/dd)	LAST RESULT REPORTED	NEXT TEST DATE (yyyy/mm)
REGULATED VOC					
STYRENE	77128	WAIVED	1999/06/10	.000	
TETRACHLOROETHYLENE	34475	WAIVED	1999/06/10	.000	
TOLUENE	34010	WAIVED	1999/06/10	.000	
TRANS-1,2-DICHLOROETHYLENE	34546	WAIVED	1999/06/10	.000	
TRICHLOROETHYLENE	39180	WAIVED	1999/06/10	.000	
TRICHLOROFLUOROMETHANE	34488	WAIVED	1999/06/10	.000	
VINYL CHLORIDE	39175	WAIVED	1999/06/10	.000	
XYLENES (TOTAL)	81551	WAIVED	1999/06/10	.000	
SECONDARY/GP					
AGGRSSIVE INDEX (CORROSIVITY)	82383	WAIVED			
BICARBONATE ALKALINITY	00440	WAIVED	2006/04/12	174.000	
CALCIUM	00916	WAIVED	2006/04/12	54.100	
CARBONATE ALKALINITY	00445	WAIVED	2006/04/12	.000	
CHLORIDE	00940	WAIVED	2006/04/12	4.890	
COLOR	00081	WAIVED	2000/03/08	.000	
COPPER	01042	WAIVED	2007/08/13	< 50.000	
FOAMING AGENTS (MBAS)	38260	WAIVED	2000/03/08	.000	
HARDNESS (TOTAL) AS CACO3	00900	WAIVED	2006/04/12	195.000	
HYDROXIDE ALKALINITY	71830	WAIVED	2006/04/12	.000	
IRON	01045	WAIVED	2006/04/12	.000	
MAGNESIUM	00927	WAIVED	2006/04/12	14.600	
MANGANESE	01055	WAIVED	2006/04/12	.000	
ODOR THRESHOLD @ 60 C	00086	WAIVED	2000/03/08	.000	
PH, LABORATORY	00403	WAIVED	2006/04/12	7.780	
SILVER	01077	WAIVED	2006/04/12	.000	
SODIUM	00929	WAIVED	2006/04/12	28.600	
SPECIFIC CONDUCTANCE	00095	WAIVED	2000/03/08	470.000	
SULFATE	00945	WAIVED	2006/04/12	69.500	
TOTAL DISSOLVED SOLIDS	70300	WAIVED	2006/04/12	278.000	

**Testing interval is in months;*
0 = No data for this constituent and is DUE NOW
999 = Waived testing (not required)
I = Invalid (NOT) valid analyses reported

System Number: ***1900529***

System Name: ***CAMP WILLIAMS- RESORT***

PS Code: ***1900529-001***

Source Name: ***WELL 01***

Source Number: ***001***

Source Status: ***ACTIVE UNTREATED***

Water type: ***GROUNDWATER OR WELL***

	STORET NUMBER	TESTING INTERVAL (MONTHS)*	LAST TEST DATE (yyyy/mm/dd)	LAST RESULT REPORTED	NEXT TEST DATE (yyyy/mm)
SECONDARY/GP					
TURBIDITY, LABORATORY	82079	WAIVED	2006/04/12	.210	
ZINC	01092	WAIVED	2006/04/12	81.800	

PS Code: ***1900529-002***

Source Name: ***WELL 02 STANDBY***

Source Number: ***002***

Source Status: ***STANDBY UNTREATED***

Water type: ***GROUNDWATER OR WELL***

GENERAL NON CHAP 15					
DIAZINON	39570	WAIVED			
INORGANIC					
ALUMINUM	01105	WAIVED			
ANTIMONY	01097	WAIVED			
ARSENIC	01002	WAIVED			
ASBESTOS	81855	WAIVED			
BARIUM	01007	WAIVED			
BERYLLIUM	01012	WAIVED			
CADMIUM	01027	WAIVED			
CHROMIUM (TOTAL)	01034	WAIVED			
CYANIDE	01291	WAIVED			
FLUORIDE (F) (NATURAL-SOURCE)	00951	WAIVED			
LEAD	01051	WAIVED			
MERCURY	71900	WAIVED			
NICKEL	01067	WAIVED			
PERCHLORATE	A-031	WAIVED	2012/03/02	< 4.000	
SELENIUM	01147	WAIVED			
THALLIUM	01059	WAIVED			

**Testing interval is in months;*
0 = No data for this constituent and is DUE NOW
999 = Waived testing (not required)
I = Invalid (NOT) valid analyses reported

System Number: ***1900529***

System Name: ***CAMP WILLIAMS- RESORT***

PS Code: ***1900529-002***

Source Name: ***WELL 02 STANDBY***

Source Number: ***002***

Source Status: ***STANDBY UNTREATED***

Water type: ***GROUNDWATER OR WELL***

	STORET NUMBER	TESTING INTERVAL (MONTHS)*	LAST TEST DATE (yyyy/mm/dd)	LAST RESULT REPORTED	NEXT TEST DATE (yyyy/mm)
NITRATE/NITRITE					
NITRATE (AS NO3)	71850	WAIVED			
NITRITE (AS N)	00620	WAIVED			
RADIOLOGICAL					
GROSS ALPHA	01501	WAIVED			
GROSS BETA	03501	WAIVED			
RA-226 FOR CWS OR TOTAL RA FOR NTNC BY 903.0	A-080	WAIVED			
RA-226 OR TOTAL RA BY 903.0 C.E.	A-081	WAIVED			
RADIUM 226	09501	WAIVED			
RADIUM 228	11501	WAIVED			
RADIUM, TOTAL, MDA95-NTNC ONLY, BY 903.0	A-082	WAIVED			
STRONTIUM-90	13501	WAIVED			
TRITIUM	07000	WAIVED			
URANIUM (PCI/L)	28012	WAIVED			
REGULATED SOC					
2,3,7,8-TCDD (DIOXIN)	34676	WAIVED			
2,4,5-TP (SILVEX)	39045	WAIVED			
2,4-D	39730	WAIVED			
ALACHLOR	77825	WAIVED			
ATRAZINE	39033	WAIVED			
BENTAZON	38710	WAIVED			
BENZO (A) PYRENE	34247	WAIVED			
CARBOFURAN	81405	WAIVED			
CHLORDANE	39350	WAIVED			
DALAPON	38432	WAIVED			
DI(2-ETHYLHEXYL)ADIPATE	A-026	WAIVED			
DI(2-ETHYLHEXYL)PHTHALATE	39100	WAIVED			
DIBROMOCHLOROPROPANE (DBCP)	38761	WAIVED			
DINOSEB	81287	WAIVED			
DIQUAT	78885	WAIVED			

**Testing interval is in months;*
0 = No data for this constituent and is DUE NOW
999 = Waived testing (not required)
I = Invalid (NOT) valid analyses reported

System Number: ***1900529***

System Name: ***CAMP WILLIAMS- RESORT***

PS Code: ***1900529-002***

Source Name: ***WELL 02 STANDBY***

Source Number: ***002***

Source Status: ***STANDBY UNTREATED***

Water type: ***GROUNDWATER OR WELL***

	STORET NUMBER	TESTING INTERVAL (MONTHS)*	LAST TEST DATE (yyyy/mm/dd)	LAST RESULT REPORTED	NEXT TEST DATE (yyyy/mm)
REGULATED SOC					
ENDOTHALL	38926	WAIVED			
ENDRIN	39390	WAIVED			
ETHYLENE DIBROMIDE (EDB)	77651	WAIVED			
GLYPHOSATE	79743	WAIVED			
HEPTACHLOR	39410	WAIVED			
HEPTACHLOR EPOXIDE	39420	WAIVED			
HEXACHLOROBENZENE	39700	WAIVED			
HEXACHLOROCYCLOPENTADIENE	34386	WAIVED			
LINDANE	39340	WAIVED			
METHOXYCHLOR	39480	WAIVED			
MOLINATE	82199	WAIVED			
OXAMYL	38865	WAIVED			
PENTACHLOROPHENOL	39032	WAIVED			
PICLORAM	39720	WAIVED			
POLYCHLORINATED BIPHENYLS, TOTAL, AS DCB	39516	WAIVED			
SIMAZINE	39055	WAIVED			
THIOBENCARB	A-001	WAIVED			
TOXAPHENE	39400	WAIVED			
REGULATED VOC					
1,1,1-TRICHLOROETHANE	34506	WAIVED			
1,1,2,2-TETRACHLOROETHANE	34516	WAIVED			
1,1,2-TRICHLORO-1,2,2-TRIFLUOROETHANE	81611	WAIVED			
1,1,2-TRICHLOROETHANE	34511	WAIVED			
1,1-DICHLOROETHANE	34496	WAIVED			
1,1-DICHLOROETHYLENE	34501	WAIVED			
1,2,4-TRICHLOROBENZENE	34551	WAIVED			
1,2-DICHLOROBENZENE	34536	WAIVED			
1,2-DICHLOROETHANE	34531	WAIVED			
1,2-DICHLOROPROPANE	34541	WAIVED			

**Testing interval is in months;*
0 = No data for this constituent and is DUE NOW
999 = Waived testing (not required)
I = Invalid (NOT) valid analyses reported

System Number: ***1900529***

System Name: ***CAMP WILLIAMS- RESORT***

PS Code: ***1900529-002***

Source Name: ***WELL 02 STANDBY***

Source Number: ***002***

Source Status: ***STANDBY UNTREATED***

Water type: ***GROUNDWATER OR WELL***

	STORET NUMBER	TESTING INTERVAL (MONTHS)*	LAST TEST DATE (yyyy/mm/dd)	LAST RESULT REPORTED	NEXT TEST DATE (yyyy/mm)
REGULATED VOC					
1,3-DICHLOROPROPENE (TOTAL)	34561	WAIVED			
1,4-DICHLOROBENZENE	34571	WAIVED			
BENZENE	34030	WAIVED			
CARBON TETRACHLORIDE	32102	WAIVED			
CIS-1,2-DICHLOROETHYLENE	77093	WAIVED			
DICHLOROMETHANE	34423	WAIVED			
ETHYLBENZENE	34371	WAIVED			
METHYL-TERT-BUTYL-ETHER (MTBE)	46491	WAIVED			
MONOCHLOROBENZENE	34301	WAIVED			
STYRENE	77128	WAIVED			
TETRACHLOROETHYLENE	34475	WAIVED			
TOLUENE	34010	WAIVED			
TRANS-1,2-DICHLOROETHYLENE	34546	WAIVED			
TRICHLOROETHYLENE	39180	WAIVED			
TRICHLOROFLUOROMETHANE	34488	WAIVED			
VINYL CHLORIDE	39175	WAIVED			
XYLENES (TOTAL)	81551	WAIVED			
SECONDARY/GP					
AGGRSSIVE INDEX (CORROSIVITY)	82383	WAIVED			
BICARBONATE ALKALINITY	00440	WAIVED			
CALCIUM	00916	WAIVED			
CARBONATE ALKALINITY	00445	WAIVED			
CHLORIDE	00940	WAIVED			
COLOR	00081	WAIVED			
COPPER	01042	WAIVED			
FOAMING AGENTS (MBAS)	38260	WAIVED			
HARDNESS (TOTAL) AS CACO3	00900	WAIVED			
HYDROXIDE ALKALINITY	71830	WAIVED			
IRON	01045	WAIVED			

**Testing interval is in months;*
0 = No data for this constituent and is DUE NOW
999 = Waived testing (not required)
I = Invalid (NOT) valid analyses reported

System Number: ***1900529***

System Name: ***CAMP WILLIAMS- RESORT***

PS Code: ***1900529-002***

Source Name: ***WELL 02 STANDBY***

Source Number: ***002***

Source Status: ***STANDBY UNTREATED***

Water type: ***GROUNDWATER OR WELL***

SECONDARY/GP

	STORET NUMBER	TESTING INTERVAL (MONTHS)*	LAST TEST DATE (yyyy/mm/dd)	LAST RESULT REPORTED	NEXT TEST DATE (yyyy/mm)
MAGNESIUM	00927	WAIVED			
MANGANESE	01055	WAIVED			
ODOR THRESHOLD @ 60 C	00086	WAIVED			
PH, LABORATORY	00403	WAIVED			
SILVER	01077	WAIVED			
SODIUM	00929	WAIVED			
SPECIFIC CONDUCTANCE	00095	WAIVED			
SULFATE	00945	WAIVED			
TOTAL DISSOLVED SOLIDS	70300	WAIVED			
TURBIDITY, LABORATORY	82079	WAIVED			
ZINC	01092	WAIVED			

PS Code: ***1900529-003***

Source Name: ***AUTOMATIC CHLORINATOR UNIT***

Source Number: ***003***

Source Status: ***ACTIVE TREATED***

Water type: ***GROUNDWATER OR WELL***

GENERAL NON CHAP 15

DIAZINON	39570	WAIVED			

INORGANIC

ALUMINUM	01105	WAIVED			
ANTIMONY	01097	WAIVED			
ARSENIC	01002	WAIVED			
ASBESTOS	81855	WAIVED			
BARIUM	01007	WAIVED			
BERYLLIUM	01012	WAIVED			
CADMIUM	01027	WAIVED			
CHROMIUM (TOTAL)	01034	WAIVED			
CYANIDE	01291	WAIVED			

**Testing interval is in months;*
0 = No data for this constituent and is DUE NOW
999 = Waived testing (not required)
I = Invalid (NOT) valid analyses reported

System Number: ***1900529***

System Name: ***CAMP WILLIAMS- RESORT***

PS Code: ***1900529-003***

Source Name: ***AUTOMATIC CHLORINATOR UNIT***

Source Number: ***003***

Source Status: ***ACTIVE TREATED***

Water type: ***GROUNDWATER OR WELL***

	STORET NUMBER	TESTING INTERVAL (MONTHS)*	LAST TEST DATE (yyyy/mm/dd)	LAST RESULT REPORTED	NEXT TEST DATE (yyyy/mm)
INORGANIC					
FLUORIDE (F) (NATURAL-SOURCE)	00951	WAIVED			
LEAD	01051	WAIVED			
MERCURY	71900	WAIVED			
NICKEL	01067	WAIVED			
PERCHLORATE	A-031	WAIVED			
SELENIUM	01147	WAIVED			
THALLIUM	01059	WAIVED			
NITRATE/NITRITE					
NITRATE (AS NO3)	71850	WAIVED			
NITRITE (AS N)	00620	WAIVED			
RADIOLOGICAL					
GROSS ALPHA	01501	WAIVED			
GROSS BETA	03501	WAIVED			
RA-226 FOR CWS OR TOTAL RA FOR NTNC BY 903.0	A-080	WAIVED			
RA-226 OR TOTAL RA BY 903.0 C.E.	A-081	WAIVED			
RADIUM 226	09501	WAIVED			
RADIUM 228	11501	WAIVED			
RADIUM, TOTAL, MDA95-NTNC ONLY, BY 903.0	A-082	WAIVED			
STRONTIUM-90	13501	WAIVED			
TRITIUM	07000	WAIVED			
URANIUM (PCI/L)	28012	WAIVED			
REGULATED SOC					
2,3,7,8-TCDD (DIOXIN)	34676	WAIVED			
2,4,5-TP (SILVEX)	39045	WAIVED			
2,4-D	39730	WAIVED			
ALACHLOR	77825	WAIVED			
ATRAZINE	39033	WAIVED			
BENTAZON	38710	WAIVED			

**Testing interval is in months;*
0 = No data for this constituent and is DUE NOW
999 = Waived testing (not required)
I = Invalid (NOT) valid analyses reported

System Number: ***1900529***

System Name: ***CAMP WILLIAMS- RESORT***

PS Code: ***1900529-003***

Source Name: ***AUTOMATIC CHLORINATOR UNIT***

Source Number: ***003***

Source Status: ***ACTIVE TREATED***

Water type: ***GROUNDWATER OR WELL***

	STORET NUMBER	TESTING INTERVAL (MONTHS)*	LAST TEST DATE (yyyy/mm/dd)	LAST RESULT REPORTED	NEXT TEST DATE (yyyy/mm)
REGULATED SOC					
BENZO (A) PYRENE	34247	WAIVED			
CARBOFURAN	81405	WAIVED			
CHLORDANE	39350	WAIVED			
DALAPON	38432	WAIVED			
DI(2-ETHYLHEXYL)ADIPATE	A-026	WAIVED			
DI(2-ETHYLHEXYL)PHTHALATE	39100	WAIVED			
DIBROMOCHLOROPROPANE (DBCP)	38761	WAIVED			
DINOSEB	81287	WAIVED			
DIQUAT	78885	WAIVED			
ENDOTHALL	38926	WAIVED			
ENDRIN	39390	WAIVED			
ETHYLENE DIBROMIDE (EDB)	77651	WAIVED			
GLYPHOSATE	79743	WAIVED			
HEPTACHLOR	39410	WAIVED			
HEPTACHLOR EPOXIDE	39420	WAIVED			
HEXACHLOROBENZENE	39700	WAIVED			
HEXACHLOROCYCLOPENTADIENE	34386	WAIVED			
LINDANE	39340	WAIVED			
METHOXYCHLOR	39480	WAIVED			
MOLINATE	82199	WAIVED			
OXAMYL	38865	WAIVED			
PENTACHLOROPHENOL	39032	WAIVED			
PICLORAM	39720	WAIVED			
POLYCHLORINATED BIPHENYLS, TOTAL, AS DCB	39516	WAIVED			
SIMAZINE	39055	WAIVED			
THIOBENCARB	A-001	WAIVED			
TOXAPHENE	39400	WAIVED			
REGULATED VOC					
1,1,1-TRICHLOROETHANE	34506	WAIVED			

**Testing interval is in months;*
0 = No data for this constituent and is DUE NOW
999 = Waived testing (not required)
I = Invalid (NOT) valid analyses reported

System Number: ***1900529***

System Name: ***CAMP WILLIAMS- RESORT***

PS Code: ***1900529-003***

Source Name: ***AUTOMATIC CHLORINATOR UNIT***

Source Number: ***003***

Source Status: ***ACTIVE TREATED***

Water type: ***GROUNDWATER OR WELL***

	STORET NUMBER	TESTING INTERVAL (MONTHS)*	LAST TEST DATE (yyyy/mm/dd)	LAST RESULT REPORTED	NEXT TEST DATE (yyyy/mm)
REGULATED VOC					
1,1,2,2-TETRACHLOROETHANE	34516	WAIVED			
1,1,2-TRICHLORO-1,2,2-TRIFLUOROETHANE	81611	WAIVED			
1,1,2-TRICHLOROETHANE	34511	WAIVED			
1,1-DICHLOROETHANE	34496	WAIVED			
1,1-DICHLOROETHYLENE	34501	WAIVED			
1,2,4-TRICHLOROBENZENE	34551	WAIVED			
1,2-DICHLOROBENZENE	34536	WAIVED			
1,2-DICHLOROETHANE	34531	WAIVED			
1,2-DICHLOROPROPANE	34541	WAIVED			
1,3-DICHLOROPROPENE (TOTAL)	34561	WAIVED			
1,4-DICHLOROBENZENE	34571	WAIVED			
BENZENE	34030	WAIVED			
CARBON TETRACHLORIDE	32102	WAIVED			
CIS-1,2-DICHLOROETHYLENE	77093	WAIVED			
DICHLOROMETHANE	34423	WAIVED			
ETHYLBENZENE	34371	WAIVED			
METHYL-TERT-BUTYL-ETHER (MTBE)	46491	WAIVED			
MONOCHLOROBENZENE	34301	WAIVED			
STYRENE	77128	WAIVED			
TETRACHLOROETHYLENE	34475	WAIVED			
TOLUENE	34010	WAIVED			
TRANS-1,2-DICHLOROETHYLENE	34546	WAIVED			
TRICHLOROETHYLENE	39180	WAIVED			
TRICHLOROFLUOROMETHANE	34488	WAIVED			
VINYL CHLORIDE	39175	WAIVED			
XYLENES (TOTAL)	81551	WAIVED			
SECONDARY/GP					
AGGRSSIVE INDEX (CORROSIVITY)	82383	WAIVED			
BICARBONATE ALKALINITY	00440	WAIVED			

**Testing interval is in months;*
0 = No data for this constituent and is DUE NOW
999 = Waived testing (not required)
I = Invalid (NOT) valid analyses reported

System Number: ***1900529***

System Name: ***CAMP WILLIAMS- RESORT***

PS Code: ***1900529-003***

Source Name: ***AUTOMATIC CHLORINATOR UNIT***

Source Number: ***003***

Source Status: ***ACTIVE TREATED***

Water type: ***GROUNDWATER OR WELL***

SECONDARY/GP

	STORET NUMBER	TESTING INTERVAL (MONTHS)*	LAST TEST DATE (yyyy/mm/dd)	LAST RESULT REPORTED	NEXT TEST DATE (yyyy/mm)
CALCIUM	00916	WAIVED			
CARBONATE ALKALINITY	00445	WAIVED			
CHLORIDE	00940	WAIVED			
COLOR	00081	WAIVED			
COPPER	01042	WAIVED			
FOAMING AGENTS (MBAS)	38260	WAIVED			
HARDNESS (TOTAL) AS CACO3	00900	WAIVED			
HYDROXIDE ALKALINITY	71830	WAIVED			
IRON	01045	WAIVED			
MAGNESIUM	00927	WAIVED			
MANGANESE	01055	WAIVED			
ODOR THRESHOLD @ 60 C	00086	WAIVED			
PH, LABORATORY	00403	WAIVED			
SILVER	01077	WAIVED			
SODIUM	00929	WAIVED			
SPECIFIC CONDUCTANCE	00095	WAIVED			
SULFATE	00945	WAIVED			
TOTAL DISSOLVED SOLIDS	70300	WAIVED			
TURBIDITY, LABORATORY	82079	WAIVED			
ZINC	01092	WAIVED			

**Testing interval is in months;*
0 = No data for this constituent and is DUE NOW
999 = Waived testing (not required)
I = Invalid (NOT) valid analyses reported

System Number: ***1900534***

System Name: ***JACKIE ROBINSON COUNTY PARK***

PS Code: ***1900534-001***

Source Name: ***WELL 01***

Source Number: ***001***

Source Status: ***ACTIVE UNTREATED***

Water type: ***GROUNDWATER OR WELL***

	STORET NUMBER	TESTING INTERVAL (MONTHS)*	LAST TEST DATE (yyyy/mm/dd)	LAST RESULT REPORTED	NEXT TEST DATE (yyyy/mm)
GENERAL NON CHAP 15					
DIAZINON	39570	WAIVED			
INORGANIC					
ALUMINUM	01105	WAIVED	2002/03/04	.000	
ANTIMONY	01097	WAIVED	2002/03/04	.000	
ARSENIC	01002	WAIVED	2002/03/04	.000	
ASBESTOS	81855	WAIVED			
BARIUM	01007	WAIVED	2002/03/04	.000	
BERYLLIUM	01012	WAIVED			
CADMIUM	01027	WAIVED	2002/03/04	.000	
CHROMIUM (TOTAL)	01034	WAIVED	2002/03/04	.000	
CYANIDE	01291	WAIVED			
FLUORIDE (F) (NATURAL-SOURCE)	00951	WAIVED	2002/03/04	.110	
LEAD	01051	WAIVED	2002/03/04	.000	
MERCURY	71900	WAIVED	2002/03/04	.000	
NICKEL	01067	WAIVED	2002/03/04	.000	
PERCHLORATE	A-031	WAIVED			
SELENIUM	01147	WAIVED	2002/03/04	.000	
THALLIUM	01059	WAIVED			
NITRATE/NITRITE					
NITRATE (AS NO3)	71850	WAIVED	2002/03/04	3.920	
NITRITE (AS N)	00620	WAIVED			
RADIOLOGICAL					
GROSS ALPHA	01501	WAIVED			
GROSS BETA	03501	WAIVED			
RA-226 FOR CWS OR TOTAL RA FOR NTNC BY 903.0	A-080	WAIVED			
RA-226 OR TOTAL RA BY 903.0 C.E.	A-081	WAIVED			
RADIUM 226	09501	WAIVED			
RADIUM 228	11501	WAIVED			

**Testing interval is in months;*
0 = No data for this constituent and is DUE NOW
999 = Waived testing (not required)
I = Invalid (NOT) valid analyses reported

System Number: ***1900534***

System Name: ***JACKIE ROBINSON COUNTY PARK***

PS Code: ***1900534-001***

Source Name: ***WELL 01***

Source Number: ***001***

Source Status: ***ACTIVE UNTREATED***

Water type: ***GROUNDWATER OR WELL***

	STORET NUMBER	TESTING INTERVAL (MONTHS)*	LAST TEST DATE (yyyy/mm/dd)	LAST RESULT REPORTED	NEXT TEST DATE (yyyy/mm)
RADIOLOGICAL					
RADIUM, TOTAL, MDA95-NTNC ONLY, BY 903.0	A-082	WAIVED			
STRONTIUM-90	13501	WAIVED			
TRITIUM	07000	WAIVED			
URANIUM (PCI/L)	28012	WAIVED			
REGULATED SOC					
2,3,7,8-TCDD (DIOXIN)	34676	WAIVED			
2,4,5-TP (SILVEX)	39045	WAIVED			
2,4-D	39730	WAIVED			
ALACHLOR	77825	WAIVED			
ATRAZINE	39033	WAIVED			
BENTAZON	38710	WAIVED			
BENZO (A) PYRENE	34247	WAIVED			
CARBOFURAN	81405	WAIVED			
CHLORDANE	39350	WAIVED			
DALAPON	38432	WAIVED			
DI(2-ETHYLHEXYL)ADIPATE	A-026	WAIVED			
DI(2-ETHYLHEXYL)PHTHALATE	39100	WAIVED			
DIBROMOCHLOROPROPANE (DBCP)	38761	WAIVED			
DINOSEB	81287	WAIVED			
DIQUAT	78885	WAIVED			
ENDOTHALL	38926	WAIVED			
ENDRIN	39390	WAIVED			
ETHYLENE DIBROMIDE (EDB)	77651	WAIVED			
GLYPHOSATE	79743	WAIVED			
HEPTACHLOR	39410	WAIVED			
HEPTACHLOR EPOXIDE	39420	WAIVED			
HEXACHLOROBENZENE	39700	WAIVED			
HEXACHLOROCYCLOPENTADIENE	34386	WAIVED			
LINDANE	39340	WAIVED			

**Testing interval is in months;*
0 = No data for this constituent and is DUE NOW
999 = Waived testing (not required)
I = Invalid (NOT) valid analyses reported

System Number: ***1900534***

System Name: ***JACKIE ROBINSON COUNTY PARK***

PS Code: ***1900534-001***

Source Name: ***WELL 01***

Source Number: ***001***

Source Status: ***ACTIVE UNTREATED***

Water type: ***GROUNDWATER OR WELL***

	STORET NUMBER	TESTING INTERVAL (MONTHS)*	LAST TEST DATE (yyyy/mm/dd)	LAST RESULT REPORTED	NEXT TEST DATE (yyyy/mm)
REGULATED SOC					
METHOXYCHLOR	39480	WAIVED			
MOLINATE	82199	WAIVED			
OXAMYL	38865	WAIVED			
PENTACHLOROPHENOL	39032	WAIVED			
PICLORAM	39720	WAIVED			
POLYCHLORINATED BIPHENYLS, TOTAL, AS DCB	39516	WAIVED			
SIMAZINE	39055	WAIVED			
THIOBENCARB	A-001	WAIVED			
TOXAPHENE	39400	WAIVED			
REGULATED VOC					
1,1,1-TRICHLOROETHANE	34506	WAIVED			
1,1,2,2-TETRACHLOROETHANE	34516	WAIVED			
1,1,2-TRICHLORO-1,2,2-TRIFLUOROETHANE	81611	WAIVED			
1,1,2-TRICHLOROETHANE	34511	WAIVED			
1,1-DICHLOROETHANE	34496	WAIVED			
1,1-DICHLOROETHYLENE	34501	WAIVED			
1,2,4-TRICHLOROBENZENE	34551	WAIVED			
1,2-DICHLOROBENZENE	34536	WAIVED			
1,2-DICHLOROETHANE	34531	WAIVED			
1,2-DICHLOROPROPANE	34541	WAIVED			
1,3-DICHLOROPROPENE (TOTAL)	34561	WAIVED			
1,4-DICHLOROBENZENE	34571	WAIVED			
BENZENE	34030	WAIVED			
CARBON TETRACHLORIDE	32102	WAIVED			
CIS-1,2-DICHLOROETHYLENE	77093	WAIVED			
DICHLOROMETHANE	34423	WAIVED			
ETHYLBENZENE	34371	WAIVED			
METHYL-TERT-BUTYL-ETHER (MTBE)	46491	WAIVED			
MONOCHLOROBENZENE	34301	WAIVED			

**Testing interval is in months;*
0 = No data for this constituent and is DUE NOW
999 = Waived testing (not required)
I = Invalid (NOT) valid analyses reported

System Number: ***1900534***

System Name: ***JACKIE ROBINSON COUNTY PARK***

PS Code: ***1900534-001***

Source Name: ***WELL 01***

Source Number: ***001***

Source Status: ***ACTIVE UNTREATED***

Water type: ***GROUNDWATER OR WELL***

	STORET NUMBER	TESTING INTERVAL (MONTHS)*	LAST TEST DATE (yyyy/mm/dd)	LAST RESULT REPORTED	NEXT TEST DATE (yyyy/mm)
REGULATED VOC					
STYRENE	77128	WAIVED			
TETRACHLOROETHYLENE	34475	WAIVED			
TOLUENE	34010	WAIVED			
TRANS-1,2-DICHLOROETHYLENE	34546	WAIVED			
TRICHLOROETHYLENE	39180	WAIVED			
TRICHLOROFLUOROMETHANE	34488	WAIVED			
VINYL CHLORIDE	39175	WAIVED			
XYLENES (TOTAL)	81551	WAIVED			
SECONDARY/GP					
AGGRSSIVE INDEX (CORROSIVITY)	82383	WAIVED			
BICARBONATE ALKALINITY	00440	WAIVED	2002/03/04	116.000	
CALCIUM	00916	WAIVED	2002/03/04	44.100	
CARBONATE ALKALINITY	00445	WAIVED	2002/03/04	.000	
CHLORIDE	00940	WAIVED	2002/03/04	49.600	
COLOR	00081	WAIVED			
COPPER	01042	WAIVED	2002/03/04	.000	
FOAMING AGENTS (MBAS)	38260	WAIVED			
HARDNESS (TOTAL) AS CACO3	00900	WAIVED	2002/03/04	150.000	
HYDROXIDE ALKALINITY	71830	WAIVED	2002/03/04	.000	
IRON	01045	WAIVED	2002/03/04	.000	
MAGNESIUM	00927	WAIVED	2002/03/04	9.720	
MANGANESE	01055	WAIVED	2002/03/04	.000	
ODOR THRESHOLD @ 60 C	00086	WAIVED			
PH, LABORATORY	00403	WAIVED	2002/03/04	7.960	
SILVER	01077	WAIVED	2002/03/04	.000	
SODIUM	00929	WAIVED	2002/03/04	33.700	
SPECIFIC CONDUCTANCE	00095	WAIVED	2002/03/04	462.000	
SULFATE	00945	WAIVED	2002/03/04	68.200	
TOTAL DISSOLVED SOLIDS	70300	WAIVED	2002/03/04	294.000	

**Testing interval is in months;*
0 = No data for this constituent and is DUE NOW
999 = Waived testing (not required)
I = Invalid (NOT) valid analyses reported

System Number: ***1900534***

System Name: ***JACKIE ROBINSON COUNTY PARK***

PS Code: ***1900534-001***

Source Name: ***WELL 01***

Source Number: ***001***

Source Status: ***ACTIVE UNTREATED***

Water type: ***GROUNDWATER OR WELL***

SECONDARY/GP	STORET NUMBER	TESTING INTERVAL (MONTHS)*	LAST TEST DATE (yyyy/mm/dd)	LAST RESULT REPORTED	NEXT TEST DATE (yyyy/mm)
TURBIDITY, LABORATORY	82079	WAIVED			
ZINC	01092	WAIVED	2002/03/04	94.700	

**Testing interval is in months;*
0 = No data for this constituent and is DUE NOW
999 = Waived testing (not required)
I = Invalid (NOT) valid analyses reported

System Number: ***1900537***

System Name: ***OAK GROVE TRAILER PARK***

PS Code: ***1900537-001***

Source Name: ***WELL 01***

Source Number: ***001***

Source Status: ***ACTIVE UNTREATED***

Water type: ***GROUNDWATER OR WELL***

	STORET NUMBER	TESTING INTERVAL (MONTHS)*	LAST TEST DATE (yyyy/mm/dd)	LAST RESULT REPORTED	NEXT TEST DATE (yyyy/mm)
GENERAL NON CHAP 15					
DIAZINON	39570	WAIVED			
INORGANIC					
ALUMINUM	01105	WAIVED	2004/05/26	.000	
ANTIMONY	01097	WAIVED	2004/05/26	.000	
ARSENIC	01002	WAIVED	2004/05/26	.000	
ASBESTOS	81855	WAIVED			
BARIUM	01007	WAIVED	2002/12/27	104.000	
BERYLLIUM	01012	WAIVED	2004/05/26	.000	
CADMIUM	01027	WAIVED	2004/05/26	.000	
CHROMIUM (TOTAL)	01034	WAIVED	2004/05/26	.000	
CYANIDE	01291	WAIVED	2004/05/26	.000	
FLUORIDE (F) (NATURAL-SOURCE)	00951	WAIVED	2004/05/26	.200	
LEAD	01051	WAIVED	2004/05/26	.000	
MERCURY	71900	WAIVED	2004/05/26	.000	
NICKEL	01067	WAIVED	2004/05/26	.000	
PERCHLORATE	A-031	WAIVED	2002/12/27	.000	
SELENIUM	01147	WAIVED	2004/05/26	.000	
THALLIUM	01059	WAIVED	2004/05/26	.000	
NITRATE/NITRITE					
NITRATE (AS NO3)	71850	WAIVED	2005/09/28	34.300	
NITRITE (AS N)	00620	WAIVED	1998/06/16	.000	
RADIOLOGICAL					
GROSS ALPHA	01501	WAIVED			
GROSS BETA	03501	WAIVED			
RA-226 FOR CWS OR TOTAL RA FOR NTNC BY 903.0	A-080	WAIVED			
RA-226 OR TOTAL RA BY 903.0 C.E.	A-081	WAIVED			
RADIUM 226	09501	WAIVED			
RADIUM 228	11501	WAIVED			

**Testing interval is in months;*
0 = No data for this constituent and is DUE NOW
999 = Waived testing (not required)
I = Invalid (NOT) valid analyses reported

System Number: ***1900537***

System Name: ***OAK GROVE TRAILER PARK***

PS Code: ***1900537-001***

Source Name: ***WELL 01***

Source Number: ***001***

Source Status: ***ACTIVE UNTREATED***

Water type: ***GROUNDWATER OR WELL***

	STORET NUMBER	TESTING INTERVAL (MONTHS)*	LAST TEST DATE (yyyy/mm/dd)	LAST RESULT REPORTED	NEXT TEST DATE (yyyy/mm)
RADIOLOGICAL					
RADIUM, TOTAL, MDA95-NTNC ONLY, BY 903.0	A-082	WAIVED			
STRONTIUM-90	13501	WAIVED			
TRITIUM	07000	WAIVED			
URANIUM (PCI/L)	28012	WAIVED			
REGULATED SOC					
2,3,7,8-TCDD (DIOXIN)	34676	WAIVED			
2,4,5-TP (SILVEX)	39045	WAIVED			
2,4-D	39730	WAIVED			
ALACHLOR	77825	WAIVED	2000/06/07	.000	
ATRAZINE	39033	WAIVED			
BENTAZON	38710	WAIVED			
BENZO (A) PYRENE	34247	WAIVED			
CARBOFURAN	81405	WAIVED			
CHLORDANE	39350	WAIVED	2000/06/07	.000	
DALAPON	38432	WAIVED			
DI(2-ETHYLHEXYL)ADIPATE	A-026	WAIVED			
DI(2-ETHYLHEXYL)PHTHALATE	39100	WAIVED			
DIBROMOCHLOROPROPANE (DBCP)	38761	WAIVED			
DINOSEB	81287	WAIVED			
DIQUAT	78885	WAIVED			
ENDOTHALL	38926	WAIVED			
ENDRIN	39390	WAIVED	2000/06/07	.000	
ETHYLENE DIBROMIDE (EDB)	77651	WAIVED			
GLYPHOSATE	79743	WAIVED			
HEPTACHLOR	39410	WAIVED	2000/06/07	.000	
HEPTACHLOR EPOXIDE	39420	WAIVED	2000/06/07	.000	
HEXACHLOROBENZENE	39700	WAIVED	2000/06/07	.000	
HEXACHLOROCYCLOPENTADIENE	34386	WAIVED	2000/06/07	.000	
LINDANE	39340	WAIVED	2000/06/07	.000	

**Testing interval is in months;*
0 = No data for this constituent and is DUE NOW
999 = Waived testing (not required)
I = Invalid (NOT) valid analyses reported

System Number: ***1900537***

System Name: ***OAK GROVE TRAILER PARK***

PS Code: ***1900537-001***

Source Name: ***WELL 01***

Source Number: ***001***

Source Status: ***ACTIVE UNTREATED***

Water type: ***GROUNDWATER OR WELL***

	STORET NUMBER	TESTING INTERVAL (MONTHS)*	LAST TEST DATE (yyyy/mm/dd)	LAST RESULT REPORTED	NEXT TEST DATE (yyyy/mm)
REGULATED SOC					
METHOXYCHLOR	39480	WAIVED	2000/06/07	.000	
MOLINATE	82199	WAIVED			
OXAMYL	38865	WAIVED			
PENTACHLOROPHENOL	39032	WAIVED			
PICLORAM	39720	WAIVED			
POLYCHLORINATED BIPHENYLS, TOTAL, AS DCB	39516	WAIVED	2000/06/07	.000	
SIMAZINE	39055	WAIVED			
THIOBENCARB	A-001	WAIVED	2002/12/27	.000	
TOXAPHENE	39400	WAIVED	2000/06/07	.000	
REGULATED VOC					
1,1,1-TRICHLOROETHANE	34506	WAIVED	2000/06/07	.000	
1,1,2,2-TETRACHLOROETHANE	34516	WAIVED	2000/06/07	.000	
1,1,2-TRICHLORO-1,2,2-TRIFLUOROETHANE	81611	WAIVED	2000/06/07	.000	
1,1,2-TRICHLOROETHANE	34511	WAIVED	2000/06/07	.000	
1,1-DICHLOROETHANE	34496	WAIVED	2000/06/07	.000	
1,1-DICHLOROETHYLENE	34501	WAIVED	2000/06/07	.000	
1,2,4-TRICHLOROBENZENE	34551	WAIVED	2000/06/07	.000	
1,2-DICHLOROBENZENE	34536	WAIVED	2000/06/07	.000	
1,2-DICHLOROETHANE	34531	WAIVED	2000/06/07	.000	
1,2-DICHLOROPROPANE	34541	WAIVED	2000/06/07	.000	
1,3-DICHLOROPROPENE (TOTAL)	34561	WAIVED	2000/06/07	.000	
1,4-DICHLOROBENZENE	34571	WAIVED	2000/06/07	.000	
BENZENE	34030	WAIVED	2000/06/07	.000	
CARBON TETRACHLORIDE	32102	WAIVED	2000/06/07	.000	
CIS-1,2-DICHLOROETHYLENE	77093	WAIVED	2000/06/07	.000	
DICHLOROMETHANE	34423	WAIVED	2000/06/07	.000	
ETHYLBENZENE	34371	WAIVED	2000/06/07	.000	
METHYL-TERT-BUTYL-ETHER (MTBE)	46491	WAIVED	2000/06/07	.000	
MONOCHLOROBENZENE	34301	WAIVED	2000/06/07	.000	

**Testing interval is in months;*
0 = No data for this constituent and is DUE NOW
999 = Waived testing (not required)
I = Invalid (NOT) valid analyses reported

System Number: 1900537
System Name: OAK GROVE TRAILER PARK

PS Code: 1900537-001
Source Name: WELL 01
Source Number: 001
Source Status: ACTIVE UNTREATED
Water type: GROUNDWATER OR WELL

	STORET NUMBER	TESTING INTERVAL (MONTHS)*	LAST TEST DATE (yyyy/mm/dd)	LAST RESULT REPORTED	NEXT TEST DATE (yyyy/mm)
REGULATED VOC					
STYRENE	77128	WAIVED	2000/06/07	.000	
TETRACHLOROETHYLENE	34475	WAIVED	2000/06/07	.000	
TOLUENE	34010	WAIVED	2000/06/07	.000	
TRANS-1,2-DICHLOROETHYLENE	34546	WAIVED	2000/06/07	.000	
TRICHLOROETHYLENE	39180	WAIVED	2000/06/07	.000	
TRICHLOROFLUOROMETHANE	34488	WAIVED	2000/06/07	.000	
VINYL CHLORIDE	39175	WAIVED	2000/06/07	.000	
XYLENES (TOTAL)	81551	WAIVED	2000/06/07	.000	
SECONDARY/GP					
AGGRSSIVE INDEX (CORROSIVITY)	82383	WAIVED			
BICARBONATE ALKALINITY	00440	WAIVED	2004/05/26	386.000	
CALCIUM	00916	WAIVED	2004/05/26	124.000	
CARBONATE ALKALINITY	00445	WAIVED	2004/05/26	.000	
CHLORIDE	00940	WAIVED	2004/05/26	103.000	
COLOR	00081	WAIVED	2004/05/26	.000	
COPPER	01042	WAIVED	2004/05/26	.000	
FOAMING AGENTS (MBAS)	38260	WAIVED	2004/05/26	.000	
HARDNESS (TOTAL) AS CACO3	00900	WAIVED	2004/05/26	530.000	
HYDROXIDE ALKALINITY	71830	WAIVED	2004/05/26	.000	
IRON	01045	WAIVED	2004/05/26	.000	
MAGNESIUM	00927	WAIVED	2004/05/26	53.700	
MANGANESE	01055	WAIVED	2004/05/26	.000	
ODOR THRESHOLD @ 60 C	00086	WAIVED	2004/05/26	.000	
PH, LABORATORY	00403	WAIVED	2004/05/26	7.240	
SILVER	01077	WAIVED	2004/05/26	.000	
SODIUM	00929	WAIVED	2004/05/26	45.800	
SPECIFIC CONDUCTANCE	00095	WAIVED	2004/05/26	1100.000	
SULFATE	00945	WAIVED	2004/05/26	117.000	
TOTAL DISSOLVED SOLIDS	70300	WAIVED	2004/05/26	728.000	

**Testing interval is in months;*
0 = No data for this constituent and is DUE NOW
999 = Waived testing (not required)
I = Invalid (NOT) valid analyses reported

System Number: ***1900537***

System Name: ***OAK GROVE TRAILER PARK***

PS Code: ***1900537-001***

Source Name: ***WELL 01***

Source Number: ***001***

Source Status: ***ACTIVE UNTREATED***

Water type: ***GROUNDWATER OR WELL***

	STORET NUMBER	TESTING INTERVAL (MONTHS)*	LAST TEST DATE (yyyy/mm/dd)	LAST RESULT REPORTED	NEXT TEST DATE (yyyy/mm)
SECONDARY/GP					
TURBIDITY, LABORATORY	**82079**	**WAIVED**	2004/05/26	**.170**	
ZINC	**01092**	**WAIVED**	2004/05/26	**.000**	

**Testing interval is in months;*
0 = No data for this constituent and is DUE NOW
999 = Waived testing (not required)
I = Invalid (NOT) valid analyses reported

System Number: 1900541

System Name: WESTERN SKIES MOBILE HOME PARK

PS Code: 1900541-001

Source Name: WELL 01

Source Number: 001

Source Status: ACTIVE UNTREATED

Water type: GROUNDWATER OR WELL

	STORET NUMBER	TESTING INTERVAL (MONTHS)*	LAST TEST DATE (yyyy/mm/dd)	LAST RESULT REPORTED	NEXT TEST DATE (yyyy/mm)
GENERAL NON CHAP 15					
DIAZINON	39570	WAIVED			
INORGANIC					
ALUMINUM	01105	WAIVED	2011/03/16	< .000	
ANTIMONY	01097	WAIVED	2011/03/16	< .000	
ARSENIC	01002	WAIVED	2011/03/16	< .000	
ASBESTOS	81855	WAIVED			
BARIUM	01007	WAIVED	2011/03/16	< .000	
BERYLLIUM	01012	WAIVED	2011/03/16	< .000	
CADMIUM	01027	WAIVED	2011/03/16	< .000	
CHROMIUM (TOTAL)	01034	WAIVED	2011/03/16	16.000	
CYANIDE	01291	WAIVED	2011/03/16	< .000	
FLUORIDE (F) (NATURAL-SOURCE)	00951	WAIVED	2011/03/16	.150	
LEAD	01051	WAIVED	2011/03/16	< .000	
MERCURY	71900	WAIVED	2011/03/16	< .000	
NICKEL	01067	WAIVED	2011/03/16	< .000	
PERCHLORATE	A-031	WAIVED	2011/10/19	< .000	
SELENIUM	01147	WAIVED	2011/03/16	< .000	
THALLIUM	01059	WAIVED	2011/03/16	< .000	
NITRATE/NITRITE					
NITRATE (AS NO3)	71850	WAIVED	2011/03/16	3.000	
NITRITE (AS N)	00620	WAIVED	2011/03/16	< .000	
RADIOLOGICAL					
GROSS ALPHA	01501	WAIVED	1996/04/30	2.150	
GROSS BETA	03501	WAIVED			
RA-226 FOR CWS OR TOTAL RA FOR NTNC BY 903.0	A-080	WAIVED			
RA-226 OR TOTAL RA BY 903.0 C.E.	A-081	WAIVED			
RADIUM 226	09501	WAIVED			
RADIUM 228	11501	WAIVED			

**Testing interval is in months;*
0 = No data for this constituent and is DUE NOW
999 = Waived testing (not required)
I = Invalid (NOT) valid analyses reported

System Number: ***1900541***

System Name: ***WESTERN SKIES MOBILE HOME PARK***

PS Code: ***1900541-001***

Source Name: ***WELL 01***

Source Number: ***001***

Source Status: ***ACTIVE UNTREATED***

Water type: ***GROUNDWATER OR WELL***

	STORET NUMBER	TESTING INTERVAL (MONTHS)*	LAST TEST DATE (yyyy/mm/dd)	LAST RESULT REPORTED	NEXT TEST DATE (yyyy/mm)
RADIOLOGICAL					
RADIUM, TOTAL, MDA95-NTNC ONLY, BY 903.0	A-082	WAIVED			
STRONTIUM-90	13501	WAIVED			
TRITIUM	07000	WAIVED			
URANIUM (PCI/L)	28012	WAIVED			
REGULATED SOC					
2,3,7,8-TCDD (DIOXIN)	34676	WAIVED			
2,4,5-TP (SILVEX)	39045	WAIVED			
2,4-D	39730	WAIVED			
ALACHLOR	77825	WAIVED	2003/03/28	.000	
ATRAZINE	39033	WAIVED			
BENTAZON	38710	WAIVED			
BENZO (A) PYRENE	34247	WAIVED			
CARBOFURAN	81405	WAIVED			
CHLORDANE	39350	WAIVED	2003/03/28	.000	
DALAPON	38432	WAIVED			
DI(2-ETHYLHEXYL)ADIPATE	A-026	WAIVED			
DI(2-ETHYLHEXYL)PHTHALATE	39100	WAIVED			
DIBROMOCHLOROPROPANE (DBCP)	38761	WAIVED			
DINOSEB	81287	WAIVED			
DIQUAT	78885	WAIVED			
ENDOTHALL	38926	WAIVED			
ENDRIN	39390	WAIVED	2003/03/28	.000	
ETHYLENE DIBROMIDE (EDB)	77651	WAIVED			
GLYPHOSATE	79743	WAIVED			
HEPTACHLOR	39410	WAIVED	2003/03/28	.000	
HEPTACHLOR EPOXIDE	39420	WAIVED	2003/03/28	.000	
HEXACHLOROBENZENE	39700	WAIVED	2003/03/28	.000	
HEXACHLOROCYCLOPENTADIENE	34386	WAIVED	2003/03/28	.000	
LINDANE	39340	WAIVED	2003/03/28	.000	

**Testing interval is in months;*
0 = No data for this constituent and is DUE NOW
999 = Waived testing (not required)
I = Invalid (NOT) valid analyses reported

System Number: ***1900541***

System Name: ***WESTERN SKIES MOBILE HOME PARK***

PS Code: ***1900541-001***

Source Name: ***WELL 01***

Source Number: ***001***

Source Status: ***ACTIVE UNTREATED***

Water type: ***GROUNDWATER OR WELL***

	STORET NUMBER	TESTING INTERVAL (MONTHS)*	LAST TEST DATE (yyyy/mm/dd)	LAST RESULT REPORTED	NEXT TEST DATE (yyyy/mm)
REGULATED SOC					
METHOXYCHLOR	39480	WAIVED	2003/03/28	.000	
MOLINATE	82199	WAIVED			
OXAMYL	38865	WAIVED			
PENTACHLOROPHENOL	39032	WAIVED			
PICLORAM	39720	WAIVED			
POLYCHLORINATED BIPHENYLS, TOTAL, AS DCB	39516	WAIVED	2003/03/28	.000	
SIMAZINE	39055	WAIVED			
THIOBENCARB	A-001	WAIVED			
TOXAPHENE	39400	WAIVED	2003/03/28	.000	
REGULATED VOC					
1,1,1-TRICHLOROETHANE	34506	WAIVED	2003/03/28	.000	
1,1,2,2-TETRACHLOROETHANE	34516	WAIVED	2003/03/28	.000	
1,1,2-TRICHLORO-1,2,2-TRIFLUOROETHANE	81611	WAIVED	2003/03/28	.000	
1,1,2-TRICHLOROETHANE	34511	WAIVED	2003/03/28	.000	
1,1-DICHLOROETHANE	34496	WAIVED	2003/03/28	.000	
1,1-DICHLOROETHYLENE	34501	WAIVED	2003/03/28	.000	
1,2,4-TRICHLOROBENZENE	34551	WAIVED	2003/03/28	.000	
1,2-DICHLOROBENZENE	34536	WAIVED	2003/03/28	.000	
1,2-DICHLOROETHANE	34531	WAIVED	2003/03/28	.000	
1,2-DICHLOROPROPANE	34541	WAIVED	2003/03/28	.000	
1,3-DICHLOROPROPENE (TOTAL)	34561	WAIVED	2003/03/28	.000	
1,4-DICHLOROBENZENE	34571	WAIVED	2003/03/28	.000	
BENZENE	34030	WAIVED	2003/03/28	.000	
CARBON TETRACHLORIDE	32102	WAIVED	2003/03/28	.000	
CIS-1,2-DICHLOROETHYLENE	77093	WAIVED	2003/03/28	.000	
DICHLOROMETHANE	34423	WAIVED	2003/03/28	.000	
ETHYLBENZENE	34371	WAIVED	2003/03/28	.000	
METHYL-TERT-BUTYL-ETHER (MTBE)	46491	WAIVED	2003/03/28	.000	
MONOCHLOROBENZENE	34301	WAIVED	2003/03/28	.000	

**Testing interval is in months;*
0 = No data for this constituent and is DUE NOW
999 = Waived testing (not required)
I = Invalid (NOT) valid analyses reported

System Number: ***1900541***

System Name: ***WESTERN SKIES MOBILE HOME PARK***

PS Code: ***1900541-001***

Source Name: ***WELL 01***

Source Number: ***001***

Source Status: ***ACTIVE UNTREATED***

Water type: ***GROUNDWATER OR WELL***

	STORET NUMBER	TESTING INTERVAL (MONTHS)*	LAST TEST DATE (yyyy/mm/dd)	LAST RESULT REPORTED	NEXT TEST DATE (yyyy/mm)
REGULATED VOC					
STYRENE	77128	WAIVED	2003/03/28	.000	
TETRACHLOROETHYLENE	34475	WAIVED	2003/03/28	.000	
TOLUENE	34010	WAIVED	2003/03/28	.000	
TRANS-1,2-DICHLOROETHYLENE	34546	WAIVED	2003/03/28	.000	
TRICHLOROETHYLENE	39180	WAIVED	2003/03/28	.000	
TRICHLOROFLUOROMETHANE	34488	WAIVED	2003/03/28	.000	
VINYL CHLORIDE	39175	WAIVED	2003/03/28	.000	
XYLENES (TOTAL)	81551	WAIVED	2003/03/28	.000	
SECONDARY/GP					
AGGRSSIVE INDEX (CORROSIVITY)	82383	WAIVED	2011/03/16	12.000	
BICARBONATE ALKALINITY	00440	WAIVED	2011/03/16	100.000	
CALCIUM	00916	WAIVED	2011/03/16	31.000	
CARBONATE ALKALINITY	00445	WAIVED	2011/03/16	< .000	
CHLORIDE	00940	WAIVED	2011/03/16	8.600	
COLOR	00081	WAIVED	2011/03/16	< .000	
COPPER	01042	WAIVED	2011/03/16	< .000	
FOAMING AGENTS (MBAS)	38260	WAIVED	2011/03/16	< .000	
HARDNESS (TOTAL) AS CACO3	00900	WAIVED	2011/03/16	86.000	
HYDROXIDE ALKALINITY	71830	WAIVED	2011/03/16	< .000	
IRON	01045	WAIVED	2011/03/16	< .000	
MAGNESIUM	00927	WAIVED	2011/03/16	2.200	
MANGANESE	01055	WAIVED	2011/03/16	< .000	
ODOR THRESHOLD @ 60 C	00086	WAIVED	2011/03/16	< .000	
PH, LABORATORY	00403	WAIVED	2011/03/16	8.300	
SILVER	01077	WAIVED	2011/03/16	< .000	
SODIUM	00929	WAIVED	2011/03/16	19.000	
SPECIFIC CONDUCTANCE	00095	WAIVED	2011/03/16	230.000	
SULFATE	00945	WAIVED	2011/03/16	23.000	
TOTAL DISSOLVED SOLIDS	70300	WAIVED	2011/03/16	160.000	

**Testing interval is in months;*
0 = No data for this constituent and is DUE NOW
999 = Waived testing (not required)
I = Invalid (NOT) valid analyses reported

System Number: ***1900541***

System Name: ***WESTERN SKIES MOBILE HOME PARK***

PS Code: ***1900541-001***

Source Name: ***WELL 01***

Source Number: ***001***

Source Status: ***ACTIVE UNTREATED***

Water type: ***GROUNDWATER OR WELL***

SECONDARY/GP

	STORET NUMBER	TESTING INTERVAL (MONTHS)*	LAST TEST DATE (yyyy/mm/dd)	LAST RESULT REPORTED	NEXT TEST DATE (yyyy/mm)
TURBIDITY, LABORATORY	82079	WAIVED	2011/03/16	< .000	
ZINC	01092	WAIVED	2011/03/16	< .000	

**Testing interval is in months;*
0 = No data for this constituent and is DUE NOW
999 = Waived testing (not required)
I = Invalid (NOT) valid analyses reported

System Number: ***1900547***

System Name: ***FIRSTONE SCOUT RESERVATION***

PS Code: ***1900547-001***

Source Name: ***PURCHASED WATER - TREATED - INACTIVE***

Source Number: ***001***

Source Status: ***PURCHASED TREATED***

Water type: ***GROUNDWATER OR WELL***

	STORET NUMBER	TESTING INTERVAL (MONTHS)*	LAST TEST DATE (yyyy/mm/dd)	LAST RESULT REPORTED	NEXT TEST DATE (yyyy/mm)
GENERAL NON CHAP 15					
DIAZINON	39570	WAIVED			
INORGANIC					
ALUMINUM	01105	WAIVED			
ANTIMONY	01097	WAIVED			
ARSENIC	01002	WAIVED			
ASBESTOS	81855	WAIVED			
BARIUM	01007	WAIVED			
BERYLLIUM	01012	WAIVED			
CADMIUM	01027	WAIVED			
CHROMIUM (TOTAL)	01034	WAIVED			
CYANIDE	01291	WAIVED			
FLUORIDE (F) (NATURAL-SOURCE)	00951	WAIVED			
LEAD	01051	WAIVED			
MERCURY	71900	WAIVED			
NICKEL	01067	WAIVED			
PERCHLORATE	A-031	WAIVED			
SELENIUM	01147	WAIVED			
THALLIUM	01059	WAIVED			
NITRATE/NITRITE					
NITRATE (AS NO3)	71850	WAIVED			
NITRITE (AS N)	00620	WAIVED			
RADIOLOGICAL					
GROSS ALPHA	01501	WAIVED			
GROSS BETA	03501	WAIVED			
RA-226 FOR CWS OR TOTAL RA FOR NTNC BY 903.0	A-080	WAIVED			
RA-226 OR TOTAL RA BY 903.0 C.E.	A-081	WAIVED			
RADIUM 226	09501	WAIVED			
RADIUM 228	11501	WAIVED			

**Testing interval is in months;*
0 = No data for this constituent and is DUE NOW
999 = Waived testing (not required)
I = Invalid (NOT) valid analyses reported

System Number: ***1900547***

System Name: ***FIRSTONE SCOUT RESERVATION***

PS Code: ***1900547-001***

Source Name: ***PURCHASED WATER - TREATED - INACTIVE***

Source Number: ***001***

Source Status: ***PURCHASED TREATED***

Water type: ***GROUNDWATER OR WELL***

	STORET NUMBER	TESTING INTERVAL (MONTHS)*	LAST TEST DATE (yyyy/mm/dd)	LAST RESULT REPORTED	NEXT TEST DATE (yyyy/mm)
RADIOLOGICAL					
RADIUM, TOTAL, MDA95-NTNC ONLY, BY 903.0	A-082	WAIVED			
STRONTIUM-90	13501	WAIVED			
TRITIUM	07000	WAIVED			
URANIUM (PCI/L)	28012	WAIVED			
REGULATED SOC					
2,3,7,8-TCDD (DIOXIN)	34676	WAIVED			
2,4,5-TP (SILVEX)	39045	WAIVED			
2,4-D	39730	WAIVED			
ALACHLOR	77825	WAIVED			
ATRAZINE	39033	WAIVED			
BENTAZON	38710	WAIVED			
BENZO (A) PYRENE	34247	WAIVED			
CARBOFURAN	81405	WAIVED			
CHLORDANE	39350	WAIVED			
DALAPON	38432	WAIVED			
DI(2-ETHYLHEXYL)ADIPATE	A-026	WAIVED			
DI(2-ETHYLHEXYL)PHTHALATE	39100	WAIVED			
DIBROMOCHLOROPROPANE (DBCP)	38761	WAIVED			
DINOSEB	81287	WAIVED			
DIQUAT	78885	WAIVED			
ENDOTHALL	38926	WAIVED			
ENDRIN	39390	WAIVED			
ETHYLENE DIBROMIDE (EDB)	77651	WAIVED			
GLYPHOSATE	79743	WAIVED			
HEPTACHLOR	39410	WAIVED			
HEPTACHLOR EPOXIDE	39420	WAIVED			
HEXACHLOROBENZENE	39700	WAIVED			
HEXACHLOROCYCLOPENTADIENE	34386	WAIVED			
LINDANE	39340	WAIVED			

**Testing interval is in months;*
0 = No data for this constituent and is DUE NOW
999 = Waived testing (not required)
I = Invalid (NOT) valid analyses reported

System Number: ***1900547***

System Name: ***FIRSTONE SCOUT RESERVATION***

PS Code: ***1900547-001***

Source Name: ***PURCHASED WATER - TREATED - INACTIVE***

Source Number: ***001***

Source Status: ***PURCHASED TREATED***

Water type: ***GROUNDWATER OR WELL***

	STORET NUMBER	TESTING INTERVAL (MONTHS)*	LAST TEST DATE (yyyy/mm/dd)	LAST RESULT REPORTED	NEXT TEST DATE (yyyy/mm)
REGULATED SOC					
METHOXYCHLOR	39480	WAIVED			
MOLINATE	82199	WAIVED			
OXAMYL	38865	WAIVED			
PENTACHLOROPHENOL	39032	WAIVED			
PICLORAM	39720	WAIVED			
POLYCHLORINATED BIPHENYLS, TOTAL, AS DCB	39516	WAIVED			
SIMAZINE	39055	WAIVED			
THIOBENCARB	A-001	WAIVED			
TOXAPHENE	39400	WAIVED			
REGULATED VOC					
1,1,1-TRICHLOROETHANE	34506	WAIVED			
1,1,2,2-TETRACHLOROETHANE	34516	WAIVED			
1,1,2-TRICHLORO-1,2,2-TRIFLUOROETHANE	81611	WAIVED			
1,1,2-TRICHLOROETHANE	34511	WAIVED			
1,1-DICHLOROETHANE	34496	WAIVED			
1,1-DICHLOROETHYLENE	34501	WAIVED			
1,2,4-TRICHLOROBENZENE	34551	WAIVED			
1,2-DICHLOROBENZENE	34536	WAIVED			
1,2-DICHLOROETHANE	34531	WAIVED			
1,2-DICHLOROPROPANE	34541	WAIVED			
1,3-DICHLOROPROPENE (TOTAL)	34561	WAIVED			
1,4-DICHLOROBENZENE	34571	WAIVED			
BENZENE	34030	WAIVED			
CARBON TETRACHLORIDE	32102	WAIVED			
CIS-1,2-DICHLOROETHYLENE	77093	WAIVED			
DICHLOROMETHANE	34423	WAIVED			
ETHYLBENZENE	34371	WAIVED			
METHYL-TERT-BUTYL-ETHER (MTBE)	46491	WAIVED			
MONOCHLOROBENZENE	34301	WAIVED			

**Testing interval is in months;*
0 = No data for this constituent and is DUE NOW
999 = Waived testing (not required)
I = Invalid (NOT) valid analyses reported

System Number: ***1900547***

System Name: ***FIRSTONE SCOUT RESERVATION***

PS Code: ***1900547-001***

Source Name: ***PURCHASED WATER - TREATED - INACTIVE***

Source Number: ***001***

Source Status: ***PURCHASED TREATED***

Water type: ***GROUNDWATER OR WELL***

	STORET NUMBER	TESTING INTERVAL (MONTHS)*	LAST TEST DATE (yyyy/mm/dd)	LAST RESULT REPORTED	NEXT TEST DATE (yyyy/mm)
REGULATED VOC					
STYRENE	77128	WAIVED			
TETRACHLOROETHYLENE	34475	WAIVED			
TOLUENE	34010	WAIVED			
TRANS-1,2-DICHLOROETHYLENE	34546	WAIVED			
TRICHLOROETHYLENE	39180	WAIVED			
TRICHLOROFLUOROMETHANE	34488	WAIVED			
VINYL CHLORIDE	39175	WAIVED			
XYLENES (TOTAL)	81551	WAIVED			
SECONDARY/GP					
AGGRSSIVE INDEX (CORROSIVITY)	82383	WAIVED			
BICARBONATE ALKALINITY	00440	WAIVED			
CALCIUM	00916	WAIVED			
CARBONATE ALKALINITY	00445	WAIVED			
CHLORIDE	00940	WAIVED			
COLOR	00081	WAIVED			
COPPER	01042	WAIVED			
FOAMING AGENTS (MBAS)	38260	WAIVED			
HARDNESS (TOTAL) AS CACO3	00900	WAIVED			
HYDROXIDE ALKALINITY	71830	WAIVED			
IRON	01045	WAIVED			
MAGNESIUM	00927	WAIVED			
MANGANESE	01055	WAIVED			
ODOR THRESHOLD @ 60 C	00086	WAIVED			
PH, LABORATORY	00403	WAIVED			
SILVER	01077	WAIVED			
SODIUM	00929	WAIVED			
SPECIFIC CONDUCTANCE	00095	WAIVED			
SULFATE	00945	WAIVED			
TOTAL DISSOLVED SOLIDS	70300	WAIVED			

**Testing interval is in months;*
0 = No data for this constituent and is DUE NOW
999 = Waived testing (not required)
I = Invalid (NOT) valid analyses reported

System Number: ***1900547***

System Name: ***FIRSTONE SCOUT RESERVATION***

PS Code: ***1900547-001***

Source Name: ***PURCHASED WATER - TREATED - INACTIVE***

Source Number: ***001***

Source Status: ***PURCHASED TREATED***

Water type: ***GROUNDWATER OR WELL***

SECONDARY/GP

	STORET NUMBER	TESTING INTERVAL (MONTHS)*	LAST TEST DATE (yyyy/mm/dd)	LAST RESULT REPORTED	NEXT TEST DATE (yyyy/mm)
TURBIDITY, LABORATORY	82079	WAIVED			
ZINC	01092	WAIVED			

**Testing interval is in months;*
0 = No data for this constituent and is DUE NOW
999 = Waived testing (not required)
I = Invalid (NOT) valid analyses reported

System Number: ***1900552***

System Name: ***ANGELES CREST CHRISTIAN CAMP***

PS Code: ***1900552-001***

Source Name: ***PURCHASED WATER***

Source Number: ***001***

Source Status: ***PURCHASED UNTREATED***

Water type: ***GROUNDWATER OR WELL***

	STORET NUMBER	TESTING INTERVAL (MONTHS)*	LAST TEST DATE (yyyy/mm/dd)	LAST RESULT REPORTED	NEXT TEST DATE (yyyy/mm)
GENERAL NON CHAP 15					
DIAZINON	39570	WAIVED			
INORGANIC					
ALUMINUM	01105	WAIVED	2000/08/08	.000	
ANTIMONY	01097	WAIVED	2000/08/08	.000	
ARSENIC	01002	WAIVED	2000/08/08	.000	
ASBESTOS	81855	WAIVED			
BARIUM	01007	WAIVED	2000/08/08	115.000	
BERYLLIUM	01012	WAIVED			
CADMIUM	01027	WAIVED	2000/08/08	.000	
CHROMIUM (TOTAL)	01034	WAIVED	2000/08/08	.000	
CYANIDE	01291	WAIVED			
FLUORIDE (F) (NATURAL-SOURCE)	00951	WAIVED	2000/08/08	.000	
LEAD	01051	WAIVED	2000/08/08	.000	
MERCURY	71900	WAIVED	2000/08/08	.000	
NICKEL	01067	WAIVED	2000/08/08	.000	
PERCHLORATE	A-031	WAIVED			
SELENIUM	01147	WAIVED	2000/08/08	.000	
THALLIUM	01059	WAIVED			
NITRATE/NITRITE					
NITRATE (AS NO3)	71850	WAIVED	2000/08/08	10.000	
NITRITE (AS N)	00620	WAIVED			
RADIOLOGICAL					
GROSS ALPHA	01501	WAIVED			
GROSS BETA	03501	WAIVED			
RA-226 FOR CWS OR TOTAL RA FOR NTNC BY 903.0	A-080	WAIVED			
RA-226 OR TOTAL RA BY 903.0 C.E.	A-081	WAIVED			
RADIUM 226	09501	WAIVED			
RADIUM 228	11501	WAIVED			

**Testing interval is in months;*
0 = No data for this constituent and is DUE NOW
999 = Waived testing (not required)
I = Invalid (NOT) valid analyses reported

System Number: ***1900552***

System Name: ***ANGELES CREST CHRISTIAN CAMP***

PS Code: ***1900552-001***

Source Name: ***PURCHASED WATER***

Source Number: ***001***

Source Status: ***PURCHASED UNTREATED***

Water type: ***GROUNDWATER OR WELL***

	STORET NUMBER	TESTING INTERVAL (MONTHS)*	LAST TEST DATE (yyyy/mm/dd)	LAST RESULT REPORTED	NEXT TEST DATE (yyyy/mm)
RADIOLOGICAL					
RADIUM, TOTAL, MDA95-NTNC ONLY, BY 903.0	A-082	WAIVED			
STRONTIUM-90	13501	WAIVED			
TRITIUM	07000	WAIVED			
URANIUM (PCI/L)	28012	WAIVED			
REGULATED SOC					
2,3,7,8-TCDD (DIOXIN)	34676	WAIVED			
2,4,5-TP (SILVEX)	39045	WAIVED			
2,4-D	39730	WAIVED			
ALACHLOR	77825	WAIVED			
ATRAZINE	39033	WAIVED			
BENTAZON	38710	WAIVED			
BENZO (A) PYRENE	34247	WAIVED			
CARBOFURAN	81405	WAIVED			
CHLORDANE	39350	WAIVED			
DALAPON	38432	WAIVED			
DI(2-ETHYLHEXYL)ADIPATE	A-026	WAIVED			
DI(2-ETHYLHEXYL)PHTHALATE	39100	WAIVED			
DIBROMOCHLOROPROPANE (DBCP)	38761	WAIVED			
DINOSEB	81287	WAIVED			
DIQUAT	78885	WAIVED			
ENDOTHALL	38926	WAIVED			
ENDRIN	39390	WAIVED			
ETHYLENE DIBROMIDE (EDB)	77651	WAIVED			
GLYPHOSATE	79743	WAIVED			
HEPTACHLOR	39410	WAIVED			
HEPTACHLOR EPOXIDE	39420	WAIVED			
HEXACHLOROBENZENE	39700	WAIVED			
HEXACHLOROCYCLOPENTADIENE	34386	WAIVED			
LINDANE	39340	WAIVED			

**Testing interval is in months;*
0 = No data for this constituent and is DUE NOW
999 = Waived testing (not required)
I = Invalid (NOT) valid analyses reported

System Number: ***1900552***

System Name: ***ANGELES CREST CHRISTIAN CAMP***

PS Code: ***1900552-001***

Source Name: ***PURCHASED WATER***

Source Number: ***001***

Source Status: ***PURCHASED UNTREATED***

Water type: ***GROUNDWATER OR WELL***

	STORET NUMBER	TESTING INTERVAL (MONTHS)*	LAST TEST DATE (yyyy/mm/dd)	LAST RESULT REPORTED	NEXT TEST DATE (yyyy/mm)
REGULATED SOC					
METHOXYCHLOR	39480	WAIVED			
MOLINATE	82199	WAIVED			
OXAMYL	38865	WAIVED			
PENTACHLOROPHENOL	39032	WAIVED			
PICLORAM	39720	WAIVED			
POLYCHLORINATED BIPHENYLS, TOTAL, AS DCB	39516	WAIVED			
SIMAZINE	39055	WAIVED			
THIOBENCARB	A-001	WAIVED			
TOXAPHENE	39400	WAIVED			
REGULATED VOC					
1,1,1-TRICHLOROETHANE	34506	WAIVED			
1,1,2,2-TETRACHLOROETHANE	34516	WAIVED			
1,1,2-TRICHLORO-1,2,2-TRIFLUOROETHANE	81611	WAIVED			
1,1,2-TRICHLOROETHANE	34511	WAIVED			
1,1-DICHLOROETHANE	34496	WAIVED			
1,1-DICHLOROETHYLENE	34501	WAIVED			
1,2,4-TRICHLOROBENZENE	34551	WAIVED			
1,2-DICHLOROBENZENE	34536	WAIVED			
1,2-DICHLOROETHANE	34531	WAIVED			
1,2-DICHLOROPROPANE	34541	WAIVED			
1,3-DICHLOROPROPENE (TOTAL)	34561	WAIVED			
1,4-DICHLOROBENZENE	34571	WAIVED			
BENZENE	34030	WAIVED			
CARBON TETRACHLORIDE	32102	WAIVED			
CIS-1,2-DICHLOROETHYLENE	77093	WAIVED			
DICHLOROMETHANE	34423	WAIVED			
ETHYLBENZENE	34371	WAIVED			
METHYL-TERT-BUTYL-ETHER (MTBE)	46491	WAIVED			
MONOCHLOROBENZENE	34301	WAIVED			

**Testing interval is in months;*
0 = No data for this constituent and is DUE NOW
999 = Waived testing (not required)
I = Invalid (NOT) valid analyses reported

System Number: ***1900552***

System Name: ***ANGELES CREST CHRISTIAN CAMP***

PS Code: ***1900552-001***

Source Name: ***PURCHASED WATER***

Source Number: ***001***

Source Status: ***PURCHASED UNTREATED***

Water type: ***GROUNDWATER OR WELL***

	STORET NUMBER	TESTING INTERVAL (MONTHS)*	LAST TEST DATE (yyyy/mm/dd)	LAST RESULT REPORTED	NEXT TEST DATE (yyyy/mm)
REGULATED VOC					
STYRENE	77128	WAIVED			
TETRACHLOROETHYLENE	34475	WAIVED			
TOLUENE	34010	WAIVED			
TRANS-1,2-DICHLOROETHYLENE	34546	WAIVED			
TRICHLOROETHYLENE	39180	WAIVED			
TRICHLOROFLUOROMETHANE	34488	WAIVED			
VINYL CHLORIDE	39175	WAIVED			
XYLENES (TOTAL)	81551	WAIVED			
SECONDARY/GP					
AGGRSSIVE INDEX (CORROSIVITY)	82383	WAIVED			
BICARBONATE ALKALINITY	00440	WAIVED	2000/08/08	192.000	
CALCIUM	00916	WAIVED	2000/08/08	58.000	
CARBONATE ALKALINITY	00445	WAIVED	2000/08/08	.000	
CHLORIDE	00940	WAIVED	2000/08/08	34.000	
COLOR	00081	WAIVED	2000/08/08	.000	
COPPER	01042	WAIVED	2000/08/08	.000	
FOAMING AGENTS (MBAS)	38260	WAIVED	2000/08/08	.000	
HARDNESS (TOTAL) AS CACO3	00900	WAIVED	2000/08/08	210.000	
HYDROXIDE ALKALINITY	71830	WAIVED	2000/08/08	.000	
IRON	01045	WAIVED	2000/08/08	.000	
MAGNESIUM	00927	WAIVED	2000/08/08	16.000	
MANGANESE	01055	WAIVED	2000/08/08	.000	
ODOR THRESHOLD @ 60 C	00086	WAIVED	2000/08/08	.000	
PH, LABORATORY	00403	WAIVED	2000/08/08	8.000	
SILVER	01077	WAIVED	2000/08/08	.000	
SODIUM	00929	WAIVED	2000/08/08	29.000	
SPECIFIC CONDUCTANCE	00095	WAIVED	2000/08/08	528.000	
SULFATE	00945	WAIVED	2000/08/08	48.000	
TOTAL DISSOLVED SOLIDS	70300	WAIVED	2000/08/08	318.000	

**Testing interval is in months;*
0 = No data for this constituent and is DUE NOW
999 = Waived testing (not required)
I = Invalid (NOT) valid analyses reported

System Number: ***1900552***

System Name: ***ANGELES CREST CHRISTIAN CAMP***

PS Code: ***1900552-001***

Source Name: ***PURCHASED WATER***

Source Number: ***001***

Source Status: ***PURCHASED UNTREATED***

Water type: ***GROUNDWATER OR WELL***

SECONDARY/GP

	STORET NUMBER	TESTING INTERVAL (MONTHS)*	LAST TEST DATE (yyyy/mm/dd)	LAST RESULT REPORTED	NEXT TEST DATE (yyyy/mm)
TURBIDITY, LABORATORY	82079	WAIVED	2000/08/08	.000	
ZINC	01092	WAIVED	2000/08/08	.000	

**Testing interval is in months;*
0 = No data for this constituent and is DUE NOW
999 = Waived testing (not required)
I = Invalid (NOT) valid analyses reported

System Number: ***1900553***

System Name: ***WM. S. HART HIGH / PLACERITA JR HIGH SCH***

PS Code: ***1900553-001***

Source Name: ***WELL 01***

Source Number: ***001***

Source Status: ***ACTIVE TREATED***

Water type: ***GROUNDWATER OR WELL***

	STORET NUMBER	TESTING INTERVAL (MONTHS)*	LAST TEST DATE (yyyy/mm/dd)	LAST RESULT REPORTED	NEXT TEST DATE (yyyy/mm)
GENERAL NON CHAP 15					
DIAZINON	39570	WAIVED			
INORGANIC					
ALUMINUM	01105	WAIVED	1998/05/28	.000	
ANTIMONY	01097	WAIVED	1998/05/28	.000	
ARSENIC	01002	WAIVED	1998/05/28	2.500	
ASBESTOS	81855	WAIVED			
BARIUM	01007	WAIVED	1998/05/28	.000	
BERYLLIUM	01012	WAIVED			
CADMIUM	01027	WAIVED	1998/05/28	.000	
CHROMIUM (TOTAL)	01034	WAIVED	1998/05/28	.000	
CYANIDE	01291	WAIVED	1998/05/28	.000	
FLUORIDE (F) (NATURAL-SOURCE)	00951	WAIVED	1998/05/28	.191	
LEAD	01051	WAIVED	1998/05/28	.000	
MERCURY	71900	WAIVED	1998/05/28	.000	
NICKEL	01067	WAIVED	1998/05/28	.000	
PERCHLORATE	A-031	WAIVED			
SELENIUM	01147	WAIVED	1998/05/28	.000	
THALLIUM	01059	WAIVED	1998/05/28	.000	
NITRATE/NITRITE					
NITRATE (AS NO3)	71850	WAIVED	2000/06/14	8.000	
NITRITE (AS N)	00620	WAIVED			
RADIOLOGICAL					
GROSS ALPHA	01501	WAIVED			
GROSS BETA	03501	WAIVED			
RA-226 FOR CWS OR TOTAL RA FOR NTNC BY 903.0	A-080	WAIVED			
RA-226 OR TOTAL RA BY 903.0 C.E.	A-081	WAIVED			
RADIUM 226	09501	WAIVED			
RADIUM 228	11501	WAIVED			

**Testing interval is in months;*
0 = No data for this constituent and is DUE NOW
999 = Waived testing (not required)
I = Invalid (NOT) valid analyses reported

System Number: ***1900553***

System Name: ***WM. S. HART HIGH / PLACERITA JR HIGH SCH***

PS Code: ***1900553-001***

Source Name: ***WELL 01***

Source Number: ***001***

Source Status: ***ACTIVE TREATED***

Water type: ***GROUNDWATER OR WELL***

	STORET NUMBER	TESTING INTERVAL (MONTHS)*	LAST TEST DATE (yyyy/mm/dd)	LAST RESULT REPORTED	NEXT TEST DATE (yyyy/mm)
RADIOLOGICAL					
RADIUM, TOTAL, MDA95-NTNC ONLY, BY 903.0	A-082	WAIVED			
STRONTIUM-90	13501	WAIVED			
TRITIUM	07000	WAIVED			
URANIUM (PCI/L)	28012	WAIVED			
REGULATED SOC					
2,3,7,8-TCDD (DIOXIN)	34676	WAIVED			
2,4,5-TP (SILVEX)	39045	WAIVED			
2,4-D	39730	WAIVED			
ALACHLOR	77825	WAIVED	2000/06/14	.000	
ATRAZINE	39033	WAIVED			
BENTAZON	38710	WAIVED			
BENZO (A) PYRENE	34247	WAIVED			
CARBOFURAN	81405	WAIVED			
CHLORDANE	39350	WAIVED	2000/06/14	.000	
DALAPON	38432	WAIVED			
DI(2-ETHYLHEXYL)ADIPATE	A-026	WAIVED			
DI(2-ETHYLHEXYL)PHTHALATE	39100	WAIVED			
DIBROMOCHLOROPROPANE (DBCP)	38761	WAIVED			
DINOSEB	81287	WAIVED			
DIQUAT	78885	WAIVED			
ENDOTHALL	38926	WAIVED			
ENDRIN	39390	WAIVED	2000/06/14	.000	
ETHYLENE DIBROMIDE (EDB)	77651	WAIVED			
GLYPHOSATE	79743	WAIVED			
HEPTACHLOR	39410	WAIVED	2000/06/14	.000	
HEPTACHLOR EPOXIDE	39420	WAIVED	2000/06/14	.000	
HEXACHLOROBENZENE	39700	WAIVED	2000/06/14	.000	
HEXACHLOROCYCLOPENTADIENE	34386	WAIVED	2000/06/14	.000	
LINDANE	39340	WAIVED	2000/06/14	.000	

**Testing interval is in months;*
0 = No data for this constituent and is DUE NOW
999 = Waived testing (not required)
I = Invalid (NOT) valid analyses reported

System Number: 1900553

System Name: WM. S. HART HIGH / PLACERITA JR HIGH SCH

PS Code: 1900553-001

Source Name: WELL 01

Source Number: 001

Source Status: ACTIVE TREATED

Water type: GROUNDWATER OR WELL

	STORET NUMBER	TESTING INTERVAL (MONTHS)*	LAST TEST DATE (yyyy/mm/dd)	LAST RESULT REPORTED	NEXT TEST DATE (yyyy/mm)
REGULATED SOC					
METHOXYCHLOR	39480	WAIVED	2000/06/14	.000	
MOLINATE	82199	WAIVED			
OXAMYL	38865	WAIVED			
PENTACHLOROPHENOL	39032	WAIVED			
PICLORAM	39720	WAIVED			
POLYCHLORINATED BIPHENYLS, TOTAL, AS DCB	39516	WAIVED	2000/06/14	.000	
SIMAZINE	39055	WAIVED			
THIOBENCARB	A-001	WAIVED			
TOXAPHENE	39400	WAIVED	2000/06/14	.000	
REGULATED VOC					
1,1,1-TRICHLOROETHANE	34506	WAIVED	2000/06/14	.000	
1,1,2,2-TETRACHLOROETHANE	34516	WAIVED	2000/06/14	.000	
1,1,2-TRICHLORO-1,2,2-TRIFLUOROETHANE	81611	WAIVED	2000/06/14	.000	
1,1,2-TRICHLOROETHANE	34511	WAIVED	2000/06/14	.000	
1,1-DICHLOROETHANE	34496	WAIVED	2000/06/14	.000	
1,1-DICHLOROETHYLENE	34501	WAIVED	2000/06/14	.000	
1,2,4-TRICHLOROBENZENE	34551	WAIVED	2000/06/14	.000	
1,2-DICHLOROBENZENE	34536	WAIVED	2000/06/14	.000	
1,2-DICHLOROETHANE	34531	WAIVED	2000/06/14	.000	
1,2-DICHLOROPROPANE	34541	WAIVED	2000/06/14	.000	
1,3-DICHLOROPROPENE (TOTAL)	34561	WAIVED	2000/06/14	.000	
1,4-DICHLOROBENZENE	34571	WAIVED	2000/06/14	.000	
BENZENE	34030	WAIVED	2000/06/14	.000	
CARBON TETRACHLORIDE	32102	WAIVED	2000/06/14	.000	
CIS-1,2-DICHLOROETHYLENE	77093	WAIVED	2000/06/14	.000	
DICHLOROMETHANE	34423	WAIVED	2000/06/14	.000	
ETHYLBENZENE	34371	WAIVED	2000/06/14	.000	
METHYL-TERT-BUTYL-ETHER (MTBE)	46491	WAIVED	2000/06/14	.000	
MONOCHLOROBENZENE	34301	WAIVED	2000/06/14	.000	

**Testing interval is in months;*
0 = No data for this constituent and is DUE NOW
999 = Waived testing (not required)
I = Invalid (NOT) valid analyses reported

System Number: ***1900553***

System Name: ***WM. S. HART HIGH / PLACERITA JR HIGH SCH***

PS Code: ***1900553-001***

Source Name: ***WELL 01***

Source Number: ***001***

Source Status: ***ACTIVE TREATED***

Water type: ***GROUNDWATER OR WELL***

	STORET NUMBER	TESTING INTERVAL (MONTHS)*	LAST TEST DATE (yyyy/mm/dd)	LAST RESULT REPORTED	NEXT TEST DATE (yyyy/mm)
REGULATED VOC					
STYRENE	77128	WAIVED	2000/06/14	.000	
TETRACHLOROETHYLENE	34475	WAIVED	2000/06/14	.000	
TOLUENE	34010	WAIVED	2000/06/14	.000	
TRANS-1,2-DICHLOROETHYLENE	34546	WAIVED	2000/06/14	.000	
TRICHLOROETHYLENE	39180	WAIVED	2000/06/14	.000	
TRICHLOROFLUOROMETHANE	34488	WAIVED	2000/06/14	.000	
VINYL CHLORIDE	39175	WAIVED	2000/06/14	.000	
XYLENES (TOTAL)	81551	WAIVED	2000/06/14	.000	
SECONDARY/GP					
AGGRSSIVE INDEX (CORROSIVITY)	82383	WAIVED			
BICARBONATE ALKALINITY	00440	WAIVED			
CALCIUM	00916	WAIVED			
CARBONATE ALKALINITY	00445	WAIVED			
CHLORIDE	00940	WAIVED			
COLOR	00081	WAIVED			
COPPER	01042	WAIVED	1998/05/28	.000	
FOAMING AGENTS (MBAS)	38260	WAIVED			
HARDNESS (TOTAL) AS CACO3	00900	WAIVED			
HYDROXIDE ALKALINITY	71830	WAIVED			
IRON	01045	WAIVED	1998/05/28	.000	
MAGNESIUM	00927	WAIVED			
MANGANESE	01055	WAIVED	1998/05/28	.000	
ODOR THRESHOLD @ 60 C	00086	WAIVED			
PH, LABORATORY	00403	WAIVED			
SILVER	01077	WAIVED	1998/05/28	.000	
SODIUM	00929	WAIVED			
SPECIFIC CONDUCTANCE	00095	WAIVED			
SULFATE	00945	WAIVED			
TOTAL DISSOLVED SOLIDS	70300	WAIVED			

**Testing interval is in months;*
0 = No data for this constituent and is DUE NOW
999 = Waived testing (not required)
I = Invalid (NOT) valid analyses reported

System Number: ***1900553***

System Name: ***WM. S. HART HIGH / PLACERITA JR HIGH SCH***

PS Code: ***1900553-001***

Source Name: ***WELL 01***

Source Number: ***001***

Source Status: ***ACTIVE TREATED***

Water type: ***GROUNDWATER OR WELL***

	STORET NUMBER	TESTING INTERVAL (MONTHS)*	LAST TEST DATE (yyyy/mm/dd)	LAST RESULT REPORTED	NEXT TEST DATE (yyyy/mm)
SECONDARY/GP					
TURBIDITY, LABORATORY	82079	WAIVED			
ZINC	01092	WAIVED	1998/05/28	.000	

PS Code: ***1900553-002***

Source Name: ***STANDBY PURCHASED WATER***

Source Number: ***002***

Source Status: ***PURCHASED TREATED***

Water type: ***SURFACE***

GENERAL NON CHAP 15					
DIAZINON	39570	WAIVED			
INORGANIC					
ALUMINUM	01105	WAIVED			
ANTIMONY	01097	WAIVED			
ARSENIC	01002	WAIVED			
ASBESTOS	81855	WAIVED			
BARIUM	01007	WAIVED			
BERYLLIUM	01012	WAIVED			
CADMIUM	01027	WAIVED			
CHROMIUM (TOTAL)	01034	WAIVED			
CYANIDE	01291	WAIVED			
FLUORIDE (F) (NATURAL-SOURCE)	00951	WAIVED			
LEAD	01051	WAIVED			
MERCURY	71900	WAIVED			
NICKEL	01067	WAIVED			
PERCHLORATE	A-031	WAIVED			
SELENIUM	01147	WAIVED			
THALLIUM	01059	WAIVED			

**Testing interval is in months;*
0 = No data for this constituent and is DUE NOW
999 = Waived testing (not required)
I = Invalid (NOT) valid analyses reported

System Number: ***1900553***

System Name: ***WM. S. HART HIGH / PLACERITA JR HIGH SCH***

PS Code: ***1900553-002***

Source Name: ***STANDBY PURCHASED WATER***

Source Number: ***002***

Source Status: ***PURCHASED TREATED***

Water type: ***SURFACE***

	STORET NUMBER	TESTING INTERVAL (MONTHS)*	LAST TEST DATE (yyyy/mm/dd)	LAST RESULT REPORTED	NEXT TEST DATE (yyyy/mm)
NITRATE/NITRITE					
NITRATE (AS NO3)	71850	WAIVED			
NITRITE (AS N)	00620	WAIVED			
RADIOLOGICAL					
GROSS ALPHA	01501	WAIVED			
GROSS BETA	03501	WAIVED			
RA-226 FOR CWS OR TOTAL RA FOR NTNC BY 903.0	A-080	WAIVED			
RA-226 OR TOTAL RA BY 903.0 C.E.	A-081	WAIVED			
RADIUM 226	09501	WAIVED			
RADIUM 228	11501	WAIVED			
RADIUM, TOTAL, MDA95-NTNC ONLY, BY 903.0	A-082	WAIVED			
STRONTIUM-90	13501	WAIVED			
TRITIUM	07000	WAIVED			
URANIUM (PCI/L)	28012	WAIVED			
REGULATED SOC					
2,3,7,8-TCDD (DIOXIN)	34676	WAIVED			
2,4,5-TP (SILVEX)	39045	WAIVED			
2,4-D	39730	WAIVED			
ALACHLOR	77825	WAIVED			
ATRAZINE	39033	WAIVED			
BENTAZON	38710	WAIVED			
BENZO (A) PYRENE	34247	WAIVED			
CARBOFURAN	81405	WAIVED			
CHLORDANE	39350	WAIVED			
DALAPON	38432	WAIVED			
DI(2-ETHYLHEXYL)ADIPATE	A-026	WAIVED			
DI(2-ETHYLHEXYL)PHTHALATE	39100	WAIVED			
DIBROMOCHLOROPROPANE (DBCP)	38761	WAIVED			
DINOSEB	81287	WAIVED			
DIQUAT	78885	WAIVED			

**Testing interval is in months;*
0 = No data for this constituent and is DUE NOW
999 = Waived testing (not required)
I = Invalid (NOT) valid analyses reported

System Number: ***1900553***

System Name: ***WM. S. HART HIGH / PLACERITA JR HIGH SCH***

PS Code: ***1900553-002***

Source Name: ***STANDBY PURCHASED WATER***

Source Number: ***002***

Source Status: ***PURCHASED TREATED***

Water type: ***SURFACE***

	STORET NUMBER	TESTING INTERVAL (MONTHS)*	LAST TEST DATE (yyyy/mm/dd)	LAST RESULT REPORTED	NEXT TEST DATE (yyyy/mm)
REGULATED SOC					
ENDOTHALL	38926	WAIVED			
ENDRIN	39390	WAIVED			
ETHYLENE DIBROMIDE (EDB)	77651	WAIVED			
GLYPHOSATE	79743	WAIVED			
HEPTACHLOR	39410	WAIVED			
HEPTACHLOR EPOXIDE	39420	WAIVED			
HEXACHLOROBENZENE	39700	WAIVED			
HEXACHLOROCYCLOPENTADIENE	34386	WAIVED			
LINDANE	39340	WAIVED			
METHOXYCHLOR	39480	WAIVED			
MOLINATE	82199	WAIVED			
OXAMYL	38865	WAIVED			
PENTACHLOROPHENOL	39032	WAIVED			
PICLORAM	39720	WAIVED			
POLYCHLORINATED BIPHENYLS, TOTAL, AS DCB	39516	WAIVED			
SIMAZINE	39055	WAIVED			
THIOBENCARB	A-001	WAIVED			
TOXAPHENE	39400	WAIVED			
REGULATED VOC					
1,1,1-TRICHLOROETHANE	34506	WAIVED			
1,1,2,2-TETRACHLOROETHANE	34516	WAIVED			
1,1,2-TRICHLORO-1,2,2-TRIFLUOROETHANE	81611	WAIVED			
1,1,2-TRICHLOROETHANE	34511	WAIVED			
1,1-DICHLOROETHANE	34496	WAIVED			
1,1-DICHLOROETHYLENE	34501	WAIVED			
1,2,4-TRICHLOROBENZENE	34551	WAIVED			
1,2-DICHLOROBENZENE	34536	WAIVED			
1,2-DICHLOROETHANE	34531	WAIVED			
1,2-DICHLOROPROPANE	34541	WAIVED			

**Testing interval is in months;*
0 = No data for this constituent and is DUE NOW
999 = Waived testing (not required)
I = Invalid (NOT) valid analyses reported

System Number: ***1900553***

System Name: ***WM. S. HART HIGH / PLACERITA JR HIGH SCH***

PS Code: ***1900553-002***

Source Name: ***STANDBY PURCHASED WATER***

Source Number: ***002***

Source Status: ***PURCHASED TREATED***

Water type: ***SURFACE***

	STORET NUMBER	TESTING INTERVAL (MONTHS)*	LAST TEST DATE (yyyy/mm/dd)	LAST RESULT REPORTED	NEXT TEST DATE (yyyy/mm)
REGULATED VOC					
1,3-DICHLOROPROPENE (TOTAL)	34561	WAIVED			
1,4-DICHLOROBENZENE	34571	WAIVED			
BENZENE	34030	WAIVED			
CARBON TETRACHLORIDE	32102	WAIVED			
CIS-1,2-DICHLOROETHYLENE	77093	WAIVED			
DICHLOROMETHANE	34423	WAIVED			
ETHYLBENZENE	34371	WAIVED			
METHYL-TERT-BUTYL-ETHER (MTBE)	46491	WAIVED			
MONOCHLOROBENZENE	34301	WAIVED			
STYRENE	77128	WAIVED			
TETRACHLOROETHYLENE	34475	WAIVED			
TOLUENE	34010	WAIVED			
TRANS-1,2-DICHLOROETHYLENE	34546	WAIVED			
TRICHLOROETHYLENE	39180	WAIVED			
TRICHLOROFLUOROMETHANE	34488	WAIVED			
VINYL CHLORIDE	39175	WAIVED			
XYLENES (TOTAL)	81551	WAIVED			
SECONDARY/GP					
AGGRSSIVE INDEX (CORROSIVITY)	82383	WAIVED			
BICARBONATE ALKALINITY	00440	WAIVED			
CALCIUM	00916	WAIVED			
CARBONATE ALKALINITY	00445	WAIVED			
CHLORIDE	00940	WAIVED			
COLOR	00081	WAIVED			
COPPER	01042	WAIVED			
FOAMING AGENTS (MBAS)	38260	WAIVED			
HARDNESS (TOTAL) AS CACO3	00900	WAIVED			
HYDROXIDE ALKALINITY	71830	WAIVED			
IRON	01045	WAIVED			

**Testing interval is in months;*
0 = No data for this constituent and is DUE NOW
999 = Waived testing (not required)
I = Invalid (NOT) valid analyses reported

System Number: ***1900553***

System Name: ***WM. S. HART HIGH / PLACERITA JR HIGH SCH***

PS Code: ***1900553-002***

Source Name: ***STANDBY PURCHASED WATER***

Source Number: ***002***

Source Status: ***PURCHASED TREATED***

Water type: ***SURFACE***

SECONDARY/GP

	STORET NUMBER	TESTING INTERVAL (MONTHS)*	LAST TEST DATE (yyyy/mm/dd)	LAST RESULT REPORTED	NEXT TEST DATE (yyyy/mm)
MAGNESIUM	00927	WAIVED			
MANGANESE	01055	WAIVED			
ODOR THRESHOLD @ 60 C	00086	WAIVED			
PH, LABORATORY	00403	WAIVED			
SILVER	01077	WAIVED			
SODIUM	00929	WAIVED			
SPECIFIC CONDUCTANCE	00095	WAIVED			
SULFATE	00945	WAIVED			
TOTAL DISSOLVED SOLIDS	70300	WAIVED			
TURBIDITY, LABORATORY	82079	WAIVED			
ZINC	01092	WAIVED			

PS Code: ***1900553-003***

Source Name: ***STANDBY PURCHASED WATER***

Source Number: ***003***

Source Status: ***PURCHASED TREATED***

Water type: ***SURFACE***

GENERAL NON CHAP 15

DIAZINON	39570	WAIVED			

INORGANIC

ALUMINUM	01105	WAIVED			
ANTIMONY	01097	WAIVED			
ARSENIC	01002	WAIVED			
ASBESTOS	81855	WAIVED			
BARIUM	01007	WAIVED			
BERYLLIUM	01012	WAIVED			
CADMIUM	01027	WAIVED			
CHROMIUM (TOTAL)	01034	WAIVED			
CYANIDE	01291	WAIVED			

**Testing interval is in months;*
0 = No data for this constituent and is DUE NOW
999 = Waived testing (not required)
I = Invalid (NOT) valid analyses reported

System Number: ***1900553***

System Name: ***WM. S. HART HIGH / PLACERITA JR HIGH SCH***

PS Code: ***1900553-003***

Source Name: ***STANDBY PURCHASED WATER***

Source Number: ***003***

Source Status: ***PURCHASED TREATED***

Water type: ***SURFACE***

	STORET NUMBER	TESTING INTERVAL (MONTHS)*	LAST TEST DATE (yyyy/mm/dd)	LAST RESULT REPORTED	NEXT TEST DATE (yyyy/mm)
INORGANIC					
FLUORIDE (F) (NATURAL-SOURCE)	00951	WAIVED			
LEAD	01051	WAIVED			
MERCURY	71900	WAIVED			
NICKEL	01067	WAIVED			
PERCHLORATE	A-031	WAIVED			
SELENIUM	01147	WAIVED			
THALLIUM	01059	WAIVED			
NITRATE/NITRITE					
NITRATE (AS NO3)	71850	WAIVED			
NITRITE (AS N)	00620	WAIVED			
RADIOLOGICAL					
GROSS ALPHA	01501	WAIVED			
GROSS BETA	03501	WAIVED			
RA-226 FOR CWS OR TOTAL RA FOR NTNC BY 903.0	A-080	WAIVED			
RA-226 OR TOTAL RA BY 903.0 C.E.	A-081	WAIVED			
RADIUM 226	09501	WAIVED			
RADIUM 228	11501	WAIVED			
RADIUM, TOTAL, MDA95-NTNC ONLY, BY 903.0	A-082	WAIVED			
STRONTIUM-90	13501	WAIVED			
TRITIUM	07000	WAIVED			
URANIUM (PCI/L)	28012	WAIVED			
REGULATED SOC					
2,3,7,8-TCDD (DIOXIN)	34676	WAIVED			
2,4,5-TP (SILVEX)	39045	WAIVED			
2,4-D	39730	WAIVED			
ALACHLOR	77825	WAIVED			
ATRAZINE	39033	WAIVED			
BENTAZON	38710	WAIVED			

**Testing interval is in months;*
0 = No data for this constituent and is DUE NOW
999 = Waived testing (not required)
I = Invalid (NOT) valid analyses reported

System Number: ***1900553***

System Name: ***WM. S. HART HIGH / PLACERITA JR HIGH SCH***

PS Code: ***1900553-003***

Source Name: ***STANDBY PURCHASED WATER***

Source Number: ***003***

Source Status: ***PURCHASED TREATED***

Water type: ***SURFACE***

	STORET NUMBER	TESTING INTERVAL (MONTHS)*	LAST TEST DATE (yyyy/mm/dd)	LAST RESULT REPORTED	NEXT TEST DATE (yyyy/mm)
REGULATED SOC					
BENZO (A) PYRENE	34247	WAIVED			
CARBOFURAN	81405	WAIVED			
CHLORDANE	39350	WAIVED			
DALAPON	38432	WAIVED			
DI(2-ETHYLHEXYL)ADIPATE	A-026	WAIVED			
DI(2-ETHYLHEXYL)PHTHALATE	39100	WAIVED			
DIBROMOCHLOROPROPANE (DBCP)	38761	WAIVED			
DINOSEB	81287	WAIVED			
DIQUAT	78885	WAIVED			
ENDOTHALL	38926	WAIVED			
ENDRIN	39390	WAIVED			
ETHYLENE DIBROMIDE (EDB)	77651	WAIVED			
GLYPHOSATE	79743	WAIVED			
HEPTACHLOR	39410	WAIVED			
HEPTACHLOR EPOXIDE	39420	WAIVED			
HEXACHLOROBENZENE	39700	WAIVED			
HEXACHLOROCYCLOPENTADIENE	34386	WAIVED			
LINDANE	39340	WAIVED			
METHOXYCHLOR	39480	WAIVED			
MOLINATE	82199	WAIVED			
OXAMYL	38865	WAIVED			
PENTACHLOROPHENOL	39032	WAIVED			
PICLORAM	39720	WAIVED			
POLYCHLORINATED BIPHENYLS, TOTAL, AS DCB	39516	WAIVED			
SIMAZINE	39055	WAIVED			
THIOBENCARB	A-001	WAIVED			
TOXAPHENE	39400	WAIVED			
REGULATED VOC					
1,1,1-TRICHLOROETHANE	34506	WAIVED			

**Testing interval is in months;*
0 = No data for this constituent and is DUE NOW
999 = Waived testing (not required)
I = Invalid (NOT) valid analyses reported

System Number: 1900553

System Name: WM. S. HART HIGH / PLACERITA JR HIGH SCH

PS Code: 1900553-003

Source Name: STANDBY PURCHASED WATER

Source Number: 003

Source Status: PURCHASED TREATED

Water type: SURFACE

	STORET NUMBER	TESTING INTERVAL (MONTHS)*	LAST TEST DATE (yyyy/mm/dd)	LAST RESULT REPORTED	NEXT TEST DATE (yyyy/mm)
REGULATED VOC					
1,1,2,2-TETRACHLOROETHANE	34516	WAIVED			
1,1,2-TRICHLORO-1,2,2-TRIFLUOROETHANE	81611	WAIVED			
1,1,2-TRICHLOROETHANE	34511	WAIVED			
1,1-DICHLOROETHANE	34496	WAIVED			
1,1-DICHLOROETHYLENE	34501	WAIVED			
1,2,4-TRICHLOROBENZENE	34551	WAIVED			
1,2-DICHLOROBENZENE	34536	WAIVED			
1,2-DICHLOROETHANE	34531	WAIVED			
1,2-DICHLOROPROPANE	34541	WAIVED			
1,3-DICHLOROPROPENE (TOTAL)	34561	WAIVED			
1,4-DICHLOROBENZENE	34571	WAIVED			
BENZENE	34030	WAIVED			
CARBON TETRACHLORIDE	32102	WAIVED			
CIS-1,2-DICHLOROETHYLENE	77093	WAIVED			
DICHLOROMETHANE	34423	WAIVED			
ETHYLBENZENE	34371	WAIVED			
METHYL-TERT-BUTYL-ETHER (MTBE)	46491	WAIVED			
MONOCHLOROBENZENE	34301	WAIVED			
STYRENE	77128	WAIVED			
TETRACHLOROETHYLENE	34475	WAIVED			
TOLUENE	34010	WAIVED			
TRANS-1,2-DICHLOROETHYLENE	34546	WAIVED			
TRICHLOROETHYLENE	39180	WAIVED			
TRICHLOROFLUOROMETHANE	34488	WAIVED			
VINYL CHLORIDE	39175	WAIVED			
XYLENES (TOTAL)	81551	WAIVED			
SECONDARY/GP					
AGGRSSIVE INDEX (CORROSIVITY)	82383	WAIVED			
BICARBONATE ALKALINITY	00440	WAIVED			

**Testing interval is in months;*
0 = No data for this constituent and is DUE NOW
999 = Waived testing (not required)
I = Invalid (NOT) valid analyses reported

System Number: ***1900553***

System Name: ***WM. S. HART HIGH / PLACERITA JR HIGH SCH***

PS Code: ***1900553-003***

Source Name: ***STANDBY PURCHASED WATER***

Source Number: ***003***

Source Status: ***PURCHASED TREATED***

Water type: ***SURFACE***

SECONDARY/GP

	STORET NUMBER	TESTING INTERVAL (MONTHS)*	LAST TEST DATE (yyyy/mm/dd)	LAST RESULT REPORTED	NEXT TEST DATE (yyyy/mm)
CALCIUM	00916	WAIVED			
CARBONATE ALKALINITY	00445	WAIVED			
CHLORIDE	00940	WAIVED			
COLOR	00081	WAIVED			
COPPER	01042	WAIVED			
FOAMING AGENTS (MBAS)	38260	WAIVED			
HARDNESS (TOTAL) AS CACO3	00900	WAIVED			
HYDROXIDE ALKALINITY	71830	WAIVED			
IRON	01045	WAIVED			
MAGNESIUM	00927	WAIVED			
MANGANESE	01055	WAIVED			
ODOR THRESHOLD @ 60 C	00086	WAIVED			
PH, LABORATORY	00403	WAIVED			
SILVER	01077	WAIVED			
SODIUM	00929	WAIVED			
SPECIFIC CONDUCTANCE	00095	WAIVED			
SULFATE	00945	WAIVED			
TOTAL DISSOLVED SOLIDS	70300	WAIVED			
TURBIDITY, LABORATORY	82079	WAIVED			
ZINC	01092	WAIVED			

**Testing interval is in months;*
0 = No data for this constituent and is DUE NOW
999 = Waived testing (not required)
I = Invalid (NOT) valid analyses reported

System Number: ***1900554***

System Name: ***USFS-LITTLE JIMMY A-13***

PS Code: ***1900554-001***

Source Name: ***WELL 01***

Source Number: ***001***

Source Status: ***ACTIVE UNTREATED***

Water type: ***GROUNDWATER OR WELL***

	STORET NUMBER	TESTING INTERVAL (MONTHS)*	LAST TEST DATE (yyyy/mm/dd)	LAST RESULT REPORTED	NEXT TEST DATE (yyyy/mm)
GENERAL NON CHAP 15					
DIAZINON	39570	WAIVED			
INORGANIC					
ALUMINUM	01105	WAIVED	2005/10/06	.000	
ANTIMONY	01097	WAIVED	2002/06/27	.000	
ARSENIC	01002	WAIVED	2005/10/06	.000	
ASBESTOS	81855	WAIVED			
BARIUM	01007	WAIVED	2002/06/27	504.000	
BERYLLIUM	01012	WAIVED			
CADMIUM	01027	WAIVED	2005/10/06	.000	
CHROMIUM (TOTAL)	01034	WAIVED	2005/10/06	.000	
CYANIDE	01291	WAIVED			
FLUORIDE (F) (NATURAL-SOURCE)	00951	WAIVED	2005/10/06	.000	
LEAD	01051	WAIVED	2005/10/06	.000	
MERCURY	71900	WAIVED	2005/10/06	.000	
NICKEL	01067	WAIVED	2005/10/06	.000	
PERCHLORATE	A-031	WAIVED			
SELENIUM	01147	WAIVED	2005/10/06	.000	
THALLIUM	01059	WAIVED			
NITRATE/NITRITE					
NITRATE (AS NO3)	71850	WAIVED	2011/10/04	< 2.000	
NITRITE (AS N)	00620	WAIVED			
RADIOLOGICAL					
GROSS ALPHA	01501	WAIVED			
GROSS BETA	03501	WAIVED			
RA-226 FOR CWS OR TOTAL RA FOR NTNC BY 903.0	A-080	WAIVED			
RA-226 OR TOTAL RA BY 903.0 C.E.	A-081	WAIVED			
RADIUM 226	09501	WAIVED			
RADIUM 228	11501	WAIVED			

**Testing interval is in months;*
0 = No data for this constituent and is DUE NOW
999 = Waived testing (not required)
I = Invalid (NOT) valid analyses reported

System Number: ***1900554***

System Name: ***USFS-LITTLE JIMMY A-13***

PS Code: ***1900554-001***

Source Name: ***WELL 01***

Source Number: ***001***

Source Status: ***ACTIVE UNTREATED***

Water type: ***GROUNDWATER OR WELL***

	STORET NUMBER	TESTING INTERVAL (MONTHS)*	LAST TEST DATE (yyyy/mm/dd)	LAST RESULT REPORTED	NEXT TEST DATE (yyyy/mm)
RADIOLOGICAL					
RADIUM, TOTAL, MDA95-NTNC ONLY, BY 903.0	A-082	WAIVED			
STRONTIUM-90	13501	WAIVED			
TRITIUM	07000	WAIVED			
URANIUM (PCI/L)	28012	WAIVED			
REGULATED SOC					
2,3,7,8-TCDD (DIOXIN)	34676	WAIVED			
2,4,5-TP (SILVEX)	39045	WAIVED			
2,4-D	39730	WAIVED			
ALACHLOR	77825	WAIVED			
ATRAZINE	39033	WAIVED			
BENTAZON	38710	WAIVED			
BENZO (A) PYRENE	34247	WAIVED			
CARBOFURAN	81405	WAIVED			
CHLORDANE	39350	WAIVED			
DALAPON	38432	WAIVED			
DI(2-ETHYLHEXYL)ADIPATE	A-026	WAIVED			
DI(2-ETHYLHEXYL)PHTHALATE	39100	WAIVED			
DIBROMOCHLOROPROPANE (DBCP)	38761	WAIVED			
DINOSEB	81287	WAIVED			
DIQUAT	78885	WAIVED			
ENDOTHALL	38926	WAIVED			
ENDRIN	39390	WAIVED			
ETHYLENE DIBROMIDE (EDB)	77651	WAIVED			
GLYPHOSATE	79743	WAIVED			
HEPTACHLOR	39410	WAIVED			
HEPTACHLOR EPOXIDE	39420	WAIVED			
HEXACHLOROBENZENE	39700	WAIVED			
HEXACHLOROCYCLOPENTADIENE	34386	WAIVED			
LINDANE	39340	WAIVED			

**Testing interval is in months;*
0 = No data for this constituent and is DUE NOW
999 = Waived testing (not required)
I = Invalid (NOT) valid analyses reported

System Number: ***1900554***

System Name: ***USFS-LITTLE JIMMY A-13***

PS Code: ***1900554-001***

Source Name: ***WELL 01***

Source Number: ***001***

Source Status: ***ACTIVE UNTREATED***

Water type: ***GROUNDWATER OR WELL***

	STORET NUMBER	TESTING INTERVAL (MONTHS)*	LAST TEST DATE (yyyy/mm/dd)	LAST RESULT REPORTED	NEXT TEST DATE (yyyy/mm)
REGULATED SOC					
METHOXYCHLOR	39480	WAIVED			
MOLINATE	82199	WAIVED			
OXAMYL	38865	WAIVED			
PENTACHLOROPHENOL	39032	WAIVED			
PICLORAM	39720	WAIVED			
POLYCHLORINATED BIPHENYLS, TOTAL, AS DCB	39516	WAIVED			
SIMAZINE	39055	WAIVED			
THIOBENCARB	A-001	WAIVED			
TOXAPHENE	39400	WAIVED			
REGULATED VOC					
1,1,1-TRICHLOROETHANE	34506	WAIVED			
1,1,2,2-TETRACHLOROETHANE	34516	WAIVED			
1,1,2-TRICHLORO-1,2,2-TRIFLUOROETHANE	81611	WAIVED			
1,1,2-TRICHLOROETHANE	34511	WAIVED			
1,1-DICHLOROETHANE	34496	WAIVED			
1,1-DICHLOROETHYLENE	34501	WAIVED			
1,2,4-TRICHLOROBENZENE	34551	WAIVED			
1,2-DICHLOROBENZENE	34536	WAIVED			
1,2-DICHLOROETHANE	34531	WAIVED			
1,2-DICHLOROPROPANE	34541	WAIVED			
1,3-DICHLOROPROPENE (TOTAL)	34561	WAIVED			
1,4-DICHLOROBENZENE	34571	WAIVED			
BENZENE	34030	WAIVED			
CARBON TETRACHLORIDE	32102	WAIVED			
CIS-1,2-DICHLOROETHYLENE	77093	WAIVED			
DICHLOROMETHANE	34423	WAIVED			
ETHYLBENZENE	34371	WAIVED			
METHYL-TERT-BUTYL-ETHER (MTBE)	46491	WAIVED			
MONOCHLOROBENZENE	34301	WAIVED			

**Testing interval is in months;*
0 = No data for this constituent and is DUE NOW
999 = Waived testing (not required)
I = Invalid (NOT) valid analyses reported

System Number: ***1900554***

System Name: ***USFS-LITTLE JIMMY A-13***

PS Code: ***1900554-001***

Source Name: ***WELL 01***

Source Number: ***001***

Source Status: ***ACTIVE UNTREATED***

Water type: ***GROUNDWATER OR WELL***

	STORET NUMBER	TESTING INTERVAL (MONTHS)*	LAST TEST DATE (yyyy/mm/dd)	LAST RESULT REPORTED	NEXT TEST DATE (yyyy/mm)
REGULATED VOC					
STYRENE	77128	WAIVED			
TETRACHLOROETHYLENE	34475	WAIVED			
TOLUENE	34010	WAIVED			
TRANS-1,2-DICHLOROETHYLENE	34546	WAIVED			
TRICHLOROETHYLENE	39180	WAIVED			
TRICHLOROFLUOROMETHANE	34488	WAIVED			
VINYL CHLORIDE	39175	WAIVED			
XYLENES (TOTAL)	81551	WAIVED			
SECONDARY/GP					
AGGRSSIVE INDEX (CORROSIVITY)	82383	WAIVED			
BICARBONATE ALKALINITY	00440	WAIVED	2005/10/06	214.700	
CALCIUM	00916	WAIVED	2005/10/06	54.100	
CARBONATE ALKALINITY	00445	WAIVED	2005/10/06	.000	
CHLORIDE	00940	WAIVED	2005/10/06	1.140	
COLOR	00081	WAIVED	2002/06/27	.000	
COPPER	01042	WAIVED	2005/10/06	.000	
FOAMING AGENTS (MBAS)	38260	WAIVED	2002/06/27	.000	
HARDNESS (TOTAL) AS CACO3	00900	WAIVED	2005/10/06	170.000	
HYDROXIDE ALKALINITY	71830	WAIVED	2005/10/06	.000	
IRON	01045	WAIVED	2005/10/06	.000	
MAGNESIUM	00927	WAIVED	2005/10/06	8.510	
MANGANESE	01055	WAIVED	2005/10/06	.000	
ODOR THRESHOLD @ 60 C	00086	WAIVED	2002/06/27	.000	
PH, LABORATORY	00403	WAIVED	2005/10/06	8.220	
SILVER	01077	WAIVED	2005/10/06	.000	
SODIUM	00929	WAIVED	2005/10/06	8.280	
SPECIFIC CONDUCTANCE	00095	WAIVED	2002/06/27	275.000	
SULFATE	00945	WAIVED	2005/10/06	2.800	
TOTAL DISSOLVED SOLIDS	70300	WAIVED	2005/10/06	186.000	

**Testing interval is in months;*
0 = No data for this constituent and is DUE NOW
999 = Waived testing (not required)
I = Invalid (NOT) valid analyses reported

System Number: ***1900554***

System Name: ***USFS-LITTLE JIMMY A-13***

PS Code: ***1900554-001***

Source Name: ***WELL 01***

Source Number: ***001***

Source Status: ***ACTIVE UNTREATED***

Water type: ***GROUNDWATER OR WELL***

SECONDARY/GP

	STORET NUMBER	TESTING INTERVAL (MONTHS)*	LAST TEST DATE (yyyy/mm/dd)	LAST RESULT REPORTED	NEXT TEST DATE (yyyy/mm)
TURBIDITY, LABORATORY	82079	WAIVED	2002/06/27	.130	
ZINC	01092	WAIVED	2005/10/06	.000	

**Testing interval is in months;*
0 = No data for this constituent and is DUE NOW
999 = Waived testing (not required)
I = Invalid (NOT) valid analyses reported

System Number: ***1900559***

System Name: ***CAMP HILLEL HOUSE***

PS Code: ***1900559-001***

Source Name: ***WELL 01***

Source Number: ***001***

Source Status: ***ACTIVE UNTREATED***

Water type: ***GROUNDWATER OR WELL***

	STORET NUMBER	TESTING INTERVAL (MONTHS)*	LAST TEST DATE (yyyy/mm/dd)	LAST RESULT REPORTED	NEXT TEST DATE (yyyy/mm)
GENERAL NON CHAP 15					
DIAZINON	39570	WAIVED			
INORGANIC					
ALUMINUM	01105	WAIVED	2011/06/07	< 50.000	
ANTIMONY	01097	WAIVED	2011/06/07	< 6.000	
ARSENIC	01002	WAIVED	2011/06/07	< 2.000	
ASBESTOS	81855	WAIVED			
BARIUM	01007	WAIVED	2011/06/07	< 100.000	
BERYLLIUM	01012	WAIVED	2011/06/07	< 1.000	
CADMIUM	01027	WAIVED	2011/06/07	< 1.000	
CHROMIUM (TOTAL)	01034	WAIVED	2011/06/07	< 10.000	
CYANIDE	01291	WAIVED			
FLUORIDE (F) (NATURAL-SOURCE)	00951	WAIVED	2011/06/07	1.100	
LEAD	01051	WAIVED	2011/06/07	< 5.000	
MERCURY	71900	WAIVED	2011/06/07	< 1.000	
NICKEL	01067	WAIVED	2011/06/07	< 10.000	
PERCHLORATE	A-031	WAIVED	2010/01/26	< 2.000	
SELENIUM	01147	WAIVED	2011/06/07	< 5.000	
THALLIUM	01059	WAIVED	2011/06/07	< 1.000	
NITRATE/NITRITE					
NITRATE (AS NO3)	71850	WAIVED	2011/08/11	< .400	
NITRITE (AS N)	00620	WAIVED	2011/08/11	< .100	
RADIOLOGICAL					
GROSS ALPHA	01501	WAIVED			
GROSS BETA	03501	WAIVED			
RA-226 FOR CWS OR TOTAL RA FOR NTNC BY 903.0	A-080	WAIVED			
RA-226 OR TOTAL RA BY 903.0 C.E.	A-081	WAIVED			
RADIUM 226	09501	WAIVED			
RADIUM 228	11501	WAIVED			

**Testing interval is in months;*
0 = No data for this constituent and is DUE NOW
999 = Waived testing (not required)
I = Invalid (NOT) valid analyses reported

System Number: ***1900559***

System Name: ***CAMP HILLEL HOUSE***

PS Code: ***1900559-001***

Source Name: ***WELL 01***

Source Number: ***001***

Source Status: ***ACTIVE UNTREATED***

Water type: ***GROUNDWATER OR WELL***

	STORET NUMBER	TESTING INTERVAL (MONTHS)*	LAST TEST DATE (yyyy/mm/dd)	LAST RESULT REPORTED	NEXT TEST DATE (yyyy/mm)
RADIOLOGICAL					
RADIUM, TOTAL, MDA95-NTNC ONLY, BY 903.0	A-082	WAIVED			
STRONTIUM-90	13501	WAIVED			
TRITIUM	07000	WAIVED			
URANIUM (PCI/L)	28012	WAIVED			
REGULATED SOC					
2,3,7,8-TCDD (DIOXIN)	34676	WAIVED			
2,4,5-TP (SILVEX)	39045	WAIVED			
2,4-D	39730	WAIVED			
ALACHLOR	77825	WAIVED			
ATRAZINE	39033	WAIVED			
BENTAZON	38710	WAIVED			
BENZO (A) PYRENE	34247	WAIVED			
CARBOFURAN	81405	WAIVED			
CHLORDANE	39350	WAIVED			
DALAPON	38432	WAIVED			
DI(2-ETHYLHEXYL)ADIPATE	A-026	WAIVED			
DI(2-ETHYLHEXYL)PHTHALATE	39100	WAIVED			
DIBROMOCHLOROPROPANE (DBCP)	38761	WAIVED			
DINOSEB	81287	WAIVED			
DIQUAT	78885	WAIVED			
ENDOTHALL	38926	WAIVED			
ENDRIN	39390	WAIVED			
ETHYLENE DIBROMIDE (EDB)	77651	WAIVED			
GLYPHOSATE	79743	WAIVED			
HEPTACHLOR	39410	WAIVED			
HEPTACHLOR EPOXIDE	39420	WAIVED			
HEXACHLOROBENZENE	39700	WAIVED			
HEXACHLOROCYCLOPENTADIENE	34386	WAIVED			
LINDANE	39340	WAIVED			

**Testing interval is in months;*
0 = No data for this constituent and is DUE NOW
999 = Waived testing (not required)
I = Invalid (NOT) valid analyses reported

System Number: ***1900559***

System Name: ***CAMP HILLEL HOUSE***

PS Code: ***1900559-001***

Source Name: ***WELL 01***

Source Number: ***001***

Source Status: ***ACTIVE UNTREATED***

Water type: ***GROUNDWATER OR WELL***

REGULATED SOC

	STORET NUMBER	TESTING INTERVAL (MONTHS)*	LAST TEST DATE (yyyy/mm/dd)	LAST RESULT REPORTED	NEXT TEST DATE (yyyy/mm)
METHOXYCHLOR	39480	WAIVED			
MOLINATE	82199	WAIVED			
OXAMYL	38865	WAIVED			
PENTACHLOROPHENOL	39032	WAIVED			
PICLORAM	39720	WAIVED			
POLYCHLORINATED BIPHENYLS, TOTAL, AS DCB	39516	WAIVED			
SIMAZINE	39055	WAIVED			
THIOBENCARB	A-001	WAIVED			
TOXAPHENE	39400	WAIVED			

REGULATED VOC

1,1,1-TRICHLOROETHANE	34506	WAIVED			
1,1,2,2-TETRACHLOROETHANE	34516	WAIVED			
1,1,2-TRICHLORO-1,2,2-TRIFLUOROETHANE	81611	WAIVED			
1,1,2-TRICHLOROETHANE	34511	WAIVED			
1,1-DICHLOROETHANE	34496	WAIVED			
1,1-DICHLOROETHYLENE	34501	WAIVED			
1,2,4-TRICHLOROBENZENE	34551	WAIVED			
1,2-DICHLOROBENZENE	34536	WAIVED			
1,2-DICHLOROETHANE	34531	WAIVED			
1,2-DICHLOROPROPANE	34541	WAIVED			
1,3-DICHLOROPROPENE (TOTAL)	34561	WAIVED			
1,4-DICHLOROBENZENE	34571	WAIVED			
BENZENE	34030	WAIVED			
CARBON TETRACHLORIDE	32102	WAIVED			
CIS-1,2-DICHLOROETHYLENE	77093	WAIVED			
DICHLOROMETHANE	34423	WAIVED			
ETHYLBENZENE	34371	WAIVED			
METHYL-TERT-BUTYL-ETHER (MTBE)	46491	WAIVED			
MONOCHLOROBENZENE	34301	WAIVED			

**Testing interval is in months;*
0 = No data for this constituent and is DUE NOW
999 = Waived testing (not required)
I = Invalid (NOT) valid analyses reported

System Number: ***1900559***

System Name: ***CAMP HILLEL HOUSE***

PS Code: ***1900559-001***

Source Name: ***WELL 01***

Source Number: ***001***

Source Status: ***ACTIVE UNTREATED***

Water type: ***GROUNDWATER OR WELL***

	STORET NUMBER	TESTING INTERVAL (MONTHS)*	LAST TEST DATE (yyyy/mm/dd)	LAST RESULT REPORTED	NEXT TEST DATE (yyyy/mm)
REGULATED VOC					
STYRENE	77128	WAIVED			
TETRACHLOROETHYLENE	34475	WAIVED			
TOLUENE	34010	WAIVED			
TRANS-1,2-DICHLOROETHYLENE	34546	WAIVED			
TRICHLOROETHYLENE	39180	WAIVED			
TRICHLOROFLUOROMETHANE	34488	WAIVED			
VINYL CHLORIDE	39175	WAIVED			
XYLENES (TOTAL)	81551	WAIVED			
SECONDARY/GP					
AGGRSSIVE INDEX (CORROSIVITY)	82383	WAIVED	2011/06/07	12.000	
BICARBONATE ALKALINITY	00440	WAIVED	2011/06/07	260.000	
CALCIUM	00916	WAIVED	2011/06/07	52.000	
CARBONATE ALKALINITY	00445	WAIVED	2011/06/07	< 2.000	
CHLORIDE	00940	WAIVED	2011/06/07	5.700	
COLOR	00081	WAIVED	2011/06/07	5.000	
COPPER	01042	WAIVED	2011/06/07	< 50.000	
FOAMING AGENTS (MBAS)	38260	WAIVED	2011/06/07	< .050	
HARDNESS (TOTAL) AS CACO3	00900	WAIVED	2011/06/07	190.000	
HYDROXIDE ALKALINITY	71830	WAIVED	2011/06/07	< 2.000	
IRON	01045	WAIVED	2011/06/07	< 100.000	
MAGNESIUM	00927	WAIVED	2011/06/07	15.000	
MANGANESE	01055	WAIVED	2011/06/07	< 20.000	
ODOR THRESHOLD @ 60 C	00086	WAIVED	2011/06/07	1.000	
PH, LABORATORY	00403	WAIVED	2011/06/07	7.600	
SILVER	01077	WAIVED	2011/06/07	< 10.000	
SODIUM	00929	WAIVED	2011/06/07	21.000	
SPECIFIC CONDUCTANCE	00095	WAIVED	2011/06/07	470.000	
SULFATE	00945	WAIVED	2011/06/07	19.000	
TOTAL DISSOLVED SOLIDS	70300	WAIVED	2011/06/07	290.000	

**Testing interval is in months;*
0 = No data for this constituent and is DUE NOW
999 = Waived testing (not required)
I = Invalid (NOT) valid analyses reported

System Number: ***1900559***

System Name: ***CAMP HILLEL HOUSE***

PS Code: ***1900559-001***

Source Name: ***WELL 01***

Source Number: ***001***

Source Status: ***ACTIVE UNTREATED***

Water type: ***GROUNDWATER OR WELL***

	STORET NUMBER	TESTING INTERVAL (MONTHS)*	LAST TEST DATE (yyyy/mm/dd)	LAST RESULT REPORTED	NEXT TEST DATE (yyyy/mm)
SECONDARY/GP					
TURBIDITY, LABORATORY	**82079**	**WAIVED**	2011/06/07	**.120**	
ZINC	**01092**	**WAIVED**	2011/06/07	**< 50.000**	

**Testing interval is in months;*
0 = No data for this constituent and is DUE NOW
999 = Waived testing (not required)
I = Invalid (NOT) valid analyses reported

System Number: 1900569

System Name: TRASK SCOUT RESERVATION- SAN GABRIEL

PS Code: 1900569-001

Source Name: STREAM PICK-UP

Source Number: 001

Source Status: ACTIVE RAW

Water type: SURFACE

	STORET NUMBER	TESTING INTERVAL (MONTHS)*	LAST TEST DATE (yyyy/mm/dd)	LAST RESULT REPORTED	NEXT TEST DATE (yyyy/mm)
GENERAL NON CHAP 15					
DIAZINON	39570	WAIVED			
INORGANIC					
ALUMINUM	01105	WAIVED	2006/06/07	.000	
ANTIMONY	01097	WAIVED	2004/08/25	.000	
ARSENIC	01002	WAIVED	2006/06/07	.000	
ASBESTOS	81855	WAIVED			
BARIUM	01007	WAIVED	2004/08/25	.000	
BERYLLIUM	01012	WAIVED			
CADMIUM	01027	WAIVED	2006/06/07	.000	
CHROMIUM (TOTAL)	01034	WAIVED	2006/06/07	.000	
CYANIDE	01291	WAIVED			
FLUORIDE (F) (NATURAL-SOURCE)	00951	WAIVED	2006/06/07	.280	
LEAD	01051	WAIVED	2006/06/07	.000	
MERCURY	71900	WAIVED	2006/06/07	.000	
NICKEL	01067	WAIVED	2006/06/07	.000	
PERCHLORATE	A-031	WAIVED			
SELENIUM	01147	WAIVED	2006/06/07	.000	
THALLIUM	01059	WAIVED	2004/03/05	.000	
NITRATE/NITRITE					
NITRATE (AS NO3)	71850	WAIVED	2007/07/17	1.710	
NITRITE (AS N)	00620	WAIVED	2007/07/17	.000	
RADIOLOGICAL					
GROSS ALPHA	01501	WAIVED			
GROSS BETA	03501	WAIVED			
RA-226 FOR CWS OR TOTAL RA FOR NTNC BY 903.0	A-080	WAIVED			
RA-226 OR TOTAL RA BY 903.0 C.E.	A-081	WAIVED			
RADIUM 226	09501	WAIVED			
RADIUM 228	11501	WAIVED			

**Testing interval is in months;*
0 = No data for this constituent and is DUE NOW
999 = Waived testing (not required)
I = Invalid (NOT) valid analyses reported

System Number: ***1900569***

System Name: ***TRASK SCOUT RESERVATION- SAN GABRIEL***

PS Code: ***1900569-001***

Source Name: ***STREAM PICK-UP***

Source Number: ***001***

Source Status: ***ACTIVE RAW***

Water type: ***SURFACE***

	STORET NUMBER	TESTING INTERVAL (MONTHS)*	LAST TEST DATE (yyyy/mm/dd)	LAST RESULT REPORTED	NEXT TEST DATE (yyyy/mm)
RADIOLOGICAL					
RADIUM, TOTAL, MDA95-NTNC ONLY, BY 903.0	A-082	WAIVED			
STRONTIUM-90	13501	WAIVED			
TRITIUM	07000	WAIVED			
URANIUM (PCI/L)	28012	WAIVED			
REGULATED SOC					
2,3,7,8-TCDD (DIOXIN)	34676	WAIVED			
2,4,5-TP (SILVEX)	39045	WAIVED			
2,4-D	39730	WAIVED			
ALACHLOR	77825	WAIVED			
ATRAZINE	39033	WAIVED			
BENTAZON	38710	WAIVED			
BENZO (A) PYRENE	34247	WAIVED			
CARBOFURAN	81405	WAIVED			
CHLORDANE	39350	WAIVED			
DALAPON	38432	WAIVED			
DI(2-ETHYLHEXYL)ADIPATE	A-026	WAIVED			
DI(2-ETHYLHEXYL)PHTHALATE	39100	WAIVED			
DIBROMOCHLOROPROPANE (DBCP)	38761	WAIVED			
DINOSEB	81287	WAIVED			
DIQUAT	78885	WAIVED			
ENDOTHALL	38926	WAIVED			
ENDRIN	39390	WAIVED			
ETHYLENE DIBROMIDE (EDB)	77651	WAIVED			
GLYPHOSATE	79743	WAIVED			
HEPTACHLOR	39410	WAIVED			
HEPTACHLOR EPOXIDE	39420	WAIVED			
HEXACHLOROBENZENE	39700	WAIVED			
HEXACHLOROCYCLOPENTADIENE	34386	WAIVED			
LINDANE	39340	WAIVED			

**Testing interval is in months;*
0 = No data for this constituent and is DUE NOW
999 = Waived testing (not required)
I = Invalid (NOT) valid analyses reported

System Number: ***1900569***

System Name: ***TRASK SCOUT RESERVATION- SAN GABRIEL***

PS Code: ***1900569-001***

Source Name: ***STREAM PICK-UP***

Source Number: ***001***

Source Status: ***ACTIVE RAW***

Water type: ***SURFACE***

	STORET NUMBER	TESTING INTERVAL (MONTHS)*	LAST TEST DATE (yyyy/mm/dd)	LAST RESULT REPORTED	NEXT TEST DATE (yyyy/mm)
REGULATED SOC					
METHOXYCHLOR	39480	WAIVED			
MOLINATE	82199	WAIVED			
OXAMYL	38865	WAIVED			
PENTACHLOROPHENOL	39032	WAIVED			
PICLORAM	39720	WAIVED			
POLYCHLORINATED BIPHENYLS, TOTAL, AS DCB	39516	WAIVED			
SIMAZINE	39055	WAIVED			
THIOBENCARB	A-001	WAIVED			
TOXAPHENE	39400	WAIVED			
REGULATED VOC					
1,1,1-TRICHLOROETHANE	34506	WAIVED			
1,1,2,2-TETRACHLOROETHANE	34516	WAIVED			
1,1,2-TRICHLORO-1,2,2-TRIFLUOROETHANE	81611	WAIVED			
1,1,2-TRICHLOROETHANE	34511	WAIVED			
1,1-DICHLOROETHANE	34496	WAIVED			
1,1-DICHLOROETHYLENE	34501	WAIVED			
1,2,4-TRICHLOROBENZENE	34551	WAIVED			
1,2-DICHLOROBENZENE	34536	WAIVED			
1,2-DICHLOROETHANE	34531	WAIVED			
1,2-DICHLOROPROPANE	34541	WAIVED			
1,3-DICHLOROPROPENE (TOTAL)	34561	WAIVED			
1,4-DICHLOROBENZENE	34571	WAIVED			
BENZENE	34030	WAIVED			
CARBON TETRACHLORIDE	32102	WAIVED			
CIS-1,2-DICHLOROETHYLENE	77093	WAIVED			
DICHLOROMETHANE	34423	WAIVED			
ETHYLBENZENE	34371	WAIVED			
METHYL-TERT-BUTYL-ETHER (MTBE)	46491	WAIVED			
MONOCHLOROBENZENE	34301	WAIVED			

**Testing interval is in months;*
0 = No data for this constituent and is DUE NOW
999 = Waived testing (not required)
I = Invalid (NOT) valid analyses reported

System Number: 1900569

System Name: TRASK SCOUT RESERVATION- SAN GABRIEL

PS Code: 1900569-001

Source Name: STREAM PICK-UP

Source Number: 001

Source Status: ACTIVE RAW

Water type: SURFACE

	STORET NUMBER	TESTING INTERVAL (MONTHS)*	LAST TEST DATE (yyyy/mm/dd)	LAST RESULT REPORTED	NEXT TEST DATE (yyyy/mm)
REGULATED VOC					
STYRENE	77128	WAIVED			
TETRACHLOROETHYLENE	34475	WAIVED			
TOLUENE	34010	WAIVED			
TRANS-1,2-DICHLOROETHYLENE	34546	WAIVED			
TRICHLOROETHYLENE	39180	WAIVED			
TRICHLOROFLUOROMETHANE	34488	WAIVED			
VINYL CHLORIDE	39175	WAIVED			
XYLENES (TOTAL)	81551	WAIVED			
SECONDARY/GP					
AGGRSSIVE INDEX (CORROSIVITY)	82383	WAIVED			
BICARBONATE ALKALINITY	00440	WAIVED	2006/06/07	230.000	
CALCIUM	00916	WAIVED	2006/06/07	48.100	
CARBONATE ALKALINITY	00445	WAIVED	2006/06/07	.000	
CHLORIDE	00940	WAIVED	2006/06/07	8.160	
COLOR	00081	WAIVED	2004/08/25	.000	
COPPER	01042	WAIVED	2006/06/07	.000	
FOAMING AGENTS (MBAS)	38260	WAIVED	2004/08/25	.000	
HARDNESS (TOTAL) AS CACO3	00900	WAIVED	2006/06/07	200.000	
HYDROXIDE ALKALINITY	71830	WAIVED	2006/06/07	.000	
IRON	01045	WAIVED	2006/06/07	.000	
MAGNESIUM	00927	WAIVED	2006/06/07	19.400	
MANGANESE	01055	WAIVED	2006/06/07	.000	
ODOR THRESHOLD @ 60 C	00086	WAIVED	2004/08/25	.000	
PH, LABORATORY	00403	WAIVED	2006/06/07	8.150	
SILVER	01077	WAIVED	2006/06/07	.000	
SODIUM	00929	WAIVED	2006/06/07	18.100	
SPECIFIC CONDUCTANCE	00095	WAIVED	2006/06/07	409.000	
SULFATE	00945	WAIVED	2006/06/07	13.700	
TOTAL DISSOLVED SOLIDS	70300	WAIVED	2006/06/07	232.000	

**Testing interval is in months;*
0 = No data for this constituent and is DUE NOW
999 = Waived testing (not required)
I = Invalid (NOT) valid analyses reported

System Number: ***1900569***

System Name: ***TRASK SCOUT RESERVATION- SAN GABRIEL***

PS Code: ***1900569-001***

Source Name: ***STREAM PICK-UP***

Source Number: ***001***

Source Status: ***ACTIVE RAW***

Water type: ***SURFACE***

	STORET NUMBER	TESTING INTERVAL (MONTHS)*	LAST TEST DATE (yyyy/mm/dd)	LAST RESULT REPORTED	NEXT TEST DATE (yyyy/mm)
SECONDARY/GP					
TURBIDITY, LABORATORY	**82079**	**WAIVED**	2006/06/07	**.540**	
ZINC	**01092**	**WAIVED**	2006/06/07	**.000**	

**Testing interval is in months;*
0 = No data for this constituent and is DUE NOW
999 = Waived testing (not required)
I = Invalid (NOT) valid analyses reported

System Number: ***1900571***

System Name: ***USFS-CHILAO MAIN (A-9)***

PS Code: ***1900571-001***

Source Name: ***WELL 01***

Source Number: ***001***

Source Status: ***ACTIVE UNTREATED***

Water type: ***GROUNDWATER OR WELL***

	STORET NUMBER	TESTING INTERVAL (MONTHS)*	LAST TEST DATE (yyyy/mm/dd)	LAST RESULT REPORTED	NEXT TEST DATE (yyyy/mm)
GENERAL NON CHAP 15					
DIAZINON	39570	WAIVED			
INORGANIC					
ALUMINUM	01105	WAIVED	2002/06/26	.000	
ANTIMONY	01097	WAIVED	2002/06/26	.000	
ARSENIC	01002	WAIVED	2007/06/18	.000	
ASBESTOS	81855	WAIVED			
BARIUM	01007	WAIVED	2002/06/26	.000	
BERYLLIUM	01012	WAIVED			
CADMIUM	01027	WAIVED	2007/06/18	.000	
CHROMIUM (TOTAL)	01034	WAIVED	2002/06/26	.000	
CYANIDE	01291	WAIVED			
FLUORIDE (F) (NATURAL-SOURCE)	00951	WAIVED	2002/06/26	.000	
LEAD	01051	WAIVED	2007/06/18	.000	
MERCURY	71900	WAIVED	2002/06/26	.000	
NICKEL	01067	WAIVED	2002/06/26	.000	
PERCHLORATE	A-031	WAIVED			
SELENIUM	01147	WAIVED	2002/06/26	.000	
THALLIUM	01059	WAIVED			
NITRATE/NITRITE					
NITRATE (AS NO3)	71850	WAIVED	2011/10/04	< 2.000	
NITRITE (AS N)	00620	WAIVED			
RADIOLOGICAL					
GROSS ALPHA	01501	WAIVED	2011/08/02	21.800	
GROSS BETA	03501	WAIVED			
RA-226 FOR CWS OR TOTAL RA FOR NTNC BY 903.0	A-080	WAIVED			
RA-226 OR TOTAL RA BY 903.0 C.E.	A-081	WAIVED			
RADIUM 226	09501	WAIVED			
RADIUM 228	11501	WAIVED			

**Testing interval is in months;*
0 = No data for this constituent and is DUE NOW
999 = Waived testing (not required)
I = Invalid (NOT) valid analyses reported

System Number: ***1900571***

System Name: ***USFS-CHILAO MAIN (A-9)***

PS Code: ***1900571-001***

Source Name: ***WELL 01***

Source Number: ***001***

Source Status: ***ACTIVE UNTREATED***

Water type: ***GROUNDWATER OR WELL***

	STORET NUMBER	TESTING INTERVAL (MONTHS)*	LAST TEST DATE (yyyy/mm/dd)	LAST RESULT REPORTED	NEXT TEST DATE (yyyy/mm)
RADIOLOGICAL					
RADIUM, TOTAL, MDA95-NTNC ONLY, BY 903.0	A-082	WAIVED			
STRONTIUM-90	13501	WAIVED			
TRITIUM	07000	WAIVED			
URANIUM (PCI/L)	28012	WAIVED	2011/08/02	21.500	
REGULATED SOC					
2,3,7,8-TCDD (DIOXIN)	34676	WAIVED			
2,4,5-TP (SILVEX)	39045	WAIVED			
2,4-D	39730	WAIVED			
ALACHLOR	77825	WAIVED	1999/05/15	.000	
ATRAZINE	39033	WAIVED			
BENTAZON	38710	WAIVED			
BENZO (A) PYRENE	34247	WAIVED			
CARBOFURAN	81405	WAIVED			
CHLORDANE	39350	WAIVED	1999/05/15	.000	
DALAPON	38432	WAIVED			
DI(2-ETHYLHEXYL)ADIPATE	A-026	WAIVED			
DI(2-ETHYLHEXYL)PHTHALATE	39100	WAIVED			
DIBROMOCHLOROPROPANE (DBCP)	38761	WAIVED			
DINOSEB	81287	WAIVED			
DIQUAT	78885	WAIVED			
ENDOTHALL	38926	WAIVED			
ENDRIN	39390	WAIVED	1999/05/15	.000	
ETHYLENE DIBROMIDE (EDB)	77651	WAIVED			
GLYPHOSATE	79743	WAIVED			
HEPTACHLOR	39410	WAIVED	1999/05/15	.000	
HEPTACHLOR EPOXIDE	39420	WAIVED	1999/05/15	.000	
HEXACHLOROBENZENE	39700	WAIVED	1999/05/15	.000	
HEXACHLOROCYCLOPENTADIENE	34386	WAIVED	1999/05/15	.000	
LINDANE	39340	WAIVED	1999/05/15	.000	

**Testing interval is in months;*
0 = No data for this constituent and is DUE NOW
999 = Waived testing (not required)
I = Invalid (NOT) valid analyses reported

System Number: ***1900571***

System Name: ***USFS-CHILAO MAIN (A-9)***

PS Code: ***1900571-001***

Source Name: ***WELL 01***

Source Number: ***001***

Source Status: ***ACTIVE UNTREATED***

Water type: ***GROUNDWATER OR WELL***

	STORET NUMBER	TESTING INTERVAL (MONTHS)*	LAST TEST DATE (yyyy/mm/dd)	LAST RESULT REPORTED	NEXT TEST DATE (yyyy/mm)
REGULATED SOC					
METHOXYCHLOR	39480	WAIVED	1999/05/15	.000	
MOLINATE	82199	WAIVED			
OXAMYL	38865	WAIVED			
PENTACHLOROPHENOL	39032	WAIVED			
PICLORAM	39720	WAIVED			
POLYCHLORINATED BIPHENYLS, TOTAL, AS DCB	39516	WAIVED	1999/05/15	.000	
SIMAZINE	39055	WAIVED			
THIOBENCARB	A-001	WAIVED			
TOXAPHENE	39400	WAIVED	1999/05/15	.000	
REGULATED VOC					
1,1,1-TRICHLOROETHANE	34506	WAIVED	1999/05/15	.000	
1,1,2,2-TETRACHLOROETHANE	34516	WAIVED	1999/05/15	.000	
1,1,2-TRICHLORO-1,2,2-TRIFLUOROETHANE	81611	WAIVED	1999/05/15	.000	
1,1,2-TRICHLOROETHANE	34511	WAIVED	1999/05/15	.000	
1,1-DICHLOROETHANE	34496	WAIVED	1999/05/15	.000	
1,1-DICHLOROETHYLENE	34501	WAIVED	1999/05/15	.000	
1,2,4-TRICHLOROBENZENE	34551	WAIVED	1999/05/15	.000	
1,2-DICHLOROBENZENE	34536	WAIVED	1999/05/15	.000	
1,2-DICHLOROETHANE	34531	WAIVED	1999/05/15	.000	
1,2-DICHLOROPROPANE	34541	WAIVED	1999/05/15	.000	
1,3-DICHLOROPROPENE (TOTAL)	34561	WAIVED	1999/05/15	.000	
1,4-DICHLOROBENZENE	34571	WAIVED	1999/05/15	.000	
BENZENE	34030	WAIVED	1999/05/15	.000	
CARBON TETRACHLORIDE	32102	WAIVED	1999/05/15	.000	
CIS-1,2-DICHLOROETHYLENE	77093	WAIVED	1999/05/15	.000	
DICHLOROMETHANE	34423	WAIVED	1999/05/15	.000	
ETHYLBENZENE	34371	WAIVED	1999/05/15	.000	
METHYL-TERT-BUTYL-ETHER (MTBE)	46491	WAIVED	1999/05/15	.000	
MONOCHLOROBENZENE	34301	WAIVED	1999/05/15	.000	

**Testing interval is in months;*
0 = No data for this constituent and is DUE NOW
999 = Waived testing (not required)
I = Invalid (NOT) valid analyses reported

System Number: ***1900571***

System Name: ***USFS-CHILAO MAIN (A-9)***

PS Code: ***1900571-001***

Source Name: ***WELL 01***

Source Number: ***001***

Source Status: ***ACTIVE UNTREATED***

Water type: ***GROUNDWATER OR WELL***

	STORET NUMBER	TESTING INTERVAL (MONTHS)*	LAST TEST DATE (yyyy/mm/dd)	LAST RESULT REPORTED	NEXT TEST DATE (yyyy/mm)
REGULATED VOC					
STYRENE	77128	WAIVED	1999/05/15	.000	
TETRACHLOROETHYLENE	34475	WAIVED	1999/05/15	.000	
TOLUENE	34010	WAIVED	1999/05/15	.000	
TRANS-1,2-DICHLOROETHYLENE	34546	WAIVED	1999/05/15	.000	
TRICHLOROETHYLENE	39180	WAIVED	1999/05/15	.000	
TRICHLOROFLUOROMETHANE	34488	WAIVED	1999/05/15	.000	
VINYL CHLORIDE	39175	WAIVED	1999/05/15	.000	
XYLENES (TOTAL)	81551	WAIVED	1999/05/15	.000	
SECONDARY/GP					
AGGRSSIVE INDEX (CORROSIVITY)	82383	WAIVED			
BICARBONATE ALKALINITY	00440	WAIVED	2002/06/26	189.000	
CALCIUM	00916	WAIVED	2002/06/26	46.100	
CARBONATE ALKALINITY	00445	WAIVED	2002/06/26	.000	
CHLORIDE	00940	WAIVED	2002/06/26	3.450	
COLOR	00081	WAIVED	2002/06/26	< 5.000	
COPPER	01042	WAIVED	2002/06/26	.000	
FOAMING AGENTS (MBAS)	38260	WAIVED	2002/06/26	.000	
HARDNESS (TOTAL) AS CACO3	00900	WAIVED	2002/06/26	140.000	
HYDROXIDE ALKALINITY	71830	WAIVED	2002/06/26	.000	
IRON	01045	WAIVED	2007/06/18	.000	
MAGNESIUM	00927	WAIVED	2002/06/26	6.080	
MANGANESE	01055	WAIVED	2002/06/26	.000	
ODOR THRESHOLD @ 60 C	00086	WAIVED	2002/06/26	.000	
PH, LABORATORY	00403	WAIVED	2007/06/18	6.860	
SILVER	01077	WAIVED	2002/06/26	.000	
SODIUM	00929	WAIVED	2002/06/26	14.300	
SPECIFIC CONDUCTANCE	00095	WAIVED	2002/06/26	314.000	
SULFATE	00945	WAIVED	2002/06/26	4.000	
TOTAL DISSOLVED SOLIDS	70300	WAIVED	2007/06/18	136.000	

**Testing interval is in months;*
0 = No data for this constituent and is DUE NOW
999 = Waived testing (not required)
I = Invalid (NOT) valid analyses reported

System Number: ***1900571***

System Name: ***USFS-CHILAO MAIN (A-9)***

PS Code: ***1900571-001***

Source Name: ***WELL 01***

Source Number: ***001***

Source Status: ***ACTIVE UNTREATED***

Water type: ***GROUNDWATER OR WELL***

	STORET NUMBER	TESTING INTERVAL (MONTHS)*	LAST TEST DATE (yyyy/mm/dd)	LAST RESULT REPORTED	NEXT TEST DATE (yyyy/mm)
SECONDARY/GP					
TURBIDITY, LABORATORY	82079	WAIVED	2007/06/18	.270	
ZINC	01092	WAIVED	2007/06/18	.000	

PS Code: ***1900571-002***

Source Name: ***WELL 02***

Source Number: ***002***

Source Status: ***ACTIVE UNTREATED***

Water type: ***GROUNDWATER OR WELL***

GENERAL NON CHAP 15					
DIAZINON	39570	WAIVED			
INORGANIC					
ALUMINUM	01105	WAIVED			
ANTIMONY	01097	WAIVED			
ARSENIC	01002	WAIVED			
ASBESTOS	81855	WAIVED			
BARIUM	01007	WAIVED			
BERYLLIUM	01012	WAIVED			
CADMIUM	01027	WAIVED			
CHROMIUM (TOTAL)	01034	WAIVED			
CYANIDE	01291	WAIVED			
FLUORIDE (F) (NATURAL-SOURCE)	00951	WAIVED			
LEAD	01051	WAIVED			
MERCURY	71900	WAIVED			
NICKEL	01067	WAIVED			
PERCHLORATE	A-031	WAIVED			
SELENIUM	01147	WAIVED			
THALLIUM	01059	WAIVED			

**Testing interval is in months;*
0 = No data for this constituent and is DUE NOW
999 = Waived testing (not required)
I = Invalid (NOT) valid analyses reported

System Number: ***1900571***

System Name: ***USFS-CHILAO MAIN (A-9)***

PS Code: ***1900571-002***

Source Name: ***WELL 02***

Source Number: ***002***

Source Status: ***ACTIVE UNTREATED***

Water type: ***GROUNDWATER OR WELL***

	STORET NUMBER	TESTING INTERVAL (MONTHS)*	LAST TEST DATE (yyyy/mm/dd)	LAST RESULT REPORTED	NEXT TEST DATE (yyyy/mm)
NITRATE/NITRITE					
NITRATE (AS NO3)	71850	WAIVED	2000/12/12	.000	
NITRITE (AS N)	00620	WAIVED			
RADIOLOGICAL					
GROSS ALPHA	01501	WAIVED			
GROSS BETA	03501	WAIVED			
RA-226 FOR CWS OR TOTAL RA FOR NTNC BY 903.0	A-080	WAIVED			
RA-226 OR TOTAL RA BY 903.0 C.E.	A-081	WAIVED			
RADIUM 226	09501	WAIVED			
RADIUM 228	11501	WAIVED			
RADIUM, TOTAL, MDA95-NTNC ONLY, BY 903.0	A-082	WAIVED			
STRONTIUM-90	13501	WAIVED			
TRITIUM	07000	WAIVED			
URANIUM (PCI/L)	28012	WAIVED			
REGULATED SOC					
2,3,7,8-TCDD (DIOXIN)	34676	WAIVED			
2,4,5-TP (SILVEX)	39045	WAIVED			
2,4-D	39730	WAIVED			
ALACHLOR	77825	WAIVED			
ATRAZINE	39033	WAIVED			
BENTAZON	38710	WAIVED			
BENZO (A) PYRENE	34247	WAIVED			
CARBOFURAN	81405	WAIVED			
CHLORDANE	39350	WAIVED			
DALAPON	38432	WAIVED			
DI(2-ETHYLHEXYL)ADIPATE	A-026	WAIVED			
DI(2-ETHYLHEXYL)PHTHALATE	39100	WAIVED			
DIBROMOCHLOROPROPANE (DBCP)	38761	WAIVED			
DINOSEB	81287	WAIVED			
DIQUAT	78885	WAIVED			

**Testing interval is in months;*
0 = No data for this constituent and is DUE NOW
999 = Waived testing (not required)
I = Invalid (NOT) valid analyses reported

System Number: ***1900571***

System Name: ***USFS-CHILAO MAIN (A-9)***

PS Code: ***1900571-002***

Source Name: ***WELL 02***

Source Number: ***002***

Source Status: ***ACTIVE UNTREATED***

Water type: ***GROUNDWATER OR WELL***

	STORET NUMBER	TESTING INTERVAL (MONTHS)*	LAST TEST DATE (yyyy/mm/dd)	LAST RESULT REPORTED	NEXT TEST DATE (yyyy/mm)
REGULATED SOC					
ENDOTHALL	38926	WAIVED			
ENDRIN	39390	WAIVED			
ETHYLENE DIBROMIDE (EDB)	77651	WAIVED			
GLYPHOSATE	79743	WAIVED			
HEPTACHLOR	39410	WAIVED			
HEPTACHLOR EPOXIDE	39420	WAIVED			
HEXACHLOROBENZENE	39700	WAIVED			
HEXACHLOROCYCLOPENTADIENE	34386	WAIVED			
LINDANE	39340	WAIVED			
METHOXYCHLOR	39480	WAIVED			
MOLINATE	82199	WAIVED			
OXAMYL	38865	WAIVED			
PENTACHLOROPHENOL	39032	WAIVED			
PICLORAM	39720	WAIVED			
POLYCHLORINATED BIPHENYLS, TOTAL, AS DCB	39516	WAIVED			
SIMAZINE	39055	WAIVED			
THIOBENCARB	A-001	WAIVED			
TOXAPHENE	39400	WAIVED			
REGULATED VOC					
1,1,1-TRICHLOROETHANE	34506	WAIVED			
1,1,2,2-TETRACHLOROETHANE	34516	WAIVED			
1,1,2-TRICHLORO-1,2,2-TRIFLUOROETHANE	81611	WAIVED			
1,1,2-TRICHLOROETHANE	34511	WAIVED			
1,1-DICHLOROETHANE	34496	WAIVED			
1,1-DICHLOROETHYLENE	34501	WAIVED			
1,2,4-TRICHLOROBENZENE	34551	WAIVED			
1,2-DICHLOROBENZENE	34536	WAIVED			
1,2-DICHLOROETHANE	34531	WAIVED			
1,2-DICHLOROPROPANE	34541	WAIVED			

**Testing interval is in months;*
0 = No data for this constituent and is DUE NOW
999 = Waived testing (not required)
I = Invalid (NOT) valid analyses reported

System Number: ***1900571***

System Name: ***USFS-CHILAO MAIN (A-9)***

PS Code: ***1900571-002***

Source Name: ***WELL 02***

Source Number: ***002***

Source Status: ***ACTIVE UNTREATED***

Water type: ***GROUNDWATER OR WELL***

	STORET NUMBER	TESTING INTERVAL (MONTHS)*	LAST TEST DATE (yyyy/mm/dd)	LAST RESULT REPORTED	NEXT TEST DATE (yyyy/mm)
REGULATED VOC					
1,3-DICHLOROPROPENE (TOTAL)	34561	WAIVED			
1,4-DICHLOROBENZENE	34571	WAIVED			
BENZENE	34030	WAIVED			
CARBON TETRACHLORIDE	32102	WAIVED			
CIS-1,2-DICHLOROETHYLENE	77093	WAIVED			
DICHLOROMETHANE	34423	WAIVED			
ETHYLBENZENE	34371	WAIVED			
METHYL-TERT-BUTYL-ETHER (MTBE)	46491	WAIVED			
MONOCHLOROBENZENE	34301	WAIVED			
STYRENE	77128	WAIVED			
TETRACHLOROETHYLENE	34475	WAIVED			
TOLUENE	34010	WAIVED			
TRANS-1,2-DICHLOROETHYLENE	34546	WAIVED			
TRICHLOROETHYLENE	39180	WAIVED			
TRICHLOROFLUOROMETHANE	34488	WAIVED			
VINYL CHLORIDE	39175	WAIVED			
XYLENES (TOTAL)	81551	WAIVED			
SECONDARY/GP					
AGGRSSIVE INDEX (CORROSIVITY)	82383	WAIVED			
BICARBONATE ALKALINITY	00440	WAIVED			
CALCIUM	00916	WAIVED			
CARBONATE ALKALINITY	00445	WAIVED			
CHLORIDE	00940	WAIVED			
COLOR	00081	WAIVED			
COPPER	01042	WAIVED			
FOAMING AGENTS (MBAS)	38260	WAIVED			
HARDNESS (TOTAL) AS CACO3	00900	WAIVED			
HYDROXIDE ALKALINITY	71830	WAIVED			
IRON	01045	WAIVED			

**Testing interval is in months;*
0 = No data for this constituent and is DUE NOW
999 = Waived testing (not required)
I = Invalid (NOT) valid analyses reported

System Number: ***1900571***

System Name: ***USFS-CHILAO MAIN (A-9)***

PS Code: ***1900571-002***

Source Name: ***WELL 02***

Source Number: ***002***

Source Status: ***ACTIVE UNTREATED***

Water type: ***GROUNDWATER OR WELL***

	STORET NUMBER	TESTING INTERVAL (MONTHS)*	LAST TEST DATE (yyyy/mm/dd)	LAST RESULT REPORTED	NEXT TEST DATE (yyyy/mm)
SECONDARY/GP					
MAGNESIUM	00927	WAIVED			
MANGANESE	01055	WAIVED			
ODOR THRESHOLD @ 60 C	00086	WAIVED			
PH, LABORATORY	00403	WAIVED	2000/12/12	6.700	
SILVER	01077	WAIVED			
SODIUM	00929	WAIVED			
SPECIFIC CONDUCTANCE	00095	WAIVED			
SULFATE	00945	WAIVED			
TOTAL DISSOLVED SOLIDS	70300	WAIVED			
TURBIDITY, LABORATORY	82079	WAIVED			
ZINC	01092	WAIVED			

PS Code: ***1900571-004***

Source Name: ***WELL 04***

Source Number: ***004***

Source Status: ***ACTIVE UNTREATED***

Water type: ***GROUNDWATER OR WELL***

GENERAL NON CHAP 15					
DIAZINON	39570	WAIVED			
INORGANIC					
ALUMINUM	01105	WAIVED			
ANTIMONY	01097	WAIVED			
ARSENIC	01002	WAIVED			
ASBESTOS	81855	WAIVED			
BARIUM	01007	WAIVED			
BERYLLIUM	01012	WAIVED			
CADMIUM	01027	WAIVED			
CHROMIUM (TOTAL)	01034	WAIVED			
CYANIDE	01291	WAIVED			

**Testing interval is in months;*
0 = No data for this constituent and is DUE NOW
999 = Waived testing (not required)
I = Invalid (NOT) valid analyses reported

System Number: ***1900571***

System Name: ***USFS-CHILAO MAIN (A-9)***

PS Code: ***1900571-004***

Source Name: ***WELL 04***

Source Number: ***004***

Source Status: ***ACTIVE UNTREATED***

Water type: ***GROUNDWATER OR WELL***

	STORET NUMBER	TESTING INTERVAL (MONTHS)*	LAST TEST DATE (yyyy/mm/dd)	LAST RESULT REPORTED	NEXT TEST DATE (yyyy/mm)
INORGANIC					
FLUORIDE (F) (NATURAL-SOURCE)	00951	WAIVED			
LEAD	01051	WAIVED			
MERCURY	71900	WAIVED			
NICKEL	01067	WAIVED			
PERCHLORATE	A-031	WAIVED	2008/04/06	< 4.000	
SELENIUM	01147	WAIVED			
THALLIUM	01059	WAIVED			
NITRATE/NITRITE					
NITRATE (AS NO3)	71850	WAIVED	2000/12/12	.000	
NITRITE (AS N)	00620	WAIVED			
RADIOLOGICAL					
GROSS ALPHA	01501	WAIVED			
GROSS BETA	03501	WAIVED			
RA-226 FOR CWS OR TOTAL RA FOR NTNC BY 903.0	A-080	WAIVED			
RA-226 OR TOTAL RA BY 903.0 C.E.	A-081	WAIVED			
RADIUM 226	09501	WAIVED			
RADIUM 228	11501	WAIVED			
RADIUM, TOTAL, MDA95-NTNC ONLY, BY 903.0	A-082	WAIVED			
STRONTIUM-90	13501	WAIVED			
TRITIUM	07000	WAIVED			
URANIUM (PCI/L)	28012	WAIVED			
REGULATED SOC					
2,3,7,8-TCDD (DIOXIN)	34676	WAIVED			
2,4,5-TP (SILVEX)	39045	WAIVED			
2,4-D	39730	WAIVED			
ALACHLOR	77825	WAIVED			
ATRAZINE	39033	WAIVED			
BENTAZON	38710	WAIVED			

**Testing interval is in months;*
0 = No data for this constituent and is DUE NOW
999 = Waived testing (not required)
I = Invalid (NOT) valid analyses reported

System Number: ***1900571***

System Name: ***USFS-CHILAO MAIN (A-9)***

PS Code: ***1900571-004***

Source Name: ***WELL 04***

Source Number: ***004***

Source Status: ***ACTIVE UNTREATED***

Water type: ***GROUNDWATER OR WELL***

	STORET NUMBER	TESTING INTERVAL (MONTHS)*	LAST TEST DATE (yyyy/mm/dd)	LAST RESULT REPORTED	NEXT TEST DATE (yyyy/mm)
REGULATED SOC					
BENZO (A) PYRENE	34247	WAIVED			
CARBOFURAN	81405	WAIVED			
CHLORDANE	39350	WAIVED			
DALAPON	38432	WAIVED			
DI(2-ETHYLHEXYL)ADIPATE	A-026	WAIVED			
DI(2-ETHYLHEXYL)PHTHALATE	39100	WAIVED			
DIBROMOCHLOROPROPANE (DBCP)	38761	WAIVED			
DINOSEB	81287	WAIVED			
DIQUAT	78885	WAIVED			
ENDOTHALL	38926	WAIVED			
ENDRIN	39390	WAIVED			
ETHYLENE DIBROMIDE (EDB)	77651	WAIVED			
GLYPHOSATE	79743	WAIVED			
HEPTACHLOR	39410	WAIVED			
HEPTACHLOR EPOXIDE	39420	WAIVED			
HEXACHLOROBENZENE	39700	WAIVED			
HEXACHLOROCYCLOPENTADIENE	34386	WAIVED			
LINDANE	39340	WAIVED			
METHOXYCHLOR	39480	WAIVED			
MOLINATE	82199	WAIVED			
OXAMYL	38865	WAIVED			
PENTACHLOROPHENOL	39032	WAIVED			
PICLORAM	39720	WAIVED			
POLYCHLORINATED BIPHENYLS, TOTAL, AS DCB	39516	WAIVED			
SIMAZINE	39055	WAIVED			
THIOBENCARB	A-001	WAIVED			
TOXAPHENE	39400	WAIVED			
REGULATED VOC					
1,1,1-TRICHLOROETHANE	34506	WAIVED			

**Testing interval is in months;*
0 = No data for this constituent and is DUE NOW
999 = Waived testing (not required)
I = Invalid (NOT) valid analyses reported

System Number: ***1900571***

System Name: ***USFS-CHILAO MAIN (A-9)***

PS Code: ***1900571-004***

Source Name: ***WELL 04***

Source Number: ***004***

Source Status: ***ACTIVE UNTREATED***

Water type: ***GROUNDWATER OR WELL***

	STORET NUMBER	TESTING INTERVAL (MONTHS)*	LAST TEST DATE (yyyy/mm/dd)	LAST RESULT REPORTED	NEXT TEST DATE (yyyy/mm)
REGULATED VOC					
1,1,2,2-TETRACHLOROETHANE	34516	WAIVED			
1,1,2-TRICHLORO-1,2,2-TRIFLUOROETHANE	81611	WAIVED			
1,1,2-TRICHLOROETHANE	34511	WAIVED			
1,1-DICHLOROETHANE	34496	WAIVED			
1,1-DICHLOROETHYLENE	34501	WAIVED			
1,2,4-TRICHLOROBENZENE	34551	WAIVED			
1,2-DICHLOROBENZENE	34536	WAIVED			
1,2-DICHLOROETHANE	34531	WAIVED			
1,2-DICHLOROPROPANE	34541	WAIVED			
1,3-DICHLOROPROPENE (TOTAL)	34561	WAIVED			
1,4-DICHLOROBENZENE	34571	WAIVED			
BENZENE	34030	WAIVED			
CARBON TETRACHLORIDE	32102	WAIVED			
CIS-1,2-DICHLOROETHYLENE	77093	WAIVED			
DICHLOROMETHANE	34423	WAIVED			
ETHYLBENZENE	34371	WAIVED			
METHYL-TERT-BUTYL-ETHER (MTBE)	46491	WAIVED			
MONOCHLOROBENZENE	34301	WAIVED			
STYRENE	77128	WAIVED			
TETRACHLOROETHYLENE	34475	WAIVED			
TOLUENE	34010	WAIVED			
TRANS-1,2-DICHLOROETHYLENE	34546	WAIVED			
TRICHLOROETHYLENE	39180	WAIVED			
TRICHLOROFLUOROMETHANE	34488	WAIVED			
VINYL CHLORIDE	39175	WAIVED			
XYLENES (TOTAL)	81551	WAIVED			
SECONDARY/GP					
AGGRSSIVE INDEX (CORROSIVITY)	82383	WAIVED			
BICARBONATE ALKALINITY	00440	WAIVED			

**Testing interval is in months;*
0 = No data for this constituent and is DUE NOW
999 = Waived testing (not required)
I = Invalid (NOT) valid analyses reported

System Number: ***1900571***

System Name: ***USFS-CHILAO MAIN (A-9)***

PS Code: ***1900571-004***

Source Name: ***WELL 04***

Source Number: ***004***

Source Status: ***ACTIVE UNTREATED***

Water type: ***GROUNDWATER OR WELL***

SECONDARY/GP

	STORET NUMBER	TESTING INTERVAL (MONTHS)*	LAST TEST DATE (yyyy/mm/dd)	LAST RESULT REPORTED	NEXT TEST DATE (yyyy/mm)
CALCIUM	00916	WAIVED			
CARBONATE ALKALINITY	00445	WAIVED			
CHLORIDE	00940	WAIVED			
COLOR	00081	WAIVED			
COPPER	01042	WAIVED			
FOAMING AGENTS (MBAS)	38260	WAIVED			
HARDNESS (TOTAL) AS CACO3	00900	WAIVED			
HYDROXIDE ALKALINITY	71830	WAIVED			
IRON	01045	WAIVED			
MAGNESIUM	00927	WAIVED			
MANGANESE	01055	WAIVED			
ODOR THRESHOLD @ 60 C	00086	WAIVED			
PH, LABORATORY	00403	WAIVED	2000/12/12	6.740	
SILVER	01077	WAIVED			
SODIUM	00929	WAIVED			
SPECIFIC CONDUCTANCE	00095	WAIVED			
SULFATE	00945	WAIVED			
TOTAL DISSOLVED SOLIDS	70300	WAIVED			
TURBIDITY, LABORATORY	82079	WAIVED			
ZINC	01092	WAIVED			

PS Code: ***1900571-005***

Source Name: ***WELL 05***

Source Number: ***005***

Source Status: ***ACTIVE UNTREATED***

Water type: ***GROUNDWATER OR WELL***

GENERAL NON CHAP 15

DIAZINON	39570	WAIVED			

**Testing interval is in months;*
0 = No data for this constituent and is DUE NOW
999 = Waived testing (not required)
I = Invalid (NOT) valid analyses reported

System Number: ***1900571***

System Name: ***USFS-CHILAO MAIN (A-9)***

PS Code: ***1900571-005***

Source Name: ***WELL 05***

Source Number: ***005***

Source Status: ***ACTIVE UNTREATED***

Water type: ***GROUNDWATER OR WELL***

	STORET NUMBER	TESTING INTERVAL (MONTHS)*	LAST TEST DATE (yyyy/mm/dd)	LAST RESULT REPORTED	NEXT TEST DATE (yyyy/mm)
INORGANIC					
ALUMINUM	01105	WAIVED			
ANTIMONY	01097	WAIVED			
ARSENIC	01002	WAIVED			
ASBESTOS	81855	WAIVED			
BARIUM	01007	WAIVED			
BERYLLIUM	01012	WAIVED			
CADMIUM	01027	WAIVED			
CHROMIUM (TOTAL)	01034	WAIVED			
CYANIDE	01291	WAIVED			
FLUORIDE (F) (NATURAL-SOURCE)	00951	WAIVED			
LEAD	01051	WAIVED			
MERCURY	71900	WAIVED			
NICKEL	01067	WAIVED			
PERCHLORATE	A-031	WAIVED			
SELENIUM	01147	WAIVED			
THALLIUM	01059	WAIVED			
NITRATE/NITRITE					
NITRATE (AS NO3)	71850	WAIVED	2000/12/12	.000	
NITRITE (AS N)	00620	WAIVED			
RADIOLOGICAL					
GROSS ALPHA	01501	WAIVED			
GROSS BETA	03501	WAIVED			
RA-226 FOR CWS OR TOTAL RA FOR NTNC BY 903.0	A-080	WAIVED			
RA-226 OR TOTAL RA BY 903.0 C.E.	A-081	WAIVED			
RADIUM 226	09501	WAIVED			
RADIUM 228	11501	WAIVED			
RADIUM, TOTAL, MDA95-NTNC ONLY, BY 903.0	A-082	WAIVED			
STRONTIUM-90	13501	WAIVED			
TRITIUM	07000	WAIVED			

**Testing interval is in months;*
0 = No data for this constituent and is DUE NOW
999 = Waived testing (not required)
I = Invalid (NOT) valid analyses reported

System Number: ***1900571***

System Name: ***USFS-CHILAO MAIN (A-9)***

PS Code: ***1900571-005***

Source Name: ***WELL 05***

Source Number: ***005***

Source Status: ***ACTIVE UNTREATED***

Water type: ***GROUNDWATER OR WELL***

	STORET NUMBER	TESTING INTERVAL (MONTHS)*	LAST TEST DATE (yyyy/mm/dd)	LAST RESULT REPORTED	NEXT TEST DATE (yyyy/mm)
RADIOLOGICAL					
URANIUM (PCI/L)	28012	WAIVED			
REGULATED SOC					
2,3,7,8-TCDD (DIOXIN)	34676	WAIVED			
2,4,5-TP (SILVEX)	39045	WAIVED			
2,4-D	39730	WAIVED			
ALACHLOR	77825	WAIVED			
ATRAZINE	39033	WAIVED			
BENTAZON	38710	WAIVED			
BENZO (A) PYRENE	34247	WAIVED			
CARBOFURAN	81405	WAIVED			
CHLORDANE	39350	WAIVED			
DALAPON	38432	WAIVED			
DI(2-ETHYLHEXYL)ADIPATE	A-026	WAIVED			
DI(2-ETHYLHEXYL)PHTHALATE	39100	WAIVED			
DIBROMOCHLOROPROPANE (DBCP)	38761	WAIVED			
DINOSEB	81287	WAIVED			
DIQUAT	78885	WAIVED			
ENDOTHALL	38926	WAIVED			
ENDRIN	39390	WAIVED			
ETHYLENE DIBROMIDE (EDB)	77651	WAIVED			
GLYPHOSATE	79743	WAIVED			
HEPTACHLOR	39410	WAIVED			
HEPTACHLOR EPOXIDE	39420	WAIVED			
HEXACHLOROBENZENE	39700	WAIVED			
HEXACHLOROCYCLOPENTADIENE	34386	WAIVED			
LINDANE	39340	WAIVED			
METHOXYCHLOR	39480	WAIVED			
MOLINATE	82199	WAIVED			
OXAMYL	38865	WAIVED			

**Testing interval is in months;*
0 = No data for this constituent and is DUE NOW
999 = Waived testing (not required)
I = Invalid (NOT) valid analyses reported

System Number: ***1900571***

System Name: ***USFS-CHILAO MAIN (A-9)***

PS Code: ***1900571-005***

Source Name: ***WELL 05***

Source Number: ***005***

Source Status: ***ACTIVE UNTREATED***

Water type: ***GROUNDWATER OR WELL***

	STORET NUMBER	TESTING INTERVAL (MONTHS)*	LAST TEST DATE (yyyy/mm/dd)	LAST RESULT REPORTED	NEXT TEST DATE (yyyy/mm)
REGULATED SOC					
PENTACHLOROPHENOL	39032	WAIVED			
PICLORAM	39720	WAIVED			
POLYCHLORINATED BIPHENYLS, TOTAL, AS DCB	39516	WAIVED			
SIMAZINE	39055	WAIVED			
THIOBENCARB	A-001	WAIVED			
TOXAPHENE	39400	WAIVED			
REGULATED VOC					
1,1,1-TRICHLOROETHANE	34506	WAIVED			
1,1,2,2-TETRACHLOROETHANE	34516	WAIVED			
1,1,2-TRICHLORO-1,2,2-TRIFLUOROETHANE	81611	WAIVED			
1,1,2-TRICHLOROETHANE	34511	WAIVED			
1,1-DICHLOROETHANE	34496	WAIVED			
1,1-DICHLOROETHYLENE	34501	WAIVED			
1,2,4-TRICHLOROBENZENE	34551	WAIVED			
1,2-DICHLOROBENZENE	34536	WAIVED			
1,2-DICHLOROETHANE	34531	WAIVED			
1,2-DICHLOROPROPANE	34541	WAIVED			
1,3-DICHLOROPROPENE (TOTAL)	34561	WAIVED			
1,4-DICHLOROBENZENE	34571	WAIVED			
BENZENE	34030	WAIVED			
CARBON TETRACHLORIDE	32102	WAIVED			
CIS-1,2-DICHLOROETHYLENE	77093	WAIVED			
DICHLOROMETHANE	34423	WAIVED			
ETHYLBENZENE	34371	WAIVED			
METHYL-TERT-BUTYL-ETHER (MTBE)	46491	WAIVED			
MONOCHLOROBENZENE	34301	WAIVED			
STYRENE	77128	WAIVED			
TETRACHLOROETHYLENE	34475	WAIVED			
TOLUENE	34010	WAIVED			

**Testing interval is in months;*
0 = No data for this constituent and is DUE NOW
999 = Waived testing (not required)
I = Invalid (NOT) valid analyses reported

System Number: ***1900571***

System Name: ***USFS-CHILAO MAIN (A-9)***

PS Code: ***1900571-005***

Source Name: ***WELL 05***

Source Number: ***005***

Source Status: ***ACTIVE UNTREATED***

Water type: ***GROUNDWATER OR WELL***

	STORET NUMBER	TESTING INTERVAL (MONTHS)*	LAST TEST DATE (yyyy/mm/dd)	LAST RESULT REPORTED	NEXT TEST DATE (yyyy/mm)
REGULATED VOC					
TRANS-1,2-DICHLOROETHYLENE	34546	WAIVED			
TRICHLOROETHYLENE	39180	WAIVED			
TRICHLOROFLUOROMETHANE	34488	WAIVED			
VINYL CHLORIDE	39175	WAIVED			
XYLENES (TOTAL)	81551	WAIVED			
SECONDARY/GP					
AGGRSSIVE INDEX (CORROSIVITY)	82383	WAIVED			
BICARBONATE ALKALINITY	00440	WAIVED			
CALCIUM	00916	WAIVED			
CARBONATE ALKALINITY	00445	WAIVED			
CHLORIDE	00940	WAIVED			
COLOR	00081	WAIVED			
COPPER	01042	WAIVED			
FOAMING AGENTS (MBAS)	38260	WAIVED			
HARDNESS (TOTAL) AS CACO3	00900	WAIVED			
HYDROXIDE ALKALINITY	71830	WAIVED			
IRON	01045	WAIVED			
MAGNESIUM	00927	WAIVED			
MANGANESE	01055	WAIVED			
ODOR THRESHOLD @ 60 C	00086	WAIVED			
PH, LABORATORY	00403	WAIVED	2000/12/12	7.020	
SILVER	01077	WAIVED			
SODIUM	00929	WAIVED			
SPECIFIC CONDUCTANCE	00095	WAIVED			
SULFATE	00945	WAIVED			
TOTAL DISSOLVED SOLIDS	70300	WAIVED			
TURBIDITY, LABORATORY	82079	WAIVED			
ZINC	01092	WAIVED			

**Testing interval is in months;*
0 = No data for this constituent and is DUE NOW
999 = Waived testing (not required)
I = Invalid (NOT) valid analyses reported

System Number: ***1900571***

System Name: ***USFS-CHILAO MAIN (A-9)***

PS Code: ***1900571-008***

Source Name: ***WELL 08 - CHARLTON FLATS***

Source Number: ***008***

Source Status: ***ACTIVE UNTREATED***

Water type: ***GROUNDWATER OR WELL***

	STORET NUMBER	TESTING INTERVAL (MONTHS)*	LAST TEST DATE (yyyy/mm/dd)	LAST RESULT REPORTED	NEXT TEST DATE (yyyy/mm)
GENERAL NON CHAP 15					
DIAZINON	39570	WAIVED			
INORGANIC					
ALUMINUM	01105	WAIVED			
ANTIMONY	01097	WAIVED			
ARSENIC	01002	WAIVED			
ASBESTOS	81855	WAIVED			
BARIUM	01007	WAIVED			
BERYLLIUM	01012	WAIVED			
CADMIUM	01027	WAIVED			
CHROMIUM (TOTAL)	01034	WAIVED			
CYANIDE	01291	WAIVED			
FLUORIDE (F) (NATURAL-SOURCE)	00951	WAIVED			
LEAD	01051	WAIVED			
MERCURY	71900	WAIVED			
NICKEL	01067	WAIVED			
PERCHLORATE	A-031	WAIVED			
SELENIUM	01147	WAIVED			
THALLIUM	01059	WAIVED			
NITRATE/NITRITE					
NITRATE (AS NO3)	71850	WAIVED			
NITRITE (AS N)	00620	WAIVED			
RADIOLOGICAL					
GROSS ALPHA	01501	WAIVED			
GROSS BETA	03501	WAIVED			
RA-226 FOR CWS OR TOTAL RA FOR NTNC BY 903.0	A-080	WAIVED			
RA-226 OR TOTAL RA BY 903.0 C.E.	A-081	WAIVED			
RADIUM 226	09501	WAIVED			
RADIUM 228	11501	WAIVED			

**Testing interval is in months;*
0 = No data for this constituent and is DUE NOW
999 = Waived testing (not required)
I = Invalid (NOT) valid analyses reported

System Number: ***1900571***

System Name: ***USFS-CHILAO MAIN (A-9)***

PS Code: ***1900571-008***

Source Name: ***WELL 08 - CHARLTON FLATS***

Source Number: ***008***

Source Status: ***ACTIVE UNTREATED***

Water type: ***GROUNDWATER OR WELL***

	STORET NUMBER	TESTING INTERVAL (MONTHS)*	LAST TEST DATE (yyyy/mm/dd)	LAST RESULT REPORTED	NEXT TEST DATE (yyyy/mm)
RADIOLOGICAL					
RADIUM, TOTAL, MDA95-NTNC ONLY, BY 903.0	A-082	WAIVED			
STRONTIUM-90	13501	WAIVED			
TRITIUM	07000	WAIVED			
URANIUM (PCI/L)	28012	WAIVED			
REGULATED SOC					
2,3,7,8-TCDD (DIOXIN)	34676	WAIVED			
2,4,5-TP (SILVEX)	39045	WAIVED			
2,4-D	39730	WAIVED			
ALACHLOR	77825	WAIVED			
ATRAZINE	39033	WAIVED			
BENTAZON	38710	WAIVED			
BENZO (A) PYRENE	34247	WAIVED			
CARBOFURAN	81405	WAIVED			
CHLORDANE	39350	WAIVED			
DALAPON	38432	WAIVED			
DI(2-ETHYLHEXYL)ADIPATE	A-026	WAIVED			
DI(2-ETHYLHEXYL)PHTHALATE	39100	WAIVED			
DIBROMOCHLOROPROPANE (DBCP)	38761	WAIVED			
DINOSEB	81287	WAIVED			
DIQUAT	78885	WAIVED			
ENDOTHALL	38926	WAIVED			
ENDRIN	39390	WAIVED			
ETHYLENE DIBROMIDE (EDB)	77651	WAIVED			
GLYPHOSATE	79743	WAIVED			
HEPTACHLOR	39410	WAIVED			
HEPTACHLOR EPOXIDE	39420	WAIVED			
HEXACHLOROBENZENE	39700	WAIVED			
HEXACHLOROCYCLOPENTADIENE	34386	WAIVED			
LINDANE	39340	WAIVED			

**Testing interval is in months;*
0 = No data for this constituent and is DUE NOW
999 = Waived testing (not required)
I = Invalid (NOT) valid analyses reported

System Number: ***1900571***

System Name: ***USFS-CHILAO MAIN (A-9)***

PS Code: ***1900571-008***

Source Name: ***WELL 08 - CHARLTON FLATS***

Source Number: ***008***

Source Status: ***ACTIVE UNTREATED***

Water type: ***GROUNDWATER OR WELL***

	STORET NUMBER	TESTING INTERVAL (MONTHS)*	LAST TEST DATE (yyyy/mm/dd)	LAST RESULT REPORTED	NEXT TEST DATE (yyyy/mm)
REGULATED SOC					
METHOXYCHLOR	39480	WAIVED			
MOLINATE	82199	WAIVED			
OXAMYL	38865	WAIVED			
PENTACHLOROPHENOL	39032	WAIVED			
PICLORAM	39720	WAIVED			
POLYCHLORINATED BIPHENYLS, TOTAL, AS DCB	39516	WAIVED			
SIMAZINE	39055	WAIVED			
THIOBENCARB	A-001	WAIVED			
TOXAPHENE	39400	WAIVED			
REGULATED VOC					
1,1,1-TRICHLOROETHANE	34506	WAIVED			
1,1,2,2-TETRACHLOROETHANE	34516	WAIVED			
1,1,2-TRICHLORO-1,2,2-TRIFLUOROETHANE	81611	WAIVED			
1,1,2-TRICHLOROETHANE	34511	WAIVED			
1,1-DICHLOROETHANE	34496	WAIVED			
1,1-DICHLOROETHYLENE	34501	WAIVED			
1,2,4-TRICHLOROBENZENE	34551	WAIVED			
1,2-DICHLOROBENZENE	34536	WAIVED			
1,2-DICHLOROETHANE	34531	WAIVED			
1,2-DICHLOROPROPANE	34541	WAIVED			
1,3-DICHLOROPROPENE (TOTAL)	34561	WAIVED			
1,4-DICHLOROBENZENE	34571	WAIVED			
BENZENE	34030	WAIVED			
CARBON TETRACHLORIDE	32102	WAIVED			
CIS-1,2-DICHLOROETHYLENE	77093	WAIVED			
DICHLOROMETHANE	34423	WAIVED			
ETHYLBENZENE	34371	WAIVED			
METHYL-TERT-BUTYL-ETHER (MTBE)	46491	WAIVED			
MONOCHLOROBENZENE	34301	WAIVED			

**Testing interval is in months;*
0 = No data for this constituent and is DUE NOW
999 = Waived testing (not required)
I = Invalid (NOT) valid analyses reported

System Number: ***1900571***

System Name: ***USFS-CHILAO MAIN (A-9)***

PS Code: ***1900571-008***

Source Name: ***WELL 08 - CHARLTON FLATS***

Source Number: ***008***

Source Status: ***ACTIVE UNTREATED***

Water type: ***GROUNDWATER OR WELL***

	STORET NUMBER	TESTING INTERVAL (MONTHS)*	LAST TEST DATE (yyyy/mm/dd)	LAST RESULT REPORTED	NEXT TEST DATE (yyyy/mm)
REGULATED VOC					
STYRENE	77128	WAIVED			
TETRACHLOROETHYLENE	34475	WAIVED			
TOLUENE	34010	WAIVED			
TRANS-1,2-DICHLOROETHYLENE	34546	WAIVED			
TRICHLOROETHYLENE	39180	WAIVED			
TRICHLOROFLUOROMETHANE	34488	WAIVED			
VINYL CHLORIDE	39175	WAIVED			
XYLENES (TOTAL)	81551	WAIVED			
SECONDARY/GP					
AGGRSSIVE INDEX (CORROSIVITY)	82383	WAIVED			
BICARBONATE ALKALINITY	00440	WAIVED			
CALCIUM	00916	WAIVED			
CARBONATE ALKALINITY	00445	WAIVED			
CHLORIDE	00940	WAIVED			
COLOR	00081	WAIVED			
COPPER	01042	WAIVED			
FOAMING AGENTS (MBAS)	38260	WAIVED			
HARDNESS (TOTAL) AS CACO3	00900	WAIVED			
HYDROXIDE ALKALINITY	71830	WAIVED			
IRON	01045	WAIVED			
MAGNESIUM	00927	WAIVED			
MANGANESE	01055	WAIVED			
ODOR THRESHOLD @ 60 C	00086	WAIVED			
PH, LABORATORY	00403	WAIVED			
SILVER	01077	WAIVED			
SODIUM	00929	WAIVED			
SPECIFIC CONDUCTANCE	00095	WAIVED			
SULFATE	00945	WAIVED			
TOTAL DISSOLVED SOLIDS	70300	WAIVED			

**Testing interval is in months;*
0 = No data for this constituent and is DUE NOW
999 = Waived testing (not required)
I = Invalid (NOT) valid analyses reported

System Number: ***1900571***

System Name: ***USFS-CHILAO MAIN (A-9)***

PS Code: ***1900571-008***

Source Name: ***WELL 08 - CHARLTON FLATS***

Source Number: ***008***

Source Status: ***ACTIVE UNTREATED***

Water type: ***GROUNDWATER OR WELL***

SECONDARY/GP	STORET NUMBER	TESTING INTERVAL (MONTHS)*	LAST TEST DATE (yyyy/mm/dd)	LAST RESULT REPORTED	NEXT TEST DATE (yyyy/mm)
TURBIDITY, LABORATORY	82079	WAIVED			
ZINC	01092	WAIVED			

**Testing interval is in months;*
0 = No data for this constituent and is DUE NOW
999 = Waived testing (not required)
I = Invalid (NOT) valid analyses reported

System Number: ***1900576***

System Name: ***USFS-MONTE CRISTO CAMP T-4***

PS Code: ***1900576-001***

Source Name: ***WELL 01***

Source Number: ***001***

Source Status: ***ACTIVE UNTREATED***

Water type: ***GROUNDWATER OR WELL***

	STORET NUMBER	TESTING INTERVAL (MONTHS)*	LAST TEST DATE (yyyy/mm/dd)	LAST RESULT REPORTED	NEXT TEST DATE (yyyy/mm)
GENERAL NON CHAP 15					
DIAZINON	39570	WAIVED			
INORGANIC					
ALUMINUM	01105	WAIVED	2000/02/29	.000	
ANTIMONY	01097	WAIVED	2000/02/29	.000	
ARSENIC	01002	WAIVED	2000/02/29	.000	
ASBESTOS	81855	WAIVED			
BARIUM	01007	WAIVED	2000/02/29	131.000	
BERYLLIUM	01012	WAIVED			
CADMIUM	01027	WAIVED	2000/02/29	.000	
CHROMIUM (TOTAL)	01034	WAIVED	2000/02/29	.000	
CYANIDE	01291	WAIVED			
FLUORIDE (F) (NATURAL-SOURCE)	00951	WAIVED	2000/02/29	.000	
LEAD	01051	WAIVED	2000/02/29	.000	
MERCURY	71900	WAIVED	2000/02/29	.000	
NICKEL	01067	WAIVED	2000/02/29	.000	
PERCHLORATE	A-031	WAIVED			
SELENIUM	01147	WAIVED	2000/02/29	.000	
THALLIUM	01059	WAIVED			
NITRATE/NITRITE					
NITRATE (AS NO3)	71850	WAIVED	2011/10/04	< 2.000	
NITRITE (AS N)	00620	WAIVED			
RADIOLOGICAL					
GROSS ALPHA	01501	WAIVED			
GROSS BETA	03501	WAIVED			
RA-226 FOR CWS OR TOTAL RA FOR NTNC BY 903.0	A-080	WAIVED			
RA-226 OR TOTAL RA BY 903.0 C.E.	A-081	WAIVED			
RADIUM 226	09501	WAIVED			
RADIUM 228	11501	WAIVED			

**Testing interval is in months;*
0 = No data for this constituent and is DUE NOW
999 = Waived testing (not required)
I = Invalid (NOT) valid analyses reported

System Number: ***1900576***

System Name: ***USFS-MONTE CRISTO CAMP T-4***

PS Code: ***1900576-001***

Source Name: ***WELL 01***

Source Number: ***001***

Source Status: ***ACTIVE UNTREATED***

Water type: ***GROUNDWATER OR WELL***

	STORET NUMBER	TESTING INTERVAL (MONTHS)*	LAST TEST DATE (yyyy/mm/dd)	LAST RESULT REPORTED	NEXT TEST DATE (yyyy/mm)
RADIOLOGICAL					
RADIUM, TOTAL, MDA95-NTNC ONLY, BY 903.0	A-082	WAIVED			
STRONTIUM-90	13501	WAIVED			
TRITIUM	07000	WAIVED			
URANIUM (PCI/L)	28012	WAIVED			
REGULATED SOC					
2,3,7,8-TCDD (DIOXIN)	34676	WAIVED			
2,4,5-TP (SILVEX)	39045	WAIVED			
2,4-D	39730	WAIVED			
ALACHLOR	77825	WAIVED			
ATRAZINE	39033	WAIVED			
BENTAZON	38710	WAIVED			
BENZO (A) PYRENE	34247	WAIVED			
CARBOFURAN	81405	WAIVED			
CHLORDANE	39350	WAIVED			
DALAPON	38432	WAIVED			
DI(2-ETHYLHEXYL)ADIPATE	A-026	WAIVED			
DI(2-ETHYLHEXYL)PHTHALATE	39100	WAIVED			
DIBROMOCHLOROPROPANE (DBCP)	38761	WAIVED			
DINOSEB	81287	WAIVED			
DIQUAT	78885	WAIVED			
ENDOTHALL	38926	WAIVED			
ENDRIN	39390	WAIVED			
ETHYLENE DIBROMIDE (EDB)	77651	WAIVED			
GLYPHOSATE	79743	WAIVED			
HEPTACHLOR	39410	WAIVED			
HEPTACHLOR EPOXIDE	39420	WAIVED			
HEXACHLOROBENZENE	39700	WAIVED			
HEXACHLOROCYCLOPENTADIENE	34386	WAIVED			
LINDANE	39340	WAIVED			

**Testing interval is in months;*
0 = No data for this constituent and is DUE NOW
999 = Waived testing (not required)
I = Invalid (NOT) valid analyses reported

System Number: ***1900576***

System Name: ***USFS-MONTE CRISTO CAMP T-4***

PS Code: ***1900576-001***

Source Name: ***WELL 01***

Source Number: ***001***

Source Status: ***ACTIVE UNTREATED***

Water type: ***GROUNDWATER OR WELL***

	STORET NUMBER	TESTING INTERVAL (MONTHS)*	LAST TEST DATE (yyyy/mm/dd)	LAST RESULT REPORTED	NEXT TEST DATE (yyyy/mm)
REGULATED SOC					
METHOXYCHLOR	39480	WAIVED			
MOLINATE	82199	WAIVED			
OXAMYL	38865	WAIVED			
PENTACHLOROPHENOL	39032	WAIVED			
PICLORAM	39720	WAIVED			
POLYCHLORINATED BIPHENYLS, TOTAL, AS DCB	39516	WAIVED			
SIMAZINE	39055	WAIVED			
THIOBENCARB	A-001	WAIVED			
TOXAPHENE	39400	WAIVED			
REGULATED VOC					
1,1,1-TRICHLOROETHANE	34506	WAIVED			
1,1,2,2-TETRACHLOROETHANE	34516	WAIVED			
1,1,2-TRICHLORO-1,2,2-TRIFLUOROETHANE	81611	WAIVED			
1,1,2-TRICHLOROETHANE	34511	WAIVED			
1,1-DICHLOROETHANE	34496	WAIVED			
1,1-DICHLOROETHYLENE	34501	WAIVED			
1,2,4-TRICHLOROBENZENE	34551	WAIVED			
1,2-DICHLOROBENZENE	34536	WAIVED			
1,2-DICHLOROETHANE	34531	WAIVED			
1,2-DICHLOROPROPANE	34541	WAIVED			
1,3-DICHLOROPROPENE (TOTAL)	34561	WAIVED			
1,4-DICHLOROBENZENE	34571	WAIVED			
BENZENE	34030	WAIVED			
CARBON TETRACHLORIDE	32102	WAIVED			
CIS-1,2-DICHLOROETHYLENE	77093	WAIVED			
DICHLOROMETHANE	34423	WAIVED			
ETHYLBENZENE	34371	WAIVED			
METHYL-TERT-BUTYL-ETHER (MTBE)	46491	WAIVED			
MONOCHLOROBENZENE	34301	WAIVED			

**Testing interval is in months;*
0 = No data for this constituent and is DUE NOW
999 = Waived testing (not required)
I = Invalid (NOT) valid analyses reported

System Number: ***1900576***

System Name: ***USFS-MONTE CRISTO CAMP T-4***

PS Code: ***1900576-001***

Source Name: ***WELL 01***

Source Number: ***001***

Source Status: ***ACTIVE UNTREATED***

Water type: ***GROUNDWATER OR WELL***

	STORET NUMBER	TESTING INTERVAL (MONTHS)*	LAST TEST DATE (yyyy/mm/dd)	LAST RESULT REPORTED	NEXT TEST DATE (yyyy/mm)
REGULATED VOC					
STYRENE	77128	WAIVED			
TETRACHLOROETHYLENE	34475	WAIVED			
TOLUENE	34010	WAIVED			
TRANS-1,2-DICHLOROETHYLENE	34546	WAIVED			
TRICHLOROETHYLENE	39180	WAIVED			
TRICHLOROFLUOROMETHANE	34488	WAIVED			
VINYL CHLORIDE	39175	WAIVED			
XYLENES (TOTAL)	81551	WAIVED			
SECONDARY/GP					
AGGRSSIVE INDEX (CORROSIVITY)	82383	WAIVED			
BICARBONATE ALKALINITY	00440	WAIVED	2000/02/29	190.000	
CALCIUM	00916	WAIVED	2000/02/29	48.000	
CARBONATE ALKALINITY	00445	WAIVED	2000/02/29	.000	
CHLORIDE	00940	WAIVED	2000/02/29	22.000	
COLOR	00081	WAIVED	2000/02/29	.000	
COPPER	01042	WAIVED	2000/02/29	.000	
FOAMING AGENTS (MBAS)	38260	WAIVED	2000/02/29	.000	
HARDNESS (TOTAL) AS CACO3	00900	WAIVED	2000/02/29	170.000	
HYDROXIDE ALKALINITY	71830	WAIVED	2000/02/29	.000	
IRON	01045	WAIVED	2000/02/29	.000	
MAGNESIUM	00927	WAIVED	2000/02/29	12.000	
MANGANESE	01055	WAIVED	2000/02/29	.000	
ODOR THRESHOLD @ 60 C	00086	WAIVED	2000/02/29	.000	
PH, LABORATORY	00403	WAIVED	2000/02/29	8.000	
SILVER	01077	WAIVED	2000/02/29	.000	
SODIUM	00929	WAIVED	2000/02/29	25.000	
SPECIFIC CONDUCTANCE	00095	WAIVED	2000/02/29	445.000	
SULFATE	00945	WAIVED	2000/02/29	32.000	
TOTAL DISSOLVED SOLIDS	70300	WAIVED	2000/02/29	262.000	

**Testing interval is in months;*
0 = No data for this constituent and is DUE NOW
999 = Waived testing (not required)
I = Invalid (NOT) valid analyses reported

System Number: ***1900576***

System Name: ***USFS-MONTE CRISTO CAMP T-4***

PS Code: ***1900576-001***

Source Name: ***WELL 01***

Source Number: ***001***

Source Status: ***ACTIVE UNTREATED***

Water type: ***GROUNDWATER OR WELL***

SECONDARY/GP

	STORET NUMBER	TESTING INTERVAL (MONTHS)*	LAST TEST DATE (yyyy/mm/dd)	LAST RESULT REPORTED	NEXT TEST DATE (yyyy/mm)
TURBIDITY, LABORATORY	82079	WAIVED	2000/02/29	.000	
ZINC	01092	WAIVED	2000/02/29	.000	

**Testing interval is in months;*
0 = No data for this constituent and is DUE NOW
999 = Waived testing (not required)
I = Invalid (NOT) valid analyses reported

System Number: ***1900581***

System Name: ***MT HIGH EAST SKI AREA***

PS Code: ***1900581-001***

Source Name: ***WELL 01***

Source Number: ***001***

Source Status: ***ACTIVE UNTREATED***

Water type: ***GROUNDWATER OR WELL***

	STORET NUMBER	TESTING INTERVAL (MONTHS)*	LAST TEST DATE (yyyy/mm/dd)	LAST RESULT REPORTED	NEXT TEST DATE (yyyy/mm)
GENERAL NON CHAP 15					
DIAZINON	39570	WAIVED			
INORGANIC					
ALUMINUM	01105	WAIVED	2001/12/13	.000	
ANTIMONY	01097	WAIVED	2001/12/13	.000	
ARSENIC	01002	WAIVED	2001/12/13	.000	
ASBESTOS	81855	WAIVED			
BARIUM	01007	WAIVED	2001/12/13	.000	
BERYLLIUM	01012	WAIVED			
CADMIUM	01027	WAIVED	2001/12/13	.000	
CHROMIUM (TOTAL)	01034	WAIVED	2001/12/13	16.200	
CYANIDE	01291	WAIVED			
FLUORIDE (F) (NATURAL-SOURCE)	00951	WAIVED	2001/12/13	.150	
LEAD	01051	WAIVED	2001/12/13	.000	
MERCURY	71900	WAIVED	2001/12/13	.000	
NICKEL	01067	WAIVED	2001/12/13	.000	
PERCHLORATE	A-031	WAIVED			
SELENIUM	01147	WAIVED	2001/12/13	.000	
THALLIUM	01059	WAIVED			
NITRATE/NITRITE					
NITRATE (AS NO3)	71850	WAIVED	2007/11/28	2.100	
NITRITE (AS N)	00620	WAIVED			
RADIOLOGICAL					
GROSS ALPHA	01501	WAIVED			
GROSS BETA	03501	WAIVED			
RA-226 FOR CWS OR TOTAL RA FOR NTNC BY 903.0	A-080	WAIVED			
RA-226 OR TOTAL RA BY 903.0 C.E.	A-081	WAIVED			
RADIUM 226	09501	WAIVED			
RADIUM 228	11501	WAIVED			

**Testing interval is in months;*
0 = No data for this constituent and is DUE NOW
999 = Waived testing (not required)
I = Invalid (NOT) valid analyses reported

System Number: ***1900581***

System Name: ***MT HIGH EAST SKI AREA***

PS Code: ***1900581-001***

Source Name: ***WELL 01***

Source Number: ***001***

Source Status: ***ACTIVE UNTREATED***

Water type: ***GROUNDWATER OR WELL***

	STORET NUMBER	TESTING INTERVAL (MONTHS)*	LAST TEST DATE (yyyy/mm/dd)	LAST RESULT REPORTED	NEXT TEST DATE (yyyy/mm)
RADIOLOGICAL					
RADIUM, TOTAL, MDA95-NTNC ONLY, BY 903.0	A-082	WAIVED			
STRONTIUM-90	13501	WAIVED			
TRITIUM	07000	WAIVED			
URANIUM (PCI/L)	28012	WAIVED			
REGULATED SOC					
2,3,7,8-TCDD (DIOXIN)	34676	WAIVED			
2,4,5-TP (SILVEX)	39045	WAIVED			
2,4-D	39730	WAIVED			
ALACHLOR	77825	WAIVED			
ATRAZINE	39033	WAIVED			
BENTAZON	38710	WAIVED			
BENZO (A) PYRENE	34247	WAIVED			
CARBOFURAN	81405	WAIVED			
CHLORDANE	39350	WAIVED			
DALAPON	38432	WAIVED			
DI(2-ETHYLHEXYL)ADIPATE	A-026	WAIVED			
DI(2-ETHYLHEXYL)PHTHALATE	39100	WAIVED			
DIBROMOCHLOROPROPANE (DBCP)	38761	WAIVED			
DINOSEB	81287	WAIVED			
DIQUAT	78885	WAIVED			
ENDOTHALL	38926	WAIVED			
ENDRIN	39390	WAIVED			
ETHYLENE DIBROMIDE (EDB)	77651	WAIVED			
GLYPHOSATE	79743	WAIVED			
HEPTACHLOR	39410	WAIVED			
HEPTACHLOR EPOXIDE	39420	WAIVED			
HEXACHLOROBENZENE	39700	WAIVED			
HEXACHLOROCYCLOPENTADIENE	34386	WAIVED			
LINDANE	39340	WAIVED			

**Testing interval is in months;*
0 = No data for this constituent and is DUE NOW
999 = Waived testing (not required)
I = Invalid (NOT) valid analyses reported

System Number: ***1900581***

System Name: ***MT HIGH EAST SKI AREA***

PS Code: ***1900581-001***

Source Name: ***WELL 01***

Source Number: ***001***

Source Status: ***ACTIVE UNTREATED***

Water type: ***GROUNDWATER OR WELL***

	STORET NUMBER	TESTING INTERVAL (MONTHS)*	LAST TEST DATE (yyyy/mm/dd)	LAST RESULT REPORTED	NEXT TEST DATE (yyyy/mm)
REGULATED SOC					
METHOXYCHLOR	39480	WAIVED			
MOLINATE	82199	WAIVED			
OXAMYL	38865	WAIVED			
PENTACHLOROPHENOL	39032	WAIVED			
PICLORAM	39720	WAIVED			
POLYCHLORINATED BIPHENYLS, TOTAL, AS DCB	39516	WAIVED			
SIMAZINE	39055	WAIVED			
THIOBENCARB	A-001	WAIVED	2001/12/13	.000	
TOXAPHENE	39400	WAIVED			
REGULATED VOC					
1,1,1-TRICHLOROETHANE	34506	WAIVED			
1,1,2,2-TETRACHLOROETHANE	34516	WAIVED			
1,1,2-TRICHLORO-1,2,2-TRIFLUOROETHANE	81611	WAIVED			
1,1,2-TRICHLOROETHANE	34511	WAIVED			
1,1-DICHLOROETHANE	34496	WAIVED			
1,1-DICHLOROETHYLENE	34501	WAIVED			
1,2,4-TRICHLOROBENZENE	34551	WAIVED			
1,2-DICHLOROBENZENE	34536	WAIVED			
1,2-DICHLOROETHANE	34531	WAIVED			
1,2-DICHLOROPROPANE	34541	WAIVED			
1,3-DICHLOROPROPENE (TOTAL)	34561	WAIVED			
1,4-DICHLOROBENZENE	34571	WAIVED			
BENZENE	34030	WAIVED			
CARBON TETRACHLORIDE	32102	WAIVED			
CIS-1,2-DICHLOROETHYLENE	77093	WAIVED			
DICHLOROMETHANE	34423	WAIVED			
ETHYLBENZENE	34371	WAIVED			
METHYL-TERT-BUTYL-ETHER (MTBE)	46491	WAIVED			
MONOCHLOROBENZENE	34301	WAIVED			

**Testing interval is in months;*
0 = No data for this constituent and is DUE NOW
999 = Waived testing (not required)
I = Invalid (NOT) valid analyses reported

System Number: ***1900581***

System Name: ***MT HIGH EAST SKI AREA***

PS Code: ***1900581-001***

Source Name: ***WELL 01***

Source Number: ***001***

Source Status: ***ACTIVE UNTREATED***

Water type: ***GROUNDWATER OR WELL***

	STORET NUMBER	TESTING INTERVAL (MONTHS)*	LAST TEST DATE (yyyy/mm/dd)	LAST RESULT REPORTED	NEXT TEST DATE (yyyy/mm)
REGULATED VOC					
STYRENE	77128	WAIVED			
TETRACHLOROETHYLENE	34475	WAIVED			
TOLUENE	34010	WAIVED			
TRANS-1,2-DICHLOROETHYLENE	34546	WAIVED			
TRICHLOROETHYLENE	39180	WAIVED			
TRICHLOROFLUOROMETHANE	34488	WAIVED			
VINYL CHLORIDE	39175	WAIVED			
XYLENES (TOTAL)	81551	WAIVED			
SECONDARY/GP					
AGGRSSIVE INDEX (CORROSIVITY)	82383	WAIVED			
BICARBONATE ALKALINITY	00440	WAIVED	2001/12/13	310.000	
CALCIUM	00916	WAIVED	2001/12/13	75.400	
CARBONATE ALKALINITY	00445	WAIVED	2001/12/13	.000	
CHLORIDE	00940	WAIVED	2001/12/13	11.800	
COLOR	00081	WAIVED	2001/12/13	.000	
COPPER	01042	WAIVED	2001/12/13	.000	
FOAMING AGENTS (MBAS)	38260	WAIVED	2001/12/13	.000	
HARDNESS (TOTAL) AS CACO3	00900	WAIVED	2001/12/13	270.000	
HYDROXIDE ALKALINITY	71830	WAIVED	2001/12/13	.000	
IRON	01045	WAIVED	2001/12/13	.000	
MAGNESIUM	00927	WAIVED	2001/12/13	19.900	
MANGANESE	01055	WAIVED	2001/12/13	.000	
ODOR THRESHOLD @ 60 C	00086	WAIVED	2001/12/13	.000	
PH, LABORATORY	00403	WAIVED	2001/12/13	7.810	
SILVER	01077	WAIVED	2001/12/13	.000	
SODIUM	00929	WAIVED	2001/12/13	10.000	
SPECIFIC CONDUCTANCE	00095	WAIVED	2001/12/13	525.000	
SULFATE	00945	WAIVED	2001/12/13	10.200	
TOTAL DISSOLVED SOLIDS	70300	WAIVED	2001/12/13	320.000	

**Testing interval is in months;*
0 = No data for this constituent and is DUE NOW
999 = Waived testing (not required)
I = Invalid (NOT) valid analyses reported

System Number: ***1900581***

System Name: ***MT HIGH EAST SKI AREA***

PS Code: ***1900581-001***

Source Name: ***WELL 01***

Source Number: ***001***

Source Status: ***ACTIVE UNTREATED***

Water type: ***GROUNDWATER OR WELL***

	STORET NUMBER	TESTING INTERVAL (MONTHS)*	LAST TEST DATE (yyyy/mm/dd)	LAST RESULT REPORTED	NEXT TEST DATE (yyyy/mm)
SECONDARY/GP					
TURBIDITY, LABORATORY	82079	WAIVED			
ZINC	01092	WAIVED	2001/12/13	.000	

PS Code: ***1900581-002***

Source Name: ***WELL 02***

Source Number: ***002***

Source Status: ***ACTIVE UNTREATED***

Water type: ***GROUNDWATER OR WELL***

	STORET NUMBER	TESTING INTERVAL (MONTHS)*	LAST TEST DATE (yyyy/mm/dd)	LAST RESULT REPORTED	NEXT TEST DATE (yyyy/mm)
GENERAL NON CHAP 15					
DIAZINON	39570	WAIVED			
INORGANIC					
ALUMINUM	01105	WAIVED	2002/07/31	.000	
ANTIMONY	01097	WAIVED	2002/07/31	.000	
ARSENIC	01002	WAIVED	2002/07/31	.000	
ASBESTOS	81855	WAIVED			
BARIUM	01007	WAIVED	2002/07/31	.000	
BERYLLIUM	01012	WAIVED			
CADMIUM	01027	WAIVED	2002/07/31	.000	
CHROMIUM (TOTAL)	01034	WAIVED	2002/07/31	.000	
CYANIDE	01291	WAIVED			
FLUORIDE (F) (NATURAL-SOURCE)	00951	WAIVED	2002/07/31	.220	
LEAD	01051	WAIVED	2002/07/31	.000	
MERCURY	71900	WAIVED	2002/07/31	.000	
NICKEL	01067	WAIVED	2002/07/31	.000	
PERCHLORATE	A-031	WAIVED			
SELENIUM	01147	WAIVED	2002/07/31	.000	
THALLIUM	01059	WAIVED			

**Testing interval is in months;*
0 = No data for this constituent and is DUE NOW
999 = Waived testing (not required)
I = Invalid (NOT) valid analyses reported

System Number: ***1900581***

System Name: ***MT HIGH EAST SKI AREA***

PS Code: ***1900581-002***

Source Name: ***WELL 02***

Source Number: ***002***

Source Status: ***ACTIVE UNTREATED***

Water type: ***GROUNDWATER OR WELL***

	STORET NUMBER	TESTING INTERVAL (MONTHS)*	LAST TEST DATE (yyyy/mm/dd)	LAST RESULT REPORTED	NEXT TEST DATE (yyyy/mm)
NITRATE/NITRITE					
NITRATE (AS NO3)	71850	WAIVED	2007/11/28	2.500	
NITRITE (AS N)	00620	WAIVED			
RADIOLOGICAL					
GROSS ALPHA	01501	WAIVED			
GROSS BETA	03501	WAIVED			
RA-226 FOR CWS OR TOTAL RA FOR NTNC BY 903.0	A-080	WAIVED			
RA-226 OR TOTAL RA BY 903.0 C.E.	A-081	WAIVED			
RADIUM 226	09501	WAIVED			
RADIUM 228	11501	WAIVED			
RADIUM, TOTAL, MDA95-NTNC ONLY, BY 903.0	A-082	WAIVED			
STRONTIUM-90	13501	WAIVED			
TRITIUM	07000	WAIVED			
URANIUM (PCI/L)	28012	WAIVED			
REGULATED SOC					
2,3,7,8-TCDD (DIOXIN)	34676	WAIVED			
2,4,5-TP (SILVEX)	39045	WAIVED			
2,4-D	39730	WAIVED			
ALACHLOR	77825	WAIVED			
ATRAZINE	39033	WAIVED			
BENTAZON	38710	WAIVED			
BENZO (A) PYRENE	34247	WAIVED			
CARBOFURAN	81405	WAIVED			
CHLORDANE	39350	WAIVED			
DALAPON	38432	WAIVED			
DI(2-ETHYLHEXYL)ADIPATE	A-026	WAIVED			
DI(2-ETHYLHEXYL)PHTHALATE	39100	WAIVED			
DIBROMOCHLOROPROPANE (DBCP)	38761	WAIVED			
DINOSEB	81287	WAIVED			
DIQUAT	78885	WAIVED			

**Testing interval is in months;*
0 = No data for this constituent and is DUE NOW
999 = Waived testing (not required)
I = Invalid (NOT) valid analyses reported

System Number: ***1900581***

System Name: ***MT HIGH EAST SKI AREA***

PS Code: ***1900581-002***

Source Name: ***WELL 02***

Source Number: ***002***

Source Status: ***ACTIVE UNTREATED***

Water type: ***GROUNDWATER OR WELL***

	STORET NUMBER	TESTING INTERVAL (MONTHS)*	LAST TEST DATE (yyyy/mm/dd)	LAST RESULT REPORTED	NEXT TEST DATE (yyyy/mm)
REGULATED SOC					
ENDOTHALL	38926	WAIVED			
ENDRIN	39390	WAIVED			
ETHYLENE DIBROMIDE (EDB)	77651	WAIVED			
GLYPHOSATE	79743	WAIVED			
HEPTACHLOR	39410	WAIVED			
HEPTACHLOR EPOXIDE	39420	WAIVED			
HEXACHLOROBENZENE	39700	WAIVED			
HEXACHLOROCYCLOPENTADIENE	34386	WAIVED			
LINDANE	39340	WAIVED			
METHOXYCHLOR	39480	WAIVED			
MOLINATE	82199	WAIVED			
OXAMYL	38865	WAIVED			
PENTACHLOROPHENOL	39032	WAIVED			
PICLORAM	39720	WAIVED			
POLYCHLORINATED BIPHENYLS, TOTAL, AS DCB	39516	WAIVED			
SIMAZINE	39055	WAIVED			
THIOBENCARB	A-001	WAIVED	2002/07/31	.000	
TOXAPHENE	39400	WAIVED			
REGULATED VOC					
1,1,1-TRICHLOROETHANE	34506	WAIVED			
1,1,2,2-TETRACHLOROETHANE	34516	WAIVED			
1,1,2-TRICHLORO-1,2,2-TRIFLUOROETHANE	81611	WAIVED			
1,1,2-TRICHLOROETHANE	34511	WAIVED			
1,1-DICHLOROETHANE	34496	WAIVED			
1,1-DICHLOROETHYLENE	34501	WAIVED			
1,2,4-TRICHLOROBENZENE	34551	WAIVED			
1,2-DICHLOROBENZENE	34536	WAIVED			
1,2-DICHLOROETHANE	34531	WAIVED			
1,2-DICHLOROPROPANE	34541	WAIVED			

**Testing interval is in months;*
0 = No data for this constituent and is DUE NOW
999 = Waived testing (not required)
I = Invalid (NOT) valid analyses reported

System Number: ***1900581***

System Name: ***MT HIGH EAST SKI AREA***

PS Code: ***1900581-002***

Source Name: ***WELL 02***

Source Number: ***002***

Source Status: ***ACTIVE UNTREATED***

Water type: ***GROUNDWATER OR WELL***

	STORET NUMBER	TESTING INTERVAL (MONTHS)*	LAST TEST DATE (yyyy/mm/dd)	LAST RESULT REPORTED	NEXT TEST DATE (yyyy/mm)
REGULATED VOC					
1,3-DICHLOROPROPENE (TOTAL)	34561	WAIVED			
1,4-DICHLOROBENZENE	34571	WAIVED			
BENZENE	34030	WAIVED			
CARBON TETRACHLORIDE	32102	WAIVED			
CIS-1,2-DICHLOROETHYLENE	77093	WAIVED			
DICHLOROMETHANE	34423	WAIVED			
ETHYLBENZENE	34371	WAIVED			
METHYL-TERT-BUTYL-ETHER (MTBE)	46491	WAIVED			
MONOCHLOROBENZENE	34301	WAIVED			
STYRENE	77128	WAIVED			
TETRACHLOROETHYLENE	34475	WAIVED			
TOLUENE	34010	WAIVED			
TRANS-1,2-DICHLOROETHYLENE	34546	WAIVED			
TRICHLOROETHYLENE	39180	WAIVED			
TRICHLOROFLUOROMETHANE	34488	WAIVED			
VINYL CHLORIDE	39175	WAIVED			
XYLENES (TOTAL)	81551	WAIVED			
SECONDARY/GP					
AGGRSSIVE INDEX (CORROSIVITY)	82383	WAIVED			
BICARBONATE ALKALINITY	00440	WAIVED	2002/07/31	338.000	
CALCIUM	00916	WAIVED	2002/07/31	88.200	
CARBONATE ALKALINITY	00445	WAIVED	2002/07/31	.000	
CHLORIDE	00940	WAIVED	2002/07/31	17.400	
COLOR	00081	WAIVED	2002/07/31	.000	
COPPER	01042	WAIVED	2002/07/31	.000	
FOAMING AGENTS (MBAS)	38260	WAIVED	2002/07/31	.000	
HARDNESS (TOTAL) AS CACO3	00900	WAIVED	2002/07/31	320.000	
HYDROXIDE ALKALINITY	71830	WAIVED	2002/07/31	.000	
IRON	01045	WAIVED	2002/07/31	.000	

**Testing interval is in months;*
0 = No data for this constituent and is DUE NOW
999 = Waived testing (not required)
I = Invalid (NOT) valid analyses reported

System Number: ***1900581***

System Name: ***MT HIGH EAST SKI AREA***

PS Code: ***1900581-002***

Source Name: ***WELL 02***

Source Number: ***002***

Source Status: ***ACTIVE UNTREATED***

Water type: ***GROUNDWATER OR WELL***

	STORET NUMBER	TESTING INTERVAL (MONTHS)*	LAST TEST DATE (yyyy/mm/dd)	LAST RESULT REPORTED	NEXT TEST DATE (yyyy/mm)
SECONDARY/GP					
MAGNESIUM	00927	WAIVED	2002/07/31	24.300	
MANGANESE	01055	WAIVED	2002/07/31	.000	
ODOR THRESHOLD @ 60 C	00086	WAIVED	2002/07/31	.000	
PH, LABORATORY	00403	WAIVED	2002/07/31	7.770	
SILVER	01077	WAIVED	2002/07/31	.000	
SODIUM	00929	WAIVED	2002/07/31	14.900	
SPECIFIC CONDUCTANCE	00095	WAIVED	2002/07/31	617.000	
SULFATE	00945	WAIVED	2002/07/31	32.500	
TOTAL DISSOLVED SOLIDS	70300	WAIVED	2002/07/31	372.000	
TURBIDITY, LABORATORY	82079	WAIVED	2002/07/31	.410	
ZINC	01092	WAIVED	2002/07/31	52.300	

PS Code: ***1900581-003***

Source Name: ***WELL 03***

Source Number: ***003***

Source Status: ***ACTIVE UNTREATED***

Water type: ***GROUNDWATER OR WELL***

GENERAL NON CHAP 15					
DIAZINON	39570	WAIVED			
INORGANIC					
ALUMINUM	01105	WAIVED	2001/12/13	.000	
ANTIMONY	01097	WAIVED	2001/12/13	.000	
ARSENIC	01002	WAIVED	2001/12/13	.000	
ASBESTOS	81855	WAIVED			
BARIUM	01007	WAIVED	2001/12/13	.000	
BERYLLIUM	01012	WAIVED			
CADMIUM	01027	WAIVED	2001/12/13	.000	
CHROMIUM (TOTAL)	01034	WAIVED	2001/12/13	25.400	
CYANIDE	01291	WAIVED			

**Testing interval is in months;*
0 = No data for this constituent and is DUE NOW
999 = Waived testing (not required)
I = Invalid (NOT) valid analyses reported

System Number: ***1900581***

System Name: ***MT HIGH EAST SKI AREA***

PS Code: ***1900581-003***

Source Name: ***WELL 03***

Source Number: ***003***

Source Status: ***ACTIVE UNTREATED***

Water type: ***GROUNDWATER OR WELL***

	STORET NUMBER	TESTING INTERVAL (MONTHS)*	LAST TEST DATE (yyyy/mm/dd)	LAST RESULT REPORTED	NEXT TEST DATE (yyyy/mm)
INORGANIC					
FLUORIDE (F) (NATURAL-SOURCE)	00951	WAIVED	2001/12/13	.000	
LEAD	01051	WAIVED	2001/12/13	.000	
MERCURY	71900	WAIVED	2001/12/13	.000	
NICKEL	01067	WAIVED	2001/12/13	.000	
PERCHLORATE	A-031	WAIVED			
SELENIUM	01147	WAIVED	2001/12/13	.000	
THALLIUM	01059	WAIVED			
NITRATE/NITRITE					
NITRATE (AS NO3)	71850	WAIVED	2007/11/28	2.700	
NITRITE (AS N)	00620	WAIVED			
RADIOLOGICAL					
GROSS ALPHA	01501	WAIVED			
GROSS BETA	03501	WAIVED			
RA-226 FOR CWS OR TOTAL RA FOR NTNC BY 903.0	A-080	WAIVED			
RA-226 OR TOTAL RA BY 903.0 C.E.	A-081	WAIVED			
RADIUM 226	09501	WAIVED			
RADIUM 228	11501	WAIVED			
RADIUM, TOTAL, MDA95-NTNC ONLY, BY 903.0	A-082	WAIVED			
STRONTIUM-90	13501	WAIVED			
TRITIUM	07000	WAIVED			
URANIUM (PCI/L)	28012	WAIVED			
REGULATED SOC					
2,3,7,8-TCDD (DIOXIN)	34676	WAIVED			
2,4,5-TP (SILVEX)	39045	WAIVED			
2,4-D	39730	WAIVED			
ALACHLOR	77825	WAIVED			
ATRAZINE	39033	WAIVED			
BENTAZON	38710	WAIVED			

**Testing interval is in months;*
0 = No data for this constituent and is DUE NOW
999 = Waived testing (not required)
I = Invalid (NOT) valid analyses reported

System Number: ***1900581***

System Name: ***MT HIGH EAST SKI AREA***

PS Code: ***1900581-003***

Source Name: ***WELL 03***

Source Number: ***003***

Source Status: ***ACTIVE UNTREATED***

Water type: ***GROUNDWATER OR WELL***

	STORET NUMBER	TESTING INTERVAL (MONTHS)*	LAST TEST DATE (yyyy/mm/dd)	LAST RESULT REPORTED	NEXT TEST DATE (yyyy/mm)
REGULATED SOC					
BENZO (A) PYRENE	34247	WAIVED			
CARBOFURAN	81405	WAIVED			
CHLORDANE	39350	WAIVED			
DALAPON	38432	WAIVED			
DI(2-ETHYLHEXYL)ADIPATE	A-026	WAIVED			
DI(2-ETHYLHEXYL)PHTHALATE	39100	WAIVED			
DIBROMOCHLOROPROPANE (DBCP)	38761	WAIVED			
DINOSEB	81287	WAIVED			
DIQUAT	78885	WAIVED			
ENDOTHALL	38926	WAIVED			
ENDRIN	39390	WAIVED			
ETHYLENE DIBROMIDE (EDB)	77651	WAIVED			
GLYPHOSATE	79743	WAIVED			
HEPTACHLOR	39410	WAIVED			
HEPTACHLOR EPOXIDE	39420	WAIVED			
HEXACHLOROBENZENE	39700	WAIVED			
HEXACHLOROCYCLOPENTADIENE	34386	WAIVED			
LINDANE	39340	WAIVED			
METHOXYCHLOR	39480	WAIVED			
MOLINATE	82199	WAIVED			
OXAMYL	38865	WAIVED			
PENTACHLOROPHENOL	39032	WAIVED			
PICLORAM	39720	WAIVED			
POLYCHLORINATED BIPHENYLS, TOTAL, AS DCB	39516	WAIVED			
SIMAZINE	39055	WAIVED			
THIOBENCARB	A-001	WAIVED	2001/12/13	.000	
TOXAPHENE	39400	WAIVED			
REGULATED VOC					
1,1,1-TRICHLOROETHANE	34506	WAIVED			

**Testing interval is in months;*
0 = No data for this constituent and is DUE NOW
999 = Waived testing (not required)
I = Invalid (NOT) valid analyses reported

System Number: 1900581

System Name: MT HIGH EAST SKI AREA

PS Code: 1900581-003

Source Name: WELL 03

Source Number: 003

Source Status: ACTIVE UNTREATED

Water type: GROUNDWATER OR WELL

	STORET NUMBER	TESTING INTERVAL (MONTHS)*	LAST TEST DATE (yyyy/mm/dd)	LAST RESULT REPORTED	NEXT TEST DATE (yyyy/mm)
REGULATED VOC					
1,1,2,2-TETRACHLOROETHANE	34516	WAIVED			
1,1,2-TRICHLORO-1,2,2-TRIFLUOROETHANE	81611	WAIVED			
1,1,2-TRICHLOROETHANE	34511	WAIVED			
1,1-DICHLOROETHANE	34496	WAIVED			
1,1-DICHLOROETHYLENE	34501	WAIVED			
1,2,4-TRICHLOROBENZENE	34551	WAIVED			
1,2-DICHLOROBENZENE	34536	WAIVED			
1,2-DICHLOROETHANE	34531	WAIVED			
1,2-DICHLOROPROPANE	34541	WAIVED			
1,3-DICHLOROPROPENE (TOTAL)	34561	WAIVED			
1,4-DICHLOROBENZENE	34571	WAIVED			
BENZENE	34030	WAIVED			
CARBON TETRACHLORIDE	32102	WAIVED			
CIS-1,2-DICHLOROETHYLENE	77093	WAIVED			
DICHLOROMETHANE	34423	WAIVED			
ETHYLBENZENE	34371	WAIVED			
METHYL-TERT-BUTYL-ETHER (MTBE)	46491	WAIVED			
MONOCHLOROBENZENE	34301	WAIVED			
STYRENE	77128	WAIVED			
TETRACHLOROETHYLENE	34475	WAIVED			
TOLUENE	34010	WAIVED			
TRANS-1,2-DICHLOROETHYLENE	34546	WAIVED			
TRICHLOROETHYLENE	39180	WAIVED			
TRICHLOROFLUOROMETHANE	34488	WAIVED			
VINYL CHLORIDE	39175	WAIVED			
XYLENES (TOTAL)	81551	WAIVED			
SECONDARY/GP					
AGGRSSIVE INDEX (CORROSIVITY)	82383	WAIVED			
BICARBONATE ALKALINITY	00440	WAIVED	2001/12/13	459.000	

**Testing interval is in months;*
0 = No data for this constituent and is DUE NOW
999 = Waived testing (not required)
I = Invalid (NOT) valid analyses reported

System Number: ***1900581***

System Name: ***MT HIGH EAST SKI AREA***

PS Code: ***1900581-003***

Source Name: ***WELL 03***

Source Number: ***003***

Source Status: ***ACTIVE UNTREATED***

Water type: ***GROUNDWATER OR WELL***

SECONDARY/GP

	STORET NUMBER	TESTING INTERVAL (MONTHS)*	LAST TEST DATE (yyyy/mm/dd)	LAST RESULT REPORTED	NEXT TEST DATE (yyyy/mm)
CALCIUM	00916	WAIVED	2001/12/13	117.000	
CARBONATE ALKALINITY	00445	WAIVED	2001/12/13	.000	
CHLORIDE	00940	WAIVED	2001/12/13	20.900	
COLOR	00081	WAIVED	2001/12/13	.000	
COPPER	01042	WAIVED	2001/12/13	.000	
FOAMING AGENTS (MBAS)	38260	WAIVED	2001/12/13	.000	
HARDNESS (TOTAL) AS CACO3	00900	WAIVED	2001/12/13	430.000	
HYDROXIDE ALKALINITY	71830	WAIVED	2001/12/13	.000	
IRON	01045	WAIVED	2001/12/13	.000	
MAGNESIUM	00927	WAIVED	2001/12/13	32.600	
MANGANESE	01055	WAIVED	2001/12/13	.000	
ODOR THRESHOLD @ 60 C	00086	WAIVED	2001/12/13	.000	
PH, LABORATORY	00403	WAIVED	2001/12/13	7.740	
SILVER	01077	WAIVED	2001/12/13	.000	
SODIUM	00929	WAIVED	2001/12/13	12.500	
SPECIFIC CONDUCTANCE	00095	WAIVED	2001/12/13	836.000	
SULFATE	00945	WAIVED	2001/12/13	26.500	
TOTAL DISSOLVED SOLIDS	70300	WAIVED	2001/12/13	478.000	
TURBIDITY, LABORATORY	82079	WAIVED			
ZINC	01092	WAIVED	2001/12/13	52.100	

PS Code: ***1900581-004***

Source Name: ***WELL 04***

Source Number: ***004***

Source Status: ***ACTIVE UNTREATED***

Water type: ***GROUNDWATER OR WELL***

GENERAL NON CHAP 15

DIAZINON	39570	WAIVED			

**Testing interval is in months;*
0 = No data for this constituent and is DUE NOW
999 = Waived testing (not required)
I = Invalid (NOT) valid analyses reported

System Number: ***1900581***

System Name: ***MT HIGH EAST SKI AREA***

PS Code: ***1900581-004***

Source Name: ***WELL 04***

Source Number: ***004***

Source Status: ***ACTIVE UNTREATED***

Water type: ***GROUNDWATER OR WELL***

	STORET NUMBER	TESTING INTERVAL (MONTHS)*	LAST TEST DATE (yyyy/mm/dd)	LAST RESULT REPORTED	NEXT TEST DATE (yyyy/mm)
INORGANIC					
ALUMINUM	01105	WAIVED	2002/06/27	.000	
ANTIMONY	01097	WAIVED	2002/06/27	.000	
ARSENIC	01002	WAIVED	2002/06/27	.000	
ASBESTOS	81855	WAIVED			
BARIUM	01007	WAIVED	2002/06/27	.000	
BERYLLIUM	01012	WAIVED			
CADMIUM	01027	WAIVED	2002/06/27	.000	
CHROMIUM (TOTAL)	01034	WAIVED	2002/06/27	.000	
CYANIDE	01291	WAIVED			
FLUORIDE (F) (NATURAL-SOURCE)	00951	WAIVED	2002/06/27	.390	
LEAD	01051	WAIVED	2002/06/27	.000	
MERCURY	71900	WAIVED	2002/06/27	.000	
NICKEL	01067	WAIVED	2002/06/27	.000	
PERCHLORATE	A-031	WAIVED			
SELENIUM	01147	WAIVED	2002/06/27	.000	
THALLIUM	01059	WAIVED			
NITRATE/NITRITE					
NITRATE (AS NO3)	71850	WAIVED	2004/06/28	.000	
NITRITE (AS N)	00620	WAIVED			
RADIOLOGICAL					
GROSS ALPHA	01501	WAIVED			
GROSS BETA	03501	WAIVED			
RA-226 FOR CWS OR TOTAL RA FOR NTNC BY 903.0	A-080	WAIVED			
RA-226 OR TOTAL RA BY 903.0 C.E.	A-081	WAIVED			
RADIUM 226	09501	WAIVED			
RADIUM 228	11501	WAIVED			
RADIUM, TOTAL, MDA95-NTNC ONLY, BY 903.0	A-082	WAIVED			
STRONTIUM-90	13501	WAIVED			
TRITIUM	07000	WAIVED			

**Testing interval is in months;*
0 = No data for this constituent and is DUE NOW
999 = Waived testing (not required)
I = Invalid (NOT) valid analyses reported

System Number: ***1900581***

System Name: ***MT HIGH EAST SKI AREA***

PS Code: ***1900581-004***

Source Name: ***WELL 04***

Source Number: ***004***

Source Status: ***ACTIVE UNTREATED***

Water type: ***GROUNDWATER OR WELL***

	STORET NUMBER	TESTING INTERVAL (MONTHS)*	LAST TEST DATE (yyyy/mm/dd)	LAST RESULT REPORTED	NEXT TEST DATE (yyyy/mm)
RADIOLOGICAL					
URANIUM (PCI/L)	28012	WAIVED			
REGULATED SOC					
2,3,7,8-TCDD (DIOXIN)	34676	WAIVED			
2,4,5-TP (SILVEX)	39045	WAIVED			
2,4-D	39730	WAIVED			
ALACHLOR	77825	WAIVED			
ATRAZINE	39033	WAIVED			
BENTAZON	38710	WAIVED			
BENZO (A) PYRENE	34247	WAIVED			
CARBOFURAN	81405	WAIVED			
CHLORDANE	39350	WAIVED			
DALAPON	38432	WAIVED			
DI(2-ETHYLHEXYL)ADIPATE	A-026	WAIVED			
DI(2-ETHYLHEXYL)PHTHALATE	39100	WAIVED			
DIBROMOCHLOROPROPANE (DBCP)	38761	WAIVED			
DINOSEB	81287	WAIVED			
DIQUAT	78885	WAIVED			
ENDOTHALL	38926	WAIVED			
ENDRIN	39390	WAIVED			
ETHYLENE DIBROMIDE (EDB)	77651	WAIVED			
GLYPHOSATE	79743	WAIVED			
HEPTACHLOR	39410	WAIVED			
HEPTACHLOR EPOXIDE	39420	WAIVED			
HEXACHLOROBENZENE	39700	WAIVED			
HEXACHLOROCYCLOPENTADIENE	34386	WAIVED			
LINDANE	39340	WAIVED			
METHOXYCHLOR	39480	WAIVED			
MOLINATE	82199	WAIVED			
OXAMYL	38865	WAIVED			

**Testing interval is in months;*
0 = No data for this constituent and is DUE NOW
999 = Waived testing (not required)
I = Invalid (NOT) valid analyses reported

System Number: ***1900581***

System Name: ***MT HIGH EAST SKI AREA***

PS Code: ***1900581-004***

Source Name: ***WELL 04***

Source Number: ***004***

Source Status: ***ACTIVE UNTREATED***

Water type: ***GROUNDWATER OR WELL***

	STORET NUMBER	TESTING INTERVAL (MONTHS)*	LAST TEST DATE (yyyy/mm/dd)	LAST RESULT REPORTED	NEXT TEST DATE (yyyy/mm)
REGULATED SOC					
PENTACHLOROPHENOL	39032	WAIVED			
PICLORAM	39720	WAIVED			
POLYCHLORINATED BIPHENYLS, TOTAL, AS DCB	39516	WAIVED			
SIMAZINE	39055	WAIVED			
THIOBENCARB	A-001	WAIVED			
TOXAPHENE	39400	WAIVED			
REGULATED VOC					
1,1,1-TRICHLOROETHANE	34506	WAIVED			
1,1,2,2-TETRACHLOROETHANE	34516	WAIVED			
1,1,2-TRICHLORO-1,2,2-TRIFLUOROETHANE	81611	WAIVED			
1,1,2-TRICHLOROETHANE	34511	WAIVED			
1,1-DICHLOROETHANE	34496	WAIVED			
1,1-DICHLOROETHYLENE	34501	WAIVED			
1,2,4-TRICHLOROBENZENE	34551	WAIVED			
1,2-DICHLOROBENZENE	34536	WAIVED			
1,2-DICHLOROETHANE	34531	WAIVED			
1,2-DICHLOROPROPANE	34541	WAIVED			
1,3-DICHLOROPROPENE (TOTAL)	34561	WAIVED			
1,4-DICHLOROBENZENE	34571	WAIVED			
BENZENE	34030	WAIVED			
CARBON TETRACHLORIDE	32102	WAIVED			
CIS-1,2-DICHLOROETHYLENE	77093	WAIVED			
DICHLOROMETHANE	34423	WAIVED			
ETHYLBENZENE	34371	WAIVED			
METHYL-TERT-BUTYL-ETHER (MTBE)	46491	WAIVED			
MONOCHLOROBENZENE	34301	WAIVED			
STYRENE	77128	WAIVED			
TETRACHLOROETHYLENE	34475	WAIVED			
TOLUENE	34010	WAIVED			

**Testing interval is in months;*
0 = No data for this constituent and is DUE NOW
999 = Waived testing (not required)
I = Invalid (NOT) valid analyses reported

System Number: ***1900581***

System Name: ***MT HIGH EAST SKI AREA***

PS Code: ***1900581-004***

Source Name: ***WELL 04***

Source Number: ***004***

Source Status: ***ACTIVE UNTREATED***

Water type: ***GROUNDWATER OR WELL***

	STORET NUMBER	TESTING INTERVAL (MONTHS)*	LAST TEST DATE (yyyy/mm/dd)	LAST RESULT REPORTED	NEXT TEST DATE (yyyy/mm)
REGULATED VOC					
TRANS-1,2-DICHLOROETHYLENE	34546	WAIVED			
TRICHLOROETHYLENE	39180	WAIVED			
TRICHLOROFLUOROMETHANE	34488	WAIVED			
VINYL CHLORIDE	39175	WAIVED			
XYLENES (TOTAL)	81551	WAIVED			
SECONDARY/GP					
AGGRSSIVE INDEX (CORROSIVITY)	82383	WAIVED			
BICARBONATE ALKALINITY	00440	WAIVED	2002/06/27	319.000	
CALCIUM	00916	WAIVED	2002/06/27	81.800	
CARBONATE ALKALINITY	00445	WAIVED	2002/06/27	.000	
CHLORIDE	00940	WAIVED	2002/06/27	21.100	
COLOR	00081	WAIVED			
COPPER	01042	WAIVED	2002/06/27	.000	
FOAMING AGENTS (MBAS)	38260	WAIVED			
HARDNESS (TOTAL) AS CACO3	00900	WAIVED	2002/06/27	304.000	
HYDROXIDE ALKALINITY	71830	WAIVED	2002/06/27	.000	
IRON	01045	WAIVED	2002/06/27	.000	
MAGNESIUM	00927	WAIVED	2002/06/27	24.300	
MANGANESE	01055	WAIVED	2002/06/27	.000	
ODOR THRESHOLD @ 60 C	00086	WAIVED			
PH, LABORATORY	00403	WAIVED	2002/06/27	7.460	
SILVER	01077	WAIVED	2002/06/27	.000	
SODIUM	00929	WAIVED	2002/06/27	12.000	
SPECIFIC CONDUCTANCE	00095	WAIVED	2002/06/27	553.000	
SULFATE	00945	WAIVED	2002/06/27	22.300	
TOTAL DISSOLVED SOLIDS	70300	WAIVED	2002/06/27	352.000	
TURBIDITY, LABORATORY	82079	WAIVED	2002/06/27	.530	
ZINC	01092	WAIVED	2002/06/27	267.000	

**Testing interval is in months;*
0 = No data for this constituent and is DUE NOW
999 = Waived testing (not required)
I = Invalid (NOT) valid analyses reported

System Number: ***1900581***

System Name: ***MT HIGH EAST SKI AREA***

PS Code: ***1900581-005***

Source Name: ***WELL 05***

Source Number: ***005***

Source Status: ***ACTIVE UNTREATED***

Water type: ***GROUNDWATER OR WELL***

	STORET NUMBER	TESTING INTERVAL (MONTHS)*	LAST TEST DATE (yyyy/mm/dd)	LAST RESULT REPORTED	NEXT TEST DATE (yyyy/mm)
GENERAL NON CHAP 15					
DIAZINON	39570	WAIVED			
INORGANIC					
ALUMINUM	01105	WAIVED	2002/06/27	.000	
ANTIMONY	01097	WAIVED	2002/06/27	.000	
ARSENIC	01002	WAIVED	2002/06/27	.000	
ASBESTOS	81855	WAIVED			
BARIUM	01007	WAIVED	2002/06/27	.000	
BERYLLIUM	01012	WAIVED			
CADMIUM	01027	WAIVED	2002/06/27	.000	
CHROMIUM (TOTAL)	01034	WAIVED	2002/06/27	.000	
CYANIDE	01291	WAIVED			
FLUORIDE (F) (NATURAL-SOURCE)	00951	WAIVED	2002/06/27	.140	
LEAD	01051	WAIVED	2002/06/27	.000	
MERCURY	71900	WAIVED	2002/06/27	.000	
NICKEL	01067	WAIVED	2002/06/27	.000	
PERCHLORATE	A-031	WAIVED			
SELENIUM	01147	WAIVED	2002/06/27	.000	
THALLIUM	01059	WAIVED			
NITRATE/NITRITE					
NITRATE (AS NO3)	71850	WAIVED	2007/11/28	.000	
NITRITE (AS N)	00620	WAIVED			
RADIOLOGICAL					
GROSS ALPHA	01501	WAIVED			
GROSS BETA	03501	WAIVED			
RA-226 FOR CWS OR TOTAL RA FOR NTNC BY 903.0	A-080	WAIVED			
RA-226 OR TOTAL RA BY 903.0 C.E.	A-081	WAIVED			
RADIUM 226	09501	WAIVED			
RADIUM 228	11501	WAIVED			

**Testing interval is in months;*
0 = No data for this constituent and is DUE NOW
999 = Waived testing (not required)
I = Invalid (NOT) valid analyses reported

System Number: ***1900581***

System Name: ***MT HIGH EAST SKI AREA***

PS Code: ***1900581-005***

Source Name: ***WELL 05***

Source Number: ***005***

Source Status: ***ACTIVE UNTREATED***

Water type: ***GROUNDWATER OR WELL***

	STORET NUMBER	TESTING INTERVAL (MONTHS)*	LAST TEST DATE (yyyy/mm/dd)	LAST RESULT REPORTED	NEXT TEST DATE (yyyy/mm)
RADIOLOGICAL					
RADIUM, TOTAL, MDA95-NTNC ONLY, BY 903.0	A-082	WAIVED			
STRONTIUM-90	13501	WAIVED			
TRITIUM	07000	WAIVED			
URANIUM (PCI/L)	28012	WAIVED			
REGULATED SOC					
2,3,7,8-TCDD (DIOXIN)	34676	WAIVED			
2,4,5-TP (SILVEX)	39045	WAIVED			
2,4-D	39730	WAIVED			
ALACHLOR	77825	WAIVED			
ATRAZINE	39033	WAIVED			
BENTAZON	38710	WAIVED			
BENZO (A) PYRENE	34247	WAIVED			
CARBOFURAN	81405	WAIVED			
CHLORDANE	39350	WAIVED			
DALAPON	38432	WAIVED			
DI(2-ETHYLHEXYL)ADIPATE	A-026	WAIVED			
DI(2-ETHYLHEXYL)PHTHALATE	39100	WAIVED			
DIBROMOCHLOROPROPANE (DBCP)	38761	WAIVED			
DINOSEB	81287	WAIVED			
DIQUAT	78885	WAIVED			
ENDOTHALL	38926	WAIVED			
ENDRIN	39390	WAIVED			
ETHYLENE DIBROMIDE (EDB)	77651	WAIVED			
GLYPHOSATE	79743	WAIVED			
HEPTACHLOR	39410	WAIVED			
HEPTACHLOR EPOXIDE	39420	WAIVED			
HEXACHLOROBENZENE	39700	WAIVED			
HEXACHLOROCYCLOPENTADIENE	34386	WAIVED			
LINDANE	39340	WAIVED			

**Testing interval is in months;*
0 = No data for this constituent and is DUE NOW
999 = Waived testing (not required)
I = Invalid (NOT) valid analyses reported

System Number: ***1900581***

System Name: ***MT HIGH EAST SKI AREA***

PS Code: ***1900581-005***

Source Name: ***WELL 05***

Source Number: ***005***

Source Status: ***ACTIVE UNTREATED***

Water type: ***GROUNDWATER OR WELL***

	STORET NUMBER	TESTING INTERVAL (MONTHS)*	LAST TEST DATE (yyyy/mm/dd)	LAST RESULT REPORTED	NEXT TEST DATE (yyyy/mm)
REGULATED SOC					
METHOXYCHLOR	39480	WAIVED			
MOLINATE	82199	WAIVED			
OXAMYL	38865	WAIVED			
PENTACHLOROPHENOL	39032	WAIVED			
PICLORAM	39720	WAIVED			
POLYCHLORINATED BIPHENYLS, TOTAL, AS DCB	39516	WAIVED			
SIMAZINE	39055	WAIVED			
THIOBENCARB	A-001	WAIVED			
TOXAPHENE	39400	WAIVED			
REGULATED VOC					
1,1,1-TRICHLOROETHANE	34506	WAIVED			
1,1,2,2-TETRACHLOROETHANE	34516	WAIVED			
1,1,2-TRICHLORO-1,2,2-TRIFLUOROETHANE	81611	WAIVED			
1,1,2-TRICHLOROETHANE	34511	WAIVED			
1,1-DICHLOROETHANE	34496	WAIVED			
1,1-DICHLOROETHYLENE	34501	WAIVED			
1,2,4-TRICHLOROBENZENE	34551	WAIVED			
1,2-DICHLOROBENZENE	34536	WAIVED			
1,2-DICHLOROETHANE	34531	WAIVED			
1,2-DICHLOROPROPANE	34541	WAIVED			
1,3-DICHLOROPROPENE (TOTAL)	34561	WAIVED			
1,4-DICHLOROBENZENE	34571	WAIVED			
BENZENE	34030	WAIVED			
CARBON TETRACHLORIDE	32102	WAIVED			
CIS-1,2-DICHLOROETHYLENE	77093	WAIVED			
DICHLOROMETHANE	34423	WAIVED			
ETHYLBENZENE	34371	WAIVED			
METHYL-TERT-BUTYL-ETHER (MTBE)	46491	WAIVED			
MONOCHLOROBENZENE	34301	WAIVED			

**Testing interval is in months;*
0 = No data for this constituent and is DUE NOW
999 = Waived testing (not required)
I = Invalid (NOT) valid analyses reported

System Number: ***1900581***

System Name: ***MT HIGH EAST SKI AREA***

PS Code: ***1900581-005***

Source Name: ***WELL 05***

Source Number: ***005***

Source Status: ***ACTIVE UNTREATED***

Water type: ***GROUNDWATER OR WELL***

	STORET NUMBER	TESTING INTERVAL (MONTHS)*	LAST TEST DATE (yyyy/mm/dd)	LAST RESULT REPORTED	NEXT TEST DATE (yyyy/mm)
REGULATED VOC					
STYRENE	77128	WAIVED			
TETRACHLOROETHYLENE	34475	WAIVED			
TOLUENE	34010	WAIVED			
TRANS-1,2-DICHLOROETHYLENE	34546	WAIVED			
TRICHLOROETHYLENE	39180	WAIVED			
TRICHLOROFLUOROMETHANE	34488	WAIVED			
VINYL CHLORIDE	39175	WAIVED			
XYLENES (TOTAL)	81551	WAIVED			
SECONDARY/GP					
AGGRSSIVE INDEX (CORROSIVITY)	82383	WAIVED			
BICARBONATE ALKALINITY	00440	WAIVED	2002/06/27	254.000	
CALCIUM	00916	WAIVED	2002/06/27	59.300	
CARBONATE ALKALINITY	00445	WAIVED	2002/06/27	.000	
CHLORIDE	00940	WAIVED	2002/06/27	17.000	
COLOR	00081	WAIVED			
COPPER	01042	WAIVED	2002/06/27	.000	
FOAMING AGENTS (MBAS)	38260	WAIVED			
HARDNESS (TOTAL) AS CACO3	00900	WAIVED	2002/06/27	208.000	
HYDROXIDE ALKALINITY	71830	WAIVED	2002/06/27	.000	
IRON	01045	WAIVED	2002/06/27	.000	
MAGNESIUM	00927	WAIVED	2002/06/27	18.500	
MANGANESE	01055	WAIVED	2002/06/27	.000	
ODOR THRESHOLD @ 60 C	00086	WAIVED			
PH, LABORATORY	00403	WAIVED	2002/06/27	8.040	
SILVER	01077	WAIVED	2002/06/27	.000	
SODIUM	00929	WAIVED	2002/06/27	11.100	
SPECIFIC CONDUCTANCE	00095	WAIVED	2002/06/27	447.000	
SULFATE	00945	WAIVED	2002/06/27	9.980	
TOTAL DISSOLVED SOLIDS	70300	WAIVED	2002/06/27	290.000	

**Testing interval is in months;*
0 = No data for this constituent and is DUE NOW
999 = Waived testing (not required)
I = Invalid (NOT) valid analyses reported

System Number: ***1900581***

System Name: ***MT HIGH EAST SKI AREA***

PS Code: ***1900581-005***

Source Name: ***WELL 05***

Source Number: ***005***

Source Status: ***ACTIVE UNTREATED***

Water type: ***GROUNDWATER OR WELL***

	STORET NUMBER	TESTING INTERVAL (MONTHS)*	LAST TEST DATE (yyyy/mm/dd)	LAST RESULT REPORTED	NEXT TEST DATE (yyyy/mm)
SECONDARY/GP					
TURBIDITY, LABORATORY	**82079**	**WAIVED**	2002/06/27	**.270**	
ZINC	**01092**	**WAIVED**	2002/06/27	**.000**	

**Testing interval is in months;*
0 = No data for this constituent and is DUE NOW
999 = Waived testing (not required)
I = Invalid (NOT) valid analyses reported

System Number: ***1900583***

System Name: ***USFS-JACKSON LAKE V-4***

PS Code: ***1900583-001***

Source Name: ***WELL 01***

Source Number: ***001***

Source Status: ***ACTIVE UNTREATED***

Water type: ***GROUNDWATER OR WELL***

	STORET NUMBER	TESTING INTERVAL (MONTHS)*	LAST TEST DATE (yyyy/mm/dd)	LAST RESULT REPORTED	NEXT TEST DATE (yyyy/mm)
GENERAL NON CHAP 15					
DIAZINON	39570	WAIVED			
INORGANIC					
ALUMINUM	01105	WAIVED	2011/11/09	< 10.000	
ANTIMONY	01097	WAIVED	2011/11/09	< 1.000	
ARSENIC	01002	WAIVED	2011/11/09	< 2.000	
ASBESTOS	81855	WAIVED			
BARIUM	01007	WAIVED	2011/11/09	31.900	
BERYLLIUM	01012	WAIVED	2011/11/09	< 1.000	
CADMIUM	01027	WAIVED	2011/11/09	< 1.000	
CHROMIUM (TOTAL)	01034	WAIVED	2011/11/09	< 1.000	
CYANIDE	01291	WAIVED	2008/07/29	< .005	
FLUORIDE (F) (NATURAL-SOURCE)	00951	WAIVED	2011/11/09	< .100	
LEAD	01051	WAIVED	2011/11/09	.800	
MERCURY	71900	WAIVED	2011/11/09	.050	
NICKEL	01067	WAIVED	2011/11/09	< 1.000	
PERCHLORATE	A-031	WAIVED	2011/11/09	< 2.000	
SELENIUM	01147	WAIVED	2011/11/09	< 2.000	
THALLIUM	01059	WAIVED	2011/11/09	< 1.000	
NITRATE/NITRITE					
NITRATE (AS NO3)	71850	WAIVED	2011/11/09	.700	
NITRITE (AS N)	00620	WAIVED	2011/11/09	< .100	
RADIOLOGICAL					
GROSS ALPHA	01501	WAIVED	2008/07/22	.293	
GROSS BETA	03501	WAIVED			
RA-226 FOR CWS OR TOTAL RA FOR NTNC BY 903.0	A-080	WAIVED			
RA-226 OR TOTAL RA BY 903.0 C.E.	A-081	WAIVED			
RADIUM 226	09501	WAIVED			
RADIUM 228	11501	WAIVED			

**Testing interval is in months;*
0 = No data for this constituent and is DUE NOW
999 = Waived testing (not required)
I = Invalid (NOT) valid analyses reported

System Number: ***1900583***

System Name: ***USFS-JACKSON LAKE V-4***

PS Code: ***1900583-001***

Source Name: ***WELL 01***

Source Number: ***001***

Source Status: ***ACTIVE UNTREATED***

Water type: ***GROUNDWATER OR WELL***

	STORET NUMBER	TESTING INTERVAL (MONTHS)*	LAST TEST DATE (yyyy/mm/dd)	LAST RESULT REPORTED	NEXT TEST DATE (yyyy/mm)
RADIOLOGICAL					
RADIUM, TOTAL, MDA95-NTNC ONLY, BY 903.0	A-082	WAIVED			
STRONTIUM-90	13501	WAIVED			
TRITIUM	07000	WAIVED			
URANIUM (PCI/L)	28012	WAIVED			
REGULATED SOC					
2,3,7,8-TCDD (DIOXIN)	34676	WAIVED			
2,4,5-TP (SILVEX)	39045	WAIVED			
2,4-D	39730	WAIVED			
ALACHLOR	77825	WAIVED	1998/05/26	.000	
ATRAZINE	39033	WAIVED			
BENTAZON	38710	WAIVED			
BENZO (A) PYRENE	34247	WAIVED			
CARBOFURAN	81405	WAIVED			
CHLORDANE	39350	WAIVED	1998/05/26	.000	
DALAPON	38432	WAIVED			
DI(2-ETHYLHEXYL)ADIPATE	A-026	WAIVED			
DI(2-ETHYLHEXYL)PHTHALATE	39100	WAIVED			
DIBROMOCHLOROPROPANE (DBCP)	38761	WAIVED	1998/05/26	.000	
DINOSEB	81287	WAIVED			
DIQUAT	78885	WAIVED			
ENDOTHALL	38926	WAIVED			
ENDRIN	39390	WAIVED	1998/05/26	.000	
ETHYLENE DIBROMIDE (EDB)	77651	WAIVED	1998/05/26	.000	
GLYPHOSATE	79743	WAIVED			
HEPTACHLOR	39410	WAIVED	1998/05/26	.000	
HEPTACHLOR EPOXIDE	39420	WAIVED	1998/05/26	.000	
HEXACHLOROBENZENE	39700	WAIVED	1998/05/26	.000	
HEXACHLOROCYCLOPENTADIENE	34386	WAIVED	1998/05/26	.000	
LINDANE	39340	WAIVED	1998/05/26	.000	

**Testing interval is in months;*
0 = No data for this constituent and is DUE NOW
999 = Waived testing (not required)
I = Invalid (NOT) valid analyses reported

System Number: ***1900583***

System Name: ***USFS-JACKSON LAKE V-4***

PS Code: ***1900583-001***

Source Name: ***WELL 01***

Source Number: ***001***

Source Status: ***ACTIVE UNTREATED***

Water type: ***GROUNDWATER OR WELL***

	STORET NUMBER	TESTING INTERVAL (MONTHS)*	LAST TEST DATE (yyyy/mm/dd)	LAST RESULT REPORTED	NEXT TEST DATE (yyyy/mm)
REGULATED SOC					
METHOXYCHLOR	39480	WAIVED	1998/05/26	.000	
MOLINATE	82199	WAIVED			
OXAMYL	38865	WAIVED			
PENTACHLOROPHENOL	39032	WAIVED			
PICLORAM	39720	WAIVED			
POLYCHLORINATED BIPHENYLS, TOTAL, AS DCB	39516	WAIVED	1998/05/26	.000	
SIMAZINE	39055	WAIVED			
THIOBENCARB	A-001	WAIVED			
TOXAPHENE	39400	WAIVED	1998/05/26	.000	
REGULATED VOC					
1,1,1-TRICHLOROETHANE	34506	WAIVED	2008/07/22	< .500	
1,1,2,2-TETRACHLOROETHANE	34516	WAIVED	2008/07/22	< .500	
1,1,2-TRICHLORO-1,2,2-TRIFLUOROETHANE	81611	WAIVED	2008/07/22	< .500	
1,1,2-TRICHLOROETHANE	34511	WAIVED	2008/07/22	< .500	
1,1-DICHLOROETHANE	34496	WAIVED	2008/07/22	< .500	
1,1-DICHLOROETHYLENE	34501	WAIVED	2008/07/22	< .500	
1,2,4-TRICHLOROBENZENE	34551	WAIVED	2008/07/22	< .500	
1,2-DICHLOROBENZENE	34536	WAIVED	2008/07/22	< .500	
1,2-DICHLOROETHANE	34531	WAIVED	2008/07/22	< .500	
1,2-DICHLOROPROPANE	34541	WAIVED	2008/07/22	< .500	
1,3-DICHLOROPROPENE (TOTAL)	34561	WAIVED	1998/05/26	.000	
1,4-DICHLOROBENZENE	34571	WAIVED	2008/07/22	< .500	
BENZENE	34030	WAIVED	2008/07/22	< .500	
CARBON TETRACHLORIDE	32102	WAIVED	2008/07/22	< .500	
CIS-1,2-DICHLOROETHYLENE	77093	WAIVED	2008/07/22	< .500	
DICHLOROMETHANE	34423	WAIVED	2008/07/22	< .500	
ETHYLBENZENE	34371	WAIVED	2008/07/22	< .500	
METHYL-TERT-BUTYL-ETHER (MTBE)	46491	WAIVED	2008/07/22	< 1.000	
MONOCHLOROBENZENE	34301	WAIVED	2008/07/22	< .500	

**Testing interval is in months;*
0 = No data for this constituent and is DUE NOW
999 = Waived testing (not required)
I = Invalid (NOT) valid analyses reported

System Number: ***1900583***

System Name: ***USFS-JACKSON LAKE V-4***

PS Code: ***1900583-001***

Source Name: ***WELL 01***

Source Number: ***001***

Source Status: ***ACTIVE UNTREATED***

Water type: ***GROUNDWATER OR WELL***

	STORET NUMBER	TESTING INTERVAL (MONTHS)*	LAST TEST DATE (yyyy/mm/dd)	LAST RESULT REPORTED	NEXT TEST DATE (yyyy/mm)
REGULATED VOC					
STYRENE	77128	WAIVED	2008/07/22	< .500	
TETRACHLOROETHYLENE	34475	WAIVED	2008/07/22	< .500	
TOLUENE	34010	WAIVED	2008/07/22	< .500	
TRANS-1,2-DICHLOROETHYLENE	34546	WAIVED	2008/07/22	< .500	
TRICHLOROETHYLENE	39180	WAIVED	2008/07/22	< .500	
TRICHLOROFLUOROMETHANE	34488	WAIVED	2008/07/22	< .500	
VINYL CHLORIDE	39175	WAIVED	2008/07/22	< .500	
XYLENES (TOTAL)	81551	WAIVED	2008/07/22	< .500	
SECONDARY/GP					
AGGRSSIVE INDEX (CORROSIVITY)	82383	WAIVED	2011/11/09	11.900	
BICARBONATE ALKALINITY	00440	WAIVED	2011/11/09	240.000	
CALCIUM	00916	WAIVED	2011/11/09	73.000	
CARBONATE ALKALINITY	00445	WAIVED	2011/11/09	< 10.000	
CHLORIDE	00940	WAIVED	2011/11/09	3.000	
COLOR	00081	WAIVED	2011/11/09	< 5.000	
COPPER	01042	WAIVED	2011/11/09	< 10.000	
FOAMING AGENTS (MBAS)	38260	WAIVED	2011/11/09	< .100	
HARDNESS (TOTAL) AS CACO3	00900	WAIVED	2011/11/09	260.000	
HYDROXIDE ALKALINITY	71830	WAIVED	2011/11/09	< 10.000	
IRON	01045	WAIVED	2011/11/09	< 50.000	
MAGNESIUM	00927	WAIVED	2011/11/09	19.000	
MANGANESE	01055	WAIVED	2011/11/09	< 10.000	
ODOR THRESHOLD @ 60 C	00086	WAIVED	2011/11/09	< 1.000	
PH, LABORATORY	00403	WAIVED	2011/11/09	7.300	
SILVER	01077	WAIVED	2011/11/09	< 1.000	
SODIUM	00929	WAIVED	2011/11/09	16.000	
SPECIFIC CONDUCTANCE	00095	WAIVED	2011/11/09	550.000	
SULFATE	00945	WAIVED	2011/11/09	25.000	
TOTAL DISSOLVED SOLIDS	70300	WAIVED	2011/11/09	310.000	

**Testing interval is in months;*
0 = No data for this constituent and is DUE NOW
999 = Waived testing (not required)
I = Invalid (NOT) valid analyses reported

System Number: ***1900583***

System Name: ***USFS-JACKSON LAKE V-4***

PS Code: ***1900583-001***

Source Name: ***WELL 01***

Source Number: ***001***

Source Status: ***ACTIVE UNTREATED***

Water type: ***GROUNDWATER OR WELL***

	STORET NUMBER	TESTING INTERVAL (MONTHS)*	LAST TEST DATE (yyyy/mm/dd)	LAST RESULT REPORTED	NEXT TEST DATE (yyyy/mm)
SECONDARY/GP					
TURBIDITY, LABORATORY	**82079**	**WAIVED**	2012/01/25	**.200**	
ZINC	**01092**	**WAIVED**	2011/11/09	**40.000**	

**Testing interval is in months;*
0 = No data for this constituent and is DUE NOW
999 = Waived testing (not required)
I = Invalid (NOT) valid analyses reported

System Number: ***1900586***

System Name: ***USFS-CRYSTAL LAKE B-13***

PS Code: ***1900586-001***

Source Name: ***WELL 01***

Source Number: ***001***

Source Status: ***ACTIVE UNTREATED***

Water type: ***GROUNDWATER OR WELL***

	STORET NUMBER	TESTING INTERVAL (MONTHS)*	LAST TEST DATE (yyyy/mm/dd)	LAST RESULT REPORTED	NEXT TEST DATE (yyyy/mm)
GENERAL NON CHAP 15					
DIAZINON	39570	WAIVED			
INORGANIC					
ALUMINUM	01105	WAIVED	2002/05/22	.000	
ANTIMONY	01097	WAIVED	2002/05/22	.000	
ARSENIC	01002	WAIVED	2002/05/22	2.320	
ASBESTOS	81855	WAIVED			
BARIUM	01007	WAIVED	2002/05/22	.000	
BERYLLIUM	01012	WAIVED			
CADMIUM	01027	WAIVED	2002/05/22	.000	
CHROMIUM (TOTAL)	01034	WAIVED	2002/05/22	.000	
CYANIDE	01291	WAIVED			
FLUORIDE (F) (NATURAL-SOURCE)	00951	WAIVED	2002/05/22	.480	
LEAD	01051	WAIVED	2002/05/22	.000	
MERCURY	71900	WAIVED	2002/05/22	.000	
NICKEL	01067	WAIVED	2002/05/22	.000	
PERCHLORATE	A-031	WAIVED			
SELENIUM	01147	WAIVED	2002/05/22	.000	
THALLIUM	01059	WAIVED			
NITRATE/NITRITE					
NITRATE (AS NO3)	71850	WAIVED	2011/09/12	< 2.000	
NITRITE (AS N)	00620	WAIVED			
RADIOLOGICAL					
GROSS ALPHA	01501	WAIVED			
GROSS BETA	03501	WAIVED			
RA-226 FOR CWS OR TOTAL RA FOR NTNC BY 903.0	A-080	WAIVED			
RA-226 OR TOTAL RA BY 903.0 C.E.	A-081	WAIVED			
RADIUM 226	09501	WAIVED			
RADIUM 228	11501	WAIVED			

**Testing interval is in months;*
0 = No data for this constituent and is DUE NOW
999 = Waived testing (not required)
I = Invalid (NOT) valid analyses reported

System Number: ***1900586***

System Name: ***USFS-CRYSTAL LAKE B-13***

PS Code: ***1900586-001***

Source Name: ***WELL 01***

Source Number: ***001***

Source Status: ***ACTIVE UNTREATED***

Water type: ***GROUNDWATER OR WELL***

	STORET NUMBER	TESTING INTERVAL (MONTHS)*	LAST TEST DATE (yyyy/mm/dd)	LAST RESULT REPORTED	NEXT TEST DATE (yyyy/mm)
RADIOLOGICAL					
RADIUM, TOTAL, MDA95-NTNC ONLY, BY 903.0	A-082	WAIVED			
STRONTIUM-90	13501	WAIVED			
TRITIUM	07000	WAIVED			
URANIUM (PCI/L)	28012	WAIVED			
REGULATED SOC					
2,3,7,8-TCDD (DIOXIN)	34676	WAIVED			
2,4,5-TP (SILVEX)	39045	WAIVED			
2,4-D	39730	WAIVED			
ALACHLOR	77825	WAIVED			
ATRAZINE	39033	WAIVED			
BENTAZON	38710	WAIVED			
BENZO (A) PYRENE	34247	WAIVED			
CARBOFURAN	81405	WAIVED			
CHLORDANE	39350	WAIVED			
DALAPON	38432	WAIVED			
DI(2-ETHYLHEXYL)ADIPATE	A-026	WAIVED			
DI(2-ETHYLHEXYL)PHTHALATE	39100	WAIVED			
DIBROMOCHLOROPROPANE (DBCP)	38761	WAIVED			
DINOSEB	81287	WAIVED			
DIQUAT	78885	WAIVED			
ENDOTHALL	38926	WAIVED			
ENDRIN	39390	WAIVED			
ETHYLENE DIBROMIDE (EDB)	77651	WAIVED			
GLYPHOSATE	79743	WAIVED			
HEPTACHLOR	39410	WAIVED			
HEPTACHLOR EPOXIDE	39420	WAIVED			
HEXACHLOROBENZENE	39700	WAIVED			
HEXACHLOROCYCLOPENTADIENE	34386	WAIVED			
LINDANE	39340	WAIVED			

**Testing interval is in months;*
0 = No data for this constituent and is DUE NOW
999 = Waived testing (not required)
I = Invalid (NOT) valid analyses reported

System Number: ***1900586***

System Name: ***USFS-CRYSTAL LAKE B-13***

PS Code: ***1900586-001***

Source Name: ***WELL 01***

Source Number: ***001***

Source Status: ***ACTIVE UNTREATED***

Water type: ***GROUNDWATER OR WELL***

	STORET NUMBER	TESTING INTERVAL (MONTHS)*	LAST TEST DATE (yyyy/mm/dd)	LAST RESULT REPORTED	NEXT TEST DATE (yyyy/mm)
REGULATED SOC					
METHOXYCHLOR	39480	WAIVED			
MOLINATE	82199	WAIVED			
OXAMYL	38865	WAIVED			
PENTACHLOROPHENOL	39032	WAIVED			
PICLORAM	39720	WAIVED			
POLYCHLORINATED BIPHENYLS, TOTAL, AS DCB	39516	WAIVED			
SIMAZINE	39055	WAIVED			
THIOBENCARB	A-001	WAIVED			
TOXAPHENE	39400	WAIVED			
REGULATED VOC					
1,1,1-TRICHLOROETHANE	34506	WAIVED			
1,1,2,2-TETRACHLOROETHANE	34516	WAIVED			
1,1,2-TRICHLORO-1,2,2-TRIFLUOROETHANE	81611	WAIVED			
1,1,2-TRICHLOROETHANE	34511	WAIVED			
1,1-DICHLOROETHANE	34496	WAIVED			
1,1-DICHLOROETHYLENE	34501	WAIVED			
1,2,4-TRICHLOROBENZENE	34551	WAIVED			
1,2-DICHLOROBENZENE	34536	WAIVED			
1,2-DICHLOROETHANE	34531	WAIVED			
1,2-DICHLOROPROPANE	34541	WAIVED			
1,3-DICHLOROPROPENE (TOTAL)	34561	WAIVED			
1,4-DICHLOROBENZENE	34571	WAIVED			
BENZENE	34030	WAIVED			
CARBON TETRACHLORIDE	32102	WAIVED			
CIS-1,2-DICHLOROETHYLENE	77093	WAIVED			
DICHLOROMETHANE	34423	WAIVED			
ETHYLBENZENE	34371	WAIVED			
METHYL-TERT-BUTYL-ETHER (MTBE)	46491	WAIVED			
MONOCHLOROBENZENE	34301	WAIVED			

**Testing interval is in months;*
0 = No data for this constituent and is DUE NOW
999 = Waived testing (not required)
I = Invalid (NOT) valid analyses reported

System Number: ***1900586***

System Name: ***USFS-CRYSTAL LAKE B-13***

PS Code: ***1900586-001***

Source Name: ***WELL 01***

Source Number: ***001***

Source Status: ***ACTIVE UNTREATED***

Water type: ***GROUNDWATER OR WELL***

	STORET NUMBER	TESTING INTERVAL (MONTHS)*	LAST TEST DATE (yyyy/mm/dd)	LAST RESULT REPORTED	NEXT TEST DATE (yyyy/mm)
REGULATED VOC					
STYRENE	77128	WAIVED			
TETRACHLOROETHYLENE	34475	WAIVED			
TOLUENE	34010	WAIVED			
TRANS-1,2-DICHLOROETHYLENE	34546	WAIVED			
TRICHLOROETHYLENE	39180	WAIVED			
TRICHLOROFLUOROMETHANE	34488	WAIVED			
VINYL CHLORIDE	39175	WAIVED			
XYLENES (TOTAL)	81551	WAIVED			
SECONDARY/GP					
AGGRSSIVE INDEX (CORROSIVITY)	82383	WAIVED			
BICARBONATE ALKALINITY	00440	WAIVED	2002/05/22	208.000	
CALCIUM	00916	WAIVED	2002/05/22	56.900	
CARBONATE ALKALINITY	00445	WAIVED	2002/05/22	.000	
CHLORIDE	00940	WAIVED	2002/05/22	2.000	
COLOR	00081	WAIVED	2002/05/22	.000	
COPPER	01042	WAIVED	2002/05/22	.000	
FOAMING AGENTS (MBAS)	38260	WAIVED	2002/05/22	.000	
HARDNESS (TOTAL) AS CACO3	00900	WAIVED	2002/05/22	180.000	
HYDROXIDE ALKALINITY	71830	WAIVED	2002/05/22	.000	
IRON	01045	WAIVED	2002/05/22	.000	
MAGNESIUM	00927	WAIVED	2002/05/22	9.240	
MANGANESE	01055	WAIVED	2002/05/22	.000	
ODOR THRESHOLD @ 60 C	00086	WAIVED	2002/05/22	.000	
PH, LABORATORY	00403	WAIVED	2002/05/22	7.500	
SILVER	01077	WAIVED	2002/05/22	.000	
SODIUM	00929	WAIVED	2002/05/22	6.770	
SPECIFIC CONDUCTANCE	00095	WAIVED	2002/05/22	350.000	
SULFATE	00945	WAIVED	2002/05/22	13.000	
TOTAL DISSOLVED SOLIDS	70300	WAIVED	2002/05/22	212.000	

**Testing interval is in months;*
0 = No data for this constituent and is DUE NOW
999 = Waived testing (not required)
I = Invalid (NOT) valid analyses reported

System Number: ***1900586***

System Name: ***USFS-CRYSTAL LAKE B-13***

PS Code: ***1900586-001***

Source Name: ***WELL 01***

Source Number: ***001***

Source Status: ***ACTIVE UNTREATED***

Water type: ***GROUNDWATER OR WELL***

SECONDARY/GP

	STORET NUMBER	TESTING INTERVAL (MONTHS)*	LAST TEST DATE (yyyy/mm/dd)	LAST RESULT REPORTED	NEXT TEST DATE (yyyy/mm)
TURBIDITY, LABORATORY	82079	WAIVED	2002/05/22	.240	
ZINC	01092	WAIVED	2002/05/22	.000	

**Testing interval is in months;*
0 = No data for this constituent and is DUE NOW
999 = Waived testing (not required)
I = Invalid (NOT) valid analyses reported

System Number: 1900591
System Name: STURTEVANT CAMP, UNITED METHODIST

PS Code: 1900591-001
Source Name: STREAM PICK-UP
Source Number: 001
Source Status: ACTIVE RAW
Water type: SURFACE

	STORET NUMBER	TESTING INTERVAL (MONTHS)*	LAST TEST DATE (yyyy/mm/dd)	LAST RESULT REPORTED	NEXT TEST DATE (yyyy/mm)
GENERAL NON CHAP 15					
DIAZINON	39570	WAIVED			
INORGANIC					
ALUMINUM	01105	WAIVED	2006/04/27	.000	
ANTIMONY	01097	WAIVED	2002/06/28	.000	
ARSENIC	01002	WAIVED	2006/04/27	.000	
ASBESTOS	81855	WAIVED			
BARIUM	01007	WAIVED	2002/06/28	.000	
BERYLLIUM	01012	WAIVED			
CADMIUM	01027	WAIVED	2006/04/27	.000	
CHROMIUM (TOTAL)	01034	WAIVED	2006/04/27	.000	
CYANIDE	01291	WAIVED			
FLUORIDE (F) (NATURAL-SOURCE)	00951	WAIVED	2006/04/27	.310	
LEAD	01051	WAIVED	2006/04/27	.000	
MERCURY	71900	WAIVED	2006/04/27	.000	
NICKEL	01067	WAIVED	2006/04/27	.000	
PERCHLORATE	A-031	WAIVED			
SELENIUM	01147	WAIVED	2006/04/27	.000	
THALLIUM	01059	WAIVED			
NITRATE/NITRITE					
NITRATE (AS NO3)	71850	WAIVED	2006/04/27	.000	
NITRITE (AS N)	00620	WAIVED			
RADIOLOGICAL					
GROSS ALPHA	01501	WAIVED			
GROSS BETA	03501	WAIVED			
RA-226 FOR CWS OR TOTAL RA FOR NTNC BY 903.0	A-080	WAIVED			
RA-226 OR TOTAL RA BY 903.0 C.E.	A-081	WAIVED			
RADIUM 226	09501	WAIVED			
RADIUM 228	11501	WAIVED			

**Testing interval is in months;*
0 = No data for this constituent and is DUE NOW
999 = Waived testing (not required)
I = Invalid (NOT) valid analyses reported

System Number: ***1900591***

System Name: ***STURTEVANT CAMP, UNITED METHODIST***

PS Code: ***1900591-001***

Source Name: ***STREAM PICK-UP***

Source Number: ***001***

Source Status: ***ACTIVE RAW***

Water type: ***SURFACE***

	STORET NUMBER	TESTING INTERVAL (MONTHS)*	LAST TEST DATE (yyyy/mm/dd)	LAST RESULT REPORTED	NEXT TEST DATE (yyyy/mm)
RADIOLOGICAL					
RADIUM, TOTAL, MDA95-NTNC ONLY, BY 903.0	A-082	WAIVED			
STRONTIUM-90	13501	WAIVED			
TRITIUM	07000	WAIVED			
URANIUM (PCI/L)	28012	WAIVED			
REGULATED SOC					
2,3,7,8-TCDD (DIOXIN)	34676	WAIVED			
2,4,5-TP (SILVEX)	39045	WAIVED			
2,4-D	39730	WAIVED			
ALACHLOR	77825	WAIVED			
ATRAZINE	39033	WAIVED			
BENTAZON	38710	WAIVED			
BENZO (A) PYRENE	34247	WAIVED			
CARBOFURAN	81405	WAIVED			
CHLORDANE	39350	WAIVED			
DALAPON	38432	WAIVED			
DI(2-ETHYLHEXYL)ADIPATE	A-026	WAIVED			
DI(2-ETHYLHEXYL)PHTHALATE	39100	WAIVED			
DIBROMOCHLOROPROPANE (DBCP)	38761	WAIVED			
DINOSEB	81287	WAIVED			
DIQUAT	78885	WAIVED			
ENDOTHALL	38926	WAIVED			
ENDRIN	39390	WAIVED			
ETHYLENE DIBROMIDE (EDB)	77651	WAIVED			
GLYPHOSATE	79743	WAIVED			
HEPTACHLOR	39410	WAIVED			
HEPTACHLOR EPOXIDE	39420	WAIVED			
HEXACHLOROBENZENE	39700	WAIVED			
HEXACHLOROCYCLOPENTADIENE	34386	WAIVED			
LINDANE	39340	WAIVED			

**Testing interval is in months;*
0 = No data for this constituent and is DUE NOW
999 = Waived testing (not required)
I = Invalid (NOT) valid analyses reported

System Number: ***1900591***

System Name: ***STURTEVANT CAMP, UNITED METHODIST***

PS Code: ***1900591-001***

Source Name: ***STREAM PICK-UP***

Source Number: ***001***

Source Status: ***ACTIVE RAW***

Water type: ***SURFACE***

	STORET NUMBER	TESTING INTERVAL (MONTHS)*	LAST TEST DATE (yyyy/mm/dd)	LAST RESULT REPORTED	NEXT TEST DATE (yyyy/mm)
REGULATED SOC					
METHOXYCHLOR	39480	WAIVED			
MOLINATE	82199	WAIVED			
OXAMYL	38865	WAIVED			
PENTACHLOROPHENOL	39032	WAIVED			
PICLORAM	39720	WAIVED			
POLYCHLORINATED BIPHENYLS, TOTAL, AS DCB	39516	WAIVED			
SIMAZINE	39055	WAIVED			
THIOBENCARB	A-001	WAIVED			
TOXAPHENE	39400	WAIVED			
REGULATED VOC					
1,1,1-TRICHLOROETHANE	34506	WAIVED			
1,1,2,2-TETRACHLOROETHANE	34516	WAIVED			
1,1,2-TRICHLORO-1,2,2-TRIFLUOROETHANE	81611	WAIVED			
1,1,2-TRICHLOROETHANE	34511	WAIVED			
1,1-DICHLOROETHANE	34496	WAIVED			
1,1-DICHLOROETHYLENE	34501	WAIVED			
1,2,4-TRICHLOROBENZENE	34551	WAIVED			
1,2-DICHLOROBENZENE	34536	WAIVED			
1,2-DICHLOROETHANE	34531	WAIVED			
1,2-DICHLOROPROPANE	34541	WAIVED			
1,3-DICHLOROPROPENE (TOTAL)	34561	WAIVED			
1,4-DICHLOROBENZENE	34571	WAIVED			
BENZENE	34030	WAIVED			
CARBON TETRACHLORIDE	32102	WAIVED			
CIS-1,2-DICHLOROETHYLENE	77093	WAIVED			
DICHLOROMETHANE	34423	WAIVED			
ETHYLBENZENE	34371	WAIVED			
METHYL-TERT-BUTYL-ETHER (MTBE)	46491	WAIVED			
MONOCHLOROBENZENE	34301	WAIVED			

**Testing interval is in months;*
0 = No data for this constituent and is DUE NOW
999 = Waived testing (not required)
I = Invalid (NOT) valid analyses reported

System Number: ***1900591***

System Name: ***STURTEVANT CAMP, UNITED METHODIST***

PS Code: ***1900591-001***

Source Name: ***STREAM PICK-UP***

Source Number: ***001***

Source Status: ***ACTIVE RAW***

Water type: ***SURFACE***

	STORET NUMBER	TESTING INTERVAL (MONTHS)*	LAST TEST DATE (yyyy/mm/dd)	LAST RESULT REPORTED	NEXT TEST DATE (yyyy/mm)
REGULATED VOC					
STYRENE	77128	WAIVED			
TETRACHLOROETHYLENE	34475	WAIVED			
TOLUENE	34010	WAIVED			
TRANS-1,2-DICHLOROETHYLENE	34546	WAIVED			
TRICHLOROETHYLENE	39180	WAIVED			
TRICHLOROFLUOROMETHANE	34488	WAIVED			
VINYL CHLORIDE	39175	WAIVED			
XYLENES (TOTAL)	81551	WAIVED			
SECONDARY/GP					
AGGRSSIVE INDEX (CORROSIVITY)	82383	WAIVED			
BICARBONATE ALKALINITY	00440	WAIVED	2006/04/27	230.000	
CALCIUM	00916	WAIVED	2006/04/27	40.100	
CARBONATE ALKALINITY	00445	WAIVED	2006/04/27	.000	
CHLORIDE	00940	WAIVED	2006/04/27	2.920	
COLOR	00081	WAIVED	2002/06/28	.000	
COPPER	01042	WAIVED	2006/04/27	.000	
FOAMING AGENTS (MBAS)	38260	WAIVED	2002/06/28	.000	
HARDNESS (TOTAL) AS CACO3	00900	WAIVED	2006/04/27	185.000	
HYDROXIDE ALKALINITY	71830	WAIVED	2006/04/27	.000	
IRON	01045	WAIVED	2006/04/27	.000	
MAGNESIUM	00927	WAIVED	2006/04/27	20.700	
MANGANESE	01055	WAIVED	2006/04/27	.000	
ODOR THRESHOLD @ 60 C	00086	WAIVED	2002/06/28	.000	
PH, LABORATORY	00403	WAIVED	2006/04/27	7.540	
SILVER	01077	WAIVED	2006/04/27	.000	
SODIUM	00929	WAIVED	2006/04/27	10.300	
SPECIFIC CONDUCTANCE	00095	WAIVED	2002/06/28	366.000	
SULFATE	00945	WAIVED	2006/04/27	3.050	
TOTAL DISSOLVED SOLIDS	70300	WAIVED	2006/04/27	192.000	

**Testing interval is in months;*
0 = No data for this constituent and is DUE NOW
999 = Waived testing (not required)
I = Invalid (NOT) valid analyses reported

System Number: ***1900591***

System Name: ***STURTEVANT CAMP, UNITED METHODIST***

PS Code: ***1900591-001***

Source Name: ***STREAM PICK-UP***

Source Number: ***001***

Source Status: ***ACTIVE RAW***

Water type: ***SURFACE***

SECONDARY/GP	STORET NUMBER	TESTING INTERVAL (MONTHS)*	LAST TEST DATE (yyyy/mm/dd)	LAST RESULT REPORTED	NEXT TEST DATE (yyyy/mm)
TURBIDITY, LABORATORY	82079	WAIVED	2006/04/27	.190	
ZINC	01092	WAIVED	2006/04/27	.000	

**Testing interval is in months;*
0 = No data for this constituent and is DUE NOW
999 = Waived testing (not required)
I = Invalid (NOT) valid analyses reported

System Number: ***1900594***

System Name: ***CAMP VERDUGO OAKS BOY SCOUTS***

PS Code: ***1900594-001***

Source Name: ***WELL 01***

Source Number: ***001***

Source Status: ***ACTIVE UNTREATED***

Water type: ***GROUNDWATER OR WELL***

	STORET NUMBER	TESTING INTERVAL (MONTHS)*	LAST TEST DATE (yyyy/mm/dd)	LAST RESULT REPORTED	NEXT TEST DATE (yyyy/mm)
GENERAL NON CHAP 15					
DIAZINON	39570	WAIVED			
INORGANIC					
ALUMINUM	01105	WAIVED	2002/11/11	.000	
ANTIMONY	01097	WAIVED	2002/11/11	.000	
ARSENIC	01002	WAIVED	2002/11/11	.000	
ASBESTOS	81855	WAIVED			
BARIUM	01007	WAIVED	2002/11/11	.000	
BERYLLIUM	01012	WAIVED			
CADMIUM	01027	WAIVED	2002/11/11	.000	
CHROMIUM (TOTAL)	01034	WAIVED	2002/11/11	17.100	
CYANIDE	01291	WAIVED			
FLUORIDE (F) (NATURAL-SOURCE)	00951	WAIVED	2002/11/11	.350	
LEAD	01051	WAIVED	2002/11/11	13.500	
MERCURY	71900	WAIVED	2002/11/11	.000	
NICKEL	01067	WAIVED	2002/11/11	.000	
PERCHLORATE	A-031	WAIVED	2002/11/11	.000	
SELENIUM	01147	WAIVED	2002/11/11	.000	
THALLIUM	01059	WAIVED			
NITRATE/NITRITE					
NITRATE (AS NO3)	71850	WAIVED	2002/11/11	6.010	
NITRITE (AS N)	00620	WAIVED			
RADIOLOGICAL					
GROSS ALPHA	01501	WAIVED			
GROSS BETA	03501	WAIVED			
RA-226 FOR CWS OR TOTAL RA FOR NTNC BY 903.0	A-080	WAIVED			
RA-226 OR TOTAL RA BY 903.0 C.E.	A-081	WAIVED			
RADIUM 226	09501	WAIVED			
RADIUM 228	11501	WAIVED			

**Testing interval is in months;*
0 = No data for this constituent and is DUE NOW
999 = Waived testing (not required)
I = Invalid (NOT) valid analyses reported

System Number: ***1900594***

System Name: ***CAMP VERDUGO OAKS BOY SCOUTS***

PS Code: ***1900594-001***

Source Name: ***WELL 01***

Source Number: ***001***

Source Status: ***ACTIVE UNTREATED***

Water type: ***GROUNDWATER OR WELL***

	STORET NUMBER	TESTING INTERVAL (MONTHS)*	LAST TEST DATE (yyyy/mm/dd)	LAST RESULT REPORTED	NEXT TEST DATE (yyyy/mm)
RADIOLOGICAL					
RADIUM, TOTAL, MDA95-NTNC ONLY, BY 903.0	A-082	WAIVED			
STRONTIUM-90	13501	WAIVED			
TRITIUM	07000	WAIVED			
URANIUM (PCI/L)	28012	WAIVED			
REGULATED SOC					
2,3,7,8-TCDD (DIOXIN)	34676	WAIVED			
2,4,5-TP (SILVEX)	39045	WAIVED			
2,4-D	39730	WAIVED			
ALACHLOR	77825	WAIVED			
ATRAZINE	39033	WAIVED			
BENTAZON	38710	WAIVED			
BENZO (A) PYRENE	34247	WAIVED			
CARBOFURAN	81405	WAIVED			
CHLORDANE	39350	WAIVED			
DALAPON	38432	WAIVED			
DI(2-ETHYLHEXYL)ADIPATE	A-026	WAIVED			
DI(2-ETHYLHEXYL)PHTHALATE	39100	WAIVED			
DIBROMOCHLOROPROPANE (DBCP)	38761	WAIVED			
DINOSEB	81287	WAIVED			
DIQUAT	78885	WAIVED			
ENDOTHALL	38926	WAIVED			
ENDRIN	39390	WAIVED			
ETHYLENE DIBROMIDE (EDB)	77651	WAIVED			
GLYPHOSATE	79743	WAIVED			
HEPTACHLOR	39410	WAIVED			
HEPTACHLOR EPOXIDE	39420	WAIVED			
HEXACHLOROBENZENE	39700	WAIVED			
HEXACHLOROCYCLOPENTADIENE	34386	WAIVED			
LINDANE	39340	WAIVED			

**Testing interval is in months;*
0 = No data for this constituent and is DUE NOW
999 = Waived testing (not required)
I = Invalid (NOT) valid analyses reported

System Number: ***1900594***

System Name: ***CAMP VERDUGO OAKS BOY SCOUTS***

PS Code: ***1900594-001***

Source Name: ***WELL 01***

Source Number: ***001***

Source Status: ***ACTIVE UNTREATED***

Water type: ***GROUNDWATER OR WELL***

	STORET NUMBER	TESTING INTERVAL (MONTHS)*	LAST TEST DATE (yyyy/mm/dd)	LAST RESULT REPORTED	NEXT TEST DATE (yyyy/mm)
REGULATED SOC					
METHOXYCHLOR	39480	WAIVED			
MOLINATE	82199	WAIVED			
OXAMYL	38865	WAIVED			
PENTACHLOROPHENOL	39032	WAIVED			
PICLORAM	39720	WAIVED			
POLYCHLORINATED BIPHENYLS, TOTAL, AS DCB	39516	WAIVED			
SIMAZINE	39055	WAIVED			
THIOBENCARB	A-001	WAIVED	2002/11/11	.000	
TOXAPHENE	39400	WAIVED			
REGULATED VOC					
1,1,1-TRICHLOROETHANE	34506	WAIVED			
1,1,2,2-TETRACHLOROETHANE	34516	WAIVED			
1,1,2-TRICHLORO-1,2,2-TRIFLUOROETHANE	81611	WAIVED			
1,1,2-TRICHLOROETHANE	34511	WAIVED			
1,1-DICHLOROETHANE	34496	WAIVED			
1,1-DICHLOROETHYLENE	34501	WAIVED			
1,2,4-TRICHLOROBENZENE	34551	WAIVED			
1,2-DICHLOROBENZENE	34536	WAIVED			
1,2-DICHLOROETHANE	34531	WAIVED			
1,2-DICHLOROPROPANE	34541	WAIVED			
1,3-DICHLOROPROPENE (TOTAL)	34561	WAIVED			
1,4-DICHLOROBENZENE	34571	WAIVED			
BENZENE	34030	WAIVED			
CARBON TETRACHLORIDE	32102	WAIVED			
CIS-1,2-DICHLOROETHYLENE	77093	WAIVED			
DICHLOROMETHANE	34423	WAIVED			
ETHYLBENZENE	34371	WAIVED			
METHYL-TERT-BUTYL-ETHER (MTBE)	46491	WAIVED			
MONOCHLOROBENZENE	34301	WAIVED			

**Testing interval is in months;*
0 = No data for this constituent and is DUE NOW
999 = Waived testing (not required)
I = Invalid (NOT) valid analyses reported

System Number: ***1900594***

System Name: ***CAMP VERDUGO OAKS BOY SCOUTS***

PS Code: ***1900594-001***

Source Name: ***WELL 01***

Source Number: ***001***

Source Status: ***ACTIVE UNTREATED***

Water type: ***GROUNDWATER OR WELL***

	STORET NUMBER	TESTING INTERVAL (MONTHS)*	LAST TEST DATE (yyyy/mm/dd)	LAST RESULT REPORTED	NEXT TEST DATE (yyyy/mm)
REGULATED VOC					
STYRENE	77128	WAIVED			
TETRACHLOROETHYLENE	34475	WAIVED			
TOLUENE	34010	WAIVED			
TRANS-1,2-DICHLOROETHYLENE	34546	WAIVED			
TRICHLOROETHYLENE	39180	WAIVED			
TRICHLOROFLUOROMETHANE	34488	WAIVED			
VINYL CHLORIDE	39175	WAIVED			
XYLENES (TOTAL)	81551	WAIVED			
SECONDARY/GP					
AGGRSSIVE INDEX (CORROSIVITY)	82383	WAIVED			
BICARBONATE ALKALINITY	00440	WAIVED	2002/11/11	441.000	
CALCIUM	00916	WAIVED	2002/11/11	100.000	
CARBONATE ALKALINITY	00445	WAIVED	2002/11/11	.000	
CHLORIDE	00940	WAIVED	2002/11/11	31.000	
COLOR	00081	WAIVED	2002/11/11	.000	
COPPER	01042	WAIVED	2002/11/11	53.800	
FOAMING AGENTS (MBAS)	38260	WAIVED	2002/11/11	.000	
HARDNESS (TOTAL) AS CACO3	00900	WAIVED	2002/11/11	410.000	
HYDROXIDE ALKALINITY	71830	WAIVED	2002/11/11	.000	
IRON	01045	WAIVED	2002/11/11	.000	
MAGNESIUM	00927	WAIVED	2002/11/11	38.900	
MANGANESE	01055	WAIVED	2002/11/11	.000	
ODOR THRESHOLD @ 60 C	00086	WAIVED	2002/11/11	.000	
PH, LABORATORY	00403	WAIVED	2002/11/11	7.480	
SILVER	01077	WAIVED	2002/11/11	.000	
SODIUM	00929	WAIVED	2002/11/11	37.900	
SPECIFIC CONDUCTANCE	00095	WAIVED	2002/11/11	978.000	
SULFATE	00945	WAIVED	2002/11/11	106.000	
TOTAL DISSOLVED SOLIDS	70300	WAIVED	2002/11/11	564.000	

**Testing interval is in months;*
0 = No data for this constituent and is DUE NOW
999 = Waived testing (not required)
I = Invalid (NOT) valid analyses reported

System Number: ***1900594***

System Name: ***CAMP VERDUGO OAKS BOY SCOUTS***

PS Code: ***1900594-001***

Source Name: ***WELL 01***

Source Number: ***001***

Source Status: ***ACTIVE UNTREATED***

Water type: ***GROUNDWATER OR WELL***

SECONDARY/GP

	STORET NUMBER	TESTING INTERVAL (MONTHS)*	LAST TEST DATE (yyyy/mm/dd)	LAST RESULT REPORTED	NEXT TEST DATE (yyyy/mm)
TURBIDITY, LABORATORY	82079	WAIVED	2002/11/11	.190	
ZINC	01092	WAIVED	2002/11/11	94.700	

**Testing interval is in months;*
0 = No data for this constituent and is DUE NOW
999 = Waived testing (not required)
I = Invalid (NOT) valid analyses reported

System Number: 1900599
System Name: VALHALLA WATER ASSOCIATION

PS Code: 1900599-001
Source Name: WELL 01
Source Number: 001
Source Status: ACTIVE UNTREATED
Water type: GROUNDWATER OR WELL

	STORET NUMBER	TESTING INTERVAL (MONTHS)*	LAST TEST DATE (yyyy/mm/dd)	LAST RESULT REPORTED	NEXT TEST DATE (yyyy/mm)
GENERAL NON CHAP 15					
DIAZINON	39570	WAIVED			
INORGANIC					
ALUMINUM	01105	WAIVED	2010/08/24	< 10.000	
ANTIMONY	01097	WAIVED	2010/08/24	< 1.000	
ARSENIC	01002	WAIVED	2010/08/24	< 2.000	
ASBESTOS	81855	WAIVED			
BARIUM	01007	WAIVED	2010/08/24	103.000	
BERYLLIUM	01012	WAIVED	2010/08/24	< .200	
CADMIUM	01027	WAIVED	2010/08/24	< .200	
CHROMIUM (TOTAL)	01034	WAIVED	2010/08/24	2.000	
CYANIDE	01291	WAIVED			
FLUORIDE (F) (NATURAL-SOURCE)	00951	WAIVED	2010/08/24	.600	
LEAD	01051	WAIVED	2010/08/24	.200	
MERCURY	71900	WAIVED	2010/08/24	< .020	
NICKEL	01067	WAIVED	2010/08/24	< 1.000	
PERCHLORATE	A-031	WAIVED	2009/05/18	< 20.000	
SELENIUM	01147	WAIVED	2010/08/24	< 2.000	
THALLIUM	01059	WAIVED	2010/08/24	< .200	
NITRATE/NITRITE					
NITRATE (AS NO3)	71850	WAIVED	2010/08/24	4.300	
NITRITE (AS N)	00620	WAIVED	2010/08/24	< .100	
RADIOLOGICAL					
GROSS ALPHA	01501	WAIVED			
GROSS BETA	03501	WAIVED			
RA-226 FOR CWS OR TOTAL RA FOR NTNC BY 903.0	A-080	WAIVED			
RA-226 OR TOTAL RA BY 903.0 C.E.	A-081	WAIVED			
RADIUM 226	09501	WAIVED			
RADIUM 228	11501	WAIVED			

**Testing interval is in months;*
0 = No data for this constituent and is DUE NOW
999 = Waived testing (not required)
I = Invalid (NOT) valid analyses reported

System Number: ***1900599***

System Name: ***VALHALLA WATER ASSOCIATION***

PS Code: ***1900599-001***

Source Name: ***WELL 01***

Source Number: ***001***

Source Status: ***ACTIVE UNTREATED***

Water type: ***GROUNDWATER OR WELL***

	STORET NUMBER	TESTING INTERVAL (MONTHS)*	LAST TEST DATE (yyyy/mm/dd)	LAST RESULT REPORTED	NEXT TEST DATE (yyyy/mm)
RADIOLOGICAL					
RADIUM, TOTAL, MDA95-NTNC ONLY, BY 903.0	A-082	WAIVED			
STRONTIUM-90	13501	WAIVED			
TRITIUM	07000	WAIVED			
URANIUM (PCI/L)	28012	WAIVED			
REGULATED SOC					
2,3,7,8-TCDD (DIOXIN)	34676	WAIVED			
2,4,5-TP (SILVEX)	39045	WAIVED			
2,4-D	39730	WAIVED			
ALACHLOR	77825	WAIVED	2002/06/13	.000	
ATRAZINE	39033	WAIVED			
BENTAZON	38710	WAIVED			
BENZO (A) PYRENE	34247	WAIVED			
CARBOFURAN	81405	WAIVED			
CHLORDANE	39350	WAIVED	2002/06/13	.000	
DALAPON	38432	WAIVED			
DI(2-ETHYLHEXYL)ADIPATE	A-026	WAIVED			
DI(2-ETHYLHEXYL)PHTHALATE	39100	WAIVED			
DIBROMOCHLOROPROPANE (DBCP)	38761	WAIVED			
DINOSEB	81287	WAIVED			
DIQUAT	78885	WAIVED			
ENDOTHALL	38926	WAIVED			
ENDRIN	39390	WAIVED	2002/06/13	.000	
ETHYLENE DIBROMIDE (EDB)	77651	WAIVED			
GLYPHOSATE	79743	WAIVED			
HEPTACHLOR	39410	WAIVED	2002/06/13	.000	
HEPTACHLOR EPOXIDE	39420	WAIVED	2002/06/13	.000	
HEXACHLOROBENZENE	39700	WAIVED	2002/06/13	.000	
HEXACHLOROCYCLOPENTADIENE	34386	WAIVED	2002/06/13	.000	
LINDANE	39340	WAIVED	2002/06/13	.000	

**Testing interval is in months;*
0 = No data for this constituent and is DUE NOW
999 = Waived testing (not required)
I = Invalid (NOT) valid analyses reported

System Number: ***1900599***

System Name: ***VALHALLA WATER ASSOCIATION***

PS Code: ***1900599-001***

Source Name: ***WELL 01***

Source Number: ***001***

Source Status: ***ACTIVE UNTREATED***

Water type: ***GROUNDWATER OR WELL***

	STORET NUMBER	TESTING INTERVAL (MONTHS)*	LAST TEST DATE (yyyy/mm/dd)	LAST RESULT REPORTED	NEXT TEST DATE (yyyy/mm)
REGULATED SOC					
METHOXYCHLOR	39480	WAIVED	2002/06/13	.000	
MOLINATE	82199	WAIVED			
OXAMYL	38865	WAIVED			
PENTACHLOROPHENOL	39032	WAIVED			
PICLORAM	39720	WAIVED			
POLYCHLORINATED BIPHENYLS, TOTAL, AS DCB	39516	WAIVED	2002/06/13	.000	
SIMAZINE	39055	WAIVED			
THIOBENCARB	A-001	WAIVED			
TOXAPHENE	39400	WAIVED	2002/06/13	.000	
REGULATED VOC					
1,1,1-TRICHLOROETHANE	34506	WAIVED	2002/06/13	.000	
1,1,2,2-TETRACHLOROETHANE	34516	WAIVED	2002/06/13	.000	
1,1,2-TRICHLORO-1,2,2-TRIFLUOROETHANE	81611	WAIVED	2002/06/13	.000	
1,1,2-TRICHLOROETHANE	34511	WAIVED	2002/06/13	.000	
1,1-DICHLOROETHANE	34496	WAIVED	2002/06/13	.000	
1,1-DICHLOROETHYLENE	34501	WAIVED	2002/06/13	.000	
1,2,4-TRICHLOROBENZENE	34551	WAIVED	2002/06/13	.000	
1,2-DICHLOROBENZENE	34536	WAIVED	2002/06/13	.000	
1,2-DICHLOROETHANE	34531	WAIVED	2002/06/13	.000	
1,2-DICHLOROPROPANE	34541	WAIVED	2002/06/13	.000	
1,3-DICHLOROPROPENE (TOTAL)	34561	WAIVED	2002/06/13	.000	
1,4-DICHLOROBENZENE	34571	WAIVED	2002/06/13	.000	
BENZENE	34030	WAIVED	2002/06/13	.000	
CARBON TETRACHLORIDE	32102	WAIVED	2002/06/13	.000	
CIS-1,2-DICHLOROETHYLENE	77093	WAIVED	2002/06/13	.000	
DICHLOROMETHANE	34423	WAIVED	2002/06/13	.000	
ETHYLBENZENE	34371	WAIVED	2002/06/13	.000	
METHYL-TERT-BUTYL-ETHER (MTBE)	46491	WAIVED	2002/06/13	.000	
MONOCHLOROBENZENE	34301	WAIVED	2002/06/13	.000	

**Testing interval is in months;*
0 = No data for this constituent and is DUE NOW
999 = Waived testing (not required)
I = Invalid (NOT) valid analyses reported

System Number: 1900599
System Name: VALHALLA WATER ASSOCIATION

PS Code: 1900599-001
Source Name: WELL 01
Source Number: 001
Source Status: ACTIVE UNTREATED
Water type: GROUNDWATER OR WELL

	STORET NUMBER	TESTING INTERVAL (MONTHS)*	LAST TEST DATE (yyyy/mm/dd)	LAST RESULT REPORTED	NEXT TEST DATE (yyyy/mm)
REGULATED VOC					
STYRENE	77128	WAIVED	2002/06/13	.000	
TETRACHLOROETHYLENE	34475	WAIVED	2002/06/13	.000	
TOLUENE	34010	WAIVED	2002/06/13	.000	
TRANS-1,2-DICHLOROETHYLENE	34546	WAIVED	2002/06/13	.000	
TRICHLOROETHYLENE	39180	WAIVED	2002/06/13	.000	
TRICHLOROFLUOROMETHANE	34488	WAIVED	2002/06/13	.000	
VINYL CHLORIDE	39175	WAIVED	2002/06/13	.000	
XYLENES (TOTAL)	81551	WAIVED	2002/06/13	.000	
SECONDARY/GP					
AGGRSSIVE INDEX (CORROSIVITY)	82383	WAIVED	2010/08/24	12.000	
BICARBONATE ALKALINITY	00440	WAIVED	2010/08/24	360.000	
CALCIUM	00916	WAIVED	2010/08/24	70.000	
CARBONATE ALKALINITY	00445	WAIVED	2010/08/24	< 10.000	
CHLORIDE	00940	WAIVED	2010/08/24	66.000	
COLOR	00081	WAIVED	2010/08/24	11.000	
COPPER	01042	WAIVED	2010/08/24	< 10.000	
FOAMING AGENTS (MBAS)	38260	WAIVED	2010/08/24	< .100	
HARDNESS (TOTAL) AS CACO3	00900	WAIVED	2010/08/24	249.000	
HYDROXIDE ALKALINITY	71830	WAIVED	2010/08/24	< 10.000	
IRON	01045	WAIVED	2010/08/24	100.000	
MAGNESIUM	00927	WAIVED	2010/08/24	18.000	
MANGANESE	01055	WAIVED	2010/08/24	< 10.000	
ODOR THRESHOLD @ 60 C	00086	WAIVED	2010/08/24	< 1.000	
PH, LABORATORY	00403	WAIVED	2010/08/24	7.300	
SILVER	01077	WAIVED	2010/08/24	< 1.000	
SODIUM	00929	WAIVED	2010/08/24	80.000	
SPECIFIC CONDUCTANCE	00095	WAIVED	2010/08/24	788.000	
SULFATE	00945	WAIVED	2010/08/24	28.000	
TOTAL DISSOLVED SOLIDS	70300	WAIVED	2010/08/24	450.000	

**Testing interval is in months;*
0 = No data for this constituent and is DUE NOW
999 = Waived testing (not required)
I = Invalid (NOT) valid analyses reported

System Number: ***1900599***

System Name: ***VALHALLA WATER ASSOCIATION***

PS Code: ***1900599-001***

Source Name: ***WELL 01***

Source Number: ***001***

Source Status: ***ACTIVE UNTREATED***

Water type: ***GROUNDWATER OR WELL***

	STORET NUMBER	TESTING INTERVAL (MONTHS)*	LAST TEST DATE (yyyy/mm/dd)	LAST RESULT REPORTED	NEXT TEST DATE (yyyy/mm)
SECONDARY/GP					
TURBIDITY, LABORATORY	82079	WAIVED	2010/08/24	.300	
ZINC	01092	WAIVED	2010/08/24	50.000	

PS Code: ***1900599-002***

Source Name: ***AUTOMATIC CHLORINATION UNIT***

Source Number: ***002***

Source Status: ***ACTIVE TREATED***

Water type: ***GROUNDWATER OR WELL***

GENERAL NON CHAP 15					
DIAZINON	39570	WAIVED			
INORGANIC					
ALUMINUM	01105	WAIVED			
ANTIMONY	01097	WAIVED			
ARSENIC	01002	WAIVED			
ASBESTOS	81855	WAIVED			
BARIUM	01007	WAIVED			
BERYLLIUM	01012	WAIVED			
CADMIUM	01027	WAIVED			
CHROMIUM (TOTAL)	01034	WAIVED			
CYANIDE	01291	WAIVED			
FLUORIDE (F) (NATURAL-SOURCE)	00951	WAIVED			
LEAD	01051	WAIVED			
MERCURY	71900	WAIVED			
NICKEL	01067	WAIVED			
PERCHLORATE	A-031	WAIVED			
SELENIUM	01147	WAIVED			
THALLIUM	01059	WAIVED			

**Testing interval is in months;*
0 = No data for this constituent and is DUE NOW
999 = Waived testing (not required)
I = Invalid (NOT) valid analyses reported

System Number: ***1900599***

System Name: ***VALHALLA WATER ASSOCIATION***

PS Code: ***1900599-002***

Source Name: ***AUTOMATIC CHLORINATION UNIT***

Source Number: ***002***

Source Status: ***ACTIVE TREATED***

Water type: ***GROUNDWATER OR WELL***

	STORET NUMBER	TESTING INTERVAL (MONTHS)*	LAST TEST DATE (yyyy/mm/dd)	LAST RESULT REPORTED	NEXT TEST DATE (yyyy/mm)
NITRATE/NITRITE					
NITRATE (AS NO3)	71850	WAIVED			
NITRITE (AS N)	00620	WAIVED			
RADIOLOGICAL					
GROSS ALPHA	01501	WAIVED			
GROSS BETA	03501	WAIVED			
RA-226 FOR CWS OR TOTAL RA FOR NTNC BY 903.0	A-080	WAIVED			
RA-226 OR TOTAL RA BY 903.0 C.E.	A-081	WAIVED			
RADIUM 226	09501	WAIVED			
RADIUM 228	11501	WAIVED			
RADIUM, TOTAL, MDA95-NTNC ONLY, BY 903.0	A-082	WAIVED			
STRONTIUM-90	13501	WAIVED			
TRITIUM	07000	WAIVED			
URANIUM (PCI/L)	28012	WAIVED			
REGULATED SOC					
2,3,7,8-TCDD (DIOXIN)	34676	WAIVED			
2,4,5-TP (SILVEX)	39045	WAIVED			
2,4-D	39730	WAIVED			
ALACHLOR	77825	WAIVED			
ATRAZINE	39033	WAIVED			
BENTAZON	38710	WAIVED			
BENZO (A) PYRENE	34247	WAIVED			
CARBOFURAN	81405	WAIVED			
CHLORDANE	39350	WAIVED			
DALAPON	38432	WAIVED			
DI(2-ETHYLHEXYL)ADIPATE	A-026	WAIVED			
DI(2-ETHYLHEXYL)PHTHALATE	39100	WAIVED			
DIBROMOCHLOROPROPANE (DBCP)	38761	WAIVED			
DINOSEB	81287	WAIVED			
DIQUAT	78885	WAIVED			

**Testing interval is in months;*
0 = No data for this constituent and is DUE NOW
999 = Waived testing (not required)
I = Invalid (NOT) valid analyses reported

System Number: ***1900599***

System Name: ***VALHALLA WATER ASSOCIATION***

PS Code: ***1900599-002***

Source Name: ***AUTOMATIC CHLORINATION UNIT***

Source Number: ***002***

Source Status: ***ACTIVE TREATED***

Water type: ***GROUNDWATER OR WELL***

	STORET NUMBER	TESTING INTERVAL (MONTHS)*	LAST TEST DATE (yyyy/mm/dd)	LAST RESULT REPORTED	NEXT TEST DATE (yyyy/mm)
REGULATED SOC					
ENDOTHALL	38926	WAIVED			
ENDRIN	39390	WAIVED			
ETHYLENE DIBROMIDE (EDB)	77651	WAIVED			
GLYPHOSATE	79743	WAIVED			
HEPTACHLOR	39410	WAIVED			
HEPTACHLOR EPOXIDE	39420	WAIVED			
HEXACHLOROBENZENE	39700	WAIVED			
HEXACHLOROCYCLOPENTADIENE	34386	WAIVED			
LINDANE	39340	WAIVED			
METHOXYCHLOR	39480	WAIVED			
MOLINATE	82199	WAIVED			
OXAMYL	38865	WAIVED			
PENTACHLOROPHENOL	39032	WAIVED			
PICLORAM	39720	WAIVED			
POLYCHLORINATED BIPHENYLS, TOTAL, AS DCB	39516	WAIVED			
SIMAZINE	39055	WAIVED			
THIOBENCARB	A-001	WAIVED			
TOXAPHENE	39400	WAIVED			
REGULATED VOC					
1,1,1-TRICHLOROETHANE	34506	WAIVED			
1,1,2,2-TETRACHLOROETHANE	34516	WAIVED			
1,1,2-TRICHLORO-1,2,2-TRIFLUOROETHANE	81611	WAIVED			
1,1,2-TRICHLOROETHANE	34511	WAIVED			
1,1-DICHLOROETHANE	34496	WAIVED			
1,1-DICHLOROETHYLENE	34501	WAIVED			
1,2,4-TRICHLOROBENZENE	34551	WAIVED			
1,2-DICHLOROBENZENE	34536	WAIVED			
1,2-DICHLOROETHANE	34531	WAIVED			
1,2-DICHLOROPROPANE	34541	WAIVED			

**Testing interval is in months;*
0 = No data for this constituent and is DUE NOW
999 = Waived testing (not required)
I = Invalid (NOT) valid analyses reported

System Number: ***1900599***

System Name: ***VALHALLA WATER ASSOCIATION***

PS Code: ***1900599-002***

Source Name: ***AUTOMATIC CHLORINATION UNIT***

Source Number: ***002***

Source Status: ***ACTIVE TREATED***

Water type: ***GROUNDWATER OR WELL***

	STORET NUMBER	TESTING INTERVAL (MONTHS)*	LAST TEST DATE (yyyy/mm/dd)	LAST RESULT REPORTED	NEXT TEST DATE (yyyy/mm)
REGULATED VOC					
1,3-DICHLOROPROPENE (TOTAL)	34561	WAIVED			
1,4-DICHLOROBENZENE	34571	WAIVED			
BENZENE	34030	WAIVED			
CARBON TETRACHLORIDE	32102	WAIVED			
CIS-1,2-DICHLOROETHYLENE	77093	WAIVED			
DICHLOROMETHANE	34423	WAIVED			
ETHYLBENZENE	34371	WAIVED			
METHYL-TERT-BUTYL-ETHER (MTBE)	46491	WAIVED			
MONOCHLOROBENZENE	34301	WAIVED			
STYRENE	77128	WAIVED			
TETRACHLOROETHYLENE	34475	WAIVED			
TOLUENE	34010	WAIVED			
TRANS-1,2-DICHLOROETHYLENE	34546	WAIVED			
TRICHLOROETHYLENE	39180	WAIVED			
TRICHLOROFLUOROMETHANE	34488	WAIVED			
VINYL CHLORIDE	39175	WAIVED			
XYLENES (TOTAL)	81551	WAIVED			
SECONDARY/GP					
AGGRSSIVE INDEX (CORROSIVITY)	82383	WAIVED			
BICARBONATE ALKALINITY	00440	WAIVED			
CALCIUM	00916	WAIVED			
CARBONATE ALKALINITY	00445	WAIVED			
CHLORIDE	00940	WAIVED			
COLOR	00081	WAIVED			
COPPER	01042	WAIVED			
FOAMING AGENTS (MBAS)	38260	WAIVED			
HARDNESS (TOTAL) AS CACO3	00900	WAIVED			
HYDROXIDE ALKALINITY	71830	WAIVED			
IRON	01045	WAIVED			

**Testing interval is in months;*
0 = No data for this constituent and is DUE NOW
999 = Waived testing (not required)
I = Invalid (NOT) valid analyses reported

System Number: ***1900599***

System Name: ***VALHALLA WATER ASSOCIATION***

PS Code: ***1900599-002***

Source Name: ***AUTOMATIC CHLORINATION UNIT***

Source Number: ***002***

Source Status: ***ACTIVE TREATED***

Water type: ***GROUNDWATER OR WELL***

SECONDARY/GP

	STORET NUMBER	TESTING INTERVAL (MONTHS)*	LAST TEST DATE (yyyy/mm/dd)	LAST RESULT REPORTED	NEXT TEST DATE (yyyy/mm)
MAGNESIUM	00927	WAIVED			
MANGANESE	01055	WAIVED			
ODOR THRESHOLD @ 60 C	00086	WAIVED			
PH, LABORATORY	00403	WAIVED			
SILVER	01077	WAIVED			
SODIUM	00929	WAIVED			
SPECIFIC CONDUCTANCE	00095	WAIVED			
SULFATE	00945	WAIVED			
TOTAL DISSOLVED SOLIDS	70300	WAIVED			
TURBIDITY, LABORATORY	82079	WAIVED			
ZINC	01092	WAIVED			

**Testing interval is in months;*
0 = No data for this constituent and is DUE NOW
999 = Waived testing (not required)
I = Invalid (NOT) valid analyses reported

System Number: ***1900603***

System Name: ***CAMP JOSEPHO-BSA***

PS Code: ***1900603-001***

Source Name: ***WELL 01***

Source Number: ***001***

Source Status: ***ACTIVE UNTREATED***

Water type: ***GROUNDWATER OR WELL***

	STORET NUMBER	TESTING INTERVAL (MONTHS)*	LAST TEST DATE (yyyy/mm/dd)	LAST RESULT REPORTED	NEXT TEST DATE (yyyy/mm)
GENERAL NON CHAP 15					
DIAZINON	39570	WAIVED			
INORGANIC					
ALUMINUM	01105	WAIVED	2002/07/16	.000	
ANTIMONY	01097	WAIVED	2002/07/16	.000	
ARSENIC	01002	WAIVED	2002/07/16	6.390	
ASBESTOS	81855	WAIVED			
BARIUM	01007	WAIVED	2002/07/16	.000	
BERYLLIUM	01012	WAIVED			
CADMIUM	01027	WAIVED	2002/07/16	.000	
CHROMIUM (TOTAL)	01034	WAIVED	2002/07/16	.000	
CYANIDE	01291	WAIVED			
FLUORIDE (F) (NATURAL-SOURCE)	00951	WAIVED	2002/07/16	.210	
LEAD	01051	WAIVED	2002/07/16	.000	
MERCURY	71900	WAIVED	2002/07/16	.000	
NICKEL	01067	WAIVED	2002/07/16	.000	
PERCHLORATE	A-031	WAIVED	2002/07/16	.000	
SELENIUM	01147	WAIVED	2002/07/16	.000	
THALLIUM	01059	WAIVED			
NITRATE/NITRITE					
NITRATE (AS NO3)	71850	WAIVED	2004/06/08	.000	
NITRITE (AS N)	00620	WAIVED			
RADIOLOGICAL					
GROSS ALPHA	01501	WAIVED			
GROSS BETA	03501	WAIVED			
RA-226 FOR CWS OR TOTAL RA FOR NTNC BY 903.0	A-080	WAIVED			
RA-226 OR TOTAL RA BY 903.0 C.E.	A-081	WAIVED			
RADIUM 226	09501	WAIVED			
RADIUM 228	11501	WAIVED			

**Testing interval is in months;*
0 = No data for this constituent and is DUE NOW
999 = Waived testing (not required)
I = Invalid (NOT) valid analyses reported

System Number: ***1900603***

System Name: ***CAMP JOSEPHO-BSA***

PS Code: ***1900603-001***

Source Name: ***WELL 01***

Source Number: ***001***

Source Status: ***ACTIVE UNTREATED***

Water type: ***GROUNDWATER OR WELL***

	STORET NUMBER	TESTING INTERVAL (MONTHS)*	LAST TEST DATE (yyyy/mm/dd)	LAST RESULT REPORTED	NEXT TEST DATE (yyyy/mm)
RADIOLOGICAL					
RADIUM, TOTAL, MDA95-NTNC ONLY, BY 903.0	A-082	WAIVED			
STRONTIUM-90	13501	WAIVED			
TRITIUM	07000	WAIVED			
URANIUM (PCI/L)	28012	WAIVED			
REGULATED SOC					
2,3,7,8-TCDD (DIOXIN)	34676	WAIVED			
2,4,5-TP (SILVEX)	39045	WAIVED			
2,4-D	39730	WAIVED			
ALACHLOR	77825	WAIVED			
ATRAZINE	39033	WAIVED			
BENTAZON	38710	WAIVED			
BENZO (A) PYRENE	34247	WAIVED			
CARBOFURAN	81405	WAIVED			
CHLORDANE	39350	WAIVED			
DALAPON	38432	WAIVED			
DI(2-ETHYLHEXYL)ADIPATE	A-026	WAIVED			
DI(2-ETHYLHEXYL)PHTHALATE	39100	WAIVED			
DIBROMOCHLOROPROPANE (DBCP)	38761	WAIVED			
DINOSEB	81287	WAIVED			
DIQUAT	78885	WAIVED			
ENDOTHALL	38926	WAIVED			
ENDRIN	39390	WAIVED			
ETHYLENE DIBROMIDE (EDB)	77651	WAIVED			
GLYPHOSATE	79743	WAIVED			
HEPTACHLOR	39410	WAIVED			
HEPTACHLOR EPOXIDE	39420	WAIVED			
HEXACHLOROBENZENE	39700	WAIVED			
HEXACHLOROCYCLOPENTADIENE	34386	WAIVED			
LINDANE	39340	WAIVED			

**Testing interval is in months;*
0 = No data for this constituent and is DUE NOW
999 = Waived testing (not required)
I = Invalid (NOT) valid analyses reported

System Number: ***1900603***

System Name: ***CAMP JOSEPHO-BSA***

PS Code: ***1900603-001***

Source Name: ***WELL 01***

Source Number: ***001***

Source Status: ***ACTIVE UNTREATED***

Water type: ***GROUNDWATER OR WELL***

	STORET NUMBER	TESTING INTERVAL (MONTHS)*	LAST TEST DATE (yyyy/mm/dd)	LAST RESULT REPORTED	NEXT TEST DATE (yyyy/mm)
REGULATED SOC					
METHOXYCHLOR	39480	WAIVED			
MOLINATE	82199	WAIVED			
OXAMYL	38865	WAIVED			
PENTACHLOROPHENOL	39032	WAIVED			
PICLORAM	39720	WAIVED			
POLYCHLORINATED BIPHENYLS, TOTAL, AS DCB	39516	WAIVED			
SIMAZINE	39055	WAIVED			
THIOBENCARB	A-001	WAIVED			
TOXAPHENE	39400	WAIVED			
REGULATED VOC					
1,1,1-TRICHLOROETHANE	34506	WAIVED			
1,1,2,2-TETRACHLOROETHANE	34516	WAIVED			
1,1,2-TRICHLORO-1,2,2-TRIFLUOROETHANE	81611	WAIVED			
1,1,2-TRICHLOROETHANE	34511	WAIVED			
1,1-DICHLOROETHANE	34496	WAIVED			
1,1-DICHLOROETHYLENE	34501	WAIVED			
1,2,4-TRICHLOROBENZENE	34551	WAIVED			
1,2-DICHLOROBENZENE	34536	WAIVED			
1,2-DICHLOROETHANE	34531	WAIVED			
1,2-DICHLOROPROPANE	34541	WAIVED			
1,3-DICHLOROPROPENE (TOTAL)	34561	WAIVED			
1,4-DICHLOROBENZENE	34571	WAIVED			
BENZENE	34030	WAIVED			
CARBON TETRACHLORIDE	32102	WAIVED			
CIS-1,2-DICHLOROETHYLENE	77093	WAIVED			
DICHLOROMETHANE	34423	WAIVED			
ETHYLBENZENE	34371	WAIVED			
METHYL-TERT-BUTYL-ETHER (MTBE)	46491	WAIVED			
MONOCHLOROBENZENE	34301	WAIVED			

**Testing interval is in months;*
0 = No data for this constituent and is DUE NOW
999 = Waived testing (not required)
I = Invalid (NOT) valid analyses reported

System Number: ***1900603***

System Name: ***CAMP JOSEPHO-BSA***

PS Code: ***1900603-001***

Source Name: ***WELL 01***

Source Number: ***001***

Source Status: ***ACTIVE UNTREATED***

Water type: ***GROUNDWATER OR WELL***

	STORET NUMBER	TESTING INTERVAL (MONTHS)*	LAST TEST DATE (yyyy/mm/dd)	LAST RESULT REPORTED	NEXT TEST DATE (yyyy/mm)
REGULATED VOC					
STYRENE	77128	WAIVED			
TETRACHLOROETHYLENE	34475	WAIVED			
TOLUENE	34010	WAIVED			
TRANS-1,2-DICHLOROETHYLENE	34546	WAIVED			
TRICHLOROETHYLENE	39180	WAIVED			
TRICHLOROFLUOROMETHANE	34488	WAIVED			
VINYL CHLORIDE	39175	WAIVED			
XYLENES (TOTAL)	81551	WAIVED			
SECONDARY/GP					
AGGRSSIVE INDEX (CORROSIVITY)	82383	WAIVED			
BICARBONATE ALKALINITY	00440	WAIVED	2002/07/16	429.000	
CALCIUM	00916	WAIVED	2002/07/16	102.000	
CARBONATE ALKALINITY	00445	WAIVED	2002/07/16	.000	
CHLORIDE	00940	WAIVED	2002/07/16	27.900	
COLOR	00081	WAIVED	2002/07/16	.000	
COPPER	01042	WAIVED	2002/07/16	.000	
FOAMING AGENTS (MBAS)	38260	WAIVED	2002/07/16	.000	
HARDNESS (TOTAL) AS CACO3	00900	WAIVED	2002/07/16	493.000	
HYDROXIDE ALKALINITY	71830	WAIVED	2002/07/16	.000	
IRON	01045	WAIVED	2002/07/16	111.000	
MAGNESIUM	00927	WAIVED	2002/07/16	57.900	
MANGANESE	01055	WAIVED	2002/07/16	57.000	
ODOR THRESHOLD @ 60 C	00086	WAIVED	2002/07/16	.000	
PH, LABORATORY	00403	WAIVED	2002/07/16	7.430	
SILVER	01077	WAIVED	2002/07/16	.000	
SODIUM	00929	WAIVED	2002/07/16	110.000	
SPECIFIC CONDUCTANCE	00095	WAIVED	2002/07/16	1495.000	
SULFATE	00945	WAIVED	2002/07/16	360.000	
TOTAL DISSOLVED SOLIDS	70300	WAIVED	2002/07/16	942.000	

**Testing interval is in months;*
0 = No data for this constituent and is DUE NOW
999 = Waived testing (not required)
I = Invalid (NOT) valid analyses reported

System Number: ***1900603***

System Name: ***CAMP JOSEPHO-BSA***

PS Code: ***1900603-001***

Source Name: ***WELL 01***

Source Number: ***001***

Source Status: ***ACTIVE UNTREATED***

Water type: ***GROUNDWATER OR WELL***

	STORET NUMBER	TESTING INTERVAL (MONTHS)*	LAST TEST DATE (yyyy/mm/dd)	LAST RESULT REPORTED	NEXT TEST DATE (yyyy/mm)
SECONDARY/GP					
TURBIDITY, LABORATORY	82079	WAIVED	2002/07/16	40.900	
ZINC	01092	WAIVED	2002/07/16	641.000	

PS Code: ***1900603-002***

Source Name: ***WELL 02***

Source Number: ***002***

Source Status: ***ACTIVE UNTREATED***

Water type: ***GROUNDWATER OR WELL***

GENERAL NON CHAP 15					
DIAZINON	39570	WAIVED			
INORGANIC					
ALUMINUM	01105	WAIVED	2003/06/26	.000	
ANTIMONY	01097	WAIVED			
ARSENIC	01002	WAIVED			
ASBESTOS	81855	WAIVED			
BARIUM	01007	WAIVED			
BERYLLIUM	01012	WAIVED			
CADMIUM	01027	WAIVED			
CHROMIUM (TOTAL)	01034	WAIVED			
CYANIDE	01291	WAIVED			
FLUORIDE (F) (NATURAL-SOURCE)	00951	WAIVED	2003/06/26	.280	
LEAD	01051	WAIVED			
MERCURY	71900	WAIVED			
NICKEL	01067	WAIVED			
PERCHLORATE	A-031	WAIVED			
SELENIUM	01147	WAIVED			
THALLIUM	01059	WAIVED			

**Testing interval is in months;*
0 = No data for this constituent and is DUE NOW
999 = Waived testing (not required)
I = Invalid (NOT) valid analyses reported

System Number: ***1900603***

System Name: ***CAMP JOSEPHO-BSA***

PS Code: ***1900603-002***

Source Name: ***WELL 02***

Source Number: ***002***

Source Status: ***ACTIVE UNTREATED***

Water type: ***GROUNDWATER OR WELL***

	STORET NUMBER	TESTING INTERVAL (MONTHS)*	LAST TEST DATE (yyyy/mm/dd)	LAST RESULT REPORTED	NEXT TEST DATE (yyyy/mm)
NITRATE/NITRITE					
NITRATE (AS NO3)	71850	WAIVED	2004/06/08	.000	
NITRITE (AS N)	00620	WAIVED	2003/06/26	.000	
RADIOLOGICAL					
GROSS ALPHA	01501	WAIVED			
GROSS BETA	03501	WAIVED			
RA-226 FOR CWS OR TOTAL RA FOR NTNC BY 903.0	A-080	WAIVED			
RA-226 OR TOTAL RA BY 903.0 C.E.	A-081	WAIVED			
RADIUM 226	09501	WAIVED			
RADIUM 228	11501	WAIVED			
RADIUM, TOTAL, MDA95-NTNC ONLY, BY 903.0	A-082	WAIVED			
STRONTIUM-90	13501	WAIVED			
TRITIUM	07000	WAIVED			
URANIUM (PCI/L)	28012	WAIVED			
REGULATED SOC					
2,3,7,8-TCDD (DIOXIN)	34676	WAIVED			
2,4,5-TP (SILVEX)	39045	WAIVED			
2,4-D	39730	WAIVED			
ALACHLOR	77825	WAIVED			
ATRAZINE	39033	WAIVED			
BENTAZON	38710	WAIVED			
BENZO (A) PYRENE	34247	WAIVED			
CARBOFURAN	81405	WAIVED			
CHLORDANE	39350	WAIVED			
DALAPON	38432	WAIVED			
DI(2-ETHYLHEXYL)ADIPATE	A-026	WAIVED			
DI(2-ETHYLHEXYL)PHTHALATE	39100	WAIVED			
DIBROMOCHLOROPROPANE (DBCP)	38761	WAIVED			
DINOSEB	81287	WAIVED			
DIQUAT	78885	WAIVED			

**Testing interval is in months;*
0 = No data for this constituent and is DUE NOW
999 = Waived testing (not required)
I = Invalid (NOT) valid analyses reported

System Number: ***1900603***

System Name: ***CAMP JOSEPHO-BSA***

PS Code: ***1900603-002***

Source Name: ***WELL 02***

Source Number: ***002***

Source Status: ***ACTIVE UNTREATED***

Water type: ***GROUNDWATER OR WELL***

	STORET NUMBER	TESTING INTERVAL (MONTHS)*	LAST TEST DATE (yyyy/mm/dd)	LAST RESULT REPORTED	NEXT TEST DATE (yyyy/mm)
REGULATED SOC					
ENDOTHALL	38926	WAIVED			
ENDRIN	39390	WAIVED			
ETHYLENE DIBROMIDE (EDB)	77651	WAIVED			
GLYPHOSATE	79743	WAIVED			
HEPTACHLOR	39410	WAIVED			
HEPTACHLOR EPOXIDE	39420	WAIVED			
HEXACHLOROBENZENE	39700	WAIVED			
HEXACHLOROCYCLOPENTADIENE	34386	WAIVED			
LINDANE	39340	WAIVED			
METHOXYCHLOR	39480	WAIVED			
MOLINATE	82199	WAIVED			
OXAMYL	38865	WAIVED			
PENTACHLOROPHENOL	39032	WAIVED			
PICLORAM	39720	WAIVED			
POLYCHLORINATED BIPHENYLS, TOTAL, AS DCB	39516	WAIVED			
SIMAZINE	39055	WAIVED			
THIOBENCARB	A-001	WAIVED			
TOXAPHENE	39400	WAIVED			
REGULATED VOC					
1,1,1-TRICHLOROETHANE	34506	WAIVED			
1,1,2,2-TETRACHLOROETHANE	34516	WAIVED			
1,1,2-TRICHLORO-1,2,2-TRIFLUOROETHANE	81611	WAIVED			
1,1,2-TRICHLOROETHANE	34511	WAIVED			
1,1-DICHLOROETHANE	34496	WAIVED			
1,1-DICHLOROETHYLENE	34501	WAIVED			
1,2,4-TRICHLOROBENZENE	34551	WAIVED			
1,2-DICHLOROBENZENE	34536	WAIVED			
1,2-DICHLOROETHANE	34531	WAIVED			
1,2-DICHLOROPROPANE	34541	WAIVED			

**Testing interval is in months;*
0 = No data for this constituent and is DUE NOW
999 = Waived testing (not required)
I = Invalid (NOT) valid analyses reported

System Number: ***1900603***

System Name: ***CAMP JOSEPHO-BSA***

PS Code: ***1900603-002***

Source Name: ***WELL 02***

Source Number: ***002***

Source Status: ***ACTIVE UNTREATED***

Water type: ***GROUNDWATER OR WELL***

	STORET NUMBER	TESTING INTERVAL (MONTHS)*	LAST TEST DATE (yyyy/mm/dd)	LAST RESULT REPORTED	NEXT TEST DATE (yyyy/mm)
REGULATED VOC					
1,3-DICHLOROPROPENE (TOTAL)	34561	WAIVED			
1,4-DICHLOROBENZENE	34571	WAIVED			
BENZENE	34030	WAIVED			
CARBON TETRACHLORIDE	32102	WAIVED			
CIS-1,2-DICHLOROETHYLENE	77093	WAIVED			
DICHLOROMETHANE	34423	WAIVED			
ETHYLBENZENE	34371	WAIVED			
METHYL-TERT-BUTYL-ETHER (MTBE)	46491	WAIVED			
MONOCHLOROBENZENE	34301	WAIVED			
STYRENE	77128	WAIVED			
TETRACHLOROETHYLENE	34475	WAIVED			
TOLUENE	34010	WAIVED			
TRANS-1,2-DICHLOROETHYLENE	34546	WAIVED			
TRICHLOROETHYLENE	39180	WAIVED			
TRICHLOROFLUOROMETHANE	34488	WAIVED			
VINYL CHLORIDE	39175	WAIVED			
XYLENES (TOTAL)	81551	WAIVED			
SECONDARY/GP					
AGGRSSIVE INDEX (CORROSIVITY)	82383	WAIVED			
BICARBONATE ALKALINITY	00440	WAIVED	2003/06/26	407.000	
CALCIUM	00916	WAIVED	2003/06/26	71.000	
CARBONATE ALKALINITY	00445	WAIVED	2003/06/26	1.050	
CHLORIDE	00940	WAIVED	2003/06/26	22.000	
COLOR	00081	WAIVED	2003/06/26	50.000	
COPPER	01042	WAIVED	2003/06/26	.000	
FOAMING AGENTS (MBAS)	38260	WAIVED	2003/06/26	.000	
HARDNESS (TOTAL) AS CACO3	00900	WAIVED	2003/06/26	325.000	
HYDROXIDE ALKALINITY	71830	WAIVED	2003/06/26	.007	
IRON	01045	WAIVED	2003/06/26	2300.000	

**Testing interval is in months;*
0 = No data for this constituent and is DUE NOW
999 = Waived testing (not required)
I = Invalid (NOT) valid analyses reported

System Number: ***1900603***

System Name: ***CAMP JOSEPHO-BSA***

PS Code: ***1900603-002***

Source Name: ***WELL 02***

Source Number: ***002***

Source Status: ***ACTIVE UNTREATED***

Water type: ***GROUNDWATER OR WELL***

SECONDARY/GP

	STORET NUMBER	TESTING INTERVAL (MONTHS)*	LAST TEST DATE (yyyy/mm/dd)	LAST RESULT REPORTED	NEXT TEST DATE (yyyy/mm)
MAGNESIUM	00927	WAIVED	2003/06/26	36.000	
MANGANESE	01055	WAIVED	2003/06/26	49.000	
ODOR THRESHOLD @ 60 C	00086	WAIVED	2003/06/26	8.000	
PH, LABORATORY	00403	WAIVED	2003/06/26	7.600	
SILVER	01077	WAIVED			
SODIUM	00929	WAIVED	2003/06/26	120.000	
SPECIFIC CONDUCTANCE	00095	WAIVED	2003/06/26	1350.000	
SULFATE	00945	WAIVED	2003/06/26	350.000	
TOTAL DISSOLVED SOLIDS	70300	WAIVED	2003/06/26	900.000	
TURBIDITY, LABORATORY	82079	WAIVED	2003/06/26	31.000	
ZINC	01092	WAIVED	2003/06/26	160.000	

**Testing interval is in months;*
0 = No data for this constituent and is DUE NOW
999 = Waived testing (not required)
I = Invalid (NOT) valid analyses reported

System Number: ***1900612***

System Name: ***UNITED METHODIST CAMP COLBY***

PS Code: ***1900612-001***

Source Name: ***HORIZONTAL WELL***

Source Number: ***001***

Source Status: ***ACTIVE UNTREATED***

Water type: ***GROUNDWATER OR WELL***

	STORET NUMBER	TESTING INTERVAL (MONTHS)*	LAST TEST DATE (yyyy/mm/dd)	LAST RESULT REPORTED	NEXT TEST DATE (yyyy/mm)
GENERAL NON CHAP 15					
DIAZINON	39570	WAIVED			
INORGANIC					
ALUMINUM	01105	WAIVED	2000/01/13	.000	
ANTIMONY	01097	WAIVED	2000/01/13	.000	
ARSENIC	01002	WAIVED	2000/01/13	.000	
ASBESTOS	81855	WAIVED			
BARIUM	01007	WAIVED	2000/01/13	.000	
BERYLLIUM	01012	WAIVED			
CADMIUM	01027	WAIVED	2000/01/13	.000	
CHROMIUM (TOTAL)	01034	WAIVED	2000/01/13	.000	
CYANIDE	01291	WAIVED			
FLUORIDE (F) (NATURAL-SOURCE)	00951	WAIVED	2000/01/13	.000	
LEAD	01051	WAIVED	2000/01/13	.000	
MERCURY	71900	WAIVED	2000/01/13	.000	
NICKEL	01067	WAIVED	2000/01/13	.000	
PERCHLORATE	A-031	WAIVED			
SELENIUM	01147	WAIVED	2000/01/13	.000	
THALLIUM	01059	WAIVED			
NITRATE/NITRITE					
NITRATE (AS NO3)	71850	WAIVED	2004/03/03	.000	
NITRITE (AS N)	00620	WAIVED			
RADIOLOGICAL					
GROSS ALPHA	01501	WAIVED			
GROSS BETA	03501	WAIVED			
RA-226 FOR CWS OR TOTAL RA FOR NTNC BY 903.0	A-080	WAIVED			
RA-226 OR TOTAL RA BY 903.0 C.E.	A-081	WAIVED			
RADIUM 226	09501	WAIVED			
RADIUM 228	11501	WAIVED			

**Testing interval is in months;*
0 = No data for this constituent and is DUE NOW
999 = Waived testing (not required)
I = Invalid (NOT) valid analyses reported

System Number: ***1900612***

System Name: ***UNITED METHODIST CAMP COLBY***

PS Code: ***1900612-001***

Source Name: ***HORIZONTAL WELL***

Source Number: ***001***

Source Status: ***ACTIVE UNTREATED***

Water type: ***GROUNDWATER OR WELL***

	STORET NUMBER	TESTING INTERVAL (MONTHS)*	LAST TEST DATE (yyyy/mm/dd)	LAST RESULT REPORTED	NEXT TEST DATE (yyyy/mm)
RADIOLOGICAL					
RADIUM, TOTAL, MDA95-NTNC ONLY, BY 903.0	A-082	WAIVED			
STRONTIUM-90	13501	WAIVED			
TRITIUM	07000	WAIVED			
URANIUM (PCI/L)	28012	WAIVED			
REGULATED SOC					
2,3,7,8-TCDD (DIOXIN)	34676	WAIVED			
2,4,5-TP (SILVEX)	39045	WAIVED			
2,4-D	39730	WAIVED			
ALACHLOR	77825	WAIVED			
ATRAZINE	39033	WAIVED			
BENTAZON	38710	WAIVED			
BENZO (A) PYRENE	34247	WAIVED			
CARBOFURAN	81405	WAIVED			
CHLORDANE	39350	WAIVED			
DALAPON	38432	WAIVED			
DI(2-ETHYLHEXYL)ADIPATE	A-026	WAIVED			
DI(2-ETHYLHEXYL)PHTHALATE	39100	WAIVED			
DIBROMOCHLOROPROPANE (DBCP)	38761	WAIVED			
DINOSEB	81287	WAIVED			
DIQUAT	78885	WAIVED			
ENDOTHALL	38926	WAIVED			
ENDRIN	39390	WAIVED			
ETHYLENE DIBROMIDE (EDB)	77651	WAIVED			
GLYPHOSATE	79743	WAIVED			
HEPTACHLOR	39410	WAIVED			
HEPTACHLOR EPOXIDE	39420	WAIVED			
HEXACHLOROBENZENE	39700	WAIVED			
HEXACHLOROCYCLOPENTADIENE	34386	WAIVED			
LINDANE	39340	WAIVED			

**Testing interval is in months;*
0 = No data for this constituent and is DUE NOW
999 = Waived testing (not required)
I = Invalid (NOT) valid analyses reported

System Number: ***1900612***

System Name: ***UNITED METHODIST CAMP COLBY***

PS Code: ***1900612-001***

Source Name: ***HORIZONTAL WELL***

Source Number: ***001***

Source Status: ***ACTIVE UNTREATED***

Water type: ***GROUNDWATER OR WELL***

	STORET NUMBER	TESTING INTERVAL (MONTHS)*	LAST TEST DATE (yyyy/mm/dd)	LAST RESULT REPORTED	NEXT TEST DATE (yyyy/mm)
REGULATED SOC					
METHOXYCHLOR	39480	WAIVED			
MOLINATE	82199	WAIVED			
OXAMYL	38865	WAIVED			
PENTACHLOROPHENOL	39032	WAIVED			
PICLORAM	39720	WAIVED			
POLYCHLORINATED BIPHENYLS, TOTAL, AS DCB	39516	WAIVED			
SIMAZINE	39055	WAIVED			
THIOBENCARB	A-001	WAIVED			
TOXAPHENE	39400	WAIVED			
REGULATED VOC					
1,1,1-TRICHLOROETHANE	34506	WAIVED			
1,1,2,2-TETRACHLOROETHANE	34516	WAIVED			
1,1,2-TRICHLORO-1,2,2-TRIFLUOROETHANE	81611	WAIVED			
1,1,2-TRICHLOROETHANE	34511	WAIVED			
1,1-DICHLOROETHANE	34496	WAIVED			
1,1-DICHLOROETHYLENE	34501	WAIVED			
1,2,4-TRICHLOROBENZENE	34551	WAIVED			
1,2-DICHLOROBENZENE	34536	WAIVED			
1,2-DICHLOROETHANE	34531	WAIVED			
1,2-DICHLOROPROPANE	34541	WAIVED			
1,3-DICHLOROPROPENE (TOTAL)	34561	WAIVED			
1,4-DICHLOROBENZENE	34571	WAIVED			
BENZENE	34030	WAIVED			
CARBON TETRACHLORIDE	32102	WAIVED			
CIS-1,2-DICHLOROETHYLENE	77093	WAIVED			
DICHLOROMETHANE	34423	WAIVED			
ETHYLBENZENE	34371	WAIVED			
METHYL-TERT-BUTYL-ETHER (MTBE)	46491	WAIVED			
MONOCHLOROBENZENE	34301	WAIVED			

**Testing interval is in months;*
0 = No data for this constituent and is DUE NOW
999 = Waived testing (not required)
I = Invalid (NOT) valid analyses reported

System Number: 1900612
System Name: UNITED METHODIST CAMP COLBY

PS Code: 1900612-001
Source Name: HORIZONTAL WELL
Source Number: 001
Source Status: ACTIVE UNTREATED
Water type: GROUNDWATER OR WELL

	STORET NUMBER	TESTING INTERVAL (MONTHS)*	LAST TEST DATE (yyyy/mm/dd)	LAST RESULT REPORTED	NEXT TEST DATE (yyyy/mm)
REGULATED VOC					
STYRENE	77128	WAIVED			
TETRACHLOROETHYLENE	34475	WAIVED			
TOLUENE	34010	WAIVED			
TRANS-1,2-DICHLOROETHYLENE	34546	WAIVED			
TRICHLOROETHYLENE	39180	WAIVED			
TRICHLOROFLUOROMETHANE	34488	WAIVED			
VINYL CHLORIDE	39175	WAIVED			
XYLENES (TOTAL)	81551	WAIVED			
SECONDARY/GP					
AGGRSSIVE INDEX (CORROSIVITY)	82383	WAIVED			
BICARBONATE ALKALINITY	00440	WAIVED	2000/01/13	153.000	
CALCIUM	00916	WAIVED	2000/01/13	34.000	
CARBONATE ALKALINITY	00445	WAIVED	2000/01/13	.000	
CHLORIDE	00940	WAIVED	2000/01/13	2.000	
COLOR	00081	WAIVED	2000/01/13	.000	
COPPER	01042	WAIVED	2000/01/13	.000	
FOAMING AGENTS (MBAS)	38260	WAIVED	2000/01/13	.000	
HARDNESS (TOTAL) AS CACO3	00900	WAIVED	2000/01/13	130.000	
HYDROXIDE ALKALINITY	71830	WAIVED	2000/01/13	.000	
IRON	01045	WAIVED	2000/01/13	.000	
MAGNESIUM	00927	WAIVED	2000/01/13	11.000	
MANGANESE	01055	WAIVED	2000/01/13	.000	
ODOR THRESHOLD @ 60 C	00086	WAIVED	2000/01/13	.000	
PH, LABORATORY	00403	WAIVED	2000/01/13	7.000	
SILVER	01077	WAIVED	2000/01/13	.000	
SODIUM	00929	WAIVED	2000/01/13	11.000	
SPECIFIC CONDUCTANCE	00095	WAIVED	2000/01/13	299.000	
SULFATE	00945	WAIVED	2000/01/13	25.000	
TOTAL DISSOLVED SOLIDS	70300	WAIVED	2000/01/13	182.000	

**Testing interval is in months;*
0 = No data for this constituent and is DUE NOW
999 = Waived testing (not required)
I = Invalid (NOT) valid analyses reported

System Number: ***1900612***

System Name: ***UNITED METHODIST CAMP COLBY***

PS Code: ***1900612-001***

Source Name: ***HORIZONTAL WELL***

Source Number: ***001***

Source Status: ***ACTIVE UNTREATED***

Water type: ***GROUNDWATER OR WELL***

SECONDARY/GP

	STORET NUMBER	TESTING INTERVAL (MONTHS)*	LAST TEST DATE (yyyy/mm/dd)	LAST RESULT REPORTED	NEXT TEST DATE (yyyy/mm)
TURBIDITY, LABORATORY	82079	WAIVED	2000/01/13	.000	
ZINC	01092	WAIVED	2000/01/13	.000	

**Testing interval is in months;*
0 = No data for this constituent and is DUE NOW
999 = Waived testing (not required)
I = Invalid (NOT) valid analyses reported

System Number: ***1900613***

System Name: ***CAMP HI HILL***

PS Code: ***1900613-001***

Source Name: ***WELL 01***

Source Number: ***001***

Source Status: ***ACTIVE UNTREATED***

Water type: ***GROUNDWATER OR WELL***

	STORET NUMBER	TESTING INTERVAL (MONTHS)*	LAST TEST DATE (yyyy/mm/dd)	LAST RESULT REPORTED	NEXT TEST DATE (yyyy/mm)
GENERAL NON CHAP 15					
DIAZINON	39570	WAIVED			
INORGANIC					
ALUMINUM	01105	WAIVED	2006/03/28	.000	
ANTIMONY	01097	WAIVED	2003/11/12	.000	
ARSENIC	01002	WAIVED	2006/03/28	.000	
ASBESTOS	81855	WAIVED			
BARIUM	01007	WAIVED	2003/11/12	.000	
BERYLLIUM	01012	WAIVED	2000/11/29	.000	
CADMIUM	01027	WAIVED	2006/03/28	.000	
CHROMIUM (TOTAL)	01034	WAIVED	2006/03/28	.000	
CYANIDE	01291	WAIVED			
FLUORIDE (F) (NATURAL-SOURCE)	00951	WAIVED	2006/03/28	.260	
LEAD	01051	WAIVED	2006/03/28	.000	
MERCURY	71900	WAIVED	2006/03/28	.000	
NICKEL	01067	WAIVED	2006/03/28	.000	
PERCHLORATE	A-031	WAIVED			
SELENIUM	01147	WAIVED	2006/03/28	.000	
THALLIUM	01059	WAIVED	2000/11/29	.000	
NITRATE/NITRITE					
NITRATE (AS NO3)	71850	WAIVED	2006/03/28	.000	
NITRITE (AS N)	00620	WAIVED			
RADIOLOGICAL					
GROSS ALPHA	01501	WAIVED			
GROSS BETA	03501	WAIVED			
RA-226 FOR CWS OR TOTAL RA FOR NTNC BY 903.0	A-080	WAIVED			
RA-226 OR TOTAL RA BY 903.0 C.E.	A-081	WAIVED			
RADIUM 226	09501	WAIVED			
RADIUM 228	11501	WAIVED	2008/06/05	< 1.000	

**Testing interval is in months;*
0 = No data for this constituent and is DUE NOW
999 = Waived testing (not required)
I = Invalid (NOT) valid analyses reported

System Number: ***1900613***

System Name: ***CAMP HI HILL***

PS Code: ***1900613-001***

Source Name: ***WELL 01***

Source Number: ***001***

Source Status: ***ACTIVE UNTREATED***

Water type: ***GROUNDWATER OR WELL***

	STORET NUMBER	TESTING INTERVAL (MONTHS)*	LAST TEST DATE (yyyy/mm/dd)	LAST RESULT REPORTED	NEXT TEST DATE (yyyy/mm)
RADIOLOGICAL					
RADIUM, TOTAL, MDA95-NTNC ONLY, BY 903.0	A-082	WAIVED			
STRONTIUM-90	13501	WAIVED			
TRITIUM	07000	WAIVED			
URANIUM (PCI/L)	28012	WAIVED			
REGULATED SOC					
2,3,7,8-TCDD (DIOXIN)	34676	WAIVED			
2,4,5-TP (SILVEX)	39045	WAIVED			
2,4-D	39730	WAIVED			
ALACHLOR	77825	WAIVED			
ATRAZINE	39033	WAIVED			
BENTAZON	38710	WAIVED			
BENZO (A) PYRENE	34247	WAIVED			
CARBOFURAN	81405	WAIVED			
CHLORDANE	39350	WAIVED			
DALAPON	38432	WAIVED			
DI(2-ETHYLHEXYL)ADIPATE	A-026	WAIVED			
DI(2-ETHYLHEXYL)PHTHALATE	39100	WAIVED			
DIBROMOCHLOROPROPANE (DBCP)	38761	WAIVED			
DINOSEB	81287	WAIVED			
DIQUAT	78885	WAIVED			
ENDOTHALL	38926	WAIVED			
ENDRIN	39390	WAIVED			
ETHYLENE DIBROMIDE (EDB)	77651	WAIVED			
GLYPHOSATE	79743	WAIVED			
HEPTACHLOR	39410	WAIVED			
HEPTACHLOR EPOXIDE	39420	WAIVED			
HEXACHLOROBENZENE	39700	WAIVED			
HEXACHLOROCYCLOPENTADIENE	34386	WAIVED			
LINDANE	39340	WAIVED			

**Testing interval is in months;*
0 = No data for this constituent and is DUE NOW
999 = Waived testing (not required)
I = Invalid (NOT) valid analyses reported

System Number: ***1900613***

System Name: ***CAMP HI HILL***

PS Code: ***1900613-001***

Source Name: ***WELL 01***

Source Number: ***001***

Source Status: ***ACTIVE UNTREATED***

Water type: ***GROUNDWATER OR WELL***

	STORET NUMBER	TESTING INTERVAL (MONTHS)*	LAST TEST DATE (yyyy/mm/dd)	LAST RESULT REPORTED	NEXT TEST DATE (yyyy/mm)
REGULATED SOC					
METHOXYCHLOR	39480	WAIVED			
MOLINATE	82199	WAIVED			
OXAMYL	38865	WAIVED			
PENTACHLOROPHENOL	39032	WAIVED			
PICLORAM	39720	WAIVED			
POLYCHLORINATED BIPHENYLS, TOTAL, AS DCB	39516	WAIVED			
SIMAZINE	39055	WAIVED			
THIOBENCARB	A-001	WAIVED	1996/08/13	.000	
TOXAPHENE	39400	WAIVED			
REGULATED VOC					
1,1,1-TRICHLOROETHANE	34506	WAIVED			
1,1,2,2-TETRACHLOROETHANE	34516	WAIVED			
1,1,2-TRICHLORO-1,2,2-TRIFLUOROETHANE	81611	WAIVED			
1,1,2-TRICHLOROETHANE	34511	WAIVED			
1,1-DICHLOROETHANE	34496	WAIVED			
1,1-DICHLOROETHYLENE	34501	WAIVED			
1,2,4-TRICHLOROBENZENE	34551	WAIVED			
1,2-DICHLOROBENZENE	34536	WAIVED			
1,2-DICHLOROETHANE	34531	WAIVED			
1,2-DICHLOROPROPANE	34541	WAIVED			
1,3-DICHLOROPROPENE (TOTAL)	34561	WAIVED			
1,4-DICHLOROBENZENE	34571	WAIVED			
BENZENE	34030	WAIVED			
CARBON TETRACHLORIDE	32102	WAIVED			
CIS-1,2-DICHLOROETHYLENE	77093	WAIVED			
DICHLOROMETHANE	34423	WAIVED			
ETHYLBENZENE	34371	WAIVED			
METHYL-TERT-BUTYL-ETHER (MTBE)	46491	WAIVED			
MONOCHLOROBENZENE	34301	WAIVED			

**Testing interval is in months;*
0 = No data for this constituent and is DUE NOW
999 = Waived testing (not required)
I = Invalid (NOT) valid analyses reported

System Number: ***1900613***

System Name: ***CAMP HI HILL***

PS Code: ***1900613-001***

Source Name: ***WELL 01***

Source Number: ***001***

Source Status: ***ACTIVE UNTREATED***

Water type: ***GROUNDWATER OR WELL***

	STORET NUMBER	TESTING INTERVAL (MONTHS)*	LAST TEST DATE (yyyy/mm/dd)	LAST RESULT REPORTED	NEXT TEST DATE (yyyy/mm)
REGULATED VOC					
STYRENE	77128	WAIVED			
TETRACHLOROETHYLENE	34475	WAIVED			
TOLUENE	34010	WAIVED			
TRANS-1,2-DICHLOROETHYLENE	34546	WAIVED			
TRICHLOROETHYLENE	39180	WAIVED			
TRICHLOROFLUOROMETHANE	34488	WAIVED			
VINYL CHLORIDE	39175	WAIVED			
XYLENES (TOTAL)	81551	WAIVED			
SECONDARY/GP					
AGGRSSIVE INDEX (CORROSIVITY)	82383	WAIVED			
BICARBONATE ALKALINITY	00440	WAIVED	2006/03/28	217.000	
CALCIUM	00916	WAIVED	2006/03/28	48.100	
CARBONATE ALKALINITY	00445	WAIVED	2006/03/28	.000	
CHLORIDE	00940	WAIVED	2006/03/28	2.730	
COLOR	00081	WAIVED	2003/11/12	.000	
COPPER	01042	WAIVED	2006/03/28	.000	
FOAMING AGENTS (MBAS)	38260	WAIVED	2003/11/12	.000	
HARDNESS (TOTAL) AS CACO3	00900	WAIVED	2006/03/28	190.000	
HYDROXIDE ALKALINITY	71830	WAIVED	2006/03/28	.000	
IRON	01045	WAIVED	2006/03/28	.000	
MAGNESIUM	00927	WAIVED	2006/03/28	17.000	
MANGANESE	01055	WAIVED	2006/03/28	.000	
ODOR THRESHOLD @ 60 C	00086	WAIVED	2003/11/12	.000	
PH, LABORATORY	00403	WAIVED	2006/03/28	7.190	
SILVER	01077	WAIVED	2006/03/28	.000	
SODIUM	00929	WAIVED	2006/03/28	10.400	
SPECIFIC CONDUCTANCE	00095	WAIVED	2003/11/12	382.000	
SULFATE	00945	WAIVED	2006/03/28	5.910	
TOTAL DISSOLVED SOLIDS	70300	WAIVED	2006/03/28	172.000	

**Testing interval is in months;*
0 = No data for this constituent and is DUE NOW
999 = Waived testing (not required)
I = Invalid (NOT) valid analyses reported

System Number: ***1900613***

System Name: ***CAMP HI HILL***

PS Code: ***1900613-001***

Source Name: ***WELL 01***

Source Number: ***001***

Source Status: ***ACTIVE UNTREATED***

Water type: ***GROUNDWATER OR WELL***

	STORET NUMBER	TESTING INTERVAL (MONTHS)*	LAST TEST DATE (yyyy/mm/dd)	LAST RESULT REPORTED	NEXT TEST DATE (yyyy/mm)
SECONDARY/GP					
TURBIDITY, LABORATORY	82079	WAIVED	2003/11/12	.110	
ZINC	01092	WAIVED	2006/03/28	75.400	

PS Code: ***1900613-002***

Source Name: ***SPRING (SURF INFLUENCE)***

Source Number: ***002***

Source Status: ***ACTIVE UNTREATED***

Water type: ***GROUNDWATER OR WELL***

	STORET NUMBER	TESTING INTERVAL (MONTHS)*	LAST TEST DATE (yyyy/mm/dd)	LAST RESULT REPORTED	NEXT TEST DATE (yyyy/mm)
GENERAL NON CHAP 15					
DIAZINON	39570	WAIVED			
INORGANIC					
ALUMINUM	01105	WAIVED	2000/11/29	.000	
ANTIMONY	01097	WAIVED	2000/11/29	.000	
ARSENIC	01002	WAIVED	2000/11/29	.000	
ASBESTOS	81855	WAIVED			
BARIUM	01007	WAIVED	2000/11/29	.000	
BERYLLIUM	01012	WAIVED	2000/11/29	.000	
CADMIUM	01027	WAIVED	2000/11/29	.000	
CHROMIUM (TOTAL)	01034	WAIVED	2000/11/29	.000	
CYANIDE	01291	WAIVED			
FLUORIDE (F) (NATURAL-SOURCE)	00951	WAIVED	2000/11/29	.230	
LEAD	01051	WAIVED	2000/11/29	.000	
MERCURY	71900	WAIVED	2000/11/29	.000	
NICKEL	01067	WAIVED	2000/11/29	.000	
PERCHLORATE	A-031	WAIVED			
SELENIUM	01147	WAIVED	2000/11/29	.000	
THALLIUM	01059	WAIVED			

**Testing interval is in months;*
0 = No data for this constituent and is DUE NOW
999 = Waived testing (not required)
I = Invalid (NOT) valid analyses reported

System Number: ***1900613***

System Name: ***CAMP HI HILL***

PS Code: ***1900613-002***

Source Name: ***SPRING (SURF INFLUENCE)***

Source Number: ***002***

Source Status: ***ACTIVE UNTREATED***

Water type: ***GROUNDWATER OR WELL***

	STORET NUMBER	TESTING INTERVAL (MONTHS)*	LAST TEST DATE (yyyy/mm/dd)	LAST RESULT REPORTED	NEXT TEST DATE (yyyy/mm)
NITRATE/NITRITE					
NITRATE (AS NO3)	71850	WAIVED	2000/11/29	.000	
NITRITE (AS N)	00620	WAIVED			
RADIOLOGICAL					
GROSS ALPHA	01501	WAIVED			
GROSS BETA	03501	WAIVED			
RA-226 FOR CWS OR TOTAL RA FOR NTNC BY 903.0	A-080	WAIVED			
RA-226 OR TOTAL RA BY 903.0 C.E.	A-081	WAIVED			
RADIUM 226	09501	WAIVED			
RADIUM 228	11501	WAIVED	2008/06/05	< 1.000	
RADIUM, TOTAL, MDA95-NTNC ONLY, BY 903.0	A-082	WAIVED			
STRONTIUM-90	13501	WAIVED			
TRITIUM	07000	WAIVED			
URANIUM (PCI/L)	28012	WAIVED			
REGULATED SOC					
2,3,7,8-TCDD (DIOXIN)	34676	WAIVED			
2,4,5-TP (SILVEX)	39045	WAIVED			
2,4-D	39730	WAIVED			
ALACHLOR	77825	WAIVED			
ATRAZINE	39033	WAIVED			
BENTAZON	38710	WAIVED			
BENZO (A) PYRENE	34247	WAIVED			
CARBOFURAN	81405	WAIVED			
CHLORDANE	39350	WAIVED			
DALAPON	38432	WAIVED			
DI(2-ETHYLHEXYL)ADIPATE	A-026	WAIVED			
DI(2-ETHYLHEXYL)PHTHALATE	39100	WAIVED			
DIBROMOCHLOROPROPANE (DBCP)	38761	WAIVED			
DINOSEB	81287	WAIVED			
DIQUAT	78885	WAIVED			

**Testing interval is in months;*
0 = No data for this constituent and is DUE NOW
999 = Waived testing (not required)
I = Invalid (NOT) valid analyses reported

System Number: ***1900613***

System Name: ***CAMP HI HILL***

PS Code: ***1900613-002***

Source Name: ***SPRING (SURF INFLUENCE)***

Source Number: ***002***

Source Status: ***ACTIVE UNTREATED***

Water type: ***GROUNDWATER OR WELL***

	STORET NUMBER	TESTING INTERVAL (MONTHS)*	LAST TEST DATE (yyyy/mm/dd)	LAST RESULT REPORTED	NEXT TEST DATE (yyyy/mm)
REGULATED SOC					
ENDOTHALL	38926	WAIVED			
ENDRIN	39390	WAIVED			
ETHYLENE DIBROMIDE (EDB)	77651	WAIVED			
GLYPHOSATE	79743	WAIVED			
HEPTACHLOR	39410	WAIVED			
HEPTACHLOR EPOXIDE	39420	WAIVED			
HEXACHLOROBENZENE	39700	WAIVED			
HEXACHLOROCYCLOPENTADIENE	34386	WAIVED			
LINDANE	39340	WAIVED			
METHOXYCHLOR	39480	WAIVED			
MOLINATE	82199	WAIVED			
OXAMYL	38865	WAIVED			
PENTACHLOROPHENOL	39032	WAIVED			
PICLORAM	39720	WAIVED			
POLYCHLORINATED BIPHENYLS, TOTAL, AS DCB	39516	WAIVED			
SIMAZINE	39055	WAIVED			
THIOBENCARB	A-001	WAIVED			
TOXAPHENE	39400	WAIVED			
REGULATED VOC					
1,1,1-TRICHLOROETHANE	34506	WAIVED			
1,1,2,2-TETRACHLOROETHANE	34516	WAIVED			
1,1,2-TRICHLORO-1,2,2-TRIFLUOROETHANE	81611	WAIVED			
1,1,2-TRICHLOROETHANE	34511	WAIVED			
1,1-DICHLOROETHANE	34496	WAIVED			
1,1-DICHLOROETHYLENE	34501	WAIVED			
1,2,4-TRICHLOROBENZENE	34551	WAIVED			
1,2-DICHLOROBENZENE	34536	WAIVED			
1,2-DICHLOROETHANE	34531	WAIVED			
1,2-DICHLOROPROPANE	34541	WAIVED			

**Testing interval is in months;*
0 = No data for this constituent and is DUE NOW
999 = Waived testing (not required)
I = Invalid (NOT) valid analyses reported

System Number: ***1900613***

System Name: ***CAMP HI HILL***

PS Code: ***1900613-002***

Source Name: ***SPRING (SURF INFLUENCE)***

Source Number: ***002***

Source Status: ***ACTIVE UNTREATED***

Water type: ***GROUNDWATER OR WELL***

	STORET NUMBER	TESTING INTERVAL (MONTHS)*	LAST TEST DATE (yyyy/mm/dd)	LAST RESULT REPORTED	NEXT TEST DATE (yyyy/mm)
REGULATED VOC					
1,3-DICHLOROPROPENE (TOTAL)	34561	WAIVED			
1,4-DICHLOROBENZENE	34571	WAIVED			
BENZENE	34030	WAIVED			
CARBON TETRACHLORIDE	32102	WAIVED			
CIS-1,2-DICHLOROETHYLENE	77093	WAIVED			
DICHLOROMETHANE	34423	WAIVED			
ETHYLBENZENE	34371	WAIVED			
METHYL-TERT-BUTYL-ETHER (MTBE)	46491	WAIVED			
MONOCHLOROBENZENE	34301	WAIVED			
STYRENE	77128	WAIVED			
TETRACHLOROETHYLENE	34475	WAIVED			
TOLUENE	34010	WAIVED			
TRANS-1,2-DICHLOROETHYLENE	34546	WAIVED			
TRICHLOROETHYLENE	39180	WAIVED			
TRICHLOROFLUOROMETHANE	34488	WAIVED			
VINYL CHLORIDE	39175	WAIVED			
XYLENES (TOTAL)	81551	WAIVED			
SECONDARY/GP					
AGGRSSIVE INDEX (CORROSIVITY)	82383	WAIVED			
BICARBONATE ALKALINITY	00440	WAIVED	2000/11/29	247.000	
CALCIUM	00916	WAIVED	2000/11/29	56.000	
CARBONATE ALKALINITY	00445	WAIVED	2000/11/29	.000	
CHLORIDE	00940	WAIVED	2000/11/29	3.000	
COLOR	00081	WAIVED	2000/11/29	.000	
COPPER	01042	WAIVED	2000/11/29	.000	
FOAMING AGENTS (MBAS)	38260	WAIVED	2000/11/29	.000	
HARDNESS (TOTAL) AS CACO3	00900	WAIVED	2000/11/29	210.000	
HYDROXIDE ALKALINITY	71830	WAIVED	2000/11/29	.000	
IRON	01045	WAIVED	2000/11/29	.000	

**Testing interval is in months;*
0 = No data for this constituent and is DUE NOW
999 = Waived testing (not required)
I = Invalid (NOT) valid analyses reported

System Number: ***1900613***

System Name: ***CAMP HI HILL***

PS Code: ***1900613-002***

Source Name: ***SPRING (SURF INFLUENCE)***

Source Number: ***002***

Source Status: ***ACTIVE UNTREATED***

Water type: ***GROUNDWATER OR WELL***

SECONDARY/GP

	STORET NUMBER	TESTING INTERVAL (MONTHS)*	LAST TEST DATE (yyyy/mm/dd)	LAST RESULT REPORTED	NEXT TEST DATE (yyyy/mm)
MAGNESIUM	00927	WAIVED	2000/11/29	17.000	
MANGANESE	01055	WAIVED	2000/11/29	.000	
ODOR THRESHOLD @ 60 C	00086	WAIVED	2000/11/29	.000	
PH, LABORATORY	00403	WAIVED	2000/11/29	7.480	
SILVER	01077	WAIVED	2000/11/29	.000	
SODIUM	00929	WAIVED	2000/11/29	6.870	
SPECIFIC CONDUCTANCE	00095	WAIVED	2000/11/29	404.000	
SULFATE	00945	WAIVED	2000/11/29	7.000	
TOTAL DISSOLVED SOLIDS	70300	WAIVED	2000/11/29	228.000	
TURBIDITY, LABORATORY	82079	WAIVED	2000/11/29	.200	
ZINC	01092	WAIVED	2000/11/29	.000	

**Testing interval is in months;*
0 = No data for this constituent and is DUE NOW
999 = Waived testing (not required)
I = Invalid (NOT) valid analyses reported

System Number: 1900616
System Name: THE RIVER COMMUNITY

PS Code: 1900616-001
Source Name: WELL 01
Source Number: 001
Source Status: ACTIVE UNTREATED
Water type: GROUNDWATER OR WELL

	STORET NUMBER	TESTING INTERVAL (MONTHS)*	LAST TEST DATE (yyyy/mm/dd)	LAST RESULT REPORTED	NEXT TEST DATE (yyyy/mm)
GENERAL NON CHAP 15					
DIAZINON	39570	WAIVED			
INORGANIC					
ALUMINUM	01105	WAIVED	2004/08/25	.000	
ANTIMONY	01097	WAIVED	2004/08/25	.000	
ARSENIC	01002	WAIVED	2006/04/12	.000	
ASBESTOS	81855	WAIVED			
BARIUM	01007	WAIVED	2004/08/25	.000	
BERYLLIUM	01012	WAIVED			
CADMIUM	01027	WAIVED	2006/04/12	.000	
CHROMIUM (TOTAL)	01034	WAIVED	2006/04/12	.000	
CYANIDE	01291	WAIVED			
FLUORIDE (F) (NATURAL-SOURCE)	00951	WAIVED	2006/04/12	.980	
LEAD	01051	WAIVED	2006/04/12	.000	
MERCURY	71900	WAIVED	2006/04/12	.000	
NICKEL	01067	WAIVED	2006/04/12	.000	
PERCHLORATE	A-031	WAIVED	1999/06/16	.000	
SELENIUM	01147	WAIVED	2006/04/12	.000	
THALLIUM	01059	WAIVED			
NITRATE/NITRITE					
NITRATE (AS NO3)	71850	WAIVED	2012/03/20	< 2.000	
NITRITE (AS N)	00620	WAIVED	2006/04/12	.000	
RADIOLOGICAL					
GROSS ALPHA	01501	WAIVED	2002/04/03	4.100	
GROSS BETA	03501	WAIVED			
RA-226 FOR CWS OR TOTAL RA FOR NTNC BY 903.0	A-080	WAIVED			
RA-226 OR TOTAL RA BY 903.0 C.E.	A-081	WAIVED			
RADIUM 226	09501	WAIVED			
RADIUM 228	11501	WAIVED			

**Testing interval is in months;*
0 = No data for this constituent and is DUE NOW
999 = Waived testing (not required)
I = Invalid (NOT) valid analyses reported

System Number: ***1900616***

System Name: ***THE RIVER COMMUNITY***

PS Code: ***1900616-001***

Source Name: ***WELL 01***

Source Number: ***001***

Source Status: ***ACTIVE UNTREATED***

Water type: ***GROUNDWATER OR WELL***

	STORET NUMBER	TESTING INTERVAL (MONTHS)*	LAST TEST DATE (yyyy/mm/dd)	LAST RESULT REPORTED	NEXT TEST DATE (yyyy/mm)
RADIOLOGICAL					
RADIUM, TOTAL, MDA95-NTNC ONLY, BY 903.0	A-082	WAIVED			
STRONTIUM-90	13501	WAIVED			
TRITIUM	07000	WAIVED			
URANIUM (PCI/L)	28012	WAIVED			
REGULATED SOC					
2,3,7,8-TCDD (DIOXIN)	34676	WAIVED			
2,4,5-TP (SILVEX)	39045	WAIVED			
2,4-D	39730	WAIVED			
ALACHLOR	77825	WAIVED			
ATRAZINE	39033	WAIVED			
BENTAZON	38710	WAIVED			
BENZO (A) PYRENE	34247	WAIVED			
CARBOFURAN	81405	WAIVED			
CHLORDANE	39350	WAIVED			
DALAPON	38432	WAIVED			
DI(2-ETHYLHEXYL)ADIPATE	A-026	WAIVED			
DI(2-ETHYLHEXYL)PHTHALATE	39100	WAIVED			
DIBROMOCHLOROPROPANE (DBCP)	38761	WAIVED			
DINOSEB	81287	WAIVED			
DIQUAT	78885	WAIVED			
ENDOTHALL	38926	WAIVED			
ENDRIN	39390	WAIVED			
ETHYLENE DIBROMIDE (EDB)	77651	WAIVED			
GLYPHOSATE	79743	WAIVED			
HEPTACHLOR	39410	WAIVED			
HEPTACHLOR EPOXIDE	39420	WAIVED			
HEXACHLOROBENZENE	39700	WAIVED			
HEXACHLOROCYCLOPENTADIENE	34386	WAIVED			
LINDANE	39340	WAIVED			

**Testing interval is in months;*
0 = No data for this constituent and is DUE NOW
999 = Waived testing (not required)
I = Invalid (NOT) valid analyses reported

System Number: ***1900616***

System Name: ***THE RIVER COMMUNITY***

PS Code: ***1900616-001***

Source Name: ***WELL 01***

Source Number: ***001***

Source Status: ***ACTIVE UNTREATED***

Water type: ***GROUNDWATER OR WELL***

	STORET NUMBER	TESTING INTERVAL (MONTHS)*	LAST TEST DATE (yyyy/mm/dd)	LAST RESULT REPORTED	NEXT TEST DATE (yyyy/mm)
REGULATED SOC					
METHOXYCHLOR	39480	WAIVED			
MOLINATE	82199	WAIVED			
OXAMYL	38865	WAIVED			
PENTACHLOROPHENOL	39032	WAIVED			
PICLORAM	39720	WAIVED			
POLYCHLORINATED BIPHENYLS, TOTAL, AS DCB	39516	WAIVED			
SIMAZINE	39055	WAIVED			
THIOBENCARB	A-001	WAIVED			
TOXAPHENE	39400	WAIVED			
REGULATED VOC					
1,1,1-TRICHLOROETHANE	34506	WAIVED	1999/05/03	.000	
1,1,2,2-TETRACHLOROETHANE	34516	WAIVED	1999/05/03	.000	
1,1,2-TRICHLORO-1,2,2-TRIFLUOROETHANE	81611	WAIVED	1999/05/03	.000	
1,1,2-TRICHLOROETHANE	34511	WAIVED	1999/05/03	.000	
1,1-DICHLOROETHANE	34496	WAIVED	1999/05/03	.000	
1,1-DICHLOROETHYLENE	34501	WAIVED	1999/05/03	.000	
1,2,4-TRICHLOROBENZENE	34551	WAIVED	1999/05/03	.000	
1,2-DICHLOROBENZENE	34536	WAIVED	1999/05/03	.000	
1,2-DICHLOROETHANE	34531	WAIVED	1999/05/03	.000	
1,2-DICHLOROPROPANE	34541	WAIVED	1999/05/03	.000	
1,3-DICHLOROPROPENE (TOTAL)	34561	WAIVED	1999/05/03	.000	
1,4-DICHLOROBENZENE	34571	WAIVED	1999/05/03	.000	
BENZENE	34030	WAIVED	1999/05/03	.000	
CARBON TETRACHLORIDE	32102	WAIVED	1999/05/03	.000	
CIS-1,2-DICHLOROETHYLENE	77093	WAIVED	1999/05/03	.000	
DICHLOROMETHANE	34423	WAIVED	1999/05/03	.000	
ETHYLBENZENE	34371	WAIVED	1999/05/03	.000	
METHYL-TERT-BUTYL-ETHER (MTBE)	46491	WAIVED	1999/05/03	.000	
MONOCHLOROBENZENE	34301	WAIVED	1999/05/03	.000	

**Testing interval is in months;*
0 = No data for this constituent and is DUE NOW
999 = Waived testing (not required)
I = Invalid (NOT) valid analyses reported

System Number: ***1900616***

System Name: ***THE RIVER COMMUNITY***

PS Code: ***1900616-001***

Source Name: ***WELL 01***

Source Number: ***001***

Source Status: ***ACTIVE UNTREATED***

Water type: ***GROUNDWATER OR WELL***

	STORET NUMBER	TESTING INTERVAL (MONTHS)*	LAST TEST DATE (yyyy/mm/dd)	LAST RESULT REPORTED	NEXT TEST DATE (yyyy/mm)
REGULATED VOC					
STYRENE	77128	WAIVED	1999/05/03	.000	
TETRACHLOROETHYLENE	34475	WAIVED	1999/05/03	.000	
TOLUENE	34010	WAIVED	1999/05/03	.000	
TRANS-1,2-DICHLOROETHYLENE	34546	WAIVED	1999/05/03	.000	
TRICHLOROETHYLENE	39180	WAIVED	1999/05/03	.000	
TRICHLOROFLUOROMETHANE	34488	WAIVED	1999/05/03	.000	
VINYL CHLORIDE	39175	WAIVED	1999/05/03	.000	
XYLENES (TOTAL)	81551	WAIVED	1999/05/03	.000	
SECONDARY/GP					
AGGRSSIVE INDEX (CORROSIVITY)	82383	WAIVED			
BICARBONATE ALKALINITY	00440	WAIVED	2006/04/12	338.000	
CALCIUM	00916	WAIVED	2006/04/12	72.100	
CARBONATE ALKALINITY	00445	WAIVED	2006/04/12	.000	
CHLORIDE	00940	WAIVED	2010/05/24	22.000	
COLOR	00081	WAIVED	2004/08/25	.000	
COPPER	01042	WAIVED	2006/04/12	.000	
FOAMING AGENTS (MBAS)	38260	WAIVED	2006/04/12	.000	
HARDNESS (TOTAL) AS CACO3	00900	WAIVED	2006/04/12	310.000	
HYDROXIDE ALKALINITY	71830	WAIVED	2006/04/12	.000	
IRON	01045	WAIVED	2006/04/12	.000	
MAGNESIUM	00927	WAIVED	2006/04/12	31.600	
MANGANESE	01055	WAIVED	2006/04/12	.000	
ODOR THRESHOLD @ 60 C	00086	WAIVED	2004/08/25	.000	
PH, LABORATORY	00403	WAIVED	2006/04/12	7.480	
SILVER	01077	WAIVED	2006/04/12	.000	
SODIUM	00929	WAIVED	2006/04/12	35.000	
SPECIFIC CONDUCTANCE	00095	WAIVED	2004/08/25	882.000	
SULFATE	00945	WAIVED	2012/03/20	380.000	
TOTAL DISSOLVED SOLIDS	70300	WAIVED	2012/03/20	750.000	

**Testing interval is in months;*
0 = No data for this constituent and is DUE NOW
999 = Waived testing (not required)
I = Invalid (NOT) valid analyses reported

System Number: ***1900616***

System Name: ***THE RIVER COMMUNITY***

PS Code: ***1900616-001***

Source Name: ***WELL 01***

Source Number: ***001***

Source Status: ***ACTIVE UNTREATED***

Water type: ***GROUNDWATER OR WELL***

	STORET NUMBER	TESTING INTERVAL (MONTHS)*	LAST TEST DATE (yyyy/mm/dd)	LAST RESULT REPORTED	NEXT TEST DATE (yyyy/mm)
SECONDARY/GP					
TURBIDITY, LABORATORY	82079	WAIVED	2006/04/12	.240	
ZINC	01092	WAIVED	2006/04/12	101.000	

PS Code: ***1900616-002***

Source Name: ***AUTOMATIC CHLORINATION UNIT***

Source Number: ***002***

Source Status: ***ACTIVE TREATED***

Water type: ***GROUNDWATER OR WELL***

GENERAL NON CHAP 15					
DIAZINON	39570	WAIVED			
INORGANIC					
ALUMINUM	01105	WAIVED			
ANTIMONY	01097	WAIVED			
ARSENIC	01002	WAIVED			
ASBESTOS	81855	WAIVED			
BARIUM	01007	WAIVED			
BERYLLIUM	01012	WAIVED			
CADMIUM	01027	WAIVED			
CHROMIUM (TOTAL)	01034	WAIVED			
CYANIDE	01291	WAIVED			
FLUORIDE (F) (NATURAL-SOURCE)	00951	WAIVED			
LEAD	01051	WAIVED			
MERCURY	71900	WAIVED			
NICKEL	01067	WAIVED			
PERCHLORATE	A-031	WAIVED			
SELENIUM	01147	WAIVED			
THALLIUM	01059	WAIVED			

**Testing interval is in months;*
0 = No data for this constituent and is DUE NOW
999 = Waived testing (not required)
I = Invalid (NOT) valid analyses reported

System Number: ***1900616***

System Name: ***THE RIVER COMMUNITY***

PS Code: ***1900616-002***

Source Name: ***AUTOMATIC CHLORINATION UNIT***

Source Number: ***002***

Source Status: ***ACTIVE TREATED***

Water type: ***GROUNDWATER OR WELL***

	STORET NUMBER	TESTING INTERVAL (MONTHS)*	LAST TEST DATE (yyyy/mm/dd)	LAST RESULT REPORTED	NEXT TEST DATE (yyyy/mm)
NITRATE/NITRITE					
NITRATE (AS NO3)	71850	WAIVED			
NITRITE (AS N)	00620	WAIVED			
RADIOLOGICAL					
GROSS ALPHA	01501	WAIVED			
GROSS BETA	03501	WAIVED			
RA-226 FOR CWS OR TOTAL RA FOR NTNC BY 903.0	A-080	WAIVED			
RA-226 OR TOTAL RA BY 903.0 C.E.	A-081	WAIVED			
RADIUM 226	09501	WAIVED			
RADIUM 228	11501	WAIVED			
RADIUM, TOTAL, MDA95-NTNC ONLY, BY 903.0	A-082	WAIVED			
STRONTIUM-90	13501	WAIVED			
TRITIUM	07000	WAIVED			
URANIUM (PCI/L)	28012	WAIVED			
REGULATED SOC					
2,3,7,8-TCDD (DIOXIN)	34676	WAIVED			
2,4,5-TP (SILVEX)	39045	WAIVED			
2,4-D	39730	WAIVED			
ALACHLOR	77825	WAIVED			
ATRAZINE	39033	WAIVED			
BENTAZON	38710	WAIVED			
BENZO (A) PYRENE	34247	WAIVED			
CARBOFURAN	81405	WAIVED			
CHLORDANE	39350	WAIVED			
DALAPON	38432	WAIVED			
DI(2-ETHYLHEXYL)ADIPATE	A-026	WAIVED			
DI(2-ETHYLHEXYL)PHTHALATE	39100	WAIVED			
DIBROMOCHLOROPROPANE (DBCP)	38761	WAIVED			
DINOSEB	81287	WAIVED			
DIQUAT	78885	WAIVED			

**Testing interval is in months;*
0 = No data for this constituent and is DUE NOW
999 = Waived testing (not required)
I = Invalid (NOT) valid analyses reported

System Number: ***1900616***

System Name: ***THE RIVER COMMUNITY***

PS Code: ***1900616-002***

Source Name: ***AUTOMATIC CHLORINATION UNIT***

Source Number: ***002***

Source Status: ***ACTIVE TREATED***

Water type: ***GROUNDWATER OR WELL***

	STORET NUMBER	TESTING INTERVAL (MONTHS)*	LAST TEST DATE (yyyy/mm/dd)	LAST RESULT REPORTED	NEXT TEST DATE (yyyy/mm)
REGULATED SOC					
ENDOTHALL	38926	WAIVED			
ENDRIN	39390	WAIVED			
ETHYLENE DIBROMIDE (EDB)	77651	WAIVED			
GLYPHOSATE	79743	WAIVED			
HEPTACHLOR	39410	WAIVED			
HEPTACHLOR EPOXIDE	39420	WAIVED			
HEXACHLOROBENZENE	39700	WAIVED			
HEXACHLOROCYCLOPENTADIENE	34386	WAIVED			
LINDANE	39340	WAIVED			
METHOXYCHLOR	39480	WAIVED			
MOLINATE	82199	WAIVED			
OXAMYL	38865	WAIVED			
PENTACHLOROPHENOL	39032	WAIVED			
PICLORAM	39720	WAIVED			
POLYCHLORINATED BIPHENYLS, TOTAL, AS DCB	39516	WAIVED			
SIMAZINE	39055	WAIVED			
THIOBENCARB	A-001	WAIVED			
TOXAPHENE	39400	WAIVED			
REGULATED VOC					
1,1,1-TRICHLOROETHANE	34506	WAIVED			
1,1,2,2-TETRACHLOROETHANE	34516	WAIVED			
1,1,2-TRICHLORO-1,2,2-TRIFLUOROETHANE	81611	WAIVED			
1,1,2-TRICHLOROETHANE	34511	WAIVED			
1,1-DICHLOROETHANE	34496	WAIVED			
1,1-DICHLOROETHYLENE	34501	WAIVED			
1,2,4-TRICHLOROBENZENE	34551	WAIVED			
1,2-DICHLOROBENZENE	34536	WAIVED			
1,2-DICHLOROETHANE	34531	WAIVED			
1,2-DICHLOROPROPANE	34541	WAIVED			

**Testing interval is in months;*
0 = No data for this constituent and is DUE NOW
999 = Waived testing (not required)
I = Invalid (NOT) valid analyses reported

System Number: ***1900616***

System Name: ***THE RIVER COMMUNITY***

PS Code: ***1900616-002***

Source Name: ***AUTOMATIC CHLORINATION UNIT***

Source Number: ***002***

Source Status: ***ACTIVE TREATED***

Water type: ***GROUNDWATER OR WELL***

	STORET NUMBER	TESTING INTERVAL (MONTHS)*	LAST TEST DATE (yyyy/mm/dd)	LAST RESULT REPORTED	NEXT TEST DATE (yyyy/mm)
REGULATED VOC					
1,3-DICHLOROPROPENE (TOTAL)	34561	WAIVED			
1,4-DICHLOROBENZENE	34571	WAIVED			
BENZENE	34030	WAIVED			
CARBON TETRACHLORIDE	32102	WAIVED			
CIS-1,2-DICHLOROETHYLENE	77093	WAIVED			
DICHLOROMETHANE	34423	WAIVED			
ETHYLBENZENE	34371	WAIVED			
METHYL-TERT-BUTYL-ETHER (MTBE)	46491	WAIVED			
MONOCHLOROBENZENE	34301	WAIVED			
STYRENE	77128	WAIVED			
TETRACHLOROETHYLENE	34475	WAIVED			
TOLUENE	34010	WAIVED			
TRANS-1,2-DICHLOROETHYLENE	34546	WAIVED			
TRICHLOROETHYLENE	39180	WAIVED			
TRICHLOROFLUOROMETHANE	34488	WAIVED			
VINYL CHLORIDE	39175	WAIVED			
XYLENES (TOTAL)	81551	WAIVED			
SECONDARY/GP					
AGGRSSIVE INDEX (CORROSIVITY)	82383	WAIVED			
BICARBONATE ALKALINITY	00440	WAIVED			
CALCIUM	00916	WAIVED			
CARBONATE ALKALINITY	00445	WAIVED			
CHLORIDE	00940	WAIVED			
COLOR	00081	WAIVED			
COPPER	01042	WAIVED			
FOAMING AGENTS (MBAS)	38260	WAIVED			
HARDNESS (TOTAL) AS CACO3	00900	WAIVED			
HYDROXIDE ALKALINITY	71830	WAIVED			
IRON	01045	WAIVED			

**Testing interval is in months;*
0 = No data for this constituent and is DUE NOW
999 = Waived testing (not required)
I = Invalid (NOT) valid analyses reported

System Number: ***1900616***

System Name: ***THE RIVER COMMUNITY***

PS Code: ***1900616-002***

Source Name: ***AUTOMATIC CHLORINATION UNIT***

Source Number: ***002***

Source Status: ***ACTIVE TREATED***

Water type: ***GROUNDWATER OR WELL***

SECONDARY/GP

	STORET NUMBER	TESTING INTERVAL (MONTHS)*	LAST TEST DATE (yyyy/mm/dd)	LAST RESULT REPORTED	NEXT TEST DATE (yyyy/mm)
MAGNESIUM	00927	WAIVED			
MANGANESE	01055	WAIVED			
ODOR THRESHOLD @ 60 C	00086	WAIVED			
PH, LABORATORY	00403	WAIVED			
SILVER	01077	WAIVED			
SODIUM	00929	WAIVED			
SPECIFIC CONDUCTANCE	00095	WAIVED			
SULFATE	00945	WAIVED			
TOTAL DISSOLVED SOLIDS	70300	WAIVED			
TURBIDITY, LABORATORY	82079	WAIVED			
ZINC	01092	WAIVED			

**Testing interval is in months;*
0 = No data for this constituent and is DUE NOW
999 = Waived testing (not required)
I = Invalid (NOT) valid analyses reported

System Number: ***1900620***

System Name: ***CAMP VALCREST***

PS Code: ***1900620-001***

Source Name: ***PURCHASED WATER***

Source Number: ***001***

Source Status: ***PURCHASED UNTREATED***

Water type: ***GROUNDWATER OR WELL***

	STORET NUMBER	TESTING INTERVAL (MONTHS)*	LAST TEST DATE (yyyy/mm/dd)	LAST RESULT REPORTED	NEXT TEST DATE (yyyy/mm)
GENERAL NON CHAP 15					
DIAZINON	39570	WAIVED			
INORGANIC					
ALUMINUM	01105	WAIVED			
ANTIMONY	01097	WAIVED			
ARSENIC	01002	WAIVED			
ASBESTOS	81855	WAIVED			
BARIUM	01007	WAIVED			
BERYLLIUM	01012	WAIVED			
CADMIUM	01027	WAIVED			
CHROMIUM (TOTAL)	01034	WAIVED			
CYANIDE	01291	WAIVED			
FLUORIDE (F) (NATURAL-SOURCE)	00951	WAIVED			
LEAD	01051	WAIVED			
MERCURY	71900	WAIVED			
NICKEL	01067	WAIVED			
PERCHLORATE	A-031	WAIVED			
SELENIUM	01147	WAIVED			
THALLIUM	01059	WAIVED			
NITRATE/NITRITE					
NITRATE (AS NO3)	71850	WAIVED	1996/11/04	.000	
NITRITE (AS N)	00620	WAIVED			
RADIOLOGICAL					
GROSS ALPHA	01501	WAIVED			
GROSS BETA	03501	WAIVED			
RA-226 FOR CWS OR TOTAL RA FOR NTNC BY 903.0	A-080	WAIVED			
RA-226 OR TOTAL RA BY 903.0 C.E.	A-081	WAIVED			
RADIUM 226	09501	WAIVED			
RADIUM 228	11501	WAIVED			

**Testing interval is in months;*
0 = No data for this constituent and is DUE NOW
999 = Waived testing (not required)
I = Invalid (NOT) valid analyses reported

System Number: ***1900620***

System Name: ***CAMP VALCREST***

PS Code: ***1900620-001***

Source Name: ***PURCHASED WATER***

Source Number: ***001***

Source Status: ***PURCHASED UNTREATED***

Water type: ***GROUNDWATER OR WELL***

	STORET NUMBER	TESTING INTERVAL (MONTHS)*	LAST TEST DATE (yyyy/mm/dd)	LAST RESULT REPORTED	NEXT TEST DATE (yyyy/mm)
RADIOLOGICAL					
RADIUM, TOTAL, MDA95-NTNC ONLY, BY 903.0	A-082	WAIVED			
STRONTIUM-90	13501	WAIVED			
TRITIUM	07000	WAIVED			
URANIUM (PCI/L)	28012	WAIVED			
REGULATED SOC					
2,3,7,8-TCDD (DIOXIN)	34676	WAIVED			
2,4,5-TP (SILVEX)	39045	WAIVED			
2,4-D	39730	WAIVED			
ALACHLOR	77825	WAIVED			
ATRAZINE	39033	WAIVED			
BENTAZON	38710	WAIVED			
BENZO (A) PYRENE	34247	WAIVED			
CARBOFURAN	81405	WAIVED			
CHLORDANE	39350	WAIVED			
DALAPON	38432	WAIVED			
DI(2-ETHYLHEXYL)ADIPATE	A-026	WAIVED			
DI(2-ETHYLHEXYL)PHTHALATE	39100	WAIVED			
DIBROMOCHLOROPROPANE (DBCP)	38761	WAIVED			
DINOSEB	81287	WAIVED			
DIQUAT	78885	WAIVED			
ENDOTHALL	38926	WAIVED			
ENDRIN	39390	WAIVED			
ETHYLENE DIBROMIDE (EDB)	77651	WAIVED			
GLYPHOSATE	79743	WAIVED			
HEPTACHLOR	39410	WAIVED			
HEPTACHLOR EPOXIDE	39420	WAIVED			
HEXACHLOROBENZENE	39700	WAIVED			
HEXACHLOROCYCLOPENTADIENE	34386	WAIVED			
LINDANE	39340	WAIVED			

**Testing interval is in months;*
0 = No data for this constituent and is DUE NOW
999 = Waived testing (not required)
I = Invalid (NOT) valid analyses reported

System Number: ***1900620***

System Name: ***CAMP VALCREST***

PS Code: ***1900620-001***

Source Name: ***PURCHASED WATER***

Source Number: ***001***

Source Status: ***PURCHASED UNTREATED***

Water type: ***GROUNDWATER OR WELL***

	STORET NUMBER	TESTING INTERVAL (MONTHS)*	LAST TEST DATE (yyyy/mm/dd)	LAST RESULT REPORTED	NEXT TEST DATE (yyyy/mm)
REGULATED SOC					
METHOXYCHLOR	39480	WAIVED			
MOLINATE	82199	WAIVED			
OXAMYL	38865	WAIVED			
PENTACHLOROPHENOL	39032	WAIVED			
PICLORAM	39720	WAIVED			
POLYCHLORINATED BIPHENYLS, TOTAL, AS DCB	39516	WAIVED			
SIMAZINE	39055	WAIVED			
THIOBENCARB	A-001	WAIVED			
TOXAPHENE	39400	WAIVED			
REGULATED VOC					
1,1,1-TRICHLOROETHANE	34506	WAIVED			
1,1,2,2-TETRACHLOROETHANE	34516	WAIVED			
1,1,2-TRICHLORO-1,2,2-TRIFLUOROETHANE	81611	WAIVED			
1,1,2-TRICHLOROETHANE	34511	WAIVED			
1,1-DICHLOROETHANE	34496	WAIVED			
1,1-DICHLOROETHYLENE	34501	WAIVED			
1,2,4-TRICHLOROBENZENE	34551	WAIVED			
1,2-DICHLOROBENZENE	34536	WAIVED			
1,2-DICHLOROETHANE	34531	WAIVED			
1,2-DICHLOROPROPANE	34541	WAIVED			
1,3-DICHLOROPROPENE (TOTAL)	34561	WAIVED			
1,4-DICHLOROBENZENE	34571	WAIVED			
BENZENE	34030	WAIVED			
CARBON TETRACHLORIDE	32102	WAIVED			
CIS-1,2-DICHLOROETHYLENE	77093	WAIVED			
DICHLOROMETHANE	34423	WAIVED			
ETHYLBENZENE	34371	WAIVED			
METHYL-TERT-BUTYL-ETHER (MTBE)	46491	WAIVED			
MONOCHLOROBENZENE	34301	WAIVED			

**Testing interval is in months;*
0 = No data for this constituent and is DUE NOW
999 = Waived testing (not required)
I = Invalid (NOT) valid analyses reported

System Number: ***1900620***

System Name: ***CAMP VALCREST***

PS Code: ***1900620-001***

Source Name: ***PURCHASED WATER***

Source Number: ***001***

Source Status: ***PURCHASED UNTREATED***

Water type: ***GROUNDWATER OR WELL***

	STORET NUMBER	TESTING INTERVAL (MONTHS)*	LAST TEST DATE (yyyy/mm/dd)	LAST RESULT REPORTED	NEXT TEST DATE (yyyy/mm)
REGULATED VOC					
STYRENE	77128	WAIVED			
TETRACHLOROETHYLENE	34475	WAIVED			
TOLUENE	34010	WAIVED			
TRANS-1,2-DICHLOROETHYLENE	34546	WAIVED			
TRICHLOROETHYLENE	39180	WAIVED			
TRICHLOROFLUOROMETHANE	34488	WAIVED			
VINYL CHLORIDE	39175	WAIVED			
XYLENES (TOTAL)	81551	WAIVED			
SECONDARY/GP					
AGGRSSIVE INDEX (CORROSIVITY)	82383	WAIVED			
BICARBONATE ALKALINITY	00440	WAIVED			
CALCIUM	00916	WAIVED			
CARBONATE ALKALINITY	00445	WAIVED			
CHLORIDE	00940	WAIVED			
COLOR	00081	WAIVED			
COPPER	01042	WAIVED			
FOAMING AGENTS (MBAS)	38260	WAIVED			
HARDNESS (TOTAL) AS CACO3	00900	WAIVED			
HYDROXIDE ALKALINITY	71830	WAIVED			
IRON	01045	WAIVED			
MAGNESIUM	00927	WAIVED			
MANGANESE	01055	WAIVED			
ODOR THRESHOLD @ 60 C	00086	WAIVED			
PH, LABORATORY	00403	WAIVED			
SILVER	01077	WAIVED			
SODIUM	00929	WAIVED			
SPECIFIC CONDUCTANCE	00095	WAIVED			
SULFATE	00945	WAIVED			
TOTAL DISSOLVED SOLIDS	70300	WAIVED			

**Testing interval is in months;*
0 = No data for this constituent and is DUE NOW
999 = Waived testing (not required)
I = Invalid (NOT) valid analyses reported

System Number: ***1900620***

System Name: ***CAMP VALCREST***

PS Code: ***1900620-001***

Source Name: ***PURCHASED WATER***

Source Number: ***001***

Source Status: ***PURCHASED UNTREATED***

Water type: ***GROUNDWATER OR WELL***

	STORET NUMBER	TESTING INTERVAL (MONTHS)*	LAST TEST DATE (yyyy/mm/dd)	LAST RESULT REPORTED	NEXT TEST DATE (yyyy/mm)
SECONDARY/GP					
TURBIDITY, LABORATORY	82079	WAIVED			
ZINC	01092	WAIVED			

**Testing interval is in months;*
0 = No data for this constituent and is DUE NOW
999 = Waived testing (not required)
I = Invalid (NOT) valid analyses reported

System Number: ***1900631***

System Name: ***CAMP CISQUITO / LIVE AGAIN RECOVERY HOME***

PS Code: ***1900631-001***

Source Name: ***WELL 01***

Source Number: ***001***

Source Status: ***ACTIVE UNTREATED***

Water type: ***GROUNDWATER OR WELL***

	STORET NUMBER	TESTING INTERVAL (MONTHS)*	LAST TEST DATE (yyyy/mm/dd)	LAST RESULT REPORTED	NEXT TEST DATE (yyyy/mm)
GENERAL NON CHAP 15					
DIAZINON	39570	WAIVED			
INORGANIC					
ALUMINUM	01105	WAIVED	2007/10/31	.000	
ANTIMONY	01097	WAIVED	2004/11/30	.000	
ARSENIC	01002	WAIVED	2007/10/31	.000	
ASBESTOS	81855	WAIVED			
BARIUM	01007	WAIVED	2004/11/30	.000	
BERYLLIUM	01012	WAIVED	2004/03/18	.000	
CADMIUM	01027	WAIVED	2007/10/31	.000	
CHROMIUM (TOTAL)	01034	WAIVED	2007/10/31	.000	
CYANIDE	01291	WAIVED			
FLUORIDE (F) (NATURAL-SOURCE)	00951	WAIVED	2007/10/31	1.140	
LEAD	01051	WAIVED	2007/10/31	.000	
MERCURY	71900	WAIVED	2007/10/31	.000	
NICKEL	01067	WAIVED	2007/10/31	.000	
PERCHLORATE	A-031	WAIVED	2004/11/30	.000	
SELENIUM	01147	WAIVED	2007/10/31	.000	
THALLIUM	01059	WAIVED	2004/03/18	.000	
NITRATE/NITRITE					
NITRATE (AS NO3)	71850	WAIVED	2007/10/31	.000	
NITRITE (AS N)	00620	WAIVED			
RADIOLOGICAL					
GROSS ALPHA	01501	WAIVED			
GROSS BETA	03501	WAIVED			
RA-226 FOR CWS OR TOTAL RA FOR NTNC BY 903.0	A-080	WAIVED			
RA-226 OR TOTAL RA BY 903.0 C.E.	A-081	WAIVED			
RADIUM 226	09501	WAIVED			
RADIUM 228	11501	WAIVED			

**Testing interval is in months;*
0 = No data for this constituent and is DUE NOW
999 = Waived testing (not required)
I = Invalid (NOT) valid analyses reported

System Number: ***1900631***

System Name: ***CAMP CISQUITO / LIVE AGAIN RECOVERY HOME***

PS Code: ***1900631-001***

Source Name: ***WELL 01***

Source Number: ***001***

Source Status: ***ACTIVE UNTREATED***

Water type: ***GROUNDWATER OR WELL***

	STORET NUMBER	TESTING INTERVAL (MONTHS)*	LAST TEST DATE (yyyy/mm/dd)	LAST RESULT REPORTED	NEXT TEST DATE (yyyy/mm)
RADIOLOGICAL					
RADIUM, TOTAL, MDA95-NTNC ONLY, BY 903.0	A-082	WAIVED			
STRONTIUM-90	13501	WAIVED			
TRITIUM	07000	WAIVED			
URANIUM (PCI/L)	28012	WAIVED			
REGULATED SOC					
2,3,7,8-TCDD (DIOXIN)	34676	WAIVED			
2,4,5-TP (SILVEX)	39045	WAIVED			
2,4-D	39730	WAIVED			
ALACHLOR	77825	WAIVED			
ATRAZINE	39033	WAIVED			
BENTAZON	38710	WAIVED			
BENZO (A) PYRENE	34247	WAIVED			
CARBOFURAN	81405	WAIVED			
CHLORDANE	39350	WAIVED			
DALAPON	38432	WAIVED			
DI(2-ETHYLHEXYL)ADIPATE	A-026	WAIVED			
DI(2-ETHYLHEXYL)PHTHALATE	39100	WAIVED			
DIBROMOCHLOROPROPANE (DBCP)	38761	WAIVED			
DINOSEB	81287	WAIVED			
DIQUAT	78885	WAIVED			
ENDOTHALL	38926	WAIVED			
ENDRIN	39390	WAIVED			
ETHYLENE DIBROMIDE (EDB)	77651	WAIVED			
GLYPHOSATE	79743	WAIVED			
HEPTACHLOR	39410	WAIVED			
HEPTACHLOR EPOXIDE	39420	WAIVED			
HEXACHLOROBENZENE	39700	WAIVED			
HEXACHLOROCYCLOPENTADIENE	34386	WAIVED			
LINDANE	39340	WAIVED			

**Testing interval is in months;*
0 = No data for this constituent and is DUE NOW
999 = Waived testing (not required)
I = Invalid (NOT) valid analyses reported

System Number: ***1900631***

System Name: ***CAMP CISQUITO / LIVE AGAIN RECOVERY HOME***

PS Code: ***1900631-001***

Source Name: ***WELL 01***

Source Number: ***001***

Source Status: ***ACTIVE UNTREATED***

Water type: ***GROUNDWATER OR WELL***

REGULATED SOC

	STORET NUMBER	TESTING INTERVAL (MONTHS)*	LAST TEST DATE (yyyy/mm/dd)	LAST RESULT REPORTED	NEXT TEST DATE (yyyy/mm)
METHOXYCHLOR	39480	WAIVED			
MOLINATE	82199	WAIVED			
OXAMYL	38865	WAIVED			
PENTACHLOROPHENOL	39032	WAIVED			
PICLORAM	39720	WAIVED			
POLYCHLORINATED BIPHENYLS, TOTAL, AS DCB	39516	WAIVED			
SIMAZINE	39055	WAIVED			
THIOBENCARB	A-001	WAIVED			
TOXAPHENE	39400	WAIVED			

REGULATED VOC

1,1,1-TRICHLOROETHANE	34506	WAIVED			
1,1,2,2-TETRACHLOROETHANE	34516	WAIVED			
1,1,2-TRICHLORO-1,2,2-TRIFLUOROETHANE	81611	WAIVED			
1,1,2-TRICHLOROETHANE	34511	WAIVED			
1,1-DICHLOROETHANE	34496	WAIVED			
1,1-DICHLOROETHYLENE	34501	WAIVED			
1,2,4-TRICHLOROBENZENE	34551	WAIVED			
1,2-DICHLOROBENZENE	34536	WAIVED			
1,2-DICHLOROETHANE	34531	WAIVED			
1,2-DICHLOROPROPANE	34541	WAIVED			
1,3-DICHLOROPROPENE (TOTAL)	34561	WAIVED			
1,4-DICHLOROBENZENE	34571	WAIVED			
BENZENE	34030	WAIVED			
CARBON TETRACHLORIDE	32102	WAIVED			
CIS-1,2-DICHLOROETHYLENE	77093	WAIVED			
DICHLOROMETHANE	34423	WAIVED			
ETHYLBENZENE	34371	WAIVED			
METHYL-TERT-BUTYL-ETHER (MTBE)	46491	WAIVED			
MONOCHLOROBENZENE	34301	WAIVED			

**Testing interval is in months;*
0 = No data for this constituent and is DUE NOW
999 = Waived testing (not required)
I = Invalid (NOT) valid analyses reported

System Number: 1900631

System Name: CAMP CISQUITO / LIVE AGAIN RECOVERY HOME

PS Code: 1900631-001

Source Name: WELL 01

Source Number: 001

Source Status: ACTIVE UNTREATED

Water type: GROUNDWATER OR WELL

	STORET NUMBER	TESTING INTERVAL (MONTHS)*	LAST TEST DATE (yyyy/mm/dd)	LAST RESULT REPORTED	NEXT TEST DATE (yyyy/mm)
REGULATED VOC					
STYRENE	77128	WAIVED			
TETRACHLOROETHYLENE	34475	WAIVED			
TOLUENE	34010	WAIVED			
TRANS-1,2-DICHLOROETHYLENE	34546	WAIVED			
TRICHLOROETHYLENE	39180	WAIVED			
TRICHLOROFLUOROMETHANE	34488	WAIVED			
VINYL CHLORIDE	39175	WAIVED			
XYLENES (TOTAL)	81551	WAIVED			
SECONDARY/GP					
AGGRSSIVE INDEX (CORROSIVITY)	82383	WAIVED			
BICARBONATE ALKALINITY	00440	WAIVED	2007/10/31	315.000	
CALCIUM	00916	WAIVED	2007/10/31	70.000	
CARBONATE ALKALINITY	00445	WAIVED	2007/10/31	.000	
CHLORIDE	00940	WAIVED	2007/10/31	19.300	
COLOR	00081	WAIVED	2004/11/30	.000	
COPPER	01042	WAIVED	2007/10/31	.000	
FOAMING AGENTS (MBAS)	38260	WAIVED	2004/11/30	.000	
HARDNESS (TOTAL) AS CACO3	00900	WAIVED	2007/10/31	288.000	
HYDROXIDE ALKALINITY	71830	WAIVED	2007/10/31	.000	
IRON	01045	WAIVED	2007/10/31	.000	
MAGNESIUM	00927	WAIVED	2007/10/31	29.000	
MANGANESE	01055	WAIVED	2007/10/31	.000	
ODOR THRESHOLD @ 60 C	00086	WAIVED	2004/11/30	.000	
PH, LABORATORY	00403	WAIVED	2007/10/31	6.810	
SILVER	01077	WAIVED	2007/10/31	.000	
SODIUM	00929	WAIVED	2007/10/31	30.300	
SPECIFIC CONDUCTANCE	00095	WAIVED	2007/10/31	629.000	
SULFATE	00945	WAIVED	2007/10/31	52.300	
TOTAL DISSOLVED SOLIDS	70300	WAIVED	2007/10/31	356.000	

**Testing interval is in months;*
0 = No data for this constituent and is DUE NOW
999 = Waived testing (not required)
I = Invalid (NOT) valid analyses reported

System Number: ***1900631***

System Name: ***CAMP CISQUITO / LIVE AGAIN RECOVERY HOME***

PS Code: ***1900631-001***

Source Name: ***WELL 01***

Source Number: ***001***

Source Status: ***ACTIVE UNTREATED***

Water type: ***GROUNDWATER OR WELL***

SECONDARY/GP

	STORET NUMBER	TESTING INTERVAL (MONTHS)*	LAST TEST DATE (yyyy/mm/dd)	LAST RESULT REPORTED	NEXT TEST DATE (yyyy/mm)
TURBIDITY, LABORATORY	82079	WAIVED	2007/10/31	.360	
ZINC	01092	WAIVED	2007/10/31	.000	

**Testing interval is in months;*
0 = No data for this constituent and is DUE NOW
999 = Waived testing (not required)
I = Invalid (NOT) valid analyses reported

System Number: 1900636
System Name: EL RANCHO MOBILE HOME PARK

PS Code: 1900636-001
Source Name: WELL 01
Source Number: 001
Source Status: ACTIVE UNTREATED
Water type: GROUNDWATER OR WELL

	STORET NUMBER	TESTING INTERVAL (MONTHS)*	LAST TEST DATE (yyyy/mm/dd)	LAST RESULT REPORTED	NEXT TEST DATE (yyyy/mm)
GENERAL NON CHAP 15					
DIAZINON	39570	WAIVED			
INORGANIC					
ALUMINUM	01105	WAIVED	2011/03/16	< .000	
ANTIMONY	01097	WAIVED	2011/03/16	< .000	
ARSENIC	01002	WAIVED	2011/03/16	< .000	
ASBESTOS	81855	WAIVED	2011/03/16	.000	
BARIUM	01007	WAIVED	2011/03/16	< .000	
BERYLLIUM	01012	WAIVED	2011/03/16	< .000	
CADMIUM	01027	WAIVED	2011/03/16	< .000	
CHROMIUM (TOTAL)	01034	WAIVED	2011/03/16	< .000	
CYANIDE	01291	WAIVED	2011/03/16	< .000	
FLUORIDE (F) (NATURAL-SOURCE)	00951	WAIVED	2011/03/16	.200	
LEAD	01051	WAIVED	2011/03/16	< .000	
MERCURY	71900	WAIVED	2011/03/16	< .000	
NICKEL	01067	WAIVED	2011/03/16	< .000	
PERCHLORATE	A-031	WAIVED	2011/10/17	< .000	
SELENIUM	01147	WAIVED	2011/03/16	< .000	
THALLIUM	01059	WAIVED	2011/03/16	< .000	
NITRATE/NITRITE					
NITRATE (AS NO3)	71850	WAIVED	2011/03/16	< .000	
NITRITE (AS N)	00620	WAIVED	2011/03/16	< .000	
RADIOLOGICAL					
GROSS ALPHA	01501	WAIVED	2002/07/09	.000	
GROSS BETA	03501	WAIVED	2002/07/09	.640	
RA-226 FOR CWS OR TOTAL RA FOR NTNC BY 903.0	A-080	WAIVED			
RA-226 OR TOTAL RA BY 903.0 C.E.	A-081	WAIVED			
RADIUM 226	09501	WAIVED			
RADIUM 228	11501	WAIVED			

**Testing interval is in months;*
0 = No data for this constituent and is DUE NOW
999 = Waived testing (not required)
I = Invalid (NOT) valid analyses reported

System Number: ***1900636***

System Name: ***EL RANCHO MOBILE HOME PARK***

PS Code: ***1900636-001***

Source Name: ***WELL 01***

Source Number: ***001***

Source Status: ***ACTIVE UNTREATED***

Water type: ***GROUNDWATER OR WELL***

	STORET NUMBER	TESTING INTERVAL (MONTHS)*	LAST TEST DATE (yyyy/mm/dd)	LAST RESULT REPORTED	NEXT TEST DATE (yyyy/mm)
RADIOLOGICAL					
RADIUM, TOTAL, MDA95-NTNC ONLY, BY 903.0	A-082	WAIVED			
STRONTIUM-90	13501	WAIVED			
TRITIUM	07000	WAIVED			
URANIUM (PCI/L)	28012	WAIVED			
REGULATED SOC					
2,3,7,8-TCDD (DIOXIN)	34676	WAIVED			
2,4,5-TP (SILVEX)	39045	WAIVED			
2,4-D	39730	WAIVED			
ALACHLOR	77825	WAIVED	2002/04/10	.000	
ATRAZINE	39033	WAIVED			
BENTAZON	38710	WAIVED			
BENZO (A) PYRENE	34247	WAIVED			
CARBOFURAN	81405	WAIVED			
CHLORDANE	39350	WAIVED	2002/04/10	.000	
DALAPON	38432	WAIVED			
DI(2-ETHYLHEXYL)ADIPATE	A-026	WAIVED			
DI(2-ETHYLHEXYL)PHTHALATE	39100	WAIVED			
DIBROMOCHLOROPROPANE (DBCP)	38761	WAIVED			
DINOSEB	81287	WAIVED			
DIQUAT	78885	WAIVED			
ENDOTHALL	38926	WAIVED			
ENDRIN	39390	WAIVED	2002/04/10	.000	
ETHYLENE DIBROMIDE (EDB)	77651	WAIVED			
GLYPHOSATE	79743	WAIVED			
HEPTACHLOR	39410	WAIVED	2002/04/10	.000	
HEPTACHLOR EPOXIDE	39420	WAIVED	2002/04/10	.000	
HEXACHLOROBENZENE	39700	WAIVED	2002/04/10	.000	
HEXACHLOROCYCLOPENTADIENE	34386	WAIVED	2002/04/10	.000	
LINDANE	39340	WAIVED	2002/04/10	.000	

**Testing interval is in months;*
0 = No data for this constituent and is DUE NOW
999 = Waived testing (not required)
I = Invalid (NOT) valid analyses reported

System Number: ***1900636***

System Name: ***EL RANCHO MOBILE HOME PARK***

PS Code: ***1900636-001***

Source Name: ***WELL 01***

Source Number: ***001***

Source Status: ***ACTIVE UNTREATED***

Water type: ***GROUNDWATER OR WELL***

	STORET NUMBER	TESTING INTERVAL (MONTHS)*	LAST TEST DATE (yyyy/mm/dd)	LAST RESULT REPORTED	NEXT TEST DATE (yyyy/mm)
REGULATED SOC					
METHOXYCHLOR	39480	WAIVED	2002/04/10	.000	
MOLINATE	82199	WAIVED			
OXAMYL	38865	WAIVED			
PENTACHLOROPHENOL	39032	WAIVED			
PICLORAM	39720	WAIVED			
POLYCHLORINATED BIPHENYLS, TOTAL, AS DCB	39516	WAIVED	2002/04/10	.000	
SIMAZINE	39055	WAIVED			
THIOBENCARB	A-001	WAIVED			
TOXAPHENE	39400	WAIVED	2002/04/10	.000	
REGULATED VOC					
1,1,1-TRICHLOROETHANE	34506	WAIVED	2002/04/10	.000	
1,1,2,2-TETRACHLOROETHANE	34516	WAIVED	2002/04/10	.000	
1,1,2-TRICHLORO-1,2,2-TRIFLUOROETHANE	81611	WAIVED	2002/04/10	.000	
1,1,2-TRICHLOROETHANE	34511	WAIVED	2002/04/10	.000	
1,1-DICHLOROETHANE	34496	WAIVED	2002/04/10	.000	
1,1-DICHLOROETHYLENE	34501	WAIVED	2002/04/10	.000	
1,2,4-TRICHLOROBENZENE	34551	WAIVED	2002/04/10	.000	
1,2-DICHLOROBENZENE	34536	WAIVED	2002/04/10	.000	
1,2-DICHLOROETHANE	34531	WAIVED	2002/04/10	.000	
1,2-DICHLOROPROPANE	34541	WAIVED	2002/04/10	.000	
1,3-DICHLOROPROPENE (TOTAL)	34561	WAIVED	2002/04/10	.000	
1,4-DICHLOROBENZENE	34571	WAIVED	2002/04/10	.000	
BENZENE	34030	WAIVED	2002/04/10	.000	
CARBON TETRACHLORIDE	32102	WAIVED	2002/04/10	.000	
CIS-1,2-DICHLOROETHYLENE	77093	WAIVED	2002/04/10	.000	
DICHLOROMETHANE	34423	WAIVED	2002/04/10	.000	
ETHYLBENZENE	34371	WAIVED	2002/04/10	.000	
METHYL-TERT-BUTYL-ETHER (MTBE)	46491	WAIVED	2002/04/10	.000	
MONOCHLOROBENZENE	34301	WAIVED	2002/04/10	.000	

**Testing interval is in months;*
0 = No data for this constituent and is DUE NOW
999 = Waived testing (not required)
I = Invalid (NOT) valid analyses reported

System Number: 1900636
System Name: EL RANCHO MOBILE HOME PARK

PS Code: 1900636-001
Source Name: WELL 01
Source Number: 001
Source Status: ACTIVE UNTREATED
Water type: GROUNDWATER OR WELL

	STORET NUMBER	TESTING INTERVAL (MONTHS)*	LAST TEST DATE (yyyy/mm/dd)	LAST RESULT REPORTED	NEXT TEST DATE (yyyy/mm)
REGULATED VOC					
STYRENE	77128	WAIVED	2002/04/10	.000	
TETRACHLOROETHYLENE	34475	WAIVED	2002/04/10	.000	
TOLUENE	34010	WAIVED	2002/04/10	.000	
TRANS-1,2-DICHLOROETHYLENE	34546	WAIVED	2002/04/10	.000	
TRICHLOROETHYLENE	39180	WAIVED	2002/04/10	.000	
TRICHLOROFLUOROMETHANE	34488	WAIVED	2002/04/10	.000	
VINYL CHLORIDE	39175	WAIVED	2002/04/10	.000	
XYLENES (TOTAL)	81551	WAIVED	2002/04/10	.000	
SECONDARY/GP					
AGGRSSIVE INDEX (CORROSIVITY)	82383	WAIVED	2011/03/16	12.000	
BICARBONATE ALKALINITY	00440	WAIVED	2011/03/16	92.000	
CALCIUM	00916	WAIVED	2011/03/16	19.000	
CARBONATE ALKALINITY	00445	WAIVED	2011/03/16	2.000	
CHLORIDE	00940	WAIVED	2011/03/16	4.300	
COLOR	00081	WAIVED	2011/03/16	< .000	
COPPER	01042	WAIVED	2011/03/16	< .000	
FOAMING AGENTS (MBAS)	38260	WAIVED	2011/03/16	< .000	
HARDNESS (TOTAL) AS CACO3	00900	WAIVED	2011/03/16	50.000	
HYDROXIDE ALKALINITY	71830	WAIVED	2011/03/16	< .000	
IRON	01045	WAIVED	2011/03/16	< .000	
MAGNESIUM	00927	WAIVED	2011/03/16	.840	
MANGANESE	01055	WAIVED	2011/03/16	< .000	
ODOR THRESHOLD @ 60 C	00086	WAIVED	2011/03/16	< .000	
PH, LABORATORY	00403	WAIVED	2011/03/16	8.400	
SILVER	01077	WAIVED	2011/03/16	< .000	
SODIUM	00929	WAIVED	2011/03/16	24.000	
SPECIFIC CONDUCTANCE	00095	WAIVED	2011/03/16	190.000	
SULFATE	00945	WAIVED	2011/03/16	13.000	
TOTAL DISSOLVED SOLIDS	70300	WAIVED	2011/03/16	140.000	

**Testing interval is in months;*
0 = No data for this constituent and is DUE NOW
999 = Waived testing (not required)
I = Invalid (NOT) valid analyses reported

System Number: ***1900636***

System Name: ***EL RANCHO MOBILE HOME PARK***

PS Code: ***1900636-001***

Source Name: ***WELL 01***

Source Number: ***001***

Source Status: ***ACTIVE UNTREATED***

Water type: ***GROUNDWATER OR WELL***

	STORET NUMBER	TESTING INTERVAL (MONTHS)*	LAST TEST DATE (yyyy/mm/dd)	LAST RESULT REPORTED	NEXT TEST DATE (yyyy/mm)
SECONDARY/GP					
TURBIDITY, LABORATORY	82079	WAIVED	2011/03/16	.190	
ZINC	01092	WAIVED	2011/03/16	< .000	

PS Code: ***1900636-002***

Source Name: ***AUTOMATIC CHLORINATOR UNIT***

Source Number: ***002***

Source Status: ***ACTIVE TREATED***

Water type: ***GROUNDWATER OR WELL***

GENERAL NON CHAP 15					
DIAZINON	39570	WAIVED			
INORGANIC					
ALUMINUM	01105	WAIVED			
ANTIMONY	01097	WAIVED			
ARSENIC	01002	WAIVED	2007/12/02	62.000	
ASBESTOS	81855	WAIVED			
BARIUM	01007	WAIVED			
BERYLLIUM	01012	WAIVED			
CADMIUM	01027	WAIVED			
CHROMIUM (TOTAL)	01034	WAIVED			
CYANIDE	01291	WAIVED			
FLUORIDE (F) (NATURAL-SOURCE)	00951	WAIVED			
LEAD	01051	WAIVED			
MERCURY	71900	WAIVED			
NICKEL	01067	WAIVED			
PERCHLORATE	A-031	WAIVED			
SELENIUM	01147	WAIVED			
THALLIUM	01059	WAIVED			

**Testing interval is in months;*
0 = No data for this constituent and is DUE NOW
999 = Waived testing (not required)
I = Invalid (NOT) valid analyses reported

System Number: ***1900636***

System Name: ***EL RANCHO MOBILE HOME PARK***

PS Code: ***1900636-002***

Source Name: ***AUTOMATIC CHLORINATOR UNIT***

Source Number: ***002***

Source Status: ***ACTIVE TREATED***

Water type: ***GROUNDWATER OR WELL***

	STORET NUMBER	TESTING INTERVAL (MONTHS)*	LAST TEST DATE (yyyy/mm/dd)	LAST RESULT REPORTED	NEXT TEST DATE (yyyy/mm)
NITRATE/NITRITE					
NITRATE (AS NO3)	71850	WAIVED			
NITRITE (AS N)	00620	WAIVED			
RADIOLOGICAL					
GROSS ALPHA	01501	WAIVED			
GROSS BETA	03501	WAIVED			
RA-226 FOR CWS OR TOTAL RA FOR NTNC BY 903.0	A-080	WAIVED			
RA-226 OR TOTAL RA BY 903.0 C.E.	A-081	WAIVED			
RADIUM 226	09501	WAIVED			
RADIUM 228	11501	WAIVED			
RADIUM, TOTAL, MDA95-NTNC ONLY, BY 903.0	A-082	WAIVED			
STRONTIUM-90	13501	WAIVED			
TRITIUM	07000	WAIVED			
URANIUM (PCI/L)	28012	WAIVED			
REGULATED SOC					
2,3,7,8-TCDD (DIOXIN)	34676	WAIVED			
2,4,5-TP (SILVEX)	39045	WAIVED			
2,4-D	39730	WAIVED			
ALACHLOR	77825	WAIVED			
ATRAZINE	39033	WAIVED			
BENTAZON	38710	WAIVED			
BENZO (A) PYRENE	34247	WAIVED			
CARBOFURAN	81405	WAIVED			
CHLORDANE	39350	WAIVED			
DALAPON	38432	WAIVED			
DI(2-ETHYLHEXYL)ADIPATE	A-026	WAIVED			
DI(2-ETHYLHEXYL)PHTHALATE	39100	WAIVED			
DIBROMOCHLOROPROPANE (DBCP)	38761	WAIVED			
DINOSEB	81287	WAIVED			
DIQUAT	78885	WAIVED			

**Testing interval is in months;*
0 = No data for this constituent and is DUE NOW
999 = Waived testing (not required)
I = Invalid (NOT) valid analyses reported

System Number: ***1900636***

System Name: ***EL RANCHO MOBILE HOME PARK***

PS Code: ***1900636-002***

Source Name: ***AUTOMATIC CHLORINATOR UNIT***

Source Number: ***002***

Source Status: ***ACTIVE TREATED***

Water type: ***GROUNDWATER OR WELL***

	STORET NUMBER	TESTING INTERVAL (MONTHS)*	LAST TEST DATE (yyyy/mm/dd)	LAST RESULT REPORTED	NEXT TEST DATE (yyyy/mm)
REGULATED SOC					
ENDOTHALL	38926	WAIVED			
ENDRIN	39390	WAIVED			
ETHYLENE DIBROMIDE (EDB)	77651	WAIVED			
GLYPHOSATE	79743	WAIVED			
HEPTACHLOR	39410	WAIVED			
HEPTACHLOR EPOXIDE	39420	WAIVED			
HEXACHLOROBENZENE	39700	WAIVED			
HEXACHLOROCYCLOPENTADIENE	34386	WAIVED			
LINDANE	39340	WAIVED			
METHOXYCHLOR	39480	WAIVED			
MOLINATE	82199	WAIVED			
OXAMYL	38865	WAIVED			
PENTACHLOROPHENOL	39032	WAIVED			
PICLORAM	39720	WAIVED			
POLYCHLORINATED BIPHENYLS, TOTAL, AS DCB	39516	WAIVED			
SIMAZINE	39055	WAIVED			
THIOBENCARB	A-001	WAIVED			
TOXAPHENE	39400	WAIVED			
REGULATED VOC					
1,1,1-TRICHLOROETHANE	34506	WAIVED			
1,1,2,2-TETRACHLOROETHANE	34516	WAIVED			
1,1,2-TRICHLORO-1,2,2-TRIFLUOROETHANE	81611	WAIVED			
1,1,2-TRICHLOROETHANE	34511	WAIVED			
1,1-DICHLOROETHANE	34496	WAIVED			
1,1-DICHLOROETHYLENE	34501	WAIVED			
1,2,4-TRICHLOROBENZENE	34551	WAIVED			
1,2-DICHLOROBENZENE	34536	WAIVED			
1,2-DICHLOROETHANE	34531	WAIVED			
1,2-DICHLOROPROPANE	34541	WAIVED			

**Testing interval is in months;*
0 = No data for this constituent and is DUE NOW
999 = Waived testing (not required)
I = Invalid (NOT) valid analyses reported

System Number: ***1900636***

System Name: ***EL RANCHO MOBILE HOME PARK***

PS Code: ***1900636-002***

Source Name: ***AUTOMATIC CHLORINATOR UNIT***

Source Number: ***002***

Source Status: ***ACTIVE TREATED***

Water type: ***GROUNDWATER OR WELL***

	STORET NUMBER	TESTING INTERVAL (MONTHS)*	LAST TEST DATE (yyyy/mm/dd)	LAST RESULT REPORTED	NEXT TEST DATE (yyyy/mm)
REGULATED VOC					
1,3-DICHLOROPROPENE (TOTAL)	34561	WAIVED			
1,4-DICHLOROBENZENE	34571	WAIVED			
BENZENE	34030	WAIVED			
CARBON TETRACHLORIDE	32102	WAIVED			
CIS-1,2-DICHLOROETHYLENE	77093	WAIVED			
DICHLOROMETHANE	34423	WAIVED			
ETHYLBENZENE	34371	WAIVED			
METHYL-TERT-BUTYL-ETHER (MTBE)	46491	WAIVED			
MONOCHLOROBENZENE	34301	WAIVED			
STYRENE	77128	WAIVED			
TETRACHLOROETHYLENE	34475	WAIVED			
TOLUENE	34010	WAIVED			
TRANS-1,2-DICHLOROETHYLENE	34546	WAIVED			
TRICHLOROETHYLENE	39180	WAIVED			
TRICHLOROFLUOROMETHANE	34488	WAIVED			
VINYL CHLORIDE	39175	WAIVED			
XYLENES (TOTAL)	81551	WAIVED			
SECONDARY/GP					
AGGRSSIVE INDEX (CORROSIVITY)	82383	WAIVED			
BICARBONATE ALKALINITY	00440	WAIVED			
CALCIUM	00916	WAIVED			
CARBONATE ALKALINITY	00445	WAIVED			
CHLORIDE	00940	WAIVED			
COLOR	00081	WAIVED			
COPPER	01042	WAIVED			
FOAMING AGENTS (MBAS)	38260	WAIVED			
HARDNESS (TOTAL) AS CACO3	00900	WAIVED			
HYDROXIDE ALKALINITY	71830	WAIVED			
IRON	01045	WAIVED			

**Testing interval is in months;*
0 = No data for this constituent and is DUE NOW
999 = Waived testing (not required)
I = Invalid (NOT) valid analyses reported

System Number: ***1900636***

System Name: ***EL RANCHO MOBILE HOME PARK***

PS Code: ***1900636-002***

Source Name: ***AUTOMATIC CHLORINATOR UNIT***

Source Number: ***002***

Source Status: ***ACTIVE TREATED***

Water type: ***GROUNDWATER OR WELL***

SECONDARY/GP

	STORET NUMBER	TESTING INTERVAL (MONTHS)*	LAST TEST DATE (yyyy/mm/dd)	LAST RESULT REPORTED	NEXT TEST DATE (yyyy/mm)
MAGNESIUM	00927	WAIVED			
MANGANESE	01055	WAIVED			
ODOR THRESHOLD @ 60 C	00086	WAIVED			
PH, LABORATORY	00403	WAIVED			
SILVER	01077	WAIVED			
SODIUM	00929	WAIVED			
SPECIFIC CONDUCTANCE	00095	WAIVED			
SULFATE	00945	WAIVED			
TOTAL DISSOLVED SOLIDS	70300	WAIVED			
TURBIDITY, LABORATORY	82079	WAIVED			
ZINC	01092	WAIVED			

**Testing interval is in months;*
0 = No data for this constituent and is DUE NOW
999 = Waived testing (not required)
I = Invalid (NOT) valid analyses reported

System Number: ***1900639***

System Name: ***HATHAWAY-SYCAMORES CHILD FAMILY SVCS***

PS Code: ***1900639-001***

Source Name: ***WELL 01 IRRIGATION ONLY***

Source Number: ***001***

Source Status: ***ACTIVE UNTREATED***

Water type: ***GROUNDWATER OR WELL***

	STORET NUMBER	TESTING INTERVAL (MONTHS)*	LAST TEST DATE (yyyy/mm/dd)	LAST RESULT REPORTED	NEXT TEST DATE (yyyy/mm)
GENERAL NON CHAP 15					
DIAZINON	39570	WAIVED			
INORGANIC					
ALUMINUM	01105	WAIVED			
ANTIMONY	01097	WAIVED			
ARSENIC	01002	WAIVED			
ASBESTOS	81855	WAIVED			
BARIUM	01007	WAIVED			
BERYLLIUM	01012	WAIVED			
CADMIUM	01027	WAIVED			
CHROMIUM (TOTAL)	01034	WAIVED			
CYANIDE	01291	WAIVED			
FLUORIDE (F) (NATURAL-SOURCE)	00951	WAIVED			
LEAD	01051	WAIVED			
MERCURY	71900	WAIVED			
NICKEL	01067	WAIVED			
PERCHLORATE	A-031	WAIVED			
SELENIUM	01147	WAIVED			
THALLIUM	01059	WAIVED			
NITRATE/NITRITE					
NITRATE (AS NO3)	71850	WAIVED			
NITRITE (AS N)	00620	WAIVED			
RADIOLOGICAL					
GROSS ALPHA	01501	WAIVED			
GROSS BETA	03501	WAIVED			
RA-226 FOR CWS OR TOTAL RA FOR NTNC BY 903.0	A-080	WAIVED			
RA-226 OR TOTAL RA BY 903.0 C.E.	A-081	WAIVED			
RADIUM 226	09501	WAIVED			
RADIUM 228	11501	WAIVED			

**Testing interval is in months;*
0 = No data for this constituent and is DUE NOW
999 = Waived testing (not required)
I = Invalid (NOT) valid analyses reported

System Number: ***1900639***

System Name: ***HATHAWAY-SYCAMORES CHILD FAMILY SVCS***

PS Code: ***1900639-001***

Source Name: ***WELL 01 IRRIGATION ONLY***

Source Number: ***001***

Source Status: ***ACTIVE UNTREATED***

Water type: ***GROUNDWATER OR WELL***

	STORET NUMBER	TESTING INTERVAL (MONTHS)*	LAST TEST DATE (yyyy/mm/dd)	LAST RESULT REPORTED	NEXT TEST DATE (yyyy/mm)
RADIOLOGICAL					
RADIUM, TOTAL, MDA95-NTNC ONLY, BY 903.0	A-082	WAIVED			
STRONTIUM-90	13501	WAIVED			
TRITIUM	07000	WAIVED			
URANIUM (PCI/L)	28012	WAIVED			
REGULATED SOC					
2,3,7,8-TCDD (DIOXIN)	34676	WAIVED			
2,4,5-TP (SILVEX)	39045	WAIVED			
2,4-D	39730	WAIVED			
ALACHLOR	77825	WAIVED			
ATRAZINE	39033	WAIVED			
BENTAZON	38710	WAIVED			
BENZO (A) PYRENE	34247	WAIVED			
CARBOFURAN	81405	WAIVED			
CHLORDANE	39350	WAIVED			
DALAPON	38432	WAIVED			
DI(2-ETHYLHEXYL)ADIPATE	A-026	WAIVED			
DI(2-ETHYLHEXYL)PHTHALATE	39100	WAIVED			
DIBROMOCHLOROPROPANE (DBCP)	38761	WAIVED			
DINOSEB	81287	WAIVED			
DIQUAT	78885	WAIVED			
ENDOTHALL	38926	WAIVED			
ENDRIN	39390	WAIVED			
ETHYLENE DIBROMIDE (EDB)	77651	WAIVED			
GLYPHOSATE	79743	WAIVED			
HEPTACHLOR	39410	WAIVED			
HEPTACHLOR EPOXIDE	39420	WAIVED			
HEXACHLOROBENZENE	39700	WAIVED			
HEXACHLOROCYCLOPENTADIENE	34386	WAIVED			
LINDANE	39340	WAIVED			

**Testing interval is in months;*
0 = No data for this constituent and is DUE NOW
999 = Waived testing (not required)
I = Invalid (NOT) valid analyses reported

System Number: ***1900639***

System Name: ***HATHAWAY-SYCAMORES CHILD FAMILY SVCS***

PS Code: ***1900639-001***

Source Name: ***WELL 01 IRRIGATION ONLY***

Source Number: ***001***

Source Status: ***ACTIVE UNTREATED***

Water type: ***GROUNDWATER OR WELL***

	STORET NUMBER	TESTING INTERVAL (MONTHS)*	LAST TEST DATE (yyyy/mm/dd)	LAST RESULT REPORTED	NEXT TEST DATE (yyyy/mm)
REGULATED SOC					
METHOXYCHLOR	39480	WAIVED			
MOLINATE	82199	WAIVED			
OXAMYL	38865	WAIVED			
PENTACHLOROPHENOL	39032	WAIVED			
PICLORAM	39720	WAIVED			
POLYCHLORINATED BIPHENYLS, TOTAL, AS DCB	39516	WAIVED			
SIMAZINE	39055	WAIVED			
THIOBENCARB	A-001	WAIVED			
TOXAPHENE	39400	WAIVED			
REGULATED VOC					
1,1,1-TRICHLOROETHANE	34506	WAIVED			
1,1,2,2-TETRACHLOROETHANE	34516	WAIVED			
1,1,2-TRICHLORO-1,2,2-TRIFLUOROETHANE	81611	WAIVED			
1,1,2-TRICHLOROETHANE	34511	WAIVED			
1,1-DICHLOROETHANE	34496	WAIVED			
1,1-DICHLOROETHYLENE	34501	WAIVED			
1,2,4-TRICHLOROBENZENE	34551	WAIVED			
1,2-DICHLOROBENZENE	34536	WAIVED			
1,2-DICHLOROETHANE	34531	WAIVED			
1,2-DICHLOROPROPANE	34541	WAIVED			
1,3-DICHLOROPROPENE (TOTAL)	34561	WAIVED			
1,4-DICHLOROBENZENE	34571	WAIVED			
BENZENE	34030	WAIVED			
CARBON TETRACHLORIDE	32102	WAIVED			
CIS-1,2-DICHLOROETHYLENE	77093	WAIVED			
DICHLOROMETHANE	34423	WAIVED			
ETHYLBENZENE	34371	WAIVED			
METHYL-TERT-BUTYL-ETHER (MTBE)	46491	WAIVED			
MONOCHLOROBENZENE	34301	WAIVED			

**Testing interval is in months;*
0 = No data for this constituent and is DUE NOW
999 = Waived testing (not required)
I = Invalid (NOT) valid analyses reported

System Number: ***1900639***

System Name: ***HATHAWAY-SYCAMORES CHILD FAMILY SVCS***

PS Code: ***1900639-001***

Source Name: ***WELL 01 IRRIGATION ONLY***

Source Number: ***001***

Source Status: ***ACTIVE UNTREATED***

Water type: ***GROUNDWATER OR WELL***

	STORET NUMBER	TESTING INTERVAL (MONTHS)*	LAST TEST DATE (yyyy/mm/dd)	LAST RESULT REPORTED	NEXT TEST DATE (yyyy/mm)
REGULATED VOC					
STYRENE	77128	WAIVED			
TETRACHLOROETHYLENE	34475	WAIVED			
TOLUENE	34010	WAIVED			
TRANS-1,2-DICHLOROETHYLENE	34546	WAIVED			
TRICHLOROETHYLENE	39180	WAIVED			
TRICHLOROFLUOROMETHANE	34488	WAIVED			
VINYL CHLORIDE	39175	WAIVED			
XYLENES (TOTAL)	81551	WAIVED			
SECONDARY/GP					
AGGRSSIVE INDEX (CORROSIVITY)	82383	WAIVED			
BICARBONATE ALKALINITY	00440	WAIVED			
CALCIUM	00916	WAIVED			
CARBONATE ALKALINITY	00445	WAIVED			
CHLORIDE	00940	WAIVED			
COLOR	00081	WAIVED			
COPPER	01042	WAIVED			
FOAMING AGENTS (MBAS)	38260	WAIVED			
HARDNESS (TOTAL) AS CACO3	00900	WAIVED			
HYDROXIDE ALKALINITY	71830	WAIVED			
IRON	01045	WAIVED			
MAGNESIUM	00927	WAIVED			
MANGANESE	01055	WAIVED			
ODOR THRESHOLD @ 60 C	00086	WAIVED			
PH, LABORATORY	00403	WAIVED			
SILVER	01077	WAIVED			
SODIUM	00929	WAIVED			
SPECIFIC CONDUCTANCE	00095	WAIVED			
SULFATE	00945	WAIVED			
TOTAL DISSOLVED SOLIDS	70300	WAIVED			

**Testing interval is in months;*
0 = No data for this constituent and is DUE NOW
999 = Waived testing (not required)
I = Invalid (NOT) valid analyses reported

System Number: ***1900639***

System Name: ***HATHAWAY-SYCAMORES CHILD FAMILY SVCS***

PS Code: ***1900639-001***

Source Name: ***WELL 01 IRRIGATION ONLY***

Source Number: ***001***

Source Status: ***ACTIVE UNTREATED***

Water type: ***GROUNDWATER OR WELL***

	STORET NUMBER	TESTING INTERVAL (MONTHS)*	LAST TEST DATE (yyyy/mm/dd)	LAST RESULT REPORTED	NEXT TEST DATE (yyyy/mm)
SECONDARY/GP					
TURBIDITY, LABORATORY	82079	WAIVED			
ZINC	01092	WAIVED			

PS Code: ***1900639-002***

Source Name: ***WELL 02***

Source Number: ***002***

Source Status: ***ACTIVE UNTREATED***

Water type: ***GROUNDWATER OR WELL***

	STORET NUMBER	TESTING INTERVAL (MONTHS)*	LAST TEST DATE (yyyy/mm/dd)	LAST RESULT REPORTED	NEXT TEST DATE (yyyy/mm)
GENERAL NON CHAP 15					
DIAZINON	39570	WAIVED			
INORGANIC					
ALUMINUM	01105	WAIVED	2000/04/06	.000	
ANTIMONY	01097	WAIVED	2000/04/06	.000	
ARSENIC	01002	WAIVED	2000/04/06	2.000	
ASBESTOS	81855	WAIVED			
BARIUM	01007	WAIVED	2000/04/06	.000	
BERYLLIUM	01012	WAIVED			
CADMIUM	01027	WAIVED	2000/04/06	.000	
CHROMIUM (TOTAL)	01034	WAIVED	2000/04/06	.000	
CYANIDE	01291	WAIVED			
FLUORIDE (F) (NATURAL-SOURCE)	00951	WAIVED	2000/04/06	1.000	
LEAD	01051	WAIVED	2000/04/06	.000	
MERCURY	71900	WAIVED	2000/04/06	.000	
NICKEL	01067	WAIVED	2000/04/06	.000	
PERCHLORATE	A-031	WAIVED	2000/04/06	.000	
SELENIUM	01147	WAIVED	2000/04/06	.000	
THALLIUM	01059	WAIVED			

**Testing interval is in months;*
0 = No data for this constituent and is DUE NOW
999 = Waived testing (not required)
I = Invalid (NOT) valid analyses reported

System Number: ***1900639***

System Name: ***HATHAWAY-SYCAMORES CHILD FAMILY SVCS***

PS Code: ***1900639-002***

Source Name: ***WELL 02***

Source Number: ***002***

Source Status: ***ACTIVE UNTREATED***

Water type: ***GROUNDWATER OR WELL***

	STORET NUMBER	TESTING INTERVAL (MONTHS)*	LAST TEST DATE (yyyy/mm/dd)	LAST RESULT REPORTED	NEXT TEST DATE (yyyy/mm)
NITRATE/NITRITE					
NITRATE (AS NO3)	71850	WAIVED	2002/12/20	.000	
NITRITE (AS N)	00620	WAIVED			
RADIOLOGICAL					
GROSS ALPHA	01501	WAIVED			
GROSS BETA	03501	WAIVED			
RA-226 FOR CWS OR TOTAL RA FOR NTNC BY 903.0	A-080	WAIVED			
RA-226 OR TOTAL RA BY 903.0 C.E.	A-081	WAIVED			
RADIUM 226	09501	WAIVED			
RADIUM 228	11501	WAIVED			
RADIUM, TOTAL, MDA95-NTNC ONLY, BY 903.0	A-082	WAIVED			
STRONTIUM-90	13501	WAIVED			
TRITIUM	07000	WAIVED			
URANIUM (PCI/L)	28012	WAIVED			
REGULATED SOC					
2,3,7,8-TCDD (DIOXIN)	34676	WAIVED			
2,4,5-TP (SILVEX)	39045	WAIVED			
2,4-D	39730	WAIVED			
ALACHLOR	77825	WAIVED	2000/04/07	.000	
ATRAZINE	39033	WAIVED			
BENTAZON	38710	WAIVED			
BENZO (A) PYRENE	34247	WAIVED			
CARBOFURAN	81405	WAIVED			
CHLORDANE	39350	WAIVED	2000/04/07	.000	
DALAPON	38432	WAIVED			
DI(2-ETHYLHEXYL)ADIPATE	A-026	WAIVED			
DI(2-ETHYLHEXYL)PHTHALATE	39100	WAIVED			
DIBROMOCHLOROPROPANE (DBCP)	38761	WAIVED			
DINOSEB	81287	WAIVED			
DIQUAT	78885	WAIVED			

**Testing interval is in months;*
0 = No data for this constituent and is DUE NOW
999 = Waived testing (not required)
I = Invalid (NOT) valid analyses reported

System Number: ***1900639***

System Name: ***HATHAWAY-SYCAMORES CHILD FAMILY SVCS***

PS Code: ***1900639-002***

Source Name: ***WELL 02***

Source Number: ***002***

Source Status: ***ACTIVE UNTREATED***

Water type: ***GROUNDWATER OR WELL***

	STORET NUMBER	TESTING INTERVAL (MONTHS)*	LAST TEST DATE (yyyy/mm/dd)	LAST RESULT REPORTED	NEXT TEST DATE (yyyy/mm)
REGULATED SOC					
ENDOTHALL	38926	WAIVED			
ENDRIN	39390	WAIVED	2000/04/07	.000	
ETHYLENE DIBROMIDE (EDB)	77651	WAIVED			
GLYPHOSATE	79743	WAIVED			
HEPTACHLOR	39410	WAIVED	2000/04/07	.000	
HEPTACHLOR EPOXIDE	39420	WAIVED	2000/04/07	.000	
HEXACHLOROBENZENE	39700	WAIVED	2000/04/07	.000	
HEXACHLOROCYCLOPENTADIENE	34386	WAIVED	2000/04/07	.000	
LINDANE	39340	WAIVED	2000/04/07	.000	
METHOXYCHLOR	39480	WAIVED	2000/04/07	.000	
MOLINATE	82199	WAIVED			
OXAMYL	38865	WAIVED			
PENTACHLOROPHENOL	39032	WAIVED			
PICLORAM	39720	WAIVED			
POLYCHLORINATED BIPHENYLS, TOTAL, AS DCB	39516	WAIVED	2000/04/07	.000	
SIMAZINE	39055	WAIVED			
THIOBENCARB	A-001	WAIVED			
TOXAPHENE	39400	WAIVED	2000/04/07	.000	
REGULATED VOC					
1,1,1-TRICHLOROETHANE	34506	WAIVED	2000/04/07	.000	
1,1,2,2-TETRACHLOROETHANE	34516	WAIVED	2000/04/07	.000	
1,1,2-TRICHLORO-1,2,2-TRIFLUOROETHANE	81611	WAIVED	2000/04/07	.000	
1,1,2-TRICHLOROETHANE	34511	WAIVED	2000/04/07	.000	
1,1-DICHLOROETHANE	34496	WAIVED	2000/04/07	.000	
1,1-DICHLOROETHYLENE	34501	WAIVED	2000/04/07	.000	
1,2,4-TRICHLOROBENZENE	34551	WAIVED	2000/04/07	.000	
1,2-DICHLOROBENZENE	34536	WAIVED	2000/04/07	.000	
1,2-DICHLOROETHANE	34531	WAIVED	2000/04/07	.000	
1,2-DICHLOROPROPANE	34541	WAIVED	2000/04/07	.000	

**Testing interval is in months;*
0 = No data for this constituent and is DUE NOW
999 = Waived testing (not required)
I = Invalid (NOT) valid analyses reported

System Number: ***1900639***

System Name: ***HATHAWAY-SYCAMORES CHILD FAMILY SVCS***

PS Code: ***1900639-002***

Source Name: ***WELL 02***

Source Number: ***002***

Source Status: ***ACTIVE UNTREATED***

Water type: ***GROUNDWATER OR WELL***

	STORET NUMBER	TESTING INTERVAL (MONTHS)*	LAST TEST DATE (yyyy/mm/dd)	LAST RESULT REPORTED	NEXT TEST DATE (yyyy/mm)
REGULATED VOC					
1,3-DICHLOROPROPENE (TOTAL)	34561	WAIVED	2000/04/07	.000	
1,4-DICHLOROBENZENE	34571	WAIVED	2000/04/07	.000	
BENZENE	34030	WAIVED	2000/04/07	.000	
CARBON TETRACHLORIDE	32102	WAIVED	2000/04/07	.000	
CIS-1,2-DICHLOROETHYLENE	77093	WAIVED	2000/04/07	.000	
DICHLOROMETHANE	34423	WAIVED	2000/04/07	.000	
ETHYLBENZENE	34371	WAIVED	2000/04/07	.000	
METHYL-TERT-BUTYL-ETHER (MTBE)	46491	WAIVED	2000/04/07	.000	
MONOCHLOROBENZENE	34301	WAIVED	2000/04/07	.000	
STYRENE	77128	WAIVED	2000/04/07	.000	
TETRACHLOROETHYLENE	34475	WAIVED	2000/04/07	.000	
TOLUENE	34010	WAIVED	2000/04/07	.000	
TRANS-1,2-DICHLOROETHYLENE	34546	WAIVED	2000/04/07	.000	
TRICHLOROETHYLENE	39180	WAIVED	2000/04/07	.000	
TRICHLOROFLUOROMETHANE	34488	WAIVED	2000/04/07	.000	
VINYL CHLORIDE	39175	WAIVED	2000/04/07	.000	
XYLENES (TOTAL)	81551	WAIVED	2000/04/07	.000	
SECONDARY/GP					
AGGRSSIVE INDEX (CORROSIVITY)	82383	WAIVED			
BICARBONATE ALKALINITY	00440	WAIVED	2000/04/06	224.000	
CALCIUM	00916	WAIVED	2000/04/06	80.000	
CARBONATE ALKALINITY	00445	WAIVED	2000/04/06	.000	
CHLORIDE	00940	WAIVED	2000/04/06	9.000	
COLOR	00081	WAIVED	2000/04/06	.000	
COPPER	01042	WAIVED	2000/04/06	.000	
FOAMING AGENTS (MBAS)	38260	WAIVED	2000/04/06	.000	
HARDNESS (TOTAL) AS CACO3	00900	WAIVED	2000/04/06	225.000	
HYDROXIDE ALKALINITY	71830	WAIVED	2000/04/06	.000	
IRON	01045	WAIVED	2000/04/06	.000	

**Testing interval is in months;*
0 = No data for this constituent and is DUE NOW
999 = Waived testing (not required)
I = Invalid (NOT) valid analyses reported

System Number: 1900639

System Name: HATHAWAY-SYCAMORES CHILD FAMILY SVCS

PS Code: 1900639-002

Source Name: WELL 02

Source Number: 002

Source Status: ACTIVE UNTREATED

Water type: GROUNDWATER OR WELL

SECONDARY/GP	STORET NUMBER	TESTING INTERVAL (MONTHS)*	LAST TEST DATE (yyyy/mm/dd)	LAST RESULT REPORTED	NEXT TEST DATE (yyyy/mm)
MAGNESIUM	00927	WAIVED	2000/04/06	6.000	
MANGANESE	01055	WAIVED	2000/04/06	.000	
ODOR THRESHOLD @ 60 C	00086	WAIVED	2000/04/06	.000	
PH, LABORATORY	00403	WAIVED	2000/04/06	7.000	
SILVER	01077	WAIVED	2000/04/06	.000	
SODIUM	00929	WAIVED	2000/04/06	24.000	
SPECIFIC CONDUCTANCE	00095	WAIVED	2000/04/06	483.000	
SULFATE	00945	WAIVED	2000/04/06	64.000	
TOTAL DISSOLVED SOLIDS	70300	WAIVED	2000/04/06	320.000	
TURBIDITY, LABORATORY	82079	WAIVED	2000/04/06	.000	
ZINC	01092	WAIVED	2000/04/06	.000	

PS Code: 1900639-003

Source Name: WELL 03

Source Number: 003

Source Status: ACTIVE UNTREATED

Water type: GROUNDWATER OR WELL

GENERAL NON CHAP 15					
DIAZINON	39570	WAIVED			

INORGANIC					
ALUMINUM	01105	WAIVED	2000/04/06	.000	
ANTIMONY	01097	WAIVED	2000/04/06	.000	
ARSENIC	01002	WAIVED	2000/04/06	.000	
ASBESTOS	81855	WAIVED			
BARIUM	01007	WAIVED	2000/04/06	.000	
BERYLLIUM	01012	WAIVED			
CADMIUM	01027	WAIVED	2000/04/06	.000	
CHROMIUM (TOTAL)	01034	WAIVED	2000/04/06	.000	
CYANIDE	01291	WAIVED			

**Testing interval is in months;*
0 = No data for this constituent and is DUE NOW
999 = Waived testing (not required)
I = Invalid (NOT) valid analyses reported

System Number: ***1900639***

System Name: ***HATHAWAY-SYCAMORES CHILD FAMILY SVCS***

PS Code: ***1900639-003***

Source Name: ***WELL 03***

Source Number: ***003***

Source Status: ***ACTIVE UNTREATED***

Water type: ***GROUNDWATER OR WELL***

	STORET NUMBER	TESTING INTERVAL (MONTHS)*	LAST TEST DATE (yyyy/mm/dd)	LAST RESULT REPORTED	NEXT TEST DATE (yyyy/mm)
INORGANIC					
FLUORIDE (F) (NATURAL-SOURCE)	00951	WAIVED	2000/04/06	2.000	
LEAD	01051	WAIVED	2000/04/06	.000	
MERCURY	71900	WAIVED	2000/04/06	.000	
NICKEL	01067	WAIVED	2000/04/06	.000	
PERCHLORATE	A-031	WAIVED	2000/04/06	.000	
SELENIUM	01147	WAIVED	2000/04/06	.000	
THALLIUM	01059	WAIVED			
NITRATE/NITRITE					
NITRATE (AS NO3)	71850	WAIVED	2002/10/18	.000	
NITRITE (AS N)	00620	WAIVED			
RADIOLOGICAL					
GROSS ALPHA	01501	WAIVED			
GROSS BETA	03501	WAIVED			
RA-226 FOR CWS OR TOTAL RA FOR NTNC BY 903.0	A-080	WAIVED			
RA-226 OR TOTAL RA BY 903.0 C.E.	A-081	WAIVED			
RADIUM 226	09501	WAIVED			
RADIUM 228	11501	WAIVED			
RADIUM, TOTAL, MDA95-NTNC ONLY, BY 903.0	A-082	WAIVED			
STRONTIUM-90	13501	WAIVED			
TRITIUM	07000	WAIVED			
URANIUM (PCI/L)	28012	WAIVED			
REGULATED SOC					
2,3,7,8-TCDD (DIOXIN)	34676	WAIVED			
2,4,5-TP (SILVEX)	39045	WAIVED			
2,4-D	39730	WAIVED			
ALACHLOR	77825	WAIVED	2000/04/07	.000	
ATRAZINE	39033	WAIVED			
BENTAZON	38710	WAIVED			

**Testing interval is in months;*
0 = No data for this constituent and is DUE NOW
999 = Waived testing (not required)
I = Invalid (NOT) valid analyses reported

System Number: ***1900639***

System Name: ***HATHAWAY-SYCAMORES CHILD FAMILY SVCS***

PS Code: ***1900639-003***

Source Name: ***WELL 03***

Source Number: ***003***

Source Status: ***ACTIVE UNTREATED***

Water type: ***GROUNDWATER OR WELL***

	STORET NUMBER	TESTING INTERVAL (MONTHS)*	LAST TEST DATE (yyyy/mm/dd)	LAST RESULT REPORTED	NEXT TEST DATE (yyyy/mm)
REGULATED SOC					
BENZO (A) PYRENE	34247	WAIVED			
CARBOFURAN	81405	WAIVED			
CHLORDANE	39350	WAIVED	2000/04/07	.000	
DALAPON	38432	WAIVED			
DI(2-ETHYLHEXYL)ADIPATE	A-026	WAIVED			
DI(2-ETHYLHEXYL)PHTHALATE	39100	WAIVED			
DIBROMOCHLOROPROPANE (DBCP)	38761	WAIVED			
DINOSEB	81287	WAIVED			
DIQUAT	78885	WAIVED			
ENDOTHALL	38926	WAIVED			
ENDRIN	39390	WAIVED	2000/04/07	.000	
ETHYLENE DIBROMIDE (EDB)	77651	WAIVED			
GLYPHOSATE	79743	WAIVED			
HEPTACHLOR	39410	WAIVED	2000/04/07	.000	
HEPTACHLOR EPOXIDE	39420	WAIVED	2000/04/07	.000	
HEXACHLOROBENZENE	39700	WAIVED	2000/04/07	.000	
HEXACHLOROCYCLOPENTADIENE	34386	WAIVED	2000/04/07	.000	
LINDANE	39340	WAIVED	2000/04/07	.000	
METHOXYCHLOR	39480	WAIVED	2000/04/07	.000	
MOLINATE	82199	WAIVED			
OXAMYL	38865	WAIVED			
PENTACHLOROPHENOL	39032	WAIVED			
PICLORAM	39720	WAIVED			
POLYCHLORINATED BIPHENYLS, TOTAL, AS DCB	39516	WAIVED	2000/04/07	.000	
SIMAZINE	39055	WAIVED			
THIOBENCARB	A-001	WAIVED			
TOXAPHENE	39400	WAIVED	2000/04/07	.000	
REGULATED VOC					
1,1,1-TRICHLOROETHANE	34506	WAIVED	2000/04/07	.000	

**Testing interval is in months;*
0 = No data for this constituent and is DUE NOW
999 = Waived testing (not required)
I = Invalid (NOT) valid analyses reported

System Number: ***1900639***

System Name: ***HATHAWAY-SYCAMORES CHILD FAMILY SVCS***

PS Code: ***1900639-003***

Source Name: ***WELL 03***

Source Number: ***003***

Source Status: ***ACTIVE UNTREATED***

Water type: ***GROUNDWATER OR WELL***

	STORET NUMBER	TESTING INTERVAL (MONTHS)*	LAST TEST DATE (yyyy/mm/dd)	LAST RESULT REPORTED	NEXT TEST DATE (yyyy/mm)
REGULATED VOC					
1,1,2,2-TETRACHLOROETHANE	34516	WAIVED	2000/04/07	.000	
1,1,2-TRICHLORO-1,2,2-TRIFLUOROETHANE	81611	WAIVED	2000/04/07	.000	
1,1,2-TRICHLOROETHANE	34511	WAIVED	2000/04/07	.000	
1,1-DICHLOROETHANE	34496	WAIVED	2000/04/07	.000	
1,1-DICHLOROETHYLENE	34501	WAIVED	2000/04/07	.000	
1,2,4-TRICHLOROBENZENE	34551	WAIVED	2000/04/07	.000	
1,2-DICHLOROBENZENE	34536	WAIVED	2000/04/07	.000	
1,2-DICHLOROETHANE	34531	WAIVED	2000/04/07	.000	
1,2-DICHLOROPROPANE	34541	WAIVED	2000/04/07	.000	
1,3-DICHLOROPROPENE (TOTAL)	34561	WAIVED	2000/04/07	.000	
1,4-DICHLOROBENZENE	34571	WAIVED	2000/04/07	.000	
BENZENE	34030	WAIVED	2000/04/07	.000	
CARBON TETRACHLORIDE	32102	WAIVED	2000/04/07	.000	
CIS-1,2-DICHLOROETHYLENE	77093	WAIVED	2000/04/07	.000	
DICHLOROMETHANE	34423	WAIVED	2000/04/07	.000	
ETHYLBENZENE	34371	WAIVED	2000/04/07	.000	
METHYL-TERT-BUTYL-ETHER (MTBE)	46491	WAIVED	2000/04/07	.000	
MONOCHLOROBENZENE	34301	WAIVED	2000/04/07	.000	
STYRENE	77128	WAIVED	2000/04/07	.000	
TETRACHLOROETHYLENE	34475	WAIVED	2000/04/07	.000	
TOLUENE	34010	WAIVED	2000/04/07	.000	
TRANS-1,2-DICHLOROETHYLENE	34546	WAIVED	2000/04/07	.000	
TRICHLOROETHYLENE	39180	WAIVED	2000/04/07	.000	
TRICHLOROFLUOROMETHANE	34488	WAIVED	2000/04/07	.000	
VINYL CHLORIDE	39175	WAIVED	2000/04/07	.000	
XYLENES (TOTAL)	81551	WAIVED	2000/04/07	.000	
SECONDARY/GP					
AGGRSSIVE INDEX (CORROSIVITY)	82383	WAIVED			
BICARBONATE ALKALINITY	00440	WAIVED	2000/04/06	220.000	

**Testing interval is in months;*
0 = No data for this constituent and is DUE NOW
999 = Waived testing (not required)
I = Invalid (NOT) valid analyses reported

System Number: ***1900639***

System Name: ***HATHAWAY-SYCAMORES CHILD FAMILY SVCS***

PS Code: ***1900639-003***

Source Name: ***WELL 03***

Source Number: ***003***

Source Status: ***ACTIVE UNTREATED***

Water type: ***GROUNDWATER OR WELL***

SECONDARY/GP

	STORET NUMBER	TESTING INTERVAL (MONTHS)*	LAST TEST DATE (yyyy/mm/dd)	LAST RESULT REPORTED	NEXT TEST DATE (yyyy/mm)
CALCIUM	00916	WAIVED	2000/04/06	54.000	
CARBONATE ALKALINITY	00445	WAIVED	2000/04/06	.000	
CHLORIDE	00940	WAIVED	2000/04/06	10.000	
COLOR	00081	WAIVED	2000/04/06	< 5.000	
COPPER	01042	WAIVED	2000/04/06	.000	
FOAMING AGENTS (MBAS)	38260	WAIVED	2000/04/06	.000	
HARDNESS (TOTAL) AS CACO3	00900	WAIVED	2000/04/06	220.000	
HYDROXIDE ALKALINITY	71830	WAIVED	2000/04/06	.000	
IRON	01045	WAIVED	2000/04/06	.000	
MAGNESIUM	00927	WAIVED	2000/04/06	21.000	
MANGANESE	01055	WAIVED	2000/04/06	.000	
ODOR THRESHOLD @ 60 C	00086	WAIVED	2000/04/06	.000	
PH, LABORATORY	00403	WAIVED	2000/04/06	7.000	
SILVER	01077	WAIVED	2000/04/06	.000	
SODIUM	00929	WAIVED	2000/04/06	31.000	
SPECIFIC CONDUCTANCE	00095	WAIVED	2000/04/06	504.000	
SULFATE	00945	WAIVED	2000/04/06	76.000	
TOTAL DISSOLVED SOLIDS	70300	WAIVED	2000/04/06	324.000	
TURBIDITY, LABORATORY	82079	WAIVED	2000/04/06	.000	
ZINC	01092	WAIVED	2000/04/06	.000	

PS Code: ***1900639-004***

Source Name: ***AUTOMATIC CHLORINATOR UNIT***

Source Number: ***004***

Source Status: ***ACTIVE TREATED***

Water type: ***GROUNDWATER OR WELL***

GENERAL NON CHAP 15

DIAZINON	39570	WAIVED			

**Testing interval is in months;*
0 = No data for this constituent and is DUE NOW
999 = Waived testing (not required)
I = Invalid (NOT) valid analyses reported

System Number: ***1900639***

System Name: ***HATHAWAY-SYCAMORES CHILD FAMILY SVCS***

PS Code: ***1900639-004***

Source Name: ***AUTOMATIC CHLORINATOR UNIT***

Source Number: ***004***

Source Status: ***ACTIVE TREATED***

Water type: ***GROUNDWATER OR WELL***

	STORET NUMBER	TESTING INTERVAL (MONTHS)*	LAST TEST DATE (yyyy/mm/dd)	LAST RESULT REPORTED	NEXT TEST DATE (yyyy/mm)
INORGANIC					
ALUMINUM	01105	WAIVED			
ANTIMONY	01097	WAIVED			
ARSENIC	01002	WAIVED			
ASBESTOS	81855	WAIVED			
BARIUM	01007	WAIVED			
BERYLLIUM	01012	WAIVED			
CADMIUM	01027	WAIVED			
CHROMIUM (TOTAL)	01034	WAIVED			
CYANIDE	01291	WAIVED			
FLUORIDE (F) (NATURAL-SOURCE)	00951	WAIVED			
LEAD	01051	WAIVED			
MERCURY	71900	WAIVED			
NICKEL	01067	WAIVED			
PERCHLORATE	A-031	WAIVED			
SELENIUM	01147	WAIVED			
THALLIUM	01059	WAIVED			
NITRATE/NITRITE					
NITRATE (AS NO3)	71850	WAIVED			
NITRITE (AS N)	00620	WAIVED			
RADIOLOGICAL					
GROSS ALPHA	01501	WAIVED			
GROSS BETA	03501	WAIVED			
RA-226 FOR CWS OR TOTAL RA FOR NTNC BY 903.0	A-080	WAIVED			
RA-226 OR TOTAL RA BY 903.0 C.E.	A-081	WAIVED			
RADIUM 226	09501	WAIVED			
RADIUM 228	11501	WAIVED			
RADIUM, TOTAL, MDA95-NTNC ONLY, BY 903.0	A-082	WAIVED			
STRONTIUM-90	13501	WAIVED			
TRITIUM	07000	WAIVED			

**Testing interval is in months;*
0 = No data for this constituent and is DUE NOW
999 = Waived testing (not required)
I = Invalid (NOT) valid analyses reported

System Number: ***1900639***

System Name: ***HATHAWAY-SYCAMORES CHILD FAMILY SVCS***

PS Code: ***1900639-004***

Source Name: ***AUTOMATIC CHLORINATOR UNIT***

Source Number: ***004***

Source Status: ***ACTIVE TREATED***

Water type: ***GROUNDWATER OR WELL***

	STORET NUMBER	TESTING INTERVAL (MONTHS)*	LAST TEST DATE (yyyy/mm/dd)	LAST RESULT REPORTED	NEXT TEST DATE (yyyy/mm)
RADIOLOGICAL					
URANIUM (PCI/L)	28012	WAIVED			
REGULATED SOC					
2,3,7,8-TCDD (DIOXIN)	34676	WAIVED			
2,4,5-TP (SILVEX)	39045	WAIVED			
2,4-D	39730	WAIVED			
ALACHLOR	77825	WAIVED			
ATRAZINE	39033	WAIVED			
BENTAZON	38710	WAIVED			
BENZO (A) PYRENE	34247	WAIVED			
CARBOFURAN	81405	WAIVED			
CHLORDANE	39350	WAIVED			
DALAPON	38432	WAIVED			
DI(2-ETHYLHEXYL)ADIPATE	A-026	WAIVED			
DI(2-ETHYLHEXYL)PHTHALATE	39100	WAIVED			
DIBROMOCHLOROPROPANE (DBCP)	38761	WAIVED			
DINOSEB	81287	WAIVED			
DIQUAT	78885	WAIVED			
ENDOTHALL	38926	WAIVED			
ENDRIN	39390	WAIVED			
ETHYLENE DIBROMIDE (EDB)	77651	WAIVED			
GLYPHOSATE	79743	WAIVED			
HEPTACHLOR	39410	WAIVED			
HEPTACHLOR EPOXIDE	39420	WAIVED			
HEXACHLOROBENZENE	39700	WAIVED			
HEXACHLOROCYCLOPENTADIENE	34386	WAIVED			
LINDANE	39340	WAIVED			
METHOXYCHLOR	39480	WAIVED			
MOLINATE	82199	WAIVED			
OXAMYL	38865	WAIVED			

**Testing interval is in months;*
0 = No data for this constituent and is DUE NOW
999 = Waived testing (not required)
I = Invalid (NOT) valid analyses reported

System Number: ***1900639***

System Name: ***HATHAWAY-SYCAMORES CHILD FAMILY SVCS***

PS Code: ***1900639-004***

Source Name: ***AUTOMATIC CHLORINATOR UNIT***

Source Number: ***004***

Source Status: ***ACTIVE TREATED***

Water type: ***GROUNDWATER OR WELL***

	STORET NUMBER	TESTING INTERVAL (MONTHS)*	LAST TEST DATE (yyyy/mm/dd)	LAST RESULT REPORTED	NEXT TEST DATE (yyyy/mm)
REGULATED SOC					
PENTACHLOROPHENOL	39032	WAIVED			
PICLORAM	39720	WAIVED			
POLYCHLORINATED BIPHENYLS, TOTAL, AS DCB	39516	WAIVED			
SIMAZINE	39055	WAIVED			
THIOBENCARB	A-001	WAIVED			
TOXAPHENE	39400	WAIVED			
REGULATED VOC					
1,1,1-TRICHLOROETHANE	34506	WAIVED			
1,1,2,2-TETRACHLOROETHANE	34516	WAIVED			
1,1,2-TRICHLORO-1,2,2-TRIFLUOROETHANE	81611	WAIVED			
1,1,2-TRICHLOROETHANE	34511	WAIVED			
1,1-DICHLOROETHANE	34496	WAIVED			
1,1-DICHLOROETHYLENE	34501	WAIVED			
1,2,4-TRICHLOROBENZENE	34551	WAIVED			
1,2-DICHLOROBENZENE	34536	WAIVED			
1,2-DICHLOROETHANE	34531	WAIVED			
1,2-DICHLOROPROPANE	34541	WAIVED			
1,3-DICHLOROPROPENE (TOTAL)	34561	WAIVED			
1,4-DICHLOROBENZENE	34571	WAIVED			
BENZENE	34030	WAIVED			
CARBON TETRACHLORIDE	32102	WAIVED			
CIS-1,2-DICHLOROETHYLENE	77093	WAIVED			
DICHLOROMETHANE	34423	WAIVED			
ETHYLBENZENE	34371	WAIVED			
METHYL-TERT-BUTYL-ETHER (MTBE)	46491	WAIVED			
MONOCHLOROBENZENE	34301	WAIVED			
STYRENE	77128	WAIVED			
TETRACHLOROETHYLENE	34475	WAIVED			
TOLUENE	34010	WAIVED			

**Testing interval is in months;*
0 = No data for this constituent and is DUE NOW
999 = Waived testing (not required)
I = Invalid (NOT) valid analyses reported

System Number: ***1900639***

System Name: ***HATHAWAY-SYCAMORES CHILD FAMILY SVCS***

PS Code: ***1900639-004***

Source Name: ***AUTOMATIC CHLORINATOR UNIT***

Source Number: ***004***

Source Status: ***ACTIVE TREATED***

Water type: ***GROUNDWATER OR WELL***

	STORET NUMBER	TESTING INTERVAL (MONTHS)*	LAST TEST DATE (yyyy/mm/dd)	LAST RESULT REPORTED	NEXT TEST DATE (yyyy/mm)
REGULATED VOC					
TRANS-1,2-DICHLOROETHYLENE	34546	WAIVED			
TRICHLOROETHYLENE	39180	WAIVED			
TRICHLOROFLUOROMETHANE	34488	WAIVED			
VINYL CHLORIDE	39175	WAIVED			
XYLENES (TOTAL)	81551	WAIVED			
SECONDARY/GP					
AGGRSSIVE INDEX (CORROSIVITY)	82383	WAIVED			
BICARBONATE ALKALINITY	00440	WAIVED			
CALCIUM	00916	WAIVED			
CARBONATE ALKALINITY	00445	WAIVED			
CHLORIDE	00940	WAIVED			
COLOR	00081	WAIVED			
COPPER	01042	WAIVED			
FOAMING AGENTS (MBAS)	38260	WAIVED			
HARDNESS (TOTAL) AS CACO3	00900	WAIVED			
HYDROXIDE ALKALINITY	71830	WAIVED			
IRON	01045	WAIVED			
MAGNESIUM	00927	WAIVED			
MANGANESE	01055	WAIVED			
ODOR THRESHOLD @ 60 C	00086	WAIVED			
PH, LABORATORY	00403	WAIVED			
SILVER	01077	WAIVED			
SODIUM	00929	WAIVED			
SPECIFIC CONDUCTANCE	00095	WAIVED			
SULFATE	00945	WAIVED			
TOTAL DISSOLVED SOLIDS	70300	WAIVED			
TURBIDITY, LABORATORY	82079	WAIVED			
ZINC	01092	WAIVED			

**Testing interval is in months;*
0 = No data for this constituent and is DUE NOW
999 = Waived testing (not required)
I = Invalid (NOT) valid analyses reported

System Number: ***1900641***

System Name: ***CAMP TWIN VALLEY/SPANISH TRAILS***

PS Code: ***1900641-001***

Source Name: ***WELL 01***

Source Number: ***001***

Source Status: ***ACTIVE UNTREATED***

Water type: ***GROUNDWATER OR WELL***

	STORET NUMBER	TESTING INTERVAL (MONTHS)*	LAST TEST DATE (yyyy/mm/dd)	LAST RESULT REPORTED	NEXT TEST DATE (yyyy/mm)
GENERAL NON CHAP 15					
DIAZINON	39570	WAIVED			
INORGANIC					
ALUMINUM	01105	WAIVED	2004/06/24	.000	
ANTIMONY	01097	WAIVED	2004/06/24	.000	
ARSENIC	01002	WAIVED	2004/06/24	.000	
ASBESTOS	81855	WAIVED			
BARIUM	01007	WAIVED	2004/06/24	.000	
BERYLLIUM	01012	WAIVED			
CADMIUM	01027	WAIVED	2004/06/24	.000	
CHROMIUM (TOTAL)	01034	WAIVED	2004/06/24	.000	
CYANIDE	01291	WAIVED			
FLUORIDE (F) (NATURAL-SOURCE)	00951	WAIVED	2004/06/24	.500	
LEAD	01051	WAIVED	2004/06/24	.000	
MERCURY	71900	WAIVED	2004/06/24	.000	
NICKEL	01067	WAIVED	2004/06/24	.000	
PERCHLORATE	A-031	WAIVED			
SELENIUM	01147	WAIVED	2004/06/24	.000	
THALLIUM	01059	WAIVED			
NITRATE/NITRITE					
NITRATE (AS NO3)	71850	WAIVED	2004/06/24	.000	
NITRITE (AS N)	00620	WAIVED	2000/12/27	.000	
RADIOLOGICAL					
GROSS ALPHA	01501	WAIVED			
GROSS BETA	03501	WAIVED			
RA-226 FOR CWS OR TOTAL RA FOR NTNC BY 903.0	A-080	WAIVED			
RA-226 OR TOTAL RA BY 903.0 C.E.	A-081	WAIVED			
RADIUM 226	09501	WAIVED			
RADIUM 228	11501	WAIVED			

**Testing interval is in months;*
0 = No data for this constituent and is DUE NOW
999 = Waived testing (not required)
I = Invalid (NOT) valid analyses reported

System Number: ***1900641***

System Name: ***CAMP TWIN VALLEY/SPANISH TRAILS***

PS Code: ***1900641-001***

Source Name: ***WELL 01***

Source Number: ***001***

Source Status: ***ACTIVE UNTREATED***

Water type: ***GROUNDWATER OR WELL***

	STORET NUMBER	TESTING INTERVAL (MONTHS)*	LAST TEST DATE (yyyy/mm/dd)	LAST RESULT REPORTED	NEXT TEST DATE (yyyy/mm)
RADIOLOGICAL					
RADIUM, TOTAL, MDA95-NTNC ONLY, BY 903.0	A-082	WAIVED			
STRONTIUM-90	13501	WAIVED			
TRITIUM	07000	WAIVED			
URANIUM (PCI/L)	28012	WAIVED			
REGULATED SOC					
2,3,7,8-TCDD (DIOXIN)	34676	WAIVED			
2,4,5-TP (SILVEX)	39045	WAIVED			
2,4-D	39730	WAIVED			
ALACHLOR	77825	WAIVED			
ATRAZINE	39033	WAIVED			
BENTAZON	38710	WAIVED			
BENZO (A) PYRENE	34247	WAIVED			
CARBOFURAN	81405	WAIVED			
CHLORDANE	39350	WAIVED			
DALAPON	38432	WAIVED			
DI(2-ETHYLHEXYL)ADIPATE	A-026	WAIVED			
DI(2-ETHYLHEXYL)PHTHALATE	39100	WAIVED			
DIBROMOCHLOROPROPANE (DBCP)	38761	WAIVED			
DINOSEB	81287	WAIVED			
DIQUAT	78885	WAIVED			
ENDOTHALL	38926	WAIVED			
ENDRIN	39390	WAIVED			
ETHYLENE DIBROMIDE (EDB)	77651	WAIVED			
GLYPHOSATE	79743	WAIVED			
HEPTACHLOR	39410	WAIVED			
HEPTACHLOR EPOXIDE	39420	WAIVED			
HEXACHLOROBENZENE	39700	WAIVED			
HEXACHLOROCYCLOPENTADIENE	34386	WAIVED			
LINDANE	39340	WAIVED			

**Testing interval is in months;*
0 = No data for this constituent and is DUE NOW
999 = Waived testing (not required)
I = Invalid (NOT) valid analyses reported

System Number: ***1900641***

System Name: ***CAMP TWIN VALLEY/SPANISH TRAILS***

PS Code: ***1900641-001***

Source Name: ***WELL 01***

Source Number: ***001***

Source Status: ***ACTIVE UNTREATED***

Water type: ***GROUNDWATER OR WELL***

	STORET NUMBER	TESTING INTERVAL (MONTHS)*	LAST TEST DATE (yyyy/mm/dd)	LAST RESULT REPORTED	NEXT TEST DATE (yyyy/mm)
REGULATED SOC					
METHOXYCHLOR	39480	WAIVED			
MOLINATE	82199	WAIVED			
OXAMYL	38865	WAIVED			
PENTACHLOROPHENOL	39032	WAIVED			
PICLORAM	39720	WAIVED			
POLYCHLORINATED BIPHENYLS, TOTAL, AS DCB	39516	WAIVED			
SIMAZINE	39055	WAIVED			
THIOBENCARB	A-001	WAIVED	2004/06/24	.000	
TOXAPHENE	39400	WAIVED			
REGULATED VOC					
1,1,1-TRICHLOROETHANE	34506	WAIVED			
1,1,2,2-TETRACHLOROETHANE	34516	WAIVED			
1,1,2-TRICHLORO-1,2,2-TRIFLUOROETHANE	81611	WAIVED			
1,1,2-TRICHLOROETHANE	34511	WAIVED			
1,1-DICHLOROETHANE	34496	WAIVED			
1,1-DICHLOROETHYLENE	34501	WAIVED			
1,2,4-TRICHLOROBENZENE	34551	WAIVED			
1,2-DICHLOROBENZENE	34536	WAIVED			
1,2-DICHLOROETHANE	34531	WAIVED			
1,2-DICHLOROPROPANE	34541	WAIVED			
1,3-DICHLOROPROPENE (TOTAL)	34561	WAIVED			
1,4-DICHLOROBENZENE	34571	WAIVED			
BENZENE	34030	WAIVED			
CARBON TETRACHLORIDE	32102	WAIVED			
CIS-1,2-DICHLOROETHYLENE	77093	WAIVED			
DICHLOROMETHANE	34423	WAIVED			
ETHYLBENZENE	34371	WAIVED			
METHYL-TERT-BUTYL-ETHER (MTBE)	46491	WAIVED			
MONOCHLOROBENZENE	34301	WAIVED			

**Testing interval is in months;*
0 = No data for this constituent and is DUE NOW
999 = Waived testing (not required)
I = Invalid (NOT) valid analyses reported

System Number: ***1900641***

System Name: ***CAMP TWIN VALLEY/SPANISH TRAILS***

PS Code: ***1900641-001***

Source Name: ***WELL 01***

Source Number: ***001***

Source Status: ***ACTIVE UNTREATED***

Water type: ***GROUNDWATER OR WELL***

	STORET NUMBER	TESTING INTERVAL (MONTHS)*	LAST TEST DATE (yyyy/mm/dd)	LAST RESULT REPORTED	NEXT TEST DATE (yyyy/mm)
REGULATED VOC					
STYRENE	77128	WAIVED			
TETRACHLOROETHYLENE	34475	WAIVED			
TOLUENE	34010	WAIVED			
TRANS-1,2-DICHLOROETHYLENE	34546	WAIVED			
TRICHLOROETHYLENE	39180	WAIVED			
TRICHLOROFLUOROMETHANE	34488	WAIVED			
VINYL CHLORIDE	39175	WAIVED			
XYLENES (TOTAL)	81551	WAIVED			
SECONDARY/GP					
AGGRSSIVE INDEX (CORROSIVITY)	82383	WAIVED			
BICARBONATE ALKALINITY	00440	WAIVED	2004/06/24	366.000	
CALCIUM	00916	WAIVED	2004/06/24	80.200	
CARBONATE ALKALINITY	00445	WAIVED	2004/06/24	.000	
CHLORIDE	00940	WAIVED	2004/06/24	2.580	
COLOR	00081	WAIVED	2004/06/24	.000	
COPPER	01042	WAIVED	2004/06/24	.000	
FOAMING AGENTS (MBAS)	38260	WAIVED	2004/06/24	.000	
HARDNESS (TOTAL) AS CACO3	00900	WAIVED	2004/06/24	330.000	
HYDROXIDE ALKALINITY	71830	WAIVED	2004/06/24	.000	
IRON	01045	WAIVED	2004/06/24	.000	
MAGNESIUM	00927	WAIVED	2004/06/24	31.600	
MANGANESE	01055	WAIVED	2004/06/24	20.800	
ODOR THRESHOLD @ 60 C	00086	WAIVED	2004/06/24	.000	
PH, LABORATORY	00403	WAIVED	2004/06/24	7.490	
SILVER	01077	WAIVED	2004/06/24	.000	
SODIUM	00929	WAIVED	2004/06/24	13.700	
SPECIFIC CONDUCTANCE	00095	WAIVED	2004/06/24	612.000	
SULFATE	00945	WAIVED	2004/06/24	35.000	
TOTAL DISSOLVED SOLIDS	70300	WAIVED	2004/06/24	352.000	

**Testing interval is in months;*
0 = No data for this constituent and is DUE NOW
999 = Waived testing (not required)
I = Invalid (NOT) valid analyses reported

System Number: ***1900641***

System Name: ***CAMP TWIN VALLEY/SPANISH TRAILS***

PS Code: ***1900641-001***

Source Name: ***WELL 01***

Source Number: ***001***

Source Status: ***ACTIVE UNTREATED***

Water type: ***GROUNDWATER OR WELL***

	STORET NUMBER	TESTING INTERVAL (MONTHS)*	LAST TEST DATE (yyyy/mm/dd)	LAST RESULT REPORTED	NEXT TEST DATE (yyyy/mm)
SECONDARY/GP					
TURBIDITY, LABORATORY	**82079**	**WAIVED**	2004/06/24	**31.500**	
ZINC	**01092**	**WAIVED**	2004/06/24	**895.000**	

**Testing interval is in months;*
0 = No data for this constituent and is DUE NOW
999 = Waived testing (not required)
I = Invalid (NOT) valid analyses reported

System Number: ***1900644***

System Name: ***USFS-HORSE FLATS A-10***

PS Code: ***1900644-001***

Source Name: ***WELL 01***

Source Number: ***001***

Source Status: ***ACTIVE UNTREATED***

Water type: ***GROUNDWATER OR WELL***

	STORET NUMBER	TESTING INTERVAL (MONTHS)*	LAST TEST DATE (yyyy/mm/dd)	LAST RESULT REPORTED	NEXT TEST DATE (yyyy/mm)
GENERAL NON CHAP 15					
DIAZINON	39570	WAIVED			
INORGANIC					
ALUMINUM	01105	WAIVED			
ANTIMONY	01097	WAIVED			
ARSENIC	01002	WAIVED			
ASBESTOS	81855	WAIVED			
BARIUM	01007	WAIVED			
BERYLLIUM	01012	WAIVED			
CADMIUM	01027	WAIVED			
CHROMIUM (TOTAL)	01034	WAIVED			
CYANIDE	01291	WAIVED			
FLUORIDE (F) (NATURAL-SOURCE)	00951	WAIVED			
LEAD	01051	WAIVED			
MERCURY	71900	WAIVED			
NICKEL	01067	WAIVED			
PERCHLORATE	A-031	WAIVED			
SELENIUM	01147	WAIVED			
THALLIUM	01059	WAIVED			
NITRATE/NITRITE					
NITRATE (AS NO3)	71850	WAIVED			
NITRITE (AS N)	00620	WAIVED			
RADIOLOGICAL					
GROSS ALPHA	01501	WAIVED			
GROSS BETA	03501	WAIVED			
RA-226 FOR CWS OR TOTAL RA FOR NTNC BY 903.0	A-080	WAIVED			
RA-226 OR TOTAL RA BY 903.0 C.E.	A-081	WAIVED			
RADIUM 226	09501	WAIVED			
RADIUM 228	11501	WAIVED			

**Testing interval is in months;*
0 = No data for this constituent and is DUE NOW
999 = Waived testing (not required)
I = Invalid (NOT) valid analyses reported

System Number: ***1900644***

System Name: ***USFS-HORSE FLATS A-10***

PS Code: ***1900644-001***

Source Name: ***WELL 01***

Source Number: ***001***

Source Status: ***ACTIVE UNTREATED***

Water type: ***GROUNDWATER OR WELL***

	STORET NUMBER	TESTING INTERVAL (MONTHS)*	LAST TEST DATE (yyyy/mm/dd)	LAST RESULT REPORTED	NEXT TEST DATE (yyyy/mm)
RADIOLOGICAL					
RADIUM, TOTAL, MDA95-NTNC ONLY, BY 903.0	A-082	WAIVED			
STRONTIUM-90	13501	WAIVED			
TRITIUM	07000	WAIVED			
URANIUM (PCI/L)	28012	WAIVED			
REGULATED SOC					
2,3,7,8-TCDD (DIOXIN)	34676	WAIVED			
2,4,5-TP (SILVEX)	39045	WAIVED			
2,4-D	39730	WAIVED			
ALACHLOR	77825	WAIVED			
ATRAZINE	39033	WAIVED			
BENTAZON	38710	WAIVED			
BENZO (A) PYRENE	34247	WAIVED			
CARBOFURAN	81405	WAIVED			
CHLORDANE	39350	WAIVED			
DALAPON	38432	WAIVED			
DI(2-ETHYLHEXYL)ADIPATE	A-026	WAIVED			
DI(2-ETHYLHEXYL)PHTHALATE	39100	WAIVED			
DIBROMOCHLOROPROPANE (DBCP)	38761	WAIVED			
DINOSEB	81287	WAIVED			
DIQUAT	78885	WAIVED			
ENDOTHALL	38926	WAIVED			
ENDRIN	39390	WAIVED			
ETHYLENE DIBROMIDE (EDB)	77651	WAIVED			
GLYPHOSATE	79743	WAIVED			
HEPTACHLOR	39410	WAIVED			
HEPTACHLOR EPOXIDE	39420	WAIVED			
HEXACHLOROBENZENE	39700	WAIVED			
HEXACHLOROCYCLOPENTADIENE	34386	WAIVED			
LINDANE	39340	WAIVED			

**Testing interval is in months;*
0 = No data for this constituent and is DUE NOW
999 = Waived testing (not required)
I = Invalid (NOT) valid analyses reported

System Number: ***1900644***

System Name: ***USFS-HORSE FLATS A-10***

PS Code: ***1900644-001***

Source Name: ***WELL 01***

Source Number: ***001***

Source Status: ***ACTIVE UNTREATED***

Water type: ***GROUNDWATER OR WELL***

	STORET NUMBER	TESTING INTERVAL (MONTHS)*	LAST TEST DATE (yyyy/mm/dd)	LAST RESULT REPORTED	NEXT TEST DATE (yyyy/mm)
REGULATED SOC					
METHOXYCHLOR	39480	WAIVED			
MOLINATE	82199	WAIVED			
OXAMYL	38865	WAIVED			
PENTACHLOROPHENOL	39032	WAIVED			
PICLORAM	39720	WAIVED			
POLYCHLORINATED BIPHENYLS, TOTAL, AS DCB	39516	WAIVED			
SIMAZINE	39055	WAIVED			
THIOBENCARB	A-001	WAIVED			
TOXAPHENE	39400	WAIVED			
REGULATED VOC					
1,1,1-TRICHLOROETHANE	34506	WAIVED			
1,1,2,2-TETRACHLOROETHANE	34516	WAIVED			
1,1,2-TRICHLORO-1,2,2-TRIFLUOROETHANE	81611	WAIVED			
1,1,2-TRICHLOROETHANE	34511	WAIVED			
1,1-DICHLOROETHANE	34496	WAIVED			
1,1-DICHLOROETHYLENE	34501	WAIVED			
1,2,4-TRICHLOROBENZENE	34551	WAIVED			
1,2-DICHLOROBENZENE	34536	WAIVED			
1,2-DICHLOROETHANE	34531	WAIVED			
1,2-DICHLOROPROPANE	34541	WAIVED			
1,3-DICHLOROPROPENE (TOTAL)	34561	WAIVED			
1,4-DICHLOROBENZENE	34571	WAIVED			
BENZENE	34030	WAIVED			
CARBON TETRACHLORIDE	32102	WAIVED			
CIS-1,2-DICHLOROETHYLENE	77093	WAIVED			
DICHLOROMETHANE	34423	WAIVED			
ETHYLBENZENE	34371	WAIVED			
METHYL-TERT-BUTYL-ETHER (MTBE)	46491	WAIVED			
MONOCHLOROBENZENE	34301	WAIVED			

**Testing interval is in months;*
0 = No data for this constituent and is DUE NOW
999 = Waived testing (not required)
I = Invalid (NOT) valid analyses reported

System Number: ***1900644***

System Name: ***USFS-HORSE FLATS A-10***

PS Code: ***1900644-001***

Source Name: ***WELL 01***

Source Number: ***001***

Source Status: ***ACTIVE UNTREATED***

Water type: ***GROUNDWATER OR WELL***

	STORET NUMBER	TESTING INTERVAL (MONTHS)*	LAST TEST DATE (yyyy/mm/dd)	LAST RESULT REPORTED	NEXT TEST DATE (yyyy/mm)
REGULATED VOC					
STYRENE	77128	WAIVED			
TETRACHLOROETHYLENE	34475	WAIVED			
TOLUENE	34010	WAIVED			
TRANS-1,2-DICHLOROETHYLENE	34546	WAIVED			
TRICHLOROETHYLENE	39180	WAIVED			
TRICHLOROFLUOROMETHANE	34488	WAIVED			
VINYL CHLORIDE	39175	WAIVED			
XYLENES (TOTAL)	81551	WAIVED			
SECONDARY/GP					
AGGRSSIVE INDEX (CORROSIVITY)	82383	WAIVED			
BICARBONATE ALKALINITY	00440	WAIVED			
CALCIUM	00916	WAIVED			
CARBONATE ALKALINITY	00445	WAIVED			
CHLORIDE	00940	WAIVED			
COLOR	00081	WAIVED			
COPPER	01042	WAIVED			
FOAMING AGENTS (MBAS)	38260	WAIVED			
HARDNESS (TOTAL) AS CACO3	00900	WAIVED			
HYDROXIDE ALKALINITY	71830	WAIVED			
IRON	01045	WAIVED			
MAGNESIUM	00927	WAIVED			
MANGANESE	01055	WAIVED			
ODOR THRESHOLD @ 60 C	00086	WAIVED			
PH, LABORATORY	00403	WAIVED			
SILVER	01077	WAIVED			
SODIUM	00929	WAIVED			
SPECIFIC CONDUCTANCE	00095	WAIVED			
SULFATE	00945	WAIVED			
TOTAL DISSOLVED SOLIDS	70300	WAIVED			

**Testing interval is in months;*
0 = No data for this constituent and is DUE NOW
999 = Waived testing (not required)
I = Invalid (NOT) valid analyses reported

System Number: ***1900644***

System Name: ***USFS-HORSE FLATS A-10***

PS Code: ***1900644-001***

Source Name: ***WELL 01***

Source Number: ***001***

Source Status: ***ACTIVE UNTREATED***

Water type: ***GROUNDWATER OR WELL***

	STORET NUMBER	TESTING INTERVAL (MONTHS)*	LAST TEST DATE (yyyy/mm/dd)	LAST RESULT REPORTED	NEXT TEST DATE (yyyy/mm)
SECONDARY/GP					
TURBIDITY, LABORATORY	82079	WAIVED			
ZINC	01092	WAIVED			

PS Code: ***1900644-002***

Source Name: ***STANDBY PURCHASED WATER***

Source Number: ***002***

Source Status: ***ACTIVE UNTREATED***

Water type: ***GROUNDWATER OR WELL***

GENERAL NON CHAP 15					
DIAZINON	39570	WAIVED			
INORGANIC					
ALUMINUM	01105	WAIVED			
ANTIMONY	01097	WAIVED			
ARSENIC	01002	WAIVED			
ASBESTOS	81855	WAIVED			
BARIUM	01007	WAIVED			
BERYLLIUM	01012	WAIVED			
CADMIUM	01027	WAIVED			
CHROMIUM (TOTAL)	01034	WAIVED			
CYANIDE	01291	WAIVED			
FLUORIDE (F) (NATURAL-SOURCE)	00951	WAIVED			
LEAD	01051	WAIVED			
MERCURY	71900	WAIVED			
NICKEL	01067	WAIVED			
PERCHLORATE	A-031	WAIVED			
SELENIUM	01147	WAIVED			
THALLIUM	01059	WAIVED			

**Testing interval is in months;*
0 = No data for this constituent and is DUE NOW
999 = Waived testing (not required)
I = Invalid (NOT) valid analyses reported

System Number: ***1900644***

System Name: ***USFS-HORSE FLATS A-10***

PS Code: ***1900644-002***

Source Name: ***STANDBY PURCHASED WATER***

Source Number: ***002***

Source Status: ***ACTIVE UNTREATED***

Water type: ***GROUNDWATER OR WELL***

	STORET NUMBER	TESTING INTERVAL (MONTHS)*	LAST TEST DATE (yyyy/mm/dd)	LAST RESULT REPORTED	NEXT TEST DATE (yyyy/mm)
NITRATE/NITRITE					
NITRATE (AS NO3)	71850	WAIVED			
NITRITE (AS N)	00620	WAIVED			
RADIOLOGICAL					
GROSS ALPHA	01501	WAIVED			
GROSS BETA	03501	WAIVED			
RA-226 FOR CWS OR TOTAL RA FOR NTNC BY 903.0	A-080	WAIVED			
RA-226 OR TOTAL RA BY 903.0 C.E.	A-081	WAIVED			
RADIUM 226	09501	WAIVED			
RADIUM 228	11501	WAIVED			
RADIUM, TOTAL, MDA95-NTNC ONLY, BY 903.0	A-082	WAIVED			
STRONTIUM-90	13501	WAIVED			
TRITIUM	07000	WAIVED			
URANIUM (PCI/L)	28012	WAIVED			
REGULATED SOC					
2,3,7,8-TCDD (DIOXIN)	34676	WAIVED			
2,4,5-TP (SILVEX)	39045	WAIVED			
2,4-D	39730	WAIVED			
ALACHLOR	77825	WAIVED			
ATRAZINE	39033	WAIVED			
BENTAZON	38710	WAIVED			
BENZO (A) PYRENE	34247	WAIVED			
CARBOFURAN	81405	WAIVED			
CHLORDANE	39350	WAIVED			
DALAPON	38432	WAIVED			
DI(2-ETHYLHEXYL)ADIPATE	A-026	WAIVED			
DI(2-ETHYLHEXYL)PHTHALATE	39100	WAIVED			
DIBROMOCHLOROPROPANE (DBCP)	38761	WAIVED			
DINOSEB	81287	WAIVED			
DIQUAT	78885	WAIVED			

**Testing interval is in months;*
0 = No data for this constituent and is DUE NOW
999 = Waived testing (not required)
I = Invalid (NOT) valid analyses reported

System Number: ***1900644***

System Name: ***USFS-HORSE FLATS A-10***

PS Code: ***1900644-002***

Source Name: ***STANDBY PURCHASED WATER***

Source Number: ***002***

Source Status: ***ACTIVE UNTREATED***

Water type: ***GROUNDWATER OR WELL***

	STORET NUMBER	TESTING INTERVAL (MONTHS)*	LAST TEST DATE (yyyy/mm/dd)	LAST RESULT REPORTED	NEXT TEST DATE (yyyy/mm)
REGULATED SOC					
ENDOTHALL	38926	WAIVED			
ENDRIN	39390	WAIVED			
ETHYLENE DIBROMIDE (EDB)	77651	WAIVED			
GLYPHOSATE	79743	WAIVED			
HEPTACHLOR	39410	WAIVED			
HEPTACHLOR EPOXIDE	39420	WAIVED			
HEXACHLOROBENZENE	39700	WAIVED			
HEXACHLOROCYCLOPENTADIENE	34386	WAIVED			
LINDANE	39340	WAIVED			
METHOXYCHLOR	39480	WAIVED			
MOLINATE	82199	WAIVED			
OXAMYL	38865	WAIVED			
PENTACHLOROPHENOL	39032	WAIVED			
PICLORAM	39720	WAIVED			
POLYCHLORINATED BIPHENYLS, TOTAL, AS DCB	39516	WAIVED			
SIMAZINE	39055	WAIVED			
THIOBENCARB	A-001	WAIVED			
TOXAPHENE	39400	WAIVED			
REGULATED VOC					
1,1,1-TRICHLOROETHANE	34506	WAIVED			
1,1,2,2-TETRACHLOROETHANE	34516	WAIVED			
1,1,2-TRICHLORO-1,2,2-TRIFLUOROETHANE	81611	WAIVED			
1,1,2-TRICHLOROETHANE	34511	WAIVED			
1,1-DICHLOROETHANE	34496	WAIVED			
1,1-DICHLOROETHYLENE	34501	WAIVED			
1,2,4-TRICHLOROBENZENE	34551	WAIVED			
1,2-DICHLOROBENZENE	34536	WAIVED			
1,2-DICHLOROETHANE	34531	WAIVED			
1,2-DICHLOROPROPANE	34541	WAIVED			

**Testing interval is in months;*
0 = No data for this constituent and is DUE NOW
999 = Waived testing (not required)
I = Invalid (NOT) valid analyses reported

System Number: ***1900644***

System Name: ***USFS-HORSE FLATS A-10***

PS Code: ***1900644-002***

Source Name: ***STANDBY PURCHASED WATER***

Source Number: ***002***

Source Status: ***ACTIVE UNTREATED***

Water type: ***GROUNDWATER OR WELL***

	STORET NUMBER	TESTING INTERVAL (MONTHS)*	LAST TEST DATE (yyyy/mm/dd)	LAST RESULT REPORTED	NEXT TEST DATE (yyyy/mm)
REGULATED VOC					
1,3-DICHLOROPROPENE (TOTAL)	34561	WAIVED			
1,4-DICHLOROBENZENE	34571	WAIVED			
BENZENE	34030	WAIVED			
CARBON TETRACHLORIDE	32102	WAIVED			
CIS-1,2-DICHLOROETHYLENE	77093	WAIVED			
DICHLOROMETHANE	34423	WAIVED			
ETHYLBENZENE	34371	WAIVED			
METHYL-TERT-BUTYL-ETHER (MTBE)	46491	WAIVED			
MONOCHLOROBENZENE	34301	WAIVED			
STYRENE	77128	WAIVED			
TETRACHLOROETHYLENE	34475	WAIVED			
TOLUENE	34010	WAIVED			
TRANS-1,2-DICHLOROETHYLENE	34546	WAIVED			
TRICHLOROETHYLENE	39180	WAIVED			
TRICHLOROFLUOROMETHANE	34488	WAIVED			
VINYL CHLORIDE	39175	WAIVED			
XYLENES (TOTAL)	81551	WAIVED			
SECONDARY/GP					
AGGRSSIVE INDEX (CORROSIVITY)	82383	WAIVED			
BICARBONATE ALKALINITY	00440	WAIVED			
CALCIUM	00916	WAIVED			
CARBONATE ALKALINITY	00445	WAIVED			
CHLORIDE	00940	WAIVED			
COLOR	00081	WAIVED			
COPPER	01042	WAIVED			
FOAMING AGENTS (MBAS)	38260	WAIVED			
HARDNESS (TOTAL) AS CACO3	00900	WAIVED			
HYDROXIDE ALKALINITY	71830	WAIVED			
IRON	01045	WAIVED			

**Testing interval is in months;*
0 = No data for this constituent and is DUE NOW
999 = Waived testing (not required)
I = Invalid (NOT) valid analyses reported

System Number: ***1900644***

System Name: ***USFS-HORSE FLATS A-10***

PS Code: ***1900644-002***

Source Name: ***STANDBY PURCHASED WATER***

Source Number: ***002***

Source Status: ***ACTIVE UNTREATED***

Water type: ***GROUNDWATER OR WELL***

SECONDARY/GP	STORET NUMBER	TESTING INTERVAL (MONTHS)*	LAST TEST DATE (yyyy/mm/dd)	LAST RESULT REPORTED	NEXT TEST DATE (yyyy/mm)
MAGNESIUM	00927	WAIVED			
MANGANESE	01055	WAIVED			
ODOR THRESHOLD @ 60 C	00086	WAIVED			
PH, LABORATORY	00403	WAIVED			
SILVER	01077	WAIVED			
SODIUM	00929	WAIVED			
SPECIFIC CONDUCTANCE	00095	WAIVED			
SULFATE	00945	WAIVED			
TOTAL DISSOLVED SOLIDS	70300	WAIVED			
TURBIDITY, LABORATORY	82079	WAIVED			
ZINC	01092	WAIVED			

**Testing interval is in months;*
0 = No data for this constituent and is DUE NOW
999 = Waived testing (not required)
I = Invalid (NOT) valid analyses reported

System Number: ***1900649***

System Name: ***GOLDEN SANDS MOBILE HOME PARK***

PS Code: ***1900649-001***

Source Name: ***WELL 02***

Source Number: ***001***

Source Status: ***ACTIVE UNTREATED***

Water type: ***GROUNDWATER OR WELL***

	STORET NUMBER	TESTING INTERVAL (MONTHS)*	LAST TEST DATE (yyyy/mm/dd)	LAST RESULT REPORTED	NEXT TEST DATE (yyyy/mm)
GENERAL NON CHAP 15					
DIAZINON	39570	WAIVED			
INORGANIC					
ALUMINUM	01105	WAIVED	2012/02/07	< 10.000	
ANTIMONY	01097	WAIVED	2012/02/07	< 1.000	
ARSENIC	01002	WAIVED	2012/02/07	< 2.000	
ASBESTOS	81855	WAIVED	2012/02/07	< .200	
BARIUM	01007	WAIVED	2012/02/07	87.200	
BERYLLIUM	01012	WAIVED	2012/02/07	< 1.000	
CADMIUM	01027	WAIVED	2012/02/07	< 1.000	
CHROMIUM (TOTAL)	01034	WAIVED	2012/02/07	9.000	
CYANIDE	01291	WAIVED	2012/02/07	< .004	
FLUORIDE (F) (NATURAL-SOURCE)	00951	WAIVED	2012/02/07	< .100	
LEAD	01051	WAIVED	2012/02/07	< .200	
MERCURY	71900	WAIVED	2012/02/07	< .020	
NICKEL	01067	WAIVED	2012/02/07	< 1.000	
PERCHLORATE	A-031	WAIVED	2012/02/07	< 2.000	
SELENIUM	01147	WAIVED	2012/02/07	4.000	
THALLIUM	01059	WAIVED	2012/02/07	< 1.000	
NITRATE/NITRITE					
NITRATE (AS NO3)	71850	WAIVED	2012/02/07	6.600	
NITRITE (AS N)	00620	WAIVED	2012/02/07	< .100	
RADIOLOGICAL					
GROSS ALPHA	01501	WAIVED	2011/12/07	.955	
GROSS BETA	03501	WAIVED			
RA-226 FOR CWS OR TOTAL RA FOR NTNC BY 903.0	A-080	WAIVED			
RA-226 OR TOTAL RA BY 903.0 C.E.	A-081	WAIVED			
RADIUM 226	09501	WAIVED			
RADIUM 228	11501	WAIVED	2011/12/07	.061	

**Testing interval is in months;*
0 = No data for this constituent and is DUE NOW
999 = Waived testing (not required)
I = Invalid (NOT) valid analyses reported

System Number: ***1900649***

System Name: ***GOLDEN SANDS MOBILE HOME PARK***

PS Code: ***1900649-001***

Source Name: ***WELL 02***

Source Number: ***001***

Source Status: ***ACTIVE UNTREATED***

Water type: ***GROUNDWATER OR WELL***

	STORET NUMBER	TESTING INTERVAL (MONTHS)*	LAST TEST DATE (yyyy/mm/dd)	LAST RESULT REPORTED	NEXT TEST DATE (yyyy/mm)
RADIOLOGICAL					
RADIUM, TOTAL, MDA95-NTNC ONLY, BY 903.0	A-082	WAIVED			
STRONTIUM-90	13501	WAIVED			
TRITIUM	07000	WAIVED			
URANIUM (PCI/L)	28012	WAIVED			
REGULATED SOC					
2,3,7,8-TCDD (DIOXIN)	34676	WAIVED			
2,4,5-TP (SILVEX)	39045	WAIVED			
2,4-D	39730	WAIVED			
ALACHLOR	77825	WAIVED	2001/06/19	.000	
ATRAZINE	39033	WAIVED	1995/04/03	.000	
BENTAZON	38710	WAIVED			
BENZO (A) PYRENE	34247	WAIVED	1995/04/03	.000	
CARBOFURAN	81405	WAIVED	1995/04/03	.000	
CHLORDANE	39350	WAIVED	2001/06/19	.000	
DALAPON	38432	WAIVED			
DI(2-ETHYLHEXYL)ADIPATE	A-026	WAIVED	1995/04/03	.000	
DI(2-ETHYLHEXYL)PHTHALATE	39100	WAIVED	2001/06/19	.000	
DIBROMOCHLOROPROPANE (DBCP)	38761	WAIVED	1995/04/03	.000	
DINOSEB	81287	WAIVED			
DIQUAT	78885	WAIVED			
ENDOTHALL	38926	WAIVED			
ENDRIN	39390	WAIVED	2001/06/19	.000	
ETHYLENE DIBROMIDE (EDB)	77651	WAIVED	1995/04/03	.000	
GLYPHOSATE	79743	WAIVED	1995/04/03	.000	
HEPTACHLOR	39410	WAIVED	2001/06/19	.000	
HEPTACHLOR EPOXIDE	39420	WAIVED	2001/06/19	.000	
HEXACHLOROBENZENE	39700	WAIVED	2001/06/19	.000	
HEXACHLOROCYCLOPENTADIENE	34386	WAIVED	2001/06/19	.000	
LINDANE	39340	WAIVED	2001/06/19	.000	

**Testing interval is in months;*
0 = No data for this constituent and is DUE NOW
999 = Waived testing (not required)
I = Invalid (NOT) valid analyses reported

System Number: ***1900649***

System Name: ***GOLDEN SANDS MOBILE HOME PARK***

PS Code: ***1900649-001***

Source Name: ***WELL 02***

Source Number: ***001***

Source Status: ***ACTIVE UNTREATED***

Water type: ***GROUNDWATER OR WELL***

	STORET NUMBER	TESTING INTERVAL (MONTHS)*	LAST TEST DATE (yyyy/mm/dd)	LAST RESULT REPORTED	NEXT TEST DATE (yyyy/mm)
REGULATED SOC					
METHOXYCHLOR	39480	WAIVED	2001/06/19	.000	
MOLINATE	82199	WAIVED	1995/04/03	.000	
OXAMYL	38865	WAIVED	1995/04/03	.000	
PENTACHLOROPHENOL	39032	WAIVED	1995/04/03	.000	
PICLORAM	39720	WAIVED			
POLYCHLORINATED BIPHENYLS, TOTAL, AS DCB	39516	WAIVED	2001/06/19	.000	
SIMAZINE	39055	WAIVED	1995/04/03	.000	
THIOBENCARB	A-001	WAIVED	1995/04/03	.000	
TOXAPHENE	39400	WAIVED	2001/06/19	.000	
REGULATED VOC					
1,1,1-TRICHLOROETHANE	34506	WAIVED	2012/02/07	< .500	
1,1,2,2-TETRACHLOROETHANE	34516	WAIVED	2012/02/07	< .500	
1,1,2-TRICHLORO-1,2,2-TRIFLUOROETHANE	81611	WAIVED	2012/02/07	< .500	
1,1,2-TRICHLOROETHANE	34511	WAIVED	2012/02/07	< .500	
1,1-DICHLOROETHANE	34496	WAIVED	2012/02/07	< .500	
1,1-DICHLOROETHYLENE	34501	WAIVED	2012/02/07	< .500	
1,2,4-TRICHLOROBENZENE	34551	WAIVED	2012/02/07	< .500	
1,2-DICHLOROBENZENE	34536	WAIVED	2012/02/07	< .500	
1,2-DICHLOROETHANE	34531	WAIVED	2012/02/07	< .500	
1,2-DICHLOROPROPANE	34541	WAIVED	2012/02/07	< .500	
1,3-DICHLOROPROPENE (TOTAL)	34561	WAIVED	2012/02/07	< .500	
1,4-DICHLOROBENZENE	34571	WAIVED	2012/02/07	< .500	
BENZENE	34030	WAIVED	2012/02/07	< .500	
CARBON TETRACHLORIDE	32102	WAIVED	2012/02/07	40.000	
CIS-1,2-DICHLOROETHYLENE	77093	WAIVED	2012/02/07	< .500	
DICHLOROMETHANE	34423	WAIVED	2012/02/07	< .500	
ETHYLBENZENE	34371	WAIVED	2012/02/07	< .500	
METHYL-TERT-BUTYL-ETHER (MTBE)	46491	WAIVED	2012/02/07	< 1.000	
MONOCHLOROBENZENE	34301	WAIVED	2012/02/07	< .500	

**Testing interval is in months;*
0 = No data for this constituent and is DUE NOW
999 = Waived testing (not required)
I = Invalid (NOT) valid analyses reported

System Number: ***1900649***

System Name: ***GOLDEN SANDS MOBILE HOME PARK***

PS Code: ***1900649-001***

Source Name: ***WELL 02***

Source Number: ***001***

Source Status: ***ACTIVE UNTREATED***

Water type: ***GROUNDWATER OR WELL***

	STORET NUMBER	TESTING INTERVAL (MONTHS)*	LAST TEST DATE (yyyy/mm/dd)	LAST RESULT REPORTED	NEXT TEST DATE (yyyy/mm)
REGULATED VOC					
STYRENE	77128	WAIVED	2012/02/07	< .500	
TETRACHLOROETHYLENE	34475	WAIVED	2012/02/07	< .500	
TOLUENE	34010	WAIVED	2012/02/07	< .500	
TRANS-1,2-DICHLOROETHYLENE	34546	WAIVED	2012/02/07	< .500	
TRICHLOROETHYLENE	39180	WAIVED	2012/02/07	< .500	
TRICHLOROFLUOROMETHANE	34488	WAIVED	2012/02/07	< .500	
VINYL CHLORIDE	39175	WAIVED	2012/02/07	< .500	
XYLENES (TOTAL)	81551	WAIVED	2012/02/07	< .500	
SECONDARY/GP					
AGGRSSIVE INDEX (CORROSIVITY)	82383	WAIVED	2012/02/07	11.800	
BICARBONATE ALKALINITY	00440	WAIVED	2012/02/07	100.000	
CALCIUM	00916	WAIVED	2012/02/07	51.000	
CARBONATE ALKALINITY	00445	WAIVED	2012/02/07	< 10.000	
CHLORIDE	00940	WAIVED	2012/02/07	41.000	
COLOR	00081	WAIVED	2012/02/07	< 5.000	
COPPER	01042	WAIVED	2012/02/07	< 10.000	
FOAMING AGENTS (MBAS)	38260	WAIVED	2012/02/07	< .100	
HARDNESS (TOTAL) AS CACO3	00900	WAIVED	2012/02/07	144.000	
HYDROXIDE ALKALINITY	71830	WAIVED	2012/02/07	< 10.000	
IRON	01045	WAIVED	2012/02/07	< 50.000	
MAGNESIUM	00927	WAIVED	2012/02/07	4.000	
MANGANESE	01055	WAIVED	2012/02/07	< 10.000	
ODOR THRESHOLD @ 60 C	00086	WAIVED	2012/02/07	< 1.000	
PH, LABORATORY	00403	WAIVED	2012/02/07	7.800	
SILVER	01077	WAIVED	2012/02/07	< 1.000	
SODIUM	00929	WAIVED	2012/02/07	30.000	
SPECIFIC CONDUCTANCE	00095	WAIVED	2012/02/07	446.000	
SULFATE	00945	WAIVED	2012/02/07	61.000	
TOTAL DISSOLVED SOLIDS	70300	WAIVED	2012/02/07	260.000	

**Testing interval is in months;*
0 = No data for this constituent and is DUE NOW
999 = Waived testing (not required)
I = Invalid (NOT) valid analyses reported

System Number: ***1900649***

System Name: ***GOLDEN SANDS MOBILE HOME PARK***

PS Code: ***1900649-001***

Source Name: ***WELL 02***

Source Number: ***001***

Source Status: ***ACTIVE UNTREATED***

Water type: ***GROUNDWATER OR WELL***

	STORET NUMBER	TESTING INTERVAL (MONTHS)*	LAST TEST DATE (yyyy/mm/dd)	LAST RESULT REPORTED	NEXT TEST DATE (yyyy/mm)
SECONDARY/GP					
TURBIDITY, LABORATORY	**82079**	**WAIVED**	2012/02/07	**.300**	
ZINC	**01092**	**WAIVED**	2012/02/07	**< 20.000**	

**Testing interval is in months;*
0 = No data for this constituent and is DUE NOW
999 = Waived testing (not required)
I = Invalid (NOT) valid analyses reported

System Number: ***1900664***

System Name: ***SKY TERRACE MOBILE HOME PARK***

PS Code: ***1900664-002***

Source Name: ***WELL # 1***

Source Number: ***002***

Source Status: ***ACTIVE RAW***

Water type: ***GROUNDWATER OR WELL***

	STORET NUMBER	TESTING INTERVAL (MONTHS)*	LAST TEST DATE (yyyy/mm/dd)	LAST RESULT REPORTED	NEXT TEST DATE (yyyy/mm)
GENERAL NON CHAP 15					
DIAZINON	39570	WAIVED			
INORGANIC					
ALUMINUM	01105	WAIVED			
ANTIMONY	01097	WAIVED			
ARSENIC	01002	WAIVED			
ASBESTOS	81855	WAIVED			
BARIUM	01007	WAIVED			
BERYLLIUM	01012	WAIVED			
CADMIUM	01027	WAIVED			
CHROMIUM (TOTAL)	01034	WAIVED			
CYANIDE	01291	WAIVED			
FLUORIDE (F) (NATURAL-SOURCE)	00951	WAIVED			
LEAD	01051	WAIVED			
MERCURY	71900	WAIVED			
NICKEL	01067	WAIVED			
PERCHLORATE	A-031	WAIVED			
SELENIUM	01147	WAIVED			
THALLIUM	01059	WAIVED			
NITRATE/NITRITE					
NITRATE (AS NO3)	71850	WAIVED			
NITRITE (AS N)	00620	WAIVED			
RADIOLOGICAL					
GROSS ALPHA	01501	WAIVED			
GROSS BETA	03501	WAIVED			
RA-226 FOR CWS OR TOTAL RA FOR NTNC BY 903.0	A-080	WAIVED			
RA-226 OR TOTAL RA BY 903.0 C.E.	A-081	WAIVED			
RADIUM 226	09501	WAIVED			
RADIUM 228	11501	WAIVED			

**Testing interval is in months;*
0 = No data for this constituent and is DUE NOW
999 = Waived testing (not required)
I = Invalid (NOT) valid analyses reported

System Number: ***1900664***

System Name: ***SKY TERRACE MOBILE HOME PARK***

PS Code: ***1900664-002***

Source Name: ***WELL # 1***

Source Number: ***002***

Source Status: ***ACTIVE RAW***

Water type: ***GROUNDWATER OR WELL***

	STORET NUMBER	TESTING INTERVAL (MONTHS)*	LAST TEST DATE (yyyy/mm/dd)	LAST RESULT REPORTED	NEXT TEST DATE (yyyy/mm)
RADIOLOGICAL					
RADIUM, TOTAL, MDA95-NTNC ONLY, BY 903.0	A-082	WAIVED			
STRONTIUM-90	13501	WAIVED			
TRITIUM	07000	WAIVED			
URANIUM (PCI/L)	28012	WAIVED			
REGULATED SOC					
2,3,7,8-TCDD (DIOXIN)	34676	WAIVED			
2,4,5-TP (SILVEX)	39045	WAIVED			
2,4-D	39730	WAIVED			
ALACHLOR	77825	WAIVED			
ATRAZINE	39033	WAIVED			
BENTAZON	38710	WAIVED			
BENZO (A) PYRENE	34247	WAIVED			
CARBOFURAN	81405	WAIVED			
CHLORDANE	39350	WAIVED			
DALAPON	38432	WAIVED			
DI(2-ETHYLHEXYL)ADIPATE	A-026	WAIVED			
DI(2-ETHYLHEXYL)PHTHALATE	39100	WAIVED			
DIBROMOCHLOROPROPANE (DBCP)	38761	WAIVED			
DINOSEB	81287	WAIVED			
DIQUAT	78885	WAIVED			
ENDOTHALL	38926	WAIVED			
ENDRIN	39390	WAIVED			
ETHYLENE DIBROMIDE (EDB)	77651	WAIVED			
GLYPHOSATE	79743	WAIVED			
HEPTACHLOR	39410	WAIVED			
HEPTACHLOR EPOXIDE	39420	WAIVED			
HEXACHLOROBENZENE	39700	WAIVED			
HEXACHLOROCYCLOPENTADIENE	34386	WAIVED			
LINDANE	39340	WAIVED			

**Testing interval is in months;*
0 = No data for this constituent and is DUE NOW
999 = Waived testing (not required)
I = Invalid (NOT) valid analyses reported

System Number: ***1900664***

System Name: ***SKY TERRACE MOBILE HOME PARK***

PS Code: ***1900664-002***

Source Name: ***WELL # 1***

Source Number: ***002***

Source Status: ***ACTIVE RAW***

Water type: ***GROUNDWATER OR WELL***

	STORET NUMBER	TESTING INTERVAL (MONTHS)*	LAST TEST DATE (yyyy/mm/dd)	LAST RESULT REPORTED	NEXT TEST DATE (yyyy/mm)
REGULATED SOC					
METHOXYCHLOR	39480	WAIVED			
MOLINATE	82199	WAIVED			
OXAMYL	38865	WAIVED			
PENTACHLOROPHENOL	39032	WAIVED			
PICLORAM	39720	WAIVED			
POLYCHLORINATED BIPHENYLS, TOTAL, AS DCB	39516	WAIVED			
SIMAZINE	39055	WAIVED			
THIOBENCARB	A-001	WAIVED			
TOXAPHENE	39400	WAIVED			
REGULATED VOC					
1,1,1-TRICHLOROETHANE	34506	WAIVED			
1,1,2,2-TETRACHLOROETHANE	34516	WAIVED			
1,1,2-TRICHLORO-1,2,2-TRIFLUOROETHANE	81611	WAIVED			
1,1,2-TRICHLOROETHANE	34511	WAIVED			
1,1-DICHLOROETHANE	34496	WAIVED			
1,1-DICHLOROETHYLENE	34501	WAIVED			
1,2,4-TRICHLOROBENZENE	34551	WAIVED			
1,2-DICHLOROBENZENE	34536	WAIVED			
1,2-DICHLOROETHANE	34531	WAIVED			
1,2-DICHLOROPROPANE	34541	WAIVED			
1,3-DICHLOROPROPENE (TOTAL)	34561	WAIVED			
1,4-DICHLOROBENZENE	34571	WAIVED			
BENZENE	34030	WAIVED			
CARBON TETRACHLORIDE	32102	WAIVED			
CIS-1,2-DICHLOROETHYLENE	77093	WAIVED			
DICHLOROMETHANE	34423	WAIVED			
ETHYLBENZENE	34371	WAIVED			
METHYL-TERT-BUTYL-ETHER (MTBE)	46491	WAIVED			
MONOCHLOROBENZENE	34301	WAIVED			

**Testing interval is in months;*
0 = No data for this constituent and is DUE NOW
999 = Waived testing (not required)
I = Invalid (NOT) valid analyses reported

System Number: ***1900664***

System Name: ***SKY TERRACE MOBILE HOME PARK***

PS Code: ***1900664-002***

Source Name: ***WELL # 1***

Source Number: ***002***

Source Status: ***ACTIVE RAW***

Water type: ***GROUNDWATER OR WELL***

	STORET NUMBER	TESTING INTERVAL (MONTHS)*	LAST TEST DATE (yyyy/mm/dd)	LAST RESULT REPORTED	NEXT TEST DATE (yyyy/mm)
REGULATED VOC					
STYRENE	77128	WAIVED			
TETRACHLOROETHYLENE	34475	WAIVED			
TOLUENE	34010	WAIVED			
TRANS-1,2-DICHLOROETHYLENE	34546	WAIVED			
TRICHLOROETHYLENE	39180	WAIVED			
TRICHLOROFLUOROMETHANE	34488	WAIVED			
VINYL CHLORIDE	39175	WAIVED			
XYLENES (TOTAL)	81551	WAIVED			
SECONDARY/GP					
AGGRSSIVE INDEX (CORROSIVITY)	82383	WAIVED			
BICARBONATE ALKALINITY	00440	WAIVED			
CALCIUM	00916	WAIVED			
CARBONATE ALKALINITY	00445	WAIVED			
CHLORIDE	00940	WAIVED			
COLOR	00081	WAIVED			
COPPER	01042	WAIVED			
FOAMING AGENTS (MBAS)	38260	WAIVED			
HARDNESS (TOTAL) AS CACO3	00900	WAIVED			
HYDROXIDE ALKALINITY	71830	WAIVED			
IRON	01045	WAIVED			
MAGNESIUM	00927	WAIVED			
MANGANESE	01055	WAIVED			
ODOR THRESHOLD @ 60 C	00086	WAIVED			
PH, LABORATORY	00403	WAIVED			
SILVER	01077	WAIVED			
SODIUM	00929	WAIVED			
SPECIFIC CONDUCTANCE	00095	WAIVED			
SULFATE	00945	WAIVED			
TOTAL DISSOLVED SOLIDS	70300	WAIVED			

**Testing interval is in months;*
0 = No data for this constituent and is DUE NOW
999 = Waived testing (not required)
I = Invalid (NOT) valid analyses reported

System Number: ***1900664***

System Name: ***SKY TERRACE MOBILE HOME PARK***

PS Code: ***1900664-002***

Source Name: ***WELL # 1***

Source Number: ***002***

Source Status: ***ACTIVE RAW***

Water type: ***GROUNDWATER OR WELL***

	STORET NUMBER	TESTING INTERVAL (MONTHS)*	LAST TEST DATE (yyyy/mm/dd)	LAST RESULT REPORTED	NEXT TEST DATE (yyyy/mm)
SECONDARY/GP					
TURBIDITY, LABORATORY	82079	WAIVED			
ZINC	01092	WAIVED			

**Testing interval is in months;*
0 = No data for this constituent and is DUE NOW
999 = Waived testing (not required)
I = Invalid (NOT) valid analyses reported

System Number: ***1900665***

System Name: ***SIERRA PELONA MOTEL***

PS Code: ***1900665-001***

Source Name: ***WELL 01***

Source Number: ***001***

Source Status: ***ACTIVE UNTREATED***

Water type: ***GROUNDWATER OR WELL***

	STORET NUMBER	TESTING INTERVAL (MONTHS)*	LAST TEST DATE (yyyy/mm/dd)	LAST RESULT REPORTED	NEXT TEST DATE (yyyy/mm)
GENERAL NON CHAP 15					
DIAZINON	39570	WAIVED			
INORGANIC					
ALUMINUM	01105	WAIVED	2011/12/21	< 10.000	
ANTIMONY	01097	WAIVED	2011/12/21	< 1.000	
ARSENIC	01002	WAIVED	2011/12/21	< 2.000	
ASBESTOS	81855	WAIVED	2011/12/21	< .200	
BARIUM	01007	WAIVED	2011/12/21	115.000	
BERYLLIUM	01012	WAIVED	2011/12/21	< 1.000	
CADMIUM	01027	WAIVED	2011/12/21	< 1.000	
CHROMIUM (TOTAL)	01034	WAIVED	2011/12/21	< 1.000	
CYANIDE	01291	WAIVED	2004/05/26	.000	
FLUORIDE (F) (NATURAL-SOURCE)	00951	WAIVED	2011/12/21	.300	
LEAD	01051	WAIVED	2011/12/21	.200	
MERCURY	71900	WAIVED	2011/12/21	< .020	
NICKEL	01067	WAIVED	2011/12/21	< 1.000	
PERCHLORATE	A-031	WAIVED	2011/12/21	2.000	
SELENIUM	01147	WAIVED	2011/12/21	< 2.000	
THALLIUM	01059	WAIVED	2011/12/21	< 1.000	
NITRATE/NITRITE					
NITRATE (AS NO3)	71850	WAIVED	2011/12/21	25.100	
NITRITE (AS N)	00620	WAIVED	2011/12/21	< .100	
RADIOLOGICAL					
GROSS ALPHA	01501	WAIVED			
GROSS BETA	03501	WAIVED			
RA-226 FOR CWS OR TOTAL RA FOR NTNC BY 903.0	A-080	WAIVED			
RA-226 OR TOTAL RA BY 903.0 C.E.	A-081	WAIVED			
RADIUM 226	09501	WAIVED			
RADIUM 228	11501	WAIVED			

**Testing interval is in months;*
0 = No data for this constituent and is DUE NOW
999 = Waived testing (not required)
I = Invalid (NOT) valid analyses reported

System Number: ***1900665***

System Name: ***SIERRA PELONA MOTEL***

PS Code: ***1900665-001***

Source Name: ***WELL 01***

Source Number: ***001***

Source Status: ***ACTIVE UNTREATED***

Water type: ***GROUNDWATER OR WELL***

	STORET NUMBER	TESTING INTERVAL (MONTHS)*	LAST TEST DATE (yyyy/mm/dd)	LAST RESULT REPORTED	NEXT TEST DATE (yyyy/mm)
RADIOLOGICAL					
RADIUM, TOTAL, MDA95-NTNC ONLY, BY 903.0	A-082	WAIVED			
STRONTIUM-90	13501	WAIVED			
TRITIUM	07000	WAIVED			
URANIUM (PCI/L)	28012	WAIVED			
REGULATED SOC					
2,3,7,8-TCDD (DIOXIN)	34676	WAIVED			
2,4,5-TP (SILVEX)	39045	WAIVED			
2,4-D	39730	WAIVED			
ALACHLOR	77825	WAIVED			
ATRAZINE	39033	WAIVED			
BENTAZON	38710	WAIVED			
BENZO (A) PYRENE	34247	WAIVED			
CARBOFURAN	81405	WAIVED			
CHLORDANE	39350	WAIVED			
DALAPON	38432	WAIVED			
DI(2-ETHYLHEXYL)ADIPATE	A-026	WAIVED			
DI(2-ETHYLHEXYL)PHTHALATE	39100	WAIVED			
DIBROMOCHLOROPROPANE (DBCP)	38761	WAIVED			
DINOSEB	81287	WAIVED			
DIQUAT	78885	WAIVED			
ENDOTHALL	38926	WAIVED			
ENDRIN	39390	WAIVED			
ETHYLENE DIBROMIDE (EDB)	77651	WAIVED			
GLYPHOSATE	79743	WAIVED			
HEPTACHLOR	39410	WAIVED			
HEPTACHLOR EPOXIDE	39420	WAIVED			
HEXACHLOROBENZENE	39700	WAIVED			
HEXACHLOROCYCLOPENTADIENE	34386	WAIVED			
LINDANE	39340	WAIVED			

**Testing interval is in months;*
0 = No data for this constituent and is DUE NOW
999 = Waived testing (not required)
I = Invalid (NOT) valid analyses reported

System Number: ***1900665***

System Name: ***SIERRA PELONA MOTEL***

PS Code: ***1900665-001***

Source Name: ***WELL 01***

Source Number: ***001***

Source Status: ***ACTIVE UNTREATED***

Water type: ***GROUNDWATER OR WELL***

	STORET NUMBER	TESTING INTERVAL (MONTHS)*	LAST TEST DATE (yyyy/mm/dd)	LAST RESULT REPORTED	NEXT TEST DATE (yyyy/mm)
REGULATED SOC					
METHOXYCHLOR	39480	WAIVED			
MOLINATE	82199	WAIVED			
OXAMYL	38865	WAIVED			
PENTACHLOROPHENOL	39032	WAIVED			
PICLORAM	39720	WAIVED			
POLYCHLORINATED BIPHENYLS, TOTAL, AS DCB	39516	WAIVED			
SIMAZINE	39055	WAIVED			
THIOBENCARB	A-001	WAIVED	2002/10/18	.000	
TOXAPHENE	39400	WAIVED			
REGULATED VOC					
1,1,1-TRICHLOROETHANE	34506	WAIVED			
1,1,2,2-TETRACHLOROETHANE	34516	WAIVED			
1,1,2-TRICHLORO-1,2,2-TRIFLUOROETHANE	81611	WAIVED			
1,1,2-TRICHLOROETHANE	34511	WAIVED			
1,1-DICHLOROETHANE	34496	WAIVED			
1,1-DICHLOROETHYLENE	34501	WAIVED			
1,2,4-TRICHLOROBENZENE	34551	WAIVED			
1,2-DICHLOROBENZENE	34536	WAIVED			
1,2-DICHLOROETHANE	34531	WAIVED			
1,2-DICHLOROPROPANE	34541	WAIVED			
1,3-DICHLOROPROPENE (TOTAL)	34561	WAIVED			
1,4-DICHLOROBENZENE	34571	WAIVED			
BENZENE	34030	WAIVED			
CARBON TETRACHLORIDE	32102	WAIVED			
CIS-1,2-DICHLOROETHYLENE	77093	WAIVED			
DICHLOROMETHANE	34423	WAIVED			
ETHYLBENZENE	34371	WAIVED			
METHYL-TERT-BUTYL-ETHER (MTBE)	46491	WAIVED			
MONOCHLOROBENZENE	34301	WAIVED			

**Testing interval is in months;*
0 = No data for this constituent and is DUE NOW
999 = Waived testing (not required)
I = Invalid (NOT) valid analyses reported

System Number: ***1900665***

System Name: ***SIERRA PELONA MOTEL***

PS Code: ***1900665-001***

Source Name: ***WELL 01***

Source Number: ***001***

Source Status: ***ACTIVE UNTREATED***

Water type: ***GROUNDWATER OR WELL***

	STORET NUMBER	TESTING INTERVAL (MONTHS)*	LAST TEST DATE (yyyy/mm/dd)	LAST RESULT REPORTED	NEXT TEST DATE (yyyy/mm)
REGULATED VOC					
STYRENE	77128	WAIVED			
TETRACHLOROETHYLENE	34475	WAIVED			
TOLUENE	34010	WAIVED			
TRANS-1,2-DICHLOROETHYLENE	34546	WAIVED			
TRICHLOROETHYLENE	39180	WAIVED			
TRICHLOROFLUOROMETHANE	34488	WAIVED			
VINYL CHLORIDE	39175	WAIVED			
XYLENES (TOTAL)	81551	WAIVED			
SECONDARY/GP					
AGGRSSIVE INDEX (CORROSIVITY)	82383	WAIVED	2011/12/21	12.200	
BICARBONATE ALKALINITY	00440	WAIVED	2011/12/21	360.000	
CALCIUM	00916	WAIVED	2011/12/21	120.000	
CARBONATE ALKALINITY	00445	WAIVED	2011/12/21	< 10.000	
CHLORIDE	00940	WAIVED	2011/12/21	77.000	
COLOR	00081	WAIVED	2011/12/21	5.000	
COPPER	01042	WAIVED	2011/12/21	10.000	
FOAMING AGENTS (MBAS)	38260	WAIVED	2011/12/21	< .100	
HARDNESS (TOTAL) AS CACO3	00900	WAIVED	2011/12/21	485.000	
HYDROXIDE ALKALINITY	71830	WAIVED	2011/12/21	< 10.000	
IRON	01045	WAIVED	2011/12/21	< 50.000	
MAGNESIUM	00927	WAIVED	2011/12/21	45.000	
MANGANESE	01055	WAIVED	2011/12/21	< 10.000	
ODOR THRESHOLD @ 60 C	00086	WAIVED	2011/12/21	< 1.000	
PH, LABORATORY	00403	WAIVED	2011/12/21	7.200	
SILVER	01077	WAIVED	2011/12/21	< 1.000	
SODIUM	00929	WAIVED	2011/12/21	46.000	
SPECIFIC CONDUCTANCE	00095	WAIVED	2011/12/21	1090.000	
SULFATE	00945	WAIVED	2011/12/21	140.000	
TOTAL DISSOLVED SOLIDS	70300	WAIVED	2011/12/21	650.000	

**Testing interval is in months;*
0 = No data for this constituent and is DUE NOW
999 = Waived testing (not required)
I = Invalid (NOT) valid analyses reported

System Number: ***1900665***

System Name: ***SIERRA PELONA MOTEL***

PS Code: ***1900665-001***

Source Name: ***WELL 01***

Source Number: ***001***

Source Status: ***ACTIVE UNTREATED***

Water type: ***GROUNDWATER OR WELL***

	STORET NUMBER	TESTING INTERVAL (MONTHS)*	LAST TEST DATE (yyyy/mm/dd)	LAST RESULT REPORTED	NEXT TEST DATE (yyyy/mm)
SECONDARY/GP					
TURBIDITY, LABORATORY	82079	WAIVED	2011/12/21	.300	
ZINC	01092	WAIVED	2011/12/21	280.000	

PS Code: ***1900665-002***

Source Name: ***WELL 02***

Source Number: ***002***

Source Status: ***ACTIVE UNTREATED***

Water type: ***GROUNDWATER OR WELL***

GENERAL NON CHAP 15					
DIAZINON	39570	WAIVED			
INORGANIC					
ALUMINUM	01105	WAIVED	2001/06/28	.000	
ANTIMONY	01097	WAIVED	2001/06/28	.000	
ARSENIC	01002	WAIVED	2001/06/28	.000	
ASBESTOS	81855	WAIVED			
BARIUM	01007	WAIVED	2001/06/28	169.000	
BERYLLIUM	01012	WAIVED			
CADMIUM	01027	WAIVED	2001/06/28	.000	
CHROMIUM (TOTAL)	01034	WAIVED	2001/06/28	.000	
CYANIDE	01291	WAIVED			
FLUORIDE (F) (NATURAL-SOURCE)	00951	WAIVED	2001/06/28	.630	
LEAD	01051	WAIVED	2001/06/28	.000	
MERCURY	71900	WAIVED	2001/06/28	.000	
NICKEL	01067	WAIVED	2001/06/28	.000	
PERCHLORATE	A-031	WAIVED			
SELENIUM	01147	WAIVED	2001/06/28	.000	
THALLIUM	01059	WAIVED			

**Testing interval is in months;*
0 = No data for this constituent and is DUE NOW
999 = Waived testing (not required)
I = Invalid (NOT) valid analyses reported

System Number: ***1900665***

System Name: ***SIERRA PELONA MOTEL***

PS Code: ***1900665-002***

Source Name: ***WELL 02***

Source Number: ***002***

Source Status: ***ACTIVE UNTREATED***

Water type: ***GROUNDWATER OR WELL***

	STORET NUMBER	TESTING INTERVAL (MONTHS)*	LAST TEST DATE (yyyy/mm/dd)	LAST RESULT REPORTED	NEXT TEST DATE (yyyy/mm)
NITRATE/NITRITE					
NITRATE (AS NO3)	71850	WAIVED	2005/09/28	41.100	
NITRITE (AS N)	00620	WAIVED			
RADIOLOGICAL					
GROSS ALPHA	01501	WAIVED			
GROSS BETA	03501	WAIVED			
RA-226 FOR CWS OR TOTAL RA FOR NTNC BY 903.0	A-080	WAIVED			
RA-226 OR TOTAL RA BY 903.0 C.E.	A-081	WAIVED			
RADIUM 226	09501	WAIVED			
RADIUM 228	11501	WAIVED			
RADIUM, TOTAL, MDA95-NTNC ONLY, BY 903.0	A-082	WAIVED			
STRONTIUM-90	13501	WAIVED			
TRITIUM	07000	WAIVED			
URANIUM (PCI/L)	28012	WAIVED			
REGULATED SOC					
2,3,7,8-TCDD (DIOXIN)	34676	WAIVED			
2,4,5-TP (SILVEX)	39045	WAIVED			
2,4-D	39730	WAIVED			
ALACHLOR	77825	WAIVED			
ATRAZINE	39033	WAIVED			
BENTAZON	38710	WAIVED			
BENZO (A) PYRENE	34247	WAIVED			
CARBOFURAN	81405	WAIVED			
CHLORDANE	39350	WAIVED			
DALAPON	38432	WAIVED			
DI(2-ETHYLHEXYL)ADIPATE	A-026	WAIVED			
DI(2-ETHYLHEXYL)PHTHALATE	39100	WAIVED			
DIBROMOCHLOROPROPANE (DBCP)	38761	WAIVED			
DINOSEB	81287	WAIVED			
DIQUAT	78885	WAIVED			

**Testing interval is in months;*
0 = No data for this constituent and is DUE NOW
999 = Waived testing (not required)
I = Invalid (NOT) valid analyses reported

System Number: ***1900665***

System Name: ***SIERRA PELONA MOTEL***

PS Code: ***1900665-002***

Source Name: ***WELL 02***

Source Number: ***002***

Source Status: ***ACTIVE UNTREATED***

Water type: ***GROUNDWATER OR WELL***

	STORET NUMBER	TESTING INTERVAL (MONTHS)*	LAST TEST DATE (yyyy/mm/dd)	LAST RESULT REPORTED	NEXT TEST DATE (yyyy/mm)
REGULATED SOC					
ENDOTHALL	38926	WAIVED			
ENDRIN	39390	WAIVED			
ETHYLENE DIBROMIDE (EDB)	77651	WAIVED			
GLYPHOSATE	79743	WAIVED			
HEPTACHLOR	39410	WAIVED			
HEPTACHLOR EPOXIDE	39420	WAIVED			
HEXACHLOROBENZENE	39700	WAIVED			
HEXACHLOROCYCLOPENTADIENE	34386	WAIVED			
LINDANE	39340	WAIVED			
METHOXYCHLOR	39480	WAIVED			
MOLINATE	82199	WAIVED			
OXAMYL	38865	WAIVED			
PENTACHLOROPHENOL	39032	WAIVED			
PICLORAM	39720	WAIVED			
POLYCHLORINATED BIPHENYLS, TOTAL, AS DCB	39516	WAIVED			
SIMAZINE	39055	WAIVED			
THIOBENCARB	A-001	WAIVED			
TOXAPHENE	39400	WAIVED			
REGULATED VOC					
1,1,1-TRICHLOROETHANE	34506	WAIVED			
1,1,2,2-TETRACHLOROETHANE	34516	WAIVED			
1,1,2-TRICHLORO-1,2,2-TRIFLUOROETHANE	81611	WAIVED			
1,1,2-TRICHLOROETHANE	34511	WAIVED			
1,1-DICHLOROETHANE	34496	WAIVED			
1,1-DICHLOROETHYLENE	34501	WAIVED			
1,2,4-TRICHLOROBENZENE	34551	WAIVED			
1,2-DICHLOROBENZENE	34536	WAIVED			
1,2-DICHLOROETHANE	34531	WAIVED			
1,2-DICHLOROPROPANE	34541	WAIVED			

**Testing interval is in months;*
0 = No data for this constituent and is DUE NOW
999 = Waived testing (not required)
I = Invalid (NOT) valid analyses reported

System Number: ***1900665***

System Name: ***SIERRA PELONA MOTEL***

PS Code: ***1900665-002***

Source Name: ***WELL 02***

Source Number: ***002***

Source Status: ***ACTIVE UNTREATED***

Water type: ***GROUNDWATER OR WELL***

	STORET NUMBER	TESTING INTERVAL (MONTHS)*	LAST TEST DATE (yyyy/mm/dd)	LAST RESULT REPORTED	NEXT TEST DATE (yyyy/mm)
REGULATED VOC					
1,3-DICHLOROPROPENE (TOTAL)	34561	WAIVED			
1,4-DICHLOROBENZENE	34571	WAIVED			
BENZENE	34030	WAIVED			
CARBON TETRACHLORIDE	32102	WAIVED			
CIS-1,2-DICHLOROETHYLENE	77093	WAIVED			
DICHLOROMETHANE	34423	WAIVED			
ETHYLBENZENE	34371	WAIVED			
METHYL-TERT-BUTYL-ETHER (MTBE)	46491	WAIVED			
MONOCHLOROBENZENE	34301	WAIVED			
STYRENE	77128	WAIVED			
TETRACHLOROETHYLENE	34475	WAIVED			
TOLUENE	34010	WAIVED			
TRANS-1,2-DICHLOROETHYLENE	34546	WAIVED			
TRICHLOROETHYLENE	39180	WAIVED			
TRICHLOROFLUOROMETHANE	34488	WAIVED			
VINYL CHLORIDE	39175	WAIVED			
XYLENES (TOTAL)	81551	WAIVED			
SECONDARY/GP					
AGGRSSIVE INDEX (CORROSIVITY)	82383	WAIVED			
BICARBONATE ALKALINITY	00440	WAIVED	2001/06/28	420.000	
CALCIUM	00916	WAIVED	2001/06/28	74.100	
CARBONATE ALKALINITY	00445	WAIVED	2001/06/28	.000	
CHLORIDE	00940	WAIVED	2001/06/28	65.700	
COLOR	00081	WAIVED			
COPPER	01042	WAIVED	2001/06/28	.000	
FOAMING AGENTS (MBAS)	38260	WAIVED			
HARDNESS (TOTAL) AS CACO3	00900	WAIVED	2001/06/28	390.000	
HYDROXIDE ALKALINITY	71830	WAIVED	2001/06/28	.000	
IRON	01045	WAIVED	2001/06/28	.000	

**Testing interval is in months;*
0 = No data for this constituent and is DUE NOW
999 = Waived testing (not required)
I = Invalid (NOT) valid analyses reported

System Number: ***1900665***

System Name: ***SIERRA PELONA MOTEL***

PS Code: ***1900665-002***

Source Name: ***WELL 02***

Source Number: ***002***

Source Status: ***ACTIVE UNTREATED***

Water type: ***GROUNDWATER OR WELL***

SECONDARY/GP

	STORET NUMBER	TESTING INTERVAL (MONTHS)*	LAST TEST DATE (yyyy/mm/dd)	LAST RESULT REPORTED	NEXT TEST DATE (yyyy/mm)
MAGNESIUM	00927	WAIVED	2001/06/28	49.800	
MANGANESE	01055	WAIVED	2001/06/28	.000	
ODOR THRESHOLD @ 60 C	00086	WAIVED			
PH, LABORATORY	00403	WAIVED	2001/06/28	7.940	
SILVER	01077	WAIVED	2001/06/28	.000	
SODIUM	00929	WAIVED	2001/06/28	73.600	
SPECIFIC CONDUCTANCE	00095	WAIVED	2001/06/28	1056.000	
SULFATE	00945	WAIVED	2001/06/28	75.200	
TOTAL DISSOLVED SOLIDS	70300	WAIVED	2001/06/28	624.000	
TURBIDITY, LABORATORY	82079	WAIVED			
ZINC	01092	WAIVED	2001/06/28	187.000	

**Testing interval is in months;*
0 = No data for this constituent and is DUE NOW
999 = Waived testing (not required)
I = Invalid (NOT) valid analyses reported

System Number: ***1900677***

System Name: ***OASIS PARK MOBILE HOME PARK***

PS Code: ***1900677-001***

Source Name: ***WELL 01***

Source Number: ***001***

Source Status: ***ACTIVE UNTREATED***

Water type: ***GROUNDWATER OR WELL***

	STORET NUMBER	TESTING INTERVAL (MONTHS)*	LAST TEST DATE (yyyy/mm/dd)	LAST RESULT REPORTED	NEXT TEST DATE (yyyy/mm)
GENERAL NON CHAP 15					
DIAZINON	39570	WAIVED			
INORGANIC					
ALUMINUM	01105	WAIVED	2005/12/22	.000	
ANTIMONY	01097	WAIVED	2000/04/06	.000	
ARSENIC	01002	WAIVED	2005/12/22	.000	
ASBESTOS	81855	WAIVED			
BARIUM	01007	WAIVED	2000/04/06	.000	
BERYLLIUM	01012	WAIVED			
CADMIUM	01027	WAIVED	2005/12/22	.000	
CHROMIUM (TOTAL)	01034	WAIVED	2005/12/22	.000	
CYANIDE	01291	WAIVED			
FLUORIDE (F) (NATURAL-SOURCE)	00951	WAIVED	2005/12/22	.400	
LEAD	01051	WAIVED	2005/12/22	.000	
MERCURY	71900	WAIVED	2005/12/22	.000	
NICKEL	01067	WAIVED	2005/12/22	.000	
PERCHLORATE	A-031	WAIVED	2000/04/06	.000	
SELENIUM	01147	WAIVED	2005/12/22	.000	
THALLIUM	01059	WAIVED			
NITRATE/NITRITE					
NITRATE (AS NO3)	71850	WAIVED	2005/12/22	.000	
NITRITE (AS N)	00620	WAIVED			
RADIOLOGICAL					
GROSS ALPHA	01501	WAIVED			
GROSS BETA	03501	WAIVED			
RA-226 FOR CWS OR TOTAL RA FOR NTNC BY 903.0	A-080	WAIVED			
RA-226 OR TOTAL RA BY 903.0 C.E.	A-081	WAIVED			
RADIUM 226	09501	WAIVED			
RADIUM 228	11501	WAIVED			

**Testing interval is in months;*
0 = No data for this constituent and is DUE NOW
999 = Waived testing (not required)
I = Invalid (NOT) valid analyses reported

System Number: ***1900677***

System Name: ***OASIS PARK MOBILE HOME PARK***

PS Code: ***1900677-001***

Source Name: ***WELL 01***

Source Number: ***001***

Source Status: ***ACTIVE UNTREATED***

Water type: ***GROUNDWATER OR WELL***

	STORET NUMBER	TESTING INTERVAL (MONTHS)*	LAST TEST DATE (yyyy/mm/dd)	LAST RESULT REPORTED	NEXT TEST DATE (yyyy/mm)
RADIOLOGICAL					
RADIUM, TOTAL, MDA95-NTNC ONLY, BY 903.0	A-082	WAIVED			
STRONTIUM-90	13501	WAIVED			
TRITIUM	07000	WAIVED			
URANIUM (PCI/L)	28012	WAIVED			
REGULATED SOC					
2,3,7,8-TCDD (DIOXIN)	34676	WAIVED			
2,4,5-TP (SILVEX)	39045	WAIVED			
2,4-D	39730	WAIVED			
ALACHLOR	77825	WAIVED	2000/04/06	.000	
ATRAZINE	39033	WAIVED	1995/04/05	.000	
BENTAZON	38710	WAIVED			
BENZO (A) PYRENE	34247	WAIVED	1995/04/05	.000	
CARBOFURAN	81405	WAIVED	1995/04/05	.000	
CHLORDANE	39350	WAIVED	2000/04/06	.000	
DALAPON	38432	WAIVED			
DI(2-ETHYLHEXYL)ADIPATE	A-026	WAIVED	1995/04/05	.000	
DI(2-ETHYLHEXYL)PHTHALATE	39100	WAIVED	1995/06/13	.000	
DIBROMOCHLOROPROPANE (DBCP)	38761	WAIVED	1995/04/05	.000	
DINOSEB	81287	WAIVED			
DIQUAT	78885	WAIVED			
ENDOTHALL	38926	WAIVED			
ENDRIN	39390	WAIVED	2000/04/06	.000	
ETHYLENE DIBROMIDE (EDB)	77651	WAIVED	1995/04/05	.000	
GLYPHOSATE	79743	WAIVED	1995/04/05	.000	
HEPTACHLOR	39410	WAIVED	2000/04/06	.000	
HEPTACHLOR EPOXIDE	39420	WAIVED	2000/04/06	.000	
HEXACHLOROBENZENE	39700	WAIVED	2000/04/06	.000	
HEXACHLOROCYCLOPENTADIENE	34386	WAIVED	2000/04/06	.000	
LINDANE	39340	WAIVED	2000/04/06	.000	

**Testing interval is in months;*
0 = No data for this constituent and is DUE NOW
999 = Waived testing (not required)
I = Invalid (NOT) valid analyses reported

System Number: ***1900677***

System Name: ***OASIS PARK MOBILE HOME PARK***

PS Code: ***1900677-001***

Source Name: ***WELL 01***

Source Number: ***001***

Source Status: ***ACTIVE UNTREATED***

Water type: ***GROUNDWATER OR WELL***

	STORET NUMBER	TESTING INTERVAL (MONTHS)*	LAST TEST DATE (yyyy/mm/dd)	LAST RESULT REPORTED	NEXT TEST DATE (yyyy/mm)
REGULATED SOC					
METHOXYCHLOR	39480	WAIVED	2000/04/06	.000	
MOLINATE	82199	WAIVED	1995/04/05	.000	
OXAMYL	38865	WAIVED	1995/04/05	.000	
PENTACHLOROPHENOL	39032	WAIVED	1995/04/05	.000	
PICLORAM	39720	WAIVED			
POLYCHLORINATED BIPHENYLS, TOTAL, AS DCB	39516	WAIVED	2000/04/06	.000	
SIMAZINE	39055	WAIVED	1995/04/05	.000	
THIOBENCARB	A-001	WAIVED	1995/04/05	.000	
TOXAPHENE	39400	WAIVED	2000/04/06	.000	
REGULATED VOC					
1,1,1-TRICHLOROETHANE	34506	WAIVED	2000/04/06	.000	
1,1,2,2-TETRACHLOROETHANE	34516	WAIVED	2000/04/06	.000	
1,1,2-TRICHLORO-1,2,2-TRIFLUOROETHANE	81611	WAIVED	2000/04/06	.000	
1,1,2-TRICHLOROETHANE	34511	WAIVED	2000/04/06	.000	
1,1-DICHLOROETHANE	34496	WAIVED	2000/04/06	.000	
1,1-DICHLOROETHYLENE	34501	WAIVED	2000/04/06	.000	
1,2,4-TRICHLOROBENZENE	34551	WAIVED	2000/04/06	.000	
1,2-DICHLOROBENZENE	34536	WAIVED	2000/04/06	.000	
1,2-DICHLOROETHANE	34531	WAIVED	2000/04/06	.000	
1,2-DICHLOROPROPANE	34541	WAIVED	2000/04/06	.000	
1,3-DICHLOROPROPENE (TOTAL)	34561	WAIVED	2000/04/06	.000	
1,4-DICHLOROBENZENE	34571	WAIVED	2000/04/06	.000	
BENZENE	34030	WAIVED	2000/04/06	.000	
CARBON TETRACHLORIDE	32102	WAIVED	2000/04/06	.000	
CIS-1,2-DICHLOROETHYLENE	77093	WAIVED	2000/04/06	.000	
DICHLOROMETHANE	34423	WAIVED	2000/04/06	.000	
ETHYLBENZENE	34371	WAIVED	2000/04/06	.000	
METHYL-TERT-BUTYL-ETHER (MTBE)	46491	WAIVED	2000/04/06	.000	
MONOCHLOROBENZENE	34301	WAIVED	2000/04/06	.000	

**Testing interval is in months;*
0 = No data for this constituent and is DUE NOW
999 = Waived testing (not required)
I = Invalid (NOT) valid analyses reported

System Number: ***1900677***

System Name: ***OASIS PARK MOBILE HOME PARK***

PS Code: ***1900677-001***

Source Name: ***WELL 01***

Source Number: ***001***

Source Status: ***ACTIVE UNTREATED***

Water type: ***GROUNDWATER OR WELL***

	STORET NUMBER	TESTING INTERVAL (MONTHS)*	LAST TEST DATE (yyyy/mm/dd)	LAST RESULT REPORTED	NEXT TEST DATE (yyyy/mm)
REGULATED VOC					
STYRENE	77128	WAIVED	2000/04/06	.000	
TETRACHLOROETHYLENE	34475	WAIVED	2000/04/06	.000	
TOLUENE	34010	WAIVED	2000/04/06	.000	
TRANS-1,2-DICHLOROETHYLENE	34546	WAIVED	2000/04/06	.000	
TRICHLOROETHYLENE	39180	WAIVED	2000/04/06	.000	
TRICHLOROFLUOROMETHANE	34488	WAIVED	2000/04/06	.000	
VINYL CHLORIDE	39175	WAIVED	2000/04/06	.000	
XYLENES (TOTAL)	81551	WAIVED	2000/04/06	.000	
SECONDARY/GP					
AGGRSSIVE INDEX (CORROSIVITY)	82383	WAIVED			
BICARBONATE ALKALINITY	00440	WAIVED	2005/12/22	306.000	
CALCIUM	00916	WAIVED	2005/12/22	80.200	
CARBONATE ALKALINITY	00445	WAIVED	2005/12/22	.000	
CHLORIDE	00940	WAIVED	2005/12/22	49.800	
COLOR	00081	WAIVED	2000/04/06	5.000	
COPPER	01042	WAIVED	2005/12/22	.000	
FOAMING AGENTS (MBAS)	38260	WAIVED	2000/04/06	.000	
HARDNESS (TOTAL) AS CACO3	00900	WAIVED	2005/12/22	280.000	
HYDROXIDE ALKALINITY	71830	WAIVED	2005/12/22	.000	
IRON	01045	WAIVED	2005/12/22	.000	
MAGNESIUM	00927	WAIVED	2005/12/22	19.400	
MANGANESE	01055	WAIVED	2005/12/22	.000	
ODOR THRESHOLD @ 60 C	00086	WAIVED	2000/04/06	.000	
PH, LABORATORY	00403	WAIVED	2005/12/22	7.580	
SILVER	01077	WAIVED	2005/12/22	.000	
SODIUM	00929	WAIVED	2005/12/22	60.300	
SPECIFIC CONDUCTANCE	00095	WAIVED	2005/12/22	751.000	
SULFATE	00945	WAIVED	2005/12/22	78.900	
TOTAL DISSOLVED SOLIDS	70300	WAIVED	2005/12/22	468.000	

**Testing interval is in months;*
0 = No data for this constituent and is DUE NOW
999 = Waived testing (not required)
I = Invalid (NOT) valid analyses reported

System Number: ***1900677***

System Name: ***OASIS PARK MOBILE HOME PARK***

PS Code: ***1900677-001***

Source Name: ***WELL 01***

Source Number: ***001***

Source Status: ***ACTIVE UNTREATED***

Water type: ***GROUNDWATER OR WELL***

	STORET NUMBER	TESTING INTERVAL (MONTHS)*	LAST TEST DATE (yyyy/mm/dd)	LAST RESULT REPORTED	NEXT TEST DATE (yyyy/mm)
SECONDARY/GP					
TURBIDITY, LABORATORY	82079	WAIVED	2005/12/22	1.130	
ZINC	01092	WAIVED	2005/12/22	.000	

PS Code: ***1900677-002***

Source Name: ***WELL 02***

Source Number: ***002***

Source Status: ***ACTIVE UNTREATED***

Water type: ***GROUNDWATER OR WELL***

GENERAL NON CHAP 15					
DIAZINON	39570	WAIVED			
INORGANIC					
ALUMINUM	01105	WAIVED			
ANTIMONY	01097	WAIVED			
ARSENIC	01002	WAIVED			
ASBESTOS	81855	WAIVED			
BARIUM	01007	WAIVED			
BERYLLIUM	01012	WAIVED			
CADMIUM	01027	WAIVED			
CHROMIUM (TOTAL)	01034	WAIVED	2003/06/11	.000	
CYANIDE	01291	WAIVED			
FLUORIDE (F) (NATURAL-SOURCE)	00951	WAIVED			
LEAD	01051	WAIVED			
MERCURY	71900	WAIVED			
NICKEL	01067	WAIVED			
PERCHLORATE	A-031	WAIVED			
SELENIUM	01147	WAIVED			
THALLIUM	01059	WAIVED			

**Testing interval is in months;*
0 = No data for this constituent and is DUE NOW
999 = Waived testing (not required)
I = Invalid (NOT) valid analyses reported

System Number: ***1900677***

System Name: ***OASIS PARK MOBILE HOME PARK***

PS Code: ***1900677-002***

Source Name: ***WELL 02***

Source Number: ***002***

Source Status: ***ACTIVE UNTREATED***

Water type: ***GROUNDWATER OR WELL***

	STORET NUMBER	TESTING INTERVAL (MONTHS)*	LAST TEST DATE (yyyy/mm/dd)	LAST RESULT REPORTED	NEXT TEST DATE (yyyy/mm)
NITRATE/NITRITE					
NITRATE (AS NO3)	71850	WAIVED			
NITRITE (AS N)	00620	WAIVED			
RADIOLOGICAL					
GROSS ALPHA	01501	WAIVED			
GROSS BETA	03501	WAIVED			
RA-226 FOR CWS OR TOTAL RA FOR NTNC BY 903.0	A-080	WAIVED			
RA-226 OR TOTAL RA BY 903.0 C.E.	A-081	WAIVED			
RADIUM 226	09501	WAIVED			
RADIUM 228	11501	WAIVED			
RADIUM, TOTAL, MDA95-NTNC ONLY, BY 903.0	A-082	WAIVED			
STRONTIUM-90	13501	WAIVED			
TRITIUM	07000	WAIVED			
URANIUM (PCI/L)	28012	WAIVED			
REGULATED SOC					
2,3,7,8-TCDD (DIOXIN)	34676	WAIVED			
2,4,5-TP (SILVEX)	39045	WAIVED			
2,4-D	39730	WAIVED			
ALACHLOR	77825	WAIVED	2003/06/11	.000	
ATRAZINE	39033	WAIVED			
BENTAZON	38710	WAIVED			
BENZO (A) PYRENE	34247	WAIVED			
CARBOFURAN	81405	WAIVED			
CHLORDANE	39350	WAIVED	2003/06/11	.000	
DALAPON	38432	WAIVED			
DI(2-ETHYLHEXYL)ADIPATE	A-026	WAIVED			
DI(2-ETHYLHEXYL)PHTHALATE	39100	WAIVED			
DIBROMOCHLOROPROPANE (DBCP)	38761	WAIVED			
DINOSEB	81287	WAIVED			
DIQUAT	78885	WAIVED			

**Testing interval is in months;*
0 = No data for this constituent and is DUE NOW
999 = Waived testing (not required)
I = Invalid (NOT) valid analyses reported

System Number: 1900677
System Name: OASIS PARK MOBILE HOME PARK

PS Code: 1900677-002
Source Name: WELL 02
Source Number: 002
Source Status: ACTIVE UNTREATED
Water type: GROUNDWATER OR WELL

	STORET NUMBER	TESTING INTERVAL (MONTHS)*	LAST TEST DATE (yyyy/mm/dd)	LAST RESULT REPORTED	NEXT TEST DATE (yyyy/mm)
REGULATED SOC					
ENDOTHALL	38926	WAIVED			
ENDRIN	39390	WAIVED	2003/06/11	.000	
ETHYLENE DIBROMIDE (EDB)	77651	WAIVED			
GLYPHOSATE	79743	WAIVED			
HEPTACHLOR	39410	WAIVED	2003/06/11	.000	
HEPTACHLOR EPOXIDE	39420	WAIVED	2003/06/11	.000	
HEXACHLOROBENZENE	39700	WAIVED	2003/06/11	.000	
HEXACHLOROCYCLOPENTADIENE	34386	WAIVED	2003/06/11	.000	
LINDANE	39340	WAIVED	2003/06/11	.000	
METHOXYCHLOR	39480	WAIVED	2003/06/11	.000	
MOLINATE	82199	WAIVED			
OXAMYL	38865	WAIVED			
PENTACHLOROPHENOL	39032	WAIVED			
PICLORAM	39720	WAIVED			
POLYCHLORINATED BIPHENYLS, TOTAL, AS DCB	39516	WAIVED	2003/06/11	.000	
SIMAZINE	39055	WAIVED			
THIOBENCARB	A-001	WAIVED			
TOXAPHENE	39400	WAIVED	2003/06/11	.000	
REGULATED VOC					
1,1,1-TRICHLOROETHANE	34506	WAIVED	2003/06/11	.000	
1,1,2,2-TETRACHLOROETHANE	34516	WAIVED	2003/06/11	.000	
1,1,2-TRICHLORO-1,2,2-TRIFLUOROETHANE	81611	WAIVED	2003/06/11	.000	
1,1,2-TRICHLOROETHANE	34511	WAIVED	2003/06/11	.000	
1,1-DICHLOROETHANE	34496	WAIVED	2003/06/11	.000	
1,1-DICHLOROETHYLENE	34501	WAIVED	2003/06/11	.000	
1,2,4-TRICHLOROBENZENE	34551	WAIVED	2003/06/11	.000	
1,2-DICHLOROBENZENE	34536	WAIVED	2003/06/11	.000	
1,2-DICHLOROETHANE	34531	WAIVED	2003/06/11	.000	
1,2-DICHLOROPROPANE	34541	WAIVED	2003/06/11	.000	

**Testing interval is in months;*
0 = No data for this constituent and is DUE NOW
999 = Waived testing (not required)
I = Invalid (NOT) valid analyses reported

System Number: ***1900677***

System Name: ***OASIS PARK MOBILE HOME PARK***

PS Code: ***1900677-002***

Source Name: ***WELL 02***

Source Number: ***002***

Source Status: ***ACTIVE UNTREATED***

Water type: ***GROUNDWATER OR WELL***

	STORET NUMBER	TESTING INTERVAL (MONTHS)*	LAST TEST DATE (yyyy/mm/dd)	LAST RESULT REPORTED	NEXT TEST DATE (yyyy/mm)
REGULATED VOC					
1,3-DICHLOROPROPENE (TOTAL)	34561	WAIVED	2003/06/11	.000	
1,4-DICHLOROBENZENE	34571	WAIVED	2003/06/11	.000	
BENZENE	34030	WAIVED	2003/06/11	.000	
CARBON TETRACHLORIDE	32102	WAIVED	2003/06/11	.000	
CIS-1,2-DICHLOROETHYLENE	77093	WAIVED	2003/06/11	.000	
DICHLOROMETHANE	34423	WAIVED	2003/06/11	.000	
ETHYLBENZENE	34371	WAIVED	2003/06/11	.000	
METHYL-TERT-BUTYL-ETHER (MTBE)	46491	WAIVED	2003/06/11	.000	
MONOCHLOROBENZENE	34301	WAIVED	2003/06/11	.000	
STYRENE	77128	WAIVED	2003/06/11	.000	
TETRACHLOROETHYLENE	34475	WAIVED	2003/06/11	.000	
TOLUENE	34010	WAIVED	2003/06/11	.000	
TRANS-1,2-DICHLOROETHYLENE	34546	WAIVED	2003/06/11	.000	
TRICHLOROETHYLENE	39180	WAIVED	2003/06/11	.000	
TRICHLOROFLUOROMETHANE	34488	WAIVED	2003/06/11	.000	
VINYL CHLORIDE	39175	WAIVED	2003/06/11	.000	
XYLENES (TOTAL)	81551	WAIVED	2003/06/11	.000	
SECONDARY/GP					
AGGRSSIVE INDEX (CORROSIVITY)	82383	WAIVED			
BICARBONATE ALKALINITY	00440	WAIVED			
CALCIUM	00916	WAIVED			
CARBONATE ALKALINITY	00445	WAIVED			
CHLORIDE	00940	WAIVED			
COLOR	00081	WAIVED			
COPPER	01042	WAIVED			
FOAMING AGENTS (MBAS)	38260	WAIVED			
HARDNESS (TOTAL) AS CACO3	00900	WAIVED			
HYDROXIDE ALKALINITY	71830	WAIVED			
IRON	01045	WAIVED			

**Testing interval is in months;*
0 = No data for this constituent and is DUE NOW
999 = Waived testing (not required)
I = Invalid (NOT) valid analyses reported

System Number: ***1900677***

System Name: ***OASIS PARK MOBILE HOME PARK***

PS Code: ***1900677-002***

Source Name: ***WELL 02***

Source Number: ***002***

Source Status: ***ACTIVE UNTREATED***

Water type: ***GROUNDWATER OR WELL***

SECONDARY/GP	STORET NUMBER	TESTING INTERVAL (MONTHS)*	LAST TEST DATE (yyyy/mm/dd)	LAST RESULT REPORTED	NEXT TEST DATE (yyyy/mm)
MAGNESIUM	00927	WAIVED			
MANGANESE	01055	WAIVED			
ODOR THRESHOLD @ 60 C	00086	WAIVED			
PH, LABORATORY	00403	WAIVED			
SILVER	01077	WAIVED			
SODIUM	00929	WAIVED			
SPECIFIC CONDUCTANCE	00095	WAIVED			
SULFATE	00945	WAIVED			
TOTAL DISSOLVED SOLIDS	70300	WAIVED			
TURBIDITY, LABORATORY	82079	WAIVED			
ZINC	01092	WAIVED			

**Testing interval is in months;*
0 = No data for this constituent and is DUE NOW
999 = Waived testing (not required)
I = Invalid (NOT) valid analyses reported

System Number: ***1900679***

System Name: ***RANCHO LOS AMIGOS MEDICAL CENTER***

PS Code: ***1900679-001***

Source Name: ***WELL 01 - NEW WELL***

Source Number: ***001***

Source Status: ***ACTIVE UNTREATED***

Water type: ***GROUNDWATER OR WELL***

	STORET NUMBER	TESTING INTERVAL (MONTHS)*	LAST TEST DATE (yyyy/mm/dd)	LAST RESULT REPORTED	NEXT TEST DATE (yyyy/mm)
GENERAL NON CHAP 15					
DIAZINON	39570	WAIVED			
INORGANIC					
ALUMINUM	01105	WAIVED	2011/09/01	< 50.000	
ANTIMONY	01097	WAIVED	2011/09/01	< 6.000	
ARSENIC	01002	WAIVED	2011/09/01	2.350	
ASBESTOS	81855	WAIVED	2011/09/01	< .200	
BARIUM	01007	WAIVED	2011/09/01	128.000	
BERYLLIUM	01012	WAIVED	2011/09/01	< 1.000	
CADMIUM	01027	WAIVED	2011/09/01	< 1.000	
CHROMIUM (TOTAL)	01034	WAIVED	2011/09/01	< 10.000	
CYANIDE	01291	WAIVED	2011/09/01	< 100.000	
FLUORIDE (F) (NATURAL-SOURCE)	00951	WAIVED	2011/09/01	.324	
LEAD	01051	WAIVED	2003/11/21	1.200	
MERCURY	71900	WAIVED	2011/09/01	< 1.000	
NICKEL	01067	WAIVED	2011/09/01	< 10.000	
PERCHLORATE	A-031	WAIVED	2011/09/01	< 4.000	
SELENIUM	01147	WAIVED	2011/09/01	< 5.000	
THALLIUM	01059	WAIVED	2011/09/01	< 1.000	
NITRATE/NITRITE					
NITRATE (AS NO3)	71850	WAIVED	2011/09/01	8.560	
NITRITE (AS N)	00620	WAIVED	2011/09/01	< 400.000	
RADIOLOGICAL					
GROSS ALPHA	01501	WAIVED			
GROSS BETA	03501	WAIVED			
RA-226 FOR CWS OR TOTAL RA FOR NTNC BY 903.0	A-080	WAIVED			
RA-226 OR TOTAL RA BY 903.0 C.E.	A-081	WAIVED			
RADIUM 226	09501	WAIVED			
RADIUM 228	11501	WAIVED			

**Testing interval is in months;*
0 = No data for this constituent and is DUE NOW
999 = Waived testing (not required)
I = Invalid (NOT) valid analyses reported

System Number: ***1900679***

System Name: ***RANCHO LOS AMIGOS MEDICAL CENTER***

PS Code: ***1900679-001***

Source Name: ***WELL 01 - NEW WELL***

Source Number: ***001***

Source Status: ***ACTIVE UNTREATED***

Water type: ***GROUNDWATER OR WELL***

	STORET NUMBER	TESTING INTERVAL (MONTHS)*	LAST TEST DATE (yyyy/mm/dd)	LAST RESULT REPORTED	NEXT TEST DATE (yyyy/mm)
RADIOLOGICAL					
RADIUM, TOTAL, MDA95-NTNC ONLY, BY 903.0	A-082	WAIVED			
STRONTIUM-90	13501	WAIVED			
TRITIUM	07000	WAIVED			
URANIUM (PCI/L)	28012	WAIVED			
REGULATED SOC					
2,3,7,8-TCDD (DIOXIN)	34676	WAIVED			
2,4,5-TP (SILVEX)	39045	WAIVED			
2,4-D	39730	WAIVED			
ALACHLOR	77825	WAIVED	2003/04/15	.000	
ATRAZINE	39033	WAIVED			
BENTAZON	38710	WAIVED			
BENZO (A) PYRENE	34247	WAIVED			
CARBOFURAN	81405	WAIVED			
CHLORDANE	39350	WAIVED	2003/04/15	.000	
DALAPON	38432	WAIVED			
DI(2-ETHYLHEXYL)ADIPATE	A-026	WAIVED			
DI(2-ETHYLHEXYL)PHTHALATE	39100	WAIVED			
DIBROMOCHLOROPROPANE (DBCP)	38761	WAIVED			
DINOSEB	81287	WAIVED			
DIQUAT	78885	WAIVED			
ENDOTHALL	38926	WAIVED			
ENDRIN	39390	WAIVED	2003/04/15	.000	
ETHYLENE DIBROMIDE (EDB)	77651	WAIVED			
GLYPHOSATE	79743	WAIVED			
HEPTACHLOR	39410	WAIVED	2003/04/15	.000	
HEPTACHLOR EPOXIDE	39420	WAIVED	2003/04/15	.000	
HEXACHLOROBENZENE	39700	WAIVED	2003/04/15	.000	
HEXACHLOROCYCLOPENTADIENE	34386	WAIVED	2003/04/15	.000	
LINDANE	39340	WAIVED	2003/04/15	.000	

**Testing interval is in months;*
0 = No data for this constituent and is DUE NOW
999 = Waived testing (not required)
I = Invalid (NOT) valid analyses reported

System Number: ***1900679***

System Name: ***RANCHO LOS AMIGOS MEDICAL CENTER***

PS Code: ***1900679-001***

Source Name: ***WELL 01 - NEW WELL***

Source Number: ***001***

Source Status: ***ACTIVE UNTREATED***

Water type: ***GROUNDWATER OR WELL***

	STORET NUMBER	TESTING INTERVAL (MONTHS)*	LAST TEST DATE (yyyy/mm/dd)	LAST RESULT REPORTED	NEXT TEST DATE (yyyy/mm)
REGULATED SOC					
METHOXYCHLOR	39480	WAIVED	2003/04/15	.000	
MOLINATE	82199	WAIVED			
OXAMYL	38865	WAIVED			
PENTACHLOROPHENOL	39032	WAIVED			
PICLORAM	39720	WAIVED			
POLYCHLORINATED BIPHENYLS, TOTAL, AS DCB	39516	WAIVED	2003/04/15	.000	
SIMAZINE	39055	WAIVED			
THIOBENCARB	A-001	WAIVED			
TOXAPHENE	39400	WAIVED	2003/04/15	.000	
REGULATED VOC					
1,1,1-TRICHLOROETHANE	34506	WAIVED	2003/04/15	.000	
1,1,2,2-TETRACHLOROETHANE	34516	WAIVED	2003/04/15	.000	
1,1,2-TRICHLORO-1,2,2-TRIFLUOROETHANE	81611	WAIVED	2003/04/15	.000	
1,1,2-TRICHLOROETHANE	34511	WAIVED	2003/04/15	.000	
1,1-DICHLOROETHANE	34496	WAIVED	2003/04/15	.000	
1,1-DICHLOROETHYLENE	34501	WAIVED	2003/04/15	.000	
1,2,4-TRICHLOROBENZENE	34551	WAIVED	2003/04/15	.000	
1,2-DICHLOROBENZENE	34536	WAIVED	2003/04/15	.000	
1,2-DICHLOROETHANE	34531	WAIVED	2003/04/15	.000	
1,2-DICHLOROPROPANE	34541	WAIVED	2003/04/15	.000	
1,3-DICHLOROPROPENE (TOTAL)	34561	WAIVED	2003/04/15	.000	
1,4-DICHLOROBENZENE	34571	WAIVED	2003/04/15	.000	
BENZENE	34030	WAIVED	2003/04/15	.000	
CARBON TETRACHLORIDE	32102	WAIVED	2003/04/15	.000	
CIS-1,2-DICHLOROETHYLENE	77093	WAIVED	2003/04/15	.000	
DICHLOROMETHANE	34423	WAIVED	2003/04/15	.000	
ETHYLBENZENE	34371	WAIVED	2003/04/15	.000	
METHYL-TERT-BUTYL-ETHER (MTBE)	46491	WAIVED	2003/04/15	.000	
MONOCHLOROBENZENE	34301	WAIVED	2003/04/15	.000	

**Testing interval is in months;*
0 = No data for this constituent and is DUE NOW
999 = Waived testing (not required)
I = Invalid (NOT) valid analyses reported

System Number: ***1900679***

System Name: ***RANCHO LOS AMIGOS MEDICAL CENTER***

PS Code: ***1900679-001***

Source Name: ***WELL 01 - NEW WELL***

Source Number: ***001***

Source Status: ***ACTIVE UNTREATED***

Water type: ***GROUNDWATER OR WELL***

	STORET NUMBER	TESTING INTERVAL (MONTHS)*	LAST TEST DATE (yyyy/mm/dd)	LAST RESULT REPORTED	NEXT TEST DATE (yyyy/mm)
REGULATED VOC					
STYRENE	77128	WAIVED	2003/04/15	.000	
TETRACHLOROETHYLENE	34475	WAIVED	2004/08/30	< .500	
TOLUENE	34010	WAIVED	2003/04/15	.000	
TRANS-1,2-DICHLOROETHYLENE	34546	WAIVED	2003/04/15	.000	
TRICHLOROETHYLENE	39180	WAIVED	2003/04/15	.000	
TRICHLOROFLUOROMETHANE	34488	WAIVED	2003/04/15	.000	
VINYL CHLORIDE	39175	WAIVED	2003/04/15	.000	
XYLENES (TOTAL)	81551	WAIVED	2003/04/15	.000	
SECONDARY/GP					
AGGRSSIVE INDEX (CORROSIVITY)	82383	WAIVED			
BICARBONATE ALKALINITY	00440	WAIVED	2007/06/07	188.000	
CALCIUM	00916	WAIVED	2007/06/07	64.100	
CARBONATE ALKALINITY	00445	WAIVED	2007/06/07	.000	
CHLORIDE	00940	WAIVED	2007/06/07	46.800	
COLOR	00081	WAIVED			
COPPER	01042	WAIVED	2004/05/27	45.000	
FOAMING AGENTS (MBAS)	38260	WAIVED	2004/05/27	< .050	
HARDNESS (TOTAL) AS CACO3	00900	WAIVED	2007/06/07	250.000	
HYDROXIDE ALKALINITY	71830	WAIVED	2007/06/07	.000	
IRON	01045	WAIVED	2004/05/27	36.000	
MAGNESIUM	00927	WAIVED	2007/06/07	21.800	
MANGANESE	01055	WAIVED	2004/05/27	< 10.000	
ODOR THRESHOLD @ 60 C	00086	WAIVED			
PH, LABORATORY	00403	WAIVED	2007/06/07	7.520	
SILVER	01077	WAIVED	2003/11/21	< .200	
SODIUM	00929	WAIVED	2007/06/07	35.600	
SPECIFIC CONDUCTANCE	00095	WAIVED	2007/06/07	675.000	
SULFATE	00945	WAIVED	2007/06/07	65.300	
TOTAL DISSOLVED SOLIDS	70300	WAIVED	2007/06/07	388.000	

**Testing interval is in months;*
0 = No data for this constituent and is DUE NOW
999 = Waived testing (not required)
I = Invalid (NOT) valid analyses reported

System Number: ***1900679***

System Name: ***RANCHO LOS AMIGOS MEDICAL CENTER***

PS Code: ***1900679-001***

Source Name: ***WELL 01 - NEW WELL***

Source Number: ***001***

Source Status: ***ACTIVE UNTREATED***

Water type: ***GROUNDWATER OR WELL***

SECONDARY/GP

	STORET NUMBER	TESTING INTERVAL (MONTHS)*	LAST TEST DATE (yyyy/mm/dd)	LAST RESULT REPORTED	NEXT TEST DATE (yyyy/mm)
TURBIDITY, LABORATORY	82079	WAIVED	2000/02/17	1.000	
ZINC	01092	WAIVED	2004/05/27	< 50.000	

PS Code: ***1900679-002***

Source Name: ***WELL 02 - DAIRY WELL***

Source Number: ***002***

Source Status: ***ACTIVE UNTREATED***

Water type: ***GROUNDWATER OR WELL***

GENERAL NON CHAP 15

DIAZINON	39570	WAIVED			

INORGANIC

ALUMINUM	01105	WAIVED	2003/11/21	< 5.000	
ANTIMONY	01097	WAIVED	2003/11/21	< 2.000	
ARSENIC	01002	WAIVED	2003/11/21	1.900	
ASBESTOS	81855	WAIVED			
BARIUM	01007	WAIVED	2003/11/21	130.000	
BERYLLIUM	01012	WAIVED	2003/11/21	< .200	
CADMIUM	01027	WAIVED	2003/11/21	< .200	
CHROMIUM (TOTAL)	01034	WAIVED	2003/11/21	< 1.000	
CYANIDE	01291	WAIVED	2003/11/21	< 10.000	
FLUORIDE (F) (NATURAL-SOURCE)	00951	WAIVED	2004/05/27	.370	
LEAD	01051	WAIVED	2003/11/21	.330	
MERCURY	71900	WAIVED	2003/11/21	.190	
NICKEL	01067	WAIVED	2003/11/21	< 1.000	
PERCHLORATE	A-031	WAIVED			
SELENIUM	01147	WAIVED	2003/11/21	2.100	
THALLIUM	01059	WAIVED	2003/11/21	< .200	

**Testing interval is in months;*
0 = No data for this constituent and is DUE NOW
999 = Waived testing (not required)
I = Invalid (NOT) valid analyses reported

System Number: ***1900679***

System Name: ***RANCHO LOS AMIGOS MEDICAL CENTER***

PS Code: ***1900679-002***

Source Name: ***WELL 02 - DAIRY WELL***

Source Number: ***002***

Source Status: ***ACTIVE UNTREATED***

Water type: ***GROUNDWATER OR WELL***

	STORET NUMBER	TESTING INTERVAL (MONTHS)*	LAST TEST DATE (yyyy/mm/dd)	LAST RESULT REPORTED	NEXT TEST DATE (yyyy/mm)
NITRATE/NITRITE					
NITRATE (AS NO3)	71850	WAIVED	2007/12/27	12.400	
NITRITE (AS N)	00620	WAIVED	2003/11/21	< 60.000	
RADIOLOGICAL					
GROSS ALPHA	01501	WAIVED			
GROSS BETA	03501	WAIVED			
RA-226 FOR CWS OR TOTAL RA FOR NTNC BY 903.0	A-080	WAIVED			
RA-226 OR TOTAL RA BY 903.0 C.E.	A-081	WAIVED			
RADIUM 226	09501	WAIVED			
RADIUM 228	11501	WAIVED			
RADIUM, TOTAL, MDA95-NTNC ONLY, BY 903.0	A-082	WAIVED			
STRONTIUM-90	13501	WAIVED			
TRITIUM	07000	WAIVED			
URANIUM (PCI/L)	28012	WAIVED			
REGULATED SOC					
2,3,7,8-TCDD (DIOXIN)	34676	WAIVED			
2,4,5-TP (SILVEX)	39045	WAIVED			
2,4-D	39730	WAIVED			
ALACHLOR	77825	WAIVED	2000/02/04	.000	
ATRAZINE	39033	WAIVED			
BENTAZON	38710	WAIVED			
BENZO (A) PYRENE	34247	WAIVED			
CARBOFURAN	81405	WAIVED			
CHLORDANE	39350	WAIVED	2000/02/04	.000	
DALAPON	38432	WAIVED			
DI(2-ETHYLHEXYL)ADIPATE	A-026	WAIVED			
DI(2-ETHYLHEXYL)PHTHALATE	39100	WAIVED			
DIBROMOCHLOROPROPANE (DBCP)	38761	WAIVED			
DINOSEB	81287	WAIVED			
DIQUAT	78885	WAIVED			

**Testing interval is in months;*
0 = No data for this constituent and is DUE NOW
999 = Waived testing (not required)
I = Invalid (NOT) valid analyses reported

System Number: ***1900679***

System Name: ***RANCHO LOS AMIGOS MEDICAL CENTER***

PS Code: ***1900679-002***

Source Name: ***WELL 02 - DAIRY WELL***

Source Number: ***002***

Source Status: ***ACTIVE UNTREATED***

Water type: ***GROUNDWATER OR WELL***

	STORET NUMBER	TESTING INTERVAL (MONTHS)*	LAST TEST DATE (yyyy/mm/dd)	LAST RESULT REPORTED	NEXT TEST DATE (yyyy/mm)
REGULATED SOC					
ENDOTHALL	38926	WAIVED			
ENDRIN	39390	WAIVED	2000/02/04	.000	
ETHYLENE DIBROMIDE (EDB)	77651	WAIVED			
GLYPHOSATE	79743	WAIVED			
HEPTACHLOR	39410	WAIVED	2000/02/04	.000	
HEPTACHLOR EPOXIDE	39420	WAIVED	2000/02/04	.000	
HEXACHLOROBENZENE	39700	WAIVED	2000/02/04	.000	
HEXACHLOROCYCLOPENTADIENE	34386	WAIVED	2000/02/04	.000	
LINDANE	39340	WAIVED	2000/02/04	.000	
METHOXYCHLOR	39480	WAIVED	2000/02/04	.000	
MOLINATE	82199	WAIVED			
OXAMYL	38865	WAIVED			
PENTACHLOROPHENOL	39032	WAIVED			
PICLORAM	39720	WAIVED			
POLYCHLORINATED BIPHENYLS, TOTAL, AS DCB	39516	WAIVED	2000/02/04	.000	
SIMAZINE	39055	WAIVED			
THIOBENCARB	A-001	WAIVED			
TOXAPHENE	39400	WAIVED	2000/02/04	.000	
REGULATED VOC					
1,1,1-TRICHLOROETHANE	34506	WAIVED	2000/02/04	.000	
1,1,2,2-TETRACHLOROETHANE	34516	WAIVED	2000/02/04	.000	
1,1,2-TRICHLORO-1,2,2-TRIFLUOROETHANE	81611	WAIVED	2000/02/04	.000	
1,1,2-TRICHLOROETHANE	34511	WAIVED	2000/02/04	.000	
1,1-DICHLOROETHANE	34496	WAIVED	2000/02/04	.000	
1,1-DICHLOROETHYLENE	34501	WAIVED	2000/02/04	.000	
1,2,4-TRICHLOROBENZENE	34551	WAIVED	2000/02/04	.000	
1,2-DICHLOROBENZENE	34536	WAIVED	2000/02/04	.000	
1,2-DICHLOROETHANE	34531	WAIVED	2000/02/04	.000	
1,2-DICHLOROPROPANE	34541	WAIVED	2000/02/04	.000	

**Testing interval is in months;*
0 = No data for this constituent and is DUE NOW
999 = Waived testing (not required)
I = Invalid (NOT) valid analyses reported

System Number: 1900679
System Name: RANCHO LOS AMIGOS MEDICAL CENTER

PS Code: 1900679-002
Source Name: WELL 02 - DAIRY WELL
Source Number: 002
Source Status: ACTIVE UNTREATED
Water type: GROUNDWATER OR WELL

	STORET NUMBER	TESTING INTERVAL (MONTHS)*	LAST TEST DATE (yyyy/mm/dd)	LAST RESULT REPORTED	NEXT TEST DATE (yyyy/mm)
REGULATED VOC					
1,3-DICHLOROPROPENE (TOTAL)	34561	WAIVED	2000/02/04	.000	
1,4-DICHLOROBENZENE	34571	WAIVED	2000/02/04	.000	
BENZENE	34030	WAIVED	2000/02/04	.000	
CARBON TETRACHLORIDE	32102	WAIVED	2000/02/04	.000	
CIS-1,2-DICHLOROETHYLENE	77093	WAIVED	2000/02/04	.000	
DICHLOROMETHANE	34423	WAIVED	2000/02/04	.000	
ETHYLBENZENE	34371	WAIVED	2000/02/04	.000	
METHYL-TERT-BUTYL-ETHER (MTBE)	46491	WAIVED	2000/02/04	.000	
MONOCHLOROBENZENE	34301	WAIVED	2000/02/04	.000	
STYRENE	77128	WAIVED	2000/02/04	.000	
TETRACHLOROETHYLENE	34475	WAIVED	2004/08/30	1.400	
TOLUENE	34010	WAIVED	2000/02/04	.000	
TRANS-1,2-DICHLOROETHYLENE	34546	WAIVED	2000/02/04	.000	
TRICHLOROETHYLENE	39180	WAIVED	2000/02/04	.000	
TRICHLOROFLUOROMETHANE	34488	WAIVED	2000/02/04	.000	
VINYL CHLORIDE	39175	WAIVED	2000/02/04	.000	
XYLENES (TOTAL)	81551	WAIVED	2000/02/04	.000	
SECONDARY/GP					
AGGRSSIVE INDEX (CORROSIVITY)	82383	WAIVED			
BICARBONATE ALKALINITY	00440	WAIVED	2004/05/27	210.000	
CALCIUM	00916	WAIVED	2004/05/27	74.000	
CARBONATE ALKALINITY	00445	WAIVED	2004/05/27	< 2.000	
CHLORIDE	00940	WAIVED	2004/05/27	41.000	
COLOR	00081	WAIVED			
COPPER	01042	WAIVED	2004/05/27	44.000	
FOAMING AGENTS (MBAS)	38260	WAIVED	2004/05/27	< .050	
HARDNESS (TOTAL) AS CACO3	00900	WAIVED	2004/05/27	250.000	
HYDROXIDE ALKALINITY	71830	WAIVED	2004/05/27	< 2.000	
IRON	01045	WAIVED	2004/05/27	31.000	

**Testing interval is in months;*
0 = No data for this constituent and is DUE NOW
999 = Waived testing (not required)
I = Invalid (NOT) valid analyses reported

System Number: ***1900679***

System Name: ***RANCHO LOS AMIGOS MEDICAL CENTER***

PS Code: ***1900679-002***

Source Name: ***WELL 02 - DAIRY WELL***

Source Number: ***002***

Source Status: ***ACTIVE UNTREATED***

Water type: ***GROUNDWATER OR WELL***

SECONDARY/GP

	STORET NUMBER	TESTING INTERVAL (MONTHS)*	LAST TEST DATE (yyyy/mm/dd)	LAST RESULT REPORTED	NEXT TEST DATE (yyyy/mm)
MAGNESIUM	00927	WAIVED	2004/05/27	15.000	
MANGANESE	01055	WAIVED	2004/05/27	< 10.000	
ODOR THRESHOLD @ 60 C	00086	WAIVED			
PH, LABORATORY	00403	WAIVED	2004/05/27	7.510	
SILVER	01077	WAIVED	2003/11/21	< .200	
SODIUM	00929	WAIVED	2004/05/27	41.000	
SPECIFIC CONDUCTANCE	00095	WAIVED	2004/05/27	640.000	
SULFATE	00945	WAIVED	2004/05/27	88.000	
TOTAL DISSOLVED SOLIDS	70300	WAIVED	2004/05/27	410.000	
TURBIDITY, LABORATORY	82079	WAIVED	2000/02/04	.000	
ZINC	01092	WAIVED	2004/05/27	< 50.000	

PS Code: ***1900679-003***

Source Name: ***WELL 03 - POWER HOUSE WELL***

Source Number: ***003***

Source Status: ***ACTIVE UNTREATED***

Water type: ***GROUNDWATER OR WELL***

GENERAL NON CHAP 15

DIAZINON	39570	WAIVED			

INORGANIC

ALUMINUM	01105	WAIVED	2011/09/01	< 50.000	
ANTIMONY	01097	WAIVED	2011/09/01	< 6.000	
ARSENIC	01002	WAIVED	2011/09/01	< 2.000	
ASBESTOS	81855	WAIVED	2011/09/01	< .200	
BARIUM	01007	WAIVED	2011/09/01	123.000	
BERYLLIUM	01012	WAIVED	2011/09/01	< 1.000	
CADMIUM	01027	WAIVED	2011/09/01	< 1.000	
CHROMIUM (TOTAL)	01034	WAIVED	2011/09/01	< 10.000	
CYANIDE	01291	WAIVED	2011/09/01	< 100.000	

**Testing interval is in months;*
0 = No data for this constituent and is DUE NOW
999 = Waived testing (not required)
I = Invalid (NOT) valid analyses reported

System Number: ***1900679***

System Name: ***RANCHO LOS AMIGOS MEDICAL CENTER***

PS Code: ***1900679-003***

Source Name: ***WELL 03 - POWER HOUSE WELL***

Source Number: ***003***

Source Status: ***ACTIVE UNTREATED***

Water type: ***GROUNDWATER OR WELL***

	STORET NUMBER	TESTING INTERVAL (MONTHS)*	LAST TEST DATE (yyyy/mm/dd)	LAST RESULT REPORTED	NEXT TEST DATE (yyyy/mm)
INORGANIC					
FLUORIDE (F) (NATURAL-SOURCE)	00951	WAIVED	2011/09/01	.312	
LEAD	01051	WAIVED	2003/11/21	.810	
MERCURY	71900	WAIVED	2011/09/01	< 1.000	
NICKEL	01067	WAIVED	2011/09/01	< 10.000	
PERCHLORATE	A-031	WAIVED	2011/09/01	< 4.000	
SELENIUM	01147	WAIVED	2011/09/01	< 5.000	
THALLIUM	01059	WAIVED	2011/09/01	< 1.000	
NITRATE/NITRITE					
NITRATE (AS NO3)	71850	WAIVED	2011/09/01	11.300	
NITRITE (AS N)	00620	WAIVED	2011/09/01	< 400.000	
RADIOLOGICAL					
GROSS ALPHA	01501	WAIVED			
GROSS BETA	03501	WAIVED			
RA-226 FOR CWS OR TOTAL RA FOR NTNC BY 903.0	A-080	WAIVED			
RA-226 OR TOTAL RA BY 903.0 C.E.	A-081	WAIVED			
RADIUM 226	09501	WAIVED			
RADIUM 228	11501	WAIVED			
RADIUM, TOTAL, MDA95-NTNC ONLY, BY 903.0	A-082	WAIVED			
STRONTIUM-90	13501	WAIVED			
TRITIUM	07000	WAIVED			
URANIUM (PCI/L)	28012	WAIVED			
REGULATED SOC					
2,3,7,8-TCDD (DIOXIN)	34676	WAIVED			
2,4,5-TP (SILVEX)	39045	WAIVED			
2,4-D	39730	WAIVED			
ALACHLOR	77825	WAIVED	2003/04/15	.000	
ATRAZINE	39033	WAIVED			
BENTAZON	38710	WAIVED			

**Testing interval is in months;*
0 = No data for this constituent and is DUE NOW
999 = Waived testing (not required)
I = Invalid (NOT) valid analyses reported

System Number: ***1900679***

System Name: ***RANCHO LOS AMIGOS MEDICAL CENTER***

PS Code: ***1900679-003***

Source Name: ***WELL 03 - POWER HOUSE WELL***

Source Number: ***003***

Source Status: ***ACTIVE UNTREATED***

Water type: ***GROUNDWATER OR WELL***

	STORET NUMBER	TESTING INTERVAL (MONTHS)*	LAST TEST DATE (yyyy/mm/dd)	LAST RESULT REPORTED	NEXT TEST DATE (yyyy/mm)
REGULATED SOC					
BENZO (A) PYRENE	34247	WAIVED			
CARBOFURAN	81405	WAIVED			
CHLORDANE	39350	WAIVED	2003/04/15	.000	
DALAPON	38432	WAIVED			
DI(2-ETHYLHEXYL)ADIPATE	A-026	WAIVED			
DI(2-ETHYLHEXYL)PHTHALATE	39100	WAIVED			
DIBROMOCHLOROPROPANE (DBCP)	38761	WAIVED			
DINOSEB	81287	WAIVED			
DIQUAT	78885	WAIVED			
ENDOTHALL	38926	WAIVED			
ENDRIN	39390	WAIVED	2003/04/15	.000	
ETHYLENE DIBROMIDE (EDB)	77651	WAIVED			
GLYPHOSATE	79743	WAIVED			
HEPTACHLOR	39410	WAIVED	2003/04/15	.000	
HEPTACHLOR EPOXIDE	39420	WAIVED	2003/04/15	.000	
HEXACHLOROBENZENE	39700	WAIVED	2003/04/15	.000	
HEXACHLOROCYCLOPENTADIENE	34386	WAIVED	2003/04/15	.000	
LINDANE	39340	WAIVED	2003/04/15	.000	
METHOXYCHLOR	39480	WAIVED	2003/04/15	.000	
MOLINATE	82199	WAIVED			
OXAMYL	38865	WAIVED			
PENTACHLOROPHENOL	39032	WAIVED			
PICLORAM	39720	WAIVED			
POLYCHLORINATED BIPHENYLS, TOTAL, AS DCB	39516	WAIVED	2003/04/15	.000	
SIMAZINE	39055	WAIVED			
THIOBENCARB	A-001	WAIVED			
TOXAPHENE	39400	WAIVED	2003/04/15	.000	
REGULATED VOC					
1,1,1-TRICHLOROETHANE	34506	WAIVED	2011/09/01	< .500	

**Testing interval is in months;*
0 = No data for this constituent and is DUE NOW
999 = Waived testing (not required)
I = Invalid (NOT) valid analyses reported

System Number: ***1900679***

System Name: ***RANCHO LOS AMIGOS MEDICAL CENTER***

PS Code: ***1900679-003***

Source Name: ***WELL 03 - POWER HOUSE WELL***

Source Number: ***003***

Source Status: ***ACTIVE UNTREATED***

Water type: ***GROUNDWATER OR WELL***

	STORET NUMBER	TESTING INTERVAL (MONTHS)*	LAST TEST DATE (yyyy/mm/dd)	LAST RESULT REPORTED	NEXT TEST DATE (yyyy/mm)
REGULATED VOC					
1,1,2,2-TETRACHLOROETHANE	34516	WAIVED	2011/09/01	< .500	
1,1,2-TRICHLORO-1,2,2-TRIFLUOROETHANE	81611	WAIVED	2011/09/01	< 10.000	
1,1,2-TRICHLOROETHANE	34511	WAIVED	2011/09/01	< .500	
1,1-DICHLOROETHANE	34496	WAIVED	2011/09/01	< .500	
1,1-DICHLOROETHYLENE	34501	WAIVED	2011/09/01	< .500	
1,2,4-TRICHLOROBENZENE	34551	WAIVED	2011/09/01	< .500	
1,2-DICHLOROBENZENE	34536	WAIVED	2011/09/01	< .500	
1,2-DICHLOROETHANE	34531	WAIVED	2011/09/01	< .500	
1,2-DICHLOROPROPANE	34541	WAIVED	2011/09/01	< .500	
1,3-DICHLOROPROPENE (TOTAL)	34561	WAIVED	2011/09/01	< .500	
1,4-DICHLOROBENZENE	34571	WAIVED	2011/09/01	< .500	
BENZENE	34030	WAIVED	2011/09/01	< .500	
CARBON TETRACHLORIDE	32102	WAIVED	2011/09/01	< .500	
CIS-1,2-DICHLOROETHYLENE	77093	WAIVED	2011/09/01	< .500	
DICHLOROMETHANE	34423	WAIVED	2011/09/01	< .500	
ETHYLBENZENE	34371	WAIVED	2011/09/01	< .500	
METHYL-TERT-BUTYL-ETHER (MTBE)	46491	WAIVED	2011/09/01	< 3.000	
MONOCHLOROBENZENE	34301	WAIVED	2011/09/01	< .500	
STYRENE	77128	WAIVED	2011/09/01	< .500	
TETRACHLOROETHYLENE	34475	WAIVED	2011/09/01	< .500	
TOLUENE	34010	WAIVED	2011/09/01	< .500	
TRANS-1,2-DICHLOROETHYLENE	34546	WAIVED	2011/09/01	< .500	
TRICHLOROETHYLENE	39180	WAIVED	2011/09/01	< .500	
TRICHLOROFLUOROMETHANE	34488	WAIVED	2011/09/01	< 5.000	
VINYL CHLORIDE	39175	WAIVED	2011/09/01	< .500	
XYLENES (TOTAL)	81551	WAIVED	2011/09/01	< .500	
SECONDARY/GP					
AGGRSSIVE INDEX (CORROSIVITY)	82383	WAIVED			
BICARBONATE ALKALINITY	00440	WAIVED	2004/05/27	210.000	

**Testing interval is in months;*
0 = No data for this constituent and is DUE NOW
999 = Waived testing (not required)
I = Invalid (NOT) valid analyses reported

System Number: ***1900679***

System Name: ***RANCHO LOS AMIGOS MEDICAL CENTER***

PS Code: ***1900679-003***

Source Name: ***WELL 03 - POWER HOUSE WELL***

Source Number: ***003***

Source Status: ***ACTIVE UNTREATED***

Water type: ***GROUNDWATER OR WELL***

SECONDARY/GP

	STORET NUMBER	TESTING INTERVAL (MONTHS)*	LAST TEST DATE (yyyy/mm/dd)	LAST RESULT REPORTED	NEXT TEST DATE (yyyy/mm)
CALCIUM	00916	WAIVED	2004/05/27	75.000	
CARBONATE ALKALINITY	00445	WAIVED	2004/05/27	< 2.000	
CHLORIDE	00940	WAIVED	2004/05/27	41.000	
COLOR	00081	WAIVED			
COPPER	01042	WAIVED	2004/05/27	55.000	
FOAMING AGENTS (MBAS)	38260	WAIVED	2004/05/27	< .050	
HARDNESS (TOTAL) AS CACO3	00900	WAIVED	2004/05/27	250.000	
HYDROXIDE ALKALINITY	71830	WAIVED	2004/05/27	< 2.000	
IRON	01045	WAIVED	2004/05/27	37.000	
MAGNESIUM	00927	WAIVED	2004/05/27	15.000	
MANGANESE	01055	WAIVED	2004/05/27	< 10.000	
ODOR THRESHOLD @ 60 C	00086	WAIVED			
PH, LABORATORY	00403	WAIVED	2004/05/27	7.580	
SILVER	01077	WAIVED	2003/11/21	< .200	
SODIUM	00929	WAIVED	2004/05/27	41.000	
SPECIFIC CONDUCTANCE	00095	WAIVED	2004/05/27	630.000	
SULFATE	00945	WAIVED	2004/05/27	86.000	
TOTAL DISSOLVED SOLIDS	70300	WAIVED	2004/05/27	400.000	
TURBIDITY, LABORATORY	82079	WAIVED			
ZINC	01092	WAIVED	2004/05/27	< 50.000	

**Testing interval is in months;*
0 = No data for this constituent and is DUE NOW
999 = Waived testing (not required)
I = Invalid (NOT) valid analyses reported

System Number: ***1900693***

System Name: ***DESERT PALMS MOBILE HOME PARK***

PS Code: ***1900693-001***

Source Name: ***WELL 01 NEW WELL***

Source Number: ***001***

Source Status: ***ACTIVE UNTREATED***

Water type: ***GROUNDWATER OR WELL***

	STORET NUMBER	TESTING INTERVAL (MONTHS)*	LAST TEST DATE (yyyy/mm/dd)	LAST RESULT REPORTED	NEXT TEST DATE (yyyy/mm)
GENERAL NON CHAP 15					
DIAZINON	39570	WAIVED			
INORGANIC					
ALUMINUM	01105	WAIVED			
ANTIMONY	01097	WAIVED			
ARSENIC	01002	WAIVED			
ASBESTOS	81855	WAIVED	2011/09/13	.000	
BARIUM	01007	WAIVED			
BERYLLIUM	01012	WAIVED			
CADMIUM	01027	WAIVED			
CHROMIUM (TOTAL)	01034	WAIVED	2003/03/21	.000	
CYANIDE	01291	WAIVED			
FLUORIDE (F) (NATURAL-SOURCE)	00951	WAIVED			
LEAD	01051	WAIVED			
MERCURY	71900	WAIVED			
NICKEL	01067	WAIVED			
PERCHLORATE	A-031	WAIVED			
SELENIUM	01147	WAIVED			
THALLIUM	01059	WAIVED			
NITRATE/NITRITE					
NITRATE (AS NO3)	71850	WAIVED	2010/10/07	7.800	
NITRITE (AS N)	00620	WAIVED	2010/10/07	< 50.000	
RADIOLOGICAL					
GROSS ALPHA	01501	WAIVED	2011/09/13	5.580	
GROSS BETA	03501	WAIVED			
RA-226 FOR CWS OR TOTAL RA FOR NTNC BY 903.0	A-080	WAIVED			
RA-226 OR TOTAL RA BY 903.0 C.E.	A-081	WAIVED			
RADIUM 226	09501	WAIVED			
RADIUM 228	11501	WAIVED			

**Testing interval is in months;*
0 = No data for this constituent and is DUE NOW
999 = Waived testing (not required)
I = Invalid (NOT) valid analyses reported

System Number: ***1900693***

System Name: ***DESERT PALMS MOBILE HOME PARK***

PS Code: ***1900693-001***

Source Name: ***WELL 01 NEW WELL***

Source Number: ***001***

Source Status: ***ACTIVE UNTREATED***

Water type: ***GROUNDWATER OR WELL***

	STORET NUMBER	TESTING INTERVAL (MONTHS)*	LAST TEST DATE (yyyy/mm/dd)	LAST RESULT REPORTED	NEXT TEST DATE (yyyy/mm)
RADIOLOGICAL					
RADIUM, TOTAL, MDA95-NTNC ONLY, BY 903.0	A-082	WAIVED			
STRONTIUM-90	13501	WAIVED			
TRITIUM	07000	WAIVED			
URANIUM (PCI/L)	28012	WAIVED	2011/09/13	< .000	
REGULATED SOC					
2,3,7,8-TCDD (DIOXIN)	34676	WAIVED			
2,4,5-TP (SILVEX)	39045	WAIVED			
2,4-D	39730	WAIVED			
ALACHLOR	77825	WAIVED	2003/03/21	.000	
ATRAZINE	39033	WAIVED			
BENTAZON	38710	WAIVED			
BENZO (A) PYRENE	34247	WAIVED			
CARBOFURAN	81405	WAIVED			
CHLORDANE	39350	WAIVED	2003/03/21	.000	
DALAPON	38432	WAIVED			
DI(2-ETHYLHEXYL)ADIPATE	A-026	WAIVED			
DI(2-ETHYLHEXYL)PHTHALATE	39100	WAIVED			
DIBROMOCHLOROPROPANE (DBCP)	38761	WAIVED			
DINOSEB	81287	WAIVED			
DIQUAT	78885	WAIVED			
ENDOTHALL	38926	WAIVED			
ENDRIN	39390	WAIVED	2003/03/21	.000	
ETHYLENE DIBROMIDE (EDB)	77651	WAIVED			
GLYPHOSATE	79743	WAIVED			
HEPTACHLOR	39410	WAIVED	2003/03/21	.000	
HEPTACHLOR EPOXIDE	39420	WAIVED	2003/03/21	.000	
HEXACHLOROBENZENE	39700	WAIVED	2003/03/21	.000	
HEXACHLOROCYCLOPENTADIENE	34386	WAIVED	2003/03/21	.000	
LINDANE	39340	WAIVED	2003/03/21	.000	

**Testing interval is in months;*
0 = No data for this constituent and is DUE NOW
999 = Waived testing (not required)
I = Invalid (NOT) valid analyses reported

System Number: ***1900693***

System Name: ***DESERT PALMS MOBILE HOME PARK***

PS Code: ***1900693-001***

Source Name: ***WELL 01 NEW WELL***

Source Number: ***001***

Source Status: ***ACTIVE UNTREATED***

Water type: ***GROUNDWATER OR WELL***

	STORET NUMBER	TESTING INTERVAL (MONTHS)*	LAST TEST DATE (yyyy/mm/dd)	LAST RESULT REPORTED	NEXT TEST DATE (yyyy/mm)
REGULATED SOC					
METHOXYCHLOR	39480	WAIVED	2003/03/21	.000	
MOLINATE	82199	WAIVED			
OXAMYL	38865	WAIVED			
PENTACHLOROPHENOL	39032	WAIVED			
PICLORAM	39720	WAIVED			
POLYCHLORINATED BIPHENYLS, TOTAL, AS DCB	39516	WAIVED	2003/03/21	.000	
SIMAZINE	39055	WAIVED			
THIOBENCARB	A-001	WAIVED			
TOXAPHENE	39400	WAIVED	2003/03/21	.000	
REGULATED VOC					
1,1,1-TRICHLOROETHANE	34506	WAIVED	2003/03/21	.000	
1,1,2,2-TETRACHLOROETHANE	34516	WAIVED	2003/03/21	.000	
1,1,2-TRICHLORO-1,2,2-TRIFLUOROETHANE	81611	WAIVED	2003/03/21	.000	
1,1,2-TRICHLOROETHANE	34511	WAIVED	2003/03/21	.000	
1,1-DICHLOROETHANE	34496	WAIVED	2003/03/21	.000	
1,1-DICHLOROETHYLENE	34501	WAIVED	2003/03/21	.000	
1,2,4-TRICHLOROBENZENE	34551	WAIVED	2003/03/21	.000	
1,2-DICHLOROBENZENE	34536	WAIVED	2003/03/21	.000	
1,2-DICHLOROETHANE	34531	WAIVED	2003/03/21	.000	
1,2-DICHLOROPROPANE	34541	WAIVED	2003/03/21	.000	
1,3-DICHLOROPROPENE (TOTAL)	34561	WAIVED	2003/03/21	.000	
1,4-DICHLOROBENZENE	34571	WAIVED	2003/03/21	.000	
BENZENE	34030	WAIVED	2003/03/21	.000	
CARBON TETRACHLORIDE	32102	WAIVED	2003/03/21	.000	
CIS-1,2-DICHLOROETHYLENE	77093	WAIVED	2003/03/21	.000	
DICHLOROMETHANE	34423	WAIVED	2003/03/21	.000	
ETHYLBENZENE	34371	WAIVED	2003/03/21	.000	
METHYL-TERT-BUTYL-ETHER (MTBE)	46491	WAIVED	2003/03/21	.000	
MONOCHLOROBENZENE	34301	WAIVED	2003/03/21	.000	

**Testing interval is in months;*
0 = No data for this constituent and is DUE NOW
999 = Waived testing (not required)
I = Invalid (NOT) valid analyses reported

System Number: ***1900693***

System Name: ***DESERT PALMS MOBILE HOME PARK***

PS Code: ***1900693-001***

Source Name: ***WELL 01 NEW WELL***

Source Number: ***001***

Source Status: ***ACTIVE UNTREATED***

Water type: ***GROUNDWATER OR WELL***

	STORET NUMBER	TESTING INTERVAL (MONTHS)*	LAST TEST DATE (yyyy/mm/dd)	LAST RESULT REPORTED	NEXT TEST DATE (yyyy/mm)
REGULATED VOC					
STYRENE	77128	WAIVED	2003/03/21	.000	
TETRACHLOROETHYLENE	34475	WAIVED	2003/03/21	.000	
TOLUENE	34010	WAIVED	2003/03/21	.000	
TRANS-1,2-DICHLOROETHYLENE	34546	WAIVED	2003/03/21	.000	
TRICHLOROETHYLENE	39180	WAIVED	2003/03/21	.000	
TRICHLOROFLUOROMETHANE	34488	WAIVED	2003/03/21	.000	
VINYL CHLORIDE	39175	WAIVED	2003/03/21	.000	
XYLENES (TOTAL)	81551	WAIVED	2003/03/21	.000	
SECONDARY/GP					
AGGRSSIVE INDEX (CORROSIVITY)	82383	WAIVED			
BICARBONATE ALKALINITY	00440	WAIVED			
CALCIUM	00916	WAIVED			
CARBONATE ALKALINITY	00445	WAIVED			
CHLORIDE	00940	WAIVED			
COLOR	00081	WAIVED			
COPPER	01042	WAIVED			
FOAMING AGENTS (MBAS)	38260	WAIVED			
HARDNESS (TOTAL) AS CACO3	00900	WAIVED			
HYDROXIDE ALKALINITY	71830	WAIVED			
IRON	01045	WAIVED			
MAGNESIUM	00927	WAIVED			
MANGANESE	01055	WAIVED			
ODOR THRESHOLD @ 60 C	00086	WAIVED			
PH, LABORATORY	00403	WAIVED			
SILVER	01077	WAIVED			
SODIUM	00929	WAIVED			
SPECIFIC CONDUCTANCE	00095	WAIVED			
SULFATE	00945	WAIVED			
TOTAL DISSOLVED SOLIDS	70300	WAIVED			

**Testing interval is in months;*
0 = No data for this constituent and is DUE NOW
999 = Waived testing (not required)
I = Invalid (NOT) valid analyses reported

System Number: ***1900693***

System Name: ***DESERT PALMS MOBILE HOME PARK***

PS Code: ***1900693-001***

Source Name: ***WELL 01 NEW WELL***

Source Number: ***001***

Source Status: ***ACTIVE UNTREATED***

Water type: ***GROUNDWATER OR WELL***

	STORET NUMBER	TESTING INTERVAL (MONTHS)*	LAST TEST DATE (yyyy/mm/dd)	LAST RESULT REPORTED	NEXT TEST DATE (yyyy/mm)
SECONDARY/GP					
TURBIDITY, LABORATORY	82079	WAIVED			
ZINC	01092	WAIVED			

PS Code: ***1900693-003***

Source Name: ***WELL 03***

Source Number: ***003***

Source Status: ***ACTIVE UNTREATED***

Water type: ***GROUNDWATER OR WELL***

GENERAL NON CHAP 15					
DIAZINON	39570	WAIVED			
INORGANIC					
ALUMINUM	01105	WAIVED			
ANTIMONY	01097	WAIVED			
ARSENIC	01002	WAIVED			
ASBESTOS	81855	WAIVED			
BARIUM	01007	WAIVED			
BERYLLIUM	01012	WAIVED			
CADMIUM	01027	WAIVED			
CHROMIUM (TOTAL)	01034	WAIVED			
CYANIDE	01291	WAIVED			
FLUORIDE (F) (NATURAL-SOURCE)	00951	WAIVED			
LEAD	01051	WAIVED			
MERCURY	71900	WAIVED			
NICKEL	01067	WAIVED			
PERCHLORATE	A-031	WAIVED			
SELENIUM	01147	WAIVED			
THALLIUM	01059	WAIVED			

**Testing interval is in months;*
0 = No data for this constituent and is DUE NOW
999 = Waived testing (not required)
I = Invalid (NOT) valid analyses reported

System Number: ***1900693***

System Name: ***DESERT PALMS MOBILE HOME PARK***

PS Code: ***1900693-003***

Source Name: ***WELL 03***

Source Number: ***003***

Source Status: ***ACTIVE UNTREATED***

Water type: ***GROUNDWATER OR WELL***

	STORET NUMBER	TESTING INTERVAL (MONTHS)*	LAST TEST DATE (yyyy/mm/dd)	LAST RESULT REPORTED	NEXT TEST DATE (yyyy/mm)
NITRATE/NITRITE					
NITRATE (AS NO3)	71850	WAIVED			
NITRITE (AS N)	00620	WAIVED			
RADIOLOGICAL					
GROSS ALPHA	01501	WAIVED			
GROSS BETA	03501	WAIVED			
RA-226 FOR CWS OR TOTAL RA FOR NTNC BY 903.0	A-080	WAIVED			
RA-226 OR TOTAL RA BY 903.0 C.E.	A-081	WAIVED			
RADIUM 226	09501	WAIVED			
RADIUM 228	11501	WAIVED			
RADIUM, TOTAL, MDA95-NTNC ONLY, BY 903.0	A-082	WAIVED			
STRONTIUM-90	13501	WAIVED			
TRITIUM	07000	WAIVED			
URANIUM (PCI/L)	28012	WAIVED			
REGULATED SOC					
2,3,7,8-TCDD (DIOXIN)	34676	WAIVED			
2,4,5-TP (SILVEX)	39045	WAIVED			
2,4-D	39730	WAIVED			
ALACHLOR	77825	WAIVED			
ATRAZINE	39033	WAIVED			
BENTAZON	38710	WAIVED			
BENZO (A) PYRENE	34247	WAIVED			
CARBOFURAN	81405	WAIVED			
CHLORDANE	39350	WAIVED			
DALAPON	38432	WAIVED			
DI(2-ETHYLHEXYL)ADIPATE	A-026	WAIVED			
DI(2-ETHYLHEXYL)PHTHALATE	39100	WAIVED			
DIBROMOCHLOROPROPANE (DBCP)	38761	WAIVED			
DINOSEB	81287	WAIVED			
DIQUAT	78885	WAIVED			

**Testing interval is in months;*
0 = No data for this constituent and is DUE NOW
999 = Waived testing (not required)
I = Invalid (NOT) valid analyses reported

System Number: ***1900693***

System Name: ***DESERT PALMS MOBILE HOME PARK***

PS Code: ***1900693-003***

Source Name: ***WELL 03***

Source Number: ***003***

Source Status: ***ACTIVE UNTREATED***

Water type: ***GROUNDWATER OR WELL***

	STORET NUMBER	TESTING INTERVAL (MONTHS)*	LAST TEST DATE (yyyy/mm/dd)	LAST RESULT REPORTED	NEXT TEST DATE (yyyy/mm)
REGULATED SOC					
ENDOTHALL	38926	WAIVED			
ENDRIN	39390	WAIVED			
ETHYLENE DIBROMIDE (EDB)	77651	WAIVED			
GLYPHOSATE	79743	WAIVED			
HEPTACHLOR	39410	WAIVED			
HEPTACHLOR EPOXIDE	39420	WAIVED			
HEXACHLOROBENZENE	39700	WAIVED			
HEXACHLOROCYCLOPENTADIENE	34386	WAIVED			
LINDANE	39340	WAIVED			
METHOXYCHLOR	39480	WAIVED			
MOLINATE	82199	WAIVED			
OXAMYL	38865	WAIVED			
PENTACHLOROPHENOL	39032	WAIVED			
PICLORAM	39720	WAIVED			
POLYCHLORINATED BIPHENYLS, TOTAL, AS DCB	39516	WAIVED			
SIMAZINE	39055	WAIVED			
THIOBENCARB	A-001	WAIVED			
TOXAPHENE	39400	WAIVED			
REGULATED VOC					
1,1,1-TRICHLOROETHANE	34506	WAIVED			
1,1,2,2-TETRACHLOROETHANE	34516	WAIVED			
1,1,2-TRICHLORO-1,2,2-TRIFLUOROETHANE	81611	WAIVED			
1,1,2-TRICHLOROETHANE	34511	WAIVED			
1,1-DICHLOROETHANE	34496	WAIVED			
1,1-DICHLOROETHYLENE	34501	WAIVED			
1,2,4-TRICHLOROBENZENE	34551	WAIVED			
1,2-DICHLOROBENZENE	34536	WAIVED			
1,2-DICHLOROETHANE	34531	WAIVED			
1,2-DICHLOROPROPANE	34541	WAIVED			

**Testing interval is in months;*
0 = No data for this constituent and is DUE NOW
999 = Waived testing (not required)
I = Invalid (NOT) valid analyses reported

System Number: ***1900693***

System Name: ***DESERT PALMS MOBILE HOME PARK***

PS Code: ***1900693-003***

Source Name: ***WELL 03***

Source Number: ***003***

Source Status: ***ACTIVE UNTREATED***

Water type: ***GROUNDWATER OR WELL***

	STORET NUMBER	TESTING INTERVAL (MONTHS)*	LAST TEST DATE (yyyy/mm/dd)	LAST RESULT REPORTED	NEXT TEST DATE (yyyy/mm)
REGULATED VOC					
1,3-DICHLOROPROPENE (TOTAL)	34561	WAIVED			
1,4-DICHLOROBENZENE	34571	WAIVED			
BENZENE	34030	WAIVED			
CARBON TETRACHLORIDE	32102	WAIVED			
CIS-1,2-DICHLOROETHYLENE	77093	WAIVED			
DICHLOROMETHANE	34423	WAIVED			
ETHYLBENZENE	34371	WAIVED			
METHYL-TERT-BUTYL-ETHER (MTBE)	46491	WAIVED			
MONOCHLOROBENZENE	34301	WAIVED			
STYRENE	77128	WAIVED			
TETRACHLOROETHYLENE	34475	WAIVED			
TOLUENE	34010	WAIVED			
TRANS-1,2-DICHLOROETHYLENE	34546	WAIVED			
TRICHLOROETHYLENE	39180	WAIVED			
TRICHLOROFLUOROMETHANE	34488	WAIVED			
VINYL CHLORIDE	39175	WAIVED			
XYLENES (TOTAL)	81551	WAIVED			
SECONDARY/GP					
AGGRSSIVE INDEX (CORROSIVITY)	82383	WAIVED			
BICARBONATE ALKALINITY	00440	WAIVED			
CALCIUM	00916	WAIVED			
CARBONATE ALKALINITY	00445	WAIVED			
CHLORIDE	00940	WAIVED			
COLOR	00081	WAIVED			
COPPER	01042	WAIVED			
FOAMING AGENTS (MBAS)	38260	WAIVED			
HARDNESS (TOTAL) AS CACO3	00900	WAIVED			
HYDROXIDE ALKALINITY	71830	WAIVED			
IRON	01045	WAIVED			

**Testing interval is in months;*
0 = No data for this constituent and is DUE NOW
999 = Waived testing (not required)
I = Invalid (NOT) valid analyses reported

System Number: ***1900693***

System Name: ***DESERT PALMS MOBILE HOME PARK***

PS Code: ***1900693-003***

Source Name: ***WELL 03***

Source Number: ***003***

Source Status: ***ACTIVE UNTREATED***

Water type: ***GROUNDWATER OR WELL***

SECONDARY/GP	STORET NUMBER	TESTING INTERVAL (MONTHS)*	LAST TEST DATE (yyyy/mm/dd)	LAST RESULT REPORTED	NEXT TEST DATE (yyyy/mm)
MAGNESIUM	00927	WAIVED			
MANGANESE	01055	WAIVED			
ODOR THRESHOLD @ 60 C	00086	WAIVED			
PH, LABORATORY	00403	WAIVED			
SILVER	01077	WAIVED			
SODIUM	00929	WAIVED			
SPECIFIC CONDUCTANCE	00095	WAIVED			
SULFATE	00945	WAIVED			
TOTAL DISSOLVED SOLIDS	70300	WAIVED			
TURBIDITY, LABORATORY	82079	WAIVED			
ZINC	01092	WAIVED			

**Testing interval is in months;*
0 = No data for this constituent and is DUE NOW
999 = Waived testing (not required)
I = Invalid (NOT) valid analyses reported

System Number: ***1900699***

System Name: ***MILLARD CANYON IMPROVEMENT ASSN***

PS Code: ***1900699-001***

Source Name: ***WELL 01***

Source Number: ***001***

Source Status: ***ACTIVE UNTREATED***

Water type: ***GROUNDWATER OR WELL***

	STORET NUMBER	TESTING INTERVAL (MONTHS)*	LAST TEST DATE (yyyy/mm/dd)	LAST RESULT REPORTED	NEXT TEST DATE (yyyy/mm)
GENERAL NON CHAP 15					
DIAZINON	39570	WAIVED			
INORGANIC					
ALUMINUM	01105	WAIVED	2004/01/30	.000	
ANTIMONY	01097	WAIVED	2002/11/06	.000	
ARSENIC	01002	WAIVED	2004/01/30	5.600	
ASBESTOS	81855	WAIVED			
BARIUM	01007	WAIVED	2004/01/30	.000	
BERYLLIUM	01012	WAIVED			
CADMIUM	01027	WAIVED	2004/01/30	.000	
CHROMIUM (TOTAL)	01034	WAIVED	2004/01/30	.000	
CYANIDE	01291	WAIVED			
FLUORIDE (F) (NATURAL-SOURCE)	00951	WAIVED	2004/01/30	2.600	
LEAD	01051	WAIVED	2004/01/30	.000	
MERCURY	71900	WAIVED	2004/01/30	.000	
NICKEL	01067	WAIVED	2004/01/30	.000	
PERCHLORATE	A-031	WAIVED			
SELENIUM	01147	WAIVED	2004/01/30	.000	
THALLIUM	01059	WAIVED			
NITRATE/NITRITE					
NITRATE (AS NO3)	71850	WAIVED	2007/10/04	.000	
NITRITE (AS N)	00620	WAIVED	2007/10/04	.000	
RADIOLOGICAL					
GROSS ALPHA	01501	WAIVED			
GROSS BETA	03501	WAIVED			
RA-226 FOR CWS OR TOTAL RA FOR NTNC BY 903.0	A-080	WAIVED			
RA-226 OR TOTAL RA BY 903.0 C.E.	A-081	WAIVED			
RADIUM 226	09501	WAIVED			
RADIUM 228	11501	WAIVED			

**Testing interval is in months;*
0 = No data for this constituent and is DUE NOW
999 = Waived testing (not required)
I = Invalid (NOT) valid analyses reported

System Number: ***1900699***

System Name: ***MILLARD CANYON IMPROVEMENT ASSN***

PS Code: ***1900699-001***

Source Name: ***WELL 01***

Source Number: ***001***

Source Status: ***ACTIVE UNTREATED***

Water type: ***GROUNDWATER OR WELL***

	STORET NUMBER	TESTING INTERVAL (MONTHS)*	LAST TEST DATE (yyyy/mm/dd)	LAST RESULT REPORTED	NEXT TEST DATE (yyyy/mm)
RADIOLOGICAL					
RADIUM, TOTAL, MDA95-NTNC ONLY, BY 903.0	A-082	WAIVED			
STRONTIUM-90	13501	WAIVED			
TRITIUM	07000	WAIVED			
URANIUM (PCI/L)	28012	WAIVED			
REGULATED SOC					
2,3,7,8-TCDD (DIOXIN)	34676	WAIVED			
2,4,5-TP (SILVEX)	39045	WAIVED			
2,4-D	39730	WAIVED			
ALACHLOR	77825	WAIVED			
ATRAZINE	39033	WAIVED			
BENTAZON	38710	WAIVED			
BENZO (A) PYRENE	34247	WAIVED			
CARBOFURAN	81405	WAIVED			
CHLORDANE	39350	WAIVED			
DALAPON	38432	WAIVED			
DI(2-ETHYLHEXYL)ADIPATE	A-026	WAIVED			
DI(2-ETHYLHEXYL)PHTHALATE	39100	WAIVED			
DIBROMOCHLOROPROPANE (DBCP)	38761	WAIVED			
DINOSEB	81287	WAIVED			
DIQUAT	78885	WAIVED			
ENDOTHALL	38926	WAIVED			
ENDRIN	39390	WAIVED			
ETHYLENE DIBROMIDE (EDB)	77651	WAIVED			
GLYPHOSATE	79743	WAIVED			
HEPTACHLOR	39410	WAIVED			
HEPTACHLOR EPOXIDE	39420	WAIVED			
HEXACHLOROBENZENE	39700	WAIVED			
HEXACHLOROCYCLOPENTADIENE	34386	WAIVED			
LINDANE	39340	WAIVED			

**Testing interval is in months;*
0 = No data for this constituent and is DUE NOW
999 = Waived testing (not required)
I = Invalid (NOT) valid analyses reported

System Number: ***1900699***

System Name: ***MILLARD CANYON IMPROVEMENT ASSN***

PS Code: ***1900699-001***

Source Name: ***WELL 01***

Source Number: ***001***

Source Status: ***ACTIVE UNTREATED***

Water type: ***GROUNDWATER OR WELL***

	STORET NUMBER	TESTING INTERVAL (MONTHS)*	LAST TEST DATE (yyyy/mm/dd)	LAST RESULT REPORTED	NEXT TEST DATE (yyyy/mm)
REGULATED SOC					
METHOXYCHLOR	39480	WAIVED			
MOLINATE	82199	WAIVED			
OXAMYL	38865	WAIVED			
PENTACHLOROPHENOL	39032	WAIVED			
PICLORAM	39720	WAIVED			
POLYCHLORINATED BIPHENYLS, TOTAL, AS DCB	39516	WAIVED			
SIMAZINE	39055	WAIVED			
THIOBENCARB	A-001	WAIVED			
TOXAPHENE	39400	WAIVED			
REGULATED VOC					
1,1,1-TRICHLOROETHANE	34506	WAIVED			
1,1,2,2-TETRACHLOROETHANE	34516	WAIVED			
1,1,2-TRICHLORO-1,2,2-TRIFLUOROETHANE	81611	WAIVED			
1,1,2-TRICHLOROETHANE	34511	WAIVED			
1,1-DICHLOROETHANE	34496	WAIVED			
1,1-DICHLOROETHYLENE	34501	WAIVED			
1,2,4-TRICHLOROBENZENE	34551	WAIVED			
1,2-DICHLOROBENZENE	34536	WAIVED			
1,2-DICHLOROETHANE	34531	WAIVED			
1,2-DICHLOROPROPANE	34541	WAIVED			
1,3-DICHLOROPROPENE (TOTAL)	34561	WAIVED			
1,4-DICHLOROBENZENE	34571	WAIVED			
BENZENE	34030	WAIVED			
CARBON TETRACHLORIDE	32102	WAIVED			
CIS-1,2-DICHLOROETHYLENE	77093	WAIVED			
DICHLOROMETHANE	34423	WAIVED			
ETHYLBENZENE	34371	WAIVED			
METHYL-TERT-BUTYL-ETHER (MTBE)	46491	WAIVED			
MONOCHLOROBENZENE	34301	WAIVED			

**Testing interval is in months;*
0 = No data for this constituent and is DUE NOW
999 = Waived testing (not required)
I = Invalid (NOT) valid analyses reported

System Number: ***1900699***

System Name: ***MILLARD CANYON IMPROVEMENT ASSN***

PS Code: ***1900699-001***

Source Name: ***WELL 01***

Source Number: ***001***

Source Status: ***ACTIVE UNTREATED***

Water type: ***GROUNDWATER OR WELL***

	STORET NUMBER	TESTING INTERVAL (MONTHS)*	LAST TEST DATE (yyyy/mm/dd)	LAST RESULT REPORTED	NEXT TEST DATE (yyyy/mm)
REGULATED VOC					
STYRENE	77128	WAIVED			
TETRACHLOROETHYLENE	34475	WAIVED			
TOLUENE	34010	WAIVED			
TRANS-1,2-DICHLOROETHYLENE	34546	WAIVED			
TRICHLOROETHYLENE	39180	WAIVED			
TRICHLOROFLUOROMETHANE	34488	WAIVED			
VINYL CHLORIDE	39175	WAIVED			
XYLENES (TOTAL)	81551	WAIVED			
SECONDARY/GP					
AGGRSSIVE INDEX (CORROSIVITY)	82383	WAIVED			
BICARBONATE ALKALINITY	00440	WAIVED	2004/01/30	173.000	
CALCIUM	00916	WAIVED	2004/01/30	38.400	
CARBONATE ALKALINITY	00445	WAIVED	2004/01/30	.000	
CHLORIDE	00940	WAIVED	2004/01/30	10.100	
COLOR	00081	WAIVED	2004/01/30	10.000	
COPPER	01042	WAIVED	2004/01/30	.000	
FOAMING AGENTS (MBAS)	38260	WAIVED	2004/01/30	.000	
HARDNESS (TOTAL) AS CACO3	00900	WAIVED	2004/01/30	164.000	
HYDROXIDE ALKALINITY	71830	WAIVED	2004/01/30	.000	
IRON	01045	WAIVED	2004/01/30	443.000	
MAGNESIUM	00927	WAIVED	2004/01/30	16.500	
MANGANESE	01055	WAIVED	2004/01/30	42.200	
ODOR THRESHOLD @ 60 C	00086	WAIVED	2004/01/30	.000	
PH, LABORATORY	00403	WAIVED	2004/01/30	7.620	
SILVER	01077	WAIVED	2004/01/30	.000	
SODIUM	00929	WAIVED	2004/01/30	21.400	
SPECIFIC CONDUCTANCE	00095	WAIVED	2004/01/30	400.000	
SULFATE	00945	WAIVED	2004/01/30	42.800	
TOTAL DISSOLVED SOLIDS	70300	WAIVED	2004/01/30	252.000	

**Testing interval is in months;*
0 = No data for this constituent and is DUE NOW
999 = Waived testing (not required)
I = Invalid (NOT) valid analyses reported

System Number: ***1900699***

System Name: ***MILLARD CANYON IMPROVEMENT ASSN***

PS Code: ***1900699-001***

Source Name: ***WELL 01***

Source Number: ***001***

Source Status: ***ACTIVE UNTREATED***

Water type: ***GROUNDWATER OR WELL***

	STORET NUMBER	TESTING INTERVAL (MONTHS)*	LAST TEST DATE (yyyy/mm/dd)	LAST RESULT REPORTED	NEXT TEST DATE (yyyy/mm)
SECONDARY/GP					
TURBIDITY, LABORATORY	**82079**	**WAIVED**	2004/01/30	**3.590**	
ZINC	**01092**	**WAIVED**	2004/01/30	**156.000**	

**Testing interval is in months;*
0 = No data for this constituent and is DUE NOW
999 = Waived testing (not required)
I = Invalid (NOT) valid analyses reported

System Number: ***1900702***

System Name: ***FOLLOWS CAMP***

PS Code: ***1900702-001***

Source Name: ***WELL 01***

Source Number: ***001***

Source Status: ***ACTIVE UNTREATED***

Water type: ***GROUNDWATER OR WELL***

	STORET NUMBER	TESTING INTERVAL (MONTHS)*	LAST TEST DATE (yyyy/mm/dd)	LAST RESULT REPORTED	NEXT TEST DATE (yyyy/mm)
GENERAL NON CHAP 15					
DIAZINON	39570	WAIVED			
INORGANIC					
ALUMINUM	01105	WAIVED	2003/08/27	.000	
ANTIMONY	01097	WAIVED	2003/08/27	.000	
ARSENIC	01002	WAIVED	2003/08/27	3.680	
ASBESTOS	81855	WAIVED			
BARIUM	01007	WAIVED	2003/08/27	106.000	
BERYLLIUM	01012	WAIVED	2000/09/11	.000	
CADMIUM	01027	WAIVED	2003/08/27	.000	
CHROMIUM (TOTAL)	01034	WAIVED	2003/08/27	.000	
CYANIDE	01291	WAIVED			
FLUORIDE (F) (NATURAL-SOURCE)	00951	WAIVED	2003/08/27	.200	
LEAD	01051	WAIVED	2003/08/27	.000	
MERCURY	71900	WAIVED	2003/08/27	.000	
NICKEL	01067	WAIVED	2003/08/27	.000	
PERCHLORATE	A-031	WAIVED			
SELENIUM	01147	WAIVED	2003/08/27	.000	
THALLIUM	01059	WAIVED	1998/01/08	.000	
NITRATE/NITRITE					
NITRATE (AS NO3)	71850	WAIVED	2004/08/25	2.270	
NITRITE (AS N)	00620	WAIVED			
RADIOLOGICAL					
GROSS ALPHA	01501	WAIVED			
GROSS BETA	03501	WAIVED			
RA-226 FOR CWS OR TOTAL RA FOR NTNC BY 903.0	A-080	WAIVED			
RA-226 OR TOTAL RA BY 903.0 C.E.	A-081	WAIVED			
RADIUM 226	09501	WAIVED			
RADIUM 228	11501	WAIVED			

**Testing interval is in months;*
0 = No data for this constituent and is DUE NOW
999 = Waived testing (not required)
I = Invalid (NOT) valid analyses reported

System Number: ***1900702***

System Name: ***FOLLOWS CAMP***

PS Code: ***1900702-001***

Source Name: ***WELL 01***

Source Number: ***001***

Source Status: ***ACTIVE UNTREATED***

Water type: ***GROUNDWATER OR WELL***

	STORET NUMBER	TESTING INTERVAL (MONTHS)*	LAST TEST DATE (yyyy/mm/dd)	LAST RESULT REPORTED	NEXT TEST DATE (yyyy/mm)
RADIOLOGICAL					
RADIUM, TOTAL, MDA95-NTNC ONLY, BY 903.0	A-082	WAIVED			
STRONTIUM-90	13501	WAIVED			
TRITIUM	07000	WAIVED			
URANIUM (PCI/L)	28012	WAIVED			
REGULATED SOC					
2,3,7,8-TCDD (DIOXIN)	34676	WAIVED			
2,4,5-TP (SILVEX)	39045	WAIVED			
2,4-D	39730	WAIVED			
ALACHLOR	77825	WAIVED	2001/06/15	.000	
ATRAZINE	39033	WAIVED			
BENTAZON	38710	WAIVED			
BENZO (A) PYRENE	34247	WAIVED			
CARBOFURAN	81405	WAIVED			
CHLORDANE	39350	WAIVED	2001/06/15	.000	
DALAPON	38432	WAIVED			
DI(2-ETHYLHEXYL)ADIPATE	A-026	WAIVED			
DI(2-ETHYLHEXYL)PHTHALATE	39100	WAIVED	2001/06/15	.000	
DIBROMOCHLOROPROPANE (DBCP)	38761	WAIVED			
DINOSEB	81287	WAIVED			
DIQUAT	78885	WAIVED			
ENDOTHALL	38926	WAIVED			
ENDRIN	39390	WAIVED	2001/06/15	.000	
ETHYLENE DIBROMIDE (EDB)	77651	WAIVED			
GLYPHOSATE	79743	WAIVED			
HEPTACHLOR	39410	WAIVED	2001/06/15	.000	
HEPTACHLOR EPOXIDE	39420	WAIVED	2001/06/15	.000	
HEXACHLOROBENZENE	39700	WAIVED	2001/06/15	.000	
HEXACHLOROCYCLOPENTADIENE	34386	WAIVED	2001/06/15	.000	
LINDANE	39340	WAIVED	2001/06/15	.000	

**Testing interval is in months;*
0 = No data for this constituent and is DUE NOW
999 = Waived testing (not required)
I = Invalid (NOT) valid analyses reported

System Number: ***1900702***

System Name: ***FOLLOWS CAMP***

PS Code: ***1900702-001***

Source Name: ***WELL 01***

Source Number: ***001***

Source Status: ***ACTIVE UNTREATED***

Water type: ***GROUNDWATER OR WELL***

	STORET NUMBER	TESTING INTERVAL (MONTHS)*	LAST TEST DATE (yyyy/mm/dd)	LAST RESULT REPORTED	NEXT TEST DATE (yyyy/mm)
REGULATED SOC					
METHOXYCHLOR	39480	WAIVED	2001/06/15	.000	
MOLINATE	82199	WAIVED			
OXAMYL	38865	WAIVED			
PENTACHLOROPHENOL	39032	WAIVED			
PICLORAM	39720	WAIVED			
POLYCHLORINATED BIPHENYLS, TOTAL, AS DCB	39516	WAIVED	2001/06/15	.000	
SIMAZINE	39055	WAIVED			
THIOBENCARB	A-001	WAIVED			
TOXAPHENE	39400	WAIVED	2001/06/15	.000	
REGULATED VOC					
1,1,1-TRICHLOROETHANE	34506	WAIVED	2001/06/15	.000	
1,1,2,2-TETRACHLOROETHANE	34516	WAIVED	2001/06/15	.000	
1,1,2-TRICHLORO-1,2,2-TRIFLUOROETHANE	81611	WAIVED	2001/06/15	.000	
1,1,2-TRICHLOROETHANE	34511	WAIVED	2001/06/15	.000	
1,1-DICHLOROETHANE	34496	WAIVED	2001/06/15	.000	
1,1-DICHLOROETHYLENE	34501	WAIVED	2001/06/15	.000	
1,2,4-TRICHLOROBENZENE	34551	WAIVED	2001/06/15	.000	
1,2-DICHLOROBENZENE	34536	WAIVED	2001/06/15	.000	
1,2-DICHLOROETHANE	34531	WAIVED	2001/06/15	.000	
1,2-DICHLOROPROPANE	34541	WAIVED	2001/06/15	.000	
1,3-DICHLOROPROPENE (TOTAL)	34561	WAIVED	2001/06/15	.000	
1,4-DICHLOROBENZENE	34571	WAIVED	2001/06/15	.000	
BENZENE	34030	WAIVED	2001/06/15	.000	
CARBON TETRACHLORIDE	32102	WAIVED	2001/06/15	.000	
CIS-1,2-DICHLOROETHYLENE	77093	WAIVED	2001/06/15	.000	
DICHLOROMETHANE	34423	WAIVED	2001/06/15	.000	
ETHYLBENZENE	34371	WAIVED	2001/06/15	.000	
METHYL-TERT-BUTYL-ETHER (MTBE)	46491	WAIVED	2001/06/15	.000	
MONOCHLOROBENZENE	34301	WAIVED	2001/06/15	.000	

**Testing interval is in months;*
0 = No data for this constituent and is DUE NOW
999 = Waived testing (not required)
I = Invalid (NOT) valid analyses reported

System Number: ***1900702***

System Name: ***FOLLOWS CAMP***

PS Code: ***1900702-001***

Source Name: ***WELL 01***

Source Number: ***001***

Source Status: ***ACTIVE UNTREATED***

Water type: ***GROUNDWATER OR WELL***

	STORET NUMBER	TESTING INTERVAL (MONTHS)*	LAST TEST DATE (yyyy/mm/dd)	LAST RESULT REPORTED	NEXT TEST DATE (yyyy/mm)
REGULATED VOC					
STYRENE	77128	WAIVED	2001/06/15	.000	
TETRACHLOROETHYLENE	34475	WAIVED	2001/06/15	.000	
TOLUENE	34010	WAIVED	2001/06/15	.000	
TRANS-1,2-DICHLOROETHYLENE	34546	WAIVED	2001/06/15	.000	
TRICHLOROETHYLENE	39180	WAIVED	2001/06/15	.000	
TRICHLOROFLUOROMETHANE	34488	WAIVED	2001/06/15	.000	
VINYL CHLORIDE	39175	WAIVED	2001/06/15	.000	
XYLENES (TOTAL)	81551	WAIVED	2001/06/15	.000	
SECONDARY/GP					
AGGRSSIVE INDEX (CORROSIVITY)	82383	WAIVED			
BICARBONATE ALKALINITY	00440	WAIVED	2003/08/27	285.000	
CALCIUM	00916	WAIVED	2003/08/27	72.100	
CARBONATE ALKALINITY	00445	WAIVED	2003/08/27	.000	
CHLORIDE	00940	WAIVED	2003/08/27	4.600	
COLOR	00081	WAIVED	2003/08/27	.000	
COPPER	01042	WAIVED	2003/08/27	.000	
FOAMING AGENTS (MBAS)	38260	WAIVED	2003/08/27	.000	
HARDNESS (TOTAL) AS CACO3	00900	WAIVED	2003/08/27	260.000	
HYDROXIDE ALKALINITY	71830	WAIVED	2003/08/27	.000	
IRON	01045	WAIVED	2003/08/27	.000	
MAGNESIUM	00927	WAIVED	2003/08/27	19.400	
MANGANESE	01055	WAIVED	2003/08/27	.000	
ODOR THRESHOLD @ 60 C	00086	WAIVED	2003/08/27	.000	
PH, LABORATORY	00403	WAIVED	2003/08/27	7.150	
SILVER	01077	WAIVED	2003/08/27	.000	
SODIUM	00929	WAIVED	2003/08/27	14.100	
SPECIFIC CONDUCTANCE	00095	WAIVED	2003/08/27	510.000	
SULFATE	00945	WAIVED	2003/08/27	36.800	
TOTAL DISSOLVED SOLIDS	70300	WAIVED	2003/08/27	336.000	

**Testing interval is in months;*
0 = No data for this constituent and is DUE NOW
999 = Waived testing (not required)
I = Invalid (NOT) valid analyses reported

System Number: ***1900702***

System Name: ***FOLLOWS CAMP***

PS Code: ***1900702-001***

Source Name: ***WELL 01***

Source Number: ***001***

Source Status: ***ACTIVE UNTREATED***

Water type: ***GROUNDWATER OR WELL***

	STORET NUMBER	TESTING INTERVAL (MONTHS)*	LAST TEST DATE (yyyy/mm/dd)	LAST RESULT REPORTED	NEXT TEST DATE (yyyy/mm)
SECONDARY/GP					
TURBIDITY, LABORATORY	82079	WAIVED	2003/08/27	.210	
ZINC	01092	WAIVED	2003/08/27	.000	

PS Code: ***1900702-002***

Source Name: ***AUTOMATIC CHLORINATION UNIT***

Source Number: ***002***

Source Status: ***ACTIVE TREATED***

Water type: ***GROUNDWATER OR WELL***

GENERAL NON CHAP 15					
DIAZINON	39570	WAIVED			
INORGANIC					
ALUMINUM	01105	WAIVED			
ANTIMONY	01097	WAIVED			
ARSENIC	01002	WAIVED			
ASBESTOS	81855	WAIVED			
BARIUM	01007	WAIVED			
BERYLLIUM	01012	WAIVED			
CADMIUM	01027	WAIVED			
CHROMIUM (TOTAL)	01034	WAIVED			
CYANIDE	01291	WAIVED			
FLUORIDE (F) (NATURAL-SOURCE)	00951	WAIVED			
LEAD	01051	WAIVED			
MERCURY	71900	WAIVED			
NICKEL	01067	WAIVED			
PERCHLORATE	A-031	WAIVED			
SELENIUM	01147	WAIVED			
THALLIUM	01059	WAIVED			

**Testing interval is in months;*
0 = No data for this constituent and is DUE NOW
999 = Waived testing (not required)
I = Invalid (NOT) valid analyses reported

System Number: ***1900702***

System Name: ***FOLLOWS CAMP***

PS Code: ***1900702-002***

Source Name: ***AUTOMATIC CHLORINATION UNIT***

Source Number: ***002***

Source Status: ***ACTIVE TREATED***

Water type: ***GROUNDWATER OR WELL***

	STORET NUMBER	TESTING INTERVAL (MONTHS)*	LAST TEST DATE (yyyy/mm/dd)	LAST RESULT REPORTED	NEXT TEST DATE (yyyy/mm)
NITRATE/NITRITE					
NITRATE (AS NO3)	71850	WAIVED			
NITRITE (AS N)	00620	WAIVED			
RADIOLOGICAL					
GROSS ALPHA	01501	WAIVED			
GROSS BETA	03501	WAIVED			
RA-226 FOR CWS OR TOTAL RA FOR NTNC BY 903.0	A-080	WAIVED			
RA-226 OR TOTAL RA BY 903.0 C.E.	A-081	WAIVED			
RADIUM 226	09501	WAIVED			
RADIUM 228	11501	WAIVED			
RADIUM, TOTAL, MDA95-NTNC ONLY, BY 903.0	A-082	WAIVED			
STRONTIUM-90	13501	WAIVED			
TRITIUM	07000	WAIVED			
URANIUM (PCI/L)	28012	WAIVED			
REGULATED SOC					
2,3,7,8-TCDD (DIOXIN)	34676	WAIVED			
2,4,5-TP (SILVEX)	39045	WAIVED			
2,4-D	39730	WAIVED			
ALACHLOR	77825	WAIVED			
ATRAZINE	39033	WAIVED			
BENTAZON	38710	WAIVED			
BENZO (A) PYRENE	34247	WAIVED			
CARBOFURAN	81405	WAIVED			
CHLORDANE	39350	WAIVED			
DALAPON	38432	WAIVED			
DI(2-ETHYLHEXYL)ADIPATE	A-026	WAIVED			
DI(2-ETHYLHEXYL)PHTHALATE	39100	WAIVED			
DIBROMOCHLOROPROPANE (DBCP)	38761	WAIVED			
DINOSEB	81287	WAIVED			
DIQUAT	78885	WAIVED			

**Testing interval is in months;*
0 = No data for this constituent and is DUE NOW
999 = Waived testing (not required)
I = Invalid (NOT) valid analyses reported

System Number: ***1900702***

System Name: ***FOLLOWS CAMP***

PS Code: ***1900702-002***

Source Name: ***AUTOMATIC CHLORINATION UNIT***

Source Number: ***002***

Source Status: ***ACTIVE TREATED***

Water type: ***GROUNDWATER OR WELL***

	STORET NUMBER	TESTING INTERVAL (MONTHS)*	LAST TEST DATE (yyyy/mm/dd)	LAST RESULT REPORTED	NEXT TEST DATE (yyyy/mm)
REGULATED SOC					
ENDOTHALL	38926	WAIVED			
ENDRIN	39390	WAIVED			
ETHYLENE DIBROMIDE (EDB)	77651	WAIVED			
GLYPHOSATE	79743	WAIVED			
HEPTACHLOR	39410	WAIVED			
HEPTACHLOR EPOXIDE	39420	WAIVED			
HEXACHLOROBENZENE	39700	WAIVED			
HEXACHLOROCYCLOPENTADIENE	34386	WAIVED			
LINDANE	39340	WAIVED			
METHOXYCHLOR	39480	WAIVED			
MOLINATE	82199	WAIVED			
OXAMYL	38865	WAIVED			
PENTACHLOROPHENOL	39032	WAIVED			
PICLORAM	39720	WAIVED			
POLYCHLORINATED BIPHENYLS, TOTAL, AS DCB	39516	WAIVED			
SIMAZINE	39055	WAIVED			
THIOBENCARB	A-001	WAIVED			
TOXAPHENE	39400	WAIVED			
REGULATED VOC					
1,1,1-TRICHLOROETHANE	34506	WAIVED			
1,1,2,2-TETRACHLOROETHANE	34516	WAIVED			
1,1,2-TRICHLORO-1,2,2-TRIFLUOROETHANE	81611	WAIVED			
1,1,2-TRICHLOROETHANE	34511	WAIVED			
1,1-DICHLOROETHANE	34496	WAIVED			
1,1-DICHLOROETHYLENE	34501	WAIVED			
1,2,4-TRICHLOROBENZENE	34551	WAIVED			
1,2-DICHLOROBENZENE	34536	WAIVED			
1,2-DICHLOROETHANE	34531	WAIVED			
1,2-DICHLOROPROPANE	34541	WAIVED			

**Testing interval is in months;*
0 = No data for this constituent and is DUE NOW
999 = Waived testing (not required)
I = Invalid (NOT) valid analyses reported

System Number: ***1900702***

System Name: ***FOLLOWS CAMP***

PS Code: ***1900702-002***

Source Name: ***AUTOMATIC CHLORINATION UNIT***

Source Number: ***002***

Source Status: ***ACTIVE TREATED***

Water type: ***GROUNDWATER OR WELL***

	STORET NUMBER	TESTING INTERVAL (MONTHS)*	LAST TEST DATE (yyyy/mm/dd)	LAST RESULT REPORTED	NEXT TEST DATE (yyyy/mm)
REGULATED VOC					
1,3-DICHLOROPROPENE (TOTAL)	34561	WAIVED			
1,4-DICHLOROBENZENE	34571	WAIVED			
BENZENE	34030	WAIVED			
CARBON TETRACHLORIDE	32102	WAIVED			
CIS-1,2-DICHLOROETHYLENE	77093	WAIVED			
DICHLOROMETHANE	34423	WAIVED			
ETHYLBENZENE	34371	WAIVED			
METHYL-TERT-BUTYL-ETHER (MTBE)	46491	WAIVED			
MONOCHLOROBENZENE	34301	WAIVED			
STYRENE	77128	WAIVED			
TETRACHLOROETHYLENE	34475	WAIVED			
TOLUENE	34010	WAIVED			
TRANS-1,2-DICHLOROETHYLENE	34546	WAIVED			
TRICHLOROETHYLENE	39180	WAIVED			
TRICHLOROFLUOROMETHANE	34488	WAIVED			
VINYL CHLORIDE	39175	WAIVED			
XYLENES (TOTAL)	81551	WAIVED			
SECONDARY/GP					
AGGRSSIVE INDEX (CORROSIVITY)	82383	WAIVED			
BICARBONATE ALKALINITY	00440	WAIVED			
CALCIUM	00916	WAIVED			
CARBONATE ALKALINITY	00445	WAIVED			
CHLORIDE	00940	WAIVED			
COLOR	00081	WAIVED			
COPPER	01042	WAIVED			
FOAMING AGENTS (MBAS)	38260	WAIVED			
HARDNESS (TOTAL) AS CACO3	00900	WAIVED			
HYDROXIDE ALKALINITY	71830	WAIVED			
IRON	01045	WAIVED			

**Testing interval is in months;*
0 = No data for this constituent and is DUE NOW
999 = Waived testing (not required)
I = Invalid (NOT) valid analyses reported

System Number: ***1900702***

System Name: ***FOLLOWS CAMP***

PS Code: ***1900702-002***

Source Name: ***AUTOMATIC CHLORINATION UNIT***

Source Number: ***002***

Source Status: ***ACTIVE TREATED***

Water type: ***GROUNDWATER OR WELL***

SECONDARY/GP	STORET NUMBER	TESTING INTERVAL (MONTHS)*	LAST TEST DATE (yyyy/mm/dd)	LAST RESULT REPORTED	NEXT TEST DATE (yyyy/mm)
MAGNESIUM	00927	WAIVED			
MANGANESE	01055	WAIVED			
ODOR THRESHOLD @ 60 C	00086	WAIVED			
PH, LABORATORY	00403	WAIVED			
SILVER	01077	WAIVED			
SODIUM	00929	WAIVED			
SPECIFIC CONDUCTANCE	00095	WAIVED			
SULFATE	00945	WAIVED			
TOTAL DISSOLVED SOLIDS	70300	WAIVED			
TURBIDITY, LABORATORY	82079	WAIVED			
ZINC	01092	WAIVED			

**Testing interval is in months;*
0 = No data for this constituent and is DUE NOW
999 = Waived testing (not required)
I = Invalid (NOT) valid analyses reported

System Number: ***1900706***

System Name: ***CHAMPION WATER MUTUAL***

PS Code: ***1900706-002***

Source Name: ***WELL 02***

Source Number: ***002***

Source Status: ***ACTIVE UNTREATED***

Water type: ***GROUNDWATER OR WELL***

	STORET NUMBER	TESTING INTERVAL (MONTHS)*	LAST TEST DATE (yyyy/mm/dd)	LAST RESULT REPORTED	NEXT TEST DATE (yyyy/mm)
GENERAL NON CHAP 15					
DIAZINON	39570	WAIVED	2002/03/20	.000	
INORGANIC					
ALUMINUM	01105	WAIVED	2010/09/15	< .000	
ANTIMONY	01097	WAIVED	2010/09/15	< .000	
ARSENIC	01002	WAIVED	2010/09/15	2.000	
ASBESTOS	81855	WAIVED	2003/08/28	.000	
BARIUM	01007	WAIVED	2010/09/15	220.000	
BERYLLIUM	01012	WAIVED	2010/09/15	< .000	
CADMIUM	01027	WAIVED	2010/09/15	< .000	
CHROMIUM (TOTAL)	01034	WAIVED	2010/09/15	< .000	
CYANIDE	01291	WAIVED	2004/09/09	.000	
FLUORIDE (F) (NATURAL-SOURCE)	00951	WAIVED	2010/09/15	.180	
LEAD	01051	WAIVED	2002/03/20	.000	
MERCURY	71900	WAIVED	2010/09/15	< .000	
NICKEL	01067	WAIVED	2010/09/15	< .000	
PERCHLORATE	A-031	WAIVED	2011/09/06	< .000	
SELENIUM	01147	WAIVED	2010/09/15	< .000	
THALLIUM	01059	WAIVED	2010/09/15	< .000	
NITRATE/NITRITE					
NITRATE (AS NO3)	71850	WAIVED	2012/03/07	12.000	
NITRITE (AS N)	00620	WAIVED	2010/09/15	< .000	
RADIOLOGICAL					
GROSS ALPHA	01501	WAIVED	2006/06/26	.000	
GROSS BETA	03501	WAIVED			
RA-226 FOR CWS OR TOTAL RA FOR NTNC BY 903.0	A-080	WAIVED			
RA-226 OR TOTAL RA BY 903.0 C.E.	A-081	WAIVED			
RADIUM 226	09501	WAIVED	2006/06/26	.000	
RADIUM 228	11501	WAIVED	2006/06/26	.000	

**Testing interval is in months;*
0 = No data for this constituent and is DUE NOW
999 = Waived testing (not required)
I = Invalid (NOT) valid analyses reported

System Number: ***1900706***

System Name: ***CHAMPION WATER MUTUAL***

PS Code: ***1900706-002***

Source Name: ***WELL 02***

Source Number: ***002***

Source Status: ***ACTIVE UNTREATED***

Water type: ***GROUNDWATER OR WELL***

	STORET NUMBER	TESTING INTERVAL (MONTHS)*	LAST TEST DATE (yyyy/mm/dd)	LAST RESULT REPORTED	NEXT TEST DATE (yyyy/mm)
RADIOLOGICAL					
RADIUM, TOTAL, MDA95-NTNC ONLY, BY 903.0	A-082	WAIVED			
STRONTIUM-90	13501	WAIVED			
TRITIUM	07000	WAIVED			
URANIUM (PCI/L)	28012	WAIVED	2006/06/26	.000	
REGULATED SOC					
2,3,7,8-TCDD (DIOXIN)	34676	WAIVED			
2,4,5-TP (SILVEX)	39045	WAIVED			
2,4-D	39730	WAIVED			
ALACHLOR	77825	WAIVED	2003/02/18	.000	
ATRAZINE	39033	WAIVED	2003/02/26	.000	
BENTAZON	38710	WAIVED			
BENZO (A) PYRENE	34247	WAIVED			
CARBOFURAN	81405	WAIVED			
CHLORDANE	39350	WAIVED	2003/02/18	.000	
DALAPON	38432	WAIVED			
DI(2-ETHYLHEXYL)ADIPATE	A-026	WAIVED			
DI(2-ETHYLHEXYL)PHTHALATE	39100	WAIVED			
DIBROMOCHLOROPROPANE (DBCP)	38761	WAIVED	2003/02/26	.000	
DINOSEB	81287	WAIVED			
DIQUAT	78885	WAIVED			
ENDOTHALL	38926	WAIVED			
ENDRIN	39390	WAIVED	2003/02/18	.000	
ETHYLENE DIBROMIDE (EDB)	77651	WAIVED	2003/02/26	.000	
GLYPHOSATE	79743	WAIVED			
HEPTACHLOR	39410	WAIVED	2003/02/18	.000	
HEPTACHLOR EPOXIDE	39420	WAIVED	2003/02/18	.000	
HEXACHLOROBENZENE	39700	WAIVED	2003/02/18	.000	
HEXACHLOROCYCLOPENTADIENE	34386	WAIVED	2003/02/18	.000	
LINDANE	39340	WAIVED	2003/02/18	.000	

**Testing interval is in months;*
0 = No data for this constituent and is DUE NOW
999 = Waived testing (not required)
I = Invalid (NOT) valid analyses reported

System Number: ***1900706***

System Name: ***CHAMPION WATER MUTUAL***

PS Code: ***1900706-002***

Source Name: ***WELL 02***

Source Number: ***002***

Source Status: ***ACTIVE UNTREATED***

Water type: ***GROUNDWATER OR WELL***

	STORET NUMBER	TESTING INTERVAL (MONTHS)*	LAST TEST DATE (yyyy/mm/dd)	LAST RESULT REPORTED	NEXT TEST DATE (yyyy/mm)
REGULATED SOC					
METHOXYCHLOR	39480	WAIVED	2003/02/18	.000	
MOLINATE	82199	WAIVED	2002/03/20	.000	
OXAMYL	38865	WAIVED			
PENTACHLOROPHENOL	39032	WAIVED			
PICLORAM	39720	WAIVED			
POLYCHLORINATED BIPHENYLS, TOTAL, AS DCB	39516	WAIVED	2003/02/18	.000	
SIMAZINE	39055	WAIVED	2003/02/26	.000	
THIOBENCARB	A-001	WAIVED	2006/03/07	.000	
TOXAPHENE	39400	WAIVED	2003/02/18	.000	
REGULATED VOC					
1,1,1-TRICHLOROETHANE	34506	WAIVED	2011/09/06	< .000	
1,1,2,2-TETRACHLOROETHANE	34516	WAIVED	2011/09/06	< .000	
1,1,2-TRICHLORO-1,2,2-TRIFLUOROETHANE	81611	WAIVED	2011/09/06	< .000	
1,1,2-TRICHLOROETHANE	34511	WAIVED	2011/09/06	< .000	
1,1-DICHLOROETHANE	34496	WAIVED	2011/09/06	< .000	
1,1-DICHLOROETHYLENE	34501	WAIVED	2011/09/06	< .000	
1,2,4-TRICHLOROBENZENE	34551	WAIVED	2011/09/06	< .000	
1,2-DICHLOROBENZENE	34536	WAIVED	2011/09/06	< .000	
1,2-DICHLOROETHANE	34531	WAIVED	2011/09/06	< .000	
1,2-DICHLOROPROPANE	34541	WAIVED	2011/09/06	< .000	
1,3-DICHLOROPROPENE (TOTAL)	34561	WAIVED	2011/09/06	< .000	
1,4-DICHLOROBENZENE	34571	WAIVED	2011/09/06	< .000	
BENZENE	34030	WAIVED	2011/09/06	< .000	
CARBON TETRACHLORIDE	32102	WAIVED	2011/09/06	< .000	
CIS-1,2-DICHLOROETHYLENE	77093	WAIVED	2011/09/06	< .000	
DICHLOROMETHANE	34423	WAIVED	2011/09/06	< .000	
ETHYLBENZENE	34371	WAIVED	2011/09/06	< .000	
METHYL-TERT-BUTYL-ETHER (MTBE)	46491	WAIVED	2011/09/06	< .000	
MONOCHLOROBENZENE	34301	WAIVED	2011/09/06	< .000	

**Testing interval is in months;*
0 = No data for this constituent and is DUE NOW
999 = Waived testing (not required)
I = Invalid (NOT) valid analyses reported

System Number: ***1900706***

System Name: ***CHAMPION WATER MUTUAL***

PS Code: ***1900706-002***

Source Name: ***WELL 02***

Source Number: ***002***

Source Status: ***ACTIVE UNTREATED***

Water type: ***GROUNDWATER OR WELL***

	STORET NUMBER	TESTING INTERVAL (MONTHS)*	LAST TEST DATE (yyyy/mm/dd)	LAST RESULT REPORTED	NEXT TEST DATE (yyyy/mm)
REGULATED VOC					
STYRENE	77128	WAIVED	2011/09/06	< .000	
TETRACHLOROETHYLENE	34475	WAIVED	2011/09/06	< .000	
TOLUENE	34010	WAIVED	2011/09/06	< .000	
TRANS-1,2-DICHLOROETHYLENE	34546	WAIVED	2011/09/06	< .000	
TRICHLOROETHYLENE	39180	WAIVED	2011/09/06	< .000	
TRICHLOROFLUOROMETHANE	34488	WAIVED	2011/09/06	< .000	
VINYL CHLORIDE	39175	WAIVED	2011/09/06	< .000	
XYLENES (TOTAL)	81551	WAIVED	2011/09/06	< .000	
SECONDARY/GP					
AGGRSSIVE INDEX (CORROSIVITY)	82383	WAIVED			
BICARBONATE ALKALINITY	00440	WAIVED	2002/03/20	163.000	
CALCIUM	00916	WAIVED	2002/03/20	60.100	
CARBONATE ALKALINITY	00445	WAIVED	2002/03/20	.000	
CHLORIDE	00940	WAIVED	2002/03/20	26.600	
COLOR	00081	WAIVED	2002/03/20	.000	
COPPER	01042	WAIVED	2002/03/20	.000	
FOAMING AGENTS (MBAS)	38260	WAIVED	2002/03/20	.000	
HARDNESS (TOTAL) AS CACO3	00900	WAIVED	2002/03/20	190.000	
HYDROXIDE ALKALINITY	71830	WAIVED	2002/03/20	.000	
IRON	01045	WAIVED	2002/03/20	.000	
MAGNESIUM	00927	WAIVED	2002/03/20	9.710	
MANGANESE	01055	WAIVED	2002/03/20	.000	
ODOR THRESHOLD @ 60 C	00086	WAIVED	2002/03/20	.000	
PH, LABORATORY	00403	WAIVED	2002/03/20	7.860	
SILVER	01077	WAIVED	2010/09/15	< .000	
SODIUM	00929	WAIVED	2002/03/20	21.600	
SPECIFIC CONDUCTANCE	00095	WAIVED	2002/03/20	455.000	
SULFATE	00945	WAIVED	2002/03/20	51.800	
TOTAL DISSOLVED SOLIDS	70300	WAIVED	2002/03/20	314.000	

**Testing interval is in months;*
0 = No data for this constituent and is DUE NOW
999 = Waived testing (not required)
I = Invalid (NOT) valid analyses reported

System Number: ***1900706***

System Name: ***CHAMPION WATER MUTUAL***

PS Code: ***1900706-002***

Source Name: ***WELL 02***

Source Number: ***002***

Source Status: ***ACTIVE UNTREATED***

Water type: ***GROUNDWATER OR WELL***

	STORET NUMBER	TESTING INTERVAL (MONTHS)*	LAST TEST DATE (yyyy/mm/dd)	LAST RESULT REPORTED	NEXT TEST DATE (yyyy/mm)
SECONDARY/GP					
TURBIDITY, LABORATORY	82079	WAIVED	2002/03/20	1.420	
ZINC	01092	WAIVED	2002/03/20	.000	

PS Code: ***1900706-003***

Source Name: ***WELL 03***

Source Number: ***003***

Source Status: ***ACTIVE UNTREATED***

Water type: ***GROUNDWATER OR WELL***

	STORET NUMBER	TESTING INTERVAL (MONTHS)*	LAST TEST DATE (yyyy/mm/dd)	LAST RESULT REPORTED	NEXT TEST DATE (yyyy/mm)
GENERAL NON CHAP 15					
DIAZINON	39570	WAIVED	2002/03/20	.000	
INORGANIC					
ALUMINUM	01105	WAIVED	2012/03/07	< .000	
ANTIMONY	01097	WAIVED	2012/03/07	< .000	
ARSENIC	01002	WAIVED	2012/03/07	2.400	
ASBESTOS	81855	WAIVED	2003/08/28	.000	
BARIUM	01007	WAIVED	2012/03/07	160.000	
BERYLLIUM	01012	WAIVED	2012/03/07	< .000	
CADMIUM	01027	WAIVED	2012/03/07	< .000	
CHROMIUM (TOTAL)	01034	WAIVED	2012/03/07	< .000	
CYANIDE	01291	WAIVED	2012/03/07	< .000	
FLUORIDE (F) (NATURAL-SOURCE)	00951	WAIVED	2012/03/07	.300	
LEAD	01051	WAIVED	2003/02/26	.000	
MERCURY	71900	WAIVED	2012/03/07	< .000	
NICKEL	01067	WAIVED	2012/03/07	< .000	
PERCHLORATE	A-031	WAIVED	2011/09/06	< .000	
SELENIUM	01147	WAIVED	2012/03/07	< .000	
THALLIUM	01059	WAIVED	2012/03/07	< .000	

**Testing interval is in months;*
0 = No data for this constituent and is DUE NOW
999 = Waived testing (not required)
I = Invalid (NOT) valid analyses reported

System Number: ***1900706***

System Name: ***CHAMPION WATER MUTUAL***

PS Code: ***1900706-003***

Source Name: ***WELL 03***

Source Number: ***003***

Source Status: ***ACTIVE UNTREATED***

Water type: ***GROUNDWATER OR WELL***

	STORET NUMBER	TESTING INTERVAL (MONTHS)*	LAST TEST DATE (yyyy/mm/dd)	LAST RESULT REPORTED	NEXT TEST DATE (yyyy/mm)
NITRATE/NITRITE					
NITRATE (AS NO3)	71850	WAIVED	2012/03/07	11.000	
NITRITE (AS N)	00620	WAIVED	2012/03/07	< .000	
RADIOLOGICAL					
GROSS ALPHA	01501	WAIVED	2006/06/26	.000	
GROSS BETA	03501	WAIVED			
RA-226 FOR CWS OR TOTAL RA FOR NTNC BY 903.0	A-080	WAIVED			
RA-226 OR TOTAL RA BY 903.0 C.E.	A-081	WAIVED			
RADIUM 226	09501	WAIVED	2006/06/26	.000	
RADIUM 228	11501	WAIVED	2006/06/26	.000	
RADIUM, TOTAL, MDA95-NTNC ONLY, BY 903.0	A-082	WAIVED			
STRONTIUM-90	13501	WAIVED			
TRITIUM	07000	WAIVED			
URANIUM (PCI/L)	28012	WAIVED	2006/06/26	.000	
REGULATED SOC					
2,3,7,8-TCDD (DIOXIN)	34676	WAIVED			
2,4,5-TP (SILVEX)	39045	WAIVED			
2,4-D	39730	WAIVED			
ALACHLOR	77825	WAIVED	2002/03/20	.000	
ATRAZINE	39033	WAIVED	2003/02/26	.000	
BENTAZON	38710	WAIVED			
BENZO (A) PYRENE	34247	WAIVED			
CARBOFURAN	81405	WAIVED			
CHLORDANE	39350	WAIVED	2002/03/20	.000	
DALAPON	38432	WAIVED			
DI(2-ETHYLHEXYL)ADIPATE	A-026	WAIVED			
DI(2-ETHYLHEXYL)PHTHALATE	39100	WAIVED			
DIBROMOCHLOROPROPANE (DBCP)	38761	WAIVED	2003/02/26	.000	
DINOSEB	81287	WAIVED			
DIQUAT	78885	WAIVED			

**Testing interval is in months;*
0 = No data for this constituent and is DUE NOW
999 = Waived testing (not required)
I = Invalid (NOT) valid analyses reported

System Number: ***1900706***

System Name: ***CHAMPION WATER MUTUAL***

PS Code: ***1900706-003***

Source Name: ***WELL 03***

Source Number: ***003***

Source Status: ***ACTIVE UNTREATED***

Water type: ***GROUNDWATER OR WELL***

	STORET NUMBER	TESTING INTERVAL (MONTHS)*	LAST TEST DATE (yyyy/mm/dd)	LAST RESULT REPORTED	NEXT TEST DATE (yyyy/mm)
REGULATED SOC					
ENDOTHALL	38926	WAIVED			
ENDRIN	39390	WAIVED	2002/03/20	.000	
ETHYLENE DIBROMIDE (EDB)	77651	WAIVED	2003/02/26	.000	
GLYPHOSATE	79743	WAIVED			
HEPTACHLOR	39410	WAIVED	2002/03/20	.000	
HEPTACHLOR EPOXIDE	39420	WAIVED	2002/03/20	.000	
HEXACHLOROBENZENE	39700	WAIVED	2002/03/20	.000	
HEXACHLOROCYCLOPENTADIENE	34386	WAIVED	2002/03/20	.000	
LINDANE	39340	WAIVED	2002/03/20	.000	
METHOXYCHLOR	39480	WAIVED	2002/03/20	.000	
MOLINATE	82199	WAIVED	2002/03/20	.000	
OXAMYL	38865	WAIVED			
PENTACHLOROPHENOL	39032	WAIVED			
PICLORAM	39720	WAIVED			
POLYCHLORINATED BIPHENYLS, TOTAL, AS DCB	39516	WAIVED	2002/03/20	.000	
SIMAZINE	39055	WAIVED	2003/02/26	.000	
THIOBENCARB	A-001	WAIVED	2006/03/07	.000	
TOXAPHENE	39400	WAIVED	2002/03/20	.000	
REGULATED VOC					
1,1,1-TRICHLOROETHANE	34506	WAIVED	2011/09/06	< .000	
1,1,2,2-TETRACHLOROETHANE	34516	WAIVED	2011/09/06	< .000	
1,1,2-TRICHLORO-1,2,2-TRIFLUOROETHANE	81611	WAIVED	2012/03/07	< .000	
1,1,2-TRICHLOROETHANE	34511	WAIVED	2011/09/06	< .000	
1,1-DICHLOROETHANE	34496	WAIVED	2011/09/06	< .000	
1,1-DICHLOROETHYLENE	34501	WAIVED	2011/09/06	< .000	
1,2,4-TRICHLOROBENZENE	34551	WAIVED	2011/09/06	< .000	
1,2-DICHLOROBENZENE	34536	WAIVED	2011/09/06	< .000	
1,2-DICHLOROETHANE	34531	WAIVED	2011/09/06	< .000	
1,2-DICHLOROPROPANE	34541	WAIVED	2011/09/06	< .000	

**Testing interval is in months;*
0 = No data for this constituent and is DUE NOW
999 = Waived testing (not required)
I = Invalid (NOT) valid analyses reported

System Number: ***1900706***

System Name: ***CHAMPION WATER MUTUAL***

PS Code: ***1900706-003***

Source Name: ***WELL 03***

Source Number: ***003***

Source Status: ***ACTIVE UNTREATED***

Water type: ***GROUNDWATER OR WELL***

	STORET NUMBER	TESTING INTERVAL (MONTHS)*	LAST TEST DATE (yyyy/mm/dd)	LAST RESULT REPORTED	NEXT TEST DATE (yyyy/mm)
REGULATED VOC					
1,3-DICHLOROPROPENE (TOTAL)	34561	WAIVED	2011/09/06	< .000	
1,4-DICHLOROBENZENE	34571	WAIVED	2011/09/06	< .000	
BENZENE	34030	WAIVED	2011/09/06	< .000	
CARBON TETRACHLORIDE	32102	WAIVED	2011/09/06	< .000	
CIS-1,2-DICHLOROETHYLENE	77093	WAIVED	2011/09/06	< .000	
DICHLOROMETHANE	34423	WAIVED	2011/09/06	< .000	
ETHYLBENZENE	34371	WAIVED	2011/09/06	< .000	
METHYL-TERT-BUTYL-ETHER (MTBE)	46491	WAIVED	2011/09/06	< .000	
MONOCHLOROBENZENE	34301	WAIVED	2011/09/06	< .000	
STYRENE	77128	WAIVED	2011/09/06	< .000	
TETRACHLOROETHYLENE	34475	WAIVED	2011/09/06	< .000	
TOLUENE	34010	WAIVED	2011/09/06	< .000	
TRANS-1,2-DICHLOROETHYLENE	34546	WAIVED	2011/09/06	< .000	
TRICHLOROETHYLENE	39180	WAIVED	2011/09/06	< .000	
TRICHLOROFLUOROMETHANE	34488	WAIVED	2011/09/06	< .000	
VINYL CHLORIDE	39175	WAIVED	2011/09/06	< .000	
XYLENES (TOTAL)	81551	WAIVED	2011/09/06	< .000	
SECONDARY/GP					
AGGRSSIVE INDEX (CORROSIVITY)	82383	WAIVED			
BICARBONATE ALKALINITY	00440	WAIVED	2002/03/20	177.000	
CALCIUM	00916	WAIVED	2002/03/20	56.100	
CARBONATE ALKALINITY	00445	WAIVED	2002/03/20	.000	
CHLORIDE	00940	WAIVED	2002/03/20	26.500	
COLOR	00081	WAIVED	2002/03/20	.000	
COPPER	01042	WAIVED	2002/03/20	.000	
FOAMING AGENTS (MBAS)	38260	WAIVED	2002/03/20	.000	
HARDNESS (TOTAL) AS CACO3	00900	WAIVED	2002/03/20	190.000	
HYDROXIDE ALKALINITY	71830	WAIVED	2002/03/20	.000	
IRON	01045	WAIVED	2002/03/20	.000	

**Testing interval is in months;*
0 = No data for this constituent and is DUE NOW
999 = Waived testing (not required)
I = Invalid (NOT) valid analyses reported

System Number: ***1900706***

System Name: ***CHAMPION WATER MUTUAL***

PS Code: ***1900706-003***

Source Name: ***WELL 03***

Source Number: ***003***

Source Status: ***ACTIVE UNTREATED***

Water type: ***GROUNDWATER OR WELL***

	STORET NUMBER	TESTING INTERVAL (MONTHS)*	LAST TEST DATE (yyyy/mm/dd)	LAST RESULT REPORTED	NEXT TEST DATE (yyyy/mm)
SECONDARY/GP					
MAGNESIUM	00927	WAIVED	2002/03/20	12.200	
MANGANESE	01055	WAIVED	2002/03/20	.000	
ODOR THRESHOLD @ 60 C	00086	WAIVED	2002/03/20	.000	
PH, LABORATORY	00403	WAIVED	2002/03/20	7.660	
SILVER	01077	WAIVED	2012/03/07	< .000	
SODIUM	00929	WAIVED	2002/03/20	21.200	
SPECIFIC CONDUCTANCE	00095	WAIVED	2002/03/20	457.000	
SULFATE	00945	WAIVED	2002/03/20	51.700	
TOTAL DISSOLVED SOLIDS	70300	WAIVED	2002/03/20	316.000	
TURBIDITY, LABORATORY	82079	WAIVED	2002/03/20	.190	
ZINC	01092	WAIVED	2002/03/20	.000	

PS Code: ***1900706-004***

Source Name: ***STANDBY PURCHASED WATER***

Source Number: ***004***

Source Status: ***PURCHASED UNTREATED***

Water type: ***GROUNDWATER OR WELL***

GENERAL NON CHAP 15					
DIAZINON	39570	WAIVED			
INORGANIC					
ALUMINUM	01105	WAIVED	2007/04/30	.000	
ANTIMONY	01097	WAIVED			
ARSENIC	01002	WAIVED	2007/04/30	2.380	
ASBESTOS	81855	WAIVED			
BARIUM	01007	WAIVED			
BERYLLIUM	01012	WAIVED			
CADMIUM	01027	WAIVED	2007/04/30	.000	
CHROMIUM (TOTAL)	01034	WAIVED	2007/04/30	.000	
CYANIDE	01291	WAIVED			

**Testing interval is in months;*
0 = No data for this constituent and is DUE NOW
999 = Waived testing (not required)
I = Invalid (NOT) valid analyses reported

System Number: ***1900706***

System Name: ***CHAMPION WATER MUTUAL***

PS Code: ***1900706-004***

Source Name: ***STANDBY PURCHASED WATER***

Source Number: ***004***

Source Status: ***PURCHASED UNTREATED***

Water type: ***GROUNDWATER OR WELL***

	STORET NUMBER	TESTING INTERVAL (MONTHS)*	LAST TEST DATE (yyyy/mm/dd)	LAST RESULT REPORTED	NEXT TEST DATE (yyyy/mm)
INORGANIC					
FLUORIDE (F) (NATURAL-SOURCE)	00951	WAIVED	2007/04/30	.254	
LEAD	01051	WAIVED	2007/04/30	.000	
MERCURY	71900	WAIVED	2007/04/30	.000	
NICKEL	01067	WAIVED	2007/04/30	.000	
PERCHLORATE	A-031	WAIVED			
SELENIUM	01147	WAIVED	2007/04/30	.000	
THALLIUM	01059	WAIVED			
NITRATE/NITRITE					
NITRATE (AS NO3)	71850	WAIVED	2007/04/30	17.700	
NITRITE (AS N)	00620	WAIVED			
RADIOLOGICAL					
GROSS ALPHA	01501	WAIVED			
GROSS BETA	03501	WAIVED			
RA-226 FOR CWS OR TOTAL RA FOR NTNC BY 903.0	A-080	WAIVED			
RA-226 OR TOTAL RA BY 903.0 C.E.	A-081	WAIVED			
RADIUM 226	09501	WAIVED			
RADIUM 228	11501	WAIVED			
RADIUM, TOTAL, MDA95-NTNC ONLY, BY 903.0	A-082	WAIVED			
STRONTIUM-90	13501	WAIVED			
TRITIUM	07000	WAIVED			
URANIUM (PCI/L)	28012	WAIVED			
REGULATED SOC					
2,3,7,8-TCDD (DIOXIN)	34676	WAIVED			
2,4,5-TP (SILVEX)	39045	WAIVED			
2,4-D	39730	WAIVED			
ALACHLOR	77825	WAIVED			
ATRAZINE	39033	WAIVED			
BENTAZON	38710	WAIVED			

**Testing interval is in months;*
0 = No data for this constituent and is DUE NOW
999 = Waived testing (not required)
I = Invalid (NOT) valid analyses reported

System Number: ***1900706***

System Name: ***CHAMPION WATER MUTUAL***

PS Code: ***1900706-004***

Source Name: ***STANDBY PURCHASED WATER***

Source Number: ***004***

Source Status: ***PURCHASED UNTREATED***

Water type: ***GROUNDWATER OR WELL***

	STORET NUMBER	TESTING INTERVAL (MONTHS)*	LAST TEST DATE (yyyy/mm/dd)	LAST RESULT REPORTED	NEXT TEST DATE (yyyy/mm)
REGULATED SOC					
BENZO (A) PYRENE	34247	WAIVED			
CARBOFURAN	81405	WAIVED			
CHLORDANE	39350	WAIVED			
DALAPON	38432	WAIVED			
DI(2-ETHYLHEXYL)ADIPATE	A-026	WAIVED			
DI(2-ETHYLHEXYL)PHTHALATE	39100	WAIVED			
DIBROMOCHLOROPROPANE (DBCP)	38761	WAIVED			
DINOSEB	81287	WAIVED			
DIQUAT	78885	WAIVED			
ENDOTHALL	38926	WAIVED			
ENDRIN	39390	WAIVED			
ETHYLENE DIBROMIDE (EDB)	77651	WAIVED			
GLYPHOSATE	79743	WAIVED			
HEPTACHLOR	39410	WAIVED			
HEPTACHLOR EPOXIDE	39420	WAIVED			
HEXACHLOROBENZENE	39700	WAIVED			
HEXACHLOROCYCLOPENTADIENE	34386	WAIVED			
LINDANE	39340	WAIVED			
METHOXYCHLOR	39480	WAIVED			
MOLINATE	82199	WAIVED			
OXAMYL	38865	WAIVED			
PENTACHLOROPHENOL	39032	WAIVED			
PICLORAM	39720	WAIVED			
POLYCHLORINATED BIPHENYLS, TOTAL, AS DCB	39516	WAIVED			
SIMAZINE	39055	WAIVED			
THIOBENCARB	A-001	WAIVED			
TOXAPHENE	39400	WAIVED			
REGULATED VOC					
1,1,1-TRICHLOROETHANE	34506	WAIVED			

**Testing interval is in months;*
0 = No data for this constituent and is DUE NOW
999 = Waived testing (not required)
I = Invalid (NOT) valid analyses reported

System Number: ***1900706***

System Name: ***CHAMPION WATER MUTUAL***

PS Code: ***1900706-004***

Source Name: ***STANDBY PURCHASED WATER***

Source Number: ***004***

Source Status: ***PURCHASED UNTREATED***

Water type: ***GROUNDWATER OR WELL***

	STORET NUMBER	TESTING INTERVAL (MONTHS)*	LAST TEST DATE (yyyy/mm/dd)	LAST RESULT REPORTED	NEXT TEST DATE (yyyy/mm)
REGULATED VOC					
1,1,2,2-TETRACHLOROETHANE	34516	WAIVED			
1,1,2-TRICHLORO-1,2,2-TRIFLUOROETHANE	81611	WAIVED			
1,1,2-TRICHLOROETHANE	34511	WAIVED			
1,1-DICHLOROETHANE	34496	WAIVED			
1,1-DICHLOROETHYLENE	34501	WAIVED			
1,2,4-TRICHLOROBENZENE	34551	WAIVED			
1,2-DICHLOROBENZENE	34536	WAIVED			
1,2-DICHLOROETHANE	34531	WAIVED			
1,2-DICHLOROPROPANE	34541	WAIVED			
1,3-DICHLOROPROPENE (TOTAL)	34561	WAIVED			
1,4-DICHLOROBENZENE	34571	WAIVED			
BENZENE	34030	WAIVED			
CARBON TETRACHLORIDE	32102	WAIVED			
CIS-1,2-DICHLOROETHYLENE	77093	WAIVED			
DICHLOROMETHANE	34423	WAIVED			
ETHYLBENZENE	34371	WAIVED			
METHYL-TERT-BUTYL-ETHER (MTBE)	46491	WAIVED			
MONOCHLOROBENZENE	34301	WAIVED			
STYRENE	77128	WAIVED			
TETRACHLOROETHYLENE	34475	WAIVED			
TOLUENE	34010	WAIVED			
TRANS-1,2-DICHLOROETHYLENE	34546	WAIVED			
TRICHLOROETHYLENE	39180	WAIVED			
TRICHLOROFLUOROMETHANE	34488	WAIVED			
VINYL CHLORIDE	39175	WAIVED			
XYLENES (TOTAL)	81551	WAIVED			
SECONDARY/GP					
AGGRSSIVE INDEX (CORROSIVITY)	82383	WAIVED			
BICARBONATE ALKALINITY	00440	WAIVED	2007/04/30	183.900	

**Testing interval is in months;*
0 = No data for this constituent and is DUE NOW
999 = Waived testing (not required)
I = Invalid (NOT) valid analyses reported

System Number: ***1900706***

System Name: ***CHAMPION WATER MUTUAL***

PS Code: ***1900706-004***

Source Name: ***STANDBY PURCHASED WATER***

Source Number: ***004***

Source Status: ***PURCHASED UNTREATED***

Water type: ***GROUNDWATER OR WELL***

SECONDARY/GP

	STORET NUMBER	TESTING INTERVAL (MONTHS)*	LAST TEST DATE (yyyy/mm/dd)	LAST RESULT REPORTED	NEXT TEST DATE (yyyy/mm)
CALCIUM	00916	WAIVED	2007/04/30	72.100	
CARBONATE ALKALINITY	00445	WAIVED	2007/04/30	.000	
CHLORIDE	00940	WAIVED	2007/04/30	40.200	
COLOR	00081	WAIVED			
COPPER	01042	WAIVED	2007/04/30	.000	
FOAMING AGENTS (MBAS)	38260	WAIVED			
HARDNESS (TOTAL) AS CACO3	00900	WAIVED	2007/04/30	260.000	
HYDROXIDE ALKALINITY	71830	WAIVED	2007/04/30	.000	
IRON	01045	WAIVED	2007/04/30	.000	
MAGNESIUM	00927	WAIVED	2007/04/30	19.400	
MANGANESE	01055	WAIVED	2007/04/30	.000	
ODOR THRESHOLD @ 60 C	00086	WAIVED			
PH, LABORATORY	00403	WAIVED	2007/04/30	7.980	
SILVER	01077	WAIVED	2007/04/30	.000	
SODIUM	00929	WAIVED	2007/04/30	24.300	
SPECIFIC CONDUCTANCE	00095	WAIVED	2007/04/30	657.000	
SULFATE	00945	WAIVED	2007/04/30	78.500	
TOTAL DISSOLVED SOLIDS	70300	WAIVED	2007/04/30	418.000	
TURBIDITY, LABORATORY	82079	WAIVED	2007/04/30	.270	
ZINC	01092	WAIVED	2007/04/30	.000	

**Testing interval is in months;*
0 = No data for this constituent and is DUE NOW
999 = Waived testing (not required)
I = Invalid (NOT) valid analyses reported

System Number: ***1900707***

System Name: ***AGUA DULCE ELEMENTARY SCHOOL***

PS Code: ***1900707-001***

Source Name: ***WELL 01***

Source Number: ***001***

Source Status: ***ACTIVE UNTREATED***

Water type: ***GROUNDWATER OR WELL***

	STORET NUMBER	TESTING INTERVAL (MONTHS)*	LAST TEST DATE (yyyy/mm/dd)	LAST RESULT REPORTED	NEXT TEST DATE (yyyy/mm)
GENERAL NON CHAP 15					
DIAZINON	39570	WAIVED			
INORGANIC					
ALUMINUM	01105	WAIVED	2011/03/30	< .000	
ANTIMONY	01097	WAIVED	2011/03/30	< .000	
ARSENIC	01002	WAIVED	2011/03/30	< .000	
ASBESTOS	81855	WAIVED	2011/03/30	.000	
BARIUM	01007	WAIVED	2011/03/30	110.000	
BERYLLIUM	01012	WAIVED	2011/03/30	< .000	
CADMIUM	01027	WAIVED	2011/03/30	< .000	
CHROMIUM (TOTAL)	01034	WAIVED	2011/03/30	< .000	
CYANIDE	01291	WAIVED	2011/03/30	< .000	
FLUORIDE (F) (NATURAL-SOURCE)	00951	WAIVED	2011/03/30	.590	
LEAD	01051	WAIVED	2011/03/30	< .000	
MERCURY	71900	WAIVED	2011/03/30	< .000	
NICKEL	01067	WAIVED	2011/03/30	< .000	
PERCHLORATE	A-031	WAIVED	2011/10/17	< .000	
SELENIUM	01147	WAIVED	2011/03/30	< .000	
THALLIUM	01059	WAIVED	2011/03/30	< .000	
NITRATE/NITRITE					
NITRATE (AS NO3)	71850	WAIVED	2012/03/13	35.000	
NITRITE (AS N)	00620	WAIVED	2011/03/30	< .000	
RADIOLOGICAL					
GROSS ALPHA	01501	WAIVED	2008/12/10	3.700	
GROSS BETA	03501	WAIVED			
RA-226 FOR CWS OR TOTAL RA FOR NTNC BY 903.0	A-080	WAIVED			
RA-226 OR TOTAL RA BY 903.0 C.E.	A-081	WAIVED			
RADIUM 226	09501	WAIVED			
RADIUM 228	11501	WAIVED			

**Testing interval is in months;*
0 = No data for this constituent and is DUE NOW
999 = Waived testing (not required)
I = Invalid (NOT) valid analyses reported

System Number: ***1900707***

System Name: ***AGUA DULCE ELEMENTARY SCHOOL***

PS Code: ***1900707-001***

Source Name: ***WELL 01***

Source Number: ***001***

Source Status: ***ACTIVE UNTREATED***

Water type: ***GROUNDWATER OR WELL***

	STORET NUMBER	TESTING INTERVAL (MONTHS)*	LAST TEST DATE (yyyy/mm/dd)	LAST RESULT REPORTED	NEXT TEST DATE (yyyy/mm)
RADIOLOGICAL					
RADIUM, TOTAL, MDA95-NTNC ONLY, BY 903.0	A-082	WAIVED			
STRONTIUM-90	13501	WAIVED			
TRITIUM	07000	WAIVED			
URANIUM (PCI/L)	28012	WAIVED			
REGULATED SOC					
2,3,7,8-TCDD (DIOXIN)	34676	WAIVED			
2,4,5-TP (SILVEX)	39045	WAIVED			
2,4-D	39730	WAIVED			
ALACHLOR	77825	WAIVED	2003/06/10	.000	
ATRAZINE	39033	WAIVED			
BENTAZON	38710	WAIVED			
BENZO (A) PYRENE	34247	WAIVED			
CARBOFURAN	81405	WAIVED			
CHLORDANE	39350	WAIVED	2003/06/10	.000	
DALAPON	38432	WAIVED			
DI(2-ETHYLHEXYL)ADIPATE	A-026	WAIVED			
DI(2-ETHYLHEXYL)PHTHALATE	39100	WAIVED			
DIBROMOCHLOROPROPANE (DBCP)	38761	WAIVED			
DINOSEB	81287	WAIVED			
DIQUAT	78885	WAIVED			
ENDOTHALL	38926	WAIVED			
ENDRIN	39390	WAIVED	2003/06/10	.000	
ETHYLENE DIBROMIDE (EDB)	77651	WAIVED			
GLYPHOSATE	79743	WAIVED			
HEPTACHLOR	39410	WAIVED	2003/06/10	.000	
HEPTACHLOR EPOXIDE	39420	WAIVED	2003/06/10	.000	
HEXACHLOROBENZENE	39700	WAIVED	2003/06/10	.000	
HEXACHLOROCYCLOPENTADIENE	34386	WAIVED	2003/06/10	.000	
LINDANE	39340	WAIVED	2003/06/10	.000	

**Testing interval is in months;*
0 = No data for this constituent and is DUE NOW
999 = Waived testing (not required)
I = Invalid (NOT) valid analyses reported

System Number: ***1900707***

System Name: ***AGUA DULCE ELEMENTARY SCHOOL***

PS Code: ***1900707-001***

Source Name: ***WELL 01***

Source Number: ***001***

Source Status: ***ACTIVE UNTREATED***

Water type: ***GROUNDWATER OR WELL***

	STORET NUMBER	TESTING INTERVAL (MONTHS)*	LAST TEST DATE (yyyy/mm/dd)	LAST RESULT REPORTED	NEXT TEST DATE (yyyy/mm)
REGULATED SOC					
METHOXYCHLOR	39480	WAIVED	2003/06/10	.000	
MOLINATE	82199	WAIVED			
OXAMYL	38865	WAIVED			
PENTACHLOROPHENOL	39032	WAIVED			
PICLORAM	39720	WAIVED			
POLYCHLORINATED BIPHENYLS, TOTAL, AS DCB	39516	WAIVED	2003/06/10	.000	
SIMAZINE	39055	WAIVED			
THIOBENCARB	A-001	WAIVED			
TOXAPHENE	39400	WAIVED	2003/06/10	.000	
REGULATED VOC					
1,1,1-TRICHLOROETHANE	34506	WAIVED	2011/12/12	< .000	
1,1,2,2-TETRACHLOROETHANE	34516	WAIVED	2011/12/12	< .000	
1,1,2-TRICHLORO-1,2,2-TRIFLUOROETHANE	81611	WAIVED	2011/12/12	< .000	
1,1,2-TRICHLOROETHANE	34511	WAIVED	2011/12/12	< .000	
1,1-DICHLOROETHANE	34496	WAIVED	2011/12/12	< .000	
1,1-DICHLOROETHYLENE	34501	WAIVED	2011/12/12	< .000	
1,2,4-TRICHLOROBENZENE	34551	WAIVED	2011/12/12	< .000	
1,2-DICHLOROBENZENE	34536	WAIVED	2011/12/12	< .000	
1,2-DICHLOROETHANE	34531	WAIVED	2011/12/12	< .000	
1,2-DICHLOROPROPANE	34541	WAIVED	2011/12/12	< .000	
1,3-DICHLOROPROPENE (TOTAL)	34561	WAIVED	2011/12/12	< .000	
1,4-DICHLOROBENZENE	34571	WAIVED	2011/12/12	< .000	
BENZENE	34030	WAIVED	2011/12/12	< .000	
CARBON TETRACHLORIDE	32102	WAIVED	2011/12/12	< .000	
CIS-1,2-DICHLOROETHYLENE	77093	WAIVED	2011/12/12	< .000	
DICHLOROMETHANE	34423	WAIVED	2011/12/12	< .000	
ETHYLBENZENE	34371	WAIVED	2011/12/12	< .000	
METHYL-TERT-BUTYL-ETHER (MTBE)	46491	WAIVED	2011/12/12	< .000	
MONOCHLOROBENZENE	34301	WAIVED	2011/12/12	< .000	

**Testing interval is in months;*
0 = No data for this constituent and is DUE NOW
999 = Waived testing (not required)
I = Invalid (NOT) valid analyses reported

System Number: ***1900707***

System Name: ***AGUA DULCE ELEMENTARY SCHOOL***

PS Code: ***1900707-001***

Source Name: ***WELL 01***

Source Number: ***001***

Source Status: ***ACTIVE UNTREATED***

Water type: ***GROUNDWATER OR WELL***

	STORET NUMBER	TESTING INTERVAL (MONTHS)*	LAST TEST DATE (yyyy/mm/dd)	LAST RESULT REPORTED	NEXT TEST DATE (yyyy/mm)
REGULATED VOC					
STYRENE	77128	WAIVED	2011/12/12	< .000	
TETRACHLOROETHYLENE	34475	WAIVED	2011/12/12	< .000	
TOLUENE	34010	WAIVED	2011/12/12	< .000	
TRANS-1,2-DICHLOROETHYLENE	34546	WAIVED	2011/12/12	< .000	
TRICHLOROETHYLENE	39180	WAIVED	2011/12/12	< .000	
TRICHLOROFLUOROMETHANE	34488	WAIVED	2011/12/12	< .000	
VINYL CHLORIDE	39175	WAIVED	2011/12/12	< .000	
XYLENES (TOTAL)	81551	WAIVED	2011/12/12	< .000	
SECONDARY/GP					
AGGRSSIVE INDEX (CORROSIVITY)	82383	WAIVED	2011/03/30	13.000	
BICARBONATE ALKALINITY	00440	WAIVED	2011/03/30	230.000	
CALCIUM	00916	WAIVED	2011/03/30	78.000	
CARBONATE ALKALINITY	00445	WAIVED	2011/03/30	< .000	
CHLORIDE	00940	WAIVED	2011/03/30	78.000	
COLOR	00081	WAIVED	2011/03/30	< .000	
COPPER	01042	WAIVED	2011/03/30	< .000	
FOAMING AGENTS (MBAS)	38260	WAIVED	2011/03/30	< .000	
HARDNESS (TOTAL) AS CACO3	00900	WAIVED	2011/03/30	300.000	
HYDROXIDE ALKALINITY	71830	WAIVED	2011/03/30	< .000	
IRON	01045	WAIVED	2011/03/30	< .000	
MAGNESIUM	00927	WAIVED	2011/03/30	25.000	
MANGANESE	01055	WAIVED	2011/03/30	< .000	
ODOR THRESHOLD @ 60 C	00086	WAIVED	2011/03/30	< .000	
PH, LABORATORY	00403	WAIVED	2011/03/30	8.100	
SILVER	01077	WAIVED	2011/03/30	< .000	
SODIUM	00929	WAIVED	2011/03/30	42.000	
SPECIFIC CONDUCTANCE	00095	WAIVED	2011/03/30	720.000	
SULFATE	00945	WAIVED	2011/03/30	55.000	
TOTAL DISSOLVED SOLIDS	70300	WAIVED	2011/03/30	500.000	

**Testing interval is in months;*
0 = No data for this constituent and is DUE NOW
999 = Waived testing (not required)
I = Invalid (NOT) valid analyses reported

System Number: ***1900707***

System Name: ***AGUA DULCE ELEMENTARY SCHOOL***

PS Code: ***1900707-001***

Source Name: ***WELL 01***

Source Number: ***001***

Source Status: ***ACTIVE UNTREATED***

Water type: ***GROUNDWATER OR WELL***

SECONDARY/GP

	STORET NUMBER	TESTING INTERVAL (MONTHS)*	LAST TEST DATE (yyyy/mm/dd)	LAST RESULT REPORTED	NEXT TEST DATE (yyyy/mm)
TURBIDITY, LABORATORY	82079	WAIVED	2011/03/30	.210	
ZINC	01092	WAIVED	2011/03/30	< .000	

**Testing interval is in months;*
0 = No data for this constituent and is DUE NOW
999 = Waived testing (not required)
I = Invalid (NOT) valid analyses reported

System Number: ***1900715***

System Name: ***HALFWAY HOUSE CAFE***

PS Code: ***1900715-001***

Source Name: ***WELL 01***

Source Number: ***001***

Source Status: ***STANDBY UNTREATED***

Water type: ***GROUNDWATER OR WELL***

	STORET NUMBER	TESTING INTERVAL (MONTHS)*	LAST TEST DATE (yyyy/mm/dd)	LAST RESULT REPORTED	NEXT TEST DATE (yyyy/mm)
GENERAL NON CHAP 15					
DIAZINON	39570	WAIVED			
INORGANIC					
ALUMINUM	01105	WAIVED	1999/06/29	.000	
ANTIMONY	01097	WAIVED	1999/06/29	.000	
ARSENIC	01002	WAIVED	1999/06/29	2.290	
ASBESTOS	81855	WAIVED			
BARIUM	01007	WAIVED	1999/06/29	.000	
BERYLLIUM	01012	WAIVED			
CADMIUM	01027	WAIVED	1999/06/29	.000	
CHROMIUM (TOTAL)	01034	WAIVED	1999/06/29	.000	
CYANIDE	01291	WAIVED			
FLUORIDE (F) (NATURAL-SOURCE)	00951	WAIVED	1999/06/29	1.350	
LEAD	01051	WAIVED	1999/06/29	.000	
MERCURY	71900	WAIVED	1999/06/29	.000	
NICKEL	01067	WAIVED	1999/06/29	.000	
PERCHLORATE	A-031	WAIVED			
SELENIUM	01147	WAIVED	1999/06/29	.000	
THALLIUM	01059	WAIVED	1999/06/29	.000	
NITRATE/NITRITE					
NITRATE (AS NO3)	71850	WAIVED	1999/06/29	7.570	
NITRITE (AS N)	00620	WAIVED			
RADIOLOGICAL					
GROSS ALPHA	01501	WAIVED			
GROSS BETA	03501	WAIVED			
RA-226 FOR CWS OR TOTAL RA FOR NTNC BY 903.0	A-080	WAIVED			
RA-226 OR TOTAL RA BY 903.0 C.E.	A-081	WAIVED			
RADIUM 226	09501	WAIVED			
RADIUM 228	11501	WAIVED			

**Testing interval is in months;*
0 = No data for this constituent and is DUE NOW
999 = Waived testing (not required)
I = Invalid (NOT) valid analyses reported

System Number: ***1900715***

System Name: ***HALFWAY HOUSE CAFE***

PS Code: ***1900715-001***

Source Name: ***WELL 01***

Source Number: ***001***

Source Status: ***STANDBY UNTREATED***

Water type: ***GROUNDWATER OR WELL***

	STORET NUMBER	TESTING INTERVAL (MONTHS)*	LAST TEST DATE (yyyy/mm/dd)	LAST RESULT REPORTED	NEXT TEST DATE (yyyy/mm)
RADIOLOGICAL					
RADIUM, TOTAL, MDA95-NTNC ONLY, BY 903.0	A-082	WAIVED			
STRONTIUM-90	13501	WAIVED			
TRITIUM	07000	WAIVED			
URANIUM (PCI/L)	28012	WAIVED			
REGULATED SOC					
2,3,7,8-TCDD (DIOXIN)	34676	WAIVED			
2,4,5-TP (SILVEX)	39045	WAIVED			
2,4-D	39730	WAIVED			
ALACHLOR	77825	WAIVED			
ATRAZINE	39033	WAIVED			
BENTAZON	38710	WAIVED			
BENZO (A) PYRENE	34247	WAIVED			
CARBOFURAN	81405	WAIVED			
CHLORDANE	39350	WAIVED			
DALAPON	38432	WAIVED			
DI(2-ETHYLHEXYL)ADIPATE	A-026	WAIVED			
DI(2-ETHYLHEXYL)PHTHALATE	39100	WAIVED			
DIBROMOCHLOROPROPANE (DBCP)	38761	WAIVED			
DINOSEB	81287	WAIVED			
DIQUAT	78885	WAIVED			
ENDOTHALL	38926	WAIVED			
ENDRIN	39390	WAIVED			
ETHYLENE DIBROMIDE (EDB)	77651	WAIVED			
GLYPHOSATE	79743	WAIVED			
HEPTACHLOR	39410	WAIVED			
HEPTACHLOR EPOXIDE	39420	WAIVED			
HEXACHLOROBENZENE	39700	WAIVED			
HEXACHLOROCYCLOPENTADIENE	34386	WAIVED			
LINDANE	39340	WAIVED			

**Testing interval is in months;*
0 = No data for this constituent and is DUE NOW
999 = Waived testing (not required)
I = Invalid (NOT) valid analyses reported

System Number: ***1900715***

System Name: ***HALFWAY HOUSE CAFE***

PS Code: ***1900715-001***

Source Name: ***WELL 01***

Source Number: ***001***

Source Status: ***STANDBY UNTREATED***

Water type: ***GROUNDWATER OR WELL***

	STORET NUMBER	TESTING INTERVAL (MONTHS)*	LAST TEST DATE (yyyy/mm/dd)	LAST RESULT REPORTED	NEXT TEST DATE (yyyy/mm)
REGULATED SOC					
METHOXYCHLOR	39480	WAIVED			
MOLINATE	82199	WAIVED			
OXAMYL	38865	WAIVED			
PENTACHLOROPHENOL	39032	WAIVED			
PICLORAM	39720	WAIVED			
POLYCHLORINATED BIPHENYLS, TOTAL, AS DCB	39516	WAIVED			
SIMAZINE	39055	WAIVED			
THIOBENCARB	A-001	WAIVED	1999/06/29	.000	
TOXAPHENE	39400	WAIVED			
REGULATED VOC					
1,1,1-TRICHLOROETHANE	34506	WAIVED			
1,1,2,2-TETRACHLOROETHANE	34516	WAIVED			
1,1,2-TRICHLORO-1,2,2-TRIFLUOROETHANE	81611	WAIVED			
1,1,2-TRICHLOROETHANE	34511	WAIVED			
1,1-DICHLOROETHANE	34496	WAIVED			
1,1-DICHLOROETHYLENE	34501	WAIVED			
1,2,4-TRICHLOROBENZENE	34551	WAIVED			
1,2-DICHLOROBENZENE	34536	WAIVED			
1,2-DICHLOROETHANE	34531	WAIVED			
1,2-DICHLOROPROPANE	34541	WAIVED			
1,3-DICHLOROPROPENE (TOTAL)	34561	WAIVED			
1,4-DICHLOROBENZENE	34571	WAIVED			
BENZENE	34030	WAIVED			
CARBON TETRACHLORIDE	32102	WAIVED			
CIS-1,2-DICHLOROETHYLENE	77093	WAIVED			
DICHLOROMETHANE	34423	WAIVED			
ETHYLBENZENE	34371	WAIVED			
METHYL-TERT-BUTYL-ETHER (MTBE)	46491	WAIVED			
MONOCHLOROBENZENE	34301	WAIVED			

**Testing interval is in months;*
0 = No data for this constituent and is DUE NOW
999 = Waived testing (not required)
I = Invalid (NOT) valid analyses reported

System Number: ***1900715***

System Name: ***HALFWAY HOUSE CAFE***

PS Code: ***1900715-001***

Source Name: ***WELL 01***

Source Number: ***001***

Source Status: ***STANDBY UNTREATED***

Water type: ***GROUNDWATER OR WELL***

	STORET NUMBER	TESTING INTERVAL (MONTHS)*	LAST TEST DATE (yyyy/mm/dd)	LAST RESULT REPORTED	NEXT TEST DATE (yyyy/mm)
REGULATED VOC					
STYRENE	77128	WAIVED			
TETRACHLOROETHYLENE	34475	WAIVED			
TOLUENE	34010	WAIVED			
TRANS-1,2-DICHLOROETHYLENE	34546	WAIVED			
TRICHLOROETHYLENE	39180	WAIVED			
TRICHLOROFLUOROMETHANE	34488	WAIVED			
VINYL CHLORIDE	39175	WAIVED			
XYLENES (TOTAL)	81551	WAIVED			
SECONDARY/GP					
AGGRSSIVE INDEX (CORROSIVITY)	82383	WAIVED			
BICARBONATE ALKALINITY	00440	WAIVED	1999/06/29	340.000	
CALCIUM	00916	WAIVED	1999/06/29	45.700	
CARBONATE ALKALINITY	00445	WAIVED	1999/06/29	.000	
CHLORIDE	00940	WAIVED	1999/06/29	76.500	
COLOR	00081	WAIVED	1999/06/29	.000	
COPPER	01042	WAIVED	1999/06/29	.000	
FOAMING AGENTS (MBAS)	38260	WAIVED	1999/06/29	.000	
HARDNESS (TOTAL) AS CACO3	00900	WAIVED	1999/06/29	160.000	
HYDROXIDE ALKALINITY	71830	WAIVED	1999/06/29	.000	
IRON	01045	WAIVED	1999/06/29	.000	
MAGNESIUM	00927	WAIVED	1999/06/29	11.200	
MANGANESE	01055	WAIVED	1999/06/29	.000	
ODOR THRESHOLD @ 60 C	00086	WAIVED	1999/06/29	.000	
PH, LABORATORY	00403	WAIVED	1999/06/29	8.240	
SILVER	01077	WAIVED	1999/06/29	.000	
SODIUM	00929	WAIVED	1999/06/29	149.000	
SPECIFIC CONDUCTANCE	00095	WAIVED	1999/06/29	1044.000	
SULFATE	00945	WAIVED	1999/06/29	114.000	
TOTAL DISSOLVED SOLIDS	70300	WAIVED	1999/06/29	642.000	

**Testing interval is in months;*
0 = No data for this constituent and is DUE NOW
999 = Waived testing (not required)
I = Invalid (NOT) valid analyses reported

System Number: ***1900715***

System Name: ***HALFWAY HOUSE CAFE***

PS Code: ***1900715-001***

Source Name: ***WELL 01***

Source Number: ***001***

Source Status: ***STANDBY UNTREATED***

Water type: ***GROUNDWATER OR WELL***

	STORET NUMBER	TESTING INTERVAL (MONTHS)*	LAST TEST DATE (yyyy/mm/dd)	LAST RESULT REPORTED	NEXT TEST DATE (yyyy/mm)
SECONDARY/GP					
TURBIDITY, LABORATORY	82079	WAIVED	1999/06/29	.170	
ZINC	01092	WAIVED	1999/06/29	53.000	

PS Code: ***1900715-002***

Source Name: ***HAULED IN WATER***

Source Number: ***002***

Source Status: ***PURCHASED UNTREATED***

Water type: ***GROUNDWATER OR WELL***

GENERAL NON CHAP 15					
DIAZINON	39570	WAIVED			
INORGANIC					
ALUMINUM	01105	WAIVED			
ANTIMONY	01097	WAIVED			
ARSENIC	01002	WAIVED			
ASBESTOS	81855	WAIVED			
BARIUM	01007	WAIVED			
BERYLLIUM	01012	WAIVED			
CADMIUM	01027	WAIVED			
CHROMIUM (TOTAL)	01034	WAIVED			
CYANIDE	01291	WAIVED			
FLUORIDE (F) (NATURAL-SOURCE)	00951	WAIVED			
LEAD	01051	WAIVED			
MERCURY	71900	WAIVED			
NICKEL	01067	WAIVED			
PERCHLORATE	A-031	WAIVED			
SELENIUM	01147	WAIVED			
THALLIUM	01059	WAIVED			

**Testing interval is in months;*
0 = No data for this constituent and is DUE NOW
999 = Waived testing (not required)
I = Invalid (NOT) valid analyses reported

System Number: ***1900715***

System Name: ***HALFWAY HOUSE CAFE***

PS Code: ***1900715-002***

Source Name: ***HAULED IN WATER***

Source Number: ***002***

Source Status: ***PURCHASED UNTREATED***

Water type: ***GROUNDWATER OR WELL***

	STORET NUMBER	TESTING INTERVAL (MONTHS)*	LAST TEST DATE (yyyy/mm/dd)	LAST RESULT REPORTED	NEXT TEST DATE (yyyy/mm)
NITRATE/NITRITE					
NITRATE (AS NO3)	71850	WAIVED	2002/02/19	7.470	
NITRITE (AS N)	00620	WAIVED			
RADIOLOGICAL					
GROSS ALPHA	01501	WAIVED			
GROSS BETA	03501	WAIVED			
RA-226 FOR CWS OR TOTAL RA FOR NTNC BY 903.0	A-080	WAIVED			
RA-226 OR TOTAL RA BY 903.0 C.E.	A-081	WAIVED			
RADIUM 226	09501	WAIVED			
RADIUM 228	11501	WAIVED			
RADIUM, TOTAL, MDA95-NTNC ONLY, BY 903.0	A-082	WAIVED			
STRONTIUM-90	13501	WAIVED			
TRITIUM	07000	WAIVED			
URANIUM (PCI/L)	28012	WAIVED			
REGULATED SOC					
2,3,7,8-TCDD (DIOXIN)	34676	WAIVED			
2,4,5-TP (SILVEX)	39045	WAIVED			
2,4-D	39730	WAIVED			
ALACHLOR	77825	WAIVED			
ATRAZINE	39033	WAIVED			
BENTAZON	38710	WAIVED			
BENZO (A) PYRENE	34247	WAIVED			
CARBOFURAN	81405	WAIVED			
CHLORDANE	39350	WAIVED			
DALAPON	38432	WAIVED			
DI(2-ETHYLHEXYL)ADIPATE	A-026	WAIVED			
DI(2-ETHYLHEXYL)PHTHALATE	39100	WAIVED			
DIBROMOCHLOROPROPANE (DBCP)	38761	WAIVED			
DINOSEB	81287	WAIVED			
DIQUAT	78885	WAIVED			

**Testing interval is in months;*
0 = No data for this constituent and is DUE NOW
999 = Waived testing (not required)
I = Invalid (NOT) valid analyses reported

System Number: ***1900715***

System Name: ***HALFWAY HOUSE CAFE***

PS Code: ***1900715-002***

Source Name: ***HAULED IN WATER***

Source Number: ***002***

Source Status: ***PURCHASED UNTREATED***

Water type: ***GROUNDWATER OR WELL***

REGULATED SOC

	STORET NUMBER	TESTING INTERVAL (MONTHS)*	LAST TEST DATE (yyyy/mm/dd)	LAST RESULT REPORTED	NEXT TEST DATE (yyyy/mm)
ENDOTHALL	38926	WAIVED			
ENDRIN	39390	WAIVED			
ETHYLENE DIBROMIDE (EDB)	77651	WAIVED			
GLYPHOSATE	79743	WAIVED			
HEPTACHLOR	39410	WAIVED			
HEPTACHLOR EPOXIDE	39420	WAIVED			
HEXACHLOROBENZENE	39700	WAIVED			
HEXACHLOROCYCLOPENTADIENE	34386	WAIVED			
LINDANE	39340	WAIVED			
METHOXYCHLOR	39480	WAIVED			
MOLINATE	82199	WAIVED			
OXAMYL	38865	WAIVED			
PENTACHLOROPHENOL	39032	WAIVED			
PICLORAM	39720	WAIVED			
POLYCHLORINATED BIPHENYLS, TOTAL, AS DCB	39516	WAIVED			
SIMAZINE	39055	WAIVED			
THIOBENCARB	A-001	WAIVED			
TOXAPHENE	39400	WAIVED			

REGULATED VOC

1,1,1-TRICHLOROETHANE	34506	WAIVED			
1,1,2,2-TETRACHLOROETHANE	34516	WAIVED			
1,1,2-TRICHLORO-1,2,2-TRIFLUOROETHANE	81611	WAIVED			
1,1,2-TRICHLOROETHANE	34511	WAIVED			
1,1-DICHLOROETHANE	34496	WAIVED			
1,1-DICHLOROETHYLENE	34501	WAIVED			
1,2,4-TRICHLOROBENZENE	34551	WAIVED			
1,2-DICHLOROBENZENE	34536	WAIVED			
1,2-DICHLOROETHANE	34531	WAIVED			
1,2-DICHLOROPROPANE	34541	WAIVED			

**Testing interval is in months;*
0 = No data for this constituent and is DUE NOW
999 = Waived testing (not required)
I = Invalid (NOT) valid analyses reported

System Number: ***1900715***

System Name: ***HALFWAY HOUSE CAFE***

PS Code: ***1900715-002***

Source Name: ***HAULED IN WATER***

Source Number: ***002***

Source Status: ***PURCHASED UNTREATED***

Water type: ***GROUNDWATER OR WELL***

	STORET NUMBER	TESTING INTERVAL (MONTHS)*	LAST TEST DATE (yyyy/mm/dd)	LAST RESULT REPORTED	NEXT TEST DATE (yyyy/mm)
REGULATED VOC					
1,3-DICHLOROPROPENE (TOTAL)	34561	WAIVED			
1,4-DICHLOROBENZENE	34571	WAIVED			
BENZENE	34030	WAIVED			
CARBON TETRACHLORIDE	32102	WAIVED			
CIS-1,2-DICHLOROETHYLENE	77093	WAIVED			
DICHLOROMETHANE	34423	WAIVED			
ETHYLBENZENE	34371	WAIVED			
METHYL-TERT-BUTYL-ETHER (MTBE)	46491	WAIVED			
MONOCHLOROBENZENE	34301	WAIVED			
STYRENE	77128	WAIVED			
TETRACHLOROETHYLENE	34475	WAIVED			
TOLUENE	34010	WAIVED			
TRANS-1,2-DICHLOROETHYLENE	34546	WAIVED			
TRICHLOROETHYLENE	39180	WAIVED			
TRICHLOROFLUOROMETHANE	34488	WAIVED			
VINYL CHLORIDE	39175	WAIVED			
XYLENES (TOTAL)	81551	WAIVED			
SECONDARY/GP					
AGGRSSIVE INDEX (CORROSIVITY)	82383	WAIVED			
BICARBONATE ALKALINITY	00440	WAIVED			
CALCIUM	00916	WAIVED			
CARBONATE ALKALINITY	00445	WAIVED			
CHLORIDE	00940	WAIVED			
COLOR	00081	WAIVED			
COPPER	01042	WAIVED			
FOAMING AGENTS (MBAS)	38260	WAIVED			
HARDNESS (TOTAL) AS CACO3	00900	WAIVED			
HYDROXIDE ALKALINITY	71830	WAIVED			
IRON	01045	WAIVED			

**Testing interval is in months;*
0 = No data for this constituent and is DUE NOW
999 = Waived testing (not required)
I = Invalid (NOT) valid analyses reported

System Number: ***1900715***

System Name: ***HALFWAY HOUSE CAFE***

PS Code: ***1900715-002***

Source Name: ***HAULED IN WATER***

Source Number: ***002***

Source Status: ***PURCHASED UNTREATED***

Water type: ***GROUNDWATER OR WELL***

SECONDARY/GP	STORET NUMBER	TESTING INTERVAL (MONTHS)*	LAST TEST DATE (yyyy/mm/dd)	LAST RESULT REPORTED	NEXT TEST DATE (yyyy/mm)
MAGNESIUM	00927	WAIVED			
MANGANESE	01055	WAIVED			
ODOR THRESHOLD @ 60 C	00086	WAIVED			
PH, LABORATORY	00403	WAIVED			
SILVER	01077	WAIVED			
SODIUM	00929	WAIVED			
SPECIFIC CONDUCTANCE	00095	WAIVED			
SULFATE	00945	WAIVED			
TOTAL DISSOLVED SOLIDS	70300	WAIVED			
TURBIDITY, LABORATORY	82079	WAIVED			
ZINC	01092	WAIVED			

**Testing interval is in months;*
0 = No data for this constituent and is DUE NOW
999 = Waived testing (not required)
I = Invalid (NOT) valid analyses reported

System Number: ***1900717***

System Name: ***CASA DULCE ESTATES***

PS Code: ***1900717-002***

Source Name: ***WELL 02***

Source Number: ***002***

Source Status: ***ACTIVE UNTREATED***

Water type: ***GROUNDWATER OR WELL***

	STORET NUMBER	TESTING INTERVAL (MONTHS)*	LAST TEST DATE (yyyy/mm/dd)	LAST RESULT REPORTED	NEXT TEST DATE (yyyy/mm)
GENERAL NON CHAP 15					
DIAZINON	39570	WAIVED			
INORGANIC					
ALUMINUM	01105	WAIVED			
ANTIMONY	01097	WAIVED			
ARSENIC	01002	WAIVED			
ASBESTOS	81855	WAIVED			
BARIUM	01007	WAIVED			
BERYLLIUM	01012	WAIVED			
CADMIUM	01027	WAIVED			
CHROMIUM (TOTAL)	01034	WAIVED			
CYANIDE	01291	WAIVED			
FLUORIDE (F) (NATURAL-SOURCE)	00951	WAIVED			
LEAD	01051	WAIVED			
MERCURY	71900	WAIVED			
NICKEL	01067	WAIVED			
PERCHLORATE	A-031	WAIVED	2009/11/11	< 2.000	
SELENIUM	01147	WAIVED			
THALLIUM	01059	WAIVED			
NITRATE/NITRITE					
NITRATE (AS NO3)	71850	WAIVED	2011/08/24	2.700	
NITRITE (AS N)	00620	WAIVED			
RADIOLOGICAL					
GROSS ALPHA	01501	WAIVED	2012/05/02	.193	
GROSS BETA	03501	WAIVED			
RA-226 FOR CWS OR TOTAL RA FOR NTNC BY 903.0	A-080	WAIVED			
RA-226 OR TOTAL RA BY 903.0 C.E.	A-081	WAIVED			
RADIUM 226	09501	WAIVED			
RADIUM 228	11501	WAIVED			

**Testing interval is in months;*
0 = No data for this constituent and is DUE NOW
999 = Waived testing (not required)
I = Invalid (NOT) valid analyses reported

System Number: ***1900717***

System Name: ***CASA DULCE ESTATES***

PS Code: ***1900717-002***

Source Name: ***WELL 02***

Source Number: ***002***

Source Status: ***ACTIVE UNTREATED***

Water type: ***GROUNDWATER OR WELL***

	STORET NUMBER	TESTING INTERVAL (MONTHS)*	LAST TEST DATE (yyyy/mm/dd)	LAST RESULT REPORTED	NEXT TEST DATE (yyyy/mm)
RADIOLOGICAL					
RADIUM, TOTAL, MDA95-NTNC ONLY, BY 903.0	A-082	WAIVED			
STRONTIUM-90	13501	WAIVED			
TRITIUM	07000	WAIVED			
URANIUM (PCI/L)	28012	WAIVED			
REGULATED SOC					
2,3,7,8-TCDD (DIOXIN)	34676	WAIVED			
2,4,5-TP (SILVEX)	39045	WAIVED			
2,4-D	39730	WAIVED			
ALACHLOR	77825	WAIVED			
ATRAZINE	39033	WAIVED			
BENTAZON	38710	WAIVED			
BENZO (A) PYRENE	34247	WAIVED			
CARBOFURAN	81405	WAIVED			
CHLORDANE	39350	WAIVED			
DALAPON	38432	WAIVED			
DI(2-ETHYLHEXYL)ADIPATE	A-026	WAIVED			
DI(2-ETHYLHEXYL)PHTHALATE	39100	WAIVED			
DIBROMOCHLOROPROPANE (DBCP)	38761	WAIVED			
DINOSEB	81287	WAIVED			
DIQUAT	78885	WAIVED			
ENDOTHALL	38926	WAIVED			
ENDRIN	39390	WAIVED			
ETHYLENE DIBROMIDE (EDB)	77651	WAIVED			
GLYPHOSATE	79743	WAIVED			
HEPTACHLOR	39410	WAIVED			
HEPTACHLOR EPOXIDE	39420	WAIVED			
HEXACHLOROBENZENE	39700	WAIVED			
HEXACHLOROCYCLOPENTADIENE	34386	WAIVED			
LINDANE	39340	WAIVED			

**Testing interval is in months;*
0 = No data for this constituent and is DUE NOW
999 = Waived testing (not required)
I = Invalid (NOT) valid analyses reported

System Number: ***1900717***

System Name: ***CASA DULCE ESTATES***

PS Code: ***1900717-002***

Source Name: ***WELL 02***

Source Number: ***002***

Source Status: ***ACTIVE UNTREATED***

Water type: ***GROUNDWATER OR WELL***

	STORET NUMBER	TESTING INTERVAL (MONTHS)*	LAST TEST DATE (yyyy/mm/dd)	LAST RESULT REPORTED	NEXT TEST DATE (yyyy/mm)
REGULATED SOC					
METHOXYCHLOR	39480	WAIVED			
MOLINATE	82199	WAIVED			
OXAMYL	38865	WAIVED			
PENTACHLOROPHENOL	39032	WAIVED			
PICLORAM	39720	WAIVED			
POLYCHLORINATED BIPHENYLS, TOTAL, AS DCB	39516	WAIVED			
SIMAZINE	39055	WAIVED			
THIOBENCARB	A-001	WAIVED			
TOXAPHENE	39400	WAIVED			
REGULATED VOC					
1,1,1-TRICHLOROETHANE	34506	WAIVED			
1,1,2,2-TETRACHLOROETHANE	34516	WAIVED			
1,1,2-TRICHLORO-1,2,2-TRIFLUOROETHANE	81611	WAIVED			
1,1,2-TRICHLOROETHANE	34511	WAIVED			
1,1-DICHLOROETHANE	34496	WAIVED			
1,1-DICHLOROETHYLENE	34501	WAIVED			
1,2,4-TRICHLOROBENZENE	34551	WAIVED			
1,2-DICHLOROBENZENE	34536	WAIVED			
1,2-DICHLOROETHANE	34531	WAIVED			
1,2-DICHLOROPROPANE	34541	WAIVED			
1,3-DICHLOROPROPENE (TOTAL)	34561	WAIVED			
1,4-DICHLOROBENZENE	34571	WAIVED			
BENZENE	34030	WAIVED			
CARBON TETRACHLORIDE	32102	WAIVED			
CIS-1,2-DICHLOROETHYLENE	77093	WAIVED			
DICHLOROMETHANE	34423	WAIVED			
ETHYLBENZENE	34371	WAIVED			
METHYL-TERT-BUTYL-ETHER (MTBE)	46491	WAIVED			
MONOCHLOROBENZENE	34301	WAIVED			

**Testing interval is in months;*
0 = No data for this constituent and is DUE NOW
999 = Waived testing (not required)
I = Invalid (NOT) valid analyses reported

System Number: ***1900717***

System Name: ***CASA DULCE ESTATES***

PS Code: ***1900717-002***

Source Name: ***WELL 02***

Source Number: ***002***

Source Status: ***ACTIVE UNTREATED***

Water type: ***GROUNDWATER OR WELL***

	STORET NUMBER	TESTING INTERVAL (MONTHS)*	LAST TEST DATE (yyyy/mm/dd)	LAST RESULT REPORTED	NEXT TEST DATE (yyyy/mm)
REGULATED VOC					
STYRENE	77128	WAIVED			
TETRACHLOROETHYLENE	34475	WAIVED			
TOLUENE	34010	WAIVED			
TRANS-1,2-DICHLOROETHYLENE	34546	WAIVED			
TRICHLOROETHYLENE	39180	WAIVED			
TRICHLOROFLUOROMETHANE	34488	WAIVED			
VINYL CHLORIDE	39175	WAIVED			
XYLENES (TOTAL)	81551	WAIVED			
SECONDARY/GP					
AGGRSSIVE INDEX (CORROSIVITY)	82383	WAIVED			
BICARBONATE ALKALINITY	00440	WAIVED			
CALCIUM	00916	WAIVED			
CARBONATE ALKALINITY	00445	WAIVED			
CHLORIDE	00940	WAIVED			
COLOR	00081	WAIVED			
COPPER	01042	WAIVED			
FOAMING AGENTS (MBAS)	38260	WAIVED			
HARDNESS (TOTAL) AS CACO3	00900	WAIVED			
HYDROXIDE ALKALINITY	71830	WAIVED			
IRON	01045	WAIVED			
MAGNESIUM	00927	WAIVED			
MANGANESE	01055	WAIVED			
ODOR THRESHOLD @ 60 C	00086	WAIVED			
PH, LABORATORY	00403	WAIVED			
SILVER	01077	WAIVED			
SODIUM	00929	WAIVED			
SPECIFIC CONDUCTANCE	00095	WAIVED			
SULFATE	00945	WAIVED			
TOTAL DISSOLVED SOLIDS	70300	WAIVED			

**Testing interval is in months;*
0 = No data for this constituent and is DUE NOW
999 = Waived testing (not required)
I = Invalid (NOT) valid analyses reported

System Number: ***1900717***

System Name: ***CASA DULCE ESTATES***

PS Code: ***1900717-002***

Source Name: ***WELL 02***

Source Number: ***002***

Source Status: ***ACTIVE UNTREATED***

Water type: ***GROUNDWATER OR WELL***

	STORET NUMBER	TESTING INTERVAL (MONTHS)*	LAST TEST DATE (yyyy/mm/dd)	LAST RESULT REPORTED	NEXT TEST DATE (yyyy/mm)
SECONDARY/GP					
TURBIDITY, LABORATORY	82079	WAIVED			
ZINC	01092	WAIVED			

PS Code: ***1900717-003***

Source Name: ***CHLORINATOR***

Source Number: ***003***

Source Status: ***ACTIVE TREATED***

Water type: ***GROUNDWATER OR WELL***

	STORET NUMBER	TESTING INTERVAL (MONTHS)*	LAST TEST DATE (yyyy/mm/dd)	LAST RESULT REPORTED	NEXT TEST DATE (yyyy/mm)
GENERAL NON CHAP 15					
DIAZINON	39570	WAIVED			
INORGANIC					
ALUMINUM	01105	WAIVED			
ANTIMONY	01097	WAIVED			
ARSENIC	01002	WAIVED			
ASBESTOS	81855	WAIVED			
BARIUM	01007	WAIVED			
BERYLLIUM	01012	WAIVED			
CADMIUM	01027	WAIVED			
CHROMIUM (TOTAL)	01034	WAIVED			
CYANIDE	01291	WAIVED			
FLUORIDE (F) (NATURAL-SOURCE)	00951	WAIVED			
LEAD	01051	WAIVED			
MERCURY	71900	WAIVED			
NICKEL	01067	WAIVED			
PERCHLORATE	A-031	WAIVED			
SELENIUM	01147	WAIVED			
THALLIUM	01059	WAIVED			

**Testing interval is in months;*
0 = No data for this constituent and is DUE NOW
999 = Waived testing (not required)
I = Invalid (NOT) valid analyses reported

System Number: ***1900717***

System Name: ***CASA DULCE ESTATES***

PS Code: ***1900717-003***

Source Name: ***CHLORINATOR***

Source Number: ***003***

Source Status: ***ACTIVE TREATED***

Water type: ***GROUNDWATER OR WELL***

	STORET NUMBER	TESTING INTERVAL (MONTHS)*	LAST TEST DATE (yyyy/mm/dd)	LAST RESULT REPORTED	NEXT TEST DATE (yyyy/mm)
NITRATE/NITRITE					
NITRATE (AS NO3)	71850	WAIVED			
NITRITE (AS N)	00620	WAIVED			
RADIOLOGICAL					
GROSS ALPHA	01501	WAIVED			
GROSS BETA	03501	WAIVED			
RA-226 FOR CWS OR TOTAL RA FOR NTNC BY 903.0	A-080	WAIVED			
RA-226 OR TOTAL RA BY 903.0 C.E.	A-081	WAIVED			
RADIUM 226	09501	WAIVED			
RADIUM 228	11501	WAIVED			
RADIUM, TOTAL, MDA95-NTNC ONLY, BY 903.0	A-082	WAIVED			
STRONTIUM-90	13501	WAIVED			
TRITIUM	07000	WAIVED			
URANIUM (PCI/L)	28012	WAIVED			
REGULATED SOC					
2,3,7,8-TCDD (DIOXIN)	34676	WAIVED			
2,4,5-TP (SILVEX)	39045	WAIVED			
2,4-D	39730	WAIVED			
ALACHLOR	77825	WAIVED			
ATRAZINE	39033	WAIVED			
BENTAZON	38710	WAIVED			
BENZO (A) PYRENE	34247	WAIVED			
CARBOFURAN	81405	WAIVED			
CHLORDANE	39350	WAIVED			
DALAPON	38432	WAIVED			
DI(2-ETHYLHEXYL)ADIPATE	A-026	WAIVED			
DI(2-ETHYLHEXYL)PHTHALATE	39100	WAIVED			
DIBROMOCHLOROPROPANE (DBCP)	38761	WAIVED			
DINOSEB	81287	WAIVED			
DIQUAT	78885	WAIVED			

**Testing interval is in months;*
0 = No data for this constituent and is DUE NOW
999 = Waived testing (not required)
I = Invalid (NOT) valid analyses reported

System Number: ***1900717***

System Name: ***CASA DULCE ESTATES***

PS Code: ***1900717-003***

Source Name: ***CHLORINATOR***

Source Number: ***003***

Source Status: ***ACTIVE TREATED***

Water type: ***GROUNDWATER OR WELL***

	STORET NUMBER	TESTING INTERVAL (MONTHS)*	LAST TEST DATE (yyyy/mm/dd)	LAST RESULT REPORTED	NEXT TEST DATE (yyyy/mm)
REGULATED SOC					
ENDOTHALL	38926	WAIVED			
ENDRIN	39390	WAIVED			
ETHYLENE DIBROMIDE (EDB)	77651	WAIVED			
GLYPHOSATE	79743	WAIVED			
HEPTACHLOR	39410	WAIVED			
HEPTACHLOR EPOXIDE	39420	WAIVED			
HEXACHLOROBENZENE	39700	WAIVED			
HEXACHLOROCYCLOPENTADIENE	34386	WAIVED			
LINDANE	39340	WAIVED			
METHOXYCHLOR	39480	WAIVED			
MOLINATE	82199	WAIVED			
OXAMYL	38865	WAIVED			
PENTACHLOROPHENOL	39032	WAIVED			
PICLORAM	39720	WAIVED			
POLYCHLORINATED BIPHENYLS, TOTAL, AS DCB	39516	WAIVED			
SIMAZINE	39055	WAIVED			
THIOBENCARB	A-001	WAIVED			
TOXAPHENE	39400	WAIVED			
REGULATED VOC					
1,1,1-TRICHLOROETHANE	34506	WAIVED			
1,1,2,2-TETRACHLOROETHANE	34516	WAIVED			
1,1,2-TRICHLORO-1,2,2-TRIFLUOROETHANE	81611	WAIVED			
1,1,2-TRICHLOROETHANE	34511	WAIVED			
1,1-DICHLOROETHANE	34496	WAIVED			
1,1-DICHLOROETHYLENE	34501	WAIVED			
1,2,4-TRICHLOROBENZENE	34551	WAIVED			
1,2-DICHLOROBENZENE	34536	WAIVED			
1,2-DICHLOROETHANE	34531	WAIVED			
1,2-DICHLOROPROPANE	34541	WAIVED			

**Testing interval is in months;*
0 = No data for this constituent and is DUE NOW
999 = Waived testing (not required)
I = Invalid (NOT) valid analyses reported

System Number: ***1900717***

System Name: ***CASA DULCE ESTATES***

PS Code: ***1900717-003***

Source Name: ***CHLORINATOR***

Source Number: ***003***

Source Status: ***ACTIVE TREATED***

Water type: ***GROUNDWATER OR WELL***

	STORET NUMBER	TESTING INTERVAL (MONTHS)*	LAST TEST DATE (yyyy/mm/dd)	LAST RESULT REPORTED	NEXT TEST DATE (yyyy/mm)
REGULATED VOC					
1,3-DICHLOROPROPENE (TOTAL)	34561	WAIVED			
1,4-DICHLOROBENZENE	34571	WAIVED			
BENZENE	34030	WAIVED			
CARBON TETRACHLORIDE	32102	WAIVED			
CIS-1,2-DICHLOROETHYLENE	77093	WAIVED			
DICHLOROMETHANE	34423	WAIVED			
ETHYLBENZENE	34371	WAIVED			
METHYL-TERT-BUTYL-ETHER (MTBE)	46491	WAIVED			
MONOCHLOROBENZENE	34301	WAIVED			
STYRENE	77128	WAIVED			
TETRACHLOROETHYLENE	34475	WAIVED			
TOLUENE	34010	WAIVED			
TRANS-1,2-DICHLOROETHYLENE	34546	WAIVED			
TRICHLOROETHYLENE	39180	WAIVED			
TRICHLOROFLUOROMETHANE	34488	WAIVED			
VINYL CHLORIDE	39175	WAIVED			
XYLENES (TOTAL)	81551	WAIVED			
SECONDARY/GP					
AGGRSSIVE INDEX (CORROSIVITY)	82383	WAIVED			
BICARBONATE ALKALINITY	00440	WAIVED			
CALCIUM	00916	WAIVED			
CARBONATE ALKALINITY	00445	WAIVED			
CHLORIDE	00940	WAIVED			
COLOR	00081	WAIVED			
COPPER	01042	WAIVED			
FOAMING AGENTS (MBAS)	38260	WAIVED			
HARDNESS (TOTAL) AS CACO3	00900	WAIVED			
HYDROXIDE ALKALINITY	71830	WAIVED			
IRON	01045	WAIVED			

**Testing interval is in months;*
0 = No data for this constituent and is DUE NOW
999 = Waived testing (not required)
I = Invalid (NOT) valid analyses reported

System Number: ***1900717***

System Name: ***CASA DULCE ESTATES***

PS Code: ***1900717-003***

Source Name: ***CHLORINATOR***

Source Number: ***003***

Source Status: ***ACTIVE TREATED***

Water type: ***GROUNDWATER OR WELL***

SECONDARY/GP

	STORET NUMBER	TESTING INTERVAL (MONTHS)*	LAST TEST DATE (yyyy/mm/dd)	LAST RESULT REPORTED	NEXT TEST DATE (yyyy/mm)
MAGNESIUM	00927	WAIVED			
MANGANESE	01055	WAIVED			
ODOR THRESHOLD @ 60 C	00086	WAIVED			
PH, LABORATORY	00403	WAIVED			
SILVER	01077	WAIVED			
SODIUM	00929	WAIVED			
SPECIFIC CONDUCTANCE	00095	WAIVED			
SULFATE	00945	WAIVED			
TOTAL DISSOLVED SOLIDS	70300	WAIVED			
TURBIDITY, LABORATORY	82079	WAIVED			
ZINC	01092	WAIVED			

**Testing interval is in months;*
0 = No data for this constituent and is DUE NOW
999 = Waived testing (not required)
I = Invalid (NOT) valid analyses reported

System Number: ***1900721***

System Name: ***LOCUST GROVE MOBILE HOME PARK***

PS Code: ***1900721-001***

Source Name: ***WELL 01***

Source Number: ***001***

Source Status: ***ACTIVE UNTREATED***

Water type: ***GROUNDWATER OR WELL***

	STORET NUMBER	TESTING INTERVAL (MONTHS)*	LAST TEST DATE (yyyy/mm/dd)	LAST RESULT REPORTED	NEXT TEST DATE (yyyy/mm)
GENERAL NON CHAP 15					
DIAZINON	39570	WAIVED			
INORGANIC					
ALUMINUM	01105	WAIVED	2011/03/16	< .000	
ANTIMONY	01097	WAIVED	2011/03/16	< .000	
ARSENIC	01002	WAIVED	2011/03/16	< .000	
ASBESTOS	81855	WAIVED			
BARIUM	01007	WAIVED	2011/03/16	< .000	
BERYLLIUM	01012	WAIVED	2011/03/16	< .000	
CADMIUM	01027	WAIVED	2011/03/16	< .000	
CHROMIUM (TOTAL)	01034	WAIVED	2011/03/16	17.000	
CYANIDE	01291	WAIVED	2011/03/16	< .000	
FLUORIDE (F) (NATURAL-SOURCE)	00951	WAIVED	2011/03/16	.190	
LEAD	01051	WAIVED	2011/03/16	< .000	
MERCURY	71900	WAIVED	2011/03/16	< .000	
NICKEL	01067	WAIVED	2011/03/16	< .000	
PERCHLORATE	A-031	WAIVED	2011/10/19	< .000	
SELENIUM	01147	WAIVED	2011/03/16	< .000	
THALLIUM	01059	WAIVED	2011/03/16	< .000	
NITRATE/NITRITE					
NITRATE (AS NO3)	71850	WAIVED	2011/03/16	5.500	
NITRITE (AS N)	00620	WAIVED	2011/03/16	< .000	
RADIOLOGICAL					
GROSS ALPHA	01501	WAIVED			
GROSS BETA	03501	WAIVED			
RA-226 FOR CWS OR TOTAL RA FOR NTNC BY 903.0	A-080	WAIVED			
RA-226 OR TOTAL RA BY 903.0 C.E.	A-081	WAIVED			
RADIUM 226	09501	WAIVED			
RADIUM 228	11501	WAIVED			

**Testing interval is in months;*
0 = No data for this constituent and is DUE NOW
999 = Waived testing (not required)
I = Invalid (NOT) valid analyses reported

System Number: ***1900721***

System Name: ***LOCUST GROVE MOBILE HOME PARK***

PS Code: ***1900721-001***

Source Name: ***WELL 01***

Source Number: ***001***

Source Status: ***ACTIVE UNTREATED***

Water type: ***GROUNDWATER OR WELL***

	STORET NUMBER	TESTING INTERVAL (MONTHS)*	LAST TEST DATE (yyyy/mm/dd)	LAST RESULT REPORTED	NEXT TEST DATE (yyyy/mm)
RADIOLOGICAL					
RADIUM, TOTAL, MDA95-NTNC ONLY, BY 903.0	A-082	WAIVED			
STRONTIUM-90	13501	WAIVED			
TRITIUM	07000	WAIVED			
URANIUM (PCI/L)	28012	WAIVED			
REGULATED SOC					
2,3,7,8-TCDD (DIOXIN)	34676	WAIVED			
2,4,5-TP (SILVEX)	39045	WAIVED			
2,4-D	39730	WAIVED			
ALACHLOR	77825	WAIVED	2001/06/19	.000	
ATRAZINE	39033	WAIVED	1995/04/03	.000	
BENTAZON	38710	WAIVED			
BENZO (A) PYRENE	34247	WAIVED	1995/04/03	.000	
CARBOFURAN	81405	WAIVED	1995/04/03	.000	
CHLORDANE	39350	WAIVED	2001/06/19	.000	
DALAPON	38432	WAIVED			
DI(2-ETHYLHEXYL)ADIPATE	A-026	WAIVED	1995/04/03	.000	
DI(2-ETHYLHEXYL)PHTHALATE	39100	WAIVED	2001/06/19	.000	
DIBROMOCHLOROPROPANE (DBCP)	38761	WAIVED	1995/04/03	.000	
DINOSEB	81287	WAIVED			
DIQUAT	78885	WAIVED			
ENDOTHALL	38926	WAIVED			
ENDRIN	39390	WAIVED	2001/06/19	.000	
ETHYLENE DIBROMIDE (EDB)	77651	WAIVED	1995/04/03	.000	
GLYPHOSATE	79743	WAIVED	1995/04/03	.000	
HEPTACHLOR	39410	WAIVED	2001/06/19	.000	
HEPTACHLOR EPOXIDE	39420	WAIVED	2001/06/19	.000	
HEXACHLOROBENZENE	39700	WAIVED	2001/06/19	.000	
HEXACHLOROCYCLOPENTADIENE	34386	WAIVED	2001/06/19	.000	
LINDANE	39340	WAIVED	2001/06/19	.000	

**Testing interval is in months;*
0 = No data for this constituent and is DUE NOW
999 = Waived testing (not required)
I = Invalid (NOT) valid analyses reported

System Number: ***1900721***

System Name: ***LOCUST GROVE MOBILE HOME PARK***

PS Code: ***1900721-001***

Source Name: ***WELL 01***

Source Number: ***001***

Source Status: ***ACTIVE UNTREATED***

Water type: ***GROUNDWATER OR WELL***

	STORET NUMBER	TESTING INTERVAL (MONTHS)*	LAST TEST DATE (yyyy/mm/dd)	LAST RESULT REPORTED	NEXT TEST DATE (yyyy/mm)
REGULATED SOC					
METHOXYCHLOR	39480	WAIVED	2001/06/19	.000	
MOLINATE	82199	WAIVED	1995/04/03	.000	
OXAMYL	38865	WAIVED	1995/04/03	.000	
PENTACHLOROPHENOL	39032	WAIVED	1995/04/03	.000	
PICLORAM	39720	WAIVED			
POLYCHLORINATED BIPHENYLS, TOTAL, AS DCB	39516	WAIVED	2001/06/19	.000	
SIMAZINE	39055	WAIVED	1995/04/03	.000	
THIOBENCARB	A-001	WAIVED	1995/04/03	.000	
TOXAPHENE	39400	WAIVED	2001/06/19	.000	
REGULATED VOC					
1,1,1-TRICHLOROETHANE	34506	WAIVED	2001/06/19	.000	
1,1,2,2-TETRACHLOROETHANE	34516	WAIVED	2001/06/19	.000	
1,1,2-TRICHLORO-1,2,2-TRIFLUOROETHANE	81611	WAIVED	2001/06/19	.000	
1,1,2-TRICHLOROETHANE	34511	WAIVED	2001/06/19	.000	
1,1-DICHLOROETHANE	34496	WAIVED	2001/06/19	.000	
1,1-DICHLOROETHYLENE	34501	WAIVED	2001/06/19	.000	
1,2,4-TRICHLOROBENZENE	34551	WAIVED	2001/06/19	.000	
1,2-DICHLOROBENZENE	34536	WAIVED	2001/06/19	.000	
1,2-DICHLOROETHANE	34531	WAIVED	2001/06/19	.000	
1,2-DICHLOROPROPANE	34541	WAIVED	2001/06/19	.000	
1,3-DICHLOROPROPENE (TOTAL)	34561	WAIVED	2001/06/19	.000	
1,4-DICHLOROBENZENE	34571	WAIVED	2001/06/19	.000	
BENZENE	34030	WAIVED	2001/06/19	.000	
CARBON TETRACHLORIDE	32102	WAIVED	2001/06/19	.000	
CIS-1,2-DICHLOROETHYLENE	77093	WAIVED	2001/06/19	.000	
DICHLOROMETHANE	34423	WAIVED	2001/06/19	.000	
ETHYLBENZENE	34371	WAIVED	2001/06/19	.000	
METHYL-TERT-BUTYL-ETHER (MTBE)	46491	WAIVED	2001/06/19	.000	
MONOCHLOROBENZENE	34301	WAIVED	2001/06/19	.000	

**Testing interval is in months;*
0 = No data for this constituent and is DUE NOW
999 = Waived testing (not required)
I = Invalid (NOT) valid analyses reported

System Number: 1900721
System Name: LOCUST GROVE MOBILE HOME PARK

PS Code: 1900721-001
Source Name: WELL 01
Source Number: 001
Source Status: ACTIVE UNTREATED
Water type: GROUNDWATER OR WELL

	STORET NUMBER	TESTING INTERVAL (MONTHS)*	LAST TEST DATE (yyyy/mm/dd)	LAST RESULT REPORTED	NEXT TEST DATE (yyyy/mm)
REGULATED VOC					
STYRENE	77128	WAIVED	2001/06/19	.000	
TETRACHLOROETHYLENE	34475	WAIVED	2001/06/19	.000	
TOLUENE	34010	WAIVED	2001/06/19	.000	
TRANS-1,2-DICHLOROETHYLENE	34546	WAIVED	2001/06/19	.000	
TRICHLOROETHYLENE	39180	WAIVED	2001/06/19	.000	
TRICHLOROFLUOROMETHANE	34488	WAIVED	2001/06/19	.000	
VINYL CHLORIDE	39175	WAIVED	2001/06/19	.000	
XYLENES (TOTAL)	81551	WAIVED	2001/06/19	.000	
SECONDARY/GP					
AGGRSSIVE INDEX (CORROSIVITY)	82383	WAIVED	2011/03/16	12.000	
BICARBONATE ALKALINITY	00440	WAIVED	2011/03/16	100.000	
CALCIUM	00916	WAIVED	2011/03/16	41.000	
CARBONATE ALKALINITY	00445	WAIVED	2011/03/16	< .000	
CHLORIDE	00940	WAIVED	2011/03/16	28.000	
COLOR	00081	WAIVED	2011/03/16	< .000	
COPPER	01042	WAIVED	2011/03/16	< .000	
FOAMING AGENTS (MBAS)	38260	WAIVED	2011/03/16	< .000	
HARDNESS (TOTAL) AS CACO3	00900	WAIVED	2011/03/16	110.000	
HYDROXIDE ALKALINITY	71830	WAIVED	2011/03/16	< .000	
IRON	01045	WAIVED	2011/03/16	< .000	
MAGNESIUM	00927	WAIVED	2011/03/16	2.500	
MANGANESE	01055	WAIVED	2011/03/16	< .000	
ODOR THRESHOLD @ 60 C	00086	WAIVED	2011/03/16	< .000	
PH, LABORATORY	00403	WAIVED	2011/03/16	8.200	
SILVER	01077	WAIVED	2011/03/16	< .000	
SODIUM	00929	WAIVED	2011/03/16	27.000	
SPECIFIC CONDUCTANCE	00095	WAIVED	2011/03/16	320.000	
SULFATE	00945	WAIVED	2011/03/16	40.000	
TOTAL DISSOLVED SOLIDS	70300	WAIVED	2011/03/16	240.000	

**Testing interval is in months;*
0 = No data for this constituent and is DUE NOW
999 = Waived testing (not required)
I = Invalid (NOT) valid analyses reported

System Number: ***1900721***

System Name: ***LOCUST GROVE MOBILE HOME PARK***

PS Code: ***1900721-001***

Source Name: ***WELL 01***

Source Number: ***001***

Source Status: ***ACTIVE UNTREATED***

Water type: ***GROUNDWATER OR WELL***

SECONDARY/GP

	STORET NUMBER	TESTING INTERVAL (MONTHS)*	LAST TEST DATE (yyyy/mm/dd)	LAST RESULT REPORTED	NEXT TEST DATE (yyyy/mm)
TURBIDITY, LABORATORY	82079	WAIVED	2011/03/16	< .000	
ZINC	01092	WAIVED	2011/03/16	< .000	

**Testing interval is in months;*
0 = No data for this constituent and is DUE NOW
999 = Waived testing (not required)
I = Invalid (NOT) valid analyses reported

System Number: ***1900729***

System Name: ***USFS-LOS CANTILLES S-2***

PS Code: ***1900729-001***

Source Name: ***WELL 01***

Source Number: ***001***

Source Status: ***ACTIVE UNTREATED***

Water type: ***GROUNDWATER OR WELL***

	STORET NUMBER	TESTING INTERVAL (MONTHS)*	LAST TEST DATE (yyyy/mm/dd)	LAST RESULT REPORTED	NEXT TEST DATE (yyyy/mm)
GENERAL NON CHAP 15					
DIAZINON	39570	WAIVED			
INORGANIC					
ALUMINUM	01105	WAIVED	2004/09/08	.000	
ANTIMONY	01097	WAIVED	2004/09/08	.000	
ARSENIC	01002	WAIVED	2004/09/08	.000	
ASBESTOS	81855	WAIVED			
BARIUM	01007	WAIVED	2004/09/08	.000	
BERYLLIUM	01012	WAIVED			
CADMIUM	01027	WAIVED	2004/09/08	.000	
CHROMIUM (TOTAL)	01034	WAIVED	2004/09/08	.000	
CYANIDE	01291	WAIVED			
FLUORIDE (F) (NATURAL-SOURCE)	00951	WAIVED	2004/09/08	.690	
LEAD	01051	WAIVED	2004/09/08	.000	
MERCURY	71900	WAIVED	2004/09/08	.000	
NICKEL	01067	WAIVED	2004/09/08	.000	
PERCHLORATE	A-031	WAIVED			
SELENIUM	01147	WAIVED	2004/09/08	.000	
THALLIUM	01059	WAIVED			
NITRATE/NITRITE					
NITRATE (AS NO3)	71850	WAIVED	2004/09/08	.000	
NITRITE (AS N)	00620	WAIVED			
RADIOLOGICAL					
GROSS ALPHA	01501	WAIVED			
GROSS BETA	03501	WAIVED			
RA-226 FOR CWS OR TOTAL RA FOR NTNC BY 903.0	A-080	WAIVED			
RA-226 OR TOTAL RA BY 903.0 C.E.	A-081	WAIVED			
RADIUM 226	09501	WAIVED			
RADIUM 228	11501	WAIVED			

**Testing interval is in months;*
0 = No data for this constituent and is DUE NOW
999 = Waived testing (not required)
I = Invalid (NOT) valid analyses reported

System Number: ***1900729***

System Name: ***USFS-LOS CANTILLES S-2***

PS Code: ***1900729-001***

Source Name: ***WELL 01***

Source Number: ***001***

Source Status: ***ACTIVE UNTREATED***

Water type: ***GROUNDWATER OR WELL***

	STORET NUMBER	TESTING INTERVAL (MONTHS)*	LAST TEST DATE (yyyy/mm/dd)	LAST RESULT REPORTED	NEXT TEST DATE (yyyy/mm)
RADIOLOGICAL					
RADIUM, TOTAL, MDA95-NTNC ONLY, BY 903.0	A-082	WAIVED			
STRONTIUM-90	13501	WAIVED			
TRITIUM	07000	WAIVED			
URANIUM (PCI/L)	28012	WAIVED			
REGULATED SOC					
2,3,7,8-TCDD (DIOXIN)	34676	WAIVED			
2,4,5-TP (SILVEX)	39045	WAIVED			
2,4-D	39730	WAIVED			
ALACHLOR	77825	WAIVED			
ATRAZINE	39033	WAIVED			
BENTAZON	38710	WAIVED			
BENZO (A) PYRENE	34247	WAIVED			
CARBOFURAN	81405	WAIVED			
CHLORDANE	39350	WAIVED			
DALAPON	38432	WAIVED			
DI(2-ETHYLHEXYL)ADIPATE	A-026	WAIVED			
DI(2-ETHYLHEXYL)PHTHALATE	39100	WAIVED			
DIBROMOCHLOROPROPANE (DBCP)	38761	WAIVED			
DINOSEB	81287	WAIVED			
DIQUAT	78885	WAIVED			
ENDOTHALL	38926	WAIVED			
ENDRIN	39390	WAIVED			
ETHYLENE DIBROMIDE (EDB)	77651	WAIVED			
GLYPHOSATE	79743	WAIVED			
HEPTACHLOR	39410	WAIVED			
HEPTACHLOR EPOXIDE	39420	WAIVED			
HEXACHLOROBENZENE	39700	WAIVED			
HEXACHLOROCYCLOPENTADIENE	34386	WAIVED			
LINDANE	39340	WAIVED			

**Testing interval is in months;*
0 = No data for this constituent and is DUE NOW
999 = Waived testing (not required)
I = Invalid (NOT) valid analyses reported

System Number: ***1900729***

System Name: ***USFS-LOS CANTILLES S-2***

PS Code: ***1900729-001***

Source Name: ***WELL 01***

Source Number: ***001***

Source Status: ***ACTIVE UNTREATED***

Water type: ***GROUNDWATER OR WELL***

	STORET NUMBER	TESTING INTERVAL (MONTHS)*	LAST TEST DATE (yyyy/mm/dd)	LAST RESULT REPORTED	NEXT TEST DATE (yyyy/mm)
REGULATED SOC					
METHOXYCHLOR	39480	WAIVED			
MOLINATE	82199	WAIVED			
OXAMYL	38865	WAIVED			
PENTACHLOROPHENOL	39032	WAIVED			
PICLORAM	39720	WAIVED			
POLYCHLORINATED BIPHENYLS, TOTAL, AS DCB	39516	WAIVED			
SIMAZINE	39055	WAIVED			
THIOBENCARB	A-001	WAIVED			
TOXAPHENE	39400	WAIVED			
REGULATED VOC					
1,1,1-TRICHLOROETHANE	34506	WAIVED			
1,1,2,2-TETRACHLOROETHANE	34516	WAIVED			
1,1,2-TRICHLORO-1,2,2-TRIFLUOROETHANE	81611	WAIVED			
1,1,2-TRICHLOROETHANE	34511	WAIVED			
1,1-DICHLOROETHANE	34496	WAIVED			
1,1-DICHLOROETHYLENE	34501	WAIVED			
1,2,4-TRICHLOROBENZENE	34551	WAIVED			
1,2-DICHLOROBENZENE	34536	WAIVED			
1,2-DICHLOROETHANE	34531	WAIVED			
1,2-DICHLOROPROPANE	34541	WAIVED			
1,3-DICHLOROPROPENE (TOTAL)	34561	WAIVED			
1,4-DICHLOROBENZENE	34571	WAIVED			
BENZENE	34030	WAIVED			
CARBON TETRACHLORIDE	32102	WAIVED			
CIS-1,2-DICHLOROETHYLENE	77093	WAIVED			
DICHLOROMETHANE	34423	WAIVED			
ETHYLBENZENE	34371	WAIVED			
METHYL-TERT-BUTYL-ETHER (MTBE)	46491	WAIVED			
MONOCHLOROBENZENE	34301	WAIVED			

**Testing interval is in months;*
0 = No data for this constituent and is DUE NOW
999 = Waived testing (not required)
I = Invalid (NOT) valid analyses reported

System Number: ***1900729***

System Name: ***USFS-LOS CANTILLES S-2***

PS Code: ***1900729-001***

Source Name: ***WELL 01***

Source Number: ***001***

Source Status: ***ACTIVE UNTREATED***

Water type: ***GROUNDWATER OR WELL***

	STORET NUMBER	TESTING INTERVAL (MONTHS)*	LAST TEST DATE (yyyy/mm/dd)	LAST RESULT REPORTED	NEXT TEST DATE (yyyy/mm)
REGULATED VOC					
STYRENE	77128	WAIVED			
TETRACHLOROETHYLENE	34475	WAIVED			
TOLUENE	34010	WAIVED			
TRANS-1,2-DICHLOROETHYLENE	34546	WAIVED			
TRICHLOROETHYLENE	39180	WAIVED			
TRICHLOROFLUOROMETHANE	34488	WAIVED			
VINYL CHLORIDE	39175	WAIVED			
XYLENES (TOTAL)	81551	WAIVED			
SECONDARY/GP					
AGGRSSIVE INDEX (CORROSIVITY)	82383	WAIVED			
BICARBONATE ALKALINITY	00440	WAIVED	2004/09/08	360.000	
CALCIUM	00916	WAIVED	2004/09/08	60.100	
CARBONATE ALKALINITY	00445	WAIVED	2004/09/08	.000	
CHLORIDE	00940	WAIVED	2004/09/08	39.700	
COLOR	00081	WAIVED			
COPPER	01042	WAIVED	2004/09/08	60.600	
FOAMING AGENTS (MBAS)	38260	WAIVED			
HARDNESS (TOTAL) AS CACO3	00900	WAIVED	2004/09/08	320.000	
HYDROXIDE ALKALINITY	71830	WAIVED	2004/09/08	.000	
IRON	01045	WAIVED	2004/09/08	.000	
MAGNESIUM	00927	WAIVED	2004/09/08	41.300	
MANGANESE	01055	WAIVED	2004/09/08	.000	
ODOR THRESHOLD @ 60 C	00086	WAIVED			
PH, LABORATORY	00403	WAIVED	2004/09/08	7.420	
SILVER	01077	WAIVED	2004/09/08	.000	
SODIUM	00929	WAIVED	2004/09/08	57.600	
SPECIFIC CONDUCTANCE	00095	WAIVED	2001/06/28	691.000	
SULFATE	00945	WAIVED	2004/09/08	94.800	
TOTAL DISSOLVED SOLIDS	70300	WAIVED	2004/09/08	514.000	

**Testing interval is in months;*
0 = No data for this constituent and is DUE NOW
999 = Waived testing (not required)
I = Invalid (NOT) valid analyses reported

System Number: ***1900729***

System Name: ***USFS-LOS CANTILLES S-2***

PS Code: ***1900729-001***

Source Name: ***WELL 01***

Source Number: ***001***

Source Status: ***ACTIVE UNTREATED***

Water type: ***GROUNDWATER OR WELL***

	STORET NUMBER	TESTING INTERVAL (MONTHS)*	LAST TEST DATE (yyyy/mm/dd)	LAST RESULT REPORTED	NEXT TEST DATE (yyyy/mm)
SECONDARY/GP					
TURBIDITY, LABORATORY	**82079**	**WAIVED**	2004/09/08	**29.800**	
ZINC	**01092**	**WAIVED**	2004/09/08	**340.000**	

**Testing interval is in months;*
0 = No data for this constituent and is DUE NOW
999 = Waived testing (not required)
I = Invalid (NOT) valid analyses reported

System Number: ***1900733***

System Name: ***JUBILEE SCOUT RANCH***

PS Code: ***1900733-001***

Source Name: ***WELL 01***

Source Number: ***001***

Source Status: ***ACTIVE UNTREATED***

Water type: ***GROUNDWATER OR WELL***

	STORET NUMBER	TESTING INTERVAL (MONTHS)*	LAST TEST DATE (yyyy/mm/dd)	LAST RESULT REPORTED	NEXT TEST DATE (yyyy/mm)
GENERAL NON CHAP 15					
DIAZINON	39570	WAIVED			
INORGANIC					
ALUMINUM	01105	WAIVED			
ANTIMONY	01097	WAIVED	2003/06/26	.000	
ARSENIC	01002	WAIVED	2003/06/26	.000	
ASBESTOS	81855	WAIVED			
BARIUM	01007	WAIVED	2003/06/26	.000	
BERYLLIUM	01012	WAIVED			
CADMIUM	01027	WAIVED	2003/06/26	.000	
CHROMIUM (TOTAL)	01034	WAIVED	2003/06/26	.000	
CYANIDE	01291	WAIVED			
FLUORIDE (F) (NATURAL-SOURCE)	00951	WAIVED	2003/06/26	.270	
LEAD	01051	WAIVED	2003/06/26	.000	
MERCURY	71900	WAIVED	2003/06/26	.000	
NICKEL	01067	WAIVED	2003/06/26	.000	
PERCHLORATE	A-031	WAIVED			
SELENIUM	01147	WAIVED	2003/06/26	.000	
THALLIUM	01059	WAIVED			
NITRATE/NITRITE					
NITRATE (AS NO3)	71850	WAIVED	2008/07/11	.000	
NITRITE (AS N)	00620	WAIVED	2008/07/11	.000	
RADIOLOGICAL					
GROSS ALPHA	01501	WAIVED			
GROSS BETA	03501	WAIVED			
RA-226 FOR CWS OR TOTAL RA FOR NTNC BY 903.0	A-080	WAIVED			
RA-226 OR TOTAL RA BY 903.0 C.E.	A-081	WAIVED			
RADIUM 226	09501	WAIVED			
RADIUM 228	11501	WAIVED			

**Testing interval is in months;*
0 = No data for this constituent and is DUE NOW
999 = Waived testing (not required)
I = Invalid (NOT) valid analyses reported

System Number: ***1900733***

System Name: ***JUBILEE SCOUT RANCH***

PS Code: ***1900733-001***

Source Name: ***WELL 01***

Source Number: ***001***

Source Status: ***ACTIVE UNTREATED***

Water type: ***GROUNDWATER OR WELL***

	STORET NUMBER	TESTING INTERVAL (MONTHS)*	LAST TEST DATE (yyyy/mm/dd)	LAST RESULT REPORTED	NEXT TEST DATE (yyyy/mm)
RADIOLOGICAL					
RADIUM, TOTAL, MDA95-NTNC ONLY, BY 903.0	A-082	WAIVED			
STRONTIUM-90	13501	WAIVED			
TRITIUM	07000	WAIVED			
URANIUM (PCI/L)	28012	WAIVED			
REGULATED SOC					
2,3,7,8-TCDD (DIOXIN)	34676	WAIVED			
2,4,5-TP (SILVEX)	39045	WAIVED			
2,4-D	39730	WAIVED			
ALACHLOR	77825	WAIVED			
ATRAZINE	39033	WAIVED			
BENTAZON	38710	WAIVED			
BENZO (A) PYRENE	34247	WAIVED			
CARBOFURAN	81405	WAIVED			
CHLORDANE	39350	WAIVED			
DALAPON	38432	WAIVED			
DI(2-ETHYLHEXYL)ADIPATE	A-026	WAIVED			
DI(2-ETHYLHEXYL)PHTHALATE	39100	WAIVED			
DIBROMOCHLOROPROPANE (DBCP)	38761	WAIVED			
DINOSEB	81287	WAIVED			
DIQUAT	78885	WAIVED			
ENDOTHALL	38926	WAIVED			
ENDRIN	39390	WAIVED			
ETHYLENE DIBROMIDE (EDB)	77651	WAIVED			
GLYPHOSATE	79743	WAIVED			
HEPTACHLOR	39410	WAIVED			
HEPTACHLOR EPOXIDE	39420	WAIVED			
HEXACHLOROBENZENE	39700	WAIVED			
HEXACHLOROCYCLOPENTADIENE	34386	WAIVED			
LINDANE	39340	WAIVED			

**Testing interval is in months;*
0 = No data for this constituent and is DUE NOW
999 = Waived testing (not required)
I = Invalid (NOT) valid analyses reported

System Number: ***1900733***

System Name: ***JUBILEE SCOUT RANCH***

PS Code: ***1900733-001***

Source Name: ***WELL 01***

Source Number: ***001***

Source Status: ***ACTIVE UNTREATED***

Water type: ***GROUNDWATER OR WELL***

	STORET NUMBER	TESTING INTERVAL (MONTHS)*	LAST TEST DATE (yyyy/mm/dd)	LAST RESULT REPORTED	NEXT TEST DATE (yyyy/mm)
REGULATED SOC					
METHOXYCHLOR	39480	WAIVED			
MOLINATE	82199	WAIVED			
OXAMYL	38865	WAIVED			
PENTACHLOROPHENOL	39032	WAIVED			
PICLORAM	39720	WAIVED			
POLYCHLORINATED BIPHENYLS, TOTAL, AS DCB	39516	WAIVED			
SIMAZINE	39055	WAIVED			
THIOBENCARB	A-001	WAIVED			
TOXAPHENE	39400	WAIVED			
REGULATED VOC					
1,1,1-TRICHLOROETHANE	34506	WAIVED			
1,1,2,2-TETRACHLOROETHANE	34516	WAIVED			
1,1,2-TRICHLORO-1,2,2-TRIFLUOROETHANE	81611	WAIVED			
1,1,2-TRICHLOROETHANE	34511	WAIVED			
1,1-DICHLOROETHANE	34496	WAIVED			
1,1-DICHLOROETHYLENE	34501	WAIVED			
1,2,4-TRICHLOROBENZENE	34551	WAIVED			
1,2-DICHLOROBENZENE	34536	WAIVED			
1,2-DICHLOROETHANE	34531	WAIVED			
1,2-DICHLOROPROPANE	34541	WAIVED			
1,3-DICHLOROPROPENE (TOTAL)	34561	WAIVED			
1,4-DICHLOROBENZENE	34571	WAIVED			
BENZENE	34030	WAIVED			
CARBON TETRACHLORIDE	32102	WAIVED			
CIS-1,2-DICHLOROETHYLENE	77093	WAIVED			
DICHLOROMETHANE	34423	WAIVED			
ETHYLBENZENE	34371	WAIVED			
METHYL-TERT-BUTYL-ETHER (MTBE)	46491	WAIVED			
MONOCHLOROBENZENE	34301	WAIVED			

**Testing interval is in months;*
0 = No data for this constituent and is DUE NOW
999 = Waived testing (not required)
I = Invalid (NOT) valid analyses reported

System Number: ***1900733***

System Name: ***JUBILEE SCOUT RANCH***

PS Code: ***1900733-001***

Source Name: ***WELL 01***

Source Number: ***001***

Source Status: ***ACTIVE UNTREATED***

Water type: ***GROUNDWATER OR WELL***

	STORET NUMBER	TESTING INTERVAL (MONTHS)*	LAST TEST DATE (yyyy/mm/dd)	LAST RESULT REPORTED	NEXT TEST DATE (yyyy/mm)
REGULATED VOC					
STYRENE	77128	WAIVED			
TETRACHLOROETHYLENE	34475	WAIVED			
TOLUENE	34010	WAIVED			
TRANS-1,2-DICHLOROETHYLENE	34546	WAIVED			
TRICHLOROETHYLENE	39180	WAIVED			
TRICHLOROFLUOROMETHANE	34488	WAIVED			
VINYL CHLORIDE	39175	WAIVED			
XYLENES (TOTAL)	81551	WAIVED			
SECONDARY/GP					
AGGRSSIVE INDEX (CORROSIVITY)	82383	WAIVED			
BICARBONATE ALKALINITY	00440	WAIVED	2003/06/26	446.000	
CALCIUM	00916	WAIVED	2003/06/26	104.000	
CARBONATE ALKALINITY	00445	WAIVED	2003/06/26	.000	
CHLORIDE	00940	WAIVED	2003/06/26	6.220	
COLOR	00081	WAIVED			
COPPER	01042	WAIVED	2003/06/26	.000	
FOAMING AGENTS (MBAS)	38260	WAIVED			
HARDNESS (TOTAL) AS CACO3	00900	WAIVED	2003/06/26	490.000	
HYDROXIDE ALKALINITY	71830	WAIVED	2003/06/26	.000	
IRON	01045	WAIVED	2003/06/26	.000	
MAGNESIUM	00927	WAIVED	2003/06/26	55.900	
MANGANESE	01055	WAIVED	2003/06/26	.000	
ODOR THRESHOLD @ 60 C	00086	WAIVED			
PH, LABORATORY	00403	WAIVED	2003/06/26	7.430	
SILVER	01077	WAIVED	2003/06/26	.000	
SODIUM	00929	WAIVED	2003/06/26	30.300	
SPECIFIC CONDUCTANCE	00095	WAIVED	2003/06/26	1014.000	
SULFATE	00945	WAIVED	2003/06/26	180.000	
TOTAL DISSOLVED SOLIDS	70300	WAIVED	2003/06/26	632.000	

**Testing interval is in months;*
0 = No data for this constituent and is DUE NOW
999 = Waived testing (not required)
I = Invalid (NOT) valid analyses reported

System Number: ***1900733***

System Name: ***JUBILEE SCOUT RANCH***

PS Code: ***1900733-001***

Source Name: ***WELL 01***

Source Number: ***001***

Source Status: ***ACTIVE UNTREATED***

Water type: ***GROUNDWATER OR WELL***

SECONDARY/GP

	STORET NUMBER	TESTING INTERVAL (MONTHS)*	LAST TEST DATE (yyyy/mm/dd)	LAST RESULT REPORTED	NEXT TEST DATE (yyyy/mm)
TURBIDITY, LABORATORY	82079	WAIVED	2003/06/26	.480	
ZINC	01092	WAIVED	2003/06/26	317.000	

**Testing interval is in months;*
0 = No data for this constituent and is DUE NOW
999 = Waived testing (not required)
I = Invalid (NOT) valid analyses reported

System Number: 1900736

System Name: USFS-LITTLEROCK CAMP V-10, LAKESIDE V-9

PS Code: 1900736-001

Source Name: WELL 01

Source Number: 001

Source Status: ACTIVE UNTREATED

Water type: GROUNDWATER OR WELL

	STORET NUMBER	TESTING INTERVAL (MONTHS)*	LAST TEST DATE (yyyy/mm/dd)	LAST RESULT REPORTED	NEXT TEST DATE (yyyy/mm)
GENERAL NON CHAP 15					
DIAZINON	39570	WAIVED			
INORGANIC					
ALUMINUM	01105	WAIVED	2011/11/09	150.000	
ANTIMONY	01097	WAIVED	2011/11/09	< 1.000	
ARSENIC	01002	WAIVED	2011/11/09	< 2.000	
ASBESTOS	81855	WAIVED			
BARIUM	01007	WAIVED	2011/11/09	37.500	
BERYLLIUM	01012	WAIVED	2011/11/09	< 1.000	
CADMIUM	01027	WAIVED	2011/11/09	< 1.000	
CHROMIUM (TOTAL)	01034	WAIVED	2011/11/09	1.000	
CYANIDE	01291	WAIVED			
FLUORIDE (F) (NATURAL-SOURCE)	00951	WAIVED	2011/11/09	.200	
LEAD	01051	WAIVED	2011/11/09	13.400	
MERCURY	71900	WAIVED	2011/11/09	.040	
NICKEL	01067	WAIVED	2011/11/09	< 1.000	
PERCHLORATE	A-031	WAIVED	2011/11/09	< 2.000	
SELENIUM	01147	WAIVED	2011/11/09	< 2.000	
THALLIUM	01059	WAIVED	2011/11/09	< 1.000	
NITRATE/NITRITE					
NITRATE (AS NO3)	71850	WAIVED	2011/11/09	< .400	
NITRITE (AS N)	00620	WAIVED	2011/11/09	< .100	
RADIOLOGICAL					
GROSS ALPHA	01501	WAIVED	2010/03/16	.179	
GROSS BETA	03501	WAIVED			
RA-226 FOR CWS OR TOTAL RA FOR NTNC BY 903.0	A-080	WAIVED			
RA-226 OR TOTAL RA BY 903.0 C.E.	A-081	WAIVED			
RADIUM 226	09501	WAIVED			
RADIUM 228	11501	WAIVED			

**Testing interval is in months;*
0 = No data for this constituent and is DUE NOW
999 = Waived testing (not required)
I = Invalid (NOT) valid analyses reported

System Number: ***1900736***

System Name: ***USFS-LITTLEROCK CAMP V-10, LAKESIDE V-9***

PS Code: ***1900736-001***

Source Name: ***WELL 01***

Source Number: ***001***

Source Status: ***ACTIVE UNTREATED***

Water type: ***GROUNDWATER OR WELL***

	STORET NUMBER	TESTING INTERVAL (MONTHS)*	LAST TEST DATE (yyyy/mm/dd)	LAST RESULT REPORTED	NEXT TEST DATE (yyyy/mm)
RADIOLOGICAL					
RADIUM, TOTAL, MDA95-NTNC ONLY, BY 903.0	A-082	WAIVED			
STRONTIUM-90	13501	WAIVED			
TRITIUM	07000	WAIVED			
URANIUM (PCI/L)	28012	WAIVED			
REGULATED SOC					
2,3,7,8-TCDD (DIOXIN)	34676	WAIVED			
2,4,5-TP (SILVEX)	39045	WAIVED			
2,4-D	39730	WAIVED			
ALACHLOR	77825	WAIVED			
ATRAZINE	39033	WAIVED			
BENTAZON	38710	WAIVED			
BENZO (A) PYRENE	34247	WAIVED			
CARBOFURAN	81405	WAIVED			
CHLORDANE	39350	WAIVED			
DALAPON	38432	WAIVED			
DI(2-ETHYLHEXYL)ADIPATE	A-026	WAIVED			
DI(2-ETHYLHEXYL)PHTHALATE	39100	WAIVED			
DIBROMOCHLOROPROPANE (DBCP)	38761	WAIVED			
DINOSEB	81287	WAIVED			
DIQUAT	78885	WAIVED			
ENDOTHALL	38926	WAIVED			
ENDRIN	39390	WAIVED			
ETHYLENE DIBROMIDE (EDB)	77651	WAIVED			
GLYPHOSATE	79743	WAIVED			
HEPTACHLOR	39410	WAIVED			
HEPTACHLOR EPOXIDE	39420	WAIVED			
HEXACHLOROBENZENE	39700	WAIVED			
HEXACHLOROCYCLOPENTADIENE	34386	WAIVED			
LINDANE	39340	WAIVED			

**Testing interval is in months;*
0 = No data for this constituent and is DUE NOW
999 = Waived testing (not required)
I = Invalid (NOT) valid analyses reported

System Number: ***1900736***

System Name: ***USFS-LITTLEROCK CAMP V-10, LAKESIDE V-9***

PS Code: ***1900736-001***

Source Name: ***WELL 01***

Source Number: ***001***

Source Status: ***ACTIVE UNTREATED***

Water type: ***GROUNDWATER OR WELL***

	STORET NUMBER	TESTING INTERVAL (MONTHS)*	LAST TEST DATE (yyyy/mm/dd)	LAST RESULT REPORTED	NEXT TEST DATE (yyyy/mm)
REGULATED SOC					
METHOXYCHLOR	39480	WAIVED			
MOLINATE	82199	WAIVED			
OXAMYL	38865	WAIVED			
PENTACHLOROPHENOL	39032	WAIVED			
PICLORAM	39720	WAIVED			
POLYCHLORINATED BIPHENYLS, TOTAL, AS DCB	39516	WAIVED			
SIMAZINE	39055	WAIVED			
THIOBENCARB	A-001	WAIVED	2010/03/16	< 1.000	
TOXAPHENE	39400	WAIVED			
REGULATED VOC					
1,1,1-TRICHLOROETHANE	34506	WAIVED	2010/03/16	< .500	
1,1,2,2-TETRACHLOROETHANE	34516	WAIVED	2010/03/16	< .500	
1,1,2-TRICHLORO-1,2,2-TRIFLUOROETHANE	81611	WAIVED	2010/03/16	< .500	
1,1,2-TRICHLOROETHANE	34511	WAIVED	2010/03/16	< .500	
1,1-DICHLOROETHANE	34496	WAIVED	2010/03/16	< .500	
1,1-DICHLOROETHYLENE	34501	WAIVED	2010/03/16	< .500	
1,2,4-TRICHLOROBENZENE	34551	WAIVED	2010/03/16	< .500	
1,2-DICHLOROBENZENE	34536	WAIVED	2010/03/16	< .500	
1,2-DICHLOROETHANE	34531	WAIVED	2010/03/16	< .500	
1,2-DICHLOROPROPANE	34541	WAIVED	2010/03/16	< .500	
1,3-DICHLOROPROPENE (TOTAL)	34561	WAIVED	2010/03/16	< .500	
1,4-DICHLOROBENZENE	34571	WAIVED	2010/03/16	< .500	
BENZENE	34030	WAIVED	2010/03/16	< .500	
CARBON TETRACHLORIDE	32102	WAIVED	2010/03/16	< .500	
CIS-1,2-DICHLOROETHYLENE	77093	WAIVED	2010/03/16	< .500	
DICHLOROMETHANE	34423	WAIVED	2010/03/16	< .500	
ETHYLBENZENE	34371	WAIVED	2010/03/16	< .500	
METHYL-TERT-BUTYL-ETHER (MTBE)	46491	WAIVED	2010/03/16	< 1.000	
MONOCHLOROBENZENE	34301	WAIVED	2010/03/16	< .500	

**Testing interval is in months;*
0 = No data for this constituent and is DUE NOW
999 = Waived testing (not required)
I = Invalid (NOT) valid analyses reported

System Number: 1900736
System Name: USFS-LITTLEROCK CAMP V-10, LAKESIDE V-9

PS Code: 1900736-001
Source Name: WELL 01
Source Number: 001
Source Status: ACTIVE UNTREATED
Water type: GROUNDWATER OR WELL

	STORET NUMBER	TESTING INTERVAL (MONTHS)*	LAST TEST DATE (yyyy/mm/dd)	LAST RESULT REPORTED	NEXT TEST DATE (yyyy/mm)
REGULATED VOC					
STYRENE	77128	WAIVED	2010/03/16	< .500	
TETRACHLOROETHYLENE	34475	WAIVED	2010/03/16	< .500	
TOLUENE	34010	WAIVED	2010/03/16	1.800	
TRANS-1,2-DICHLOROETHYLENE	34546	WAIVED	2010/03/16	< .500	
TRICHLOROETHYLENE	39180	WAIVED	2010/03/16	< .500	
TRICHLOROFLUOROMETHANE	34488	WAIVED	2010/03/16	< .500	
VINYL CHLORIDE	39175	WAIVED	2010/03/16	< .500	
XYLENES (TOTAL)	81551	WAIVED	2010/03/16	< .500	
SECONDARY/GP					
AGGRSSIVE INDEX (CORROSIVITY)	82383	WAIVED	2011/11/09	12.100	
BICARBONATE ALKALINITY	00440	WAIVED	2011/11/09	110.000	
CALCIUM	00916	WAIVED	2011/11/09	42.000	
CARBONATE ALKALINITY	00445	WAIVED	2011/11/09	< 10.000	
CHLORIDE	00940	WAIVED	2011/11/09	23.000	
COLOR	00081	WAIVED	2011/11/09	< 5.000	
COPPER	01042	WAIVED	2011/11/09	< 10.000	
FOAMING AGENTS (MBAS)	38260	WAIVED	2011/11/09	< .100	
HARDNESS (TOTAL) AS CACO3	00900	WAIVED	2011/11/09	175.000	
HYDROXIDE ALKALINITY	71830	WAIVED	2011/11/09	< 10.000	
IRON	01045	WAIVED	2012/01/26	610.000	
MAGNESIUM	00927	WAIVED	2011/11/09	17.000	
MANGANESE	01055	WAIVED	2011/11/09	< 10.000	
ODOR THRESHOLD @ 60 C	00086	WAIVED	2011/11/09	< 1.000	
PH, LABORATORY	00403	WAIVED	2011/11/09	8.100	
SILVER	01077	WAIVED	2011/11/09	< 1.000	
SODIUM	00929	WAIVED	2011/11/09	136.000	
SPECIFIC CONDUCTANCE	00095	WAIVED	2011/11/09	933.000	
SULFATE	00945	WAIVED	2011/11/09	332.000	
TOTAL DISSOLVED SOLIDS	70300	WAIVED	2011/11/09	590.000	

**Testing interval is in months;*
0 = No data for this constituent and is DUE NOW
999 = Waived testing (not required)
I = Invalid (NOT) valid analyses reported

System Number: ***1900736***

System Name: ***USFS-LITTLEROCK CAMP V-10, LAKESIDE V-9***

PS Code: ***1900736-001***

Source Name: ***WELL 01***

Source Number: ***001***

Source Status: ***ACTIVE UNTREATED***

Water type: ***GROUNDWATER OR WELL***

SECONDARY/GP

	STORET NUMBER	TESTING INTERVAL (MONTHS)*	LAST TEST DATE (yyyy/mm/dd)	LAST RESULT REPORTED	NEXT TEST DATE (yyyy/mm)
TURBIDITY, LABORATORY	82079	WAIVED	2011/11/09	2.600	
ZINC	01092	WAIVED	2011/11/09	2490.000	

**Testing interval is in months;*
0 = No data for this constituent and is DUE NOW
999 = Waived testing (not required)
I = Invalid (NOT) valid analyses reported

System Number: ***1900741***

System Name: ***YOUNG NAK CHURCH OF LOS ANGELES***

PS Code: ***1900741-001***

Source Name: ***WELL 01***

Source Number: ***001***

Source Status: ***ACTIVE TREATED***

Water type: ***GROUNDWATER OR WELL***

	STORET NUMBER	TESTING INTERVAL (MONTHS)*	LAST TEST DATE (yyyy/mm/dd)	LAST RESULT REPORTED	NEXT TEST DATE (yyyy/mm)
GENERAL NON CHAP 15					
DIAZINON	39570	WAIVED			
INORGANIC					
ALUMINUM	01105	WAIVED	2002/03/29	.000	
ANTIMONY	01097	WAIVED	2002/03/29	.000	
ARSENIC	01002	WAIVED	2002/03/29	.000	
ASBESTOS	81855	WAIVED			
BARIUM	01007	WAIVED	2002/03/29	.000	
BERYLLIUM	01012	WAIVED			
CADMIUM	01027	WAIVED	2002/03/29	.000	
CHROMIUM (TOTAL)	01034	WAIVED	2002/04/17	.000	
CYANIDE	01291	WAIVED			
FLUORIDE (F) (NATURAL-SOURCE)	00951	WAIVED	2002/03/29	.390	
LEAD	01051	WAIVED	2002/03/29	.000	
MERCURY	71900	WAIVED	2002/03/29	.000	
NICKEL	01067	WAIVED	2002/03/29	.000	
PERCHLORATE	A-031	WAIVED	2002/03/29	.000	
SELENIUM	01147	WAIVED	2002/03/29	.000	
THALLIUM	01059	WAIVED			
NITRATE/NITRITE					
NITRATE (AS NO3)	71850	WAIVED	2004/03/30	.000	
NITRITE (AS N)	00620	WAIVED			
RADIOLOGICAL					
GROSS ALPHA	01501	WAIVED			
GROSS BETA	03501	WAIVED			
RA-226 FOR CWS OR TOTAL RA FOR NTNC BY 903.0	A-080	WAIVED			
RA-226 OR TOTAL RA BY 903.0 C.E.	A-081	WAIVED			
RADIUM 226	09501	WAIVED			
RADIUM 228	11501	WAIVED			

**Testing interval is in months;*
0 = No data for this constituent and is DUE NOW
999 = Waived testing (not required)
I = Invalid (NOT) valid analyses reported

System Number: ***1900741***

System Name: ***YOUNG NAK CHURCH OF LOS ANGELES***

PS Code: ***1900741-001***

Source Name: ***WELL 01***

Source Number: ***001***

Source Status: ***ACTIVE TREATED***

Water type: ***GROUNDWATER OR WELL***

	STORET NUMBER	TESTING INTERVAL (MONTHS)*	LAST TEST DATE (yyyy/mm/dd)	LAST RESULT REPORTED	NEXT TEST DATE (yyyy/mm)
RADIOLOGICAL					
RADIUM, TOTAL, MDA95-NTNC ONLY, BY 903.0	A-082	WAIVED			
STRONTIUM-90	13501	WAIVED			
TRITIUM	07000	WAIVED			
URANIUM (PCI/L)	28012	WAIVED			
REGULATED SOC					
2,3,7,8-TCDD (DIOXIN)	34676	WAIVED			
2,4,5-TP (SILVEX)	39045	WAIVED			
2,4-D	39730	WAIVED			
ALACHLOR	77825	WAIVED	2002/04/17	.000	
ATRAZINE	39033	WAIVED			
BENTAZON	38710	WAIVED			
BENZO (A) PYRENE	34247	WAIVED			
CARBOFURAN	81405	WAIVED			
CHLORDANE	39350	WAIVED	2002/04/17	.000	
DALAPON	38432	WAIVED			
DI(2-ETHYLHEXYL)ADIPATE	A-026	WAIVED			
DI(2-ETHYLHEXYL)PHTHALATE	39100	WAIVED			
DIBROMOCHLOROPROPANE (DBCP)	38761	WAIVED			
DINOSEB	81287	WAIVED			
DIQUAT	78885	WAIVED			
ENDOTHALL	38926	WAIVED			
ENDRIN	39390	WAIVED	2002/04/17	.000	
ETHYLENE DIBROMIDE (EDB)	77651	WAIVED			
GLYPHOSATE	79743	WAIVED			
HEPTACHLOR	39410	WAIVED	2002/04/17	.000	
HEPTACHLOR EPOXIDE	39420	WAIVED	2002/04/17	.000	
HEXACHLOROBENZENE	39700	WAIVED	2002/04/17	.000	
HEXACHLOROCYCLOPENTADIENE	34386	WAIVED	2002/04/17	.000	
LINDANE	39340	WAIVED	2002/04/17	.000	

**Testing interval is in months;*
0 = No data for this constituent and is DUE NOW
999 = Waived testing (not required)
I = Invalid (NOT) valid analyses reported

System Number: ***1900741***

System Name: ***YOUNG NAK CHURCH OF LOS ANGELES***

PS Code: ***1900741-001***

Source Name: ***WELL 01***

Source Number: ***001***

Source Status: ***ACTIVE TREATED***

Water type: ***GROUNDWATER OR WELL***

	STORET NUMBER	TESTING INTERVAL (MONTHS)*	LAST TEST DATE (yyyy/mm/dd)	LAST RESULT REPORTED	NEXT TEST DATE (yyyy/mm)
REGULATED SOC					
METHOXYCHLOR	39480	WAIVED	2002/04/17	.000	
MOLINATE	82199	WAIVED			
OXAMYL	38865	WAIVED			
PENTACHLOROPHENOL	39032	WAIVED			
PICLORAM	39720	WAIVED			
POLYCHLORINATED BIPHENYLS, TOTAL, AS DCB	39516	WAIVED	2002/04/17	.000	
SIMAZINE	39055	WAIVED			
THIOBENCARB	A-001	WAIVED			
TOXAPHENE	39400	WAIVED	2002/04/17	.000	
REGULATED VOC					
1,1,1-TRICHLOROETHANE	34506	WAIVED	2002/04/17	.000	
1,1,2,2-TETRACHLOROETHANE	34516	WAIVED	2002/04/17	.000	
1,1,2-TRICHLORO-1,2,2-TRIFLUOROETHANE	81611	WAIVED	2002/04/17	.000	
1,1,2-TRICHLOROETHANE	34511	WAIVED	2002/04/17	.000	
1,1-DICHLOROETHANE	34496	WAIVED	2002/04/17	.000	
1,1-DICHLOROETHYLENE	34501	WAIVED	2002/04/17	.000	
1,2,4-TRICHLOROBENZENE	34551	WAIVED	2002/04/17	.000	
1,2-DICHLOROBENZENE	34536	WAIVED	2002/04/17	.000	
1,2-DICHLOROETHANE	34531	WAIVED	2002/04/17	.000	
1,2-DICHLOROPROPANE	34541	WAIVED	2002/04/17	.000	
1,3-DICHLOROPROPENE (TOTAL)	34561	WAIVED	2002/04/17	.000	
1,4-DICHLOROBENZENE	34571	WAIVED	2002/04/17	.000	
BENZENE	34030	WAIVED	2002/04/17	.000	
CARBON TETRACHLORIDE	32102	WAIVED	2002/04/17	.000	
CIS-1,2-DICHLOROETHYLENE	77093	WAIVED	2002/04/17	.000	
DICHLOROMETHANE	34423	WAIVED	2002/04/17	.000	
ETHYLBENZENE	34371	WAIVED	2002/04/17	.000	
METHYL-TERT-BUTYL-ETHER (MTBE)	46491	WAIVED	2002/04/17	.000	
MONOCHLOROBENZENE	34301	WAIVED	2002/04/17	.000	

**Testing interval is in months;*
0 = No data for this constituent and is DUE NOW
999 = Waived testing (not required)
I = Invalid (NOT) valid analyses reported

System Number: ***1900741***

System Name: ***YOUNG NAK CHURCH OF LOS ANGELES***

PS Code: ***1900741-001***

Source Name: ***WELL 01***

Source Number: ***001***

Source Status: ***ACTIVE TREATED***

Water type: ***GROUNDWATER OR WELL***

	STORET NUMBER	TESTING INTERVAL (MONTHS)*	LAST TEST DATE (yyyy/mm/dd)	LAST RESULT REPORTED	NEXT TEST DATE (yyyy/mm)
REGULATED VOC					
STYRENE	77128	WAIVED	2002/04/17	.000	
TETRACHLOROETHYLENE	34475	WAIVED	2002/04/17	.000	
TOLUENE	34010	WAIVED	2002/04/17	.000	
TRANS-1,2-DICHLOROETHYLENE	34546	WAIVED	2002/04/17	.000	
TRICHLOROETHYLENE	39180	WAIVED	2002/04/17	.000	
TRICHLOROFLUOROMETHANE	34488	WAIVED	2002/04/17	.000	
VINYL CHLORIDE	39175	WAIVED	2002/04/17	.000	
XYLENES (TOTAL)	81551	WAIVED	2002/04/17	.000	
SECONDARY/GP					
AGGRSSIVE INDEX (CORROSIVITY)	82383	WAIVED			
BICARBONATE ALKALINITY	00440	WAIVED	2002/03/29	192.000	
CALCIUM	00916	WAIVED	2002/03/29	40.100	
CARBONATE ALKALINITY	00445	WAIVED	2002/03/29	.000	
CHLORIDE	00940	WAIVED	2002/03/29	10.100	
COLOR	00081	WAIVED	2002/03/29	.000	
COPPER	01042	WAIVED	2002/03/29	.000	
FOAMING AGENTS (MBAS)	38260	WAIVED	2002/03/29	.000	
HARDNESS (TOTAL) AS CACO3	00900	WAIVED	2002/03/29	150.000	
HYDROXIDE ALKALINITY	71830	WAIVED	2002/03/29	.000	
IRON	01045	WAIVED	2002/03/29	.000	
MAGNESIUM	00927	WAIVED	2002/03/29	12.200	
MANGANESE	01055	WAIVED	2002/03/29	.000	
ODOR THRESHOLD @ 60 C	00086	WAIVED	2002/03/29	.000	
PH, LABORATORY	00403	WAIVED	2002/03/29	7.030	
SILVER	01077	WAIVED	2002/03/29	.000	
SODIUM	00929	WAIVED	2002/03/29	17.500	
SPECIFIC CONDUCTANCE	00095	WAIVED	2002/03/29	343.000	
SULFATE	00945	WAIVED	2002/03/29	13.900	
TOTAL DISSOLVED SOLIDS	70300	WAIVED	2002/03/29	240.000	

**Testing interval is in months;*
0 = No data for this constituent and is DUE NOW
999 = Waived testing (not required)
I = Invalid (NOT) valid analyses reported

System Number: ***1900741***

System Name: ***YOUNG NAK CHURCH OF LOS ANGELES***

PS Code: ***1900741-001***

Source Name: ***WELL 01***

Source Number: ***001***

Source Status: ***ACTIVE TREATED***

Water type: ***GROUNDWATER OR WELL***

	STORET NUMBER	TESTING INTERVAL (MONTHS)*	LAST TEST DATE (yyyy/mm/dd)	LAST RESULT REPORTED	NEXT TEST DATE (yyyy/mm)
SECONDARY/GP					
TURBIDITY, LABORATORY	82079	WAIVED	2002/03/29	.170	
ZINC	01092	WAIVED	2002/03/29	.000	

PS Code: ***1900741-002***

Source Name: ***AUTOMATIC CHLORINATOR UNIT***

Source Number: ***002***

Source Status: ***ACTIVE TREATED***

Water type: ***GROUNDWATER OR WELL***

GENERAL NON CHAP 15					
DIAZINON	39570	WAIVED			
INORGANIC					
ALUMINUM	01105	WAIVED			
ANTIMONY	01097	WAIVED			
ARSENIC	01002	WAIVED			
ASBESTOS	81855	WAIVED			
BARIUM	01007	WAIVED			
BERYLLIUM	01012	WAIVED			
CADMIUM	01027	WAIVED			
CHROMIUM (TOTAL)	01034	WAIVED			
CYANIDE	01291	WAIVED			
FLUORIDE (F) (NATURAL-SOURCE)	00951	WAIVED			
LEAD	01051	WAIVED			
MERCURY	71900	WAIVED			
NICKEL	01067	WAIVED			
PERCHLORATE	A-031	WAIVED			
SELENIUM	01147	WAIVED			
THALLIUM	01059	WAIVED			

**Testing interval is in months;*
0 = No data for this constituent and is DUE NOW
999 = Waived testing (not required)
I = Invalid (NOT) valid analyses reported

System Number: ***1900741***

System Name: ***YOUNG NAK CHURCH OF LOS ANGELES***

PS Code: ***1900741-002***

Source Name: ***AUTOMATIC CHLORINATOR UNIT***

Source Number: ***002***

Source Status: ***ACTIVE TREATED***

Water type: ***GROUNDWATER OR WELL***

	STORET NUMBER	TESTING INTERVAL (MONTHS)*	LAST TEST DATE (yyyy/mm/dd)	LAST RESULT REPORTED	NEXT TEST DATE (yyyy/mm)
NITRATE/NITRITE					
NITRATE (AS NO3)	71850	WAIVED			
NITRITE (AS N)	00620	WAIVED			
RADIOLOGICAL					
GROSS ALPHA	01501	WAIVED			
GROSS BETA	03501	WAIVED			
RA-226 FOR CWS OR TOTAL RA FOR NTNC BY 903.0	A-080	WAIVED			
RA-226 OR TOTAL RA BY 903.0 C.E.	A-081	WAIVED			
RADIUM 226	09501	WAIVED			
RADIUM 228	11501	WAIVED			
RADIUM, TOTAL, MDA95-NTNC ONLY, BY 903.0	A-082	WAIVED			
STRONTIUM-90	13501	WAIVED			
TRITIUM	07000	WAIVED			
URANIUM (PCI/L)	28012	WAIVED			
REGULATED SOC					
2,3,7,8-TCDD (DIOXIN)	34676	WAIVED			
2,4,5-TP (SILVEX)	39045	WAIVED			
2,4-D	39730	WAIVED			
ALACHLOR	77825	WAIVED			
ATRAZINE	39033	WAIVED			
BENTAZON	38710	WAIVED			
BENZO (A) PYRENE	34247	WAIVED			
CARBOFURAN	81405	WAIVED			
CHLORDANE	39350	WAIVED			
DALAPON	38432	WAIVED			
DI(2-ETHYLHEXYL)ADIPATE	A-026	WAIVED			
DI(2-ETHYLHEXYL)PHTHALATE	39100	WAIVED			
DIBROMOCHLOROPROPANE (DBCP)	38761	WAIVED			
DINOSEB	81287	WAIVED			
DIQUAT	78885	WAIVED			

**Testing interval is in months;*
0 = No data for this constituent and is DUE NOW
999 = Waived testing (not required)
I = Invalid (NOT) valid analyses reported

System Number: ***1900741***

System Name: ***YOUNG NAK CHURCH OF LOS ANGELES***

PS Code: ***1900741-002***

Source Name: ***AUTOMATIC CHLORINATOR UNIT***

Source Number: ***002***

Source Status: ***ACTIVE TREATED***

Water type: ***GROUNDWATER OR WELL***

	STORET NUMBER	TESTING INTERVAL (MONTHS)*	LAST TEST DATE (yyyy/mm/dd)	LAST RESULT REPORTED	NEXT TEST DATE (yyyy/mm)
REGULATED SOC					
ENDOTHALL	38926	WAIVED			
ENDRIN	39390	WAIVED			
ETHYLENE DIBROMIDE (EDB)	77651	WAIVED			
GLYPHOSATE	79743	WAIVED			
HEPTACHLOR	39410	WAIVED			
HEPTACHLOR EPOXIDE	39420	WAIVED			
HEXACHLOROBENZENE	39700	WAIVED			
HEXACHLOROCYCLOPENTADIENE	34386	WAIVED			
LINDANE	39340	WAIVED			
METHOXYCHLOR	39480	WAIVED			
MOLINATE	82199	WAIVED			
OXAMYL	38865	WAIVED			
PENTACHLOROPHENOL	39032	WAIVED			
PICLORAM	39720	WAIVED			
POLYCHLORINATED BIPHENYLS, TOTAL, AS DCB	39516	WAIVED			
SIMAZINE	39055	WAIVED			
THIOBENCARB	A-001	WAIVED			
TOXAPHENE	39400	WAIVED			
REGULATED VOC					
1,1,1-TRICHLOROETHANE	34506	WAIVED			
1,1,2,2-TETRACHLOROETHANE	34516	WAIVED			
1,1,2-TRICHLORO-1,2,2-TRIFLUOROETHANE	81611	WAIVED			
1,1,2-TRICHLOROETHANE	34511	WAIVED			
1,1-DICHLOROETHANE	34496	WAIVED			
1,1-DICHLOROETHYLENE	34501	WAIVED			
1,2,4-TRICHLOROBENZENE	34551	WAIVED			
1,2-DICHLOROBENZENE	34536	WAIVED			
1,2-DICHLOROETHANE	34531	WAIVED			
1,2-DICHLOROPROPANE	34541	WAIVED			

**Testing interval is in months;*
0 = No data for this constituent and is DUE NOW
999 = Waived testing (not required)
I = Invalid (NOT) valid analyses reported

System Number: ***1900741***

System Name: ***YOUNG NAK CHURCH OF LOS ANGELES***

PS Code: ***1900741-002***

Source Name: ***AUTOMATIC CHLORINATOR UNIT***

Source Number: ***002***

Source Status: ***ACTIVE TREATED***

Water type: ***GROUNDWATER OR WELL***

	STORET NUMBER	TESTING INTERVAL (MONTHS)*	LAST TEST DATE (yyyy/mm/dd)	LAST RESULT REPORTED	NEXT TEST DATE (yyyy/mm)
REGULATED VOC					
1,3-DICHLOROPROPENE (TOTAL)	34561	WAIVED			
1,4-DICHLOROBENZENE	34571	WAIVED			
BENZENE	34030	WAIVED			
CARBON TETRACHLORIDE	32102	WAIVED			
CIS-1,2-DICHLOROETHYLENE	77093	WAIVED			
DICHLOROMETHANE	34423	WAIVED			
ETHYLBENZENE	34371	WAIVED			
METHYL-TERT-BUTYL-ETHER (MTBE)	46491	WAIVED			
MONOCHLOROBENZENE	34301	WAIVED			
STYRENE	77128	WAIVED			
TETRACHLOROETHYLENE	34475	WAIVED			
TOLUENE	34010	WAIVED			
TRANS-1,2-DICHLOROETHYLENE	34546	WAIVED			
TRICHLOROETHYLENE	39180	WAIVED			
TRICHLOROFLUOROMETHANE	34488	WAIVED			
VINYL CHLORIDE	39175	WAIVED			
XYLENES (TOTAL)	81551	WAIVED			
SECONDARY/GP					
AGGRSSIVE INDEX (CORROSIVITY)	82383	WAIVED			
BICARBONATE ALKALINITY	00440	WAIVED			
CALCIUM	00916	WAIVED			
CARBONATE ALKALINITY	00445	WAIVED			
CHLORIDE	00940	WAIVED			
COLOR	00081	WAIVED			
COPPER	01042	WAIVED			
FOAMING AGENTS (MBAS)	38260	WAIVED			
HARDNESS (TOTAL) AS CACO3	00900	WAIVED			
HYDROXIDE ALKALINITY	71830	WAIVED			
IRON	01045	WAIVED			

**Testing interval is in months;*
0 = No data for this constituent and is DUE NOW
999 = Waived testing (not required)
I = Invalid (NOT) valid analyses reported

System Number: ***1900741***

System Name: ***YOUNG NAK CHURCH OF LOS ANGELES***

PS Code: ***1900741-002***

Source Name: ***AUTOMATIC CHLORINATOR UNIT***

Source Number: ***002***

Source Status: ***ACTIVE TREATED***

Water type: ***GROUNDWATER OR WELL***

SECONDARY/GP

	STORET NUMBER	TESTING INTERVAL (MONTHS)*	LAST TEST DATE (yyyy/mm/dd)	LAST RESULT REPORTED	NEXT TEST DATE (yyyy/mm)
MAGNESIUM	00927	WAIVED			
MANGANESE	01055	WAIVED			
ODOR THRESHOLD @ 60 C	00086	WAIVED			
PH, LABORATORY	00403	WAIVED			
SILVER	01077	WAIVED			
SODIUM	00929	WAIVED			
SPECIFIC CONDUCTANCE	00095	WAIVED			
SULFATE	00945	WAIVED			
TOTAL DISSOLVED SOLIDS	70300	WAIVED			
TURBIDITY, LABORATORY	82079	WAIVED			
ZINC	01092	WAIVED			

**Testing interval is in months;*
0 = No data for this constituent and is DUE NOW
999 = Waived testing (not required)
I = Invalid (NOT) valid analyses reported

System Number: 1900750

System Name: DEL SUR SCHOOL / WESTSIDE UNION DISTRICT

PS Code: 1900750-001

Source Name: WELL 01

Source Number: 001

Source Status: ACTIVE UNTREATED

Water type: GROUNDWATER OR WELL

	STORET NUMBER	TESTING INTERVAL (MONTHS)*	LAST TEST DATE (yyyy/mm/dd)	LAST RESULT REPORTED	NEXT TEST DATE (yyyy/mm)
GENERAL NON CHAP 15					
DIAZINON	39570	WAIVED			
INORGANIC					
ALUMINUM	01105	WAIVED	2009/04/01	.000	
ANTIMONY	01097	WAIVED	2009/04/01	.000	
ARSENIC	01002	WAIVED	2009/04/01	2.000	
ASBESTOS	81855	WAIVED	2011/07/18	.000	
BARIUM	01007	WAIVED	2009/04/01	.000	
BERYLLIUM	01012	WAIVED	2009/04/01	.000	
CADMIUM	01027	WAIVED	2009/04/01	.000	
CHROMIUM (TOTAL)	01034	WAIVED	2009/04/01	.000	
CYANIDE	01291	WAIVED	2009/04/01	.000	
FLUORIDE (F) (NATURAL-SOURCE)	00951	WAIVED	2009/04/01	.540	
LEAD	01051	WAIVED	2009/04/01	.000	
MERCURY	71900	WAIVED	2009/04/01	.000	
NICKEL	01067	WAIVED	2009/04/01	.000	
PERCHLORATE	A-031	WAIVED	2011/07/18	< .000	
SELENIUM	01147	WAIVED	2009/04/01	.000	
THALLIUM	01059	WAIVED	2009/04/01	.000	
NITRATE/NITRITE					
NITRATE (AS NO3)	71850	WAIVED	2011/07/18	26.000	
NITRITE (AS N)	00620	WAIVED	2009/04/01	.000	
RADIOLOGICAL					
GROSS ALPHA	01501	WAIVED	2007/11/15	.000	
GROSS BETA	03501	WAIVED			
RA-226 FOR CWS OR TOTAL RA FOR NTNC BY 903.0	A-080	WAIVED	2007/11/15	.178	
RA-226 OR TOTAL RA BY 903.0 C.E.	A-081	WAIVED	2007/11/15	.116	
RADIUM 226	09501	WAIVED	2004/09/15	.000	
RADIUM 228	11501	WAIVED	2004/09/15	.000	

**Testing interval is in months;*
0 = No data for this constituent and is DUE NOW
999 = Waived testing (not required)
I = Invalid (NOT) valid analyses reported

System Number: ***1900750***

System Name: ***DEL SUR SCHOOL / WESTSIDE UNION DISTRICT***

PS Code: ***1900750-001***

Source Name: ***WELL 01***

Source Number: ***001***

Source Status: ***ACTIVE UNTREATED***

Water type: ***GROUNDWATER OR WELL***

	STORET NUMBER	TESTING INTERVAL (MONTHS)*	LAST TEST DATE (yyyy/mm/dd)	LAST RESULT REPORTED	NEXT TEST DATE (yyyy/mm)
RADIOLOGICAL					
RADIUM, TOTAL, MDA95-NTNC ONLY, BY 903.0	A-082	WAIVED	2007/11/15	.100	
STRONTIUM-90	13501	WAIVED			
TRITIUM	07000	WAIVED			
URANIUM (PCI/L)	28012	WAIVED	2004/12/08	3.430	
REGULATED SOC					
2,3,7,8-TCDD (DIOXIN)	34676	WAIVED			
2,4,5-TP (SILVEX)	39045	WAIVED			
2,4-D	39730	WAIVED			
ALACHLOR	77825	WAIVED	2000/04/21	.000	
ATRAZINE	39033	WAIVED			
BENTAZON	38710	WAIVED			
BENZO (A) PYRENE	34247	WAIVED			
CARBOFURAN	81405	WAIVED			
CHLORDANE	39350	WAIVED	2000/04/21	.000	
DALAPON	38432	WAIVED			
DI(2-ETHYLHEXYL)ADIPATE	A-026	WAIVED			
DI(2-ETHYLHEXYL)PHTHALATE	39100	WAIVED			
DIBROMOCHLOROPROPANE (DBCP)	38761	WAIVED			
DINOSEB	81287	WAIVED			
DIQUAT	78885	WAIVED			
ENDOTHALL	38926	WAIVED			
ENDRIN	39390	WAIVED	2000/04/21	.000	
ETHYLENE DIBROMIDE (EDB)	77651	WAIVED			
GLYPHOSATE	79743	WAIVED			
HEPTACHLOR	39410	WAIVED	2000/04/21	.000	
HEPTACHLOR EPOXIDE	39420	WAIVED	2000/04/21	.000	
HEXACHLOROBENZENE	39700	WAIVED	2000/04/21	.000	
HEXACHLOROCYCLOPENTADIENE	34386	WAIVED	2000/04/21	.000	
LINDANE	39340	WAIVED	2000/04/21	.000	

**Testing interval is in months;*
0 = No data for this constituent and is DUE NOW
999 = Waived testing (not required)
I = Invalid (NOT) valid analyses reported

System Number: ***1900750***

System Name: ***DEL SUR SCHOOL / WESTSIDE UNION DISTRICT***

PS Code: ***1900750-001***

Source Name: ***WELL 01***

Source Number: ***001***

Source Status: ***ACTIVE UNTREATED***

Water type: ***GROUNDWATER OR WELL***

	STORET NUMBER	TESTING INTERVAL (MONTHS)*	LAST TEST DATE (yyyy/mm/dd)	LAST RESULT REPORTED	NEXT TEST DATE (yyyy/mm)
REGULATED SOC					
METHOXYCHLOR	39480	WAIVED	2000/04/21	.000	
MOLINATE	82199	WAIVED			
OXAMYL	38865	WAIVED			
PENTACHLOROPHENOL	39032	WAIVED			
PICLORAM	39720	WAIVED			
POLYCHLORINATED BIPHENYLS, TOTAL, AS DCB	39516	WAIVED	2000/04/21	.000	
SIMAZINE	39055	WAIVED			
THIOBENCARB	A-001	WAIVED			
TOXAPHENE	39400	WAIVED	2000/04/21	.000	
REGULATED VOC					
1,1,1-TRICHLOROETHANE	34506	WAIVED	2011/07/18	< .000	
1,1,2,2-TETRACHLOROETHANE	34516	WAIVED	2011/07/18	< .000	
1,1,2-TRICHLORO-1,2,2-TRIFLUOROETHANE	81611	WAIVED	2011/07/18	< .000	
1,1,2-TRICHLOROETHANE	34511	WAIVED	2011/07/18	< .000	
1,1-DICHLOROETHANE	34496	WAIVED	2011/07/18	< .000	
1,1-DICHLOROETHYLENE	34501	WAIVED	2011/07/18	< .000	
1,2,4-TRICHLOROBENZENE	34551	WAIVED	2011/07/18	< .000	
1,2-DICHLOROBENZENE	34536	WAIVED	2011/07/18	< .000	
1,2-DICHLOROETHANE	34531	WAIVED	2011/07/18	< .000	
1,2-DICHLOROPROPANE	34541	WAIVED	2011/07/18	< .000	
1,3-DICHLOROPROPENE (TOTAL)	34561	WAIVED	2011/07/18	< .000	
1,4-DICHLOROBENZENE	34571	WAIVED	2011/07/18	< .000	
BENZENE	34030	WAIVED	2011/07/18	< .000	
CARBON TETRACHLORIDE	32102	WAIVED	2011/07/18	< .000	
CIS-1,2-DICHLOROETHYLENE	77093	WAIVED	2011/07/18	< .000	
DICHLOROMETHANE	34423	WAIVED	2011/07/18	< .000	
ETHYLBENZENE	34371	WAIVED	2011/07/18	< .000	
METHYL-TERT-BUTYL-ETHER (MTBE)	46491	WAIVED	2011/07/18	< .000	
MONOCHLOROBENZENE	34301	WAIVED	2011/07/18	< .000	

**Testing interval is in months;*
0 = No data for this constituent and is DUE NOW
999 = Waived testing (not required)
I = Invalid (NOT) valid analyses reported

System Number: ***1900750***

System Name: ***DEL SUR SCHOOL / WESTSIDE UNION DISTRICT***

PS Code: ***1900750-001***

Source Name: ***WELL 01***

Source Number: ***001***

Source Status: ***ACTIVE UNTREATED***

Water type: ***GROUNDWATER OR WELL***

	STORET NUMBER	TESTING INTERVAL (MONTHS)*	LAST TEST DATE (yyyy/mm/dd)	LAST RESULT REPORTED	NEXT TEST DATE (yyyy/mm)
REGULATED VOC					
STYRENE	77128	WAIVED	2011/07/18	< .000	
TETRACHLOROETHYLENE	34475	WAIVED	2011/07/18	< .000	
TOLUENE	34010	WAIVED	2011/07/18	< .000	
TRANS-1,2-DICHLOROETHYLENE	34546	WAIVED	2011/07/18	< .000	
TRICHLOROETHYLENE	39180	WAIVED	2011/07/18	< .000	
TRICHLOROFLUOROMETHANE	34488	WAIVED	2011/07/18	< .000	
VINYL CHLORIDE	39175	WAIVED	2011/07/18	< .000	
XYLENES (TOTAL)	81551	WAIVED	2011/07/18	< .000	
SECONDARY/GP					
AGGRSSIVE INDEX (CORROSIVITY)	82383	WAIVED			
BICARBONATE ALKALINITY	00440	WAIVED	2009/04/01	160.000	
CALCIUM	00916	WAIVED	2009/04/01	36.000	
CARBONATE ALKALINITY	00445	WAIVED	2009/04/01	.000	
CHLORIDE	00940	WAIVED	2009/04/01	18.000	
COLOR	00081	WAIVED	2011/07/18	< .000	
COPPER	01042	WAIVED	2009/04/01	.000	
FOAMING AGENTS (MBAS)	38260	WAIVED	2009/04/01	.000	
HARDNESS (TOTAL) AS CACO3	00900	WAIVED	2009/04/01	110.000	
HYDROXIDE ALKALINITY	71830	WAIVED	2009/04/01	.000	
IRON	01045	WAIVED	2009/04/01	.000	
MAGNESIUM	00927	WAIVED	2009/04/01	6.200	
MANGANESE	01055	WAIVED	2009/04/01	.000	
ODOR THRESHOLD @ 60 C	00086	WAIVED	1999/11/23	.000	
PH, LABORATORY	00403	WAIVED	2009/04/01	8.100	
SILVER	01077	WAIVED	2009/04/01	.000	
SODIUM	00929	WAIVED	2009/04/01	43.000	
SPECIFIC CONDUCTANCE	00095	WAIVED	2009/04/01	380.000	
SULFATE	00945	WAIVED	2009/04/01	14.000	
TOTAL DISSOLVED SOLIDS	70300	WAIVED	2009/04/01	260.000	

**Testing interval is in months;*
0 = No data for this constituent and is DUE NOW
999 = Waived testing (not required)
I = Invalid (NOT) valid analyses reported

System Number: ***1900750***

System Name: ***DEL SUR SCHOOL / WESTSIDE UNION DISTRICT***

PS Code: ***1900750-001***

Source Name: ***WELL 01***

Source Number: ***001***

Source Status: ***ACTIVE UNTREATED***

Water type: ***GROUNDWATER OR WELL***

	STORET NUMBER	TESTING INTERVAL (MONTHS)*	LAST TEST DATE (yyyy/mm/dd)	LAST RESULT REPORTED	NEXT TEST DATE (yyyy/mm)
SECONDARY/GP					
TURBIDITY, LABORATORY	82079	WAIVED	2011/07/18	.100	
ZINC	01092	WAIVED	2009/04/01	.000	

PS Code: ***1900750-002***

Source Name: ***AUTOMATIC CHLORINATOR***

Source Number: ***002***

Source Status: ***ACTIVE TREATED***

Water type: ***GROUNDWATER OR WELL***

GENERAL NON CHAP 15					
DIAZINON	39570	WAIVED			
INORGANIC					
ALUMINUM	01105	WAIVED			
ANTIMONY	01097	WAIVED			
ARSENIC	01002	WAIVED			
ASBESTOS	81855	WAIVED			
BARIUM	01007	WAIVED			
BERYLLIUM	01012	WAIVED			
CADMIUM	01027	WAIVED			
CHROMIUM (TOTAL)	01034	WAIVED			
CYANIDE	01291	WAIVED			
FLUORIDE (F) (NATURAL-SOURCE)	00951	WAIVED			
LEAD	01051	WAIVED			
MERCURY	71900	WAIVED			
NICKEL	01067	WAIVED			
PERCHLORATE	A-031	WAIVED			
SELENIUM	01147	WAIVED			
THALLIUM	01059	WAIVED			

**Testing interval is in months;*
0 = No data for this constituent and is DUE NOW
999 = Waived testing (not required)
I = Invalid (NOT) valid analyses reported

System Number: ***1900750***

System Name: ***DEL SUR SCHOOL / WESTSIDE UNION DISTRICT***

PS Code: ***1900750-002***

Source Name: ***AUTOMATIC CHLORINATOR***

Source Number: ***002***

Source Status: ***ACTIVE TREATED***

Water type: ***GROUNDWATER OR WELL***

	STORET NUMBER	TESTING INTERVAL (MONTHS)*	LAST TEST DATE (yyyy/mm/dd)	LAST RESULT REPORTED	NEXT TEST DATE (yyyy/mm)
NITRATE/NITRITE					
NITRATE (AS NO3)	71850	WAIVED	2005/03/31	25.100	
NITRITE (AS N)	00620	WAIVED			
RADIOLOGICAL					
GROSS ALPHA	01501	WAIVED			
GROSS BETA	03501	WAIVED			
RA-226 FOR CWS OR TOTAL RA FOR NTNC BY 903.0	A-080	WAIVED			
RA-226 OR TOTAL RA BY 903.0 C.E.	A-081	WAIVED			
RADIUM 226	09501	WAIVED			
RADIUM 228	11501	WAIVED			
RADIUM, TOTAL, MDA95-NTNC ONLY, BY 903.0	A-082	WAIVED			
STRONTIUM-90	13501	WAIVED			
TRITIUM	07000	WAIVED			
URANIUM (PCI/L)	28012	WAIVED			
REGULATED SOC					
2,3,7,8-TCDD (DIOXIN)	34676	WAIVED			
2,4,5-TP (SILVEX)	39045	WAIVED			
2,4-D	39730	WAIVED			
ALACHLOR	77825	WAIVED			
ATRAZINE	39033	WAIVED			
BENTAZON	38710	WAIVED			
BENZO (A) PYRENE	34247	WAIVED			
CARBOFURAN	81405	WAIVED			
CHLORDANE	39350	WAIVED			
DALAPON	38432	WAIVED			
DI(2-ETHYLHEXYL)ADIPATE	A-026	WAIVED			
DI(2-ETHYLHEXYL)PHTHALATE	39100	WAIVED			
DIBROMOCHLOROPROPANE (DBCP)	38761	WAIVED			
DINOSEB	81287	WAIVED			
DIQUAT	78885	WAIVED			

**Testing interval is in months;*
0 = No data for this constituent and is DUE NOW
999 = Waived testing (not required)
I = Invalid (NOT) valid analyses reported

System Number: ***1900750***

System Name: ***DEL SUR SCHOOL / WESTSIDE UNION DISTRICT***

PS Code: ***1900750-002***

Source Name: ***AUTOMATIC CHLORINATOR***

Source Number: ***002***

Source Status: ***ACTIVE TREATED***

Water type: ***GROUNDWATER OR WELL***

	STORET NUMBER	TESTING INTERVAL (MONTHS)*	LAST TEST DATE (yyyy/mm/dd)	LAST RESULT REPORTED	NEXT TEST DATE (yyyy/mm)
REGULATED SOC					
ENDOTHALL	38926	WAIVED			
ENDRIN	39390	WAIVED			
ETHYLENE DIBROMIDE (EDB)	77651	WAIVED			
GLYPHOSATE	79743	WAIVED			
HEPTACHLOR	39410	WAIVED			
HEPTACHLOR EPOXIDE	39420	WAIVED			
HEXACHLOROBENZENE	39700	WAIVED			
HEXACHLOROCYCLOPENTADIENE	34386	WAIVED			
LINDANE	39340	WAIVED			
METHOXYCHLOR	39480	WAIVED			
MOLINATE	82199	WAIVED			
OXAMYL	38865	WAIVED			
PENTACHLOROPHENOL	39032	WAIVED			
PICLORAM	39720	WAIVED			
POLYCHLORINATED BIPHENYLS, TOTAL, AS DCB	39516	WAIVED			
SIMAZINE	39055	WAIVED			
THIOBENCARB	A-001	WAIVED			
TOXAPHENE	39400	WAIVED			
REGULATED VOC					
1,1,1-TRICHLOROETHANE	34506	WAIVED			
1,1,2,2-TETRACHLOROETHANE	34516	WAIVED			
1,1,2-TRICHLORO-1,2,2-TRIFLUOROETHANE	81611	WAIVED			
1,1,2-TRICHLOROETHANE	34511	WAIVED			
1,1-DICHLOROETHANE	34496	WAIVED			
1,1-DICHLOROETHYLENE	34501	WAIVED			
1,2,4-TRICHLOROBENZENE	34551	WAIVED			
1,2-DICHLOROBENZENE	34536	WAIVED			
1,2-DICHLOROETHANE	34531	WAIVED			
1,2-DICHLOROPROPANE	34541	WAIVED			

**Testing interval is in months;*
0 = No data for this constituent and is DUE NOW
999 = Waived testing (not required)
I = Invalid (NOT) valid analyses reported

System Number: ***1900750***

System Name: ***DEL SUR SCHOOL / WESTSIDE UNION DISTRICT***

PS Code: ***1900750-002***

Source Name: ***AUTOMATIC CHLORINATOR***

Source Number: ***002***

Source Status: ***ACTIVE TREATED***

Water type: ***GROUNDWATER OR WELL***

	STORET NUMBER	TESTING INTERVAL (MONTHS)*	LAST TEST DATE (yyyy/mm/dd)	LAST RESULT REPORTED	NEXT TEST DATE (yyyy/mm)
REGULATED VOC					
1,3-DICHLOROPROPENE (TOTAL)	34561	WAIVED			
1,4-DICHLOROBENZENE	34571	WAIVED			
BENZENE	34030	WAIVED			
CARBON TETRACHLORIDE	32102	WAIVED			
CIS-1,2-DICHLOROETHYLENE	77093	WAIVED			
DICHLOROMETHANE	34423	WAIVED			
ETHYLBENZENE	34371	WAIVED			
METHYL-TERT-BUTYL-ETHER (MTBE)	46491	WAIVED			
MONOCHLOROBENZENE	34301	WAIVED			
STYRENE	77128	WAIVED			
TETRACHLOROETHYLENE	34475	WAIVED			
TOLUENE	34010	WAIVED			
TRANS-1,2-DICHLOROETHYLENE	34546	WAIVED			
TRICHLOROETHYLENE	39180	WAIVED			
TRICHLOROFLUOROMETHANE	34488	WAIVED			
VINYL CHLORIDE	39175	WAIVED			
XYLENES (TOTAL)	81551	WAIVED			
SECONDARY/GP					
AGGRSSIVE INDEX (CORROSIVITY)	82383	WAIVED			
BICARBONATE ALKALINITY	00440	WAIVED			
CALCIUM	00916	WAIVED			
CARBONATE ALKALINITY	00445	WAIVED			
CHLORIDE	00940	WAIVED			
COLOR	00081	WAIVED			
COPPER	01042	WAIVED			
FOAMING AGENTS (MBAS)	38260	WAIVED			
HARDNESS (TOTAL) AS CACO3	00900	WAIVED			
HYDROXIDE ALKALINITY	71830	WAIVED			
IRON	01045	WAIVED			

**Testing interval is in months;*
0 = No data for this constituent and is DUE NOW
999 = Waived testing (not required)
I = Invalid (NOT) valid analyses reported

System Number: ***1900750***

System Name: ***DEL SUR SCHOOL / WESTSIDE UNION DISTRICT***

PS Code: ***1900750-002***

Source Name: ***AUTOMATIC CHLORINATOR***

Source Number: ***002***

Source Status: ***ACTIVE TREATED***

Water type: ***GROUNDWATER OR WELL***

SECONDARY/GP

	STORET NUMBER	TESTING INTERVAL (MONTHS)*	LAST TEST DATE (yyyy/mm/dd)	LAST RESULT REPORTED	NEXT TEST DATE (yyyy/mm)
MAGNESIUM	00927	WAIVED			
MANGANESE	01055	WAIVED			
ODOR THRESHOLD @ 60 C	00086	WAIVED			
PH, LABORATORY	00403	WAIVED			
SILVER	01077	WAIVED			
SODIUM	00929	WAIVED			
SPECIFIC CONDUCTANCE	00095	WAIVED			
SULFATE	00945	WAIVED			
TOTAL DISSOLVED SOLIDS	70300	WAIVED			
TURBIDITY, LABORATORY	82079	WAIVED			
ZINC	01092	WAIVED			

**Testing interval is in months;*
0 = No data for this constituent and is DUE NOW
999 = Waived testing (not required)
I = Invalid (NOT) valid analyses reported

System Number: 1900751
System Name: EASTSIDE ELEMENTARY

PS Code: 1900751-001
Source Name: WELL 01
Source Number: 001
Source Status: ACTIVE UNTREATED
Water type: GROUNDWATER OR WELL

	STORET NUMBER	TESTING INTERVAL (MONTHS)*	LAST TEST DATE (yyyy/mm/dd)	LAST RESULT REPORTED	NEXT TEST DATE (yyyy/mm)
GENERAL NON CHAP 15					
DIAZINON	39570	WAIVED			
INORGANIC					
ALUMINUM	01105	WAIVED	2011/03/30	< .000	
ANTIMONY	01097	WAIVED	2011/03/30	< .000	
ARSENIC	01002	WAIVED	2011/03/30	< .000	
ASBESTOS	81855	WAIVED	2011/03/30	.000	
BARIUM	01007	WAIVED	2011/03/30	< .000	
BERYLLIUM	01012	WAIVED	2011/03/30	< .000	
CADMIUM	01027	WAIVED	2011/03/30	< .000	
CHROMIUM (TOTAL)	01034	WAIVED	2011/03/30	< .000	
CYANIDE	01291	WAIVED	2011/03/30	< .000	
FLUORIDE (F) (NATURAL-SOURCE)	00951	WAIVED	2011/03/30	.200	
LEAD	01051	WAIVED	2011/03/30	< .000	
MERCURY	71900	WAIVED	2011/03/30	< .000	
NICKEL	01067	WAIVED	2011/03/30	< .000	
PERCHLORATE	A-031	WAIVED	2011/10/19	< .000	
SELENIUM	01147	WAIVED	2011/03/30	< .000	
THALLIUM	01059	WAIVED	2011/03/30	< .000	
NITRATE/NITRITE					
NITRATE (AS NO3)	71850	WAIVED	2011/03/30	6.000	
NITRITE (AS N)	00620	WAIVED	2011/03/30	< .000	
RADIOLOGICAL					
GROSS ALPHA	01501	WAIVED	2000/06/16	3.000	
GROSS BETA	03501	WAIVED			
RA-226 FOR CWS OR TOTAL RA FOR NTNC BY 903.0	A-080	WAIVED			
RA-226 OR TOTAL RA BY 903.0 C.E.	A-081	WAIVED			
RADIUM 226	09501	WAIVED			
RADIUM 228	11501	WAIVED			

**Testing interval is in months;*
0 = No data for this constituent and is DUE NOW
999 = Waived testing (not required)
I = Invalid (NOT) valid analyses reported

System Number: ***1900751***

System Name: ***EASTSIDE ELEMENTARY***

PS Code: ***1900751-001***

Source Name: ***WELL 01***

Source Number: ***001***

Source Status: ***ACTIVE UNTREATED***

Water type: ***GROUNDWATER OR WELL***

	STORET NUMBER	TESTING INTERVAL (MONTHS)*	LAST TEST DATE (yyyy/mm/dd)	LAST RESULT REPORTED	NEXT TEST DATE (yyyy/mm)
RADIOLOGICAL					
RADIUM, TOTAL, MDA95-NTNC ONLY, BY 903.0	A-082	WAIVED			
STRONTIUM-90	13501	WAIVED			
TRITIUM	07000	WAIVED			
URANIUM (PCI/L)	28012	WAIVED			
REGULATED SOC					
2,3,7,8-TCDD (DIOXIN)	34676	WAIVED			
2,4,5-TP (SILVEX)	39045	WAIVED			
2,4-D	39730	WAIVED			
ALACHLOR	77825	WAIVED	2003/03/21	.000	
ATRAZINE	39033	WAIVED			
BENTAZON	38710	WAIVED			
BENZO (A) PYRENE	34247	WAIVED			
CARBOFURAN	81405	WAIVED			
CHLORDANE	39350	WAIVED	2003/03/21	.000	
DALAPON	38432	WAIVED			
DI(2-ETHYLHEXYL)ADIPATE	A-026	WAIVED			
DI(2-ETHYLHEXYL)PHTHALATE	39100	WAIVED			
DIBROMOCHLOROPROPANE (DBCP)	38761	WAIVED			
DINOSEB	81287	WAIVED			
DIQUAT	78885	WAIVED			
ENDOTHALL	38926	WAIVED			
ENDRIN	39390	WAIVED	2003/03/21	.000	
ETHYLENE DIBROMIDE (EDB)	77651	WAIVED			
GLYPHOSATE	79743	WAIVED			
HEPTACHLOR	39410	WAIVED	2003/03/21	.000	
HEPTACHLOR EPOXIDE	39420	WAIVED	2003/03/21	.000	
HEXACHLOROBENZENE	39700	WAIVED	2003/03/21	.000	
HEXACHLOROCYCLOPENTADIENE	34386	WAIVED	2003/03/21	.000	
LINDANE	39340	WAIVED	2003/03/21	.000	

**Testing interval is in months;*
0 = No data for this constituent and is DUE NOW
999 = Waived testing (not required)
I = Invalid (NOT) valid analyses reported

System Number: 1900751
System Name: EASTSIDE ELEMENTARY

PS Code: 1900751-001
Source Name: WELL 01
Source Number: 001
Source Status: ACTIVE UNTREATED
Water type: GROUNDWATER OR WELL

	STORET NUMBER	TESTING INTERVAL (MONTHS)*	LAST TEST DATE (yyyy/mm/dd)	LAST RESULT REPORTED	NEXT TEST DATE (yyyy/mm)
REGULATED SOC					
METHOXYCHLOR	39480	WAIVED	2003/03/21	.000	
MOLINATE	82199	WAIVED			
OXAMYL	38865	WAIVED			
PENTACHLOROPHENOL	39032	WAIVED			
PICLORAM	39720	WAIVED			
POLYCHLORINATED BIPHENYLS, TOTAL, AS DCB	39516	WAIVED	2003/03/21	.000	
SIMAZINE	39055	WAIVED			
THIOBENCARB	A-001	WAIVED			
TOXAPHENE	39400	WAIVED	2003/03/21	.000	
REGULATED VOC					
1,1,1-TRICHLOROETHANE	34506	WAIVED	2003/03/21	.000	
1,1,2,2-TETRACHLOROETHANE	34516	WAIVED	2003/03/21	.000	
1,1,2-TRICHLORO-1,2,2-TRIFLUOROETHANE	81611	WAIVED	2003/03/21	.000	
1,1,2-TRICHLOROETHANE	34511	WAIVED	2003/03/21	.000	
1,1-DICHLOROETHANE	34496	WAIVED	2003/03/21	.000	
1,1-DICHLOROETHYLENE	34501	WAIVED	2003/03/21	.000	
1,2,4-TRICHLOROBENZENE	34551	WAIVED	2003/03/21	.000	
1,2-DICHLOROBENZENE	34536	WAIVED	2003/03/21	.000	
1,2-DICHLOROETHANE	34531	WAIVED	2003/03/21	.000	
1,2-DICHLOROPROPANE	34541	WAIVED	2003/03/21	.000	
1,3-DICHLOROPROPENE (TOTAL)	34561	WAIVED	2003/03/21	.000	
1,4-DICHLOROBENZENE	34571	WAIVED	2003/03/21	.000	
BENZENE	34030	WAIVED	2003/03/21	.000	
CARBON TETRACHLORIDE	32102	WAIVED	2003/03/21	.000	
CIS-1,2-DICHLOROETHYLENE	77093	WAIVED	2003/03/21	.000	
DICHLOROMETHANE	34423	WAIVED	2003/03/21	.000	
ETHYLBENZENE	34371	WAIVED	2003/03/21	.000	
METHYL-TERT-BUTYL-ETHER (MTBE)	46491	WAIVED	2003/03/21	.000	
MONOCHLOROBENZENE	34301	WAIVED	2003/03/21	.000	

**Testing interval is in months;*
0 = No data for this constituent and is DUE NOW
999 = Waived testing (not required)
I = Invalid (NOT) valid analyses reported

System Number: 1900751
System Name: EASTSIDE ELEMENTARY

PS Code: 1900751-001
Source Name: WELL 01
Source Number: 001
Source Status: ACTIVE UNTREATED
Water type: GROUNDWATER OR WELL

	STORET NUMBER	TESTING INTERVAL (MONTHS)*	LAST TEST DATE (yyyy/mm/dd)	LAST RESULT REPORTED	NEXT TEST DATE (yyyy/mm)
REGULATED VOC					
STYRENE	77128	WAIVED	2003/03/21	.000	
TETRACHLOROETHYLENE	34475	WAIVED	2003/03/21	.000	
TOLUENE	34010	WAIVED	2003/03/21	.000	
TRANS-1,2-DICHLOROETHYLENE	34546	WAIVED	2003/03/21	.000	
TRICHLOROETHYLENE	39180	WAIVED	2003/03/21	.000	
TRICHLOROFLUOROMETHANE	34488	WAIVED	2003/03/21	.000	
VINYL CHLORIDE	39175	WAIVED	2003/03/21	.000	
XYLENES (TOTAL)	81551	WAIVED	2003/03/21	.000	
SECONDARY/GP					
AGGRSSIVE INDEX (CORROSIVITY)	82383	WAIVED	2011/03/30	12.000	
BICARBONATE ALKALINITY	00440	WAIVED	2011/03/30	140.000	
CALCIUM	00916	WAIVED	2011/03/30	100.000	
CARBONATE ALKALINITY	00445	WAIVED	2011/03/30	< .000	
CHLORIDE	00940	WAIVED	2011/03/30	21.000	
COLOR	00081	WAIVED	2011/03/30	< .000	
COPPER	01042	WAIVED	2011/03/30	< .000	
FOAMING AGENTS (MBAS)	38260	WAIVED	2011/03/30	< .000	
HARDNESS (TOTAL) AS CACO3	00900	WAIVED	2011/03/30	330.000	
HYDROXIDE ALKALINITY	71830	WAIVED	2011/03/30	< .000	
IRON	01045	WAIVED	2011/03/30	200.000	
MAGNESIUM	00927	WAIVED	2011/03/30	18.000	
MANGANESE	01055	WAIVED	2011/03/30	< .000	
ODOR THRESHOLD @ 60 C	00086	WAIVED	2011/03/30	< .000	
PH, LABORATORY	00403	WAIVED	2011/03/30	8.000	
SILVER	01077	WAIVED	2011/03/30	< .000	
SODIUM	00929	WAIVED	2011/03/30	37.000	
SPECIFIC CONDUCTANCE	00095	WAIVED	2011/03/30	710.000	
SULFATE	00945	WAIVED	2011/03/30	250.000	
TOTAL DISSOLVED SOLIDS	70300	WAIVED	2011/03/30	560.000	

**Testing interval is in months;*
0 = No data for this constituent and is DUE NOW
999 = Waived testing (not required)
I = Invalid (NOT) valid analyses reported

System Number: ***1900751***

System Name: ***EASTSIDE ELEMENTARY***

PS Code: ***1900751-001***

Source Name: ***WELL 01***

Source Number: ***001***

Source Status: ***ACTIVE UNTREATED***

Water type: ***GROUNDWATER OR WELL***

	STORET NUMBER	TESTING INTERVAL (MONTHS)*	LAST TEST DATE (yyyy/mm/dd)	LAST RESULT REPORTED	NEXT TEST DATE (yyyy/mm)
SECONDARY/GP					
TURBIDITY, LABORATORY	82079	WAIVED	2011/03/30	.990	
ZINC	01092	WAIVED	2011/03/30	110.000	

PS Code: ***1900751-002***

Source Name: ***AUTOMATIC CHLORINATOR UNIT***

Source Number: ***002***

Source Status: ***ACTIVE TREATED***

Water type: ***GROUNDWATER OR WELL***

GENERAL NON CHAP 15					
DIAZINON	39570	WAIVED			
INORGANIC					
ALUMINUM	01105	WAIVED			
ANTIMONY	01097	WAIVED			
ARSENIC	01002	WAIVED			
ASBESTOS	81855	WAIVED			
BARIUM	01007	WAIVED			
BERYLLIUM	01012	WAIVED			
CADMIUM	01027	WAIVED			
CHROMIUM (TOTAL)	01034	WAIVED			
CYANIDE	01291	WAIVED			
FLUORIDE (F) (NATURAL-SOURCE)	00951	WAIVED			
LEAD	01051	WAIVED			
MERCURY	71900	WAIVED			
NICKEL	01067	WAIVED			
PERCHLORATE	A-031	WAIVED			
SELENIUM	01147	WAIVED			
THALLIUM	01059	WAIVED			

**Testing interval is in months;*
0 = No data for this constituent and is DUE NOW
999 = Waived testing (not required)
I = Invalid (NOT) valid analyses reported

System Number: ***1900751***

System Name: ***EASTSIDE ELEMENTARY***

PS Code: ***1900751-002***

Source Name: ***AUTOMATIC CHLORINATOR UNIT***

Source Number: ***002***

Source Status: ***ACTIVE TREATED***

Water type: ***GROUNDWATER OR WELL***

	STORET NUMBER	TESTING INTERVAL (MONTHS)*	LAST TEST DATE (yyyy/mm/dd)	LAST RESULT REPORTED	NEXT TEST DATE (yyyy/mm)
NITRATE/NITRITE					
NITRATE (AS NO3)	71850	WAIVED			
NITRITE (AS N)	00620	WAIVED			
RADIOLOGICAL					
GROSS ALPHA	01501	WAIVED			
GROSS BETA	03501	WAIVED			
RA-226 FOR CWS OR TOTAL RA FOR NTNC BY 903.0	A-080	WAIVED			
RA-226 OR TOTAL RA BY 903.0 C.E.	A-081	WAIVED			
RADIUM 226	09501	WAIVED			
RADIUM 228	11501	WAIVED			
RADIUM, TOTAL, MDA95-NTNC ONLY, BY 903.0	A-082	WAIVED			
STRONTIUM-90	13501	WAIVED			
TRITIUM	07000	WAIVED			
URANIUM (PCI/L)	28012	WAIVED			
REGULATED SOC					
2,3,7,8-TCDD (DIOXIN)	34676	WAIVED			
2,4,5-TP (SILVEX)	39045	WAIVED			
2,4-D	39730	WAIVED			
ALACHLOR	77825	WAIVED			
ATRAZINE	39033	WAIVED			
BENTAZON	38710	WAIVED			
BENZO (A) PYRENE	34247	WAIVED			
CARBOFURAN	81405	WAIVED			
CHLORDANE	39350	WAIVED			
DALAPON	38432	WAIVED			
DI(2-ETHYLHEXYL)ADIPATE	A-026	WAIVED			
DI(2-ETHYLHEXYL)PHTHALATE	39100	WAIVED			
DIBROMOCHLOROPROPANE (DBCP)	38761	WAIVED			
DINOSEB	81287	WAIVED			
DIQUAT	78885	WAIVED			

**Testing interval is in months;*
0 = No data for this constituent and is DUE NOW
999 = Waived testing (not required)
I = Invalid (NOT) valid analyses reported

System Number: ***1900751***

System Name: ***EASTSIDE ELEMENTARY***

PS Code: ***1900751-002***

Source Name: ***AUTOMATIC CHLORINATOR UNIT***

Source Number: ***002***

Source Status: ***ACTIVE TREATED***

Water type: ***GROUNDWATER OR WELL***

	STORET NUMBER	TESTING INTERVAL (MONTHS)*	LAST TEST DATE (yyyy/mm/dd)	LAST RESULT REPORTED	NEXT TEST DATE (yyyy/mm)
REGULATED SOC					
ENDOTHALL	38926	WAIVED			
ENDRIN	39390	WAIVED			
ETHYLENE DIBROMIDE (EDB)	77651	WAIVED			
GLYPHOSATE	79743	WAIVED			
HEPTACHLOR	39410	WAIVED			
HEPTACHLOR EPOXIDE	39420	WAIVED			
HEXACHLOROBENZENE	39700	WAIVED			
HEXACHLOROCYCLOPENTADIENE	34386	WAIVED			
LINDANE	39340	WAIVED			
METHOXYCHLOR	39480	WAIVED			
MOLINATE	82199	WAIVED			
OXAMYL	38865	WAIVED			
PENTACHLOROPHENOL	39032	WAIVED			
PICLORAM	39720	WAIVED			
POLYCHLORINATED BIPHENYLS, TOTAL, AS DCB	39516	WAIVED			
SIMAZINE	39055	WAIVED			
THIOBENCARB	A-001	WAIVED			
TOXAPHENE	39400	WAIVED			
REGULATED VOC					
1,1,1-TRICHLOROETHANE	34506	WAIVED			
1,1,2,2-TETRACHLOROETHANE	34516	WAIVED			
1,1,2-TRICHLORO-1,2,2-TRIFLUOROETHANE	81611	WAIVED			
1,1,2-TRICHLOROETHANE	34511	WAIVED			
1,1-DICHLOROETHANE	34496	WAIVED			
1,1-DICHLOROETHYLENE	34501	WAIVED			
1,2,4-TRICHLOROBENZENE	34551	WAIVED			
1,2-DICHLOROBENZENE	34536	WAIVED			
1,2-DICHLOROETHANE	34531	WAIVED			
1,2-DICHLOROPROPANE	34541	WAIVED			

**Testing interval is in months;*
0 = No data for this constituent and is DUE NOW
999 = Waived testing (not required)
I = Invalid (NOT) valid analyses reported

System Number: ***1900751***

System Name: ***EASTSIDE ELEMENTARY***

PS Code: ***1900751-002***

Source Name: ***AUTOMATIC CHLORINATOR UNIT***

Source Number: ***002***

Source Status: ***ACTIVE TREATED***

Water type: ***GROUNDWATER OR WELL***

	STORET NUMBER	TESTING INTERVAL (MONTHS)*	LAST TEST DATE (yyyy/mm/dd)	LAST RESULT REPORTED	NEXT TEST DATE (yyyy/mm)
REGULATED VOC					
1,3-DICHLOROPROPENE (TOTAL)	34561	WAIVED			
1,4-DICHLOROBENZENE	34571	WAIVED			
BENZENE	34030	WAIVED			
CARBON TETRACHLORIDE	32102	WAIVED			
CIS-1,2-DICHLOROETHYLENE	77093	WAIVED			
DICHLOROMETHANE	34423	WAIVED			
ETHYLBENZENE	34371	WAIVED			
METHYL-TERT-BUTYL-ETHER (MTBE)	46491	WAIVED			
MONOCHLOROBENZENE	34301	WAIVED			
STYRENE	77128	WAIVED			
TETRACHLOROETHYLENE	34475	WAIVED			
TOLUENE	34010	WAIVED			
TRANS-1,2-DICHLOROETHYLENE	34546	WAIVED			
TRICHLOROETHYLENE	39180	WAIVED			
TRICHLOROFLUOROMETHANE	34488	WAIVED			
VINYL CHLORIDE	39175	WAIVED			
XYLENES (TOTAL)	81551	WAIVED			
SECONDARY/GP					
AGGRSSIVE INDEX (CORROSIVITY)	82383	WAIVED			
BICARBONATE ALKALINITY	00440	WAIVED			
CALCIUM	00916	WAIVED			
CARBONATE ALKALINITY	00445	WAIVED			
CHLORIDE	00940	WAIVED			
COLOR	00081	WAIVED			
COPPER	01042	WAIVED			
FOAMING AGENTS (MBAS)	38260	WAIVED			
HARDNESS (TOTAL) AS CACO3	00900	WAIVED			
HYDROXIDE ALKALINITY	71830	WAIVED			
IRON	01045	WAIVED			

**Testing interval is in months;*
0 = No data for this constituent and is DUE NOW
999 = Waived testing (not required)
I = Invalid (NOT) valid analyses reported

System Number: ***1900751***

System Name: ***EASTSIDE ELEMENTARY***

PS Code: ***1900751-002***

Source Name: ***AUTOMATIC CHLORINATOR UNIT***

Source Number: ***002***

Source Status: ***ACTIVE TREATED***

Water type: ***GROUNDWATER OR WELL***

SECONDARY/GP

	STORET NUMBER	TESTING INTERVAL (MONTHS)*	LAST TEST DATE (yyyy/mm/dd)	LAST RESULT REPORTED	NEXT TEST DATE (yyyy/mm)
MAGNESIUM	00927	WAIVED			
MANGANESE	01055	WAIVED			
ODOR THRESHOLD @ 60 C	00086	WAIVED			
PH, LABORATORY	00403	WAIVED			
SILVER	01077	WAIVED			
SODIUM	00929	WAIVED			
SPECIFIC CONDUCTANCE	00095	WAIVED			
SULFATE	00945	WAIVED			
TOTAL DISSOLVED SOLIDS	70300	WAIVED			
TURBIDITY, LABORATORY	82079	WAIVED			
ZINC	01092	WAIVED			

**Testing interval is in months;*
0 = No data for this constituent and is DUE NOW
999 = Waived testing (not required)
I = Invalid (NOT) valid analyses reported

System Number: 1900752
System Name: USFS-SAUGUS RANGER STA/WORK AREA III S-1

PS Code: 1900752-001
Source Name: WELL 01
Source Number: 001
Source Status: ACTIVE UNTREATED
Water type: GROUNDWATER OR WELL

	STORET NUMBER	TESTING INTERVAL (MONTHS)*	LAST TEST DATE (yyyy/mm/dd)	LAST RESULT REPORTED	NEXT TEST DATE (yyyy/mm)
GENERAL NON CHAP 15					
DIAZINON	39570	WAIVED			
INORGANIC					
ALUMINUM	01105	WAIVED	2008/11/17	< 50.000	
ANTIMONY	01097	WAIVED	2008/11/17	< 6.000	
ARSENIC	01002	WAIVED	2008/11/17	< 2.000	
ASBESTOS	81855	WAIVED			
BARIUM	01007	WAIVED	2008/11/17	< 100.000	
BERYLLIUM	01012	WAIVED	2008/11/17	< 1.000	
CADMIUM	01027	WAIVED	2008/11/17	< 1.000	
CHROMIUM (TOTAL)	01034	WAIVED	2008/11/17	< 10.000	
CYANIDE	01291	WAIVED	2008/11/17	< 100.000	
FLUORIDE (F) (NATURAL-SOURCE)	00951	WAIVED	2008/11/17	.720	
LEAD	01051	WAIVED	2008/11/17	< 5.000	
MERCURY	71900	WAIVED	2008/11/17	< 1.000	
NICKEL	01067	WAIVED	2008/11/17	< 10.000	
PERCHLORATE	A-031	WAIVED	2002/10/04	.000	
SELENIUM	01147	WAIVED	2008/11/17	< 5.000	
THALLIUM	01059	WAIVED	2008/11/17	< 1.000	
NITRATE/NITRITE					
NITRATE (AS NO3)	71850	WAIVED	2010/08/21	< .400	
NITRITE (AS N)	00620	WAIVED	2008/11/17	< 400.000	
RADIOLOGICAL					
GROSS ALPHA	01501	WAIVED	2008/11/17	< 3.000	
GROSS BETA	03501	WAIVED			
RA-226 FOR CWS OR TOTAL RA FOR NTNC BY 903.0	A-080	WAIVED			
RA-226 OR TOTAL RA BY 903.0 C.E.	A-081	WAIVED			
RADIUM 226	09501	WAIVED	2008/11/17	< 1.000	
RADIUM 228	11501	WAIVED	2008/11/17	< 1.000	

**Testing interval is in months;*
0 = No data for this constituent and is DUE NOW
999 = Waived testing (not required)
I = Invalid (NOT) valid analyses reported

System Number: ***1900752***

System Name: ***USFS-SAUGUS RANGER STA/WORK AREA III S-1***

PS Code: ***1900752-001***

Source Name: ***WELL 01***

Source Number: ***001***

Source Status: ***ACTIVE UNTREATED***

Water type: ***GROUNDWATER OR WELL***

	STORET NUMBER	TESTING INTERVAL (MONTHS)*	LAST TEST DATE (yyyy/mm/dd)	LAST RESULT REPORTED	NEXT TEST DATE (yyyy/mm)
RADIOLOGICAL					
RADIUM, TOTAL, MDA95-NTNC ONLY, BY 903.0	A-082	WAIVED			
STRONTIUM-90	13501	WAIVED			
TRITIUM	07000	WAIVED			
URANIUM (PCI/L)	28012	WAIVED	2008/11/17	1.700	
REGULATED SOC					
2,3,7,8-TCDD (DIOXIN)	34676	WAIVED			
2,4,5-TP (SILVEX)	39045	WAIVED			
2,4-D	39730	WAIVED			
ALACHLOR	77825	WAIVED	2002/06/19	.000	
ATRAZINE	39033	WAIVED	2008/11/17	< .500	
BENTAZON	38710	WAIVED			
BENZO (A) PYRENE	34247	WAIVED	2008/11/17	< .100	
CARBOFURAN	81405	WAIVED			
CHLORDANE	39350	WAIVED	2002/06/19	.000	
DALAPON	38432	WAIVED			
DI(2-ETHYLHEXYL)ADIPATE	A-026	WAIVED	2008/11/17	< 5.000	
DI(2-ETHYLHEXYL)PHTHALATE	39100	WAIVED	2008/11/17	< 3.000	
DIBROMOCHLOROPROPANE (DBCP)	38761	WAIVED			
DINOSEB	81287	WAIVED			
DIQUAT	78885	WAIVED			
ENDOTHALL	38926	WAIVED			
ENDRIN	39390	WAIVED	2002/06/19	.000	
ETHYLENE DIBROMIDE (EDB)	77651	WAIVED			
GLYPHOSATE	79743	WAIVED			
HEPTACHLOR	39410	WAIVED	2002/06/19	.000	
HEPTACHLOR EPOXIDE	39420	WAIVED	2002/06/19	.000	
HEXACHLOROBENZENE	39700	WAIVED	2008/11/17	< .500	
HEXACHLOROCYCLOPENTADIENE	34386	WAIVED	2008/11/17	< 1.000	
LINDANE	39340	WAIVED	2002/06/19	.000	

**Testing interval is in months;*
0 = No data for this constituent and is DUE NOW
999 = Waived testing (not required)
I = Invalid (NOT) valid analyses reported

System Number: 1900752
System Name: USFS-SAUGUS RANGER STA/WORK AREA III S-1

PS Code: 1900752-001
Source Name: WELL 01
Source Number: 001
Source Status: ACTIVE UNTREATED
Water type: GROUNDWATER OR WELL

	STORET NUMBER	TESTING INTERVAL (MONTHS)*	LAST TEST DATE (yyyy/mm/dd)	LAST RESULT REPORTED	NEXT TEST DATE (yyyy/mm)
REGULATED SOC					
METHOXYCHLOR	39480	WAIVED	2002/06/19	.000	
MOLINATE	82199	WAIVED	2008/11/17	< 2.000	
OXAMYL	38865	WAIVED			
PENTACHLOROPHENOL	39032	WAIVED			
PICLORAM	39720	WAIVED			
POLYCHLORINATED BIPHENYLS, TOTAL, AS DCB	39516	WAIVED	2002/06/19	.000	
SIMAZINE	39055	WAIVED	2008/11/17	< 1.000	
THIOBENCARB	A-001	WAIVED	2008/11/17	< 1.000	
TOXAPHENE	39400	WAIVED	2002/06/19	.000	
REGULATED VOC					
1,1,1-TRICHLOROETHANE	34506	WAIVED	2008/11/17	< .500	
1,1,2,2-TETRACHLOROETHANE	34516	WAIVED	2008/11/17	< .500	
1,1,2-TRICHLORO-1,2,2-TRIFLUOROETHANE	81611	WAIVED	2008/11/17	< 10.000	
1,1,2-TRICHLOROETHANE	34511	WAIVED	2008/11/17	< .500	
1,1-DICHLOROETHANE	34496	WAIVED	2008/11/17	< .500	
1,1-DICHLOROETHYLENE	34501	WAIVED	2008/11/17	< .500	
1,2,4-TRICHLOROBENZENE	34551	WAIVED	2008/11/17	< .500	
1,2-DICHLOROBENZENE	34536	WAIVED	2008/11/17	< .500	
1,2-DICHLOROETHANE	34531	WAIVED	2008/11/17	< .500	
1,2-DICHLOROPROPANE	34541	WAIVED	2008/11/17	< .500	
1,3-DICHLOROPROPENE (TOTAL)	34561	WAIVED	2008/11/17	< .500	
1,4-DICHLOROBENZENE	34571	WAIVED	2008/11/17	< .500	
BENZENE	34030	WAIVED	2008/11/17	< .500	
CARBON TETRACHLORIDE	32102	WAIVED	2008/11/17	< .500	
CIS-1,2-DICHLOROETHYLENE	77093	WAIVED	2008/11/17	< .500	
DICHLOROMETHANE	34423	WAIVED	2008/11/17	< .500	
ETHYLBENZENE	34371	WAIVED	2008/11/17	< .500	
METHYL-TERT-BUTYL-ETHER (MTBE)	46491	WAIVED	2008/11/17	< 3.000	
MONOCHLOROBENZENE	34301	WAIVED	2008/11/17	< .500	

**Testing interval is in months;*
0 = No data for this constituent and is DUE NOW
999 = Waived testing (not required)
I = Invalid (NOT) valid analyses reported

System Number: 1900752
System Name: USFS-SAUGUS RANGER STA/WORK AREA III S-1

PS Code: 1900752-001
Source Name: WELL 01
Source Number: 001
Source Status: ACTIVE UNTREATED
Water type: GROUNDWATER OR WELL

	STORET NUMBER	TESTING INTERVAL (MONTHS)*	LAST TEST DATE (yyyy/mm/dd)	LAST RESULT REPORTED	NEXT TEST DATE (yyyy/mm)
REGULATED VOC					
STYRENE	77128	WAIVED	2008/11/17	< .500	
TETRACHLOROETHYLENE	34475	WAIVED	2008/11/17	< .500	
TOLUENE	34010	WAIVED	2008/11/17	< .500	
TRANS-1,2-DICHLOROETHYLENE	34546	WAIVED	2008/11/17	< .500	
TRICHLOROETHYLENE	39180	WAIVED	2008/11/17	< .500	
TRICHLOROFLUOROMETHANE	34488	WAIVED	2008/11/17	< 5.000	
VINYL CHLORIDE	39175	WAIVED	2008/11/17	< .500	
XYLENES (TOTAL)	81551	WAIVED	2008/11/17	< 1.000	
SECONDARY/GP					
AGGRSSIVE INDEX (CORROSIVITY)	82383	WAIVED	2008/11/17	13.000	
BICARBONATE ALKALINITY	00440	WAIVED	2008/11/17	242.000	
CALCIUM	00916	WAIVED	2008/11/17	52.000	
CARBONATE ALKALINITY	00445	WAIVED	2008/11/17	< 2.000	
CHLORIDE	00940	WAIVED	2008/11/17	31.800	
COLOR	00081	WAIVED	2008/11/17	< 3.000	
COPPER	01042	WAIVED	2008/11/17	< 50.000	
FOAMING AGENTS (MBAS)	38260	WAIVED	2008/11/17	< .050	
HARDNESS (TOTAL) AS CACO3	00900	WAIVED	2008/11/17	208.000	
HYDROXIDE ALKALINITY	71830	WAIVED	2008/11/17	< 2.000	
IRON	01045	WAIVED	2008/11/17	< 100.000	
MAGNESIUM	00927	WAIVED	2008/11/17	19.000	
MANGANESE	01055	WAIVED	2008/11/17	< 20.000	
ODOR THRESHOLD @ 60 C	00086	WAIVED	2008/11/17	1.000	
PH, LABORATORY	00403	WAIVED	2008/11/17	8.000	
SILVER	01077	WAIVED	2008/11/17	< 10.000	
SODIUM	00929	WAIVED	2008/11/17	46.000	
SPECIFIC CONDUCTANCE	00095	WAIVED	2008/11/17	568.000	
SULFATE	00945	WAIVED	2008/11/17	33.000	
TOTAL DISSOLVED SOLIDS	70300	WAIVED	2008/11/17	330.000	

**Testing interval is in months;*
0 = No data for this constituent and is DUE NOW
999 = Waived testing (not required)
I = Invalid (NOT) valid analyses reported

System Number: ***1900752***

System Name: ***USFS-SAUGUS RANGER STA/WORK AREA III S-1***

PS Code: ***1900752-001***

Source Name: ***WELL 01***

Source Number: ***001***

Source Status: ***ACTIVE UNTREATED***

Water type: ***GROUNDWATER OR WELL***

	STORET NUMBER	TESTING INTERVAL (MONTHS)*	LAST TEST DATE (yyyy/mm/dd)	LAST RESULT REPORTED	NEXT TEST DATE (yyyy/mm)
SECONDARY/GP					
TURBIDITY, LABORATORY	82079	WAIVED	2008/11/17	.250	
ZINC	01092	WAIVED	2008/11/17	< 50.000	

PS Code: ***1900752-003***

Source Name: ***AUTOMATIC CHLORINATION UNIT***

Source Number: ***003***

Source Status: ***ACTIVE TREATED***

Water type: ***GROUNDWATER OR WELL***

GENERAL NON CHAP 15					
DIAZINON	39570	WAIVED			
INORGANIC					
ALUMINUM	01105	WAIVED			
ANTIMONY	01097	WAIVED			
ARSENIC	01002	WAIVED			
ASBESTOS	81855	WAIVED			
BARIUM	01007	WAIVED			
BERYLLIUM	01012	WAIVED			
CADMIUM	01027	WAIVED			
CHROMIUM (TOTAL)	01034	WAIVED			
CYANIDE	01291	WAIVED			
FLUORIDE (F) (NATURAL-SOURCE)	00951	WAIVED			
LEAD	01051	WAIVED			
MERCURY	71900	WAIVED			
NICKEL	01067	WAIVED			
PERCHLORATE	A-031	WAIVED			
SELENIUM	01147	WAIVED			
THALLIUM	01059	WAIVED			

**Testing interval is in months;*
0 = No data for this constituent and is DUE NOW
999 = Waived testing (not required)
I = Invalid (NOT) valid analyses reported

System Number: ***1900752***

System Name: ***USFS-SAUGUS RANGER STA/WORK AREA III S-1***

PS Code: ***1900752-003***

Source Name: ***AUTOMATIC CHLORINATION UNIT***

Source Number: ***003***

Source Status: ***ACTIVE TREATED***

Water type: ***GROUNDWATER OR WELL***

	STORET NUMBER	TESTING INTERVAL (MONTHS)*	LAST TEST DATE (yyyy/mm/dd)	LAST RESULT REPORTED	NEXT TEST DATE (yyyy/mm)
NITRATE/NITRITE					
NITRATE (AS NO3)	71850	WAIVED			
NITRITE (AS N)	00620	WAIVED			
RADIOLOGICAL					
GROSS ALPHA	01501	WAIVED			
GROSS BETA	03501	WAIVED			
RA-226 FOR CWS OR TOTAL RA FOR NTNC BY 903.0	A-080	WAIVED			
RA-226 OR TOTAL RA BY 903.0 C.E.	A-081	WAIVED			
RADIUM 226	09501	WAIVED			
RADIUM 228	11501	WAIVED			
RADIUM, TOTAL, MDA95-NTNC ONLY, BY 903.0	A-082	WAIVED			
STRONTIUM-90	13501	WAIVED			
TRITIUM	07000	WAIVED			
URANIUM (PCI/L)	28012	WAIVED			
REGULATED SOC					
2,3,7,8-TCDD (DIOXIN)	34676	WAIVED			
2,4,5-TP (SILVEX)	39045	WAIVED			
2,4-D	39730	WAIVED			
ALACHLOR	77825	WAIVED			
ATRAZINE	39033	WAIVED			
BENTAZON	38710	WAIVED			
BENZO (A) PYRENE	34247	WAIVED			
CARBOFURAN	81405	WAIVED			
CHLORDANE	39350	WAIVED			
DALAPON	38432	WAIVED			
DI(2-ETHYLHEXYL)ADIPATE	A-026	WAIVED			
DI(2-ETHYLHEXYL)PHTHALATE	39100	WAIVED			
DIBROMOCHLOROPROPANE (DBCP)	38761	WAIVED			
DINOSEB	81287	WAIVED			
DIQUAT	78885	WAIVED			

**Testing interval is in months;*
0 = No data for this constituent and is DUE NOW
999 = Waived testing (not required)
I = Invalid (NOT) valid analyses reported

System Number: 1900752

System Name: USFS-SAUGUS RANGER STA/WORK AREA III S-1

PS Code: 1900752-003

Source Name: AUTOMATIC CHLORINATION UNIT

Source Number: 003

Source Status: ACTIVE TREATED

Water type: GROUNDWATER OR WELL

	STORET NUMBER	TESTING INTERVAL (MONTHS)*	LAST TEST DATE (yyyy/mm/dd)	LAST RESULT REPORTED	NEXT TEST DATE (yyyy/mm)
REGULATED SOC					
ENDOTHALL	38926	WAIVED			
ENDRIN	39390	WAIVED			
ETHYLENE DIBROMIDE (EDB)	77651	WAIVED			
GLYPHOSATE	79743	WAIVED			
HEPTACHLOR	39410	WAIVED			
HEPTACHLOR EPOXIDE	39420	WAIVED			
HEXACHLOROBENZENE	39700	WAIVED			
HEXACHLOROCYCLOPENTADIENE	34386	WAIVED			
LINDANE	39340	WAIVED			
METHOXYCHLOR	39480	WAIVED			
MOLINATE	82199	WAIVED			
OXAMYL	38865	WAIVED			
PENTACHLOROPHENOL	39032	WAIVED			
PICLORAM	39720	WAIVED			
POLYCHLORINATED BIPHENYLS, TOTAL, AS DCB	39516	WAIVED			
SIMAZINE	39055	WAIVED			
THIOBENCARB	A-001	WAIVED			
TOXAPHENE	39400	WAIVED			
REGULATED VOC					
1,1,1-TRICHLOROETHANE	34506	WAIVED			
1,1,2,2-TETRACHLOROETHANE	34516	WAIVED			
1,1,2-TRICHLORO-1,2,2-TRIFLUOROETHANE	81611	WAIVED			
1,1,2-TRICHLOROETHANE	34511	WAIVED			
1,1-DICHLOROETHANE	34496	WAIVED			
1,1-DICHLOROETHYLENE	34501	WAIVED			
1,2,4-TRICHLOROBENZENE	34551	WAIVED			
1,2-DICHLOROBENZENE	34536	WAIVED			
1,2-DICHLOROETHANE	34531	WAIVED			
1,2-DICHLOROPROPANE	34541	WAIVED			

**Testing interval is in months;*
0 = No data for this constituent and is DUE NOW
999 = Waived testing (not required)
I = Invalid (NOT) valid analyses reported

System Number: 1900752

System Name: USFS-SAUGUS RANGER STA/WORK AREA III S-1

PS Code: 1900752-003

Source Name: AUTOMATIC CHLORINATION UNIT

Source Number: 003

Source Status: ACTIVE TREATED

Water type: GROUNDWATER OR WELL

	STORET NUMBER	TESTING INTERVAL (MONTHS)*	LAST TEST DATE (yyyy/mm/dd)	LAST RESULT REPORTED	NEXT TEST DATE (yyyy/mm)
REGULATED VOC					
1,3-DICHLOROPROPENE (TOTAL)	34561	WAIVED			
1,4-DICHLOROBENZENE	34571	WAIVED			
BENZENE	34030	WAIVED			
CARBON TETRACHLORIDE	32102	WAIVED			
CIS-1,2-DICHLOROETHYLENE	77093	WAIVED			
DICHLOROMETHANE	34423	WAIVED			
ETHYLBENZENE	34371	WAIVED			
METHYL-TERT-BUTYL-ETHER (MTBE)	46491	WAIVED			
MONOCHLOROBENZENE	34301	WAIVED			
STYRENE	77128	WAIVED			
TETRACHLOROETHYLENE	34475	WAIVED			
TOLUENE	34010	WAIVED			
TRANS-1,2-DICHLOROETHYLENE	34546	WAIVED			
TRICHLOROETHYLENE	39180	WAIVED			
TRICHLOROFLUOROMETHANE	34488	WAIVED			
VINYL CHLORIDE	39175	WAIVED			
XYLENES (TOTAL)	81551	WAIVED			
SECONDARY/GP					
AGGRSSIVE INDEX (CORROSIVITY)	82383	WAIVED			
BICARBONATE ALKALINITY	00440	WAIVED			
CALCIUM	00916	WAIVED			
CARBONATE ALKALINITY	00445	WAIVED			
CHLORIDE	00940	WAIVED			
COLOR	00081	WAIVED			
COPPER	01042	WAIVED			
FOAMING AGENTS (MBAS)	38260	WAIVED			
HARDNESS (TOTAL) AS CACO3	00900	WAIVED			
HYDROXIDE ALKALINITY	71830	WAIVED			
IRON	01045	WAIVED			

**Testing interval is in months;*
0 = No data for this constituent and is DUE NOW
999 = Waived testing (not required)
I = Invalid (NOT) valid analyses reported

System Number: ***1900752***

System Name: ***USFS-SAUGUS RANGER STA/WORK AREA III S-1***

PS Code: ***1900752-003***

Source Name: ***AUTOMATIC CHLORINATION UNIT***

Source Number: ***003***

Source Status: ***ACTIVE TREATED***

Water type: ***GROUNDWATER OR WELL***

SECONDARY/GP

	STORET NUMBER	TESTING INTERVAL (MONTHS)*	LAST TEST DATE (yyyy/mm/dd)	LAST RESULT REPORTED	NEXT TEST DATE (yyyy/mm)
MAGNESIUM	00927	WAIVED			
MANGANESE	01055	WAIVED			
ODOR THRESHOLD @ 60 C	00086	WAIVED			
PH, LABORATORY	00403	WAIVED			
SILVER	01077	WAIVED			
SODIUM	00929	WAIVED			
SPECIFIC CONDUCTANCE	00095	WAIVED			
SULFATE	00945	WAIVED			
TOTAL DISSOLVED SOLIDS	70300	WAIVED			
TURBIDITY, LABORATORY	82079	WAIVED			
ZINC	01092	WAIVED			

**Testing interval is in months;*
0 = No data for this constituent and is DUE NOW
999 = Waived testing (not required)
I = Invalid (NOT) valid analyses reported

System Number: ***1900761***

System Name: ***ANGELES SHOOTING RANGES***

PS Code: ***1900761-001***

Source Name: ***WELL 01***

Source Number: ***001***

Source Status: ***ACTIVE UNTREATED***

Water type: ***GROUNDWATER OR WELL***

	STORET NUMBER	TESTING INTERVAL (MONTHS)*	LAST TEST DATE (yyyy/mm/dd)	LAST RESULT REPORTED	NEXT TEST DATE (yyyy/mm)
GENERAL NON CHAP 15					
DIAZINON	39570	WAIVED			
INORGANIC					
ALUMINUM	01105	WAIVED	2004/03/17	.000	
ANTIMONY	01097	WAIVED	2004/03/17	.000	
ARSENIC	01002	WAIVED	2004/03/17	2.370	
ASBESTOS	81855	WAIVED			
BARIUM	01007	WAIVED	2004/03/17	.000	
BERYLLIUM	01012	WAIVED			
CADMIUM	01027	WAIVED	2004/03/17	.000	
CHROMIUM (TOTAL)	01034	WAIVED	2004/03/17	.000	
CYANIDE	01291	WAIVED			
FLUORIDE (F) (NATURAL-SOURCE)	00951	WAIVED	2004/03/17	.210	
LEAD	01051	WAIVED	2004/03/17	.000	
MERCURY	71900	WAIVED	2004/03/17	.000	
NICKEL	01067	WAIVED	2004/03/17	.000	
PERCHLORATE	A-031	WAIVED	2002/10/18	.000	
SELENIUM	01147	WAIVED	2004/03/17	.000	
THALLIUM	01059	WAIVED			
NITRATE/NITRITE					
NITRATE (AS NO3)	71850	WAIVED	2004/03/17	10.500	
NITRITE (AS N)	00620	WAIVED	1998/06/30	.000	
RADIOLOGICAL					
GROSS ALPHA	01501	WAIVED			
GROSS BETA	03501	WAIVED			
RA-226 FOR CWS OR TOTAL RA FOR NTNC BY 903.0	A-080	WAIVED			
RA-226 OR TOTAL RA BY 903.0 C.E.	A-081	WAIVED			
RADIUM 226	09501	WAIVED			
RADIUM 228	11501	WAIVED			

**Testing interval is in months;*
0 = No data for this constituent and is DUE NOW
999 = Waived testing (not required)
I = Invalid (NOT) valid analyses reported

System Number: ***1900761***

System Name: ***ANGELES SHOOTING RANGES***

PS Code: ***1900761-001***

Source Name: ***WELL 01***

Source Number: ***001***

Source Status: ***ACTIVE UNTREATED***

Water type: ***GROUNDWATER OR WELL***

	STORET NUMBER	TESTING INTERVAL (MONTHS)*	LAST TEST DATE (yyyy/mm/dd)	LAST RESULT REPORTED	NEXT TEST DATE (yyyy/mm)
RADIOLOGICAL					
RADIUM, TOTAL, MDA95-NTNC ONLY, BY 903.0	A-082	WAIVED			
STRONTIUM-90	13501	WAIVED			
TRITIUM	07000	WAIVED			
URANIUM (PCI/L)	28012	WAIVED			
REGULATED SOC					
2,3,7,8-TCDD (DIOXIN)	34676	WAIVED			
2,4,5-TP (SILVEX)	39045	WAIVED			
2,4-D	39730	WAIVED			
ALACHLOR	77825	WAIVED			
ATRAZINE	39033	WAIVED			
BENTAZON	38710	WAIVED			
BENZO (A) PYRENE	34247	WAIVED			
CARBOFURAN	81405	WAIVED			
CHLORDANE	39350	WAIVED			
DALAPON	38432	WAIVED			
DI(2-ETHYLHEXYL)ADIPATE	A-026	WAIVED			
DI(2-ETHYLHEXYL)PHTHALATE	39100	WAIVED			
DIBROMOCHLOROPROPANE (DBCP)	38761	WAIVED			
DINOSEB	81287	WAIVED			
DIQUAT	78885	WAIVED			
ENDOTHALL	38926	WAIVED			
ENDRIN	39390	WAIVED			
ETHYLENE DIBROMIDE (EDB)	77651	WAIVED			
GLYPHOSATE	79743	WAIVED			
HEPTACHLOR	39410	WAIVED			
HEPTACHLOR EPOXIDE	39420	WAIVED			
HEXACHLOROBENZENE	39700	WAIVED			
HEXACHLOROCYCLOPENTADIENE	34386	WAIVED			
LINDANE	39340	WAIVED			

**Testing interval is in months;*
0 = No data for this constituent and is DUE NOW
999 = Waived testing (not required)
I = Invalid (NOT) valid analyses reported

System Number: ***1900761***

System Name: ***ANGELES SHOOTING RANGES***

PS Code: ***1900761-001***

Source Name: ***WELL 01***

Source Number: ***001***

Source Status: ***ACTIVE UNTREATED***

Water type: ***GROUNDWATER OR WELL***

	STORET NUMBER	TESTING INTERVAL (MONTHS)*	LAST TEST DATE (yyyy/mm/dd)	LAST RESULT REPORTED	NEXT TEST DATE (yyyy/mm)
REGULATED SOC					
METHOXYCHLOR	39480	WAIVED			
MOLINATE	82199	WAIVED			
OXAMYL	38865	WAIVED			
PENTACHLOROPHENOL	39032	WAIVED			
PICLORAM	39720	WAIVED			
POLYCHLORINATED BIPHENYLS, TOTAL, AS DCB	39516	WAIVED			
SIMAZINE	39055	WAIVED			
THIOBENCARB	A-001	WAIVED	2002/10/18	.000	
TOXAPHENE	39400	WAIVED			
REGULATED VOC					
1,1,1-TRICHLOROETHANE	34506	WAIVED			
1,1,2,2-TETRACHLOROETHANE	34516	WAIVED			
1,1,2-TRICHLORO-1,2,2-TRIFLUOROETHANE	81611	WAIVED			
1,1,2-TRICHLOROETHANE	34511	WAIVED			
1,1-DICHLOROETHANE	34496	WAIVED			
1,1-DICHLOROETHYLENE	34501	WAIVED			
1,2,4-TRICHLOROBENZENE	34551	WAIVED			
1,2-DICHLOROBENZENE	34536	WAIVED			
1,2-DICHLOROETHANE	34531	WAIVED			
1,2-DICHLOROPROPANE	34541	WAIVED			
1,3-DICHLOROPROPENE (TOTAL)	34561	WAIVED			
1,4-DICHLOROBENZENE	34571	WAIVED			
BENZENE	34030	WAIVED			
CARBON TETRACHLORIDE	32102	WAIVED			
CIS-1,2-DICHLOROETHYLENE	77093	WAIVED			
DICHLOROMETHANE	34423	WAIVED			
ETHYLBENZENE	34371	WAIVED			
METHYL-TERT-BUTYL-ETHER (MTBE)	46491	WAIVED			
MONOCHLOROBENZENE	34301	WAIVED			

**Testing interval is in months;*
0 = No data for this constituent and is DUE NOW
999 = Waived testing (not required)
I = Invalid (NOT) valid analyses reported

System Number: ***1900761***

System Name: ***ANGELES SHOOTING RANGES***

PS Code: ***1900761-001***

Source Name: ***WELL 01***

Source Number: ***001***

Source Status: ***ACTIVE UNTREATED***

Water type: ***GROUNDWATER OR WELL***

	STORET NUMBER	TESTING INTERVAL (MONTHS)*	LAST TEST DATE (yyyy/mm/dd)	LAST RESULT REPORTED	NEXT TEST DATE (yyyy/mm)
REGULATED VOC					
STYRENE	77128	WAIVED			
TETRACHLOROETHYLENE	34475	WAIVED			
TOLUENE	34010	WAIVED			
TRANS-1,2-DICHLOROETHYLENE	34546	WAIVED			
TRICHLOROETHYLENE	39180	WAIVED			
TRICHLOROFLUOROMETHANE	34488	WAIVED			
VINYL CHLORIDE	39175	WAIVED			
XYLENES (TOTAL)	81551	WAIVED			
SECONDARY/GP					
AGGRSSIVE INDEX (CORROSIVITY)	82383	WAIVED			
BICARBONATE ALKALINITY	00440	WAIVED	2004/03/17	260.000	
CALCIUM	00916	WAIVED	2004/03/17	26.100	
CARBONATE ALKALINITY	00445	WAIVED	2004/03/17	.000	
CHLORIDE	00940	WAIVED	2004/03/17	15.400	
COLOR	00081	WAIVED	2002/10/18	.000	
COPPER	01042	WAIVED	2004/03/17	.000	
FOAMING AGENTS (MBAS)	38260	WAIVED	2002/10/18	.000	
HARDNESS (TOTAL) AS CACO3	00900	WAIVED	2004/03/17	100.000	
HYDROXIDE ALKALINITY	71830	WAIVED	2004/03/17	.000	
IRON	01045	WAIVED	2004/03/17	.000	
MAGNESIUM	00927	WAIVED	2004/03/17	8.510	
MANGANESE	01055	WAIVED	2004/03/17	.000	
ODOR THRESHOLD @ 60 C	00086	WAIVED	2002/10/18	.000	
PH, LABORATORY	00403	WAIVED	2004/03/17	8.260	
SILVER	01077	WAIVED	2004/03/17	.000	
SODIUM	00929	WAIVED	2004/03/17	71.400	
SPECIFIC CONDUCTANCE	00095	WAIVED	2002/10/18	493.000	
SULFATE	00945	WAIVED	2004/03/17	21.900	
TOTAL DISSOLVED SOLIDS	70300	WAIVED	2004/03/17	330.000	

**Testing interval is in months;*
0 = No data for this constituent and is DUE NOW
999 = Waived testing (not required)
I = Invalid (NOT) valid analyses reported

System Number: ***1900761***

System Name: ***ANGELES SHOOTING RANGES***

PS Code: ***1900761-001***

Source Name: ***WELL 01***

Source Number: ***001***

Source Status: ***ACTIVE UNTREATED***

Water type: ***GROUNDWATER OR WELL***

SECONDARY/GP

	STORET NUMBER	TESTING INTERVAL (MONTHS)*	LAST TEST DATE (yyyy/mm/dd)	LAST RESULT REPORTED	NEXT TEST DATE (yyyy/mm)
TURBIDITY, LABORATORY	82079	WAIVED	2002/10/18	.240	
ZINC	01092	WAIVED	2004/03/17	77.500	

**Testing interval is in months;*
0 = No data for this constituent and is DUE NOW
999 = Waived testing (not required)
I = Invalid (NOT) valid analyses reported

System Number: 1900764
System Name: HENNINGER FLATS

PS Code: 1900764-001
Source Name: SPRING 01
Source Number: 001
Source Status: ACTIVE RAW
Water type: SURFACE

	STORET NUMBER	TESTING INTERVAL (MONTHS)*	LAST TEST DATE (yyyy/mm/dd)	LAST RESULT REPORTED	NEXT TEST DATE (yyyy/mm)
GENERAL NON CHAP 15					
DIAZINON	39570	WAIVED	2010/01/28	.000	
INORGANIC					
ALUMINUM	01105	WAIVED	2010/01/28	.000	
ANTIMONY	01097	WAIVED	2010/01/28	.000	
ARSENIC	01002	WAIVED	2010/01/28	.000	
ASBESTOS	81855	WAIVED			
BARIUM	01007	WAIVED	2010/01/28	.000	
BERYLLIUM	01012	WAIVED	2010/01/28	.000	
CADMIUM	01027	WAIVED	2010/01/28	1.180	
CHROMIUM (TOTAL)	01034	WAIVED	2010/01/28	.000	
CYANIDE	01291	WAIVED	2010/01/28	.000	
FLUORIDE (F) (NATURAL-SOURCE)	00951	WAIVED	2010/01/28	.296	
LEAD	01051	WAIVED	2010/01/28	.000	
MERCURY	71900	WAIVED	2010/01/28	.000	
NICKEL	01067	WAIVED	2010/01/28	34.100	
PERCHLORATE	A-031	WAIVED	2010/01/28	.000	
SELENIUM	01147	WAIVED	2010/01/28	.000	
THALLIUM	01059	WAIVED	2010/01/28	.000	
NITRATE/NITRITE					
NITRATE (AS NO3)	71850	WAIVED	2010/01/28	2.550	
NITRITE (AS N)	00620	WAIVED	2010/01/28	.000	
RADIOLOGICAL					
GROSS ALPHA	01501	WAIVED	2010/01/28	2.050	
GROSS BETA	03501	WAIVED	2010/01/28	.527	
RA-226 FOR CWS OR TOTAL RA FOR NTNC BY 903.0	A-080	WAIVED			
RA-226 OR TOTAL RA BY 903.0 C.E.	A-081	WAIVED			
RADIUM 226	09501	WAIVED	2010/01/28	.248	
RADIUM 228	11501	WAIVED	2010/01/28	.000	

**Testing interval is in months;*
0 = No data for this constituent and is DUE NOW
999 = Waived testing (not required)
I = Invalid (NOT) valid analyses reported

System Number: ***1900764***

System Name: ***HENNINGER FLATS***

PS Code: ***1900764-001***

Source Name: ***SPRING 01***

Source Number: ***001***

Source Status: ***ACTIVE RAW***

Water type: ***SURFACE***

	STORET NUMBER	TESTING INTERVAL (MONTHS)*	LAST TEST DATE (yyyy/mm/dd)	LAST RESULT REPORTED	NEXT TEST DATE (yyyy/mm)
RADIOLOGICAL					
RADIUM, TOTAL, MDA95-NTNC ONLY, BY 903.0	A-082	WAIVED			
STRONTIUM-90	13501	WAIVED			
TRITIUM	07000	WAIVED			
URANIUM (PCI/L)	28012	WAIVED	2010/01/28	.742	
REGULATED SOC					
2,3,7,8-TCDD (DIOXIN)	34676	WAIVED			
2,4,5-TP (SILVEX)	39045	WAIVED	2010/01/28	.000	
2,4-D	39730	WAIVED	2010/01/28	.000	
ALACHLOR	77825	WAIVED	2010/01/28	.000	
ATRAZINE	39033	WAIVED	2010/01/28	.000	
BENTAZON	38710	WAIVED	2010/01/28	.000	
BENZO (A) PYRENE	34247	WAIVED	2010/01/28	.000	
CARBOFURAN	81405	WAIVED	2010/01/28	.000	
CHLORDANE	39350	WAIVED	2010/01/28	.000	
DALAPON	38432	WAIVED	2010/01/28	.000	
DI(2-ETHYLHEXYL)ADIPATE	A-026	WAIVED	2010/01/28	.000	
DI(2-ETHYLHEXYL)PHTHALATE	39100	WAIVED	2010/01/28	.000	
DIBROMOCHLOROPROPANE (DBCP)	38761	WAIVED	2010/01/28	.000	
DINOSEB	81287	WAIVED	2010/01/28	.000	
DIQUAT	78885	WAIVED	2010/01/28	.000	
ENDOTHALL	38926	WAIVED	2010/01/28	.000	
ENDRIN	39390	WAIVED	2010/01/28	.000	
ETHYLENE DIBROMIDE (EDB)	77651	WAIVED	2010/01/28	.000	
GLYPHOSATE	79743	WAIVED	2010/01/28	.000	
HEPTACHLOR	39410	WAIVED	2010/01/28	.000	
HEPTACHLOR EPOXIDE	39420	WAIVED	2010/01/28	.000	
HEXACHLOROBENZENE	39700	WAIVED	2010/01/28	.000	
HEXACHLOROCYCLOPENTADIENE	34386	WAIVED	2010/01/28	.000	
LINDANE	39340	WAIVED	2010/01/28	.000	

**Testing interval is in months;*
0 = No data for this constituent and is DUE NOW
999 = Waived testing (not required)
I = Invalid (NOT) valid analyses reported

System Number: ***1900764***

System Name: ***HENNINGER FLATS***

PS Code: ***1900764-001***

Source Name: ***SPRING 01***

Source Number: ***001***

Source Status: ***ACTIVE RAW***

Water type: ***SURFACE***

	STORET NUMBER	TESTING INTERVAL (MONTHS)*	LAST TEST DATE (yyyy/mm/dd)	LAST RESULT REPORTED	NEXT TEST DATE (yyyy/mm)
REGULATED SOC					
METHOXYCHLOR	39480	WAIVED	2010/01/28	.000	
MOLINATE	82199	WAIVED	2010/01/28	.000	
OXAMYL	38865	WAIVED	2010/01/28	.000	
PENTACHLOROPHENOL	39032	WAIVED	2010/01/28	.000	
PICLORAM	39720	WAIVED	2010/01/28	.000	
POLYCHLORINATED BIPHENYLS, TOTAL, AS DCB	39516	WAIVED	2010/01/28	.000	
SIMAZINE	39055	WAIVED	2010/01/28	.000	
THIOBENCARB	A-001	WAIVED	2010/01/28	.000	
TOXAPHENE	39400	WAIVED	2010/01/28	.000	
REGULATED VOC					
1,1,1-TRICHLOROETHANE	34506	WAIVED	2010/01/28	.000	
1,1,2,2-TETRACHLOROETHANE	34516	WAIVED	2010/01/28	.000	
1,1,2-TRICHLORO-1,2,2-TRIFLUOROETHANE	81611	WAIVED	2010/01/28	.000	
1,1,2-TRICHLOROETHANE	34511	WAIVED	2010/01/28	.000	
1,1-DICHLOROETHANE	34496	WAIVED	2010/01/28	.000	
1,1-DICHLOROETHYLENE	34501	WAIVED	2010/01/28	.000	
1,2,4-TRICHLOROBENZENE	34551	WAIVED	2010/01/28	.000	
1,2-DICHLOROBENZENE	34536	WAIVED	2010/01/28	.000	
1,2-DICHLOROETHANE	34531	WAIVED	2010/01/28	.000	
1,2-DICHLOROPROPANE	34541	WAIVED	2010/01/28	.000	
1,3-DICHLOROPROPENE (TOTAL)	34561	WAIVED	2010/01/28	.000	
1,4-DICHLOROBENZENE	34571	WAIVED	2010/01/28	.000	
BENZENE	34030	WAIVED	2010/01/28	.000	
CARBON TETRACHLORIDE	32102	WAIVED	2010/01/28	.000	
CIS-1,2-DICHLOROETHYLENE	77093	WAIVED	2010/01/28	.000	
DICHLOROMETHANE	34423	WAIVED	2010/01/28	.000	
ETHYLBENZENE	34371	WAIVED	2010/01/28	.000	
METHYL-TERT-BUTYL-ETHER (MTBE)	46491	WAIVED	2010/01/28	.000	
MONOCHLOROBENZENE	34301	WAIVED	2010/01/28	.000	

**Testing interval is in months;*
0 = No data for this constituent and is DUE NOW
999 = Waived testing (not required)
I = Invalid (NOT) valid analyses reported

System Number: ***1900764***

System Name: ***HENNINGER FLATS***

PS Code: ***1900764-001***

Source Name: ***SPRING 01***

Source Number: ***001***

Source Status: ***ACTIVE RAW***

Water type: ***SURFACE***

	STORET NUMBER	TESTING INTERVAL (MONTHS)*	LAST TEST DATE (yyyy/mm/dd)	LAST RESULT REPORTED	NEXT TEST DATE (yyyy/mm)
REGULATED VOC					
STYRENE	77128	WAIVED	2010/01/28	.000	
TETRACHLOROETHYLENE	34475	WAIVED	2010/01/28	.000	
TOLUENE	34010	WAIVED	2010/01/28	.000	
TRANS-1,2-DICHLOROETHYLENE	34546	WAIVED	2010/01/28	.000	
TRICHLOROETHYLENE	39180	WAIVED	2010/01/28	.000	
TRICHLOROFLUOROMETHANE	34488	WAIVED	2010/01/28	.000	
VINYL CHLORIDE	39175	WAIVED	2010/01/28	.000	
XYLENES (TOTAL)	81551	WAIVED	2010/01/28	.000	
SECONDARY/GP					
AGGRSSIVE INDEX (CORROSIVITY)	82383	WAIVED			
BICARBONATE ALKALINITY	00440	WAIVED	2010/01/28	160.000	
CALCIUM	00916	WAIVED	2010/01/28	36.000	
CARBONATE ALKALINITY	00445	WAIVED	2010/01/28	.000	
CHLORIDE	00940	WAIVED	2010/01/28	8.350	
COLOR	00081	WAIVED	2010/01/28	.000	
COPPER	01042	WAIVED	2010/01/28	216.000	
FOAMING AGENTS (MBAS)	38260	WAIVED	2010/01/28	.000	
HARDNESS (TOTAL) AS CACO3	00900	WAIVED	2010/01/28	185.000	
HYDROXIDE ALKALINITY	71830	WAIVED	2010/01/28	.000	
IRON	01045	WAIVED	2010/01/28	.000	
MAGNESIUM	00927	WAIVED	2010/01/28	23.000	
MANGANESE	01055	WAIVED	2010/01/28	21.500	
ODOR THRESHOLD @ 60 C	00086	WAIVED	2010/01/28	.000	
PH, LABORATORY	00403	WAIVED	2010/01/28	7.210	
SILVER	01077	WAIVED	2010/01/28	.000	
SODIUM	00929	WAIVED	2010/01/28	9.250	
SPECIFIC CONDUCTANCE	00095	WAIVED	2010/01/28	320.000	
SULFATE	00945	WAIVED	2010/01/28	9.790	
TOTAL DISSOLVED SOLIDS	70300	WAIVED	2010/01/28	210.000	

**Testing interval is in months;*
0 = No data for this constituent and is DUE NOW
999 = Waived testing (not required)
I = Invalid (NOT) valid analyses reported

System Number: ***1900764***

System Name: ***HENNINGER FLATS***

PS Code: ***1900764-001***

Source Name: ***SPRING 01***

Source Number: ***001***

Source Status: ***ACTIVE RAW***

Water type: ***SURFACE***

	STORET NUMBER	TESTING INTERVAL (MONTHS)*	LAST TEST DATE (yyyy/mm/dd)	LAST RESULT REPORTED	NEXT TEST DATE (yyyy/mm)
SECONDARY/GP					
TURBIDITY, LABORATORY	82079	WAIVED	2010/01/28	.470	
ZINC	01092	WAIVED	2010/01/28	345.000	

PS Code: ***1900764-002***

Source Name: ***SPRING 02***

Source Number: ***002***

Source Status: ***ACTIVE RAW***

Water type: ***SURFACE***

GENERAL NON CHAP 15					
DIAZINON	39570	WAIVED			
INORGANIC					
ALUMINUM	01105	WAIVED			
ANTIMONY	01097	WAIVED			
ARSENIC	01002	WAIVED			
ASBESTOS	81855	WAIVED			
BARIUM	01007	WAIVED			
BERYLLIUM	01012	WAIVED			
CADMIUM	01027	WAIVED			
CHROMIUM (TOTAL)	01034	WAIVED			
CYANIDE	01291	WAIVED			
FLUORIDE (F) (NATURAL-SOURCE)	00951	WAIVED			
LEAD	01051	WAIVED			
MERCURY	71900	WAIVED			
NICKEL	01067	WAIVED			
PERCHLORATE	A-031	WAIVED			
SELENIUM	01147	WAIVED			
THALLIUM	01059	WAIVED			

**Testing interval is in months;*
0 = No data for this constituent and is DUE NOW
999 = Waived testing (not required)
I = Invalid (NOT) valid analyses reported

System Number: ***1900764***

System Name: ***HENNINGER FLATS***

PS Code: ***1900764-002***

Source Name: ***SPRING 02***

Source Number: ***002***

Source Status: ***ACTIVE RAW***

Water type: ***SURFACE***

	STORET NUMBER	TESTING INTERVAL (MONTHS)*	LAST TEST DATE (yyyy/mm/dd)	LAST RESULT REPORTED	NEXT TEST DATE (yyyy/mm)
NITRATE/NITRITE					
NITRATE (AS NO3)	71850	WAIVED			
NITRITE (AS N)	00620	WAIVED			
RADIOLOGICAL					
GROSS ALPHA	01501	WAIVED			
GROSS BETA	03501	WAIVED			
RA-226 FOR CWS OR TOTAL RA FOR NTNC BY 903.0	A-080	WAIVED			
RA-226 OR TOTAL RA BY 903.0 C.E.	A-081	WAIVED			
RADIUM 226	09501	WAIVED			
RADIUM 228	11501	WAIVED			
RADIUM, TOTAL, MDA95-NTNC ONLY, BY 903.0	A-082	WAIVED			
STRONTIUM-90	13501	WAIVED			
TRITIUM	07000	WAIVED			
URANIUM (PCI/L)	28012	WAIVED			
REGULATED SOC					
2,3,7,8-TCDD (DIOXIN)	34676	WAIVED			
2,4,5-TP (SILVEX)	39045	WAIVED			
2,4-D	39730	WAIVED			
ALACHLOR	77825	WAIVED			
ATRAZINE	39033	WAIVED			
BENTAZON	38710	WAIVED			
BENZO (A) PYRENE	34247	WAIVED			
CARBOFURAN	81405	WAIVED			
CHLORDANE	39350	WAIVED			
DALAPON	38432	WAIVED			
DI(2-ETHYLHEXYL)ADIPATE	A-026	WAIVED			
DI(2-ETHYLHEXYL)PHTHALATE	39100	WAIVED			
DIBROMOCHLOROPROPANE (DBCP)	38761	WAIVED			
DINOSEB	81287	WAIVED			
DIQUAT	78885	WAIVED			

**Testing interval is in months;*
0 = No data for this constituent and is DUE NOW
999 = Waived testing (not required)
I = Invalid (NOT) valid analyses reported

System Number: ***1900764***

System Name: ***HENNINGER FLATS***

PS Code: ***1900764-002***

Source Name: ***SPRING 02***

Source Number: ***002***

Source Status: ***ACTIVE RAW***

Water type: ***SURFACE***

	STORET NUMBER	TESTING INTERVAL (MONTHS)*	LAST TEST DATE (yyyy/mm/dd)	LAST RESULT REPORTED	NEXT TEST DATE (yyyy/mm)
REGULATED SOC					
ENDOTHALL	38926	WAIVED			
ENDRIN	39390	WAIVED			
ETHYLENE DIBROMIDE (EDB)	77651	WAIVED			
GLYPHOSATE	79743	WAIVED			
HEPTACHLOR	39410	WAIVED			
HEPTACHLOR EPOXIDE	39420	WAIVED			
HEXACHLOROBENZENE	39700	WAIVED			
HEXACHLOROCYCLOPENTADIENE	34386	WAIVED			
LINDANE	39340	WAIVED			
METHOXYCHLOR	39480	WAIVED			
MOLINATE	82199	WAIVED			
OXAMYL	38865	WAIVED			
PENTACHLOROPHENOL	39032	WAIVED			
PICLORAM	39720	WAIVED			
POLYCHLORINATED BIPHENYLS, TOTAL, AS DCB	39516	WAIVED			
SIMAZINE	39055	WAIVED			
THIOBENCARB	A-001	WAIVED			
TOXAPHENE	39400	WAIVED			
REGULATED VOC					
1,1,1-TRICHLOROETHANE	34506	WAIVED			
1,1,2,2-TETRACHLOROETHANE	34516	WAIVED			
1,1,2-TRICHLORO-1,2,2-TRIFLUOROETHANE	81611	WAIVED			
1,1,2-TRICHLOROETHANE	34511	WAIVED			
1,1-DICHLOROETHANE	34496	WAIVED			
1,1-DICHLOROETHYLENE	34501	WAIVED			
1,2,4-TRICHLOROBENZENE	34551	WAIVED			
1,2-DICHLOROBENZENE	34536	WAIVED			
1,2-DICHLOROETHANE	34531	WAIVED			
1,2-DICHLOROPROPANE	34541	WAIVED			

**Testing interval is in months;*
0 = No data for this constituent and is DUE NOW
999 = Waived testing (not required)
I = Invalid (NOT) valid analyses reported

System Number: ***1900764***

System Name: ***HENNINGER FLATS***

PS Code: ***1900764-002***

Source Name: ***SPRING 02***

Source Number: ***002***

Source Status: ***ACTIVE RAW***

Water type: ***SURFACE***

	STORET NUMBER	TESTING INTERVAL (MONTHS)*	LAST TEST DATE (yyyy/mm/dd)	LAST RESULT REPORTED	NEXT TEST DATE (yyyy/mm)
REGULATED VOC					
1,3-DICHLOROPROPENE (TOTAL)	34561	WAIVED			
1,4-DICHLOROBENZENE	34571	WAIVED			
BENZENE	34030	WAIVED			
CARBON TETRACHLORIDE	32102	WAIVED			
CIS-1,2-DICHLOROETHYLENE	77093	WAIVED			
DICHLOROMETHANE	34423	WAIVED			
ETHYLBENZENE	34371	WAIVED			
METHYL-TERT-BUTYL-ETHER (MTBE)	46491	WAIVED			
MONOCHLOROBENZENE	34301	WAIVED			
STYRENE	77128	WAIVED			
TETRACHLOROETHYLENE	34475	WAIVED			
TOLUENE	34010	WAIVED			
TRANS-1,2-DICHLOROETHYLENE	34546	WAIVED			
TRICHLOROETHYLENE	39180	WAIVED			
TRICHLOROFLUOROMETHANE	34488	WAIVED			
VINYL CHLORIDE	39175	WAIVED			
XYLENES (TOTAL)	81551	WAIVED			
SECONDARY/GP					
AGGRSSIVE INDEX (CORROSIVITY)	82383	WAIVED			
BICARBONATE ALKALINITY	00440	WAIVED			
CALCIUM	00916	WAIVED			
CARBONATE ALKALINITY	00445	WAIVED			
CHLORIDE	00940	WAIVED			
COLOR	00081	WAIVED			
COPPER	01042	WAIVED			
FOAMING AGENTS (MBAS)	38260	WAIVED			
HARDNESS (TOTAL) AS CACO3	00900	WAIVED			
HYDROXIDE ALKALINITY	71830	WAIVED			
IRON	01045	WAIVED			

**Testing interval is in months;*
0 = No data for this constituent and is DUE NOW
999 = Waived testing (not required)
I = Invalid (NOT) valid analyses reported

System Number: ***1900764***

System Name: ***HENNINGER FLATS***

PS Code: ***1900764-002***

Source Name: ***SPRING 02***

Source Number: ***002***

Source Status: ***ACTIVE RAW***

Water type: ***SURFACE***

SECONDARY/GP	STORET NUMBER	TESTING INTERVAL (MONTHS)*	LAST TEST DATE (yyyy/mm/dd)	LAST RESULT REPORTED	NEXT TEST DATE (yyyy/mm)
MAGNESIUM	00927	WAIVED			
MANGANESE	01055	WAIVED			
ODOR THRESHOLD @ 60 C	00086	WAIVED			
PH, LABORATORY	00403	WAIVED			
SILVER	01077	WAIVED			
SODIUM	00929	WAIVED			
SPECIFIC CONDUCTANCE	00095	WAIVED			
SULFATE	00945	WAIVED			
TOTAL DISSOLVED SOLIDS	70300	WAIVED			
TURBIDITY, LABORATORY	82079	WAIVED			
ZINC	01092	WAIVED			

**Testing interval is in months;*
0 = No data for this constituent and is DUE NOW
999 = Waived testing (not required)
I = Invalid (NOT) valid analyses reported

System Number: ***1900767***

System Name: ***GOLDEN VALLEY MUNICIPAL WATER DISTRICT***

PS Code: ***1900767-005***

Source Name: ***WELL 05***

Source Number: ***005***

Source Status: ***ACTIVE UNTREATED***

Water type: ***GROUNDWATER OR WELL***

	STORET NUMBER	TESTING INTERVAL (MONTHS)*	LAST TEST DATE (yyyy/mm/dd)	LAST RESULT REPORTED	NEXT TEST DATE (yyyy/mm)
GENERAL NON CHAP 15					
DIAZINON	39570	WAIVED			
INORGANIC					
ALUMINUM	01105	WAIVED			
ANTIMONY	01097	WAIVED			
ARSENIC	01002	WAIVED			
ASBESTOS	81855	WAIVED	2011/12/20	.000	
BARIUM	01007	WAIVED			
BERYLLIUM	01012	WAIVED			
CADMIUM	01027	WAIVED			
CHROMIUM (TOTAL)	01034	WAIVED			
CYANIDE	01291	WAIVED			
FLUORIDE (F) (NATURAL-SOURCE)	00951	WAIVED			
LEAD	01051	WAIVED			
MERCURY	71900	WAIVED			
NICKEL	01067	WAIVED			
PERCHLORATE	A-031	WAIVED			
SELENIUM	01147	WAIVED			
THALLIUM	01059	WAIVED			
NITRATE/NITRITE					
NITRATE (AS NO3)	71850	WAIVED	2008/04/15	26.000	
NITRITE (AS N)	00620	WAIVED			
RADIOLOGICAL					
GROSS ALPHA	01501	WAIVED	2011/12/20	6.780	
GROSS BETA	03501	WAIVED			
RA-226 FOR CWS OR TOTAL RA FOR NTNC BY 903.0	A-080	WAIVED			
RA-226 OR TOTAL RA BY 903.0 C.E.	A-081	WAIVED			
RADIUM 226	09501	WAIVED			
RADIUM 228	11501	WAIVED			

**Testing interval is in months;*
0 = No data for this constituent and is DUE NOW
999 = Waived testing (not required)
I = Invalid (NOT) valid analyses reported

System Number: ***1900767***

System Name: ***GOLDEN VALLEY MUNICIPAL WATER DISTRICT***

PS Code: ***1900767-005***

Source Name: ***WELL 05***

Source Number: ***005***

Source Status: ***ACTIVE UNTREATED***

Water type: ***GROUNDWATER OR WELL***

	STORET NUMBER	TESTING INTERVAL (MONTHS)*	LAST TEST DATE (yyyy/mm/dd)	LAST RESULT REPORTED	NEXT TEST DATE (yyyy/mm)
RADIOLOGICAL					
RADIUM, TOTAL, MDA95-NTNC ONLY, BY 903.0	A-082	WAIVED			
STRONTIUM-90	13501	WAIVED			
TRITIUM	07000	WAIVED			
URANIUM (PCI/L)	28012	WAIVED			
REGULATED SOC					
2,3,7,8-TCDD (DIOXIN)	34676	WAIVED			
2,4,5-TP (SILVEX)	39045	WAIVED			
2,4-D	39730	WAIVED			
ALACHLOR	77825	WAIVED	1999/06/16	.000	
ATRAZINE	39033	WAIVED			
BENTAZON	38710	WAIVED			
BENZO (A) PYRENE	34247	WAIVED			
CARBOFURAN	81405	WAIVED			
CHLORDANE	39350	WAIVED	1999/06/16	.000	
DALAPON	38432	WAIVED			
DI(2-ETHYLHEXYL)ADIPATE	A-026	WAIVED			
DI(2-ETHYLHEXYL)PHTHALATE	39100	WAIVED			
DIBROMOCHLOROPROPANE (DBCP)	38761	WAIVED			
DINOSEB	81287	WAIVED			
DIQUAT	78885	WAIVED			
ENDOTHALL	38926	WAIVED			
ENDRIN	39390	WAIVED	1999/06/16	.000	
ETHYLENE DIBROMIDE (EDB)	77651	WAIVED			
GLYPHOSATE	79743	WAIVED			
HEPTACHLOR	39410	WAIVED	1999/06/16	.000	
HEPTACHLOR EPOXIDE	39420	WAIVED	1999/06/16	.000	
HEXACHLOROBENZENE	39700	WAIVED	1999/06/16	.000	
HEXACHLOROCYCLOPENTADIENE	34386	WAIVED	1999/06/16	.000	
LINDANE	39340	WAIVED	1999/06/16	.000	

**Testing interval is in months;*
0 = No data for this constituent and is DUE NOW
999 = Waived testing (not required)
I = Invalid (NOT) valid analyses reported

System Number: ***1900767***

System Name: ***GOLDEN VALLEY MUNICIPAL WATER DISTRICT***

PS Code: ***1900767-005***

Source Name: ***WELL 05***

Source Number: ***005***

Source Status: ***ACTIVE UNTREATED***

Water type: ***GROUNDWATER OR WELL***

	STORET NUMBER	TESTING INTERVAL (MONTHS)*	LAST TEST DATE (yyyy/mm/dd)	LAST RESULT REPORTED	NEXT TEST DATE (yyyy/mm)
REGULATED SOC					
METHOXYCHLOR	39480	WAIVED	1999/06/16	.000	
MOLINATE	82199	WAIVED			
OXAMYL	38865	WAIVED			
PENTACHLOROPHENOL	39032	WAIVED			
PICLORAM	39720	WAIVED			
POLYCHLORINATED BIPHENYLS, TOTAL, AS DCB	39516	WAIVED	1999/06/16	.000	
SIMAZINE	39055	WAIVED			
THIOBENCARB	A-001	WAIVED			
TOXAPHENE	39400	WAIVED	1999/06/16	.000	
REGULATED VOC					
1,1,1-TRICHLOROETHANE	34506	WAIVED	1999/06/16	.000	
1,1,2,2-TETRACHLOROETHANE	34516	WAIVED	1999/06/16	.000	
1,1,2-TRICHLORO-1,2,2-TRIFLUOROETHANE	81611	WAIVED	1999/06/16	.000	
1,1,2-TRICHLOROETHANE	34511	WAIVED	1999/06/16	.000	
1,1-DICHLOROETHANE	34496	WAIVED	1999/06/16	.000	
1,1-DICHLOROETHYLENE	34501	WAIVED	1999/06/16	.000	
1,2,4-TRICHLOROBENZENE	34551	WAIVED	1999/06/16	.000	
1,2-DICHLOROBENZENE	34536	WAIVED	1999/06/16	.000	
1,2-DICHLOROETHANE	34531	WAIVED	1999/06/16	.000	
1,2-DICHLOROPROPANE	34541	WAIVED	1999/06/16	.000	
1,3-DICHLOROPROPENE (TOTAL)	34561	WAIVED	1999/06/16	.000	
1,4-DICHLOROBENZENE	34571	WAIVED	1999/06/16	.000	
BENZENE	34030	WAIVED	1999/06/16	.000	
CARBON TETRACHLORIDE	32102	WAIVED	1999/06/16	.000	
CIS-1,2-DICHLOROETHYLENE	77093	WAIVED	1999/06/16	.000	
DICHLOROMETHANE	34423	WAIVED	1999/06/16	.000	
ETHYLBENZENE	34371	WAIVED	1999/06/16	.000	
METHYL-TERT-BUTYL-ETHER (MTBE)	46491	WAIVED	1999/06/16	.000	
MONOCHLOROBENZENE	34301	WAIVED	1999/06/16	.000	

**Testing interval is in months;*
0 = No data for this constituent and is DUE NOW
999 = Waived testing (not required)
I = Invalid (NOT) valid analyses reported

System Number: ***1900767***

System Name: ***GOLDEN VALLEY MUNICIPAL WATER DISTRICT***

PS Code: ***1900767-005***

Source Name: ***WELL 05***

Source Number: ***005***

Source Status: ***ACTIVE UNTREATED***

Water type: ***GROUNDWATER OR WELL***

	STORET NUMBER	TESTING INTERVAL (MONTHS)*	LAST TEST DATE (yyyy/mm/dd)	LAST RESULT REPORTED	NEXT TEST DATE (yyyy/mm)
REGULATED VOC					
STYRENE	77128	WAIVED	1999/06/16	.000	
TETRACHLOROETHYLENE	34475	WAIVED	1999/06/16	.000	
TOLUENE	34010	WAIVED	1999/06/16	.000	
TRANS-1,2-DICHLOROETHYLENE	34546	WAIVED	1999/06/16	.000	
TRICHLOROETHYLENE	39180	WAIVED	1999/06/16	.000	
TRICHLOROFLUOROMETHANE	34488	WAIVED	1999/06/16	.000	
VINYL CHLORIDE	39175	WAIVED	1999/06/16	.000	
XYLENES (TOTAL)	81551	WAIVED	1999/06/16	.000	
SECONDARY/GP					
AGGRSSIVE INDEX (CORROSIVITY)	82383	WAIVED			
BICARBONATE ALKALINITY	00440	WAIVED			
CALCIUM	00916	WAIVED			
CARBONATE ALKALINITY	00445	WAIVED			
CHLORIDE	00940	WAIVED			
COLOR	00081	WAIVED			
COPPER	01042	WAIVED			
FOAMING AGENTS (MBAS)	38260	WAIVED			
HARDNESS (TOTAL) AS CACO3	00900	WAIVED			
HYDROXIDE ALKALINITY	71830	WAIVED			
IRON	01045	WAIVED			
MAGNESIUM	00927	WAIVED			
MANGANESE	01055	WAIVED			
ODOR THRESHOLD @ 60 C	00086	WAIVED			
PH, LABORATORY	00403	WAIVED			
SILVER	01077	WAIVED			
SODIUM	00929	WAIVED			
SPECIFIC CONDUCTANCE	00095	WAIVED			
SULFATE	00945	WAIVED			
TOTAL DISSOLVED SOLIDS	70300	WAIVED			

**Testing interval is in months;*
0 = No data for this constituent and is DUE NOW
999 = Waived testing (not required)
I = Invalid (NOT) valid analyses reported

System Number: ***1900767***

System Name: ***GOLDEN VALLEY MUNICIPAL WATER DISTRICT***

PS Code: ***1900767-005***

Source Name: ***WELL 05***

Source Number: ***005***

Source Status: ***ACTIVE UNTREATED***

Water type: ***GROUNDWATER OR WELL***

	STORET NUMBER	TESTING INTERVAL (MONTHS)*	LAST TEST DATE (yyyy/mm/dd)	LAST RESULT REPORTED	NEXT TEST DATE (yyyy/mm)
SECONDARY/GP					
TURBIDITY, LABORATORY	82079	WAIVED			
ZINC	01092	WAIVED			

PS Code: ***1900767-006***

Source Name: ***CHLORINATOR***

Source Number: ***006***

Source Status: ***ACTIVE TREATED***

Water type: ***GROUNDWATER OR WELL***

	STORET NUMBER	TESTING INTERVAL (MONTHS)*	LAST TEST DATE (yyyy/mm/dd)	LAST RESULT REPORTED	NEXT TEST DATE (yyyy/mm)
GENERAL NON CHAP 15					
DIAZINON	39570	WAIVED			
INORGANIC					
ALUMINUM	01105	WAIVED	2002/11/11	.000	
ANTIMONY	01097	WAIVED	2002/11/11	.000	
ARSENIC	01002	WAIVED	2002/11/11	.000	
ASBESTOS	81855	WAIVED			
BARIUM	01007	WAIVED	2002/11/11	.000	
BERYLLIUM	01012	WAIVED			
CADMIUM	01027	WAIVED	2002/11/11	.000	
CHROMIUM (TOTAL)	01034	WAIVED	2002/11/11	11.100	
CYANIDE	01291	WAIVED			
FLUORIDE (F) (NATURAL-SOURCE)	00951	WAIVED	2002/11/11	.520	
LEAD	01051	WAIVED	2002/11/11	.000	
MERCURY	71900	WAIVED	2002/11/11	.000	
NICKEL	01067	WAIVED	2002/11/11	.000	
PERCHLORATE	A-031	WAIVED	2002/11/11	.000	
SELENIUM	01147	WAIVED	2002/11/11	.000	
THALLIUM	01059	WAIVED			

**Testing interval is in months;*
0 = No data for this constituent and is DUE NOW
999 = Waived testing (not required)
I = Invalid (NOT) valid analyses reported

System Number: ***1900767***

System Name: ***GOLDEN VALLEY MUNICIPAL WATER DISTRICT***

PS Code: ***1900767-006***

Source Name: ***CHLORINATOR***

Source Number: ***006***

Source Status: ***ACTIVE TREATED***

Water type: ***GROUNDWATER OR WELL***

	STORET NUMBER	TESTING INTERVAL (MONTHS)*	LAST TEST DATE (yyyy/mm/dd)	LAST RESULT REPORTED	NEXT TEST DATE (yyyy/mm)
NITRATE/NITRITE					
NITRATE (AS NO3)	71850	WAIVED	2002/11/11	23.500	
NITRITE (AS N)	00620	WAIVED			
RADIOLOGICAL					
GROSS ALPHA	01501	WAIVED			
GROSS BETA	03501	WAIVED			
RA-226 FOR CWS OR TOTAL RA FOR NTNC BY 903.0	A-080	WAIVED			
RA-226 OR TOTAL RA BY 903.0 C.E.	A-081	WAIVED			
RADIUM 226	09501	WAIVED			
RADIUM 228	11501	WAIVED			
RADIUM, TOTAL, MDA95-NTNC ONLY, BY 903.0	A-082	WAIVED			
STRONTIUM-90	13501	WAIVED			
TRITIUM	07000	WAIVED			
URANIUM (PCI/L)	28012	WAIVED			
REGULATED SOC					
2,3,7,8-TCDD (DIOXIN)	34676	WAIVED			
2,4,5-TP (SILVEX)	39045	WAIVED			
2,4-D	39730	WAIVED			
ALACHLOR	77825	WAIVED	2002/06/24	.000	
ATRAZINE	39033	WAIVED			
BENTAZON	38710	WAIVED			
BENZO (A) PYRENE	34247	WAIVED			
CARBOFURAN	81405	WAIVED			
CHLORDANE	39350	WAIVED	2002/06/24	.000	
DALAPON	38432	WAIVED			
DI(2-ETHYLHEXYL)ADIPATE	A-026	WAIVED			
DI(2-ETHYLHEXYL)PHTHALATE	39100	WAIVED			
DIBROMOCHLOROPROPANE (DBCP)	38761	WAIVED			
DINOSEB	81287	WAIVED			
DIQUAT	78885	WAIVED			

**Testing interval is in months;*
0 = No data for this constituent and is DUE NOW
999 = Waived testing (not required)
I = Invalid (NOT) valid analyses reported

System Number: 1900767
System Name: GOLDEN VALLEY MUNICIPAL WATER DISTRICT

PS Code: 1900767-006
Source Name: CHLORINATOR
Source Number: 006
Source Status: ACTIVE TREATED
Water type: GROUNDWATER OR WELL

	STORET NUMBER	TESTING INTERVAL (MONTHS)*	LAST TEST DATE (yyyy/mm/dd)	LAST RESULT REPORTED	NEXT TEST DATE (yyyy/mm)
REGULATED SOC					
ENDOTHALL	38926	WAIVED			
ENDRIN	39390	WAIVED	2002/06/24	.000	
ETHYLENE DIBROMIDE (EDB)	77651	WAIVED			
GLYPHOSATE	79743	WAIVED			
HEPTACHLOR	39410	WAIVED	2002/06/24	.000	
HEPTACHLOR EPOXIDE	39420	WAIVED	2002/06/24	.000	
HEXACHLOROBENZENE	39700	WAIVED	2002/06/24	.000	
HEXACHLOROCYCLOPENTADIENE	34386	WAIVED	2002/06/24	.000	
LINDANE	39340	WAIVED	2002/06/24	.000	
METHOXYCHLOR	39480	WAIVED	2002/06/24	.000	
MOLINATE	82199	WAIVED			
OXAMYL	38865	WAIVED			
PENTACHLOROPHENOL	39032	WAIVED			
PICLORAM	39720	WAIVED			
POLYCHLORINATED BIPHENYLS, TOTAL, AS DCB	39516	WAIVED	2002/06/24	.000	
SIMAZINE	39055	WAIVED			
THIOBENCARB	A-001	WAIVED	2002/11/11	.000	
TOXAPHENE	39400	WAIVED	2002/06/24	.000	
REGULATED VOC					
1,1,1-TRICHLOROETHANE	34506	WAIVED	2002/06/24	.000	
1,1,2,2-TETRACHLOROETHANE	34516	WAIVED	2002/06/24	.000	
1,1,2-TRICHLORO-1,2,2-TRIFLUOROETHANE	81611	WAIVED	2002/06/24	.000	
1,1,2-TRICHLOROETHANE	34511	WAIVED	2002/06/24	.000	
1,1-DICHLOROETHANE	34496	WAIVED	2002/06/24	.000	
1,1-DICHLOROETHYLENE	34501	WAIVED	2002/06/24	.000	
1,2,4-TRICHLOROBENZENE	34551	WAIVED	2002/06/24	.000	
1,2-DICHLOROBENZENE	34536	WAIVED	2002/06/24	.000	
1,2-DICHLOROETHANE	34531	WAIVED	2002/06/24	.000	
1,2-DICHLOROPROPANE	34541	WAIVED	2002/06/24	.000	

**Testing interval is in months;*
0 = No data for this constituent and is DUE NOW
999 = Waived testing (not required)
I = Invalid (NOT) valid analyses reported

System Number: ***1900767***

System Name: ***GOLDEN VALLEY MUNICIPAL WATER DISTRICT***

PS Code: ***1900767-006***

Source Name: ***CHLORINATOR***

Source Number: ***006***

Source Status: ***ACTIVE TREATED***

Water type: ***GROUNDWATER OR WELL***

	STORET NUMBER	TESTING INTERVAL (MONTHS)*	LAST TEST DATE (yyyy/mm/dd)	LAST RESULT REPORTED	NEXT TEST DATE (yyyy/mm)
REGULATED VOC					
1,3-DICHLOROPROPENE (TOTAL)	34561	WAIVED	2002/06/24	.000	
1,4-DICHLOROBENZENE	34571	WAIVED	2002/06/24	.000	
BENZENE	34030	WAIVED	2002/06/24	.000	
CARBON TETRACHLORIDE	32102	WAIVED	2002/06/24	.000	
CIS-1,2-DICHLOROETHYLENE	77093	WAIVED	2002/06/24	.000	
DICHLOROMETHANE	34423	WAIVED	2002/06/24	.000	
ETHYLBENZENE	34371	WAIVED	2002/06/24	.000	
METHYL-TERT-BUTYL-ETHER (MTBE)	46491	WAIVED	2002/06/24	.000	
MONOCHLOROBENZENE	34301	WAIVED	2002/06/24	.000	
STYRENE	77128	WAIVED	2002/06/24	.000	
TETRACHLOROETHYLENE	34475	WAIVED	2002/06/24	.000	
TOLUENE	34010	WAIVED	2002/06/24	.000	
TRANS-1,2-DICHLOROETHYLENE	34546	WAIVED	2002/06/24	.000	
TRICHLOROETHYLENE	39180	WAIVED	2002/06/24	.000	
TRICHLOROFLUOROMETHANE	34488	WAIVED	2002/06/24	.000	
VINYL CHLORIDE	39175	WAIVED	2002/06/24	.000	
XYLENES (TOTAL)	81551	WAIVED	2002/06/24	.000	
SECONDARY/GP					
AGGRSSIVE INDEX (CORROSIVITY)	82383	WAIVED			
BICARBONATE ALKALINITY	00440	WAIVED	2002/11/11	254.000	
CALCIUM	00916	WAIVED	2002/11/11	76.200	
CARBONATE ALKALINITY	00445	WAIVED	2002/11/11	.000	
CHLORIDE	00940	WAIVED	2002/11/11	18.600	
COLOR	00081	WAIVED	2002/11/11	.000	
COPPER	01042	WAIVED	2002/11/11	.000	
FOAMING AGENTS (MBAS)	38260	WAIVED	2002/11/11	.000	
HARDNESS (TOTAL) AS CACO3	00900	WAIVED	2002/11/11	250.000	
HYDROXIDE ALKALINITY	71830	WAIVED	2002/11/11	.000	
IRON	01045	WAIVED	2002/11/11	.000	

**Testing interval is in months;*
0 = No data for this constituent and is DUE NOW
999 = Waived testing (not required)
I = Invalid (NOT) valid analyses reported

System Number: ***1900767***

System Name: ***GOLDEN VALLEY MUNICIPAL WATER DISTRICT***

PS Code: ***1900767-006***

Source Name: ***CHLORINATOR***

Source Number: ***006***

Source Status: ***ACTIVE TREATED***

Water type: ***GROUNDWATER OR WELL***

SECONDARY/GP

	STORET NUMBER	TESTING INTERVAL (MONTHS)*	LAST TEST DATE (yyyy/mm/dd)	LAST RESULT REPORTED	NEXT TEST DATE (yyyy/mm)
MAGNESIUM	00927	WAIVED	2002/11/11	14.600	
MANGANESE	01055	WAIVED	2002/11/11	.000	
ODOR THRESHOLD @ 60 C	00086	WAIVED	2002/11/11	.000	
PH, LABORATORY	00403	WAIVED	2002/11/11	8.280	
SILVER	01077	WAIVED	2002/11/11	.000	
SODIUM	00929	WAIVED	2002/11/11	32.900	
SPECIFIC CONDUCTANCE	00095	WAIVED	2002/11/11	602.000	
SULFATE	00945	WAIVED	2002/11/11	66.200	
TOTAL DISSOLVED SOLIDS	70300	WAIVED	2002/11/11	392.000	
TURBIDITY, LABORATORY	82079	WAIVED	2002/11/11	.170	
ZINC	01092	WAIVED	2002/11/11	.000	

**Testing interval is in months;*
0 = No data for this constituent and is DUE NOW
999 = Waived testing (not required)
I = Invalid (NOT) valid analyses reported

System Number: ***1900768***

System Name: ***AGUA DULCE GENERAL STORE***

PS Code: ***1900768-001***

Source Name: ***WELL 01***

Source Number: ***001***

Source Status: ***ACTIVE UNTREATED***

Water type: ***GROUNDWATER OR WELL***

	STORET NUMBER	TESTING INTERVAL (MONTHS)*	LAST TEST DATE (yyyy/mm/dd)	LAST RESULT REPORTED	NEXT TEST DATE (yyyy/mm)
GENERAL NON CHAP 15					
DIAZINON	39570	WAIVED			
INORGANIC					
ALUMINUM	01105	WAIVED	2006/02/21	.000	
ANTIMONY	01097	WAIVED	2006/01/17	.000	
ARSENIC	01002	WAIVED	2006/02/21	.000	
ASBESTOS	81855	WAIVED			
BARIUM	01007	WAIVED	2006/01/17	.000	
BERYLLIUM	01012	WAIVED			
CADMIUM	01027	WAIVED	2006/02/21	.000	
CHROMIUM (TOTAL)	01034	WAIVED	2006/02/21	.000	
CYANIDE	01291	WAIVED			
FLUORIDE (F) (NATURAL-SOURCE)	00951	WAIVED	2006/02/21	.900	
LEAD	01051	WAIVED	2006/02/21	.000	
MERCURY	71900	WAIVED	2006/02/21	.000	
NICKEL	01067	WAIVED	2006/02/21	.000	
PERCHLORATE	A-031	WAIVED	2002/11/15	.000	
SELENIUM	01147	WAIVED	2006/02/21	.000	
THALLIUM	01059	WAIVED			
NITRATE/NITRITE					
NITRATE (AS NO3)	71850	WAIVED	2006/02/21	37.200	
NITRITE (AS N)	00620	WAIVED	2006/01/17	.000	
RADIOLOGICAL					
GROSS ALPHA	01501	WAIVED			
GROSS BETA	03501	WAIVED			
RA-226 FOR CWS OR TOTAL RA FOR NTNC BY 903.0	A-080	WAIVED			
RA-226 OR TOTAL RA BY 903.0 C.E.	A-081	WAIVED			
RADIUM 226	09501	WAIVED			
RADIUM 228	11501	WAIVED			

**Testing interval is in months;*
0 = No data for this constituent and is DUE NOW
999 = Waived testing (not required)
I = Invalid (NOT) valid analyses reported

System Number: ***1900768***

System Name: ***AGUA DULCE GENERAL STORE***

PS Code: ***1900768-001***

Source Name: ***WELL 01***

Source Number: ***001***

Source Status: ***ACTIVE UNTREATED***

Water type: ***GROUNDWATER OR WELL***

	STORET NUMBER	TESTING INTERVAL (MONTHS)*	LAST TEST DATE (yyyy/mm/dd)	LAST RESULT REPORTED	NEXT TEST DATE (yyyy/mm)
RADIOLOGICAL					
RADIUM, TOTAL, MDA95-NTNC ONLY, BY 903.0	A-082	WAIVED			
STRONTIUM-90	13501	WAIVED			
TRITIUM	07000	WAIVED			
URANIUM (PCI/L)	28012	WAIVED			
REGULATED SOC					
2,3,7,8-TCDD (DIOXIN)	34676	WAIVED			
2,4,5-TP (SILVEX)	39045	WAIVED			
2,4-D	39730	WAIVED			
ALACHLOR	77825	WAIVED			
ATRAZINE	39033	WAIVED			
BENTAZON	38710	WAIVED			
BENZO (A) PYRENE	34247	WAIVED			
CARBOFURAN	81405	WAIVED			
CHLORDANE	39350	WAIVED			
DALAPON	38432	WAIVED			
DI(2-ETHYLHEXYL)ADIPATE	A-026	WAIVED			
DI(2-ETHYLHEXYL)PHTHALATE	39100	WAIVED			
DIBROMOCHLOROPROPANE (DBCP)	38761	WAIVED			
DINOSEB	81287	WAIVED			
DIQUAT	78885	WAIVED			
ENDOTHALL	38926	WAIVED			
ENDRIN	39390	WAIVED			
ETHYLENE DIBROMIDE (EDB)	77651	WAIVED			
GLYPHOSATE	79743	WAIVED			
HEPTACHLOR	39410	WAIVED			
HEPTACHLOR EPOXIDE	39420	WAIVED			
HEXACHLOROBENZENE	39700	WAIVED			
HEXACHLOROCYCLOPENTADIENE	34386	WAIVED			
LINDANE	39340	WAIVED			

**Testing interval is in months;*
0 = No data for this constituent and is DUE NOW
999 = Waived testing (not required)
I = Invalid (NOT) valid analyses reported

System Number: ***1900768***

System Name: ***AGUA DULCE GENERAL STORE***

PS Code: ***1900768-001***

Source Name: ***WELL 01***

Source Number: ***001***

Source Status: ***ACTIVE UNTREATED***

Water type: ***GROUNDWATER OR WELL***

	STORET NUMBER	TESTING INTERVAL (MONTHS)*	LAST TEST DATE (yyyy/mm/dd)	LAST RESULT REPORTED	NEXT TEST DATE (yyyy/mm)
REGULATED SOC					
METHOXYCHLOR	39480	WAIVED			
MOLINATE	82199	WAIVED			
OXAMYL	38865	WAIVED			
PENTACHLOROPHENOL	39032	WAIVED			
PICLORAM	39720	WAIVED			
POLYCHLORINATED BIPHENYLS, TOTAL, AS DCB	39516	WAIVED			
SIMAZINE	39055	WAIVED			
THIOBENCARB	A-001	WAIVED	2002/11/15	.000	
TOXAPHENE	39400	WAIVED			
REGULATED VOC					
1,1,1-TRICHLOROETHANE	34506	WAIVED			
1,1,2,2-TETRACHLOROETHANE	34516	WAIVED			
1,1,2-TRICHLORO-1,2,2-TRIFLUOROETHANE	81611	WAIVED			
1,1,2-TRICHLOROETHANE	34511	WAIVED			
1,1-DICHLOROETHANE	34496	WAIVED			
1,1-DICHLOROETHYLENE	34501	WAIVED			
1,2,4-TRICHLOROBENZENE	34551	WAIVED			
1,2-DICHLOROBENZENE	34536	WAIVED			
1,2-DICHLOROETHANE	34531	WAIVED			
1,2-DICHLOROPROPANE	34541	WAIVED			
1,3-DICHLOROPROPENE (TOTAL)	34561	WAIVED			
1,4-DICHLOROBENZENE	34571	WAIVED			
BENZENE	34030	WAIVED			
CARBON TETRACHLORIDE	32102	WAIVED			
CIS-1,2-DICHLOROETHYLENE	77093	WAIVED			
DICHLOROMETHANE	34423	WAIVED			
ETHYLBENZENE	34371	WAIVED			
METHYL-TERT-BUTYL-ETHER (MTBE)	46491	WAIVED			
MONOCHLOROBENZENE	34301	WAIVED			

**Testing interval is in months;*
0 = No data for this constituent and is DUE NOW
999 = Waived testing (not required)
I = Invalid (NOT) valid analyses reported

System Number: ***1900768***

System Name: ***AGUA DULCE GENERAL STORE***

PS Code: ***1900768-001***

Source Name: ***WELL 01***

Source Number: ***001***

Source Status: ***ACTIVE UNTREATED***

Water type: ***GROUNDWATER OR WELL***

	STORET NUMBER	TESTING INTERVAL (MONTHS)*	LAST TEST DATE (yyyy/mm/dd)	LAST RESULT REPORTED	NEXT TEST DATE (yyyy/mm)
REGULATED VOC					
STYRENE	77128	WAIVED			
TETRACHLOROETHYLENE	34475	WAIVED			
TOLUENE	34010	WAIVED			
TRANS-1,2-DICHLOROETHYLENE	34546	WAIVED			
TRICHLOROETHYLENE	39180	WAIVED			
TRICHLOROFLUOROMETHANE	34488	WAIVED			
VINYL CHLORIDE	39175	WAIVED			
XYLENES (TOTAL)	81551	WAIVED			
SECONDARY/GP					
AGGRSSIVE INDEX (CORROSIVITY)	82383	WAIVED			
BICARBONATE ALKALINITY	00440	WAIVED	2006/02/21	229.000	
CALCIUM	00916	WAIVED	2006/02/21	72.100	
CARBONATE ALKALINITY	00445	WAIVED	2006/02/21	.000	
CHLORIDE	00940	WAIVED	2006/02/21	56.700	
COLOR	00081	WAIVED	2002/11/15	.000	
COPPER	01042	WAIVED	2006/02/21	.000	
FOAMING AGENTS (MBAS)	38260	WAIVED	2002/11/15	.000	
HARDNESS (TOTAL) AS CACO3	00900	WAIVED	2006/02/21	280.000	
HYDROXIDE ALKALINITY	71830	WAIVED	2006/02/21	.000	
IRON	01045	WAIVED	2006/02/21	.000	
MAGNESIUM	00927	WAIVED	2006/02/21	24.300	
MANGANESE	01055	WAIVED	2006/02/21	.000	
ODOR THRESHOLD @ 60 C	00086	WAIVED	2002/11/15	.000	
PH, LABORATORY	00403	WAIVED	2006/02/21	7.740	
SILVER	01077	WAIVED	2006/02/21	.000	
SODIUM	00929	WAIVED	2006/02/21	42.900	
SPECIFIC CONDUCTANCE	00095	WAIVED	2003/08/12	758.000	
SULFATE	00945	WAIVED	2006/02/21	59.500	
TOTAL DISSOLVED SOLIDS	70300	WAIVED	2006/02/21	432.000	

**Testing interval is in months;*
0 = No data for this constituent and is DUE NOW
999 = Waived testing (not required)
I = Invalid (NOT) valid analyses reported

System Number: ***1900768***

System Name: ***AGUA DULCE GENERAL STORE***

PS Code: ***1900768-001***

Source Name: ***WELL 01***

Source Number: ***001***

Source Status: ***ACTIVE UNTREATED***

Water type: ***GROUNDWATER OR WELL***

	STORET NUMBER	TESTING INTERVAL (MONTHS)*	LAST TEST DATE (yyyy/mm/dd)	LAST RESULT REPORTED	NEXT TEST DATE (yyyy/mm)
SECONDARY/GP					
TURBIDITY, LABORATORY	**82079**	**WAIVED**	2006/01/17	**.530**	
ZINC	**01092**	**WAIVED**	2006/02/21	**238.000**	

**Testing interval is in months;*
0 = No data for this constituent and is DUE NOW
999 = Waived testing (not required)
I = Invalid (NOT) valid analyses reported

System Number: ***1900785***

System Name: ***MITCHELL S AVENUE E MOBILE HOME PARK***

PS Code: ***1900785-001***

Source Name: ***WELL 01***

Source Number: ***001***

Source Status: ***ACTIVE UNTREATED***

Water type: ***GROUNDWATER OR WELL***

	STORET NUMBER	TESTING INTERVAL (MONTHS)*	LAST TEST DATE (yyyy/mm/dd)	LAST RESULT REPORTED	NEXT TEST DATE (yyyy/mm)
GENERAL NON CHAP 15					
DIAZINON	39570	WAIVED			
INORGANIC					
ALUMINUM	01105	WAIVED	2011/03/22	< .000	
ANTIMONY	01097	WAIVED	2011/03/22	< .000	
ARSENIC	01002	WAIVED	2012/02/20	20.000	
ASBESTOS	81855	WAIVED	2011/03/22	.000	
BARIUM	01007	WAIVED	2011/03/22	< .000	
BERYLLIUM	01012	WAIVED	2011/03/22	< .000	
CADMIUM	01027	WAIVED	2011/03/22	< .000	
CHROMIUM (TOTAL)	01034	WAIVED	2011/03/22	< .000	
CYANIDE	01291	WAIVED	2011/03/22	< .000	
FLUORIDE (F) (NATURAL-SOURCE)	00951	WAIVED	2011/03/22	.960	
LEAD	01051	WAIVED	2011/03/22	< .000	
MERCURY	71900	WAIVED	2011/03/22	< .000	
NICKEL	01067	WAIVED	2011/03/22	< .000	
PERCHLORATE	A-031	WAIVED	2002/03/08	.000	
SELENIUM	01147	WAIVED	2011/03/22	< .000	
THALLIUM	01059	WAIVED	2011/03/22	< .000	
NITRATE/NITRITE					
NITRATE (AS NO3)	71850	WAIVED	2011/03/22	< .000	
NITRITE (AS N)	00620	WAIVED	2011/03/22	< .000	
RADIOLOGICAL					
GROSS ALPHA	01501	WAIVED	2011/03/22	3.310	
GROSS BETA	03501	WAIVED			
RA-226 FOR CWS OR TOTAL RA FOR NTNC BY 903.0	A-080	WAIVED			
RA-226 OR TOTAL RA BY 903.0 C.E.	A-081	WAIVED			
RADIUM 226	09501	WAIVED	2011/03/22	< 1.000	
RADIUM 228	11501	WAIVED	2011/03/22	< 1.000	

**Testing interval is in months;*
0 = No data for this constituent and is DUE NOW
999 = Waived testing (not required)
I = Invalid (NOT) valid analyses reported

System Number: ***1900785***

System Name: ***MITCHELL S AVENUE E MOBILE HOME PARK***

PS Code: ***1900785-001***

Source Name: ***WELL 01***

Source Number: ***001***

Source Status: ***ACTIVE UNTREATED***

Water type: ***GROUNDWATER OR WELL***

	STORET NUMBER	TESTING INTERVAL (MONTHS)*	LAST TEST DATE (yyyy/mm/dd)	LAST RESULT REPORTED	NEXT TEST DATE (yyyy/mm)
RADIOLOGICAL					
RADIUM, TOTAL, MDA95-NTNC ONLY, BY 903.0	A-082	WAIVED			
STRONTIUM-90	13501	WAIVED			
TRITIUM	07000	WAIVED			
URANIUM (PCI/L)	28012	WAIVED	2011/03/22	5.000	
REGULATED SOC					
2,3,7,8-TCDD (DIOXIN)	34676	WAIVED			
2,4,5-TP (SILVEX)	39045	WAIVED			
2,4-D	39730	WAIVED			
ALACHLOR	77825	WAIVED	2011/03/22	< .000	
ATRAZINE	39033	WAIVED	2011/03/22	< .000	
BENTAZON	38710	WAIVED			
BENZO (A) PYRENE	34247	WAIVED			
CARBOFURAN	81405	WAIVED			
CHLORDANE	39350	WAIVED	2002/04/10	.000	
DALAPON	38432	WAIVED			
DI(2-ETHYLHEXYL)ADIPATE	A-026	WAIVED			
DI(2-ETHYLHEXYL)PHTHALATE	39100	WAIVED			
DIBROMOCHLOROPROPANE (DBCP)	38761	WAIVED			
DINOSEB	81287	WAIVED			
DIQUAT	78885	WAIVED			
ENDOTHALL	38926	WAIVED			
ENDRIN	39390	WAIVED	2002/04/10	.000	
ETHYLENE DIBROMIDE (EDB)	77651	WAIVED			
GLYPHOSATE	79743	WAIVED			
HEPTACHLOR	39410	WAIVED	2002/04/10	.000	
HEPTACHLOR EPOXIDE	39420	WAIVED	2002/04/10	.000	
HEXACHLOROBENZENE	39700	WAIVED	2002/04/10	.000	
HEXACHLOROCYCLOPENTADIENE	34386	WAIVED	2002/04/10	.000	
LINDANE	39340	WAIVED	2002/04/10	.000	

**Testing interval is in months;*
0 = No data for this constituent and is DUE NOW
999 = Waived testing (not required)
I = Invalid (NOT) valid analyses reported

System Number: ***1900785***

System Name: ***MITCHELL S AVENUE E MOBILE HOME PARK***

PS Code: ***1900785-001***

Source Name: ***WELL 01***

Source Number: ***001***

Source Status: ***ACTIVE UNTREATED***

Water type: ***GROUNDWATER OR WELL***

	STORET NUMBER	TESTING INTERVAL (MONTHS)*	LAST TEST DATE (yyyy/mm/dd)	LAST RESULT REPORTED	NEXT TEST DATE (yyyy/mm)
REGULATED SOC					
METHOXYCHLOR	39480	WAIVED	2002/04/10	.000	
MOLINATE	82199	WAIVED	2011/03/22	< .000	
OXAMYL	38865	WAIVED			
PENTACHLOROPHENOL	39032	WAIVED			
PICLORAM	39720	WAIVED			
POLYCHLORINATED BIPHENYLS, TOTAL, AS DCB	39516	WAIVED	2002/04/10	.000	
SIMAZINE	39055	WAIVED	2011/03/22	< .000	
THIOBENCARB	A-001	WAIVED	2011/03/22	< .000	
TOXAPHENE	39400	WAIVED	2002/04/10	.000	
REGULATED VOC					
1,1,1-TRICHLOROETHANE	34506	WAIVED	2011/03/22	< .000	
1,1,2,2-TETRACHLOROETHANE	34516	WAIVED	2011/03/22	< .000	
1,1,2-TRICHLORO-1,2,2-TRIFLUOROETHANE	81611	WAIVED	2011/03/22	< .000	
1,1,2-TRICHLOROETHANE	34511	WAIVED	2011/03/22	< .000	
1,1-DICHLOROETHANE	34496	WAIVED	2011/03/22	< .000	
1,1-DICHLOROETHYLENE	34501	WAIVED	2011/03/22	< .000	
1,2,4-TRICHLOROBENZENE	34551	WAIVED	2011/03/22	< .000	
1,2-DICHLOROBENZENE	34536	WAIVED	2011/03/22	< .000	
1,2-DICHLOROETHANE	34531	WAIVED	2011/03/22	< .000	
1,2-DICHLOROPROPANE	34541	WAIVED	2011/03/22	< .000	
1,3-DICHLOROPROPENE (TOTAL)	34561	WAIVED	2011/03/22	< .000	
1,4-DICHLOROBENZENE	34571	WAIVED	2011/03/22	< .000	
BENZENE	34030	WAIVED	2011/03/22	< .000	
CARBON TETRACHLORIDE	32102	WAIVED	2011/03/22	< .000	
CIS-1,2-DICHLOROETHYLENE	77093	WAIVED	2011/03/22	< .000	
DICHLOROMETHANE	34423	WAIVED	2011/03/22	< .000	
ETHYLBENZENE	34371	WAIVED	2011/03/22	< .000	
METHYL-TERT-BUTYL-ETHER (MTBE)	46491	WAIVED	2011/03/22	< .000	
MONOCHLOROBENZENE	34301	WAIVED	2011/03/22	< .000	

**Testing interval is in months;*
0 = No data for this constituent and is DUE NOW
999 = Waived testing (not required)
I = Invalid (NOT) valid analyses reported

System Number: ***1900785***

System Name: ***MITCHELL S AVENUE E MOBILE HOME PARK***

PS Code: ***1900785-001***

Source Name: ***WELL 01***

Source Number: ***001***

Source Status: ***ACTIVE UNTREATED***

Water type: ***GROUNDWATER OR WELL***

	STORET NUMBER	TESTING INTERVAL (MONTHS)*	LAST TEST DATE (yyyy/mm/dd)	LAST RESULT REPORTED	NEXT TEST DATE (yyyy/mm)
REGULATED VOC					
STYRENE	77128	WAIVED	2011/03/22	< .000	
TETRACHLOROETHYLENE	34475	WAIVED	2011/03/22	< .000	
TOLUENE	34010	WAIVED	2011/03/22	< .000	
TRANS-1,2-DICHLOROETHYLENE	34546	WAIVED	2011/03/22	< .000	
TRICHLOROETHYLENE	39180	WAIVED	2011/03/22	< .000	
TRICHLOROFLUOROMETHANE	34488	WAIVED	2011/03/22	< .000	
VINYL CHLORIDE	39175	WAIVED	2011/03/22	< .000	
XYLENES (TOTAL)	81551	WAIVED	2011/03/22	< .000	
SECONDARY/GP					
AGGRSSIVE INDEX (CORROSIVITY)	82383	WAIVED	2011/03/22	12.000	
BICARBONATE ALKALINITY	00440	WAIVED	2011/03/22	170.000	
CALCIUM	00916	WAIVED	2011/03/22	20.000	
CARBONATE ALKALINITY	00445	WAIVED	2011/03/22	< .000	
CHLORIDE	00940	WAIVED	2011/03/22	21.000	
COLOR	00081	WAIVED	2011/03/22	< .000	
COPPER	01042	WAIVED	2011/03/22	< .000	
FOAMING AGENTS (MBAS)	38260	WAIVED	2011/03/22	< .000	
HARDNESS (TOTAL) AS CACO3	00900	WAIVED	2011/03/22	69.000	
HYDROXIDE ALKALINITY	71830	WAIVED	2011/03/22	< .000	
IRON	01045	WAIVED	2011/03/22	< .000	
MAGNESIUM	00927	WAIVED	2011/03/22	4.300	
MANGANESE	01055	WAIVED	2011/03/22	< .000	
ODOR THRESHOLD @ 60 C	00086	WAIVED	2011/03/22	< .000	
PH, LABORATORY	00403	WAIVED	2011/03/22	8.300	
SILVER	01077	WAIVED	2011/03/22	< .000	
SODIUM	00929	WAIVED	2011/03/22	62.000	
SPECIFIC CONDUCTANCE	00095	WAIVED	2011/03/22	370.000	
SULFATE	00945	WAIVED	2011/03/22	25.000	
TOTAL DISSOLVED SOLIDS	70300	WAIVED	2011/03/22	240.000	

**Testing interval is in months;*
0 = No data for this constituent and is DUE NOW
999 = Waived testing (not required)
I = Invalid (NOT) valid analyses reported

System Number: ***1900785***

System Name: ***MITCHELL S AVENUE E MOBILE HOME PARK***

PS Code: ***1900785-001***

Source Name: ***WELL 01***

Source Number: ***001***

Source Status: ***ACTIVE UNTREATED***

Water type: ***GROUNDWATER OR WELL***

	STORET NUMBER	TESTING INTERVAL (MONTHS)*	LAST TEST DATE (yyyy/mm/dd)	LAST RESULT REPORTED	NEXT TEST DATE (yyyy/mm)
SECONDARY/GP					
TURBIDITY, LABORATORY	**82079**	**WAIVED**	2011/03/22	**< .000**	
ZINC	**01092**	**WAIVED**	2011/03/22	**< .000**	

**Testing interval is in months;*
0 = No data for this constituent and is DUE NOW
999 = Waived testing (not required)
I = Invalid (NOT) valid analyses reported

System Number: ***1900791***

System Name: ***USFS-SYCAMORE FLATS V-5***

PS Code: ***1900791-001***

Source Name: ***WELL 01***

Source Number: ***001***

Source Status: ***ACTIVE UNTREATED***

Water type: ***GROUNDWATER OR WELL***

	STORET NUMBER	TESTING INTERVAL (MONTHS)*	LAST TEST DATE (yyyy/mm/dd)	LAST RESULT REPORTED	NEXT TEST DATE (yyyy/mm)
GENERAL NON CHAP 15					
DIAZINON	39570	WAIVED			
INORGANIC					
ALUMINUM	01105	WAIVED	2007/05/08	.000	
ANTIMONY	01097	WAIVED	2004/04/29	.000	
ARSENIC	01002	WAIVED	2007/05/08	.000	
ASBESTOS	81855	WAIVED			
BARIUM	01007	WAIVED	2004/04/29	.000	
BERYLLIUM	01012	WAIVED			
CADMIUM	01027	WAIVED	2007/05/08	.000	
CHROMIUM (TOTAL)	01034	WAIVED	2007/05/08	.000	
CYANIDE	01291	WAIVED			
FLUORIDE (F) (NATURAL-SOURCE)	00951	WAIVED	2007/05/08	.456	
LEAD	01051	WAIVED	2007/05/08	.000	
MERCURY	71900	WAIVED	2007/05/08	.000	
NICKEL	01067	WAIVED	2007/05/08	.000	
PERCHLORATE	A-031	WAIVED			
SELENIUM	01147	WAIVED	2007/05/08	.000	
THALLIUM	01059	WAIVED			
NITRATE/NITRITE					
NITRATE (AS NO3)	71850	WAIVED	2010/08/21	1.700	
NITRITE (AS N)	00620	WAIVED			
RADIOLOGICAL					
GROSS ALPHA	01501	WAIVED			
GROSS BETA	03501	WAIVED			
RA-226 FOR CWS OR TOTAL RA FOR NTNC BY 903.0	A-080	WAIVED			
RA-226 OR TOTAL RA BY 903.0 C.E.	A-081	WAIVED			
RADIUM 226	09501	WAIVED			
RADIUM 228	11501	WAIVED			

**Testing interval is in months;*
0 = No data for this constituent and is DUE NOW
999 = Waived testing (not required)
I = Invalid (NOT) valid analyses reported

System Number: ***1900791***

System Name: ***USFS-SYCAMORE FLATS V-5***

PS Code: ***1900791-001***

Source Name: ***WELL 01***

Source Number: ***001***

Source Status: ***ACTIVE UNTREATED***

Water type: ***GROUNDWATER OR WELL***

	STORET NUMBER	TESTING INTERVAL (MONTHS)*	LAST TEST DATE (yyyy/mm/dd)	LAST RESULT REPORTED	NEXT TEST DATE (yyyy/mm)
RADIOLOGICAL					
RADIUM, TOTAL, MDA95-NTNC ONLY, BY 903.0	A-082	WAIVED			
STRONTIUM-90	13501	WAIVED			
TRITIUM	07000	WAIVED			
URANIUM (PCI/L)	28012	WAIVED			
REGULATED SOC					
2,3,7,8-TCDD (DIOXIN)	34676	WAIVED			
2,4,5-TP (SILVEX)	39045	WAIVED			
2,4-D	39730	WAIVED			
ALACHLOR	77825	WAIVED			
ATRAZINE	39033	WAIVED			
BENTAZON	38710	WAIVED			
BENZO (A) PYRENE	34247	WAIVED			
CARBOFURAN	81405	WAIVED			
CHLORDANE	39350	WAIVED			
DALAPON	38432	WAIVED			
DI(2-ETHYLHEXYL)ADIPATE	A-026	WAIVED			
DI(2-ETHYLHEXYL)PHTHALATE	39100	WAIVED			
DIBROMOCHLOROPROPANE (DBCP)	38761	WAIVED			
DINOSEB	81287	WAIVED			
DIQUAT	78885	WAIVED			
ENDOTHALL	38926	WAIVED			
ENDRIN	39390	WAIVED			
ETHYLENE DIBROMIDE (EDB)	77651	WAIVED			
GLYPHOSATE	79743	WAIVED			
HEPTACHLOR	39410	WAIVED			
HEPTACHLOR EPOXIDE	39420	WAIVED			
HEXACHLOROBENZENE	39700	WAIVED			
HEXACHLOROCYCLOPENTADIENE	34386	WAIVED			
LINDANE	39340	WAIVED			

**Testing interval is in months;*
0 = No data for this constituent and is DUE NOW
999 = Waived testing (not required)
I = Invalid (NOT) valid analyses reported

System Number: ***1900791***

System Name: ***USFS-SYCAMORE FLATS V-5***

PS Code: ***1900791-001***

Source Name: ***WELL 01***

Source Number: ***001***

Source Status: ***ACTIVE UNTREATED***

Water type: ***GROUNDWATER OR WELL***

	STORET NUMBER	TESTING INTERVAL (MONTHS)*	LAST TEST DATE (yyyy/mm/dd)	LAST RESULT REPORTED	NEXT TEST DATE (yyyy/mm)
REGULATED SOC					
METHOXYCHLOR	39480	WAIVED			
MOLINATE	82199	WAIVED			
OXAMYL	38865	WAIVED			
PENTACHLOROPHENOL	39032	WAIVED			
PICLORAM	39720	WAIVED			
POLYCHLORINATED BIPHENYLS, TOTAL, AS DCB	39516	WAIVED			
SIMAZINE	39055	WAIVED			
THIOBENCARB	A-001	WAIVED			
TOXAPHENE	39400	WAIVED			
REGULATED VOC					
1,1,1-TRICHLOROETHANE	34506	WAIVED			
1,1,2,2-TETRACHLOROETHANE	34516	WAIVED			
1,1,2-TRICHLORO-1,2,2-TRIFLUOROETHANE	81611	WAIVED			
1,1,2-TRICHLOROETHANE	34511	WAIVED			
1,1-DICHLOROETHANE	34496	WAIVED			
1,1-DICHLOROETHYLENE	34501	WAIVED			
1,2,4-TRICHLOROBENZENE	34551	WAIVED			
1,2-DICHLOROBENZENE	34536	WAIVED			
1,2-DICHLOROETHANE	34531	WAIVED			
1,2-DICHLOROPROPANE	34541	WAIVED			
1,3-DICHLOROPROPENE (TOTAL)	34561	WAIVED			
1,4-DICHLOROBENZENE	34571	WAIVED			
BENZENE	34030	WAIVED			
CARBON TETRACHLORIDE	32102	WAIVED			
CIS-1,2-DICHLOROETHYLENE	77093	WAIVED			
DICHLOROMETHANE	34423	WAIVED			
ETHYLBENZENE	34371	WAIVED			
METHYL-TERT-BUTYL-ETHER (MTBE)	46491	WAIVED			
MONOCHLOROBENZENE	34301	WAIVED			

**Testing interval is in months;*
0 = No data for this constituent and is DUE NOW
999 = Waived testing (not required)
I = Invalid (NOT) valid analyses reported

System Number: ***1900791***

System Name: ***USFS-SYCAMORE FLATS V-5***

PS Code: ***1900791-001***

Source Name: ***WELL 01***

Source Number: ***001***

Source Status: ***ACTIVE UNTREATED***

Water type: ***GROUNDWATER OR WELL***

	STORET NUMBER	TESTING INTERVAL (MONTHS)*	LAST TEST DATE (yyyy/mm/dd)	LAST RESULT REPORTED	NEXT TEST DATE (yyyy/mm)
REGULATED VOC					
STYRENE	77128	WAIVED			
TETRACHLOROETHYLENE	34475	WAIVED			
TOLUENE	34010	WAIVED			
TRANS-1,2-DICHLOROETHYLENE	34546	WAIVED			
TRICHLOROETHYLENE	39180	WAIVED			
TRICHLOROFLUOROMETHANE	34488	WAIVED			
VINYL CHLORIDE	39175	WAIVED			
XYLENES (TOTAL)	81551	WAIVED			
SECONDARY/GP					
AGGRSSIVE INDEX (CORROSIVITY)	82383	WAIVED			
BICARBONATE ALKALINITY	00440	WAIVED	2007/05/08	293.500	
CALCIUM	00916	WAIVED	2007/05/08	60.100	
CARBONATE ALKALINITY	00445	WAIVED	2007/05/08	.000	
CHLORIDE	00940	WAIVED	2007/05/08	14.900	
COLOR	00081	WAIVED			
COPPER	01042	WAIVED	2007/05/08	.000	
FOAMING AGENTS (MBAS)	38260	WAIVED			
HARDNESS (TOTAL) AS CACO3	00900	WAIVED	2007/05/08	290.000	
HYDROXIDE ALKALINITY	71830	WAIVED	2007/05/08	.000	
IRON	01045	WAIVED	2007/05/08	.000	
MAGNESIUM	00927	WAIVED	2007/05/08	34.000	
MANGANESE	01055	WAIVED	2007/05/08	.000	
ODOR THRESHOLD @ 60 C	00086	WAIVED			
PH, LABORATORY	00403	WAIVED	2007/05/08	8.400	
SILVER	01077	WAIVED	2007/05/08	.000	
SODIUM	00929	WAIVED	2007/05/08	27.100	
SPECIFIC CONDUCTANCE	00095	WAIVED	2002/10/01	501.000	
SULFATE	00945	WAIVED	2007/05/08	61.200	
TOTAL DISSOLVED SOLIDS	70300	WAIVED	2007/05/08	372.000	

**Testing interval is in months;*
0 = No data for this constituent and is DUE NOW
999 = Waived testing (not required)
I = Invalid (NOT) valid analyses reported

System Number: ***1900791***

System Name: ***USFS-SYCAMORE FLATS V-5***

PS Code: ***1900791-001***

Source Name: ***WELL 01***

Source Number: ***001***

Source Status: ***ACTIVE UNTREATED***

Water type: ***GROUNDWATER OR WELL***

	STORET NUMBER	TESTING INTERVAL (MONTHS)*	LAST TEST DATE (yyyy/mm/dd)	LAST RESULT REPORTED	NEXT TEST DATE (yyyy/mm)
SECONDARY/GP					
TURBIDITY, LABORATORY	**82079**	**WAIVED**	2006/06/01	**.260**	
ZINC	**01092**	**WAIVED**	2007/05/08	**270.000**	

**Testing interval is in months;*
0 = No data for this constituent and is DUE NOW
999 = Waived testing (not required)
I = Invalid (NOT) valid analyses reported

System Number: ***1900793***

System Name: ***ACTON SHOPPING CENTER / KMK REAL. CORP.***

PS Code: ***1900793-002***

Source Name: ***PURCHASED WATER***

Source Number: ***002***

Source Status: ***ACTIVE RAW***

Water type: ***SURFACE***

	STORET NUMBER	TESTING INTERVAL (MONTHS)*	LAST TEST DATE (yyyy/mm/dd)	LAST RESULT REPORTED	NEXT TEST DATE (yyyy/mm)
GENERAL NON CHAP 15					
DIAZINON	39570	WAIVED			
INORGANIC					
ALUMINUM	01105	WAIVED			
ANTIMONY	01097	WAIVED			
ARSENIC	01002	WAIVED			
ASBESTOS	81855	WAIVED			
BARIUM	01007	WAIVED			
BERYLLIUM	01012	WAIVED			
CADMIUM	01027	WAIVED			
CHROMIUM (TOTAL)	01034	WAIVED			
CYANIDE	01291	WAIVED			
FLUORIDE (F) (NATURAL-SOURCE)	00951	WAIVED			
LEAD	01051	WAIVED			
MERCURY	71900	WAIVED			
NICKEL	01067	WAIVED			
PERCHLORATE	A-031	WAIVED			
SELENIUM	01147	WAIVED			
THALLIUM	01059	WAIVED			
NITRATE/NITRITE					
NITRATE (AS NO3)	71850	WAIVED	2002/12/13	29.500	
NITRITE (AS N)	00620	WAIVED			
RADIOLOGICAL					
GROSS ALPHA	01501	WAIVED			
GROSS BETA	03501	WAIVED			
RA-226 FOR CWS OR TOTAL RA FOR NTNC BY 903.0	A-080	WAIVED			
RA-226 OR TOTAL RA BY 903.0 C.E.	A-081	WAIVED			
RADIUM 226	09501	WAIVED			
RADIUM 228	11501	WAIVED			

**Testing interval is in months;*
0 = No data for this constituent and is DUE NOW
999 = Waived testing (not required)
I = Invalid (NOT) valid analyses reported

System Number: ***1900793***

System Name: ***ACTON SHOPPING CENTER / KMK REAL. CORP.***

PS Code: ***1900793-002***

Source Name: ***PURCHASED WATER***

Source Number: ***002***

Source Status: ***ACTIVE RAW***

Water type: ***SURFACE***

	STORET NUMBER	TESTING INTERVAL (MONTHS)*	LAST TEST DATE (yyyy/mm/dd)	LAST RESULT REPORTED	NEXT TEST DATE (yyyy/mm)
RADIOLOGICAL					
RADIUM, TOTAL, MDA95-NTNC ONLY, BY 903.0	A-082	WAIVED			
STRONTIUM-90	13501	WAIVED			
TRITIUM	07000	WAIVED			
URANIUM (PCI/L)	28012	WAIVED			
REGULATED SOC					
2,3,7,8-TCDD (DIOXIN)	34676	WAIVED			
2,4,5-TP (SILVEX)	39045	WAIVED			
2,4-D	39730	WAIVED			
ALACHLOR	77825	WAIVED			
ATRAZINE	39033	WAIVED			
BENTAZON	38710	WAIVED			
BENZO (A) PYRENE	34247	WAIVED			
CARBOFURAN	81405	WAIVED			
CHLORDANE	39350	WAIVED			
DALAPON	38432	WAIVED			
DI(2-ETHYLHEXYL)ADIPATE	A-026	WAIVED			
DI(2-ETHYLHEXYL)PHTHALATE	39100	WAIVED			
DIBROMOCHLOROPROPANE (DBCP)	38761	WAIVED			
DINOSEB	81287	WAIVED			
DIQUAT	78885	WAIVED			
ENDOTHALL	38926	WAIVED			
ENDRIN	39390	WAIVED			
ETHYLENE DIBROMIDE (EDB)	77651	WAIVED			
GLYPHOSATE	79743	WAIVED			
HEPTACHLOR	39410	WAIVED			
HEPTACHLOR EPOXIDE	39420	WAIVED			
HEXACHLOROBENZENE	39700	WAIVED			
HEXACHLOROCYCLOPENTADIENE	34386	WAIVED			
LINDANE	39340	WAIVED			

**Testing interval is in months;*
0 = No data for this constituent and is DUE NOW
999 = Waived testing (not required)
I = Invalid (NOT) valid analyses reported

System Number: ***1900793***

System Name: ***ACTON SHOPPING CENTER / KMK REAL. CORP.***

PS Code: ***1900793-002***

Source Name: ***PURCHASED WATER***

Source Number: ***002***

Source Status: ***ACTIVE RAW***

Water type: ***SURFACE***

	STORET NUMBER	TESTING INTERVAL (MONTHS)*	LAST TEST DATE (yyyy/mm/dd)	LAST RESULT REPORTED	NEXT TEST DATE (yyyy/mm)
REGULATED SOC					
METHOXYCHLOR	39480	WAIVED			
MOLINATE	82199	WAIVED			
OXAMYL	38865	WAIVED			
PENTACHLOROPHENOL	39032	WAIVED			
PICLORAM	39720	WAIVED			
POLYCHLORINATED BIPHENYLS, TOTAL, AS DCB	39516	WAIVED			
SIMAZINE	39055	WAIVED			
THIOBENCARB	A-001	WAIVED			
TOXAPHENE	39400	WAIVED			
REGULATED VOC					
1,1,1-TRICHLOROETHANE	34506	WAIVED			
1,1,2,2-TETRACHLOROETHANE	34516	WAIVED			
1,1,2-TRICHLORO-1,2,2-TRIFLUOROETHANE	81611	WAIVED			
1,1,2-TRICHLOROETHANE	34511	WAIVED			
1,1-DICHLOROETHANE	34496	WAIVED			
1,1-DICHLOROETHYLENE	34501	WAIVED			
1,2,4-TRICHLOROBENZENE	34551	WAIVED			
1,2-DICHLOROBENZENE	34536	WAIVED			
1,2-DICHLOROETHANE	34531	WAIVED			
1,2-DICHLOROPROPANE	34541	WAIVED			
1,3-DICHLOROPROPENE (TOTAL)	34561	WAIVED			
1,4-DICHLOROBENZENE	34571	WAIVED			
BENZENE	34030	WAIVED			
CARBON TETRACHLORIDE	32102	WAIVED			
CIS-1,2-DICHLOROETHYLENE	77093	WAIVED			
DICHLOROMETHANE	34423	WAIVED			
ETHYLBENZENE	34371	WAIVED			
METHYL-TERT-BUTYL-ETHER (MTBE)	46491	WAIVED			
MONOCHLOROBENZENE	34301	WAIVED			

**Testing interval is in months;*
0 = No data for this constituent and is DUE NOW
999 = Waived testing (not required)
I = Invalid (NOT) valid analyses reported

System Number: ***1900793***

System Name: ***ACTON SHOPPING CENTER / KMK REAL. CORP.***

PS Code: ***1900793-002***

Source Name: ***PURCHASED WATER***

Source Number: ***002***

Source Status: ***ACTIVE RAW***

Water type: ***SURFACE***

	STORET NUMBER	TESTING INTERVAL (MONTHS)*	LAST TEST DATE (yyyy/mm/dd)	LAST RESULT REPORTED	NEXT TEST DATE (yyyy/mm)
REGULATED VOC					
STYRENE	77128	WAIVED			
TETRACHLOROETHYLENE	34475	WAIVED			
TOLUENE	34010	WAIVED			
TRANS-1,2-DICHLOROETHYLENE	34546	WAIVED			
TRICHLOROETHYLENE	39180	WAIVED			
TRICHLOROFLUOROMETHANE	34488	WAIVED			
VINYL CHLORIDE	39175	WAIVED			
XYLENES (TOTAL)	81551	WAIVED			
SECONDARY/GP					
AGGRSSIVE INDEX (CORROSIVITY)	82383	WAIVED			
BICARBONATE ALKALINITY	00440	WAIVED			
CALCIUM	00916	WAIVED			
CARBONATE ALKALINITY	00445	WAIVED			
CHLORIDE	00940	WAIVED			
COLOR	00081	WAIVED			
COPPER	01042	WAIVED			
FOAMING AGENTS (MBAS)	38260	WAIVED			
HARDNESS (TOTAL) AS CACO3	00900	WAIVED			
HYDROXIDE ALKALINITY	71830	WAIVED			
IRON	01045	WAIVED			
MAGNESIUM	00927	WAIVED			
MANGANESE	01055	WAIVED			
ODOR THRESHOLD @ 60 C	00086	WAIVED			
PH, LABORATORY	00403	WAIVED			
SILVER	01077	WAIVED			
SODIUM	00929	WAIVED			
SPECIFIC CONDUCTANCE	00095	WAIVED			
SULFATE	00945	WAIVED			
TOTAL DISSOLVED SOLIDS	70300	WAIVED			

**Testing interval is in months;*
0 = No data for this constituent and is DUE NOW
999 = Waived testing (not required)
I = Invalid (NOT) valid analyses reported

System Number: ***1900793***

System Name: ***ACTON SHOPPING CENTER / KMK REAL. CORP.***

PS Code: ***1900793-002***

Source Name: ***PURCHASED WATER***

Source Number: ***002***

Source Status: ***ACTIVE RAW***

Water type: ***SURFACE***

SECONDARY/GP

	STORET NUMBER	TESTING INTERVAL (MONTHS)*	LAST TEST DATE (yyyy/mm/dd)	LAST RESULT REPORTED	NEXT TEST DATE (yyyy/mm)
TURBIDITY, LABORATORY	82079	WAIVED			
ZINC	01092	WAIVED			

**Testing interval is in months;*
0 = No data for this constituent and is DUE NOW
999 = Waived testing (not required)
I = Invalid (NOT) valid analyses reported

System Number: ***1900794***

System Name: ***ANTELOPE PARK MUTUAL WATER COMPANY***

PS Code: ***1900794-001***

Source Name: ***WELL 04***

Source Number: ***001***

Source Status: ***ACTIVE UNTREATED***

Water type: ***GROUNDWATER OR WELL***

	STORET NUMBER	TESTING INTERVAL (MONTHS)*	LAST TEST DATE (yyyy/mm/dd)	LAST RESULT REPORTED	NEXT TEST DATE (yyyy/mm)
GENERAL NON CHAP 15					
DIAZINON	39570	WAIVED			
INORGANIC					
ALUMINUM	01105	WAIVED	2011/03/22	< .000	
ANTIMONY	01097	WAIVED	2011/03/22	< .000	
ARSENIC	01002	WAIVED	2011/03/22	< .000	
ASBESTOS	81855	WAIVED	2011/03/22	.000	
BARIUM	01007	WAIVED	2011/03/22	< .000	
BERYLLIUM	01012	WAIVED	2011/03/22	< .000	
CADMIUM	01027	WAIVED	2011/03/22	< .000	
CHROMIUM (TOTAL)	01034	WAIVED	2011/03/22	11.000	
CYANIDE	01291	WAIVED	2011/03/22	< .000	
FLUORIDE (F) (NATURAL-SOURCE)	00951	WAIVED	2011/03/22	.360	
LEAD	01051	WAIVED	2011/03/22	< .000	
MERCURY	71900	WAIVED	2011/03/22	< .000	
NICKEL	01067	WAIVED	2011/03/22	< .000	
PERCHLORATE	A-031	WAIVED	2011/10/18	< .000	
SELENIUM	01147	WAIVED	2011/03/22	< .000	
THALLIUM	01059	WAIVED	2011/03/22	< .000	
NITRATE/NITRITE					
NITRATE (AS NO3)	71850	WAIVED	2011/03/22	2.100	
NITRITE (AS N)	00620	WAIVED	2011/03/22	< .000	
RADIOLOGICAL					
GROSS ALPHA	01501	WAIVED	1996/01/29	9.790	
GROSS BETA	03501	WAIVED			
RA-226 FOR CWS OR TOTAL RA FOR NTNC BY 903.0	A-080	WAIVED			
RA-226 OR TOTAL RA BY 903.0 C.E.	A-081	WAIVED			
RADIUM 226	09501	WAIVED			
RADIUM 228	11501	WAIVED			

**Testing interval is in months;*
0 = No data for this constituent and is DUE NOW
999 = Waived testing (not required)
I = Invalid (NOT) valid analyses reported

System Number: ***1900794***

System Name: ***ANTELOPE PARK MUTUAL WATER COMPANY***

PS Code: ***1900794-001***

Source Name: ***WELL 04***

Source Number: ***001***

Source Status: ***ACTIVE UNTREATED***

Water type: ***GROUNDWATER OR WELL***

	STORET NUMBER	TESTING INTERVAL (MONTHS)*	LAST TEST DATE (yyyy/mm/dd)	LAST RESULT REPORTED	NEXT TEST DATE (yyyy/mm)
RADIOLOGICAL					
RADIUM, TOTAL, MDA95-NTNC ONLY, BY 903.0	A-082	WAIVED			
STRONTIUM-90	13501	WAIVED			
TRITIUM	07000	WAIVED			
URANIUM (PCI/L)	28012	WAIVED	1996/01/29	.530	
REGULATED SOC					
2,3,7,8-TCDD (DIOXIN)	34676	WAIVED			
2,4,5-TP (SILVEX)	39045	WAIVED			
2,4-D	39730	WAIVED			
ALACHLOR	77825	WAIVED	2002/04/24	.000	
ATRAZINE	39033	WAIVED			
BENTAZON	38710	WAIVED			
BENZO (A) PYRENE	34247	WAIVED			
CARBOFURAN	81405	WAIVED			
CHLORDANE	39350	WAIVED	2002/04/24	.000	
DALAPON	38432	WAIVED			
DI(2-ETHYLHEXYL)ADIPATE	A-026	WAIVED			
DI(2-ETHYLHEXYL)PHTHALATE	39100	WAIVED			
DIBROMOCHLOROPROPANE (DBCP)	38761	WAIVED			
DINOSEB	81287	WAIVED			
DIQUAT	78885	WAIVED			
ENDOTHALL	38926	WAIVED			
ENDRIN	39390	WAIVED	2002/04/24	.000	
ETHYLENE DIBROMIDE (EDB)	77651	WAIVED			
GLYPHOSATE	79743	WAIVED			
HEPTACHLOR	39410	WAIVED	2002/04/24	.000	
HEPTACHLOR EPOXIDE	39420	WAIVED	2002/04/24	.000	
HEXACHLOROBENZENE	39700	WAIVED	2002/04/24	.000	
HEXACHLOROCYCLOPENTADIENE	34386	WAIVED	2002/04/24	.000	
LINDANE	39340	WAIVED	2002/04/24	.000	

**Testing interval is in months;*
0 = No data for this constituent and is DUE NOW
999 = Waived testing (not required)
I = Invalid (NOT) valid analyses reported

System Number: ***1900794***

System Name: ***ANTELOPE PARK MUTUAL WATER COMPANY***

PS Code: ***1900794-001***

Source Name: ***WELL 04***

Source Number: ***001***

Source Status: ***ACTIVE UNTREATED***

Water type: ***GROUNDWATER OR WELL***

	STORET NUMBER	TESTING INTERVAL (MONTHS)*	LAST TEST DATE (yyyy/mm/dd)	LAST RESULT REPORTED	NEXT TEST DATE (yyyy/mm)
REGULATED SOC					
METHOXYCHLOR	39480	WAIVED	2002/04/24	.000	
MOLINATE	82199	WAIVED			
OXAMYL	38865	WAIVED			
PENTACHLOROPHENOL	39032	WAIVED			
PICLORAM	39720	WAIVED			
POLYCHLORINATED BIPHENYLS, TOTAL, AS DCB	39516	WAIVED	2002/04/24	.000	
SIMAZINE	39055	WAIVED			
THIOBENCARB	A-001	WAIVED			
TOXAPHENE	39400	WAIVED	2002/04/24	.000	
REGULATED VOC					
1,1,1-TRICHLOROETHANE	34506	WAIVED	2002/04/24	.000	
1,1,2,2-TETRACHLOROETHANE	34516	WAIVED	2002/04/24	.000	
1,1,2-TRICHLORO-1,2,2-TRIFLUOROETHANE	81611	WAIVED	2002/04/24	.000	
1,1,2-TRICHLOROETHANE	34511	WAIVED	2002/04/24	.000	
1,1-DICHLOROETHANE	34496	WAIVED	2002/04/24	.000	
1,1-DICHLOROETHYLENE	34501	WAIVED	2002/04/24	.000	
1,2,4-TRICHLOROBENZENE	34551	WAIVED	2002/04/24	.000	
1,2-DICHLOROBENZENE	34536	WAIVED	2002/04/24	.000	
1,2-DICHLOROETHANE	34531	WAIVED	2002/04/24	.000	
1,2-DICHLOROPROPANE	34541	WAIVED	2002/04/24	.000	
1,3-DICHLOROPROPENE (TOTAL)	34561	WAIVED	2002/04/24	.000	
1,4-DICHLOROBENZENE	34571	WAIVED	2002/04/24	.000	
BENZENE	34030	WAIVED	2002/04/24	.000	
CARBON TETRACHLORIDE	32102	WAIVED	2002/04/24	.000	
CIS-1,2-DICHLOROETHYLENE	77093	WAIVED	2002/04/24	.000	
DICHLOROMETHANE	34423	WAIVED	2002/04/24	.000	
ETHYLBENZENE	34371	WAIVED	2002/04/24	.000	
METHYL-TERT-BUTYL-ETHER (MTBE)	46491	WAIVED	2002/04/24	.000	
MONOCHLOROBENZENE	34301	WAIVED	2002/04/24	.000	

**Testing interval is in months;*
0 = No data for this constituent and is DUE NOW
999 = Waived testing (not required)
I = Invalid (NOT) valid analyses reported

System Number: ***1900794***

System Name: ***ANTELOPE PARK MUTUAL WATER COMPANY***

PS Code: ***1900794-001***

Source Name: ***WELL 04***

Source Number: ***001***

Source Status: ***ACTIVE UNTREATED***

Water type: ***GROUNDWATER OR WELL***

	STORET NUMBER	TESTING INTERVAL (MONTHS)*	LAST TEST DATE (yyyy/mm/dd)	LAST RESULT REPORTED	NEXT TEST DATE (yyyy/mm)
REGULATED VOC					
STYRENE	77128	WAIVED	2002/04/24	.000	
TETRACHLOROETHYLENE	34475	WAIVED	2002/04/24	.000	
TOLUENE	34010	WAIVED	2002/04/24	.000	
TRANS-1,2-DICHLOROETHYLENE	34546	WAIVED	2002/04/24	.000	
TRICHLOROETHYLENE	39180	WAIVED	2002/04/24	.000	
TRICHLOROFLUOROMETHANE	34488	WAIVED	2002/04/24	.000	
VINYL CHLORIDE	39175	WAIVED	2002/04/24	.000	
XYLENES (TOTAL)	81551	WAIVED	2002/04/24	.000	
SECONDARY/GP					
AGGRSSIVE INDEX (CORROSIVITY)	82383	WAIVED	2011/03/22	12.000	
BICARBONATE ALKALINITY	00440	WAIVED	2011/03/22	120.000	
CALCIUM	00916	WAIVED	2011/03/22	15.000	
CARBONATE ALKALINITY	00445	WAIVED	2011/03/22	< .000	
CHLORIDE	00940	WAIVED	2011/03/22	7.600	
COLOR	00081	WAIVED	2011/03/22	< .000	
COPPER	01042	WAIVED	2011/03/22	< .000	
FOAMING AGENTS (MBAS)	38260	WAIVED	2011/03/22	< .000	
HARDNESS (TOTAL) AS CACO3	00900	WAIVED	2011/03/22	48.000	
HYDROXIDE ALKALINITY	71830	WAIVED	2011/03/22	< .000	
IRON	01045	WAIVED	2011/03/22	< .000	
MAGNESIUM	00927	WAIVED	2011/03/22	2.800	
MANGANESE	01055	WAIVED	2011/03/22	< .000	
ODOR THRESHOLD @ 60 C	00086	WAIVED	2011/03/22	< .000	
PH, LABORATORY	00403	WAIVED	2011/03/22	8.100	
SILVER	01077	WAIVED	2011/03/22	< .000	
SODIUM	00929	WAIVED	2011/03/22	38.000	
SPECIFIC CONDUCTANCE	00095	WAIVED	2011/03/22	240.000	
SULFATE	00945	WAIVED	2011/03/22	17.000	
TOTAL DISSOLVED SOLIDS	70300	WAIVED	2011/03/22	170.000	

**Testing interval is in months;*
0 = No data for this constituent and is DUE NOW
999 = Waived testing (not required)
I = Invalid (NOT) valid analyses reported

System Number: ***1900794***

System Name: ***ANTELOPE PARK MUTUAL WATER COMPANY***

PS Code: ***1900794-001***

Source Name: ***WELL 04***

Source Number: ***001***

Source Status: ***ACTIVE UNTREATED***

Water type: ***GROUNDWATER OR WELL***

SECONDARY/GP

	STORET NUMBER	TESTING INTERVAL (MONTHS)*	LAST TEST DATE (yyyy/mm/dd)	LAST RESULT REPORTED	NEXT TEST DATE (yyyy/mm)
TURBIDITY, LABORATORY	82079	WAIVED	2011/03/22	.240	
ZINC	01092	WAIVED	2011/03/22	< .000	

PS Code: ***1900794-002***

Source Name: ***WELL 02 STANDBY***

Source Number: ***002***

Source Status: ***ACTIVE UNTREATED***

Water type: ***GROUNDWATER OR WELL***

GENERAL NON CHAP 15

DIAZINON	39570	WAIVED			

INORGANIC

ALUMINUM	01105	WAIVED	2007/11/13	.000	
ANTIMONY	01097	WAIVED	2007/11/13	.000	
ARSENIC	01002	WAIVED	2007/11/13	.000	
ASBESTOS	81855	WAIVED			
BARIUM	01007	WAIVED	2007/11/13	.000	
BERYLLIUM	01012	WAIVED	2007/11/13	.000	
CADMIUM	01027	WAIVED	2007/11/13	.000	
CHROMIUM (TOTAL)	01034	WAIVED	2007/11/13	10.000	
CYANIDE	01291	WAIVED	2007/11/13	.000	
FLUORIDE (F) (NATURAL-SOURCE)	00951	WAIVED	2007/11/13	.330	
LEAD	01051	WAIVED	2007/11/13	.000	
MERCURY	71900	WAIVED	2007/11/13	.000	
NICKEL	01067	WAIVED	2007/11/13	.000	
PERCHLORATE	A-031	WAIVED	2008/09/30	.000	
SELENIUM	01147	WAIVED	2007/11/13	.000	
THALLIUM	01059	WAIVED	2007/11/13	.000	

**Testing interval is in months;*
0 = No data for this constituent and is DUE NOW
999 = Waived testing (not required)
I = Invalid (NOT) valid analyses reported

System Number: ***1900794***

System Name: ***ANTELOPE PARK MUTUAL WATER COMPANY***

PS Code: ***1900794-002***

Source Name: ***WELL 02 STANDBY***

Source Number: ***002***

Source Status: ***ACTIVE UNTREATED***

Water type: ***GROUNDWATER OR WELL***

	STORET NUMBER	TESTING INTERVAL (MONTHS)*	LAST TEST DATE (yyyy/mm/dd)	LAST RESULT REPORTED	NEXT TEST DATE (yyyy/mm)
NITRATE/NITRITE					
NITRATE (AS NO3)	71850	WAIVED	2007/11/13	2.600	
NITRITE (AS N)	00620	WAIVED	2007/11/13	.000	
RADIOLOGICAL					
GROSS ALPHA	01501	WAIVED			
GROSS BETA	03501	WAIVED			
RA-226 FOR CWS OR TOTAL RA FOR NTNC BY 903.0	A-080	WAIVED			
RA-226 OR TOTAL RA BY 903.0 C.E.	A-081	WAIVED			
RADIUM 226	09501	WAIVED			
RADIUM 228	11501	WAIVED			
RADIUM, TOTAL, MDA95-NTNC ONLY, BY 903.0	A-082	WAIVED			
STRONTIUM-90	13501	WAIVED			
TRITIUM	07000	WAIVED			
URANIUM (PCI/L)	28012	WAIVED			
REGULATED SOC					
2,3,7,8-TCDD (DIOXIN)	34676	WAIVED			
2,4,5-TP (SILVEX)	39045	WAIVED			
2,4-D	39730	WAIVED			
ALACHLOR	77825	WAIVED	2002/04/24	.000	
ATRAZINE	39033	WAIVED			
BENTAZON	38710	WAIVED			
BENZO (A) PYRENE	34247	WAIVED			
CARBOFURAN	81405	WAIVED			
CHLORDANE	39350	WAIVED	2002/04/24	.000	
DALAPON	38432	WAIVED			
DI(2-ETHYLHEXYL)ADIPATE	A-026	WAIVED			
DI(2-ETHYLHEXYL)PHTHALATE	39100	WAIVED			
DIBROMOCHLOROPROPANE (DBCP)	38761	WAIVED			
DINOSEB	81287	WAIVED			
DIQUAT	78885	WAIVED			

**Testing interval is in months;*
0 = No data for this constituent and is DUE NOW
999 = Waived testing (not required)
I = Invalid (NOT) valid analyses reported

System Number: 1900794

System Name: ANTELOPE PARK MUTUAL WATER COMPANY

PS Code: 1900794-002

Source Name: WELL 02 STANDBY

Source Number: 002

Source Status: ACTIVE UNTREATED

Water type: GROUNDWATER OR WELL

	STORET NUMBER	TESTING INTERVAL (MONTHS)*	LAST TEST DATE (yyyy/mm/dd)	LAST RESULT REPORTED	NEXT TEST DATE (yyyy/mm)
REGULATED SOC					
ENDOTHALL	38926	WAIVED			
ENDRIN	39390	WAIVED	2002/04/24	.000	
ETHYLENE DIBROMIDE (EDB)	77651	WAIVED			
GLYPHOSATE	79743	WAIVED			
HEPTACHLOR	39410	WAIVED	2002/04/24	.000	
HEPTACHLOR EPOXIDE	39420	WAIVED	2002/04/24	.000	
HEXACHLOROBENZENE	39700	WAIVED	2002/04/24	.000	
HEXACHLOROCYCLOPENTADIENE	34386	WAIVED	2002/04/24	.000	
LINDANE	39340	WAIVED	2002/04/24	.000	
METHOXYCHLOR	39480	WAIVED	2002/04/24	.000	
MOLINATE	82199	WAIVED			
OXAMYL	38865	WAIVED			
PENTACHLOROPHENOL	39032	WAIVED			
PICLORAM	39720	WAIVED			
POLYCHLORINATED BIPHENYLS, TOTAL, AS DCB	39516	WAIVED	2002/04/24	.000	
SIMAZINE	39055	WAIVED			
THIOBENCARB	A-001	WAIVED			
TOXAPHENE	39400	WAIVED	2002/04/24	.000	
REGULATED VOC					
1,1,1-TRICHLOROETHANE	34506	WAIVED	2002/04/24	.000	
1,1,2,2-TETRACHLOROETHANE	34516	WAIVED	2002/04/24	.000	
1,1,2-TRICHLORO-1,2,2-TRIFLUOROETHANE	81611	WAIVED	2002/04/24	.000	
1,1,2-TRICHLOROETHANE	34511	WAIVED	2002/04/24	.000	
1,1-DICHLOROETHANE	34496	WAIVED	2002/04/24	.000	
1,1-DICHLOROETHYLENE	34501	WAIVED	2002/04/24	.000	
1,2,4-TRICHLOROBENZENE	34551	WAIVED	2002/04/24	.000	
1,2-DICHLOROBENZENE	34536	WAIVED	2002/04/24	.000	
1,2-DICHLOROETHANE	34531	WAIVED	2002/04/24	.000	
1,2-DICHLOROPROPANE	34541	WAIVED	2002/04/24	.000	

**Testing interval is in months;*
0 = No data for this constituent and is DUE NOW
999 = Waived testing (not required)
I = Invalid (NOT) valid analyses reported

System Number: 1900794

System Name: ANTELOPE PARK MUTUAL WATER COMPANY

PS Code: 1900794-002

Source Name: WELL 02 STANDBY

Source Number: 002

Source Status: ACTIVE UNTREATED

Water type: GROUNDWATER OR WELL

	STORET NUMBER	TESTING INTERVAL (MONTHS)*	LAST TEST DATE (yyyy/mm/dd)	LAST RESULT REPORTED	NEXT TEST DATE (yyyy/mm)
REGULATED VOC					
1,3-DICHLOROPROPENE (TOTAL)	34561	WAIVED	2002/04/24	.000	
1,4-DICHLOROBENZENE	34571	WAIVED	2002/04/24	.000	
BENZENE	34030	WAIVED	2002/04/24	.000	
CARBON TETRACHLORIDE	32102	WAIVED	2002/04/24	.000	
CIS-1,2-DICHLOROETHYLENE	77093	WAIVED	2002/04/24	.000	
DICHLOROMETHANE	34423	WAIVED	2002/04/24	.000	
ETHYLBENZENE	34371	WAIVED	2002/04/24	.000	
METHYL-TERT-BUTYL-ETHER (MTBE)	46491	WAIVED	2002/04/24	.000	
MONOCHLOROBENZENE	34301	WAIVED	2002/04/24	.000	
STYRENE	77128	WAIVED	2002/04/24	.000	
TETRACHLOROETHYLENE	34475	WAIVED	2002/04/24	.000	
TOLUENE	34010	WAIVED	2002/04/24	.000	
TRANS-1,2-DICHLOROETHYLENE	34546	WAIVED	2002/04/24	.000	
TRICHLOROETHYLENE	39180	WAIVED	2002/04/24	.000	
TRICHLOROFLUOROMETHANE	34488	WAIVED	2002/04/24	.000	
VINYL CHLORIDE	39175	WAIVED	2002/04/24	.000	
XYLENES (TOTAL)	81551	WAIVED	2002/04/24	.000	
SECONDARY/GP					
AGGRSSIVE INDEX (CORROSIVITY)	82383	WAIVED	2007/11/13	12.000	
BICARBONATE ALKALINITY	00440	WAIVED	2007/11/13	120.000	
CALCIUM	00916	WAIVED	2007/11/13	23.000	
CARBONATE ALKALINITY	00445	WAIVED	2007/11/13	< 1.000	
CHLORIDE	00940	WAIVED	2007/11/13	14.000	
COLOR	00081	WAIVED	2007/11/13	< 1.000	
COPPER	01042	WAIVED	2007/11/13	.000	
FOAMING AGENTS (MBAS)	38260	WAIVED	2007/11/13	< .050	
HARDNESS (TOTAL) AS CACO3	00900	WAIVED	2007/11/13	79.000	
HYDROXIDE ALKALINITY	71830	WAIVED	2007/11/13	< 1.000	
IRON	01045	WAIVED	2007/11/13	.000	

**Testing interval is in months;*
0 = No data for this constituent and is DUE NOW
999 = Waived testing (not required)
I = Invalid (NOT) valid analyses reported

System Number: ***1900794***

System Name: ***ANTELOPE PARK MUTUAL WATER COMPANY***

PS Code: ***1900794-002***

Source Name: ***WELL 02 STANDBY***

Source Number: ***002***

Source Status: ***ACTIVE UNTREATED***

Water type: ***GROUNDWATER OR WELL***

SECONDARY/GP

	STORET NUMBER	TESTING INTERVAL (MONTHS)*	LAST TEST DATE (yyyy/mm/dd)	LAST RESULT REPORTED	NEXT TEST DATE (yyyy/mm)
MAGNESIUM	00927	WAIVED	2007/11/13	5.300	
MANGANESE	01055	WAIVED	2007/11/13	.000	
ODOR THRESHOLD @ 60 C	00086	WAIVED	2007/11/13	1.000	
PH, LABORATORY	00403	WAIVED	2007/11/13	8.100	
SILVER	01077	WAIVED	2007/11/13	.000	
SODIUM	00929	WAIVED	2007/11/13	29.000	
SPECIFIC CONDUCTANCE	00095	WAIVED	2008/09/30	250.000	
SULFATE	00945	WAIVED	2007/11/13	19.000	
TOTAL DISSOLVED SOLIDS	70300	WAIVED	2007/11/13	180.000	
TURBIDITY, LABORATORY	82079	WAIVED	2007/11/13	.410	
ZINC	01092	WAIVED	2007/11/13	56.000	

PS Code: ***1900794-003***

Source Name: ***WELL 03***

Source Number: ***003***

Source Status: ***ACTIVE UNTREATED***

Water type: ***GROUNDWATER OR WELL***

GENERAL NON CHAP 15

DIAZINON	39570	WAIVED			

INORGANIC

ALUMINUM	01105	WAIVED	2011/03/22	< .000	
ANTIMONY	01097	WAIVED	2011/03/22	< .000	
ARSENIC	01002	WAIVED	2011/03/22	< .000	
ASBESTOS	81855	WAIVED	2011/03/22	.000	
BARIUM	01007	WAIVED	2011/03/22	< .000	
BERYLLIUM	01012	WAIVED	2011/03/22	< .000	
CADMIUM	01027	WAIVED	2011/03/22	< .000	
CHROMIUM (TOTAL)	01034	WAIVED	2011/03/22	11.000	
CYANIDE	01291	WAIVED	2011/03/22	< .000	

**Testing interval is in months;*
0 = No data for this constituent and is DUE NOW
999 = Waived testing (not required)
I = Invalid (NOT) valid analyses reported

System Number: ***1900794***

System Name: ***ANTELOPE PARK MUTUAL WATER COMPANY***

PS Code: ***1900794-003***

Source Name: ***WELL 03***

Source Number: ***003***

Source Status: ***ACTIVE UNTREATED***

Water type: ***GROUNDWATER OR WELL***

	STORET NUMBER	TESTING INTERVAL (MONTHS)*	LAST TEST DATE (yyyy/mm/dd)	LAST RESULT REPORTED	NEXT TEST DATE (yyyy/mm)
INORGANIC					
FLUORIDE (F) (NATURAL-SOURCE)	00951	WAIVED	2011/03/22	.380	
LEAD	01051	WAIVED	2011/03/22	8.100	
MERCURY	71900	WAIVED	2011/03/22	< .000	
NICKEL	01067	WAIVED	2011/03/22	< .000	
PERCHLORATE	A-031	WAIVED	2011/10/18	< .000	
SELENIUM	01147	WAIVED	2011/03/22	< .000	
THALLIUM	01059	WAIVED	2011/03/22	< .000	
NITRATE/NITRITE					
NITRATE (AS NO3)	71850	WAIVED	2011/03/22	< .000	
NITRITE (AS N)	00620	WAIVED	2011/03/22	< .000	
RADIOLOGICAL					
GROSS ALPHA	01501	WAIVED			
GROSS BETA	03501	WAIVED			
RA-226 FOR CWS OR TOTAL RA FOR NTNC BY 903.0	A-080	WAIVED			
RA-226 OR TOTAL RA BY 903.0 C.E.	A-081	WAIVED			
RADIUM 226	09501	WAIVED			
RADIUM 228	11501	WAIVED			
RADIUM, TOTAL, MDA95-NTNC ONLY, BY 903.0	A-082	WAIVED			
STRONTIUM-90	13501	WAIVED			
TRITIUM	07000	WAIVED			
URANIUM (PCI/L)	28012	WAIVED			
REGULATED SOC					
2,3,7,8-TCDD (DIOXIN)	34676	WAIVED			
2,4,5-TP (SILVEX)	39045	WAIVED			
2,4-D	39730	WAIVED			
ALACHLOR	77825	WAIVED	2002/04/24	.000	
ATRAZINE	39033	WAIVED			
BENTAZON	38710	WAIVED			

**Testing interval is in months;*
0 = No data for this constituent and is DUE NOW
999 = Waived testing (not required)
I = Invalid (NOT) valid analyses reported

System Number: ***1900794***

System Name: ***ANTELOPE PARK MUTUAL WATER COMPANY***

PS Code: ***1900794-003***

Source Name: ***WELL 03***

Source Number: ***003***

Source Status: ***ACTIVE UNTREATED***

Water type: ***GROUNDWATER OR WELL***

	STORET NUMBER	TESTING INTERVAL (MONTHS)*	LAST TEST DATE (yyyy/mm/dd)	LAST RESULT REPORTED	NEXT TEST DATE (yyyy/mm)
REGULATED SOC					
BENZO (A) PYRENE	34247	WAIVED			
CARBOFURAN	81405	WAIVED			
CHLORDANE	39350	WAIVED	2002/04/24	.000	
DALAPON	38432	WAIVED			
DI(2-ETHYLHEXYL)ADIPATE	A-026	WAIVED			
DI(2-ETHYLHEXYL)PHTHALATE	39100	WAIVED			
DIBROMOCHLOROPROPANE (DBCP)	38761	WAIVED			
DINOSEB	81287	WAIVED			
DIQUAT	78885	WAIVED			
ENDOTHALL	38926	WAIVED			
ENDRIN	39390	WAIVED	2002/04/24	.000	
ETHYLENE DIBROMIDE (EDB)	77651	WAIVED			
GLYPHOSATE	79743	WAIVED			
HEPTACHLOR	39410	WAIVED	2002/04/24	.000	
HEPTACHLOR EPOXIDE	39420	WAIVED	2002/04/24	.000	
HEXACHLOROBENZENE	39700	WAIVED	2002/04/24	.000	
HEXACHLOROCYCLOPENTADIENE	34386	WAIVED	2002/04/24	.000	
LINDANE	39340	WAIVED	2002/04/24	.000	
METHOXYCHLOR	39480	WAIVED	2002/04/24	.000	
MOLINATE	82199	WAIVED			
OXAMYL	38865	WAIVED			
PENTACHLOROPHENOL	39032	WAIVED			
PICLORAM	39720	WAIVED			
POLYCHLORINATED BIPHENYLS, TOTAL, AS DCB	39516	WAIVED	2002/04/24	.000	
SIMAZINE	39055	WAIVED			
THIOBENCARB	A-001	WAIVED			
TOXAPHENE	39400	WAIVED	2002/04/24	.000	
REGULATED VOC					
1,1,1-TRICHLOROETHANE	34506	WAIVED	2002/04/24	.000	

**Testing interval is in months;*
0 = No data for this constituent and is DUE NOW
999 = Waived testing (not required)
I = Invalid (NOT) valid analyses reported

System Number: ***1900794***

System Name: ***ANTELOPE PARK MUTUAL WATER COMPANY***

PS Code: ***1900794-003***

Source Name: ***WELL 03***

Source Number: ***003***

Source Status: ***ACTIVE UNTREATED***

Water type: ***GROUNDWATER OR WELL***

	STORET NUMBER	TESTING INTERVAL (MONTHS)*	LAST TEST DATE (yyyy/mm/dd)	LAST RESULT REPORTED	NEXT TEST DATE (yyyy/mm)
REGULATED VOC					
1,1,2,2-TETRACHLOROETHANE	34516	WAIVED	2002/04/24	.000	
1,1,2-TRICHLORO-1,2,2-TRIFLUOROETHANE	81611	WAIVED	2002/04/24	.000	
1,1,2-TRICHLOROETHANE	34511	WAIVED	2002/04/24	.000	
1,1-DICHLOROETHANE	34496	WAIVED	2002/04/24	.000	
1,1-DICHLOROETHYLENE	34501	WAIVED	2002/04/24	.000	
1,2,4-TRICHLOROBENZENE	34551	WAIVED	2002/04/24	.000	
1,2-DICHLOROBENZENE	34536	WAIVED	2002/04/24	.000	
1,2-DICHLOROETHANE	34531	WAIVED	2002/04/24	.000	
1,2-DICHLOROPROPANE	34541	WAIVED	2002/04/24	.000	
1,3-DICHLOROPROPENE (TOTAL)	34561	WAIVED	2002/04/24	.000	
1,4-DICHLOROBENZENE	34571	WAIVED	2002/04/24	.000	
BENZENE	34030	WAIVED	2002/04/24	.000	
CARBON TETRACHLORIDE	32102	WAIVED	2002/04/24	.000	
CIS-1,2-DICHLOROETHYLENE	77093	WAIVED	2002/04/24	.000	
DICHLOROMETHANE	34423	WAIVED	2002/04/24	.000	
ETHYLBENZENE	34371	WAIVED	2002/04/24	.000	
METHYL-TERT-BUTYL-ETHER (MTBE)	46491	WAIVED	2002/04/24	.000	
MONOCHLOROBENZENE	34301	WAIVED	2002/04/24	.000	
STYRENE	77128	WAIVED	2002/04/24	.000	
TETRACHLOROETHYLENE	34475	WAIVED	2002/04/24	.000	
TOLUENE	34010	WAIVED	2002/04/24	.000	
TRANS-1,2-DICHLOROETHYLENE	34546	WAIVED	2002/04/24	.000	
TRICHLOROETHYLENE	39180	WAIVED	2002/04/24	.000	
TRICHLOROFLUOROMETHANE	34488	WAIVED	2002/04/24	.000	
VINYL CHLORIDE	39175	WAIVED	2002/04/24	.000	
XYLENES (TOTAL)	81551	WAIVED	2002/04/24	.000	
SECONDARY/GP					
AGGRSSIVE INDEX (CORROSIVITY)	82383	WAIVED	2011/03/22	11.000	
BICARBONATE ALKALINITY	00440	WAIVED	2011/03/22	110.000	

**Testing interval is in months;*
0 = No data for this constituent and is DUE NOW
999 = Waived testing (not required)
I = Invalid (NOT) valid analyses reported

System Number: ***1900794***

System Name: ***ANTELOPE PARK MUTUAL WATER COMPANY***

PS Code: ***1900794-003***

Source Name: ***WELL 03***

Source Number: ***003***

Source Status: ***ACTIVE UNTREATED***

Water type: ***GROUNDWATER OR WELL***

SECONDARY/GP

	STORET NUMBER	TESTING INTERVAL (MONTHS)*	LAST TEST DATE (yyyy/mm/dd)	LAST RESULT REPORTED	NEXT TEST DATE (yyyy/mm)
CALCIUM	00916	WAIVED	2011/03/22	15.000	
CARBONATE ALKALINITY	00445	WAIVED	2011/03/22	< .000	
CHLORIDE	00940	WAIVED	2011/03/22	8.000	
COLOR	00081	WAIVED	2011/03/22	< .000	
COPPER	01042	WAIVED	2011/03/22	< .000	
FOAMING AGENTS (MBAS)	38260	WAIVED	2011/03/22	< .000	
HARDNESS (TOTAL) AS CACO3	00900	WAIVED	2011/03/22	49.000	
HYDROXIDE ALKALINITY	71830	WAIVED	2011/03/22	< .000	
IRON	01045	WAIVED	2011/03/22	< .000	
MAGNESIUM	00927	WAIVED	2011/03/22	2.900	
MANGANESE	01055	WAIVED	2011/03/22	< .000	
ODOR THRESHOLD @ 60 C	00086	WAIVED	2011/03/22	< .000	
PH, LABORATORY	00403	WAIVED	2011/03/22	7.900	
SILVER	01077	WAIVED	2011/03/22	< .000	
SODIUM	00929	WAIVED	2011/03/22	39.000	
SPECIFIC CONDUCTANCE	00095	WAIVED	2011/03/22	240.000	
SULFATE	00945	WAIVED	2011/03/22	18.000	
TOTAL DISSOLVED SOLIDS	70300	WAIVED	2011/03/22	170.000	
TURBIDITY, LABORATORY	82079	WAIVED	2011/03/22	.290	
ZINC	01092	WAIVED	2011/03/22	< .000	

PS Code: ***1900794-004***

Source Name: ***MIOX CHLORINATION TREATMENT***

Source Number: ***004***

Source Status: ***ACTIVE TREATED***

Water type: ***GROUNDWATER OR WELL***

GENERAL NON CHAP 15

DIAZINON	39570	WAIVED			

**Testing interval is in months;*
0 = No data for this constituent and is DUE NOW
999 = Waived testing (not required)
I = Invalid (NOT) valid analyses reported

System Number: ***1900794***

System Name: ***ANTELOPE PARK MUTUAL WATER COMPANY***

PS Code: ***1900794-004***

Source Name: ***MIOX CHLORINATION TREATMENT***

Source Number: ***004***

Source Status: ***ACTIVE TREATED***

Water type: ***GROUNDWATER OR WELL***

	STORET NUMBER	TESTING INTERVAL (MONTHS)*	LAST TEST DATE (yyyy/mm/dd)	LAST RESULT REPORTED	NEXT TEST DATE (yyyy/mm)
INORGANIC					
ALUMINUM	01105	WAIVED			
ANTIMONY	01097	WAIVED			
ARSENIC	01002	WAIVED			
ASBESTOS	81855	WAIVED			
BARIUM	01007	WAIVED			
BERYLLIUM	01012	WAIVED			
CADMIUM	01027	WAIVED			
CHROMIUM (TOTAL)	01034	WAIVED			
CYANIDE	01291	WAIVED			
FLUORIDE (F) (NATURAL-SOURCE)	00951	WAIVED			
LEAD	01051	WAIVED			
MERCURY	71900	WAIVED			
NICKEL	01067	WAIVED			
PERCHLORATE	A-031	WAIVED			
SELENIUM	01147	WAIVED			
THALLIUM	01059	WAIVED			
NITRATE/NITRITE					
NITRATE (AS NO3)	71850	WAIVED			
NITRITE (AS N)	00620	WAIVED			
RADIOLOGICAL					
GROSS ALPHA	01501	WAIVED			
GROSS BETA	03501	WAIVED			
RA-226 FOR CWS OR TOTAL RA FOR NTNC BY 903.0	A-080	WAIVED			
RA-226 OR TOTAL RA BY 903.0 C.E.	A-081	WAIVED			
RADIUM 226	09501	WAIVED			
RADIUM 228	11501	WAIVED			
RADIUM, TOTAL, MDA95-NTNC ONLY, BY 903.0	A-082	WAIVED			
STRONTIUM-90	13501	WAIVED			
TRITIUM	07000	WAIVED			

**Testing interval is in months;*
0 = No data for this constituent and is DUE NOW
999 = Waived testing (not required)
I = Invalid (NOT) valid analyses reported

System Number: ***1900794***

System Name: ***ANTELOPE PARK MUTUAL WATER COMPANY***

PS Code: ***1900794-004***

Source Name: ***MIOX CHLORINATION TREATMENT***

Source Number: ***004***

Source Status: ***ACTIVE TREATED***

Water type: ***GROUNDWATER OR WELL***

	STORET NUMBER	TESTING INTERVAL (MONTHS)*	LAST TEST DATE (yyyy/mm/dd)	LAST RESULT REPORTED	NEXT TEST DATE (yyyy/mm)
RADIOLOGICAL					
URANIUM (PCI/L)	28012	WAIVED			
REGULATED SOC					
2,3,7,8-TCDD (DIOXIN)	34676	WAIVED			
2,4,5-TP (SILVEX)	39045	WAIVED			
2,4-D	39730	WAIVED			
ALACHLOR	77825	WAIVED			
ATRAZINE	39033	WAIVED			
BENTAZON	38710	WAIVED			
BENZO (A) PYRENE	34247	WAIVED			
CARBOFURAN	81405	WAIVED			
CHLORDANE	39350	WAIVED			
DALAPON	38432	WAIVED			
DI(2-ETHYLHEXYL)ADIPATE	A-026	WAIVED			
DI(2-ETHYLHEXYL)PHTHALATE	39100	WAIVED			
DIBROMOCHLOROPROPANE (DBCP)	38761	WAIVED			
DINOSEB	81287	WAIVED			
DIQUAT	78885	WAIVED			
ENDOTHALL	38926	WAIVED			
ENDRIN	39390	WAIVED			
ETHYLENE DIBROMIDE (EDB)	77651	WAIVED			
GLYPHOSATE	79743	WAIVED			
HEPTACHLOR	39410	WAIVED			
HEPTACHLOR EPOXIDE	39420	WAIVED			
HEXACHLOROBENZENE	39700	WAIVED			
HEXACHLOROCYCLOPENTADIENE	34386	WAIVED			
LINDANE	39340	WAIVED			
METHOXYCHLOR	39480	WAIVED			
MOLINATE	82199	WAIVED			
OXAMYL	38865	WAIVED			

**Testing interval is in months;*
0 = No data for this constituent and is DUE NOW
999 = Waived testing (not required)
I = Invalid (NOT) valid analyses reported

System Number: ***1900794***

System Name: ***ANTELOPE PARK MUTUAL WATER COMPANY***

PS Code: ***1900794-004***

Source Name: ***MIOX CHLORINATION TREATMENT***

Source Number: ***004***

Source Status: ***ACTIVE TREATED***

Water type: ***GROUNDWATER OR WELL***

	STORET NUMBER	TESTING INTERVAL (MONTHS)*	LAST TEST DATE (yyyy/mm/dd)	LAST RESULT REPORTED	NEXT TEST DATE (yyyy/mm)
REGULATED SOC					
PENTACHLOROPHENOL	39032	WAIVED			
PICLORAM	39720	WAIVED			
POLYCHLORINATED BIPHENYLS, TOTAL, AS DCB	39516	WAIVED			
SIMAZINE	39055	WAIVED			
THIOBENCARB	A-001	WAIVED			
TOXAPHENE	39400	WAIVED			
REGULATED VOC					
1,1,1-TRICHLOROETHANE	34506	WAIVED			
1,1,2,2-TETRACHLOROETHANE	34516	WAIVED			
1,1,2-TRICHLORO-1,2,2-TRIFLUOROETHANE	81611	WAIVED			
1,1,2-TRICHLOROETHANE	34511	WAIVED			
1,1-DICHLOROETHANE	34496	WAIVED			
1,1-DICHLOROETHYLENE	34501	WAIVED			
1,2,4-TRICHLOROBENZENE	34551	WAIVED			
1,2-DICHLOROBENZENE	34536	WAIVED			
1,2-DICHLOROETHANE	34531	WAIVED			
1,2-DICHLOROPROPANE	34541	WAIVED			
1,3-DICHLOROPROPENE (TOTAL)	34561	WAIVED			
1,4-DICHLOROBENZENE	34571	WAIVED			
BENZENE	34030	WAIVED			
CARBON TETRACHLORIDE	32102	WAIVED			
CIS-1,2-DICHLOROETHYLENE	77093	WAIVED			
DICHLOROMETHANE	34423	WAIVED			
ETHYLBENZENE	34371	WAIVED			
METHYL-TERT-BUTYL-ETHER (MTBE)	46491	WAIVED			
MONOCHLOROBENZENE	34301	WAIVED			
STYRENE	77128	WAIVED			
TETRACHLOROETHYLENE	34475	WAIVED			
TOLUENE	34010	WAIVED			

**Testing interval is in months;*
0 = No data for this constituent and is DUE NOW
999 = Waived testing (not required)
I = Invalid (NOT) valid analyses reported

System Number: ***1900794***

System Name: ***ANTELOPE PARK MUTUAL WATER COMPANY***

PS Code: ***1900794-004***

Source Name: ***MIOX CHLORINATION TREATMENT***

Source Number: ***004***

Source Status: ***ACTIVE TREATED***

Water type: ***GROUNDWATER OR WELL***

	STORET NUMBER	TESTING INTERVAL (MONTHS)*	LAST TEST DATE (yyyy/mm/dd)	LAST RESULT REPORTED	NEXT TEST DATE (yyyy/mm)
REGULATED VOC					
TRANS-1,2-DICHLOROETHYLENE	34546	WAIVED			
TRICHLOROETHYLENE	39180	WAIVED			
TRICHLOROFLUOROMETHANE	34488	WAIVED			
VINYL CHLORIDE	39175	WAIVED			
XYLENES (TOTAL)	81551	WAIVED			
SECONDARY/GP					
AGGRSSIVE INDEX (CORROSIVITY)	82383	WAIVED			
BICARBONATE ALKALINITY	00440	WAIVED			
CALCIUM	00916	WAIVED			
CARBONATE ALKALINITY	00445	WAIVED			
CHLORIDE	00940	WAIVED			
COLOR	00081	WAIVED			
COPPER	01042	WAIVED			
FOAMING AGENTS (MBAS)	38260	WAIVED			
HARDNESS (TOTAL) AS CACO3	00900	WAIVED			
HYDROXIDE ALKALINITY	71830	WAIVED			
IRON	01045	WAIVED			
MAGNESIUM	00927	WAIVED			
MANGANESE	01055	WAIVED			
ODOR THRESHOLD @ 60 C	00086	WAIVED			
PH, LABORATORY	00403	WAIVED			
SILVER	01077	WAIVED			
SODIUM	00929	WAIVED			
SPECIFIC CONDUCTANCE	00095	WAIVED			
SULFATE	00945	WAIVED			
TOTAL DISSOLVED SOLIDS	70300	WAIVED			
TURBIDITY, LABORATORY	82079	WAIVED			
ZINC	01092	WAIVED			

**Testing interval is in months;*
0 = No data for this constituent and is DUE NOW
999 = Waived testing (not required)
I = Invalid (NOT) valid analyses reported

System Number: ***1900801***

System Name: ***COLORADO MUTUAL***

PS Code: ***1900801-001***

Source Name: ***WELL 01 STANDBY***

Source Number: ***001***

Source Status: ***STANDBY UNTREATED***

Water type: ***GROUNDWATER OR WELL***

	STORET NUMBER	TESTING INTERVAL (MONTHS)*	LAST TEST DATE (yyyy/mm/dd)	LAST RESULT REPORTED	NEXT TEST DATE (yyyy/mm)
GENERAL NON CHAP 15					
DIAZINON	39570	WAIVED			
INORGANIC					
ALUMINUM	01105	WAIVED	2001/12/14	.000	
ANTIMONY	01097	WAIVED	2001/12/14	.000	
ARSENIC	01002	WAIVED	2001/12/14	.000	
ASBESTOS	81855	WAIVED			
BARIUM	01007	WAIVED	2001/12/14	.000	
BERYLLIUM	01012	WAIVED			
CADMIUM	01027	WAIVED	2001/12/14	.000	
CHROMIUM (TOTAL)	01034	WAIVED	2002/04/17	.000	
CYANIDE	01291	WAIVED			
FLUORIDE (F) (NATURAL-SOURCE)	00951	WAIVED	2001/12/14	.130	
LEAD	01051	WAIVED	2001/12/14	.000	
MERCURY	71900	WAIVED	2001/12/14	.000	
NICKEL	01067	WAIVED	2001/12/14	.000	
PERCHLORATE	A-031	WAIVED	2001/12/14	.000	
SELENIUM	01147	WAIVED	2001/12/14	15.600	
THALLIUM	01059	WAIVED			
NITRATE/NITRITE					
NITRATE (AS NO3)	71850	WAIVED	2011/12/20	7.000	
NITRITE (AS N)	00620	WAIVED			
RADIOLOGICAL					
GROSS ALPHA	01501	WAIVED			
GROSS BETA	03501	WAIVED			
RA-226 FOR CWS OR TOTAL RA FOR NTNC BY 903.0	A-080	WAIVED			
RA-226 OR TOTAL RA BY 903.0 C.E.	A-081	WAIVED			
RADIUM 226	09501	WAIVED			
RADIUM 228	11501	WAIVED			

**Testing interval is in months;*
0 = No data for this constituent and is DUE NOW
999 = Waived testing (not required)
I = Invalid (NOT) valid analyses reported

System Number: ***1900801***

System Name: ***COLORADO MUTUAL***

PS Code: ***1900801-001***

Source Name: ***WELL 01 STANDBY***

Source Number: ***001***

Source Status: ***STANDBY UNTREATED***

Water type: ***GROUNDWATER OR WELL***

	STORET NUMBER	TESTING INTERVAL (MONTHS)*	LAST TEST DATE (yyyy/mm/dd)	LAST RESULT REPORTED	NEXT TEST DATE (yyyy/mm)
RADIOLOGICAL					
RADIUM, TOTAL, MDA95-NTNC ONLY, BY 903.0	A-082	WAIVED			
STRONTIUM-90	13501	WAIVED			
TRITIUM	07000	WAIVED			
URANIUM (PCI/L)	28012	WAIVED			
REGULATED SOC					
2,3,7,8-TCDD (DIOXIN)	34676	WAIVED			
2,4,5-TP (SILVEX)	39045	WAIVED			
2,4-D	39730	WAIVED			
ALACHLOR	77825	WAIVED	1999/05/18	.000	
ATRAZINE	39033	WAIVED			
BENTAZON	38710	WAIVED			
BENZO (A) PYRENE	34247	WAIVED			
CARBOFURAN	81405	WAIVED			
CHLORDANE	39350	WAIVED	1999/05/18	.000	
DALAPON	38432	WAIVED			
DI(2-ETHYLHEXYL)ADIPATE	A-026	WAIVED			
DI(2-ETHYLHEXYL)PHTHALATE	39100	WAIVED			
DIBROMOCHLOROPROPANE (DBCP)	38761	WAIVED			
DINOSEB	81287	WAIVED			
DIQUAT	78885	WAIVED			
ENDOTHALL	38926	WAIVED			
ENDRIN	39390	WAIVED	1999/05/18	.000	
ETHYLENE DIBROMIDE (EDB)	77651	WAIVED			
GLYPHOSATE	79743	WAIVED			
HEPTACHLOR	39410	WAIVED	1999/05/18	.000	
HEPTACHLOR EPOXIDE	39420	WAIVED	1999/05/18	.000	
HEXACHLOROBENZENE	39700	WAIVED	1999/05/18	.000	
HEXACHLOROCYCLOPENTADIENE	34386	WAIVED	1999/05/18	.000	
LINDANE	39340	WAIVED	1999/05/18	.000	

**Testing interval is in months;*
0 = No data for this constituent and is DUE NOW
999 = Waived testing (not required)
I = Invalid (NOT) valid analyses reported

System Number: ***1900801***

System Name: ***COLORADO MUTUAL***

PS Code: ***1900801-001***

Source Name: ***WELL 01 STANDBY***

Source Number: ***001***

Source Status: ***STANDBY UNTREATED***

Water type: ***GROUNDWATER OR WELL***

	STORET NUMBER	TESTING INTERVAL (MONTHS)*	LAST TEST DATE (yyyy/mm/dd)	LAST RESULT REPORTED	NEXT TEST DATE (yyyy/mm)
REGULATED SOC					
METHOXYCHLOR	39480	WAIVED	1999/05/18	.000	
MOLINATE	82199	WAIVED			
OXAMYL	38865	WAIVED			
PENTACHLOROPHENOL	39032	WAIVED			
PICLORAM	39720	WAIVED			
POLYCHLORINATED BIPHENYLS, TOTAL, AS DCB	39516	WAIVED	1999/05/18	.000	
SIMAZINE	39055	WAIVED			
THIOBENCARB	A-001	WAIVED			
TOXAPHENE	39400	WAIVED	1999/05/18	.000	
REGULATED VOC					
1,1,1-TRICHLOROETHANE	34506	WAIVED	2002/04/17	.000	
1,1,2,2-TETRACHLOROETHANE	34516	WAIVED	2002/04/17	.000	
1,1,2-TRICHLORO-1,2,2-TRIFLUOROETHANE	81611	WAIVED	2002/04/17	.000	
1,1,2-TRICHLOROETHANE	34511	WAIVED	2002/04/17	.000	
1,1-DICHLOROETHANE	34496	WAIVED	2002/04/17	.000	
1,1-DICHLOROETHYLENE	34501	WAIVED	2002/04/17	.000	
1,2,4-TRICHLOROBENZENE	34551	WAIVED	2002/04/17	.000	
1,2-DICHLOROBENZENE	34536	WAIVED	2002/04/17	.000	
1,2-DICHLOROETHANE	34531	WAIVED	2002/04/17	.000	
1,2-DICHLOROPROPANE	34541	WAIVED	2002/04/17	.000	
1,3-DICHLOROPROPENE (TOTAL)	34561	WAIVED	2002/04/17	.000	
1,4-DICHLOROBENZENE	34571	WAIVED	2002/04/17	.000	
BENZENE	34030	WAIVED	2002/04/17	.000	
CARBON TETRACHLORIDE	32102	WAIVED	2002/04/17	.000	
CIS-1,2-DICHLOROETHYLENE	77093	WAIVED	2002/04/17	.000	
DICHLOROMETHANE	34423	WAIVED	2002/04/17	.000	
ETHYLBENZENE	34371	WAIVED	2002/04/17	.000	
METHYL-TERT-BUTYL-ETHER (MTBE)	46491	WAIVED	2002/04/17	.000	
MONOCHLOROBENZENE	34301	WAIVED	2002/04/17	.000	

**Testing interval is in months;*
0 = No data for this constituent and is DUE NOW
999 = Waived testing (not required)
I = Invalid (NOT) valid analyses reported

System Number: ***1900801***

System Name: ***COLORADO MUTUAL***

PS Code: ***1900801-001***

Source Name: ***WELL 01 STANDBY***

Source Number: ***001***

Source Status: ***STANDBY UNTREATED***

Water type: ***GROUNDWATER OR WELL***

	STORET NUMBER	TESTING INTERVAL (MONTHS)*	LAST TEST DATE (yyyy/mm/dd)	LAST RESULT REPORTED	NEXT TEST DATE (yyyy/mm)
REGULATED VOC					
STYRENE	77128	WAIVED	2002/04/17	.000	
TETRACHLOROETHYLENE	34475	WAIVED	2002/04/17	.000	
TOLUENE	34010	WAIVED	2002/04/17	.000	
TRANS-1,2-DICHLOROETHYLENE	34546	WAIVED	2002/04/17	.000	
TRICHLOROETHYLENE	39180	WAIVED	2002/04/17	.000	
TRICHLOROFLUOROMETHANE	34488	WAIVED	2002/04/17	.000	
VINYL CHLORIDE	39175	WAIVED	2002/04/17	.000	
XYLENES (TOTAL)	81551	WAIVED	2002/04/17	.000	
SECONDARY/GP					
AGGRSSIVE INDEX (CORROSIVITY)	82383	WAIVED			
BICARBONATE ALKALINITY	00440	WAIVED	2001/12/14	136.000	
CALCIUM	00916	WAIVED	2001/12/14	120.000	
CARBONATE ALKALINITY	00445	WAIVED	2001/12/14	.000	
CHLORIDE	00940	WAIVED	2001/12/14	55.300	
COLOR	00081	WAIVED	2001/12/14	5.000	
COPPER	01042	WAIVED	2001/12/14	.000	
FOAMING AGENTS (MBAS)	38260	WAIVED	2001/12/14	.000	
HARDNESS (TOTAL) AS CACO3	00900	WAIVED	2001/12/14	380.000	
HYDROXIDE ALKALINITY	71830	WAIVED	2001/12/14	.000	
IRON	01045	WAIVED	2001/12/14	.000	
MAGNESIUM	00927	WAIVED	2001/12/14	19.500	
MANGANESE	01055	WAIVED	2001/12/14	.000	
ODOR THRESHOLD @ 60 C	00086	WAIVED	2001/12/14	.000	
PH, LABORATORY	00403	WAIVED	2001/12/14	7.610	
SILVER	01077	WAIVED	2001/12/14	.000	
SODIUM	00929	WAIVED	2001/12/14	22.300	
SPECIFIC CONDUCTANCE	00095	WAIVED	2001/12/14	870.000	
SULFATE	00945	WAIVED	2001/12/14	220.000	
TOTAL DISSOLVED SOLIDS	70300	WAIVED	2001/12/14	570.000	

**Testing interval is in months;*
0 = No data for this constituent and is DUE NOW
999 = Waived testing (not required)
I = Invalid (NOT) valid analyses reported

System Number: ***1900801***

System Name: ***COLORADO MUTUAL***

PS Code: ***1900801-001***

Source Name: ***WELL 01 STANDBY***

Source Number: ***001***

Source Status: ***STANDBY UNTREATED***

Water type: ***GROUNDWATER OR WELL***

	STORET NUMBER	TESTING INTERVAL (MONTHS)*	LAST TEST DATE (yyyy/mm/dd)	LAST RESULT REPORTED	NEXT TEST DATE (yyyy/mm)
SECONDARY/GP					
TURBIDITY, LABORATORY	82079	WAIVED	2001/12/14	9.000	
ZINC	01092	WAIVED	2001/12/14	76.200	

PS Code: ***1900801-002***

Source Name: ***WELL 02***

Source Number: ***002***

Source Status: ***ACTIVE UNTREATED***

Water type: ***GROUNDWATER OR WELL***

GENERAL NON CHAP 15					
DIAZINON	39570	WAIVED			
INORGANIC					
ALUMINUM	01105	WAIVED	2010/04/27	< .000	
ANTIMONY	01097	WAIVED	2010/04/27	< .000	
ARSENIC	01002	WAIVED	2010/04/27	< .000	
ASBESTOS	81855	WAIVED	2010/04/27	.000	
BARIUM	01007	WAIVED	2010/04/27	< .000	
BERYLLIUM	01012	WAIVED	2010/04/27	< .000	
CADMIUM	01027	WAIVED	2010/04/27	< .000	
CHROMIUM (TOTAL)	01034	WAIVED	2010/04/27	< .000	
CYANIDE	01291	WAIVED	2010/04/27	< .000	
FLUORIDE (F) (NATURAL-SOURCE)	00951	WAIVED	2010/04/27	.240	
LEAD	01051	WAIVED	2010/04/27	< .000	
MERCURY	71900	WAIVED	2010/04/27	< .000	
NICKEL	01067	WAIVED	2010/04/27	< .000	
PERCHLORATE	A-031	WAIVED	2010/04/27	< .000	
SELENIUM	01147	WAIVED	2010/04/27	< .000	
THALLIUM	01059	WAIVED	2010/04/27	< .000	

**Testing interval is in months;*
0 = No data for this constituent and is DUE NOW
999 = Waived testing (not required)
I = Invalid (NOT) valid analyses reported

System Number: ***1900801***

System Name: ***COLORADO MUTUAL***

PS Code: ***1900801-002***

Source Name: ***WELL 02***

Source Number: ***002***

Source Status: ***ACTIVE UNTREATED***

Water type: ***GROUNDWATER OR WELL***

	STORET NUMBER	TESTING INTERVAL (MONTHS)*	LAST TEST DATE (yyyy/mm/dd)	LAST RESULT REPORTED	NEXT TEST DATE (yyyy/mm)
NITRATE/NITRITE					
NITRATE (AS NO3)	71850	WAIVED	2011/11/15	4.000	
NITRITE (AS N)	00620	WAIVED	2010/04/27	< .000	
RADIOLOGICAL					
GROSS ALPHA	01501	WAIVED	2010/04/27	< .000	
GROSS BETA	03501	WAIVED	2007/12/26	.000	
RA-226 FOR CWS OR TOTAL RA FOR NTNC BY 903.0	A-080	WAIVED	2008/04/29	.240	
RA-226 OR TOTAL RA BY 903.0 C.E.	A-081	WAIVED	2008/04/29	.280	
RADIUM 226	09501	WAIVED	2008/12/09	.098	
RADIUM 228	11501	WAIVED	2008/12/09	.033	
RADIUM, TOTAL, MDA95-NTNC ONLY, BY 903.0	A-082	WAIVED	2008/04/29	.460	
STRONTIUM-90	13501	WAIVED			
TRITIUM	07000	WAIVED			
URANIUM (PCI/L)	28012	WAIVED	2007/12/26	3.300	
REGULATED SOC					
2,3,7,8-TCDD (DIOXIN)	34676	WAIVED	2010/04/27	.000	
2,4,5-TP (SILVEX)	39045	WAIVED	2010/04/27	< .000	
2,4-D	39730	WAIVED	2010/04/27	< .000	
ALACHLOR	77825	WAIVED	2010/04/27	< .000	
ATRAZINE	39033	WAIVED	2010/04/27	< .000	
BENTAZON	38710	WAIVED	2010/04/27	< .000	
BENZO (A) PYRENE	34247	WAIVED	2010/04/27	< .000	
CARBOFURAN	81405	WAIVED	2010/04/27	< .000	
CHLORDANE	39350	WAIVED	2010/04/27	< .000	
DALAPON	38432	WAIVED	2010/04/27	< .000	
DI(2-ETHYLHEXYL)ADIPATE	A-026	WAIVED	2010/04/27	< .000	
DI(2-ETHYLHEXYL)PHTHALATE	39100	WAIVED	2010/04/27	< .000	
DIBROMOCHLOROPROPANE (DBCP)	38761	WAIVED	2010/04/27	< .000	
DINOSEB	81287	WAIVED	2010/04/27	< .000	
DIQUAT	78885	WAIVED	2010/04/27	< .000	

**Testing interval is in months;*
0 = No data for this constituent and is DUE NOW
999 = Waived testing (not required)
I = Invalid (NOT) valid analyses reported

System Number: ***1900801***

System Name: ***COLORADO MUTUAL***

PS Code: ***1900801-002***

Source Name: ***WELL 02***

Source Number: ***002***

Source Status: ***ACTIVE UNTREATED***

Water type: ***GROUNDWATER OR WELL***

	STORET NUMBER	TESTING INTERVAL (MONTHS)*	LAST TEST DATE (yyyy/mm/dd)	LAST RESULT REPORTED	NEXT TEST DATE (yyyy/mm)
REGULATED SOC					
ENDOTHALL	38926	WAIVED	2010/04/27	< .000	
ENDRIN	39390	WAIVED	2010/04/27	< .000	
ETHYLENE DIBROMIDE (EDB)	77651	WAIVED	2010/04/27	< .000	
GLYPHOSATE	79743	WAIVED	2010/04/27	< .000	
HEPTACHLOR	39410	WAIVED	2010/04/27	< .000	
HEPTACHLOR EPOXIDE	39420	WAIVED	2010/04/27	< .000	
HEXACHLOROBENZENE	39700	WAIVED	2010/04/27	< .000	
HEXACHLOROCYCLOPENTADIENE	34386	WAIVED	2010/04/27	< .000	
LINDANE	39340	WAIVED	2010/04/27	< .000	
METHOXYCHLOR	39480	WAIVED	2010/04/27	< .000	
MOLINATE	82199	WAIVED	2010/04/27	< .000	
OXAMYL	38865	WAIVED	2010/04/27	< .000	
PENTACHLOROPHENOL	39032	WAIVED	2010/04/27	< .000	
PICLORAM	39720	WAIVED	2010/04/27	< .000	
POLYCHLORINATED BIPHENYLS, TOTAL, AS DCB	39516	WAIVED	2010/04/27	< .000	
SIMAZINE	39055	WAIVED	2010/04/27	< .000	
THIOBENCARB	A-001	WAIVED	2010/04/27	< .000	
TOXAPHENE	39400	WAIVED	2010/04/27	< .000	
REGULATED VOC					
1,1,1-TRICHLOROETHANE	34506	WAIVED	2010/04/27	< .000	
1,1,2,2-TETRACHLOROETHANE	34516	WAIVED	2010/04/27	< .000	
1,1,2-TRICHLORO-1,2,2-TRIFLUOROETHANE	81611	WAIVED	2010/04/27	< .000	
1,1,2-TRICHLOROETHANE	34511	WAIVED	2010/04/27	< .000	
1,1-DICHLOROETHANE	34496	WAIVED	2010/04/27	< .000	
1,1-DICHLOROETHYLENE	34501	WAIVED	2010/04/27	< .000	
1,2,4-TRICHLOROBENZENE	34551	WAIVED	2010/04/27	< .000	
1,2-DICHLOROBENZENE	34536	WAIVED	2010/04/27	< .000	
1,2-DICHLOROETHANE	34531	WAIVED	2010/04/27	< .000	
1,2-DICHLOROPROPANE	34541	WAIVED	2010/04/27	< .000	

**Testing interval is in months;*
0 = No data for this constituent and is DUE NOW
999 = Waived testing (not required)
I = Invalid (NOT) valid analyses reported

System Number: ***1900801***

System Name: ***COLORADO MUTUAL***

PS Code: ***1900801-002***

Source Name: ***WELL 02***

Source Number: ***002***

Source Status: ***ACTIVE UNTREATED***

Water type: ***GROUNDWATER OR WELL***

	STORET NUMBER	TESTING INTERVAL (MONTHS)*	LAST TEST DATE (yyyy/mm/dd)	LAST RESULT REPORTED	NEXT TEST DATE (yyyy/mm)
REGULATED VOC					
1,3-DICHLOROPROPENE (TOTAL)	34561	WAIVED	2010/04/27	< .000	
1,4-DICHLOROBENZENE	34571	WAIVED	2010/04/27	< .000	
BENZENE	34030	WAIVED	2010/04/27	< .000	
CARBON TETRACHLORIDE	32102	WAIVED	2010/04/27	< .000	
CIS-1,2-DICHLOROETHYLENE	77093	WAIVED	2010/04/27	< .000	
DICHLOROMETHANE	34423	WAIVED	2010/04/27	< .000	
ETHYLBENZENE	34371	WAIVED	2010/04/27	< .000	
METHYL-TERT-BUTYL-ETHER (MTBE)	46491	WAIVED	2010/04/27	< .000	
MONOCHLOROBENZENE	34301	WAIVED	2010/04/27	< .000	
STYRENE	77128	WAIVED	2010/04/27	< .000	
TETRACHLOROETHYLENE	34475	WAIVED	2010/04/27	< .000	
TOLUENE	34010	WAIVED	2010/04/27	< .000	
TRANS-1,2-DICHLOROETHYLENE	34546	WAIVED	2010/04/27	< .000	
TRICHLOROETHYLENE	39180	WAIVED	2010/04/27	< .000	
TRICHLOROFLUOROMETHANE	34488	WAIVED	2010/04/27	< .000	
VINYL CHLORIDE	39175	WAIVED	2010/04/27	< .000	
XYLENES (TOTAL)	81551	WAIVED	2010/04/27	< .000	
SECONDARY/GP					
AGGRSSIVE INDEX (CORROSIVITY)	82383	WAIVED	2010/04/27	12.160	
BICARBONATE ALKALINITY	00440	WAIVED	2010/04/27	180.000	
CALCIUM	00916	WAIVED	2010/04/27	80.000	
CARBONATE ALKALINITY	00445	WAIVED	2010/04/27	< .000	
CHLORIDE	00940	WAIVED	2010/04/27	28.000	
COLOR	00081	WAIVED	2010/04/27	< .000	
COPPER	01042	WAIVED	2010/04/27	< .000	
FOAMING AGENTS (MBAS)	38260	WAIVED	2010/04/27	< .000	
HARDNESS (TOTAL) AS CACO3	00900	WAIVED	2010/04/27	260.000	
HYDROXIDE ALKALINITY	71830	WAIVED	2010/04/27	< .000	
IRON	01045	WAIVED	2010/04/27	< .000	

**Testing interval is in months;*
0 = No data for this constituent and is DUE NOW
999 = Waived testing (not required)
I = Invalid (NOT) valid analyses reported

System Number: ***1900801***

System Name: ***COLORADO MUTUAL***

PS Code: ***1900801-002***

Source Name: ***WELL 02***

Source Number: ***002***

Source Status: ***ACTIVE UNTREATED***

Water type: ***GROUNDWATER OR WELL***

SECONDARY/GP

	STORET NUMBER	TESTING INTERVAL (MONTHS)*	LAST TEST DATE (yyyy/mm/dd)	LAST RESULT REPORTED	NEXT TEST DATE (yyyy/mm)
MAGNESIUM	00927	WAIVED	2010/04/27	17.000	
MANGANESE	01055	WAIVED	2010/04/27	< .000	
ODOR THRESHOLD @ 60 C	00086	WAIVED	2010/04/27	1.000	
PH, LABORATORY	00403	WAIVED	2010/04/27	7.700	
SILVER	01077	WAIVED	2010/04/27	< .000	
SODIUM	00929	WAIVED	2010/04/27	17.000	
SPECIFIC CONDUCTANCE	00095	WAIVED	2010/04/27	610.000	
SULFATE	00945	WAIVED	2010/04/27	110.000	
TOTAL DISSOLVED SOLIDS	70300	WAIVED	2010/04/27	370.000	
TURBIDITY, LABORATORY	82079	WAIVED	2010/04/27	.200	
ZINC	01092	WAIVED	2010/04/27	< .000	

**Testing interval is in months;*
0 = No data for this constituent and is DUE NOW
999 = Waived testing (not required)
I = Invalid (NOT) valid analyses reported

System Number: ***1900804***

System Name: ***EVERGREEN MUTUAL WATER COMPANY***

PS Code: ***1900804-001***

Source Name: ***WELL 01***

Source Number: ***001***

Source Status: ***ACTIVE UNTREATED***

Water type: ***GROUNDWATER OR WELL***

	STORET NUMBER	TESTING INTERVAL (MONTHS)*	LAST TEST DATE (yyyy/mm/dd)	LAST RESULT REPORTED	NEXT TEST DATE (yyyy/mm)
GENERAL NON CHAP 15					
DIAZINON	39570	WAIVED			
INORGANIC					
ALUMINUM	01105	WAIVED	2010/08/04	< 10.000	
ANTIMONY	01097	WAIVED	2010/08/04	< 1.000	
ARSENIC	01002	WAIVED	2010/08/04	< 2.000	
ASBESTOS	81855	WAIVED			
BARIUM	01007	WAIVED	2010/08/04	38.900	
BERYLLIUM	01012	WAIVED	2010/08/04	< .200	
CADMIUM	01027	WAIVED	2010/08/04	< .200	
CHROMIUM (TOTAL)	01034	WAIVED	2010/08/04	7.000	
CYANIDE	01291	WAIVED	2007/12/26	< .005	
FLUORIDE (F) (NATURAL-SOURCE)	00951	WAIVED	2010/08/04	.100	
LEAD	01051	WAIVED	2010/08/04	.200	
MERCURY	71900	WAIVED	2010/08/04	< .020	
NICKEL	01067	WAIVED	2010/08/04	< 1.000	
PERCHLORATE	A-031	WAIVED	2008/10/15	< 1.000	
SELENIUM	01147	WAIVED	2010/08/04	2.000	
THALLIUM	01059	WAIVED	2010/08/04	< .200	
NITRATE/NITRITE					
NITRATE (AS NO3)	71850	WAIVED	2010/08/04	7.200	
NITRITE (AS N)	00620	WAIVED	2010/08/04	< .100	
RADIOLOGICAL					
GROSS ALPHA	01501	WAIVED	2008/10/15	.000	
GROSS BETA	03501	WAIVED			
RA-226 FOR CWS OR TOTAL RA FOR NTNC BY 903.0	A-080	WAIVED			
RA-226 OR TOTAL RA BY 903.0 C.E.	A-081	WAIVED			
RADIUM 226	09501	WAIVED	2008/08/13	.000	
RADIUM 228	11501	WAIVED	2008/10/15	.000	

**Testing interval is in months;*
0 = No data for this constituent and is DUE NOW
999 = Waived testing (not required)
I = Invalid (NOT) valid analyses reported

System Number: ***1900804***

System Name: ***EVERGREEN MUTUAL WATER COMPANY***

PS Code: ***1900804-001***

Source Name: ***WELL 01***

Source Number: ***001***

Source Status: ***ACTIVE UNTREATED***

Water type: ***GROUNDWATER OR WELL***

	STORET NUMBER	TESTING INTERVAL (MONTHS)*	LAST TEST DATE (yyyy/mm/dd)	LAST RESULT REPORTED	NEXT TEST DATE (yyyy/mm)
RADIOLOGICAL					
RADIUM, TOTAL, MDA95-NTNC ONLY, BY 903.0	A-082	WAIVED			
STRONTIUM-90	13501	WAIVED			
TRITIUM	07000	WAIVED			
URANIUM (PCI/L)	28012	WAIVED	2008/08/13	.000	
REGULATED SOC					
2,3,7,8-TCDD (DIOXIN)	34676	WAIVED			
2,4,5-TP (SILVEX)	39045	WAIVED			
2,4-D	39730	WAIVED			
ALACHLOR	77825	WAIVED	2002/04/10	.000	
ATRAZINE	39033	WAIVED			
BENTAZON	38710	WAIVED			
BENZO (A) PYRENE	34247	WAIVED			
CARBOFURAN	81405	WAIVED			
CHLORDANE	39350	WAIVED	2002/04/10	.000	
DALAPON	38432	WAIVED			
DI(2-ETHYLHEXYL)ADIPATE	A-026	WAIVED			
DI(2-ETHYLHEXYL)PHTHALATE	39100	WAIVED			
DIBROMOCHLOROPROPANE (DBCP)	38761	WAIVED			
DINOSEB	81287	WAIVED			
DIQUAT	78885	WAIVED			
ENDOTHALL	38926	WAIVED			
ENDRIN	39390	WAIVED	2002/04/10	.000	
ETHYLENE DIBROMIDE (EDB)	77651	WAIVED			
GLYPHOSATE	79743	WAIVED			
HEPTACHLOR	39410	WAIVED	2002/04/10	.000	
HEPTACHLOR EPOXIDE	39420	WAIVED	2002/04/10	.000	
HEXACHLOROBENZENE	39700	WAIVED	2002/04/10	.000	
HEXACHLOROCYCLOPENTADIENE	34386	WAIVED	2002/04/10	.000	
LINDANE	39340	WAIVED	2002/04/10	.000	

**Testing interval is in months;*
0 = No data for this constituent and is DUE NOW
999 = Waived testing (not required)
I = Invalid (NOT) valid analyses reported

System Number: ***1900804***

System Name: ***EVERGREEN MUTUAL WATER COMPANY***

PS Code: ***1900804-001***

Source Name: ***WELL 01***

Source Number: ***001***

Source Status: ***ACTIVE UNTREATED***

Water type: ***GROUNDWATER OR WELL***

	STORET NUMBER	TESTING INTERVAL (MONTHS)*	LAST TEST DATE (yyyy/mm/dd)	LAST RESULT REPORTED	NEXT TEST DATE (yyyy/mm)
REGULATED SOC					
METHOXYCHLOR	39480	WAIVED	2002/04/10	.000	
MOLINATE	82199	WAIVED			
OXAMYL	38865	WAIVED			
PENTACHLOROPHENOL	39032	WAIVED			
PICLORAM	39720	WAIVED			
POLYCHLORINATED BIPHENYLS, TOTAL, AS DCB	39516	WAIVED	2002/04/10	.000	
SIMAZINE	39055	WAIVED			
THIOBENCARB	A-001	WAIVED			
TOXAPHENE	39400	WAIVED	2002/04/10	.000	
REGULATED VOC					
1,1,1-TRICHLOROETHANE	34506	WAIVED	2010/08/04	< .500	
1,1,2,2-TETRACHLOROETHANE	34516	WAIVED	2010/08/04	< .500	
1,1,2-TRICHLORO-1,2,2-TRIFLUOROETHANE	81611	WAIVED	2010/08/04	< .500	
1,1,2-TRICHLOROETHANE	34511	WAIVED	2010/08/04	< .500	
1,1-DICHLOROETHANE	34496	WAIVED	2010/08/04	< .500	
1,1-DICHLOROETHYLENE	34501	WAIVED	2010/08/04	< .500	
1,2,4-TRICHLOROBENZENE	34551	WAIVED	2010/08/04	< .500	
1,2-DICHLOROBENZENE	34536	WAIVED	2010/08/04	< .500	
1,2-DICHLOROETHANE	34531	WAIVED	2010/08/04	< .500	
1,2-DICHLOROPROPANE	34541	WAIVED	2010/08/04	< .500	
1,3-DICHLOROPROPENE (TOTAL)	34561	WAIVED	2002/04/10	.000	
1,4-DICHLOROBENZENE	34571	WAIVED	2010/08/04	< .500	
BENZENE	34030	WAIVED	2010/08/04	< .500	
CARBON TETRACHLORIDE	32102	WAIVED	2010/08/04	< .500	
CIS-1,2-DICHLOROETHYLENE	77093	WAIVED	2010/08/04	< .500	
DICHLOROMETHANE	34423	WAIVED	2010/08/04	< .500	
ETHYLBENZENE	34371	WAIVED	2010/08/04	< .500	
METHYL-TERT-BUTYL-ETHER (MTBE)	46491	WAIVED	2010/08/04	< 1.000	
MONOCHLOROBENZENE	34301	WAIVED	2010/08/04	< .500	

**Testing interval is in months;*
0 = No data for this constituent and is DUE NOW
999 = Waived testing (not required)
I = Invalid (NOT) valid analyses reported

System Number: 1900804
System Name: EVERGREEN MUTUAL WATER COMPANY

PS Code: 1900804-001
Source Name: WELL 01
Source Number: 001
Source Status: ACTIVE UNTREATED
Water type: GROUNDWATER OR WELL

	STORET NUMBER	TESTING INTERVAL (MONTHS)*	LAST TEST DATE (yyyy/mm/dd)	LAST RESULT REPORTED	NEXT TEST DATE (yyyy/mm)
REGULATED VOC					
STYRENE	77128	WAIVED	2010/08/04	< .500	
TETRACHLOROETHYLENE	34475	WAIVED	2010/08/04	< .500	
TOLUENE	34010	WAIVED	2010/08/04	< .500	
TRANS-1,2-DICHLOROETHYLENE	34546	WAIVED	2010/08/04	< .500	
TRICHLOROETHYLENE	39180	WAIVED	2010/08/04	< .500	
TRICHLOROFLUOROMETHANE	34488	WAIVED	2010/08/04	< .500	
VINYL CHLORIDE	39175	WAIVED	2010/08/04	< .500	
XYLENES (TOTAL)	81551	WAIVED	2010/08/04	< .500	
SECONDARY/GP					
AGGRSSIVE INDEX (CORROSIVITY)	82383	WAIVED	2010/08/04	11.700	
BICARBONATE ALKALINITY	00440	WAIVED	2010/08/04	100.000	
CALCIUM	00916	WAIVED	2010/08/04	42.000	
CARBONATE ALKALINITY	00445	WAIVED	2010/08/04	< 10.000	
CHLORIDE	00940	WAIVED	2010/08/04	27.000	
COLOR	00081	WAIVED	2008/03/31	9.000	
COPPER	01042	WAIVED	2010/08/04	< 10.000	
FOAMING AGENTS (MBAS)	38260	WAIVED	2010/08/04	< .100	
HARDNESS (TOTAL) AS CACO3	00900	WAIVED	2010/08/04	121.000	
HYDROXIDE ALKALINITY	71830	WAIVED	2010/08/04	< 10.000	
IRON	01045	WAIVED	2010/08/04	120.000	
MAGNESIUM	00927	WAIVED	2010/08/04	4.000	
MANGANESE	01055	WAIVED	2010/08/04	< 10.000	
ODOR THRESHOLD @ 60 C	00086	WAIVED	2008/03/31	< 1.000	
PH, LABORATORY	00403	WAIVED	2010/08/04	7.800	
SILVER	01077	WAIVED	2010/08/04	< 1.000	
SODIUM	00929	WAIVED	2010/08/04	23.000	
SPECIFIC CONDUCTANCE	00095	WAIVED	2010/08/04	370.000	
SULFATE	00945	WAIVED	2010/08/04	49.000	
TOTAL DISSOLVED SOLIDS	70300	WAIVED	2010/08/04	250.000	

**Testing interval is in months;*
0 = No data for this constituent and is DUE NOW
999 = Waived testing (not required)
I = Invalid (NOT) valid analyses reported

System Number: ***1900804***

System Name: ***EVERGREEN MUTUAL WATER COMPANY***

PS Code: ***1900804-001***

Source Name: ***WELL 01***

Source Number: ***001***

Source Status: ***ACTIVE UNTREATED***

Water type: ***GROUNDWATER OR WELL***

	STORET NUMBER	TESTING INTERVAL (MONTHS)*	LAST TEST DATE (yyyy/mm/dd)	LAST RESULT REPORTED	NEXT TEST DATE (yyyy/mm)
SECONDARY/GP					
TURBIDITY, LABORATORY	82079	WAIVED	2008/03/31	.600	
ZINC	01092	WAIVED	2010/08/04	70.000	

PS Code: ***1900804-002***

Source Name: ***WELL 02***

Source Number: ***002***

Source Status: ***ACTIVE UNTREATED***

Water type: ***GROUNDWATER OR WELL***

	STORET NUMBER	TESTING INTERVAL (MONTHS)*	LAST TEST DATE (yyyy/mm/dd)	LAST RESULT REPORTED	NEXT TEST DATE (yyyy/mm)
GENERAL NON CHAP 15					
DIAZINON	39570	WAIVED			
INORGANIC					
ALUMINUM	01105	WAIVED	2010/08/04	< 10.000	
ANTIMONY	01097	WAIVED	2010/08/04	< 1.000	
ARSENIC	01002	WAIVED	2010/08/04	< 2.000	
ASBESTOS	81855	WAIVED			
BARIUM	01007	WAIVED	2010/08/04	57.100	
BERYLLIUM	01012	WAIVED	2010/08/04	< .200	
CADMIUM	01027	WAIVED	2010/08/04	< .200	
CHROMIUM (TOTAL)	01034	WAIVED	2010/08/04	8.000	
CYANIDE	01291	WAIVED	2011/08/29	< .004	
FLUORIDE (F) (NATURAL-SOURCE)	00951	WAIVED	2010/08/04	.100	
LEAD	01051	WAIVED	2010/08/04	< .200	
MERCURY	71900	WAIVED	2010/08/04	< .020	
NICKEL	01067	WAIVED	2010/08/04	< 1.000	
PERCHLORATE	A-031	WAIVED	2011/08/29	< 2.000	
SELENIUM	01147	WAIVED	2010/08/04	< 2.000	
THALLIUM	01059	WAIVED	2010/08/04	< .200	

**Testing interval is in months;*
0 = No data for this constituent and is DUE NOW
999 = Waived testing (not required)
I = Invalid (NOT) valid analyses reported

System Number: ***1900804***

System Name: ***EVERGREEN MUTUAL WATER COMPANY***

PS Code: ***1900804-002***

Source Name: ***WELL 02***

Source Number: ***002***

Source Status: ***ACTIVE UNTREATED***

Water type: ***GROUNDWATER OR WELL***

	STORET NUMBER	TESTING INTERVAL (MONTHS)*	LAST TEST DATE (yyyy/mm/dd)	LAST RESULT REPORTED	NEXT TEST DATE (yyyy/mm)
NITRATE/NITRITE					
NITRATE (AS NO3)	71850	WAIVED	2011/08/29	8.300	
NITRITE (AS N)	00620	WAIVED	2010/08/04	< .100	
RADIOLOGICAL					
GROSS ALPHA	01501	WAIVED	2011/08/29	1.970	
GROSS BETA	03501	WAIVED			
RA-226 FOR CWS OR TOTAL RA FOR NTNC BY 903.0	A-080	WAIVED	2011/08/29	.038	
RA-226 OR TOTAL RA BY 903.0 C.E.	A-081	WAIVED	2011/08/29	.131	
RADIUM 226	09501	WAIVED	2008/08/13	.000	
RADIUM 228	11501	WAIVED	2011/08/29	.006	
RADIUM, TOTAL, MDA95-NTNC ONLY, BY 903.0	A-082	WAIVED	2011/08/29	.439	
STRONTIUM-90	13501	WAIVED			
TRITIUM	07000	WAIVED			
URANIUM (PCI/L)	28012	WAIVED	2011/08/29	.288	
REGULATED SOC					
2,3,7,8-TCDD (DIOXIN)	34676	WAIVED			
2,4,5-TP (SILVEX)	39045	WAIVED			
2,4-D	39730	WAIVED			
ALACHLOR	77825	WAIVED			
ATRAZINE	39033	WAIVED			
BENTAZON	38710	WAIVED			
BENZO (A) PYRENE	34247	WAIVED			
CARBOFURAN	81405	WAIVED			
CHLORDANE	39350	WAIVED			
DALAPON	38432	WAIVED			
DI(2-ETHYLHEXYL)ADIPATE	A-026	WAIVED			
DI(2-ETHYLHEXYL)PHTHALATE	39100	WAIVED			
DIBROMOCHLOROPROPANE (DBCP)	38761	WAIVED			
DINOSEB	81287	WAIVED			
DIQUAT	78885	WAIVED			

**Testing interval is in months;*
0 = No data for this constituent and is DUE NOW
999 = Waived testing (not required)
I = Invalid (NOT) valid analyses reported

System Number: ***1900804***

System Name: ***EVERGREEN MUTUAL WATER COMPANY***

PS Code: ***1900804-002***

Source Name: ***WELL 02***

Source Number: ***002***

Source Status: ***ACTIVE UNTREATED***

Water type: ***GROUNDWATER OR WELL***

	STORET NUMBER	TESTING INTERVAL (MONTHS)*	LAST TEST DATE (yyyy/mm/dd)	LAST RESULT REPORTED	NEXT TEST DATE (yyyy/mm)
REGULATED SOC					
ENDOTHALL	38926	WAIVED			
ENDRIN	39390	WAIVED			
ETHYLENE DIBROMIDE (EDB)	77651	WAIVED			
GLYPHOSATE	79743	WAIVED			
HEPTACHLOR	39410	WAIVED			
HEPTACHLOR EPOXIDE	39420	WAIVED			
HEXACHLOROBENZENE	39700	WAIVED			
HEXACHLOROCYCLOPENTADIENE	34386	WAIVED			
LINDANE	39340	WAIVED			
METHOXYCHLOR	39480	WAIVED			
MOLINATE	82199	WAIVED			
OXAMYL	38865	WAIVED			
PENTACHLOROPHENOL	39032	WAIVED			
PICLORAM	39720	WAIVED			
POLYCHLORINATED BIPHENYLS, TOTAL, AS DCB	39516	WAIVED			
SIMAZINE	39055	WAIVED			
THIOBENCARB	A-001	WAIVED			
TOXAPHENE	39400	WAIVED			
REGULATED VOC					
1,1,1-TRICHLOROETHANE	34506	WAIVED	2011/08/29	< .500	
1,1,2,2-TETRACHLOROETHANE	34516	WAIVED	2011/08/29	< .500	
1,1,2-TRICHLORO-1,2,2-TRIFLUOROETHANE	81611	WAIVED	2011/08/29	< .500	
1,1,2-TRICHLOROETHANE	34511	WAIVED	2011/08/29	< .500	
1,1-DICHLOROETHANE	34496	WAIVED	2011/08/29	< .500	
1,1-DICHLOROETHYLENE	34501	WAIVED	2011/08/29	< .500	
1,2,4-TRICHLOROBENZENE	34551	WAIVED	2011/08/29	< .500	
1,2-DICHLOROBENZENE	34536	WAIVED	2011/08/29	< .500	
1,2-DICHLOROETHANE	34531	WAIVED	2011/08/29	< .500	
1,2-DICHLOROPROPANE	34541	WAIVED	2011/08/29	< .500	

**Testing interval is in months;*
0 = No data for this constituent and is DUE NOW
999 = Waived testing (not required)
I = Invalid (NOT) valid analyses reported

System Number: ***1900804***

System Name: ***EVERGREEN MUTUAL WATER COMPANY***

PS Code: ***1900804-002***

Source Name: ***WELL 02***

Source Number: ***002***

Source Status: ***ACTIVE UNTREATED***

Water type: ***GROUNDWATER OR WELL***

	STORET NUMBER	TESTING INTERVAL (MONTHS)*	LAST TEST DATE (yyyy/mm/dd)	LAST RESULT REPORTED	NEXT TEST DATE (yyyy/mm)
REGULATED VOC					
1,3-DICHLOROPROPENE (TOTAL)	34561	WAIVED	2010/09/22	< .500	
1,4-DICHLOROBENZENE	34571	WAIVED	2011/08/29	< .500	
BENZENE	34030	WAIVED	2011/08/29	< .500	
CARBON TETRACHLORIDE	32102	WAIVED	2011/08/29	< .500	
CIS-1,2-DICHLOROETHYLENE	77093	WAIVED	2011/08/29	< .500	
DICHLOROMETHANE	34423	WAIVED	2011/08/29	< .500	
ETHYLBENZENE	34371	WAIVED	2011/08/29	< .500	
METHYL-TERT-BUTYL-ETHER (MTBE)	46491	WAIVED	2011/08/29	< 1.000	
MONOCHLOROBENZENE	34301	WAIVED	2011/08/29	< .500	
STYRENE	77128	WAIVED	2011/08/29	< .500	
TETRACHLOROETHYLENE	34475	WAIVED	2011/08/29	< .500	
TOLUENE	34010	WAIVED	2011/08/29	< .500	
TRANS-1,2-DICHLOROETHYLENE	34546	WAIVED	2011/08/29	< .500	
TRICHLOROETHYLENE	39180	WAIVED	2011/08/29	< .500	
TRICHLOROFLUOROMETHANE	34488	WAIVED	2011/08/29	< .500	
VINYL CHLORIDE	39175	WAIVED	2011/08/29	< .500	
XYLENES (TOTAL)	81551	WAIVED	2011/08/29	< .500	
SECONDARY/GP					
AGGRSSIVE INDEX (CORROSIVITY)	82383	WAIVED	2010/08/04	12.000	
BICARBONATE ALKALINITY	00440	WAIVED	2010/08/04	100.000	
CALCIUM	00916	WAIVED	2010/08/04	36.000	
CARBONATE ALKALINITY	00445	WAIVED	2010/08/04	< 10.000	
CHLORIDE	00940	WAIVED	2010/08/04	19.000	
COLOR	00081	WAIVED	2011/08/29	< 5.000	
COPPER	01042	WAIVED	2010/08/04	< 10.000	
FOAMING AGENTS (MBAS)	38260	WAIVED	2010/08/04	< .100	
HARDNESS (TOTAL) AS CACO3	00900	WAIVED	2010/08/04	102.000	
HYDROXIDE ALKALINITY	71830	WAIVED	2010/08/04	< 10.000	
IRON	01045	WAIVED	2010/08/04	< 50.000	

**Testing interval is in months;*
0 = No data for this constituent and is DUE NOW
999 = Waived testing (not required)
I = Invalid (NOT) valid analyses reported

System Number: ***1900804***

System Name: ***EVERGREEN MUTUAL WATER COMPANY***

PS Code: ***1900804-002***

Source Name: ***WELL 02***

Source Number: ***002***

Source Status: ***ACTIVE UNTREATED***

Water type: ***GROUNDWATER OR WELL***

SECONDARY/GP

	STORET NUMBER	TESTING INTERVAL (MONTHS)*	LAST TEST DATE (yyyy/mm/dd)	LAST RESULT REPORTED	NEXT TEST DATE (yyyy/mm)
MAGNESIUM	00927	WAIVED	2010/08/04	3.000	
MANGANESE	01055	WAIVED	2010/08/04	< 10.000	
ODOR THRESHOLD @ 60 C	00086	WAIVED	2011/08/29	< 1.000	
PH, LABORATORY	00403	WAIVED	2010/08/04	8.100	
SILVER	01077	WAIVED	2010/08/04	< 1.000	
SODIUM	00929	WAIVED	2010/08/04	22.000	
SPECIFIC CONDUCTANCE	00095	WAIVED	2010/08/04	321.000	
SULFATE	00945	WAIVED	2010/08/04	41.000	
TOTAL DISSOLVED SOLIDS	70300	WAIVED	2010/08/04	220.000	
TURBIDITY, LABORATORY	82079	WAIVED	2011/08/29	1.600	
ZINC	01092	WAIVED	2010/08/04	< 20.000	

PS Code: ***1900804-003***

Source Name: ***CHLORINATOR***

Source Number: ***003***

Source Status: ***ACTIVE TREATED***

Water type: ***GROUNDWATER OR WELL***

GENERAL NON CHAP 15

DIAZINON	39570	WAIVED

INORGANIC

ALUMINUM	01105	WAIVED
ANTIMONY	01097	WAIVED
ARSENIC	01002	WAIVED
ASBESTOS	81855	WAIVED
BARIUM	01007	WAIVED
BERYLLIUM	01012	WAIVED
CADMIUM	01027	WAIVED
CHROMIUM (TOTAL)	01034	WAIVED
CYANIDE	01291	WAIVED

**Testing interval is in months;*
0 = No data for this constituent and is DUE NOW
999 = Waived testing (not required)
I = Invalid (NOT) valid analyses reported

System Number: ***1900804***

System Name: ***EVERGREEN MUTUAL WATER COMPANY***

PS Code: ***1900804-003***

Source Name: ***CHLORINATOR***

Source Number: ***003***

Source Status: ***ACTIVE TREATED***

Water type: ***GROUNDWATER OR WELL***

	STORET NUMBER	TESTING INTERVAL (MONTHS)*	LAST TEST DATE (yyyy/mm/dd)	LAST RESULT REPORTED	NEXT TEST DATE (yyyy/mm)
INORGANIC					
FLUORIDE (F) (NATURAL-SOURCE)	00951	WAIVED			
LEAD	01051	WAIVED			
MERCURY	71900	WAIVED			
NICKEL	01067	WAIVED			
PERCHLORATE	A-031	WAIVED			
SELENIUM	01147	WAIVED			
THALLIUM	01059	WAIVED			
NITRATE/NITRITE					
NITRATE (AS NO3)	71850	WAIVED			
NITRITE (AS N)	00620	WAIVED			
RADIOLOGICAL					
GROSS ALPHA	01501	WAIVED			
GROSS BETA	03501	WAIVED			
RA-226 FOR CWS OR TOTAL RA FOR NTNC BY 903.0	A-080	WAIVED			
RA-226 OR TOTAL RA BY 903.0 C.E.	A-081	WAIVED			
RADIUM 226	09501	WAIVED			
RADIUM 228	11501	WAIVED			
RADIUM, TOTAL, MDA95-NTNC ONLY, BY 903.0	A-082	WAIVED			
STRONTIUM-90	13501	WAIVED			
TRITIUM	07000	WAIVED			
URANIUM (PCI/L)	28012	WAIVED			
REGULATED SOC					
2,3,7,8-TCDD (DIOXIN)	34676	WAIVED			
2,4,5-TP (SILVEX)	39045	WAIVED			
2,4-D	39730	WAIVED			
ALACHLOR	77825	WAIVED			
ATRAZINE	39033	WAIVED			
BENTAZON	38710	WAIVED			

**Testing interval is in months;*
0 = No data for this constituent and is DUE NOW
999 = Waived testing (not required)
I = Invalid (NOT) valid analyses reported

System Number: ***1900804***

System Name: ***EVERGREEN MUTUAL WATER COMPANY***

PS Code: ***1900804-003***

Source Name: ***CHLORINATOR***

Source Number: ***003***

Source Status: ***ACTIVE TREATED***

Water type: ***GROUNDWATER OR WELL***

REGULATED SOC

	STORET NUMBER	TESTING INTERVAL (MONTHS)*	LAST TEST DATE (yyyy/mm/dd)	LAST RESULT REPORTED	NEXT TEST DATE (yyyy/mm)
BENZO (A) PYRENE	34247	WAIVED			
CARBOFURAN	81405	WAIVED			
CHLORDANE	39350	WAIVED			
DALAPON	38432	WAIVED			
DI(2-ETHYLHEXYL)ADIPATE	A-026	WAIVED			
DI(2-ETHYLHEXYL)PHTHALATE	39100	WAIVED			
DIBROMOCHLOROPROPANE (DBCP)	38761	WAIVED			
DINOSEB	81287	WAIVED			
DIQUAT	78885	WAIVED			
ENDOTHALL	38926	WAIVED			
ENDRIN	39390	WAIVED			
ETHYLENE DIBROMIDE (EDB)	77651	WAIVED			
GLYPHOSATE	79743	WAIVED			
HEPTACHLOR	39410	WAIVED			
HEPTACHLOR EPOXIDE	39420	WAIVED			
HEXACHLOROBENZENE	39700	WAIVED			
HEXACHLOROCYCLOPENTADIENE	34386	WAIVED			
LINDANE	39340	WAIVED			
METHOXYCHLOR	39480	WAIVED			
MOLINATE	82199	WAIVED			
OXAMYL	38865	WAIVED			
PENTACHLOROPHENOL	39032	WAIVED			
PICLORAM	39720	WAIVED			
POLYCHLORINATED BIPHENYLS, TOTAL, AS DCB	39516	WAIVED			
SIMAZINE	39055	WAIVED			
THIOBENCARB	A-001	WAIVED			
TOXAPHENE	39400	WAIVED			

REGULATED VOC

1,1,1-TRICHLOROETHANE	34506	WAIVED			

**Testing interval is in months;*
0 = No data for this constituent and is DUE NOW
999 = Waived testing (not required)
I = Invalid (NOT) valid analyses reported

System Number: ***1900804***

System Name: ***EVERGREEN MUTUAL WATER COMPANY***

PS Code: ***1900804-003***

Source Name: ***CHLORINATOR***

Source Number: ***003***

Source Status: ***ACTIVE TREATED***

Water type: ***GROUNDWATER OR WELL***

	STORET NUMBER	TESTING INTERVAL (MONTHS)*	LAST TEST DATE (yyyy/mm/dd)	LAST RESULT REPORTED	NEXT TEST DATE (yyyy/mm)
REGULATED VOC					
1,1,2,2-TETRACHLOROETHANE	34516	WAIVED			
1,1,2-TRICHLORO-1,2,2-TRIFLUOROETHANE	81611	WAIVED			
1,1,2-TRICHLOROETHANE	34511	WAIVED			
1,1-DICHLOROETHANE	34496	WAIVED			
1,1-DICHLOROETHYLENE	34501	WAIVED			
1,2,4-TRICHLOROBENZENE	34551	WAIVED			
1,2-DICHLOROBENZENE	34536	WAIVED			
1,2-DICHLOROETHANE	34531	WAIVED			
1,2-DICHLOROPROPANE	34541	WAIVED			
1,3-DICHLOROPROPENE (TOTAL)	34561	WAIVED			
1,4-DICHLOROBENZENE	34571	WAIVED			
BENZENE	34030	WAIVED			
CARBON TETRACHLORIDE	32102	WAIVED			
CIS-1,2-DICHLOROETHYLENE	77093	WAIVED			
DICHLOROMETHANE	34423	WAIVED			
ETHYLBENZENE	34371	WAIVED			
METHYL-TERT-BUTYL-ETHER (MTBE)	46491	WAIVED			
MONOCHLOROBENZENE	34301	WAIVED			
STYRENE	77128	WAIVED			
TETRACHLOROETHYLENE	34475	WAIVED			
TOLUENE	34010	WAIVED			
TRANS-1,2-DICHLOROETHYLENE	34546	WAIVED			
TRICHLOROETHYLENE	39180	WAIVED			
TRICHLOROFLUOROMETHANE	34488	WAIVED			
VINYL CHLORIDE	39175	WAIVED			
XYLENES (TOTAL)	81551	WAIVED			
SECONDARY/GP					
AGGRSSIVE INDEX (CORROSIVITY)	82383	WAIVED			
BICARBONATE ALKALINITY	00440	WAIVED			

**Testing interval is in months;*
0 = No data for this constituent and is DUE NOW
999 = Waived testing (not required)
I = Invalid (NOT) valid analyses reported

System Number: ***1900804***

System Name: ***EVERGREEN MUTUAL WATER COMPANY***

PS Code: ***1900804-003***

Source Name: ***CHLORINATOR***

Source Number: ***003***

Source Status: ***ACTIVE TREATED***

Water type: ***GROUNDWATER OR WELL***

SECONDARY/GP

	STORET NUMBER	TESTING INTERVAL (MONTHS)*	LAST TEST DATE (yyyy/mm/dd)	LAST RESULT REPORTED	NEXT TEST DATE (yyyy/mm)
CALCIUM	00916	WAIVED			
CARBONATE ALKALINITY	00445	WAIVED			
CHLORIDE	00940	WAIVED			
COLOR	00081	WAIVED			
COPPER	01042	WAIVED			
FOAMING AGENTS (MBAS)	38260	WAIVED			
HARDNESS (TOTAL) AS CACO3	00900	WAIVED			
HYDROXIDE ALKALINITY	71830	WAIVED			
IRON	01045	WAIVED			
MAGNESIUM	00927	WAIVED			
MANGANESE	01055	WAIVED			
ODOR THRESHOLD @ 60 C	00086	WAIVED			
PH, LABORATORY	00403	WAIVED			
SILVER	01077	WAIVED			
SODIUM	00929	WAIVED			
SPECIFIC CONDUCTANCE	00095	WAIVED			
SULFATE	00945	WAIVED			
TOTAL DISSOLVED SOLIDS	70300	WAIVED			
TURBIDITY, LABORATORY	82079	WAIVED			
ZINC	01092	WAIVED			

**Testing interval is in months;*
0 = No data for this constituent and is DUE NOW
999 = Waived testing (not required)
I = Invalid (NOT) valid analyses reported

System Number: ***1900806***

System Name: ***BLUE SKIES MOBILE HOME PARK***

PS Code: ***1900806-001***

Source Name: ***WELL 02***

Source Number: ***001***

Source Status: ***ACTIVE UNTREATED***

Water type: ***GROUNDWATER OR WELL***

	STORET NUMBER	TESTING INTERVAL (MONTHS)*	LAST TEST DATE (yyyy/mm/dd)	LAST RESULT REPORTED	NEXT TEST DATE (yyyy/mm)
GENERAL NON CHAP 15					
DIAZINON	39570	WAIVED			
INORGANIC					
ALUMINUM	01105	WAIVED	2002/01/04	.000	
ANTIMONY	01097	WAIVED	2002/01/04	.000	
ARSENIC	01002	WAIVED	2002/01/04	2.040	
ASBESTOS	81855	WAIVED			
BARIUM	01007	WAIVED	2002/01/04	.000	
BERYLLIUM	01012	WAIVED			
CADMIUM	01027	WAIVED	2002/01/04	.000	
CHROMIUM (TOTAL)	01034	WAIVED	2002/01/04	.000	
CYANIDE	01291	WAIVED			
FLUORIDE (F) (NATURAL-SOURCE)	00951	WAIVED	2002/01/04	.000	
LEAD	01051	WAIVED	2002/01/04	.000	
MERCURY	71900	WAIVED	2002/01/04	.000	
NICKEL	01067	WAIVED	2002/01/04	.000	
PERCHLORATE	A-031	WAIVED	2002/01/04	.000	
SELENIUM	01147	WAIVED	2002/01/04	5.650	
THALLIUM	01059	WAIVED			
NITRATE/NITRITE					
NITRATE (AS NO3)	71850	WAIVED	2003/03/20	3.020	
NITRITE (AS N)	00620	WAIVED			
RADIOLOGICAL					
GROSS ALPHA	01501	WAIVED	1997/01/13	3.350	
GROSS BETA	03501	WAIVED			
RA-226 FOR CWS OR TOTAL RA FOR NTNC BY 903.0	A-080	WAIVED			
RA-226 OR TOTAL RA BY 903.0 C.E.	A-081	WAIVED			
RADIUM 226	09501	WAIVED			
RADIUM 228	11501	WAIVED			

**Testing interval is in months;*
0 = No data for this constituent and is DUE NOW
999 = Waived testing (not required)
I = Invalid (NOT) valid analyses reported

System Number: ***1900806***

System Name: ***BLUE SKIES MOBILE HOME PARK***

PS Code: ***1900806-001***

Source Name: ***WELL 02***

Source Number: ***001***

Source Status: ***ACTIVE UNTREATED***

Water type: ***GROUNDWATER OR WELL***

	STORET NUMBER	TESTING INTERVAL (MONTHS)*	LAST TEST DATE (yyyy/mm/dd)	LAST RESULT REPORTED	NEXT TEST DATE (yyyy/mm)
RADIOLOGICAL					
RADIUM, TOTAL, MDA95-NTNC ONLY, BY 903.0	A-082	WAIVED			
STRONTIUM-90	13501	WAIVED			
TRITIUM	07000	WAIVED			
URANIUM (PCI/L)	28012	WAIVED	1995/06/26	.700	
REGULATED SOC					
2,3,7,8-TCDD (DIOXIN)	34676	WAIVED			
2,4,5-TP (SILVEX)	39045	WAIVED			
2,4-D	39730	WAIVED			
ALACHLOR	77825	WAIVED	2001/06/19	.000	
ATRAZINE	39033	WAIVED	1995/04/03	.000	
BENTAZON	38710	WAIVED			
BENZO (A) PYRENE	34247	WAIVED	1995/04/03	.000	
CARBOFURAN	81405	WAIVED	1995/04/03	.000	
CHLORDANE	39350	WAIVED	2001/06/19	.000	
DALAPON	38432	WAIVED			
DI(2-ETHYLHEXYL)ADIPATE	A-026	WAIVED	1995/04/03	.000	
DI(2-ETHYLHEXYL)PHTHALATE	39100	WAIVED	2001/06/19	.000	
DIBROMOCHLOROPROPANE (DBCP)	38761	WAIVED	1995/04/03	.000	
DINOSEB	81287	WAIVED			
DIQUAT	78885	WAIVED			
ENDOTHALL	38926	WAIVED			
ENDRIN	39390	WAIVED	2001/06/19	.000	
ETHYLENE DIBROMIDE (EDB)	77651	WAIVED	1995/04/03	.000	
GLYPHOSATE	79743	WAIVED	1995/04/03	.000	
HEPTACHLOR	39410	WAIVED	2001/06/19	.000	
HEPTACHLOR EPOXIDE	39420	WAIVED	2001/06/19	.000	
HEXACHLOROBENZENE	39700	WAIVED	2001/06/19	.000	
HEXACHLOROCYCLOPENTADIENE	34386	WAIVED	2001/06/19	.000	
LINDANE	39340	WAIVED	2001/06/19	.000	

**Testing interval is in months;*
0 = No data for this constituent and is DUE NOW
999 = Waived testing (not required)
I = Invalid (NOT) valid analyses reported

System Number: ***1900806***

System Name: ***BLUE SKIES MOBILE HOME PARK***

PS Code: ***1900806-001***

Source Name: ***WELL 02***

Source Number: ***001***

Source Status: ***ACTIVE UNTREATED***

Water type: ***GROUNDWATER OR WELL***

	STORET NUMBER	TESTING INTERVAL (MONTHS)*	LAST TEST DATE (yyyy/mm/dd)	LAST RESULT REPORTED	NEXT TEST DATE (yyyy/mm)
REGULATED SOC					
METHOXYCHLOR	39480	WAIVED	2001/06/19	.000	
MOLINATE	82199	WAIVED	1995/04/03	.000	
OXAMYL	38865	WAIVED	1995/04/03	.000	
PENTACHLOROPHENOL	39032	WAIVED	1995/04/03	.000	
PICLORAM	39720	WAIVED			
POLYCHLORINATED BIPHENYLS, TOTAL, AS DCB	39516	WAIVED	2001/06/19	.000	
SIMAZINE	39055	WAIVED	1995/04/03	.000	
THIOBENCARB	A-001	WAIVED	1995/04/03	.000	
TOXAPHENE	39400	WAIVED	2001/06/19	.000	
REGULATED VOC					
1,1,1-TRICHLOROETHANE	34506	WAIVED	2001/06/19	.000	
1,1,2,2-TETRACHLOROETHANE	34516	WAIVED	2001/06/19	.000	
1,1,2-TRICHLORO-1,2,2-TRIFLUOROETHANE	81611	WAIVED	2001/06/19	.000	
1,1,2-TRICHLOROETHANE	34511	WAIVED	2001/06/19	.000	
1,1-DICHLOROETHANE	34496	WAIVED	2001/06/19	.000	
1,1-DICHLOROETHYLENE	34501	WAIVED	2001/06/19	.000	
1,2,4-TRICHLOROBENZENE	34551	WAIVED	2001/06/19	.000	
1,2-DICHLOROBENZENE	34536	WAIVED	2001/06/19	.000	
1,2-DICHLOROETHANE	34531	WAIVED	2001/06/19	.000	
1,2-DICHLOROPROPANE	34541	WAIVED	2001/06/19	.000	
1,3-DICHLOROPROPENE (TOTAL)	34561	WAIVED	2001/06/19	.000	
1,4-DICHLOROBENZENE	34571	WAIVED	2001/06/19	.000	
BENZENE	34030	WAIVED	2001/06/19	.000	
CARBON TETRACHLORIDE	32102	WAIVED	2001/06/19	.000	
CIS-1,2-DICHLOROETHYLENE	77093	WAIVED	2001/06/19	.000	
DICHLOROMETHANE	34423	WAIVED	2001/06/19	.000	
ETHYLBENZENE	34371	WAIVED	2001/06/19	.000	
METHYL-TERT-BUTYL-ETHER (MTBE)	46491	WAIVED	2001/06/19	.000	
MONOCHLOROBENZENE	34301	WAIVED	2001/06/19	.000	

**Testing interval is in months;*
0 = No data for this constituent and is DUE NOW
999 = Waived testing (not required)
I = Invalid (NOT) valid analyses reported

System Number: ***1900806***

System Name: ***BLUE SKIES MOBILE HOME PARK***

PS Code: ***1900806-001***

Source Name: ***WELL 02***

Source Number: ***001***

Source Status: ***ACTIVE UNTREATED***

Water type: ***GROUNDWATER OR WELL***

	STORET NUMBER	TESTING INTERVAL (MONTHS)*	LAST TEST DATE (yyyy/mm/dd)	LAST RESULT REPORTED	NEXT TEST DATE (yyyy/mm)
REGULATED VOC					
STYRENE	77128	WAIVED	2001/06/19	.000	
TETRACHLOROETHYLENE	34475	WAIVED	2001/06/19	.000	
TOLUENE	34010	WAIVED	2001/06/19	.000	
TRANS-1,2-DICHLOROETHYLENE	34546	WAIVED	2001/06/19	.000	
TRICHLOROETHYLENE	39180	WAIVED	2001/06/19	.000	
TRICHLOROFLUOROMETHANE	34488	WAIVED	2001/06/19	.000	
VINYL CHLORIDE	39175	WAIVED	2001/06/19	.000	
XYLENES (TOTAL)	81551	WAIVED	2001/06/19	.000	
SECONDARY/GP					
AGGRSSIVE INDEX (CORROSIVITY)	82383	WAIVED			
BICARBONATE ALKALINITY	00440	WAIVED	2002/01/04	72.800	
CALCIUM	00916	WAIVED	2002/01/04	24.800	
CARBONATE ALKALINITY	00445	WAIVED	2002/01/04	.000	
CHLORIDE	00940	WAIVED	2002/01/04	104.000	
COLOR	00081	WAIVED	2002/01/04	.000	
COPPER	01042	WAIVED	2002/01/04	.000	
FOAMING AGENTS (MBAS)	38260	WAIVED	2002/01/04	.000	
HARDNESS (TOTAL) AS CACO3	00900	WAIVED	2002/01/04	129.000	
HYDROXIDE ALKALINITY	71830	WAIVED	2002/01/04	.000	
IRON	01045	WAIVED	2002/01/04	.000	
MAGNESIUM	00927	WAIVED	2002/01/04	16.200	
MANGANESE	01055	WAIVED	2002/01/04	.000	
ODOR THRESHOLD @ 60 C	00086	WAIVED	2002/01/04	.000	
PH, LABORATORY	00403	WAIVED	2002/01/04	7.430	
SILVER	01077	WAIVED	2002/01/04	.000	
SODIUM	00929	WAIVED	2002/01/04	68.100	
SPECIFIC CONDUCTANCE	00095	WAIVED	2002/01/04	631.000	
SULFATE	00945	WAIVED	2002/01/04	66.400	
TOTAL DISSOLVED SOLIDS	70300	WAIVED	2002/01/04	368.000	

**Testing interval is in months;*
0 = No data for this constituent and is DUE NOW
999 = Waived testing (not required)
I = Invalid (NOT) valid analyses reported

System Number: ***1900806***

System Name: ***BLUE SKIES MOBILE HOME PARK***

PS Code: ***1900806-001***

Source Name: ***WELL 02***

Source Number: ***001***

Source Status: ***ACTIVE UNTREATED***

Water type: ***GROUNDWATER OR WELL***

	STORET NUMBER	TESTING INTERVAL (MONTHS)*	LAST TEST DATE (yyyy/mm/dd)	LAST RESULT REPORTED	NEXT TEST DATE (yyyy/mm)
SECONDARY/GP					
TURBIDITY, LABORATORY	**82079**	**WAIVED**	2002/01/04	**.300**	
ZINC	**01092**	**WAIVED**	2002/01/04	**882.000**	

**Testing interval is in months;*
0 = No data for this constituent and is DUE NOW
999 = Waived testing (not required)
I = Invalid (NOT) valid analyses reported

System Number: ***1900808***

System Name: ***LANCASTER WATER COMPANY***

PS Code: ***1900808-001***

Source Name: ***WELL 01***

Source Number: ***001***

Source Status: ***ACTIVE UNTREATED***

Water type: ***GROUNDWATER OR WELL***

	STORET NUMBER	TESTING INTERVAL (MONTHS)*	LAST TEST DATE (yyyy/mm/dd)	LAST RESULT REPORTED	NEXT TEST DATE (yyyy/mm)
GENERAL NON CHAP 15					
DIAZINON	39570	WAIVED			
INORGANIC					
ALUMINUM	01105	WAIVED	2002/03/01	.000	
ANTIMONY	01097	WAIVED	2002/03/01	.000	
ARSENIC	01002	WAIVED	2002/03/01	.000	
ASBESTOS	81855	WAIVED			
BARIUM	01007	WAIVED	2002/03/01	.000	
BERYLLIUM	01012	WAIVED			
CADMIUM	01027	WAIVED	2002/03/01	.000	
CHROMIUM (TOTAL)	01034	WAIVED	2002/04/17	.000	
CYANIDE	01291	WAIVED			
FLUORIDE (F) (NATURAL-SOURCE)	00951	WAIVED	2007/12/05	.200	
LEAD	01051	WAIVED	2002/03/01	.000	
MERCURY	71900	WAIVED	2002/03/01	.000	
NICKEL	01067	WAIVED	2002/03/01	.000	
PERCHLORATE	A-031	WAIVED	2002/03/01	.000	
SELENIUM	01147	WAIVED	2002/03/01	.000	
THALLIUM	01059	WAIVED			
NITRATE/NITRITE					
NITRATE (AS NO3)	71850	WAIVED	2007/12/05	7.100	
NITRITE (AS N)	00620	WAIVED	2007/12/05	< .100	
RADIOLOGICAL					
GROSS ALPHA	01501	WAIVED			
GROSS BETA	03501	WAIVED			
RA-226 FOR CWS OR TOTAL RA FOR NTNC BY 903.0	A-080	WAIVED			
RA-226 OR TOTAL RA BY 903.0 C.E.	A-081	WAIVED			
RADIUM 226	09501	WAIVED			
RADIUM 228	11501	WAIVED			

**Testing interval is in months;*
0 = No data for this constituent and is DUE NOW
999 = Waived testing (not required)
I = Invalid (NOT) valid analyses reported

System Number: ***1900808***

System Name: ***LANCASTER WATER COMPANY***

PS Code: ***1900808-001***

Source Name: ***WELL 01***

Source Number: ***001***

Source Status: ***ACTIVE UNTREATED***

Water type: ***GROUNDWATER OR WELL***

	STORET NUMBER	TESTING INTERVAL (MONTHS)*	LAST TEST DATE (yyyy/mm/dd)	LAST RESULT REPORTED	NEXT TEST DATE (yyyy/mm)
RADIOLOGICAL					
RADIUM, TOTAL, MDA95-NTNC ONLY, BY 903.0	A-082	WAIVED			
STRONTIUM-90	13501	WAIVED			
TRITIUM	07000	WAIVED			
URANIUM (PCI/L)	28012	WAIVED			
REGULATED SOC					
2,3,7,8-TCDD (DIOXIN)	34676	WAIVED			
2,4,5-TP (SILVEX)	39045	WAIVED			
2,4-D	39730	WAIVED			
ALACHLOR	77825	WAIVED	2002/06/25	.000	
ATRAZINE	39033	WAIVED			
BENTAZON	38710	WAIVED			
BENZO (A) PYRENE	34247	WAIVED			
CARBOFURAN	81405	WAIVED			
CHLORDANE	39350	WAIVED	2002/06/25	.000	
DALAPON	38432	WAIVED			
DI(2-ETHYLHEXYL)ADIPATE	A-026	WAIVED			
DI(2-ETHYLHEXYL)PHTHALATE	39100	WAIVED			
DIBROMOCHLOROPROPANE (DBCP)	38761	WAIVED			
DINOSEB	81287	WAIVED			
DIQUAT	78885	WAIVED			
ENDOTHALL	38926	WAIVED			
ENDRIN	39390	WAIVED	2002/06/25	.000	
ETHYLENE DIBROMIDE (EDB)	77651	WAIVED			
GLYPHOSATE	79743	WAIVED			
HEPTACHLOR	39410	WAIVED	2002/06/25	.000	
HEPTACHLOR EPOXIDE	39420	WAIVED	2002/06/25	.000	
HEXACHLOROBENZENE	39700	WAIVED	2002/06/25	.000	
HEXACHLOROCYCLOPENTADIENE	34386	WAIVED	2002/06/25	.000	
LINDANE	39340	WAIVED	2002/06/25	.000	

**Testing interval is in months;*
0 = No data for this constituent and is DUE NOW
999 = Waived testing (not required)
I = Invalid (NOT) valid analyses reported

System Number: ***1900808***

System Name: ***LANCASTER WATER COMPANY***

PS Code: ***1900808-001***

Source Name: ***WELL 01***

Source Number: ***001***

Source Status: ***ACTIVE UNTREATED***

Water type: ***GROUNDWATER OR WELL***

	STORET NUMBER	TESTING INTERVAL (MONTHS)*	LAST TEST DATE (yyyy/mm/dd)	LAST RESULT REPORTED	NEXT TEST DATE (yyyy/mm)
REGULATED SOC					
METHOXYCHLOR	39480	WAIVED	2002/06/25	.000	
MOLINATE	82199	WAIVED			
OXAMYL	38865	WAIVED			
PENTACHLOROPHENOL	39032	WAIVED			
PICLORAM	39720	WAIVED			
POLYCHLORINATED BIPHENYLS, TOTAL, AS DCB	39516	WAIVED	2002/06/25	.000	
SIMAZINE	39055	WAIVED			
THIOBENCARB	A-001	WAIVED			
TOXAPHENE	39400	WAIVED	2002/06/25	.000	
REGULATED VOC					
1,1,1-TRICHLOROETHANE	34506	WAIVED	2002/04/17	.000	
1,1,2,2-TETRACHLOROETHANE	34516	WAIVED	2002/04/17	.000	
1,1,2-TRICHLORO-1,2,2-TRIFLUOROETHANE	81611	WAIVED	2002/04/17	.000	
1,1,2-TRICHLOROETHANE	34511	WAIVED	2002/04/17	.000	
1,1-DICHLOROETHANE	34496	WAIVED	2002/04/17	.000	
1,1-DICHLOROETHYLENE	34501	WAIVED	2002/04/17	.000	
1,2,4-TRICHLOROBENZENE	34551	WAIVED	2002/04/17	.000	
1,2-DICHLOROBENZENE	34536	WAIVED	2002/04/17	.000	
1,2-DICHLOROETHANE	34531	WAIVED	2002/04/17	.000	
1,2-DICHLOROPROPANE	34541	WAIVED	2002/04/17	.000	
1,3-DICHLOROPROPENE (TOTAL)	34561	WAIVED	2002/04/17	.000	
1,4-DICHLOROBENZENE	34571	WAIVED	2002/04/17	.000	
BENZENE	34030	WAIVED	2002/04/17	.000	
CARBON TETRACHLORIDE	32102	WAIVED	2002/04/17	.000	
CIS-1,2-DICHLOROETHYLENE	77093	WAIVED	2002/04/17	.000	
DICHLOROMETHANE	34423	WAIVED	2002/04/17	.000	
ETHYLBENZENE	34371	WAIVED	2002/04/17	.000	
METHYL-TERT-BUTYL-ETHER (MTBE)	46491	WAIVED	2002/04/17	.000	
MONOCHLOROBENZENE	34301	WAIVED	2002/04/17	.000	

**Testing interval is in months;*
0 = No data for this constituent and is DUE NOW
999 = Waived testing (not required)
I = Invalid (NOT) valid analyses reported

System Number: 1900808
System Name: LANCASTER WATER COMPANY

PS Code: 1900808-001
Source Name: WELL 01
Source Number: 001
Source Status: ACTIVE UNTREATED
Water type: GROUNDWATER OR WELL

	STORET NUMBER	TESTING INTERVAL (MONTHS)*	LAST TEST DATE (yyyy/mm/dd)	LAST RESULT REPORTED	NEXT TEST DATE (yyyy/mm)
REGULATED VOC					
STYRENE	77128	WAIVED	2002/04/17	.000	
TETRACHLOROETHYLENE	34475	WAIVED	2002/04/17	.000	
TOLUENE	34010	WAIVED	2002/04/17	.000	
TRANS-1,2-DICHLOROETHYLENE	34546	WAIVED	2002/04/17	.000	
TRICHLOROETHYLENE	39180	WAIVED	2002/04/17	.000	
TRICHLOROFLUOROMETHANE	34488	WAIVED	2002/04/17	.000	
VINYL CHLORIDE	39175	WAIVED	2002/04/17	.000	
XYLENES (TOTAL)	81551	WAIVED	2002/04/17	.000	
SECONDARY/GP					
AGGRSSIVE INDEX (CORROSIVITY)	82383	WAIVED	2007/12/05	11.900	
BICARBONATE ALKALINITY	00440	WAIVED	2007/12/05	140.000	
CALCIUM	00916	WAIVED	2007/12/05	29.000	
CARBONATE ALKALINITY	00445	WAIVED	2007/12/05	< 10.000	
CHLORIDE	00940	WAIVED	2007/12/05	15.000	
COLOR	00081	WAIVED	2002/03/01	.000	
COPPER	01042	WAIVED	2007/12/05	< 10.000	
FOAMING AGENTS (MBAS)	38260	WAIVED	2007/12/05	< .100	
HARDNESS (TOTAL) AS CACO3	00900	WAIVED	2007/12/05	97.000	
HYDROXIDE ALKALINITY	71830	WAIVED	2007/12/05	< 10.000	
IRON	01045	WAIVED	2007/12/05	< 50.000	
MAGNESIUM	00927	WAIVED	2007/12/05	6.000	
MANGANESE	01055	WAIVED	2007/12/05	< 10.000	
ODOR THRESHOLD @ 60 C	00086	WAIVED	2002/03/01	.000	
PH, LABORATORY	00403	WAIVED	2007/12/05	8.000	
SILVER	01077	WAIVED	2002/03/01	.000	
SODIUM	00929	WAIVED	2007/12/05	32.000	
SPECIFIC CONDUCTANCE	00095	WAIVED	2007/12/05	331.000	
SULFATE	00945	WAIVED	2007/12/05	23.000	
TOTAL DISSOLVED SOLIDS	70300	WAIVED	2007/12/05	190.000	

**Testing interval is in months;*
0 = No data for this constituent and is DUE NOW
999 = Waived testing (not required)
I = Invalid (NOT) valid analyses reported

System Number: ***1900808***

System Name: ***LANCASTER WATER COMPANY***

PS Code: ***1900808-001***

Source Name: ***WELL 01***

Source Number: ***001***

Source Status: ***ACTIVE UNTREATED***

Water type: ***GROUNDWATER OR WELL***

	STORET NUMBER	TESTING INTERVAL (MONTHS)*	LAST TEST DATE (yyyy/mm/dd)	LAST RESULT REPORTED	NEXT TEST DATE (yyyy/mm)
SECONDARY/GP					
TURBIDITY, LABORATORY	82079	WAIVED	2002/03/01	.110	
ZINC	01092	WAIVED	2007/12/05	< 20.000	

PS Code: ***1900808-002***

Source Name: ***WELL 02***

Source Number: ***002***

Source Status: ***ACTIVE UNTREATED***

Water type: ***GROUNDWATER OR WELL***

	STORET NUMBER	TESTING INTERVAL (MONTHS)*	LAST TEST DATE (yyyy/mm/dd)	LAST RESULT REPORTED	NEXT TEST DATE (yyyy/mm)
GENERAL NON CHAP 15					
DIAZINON	39570	WAIVED			
INORGANIC					
ALUMINUM	01105	WAIVED	2002/03/01	.000	
ANTIMONY	01097	WAIVED	2002/03/01	.000	
ARSENIC	01002	WAIVED	2002/03/01	.000	
ASBESTOS	81855	WAIVED			
BARIUM	01007	WAIVED	2002/03/01	.000	
BERYLLIUM	01012	WAIVED			
CADMIUM	01027	WAIVED	2002/03/01	.000	
CHROMIUM (TOTAL)	01034	WAIVED	2002/03/01	16.100	
CYANIDE	01291	WAIVED			
FLUORIDE (F) (NATURAL-SOURCE)	00951	WAIVED	2002/03/01	.220	
LEAD	01051	WAIVED	2002/03/01	.000	
MERCURY	71900	WAIVED	2002/03/01	.000	
NICKEL	01067	WAIVED	2002/03/01	.000	
PERCHLORATE	A-031	WAIVED	2002/03/01	.000	
SELENIUM	01147	WAIVED	2002/03/01	.000	
THALLIUM	01059	WAIVED			

**Testing interval is in months;*
0 = No data for this constituent and is DUE NOW
999 = Waived testing (not required)
I = Invalid (NOT) valid analyses reported

System Number: ***1900808***

System Name: ***LANCASTER WATER COMPANY***

PS Code: ***1900808-002***

Source Name: ***WELL 02***

Source Number: ***002***

Source Status: ***ACTIVE UNTREATED***

Water type: ***GROUNDWATER OR WELL***

	STORET NUMBER	TESTING INTERVAL (MONTHS)*	LAST TEST DATE (yyyy/mm/dd)	LAST RESULT REPORTED	NEXT TEST DATE (yyyy/mm)
NITRATE/NITRITE					
NITRATE (AS NO3)	71850	WAIVED	2004/06/18	6.520	
NITRITE (AS N)	00620	WAIVED			
RADIOLOGICAL					
GROSS ALPHA	01501	WAIVED	2003/08/06	.000	
GROSS BETA	03501	WAIVED			
RA-226 FOR CWS OR TOTAL RA FOR NTNC BY 903.0	A-080	WAIVED			
RA-226 OR TOTAL RA BY 903.0 C.E.	A-081	WAIVED			
RADIUM 226	09501	WAIVED	2003/08/06	.000	
RADIUM 228	11501	WAIVED			
RADIUM, TOTAL, MDA95-NTNC ONLY, BY 903.0	A-082	WAIVED			
STRONTIUM-90	13501	WAIVED			
TRITIUM	07000	WAIVED			
URANIUM (PCI/L)	28012	WAIVED	2003/08/06	.305	
REGULATED SOC					
2,3,7,8-TCDD (DIOXIN)	34676	WAIVED			
2,4,5-TP (SILVEX)	39045	WAIVED			
2,4-D	39730	WAIVED			
ALACHLOR	77825	WAIVED			
ATRAZINE	39033	WAIVED			
BENTAZON	38710	WAIVED			
BENZO (A) PYRENE	34247	WAIVED			
CARBOFURAN	81405	WAIVED			
CHLORDANE	39350	WAIVED			
DALAPON	38432	WAIVED			
DI(2-ETHYLHEXYL)ADIPATE	A-026	WAIVED			
DI(2-ETHYLHEXYL)PHTHALATE	39100	WAIVED			
DIBROMOCHLOROPROPANE (DBCP)	38761	WAIVED			
DINOSEB	81287	WAIVED			
DIQUAT	78885	WAIVED			

**Testing interval is in months;*
0 = No data for this constituent and is DUE NOW
999 = Waived testing (not required)
I = Invalid (NOT) valid analyses reported

System Number: ***1900808***

System Name: ***LANCASTER WATER COMPANY***

PS Code: ***1900808-002***

Source Name: ***WELL 02***

Source Number: ***002***

Source Status: ***ACTIVE UNTREATED***

Water type: ***GROUNDWATER OR WELL***

	STORET NUMBER	TESTING INTERVAL (MONTHS)*	LAST TEST DATE (yyyy/mm/dd)	LAST RESULT REPORTED	NEXT TEST DATE (yyyy/mm)
REGULATED SOC					
ENDOTHALL	38926	WAIVED			
ENDRIN	39390	WAIVED			
ETHYLENE DIBROMIDE (EDB)	77651	WAIVED			
GLYPHOSATE	79743	WAIVED			
HEPTACHLOR	39410	WAIVED			
HEPTACHLOR EPOXIDE	39420	WAIVED			
HEXACHLOROBENZENE	39700	WAIVED			
HEXACHLOROCYCLOPENTADIENE	34386	WAIVED			
LINDANE	39340	WAIVED			
METHOXYCHLOR	39480	WAIVED			
MOLINATE	82199	WAIVED			
OXAMYL	38865	WAIVED			
PENTACHLOROPHENOL	39032	WAIVED			
PICLORAM	39720	WAIVED			
POLYCHLORINATED BIPHENYLS, TOTAL, AS DCB	39516	WAIVED			
SIMAZINE	39055	WAIVED			
THIOBENCARB	A-001	WAIVED			
TOXAPHENE	39400	WAIVED			
REGULATED VOC					
1,1,1-TRICHLOROETHANE	34506	WAIVED			
1,1,2,2-TETRACHLOROETHANE	34516	WAIVED			
1,1,2-TRICHLORO-1,2,2-TRIFLUOROETHANE	81611	WAIVED			
1,1,2-TRICHLOROETHANE	34511	WAIVED			
1,1-DICHLOROETHANE	34496	WAIVED			
1,1-DICHLOROETHYLENE	34501	WAIVED			
1,2,4-TRICHLOROBENZENE	34551	WAIVED			
1,2-DICHLOROBENZENE	34536	WAIVED			
1,2-DICHLOROETHANE	34531	WAIVED			
1,2-DICHLOROPROPANE	34541	WAIVED			

**Testing interval is in months;*
0 = No data for this constituent and is DUE NOW
999 = Waived testing (not required)
I = Invalid (NOT) valid analyses reported

System Number: ***1900808***

System Name: ***LANCASTER WATER COMPANY***

PS Code: ***1900808-002***

Source Name: ***WELL 02***

Source Number: ***002***

Source Status: ***ACTIVE UNTREATED***

Water type: ***GROUNDWATER OR WELL***

	STORET NUMBER	TESTING INTERVAL (MONTHS)*	LAST TEST DATE (yyyy/mm/dd)	LAST RESULT REPORTED	NEXT TEST DATE (yyyy/mm)
REGULATED VOC					
1,3-DICHLOROPROPENE (TOTAL)	34561	WAIVED			
1,4-DICHLOROBENZENE	34571	WAIVED			
BENZENE	34030	WAIVED			
CARBON TETRACHLORIDE	32102	WAIVED			
CIS-1,2-DICHLOROETHYLENE	77093	WAIVED			
DICHLOROMETHANE	34423	WAIVED			
ETHYLBENZENE	34371	WAIVED			
METHYL-TERT-BUTYL-ETHER (MTBE)	46491	WAIVED			
MONOCHLOROBENZENE	34301	WAIVED			
STYRENE	77128	WAIVED			
TETRACHLOROETHYLENE	34475	WAIVED			
TOLUENE	34010	WAIVED			
TRANS-1,2-DICHLOROETHYLENE	34546	WAIVED			
TRICHLOROETHYLENE	39180	WAIVED			
TRICHLOROFLUOROMETHANE	34488	WAIVED			
VINYL CHLORIDE	39175	WAIVED			
XYLENES (TOTAL)	81551	WAIVED			
SECONDARY/GP					
AGGRSSIVE INDEX (CORROSIVITY)	82383	WAIVED			
BICARBONATE ALKALINITY	00440	WAIVED	2002/03/01	139.000	
CALCIUM	00916	WAIVED	2002/03/01	24.000	
CARBONATE ALKALINITY	00445	WAIVED	2002/03/01	.000	
CHLORIDE	00940	WAIVED	2002/03/01	12.100	
COLOR	00081	WAIVED	2002/03/01	< 5.000	
COPPER	01042	WAIVED	2002/03/01	.000	
FOAMING AGENTS (MBAS)	38260	WAIVED	2002/03/01	.000	
HARDNESS (TOTAL) AS CACO3	00900	WAIVED	2002/03/01	90.000	
HYDROXIDE ALKALINITY	71830	WAIVED	2002/03/01	.000	
IRON	01045	WAIVED	2002/03/01	.000	

**Testing interval is in months;*
0 = No data for this constituent and is DUE NOW
999 = Waived testing (not required)
I = Invalid (NOT) valid analyses reported

System Number: ***1900808***

System Name: ***LANCASTER WATER COMPANY***

PS Code: ***1900808-002***

Source Name: ***WELL 02***

Source Number: ***002***

Source Status: ***ACTIVE UNTREATED***

Water type: ***GROUNDWATER OR WELL***

SECONDARY/GP

	STORET NUMBER	TESTING INTERVAL (MONTHS)*	LAST TEST DATE (yyyy/mm/dd)	LAST RESULT REPORTED	NEXT TEST DATE (yyyy/mm)
MAGNESIUM	00927	WAIVED	2002/03/01	7.290	
MANGANESE	01055	WAIVED	2002/03/01	.000	
ODOR THRESHOLD @ 60 C	00086	WAIVED	2002/03/01	.000	
PH, LABORATORY	00403	WAIVED	2002/03/01	8.030	
SILVER	01077	WAIVED	2002/03/01	.000	
SODIUM	00929	WAIVED	2002/03/01	56.000	
SPECIFIC CONDUCTANCE	00095	WAIVED	2002/03/01	296.000	
SULFATE	00945	WAIVED	2002/03/01	19.900	
TOTAL DISSOLVED SOLIDS	70300	WAIVED	2002/03/01	204.000	
TURBIDITY, LABORATORY	82079	WAIVED	2002/03/01	.130	
ZINC	01092	WAIVED	2002/03/01	.000	

**Testing interval is in months;*
0 = No data for this constituent and is DUE NOW
999 = Waived testing (not required)
I = Invalid (NOT) valid analyses reported

System Number: ***1900809***

System Name: ***LANDALE MUTUAL WATER COMPANY***

PS Code: ***1900809-001***

Source Name: ***WELL 01***

Source Number: ***001***

Source Status: ***ACTIVE UNTREATED***

Water type: ***GROUNDWATER OR WELL***

	STORET NUMBER	TESTING INTERVAL (MONTHS)*	LAST TEST DATE (yyyy/mm/dd)	LAST RESULT REPORTED	NEXT TEST DATE (yyyy/mm)
GENERAL NON CHAP 15					
DIAZINON	39570	WAIVED			
INORGANIC					
ALUMINUM	01105	WAIVED	2002/08/27	.000	
ANTIMONY	01097	WAIVED	2002/08/27	.000	
ARSENIC	01002	WAIVED	2002/10/28	4.000	
ASBESTOS	81855	WAIVED			
BARIUM	01007	WAIVED	2002/08/27	.000	
BERYLLIUM	01012	WAIVED	2002/08/27	.000	
CADMIUM	01027	WAIVED	2002/08/27	.000	
CHROMIUM (TOTAL)	01034	WAIVED	2002/12/03	.000	
CYANIDE	01291	WAIVED			
FLUORIDE (F) (NATURAL-SOURCE)	00951	WAIVED	2002/08/27	.370	
LEAD	01051	WAIVED	2002/08/27	.000	
MERCURY	71900	WAIVED	2002/08/27	.000	
NICKEL	01067	WAIVED	2002/08/27	.000	
PERCHLORATE	A-031	WAIVED	2002/07/30	.000	
SELENIUM	01147	WAIVED	2002/08/27	.000	
THALLIUM	01059	WAIVED	2002/08/27	.000	
NITRATE/NITRITE					
NITRATE (AS NO3)	71850	WAIVED	2002/08/27	.000	
NITRITE (AS N)	00620	WAIVED	2002/08/27	.000	
RADIOLOGICAL					
GROSS ALPHA	01501	WAIVED	2002/10/10	.600	
GROSS BETA	03501	WAIVED			
RA-226 FOR CWS OR TOTAL RA FOR NTNC BY 903.0	A-080	WAIVED			
RA-226 OR TOTAL RA BY 903.0 C.E.	A-081	WAIVED			
RADIUM 226	09501	WAIVED			
RADIUM 228	11501	WAIVED			

**Testing interval is in months;*
0 = No data for this constituent and is DUE NOW
999 = Waived testing (not required)
I = Invalid (NOT) valid analyses reported

System Number: ***1900809***

System Name: ***LANDALE MUTUAL WATER COMPANY***

PS Code: ***1900809-001***

Source Name: ***WELL 01***

Source Number: ***001***

Source Status: ***ACTIVE UNTREATED***

Water type: ***GROUNDWATER OR WELL***

	STORET NUMBER	TESTING INTERVAL (MONTHS)*	LAST TEST DATE (yyyy/mm/dd)	LAST RESULT REPORTED	NEXT TEST DATE (yyyy/mm)
RADIOLOGICAL					
RADIUM, TOTAL, MDA95-NTNC ONLY, BY 903.0	A-082	WAIVED			
STRONTIUM-90	13501	WAIVED			
TRITIUM	07000	WAIVED			
URANIUM (PCI/L)	28012	WAIVED			
REGULATED SOC					
2,3,7,8-TCDD (DIOXIN)	34676	WAIVED			
2,4,5-TP (SILVEX)	39045	WAIVED			
2,4-D	39730	WAIVED			
ALACHLOR	77825	WAIVED	2002/04/24	.000	
ATRAZINE	39033	WAIVED			
BENTAZON	38710	WAIVED			
BENZO (A) PYRENE	34247	WAIVED			
CARBOFURAN	81405	WAIVED			
CHLORDANE	39350	WAIVED	2002/04/24	.000	
DALAPON	38432	WAIVED			
DI(2-ETHYLHEXYL)ADIPATE	A-026	WAIVED			
DI(2-ETHYLHEXYL)PHTHALATE	39100	WAIVED			
DIBROMOCHLOROPROPANE (DBCP)	38761	WAIVED	2002/09/03	.000	
DINOSEB	81287	WAIVED			
DIQUAT	78885	WAIVED			
ENDOTHALL	38926	WAIVED			
ENDRIN	39390	WAIVED	2002/04/24	.000	
ETHYLENE DIBROMIDE (EDB)	77651	WAIVED	2002/09/03	.000	
GLYPHOSATE	79743	WAIVED			
HEPTACHLOR	39410	WAIVED	2002/04/24	.000	
HEPTACHLOR EPOXIDE	39420	WAIVED	2002/04/24	.000	
HEXACHLOROBENZENE	39700	WAIVED	2002/04/24	.000	
HEXACHLOROCYCLOPENTADIENE	34386	WAIVED	2002/04/24	.000	
LINDANE	39340	WAIVED	2002/04/24	.000	

**Testing interval is in months;*
0 = No data for this constituent and is DUE NOW
999 = Waived testing (not required)
I = Invalid (NOT) valid analyses reported

System Number: ***1900809***

System Name: ***LANDALE MUTUAL WATER COMPANY***

PS Code: ***1900809-001***

Source Name: ***WELL 01***

Source Number: ***001***

Source Status: ***ACTIVE UNTREATED***

Water type: ***GROUNDWATER OR WELL***

	STORET NUMBER	TESTING INTERVAL (MONTHS)*	LAST TEST DATE (yyyy/mm/dd)	LAST RESULT REPORTED	NEXT TEST DATE (yyyy/mm)
REGULATED SOC					
METHOXYCHLOR	39480	WAIVED	2002/04/24	.000	
MOLINATE	82199	WAIVED			
OXAMYL	38865	WAIVED			
PENTACHLOROPHENOL	39032	WAIVED			
PICLORAM	39720	WAIVED			
POLYCHLORINATED BIPHENYLS, TOTAL, AS DCB	39516	WAIVED	2002/04/24	.000	
SIMAZINE	39055	WAIVED			
THIOBENCARB	A-001	WAIVED			
TOXAPHENE	39400	WAIVED	2002/04/24	.000	
REGULATED VOC					
1,1,1-TRICHLOROETHANE	34506	WAIVED	2002/12/03	.000	
1,1,2,2-TETRACHLOROETHANE	34516	WAIVED	2002/12/03	.000	
1,1,2-TRICHLORO-1,2,2-TRIFLUOROETHANE	81611	WAIVED	2002/12/03	.000	
1,1,2-TRICHLOROETHANE	34511	WAIVED	2002/12/03	.000	
1,1-DICHLOROETHANE	34496	WAIVED	2002/12/03	.000	
1,1-DICHLOROETHYLENE	34501	WAIVED	2002/12/03	.000	
1,2,4-TRICHLOROBENZENE	34551	WAIVED	2002/12/03	.000	
1,2-DICHLOROBENZENE	34536	WAIVED	2002/12/03	.000	
1,2-DICHLOROETHANE	34531	WAIVED	2002/12/03	.000	
1,2-DICHLOROPROPANE	34541	WAIVED	2002/12/03	.000	
1,3-DICHLOROPROPENE (TOTAL)	34561	WAIVED	2002/12/03	.000	
1,4-DICHLOROBENZENE	34571	WAIVED	2002/12/03	.000	
BENZENE	34030	WAIVED	2002/12/03	.000	
CARBON TETRACHLORIDE	32102	WAIVED	2002/12/03	.000	
CIS-1,2-DICHLOROETHYLENE	77093	WAIVED	2002/12/03	.000	
DICHLOROMETHANE	34423	WAIVED	2002/12/03	.000	
ETHYLBENZENE	34371	WAIVED	2002/12/03	.000	
METHYL-TERT-BUTYL-ETHER (MTBE)	46491	WAIVED	2002/09/03	.000	
MONOCHLOROBENZENE	34301	WAIVED	2002/12/03	.000	

**Testing interval is in months;*
0 = No data for this constituent and is DUE NOW
999 = Waived testing (not required)
I = Invalid (NOT) valid analyses reported

System Number: ***1900809***

System Name: ***LANDALE MUTUAL WATER COMPANY***

PS Code: ***1900809-001***

Source Name: ***WELL 01***

Source Number: ***001***

Source Status: ***ACTIVE UNTREATED***

Water type: ***GROUNDWATER OR WELL***

	STORET NUMBER	TESTING INTERVAL (MONTHS)*	LAST TEST DATE (yyyy/mm/dd)	LAST RESULT REPORTED	NEXT TEST DATE (yyyy/mm)
REGULATED VOC					
STYRENE	77128	WAIVED	2002/12/03	.000	
TETRACHLOROETHYLENE	34475	WAIVED	2002/12/03	.000	
TOLUENE	34010	WAIVED	2002/12/03	.000	
TRANS-1,2-DICHLOROETHYLENE	34546	WAIVED	2002/12/03	.000	
TRICHLOROETHYLENE	39180	WAIVED	2002/12/03	.000	
TRICHLOROFLUOROMETHANE	34488	WAIVED	2002/12/03	.000	
VINYL CHLORIDE	39175	WAIVED	2002/12/03	.000	
XYLENES (TOTAL)	81551	WAIVED	2002/12/03	.000	
SECONDARY/GP					
AGGRSSIVE INDEX (CORROSIVITY)	82383	WAIVED			
BICARBONATE ALKALINITY	00440	WAIVED	2002/08/27	116.000	
CALCIUM	00916	WAIVED	2002/08/27	9.000	
CARBONATE ALKALINITY	00445	WAIVED	2002/08/27	1.200	
CHLORIDE	00940	WAIVED	2002/08/27	2.000	
COLOR	00081	WAIVED	2002/08/27	2.000	
COPPER	01042	WAIVED	2002/08/27	.000	
FOAMING AGENTS (MBAS)	38260	WAIVED	2002/03/08	.000	
HARDNESS (TOTAL) AS CACO3	00900	WAIVED	2002/08/27	29.000	
HYDROXIDE ALKALINITY	71830	WAIVED	2002/08/27	.000	
IRON	01045	WAIVED	2002/08/27	.000	
MAGNESIUM	00927	WAIVED	2002/08/27	.000	
MANGANESE	01055	WAIVED	2002/08/27	.000	
ODOR THRESHOLD @ 60 C	00086	WAIVED	2002/08/27	.000	
PH, LABORATORY	00403	WAIVED	2002/08/27	8.200	
SILVER	01077	WAIVED	2002/08/27	.000	
SODIUM	00929	WAIVED	2002/08/27	42.000	
SPECIFIC CONDUCTANCE	00095	WAIVED	2002/08/27	227.000	
SULFATE	00945	WAIVED	2002/08/27	12.000	
TOTAL DISSOLVED SOLIDS	70300	WAIVED	2002/08/27	143.000	

**Testing interval is in months;*
0 = No data for this constituent and is DUE NOW
999 = Waived testing (not required)
I = Invalid (NOT) valid analyses reported

System Number: ***1900809***

System Name: ***LANDALE MUTUAL WATER COMPANY***

PS Code: ***1900809-001***

Source Name: ***WELL 01***

Source Number: ***001***

Source Status: ***ACTIVE UNTREATED***

Water type: ***GROUNDWATER OR WELL***

	STORET NUMBER	TESTING INTERVAL (MONTHS)*	LAST TEST DATE (yyyy/mm/dd)	LAST RESULT REPORTED	NEXT TEST DATE (yyyy/mm)
SECONDARY/GP					
TURBIDITY, LABORATORY	82079	WAIVED	2002/08/27	.250	
ZINC	01092	WAIVED	2002/08/27	.000	

PS Code: ***1900809-002***

Source Name: ***STANDBY PURCHASED WATER***

Source Number: ***002***

Source Status: ***PURCHASED TREATED***

Water type: ***SURFACE***

GENERAL NON CHAP 15					
DIAZINON	39570	WAIVED			
INORGANIC					
ALUMINUM	01105	WAIVED			
ANTIMONY	01097	WAIVED			
ARSENIC	01002	WAIVED			
ASBESTOS	81855	WAIVED			
BARIUM	01007	WAIVED			
BERYLLIUM	01012	WAIVED			
CADMIUM	01027	WAIVED			
CHROMIUM (TOTAL)	01034	WAIVED			
CYANIDE	01291	WAIVED			
FLUORIDE (F) (NATURAL-SOURCE)	00951	WAIVED			
LEAD	01051	WAIVED			
MERCURY	71900	WAIVED			
NICKEL	01067	WAIVED			
PERCHLORATE	A-031	WAIVED			
SELENIUM	01147	WAIVED			
THALLIUM	01059	WAIVED			

**Testing interval is in months;*
0 = No data for this constituent and is DUE NOW
999 = Waived testing (not required)
I = Invalid (NOT) valid analyses reported

System Number: ***1900809***

System Name: ***LANDALE MUTUAL WATER COMPANY***

PS Code: ***1900809-002***

Source Name: ***STANDBY PURCHASED WATER***

Source Number: ***002***

Source Status: ***PURCHASED TREATED***

Water type: ***SURFACE***

	STORET NUMBER	TESTING INTERVAL (MONTHS)*	LAST TEST DATE (yyyy/mm/dd)	LAST RESULT REPORTED	NEXT TEST DATE (yyyy/mm)
NITRATE/NITRITE					
NITRATE (AS NO3)	71850	WAIVED	2001/01/03	.000	
NITRITE (AS N)	00620	WAIVED			
RADIOLOGICAL					
GROSS ALPHA	01501	WAIVED			
GROSS BETA	03501	WAIVED			
RA-226 FOR CWS OR TOTAL RA FOR NTNC BY 903.0	A-080	WAIVED			
RA-226 OR TOTAL RA BY 903.0 C.E.	A-081	WAIVED			
RADIUM 226	09501	WAIVED			
RADIUM 228	11501	WAIVED			
RADIUM, TOTAL, MDA95-NTNC ONLY, BY 903.0	A-082	WAIVED			
STRONTIUM-90	13501	WAIVED			
TRITIUM	07000	WAIVED			
URANIUM (PCI/L)	28012	WAIVED			
REGULATED SOC					
2,3,7,8-TCDD (DIOXIN)	34676	WAIVED			
2,4,5-TP (SILVEX)	39045	WAIVED			
2,4-D	39730	WAIVED			
ALACHLOR	77825	WAIVED			
ATRAZINE	39033	WAIVED			
BENTAZON	38710	WAIVED			
BENZO (A) PYRENE	34247	WAIVED			
CARBOFURAN	81405	WAIVED			
CHLORDANE	39350	WAIVED			
DALAPON	38432	WAIVED			
DI(2-ETHYLHEXYL)ADIPATE	A-026	WAIVED			
DI(2-ETHYLHEXYL)PHTHALATE	39100	WAIVED			
DIBROMOCHLOROPROPANE (DBCP)	38761	WAIVED			
DINOSEB	81287	WAIVED			
DIQUAT	78885	WAIVED			

**Testing interval is in months;*
0 = No data for this constituent and is DUE NOW
999 = Waived testing (not required)
I = Invalid (NOT) valid analyses reported

System Number: ***1900809***

System Name: ***LANDALE MUTUAL WATER COMPANY***

PS Code: ***1900809-002***

Source Name: ***STANDBY PURCHASED WATER***

Source Number: ***002***

Source Status: ***PURCHASED TREATED***

Water type: ***SURFACE***

	STORET NUMBER	TESTING INTERVAL (MONTHS)*	LAST TEST DATE (yyyy/mm/dd)	LAST RESULT REPORTED	NEXT TEST DATE (yyyy/mm)
REGULATED SOC					
ENDOTHALL	38926	WAIVED			
ENDRIN	39390	WAIVED			
ETHYLENE DIBROMIDE (EDB)	77651	WAIVED			
GLYPHOSATE	79743	WAIVED			
HEPTACHLOR	39410	WAIVED			
HEPTACHLOR EPOXIDE	39420	WAIVED			
HEXACHLOROBENZENE	39700	WAIVED			
HEXACHLOROCYCLOPENTADIENE	34386	WAIVED			
LINDANE	39340	WAIVED			
METHOXYCHLOR	39480	WAIVED			
MOLINATE	82199	WAIVED			
OXAMYL	38865	WAIVED			
PENTACHLOROPHENOL	39032	WAIVED			
PICLORAM	39720	WAIVED			
POLYCHLORINATED BIPHENYLS, TOTAL, AS DCB	39516	WAIVED			
SIMAZINE	39055	WAIVED			
THIOBENCARB	A-001	WAIVED			
TOXAPHENE	39400	WAIVED			
REGULATED VOC					
1,1,1-TRICHLOROETHANE	34506	WAIVED			
1,1,2,2-TETRACHLOROETHANE	34516	WAIVED			
1,1,2-TRICHLORO-1,2,2-TRIFLUOROETHANE	81611	WAIVED			
1,1,2-TRICHLOROETHANE	34511	WAIVED			
1,1-DICHLOROETHANE	34496	WAIVED			
1,1-DICHLOROETHYLENE	34501	WAIVED			
1,2,4-TRICHLOROBENZENE	34551	WAIVED			
1,2-DICHLOROBENZENE	34536	WAIVED			
1,2-DICHLOROETHANE	34531	WAIVED			
1,2-DICHLOROPROPANE	34541	WAIVED			

**Testing interval is in months;*
0 = No data for this constituent and is DUE NOW
999 = Waived testing (not required)
I = Invalid (NOT) valid analyses reported

System Number: ***1900809***

System Name: ***LANDALE MUTUAL WATER COMPANY***

PS Code: ***1900809-002***

Source Name: ***STANDBY PURCHASED WATER***

Source Number: ***002***

Source Status: ***PURCHASED TREATED***

Water type: ***SURFACE***

	STORET NUMBER	TESTING INTERVAL (MONTHS)*	LAST TEST DATE (yyyy/mm/dd)	LAST RESULT REPORTED	NEXT TEST DATE (yyyy/mm)
REGULATED VOC					
1,3-DICHLOROPROPENE (TOTAL)	34561	WAIVED			
1,4-DICHLOROBENZENE	34571	WAIVED			
BENZENE	34030	WAIVED			
CARBON TETRACHLORIDE	32102	WAIVED			
CIS-1,2-DICHLOROETHYLENE	77093	WAIVED			
DICHLOROMETHANE	34423	WAIVED			
ETHYLBENZENE	34371	WAIVED			
METHYL-TERT-BUTYL-ETHER (MTBE)	46491	WAIVED			
MONOCHLOROBENZENE	34301	WAIVED			
STYRENE	77128	WAIVED			
TETRACHLOROETHYLENE	34475	WAIVED			
TOLUENE	34010	WAIVED			
TRANS-1,2-DICHLOROETHYLENE	34546	WAIVED			
TRICHLOROETHYLENE	39180	WAIVED			
TRICHLOROFLUOROMETHANE	34488	WAIVED			
VINYL CHLORIDE	39175	WAIVED			
XYLENES (TOTAL)	81551	WAIVED			
SECONDARY/GP					
AGGRSSIVE INDEX (CORROSIVITY)	82383	WAIVED			
BICARBONATE ALKALINITY	00440	WAIVED			
CALCIUM	00916	WAIVED			
CARBONATE ALKALINITY	00445	WAIVED			
CHLORIDE	00940	WAIVED			
COLOR	00081	WAIVED			
COPPER	01042	WAIVED			
FOAMING AGENTS (MBAS)	38260	WAIVED			
HARDNESS (TOTAL) AS CACO3	00900	WAIVED			
HYDROXIDE ALKALINITY	71830	WAIVED			
IRON	01045	WAIVED			

**Testing interval is in months;*
0 = No data for this constituent and is DUE NOW
999 = Waived testing (not required)
I = Invalid (NOT) valid analyses reported

System Number: ***1900809***

System Name: ***LANDALE MUTUAL WATER COMPANY***

PS Code: ***1900809-002***

Source Name: ***STANDBY PURCHASED WATER***

Source Number: ***002***

Source Status: ***PURCHASED TREATED***

Water type: ***SURFACE***

	STORET NUMBER	TESTING INTERVAL (MONTHS)*	LAST TEST DATE (yyyy/mm/dd)	LAST RESULT REPORTED	NEXT TEST DATE (yyyy/mm)
SECONDARY/GP					
MAGNESIUM	00927	WAIVED			
MANGANESE	01055	WAIVED			
ODOR THRESHOLD @ 60 C	00086	WAIVED			
PH, LABORATORY	00403	WAIVED			
SILVER	01077	WAIVED			
SODIUM	00929	WAIVED			
SPECIFIC CONDUCTANCE	00095	WAIVED			
SULFATE	00945	WAIVED			
TOTAL DISSOLVED SOLIDS	70300	WAIVED			
TURBIDITY, LABORATORY	82079	WAIVED			
ZINC	01092	WAIVED			

PS Code: ***1900809-003***

Source Name: ***NEW WELL***

Source Number: ***003***

Source Status: ***ACTIVE UNTREATED***

Water type: ***GROUNDWATER OR WELL***

GENERAL NON CHAP 15					
DIAZINON	39570	WAIVED			
INORGANIC					
ALUMINUM	01105	WAIVED	2008/02/27	.000	
ANTIMONY	01097	WAIVED	2008/02/27	.000	
ARSENIC	01002	WAIVED	2008/02/27	3.500	
ASBESTOS	81855	WAIVED	2008/02/27	< .200	
BARIUM	01007	WAIVED	2008/02/27	.000	
BERYLLIUM	01012	WAIVED	2008/02/27	.000	
CADMIUM	01027	WAIVED	2008/02/27	.000	
CHROMIUM (TOTAL)	01034	WAIVED	2008/02/27	.000	
CYANIDE	01291	WAIVED	2008/02/27	.000	

**Testing interval is in months;*
0 = No data for this constituent and is DUE NOW
999 = Waived testing (not required)
I = Invalid (NOT) valid analyses reported

System Number: ***1900809***

System Name: ***LANDALE MUTUAL WATER COMPANY***

PS Code: ***1900809-003***

Source Name: ***NEW WELL***

Source Number: ***003***

Source Status: ***ACTIVE UNTREATED***

Water type: ***GROUNDWATER OR WELL***

	STORET NUMBER	TESTING INTERVAL (MONTHS)*	LAST TEST DATE (yyyy/mm/dd)	LAST RESULT REPORTED	NEXT TEST DATE (yyyy/mm)
INORGANIC					
FLUORIDE (F) (NATURAL-SOURCE)	00951	WAIVED	2008/02/27	.339	
LEAD	01051	WAIVED	2008/02/27	.000	
MERCURY	71900	WAIVED	2008/02/27	.000	
NICKEL	01067	WAIVED	2008/02/27	.000	
PERCHLORATE	A-031	WAIVED	2012/02/15	< 4.000	
SELENIUM	01147	WAIVED	2008/02/27	.000	
THALLIUM	01059	WAIVED	2008/02/27	.000	
NITRATE/NITRITE					
NITRATE (AS NO3)	71850	WAIVED	2011/02/28	.240	
NITRITE (AS N)	00620	WAIVED	2008/02/27	.000	
RADIOLOGICAL					
GROSS ALPHA	01501	WAIVED	2011/11/02	.500	
GROSS BETA	03501	WAIVED			
RA-226 FOR CWS OR TOTAL RA FOR NTNC BY 903.0	A-080	WAIVED			
RA-226 OR TOTAL RA BY 903.0 C.E.	A-081	WAIVED			
RADIUM 226	09501	WAIVED	2011/11/02	.081	
RADIUM 228	11501	WAIVED	2011/11/02	- .118	
RADIUM, TOTAL, MDA95-NTNC ONLY, BY 903.0	A-082	WAIVED			
STRONTIUM-90	13501	WAIVED			
TRITIUM	07000	WAIVED			
URANIUM (PCI/L)	28012	WAIVED	2011/11/02	.780	
REGULATED SOC					
2,3,7,8-TCDD (DIOXIN)	34676	WAIVED			
2,4,5-TP (SILVEX)	39045	WAIVED			
2,4-D	39730	WAIVED			
ALACHLOR	77825	WAIVED			
ATRAZINE	39033	WAIVED			
BENTAZON	38710	WAIVED			

**Testing interval is in months;*
0 = No data for this constituent and is DUE NOW
999 = Waived testing (not required)
I = Invalid (NOT) valid analyses reported

System Number: ***1900809***

System Name: ***LANDALE MUTUAL WATER COMPANY***

PS Code: ***1900809-003***

Source Name: ***NEW WELL***

Source Number: ***003***

Source Status: ***ACTIVE UNTREATED***

Water type: ***GROUNDWATER OR WELL***

	STORET NUMBER	TESTING INTERVAL (MONTHS)*	LAST TEST DATE (yyyy/mm/dd)	LAST RESULT REPORTED	NEXT TEST DATE (yyyy/mm)
REGULATED SOC					
BENZO (A) PYRENE	34247	WAIVED			
CARBOFURAN	81405	WAIVED			
CHLORDANE	39350	WAIVED			
DALAPON	38432	WAIVED			
DI(2-ETHYLHEXYL)ADIPATE	A-026	WAIVED			
DI(2-ETHYLHEXYL)PHTHALATE	39100	WAIVED			
DIBROMOCHLOROPROPANE (DBCP)	38761	WAIVED			
DINOSEB	81287	WAIVED			
DIQUAT	78885	WAIVED			
ENDOTHALL	38926	WAIVED			
ENDRIN	39390	WAIVED			
ETHYLENE DIBROMIDE (EDB)	77651	WAIVED			
GLYPHOSATE	79743	WAIVED			
HEPTACHLOR	39410	WAIVED			
HEPTACHLOR EPOXIDE	39420	WAIVED			
HEXACHLOROBENZENE	39700	WAIVED			
HEXACHLOROCYCLOPENTADIENE	34386	WAIVED			
LINDANE	39340	WAIVED			
METHOXYCHLOR	39480	WAIVED			
MOLINATE	82199	WAIVED			
OXAMYL	38865	WAIVED			
PENTACHLOROPHENOL	39032	WAIVED			
PICLORAM	39720	WAIVED			
POLYCHLORINATED BIPHENYLS, TOTAL, AS DCB	39516	WAIVED			
SIMAZINE	39055	WAIVED			
THIOBENCARB	A-001	WAIVED			
TOXAPHENE	39400	WAIVED			
REGULATED VOC					
1,1,1-TRICHLOROETHANE	34506	WAIVED	2008/05/21	.000	

**Testing interval is in months;*
0 = No data for this constituent and is DUE NOW
999 = Waived testing (not required)
I = Invalid (NOT) valid analyses reported

System Number: ***1900809***

System Name: ***LANDALE MUTUAL WATER COMPANY***

PS Code: ***1900809-003***

Source Name: ***NEW WELL***

Source Number: ***003***

Source Status: ***ACTIVE UNTREATED***

Water type: ***GROUNDWATER OR WELL***

	STORET NUMBER	TESTING INTERVAL (MONTHS)*	LAST TEST DATE (yyyy/mm/dd)	LAST RESULT REPORTED	NEXT TEST DATE (yyyy/mm)
REGULATED VOC					
1,1,2,2-TETRACHLOROETHANE	34516	WAIVED	2008/05/21	.000	
1,1,2-TRICHLORO-1,2,2-TRIFLUOROETHANE	81611	WAIVED	2008/02/27	.000	
1,1,2-TRICHLOROETHANE	34511	WAIVED	2008/05/21	.000	
1,1-DICHLOROETHANE	34496	WAIVED	2008/05/21	.000	
1,1-DICHLOROETHYLENE	34501	WAIVED	2008/05/21	.000	
1,2,4-TRICHLOROBENZENE	34551	WAIVED	2008/02/27	.000	
1,2-DICHLOROBENZENE	34536	WAIVED	2008/05/21	.000	
1,2-DICHLOROETHANE	34531	WAIVED	2008/05/21	.000	
1,2-DICHLOROPROPANE	34541	WAIVED	2008/05/21	.000	
1,3-DICHLOROPROPENE (TOTAL)	34561	WAIVED	2008/05/21	.000	
1,4-DICHLOROBENZENE	34571	WAIVED	2008/05/21	.000	
BENZENE	34030	WAIVED	2008/05/21	.000	
CARBON TETRACHLORIDE	32102	WAIVED	2008/05/21	.000	
CIS-1,2-DICHLOROETHYLENE	77093	WAIVED	2008/05/21	.000	
DICHLOROMETHANE	34423	WAIVED	2008/05/21	.000	
ETHYLBENZENE	34371	WAIVED	2008/05/21	.000	
METHYL-TERT-BUTYL-ETHER (MTBE)	46491	WAIVED	2008/02/27	.000	
MONOCHLOROBENZENE	34301	WAIVED	2008/05/21	.000	
STYRENE	77128	WAIVED	2008/05/21	.000	
TETRACHLOROETHYLENE	34475	WAIVED	2008/05/21	.000	
TOLUENE	34010	WAIVED	2008/05/21	.000	
TRANS-1,2-DICHLOROETHYLENE	34546	WAIVED	2008/05/21	.000	
TRICHLOROETHYLENE	39180	WAIVED	2008/05/21	.000	
TRICHLOROFLUOROMETHANE	34488	WAIVED	2008/05/21	.000	
VINYL CHLORIDE	39175	WAIVED	2008/05/21	.000	
XYLENES (TOTAL)	81551	WAIVED	2008/05/21	.520	
SECONDARY/GP					
AGGRSSIVE INDEX (CORROSIVITY)	82383	WAIVED	2008/02/27	11.960	
BICARBONATE ALKALINITY	00440	WAIVED	2011/05/16	85.000	

**Testing interval is in months;*
0 = No data for this constituent and is DUE NOW
999 = Waived testing (not required)
I = Invalid (NOT) valid analyses reported

System Number: ***1900809***

System Name: ***LANDALE MUTUAL WATER COMPANY***

PS Code: ***1900809-003***

Source Name: ***NEW WELL***

Source Number: ***003***

Source Status: ***ACTIVE UNTREATED***

Water type: ***GROUNDWATER OR WELL***

SECONDARY/GP

	STORET NUMBER	TESTING INTERVAL (MONTHS)*	LAST TEST DATE (yyyy/mm/dd)	LAST RESULT REPORTED	NEXT TEST DATE (yyyy/mm)
CALCIUM	00916	WAIVED	2008/02/27	10.400	
CARBONATE ALKALINITY	00445	WAIVED	2011/05/16	.000	
CHLORIDE	00940	WAIVED	2008/02/27	2.380	
COLOR	00081	WAIVED	2008/02/27	2.000	
COPPER	01042	WAIVED	2008/02/27	.000	
FOAMING AGENTS (MBAS)	38260	WAIVED	2008/02/27	.057	
HARDNESS (TOTAL) AS CACO3	00900	WAIVED	2011/05/16	40.000	
HYDROXIDE ALKALINITY	71830	WAIVED	2011/05/16	.000	
IRON	01045	WAIVED	2008/02/27	.000	
MAGNESIUM	00927	WAIVED	2008/02/27	.505	
MANGANESE	01055	WAIVED	2008/02/27	.000	
ODOR THRESHOLD @ 60 C	00086	WAIVED	2008/02/27	.000	
PH, LABORATORY	00403	WAIVED	2011/05/16	7.970	
SILVER	01077	WAIVED	2008/02/27	.000	
SODIUM	00929	WAIVED	2008/02/27	36.600	
SPECIFIC CONDUCTANCE	00095	WAIVED	2008/02/27	212.000	
SULFATE	00945	WAIVED	2008/02/27	13.400	
TOTAL DISSOLVED SOLIDS	70300	WAIVED	2011/05/16	157.000	
TURBIDITY, LABORATORY	82079	WAIVED	2008/02/27	.230	
ZINC	01092	WAIVED	2008/02/27	.000	

**Testing interval is in months;*
0 = No data for this constituent and is DUE NOW
999 = Waived testing (not required)
I = Invalid (NOT) valid analyses reported

System Number: ***1900817***

System Name: ***CLEAR SKIES MOBILE HOME RANCH***

PS Code: ***1900817-001***

Source Name: ***WELL 01***

Source Number: ***001***

Source Status: ***ACTIVE UNTREATED***

Water type: ***GROUNDWATER OR WELL***

	STORET NUMBER	TESTING INTERVAL (MONTHS)*	LAST TEST DATE (yyyy/mm/dd)	LAST RESULT REPORTED	NEXT TEST DATE (yyyy/mm)
GENERAL NON CHAP 15					
DIAZINON	39570	WAIVED			
INORGANIC					
ALUMINUM	01105	WAIVED	2005/03/31	.000	
ANTIMONY	01097	WAIVED	2005/03/31	.000	
ARSENIC	01002	WAIVED	2005/03/31	.000	
ASBESTOS	81855	WAIVED			
BARIUM	01007	WAIVED	2005/03/31	.000	
BERYLLIUM	01012	WAIVED	2005/03/31	.000	
CADMIUM	01027	WAIVED	2005/03/31	.000	
CHROMIUM (TOTAL)	01034	WAIVED	2005/03/31	11.000	
CYANIDE	01291	WAIVED			
FLUORIDE (F) (NATURAL-SOURCE)	00951	WAIVED	2005/03/31	.110	
LEAD	01051	WAIVED	2002/04/10	.000	
MERCURY	71900	WAIVED	2005/03/31	.000	
NICKEL	01067	WAIVED	2005/03/31	.000	
PERCHLORATE	A-031	WAIVED	2005/03/31	.000	
SELENIUM	01147	WAIVED	2005/03/31	.000	
THALLIUM	01059	WAIVED	2005/03/31	.000	
NITRATE/NITRITE					
NITRATE (AS NO3)	71850	WAIVED	2012/03/21	5.400	
NITRITE (AS N)	00620	WAIVED			
RADIOLOGICAL					
GROSS ALPHA	01501	WAIVED	2004/07/21	.894	
GROSS BETA	03501	WAIVED			
RA-226 FOR CWS OR TOTAL RA FOR NTNC BY 903.0	A-080	WAIVED			
RA-226 OR TOTAL RA BY 903.0 C.E.	A-081	WAIVED			
RADIUM 226	09501	WAIVED			
RADIUM 228	11501	WAIVED			

**Testing interval is in months;*
0 = No data for this constituent and is DUE NOW
999 = Waived testing (not required)
I = Invalid (NOT) valid analyses reported

System Number: ***1900817***

System Name: ***CLEAR SKIES MOBILE HOME RANCH***

PS Code: ***1900817-001***

Source Name: ***WELL 01***

Source Number: ***001***

Source Status: ***ACTIVE UNTREATED***

Water type: ***GROUNDWATER OR WELL***

	STORET NUMBER	TESTING INTERVAL (MONTHS)*	LAST TEST DATE (yyyy/mm/dd)	LAST RESULT REPORTED	NEXT TEST DATE (yyyy/mm)
RADIOLOGICAL					
RADIUM, TOTAL, MDA95-NTNC ONLY, BY 903.0	A-082	WAIVED			
STRONTIUM-90	13501	WAIVED			
TRITIUM	07000	WAIVED			
URANIUM (PCI/L)	28012	WAIVED			
REGULATED SOC					
2,3,7,8-TCDD (DIOXIN)	34676	WAIVED			
2,4,5-TP (SILVEX)	39045	WAIVED			
2,4-D	39730	WAIVED			
ALACHLOR	77825	WAIVED	2002/04/10	.000	
ATRAZINE	39033	WAIVED			
BENTAZON	38710	WAIVED			
BENZO (A) PYRENE	34247	WAIVED			
CARBOFURAN	81405	WAIVED			
CHLORDANE	39350	WAIVED	2002/04/10	.000	
DALAPON	38432	WAIVED			
DI(2-ETHYLHEXYL)ADIPATE	A-026	WAIVED			
DI(2-ETHYLHEXYL)PHTHALATE	39100	WAIVED			
DIBROMOCHLOROPROPANE (DBCP)	38761	WAIVED			
DINOSEB	81287	WAIVED			
DIQUAT	78885	WAIVED			
ENDOTHALL	38926	WAIVED			
ENDRIN	39390	WAIVED	2002/04/10	.000	
ETHYLENE DIBROMIDE (EDB)	77651	WAIVED			
GLYPHOSATE	79743	WAIVED			
HEPTACHLOR	39410	WAIVED	2002/04/10	.000	
HEPTACHLOR EPOXIDE	39420	WAIVED	2002/04/10	.000	
HEXACHLOROBENZENE	39700	WAIVED	2002/04/10	.000	
HEXACHLOROCYCLOPENTADIENE	34386	WAIVED	2002/04/10	.000	
LINDANE	39340	WAIVED	2002/04/10	.000	

**Testing interval is in months;*
0 = No data for this constituent and is DUE NOW
999 = Waived testing (not required)
I = Invalid (NOT) valid analyses reported

System Number: ***1900817***

System Name: ***CLEAR SKIES MOBILE HOME RANCH***

PS Code: ***1900817-001***

Source Name: ***WELL 01***

Source Number: ***001***

Source Status: ***ACTIVE UNTREATED***

Water type: ***GROUNDWATER OR WELL***

	STORET NUMBER	TESTING INTERVAL (MONTHS)*	LAST TEST DATE (yyyy/mm/dd)	LAST RESULT REPORTED	NEXT TEST DATE (yyyy/mm)
REGULATED SOC					
METHOXYCHLOR	39480	WAIVED	2002/04/10	.000	
MOLINATE	82199	WAIVED			
OXAMYL	38865	WAIVED			
PENTACHLOROPHENOL	39032	WAIVED			
PICLORAM	39720	WAIVED			
POLYCHLORINATED BIPHENYLS, TOTAL, AS DCB	39516	WAIVED	2002/04/10	.000	
SIMAZINE	39055	WAIVED			
THIOBENCARB	A-001	WAIVED			
TOXAPHENE	39400	WAIVED	2002/04/10	.000	
REGULATED VOC					
1,1,1-TRICHLOROETHANE	34506	WAIVED	2002/04/10	.000	
1,1,2,2-TETRACHLOROETHANE	34516	WAIVED	2002/04/10	.000	
1,1,2-TRICHLORO-1,2,2-TRIFLUOROETHANE	81611	WAIVED	2002/04/10	.000	
1,1,2-TRICHLOROETHANE	34511	WAIVED	2002/04/10	.000	
1,1-DICHLOROETHANE	34496	WAIVED	2002/04/10	.000	
1,1-DICHLOROETHYLENE	34501	WAIVED	2002/04/10	.000	
1,2,4-TRICHLOROBENZENE	34551	WAIVED	2002/04/10	.000	
1,2-DICHLOROBENZENE	34536	WAIVED	2002/04/10	.000	
1,2-DICHLOROETHANE	34531	WAIVED	2002/04/10	.000	
1,2-DICHLOROPROPANE	34541	WAIVED	2002/04/10	.000	
1,3-DICHLOROPROPENE (TOTAL)	34561	WAIVED	2002/04/10	.000	
1,4-DICHLOROBENZENE	34571	WAIVED	2002/04/10	.000	
BENZENE	34030	WAIVED	2002/04/10	.000	
CARBON TETRACHLORIDE	32102	WAIVED	2002/04/10	.000	
CIS-1,2-DICHLOROETHYLENE	77093	WAIVED	2002/04/10	.000	
DICHLOROMETHANE	34423	WAIVED	2002/07/30	.000	
ETHYLBENZENE	34371	WAIVED	2002/04/10	.000	
METHYL-TERT-BUTYL-ETHER (MTBE)	46491	WAIVED	2002/04/10	.000	
MONOCHLOROBENZENE	34301	WAIVED	2002/04/10	.000	

**Testing interval is in months;*
0 = No data for this constituent and is DUE NOW
999 = Waived testing (not required)
I = Invalid (NOT) valid analyses reported

System Number: ***1900817***

System Name: ***CLEAR SKIES MOBILE HOME RANCH***

PS Code: ***1900817-001***

Source Name: ***WELL 01***

Source Number: ***001***

Source Status: ***ACTIVE UNTREATED***

Water type: ***GROUNDWATER OR WELL***

	STORET NUMBER	TESTING INTERVAL (MONTHS)*	LAST TEST DATE (yyyy/mm/dd)	LAST RESULT REPORTED	NEXT TEST DATE (yyyy/mm)
REGULATED VOC					
STYRENE	77128	WAIVED	2002/04/10	.000	
TETRACHLOROETHYLENE	34475	WAIVED	2002/04/10	.000	
TOLUENE	34010	WAIVED	2002/04/10	.000	
TRANS-1,2-DICHLOROETHYLENE	34546	WAIVED	2002/04/10	.000	
TRICHLOROETHYLENE	39180	WAIVED	2002/04/10	.000	
TRICHLOROFLUOROMETHANE	34488	WAIVED	2002/04/10	.000	
VINYL CHLORIDE	39175	WAIVED	2002/04/10	.000	
XYLENES (TOTAL)	81551	WAIVED	2002/04/10	.000	
SECONDARY/GP					
AGGRSSIVE INDEX (CORROSIVITY)	82383	WAIVED			
BICARBONATE ALKALINITY	00440	WAIVED	2005/03/31	121.000	
CALCIUM	00916	WAIVED	2005/03/31	48.100	
CARBONATE ALKALINITY	00445	WAIVED	2005/03/31	.000	
CHLORIDE	00940	WAIVED	2005/03/31	32.600	
COLOR	00081	WAIVED	2005/03/31	.000	
COPPER	01042	WAIVED	2005/03/31	.000	
FOAMING AGENTS (MBAS)	38260	WAIVED	2005/03/31	.000	
HARDNESS (TOTAL) AS CACO3	00900	WAIVED	2005/03/31	160.000	
HYDROXIDE ALKALINITY	71830	WAIVED	2005/03/31	.000	
IRON	01045	WAIVED	2005/03/31	.000	
MAGNESIUM	00927	WAIVED	2005/03/31	9.720	
MANGANESE	01055	WAIVED	2005/03/31	.000	
ODOR THRESHOLD @ 60 C	00086	WAIVED	2005/03/31	.000	
PH, LABORATORY	00403	WAIVED	2005/03/31	7.810	
SILVER	01077	WAIVED	2005/03/31	.000	
SODIUM	00929	WAIVED	2005/03/31	27.200	
SPECIFIC CONDUCTANCE	00095	WAIVED	2005/03/31	402.000	
SULFATE	00945	WAIVED	2005/03/31	50.600	
TOTAL DISSOLVED SOLIDS	70300	WAIVED	2005/03/31	266.000	

**Testing interval is in months;*
0 = No data for this constituent and is DUE NOW
999 = Waived testing (not required)
I = Invalid (NOT) valid analyses reported

System Number: ***1900817***

System Name: ***CLEAR SKIES MOBILE HOME RANCH***

PS Code: ***1900817-001***

Source Name: ***WELL 01***

Source Number: ***001***

Source Status: ***ACTIVE UNTREATED***

Water type: ***GROUNDWATER OR WELL***

SECONDARY/GP

	STORET NUMBER	TESTING INTERVAL (MONTHS)*	LAST TEST DATE (yyyy/mm/dd)	LAST RESULT REPORTED	NEXT TEST DATE (yyyy/mm)
TURBIDITY, LABORATORY	82079	WAIVED	2005/03/31	.370	
ZINC	01092	WAIVED	2005/03/31	68.600	

**Testing interval is in months;*
0 = No data for this constituent and is DUE NOW
999 = Waived testing (not required)
I = Invalid (NOT) valid analyses reported

System Number: ***1900820***

System Name: ***LANG RANCH SHOPPING CENTER***

PS Code: ***1900820-001***

Source Name: ***WELL 01***

Source Number: ***001***

Source Status: ***ACTIVE UNTREATED***

Water type: ***GROUNDWATER OR WELL***

	STORET NUMBER	TESTING INTERVAL (MONTHS)*	LAST TEST DATE (yyyy/mm/dd)	LAST RESULT REPORTED	NEXT TEST DATE (yyyy/mm)
GENERAL NON CHAP 15					
DIAZINON	39570	WAIVED			
INORGANIC					
ALUMINUM	01105	WAIVED	2004/08/25	.000	
ANTIMONY	01097	WAIVED	2004/08/25	.000	
ARSENIC	01002	WAIVED	2004/08/25	.000	
ASBESTOS	81855	WAIVED			
BARIUM	01007	WAIVED	2004/08/25	.000	
BERYLLIUM	01012	WAIVED			
CADMIUM	01027	WAIVED	2004/08/25	.000	
CHROMIUM (TOTAL)	01034	WAIVED	2004/08/25	.000	
CYANIDE	01291	WAIVED			
FLUORIDE (F) (NATURAL-SOURCE)	00951	WAIVED	2004/08/25	.480	
LEAD	01051	WAIVED	2004/08/25	.000	
MERCURY	71900	WAIVED	2004/08/25	.000	
NICKEL	01067	WAIVED	2004/08/25	.000	
PERCHLORATE	A-031	WAIVED	2002/11/15	.000	
SELENIUM	01147	WAIVED	2004/08/25	.000	
THALLIUM	01059	WAIVED			
NITRATE/NITRITE					
NITRATE (AS NO3)	71850	WAIVED	2004/08/25	27.600	
NITRITE (AS N)	00620	WAIVED			
RADIOLOGICAL					
GROSS ALPHA	01501	WAIVED			
GROSS BETA	03501	WAIVED			
RA-226 FOR CWS OR TOTAL RA FOR NTNC BY 903.0	A-080	WAIVED			
RA-226 OR TOTAL RA BY 903.0 C.E.	A-081	WAIVED			
RADIUM 226	09501	WAIVED			
RADIUM 228	11501	WAIVED			

**Testing interval is in months;*
0 = No data for this constituent and is DUE NOW
999 = Waived testing (not required)
I = Invalid (NOT) valid analyses reported

System Number: ***1900820***

System Name: ***LANG RANCH SHOPPING CENTER***

PS Code: ***1900820-001***

Source Name: ***WELL 01***

Source Number: ***001***

Source Status: ***ACTIVE UNTREATED***

Water type: ***GROUNDWATER OR WELL***

	STORET NUMBER	TESTING INTERVAL (MONTHS)*	LAST TEST DATE (yyyy/mm/dd)	LAST RESULT REPORTED	NEXT TEST DATE (yyyy/mm)
RADIOLOGICAL					
RADIUM, TOTAL, MDA95-NTNC ONLY, BY 903.0	A-082	WAIVED			
STRONTIUM-90	13501	WAIVED			
TRITIUM	07000	WAIVED			
URANIUM (PCI/L)	28012	WAIVED			
REGULATED SOC					
2,3,7,8-TCDD (DIOXIN)	34676	WAIVED			
2,4,5-TP (SILVEX)	39045	WAIVED			
2,4-D	39730	WAIVED			
ALACHLOR	77825	WAIVED			
ATRAZINE	39033	WAIVED			
BENTAZON	38710	WAIVED			
BENZO (A) PYRENE	34247	WAIVED			
CARBOFURAN	81405	WAIVED			
CHLORDANE	39350	WAIVED			
DALAPON	38432	WAIVED			
DI(2-ETHYLHEXYL)ADIPATE	A-026	WAIVED			
DI(2-ETHYLHEXYL)PHTHALATE	39100	WAIVED			
DIBROMOCHLOROPROPANE (DBCP)	38761	WAIVED			
DINOSEB	81287	WAIVED			
DIQUAT	78885	WAIVED			
ENDOTHALL	38926	WAIVED			
ENDRIN	39390	WAIVED			
ETHYLENE DIBROMIDE (EDB)	77651	WAIVED			
GLYPHOSATE	79743	WAIVED			
HEPTACHLOR	39410	WAIVED			
HEPTACHLOR EPOXIDE	39420	WAIVED			
HEXACHLOROBENZENE	39700	WAIVED			
HEXACHLOROCYCLOPENTADIENE	34386	WAIVED			
LINDANE	39340	WAIVED			

**Testing interval is in months;*
0 = No data for this constituent and is DUE NOW
999 = Waived testing (not required)
I = Invalid (NOT) valid analyses reported

System Number: ***1900820***

System Name: ***LANG RANCH SHOPPING CENTER***

PS Code: ***1900820-001***

Source Name: ***WELL 01***

Source Number: ***001***

Source Status: ***ACTIVE UNTREATED***

Water type: ***GROUNDWATER OR WELL***

	STORET NUMBER	TESTING INTERVAL (MONTHS)*	LAST TEST DATE (yyyy/mm/dd)	LAST RESULT REPORTED	NEXT TEST DATE (yyyy/mm)
REGULATED SOC					
METHOXYCHLOR	39480	WAIVED			
MOLINATE	82199	WAIVED			
OXAMYL	38865	WAIVED			
PENTACHLOROPHENOL	39032	WAIVED			
PICLORAM	39720	WAIVED			
POLYCHLORINATED BIPHENYLS, TOTAL, AS DCB	39516	WAIVED			
SIMAZINE	39055	WAIVED			
THIOBENCARB	A-001	WAIVED	2002/11/15	.000	
TOXAPHENE	39400	WAIVED			
REGULATED VOC					
1,1,1-TRICHLOROETHANE	34506	WAIVED			
1,1,2,2-TETRACHLOROETHANE	34516	WAIVED			
1,1,2-TRICHLORO-1,2,2-TRIFLUOROETHANE	81611	WAIVED			
1,1,2-TRICHLOROETHANE	34511	WAIVED			
1,1-DICHLOROETHANE	34496	WAIVED			
1,1-DICHLOROETHYLENE	34501	WAIVED			
1,2,4-TRICHLOROBENZENE	34551	WAIVED			
1,2-DICHLOROBENZENE	34536	WAIVED			
1,2-DICHLOROETHANE	34531	WAIVED			
1,2-DICHLOROPROPANE	34541	WAIVED			
1,3-DICHLOROPROPENE (TOTAL)	34561	WAIVED			
1,4-DICHLOROBENZENE	34571	WAIVED			
BENZENE	34030	WAIVED			
CARBON TETRACHLORIDE	32102	WAIVED			
CIS-1,2-DICHLOROETHYLENE	77093	WAIVED			
DICHLOROMETHANE	34423	WAIVED			
ETHYLBENZENE	34371	WAIVED			
METHYL-TERT-BUTYL-ETHER (MTBE)	46491	WAIVED			
MONOCHLOROBENZENE	34301	WAIVED			

**Testing interval is in months;*
0 = No data for this constituent and is DUE NOW
999 = Waived testing (not required)
I = Invalid (NOT) valid analyses reported

System Number: ***1900820***

System Name: ***LANG RANCH SHOPPING CENTER***

PS Code: ***1900820-001***

Source Name: ***WELL 01***

Source Number: ***001***

Source Status: ***ACTIVE UNTREATED***

Water type: ***GROUNDWATER OR WELL***

	STORET NUMBER	TESTING INTERVAL (MONTHS)*	LAST TEST DATE (yyyy/mm/dd)	LAST RESULT REPORTED	NEXT TEST DATE (yyyy/mm)
REGULATED VOC					
STYRENE	77128	WAIVED			
TETRACHLOROETHYLENE	34475	WAIVED			
TOLUENE	34010	WAIVED			
TRANS-1,2-DICHLOROETHYLENE	34546	WAIVED			
TRICHLOROETHYLENE	39180	WAIVED			
TRICHLOROFLUOROMETHANE	34488	WAIVED			
VINYL CHLORIDE	39175	WAIVED			
XYLENES (TOTAL)	81551	WAIVED			
SECONDARY/GP					
AGGRSSIVE INDEX (CORROSIVITY)	82383	WAIVED			
BICARBONATE ALKALINITY	00440	WAIVED	2004/08/25	221.000	
CALCIUM	00916	WAIVED	2004/08/25	75.400	
CARBONATE ALKALINITY	00445	WAIVED	2004/08/25	.000	
CHLORIDE	00940	WAIVED	2004/08/25	70.900	
COLOR	00081	WAIVED	2002/11/15	.000	
COPPER	01042	WAIVED	2004/08/25	.000	
FOAMING AGENTS (MBAS)	38260	WAIVED	2002/11/15	.000	
HARDNESS (TOTAL) AS CACO3	00900	WAIVED	2004/08/25	298.000	
HYDROXIDE ALKALINITY	71830	WAIVED	2004/08/25	.000	
IRON	01045	WAIVED	2004/08/25	.000	
MAGNESIUM	00927	WAIVED	2004/08/25	26.700	
MANGANESE	01055	WAIVED	2004/08/25	79.300	
ODOR THRESHOLD @ 60 C	00086	WAIVED	2002/11/15	.000	
PH, LABORATORY	00403	WAIVED	2004/08/25	7.610	
SILVER	01077	WAIVED	2004/08/25	.000	
SODIUM	00929	WAIVED	2004/08/25	34.800	
SPECIFIC CONDUCTANCE	00095	WAIVED	2003/08/12	822.000	
SULFATE	00945	WAIVED	2004/08/25	66.300	
TOTAL DISSOLVED SOLIDS	70300	WAIVED	2004/08/25	456.000	

**Testing interval is in months;*
0 = No data for this constituent and is DUE NOW
999 = Waived testing (not required)
I = Invalid (NOT) valid analyses reported

System Number: ***1900820***

System Name: ***LANG RANCH SHOPPING CENTER***

PS Code: ***1900820-001***

Source Name: ***WELL 01***

Source Number: ***001***

Source Status: ***ACTIVE UNTREATED***

Water type: ***GROUNDWATER OR WELL***

	STORET NUMBER	TESTING INTERVAL (MONTHS)*	LAST TEST DATE (yyyy/mm/dd)	LAST RESULT REPORTED	NEXT TEST DATE (yyyy/mm)
SECONDARY/GP					
TURBIDITY, LABORATORY	**82079**	**WAIVED**	2002/11/15	**.240**	
ZINC	**01092**	**WAIVED**	2004/08/25	**415.000**	

**Testing interval is in months;*
0 = No data for this constituent and is DUE NOW
999 = Waived testing (not required)
I = Invalid (NOT) valid analyses reported

System Number: 1900827
System Name: HILLCREST MOBILE HOME PARK

PS Code: 1900827-003
Source Name: HAULED IN WATER - TREATED
Source Number: 003
Source Status: PURCHASED TREATED
Water type: SURFACE

	STORET NUMBER	TESTING INTERVAL (MONTHS)*	LAST TEST DATE (yyyy/mm/dd)	LAST RESULT REPORTED	NEXT TEST DATE (yyyy/mm)
GENERAL NON CHAP 15					
DIAZINON	39570	WAIVED			
INORGANIC					
ALUMINUM	01105	WAIVED	2003/12/04	.000	
ANTIMONY	01097	WAIVED	2003/12/04	.000	
ARSENIC	01002	WAIVED	2003/12/04	.000	
ASBESTOS	81855	WAIVED			
BARIUM	01007	WAIVED	2003/12/04	.000	
BERYLLIUM	01012	WAIVED			
CADMIUM	01027	WAIVED	2003/12/04	.000	
CHROMIUM (TOTAL)	01034	WAIVED	2003/12/04	.000	
CYANIDE	01291	WAIVED			
FLUORIDE (F) (NATURAL-SOURCE)	00951	WAIVED	2003/12/04	.180	
LEAD	01051	WAIVED	2003/12/04	.000	
MERCURY	71900	WAIVED	2003/12/04	.000	
NICKEL	01067	WAIVED	2003/12/04	.000	
PERCHLORATE	A-031	WAIVED			
SELENIUM	01147	WAIVED	2003/12/04	.000	
THALLIUM	01059	WAIVED			
NITRATE/NITRITE					
NITRATE (AS NO3)	71850	WAIVED	2003/12/04	2.140	
NITRITE (AS N)	00620	WAIVED			
RADIOLOGICAL					
GROSS ALPHA	01501	WAIVED			
GROSS BETA	03501	WAIVED			
RA-226 FOR CWS OR TOTAL RA FOR NTNC BY 903.0	A-080	WAIVED			
RA-226 OR TOTAL RA BY 903.0 C.E.	A-081	WAIVED			
RADIUM 226	09501	WAIVED			
RADIUM 228	11501	WAIVED			

**Testing interval is in months;*
0 = No data for this constituent and is DUE NOW
999 = Waived testing (not required)
I = Invalid (NOT) valid analyses reported

System Number: ***1900827***

System Name: ***HILLCREST MOBILE HOME PARK***

PS Code: ***1900827-003***

Source Name: ***HAULED IN WATER - TREATED***

Source Number: ***003***

Source Status: ***PURCHASED TREATED***

Water type: ***SURFACE***

	STORET NUMBER	TESTING INTERVAL (MONTHS)*	LAST TEST DATE (yyyy/mm/dd)	LAST RESULT REPORTED	NEXT TEST DATE (yyyy/mm)
RADIOLOGICAL					
RADIUM, TOTAL, MDA95-NTNC ONLY, BY 903.0	A-082	WAIVED			
STRONTIUM-90	13501	WAIVED			
TRITIUM	07000	WAIVED			
URANIUM (PCI/L)	28012	WAIVED			
REGULATED SOC					
2,3,7,8-TCDD (DIOXIN)	34676	WAIVED			
2,4,5-TP (SILVEX)	39045	WAIVED			
2,4-D	39730	WAIVED			
ALACHLOR	77825	WAIVED			
ATRAZINE	39033	WAIVED			
BENTAZON	38710	WAIVED			
BENZO (A) PYRENE	34247	WAIVED			
CARBOFURAN	81405	WAIVED			
CHLORDANE	39350	WAIVED			
DALAPON	38432	WAIVED			
DI(2-ETHYLHEXYL)ADIPATE	A-026	WAIVED			
DI(2-ETHYLHEXYL)PHTHALATE	39100	WAIVED			
DIBROMOCHLOROPROPANE (DBCP)	38761	WAIVED			
DINOSEB	81287	WAIVED			
DIQUAT	78885	WAIVED			
ENDOTHALL	38926	WAIVED			
ENDRIN	39390	WAIVED			
ETHYLENE DIBROMIDE (EDB)	77651	WAIVED			
GLYPHOSATE	79743	WAIVED			
HEPTACHLOR	39410	WAIVED			
HEPTACHLOR EPOXIDE	39420	WAIVED			
HEXACHLOROBENZENE	39700	WAIVED			
HEXACHLOROCYCLOPENTADIENE	34386	WAIVED			
LINDANE	39340	WAIVED			

**Testing interval is in months;*
0 = No data for this constituent and is DUE NOW
999 = Waived testing (not required)
I = Invalid (NOT) valid analyses reported

System Number: ***1900827***

System Name: ***HILLCREST MOBILE HOME PARK***

PS Code: ***1900827-003***

Source Name: ***HAULED IN WATER - TREATED***

Source Number: ***003***

Source Status: ***PURCHASED TREATED***

Water type: ***SURFACE***

	STORET NUMBER	TESTING INTERVAL (MONTHS)*	LAST TEST DATE (yyyy/mm/dd)	LAST RESULT REPORTED	NEXT TEST DATE (yyyy/mm)
REGULATED SOC					
METHOXYCHLOR	39480	WAIVED			
MOLINATE	82199	WAIVED			
OXAMYL	38865	WAIVED			
PENTACHLOROPHENOL	39032	WAIVED			
PICLORAM	39720	WAIVED			
POLYCHLORINATED BIPHENYLS, TOTAL, AS DCB	39516	WAIVED			
SIMAZINE	39055	WAIVED			
THIOBENCARB	A-001	WAIVED			
TOXAPHENE	39400	WAIVED			
REGULATED VOC					
1,1,1-TRICHLOROETHANE	34506	WAIVED			
1,1,2,2-TETRACHLOROETHANE	34516	WAIVED			
1,1,2-TRICHLORO-1,2,2-TRIFLUOROETHANE	81611	WAIVED			
1,1,2-TRICHLOROETHANE	34511	WAIVED			
1,1-DICHLOROETHANE	34496	WAIVED			
1,1-DICHLOROETHYLENE	34501	WAIVED			
1,2,4-TRICHLOROBENZENE	34551	WAIVED			
1,2-DICHLOROBENZENE	34536	WAIVED			
1,2-DICHLOROETHANE	34531	WAIVED			
1,2-DICHLOROPROPANE	34541	WAIVED			
1,3-DICHLOROPROPENE (TOTAL)	34561	WAIVED			
1,4-DICHLOROBENZENE	34571	WAIVED			
BENZENE	34030	WAIVED			
CARBON TETRACHLORIDE	32102	WAIVED			
CIS-1,2-DICHLOROETHYLENE	77093	WAIVED			
DICHLOROMETHANE	34423	WAIVED			
ETHYLBENZENE	34371	WAIVED			
METHYL-TERT-BUTYL-ETHER (MTBE)	46491	WAIVED			
MONOCHLOROBENZENE	34301	WAIVED			

**Testing interval is in months;*
0 = No data for this constituent and is DUE NOW
999 = Waived testing (not required)
I = Invalid (NOT) valid analyses reported

System Number: ***1900827***

System Name: ***HILLCREST MOBILE HOME PARK***

PS Code: ***1900827-003***

Source Name: ***HAULED IN WATER - TREATED***

Source Number: ***003***

Source Status: ***PURCHASED TREATED***

Water type: ***SURFACE***

	STORET NUMBER	TESTING INTERVAL (MONTHS)*	LAST TEST DATE (yyyy/mm/dd)	LAST RESULT REPORTED	NEXT TEST DATE (yyyy/mm)
REGULATED VOC					
STYRENE	77128	WAIVED			
TETRACHLOROETHYLENE	34475	WAIVED			
TOLUENE	34010	WAIVED			
TRANS-1,2-DICHLOROETHYLENE	34546	WAIVED			
TRICHLOROETHYLENE	39180	WAIVED			
TRICHLOROFLUOROMETHANE	34488	WAIVED			
VINYL CHLORIDE	39175	WAIVED			
XYLENES (TOTAL)	81551	WAIVED			
SECONDARY/GP					
AGGRSSIVE INDEX (CORROSIVITY)	82383	WAIVED			
BICARBONATE ALKALINITY	00440	WAIVED	2003/12/04	115.000	
CALCIUM	00916	WAIVED	2003/12/04	58.000	
CARBONATE ALKALINITY	00445	WAIVED	2003/12/04	.000	
CHLORIDE	00940	WAIVED	2003/12/04	106.000	
COLOR	00081	WAIVED			
COPPER	01042	WAIVED	2003/12/04	.000	
FOAMING AGENTS (MBAS)	38260	WAIVED	2003/12/04	.000	
HARDNESS (TOTAL) AS CACO3	00900	WAIVED	2003/12/04	210.000	
HYDROXIDE ALKALINITY	71830	WAIVED	2003/12/04	.000	
IRON	01045	WAIVED	2003/12/04	.000	
MAGNESIUM	00927	WAIVED	2003/12/04	15.800	
MANGANESE	01055	WAIVED	2003/12/04	.000	
ODOR THRESHOLD @ 60 C	00086	WAIVED			
PH, LABORATORY	00403	WAIVED	2003/12/04	7.770	
SILVER	01077	WAIVED	2003/12/04	.000	
SODIUM	00929	WAIVED	2003/12/04	57.000	
SPECIFIC CONDUCTANCE	00095	WAIVED	2003/12/04	695.000	
SULFATE	00945	WAIVED	2003/12/04	101.000	
TOTAL DISSOLVED SOLIDS	70300	WAIVED	2003/12/04	420.000	

**Testing interval is in months;*
0 = No data for this constituent and is DUE NOW
999 = Waived testing (not required)
I = Invalid (NOT) valid analyses reported

System Number: ***1900827***

System Name: ***HILLCREST MOBILE HOME PARK***

PS Code: ***1900827-003***

Source Name: ***HAULED IN WATER - TREATED***

Source Number: ***003***

Source Status: ***PURCHASED TREATED***

Water type: ***SURFACE***

SECONDARY/GP

	STORET NUMBER	TESTING INTERVAL (MONTHS)*	LAST TEST DATE (yyyy/mm/dd)	LAST RESULT REPORTED	NEXT TEST DATE (yyyy/mm)
TURBIDITY, LABORATORY	82079	WAIVED	2003/12/04	.170	
ZINC	01092	WAIVED	2003/12/04	392.000	

**Testing interval is in months;*
0 = No data for this constituent and is DUE NOW
999 = Waived testing (not required)
I = Invalid (NOT) valid analyses reported

System Number: ***1900831***

System Name: ***DECKER CANYON YOUTH CAMP***

PS Code: ***1900831-001***

Source Name: ***WELL 01***

Source Number: ***001***

Source Status: ***ACTIVE UNTREATED***

Water type: ***GROUNDWATER OR WELL***

	STORET NUMBER	TESTING INTERVAL (MONTHS)*	LAST TEST DATE (yyyy/mm/dd)	LAST RESULT REPORTED	NEXT TEST DATE (yyyy/mm)
GENERAL NON CHAP 15					
DIAZINON	39570	WAIVED			
INORGANIC					
ALUMINUM	01105	WAIVED			
ANTIMONY	01097	WAIVED	2000/03/14	.000	
ARSENIC	01002	WAIVED			
ASBESTOS	81855	WAIVED			
BARIUM	01007	WAIVED			
BERYLLIUM	01012	WAIVED			
CADMIUM	01027	WAIVED			
CHROMIUM (TOTAL)	01034	WAIVED			
CYANIDE	01291	WAIVED			
FLUORIDE (F) (NATURAL-SOURCE)	00951	WAIVED	2000/03/14	.000	
LEAD	01051	WAIVED			
MERCURY	71900	WAIVED			
NICKEL	01067	WAIVED			
PERCHLORATE	A-031	WAIVED			
SELENIUM	01147	WAIVED			
THALLIUM	01059	WAIVED			
NITRATE/NITRITE					
NITRATE (AS NO3)	71850	WAIVED	2001/10/17	.000	
NITRITE (AS N)	00620	WAIVED			
RADIOLOGICAL					
GROSS ALPHA	01501	WAIVED			
GROSS BETA	03501	WAIVED			
RA-226 FOR CWS OR TOTAL RA FOR NTNC BY 903.0	A-080	WAIVED			
RA-226 OR TOTAL RA BY 903.0 C.E.	A-081	WAIVED			
RADIUM 226	09501	WAIVED			
RADIUM 228	11501	WAIVED			

**Testing interval is in months;*
0 = No data for this constituent and is DUE NOW
999 = Waived testing (not required)
I = Invalid (NOT) valid analyses reported

System Number: ***1900831***

System Name: ***DECKER CANYON YOUTH CAMP***

PS Code: ***1900831-001***

Source Name: ***WELL 01***

Source Number: ***001***

Source Status: ***ACTIVE UNTREATED***

Water type: ***GROUNDWATER OR WELL***

	STORET NUMBER	TESTING INTERVAL (MONTHS)*	LAST TEST DATE (yyyy/mm/dd)	LAST RESULT REPORTED	NEXT TEST DATE (yyyy/mm)
RADIOLOGICAL					
RADIUM, TOTAL, MDA95-NTNC ONLY, BY 903.0	A-082	WAIVED			
STRONTIUM-90	13501	WAIVED			
TRITIUM	07000	WAIVED			
URANIUM (PCI/L)	28012	WAIVED			
REGULATED SOC					
2,3,7,8-TCDD (DIOXIN)	34676	WAIVED			
2,4,5-TP (SILVEX)	39045	WAIVED			
2,4-D	39730	WAIVED			
ALACHLOR	77825	WAIVED			
ATRAZINE	39033	WAIVED			
BENTAZON	38710	WAIVED			
BENZO (A) PYRENE	34247	WAIVED			
CARBOFURAN	81405	WAIVED			
CHLORDANE	39350	WAIVED			
DALAPON	38432	WAIVED			
DI(2-ETHYLHEXYL)ADIPATE	A-026	WAIVED			
DI(2-ETHYLHEXYL)PHTHALATE	39100	WAIVED			
DIBROMOCHLOROPROPANE (DBCP)	38761	WAIVED			
DINOSEB	81287	WAIVED			
DIQUAT	78885	WAIVED			
ENDOTHALL	38926	WAIVED			
ENDRIN	39390	WAIVED			
ETHYLENE DIBROMIDE (EDB)	77651	WAIVED			
GLYPHOSATE	79743	WAIVED			
HEPTACHLOR	39410	WAIVED			
HEPTACHLOR EPOXIDE	39420	WAIVED			
HEXACHLOROBENZENE	39700	WAIVED			
HEXACHLOROCYCLOPENTADIENE	34386	WAIVED			
LINDANE	39340	WAIVED			

**Testing interval is in months;*
0 = No data for this constituent and is DUE NOW
999 = Waived testing (not required)
I = Invalid (NOT) valid analyses reported

System Number: ***1900831***

System Name: ***DECKER CANYON YOUTH CAMP***

PS Code: ***1900831-001***

Source Name: ***WELL 01***

Source Number: ***001***

Source Status: ***ACTIVE UNTREATED***

Water type: ***GROUNDWATER OR WELL***

	STORET NUMBER	TESTING INTERVAL (MONTHS)*	LAST TEST DATE (yyyy/mm/dd)	LAST RESULT REPORTED	NEXT TEST DATE (yyyy/mm)
REGULATED SOC					
METHOXYCHLOR	39480	WAIVED			
MOLINATE	82199	WAIVED			
OXAMYL	38865	WAIVED			
PENTACHLOROPHENOL	39032	WAIVED			
PICLORAM	39720	WAIVED			
POLYCHLORINATED BIPHENYLS, TOTAL, AS DCB	39516	WAIVED			
SIMAZINE	39055	WAIVED			
THIOBENCARB	A-001	WAIVED			
TOXAPHENE	39400	WAIVED			
REGULATED VOC					
1,1,1-TRICHLOROETHANE	34506	WAIVED			
1,1,2,2-TETRACHLOROETHANE	34516	WAIVED			
1,1,2-TRICHLORO-1,2,2-TRIFLUOROETHANE	81611	WAIVED			
1,1,2-TRICHLOROETHANE	34511	WAIVED			
1,1-DICHLOROETHANE	34496	WAIVED			
1,1-DICHLOROETHYLENE	34501	WAIVED			
1,2,4-TRICHLOROBENZENE	34551	WAIVED			
1,2-DICHLOROBENZENE	34536	WAIVED			
1,2-DICHLOROETHANE	34531	WAIVED			
1,2-DICHLOROPROPANE	34541	WAIVED			
1,3-DICHLOROPROPENE (TOTAL)	34561	WAIVED			
1,4-DICHLOROBENZENE	34571	WAIVED			
BENZENE	34030	WAIVED			
CARBON TETRACHLORIDE	32102	WAIVED			
CIS-1,2-DICHLOROETHYLENE	77093	WAIVED			
DICHLOROMETHANE	34423	WAIVED			
ETHYLBENZENE	34371	WAIVED			
METHYL-TERT-BUTYL-ETHER (MTBE)	46491	WAIVED			
MONOCHLOROBENZENE	34301	WAIVED			

**Testing interval is in months;*
0 = No data for this constituent and is DUE NOW
999 = Waived testing (not required)
I = Invalid (NOT) valid analyses reported

System Number: ***1900831***

System Name: ***DECKER CANYON YOUTH CAMP***

PS Code: ***1900831-001***

Source Name: ***WELL 01***

Source Number: ***001***

Source Status: ***ACTIVE UNTREATED***

Water type: ***GROUNDWATER OR WELL***

	STORET NUMBER	TESTING INTERVAL (MONTHS)*	LAST TEST DATE (yyyy/mm/dd)	LAST RESULT REPORTED	NEXT TEST DATE (yyyy/mm)
REGULATED VOC					
STYRENE	77128	WAIVED			
TETRACHLOROETHYLENE	34475	WAIVED			
TOLUENE	34010	WAIVED			
TRANS-1,2-DICHLOROETHYLENE	34546	WAIVED			
TRICHLOROETHYLENE	39180	WAIVED			
TRICHLOROFLUOROMETHANE	34488	WAIVED			
VINYL CHLORIDE	39175	WAIVED			
XYLENES (TOTAL)	81551	WAIVED			
SECONDARY/GP					
AGGRSSIVE INDEX (CORROSIVITY)	82383	WAIVED			
BICARBONATE ALKALINITY	00440	WAIVED	2000/03/14	472.000	
CALCIUM	00916	WAIVED	2000/03/14	160.000	
CARBONATE ALKALINITY	00445	WAIVED	2000/03/14	.000	
CHLORIDE	00940	WAIVED	2000/03/14	54.000	
COLOR	00081	WAIVED			
COPPER	01042	WAIVED			
FOAMING AGENTS (MBAS)	38260	WAIVED			
HARDNESS (TOTAL) AS CACO3	00900	WAIVED	2000/03/14	795.000	
HYDROXIDE ALKALINITY	71830	WAIVED	2000/03/14	.000	
IRON	01045	WAIVED	2000/03/14	140.000	
MAGNESIUM	00927	WAIVED	2000/03/14	96.000	
MANGANESE	01055	WAIVED	2000/03/14	.000	
ODOR THRESHOLD @ 60 C	00086	WAIVED			
PH, LABORATORY	00403	WAIVED	2000/03/14	8.000	
SILVER	01077	WAIVED			
SODIUM	00929	WAIVED	2000/03/14	49.000	
SPECIFIC CONDUCTANCE	00095	WAIVED	2000/03/14	1797.000	
SULFATE	00945	WAIVED	2000/03/14	417.000	
TOTAL DISSOLVED SOLIDS	70300	WAIVED	2000/03/14	1102.000	

**Testing interval is in months;*
0 = No data for this constituent and is DUE NOW
999 = Waived testing (not required)
I = Invalid (NOT) valid analyses reported

System Number: ***1900831***

System Name: ***DECKER CANYON YOUTH CAMP***

PS Code: ***1900831-001***

Source Name: ***WELL 01***

Source Number: ***001***

Source Status: ***ACTIVE UNTREATED***

Water type: ***GROUNDWATER OR WELL***

	STORET NUMBER	TESTING INTERVAL (MONTHS)*	LAST TEST DATE (yyyy/mm/dd)	LAST RESULT REPORTED	NEXT TEST DATE (yyyy/mm)
SECONDARY/GP					
TURBIDITY, LABORATORY	**82079**	**WAIVED**	2000/03/14	**34.000**	
ZINC	**01092**	**WAIVED**			

**Testing interval is in months;*
0 = No data for this constituent and is DUE NOW
999 = Waived testing (not required)
I = Invalid (NOT) valid analyses reported

System Number: ***1900834***

System Name: ***CAMP EATON***

PS Code: ***1900834-001***

Source Name: ***PURCHASED WATER***

Source Number: ***001***

Source Status: ***PURCHASED UNTREATED***

Water type: ***GROUNDWATER OR WELL***

	STORET NUMBER	TESTING INTERVAL (MONTHS)*	LAST TEST DATE (yyyy/mm/dd)	LAST RESULT REPORTED	NEXT TEST DATE (yyyy/mm)
GENERAL NON CHAP 15					
DIAZINON	39570	WAIVED			
INORGANIC					
ALUMINUM	01105	WAIVED			
ANTIMONY	01097	WAIVED			
ARSENIC	01002	WAIVED			
ASBESTOS	81855	WAIVED			
BARIUM	01007	WAIVED			
BERYLLIUM	01012	WAIVED			
CADMIUM	01027	WAIVED			
CHROMIUM (TOTAL)	01034	WAIVED			
CYANIDE	01291	WAIVED			
FLUORIDE (F) (NATURAL-SOURCE)	00951	WAIVED			
LEAD	01051	WAIVED			
MERCURY	71900	WAIVED			
NICKEL	01067	WAIVED			
PERCHLORATE	A-031	WAIVED			
SELENIUM	01147	WAIVED			
THALLIUM	01059	WAIVED			
NITRATE/NITRITE					
NITRATE (AS NO3)	71850	WAIVED	1998/05/18	.000	
NITRITE (AS N)	00620	WAIVED			
RADIOLOGICAL					
GROSS ALPHA	01501	WAIVED			
GROSS BETA	03501	WAIVED			
RA-226 FOR CWS OR TOTAL RA FOR NTNC BY 903.0	A-080	WAIVED			
RA-226 OR TOTAL RA BY 903.0 C.E.	A-081	WAIVED			
RADIUM 226	09501	WAIVED			
RADIUM 228	11501	WAIVED			

**Testing interval is in months;*
0 = No data for this constituent and is DUE NOW
999 = Waived testing (not required)
I = Invalid (NOT) valid analyses reported

System Number: ***1900834***

System Name: ***CAMP EATON***

PS Code: ***1900834-001***

Source Name: ***PURCHASED WATER***

Source Number: ***001***

Source Status: ***PURCHASED UNTREATED***

Water type: ***GROUNDWATER OR WELL***

	STORET NUMBER	TESTING INTERVAL (MONTHS)*	LAST TEST DATE (yyyy/mm/dd)	LAST RESULT REPORTED	NEXT TEST DATE (yyyy/mm)
RADIOLOGICAL					
RADIUM, TOTAL, MDA95-NTNC ONLY, BY 903.0	A-082	WAIVED			
STRONTIUM-90	13501	WAIVED			
TRITIUM	07000	WAIVED			
URANIUM (PCI/L)	28012	WAIVED			
REGULATED SOC					
2,3,7,8-TCDD (DIOXIN)	34676	WAIVED			
2,4,5-TP (SILVEX)	39045	WAIVED			
2,4-D	39730	WAIVED			
ALACHLOR	77825	WAIVED			
ATRAZINE	39033	WAIVED			
BENTAZON	38710	WAIVED			
BENZO (A) PYRENE	34247	WAIVED			
CARBOFURAN	81405	WAIVED			
CHLORDANE	39350	WAIVED			
DALAPON	38432	WAIVED			
DI(2-ETHYLHEXYL)ADIPATE	A-026	WAIVED			
DI(2-ETHYLHEXYL)PHTHALATE	39100	WAIVED			
DIBROMOCHLOROPROPANE (DBCP)	38761	WAIVED			
DINOSEB	81287	WAIVED			
DIQUAT	78885	WAIVED			
ENDOTHALL	38926	WAIVED			
ENDRIN	39390	WAIVED			
ETHYLENE DIBROMIDE (EDB)	77651	WAIVED			
GLYPHOSATE	79743	WAIVED			
HEPTACHLOR	39410	WAIVED			
HEPTACHLOR EPOXIDE	39420	WAIVED			
HEXACHLOROBENZENE	39700	WAIVED			
HEXACHLOROCYCLOPENTADIENE	34386	WAIVED			
LINDANE	39340	WAIVED			

**Testing interval is in months;*
0 = No data for this constituent and is DUE NOW
999 = Waived testing (not required)
I = Invalid (NOT) valid analyses reported

System Number: ***1900834***

System Name: ***CAMP EATON***

PS Code: ***1900834-001***

Source Name: ***PURCHASED WATER***

Source Number: ***001***

Source Status: ***PURCHASED UNTREATED***

Water type: ***GROUNDWATER OR WELL***

	STORET NUMBER	TESTING INTERVAL (MONTHS)*	LAST TEST DATE (yyyy/mm/dd)	LAST RESULT REPORTED	NEXT TEST DATE (yyyy/mm)
REGULATED SOC					
METHOXYCHLOR	39480	WAIVED			
MOLINATE	82199	WAIVED			
OXAMYL	38865	WAIVED			
PENTACHLOROPHENOL	39032	WAIVED			
PICLORAM	39720	WAIVED			
POLYCHLORINATED BIPHENYLS, TOTAL, AS DCB	39516	WAIVED			
SIMAZINE	39055	WAIVED			
THIOBENCARB	A-001	WAIVED			
TOXAPHENE	39400	WAIVED			
REGULATED VOC					
1,1,1-TRICHLOROETHANE	34506	WAIVED			
1,1,2,2-TETRACHLOROETHANE	34516	WAIVED			
1,1,2-TRICHLORO-1,2,2-TRIFLUOROETHANE	81611	WAIVED			
1,1,2-TRICHLOROETHANE	34511	WAIVED			
1,1-DICHLOROETHANE	34496	WAIVED			
1,1-DICHLOROETHYLENE	34501	WAIVED			
1,2,4-TRICHLOROBENZENE	34551	WAIVED			
1,2-DICHLOROBENZENE	34536	WAIVED			
1,2-DICHLOROETHANE	34531	WAIVED			
1,2-DICHLOROPROPANE	34541	WAIVED			
1,3-DICHLOROPROPENE (TOTAL)	34561	WAIVED			
1,4-DICHLOROBENZENE	34571	WAIVED			
BENZENE	34030	WAIVED			
CARBON TETRACHLORIDE	32102	WAIVED			
CIS-1,2-DICHLOROETHYLENE	77093	WAIVED			
DICHLOROMETHANE	34423	WAIVED			
ETHYLBENZENE	34371	WAIVED			
METHYL-TERT-BUTYL-ETHER (MTBE)	46491	WAIVED			
MONOCHLOROBENZENE	34301	WAIVED			

**Testing interval is in months;*
0 = No data for this constituent and is DUE NOW
999 = Waived testing (not required)
I = Invalid (NOT) valid analyses reported

System Number: ***1900834***

System Name: ***CAMP EATON***

PS Code: ***1900834-001***

Source Name: ***PURCHASED WATER***

Source Number: ***001***

Source Status: ***PURCHASED UNTREATED***

Water type: ***GROUNDWATER OR WELL***

	STORET NUMBER	TESTING INTERVAL (MONTHS)*	LAST TEST DATE (yyyy/mm/dd)	LAST RESULT REPORTED	NEXT TEST DATE (yyyy/mm)
REGULATED VOC					
STYRENE	77128	WAIVED			
TETRACHLOROETHYLENE	34475	WAIVED			
TOLUENE	34010	WAIVED			
TRANS-1,2-DICHLOROETHYLENE	34546	WAIVED			
TRICHLOROETHYLENE	39180	WAIVED			
TRICHLOROFLUOROMETHANE	34488	WAIVED			
VINYL CHLORIDE	39175	WAIVED			
XYLENES (TOTAL)	81551	WAIVED			
SECONDARY/GP					
AGGRSSIVE INDEX (CORROSIVITY)	82383	WAIVED			
BICARBONATE ALKALINITY	00440	WAIVED			
CALCIUM	00916	WAIVED			
CARBONATE ALKALINITY	00445	WAIVED			
CHLORIDE	00940	WAIVED			
COLOR	00081	WAIVED			
COPPER	01042	WAIVED			
FOAMING AGENTS (MBAS)	38260	WAIVED			
HARDNESS (TOTAL) AS CACO3	00900	WAIVED			
HYDROXIDE ALKALINITY	71830	WAIVED			
IRON	01045	WAIVED			
MAGNESIUM	00927	WAIVED			
MANGANESE	01055	WAIVED			
ODOR THRESHOLD @ 60 C	00086	WAIVED			
PH, LABORATORY	00403	WAIVED			
SILVER	01077	WAIVED			
SODIUM	00929	WAIVED			
SPECIFIC CONDUCTANCE	00095	WAIVED			
SULFATE	00945	WAIVED			
TOTAL DISSOLVED SOLIDS	70300	WAIVED			

**Testing interval is in months;*
0 = No data for this constituent and is DUE NOW
999 = Waived testing (not required)
I = Invalid (NOT) valid analyses reported

System Number: ***1900834***

System Name: ***CAMP EATON***

PS Code: ***1900834-001***

Source Name: ***PURCHASED WATER***

Source Number: ***001***

Source Status: ***PURCHASED UNTREATED***

Water type: ***GROUNDWATER OR WELL***

	STORET NUMBER	TESTING INTERVAL (MONTHS)*	LAST TEST DATE (yyyy/mm/dd)	LAST RESULT REPORTED	NEXT TEST DATE (yyyy/mm)
SECONDARY/GP					
TURBIDITY, LABORATORY	82079	WAIVED			
ZINC	01092	WAIVED			

**Testing interval is in months;*
0 = No data for this constituent and is DUE NOW
999 = Waived testing (not required)
I = Invalid (NOT) valid analyses reported

System Number: ***1900843***

System Name: ***CALIFORNIAN MOBILE HOME PARK***

PS Code: ***1900843-001***

Source Name: ***WELL 01***

Source Number: ***001***

Source Status: ***ACTIVE UNTREATED***

Water type: ***GROUNDWATER OR WELL***

	STORET NUMBER	TESTING INTERVAL (MONTHS)*	LAST TEST DATE (yyyy/mm/dd)	LAST RESULT REPORTED	NEXT TEST DATE (yyyy/mm)
GENERAL NON CHAP 15					
DIAZINON	39570	WAIVED			
INORGANIC					
ALUMINUM	01105	WAIVED	2011/03/15	< .000	
ANTIMONY	01097	WAIVED	2011/03/15	< .000	
ARSENIC	01002	WAIVED	2011/03/15	< .000	
ASBESTOS	81855	WAIVED	2011/03/15	.000	
BARIUM	01007	WAIVED	2011/03/15	110.000	
BERYLLIUM	01012	WAIVED	2011/03/15	< .000	
CADMIUM	01027	WAIVED	2011/03/15	< .000	
CHROMIUM (TOTAL)	01034	WAIVED	2011/03/15	13.000	
CYANIDE	01291	WAIVED	2011/03/15	< .000	
FLUORIDE (F) (NATURAL-SOURCE)	00951	WAIVED	2011/03/15	.160	
LEAD	01051	WAIVED	2011/03/15	< .000	
MERCURY	71900	WAIVED	2011/03/15	< .000	
NICKEL	01067	WAIVED	2011/03/15	< .000	
PERCHLORATE	A-031	WAIVED	2011/10/19	< .000	
SELENIUM	01147	WAIVED	2011/03/15	< .000	
THALLIUM	01059	WAIVED	2011/03/15	< .000	
NITRATE/NITRITE					
NITRATE (AS NO3)	71850	WAIVED	2011/03/15	8.400	
NITRITE (AS N)	00620	WAIVED	2011/03/15	< .000	
RADIOLOGICAL					
GROSS ALPHA	01501	WAIVED	2011/03/15	< .000	
GROSS BETA	03501	WAIVED	2011/03/15	< 4.000	
RA-226 FOR CWS OR TOTAL RA FOR NTNC BY 903.0	A-080	WAIVED			
RA-226 OR TOTAL RA BY 903.0 C.E.	A-081	WAIVED			
RADIUM 226	09501	WAIVED	2011/03/15	< 1.000	
RADIUM 228	11501	WAIVED	2011/03/15	< 1.000	

**Testing interval is in months;*
0 = No data for this constituent and is DUE NOW
999 = Waived testing (not required)
I = Invalid (NOT) valid analyses reported

System Number: ***1900843***

System Name: ***CALIFORNIAN MOBILE HOME PARK***

PS Code: ***1900843-001***

Source Name: ***WELL 01***

Source Number: ***001***

Source Status: ***ACTIVE UNTREATED***

Water type: ***GROUNDWATER OR WELL***

	STORET NUMBER	TESTING INTERVAL (MONTHS)*	LAST TEST DATE (yyyy/mm/dd)	LAST RESULT REPORTED	NEXT TEST DATE (yyyy/mm)
RADIOLOGICAL					
RADIUM, TOTAL, MDA95-NTNC ONLY, BY 903.0	A-082	WAIVED			
STRONTIUM-90	13501	WAIVED			
TRITIUM	07000	WAIVED			
URANIUM (PCI/L)	28012	WAIVED	2011/03/15	< .000	
REGULATED SOC					
2,3,7,8-TCDD (DIOXIN)	34676	WAIVED			
2,4,5-TP (SILVEX)	39045	WAIVED			
2,4-D	39730	WAIVED			
ALACHLOR	77825	WAIVED	2002/05/07	.000	
ATRAZINE	39033	WAIVED			
BENTAZON	38710	WAIVED			
BENZO (A) PYRENE	34247	WAIVED			
CARBOFURAN	81405	WAIVED			
CHLORDANE	39350	WAIVED	2002/05/07	.000	
DALAPON	38432	WAIVED			
DI(2-ETHYLHEXYL)ADIPATE	A-026	WAIVED			
DI(2-ETHYLHEXYL)PHTHALATE	39100	WAIVED			
DIBROMOCHLOROPROPANE (DBCP)	38761	WAIVED			
DINOSEB	81287	WAIVED			
DIQUAT	78885	WAIVED			
ENDOTHALL	38926	WAIVED			
ENDRIN	39390	WAIVED	2002/05/07	.000	
ETHYLENE DIBROMIDE (EDB)	77651	WAIVED			
GLYPHOSATE	79743	WAIVED			
HEPTACHLOR	39410	WAIVED	2002/05/07	.000	
HEPTACHLOR EPOXIDE	39420	WAIVED	2002/05/07	.000	
HEXACHLOROBENZENE	39700	WAIVED	2002/05/07	.000	
HEXACHLOROCYCLOPENTADIENE	34386	WAIVED	2002/05/07	.000	
LINDANE	39340	WAIVED	2002/05/07	.000	

**Testing interval is in months;*
0 = No data for this constituent and is DUE NOW
999 = Waived testing (not required)
I = Invalid (NOT) valid analyses reported

System Number: 1900843
System Name: CALIFORNIAN MOBILE HOME PARK

PS Code: 1900843-001
Source Name: WELL 01
Source Number: 001
Source Status: ACTIVE UNTREATED
Water type: GROUNDWATER OR WELL

	STORET NUMBER	TESTING INTERVAL (MONTHS)*	LAST TEST DATE (yyyy/mm/dd)	LAST RESULT REPORTED	NEXT TEST DATE (yyyy/mm)
REGULATED SOC					
METHOXYCHLOR	39480	WAIVED	2002/05/07	.000	
MOLINATE	82199	WAIVED			
OXAMYL	38865	WAIVED			
PENTACHLOROPHENOL	39032	WAIVED			
PICLORAM	39720	WAIVED			
POLYCHLORINATED BIPHENYLS, TOTAL, AS DCB	39516	WAIVED	2002/05/07	.000	
SIMAZINE	39055	WAIVED			
THIOBENCARB	A-001	WAIVED			
TOXAPHENE	39400	WAIVED	2002/05/07	.000	
REGULATED VOC					
1,1,1-TRICHLOROETHANE	34506	WAIVED	2002/05/07	.000	
1,1,2,2-TETRACHLOROETHANE	34516	WAIVED	2002/05/07	.000	
1,1,2-TRICHLORO-1,2,2-TRIFLUOROETHANE	81611	WAIVED	2002/05/07	.000	
1,1,2-TRICHLOROETHANE	34511	WAIVED	2002/05/07	.000	
1,1-DICHLOROETHANE	34496	WAIVED	2002/05/07	.000	
1,1-DICHLOROETHYLENE	34501	WAIVED	2002/05/07	.000	
1,2,4-TRICHLOROBENZENE	34551	WAIVED	2002/05/07	.000	
1,2-DICHLOROBENZENE	34536	WAIVED	2002/05/07	.000	
1,2-DICHLOROETHANE	34531	WAIVED	2002/05/07	.000	
1,2-DICHLOROPROPANE	34541	WAIVED	2002/05/07	.000	
1,3-DICHLOROPROPENE (TOTAL)	34561	WAIVED	2002/05/07	.000	
1,4-DICHLOROBENZENE	34571	WAIVED	2002/05/07	.000	
BENZENE	34030	WAIVED	2002/05/07	.000	
CARBON TETRACHLORIDE	32102	WAIVED	2002/05/07	.000	
CIS-1,2-DICHLOROETHYLENE	77093	WAIVED	2002/05/07	.000	
DICHLOROMETHANE	34423	WAIVED	2002/05/07	.000	
ETHYLBENZENE	34371	WAIVED	2002/05/07	.000	
METHYL-TERT-BUTYL-ETHER (MTBE)	46491	WAIVED	2002/05/07	.000	
MONOCHLOROBENZENE	34301	WAIVED	2002/05/07	.000	

**Testing interval is in months;*
0 = No data for this constituent and is DUE NOW
999 = Waived testing (not required)
I = Invalid (NOT) valid analyses reported

System Number: 1900843
System Name: CALIFORNIAN MOBILE HOME PARK

PS Code: 1900843-001
Source Name: WELL 01
Source Number: 001
Source Status: ACTIVE UNTREATED
Water type: GROUNDWATER OR WELL

	STORET NUMBER	TESTING INTERVAL (MONTHS)*	LAST TEST DATE (yyyy/mm/dd)	LAST RESULT REPORTED	NEXT TEST DATE (yyyy/mm)
REGULATED VOC					
STYRENE	77128	WAIVED	2002/05/07	.000	
TETRACHLOROETHYLENE	34475	WAIVED	2002/05/07	.000	
TOLUENE	34010	WAIVED	2002/05/07	.000	
TRANS-1,2-DICHLOROETHYLENE	34546	WAIVED	2002/05/07	.000	
TRICHLOROETHYLENE	39180	WAIVED	2002/05/07	.000	
TRICHLOROFLUOROMETHANE	34488	WAIVED	2002/05/07	.000	
VINYL CHLORIDE	39175	WAIVED	2002/05/07	.000	
XYLENES (TOTAL)	81551	WAIVED	2002/05/07	.000	
SECONDARY/GP					
AGGRSSIVE INDEX (CORROSIVITY)	82383	WAIVED	2011/03/15	12.000	
BICARBONATE ALKALINITY	00440	WAIVED	2011/03/15	110.000	
CALCIUM	00916	WAIVED	2011/03/15	51.000	
CARBONATE ALKALINITY	00445	WAIVED	2011/03/15	< .000	
CHLORIDE	00940	WAIVED	2011/03/15	36.000	
COLOR	00081	WAIVED	2011/03/15	< .000	
COPPER	01042	WAIVED	2011/03/15	< .000	
FOAMING AGENTS (MBAS)	38260	WAIVED	2011/03/15	< .000	
HARDNESS (TOTAL) AS CACO3	00900	WAIVED	2011/03/15	140.000	
HYDROXIDE ALKALINITY	71830	WAIVED	2011/03/15	< .000	
IRON	01045	WAIVED	2011/03/15	< .000	
MAGNESIUM	00927	WAIVED	2011/03/15	3.900	
MANGANESE	01055	WAIVED	2011/03/15	< .000	
ODOR THRESHOLD @ 60 C	00086	WAIVED	2011/03/15	< .000	
PH, LABORATORY	00403	WAIVED	2011/03/15	8.200	
SILVER	01077	WAIVED	2011/03/15	< .000	
SODIUM	00929	WAIVED	2011/03/15	27.000	
SPECIFIC CONDUCTANCE	00095	WAIVED	2011/03/15	410.000	
SULFATE	00945	WAIVED	2011/03/15	55.000	
TOTAL DISSOLVED SOLIDS	70300	WAIVED	2011/03/15	270.000	

**Testing interval is in months;*
0 = No data for this constituent and is DUE NOW
999 = Waived testing (not required)
I = Invalid (NOT) valid analyses reported

System Number: ***1900843***

System Name: ***CALIFORNIAN MOBILE HOME PARK***

PS Code: ***1900843-001***

Source Name: ***WELL 01***

Source Number: ***001***

Source Status: ***ACTIVE UNTREATED***

Water type: ***GROUNDWATER OR WELL***

	STORET NUMBER	TESTING INTERVAL (MONTHS)*	LAST TEST DATE (yyyy/mm/dd)	LAST RESULT REPORTED	NEXT TEST DATE (yyyy/mm)
SECONDARY/GP					
TURBIDITY, LABORATORY	**82079**	**WAIVED**	2011/03/15	**< .000**	
ZINC	**01092**	**WAIVED**	2011/03/15	**< .000**	

**Testing interval is in months;*
0 = No data for this constituent and is DUE NOW
999 = Waived testing (not required)
I = Invalid (NOT) valid analyses reported

System Number: 1900849
System Name: LLANO DEL RIO WATER COMPANY

PS Code: 1900849-001
Source Name: WELL 03
Source Number: 001
Source Status: ACTIVE UNTREATED
Water type: GROUNDWATER OR WELL

	STORET NUMBER	TESTING INTERVAL (MONTHS)*	LAST TEST DATE (yyyy/mm/dd)	LAST RESULT REPORTED	NEXT TEST DATE (yyyy/mm)
GENERAL NON CHAP 15					
DIAZINON	39570	WAIVED			
INORGANIC					
ALUMINUM	01105	WAIVED	2009/10/13	.000	
ANTIMONY	01097	WAIVED	2009/10/13	.000	
ARSENIC	01002	WAIVED	2009/10/13	.000	
ASBESTOS	81855	WAIVED	2009/10/13	.000	
BARIUM	01007	WAIVED	2009/10/13	100.000	
BERYLLIUM	01012	WAIVED	2009/10/13	.000	
CADMIUM	01027	WAIVED	2009/10/13	.000	
CHROMIUM (TOTAL)	01034	WAIVED	2009/10/13	.000	
CYANIDE	01291	WAIVED	2009/10/13	.000	
FLUORIDE (F) (NATURAL-SOURCE)	00951	WAIVED	2009/10/13	.380	
LEAD	01051	WAIVED	2009/10/13	.000	
MERCURY	71900	WAIVED	2009/10/13	.000	
NICKEL	01067	WAIVED	2009/10/13	.000	
PERCHLORATE	A-031	WAIVED	2009/10/13	.000	
SELENIUM	01147	WAIVED	2009/10/13	.000	
THALLIUM	01059	WAIVED	2009/10/13	.000	
NITRATE/NITRITE					
NITRATE (AS NO3)	71850	WAIVED	2011/02/21	< .000	
NITRITE (AS N)	00620	WAIVED	2009/10/13	.000	
RADIOLOGICAL					
GROSS ALPHA	01501	WAIVED	2009/10/13	.000	
GROSS BETA	03501	WAIVED			
RA-226 FOR CWS OR TOTAL RA FOR NTNC BY 903.0	A-080	WAIVED			
RA-226 OR TOTAL RA BY 903.0 C.E.	A-081	WAIVED			
RADIUM 226	09501	WAIVED			
RADIUM 228	11501	WAIVED			

**Testing interval is in months;*
0 = No data for this constituent and is DUE NOW
999 = Waived testing (not required)
I = Invalid (NOT) valid analyses reported

System Number: ***1900849***

System Name: ***LLANO DEL RIO WATER COMPANY***

PS Code: ***1900849-001***

Source Name: ***WELL 03***

Source Number: ***001***

Source Status: ***ACTIVE UNTREATED***

Water type: ***GROUNDWATER OR WELL***

	STORET NUMBER	TESTING INTERVAL (MONTHS)*	LAST TEST DATE (yyyy/mm/dd)	LAST RESULT REPORTED	NEXT TEST DATE (yyyy/mm)
RADIOLOGICAL					
RADIUM, TOTAL, MDA95-NTNC ONLY, BY 903.0	A-082	WAIVED			
STRONTIUM-90	13501	WAIVED			
TRITIUM	07000	WAIVED			
URANIUM (PCI/L)	28012	WAIVED	2003/05/06	2.600	
REGULATED SOC					
2,3,7,8-TCDD (DIOXIN)	34676	WAIVED	2009/10/13	.000	
2,4,5-TP (SILVEX)	39045	WAIVED	2009/10/13	.000	
2,4-D	39730	WAIVED	2009/10/13	.000	
ALACHLOR	77825	WAIVED	2009/10/13	.000	
ATRAZINE	39033	WAIVED	2009/10/13	.000	
BENTAZON	38710	WAIVED	2009/10/13	.000	
BENZO (A) PYRENE	34247	WAIVED	2009/10/13	.000	
CARBOFURAN	81405	WAIVED	2009/10/13	.000	
CHLORDANE	39350	WAIVED	2009/10/13	.000	
DALAPON	38432	WAIVED	2009/10/13	.000	
DI(2-ETHYLHEXYL)ADIPATE	A-026	WAIVED	2009/10/13	.000	
DI(2-ETHYLHEXYL)PHTHALATE	39100	WAIVED	2009/10/13	.000	
DIBROMOCHLOROPROPANE (DBCP)	38761	WAIVED	2009/10/13	.000	
DINOSEB	81287	WAIVED	2009/10/13	.000	
DIQUAT	78885	WAIVED	2009/10/13	< .000	
ENDOTHALL	38926	WAIVED	2009/10/13	< .000	
ENDRIN	39390	WAIVED	2009/10/13	.000	
ETHYLENE DIBROMIDE (EDB)	77651	WAIVED	2009/10/13	.000	
GLYPHOSATE	79743	WAIVED	2009/10/13	.000	
HEPTACHLOR	39410	WAIVED	2009/10/13	.000	
HEPTACHLOR EPOXIDE	39420	WAIVED	2009/10/13	.000	
HEXACHLOROBENZENE	39700	WAIVED	2009/10/13	.000	
HEXACHLOROCYCLOPENTADIENE	34386	WAIVED	2009/10/13	.000	
LINDANE	39340	WAIVED	2009/10/13	.000	

**Testing interval is in months;*
0 = No data for this constituent and is DUE NOW
999 = Waived testing (not required)
I = Invalid (NOT) valid analyses reported

System Number: 1900849
System Name: LLANO DEL RIO WATER COMPANY

PS Code: 1900849-001
Source Name: WELL 03
Source Number: 001
Source Status: ACTIVE UNTREATED
Water type: GROUNDWATER OR WELL

	STORET NUMBER	TESTING INTERVAL (MONTHS)*	LAST TEST DATE (yyyy/mm/dd)	LAST RESULT REPORTED	NEXT TEST DATE (yyyy/mm)
REGULATED SOC					
METHOXYCHLOR	39480	WAIVED	2009/10/13	.000	
MOLINATE	82199	WAIVED	2009/10/13	.000	
OXAMYL	38865	WAIVED	2009/10/13	.000	
PENTACHLOROPHENOL	39032	WAIVED	2009/10/13	.000	
PICLORAM	39720	WAIVED	2009/10/13	.000	
POLYCHLORINATED BIPHENYLS, TOTAL, AS DCB	39516	WAIVED	2009/10/13	.000	
SIMAZINE	39055	WAIVED	2009/10/13	.000	
THIOBENCARB	A-001	WAIVED	2009/10/13	.000	
TOXAPHENE	39400	WAIVED	2009/10/13	.000	
REGULATED VOC					
1,1,1-TRICHLOROETHANE	34506	WAIVED	2009/10/13	.000	
1,1,2,2-TETRACHLOROETHANE	34516	WAIVED	2009/10/13	.000	
1,1,2-TRICHLORO-1,2,2-TRIFLUOROETHANE	81611	WAIVED	2009/10/13	.000	
1,1,2-TRICHLOROETHANE	34511	WAIVED	2009/10/13	.000	
1,1-DICHLOROETHANE	34496	WAIVED	2009/10/13	.000	
1,1-DICHLOROETHYLENE	34501	WAIVED	2009/10/13	.000	
1,2,4-TRICHLOROBENZENE	34551	WAIVED	2009/10/13	.000	
1,2-DICHLOROBENZENE	34536	WAIVED	2009/10/13	.000	
1,2-DICHLOROETHANE	34531	WAIVED	2009/10/13	.000	
1,2-DICHLOROPROPANE	34541	WAIVED	2009/10/13	.000	
1,3-DICHLOROPROPENE (TOTAL)	34561	WAIVED	2009/10/13	.000	
1,4-DICHLOROBENZENE	34571	WAIVED	2009/10/13	.000	
BENZENE	34030	WAIVED	2009/10/13	.000	
CARBON TETRACHLORIDE	32102	WAIVED	2009/10/13	.000	
CIS-1,2-DICHLOROETHYLENE	77093	WAIVED	2009/10/13	.000	
DICHLOROMETHANE	34423	WAIVED	2009/10/13	.000	
ETHYLBENZENE	34371	WAIVED	2009/10/13	.000	
METHYL-TERT-BUTYL-ETHER (MTBE)	46491	WAIVED	2009/10/13	.000	
MONOCHLOROBENZENE	34301	WAIVED	2009/10/13	.000	

**Testing interval is in months;*
0 = No data for this constituent and is DUE NOW
999 = Waived testing (not required)
I = Invalid (NOT) valid analyses reported

System Number: ***1900849***

System Name: ***LLANO DEL RIO WATER COMPANY***

PS Code: ***1900849-001***

Source Name: ***WELL 03***

Source Number: ***001***

Source Status: ***ACTIVE UNTREATED***

Water type: ***GROUNDWATER OR WELL***

	STORET NUMBER	TESTING INTERVAL (MONTHS)*	LAST TEST DATE (yyyy/mm/dd)	LAST RESULT REPORTED	NEXT TEST DATE (yyyy/mm)
REGULATED VOC					
STYRENE	77128	WAIVED	2009/10/13	.000	
TETRACHLOROETHYLENE	34475	WAIVED	2009/10/13	.000	
TOLUENE	34010	WAIVED	2009/10/13	.000	
TRANS-1,2-DICHLOROETHYLENE	34546	WAIVED	2009/10/13	.000	
TRICHLOROETHYLENE	39180	WAIVED	2009/10/13	.000	
TRICHLOROFLUOROMETHANE	34488	WAIVED	2009/10/13	.000	
VINYL CHLORIDE	39175	WAIVED	2009/10/13	.000	
XYLENES (TOTAL)	81551	WAIVED	2009/10/13	.000	
SECONDARY/GP					
AGGRSSIVE INDEX (CORROSIVITY)	82383	WAIVED	2009/10/13	12.470	
BICARBONATE ALKALINITY	00440	WAIVED	2009/10/13	280.000	
CALCIUM	00916	WAIVED	2009/10/13	90.000	
CARBONATE ALKALINITY	00445	WAIVED	2009/10/13	.000	
CHLORIDE	00940	WAIVED	2009/10/13	3.500	
COLOR	00081	WAIVED	2009/10/13	.000	
COPPER	01042	WAIVED	2009/10/13	.000	
FOAMING AGENTS (MBAS)	38260	WAIVED	2009/10/13	.000	
HARDNESS (TOTAL) AS CACO3	00900	WAIVED	2009/10/13	310.000	
HYDROXIDE ALKALINITY	71830	WAIVED	2009/10/13	.000	
IRON	01045	WAIVED	2009/10/13	.000	
MAGNESIUM	00927	WAIVED	2009/10/13	27.000	
MANGANESE	01055	WAIVED	2009/10/13	.000	
ODOR THRESHOLD @ 60 C	00086	WAIVED	2009/10/13	1.000	
PH, LABORATORY	00403	WAIVED	2009/10/13	7.700	
SILVER	01077	WAIVED	2009/10/13	.000	
SODIUM	00929	WAIVED	2009/10/13	23.000	
SPECIFIC CONDUCTANCE	00095	WAIVED	2009/10/13	690.000	
SULFATE	00945	WAIVED	2009/10/13	120.000	
TOTAL DISSOLVED SOLIDS	70300	WAIVED	2009/10/13	430.000	

**Testing interval is in months;*
0 = No data for this constituent and is DUE NOW
999 = Waived testing (not required)
I = Invalid (NOT) valid analyses reported

System Number: ***1900849***

System Name: ***LLANO DEL RIO WATER COMPANY***

PS Code: ***1900849-001***

Source Name: ***WELL 03***

Source Number: ***001***

Source Status: ***ACTIVE UNTREATED***

Water type: ***GROUNDWATER OR WELL***

	STORET NUMBER	TESTING INTERVAL (MONTHS)*	LAST TEST DATE (yyyy/mm/dd)	LAST RESULT REPORTED	NEXT TEST DATE (yyyy/mm)
SECONDARY/GP					
TURBIDITY, LABORATORY	82079	WAIVED	2012/01/26	.100	
ZINC	01092	WAIVED	2009/10/13	.000	

PS Code: ***1900849-002***

Source Name: ***WELL 05***

Source Number: ***002***

Source Status: ***ACTIVE UNTREATED***

Water type: ***GROUNDWATER OR WELL***

	STORET NUMBER	TESTING INTERVAL (MONTHS)*	LAST TEST DATE (yyyy/mm/dd)	LAST RESULT REPORTED	NEXT TEST DATE (yyyy/mm)
GENERAL NON CHAP 15					
DIAZINON	39570	WAIVED			
INORGANIC					
ALUMINUM	01105	WAIVED	2010/02/02	< .000	
ANTIMONY	01097	WAIVED	2010/02/02	< .000	
ARSENIC	01002	WAIVED	2010/02/02	< .000	
ASBESTOS	81855	WAIVED	2010/02/02	.000	
BARIUM	01007	WAIVED	2010/02/02	100.000	
BERYLLIUM	01012	WAIVED	2010/02/02	< .000	
CADMIUM	01027	WAIVED	2010/02/02	< .000	
CHROMIUM (TOTAL)	01034	WAIVED	2010/02/02	< .000	
CYANIDE	01291	WAIVED	2010/02/02	< .000	
FLUORIDE (F) (NATURAL-SOURCE)	00951	WAIVED	2010/02/02	.260	
LEAD	01051	WAIVED	2010/02/02	< .000	
MERCURY	71900	WAIVED	2010/02/02	< .000	
NICKEL	01067	WAIVED	2010/02/02	< .000	
PERCHLORATE	A-031	WAIVED	2010/02/02	< .000	
SELENIUM	01147	WAIVED	2010/02/02	< .000	
THALLIUM	01059	WAIVED	2010/02/02	< .000	

**Testing interval is in months;*
0 = No data for this constituent and is DUE NOW
999 = Waived testing (not required)
I = Invalid (NOT) valid analyses reported

System Number: ***1900849***

System Name: ***LLANO DEL RIO WATER COMPANY***

PS Code: ***1900849-002***

Source Name: ***WELL 05***

Source Number: ***002***

Source Status: ***ACTIVE UNTREATED***

Water type: ***GROUNDWATER OR WELL***

	STORET NUMBER	TESTING INTERVAL (MONTHS)*	LAST TEST DATE (yyyy/mm/dd)	LAST RESULT REPORTED	NEXT TEST DATE (yyyy/mm)
NITRATE/NITRITE					
NITRATE (AS NO3)	71850	WAIVED	2010/02/02	3.000	
NITRITE (AS N)	00620	WAIVED	2010/02/02	< .000	
RADIOLOGICAL					
GROSS ALPHA	01501	WAIVED	2010/02/02	< .000	
GROSS BETA	03501	WAIVED			
RA-226 FOR CWS OR TOTAL RA FOR NTNC BY 903.0	A-080	WAIVED			
RA-226 OR TOTAL RA BY 903.0 C.E.	A-081	WAIVED			
RADIUM 226	09501	WAIVED			
RADIUM 228	11501	WAIVED			
RADIUM, TOTAL, MDA95-NTNC ONLY, BY 903.0	A-082	WAIVED			
STRONTIUM-90	13501	WAIVED			
TRITIUM	07000	WAIVED			
URANIUM (PCI/L)	28012	WAIVED			
REGULATED SOC					
2,3,7,8-TCDD (DIOXIN)	34676	WAIVED	2010/02/02	.000	
2,4,5-TP (SILVEX)	39045	WAIVED	2010/02/02	< .000	
2,4-D	39730	WAIVED	2010/02/02	< .000	
ALACHLOR	77825	WAIVED	2010/02/02	< .000	
ATRAZINE	39033	WAIVED	2010/02/02	< .000	
BENTAZON	38710	WAIVED	2010/02/02	< .000	
BENZO (A) PYRENE	34247	WAIVED	2010/02/02	< .000	
CARBOFURAN	81405	WAIVED	2010/02/02	< .000	
CHLORDANE	39350	WAIVED	2010/02/02	< .000	
DALAPON	38432	WAIVED	2010/02/02	< .000	
DI(2-ETHYLHEXYL)ADIPATE	A-026	WAIVED	2010/02/02	< .000	
DI(2-ETHYLHEXYL)PHTHALATE	39100	WAIVED	2010/02/02	< .000	
DIBROMOCHLOROPROPANE (DBCP)	38761	WAIVED	2010/02/02	< .000	
DINOSEB	81287	WAIVED	2010/02/02	< .000	
DIQUAT	78885	WAIVED	2010/02/02	< .000	

**Testing interval is in months;*
0 = No data for this constituent and is DUE NOW
999 = Waived testing (not required)
I = Invalid (NOT) valid analyses reported

System Number: ***1900849***

System Name: ***LLANO DEL RIO WATER COMPANY***

PS Code: ***1900849-002***

Source Name: ***WELL 05***

Source Number: ***002***

Source Status: ***ACTIVE UNTREATED***

Water type: ***GROUNDWATER OR WELL***

	STORET NUMBER	TESTING INTERVAL (MONTHS)*	LAST TEST DATE (yyyy/mm/dd)	LAST RESULT REPORTED	NEXT TEST DATE (yyyy/mm)
REGULATED SOC					
ENDOTHALL	38926	WAIVED	2010/02/02	< .000	
ENDRIN	39390	WAIVED	2010/02/02	< .000	
ETHYLENE DIBROMIDE (EDB)	77651	WAIVED	2010/02/02	< .000	
GLYPHOSATE	79743	WAIVED	2010/02/02	< .000	
HEPTACHLOR	39410	WAIVED	2010/02/02	< .000	
HEPTACHLOR EPOXIDE	39420	WAIVED	2010/02/02	< .000	
HEXACHLOROBENZENE	39700	WAIVED	2010/02/02	< .000	
HEXACHLOROCYCLOPENTADIENE	34386	WAIVED	2010/02/02	< .000	
LINDANE	39340	WAIVED	2010/02/02	< .000	
METHOXYCHLOR	39480	WAIVED	2010/02/02	< .000	
MOLINATE	82199	WAIVED	2010/02/02	< .000	
OXAMYL	38865	WAIVED	2010/02/02	< .000	
PENTACHLOROPHENOL	39032	WAIVED	2010/02/02	< .000	
PICLORAM	39720	WAIVED	2010/02/02	< .000	
POLYCHLORINATED BIPHENYLS, TOTAL, AS DCB	39516	WAIVED	2010/02/02	< .000	
SIMAZINE	39055	WAIVED	2010/02/02	< .000	
THIOBENCARB	A-001	WAIVED	2010/02/02	< .000	
TOXAPHENE	39400	WAIVED	2010/02/02	< .000	
REGULATED VOC					
1,1,1-TRICHLOROETHANE	34506	WAIVED	2010/02/02	< .000	
1,1,2,2-TETRACHLOROETHANE	34516	WAIVED	2010/02/02	< .000	
1,1,2-TRICHLORO-1,2,2-TRIFLUOROETHANE	81611	WAIVED	2010/02/02	< .000	
1,1,2-TRICHLOROETHANE	34511	WAIVED	2010/02/02	< .000	
1,1-DICHLOROETHANE	34496	WAIVED	2010/02/02	< .000	
1,1-DICHLOROETHYLENE	34501	WAIVED	2010/02/02	< .000	
1,2,4-TRICHLOROBENZENE	34551	WAIVED	2010/02/02	< .000	
1,2-DICHLOROBENZENE	34536	WAIVED	2010/02/02	< .000	
1,2-DICHLOROETHANE	34531	WAIVED	2010/02/02	< .000	
1,2-DICHLOROPROPANE	34541	WAIVED	2010/02/02	< .000	

**Testing interval is in months;*
0 = No data for this constituent and is DUE NOW
999 = Waived testing (not required)
I = Invalid (NOT) valid analyses reported

System Number: ***1900849***

System Name: ***LLANO DEL RIO WATER COMPANY***

PS Code: ***1900849-002***

Source Name: ***WELL 05***

Source Number: ***002***

Source Status: ***ACTIVE UNTREATED***

Water type: ***GROUNDWATER OR WELL***

	STORET NUMBER	TESTING INTERVAL (MONTHS)*	LAST TEST DATE (yyyy/mm/dd)	LAST RESULT REPORTED	NEXT TEST DATE (yyyy/mm)
REGULATED VOC					
1,3-DICHLOROPROPENE (TOTAL)	34561	WAIVED	2010/02/02	< .000	
1,4-DICHLOROBENZENE	34571	WAIVED	2010/02/02	< .000	
BENZENE	34030	WAIVED	2010/02/02	< .000	
CARBON TETRACHLORIDE	32102	WAIVED	2010/02/02	< .000	
CIS-1,2-DICHLOROETHYLENE	77093	WAIVED	2010/02/02	< .000	
DICHLOROMETHANE	34423	WAIVED	2010/02/02	< .000	
ETHYLBENZENE	34371	WAIVED	2010/02/02	< .000	
METHYL-TERT-BUTYL-ETHER (MTBE)	46491	WAIVED	2010/02/02	< .000	
MONOCHLOROBENZENE	34301	WAIVED	2010/02/02	< .000	
STYRENE	77128	WAIVED	2010/02/02	< .000	
TETRACHLOROETHYLENE	34475	WAIVED	2010/02/02	< .000	
TOLUENE	34010	WAIVED	2010/02/02	< .000	
TRANS-1,2-DICHLOROETHYLENE	34546	WAIVED	2010/02/02	< .000	
TRICHLOROETHYLENE	39180	WAIVED	2010/02/02	< .000	
TRICHLOROFLUOROMETHANE	34488	WAIVED	2010/02/02	< .000	
VINYL CHLORIDE	39175	WAIVED	2010/02/02	< .000	
XYLENES (TOTAL)	81551	WAIVED	2010/02/02	< .000	
SECONDARY/GP					
AGGRSSIVE INDEX (CORROSIVITY)	82383	WAIVED	2010/02/02	12.770	
BICARBONATE ALKALINITY	00440	WAIVED	2010/02/02	300.000	
CALCIUM	00916	WAIVED	2010/02/02	98.000	
CARBONATE ALKALINITY	00445	WAIVED	2010/02/02	< .000	
CHLORIDE	00940	WAIVED	2010/02/02	4.200	
COLOR	00081	WAIVED	2010/02/02	< .000	
COPPER	01042	WAIVED	2010/02/02	< .000	
FOAMING AGENTS (MBAS)	38260	WAIVED	2010/02/02	< .000	
HARDNESS (TOTAL) AS CACO3	00900	WAIVED	2010/02/02	360.000	
HYDROXIDE ALKALINITY	71830	WAIVED	2010/02/02	< .000	
IRON	01045	WAIVED	2010/02/02	< .000	

**Testing interval is in months;*
0 = No data for this constituent and is DUE NOW
999 = Waived testing (not required)
I = Invalid (NOT) valid analyses reported

System Number: ***1900849***

System Name: ***LLANO DEL RIO WATER COMPANY***

PS Code: ***1900849-002***

Source Name: ***WELL 05***

Source Number: ***002***

Source Status: ***ACTIVE UNTREATED***

Water type: ***GROUNDWATER OR WELL***

	STORET NUMBER	TESTING INTERVAL (MONTHS)*	LAST TEST DATE (yyyy/mm/dd)	LAST RESULT REPORTED	NEXT TEST DATE (yyyy/mm)
SECONDARY/GP					
MAGNESIUM	00927	WAIVED	2010/02/02	28.000	
MANGANESE	01055	WAIVED	2010/02/02	< .000	
ODOR THRESHOLD @ 60 C	00086	WAIVED	2010/02/02	1.000	
PH, LABORATORY	00403	WAIVED	2010/02/02	8.000	
SILVER	01077	WAIVED	2010/02/02	< .000	
SODIUM	00929	WAIVED	2010/02/02	23.000	
SPECIFIC CONDUCTANCE	00095	WAIVED	2010/02/02	720.000	
SULFATE	00945	WAIVED	2010/02/02	150.000	
TOTAL DISSOLVED SOLIDS	70300	WAIVED	2010/02/02	480.000	
TURBIDITY, LABORATORY	82079	WAIVED	2012/01/26	.100	
ZINC	01092	WAIVED	2010/02/02	50.000	

PS Code: ***1900849-004***

Source Name: ***AUTOMATIC CHLORINATION UNIT***

Source Number: ***004***

Source Status: ***ACTIVE TREATED***

Water type: ***GROUNDWATER OR WELL***

GENERAL NON CHAP 15					
DIAZINON	39570	WAIVED			
INORGANIC					
ALUMINUM	01105	WAIVED			
ANTIMONY	01097	WAIVED			
ARSENIC	01002	WAIVED			
ASBESTOS	81855	WAIVED			
BARIUM	01007	WAIVED			
BERYLLIUM	01012	WAIVED			
CADMIUM	01027	WAIVED			
CHROMIUM (TOTAL)	01034	WAIVED			
CYANIDE	01291	WAIVED			

**Testing interval is in months;*
0 = No data for this constituent and is DUE NOW
999 = Waived testing (not required)
I = Invalid (NOT) valid analyses reported

System Number: ***1900849***

System Name: ***LLANO DEL RIO WATER COMPANY***

PS Code: ***1900849-004***

Source Name: ***AUTOMATIC CHLORINATION UNIT***

Source Number: ***004***

Source Status: ***ACTIVE TREATED***

Water type: ***GROUNDWATER OR WELL***

	STORET NUMBER	TESTING INTERVAL (MONTHS)*	LAST TEST DATE (yyyy/mm/dd)	LAST RESULT REPORTED	NEXT TEST DATE (yyyy/mm)
INORGANIC					
FLUORIDE (F) (NATURAL-SOURCE)	00951	WAIVED			
LEAD	01051	WAIVED			
MERCURY	71900	WAIVED			
NICKEL	01067	WAIVED			
PERCHLORATE	A-031	WAIVED			
SELENIUM	01147	WAIVED			
THALLIUM	01059	WAIVED			
NITRATE/NITRITE					
NITRATE (AS NO3)	71850	WAIVED			
NITRITE (AS N)	00620	WAIVED			
RADIOLOGICAL					
GROSS ALPHA	01501	WAIVED			
GROSS BETA	03501	WAIVED			
RA-226 FOR CWS OR TOTAL RA FOR NTNC BY 903.0	A-080	WAIVED			
RA-226 OR TOTAL RA BY 903.0 C.E.	A-081	WAIVED			
RADIUM 226	09501	WAIVED			
RADIUM 228	11501	WAIVED			
RADIUM, TOTAL, MDA95-NTNC ONLY, BY 903.0	A-082	WAIVED			
STRONTIUM-90	13501	WAIVED			
TRITIUM	07000	WAIVED			
URANIUM (PCI/L)	28012	WAIVED			
REGULATED SOC					
2,3,7,8-TCDD (DIOXIN)	34676	WAIVED			
2,4,5-TP (SILVEX)	39045	WAIVED			
2,4-D	39730	WAIVED			
ALACHLOR	77825	WAIVED			
ATRAZINE	39033	WAIVED			
BENTAZON	38710	WAIVED			

**Testing interval is in months;*
0 = No data for this constituent and is DUE NOW
999 = Waived testing (not required)
I = Invalid (NOT) valid analyses reported

System Number: ***1900849***

System Name: ***LLANO DEL RIO WATER COMPANY***

PS Code: ***1900849-004***

Source Name: ***AUTOMATIC CHLORINATION UNIT***

Source Number: ***004***

Source Status: ***ACTIVE TREATED***

Water type: ***GROUNDWATER OR WELL***

	STORET NUMBER	TESTING INTERVAL (MONTHS)*	LAST TEST DATE (yyyy/mm/dd)	LAST RESULT REPORTED	NEXT TEST DATE (yyyy/mm)
REGULATED SOC					
BENZO (A) PYRENE	34247	WAIVED			
CARBOFURAN	81405	WAIVED			
CHLORDANE	39350	WAIVED			
DALAPON	38432	WAIVED			
DI(2-ETHYLHEXYL)ADIPATE	A-026	WAIVED			
DI(2-ETHYLHEXYL)PHTHALATE	39100	WAIVED			
DIBROMOCHLOROPROPANE (DBCP)	38761	WAIVED			
DINOSEB	81287	WAIVED			
DIQUAT	78885	WAIVED			
ENDOTHALL	38926	WAIVED			
ENDRIN	39390	WAIVED			
ETHYLENE DIBROMIDE (EDB)	77651	WAIVED			
GLYPHOSATE	79743	WAIVED			
HEPTACHLOR	39410	WAIVED			
HEPTACHLOR EPOXIDE	39420	WAIVED			
HEXACHLOROBENZENE	39700	WAIVED			
HEXACHLOROCYCLOPENTADIENE	34386	WAIVED			
LINDANE	39340	WAIVED			
METHOXYCHLOR	39480	WAIVED			
MOLINATE	82199	WAIVED			
OXAMYL	38865	WAIVED			
PENTACHLOROPHENOL	39032	WAIVED			
PICLORAM	39720	WAIVED			
POLYCHLORINATED BIPHENYLS, TOTAL, AS DCB	39516	WAIVED			
SIMAZINE	39055	WAIVED			
THIOBENCARB	A-001	WAIVED			
TOXAPHENE	39400	WAIVED			
REGULATED VOC					
1,1,1-TRICHLOROETHANE	34506	WAIVED			

**Testing interval is in months;*
0 = No data for this constituent and is DUE NOW
999 = Waived testing (not required)
I = Invalid (NOT) valid analyses reported

System Number: ***1900849***

System Name: ***LLANO DEL RIO WATER COMPANY***

PS Code: ***1900849-004***

Source Name: ***AUTOMATIC CHLORINATION UNIT***

Source Number: ***004***

Source Status: ***ACTIVE TREATED***

Water type: ***GROUNDWATER OR WELL***

	STORET NUMBER	TESTING INTERVAL (MONTHS)*	LAST TEST DATE (yyyy/mm/dd)	LAST RESULT REPORTED	NEXT TEST DATE (yyyy/mm)
REGULATED VOC					
1,1,2,2-TETRACHLOROETHANE	34516	WAIVED			
1,1,2-TRICHLORO-1,2,2-TRIFLUOROETHANE	81611	WAIVED			
1,1,2-TRICHLOROETHANE	34511	WAIVED			
1,1-DICHLOROETHANE	34496	WAIVED			
1,1-DICHLOROETHYLENE	34501	WAIVED			
1,2,4-TRICHLOROBENZENE	34551	WAIVED			
1,2-DICHLOROBENZENE	34536	WAIVED			
1,2-DICHLOROETHANE	34531	WAIVED			
1,2-DICHLOROPROPANE	34541	WAIVED			
1,3-DICHLOROPROPENE (TOTAL)	34561	WAIVED			
1,4-DICHLOROBENZENE	34571	WAIVED			
BENZENE	34030	WAIVED			
CARBON TETRACHLORIDE	32102	WAIVED			
CIS-1,2-DICHLOROETHYLENE	77093	WAIVED			
DICHLOROMETHANE	34423	WAIVED			
ETHYLBENZENE	34371	WAIVED			
METHYL-TERT-BUTYL-ETHER (MTBE)	46491	WAIVED			
MONOCHLOROBENZENE	34301	WAIVED			
STYRENE	77128	WAIVED			
TETRACHLOROETHYLENE	34475	WAIVED			
TOLUENE	34010	WAIVED			
TRANS-1,2-DICHLOROETHYLENE	34546	WAIVED			
TRICHLOROETHYLENE	39180	WAIVED			
TRICHLOROFLUOROMETHANE	34488	WAIVED			
VINYL CHLORIDE	39175	WAIVED			
XYLENES (TOTAL)	81551	WAIVED			
SECONDARY/GP					
AGGRSSIVE INDEX (CORROSIVITY)	82383	WAIVED			
BICARBONATE ALKALINITY	00440	WAIVED			

**Testing interval is in months;*
0 = No data for this constituent and is DUE NOW
999 = Waived testing (not required)
I = Invalid (NOT) valid analyses reported

System Number: ***1900849***

System Name: ***LLANO DEL RIO WATER COMPANY***

PS Code: ***1900849-004***

Source Name: ***AUTOMATIC CHLORINATION UNIT***

Source Number: ***004***

Source Status: ***ACTIVE TREATED***

Water type: ***GROUNDWATER OR WELL***

SECONDARY/GP

	STORET NUMBER	TESTING INTERVAL (MONTHS)*	LAST TEST DATE (yyyy/mm/dd)	LAST RESULT REPORTED	NEXT TEST DATE (yyyy/mm)
CALCIUM	00916	WAIVED			
CARBONATE ALKALINITY	00445	WAIVED			
CHLORIDE	00940	WAIVED			
COLOR	00081	WAIVED			
COPPER	01042	WAIVED			
FOAMING AGENTS (MBAS)	38260	WAIVED			
HARDNESS (TOTAL) AS CACO3	00900	WAIVED			
HYDROXIDE ALKALINITY	71830	WAIVED			
IRON	01045	WAIVED			
MAGNESIUM	00927	WAIVED			
MANGANESE	01055	WAIVED			
ODOR THRESHOLD @ 60 C	00086	WAIVED			
PH, LABORATORY	00403	WAIVED			
SILVER	01077	WAIVED			
SODIUM	00929	WAIVED			
SPECIFIC CONDUCTANCE	00095	WAIVED			
SULFATE	00945	WAIVED			
TOTAL DISSOLVED SOLIDS	70300	WAIVED			
TURBIDITY, LABORATORY	82079	WAIVED			
ZINC	01092	WAIVED			

**Testing interval is in months;*
0 = No data for this constituent and is DUE NOW
999 = Waived testing (not required)
I = Invalid (NOT) valid analyses reported

System Number: ***1900864***

System Name: ***NEWCOMB S RANCH INN***

PS Code: ***1900864-001***

Source Name: ***WELL 01***

Source Number: ***001***

Source Status: ***ACTIVE UNTREATED***

Water type: ***GROUNDWATER OR WELL***

	STORET NUMBER	TESTING INTERVAL (MONTHS)*	LAST TEST DATE (yyyy/mm/dd)	LAST RESULT REPORTED	NEXT TEST DATE (yyyy/mm)
GENERAL NON CHAP 15					
DIAZINON	39570	WAIVED			
INORGANIC					
ALUMINUM	01105	WAIVED	2008/02/28	< 10.000	
ANTIMONY	01097	WAIVED	2008/02/28	< 1.000	
ARSENIC	01002	WAIVED	2008/02/28	3.000	
ASBESTOS	81855	WAIVED			
BARIUM	01007	WAIVED	2008/02/28	19.400	
BERYLLIUM	01012	WAIVED	2008/02/28	< .200	
CADMIUM	01027	WAIVED	2008/02/28	< .200	
CHROMIUM (TOTAL)	01034	WAIVED	2008/02/28	< 1.000	
CYANIDE	01291	WAIVED			
FLUORIDE (F) (NATURAL-SOURCE)	00951	WAIVED	2008/02/28	.400	
LEAD	01051	WAIVED	2008/02/28	.200	
MERCURY	71900	WAIVED	2008/02/28	< .020	
NICKEL	01067	WAIVED	2008/02/28	< 1.000	
PERCHLORATE	A-031	WAIVED			
SELENIUM	01147	WAIVED	2008/02/28	< 2.000	
THALLIUM	01059	WAIVED	2008/02/28	< .200	
NITRATE/NITRITE					
NITRATE (AS NO3)	71850	WAIVED	2011/09/08	< .400	
NITRITE (AS N)	00620	WAIVED	2011/09/08	< .100	
RADIOLOGICAL					
GROSS ALPHA	01501	WAIVED			
GROSS BETA	03501	WAIVED			
RA-226 FOR CWS OR TOTAL RA FOR NTNC BY 903.0	A-080	WAIVED			
RA-226 OR TOTAL RA BY 903.0 C.E.	A-081	WAIVED			
RADIUM 226	09501	WAIVED			
RADIUM 228	11501	WAIVED			

**Testing interval is in months;*
0 = No data for this constituent and is DUE NOW
999 = Waived testing (not required)
I = Invalid (NOT) valid analyses reported

System Number: ***1900864***

System Name: ***NEWCOMB S RANCH INN***

PS Code: ***1900864-001***

Source Name: ***WELL 01***

Source Number: ***001***

Source Status: ***ACTIVE UNTREATED***

Water type: ***GROUNDWATER OR WELL***

	STORET NUMBER	TESTING INTERVAL (MONTHS)*	LAST TEST DATE (yyyy/mm/dd)	LAST RESULT REPORTED	NEXT TEST DATE (yyyy/mm)
RADIOLOGICAL					
RADIUM, TOTAL, MDA95-NTNC ONLY, BY 903.0	A-082	WAIVED			
STRONTIUM-90	13501	WAIVED			
TRITIUM	07000	WAIVED			
URANIUM (PCI/L)	28012	WAIVED			
REGULATED SOC					
2,3,7,8-TCDD (DIOXIN)	34676	WAIVED			
2,4,5-TP (SILVEX)	39045	WAIVED			
2,4-D	39730	WAIVED			
ALACHLOR	77825	WAIVED			
ATRAZINE	39033	WAIVED			
BENTAZON	38710	WAIVED			
BENZO (A) PYRENE	34247	WAIVED			
CARBOFURAN	81405	WAIVED			
CHLORDANE	39350	WAIVED			
DALAPON	38432	WAIVED			
DI(2-ETHYLHEXYL)ADIPATE	A-026	WAIVED			
DI(2-ETHYLHEXYL)PHTHALATE	39100	WAIVED			
DIBROMOCHLOROPROPANE (DBCP)	38761	WAIVED			
DINOSEB	81287	WAIVED			
DIQUAT	78885	WAIVED			
ENDOTHALL	38926	WAIVED			
ENDRIN	39390	WAIVED			
ETHYLENE DIBROMIDE (EDB)	77651	WAIVED			
GLYPHOSATE	79743	WAIVED			
HEPTACHLOR	39410	WAIVED			
HEPTACHLOR EPOXIDE	39420	WAIVED			
HEXACHLOROBENZENE	39700	WAIVED			
HEXACHLOROCYCLOPENTADIENE	34386	WAIVED			
LINDANE	39340	WAIVED			

**Testing interval is in months;*
0 = No data for this constituent and is DUE NOW
999 = Waived testing (not required)
I = Invalid (NOT) valid analyses reported

System Number: ***1900864***

System Name: ***NEWCOMB S RANCH INN***

PS Code: ***1900864-001***

Source Name: ***WELL 01***

Source Number: ***001***

Source Status: ***ACTIVE UNTREATED***

Water type: ***GROUNDWATER OR WELL***

	STORET NUMBER	TESTING INTERVAL (MONTHS)*	LAST TEST DATE (yyyy/mm/dd)	LAST RESULT REPORTED	NEXT TEST DATE (yyyy/mm)
REGULATED SOC					
METHOXYCHLOR	39480	WAIVED			
MOLINATE	82199	WAIVED			
OXAMYL	38865	WAIVED			
PENTACHLOROPHENOL	39032	WAIVED			
PICLORAM	39720	WAIVED			
POLYCHLORINATED BIPHENYLS, TOTAL, AS DCB	39516	WAIVED			
SIMAZINE	39055	WAIVED			
THIOBENCARB	A-001	WAIVED			
TOXAPHENE	39400	WAIVED			
REGULATED VOC					
1,1,1-TRICHLOROETHANE	34506	WAIVED			
1,1,2,2-TETRACHLOROETHANE	34516	WAIVED			
1,1,2-TRICHLORO-1,2,2-TRIFLUOROETHANE	81611	WAIVED			
1,1,2-TRICHLOROETHANE	34511	WAIVED			
1,1-DICHLOROETHANE	34496	WAIVED			
1,1-DICHLOROETHYLENE	34501	WAIVED			
1,2,4-TRICHLOROBENZENE	34551	WAIVED			
1,2-DICHLOROBENZENE	34536	WAIVED			
1,2-DICHLOROETHANE	34531	WAIVED			
1,2-DICHLOROPROPANE	34541	WAIVED			
1,3-DICHLOROPROPENE (TOTAL)	34561	WAIVED			
1,4-DICHLOROBENZENE	34571	WAIVED			
BENZENE	34030	WAIVED			
CARBON TETRACHLORIDE	32102	WAIVED			
CIS-1,2-DICHLOROETHYLENE	77093	WAIVED			
DICHLOROMETHANE	34423	WAIVED			
ETHYLBENZENE	34371	WAIVED			
METHYL-TERT-BUTYL-ETHER (MTBE)	46491	WAIVED			
MONOCHLOROBENZENE	34301	WAIVED			

**Testing interval is in months;*
0 = No data for this constituent and is DUE NOW
999 = Waived testing (not required)
I = Invalid (NOT) valid analyses reported

System Number: ***1900864***

System Name: ***NEWCOMB S RANCH INN***

PS Code: ***1900864-001***

Source Name: ***WELL 01***

Source Number: ***001***

Source Status: ***ACTIVE UNTREATED***

Water type: ***GROUNDWATER OR WELL***

	STORET NUMBER	TESTING INTERVAL (MONTHS)*	LAST TEST DATE (yyyy/mm/dd)	LAST RESULT REPORTED	NEXT TEST DATE (yyyy/mm)
REGULATED VOC					
STYRENE	77128	WAIVED			
TETRACHLOROETHYLENE	34475	WAIVED			
TOLUENE	34010	WAIVED			
TRANS-1,2-DICHLOROETHYLENE	34546	WAIVED			
TRICHLOROETHYLENE	39180	WAIVED			
TRICHLOROFLUOROMETHANE	34488	WAIVED			
VINYL CHLORIDE	39175	WAIVED			
XYLENES (TOTAL)	81551	WAIVED			
SECONDARY/GP					
AGGRSSIVE INDEX (CORROSIVITY)	82383	WAIVED	2008/02/28	11.500	
BICARBONATE ALKALINITY	00440	WAIVED	2008/02/28	210.000	
CALCIUM	00916	WAIVED	2008/02/28	47.000	
CARBONATE ALKALINITY	00445	WAIVED	2008/02/28	< 10.000	
CHLORIDE	00940	WAIVED	2008/02/28	4.000	
COLOR	00081	WAIVED	1999/12/27	5.000	
COPPER	01042	WAIVED	2008/02/28	< 10.000	
FOAMING AGENTS (MBAS)	38260	WAIVED	2008/02/28	< .100	
HARDNESS (TOTAL) AS CACO3	00900	WAIVED	2008/02/28	163.000	
HYDROXIDE ALKALINITY	71830	WAIVED	2008/02/28	< 10.000	
IRON	01045	WAIVED	2008/02/28	510.000	
MAGNESIUM	00927	WAIVED	2008/02/28	11.000	
MANGANESE	01055	WAIVED	2008/02/28	150.000	
ODOR THRESHOLD @ 60 C	00086	WAIVED	1999/12/27	.000	
PH, LABORATORY	00403	WAIVED	2008/02/28	7.200	
SILVER	01077	WAIVED	2008/02/28	< 1.000	
SODIUM	00929	WAIVED	2008/02/28	17.000	
SPECIFIC CONDUCTANCE	00095	WAIVED	2008/02/28	379.000	
SULFATE	00945	WAIVED	2008/02/28	10.000	
TOTAL DISSOLVED SOLIDS	70300	WAIVED	2008/02/28	190.000	

**Testing interval is in months;*
0 = No data for this constituent and is DUE NOW
999 = Waived testing (not required)
I = Invalid (NOT) valid analyses reported

System Number: ***1900864***

System Name: ***NEWCOMB S RANCH INN***

PS Code: ***1900864-001***

Source Name: ***WELL 01***

Source Number: ***001***

Source Status: ***ACTIVE UNTREATED***

Water type: ***GROUNDWATER OR WELL***

SECONDARY/GP	STORET NUMBER	TESTING INTERVAL (MONTHS)*	LAST TEST DATE (yyyy/mm/dd)	LAST RESULT REPORTED	NEXT TEST DATE (yyyy/mm)
TURBIDITY, LABORATORY	82079	WAIVED	1999/12/27	4.000	
ZINC	01092	WAIVED	2008/02/28	< 20.000	

**Testing interval is in months;*
0 = No data for this constituent and is DUE NOW
999 = Waived testing (not required)
I = Invalid (NOT) valid analyses reported

System Number: 1900868
System Name: RIVERS END TRAILER PARK

PS Code: 1900868-001
Source Name: WELL 01
Source Number: 001
Source Status: ACTIVE UNTREATED
Water type: GROUNDWATER OR WELL

	STORET NUMBER	TESTING INTERVAL (MONTHS)*	LAST TEST DATE (yyyy/mm/dd)	LAST RESULT REPORTED	NEXT TEST DATE (yyyy/mm)
GENERAL NON CHAP 15					
DIAZINON	39570	WAIVED			
INORGANIC					
ALUMINUM	01105	WAIVED	2002/11/15	.000	
ANTIMONY	01097	WAIVED	2002/11/15	.000	
ARSENIC	01002	WAIVED	2002/11/15	.000	
ASBESTOS	81855	WAIVED			
BARIUM	01007	WAIVED	2002/11/15	105.000	
BERYLLIUM	01012	WAIVED			
CADMIUM	01027	WAIVED	2002/11/15	.000	
CHROMIUM (TOTAL)	01034	WAIVED	2002/11/15	13.000	
CYANIDE	01291	WAIVED			
FLUORIDE (F) (NATURAL-SOURCE)	00951	WAIVED	2004/08/25	.780	
LEAD	01051	WAIVED	2002/11/15	.000	
MERCURY	71900	WAIVED	2002/11/15	.000	
NICKEL	01067	WAIVED	2002/11/15	.000	
PERCHLORATE	A-031	WAIVED	2002/11/15	.000	
SELENIUM	01147	WAIVED	2002/11/15	.000	
THALLIUM	01059	WAIVED			
NITRATE/NITRITE					
NITRATE (AS NO3)	71850	WAIVED	2004/08/25	.000	
NITRITE (AS N)	00620	WAIVED			
RADIOLOGICAL					
GROSS ALPHA	01501	WAIVED			
GROSS BETA	03501	WAIVED			
RA-226 FOR CWS OR TOTAL RA FOR NTNC BY 903.0	A-080	WAIVED			
RA-226 OR TOTAL RA BY 903.0 C.E.	A-081	WAIVED			
RADIUM 226	09501	WAIVED			
RADIUM 228	11501	WAIVED			

**Testing interval is in months;*
0 = No data for this constituent and is DUE NOW
999 = Waived testing (not required)
I = Invalid (NOT) valid analyses reported

System Number: ***1900868***

System Name: ***RIVERS END TRAILER PARK***

PS Code: ***1900868-001***

Source Name: ***WELL 01***

Source Number: ***001***

Source Status: ***ACTIVE UNTREATED***

Water type: ***GROUNDWATER OR WELL***

	STORET NUMBER	TESTING INTERVAL (MONTHS)*	LAST TEST DATE (yyyy/mm/dd)	LAST RESULT REPORTED	NEXT TEST DATE (yyyy/mm)
RADIOLOGICAL					
RADIUM, TOTAL, MDA95-NTNC ONLY, BY 903.0	A-082	WAIVED			
STRONTIUM-90	13501	WAIVED			
TRITIUM	07000	WAIVED			
URANIUM (PCI/L)	28012	WAIVED			
REGULATED SOC					
2,3,7,8-TCDD (DIOXIN)	34676	WAIVED			
2,4,5-TP (SILVEX)	39045	WAIVED			
2,4-D	39730	WAIVED			
ALACHLOR	77825	WAIVED	2002/05/16	.000	
ATRAZINE	39033	WAIVED			
BENTAZON	38710	WAIVED			
BENZO (A) PYRENE	34247	WAIVED			
CARBOFURAN	81405	WAIVED			
CHLORDANE	39350	WAIVED	2002/05/16	.000	
DALAPON	38432	WAIVED			
DI(2-ETHYLHEXYL)ADIPATE	A-026	WAIVED			
DI(2-ETHYLHEXYL)PHTHALATE	39100	WAIVED			
DIBROMOCHLOROPROPANE (DBCP)	38761	WAIVED			
DINOSEB	81287	WAIVED			
DIQUAT	78885	WAIVED			
ENDOTHALL	38926	WAIVED			
ENDRIN	39390	WAIVED	2002/05/16	.000	
ETHYLENE DIBROMIDE (EDB)	77651	WAIVED			
GLYPHOSATE	79743	WAIVED			
HEPTACHLOR	39410	WAIVED	2002/05/16	.000	
HEPTACHLOR EPOXIDE	39420	WAIVED	2002/05/16	.000	
HEXACHLOROBENZENE	39700	WAIVED	2002/05/16	.000	
HEXACHLOROCYCLOPENTADIENE	34386	WAIVED	2002/05/16	.000	
LINDANE	39340	WAIVED	2002/05/16	.000	

**Testing interval is in months;*
0 = No data for this constituent and is DUE NOW
999 = Waived testing (not required)
I = Invalid (NOT) valid analyses reported

System Number: ***1900868***

System Name: ***RIVERS END TRAILER PARK***

PS Code: ***1900868-001***

Source Name: ***WELL 01***

Source Number: ***001***

Source Status: ***ACTIVE UNTREATED***

Water type: ***GROUNDWATER OR WELL***

	STORET NUMBER	TESTING INTERVAL (MONTHS)*	LAST TEST DATE (yyyy/mm/dd)	LAST RESULT REPORTED	NEXT TEST DATE (yyyy/mm)
REGULATED SOC					
METHOXYCHLOR	39480	WAIVED	2002/05/16	.000	
MOLINATE	82199	WAIVED			
OXAMYL	38865	WAIVED			
PENTACHLOROPHENOL	39032	WAIVED			
PICLORAM	39720	WAIVED			
POLYCHLORINATED BIPHENYLS, TOTAL, AS DCB	39516	WAIVED	2002/05/16	.000	
SIMAZINE	39055	WAIVED			
THIOBENCARB	A-001	WAIVED	2002/11/15	.000	
TOXAPHENE	39400	WAIVED	2002/05/16	.000	
REGULATED VOC					
1,1,1-TRICHLOROETHANE	34506	WAIVED	2002/05/16	.000	
1,1,2,2-TETRACHLOROETHANE	34516	WAIVED	2002/05/16	.000	
1,1,2-TRICHLORO-1,2,2-TRIFLUOROETHANE	81611	WAIVED	2002/05/16	.000	
1,1,2-TRICHLOROETHANE	34511	WAIVED	2002/05/16	.000	
1,1-DICHLOROETHANE	34496	WAIVED	2002/05/16	.000	
1,1-DICHLOROETHYLENE	34501	WAIVED	2002/05/16	.000	
1,2,4-TRICHLOROBENZENE	34551	WAIVED	2002/05/16	.000	
1,2-DICHLOROBENZENE	34536	WAIVED	2002/05/16	.000	
1,2-DICHLOROETHANE	34531	WAIVED	2002/05/16	.000	
1,2-DICHLOROPROPANE	34541	WAIVED	2002/05/16	.000	
1,3-DICHLOROPROPENE (TOTAL)	34561	WAIVED	2002/05/16	.000	
1,4-DICHLOROBENZENE	34571	WAIVED	2002/05/16	.000	
BENZENE	34030	WAIVED	2002/05/16	.000	
CARBON TETRACHLORIDE	32102	WAIVED	2002/05/16	.000	
CIS-1,2-DICHLOROETHYLENE	77093	WAIVED	2002/05/16	.000	
DICHLOROMETHANE	34423	WAIVED	2002/05/16	.000	
ETHYLBENZENE	34371	WAIVED	2002/05/16	.000	
METHYL-TERT-BUTYL-ETHER (MTBE)	46491	WAIVED	2002/05/16	.000	
MONOCHLOROBENZENE	34301	WAIVED	2002/05/16	.000	

**Testing interval is in months;*
0 = No data for this constituent and is DUE NOW
999 = Waived testing (not required)
I = Invalid (NOT) valid analyses reported

System Number: ***1900868***

System Name: ***RIVERS END TRAILER PARK***

PS Code: ***1900868-001***

Source Name: ***WELL 01***

Source Number: ***001***

Source Status: ***ACTIVE UNTREATED***

Water type: ***GROUNDWATER OR WELL***

	STORET NUMBER	TESTING INTERVAL (MONTHS)*	LAST TEST DATE (yyyy/mm/dd)	LAST RESULT REPORTED	NEXT TEST DATE (yyyy/mm)
REGULATED VOC					
STYRENE	77128	WAIVED	2002/05/16	.000	
TETRACHLOROETHYLENE	34475	WAIVED	2002/05/16	.000	
TOLUENE	34010	WAIVED	2002/05/16	.000	
TRANS-1,2-DICHLOROETHYLENE	34546	WAIVED	2002/05/16	.000	
TRICHLOROETHYLENE	39180	WAIVED	2002/05/16	.000	
TRICHLOROFLUOROMETHANE	34488	WAIVED	2002/05/16	.000	
VINYL CHLORIDE	39175	WAIVED	2002/05/16	.000	
XYLENES (TOTAL)	81551	WAIVED	2002/05/16	.000	
SECONDARY/GP					
AGGRSSIVE INDEX (CORROSIVITY)	82383	WAIVED			
BICARBONATE ALKALINITY	00440	WAIVED	2004/08/25	307.000	
CALCIUM	00916	WAIVED	2004/08/25	124.000	
CARBONATE ALKALINITY	00445	WAIVED	2004/08/25	.000	
CHLORIDE	00940	WAIVED	2004/08/25	329.000	
COLOR	00081	WAIVED	2002/11/15	.000	
COPPER	01042	WAIVED	2002/11/15	.000	
FOAMING AGENTS (MBAS)	38260	WAIVED	2002/11/15	.000	
HARDNESS (TOTAL) AS CACO3	00900	WAIVED	2004/08/25	400.000	
HYDROXIDE ALKALINITY	71830	WAIVED	2004/08/25	.000	
IRON	01045	WAIVED	2004/03/15	.000	
MAGNESIUM	00927	WAIVED	2004/08/25	21.900	
MANGANESE	01055	WAIVED	2004/03/15	.000	
ODOR THRESHOLD @ 60 C	00086	WAIVED	2002/11/15	.000	
PH, LABORATORY	00403	WAIVED	2004/08/25	7.120	
SILVER	01077	WAIVED	2002/11/15	.000	
SODIUM	00929	WAIVED	2004/08/25	168.000	
SPECIFIC CONDUCTANCE	00095	WAIVED	2002/11/15	1026.000	
SULFATE	00945	WAIVED	2004/08/25	94.100	
TOTAL DISSOLVED SOLIDS	70300	WAIVED	2004/08/25	940.000	

**Testing interval is in months;*
0 = No data for this constituent and is DUE NOW
999 = Waived testing (not required)
I = Invalid (NOT) valid analyses reported

System Number: ***1900868***

System Name: ***RIVERS END TRAILER PARK***

PS Code: ***1900868-001***

Source Name: ***WELL 01***

Source Number: ***001***

Source Status: ***ACTIVE UNTREATED***

Water type: ***GROUNDWATER OR WELL***

	STORET NUMBER	TESTING INTERVAL (MONTHS)*	LAST TEST DATE (yyyy/mm/dd)	LAST RESULT REPORTED	NEXT TEST DATE (yyyy/mm)
SECONDARY/GP					
TURBIDITY, LABORATORY	82079	WAIVED	2002/11/15	.240	
ZINC	01092	WAIVED	2002/11/15	.000	

PS Code: ***1900868-002***

Source Name: ***WELL 02***

Source Number: ***002***

Source Status: ***ACTIVE UNTREATED***

Water type: ***GROUNDWATER OR WELL***

GENERAL NON CHAP 15					
DIAZINON	39570	WAIVED			
INORGANIC					
ALUMINUM	01105	WAIVED			
ANTIMONY	01097	WAIVED			
ARSENIC	01002	WAIVED			
ASBESTOS	81855	WAIVED			
BARIUM	01007	WAIVED			
BERYLLIUM	01012	WAIVED			
CADMIUM	01027	WAIVED			
CHROMIUM (TOTAL)	01034	WAIVED			
CYANIDE	01291	WAIVED			
FLUORIDE (F) (NATURAL-SOURCE)	00951	WAIVED			
LEAD	01051	WAIVED			
MERCURY	71900	WAIVED			
NICKEL	01067	WAIVED			
PERCHLORATE	A-031	WAIVED			
SELENIUM	01147	WAIVED			
THALLIUM	01059	WAIVED			

**Testing interval is in months;*
0 = No data for this constituent and is DUE NOW
999 = Waived testing (not required)
I = Invalid (NOT) valid analyses reported

System Number: ***1900868***

System Name: ***RIVERS END TRAILER PARK***

PS Code: ***1900868-002***

Source Name: ***WELL 02***

Source Number: ***002***

Source Status: ***ACTIVE UNTREATED***

Water type: ***GROUNDWATER OR WELL***

	STORET NUMBER	TESTING INTERVAL (MONTHS)*	LAST TEST DATE (yyyy/mm/dd)	LAST RESULT REPORTED	NEXT TEST DATE (yyyy/mm)
NITRATE/NITRITE					
NITRATE (AS NO3)	71850	WAIVED	2000/04/11	22.000	
NITRITE (AS N)	00620	WAIVED			
RADIOLOGICAL					
GROSS ALPHA	01501	WAIVED			
GROSS BETA	03501	WAIVED			
RA-226 FOR CWS OR TOTAL RA FOR NTNC BY 903.0	A-080	WAIVED			
RA-226 OR TOTAL RA BY 903.0 C.E.	A-081	WAIVED			
RADIUM 226	09501	WAIVED			
RADIUM 228	11501	WAIVED			
RADIUM, TOTAL, MDA95-NTNC ONLY, BY 903.0	A-082	WAIVED			
STRONTIUM-90	13501	WAIVED			
TRITIUM	07000	WAIVED			
URANIUM (PCI/L)	28012	WAIVED			
REGULATED SOC					
2,3,7,8-TCDD (DIOXIN)	34676	WAIVED			
2,4,5-TP (SILVEX)	39045	WAIVED			
2,4-D	39730	WAIVED			
ALACHLOR	77825	WAIVED			
ATRAZINE	39033	WAIVED			
BENTAZON	38710	WAIVED			
BENZO (A) PYRENE	34247	WAIVED			
CARBOFURAN	81405	WAIVED			
CHLORDANE	39350	WAIVED			
DALAPON	38432	WAIVED			
DI(2-ETHYLHEXYL)ADIPATE	A-026	WAIVED			
DI(2-ETHYLHEXYL)PHTHALATE	39100	WAIVED			
DIBROMOCHLOROPROPANE (DBCP)	38761	WAIVED			
DINOSEB	81287	WAIVED			
DIQUAT	78885	WAIVED			

**Testing interval is in months;*
0 = No data for this constituent and is DUE NOW
999 = Waived testing (not required)
I = Invalid (NOT) valid analyses reported

System Number: ***1900868***

System Name: ***RIVERS END TRAILER PARK***

PS Code: ***1900868-002***

Source Name: ***WELL 02***

Source Number: ***002***

Source Status: ***ACTIVE UNTREATED***

Water type: ***GROUNDWATER OR WELL***

	STORET NUMBER	TESTING INTERVAL (MONTHS)*	LAST TEST DATE (yyyy/mm/dd)	LAST RESULT REPORTED	NEXT TEST DATE (yyyy/mm)
REGULATED SOC					
ENDOTHALL	38926	WAIVED			
ENDRIN	39390	WAIVED			
ETHYLENE DIBROMIDE (EDB)	77651	WAIVED			
GLYPHOSATE	79743	WAIVED			
HEPTACHLOR	39410	WAIVED			
HEPTACHLOR EPOXIDE	39420	WAIVED			
HEXACHLOROBENZENE	39700	WAIVED			
HEXACHLOROCYCLOPENTADIENE	34386	WAIVED			
LINDANE	39340	WAIVED			
METHOXYCHLOR	39480	WAIVED			
MOLINATE	82199	WAIVED			
OXAMYL	38865	WAIVED			
PENTACHLOROPHENOL	39032	WAIVED			
PICLORAM	39720	WAIVED			
POLYCHLORINATED BIPHENYLS, TOTAL, AS DCB	39516	WAIVED			
SIMAZINE	39055	WAIVED			
THIOBENCARB	A-001	WAIVED			
TOXAPHENE	39400	WAIVED			
REGULATED VOC					
1,1,1-TRICHLOROETHANE	34506	WAIVED			
1,1,2,2-TETRACHLOROETHANE	34516	WAIVED			
1,1,2-TRICHLORO-1,2,2-TRIFLUOROETHANE	81611	WAIVED			
1,1,2-TRICHLOROETHANE	34511	WAIVED			
1,1-DICHLOROETHANE	34496	WAIVED			
1,1-DICHLOROETHYLENE	34501	WAIVED			
1,2,4-TRICHLOROBENZENE	34551	WAIVED			
1,2-DICHLOROBENZENE	34536	WAIVED			
1,2-DICHLOROETHANE	34531	WAIVED			
1,2-DICHLOROPROPANE	34541	WAIVED			

**Testing interval is in months;*
0 = No data for this constituent and is DUE NOW
999 = Waived testing (not required)
I = Invalid (NOT) valid analyses reported

System Number: ***1900868***

System Name: ***RIVERS END TRAILER PARK***

PS Code: ***1900868-002***

Source Name: ***WELL 02***

Source Number: ***002***

Source Status: ***ACTIVE UNTREATED***

Water type: ***GROUNDWATER OR WELL***

	STORET NUMBER	TESTING INTERVAL (MONTHS)*	LAST TEST DATE (yyyy/mm/dd)	LAST RESULT REPORTED	NEXT TEST DATE (yyyy/mm)
REGULATED VOC					
1,3-DICHLOROPROPENE (TOTAL)	34561	WAIVED			
1,4-DICHLOROBENZENE	34571	WAIVED			
BENZENE	34030	WAIVED			
CARBON TETRACHLORIDE	32102	WAIVED			
CIS-1,2-DICHLOROETHYLENE	77093	WAIVED			
DICHLOROMETHANE	34423	WAIVED			
ETHYLBENZENE	34371	WAIVED			
METHYL-TERT-BUTYL-ETHER (MTBE)	46491	WAIVED			
MONOCHLOROBENZENE	34301	WAIVED			
STYRENE	77128	WAIVED			
TETRACHLOROETHYLENE	34475	WAIVED			
TOLUENE	34010	WAIVED			
TRANS-1,2-DICHLOROETHYLENE	34546	WAIVED			
TRICHLOROETHYLENE	39180	WAIVED			
TRICHLOROFLUOROMETHANE	34488	WAIVED			
VINYL CHLORIDE	39175	WAIVED			
XYLENES (TOTAL)	81551	WAIVED			
SECONDARY/GP					
AGGRSSIVE INDEX (CORROSIVITY)	82383	WAIVED			
BICARBONATE ALKALINITY	00440	WAIVED			
CALCIUM	00916	WAIVED			
CARBONATE ALKALINITY	00445	WAIVED			
CHLORIDE	00940	WAIVED			
COLOR	00081	WAIVED			
COPPER	01042	WAIVED			
FOAMING AGENTS (MBAS)	38260	WAIVED			
HARDNESS (TOTAL) AS CACO3	00900	WAIVED			
HYDROXIDE ALKALINITY	71830	WAIVED			
IRON	01045	WAIVED			

**Testing interval is in months;*
0 = No data for this constituent and is DUE NOW
999 = Waived testing (not required)
I = Invalid (NOT) valid analyses reported

System Number: ***1900868***

System Name: ***RIVERS END TRAILER PARK***

PS Code: ***1900868-002***

Source Name: ***WELL 02***

Source Number: ***002***

Source Status: ***ACTIVE UNTREATED***

Water type: ***GROUNDWATER OR WELL***

SECONDARY/GP

	STORET NUMBER	TESTING INTERVAL (MONTHS)*	LAST TEST DATE (yyyy/mm/dd)	LAST RESULT REPORTED	NEXT TEST DATE (yyyy/mm)
MAGNESIUM	00927	WAIVED			
MANGANESE	01055	WAIVED			
ODOR THRESHOLD @ 60 C	00086	WAIVED			
PH, LABORATORY	00403	WAIVED			
SILVER	01077	WAIVED			
SODIUM	00929	WAIVED			
SPECIFIC CONDUCTANCE	00095	WAIVED			
SULFATE	00945	WAIVED			
TOTAL DISSOLVED SOLIDS	70300	WAIVED			
TURBIDITY, LABORATORY	82079	WAIVED			
ZINC	01092	WAIVED			

**Testing interval is in months;*
0 = No data for this constituent and is DUE NOW
999 = Waived testing (not required)
I = Invalid (NOT) valid analyses reported

System Number: 1900886

System Name: HUGHES-ELIZABETH LAKES UNIF SCH DIST/OFC

PS Code: 1900886-001

Source Name: WELL 01

Source Number: 001

Source Status: ACTIVE UNTREATED

Water type: GROUNDWATER OR WELL

	STORET NUMBER	TESTING INTERVAL (MONTHS)*	LAST TEST DATE (yyyy/mm/dd)	LAST RESULT REPORTED	NEXT TEST DATE (yyyy/mm)
GENERAL NON CHAP 15					
DIAZINON	39570	WAIVED			
INORGANIC					
ALUMINUM	01105	WAIVED	1999/11/23	.000	
ANTIMONY	01097	WAIVED	1999/11/23	.000	
ARSENIC	01002	WAIVED	1999/11/23	.000	
ASBESTOS	81855	WAIVED			
BARIUM	01007	WAIVED	1999/11/23	.000	
BERYLLIUM	01012	WAIVED			
CADMIUM	01027	WAIVED	1999/11/23	.000	
CHROMIUM (TOTAL)	01034	WAIVED	1999/11/23	.000	
CYANIDE	01291	WAIVED			
FLUORIDE (F) (NATURAL-SOURCE)	00951	WAIVED	1999/11/23	1.000	
LEAD	01051	WAIVED	1999/11/23	.000	
MERCURY	71900	WAIVED	1999/11/23	.000	
NICKEL	01067	WAIVED	1999/11/23	.000	
PERCHLORATE	A-031	WAIVED	1999/11/23	.000	
SELENIUM	01147	WAIVED	1999/11/23	.000	
THALLIUM	01059	WAIVED			
NITRATE/NITRITE					
NITRATE (AS NO3)	71850	WAIVED	2003/01/22	23.700	
NITRITE (AS N)	00620	WAIVED			
RADIOLOGICAL					
GROSS ALPHA	01501	WAIVED			
GROSS BETA	03501	WAIVED			
RA-226 FOR CWS OR TOTAL RA FOR NTNC BY 903.0	A-080	WAIVED			
RA-226 OR TOTAL RA BY 903.0 C.E.	A-081	WAIVED			
RADIUM 226	09501	WAIVED			
RADIUM 228	11501	WAIVED			

**Testing interval is in months;*
0 = No data for this constituent and is DUE NOW
999 = Waived testing (not required)
I = Invalid (NOT) valid analyses reported

System Number: 1900886

System Name: HUGHES-ELIZABETH LAKES UNIF SCH DIST/OFC

PS Code: 1900886-001

Source Name: WELL 01

Source Number: 001

Source Status: ACTIVE UNTREATED

Water type: GROUNDWATER OR WELL

	STORET NUMBER	TESTING INTERVAL (MONTHS)*	LAST TEST DATE (yyyy/mm/dd)	LAST RESULT REPORTED	NEXT TEST DATE (yyyy/mm)
RADIOLOGICAL					
RADIUM, TOTAL, MDA95-NTNC ONLY, BY 903.0	A-082	WAIVED			
STRONTIUM-90	13501	WAIVED			
TRITIUM	07000	WAIVED			
URANIUM (PCI/L)	28012	WAIVED			
REGULATED SOC					
2,3,7,8-TCDD (DIOXIN)	34676	WAIVED			
2,4,5-TP (SILVEX)	39045	WAIVED			
2,4-D	39730	WAIVED			
ALACHLOR	77825	WAIVED	2001/06/27	.000	
ATRAZINE	39033	WAIVED			
BENTAZON	38710	WAIVED			
BENZO (A) PYRENE	34247	WAIVED			
CARBOFURAN	81405	WAIVED			
CHLORDANE	39350	WAIVED	2001/06/27	.000	
DALAPON	38432	WAIVED			
DI(2-ETHYLHEXYL)ADIPATE	A-026	WAIVED			
DI(2-ETHYLHEXYL)PHTHALATE	39100	WAIVED	2001/06/27	.000	
DIBROMOCHLOROPROPANE (DBCP)	38761	WAIVED			
DINOSEB	81287	WAIVED			
DIQUAT	78885	WAIVED			
ENDOTHALL	38926	WAIVED			
ENDRIN	39390	WAIVED	2001/06/27	.000	
ETHYLENE DIBROMIDE (EDB)	77651	WAIVED			
GLYPHOSATE	79743	WAIVED			
HEPTACHLOR	39410	WAIVED	2001/06/27	.000	
HEPTACHLOR EPOXIDE	39420	WAIVED	2001/06/27	.000	
HEXACHLOROBENZENE	39700	WAIVED	2001/06/27	.000	
HEXACHLOROCYCLOPENTADIENE	34386	WAIVED	2001/06/27	.000	
LINDANE	39340	WAIVED	2001/06/27	.000	

**Testing interval is in months;*
0 = No data for this constituent and is DUE NOW
999 = Waived testing (not required)
I = Invalid (NOT) valid analyses reported

System Number: 1900886
System Name: HUGHES-ELIZABETH LAKES UNIF SCH DIST/OFC

PS Code: 1900886-001
Source Name: WELL 01
Source Number: 001
Source Status: ACTIVE UNTREATED
Water type: GROUNDWATER OR WELL

	STORET NUMBER	TESTING INTERVAL (MONTHS)*	LAST TEST DATE (yyyy/mm/dd)	LAST RESULT REPORTED	NEXT TEST DATE (yyyy/mm)
REGULATED SOC					
METHOXYCHLOR	39480	WAIVED	2001/06/27	.000	
MOLINATE	82199	WAIVED			
OXAMYL	38865	WAIVED			
PENTACHLOROPHENOL	39032	WAIVED			
PICLORAM	39720	WAIVED			
POLYCHLORINATED BIPHENYLS, TOTAL, AS DCB	39516	WAIVED	2001/06/27	.000	
SIMAZINE	39055	WAIVED			
THIOBENCARB	A-001	WAIVED			
TOXAPHENE	39400	WAIVED	2001/06/27	.000	
REGULATED VOC					
1,1,1-TRICHLOROETHANE	34506	WAIVED	2001/06/27	.000	
1,1,2,2-TETRACHLOROETHANE	34516	WAIVED	2001/06/27	.000	
1,1,2-TRICHLORO-1,2,2-TRIFLUOROETHANE	81611	WAIVED	2001/06/27	.000	
1,1,2-TRICHLOROETHANE	34511	WAIVED	2001/06/27	.000	
1,1-DICHLOROETHANE	34496	WAIVED	2001/06/27	.000	
1,1-DICHLOROETHYLENE	34501	WAIVED	2001/06/27	.000	
1,2,4-TRICHLOROBENZENE	34551	WAIVED	2001/06/27	.000	
1,2-DICHLOROBENZENE	34536	WAIVED	2001/06/27	.000	
1,2-DICHLOROETHANE	34531	WAIVED	2001/06/27	.000	
1,2-DICHLOROPROPANE	34541	WAIVED	2001/06/27	.000	
1,3-DICHLOROPROPENE (TOTAL)	34561	WAIVED	2001/06/27	.000	
1,4-DICHLOROBENZENE	34571	WAIVED	2001/06/27	.000	
BENZENE	34030	WAIVED	2001/06/27	.000	
CARBON TETRACHLORIDE	32102	WAIVED	2001/06/27	.000	
CIS-1,2-DICHLOROETHYLENE	77093	WAIVED	2001/06/27	.000	
DICHLOROMETHANE	34423	WAIVED	2001/06/27	.000	
ETHYLBENZENE	34371	WAIVED	2001/06/27	.000	
METHYL-TERT-BUTYL-ETHER (MTBE)	46491	WAIVED	2001/06/27	.000	
MONOCHLOROBENZENE	34301	WAIVED	2001/06/27	.000	

**Testing interval is in months;*
0 = No data for this constituent and is DUE NOW
999 = Waived testing (not required)
I = Invalid (NOT) valid analyses reported

System Number: ***1900886***

System Name: ***HUGHES-ELIZABETH LAKES UNIF SCH DIST/OFC***

PS Code: ***1900886-001***

Source Name: ***WELL 01***

Source Number: ***001***

Source Status: ***ACTIVE UNTREATED***

Water type: ***GROUNDWATER OR WELL***

	STORET NUMBER	TESTING INTERVAL (MONTHS)*	LAST TEST DATE (yyyy/mm/dd)	LAST RESULT REPORTED	NEXT TEST DATE (yyyy/mm)
REGULATED VOC					
STYRENE	77128	WAIVED	2001/06/27	.000	
TETRACHLOROETHYLENE	34475	WAIVED	2001/06/27	.000	
TOLUENE	34010	WAIVED	2001/06/27	.000	
TRANS-1,2-DICHLOROETHYLENE	34546	WAIVED	2001/06/27	.000	
TRICHLOROETHYLENE	39180	WAIVED	2001/06/27	.000	
TRICHLOROFLUOROMETHANE	34488	WAIVED	2001/06/27	.000	
VINYL CHLORIDE	39175	WAIVED	2001/06/27	.000	
XYLENES (TOTAL)	81551	WAIVED	2001/06/27	.000	
SECONDARY/GP					
AGGRSSIVE INDEX (CORROSIVITY)	82383	WAIVED			
BICARBONATE ALKALINITY	00440	WAIVED	1999/11/23	314.000	
CALCIUM	00916	WAIVED	1999/11/23	100.000	
CARBONATE ALKALINITY	00445	WAIVED	1999/11/23	.000	
CHLORIDE	00940	WAIVED	1999/11/23	92.000	
COLOR	00081	WAIVED	1999/11/23	.000	
COPPER	01042	WAIVED	1999/11/23	.000	
FOAMING AGENTS (MBAS)	38260	WAIVED	1999/11/23	.000	
HARDNESS (TOTAL) AS CACO3	00900	WAIVED	1999/11/23	428.000	
HYDROXIDE ALKALINITY	71830	WAIVED	1999/11/23	.000	
IRON	01045	WAIVED	1999/11/23	.000	
MAGNESIUM	00927	WAIVED	1999/11/23	43.000	
MANGANESE	01055	WAIVED	1999/11/23	.000	
ODOR THRESHOLD @ 60 C	00086	WAIVED	1999/11/23	.000	
PH, LABORATORY	00403	WAIVED	1999/11/23	8.000	
SILVER	01077	WAIVED	1999/11/23	.000	
SODIUM	00929	WAIVED	1999/11/23	76.000	
SPECIFIC CONDUCTANCE	00095	WAIVED	1999/11/23	1164.000	
SULFATE	00945	WAIVED	1999/11/23	201.000	
TOTAL DISSOLVED SOLIDS	70300	WAIVED	1999/11/23	700.000	

**Testing interval is in months;*
0 = No data for this constituent and is DUE NOW
999 = Waived testing (not required)
I = Invalid (NOT) valid analyses reported

System Number: 1900886

System Name: HUGHES-ELIZABETH LAKES UNIF SCH DIST/OFC

PS Code: 1900886-001

Source Name: WELL 01

Source Number: 001

Source Status: ACTIVE UNTREATED

Water type: GROUNDWATER OR WELL

	STORET NUMBER	TESTING INTERVAL (MONTHS)*	LAST TEST DATE (yyyy/mm/dd)	LAST RESULT REPORTED	NEXT TEST DATE (yyyy/mm)
SECONDARY/GP					
TURBIDITY, LABORATORY	82079	WAIVED	1999/11/23	1.000	
ZINC	01092	WAIVED	1999/11/23	5050.000	

PS Code: 1900886-002

Source Name: WELL 03

Source Number: 002

Source Status: ACTIVE UNTREATED

Water type: GROUNDWATER OR WELL

GENERAL NON CHAP 15					
DIAZINON	39570	WAIVED			
INORGANIC					
ALUMINUM	01105	WAIVED	2009/05/12	< 50.000	
ANTIMONY	01097	WAIVED	2009/05/12	< 2.000	
ARSENIC	01002	WAIVED	2009/05/12	< 2.000	
ASBESTOS	81855	WAIVED	2009/05/12	.000	
BARIUM	01007	WAIVED	2009/05/12	150.000	
BERYLLIUM	01012	WAIVED	2009/05/12	< 1.000	
CADMIUM	01027	WAIVED	2009/05/12	< 1.000	
CHROMIUM (TOTAL)	01034	WAIVED	2009/05/12	< 10.000	
CYANIDE	01291	WAIVED			
FLUORIDE (F) (NATURAL-SOURCE)	00951	WAIVED	2009/05/12	.560	
LEAD	01051	WAIVED	2009/05/12	4.400	
MERCURY	71900	WAIVED	2009/05/12	< .200	
NICKEL	01067	WAIVED	2009/05/12	< 10.000	
PERCHLORATE	A-031	WAIVED	2009/05/12	< 4.000	
SELENIUM	01147	WAIVED	2009/05/12	< 2.000	
THALLIUM	01059	WAIVED	2009/05/12	< 1.000	

**Testing interval is in months;*
0 = No data for this constituent and is DUE NOW
999 = Waived testing (not required)
I = Invalid (NOT) valid analyses reported

System Number: 1900886

System Name: HUGHES-ELIZABETH LAKES UNIF SCH DIST/OFC

PS Code: 1900886-002

Source Name: WELL 03

Source Number: 002

Source Status: ACTIVE UNTREATED

Water type: GROUNDWATER OR WELL

	STORET NUMBER	TESTING INTERVAL (MONTHS)*	LAST TEST DATE (yyyy/mm/dd)	LAST RESULT REPORTED	NEXT TEST DATE (yyyy/mm)
NITRATE/NITRITE					
NITRATE (AS NO3)	71850	WAIVED	2010/05/24	11.000	
NITRITE (AS N)	00620	WAIVED	2010/05/24	< 50.000	
RADIOLOGICAL					
GROSS ALPHA	01501	WAIVED	2009/05/12	.000	
GROSS BETA	03501	WAIVED			
RA-226 FOR CWS OR TOTAL RA FOR NTNC BY 903.0	A-080	WAIVED			
RA-226 OR TOTAL RA BY 903.0 C.E.	A-081	WAIVED			
RADIUM 226	09501	WAIVED	2009/05/12	.090	
RADIUM 228	11501	WAIVED	2009/05/12	.580	
RADIUM, TOTAL, MDA95-NTNC ONLY, BY 903.0	A-082	WAIVED			
STRONTIUM-90	13501	WAIVED			
TRITIUM	07000	WAIVED			
URANIUM (PCI/L)	28012	WAIVED	2009/05/12	2.100	
REGULATED SOC					
2,3,7,8-TCDD (DIOXIN)	34676	WAIVED			
2,4,5-TP (SILVEX)	39045	WAIVED			
2,4-D	39730	WAIVED			
ALACHLOR	77825	WAIVED			
ATRAZINE	39033	WAIVED			
BENTAZON	38710	WAIVED			
BENZO (A) PYRENE	34247	WAIVED			
CARBOFURAN	81405	WAIVED			
CHLORDANE	39350	WAIVED			
DALAPON	38432	WAIVED			
DI(2-ETHYLHEXYL)ADIPATE	A-026	WAIVED			
DI(2-ETHYLHEXYL)PHTHALATE	39100	WAIVED			
DIBROMOCHLOROPROPANE (DBCP)	38761	WAIVED	2009/05/12	< 1.000	
DINOSEB	81287	WAIVED			
DIQUAT	78885	WAIVED			

**Testing interval is in months;*
0 = No data for this constituent and is DUE NOW
999 = Waived testing (not required)
I = Invalid (NOT) valid analyses reported

System Number: ***1900886***

System Name: ***HUGHES-ELIZABETH LAKES UNIF SCH DIST/OFC***

PS Code: ***1900886-002***

Source Name: ***WELL 03***

Source Number: ***002***

Source Status: ***ACTIVE UNTREATED***

Water type: ***GROUNDWATER OR WELL***

	STORET NUMBER	TESTING INTERVAL (MONTHS)*	LAST TEST DATE (yyyy/mm/dd)	LAST RESULT REPORTED	NEXT TEST DATE (yyyy/mm)
REGULATED SOC					
ENDOTHALL	38926	WAIVED			
ENDRIN	39390	WAIVED			
ETHYLENE DIBROMIDE (EDB)	77651	WAIVED			
GLYPHOSATE	79743	WAIVED			
HEPTACHLOR	39410	WAIVED			
HEPTACHLOR EPOXIDE	39420	WAIVED			
HEXACHLOROBENZENE	39700	WAIVED			
HEXACHLOROCYCLOPENTADIENE	34386	WAIVED			
LINDANE	39340	WAIVED			
METHOXYCHLOR	39480	WAIVED			
MOLINATE	82199	WAIVED			
OXAMYL	38865	WAIVED			
PENTACHLOROPHENOL	39032	WAIVED			
PICLORAM	39720	WAIVED			
POLYCHLORINATED BIPHENYLS, TOTAL, AS DCB	39516	WAIVED			
SIMAZINE	39055	WAIVED			
THIOBENCARB	A-001	WAIVED			
TOXAPHENE	39400	WAIVED			
REGULATED VOC					
1,1,1-TRICHLOROETHANE	34506	WAIVED	2009/05/12	< .500	
1,1,2,2-TETRACHLOROETHANE	34516	WAIVED	2009/05/12	< .500	
1,1,2-TRICHLORO-1,2,2-TRIFLUOROETHANE	81611	WAIVED	2009/05/12	< .500	
1,1,2-TRICHLOROETHANE	34511	WAIVED	2009/05/12	< .500	
1,1-DICHLOROETHANE	34496	WAIVED	2009/05/12	< .500	
1,1-DICHLOROETHYLENE	34501	WAIVED	2009/05/12	< .500	
1,2,4-TRICHLOROBENZENE	34551	WAIVED	2009/05/12	< .500	
1,2-DICHLOROBENZENE	34536	WAIVED	2009/05/12	< .500	
1,2-DICHLOROETHANE	34531	WAIVED	2009/05/12	< .500	
1,2-DICHLOROPROPANE	34541	WAIVED	2009/05/12	< .500	

**Testing interval is in months;*
0 = No data for this constituent and is DUE NOW
999 = Waived testing (not required)
I = Invalid (NOT) valid analyses reported

System Number: 1900886
System Name: HUGHES-ELIZABETH LAKES UNIF SCH DIST/OFC

PS Code: 1900886-002
Source Name: WELL 03
Source Number: 002
Source Status: ACTIVE UNTREATED
Water type: GROUNDWATER OR WELL

	STORET NUMBER	TESTING INTERVAL (MONTHS)*	LAST TEST DATE (yyyy/mm/dd)	LAST RESULT REPORTED	NEXT TEST DATE (yyyy/mm)
REGULATED VOC					
1,3-DICHLOROPROPENE (TOTAL)	34561	WAIVED	2009/05/12	< .500	
1,4-DICHLOROBENZENE	34571	WAIVED	2009/05/12	< .500	
BENZENE	34030	WAIVED	2009/05/12	< .500	
CARBON TETRACHLORIDE	32102	WAIVED	2009/05/12	< .500	
CIS-1,2-DICHLOROETHYLENE	77093	WAIVED	2009/05/12	< .500	
DICHLOROMETHANE	34423	WAIVED	2009/05/12	< .500	
ETHYLBENZENE	34371	WAIVED	2009/05/12	< .500	
METHYL-TERT-BUTYL-ETHER (MTBE)	46491	WAIVED	2009/05/12	< .500	
MONOCHLOROBENZENE	34301	WAIVED	2009/05/12	< .500	
STYRENE	77128	WAIVED	2009/05/12	< .500	
TETRACHLOROETHYLENE	34475	WAIVED	2009/05/12	< .500	
TOLUENE	34010	WAIVED	2009/05/12	< .500	
TRANS-1,2-DICHLOROETHYLENE	34546	WAIVED	2009/05/12	< .500	
TRICHLOROETHYLENE	39180	WAIVED	2009/05/12	< .500	
TRICHLOROFLUOROMETHANE	34488	WAIVED	2009/05/12	< .500	
VINYL CHLORIDE	39175	WAIVED	2009/05/12	< .500	
XYLENES (TOTAL)	81551	WAIVED	2009/05/12	< 1.000	
SECONDARY/GP					
AGGRSSIVE INDEX (CORROSIVITY)	82383	WAIVED			
BICARBONATE ALKALINITY	00440	WAIVED	2009/05/12	260.000	
CALCIUM	00916	WAIVED	2009/05/12	140.000	
CARBONATE ALKALINITY	00445	WAIVED	2009/05/12	< 5.000	
CHLORIDE	00940	WAIVED	2009/05/12	160.000	
COLOR	00081	WAIVED	2009/05/12	4.000	
COPPER	01042	WAIVED	2009/05/12	< 10.000	
FOAMING AGENTS (MBAS)	38260	WAIVED	2009/05/12	< .100	
HARDNESS (TOTAL) AS CACO3	00900	WAIVED	2009/05/12	480.000	
HYDROXIDE ALKALINITY	71830	WAIVED	2009/05/12	< 2.800	
IRON	01045	WAIVED	2009/05/12	600.000	

**Testing interval is in months;*
0 = No data for this constituent and is DUE NOW
999 = Waived testing (not required)
I = Invalid (NOT) valid analyses reported

System Number: 1900886

System Name: HUGHES-ELIZABETH LAKES UNIF SCH DIST/OFC

PS Code: 1900886-002

Source Name: WELL 03

Source Number: 002

Source Status: ACTIVE UNTREATED

Water type: GROUNDWATER OR WELL

	STORET NUMBER	TESTING INTERVAL (MONTHS)*	LAST TEST DATE (yyyy/mm/dd)	LAST RESULT REPORTED	NEXT TEST DATE (yyyy/mm)
SECONDARY/GP					
MAGNESIUM	00927	WAIVED	2009/05/12	31.000	
MANGANESE	01055	WAIVED	2009/05/12	15.000	
ODOR THRESHOLD @ 60 C	00086	WAIVED	2009/05/12	.000	
PH, LABORATORY	00403	WAIVED	2009/05/12	7.540	
SILVER	01077	WAIVED	2009/05/12	< 10.000	
SODIUM	00929	WAIVED	2009/05/12	74.000	
SPECIFIC CONDUCTANCE	00095	WAIVED	2009/05/12	1190.000	
SULFATE	00945	WAIVED	2009/05/12	190.000	
TOTAL DISSOLVED SOLIDS	70300	WAIVED	2009/05/12	760.000	
TURBIDITY, LABORATORY	82079	WAIVED	2009/05/12	6.100	
ZINC	01092	WAIVED	2009/05/12	1500.000	

PS Code: 1900886-003

Source Name: WELL 04

Source Number: 003

Source Status: ACTIVE UNTREATED

Water type: GROUNDWATER OR WELL

GENERAL NON CHAP 15		
DIAZINON	39570	WAIVED
INORGANIC		
ALUMINUM	01105	WAIVED
ANTIMONY	01097	WAIVED
ARSENIC	01002	WAIVED
ASBESTOS	81855	WAIVED
BARIUM	01007	WAIVED
BERYLLIUM	01012	WAIVED
CADMIUM	01027	WAIVED
CHROMIUM (TOTAL)	01034	WAIVED
CYANIDE	01291	WAIVED

**Testing interval is in months;*
0 = No data for this constituent and is DUE NOW
999 = Waived testing (not required)
I = Invalid (NOT) valid analyses reported

System Number: ***1900886***

System Name: ***HUGHES-ELIZABETH LAKES UNIF SCH DIST/OFC***

PS Code: ***1900886-003***

Source Name: ***WELL 04***

Source Number: ***003***

Source Status: ***ACTIVE UNTREATED***

Water type: ***GROUNDWATER OR WELL***

	STORET NUMBER	TESTING INTERVAL (MONTHS)*	LAST TEST DATE (yyyy/mm/dd)	LAST RESULT REPORTED	NEXT TEST DATE (yyyy/mm)
INORGANIC					
FLUORIDE (F) (NATURAL-SOURCE)	00951	WAIVED			
LEAD	01051	WAIVED			
MERCURY	71900	WAIVED			
NICKEL	01067	WAIVED			
PERCHLORATE	A-031	WAIVED			
SELENIUM	01147	WAIVED			
THALLIUM	01059	WAIVED			
NITRATE/NITRITE					
NITRATE (AS NO3)	71850	WAIVED	2008/02/19	6.200	
NITRITE (AS N)	00620	WAIVED			
RADIOLOGICAL					
GROSS ALPHA	01501	WAIVED			
GROSS BETA	03501	WAIVED			
RA-226 FOR CWS OR TOTAL RA FOR NTNC BY 903.0	A-080	WAIVED			
RA-226 OR TOTAL RA BY 903.0 C.E.	A-081	WAIVED			
RADIUM 226	09501	WAIVED			
RADIUM 228	11501	WAIVED			
RADIUM, TOTAL, MDA95-NTNC ONLY, BY 903.0	A-082	WAIVED			
STRONTIUM-90	13501	WAIVED			
TRITIUM	07000	WAIVED			
URANIUM (PCI/L)	28012	WAIVED			
REGULATED SOC					
2,3,7,8-TCDD (DIOXIN)	34676	WAIVED			
2,4,5-TP (SILVEX)	39045	WAIVED			
2,4-D	39730	WAIVED			
ALACHLOR	77825	WAIVED			
ATRAZINE	39033	WAIVED			
BENTAZON	38710	WAIVED			

**Testing interval is in months;*
0 = No data for this constituent and is DUE NOW
999 = Waived testing (not required)
I = Invalid (NOT) valid analyses reported

System Number: ***1900886***

System Name: ***HUGHES-ELIZABETH LAKES UNIF SCH DIST/OFC***

PS Code: ***1900886-003***

Source Name: ***WELL 04***

Source Number: ***003***

Source Status: ***ACTIVE UNTREATED***

Water type: ***GROUNDWATER OR WELL***

	STORET NUMBER	TESTING INTERVAL (MONTHS)*	LAST TEST DATE (yyyy/mm/dd)	LAST RESULT REPORTED	NEXT TEST DATE (yyyy/mm)
REGULATED SOC					
BENZO (A) PYRENE	34247	WAIVED			
CARBOFURAN	81405	WAIVED			
CHLORDANE	39350	WAIVED			
DALAPON	38432	WAIVED			
DI(2-ETHYLHEXYL)ADIPATE	A-026	WAIVED			
DI(2-ETHYLHEXYL)PHTHALATE	39100	WAIVED			
DIBROMOCHLOROPROPANE (DBCP)	38761	WAIVED			
DINOSEB	81287	WAIVED			
DIQUAT	78885	WAIVED			
ENDOTHALL	38926	WAIVED			
ENDRIN	39390	WAIVED			
ETHYLENE DIBROMIDE (EDB)	77651	WAIVED			
GLYPHOSATE	79743	WAIVED			
HEPTACHLOR	39410	WAIVED			
HEPTACHLOR EPOXIDE	39420	WAIVED			
HEXACHLOROBENZENE	39700	WAIVED			
HEXACHLOROCYCLOPENTADIENE	34386	WAIVED			
LINDANE	39340	WAIVED			
METHOXYCHLOR	39480	WAIVED			
MOLINATE	82199	WAIVED			
OXAMYL	38865	WAIVED			
PENTACHLOROPHENOL	39032	WAIVED			
PICLORAM	39720	WAIVED			
POLYCHLORINATED BIPHENYLS, TOTAL, AS DCB	39516	WAIVED			
SIMAZINE	39055	WAIVED			
THIOBENCARB	A-001	WAIVED			
TOXAPHENE	39400	WAIVED			
REGULATED VOC					
1,1,1-TRICHLOROETHANE	34506	WAIVED			

**Testing interval is in months;*
0 = No data for this constituent and is DUE NOW
999 = Waived testing (not required)
I = Invalid (NOT) valid analyses reported

System Number: ***1900886***

System Name: ***HUGHES-ELIZABETH LAKES UNIF SCH DIST/OFC***

PS Code: ***1900886-003***

Source Name: ***WELL 04***

Source Number: ***003***

Source Status: ***ACTIVE UNTREATED***

Water type: ***GROUNDWATER OR WELL***

	STORET NUMBER	TESTING INTERVAL (MONTHS)*	LAST TEST DATE (yyyy/mm/dd)	LAST RESULT REPORTED	NEXT TEST DATE (yyyy/mm)
REGULATED VOC					
1,1,2,2-TETRACHLOROETHANE	34516	WAIVED			
1,1,2-TRICHLORO-1,2,2-TRIFLUOROETHANE	81611	WAIVED			
1,1,2-TRICHLOROETHANE	34511	WAIVED			
1,1-DICHLOROETHANE	34496	WAIVED			
1,1-DICHLOROETHYLENE	34501	WAIVED			
1,2,4-TRICHLOROBENZENE	34551	WAIVED			
1,2-DICHLOROBENZENE	34536	WAIVED			
1,2-DICHLOROETHANE	34531	WAIVED			
1,2-DICHLOROPROPANE	34541	WAIVED			
1,3-DICHLOROPROPENE (TOTAL)	34561	WAIVED			
1,4-DICHLOROBENZENE	34571	WAIVED			
BENZENE	34030	WAIVED			
CARBON TETRACHLORIDE	32102	WAIVED			
CIS-1,2-DICHLOROETHYLENE	77093	WAIVED			
DICHLOROMETHANE	34423	WAIVED			
ETHYLBENZENE	34371	WAIVED			
METHYL-TERT-BUTYL-ETHER (MTBE)	46491	WAIVED			
MONOCHLOROBENZENE	34301	WAIVED			
STYRENE	77128	WAIVED			
TETRACHLOROETHYLENE	34475	WAIVED			
TOLUENE	34010	WAIVED			
TRANS-1,2-DICHLOROETHYLENE	34546	WAIVED			
TRICHLOROETHYLENE	39180	WAIVED			
TRICHLOROFLUOROMETHANE	34488	WAIVED			
VINYL CHLORIDE	39175	WAIVED			
XYLENES (TOTAL)	81551	WAIVED			
SECONDARY/GP					
AGGRSSIVE INDEX (CORROSIVITY)	82383	WAIVED			
BICARBONATE ALKALINITY	00440	WAIVED			

**Testing interval is in months;*
0 = No data for this constituent and is DUE NOW
999 = Waived testing (not required)
I = Invalid (NOT) valid analyses reported

System Number: 1900886

System Name: HUGHES-ELIZABETH LAKES UNIF SCH DIST/OFC

PS Code: 1900886-003

Source Name: WELL 04

Source Number: 003

Source Status: ACTIVE UNTREATED

Water type: GROUNDWATER OR WELL

SECONDARY/GP

	STORET NUMBER	TESTING INTERVAL (MONTHS)*	LAST TEST DATE (yyyy/mm/dd)	LAST RESULT REPORTED	NEXT TEST DATE (yyyy/mm)
CALCIUM	00916	WAIVED			
CARBONATE ALKALINITY	00445	WAIVED			
CHLORIDE	00940	WAIVED			
COLOR	00081	WAIVED			
COPPER	01042	WAIVED			
FOAMING AGENTS (MBAS)	38260	WAIVED			
HARDNESS (TOTAL) AS CACO3	00900	WAIVED			
HYDROXIDE ALKALINITY	71830	WAIVED			
IRON	01045	WAIVED			
MAGNESIUM	00927	WAIVED			
MANGANESE	01055	WAIVED			
ODOR THRESHOLD @ 60 C	00086	WAIVED			
PH, LABORATORY	00403	WAIVED			
SILVER	01077	WAIVED			
SODIUM	00929	WAIVED			
SPECIFIC CONDUCTANCE	00095	WAIVED			
SULFATE	00945	WAIVED			
TOTAL DISSOLVED SOLIDS	70300	WAIVED			
TURBIDITY, LABORATORY	82079	WAIVED			
ZINC	01092	WAIVED			

PS Code: 1900886-004

Source Name: AUTOMATIC CHLORINATION UNIT

Source Number: 004

Source Status: ACTIVE TREATED

Water type: GROUNDWATER OR WELL

GENERAL NON CHAP 15

DIAZINON	39570	WAIVED			

**Testing interval is in months;*
0 = No data for this constituent and is DUE NOW
999 = Waived testing (not required)
I = Invalid (NOT) valid analyses reported

System Number: 1900886

System Name: HUGHES-ELIZABETH LAKES UNIF SCH DIST/OFC

PS Code: 1900886-004

Source Name: AUTOMATIC CHLORINATION UNIT

Source Number: 004

Source Status: ACTIVE TREATED

Water type: GROUNDWATER OR WELL

	STORET NUMBER	TESTING INTERVAL (MONTHS)*	LAST TEST DATE (yyyy/mm/dd)	LAST RESULT REPORTED	NEXT TEST DATE (yyyy/mm)
INORGANIC					
ALUMINUM	01105	WAIVED	2009/05/12	< 50.000	
ANTIMONY	01097	WAIVED	2009/05/12	< 2.000	
ARSENIC	01002	WAIVED	2009/05/12	< 2.000	
ASBESTOS	81855	WAIVED	2009/05/12	.000	
BARIUM	01007	WAIVED	2009/05/12	56.000	
BERYLLIUM	01012	WAIVED	2009/05/12	< 1.000	
CADMIUM	01027	WAIVED	2009/05/12	< 1.000	
CHROMIUM (TOTAL)	01034	WAIVED	2009/05/12	< 10.000	
CYANIDE	01291	WAIVED			
FLUORIDE (F) (NATURAL-SOURCE)	00951	WAIVED	2009/05/12	.600	
LEAD	01051	WAIVED	2009/05/12	< 1.000	
MERCURY	71900	WAIVED	2009/05/12	< .200	
NICKEL	01067	WAIVED	2009/05/12	< 10.000	
PERCHLORATE	A-031	WAIVED	2009/05/12	< 4.000	
SELENIUM	01147	WAIVED	2009/05/12	2.600	
THALLIUM	01059	WAIVED	2009/05/12	< 1.000	
NITRATE/NITRITE					
NITRATE (AS NO3)	71850	WAIVED	2010/05/24	6.900	
NITRITE (AS N)	00620	WAIVED	2010/05/24	< 50.000	
RADIOLOGICAL					
GROSS ALPHA	01501	WAIVED	2009/05/12	10.200	
GROSS BETA	03501	WAIVED			
RA-226 FOR CWS OR TOTAL RA FOR NTNC BY 903.0	A-080	WAIVED			
RA-226 OR TOTAL RA BY 903.0 C.E.	A-081	WAIVED			
RADIUM 226	09501	WAIVED	2009/05/12	.070	
RADIUM 228	11501	WAIVED	2009/05/12	.130	
RADIUM, TOTAL, MDA95-NTNC ONLY, BY 903.0	A-082	WAIVED			
STRONTIUM-90	13501	WAIVED			
TRITIUM	07000	WAIVED			

**Testing interval is in months;*
0 = No data for this constituent and is DUE NOW
999 = Waived testing (not required)
I = Invalid (NOT) valid analyses reported

System Number: ***1900886***

System Name: ***HUGHES-ELIZABETH LAKES UNIF SCH DIST/OFC***

PS Code: ***1900886-004***

Source Name: ***AUTOMATIC CHLORINATION UNIT***

Source Number: ***004***

Source Status: ***ACTIVE TREATED***

Water type: ***GROUNDWATER OR WELL***

	STORET NUMBER	TESTING INTERVAL (MONTHS)*	LAST TEST DATE (yyyy/mm/dd)	LAST RESULT REPORTED	NEXT TEST DATE (yyyy/mm)
RADIOLOGICAL					
URANIUM (PCI/L)	28012	WAIVED	2009/05/12	8.900	
REGULATED SOC					
2,3,7,8-TCDD (DIOXIN)	34676	WAIVED			
2,4,5-TP (SILVEX)	39045	WAIVED			
2,4-D	39730	WAIVED			
ALACHLOR	77825	WAIVED			
ATRAZINE	39033	WAIVED			
BENTAZON	38710	WAIVED			
BENZO (A) PYRENE	34247	WAIVED			
CARBOFURAN	81405	WAIVED			
CHLORDANE	39350	WAIVED			
DALAPON	38432	WAIVED			
DI(2-ETHYLHEXYL)ADIPATE	A-026	WAIVED			
DI(2-ETHYLHEXYL)PHTHALATE	39100	WAIVED			
DIBROMOCHLOROPROPANE (DBCP)	38761	WAIVED	2009/05/12	< 1.000	
DINOSEB	81287	WAIVED			
DIQUAT	78885	WAIVED			
ENDOTHALL	38926	WAIVED			
ENDRIN	39390	WAIVED			
ETHYLENE DIBROMIDE (EDB)	77651	WAIVED			
GLYPHOSATE	79743	WAIVED			
HEPTACHLOR	39410	WAIVED			
HEPTACHLOR EPOXIDE	39420	WAIVED			
HEXACHLOROBENZENE	39700	WAIVED			
HEXACHLOROCYCLOPENTADIENE	34386	WAIVED			
LINDANE	39340	WAIVED			
METHOXYCHLOR	39480	WAIVED			
MOLINATE	82199	WAIVED			
OXAMYL	38865	WAIVED			

**Testing interval is in months;*
0 = No data for this constituent and is DUE NOW
999 = Waived testing (not required)
I = Invalid (NOT) valid analyses reported

System Number: 1900886

System Name: HUGHES-ELIZABETH LAKES UNIF SCH DIST/OFC

PS Code: 1900886-004

Source Name: AUTOMATIC CHLORINATION UNIT

Source Number: 004

Source Status: ACTIVE TREATED

Water type: GROUNDWATER OR WELL

	STORET NUMBER	TESTING INTERVAL (MONTHS)*	LAST TEST DATE (yyyy/mm/dd)	LAST RESULT REPORTED	NEXT TEST DATE (yyyy/mm)
REGULATED SOC					
PENTACHLOROPHENOL	39032	WAIVED			
PICLORAM	39720	WAIVED			
POLYCHLORINATED BIPHENYLS, TOTAL, AS DCB	39516	WAIVED			
SIMAZINE	39055	WAIVED			
THIOBENCARB	A-001	WAIVED			
TOXAPHENE	39400	WAIVED			
REGULATED VOC					
1,1,1-TRICHLOROETHANE	34506	WAIVED	2009/05/12	< .500	
1,1,2,2-TETRACHLOROETHANE	34516	WAIVED	2009/05/12	< .500	
1,1,2-TRICHLORO-1,2,2-TRIFLUOROETHANE	81611	WAIVED	2009/05/12	< .500	
1,1,2-TRICHLOROETHANE	34511	WAIVED	2009/05/12	< .500	
1,1-DICHLOROETHANE	34496	WAIVED	2009/05/12	< .500	
1,1-DICHLOROETHYLENE	34501	WAIVED	2009/05/12	< .500	
1,2,4-TRICHLOROBENZENE	34551	WAIVED	2009/05/12	< .500	
1,2-DICHLOROBENZENE	34536	WAIVED	2009/05/12	< .500	
1,2-DICHLOROETHANE	34531	WAIVED	2009/05/12	< .500	
1,2-DICHLOROPROPANE	34541	WAIVED	2009/05/12	< .500	
1,3-DICHLOROPROPENE (TOTAL)	34561	WAIVED	2009/05/12	< .500	
1,4-DICHLOROBENZENE	34571	WAIVED	2009/05/12	< .500	
BENZENE	34030	WAIVED	2009/05/12	< .500	
CARBON TETRACHLORIDE	32102	WAIVED	2009/05/12	< .500	
CIS-1,2-DICHLOROETHYLENE	77093	WAIVED	2009/05/12	< .500	
DICHLOROMETHANE	34423	WAIVED	2009/05/12	< .500	
ETHYLBENZENE	34371	WAIVED	2009/05/12	< .500	
METHYL-TERT-BUTYL-ETHER (MTBE)	46491	WAIVED	2009/05/12	< .500	
MONOCHLOROBENZENE	34301	WAIVED	2009/05/12	< .500	
STYRENE	77128	WAIVED	2009/05/12	< .500	
TETRACHLOROETHYLENE	34475	WAIVED	2009/05/12	< .500	
TOLUENE	34010	WAIVED	2009/05/12	< .500	

**Testing interval is in months;*
0 = No data for this constituent and is DUE NOW
999 = Waived testing (not required)
I = Invalid (NOT) valid analyses reported

System Number: 1900886
System Name: HUGHES-ELIZABETH LAKES UNIF SCH DIST/OFC

PS Code: 1900886-004
Source Name: AUTOMATIC CHLORINATION UNIT
Source Number: 004
Source Status: ACTIVE TREATED
Water type: GROUNDWATER OR WELL

	STORET NUMBER	TESTING INTERVAL (MONTHS)*	LAST TEST DATE (yyyy/mm/dd)	LAST RESULT REPORTED	NEXT TEST DATE (yyyy/mm)
REGULATED VOC					
TRANS-1,2-DICHLOROETHYLENE	34546	WAIVED	2009/05/12	< .500	
TRICHLOROETHYLENE	39180	WAIVED	2009/05/12	< .500	
TRICHLOROFLUOROMETHANE	34488	WAIVED	2009/05/12	< .500	
VINYL CHLORIDE	39175	WAIVED	2009/05/12	< .500	
XYLENES (TOTAL)	81551	WAIVED	2009/05/12	< 1.000	
SECONDARY/GP					
AGGRSSIVE INDEX (CORROSIVITY)	82383	WAIVED			
BICARBONATE ALKALINITY	00440	WAIVED	2009/05/12	370.000	
CALCIUM	00916	WAIVED	2009/05/12	140.000	
CARBONATE ALKALINITY	00445	WAIVED	2009/05/12	< 5.000	
CHLORIDE	00940	WAIVED	2009/05/12	200.000	
COLOR	00081	WAIVED	2009/05/12	1.000	
COPPER	01042	WAIVED	2009/05/12	< 10.000	
FOAMING AGENTS (MBAS)	38260	WAIVED	2009/05/12	< .100	
HARDNESS (TOTAL) AS CACO3	00900	WAIVED	2009/05/12	570.000	
HYDROXIDE ALKALINITY	71830	WAIVED	2009/05/12	< 2.800	
IRON	01045	WAIVED	2009/05/12	< 50.000	
MAGNESIUM	00927	WAIVED	2009/05/12	53.000	
MANGANESE	01055	WAIVED	2009/05/12	61.000	
ODOR THRESHOLD @ 60 C	00086	WAIVED	2009/05/12	.000	
PH, LABORATORY	00403	WAIVED	2009/05/12	7.310	
SILVER	01077	WAIVED	2009/05/12	< 10.000	
SODIUM	00929	WAIVED	2009/05/12	120.000	
SPECIFIC CONDUCTANCE	00095	WAIVED	2009/05/12	1540.000	
SULFATE	00945	WAIVED	2009/05/12	260.000	
TOTAL DISSOLVED SOLIDS	70300	WAIVED	2009/05/12	1100.000	
TURBIDITY, LABORATORY	82079	WAIVED	2009/05/12	.100	
ZINC	01092	WAIVED	2009/05/12	< 50.000	

**Testing interval is in months;*
0 = No data for this constituent and is DUE NOW
999 = Waived testing (not required)
I = Invalid (NOT) valid analyses reported

System Number: ***1900888***

System Name: ***CAMP SHALOM / JCA***

PS Code: ***1900888-001***

Source Name: ***WELL 01***

Source Number: ***001***

Source Status: ***ACTIVE UNTREATED***

Water type: ***GROUNDWATER OR WELL***

	STORET NUMBER	TESTING INTERVAL (MONTHS)*	LAST TEST DATE (yyyy/mm/dd)	LAST RESULT REPORTED	NEXT TEST DATE (yyyy/mm)
GENERAL NON CHAP 15					
DIAZINON	39570	WAIVED			
INORGANIC					
ALUMINUM	01105	WAIVED			
ANTIMONY	01097	WAIVED	2000/03/14	.000	
ARSENIC	01002	WAIVED			
ASBESTOS	81855	WAIVED			
BARIUM	01007	WAIVED			
BERYLLIUM	01012	WAIVED			
CADMIUM	01027	WAIVED			
CHROMIUM (TOTAL)	01034	WAIVED			
CYANIDE	01291	WAIVED			
FLUORIDE (F) (NATURAL-SOURCE)	00951	WAIVED	2000/03/14	.000	
LEAD	01051	WAIVED			
MERCURY	71900	WAIVED			
NICKEL	01067	WAIVED			
PERCHLORATE	A-031	WAIVED	2010/01/26	< 2.000	
SELENIUM	01147	WAIVED			
THALLIUM	01059	WAIVED			
NITRATE/NITRITE					
NITRATE (AS NO3)	71850	WAIVED	2011/08/11	< .400	
NITRITE (AS N)	00620	WAIVED	2011/08/11	< .100	
RADIOLOGICAL					
GROSS ALPHA	01501	WAIVED			
GROSS BETA	03501	WAIVED			
RA-226 FOR CWS OR TOTAL RA FOR NTNC BY 903.0	A-080	WAIVED			
RA-226 OR TOTAL RA BY 903.0 C.E.	A-081	WAIVED			
RADIUM 226	09501	WAIVED			
RADIUM 228	11501	WAIVED			

**Testing interval is in months;*
0 = No data for this constituent and is DUE NOW
999 = Waived testing (not required)
I = Invalid (NOT) valid analyses reported

System Number: ***1900888***

System Name: ***CAMP SHALOM / JCA***

PS Code: ***1900888-001***

Source Name: ***WELL 01***

Source Number: ***001***

Source Status: ***ACTIVE UNTREATED***

Water type: ***GROUNDWATER OR WELL***

	STORET NUMBER	TESTING INTERVAL (MONTHS)*	LAST TEST DATE (yyyy/mm/dd)	LAST RESULT REPORTED	NEXT TEST DATE (yyyy/mm)
RADIOLOGICAL					
RADIUM, TOTAL, MDA95-NTNC ONLY, BY 903.0	A-082	WAIVED			
STRONTIUM-90	13501	WAIVED			
TRITIUM	07000	WAIVED			
URANIUM (PCI/L)	28012	WAIVED			
REGULATED SOC					
2,3,7,8-TCDD (DIOXIN)	34676	WAIVED			
2,4,5-TP (SILVEX)	39045	WAIVED			
2,4-D	39730	WAIVED			
ALACHLOR	77825	WAIVED			
ATRAZINE	39033	WAIVED			
BENTAZON	38710	WAIVED			
BENZO (A) PYRENE	34247	WAIVED			
CARBOFURAN	81405	WAIVED			
CHLORDANE	39350	WAIVED			
DALAPON	38432	WAIVED			
DI(2-ETHYLHEXYL)ADIPATE	A-026	WAIVED			
DI(2-ETHYLHEXYL)PHTHALATE	39100	WAIVED			
DIBROMOCHLOROPROPANE (DBCP)	38761	WAIVED			
DINOSEB	81287	WAIVED			
DIQUAT	78885	WAIVED			
ENDOTHALL	38926	WAIVED			
ENDRIN	39390	WAIVED			
ETHYLENE DIBROMIDE (EDB)	77651	WAIVED			
GLYPHOSATE	79743	WAIVED			
HEPTACHLOR	39410	WAIVED			
HEPTACHLOR EPOXIDE	39420	WAIVED			
HEXACHLOROBENZENE	39700	WAIVED			
HEXACHLOROCYCLOPENTADIENE	34386	WAIVED			
LINDANE	39340	WAIVED			

**Testing interval is in months;*
0 = No data for this constituent and is DUE NOW
999 = Waived testing (not required)
I = Invalid (NOT) valid analyses reported

System Number: ***1900888***

System Name: ***CAMP SHALOM / JCA***

PS Code: ***1900888-001***

Source Name: ***WELL 01***

Source Number: ***001***

Source Status: ***ACTIVE UNTREATED***

Water type: ***GROUNDWATER OR WELL***

	STORET NUMBER	TESTING INTERVAL (MONTHS)*	LAST TEST DATE (yyyy/mm/dd)	LAST RESULT REPORTED	NEXT TEST DATE (yyyy/mm)
REGULATED SOC					
METHOXYCHLOR	39480	WAIVED			
MOLINATE	82199	WAIVED			
OXAMYL	38865	WAIVED			
PENTACHLOROPHENOL	39032	WAIVED			
PICLORAM	39720	WAIVED			
POLYCHLORINATED BIPHENYLS, TOTAL, AS DCB	39516	WAIVED			
SIMAZINE	39055	WAIVED			
THIOBENCARB	A-001	WAIVED			
TOXAPHENE	39400	WAIVED			
REGULATED VOC					
1,1,1-TRICHLOROETHANE	34506	WAIVED			
1,1,2,2-TETRACHLOROETHANE	34516	WAIVED			
1,1,2-TRICHLORO-1,2,2-TRIFLUOROETHANE	81611	WAIVED			
1,1,2-TRICHLOROETHANE	34511	WAIVED			
1,1-DICHLOROETHANE	34496	WAIVED			
1,1-DICHLOROETHYLENE	34501	WAIVED			
1,2,4-TRICHLOROBENZENE	34551	WAIVED			
1,2-DICHLOROBENZENE	34536	WAIVED			
1,2-DICHLOROETHANE	34531	WAIVED			
1,2-DICHLOROPROPANE	34541	WAIVED			
1,3-DICHLOROPROPENE (TOTAL)	34561	WAIVED			
1,4-DICHLOROBENZENE	34571	WAIVED			
BENZENE	34030	WAIVED			
CARBON TETRACHLORIDE	32102	WAIVED			
CIS-1,2-DICHLOROETHYLENE	77093	WAIVED			
DICHLOROMETHANE	34423	WAIVED			
ETHYLBENZENE	34371	WAIVED			
METHYL-TERT-BUTYL-ETHER (MTBE)	46491	WAIVED			
MONOCHLOROBENZENE	34301	WAIVED			

**Testing interval is in months;*
0 = No data for this constituent and is DUE NOW
999 = Waived testing (not required)
I = Invalid (NOT) valid analyses reported

System Number: ***1900888***

System Name: ***CAMP SHALOM / JCA***

PS Code: ***1900888-001***

Source Name: ***WELL 01***

Source Number: ***001***

Source Status: ***ACTIVE UNTREATED***

Water type: ***GROUNDWATER OR WELL***

	STORET NUMBER	TESTING INTERVAL (MONTHS)*	LAST TEST DATE (yyyy/mm/dd)	LAST RESULT REPORTED	NEXT TEST DATE (yyyy/mm)
REGULATED VOC					
STYRENE	77128	WAIVED			
TETRACHLOROETHYLENE	34475	WAIVED			
TOLUENE	34010	WAIVED			
TRANS-1,2-DICHLOROETHYLENE	34546	WAIVED			
TRICHLOROETHYLENE	39180	WAIVED			
TRICHLOROFLUOROMETHANE	34488	WAIVED			
VINYL CHLORIDE	39175	WAIVED			
XYLENES (TOTAL)	81551	WAIVED			
SECONDARY/GP					
AGGRSSIVE INDEX (CORROSIVITY)	82383	WAIVED			
BICARBONATE ALKALINITY	00440	WAIVED	2000/03/14	356.000	
CALCIUM	00916	WAIVED	2000/03/14	58.000	
CARBONATE ALKALINITY	00445	WAIVED	2000/03/14	.000	
CHLORIDE	00940	WAIVED	2000/03/14	22.000	
COLOR	00081	WAIVED			
COPPER	01042	WAIVED			
FOAMING AGENTS (MBAS)	38260	WAIVED			
HARDNESS (TOTAL) AS CACO3	00900	WAIVED	2000/03/14	275.000	
HYDROXIDE ALKALINITY	71830	WAIVED	2000/03/14	.000	
IRON	01045	WAIVED	2000/03/14	.000	
MAGNESIUM	00927	WAIVED	2000/03/14	32.000	
MANGANESE	01055	WAIVED	2000/03/14	.000	
ODOR THRESHOLD @ 60 C	00086	WAIVED			
PH, LABORATORY	00403	WAIVED	2000/03/14	7.000	
SILVER	01077	WAIVED			
SODIUM	00929	WAIVED	2000/03/14	50.000	
SPECIFIC CONDUCTANCE	00095	WAIVED	2000/03/14	683.000	
SULFATE	00945	WAIVED	2000/03/14	62.000	
TOTAL DISSOLVED SOLIDS	70300	WAIVED	2000/03/14	458.000	

**Testing interval is in months;*
0 = No data for this constituent and is DUE NOW
999 = Waived testing (not required)
I = Invalid (NOT) valid analyses reported

System Number: ***1900888***

System Name: ***CAMP SHALOM / JCA***

PS Code: ***1900888-001***

Source Name: ***WELL 01***

Source Number: ***001***

Source Status: ***ACTIVE UNTREATED***

Water type: ***GROUNDWATER OR WELL***

SECONDARY/GP

	STORET NUMBER	TESTING INTERVAL (MONTHS)*	LAST TEST DATE (yyyy/mm/dd)	LAST RESULT REPORTED	NEXT TEST DATE (yyyy/mm)
TURBIDITY, LABORATORY	82079	WAIVED			
ZINC	01092	WAIVED			

**Testing interval is in months;*
0 = No data for this constituent and is DUE NOW
999 = Waived testing (not required)
I = Invalid (NOT) valid analyses reported

System Number: ***1900893***

System Name: ***CAMP BLOOMFIELD***

PS Code: ***1900893-001***

Source Name: ***WELL 04***

Source Number: ***001***

Source Status: ***ACTIVE UNTREATED***

Water type: ***GROUNDWATER OR WELL***

	STORET NUMBER	TESTING INTERVAL (MONTHS)*	LAST TEST DATE (yyyy/mm/dd)	LAST RESULT REPORTED	NEXT TEST DATE (yyyy/mm)
GENERAL NON CHAP 15					
DIAZINON	39570	WAIVED			
INORGANIC					
ALUMINUM	01105	WAIVED	2011/07/19	< 10.000	
ANTIMONY	01097	WAIVED	2011/07/19	< 1.000	
ARSENIC	01002	WAIVED	2011/07/19	< 2.000	
ASBESTOS	81855	WAIVED	2011/07/19	< .200	
BARIUM	01007	WAIVED	2011/07/19	33.100	
BERYLLIUM	01012	WAIVED	2011/07/19	< .200	
CADMIUM	01027	WAIVED	2011/07/19	< .200	
CHROMIUM (TOTAL)	01034	WAIVED	2011/07/19	< 1.000	
CYANIDE	01291	WAIVED	2011/07/19	< .004	
FLUORIDE (F) (NATURAL-SOURCE)	00951	WAIVED	2011/07/19	.200	
LEAD	01051	WAIVED	2011/07/19	< .200	
MERCURY	71900	WAIVED	2011/07/19	< .020	
NICKEL	01067	WAIVED	2011/07/19	1.000	
PERCHLORATE	A-031	WAIVED	2011/07/19	< 2.000	
SELENIUM	01147	WAIVED	2011/07/19	< 2.000	
THALLIUM	01059	WAIVED	2011/07/19	< .200	
NITRATE/NITRITE					
NITRATE (AS NO3)	71850	WAIVED	2011/07/19	4.900	
NITRITE (AS N)	00620	WAIVED	2011/07/19	< .100	
RADIOLOGICAL					
GROSS ALPHA	01501	WAIVED	2011/07/19	1.070	
GROSS BETA	03501	WAIVED			
RA-226 FOR CWS OR TOTAL RA FOR NTNC BY 903.0	A-080	WAIVED	2011/07/19	.828	
RA-226 OR TOTAL RA BY 903.0 C.E.	A-081	WAIVED	2011/07/19	.458	
RADIUM 226	09501	WAIVED			
RADIUM 228	11501	WAIVED	2011/07/19	.000	

**Testing interval is in months;*
0 = No data for this constituent and is DUE NOW
999 = Waived testing (not required)
I = Invalid (NOT) valid analyses reported

System Number: ***1900893***

System Name: ***CAMP BLOOMFIELD***

PS Code: ***1900893-001***

Source Name: ***WELL 04***

Source Number: ***001***

Source Status: ***ACTIVE UNTREATED***

Water type: ***GROUNDWATER OR WELL***

	STORET NUMBER	TESTING INTERVAL (MONTHS)*	LAST TEST DATE (yyyy/mm/dd)	LAST RESULT REPORTED	NEXT TEST DATE (yyyy/mm)
RADIOLOGICAL					
RADIUM, TOTAL, MDA95-NTNC ONLY, BY 903.0	A-082	WAIVED	2011/07/19	.412	
STRONTIUM-90	13501	WAIVED			
TRITIUM	07000	WAIVED			
URANIUM (PCI/L)	28012	WAIVED	2011/07/19	.194	
REGULATED SOC					
2,3,7,8-TCDD (DIOXIN)	34676	WAIVED			
2,4,5-TP (SILVEX)	39045	WAIVED			
2,4-D	39730	WAIVED			
ALACHLOR	77825	WAIVED			
ATRAZINE	39033	WAIVED			
BENTAZON	38710	WAIVED			
BENZO (A) PYRENE	34247	WAIVED			
CARBOFURAN	81405	WAIVED			
CHLORDANE	39350	WAIVED			
DALAPON	38432	WAIVED			
DI(2-ETHYLHEXYL)ADIPATE	A-026	WAIVED			
DI(2-ETHYLHEXYL)PHTHALATE	39100	WAIVED			
DIBROMOCHLOROPROPANE (DBCP)	38761	WAIVED			
DINOSEB	81287	WAIVED			
DIQUAT	78885	WAIVED			
ENDOTHALL	38926	WAIVED			
ENDRIN	39390	WAIVED			
ETHYLENE DIBROMIDE (EDB)	77651	WAIVED			
GLYPHOSATE	79743	WAIVED			
HEPTACHLOR	39410	WAIVED			
HEPTACHLOR EPOXIDE	39420	WAIVED			
HEXACHLOROBENZENE	39700	WAIVED			
HEXACHLOROCYCLOPENTADIENE	34386	WAIVED			
LINDANE	39340	WAIVED			

**Testing interval is in months;*
0 = No data for this constituent and is DUE NOW
999 = Waived testing (not required)
I = Invalid (NOT) valid analyses reported

System Number: ***1900893***

System Name: ***CAMP BLOOMFIELD***

PS Code: ***1900893-001***

Source Name: ***WELL 04***

Source Number: ***001***

Source Status: ***ACTIVE UNTREATED***

Water type: ***GROUNDWATER OR WELL***

	STORET NUMBER	TESTING INTERVAL (MONTHS)*	LAST TEST DATE (yyyy/mm/dd)	LAST RESULT REPORTED	NEXT TEST DATE (yyyy/mm)
REGULATED SOC					
METHOXYCHLOR	39480	WAIVED			
MOLINATE	82199	WAIVED			
OXAMYL	38865	WAIVED			
PENTACHLOROPHENOL	39032	WAIVED			
PICLORAM	39720	WAIVED			
POLYCHLORINATED BIPHENYLS, TOTAL, AS DCB	39516	WAIVED			
SIMAZINE	39055	WAIVED			
THIOBENCARB	A-001	WAIVED	2011/07/19	< 1.000	
TOXAPHENE	39400	WAIVED			
REGULATED VOC					
1,1,1-TRICHLOROETHANE	34506	WAIVED	2011/07/19	< .500	
1,1,2,2-TETRACHLOROETHANE	34516	WAIVED	2011/07/19	< .500	
1,1,2-TRICHLORO-1,2,2-TRIFLUOROETHANE	81611	WAIVED	2011/07/19	< .500	
1,1,2-TRICHLOROETHANE	34511	WAIVED	2011/07/19	< .500	
1,1-DICHLOROETHANE	34496	WAIVED	2011/07/19	< .500	
1,1-DICHLOROETHYLENE	34501	WAIVED	2011/07/19	< .500	
1,2,4-TRICHLOROBENZENE	34551	WAIVED	2011/07/19	< .500	
1,2-DICHLOROBENZENE	34536	WAIVED	2011/07/19	< .500	
1,2-DICHLOROETHANE	34531	WAIVED	2011/07/19	< .500	
1,2-DICHLOROPROPANE	34541	WAIVED	2011/07/19	< .500	
1,3-DICHLOROPROPENE (TOTAL)	34561	WAIVED	2011/07/19	< .500	
1,4-DICHLOROBENZENE	34571	WAIVED	2011/07/19	< .500	
BENZENE	34030	WAIVED	2011/07/19	< .500	
CARBON TETRACHLORIDE	32102	WAIVED	2011/07/19	< .500	
CIS-1,2-DICHLOROETHYLENE	77093	WAIVED	2011/07/19	< .500	
DICHLOROMETHANE	34423	WAIVED	2011/07/19	< .500	
ETHYLBENZENE	34371	WAIVED	2011/07/19	< .500	
METHYL-TERT-BUTYL-ETHER (MTBE)	46491	WAIVED	2011/07/19	< 1.000	
MONOCHLOROBENZENE	34301	WAIVED	2011/07/19	< .500	

**Testing interval is in months;*
0 = No data for this constituent and is DUE NOW
999 = Waived testing (not required)
I = Invalid (NOT) valid analyses reported

System Number: ***1900893***

System Name: ***CAMP BLOOMFIELD***

PS Code: ***1900893-001***

Source Name: ***WELL 04***

Source Number: ***001***

Source Status: ***ACTIVE UNTREATED***

Water type: ***GROUNDWATER OR WELL***

	STORET NUMBER	TESTING INTERVAL (MONTHS)*	LAST TEST DATE (yyyy/mm/dd)	LAST RESULT REPORTED	NEXT TEST DATE (yyyy/mm)
REGULATED VOC					
STYRENE	77128	WAIVED	2011/07/19	< .500	
TETRACHLOROETHYLENE	34475	WAIVED	2011/07/19	< .500	
TOLUENE	34010	WAIVED	2011/07/19	< .500	
TRANS-1,2-DICHLOROETHYLENE	34546	WAIVED	2011/07/19	< .500	
TRICHLOROETHYLENE	39180	WAIVED	2011/07/19	< .500	
TRICHLOROFLUOROMETHANE	34488	WAIVED	2011/07/19	< .500	
VINYL CHLORIDE	39175	WAIVED	2011/07/19	< .500	
XYLENES (TOTAL)	81551	WAIVED	2011/07/19	< .500	
SECONDARY/GP					
AGGRSSIVE INDEX (CORROSIVITY)	82383	WAIVED	2011/07/19	11.700	
BICARBONATE ALKALINITY	00440	WAIVED	2011/07/19	410.000	
CALCIUM	00916	WAIVED	2011/07/19	104.000	
CARBONATE ALKALINITY	00445	WAIVED	2011/07/19	< 10.000	
CHLORIDE	00940	WAIVED	2011/07/19	42.000	
COLOR	00081	WAIVED	2011/07/19	13.000	
COPPER	01042	WAIVED	2011/07/19	< 10.000	
FOAMING AGENTS (MBAS)	38260	WAIVED	2011/07/19	< .100	
HARDNESS (TOTAL) AS CACO3	00900	WAIVED	2011/07/19	465.000	
HYDROXIDE ALKALINITY	71830	WAIVED	2011/07/19	< 10.000	
IRON	01045	WAIVED	2011/07/19	460.000	
MAGNESIUM	00927	WAIVED	2011/07/19	50.000	
MANGANESE	01055	WAIVED	2011/07/19	40.000	
ODOR THRESHOLD @ 60 C	00086	WAIVED	2011/07/19	64.000	
PH, LABORATORY	00403	WAIVED	2011/07/19	6.800	
SILVER	01077	WAIVED	2011/07/19	< 1.000	
SODIUM	00929	WAIVED	2011/07/19	55.000	
SPECIFIC CONDUCTANCE	00095	WAIVED	2011/07/19	1010.000	
SULFATE	00945	WAIVED	2011/07/19	172.000	
TOTAL DISSOLVED SOLIDS	70300	WAIVED	2011/07/19	660.000	

**Testing interval is in months;*
0 = No data for this constituent and is DUE NOW
999 = Waived testing (not required)
I = Invalid (NOT) valid analyses reported

System Number: ***1900893***

System Name: ***CAMP BLOOMFIELD***

PS Code: ***1900893-001***

Source Name: ***WELL 04***

Source Number: ***001***

Source Status: ***ACTIVE UNTREATED***

Water type: ***GROUNDWATER OR WELL***

	STORET NUMBER	TESTING INTERVAL (MONTHS)*	LAST TEST DATE (yyyy/mm/dd)	LAST RESULT REPORTED	NEXT TEST DATE (yyyy/mm)
SECONDARY/GP					
TURBIDITY, LABORATORY	82079	WAIVED	2011/07/19	2.200	
ZINC	01092	WAIVED	2011/07/19	< 20.000	

PS Code: ***1900893-005***

Source Name: ***CHLORINATOR***

Source Number: ***005***

Source Status: ***ACTIVE TREATED***

Water type: ***GROUNDWATER OR WELL***

GENERAL NON CHAP 15					
DIAZINON	39570	WAIVED			
INORGANIC					
ALUMINUM	01105	WAIVED			
ANTIMONY	01097	WAIVED			
ARSENIC	01002	WAIVED			
ASBESTOS	81855	WAIVED			
BARIUM	01007	WAIVED			
BERYLLIUM	01012	WAIVED			
CADMIUM	01027	WAIVED			
CHROMIUM (TOTAL)	01034	WAIVED			
CYANIDE	01291	WAIVED			
FLUORIDE (F) (NATURAL-SOURCE)	00951	WAIVED			
LEAD	01051	WAIVED			
MERCURY	71900	WAIVED			
NICKEL	01067	WAIVED			
PERCHLORATE	A-031	WAIVED			
SELENIUM	01147	WAIVED			
THALLIUM	01059	WAIVED			

**Testing interval is in months;*
0 = No data for this constituent and is DUE NOW
999 = Waived testing (not required)
I = Invalid (NOT) valid analyses reported

System Number: ***1900893***

System Name: ***CAMP BLOOMFIELD***

PS Code: ***1900893-005***

Source Name: ***CHLORINATOR***

Source Number: ***005***

Source Status: ***ACTIVE TREATED***

Water type: ***GROUNDWATER OR WELL***

	STORET NUMBER	TESTING INTERVAL (MONTHS)*	LAST TEST DATE (yyyy/mm/dd)	LAST RESULT REPORTED	NEXT TEST DATE (yyyy/mm)
NITRATE/NITRITE					
NITRATE (AS NO3)	71850	WAIVED			
NITRITE (AS N)	00620	WAIVED			
RADIOLOGICAL					
GROSS ALPHA	01501	WAIVED			
GROSS BETA	03501	WAIVED			
RA-226 FOR CWS OR TOTAL RA FOR NTNC BY 903.0	A-080	WAIVED			
RA-226 OR TOTAL RA BY 903.0 C.E.	A-081	WAIVED			
RADIUM 226	09501	WAIVED			
RADIUM 228	11501	WAIVED			
RADIUM, TOTAL, MDA95-NTNC ONLY, BY 903.0	A-082	WAIVED			
STRONTIUM-90	13501	WAIVED			
TRITIUM	07000	WAIVED			
URANIUM (PCI/L)	28012	WAIVED			
REGULATED SOC					
2,3,7,8-TCDD (DIOXIN)	34676	WAIVED			
2,4,5-TP (SILVEX)	39045	WAIVED			
2,4-D	39730	WAIVED			
ALACHLOR	77825	WAIVED			
ATRAZINE	39033	WAIVED			
BENTAZON	38710	WAIVED			
BENZO (A) PYRENE	34247	WAIVED			
CARBOFURAN	81405	WAIVED			
CHLORDANE	39350	WAIVED			
DALAPON	38432	WAIVED			
DI(2-ETHYLHEXYL)ADIPATE	A-026	WAIVED			
DI(2-ETHYLHEXYL)PHTHALATE	39100	WAIVED			
DIBROMOCHLOROPROPANE (DBCP)	38761	WAIVED			
DINOSEB	81287	WAIVED			
DIQUAT	78885	WAIVED			

**Testing interval is in months;*
0 = No data for this constituent and is DUE NOW
999 = Waived testing (not required)
I = Invalid (NOT) valid analyses reported

System Number: ***1900893***

System Name: ***CAMP BLOOMFIELD***

PS Code: ***1900893-005***

Source Name: ***CHLORINATOR***

Source Number: ***005***

Source Status: ***ACTIVE TREATED***

Water type: ***GROUNDWATER OR WELL***

	STORET NUMBER	TESTING INTERVAL (MONTHS)*	LAST TEST DATE (yyyy/mm/dd)	LAST RESULT REPORTED	NEXT TEST DATE (yyyy/mm)
REGULATED SOC					
ENDOTHALL	38926	WAIVED			
ENDRIN	39390	WAIVED			
ETHYLENE DIBROMIDE (EDB)	77651	WAIVED			
GLYPHOSATE	79743	WAIVED			
HEPTACHLOR	39410	WAIVED			
HEPTACHLOR EPOXIDE	39420	WAIVED			
HEXACHLOROBENZENE	39700	WAIVED			
HEXACHLOROCYCLOPENTADIENE	34386	WAIVED			
LINDANE	39340	WAIVED			
METHOXYCHLOR	39480	WAIVED			
MOLINATE	82199	WAIVED			
OXAMYL	38865	WAIVED			
PENTACHLOROPHENOL	39032	WAIVED			
PICLORAM	39720	WAIVED			
POLYCHLORINATED BIPHENYLS, TOTAL, AS DCB	39516	WAIVED			
SIMAZINE	39055	WAIVED			
THIOBENCARB	A-001	WAIVED			
TOXAPHENE	39400	WAIVED			
REGULATED VOC					
1,1,1-TRICHLOROETHANE	34506	WAIVED			
1,1,2,2-TETRACHLOROETHANE	34516	WAIVED			
1,1,2-TRICHLORO-1,2,2-TRIFLUOROETHANE	81611	WAIVED			
1,1,2-TRICHLOROETHANE	34511	WAIVED			
1,1-DICHLOROETHANE	34496	WAIVED			
1,1-DICHLOROETHYLENE	34501	WAIVED			
1,2,4-TRICHLOROBENZENE	34551	WAIVED			
1,2-DICHLOROBENZENE	34536	WAIVED			
1,2-DICHLOROETHANE	34531	WAIVED			
1,2-DICHLOROPROPANE	34541	WAIVED			

**Testing interval is in months;*
0 = No data for this constituent and is DUE NOW
999 = Waived testing (not required)
I = Invalid (NOT) valid analyses reported

System Number: ***1900893***

System Name: ***CAMP BLOOMFIELD***

PS Code: ***1900893-005***

Source Name: ***CHLORINATOR***

Source Number: ***005***

Source Status: ***ACTIVE TREATED***

Water type: ***GROUNDWATER OR WELL***

	STORET NUMBER	TESTING INTERVAL (MONTHS)*	LAST TEST DATE (yyyy/mm/dd)	LAST RESULT REPORTED	NEXT TEST DATE (yyyy/mm)
REGULATED VOC					
1,3-DICHLOROPROPENE (TOTAL)	34561	WAIVED			
1,4-DICHLOROBENZENE	34571	WAIVED			
BENZENE	34030	WAIVED			
CARBON TETRACHLORIDE	32102	WAIVED			
CIS-1,2-DICHLOROETHYLENE	77093	WAIVED			
DICHLOROMETHANE	34423	WAIVED			
ETHYLBENZENE	34371	WAIVED			
METHYL-TERT-BUTYL-ETHER (MTBE)	46491	WAIVED			
MONOCHLOROBENZENE	34301	WAIVED			
STYRENE	77128	WAIVED			
TETRACHLOROETHYLENE	34475	WAIVED			
TOLUENE	34010	WAIVED			
TRANS-1,2-DICHLOROETHYLENE	34546	WAIVED			
TRICHLOROETHYLENE	39180	WAIVED			
TRICHLOROFLUOROMETHANE	34488	WAIVED			
VINYL CHLORIDE	39175	WAIVED			
XYLENES (TOTAL)	81551	WAIVED			
SECONDARY/GP					
AGGRSSIVE INDEX (CORROSIVITY)	82383	WAIVED			
BICARBONATE ALKALINITY	00440	WAIVED			
CALCIUM	00916	WAIVED			
CARBONATE ALKALINITY	00445	WAIVED			
CHLORIDE	00940	WAIVED			
COLOR	00081	WAIVED			
COPPER	01042	WAIVED			
FOAMING AGENTS (MBAS)	38260	WAIVED			
HARDNESS (TOTAL) AS CACO3	00900	WAIVED			
HYDROXIDE ALKALINITY	71830	WAIVED			
IRON	01045	WAIVED			

**Testing interval is in months;*
0 = No data for this constituent and is DUE NOW
999 = Waived testing (not required)
I = Invalid (NOT) valid analyses reported

System Number: ***1900893***

System Name: ***CAMP BLOOMFIELD***

PS Code: ***1900893-005***

Source Name: ***CHLORINATOR***

Source Number: ***005***

Source Status: ***ACTIVE TREATED***

Water type: ***GROUNDWATER OR WELL***

SECONDARY/GP	STORET NUMBER	TESTING INTERVAL (MONTHS)*	LAST TEST DATE (yyyy/mm/dd)	LAST RESULT REPORTED	NEXT TEST DATE (yyyy/mm)
MAGNESIUM	00927	WAIVED			
MANGANESE	01055	WAIVED			
ODOR THRESHOLD @ 60 C	00086	WAIVED			
PH, LABORATORY	00403	WAIVED			
SILVER	01077	WAIVED			
SODIUM	00929	WAIVED			
SPECIFIC CONDUCTANCE	00095	WAIVED			
SULFATE	00945	WAIVED			
TOTAL DISSOLVED SOLIDS	70300	WAIVED			
TURBIDITY, LABORATORY	82079	WAIVED			
ZINC	01092	WAIVED			

**Testing interval is in months;*
0 = No data for this constituent and is DUE NOW
999 = Waived testing (not required)
I = Invalid (NOT) valid analyses reported

System Number: ***1900894***

System Name: ***ACTON FOUR SQUARE CHURCH***

PS Code: ***1900894-001***

Source Name: ***WELL 01***

Source Number: ***001***

Source Status: ***ACTIVE UNTREATED***

Water type: ***GROUNDWATER OR WELL***

	STORET NUMBER	TESTING INTERVAL (MONTHS)*	LAST TEST DATE (yyyy/mm/dd)	LAST RESULT REPORTED	NEXT TEST DATE (yyyy/mm)
GENERAL NON CHAP 15					
DIAZINON	39570	WAIVED			
INORGANIC					
ALUMINUM	01105	WAIVED	2006/02/21	.000	
ANTIMONY	01097	WAIVED	2003/09/25	.000	
ARSENIC	01002	WAIVED	2012/01/25	11.000	
ASBESTOS	81855	WAIVED			
BARIUM	01007	WAIVED	2003/09/25	.000	
BERYLLIUM	01012	WAIVED			
CADMIUM	01027	WAIVED	2006/02/21	.000	
CHROMIUM (TOTAL)	01034	WAIVED	2006/02/21	12.000	
CYANIDE	01291	WAIVED			
FLUORIDE (F) (NATURAL-SOURCE)	00951	WAIVED	2006/02/21	.000	
LEAD	01051	WAIVED	2006/02/21	.000	
MERCURY	71900	WAIVED	2006/02/21	.000	
NICKEL	01067	WAIVED	2006/02/21	.000	
PERCHLORATE	A-031	WAIVED			
SELENIUM	01147	WAIVED	2006/02/21	.000	
THALLIUM	01059	WAIVED			
NITRATE/NITRITE					
NITRATE (AS NO3)	71850	WAIVED	2012/01/25	55.000	
NITRITE (AS N)	00620	WAIVED			
RADIOLOGICAL					
GROSS ALPHA	01501	WAIVED			
GROSS BETA	03501	WAIVED			
RA-226 FOR CWS OR TOTAL RA FOR NTNC BY 903.0	A-080	WAIVED			
RA-226 OR TOTAL RA BY 903.0 C.E.	A-081	WAIVED			
RADIUM 226	09501	WAIVED			
RADIUM 228	11501	WAIVED			

**Testing interval is in months;*
0 = No data for this constituent and is DUE NOW
999 = Waived testing (not required)
I = Invalid (NOT) valid analyses reported

System Number: ***1900894***

System Name: ***ACTON FOUR SQUARE CHURCH***

PS Code: ***1900894-001***

Source Name: ***WELL 01***

Source Number: ***001***

Source Status: ***ACTIVE UNTREATED***

Water type: ***GROUNDWATER OR WELL***

	STORET NUMBER	TESTING INTERVAL (MONTHS)*	LAST TEST DATE (yyyy/mm/dd)	LAST RESULT REPORTED	NEXT TEST DATE (yyyy/mm)
RADIOLOGICAL					
RADIUM, TOTAL, MDA95-NTNC ONLY, BY 903.0	A-082	WAIVED			
STRONTIUM-90	13501	WAIVED			
TRITIUM	07000	WAIVED			
URANIUM (PCI/L)	28012	WAIVED			
REGULATED SOC					
2,3,7,8-TCDD (DIOXIN)	34676	WAIVED			
2,4,5-TP (SILVEX)	39045	WAIVED			
2,4-D	39730	WAIVED			
ALACHLOR	77825	WAIVED			
ATRAZINE	39033	WAIVED			
BENTAZON	38710	WAIVED			
BENZO (A) PYRENE	34247	WAIVED			
CARBOFURAN	81405	WAIVED			
CHLORDANE	39350	WAIVED			
DALAPON	38432	WAIVED			
DI(2-ETHYLHEXYL)ADIPATE	A-026	WAIVED			
DI(2-ETHYLHEXYL)PHTHALATE	39100	WAIVED			
DIBROMOCHLOROPROPANE (DBCP)	38761	WAIVED			
DINOSEB	81287	WAIVED			
DIQUAT	78885	WAIVED			
ENDOTHALL	38926	WAIVED			
ENDRIN	39390	WAIVED			
ETHYLENE DIBROMIDE (EDB)	77651	WAIVED			
GLYPHOSATE	79743	WAIVED			
HEPTACHLOR	39410	WAIVED			
HEPTACHLOR EPOXIDE	39420	WAIVED			
HEXACHLOROBENZENE	39700	WAIVED			
HEXACHLOROCYCLOPENTADIENE	34386	WAIVED			
LINDANE	39340	WAIVED			

**Testing interval is in months;*
0 = No data for this constituent and is DUE NOW
999 = Waived testing (not required)
I = Invalid (NOT) valid analyses reported

System Number: ***1900894***

System Name: ***ACTON FOUR SQUARE CHURCH***

PS Code: ***1900894-001***

Source Name: ***WELL 01***

Source Number: ***001***

Source Status: ***ACTIVE UNTREATED***

Water type: ***GROUNDWATER OR WELL***

	STORET NUMBER	TESTING INTERVAL (MONTHS)*	LAST TEST DATE (yyyy/mm/dd)	LAST RESULT REPORTED	NEXT TEST DATE (yyyy/mm)
REGULATED SOC					
METHOXYCHLOR	39480	WAIVED			
MOLINATE	82199	WAIVED			
OXAMYL	38865	WAIVED			
PENTACHLOROPHENOL	39032	WAIVED			
PICLORAM	39720	WAIVED			
POLYCHLORINATED BIPHENYLS, TOTAL, AS DCB	39516	WAIVED			
SIMAZINE	39055	WAIVED			
THIOBENCARB	A-001	WAIVED			
TOXAPHENE	39400	WAIVED			
REGULATED VOC					
1,1,1-TRICHLOROETHANE	34506	WAIVED			
1,1,2,2-TETRACHLOROETHANE	34516	WAIVED			
1,1,2-TRICHLORO-1,2,2-TRIFLUOROETHANE	81611	WAIVED			
1,1,2-TRICHLOROETHANE	34511	WAIVED			
1,1-DICHLOROETHANE	34496	WAIVED			
1,1-DICHLOROETHYLENE	34501	WAIVED			
1,2,4-TRICHLOROBENZENE	34551	WAIVED			
1,2-DICHLOROBENZENE	34536	WAIVED			
1,2-DICHLOROETHANE	34531	WAIVED			
1,2-DICHLOROPROPANE	34541	WAIVED			
1,3-DICHLOROPROPENE (TOTAL)	34561	WAIVED			
1,4-DICHLOROBENZENE	34571	WAIVED			
BENZENE	34030	WAIVED			
CARBON TETRACHLORIDE	32102	WAIVED			
CIS-1,2-DICHLOROETHYLENE	77093	WAIVED			
DICHLOROMETHANE	34423	WAIVED			
ETHYLBENZENE	34371	WAIVED			
METHYL-TERT-BUTYL-ETHER (MTBE)	46491	WAIVED			
MONOCHLOROBENZENE	34301	WAIVED			

**Testing interval is in months;*
0 = No data for this constituent and is DUE NOW
999 = Waived testing (not required)
I = Invalid (NOT) valid analyses reported

System Number: ***1900894***

System Name: ***ACTON FOUR SQUARE CHURCH***

PS Code: ***1900894-001***

Source Name: ***WELL 01***

Source Number: ***001***

Source Status: ***ACTIVE UNTREATED***

Water type: ***GROUNDWATER OR WELL***

	STORET NUMBER	TESTING INTERVAL (MONTHS)*	LAST TEST DATE (yyyy/mm/dd)	LAST RESULT REPORTED	NEXT TEST DATE (yyyy/mm)
REGULATED VOC					
STYRENE	77128	WAIVED			
TETRACHLOROETHYLENE	34475	WAIVED			
TOLUENE	34010	WAIVED			
TRANS-1,2-DICHLOROETHYLENE	34546	WAIVED			
TRICHLOROETHYLENE	39180	WAIVED			
TRICHLOROFLUOROMETHANE	34488	WAIVED			
VINYL CHLORIDE	39175	WAIVED			
XYLENES (TOTAL)	81551	WAIVED			
SECONDARY/GP					
AGGRSSIVE INDEX (CORROSIVITY)	82383	WAIVED			
BICARBONATE ALKALINITY	00440	WAIVED	2006/02/21	191.000	
CALCIUM	00916	WAIVED	2006/02/21	84.200	
CARBONATE ALKALINITY	00445	WAIVED	2006/02/21	.000	
CHLORIDE	00940	WAIVED	2006/02/21	131.000	
COLOR	00081	WAIVED			
COPPER	01042	WAIVED	2006/02/21	.000	
FOAMING AGENTS (MBAS)	38260	WAIVED	2003/09/25	.000	
HARDNESS (TOTAL) AS CACO3	00900	WAIVED	2006/02/21	410.000	
HYDROXIDE ALKALINITY	71830	WAIVED	2006/02/21	.000	
IRON	01045	WAIVED	2006/02/21	.000	
MAGNESIUM	00927	WAIVED	2006/02/21	48.600	
MANGANESE	01055	WAIVED	2006/02/21	.000	
ODOR THRESHOLD @ 60 C	00086	WAIVED			
PH, LABORATORY	00403	WAIVED	2006/02/21	7.650	
SILVER	01077	WAIVED	2006/02/21	.000	
SODIUM	00929	WAIVED	2006/02/21	31.500	
SPECIFIC CONDUCTANCE	00095	WAIVED	2003/09/25	798.000	
SULFATE	00945	WAIVED	2006/02/21	53.700	
TOTAL DISSOLVED SOLIDS	70300	WAIVED	2006/02/21	604.000	

**Testing interval is in months;*
0 = No data for this constituent and is DUE NOW
999 = Waived testing (not required)
I = Invalid (NOT) valid analyses reported

System Number: ***1900894***

System Name: ***ACTON FOUR SQUARE CHURCH***

PS Code: ***1900894-001***

Source Name: ***WELL 01***

Source Number: ***001***

Source Status: ***ACTIVE UNTREATED***

Water type: ***GROUNDWATER OR WELL***

SECONDARY/GP	STORET NUMBER	TESTING INTERVAL (MONTHS)*	LAST TEST DATE (yyyy/mm/dd)	LAST RESULT REPORTED	NEXT TEST DATE (yyyy/mm)
TURBIDITY, LABORATORY	82079	WAIVED	2003/09/25	.220	
ZINC	01092	WAIVED	2006/02/21	128.000	

**Testing interval is in months;*
0 = No data for this constituent and is DUE NOW
999 = Waived testing (not required)
I = Invalid (NOT) valid analyses reported

System Number: 1900901
System Name: FIRE SUPPRESSION CAMP 19

PS Code: 1900901-001
Source Name: WELL 01
Source Number: 001
Source Status: ACTIVE UNTREATED
Water type: GROUNDWATER OR WELL

	STORET NUMBER	TESTING INTERVAL (MONTHS)*	LAST TEST DATE (yyyy/mm/dd)	LAST RESULT REPORTED	NEXT TEST DATE (yyyy/mm)
GENERAL NON CHAP 15					
DIAZINON	39570	WAIVED	2010/01/28	.000	
INORGANIC					
ALUMINUM	01105	WAIVED	2010/01/28	.000	
ANTIMONY	01097	WAIVED	2010/01/28	.000	
ARSENIC	01002	WAIVED	2010/01/28	3.780	
ASBESTOS	81855	WAIVED			
BARIUM	01007	WAIVED	2010/01/28	.000	
BERYLLIUM	01012	WAIVED	2010/01/28	.000	
CADMIUM	01027	WAIVED	2010/01/28	.000	
CHROMIUM (TOTAL)	01034	WAIVED	2010/01/28	.000	
CYANIDE	01291	WAIVED	2010/01/28	.000	
FLUORIDE (F) (NATURAL-SOURCE)	00951	WAIVED	2010/01/28	.260	
LEAD	01051	WAIVED	2010/01/28	.000	
MERCURY	71900	WAIVED	2010/01/28	.000	
NICKEL	01067	WAIVED	2010/01/28	.000	
PERCHLORATE	A-031	WAIVED	2010/01/28	.000	
SELENIUM	01147	WAIVED	2010/01/28	.000	
THALLIUM	01059	WAIVED	2010/01/28	.000	
NITRATE/NITRITE					
NITRATE (AS NO3)	71850	WAIVED	2010/01/28	.000	
NITRITE (AS N)	00620	WAIVED	2010/01/28	.000	
RADIOLOGICAL					
GROSS ALPHA	01501	WAIVED	2010/01/28	2.250	
GROSS BETA	03501	WAIVED	2010/01/28	1.130	
RA-226 FOR CWS OR TOTAL RA FOR NTNC BY 903.0	A-080	WAIVED			
RA-226 OR TOTAL RA BY 903.0 C.E.	A-081	WAIVED			
RADIUM 226	09501	WAIVED	2010/01/28	.123	
RADIUM 228	11501	WAIVED	2010/01/28	.000	

**Testing interval is in months;*
0 = No data for this constituent and is DUE NOW
999 = Waived testing (not required)
I = Invalid (NOT) valid analyses reported

System Number: ***1900901***

System Name: ***FIRE SUPPRESSION CAMP 19***

PS Code: ***1900901-001***

Source Name: ***WELL 01***

Source Number: ***001***

Source Status: ***ACTIVE UNTREATED***

Water type: ***GROUNDWATER OR WELL***

	STORET NUMBER	TESTING INTERVAL (MONTHS)*	LAST TEST DATE (yyyy/mm/dd)	LAST RESULT REPORTED	NEXT TEST DATE (yyyy/mm)
RADIOLOGICAL					
RADIUM, TOTAL, MDA95-NTNC ONLY, BY 903.0	A-082	WAIVED			
STRONTIUM-90	13501	WAIVED			
TRITIUM	07000	WAIVED			
URANIUM (PCI/L)	28012	WAIVED	2010/01/28	1.710	
REGULATED SOC					
2,3,7,8-TCDD (DIOXIN)	34676	WAIVED			
2,4,5-TP (SILVEX)	39045	WAIVED	2010/01/28	.000	
2,4-D	39730	WAIVED	2010/01/28	.000	
ALACHLOR	77825	WAIVED	2010/01/28	.000	
ATRAZINE	39033	WAIVED	2010/01/28	.000	
BENTAZON	38710	WAIVED	2010/01/28	.000	
BENZO (A) PYRENE	34247	WAIVED	2010/01/28	.000	
CARBOFURAN	81405	WAIVED	2010/01/28	.000	
CHLORDANE	39350	WAIVED	2010/01/28	.000	
DALAPON	38432	WAIVED	2010/01/28	.000	
DI(2-ETHYLHEXYL)ADIPATE	A-026	WAIVED	2010/01/28	.000	
DI(2-ETHYLHEXYL)PHTHALATE	39100	WAIVED	2010/01/28	.000	
DIBROMOCHLOROPROPANE (DBCP)	38761	WAIVED	2010/01/28	.000	
DINOSEB	81287	WAIVED	2010/01/28	.000	
DIQUAT	78885	WAIVED	2010/01/28	.000	
ENDOTHALL	38926	WAIVED	2010/01/28	.000	
ENDRIN	39390	WAIVED	2010/01/28	.000	
ETHYLENE DIBROMIDE (EDB)	77651	WAIVED	2010/01/28	.000	
GLYPHOSATE	79743	WAIVED	2010/01/28	.000	
HEPTACHLOR	39410	WAIVED	2010/01/28	.000	
HEPTACHLOR EPOXIDE	39420	WAIVED	2010/01/28	.000	
HEXACHLOROBENZENE	39700	WAIVED	2010/01/28	.000	
HEXACHLOROCYCLOPENTADIENE	34386	WAIVED	2010/01/28	.000	
LINDANE	39340	WAIVED	2010/01/28	.000	

**Testing interval is in months;*
0 = No data for this constituent and is DUE NOW
999 = Waived testing (not required)
I = Invalid (NOT) valid analyses reported

System Number: 1900901
System Name: FIRE SUPPRESSION CAMP 19

PS Code: 1900901-001
Source Name: WELL 01
Source Number: 001
Source Status: ACTIVE UNTREATED
Water type: GROUNDWATER OR WELL

	STORET NUMBER	TESTING INTERVAL (MONTHS)*	LAST TEST DATE (yyyy/mm/dd)	LAST RESULT REPORTED	NEXT TEST DATE (yyyy/mm)
REGULATED SOC					
METHOXYCHLOR	39480	WAIVED	2010/01/28	.000	
MOLINATE	82199	WAIVED	2010/01/28	.000	
OXAMYL	38865	WAIVED	2010/01/28	.000	
PENTACHLOROPHENOL	39032	WAIVED	2010/01/28	.000	
PICLORAM	39720	WAIVED	2010/01/28	.000	
POLYCHLORINATED BIPHENYLS, TOTAL, AS DCB	39516	WAIVED	2010/01/28	.000	
SIMAZINE	39055	WAIVED	2010/01/28	.000	
THIOBENCARB	A-001	WAIVED	2010/01/28	.000	
TOXAPHENE	39400	WAIVED	2010/01/28	.000	
REGULATED VOC					
1,1,1-TRICHLOROETHANE	34506	WAIVED	2010/01/28	.000	
1,1,2,2-TETRACHLOROETHANE	34516	WAIVED	2010/01/28	.000	
1,1,2-TRICHLORO-1,2,2-TRIFLUOROETHANE	81611	WAIVED	2010/01/28	.000	
1,1,2-TRICHLOROETHANE	34511	WAIVED	2010/01/28	.000	
1,1-DICHLOROETHANE	34496	WAIVED	2010/01/28	.000	
1,1-DICHLOROETHYLENE	34501	WAIVED	2010/01/28	.000	
1,2,4-TRICHLOROBENZENE	34551	WAIVED	2010/01/28	.000	
1,2-DICHLOROBENZENE	34536	WAIVED	2010/01/28	.000	
1,2-DICHLOROETHANE	34531	WAIVED	2010/01/28	.000	
1,2-DICHLOROPROPANE	34541	WAIVED	2010/01/28	.000	
1,3-DICHLOROPROPENE (TOTAL)	34561	WAIVED	2010/01/28	.000	
1,4-DICHLOROBENZENE	34571	WAIVED	2010/01/28	.000	
BENZENE	34030	WAIVED	2010/01/28	.000	
CARBON TETRACHLORIDE	32102	WAIVED	2010/01/28	.000	
CIS-1,2-DICHLOROETHYLENE	77093	WAIVED	2010/01/28	.000	
DICHLOROMETHANE	34423	WAIVED	2010/01/28	.000	
ETHYLBENZENE	34371	WAIVED	2010/01/28	.000	
METHYL-TERT-BUTYL-ETHER (MTBE)	46491	WAIVED	2010/01/28	.000	
MONOCHLOROBENZENE	34301	WAIVED	2010/01/28	.000	

**Testing interval is in months;*
0 = No data for this constituent and is DUE NOW
999 = Waived testing (not required)
I = Invalid (NOT) valid analyses reported

System Number: 1900901
System Name: FIRE SUPPRESSION CAMP 19

PS Code: 1900901-001
Source Name: WELL 01
Source Number: 001
Source Status: ACTIVE UNTREATED
Water type: GROUNDWATER OR WELL

	STORET NUMBER	TESTING INTERVAL (MONTHS)*	LAST TEST DATE (yyyy/mm/dd)	LAST RESULT REPORTED	NEXT TEST DATE (yyyy/mm)
REGULATED VOC					
STYRENE	77128	WAIVED	2010/01/28	.000	
TETRACHLOROETHYLENE	34475	WAIVED	2010/01/28	.000	
TOLUENE	34010	WAIVED	2010/01/28	.000	
TRANS-1,2-DICHLOROETHYLENE	34546	WAIVED	2010/01/28	.000	
TRICHLOROETHYLENE	39180	WAIVED	2010/01/28	.000	
TRICHLOROFLUOROMETHANE	34488	WAIVED	2010/01/28	.000	
VINYL CHLORIDE	39175	WAIVED	2010/01/28	.000	
XYLENES (TOTAL)	81551	WAIVED	2010/01/28	.000	
SECONDARY/GP					
AGGRSSIVE INDEX (CORROSIVITY)	82383	WAIVED			
BICARBONATE ALKALINITY	00440	WAIVED	2010/01/28	22.000	
CALCIUM	00916	WAIVED	2010/01/28	56.000	
CARBONATE ALKALINITY	00445	WAIVED	2010/01/28	.000	
CHLORIDE	00940	WAIVED	2010/01/28	6.380	
COLOR	00081	WAIVED	2010/01/28	.000	
COPPER	01042	WAIVED	2010/01/28	.000	
FOAMING AGENTS (MBAS)	38260	WAIVED	2010/01/28	.000	
HARDNESS (TOTAL) AS CACO3	00900	WAIVED	2010/01/28	205.000	
HYDROXIDE ALKALINITY	71830	WAIVED	2010/01/28	.000	
IRON	01045	WAIVED	2010/01/28	.000	
MAGNESIUM	00927	WAIVED	2010/01/28	16.000	
MANGANESE	01055	WAIVED	2010/01/28	.000	
ODOR THRESHOLD @ 60 C	00086	WAIVED	2010/01/28	.000	
PH, LABORATORY	00403	WAIVED	2010/01/28	7.240	
SILVER	01077	WAIVED	2010/01/28	.000	
SODIUM	00929	WAIVED	2010/01/28	13.300	
SPECIFIC CONDUCTANCE	00095	WAIVED	2010/01/28	368.000	
SULFATE	00945	WAIVED	2010/01/28	39.100	
TOTAL DISSOLVED SOLIDS	70300	WAIVED	2010/01/28	242.000	

**Testing interval is in months;*
0 = No data for this constituent and is DUE NOW
999 = Waived testing (not required)
I = Invalid (NOT) valid analyses reported

System Number: ***1900901***

System Name: ***FIRE SUPPRESSION CAMP 19***

PS Code: ***1900901-001***

Source Name: ***WELL 01***

Source Number: ***001***

Source Status: ***ACTIVE UNTREATED***

Water type: ***GROUNDWATER OR WELL***

SECONDARY/GP

	STORET NUMBER	TESTING INTERVAL (MONTHS)*	LAST TEST DATE (yyyy/mm/dd)	LAST RESULT REPORTED	NEXT TEST DATE (yyyy/mm)
TURBIDITY, LABORATORY	82079	WAIVED	2010/01/28	.240	
ZINC	01092	WAIVED	2010/01/28	.000	

**Testing interval is in months;*
0 = No data for this constituent and is DUE NOW
999 = Waived testing (not required)
I = Invalid (NOT) valid analyses reported

System Number: ***1900903***

System Name: ***SLEEPY VALLEY WATER CO., INC.***

PS Code: ***1900903-001***

Source Name: ***WELL 01***

Source Number: ***001***

Source Status: ***ACTIVE UNTREATED***

Water type: ***GROUNDWATER OR WELL***

	STORET NUMBER	TESTING INTERVAL (MONTHS)*	LAST TEST DATE (yyyy/mm/dd)	LAST RESULT REPORTED	NEXT TEST DATE (yyyy/mm)
GENERAL NON CHAP 15					
DIAZINON	39570	WAIVED	2000/04/19	.000	
INORGANIC					
ALUMINUM	01105	WAIVED	2011/08/03	< 10.000	
ANTIMONY	01097	WAIVED	2011/08/03	< 1.000	
ARSENIC	01002	WAIVED	2011/08/03	< 2.000	
ASBESTOS	81855	WAIVED	2011/10/05	< .200	
BARIUM	01007	WAIVED	2011/08/03	81.900	
BERYLLIUM	01012	WAIVED	2011/08/03	< .200	
CADMIUM	01027	WAIVED	2011/08/03	< .200	
CHROMIUM (TOTAL)	01034	WAIVED	2011/08/03	2.000	
CYANIDE	01291	WAIVED	2011/10/05	< .004	
FLUORIDE (F) (NATURAL-SOURCE)	00951	WAIVED	2011/08/31	.400	
LEAD	01051	WAIVED	2011/08/03	1.100	
MERCURY	71900	WAIVED	2011/08/03	.020	
NICKEL	01067	WAIVED	2011/08/03	< 1.000	
PERCHLORATE	A-031	WAIVED	2011/10/05	< 2.000	
SELENIUM	01147	WAIVED	2011/08/03	2.000	
THALLIUM	01059	WAIVED	2011/08/03	< .200	
NITRATE/NITRITE					
NITRATE (AS NO3)	71850	WAIVED	2011/08/31	30.300	
NITRITE (AS N)	00620	WAIVED	2011/08/31	< .100	
RADIOLOGICAL					
GROSS ALPHA	01501	WAIVED	2009/11/04	3.950	
GROSS BETA	03501	WAIVED			
RA-226 FOR CWS OR TOTAL RA FOR NTNC BY 903.0	A-080	WAIVED			
RA-226 OR TOTAL RA BY 903.0 C.E.	A-081	WAIVED			
RADIUM 226	09501	WAIVED			
RADIUM 228	11501	WAIVED			

**Testing interval is in months;*
0 = No data for this constituent and is DUE NOW
999 = Waived testing (not required)
I = Invalid (NOT) valid analyses reported

System Number: ***1900903***

System Name: ***SLEEPY VALLEY WATER CO., INC.***

PS Code: ***1900903-001***

Source Name: ***WELL 01***

Source Number: ***001***

Source Status: ***ACTIVE UNTREATED***

Water type: ***GROUNDWATER OR WELL***

	STORET NUMBER	TESTING INTERVAL (MONTHS)*	LAST TEST DATE (yyyy/mm/dd)	LAST RESULT REPORTED	NEXT TEST DATE (yyyy/mm)
RADIOLOGICAL					
RADIUM, TOTAL, MDA95-NTNC ONLY, BY 903.0	A-082	WAIVED			
STRONTIUM-90	13501	WAIVED			
TRITIUM	07000	WAIVED			
URANIUM (PCI/L)	28012	WAIVED	2009/11/04	2.100	
REGULATED SOC					
2,3,7,8-TCDD (DIOXIN)	34676	WAIVED			
2,4,5-TP (SILVEX)	39045	WAIVED			
2,4-D	39730	WAIVED			
ALACHLOR	77825	WAIVED	2000/04/19	.000	
ATRAZINE	39033	WAIVED	2000/04/19	.000	
BENTAZON	38710	WAIVED			
BENZO (A) PYRENE	34247	WAIVED			
CARBOFURAN	81405	WAIVED			
CHLORDANE	39350	WAIVED	2000/04/19	.000	
DALAPON	38432	WAIVED			
DI(2-ETHYLHEXYL)ADIPATE	A-026	WAIVED			
DI(2-ETHYLHEXYL)PHTHALATE	39100	WAIVED	2011/10/05	< 3.000	
DIBROMOCHLOROPROPANE (DBCP)	38761	WAIVED			
DINOSEB	81287	WAIVED			
DIQUAT	78885	WAIVED			
ENDOTHALL	38926	WAIVED			
ENDRIN	39390	WAIVED	2000/04/19	.000	
ETHYLENE DIBROMIDE (EDB)	77651	WAIVED			
GLYPHOSATE	79743	WAIVED			
HEPTACHLOR	39410	WAIVED	2000/04/19	.000	
HEPTACHLOR EPOXIDE	39420	WAIVED	2000/04/19	.000	
HEXACHLOROBENZENE	39700	WAIVED	2000/04/19	.000	
HEXACHLOROCYCLOPENTADIENE	34386	WAIVED	2000/04/19	.000	
LINDANE	39340	WAIVED	2000/04/19	.000	

**Testing interval is in months;*
0 = No data for this constituent and is DUE NOW
999 = Waived testing (not required)
I = Invalid (NOT) valid analyses reported

System Number: ***1900903***

System Name: ***SLEEPY VALLEY WATER CO., INC.***

PS Code: ***1900903-001***

Source Name: ***WELL 01***

Source Number: ***001***

Source Status: ***ACTIVE UNTREATED***

Water type: ***GROUNDWATER OR WELL***

	STORET NUMBER	TESTING INTERVAL (MONTHS)*	LAST TEST DATE (yyyy/mm/dd)	LAST RESULT REPORTED	NEXT TEST DATE (yyyy/mm)
REGULATED SOC					
METHOXYCHLOR	39480	WAIVED	2000/04/19	.000	
MOLINATE	82199	WAIVED	2000/04/19	.000	
OXAMYL	38865	WAIVED			
PENTACHLOROPHENOL	39032	WAIVED			
PICLORAM	39720	WAIVED			
POLYCHLORINATED BIPHENYLS, TOTAL, AS DCB	39516	WAIVED	2000/04/19	.000	
SIMAZINE	39055	WAIVED	2000/04/19	.000	
THIOBENCARB	A-001	WAIVED	2011/10/05	< 1.000	
TOXAPHENE	39400	WAIVED	2000/04/19	.000	
REGULATED VOC					
1,1,1-TRICHLOROETHANE	34506	WAIVED	2011/08/03	< .500	
1,1,2,2-TETRACHLOROETHANE	34516	WAIVED	2011/08/03	< .500	
1,1,2-TRICHLORO-1,2,2-TRIFLUOROETHANE	81611	WAIVED	2011/08/03	< .500	
1,1,2-TRICHLOROETHANE	34511	WAIVED	2011/08/03	< .500	
1,1-DICHLOROETHANE	34496	WAIVED	2011/08/03	< .500	
1,1-DICHLOROETHYLENE	34501	WAIVED	2011/08/03	< .500	
1,2,4-TRICHLOROBENZENE	34551	WAIVED	2011/08/03	< .500	
1,2-DICHLOROBENZENE	34536	WAIVED	2011/08/03	< .500	
1,2-DICHLOROETHANE	34531	WAIVED	2011/08/03	< .500	
1,2-DICHLOROPROPANE	34541	WAIVED	2011/08/03	< .500	
1,3-DICHLOROPROPENE (TOTAL)	34561	WAIVED	2011/08/03	< .500	
1,4-DICHLOROBENZENE	34571	WAIVED	2011/08/03	< .500	
BENZENE	34030	WAIVED	2011/08/03	< .500	
CARBON TETRACHLORIDE	32102	WAIVED	2011/08/03	< .500	
CIS-1,2-DICHLOROETHYLENE	77093	WAIVED	2011/08/03	< .500	
DICHLOROMETHANE	34423	WAIVED	2011/08/03	< .500	
ETHYLBENZENE	34371	WAIVED	2011/08/03	< .500	
METHYL-TERT-BUTYL-ETHER (MTBE)	46491	WAIVED	2011/08/03	< 1.000	
MONOCHLOROBENZENE	34301	WAIVED	2011/08/03	< .500	

**Testing interval is in months;*
0 = No data for this constituent and is DUE NOW
999 = Waived testing (not required)
I = Invalid (NOT) valid analyses reported

System Number: ***1900903***

System Name: ***SLEEPY VALLEY WATER CO., INC.***

PS Code: ***1900903-001***

Source Name: ***WELL 01***

Source Number: ***001***

Source Status: ***ACTIVE UNTREATED***

Water type: ***GROUNDWATER OR WELL***

	STORET NUMBER	TESTING INTERVAL (MONTHS)*	LAST TEST DATE (yyyy/mm/dd)	LAST RESULT REPORTED	NEXT TEST DATE (yyyy/mm)
REGULATED VOC					
STYRENE	77128	WAIVED	2011/08/03	< .500	
TETRACHLOROETHYLENE	34475	WAIVED	2011/08/03	< .500	
TOLUENE	34010	WAIVED	2011/08/03	< .500	
TRANS-1,2-DICHLOROETHYLENE	34546	WAIVED	2011/08/03	< .500	
TRICHLOROETHYLENE	39180	WAIVED	2011/08/03	< .500	
TRICHLOROFLUOROMETHANE	34488	WAIVED	2011/08/03	< .500	
VINYL CHLORIDE	39175	WAIVED	2011/08/03	< .500	
XYLENES (TOTAL)	81551	WAIVED	2011/08/03	< .500	
SECONDARY/GP					
AGGRSSIVE INDEX (CORROSIVITY)	82383	WAIVED	2011/08/31	12.200	
BICARBONATE ALKALINITY	00440	WAIVED	2011/08/31	410.000	
CALCIUM	00916	WAIVED	2011/08/31	119.000	
CARBONATE ALKALINITY	00445	WAIVED	2011/08/31	< 10.000	
CHLORIDE	00940	WAIVED	2011/08/31	105.000	
COLOR	00081	WAIVED	2011/08/03	10.000	
COPPER	01042	WAIVED	2011/08/31	< 10.000	
FOAMING AGENTS (MBAS)	38260	WAIVED	2011/08/31	< .100	
HARDNESS (TOTAL) AS CACO3	00900	WAIVED	2011/08/31	499.000	
HYDROXIDE ALKALINITY	71830	WAIVED	2011/08/31	< 10.000	
IRON	01045	WAIVED	2011/08/31	< 50.000	
MAGNESIUM	00927	WAIVED	2011/08/31	49.000	
MANGANESE	01055	WAIVED	2011/08/31	< 10.000	
ODOR THRESHOLD @ 60 C	00086	WAIVED	2011/08/03	< 1.000	
PH, LABORATORY	00403	WAIVED	2011/08/31	7.200	
SILVER	01077	WAIVED	2011/08/03	< 1.000	
SODIUM	00929	WAIVED	2011/08/31	59.000	
SPECIFIC CONDUCTANCE	00095	WAIVED	2011/08/31	1180.000	
SULFATE	00945	WAIVED	2011/08/31	118.000	
TOTAL DISSOLVED SOLIDS	70300	WAIVED	2011/08/31	690.000	

**Testing interval is in months;*
0 = No data for this constituent and is DUE NOW
999 = Waived testing (not required)
I = Invalid (NOT) valid analyses reported

System Number: ***1900903***

System Name: ***SLEEPY VALLEY WATER CO., INC.***

PS Code: ***1900903-001***

Source Name: ***WELL 01***

Source Number: ***001***

Source Status: ***ACTIVE UNTREATED***

Water type: ***GROUNDWATER OR WELL***

	STORET NUMBER	TESTING INTERVAL (MONTHS)*	LAST TEST DATE (yyyy/mm/dd)	LAST RESULT REPORTED	NEXT TEST DATE (yyyy/mm)
SECONDARY/GP					
TURBIDITY, LABORATORY	82079	WAIVED	2011/08/03	.400	
ZINC	01092	WAIVED	2011/08/31	< 20.000	

PS Code: ***1900903-002***

Source Name: ***WELL 02***

Source Number: ***002***

Source Status: ***ACTIVE UNTREATED***

Water type: ***GROUNDWATER OR WELL***

GENERAL NON CHAP 15					
DIAZINON	39570	WAIVED	2000/04/19	.000	
INORGANIC					
ALUMINUM	01105	WAIVED	2011/08/03	< 10.000	
ANTIMONY	01097	WAIVED	2011/08/03	< 1.000	
ARSENIC	01002	WAIVED	2011/08/03	< 2.000	
ASBESTOS	81855	WAIVED	2011/10/05	< .200	
BARIUM	01007	WAIVED	2011/08/03	83.100	
BERYLLIUM	01012	WAIVED	2011/08/03	< 1.000	
CADMIUM	01027	WAIVED	2011/08/03	< 1.000	
CHROMIUM (TOTAL)	01034	WAIVED	2011/08/03	2.000	
CYANIDE	01291	WAIVED	2011/10/05	< .004	
FLUORIDE (F) (NATURAL-SOURCE)	00951	WAIVED	2011/08/31	.400	
LEAD	01051	WAIVED	2011/08/03	1.100	
MERCURY	71900	WAIVED	2011/08/03	.020	
NICKEL	01067	WAIVED	2011/08/03	< 1.000	
PERCHLORATE	A-031	WAIVED	2011/10/05	< 2.000	
SELENIUM	01147	WAIVED	2011/08/03	3.000	
THALLIUM	01059	WAIVED	2011/08/03	< 1.000	

**Testing interval is in months;*
0 = No data for this constituent and is DUE NOW
999 = Waived testing (not required)
I = Invalid (NOT) valid analyses reported

System Number: ***1900903***

System Name: ***SLEEPY VALLEY WATER CO., INC.***

PS Code: ***1900903-002***

Source Name: ***WELL 02***

Source Number: ***002***

Source Status: ***ACTIVE UNTREATED***

Water type: ***GROUNDWATER OR WELL***

	STORET NUMBER	TESTING INTERVAL (MONTHS)*	LAST TEST DATE (yyyy/mm/dd)	LAST RESULT REPORTED	NEXT TEST DATE (yyyy/mm)
NITRATE/NITRITE					
NITRATE (AS NO3)	71850	WAIVED	2011/08/31	30.800	
NITRITE (AS N)	00620	WAIVED	2011/08/31	< .100	
RADIOLOGICAL					
GROSS ALPHA	01501	WAIVED	2009/11/04	6.860	
GROSS BETA	03501	WAIVED			
RA-226 FOR CWS OR TOTAL RA FOR NTNC BY 903.0	A-080	WAIVED			
RA-226 OR TOTAL RA BY 903.0 C.E.	A-081	WAIVED			
RADIUM 226	09501	WAIVED			
RADIUM 228	11501	WAIVED			
RADIUM, TOTAL, MDA95-NTNC ONLY, BY 903.0	A-082	WAIVED			
STRONTIUM-90	13501	WAIVED			
TRITIUM	07000	WAIVED			
URANIUM (PCI/L)	28012	WAIVED	2009/11/04	1.340	
REGULATED SOC					
2,3,7,8-TCDD (DIOXIN)	34676	WAIVED			
2,4,5-TP (SILVEX)	39045	WAIVED			
2,4-D	39730	WAIVED			
ALACHLOR	77825	WAIVED	2000/04/19	.000	
ATRAZINE	39033	WAIVED	2000/04/19	.000	
BENTAZON	38710	WAIVED			
BENZO (A) PYRENE	34247	WAIVED			
CARBOFURAN	81405	WAIVED			
CHLORDANE	39350	WAIVED	2000/04/19	.000	
DALAPON	38432	WAIVED			
DI(2-ETHYLHEXYL)ADIPATE	A-026	WAIVED			
DI(2-ETHYLHEXYL)PHTHALATE	39100	WAIVED	2011/10/05	< 3.000	
DIBROMOCHLOROPROPANE (DBCP)	38761	WAIVED			
DINOSEB	81287	WAIVED			
DIQUAT	78885	WAIVED			

**Testing interval is in months;*
0 = No data for this constituent and is DUE NOW
999 = Waived testing (not required)
I = Invalid (NOT) valid analyses reported

System Number: 1900903
System Name: SLEEPY VALLEY WATER CO., INC.

PS Code: 1900903-002
Source Name: WELL 02
Source Number: 002
Source Status: ACTIVE UNTREATED
Water type: GROUNDWATER OR WELL

	STORET NUMBER	TESTING INTERVAL (MONTHS)*	LAST TEST DATE (yyyy/mm/dd)	LAST RESULT REPORTED	NEXT TEST DATE (yyyy/mm)
REGULATED SOC					
ENDOTHALL	38926	WAIVED			
ENDRIN	39390	WAIVED	2000/04/19	.000	
ETHYLENE DIBROMIDE (EDB)	77651	WAIVED			
GLYPHOSATE	79743	WAIVED			
HEPTACHLOR	39410	WAIVED	2000/04/19	.000	
HEPTACHLOR EPOXIDE	39420	WAIVED	2000/04/19	.000	
HEXACHLOROBENZENE	39700	WAIVED	2000/04/19	.000	
HEXACHLOROCYCLOPENTADIENE	34386	WAIVED	2000/04/19	.000	
LINDANE	39340	WAIVED	2000/04/19	.000	
METHOXYCHLOR	39480	WAIVED	2000/04/19	.000	
MOLINATE	82199	WAIVED	2000/04/19	.000	
OXAMYL	38865	WAIVED			
PENTACHLOROPHENOL	39032	WAIVED			
PICLORAM	39720	WAIVED			
POLYCHLORINATED BIPHENYLS, TOTAL, AS DCB	39516	WAIVED	2000/04/19	.000	
SIMAZINE	39055	WAIVED	2000/04/19	.000	
THIOBENCARB	A-001	WAIVED	2011/10/05	< 1.000	
TOXAPHENE	39400	WAIVED	2000/04/19	.000	
REGULATED VOC					
1,1,1-TRICHLOROETHANE	34506	WAIVED	2011/08/03	< .500	
1,1,2,2-TETRACHLOROETHANE	34516	WAIVED	2011/08/03	< .500	
1,1,2-TRICHLORO-1,2,2-TRIFLUOROETHANE	81611	WAIVED	2011/08/03	< .500	
1,1,2-TRICHLOROETHANE	34511	WAIVED	2011/08/03	< .500	
1,1-DICHLOROETHANE	34496	WAIVED	2011/08/03	< .500	
1,1-DICHLOROETHYLENE	34501	WAIVED	2011/08/03	< .500	
1,2,4-TRICHLOROBENZENE	34551	WAIVED	2011/08/03	< .500	
1,2-DICHLOROBENZENE	34536	WAIVED	2011/08/03	< .500	
1,2-DICHLOROETHANE	34531	WAIVED	2011/08/03	< .500	
1,2-DICHLOROPROPANE	34541	WAIVED	2011/08/03	< .500	

**Testing interval is in months;*
0 = No data for this constituent and is DUE NOW
999 = Waived testing (not required)
I = Invalid (NOT) valid analyses reported

System Number: ***1900903***

System Name: ***SLEEPY VALLEY WATER CO., INC.***

PS Code: ***1900903-002***

Source Name: ***WELL 02***

Source Number: ***002***

Source Status: ***ACTIVE UNTREATED***

Water type: ***GROUNDWATER OR WELL***

	STORET NUMBER	TESTING INTERVAL (MONTHS)*	LAST TEST DATE (yyyy/mm/dd)	LAST RESULT REPORTED	NEXT TEST DATE (yyyy/mm)
REGULATED VOC					
1,3-DICHLOROPROPENE (TOTAL)	34561	WAIVED	2011/08/03	< .500	
1,4-DICHLOROBENZENE	34571	WAIVED	2011/08/03	< .500	
BENZENE	34030	WAIVED	2011/08/03	< .500	
CARBON TETRACHLORIDE	32102	WAIVED	2011/08/03	< .500	
CIS-1,2-DICHLOROETHYLENE	77093	WAIVED	2011/08/03	< .500	
DICHLOROMETHANE	34423	WAIVED	2011/08/03	< .500	
ETHYLBENZENE	34371	WAIVED	2011/08/03	< .500	
METHYL-TERT-BUTYL-ETHER (MTBE)	46491	WAIVED	2011/08/03	< 1.000	
MONOCHLOROBENZENE	34301	WAIVED	2011/08/03	< .500	
STYRENE	77128	WAIVED	2011/08/03	< .500	
TETRACHLOROETHYLENE	34475	WAIVED	2011/08/03	< .500	
TOLUENE	34010	WAIVED	2011/08/03	< .500	
TRANS-1,2-DICHLOROETHYLENE	34546	WAIVED	2011/08/03	< .500	
TRICHLOROETHYLENE	39180	WAIVED	2011/08/03	< .500	
TRICHLOROFLUOROMETHANE	34488	WAIVED	2011/08/03	< .500	
VINYL CHLORIDE	39175	WAIVED	2011/08/03	< .500	
XYLENES (TOTAL)	81551	WAIVED	2011/08/03	< .500	
SECONDARY/GP					
AGGRSSIVE INDEX (CORROSIVITY)	82383	WAIVED	2011/08/31	11.900	
BICARBONATE ALKALINITY	00440	WAIVED	2011/08/31	410.000	
CALCIUM	00916	WAIVED	2011/08/31	118.000	
CARBONATE ALKALINITY	00445	WAIVED	2011/08/31	< 10.000	
CHLORIDE	00940	WAIVED	2011/08/31	107.000	
COLOR	00081	WAIVED	2011/08/03	9.000	
COPPER	01042	WAIVED	2011/08/31	< 10.000	
FOAMING AGENTS (MBAS)	38260	WAIVED	2011/08/31	< .100	
HARDNESS (TOTAL) AS CACO3	00900	WAIVED	2011/08/31	492.000	
HYDROXIDE ALKALINITY	71830	WAIVED	2011/08/31	< 10.000	
IRON	01045	WAIVED	2011/08/31	110.000	

**Testing interval is in months;*
0 = No data for this constituent and is DUE NOW
999 = Waived testing (not required)
I = Invalid (NOT) valid analyses reported

System Number: ***1900903***

System Name: ***SLEEPY VALLEY WATER CO., INC.***

PS Code: ***1900903-002***

Source Name: ***WELL 02***

Source Number: ***002***

Source Status: ***ACTIVE UNTREATED***

Water type: ***GROUNDWATER OR WELL***

SECONDARY/GP

	STORET NUMBER	TESTING INTERVAL (MONTHS)*	LAST TEST DATE (yyyy/mm/dd)	LAST RESULT REPORTED	NEXT TEST DATE (yyyy/mm)
MAGNESIUM	00927	WAIVED	2011/08/31	48.000	
MANGANESE	01055	WAIVED	2011/08/31	< 10.000	
ODOR THRESHOLD @ 60 C	00086	WAIVED	2011/08/03	< 1.000	
PH, LABORATORY	00403	WAIVED	2011/08/31	6.900	
SILVER	01077	WAIVED	2011/08/03	< 1.000	
SODIUM	00929	WAIVED	2011/08/31	59.000	
SPECIFIC CONDUCTANCE	00095	WAIVED	2011/08/31	1180.000	
SULFATE	00945	WAIVED	2011/08/31	121.000	
TOTAL DISSOLVED SOLIDS	70300	WAIVED	2011/08/31	710.000	
TURBIDITY, LABORATORY	82079	WAIVED	2011/08/03	< .200	
ZINC	01092	WAIVED	2011/08/31	< 20.000	

**Testing interval is in months;*
0 = No data for this constituent and is DUE NOW
999 = Waived testing (not required)
I = Invalid (NOT) valid analyses reported

System Number: 1900904
System Name: ACTON CONSERVATION CAMP # 11

PS Code: 1900904-001
Source Name: WELL 01
Source Number: 001
Source Status: ACTIVE UNTREATED
Water type: GROUNDWATER OR WELL

	STORET NUMBER	TESTING INTERVAL (MONTHS)*	LAST TEST DATE (yyyy/mm/dd)	LAST RESULT REPORTED	NEXT TEST DATE (yyyy/mm)
GENERAL NON CHAP 15					
DIAZINON	39570	WAIVED	2010/01/25	.000	
INORGANIC					
ALUMINUM	01105	WAIVED	2010/01/25	.000	
ANTIMONY	01097	WAIVED	2010/01/25	.000	
ARSENIC	01002	WAIVED	2010/01/25	.000	
ASBESTOS	81855	WAIVED			
BARIUM	01007	WAIVED	2010/01/25	.000	
BERYLLIUM	01012	WAIVED	2010/01/25	.000	
CADMIUM	01027	WAIVED	2010/01/25	.000	
CHROMIUM (TOTAL)	01034	WAIVED	2010/01/25	.000	
CYANIDE	01291	WAIVED	2010/01/25	.000	
FLUORIDE (F) (NATURAL-SOURCE)	00951	WAIVED	2010/01/25	.198	
LEAD	01051	WAIVED	2010/01/25	.000	
MERCURY	71900	WAIVED	2010/01/25	.000	
NICKEL	01067	WAIVED	2010/01/25	.000	
PERCHLORATE	A-031	WAIVED	2010/01/25	.000	
SELENIUM	01147	WAIVED	2010/01/25	.000	
THALLIUM	01059	WAIVED	2010/01/25	.000	
NITRATE/NITRITE					
NITRATE (AS NO3)	71850	WAIVED	2010/11/17	< 2.000	
NITRITE (AS N)	00620	WAIVED	2010/01/25	.000	
RADIOLOGICAL					
GROSS ALPHA	01501	WAIVED	2010/01/25	3.180	
GROSS BETA	03501	WAIVED	2010/01/25	1.570	
RA-226 FOR CWS OR TOTAL RA FOR NTNC BY 903.0	A-080	WAIVED			
RA-226 OR TOTAL RA BY 903.0 C.E.	A-081	WAIVED			
RADIUM 226	09501	WAIVED			
RADIUM 228	11501	WAIVED	2010/01/25	.000	

**Testing interval is in months;*
0 = No data for this constituent and is DUE NOW
999 = Waived testing (not required)
I = Invalid (NOT) valid analyses reported

System Number: ***1900904***

System Name: ***ACTON CONSERVATION CAMP # 11***

PS Code: ***1900904-001***

Source Name: ***WELL 01***

Source Number: ***001***

Source Status: ***ACTIVE UNTREATED***

Water type: ***GROUNDWATER OR WELL***

	STORET NUMBER	TESTING INTERVAL (MONTHS)*	LAST TEST DATE (yyyy/mm/dd)	LAST RESULT REPORTED	NEXT TEST DATE (yyyy/mm)
RADIOLOGICAL					
RADIUM, TOTAL, MDA95-NTNC ONLY, BY 903.0	A-082	WAIVED			
STRONTIUM-90	13501	WAIVED			
TRITIUM	07000	WAIVED			
URANIUM (PCI/L)	28012	WAIVED	2010/01/25	.186	
REGULATED SOC					
2,3,7,8-TCDD (DIOXIN)	34676	WAIVED			
2,4,5-TP (SILVEX)	39045	WAIVED	2010/01/25	.000	
2,4-D	39730	WAIVED	2010/01/25	.000	
ALACHLOR	77825	WAIVED	2010/01/25	.000	
ATRAZINE	39033	WAIVED	2010/01/25	.000	
BENTAZON	38710	WAIVED	2010/01/25	.000	
BENZO (A) PYRENE	34247	WAIVED	2010/01/25	.000	
CARBOFURAN	81405	WAIVED	2010/01/25	.000	
CHLORDANE	39350	WAIVED	2010/01/25	.000	
DALAPON	38432	WAIVED	2010/01/25	.000	
DI(2-ETHYLHEXYL)ADIPATE	A-026	WAIVED	2010/01/25	.000	
DI(2-ETHYLHEXYL)PHTHALATE	39100	WAIVED	2010/01/25	.000	
DIBROMOCHLOROPROPANE (DBCP)	38761	WAIVED	2010/01/25	.000	
DINOSEB	81287	WAIVED	2010/01/25	.000	
DIQUAT	78885	WAIVED	2010/01/25	.000	
ENDOTHALL	38926	WAIVED	2010/01/25	.000	
ENDRIN	39390	WAIVED	2010/01/25	.000	
ETHYLENE DIBROMIDE (EDB)	77651	WAIVED	2010/01/25	.000	
GLYPHOSATE	79743	WAIVED	2010/01/25	.000	
HEPTACHLOR	39410	WAIVED	2010/01/25	.000	
HEPTACHLOR EPOXIDE	39420	WAIVED	2010/01/25	.000	
HEXACHLOROBENZENE	39700	WAIVED	2010/01/25	.000	
HEXACHLOROCYCLOPENTADIENE	34386	WAIVED	2010/01/25	.000	
LINDANE	39340	WAIVED	2010/01/25	.000	

**Testing interval is in months;*
0 = No data for this constituent and is DUE NOW
999 = Waived testing (not required)
I = Invalid (NOT) valid analyses reported

System Number: 1900904
System Name: ACTON CONSERVATION CAMP # 11

PS Code: 1900904-001
Source Name: WELL 01
Source Number: 001
Source Status: ACTIVE UNTREATED
Water type: GROUNDWATER OR WELL

	STORET NUMBER	TESTING INTERVAL (MONTHS)*	LAST TEST DATE (yyyy/mm/dd)	LAST RESULT REPORTED	NEXT TEST DATE (yyyy/mm)
REGULATED SOC					
METHOXYCHLOR	39480	WAIVED	2010/01/25	.000	
MOLINATE	82199	WAIVED	2010/01/25	.000	
OXAMYL	38865	WAIVED	2010/01/25	.000	
PENTACHLOROPHENOL	39032	WAIVED	2010/01/25	.000	
PICLORAM	39720	WAIVED	2010/01/25	.000	
POLYCHLORINATED BIPHENYLS, TOTAL, AS DCB	39516	WAIVED	2010/01/25	.000	
SIMAZINE	39055	WAIVED	2010/01/25	.000	
THIOBENCARB	A-001	WAIVED	2010/01/25	.000	
TOXAPHENE	39400	WAIVED	2010/01/25	.000	
REGULATED VOC					
1,1,1-TRICHLOROETHANE	34506	WAIVED	2010/01/25	.000	
1,1,2,2-TETRACHLOROETHANE	34516	WAIVED	2010/01/25	.000	
1,1,2-TRICHLORO-1,2,2-TRIFLUOROETHANE	81611	WAIVED	2010/01/25	.000	
1,1,2-TRICHLOROETHANE	34511	WAIVED	2010/01/25	.000	
1,1-DICHLOROETHANE	34496	WAIVED	2010/01/25	.000	
1,1-DICHLOROETHYLENE	34501	WAIVED	2010/01/25	.000	
1,2,4-TRICHLOROBENZENE	34551	WAIVED	2010/01/25	.000	
1,2-DICHLOROBENZENE	34536	WAIVED	2010/01/25	.000	
1,2-DICHLOROETHANE	34531	WAIVED	2010/01/25	.000	
1,2-DICHLOROPROPANE	34541	WAIVED	2010/01/25	.000	
1,3-DICHLOROPROPENE (TOTAL)	34561	WAIVED	2010/01/25	.000	
1,4-DICHLOROBENZENE	34571	WAIVED	2010/01/25	.000	
BENZENE	34030	WAIVED	2010/01/25	.000	
CARBON TETRACHLORIDE	32102	WAIVED	2010/01/25	.000	
CIS-1,2-DICHLOROETHYLENE	77093	WAIVED	2010/01/25	.000	
DICHLOROMETHANE	34423	WAIVED	2010/01/25	.000	
ETHYLBENZENE	34371	WAIVED	2010/01/25	.000	
METHYL-TERT-BUTYL-ETHER (MTBE)	46491	WAIVED	2010/01/25	.000	
MONOCHLOROBENZENE	34301	WAIVED	2010/01/25	.000	

**Testing interval is in months;*
0 = No data for this constituent and is DUE NOW
999 = Waived testing (not required)
I = Invalid (NOT) valid analyses reported

System Number: 1900904
System Name: ACTON CONSERVATION CAMP # 11

PS Code: 1900904-001
Source Name: WELL 01
Source Number: 001
Source Status: ACTIVE UNTREATED
Water type: GROUNDWATER OR WELL

	STORET NUMBER	TESTING INTERVAL (MONTHS)*	LAST TEST DATE (yyyy/mm/dd)	LAST RESULT REPORTED	NEXT TEST DATE (yyyy/mm)
REGULATED VOC					
STYRENE	77128	WAIVED	2010/01/25	.000	
TETRACHLOROETHYLENE	34475	WAIVED	2010/01/25	.000	
TOLUENE	34010	WAIVED	2010/01/25	.000	
TRANS-1,2-DICHLOROETHYLENE	34546	WAIVED	2010/01/25	.000	
TRICHLOROETHYLENE	39180	WAIVED	2010/01/25	.000	
TRICHLOROFLUOROMETHANE	34488	WAIVED	2010/01/25	.000	
VINYL CHLORIDE	39175	WAIVED	2010/01/25	.000	
XYLENES (TOTAL)	81551	WAIVED	2010/01/25	.000	
SECONDARY/GP					
AGGRSSIVE INDEX (CORROSIVITY)	82383	WAIVED			
BICARBONATE ALKALINITY	00440	WAIVED	2010/01/25	289.000	
CALCIUM	00916	WAIVED	2010/01/25	96.000	
CARBONATE ALKALINITY	00445	WAIVED	2010/01/25	.000	
CHLORIDE	00940	WAIVED	2010/01/25	69.200	
COLOR	00081	WAIVED	2010/01/25	.000	
COPPER	01042	WAIVED	2010/01/25	.000	
FOAMING AGENTS (MBAS)	38260	WAIVED	2010/01/25	.000	
HARDNESS (TOTAL) AS CACO3	00900	WAIVED	2010/01/25	370.000	
HYDROXIDE ALKALINITY	71830	WAIVED	2010/01/25	.000	
IRON	01045	WAIVED	2010/01/25	.000	
MAGNESIUM	00927	WAIVED	2010/01/25	32.000	
MANGANESE	01055	WAIVED	2010/01/25	.000	
ODOR THRESHOLD @ 60 C	00086	WAIVED	2010/01/25	.000	
PH, LABORATORY	00403	WAIVED	2010/01/25	7.270	
SILVER	01077	WAIVED	2010/01/25	.000	
SODIUM	00929	WAIVED	2010/01/25	61.500	
SPECIFIC CONDUCTANCE	00095	WAIVED	2010/01/25	830.000	
SULFATE	00945	WAIVED	2010/01/25	105.000	
TOTAL DISSOLVED SOLIDS	70300	WAIVED	2010/01/25	568.000	

**Testing interval is in months;*
0 = No data for this constituent and is DUE NOW
999 = Waived testing (not required)
I = Invalid (NOT) valid analyses reported

System Number: ***1900904***

System Name: ***ACTON CONSERVATION CAMP # 11***

PS Code: ***1900904-001***

Source Name: ***WELL 01***

Source Number: ***001***

Source Status: ***ACTIVE UNTREATED***

Water type: ***GROUNDWATER OR WELL***

	STORET NUMBER	TESTING INTERVAL (MONTHS)*	LAST TEST DATE (yyyy/mm/dd)	LAST RESULT REPORTED	NEXT TEST DATE (yyyy/mm)
SECONDARY/GP					
TURBIDITY, LABORATORY	82079	WAIVED	2010/01/25	.480	
ZINC	01092	WAIVED	2010/01/25	.000	

PS Code: ***1900904-002***

Source Name: ***AUTOMATIC CHLORINATION UNIT***

Source Number: ***002***

Source Status: ***ACTIVE TREATED***

Water type: ***GROUNDWATER OR WELL***

GENERAL NON CHAP 15					
DIAZINON	39570	WAIVED			
INORGANIC					
ALUMINUM	01105	WAIVED			
ANTIMONY	01097	WAIVED			
ARSENIC	01002	WAIVED			
ASBESTOS	81855	WAIVED			
BARIUM	01007	WAIVED			
BERYLLIUM	01012	WAIVED			
CADMIUM	01027	WAIVED			
CHROMIUM (TOTAL)	01034	WAIVED			
CYANIDE	01291	WAIVED			
FLUORIDE (F) (NATURAL-SOURCE)	00951	WAIVED			
LEAD	01051	WAIVED			
MERCURY	71900	WAIVED			
NICKEL	01067	WAIVED			
PERCHLORATE	A-031	WAIVED			
SELENIUM	01147	WAIVED			
THALLIUM	01059	WAIVED			

**Testing interval is in months;*
0 = No data for this constituent and is DUE NOW
999 = Waived testing (not required)
I = Invalid (NOT) valid analyses reported

System Number: ***1900904***

System Name: ***ACTON CONSERVATION CAMP # 11***

PS Code: ***1900904-002***

Source Name: ***AUTOMATIC CHLORINATION UNIT***

Source Number: ***002***

Source Status: ***ACTIVE TREATED***

Water type: ***GROUNDWATER OR WELL***

	STORET NUMBER	TESTING INTERVAL (MONTHS)*	LAST TEST DATE (yyyy/mm/dd)	LAST RESULT REPORTED	NEXT TEST DATE (yyyy/mm)
NITRATE/NITRITE					
NITRATE (AS NO3)	71850	WAIVED			
NITRITE (AS N)	00620	WAIVED			
RADIOLOGICAL					
GROSS ALPHA	01501	WAIVED			
GROSS BETA	03501	WAIVED			
RA-226 FOR CWS OR TOTAL RA FOR NTNC BY 903.0	A-080	WAIVED			
RA-226 OR TOTAL RA BY 903.0 C.E.	A-081	WAIVED			
RADIUM 226	09501	WAIVED			
RADIUM 228	11501	WAIVED			
RADIUM, TOTAL, MDA95-NTNC ONLY, BY 903.0	A-082	WAIVED			
STRONTIUM-90	13501	WAIVED			
TRITIUM	07000	WAIVED			
URANIUM (PCI/L)	28012	WAIVED			
REGULATED SOC					
2,3,7,8-TCDD (DIOXIN)	34676	WAIVED			
2,4,5-TP (SILVEX)	39045	WAIVED			
2,4-D	39730	WAIVED			
ALACHLOR	77825	WAIVED			
ATRAZINE	39033	WAIVED			
BENTAZON	38710	WAIVED			
BENZO (A) PYRENE	34247	WAIVED			
CARBOFURAN	81405	WAIVED			
CHLORDANE	39350	WAIVED			
DALAPON	38432	WAIVED			
DI(2-ETHYLHEXYL)ADIPATE	A-026	WAIVED			
DI(2-ETHYLHEXYL)PHTHALATE	39100	WAIVED			
DIBROMOCHLOROPROPANE (DBCP)	38761	WAIVED			
DINOSEB	81287	WAIVED			
DIQUAT	78885	WAIVED			

**Testing interval is in months;*
0 = No data for this constituent and is DUE NOW
999 = Waived testing (not required)
I = Invalid (NOT) valid analyses reported

System Number: 1900904
System Name: ACTON CONSERVATION CAMP # 11

PS Code: 1900904-002
Source Name: AUTOMATIC CHLORINATION UNIT
Source Number: 002
Source Status: ACTIVE TREATED
Water type: GROUNDWATER OR WELL

	STORET NUMBER	TESTING INTERVAL (MONTHS)*	LAST TEST DATE (yyyy/mm/dd)	LAST RESULT REPORTED	NEXT TEST DATE (yyyy/mm)
REGULATED SOC					
ENDOTHALL	38926	WAIVED			
ENDRIN	39390	WAIVED			
ETHYLENE DIBROMIDE (EDB)	77651	WAIVED			
GLYPHOSATE	79743	WAIVED			
HEPTACHLOR	39410	WAIVED			
HEPTACHLOR EPOXIDE	39420	WAIVED			
HEXACHLOROBENZENE	39700	WAIVED			
HEXACHLOROCYCLOPENTADIENE	34386	WAIVED			
LINDANE	39340	WAIVED			
METHOXYCHLOR	39480	WAIVED			
MOLINATE	82199	WAIVED			
OXAMYL	38865	WAIVED			
PENTACHLOROPHENOL	39032	WAIVED			
PICLORAM	39720	WAIVED			
POLYCHLORINATED BIPHENYLS, TOTAL, AS DCB	39516	WAIVED			
SIMAZINE	39055	WAIVED			
THIOBENCARB	A-001	WAIVED			
TOXAPHENE	39400	WAIVED			
REGULATED VOC					
1,1,1-TRICHLOROETHANE	34506	WAIVED			
1,1,2,2-TETRACHLOROETHANE	34516	WAIVED			
1,1,2-TRICHLORO-1,2,2-TRIFLUOROETHANE	81611	WAIVED			
1,1,2-TRICHLOROETHANE	34511	WAIVED			
1,1-DICHLOROETHANE	34496	WAIVED			
1,1-DICHLOROETHYLENE	34501	WAIVED			
1,2,4-TRICHLOROBENZENE	34551	WAIVED			
1,2-DICHLOROBENZENE	34536	WAIVED			
1,2-DICHLOROETHANE	34531	WAIVED			
1,2-DICHLOROPROPANE	34541	WAIVED			

**Testing interval is in months;*
0 = No data for this constituent and is DUE NOW
999 = Waived testing (not required)
I = Invalid (NOT) valid analyses reported

System Number: ***1900904***

System Name: ***ACTON CONSERVATION CAMP # 11***

PS Code: ***1900904-002***

Source Name: ***AUTOMATIC CHLORINATION UNIT***

Source Number: ***002***

Source Status: ***ACTIVE TREATED***

Water type: ***GROUNDWATER OR WELL***

	STORET NUMBER	TESTING INTERVAL (MONTHS)*	LAST TEST DATE (yyyy/mm/dd)	LAST RESULT REPORTED	NEXT TEST DATE (yyyy/mm)
REGULATED VOC					
1,3-DICHLOROPROPENE (TOTAL)	34561	WAIVED			
1,4-DICHLOROBENZENE	34571	WAIVED			
BENZENE	34030	WAIVED			
CARBON TETRACHLORIDE	32102	WAIVED			
CIS-1,2-DICHLOROETHYLENE	77093	WAIVED			
DICHLOROMETHANE	34423	WAIVED			
ETHYLBENZENE	34371	WAIVED			
METHYL-TERT-BUTYL-ETHER (MTBE)	46491	WAIVED			
MONOCHLOROBENZENE	34301	WAIVED			
STYRENE	77128	WAIVED			
TETRACHLOROETHYLENE	34475	WAIVED			
TOLUENE	34010	WAIVED			
TRANS-1,2-DICHLOROETHYLENE	34546	WAIVED			
TRICHLOROETHYLENE	39180	WAIVED			
TRICHLOROFLUOROMETHANE	34488	WAIVED			
VINYL CHLORIDE	39175	WAIVED			
XYLENES (TOTAL)	81551	WAIVED			
SECONDARY/GP					
AGGRSSIVE INDEX (CORROSIVITY)	82383	WAIVED			
BICARBONATE ALKALINITY	00440	WAIVED			
CALCIUM	00916	WAIVED			
CARBONATE ALKALINITY	00445	WAIVED			
CHLORIDE	00940	WAIVED			
COLOR	00081	WAIVED			
COPPER	01042	WAIVED			
FOAMING AGENTS (MBAS)	38260	WAIVED			
HARDNESS (TOTAL) AS CACO3	00900	WAIVED			
HYDROXIDE ALKALINITY	71830	WAIVED			
IRON	01045	WAIVED			

**Testing interval is in months;*
0 = No data for this constituent and is DUE NOW
999 = Waived testing (not required)
I = Invalid (NOT) valid analyses reported

System Number: ***1900904***

System Name: ***ACTON CONSERVATION CAMP # 11***

PS Code: ***1900904-002***

Source Name: ***AUTOMATIC CHLORINATION UNIT***

Source Number: ***002***

Source Status: ***ACTIVE TREATED***

Water type: ***GROUNDWATER OR WELL***

SECONDARY/GP

	STORET NUMBER	TESTING INTERVAL (MONTHS)*	LAST TEST DATE (yyyy/mm/dd)	LAST RESULT REPORTED	NEXT TEST DATE (yyyy/mm)
MAGNESIUM	00927	WAIVED			
MANGANESE	01055	WAIVED			
ODOR THRESHOLD @ 60 C	00086	WAIVED			
PH, LABORATORY	00403	WAIVED			
SILVER	01077	WAIVED			
SODIUM	00929	WAIVED			
SPECIFIC CONDUCTANCE	00095	WAIVED			
SULFATE	00945	WAIVED			
TOTAL DISSOLVED SOLIDS	70300	WAIVED			
TURBIDITY, LABORATORY	82079	WAIVED			
ZINC	01092	WAIVED			

**Testing interval is in months;*
0 = No data for this constituent and is DUE NOW
999 = Waived testing (not required)
I = Invalid (NOT) valid analyses reported

System Number: 1900907
System Name: SHERWOOD MOBILE HOME PARK

PS Code: 1900907-001
Source Name: WELL 03 PRIMARY #1
Source Number: 001
Source Status: ACTIVE UNTREATED
Water type: GROUNDWATER OR WELL

	STORET NUMBER	TESTING INTERVAL (MONTHS)*	LAST TEST DATE (yyyy/mm/dd)	LAST RESULT REPORTED	NEXT TEST DATE (yyyy/mm)
GENERAL NON CHAP 15					
DIAZINON	39570	WAIVED			
INORGANIC					
ALUMINUM	01105	WAIVED	2011/03/15	< .000	
ANTIMONY	01097	WAIVED	2011/03/15	< .000	
ARSENIC	01002	WAIVED	2011/03/15	< .000	
ASBESTOS	81855	WAIVED	2011/03/15	.000	
BARIUM	01007	WAIVED	2011/03/15	< .000	
BERYLLIUM	01012	WAIVED	2011/03/15	< .000	
CADMIUM	01027	WAIVED	2011/03/15	< .000	
CHROMIUM (TOTAL)	01034	WAIVED	2011/03/15	14.000	
CYANIDE	01291	WAIVED	2011/03/15	< .000	
FLUORIDE (F) (NATURAL-SOURCE)	00951	WAIVED	2011/03/15	.330	
LEAD	01051	WAIVED	2011/03/15	< .000	
MERCURY	71900	WAIVED	2011/03/15	< .000	
NICKEL	01067	WAIVED	2011/03/15	< .000	
PERCHLORATE	A-031	WAIVED	2011/10/19	< .000	
SELENIUM	01147	WAIVED	2011/03/15	< .000	
THALLIUM	01059	WAIVED	2011/03/15	< .000	
NITRATE/NITRITE					
NITRATE (AS NO3)	71850	WAIVED	2011/03/15	4.200	
NITRITE (AS N)	00620	WAIVED	2011/03/15	< .000	
RADIOLOGICAL					
GROSS ALPHA	01501	WAIVED	2011/03/15	< .000	
GROSS BETA	03501	WAIVED	2011/03/15	< 4.000	
RA-226 FOR CWS OR TOTAL RA FOR NTNC BY 903.0	A-080	WAIVED			
RA-226 OR TOTAL RA BY 903.0 C.E.	A-081	WAIVED			
RADIUM 226	09501	WAIVED	2011/03/15	< 1.000	
RADIUM 228	11501	WAIVED	2011/03/15	< 1.000	

**Testing interval is in months;*
0 = No data for this constituent and is DUE NOW
999 = Waived testing (not required)
I = Invalid (NOT) valid analyses reported

System Number: 1900907
System Name: SHERWOOD MOBILE HOME PARK

PS Code: 1900907-001
Source Name: WELL 03 PRIMARY #1
Source Number: 001
Source Status: ACTIVE UNTREATED
Water type: GROUNDWATER OR WELL

	STORET NUMBER	TESTING INTERVAL (MONTHS)*	LAST TEST DATE (yyyy/mm/dd)	LAST RESULT REPORTED	NEXT TEST DATE (yyyy/mm)
RADIOLOGICAL					
RADIUM, TOTAL, MDA95-NTNC ONLY, BY 903.0	A-082	WAIVED			
STRONTIUM-90	13501	WAIVED			
TRITIUM	07000	WAIVED			
URANIUM (PCI/L)	28012	WAIVED	2011/03/15	< .000	
REGULATED SOC					
2,3,7,8-TCDD (DIOXIN)	34676	WAIVED			
2,4,5-TP (SILVEX)	39045	WAIVED			
2,4-D	39730	WAIVED			
ALACHLOR	77825	WAIVED	2001/06/19	.000	
ATRAZINE	39033	WAIVED	1995/04/03	.000	
BENTAZON	38710	WAIVED			
BENZO (A) PYRENE	34247	WAIVED	1995/04/03	.000	
CARBOFURAN	81405	WAIVED	1995/04/03	.000	
CHLORDANE	39350	WAIVED	2001/06/19	.000	
DALAPON	38432	WAIVED			
DI(2-ETHYLHEXYL)ADIPATE	A-026	WAIVED	1995/04/03	.000	
DI(2-ETHYLHEXYL)PHTHALATE	39100	WAIVED	2001/06/19	.000	
DIBROMOCHLOROPROPANE (DBCP)	38761	WAIVED	1995/04/03	.000	
DINOSEB	81287	WAIVED			
DIQUAT	78885	WAIVED			
ENDOTHALL	38926	WAIVED			
ENDRIN	39390	WAIVED	2001/06/19	.000	
ETHYLENE DIBROMIDE (EDB)	77651	WAIVED	1995/04/03	.000	
GLYPHOSATE	79743	WAIVED	1995/04/03	.000	
HEPTACHLOR	39410	WAIVED	2001/06/19	.000	
HEPTACHLOR EPOXIDE	39420	WAIVED	2001/06/19	.000	
HEXACHLOROBENZENE	39700	WAIVED	2001/06/19	.000	
HEXACHLOROCYCLOPENTADIENE	34386	WAIVED	2001/06/19	.000	
LINDANE	39340	WAIVED	2001/06/19	.000	

**Testing interval is in months;*
0 = No data for this constituent and is DUE NOW
999 = Waived testing (not required)
I = Invalid (NOT) valid analyses reported

System Number: 1900907
System Name: SHERWOOD MOBILE HOME PARK

PS Code: 1900907-001
Source Name: WELL 03 PRIMARY #1
Source Number: 001
Source Status: ACTIVE UNTREATED
Water type: GROUNDWATER OR WELL

	STORET NUMBER	TESTING INTERVAL (MONTHS)*	LAST TEST DATE (yyyy/mm/dd)	LAST RESULT REPORTED	NEXT TEST DATE (yyyy/mm)
REGULATED SOC					
METHOXYCHLOR	39480	WAIVED	2001/06/19	.000	
MOLINATE	82199	WAIVED	1995/04/03	.000	
OXAMYL	38865	WAIVED	1995/04/03	.000	
PENTACHLOROPHENOL	39032	WAIVED	1995/04/03	.000	
PICLORAM	39720	WAIVED			
POLYCHLORINATED BIPHENYLS, TOTAL, AS DCB	39516	WAIVED	2001/06/19	.000	
SIMAZINE	39055	WAIVED	1995/04/03	.000	
THIOBENCARB	A-001	WAIVED	1995/04/03	.000	
TOXAPHENE	39400	WAIVED	2001/06/19	.000	
REGULATED VOC					
1,1,1-TRICHLOROETHANE	34506	WAIVED	2001/06/19	.000	
1,1,2,2-TETRACHLOROETHANE	34516	WAIVED	2001/06/19	.000	
1,1,2-TRICHLORO-1,2,2-TRIFLUOROETHANE	81611	WAIVED	2001/06/19	.000	
1,1,2-TRICHLOROETHANE	34511	WAIVED	2001/06/19	.000	
1,1-DICHLOROETHANE	34496	WAIVED	2001/06/19	.000	
1,1-DICHLOROETHYLENE	34501	WAIVED	2001/06/19	.000	
1,2,4-TRICHLOROBENZENE	34551	WAIVED	2001/06/19	.000	
1,2-DICHLOROBENZENE	34536	WAIVED	2001/06/19	.000	
1,2-DICHLOROETHANE	34531	WAIVED	2001/06/19	.000	
1,2-DICHLOROPROPANE	34541	WAIVED	2001/06/19	.000	
1,3-DICHLOROPROPENE (TOTAL)	34561	WAIVED	2001/06/19	.000	
1,4-DICHLOROBENZENE	34571	WAIVED	2001/06/19	.000	
BENZENE	34030	WAIVED	2001/06/19	.000	
CARBON TETRACHLORIDE	32102	WAIVED	2001/06/19	.000	
CIS-1,2-DICHLOROETHYLENE	77093	WAIVED	2001/06/19	.000	
DICHLOROMETHANE	34423	WAIVED	2001/06/19	.000	
ETHYLBENZENE	34371	WAIVED	2001/06/19	.000	
METHYL-TERT-BUTYL-ETHER (MTBE)	46491	WAIVED	2003/11/19	< 3.000	
MONOCHLOROBENZENE	34301	WAIVED	2001/06/19	.000	

**Testing interval is in months;*
0 = No data for this constituent and is DUE NOW
999 = Waived testing (not required)
I = Invalid (NOT) valid analyses reported

System Number: 1900907
System Name: SHERWOOD MOBILE HOME PARK

PS Code: 1900907-001
Source Name: WELL 03 PRIMARY #1
Source Number: 001
Source Status: ACTIVE UNTREATED
Water type: GROUNDWATER OR WELL

	STORET NUMBER	TESTING INTERVAL (MONTHS)*	LAST TEST DATE (yyyy/mm/dd)	LAST RESULT REPORTED	NEXT TEST DATE (yyyy/mm)
REGULATED VOC					
STYRENE	77128	WAIVED	2001/06/19	.000	
TETRACHLOROETHYLENE	34475	WAIVED	2001/06/19	.000	
TOLUENE	34010	WAIVED	2001/06/19	.000	
TRANS-1,2-DICHLOROETHYLENE	34546	WAIVED	2001/06/19	.000	
TRICHLOROETHYLENE	39180	WAIVED	2001/06/19	.000	
TRICHLOROFLUOROMETHANE	34488	WAIVED	2001/06/19	.000	
VINYL CHLORIDE	39175	WAIVED	2001/06/19	.000	
XYLENES (TOTAL)	81551	WAIVED	2001/06/19	.000	
SECONDARY/GP					
AGGRSSIVE INDEX (CORROSIVITY)	82383	WAIVED	2011/03/15	12.000	
BICARBONATE ALKALINITY	00440	WAIVED	2011/03/15	96.000	
CALCIUM	00916	WAIVED	2011/03/15	29.000	
CARBONATE ALKALINITY	00445	WAIVED	2011/03/15	< .000	
CHLORIDE	00940	WAIVED	2011/03/15	9.400	
COLOR	00081	WAIVED	2011/03/15	< .000	
COPPER	01042	WAIVED	2011/03/15	< .000	
FOAMING AGENTS (MBAS)	38260	WAIVED	2011/03/15	< .000	
HARDNESS (TOTAL) AS CACO3	00900	WAIVED	2011/03/15	80.000	
HYDROXIDE ALKALINITY	71830	WAIVED	2011/03/15	< .000	
IRON	01045	WAIVED	2011/03/15	< .000	
MAGNESIUM	00927	WAIVED	2011/03/15	1.800	
MANGANESE	01055	WAIVED	2011/03/15	< .000	
ODOR THRESHOLD @ 60 C	00086	WAIVED	2011/03/15	< .000	
PH, LABORATORY	00403	WAIVED	2011/03/15	8.300	
SILVER	01077	WAIVED	2011/03/15	< .000	
SODIUM	00929	WAIVED	2011/03/15	21.000	
SPECIFIC CONDUCTANCE	00095	WAIVED	2011/03/15	260.000	
SULFATE	00945	WAIVED	2011/03/15	27.000	
TOTAL DISSOLVED SOLIDS	70300	WAIVED	2011/03/15	180.000	

**Testing interval is in months;*
0 = No data for this constituent and is DUE NOW
999 = Waived testing (not required)
I = Invalid (NOT) valid analyses reported

System Number: 1900907
System Name: SHERWOOD MOBILE HOME PARK

PS Code: 1900907-001
Source Name: WELL 03 PRIMARY #1
Source Number: 001
Source Status: ACTIVE UNTREATED
Water type: GROUNDWATER OR WELL

	STORET NUMBER	TESTING INTERVAL (MONTHS)*	LAST TEST DATE (yyyy/mm/dd)	LAST RESULT REPORTED	NEXT TEST DATE (yyyy/mm)
SECONDARY/GP					
TURBIDITY, LABORATORY	82079	WAIVED	2011/03/15	< .000	
ZINC	01092	WAIVED	2011/03/15	< .000	

PS Code: 1900907-004
Source Name: WELL 04 PRIMARY #2
Source Number: 004
Source Status: ACTIVE UNTREATED
Water type: GROUNDWATER OR WELL

GENERAL NON CHAP 15					
DIAZINON	39570	WAIVED			
INORGANIC					
ALUMINUM	01105	WAIVED	2011/03/15	< .000	
ANTIMONY	01097	WAIVED	2011/03/15	< .000	
ARSENIC	01002	WAIVED	2011/03/15	< .000	
ASBESTOS	81855	WAIVED	2011/03/15	.000	
BARIUM	01007	WAIVED	2011/03/15	< .000	
BERYLLIUM	01012	WAIVED	2011/03/15	< .000	
CADMIUM	01027	WAIVED	2011/03/15	< .000	
CHROMIUM (TOTAL)	01034	WAIVED	2011/03/15	12.000	
CYANIDE	01291	WAIVED	2011/03/15	< .000	
FLUORIDE (F) (NATURAL-SOURCE)	00951	WAIVED	2011/03/15	.180	
LEAD	01051	WAIVED	2011/03/15	< .000	
MERCURY	71900	WAIVED	2011/03/15	< .000	
NICKEL	01067	WAIVED	2011/03/15	< .000	
PERCHLORATE	A-031	WAIVED	2011/10/19	< .000	
SELENIUM	01147	WAIVED	2011/03/15	< .000	
THALLIUM	01059	WAIVED	2011/03/15	< .000	

**Testing interval is in months;*
0 = No data for this constituent and is DUE NOW
999 = Waived testing (not required)
I = Invalid (NOT) valid analyses reported

System Number: ***1900907***

System Name: ***SHERWOOD MOBILE HOME PARK***

PS Code: ***1900907-004***

Source Name: ***WELL 04 PRIMARY #2***

Source Number: ***004***

Source Status: ***ACTIVE UNTREATED***

Water type: ***GROUNDWATER OR WELL***

	STORET NUMBER	TESTING INTERVAL (MONTHS)*	LAST TEST DATE (yyyy/mm/dd)	LAST RESULT REPORTED	NEXT TEST DATE (yyyy/mm)
NITRATE/NITRITE					
NITRATE (AS NO3)	71850	WAIVED	2011/03/15	7.300	
NITRITE (AS N)	00620	WAIVED	2011/03/15	< .000	
RADIOLOGICAL					
GROSS ALPHA	01501	WAIVED	2011/03/15	< .000	
GROSS BETA	03501	WAIVED	2011/03/15	< 4.000	
RA-226 FOR CWS OR TOTAL RA FOR NTNC BY 903.0	A-080	WAIVED			
RA-226 OR TOTAL RA BY 903.0 C.E.	A-081	WAIVED			
RADIUM 226	09501	WAIVED	2011/03/15	< 1.000	
RADIUM 228	11501	WAIVED	2011/03/15	< 1.000	
RADIUM, TOTAL, MDA95-NTNC ONLY, BY 903.0	A-082	WAIVED			
STRONTIUM-90	13501	WAIVED			
TRITIUM	07000	WAIVED			
URANIUM (PCI/L)	28012	WAIVED	2011/03/15	< .000	
REGULATED SOC					
2,3,7,8-TCDD (DIOXIN)	34676	WAIVED			
2,4,5-TP (SILVEX)	39045	WAIVED			
2,4-D	39730	WAIVED			
ALACHLOR	77825	WAIVED			
ATRAZINE	39033	WAIVED			
BENTAZON	38710	WAIVED			
BENZO (A) PYRENE	34247	WAIVED			
CARBOFURAN	81405	WAIVED			
CHLORDANE	39350	WAIVED			
DALAPON	38432	WAIVED			
DI(2-ETHYLHEXYL)ADIPATE	A-026	WAIVED			
DI(2-ETHYLHEXYL)PHTHALATE	39100	WAIVED			
DIBROMOCHLOROPROPANE (DBCP)	38761	WAIVED			
DINOSEB	81287	WAIVED			
DIQUAT	78885	WAIVED			

**Testing interval is in months;*
0 = No data for this constituent and is DUE NOW
999 = Waived testing (not required)
I = Invalid (NOT) valid analyses reported

System Number: ***1900907***

System Name: ***SHERWOOD MOBILE HOME PARK***

PS Code: ***1900907-004***

Source Name: ***WELL 04 PRIMARY #2***

Source Number: ***004***

Source Status: ***ACTIVE UNTREATED***

Water type: ***GROUNDWATER OR WELL***

	STORET NUMBER	TESTING INTERVAL (MONTHS)*	LAST TEST DATE (yyyy/mm/dd)	LAST RESULT REPORTED	NEXT TEST DATE (yyyy/mm)
REGULATED SOC					
ENDOTHALL	38926	WAIVED			
ENDRIN	39390	WAIVED			
ETHYLENE DIBROMIDE (EDB)	77651	WAIVED			
GLYPHOSATE	79743	WAIVED			
HEPTACHLOR	39410	WAIVED			
HEPTACHLOR EPOXIDE	39420	WAIVED			
HEXACHLOROBENZENE	39700	WAIVED			
HEXACHLOROCYCLOPENTADIENE	34386	WAIVED			
LINDANE	39340	WAIVED			
METHOXYCHLOR	39480	WAIVED			
MOLINATE	82199	WAIVED			
OXAMYL	38865	WAIVED			
PENTACHLOROPHENOL	39032	WAIVED			
PICLORAM	39720	WAIVED			
POLYCHLORINATED BIPHENYLS, TOTAL, AS DCB	39516	WAIVED			
SIMAZINE	39055	WAIVED			
THIOBENCARB	A-001	WAIVED			
TOXAPHENE	39400	WAIVED			
REGULATED VOC					
1,1,1-TRICHLOROETHANE	34506	WAIVED			
1,1,2,2-TETRACHLOROETHANE	34516	WAIVED			
1,1,2-TRICHLORO-1,2,2-TRIFLUOROETHANE	81611	WAIVED			
1,1,2-TRICHLOROETHANE	34511	WAIVED			
1,1-DICHLOROETHANE	34496	WAIVED			
1,1-DICHLOROETHYLENE	34501	WAIVED			
1,2,4-TRICHLOROBENZENE	34551	WAIVED			
1,2-DICHLOROBENZENE	34536	WAIVED			
1,2-DICHLOROETHANE	34531	WAIVED			
1,2-DICHLOROPROPANE	34541	WAIVED			

**Testing interval is in months;*
0 = No data for this constituent and is DUE NOW
999 = Waived testing (not required)
I = Invalid (NOT) valid analyses reported

System Number: ***1900907***

System Name: ***SHERWOOD MOBILE HOME PARK***

PS Code: ***1900907-004***

Source Name: ***WELL 04 PRIMARY #2***

Source Number: ***004***

Source Status: ***ACTIVE UNTREATED***

Water type: ***GROUNDWATER OR WELL***

	STORET NUMBER	TESTING INTERVAL (MONTHS)*	LAST TEST DATE (yyyy/mm/dd)	LAST RESULT REPORTED	NEXT TEST DATE (yyyy/mm)
REGULATED VOC					
1,3-DICHLOROPROPENE (TOTAL)	34561	WAIVED			
1,4-DICHLOROBENZENE	34571	WAIVED			
BENZENE	34030	WAIVED			
CARBON TETRACHLORIDE	32102	WAIVED			
CIS-1,2-DICHLOROETHYLENE	77093	WAIVED			
DICHLOROMETHANE	34423	WAIVED			
ETHYLBENZENE	34371	WAIVED			
METHYL-TERT-BUTYL-ETHER (MTBE)	46491	WAIVED			
MONOCHLOROBENZENE	34301	WAIVED			
STYRENE	77128	WAIVED			
TETRACHLOROETHYLENE	34475	WAIVED			
TOLUENE	34010	WAIVED			
TRANS-1,2-DICHLOROETHYLENE	34546	WAIVED			
TRICHLOROETHYLENE	39180	WAIVED			
TRICHLOROFLUOROMETHANE	34488	WAIVED			
VINYL CHLORIDE	39175	WAIVED			
XYLENES (TOTAL)	81551	WAIVED			
SECONDARY/GP					
AGGRSSIVE INDEX (CORROSIVITY)	82383	WAIVED	2011/03/15	12.000	
BICARBONATE ALKALINITY	00440	WAIVED	2011/03/15	110.000	
CALCIUM	00916	WAIVED	2011/03/15	39.000	
CARBONATE ALKALINITY	00445	WAIVED	2011/03/15	< .000	
CHLORIDE	00940	WAIVED	2011/03/15	15.000	
COLOR	00081	WAIVED	2011/03/15	< .000	
COPPER	01042	WAIVED	2011/03/15	< .000	
FOAMING AGENTS (MBAS)	38260	WAIVED	2011/03/15	< .000	
HARDNESS (TOTAL) AS CACO3	00900	WAIVED	2011/03/15	110.000	
HYDROXIDE ALKALINITY	71830	WAIVED	2011/03/15	< .000	
IRON	01045	WAIVED	2011/03/15	< .000	

**Testing interval is in months;*
0 = No data for this constituent and is DUE NOW
999 = Waived testing (not required)
I = Invalid (NOT) valid analyses reported

System Number: ***1900907***

System Name: ***SHERWOOD MOBILE HOME PARK***

PS Code: ***1900907-004***

Source Name: ***WELL 04 PRIMARY #2***

Source Number: ***004***

Source Status: ***ACTIVE UNTREATED***

Water type: ***GROUNDWATER OR WELL***

SECONDARY/GP

	STORET NUMBER	TESTING INTERVAL (MONTHS)*	LAST TEST DATE (yyyy/mm/dd)	LAST RESULT REPORTED	NEXT TEST DATE (yyyy/mm)
MAGNESIUM	00927	WAIVED	2011/03/15	2.600	
MANGANESE	01055	WAIVED	2011/03/15	< .000	
ODOR THRESHOLD @ 60 C	00086	WAIVED	2011/03/15	< .000	
PH, LABORATORY	00403	WAIVED	2011/03/15	8.200	
SILVER	01077	WAIVED	2011/03/15	< .000	
SODIUM	00929	WAIVED	2011/03/15	23.000	
SPECIFIC CONDUCTANCE	00095	WAIVED	2011/03/15	320.000	
SULFATE	00945	WAIVED	2011/03/15	37.000	
TOTAL DISSOLVED SOLIDS	70300	WAIVED	2011/03/15	220.000	
TURBIDITY, LABORATORY	82079	WAIVED	2011/03/15	< .000	
ZINC	01092	WAIVED	2011/03/15	< .000	

**Testing interval is in months;*
0 = No data for this constituent and is DUE NOW
999 = Waived testing (not required)
I = Invalid (NOT) valid analyses reported

System Number: 1900912

System Name: GORMAN ELEMENTARY SCHOOL/DISTRICT OFFICE

PS Code: 1900912-001

Source Name: WELL 01

Source Number: 001

Source Status: ACTIVE UNTREATED

Water type: GROUNDWATER OR WELL

	STORET NUMBER	TESTING INTERVAL (MONTHS)*	LAST TEST DATE (yyyy/mm/dd)	LAST RESULT REPORTED	NEXT TEST DATE (yyyy/mm)
GENERAL NON CHAP 15					
DIAZINON	39570	WAIVED			
INORGANIC					
ALUMINUM	01105	WAIVED	2004/03/02	.000	
ANTIMONY	01097	WAIVED	2004/03/02	.000	
ARSENIC	01002	WAIVED	2004/03/02	.000	
ASBESTOS	81855	WAIVED			
BARIUM	01007	WAIVED	2004/03/02	104.000	
BERYLLIUM	01012	WAIVED			
CADMIUM	01027	WAIVED	2004/03/02	.000	
CHROMIUM (TOTAL)	01034	WAIVED	2004/03/02	.000	
CYANIDE	01291	WAIVED			
FLUORIDE (F) (NATURAL-SOURCE)	00951	WAIVED	2004/03/02	.420	
LEAD	01051	WAIVED	2004/03/02	.000	
MERCURY	71900	WAIVED	2004/03/02	.000	
NICKEL	01067	WAIVED	2004/03/02	.000	
PERCHLORATE	A-031	WAIVED	2002/11/11	.000	
SELENIUM	01147	WAIVED	2004/03/02	.000	
THALLIUM	01059	WAIVED			
NITRATE/NITRITE					
NITRATE (AS NO3)	71850	WAIVED	2011/02/28	2.500	
NITRITE (AS N)	00620	WAIVED			
RADIOLOGICAL					
GROSS ALPHA	01501	WAIVED			
GROSS BETA	03501	WAIVED			
RA-226 FOR CWS OR TOTAL RA FOR NTNC BY 903.0	A-080	WAIVED			
RA-226 OR TOTAL RA BY 903.0 C.E.	A-081	WAIVED			
RADIUM 226	09501	WAIVED			
RADIUM 228	11501	WAIVED			

**Testing interval is in months;*
0 = No data for this constituent and is DUE NOW
999 = Waived testing (not required)
I = Invalid (NOT) valid analyses reported

System Number: 1900912

System Name: GORMAN ELEMENTARY SCHOOL/DISTRICT OFFICE

PS Code: 1900912-001

Source Name: WELL 01

Source Number: 001

Source Status: ACTIVE UNTREATED

Water type: GROUNDWATER OR WELL

	STORET NUMBER	TESTING INTERVAL (MONTHS)*	LAST TEST DATE (yyyy/mm/dd)	LAST RESULT REPORTED	NEXT TEST DATE (yyyy/mm)
RADIOLOGICAL					
RADIUM, TOTAL, MDA95-NTNC ONLY, BY 903.0	A-082	WAIVED			
STRONTIUM-90	13501	WAIVED			
TRITIUM	07000	WAIVED			
URANIUM (PCI/L)	28012	WAIVED			
REGULATED SOC					
2,3,7,8-TCDD (DIOXIN)	34676	WAIVED			
2,4,5-TP (SILVEX)	39045	WAIVED			
2,4-D	39730	WAIVED			
ALACHLOR	77825	WAIVED	2002/06/24	.000	
ATRAZINE	39033	WAIVED			
BENTAZON	38710	WAIVED			
BENZO (A) PYRENE	34247	WAIVED			
CARBOFURAN	81405	WAIVED			
CHLORDANE	39350	WAIVED	2002/06/24	.000	
DALAPON	38432	WAIVED			
DI(2-ETHYLHEXYL)ADIPATE	A-026	WAIVED			
DI(2-ETHYLHEXYL)PHTHALATE	39100	WAIVED			
DIBROMOCHLOROPROPANE (DBCP)	38761	WAIVED			
DINOSEB	81287	WAIVED			
DIQUAT	78885	WAIVED			
ENDOTHALL	38926	WAIVED			
ENDRIN	39390	WAIVED	2002/06/24	.000	
ETHYLENE DIBROMIDE (EDB)	77651	WAIVED			
GLYPHOSATE	79743	WAIVED			
HEPTACHLOR	39410	WAIVED	2002/06/24	.000	
HEPTACHLOR EPOXIDE	39420	WAIVED	2002/06/24	.000	
HEXACHLOROBENZENE	39700	WAIVED	2002/06/24	.000	
HEXACHLOROCYCLOPENTADIENE	34386	WAIVED	2002/06/24	.000	
LINDANE	39340	WAIVED	2002/06/24	.000	

**Testing interval is in months;*
0 = No data for this constituent and is DUE NOW
999 = Waived testing (not required)
I = Invalid (NOT) valid analyses reported

System Number: ***1900912***

System Name: ***GORMAN ELEMENTARY SCHOOL/DISTRICT OFFICE***

PS Code: ***1900912-001***

Source Name: ***WELL 01***

Source Number: ***001***

Source Status: ***ACTIVE UNTREATED***

Water type: ***GROUNDWATER OR WELL***

	STORET NUMBER	TESTING INTERVAL (MONTHS)*	LAST TEST DATE (yyyy/mm/dd)	LAST RESULT REPORTED	NEXT TEST DATE (yyyy/mm)
REGULATED SOC					
METHOXYCHLOR	39480	WAIVED	2002/06/24	.000	
MOLINATE	82199	WAIVED			
OXAMYL	38865	WAIVED			
PENTACHLOROPHENOL	39032	WAIVED			
PICLORAM	39720	WAIVED			
POLYCHLORINATED BIPHENYLS, TOTAL, AS DCB	39516	WAIVED	2002/06/24	.000	
SIMAZINE	39055	WAIVED			
THIOBENCARB	A-001	WAIVED	2002/11/11	.000	
TOXAPHENE	39400	WAIVED	2002/06/24	.000	
REGULATED VOC					
1,1,1-TRICHLOROETHANE	34506	WAIVED	2002/06/24	.000	
1,1,2,2-TETRACHLOROETHANE	34516	WAIVED	2002/06/24	.000	
1,1,2-TRICHLORO-1,2,2-TRIFLUOROETHANE	81611	WAIVED	2002/06/24	.000	
1,1,2-TRICHLOROETHANE	34511	WAIVED	2002/06/24	.000	
1,1-DICHLOROETHANE	34496	WAIVED	2002/06/24	.000	
1,1-DICHLOROETHYLENE	34501	WAIVED	2002/06/24	.000	
1,2,4-TRICHLOROBENZENE	34551	WAIVED	2002/06/24	.000	
1,2-DICHLOROBENZENE	34536	WAIVED	2002/06/24	.000	
1,2-DICHLOROETHANE	34531	WAIVED	2002/06/24	.000	
1,2-DICHLOROPROPANE	34541	WAIVED	2002/06/24	.000	
1,3-DICHLOROPROPENE (TOTAL)	34561	WAIVED	2002/06/24	.000	
1,4-DICHLOROBENZENE	34571	WAIVED	2002/06/24	.000	
BENZENE	34030	WAIVED	2002/06/24	.000	
CARBON TETRACHLORIDE	32102	WAIVED	2002/06/24	.000	
CIS-1,2-DICHLOROETHYLENE	77093	WAIVED	2002/06/24	.000	
DICHLOROMETHANE	34423	WAIVED	2002/06/24	.000	
ETHYLBENZENE	34371	WAIVED	2002/06/24	.000	
METHYL-TERT-BUTYL-ETHER (MTBE)	46491	WAIVED	2002/06/24	.000	
MONOCHLOROBENZENE	34301	WAIVED	2002/06/24	.000	

**Testing interval is in months;*
0 = No data for this constituent and is DUE NOW
999 = Waived testing (not required)
I = Invalid (NOT) valid analyses reported

System Number: 1900912

System Name: GORMAN ELEMENTARY SCHOOL/DISTRICT OFFICE

PS Code: 1900912-001

Source Name: WELL 01

Source Number: 001

Source Status: ACTIVE UNTREATED

Water type: GROUNDWATER OR WELL

	STORET NUMBER	TESTING INTERVAL (MONTHS)*	LAST TEST DATE (yyyy/mm/dd)	LAST RESULT REPORTED	NEXT TEST DATE (yyyy/mm)
REGULATED VOC					
STYRENE	77128	WAIVED	2002/06/24	.000	
TETRACHLOROETHYLENE	34475	WAIVED	2002/06/24	.000	
TOLUENE	34010	WAIVED	2002/06/24	.000	
TRANS-1,2-DICHLOROETHYLENE	34546	WAIVED	2002/06/24	.000	
TRICHLOROETHYLENE	39180	WAIVED	2002/06/24	.000	
TRICHLOROFLUOROMETHANE	34488	WAIVED	2002/06/24	.000	
VINYL CHLORIDE	39175	WAIVED	2002/06/24	.000	
XYLENES (TOTAL)	81551	WAIVED	2002/06/24	.000	
SECONDARY/GP					
AGGRSSIVE INDEX (CORROSIVITY)	82383	WAIVED			
BICARBONATE ALKALINITY	00440	WAIVED	2004/03/02	289.000	
CALCIUM	00916	WAIVED	2004/03/02	50.100	
CARBONATE ALKALINITY	00445	WAIVED	2004/03/02	.000	
CHLORIDE	00940	WAIVED	2004/03/02	15.600	
COLOR	00081	WAIVED	2004/03/02	.000	
COPPER	01042	WAIVED	2004/03/02	.000	
FOAMING AGENTS (MBAS)	38260	WAIVED	2004/03/02	.000	
HARDNESS (TOTAL) AS CACO3	00900	WAIVED	2004/03/02	235.000	
HYDROXIDE ALKALINITY	71830	WAIVED	2004/03/02	.000	
IRON	01045	WAIVED	2004/03/02	166.000	
MAGNESIUM	00927	WAIVED	2004/03/02	26.700	
MANGANESE	01055	WAIVED	2009/08/17	70.000	
ODOR THRESHOLD @ 60 C	00086	WAIVED	2004/03/02	.000	
PH, LABORATORY	00403	WAIVED	2004/03/02	7.740	
SILVER	01077	WAIVED	2004/03/02	.000	
SODIUM	00929	WAIVED	2004/03/02	44.000	
SPECIFIC CONDUCTANCE	00095	WAIVED	2004/03/02	615.000	
SULFATE	00945	WAIVED	2004/03/02	80.100	
TOTAL DISSOLVED SOLIDS	70300	WAIVED	2004/03/02	400.000	

**Testing interval is in months;*
0 = No data for this constituent and is DUE NOW
999 = Waived testing (not required)
I = Invalid (NOT) valid analyses reported

System Number: ***1900912***

System Name: ***GORMAN ELEMENTARY SCHOOL/DISTRICT OFFICE***

PS Code: ***1900912-001***

Source Name: ***WELL 01***

Source Number: ***001***

Source Status: ***ACTIVE UNTREATED***

Water type: ***GROUNDWATER OR WELL***

SECONDARY/GP

	STORET NUMBER	TESTING INTERVAL (MONTHS)*	LAST TEST DATE (yyyy/mm/dd)	LAST RESULT REPORTED	NEXT TEST DATE (yyyy/mm)
TURBIDITY, LABORATORY	82079	WAIVED	2004/03/02	1.760	
ZINC	01092	WAIVED	2004/03/02	.000	

PS Code: ***1900912-002***

Source Name: ***STANDBY PURCHASED WATER***

Source Number: ***002***

Source Status: ***PURCHASED UNTREATED***

Water type: ***GROUNDWATER OR WELL***

GENERAL NON CHAP 15

DIAZINON	39570	WAIVED			

INORGANIC

ALUMINUM	01105	WAIVED			
ANTIMONY	01097	WAIVED			
ARSENIC	01002	WAIVED			
ASBESTOS	81855	WAIVED			
BARIUM	01007	WAIVED			
BERYLLIUM	01012	WAIVED			
CADMIUM	01027	WAIVED			
CHROMIUM (TOTAL)	01034	WAIVED			
CYANIDE	01291	WAIVED			
FLUORIDE (F) (NATURAL-SOURCE)	00951	WAIVED			
LEAD	01051	WAIVED			
MERCURY	71900	WAIVED			
NICKEL	01067	WAIVED			
PERCHLORATE	A-031	WAIVED			
SELENIUM	01147	WAIVED			
THALLIUM	01059	WAIVED			

**Testing interval is in months;*
0 = No data for this constituent and is DUE NOW
999 = Waived testing (not required)
I = Invalid (NOT) valid analyses reported

System Number: 1900912

System Name: GORMAN ELEMENTARY SCHOOL/DISTRICT OFFICE

PS Code: 1900912-002

Source Name: STANDBY PURCHASED WATER

Source Number: 002

Source Status: PURCHASED UNTREATED

Water type: GROUNDWATER OR WELL

	STORET NUMBER	TESTING INTERVAL (MONTHS)*	LAST TEST DATE (yyyy/mm/dd)	LAST RESULT REPORTED	NEXT TEST DATE (yyyy/mm)
NITRATE/NITRITE					
NITRATE (AS NO3)	71850	WAIVED			
NITRITE (AS N)	00620	WAIVED			
RADIOLOGICAL					
GROSS ALPHA	01501	WAIVED			
GROSS BETA	03501	WAIVED			
RA-226 FOR CWS OR TOTAL RA FOR NTNC BY 903.0	A-080	WAIVED			
RA-226 OR TOTAL RA BY 903.0 C.E.	A-081	WAIVED			
RADIUM 226	09501	WAIVED			
RADIUM 228	11501	WAIVED			
RADIUM, TOTAL, MDA95-NTNC ONLY, BY 903.0	A-082	WAIVED			
STRONTIUM-90	13501	WAIVED			
TRITIUM	07000	WAIVED			
URANIUM (PCI/L)	28012	WAIVED			
REGULATED SOC					
2,3,7,8-TCDD (DIOXIN)	34676	WAIVED			
2,4,5-TP (SILVEX)	39045	WAIVED			
2,4-D	39730	WAIVED			
ALACHLOR	77825	WAIVED			
ATRAZINE	39033	WAIVED			
BENTAZON	38710	WAIVED			
BENZO (A) PYRENE	34247	WAIVED			
CARBOFURAN	81405	WAIVED			
CHLORDANE	39350	WAIVED			
DALAPON	38432	WAIVED			
DI(2-ETHYLHEXYL)ADIPATE	A-026	WAIVED			
DI(2-ETHYLHEXYL)PHTHALATE	39100	WAIVED			
DIBROMOCHLOROPROPANE (DBCP)	38761	WAIVED			
DINOSEB	81287	WAIVED			
DIQUAT	78885	WAIVED			

**Testing interval is in months;*
0 = No data for this constituent and is DUE NOW
999 = Waived testing (not required)
I = Invalid (NOT) valid analyses reported

System Number: ***1900912***

System Name: ***GORMAN ELEMENTARY SCHOOL/DISTRICT OFFICE***

PS Code: ***1900912-002***

Source Name: ***STANDBY PURCHASED WATER***

Source Number: ***002***

Source Status: ***PURCHASED UNTREATED***

Water type: ***GROUNDWATER OR WELL***

	STORET NUMBER	TESTING INTERVAL (MONTHS)*	LAST TEST DATE (yyyy/mm/dd)	LAST RESULT REPORTED	NEXT TEST DATE (yyyy/mm)
REGULATED SOC					
ENDOTHALL	38926	WAIVED			
ENDRIN	39390	WAIVED			
ETHYLENE DIBROMIDE (EDB)	77651	WAIVED			
GLYPHOSATE	79743	WAIVED			
HEPTACHLOR	39410	WAIVED			
HEPTACHLOR EPOXIDE	39420	WAIVED			
HEXACHLOROBENZENE	39700	WAIVED			
HEXACHLOROCYCLOPENTADIENE	34386	WAIVED			
LINDANE	39340	WAIVED			
METHOXYCHLOR	39480	WAIVED			
MOLINATE	82199	WAIVED			
OXAMYL	38865	WAIVED			
PENTACHLOROPHENOL	39032	WAIVED			
PICLORAM	39720	WAIVED			
POLYCHLORINATED BIPHENYLS, TOTAL, AS DCB	39516	WAIVED			
SIMAZINE	39055	WAIVED			
THIOBENCARB	A-001	WAIVED			
TOXAPHENE	39400	WAIVED			
REGULATED VOC					
1,1,1-TRICHLOROETHANE	34506	WAIVED			
1,1,2,2-TETRACHLOROETHANE	34516	WAIVED			
1,1,2-TRICHLORO-1,2,2-TRIFLUOROETHANE	81611	WAIVED			
1,1,2-TRICHLOROETHANE	34511	WAIVED			
1,1-DICHLOROETHANE	34496	WAIVED			
1,1-DICHLOROETHYLENE	34501	WAIVED			
1,2,4-TRICHLOROBENZENE	34551	WAIVED			
1,2-DICHLOROBENZENE	34536	WAIVED			
1,2-DICHLOROETHANE	34531	WAIVED			
1,2-DICHLOROPROPANE	34541	WAIVED			

**Testing interval is in months;*
0 = No data for this constituent and is DUE NOW
999 = Waived testing (not required)
I = Invalid (NOT) valid analyses reported

System Number: ***1900912***

System Name: ***GORMAN ELEMENTARY SCHOOL/DISTRICT OFFICE***

PS Code: ***1900912-002***

Source Name: ***STANDBY PURCHASED WATER***

Source Number: ***002***

Source Status: ***PURCHASED UNTREATED***

Water type: ***GROUNDWATER OR WELL***

	STORET NUMBER	TESTING INTERVAL (MONTHS)*	LAST TEST DATE (yyyy/mm/dd)	LAST RESULT REPORTED	NEXT TEST DATE (yyyy/mm)
REGULATED VOC					
1,3-DICHLOROPROPENE (TOTAL)	34561	WAIVED			
1,4-DICHLOROBENZENE	34571	WAIVED			
BENZENE	34030	WAIVED			
CARBON TETRACHLORIDE	32102	WAIVED			
CIS-1,2-DICHLOROETHYLENE	77093	WAIVED			
DICHLOROMETHANE	34423	WAIVED			
ETHYLBENZENE	34371	WAIVED			
METHYL-TERT-BUTYL-ETHER (MTBE)	46491	WAIVED			
MONOCHLOROBENZENE	34301	WAIVED			
STYRENE	77128	WAIVED			
TETRACHLOROETHYLENE	34475	WAIVED			
TOLUENE	34010	WAIVED			
TRANS-1,2-DICHLOROETHYLENE	34546	WAIVED			
TRICHLOROETHYLENE	39180	WAIVED			
TRICHLOROFLUOROMETHANE	34488	WAIVED			
VINYL CHLORIDE	39175	WAIVED			
XYLENES (TOTAL)	81551	WAIVED			
SECONDARY/GP					
AGGRSSIVE INDEX (CORROSIVITY)	82383	WAIVED			
BICARBONATE ALKALINITY	00440	WAIVED			
CALCIUM	00916	WAIVED			
CARBONATE ALKALINITY	00445	WAIVED			
CHLORIDE	00940	WAIVED			
COLOR	00081	WAIVED			
COPPER	01042	WAIVED			
FOAMING AGENTS (MBAS)	38260	WAIVED			
HARDNESS (TOTAL) AS CACO3	00900	WAIVED			
HYDROXIDE ALKALINITY	71830	WAIVED			
IRON	01045	WAIVED			

**Testing interval is in months;*
0 = No data for this constituent and is DUE NOW
999 = Waived testing (not required)
I = Invalid (NOT) valid analyses reported

System Number: ***1900912***

System Name: ***GORMAN ELEMENTARY SCHOOL/DISTRICT OFFICE***

PS Code: ***1900912-002***

Source Name: ***STANDBY PURCHASED WATER***

Source Number: ***002***

Source Status: ***PURCHASED UNTREATED***

Water type: ***GROUNDWATER OR WELL***

SECONDARY/GP

	STORET NUMBER	TESTING INTERVAL (MONTHS)*	LAST TEST DATE (yyyy/mm/dd)	LAST RESULT REPORTED	NEXT TEST DATE (yyyy/mm)
MAGNESIUM	00927	WAIVED			
MANGANESE	01055	WAIVED			
ODOR THRESHOLD @ 60 C	00086	WAIVED			
PH, LABORATORY	00403	WAIVED			
SILVER	01077	WAIVED			
SODIUM	00929	WAIVED			
SPECIFIC CONDUCTANCE	00095	WAIVED			
SULFATE	00945	WAIVED			
TOTAL DISSOLVED SOLIDS	70300	WAIVED			
TURBIDITY, LABORATORY	82079	WAIVED			
ZINC	01092	WAIVED			

**Testing interval is in months;*
0 = No data for this constituent and is DUE NOW
999 = Waived testing (not required)
I = Invalid (NOT) valid analyses reported

System Number: ***1900913***

System Name: ***LILY OF THE VALLEY MOBILE VILLAGE***

PS Code: ***1900913-001***

Source Name: ***WELL 01***

Source Number: ***001***

Source Status: ***ACTIVE UNTREATED***

Water type: ***GROUNDWATER OR WELL***

	STORET NUMBER	TESTING INTERVAL (MONTHS)*	LAST TEST DATE (yyyy/mm/dd)	LAST RESULT REPORTED	NEXT TEST DATE (yyyy/mm)
GENERAL NON CHAP 15					
DIAZINON	39570	WAIVED			
INORGANIC					
ALUMINUM	01105	WAIVED	2011/06/21	< 10.000	
ANTIMONY	01097	WAIVED	2011/06/21	< 1.000	
ARSENIC	01002	WAIVED	2011/06/21	< 2.000	
ASBESTOS	81855	WAIVED	2011/06/21	< .200	
BARIUM	01007	WAIVED	2011/06/21	73.200	
BERYLLIUM	01012	WAIVED	2011/06/21	< .200	
CADMIUM	01027	WAIVED	2011/06/21	< .200	
CHROMIUM (TOTAL)	01034	WAIVED	2011/06/21	< 1.000	
CYANIDE	01291	WAIVED	2011/06/21	< .004	
FLUORIDE (F) (NATURAL-SOURCE)	00951	WAIVED	2011/06/21	.500	
LEAD	01051	WAIVED	2011/06/21	< .200	
MERCURY	71900	WAIVED	2011/06/21	< .020	
NICKEL	01067	WAIVED	2011/06/21	< 1.000	
PERCHLORATE	A-031	WAIVED	2011/06/21	< 2.000	
SELENIUM	01147	WAIVED	2011/06/21	< 2.000	
THALLIUM	01059	WAIVED	2011/06/21	< .200	
NITRATE/NITRITE					
NITRATE (AS NO3)	71850	012	2012/04/10	14.000	2013/04
NITRITE (AS N)	00620	WAIVED	2011/06/21	< .100	
RADIOLOGICAL					
GROSS ALPHA	01501	WAIVED	2011/06/21	3.040	
GROSS BETA	03501	WAIVED			
RA-226 FOR CWS OR TOTAL RA FOR NTNC BY 903.0	A-080	WAIVED			
RA-226 OR TOTAL RA BY 903.0 C.E.	A-081	WAIVED			
RADIUM 226	09501	WAIVED			
RADIUM 228	11501	WAIVED			

**Testing interval is in months;*
0 = No data for this constituent and is DUE NOW
999 = Waived testing (not required)
I = Invalid (NOT) valid analyses reported

System Number: ***1900913***

System Name: ***LILY OF THE VALLEY MOBILE VILLAGE***

PS Code: ***1900913-001***

Source Name: ***WELL 01***

Source Number: ***001***

Source Status: ***ACTIVE UNTREATED***

Water type: ***GROUNDWATER OR WELL***

	STORET NUMBER	TESTING INTERVAL (MONTHS)*	LAST TEST DATE (yyyy/mm/dd)	LAST RESULT REPORTED	NEXT TEST DATE (yyyy/mm)
RADIOLOGICAL					
RADIUM, TOTAL, MDA95-NTNC ONLY, BY 903.0	A-082	WAIVED			
STRONTIUM-90	13501	WAIVED			
TRITIUM	07000	WAIVED			
URANIUM (PCI/L)	28012	WAIVED	2011/06/21	3.740	
REGULATED SOC					
2,3,7,8-TCDD (DIOXIN)	34676	WAIVED			
2,4,5-TP (SILVEX)	39045	WAIVED			
2,4-D	39730	WAIVED			
ALACHLOR	77825	WAIVED	2002/06/19	.000	
ATRAZINE	39033	WAIVED			
BENTAZON	38710	WAIVED			
BENZO (A) PYRENE	34247	WAIVED			
CARBOFURAN	81405	WAIVED			
CHLORDANE	39350	WAIVED	2002/06/19	.000	
DALAPON	38432	WAIVED			
DI(2-ETHYLHEXYL)ADIPATE	A-026	WAIVED			
DI(2-ETHYLHEXYL)PHTHALATE	39100	WAIVED			
DIBROMOCHLOROPROPANE (DBCP)	38761	WAIVED			
DINOSEB	81287	WAIVED			
DIQUAT	78885	WAIVED			
ENDOTHALL	38926	WAIVED			
ENDRIN	39390	WAIVED	2002/06/19	.000	
ETHYLENE DIBROMIDE (EDB)	77651	WAIVED			
GLYPHOSATE	79743	WAIVED			
HEPTACHLOR	39410	WAIVED	2002/06/19	.000	
HEPTACHLOR EPOXIDE	39420	WAIVED	2002/06/19	.000	
HEXACHLOROBENZENE	39700	WAIVED	2002/06/19	.000	
HEXACHLOROCYCLOPENTADIENE	34386	WAIVED	2002/06/19	.000	
LINDANE	39340	WAIVED	2002/06/19	.000	

**Testing interval is in months;*
0 = No data for this constituent and is DUE NOW
999 = Waived testing (not required)
I = Invalid (NOT) valid analyses reported

System Number: ***1900913***

System Name: ***LILY OF THE VALLEY MOBILE VILLAGE***

PS Code: ***1900913-001***

Source Name: ***WELL 01***

Source Number: ***001***

Source Status: ***ACTIVE UNTREATED***

Water type: ***GROUNDWATER OR WELL***

	STORET NUMBER	TESTING INTERVAL (MONTHS)*	LAST TEST DATE (yyyy/mm/dd)	LAST RESULT REPORTED	NEXT TEST DATE (yyyy/mm)
REGULATED SOC					
METHOXYCHLOR	39480	WAIVED	2002/06/19	.000	
MOLINATE	82199	WAIVED			
OXAMYL	38865	WAIVED			
PENTACHLOROPHENOL	39032	WAIVED			
PICLORAM	39720	WAIVED			
POLYCHLORINATED BIPHENYLS, TOTAL, AS DCB	39516	WAIVED	2002/06/19	.000	
SIMAZINE	39055	WAIVED			
THIOBENCARB	A-001	WAIVED			
TOXAPHENE	39400	WAIVED	2002/06/19	.000	
REGULATED VOC					
1,1,1-TRICHLOROETHANE	34506	WAIVED	2011/06/21	< .500	
1,1,2,2-TETRACHLOROETHANE	34516	WAIVED	2011/06/21	< .500	
1,1,2-TRICHLORO-1,2,2-TRIFLUOROETHANE	81611	WAIVED	2011/06/21	< .500	
1,1,2-TRICHLOROETHANE	34511	WAIVED	2011/06/21	< .500	
1,1-DICHLOROETHANE	34496	WAIVED	2011/06/21	< .500	
1,1-DICHLOROETHYLENE	34501	WAIVED	2011/06/21	< .500	
1,2,4-TRICHLOROBENZENE	34551	WAIVED	2011/06/21	< .500	
1,2-DICHLOROBENZENE	34536	WAIVED	2011/06/21	< .500	
1,2-DICHLOROETHANE	34531	WAIVED	2011/06/21	< .500	
1,2-DICHLOROPROPANE	34541	WAIVED	2011/06/21	< .500	
1,3-DICHLOROPROPENE (TOTAL)	34561	WAIVED	2011/06/21	< .500	
1,4-DICHLOROBENZENE	34571	WAIVED	2011/06/21	< .500	
BENZENE	34030	WAIVED	2011/06/21	< .500	
CARBON TETRACHLORIDE	32102	WAIVED	2011/06/21	< .500	
CIS-1,2-DICHLOROETHYLENE	77093	WAIVED	2011/06/21	< .500	
DICHLOROMETHANE	34423	WAIVED	2011/06/21	< .500	
ETHYLBENZENE	34371	WAIVED	2011/06/21	< .500	
METHYL-TERT-BUTYL-ETHER (MTBE)	46491	WAIVED	2011/06/21	< 1.000	
MONOCHLOROBENZENE	34301	WAIVED	2011/06/21	< .500	

**Testing interval is in months;*
0 = No data for this constituent and is DUE NOW
999 = Waived testing (not required)
I = Invalid (NOT) valid analyses reported

System Number: ***1900913***

System Name: ***LILY OF THE VALLEY MOBILE VILLAGE***

PS Code: ***1900913-001***

Source Name: ***WELL 01***

Source Number: ***001***

Source Status: ***ACTIVE UNTREATED***

Water type: ***GROUNDWATER OR WELL***

	STORET NUMBER	TESTING INTERVAL (MONTHS)*	LAST TEST DATE (yyyy/mm/dd)	LAST RESULT REPORTED	NEXT TEST DATE (yyyy/mm)
REGULATED VOC					
STYRENE	77128	WAIVED	2011/06/21	< .500	
TETRACHLOROETHYLENE	34475	WAIVED	2011/06/21	< .500	
TOLUENE	34010	WAIVED	2011/06/21	< .500	
TRANS-1,2-DICHLOROETHYLENE	34546	WAIVED	2011/06/21	< .500	
TRICHLOROETHYLENE	39180	WAIVED	2011/06/21	< .500	
TRICHLOROFLUOROMETHANE	34488	WAIVED	2011/06/21	< .500	
VINYL CHLORIDE	39175	WAIVED	2011/06/21	< .500	
XYLENES (TOTAL)	81551	WAIVED	2011/06/21	< .500	
SECONDARY/GP					
AGGRSSIVE INDEX (CORROSIVITY)	82383	WAIVED	2011/06/21	11.500	
BICARBONATE ALKALINITY	00440	WAIVED	2011/06/21	300.000	
CALCIUM	00916	WAIVED	2011/06/21	60.000	
CARBONATE ALKALINITY	00445	WAIVED	2011/06/21	< 10.000	
CHLORIDE	00940	WAIVED	2011/06/21	40.000	
COLOR	00081	WAIVED	2011/06/21	6.000	
COPPER	01042	WAIVED	2011/06/21	< 10.000	
FOAMING AGENTS (MBAS)	38260	WAIVED	2011/06/21	< .100	
HARDNESS (TOTAL) AS CACO3	00900	WAIVED	2011/06/21	273.000	
HYDROXIDE ALKALINITY	71830	WAIVED	2011/06/21	< 10.000	
IRON	01045	WAIVED	2011/06/21	60.000	
MAGNESIUM	00927	WAIVED	2011/06/21	30.000	
MANGANESE	01055	WAIVED	2011/06/21	< 10.000	
ODOR THRESHOLD @ 60 C	00086	WAIVED	2011/06/21	< 1.000	
PH, LABORATORY	00403	WAIVED	2011/06/21	6.900	
SILVER	01077	WAIVED	2011/06/21	< 1.000	
SODIUM	00929	WAIVED	2011/06/21	57.000	
SPECIFIC CONDUCTANCE	00095	WAIVED	2011/06/21	738.000	
SULFATE	00945	WAIVED	2011/06/21	56.000	
TOTAL DISSOLVED SOLIDS	70300	WAIVED	2011/06/21	440.000	

**Testing interval is in months;*
0 = No data for this constituent and is DUE NOW
999 = Waived testing (not required)
I = Invalid (NOT) valid analyses reported

System Number: ***1900913***

System Name: ***LILY OF THE VALLEY MOBILE VILLAGE***

PS Code: ***1900913-001***

Source Name: ***WELL 01***

Source Number: ***001***

Source Status: ***ACTIVE UNTREATED***

Water type: ***GROUNDWATER OR WELL***

	STORET NUMBER	TESTING INTERVAL (MONTHS)*	LAST TEST DATE (yyyy/mm/dd)	LAST RESULT REPORTED	NEXT TEST DATE (yyyy/mm)
SECONDARY/GP					
TURBIDITY, LABORATORY	82079	WAIVED	2011/06/21	.300	
ZINC	01092	WAIVED	2011/06/21	< 20.000	

PS Code: ***1900913-002***

Source Name: ***WELL 02 BACK UP***

Source Number: ***002***

Source Status: ***STANDBY UNTREATED***

Water type: ***GROUNDWATER OR WELL***

GENERAL NON CHAP 15					
DIAZINON	39570	WAIVED			
INORGANIC					
ALUMINUM	01105	WAIVED			
ANTIMONY	01097	WAIVED			
ARSENIC	01002	WAIVED	2011/03/02	16.000	
ASBESTOS	81855	WAIVED			
BARIUM	01007	WAIVED			
BERYLLIUM	01012	WAIVED			
CADMIUM	01027	WAIVED			
CHROMIUM (TOTAL)	01034	WAIVED			
CYANIDE	01291	WAIVED			
FLUORIDE (F) (NATURAL-SOURCE)	00951	WAIVED			
LEAD	01051	WAIVED			
MERCURY	71900	WAIVED			
NICKEL	01067	WAIVED			
PERCHLORATE	A-031	WAIVED			
SELENIUM	01147	WAIVED			
THALLIUM	01059	WAIVED			

**Testing interval is in months;*
0 = No data for this constituent and is DUE NOW
999 = Waived testing (not required)
I = Invalid (NOT) valid analyses reported

System Number: ***1900913***

System Name: ***LILY OF THE VALLEY MOBILE VILLAGE***

PS Code: ***1900913-002***

Source Name: ***WELL 02 BACK UP***

Source Number: ***002***

Source Status: ***STANDBY UNTREATED***

Water type: ***GROUNDWATER OR WELL***

	STORET NUMBER	TESTING INTERVAL (MONTHS)*	LAST TEST DATE (yyyy/mm/dd)	LAST RESULT REPORTED	NEXT TEST DATE (yyyy/mm)
NITRATE/NITRITE					
NITRATE (AS NO3)	71850	WAIVED			
NITRITE (AS N)	00620	WAIVED			
RADIOLOGICAL					
GROSS ALPHA	01501	WAIVED			
GROSS BETA	03501	WAIVED			
RA-226 FOR CWS OR TOTAL RA FOR NTNC BY 903.0	A-080	WAIVED			
RA-226 OR TOTAL RA BY 903.0 C.E.	A-081	WAIVED			
RADIUM 226	09501	WAIVED			
RADIUM 228	11501	WAIVED			
RADIUM, TOTAL, MDA95-NTNC ONLY, BY 903.0	A-082	WAIVED			
STRONTIUM-90	13501	WAIVED	2010/09/15	.454	
TRITIUM	07000	WAIVED	2010/09/15	94.100	
URANIUM (PCI/L)	28012	WAIVED			
REGULATED SOC					
2,3,7,8-TCDD (DIOXIN)	34676	WAIVED			
2,4,5-TP (SILVEX)	39045	WAIVED			
2,4-D	39730	WAIVED			
ALACHLOR	77825	WAIVED			
ATRAZINE	39033	WAIVED			
BENTAZON	38710	WAIVED			
BENZO (A) PYRENE	34247	WAIVED			
CARBOFURAN	81405	WAIVED			
CHLORDANE	39350	WAIVED			
DALAPON	38432	WAIVED			
DI(2-ETHYLHEXYL)ADIPATE	A-026	WAIVED			
DI(2-ETHYLHEXYL)PHTHALATE	39100	WAIVED			
DIBROMOCHLOROPROPANE (DBCP)	38761	WAIVED			
DINOSEB	81287	WAIVED			
DIQUAT	78885	WAIVED			

**Testing interval is in months;*
0 = No data for this constituent and is DUE NOW
999 = Waived testing (not required)
I = Invalid (NOT) valid analyses reported

System Number: ***1900913***

System Name: ***LILY OF THE VALLEY MOBILE VILLAGE***

PS Code: ***1900913-002***

Source Name: ***WELL 02 BACK UP***

Source Number: ***002***

Source Status: ***STANDBY UNTREATED***

Water type: ***GROUNDWATER OR WELL***

	STORET NUMBER	TESTING INTERVAL (MONTHS)*	LAST TEST DATE (yyyy/mm/dd)	LAST RESULT REPORTED	NEXT TEST DATE (yyyy/mm)
REGULATED SOC					
ENDOTHALL	38926	WAIVED			
ENDRIN	39390	WAIVED			
ETHYLENE DIBROMIDE (EDB)	77651	WAIVED			
GLYPHOSATE	79743	WAIVED			
HEPTACHLOR	39410	WAIVED			
HEPTACHLOR EPOXIDE	39420	WAIVED			
HEXACHLOROBENZENE	39700	WAIVED			
HEXACHLOROCYCLOPENTADIENE	34386	WAIVED			
LINDANE	39340	WAIVED			
METHOXYCHLOR	39480	WAIVED			
MOLINATE	82199	WAIVED			
OXAMYL	38865	WAIVED			
PENTACHLOROPHENOL	39032	WAIVED			
PICLORAM	39720	WAIVED			
POLYCHLORINATED BIPHENYLS, TOTAL, AS DCB	39516	WAIVED			
SIMAZINE	39055	WAIVED			
THIOBENCARB	A-001	WAIVED			
TOXAPHENE	39400	WAIVED			
REGULATED VOC					
1,1,1-TRICHLOROETHANE	34506	WAIVED	2010/09/15	< .500	
1,1,2,2-TETRACHLOROETHANE	34516	WAIVED	2010/09/15	< .500	
1,1,2-TRICHLORO-1,2,2-TRIFLUOROETHANE	81611	WAIVED	2010/09/15	< .500	
1,1,2-TRICHLOROETHANE	34511	WAIVED	2010/09/15	< .500	
1,1-DICHLOROETHANE	34496	WAIVED	2010/09/15	< .500	
1,1-DICHLOROETHYLENE	34501	WAIVED	2010/09/15	< .500	
1,2,4-TRICHLOROBENZENE	34551	WAIVED	2010/09/15	< .500	
1,2-DICHLOROBENZENE	34536	WAIVED	2010/09/15	< .500	
1,2-DICHLOROETHANE	34531	WAIVED	2010/09/15	< .500	
1,2-DICHLOROPROPANE	34541	WAIVED	2010/09/15	< .500	

**Testing interval is in months;*
0 = No data for this constituent and is DUE NOW
999 = Waived testing (not required)
I = Invalid (NOT) valid analyses reported

System Number: ***1900913***

System Name: ***LILY OF THE VALLEY MOBILE VILLAGE***

PS Code: ***1900913-002***

Source Name: ***WELL 02 BACK UP***

Source Number: ***002***

Source Status: ***STANDBY UNTREATED***

Water type: ***GROUNDWATER OR WELL***

	STORET NUMBER	TESTING INTERVAL (MONTHS)*	LAST TEST DATE (yyyy/mm/dd)	LAST RESULT REPORTED	NEXT TEST DATE (yyyy/mm)
REGULATED VOC					
1,3-DICHLOROPROPENE (TOTAL)	34561	WAIVED	2010/09/15	< .500	
1,4-DICHLOROBENZENE	34571	WAIVED	2010/09/15	< .500	
BENZENE	34030	WAIVED	2010/09/15	< .500	
CARBON TETRACHLORIDE	32102	WAIVED	2010/09/15	< .500	
CIS-1,2-DICHLOROETHYLENE	77093	WAIVED	2010/09/15	< .500	
DICHLOROMETHANE	34423	WAIVED	2010/09/15	< .500	
ETHYLBENZENE	34371	WAIVED	2010/09/15	< .500	
METHYL-TERT-BUTYL-ETHER (MTBE)	46491	WAIVED	2010/09/15	< 1.000	
MONOCHLOROBENZENE	34301	WAIVED	2010/09/15	< .500	
STYRENE	77128	WAIVED	2010/09/15	< .500	
TETRACHLOROETHYLENE	34475	WAIVED	2010/09/15	< .500	
TOLUENE	34010	WAIVED	2010/09/15	< .500	
TRANS-1,2-DICHLOROETHYLENE	34546	WAIVED	2010/09/15	< .500	
TRICHLOROETHYLENE	39180	WAIVED	2010/09/15	< .500	
TRICHLOROFLUOROMETHANE	34488	WAIVED	2010/09/15	< .500	
VINYL CHLORIDE	39175	WAIVED	2010/09/15	< .500	
XYLENES (TOTAL)	81551	WAIVED	2010/09/15	< .500	
SECONDARY/GP					
AGGRSSIVE INDEX (CORROSIVITY)	82383	WAIVED			
BICARBONATE ALKALINITY	00440	WAIVED			
CALCIUM	00916	WAIVED			
CARBONATE ALKALINITY	00445	WAIVED			
CHLORIDE	00940	WAIVED			
COLOR	00081	WAIVED			
COPPER	01042	WAIVED			
FOAMING AGENTS (MBAS)	38260	WAIVED			
HARDNESS (TOTAL) AS CACO3	00900	WAIVED			
HYDROXIDE ALKALINITY	71830	WAIVED			
IRON	01045	WAIVED			

**Testing interval is in months;*
0 = No data for this constituent and is DUE NOW
999 = Waived testing (not required)
I = Invalid (NOT) valid analyses reported

System Number: ***1900913***

System Name: ***LILY OF THE VALLEY MOBILE VILLAGE***

PS Code: ***1900913-002***

Source Name: ***WELL 02 BACK UP***

Source Number: ***002***

Source Status: ***STANDBY UNTREATED***

Water type: ***GROUNDWATER OR WELL***

SECONDARY/GP

	STORET NUMBER	TESTING INTERVAL (MONTHS)*	LAST TEST DATE (yyyy/mm/dd)	LAST RESULT REPORTED	NEXT TEST DATE (yyyy/mm)
MAGNESIUM	00927	WAIVED			
MANGANESE	01055	WAIVED			
ODOR THRESHOLD @ 60 C	00086	WAIVED			
PH, LABORATORY	00403	WAIVED	2010/09/15	8.500	
SILVER	01077	WAIVED			
SODIUM	00929	WAIVED			
SPECIFIC CONDUCTANCE	00095	WAIVED			
SULFATE	00945	WAIVED			
TOTAL DISSOLVED SOLIDS	70300	WAIVED	2010/09/15	770.000	
TURBIDITY, LABORATORY	82079	WAIVED			
ZINC	01092	WAIVED			

PS Code: ***1900913-003***

Source Name: ***AUTOMATIC CHLORINATION UNIT***

Source Number: ***003***

Source Status: ***ACTIVE TREATED***

Water type: ***GROUNDWATER OR WELL***

GENERAL NON CHAP 15

DIAZINON	39570	WAIVED			

INORGANIC

ALUMINUM	01105	WAIVED			
ANTIMONY	01097	WAIVED			
ARSENIC	01002	WAIVED			
ASBESTOS	81855	WAIVED			
BARIUM	01007	WAIVED			
BERYLLIUM	01012	WAIVED			
CADMIUM	01027	WAIVED			
CHROMIUM (TOTAL)	01034	WAIVED			
CYANIDE	01291	WAIVED			

**Testing interval is in months;*
0 = No data for this constituent and is DUE NOW
999 = Waived testing (not required)
I = Invalid (NOT) valid analyses reported

System Number: ***1900913***

System Name: ***LILY OF THE VALLEY MOBILE VILLAGE***

PS Code: ***1900913-003***

Source Name: ***AUTOMATIC CHLORINATION UNIT***

Source Number: ***003***

Source Status: ***ACTIVE TREATED***

Water type: ***GROUNDWATER OR WELL***

	STORET NUMBER	TESTING INTERVAL (MONTHS)*	LAST TEST DATE (yyyy/mm/dd)	LAST RESULT REPORTED	NEXT TEST DATE (yyyy/mm)
INORGANIC					
FLUORIDE (F) (NATURAL-SOURCE)	00951	WAIVED			
LEAD	01051	WAIVED			
MERCURY	71900	WAIVED			
NICKEL	01067	WAIVED			
PERCHLORATE	A-031	WAIVED			
SELENIUM	01147	WAIVED			
THALLIUM	01059	WAIVED			
NITRATE/NITRITE					
NITRATE (AS NO3)	71850	WAIVED			
NITRITE (AS N)	00620	WAIVED			
RADIOLOGICAL					
GROSS ALPHA	01501	WAIVED			
GROSS BETA	03501	WAIVED			
RA-226 FOR CWS OR TOTAL RA FOR NTNC BY 903.0	A-080	WAIVED			
RA-226 OR TOTAL RA BY 903.0 C.E.	A-081	WAIVED			
RADIUM 226	09501	WAIVED			
RADIUM 228	11501	WAIVED			
RADIUM, TOTAL, MDA95-NTNC ONLY, BY 903.0	A-082	WAIVED			
STRONTIUM-90	13501	WAIVED			
TRITIUM	07000	WAIVED			
URANIUM (PCI/L)	28012	WAIVED			
REGULATED SOC					
2,3,7,8-TCDD (DIOXIN)	34676	WAIVED			
2,4,5-TP (SILVEX)	39045	WAIVED			
2,4-D	39730	WAIVED			
ALACHLOR	77825	WAIVED			
ATRAZINE	39033	WAIVED			
BENTAZON	38710	WAIVED			

**Testing interval is in months;*
0 = No data for this constituent and is DUE NOW
999 = Waived testing (not required)
I = Invalid (NOT) valid analyses reported

System Number: ***1900913***

System Name: ***LILY OF THE VALLEY MOBILE VILLAGE***

PS Code: ***1900913-003***

Source Name: ***AUTOMATIC CHLORINATION UNIT***

Source Number: ***003***

Source Status: ***ACTIVE TREATED***

Water type: ***GROUNDWATER OR WELL***

REGULATED SOC

	STORET NUMBER	TESTING INTERVAL (MONTHS)*	LAST TEST DATE (yyyy/mm/dd)	LAST RESULT REPORTED	NEXT TEST DATE (yyyy/mm)
BENZO (A) PYRENE	34247	WAIVED			
CARBOFURAN	81405	WAIVED			
CHLORDANE	39350	WAIVED			
DALAPON	38432	WAIVED			
DI(2-ETHYLHEXYL)ADIPATE	A-026	WAIVED			
DI(2-ETHYLHEXYL)PHTHALATE	39100	WAIVED			
DIBROMOCHLOROPROPANE (DBCP)	38761	WAIVED			
DINOSEB	81287	WAIVED			
DIQUAT	78885	WAIVED			
ENDOTHALL	38926	WAIVED			
ENDRIN	39390	WAIVED			
ETHYLENE DIBROMIDE (EDB)	77651	WAIVED			
GLYPHOSATE	79743	WAIVED			
HEPTACHLOR	39410	WAIVED			
HEPTACHLOR EPOXIDE	39420	WAIVED			
HEXACHLOROBENZENE	39700	WAIVED			
HEXACHLOROCYCLOPENTADIENE	34386	WAIVED			
LINDANE	39340	WAIVED			
METHOXYCHLOR	39480	WAIVED			
MOLINATE	82199	WAIVED			
OXAMYL	38865	WAIVED			
PENTACHLOROPHENOL	39032	WAIVED			
PICLORAM	39720	WAIVED			
POLYCHLORINATED BIPHENYLS, TOTAL, AS DCB	39516	WAIVED			
SIMAZINE	39055	WAIVED			
THIOBENCARB	A-001	WAIVED			
TOXAPHENE	39400	WAIVED			

REGULATED VOC

1,1,1-TRICHLOROETHANE	34506	WAIVED			

**Testing interval is in months;*
0 = No data for this constituent and is DUE NOW
999 = Waived testing (not required)
I = Invalid (NOT) valid analyses reported

System Number: ***1900913***

System Name: ***LILY OF THE VALLEY MOBILE VILLAGE***

PS Code: ***1900913-003***

Source Name: ***AUTOMATIC CHLORINATION UNIT***

Source Number: ***003***

Source Status: ***ACTIVE TREATED***

Water type: ***GROUNDWATER OR WELL***

REGULATED VOC

	STORET NUMBER	TESTING INTERVAL (MONTHS)*	LAST TEST DATE (yyyy/mm/dd)	LAST RESULT REPORTED	NEXT TEST DATE (yyyy/mm)
1,1,2,2-TETRACHLOROETHANE	34516	WAIVED			
1,1,2-TRICHLORO-1,2,2-TRIFLUOROETHANE	81611	WAIVED			
1,1,2-TRICHLOROETHANE	34511	WAIVED			
1,1-DICHLOROETHANE	34496	WAIVED			
1,1-DICHLOROETHYLENE	34501	WAIVED			
1,2,4-TRICHLOROBENZENE	34551	WAIVED			
1,2-DICHLOROBENZENE	34536	WAIVED			
1,2-DICHLOROETHANE	34531	WAIVED			
1,2-DICHLOROPROPANE	34541	WAIVED			
1,3-DICHLOROPROPENE (TOTAL)	34561	WAIVED			
1,4-DICHLOROBENZENE	34571	WAIVED			
BENZENE	34030	WAIVED			
CARBON TETRACHLORIDE	32102	WAIVED			
CIS-1,2-DICHLOROETHYLENE	77093	WAIVED			
DICHLOROMETHANE	34423	WAIVED			
ETHYLBENZENE	34371	WAIVED			
METHYL-TERT-BUTYL-ETHER (MTBE)	46491	WAIVED			
MONOCHLOROBENZENE	34301	WAIVED			
STYRENE	77128	WAIVED			
TETRACHLOROETHYLENE	34475	WAIVED			
TOLUENE	34010	WAIVED			
TRANS-1,2-DICHLOROETHYLENE	34546	WAIVED			
TRICHLOROETHYLENE	39180	WAIVED			
TRICHLOROFLUOROMETHANE	34488	WAIVED			
VINYL CHLORIDE	39175	WAIVED			
XYLENES (TOTAL)	81551	WAIVED			

SECONDARY/GP

AGGRSSIVE INDEX (CORROSIVITY)	82383	WAIVED			
BICARBONATE ALKALINITY	00440	WAIVED			

**Testing interval is in months;*
0 = No data for this constituent and is DUE NOW
999 = Waived testing (not required)
I = Invalid (NOT) valid analyses reported

System Number: ***1900913***

System Name: ***LILY OF THE VALLEY MOBILE VILLAGE***

PS Code: ***1900913-003***

Source Name: ***AUTOMATIC CHLORINATION UNIT***

Source Number: ***003***

Source Status: ***ACTIVE TREATED***

Water type: ***GROUNDWATER OR WELL***

SECONDARY/GP

	STORET NUMBER	TESTING INTERVAL (MONTHS)*	LAST TEST DATE (yyyy/mm/dd)	LAST RESULT REPORTED	NEXT TEST DATE (yyyy/mm)
CALCIUM	00916	WAIVED			
CARBONATE ALKALINITY	00445	WAIVED			
CHLORIDE	00940	WAIVED			
COLOR	00081	WAIVED			
COPPER	01042	WAIVED			
FOAMING AGENTS (MBAS)	38260	WAIVED			
HARDNESS (TOTAL) AS CACO3	00900	WAIVED			
HYDROXIDE ALKALINITY	71830	WAIVED			
IRON	01045	WAIVED			
MAGNESIUM	00927	WAIVED			
MANGANESE	01055	WAIVED			
ODOR THRESHOLD @ 60 C	00086	WAIVED			
PH, LABORATORY	00403	WAIVED			
SILVER	01077	WAIVED			
SODIUM	00929	WAIVED			
SPECIFIC CONDUCTANCE	00095	WAIVED			
SULFATE	00945	WAIVED			
TOTAL DISSOLVED SOLIDS	70300	WAIVED			
TURBIDITY, LABORATORY	82079	WAIVED			
ZINC	01092	WAIVED			

**Testing interval is in months;*
0 = No data for this constituent and is DUE NOW
999 = Waived testing (not required)
I = Invalid (NOT) valid analyses reported

System Number: ***1900914***

System Name: ***USFS-SKYLINE PARK / MT WILSON A-4***

PS Code: ***1900914-001***

Source Name: ***WELL 01***

Source Number: ***001***

Source Status: ***ACTIVE UNTREATED***

Water type: ***GROUNDWATER OR WELL***

	STORET NUMBER	TESTING INTERVAL (MONTHS)*	LAST TEST DATE (yyyy/mm/dd)	LAST RESULT REPORTED	NEXT TEST DATE (yyyy/mm)
GENERAL NON CHAP 15					
DIAZINON	39570	WAIVED			
INORGANIC					
ALUMINUM	01105	WAIVED	2000/03/22	.000	
ANTIMONY	01097	WAIVED	2000/03/22	.000	
ARSENIC	01002	WAIVED	2000/03/22	2.000	
ASBESTOS	81855	WAIVED			
BARIUM	01007	WAIVED	2000/03/22	.000	
BERYLLIUM	01012	WAIVED			
CADMIUM	01027	WAIVED	2000/03/22	.000	
CHROMIUM (TOTAL)	01034	WAIVED	2000/03/22	.000	
CYANIDE	01291	WAIVED			
FLUORIDE (F) (NATURAL-SOURCE)	00951	WAIVED	2000/03/22	.000	
LEAD	01051	WAIVED	2000/03/22	.000	
MERCURY	71900	WAIVED	2000/03/22	.000	
NICKEL	01067	WAIVED	2000/03/22	.000	
PERCHLORATE	A-031	WAIVED			
SELENIUM	01147	WAIVED	2000/03/22	.000	
THALLIUM	01059	WAIVED			
NITRATE/NITRITE					
NITRATE (AS NO3)	71850	WAIVED	2011/10/04	< 2.000	
NITRITE (AS N)	00620	WAIVED			
RADIOLOGICAL					
GROSS ALPHA	01501	WAIVED			
GROSS BETA	03501	WAIVED			
RA-226 FOR CWS OR TOTAL RA FOR NTNC BY 903.0	A-080	WAIVED			
RA-226 OR TOTAL RA BY 903.0 C.E.	A-081	WAIVED			
RADIUM 226	09501	WAIVED			
RADIUM 228	11501	WAIVED			

**Testing interval is in months;*
0 = No data for this constituent and is DUE NOW
999 = Waived testing (not required)
I = Invalid (NOT) valid analyses reported

System Number: ***1900914***

System Name: ***USFS-SKYLINE PARK / MT WILSON A-4***

PS Code: ***1900914-001***

Source Name: ***WELL 01***

Source Number: ***001***

Source Status: ***ACTIVE UNTREATED***

Water type: ***GROUNDWATER OR WELL***

	STORET NUMBER	TESTING INTERVAL (MONTHS)*	LAST TEST DATE (yyyy/mm/dd)	LAST RESULT REPORTED	NEXT TEST DATE (yyyy/mm)
RADIOLOGICAL					
RADIUM, TOTAL, MDA95-NTNC ONLY, BY 903.0	A-082	WAIVED			
STRONTIUM-90	13501	WAIVED			
TRITIUM	07000	WAIVED			
URANIUM (PCI/L)	28012	WAIVED			
REGULATED SOC					
2,3,7,8-TCDD (DIOXIN)	34676	WAIVED			
2,4,5-TP (SILVEX)	39045	WAIVED			
2,4-D	39730	WAIVED			
ALACHLOR	77825	WAIVED			
ATRAZINE	39033	WAIVED			
BENTAZON	38710	WAIVED			
BENZO (A) PYRENE	34247	WAIVED			
CARBOFURAN	81405	WAIVED			
CHLORDANE	39350	WAIVED			
DALAPON	38432	WAIVED			
DI(2-ETHYLHEXYL)ADIPATE	A-026	WAIVED			
DI(2-ETHYLHEXYL)PHTHALATE	39100	WAIVED			
DIBROMOCHLOROPROPANE (DBCP)	38761	WAIVED			
DINOSEB	81287	WAIVED			
DIQUAT	78885	WAIVED			
ENDOTHALL	38926	WAIVED			
ENDRIN	39390	WAIVED			
ETHYLENE DIBROMIDE (EDB)	77651	WAIVED			
GLYPHOSATE	79743	WAIVED			
HEPTACHLOR	39410	WAIVED			
HEPTACHLOR EPOXIDE	39420	WAIVED			
HEXACHLOROBENZENE	39700	WAIVED			
HEXACHLOROCYCLOPENTADIENE	34386	WAIVED			
LINDANE	39340	WAIVED			

**Testing interval is in months;*
0 = No data for this constituent and is DUE NOW
999 = Waived testing (not required)
I = Invalid (NOT) valid analyses reported

System Number: ***1900914***

System Name: ***USFS-SKYLINE PARK / MT WILSON A-4***

PS Code: ***1900914-001***

Source Name: ***WELL 01***

Source Number: ***001***

Source Status: ***ACTIVE UNTREATED***

Water type: ***GROUNDWATER OR WELL***

	STORET NUMBER	TESTING INTERVAL (MONTHS)*	LAST TEST DATE (yyyy/mm/dd)	LAST RESULT REPORTED	NEXT TEST DATE (yyyy/mm)
REGULATED SOC					
METHOXYCHLOR	39480	WAIVED			
MOLINATE	82199	WAIVED			
OXAMYL	38865	WAIVED			
PENTACHLOROPHENOL	39032	WAIVED			
PICLORAM	39720	WAIVED			
POLYCHLORINATED BIPHENYLS, TOTAL, AS DCB	39516	WAIVED			
SIMAZINE	39055	WAIVED			
THIOBENCARB	A-001	WAIVED			
TOXAPHENE	39400	WAIVED			
REGULATED VOC					
1,1,1-TRICHLOROETHANE	34506	WAIVED			
1,1,2,2-TETRACHLOROETHANE	34516	WAIVED			
1,1,2-TRICHLORO-1,2,2-TRIFLUOROETHANE	81611	WAIVED			
1,1,2-TRICHLOROETHANE	34511	WAIVED			
1,1-DICHLOROETHANE	34496	WAIVED			
1,1-DICHLOROETHYLENE	34501	WAIVED			
1,2,4-TRICHLOROBENZENE	34551	WAIVED			
1,2-DICHLOROBENZENE	34536	WAIVED			
1,2-DICHLOROETHANE	34531	WAIVED			
1,2-DICHLOROPROPANE	34541	WAIVED			
1,3-DICHLOROPROPENE (TOTAL)	34561	WAIVED			
1,4-DICHLOROBENZENE	34571	WAIVED			
BENZENE	34030	WAIVED			
CARBON TETRACHLORIDE	32102	WAIVED			
CIS-1,2-DICHLOROETHYLENE	77093	WAIVED			
DICHLOROMETHANE	34423	WAIVED			
ETHYLBENZENE	34371	WAIVED			
METHYL-TERT-BUTYL-ETHER (MTBE)	46491	WAIVED			
MONOCHLOROBENZENE	34301	WAIVED			

**Testing interval is in months;*
0 = No data for this constituent and is DUE NOW
999 = Waived testing (not required)
I = Invalid (NOT) valid analyses reported

System Number: ***1900914***

System Name: ***USFS-SKYLINE PARK / MT WILSON A-4***

PS Code: ***1900914-001***

Source Name: ***WELL 01***

Source Number: ***001***

Source Status: ***ACTIVE UNTREATED***

Water type: ***GROUNDWATER OR WELL***

	STORET NUMBER	TESTING INTERVAL (MONTHS)*	LAST TEST DATE (yyyy/mm/dd)	LAST RESULT REPORTED	NEXT TEST DATE (yyyy/mm)
REGULATED VOC					
STYRENE	77128	WAIVED			
TETRACHLOROETHYLENE	34475	WAIVED			
TOLUENE	34010	WAIVED			
TRANS-1,2-DICHLOROETHYLENE	34546	WAIVED			
TRICHLOROETHYLENE	39180	WAIVED			
TRICHLOROFLUOROMETHANE	34488	WAIVED			
VINYL CHLORIDE	39175	WAIVED			
XYLENES (TOTAL)	81551	WAIVED			
SECONDARY/GP					
AGGRSSIVE INDEX (CORROSIVITY)	82383	WAIVED			
BICARBONATE ALKALINITY	00440	WAIVED	2000/03/22	198.000	
CALCIUM	00916	WAIVED	2000/03/22	46.000	
CARBONATE ALKALINITY	00445	WAIVED	2000/03/22	.000	
CHLORIDE	00940	WAIVED	2000/03/22	3.000	
COLOR	00081	WAIVED	2000/03/22	.000	
COPPER	01042	WAIVED	2000/03/22	.000	
FOAMING AGENTS (MBAS)	38260	WAIVED	2000/03/22	.000	
HARDNESS (TOTAL) AS CACO3	00900	WAIVED	2000/03/22	165.000	
HYDROXIDE ALKALINITY	71830	WAIVED	2000/03/22	.000	
IRON	01045	WAIVED	2000/03/22	.000	
MAGNESIUM	00927	WAIVED	2000/03/22	12.000	
MANGANESE	01055	WAIVED	2000/03/22	.000	
ODOR THRESHOLD @ 60 C	00086	WAIVED	2000/03/22	.000	
PH, LABORATORY	00403	WAIVED	2000/03/22	7.000	
SILVER	01077	WAIVED	2000/03/22	.000	
SODIUM	00929	WAIVED	2000/03/22	6.000	
SPECIFIC CONDUCTANCE	00095	WAIVED	2000/03/22	393.000	
SULFATE	00945	WAIVED	2000/03/22	4.000	
TOTAL DISSOLVED SOLIDS	70300	WAIVED	2000/03/22	218.000	

**Testing interval is in months;*
0 = No data for this constituent and is DUE NOW
999 = Waived testing (not required)
I = Invalid (NOT) valid analyses reported

System Number: ***1900914***

System Name: ***USFS-SKYLINE PARK / MT WILSON A-4***

PS Code: ***1900914-001***

Source Name: ***WELL 01***

Source Number: ***001***

Source Status: ***ACTIVE UNTREATED***

Water type: ***GROUNDWATER OR WELL***

SECONDARY/GP

	STORET NUMBER	TESTING INTERVAL (MONTHS)*	LAST TEST DATE (yyyy/mm/dd)	LAST RESULT REPORTED	NEXT TEST DATE (yyyy/mm)
TURBIDITY, LABORATORY	82079	WAIVED	2000/03/22	7.000	
ZINC	01092	WAIVED	2000/03/22	.000	

**Testing interval is in months;*
0 = No data for this constituent and is DUE NOW
999 = Waived testing (not required)
I = Invalid (NOT) valid analyses reported

System Number: ***1900922***

System Name: ***USFS-RED BOX STATION A-3***

PS Code: ***1900922-001***

Source Name: ***WELL 01***

Source Number: ***001***

Source Status: ***ACTIVE UNTREATED***

Water type: ***GROUNDWATER OR WELL***

	STORET NUMBER	TESTING INTERVAL (MONTHS)*	LAST TEST DATE (yyyy/mm/dd)	LAST RESULT REPORTED	NEXT TEST DATE (yyyy/mm)
GENERAL NON CHAP 15					
DIAZINON	39570	WAIVED			
INORGANIC					
ALUMINUM	01105	WAIVED	2000/11/28	.000	
ANTIMONY	01097	WAIVED	2000/11/28	.000	
ARSENIC	01002	WAIVED	2000/11/28	.000	
ASBESTOS	81855	WAIVED			
BARIUM	01007	WAIVED			
BERYLLIUM	01012	WAIVED			
CADMIUM	01027	WAIVED	2000/11/28	.000	
CHROMIUM (TOTAL)	01034	WAIVED	2000/11/28	.000	
CYANIDE	01291	WAIVED			
FLUORIDE (F) (NATURAL-SOURCE)	00951	WAIVED	2000/11/28	.120	
LEAD	01051	WAIVED	2000/11/28	.000	
MERCURY	71900	WAIVED	2000/11/28	.000	
NICKEL	01067	WAIVED	2000/11/28	.000	
PERCHLORATE	A-031	WAIVED			
SELENIUM	01147	WAIVED	2000/11/28	.000	
THALLIUM	01059	WAIVED			
NITRATE/NITRITE					
NITRATE (AS NO3)	71850	WAIVED	2011/10/04	< 2.000	
NITRITE (AS N)	00620	WAIVED			
RADIOLOGICAL					
GROSS ALPHA	01501	WAIVED			
GROSS BETA	03501	WAIVED			
RA-226 FOR CWS OR TOTAL RA FOR NTNC BY 903.0	A-080	WAIVED			
RA-226 OR TOTAL RA BY 903.0 C.E.	A-081	WAIVED			
RADIUM 226	09501	WAIVED			
RADIUM 228	11501	WAIVED			

**Testing interval is in months;*
0 = No data for this constituent and is DUE NOW
999 = Waived testing (not required)
I = Invalid (NOT) valid analyses reported

System Number: ***1900922***

System Name: ***USFS-RED BOX STATION A-3***

PS Code: ***1900922-001***

Source Name: ***WELL 01***

Source Number: ***001***

Source Status: ***ACTIVE UNTREATED***

Water type: ***GROUNDWATER OR WELL***

	STORET NUMBER	TESTING INTERVAL (MONTHS)*	LAST TEST DATE (yyyy/mm/dd)	LAST RESULT REPORTED	NEXT TEST DATE (yyyy/mm)
RADIOLOGICAL					
RADIUM, TOTAL, MDA95-NTNC ONLY, BY 903.0	A-082	WAIVED			
STRONTIUM-90	13501	WAIVED			
TRITIUM	07000	WAIVED			
URANIUM (PCI/L)	28012	WAIVED			
REGULATED SOC					
2,3,7,8-TCDD (DIOXIN)	34676	WAIVED			
2,4,5-TP (SILVEX)	39045	WAIVED			
2,4-D	39730	WAIVED			
ALACHLOR	77825	WAIVED			
ATRAZINE	39033	WAIVED			
BENTAZON	38710	WAIVED			
BENZO (A) PYRENE	34247	WAIVED			
CARBOFURAN	81405	WAIVED			
CHLORDANE	39350	WAIVED			
DALAPON	38432	WAIVED			
DI(2-ETHYLHEXYL)ADIPATE	A-026	WAIVED			
DI(2-ETHYLHEXYL)PHTHALATE	39100	WAIVED			
DIBROMOCHLOROPROPANE (DBCP)	38761	WAIVED			
DINOSEB	81287	WAIVED			
DIQUAT	78885	WAIVED			
ENDOTHALL	38926	WAIVED			
ENDRIN	39390	WAIVED			
ETHYLENE DIBROMIDE (EDB)	77651	WAIVED			
GLYPHOSATE	79743	WAIVED			
HEPTACHLOR	39410	WAIVED			
HEPTACHLOR EPOXIDE	39420	WAIVED			
HEXACHLOROBENZENE	39700	WAIVED			
HEXACHLOROCYCLOPENTADIENE	34386	WAIVED			
LINDANE	39340	WAIVED			

**Testing interval is in months;*
0 = No data for this constituent and is DUE NOW
999 = Waived testing (not required)
I = Invalid (NOT) valid analyses reported

System Number: ***1900922***

System Name: ***USFS-RED BOX STATION A-3***

PS Code: ***1900922-001***

Source Name: ***WELL 01***

Source Number: ***001***

Source Status: ***ACTIVE UNTREATED***

Water type: ***GROUNDWATER OR WELL***

	STORET NUMBER	TESTING INTERVAL (MONTHS)*	LAST TEST DATE (yyyy/mm/dd)	LAST RESULT REPORTED	NEXT TEST DATE (yyyy/mm)
REGULATED SOC					
METHOXYCHLOR	39480	WAIVED			
MOLINATE	82199	WAIVED			
OXAMYL	38865	WAIVED			
PENTACHLOROPHENOL	39032	WAIVED			
PICLORAM	39720	WAIVED			
POLYCHLORINATED BIPHENYLS, TOTAL, AS DCB	39516	WAIVED			
SIMAZINE	39055	WAIVED			
THIOBENCARB	A-001	WAIVED			
TOXAPHENE	39400	WAIVED			
REGULATED VOC					
1,1,1-TRICHLOROETHANE	34506	WAIVED			
1,1,2,2-TETRACHLOROETHANE	34516	WAIVED			
1,1,2-TRICHLORO-1,2,2-TRIFLUOROETHANE	81611	WAIVED			
1,1,2-TRICHLOROETHANE	34511	WAIVED			
1,1-DICHLOROETHANE	34496	WAIVED			
1,1-DICHLOROETHYLENE	34501	WAIVED			
1,2,4-TRICHLOROBENZENE	34551	WAIVED			
1,2-DICHLOROBENZENE	34536	WAIVED			
1,2-DICHLOROETHANE	34531	WAIVED			
1,2-DICHLOROPROPANE	34541	WAIVED			
1,3-DICHLOROPROPENE (TOTAL)	34561	WAIVED			
1,4-DICHLOROBENZENE	34571	WAIVED			
BENZENE	34030	WAIVED			
CARBON TETRACHLORIDE	32102	WAIVED			
CIS-1,2-DICHLOROETHYLENE	77093	WAIVED			
DICHLOROMETHANE	34423	WAIVED			
ETHYLBENZENE	34371	WAIVED			
METHYL-TERT-BUTYL-ETHER (MTBE)	46491	WAIVED			
MONOCHLOROBENZENE	34301	WAIVED			

**Testing interval is in months;*
0 = No data for this constituent and is DUE NOW
999 = Waived testing (not required)
I = Invalid (NOT) valid analyses reported

System Number: ***1900922***

System Name: ***USFS-RED BOX STATION A-3***

PS Code: ***1900922-001***

Source Name: ***WELL 01***

Source Number: ***001***

Source Status: ***ACTIVE UNTREATED***

Water type: ***GROUNDWATER OR WELL***

	STORET NUMBER	TESTING INTERVAL (MONTHS)*	LAST TEST DATE (yyyy/mm/dd)	LAST RESULT REPORTED	NEXT TEST DATE (yyyy/mm)
REGULATED VOC					
STYRENE	77128	WAIVED			
TETRACHLOROETHYLENE	34475	WAIVED			
TOLUENE	34010	WAIVED			
TRANS-1,2-DICHLOROETHYLENE	34546	WAIVED			
TRICHLOROETHYLENE	39180	WAIVED			
TRICHLOROFLUOROMETHANE	34488	WAIVED			
VINYL CHLORIDE	39175	WAIVED			
XYLENES (TOTAL)	81551	WAIVED			
SECONDARY/GP					
AGGRSSIVE INDEX (CORROSIVITY)	82383	WAIVED			
BICARBONATE ALKALINITY	00440	WAIVED	2000/11/28	155.000	
CALCIUM	00916	WAIVED	2000/11/28	32.000	
CARBONATE ALKALINITY	00445	WAIVED	2000/11/28	.000	
CHLORIDE	00940	WAIVED	2000/11/28	2.110	
COLOR	00081	WAIVED	2000/11/28	.000	
COPPER	01042	WAIVED	2000/11/28	.000	
FOAMING AGENTS (MBAS)	38260	WAIVED	2000/11/28	.000	
HARDNESS (TOTAL) AS CACO3	00900	WAIVED	2000/11/28	120.000	
HYDROXIDE ALKALINITY	71830	WAIVED	2000/11/28	.000	
IRON	01045	WAIVED	2000/11/28	.000	
MAGNESIUM	00927	WAIVED	2000/11/28	9.700	
MANGANESE	01055	WAIVED	2000/11/28	.000	
ODOR THRESHOLD @ 60 C	00086	WAIVED	2000/11/28	.000	
PH, LABORATORY	00403	WAIVED	2000/11/28	7.700	
SILVER	01077	WAIVED	2000/11/28	.000	
SODIUM	00929	WAIVED	2000/11/28	6.200	
SPECIFIC CONDUCTANCE	00095	WAIVED	2000/11/28	252.000	
SULFATE	00945	WAIVED	2000/11/28	2.370	
TOTAL DISSOLVED SOLIDS	70300	WAIVED	2000/11/28	144.000	

**Testing interval is in months;*
0 = No data for this constituent and is DUE NOW
999 = Waived testing (not required)
I = Invalid (NOT) valid analyses reported

System Number: ***1900922***

System Name: ***USFS-RED BOX STATION A-3***

PS Code: ***1900922-001***

Source Name: ***WELL 01***

Source Number: ***001***

Source Status: ***ACTIVE UNTREATED***

Water type: ***GROUNDWATER OR WELL***

	STORET NUMBER	TESTING INTERVAL (MONTHS)*	LAST TEST DATE (yyyy/mm/dd)	LAST RESULT REPORTED	NEXT TEST DATE (yyyy/mm)
SECONDARY/GP					
TURBIDITY, LABORATORY	**82079**	**WAIVED**	2000/11/28	**.160**	
ZINC	**01092**	**WAIVED**	2000/11/28	**139.000**	

**Testing interval is in months;*
0 = No data for this constituent and is DUE NOW
999 = Waived testing (not required)
I = Invalid (NOT) valid analyses reported

System Number: ***1900929***

System Name: ***MIRA LOMA HIGH DESERT HOSPITAL***

PS Code: ***1900929-001***

Source Name: ***WELL 03***

Source Number: ***001***

Source Status: ***ACTIVE UNTREATED***

Water type: ***GROUNDWATER OR WELL***

	STORET NUMBER	TESTING INTERVAL (MONTHS)*	LAST TEST DATE (yyyy/mm/dd)	LAST RESULT REPORTED	NEXT TEST DATE (yyyy/mm)
GENERAL NON CHAP 15					
DIAZINON	39570	WAIVED	2010/01/25	.000	
INORGANIC					
ALUMINUM	01105	WAIVED	2011/01/20	< 50.000	
ANTIMONY	01097	WAIVED	2011/01/20	< 6.000	
ARSENIC	01002	WAIVED	2010/01/25	4.490	
ASBESTOS	81855	WAIVED	2011/08/18	< .200	
BARIUM	01007	WAIVED	2011/01/20	< 100.000	
BERYLLIUM	01012	WAIVED	2011/01/20	< 1.000	
CADMIUM	01027	WAIVED	2011/01/20	< 1.000	
CHROMIUM (TOTAL)	01034	WAIVED	2011/01/20	< 10.000	
CYANIDE	01291	WAIVED	2011/01/20	< 100.000	
FLUORIDE (F) (NATURAL-SOURCE)	00951	WAIVED	2011/01/20	.293	
LEAD	01051	WAIVED	2010/01/25	.000	
MERCURY	71900	WAIVED	2011/01/20	< 1.000	
NICKEL	01067	WAIVED	2011/01/20	< 10.000	
PERCHLORATE	A-031	WAIVED	2012/02/03	< 4.000	
SELENIUM	01147	WAIVED	2011/01/20	< 5.000	
THALLIUM	01059	WAIVED	2011/01/20	< 1.000	
NITRATE/NITRITE					
NITRATE (AS NO3)	71850	WAIVED	2012/02/03	17.700	
NITRITE (AS N)	00620	WAIVED	2011/03/09	< 400.000	
RADIOLOGICAL					
GROSS ALPHA	01501	WAIVED	2009/07/09	1.750	
GROSS BETA	03501	WAIVED	2007/02/15	.000	
RA-226 FOR CWS OR TOTAL RA FOR NTNC BY 903.0	A-080	WAIVED			
RA-226 OR TOTAL RA BY 903.0 C.E.	A-081	WAIVED			
RADIUM 226	09501	WAIVED	2009/07/09	.000	
RADIUM 228	11501	WAIVED	2009/07/09	.000	

**Testing interval is in months;*
0 = No data for this constituent and is DUE NOW
999 = Waived testing (not required)
I = Invalid (NOT) valid analyses reported

System Number: ***1900929***

System Name: ***MIRA LOMA HIGH DESERT HOSPITAL***

PS Code: ***1900929-001***

Source Name: ***WELL 03***

Source Number: ***001***

Source Status: ***ACTIVE UNTREATED***

Water type: ***GROUNDWATER OR WELL***

	STORET NUMBER	TESTING INTERVAL (MONTHS)*	LAST TEST DATE (yyyy/mm/dd)	LAST RESULT REPORTED	NEXT TEST DATE (yyyy/mm)
RADIOLOGICAL					
RADIUM, TOTAL, MDA95-NTNC ONLY, BY 903.0	A-082	WAIVED			
STRONTIUM-90	13501	WAIVED	2007/02/15	.190	
TRITIUM	07000	WAIVED	2007/02/15	.000	
URANIUM (PCI/L)	28012	WAIVED	2009/07/09	2.700	
REGULATED SOC					
2,3,7,8-TCDD (DIOXIN)	34676	WAIVED	2007/02/15	.000	
2,4,5-TP (SILVEX)	39045	WAIVED	2009/07/09	.000	
2,4-D	39730	WAIVED	2009/07/09	.000	
ALACHLOR	77825	WAIVED	2009/07/09	.000	
ATRAZINE	39033	WAIVED	2010/01/25	.000	
BENTAZON	38710	WAIVED	2009/07/09	.000	
BENZO (A) PYRENE	34247	WAIVED	2009/07/09	.000	
CARBOFURAN	81405	WAIVED	2009/07/09	.000	
CHLORDANE	39350	WAIVED	2009/07/09	.000	
DALAPON	38432	WAIVED	2009/07/09	.000	
DI(2-ETHYLHEXYL)ADIPATE	A-026	WAIVED	2009/07/09	.000	
DI(2-ETHYLHEXYL)PHTHALATE	39100	WAIVED	2009/07/09	.000	
DIBROMOCHLOROPROPANE (DBCP)	38761	WAIVED	2009/07/09	.000	
DINOSEB	81287	WAIVED	2009/07/09	.000	
DIQUAT	78885	WAIVED	2009/07/09	.000	
ENDOTHALL	38926	WAIVED	2007/02/15	.000	
ENDRIN	39390	WAIVED	2009/07/09	.000	
ETHYLENE DIBROMIDE (EDB)	77651	WAIVED	2009/07/09	.000	
GLYPHOSATE	79743	WAIVED	2009/07/09	.000	
HEPTACHLOR	39410	WAIVED	2009/07/09	.000	
HEPTACHLOR EPOXIDE	39420	WAIVED	2009/07/09	.000	
HEXACHLOROBENZENE	39700	WAIVED	2009/07/09	.000	
HEXACHLOROCYCLOPENTADIENE	34386	WAIVED	2009/07/09	.000	
LINDANE	39340	WAIVED	2009/07/09	.000	

**Testing interval is in months;*
0 = No data for this constituent and is DUE NOW
999 = Waived testing (not required)
I = Invalid (NOT) valid analyses reported

System Number: ***1900929***

System Name: ***MIRA LOMA HIGH DESERT HOSPITAL***

PS Code: ***1900929-001***

Source Name: ***WELL 03***

Source Number: ***001***

Source Status: ***ACTIVE UNTREATED***

Water type: ***GROUNDWATER OR WELL***

	STORET NUMBER	TESTING INTERVAL (MONTHS)*	LAST TEST DATE (yyyy/mm/dd)	LAST RESULT REPORTED	NEXT TEST DATE (yyyy/mm)
REGULATED SOC					
METHOXYCHLOR	39480	WAIVED	2009/07/09	.000	
MOLINATE	82199	WAIVED	2010/01/25	.000	
OXAMYL	38865	WAIVED	2009/07/09	.000	
PENTACHLOROPHENOL	39032	WAIVED	2009/07/09	.000	
PICLORAM	39720	WAIVED	2009/07/09	.000	
POLYCHLORINATED BIPHENYLS, TOTAL, AS DCB	39516	WAIVED	2009/07/09	.000	
SIMAZINE	39055	WAIVED	2010/01/25	.000	
THIOBENCARB	A-001	WAIVED	2011/01/20	< 1.000	
TOXAPHENE	39400	WAIVED	2009/07/09	.000	
REGULATED VOC					
1,1,1-TRICHLOROETHANE	34506	WAIVED	2011/10/27	< .500	
1,1,2,2-TETRACHLOROETHANE	34516	WAIVED	2011/10/27	< .500	
1,1,2-TRICHLORO-1,2,2-TRIFLUOROETHANE	81611	WAIVED	2011/10/27	< 10.000	
1,1,2-TRICHLOROETHANE	34511	WAIVED	2011/10/27	< .500	
1,1-DICHLOROETHANE	34496	WAIVED	2011/10/27	< .500	
1,1-DICHLOROETHYLENE	34501	WAIVED	2011/10/27	< .500	
1,2,4-TRICHLOROBENZENE	34551	WAIVED	2011/10/27	< .500	
1,2-DICHLOROBENZENE	34536	WAIVED	2011/10/27	< .500	
1,2-DICHLOROETHANE	34531	WAIVED	2011/10/27	< .500	
1,2-DICHLOROPROPANE	34541	WAIVED	2011/10/27	< .500	
1,3-DICHLOROPROPENE (TOTAL)	34561	WAIVED	2011/10/27	< .500	
1,4-DICHLOROBENZENE	34571	WAIVED	2011/10/27	< .500	
BENZENE	34030	WAIVED	2011/10/27	< .500	
CARBON TETRACHLORIDE	32102	WAIVED	2011/10/27	< .500	
CIS-1,2-DICHLOROETHYLENE	77093	WAIVED	2011/10/27	< .500	
DICHLOROMETHANE	34423	WAIVED	2011/10/27	< .500	
ETHYLBENZENE	34371	WAIVED	2011/10/27	< .500	
METHYL-TERT-BUTYL-ETHER (MTBE)	46491	WAIVED	2011/10/27	< 3.000	
MONOCHLOROBENZENE	34301	WAIVED	2011/10/27	< .500	

**Testing interval is in months;*
0 = No data for this constituent and is DUE NOW
999 = Waived testing (not required)
I = Invalid (NOT) valid analyses reported

System Number: 1900929
System Name: MIRA LOMA HIGH DESERT HOSPITAL

PS Code: 1900929-001
Source Name: WELL 03
Source Number: 001
Source Status: ACTIVE UNTREATED
Water type: GROUNDWATER OR WELL

	STORET NUMBER	TESTING INTERVAL (MONTHS)*	LAST TEST DATE (yyyy/mm/dd)	LAST RESULT REPORTED	NEXT TEST DATE (yyyy/mm)
REGULATED VOC					
STYRENE	77128	WAIVED	2011/10/27	< .500	
TETRACHLOROETHYLENE	34475	WAIVED	2011/10/27	< .500	
TOLUENE	34010	WAIVED	2011/10/27	< .500	
TRANS-1,2-DICHLOROETHYLENE	34546	WAIVED	2011/10/27	< .500	
TRICHLOROETHYLENE	39180	WAIVED	2011/10/27	< .500	
TRICHLOROFLUOROMETHANE	34488	WAIVED	2011/10/27	< 5.000	
VINYL CHLORIDE	39175	WAIVED	2011/10/27	< .500	
XYLENES (TOTAL)	81551	WAIVED	2011/10/27	< .500	
SECONDARY/GP					
AGGRSSIVE INDEX (CORROSIVITY)	82383	WAIVED			
BICARBONATE ALKALINITY	00440	WAIVED	2011/01/20	127.000	
CALCIUM	00916	WAIVED	2011/01/20	59.000	
CARBONATE ALKALINITY	00445	WAIVED	2011/01/20	< 2.000	
CHLORIDE	00940	WAIVED	2011/01/20	56.000	
COLOR	00081	WAIVED	2011/01/20	.000	
COPPER	01042	WAIVED	2011/01/20	< 50.000	
FOAMING AGENTS (MBAS)	38260	WAIVED	2011/01/20	< .010	
HARDNESS (TOTAL) AS CACO3	00900	WAIVED	2011/01/20	180.000	
HYDROXIDE ALKALINITY	71830	WAIVED	2011/01/20	< 2.000	
IRON	01045	WAIVED	2011/01/20	< 100.000	
MAGNESIUM	00927	WAIVED	2011/01/20	8.000	
MANGANESE	01055	WAIVED	2011/01/20	< 20.000	
ODOR THRESHOLD @ 60 C	00086	WAIVED	2011/01/20	< 1.000	
PH, LABORATORY	00403	WAIVED	2011/01/20	6.880	
SILVER	01077	WAIVED	2011/01/20	< 10.000	
SODIUM	00929	WAIVED	2011/01/20	50.400	
SPECIFIC CONDUCTANCE	00095	WAIVED	2011/01/20	527.000	
SULFATE	00945	WAIVED	2011/01/20	45.300	
TOTAL DISSOLVED SOLIDS	70300	WAIVED	2011/01/20	334.000	

**Testing interval is in months;*
0 = No data for this constituent and is DUE NOW
999 = Waived testing (not required)
I = Invalid (NOT) valid analyses reported

System Number: ***1900929***

System Name: ***MIRA LOMA HIGH DESERT HOSPITAL***

PS Code: ***1900929-001***

Source Name: ***WELL 03***

Source Number: ***001***

Source Status: ***ACTIVE UNTREATED***

Water type: ***GROUNDWATER OR WELL***

	STORET NUMBER	TESTING INTERVAL (MONTHS)*	LAST TEST DATE (yyyy/mm/dd)	LAST RESULT REPORTED	NEXT TEST DATE (yyyy/mm)
SECONDARY/GP					
TURBIDITY, LABORATORY	82079	WAIVED	2011/01/20	.190	
ZINC	01092	WAIVED	2011/01/20	< 50.000	

PS Code: ***1900929-002***

Source Name: ***WELL 04***

Source Number: ***002***

Source Status: ***ACTIVE UNTREATED***

Water type: ***GROUNDWATER OR WELL***

	STORET NUMBER	TESTING INTERVAL (MONTHS)*	LAST TEST DATE (yyyy/mm/dd)	LAST RESULT REPORTED	NEXT TEST DATE (yyyy/mm)
GENERAL NON CHAP 15					
DIAZINON	39570	WAIVED	2010/01/25	.000	
INORGANIC					
ALUMINUM	01105	WAIVED	2011/01/20	< 50.000	
ANTIMONY	01097	WAIVED	2011/01/20	< 6.000	
ARSENIC	01002	WAIVED	2010/01/25	.000	
ASBESTOS	81855	WAIVED	2011/08/18	< .200	
BARIUM	01007	WAIVED	2011/01/20	< 100.000	
BERYLLIUM	01012	WAIVED	2011/01/20	< 1.000	
CADMIUM	01027	WAIVED	2011/01/20	< 1.000	
CHROMIUM (TOTAL)	01034	WAIVED	2011/01/20	< 10.000	
CYANIDE	01291	WAIVED	2011/01/20	< 100.000	
FLUORIDE (F) (NATURAL-SOURCE)	00951	WAIVED	2011/01/20	.194	
LEAD	01051	WAIVED	2010/01/25	.000	
MERCURY	71900	WAIVED	2011/01/20	< 1.000	
NICKEL	01067	WAIVED	2011/01/20	< 10.000	
PERCHLORATE	A-031	WAIVED	2012/02/03	< 4.000	
SELENIUM	01147	WAIVED	2011/01/20	< 5.000	
THALLIUM	01059	WAIVED	2011/01/20	< 1.000	

**Testing interval is in months;*
0 = No data for this constituent and is DUE NOW
999 = Waived testing (not required)
I = Invalid (NOT) valid analyses reported

System Number: ***1900929***

System Name: ***MIRA LOMA HIGH DESERT HOSPITAL***

PS Code: ***1900929-002***

Source Name: ***WELL 04***

Source Number: ***002***

Source Status: ***ACTIVE UNTREATED***

Water type: ***GROUNDWATER OR WELL***

	STORET NUMBER	TESTING INTERVAL (MONTHS)*	LAST TEST DATE (yyyy/mm/dd)	LAST RESULT REPORTED	NEXT TEST DATE (yyyy/mm)
NITRATE/NITRITE					
NITRATE (AS NO3)	71850	WAIVED	2012/02/03	27.600	
NITRITE (AS N)	00620	WAIVED	2011/03/09	< 400.000	
RADIOLOGICAL					
GROSS ALPHA	01501	WAIVED	2009/07/09	2.640	
GROSS BETA	03501	WAIVED	2007/02/15	.290	
RA-226 FOR CWS OR TOTAL RA FOR NTNC BY 903.0	A-080	WAIVED			
RA-226 OR TOTAL RA BY 903.0 C.E.	A-081	WAIVED			
RADIUM 226	09501	WAIVED	2009/07/09	.000	
RADIUM 228	11501	WAIVED	2009/07/09	.000	
RADIUM, TOTAL, MDA95-NTNC ONLY, BY 903.0	A-082	WAIVED			
STRONTIUM-90	13501	WAIVED	2007/02/15	.140	
TRITIUM	07000	WAIVED	2007/02/15	.000	
URANIUM (PCI/L)	28012	WAIVED	2009/07/09	1.310	
REGULATED SOC					
2,3,7,8-TCDD (DIOXIN)	34676	WAIVED	2007/02/15	.000	
2,4,5-TP (SILVEX)	39045	WAIVED	2009/07/09	.000	
2,4-D	39730	WAIVED	2009/07/09	.000	
ALACHLOR	77825	WAIVED	2009/07/09	.000	
ATRAZINE	39033	WAIVED	2010/01/25	.000	
BENTAZON	38710	WAIVED	2009/07/09	.000	
BENZO (A) PYRENE	34247	WAIVED	2009/07/09	.000	
CARBOFURAN	81405	WAIVED	2009/07/09	.000	
CHLORDANE	39350	WAIVED	2009/07/09	.000	
DALAPON	38432	WAIVED	2009/07/09	.000	
DI(2-ETHYLHEXYL)ADIPATE	A-026	WAIVED	2009/07/09	.000	
DI(2-ETHYLHEXYL)PHTHALATE	39100	WAIVED	2009/07/09	.000	
DIBROMOCHLOROPROPANE (DBCP)	38761	WAIVED	2009/07/09	.000	
DINOSEB	81287	WAIVED	2009/07/09	.000	
DIQUAT	78885	WAIVED	2009/07/09	.000	

**Testing interval is in months;*
0 = No data for this constituent and is DUE NOW
999 = Waived testing (not required)
I = Invalid (NOT) valid analyses reported

System Number: ***1900929***

System Name: ***MIRA LOMA HIGH DESERT HOSPITAL***

PS Code: ***1900929-002***

Source Name: ***WELL 04***

Source Number: ***002***

Source Status: ***ACTIVE UNTREATED***

Water type: ***GROUNDWATER OR WELL***

	STORET NUMBER	TESTING INTERVAL (MONTHS)*	LAST TEST DATE (yyyy/mm/dd)	LAST RESULT REPORTED	NEXT TEST DATE (yyyy/mm)
REGULATED SOC					
ENDOTHALL	38926	WAIVED	2007/02/15	.000	
ENDRIN	39390	WAIVED	2009/07/09	.000	
ETHYLENE DIBROMIDE (EDB)	77651	WAIVED	2009/07/09	.000	
GLYPHOSATE	79743	WAIVED	2009/07/09	.000	
HEPTACHLOR	39410	WAIVED	2009/07/09	.000	
HEPTACHLOR EPOXIDE	39420	WAIVED	2009/07/09	.000	
HEXACHLOROBENZENE	39700	WAIVED	2009/07/09	.000	
HEXACHLOROCYCLOPENTADIENE	34386	WAIVED	2009/07/09	.000	
LINDANE	39340	WAIVED	2009/07/09	.000	
METHOXYCHLOR	39480	WAIVED	2009/07/09	.000	
MOLINATE	82199	WAIVED	2010/01/25	.000	
OXAMYL	38865	WAIVED	2009/07/09	.000	
PENTACHLOROPHENOL	39032	WAIVED	2009/07/09	.000	
PICLORAM	39720	WAIVED	2009/07/09	.000	
POLYCHLORINATED BIPHENYLS, TOTAL, AS DCB	39516	WAIVED	2009/07/09	.000	
SIMAZINE	39055	WAIVED	2010/01/25	.000	
THIOBENCARB	A-001	WAIVED	2011/01/20	< 1.000	
TOXAPHENE	39400	WAIVED	2009/07/09	.000	
REGULATED VOC					
1,1,1-TRICHLOROETHANE	34506	WAIVED	2011/10/27	< .500	
1,1,2,2-TETRACHLOROETHANE	34516	WAIVED	2011/10/27	< .500	
1,1,2-TRICHLORO-1,2,2-TRIFLUOROETHANE	81611	WAIVED	2011/10/27	< 10.000	
1,1,2-TRICHLOROETHANE	34511	WAIVED	2011/10/27	< .500	
1,1-DICHLOROETHANE	34496	WAIVED	2011/10/27	< .500	
1,1-DICHLOROETHYLENE	34501	WAIVED	2011/10/27	< .500	
1,2,4-TRICHLOROBENZENE	34551	WAIVED	2011/10/27	< .500	
1,2-DICHLOROBENZENE	34536	WAIVED	2011/10/27	< .500	
1,2-DICHLOROETHANE	34531	WAIVED	2011/10/27	< .500	
1,2-DICHLOROPROPANE	34541	WAIVED	2011/10/27	< .500	

**Testing interval is in months;*
0 = No data for this constituent and is DUE NOW
999 = Waived testing (not required)
I = Invalid (NOT) valid analyses reported

System Number: ***1900929***

System Name: ***MIRA LOMA HIGH DESERT HOSPITAL***

PS Code: ***1900929-002***

Source Name: ***WELL 04***

Source Number: ***002***

Source Status: ***ACTIVE UNTREATED***

Water type: ***GROUNDWATER OR WELL***

	STORET NUMBER	TESTING INTERVAL (MONTHS)*	LAST TEST DATE (yyyy/mm/dd)	LAST RESULT REPORTED	NEXT TEST DATE (yyyy/mm)
REGULATED VOC					
1,3-DICHLOROPROPENE (TOTAL)	34561	WAIVED	2011/10/27	< .500	
1,4-DICHLOROBENZENE	34571	WAIVED	2011/10/27	< .500	
BENZENE	34030	WAIVED	2011/10/27	< .500	
CARBON TETRACHLORIDE	32102	WAIVED	2011/10/27	< .500	
CIS-1,2-DICHLOROETHYLENE	77093	WAIVED	2011/10/27	< .500	
DICHLOROMETHANE	34423	WAIVED	2011/10/27	< .500	
ETHYLBENZENE	34371	WAIVED	2011/10/27	< .500	
METHYL-TERT-BUTYL-ETHER (MTBE)	46491	WAIVED	2011/10/27	< 3.000	
MONOCHLOROBENZENE	34301	WAIVED	2011/10/27	< .500	
STYRENE	77128	WAIVED	2011/10/27	< .500	
TETRACHLOROETHYLENE	34475	WAIVED	2011/10/27	< .500	
TOLUENE	34010	WAIVED	2011/10/27	< .500	
TRANS-1,2-DICHLOROETHYLENE	34546	WAIVED	2011/10/27	< .500	
TRICHLOROETHYLENE	39180	WAIVED	2011/10/27	< .500	
TRICHLOROFLUOROMETHANE	34488	WAIVED	2011/10/27	< 5.000	
VINYL CHLORIDE	39175	WAIVED	2011/10/27	< .500	
XYLENES (TOTAL)	81551	WAIVED	2011/10/27	< .500	
SECONDARY/GP					
AGGRSSIVE INDEX (CORROSIVITY)	82383	WAIVED			
BICARBONATE ALKALINITY	00440	WAIVED	2011/01/20	132.000	
CALCIUM	00916	WAIVED	2011/01/20	69.000	
CARBONATE ALKALINITY	00445	WAIVED	2011/01/20	< 2.000	
CHLORIDE	00940	WAIVED	2011/01/20	68.900	
COLOR	00081	WAIVED	2011/01/20	.000	
COPPER	01042	WAIVED	2011/01/20	< 50.000	
FOAMING AGENTS (MBAS)	38260	WAIVED	2011/01/20	< .010	
HARDNESS (TOTAL) AS CACO3	00900	WAIVED	2011/01/20	210.000	
HYDROXIDE ALKALINITY	71830	WAIVED	2011/01/20	< 2.000	
IRON	01045	WAIVED	2011/01/20	< 100.000	

**Testing interval is in months;*
0 = No data for this constituent and is DUE NOW
999 = Waived testing (not required)
I = Invalid (NOT) valid analyses reported

System Number: ***1900929***

System Name: ***MIRA LOMA HIGH DESERT HOSPITAL***

PS Code: ***1900929-002***

Source Name: ***WELL 04***

Source Number: ***002***

Source Status: ***ACTIVE UNTREATED***

Water type: ***GROUNDWATER OR WELL***

SECONDARY/GP

	STORET NUMBER	TESTING INTERVAL (MONTHS)*	LAST TEST DATE (yyyy/mm/dd)	LAST RESULT REPORTED	NEXT TEST DATE (yyyy/mm)
MAGNESIUM	00927	WAIVED	2011/01/20	9.000	
MANGANESE	01055	WAIVED	2011/01/20	< 20.000	
ODOR THRESHOLD @ 60 C	00086	WAIVED	2011/01/20	< 1.000	
PH, LABORATORY	00403	WAIVED	2011/01/20	6.580	
SILVER	01077	WAIVED	2011/01/20	< 10.000	
SODIUM	00929	WAIVED	2011/01/20	49.800	
SPECIFIC CONDUCTANCE	00095	WAIVED	2011/01/20	585.000	
SULFATE	00945	WAIVED	2011/01/20	45.500	
TOTAL DISSOLVED SOLIDS	70300	WAIVED	2011/01/20	368.000	
TURBIDITY, LABORATORY	82079	WAIVED	2011/01/20	.340	
ZINC	01092	WAIVED	2011/01/20	< 50.000	

PS Code: ***1900929-003***

Source Name: ***AUTOMATIC CHLORINATION UNIT***

Source Number: ***003***

Source Status: ***ACTIVE TREATED***

Water type: ***GROUNDWATER OR WELL***

GENERAL NON CHAP 15

DIAZINON	39570	WAIVED

INORGANIC

ALUMINUM	01105	WAIVED
ANTIMONY	01097	WAIVED
ARSENIC	01002	WAIVED
ASBESTOS	81855	WAIVED
BARIUM	01007	WAIVED
BERYLLIUM	01012	WAIVED
CADMIUM	01027	WAIVED
CHROMIUM (TOTAL)	01034	WAIVED
CYANIDE	01291	WAIVED

**Testing interval is in months;*
0 = No data for this constituent and is DUE NOW
999 = Waived testing (not required)
I = Invalid (NOT) valid analyses reported

System Number: ***1900929***

System Name: ***MIRA LOMA HIGH DESERT HOSPITAL***

PS Code: ***1900929-003***

Source Name: ***AUTOMATIC CHLORINATION UNIT***

Source Number: ***003***

Source Status: ***ACTIVE TREATED***

Water type: ***GROUNDWATER OR WELL***

	STORET NUMBER	TESTING INTERVAL (MONTHS)*	LAST TEST DATE (yyyy/mm/dd)	LAST RESULT REPORTED	NEXT TEST DATE (yyyy/mm)
INORGANIC					
FLUORIDE (F) (NATURAL-SOURCE)	00951	WAIVED			
LEAD	01051	WAIVED			
MERCURY	71900	WAIVED			
NICKEL	01067	WAIVED			
PERCHLORATE	A-031	WAIVED			
SELENIUM	01147	WAIVED			
THALLIUM	01059	WAIVED			
NITRATE/NITRITE					
NITRATE (AS NO3)	71850	WAIVED			
NITRITE (AS N)	00620	WAIVED			
RADIOLOGICAL					
GROSS ALPHA	01501	WAIVED			
GROSS BETA	03501	WAIVED			
RA-226 FOR CWS OR TOTAL RA FOR NTNC BY 903.0	A-080	WAIVED			
RA-226 OR TOTAL RA BY 903.0 C.E.	A-081	WAIVED			
RADIUM 226	09501	WAIVED			
RADIUM 228	11501	WAIVED			
RADIUM, TOTAL, MDA95-NTNC ONLY, BY 903.0	A-082	WAIVED			
STRONTIUM-90	13501	WAIVED			
TRITIUM	07000	WAIVED			
URANIUM (PCI/L)	28012	WAIVED			
REGULATED SOC					
2,3,7,8-TCDD (DIOXIN)	34676	WAIVED			
2,4,5-TP (SILVEX)	39045	WAIVED			
2,4-D	39730	WAIVED			
ALACHLOR	77825	WAIVED			
ATRAZINE	39033	WAIVED			
BENTAZON	38710	WAIVED			

**Testing interval is in months;*
0 = No data for this constituent and is DUE NOW
999 = Waived testing (not required)
I = Invalid (NOT) valid analyses reported

System Number: ***1900929***

System Name: ***MIRA LOMA HIGH DESERT HOSPITAL***

PS Code: ***1900929-003***

Source Name: ***AUTOMATIC CHLORINATION UNIT***

Source Number: ***003***

Source Status: ***ACTIVE TREATED***

Water type: ***GROUNDWATER OR WELL***

REGULATED SOC

	STORET NUMBER	TESTING INTERVAL (MONTHS)*	LAST TEST DATE (yyyy/mm/dd)	LAST RESULT REPORTED	NEXT TEST DATE (yyyy/mm)
BENZO (A) PYRENE	34247	WAIVED			
CARBOFURAN	81405	WAIVED			
CHLORDANE	39350	WAIVED			
DALAPON	38432	WAIVED			
DI(2-ETHYLHEXYL)ADIPATE	A-026	WAIVED			
DI(2-ETHYLHEXYL)PHTHALATE	39100	WAIVED			
DIBROMOCHLOROPROPANE (DBCP)	38761	WAIVED			
DINOSEB	81287	WAIVED			
DIQUAT	78885	WAIVED			
ENDOTHALL	38926	WAIVED			
ENDRIN	39390	WAIVED			
ETHYLENE DIBROMIDE (EDB)	77651	WAIVED			
GLYPHOSATE	79743	WAIVED			
HEPTACHLOR	39410	WAIVED			
HEPTACHLOR EPOXIDE	39420	WAIVED			
HEXACHLOROBENZENE	39700	WAIVED			
HEXACHLOROCYCLOPENTADIENE	34386	WAIVED			
LINDANE	39340	WAIVED			
METHOXYCHLOR	39480	WAIVED			
MOLINATE	82199	WAIVED			
OXAMYL	38865	WAIVED			
PENTACHLOROPHENOL	39032	WAIVED			
PICLORAM	39720	WAIVED			
POLYCHLORINATED BIPHENYLS, TOTAL, AS DCB	39516	WAIVED			
SIMAZINE	39055	WAIVED			
THIOBENCARB	A-001	WAIVED			
TOXAPHENE	39400	WAIVED			

REGULATED VOC

1,1,1-TRICHLOROETHANE	34506	WAIVED			

**Testing interval is in months;*
0 = No data for this constituent and is DUE NOW
999 = Waived testing (not required)
I = Invalid (NOT) valid analyses reported

System Number: ***1900929***

System Name: ***MIRA LOMA HIGH DESERT HOSPITAL***

PS Code: ***1900929-003***

Source Name: ***AUTOMATIC CHLORINATION UNIT***

Source Number: ***003***

Source Status: ***ACTIVE TREATED***

Water type: ***GROUNDWATER OR WELL***

REGULATED VOC

	STORET NUMBER	TESTING INTERVAL (MONTHS)*	LAST TEST DATE (yyyy/mm/dd)	LAST RESULT REPORTED	NEXT TEST DATE (yyyy/mm)
1,1,2,2-TETRACHLOROETHANE	34516	WAIVED			
1,1,2-TRICHLORO-1,2,2-TRIFLUOROETHANE	81611	WAIVED			
1,1,2-TRICHLOROETHANE	34511	WAIVED			
1,1-DICHLOROETHANE	34496	WAIVED			
1,1-DICHLOROETHYLENE	34501	WAIVED			
1,2,4-TRICHLOROBENZENE	34551	WAIVED			
1,2-DICHLOROBENZENE	34536	WAIVED			
1,2-DICHLOROETHANE	34531	WAIVED			
1,2-DICHLOROPROPANE	34541	WAIVED			
1,3-DICHLOROPROPENE (TOTAL)	34561	WAIVED			
1,4-DICHLOROBENZENE	34571	WAIVED			
BENZENE	34030	WAIVED			
CARBON TETRACHLORIDE	32102	WAIVED			
CIS-1,2-DICHLOROETHYLENE	77093	WAIVED			
DICHLOROMETHANE	34423	WAIVED			
ETHYLBENZENE	34371	WAIVED			
METHYL-TERT-BUTYL-ETHER (MTBE)	46491	WAIVED			
MONOCHLOROBENZENE	34301	WAIVED			
STYRENE	77128	WAIVED			
TETRACHLOROETHYLENE	34475	WAIVED			
TOLUENE	34010	WAIVED			
TRANS-1,2-DICHLOROETHYLENE	34546	WAIVED			
TRICHLOROETHYLENE	39180	WAIVED			
TRICHLOROFLUOROMETHANE	34488	WAIVED			
VINYL CHLORIDE	39175	WAIVED			
XYLENES (TOTAL)	81551	WAIVED			

SECONDARY/GP

AGGRSSIVE INDEX (CORROSIVITY)	82383	WAIVED			
BICARBONATE ALKALINITY	00440	WAIVED			

**Testing interval is in months;*
0 = No data for this constituent and is DUE NOW
999 = Waived testing (not required)
I = Invalid (NOT) valid analyses reported

System Number: ***1900929***

System Name: ***MIRA LOMA HIGH DESERT HOSPITAL***

PS Code: ***1900929-003***

Source Name: ***AUTOMATIC CHLORINATION UNIT***

Source Number: ***003***

Source Status: ***ACTIVE TREATED***

Water type: ***GROUNDWATER OR WELL***

SECONDARY/GP

	STORET NUMBER	TESTING INTERVAL (MONTHS)*	LAST TEST DATE (yyyy/mm/dd)	LAST RESULT REPORTED	NEXT TEST DATE (yyyy/mm)
CALCIUM	00916	WAIVED			
CARBONATE ALKALINITY	00445	WAIVED			
CHLORIDE	00940	WAIVED			
COLOR	00081	WAIVED			
COPPER	01042	WAIVED			
FOAMING AGENTS (MBAS)	38260	WAIVED			
HARDNESS (TOTAL) AS CACO3	00900	WAIVED			
HYDROXIDE ALKALINITY	71830	WAIVED			
IRON	01045	WAIVED			
MAGNESIUM	00927	WAIVED			
MANGANESE	01055	WAIVED			
ODOR THRESHOLD @ 60 C	00086	WAIVED			
PH, LABORATORY	00403	WAIVED			
SILVER	01077	WAIVED			
SODIUM	00929	WAIVED			
SPECIFIC CONDUCTANCE	00095	WAIVED			
SULFATE	00945	WAIVED			
TOTAL DISSOLVED SOLIDS	70300	WAIVED			
TURBIDITY, LABORATORY	82079	WAIVED			
ZINC	01092	WAIVED			

**Testing interval is in months;*
0 = No data for this constituent and is DUE NOW
999 = Waived testing (not required)
I = Invalid (NOT) valid analyses reported

System Number: ***1900936***

System Name: ***AQUA J MUTUAL WATER COMPANY***

PS Code: ***1900936-001***

Source Name: ***WELL 01***

Source Number: ***001***

Source Status: ***ACTIVE UNTREATED***

Water type: ***GROUNDWATER OR WELL***

	STORET NUMBER	TESTING INTERVAL (MONTHS)*	LAST TEST DATE (yyyy/mm/dd)	LAST RESULT REPORTED	NEXT TEST DATE (yyyy/mm)
GENERAL NON CHAP 15					
DIAZINON	39570	WAIVED			
INORGANIC					
ALUMINUM	01105	WAIVED	2011/03/30	< .000	
ANTIMONY	01097	WAIVED	2011/03/30	< .000	
ARSENIC	01002	WAIVED	2011/03/30	< .000	
ASBESTOS	81855	WAIVED	2011/03/30	.000	
BARIUM	01007	WAIVED	2011/03/30	< .000	
BERYLLIUM	01012	WAIVED	2011/03/30	< .000	
CADMIUM	01027	WAIVED	2011/03/30	< .000	
CHROMIUM (TOTAL)	01034	WAIVED	2011/03/30	< .000	
CYANIDE	01291	WAIVED	2011/03/30	< .000	
FLUORIDE (F) (NATURAL-SOURCE)	00951	WAIVED	2011/03/30	.270	
LEAD	01051	WAIVED	2011/03/30	< .000	
MERCURY	71900	WAIVED	2011/03/30	< .000	
NICKEL	01067	WAIVED	2011/03/30	< .000	
PERCHLORATE	A-031	WAIVED	2008/09/23	.000	
SELENIUM	01147	WAIVED	2011/03/30	< .000	
THALLIUM	01059	WAIVED	2011/03/30	< .000	
NITRATE/NITRITE					
NITRATE (AS NO3)	71850	WAIVED	2011/03/30	2.900	
NITRITE (AS N)	00620	WAIVED	2011/03/30	< .000	
RADIOLOGICAL					
GROSS ALPHA	01501	WAIVED	2008/03/28	3.200	
GROSS BETA	03501	WAIVED			
RA-226 FOR CWS OR TOTAL RA FOR NTNC BY 903.0	A-080	WAIVED	2008/03/28	.000	
RA-226 OR TOTAL RA BY 903.0 C.E.	A-081	WAIVED	2008/03/28	.242	
RADIUM 226	09501	WAIVED	2008/09/23	.021	
RADIUM 228	11501	WAIVED	2008/09/23	.000	

**Testing interval is in months;*
0 = No data for this constituent and is DUE NOW
999 = Waived testing (not required)
I = Invalid (NOT) valid analyses reported

System Number: ***1900936***

System Name: ***AQUA J MUTUAL WATER COMPANY***

PS Code: ***1900936-001***

Source Name: ***WELL 01***

Source Number: ***001***

Source Status: ***ACTIVE UNTREATED***

Water type: ***GROUNDWATER OR WELL***

	STORET NUMBER	TESTING INTERVAL (MONTHS)*	LAST TEST DATE (yyyy/mm/dd)	LAST RESULT REPORTED	NEXT TEST DATE (yyyy/mm)
RADIOLOGICAL					
RADIUM, TOTAL, MDA95-NTNC ONLY, BY 903.0	A-082	WAIVED	2008/03/28	.480	
STRONTIUM-90	13501	WAIVED			
TRITIUM	07000	WAIVED			
URANIUM (PCI/L)	28012	WAIVED			
REGULATED SOC					
2,3,7,8-TCDD (DIOXIN)	34676	WAIVED	2008/03/28	.000	
2,4,5-TP (SILVEX)	39045	WAIVED	2008/03/28	.000	
2,4-D	39730	WAIVED	2008/03/28	.000	
ALACHLOR	77825	WAIVED	2008/03/28	.000	
ATRAZINE	39033	WAIVED	2008/03/28	.000	
BENTAZON	38710	WAIVED	2008/03/28	.000	
BENZO (A) PYRENE	34247	WAIVED	2008/03/28	.000	
CARBOFURAN	81405	WAIVED	2008/03/28	.000	
CHLORDANE	39350	WAIVED	2008/03/28	.000	
DALAPON	38432	WAIVED	2008/03/28	.000	
DI(2-ETHYLHEXYL)ADIPATE	A-026	WAIVED	2008/03/28	.000	
DI(2-ETHYLHEXYL)PHTHALATE	39100	WAIVED	2008/03/28	.000	
DIBROMOCHLOROPROPANE (DBCP)	38761	WAIVED	2008/03/28	.000	
DINOSEB	81287	WAIVED	2008/03/28	.000	
DIQUAT	78885	WAIVED	2008/03/28	< 4.000	
ENDOTHALL	38926	WAIVED	2008/03/28	< 45.000	
ENDRIN	39390	WAIVED	2008/03/28	.000	
ETHYLENE DIBROMIDE (EDB)	77651	WAIVED	2008/03/28	.000	
GLYPHOSATE	79743	WAIVED	2008/03/28	.000	
HEPTACHLOR	39410	WAIVED	2008/03/28	.000	
HEPTACHLOR EPOXIDE	39420	WAIVED	2008/03/28	.000	
HEXACHLOROBENZENE	39700	WAIVED	2008/03/28	.000	
HEXACHLOROCYCLOPENTADIENE	34386	WAIVED	2008/03/28	.000	
LINDANE	39340	WAIVED	2008/03/28	.000	

**Testing interval is in months;*
0 = No data for this constituent and is DUE NOW
999 = Waived testing (not required)
I = Invalid (NOT) valid analyses reported

System Number: 1900936
System Name: AQUA J MUTUAL WATER COMPANY

PS Code: 1900936-001
Source Name: WELL 01
Source Number: 001
Source Status: ACTIVE UNTREATED
Water type: GROUNDWATER OR WELL

	STORET NUMBER	TESTING INTERVAL (MONTHS)*	LAST TEST DATE (yyyy/mm/dd)	LAST RESULT REPORTED	NEXT TEST DATE (yyyy/mm)
REGULATED SOC					
METHOXYCHLOR	39480	WAIVED	2008/03/28	.000	
MOLINATE	82199	WAIVED	2008/03/28	.000	
OXAMYL	38865	WAIVED	2008/03/28	.000	
PENTACHLOROPHENOL	39032	WAIVED	2008/03/28	.000	
PICLORAM	39720	WAIVED	2008/03/28	.000	
POLYCHLORINATED BIPHENYLS, TOTAL, AS DCB	39516	WAIVED	2008/03/28	.000	
SIMAZINE	39055	WAIVED	2008/03/28	.000	
THIOBENCARB	A-001	WAIVED	2008/03/28	.000	
TOXAPHENE	39400	WAIVED	2008/03/28	.000	
REGULATED VOC					
1,1,1-TRICHLOROETHANE	34506	WAIVED	2008/03/28	.000	
1,1,2,2-TETRACHLOROETHANE	34516	WAIVED	2008/03/28	.000	
1,1,2-TRICHLORO-1,2,2-TRIFLUOROETHANE	81611	WAIVED	2008/03/28	.000	
1,1,2-TRICHLOROETHANE	34511	WAIVED	2008/03/28	.000	
1,1-DICHLOROETHANE	34496	WAIVED	2008/03/28	.000	
1,1-DICHLOROETHYLENE	34501	WAIVED	2008/03/28	.000	
1,2,4-TRICHLOROBENZENE	34551	WAIVED	2008/03/28	.000	
1,2-DICHLOROBENZENE	34536	WAIVED	2008/03/28	.000	
1,2-DICHLOROETHANE	34531	WAIVED	2008/03/28	.000	
1,2-DICHLOROPROPANE	34541	WAIVED	2008/03/28	.000	
1,3-DICHLOROPROPENE (TOTAL)	34561	WAIVED	2008/03/28	.000	
1,4-DICHLOROBENZENE	34571	WAIVED	2008/03/28	.000	
BENZENE	34030	WAIVED	2008/03/28	.000	
CARBON TETRACHLORIDE	32102	WAIVED	2008/03/28	.000	
CIS-1,2-DICHLOROETHYLENE	77093	WAIVED	2008/03/28	.000	
DICHLOROMETHANE	34423	WAIVED	2008/03/28	.000	
ETHYLBENZENE	34371	WAIVED	2008/03/28	.000	
METHYL-TERT-BUTYL-ETHER (MTBE)	46491	WAIVED	2008/03/28	.000	
MONOCHLOROBENZENE	34301	WAIVED	2008/03/28	.000	

**Testing interval is in months;*
0 = No data for this constituent and is DUE NOW
999 = Waived testing (not required)
I = Invalid (NOT) valid analyses reported

System Number: ***1900936***

System Name: ***AQUA J MUTUAL WATER COMPANY***

PS Code: ***1900936-001***

Source Name: ***WELL 01***

Source Number: ***001***

Source Status: ***ACTIVE UNTREATED***

Water type: ***GROUNDWATER OR WELL***

	STORET NUMBER	TESTING INTERVAL (MONTHS)*	LAST TEST DATE (yyyy/mm/dd)	LAST RESULT REPORTED	NEXT TEST DATE (yyyy/mm)
REGULATED VOC					
STYRENE	77128	WAIVED	2008/03/28	.000	
TETRACHLOROETHYLENE	34475	WAIVED	2008/03/28	.000	
TOLUENE	34010	WAIVED	2008/03/28	.000	
TRANS-1,2-DICHLOROETHYLENE	34546	WAIVED	2008/03/28	.000	
TRICHLOROETHYLENE	39180	WAIVED	2008/03/28	.000	
TRICHLOROFLUOROMETHANE	34488	WAIVED	2008/03/28	.000	
VINYL CHLORIDE	39175	WAIVED	2008/03/28	.000	
XYLENES (TOTAL)	81551	WAIVED	2008/03/28	.000	
SECONDARY/GP					
AGGRSSIVE INDEX (CORROSIVITY)	82383	WAIVED	2011/03/30	12.000	
BICARBONATE ALKALINITY	00440	WAIVED	2011/03/30	160.000	
CALCIUM	00916	WAIVED	2011/03/30	60.000	
CARBONATE ALKALINITY	00445	WAIVED	2011/03/30	< .000	
CHLORIDE	00940	WAIVED	2011/03/30	15.000	
COLOR	00081	WAIVED	2011/03/30	< .000	
COPPER	01042	WAIVED	2011/03/30	< .000	
FOAMING AGENTS (MBAS)	38260	WAIVED	2011/03/30	< .000	
HARDNESS (TOTAL) AS CACO3	00900	WAIVED	2011/03/30	200.000	
HYDROXIDE ALKALINITY	71830	WAIVED	2011/03/30	< .000	
IRON	01045	WAIVED	2011/03/30	< .000	
MAGNESIUM	00927	WAIVED	2011/03/30	12.000	
MANGANESE	01055	WAIVED	2011/03/30	< .000	
ODOR THRESHOLD @ 60 C	00086	WAIVED	2011/03/30	< .000	
PH, LABORATORY	00403	WAIVED	2011/03/30	8.100	
SILVER	01077	WAIVED	2011/03/30	< .000	
SODIUM	00929	WAIVED	2011/03/30	17.000	
SPECIFIC CONDUCTANCE	00095	WAIVED	2011/03/30	440.000	
SULFATE	00945	WAIVED	2011/03/30	84.000	
TOTAL DISSOLVED SOLIDS	70300	WAIVED	2011/03/30	330.000	

**Testing interval is in months;*
0 = No data for this constituent and is DUE NOW
999 = Waived testing (not required)
I = Invalid (NOT) valid analyses reported

System Number: ***1900936***

System Name: ***AQUA J MUTUAL WATER COMPANY***

PS Code: ***1900936-001***

Source Name: ***WELL 01***

Source Number: ***001***

Source Status: ***ACTIVE UNTREATED***

Water type: ***GROUNDWATER OR WELL***

	STORET NUMBER	TESTING INTERVAL (MONTHS)*	LAST TEST DATE (yyyy/mm/dd)	LAST RESULT REPORTED	NEXT TEST DATE (yyyy/mm)
SECONDARY/GP					
TURBIDITY, LABORATORY	**82079**	**WAIVED**	2011/03/30	**.110**	
ZINC	**01092**	**WAIVED**	2011/03/30	**< .000**	

**Testing interval is in months;*
0 = No data for this constituent and is DUE NOW
999 = Waived testing (not required)
I = Invalid (NOT) valid analyses reported

System Number: ***1900937***

System Name: ***USFS-PYRAMID LAKE S-14***

PS Code: ***1900937-001***

Source Name: ***SURFACE WATER***

Source Number: ***001***

Source Status: ***ACTIVE RAW***

Water type: ***SURFACE***

	STORET NUMBER	TESTING INTERVAL (MONTHS)*	LAST TEST DATE (yyyy/mm/dd)	LAST RESULT REPORTED	NEXT TEST DATE (yyyy/mm)
GENERAL NON CHAP 15					
DIAZINON	39570	WAIVED			
INORGANIC					
ALUMINUM	01105	WAIVED	2002/11/11	.000	
ANTIMONY	01097	WAIVED	2002/11/11	.000	
ARSENIC	01002	WAIVED	2002/11/11	.000	
ASBESTOS	81855	WAIVED			
BARIUM	01007	WAIVED	2002/11/11	.000	
BERYLLIUM	01012	WAIVED			
CADMIUM	01027	WAIVED	2002/11/11	.000	
CHROMIUM (TOTAL)	01034	WAIVED	2002/11/11	.000	
CYANIDE	01291	WAIVED			
FLUORIDE (F) (NATURAL-SOURCE)	00951	WAIVED	2002/11/11	.000	
LEAD	01051	WAIVED	2002/11/11	.000	
MERCURY	71900	WAIVED	2002/11/11	.000	
NICKEL	01067	WAIVED	2002/11/11	.000	
PERCHLORATE	A-031	WAIVED	2002/11/11	.000	
SELENIUM	01147	WAIVED	2002/11/11	.000	
THALLIUM	01059	WAIVED	2001/10/23	758.000	
NITRATE/NITRITE					
NITRATE (AS NO3)	71850	WAIVED	2011/12/14	2.400	
NITRITE (AS N)	00620	WAIVED			
RADIOLOGICAL					
GROSS ALPHA	01501	WAIVED			
GROSS BETA	03501	WAIVED			
RA-226 FOR CWS OR TOTAL RA FOR NTNC BY 903.0	A-080	WAIVED			
RA-226 OR TOTAL RA BY 903.0 C.E.	A-081	WAIVED			
RADIUM 226	09501	WAIVED			
RADIUM 228	11501	WAIVED			

**Testing interval is in months;*
0 = No data for this constituent and is DUE NOW
999 = Waived testing (not required)
I = Invalid (NOT) valid analyses reported

System Number: ***1900937***

System Name: ***USFS-PYRAMID LAKE S-14***

PS Code: ***1900937-001***

Source Name: ***SURFACE WATER***

Source Number: ***001***

Source Status: ***ACTIVE RAW***

Water type: ***SURFACE***

	STORET NUMBER	TESTING INTERVAL (MONTHS)*	LAST TEST DATE (yyyy/mm/dd)	LAST RESULT REPORTED	NEXT TEST DATE (yyyy/mm)
RADIOLOGICAL					
RADIUM, TOTAL, MDA95-NTNC ONLY, BY 903.0	A-082	WAIVED			
STRONTIUM-90	13501	WAIVED			
TRITIUM	07000	WAIVED			
URANIUM (PCI/L)	28012	WAIVED			
REGULATED SOC					
2,3,7,8-TCDD (DIOXIN)	34676	WAIVED			
2,4,5-TP (SILVEX)	39045	WAIVED			
2,4-D	39730	WAIVED			
ALACHLOR	77825	WAIVED			
ATRAZINE	39033	WAIVED			
BENTAZON	38710	WAIVED			
BENZO (A) PYRENE	34247	WAIVED			
CARBOFURAN	81405	WAIVED			
CHLORDANE	39350	WAIVED			
DALAPON	38432	WAIVED			
DI(2-ETHYLHEXYL)ADIPATE	A-026	WAIVED			
DI(2-ETHYLHEXYL)PHTHALATE	39100	WAIVED			
DIBROMOCHLOROPROPANE (DBCP)	38761	WAIVED			
DINOSEB	81287	WAIVED			
DIQUAT	78885	WAIVED			
ENDOTHALL	38926	WAIVED			
ENDRIN	39390	WAIVED			
ETHYLENE DIBROMIDE (EDB)	77651	WAIVED			
GLYPHOSATE	79743	WAIVED			
HEPTACHLOR	39410	WAIVED			
HEPTACHLOR EPOXIDE	39420	WAIVED			
HEXACHLOROBENZENE	39700	WAIVED			
HEXACHLOROCYCLOPENTADIENE	34386	WAIVED			
LINDANE	39340	WAIVED			

**Testing interval is in months;*
0 = No data for this constituent and is DUE NOW
999 = Waived testing (not required)
I = Invalid (NOT) valid analyses reported

System Number: ***1900937***

System Name: ***USFS-PYRAMID LAKE S-14***

PS Code: ***1900937-001***

Source Name: ***SURFACE WATER***

Source Number: ***001***

Source Status: ***ACTIVE RAW***

Water type: ***SURFACE***

	STORET NUMBER	TESTING INTERVAL (MONTHS)*	LAST TEST DATE (yyyy/mm/dd)	LAST RESULT REPORTED	NEXT TEST DATE (yyyy/mm)
REGULATED SOC					
METHOXYCHLOR	39480	WAIVED			
MOLINATE	82199	WAIVED			
OXAMYL	38865	WAIVED			
PENTACHLOROPHENOL	39032	WAIVED			
PICLORAM	39720	WAIVED			
POLYCHLORINATED BIPHENYLS, TOTAL, AS DCB	39516	WAIVED			
SIMAZINE	39055	WAIVED			
THIOBENCARB	A-001	WAIVED	2002/11/11	.000	
TOXAPHENE	39400	WAIVED			
REGULATED VOC					
1,1,1-TRICHLOROETHANE	34506	WAIVED			
1,1,2,2-TETRACHLOROETHANE	34516	WAIVED			
1,1,2-TRICHLORO-1,2,2-TRIFLUOROETHANE	81611	WAIVED			
1,1,2-TRICHLOROETHANE	34511	WAIVED			
1,1-DICHLOROETHANE	34496	WAIVED			
1,1-DICHLOROETHYLENE	34501	WAIVED			
1,2,4-TRICHLOROBENZENE	34551	WAIVED			
1,2-DICHLOROBENZENE	34536	WAIVED			
1,2-DICHLOROETHANE	34531	WAIVED			
1,2-DICHLOROPROPANE	34541	WAIVED			
1,3-DICHLOROPROPENE (TOTAL)	34561	WAIVED			
1,4-DICHLOROBENZENE	34571	WAIVED			
BENZENE	34030	WAIVED			
CARBON TETRACHLORIDE	32102	WAIVED			
CIS-1,2-DICHLOROETHYLENE	77093	WAIVED			
DICHLOROMETHANE	34423	WAIVED			
ETHYLBENZENE	34371	WAIVED			
METHYL-TERT-BUTYL-ETHER (MTBE)	46491	WAIVED			
MONOCHLOROBENZENE	34301	WAIVED			

**Testing interval is in months;*
0 = No data for this constituent and is DUE NOW
999 = Waived testing (not required)
I = Invalid (NOT) valid analyses reported

System Number: ***1900937***

System Name: ***USFS-PYRAMID LAKE S-14***

PS Code: ***1900937-001***

Source Name: ***SURFACE WATER***

Source Number: ***001***

Source Status: ***ACTIVE RAW***

Water type: ***SURFACE***

	STORET NUMBER	TESTING INTERVAL (MONTHS)*	LAST TEST DATE (yyyy/mm/dd)	LAST RESULT REPORTED	NEXT TEST DATE (yyyy/mm)
REGULATED VOC					
STYRENE	77128	WAIVED			
TETRACHLOROETHYLENE	34475	WAIVED			
TOLUENE	34010	WAIVED			
TRANS-1,2-DICHLOROETHYLENE	34546	WAIVED			
TRICHLOROETHYLENE	39180	WAIVED			
TRICHLOROFLUOROMETHANE	34488	WAIVED			
VINYL CHLORIDE	39175	WAIVED			
XYLENES (TOTAL)	81551	WAIVED			
SECONDARY/GP					
AGGRSSIVE INDEX (CORROSIVITY)	82383	WAIVED			
BICARBONATE ALKALINITY	00440	WAIVED	2011/12/14	67.000	
CALCIUM	00916	WAIVED	2011/12/14	15.000	
CARBONATE ALKALINITY	00445	WAIVED	2011/12/14	< .000	
CHLORIDE	00940	WAIVED	2002/11/11	120.000	
COLOR	00081	WAIVED	2002/11/11	.000	
COPPER	01042	WAIVED	2002/11/11	.000	
FOAMING AGENTS (MBAS)	38260	WAIVED	2002/11/11	.000	
HARDNESS (TOTAL) AS CACO3	00900	WAIVED	2002/11/11	119.000	
HYDROXIDE ALKALINITY	71830	WAIVED	2011/12/14	< .000	
IRON	01045	WAIVED	2011/12/14	< .000	
MAGNESIUM	00927	WAIVED	2011/12/14	7.300	
MANGANESE	01055	WAIVED	2011/12/14	< .000	
ODOR THRESHOLD @ 60 C	00086	WAIVED	2002/11/11	.000	
PH, LABORATORY	00403	WAIVED	2011/12/14	7.350	
SILVER	01077	WAIVED	2002/11/11	.000	
SODIUM	00929	WAIVED	2011/12/14	22.000	
SPECIFIC CONDUCTANCE	00095	WAIVED	2011/12/14	210.000	
SULFATE	00945	WAIVED	2002/11/11	35.700	
TOTAL DISSOLVED SOLIDS	70300	WAIVED	2002/11/11	360.000	

**Testing interval is in months;*
0 = No data for this constituent and is DUE NOW
999 = Waived testing (not required)
I = Invalid (NOT) valid analyses reported

System Number: ***1900937***

System Name: ***USFS-PYRAMID LAKE S-14***

PS Code: ***1900937-001***

Source Name: ***SURFACE WATER***

Source Number: ***001***

Source Status: ***ACTIVE RAW***

Water type: ***SURFACE***

SECONDARY/GP

	STORET NUMBER	TESTING INTERVAL (MONTHS)*	LAST TEST DATE (yyyy/mm/dd)	LAST RESULT REPORTED	NEXT TEST DATE (yyyy/mm)
TURBIDITY, LABORATORY	82079	WAIVED	2002/11/11	.200	
ZINC	01092	WAIVED	2002/11/11	.000	

**Testing interval is in months;*
0 = No data for this constituent and is DUE NOW
999 = Waived testing (not required)
I = Invalid (NOT) valid analyses reported

System Number: ***1900941***

System Name: ***JOSHUA VIEW MOBILE HOME PARK***

PS Code: ***1900941-001***

Source Name: ***WELL 01***

Source Number: ***001***

Source Status: ***STANDBY UNTREATED***

Water type: ***GROUNDWATER OR WELL***

	STORET NUMBER	TESTING INTERVAL (MONTHS)*	LAST TEST DATE (yyyy/mm/dd)	LAST RESULT REPORTED	NEXT TEST DATE (yyyy/mm)
GENERAL NON CHAP 15					
DIAZINON	39570	WAIVED			
INORGANIC					
ALUMINUM	01105	WAIVED	2008/01/07	.000	
ANTIMONY	01097	WAIVED	2008/01/07	.000	
ARSENIC	01002	WAIVED	2008/01/07	.000	
ASBESTOS	81855	WAIVED			
BARIUM	01007	WAIVED	2008/01/07	.000	
BERYLLIUM	01012	WAIVED	2008/01/07	.000	
CADMIUM	01027	WAIVED	2008/01/07	.000	
CHROMIUM (TOTAL)	01034	WAIVED	2008/01/07	.000	
CYANIDE	01291	WAIVED	2008/01/07	.000	
FLUORIDE (F) (NATURAL-SOURCE)	00951	WAIVED	2008/01/07	.190	
LEAD	01051	WAIVED	2008/01/07	.000	
MERCURY	71900	WAIVED	2008/01/07	.000	
NICKEL	01067	WAIVED	2008/01/07	.000	
PERCHLORATE	A-031	WAIVED	2008/09/30	.000	
SELENIUM	01147	WAIVED	2008/01/07	.000	
THALLIUM	01059	WAIVED	2008/01/07	.000	
NITRATE/NITRITE					
NITRATE (AS NO3)	71850	WAIVED	2010/12/16	7.500	
NITRITE (AS N)	00620	WAIVED	2008/01/07	.000	
RADIOLOGICAL					
GROSS ALPHA	01501	WAIVED	2000/12/07	2.240	
GROSS BETA	03501	WAIVED			
RA-226 FOR CWS OR TOTAL RA FOR NTNC BY 903.0	A-080	WAIVED			
RA-226 OR TOTAL RA BY 903.0 C.E.	A-081	WAIVED			
RADIUM 226	09501	WAIVED			
RADIUM 228	11501	WAIVED			

**Testing interval is in months;*
0 = No data for this constituent and is DUE NOW
999 = Waived testing (not required)
I = Invalid (NOT) valid analyses reported

System Number: ***1900941***

System Name: ***JOSHUA VIEW MOBILE HOME PARK***

PS Code: ***1900941-001***

Source Name: ***WELL 01***

Source Number: ***001***

Source Status: ***STANDBY UNTREATED***

Water type: ***GROUNDWATER OR WELL***

	STORET NUMBER	TESTING INTERVAL (MONTHS)*	LAST TEST DATE (yyyy/mm/dd)	LAST RESULT REPORTED	NEXT TEST DATE (yyyy/mm)
RADIOLOGICAL					
RADIUM, TOTAL, MDA95-NTNC ONLY, BY 903.0	A-082	WAIVED			
STRONTIUM-90	13501	WAIVED			
TRITIUM	07000	WAIVED			
URANIUM (PCI/L)	28012	WAIVED			
REGULATED SOC					
2,3,7,8-TCDD (DIOXIN)	34676	WAIVED			
2,4,5-TP (SILVEX)	39045	WAIVED			
2,4-D	39730	WAIVED			
ALACHLOR	77825	WAIVED	2001/06/26	.000	
ATRAZINE	39033	WAIVED	1995/04/11	.000	
BENTAZON	38710	WAIVED			
BENZO (A) PYRENE	34247	WAIVED	1995/04/11	.000	
CARBOFURAN	81405	WAIVED	1995/04/11	.000	
CHLORDANE	39350	WAIVED	2001/06/26	.000	
DALAPON	38432	WAIVED			
DI(2-ETHYLHEXYL)ADIPATE	A-026	WAIVED	1995/04/11	.000	
DI(2-ETHYLHEXYL)PHTHALATE	39100	WAIVED	1995/04/11	.000	
DIBROMOCHLOROPROPANE (DBCP)	38761	WAIVED	1995/04/11	.000	
DINOSEB	81287	WAIVED			
DIQUAT	78885	WAIVED			
ENDOTHALL	38926	WAIVED			
ENDRIN	39390	WAIVED	2001/06/26	.000	
ETHYLENE DIBROMIDE (EDB)	77651	WAIVED	1995/04/11	.000	
GLYPHOSATE	79743	WAIVED	1995/04/11	.000	
HEPTACHLOR	39410	WAIVED	2001/06/26	.000	
HEPTACHLOR EPOXIDE	39420	WAIVED	2001/06/26	.000	
HEXACHLOROBENZENE	39700	WAIVED	2001/06/26	.000	
HEXACHLOROCYCLOPENTADIENE	34386	WAIVED	2001/06/26	.000	
LINDANE	39340	WAIVED	2001/06/26	.000	

**Testing interval is in months;*
0 = No data for this constituent and is DUE NOW
999 = Waived testing (not required)
I = Invalid (NOT) valid analyses reported

System Number: ***1900941***

System Name: ***JOSHUA VIEW MOBILE HOME PARK***

PS Code: ***1900941-001***

Source Name: ***WELL 01***

Source Number: ***001***

Source Status: ***STANDBY UNTREATED***

Water type: ***GROUNDWATER OR WELL***

	STORET NUMBER	TESTING INTERVAL (MONTHS)*	LAST TEST DATE (yyyy/mm/dd)	LAST RESULT REPORTED	NEXT TEST DATE (yyyy/mm)
REGULATED SOC					
METHOXYCHLOR	39480	WAIVED	2001/06/26	.000	
MOLINATE	82199	WAIVED	1995/04/11	.000	
OXAMYL	38865	WAIVED	1995/04/11	.000	
PENTACHLOROPHENOL	39032	WAIVED	1995/04/11	.000	
PICLORAM	39720	WAIVED			
POLYCHLORINATED BIPHENYLS, TOTAL, AS DCB	39516	WAIVED	2001/06/26	.000	
SIMAZINE	39055	WAIVED	1995/04/11	.000	
THIOBENCARB	A-001	WAIVED	2004/04/19	.000	
TOXAPHENE	39400	WAIVED	2001/06/26	.000	
REGULATED VOC					
1,1,1-TRICHLOROETHANE	34506	WAIVED	2001/06/26	.000	
1,1,2,2-TETRACHLOROETHANE	34516	WAIVED	2001/06/26	.000	
1,1,2-TRICHLORO-1,2,2-TRIFLUOROETHANE	81611	WAIVED	2001/06/26	.000	
1,1,2-TRICHLOROETHANE	34511	WAIVED	2001/06/26	.000	
1,1-DICHLOROETHANE	34496	WAIVED	2001/06/26	.000	
1,1-DICHLOROETHYLENE	34501	WAIVED	2001/06/26	.000	
1,2,4-TRICHLOROBENZENE	34551	WAIVED	2001/06/26	.000	
1,2-DICHLOROBENZENE	34536	WAIVED	2001/06/26	.000	
1,2-DICHLOROETHANE	34531	WAIVED	2001/06/26	.000	
1,2-DICHLOROPROPANE	34541	WAIVED	2001/06/26	.000	
1,3-DICHLOROPROPENE (TOTAL)	34561	WAIVED	2001/06/26	.000	
1,4-DICHLOROBENZENE	34571	WAIVED	2001/06/26	.000	
BENZENE	34030	WAIVED	2001/06/26	.000	
CARBON TETRACHLORIDE	32102	WAIVED	2001/06/26	.000	
CIS-1,2-DICHLOROETHYLENE	77093	WAIVED	2001/06/26	.000	
DICHLOROMETHANE	34423	WAIVED	2001/06/26	.000	
ETHYLBENZENE	34371	WAIVED	2001/06/26	.000	
METHYL-TERT-BUTYL-ETHER (MTBE)	46491	WAIVED	2001/06/26	.000	
MONOCHLOROBENZENE	34301	WAIVED	2001/06/26	.000	

**Testing interval is in months;*
0 = No data for this constituent and is DUE NOW
999 = Waived testing (not required)
I = Invalid (NOT) valid analyses reported

System Number: ***1900941***

System Name: ***JOSHUA VIEW MOBILE HOME PARK***

PS Code: ***1900941-001***

Source Name: ***WELL 01***

Source Number: ***001***

Source Status: ***STANDBY UNTREATED***

Water type: ***GROUNDWATER OR WELL***

	STORET NUMBER	TESTING INTERVAL (MONTHS)*	LAST TEST DATE (yyyy/mm/dd)	LAST RESULT REPORTED	NEXT TEST DATE (yyyy/mm)
REGULATED VOC					
STYRENE	77128	WAIVED	2001/06/26	.000	
TETRACHLOROETHYLENE	34475	WAIVED	2001/06/26	.000	
TOLUENE	34010	WAIVED	2001/06/26	.000	
TRANS-1,2-DICHLOROETHYLENE	34546	WAIVED	2001/06/26	.000	
TRICHLOROETHYLENE	39180	WAIVED	2001/06/26	.000	
TRICHLOROFLUOROMETHANE	34488	WAIVED	2001/06/26	.000	
VINYL CHLORIDE	39175	WAIVED	2001/06/26	.000	
XYLENES (TOTAL)	81551	WAIVED	2001/06/26	.000	
SECONDARY/GP					
AGGRSSIVE INDEX (CORROSIVITY)	82383	WAIVED	2008/01/07	12.000	
BICARBONATE ALKALINITY	00440	WAIVED	2008/01/07	130.000	
CALCIUM	00916	WAIVED	2008/01/07	47.000	
CARBONATE ALKALINITY	00445	WAIVED	2008/01/07	< 1.000	
CHLORIDE	00940	WAIVED	2008/01/07	16.000	
COLOR	00081	WAIVED	2008/01/07	< 1.000	
COPPER	01042	WAIVED	2008/01/07	.000	
FOAMING AGENTS (MBAS)	38260	WAIVED	2008/01/07	< .050	
HARDNESS (TOTAL) AS CACO3	00900	WAIVED	2008/01/07	150.000	
HYDROXIDE ALKALINITY	71830	WAIVED	2008/01/07	< 1.000	
IRON	01045	WAIVED	2008/01/07	.000	
MAGNESIUM	00927	WAIVED	2008/01/07	9.000	
MANGANESE	01055	WAIVED	2008/01/07	.000	
ODOR THRESHOLD @ 60 C	00086	WAIVED	2008/01/07	.000	
PH, LABORATORY	00403	WAIVED	2008/01/07	7.900	
SILVER	01077	WAIVED	2008/01/07	.000	
SODIUM	00929	WAIVED	2008/01/07	20.000	
SPECIFIC CONDUCTANCE	00095	WAIVED	2008/09/30	370.000	
SULFATE	00945	WAIVED	2008/01/07	38.000	
TOTAL DISSOLVED SOLIDS	70300	WAIVED	2008/01/07	230.000	

**Testing interval is in months;*
0 = No data for this constituent and is DUE NOW
999 = Waived testing (not required)
I = Invalid (NOT) valid analyses reported

System Number: ***1900941***

System Name: ***JOSHUA VIEW MOBILE HOME PARK***

PS Code: ***1900941-001***

Source Name: ***WELL 01***

Source Number: ***001***

Source Status: ***STANDBY UNTREATED***

Water type: ***GROUNDWATER OR WELL***

SECONDARY/GP

	STORET NUMBER	TESTING INTERVAL (MONTHS)*	LAST TEST DATE (yyyy/mm/dd)	LAST RESULT REPORTED	NEXT TEST DATE (yyyy/mm)
TURBIDITY, LABORATORY	82079	WAIVED	2008/01/07	.180	
ZINC	01092	WAIVED	2008/01/07	.000	

**Testing interval is in months;*
0 = No data for this constituent and is DUE NOW
999 = Waived testing (not required)
I = Invalid (NOT) valid analyses reported

System Number: ***1900942***

System Name: ***ALPINE SPRINGS MOBILE HOME PARK***

PS Code: ***1900942-001***

Source Name: ***WELL 01***

Source Number: ***001***

Source Status: ***ACTIVE UNTREATED***

Water type: ***GROUNDWATER OR WELL***

	STORET NUMBER	TESTING INTERVAL (MONTHS)*	LAST TEST DATE (yyyy/mm/dd)	LAST RESULT REPORTED	NEXT TEST DATE (yyyy/mm)
GENERAL NON CHAP 15					
DIAZINON	39570	WAIVED			
INORGANIC					
ALUMINUM	01105	WAIVED	2011/08/29	< 50.000	
ANTIMONY	01097	WAIVED	2011/08/29	< 6.000	
ARSENIC	01002	WAIVED	2011/08/29	3.200	
ASBESTOS	81855	WAIVED	2011/08/29	< .200	
BARIUM	01007	WAIVED	2011/08/29	< 100.000	
BERYLLIUM	01012	WAIVED	2011/08/29	< 1.000	
CADMIUM	01027	WAIVED	2011/08/29	< 1.000	
CHROMIUM (TOTAL)	01034	WAIVED	2011/08/29	< 10.000	
CYANIDE	01291	WAIVED	2011/08/29	< 100.000	
FLUORIDE (F) (NATURAL-SOURCE)	00951	WAIVED	2011/08/29	.370	
LEAD	01051	WAIVED	2011/08/29	< 5.000	
MERCURY	71900	WAIVED	2011/08/29	< 1.000	
NICKEL	01067	WAIVED	2011/08/29	< 10.000	
PERCHLORATE	A-031	WAIVED	2011/08/29	< 4.000	
SELENIUM	01147	WAIVED	2011/08/29	< 5.000	
THALLIUM	01059	WAIVED	2011/08/29	< 1.000	
NITRATE/NITRITE					
NITRATE (AS NO3)	71850	WAIVED	2011/08/29	21.000	
NITRITE (AS N)	00620	WAIVED	2011/08/29	< 400.000	
RADIOLOGICAL					
GROSS ALPHA	01501	WAIVED	2008/02/22	3.500	
GROSS BETA	03501	WAIVED	2008/02/22	< 3.000	
RA-226 FOR CWS OR TOTAL RA FOR NTNC BY 903.0	A-080	WAIVED			
RA-226 OR TOTAL RA BY 903.0 C.E.	A-081	WAIVED			
RADIUM 226	09501	WAIVED			
RADIUM 228	11501	WAIVED	2008/02/22	< 1.000	

**Testing interval is in months;*
0 = No data for this constituent and is DUE NOW
999 = Waived testing (not required)
I = Invalid (NOT) valid analyses reported

System Number: ***1900942***

System Name: ***ALPINE SPRINGS MOBILE HOME PARK***

PS Code: ***1900942-001***

Source Name: ***WELL 01***

Source Number: ***001***

Source Status: ***ACTIVE UNTREATED***

Water type: ***GROUNDWATER OR WELL***

	STORET NUMBER	TESTING INTERVAL (MONTHS)*	LAST TEST DATE (yyyy/mm/dd)	LAST RESULT REPORTED	NEXT TEST DATE (yyyy/mm)
RADIOLOGICAL					
RADIUM, TOTAL, MDA95-NTNC ONLY, BY 903.0	A-082	WAIVED			
STRONTIUM-90	13501	WAIVED			
TRITIUM	07000	WAIVED			
URANIUM (PCI/L)	28012	WAIVED	2008/02/22	4.400	
REGULATED SOC					
2,3,7,8-TCDD (DIOXIN)	34676	WAIVED			
2,4,5-TP (SILVEX)	39045	WAIVED			
2,4-D	39730	WAIVED			
ALACHLOR	77825	WAIVED	2001/06/19	.000	
ATRAZINE	39033	WAIVED	2011/08/29	< .500	
BENTAZON	38710	WAIVED			
BENZO (A) PYRENE	34247	WAIVED	2011/08/29	< .100	
CARBOFURAN	81405	WAIVED	1995/04/11	.000	
CHLORDANE	39350	WAIVED	2001/06/19	.000	
DALAPON	38432	WAIVED			
DI(2-ETHYLHEXYL)ADIPATE	A-026	WAIVED	2011/08/29	< 5.000	
DI(2-ETHYLHEXYL)PHTHALATE	39100	WAIVED	2011/08/29	< 3.000	
DIBROMOCHLOROPROPANE (DBCP)	38761	WAIVED	1995/04/11	.000	
DINOSEB	81287	WAIVED			
DIQUAT	78885	WAIVED			
ENDOTHALL	38926	WAIVED			
ENDRIN	39390	WAIVED	2001/06/19	.000	
ETHYLENE DIBROMIDE (EDB)	77651	WAIVED	1995/04/11	.000	
GLYPHOSATE	79743	WAIVED	1995/04/11	.000	
HEPTACHLOR	39410	WAIVED	2001/06/19	.000	
HEPTACHLOR EPOXIDE	39420	WAIVED	2001/06/19	.000	
HEXACHLOROBENZENE	39700	WAIVED	2011/08/29	< .500	
HEXACHLOROCYCLOPENTADIENE	34386	WAIVED	2011/08/29	< 1.000	
LINDANE	39340	WAIVED	2001/06/19	.000	

**Testing interval is in months;*
0 = No data for this constituent and is DUE NOW
999 = Waived testing (not required)
I = Invalid (NOT) valid analyses reported

System Number: 1900942
System Name: ALPINE SPRINGS MOBILE HOME PARK

PS Code: 1900942-001
Source Name: WELL 01
Source Number: 001
Source Status: ACTIVE UNTREATED
Water type: GROUNDWATER OR WELL

	STORET NUMBER	TESTING INTERVAL (MONTHS)*	LAST TEST DATE (yyyy/mm/dd)	LAST RESULT REPORTED	NEXT TEST DATE (yyyy/mm)
REGULATED SOC					
METHOXYCHLOR	39480	WAIVED	2001/06/19	.000	
MOLINATE	82199	WAIVED	2011/08/29	< 2.000	
OXAMYL	38865	WAIVED	1995/04/11	.000	
PENTACHLOROPHENOL	39032	WAIVED	1995/04/11	.000	
PICLORAM	39720	WAIVED			
POLYCHLORINATED BIPHENYLS, TOTAL, AS DCB	39516	WAIVED	2001/06/19	.000	
SIMAZINE	39055	WAIVED	2011/08/29	< 1.000	
THIOBENCARB	A-001	WAIVED	2011/08/29	< 1.000	
TOXAPHENE	39400	WAIVED	2001/06/19	.000	
REGULATED VOC					
1,1,1-TRICHLOROETHANE	34506	WAIVED	2011/09/28	< .500	
1,1,2,2-TETRACHLOROETHANE	34516	WAIVED	2011/09/28	< .500	
1,1,2-TRICHLORO-1,2,2-TRIFLUOROETHANE	81611	WAIVED	2011/09/28	< 10.000	
1,1,2-TRICHLOROETHANE	34511	WAIVED	2011/09/28	< .500	
1,1-DICHLOROETHANE	34496	WAIVED	2011/09/28	< .500	
1,1-DICHLOROETHYLENE	34501	WAIVED	2011/09/28	< .500	
1,2,4-TRICHLOROBENZENE	34551	WAIVED	2011/09/28	< .500	
1,2-DICHLOROBENZENE	34536	WAIVED	2011/09/28	< .500	
1,2-DICHLOROETHANE	34531	WAIVED	2011/09/28	< .500	
1,2-DICHLOROPROPANE	34541	WAIVED	2011/09/28	< .500	
1,3-DICHLOROPROPENE (TOTAL)	34561	WAIVED	2011/09/28	< .500	
1,4-DICHLOROBENZENE	34571	WAIVED	2011/09/28	< .500	
BENZENE	34030	WAIVED	2011/09/28	< .500	
CARBON TETRACHLORIDE	32102	WAIVED	2011/09/28	< .500	
CIS-1,2-DICHLOROETHYLENE	77093	WAIVED	2011/09/28	< .500	
DICHLOROMETHANE	34423	WAIVED	2011/09/28	< .500	
ETHYLBENZENE	34371	WAIVED	2011/09/28	< .500	
METHYL-TERT-BUTYL-ETHER (MTBE)	46491	WAIVED	2011/09/28	< 3.000	
MONOCHLOROBENZENE	34301	WAIVED	2011/09/28	< .500	

**Testing interval is in months;*
0 = No data for this constituent and is DUE NOW
999 = Waived testing (not required)
I = Invalid (NOT) valid analyses reported

System Number: 1900942

System Name: ALPINE SPRINGS MOBILE HOME PARK

PS Code: 1900942-001

Source Name: WELL 01

Source Number: 001

Source Status: ACTIVE UNTREATED

Water type: GROUNDWATER OR WELL

	STORET NUMBER	TESTING INTERVAL (MONTHS)*	LAST TEST DATE (yyyy/mm/dd)	LAST RESULT REPORTED	NEXT TEST DATE (yyyy/mm)
REGULATED VOC					
STYRENE	77128	WAIVED	2011/09/28	< .500	
TETRACHLOROETHYLENE	34475	WAIVED	2011/09/28	< .500	
TOLUENE	34010	WAIVED	2011/09/28	< .500	
TRANS-1,2-DICHLOROETHYLENE	34546	WAIVED	2011/09/28	< .500	
TRICHLOROETHYLENE	39180	WAIVED	2011/09/28	< .500	
TRICHLOROFLUOROMETHANE	34488	WAIVED	2011/09/28	< 5.000	
VINYL CHLORIDE	39175	WAIVED	2011/09/28	< .500	
XYLENES (TOTAL)	81551	WAIVED	2011/09/28	< 1.000	
SECONDARY/GP					
AGGRSSIVE INDEX (CORROSIVITY)	82383	WAIVED	2011/08/29	13.000	
BICARBONATE ALKALINITY	00440	WAIVED	2011/08/29	300.000	
CALCIUM	00916	WAIVED	2011/08/29	78.000	
CARBONATE ALKALINITY	00445	WAIVED	2011/08/29	< 2.000	
CHLORIDE	00940	WAIVED	2011/08/29	120.000	
COLOR	00081	WAIVED	2011/08/29	< 3.000	
COPPER	01042	WAIVED	2011/08/29	< 50.000	
FOAMING AGENTS (MBAS)	38260	WAIVED	2011/08/29	< .050	
HARDNESS (TOTAL) AS CACO3	00900	WAIVED	2011/08/29	300.000	
HYDROXIDE ALKALINITY	71830	WAIVED	2011/08/29	< 2.000	
IRON	01045	WAIVED	2011/08/29	< 100.000	
MAGNESIUM	00927	WAIVED	2011/08/29	25.000	
MANGANESE	01055	WAIVED	2011/08/29	< 20.000	
ODOR THRESHOLD @ 60 C	00086	WAIVED	2011/08/29	2.000	
PH, LABORATORY	00403	WAIVED	2011/08/29	7.800	
SILVER	01077	WAIVED	2011/08/29	< 10.000	
SODIUM	00929	WAIVED	2011/08/29	110.000	
SPECIFIC CONDUCTANCE	00095	WAIVED	2011/08/29	990.000	
SULFATE	00945	WAIVED	2011/08/29	67.000	
TOTAL DISSOLVED SOLIDS	70300	WAIVED	2011/08/29	610.000	

**Testing interval is in months;*
0 = No data for this constituent and is DUE NOW
999 = Waived testing (not required)
I = Invalid (NOT) valid analyses reported

System Number: ***1900942***

System Name: ***ALPINE SPRINGS MOBILE HOME PARK***

PS Code: ***1900942-001***

Source Name: ***WELL 01***

Source Number: ***001***

Source Status: ***ACTIVE UNTREATED***

Water type: ***GROUNDWATER OR WELL***

	STORET NUMBER	TESTING INTERVAL (MONTHS)*	LAST TEST DATE (yyyy/mm/dd)	LAST RESULT REPORTED	NEXT TEST DATE (yyyy/mm)
SECONDARY/GP					
TURBIDITY, LABORATORY	**82079**	**WAIVED**	2011/08/29	**.094**	
ZINC	**01092**	**WAIVED**	2011/08/29	**< 50.000**	

**Testing interval is in months;*
0 = No data for this constituent and is DUE NOW
999 = Waived testing (not required)
I = Invalid (NOT) valid analyses reported

System Number: ***1900944***

System Name: ***MILE HIGH CAFE***

PS Code: ***1900944-001***

Source Name: ***WELL 01***

Source Number: ***001***

Source Status: ***ACTIVE UNTREATED***

Water type: ***GROUNDWATER OR WELL***

	STORET NUMBER	TESTING INTERVAL (MONTHS)*	LAST TEST DATE (yyyy/mm/dd)	LAST RESULT REPORTED	NEXT TEST DATE (yyyy/mm)
GENERAL NON CHAP 15					
DIAZINON	39570	WAIVED			
INORGANIC					
ALUMINUM	01105	WAIVED	2004/06/22	.000	
ANTIMONY	01097	WAIVED	2004/06/22	.000	
ARSENIC	01002	WAIVED	2004/06/22	.000	
ASBESTOS	81855	WAIVED			
BARIUM	01007	WAIVED	2004/06/22	.000	
BERYLLIUM	01012	WAIVED			
CADMIUM	01027	WAIVED	2004/06/22	.000	
CHROMIUM (TOTAL)	01034	WAIVED	2004/06/22	20.700	
CYANIDE	01291	WAIVED			
FLUORIDE (F) (NATURAL-SOURCE)	00951	WAIVED	2004/06/22	2.440	
LEAD	01051	WAIVED	2004/06/22	.000	
MERCURY	71900	WAIVED	2004/06/22	.000	
NICKEL	01067	WAIVED	2004/06/22	.000	
PERCHLORATE	A-031	WAIVED			
SELENIUM	01147	WAIVED	2004/06/22	.000	
THALLIUM	01059	WAIVED			
NITRATE/NITRITE					
NITRATE (AS NO3)	71850	WAIVED	2011/02/22	< .000	
NITRITE (AS N)	00620	WAIVED			
RADIOLOGICAL					
GROSS ALPHA	01501	WAIVED			
GROSS BETA	03501	WAIVED			
RA-226 FOR CWS OR TOTAL RA FOR NTNC BY 903.0	A-080	WAIVED			
RA-226 OR TOTAL RA BY 903.0 C.E.	A-081	WAIVED			
RADIUM 226	09501	WAIVED			
RADIUM 228	11501	WAIVED			

**Testing interval is in months;*
0 = No data for this constituent and is DUE NOW
999 = Waived testing (not required)
I = Invalid (NOT) valid analyses reported

System Number: ***1900944***

System Name: ***MILE HIGH CAFE***

PS Code: ***1900944-001***

Source Name: ***WELL 01***

Source Number: ***001***

Source Status: ***ACTIVE UNTREATED***

Water type: ***GROUNDWATER OR WELL***

	STORET NUMBER	TESTING INTERVAL (MONTHS)*	LAST TEST DATE (yyyy/mm/dd)	LAST RESULT REPORTED	NEXT TEST DATE (yyyy/mm)
RADIOLOGICAL					
RADIUM, TOTAL, MDA95-NTNC ONLY, BY 903.0	A-082	WAIVED			
STRONTIUM-90	13501	WAIVED			
TRITIUM	07000	WAIVED			
URANIUM (PCI/L)	28012	WAIVED			
REGULATED SOC					
2,3,7,8-TCDD (DIOXIN)	34676	WAIVED			
2,4,5-TP (SILVEX)	39045	WAIVED			
2,4-D	39730	WAIVED			
ALACHLOR	77825	WAIVED			
ATRAZINE	39033	WAIVED			
BENTAZON	38710	WAIVED			
BENZO (A) PYRENE	34247	WAIVED			
CARBOFURAN	81405	WAIVED			
CHLORDANE	39350	WAIVED			
DALAPON	38432	WAIVED			
DI(2-ETHYLHEXYL)ADIPATE	A-026	WAIVED			
DI(2-ETHYLHEXYL)PHTHALATE	39100	WAIVED			
DIBROMOCHLOROPROPANE (DBCP)	38761	WAIVED			
DINOSEB	81287	WAIVED			
DIQUAT	78885	WAIVED			
ENDOTHALL	38926	WAIVED			
ENDRIN	39390	WAIVED			
ETHYLENE DIBROMIDE (EDB)	77651	WAIVED			
GLYPHOSATE	79743	WAIVED			
HEPTACHLOR	39410	WAIVED			
HEPTACHLOR EPOXIDE	39420	WAIVED			
HEXACHLOROBENZENE	39700	WAIVED			
HEXACHLOROCYCLOPENTADIENE	34386	WAIVED			
LINDANE	39340	WAIVED			

**Testing interval is in months;*
0 = No data for this constituent and is DUE NOW
999 = Waived testing (not required)
I = Invalid (NOT) valid analyses reported

System Number: ***1900944***

System Name: ***MILE HIGH CAFE***

PS Code: ***1900944-001***

Source Name: ***WELL 01***

Source Number: ***001***

Source Status: ***ACTIVE UNTREATED***

Water type: ***GROUNDWATER OR WELL***

	STORET NUMBER	TESTING INTERVAL (MONTHS)*	LAST TEST DATE (yyyy/mm/dd)	LAST RESULT REPORTED	NEXT TEST DATE (yyyy/mm)
REGULATED SOC					
METHOXYCHLOR	39480	WAIVED			
MOLINATE	82199	WAIVED			
OXAMYL	38865	WAIVED			
PENTACHLOROPHENOL	39032	WAIVED			
PICLORAM	39720	WAIVED			
POLYCHLORINATED BIPHENYLS, TOTAL, AS DCB	39516	WAIVED			
SIMAZINE	39055	WAIVED			
THIOBENCARB	A-001	WAIVED			
TOXAPHENE	39400	WAIVED			
REGULATED VOC					
1,1,1-TRICHLOROETHANE	34506	WAIVED			
1,1,2,2-TETRACHLOROETHANE	34516	WAIVED			
1,1,2-TRICHLORO-1,2,2-TRIFLUOROETHANE	81611	WAIVED			
1,1,2-TRICHLOROETHANE	34511	WAIVED			
1,1-DICHLOROETHANE	34496	WAIVED			
1,1-DICHLOROETHYLENE	34501	WAIVED			
1,2,4-TRICHLOROBENZENE	34551	WAIVED			
1,2-DICHLOROBENZENE	34536	WAIVED			
1,2-DICHLOROETHANE	34531	WAIVED			
1,2-DICHLOROPROPANE	34541	WAIVED			
1,3-DICHLOROPROPENE (TOTAL)	34561	WAIVED			
1,4-DICHLOROBENZENE	34571	WAIVED			
BENZENE	34030	WAIVED			
CARBON TETRACHLORIDE	32102	WAIVED			
CIS-1,2-DICHLOROETHYLENE	77093	WAIVED			
DICHLOROMETHANE	34423	WAIVED			
ETHYLBENZENE	34371	WAIVED			
METHYL-TERT-BUTYL-ETHER (MTBE)	46491	WAIVED			
MONOCHLOROBENZENE	34301	WAIVED			

**Testing interval is in months;*
0 = No data for this constituent and is DUE NOW
999 = Waived testing (not required)
I = Invalid (NOT) valid analyses reported

System Number: ***1900944***

System Name: ***MILE HIGH CAFE***

PS Code: ***1900944-001***

Source Name: ***WELL 01***

Source Number: ***001***

Source Status: ***ACTIVE UNTREATED***

Water type: ***GROUNDWATER OR WELL***

	STORET NUMBER	TESTING INTERVAL (MONTHS)*	LAST TEST DATE (yyyy/mm/dd)	LAST RESULT REPORTED	NEXT TEST DATE (yyyy/mm)
REGULATED VOC					
STYRENE	77128	WAIVED			
TETRACHLOROETHYLENE	34475	WAIVED			
TOLUENE	34010	WAIVED			
TRANS-1,2-DICHLOROETHYLENE	34546	WAIVED			
TRICHLOROETHYLENE	39180	WAIVED			
TRICHLOROFLUOROMETHANE	34488	WAIVED			
VINYL CHLORIDE	39175	WAIVED			
XYLENES (TOTAL)	81551	WAIVED			
SECONDARY/GP					
AGGRSSIVE INDEX (CORROSIVITY)	82383	WAIVED			
BICARBONATE ALKALINITY	00440	WAIVED	2004/06/22	346.000	
CALCIUM	00916	WAIVED	2004/06/22	60.100	
CARBONATE ALKALINITY	00445	WAIVED	2004/06/22	.000	
CHLORIDE	00940	WAIVED	2004/06/22	6.680	
COLOR	00081	WAIVED	2000/11/30	.000	
COPPER	01042	WAIVED	2004/06/22	.000	
FOAMING AGENTS (MBAS)	38260	WAIVED	2004/06/22	.000	
HARDNESS (TOTAL) AS CACO3	00900	WAIVED	2004/06/22	345.000	
HYDROXIDE ALKALINITY	71830	WAIVED	2004/06/22	.000	
IRON	01045	WAIVED	2004/06/22	.000	
MAGNESIUM	00927	WAIVED	2004/06/22	47.400	
MANGANESE	01055	WAIVED	2004/06/22	.000	
ODOR THRESHOLD @ 60 C	00086	WAIVED	2000/11/30	.000	
PH, LABORATORY	00403	WAIVED	2004/06/22	7.600	
SILVER	01077	WAIVED	2004/06/22	.000	
SODIUM	00929	WAIVED	2004/06/22	66.800	
SPECIFIC CONDUCTANCE	00095	WAIVED	2004/06/22	802.000	
SULFATE	00945	WAIVED	2004/06/22	205.000	
TOTAL DISSOLVED SOLIDS	70300	WAIVED	2004/06/22	556.000	

**Testing interval is in months;*
0 = No data for this constituent and is DUE NOW
999 = Waived testing (not required)
I = Invalid (NOT) valid analyses reported

System Number: ***1900944***

System Name: ***MILE HIGH CAFE***

PS Code: ***1900944-001***

Source Name: ***WELL 01***

Source Number: ***001***

Source Status: ***ACTIVE UNTREATED***

Water type: ***GROUNDWATER OR WELL***

	STORET NUMBER	TESTING INTERVAL (MONTHS)*	LAST TEST DATE (yyyy/mm/dd)	LAST RESULT REPORTED	NEXT TEST DATE (yyyy/mm)
SECONDARY/GP					
TURBIDITY, LABORATORY	**82079**	**WAIVED**	2004/06/22	**.270**	
ZINC	**01092**	**WAIVED**	2004/06/22	**67.300**	

**Testing interval is in months;*
0 = No data for this constituent and is DUE NOW
999 = Waived testing (not required)
I = Invalid (NOT) valid analyses reported

System Number: 1900946
System Name: PALMDALE TRAILER PARK

PS Code: 1900946-001
Source Name: WELL 01
Source Number: 001
Source Status: ACTIVE UNTREATED
Water type: GROUNDWATER OR WELL

	STORET NUMBER	TESTING INTERVAL (MONTHS)*	LAST TEST DATE (yyyy/mm/dd)	LAST RESULT REPORTED	NEXT TEST DATE (yyyy/mm)
GENERAL NON CHAP 15					
DIAZINON	39570	WAIVED			
INORGANIC					
ALUMINUM	01105	WAIVED	2011/03/15	< .000	
ANTIMONY	01097	WAIVED	2011/03/15	< .000	
ARSENIC	01002	WAIVED	2011/03/15	< .000	
ASBESTOS	81855	WAIVED			
BARIUM	01007	WAIVED	2011/03/15	< .000	
BERYLLIUM	01012	WAIVED	2011/03/15	< .000	
CADMIUM	01027	WAIVED	2011/03/15	< .000	
CHROMIUM (TOTAL)	01034	WAIVED	2011/03/15	< .000	
CYANIDE	01291	WAIVED	2011/03/15	< .000	
FLUORIDE (F) (NATURAL-SOURCE)	00951	WAIVED	2011/03/15	.170	
LEAD	01051	WAIVED	2011/03/15	< .000	
MERCURY	71900	WAIVED	2011/03/15	< .000	
NICKEL	01067	WAIVED	2011/03/15	< .000	
PERCHLORATE	A-031	WAIVED	2011/10/17	< .000	
SELENIUM	01147	WAIVED	2011/03/15	< .000	
THALLIUM	01059	WAIVED	2011/03/15	< .000	
NITRATE/NITRITE					
NITRATE (AS NO3)	71850	WAIVED	2011/09/26	27.000	
NITRITE (AS N)	00620	WAIVED	2011/03/15	< .000	
RADIOLOGICAL					
GROSS ALPHA	01501	WAIVED	2011/03/15	< .000	
GROSS BETA	03501	WAIVED	2011/03/15	< 4.000	
RA-226 FOR CWS OR TOTAL RA FOR NTNC BY 903.0	A-080	WAIVED			
RA-226 OR TOTAL RA BY 903.0 C.E.	A-081	WAIVED			
RADIUM 226	09501	WAIVED	2011/03/15	< 1.000	
RADIUM 228	11501	WAIVED	2011/03/15	< 1.000	

**Testing interval is in months;*
0 = No data for this constituent and is DUE NOW
999 = Waived testing (not required)
I = Invalid (NOT) valid analyses reported

System Number: ***1900946***

System Name: ***PALMDALE TRAILER PARK***

PS Code: ***1900946-001***

Source Name: ***WELL 01***

Source Number: ***001***

Source Status: ***ACTIVE UNTREATED***

Water type: ***GROUNDWATER OR WELL***

	STORET NUMBER	TESTING INTERVAL (MONTHS)*	LAST TEST DATE (yyyy/mm/dd)	LAST RESULT REPORTED	NEXT TEST DATE (yyyy/mm)
RADIOLOGICAL					
RADIUM, TOTAL, MDA95-NTNC ONLY, BY 903.0	A-082	WAIVED			
STRONTIUM-90	13501	WAIVED			
TRITIUM	07000	WAIVED			
URANIUM (PCI/L)	28012	WAIVED	2011/03/15	1.800	
REGULATED SOC					
2,3,7,8-TCDD (DIOXIN)	34676	WAIVED			
2,4,5-TP (SILVEX)	39045	WAIVED			
2,4-D	39730	WAIVED			
ALACHLOR	77825	WAIVED	2001/06/26	.000	
ATRAZINE	39033	WAIVED	1995/04/11	.000	
BENTAZON	38710	WAIVED			
BENZO (A) PYRENE	34247	WAIVED	1995/04/11	.000	
CARBOFURAN	81405	WAIVED	1995/04/11	.000	
CHLORDANE	39350	WAIVED	2001/06/26	.000	
DALAPON	38432	WAIVED			
DI(2-ETHYLHEXYL)ADIPATE	A-026	WAIVED	1995/04/11	.000	
DI(2-ETHYLHEXYL)PHTHALATE	39100	WAIVED	1995/04/11	.000	
DIBROMOCHLOROPROPANE (DBCP)	38761	WAIVED	1995/04/11	.000	
DINOSEB	81287	WAIVED			
DIQUAT	78885	WAIVED			
ENDOTHALL	38926	WAIVED			
ENDRIN	39390	WAIVED	2001/06/26	.000	
ETHYLENE DIBROMIDE (EDB)	77651	WAIVED	1995/04/11	.000	
GLYPHOSATE	79743	WAIVED	1995/04/11	.000	
HEPTACHLOR	39410	WAIVED	2001/06/26	.000	
HEPTACHLOR EPOXIDE	39420	WAIVED	2001/06/26	.000	
HEXACHLOROBENZENE	39700	WAIVED	2001/06/26	.000	
HEXACHLOROCYCLOPENTADIENE	34386	WAIVED	2001/06/26	.000	
LINDANE	39340	WAIVED	2001/06/26	.000	

**Testing interval is in months;*
0 = No data for this constituent and is DUE NOW
999 = Waived testing (not required)
I = Invalid (NOT) valid analyses reported

System Number: ***1900946***

System Name: ***PALMDALE TRAILER PARK***

PS Code: ***1900946-001***

Source Name: ***WELL 01***

Source Number: ***001***

Source Status: ***ACTIVE UNTREATED***

Water type: ***GROUNDWATER OR WELL***

	STORET NUMBER	TESTING INTERVAL (MONTHS)*	LAST TEST DATE (yyyy/mm/dd)	LAST RESULT REPORTED	NEXT TEST DATE (yyyy/mm)
REGULATED SOC					
METHOXYCHLOR	39480	WAIVED	2001/06/26	.000	
MOLINATE	82199	WAIVED	1995/04/11	.000	
OXAMYL	38865	WAIVED	1995/04/11	.000	
PENTACHLOROPHENOL	39032	WAIVED	1995/04/11	.000	
PICLORAM	39720	WAIVED			
POLYCHLORINATED BIPHENYLS, TOTAL, AS DCB	39516	WAIVED	2001/06/26	.000	
SIMAZINE	39055	WAIVED	1995/04/11	.000	
THIOBENCARB	A-001	WAIVED	2001/11/05	.000	
TOXAPHENE	39400	WAIVED	2001/06/26	.000	
REGULATED VOC					
1,1,1-TRICHLOROETHANE	34506	WAIVED	2001/06/26	.000	
1,1,2,2-TETRACHLOROETHANE	34516	WAIVED	2001/06/26	.000	
1,1,2-TRICHLORO-1,2,2-TRIFLUOROETHANE	81611	WAIVED	2001/06/26	.000	
1,1,2-TRICHLOROETHANE	34511	WAIVED	2001/06/26	.000	
1,1-DICHLOROETHANE	34496	WAIVED	2001/06/26	.000	
1,1-DICHLOROETHYLENE	34501	WAIVED	2001/06/26	.000	
1,2,4-TRICHLOROBENZENE	34551	WAIVED	2001/06/26	.000	
1,2-DICHLOROBENZENE	34536	WAIVED	2001/06/26	.000	
1,2-DICHLOROETHANE	34531	WAIVED	2001/06/26	.000	
1,2-DICHLOROPROPANE	34541	WAIVED	2001/06/26	.000	
1,3-DICHLOROPROPENE (TOTAL)	34561	WAIVED	2001/06/26	.000	
1,4-DICHLOROBENZENE	34571	WAIVED	2001/06/26	.000	
BENZENE	34030	WAIVED	2001/06/26	.000	
CARBON TETRACHLORIDE	32102	WAIVED	2001/06/26	.000	
CIS-1,2-DICHLOROETHYLENE	77093	WAIVED	2001/06/26	.000	
DICHLOROMETHANE	34423	WAIVED	2001/06/26	.000	
ETHYLBENZENE	34371	WAIVED	2001/06/26	.000	
METHYL-TERT-BUTYL-ETHER (MTBE)	46491	WAIVED	2001/06/26	.000	
MONOCHLOROBENZENE	34301	WAIVED	2001/06/26	.000	

**Testing interval is in months;*
0 = No data for this constituent and is DUE NOW
999 = Waived testing (not required)
I = Invalid (NOT) valid analyses reported

System Number: ***1900946***

System Name: ***PALMDALE TRAILER PARK***

PS Code: ***1900946-001***

Source Name: ***WELL 01***

Source Number: ***001***

Source Status: ***ACTIVE UNTREATED***

Water type: ***GROUNDWATER OR WELL***

	STORET NUMBER	TESTING INTERVAL (MONTHS)*	LAST TEST DATE (yyyy/mm/dd)	LAST RESULT REPORTED	NEXT TEST DATE (yyyy/mm)
REGULATED VOC					
STYRENE	77128	WAIVED	2001/06/26	.000	
TETRACHLOROETHYLENE	34475	WAIVED	2001/06/26	.000	
TOLUENE	34010	WAIVED	2001/06/26	.000	
TRANS-1,2-DICHLOROETHYLENE	34546	WAIVED	2001/06/26	.000	
TRICHLOROETHYLENE	39180	WAIVED	2001/06/26	.000	
TRICHLOROFLUOROMETHANE	34488	WAIVED	2001/06/26	.000	
VINYL CHLORIDE	39175	WAIVED	2001/06/26	.000	
XYLENES (TOTAL)	81551	WAIVED	2001/06/26	.000	
SECONDARY/GP					
AGGRSSIVE INDEX (CORROSIVITY)	82383	WAIVED	2011/03/15	12.000	
BICARBONATE ALKALINITY	00440	WAIVED	2011/03/15	150.000	
CALCIUM	00916	WAIVED	2011/03/15	48.000	
CARBONATE ALKALINITY	00445	WAIVED	2011/03/15	< .000	
CHLORIDE	00940	WAIVED	2011/03/15	21.000	
COLOR	00081	WAIVED	2011/03/15	< .000	
COPPER	01042	WAIVED	2011/03/15	< .000	
FOAMING AGENTS (MBAS)	38260	WAIVED	2011/03/15	< .000	
HARDNESS (TOTAL) AS CACO3	00900	WAIVED	2011/03/15	150.000	
HYDROXIDE ALKALINITY	71830	WAIVED	2011/03/15	< .000	
IRON	01045	WAIVED	2011/03/15	< .000	
MAGNESIUM	00927	WAIVED	2011/03/15	8.600	
MANGANESE	01055	WAIVED	2011/03/15	< .000	
ODOR THRESHOLD @ 60 C	00086	WAIVED	2011/03/15	< .000	
PH, LABORATORY	00403	WAIVED	2011/03/15	8.200	
SILVER	01077	WAIVED	2011/03/15	< .000	
SODIUM	00929	WAIVED	2011/03/15	22.000	
SPECIFIC CONDUCTANCE	00095	WAIVED	2011/03/15	410.000	
SULFATE	00945	WAIVED	2011/03/15	33.000	
TOTAL DISSOLVED SOLIDS	70300	WAIVED	2011/03/15	250.000	

**Testing interval is in months;*
0 = No data for this constituent and is DUE NOW
999 = Waived testing (not required)
I = Invalid (NOT) valid analyses reported

System Number: ***1900946***

System Name: ***PALMDALE TRAILER PARK***

PS Code: ***1900946-001***

Source Name: ***WELL 01***

Source Number: ***001***

Source Status: ***ACTIVE UNTREATED***

Water type: ***GROUNDWATER OR WELL***

	STORET NUMBER	TESTING INTERVAL (MONTHS)*	LAST TEST DATE (yyyy/mm/dd)	LAST RESULT REPORTED	NEXT TEST DATE (yyyy/mm)
SECONDARY/GP					
TURBIDITY, LABORATORY	**82079**	**WAIVED**	2011/03/15	**< .000**	
ZINC	**01092**	**WAIVED**	2011/03/15	**< .000**	

**Testing interval is in months;*
0 = No data for this constituent and is DUE NOW
999 = Waived testing (not required)
I = Invalid (NOT) valid analyses reported

System Number: ***1900952***

System Name: ***USFS-COLDBROOK B-11***

PS Code: ***1900952-001***

Source Name: ***WELL 01***

Source Number: ***001***

Source Status: ***ACTIVE UNTREATED***

Water type: ***GROUNDWATER OR WELL***

	STORET NUMBER	TESTING INTERVAL (MONTHS)*	LAST TEST DATE (yyyy/mm/dd)	LAST RESULT REPORTED	NEXT TEST DATE (yyyy/mm)
GENERAL NON CHAP 15					
DIAZINON	39570	WAIVED			
INORGANIC					
ALUMINUM	01105	WAIVED			
ANTIMONY	01097	WAIVED			
ARSENIC	01002	WAIVED			
ASBESTOS	81855	WAIVED			
BARIUM	01007	WAIVED			
BERYLLIUM	01012	WAIVED			
CADMIUM	01027	WAIVED			
CHROMIUM (TOTAL)	01034	WAIVED			
CYANIDE	01291	WAIVED			
FLUORIDE (F) (NATURAL-SOURCE)	00951	WAIVED			
LEAD	01051	WAIVED			
MERCURY	71900	WAIVED			
NICKEL	01067	WAIVED			
PERCHLORATE	A-031	WAIVED			
SELENIUM	01147	WAIVED			
THALLIUM	01059	WAIVED			
NITRATE/NITRITE					
NITRATE (AS NO3)	71850	WAIVED	2002/10/30	.000	
NITRITE (AS N)	00620	WAIVED			
RADIOLOGICAL					
GROSS ALPHA	01501	WAIVED			
GROSS BETA	03501	WAIVED			
RA-226 FOR CWS OR TOTAL RA FOR NTNC BY 903.0	A-080	WAIVED			
RA-226 OR TOTAL RA BY 903.0 C.E.	A-081	WAIVED			
RADIUM 226	09501	WAIVED			
RADIUM 228	11501	WAIVED			

**Testing interval is in months;*
0 = No data for this constituent and is DUE NOW
999 = Waived testing (not required)
I = Invalid (NOT) valid analyses reported

System Number: ***1900952***

System Name: ***USFS-COLDBROOK B-11***

PS Code: ***1900952-001***

Source Name: ***WELL 01***

Source Number: ***001***

Source Status: ***ACTIVE UNTREATED***

Water type: ***GROUNDWATER OR WELL***

	STORET NUMBER	TESTING INTERVAL (MONTHS)*	LAST TEST DATE (yyyy/mm/dd)	LAST RESULT REPORTED	NEXT TEST DATE (yyyy/mm)
RADIOLOGICAL					
RADIUM, TOTAL, MDA95-NTNC ONLY, BY 903.0	A-082	WAIVED			
STRONTIUM-90	13501	WAIVED			
TRITIUM	07000	WAIVED			
URANIUM (PCI/L)	28012	WAIVED			
REGULATED SOC					
2,3,7,8-TCDD (DIOXIN)	34676	WAIVED			
2,4,5-TP (SILVEX)	39045	WAIVED			
2,4-D	39730	WAIVED			
ALACHLOR	77825	WAIVED			
ATRAZINE	39033	WAIVED			
BENTAZON	38710	WAIVED			
BENZO (A) PYRENE	34247	WAIVED			
CARBOFURAN	81405	WAIVED			
CHLORDANE	39350	WAIVED			
DALAPON	38432	WAIVED			
DI(2-ETHYLHEXYL)ADIPATE	A-026	WAIVED			
DI(2-ETHYLHEXYL)PHTHALATE	39100	WAIVED			
DIBROMOCHLOROPROPANE (DBCP)	38761	WAIVED			
DINOSEB	81287	WAIVED			
DIQUAT	78885	WAIVED			
ENDOTHALL	38926	WAIVED			
ENDRIN	39390	WAIVED			
ETHYLENE DIBROMIDE (EDB)	77651	WAIVED			
GLYPHOSATE	79743	WAIVED			
HEPTACHLOR	39410	WAIVED			
HEPTACHLOR EPOXIDE	39420	WAIVED			
HEXACHLOROBENZENE	39700	WAIVED			
HEXACHLOROCYCLOPENTADIENE	34386	WAIVED			
LINDANE	39340	WAIVED			

**Testing interval is in months;*
0 = No data for this constituent and is DUE NOW
999 = Waived testing (not required)
I = Invalid (NOT) valid analyses reported

System Number: ***1900952***

System Name: ***USFS-COLDBROOK B-11***

PS Code: ***1900952-001***

Source Name: ***WELL 01***

Source Number: ***001***

Source Status: ***ACTIVE UNTREATED***

Water type: ***GROUNDWATER OR WELL***

	STORET NUMBER	TESTING INTERVAL (MONTHS)*	LAST TEST DATE (yyyy/mm/dd)	LAST RESULT REPORTED	NEXT TEST DATE (yyyy/mm)
REGULATED SOC					
METHOXYCHLOR	39480	WAIVED			
MOLINATE	82199	WAIVED			
OXAMYL	38865	WAIVED			
PENTACHLOROPHENOL	39032	WAIVED			
PICLORAM	39720	WAIVED			
POLYCHLORINATED BIPHENYLS, TOTAL, AS DCB	39516	WAIVED			
SIMAZINE	39055	WAIVED			
THIOBENCARB	A-001	WAIVED			
TOXAPHENE	39400	WAIVED			
REGULATED VOC					
1,1,1-TRICHLOROETHANE	34506	WAIVED			
1,1,2,2-TETRACHLOROETHANE	34516	WAIVED			
1,1,2-TRICHLORO-1,2,2-TRIFLUOROETHANE	81611	WAIVED			
1,1,2-TRICHLOROETHANE	34511	WAIVED			
1,1-DICHLOROETHANE	34496	WAIVED			
1,1-DICHLOROETHYLENE	34501	WAIVED			
1,2,4-TRICHLOROBENZENE	34551	WAIVED			
1,2-DICHLOROBENZENE	34536	WAIVED			
1,2-DICHLOROETHANE	34531	WAIVED			
1,2-DICHLOROPROPANE	34541	WAIVED			
1,3-DICHLOROPROPENE (TOTAL)	34561	WAIVED			
1,4-DICHLOROBENZENE	34571	WAIVED			
BENZENE	34030	WAIVED			
CARBON TETRACHLORIDE	32102	WAIVED			
CIS-1,2-DICHLOROETHYLENE	77093	WAIVED			
DICHLOROMETHANE	34423	WAIVED			
ETHYLBENZENE	34371	WAIVED			
METHYL-TERT-BUTYL-ETHER (MTBE)	46491	WAIVED			
MONOCHLOROBENZENE	34301	WAIVED			

**Testing interval is in months;*
0 = No data for this constituent and is DUE NOW
999 = Waived testing (not required)
I = Invalid (NOT) valid analyses reported

System Number: ***1900952***

System Name: ***USFS-COLDBROOK B-11***

PS Code: ***1900952-001***

Source Name: ***WELL 01***

Source Number: ***001***

Source Status: ***ACTIVE UNTREATED***

Water type: ***GROUNDWATER OR WELL***

	STORET NUMBER	TESTING INTERVAL (MONTHS)*	LAST TEST DATE (yyyy/mm/dd)	LAST RESULT REPORTED	NEXT TEST DATE (yyyy/mm)
REGULATED VOC					
STYRENE	77128	WAIVED			
TETRACHLOROETHYLENE	34475	WAIVED			
TOLUENE	34010	WAIVED			
TRANS-1,2-DICHLOROETHYLENE	34546	WAIVED			
TRICHLOROETHYLENE	39180	WAIVED			
TRICHLOROFLUOROMETHANE	34488	WAIVED			
VINYL CHLORIDE	39175	WAIVED			
XYLENES (TOTAL)	81551	WAIVED			
SECONDARY/GP					
AGGRSSIVE INDEX (CORROSIVITY)	82383	WAIVED			
BICARBONATE ALKALINITY	00440	WAIVED			
CALCIUM	00916	WAIVED			
CARBONATE ALKALINITY	00445	WAIVED			
CHLORIDE	00940	WAIVED			
COLOR	00081	WAIVED			
COPPER	01042	WAIVED			
FOAMING AGENTS (MBAS)	38260	WAIVED			
HARDNESS (TOTAL) AS CACO3	00900	WAIVED			
HYDROXIDE ALKALINITY	71830	WAIVED			
IRON	01045	WAIVED			
MAGNESIUM	00927	WAIVED			
MANGANESE	01055	WAIVED			
ODOR THRESHOLD @ 60 C	00086	WAIVED			
PH, LABORATORY	00403	WAIVED			
SILVER	01077	WAIVED			
SODIUM	00929	WAIVED			
SPECIFIC CONDUCTANCE	00095	WAIVED			
SULFATE	00945	WAIVED			
TOTAL DISSOLVED SOLIDS	70300	WAIVED			

**Testing interval is in months;*
0 = No data for this constituent and is DUE NOW
999 = Waived testing (not required)
I = Invalid (NOT) valid analyses reported

System Number: ***1900952***

System Name: ***USFS-COLDBROOK B-11***

PS Code: ***1900952-001***

Source Name: ***WELL 01***

Source Number: ***001***

Source Status: ***ACTIVE UNTREATED***

Water type: ***GROUNDWATER OR WELL***

	STORET NUMBER	TESTING INTERVAL (MONTHS)*	LAST TEST DATE (yyyy/mm/dd)	LAST RESULT REPORTED	NEXT TEST DATE (yyyy/mm)
SECONDARY/GP					
TURBIDITY, LABORATORY	82079	WAIVED			
ZINC	01092	WAIVED			

**Testing interval is in months;*
0 = No data for this constituent and is DUE NOW
999 = Waived testing (not required)
I = Invalid (NOT) valid analyses reported

System Number: ***1900961***

System Name: ***WINTERHAVEN MOBILE ESTATES***

PS Code: ***1900961-001***

Source Name: ***WELL 01***

Source Number: ***001***

Source Status: ***ACTIVE UNTREATED***

Water type: ***GROUNDWATER OR WELL***

	STORET NUMBER	TESTING INTERVAL (MONTHS)*	LAST TEST DATE (yyyy/mm/dd)	LAST RESULT REPORTED	NEXT TEST DATE (yyyy/mm)
GENERAL NON CHAP 15					
DIAZINON	39570	WAIVED			
INORGANIC					
ALUMINUM	01105	WAIVED	2011/03/14	< .000	
ANTIMONY	01097	WAIVED	2011/03/14	< .000	
ARSENIC	01002	WAIVED	2012/03/13	58.000	
ASBESTOS	81855	WAIVED			
BARIUM	01007	WAIVED	2011/03/14	< .000	
BERYLLIUM	01012	WAIVED	2011/03/14	< .000	
CADMIUM	01027	WAIVED	2011/03/14	< .000	
CHROMIUM (TOTAL)	01034	WAIVED	2011/03/14	< .000	
CYANIDE	01291	WAIVED	2011/03/14	< .000	
FLUORIDE (F) (NATURAL-SOURCE)	00951	WAIVED	2011/03/14	1.200	
LEAD	01051	WAIVED	2011/03/14	< .000	
MERCURY	71900	WAIVED	2011/03/14	< .000	
NICKEL	01067	WAIVED	2011/03/14	< .000	
PERCHLORATE	A-031	WAIVED	2011/10/18	< .000	
SELENIUM	01147	WAIVED	2011/03/14	< .000	
THALLIUM	01059	WAIVED	2011/03/14	< .000	
NITRATE/NITRITE					
NITRATE (AS NO3)	71850	WAIVED	2011/03/14	11.000	
NITRITE (AS N)	00620	WAIVED	2011/03/14	< .000	
RADIOLOGICAL					
GROSS ALPHA	01501	WAIVED	2000/11/29	5.250	
GROSS BETA	03501	WAIVED			
RA-226 FOR CWS OR TOTAL RA FOR NTNC BY 903.0	A-080	WAIVED			
RA-226 OR TOTAL RA BY 903.0 C.E.	A-081	WAIVED			
RADIUM 226	09501	WAIVED			
RADIUM 228	11501	WAIVED			

**Testing interval is in months;*
0 = No data for this constituent and is DUE NOW
999 = Waived testing (not required)
I = Invalid (NOT) valid analyses reported

System Number: ***1900961***

System Name: ***WINTERHAVEN MOBILE ESTATES***

PS Code: ***1900961-001***

Source Name: ***WELL 01***

Source Number: ***001***

Source Status: ***ACTIVE UNTREATED***

Water type: ***GROUNDWATER OR WELL***

	STORET NUMBER	TESTING INTERVAL (MONTHS)*	LAST TEST DATE (yyyy/mm/dd)	LAST RESULT REPORTED	NEXT TEST DATE (yyyy/mm)
RADIOLOGICAL					
RADIUM, TOTAL, MDA95-NTNC ONLY, BY 903.0	A-082	WAIVED			
STRONTIUM-90	13501	WAIVED			
TRITIUM	07000	WAIVED			
URANIUM (PCI/L)	28012	WAIVED			
REGULATED SOC					
2,3,7,8-TCDD (DIOXIN)	34676	WAIVED			
2,4,5-TP (SILVEX)	39045	WAIVED			
2,4-D	39730	WAIVED			
ALACHLOR	77825	WAIVED	2002/04/10	.000	
ATRAZINE	39033	WAIVED	1995/04/03	.000	
BENTAZON	38710	WAIVED			
BENZO (A) PYRENE	34247	WAIVED	1995/04/03	.000	
CARBOFURAN	81405	WAIVED	1995/04/03	.000	
CHLORDANE	39350	WAIVED	2002/04/10	.000	
DALAPON	38432	WAIVED			
DI(2-ETHYLHEXYL)ADIPATE	A-026	WAIVED	1995/04/03	.000	
DI(2-ETHYLHEXYL)PHTHALATE	39100	WAIVED	1995/04/03	.000	
DIBROMOCHLOROPROPANE (DBCP)	38761	WAIVED	1995/04/03	.000	
DINOSEB	81287	WAIVED			
DIQUAT	78885	WAIVED			
ENDOTHALL	38926	WAIVED			
ENDRIN	39390	WAIVED	2002/04/10	.000	
ETHYLENE DIBROMIDE (EDB)	77651	WAIVED	1995/04/03	.000	
GLYPHOSATE	79743	WAIVED	1995/04/03	.000	
HEPTACHLOR	39410	WAIVED	2002/04/10	.000	
HEPTACHLOR EPOXIDE	39420	WAIVED	2002/04/10	.000	
HEXACHLOROBENZENE	39700	WAIVED	2002/04/10	.000	
HEXACHLOROCYCLOPENTADIENE	34386	WAIVED	2002/04/10	.000	
LINDANE	39340	WAIVED	2002/04/10	.000	

**Testing interval is in months;*
0 = No data for this constituent and is DUE NOW
999 = Waived testing (not required)
I = Invalid (NOT) valid analyses reported

System Number: ***1900961***

System Name: ***WINTERHAVEN MOBILE ESTATES***

PS Code: ***1900961-001***

Source Name: ***WELL 01***

Source Number: ***001***

Source Status: ***ACTIVE UNTREATED***

Water type: ***GROUNDWATER OR WELL***

	STORET NUMBER	TESTING INTERVAL (MONTHS)*	LAST TEST DATE (yyyy/mm/dd)	LAST RESULT REPORTED	NEXT TEST DATE (yyyy/mm)
REGULATED SOC					
METHOXYCHLOR	39480	WAIVED	2002/04/10	.000	
MOLINATE	82199	WAIVED	1995/04/03	.000	
OXAMYL	38865	WAIVED	1995/04/03	.000	
PENTACHLOROPHENOL	39032	WAIVED	1995/04/03	.000	
PICLORAM	39720	WAIVED			
POLYCHLORINATED BIPHENYLS, TOTAL, AS DCB	39516	WAIVED	2002/04/10	.000	
SIMAZINE	39055	WAIVED	1995/04/03	.000	
THIOBENCARB	A-001	WAIVED	1995/04/03	.000	
TOXAPHENE	39400	WAIVED	2002/04/10	.000	
REGULATED VOC					
1,1,1-TRICHLOROETHANE	34506	WAIVED	2002/04/10	.000	
1,1,2,2-TETRACHLOROETHANE	34516	WAIVED	2002/04/10	.000	
1,1,2-TRICHLORO-1,2,2-TRIFLUOROETHANE	81611	WAIVED	2002/04/10	.000	
1,1,2-TRICHLOROETHANE	34511	WAIVED	2002/04/10	.000	
1,1-DICHLOROETHANE	34496	WAIVED	2002/04/10	.000	
1,1-DICHLOROETHYLENE	34501	WAIVED	2002/04/10	.000	
1,2,4-TRICHLOROBENZENE	34551	WAIVED	2002/04/10	.000	
1,2-DICHLOROBENZENE	34536	WAIVED	2002/04/10	.000	
1,2-DICHLOROETHANE	34531	WAIVED	2002/04/10	.000	
1,2-DICHLOROPROPANE	34541	WAIVED	2002/04/10	.000	
1,3-DICHLOROPROPENE (TOTAL)	34561	WAIVED	2002/04/10	.000	
1,4-DICHLOROBENZENE	34571	WAIVED	2002/04/10	.000	
BENZENE	34030	WAIVED	2002/04/10	.000	
CARBON TETRACHLORIDE	32102	WAIVED	2002/04/10	.000	
CIS-1,2-DICHLOROETHYLENE	77093	WAIVED	2002/04/10	.000	
DICHLOROMETHANE	34423	WAIVED	2002/04/10	.000	
ETHYLBENZENE	34371	WAIVED	2002/04/10	.000	
METHYL-TERT-BUTYL-ETHER (MTBE)	46491	WAIVED	2002/04/10	.000	
MONOCHLOROBENZENE	34301	WAIVED	2002/04/10	.000	

**Testing interval is in months;*
0 = No data for this constituent and is DUE NOW
999 = Waived testing (not required)
I = Invalid (NOT) valid analyses reported

System Number: 1900961
System Name: WINTERHAVEN MOBILE ESTATES

PS Code: 1900961-001
Source Name: WELL 01
Source Number: 001
Source Status: ACTIVE UNTREATED
Water type: GROUNDWATER OR WELL

	STORET NUMBER	TESTING INTERVAL (MONTHS)*	LAST TEST DATE (yyyy/mm/dd)	LAST RESULT REPORTED	NEXT TEST DATE (yyyy/mm)
REGULATED VOC					
STYRENE	77128	WAIVED	2002/04/10	.000	
TETRACHLOROETHYLENE	34475	WAIVED	2002/04/10	.000	
TOLUENE	34010	WAIVED	2002/04/10	.000	
TRANS-1,2-DICHLOROETHYLENE	34546	WAIVED	2002/04/10	.000	
TRICHLOROETHYLENE	39180	WAIVED	2002/04/10	.000	
TRICHLOROFLUOROMETHANE	34488	WAIVED	2002/04/10	.000	
VINYL CHLORIDE	39175	WAIVED	2002/04/10	.000	
XYLENES (TOTAL)	81551	WAIVED	2002/04/10	.000	
SECONDARY/GP					
AGGRSSIVE INDEX (CORROSIVITY)	82383	WAIVED	2011/03/14	12.000	
BICARBONATE ALKALINITY	00440	WAIVED	2011/03/14	200.000	
CALCIUM	00916	WAIVED	2011/03/14	14.000	
CARBONATE ALKALINITY	00445	WAIVED	2011/03/14	5.600	
CHLORIDE	00940	WAIVED	2011/03/14	31.000	
COLOR	00081	WAIVED	2011/03/14	< .000	
COPPER	01042	WAIVED	2011/03/14	< .000	
FOAMING AGENTS (MBAS)	38260	WAIVED	2011/03/14	< .000	
HARDNESS (TOTAL) AS CACO3	00900	WAIVED	2011/03/14	40.000	
HYDROXIDE ALKALINITY	71830	WAIVED	2011/03/14	< .000	
IRON	01045	WAIVED	2011/03/14	< .000	
MAGNESIUM	00927	WAIVED	2011/03/14	1.600	
MANGANESE	01055	WAIVED	2011/03/14	< .000	
ODOR THRESHOLD @ 60 C	00086	WAIVED	2011/03/14	< .000	
PH, LABORATORY	00403	WAIVED	2011/03/14	8.400	
SILVER	01077	WAIVED	2011/03/14	< .000	
SODIUM	00929	WAIVED	2011/03/14	100.000	
SPECIFIC CONDUCTANCE	00095	WAIVED	2011/03/14	530.000	
SULFATE	00945	WAIVED	2011/03/14	26.000	
TOTAL DISSOLVED SOLIDS	70300	WAIVED	2011/03/14	340.000	

**Testing interval is in months;*
0 = No data for this constituent and is DUE NOW
999 = Waived testing (not required)
I = Invalid (NOT) valid analyses reported

System Number: ***1900961***

System Name: ***WINTERHAVEN MOBILE ESTATES***

PS Code: ***1900961-001***

Source Name: ***WELL 01***

Source Number: ***001***

Source Status: ***ACTIVE UNTREATED***

Water type: ***GROUNDWATER OR WELL***

SECONDARY/GP	STORET NUMBER	TESTING INTERVAL (MONTHS)*	LAST TEST DATE (yyyy/mm/dd)	LAST RESULT REPORTED	NEXT TEST DATE (yyyy/mm)
TURBIDITY, LABORATORY	82079	WAIVED	2011/03/14	< .000	
ZINC	01092	WAIVED	2011/03/14	64.000	

**Testing interval is in months;*
0 = No data for this constituent and is DUE NOW
999 = Waived testing (not required)
I = Invalid (NOT) valid analyses reported

System Number: ***1900974***

System Name: ***USFS-APPLETREE FLATS V-3***

PS Code: ***1900974-001***

Source Name: ***WELL 01***

Source Number: ***001***

Source Status: ***ACTIVE UNTREATED***

Water type: ***GROUNDWATER OR WELL***

	STORET NUMBER	TESTING INTERVAL (MONTHS)*	LAST TEST DATE (yyyy/mm/dd)	LAST RESULT REPORTED	NEXT TEST DATE (yyyy/mm)
GENERAL NON CHAP 15					
DIAZINON	39570	WAIVED			
INORGANIC					
ALUMINUM	01105	WAIVED	2011/11/09	< 10.000	
ANTIMONY	01097	WAIVED	2011/11/09	< 1.000	
ARSENIC	01002	WAIVED	2011/11/09	< 2.000	
ASBESTOS	81855	WAIVED			
BARIUM	01007	WAIVED	2011/11/09	27.400	
BERYLLIUM	01012	WAIVED	2011/11/09	< 1.000	
CADMIUM	01027	WAIVED	2011/11/09	< 1.000	
CHROMIUM (TOTAL)	01034	WAIVED	2011/11/09	1.000	
CYANIDE	01291	WAIVED			
FLUORIDE (F) (NATURAL-SOURCE)	00951	WAIVED	2011/11/09	.100	
LEAD	01051	WAIVED	2011/11/09	1.800	
MERCURY	71900	WAIVED	2011/11/09	.040	
NICKEL	01067	WAIVED	2011/11/09	< 1.000	
PERCHLORATE	A-031	WAIVED	2011/11/09	< 2.000	
SELENIUM	01147	WAIVED	2011/11/09	< 2.000	
THALLIUM	01059	WAIVED	2011/11/09	< 1.000	
NITRATE/NITRITE					
NITRATE (AS NO3)	71850	WAIVED	2011/11/09	.600	
NITRITE (AS N)	00620	WAIVED	2011/11/09	< .100	
RADIOLOGICAL					
GROSS ALPHA	01501	WAIVED			
GROSS BETA	03501	WAIVED			
RA-226 FOR CWS OR TOTAL RA FOR NTNC BY 903.0	A-080	WAIVED			
RA-226 OR TOTAL RA BY 903.0 C.E.	A-081	WAIVED			
RADIUM 226	09501	WAIVED			
RADIUM 228	11501	WAIVED			

**Testing interval is in months;*
0 = No data for this constituent and is DUE NOW
999 = Waived testing (not required)
I = Invalid (NOT) valid analyses reported

System Number: ***1900974***

System Name: ***USFS-APPLETREE FLATS V-3***

PS Code: ***1900974-001***

Source Name: ***WELL 01***

Source Number: ***001***

Source Status: ***ACTIVE UNTREATED***

Water type: ***GROUNDWATER OR WELL***

	STORET NUMBER	TESTING INTERVAL (MONTHS)*	LAST TEST DATE (yyyy/mm/dd)	LAST RESULT REPORTED	NEXT TEST DATE (yyyy/mm)
RADIOLOGICAL					
RADIUM, TOTAL, MDA95-NTNC ONLY, BY 903.0	A-082	WAIVED			
STRONTIUM-90	13501	WAIVED			
TRITIUM	07000	WAIVED			
URANIUM (PCI/L)	28012	WAIVED			
REGULATED SOC					
2,3,7,8-TCDD (DIOXIN)	34676	WAIVED			
2,4,5-TP (SILVEX)	39045	WAIVED			
2,4-D	39730	WAIVED			
ALACHLOR	77825	WAIVED			
ATRAZINE	39033	WAIVED			
BENTAZON	38710	WAIVED			
BENZO (A) PYRENE	34247	WAIVED			
CARBOFURAN	81405	WAIVED			
CHLORDANE	39350	WAIVED			
DALAPON	38432	WAIVED			
DI(2-ETHYLHEXYL)ADIPATE	A-026	WAIVED			
DI(2-ETHYLHEXYL)PHTHALATE	39100	WAIVED			
DIBROMOCHLOROPROPANE (DBCP)	38761	WAIVED			
DINOSEB	81287	WAIVED			
DIQUAT	78885	WAIVED			
ENDOTHALL	38926	WAIVED			
ENDRIN	39390	WAIVED			
ETHYLENE DIBROMIDE (EDB)	77651	WAIVED			
GLYPHOSATE	79743	WAIVED			
HEPTACHLOR	39410	WAIVED			
HEPTACHLOR EPOXIDE	39420	WAIVED			
HEXACHLOROBENZENE	39700	WAIVED			
HEXACHLOROCYCLOPENTADIENE	34386	WAIVED			
LINDANE	39340	WAIVED			

**Testing interval is in months;*
0 = No data for this constituent and is DUE NOW
999 = Waived testing (not required)
I = Invalid (NOT) valid analyses reported

System Number: ***1900974***

System Name: ***USFS-APPLETREE FLATS V-3***

PS Code: ***1900974-001***

Source Name: ***WELL 01***

Source Number: ***001***

Source Status: ***ACTIVE UNTREATED***

Water type: ***GROUNDWATER OR WELL***

	STORET NUMBER	TESTING INTERVAL (MONTHS)*	LAST TEST DATE (yyyy/mm/dd)	LAST RESULT REPORTED	NEXT TEST DATE (yyyy/mm)
REGULATED SOC					
METHOXYCHLOR	39480	WAIVED			
MOLINATE	82199	WAIVED			
OXAMYL	38865	WAIVED			
PENTACHLOROPHENOL	39032	WAIVED			
PICLORAM	39720	WAIVED			
POLYCHLORINATED BIPHENYLS, TOTAL, AS DCB	39516	WAIVED			
SIMAZINE	39055	WAIVED			
THIOBENCARB	A-001	WAIVED			
TOXAPHENE	39400	WAIVED			
REGULATED VOC					
1,1,1-TRICHLOROETHANE	34506	WAIVED			
1,1,2,2-TETRACHLOROETHANE	34516	WAIVED			
1,1,2-TRICHLORO-1,2,2-TRIFLUOROETHANE	81611	WAIVED			
1,1,2-TRICHLOROETHANE	34511	WAIVED			
1,1-DICHLOROETHANE	34496	WAIVED			
1,1-DICHLOROETHYLENE	34501	WAIVED			
1,2,4-TRICHLOROBENZENE	34551	WAIVED			
1,2-DICHLOROBENZENE	34536	WAIVED			
1,2-DICHLOROETHANE	34531	WAIVED			
1,2-DICHLOROPROPANE	34541	WAIVED			
1,3-DICHLOROPROPENE (TOTAL)	34561	WAIVED			
1,4-DICHLOROBENZENE	34571	WAIVED			
BENZENE	34030	WAIVED			
CARBON TETRACHLORIDE	32102	WAIVED			
CIS-1,2-DICHLOROETHYLENE	77093	WAIVED			
DICHLOROMETHANE	34423	WAIVED			
ETHYLBENZENE	34371	WAIVED			
METHYL-TERT-BUTYL-ETHER (MTBE)	46491	WAIVED			
MONOCHLOROBENZENE	34301	WAIVED			

**Testing interval is in months;*
0 = No data for this constituent and is DUE NOW
999 = Waived testing (not required)
I = Invalid (NOT) valid analyses reported

System Number: ***1900974***

System Name: ***USFS-APPLETREE FLATS V-3***

PS Code: ***1900974-001***

Source Name: ***WELL 01***

Source Number: ***001***

Source Status: ***ACTIVE UNTREATED***

Water type: ***GROUNDWATER OR WELL***

	STORET NUMBER	TESTING INTERVAL (MONTHS)*	LAST TEST DATE (yyyy/mm/dd)	LAST RESULT REPORTED	NEXT TEST DATE (yyyy/mm)
REGULATED VOC					
STYRENE	77128	WAIVED			
TETRACHLOROETHYLENE	34475	WAIVED			
TOLUENE	34010	WAIVED			
TRANS-1,2-DICHLOROETHYLENE	34546	WAIVED			
TRICHLOROETHYLENE	39180	WAIVED			
TRICHLOROFLUOROMETHANE	34488	WAIVED			
VINYL CHLORIDE	39175	WAIVED			
XYLENES (TOTAL)	81551	WAIVED			
SECONDARY/GP					
AGGRSSIVE INDEX (CORROSIVITY)	82383	WAIVED	2011/11/09	12.200	
BICARBONATE ALKALINITY	00440	WAIVED	2011/11/09	280.000	
CALCIUM	00916	WAIVED	2011/11/09	72.000	
CARBONATE ALKALINITY	00445	WAIVED	2011/11/09	< 10.000	
CHLORIDE	00940	WAIVED	2011/11/09	3.000	
COLOR	00081	WAIVED	2011/11/09	< 5.000	
COPPER	01042	WAIVED	2011/11/09	< 10.000	
FOAMING AGENTS (MBAS)	38260	WAIVED	2011/11/09	< .100	
HARDNESS (TOTAL) AS CACO3	00900	WAIVED	2011/11/09	266.000	
HYDROXIDE ALKALINITY	71830	WAIVED	2011/11/09	< 10.000	
IRON	01045	WAIVED	2011/11/09	1740.000	
MAGNESIUM	00927	WAIVED	2011/11/09	21.000	
MANGANESE	01055	WAIVED	2011/11/09	20.000	
ODOR THRESHOLD @ 60 C	00086	WAIVED	2011/11/09	< 1.000	
PH, LABORATORY	00403	WAIVED	2011/11/09	7.600	
SILVER	01077	WAIVED	2011/11/09	< 1.000	
SODIUM	00929	WAIVED	2011/11/09	6.000	
SPECIFIC CONDUCTANCE	00095	WAIVED	2011/11/09	530.000	
SULFATE	00945	WAIVED	2011/11/09	29.000	
TOTAL DISSOLVED SOLIDS	70300	WAIVED	2011/11/09	270.000	

**Testing interval is in months;*
0 = No data for this constituent and is DUE NOW
999 = Waived testing (not required)
I = Invalid (NOT) valid analyses reported

System Number: ***1900974***

System Name: ***USFS-APPLETREE FLATS V-3***

PS Code: ***1900974-001***

Source Name: ***WELL 01***

Source Number: ***001***

Source Status: ***ACTIVE UNTREATED***

Water type: ***GROUNDWATER OR WELL***

SECONDARY/GP	STORET NUMBER	TESTING INTERVAL (MONTHS)*	LAST TEST DATE (yyyy/mm/dd)	LAST RESULT REPORTED	NEXT TEST DATE (yyyy/mm)
TURBIDITY, LABORATORY	82079	WAIVED	2011/11/09	3.600	
ZINC	01092	WAIVED	2011/11/09	80.000	

**Testing interval is in months;*
0 = No data for this constituent and is DUE NOW
999 = Waived testing (not required)
I = Invalid (NOT) valid analyses reported

System Number: ***1900975***

System Name: ***WHITE ROCK LAKE RV PARK***

PS Code: ***1900975-001***

Source Name: ***WELL 02***

Source Number: ***001***

Source Status: ***ACTIVE UNTREATED***

Water type: ***GROUNDWATER OR WELL***

	STORET NUMBER	TESTING INTERVAL (MONTHS)*	LAST TEST DATE (yyyy/mm/dd)	LAST RESULT REPORTED	NEXT TEST DATE (yyyy/mm)
GENERAL NON CHAP 15					
DIAZINON	39570	WAIVED			
INORGANIC					
ALUMINUM	01105	WAIVED	2011/03/30	< .000	
ANTIMONY	01097	WAIVED	2011/03/30	< .000	
ARSENIC	01002	WAIVED	2011/03/30	< .000	
ASBESTOS	81855	WAIVED	2011/03/30	.000	
BARIUM	01007	WAIVED	2011/03/30	100.000	
BERYLLIUM	01012	WAIVED	2011/03/30	< .000	
CADMIUM	01027	WAIVED	2011/03/30	< .000	
CHROMIUM (TOTAL)	01034	WAIVED	2011/03/30	< .000	
CYANIDE	01291	WAIVED	2011/03/30	< .000	
FLUORIDE (F) (NATURAL-SOURCE)	00951	WAIVED	2011/03/30	.360	
LEAD	01051	WAIVED	2011/03/30	< .000	
MERCURY	71900	WAIVED	2011/03/30	< .000	
NICKEL	01067	WAIVED	2011/03/30	< .000	
PERCHLORATE	A-031	WAIVED	2011/10/17	< .000	
SELENIUM	01147	WAIVED	2011/03/30	< .000	
THALLIUM	01059	WAIVED	2011/03/30	< .000	
NITRATE/NITRITE					
NITRATE (AS NO3)	71850	WAIVED	2011/03/30	< .000	
NITRITE (AS N)	00620	WAIVED	2011/03/30	< .000	
RADIOLOGICAL					
GROSS ALPHA	01501	WAIVED			
GROSS BETA	03501	WAIVED			
RA-226 FOR CWS OR TOTAL RA FOR NTNC BY 903.0	A-080	WAIVED			
RA-226 OR TOTAL RA BY 903.0 C.E.	A-081	WAIVED			
RADIUM 226	09501	WAIVED			
RADIUM 228	11501	WAIVED			

**Testing interval is in months;*
0 = No data for this constituent and is DUE NOW
999 = Waived testing (not required)
I = Invalid (NOT) valid analyses reported

System Number: ***1900975***

System Name: ***WHITE ROCK LAKE RV PARK***

PS Code: ***1900975-001***

Source Name: ***WELL 02***

Source Number: ***001***

Source Status: ***ACTIVE UNTREATED***

Water type: ***GROUNDWATER OR WELL***

	STORET NUMBER	TESTING INTERVAL (MONTHS)*	LAST TEST DATE (yyyy/mm/dd)	LAST RESULT REPORTED	NEXT TEST DATE (yyyy/mm)
RADIOLOGICAL					
RADIUM, TOTAL, MDA95-NTNC ONLY, BY 903.0	A-082	WAIVED			
STRONTIUM-90	13501	WAIVED			
TRITIUM	07000	WAIVED			
URANIUM (PCI/L)	28012	WAIVED			
REGULATED SOC					
2,3,7,8-TCDD (DIOXIN)	34676	WAIVED			
2,4,5-TP (SILVEX)	39045	WAIVED			
2,4-D	39730	WAIVED			
ALACHLOR	77825	WAIVED	2003/06/11	.000	
ATRAZINE	39033	WAIVED			
BENTAZON	38710	WAIVED			
BENZO (A) PYRENE	34247	WAIVED			
CARBOFURAN	81405	WAIVED			
CHLORDANE	39350	WAIVED	2003/06/11	.000	
DALAPON	38432	WAIVED			
DI(2-ETHYLHEXYL)ADIPATE	A-026	WAIVED			
DI(2-ETHYLHEXYL)PHTHALATE	39100	WAIVED			
DIBROMOCHLOROPROPANE (DBCP)	38761	WAIVED			
DINOSEB	81287	WAIVED			
DIQUAT	78885	WAIVED			
ENDOTHALL	38926	WAIVED			
ENDRIN	39390	WAIVED	2003/06/11	.000	
ETHYLENE DIBROMIDE (EDB)	77651	WAIVED			
GLYPHOSATE	79743	WAIVED			
HEPTACHLOR	39410	WAIVED	2003/06/11	.000	
HEPTACHLOR EPOXIDE	39420	WAIVED	2003/06/11	.000	
HEXACHLOROBENZENE	39700	WAIVED	2003/06/11	.000	
HEXACHLOROCYCLOPENTADIENE	34386	WAIVED	2003/06/11	.000	
LINDANE	39340	WAIVED	2003/06/11	.000	

**Testing interval is in months;*
0 = No data for this constituent and is DUE NOW
999 = Waived testing (not required)
I = Invalid (NOT) valid analyses reported

System Number: 1900975
System Name: WHITE ROCK LAKE RV PARK

PS Code: 1900975-001
Source Name: WELL 02
Source Number: 001
Source Status: ACTIVE UNTREATED
Water type: GROUNDWATER OR WELL

	STORET NUMBER	TESTING INTERVAL (MONTHS)*	LAST TEST DATE (yyyy/mm/dd)	LAST RESULT REPORTED	NEXT TEST DATE (yyyy/mm)
REGULATED SOC					
METHOXYCHLOR	39480	WAIVED	2003/06/11	.000	
MOLINATE	82199	WAIVED			
OXAMYL	38865	WAIVED			
PENTACHLOROPHENOL	39032	WAIVED			
PICLORAM	39720	WAIVED			
POLYCHLORINATED BIPHENYLS, TOTAL, AS DCB	39516	WAIVED	2003/06/11	.000	
SIMAZINE	39055	WAIVED			
THIOBENCARB	A-001	WAIVED	2002/06/11	.000	
TOXAPHENE	39400	WAIVED	2003/06/11	.000	
REGULATED VOC					
1,1,1-TRICHLOROETHANE	34506	WAIVED	2003/06/11	.000	
1,1,2,2-TETRACHLOROETHANE	34516	WAIVED	2003/06/11	.000	
1,1,2-TRICHLORO-1,2,2-TRIFLUOROETHANE	81611	WAIVED	2003/06/11	.000	
1,1,2-TRICHLOROETHANE	34511	WAIVED	2003/06/11	.000	
1,1-DICHLOROETHANE	34496	WAIVED	2003/06/11	.000	
1,1-DICHLOROETHYLENE	34501	WAIVED	2003/06/11	.000	
1,2,4-TRICHLOROBENZENE	34551	WAIVED	2003/06/11	.000	
1,2-DICHLOROBENZENE	34536	WAIVED	2003/06/11	.000	
1,2-DICHLOROETHANE	34531	WAIVED	2003/06/11	.000	
1,2-DICHLOROPROPANE	34541	WAIVED	2003/06/11	.000	
1,3-DICHLOROPROPENE (TOTAL)	34561	WAIVED	2003/06/11	.000	
1,4-DICHLOROBENZENE	34571	WAIVED	2003/06/11	.000	
BENZENE	34030	WAIVED	2003/06/11	.000	
CARBON TETRACHLORIDE	32102	WAIVED	2003/06/11	.000	
CIS-1,2-DICHLOROETHYLENE	77093	WAIVED	2003/06/11	.000	
DICHLOROMETHANE	34423	WAIVED	2003/06/11	.000	
ETHYLBENZENE	34371	WAIVED	2003/06/11	.000	
METHYL-TERT-BUTYL-ETHER (MTBE)	46491	WAIVED	2003/06/11	.000	
MONOCHLOROBENZENE	34301	WAIVED	2003/06/11	.000	

**Testing interval is in months;*
0 = No data for this constituent and is DUE NOW
999 = Waived testing (not required)
I = Invalid (NOT) valid analyses reported

System Number: 1900975
System Name: WHITE ROCK LAKE RV PARK

PS Code: 1900975-001
Source Name: WELL 02
Source Number: 001
Source Status: ACTIVE UNTREATED
Water type: GROUNDWATER OR WELL

	STORET NUMBER	TESTING INTERVAL (MONTHS)*	LAST TEST DATE (yyyy/mm/dd)	LAST RESULT REPORTED	NEXT TEST DATE (yyyy/mm)
REGULATED VOC					
STYRENE	77128	WAIVED	2003/06/11	.000	
TETRACHLOROETHYLENE	34475	WAIVED	2003/06/11	.000	
TOLUENE	34010	WAIVED	2003/06/11	.000	
TRANS-1,2-DICHLOROETHYLENE	34546	WAIVED	2003/06/11	.000	
TRICHLOROETHYLENE	39180	WAIVED	2003/06/11	.000	
TRICHLOROFLUOROMETHANE	34488	WAIVED	2003/06/11	.000	
VINYL CHLORIDE	39175	WAIVED	2003/06/11	.000	
XYLENES (TOTAL)	81551	WAIVED	2003/06/11	.000	
SECONDARY/GP					
AGGRSSIVE INDEX (CORROSIVITY)	82383	WAIVED	2011/03/30	13.000	
BICARBONATE ALKALINITY	00440	WAIVED	2011/03/30	400.000	
CALCIUM	00916	WAIVED	2011/03/30	98.000	
CARBONATE ALKALINITY	00445	WAIVED	2011/03/30	< .000	
CHLORIDE	00940	WAIVED	2011/03/30	61.000	
COLOR	00081	WAIVED	2011/03/30	< .000	
COPPER	01042	WAIVED	2011/03/30	< .000	
FOAMING AGENTS (MBAS)	38260	WAIVED	2011/03/30	< .000	
HARDNESS (TOTAL) AS CACO3	00900	WAIVED	2011/03/30	350.000	
HYDROXIDE ALKALINITY	71830	WAIVED	2011/03/30	< .000	
IRON	01045	WAIVED	2011/03/30	110.000	
MAGNESIUM	00927	WAIVED	2011/03/30	25.000	
MANGANESE	01055	WAIVED	2011/06/21	240.000	
ODOR THRESHOLD @ 60 C	00086	WAIVED	2011/03/30	< .000	
PH, LABORATORY	00403	WAIVED	2011/03/30	8.200	
SILVER	01077	WAIVED	2011/03/30	< .000	
SODIUM	00929	WAIVED	2011/03/30	66.000	
SPECIFIC CONDUCTANCE	00095	WAIVED	2011/03/30	870.000	
SULFATE	00945	WAIVED	2011/03/30	69.000	
TOTAL DISSOLVED SOLIDS	70300	WAIVED	2011/03/30	580.000	

**Testing interval is in months;*
0 = No data for this constituent and is DUE NOW
999 = Waived testing (not required)
I = Invalid (NOT) valid analyses reported

System Number: ***1900975***

System Name: ***WHITE ROCK LAKE RV PARK***

PS Code: ***1900975-001***

Source Name: ***WELL 02***

Source Number: ***001***

Source Status: ***ACTIVE UNTREATED***

Water type: ***GROUNDWATER OR WELL***

	STORET NUMBER	TESTING INTERVAL (MONTHS)*	LAST TEST DATE (yyyy/mm/dd)	LAST RESULT REPORTED	NEXT TEST DATE (yyyy/mm)
SECONDARY/GP					
TURBIDITY, LABORATORY	**82079**	**WAIVED**	2011/03/30	**.330**	
ZINC	**01092**	**WAIVED**	2011/03/30	**1300.000**	

**Testing interval is in months;*
0 = No data for this constituent and is DUE NOW
999 = Waived testing (not required)
I = Invalid (NOT) valid analyses reported

System Number: ***1900976***

System Name: ***THE OAKS***

PS Code: ***1900976-001***

Source Name: ***WELL 02 BACK UP***

Source Number: ***001***

Source Status: ***STANDBY UNTREATED***

Water type: ***GROUNDWATER OR WELL***

	STORET NUMBER	TESTING INTERVAL (MONTHS)*	LAST TEST DATE (yyyy/mm/dd)	LAST RESULT REPORTED	NEXT TEST DATE (yyyy/mm)
GENERAL NON CHAP 15					
DIAZINON	39570	WAIVED			
INORGANIC					
ALUMINUM	01105	WAIVED	2009/07/14	< 50.000	
ANTIMONY	01097	WAIVED	2009/07/14	< 6.000	
ARSENIC	01002	WAIVED	2009/07/14	< 2.000	
ASBESTOS	81855	WAIVED	2009/07/14	< .200	
BARIUM	01007	WAIVED	2009/07/14	< 100.000	
BERYLLIUM	01012	WAIVED	2009/07/14	< 1.000	
CADMIUM	01027	WAIVED	2009/07/14	< 1.000	
CHROMIUM (TOTAL)	01034	WAIVED	2009/07/14	< 10.000	
CYANIDE	01291	WAIVED	2009/07/14	< 100.000	
FLUORIDE (F) (NATURAL-SOURCE)	00951	WAIVED	2009/07/14	.640	
LEAD	01051	WAIVED	2009/07/14	< 5.000	
MERCURY	71900	WAIVED	2009/07/14	< 1.000	
NICKEL	01067	WAIVED	2009/07/14	< 10.000	
PERCHLORATE	A-031	WAIVED	2009/07/14	< 4.000	
SELENIUM	01147	WAIVED	2009/07/14	< 5.000	
THALLIUM	01059	WAIVED	2009/07/14	< 1.000	
NITRATE/NITRITE					
NITRATE (AS NO3)	71850	WAIVED	2012/01/24	7.000	
NITRITE (AS N)	00620	WAIVED	2009/07/14	< 400.000	
RADIOLOGICAL					
GROSS ALPHA	01501	WAIVED	2009/07/14	< 3.000	
GROSS BETA	03501	WAIVED	1999/11/02	3.900	
RA-226 FOR CWS OR TOTAL RA FOR NTNC BY 903.0	A-080	WAIVED			
RA-226 OR TOTAL RA BY 903.0 C.E.	A-081	WAIVED			
RADIUM 226	09501	WAIVED	2000/01/24	< .341	
RADIUM 228	11501	WAIVED	2009/07/14	< 1.000	

**Testing interval is in months;*
0 = No data for this constituent and is DUE NOW
999 = Waived testing (not required)
I = Invalid (NOT) valid analyses reported

System Number: ***1900976***

System Name: ***THE OAKS***

PS Code: ***1900976-001***

Source Name: ***WELL 02 BACK UP***

Source Number: ***001***

Source Status: ***STANDBY UNTREATED***

Water type: ***GROUNDWATER OR WELL***

	STORET NUMBER	TESTING INTERVAL (MONTHS)*	LAST TEST DATE (yyyy/mm/dd)	LAST RESULT REPORTED	NEXT TEST DATE (yyyy/mm)
RADIOLOGICAL					
RADIUM, TOTAL, MDA95-NTNC ONLY, BY 903.0	A-082	WAIVED			
STRONTIUM-90	13501	WAIVED			
TRITIUM	07000	WAIVED			
URANIUM (PCI/L)	28012	WAIVED	2009/07/14	12.000	
REGULATED SOC					
2,3,7,8-TCDD (DIOXIN)	34676	WAIVED			
2,4,5-TP (SILVEX)	39045	WAIVED			
2,4-D	39730	WAIVED			
ALACHLOR	77825	WAIVED	2002/06/25	.000	
ATRAZINE	39033	WAIVED			
BENTAZON	38710	WAIVED			
BENZO (A) PYRENE	34247	WAIVED			
CARBOFURAN	81405	WAIVED			
CHLORDANE	39350	WAIVED	2002/06/25	.000	
DALAPON	38432	WAIVED			
DI(2-ETHYLHEXYL)ADIPATE	A-026	WAIVED			
DI(2-ETHYLHEXYL)PHTHALATE	39100	WAIVED			
DIBROMOCHLOROPROPANE (DBCP)	38761	WAIVED			
DINOSEB	81287	WAIVED			
DIQUAT	78885	WAIVED			
ENDOTHALL	38926	WAIVED			
ENDRIN	39390	WAIVED	2002/06/25	.000	
ETHYLENE DIBROMIDE (EDB)	77651	WAIVED			
GLYPHOSATE	79743	WAIVED			
HEPTACHLOR	39410	WAIVED	2002/06/25	.000	
HEPTACHLOR EPOXIDE	39420	WAIVED	2002/06/25	.000	
HEXACHLOROBENZENE	39700	WAIVED	2002/06/25	.000	
HEXACHLOROCYCLOPENTADIENE	34386	WAIVED	2002/06/25	.000	
LINDANE	39340	WAIVED	2002/06/25	.000	

**Testing interval is in months;*
0 = No data for this constituent and is DUE NOW
999 = Waived testing (not required)
I = Invalid (NOT) valid analyses reported

System Number: ***1900976***
System Name: ***THE OAKS***

PS Code: ***1900976-001***
Source Name: ***WELL 02 BACK UP***
Source Number: ***001***
Source Status: ***STANDBY UNTREATED***
Water type: ***GROUNDWATER OR WELL***

	STORET NUMBER	TESTING INTERVAL (MONTHS)*	LAST TEST DATE (yyyy/mm/dd)	LAST RESULT REPORTED	NEXT TEST DATE (yyyy/mm)
REGULATED SOC					
METHOXYCHLOR	39480	WAIVED	2002/06/25	.000	
MOLINATE	82199	WAIVED			
OXAMYL	38865	WAIVED			
PENTACHLOROPHENOL	39032	WAIVED			
PICLORAM	39720	WAIVED			
POLYCHLORINATED BIPHENYLS, TOTAL, AS DCB	39516	WAIVED	2002/06/25	.000	
SIMAZINE	39055	WAIVED			
THIOBENCARB	A-001	WAIVED			
TOXAPHENE	39400	WAIVED	2002/06/25	.000	
REGULATED VOC					
1,1,1-TRICHLOROETHANE	34506	WAIVED	2009/07/14	< .500	
1,1,2,2-TETRACHLOROETHANE	34516	WAIVED	2009/07/14	< .500	
1,1,2-TRICHLORO-1,2,2-TRIFLUOROETHANE	81611	WAIVED	2009/07/14	< 10.000	
1,1,2-TRICHLOROETHANE	34511	WAIVED	2009/07/14	< .500	
1,1-DICHLOROETHANE	34496	WAIVED	2009/07/14	< .500	
1,1-DICHLOROETHYLENE	34501	WAIVED	2009/07/14	< .500	
1,2,4-TRICHLOROBENZENE	34551	WAIVED	2009/07/14	< .500	
1,2-DICHLOROBENZENE	34536	WAIVED	2009/07/14	< .500	
1,2-DICHLOROETHANE	34531	WAIVED	2009/07/14	< .500	
1,2-DICHLOROPROPANE	34541	WAIVED	2009/07/14	< .500	
1,3-DICHLOROPROPENE (TOTAL)	34561	WAIVED	2009/07/14	< .500	
1,4-DICHLOROBENZENE	34571	WAIVED	2009/07/14	< .500	
BENZENE	34030	WAIVED	2009/07/14	< .500	
CARBON TETRACHLORIDE	32102	WAIVED	2009/07/14	< .500	
CIS-1,2-DICHLOROETHYLENE	77093	WAIVED	2009/07/14	< .500	
DICHLOROMETHANE	34423	WAIVED	2009/07/14	< .500	
ETHYLBENZENE	34371	WAIVED	2009/07/14	< .500	
METHYL-TERT-BUTYL-ETHER (MTBE)	46491	WAIVED	2009/07/14	< 3.000	
MONOCHLOROBENZENE	34301	WAIVED	2009/07/14	< .500	

**Testing interval is in months;*
0 = No data for this constituent and is DUE NOW
999 = Waived testing (not required)
I = Invalid (NOT) valid analyses reported

System Number: ***1900976***

System Name: ***THE OAKS***

PS Code: ***1900976-001***

Source Name: ***WELL 02 BACK UP***

Source Number: ***001***

Source Status: ***STANDBY UNTREATED***

Water type: ***GROUNDWATER OR WELL***

	STORET NUMBER	TESTING INTERVAL (MONTHS)*	LAST TEST DATE (yyyy/mm/dd)	LAST RESULT REPORTED	NEXT TEST DATE (yyyy/mm)
REGULATED VOC					
STYRENE	77128	WAIVED	2009/07/14	< .500	
TETRACHLOROETHYLENE	34475	WAIVED	2009/07/14	< .500	
TOLUENE	34010	WAIVED	2009/07/14	< .500	
TRANS-1,2-DICHLOROETHYLENE	34546	WAIVED	2009/07/14	< .500	
TRICHLOROETHYLENE	39180	WAIVED	2009/07/14	< .500	
TRICHLOROFLUOROMETHANE	34488	WAIVED	2009/07/14	< 5.000	
VINYL CHLORIDE	39175	WAIVED	2009/07/14	< .500	
XYLENES (TOTAL)	81551	WAIVED	2009/07/14	< 1.000	
SECONDARY/GP					
AGGRSSIVE INDEX (CORROSIVITY)	82383	WAIVED			
BICARBONATE ALKALINITY	00440	WAIVED	2009/07/14	330.000	
CALCIUM	00916	WAIVED	2009/07/14	77.000	
CARBONATE ALKALINITY	00445	WAIVED	2009/07/14	< 2.000	
CHLORIDE	00940	WAIVED	2009/07/14	10.000	
COLOR	00081	WAIVED	2009/07/14	< 3.000	
COPPER	01042	WAIVED	2009/07/14	< 50.000	
FOAMING AGENTS (MBAS)	38260	WAIVED	2009/07/14	< .050	
HARDNESS (TOTAL) AS CACO3	00900	WAIVED	2009/07/14	300.000	
HYDROXIDE ALKALINITY	71830	WAIVED	2009/07/14	< 2.000	
IRON	01045	WAIVED	2009/07/14	< 100.000	
MAGNESIUM	00927	WAIVED	2009/07/14	25.000	
MANGANESE	01055	WAIVED	2009/07/14	< 20.000	
ODOR THRESHOLD @ 60 C	00086	WAIVED	2009/07/14	3.000	
PH, LABORATORY	00403	WAIVED	2009/07/14	7.900	
SILVER	01077	WAIVED	2009/07/14	< 10.000	
SODIUM	00929	WAIVED	2009/07/14	31.000	
SPECIFIC CONDUCTANCE	00095	WAIVED	2009/07/14	680.000	
SULFATE	00945	WAIVED	2009/07/14	54.000	
TOTAL DISSOLVED SOLIDS	70300	WAIVED	2009/07/14	410.000	

**Testing interval is in months;*
0 = No data for this constituent and is DUE NOW
999 = Waived testing (not required)
I = Invalid (NOT) valid analyses reported

System Number: ***1900976***

System Name: ***THE OAKS***

PS Code: ***1900976-001***

Source Name: ***WELL 02 BACK UP***

Source Number: ***001***

Source Status: ***STANDBY UNTREATED***

Water type: ***GROUNDWATER OR WELL***

	STORET NUMBER	TESTING INTERVAL (MONTHS)*	LAST TEST DATE (yyyy/mm/dd)	LAST RESULT REPORTED	NEXT TEST DATE (yyyy/mm)
SECONDARY/GP					
TURBIDITY, LABORATORY	82079	WAIVED	2009/07/14	.220	
ZINC	01092	WAIVED	2009/07/14	< 50.000	

PS Code: ***1900976-002***

Source Name: ***WELL 03 PRIMARY***

Source Number: ***002***

Source Status: ***ACTIVE UNTREATED***

Water type: ***GROUNDWATER OR WELL***

	STORET NUMBER	TESTING INTERVAL (MONTHS)*	LAST TEST DATE (yyyy/mm/dd)	LAST RESULT REPORTED	NEXT TEST DATE (yyyy/mm)
GENERAL NON CHAP 15					
DIAZINON	39570	WAIVED			
INORGANIC					
ALUMINUM	01105	WAIVED	2009/07/14	< 50.000	
ANTIMONY	01097	WAIVED	2009/07/14	< 6.000	
ARSENIC	01002	WAIVED	2009/07/14	< 2.000	
ASBESTOS	81855	WAIVED	2009/07/14	< .200	
BARIUM	01007	WAIVED	2009/07/14	< 100.000	
BERYLLIUM	01012	WAIVED	2009/07/14	< 1.000	
CADMIUM	01027	WAIVED	2009/07/14	< 1.000	
CHROMIUM (TOTAL)	01034	WAIVED	2009/07/14	< 10.000	
CYANIDE	01291	WAIVED	2009/07/14	< 100.000	
FLUORIDE (F) (NATURAL-SOURCE)	00951	WAIVED	2009/07/14	.310	
LEAD	01051	WAIVED	2009/07/14	< 5.000	
MERCURY	71900	WAIVED	2009/07/14	< 1.000	
NICKEL	01067	WAIVED	2009/07/14	< 10.000	
PERCHLORATE	A-031	WAIVED	2009/07/14	< 4.000	
SELENIUM	01147	WAIVED	2009/07/14	< 5.000	
THALLIUM	01059	WAIVED	2009/07/14	< 1.000	

**Testing interval is in months;*
0 = No data for this constituent and is DUE NOW
999 = Waived testing (not required)
I = Invalid (NOT) valid analyses reported

System Number: ***1900976***

System Name: ***THE OAKS***

PS Code: ***1900976-002***

Source Name: ***WELL 03 PRIMARY***

Source Number: ***002***

Source Status: ***ACTIVE UNTREATED***

Water type: ***GROUNDWATER OR WELL***

	STORET NUMBER	TESTING INTERVAL (MONTHS)*	LAST TEST DATE (yyyy/mm/dd)	LAST RESULT REPORTED	NEXT TEST DATE (yyyy/mm)
NITRATE/NITRITE					
NITRATE (AS NO3)	71850	WAIVED	2012/01/24	< 2.000	
NITRITE (AS N)	00620	WAIVED	2009/07/14	< 400.000	
RADIOLOGICAL					
GROSS ALPHA	01501	WAIVED	2009/07/14	4.100	
GROSS BETA	03501	WAIVED			
RA-226 FOR CWS OR TOTAL RA FOR NTNC BY 903.0	A-080	WAIVED			
RA-226 OR TOTAL RA BY 903.0 C.E.	A-081	WAIVED			
RADIUM 226	09501	WAIVED			
RADIUM 228	11501	WAIVED	2009/07/14	< 1.000	
RADIUM, TOTAL, MDA95-NTNC ONLY, BY 903.0	A-082	WAIVED			
STRONTIUM-90	13501	WAIVED			
TRITIUM	07000	WAIVED			
URANIUM (PCI/L)	28012	WAIVED	2009/07/14	5.400	
REGULATED SOC					
2,3,7,8-TCDD (DIOXIN)	34676	WAIVED			
2,4,5-TP (SILVEX)	39045	WAIVED			
2,4-D	39730	WAIVED			
ALACHLOR	77825	WAIVED			
ATRAZINE	39033	WAIVED			
BENTAZON	38710	WAIVED			
BENZO (A) PYRENE	34247	WAIVED			
CARBOFURAN	81405	WAIVED			
CHLORDANE	39350	WAIVED			
DALAPON	38432	WAIVED			
DI(2-ETHYLHEXYL)ADIPATE	A-026	WAIVED			
DI(2-ETHYLHEXYL)PHTHALATE	39100	WAIVED			
DIBROMOCHLOROPROPANE (DBCP)	38761	WAIVED			
DINOSEB	81287	WAIVED			
DIQUAT	78885	WAIVED			

**Testing interval is in months;*
0 = No data for this constituent and is DUE NOW
999 = Waived testing (not required)
I = Invalid (NOT) valid analyses reported

System Number: ***1900976***

System Name: ***THE OAKS***

PS Code: ***1900976-002***

Source Name: ***WELL 03 PRIMARY***

Source Number: ***002***

Source Status: ***ACTIVE UNTREATED***

Water type: ***GROUNDWATER OR WELL***

	STORET NUMBER	TESTING INTERVAL (MONTHS)*	LAST TEST DATE (yyyy/mm/dd)	LAST RESULT REPORTED	NEXT TEST DATE (yyyy/mm)
REGULATED SOC					
ENDOTHALL	38926	WAIVED			
ENDRIN	39390	WAIVED			
ETHYLENE DIBROMIDE (EDB)	77651	WAIVED			
GLYPHOSATE	79743	WAIVED			
HEPTACHLOR	39410	WAIVED			
HEPTACHLOR EPOXIDE	39420	WAIVED			
HEXACHLOROBENZENE	39700	WAIVED			
HEXACHLOROCYCLOPENTADIENE	34386	WAIVED			
LINDANE	39340	WAIVED			
METHOXYCHLOR	39480	WAIVED			
MOLINATE	82199	WAIVED			
OXAMYL	38865	WAIVED			
PENTACHLOROPHENOL	39032	WAIVED			
PICLORAM	39720	WAIVED			
POLYCHLORINATED BIPHENYLS, TOTAL, AS DCB	39516	WAIVED			
SIMAZINE	39055	WAIVED			
THIOBENCARB	A-001	WAIVED			
TOXAPHENE	39400	WAIVED			
REGULATED VOC					
1,1,1-TRICHLOROETHANE	34506	WAIVED	2009/07/14	< .500	
1,1,2,2-TETRACHLOROETHANE	34516	WAIVED	2009/07/14	< .500	
1,1,2-TRICHLORO-1,2,2-TRIFLUOROETHANE	81611	WAIVED	2009/07/14	< 10.000	
1,1,2-TRICHLOROETHANE	34511	WAIVED	2009/07/14	< .500	
1,1-DICHLOROETHANE	34496	WAIVED	2009/07/14	< .500	
1,1-DICHLOROETHYLENE	34501	WAIVED	2009/07/14	< .500	
1,2,4-TRICHLOROBENZENE	34551	WAIVED	2009/07/14	< .500	
1,2-DICHLOROBENZENE	34536	WAIVED	2009/07/14	< .500	
1,2-DICHLOROETHANE	34531	WAIVED	2009/07/14	< .500	
1,2-DICHLOROPROPANE	34541	WAIVED	2009/07/14	< .500	

**Testing interval is in months;*
0 = No data for this constituent and is DUE NOW
999 = Waived testing (not required)
I = Invalid (NOT) valid analyses reported

System Number: ***1900976***

System Name: ***THE OAKS***

PS Code: ***1900976-002***

Source Name: ***WELL 03 PRIMARY***

Source Number: ***002***

Source Status: ***ACTIVE UNTREATED***

Water type: ***GROUNDWATER OR WELL***

	STORET NUMBER	TESTING INTERVAL (MONTHS)*	LAST TEST DATE (yyyy/mm/dd)	LAST RESULT REPORTED	NEXT TEST DATE (yyyy/mm)
REGULATED VOC					
1,3-DICHLOROPROPENE (TOTAL)	34561	WAIVED	2009/07/14	< .500	
1,4-DICHLOROBENZENE	34571	WAIVED	2009/07/14	< .500	
BENZENE	34030	WAIVED	2009/07/14	< .500	
CARBON TETRACHLORIDE	32102	WAIVED	2009/07/14	< .500	
CIS-1,2-DICHLOROETHYLENE	77093	WAIVED	2009/07/14	< .500	
DICHLOROMETHANE	34423	WAIVED	2009/07/14	< .500	
ETHYLBENZENE	34371	WAIVED	2009/07/14	< .500	
METHYL-TERT-BUTYL-ETHER (MTBE)	46491	WAIVED	2009/07/14	< 3.000	
MONOCHLOROBENZENE	34301	WAIVED	2009/07/14	< .500	
STYRENE	77128	WAIVED	2009/07/14	< .500	
TETRACHLOROETHYLENE	34475	WAIVED	2009/07/14	< .500	
TOLUENE	34010	WAIVED	2009/07/14	< .500	
TRANS-1,2-DICHLOROETHYLENE	34546	WAIVED	2009/07/14	< .500	
TRICHLOROETHYLENE	39180	WAIVED	2009/07/14	< .500	
TRICHLOROFLUOROMETHANE	34488	WAIVED	2009/07/14	< 5.000	
VINYL CHLORIDE	39175	WAIVED	2009/07/14	< .500	
XYLENES (TOTAL)	81551	WAIVED	2009/07/14	< 1.000	
SECONDARY/GP					
AGGRSSIVE INDEX (CORROSIVITY)	82383	WAIVED			
BICARBONATE ALKALINITY	00440	WAIVED	2009/07/14	270.000	
CALCIUM	00916	WAIVED	2009/07/14	76.000	
CARBONATE ALKALINITY	00445	WAIVED	2009/07/14	< 2.000	
CHLORIDE	00940	WAIVED	2009/07/14	35.000	
COLOR	00081	WAIVED	2009/07/14	< 3.000	
COPPER	01042	WAIVED	2009/07/14	< 50.000	
FOAMING AGENTS (MBAS)	38260	WAIVED	2009/07/14	< .050	
HARDNESS (TOTAL) AS CACO3	00900	WAIVED	2009/07/14	280.000	
HYDROXIDE ALKALINITY	71830	WAIVED	2009/07/14	< 2.000	
IRON	01045	WAIVED	2009/07/14	< 100.000	

**Testing interval is in months;*
0 = No data for this constituent and is DUE NOW
999 = Waived testing (not required)
I = Invalid (NOT) valid analyses reported

System Number: ***1900976***

System Name: ***THE OAKS***

PS Code: ***1900976-002***

Source Name: ***WELL 03 PRIMARY***

Source Number: ***002***

Source Status: ***ACTIVE UNTREATED***

Water type: ***GROUNDWATER OR WELL***

SECONDARY/GP

	STORET NUMBER	TESTING INTERVAL (MONTHS)*	LAST TEST DATE (yyyy/mm/dd)	LAST RESULT REPORTED	NEXT TEST DATE (yyyy/mm)
MAGNESIUM	00927	WAIVED	2009/07/14	23.000	
MANGANESE	01055	WAIVED	2009/07/14	< 20.000	
ODOR THRESHOLD @ 60 C	00086	WAIVED	2009/07/14	1.000	
PH, LABORATORY	00403	WAIVED	2009/07/14	7.800	
SILVER	01077	WAIVED	2009/07/14	< 10.000	
SODIUM	00929	WAIVED	2009/07/14	29.000	
SPECIFIC CONDUCTANCE	00095	WAIVED	2009/07/14	680.000	
SULFATE	00945	WAIVED	2009/07/14	47.000	
TOTAL DISSOLVED SOLIDS	70300	WAIVED	2009/07/14	430.000	
TURBIDITY, LABORATORY	82079	WAIVED	2009/07/14	.150	
ZINC	01092	WAIVED	2009/07/14	< 50.000	

PS Code: ***1900976-005***

Source Name: ***NEW BELL WELL 05 BACK UP***

Source Number: ***005***

Source Status: ***STANDBY UNTREATED***

Water type: ***GROUNDWATER OR WELL***

GENERAL NON CHAP 15

DIAZINON	39570	WAIVED

INORGANIC

ALUMINUM	01105	WAIVED
ANTIMONY	01097	WAIVED
ARSENIC	01002	WAIVED
ASBESTOS	81855	WAIVED
BARIUM	01007	WAIVED
BERYLLIUM	01012	WAIVED
CADMIUM	01027	WAIVED
CHROMIUM (TOTAL)	01034	WAIVED
CYANIDE	01291	WAIVED

**Testing interval is in months;*
0 = No data for this constituent and is DUE NOW
999 = Waived testing (not required)
I = Invalid (NOT) valid analyses reported

System Number: ***1900976***

System Name: ***THE OAKS***

PS Code: ***1900976-005***

Source Name: ***NEW BELL WELL 05 BACK UP***

Source Number: ***005***

Source Status: ***STANDBY UNTREATED***

Water type: ***GROUNDWATER OR WELL***

	STORET NUMBER	TESTING INTERVAL (MONTHS)*	LAST TEST DATE (yyyy/mm/dd)	LAST RESULT REPORTED	NEXT TEST DATE (yyyy/mm)
INORGANIC					
FLUORIDE (F) (NATURAL-SOURCE)	00951	WAIVED			
LEAD	01051	WAIVED			
MERCURY	71900	WAIVED			
NICKEL	01067	WAIVED			
PERCHLORATE	A-031	WAIVED			
SELENIUM	01147	WAIVED			
THALLIUM	01059	WAIVED			
NITRATE/NITRITE					
NITRATE (AS NO3)	71850	WAIVED			
NITRITE (AS N)	00620	WAIVED			
RADIOLOGICAL					
GROSS ALPHA	01501	WAIVED	2004/06/22	5.800	
GROSS BETA	03501	WAIVED			
RA-226 FOR CWS OR TOTAL RA FOR NTNC BY 903.0	A-080	WAIVED			
RA-226 OR TOTAL RA BY 903.0 C.E.	A-081	WAIVED			
RADIUM 226	09501	WAIVED			
RADIUM 228	11501	WAIVED	2004/06/22	.320	
RADIUM, TOTAL, MDA95-NTNC ONLY, BY 903.0	A-082	WAIVED			
STRONTIUM-90	13501	WAIVED			
TRITIUM	07000	WAIVED			
URANIUM (PCI/L)	28012	WAIVED			
REGULATED SOC					
2,3,7,8-TCDD (DIOXIN)	34676	WAIVED			
2,4,5-TP (SILVEX)	39045	WAIVED			
2,4-D	39730	WAIVED			
ALACHLOR	77825	WAIVED			
ATRAZINE	39033	WAIVED			
BENTAZON	38710	WAIVED			

**Testing interval is in months;*
0 = No data for this constituent and is DUE NOW
999 = Waived testing (not required)
I = Invalid (NOT) valid analyses reported

System Number: ***1900976***

System Name: ***THE OAKS***

PS Code: ***1900976-005***

Source Name: ***NEW BELL WELL 05 BACK UP***

Source Number: ***005***

Source Status: ***STANDBY UNTREATED***

Water type: ***GROUNDWATER OR WELL***

	STORET NUMBER	TESTING INTERVAL (MONTHS)*	LAST TEST DATE (yyyy/mm/dd)	LAST RESULT REPORTED	NEXT TEST DATE (yyyy/mm)
REGULATED SOC					
BENZO (A) PYRENE	34247	WAIVED			
CARBOFURAN	81405	WAIVED			
CHLORDANE	39350	WAIVED			
DALAPON	38432	WAIVED			
DI(2-ETHYLHEXYL)ADIPATE	A-026	WAIVED			
DI(2-ETHYLHEXYL)PHTHALATE	39100	WAIVED			
DIBROMOCHLOROPROPANE (DBCP)	38761	WAIVED			
DINOSEB	81287	WAIVED			
DIQUAT	78885	WAIVED			
ENDOTHALL	38926	WAIVED			
ENDRIN	39390	WAIVED			
ETHYLENE DIBROMIDE (EDB)	77651	WAIVED			
GLYPHOSATE	79743	WAIVED			
HEPTACHLOR	39410	WAIVED			
HEPTACHLOR EPOXIDE	39420	WAIVED			
HEXACHLOROBENZENE	39700	WAIVED			
HEXACHLOROCYCLOPENTADIENE	34386	WAIVED			
LINDANE	39340	WAIVED			
METHOXYCHLOR	39480	WAIVED			
MOLINATE	82199	WAIVED			
OXAMYL	38865	WAIVED			
PENTACHLOROPHENOL	39032	WAIVED			
PICLORAM	39720	WAIVED			
POLYCHLORINATED BIPHENYLS, TOTAL, AS DCB	39516	WAIVED			
SIMAZINE	39055	WAIVED			
THIOBENCARB	A-001	WAIVED			
TOXAPHENE	39400	WAIVED			
REGULATED VOC					
1,1,1-TRICHLOROETHANE	34506	WAIVED	2009/07/14	< .500	

**Testing interval is in months;*
0 = No data for this constituent and is DUE NOW
999 = Waived testing (not required)
I = Invalid (NOT) valid analyses reported

System Number: ***1900976***

System Name: ***THE OAKS***

PS Code: ***1900976-005***

Source Name: ***NEW BELL WELL 05 BACK UP***

Source Number: ***005***

Source Status: ***STANDBY UNTREATED***

Water type: ***GROUNDWATER OR WELL***

	STORET NUMBER	TESTING INTERVAL (MONTHS)*	LAST TEST DATE (yyyy/mm/dd)	LAST RESULT REPORTED	NEXT TEST DATE (yyyy/mm)
REGULATED VOC					
1,1,2,2-TETRACHLOROETHANE	34516	WAIVED	2009/07/14	< .500	
1,1,2-TRICHLORO-1,2,2-TRIFLUOROETHANE	81611	WAIVED	2009/07/14	< 10.000	
1,1,2-TRICHLOROETHANE	34511	WAIVED	2009/07/14	< .500	
1,1-DICHLOROETHANE	34496	WAIVED	2009/07/14	< .500	
1,1-DICHLOROETHYLENE	34501	WAIVED	2009/07/14	< .500	
1,2,4-TRICHLOROBENZENE	34551	WAIVED	2009/07/14	< .500	
1,2-DICHLOROBENZENE	34536	WAIVED	2009/07/14	< .500	
1,2-DICHLOROETHANE	34531	WAIVED	2009/07/14	< .500	
1,2-DICHLOROPROPANE	34541	WAIVED	2009/07/14	< .500	
1,3-DICHLOROPROPENE (TOTAL)	34561	WAIVED	2009/07/14	< .500	
1,4-DICHLOROBENZENE	34571	WAIVED	2009/07/14	< .500	
BENZENE	34030	WAIVED	2009/07/14	< .500	
CARBON TETRACHLORIDE	32102	WAIVED	2009/07/14	< .500	
CIS-1,2-DICHLOROETHYLENE	77093	WAIVED	2009/07/14	< .500	
DICHLOROMETHANE	34423	WAIVED	2009/07/14	< .500	
ETHYLBENZENE	34371	WAIVED	2009/07/14	< .500	
METHYL-TERT-BUTYL-ETHER (MTBE)	46491	WAIVED	2009/07/14	< 3.000	
MONOCHLOROBENZENE	34301	WAIVED	2009/07/14	< .500	
STYRENE	77128	WAIVED	2009/07/14	< .500	
TETRACHLOROETHYLENE	34475	WAIVED	2009/07/14	< .500	
TOLUENE	34010	WAIVED	2009/07/14	< .500	
TRANS-1,2-DICHLOROETHYLENE	34546	WAIVED	2009/07/14	< .500	
TRICHLOROETHYLENE	39180	WAIVED	2009/07/14	< .500	
TRICHLOROFLUOROMETHANE	34488	WAIVED	2009/07/14	< 5.000	
VINYL CHLORIDE	39175	WAIVED	2009/07/14	< .500	
XYLENES (TOTAL)	81551	WAIVED	2009/07/14	< 1.000	
SECONDARY/GP					
AGGRSSIVE INDEX (CORROSIVITY)	82383	WAIVED			
BICARBONATE ALKALINITY	00440	WAIVED			

**Testing interval is in months;*
0 = No data for this constituent and is DUE NOW
999 = Waived testing (not required)
I = Invalid (NOT) valid analyses reported

System Number: ***1900976***

System Name: ***THE OAKS***

PS Code: ***1900976-005***

Source Name: ***NEW BELL WELL 05 BACK UP***

Source Number: ***005***

Source Status: ***STANDBY UNTREATED***

Water type: ***GROUNDWATER OR WELL***

SECONDARY/GP

	STORET NUMBER	TESTING INTERVAL (MONTHS)*	LAST TEST DATE (yyyy/mm/dd)	LAST RESULT REPORTED	NEXT TEST DATE (yyyy/mm)
CALCIUM	00916	WAIVED			
CARBONATE ALKALINITY	00445	WAIVED			
CHLORIDE	00940	WAIVED			
COLOR	00081	WAIVED			
COPPER	01042	WAIVED			
FOAMING AGENTS (MBAS)	38260	WAIVED			
HARDNESS (TOTAL) AS CACO3	00900	WAIVED			
HYDROXIDE ALKALINITY	71830	WAIVED			
IRON	01045	WAIVED			
MAGNESIUM	00927	WAIVED			
MANGANESE	01055	WAIVED			
ODOR THRESHOLD @ 60 C	00086	WAIVED			
PH, LABORATORY	00403	WAIVED			
SILVER	01077	WAIVED			
SODIUM	00929	WAIVED			
SPECIFIC CONDUCTANCE	00095	WAIVED			
SULFATE	00945	WAIVED			
TOTAL DISSOLVED SOLIDS	70300	WAIVED			
TURBIDITY, LABORATORY	82079	WAIVED			
ZINC	01092	WAIVED			

PS Code: ***1900976-006***

Source Name: ***WELL 05***

Source Number: ***006***

Source Status: ***ACTIVE UNTREATED***

Water type: ***GROUNDWATER OR WELL***

GENERAL NON CHAP 15

DIAZINON	39570	WAIVED			

**Testing interval is in months;*
0 = No data for this constituent and is DUE NOW
999 = Waived testing (not required)
I = Invalid (NOT) valid analyses reported

System Number: ***1900976***

System Name: ***THE OAKS***

PS Code: ***1900976-006***

Source Name: ***WELL 05***

Source Number: ***006***

Source Status: ***ACTIVE UNTREATED***

Water type: ***GROUNDWATER OR WELL***

	STORET NUMBER	TESTING INTERVAL (MONTHS)*	LAST TEST DATE (yyyy/mm/dd)	LAST RESULT REPORTED	NEXT TEST DATE (yyyy/mm)
INORGANIC					
ALUMINUM	01105	WAIVED	2009/07/14	< 50.000	
ANTIMONY	01097	WAIVED	2009/07/14	< 6.000	
ARSENIC	01002	WAIVED	2009/07/14	< 2.000	
ASBESTOS	81855	WAIVED	2009/07/14	< .200	
BARIUM	01007	WAIVED	2009/07/14	< 100.000	
BERYLLIUM	01012	WAIVED	2009/07/14	< 1.000	
CADMIUM	01027	WAIVED	2009/07/14	< 1.000	
CHROMIUM (TOTAL)	01034	WAIVED	2009/07/14	< 10.000	
CYANIDE	01291	WAIVED	2009/07/14	< 100.000	
FLUORIDE (F) (NATURAL-SOURCE)	00951	WAIVED	2009/07/14	.540	
LEAD	01051	WAIVED	2009/07/14	< 5.000	
MERCURY	71900	WAIVED	2009/07/14	< 1.000	
NICKEL	01067	WAIVED	2009/07/14	< 10.000	
PERCHLORATE	A-031	WAIVED	2009/07/14	< 4.000	
SELENIUM	01147	WAIVED	2009/07/14	< 5.000	
THALLIUM	01059	WAIVED	2009/07/14	< 1.000	
NITRATE/NITRITE					
NITRATE (AS NO3)	71850	WAIVED	2012/01/24	11.000	
NITRITE (AS N)	00620	WAIVED	2009/07/14	< 400.000	
RADIOLOGICAL					
GROSS ALPHA	01501	WAIVED	2009/07/14	< 3.000	
GROSS BETA	03501	WAIVED			
RA-226 FOR CWS OR TOTAL RA FOR NTNC BY 903.0	A-080	WAIVED			
RA-226 OR TOTAL RA BY 903.0 C.E.	A-081	WAIVED			
RADIUM 226	09501	WAIVED			
RADIUM 228	11501	WAIVED	2009/07/14	< 1.000	
RADIUM, TOTAL, MDA95-NTNC ONLY, BY 903.0	A-082	WAIVED			
STRONTIUM-90	13501	WAIVED			
TRITIUM	07000	WAIVED			

**Testing interval is in months;*
0 = No data for this constituent and is DUE NOW
999 = Waived testing (not required)
I = Invalid (NOT) valid analyses reported

System Number: ***1900976***

System Name: ***THE OAKS***

PS Code: ***1900976-006***

Source Name: ***WELL 05***

Source Number: ***006***

Source Status: ***ACTIVE UNTREATED***

Water type: ***GROUNDWATER OR WELL***

	STORET NUMBER	TESTING INTERVAL (MONTHS)*	LAST TEST DATE (yyyy/mm/dd)	LAST RESULT REPORTED	NEXT TEST DATE (yyyy/mm)
RADIOLOGICAL					
URANIUM (PCI/L)	28012	WAIVED	2009/07/14	6.500	
REGULATED SOC					
2,3,7,8-TCDD (DIOXIN)	34676	WAIVED			
2,4,5-TP (SILVEX)	39045	WAIVED			
2,4-D	39730	WAIVED			
ALACHLOR	77825	WAIVED			
ATRAZINE	39033	WAIVED			
BENTAZON	38710	WAIVED			
BENZO (A) PYRENE	34247	WAIVED			
CARBOFURAN	81405	WAIVED			
CHLORDANE	39350	WAIVED			
DALAPON	38432	WAIVED			
DI(2-ETHYLHEXYL)ADIPATE	A-026	WAIVED			
DI(2-ETHYLHEXYL)PHTHALATE	39100	WAIVED			
DIBROMOCHLOROPROPANE (DBCP)	38761	WAIVED			
DINOSEB	81287	WAIVED			
DIQUAT	78885	WAIVED			
ENDOTHALL	38926	WAIVED			
ENDRIN	39390	WAIVED			
ETHYLENE DIBROMIDE (EDB)	77651	WAIVED			
GLYPHOSATE	79743	WAIVED			
HEPTACHLOR	39410	WAIVED			
HEPTACHLOR EPOXIDE	39420	WAIVED			
HEXACHLOROBENZENE	39700	WAIVED			
HEXACHLOROCYCLOPENTADIENE	34386	WAIVED			
LINDANE	39340	WAIVED			
METHOXYCHLOR	39480	WAIVED			
MOLINATE	82199	WAIVED			
OXAMYL	38865	WAIVED			

**Testing interval is in months;*
0 = No data for this constituent and is DUE NOW
999 = Waived testing (not required)
I = Invalid (NOT) valid analyses reported

System Number: ***1900976***

System Name: ***THE OAKS***

PS Code: ***1900976-006***

Source Name: ***WELL 05***

Source Number: ***006***

Source Status: ***ACTIVE UNTREATED***

Water type: ***GROUNDWATER OR WELL***

	STORET NUMBER	TESTING INTERVAL (MONTHS)*	LAST TEST DATE (yyyy/mm/dd)	LAST RESULT REPORTED	NEXT TEST DATE (yyyy/mm)
REGULATED SOC					
PENTACHLOROPHENOL	39032	WAIVED			
PICLORAM	39720	WAIVED			
POLYCHLORINATED BIPHENYLS, TOTAL, AS DCB	39516	WAIVED			
SIMAZINE	39055	WAIVED			
THIOBENCARB	A-001	WAIVED			
TOXAPHENE	39400	WAIVED			
REGULATED VOC					
1,1,1-TRICHLOROETHANE	34506	WAIVED	2009/07/14	< .500	
1,1,2,2-TETRACHLOROETHANE	34516	WAIVED	2009/07/14	< .500	
1,1,2-TRICHLORO-1,2,2-TRIFLUOROETHANE	81611	WAIVED	2009/07/14	< 10.000	
1,1,2-TRICHLOROETHANE	34511	WAIVED	2009/07/14	< .500	
1,1-DICHLOROETHANE	34496	WAIVED	2009/07/14	< .500	
1,1-DICHLOROETHYLENE	34501	WAIVED	2009/07/14	< .500	
1,2,4-TRICHLOROBENZENE	34551	WAIVED	2009/07/14	< .500	
1,2-DICHLOROBENZENE	34536	WAIVED	2009/07/14	< .500	
1,2-DICHLOROETHANE	34531	WAIVED	2009/07/14	< .500	
1,2-DICHLOROPROPANE	34541	WAIVED	2009/07/14	< .500	
1,3-DICHLOROPROPENE (TOTAL)	34561	WAIVED	2009/07/14	< .500	
1,4-DICHLOROBENZENE	34571	WAIVED	2009/07/14	< .500	
BENZENE	34030	WAIVED	2009/07/14	< .500	
CARBON TETRACHLORIDE	32102	WAIVED	2009/07/14	< .500	
CIS-1,2-DICHLOROETHYLENE	77093	WAIVED	2009/07/14	< .500	
DICHLOROMETHANE	34423	WAIVED	2009/07/14	< .500	
ETHYLBENZENE	34371	WAIVED	2009/07/14	< .500	
METHYL-TERT-BUTYL-ETHER (MTBE)	46491	WAIVED	2009/07/14	< 3.000	
MONOCHLOROBENZENE	34301	WAIVED	2009/07/14	< .500	
STYRENE	77128	WAIVED	2009/07/14	< .500	
TETRACHLOROETHYLENE	34475	WAIVED	2009/07/14	< .500	
TOLUENE	34010	WAIVED	2009/07/14	< .500	

**Testing interval is in months;*
0 = No data for this constituent and is DUE NOW
999 = Waived testing (not required)
I = Invalid (NOT) valid analyses reported

System Number: ***1900976***

System Name: ***THE OAKS***

PS Code: ***1900976-006***

Source Name: ***WELL 05***

Source Number: ***006***

Source Status: ***ACTIVE UNTREATED***

Water type: ***GROUNDWATER OR WELL***

	STORET NUMBER	TESTING INTERVAL (MONTHS)*	LAST TEST DATE (yyyy/mm/dd)	LAST RESULT REPORTED	NEXT TEST DATE (yyyy/mm)
REGULATED VOC					
TRANS-1,2-DICHLOROETHYLENE	34546	WAIVED	2009/07/14	< .500	
TRICHLOROETHYLENE	39180	WAIVED	2009/07/14	< .500	
TRICHLOROFLUOROMETHANE	34488	WAIVED	2009/07/14	< 5.000	
VINYL CHLORIDE	39175	WAIVED	2009/07/14	< .500	
XYLENES (TOTAL)	81551	WAIVED	2009/07/14	< 1.000	
SECONDARY/GP					
AGGRSSIVE INDEX (CORROSIVITY)	82383	WAIVED			
BICARBONATE ALKALINITY	00440	WAIVED	2009/07/14	340.000	
CALCIUM	00916	WAIVED	2009/07/14	78.000	
CARBONATE ALKALINITY	00445	WAIVED	2009/07/14	< 2.000	
CHLORIDE	00940	WAIVED	2009/07/14	9.800	
COLOR	00081	WAIVED	2009/07/14	< 3.000	
COPPER	01042	WAIVED	2009/07/14	< 50.000	
FOAMING AGENTS (MBAS)	38260	WAIVED	2009/07/14	< .050	
HARDNESS (TOTAL) AS CACO3	00900	WAIVED	2009/07/14	290.000	
HYDROXIDE ALKALINITY	71830	WAIVED	2009/07/14	< 2.000	
IRON	01045	WAIVED	2009/07/14	< 100.000	
MAGNESIUM	00927	WAIVED	2009/07/14	24.000	
MANGANESE	01055	WAIVED	2009/07/14	< 20.000	
ODOR THRESHOLD @ 60 C	00086	WAIVED	2009/07/14	1.000	
PH, LABORATORY	00403	WAIVED	2009/07/14	7.900	
SILVER	01077	WAIVED	2009/07/14	< 10.000	
SODIUM	00929	WAIVED	2009/07/14	29.000	
SPECIFIC CONDUCTANCE	00095	WAIVED	2009/07/14	670.000	
SULFATE	00945	WAIVED	2009/07/14	45.000	
TOTAL DISSOLVED SOLIDS	70300	WAIVED	2009/07/14	440.000	
TURBIDITY, LABORATORY	82079	WAIVED	2009/07/14	.100	
ZINC	01092	WAIVED	2009/07/14	< 50.000	

**Testing interval is in months;*
0 = No data for this constituent and is DUE NOW
999 = Waived testing (not required)
I = Invalid (NOT) valid analyses reported

System Number: ***1900987***

System Name: ***USFS-OAK FLATS CAMPGROUND S-13***

PS Code: ***1900987-001***

Source Name: ***WELL 01***

Source Number: ***001***

Source Status: ***ACTIVE UNTREATED***

Water type: ***GROUNDWATER OR WELL***

	STORET NUMBER	TESTING INTERVAL (MONTHS)*	LAST TEST DATE (yyyy/mm/dd)	LAST RESULT REPORTED	NEXT TEST DATE (yyyy/mm)
GENERAL NON CHAP 15					
DIAZINON	39570	WAIVED			
INORGANIC					
ALUMINUM	01105	WAIVED	2002/11/11	.000	
ANTIMONY	01097	WAIVED	2002/11/11	.000	
ARSENIC	01002	WAIVED	2002/11/11	.000	
ASBESTOS	81855	WAIVED			
BARIUM	01007	WAIVED	2002/11/11	.000	
BERYLLIUM	01012	WAIVED			
CADMIUM	01027	WAIVED	2002/11/11	.000	
CHROMIUM (TOTAL)	01034	WAIVED	2002/11/11	19.300	
CYANIDE	01291	WAIVED			
FLUORIDE (F) (NATURAL-SOURCE)	00951	WAIVED	2002/11/11	1.790	
LEAD	01051	WAIVED	2011/11/09	7.600	
MERCURY	71900	WAIVED	2002/11/11	.000	
NICKEL	01067	WAIVED	2002/11/11	.000	
PERCHLORATE	A-031	WAIVED	2002/11/11	.000	
SELENIUM	01147	WAIVED	2002/11/11	.000	
THALLIUM	01059	WAIVED			
NITRATE/NITRITE					
NITRATE (AS NO3)	71850	WAIVED	2010/08/21	4.900	
NITRITE (AS N)	00620	WAIVED			
RADIOLOGICAL					
GROSS ALPHA	01501	WAIVED			
GROSS BETA	03501	WAIVED			
RA-226 FOR CWS OR TOTAL RA FOR NTNC BY 903.0	A-080	WAIVED			
RA-226 OR TOTAL RA BY 903.0 C.E.	A-081	WAIVED			
RADIUM 226	09501	WAIVED			
RADIUM 228	11501	WAIVED			

**Testing interval is in months;*
0 = No data for this constituent and is DUE NOW
999 = Waived testing (not required)
I = Invalid (NOT) valid analyses reported

System Number: ***1900987***

System Name: ***USFS-OAK FLATS CAMPGROUND S-13***

PS Code: ***1900987-001***

Source Name: ***WELL 01***

Source Number: ***001***

Source Status: ***ACTIVE UNTREATED***

Water type: ***GROUNDWATER OR WELL***

	STORET NUMBER	TESTING INTERVAL (MONTHS)*	LAST TEST DATE (yyyy/mm/dd)	LAST RESULT REPORTED	NEXT TEST DATE (yyyy/mm)
RADIOLOGICAL					
RADIUM, TOTAL, MDA95-NTNC ONLY, BY 903.0	A-082	WAIVED			
STRONTIUM-90	13501	WAIVED			
TRITIUM	07000	WAIVED			
URANIUM (PCI/L)	28012	WAIVED			
REGULATED SOC					
2,3,7,8-TCDD (DIOXIN)	34676	WAIVED			
2,4,5-TP (SILVEX)	39045	WAIVED			
2,4-D	39730	WAIVED			
ALACHLOR	77825	WAIVED			
ATRAZINE	39033	WAIVED			
BENTAZON	38710	WAIVED			
BENZO (A) PYRENE	34247	WAIVED			
CARBOFURAN	81405	WAIVED			
CHLORDANE	39350	WAIVED			
DALAPON	38432	WAIVED			
DI(2-ETHYLHEXYL)ADIPATE	A-026	WAIVED			
DI(2-ETHYLHEXYL)PHTHALATE	39100	WAIVED			
DIBROMOCHLOROPROPANE (DBCP)	38761	WAIVED			
DINOSEB	81287	WAIVED			
DIQUAT	78885	WAIVED			
ENDOTHALL	38926	WAIVED			
ENDRIN	39390	WAIVED			
ETHYLENE DIBROMIDE (EDB)	77651	WAIVED			
GLYPHOSATE	79743	WAIVED			
HEPTACHLOR	39410	WAIVED			
HEPTACHLOR EPOXIDE	39420	WAIVED			
HEXACHLOROBENZENE	39700	WAIVED			
HEXACHLOROCYCLOPENTADIENE	34386	WAIVED			
LINDANE	39340	WAIVED			

**Testing interval is in months;*
0 = No data for this constituent and is DUE NOW
999 = Waived testing (not required)
I = Invalid (NOT) valid analyses reported

System Number: ***1900987***

System Name: ***USFS-OAK FLATS CAMPGROUND S-13***

PS Code: ***1900987-001***

Source Name: ***WELL 01***

Source Number: ***001***

Source Status: ***ACTIVE UNTREATED***

Water type: ***GROUNDWATER OR WELL***

	STORET NUMBER	TESTING INTERVAL (MONTHS)*	LAST TEST DATE (yyyy/mm/dd)	LAST RESULT REPORTED	NEXT TEST DATE (yyyy/mm)
REGULATED SOC					
METHOXYCHLOR	39480	WAIVED			
MOLINATE	82199	WAIVED			
OXAMYL	38865	WAIVED			
PENTACHLOROPHENOL	39032	WAIVED			
PICLORAM	39720	WAIVED			
POLYCHLORINATED BIPHENYLS, TOTAL, AS DCB	39516	WAIVED			
SIMAZINE	39055	WAIVED			
THIOBENCARB	A-001	WAIVED	2002/11/11	.000	
TOXAPHENE	39400	WAIVED			
REGULATED VOC					
1,1,1-TRICHLOROETHANE	34506	WAIVED			
1,1,2,2-TETRACHLOROETHANE	34516	WAIVED			
1,1,2-TRICHLORO-1,2,2-TRIFLUOROETHANE	81611	WAIVED			
1,1,2-TRICHLOROETHANE	34511	WAIVED			
1,1-DICHLOROETHANE	34496	WAIVED			
1,1-DICHLOROETHYLENE	34501	WAIVED			
1,2,4-TRICHLOROBENZENE	34551	WAIVED			
1,2-DICHLOROBENZENE	34536	WAIVED			
1,2-DICHLOROETHANE	34531	WAIVED			
1,2-DICHLOROPROPANE	34541	WAIVED			
1,3-DICHLOROPROPENE (TOTAL)	34561	WAIVED			
1,4-DICHLOROBENZENE	34571	WAIVED			
BENZENE	34030	WAIVED			
CARBON TETRACHLORIDE	32102	WAIVED			
CIS-1,2-DICHLOROETHYLENE	77093	WAIVED			
DICHLOROMETHANE	34423	WAIVED			
ETHYLBENZENE	34371	WAIVED			
METHYL-TERT-BUTYL-ETHER (MTBE)	46491	WAIVED			
MONOCHLOROBENZENE	34301	WAIVED			

**Testing interval is in months;*
0 = No data for this constituent and is DUE NOW
999 = Waived testing (not required)
I = Invalid (NOT) valid analyses reported

System Number: ***1900987***

System Name: ***USFS-OAK FLATS CAMPGROUND S-13***

PS Code: ***1900987-001***

Source Name: ***WELL 01***

Source Number: ***001***

Source Status: ***ACTIVE UNTREATED***

Water type: ***GROUNDWATER OR WELL***

	STORET NUMBER	TESTING INTERVAL (MONTHS)*	LAST TEST DATE (yyyy/mm/dd)	LAST RESULT REPORTED	NEXT TEST DATE (yyyy/mm)
REGULATED VOC					
STYRENE	77128	WAIVED			
TETRACHLOROETHYLENE	34475	WAIVED			
TOLUENE	34010	WAIVED			
TRANS-1,2-DICHLOROETHYLENE	34546	WAIVED			
TRICHLOROETHYLENE	39180	WAIVED			
TRICHLOROFLUOROMETHANE	34488	WAIVED			
VINYL CHLORIDE	39175	WAIVED			
XYLENES (TOTAL)	81551	WAIVED			
SECONDARY/GP					
AGGRSSIVE INDEX (CORROSIVITY)	82383	WAIVED			
BICARBONATE ALKALINITY	00440	WAIVED	2002/11/11	475.000	
CALCIUM	00916	WAIVED	2002/11/11	36.100	
CARBONATE ALKALINITY	00445	WAIVED	2002/11/11	.000	
CHLORIDE	00940	WAIVED	2002/11/11	10.300	
COLOR	00081	WAIVED	2002/11/11	.000	
COPPER	01042	WAIVED	2002/11/11	.000	
FOAMING AGENTS (MBAS)	38260	WAIVED	2002/11/11	.000	
HARDNESS (TOTAL) AS CACO3	00900	WAIVED	2002/11/11	140.000	
HYDROXIDE ALKALINITY	71830	WAIVED	2002/11/11	.000	
IRON	01045	WAIVED	2002/11/11	.000	
MAGNESIUM	00927	WAIVED	2002/11/11	12.100	
MANGANESE	01055	WAIVED	2002/11/11	28.000	
ODOR THRESHOLD @ 60 C	00086	WAIVED	2002/11/11	.000	
PH, LABORATORY	00403	WAIVED	2002/11/11	8.290	
SILVER	01077	WAIVED	2002/11/11	.000	
SODIUM	00929	WAIVED	2002/11/11	147.000	
SPECIFIC CONDUCTANCE	00095	WAIVED	2002/11/11	954.000	
SULFATE	00945	WAIVED	2002/11/11	87.500	
TOTAL DISSOLVED SOLIDS	70300	WAIVED	2002/11/11	604.000	

**Testing interval is in months;*
0 = No data for this constituent and is DUE NOW
999 = Waived testing (not required)
I = Invalid (NOT) valid analyses reported

System Number: ***1900987***

System Name: ***USFS-OAK FLATS CAMPGROUND S-13***

PS Code: ***1900987-001***

Source Name: ***WELL 01***

Source Number: ***001***

Source Status: ***ACTIVE UNTREATED***

Water type: ***GROUNDWATER OR WELL***

	STORET NUMBER	TESTING INTERVAL (MONTHS)*	LAST TEST DATE (yyyy/mm/dd)	LAST RESULT REPORTED	NEXT TEST DATE (yyyy/mm)
SECONDARY/GP					
TURBIDITY, LABORATORY	82079	WAIVED	2002/11/11	2.720	
ZINC	01092	WAIVED	2002/11/11	190.000	

PS Code: ***1900987-002***

Source Name: ***WELL 02***

Source Number: ***002***

Source Status: ***ACTIVE UNTREATED***

Water type: ***GROUNDWATER OR WELL***

GENERAL NON CHAP 15					
DIAZINON	39570	WAIVED			
INORGANIC					
ALUMINUM	01105	WAIVED			
ANTIMONY	01097	WAIVED			
ARSENIC	01002	WAIVED			
ASBESTOS	81855	WAIVED			
BARIUM	01007	WAIVED			
BERYLLIUM	01012	WAIVED			
CADMIUM	01027	WAIVED			
CHROMIUM (TOTAL)	01034	WAIVED			
CYANIDE	01291	WAIVED			
FLUORIDE (F) (NATURAL-SOURCE)	00951	WAIVED			
LEAD	01051	WAIVED			
MERCURY	71900	WAIVED			
NICKEL	01067	WAIVED			
PERCHLORATE	A-031	WAIVED			
SELENIUM	01147	WAIVED			
THALLIUM	01059	WAIVED			

**Testing interval is in months;*
0 = No data for this constituent and is DUE NOW
999 = Waived testing (not required)
I = Invalid (NOT) valid analyses reported

System Number: ***1900987***

System Name: ***USFS-OAK FLATS CAMPGROUND S-13***

PS Code: ***1900987-002***

Source Name: ***WELL 02***

Source Number: ***002***

Source Status: ***ACTIVE UNTREATED***

Water type: ***GROUNDWATER OR WELL***

	STORET NUMBER	TESTING INTERVAL (MONTHS)*	LAST TEST DATE (yyyy/mm/dd)	LAST RESULT REPORTED	NEXT TEST DATE (yyyy/mm)
NITRATE/NITRITE					
NITRATE (AS NO3)	71850	WAIVED			
NITRITE (AS N)	00620	WAIVED			
RADIOLOGICAL					
GROSS ALPHA	01501	WAIVED			
GROSS BETA	03501	WAIVED			
RA-226 FOR CWS OR TOTAL RA FOR NTNC BY 903.0	A-080	WAIVED			
RA-226 OR TOTAL RA BY 903.0 C.E.	A-081	WAIVED			
RADIUM 226	09501	WAIVED			
RADIUM 228	11501	WAIVED			
RADIUM, TOTAL, MDA95-NTNC ONLY, BY 903.0	A-082	WAIVED			
STRONTIUM-90	13501	WAIVED			
TRITIUM	07000	WAIVED			
URANIUM (PCI/L)	28012	WAIVED			
REGULATED SOC					
2,3,7,8-TCDD (DIOXIN)	34676	WAIVED			
2,4,5-TP (SILVEX)	39045	WAIVED			
2,4-D	39730	WAIVED			
ALACHLOR	77825	WAIVED			
ATRAZINE	39033	WAIVED			
BENTAZON	38710	WAIVED			
BENZO (A) PYRENE	34247	WAIVED			
CARBOFURAN	81405	WAIVED			
CHLORDANE	39350	WAIVED			
DALAPON	38432	WAIVED			
DI(2-ETHYLHEXYL)ADIPATE	A-026	WAIVED			
DI(2-ETHYLHEXYL)PHTHALATE	39100	WAIVED			
DIBROMOCHLOROPROPANE (DBCP)	38761	WAIVED			
DINOSEB	81287	WAIVED			
DIQUAT	78885	WAIVED			

**Testing interval is in months;*
0 = No data for this constituent and is DUE NOW
999 = Waived testing (not required)
I = Invalid (NOT) valid analyses reported

System Number: ***1900987***

System Name: ***USFS-OAK FLATS CAMPGROUND S-13***

PS Code: ***1900987-002***

Source Name: ***WELL 02***

Source Number: ***002***

Source Status: ***ACTIVE UNTREATED***

Water type: ***GROUNDWATER OR WELL***

	STORET NUMBER	TESTING INTERVAL (MONTHS)*	LAST TEST DATE (yyyy/mm/dd)	LAST RESULT REPORTED	NEXT TEST DATE (yyyy/mm)
REGULATED SOC					
ENDOTHALL	38926	WAIVED			
ENDRIN	39390	WAIVED			
ETHYLENE DIBROMIDE (EDB)	77651	WAIVED			
GLYPHOSATE	79743	WAIVED			
HEPTACHLOR	39410	WAIVED			
HEPTACHLOR EPOXIDE	39420	WAIVED			
HEXACHLOROBENZENE	39700	WAIVED			
HEXACHLOROCYCLOPENTADIENE	34386	WAIVED			
LINDANE	39340	WAIVED			
METHOXYCHLOR	39480	WAIVED			
MOLINATE	82199	WAIVED			
OXAMYL	38865	WAIVED			
PENTACHLOROPHENOL	39032	WAIVED			
PICLORAM	39720	WAIVED			
POLYCHLORINATED BIPHENYLS, TOTAL, AS DCB	39516	WAIVED			
SIMAZINE	39055	WAIVED			
THIOBENCARB	A-001	WAIVED			
TOXAPHENE	39400	WAIVED			
REGULATED VOC					
1,1,1-TRICHLOROETHANE	34506	WAIVED			
1,1,2,2-TETRACHLOROETHANE	34516	WAIVED			
1,1,2-TRICHLORO-1,2,2-TRIFLUOROETHANE	81611	WAIVED			
1,1,2-TRICHLOROETHANE	34511	WAIVED			
1,1-DICHLOROETHANE	34496	WAIVED			
1,1-DICHLOROETHYLENE	34501	WAIVED			
1,2,4-TRICHLOROBENZENE	34551	WAIVED			
1,2-DICHLOROBENZENE	34536	WAIVED			
1,2-DICHLOROETHANE	34531	WAIVED			
1,2-DICHLOROPROPANE	34541	WAIVED			

**Testing interval is in months;*
0 = No data for this constituent and is DUE NOW
999 = Waived testing (not required)
I = Invalid (NOT) valid analyses reported

System Number: ***1900987***

System Name: ***USFS-OAK FLATS CAMPGROUND S-13***

PS Code: ***1900987-002***

Source Name: ***WELL 02***

Source Number: ***002***

Source Status: ***ACTIVE UNTREATED***

Water type: ***GROUNDWATER OR WELL***

	STORET NUMBER	TESTING INTERVAL (MONTHS)*	LAST TEST DATE (yyyy/mm/dd)	LAST RESULT REPORTED	NEXT TEST DATE (yyyy/mm)
REGULATED VOC					
1,3-DICHLOROPROPENE (TOTAL)	34561	WAIVED			
1,4-DICHLOROBENZENE	34571	WAIVED			
BENZENE	34030	WAIVED			
CARBON TETRACHLORIDE	32102	WAIVED			
CIS-1,2-DICHLOROETHYLENE	77093	WAIVED			
DICHLOROMETHANE	34423	WAIVED			
ETHYLBENZENE	34371	WAIVED			
METHYL-TERT-BUTYL-ETHER (MTBE)	46491	WAIVED			
MONOCHLOROBENZENE	34301	WAIVED			
STYRENE	77128	WAIVED			
TETRACHLOROETHYLENE	34475	WAIVED			
TOLUENE	34010	WAIVED			
TRANS-1,2-DICHLOROETHYLENE	34546	WAIVED			
TRICHLOROETHYLENE	39180	WAIVED			
TRICHLOROFLUOROMETHANE	34488	WAIVED			
VINYL CHLORIDE	39175	WAIVED			
XYLENES (TOTAL)	81551	WAIVED			
SECONDARY/GP					
AGGRSSIVE INDEX (CORROSIVITY)	82383	WAIVED			
BICARBONATE ALKALINITY	00440	WAIVED			
CALCIUM	00916	WAIVED			
CARBONATE ALKALINITY	00445	WAIVED			
CHLORIDE	00940	WAIVED			
COLOR	00081	WAIVED			
COPPER	01042	WAIVED			
FOAMING AGENTS (MBAS)	38260	WAIVED			
HARDNESS (TOTAL) AS CACO3	00900	WAIVED			
HYDROXIDE ALKALINITY	71830	WAIVED			
IRON	01045	WAIVED			

**Testing interval is in months;*
0 = No data for this constituent and is DUE NOW
999 = Waived testing (not required)
I = Invalid (NOT) valid analyses reported

System Number: ***1900987***

System Name: ***USFS-OAK FLATS CAMPGROUND S-13***

PS Code: ***1900987-002***

Source Name: ***WELL 02***

Source Number: ***002***

Source Status: ***ACTIVE UNTREATED***

Water type: ***GROUNDWATER OR WELL***

SECONDARY/GP

	STORET NUMBER	TESTING INTERVAL (MONTHS)*	LAST TEST DATE (yyyy/mm/dd)	LAST RESULT REPORTED	NEXT TEST DATE (yyyy/mm)
MAGNESIUM	00927	WAIVED			
MANGANESE	01055	WAIVED			
ODOR THRESHOLD @ 60 C	00086	WAIVED			
PH, LABORATORY	00403	WAIVED			
SILVER	01077	WAIVED			
SODIUM	00929	WAIVED			
SPECIFIC CONDUCTANCE	00095	WAIVED			
SULFATE	00945	WAIVED			
TOTAL DISSOLVED SOLIDS	70300	WAIVED			
TURBIDITY, LABORATORY	82079	WAIVED			
ZINC	01092	WAIVED			

**Testing interval is in months;*
0 = No data for this constituent and is DUE NOW
999 = Waived testing (not required)
I = Invalid (NOT) valid analyses reported

System Number: ***1900992***

System Name: ***BIG OAKS LODGE***

PS Code: ***1900992-001***

Source Name: ***WELL 01***

Source Number: ***001***

Source Status: ***ACTIVE UNTREATED***

Water type: ***GROUNDWATER OR WELL***

	STORET NUMBER	TESTING INTERVAL (MONTHS)*	LAST TEST DATE (yyyy/mm/dd)	LAST RESULT REPORTED	NEXT TEST DATE (yyyy/mm)
GENERAL NON CHAP 15					
DIAZINON	39570	WAIVED			
INORGANIC					
ALUMINUM	01105	WAIVED	2004/09/08	.000	
ANTIMONY	01097	WAIVED	2004/09/08	.000	
ARSENIC	01002	WAIVED	2004/09/08	.000	
ASBESTOS	81855	WAIVED			
BARIUM	01007	WAIVED	2004/09/08	.000	
BERYLLIUM	01012	WAIVED			
CADMIUM	01027	WAIVED	2004/09/08	.000	
CHROMIUM (TOTAL)	01034	WAIVED	2004/09/08	.000	
CYANIDE	01291	WAIVED			
FLUORIDE (F) (NATURAL-SOURCE)	00951	WAIVED	2004/09/08	.420	
LEAD	01051	WAIVED	2004/09/08	.000	
MERCURY	71900	WAIVED	2004/09/08	.000	
NICKEL	01067	WAIVED	2004/09/08	.000	
PERCHLORATE	A-031	WAIVED	2002/10/04	.000	
SELENIUM	01147	WAIVED	2004/09/08	.000	
THALLIUM	01059	WAIVED			
NITRATE/NITRITE					
NITRATE (AS NO3)	71850	WAIVED	2011/12/27	< .000	
NITRITE (AS N)	00620	WAIVED	2010/12/21	< .000	
RADIOLOGICAL					
GROSS ALPHA	01501	WAIVED			
GROSS BETA	03501	WAIVED			
RA-226 FOR CWS OR TOTAL RA FOR NTNC BY 903.0	A-080	WAIVED			
RA-226 OR TOTAL RA BY 903.0 C.E.	A-081	WAIVED			
RADIUM 226	09501	WAIVED			
RADIUM 228	11501	WAIVED			

**Testing interval is in months;*
0 = No data for this constituent and is DUE NOW
999 = Waived testing (not required)
I = Invalid (NOT) valid analyses reported

System Number: ***1900992***

System Name: ***BIG OAKS LODGE***

PS Code: ***1900992-001***

Source Name: ***WELL 01***

Source Number: ***001***

Source Status: ***ACTIVE UNTREATED***

Water type: ***GROUNDWATER OR WELL***

	STORET NUMBER	TESTING INTERVAL (MONTHS)*	LAST TEST DATE (yyyy/mm/dd)	LAST RESULT REPORTED	NEXT TEST DATE (yyyy/mm)
RADIOLOGICAL					
RADIUM, TOTAL, MDA95-NTNC ONLY, BY 903.0	A-082	WAIVED			
STRONTIUM-90	13501	WAIVED			
TRITIUM	07000	WAIVED			
URANIUM (PCI/L)	28012	WAIVED			
REGULATED SOC					
2,3,7,8-TCDD (DIOXIN)	34676	WAIVED			
2,4,5-TP (SILVEX)	39045	WAIVED			
2,4-D	39730	WAIVED			
ALACHLOR	77825	WAIVED			
ATRAZINE	39033	WAIVED			
BENTAZON	38710	WAIVED			
BENZO (A) PYRENE	34247	WAIVED			
CARBOFURAN	81405	WAIVED			
CHLORDANE	39350	WAIVED			
DALAPON	38432	WAIVED			
DI(2-ETHYLHEXYL)ADIPATE	A-026	WAIVED			
DI(2-ETHYLHEXYL)PHTHALATE	39100	WAIVED			
DIBROMOCHLOROPROPANE (DBCP)	38761	WAIVED			
DINOSEB	81287	WAIVED			
DIQUAT	78885	WAIVED			
ENDOTHALL	38926	WAIVED			
ENDRIN	39390	WAIVED			
ETHYLENE DIBROMIDE (EDB)	77651	WAIVED			
GLYPHOSATE	79743	WAIVED			
HEPTACHLOR	39410	WAIVED			
HEPTACHLOR EPOXIDE	39420	WAIVED			
HEXACHLOROBENZENE	39700	WAIVED			
HEXACHLOROCYCLOPENTADIENE	34386	WAIVED			
LINDANE	39340	WAIVED			

**Testing interval is in months;*
0 = No data for this constituent and is DUE NOW
999 = Waived testing (not required)
I = Invalid (NOT) valid analyses reported

System Number: ***1900992***

System Name: ***BIG OAKS LODGE***

PS Code: ***1900992-001***

Source Name: ***WELL 01***

Source Number: ***001***

Source Status: ***ACTIVE UNTREATED***

Water type: ***GROUNDWATER OR WELL***

	STORET NUMBER	TESTING INTERVAL (MONTHS)*	LAST TEST DATE (yyyy/mm/dd)	LAST RESULT REPORTED	NEXT TEST DATE (yyyy/mm)
REGULATED SOC					
METHOXYCHLOR	39480	WAIVED			
MOLINATE	82199	WAIVED			
OXAMYL	38865	WAIVED			
PENTACHLOROPHENOL	39032	WAIVED			
PICLORAM	39720	WAIVED			
POLYCHLORINATED BIPHENYLS, TOTAL, AS DCB	39516	WAIVED			
SIMAZINE	39055	WAIVED			
THIOBENCARB	A-001	WAIVED			
TOXAPHENE	39400	WAIVED			
REGULATED VOC					
1,1,1-TRICHLOROETHANE	34506	WAIVED			
1,1,2,2-TETRACHLOROETHANE	34516	WAIVED			
1,1,2-TRICHLORO-1,2,2-TRIFLUOROETHANE	81611	WAIVED			
1,1,2-TRICHLOROETHANE	34511	WAIVED			
1,1-DICHLOROETHANE	34496	WAIVED			
1,1-DICHLOROETHYLENE	34501	WAIVED			
1,2,4-TRICHLOROBENZENE	34551	WAIVED			
1,2-DICHLOROBENZENE	34536	WAIVED			
1,2-DICHLOROETHANE	34531	WAIVED			
1,2-DICHLOROPROPANE	34541	WAIVED			
1,3-DICHLOROPROPENE (TOTAL)	34561	WAIVED			
1,4-DICHLOROBENZENE	34571	WAIVED			
BENZENE	34030	WAIVED			
CARBON TETRACHLORIDE	32102	WAIVED			
CIS-1,2-DICHLOROETHYLENE	77093	WAIVED			
DICHLOROMETHANE	34423	WAIVED			
ETHYLBENZENE	34371	WAIVED			
METHYL-TERT-BUTYL-ETHER (MTBE)	46491	WAIVED			
MONOCHLOROBENZENE	34301	WAIVED			

**Testing interval is in months;*
0 = No data for this constituent and is DUE NOW
999 = Waived testing (not required)
I = Invalid (NOT) valid analyses reported

System Number: ***1900992***

System Name: ***BIG OAKS LODGE***

PS Code: ***1900992-001***

Source Name: ***WELL 01***

Source Number: ***001***

Source Status: ***ACTIVE UNTREATED***

Water type: ***GROUNDWATER OR WELL***

	STORET NUMBER	TESTING INTERVAL (MONTHS)*	LAST TEST DATE (yyyy/mm/dd)	LAST RESULT REPORTED	NEXT TEST DATE (yyyy/mm)
REGULATED VOC					
STYRENE	77128	WAIVED			
TETRACHLOROETHYLENE	34475	WAIVED			
TOLUENE	34010	WAIVED			
TRANS-1,2-DICHLOROETHYLENE	34546	WAIVED			
TRICHLOROETHYLENE	39180	WAIVED			
TRICHLOROFLUOROMETHANE	34488	WAIVED			
VINYL CHLORIDE	39175	WAIVED			
XYLENES (TOTAL)	81551	WAIVED			
SECONDARY/GP					
AGGRSSIVE INDEX (CORROSIVITY)	82383	WAIVED			
BICARBONATE ALKALINITY	00440	WAIVED	2004/09/08	349.000	
CALCIUM	00916	WAIVED	2004/09/08	60.100	
CARBONATE ALKALINITY	00445	WAIVED	2004/09/08	.000	
CHLORIDE	00940	WAIVED	2004/09/08	31.500	
COLOR	00081	WAIVED	2002/10/04	.000	
COPPER	01042	WAIVED	2004/09/08	.000	
FOAMING AGENTS (MBAS)	38260	WAIVED	2002/10/04	.000	
HARDNESS (TOTAL) AS CACO3	00900	WAIVED	2004/09/08	330.000	
HYDROXIDE ALKALINITY	71830	WAIVED	2004/09/08	.000	
IRON	01045	WAIVED	2004/09/08	.000	
MAGNESIUM	00927	WAIVED	2004/09/08	43.800	
MANGANESE	01055	WAIVED	2004/09/08	.000	
ODOR THRESHOLD @ 60 C	00086	WAIVED	2002/10/04	.000	
PH, LABORATORY	00403	WAIVED	2004/09/08	6.810	
SILVER	01077	WAIVED	2004/09/08	.000	
SODIUM	00929	WAIVED	2004/09/08	34.500	
SPECIFIC CONDUCTANCE	00095	WAIVED	2002/10/04	697.000	
SULFATE	00945	WAIVED	2004/09/08	67.600	
TOTAL DISSOLVED SOLIDS	70300	WAIVED	2004/09/08	452.000	

**Testing interval is in months;*
0 = No data for this constituent and is DUE NOW
999 = Waived testing (not required)
I = Invalid (NOT) valid analyses reported

System Number: ***1900992***

System Name: ***BIG OAKS LODGE***

PS Code: ***1900992-001***

Source Name: ***WELL 01***

Source Number: ***001***

Source Status: ***ACTIVE UNTREATED***

Water type: ***GROUNDWATER OR WELL***

	STORET NUMBER	TESTING INTERVAL (MONTHS)*	LAST TEST DATE (yyyy/mm/dd)	LAST RESULT REPORTED	NEXT TEST DATE (yyyy/mm)
SECONDARY/GP					
TURBIDITY, LABORATORY	**82079**	**WAIVED**	2004/09/08	**.230**	
ZINC	**01092**	**WAIVED**	2004/09/08	**.000**	

**Testing interval is in months;*
0 = No data for this constituent and is DUE NOW
999 = Waived testing (not required)
I = Invalid (NOT) valid analyses reported

System Number: ***1900994***

System Name: ***MALIBU CONSERVATION CAMP***

PS Code: ***1900994-001***

Source Name: ***LPA REPORTED PRIMARY SOURCE***

Source Number: ***001***

Source Status: ***ACTIVE UNTREATED***

Water type: ***WASTE WATER GENERATOR***

	STORET NUMBER	TESTING INTERVAL (MONTHS)*	LAST TEST DATE (yyyy/mm/dd)	LAST RESULT REPORTED	NEXT TEST DATE (yyyy/mm)
GENERAL NON CHAP 15					
DIAZINON	39570	WAIVED			
INORGANIC					
ALUMINUM	01105	WAIVED			
ANTIMONY	01097	WAIVED			
ARSENIC	01002	WAIVED			
ASBESTOS	81855	WAIVED			
BARIUM	01007	WAIVED			
BERYLLIUM	01012	WAIVED			
CADMIUM	01027	WAIVED			
CHROMIUM (TOTAL)	01034	WAIVED			
CYANIDE	01291	WAIVED			
FLUORIDE (F) (NATURAL-SOURCE)	00951	WAIVED			
LEAD	01051	WAIVED			
MERCURY	71900	WAIVED			
NICKEL	01067	WAIVED			
PERCHLORATE	A-031	WAIVED			
SELENIUM	01147	WAIVED			
THALLIUM	01059	WAIVED			
NITRATE/NITRITE					
NITRATE (AS NO3)	71850	WAIVED			
NITRITE (AS N)	00620	WAIVED			
RADIOLOGICAL					
GROSS ALPHA	01501	WAIVED			
GROSS BETA	03501	WAIVED			
RA-226 FOR CWS OR TOTAL RA FOR NTNC BY 903.0	A-080	WAIVED			
RA-226 OR TOTAL RA BY 903.0 C.E.	A-081	WAIVED			
RADIUM 226	09501	WAIVED			
RADIUM 228	11501	WAIVED			

**Testing interval is in months;*
0 = No data for this constituent and is DUE NOW
999 = Waived testing (not required)
I = Invalid (NOT) valid analyses reported

System Number: ***1900994***

System Name: ***MALIBU CONSERVATION CAMP***

PS Code: ***1900994-001***

Source Name: ***LPA REPORTED PRIMARY SOURCE***

Source Number: ***001***

Source Status: ***ACTIVE UNTREATED***

Water type: ***WASTE WATER GENERATOR***

	STORET NUMBER	TESTING INTERVAL (MONTHS)*	LAST TEST DATE (yyyy/mm/dd)	LAST RESULT REPORTED	NEXT TEST DATE (yyyy/mm)
RADIOLOGICAL					
RADIUM, TOTAL, MDA95-NTNC ONLY, BY 903.0	A-082	WAIVED			
STRONTIUM-90	13501	WAIVED			
TRITIUM	07000	WAIVED			
URANIUM (PCI/L)	28012	WAIVED			
REGULATED SOC					
2,3,7,8-TCDD (DIOXIN)	34676	WAIVED			
2,4,5-TP (SILVEX)	39045	WAIVED			
2,4-D	39730	WAIVED			
ALACHLOR	77825	WAIVED			
ATRAZINE	39033	WAIVED			
BENTAZON	38710	WAIVED			
BENZO (A) PYRENE	34247	WAIVED			
CARBOFURAN	81405	WAIVED			
CHLORDANE	39350	WAIVED			
DALAPON	38432	WAIVED			
DI(2-ETHYLHEXYL)ADIPATE	A-026	WAIVED			
DI(2-ETHYLHEXYL)PHTHALATE	39100	WAIVED			
DIBROMOCHLOROPROPANE (DBCP)	38761	WAIVED			
DINOSEB	81287	WAIVED			
DIQUAT	78885	WAIVED			
ENDOTHALL	38926	WAIVED			
ENDRIN	39390	WAIVED			
ETHYLENE DIBROMIDE (EDB)	77651	WAIVED			
GLYPHOSATE	79743	WAIVED			
HEPTACHLOR	39410	WAIVED			
HEPTACHLOR EPOXIDE	39420	WAIVED			
HEXACHLOROBENZENE	39700	WAIVED			
HEXACHLOROCYCLOPENTADIENE	34386	WAIVED			
LINDANE	39340	WAIVED			

**Testing interval is in months;*
0 = No data for this constituent and is DUE NOW
999 = Waived testing (not required)
I = Invalid (NOT) valid analyses reported

System Number: ***1900994***

System Name: ***MALIBU CONSERVATION CAMP***

PS Code: ***1900994-001***

Source Name: ***LPA REPORTED PRIMARY SOURCE***

Source Number: ***001***

Source Status: ***ACTIVE UNTREATED***

Water type: ***WASTE WATER GENERATOR***

	STORET NUMBER	TESTING INTERVAL (MONTHS)*	LAST TEST DATE (yyyy/mm/dd)	LAST RESULT REPORTED	NEXT TEST DATE (yyyy/mm)
REGULATED SOC					
METHOXYCHLOR	39480	WAIVED			
MOLINATE	82199	WAIVED			
OXAMYL	38865	WAIVED			
PENTACHLOROPHENOL	39032	WAIVED			
PICLORAM	39720	WAIVED			
POLYCHLORINATED BIPHENYLS, TOTAL, AS DCB	39516	WAIVED			
SIMAZINE	39055	WAIVED			
THIOBENCARB	A-001	WAIVED			
TOXAPHENE	39400	WAIVED			
REGULATED VOC					
1,1,1-TRICHLOROETHANE	34506	WAIVED			
1,1,2,2-TETRACHLOROETHANE	34516	WAIVED			
1,1,2-TRICHLORO-1,2,2-TRIFLUOROETHANE	81611	WAIVED			
1,1,2-TRICHLOROETHANE	34511	WAIVED			
1,1-DICHLOROETHANE	34496	WAIVED			
1,1-DICHLOROETHYLENE	34501	WAIVED			
1,2,4-TRICHLOROBENZENE	34551	WAIVED			
1,2-DICHLOROBENZENE	34536	WAIVED			
1,2-DICHLOROETHANE	34531	WAIVED			
1,2-DICHLOROPROPANE	34541	WAIVED			
1,3-DICHLOROPROPENE (TOTAL)	34561	WAIVED			
1,4-DICHLOROBENZENE	34571	WAIVED			
BENZENE	34030	WAIVED			
CARBON TETRACHLORIDE	32102	WAIVED			
CIS-1,2-DICHLOROETHYLENE	77093	WAIVED			
DICHLOROMETHANE	34423	WAIVED			
ETHYLBENZENE	34371	WAIVED			
METHYL-TERT-BUTYL-ETHER (MTBE)	46491	WAIVED			
MONOCHLOROBENZENE	34301	WAIVED			

**Testing interval is in months;*
0 = No data for this constituent and is DUE NOW
999 = Waived testing (not required)
I = Invalid (NOT) valid analyses reported

System Number: ***1900994***

System Name: ***MALIBU CONSERVATION CAMP***

PS Code: ***1900994-001***

Source Name: ***LPA REPORTED PRIMARY SOURCE***

Source Number: ***001***

Source Status: ***ACTIVE UNTREATED***

Water type: ***WASTE WATER GENERATOR***

	STORET NUMBER	TESTING INTERVAL (MONTHS)*	LAST TEST DATE (yyyy/mm/dd)	LAST RESULT REPORTED	NEXT TEST DATE (yyyy/mm)
REGULATED VOC					
STYRENE	77128	WAIVED			
TETRACHLOROETHYLENE	34475	WAIVED			
TOLUENE	34010	WAIVED			
TRANS-1,2-DICHLOROETHYLENE	34546	WAIVED			
TRICHLOROETHYLENE	39180	WAIVED			
TRICHLOROFLUOROMETHANE	34488	WAIVED			
VINYL CHLORIDE	39175	WAIVED			
XYLENES (TOTAL)	81551	WAIVED			
SECONDARY/GP					
AGGRSSIVE INDEX (CORROSIVITY)	82383	WAIVED			
BICARBONATE ALKALINITY	00440	WAIVED			
CALCIUM	00916	WAIVED			
CARBONATE ALKALINITY	00445	WAIVED			
CHLORIDE	00940	WAIVED			
COLOR	00081	WAIVED			
COPPER	01042	WAIVED			
FOAMING AGENTS (MBAS)	38260	WAIVED			
HARDNESS (TOTAL) AS CACO3	00900	WAIVED			
HYDROXIDE ALKALINITY	71830	WAIVED			
IRON	01045	WAIVED			
MAGNESIUM	00927	WAIVED			
MANGANESE	01055	WAIVED			
ODOR THRESHOLD @ 60 C	00086	WAIVED			
PH, LABORATORY	00403	WAIVED			
SILVER	01077	WAIVED			
SODIUM	00929	WAIVED			
SPECIFIC CONDUCTANCE	00095	WAIVED			
SULFATE	00945	WAIVED			
TOTAL DISSOLVED SOLIDS	70300	WAIVED			

**Testing interval is in months;*
0 = No data for this constituent and is DUE NOW
999 = Waived testing (not required)
I = Invalid (NOT) valid analyses reported

System Number: ***1900994***

System Name: ***MALIBU CONSERVATION CAMP***

PS Code: ***1900994-001***

Source Name: ***LPA REPORTED PRIMARY SOURCE***

Source Number: ***001***

Source Status: ***ACTIVE UNTREATED***

Water type: ***WASTE WATER GENERATOR***

SECONDARY/GP

	STORET NUMBER	TESTING INTERVAL (MONTHS)*	LAST TEST DATE (yyyy/mm/dd)	LAST RESULT REPORTED	NEXT TEST DATE (yyyy/mm)
TURBIDITY, LABORATORY	82079	WAIVED			
ZINC	01092	WAIVED			

**Testing interval is in months;*
0 = No data for this constituent and is DUE NOW
999 = Waived testing (not required)
I = Invalid (NOT) valid analyses reported

System Number: 1907004
System Name: ACTON-AGUA DULCE LDS CHURCH

PS Code: 1907004-001
Source Name: WELL 01
Source Number: 001
Source Status: ACTIVE UNTREATED
Water type: GROUNDWATER OR WELL

	STORET NUMBER	TESTING INTERVAL (MONTHS)*	LAST TEST DATE (yyyy/mm/dd)	LAST RESULT REPORTED	NEXT TEST DATE (yyyy/mm)
GENERAL NON CHAP 15					
DIAZINON	39570	WAIVED			
INORGANIC					
ALUMINUM	01105	WAIVED	2001/11/06	.000	
ANTIMONY	01097	WAIVED	2001/11/06	.000	
ARSENIC	01002	WAIVED	2001/11/06	.000	
ASBESTOS	81855	WAIVED			
BARIUM	01007	WAIVED	2001/11/06	.000	
BERYLLIUM	01012	WAIVED			
CADMIUM	01027	WAIVED	2001/11/06	.000	
CHROMIUM (TOTAL)	01034	WAIVED	2001/11/06	13.300	
CYANIDE	01291	WAIVED			
FLUORIDE (F) (NATURAL-SOURCE)	00951	WAIVED	2001/11/06	.660	
LEAD	01051	WAIVED	2001/11/06	.000	
MERCURY	71900	WAIVED	2001/11/06	.000	
NICKEL	01067	WAIVED	2001/11/06	.000	
PERCHLORATE	A-031	WAIVED	2001/11/06	.000	
SELENIUM	01147	WAIVED	2001/11/06	.000	
THALLIUM	01059	WAIVED			
NITRATE/NITRITE					
NITRATE (AS NO3)	71850	WAIVED	2007/12/03	< .400	
NITRITE (AS N)	00620	WAIVED			
RADIOLOGICAL					
GROSS ALPHA	01501	WAIVED			
GROSS BETA	03501	WAIVED			
RA-226 FOR CWS OR TOTAL RA FOR NTNC BY 903.0	A-080	WAIVED			
RA-226 OR TOTAL RA BY 903.0 C.E.	A-081	WAIVED			
RADIUM 226	09501	WAIVED			
RADIUM 228	11501	WAIVED			

**Testing interval is in months;*
0 = No data for this constituent and is DUE NOW
999 = Waived testing (not required)
I = Invalid (NOT) valid analyses reported

System Number: ***1907004***

System Name: ***ACTON-AGUA DULCE LDS CHURCH***

PS Code: ***1907004-001***

Source Name: ***WELL 01***

Source Number: ***001***

Source Status: ***ACTIVE UNTREATED***

Water type: ***GROUNDWATER OR WELL***

	STORET NUMBER	TESTING INTERVAL (MONTHS)*	LAST TEST DATE (yyyy/mm/dd)	LAST RESULT REPORTED	NEXT TEST DATE (yyyy/mm)
RADIOLOGICAL					
RADIUM, TOTAL, MDA95-NTNC ONLY, BY 903.0	A-082	WAIVED			
STRONTIUM-90	13501	WAIVED			
TRITIUM	07000	WAIVED			
URANIUM (PCI/L)	28012	WAIVED			
REGULATED SOC					
2,3,7,8-TCDD (DIOXIN)	34676	WAIVED			
2,4,5-TP (SILVEX)	39045	WAIVED			
2,4-D	39730	WAIVED			
ALACHLOR	77825	WAIVED			
ATRAZINE	39033	WAIVED			
BENTAZON	38710	WAIVED			
BENZO (A) PYRENE	34247	WAIVED			
CARBOFURAN	81405	WAIVED			
CHLORDANE	39350	WAIVED			
DALAPON	38432	WAIVED			
DI(2-ETHYLHEXYL)ADIPATE	A-026	WAIVED			
DI(2-ETHYLHEXYL)PHTHALATE	39100	WAIVED			
DIBROMOCHLOROPROPANE (DBCP)	38761	WAIVED			
DINOSEB	81287	WAIVED			
DIQUAT	78885	WAIVED			
ENDOTHALL	38926	WAIVED			
ENDRIN	39390	WAIVED			
ETHYLENE DIBROMIDE (EDB)	77651	WAIVED			
GLYPHOSATE	79743	WAIVED			
HEPTACHLOR	39410	WAIVED			
HEPTACHLOR EPOXIDE	39420	WAIVED			
HEXACHLOROBENZENE	39700	WAIVED			
HEXACHLOROCYCLOPENTADIENE	34386	WAIVED			
LINDANE	39340	WAIVED			

**Testing interval is in months;*
0 = No data for this constituent and is DUE NOW
999 = Waived testing (not required)
I = Invalid (NOT) valid analyses reported

System Number: ***1907004***

System Name: ***ACTON-AGUA DULCE LDS CHURCH***

PS Code: ***1907004-001***

Source Name: ***WELL 01***

Source Number: ***001***

Source Status: ***ACTIVE UNTREATED***

Water type: ***GROUNDWATER OR WELL***

	STORET NUMBER	TESTING INTERVAL (MONTHS)*	LAST TEST DATE (yyyy/mm/dd)	LAST RESULT REPORTED	NEXT TEST DATE (yyyy/mm)
REGULATED SOC					
METHOXYCHLOR	39480	WAIVED			
MOLINATE	82199	WAIVED			
OXAMYL	38865	WAIVED			
PENTACHLOROPHENOL	39032	WAIVED			
PICLORAM	39720	WAIVED			
POLYCHLORINATED BIPHENYLS, TOTAL, AS DCB	39516	WAIVED			
SIMAZINE	39055	WAIVED			
THIOBENCARB	A-001	WAIVED			
TOXAPHENE	39400	WAIVED			
REGULATED VOC					
1,1,1-TRICHLOROETHANE	34506	WAIVED			
1,1,2,2-TETRACHLOROETHANE	34516	WAIVED			
1,1,2-TRICHLORO-1,2,2-TRIFLUOROETHANE	81611	WAIVED			
1,1,2-TRICHLOROETHANE	34511	WAIVED			
1,1-DICHLOROETHANE	34496	WAIVED			
1,1-DICHLOROETHYLENE	34501	WAIVED			
1,2,4-TRICHLOROBENZENE	34551	WAIVED			
1,2-DICHLOROBENZENE	34536	WAIVED			
1,2-DICHLOROETHANE	34531	WAIVED			
1,2-DICHLOROPROPANE	34541	WAIVED			
1,3-DICHLOROPROPENE (TOTAL)	34561	WAIVED			
1,4-DICHLOROBENZENE	34571	WAIVED			
BENZENE	34030	WAIVED			
CARBON TETRACHLORIDE	32102	WAIVED			
CIS-1,2-DICHLOROETHYLENE	77093	WAIVED			
DICHLOROMETHANE	34423	WAIVED			
ETHYLBENZENE	34371	WAIVED			
METHYL-TERT-BUTYL-ETHER (MTBE)	46491	WAIVED			
MONOCHLOROBENZENE	34301	WAIVED			

**Testing interval is in months;*
0 = No data for this constituent and is DUE NOW
999 = Waived testing (not required)
I = Invalid (NOT) valid analyses reported

System Number: ***1907004***

System Name: ***ACTON-AGUA DULCE LDS CHURCH***

PS Code: ***1907004-001***

Source Name: ***WELL 01***

Source Number: ***001***

Source Status: ***ACTIVE UNTREATED***

Water type: ***GROUNDWATER OR WELL***

	STORET NUMBER	TESTING INTERVAL (MONTHS)*	LAST TEST DATE (yyyy/mm/dd)	LAST RESULT REPORTED	NEXT TEST DATE (yyyy/mm)
REGULATED VOC					
STYRENE	77128	WAIVED			
TETRACHLOROETHYLENE	34475	WAIVED			
TOLUENE	34010	WAIVED			
TRANS-1,2-DICHLOROETHYLENE	34546	WAIVED			
TRICHLOROETHYLENE	39180	WAIVED			
TRICHLOROFLUOROMETHANE	34488	WAIVED			
VINYL CHLORIDE	39175	WAIVED			
XYLENES (TOTAL)	81551	WAIVED			
SECONDARY/GP					
AGGRSSIVE INDEX (CORROSIVITY)	82383	WAIVED			
BICARBONATE ALKALINITY	00440	WAIVED	2001/11/06	259.000	
CALCIUM	00916	WAIVED	2001/11/06	40.100	
CARBONATE ALKALINITY	00445	WAIVED	2001/11/06	.000	
CHLORIDE	00940	WAIVED	2001/11/06	54.900	
COLOR	00081	WAIVED			
COPPER	01042	WAIVED	2001/11/06	157.000	
FOAMING AGENTS (MBAS)	38260	WAIVED			
HARDNESS (TOTAL) AS CACO3	00900	WAIVED	2001/11/06	200.000	
HYDROXIDE ALKALINITY	71830	WAIVED	2001/11/06	.000	
IRON	01045	WAIVED	2001/11/06	140.000	
MAGNESIUM	00927	WAIVED	2001/11/06	24.300	
MANGANESE	01055	WAIVED	2001/11/06	.000	
ODOR THRESHOLD @ 60 C	00086	WAIVED			
PH, LABORATORY	00403	WAIVED	2001/11/06	8.320	
SILVER	01077	WAIVED	2001/11/06	.000	
SODIUM	00929	WAIVED	2001/11/06	70.800	
SPECIFIC CONDUCTANCE	00095	WAIVED	2001/11/06	649.000	
SULFATE	00945	WAIVED	2001/11/06	45.000	
TOTAL DISSOLVED SOLIDS	70300	WAIVED	2001/11/06	390.000	

**Testing interval is in months;*
0 = No data for this constituent and is DUE NOW
999 = Waived testing (not required)
I = Invalid (NOT) valid analyses reported

System Number: ***1907004***

System Name: ***ACTON-AGUA DULCE LDS CHURCH***

PS Code: ***1907004-001***

Source Name: ***WELL 01***

Source Number: ***001***

Source Status: ***ACTIVE UNTREATED***

Water type: ***GROUNDWATER OR WELL***

	STORET NUMBER	TESTING INTERVAL (MONTHS)*	LAST TEST DATE (yyyy/mm/dd)	LAST RESULT REPORTED	NEXT TEST DATE (yyyy/mm)
SECONDARY/GP					
TURBIDITY, LABORATORY	**82079**	**WAIVED**			
ZINC	**01092**	**WAIVED**	2001/11/06	**.000**	

**Testing interval is in months;*
0 = No data for this constituent and is DUE NOW
999 = Waived testing (not required)
I = Invalid (NOT) valid analyses reported

System Number: ***1907011***

System Name: ***FLYING J TRAVEL CENTER***

PS Code: ***1907011-001***

Source Name: ***WELL 01***

Source Number: ***001***

Source Status: ***ACTIVE UNTREATED***

Water type: ***GROUNDWATER OR WELL***

	STORET NUMBER	TESTING INTERVAL (MONTHS)*	LAST TEST DATE (yyyy/mm/dd)	LAST RESULT REPORTED	NEXT TEST DATE (yyyy/mm)
GENERAL NON CHAP 15					
DIAZINON	39570	WAIVED			
INORGANIC					
ALUMINUM	01105	WAIVED	2010/06/17	< 50.000	
ANTIMONY	01097	WAIVED	2010/06/17	< 2.000	
ARSENIC	01002	WAIVED	2010/06/17	< 2.000	
ASBESTOS	81855	WAIVED			
BARIUM	01007	WAIVED	2010/06/17	36.000	
BERYLLIUM	01012	WAIVED	2010/06/17	< 1.000	
CADMIUM	01027	WAIVED	2010/06/17	< 1.000	
CHROMIUM (TOTAL)	01034	WAIVED	2010/06/17	< 10.000	
CYANIDE	01291	WAIVED	2009/06/09	.000	
FLUORIDE (F) (NATURAL-SOURCE)	00951	WAIVED	2010/06/17	2.100	
LEAD	01051	WAIVED	2010/06/17	< 1.000	
MERCURY	71900	WAIVED	2010/06/17	< .200	
NICKEL	01067	WAIVED	2010/06/17	< 10.000	
PERCHLORATE	A-031	WAIVED	2004/04/23	< 4.000	
SELENIUM	01147	WAIVED	2010/06/17	< 2.000	
THALLIUM	01059	WAIVED	2010/06/17	< 1.000	
NITRATE/NITRITE					
NITRATE (AS NO3)	71850	WAIVED	2010/06/17	19.000	
NITRITE (AS N)	00620	WAIVED	2010/06/17	< 50.000	
RADIOLOGICAL					
GROSS ALPHA	01501	WAIVED			
GROSS BETA	03501	WAIVED			
RA-226 FOR CWS OR TOTAL RA FOR NTNC BY 903.0	A-080	WAIVED			
RA-226 OR TOTAL RA BY 903.0 C.E.	A-081	WAIVED			
RADIUM 226	09501	WAIVED			
RADIUM 228	11501	WAIVED			

**Testing interval is in months;*
0 = No data for this constituent and is DUE NOW
999 = Waived testing (not required)
I = Invalid (NOT) valid analyses reported

System Number: ***1907011***

System Name: ***FLYING J TRAVEL CENTER***

PS Code: ***1907011-001***

Source Name: ***WELL 01***

Source Number: ***001***

Source Status: ***ACTIVE UNTREATED***

Water type: ***GROUNDWATER OR WELL***

	STORET NUMBER	TESTING INTERVAL (MONTHS)*	LAST TEST DATE (yyyy/mm/dd)	LAST RESULT REPORTED	NEXT TEST DATE (yyyy/mm)
RADIOLOGICAL					
RADIUM, TOTAL, MDA95-NTNC ONLY, BY 903.0	A-082	WAIVED			
STRONTIUM-90	13501	WAIVED			
TRITIUM	07000	WAIVED			
URANIUM (PCI/L)	28012	WAIVED	2009/06/09	19.000	
REGULATED SOC					
2,3,7,8-TCDD (DIOXIN)	34676	WAIVED			
2,4,5-TP (SILVEX)	39045	WAIVED			
2,4-D	39730	WAIVED			
ALACHLOR	77825	WAIVED	2002/06/24	.000	
ATRAZINE	39033	WAIVED			
BENTAZON	38710	WAIVED			
BENZO (A) PYRENE	34247	WAIVED			
CARBOFURAN	81405	WAIVED			
CHLORDANE	39350	WAIVED	2002/06/24	.000	
DALAPON	38432	WAIVED			
DI(2-ETHYLHEXYL)ADIPATE	A-026	WAIVED			
DI(2-ETHYLHEXYL)PHTHALATE	39100	WAIVED			
DIBROMOCHLOROPROPANE (DBCP)	38761	WAIVED	2009/06/09	.000	
DINOSEB	81287	WAIVED			
DIQUAT	78885	WAIVED			
ENDOTHALL	38926	WAIVED			
ENDRIN	39390	WAIVED	2002/06/24	.000	
ETHYLENE DIBROMIDE (EDB)	77651	WAIVED	2009/06/09	.000	
GLYPHOSATE	79743	WAIVED			
HEPTACHLOR	39410	WAIVED	2002/06/24	.000	
HEPTACHLOR EPOXIDE	39420	WAIVED	2002/06/24	.000	
HEXACHLOROBENZENE	39700	WAIVED	2002/06/24	.000	
HEXACHLOROCYCLOPENTADIENE	34386	WAIVED	2002/06/24	.000	
LINDANE	39340	WAIVED	2002/06/24	.000	

**Testing interval is in months;*
0 = No data for this constituent and is DUE NOW
999 = Waived testing (not required)
I = Invalid (NOT) valid analyses reported

System Number: ***1907011***

System Name: ***FLYING J TRAVEL CENTER***

PS Code: ***1907011-001***

Source Name: ***WELL 01***

Source Number: ***001***

Source Status: ***ACTIVE UNTREATED***

Water type: ***GROUNDWATER OR WELL***

	STORET NUMBER	TESTING INTERVAL (MONTHS)*	LAST TEST DATE (yyyy/mm/dd)	LAST RESULT REPORTED	NEXT TEST DATE (yyyy/mm)
REGULATED SOC					
METHOXYCHLOR	39480	WAIVED	2002/06/24	.000	
MOLINATE	82199	WAIVED			
OXAMYL	38865	WAIVED			
PENTACHLOROPHENOL	39032	WAIVED			
PICLORAM	39720	WAIVED			
POLYCHLORINATED BIPHENYLS, TOTAL, AS DCB	39516	WAIVED	2002/06/24	.000	
SIMAZINE	39055	WAIVED			
THIOBENCARB	A-001	WAIVED			
TOXAPHENE	39400	WAIVED	2002/06/24	.000	
REGULATED VOC					
1,1,1-TRICHLOROETHANE	34506	WAIVED	2002/06/24	.000	
1,1,2,2-TETRACHLOROETHANE	34516	WAIVED	2002/06/24	.000	
1,1,2-TRICHLORO-1,2,2-TRIFLUOROETHANE	81611	WAIVED	2002/06/24	.000	
1,1,2-TRICHLOROETHANE	34511	WAIVED	2002/06/24	.000	
1,1-DICHLOROETHANE	34496	WAIVED	2002/06/24	.000	
1,1-DICHLOROETHYLENE	34501	WAIVED	2002/06/24	.000	
1,2,4-TRICHLOROBENZENE	34551	WAIVED	2002/06/24	.000	
1,2-DICHLOROBENZENE	34536	WAIVED	2002/06/24	.000	
1,2-DICHLOROETHANE	34531	WAIVED	2002/06/24	.000	
1,2-DICHLOROPROPANE	34541	WAIVED	2002/06/24	.000	
1,3-DICHLOROPROPENE (TOTAL)	34561	WAIVED	2002/06/24	.000	
1,4-DICHLOROBENZENE	34571	WAIVED	2002/06/24	.000	
BENZENE	34030	WAIVED	2002/06/24	.000	
CARBON TETRACHLORIDE	32102	WAIVED	2002/06/24	.000	
CIS-1,2-DICHLOROETHYLENE	77093	WAIVED	2002/06/24	.000	
DICHLOROMETHANE	34423	WAIVED	2002/06/24	.000	
ETHYLBENZENE	34371	WAIVED	2002/06/24	.000	
METHYL-TERT-BUTYL-ETHER (MTBE)	46491	WAIVED	2002/06/24	.000	
MONOCHLOROBENZENE	34301	WAIVED	2002/06/24	.000	

**Testing interval is in months;*
0 = No data for this constituent and is DUE NOW
999 = Waived testing (not required)
I = Invalid (NOT) valid analyses reported

System Number: 1907011
System Name: FLYING J TRAVEL CENTER

PS Code: 1907011-001
Source Name: WELL 01
Source Number: 001
Source Status: ACTIVE UNTREATED
Water type: GROUNDWATER OR WELL

	STORET NUMBER	TESTING INTERVAL (MONTHS)*	LAST TEST DATE (yyyy/mm/dd)	LAST RESULT REPORTED	NEXT TEST DATE (yyyy/mm)
REGULATED VOC					
STYRENE	77128	WAIVED	2002/06/24	.000	
TETRACHLOROETHYLENE	34475	WAIVED	2002/06/24	.000	
TOLUENE	34010	WAIVED	2002/06/24	.000	
TRANS-1,2-DICHLOROETHYLENE	34546	WAIVED	2002/06/24	.000	
TRICHLOROETHYLENE	39180	WAIVED	2002/06/24	.000	
TRICHLOROFLUOROMETHANE	34488	WAIVED	2002/06/24	.000	
VINYL CHLORIDE	39175	WAIVED	2002/06/24	.000	
XYLENES (TOTAL)	81551	WAIVED	2002/06/24	.000	
SECONDARY/GP					
AGGRSSIVE INDEX (CORROSIVITY)	82383	WAIVED	2009/06/09	13.000	
BICARBONATE ALKALINITY	00440	WAIVED	2010/06/17	320.000	
CALCIUM	00916	WAIVED	2010/06/17	81.000	
CARBONATE ALKALINITY	00445	WAIVED	2010/06/17	< 2.500	
CHLORIDE	00940	WAIVED	2010/06/17	28.000	
COLOR	00081	WAIVED	2010/06/17	1.000	
COPPER	01042	WAIVED	2010/06/17	< 10.000	
FOAMING AGENTS (MBAS)	38260	WAIVED	2010/06/17	< .100	
HARDNESS (TOTAL) AS CACO3	00900	WAIVED	2010/06/17	350.000	
HYDROXIDE ALKALINITY	71830	WAIVED	2010/06/17	< 1.400	
IRON	01045	WAIVED	2010/06/17	110.000	
MAGNESIUM	00927	WAIVED	2010/06/17	37.000	
MANGANESE	01055	WAIVED	2010/06/17	< 10.000	
ODOR THRESHOLD @ 60 C	00086	WAIVED	2010/06/17	.000	
PH, LABORATORY	00403	WAIVED	2010/06/17	7.730	
SILVER	01077	WAIVED	2010/06/17	< 10.000	
SODIUM	00929	WAIVED	2010/06/17	75.000	
SPECIFIC CONDUCTANCE	00095	WAIVED	2010/06/17	887.000	
SULFATE	00945	WAIVED	2010/06/17	170.000	
TOTAL DISSOLVED SOLIDS	70300	WAIVED	2010/06/17	550.000	

**Testing interval is in months;*
0 = No data for this constituent and is DUE NOW
999 = Waived testing (not required)
I = Invalid (NOT) valid analyses reported

System Number: ***1907011***

System Name: ***FLYING J TRAVEL CENTER***

PS Code: ***1907011-001***

Source Name: ***WELL 01***

Source Number: ***001***

Source Status: ***ACTIVE UNTREATED***

Water type: ***GROUNDWATER OR WELL***

	STORET NUMBER	TESTING INTERVAL (MONTHS)*	LAST TEST DATE (yyyy/mm/dd)	LAST RESULT REPORTED	NEXT TEST DATE (yyyy/mm)
SECONDARY/GP					
TURBIDITY, LABORATORY	**82079**	**WAIVED**	2010/06/17	**.210**	
ZINC	**01092**	**WAIVED**	2010/06/17	**1300.000**	

**Testing interval is in months;*
0 = No data for this constituent and is DUE NOW
999 = Waived testing (not required)
I = Invalid (NOT) valid analyses reported

System Number: ***1907013***

System Name: ***WAGON WHEEL PLAZA -SWEETWATER***

PS Code: ***1907013-001***

Source Name: ***WELL 01***

Source Number: ***001***

Source Status: ***ACTIVE UNTREATED***

Water type: ***GROUNDWATER OR WELL***

	STORET NUMBER	TESTING INTERVAL (MONTHS)*	LAST TEST DATE (yyyy/mm/dd)	LAST RESULT REPORTED	NEXT TEST DATE (yyyy/mm)
GENERAL NON CHAP 15					
DIAZINON	39570	WAIVED			
INORGANIC					
ALUMINUM	01105	WAIVED	2000/04/13	.000	
ANTIMONY	01097	WAIVED			
ARSENIC	01002	WAIVED	2000/04/13	3.000	
ASBESTOS	81855	WAIVED			
BARIUM	01007	WAIVED	2000/04/13	154.000	
BERYLLIUM	01012	WAIVED			
CADMIUM	01027	WAIVED	2000/04/13	.000	
CHROMIUM (TOTAL)	01034	WAIVED	2000/04/13	.000	
CYANIDE	01291	WAIVED			
FLUORIDE (F) (NATURAL-SOURCE)	00951	WAIVED	2000/04/13	.000	
LEAD	01051	WAIVED	2000/04/13	.000	
MERCURY	71900	WAIVED	2000/04/13	.000	
NICKEL	01067	WAIVED	2000/04/13	.000	
PERCHLORATE	A-031	WAIVED			
SELENIUM	01147	WAIVED	2000/04/13	.000	
THALLIUM	01059	WAIVED			
NITRATE/NITRITE					
NITRATE (AS NO3)	71850	WAIVED	2004/02/03	39.000	
NITRITE (AS N)	00620	WAIVED			
RADIOLOGICAL					
GROSS ALPHA	01501	WAIVED			
GROSS BETA	03501	WAIVED			
RA-226 FOR CWS OR TOTAL RA FOR NTNC BY 903.0	A-080	WAIVED			
RA-226 OR TOTAL RA BY 903.0 C.E.	A-081	WAIVED			
RADIUM 226	09501	WAIVED			
RADIUM 228	11501	WAIVED			

**Testing interval is in months;*
0 = No data for this constituent and is DUE NOW
999 = Waived testing (not required)
I = Invalid (NOT) valid analyses reported

System Number: ***1907013***

System Name: ***WAGON WHEEL PLAZA -SWEETWATER***

PS Code: ***1907013-001***

Source Name: ***WELL 01***

Source Number: ***001***

Source Status: ***ACTIVE UNTREATED***

Water type: ***GROUNDWATER OR WELL***

	STORET NUMBER	TESTING INTERVAL (MONTHS)*	LAST TEST DATE (yyyy/mm/dd)	LAST RESULT REPORTED	NEXT TEST DATE (yyyy/mm)
RADIOLOGICAL					
RADIUM, TOTAL, MDA95-NTNC ONLY, BY 903.0	A-082	WAIVED			
STRONTIUM-90	13501	WAIVED			
TRITIUM	07000	WAIVED			
URANIUM (PCI/L)	28012	WAIVED			
REGULATED SOC					
2,3,7,8-TCDD (DIOXIN)	34676	WAIVED			
2,4,5-TP (SILVEX)	39045	WAIVED			
2,4-D	39730	WAIVED			
ALACHLOR	77825	WAIVED			
ATRAZINE	39033	WAIVED			
BENTAZON	38710	WAIVED			
BENZO (A) PYRENE	34247	WAIVED			
CARBOFURAN	81405	WAIVED			
CHLORDANE	39350	WAIVED	1999/05/19	.000	
DALAPON	38432	WAIVED			
DI(2-ETHYLHEXYL)ADIPATE	A-026	WAIVED			
DI(2-ETHYLHEXYL)PHTHALATE	39100	WAIVED			
DIBROMOCHLOROPROPANE (DBCP)	38761	WAIVED			
DINOSEB	81287	WAIVED			
DIQUAT	78885	WAIVED			
ENDOTHALL	38926	WAIVED			
ENDRIN	39390	WAIVED	1999/05/19	.000	
ETHYLENE DIBROMIDE (EDB)	77651	WAIVED			
GLYPHOSATE	79743	WAIVED			
HEPTACHLOR	39410	WAIVED	1999/05/19	.000	
HEPTACHLOR EPOXIDE	39420	WAIVED	1999/05/19	.000	
HEXACHLOROBENZENE	39700	WAIVED			
HEXACHLOROCYCLOPENTADIENE	34386	WAIVED			
LINDANE	39340	WAIVED	1999/05/19	.000	

**Testing interval is in months;*
0 = No data for this constituent and is DUE NOW
999 = Waived testing (not required)
I = Invalid (NOT) valid analyses reported

System Number: ***1907013***

System Name: ***WAGON WHEEL PLAZA -SWEETWATER***

PS Code: ***1907013-001***

Source Name: ***WELL 01***

Source Number: ***001***

Source Status: ***ACTIVE UNTREATED***

Water type: ***GROUNDWATER OR WELL***

	STORET NUMBER	TESTING INTERVAL (MONTHS)*	LAST TEST DATE (yyyy/mm/dd)	LAST RESULT REPORTED	NEXT TEST DATE (yyyy/mm)
REGULATED SOC					
METHOXYCHLOR	39480	WAIVED	1999/05/19	.000	
MOLINATE	82199	WAIVED			
OXAMYL	38865	WAIVED			
PENTACHLOROPHENOL	39032	WAIVED			
PICLORAM	39720	WAIVED			
POLYCHLORINATED BIPHENYLS, TOTAL, AS DCB	39516	WAIVED			
SIMAZINE	39055	WAIVED			
THIOBENCARB	A-001	WAIVED			
TOXAPHENE	39400	WAIVED	1999/05/19	.000	
REGULATED VOC					
1,1,1-TRICHLOROETHANE	34506	WAIVED	1999/05/19	.000	
1,1,2,2-TETRACHLOROETHANE	34516	WAIVED	1999/05/19	.000	
1,1,2-TRICHLORO-1,2,2-TRIFLUOROETHANE	81611	WAIVED	1999/05/19	.000	
1,1,2-TRICHLOROETHANE	34511	WAIVED	1999/05/19	.000	
1,1-DICHLOROETHANE	34496	WAIVED	1999/05/19	.000	
1,1-DICHLOROETHYLENE	34501	WAIVED	1999/05/19	.000	
1,2,4-TRICHLOROBENZENE	34551	WAIVED	1999/05/19	.000	
1,2-DICHLOROBENZENE	34536	WAIVED	1999/05/19	.000	
1,2-DICHLOROETHANE	34531	WAIVED	1999/05/19	.000	
1,2-DICHLOROPROPANE	34541	WAIVED	1999/05/19	.000	
1,3-DICHLOROPROPENE (TOTAL)	34561	WAIVED	1999/05/19	.000	
1,4-DICHLOROBENZENE	34571	WAIVED	1999/05/19	.000	
BENZENE	34030	WAIVED	1999/05/19	.000	
CARBON TETRACHLORIDE	32102	WAIVED	1999/05/19	.000	
CIS-1,2-DICHLOROETHYLENE	77093	WAIVED	1999/05/19	.000	
DICHLOROMETHANE	34423	WAIVED	1999/05/19	.000	
ETHYLBENZENE	34371	WAIVED	1999/05/19	.000	
METHYL-TERT-BUTYL-ETHER (MTBE)	46491	WAIVED	1999/05/19	.000	
MONOCHLOROBENZENE	34301	WAIVED	1999/05/19	.000	

**Testing interval is in months;*
0 = No data for this constituent and is DUE NOW
999 = Waived testing (not required)
I = Invalid (NOT) valid analyses reported

System Number: ***1907013***

System Name: ***WAGON WHEEL PLAZA -SWEETWATER***

PS Code: ***1907013-001***

Source Name: ***WELL 01***

Source Number: ***001***

Source Status: ***ACTIVE UNTREATED***

Water type: ***GROUNDWATER OR WELL***

	STORET NUMBER	TESTING INTERVAL (MONTHS)*	LAST TEST DATE (yyyy/mm/dd)	LAST RESULT REPORTED	NEXT TEST DATE (yyyy/mm)
REGULATED VOC					
STYRENE	77128	WAIVED	1999/05/19	.000	
TETRACHLOROETHYLENE	34475	WAIVED	1999/05/19	.000	
TOLUENE	34010	WAIVED	1999/05/19	.000	
TRANS-1,2-DICHLOROETHYLENE	34546	WAIVED	1999/05/19	.000	
TRICHLOROETHYLENE	39180	WAIVED	1999/05/19	.000	
TRICHLOROFLUOROMETHANE	34488	WAIVED	1999/05/19	.000	
VINYL CHLORIDE	39175	WAIVED	1999/05/19	.000	
XYLENES (TOTAL)	81551	WAIVED	1999/05/19	.000	
SECONDARY/GP					
AGGRSSIVE INDEX (CORROSIVITY)	82383	WAIVED			
BICARBONATE ALKALINITY	00440	WAIVED	2000/04/13	211.000	
CALCIUM	00916	WAIVED	2000/04/13	70.000	
CARBONATE ALKALINITY	00445	WAIVED	2000/04/13	.000	
CHLORIDE	00940	WAIVED	2000/04/13	64.000	
COLOR	00081	WAIVED			
COPPER	01042	WAIVED	2000/04/13	.000	
FOAMING AGENTS (MBAS)	38260	WAIVED			
HARDNESS (TOTAL) AS CACO3	00900	WAIVED	2000/04/13	260.000	
HYDROXIDE ALKALINITY	71830	WAIVED	2000/04/13	.000	
IRON	01045	WAIVED	2000/04/13	.000	
MAGNESIUM	00927	WAIVED	2000/04/13	21.000	
MANGANESE	01055	WAIVED	2000/04/13	.000	
ODOR THRESHOLD @ 60 C	00086	WAIVED			
PH, LABORATORY	00403	WAIVED	2000/04/13	8.000	
SILVER	01077	WAIVED	2000/04/13	.000	
SODIUM	00929	WAIVED	2000/04/13	43.000	
SPECIFIC CONDUCTANCE	00095	WAIVED	2000/04/13	690.000	
SULFATE	00945	WAIVED	2000/04/13	45.000	
TOTAL DISSOLVED SOLIDS	70300	WAIVED	2000/04/13	462.000	

**Testing interval is in months;*
0 = No data for this constituent and is DUE NOW
999 = Waived testing (not required)
I = Invalid (NOT) valid analyses reported

System Number: ***1907013***

System Name: ***WAGON WHEEL PLAZA -SWEETWATER***

PS Code: ***1907013-001***

Source Name: ***WELL 01***

Source Number: ***001***

Source Status: ***ACTIVE UNTREATED***

Water type: ***GROUNDWATER OR WELL***

SECONDARY/GP	STORET NUMBER	TESTING INTERVAL (MONTHS)*	LAST TEST DATE (yyyy/mm/dd)	LAST RESULT REPORTED	NEXT TEST DATE (yyyy/mm)
TURBIDITY, LABORATORY	82079	WAIVED			
ZINC	01092	WAIVED	2000/04/13	.000	

**Testing interval is in months;*
0 = No data for this constituent and is DUE NOW
999 = Waived testing (not required)
I = Invalid (NOT) valid analyses reported

System Number: ***1907014***

System Name: ***NORTH TRAILS MUTUAL WATER CO***

PS Code: ***1907014-006***

Source Name: ***WELL 06 BACK UP***

Source Number: ***006***

Source Status: ***STANDBY UNTREATED***

Water type: ***GROUNDWATER OR WELL***

	STORET NUMBER	TESTING INTERVAL (MONTHS)*	LAST TEST DATE (yyyy/mm/dd)	LAST RESULT REPORTED	NEXT TEST DATE (yyyy/mm)
GENERAL NON CHAP 15					
DIAZINON	39570	WAIVED			
INORGANIC					
ALUMINUM	01105	WAIVED			
ANTIMONY	01097	WAIVED			
ARSENIC	01002	WAIVED			
ASBESTOS	81855	WAIVED			
BARIUM	01007	WAIVED			
BERYLLIUM	01012	WAIVED			
CADMIUM	01027	WAIVED			
CHROMIUM (TOTAL)	01034	WAIVED			
CYANIDE	01291	WAIVED			
FLUORIDE (F) (NATURAL-SOURCE)	00951	WAIVED			
LEAD	01051	WAIVED			
MERCURY	71900	WAIVED			
NICKEL	01067	WAIVED			
PERCHLORATE	A-031	WAIVED	2002/10/27	.000	
SELENIUM	01147	WAIVED			
THALLIUM	01059	WAIVED			
NITRATE/NITRITE					
NITRATE (AS NO3)	71850	WAIVED	2011/09/21	22.700	
NITRITE (AS N)	00620	WAIVED			
RADIOLOGICAL					
GROSS ALPHA	01501	WAIVED	2011/03/16	25.900	
GROSS BETA	03501	WAIVED			
RA-226 FOR CWS OR TOTAL RA FOR NTNC BY 903.0	A-080	WAIVED	2010/12/15	.151	
RA-226 OR TOTAL RA BY 903.0 C.E.	A-081	WAIVED	2010/12/15	.296	
RADIUM 226	09501	WAIVED			
RADIUM 228	11501	WAIVED			

**Testing interval is in months;*
0 = No data for this constituent and is DUE NOW
999 = Waived testing (not required)
I = Invalid (NOT) valid analyses reported

System Number: ***1907014***

System Name: ***NORTH TRAILS MUTUAL WATER CO***

PS Code: ***1907014-006***

Source Name: ***WELL 06 BACK UP***

Source Number: ***006***

Source Status: ***STANDBY UNTREATED***

Water type: ***GROUNDWATER OR WELL***

	STORET NUMBER	TESTING INTERVAL (MONTHS)*	LAST TEST DATE (yyyy/mm/dd)	LAST RESULT REPORTED	NEXT TEST DATE (yyyy/mm)
RADIOLOGICAL					
RADIUM, TOTAL, MDA95-NTNC ONLY, BY 903.0	A-082	WAIVED	2010/12/15	.659	
STRONTIUM-90	13501	WAIVED			
TRITIUM	07000	WAIVED			
URANIUM (PCI/L)	28012	WAIVED	2011/03/16	34.800	
REGULATED SOC					
2,3,7,8-TCDD (DIOXIN)	34676	WAIVED			
2,4,5-TP (SILVEX)	39045	WAIVED			
2,4-D	39730	WAIVED			
ALACHLOR	77825	WAIVED			
ATRAZINE	39033	WAIVED			
BENTAZON	38710	WAIVED			
BENZO (A) PYRENE	34247	WAIVED			
CARBOFURAN	81405	WAIVED			
CHLORDANE	39350	WAIVED			
DALAPON	38432	WAIVED			
DI(2-ETHYLHEXYL)ADIPATE	A-026	WAIVED			
DI(2-ETHYLHEXYL)PHTHALATE	39100	WAIVED			
DIBROMOCHLOROPROPANE (DBCP)	38761	WAIVED			
DINOSEB	81287	WAIVED			
DIQUAT	78885	WAIVED			
ENDOTHALL	38926	WAIVED			
ENDRIN	39390	WAIVED			
ETHYLENE DIBROMIDE (EDB)	77651	WAIVED			
GLYPHOSATE	79743	WAIVED			
HEPTACHLOR	39410	WAIVED			
HEPTACHLOR EPOXIDE	39420	WAIVED			
HEXACHLOROBENZENE	39700	WAIVED			
HEXACHLOROCYCLOPENTADIENE	34386	WAIVED			
LINDANE	39340	WAIVED			

**Testing interval is in months;*
0 = No data for this constituent and is DUE NOW
999 = Waived testing (not required)
I = Invalid (NOT) valid analyses reported

System Number: ***1907014***

System Name: ***NORTH TRAILS MUTUAL WATER CO***

PS Code: ***1907014-006***

Source Name: ***WELL 06 BACK UP***

Source Number: ***006***

Source Status: ***STANDBY UNTREATED***

Water type: ***GROUNDWATER OR WELL***

	STORET NUMBER	TESTING INTERVAL (MONTHS)*	LAST TEST DATE (yyyy/mm/dd)	LAST RESULT REPORTED	NEXT TEST DATE (yyyy/mm)
REGULATED SOC					
METHOXYCHLOR	39480	WAIVED			
MOLINATE	82199	WAIVED			
OXAMYL	38865	WAIVED			
PENTACHLOROPHENOL	39032	WAIVED			
PICLORAM	39720	WAIVED			
POLYCHLORINATED BIPHENYLS, TOTAL, AS DCB	39516	WAIVED			
SIMAZINE	39055	WAIVED			
THIOBENCARB	A-001	WAIVED			
TOXAPHENE	39400	WAIVED			
REGULATED VOC					
1,1,1-TRICHLOROETHANE	34506	WAIVED	2003/04/10	< .500	
1,1,2,2-TETRACHLOROETHANE	34516	WAIVED	2003/04/10	< .500	
1,1,2-TRICHLORO-1,2,2-TRIFLUOROETHANE	81611	WAIVED	2003/04/10	< .500	
1,1,2-TRICHLOROETHANE	34511	WAIVED	2003/04/10	< .500	
1,1-DICHLOROETHANE	34496	WAIVED	2003/04/10	< .500	
1,1-DICHLOROETHYLENE	34501	WAIVED	2003/04/10	< .500	
1,2,4-TRICHLOROBENZENE	34551	WAIVED	2003/04/10	< .500	
1,2-DICHLOROBENZENE	34536	WAIVED	2003/04/10	< .500	
1,2-DICHLOROETHANE	34531	WAIVED	2003/04/10	< .500	
1,2-DICHLOROPROPANE	34541	WAIVED	2003/04/10	< .500	
1,3-DICHLOROPROPENE (TOTAL)	34561	WAIVED	2003/04/10	< .500	
1,4-DICHLOROBENZENE	34571	WAIVED	2003/04/10	< .500	
BENZENE	34030	WAIVED	2003/04/10	< .500	
CARBON TETRACHLORIDE	32102	WAIVED	2003/04/10	< .500	
CIS-1,2-DICHLOROETHYLENE	77093	WAIVED	2003/04/10	< .500	
DICHLOROMETHANE	34423	WAIVED	2003/04/10	< .500	
ETHYLBENZENE	34371	WAIVED	2003/04/10	< .500	
METHYL-TERT-BUTYL-ETHER (MTBE)	46491	WAIVED	2003/04/10	< 3.000	
MONOCHLOROBENZENE	34301	WAIVED	2003/04/10	< .500	

**Testing interval is in months;*
0 = No data for this constituent and is DUE NOW
999 = Waived testing (not required)
I = Invalid (NOT) valid analyses reported

System Number: ***1907014***

System Name: ***NORTH TRAILS MUTUAL WATER CO***

PS Code: ***1907014-006***

Source Name: ***WELL 06 BACK UP***

Source Number: ***006***

Source Status: ***STANDBY UNTREATED***

Water type: ***GROUNDWATER OR WELL***

	STORET NUMBER	TESTING INTERVAL (MONTHS)*	LAST TEST DATE (yyyy/mm/dd)	LAST RESULT REPORTED	NEXT TEST DATE (yyyy/mm)
REGULATED VOC					
STYRENE	77128	WAIVED	2003/04/10	< .500	
TETRACHLOROETHYLENE	34475	WAIVED	2003/04/10	< .500	
TOLUENE	34010	WAIVED	2003/04/10	< .500	
TRANS-1,2-DICHLOROETHYLENE	34546	WAIVED	2003/04/10	< .500	
TRICHLOROETHYLENE	39180	WAIVED	2003/04/10	< .500	
TRICHLOROFLUOROMETHANE	34488	WAIVED	2003/04/10	< .500	
VINYL CHLORIDE	39175	WAIVED	2003/04/10	< .500	
XYLENES (TOTAL)	81551	WAIVED	2003/04/10	< .500	
SECONDARY/GP					
AGGRSSIVE INDEX (CORROSIVITY)	82383	WAIVED			
BICARBONATE ALKALINITY	00440	WAIVED			
CALCIUM	00916	WAIVED			
CARBONATE ALKALINITY	00445	WAIVED			
CHLORIDE	00940	WAIVED			
COLOR	00081	WAIVED			
COPPER	01042	WAIVED			
FOAMING AGENTS (MBAS)	38260	WAIVED			
HARDNESS (TOTAL) AS CACO3	00900	WAIVED			
HYDROXIDE ALKALINITY	71830	WAIVED			
IRON	01045	WAIVED			
MAGNESIUM	00927	WAIVED			
MANGANESE	01055	WAIVED			
ODOR THRESHOLD @ 60 C	00086	WAIVED			
PH, LABORATORY	00403	WAIVED			
SILVER	01077	WAIVED			
SODIUM	00929	WAIVED			
SPECIFIC CONDUCTANCE	00095	WAIVED			
SULFATE	00945	WAIVED			
TOTAL DISSOLVED SOLIDS	70300	WAIVED			

**Testing interval is in months;*
0 = No data for this constituent and is DUE NOW
999 = Waived testing (not required)
I = Invalid (NOT) valid analyses reported

System Number: ***1907014***

System Name: ***NORTH TRAILS MUTUAL WATER CO***

PS Code: ***1907014-006***

Source Name: ***WELL 06 BACK UP***

Source Number: ***006***

Source Status: ***STANDBY UNTREATED***

Water type: ***GROUNDWATER OR WELL***

	STORET NUMBER	TESTING INTERVAL (MONTHS)*	LAST TEST DATE (yyyy/mm/dd)	LAST RESULT REPORTED	NEXT TEST DATE (yyyy/mm)
SECONDARY/GP					
TURBIDITY, LABORATORY	82079	WAIVED			
ZINC	01092	WAIVED			

PS Code: ***1907014-007***

Source Name: ***WELL 07***

Source Number: ***007***

Source Status: ***ACTIVE UNTREATED***

Water type: ***GROUNDWATER OR WELL***

GENERAL NON CHAP 15					
DIAZINON	39570	WAIVED			
INORGANIC					
ALUMINUM	01105	WAIVED	2006/02/21	.000	
ANTIMONY	01097	WAIVED			
ARSENIC	01002	WAIVED	2006/02/21	2.450	
ASBESTOS	81855	WAIVED			
BARIUM	01007	WAIVED			
BERYLLIUM	01012	WAIVED			
CADMIUM	01027	WAIVED	2006/02/21	.000	
CHROMIUM (TOTAL)	01034	WAIVED	2006/02/21	.000	
CYANIDE	01291	WAIVED			
FLUORIDE (F) (NATURAL-SOURCE)	00951	WAIVED	2006/02/21	.840	
LEAD	01051	WAIVED	2006/02/21	.000	
MERCURY	71900	WAIVED	2006/02/21	.000	
NICKEL	01067	WAIVED	2006/02/21	.000	
PERCHLORATE	A-031	WAIVED	2002/10/27	.000	
SELENIUM	01147	WAIVED	2006/02/21	.000	
THALLIUM	01059	WAIVED			

**Testing interval is in months;*
0 = No data for this constituent and is DUE NOW
999 = Waived testing (not required)
I = Invalid (NOT) valid analyses reported

System Number: ***1907014***

System Name: ***NORTH TRAILS MUTUAL WATER CO***

PS Code: ***1907014-007***

Source Name: ***WELL 07***

Source Number: ***007***

Source Status: ***ACTIVE UNTREATED***

Water type: ***GROUNDWATER OR WELL***

	STORET NUMBER	TESTING INTERVAL (MONTHS)*	LAST TEST DATE (yyyy/mm/dd)	LAST RESULT REPORTED	NEXT TEST DATE (yyyy/mm)
NITRATE/NITRITE					
NITRATE (AS NO3)	71850	WAIVED	2012/03/21	5.900	
NITRITE (AS N)	00620	WAIVED			
RADIOLOGICAL					
GROSS ALPHA	01501	WAIVED	2012/03/21	3.970	
GROSS BETA	03501	WAIVED			
RA-226 FOR CWS OR TOTAL RA FOR NTNC BY 903.0	A-080	WAIVED			
RA-226 OR TOTAL RA BY 903.0 C.E.	A-081	WAIVED			
RADIUM 226	09501	WAIVED			
RADIUM 228	11501	WAIVED			
RADIUM, TOTAL, MDA95-NTNC ONLY, BY 903.0	A-082	WAIVED			
STRONTIUM-90	13501	WAIVED			
TRITIUM	07000	WAIVED			
URANIUM (PCI/L)	28012	WAIVED	2012/03/21	2.360	
REGULATED SOC					
2,3,7,8-TCDD (DIOXIN)	34676	WAIVED			
2,4,5-TP (SILVEX)	39045	WAIVED			
2,4-D	39730	WAIVED			
ALACHLOR	77825	WAIVED	2002/05/16	.000	
ATRAZINE	39033	WAIVED			
BENTAZON	38710	WAIVED			
BENZO (A) PYRENE	34247	WAIVED			
CARBOFURAN	81405	WAIVED			
CHLORDANE	39350	WAIVED	2002/05/16	.000	
DALAPON	38432	WAIVED			
DI(2-ETHYLHEXYL)ADIPATE	A-026	WAIVED			
DI(2-ETHYLHEXYL)PHTHALATE	39100	WAIVED			
DIBROMOCHLOROPROPANE (DBCP)	38761	WAIVED			
DINOSEB	81287	WAIVED			
DIQUAT	78885	WAIVED			

**Testing interval is in months;*
0 = No data for this constituent and is DUE NOW
999 = Waived testing (not required)
I = Invalid (NOT) valid analyses reported

System Number: ***1907014***

System Name: ***NORTH TRAILS MUTUAL WATER CO***

PS Code: ***1907014-007***

Source Name: ***WELL 07***

Source Number: ***007***

Source Status: ***ACTIVE UNTREATED***

Water type: ***GROUNDWATER OR WELL***

	STORET NUMBER	TESTING INTERVAL (MONTHS)*	LAST TEST DATE (yyyy/mm/dd)	LAST RESULT REPORTED	NEXT TEST DATE (yyyy/mm)
REGULATED SOC					
ENDOTHALL	38926	WAIVED			
ENDRIN	39390	WAIVED	2002/05/16	.000	
ETHYLENE DIBROMIDE (EDB)	77651	WAIVED			
GLYPHOSATE	79743	WAIVED			
HEPTACHLOR	39410	WAIVED	2002/05/16	.000	
HEPTACHLOR EPOXIDE	39420	WAIVED	2002/05/16	.000	
HEXACHLOROBENZENE	39700	WAIVED	2002/05/16	.000	
HEXACHLOROCYCLOPENTADIENE	34386	WAIVED	2002/05/16	.000	
LINDANE	39340	WAIVED	2002/05/16	.000	
METHOXYCHLOR	39480	WAIVED	2002/05/16	.000	
MOLINATE	82199	WAIVED			
OXAMYL	38865	WAIVED			
PENTACHLOROPHENOL	39032	WAIVED			
PICLORAM	39720	WAIVED			
POLYCHLORINATED BIPHENYLS, TOTAL, AS DCB	39516	WAIVED	2002/05/16	.000	
SIMAZINE	39055	WAIVED			
THIOBENCARB	A-001	WAIVED			
TOXAPHENE	39400	WAIVED	2002/05/16	.000	
REGULATED VOC					
1,1,1-TRICHLOROETHANE	34506	WAIVED	2003/04/10	< .500	
1,1,2,2-TETRACHLOROETHANE	34516	WAIVED	2003/04/10	< .500	
1,1,2-TRICHLORO-1,2,2-TRIFLUOROETHANE	81611	WAIVED	2003/04/10	< .500	
1,1,2-TRICHLOROETHANE	34511	WAIVED	2003/04/10	< .500	
1,1-DICHLOROETHANE	34496	WAIVED	2003/04/10	< .500	
1,1-DICHLOROETHYLENE	34501	WAIVED	2003/04/10	< .500	
1,2,4-TRICHLOROBENZENE	34551	WAIVED	2003/04/10	< .500	
1,2-DICHLOROBENZENE	34536	WAIVED	2003/04/10	< .500	
1,2-DICHLOROETHANE	34531	WAIVED	2003/04/10	< .500	
1,2-DICHLOROPROPANE	34541	WAIVED	2003/04/10	< .500	

**Testing interval is in months;*
0 = No data for this constituent and is DUE NOW
999 = Waived testing (not required)
I = Invalid (NOT) valid analyses reported

System Number: ***1907014***

System Name: ***NORTH TRAILS MUTUAL WATER CO***

PS Code: ***1907014-007***

Source Name: ***WELL 07***

Source Number: ***007***

Source Status: ***ACTIVE UNTREATED***

Water type: ***GROUNDWATER OR WELL***

	STORET NUMBER	TESTING INTERVAL (MONTHS)*	LAST TEST DATE (yyyy/mm/dd)	LAST RESULT REPORTED	NEXT TEST DATE (yyyy/mm)
REGULATED VOC					
1,3-DICHLOROPROPENE (TOTAL)	34561	WAIVED	2003/04/10	< .500	
1,4-DICHLOROBENZENE	34571	WAIVED	2003/04/10	< .500	
BENZENE	34030	WAIVED	2003/04/10	< .500	
CARBON TETRACHLORIDE	32102	WAIVED	2003/04/10	< .500	
CIS-1,2-DICHLOROETHYLENE	77093	WAIVED	2003/04/10	< .500	
DICHLOROMETHANE	34423	WAIVED	2003/04/10	< .500	
ETHYLBENZENE	34371	WAIVED	2003/04/10	< .500	
METHYL-TERT-BUTYL-ETHER (MTBE)	46491	WAIVED	2003/04/10	< 3.000	
MONOCHLOROBENZENE	34301	WAIVED	2003/04/10	< .500	
STYRENE	77128	WAIVED	2003/04/10	< .500	
TETRACHLOROETHYLENE	34475	WAIVED	2003/04/10	< .500	
TOLUENE	34010	WAIVED	2003/04/10	< .500	
TRANS-1,2-DICHLOROETHYLENE	34546	WAIVED	2003/04/10	< .500	
TRICHLOROETHYLENE	39180	WAIVED	2003/04/10	< .500	
TRICHLOROFLUOROMETHANE	34488	WAIVED	2003/04/10	< .500	
VINYL CHLORIDE	39175	WAIVED	2003/04/10	< .500	
XYLENES (TOTAL)	81551	WAIVED	2003/04/10	< .500	
SECONDARY/GP					
AGGRSSIVE INDEX (CORROSIVITY)	82383	WAIVED			
BICARBONATE ALKALINITY	00440	WAIVED	2006/02/21	242.000	
CALCIUM	00916	WAIVED	2006/02/21	60.100	
CARBONATE ALKALINITY	00445	WAIVED	2006/02/21	.000	
CHLORIDE	00940	WAIVED	2006/02/21	80.400	
COLOR	00081	WAIVED			
COPPER	01042	WAIVED	2006/02/21	.000	
FOAMING AGENTS (MBAS)	38260	WAIVED			
HARDNESS (TOTAL) AS CACO3	00900	WAIVED	2006/02/21	250.000	
HYDROXIDE ALKALINITY	71830	WAIVED	2006/02/21	.000	
IRON	01045	WAIVED	2006/02/21	.000	

**Testing interval is in months;*
0 = No data for this constituent and is DUE NOW
999 = Waived testing (not required)
I = Invalid (NOT) valid analyses reported

System Number: ***1907014***

System Name: ***NORTH TRAILS MUTUAL WATER CO***

PS Code: ***1907014-007***

Source Name: ***WELL 07***

Source Number: ***007***

Source Status: ***ACTIVE UNTREATED***

Water type: ***GROUNDWATER OR WELL***

SECONDARY/GP

	STORET NUMBER	TESTING INTERVAL (MONTHS)*	LAST TEST DATE (yyyy/mm/dd)	LAST RESULT REPORTED	NEXT TEST DATE (yyyy/mm)
MAGNESIUM	00927	WAIVED	2006/02/21	24.300	
MANGANESE	01055	WAIVED	2006/02/21	.000	
ODOR THRESHOLD @ 60 C	00086	WAIVED			
PH, LABORATORY	00403	WAIVED	2006/02/21	7.800	
SILVER	01077	WAIVED	2006/02/21	.000	
SODIUM	00929	WAIVED	2006/02/21	78.300	
SPECIFIC CONDUCTANCE	00095	WAIVED			
SULFATE	00945	WAIVED	2006/02/21	44.100	
TOTAL DISSOLVED SOLIDS	70300	WAIVED	2006/02/21	500.000	
TURBIDITY, LABORATORY	82079	WAIVED			
ZINC	01092	WAIVED	2006/02/21	.000	

**Testing interval is in months;*
0 = No data for this constituent and is DUE NOW
999 = Waived testing (not required)
I = Invalid (NOT) valid analyses reported

System Number: 1907015
System Name: KIRK BUSINESS CENTER

PS Code: 1907015-001
Source Name: WELL 01
Source Number: 001
Source Status: ACTIVE UNTREATED
Water type: GROUNDWATER OR WELL

	STORET NUMBER	TESTING INTERVAL (MONTHS)*	LAST TEST DATE (yyyy/mm/dd)	LAST RESULT REPORTED	NEXT TEST DATE (yyyy/mm)
GENERAL NON CHAP 15					
DIAZINON	39570	WAIVED			
INORGANIC					
ALUMINUM	01105	WAIVED	2006/02/21	.000	
ANTIMONY	01097	WAIVED	2000/03/14	.000	
ARSENIC	01002	WAIVED	2006/02/21	.000	
ASBESTOS	81855	WAIVED			
BARIUM	01007	WAIVED	2000/03/14	116.000	
BERYLLIUM	01012	WAIVED			
CADMIUM	01027	WAIVED	2006/02/21	.000	
CHROMIUM (TOTAL)	01034	WAIVED	2006/02/21	.000	
CYANIDE	01291	WAIVED			
FLUORIDE (F) (NATURAL-SOURCE)	00951	WAIVED	2006/02/21	.430	
LEAD	01051	WAIVED	2006/02/21	.000	
MERCURY	71900	WAIVED	2006/02/21	.000	
NICKEL	01067	WAIVED	2006/02/21	.000	
PERCHLORATE	A-031	WAIVED			
SELENIUM	01147	WAIVED	2006/02/21	.000	
THALLIUM	01059	WAIVED			
NITRATE/NITRITE					
NITRATE (AS NO3)	71850	WAIVED	2006/02/21	42.700	
NITRITE (AS N)	00620	WAIVED			
RADIOLOGICAL					
GROSS ALPHA	01501	WAIVED			
GROSS BETA	03501	WAIVED			
RA-226 FOR CWS OR TOTAL RA FOR NTNC BY 903.0	A-080	WAIVED			
RA-226 OR TOTAL RA BY 903.0 C.E.	A-081	WAIVED			
RADIUM 226	09501	WAIVED			
RADIUM 228	11501	WAIVED			

**Testing interval is in months;*
0 = No data for this constituent and is DUE NOW
999 = Waived testing (not required)
I = Invalid (NOT) valid analyses reported

System Number: ***1907015***

System Name: ***KIRK BUSINESS CENTER***

PS Code: ***1907015-001***

Source Name: ***WELL 01***

Source Number: ***001***

Source Status: ***ACTIVE UNTREATED***

Water type: ***GROUNDWATER OR WELL***

	STORET NUMBER	TESTING INTERVAL (MONTHS)*	LAST TEST DATE (yyyy/mm/dd)	LAST RESULT REPORTED	NEXT TEST DATE (yyyy/mm)
RADIOLOGICAL					
RADIUM, TOTAL, MDA95-NTNC ONLY, BY 903.0	A-082	WAIVED			
STRONTIUM-90	13501	WAIVED			
TRITIUM	07000	WAIVED			
URANIUM (PCI/L)	28012	WAIVED			
REGULATED SOC					
2,3,7,8-TCDD (DIOXIN)	34676	WAIVED			
2,4,5-TP (SILVEX)	39045	WAIVED			
2,4-D	39730	WAIVED			
ALACHLOR	77825	WAIVED			
ATRAZINE	39033	WAIVED			
BENTAZON	38710	WAIVED			
BENZO (A) PYRENE	34247	WAIVED			
CARBOFURAN	81405	WAIVED			
CHLORDANE	39350	WAIVED			
DALAPON	38432	WAIVED			
DI(2-ETHYLHEXYL)ADIPATE	A-026	WAIVED			
DI(2-ETHYLHEXYL)PHTHALATE	39100	WAIVED			
DIBROMOCHLOROPROPANE (DBCP)	38761	WAIVED			
DINOSEB	81287	WAIVED			
DIQUAT	78885	WAIVED			
ENDOTHALL	38926	WAIVED			
ENDRIN	39390	WAIVED			
ETHYLENE DIBROMIDE (EDB)	77651	WAIVED			
GLYPHOSATE	79743	WAIVED			
HEPTACHLOR	39410	WAIVED			
HEPTACHLOR EPOXIDE	39420	WAIVED			
HEXACHLOROBENZENE	39700	WAIVED			
HEXACHLOROCYCLOPENTADIENE	34386	WAIVED			
LINDANE	39340	WAIVED			

**Testing interval is in months;*
0 = No data for this constituent and is DUE NOW
999 = Waived testing (not required)
I = Invalid (NOT) valid analyses reported

System Number: ***1907015***

System Name: ***KIRK BUSINESS CENTER***

PS Code: ***1907015-001***

Source Name: ***WELL 01***

Source Number: ***001***

Source Status: ***ACTIVE UNTREATED***

Water type: ***GROUNDWATER OR WELL***

	STORET NUMBER	TESTING INTERVAL (MONTHS)*	LAST TEST DATE (yyyy/mm/dd)	LAST RESULT REPORTED	NEXT TEST DATE (yyyy/mm)
REGULATED SOC					
METHOXYCHLOR	39480	WAIVED			
MOLINATE	82199	WAIVED			
OXAMYL	38865	WAIVED			
PENTACHLOROPHENOL	39032	WAIVED			
PICLORAM	39720	WAIVED			
POLYCHLORINATED BIPHENYLS, TOTAL, AS DCB	39516	WAIVED			
SIMAZINE	39055	WAIVED			
THIOBENCARB	A-001	WAIVED			
TOXAPHENE	39400	WAIVED			
REGULATED VOC					
1,1,1-TRICHLOROETHANE	34506	WAIVED			
1,1,2,2-TETRACHLOROETHANE	34516	WAIVED			
1,1,2-TRICHLORO-1,2,2-TRIFLUOROETHANE	81611	WAIVED			
1,1,2-TRICHLOROETHANE	34511	WAIVED			
1,1-DICHLOROETHANE	34496	WAIVED			
1,1-DICHLOROETHYLENE	34501	WAIVED			
1,2,4-TRICHLOROBENZENE	34551	WAIVED			
1,2-DICHLOROBENZENE	34536	WAIVED			
1,2-DICHLOROETHANE	34531	WAIVED			
1,2-DICHLOROPROPANE	34541	WAIVED			
1,3-DICHLOROPROPENE (TOTAL)	34561	WAIVED			
1,4-DICHLOROBENZENE	34571	WAIVED			
BENZENE	34030	WAIVED			
CARBON TETRACHLORIDE	32102	WAIVED			
CIS-1,2-DICHLOROETHYLENE	77093	WAIVED			
DICHLOROMETHANE	34423	WAIVED			
ETHYLBENZENE	34371	WAIVED			
METHYL-TERT-BUTYL-ETHER (MTBE)	46491	WAIVED			
MONOCHLOROBENZENE	34301	WAIVED			

**Testing interval is in months;*
0 = No data for this constituent and is DUE NOW
999 = Waived testing (not required)
I = Invalid (NOT) valid analyses reported

System Number: ***1907015***

System Name: ***KIRK BUSINESS CENTER***

PS Code: ***1907015-001***

Source Name: ***WELL 01***

Source Number: ***001***

Source Status: ***ACTIVE UNTREATED***

Water type: ***GROUNDWATER OR WELL***

	STORET NUMBER	TESTING INTERVAL (MONTHS)*	LAST TEST DATE (yyyy/mm/dd)	LAST RESULT REPORTED	NEXT TEST DATE (yyyy/mm)
REGULATED VOC					
STYRENE	77128	WAIVED			
TETRACHLOROETHYLENE	34475	WAIVED			
TOLUENE	34010	WAIVED			
TRANS-1,2-DICHLOROETHYLENE	34546	WAIVED			
TRICHLOROETHYLENE	39180	WAIVED			
TRICHLOROFLUOROMETHANE	34488	WAIVED			
VINYL CHLORIDE	39175	WAIVED			
XYLENES (TOTAL)	81551	WAIVED			
SECONDARY/GP					
AGGRSSIVE INDEX (CORROSIVITY)	82383	WAIVED			
BICARBONATE ALKALINITY	00440	WAIVED	2006/02/21	227.000	
CALCIUM	00916	WAIVED	2006/02/21	76.200	
CARBONATE ALKALINITY	00445	WAIVED	2006/02/21	.000	
CHLORIDE	00940	WAIVED	2006/02/21	69.000	
COLOR	00081	WAIVED			
COPPER	01042	WAIVED	2006/02/21	.000	
FOAMING AGENTS (MBAS)	38260	WAIVED			
HARDNESS (TOTAL) AS CACO3	00900	WAIVED	2006/02/21	310.000	
HYDROXIDE ALKALINITY	71830	WAIVED	2006/02/21	.000	
IRON	01045	WAIVED	2006/02/21	.000	
MAGNESIUM	00927	WAIVED	2006/02/21	29.200	
MANGANESE	01055	WAIVED	2006/02/21	.000	
ODOR THRESHOLD @ 60 C	00086	WAIVED			
PH, LABORATORY	00403	WAIVED	2006/02/21	7.840	
SILVER	01077	WAIVED	2006/02/21	.000	
SODIUM	00929	WAIVED	2006/02/21	40.300	
SPECIFIC CONDUCTANCE	00095	WAIVED	2000/03/14	686.000	
SULFATE	00945	WAIVED	2006/02/21	61.700	
TOTAL DISSOLVED SOLIDS	70300	WAIVED	2006/02/21	432.000	

**Testing interval is in months;*
0 = No data for this constituent and is DUE NOW
999 = Waived testing (not required)
I = Invalid (NOT) valid analyses reported

System Number: ***1907015***

System Name: ***KIRK BUSINESS CENTER***

PS Code: ***1907015-001***

Source Name: ***WELL 01***

Source Number: ***001***

Source Status: ***ACTIVE UNTREATED***

Water type: ***GROUNDWATER OR WELL***

	STORET NUMBER	TESTING INTERVAL (MONTHS)*	LAST TEST DATE (yyyy/mm/dd)	LAST RESULT REPORTED	NEXT TEST DATE (yyyy/mm)
SECONDARY/GP					
TURBIDITY, LABORATORY	**82079**	**WAIVED**			
ZINC	**01092**	**WAIVED**	2006/02/21	**258.000**	

**Testing interval is in months;*
0 = No data for this constituent and is DUE NOW
999 = Waived testing (not required)
I = Invalid (NOT) valid analyses reported

System Number: ***1907016***

System Name: ***AGUA DULCE CHRISTIAN CHURCH***

PS Code: ***1907016-001***

Source Name: ***WELL 01***

Source Number: ***001***

Source Status: ***ACTIVE UNTREATED***

Water type: ***GROUNDWATER OR WELL***

	STORET NUMBER	TESTING INTERVAL (MONTHS)*	LAST TEST DATE (yyyy/mm/dd)	LAST RESULT REPORTED	NEXT TEST DATE (yyyy/mm)
GENERAL NON CHAP 15					
DIAZINON	39570	WAIVED			
INORGANIC					
ALUMINUM	01105	WAIVED	2008/01/14	.000	
ANTIMONY	01097	WAIVED	2008/01/14	.000	
ARSENIC	01002	WAIVED	2008/01/14	.000	
ASBESTOS	81855	WAIVED			
BARIUM	01007	WAIVED	2008/01/14	110.000	
BERYLLIUM	01012	WAIVED	2008/01/14	.000	
CADMIUM	01027	WAIVED	2008/01/14	.000	
CHROMIUM (TOTAL)	01034	WAIVED	2000/03/07	.000	
CYANIDE	01291	WAIVED			
FLUORIDE (F) (NATURAL-SOURCE)	00951	WAIVED	2008/01/14	1.000	
LEAD	01051	WAIVED	2008/01/14	.000	
MERCURY	71900	WAIVED	2008/01/14	.000	
NICKEL	01067	WAIVED	2008/01/14	.000	
PERCHLORATE	A-031	WAIVED	2008/08/11	< 4.000	
SELENIUM	01147	WAIVED	2008/01/14	.000	
THALLIUM	01059	WAIVED	2008/01/14	.000	
NITRATE/NITRITE					
NITRATE (AS NO3)	71850	WAIVED	2010/10/07	3.300	
NITRITE (AS N)	00620	WAIVED	2010/10/07	< 50.000	
RADIOLOGICAL					
GROSS ALPHA	01501	WAIVED			
GROSS BETA	03501	WAIVED			
RA-226 FOR CWS OR TOTAL RA FOR NTNC BY 903.0	A-080	WAIVED			
RA-226 OR TOTAL RA BY 903.0 C.E.	A-081	WAIVED			
RADIUM 226	09501	WAIVED			
RADIUM 228	11501	WAIVED			

**Testing interval is in months;*
0 = No data for this constituent and is DUE NOW
999 = Waived testing (not required)
I = Invalid (NOT) valid analyses reported

System Number: ***1907016***

System Name: ***AGUA DULCE CHRISTIAN CHURCH***

PS Code: ***1907016-001***

Source Name: ***WELL 01***

Source Number: ***001***

Source Status: ***ACTIVE UNTREATED***

Water type: ***GROUNDWATER OR WELL***

	STORET NUMBER	TESTING INTERVAL (MONTHS)*	LAST TEST DATE (yyyy/mm/dd)	LAST RESULT REPORTED	NEXT TEST DATE (yyyy/mm)
RADIOLOGICAL					
RADIUM, TOTAL, MDA95-NTNC ONLY, BY 903.0	A-082	WAIVED			
STRONTIUM-90	13501	WAIVED			
TRITIUM	07000	WAIVED			
URANIUM (PCI/L)	28012	WAIVED			
REGULATED SOC					
2,3,7,8-TCDD (DIOXIN)	34676	WAIVED			
2,4,5-TP (SILVEX)	39045	WAIVED			
2,4-D	39730	WAIVED			
ALACHLOR	77825	WAIVED			
ATRAZINE	39033	WAIVED			
BENTAZON	38710	WAIVED			
BENZO (A) PYRENE	34247	WAIVED			
CARBOFURAN	81405	WAIVED			
CHLORDANE	39350	WAIVED			
DALAPON	38432	WAIVED			
DI(2-ETHYLHEXYL)ADIPATE	A-026	WAIVED			
DI(2-ETHYLHEXYL)PHTHALATE	39100	WAIVED			
DIBROMOCHLOROPROPANE (DBCP)	38761	WAIVED			
DINOSEB	81287	WAIVED			
DIQUAT	78885	WAIVED	2008/04/02	.000	
ENDOTHALL	38926	WAIVED			
ENDRIN	39390	WAIVED			
ETHYLENE DIBROMIDE (EDB)	77651	WAIVED			
GLYPHOSATE	79743	WAIVED			
HEPTACHLOR	39410	WAIVED			
HEPTACHLOR EPOXIDE	39420	WAIVED			
HEXACHLOROBENZENE	39700	WAIVED			
HEXACHLOROCYCLOPENTADIENE	34386	WAIVED			
LINDANE	39340	WAIVED			

**Testing interval is in months;*
0 = No data for this constituent and is DUE NOW
999 = Waived testing (not required)
I = Invalid (NOT) valid analyses reported

System Number: ***1907016***

System Name: ***AGUA DULCE CHRISTIAN CHURCH***

PS Code: ***1907016-001***

Source Name: ***WELL 01***

Source Number: ***001***

Source Status: ***ACTIVE UNTREATED***

Water type: ***GROUNDWATER OR WELL***

	STORET NUMBER	TESTING INTERVAL (MONTHS)*	LAST TEST DATE (yyyy/mm/dd)	LAST RESULT REPORTED	NEXT TEST DATE (yyyy/mm)
REGULATED SOC					
METHOXYCHLOR	39480	WAIVED			
MOLINATE	82199	WAIVED			
OXAMYL	38865	WAIVED			
PENTACHLOROPHENOL	39032	WAIVED			
PICLORAM	39720	WAIVED			
POLYCHLORINATED BIPHENYLS, TOTAL, AS DCB	39516	WAIVED			
SIMAZINE	39055	WAIVED			
THIOBENCARB	A-001	WAIVED			
TOXAPHENE	39400	WAIVED			
REGULATED VOC					
1,1,1-TRICHLOROETHANE	34506	WAIVED			
1,1,2,2-TETRACHLOROETHANE	34516	WAIVED			
1,1,2-TRICHLORO-1,2,2-TRIFLUOROETHANE	81611	WAIVED			
1,1,2-TRICHLOROETHANE	34511	WAIVED			
1,1-DICHLOROETHANE	34496	WAIVED			
1,1-DICHLOROETHYLENE	34501	WAIVED			
1,2,4-TRICHLOROBENZENE	34551	WAIVED			
1,2-DICHLOROBENZENE	34536	WAIVED			
1,2-DICHLOROETHANE	34531	WAIVED			
1,2-DICHLOROPROPANE	34541	WAIVED			
1,3-DICHLOROPROPENE (TOTAL)	34561	WAIVED			
1,4-DICHLOROBENZENE	34571	WAIVED			
BENZENE	34030	WAIVED			
CARBON TETRACHLORIDE	32102	WAIVED			
CIS-1,2-DICHLOROETHYLENE	77093	WAIVED			
DICHLOROMETHANE	34423	WAIVED			
ETHYLBENZENE	34371	WAIVED			
METHYL-TERT-BUTYL-ETHER (MTBE)	46491	WAIVED			
MONOCHLOROBENZENE	34301	WAIVED			

**Testing interval is in months;*
0 = No data for this constituent and is DUE NOW
999 = Waived testing (not required)
I = Invalid (NOT) valid analyses reported

System Number: ***1907016***

System Name: ***AGUA DULCE CHRISTIAN CHURCH***

PS Code: ***1907016-001***

Source Name: ***WELL 01***

Source Number: ***001***

Source Status: ***ACTIVE UNTREATED***

Water type: ***GROUNDWATER OR WELL***

	STORET NUMBER	TESTING INTERVAL (MONTHS)*	LAST TEST DATE (yyyy/mm/dd)	LAST RESULT REPORTED	NEXT TEST DATE (yyyy/mm)
REGULATED VOC					
STYRENE	77128	WAIVED			
TETRACHLOROETHYLENE	34475	WAIVED			
TOLUENE	34010	WAIVED			
TRANS-1,2-DICHLOROETHYLENE	34546	WAIVED			
TRICHLOROETHYLENE	39180	WAIVED			
TRICHLOROFLUOROMETHANE	34488	WAIVED			
VINYL CHLORIDE	39175	WAIVED			
XYLENES (TOTAL)	81551	WAIVED			
SECONDARY/GP					
AGGRSSIVE INDEX (CORROSIVITY)	82383	WAIVED	2008/01/14	12.000	
BICARBONATE ALKALINITY	00440	WAIVED	2008/01/14	490.000	
CALCIUM	00916	WAIVED	2008/01/14	40.000	
CARBONATE ALKALINITY	00445	WAIVED	2008/01/14	< 1.000	
CHLORIDE	00940	WAIVED	2008/01/14	45.000	
COLOR	00081	WAIVED	2008/01/14	< 1.000	
COPPER	01042	WAIVED	2008/01/14	.000	
FOAMING AGENTS (MBAS)	38260	WAIVED	2008/01/14	< .050	
HARDNESS (TOTAL) AS CACO3	00900	WAIVED	2008/01/14	300.000	
HYDROXIDE ALKALINITY	71830	WAIVED	2008/01/14	< 1.000	
IRON	01045	WAIVED	2008/01/14	.000	
MAGNESIUM	00927	WAIVED	2008/01/14	48.000	
MANGANESE	01055	WAIVED	2008/01/14	.000	
ODOR THRESHOLD @ 60 C	00086	WAIVED	2008/01/14	.000	
PH, LABORATORY	00403	WAIVED	2008/01/14	7.900	
SILVER	01077	WAIVED	2008/01/14	.000	
SODIUM	00929	WAIVED	2008/01/14	69.000	
SPECIFIC CONDUCTANCE	00095	WAIVED	2008/01/14	800.000	
SULFATE	00945	WAIVED	2008/01/14	36.000	
TOTAL DISSOLVED SOLIDS	70300	WAIVED	2008/01/14	480.000	

**Testing interval is in months;*
0 = No data for this constituent and is DUE NOW
999 = Waived testing (not required)
I = Invalid (NOT) valid analyses reported

System Number: ***1907016***

System Name: ***AGUA DULCE CHRISTIAN CHURCH***

PS Code: ***1907016-001***

Source Name: ***WELL 01***

Source Number: ***001***

Source Status: ***ACTIVE UNTREATED***

Water type: ***GROUNDWATER OR WELL***

SECONDARY/GP

	STORET NUMBER	TESTING INTERVAL (MONTHS)*	LAST TEST DATE (yyyy/mm/dd)	LAST RESULT REPORTED	NEXT TEST DATE (yyyy/mm)
TURBIDITY, LABORATORY	82079	WAIVED	2008/01/14	.200	
ZINC	01092	WAIVED	2008/01/14	2600.000	

**Testing interval is in months;*
0 = No data for this constituent and is DUE NOW
999 = Waived testing (not required)
I = Invalid (NOT) valid analyses reported

System Number: ***1907018***

System Name: ***SUMMERHILL EQUESTRIAN CENTER***

PS Code: ***1907018-001***

Source Name: ***WELL 01***

Source Number: ***001***

Source Status: ***ACTIVE UNTREATED***

Water type: ***GROUNDWATER OR WELL***

	STORET NUMBER	TESTING INTERVAL (MONTHS)*	LAST TEST DATE (yyyy/mm/dd)	LAST RESULT REPORTED	NEXT TEST DATE (yyyy/mm)
GENERAL NON CHAP 15					
DIAZINON	39570	WAIVED			
INORGANIC					
ALUMINUM	01105	WAIVED	2000/01/18	.000	
ANTIMONY	01097	WAIVED			
ARSENIC	01002	WAIVED	2011/12/22	16.000	
ASBESTOS	81855	WAIVED			
BARIUM	01007	WAIVED	2000/01/18	179.000	
BERYLLIUM	01012	WAIVED			
CADMIUM	01027	WAIVED	2000/01/18	.000	
CHROMIUM (TOTAL)	01034	WAIVED	2000/01/18	.000	
CYANIDE	01291	WAIVED			
FLUORIDE (F) (NATURAL-SOURCE)	00951	WAIVED	2000/01/18	3.000	
LEAD	01051	WAIVED	2000/01/18	.000	
MERCURY	71900	WAIVED	2000/01/18	.000	
NICKEL	01067	WAIVED	2000/01/18	.000	
PERCHLORATE	A-031	WAIVED			
SELENIUM	01147	WAIVED	2000/01/18	.000	
THALLIUM	01059	WAIVED			
NITRATE/NITRITE					
NITRATE (AS NO3)	71850	WAIVED	2011/12/27	12.000	
NITRITE (AS N)	00620	WAIVED	2011/12/27	< .000	
RADIOLOGICAL					
GROSS ALPHA	01501	WAIVED			
GROSS BETA	03501	WAIVED			
RA-226 FOR CWS OR TOTAL RA FOR NTNC BY 903.0	A-080	WAIVED			
RA-226 OR TOTAL RA BY 903.0 C.E.	A-081	WAIVED			
RADIUM 226	09501	WAIVED			
RADIUM 228	11501	WAIVED			

**Testing interval is in months;*
0 = No data for this constituent and is DUE NOW
999 = Waived testing (not required)
I = Invalid (NOT) valid analyses reported

System Number: ***1907018***

System Name: ***SUMMERHILL EQUESTRIAN CENTER***

PS Code: ***1907018-001***

Source Name: ***WELL 01***

Source Number: ***001***

Source Status: ***ACTIVE UNTREATED***

Water type: ***GROUNDWATER OR WELL***

	STORET NUMBER	TESTING INTERVAL (MONTHS)*	LAST TEST DATE (yyyy/mm/dd)	LAST RESULT REPORTED	NEXT TEST DATE (yyyy/mm)
RADIOLOGICAL					
RADIUM, TOTAL, MDA95-NTNC ONLY, BY 903.0	A-082	WAIVED			
STRONTIUM-90	13501	WAIVED			
TRITIUM	07000	WAIVED			
URANIUM (PCI/L)	28012	WAIVED			
REGULATED SOC					
2,3,7,8-TCDD (DIOXIN)	34676	WAIVED			
2,4,5-TP (SILVEX)	39045	WAIVED			
2,4-D	39730	WAIVED			
ALACHLOR	77825	WAIVED			
ATRAZINE	39033	WAIVED			
BENTAZON	38710	WAIVED			
BENZO (A) PYRENE	34247	WAIVED			
CARBOFURAN	81405	WAIVED			
CHLORDANE	39350	WAIVED			
DALAPON	38432	WAIVED			
DI(2-ETHYLHEXYL)ADIPATE	A-026	WAIVED			
DI(2-ETHYLHEXYL)PHTHALATE	39100	WAIVED			
DIBROMOCHLOROPROPANE (DBCP)	38761	WAIVED			
DINOSEB	81287	WAIVED			
DIQUAT	78885	WAIVED			
ENDOTHALL	38926	WAIVED			
ENDRIN	39390	WAIVED			
ETHYLENE DIBROMIDE (EDB)	77651	WAIVED			
GLYPHOSATE	79743	WAIVED			
HEPTACHLOR	39410	WAIVED			
HEPTACHLOR EPOXIDE	39420	WAIVED			
HEXACHLOROBENZENE	39700	WAIVED			
HEXACHLOROCYCLOPENTADIENE	34386	WAIVED			
LINDANE	39340	WAIVED			

**Testing interval is in months;*
0 = No data for this constituent and is DUE NOW
999 = Waived testing (not required)
I = Invalid (NOT) valid analyses reported

System Number: ***1907018***

System Name: ***SUMMERHILL EQUESTRIAN CENTER***

PS Code: ***1907018-001***

Source Name: ***WELL 01***

Source Number: ***001***

Source Status: ***ACTIVE UNTREATED***

Water type: ***GROUNDWATER OR WELL***

	STORET NUMBER	TESTING INTERVAL (MONTHS)*	LAST TEST DATE (yyyy/mm/dd)	LAST RESULT REPORTED	NEXT TEST DATE (yyyy/mm)
REGULATED SOC					
METHOXYCHLOR	39480	WAIVED			
MOLINATE	82199	WAIVED			
OXAMYL	38865	WAIVED			
PENTACHLOROPHENOL	39032	WAIVED			
PICLORAM	39720	WAIVED			
POLYCHLORINATED BIPHENYLS, TOTAL, AS DCB	39516	WAIVED			
SIMAZINE	39055	WAIVED			
THIOBENCARB	A-001	WAIVED			
TOXAPHENE	39400	WAIVED			
REGULATED VOC					
1,1,1-TRICHLOROETHANE	34506	WAIVED			
1,1,2,2-TETRACHLOROETHANE	34516	WAIVED			
1,1,2-TRICHLORO-1,2,2-TRIFLUOROETHANE	81611	WAIVED			
1,1,2-TRICHLOROETHANE	34511	WAIVED			
1,1-DICHLOROETHANE	34496	WAIVED			
1,1-DICHLOROETHYLENE	34501	WAIVED			
1,2,4-TRICHLOROBENZENE	34551	WAIVED			
1,2-DICHLOROBENZENE	34536	WAIVED			
1,2-DICHLOROETHANE	34531	WAIVED			
1,2-DICHLOROPROPANE	34541	WAIVED			
1,3-DICHLOROPROPENE (TOTAL)	34561	WAIVED			
1,4-DICHLOROBENZENE	34571	WAIVED			
BENZENE	34030	WAIVED			
CARBON TETRACHLORIDE	32102	WAIVED			
CIS-1,2-DICHLOROETHYLENE	77093	WAIVED			
DICHLOROMETHANE	34423	WAIVED			
ETHYLBENZENE	34371	WAIVED			
METHYL-TERT-BUTYL-ETHER (MTBE)	46491	WAIVED			
MONOCHLOROBENZENE	34301	WAIVED			

**Testing interval is in months;*
0 = No data for this constituent and is DUE NOW
999 = Waived testing (not required)
I = Invalid (NOT) valid analyses reported

System Number: ***1907018***

System Name: ***SUMMERHILL EQUESTRIAN CENTER***

PS Code: ***1907018-001***

Source Name: ***WELL 01***

Source Number: ***001***

Source Status: ***ACTIVE UNTREATED***

Water type: ***GROUNDWATER OR WELL***

	STORET NUMBER	TESTING INTERVAL (MONTHS)*	LAST TEST DATE (yyyy/mm/dd)	LAST RESULT REPORTED	NEXT TEST DATE (yyyy/mm)
REGULATED VOC					
STYRENE	77128	WAIVED			
TETRACHLOROETHYLENE	34475	WAIVED			
TOLUENE	34010	WAIVED			
TRANS-1,2-DICHLOROETHYLENE	34546	WAIVED			
TRICHLOROETHYLENE	39180	WAIVED			
TRICHLOROFLUOROMETHANE	34488	WAIVED			
VINYL CHLORIDE	39175	WAIVED			
XYLENES (TOTAL)	81551	WAIVED			
SECONDARY/GP					
AGGRSSIVE INDEX (CORROSIVITY)	82383	WAIVED			
BICARBONATE ALKALINITY	00440	WAIVED	2000/01/18	369.000	
CALCIUM	00916	WAIVED	2000/01/18	48.000	
CARBONATE ALKALINITY	00445	WAIVED	2000/01/18	.000	
CHLORIDE	00940	WAIVED	2000/01/18	145.000	
COLOR	00081	WAIVED			
COPPER	01042	WAIVED	2000/01/18	.000	
FOAMING AGENTS (MBAS)	38260	WAIVED			
HARDNESS (TOTAL) AS CACO3	00900	WAIVED	2000/01/18	190.000	
HYDROXIDE ALKALINITY	71830	WAIVED	2000/01/18	.000	
IRON	01045	WAIVED	2000/01/18	.000	
MAGNESIUM	00927	WAIVED	2000/01/18	17.000	
MANGANESE	01055	WAIVED	2000/01/18	.000	
ODOR THRESHOLD @ 60 C	00086	WAIVED			
PH, LABORATORY	00403	WAIVED	2000/01/18	8.000	
SILVER	01077	WAIVED	2000/01/18	.000	
SODIUM	00929	WAIVED	2000/01/18	208.000	
SPECIFIC CONDUCTANCE	00095	WAIVED	2000/01/18	1292.000	
SULFATE	00945	WAIVED	2000/01/18	103.000	
TOTAL DISSOLVED SOLIDS	70300	WAIVED	2000/01/18	762.000	

**Testing interval is in months;*
0 = No data for this constituent and is DUE NOW
999 = Waived testing (not required)
I = Invalid (NOT) valid analyses reported

System Number: ***1907018***

System Name: ***SUMMERHILL EQUESTRIAN CENTER***

PS Code: ***1907018-001***

Source Name: ***WELL 01***

Source Number: ***001***

Source Status: ***ACTIVE UNTREATED***

Water type: ***GROUNDWATER OR WELL***

SECONDARY/GP

	STORET NUMBER	TESTING INTERVAL (MONTHS)*	LAST TEST DATE (yyyy/mm/dd)	LAST RESULT REPORTED	NEXT TEST DATE (yyyy/mm)
TURBIDITY, LABORATORY	82079	WAIVED			
ZINC	01092	WAIVED	2000/01/18	.000	

**Testing interval is in months;*
0 = No data for this constituent and is DUE NOW
999 = Waived testing (not required)
I = Invalid (NOT) valid analyses reported

System Number: 1907019
System Name: USFS-LOS ALAMOS S-15

PS Code: 1907019-001
Source Name: WELL 01
Source Number: 001
Source Status: ACTIVE UNTREATED
Water type: GROUNDWATER OR WELL

	STORET NUMBER	TESTING INTERVAL (MONTHS)*	LAST TEST DATE (yyyy/mm/dd)	LAST RESULT REPORTED	NEXT TEST DATE (yyyy/mm)
GENERAL NON CHAP 15					
DIAZINON	39570	WAIVED			
INORGANIC					
ALUMINUM	01105	WAIVED	2002/11/11	.000	
ANTIMONY	01097	WAIVED	2002/11/11	.000	
ARSENIC	01002	WAIVED	2002/11/11	.000	
ASBESTOS	81855	WAIVED			
BARIUM	01007	WAIVED	2002/11/11	.000	
BERYLLIUM	01012	WAIVED			
CADMIUM	01027	WAIVED	2002/11/11	.000	
CHROMIUM (TOTAL)	01034	WAIVED	2002/11/11	.000	
CYANIDE	01291	WAIVED			
FLUORIDE (F) (NATURAL-SOURCE)	00951	WAIVED	2002/11/11	.440	
LEAD	01051	WAIVED	2002/11/11	.000	
MERCURY	71900	WAIVED	2002/11/11	.000	
NICKEL	01067	WAIVED	2002/11/11	.000	
PERCHLORATE	A-031	WAIVED	2002/11/11	.000	
SELENIUM	01147	WAIVED	2002/11/11	.000	
THALLIUM	01059	WAIVED			
NITRATE/NITRITE					
NITRATE (AS NO3)	71850	WAIVED	2010/08/21	12.200	
NITRITE (AS N)	00620	WAIVED	1998/06/30	.000	
RADIOLOGICAL					
GROSS ALPHA	01501	WAIVED			
GROSS BETA	03501	WAIVED			
RA-226 FOR CWS OR TOTAL RA FOR NTNC BY 903.0	A-080	WAIVED			
RA-226 OR TOTAL RA BY 903.0 C.E.	A-081	WAIVED			
RADIUM 226	09501	WAIVED			
RADIUM 228	11501	WAIVED			

**Testing interval is in months;*
0 = No data for this constituent and is DUE NOW
999 = Waived testing (not required)
I = Invalid (NOT) valid analyses reported

System Number: ***1907019***

System Name: ***USFS-LOS ALAMOS S-15***

PS Code: ***1907019-001***

Source Name: ***WELL 01***

Source Number: ***001***

Source Status: ***ACTIVE UNTREATED***

Water type: ***GROUNDWATER OR WELL***

	STORET NUMBER	TESTING INTERVAL (MONTHS)*	LAST TEST DATE (yyyy/mm/dd)	LAST RESULT REPORTED	NEXT TEST DATE (yyyy/mm)
RADIOLOGICAL					
RADIUM, TOTAL, MDA95-NTNC ONLY, BY 903.0	A-082	WAIVED			
STRONTIUM-90	13501	WAIVED			
TRITIUM	07000	WAIVED			
URANIUM (PCI/L)	28012	WAIVED			
REGULATED SOC					
2,3,7,8-TCDD (DIOXIN)	34676	WAIVED			
2,4,5-TP (SILVEX)	39045	WAIVED			
2,4-D	39730	WAIVED			
ALACHLOR	77825	WAIVED			
ATRAZINE	39033	WAIVED			
BENTAZON	38710	WAIVED			
BENZO (A) PYRENE	34247	WAIVED			
CARBOFURAN	81405	WAIVED			
CHLORDANE	39350	WAIVED			
DALAPON	38432	WAIVED			
DI(2-ETHYLHEXYL)ADIPATE	A-026	WAIVED			
DI(2-ETHYLHEXYL)PHTHALATE	39100	WAIVED			
DIBROMOCHLOROPROPANE (DBCP)	38761	WAIVED			
DINOSEB	81287	WAIVED			
DIQUAT	78885	WAIVED			
ENDOTHALL	38926	WAIVED			
ENDRIN	39390	WAIVED			
ETHYLENE DIBROMIDE (EDB)	77651	WAIVED			
GLYPHOSATE	79743	WAIVED			
HEPTACHLOR	39410	WAIVED			
HEPTACHLOR EPOXIDE	39420	WAIVED			
HEXACHLOROBENZENE	39700	WAIVED			
HEXACHLOROCYCLOPENTADIENE	34386	WAIVED			
LINDANE	39340	WAIVED			

**Testing interval is in months;*
0 = No data for this constituent and is DUE NOW
999 = Waived testing (not required)
I = Invalid (NOT) valid analyses reported

System Number: ***1907019***

System Name: ***USFS-LOS ALAMOS S-15***

PS Code: ***1907019-001***

Source Name: ***WELL 01***

Source Number: ***001***

Source Status: ***ACTIVE UNTREATED***

Water type: ***GROUNDWATER OR WELL***

	STORET NUMBER	TESTING INTERVAL (MONTHS)*	LAST TEST DATE (yyyy/mm/dd)	LAST RESULT REPORTED	NEXT TEST DATE (yyyy/mm)
REGULATED SOC					
METHOXYCHLOR	39480	WAIVED			
MOLINATE	82199	WAIVED			
OXAMYL	38865	WAIVED			
PENTACHLOROPHENOL	39032	WAIVED			
PICLORAM	39720	WAIVED			
POLYCHLORINATED BIPHENYLS, TOTAL, AS DCB	39516	WAIVED			
SIMAZINE	39055	WAIVED			
THIOBENCARB	A-001	WAIVED	2002/11/11	.000	
TOXAPHENE	39400	WAIVED			
REGULATED VOC					
1,1,1-TRICHLOROETHANE	34506	WAIVED			
1,1,2,2-TETRACHLOROETHANE	34516	WAIVED			
1,1,2-TRICHLORO-1,2,2-TRIFLUOROETHANE	81611	WAIVED			
1,1,2-TRICHLOROETHANE	34511	WAIVED			
1,1-DICHLOROETHANE	34496	WAIVED			
1,1-DICHLOROETHYLENE	34501	WAIVED			
1,2,4-TRICHLOROBENZENE	34551	WAIVED			
1,2-DICHLOROBENZENE	34536	WAIVED			
1,2-DICHLOROETHANE	34531	WAIVED			
1,2-DICHLOROPROPANE	34541	WAIVED			
1,3-DICHLOROPROPENE (TOTAL)	34561	WAIVED			
1,4-DICHLOROBENZENE	34571	WAIVED			
BENZENE	34030	WAIVED			
CARBON TETRACHLORIDE	32102	WAIVED			
CIS-1,2-DICHLOROETHYLENE	77093	WAIVED			
DICHLOROMETHANE	34423	WAIVED			
ETHYLBENZENE	34371	WAIVED			
METHYL-TERT-BUTYL-ETHER (MTBE)	46491	WAIVED			
MONOCHLOROBENZENE	34301	WAIVED			

**Testing interval is in months;*
0 = No data for this constituent and is DUE NOW
999 = Waived testing (not required)
I = Invalid (NOT) valid analyses reported

System Number: ***1907019***

System Name: ***USFS-LOS ALAMOS S-15***

PS Code: ***1907019-001***

Source Name: ***WELL 01***

Source Number: ***001***

Source Status: ***ACTIVE UNTREATED***

Water type: ***GROUNDWATER OR WELL***

	STORET NUMBER	TESTING INTERVAL (MONTHS)*	LAST TEST DATE (yyyy/mm/dd)	LAST RESULT REPORTED	NEXT TEST DATE (yyyy/mm)
REGULATED VOC					
STYRENE	77128	WAIVED			
TETRACHLOROETHYLENE	34475	WAIVED			
TOLUENE	34010	WAIVED			
TRANS-1,2-DICHLOROETHYLENE	34546	WAIVED			
TRICHLOROETHYLENE	39180	WAIVED			
TRICHLOROFLUOROMETHANE	34488	WAIVED			
VINYL CHLORIDE	39175	WAIVED			
XYLENES (TOTAL)	81551	WAIVED			
SECONDARY/GP					
AGGRSSIVE INDEX (CORROSIVITY)	82383	WAIVED			
BICARBONATE ALKALINITY	00440	WAIVED	2002/11/11	208.000	
CALCIUM	00916	WAIVED	2002/11/11	55.300	
CARBONATE ALKALINITY	00445	WAIVED	2002/11/11	.000	
CHLORIDE	00940	WAIVED	2002/11/11	7.060	
COLOR	00081	WAIVED	2002/11/11	.000	
COPPER	01042	WAIVED	2002/11/11	.000	
FOAMING AGENTS (MBAS)	38260	WAIVED	2002/11/11	.000	
HARDNESS (TOTAL) AS CACO3	00900	WAIVED	2002/11/11	180.000	
HYDROXIDE ALKALINITY	71830	WAIVED	2002/11/11	.000	
IRON	01045	WAIVED	2002/11/11	.000	
MAGNESIUM	00927	WAIVED	2002/11/11	10.200	
MANGANESE	01055	WAIVED	2002/11/11	.000	
ODOR THRESHOLD @ 60 C	00086	WAIVED	2002/11/11	.000	
PH, LABORATORY	00403	WAIVED	2002/11/11	8.440	
SILVER	01077	WAIVED	2002/11/11	.000	
SODIUM	00929	WAIVED	2002/11/11	32.500	
SPECIFIC CONDUCTANCE	00095	WAIVED	2002/11/11	469.000	
SULFATE	00945	WAIVED	2002/11/11	53.900	
TOTAL DISSOLVED SOLIDS	70300	WAIVED	2002/11/11	322.000	

**Testing interval is in months;*
0 = No data for this constituent and is DUE NOW
999 = Waived testing (not required)
I = Invalid (NOT) valid analyses reported

System Number: ***1907019***

System Name: ***USFS-LOS ALAMOS S-15***

PS Code: ***1907019-001***

Source Name: ***WELL 01***

Source Number: ***001***

Source Status: ***ACTIVE UNTREATED***

Water type: ***GROUNDWATER OR WELL***

	STORET NUMBER	TESTING INTERVAL (MONTHS)*	LAST TEST DATE (yyyy/mm/dd)	LAST RESULT REPORTED	NEXT TEST DATE (yyyy/mm)
SECONDARY/GP					
TURBIDITY, LABORATORY	**82079**	**WAIVED**	2002/11/11	**.170**	
ZINC	**01092**	**WAIVED**	2002/11/11	**56.200**	

**Testing interval is in months;*
0 = No data for this constituent and is DUE NOW
999 = Waived testing (not required)
I = Invalid (NOT) valid analyses reported

System Number: ***1907028***

System Name: ***SPV WATER CO INC***

PS Code: ***1907028-001***

Source Name: ***WELL 01***

Source Number: ***001***

Source Status: ***ACTIVE UNTREATED***

Water type: ***GROUNDWATER OR WELL***

	STORET NUMBER	TESTING INTERVAL (MONTHS)*	LAST TEST DATE (yyyy/mm/dd)	LAST RESULT REPORTED	NEXT TEST DATE (yyyy/mm)
GENERAL NON CHAP 15					
DIAZINON	39570	WAIVED			
INORGANIC					
ALUMINUM	01105	WAIVED	2001/10/30	.000	
ANTIMONY	01097	WAIVED	2001/10/30	.000	
ARSENIC	01002	WAIVED	2010/02/24	< 2.000	
ASBESTOS	81855	WAIVED			
BARIUM	01007	WAIVED	2010/02/24	66.200	
BERYLLIUM	01012	WAIVED			
CADMIUM	01027	WAIVED	2001/10/30	.000	
CHROMIUM (TOTAL)	01034	WAIVED	2001/10/30	13.900	
CYANIDE	01291	WAIVED			
FLUORIDE (F) (NATURAL-SOURCE)	00951	WAIVED	2010/02/24	.500	
LEAD	01051	WAIVED	2010/02/24	.300	
MERCURY	71900	WAIVED	2001/10/30	.000	
NICKEL	01067	WAIVED	2001/10/30	.000	
PERCHLORATE	A-031	WAIVED			
SELENIUM	01147	WAIVED	2001/10/30	.000	
THALLIUM	01059	WAIVED			
NITRATE/NITRITE					
NITRATE (AS NO3)	71850	WAIVED	2010/02/24	33.800	
NITRITE (AS N)	00620	WAIVED	2010/02/24	< .100	
RADIOLOGICAL					
GROSS ALPHA	01501	WAIVED	2010/02/24	3.260	
GROSS BETA	03501	WAIVED			
RA-226 FOR CWS OR TOTAL RA FOR NTNC BY 903.0	A-080	WAIVED			
RA-226 OR TOTAL RA BY 903.0 C.E.	A-081	WAIVED			
RADIUM 226	09501	WAIVED			
RADIUM 228	11501	WAIVED			

**Testing interval is in months;*
0 = No data for this constituent and is DUE NOW
999 = Waived testing (not required)
I = Invalid (NOT) valid analyses reported

System Number: ***1907028***

System Name: ***SPV WATER CO INC***

PS Code: ***1907028-001***

Source Name: ***WELL 01***

Source Number: ***001***

Source Status: ***ACTIVE UNTREATED***

Water type: ***GROUNDWATER OR WELL***

	STORET NUMBER	TESTING INTERVAL (MONTHS)*	LAST TEST DATE (yyyy/mm/dd)	LAST RESULT REPORTED	NEXT TEST DATE (yyyy/mm)
RADIOLOGICAL					
RADIUM, TOTAL, MDA95-NTNC ONLY, BY 903.0	A-082	WAIVED			
STRONTIUM-90	13501	WAIVED			
TRITIUM	07000	WAIVED			
URANIUM (PCI/L)	28012	WAIVED	2010/02/24	4.490	
REGULATED SOC					
2,3,7,8-TCDD (DIOXIN)	34676	WAIVED			
2,4,5-TP (SILVEX)	39045	WAIVED			
2,4-D	39730	WAIVED			
ALACHLOR	77825	WAIVED	2001/05/08	.000	
ATRAZINE	39033	WAIVED			
BENTAZON	38710	WAIVED			
BENZO (A) PYRENE	34247	WAIVED			
CARBOFURAN	81405	WAIVED			
CHLORDANE	39350	WAIVED	2001/05/08	.000	
DALAPON	38432	WAIVED			
DI(2-ETHYLHEXYL)ADIPATE	A-026	WAIVED			
DI(2-ETHYLHEXYL)PHTHALATE	39100	WAIVED			
DIBROMOCHLOROPROPANE (DBCP)	38761	WAIVED			
DINOSEB	81287	WAIVED			
DIQUAT	78885	WAIVED			
ENDOTHALL	38926	WAIVED			
ENDRIN	39390	WAIVED	2001/05/08	.000	
ETHYLENE DIBROMIDE (EDB)	77651	WAIVED			
GLYPHOSATE	79743	WAIVED			
HEPTACHLOR	39410	WAIVED	2001/05/08	.000	
HEPTACHLOR EPOXIDE	39420	WAIVED	2001/05/08	.000	
HEXACHLOROBENZENE	39700	WAIVED	2001/05/08	.000	
HEXACHLOROCYCLOPENTADIENE	34386	WAIVED	2001/05/08	.000	
LINDANE	39340	WAIVED	2001/05/08	.000	

**Testing interval is in months;*
0 = No data for this constituent and is DUE NOW
999 = Waived testing (not required)
I = Invalid (NOT) valid analyses reported

System Number: 1907028
System Name: SPV WATER CO INC

PS Code: 1907028-001
Source Name: WELL 01
Source Number: 001
Source Status: ACTIVE UNTREATED
Water type: GROUNDWATER OR WELL

	STORET NUMBER	TESTING INTERVAL (MONTHS)*	LAST TEST DATE (yyyy/mm/dd)	LAST RESULT REPORTED	NEXT TEST DATE (yyyy/mm)
REGULATED SOC					
METHOXYCHLOR	39480	WAIVED	2001/05/08	.000	
MOLINATE	82199	WAIVED			
OXAMYL	38865	WAIVED			
PENTACHLOROPHENOL	39032	WAIVED			
PICLORAM	39720	WAIVED			
POLYCHLORINATED BIPHENYLS, TOTAL, AS DCB	39516	WAIVED	2001/05/08	.000	
SIMAZINE	39055	WAIVED			
THIOBENCARB	A-001	WAIVED	2001/10/30	.000	
TOXAPHENE	39400	WAIVED	2001/05/08	.000	
REGULATED VOC					
1,1,1-TRICHLOROETHANE	34506	WAIVED	2010/02/24	< .500	
1,1,2,2-TETRACHLOROETHANE	34516	WAIVED	2010/02/24	< .500	
1,1,2-TRICHLORO-1,2,2-TRIFLUOROETHANE	81611	WAIVED	2010/02/24	< .500	
1,1,2-TRICHLOROETHANE	34511	WAIVED	2010/02/24	< .500	
1,1-DICHLOROETHANE	34496	WAIVED	2010/02/24	< .500	
1,1-DICHLOROETHYLENE	34501	WAIVED	2010/02/24	< .500	
1,2,4-TRICHLOROBENZENE	34551	WAIVED	2010/02/24	< .500	
1,2-DICHLOROBENZENE	34536	WAIVED	2010/02/24	< .500	
1,2-DICHLOROETHANE	34531	WAIVED	2010/02/24	< .500	
1,2-DICHLOROPROPANE	34541	WAIVED	2010/02/24	< .500	
1,3-DICHLOROPROPENE (TOTAL)	34561	WAIVED	2007/01/24	< .500	
1,4-DICHLOROBENZENE	34571	WAIVED	2010/02/24	< .500	
BENZENE	34030	WAIVED	2010/02/24	< .500	
CARBON TETRACHLORIDE	32102	WAIVED	2010/02/24	< .500	
CIS-1,2-DICHLOROETHYLENE	77093	WAIVED	2010/02/24	< .500	
DICHLOROMETHANE	34423	WAIVED	2010/02/24	< .500	
ETHYLBENZENE	34371	WAIVED	2010/02/24	< .500	
METHYL-TERT-BUTYL-ETHER (MTBE)	46491	WAIVED	2010/02/24	< 1.000	
MONOCHLOROBENZENE	34301	WAIVED	2010/02/24	< .500	

**Testing interval is in months;*
0 = No data for this constituent and is DUE NOW
999 = Waived testing (not required)
I = Invalid (NOT) valid analyses reported

System Number: 1907028
System Name: SPV WATER CO INC

PS Code: 1907028-001
Source Name: WELL 01
Source Number: 001
Source Status: ACTIVE UNTREATED
Water type: GROUNDWATER OR WELL

	STORET NUMBER	TESTING INTERVAL (MONTHS)*	LAST TEST DATE (yyyy/mm/dd)	LAST RESULT REPORTED	NEXT TEST DATE (yyyy/mm)
REGULATED VOC					
STYRENE	77128	WAIVED	2010/02/24	< .500	
TETRACHLOROETHYLENE	34475	WAIVED	2010/02/24	< .500	
TOLUENE	34010	WAIVED	2010/02/24	< .500	
TRANS-1,2-DICHLOROETHYLENE	34546	WAIVED	2010/02/24	< .500	
TRICHLOROETHYLENE	39180	WAIVED	2010/02/24	< .500	
TRICHLOROFLUOROMETHANE	34488	WAIVED	2010/02/24	< .500	
VINYL CHLORIDE	39175	WAIVED	2010/02/24	< .500	
XYLENES (TOTAL)	81551	WAIVED	2010/02/24	< .500	
SECONDARY/GP					
AGGRSSIVE INDEX (CORROSIVITY)	82383	WAIVED	2010/02/24	12.400	
BICARBONATE ALKALINITY	00440	WAIVED	2010/02/24	270.000	
CALCIUM	00916	WAIVED	2010/02/24	81.000	
CARBONATE ALKALINITY	00445	WAIVED	2010/02/24	< 10.000	
CHLORIDE	00940	WAIVED	2010/02/24	64.000	
COLOR	00081	WAIVED	2010/02/24	5.000	
COPPER	01042	WAIVED	2010/02/24	30.000	
FOAMING AGENTS (MBAS)	38260	WAIVED	2010/02/24	< .100	
HARDNESS (TOTAL) AS CACO3	00900	WAIVED	2010/02/24	330.000	
HYDROXIDE ALKALINITY	71830	WAIVED	2010/02/24	< 10.000	
IRON	01045	WAIVED	2010/02/24	190.000	
MAGNESIUM	00927	WAIVED	2010/02/24	31.000	
MANGANESE	01055	WAIVED	2010/02/24	< 10.000	
ODOR THRESHOLD @ 60 C	00086	WAIVED	2010/02/24	< 1.000	
PH, LABORATORY	00403	WAIVED	2010/02/24	7.800	
SILVER	01077	WAIVED	2001/10/30	.000	
SODIUM	00929	WAIVED	2010/02/24	43.000	
SPECIFIC CONDUCTANCE	00095	WAIVED	2010/02/24	836.000	
SULFATE	00945	WAIVED	2010/02/24	82.000	
TOTAL DISSOLVED SOLIDS	70300	WAIVED	2010/02/24	530.000	

**Testing interval is in months;*
0 = No data for this constituent and is DUE NOW
999 = Waived testing (not required)
I = Invalid (NOT) valid analyses reported

System Number: ***1907028***

System Name: ***SPV WATER CO INC***

PS Code: ***1907028-001***

Source Name: ***WELL 01***

Source Number: ***001***

Source Status: ***ACTIVE UNTREATED***

Water type: ***GROUNDWATER OR WELL***

	STORET NUMBER	TESTING INTERVAL (MONTHS)*	LAST TEST DATE (yyyy/mm/dd)	LAST RESULT REPORTED	NEXT TEST DATE (yyyy/mm)
SECONDARY/GP					
TURBIDITY, LABORATORY	82079	WAIVED	2010/02/24	1.300	
ZINC	01092	WAIVED	2010/02/24	50.000	

PS Code: ***1907028-002***

Source Name: ***WELL 02***

Source Number: ***002***

Source Status: ***ACTIVE UNTREATED***

Water type: ***GROUNDWATER OR WELL***

GENERAL NON CHAP 15					
DIAZINON	39570	WAIVED			
INORGANIC					
ALUMINUM	01105	WAIVED			
ANTIMONY	01097	WAIVED			
ARSENIC	01002	WAIVED			
ASBESTOS	81855	WAIVED			
BARIUM	01007	WAIVED			
BERYLLIUM	01012	WAIVED			
CADMIUM	01027	WAIVED			
CHROMIUM (TOTAL)	01034	WAIVED			
CYANIDE	01291	WAIVED			
FLUORIDE (F) (NATURAL-SOURCE)	00951	WAIVED			
LEAD	01051	WAIVED			
MERCURY	71900	WAIVED			
NICKEL	01067	WAIVED			
PERCHLORATE	A-031	WAIVED			
SELENIUM	01147	WAIVED			
THALLIUM	01059	WAIVED			

**Testing interval is in months;*
0 = No data for this constituent and is DUE NOW
999 = Waived testing (not required)
I = Invalid (NOT) valid analyses reported

System Number: ***1907028***

System Name: ***SPV WATER CO INC***

PS Code: ***1907028-002***

Source Name: ***WELL 02***

Source Number: ***002***

Source Status: ***ACTIVE UNTREATED***

Water type: ***GROUNDWATER OR WELL***

	STORET NUMBER	TESTING INTERVAL (MONTHS)*	LAST TEST DATE (yyyy/mm/dd)	LAST RESULT REPORTED	NEXT TEST DATE (yyyy/mm)
NITRATE/NITRITE					
NITRATE (AS NO3)	71850	WAIVED			
NITRITE (AS N)	00620	WAIVED			
RADIOLOGICAL					
GROSS ALPHA	01501	WAIVED			
GROSS BETA	03501	WAIVED			
RA-226 FOR CWS OR TOTAL RA FOR NTNC BY 903.0	A-080	WAIVED			
RA-226 OR TOTAL RA BY 903.0 C.E.	A-081	WAIVED			
RADIUM 226	09501	WAIVED			
RADIUM 228	11501	WAIVED			
RADIUM, TOTAL, MDA95-NTNC ONLY, BY 903.0	A-082	WAIVED			
STRONTIUM-90	13501	WAIVED			
TRITIUM	07000	WAIVED			
URANIUM (PCI/L)	28012	WAIVED			
REGULATED SOC					
2,3,7,8-TCDD (DIOXIN)	34676	WAIVED			
2,4,5-TP (SILVEX)	39045	WAIVED			
2,4-D	39730	WAIVED			
ALACHLOR	77825	WAIVED			
ATRAZINE	39033	WAIVED			
BENTAZON	38710	WAIVED			
BENZO (A) PYRENE	34247	WAIVED			
CARBOFURAN	81405	WAIVED			
CHLORDANE	39350	WAIVED			
DALAPON	38432	WAIVED			
DI(2-ETHYLHEXYL)ADIPATE	A-026	WAIVED			
DI(2-ETHYLHEXYL)PHTHALATE	39100	WAIVED			
DIBROMOCHLOROPROPANE (DBCP)	38761	WAIVED			
DINOSEB	81287	WAIVED			
DIQUAT	78885	WAIVED			

**Testing interval is in months;*
0 = No data for this constituent and is DUE NOW
999 = Waived testing (not required)
I = Invalid (NOT) valid analyses reported

System Number: ***1907028***

System Name: ***SPV WATER CO INC***

PS Code: ***1907028-002***

Source Name: ***WELL 02***

Source Number: ***002***

Source Status: ***ACTIVE UNTREATED***

Water type: ***GROUNDWATER OR WELL***

	STORET NUMBER	TESTING INTERVAL (MONTHS)*	LAST TEST DATE (yyyy/mm/dd)	LAST RESULT REPORTED	NEXT TEST DATE (yyyy/mm)
REGULATED SOC					
ENDOTHALL	38926	WAIVED			
ENDRIN	39390	WAIVED			
ETHYLENE DIBROMIDE (EDB)	77651	WAIVED			
GLYPHOSATE	79743	WAIVED			
HEPTACHLOR	39410	WAIVED			
HEPTACHLOR EPOXIDE	39420	WAIVED			
HEXACHLOROBENZENE	39700	WAIVED			
HEXACHLOROCYCLOPENTADIENE	34386	WAIVED			
LINDANE	39340	WAIVED			
METHOXYCHLOR	39480	WAIVED			
MOLINATE	82199	WAIVED			
OXAMYL	38865	WAIVED			
PENTACHLOROPHENOL	39032	WAIVED			
PICLORAM	39720	WAIVED			
POLYCHLORINATED BIPHENYLS, TOTAL, AS DCB	39516	WAIVED			
SIMAZINE	39055	WAIVED			
THIOBENCARB	A-001	WAIVED			
TOXAPHENE	39400	WAIVED			
REGULATED VOC					
1,1,1-TRICHLOROETHANE	34506	WAIVED			
1,1,2,2-TETRACHLOROETHANE	34516	WAIVED			
1,1,2-TRICHLORO-1,2,2-TRIFLUOROETHANE	81611	WAIVED			
1,1,2-TRICHLOROETHANE	34511	WAIVED			
1,1-DICHLOROETHANE	34496	WAIVED			
1,1-DICHLOROETHYLENE	34501	WAIVED			
1,2,4-TRICHLOROBENZENE	34551	WAIVED			
1,2-DICHLOROBENZENE	34536	WAIVED			
1,2-DICHLOROETHANE	34531	WAIVED			
1,2-DICHLOROPROPANE	34541	WAIVED			

**Testing interval is in months;*
0 = No data for this constituent and is DUE NOW
999 = Waived testing (not required)
I = Invalid (NOT) valid analyses reported

System Number: ***1907028***

System Name: ***SPV WATER CO INC***

PS Code: ***1907028-002***

Source Name: ***WELL 02***

Source Number: ***002***

Source Status: ***ACTIVE UNTREATED***

Water type: ***GROUNDWATER OR WELL***

	STORET NUMBER	TESTING INTERVAL (MONTHS)*	LAST TEST DATE (yyyy/mm/dd)	LAST RESULT REPORTED	NEXT TEST DATE (yyyy/mm)
REGULATED VOC					
1,3-DICHLOROPROPENE (TOTAL)	34561	WAIVED			
1,4-DICHLOROBENZENE	34571	WAIVED			
BENZENE	34030	WAIVED			
CARBON TETRACHLORIDE	32102	WAIVED			
CIS-1,2-DICHLOROETHYLENE	77093	WAIVED			
DICHLOROMETHANE	34423	WAIVED			
ETHYLBENZENE	34371	WAIVED			
METHYL-TERT-BUTYL-ETHER (MTBE)	46491	WAIVED			
MONOCHLOROBENZENE	34301	WAIVED			
STYRENE	77128	WAIVED			
TETRACHLOROETHYLENE	34475	WAIVED			
TOLUENE	34010	WAIVED			
TRANS-1,2-DICHLOROETHYLENE	34546	WAIVED			
TRICHLOROETHYLENE	39180	WAIVED			
TRICHLOROFLUOROMETHANE	34488	WAIVED			
VINYL CHLORIDE	39175	WAIVED			
XYLENES (TOTAL)	81551	WAIVED			
SECONDARY/GP					
AGGRSSIVE INDEX (CORROSIVITY)	82383	WAIVED			
BICARBONATE ALKALINITY	00440	WAIVED			
CALCIUM	00916	WAIVED			
CARBONATE ALKALINITY	00445	WAIVED			
CHLORIDE	00940	WAIVED			
COLOR	00081	WAIVED			
COPPER	01042	WAIVED			
FOAMING AGENTS (MBAS)	38260	WAIVED			
HARDNESS (TOTAL) AS CACO3	00900	WAIVED			
HYDROXIDE ALKALINITY	71830	WAIVED			
IRON	01045	WAIVED			

**Testing interval is in months;*
0 = No data for this constituent and is DUE NOW
999 = Waived testing (not required)
I = Invalid (NOT) valid analyses reported

System Number: ***1907028***

System Name: ***SPV WATER CO INC***

PS Code: ***1907028-002***

Source Name: ***WELL 02***

Source Number: ***002***

Source Status: ***ACTIVE UNTREATED***

Water type: ***GROUNDWATER OR WELL***

SECONDARY/GP

	STORET NUMBER	TESTING INTERVAL (MONTHS)*	LAST TEST DATE (yyyy/mm/dd)	LAST RESULT REPORTED	NEXT TEST DATE (yyyy/mm)
MAGNESIUM	00927	WAIVED			
MANGANESE	01055	WAIVED			
ODOR THRESHOLD @ 60 C	00086	WAIVED			
PH, LABORATORY	00403	WAIVED			
SILVER	01077	WAIVED			
SODIUM	00929	WAIVED			
SPECIFIC CONDUCTANCE	00095	WAIVED			
SULFATE	00945	WAIVED			
TOTAL DISSOLVED SOLIDS	70300	WAIVED			
TURBIDITY, LABORATORY	82079	WAIVED			
ZINC	01092	WAIVED			

**Testing interval is in months;*
0 = No data for this constituent and is DUE NOW
999 = Waived testing (not required)
I = Invalid (NOT) valid analyses reported

System Number: ***1907029***

System Name: ***RANCHO SIERRA ACRES***

PS Code: ***1907029-001***

Source Name: ***WELL 01***

Source Number: ***001***

Source Status: ***ACTIVE UNTREATED***

Water type: ***GROUNDWATER OR WELL***

	STORET NUMBER	TESTING INTERVAL (MONTHS)*	LAST TEST DATE (yyyy/mm/dd)	LAST RESULT REPORTED	NEXT TEST DATE (yyyy/mm)
GENERAL NON CHAP 15					
DIAZINON	39570	WAIVED			
INORGANIC					
ALUMINUM	01105	WAIVED	2002/02/15	.000	
ANTIMONY	01097	WAIVED	2002/02/15	.000	
ARSENIC	01002	WAIVED	2002/02/15	.000	
ASBESTOS	81855	WAIVED			
BARIUM	01007	WAIVED	2002/02/15	.000	
BERYLLIUM	01012	WAIVED			
CADMIUM	01027	WAIVED	2002/02/15	.000	
CHROMIUM (TOTAL)	01034	WAIVED	2002/02/15	10.600	
CYANIDE	01291	WAIVED			
FLUORIDE (F) (NATURAL-SOURCE)	00951	WAIVED	2002/02/15	.120	
LEAD	01051	WAIVED	2002/02/15	.000	
MERCURY	71900	WAIVED	2002/02/15	.000	
NICKEL	01067	WAIVED	2002/02/15	.000	
PERCHLORATE	A-031	WAIVED	2002/02/15	.000	
SELENIUM	01147	WAIVED	2002/02/15	.000	
THALLIUM	01059	WAIVED			
NITRATE/NITRITE					
NITRATE (AS NO3)	71850	WAIVED	2004/06/08	3.380	
NITRITE (AS N)	00620	WAIVED			
RADIOLOGICAL					
GROSS ALPHA	01501	WAIVED			
GROSS BETA	03501	WAIVED			
RA-226 FOR CWS OR TOTAL RA FOR NTNC BY 903.0	A-080	WAIVED			
RA-226 OR TOTAL RA BY 903.0 C.E.	A-081	WAIVED			
RADIUM 226	09501	WAIVED			
RADIUM 228	11501	WAIVED			

**Testing interval is in months;*
0 = No data for this constituent and is DUE NOW
999 = Waived testing (not required)
I = Invalid (NOT) valid analyses reported

System Number: ***1907029***

System Name: ***RANCHO SIERRA ACRES***

PS Code: ***1907029-001***

Source Name: ***WELL 01***

Source Number: ***001***

Source Status: ***ACTIVE UNTREATED***

Water type: ***GROUNDWATER OR WELL***

	STORET NUMBER	TESTING INTERVAL (MONTHS)*	LAST TEST DATE (yyyy/mm/dd)	LAST RESULT REPORTED	NEXT TEST DATE (yyyy/mm)
RADIOLOGICAL					
RADIUM, TOTAL, MDA95-NTNC ONLY, BY 903.0	A-082	WAIVED			
STRONTIUM-90	13501	WAIVED			
TRITIUM	07000	WAIVED			
URANIUM (PCI/L)	28012	WAIVED			
REGULATED SOC					
2,3,7,8-TCDD (DIOXIN)	34676	WAIVED			
2,4,5-TP (SILVEX)	39045	WAIVED			
2,4-D	39730	WAIVED			
ALACHLOR	77825	WAIVED			
ATRAZINE	39033	WAIVED			
BENTAZON	38710	WAIVED			
BENZO (A) PYRENE	34247	WAIVED			
CARBOFURAN	81405	WAIVED			
CHLORDANE	39350	WAIVED			
DALAPON	38432	WAIVED			
DI(2-ETHYLHEXYL)ADIPATE	A-026	WAIVED			
DI(2-ETHYLHEXYL)PHTHALATE	39100	WAIVED			
DIBROMOCHLOROPROPANE (DBCP)	38761	WAIVED			
DINOSEB	81287	WAIVED			
DIQUAT	78885	WAIVED			
ENDOTHALL	38926	WAIVED			
ENDRIN	39390	WAIVED			
ETHYLENE DIBROMIDE (EDB)	77651	WAIVED			
GLYPHOSATE	79743	WAIVED			
HEPTACHLOR	39410	WAIVED			
HEPTACHLOR EPOXIDE	39420	WAIVED			
HEXACHLOROBENZENE	39700	WAIVED			
HEXACHLOROCYCLOPENTADIENE	34386	WAIVED			
LINDANE	39340	WAIVED			

**Testing interval is in months;*
0 = No data for this constituent and is DUE NOW
999 = Waived testing (not required)
I = Invalid (NOT) valid analyses reported

System Number: ***1907029***

System Name: ***RANCHO SIERRA ACRES***

PS Code: ***1907029-001***

Source Name: ***WELL 01***

Source Number: ***001***

Source Status: ***ACTIVE UNTREATED***

Water type: ***GROUNDWATER OR WELL***

	STORET NUMBER	TESTING INTERVAL (MONTHS)*	LAST TEST DATE (yyyy/mm/dd)	LAST RESULT REPORTED	NEXT TEST DATE (yyyy/mm)
REGULATED SOC					
METHOXYCHLOR	39480	WAIVED			
MOLINATE	82199	WAIVED			
OXAMYL	38865	WAIVED			
PENTACHLOROPHENOL	39032	WAIVED			
PICLORAM	39720	WAIVED			
POLYCHLORINATED BIPHENYLS, TOTAL, AS DCB	39516	WAIVED			
SIMAZINE	39055	WAIVED			
THIOBENCARB	A-001	WAIVED			
TOXAPHENE	39400	WAIVED			
REGULATED VOC					
1,1,1-TRICHLOROETHANE	34506	WAIVED			
1,1,2,2-TETRACHLOROETHANE	34516	WAIVED			
1,1,2-TRICHLORO-1,2,2-TRIFLUOROETHANE	81611	WAIVED			
1,1,2-TRICHLOROETHANE	34511	WAIVED			
1,1-DICHLOROETHANE	34496	WAIVED			
1,1-DICHLOROETHYLENE	34501	WAIVED			
1,2,4-TRICHLOROBENZENE	34551	WAIVED			
1,2-DICHLOROBENZENE	34536	WAIVED			
1,2-DICHLOROETHANE	34531	WAIVED			
1,2-DICHLOROPROPANE	34541	WAIVED			
1,3-DICHLOROPROPENE (TOTAL)	34561	WAIVED			
1,4-DICHLOROBENZENE	34571	WAIVED			
BENZENE	34030	WAIVED			
CARBON TETRACHLORIDE	32102	WAIVED			
CIS-1,2-DICHLOROETHYLENE	77093	WAIVED			
DICHLOROMETHANE	34423	WAIVED			
ETHYLBENZENE	34371	WAIVED			
METHYL-TERT-BUTYL-ETHER (MTBE)	46491	WAIVED			
MONOCHLOROBENZENE	34301	WAIVED			

**Testing interval is in months;*
0 = No data for this constituent and is DUE NOW
999 = Waived testing (not required)
I = Invalid (NOT) valid analyses reported

System Number: 1907029
System Name: RANCHO SIERRA ACRES

PS Code: 1907029-001
Source Name: WELL 01
Source Number: 001
Source Status: ACTIVE UNTREATED
Water type: GROUNDWATER OR WELL

	STORET NUMBER	TESTING INTERVAL (MONTHS)*	LAST TEST DATE (yyyy/mm/dd)	LAST RESULT REPORTED	NEXT TEST DATE (yyyy/mm)
REGULATED VOC					
STYRENE	77128	WAIVED			
TETRACHLOROETHYLENE	34475	WAIVED			
TOLUENE	34010	WAIVED			
TRANS-1,2-DICHLOROETHYLENE	34546	WAIVED			
TRICHLOROETHYLENE	39180	WAIVED			
TRICHLOROFLUOROMETHANE	34488	WAIVED			
VINYL CHLORIDE	39175	WAIVED			
XYLENES (TOTAL)	81551	WAIVED			
SECONDARY/GP					
AGGRSSIVE INDEX (CORROSIVITY)	82383	WAIVED			
BICARBONATE ALKALINITY	00440	WAIVED	2002/02/15	156.000	
CALCIUM	00916	WAIVED	2002/02/15	204.000	
CARBONATE ALKALINITY	00445	WAIVED	2002/02/15	.000	
CHLORIDE	00940	WAIVED	2002/02/15	51.800	
COLOR	00081	WAIVED	2002/02/15	< 5.000	
COPPER	01042	WAIVED	2002/02/15	.000	
FOAMING AGENTS (MBAS)	38260	WAIVED	2002/02/15	.000	
HARDNESS (TOTAL) AS CACO3	00900	WAIVED	2002/02/15	700.000	
HYDROXIDE ALKALINITY	71830	WAIVED	2002/02/15	.000	
IRON	01045	WAIVED	2002/02/15	.000	
MAGNESIUM	00927	WAIVED	2002/02/15	48.600	
MANGANESE	01055	WAIVED	2002/02/15	.000	
ODOR THRESHOLD @ 60 C	00086	WAIVED	2002/02/15	.000	
PH, LABORATORY	00403	WAIVED	2002/02/15	8.010	
SILVER	01077	WAIVED	2002/02/15	.000	
SODIUM	00929	WAIVED	2002/02/15	76.500	
SPECIFIC CONDUCTANCE	00095	WAIVED	2002/05/07	1467.000	
SULFATE	00945	WAIVED	2002/05/07	696.000	
TOTAL DISSOLVED SOLIDS	70300	WAIVED	2002/05/07	964.000	

**Testing interval is in months;*
0 = No data for this constituent and is DUE NOW
999 = Waived testing (not required)
I = Invalid (NOT) valid analyses reported

System Number: ***1907029***

System Name: ***RANCHO SIERRA ACRES***

PS Code: ***1907029-001***

Source Name: ***WELL 01***

Source Number: ***001***

Source Status: ***ACTIVE UNTREATED***

Water type: ***GROUNDWATER OR WELL***

	STORET NUMBER	TESTING INTERVAL (MONTHS)*	LAST TEST DATE (yyyy/mm/dd)	LAST RESULT REPORTED	NEXT TEST DATE (yyyy/mm)
SECONDARY/GP					
TURBIDITY, LABORATORY	**82079**	**WAIVED**	2002/02/15	**.550**	
ZINC	**01092**	**WAIVED**	2002/02/15	**239.000**	

**Testing interval is in months;*
0 = No data for this constituent and is DUE NOW
999 = Waived testing (not required)
I = Invalid (NOT) valid analyses reported

System Number: ***1907031***

System Name: ***RANCHO YBARRA CHRISTIAN CAMP***

PS Code: ***1907031-001***

Source Name: ***WELL 01***

Source Number: ***001***

Source Status: ***ACTIVE UNTREATED***

Water type: ***GROUNDWATER OR WELL***

	STORET NUMBER	TESTING INTERVAL (MONTHS)*	LAST TEST DATE (yyyy/mm/dd)	LAST RESULT REPORTED	NEXT TEST DATE (yyyy/mm)
GENERAL NON CHAP 15					
DIAZINON	39570	WAIVED			
INORGANIC					
ALUMINUM	01105	WAIVED	2006/03/28	.000	
ANTIMONY	01097	WAIVED	2004/03/03	.000	
ARSENIC	01002	WAIVED	2006/03/28	20.000	
ASBESTOS	81855	WAIVED			
BARIUM	01007	WAIVED	2004/03/03	.000	
BERYLLIUM	01012	WAIVED			
CADMIUM	01027	WAIVED	2006/03/28	.000	
CHROMIUM (TOTAL)	01034	WAIVED	2006/03/28	.000	
CYANIDE	01291	WAIVED			
FLUORIDE (F) (NATURAL-SOURCE)	00951	WAIVED	2006/03/28	.270	
LEAD	01051	WAIVED	2006/03/28	.000	
MERCURY	71900	WAIVED	2006/03/28	.000	
NICKEL	01067	WAIVED	2006/03/28	.000	
PERCHLORATE	A-031	WAIVED	2002/09/27	.000	
SELENIUM	01147	WAIVED	2006/03/28	.000	
THALLIUM	01059	WAIVED			
NITRATE/NITRITE					
NITRATE (AS NO3)	71850	WAIVED	2006/03/28	.000	
NITRITE (AS N)	00620	WAIVED			
RADIOLOGICAL					
GROSS ALPHA	01501	WAIVED			
GROSS BETA	03501	WAIVED			
RA-226 FOR CWS OR TOTAL RA FOR NTNC BY 903.0	A-080	WAIVED			
RA-226 OR TOTAL RA BY 903.0 C.E.	A-081	WAIVED			
RADIUM 226	09501	WAIVED			
RADIUM 228	11501	WAIVED			

**Testing interval is in months;*
0 = No data for this constituent and is DUE NOW
999 = Waived testing (not required)
I = Invalid (NOT) valid analyses reported

System Number: ***1907031***

System Name: ***RANCHO YBARRA CHRISTIAN CAMP***

PS Code: ***1907031-001***

Source Name: ***WELL 01***

Source Number: ***001***

Source Status: ***ACTIVE UNTREATED***

Water type: ***GROUNDWATER OR WELL***

	STORET NUMBER	TESTING INTERVAL (MONTHS)*	LAST TEST DATE (yyyy/mm/dd)	LAST RESULT REPORTED	NEXT TEST DATE (yyyy/mm)
RADIOLOGICAL					
RADIUM, TOTAL, MDA95-NTNC ONLY, BY 903.0	A-082	WAIVED			
STRONTIUM-90	13501	WAIVED			
TRITIUM	07000	WAIVED			
URANIUM (PCI/L)	28012	WAIVED			
REGULATED SOC					
2,3,7,8-TCDD (DIOXIN)	34676	WAIVED			
2,4,5-TP (SILVEX)	39045	WAIVED			
2,4-D	39730	WAIVED			
ALACHLOR	77825	WAIVED			
ATRAZINE	39033	WAIVED			
BENTAZON	38710	WAIVED			
BENZO (A) PYRENE	34247	WAIVED			
CARBOFURAN	81405	WAIVED			
CHLORDANE	39350	WAIVED			
DALAPON	38432	WAIVED			
DI(2-ETHYLHEXYL)ADIPATE	A-026	WAIVED			
DI(2-ETHYLHEXYL)PHTHALATE	39100	WAIVED			
DIBROMOCHLOROPROPANE (DBCP)	38761	WAIVED			
DINOSEB	81287	WAIVED			
DIQUAT	78885	WAIVED			
ENDOTHALL	38926	WAIVED			
ENDRIN	39390	WAIVED			
ETHYLENE DIBROMIDE (EDB)	77651	WAIVED			
GLYPHOSATE	79743	WAIVED			
HEPTACHLOR	39410	WAIVED			
HEPTACHLOR EPOXIDE	39420	WAIVED			
HEXACHLOROBENZENE	39700	WAIVED			
HEXACHLOROCYCLOPENTADIENE	34386	WAIVED			
LINDANE	39340	WAIVED			

**Testing interval is in months;*
0 = No data for this constituent and is DUE NOW
999 = Waived testing (not required)
I = Invalid (NOT) valid analyses reported

System Number: ***1907031***

System Name: ***RANCHO YBARRA CHRISTIAN CAMP***

PS Code: ***1907031-001***

Source Name: ***WELL 01***

Source Number: ***001***

Source Status: ***ACTIVE UNTREATED***

Water type: ***GROUNDWATER OR WELL***

	STORET NUMBER	TESTING INTERVAL (MONTHS)*	LAST TEST DATE (yyyy/mm/dd)	LAST RESULT REPORTED	NEXT TEST DATE (yyyy/mm)
REGULATED SOC					
METHOXYCHLOR	39480	WAIVED			
MOLINATE	82199	WAIVED			
OXAMYL	38865	WAIVED			
PENTACHLOROPHENOL	39032	WAIVED			
PICLORAM	39720	WAIVED			
POLYCHLORINATED BIPHENYLS, TOTAL, AS DCB	39516	WAIVED			
SIMAZINE	39055	WAIVED			
THIOBENCARB	A-001	WAIVED			
TOXAPHENE	39400	WAIVED			
REGULATED VOC					
1,1,1-TRICHLOROETHANE	34506	WAIVED			
1,1,2,2-TETRACHLOROETHANE	34516	WAIVED			
1,1,2-TRICHLORO-1,2,2-TRIFLUOROETHANE	81611	WAIVED			
1,1,2-TRICHLOROETHANE	34511	WAIVED			
1,1-DICHLOROETHANE	34496	WAIVED			
1,1-DICHLOROETHYLENE	34501	WAIVED			
1,2,4-TRICHLOROBENZENE	34551	WAIVED			
1,2-DICHLOROBENZENE	34536	WAIVED			
1,2-DICHLOROETHANE	34531	WAIVED			
1,2-DICHLOROPROPANE	34541	WAIVED			
1,3-DICHLOROPROPENE (TOTAL)	34561	WAIVED			
1,4-DICHLOROBENZENE	34571	WAIVED			
BENZENE	34030	WAIVED			
CARBON TETRACHLORIDE	32102	WAIVED			
CIS-1,2-DICHLOROETHYLENE	77093	WAIVED			
DICHLOROMETHANE	34423	WAIVED			
ETHYLBENZENE	34371	WAIVED			
METHYL-TERT-BUTYL-ETHER (MTBE)	46491	WAIVED			
MONOCHLOROBENZENE	34301	WAIVED			

**Testing interval is in months;*
0 = No data for this constituent and is DUE NOW
999 = Waived testing (not required)
I = Invalid (NOT) valid analyses reported

System Number: ***1907031***

System Name: ***RANCHO YBARRA CHRISTIAN CAMP***

PS Code: ***1907031-001***

Source Name: ***WELL 01***

Source Number: ***001***

Source Status: ***ACTIVE UNTREATED***

Water type: ***GROUNDWATER OR WELL***

	STORET NUMBER	TESTING INTERVAL (MONTHS)*	LAST TEST DATE (yyyy/mm/dd)	LAST RESULT REPORTED	NEXT TEST DATE (yyyy/mm)
REGULATED VOC					
STYRENE	77128	WAIVED			
TETRACHLOROETHYLENE	34475	WAIVED			
TOLUENE	34010	WAIVED			
TRANS-1,2-DICHLOROETHYLENE	34546	WAIVED			
TRICHLOROETHYLENE	39180	WAIVED			
TRICHLOROFLUOROMETHANE	34488	WAIVED			
VINYL CHLORIDE	39175	WAIVED			
XYLENES (TOTAL)	81551	WAIVED			
SECONDARY/GP					
AGGRSSIVE INDEX (CORROSIVITY)	82383	WAIVED			
BICARBONATE ALKALINITY	00440	WAIVED	2006/03/28	259.000	
CALCIUM	00916	WAIVED	2006/03/28	68.100	
CARBONATE ALKALINITY	00445	WAIVED	2006/03/28	.000	
CHLORIDE	00940	WAIVED	2006/03/28	6.090	
COLOR	00081	WAIVED	2004/03/03	.000	
COPPER	01042	WAIVED	2006/03/28	.000	
FOAMING AGENTS (MBAS)	38260	WAIVED	2004/03/03	.000	
HARDNESS (TOTAL) AS CACO3	00900	WAIVED	2006/03/28	250.000	
HYDROXIDE ALKALINITY	71830	WAIVED	2006/03/28	.000	
IRON	01045	WAIVED	2006/03/28	.000	
MAGNESIUM	00927	WAIVED	2006/03/28	19.400	
MANGANESE	01055	WAIVED	2006/03/28	20.500	
ODOR THRESHOLD @ 60 C	00086	WAIVED	2004/03/03	.000	
PH, LABORATORY	00403	WAIVED	2006/03/28	7.430	
SILVER	01077	WAIVED	2006/03/28	.000	
SODIUM	00929	WAIVED	2006/03/28	72.800	
SPECIFIC CONDUCTANCE	00095	WAIVED	2004/03/03	747.000	
SULFATE	00945	WAIVED	2006/03/28	173.000	
TOTAL DISSOLVED SOLIDS	70300	WAIVED	2006/03/28	480.000	

**Testing interval is in months;*
0 = No data for this constituent and is DUE NOW
999 = Waived testing (not required)
I = Invalid (NOT) valid analyses reported

System Number: ***1907031***

System Name: ***RANCHO YBARRA CHRISTIAN CAMP***

PS Code: ***1907031-001***

Source Name: ***WELL 01***

Source Number: ***001***

Source Status: ***ACTIVE UNTREATED***

Water type: ***GROUNDWATER OR WELL***

	STORET NUMBER	TESTING INTERVAL (MONTHS)*	LAST TEST DATE (yyyy/mm/dd)	LAST RESULT REPORTED	NEXT TEST DATE (yyyy/mm)
SECONDARY/GP					
TURBIDITY, LABORATORY	**82079**	**WAIVED**	2006/03/28	**.170**	
ZINC	**01092**	**WAIVED**	2006/03/28	**.000**	

**Testing interval is in months;*
0 = No data for this constituent and is DUE NOW
999 = Waived testing (not required)
I = Invalid (NOT) valid analyses reported

System Number: ***1907032***

System Name: ***WASTE MANAGEMENT OF LANCASTER***

PS Code: ***1907032-001***

Source Name: ***WELL 01***

Source Number: ***001***

Source Status: ***ACTIVE UNTREATED***

Water type: ***GROUNDWATER OR WELL***

	STORET NUMBER	TESTING INTERVAL (MONTHS)*	LAST TEST DATE (yyyy/mm/dd)	LAST RESULT REPORTED	NEXT TEST DATE (yyyy/mm)
GENERAL NON CHAP 15					
DIAZINON	39570	WAIVED			
INORGANIC					
ALUMINUM	01105	WAIVED	2010/11/23	< .000	
ANTIMONY	01097	WAIVED	2010/11/23	< .000	
ARSENIC	01002	WAIVED	2011/01/25	5.900	
ASBESTOS	81855	WAIVED			
BARIUM	01007	WAIVED	2010/11/23	< .000	
BERYLLIUM	01012	WAIVED	2010/11/23	< .000	
CADMIUM	01027	WAIVED	2010/11/23	< .000	
CHROMIUM (TOTAL)	01034	WAIVED	2010/11/23	11.000	
CYANIDE	01291	WAIVED	2010/11/23	< .000	
FLUORIDE (F) (NATURAL-SOURCE)	00951	WAIVED	2010/11/23	.290	
LEAD	01051	WAIVED	2010/11/23	< .000	
MERCURY	71900	WAIVED	2010/11/23	< .000	
NICKEL	01067	WAIVED	2010/11/23	< .000	
PERCHLORATE	A-031	WAIVED	2011/08/11	< .000	
SELENIUM	01147	WAIVED	2010/11/23	< .000	
THALLIUM	01059	WAIVED	2010/11/23	< .000	
NITRATE/NITRITE					
NITRATE (AS NO3)	71850	WAIVED	2011/11/02	< .000	
NITRITE (AS N)	00620	WAIVED	2010/11/23	< .000	
RADIOLOGICAL					
GROSS ALPHA	01501	WAIVED	2012/02/28	< .000	
GROSS BETA	03501	WAIVED			
RA-226 FOR CWS OR TOTAL RA FOR NTNC BY 903.0	A-080	WAIVED			
RA-226 OR TOTAL RA BY 903.0 C.E.	A-081	WAIVED			
RADIUM 226	09501	WAIVED			
RADIUM 228	11501	WAIVED			

**Testing interval is in months;*
0 = No data for this constituent and is DUE NOW
999 = Waived testing (not required)
I = Invalid (NOT) valid analyses reported

System Number: ***1907032***

System Name: ***WASTE MANAGEMENT OF LANCASTER***

PS Code: ***1907032-001***

Source Name: ***WELL 01***

Source Number: ***001***

Source Status: ***ACTIVE UNTREATED***

Water type: ***GROUNDWATER OR WELL***

	STORET NUMBER	TESTING INTERVAL (MONTHS)*	LAST TEST DATE (yyyy/mm/dd)	LAST RESULT REPORTED	NEXT TEST DATE (yyyy/mm)
RADIOLOGICAL					
RADIUM, TOTAL, MDA95-NTNC ONLY, BY 903.0	A-082	WAIVED			
STRONTIUM-90	13501	WAIVED			
TRITIUM	07000	WAIVED			
URANIUM (PCI/L)	28012	WAIVED			
REGULATED SOC					
2,3,7,8-TCDD (DIOXIN)	34676	WAIVED			
2,4,5-TP (SILVEX)	39045	WAIVED			
2,4-D	39730	WAIVED			
ALACHLOR	77825	WAIVED	2002/04/10	.000	
ATRAZINE	39033	WAIVED			
BENTAZON	38710	WAIVED			
BENZO (A) PYRENE	34247	WAIVED			
CARBOFURAN	81405	WAIVED			
CHLORDANE	39350	WAIVED	2002/04/10	.000	
DALAPON	38432	WAIVED			
DI(2-ETHYLHEXYL)ADIPATE	A-026	WAIVED			
DI(2-ETHYLHEXYL)PHTHALATE	39100	WAIVED			
DIBROMOCHLOROPROPANE (DBCP)	38761	WAIVED			
DINOSEB	81287	WAIVED			
DIQUAT	78885	WAIVED			
ENDOTHALL	38926	WAIVED			
ENDRIN	39390	WAIVED	2002/04/10	.000	
ETHYLENE DIBROMIDE (EDB)	77651	WAIVED			
GLYPHOSATE	79743	WAIVED			
HEPTACHLOR	39410	WAIVED	2002/04/10	.000	
HEPTACHLOR EPOXIDE	39420	WAIVED	2002/04/10	.000	
HEXACHLOROBENZENE	39700	WAIVED	2002/04/10	.000	
HEXACHLOROCYCLOPENTADIENE	34386	WAIVED	2002/04/10	.000	
LINDANE	39340	WAIVED	2002/04/10	.000	

**Testing interval is in months;*
0 = No data for this constituent and is DUE NOW
999 = Waived testing (not required)
I = Invalid (NOT) valid analyses reported

System Number: ***1907032***

System Name: ***WASTE MANAGEMENT OF LANCASTER***

PS Code: ***1907032-001***

Source Name: ***WELL 01***

Source Number: ***001***

Source Status: ***ACTIVE UNTREATED***

Water type: ***GROUNDWATER OR WELL***

	STORET NUMBER	TESTING INTERVAL (MONTHS)*	LAST TEST DATE (yyyy/mm/dd)	LAST RESULT REPORTED	NEXT TEST DATE (yyyy/mm)
REGULATED SOC					
METHOXYCHLOR	39480	WAIVED	2002/04/10	.000	
MOLINATE	82199	WAIVED			
OXAMYL	38865	WAIVED			
PENTACHLOROPHENOL	39032	WAIVED			
PICLORAM	39720	WAIVED			
POLYCHLORINATED BIPHENYLS, TOTAL, AS DCB	39516	WAIVED	2002/04/10	.000	
SIMAZINE	39055	WAIVED			
THIOBENCARB	A-001	WAIVED			
TOXAPHENE	39400	WAIVED	2002/04/10	.000	
REGULATED VOC					
1,1,1-TRICHLOROETHANE	34506	WAIVED	2011/11/02	< .000	
1,1,2,2-TETRACHLOROETHANE	34516	WAIVED	2011/11/02	< .000	
1,1,2-TRICHLORO-1,2,2-TRIFLUOROETHANE	81611	WAIVED	2011/11/02	< .000	
1,1,2-TRICHLOROETHANE	34511	WAIVED	2011/11/02	< .000	
1,1-DICHLOROETHANE	34496	WAIVED	2011/11/02	< .000	
1,1-DICHLOROETHYLENE	34501	WAIVED	2011/11/02	< .000	
1,2,4-TRICHLOROBENZENE	34551	WAIVED	2011/11/02	< .000	
1,2-DICHLOROBENZENE	34536	WAIVED	2011/11/02	< .000	
1,2-DICHLOROETHANE	34531	WAIVED	2011/11/02	< .000	
1,2-DICHLOROPROPANE	34541	WAIVED	2011/11/02	< .000	
1,3-DICHLOROPROPENE (TOTAL)	34561	WAIVED	2011/11/02	< .000	
1,4-DICHLOROBENZENE	34571	WAIVED	2011/11/02	< .000	
BENZENE	34030	WAIVED	2011/11/02	< .000	
CARBON TETRACHLORIDE	32102	WAIVED	2011/11/02	< .000	
CIS-1,2-DICHLOROETHYLENE	77093	WAIVED	2011/11/02	< .000	
DICHLOROMETHANE	34423	WAIVED	2011/11/02	< .000	
ETHYLBENZENE	34371	WAIVED	2011/11/02	< .000	
METHYL-TERT-BUTYL-ETHER (MTBE)	46491	WAIVED	2011/11/02	< .000	
MONOCHLOROBENZENE	34301	WAIVED	2011/11/02	< .000	

**Testing interval is in months;*
0 = No data for this constituent and is DUE NOW
999 = Waived testing (not required)
I = Invalid (NOT) valid analyses reported

System Number: 1907032
System Name: WASTE MANAGEMENT OF LANCASTER

PS Code: 1907032-001
Source Name: WELL 01
Source Number: 001
Source Status: ACTIVE UNTREATED
Water type: GROUNDWATER OR WELL

	STORET NUMBER	TESTING INTERVAL (MONTHS)*	LAST TEST DATE (yyyy/mm/dd)	LAST RESULT REPORTED	NEXT TEST DATE (yyyy/mm)
REGULATED VOC					
STYRENE	77128	WAIVED	2011/11/02	< .000	
TETRACHLOROETHYLENE	34475	WAIVED	2011/11/02	< .000	
TOLUENE	34010	WAIVED	2011/11/02	< .000	
TRANS-1,2-DICHLOROETHYLENE	34546	WAIVED	2011/11/02	< .000	
TRICHLOROETHYLENE	39180	WAIVED	2011/11/02	< .000	
TRICHLOROFLUOROMETHANE	34488	WAIVED	2011/11/02	< .000	
VINYL CHLORIDE	39175	WAIVED	2011/11/02	< .000	
XYLENES (TOTAL)	81551	WAIVED	2011/11/02	< .000	
SECONDARY/GP					
AGGRSSIVE INDEX (CORROSIVITY)	82383	WAIVED	2010/11/23	12.000	
BICARBONATE ALKALINITY	00440	WAIVED	2010/11/23	140.000	
CALCIUM	00916	WAIVED	2010/11/23	23.000	
CARBONATE ALKALINITY	00445	WAIVED	2010/11/23	< .000	
CHLORIDE	00940	WAIVED	2010/11/23	2.700	
COLOR	00081	WAIVED	2003/11/05	.000	
COPPER	01042	WAIVED	2010/11/23	< .000	
FOAMING AGENTS (MBAS)	38260	WAIVED	2010/11/23	< .000	
HARDNESS (TOTAL) AS CACO3	00900	WAIVED	2010/11/23	70.000	
HYDROXIDE ALKALINITY	71830	WAIVED	2010/11/23	< .000	
IRON	01045	WAIVED	2010/11/23	< .000	
MAGNESIUM	00927	WAIVED	2010/11/23	3.100	
MANGANESE	01055	WAIVED	2010/11/23	< .000	
ODOR THRESHOLD @ 60 C	00086	WAIVED	2003/11/05	.000	
PH, LABORATORY	00403	WAIVED	2010/11/23	8.100	
SILVER	01077	WAIVED	2010/11/23	< .000	
SODIUM	00929	WAIVED	2010/11/23	24.000	
SPECIFIC CONDUCTANCE	00095	WAIVED	2011/08/11	240.000	
SULFATE	00945	WAIVED	2010/11/23	11.000	
TOTAL DISSOLVED SOLIDS	70300	WAIVED	2010/11/23	160.000	

**Testing interval is in months;*
0 = No data for this constituent and is DUE NOW
999 = Waived testing (not required)
I = Invalid (NOT) valid analyses reported

System Number: ***1907032***

System Name: ***WASTE MANAGEMENT OF LANCASTER***

PS Code: ***1907032-001***

Source Name: ***WELL 01***

Source Number: ***001***

Source Status: ***ACTIVE UNTREATED***

Water type: ***GROUNDWATER OR WELL***

	STORET NUMBER	TESTING INTERVAL (MONTHS)*	LAST TEST DATE (yyyy/mm/dd)	LAST RESULT REPORTED	NEXT TEST DATE (yyyy/mm)
SECONDARY/GP					
TURBIDITY, LABORATORY	**82079**	**WAIVED**	2003/11/05	**.120**	
ZINC	**01092**	**WAIVED**	2011/01/25	**< .000**	

**Testing interval is in months;*
0 = No data for this constituent and is DUE NOW
999 = Waived testing (not required)
I = Invalid (NOT) valid analyses reported

System Number: ***1907036***

System Name: ***NEW APOSTOLIC CHURCH BOUQUET CANYON***

PS Code: ***1907036-001***

Source Name: ***WELL 01***

Source Number: ***001***

Source Status: ***ACTIVE UNTREATED***

Water type: ***GROUNDWATER OR WELL***

	STORET NUMBER	TESTING INTERVAL (MONTHS)*	LAST TEST DATE (yyyy/mm/dd)	LAST RESULT REPORTED	NEXT TEST DATE (yyyy/mm)
GENERAL NON CHAP 15					
DIAZINON	39570	WAIVED			
INORGANIC					
ALUMINUM	01105	WAIVED	2004/05/26	.000	
ANTIMONY	01097	WAIVED	2004/05/26	.000	
ARSENIC	01002	WAIVED	2004/05/26	27.600	
ASBESTOS	81855	WAIVED			
BARIUM	01007	WAIVED	2003/09/25	.000	
BERYLLIUM	01012	WAIVED	2004/05/26	.000	
CADMIUM	01027	WAIVED	2004/05/26	.000	
CHROMIUM (TOTAL)	01034	WAIVED	2004/05/26	.000	
CYANIDE	01291	WAIVED	2004/05/26	.000	
FLUORIDE (F) (NATURAL-SOURCE)	00951	WAIVED	2004/05/26	.650	
LEAD	01051	WAIVED	2004/05/26	.000	
MERCURY	71900	WAIVED	2004/05/26	.000	
NICKEL	01067	WAIVED	2004/05/26	.000	
PERCHLORATE	A-031	WAIVED	2002/10/18	.000	
SELENIUM	01147	WAIVED	2004/05/26	.000	
THALLIUM	01059	WAIVED	2004/05/26	.000	
NITRATE/NITRITE					
NITRATE (AS NO3)	71850	WAIVED	2004/05/26	61.200	
NITRITE (AS N)	00620	WAIVED			
RADIOLOGICAL					
GROSS ALPHA	01501	WAIVED			
GROSS BETA	03501	WAIVED			
RA-226 FOR CWS OR TOTAL RA FOR NTNC BY 903.0	A-080	WAIVED			
RA-226 OR TOTAL RA BY 903.0 C.E.	A-081	WAIVED			
RADIUM 226	09501	WAIVED			
RADIUM 228	11501	WAIVED			

**Testing interval is in months;*
0 = No data for this constituent and is DUE NOW
999 = Waived testing (not required)
I = Invalid (NOT) valid analyses reported

System Number: ***1907036***

System Name: ***NEW APOSTOLIC CHURCH BOUQUET CANYON***

PS Code: ***1907036-001***

Source Name: ***WELL 01***

Source Number: ***001***

Source Status: ***ACTIVE UNTREATED***

Water type: ***GROUNDWATER OR WELL***

	STORET NUMBER	TESTING INTERVAL (MONTHS)*	LAST TEST DATE (yyyy/mm/dd)	LAST RESULT REPORTED	NEXT TEST DATE (yyyy/mm)
RADIOLOGICAL					
RADIUM, TOTAL, MDA95-NTNC ONLY, BY 903.0	A-082	WAIVED			
STRONTIUM-90	13501	WAIVED			
TRITIUM	07000	WAIVED			
URANIUM (PCI/L)	28012	WAIVED			
REGULATED SOC					
2,3,7,8-TCDD (DIOXIN)	34676	WAIVED			
2,4,5-TP (SILVEX)	39045	WAIVED			
2,4-D	39730	WAIVED			
ALACHLOR	77825	WAIVED			
ATRAZINE	39033	WAIVED			
BENTAZON	38710	WAIVED			
BENZO (A) PYRENE	34247	WAIVED			
CARBOFURAN	81405	WAIVED			
CHLORDANE	39350	WAIVED			
DALAPON	38432	WAIVED			
DI(2-ETHYLHEXYL)ADIPATE	A-026	WAIVED			
DI(2-ETHYLHEXYL)PHTHALATE	39100	WAIVED			
DIBROMOCHLOROPROPANE (DBCP)	38761	WAIVED			
DINOSEB	81287	WAIVED			
DIQUAT	78885	WAIVED			
ENDOTHALL	38926	WAIVED			
ENDRIN	39390	WAIVED			
ETHYLENE DIBROMIDE (EDB)	77651	WAIVED			
GLYPHOSATE	79743	WAIVED			
HEPTACHLOR	39410	WAIVED			
HEPTACHLOR EPOXIDE	39420	WAIVED			
HEXACHLOROBENZENE	39700	WAIVED			
HEXACHLOROCYCLOPENTADIENE	34386	WAIVED			
LINDANE	39340	WAIVED			

**Testing interval is in months;*
0 = No data for this constituent and is DUE NOW
999 = Waived testing (not required)
I = Invalid (NOT) valid analyses reported

System Number: ***1907036***

System Name: ***NEW APOSTOLIC CHURCH BOUQUET CANYON***

PS Code: ***1907036-001***

Source Name: ***WELL 01***

Source Number: ***001***

Source Status: ***ACTIVE UNTREATED***

Water type: ***GROUNDWATER OR WELL***

	STORET NUMBER	TESTING INTERVAL (MONTHS)*	LAST TEST DATE (yyyy/mm/dd)	LAST RESULT REPORTED	NEXT TEST DATE (yyyy/mm)
REGULATED SOC					
METHOXYCHLOR	39480	WAIVED			
MOLINATE	82199	WAIVED			
OXAMYL	38865	WAIVED			
PENTACHLOROPHENOL	39032	WAIVED			
PICLORAM	39720	WAIVED			
POLYCHLORINATED BIPHENYLS, TOTAL, AS DCB	39516	WAIVED			
SIMAZINE	39055	WAIVED			
THIOBENCARB	A-001	WAIVED	2002/10/18	.000	
TOXAPHENE	39400	WAIVED			
REGULATED VOC					
1,1,1-TRICHLOROETHANE	34506	WAIVED			
1,1,2,2-TETRACHLOROETHANE	34516	WAIVED			
1,1,2-TRICHLORO-1,2,2-TRIFLUOROETHANE	81611	WAIVED			
1,1,2-TRICHLOROETHANE	34511	WAIVED			
1,1-DICHLOROETHANE	34496	WAIVED			
1,1-DICHLOROETHYLENE	34501	WAIVED			
1,2,4-TRICHLOROBENZENE	34551	WAIVED			
1,2-DICHLOROBENZENE	34536	WAIVED			
1,2-DICHLOROETHANE	34531	WAIVED			
1,2-DICHLOROPROPANE	34541	WAIVED			
1,3-DICHLOROPROPENE (TOTAL)	34561	WAIVED			
1,4-DICHLOROBENZENE	34571	WAIVED			
BENZENE	34030	WAIVED			
CARBON TETRACHLORIDE	32102	WAIVED			
CIS-1,2-DICHLOROETHYLENE	77093	WAIVED			
DICHLOROMETHANE	34423	WAIVED			
ETHYLBENZENE	34371	WAIVED			
METHYL-TERT-BUTYL-ETHER (MTBE)	46491	WAIVED			
MONOCHLOROBENZENE	34301	WAIVED			

**Testing interval is in months;*
0 = No data for this constituent and is DUE NOW
999 = Waived testing (not required)
I = Invalid (NOT) valid analyses reported

System Number: 1907036

System Name: NEW APOSTOLIC CHURCH BOUQUET CANYON

PS Code: 1907036-001

Source Name: WELL 01

Source Number: 001

Source Status: ACTIVE UNTREATED

Water type: GROUNDWATER OR WELL

	STORET NUMBER	TESTING INTERVAL (MONTHS)*	LAST TEST DATE (yyyy/mm/dd)	LAST RESULT REPORTED	NEXT TEST DATE (yyyy/mm)
REGULATED VOC					
STYRENE	77128	WAIVED			
TETRACHLOROETHYLENE	34475	WAIVED			
TOLUENE	34010	WAIVED			
TRANS-1,2-DICHLOROETHYLENE	34546	WAIVED			
TRICHLOROETHYLENE	39180	WAIVED			
TRICHLOROFLUOROMETHANE	34488	WAIVED			
VINYL CHLORIDE	39175	WAIVED			
XYLENES (TOTAL)	81551	WAIVED			
SECONDARY/GP					
AGGRSSIVE INDEX (CORROSIVITY)	82383	WAIVED			
BICARBONATE ALKALINITY	00440	WAIVED	2004/05/26	302.000	
CALCIUM	00916	WAIVED	2004/05/26	52.500	
CARBONATE ALKALINITY	00445	WAIVED	2004/05/26	.000	
CHLORIDE	00940	WAIVED	2004/05/26	98.800	
COLOR	00081	WAIVED	2004/05/26	.000	
COPPER	01042	WAIVED	2004/05/26	.000	
FOAMING AGENTS (MBAS)	38260	WAIVED	2004/05/26	.000	
HARDNESS (TOTAL) AS CACO3	00900	WAIVED	2004/05/26	179.000	
HYDROXIDE ALKALINITY	71830	WAIVED	2004/05/26	.000	
IRON	01045	WAIVED	2004/05/26	.000	
MAGNESIUM	00927	WAIVED	2004/05/26	11.700	
MANGANESE	01055	WAIVED	2004/05/26	.000	
ODOR THRESHOLD @ 60 C	00086	WAIVED	2004/05/26	.000	
PH, LABORATORY	00403	WAIVED	2004/05/26	7.800	
SILVER	01077	WAIVED	2004/05/26	.000	
SODIUM	00929	WAIVED	2004/05/26	150.000	
SPECIFIC CONDUCTANCE	00095	WAIVED	2004/05/26	1053.000	
SULFATE	00945	WAIVED	2004/05/26	107.000	
TOTAL DISSOLVED SOLIDS	70300	WAIVED	2004/05/26	700.000	

**Testing interval is in months;*
0 = No data for this constituent and is DUE NOW
999 = Waived testing (not required)
I = Invalid (NOT) valid analyses reported

System Number: ***1907036***

System Name: ***NEW APOSTOLIC CHURCH BOUQUET CANYON***

PS Code: ***1907036-001***

Source Name: ***WELL 01***

Source Number: ***001***

Source Status: ***ACTIVE UNTREATED***

Water type: ***GROUNDWATER OR WELL***

SECONDARY/GP

	STORET NUMBER	TESTING INTERVAL (MONTHS)*	LAST TEST DATE (yyyy/mm/dd)	LAST RESULT REPORTED	NEXT TEST DATE (yyyy/mm)
TURBIDITY, LABORATORY	82079	WAIVED	2004/05/26	.570	
ZINC	01092	WAIVED	2004/05/26	.000	

**Testing interval is in months;*
0 = No data for this constituent and is DUE NOW
999 = Waived testing (not required)
I = Invalid (NOT) valid analyses reported

System Number: ***1909007***

System Name: ***OUR LADY OF FATIMA SCHOOL - HOLY FAMILY***

PS Code: ***1909007-001***

Source Name: ***WELL 01***

Source Number: ***001***

Source Status: ***ACTIVE UNTREATED***

Water type: ***GROUNDWATER OR WELL***

	STORET NUMBER	TESTING INTERVAL (MONTHS)*	LAST TEST DATE (yyyy/mm/dd)	LAST RESULT REPORTED	NEXT TEST DATE (yyyy/mm)
GENERAL NON CHAP 15					
DIAZINON	39570	WAIVED			
INORGANIC					
ALUMINUM	01105	WAIVED	2006/03/14	.000	
ANTIMONY	01097	WAIVED			
ARSENIC	01002	WAIVED	2009/11/06	20.000	
ASBESTOS	81855	WAIVED			
BARIUM	01007	WAIVED			
BERYLLIUM	01012	WAIVED			
CADMIUM	01027	WAIVED	2006/03/14	.000	
CHROMIUM (TOTAL)	01034	WAIVED	2006/03/14	.000	
CYANIDE	01291	WAIVED			
FLUORIDE (F) (NATURAL-SOURCE)	00951	WAIVED	2006/03/14	.250	
LEAD	01051	WAIVED	2007/11/08	1.300	
MERCURY	71900	WAIVED	2006/03/14	.000	
NICKEL	01067	WAIVED	2006/03/14	.000	
PERCHLORATE	A-031	WAIVED			
SELENIUM	01147	WAIVED	2006/03/14	.000	
THALLIUM	01059	WAIVED			
NITRATE/NITRITE					
NITRATE (AS NO3)	71850	WAIVED	2007/11/08	< .500	
NITRITE (AS N)	00620	WAIVED			
RADIOLOGICAL					
GROSS ALPHA	01501	WAIVED			
GROSS BETA	03501	WAIVED			
RA-226 FOR CWS OR TOTAL RA FOR NTNC BY 903.0	A-080	WAIVED			
RA-226 OR TOTAL RA BY 903.0 C.E.	A-081	WAIVED			
RADIUM 226	09501	WAIVED			
RADIUM 228	11501	WAIVED			

**Testing interval is in months;*
0 = No data for this constituent and is DUE NOW
999 = Waived testing (not required)
I = Invalid (NOT) valid analyses reported

System Number: ***1909007***

System Name: ***OUR LADY OF FATIMA SCHOOL - HOLY FAMILY***

PS Code: ***1909007-001***

Source Name: ***WELL 01***

Source Number: ***001***

Source Status: ***ACTIVE UNTREATED***

Water type: ***GROUNDWATER OR WELL***

	STORET NUMBER	TESTING INTERVAL (MONTHS)*	LAST TEST DATE (yyyy/mm/dd)	LAST RESULT REPORTED	NEXT TEST DATE (yyyy/mm)
RADIOLOGICAL					
RADIUM, TOTAL, MDA95-NTNC ONLY, BY 903.0	A-082	WAIVED			
STRONTIUM-90	13501	WAIVED			
TRITIUM	07000	WAIVED			
URANIUM (PCI/L)	28012	WAIVED			
REGULATED SOC					
2,3,7,8-TCDD (DIOXIN)	34676	WAIVED			
2,4,5-TP (SILVEX)	39045	WAIVED			
2,4-D	39730	WAIVED			
ALACHLOR	77825	WAIVED	2002/06/19	.000	
ATRAZINE	39033	WAIVED			
BENTAZON	38710	WAIVED			
BENZO (A) PYRENE	34247	WAIVED			
CARBOFURAN	81405	WAIVED			
CHLORDANE	39350	WAIVED	2002/06/19	.000	
DALAPON	38432	WAIVED			
DI(2-ETHYLHEXYL)ADIPATE	A-026	WAIVED			
DI(2-ETHYLHEXYL)PHTHALATE	39100	WAIVED			
DIBROMOCHLOROPROPANE (DBCP)	38761	WAIVED			
DINOSEB	81287	WAIVED			
DIQUAT	78885	WAIVED			
ENDOTHALL	38926	WAIVED			
ENDRIN	39390	WAIVED	2002/06/19	.000	
ETHYLENE DIBROMIDE (EDB)	77651	WAIVED			
GLYPHOSATE	79743	WAIVED			
HEPTACHLOR	39410	WAIVED	2002/06/19	.000	
HEPTACHLOR EPOXIDE	39420	WAIVED	2002/06/19	.000	
HEXACHLOROBENZENE	39700	WAIVED	2002/06/19	.000	
HEXACHLOROCYCLOPENTADIENE	34386	WAIVED	2002/06/19	.000	
LINDANE	39340	WAIVED	2002/06/19	.000	

**Testing interval is in months;*
0 = No data for this constituent and is DUE NOW
999 = Waived testing (not required)
I = Invalid (NOT) valid analyses reported

System Number: 1909007

System Name: OUR LADY OF FATIMA SCHOOL - HOLY FAMILY

PS Code: 1909007-001

Source Name: WELL 01

Source Number: 001

Source Status: ACTIVE UNTREATED

Water type: GROUNDWATER OR WELL

	STORET NUMBER	TESTING INTERVAL (MONTHS)*	LAST TEST DATE (yyyy/mm/dd)	LAST RESULT REPORTED	NEXT TEST DATE (yyyy/mm)
REGULATED SOC					
METHOXYCHLOR	39480	WAIVED	2002/06/19	.000	
MOLINATE	82199	WAIVED			
OXAMYL	38865	WAIVED			
PENTACHLOROPHENOL	39032	WAIVED			
PICLORAM	39720	WAIVED			
POLYCHLORINATED BIPHENYLS, TOTAL, AS DCB	39516	WAIVED	2002/06/19	.000	
SIMAZINE	39055	WAIVED			
THIOBENCARB	A-001	WAIVED			
TOXAPHENE	39400	WAIVED	2002/06/19	.000	
REGULATED VOC					
1,1,1-TRICHLOROETHANE	34506	WAIVED	2002/06/19	.000	
1,1,2,2-TETRACHLOROETHANE	34516	WAIVED	2002/06/19	.000	
1,1,2-TRICHLORO-1,2,2-TRIFLUOROETHANE	81611	WAIVED	2002/06/19	.000	
1,1,2-TRICHLOROETHANE	34511	WAIVED	2002/06/19	.000	
1,1-DICHLOROETHANE	34496	WAIVED	2002/06/19	.000	
1,1-DICHLOROETHYLENE	34501	WAIVED	2002/06/19	.000	
1,2,4-TRICHLOROBENZENE	34551	WAIVED	2002/06/19	.000	
1,2-DICHLOROBENZENE	34536	WAIVED	2002/06/19	.000	
1,2-DICHLOROETHANE	34531	WAIVED	2002/06/19	.000	
1,2-DICHLOROPROPANE	34541	WAIVED	2002/06/19	.000	
1,3-DICHLOROPROPENE (TOTAL)	34561	WAIVED	2002/06/19	.000	
1,4-DICHLOROBENZENE	34571	WAIVED	2002/06/19	.000	
BENZENE	34030	WAIVED	2002/06/19	.000	
CARBON TETRACHLORIDE	32102	WAIVED	2002/06/19	.000	
CIS-1,2-DICHLOROETHYLENE	77093	WAIVED	2002/06/19	.000	
DICHLOROMETHANE	34423	WAIVED	2002/06/19	.000	
ETHYLBENZENE	34371	WAIVED	2002/06/19	.000	
METHYL-TERT-BUTYL-ETHER (MTBE)	46491	WAIVED	2002/06/19	.000	
MONOCHLOROBENZENE	34301	WAIVED	2002/06/19	.000	

**Testing interval is in months;*
0 = No data for this constituent and is DUE NOW
999 = Waived testing (not required)
I = Invalid (NOT) valid analyses reported

System Number: ***1909007***

System Name: ***OUR LADY OF FATIMA SCHOOL - HOLY FAMILY***

PS Code: ***1909007-001***

Source Name: ***WELL 01***

Source Number: ***001***

Source Status: ***ACTIVE UNTREATED***

Water type: ***GROUNDWATER OR WELL***

	STORET NUMBER	TESTING INTERVAL (MONTHS)*	LAST TEST DATE (yyyy/mm/dd)	LAST RESULT REPORTED	NEXT TEST DATE (yyyy/mm)
REGULATED VOC					
STYRENE	77128	WAIVED	2002/06/19	.000	
TETRACHLOROETHYLENE	34475	WAIVED	2002/06/19	.000	
TOLUENE	34010	WAIVED	2002/06/19	.000	
TRANS-1,2-DICHLOROETHYLENE	34546	WAIVED	2002/06/19	.000	
TRICHLOROETHYLENE	39180	WAIVED	2002/06/19	.000	
TRICHLOROFLUOROMETHANE	34488	WAIVED	2002/06/19	.000	
VINYL CHLORIDE	39175	WAIVED	2002/06/19	.000	
XYLENES (TOTAL)	81551	WAIVED	2002/06/19	.000	
SECONDARY/GP					
AGGRSSIVE INDEX (CORROSIVITY)	82383	WAIVED			
BICARBONATE ALKALINITY	00440	WAIVED	2006/03/14	238.000	
CALCIUM	00916	WAIVED	2006/03/14	60.100	
CARBONATE ALKALINITY	00445	WAIVED	2006/03/14	.000	
CHLORIDE	00940	WAIVED	2006/03/14	11.700	
COLOR	00081	WAIVED			
COPPER	01042	WAIVED	2007/11/08	39.000	
FOAMING AGENTS (MBAS)	38260	WAIVED			
HARDNESS (TOTAL) AS CACO3	00900	WAIVED	2006/03/14	210.000	
HYDROXIDE ALKALINITY	71830	WAIVED	2006/03/14	.000	
IRON	01045	WAIVED	2006/03/14	.000	
MAGNESIUM	00927	WAIVED	2006/03/14	14.600	
MANGANESE	01055	WAIVED	2006/03/14	66.200	
ODOR THRESHOLD @ 60 C	00086	WAIVED			
PH, LABORATORY	00403	WAIVED	2006/03/14	7.580	
SILVER	01077	WAIVED	2006/03/14	.000	
SODIUM	00929	WAIVED	2007/11/08	25.000	
SPECIFIC CONDUCTANCE	00095	WAIVED	2006/03/14	456.000	
SULFATE	00945	WAIVED	2006/03/14	28.900	
TOTAL DISSOLVED SOLIDS	70300	WAIVED	2006/03/14	280.000	

**Testing interval is in months;*
0 = No data for this constituent and is DUE NOW
999 = Waived testing (not required)
I = Invalid (NOT) valid analyses reported

System Number: ***1909007***

System Name: ***OUR LADY OF FATIMA SCHOOL - HOLY FAMILY***

PS Code: ***1909007-001***

Source Name: ***WELL 01***

Source Number: ***001***

Source Status: ***ACTIVE UNTREATED***

Water type: ***GROUNDWATER OR WELL***

SECONDARY/GP

	STORET NUMBER	TESTING INTERVAL (MONTHS)*	LAST TEST DATE (yyyy/mm/dd)	LAST RESULT REPORTED	NEXT TEST DATE (yyyy/mm)
TURBIDITY, LABORATORY	82079	WAIVED	2006/03/14	1.000	
ZINC	01092	WAIVED	2006/03/14	.000	

**Testing interval is in months;*
0 = No data for this constituent and is DUE NOW
999 = Waived testing (not required)
I = Invalid (NOT) valid analyses reported

System Number: ***1909015***

System Name: ***21ST CENTURY HOLINESS TABERNACLE CHURCH***

PS Code: ***1909015-001***

Source Name: ***WELL 01***

Source Number: ***001***

Source Status: ***ACTIVE RAW***

Water type: ***GROUNDWATER OR WELL***

	STORET NUMBER	TESTING INTERVAL (MONTHS)*	LAST TEST DATE (yyyy/mm/dd)	LAST RESULT REPORTED	NEXT TEST DATE (yyyy/mm)	
GENERAL NON CHAP 15						
DIAZINON	39570	WAIVED				
INORGANIC						
ALUMINUM	01105	WAIVED				
ANTIMONY	01097	WAIVED				
ARSENIC	01002	WAIVED				
ASBESTOS	81855	WAIVED				
BARIUM	01007	WAIVED				
BERYLLIUM	01012	WAIVED				
CADMIUM	01027	WAIVED				
CHROMIUM (TOTAL)	01034	WAIVED				
CYANIDE	01291	WAIVED				
FLUORIDE (F) (NATURAL-SOURCE)	00951	000				**DUE**
LEAD	01051	WAIVED				
MERCURY	71900	WAIVED				
NICKEL	01067	WAIVED				
PERCHLORATE	A-031	WAIVED				
SELENIUM	01147	WAIVED				
THALLIUM	01059	WAIVED				
NITRATE/NITRITE						
NITRATE (AS NO3)	71850	012	2011/09/15	< .000	2012/09	
NITRITE (AS N)	00620	036	2011/09/15	< .000	2014/09	
RADIOLOGICAL						
GROSS ALPHA	01501	WAIVED				
GROSS BETA	03501	WAIVED				
RA-226 FOR CWS OR TOTAL RA FOR NTNC BY 903.0	A-080	WAIVED				
RA-226 OR TOTAL RA BY 903.0 C.E.	A-081	WAIVED				
RADIUM 226	09501	WAIVED				
RADIUM 228	11501	WAIVED				

**Testing interval is in months;*
0 = No data for this constituent and is DUE NOW
999 = Waived testing (not required)
I = Invalid (NOT) valid analyses reported

System Number: ***1909015***

System Name: ***21ST CENTURY HOLINESS TABERNACLE CHURCH***

PS Code: ***1909015-001***

Source Name: ***WELL 01***

Source Number: ***001***

Source Status: ***ACTIVE RAW***

Water type: ***GROUNDWATER OR WELL***

	STORET NUMBER	TESTING INTERVAL (MONTHS)*	LAST TEST DATE (yyyy/mm/dd)	LAST RESULT REPORTED	NEXT TEST DATE (yyyy/mm)
RADIOLOGICAL					
RADIUM, TOTAL, MDA95-NTNC ONLY, BY 903.0	A-082	WAIVED			
STRONTIUM-90	13501	WAIVED			
TRITIUM	07000	WAIVED			
URANIUM (PCI/L)	28012	WAIVED			
REGULATED SOC					
2,3,7,8-TCDD (DIOXIN)	34676	WAIVED			
2,4,5-TP (SILVEX)	39045	WAIVED			
2,4-D	39730	WAIVED			
ALACHLOR	77825	WAIVED			
ATRAZINE	39033	WAIVED			
BENTAZON	38710	WAIVED			
BENZO (A) PYRENE	34247	WAIVED			
CARBOFURAN	81405	WAIVED			
CHLORDANE	39350	WAIVED			
DALAPON	38432	WAIVED			
DI(2-ETHYLHEXYL)ADIPATE	A-026	WAIVED			
DI(2-ETHYLHEXYL)PHTHALATE	39100	WAIVED			
DIBROMOCHLOROPROPANE (DBCP)	38761	WAIVED			
DINOSEB	81287	WAIVED			
DIQUAT	78885	WAIVED			
ENDOTHALL	38926	WAIVED			
ENDRIN	39390	WAIVED			
ETHYLENE DIBROMIDE (EDB)	77651	WAIVED			
GLYPHOSATE	79743	WAIVED			
HEPTACHLOR	39410	WAIVED			
HEPTACHLOR EPOXIDE	39420	WAIVED			
HEXACHLOROBENZENE	39700	WAIVED			
HEXACHLOROCYCLOPENTADIENE	34386	WAIVED			
LINDANE	39340	WAIVED			

**Testing interval is in months;*
0 = No data for this constituent and is DUE NOW
999 = Waived testing (not required)
I = Invalid (NOT) valid analyses reported

System Number: ***1909015***

System Name: ***21ST CENTURY HOLINESS TABERNACLE CHURCH***

PS Code: ***1909015-001***

Source Name: ***WELL 01***

Source Number: ***001***

Source Status: ***ACTIVE RAW***

Water type: ***GROUNDWATER OR WELL***

	STORET NUMBER	TESTING INTERVAL (MONTHS)*	LAST TEST DATE (yyyy/mm/dd)	LAST RESULT REPORTED	NEXT TEST DATE (yyyy/mm)
REGULATED SOC					
METHOXYCHLOR	39480	WAIVED			
MOLINATE	82199	WAIVED			
OXAMYL	38865	WAIVED			
PENTACHLOROPHENOL	39032	WAIVED			
PICLORAM	39720	WAIVED			
POLYCHLORINATED BIPHENYLS, TOTAL, AS DCB	39516	WAIVED			
SIMAZINE	39055	WAIVED			
THIOBENCARB	A-001	WAIVED			
TOXAPHENE	39400	WAIVED			
REGULATED VOC					
1,1,1-TRICHLOROETHANE	34506	WAIVED			
1,1,2,2-TETRACHLOROETHANE	34516	WAIVED			
1,1,2-TRICHLORO-1,2,2-TRIFLUOROETHANE	81611	WAIVED			
1,1,2-TRICHLOROETHANE	34511	WAIVED			
1,1-DICHLOROETHANE	34496	WAIVED			
1,1-DICHLOROETHYLENE	34501	WAIVED			
1,2,4-TRICHLOROBENZENE	34551	WAIVED			
1,2-DICHLOROBENZENE	34536	WAIVED			
1,2-DICHLOROETHANE	34531	WAIVED			
1,2-DICHLOROPROPANE	34541	WAIVED			
1,3-DICHLOROPROPENE (TOTAL)	34561	WAIVED			
1,4-DICHLOROBENZENE	34571	WAIVED			
BENZENE	34030	WAIVED			
CARBON TETRACHLORIDE	32102	WAIVED			
CIS-1,2-DICHLOROETHYLENE	77093	WAIVED			
DICHLOROMETHANE	34423	WAIVED			
ETHYLBENZENE	34371	WAIVED			
METHYL-TERT-BUTYL-ETHER (MTBE)	46491	WAIVED			
MONOCHLOROBENZENE	34301	WAIVED			

**Testing interval is in months;*
0 = No data for this constituent and is DUE NOW
999 = Waived testing (not required)
I = Invalid (NOT) valid analyses reported

System Number: ***1909015***

System Name: ***21ST CENTURY HOLINESS TABERNACLE CHURCH***

PS Code: ***1909015-001***

Source Name: ***WELL 01***

Source Number: ***001***

Source Status: ***ACTIVE RAW***

Water type: ***GROUNDWATER OR WELL***

	STORET NUMBER	TESTING INTERVAL (MONTHS)*	LAST TEST DATE (yyyy/mm/dd)	LAST RESULT REPORTED	NEXT TEST DATE (yyyy/mm)
REGULATED VOC					
STYRENE	77128	WAIVED			
TETRACHLOROETHYLENE	34475	WAIVED			
TOLUENE	34010	WAIVED			
TRANS-1,2-DICHLOROETHYLENE	34546	WAIVED			
TRICHLOROETHYLENE	39180	WAIVED			
TRICHLOROFLUOROMETHANE	34488	WAIVED			
VINYL CHLORIDE	39175	WAIVED			
XYLENES (TOTAL)	81551	WAIVED			
SECONDARY/GP					
AGGRSSIVE INDEX (CORROSIVITY)	82383	WAIVED			
BICARBONATE ALKALINITY	00440	000			DUE
CALCIUM	00916	000			DUE
CARBONATE ALKALINITY	00445	000			DUE
CHLORIDE	00940	WAIVED			
COLOR	00081	WAIVED			
COPPER	01042	WAIVED			
FOAMING AGENTS (MBAS)	38260	WAIVED			
HARDNESS (TOTAL) AS CACO3	00900	000			DUE
HYDROXIDE ALKALINITY	71830	000			DUE
IRON	01045	000			DUE
MAGNESIUM	00927	000			DUE
MANGANESE	01055	000			DUE
ODOR THRESHOLD @ 60 C	00086	WAIVED			
PH, LABORATORY	00403	000			DUE
SILVER	01077	WAIVED			
SODIUM	00929	000			DUE
SPECIFIC CONDUCTANCE	00095	000			DUE
SULFATE	00945	WAIVED			
TOTAL DISSOLVED SOLIDS	70300	WAIVED			

**Testing interval is in months;*
0 = No data for this constituent and is DUE NOW
999 = Waived testing (not required)
I = Invalid (NOT) valid analyses reported

System Number: ***1909015***

System Name: ***21ST CENTURY HOLINESS TABERNACLE CHURCH***

PS Code: ***1909015-001***

Source Name: ***WELL 01***

Source Number: ***001***

Source Status: ***ACTIVE RAW***

Water type: ***GROUNDWATER OR WELL***

SECONDARY/GP	STORET NUMBER	TESTING INTERVAL (MONTHS)*	LAST TEST DATE (yyyy/mm/dd)	LAST RESULT REPORTED	NEXT TEST DATE (yyyy/mm)
TURBIDITY, LABORATORY	82079	WAIVED			
ZINC	01092	WAIVED			

**Testing interval is in months;*
0 = No data for this constituent and is DUE NOW
999 = Waived testing (not required)
I = Invalid (NOT) valid analyses reported

System Number: 1909627
System Name: USFS-VALYERMO STATION V-8

PS Code: 1909627-001
Source Name: WELL 01
Source Number: 001
Source Status: ACTIVE UNTREATED
Water type: GROUNDWATER OR WELL

	STORET NUMBER	TESTING INTERVAL (MONTHS)*	LAST TEST DATE (yyyy/mm/dd)	LAST RESULT REPORTED	NEXT TEST DATE (yyyy/mm)
GENERAL NON CHAP 15					
DIAZINON	39570	WAIVED	2002/07/11	.000	
INORGANIC					
ALUMINUM	01105	WAIVED	2011/11/09	< 10.000	
ANTIMONY	01097	WAIVED	2011/11/09	< 1.000	
ARSENIC	01002	WAIVED	2011/11/09	< 2.000	
ASBESTOS	81855	WAIVED			
BARIUM	01007	WAIVED	2011/11/09	121.000	
BERYLLIUM	01012	WAIVED	2011/11/09	< 1.000	
CADMIUM	01027	WAIVED	2011/11/09	< 1.000	
CHROMIUM (TOTAL)	01034	WAIVED	2011/11/09	2.000	
CYANIDE	01291	WAIVED	2008/07/29	< .005	
FLUORIDE (F) (NATURAL-SOURCE)	00951	WAIVED	2011/11/09	.100	
LEAD	01051	WAIVED	2011/11/09	.500	
MERCURY	71900	WAIVED	2011/11/09	.050	
NICKEL	01067	WAIVED	2011/11/09	< 1.000	
PERCHLORATE	A-031	WAIVED	2011/11/09	< 2.000	
SELENIUM	01147	WAIVED	2011/11/09	< 2.000	
THALLIUM	01059	WAIVED	2011/11/09	< 1.000	
NITRATE/NITRITE					
NITRATE (AS NO3)	71850	WAIVED	2011/11/09	2.400	
NITRITE (AS N)	00620	WAIVED	2011/11/09	< .100	
RADIOLOGICAL					
GROSS ALPHA	01501	WAIVED	2010/10/19	11.100	
GROSS BETA	03501	WAIVED			
RA-226 FOR CWS OR TOTAL RA FOR NTNC BY 903.0	A-080	WAIVED	2008/05/13	.000	
RA-226 OR TOTAL RA BY 903.0 C.E.	A-081	WAIVED	2008/05/13	.199	
RADIUM 226	09501	WAIVED			
RADIUM 228	11501	WAIVED	2007/09/11	.000	

**Testing interval is in months;*
0 = No data for this constituent and is DUE NOW
999 = Waived testing (not required)
I = Invalid (NOT) valid analyses reported

System Number: ***1909627***

System Name: ***USFS-VALYERMO STATION V-8***

PS Code: ***1909627-001***

Source Name: ***WELL 01***

Source Number: ***001***

Source Status: ***ACTIVE UNTREATED***

Water type: ***GROUNDWATER OR WELL***

	STORET NUMBER	TESTING INTERVAL (MONTHS)*	LAST TEST DATE (yyyy/mm/dd)	LAST RESULT REPORTED	NEXT TEST DATE (yyyy/mm)
RADIOLOGICAL					
RADIUM, TOTAL, MDA95-NTNC ONLY, BY 903.0	A-082	WAIVED	2008/05/13	.420	
STRONTIUM-90	13501	WAIVED			
TRITIUM	07000	WAIVED			
URANIUM (PCI/L)	28012	WAIVED	2010/10/19	8.520	
REGULATED SOC					
2,3,7,8-TCDD (DIOXIN)	34676	WAIVED			
2,4,5-TP (SILVEX)	39045	WAIVED			
2,4-D	39730	WAIVED			
ALACHLOR	77825	WAIVED	2002/07/11	.000	
ATRAZINE	39033	WAIVED	2002/07/11	.000	
BENTAZON	38710	WAIVED			
BENZO (A) PYRENE	34247	WAIVED			
CARBOFURAN	81405	WAIVED			
CHLORDANE	39350	WAIVED	2002/05/28	.000	
DALAPON	38432	WAIVED			
DI(2-ETHYLHEXYL)ADIPATE	A-026	WAIVED			
DI(2-ETHYLHEXYL)PHTHALATE	39100	WAIVED			
DIBROMOCHLOROPROPANE (DBCP)	38761	WAIVED	2006/10/11	< .010	
DINOSEB	81287	WAIVED			
DIQUAT	78885	WAIVED			
ENDOTHALL	38926	WAIVED			
ENDRIN	39390	WAIVED	2002/05/28	.000	
ETHYLENE DIBROMIDE (EDB)	77651	WAIVED	2006/10/11	< .020	
GLYPHOSATE	79743	WAIVED			
HEPTACHLOR	39410	WAIVED	2002/05/28	.000	
HEPTACHLOR EPOXIDE	39420	WAIVED	2002/05/28	.000	
HEXACHLOROBENZENE	39700	WAIVED	2002/05/28	.000	
HEXACHLOROCYCLOPENTADIENE	34386	WAIVED	2002/05/28	.000	
LINDANE	39340	WAIVED	2002/05/28	.000	

**Testing interval is in months;*
0 = No data for this constituent and is DUE NOW
999 = Waived testing (not required)
I = Invalid (NOT) valid analyses reported

System Number: 1909627
System Name: USFS-VALYERMO STATION V-8

PS Code: 1909627-001
Source Name: WELL 01
Source Number: 001
Source Status: ACTIVE UNTREATED
Water type: GROUNDWATER OR WELL

	STORET NUMBER	TESTING INTERVAL (MONTHS)*	LAST TEST DATE (yyyy/mm/dd)	LAST RESULT REPORTED	NEXT TEST DATE (yyyy/mm)
REGULATED SOC					
METHOXYCHLOR	39480	WAIVED	2002/05/28	.000	
MOLINATE	82199	WAIVED	2002/07/11	.000	
OXAMYL	38865	WAIVED			
PENTACHLOROPHENOL	39032	WAIVED			
PICLORAM	39720	WAIVED			
POLYCHLORINATED BIPHENYLS, TOTAL, AS DCB	39516	WAIVED	2002/05/28	.000	
SIMAZINE	39055	WAIVED	2002/07/11	.000	
THIOBENCARB	A-001	WAIVED	2002/07/11	.000	
TOXAPHENE	39400	WAIVED	2002/05/28	.000	
REGULATED VOC					
1,1,1-TRICHLOROETHANE	34506	WAIVED	2008/07/22	< .500	
1,1,2,2-TETRACHLOROETHANE	34516	WAIVED	2008/07/22	< .500	
1,1,2-TRICHLORO-1,2,2-TRIFLUOROETHANE	81611	WAIVED	2008/07/22	< .500	
1,1,2-TRICHLOROETHANE	34511	WAIVED	2008/07/22	< .500	
1,1-DICHLOROETHANE	34496	WAIVED	2008/07/22	< .500	
1,1-DICHLOROETHYLENE	34501	WAIVED	2008/07/22	< .500	
1,2,4-TRICHLOROBENZENE	34551	WAIVED	2008/07/22	< .500	
1,2-DICHLOROBENZENE	34536	WAIVED	2008/07/22	< .500	
1,2-DICHLOROETHANE	34531	WAIVED	2008/07/22	< .500	
1,2-DICHLOROPROPANE	34541	WAIVED	2008/07/22	< .500	
1,3-DICHLOROPROPENE (TOTAL)	34561	WAIVED	2002/05/28	.000	
1,4-DICHLOROBENZENE	34571	WAIVED	2008/07/22	< .500	
BENZENE	34030	WAIVED	2008/07/22	< .500	
CARBON TETRACHLORIDE	32102	WAIVED	2008/07/22	< .500	
CIS-1,2-DICHLOROETHYLENE	77093	WAIVED	2008/07/22	< .500	
DICHLOROMETHANE	34423	WAIVED	2008/07/22	< .500	
ETHYLBENZENE	34371	WAIVED	2008/07/22	< .500	
METHYL-TERT-BUTYL-ETHER (MTBE)	46491	WAIVED	2008/07/22	< 1.000	
MONOCHLOROBENZENE	34301	WAIVED	2008/07/22	< .500	

**Testing interval is in months;*
0 = No data for this constituent and is DUE NOW
999 = Waived testing (not required)
I = Invalid (NOT) valid analyses reported

System Number: ***1909627***

System Name: ***USFS-VALYERMO STATION V-8***

PS Code: ***1909627-001***

Source Name: ***WELL 01***

Source Number: ***001***

Source Status: ***ACTIVE UNTREATED***

Water type: ***GROUNDWATER OR WELL***

	STORET NUMBER	TESTING INTERVAL (MONTHS)*	LAST TEST DATE (yyyy/mm/dd)	LAST RESULT REPORTED	NEXT TEST DATE (yyyy/mm)
REGULATED VOC					
STYRENE	77128	WAIVED	2008/07/22	< .500	
TETRACHLOROETHYLENE	34475	WAIVED	2008/07/22	< .500	
TOLUENE	34010	WAIVED	2008/07/22	< .500	
TRANS-1,2-DICHLOROETHYLENE	34546	WAIVED	2008/07/22	< .500	
TRICHLOROETHYLENE	39180	WAIVED	2008/07/22	< .500	
TRICHLOROFLUOROMETHANE	34488	WAIVED	2008/07/22	< .500	
VINYL CHLORIDE	39175	WAIVED	2008/07/22	< .500	
XYLENES (TOTAL)	81551	WAIVED	2008/07/22	< .500	
SECONDARY/GP					
AGGRSSIVE INDEX (CORROSIVITY)	82383	WAIVED	2011/11/09	12.100	
BICARBONATE ALKALINITY	00440	WAIVED	2011/11/09	240.000	
CALCIUM	00916	WAIVED	2011/11/09	71.000	
CARBONATE ALKALINITY	00445	WAIVED	2011/11/09	20.000	
CHLORIDE	00940	WAIVED	2011/11/09	2.000	
COLOR	00081	WAIVED	2011/11/09	< 5.000	
COPPER	01042	WAIVED	2011/11/09	< 10.000	
FOAMING AGENTS (MBAS)	38260	WAIVED	2011/11/09	< .100	
HARDNESS (TOTAL) AS CACO3	00900	WAIVED	2011/11/09	251.000	
HYDROXIDE ALKALINITY	71830	WAIVED	2011/11/09	< 10.000	
IRON	01045	WAIVED	2011/11/09	< 50.000	
MAGNESIUM	00927	WAIVED	2011/11/09	18.000	
MANGANESE	01055	WAIVED	2011/11/09	< 10.000	
ODOR THRESHOLD @ 60 C	00086	WAIVED	2011/11/09	< 1.000	
PH, LABORATORY	00403	WAIVED	2011/11/09	7.500	
SILVER	01077	WAIVED	2011/11/09	< 1.000	
SODIUM	00929	WAIVED	2011/11/09	11.000	
SPECIFIC CONDUCTANCE	00095	WAIVED	2011/11/09	527.000	
SULFATE	00945	WAIVED	2011/11/09	40.000	
TOTAL DISSOLVED SOLIDS	70300	WAIVED	2011/11/09	300.000	

**Testing interval is in months;*
0 = No data for this constituent and is DUE NOW
999 = Waived testing (not required)
I = Invalid (NOT) valid analyses reported

System Number: ***1909627***

System Name: ***USFS-VALYERMO STATION V-8***

PS Code: ***1909627-001***

Source Name: ***WELL 01***

Source Number: ***001***

Source Status: ***ACTIVE UNTREATED***

Water type: ***GROUNDWATER OR WELL***

	STORET NUMBER	TESTING INTERVAL (MONTHS)*	LAST TEST DATE (yyyy/mm/dd)	LAST RESULT REPORTED	NEXT TEST DATE (yyyy/mm)
SECONDARY/GP					
TURBIDITY, LABORATORY	82079	WAIVED	2011/11/09	.200	
ZINC	01092	WAIVED	2011/11/09	50.000	

PS Code: ***1909627-002***

Source Name: ***AUTOMATIC CHLORINATION UNIT***

Source Number: ***002***

Source Status: ***ACTIVE TREATED***

Water type: ***GROUNDWATER OR WELL***

GENERAL NON CHAP 15					
DIAZINON	39570	WAIVED			
INORGANIC					
ALUMINUM	01105	WAIVED			
ANTIMONY	01097	WAIVED			
ARSENIC	01002	WAIVED			
ASBESTOS	81855	WAIVED			
BARIUM	01007	WAIVED			
BERYLLIUM	01012	WAIVED			
CADMIUM	01027	WAIVED			
CHROMIUM (TOTAL)	01034	WAIVED			
CYANIDE	01291	WAIVED			
FLUORIDE (F) (NATURAL-SOURCE)	00951	WAIVED			
LEAD	01051	WAIVED			
MERCURY	71900	WAIVED			
NICKEL	01067	WAIVED			
PERCHLORATE	A-031	WAIVED			
SELENIUM	01147	WAIVED			
THALLIUM	01059	WAIVED			

**Testing interval is in months;*
0 = No data for this constituent and is DUE NOW
999 = Waived testing (not required)
I = Invalid (NOT) valid analyses reported

System Number: ***1909627***

System Name: ***USFS-VALYERMO STATION V-8***

PS Code: ***1909627-002***

Source Name: ***AUTOMATIC CHLORINATION UNIT***

Source Number: ***002***

Source Status: ***ACTIVE TREATED***

Water type: ***GROUNDWATER OR WELL***

	STORET NUMBER	TESTING INTERVAL (MONTHS)*	LAST TEST DATE (yyyy/mm/dd)	LAST RESULT REPORTED	NEXT TEST DATE (yyyy/mm)
NITRATE/NITRITE					
NITRATE (AS NO3)	71850	WAIVED			
NITRITE (AS N)	00620	WAIVED			
RADIOLOGICAL					
GROSS ALPHA	01501	WAIVED			
GROSS BETA	03501	WAIVED			
RA-226 FOR CWS OR TOTAL RA FOR NTNC BY 903.0	A-080	WAIVED			
RA-226 OR TOTAL RA BY 903.0 C.E.	A-081	WAIVED			
RADIUM 226	09501	WAIVED			
RADIUM 228	11501	WAIVED			
RADIUM, TOTAL, MDA95-NTNC ONLY, BY 903.0	A-082	WAIVED			
STRONTIUM-90	13501	WAIVED			
TRITIUM	07000	WAIVED			
URANIUM (PCI/L)	28012	WAIVED			
REGULATED SOC					
2,3,7,8-TCDD (DIOXIN)	34676	WAIVED			
2,4,5-TP (SILVEX)	39045	WAIVED			
2,4-D	39730	WAIVED			
ALACHLOR	77825	WAIVED			
ATRAZINE	39033	WAIVED			
BENTAZON	38710	WAIVED			
BENZO (A) PYRENE	34247	WAIVED			
CARBOFURAN	81405	WAIVED			
CHLORDANE	39350	WAIVED			
DALAPON	38432	WAIVED			
DI(2-ETHYLHEXYL)ADIPATE	A-026	WAIVED			
DI(2-ETHYLHEXYL)PHTHALATE	39100	WAIVED			
DIBROMOCHLOROPROPANE (DBCP)	38761	WAIVED			
DINOSEB	81287	WAIVED			
DIQUAT	78885	WAIVED			

**Testing interval is in months;*
0 = No data for this constituent and is DUE NOW
999 = Waived testing (not required)
I = Invalid (NOT) valid analyses reported

System Number: ***1909627***

System Name: ***USFS-VALYERMO STATION V-8***

PS Code: ***1909627-002***

Source Name: ***AUTOMATIC CHLORINATION UNIT***

Source Number: ***002***

Source Status: ***ACTIVE TREATED***

Water type: ***GROUNDWATER OR WELL***

	STORET NUMBER	TESTING INTERVAL (MONTHS)*	LAST TEST DATE (yyyy/mm/dd)	LAST RESULT REPORTED	NEXT TEST DATE (yyyy/mm)
REGULATED SOC					
ENDOTHALL	38926	WAIVED			
ENDRIN	39390	WAIVED			
ETHYLENE DIBROMIDE (EDB)	77651	WAIVED			
GLYPHOSATE	79743	WAIVED			
HEPTACHLOR	39410	WAIVED			
HEPTACHLOR EPOXIDE	39420	WAIVED			
HEXACHLOROBENZENE	39700	WAIVED			
HEXACHLOROCYCLOPENTADIENE	34386	WAIVED			
LINDANE	39340	WAIVED			
METHOXYCHLOR	39480	WAIVED			
MOLINATE	82199	WAIVED			
OXAMYL	38865	WAIVED			
PENTACHLOROPHENOL	39032	WAIVED			
PICLORAM	39720	WAIVED			
POLYCHLORINATED BIPHENYLS, TOTAL, AS DCB	39516	WAIVED			
SIMAZINE	39055	WAIVED			
THIOBENCARB	A-001	WAIVED			
TOXAPHENE	39400	WAIVED			
REGULATED VOC					
1,1,1-TRICHLOROETHANE	34506	WAIVED			
1,1,2,2-TETRACHLOROETHANE	34516	WAIVED			
1,1,2-TRICHLORO-1,2,2-TRIFLUOROETHANE	81611	WAIVED			
1,1,2-TRICHLOROETHANE	34511	WAIVED			
1,1-DICHLOROETHANE	34496	WAIVED			
1,1-DICHLOROETHYLENE	34501	WAIVED			
1,2,4-TRICHLOROBENZENE	34551	WAIVED			
1,2-DICHLOROBENZENE	34536	WAIVED			
1,2-DICHLOROETHANE	34531	WAIVED			
1,2-DICHLOROPROPANE	34541	WAIVED			

**Testing interval is in months;*
0 = No data for this constituent and is DUE NOW
999 = Waived testing (not required)
I = Invalid (NOT) valid analyses reported

System Number: ***1909627***

System Name: ***USFS-VALYERMO STATION V-8***

PS Code: ***1909627-002***

Source Name: ***AUTOMATIC CHLORINATION UNIT***

Source Number: ***002***

Source Status: ***ACTIVE TREATED***

Water type: ***GROUNDWATER OR WELL***

	STORET NUMBER	TESTING INTERVAL (MONTHS)*	LAST TEST DATE (yyyy/mm/dd)	LAST RESULT REPORTED	NEXT TEST DATE (yyyy/mm)
REGULATED VOC					
1,3-DICHLOROPROPENE (TOTAL)	34561	WAIVED			
1,4-DICHLOROBENZENE	34571	WAIVED			
BENZENE	34030	WAIVED			
CARBON TETRACHLORIDE	32102	WAIVED			
CIS-1,2-DICHLOROETHYLENE	77093	WAIVED			
DICHLOROMETHANE	34423	WAIVED			
ETHYLBENZENE	34371	WAIVED			
METHYL-TERT-BUTYL-ETHER (MTBE)	46491	WAIVED			
MONOCHLOROBENZENE	34301	WAIVED			
STYRENE	77128	WAIVED			
TETRACHLOROETHYLENE	34475	WAIVED			
TOLUENE	34010	WAIVED			
TRANS-1,2-DICHLOROETHYLENE	34546	WAIVED			
TRICHLOROETHYLENE	39180	WAIVED			
TRICHLOROFLUOROMETHANE	34488	WAIVED			
VINYL CHLORIDE	39175	WAIVED			
XYLENES (TOTAL)	81551	WAIVED			
SECONDARY/GP					
AGGRSSIVE INDEX (CORROSIVITY)	82383	WAIVED			
BICARBONATE ALKALINITY	00440	WAIVED			
CALCIUM	00916	WAIVED			
CARBONATE ALKALINITY	00445	WAIVED			
CHLORIDE	00940	WAIVED			
COLOR	00081	WAIVED			
COPPER	01042	WAIVED			
FOAMING AGENTS (MBAS)	38260	WAIVED			
HARDNESS (TOTAL) AS CACO3	00900	WAIVED			
HYDROXIDE ALKALINITY	71830	WAIVED			
IRON	01045	WAIVED			

**Testing interval is in months;*
0 = No data for this constituent and is DUE NOW
999 = Waived testing (not required)
I = Invalid (NOT) valid analyses reported

System Number: ***1909627***

System Name: ***USFS-VALYERMO STATION V-8***

PS Code: ***1909627-002***

Source Name: ***AUTOMATIC CHLORINATION UNIT***

Source Number: ***002***

Source Status: ***ACTIVE TREATED***

Water type: ***GROUNDWATER OR WELL***

SECONDARY/GP	STORET NUMBER	TESTING INTERVAL (MONTHS)*	LAST TEST DATE (yyyy/mm/dd)	LAST RESULT REPORTED	NEXT TEST DATE (yyyy/mm)
MAGNESIUM	00927	WAIVED			
MANGANESE	01055	WAIVED			
ODOR THRESHOLD @ 60 C	00086	WAIVED			
PH, LABORATORY	00403	WAIVED			
SILVER	01077	WAIVED			
SODIUM	00929	WAIVED			
SPECIFIC CONDUCTANCE	00095	WAIVED			
SULFATE	00945	WAIVED			
TOTAL DISSOLVED SOLIDS	70300	WAIVED			
TURBIDITY, LABORATORY	82079	WAIVED			
ZINC	01092	WAIVED			

**Testing interval is in months;*
0 = No data for this constituent and is DUE NOW
999 = Waived testing (not required)
I = Invalid (NOT) valid analyses reported

System Number: ***1909644***

System Name: ***AZUSA SPRINGS WATER SYSTEM***

PS Code: ***1909644-001***

Source Name: ***WELL 01***

Source Number: ***001***

Source Status: ***ACTIVE RAW***

Water type: ***SURFACE***

	STORET NUMBER	TESTING INTERVAL (MONTHS)*	LAST TEST DATE (yyyy/mm/dd)	LAST RESULT REPORTED	NEXT TEST DATE (yyyy/mm)
GENERAL NON CHAP 15					
DIAZINON	39570	WAIVED			
INORGANIC					
ALUMINUM	01105	WAIVED	2011/02/14	< .000	
ANTIMONY	01097	WAIVED	2011/02/14	< .000	
ARSENIC	01002	WAIVED	2011/02/14	< .000	
ASBESTOS	81855	WAIVED			
BARIUM	01007	WAIVED	2011/02/14	< .000	
BERYLLIUM	01012	WAIVED	2011/02/14	< .000	
CADMIUM	01027	WAIVED	2011/02/14	< .000	
CHROMIUM (TOTAL)	01034	WAIVED	2011/02/14	< .000	
CYANIDE	01291	WAIVED	2011/02/14	< .000	
FLUORIDE (F) (NATURAL-SOURCE)	00951	WAIVED	2011/02/14	.310	
LEAD	01051	WAIVED	2011/02/14	< .000	
MERCURY	71900	WAIVED	2011/02/14	< .000	
NICKEL	01067	WAIVED	2011/02/14	< .000	
PERCHLORATE	A-031	WAIVED	2011/07/28	< .000	
SELENIUM	01147	WAIVED	2011/02/14	< .000	
THALLIUM	01059	WAIVED	2011/02/14	< .000	
NITRATE/NITRITE					
NITRATE (AS NO3)	71850	WAIVED	2011/06/13	4.400	
NITRITE (AS N)	00620	WAIVED	2011/02/14	< .000	
RADIOLOGICAL					
GROSS ALPHA	01501	WAIVED			
GROSS BETA	03501	WAIVED			
RA-226 FOR CWS OR TOTAL RA FOR NTNC BY 903.0	A-080	WAIVED			
RA-226 OR TOTAL RA BY 903.0 C.E.	A-081	WAIVED			
RADIUM 226	09501	WAIVED			
RADIUM 228	11501	WAIVED	2008/12/04	.000	

**Testing interval is in months;*
0 = No data for this constituent and is DUE NOW
999 = Waived testing (not required)
I = Invalid (NOT) valid analyses reported

System Number: ***1909644***

System Name: ***AZUSA SPRINGS WATER SYSTEM***

PS Code: ***1909644-001***

Source Name: ***WELL 01***

Source Number: ***001***

Source Status: ***ACTIVE RAW***

Water type: ***SURFACE***

	STORET NUMBER	TESTING INTERVAL (MONTHS)*	LAST TEST DATE (yyyy/mm/dd)	LAST RESULT REPORTED	NEXT TEST DATE (yyyy/mm)
RADIOLOGICAL					
RADIUM, TOTAL, MDA95-NTNC ONLY, BY 903.0	A-082	WAIVED			
STRONTIUM-90	13501	WAIVED			
TRITIUM	07000	WAIVED			
URANIUM (PCI/L)	28012	WAIVED			
REGULATED SOC					
2,3,7,8-TCDD (DIOXIN)	34676	WAIVED			
2,4,5-TP (SILVEX)	39045	WAIVED			
2,4-D	39730	WAIVED			
ALACHLOR	77825	WAIVED			
ATRAZINE	39033	WAIVED			
BENTAZON	38710	WAIVED			
BENZO (A) PYRENE	34247	WAIVED			
CARBOFURAN	81405	WAIVED			
CHLORDANE	39350	WAIVED			
DALAPON	38432	WAIVED			
DI(2-ETHYLHEXYL)ADIPATE	A-026	WAIVED			
DI(2-ETHYLHEXYL)PHTHALATE	39100	WAIVED			
DIBROMOCHLOROPROPANE (DBCP)	38761	WAIVED			
DINOSEB	81287	WAIVED			
DIQUAT	78885	WAIVED			
ENDOTHALL	38926	WAIVED			
ENDRIN	39390	WAIVED			
ETHYLENE DIBROMIDE (EDB)	77651	WAIVED			
GLYPHOSATE	79743	WAIVED			
HEPTACHLOR	39410	WAIVED			
HEPTACHLOR EPOXIDE	39420	WAIVED			
HEXACHLOROBENZENE	39700	WAIVED			
HEXACHLOROCYCLOPENTADIENE	34386	WAIVED			
LINDANE	39340	WAIVED			

**Testing interval is in months;*
0 = No data for this constituent and is DUE NOW
999 = Waived testing (not required)
I = Invalid (NOT) valid analyses reported

System Number: ***1909644***

System Name: ***AZUSA SPRINGS WATER SYSTEM***

PS Code: ***1909644-001***

Source Name: ***WELL 01***

Source Number: ***001***

Source Status: ***ACTIVE RAW***

Water type: ***SURFACE***

	STORET NUMBER	TESTING INTERVAL (MONTHS)*	LAST TEST DATE (yyyy/mm/dd)	LAST RESULT REPORTED	NEXT TEST DATE (yyyy/mm)
REGULATED SOC					
METHOXYCHLOR	39480	WAIVED			
MOLINATE	82199	WAIVED			
OXAMYL	38865	WAIVED			
PENTACHLOROPHENOL	39032	WAIVED			
PICLORAM	39720	WAIVED			
POLYCHLORINATED BIPHENYLS, TOTAL, AS DCB	39516	WAIVED			
SIMAZINE	39055	WAIVED			
THIOBENCARB	A-001	WAIVED			
TOXAPHENE	39400	WAIVED			
REGULATED VOC					
1,1,1-TRICHLOROETHANE	34506	WAIVED			
1,1,2,2-TETRACHLOROETHANE	34516	WAIVED			
1,1,2-TRICHLORO-1,2,2-TRIFLUOROETHANE	81611	WAIVED			
1,1,2-TRICHLOROETHANE	34511	WAIVED			
1,1-DICHLOROETHANE	34496	WAIVED			
1,1-DICHLOROETHYLENE	34501	WAIVED			
1,2,4-TRICHLOROBENZENE	34551	WAIVED			
1,2-DICHLOROBENZENE	34536	WAIVED			
1,2-DICHLOROETHANE	34531	WAIVED			
1,2-DICHLOROPROPANE	34541	WAIVED			
1,3-DICHLOROPROPENE (TOTAL)	34561	WAIVED			
1,4-DICHLOROBENZENE	34571	WAIVED			
BENZENE	34030	WAIVED			
CARBON TETRACHLORIDE	32102	WAIVED			
CIS-1,2-DICHLOROETHYLENE	77093	WAIVED			
DICHLOROMETHANE	34423	WAIVED			
ETHYLBENZENE	34371	WAIVED			
METHYL-TERT-BUTYL-ETHER (MTBE)	46491	WAIVED			
MONOCHLOROBENZENE	34301	WAIVED			

**Testing interval is in months;*
0 = No data for this constituent and is DUE NOW
999 = Waived testing (not required)
I = Invalid (NOT) valid analyses reported

System Number: ***1909644***

System Name: ***AZUSA SPRINGS WATER SYSTEM***

PS Code: ***1909644-001***

Source Name: ***WELL 01***

Source Number: ***001***

Source Status: ***ACTIVE RAW***

Water type: ***SURFACE***

	STORET NUMBER	TESTING INTERVAL (MONTHS)*	LAST TEST DATE (yyyy/mm/dd)	LAST RESULT REPORTED	NEXT TEST DATE (yyyy/mm)
REGULATED VOC					
STYRENE	77128	WAIVED			
TETRACHLOROETHYLENE	34475	WAIVED			
TOLUENE	34010	WAIVED			
TRANS-1,2-DICHLOROETHYLENE	34546	WAIVED			
TRICHLOROETHYLENE	39180	WAIVED			
TRICHLOROFLUOROMETHANE	34488	WAIVED			
VINYL CHLORIDE	39175	WAIVED			
XYLENES (TOTAL)	81551	WAIVED			
SECONDARY/GP					
AGGRSSIVE INDEX (CORROSIVITY)	82383	WAIVED	2011/02/14	11.840	
BICARBONATE ALKALINITY	00440	WAIVED	2011/02/14	180.000	
CALCIUM	00916	WAIVED	2011/02/14	49.000	
CARBONATE ALKALINITY	00445	WAIVED	2011/02/14	< .000	
CHLORIDE	00940	WAIVED	2011/02/14	24.000	
COLOR	00081	WAIVED	2011/02/14	< .000	
COPPER	01042	WAIVED	2011/02/14	< .000	
FOAMING AGENTS (MBAS)	38260	WAIVED	2011/02/14	< .000	
HARDNESS (TOTAL) AS CACO3	00900	WAIVED	2011/02/14	160.000	
HYDROXIDE ALKALINITY	71830	WAIVED	2011/02/14	< .000	
IRON	01045	WAIVED	2011/02/14	< .000	
MAGNESIUM	00927	WAIVED	2011/02/14	11.000	
MANGANESE	01055	WAIVED	2011/02/14	< .000	
ODOR THRESHOLD @ 60 C	00086	WAIVED	2011/02/14	1.000	
PH, LABORATORY	00403	WAIVED	2011/02/14	7.600	
SILVER	01077	WAIVED	2011/02/14	< .000	
SODIUM	00929	WAIVED	2011/02/14	17.000	
SPECIFIC CONDUCTANCE	00095	WAIVED	2011/02/14	410.000	
SULFATE	00945	WAIVED	2011/02/14	22.000	
TOTAL DISSOLVED SOLIDS	70300	WAIVED	2011/02/14	240.000	

**Testing interval is in months;*
0 = No data for this constituent and is DUE NOW
999 = Waived testing (not required)
I = Invalid (NOT) valid analyses reported

System Number: ***1909644***

System Name: ***AZUSA SPRINGS WATER SYSTEM***

PS Code: ***1909644-001***

Source Name: ***WELL 01***

Source Number: ***001***

Source Status: ***ACTIVE RAW***

Water type: ***SURFACE***

	STORET NUMBER	TESTING INTERVAL (MONTHS)*	LAST TEST DATE (yyyy/mm/dd)	LAST RESULT REPORTED	NEXT TEST DATE (yyyy/mm)
SECONDARY/GP					
TURBIDITY, LABORATORY	**82079**	**WAIVED**	2011/02/14	**.200**	
ZINC	**01092**	**WAIVED**	2011/02/14	**< .000**	

**Testing interval is in months;*
0 = No data for this constituent and is DUE NOW
999 = Waived testing (not required)
I = Invalid (NOT) valid analyses reported

System Number: ***1909645***

System Name: ***CITY OF LANCASTER, SOCCER COMPLEX***

PS Code: ***1909645-001***

Source Name: ***WELL 01***

Source Number: ***001***

Source Status: ***ACTIVE UNTREATED***

Water type: ***GROUNDWATER OR WELL***

	STORET NUMBER	TESTING INTERVAL (MONTHS)*	LAST TEST DATE (yyyy/mm/dd)	LAST RESULT REPORTED	NEXT TEST DATE (yyyy/mm)
GENERAL NON CHAP 15					
DIAZINON	39570	WAIVED			
INORGANIC					
ALUMINUM	01105	WAIVED	2008/02/19	1000.000	
ANTIMONY	01097	WAIVED	2008/02/19	.000	
ARSENIC	01002	WAIVED	2008/02/19	.000	
ASBESTOS	81855	WAIVED			
BARIUM	01007	WAIVED	2008/02/19	.000	
BERYLLIUM	01012	WAIVED	2008/02/19	.000	
CADMIUM	01027	WAIVED	2008/02/19	.000	
CHROMIUM (TOTAL)	01034	WAIVED	2008/02/19	15.000	
CYANIDE	01291	WAIVED	2008/02/19	.000	
FLUORIDE (F) (NATURAL-SOURCE)	00951	WAIVED	2008/02/19	.120	
LEAD	01051	WAIVED	2008/02/19	.000	
MERCURY	71900	WAIVED	2008/02/19	.000	
NICKEL	01067	WAIVED	2008/02/19	.000	
PERCHLORATE	A-031	WAIVED	2008/09/30	.000	
SELENIUM	01147	WAIVED	2008/02/19	.000	
THALLIUM	01059	WAIVED	2008/02/19	.000	
NITRATE/NITRITE					
NITRATE (AS NO3)	71850	WAIVED	2009/11/09	11.000	
NITRITE (AS N)	00620	WAIVED	2008/02/19	.000	
RADIOLOGICAL					
GROSS ALPHA	01501	WAIVED			
GROSS BETA	03501	WAIVED			
RA-226 FOR CWS OR TOTAL RA FOR NTNC BY 903.0	A-080	WAIVED			
RA-226 OR TOTAL RA BY 903.0 C.E.	A-081	WAIVED			
RADIUM 226	09501	WAIVED			
RADIUM 228	11501	WAIVED			

**Testing interval is in months;*
0 = No data for this constituent and is DUE NOW
999 = Waived testing (not required)
I = Invalid (NOT) valid analyses reported

System Number: ***1909645***

System Name: ***CITY OF LANCASTER, SOCCER COMPLEX***

PS Code: ***1909645-001***

Source Name: ***WELL 01***

Source Number: ***001***

Source Status: ***ACTIVE UNTREATED***

Water type: ***GROUNDWATER OR WELL***

	STORET NUMBER	TESTING INTERVAL (MONTHS)*	LAST TEST DATE (yyyy/mm/dd)	LAST RESULT REPORTED	NEXT TEST DATE (yyyy/mm)
RADIOLOGICAL					
RADIUM, TOTAL, MDA95-NTNC ONLY, BY 903.0	A-082	WAIVED			
STRONTIUM-90	13501	WAIVED			
TRITIUM	07000	WAIVED			
URANIUM (PCI/L)	28012	WAIVED			
REGULATED SOC					
2,3,7,8-TCDD (DIOXIN)	34676	WAIVED			
2,4,5-TP (SILVEX)	39045	WAIVED			
2,4-D	39730	WAIVED			
ALACHLOR	77825	WAIVED			
ATRAZINE	39033	WAIVED			
BENTAZON	38710	WAIVED			
BENZO (A) PYRENE	34247	WAIVED			
CARBOFURAN	81405	WAIVED			
CHLORDANE	39350	WAIVED			
DALAPON	38432	WAIVED			
DI(2-ETHYLHEXYL)ADIPATE	A-026	WAIVED			
DI(2-ETHYLHEXYL)PHTHALATE	39100	WAIVED			
DIBROMOCHLOROPROPANE (DBCP)	38761	WAIVED			
DINOSEB	81287	WAIVED			
DIQUAT	78885	WAIVED			
ENDOTHALL	38926	WAIVED			
ENDRIN	39390	WAIVED			
ETHYLENE DIBROMIDE (EDB)	77651	WAIVED			
GLYPHOSATE	79743	WAIVED			
HEPTACHLOR	39410	WAIVED			
HEPTACHLOR EPOXIDE	39420	WAIVED			
HEXACHLOROBENZENE	39700	WAIVED			
HEXACHLOROCYCLOPENTADIENE	34386	WAIVED			
LINDANE	39340	WAIVED			

**Testing interval is in months;*
0 = No data for this constituent and is DUE NOW
999 = Waived testing (not required)
I = Invalid (NOT) valid analyses reported

System Number: ***1909645***

System Name: ***CITY OF LANCASTER, SOCCER COMPLEX***

PS Code: ***1909645-001***

Source Name: ***WELL 01***

Source Number: ***001***

Source Status: ***ACTIVE UNTREATED***

Water type: ***GROUNDWATER OR WELL***

	STORET NUMBER	TESTING INTERVAL (MONTHS)*	LAST TEST DATE (yyyy/mm/dd)	LAST RESULT REPORTED	NEXT TEST DATE (yyyy/mm)
REGULATED SOC					
METHOXYCHLOR	39480	WAIVED			
MOLINATE	82199	WAIVED			
OXAMYL	38865	WAIVED			
PENTACHLOROPHENOL	39032	WAIVED			
PICLORAM	39720	WAIVED			
POLYCHLORINATED BIPHENYLS, TOTAL, AS DCB	39516	WAIVED			
SIMAZINE	39055	WAIVED			
THIOBENCARB	A-001	WAIVED			
TOXAPHENE	39400	WAIVED			
REGULATED VOC					
1,1,1-TRICHLOROETHANE	34506	WAIVED			
1,1,2,2-TETRACHLOROETHANE	34516	WAIVED			
1,1,2-TRICHLORO-1,2,2-TRIFLUOROETHANE	81611	WAIVED			
1,1,2-TRICHLOROETHANE	34511	WAIVED			
1,1-DICHLOROETHANE	34496	WAIVED			
1,1-DICHLOROETHYLENE	34501	WAIVED			
1,2,4-TRICHLOROBENZENE	34551	WAIVED			
1,2-DICHLOROBENZENE	34536	WAIVED			
1,2-DICHLOROETHANE	34531	WAIVED			
1,2-DICHLOROPROPANE	34541	WAIVED			
1,3-DICHLOROPROPENE (TOTAL)	34561	WAIVED			
1,4-DICHLOROBENZENE	34571	WAIVED			
BENZENE	34030	WAIVED			
CARBON TETRACHLORIDE	32102	WAIVED			
CIS-1,2-DICHLOROETHYLENE	77093	WAIVED			
DICHLOROMETHANE	34423	WAIVED			
ETHYLBENZENE	34371	WAIVED			
METHYL-TERT-BUTYL-ETHER (MTBE)	46491	WAIVED			
MONOCHLOROBENZENE	34301	WAIVED			

**Testing interval is in months;*
0 = No data for this constituent and is DUE NOW
999 = Waived testing (not required)
I = Invalid (NOT) valid analyses reported

System Number: 1909645
System Name: CITY OF LANCASTER, SOCCER COMPLEX

PS Code: 1909645-001
Source Name: WELL 01
Source Number: 001
Source Status: ACTIVE UNTREATED
Water type: GROUNDWATER OR WELL

	STORET NUMBER	TESTING INTERVAL (MONTHS)*	LAST TEST DATE (yyyy/mm/dd)	LAST RESULT REPORTED	NEXT TEST DATE (yyyy/mm)
REGULATED VOC					
STYRENE	77128	WAIVED			
TETRACHLOROETHYLENE	34475	WAIVED			
TOLUENE	34010	WAIVED			
TRANS-1,2-DICHLOROETHYLENE	34546	WAIVED			
TRICHLOROETHYLENE	39180	WAIVED			
TRICHLOROFLUOROMETHANE	34488	WAIVED			
VINYL CHLORIDE	39175	WAIVED			
XYLENES (TOTAL)	81551	WAIVED			
SECONDARY/GP					
AGGRSSIVE INDEX (CORROSIVITY)	82383	WAIVED	2008/02/19	12.000	
BICARBONATE ALKALINITY	00440	WAIVED	2008/02/19	100.000	
CALCIUM	00916	WAIVED	2008/02/19	54.000	
CARBONATE ALKALINITY	00445	WAIVED	2008/02/19	< 1.000	
CHLORIDE	00940	WAIVED	2008/02/19	34.000	
COLOR	00081	WAIVED	2008/02/19	5.000	
COPPER	01042	WAIVED	2008/02/19	.000	
FOAMING AGENTS (MBAS)	38260	WAIVED	2008/02/19	< .050	
HARDNESS (TOTAL) AS CACO3	00900	WAIVED	2008/02/19	150.000	
HYDROXIDE ALKALINITY	71830	WAIVED	2008/02/19	< 1.000	
IRON	01045	WAIVED	2009/03/17	8100.000	
MAGNESIUM	00927	WAIVED	2008/02/19	4.000	
MANGANESE	01055	WAIVED	2008/02/19	38.000	
ODOR THRESHOLD @ 60 C	00086	WAIVED	2008/02/19	.000	
PH, LABORATORY	00403	WAIVED	2008/02/19	8.000	
SILVER	01077	WAIVED	2008/02/19	.000	
SODIUM	00929	WAIVED	2008/02/19	26.000	
SPECIFIC CONDUCTANCE	00095	WAIVED	2008/09/30	410.000	
SULFATE	00945	WAIVED	2008/02/19	60.000	
TOTAL DISSOLVED SOLIDS	70300	WAIVED	2008/02/19	250.000	

**Testing interval is in months;*
0 = No data for this constituent and is DUE NOW
999 = Waived testing (not required)
I = Invalid (NOT) valid analyses reported

System Number: 1909645
System Name: CITY OF LANCASTER, SOCCER COMPLEX

PS Code: 1909645-001
Source Name: WELL 01
Source Number: 001
Source Status: ACTIVE UNTREATED
Water type: GROUNDWATER OR WELL

	STORET NUMBER	TESTING INTERVAL (MONTHS)*	LAST TEST DATE (yyyy/mm/dd)	LAST RESULT REPORTED	NEXT TEST DATE (yyyy/mm)
SECONDARY/GP					
TURBIDITY, LABORATORY	82079	WAIVED	2008/02/19	2.900	
ZINC	01092	WAIVED	2008/02/19	.000	

PS Code: 1909645-002
Source Name: WELL 02
Source Number: 002
Source Status: ACTIVE UNTREATED
Water type: GROUNDWATER OR WELL

GENERAL NON CHAP 15					
DIAZINON	39570	WAIVED			
INORGANIC					
ALUMINUM	01105	WAIVED	2011/03/16	< .000	
ANTIMONY	01097	WAIVED	2011/03/16	< .000	
ARSENIC	01002	WAIVED	2011/03/16	6.100	
ASBESTOS	81855	WAIVED	2011/03/16	.000	
BARIUM	01007	WAIVED	2011/03/16	< .000	
BERYLLIUM	01012	WAIVED	2011/03/16	< .000	
CADMIUM	01027	WAIVED	2011/03/16	< .000	
CHROMIUM (TOTAL)	01034	WAIVED	2011/03/16	< .000	
CYANIDE	01291	WAIVED	2011/03/16	< .000	
FLUORIDE (F) (NATURAL-SOURCE)	00951	WAIVED	2011/03/16	.300	
LEAD	01051	WAIVED	2011/03/16	< .000	
MERCURY	71900	WAIVED	2011/03/16	< .000	
NICKEL	01067	WAIVED	2011/03/16	< .000	
PERCHLORATE	A-031	WAIVED	2011/10/17	< .000	
SELENIUM	01147	WAIVED	2011/03/16	< .000	
THALLIUM	01059	WAIVED	2011/03/16	< .000	

**Testing interval is in months;*
0 = No data for this constituent and is DUE NOW
999 = Waived testing (not required)
I = Invalid (NOT) valid analyses reported

System Number: ***1909645***

System Name: ***CITY OF LANCASTER, SOCCER COMPLEX***

PS Code: ***1909645-002***

Source Name: ***WELL 02***

Source Number: ***002***

Source Status: ***ACTIVE UNTREATED***

Water type: ***GROUNDWATER OR WELL***

	STORET NUMBER	TESTING INTERVAL (MONTHS)*	LAST TEST DATE (yyyy/mm/dd)	LAST RESULT REPORTED	NEXT TEST DATE (yyyy/mm)
NITRATE/NITRITE					
NITRATE (AS NO3)	71850	WAIVED	2011/03/16	8.200	
NITRITE (AS N)	00620	WAIVED	2011/03/16	< .000	
RADIOLOGICAL					
GROSS ALPHA	01501	WAIVED			
GROSS BETA	03501	WAIVED			
RA-226 FOR CWS OR TOTAL RA FOR NTNC BY 903.0	A-080	WAIVED			
RA-226 OR TOTAL RA BY 903.0 C.E.	A-081	WAIVED			
RADIUM 226	09501	WAIVED			
RADIUM 228	11501	WAIVED			
RADIUM, TOTAL, MDA95-NTNC ONLY, BY 903.0	A-082	WAIVED			
STRONTIUM-90	13501	WAIVED			
TRITIUM	07000	WAIVED			
URANIUM (PCI/L)	28012	WAIVED			
REGULATED SOC					
2,3,7,8-TCDD (DIOXIN)	34676	WAIVED			
2,4,5-TP (SILVEX)	39045	WAIVED			
2,4-D	39730	WAIVED			
ALACHLOR	77825	WAIVED			
ATRAZINE	39033	WAIVED			
BENTAZON	38710	WAIVED			
BENZO (A) PYRENE	34247	WAIVED			
CARBOFURAN	81405	WAIVED			
CHLORDANE	39350	WAIVED			
DALAPON	38432	WAIVED			
DI(2-ETHYLHEXYL)ADIPATE	A-026	WAIVED			
DI(2-ETHYLHEXYL)PHTHALATE	39100	WAIVED			
DIBROMOCHLOROPROPANE (DBCP)	38761	WAIVED			
DINOSEB	81287	WAIVED			
DIQUAT	78885	WAIVED			

**Testing interval is in months;*
0 = No data for this constituent and is DUE NOW
999 = Waived testing (not required)
I = Invalid (NOT) valid analyses reported

System Number: ***1909645***

System Name: ***CITY OF LANCASTER, SOCCER COMPLEX***

PS Code: ***1909645-002***

Source Name: ***WELL 02***

Source Number: ***002***

Source Status: ***ACTIVE UNTREATED***

Water type: ***GROUNDWATER OR WELL***

	STORET NUMBER	TESTING INTERVAL (MONTHS)*	LAST TEST DATE (yyyy/mm/dd)	LAST RESULT REPORTED	NEXT TEST DATE (yyyy/mm)
REGULATED SOC					
ENDOTHALL	38926	WAIVED			
ENDRIN	39390	WAIVED			
ETHYLENE DIBROMIDE (EDB)	77651	WAIVED			
GLYPHOSATE	79743	WAIVED			
HEPTACHLOR	39410	WAIVED			
HEPTACHLOR EPOXIDE	39420	WAIVED			
HEXACHLOROBENZENE	39700	WAIVED			
HEXACHLOROCYCLOPENTADIENE	34386	WAIVED			
LINDANE	39340	WAIVED			
METHOXYCHLOR	39480	WAIVED			
MOLINATE	82199	WAIVED			
OXAMYL	38865	WAIVED			
PENTACHLOROPHENOL	39032	WAIVED			
PICLORAM	39720	WAIVED			
POLYCHLORINATED BIPHENYLS, TOTAL, AS DCB	39516	WAIVED			
SIMAZINE	39055	WAIVED			
THIOBENCARB	A-001	WAIVED			
TOXAPHENE	39400	WAIVED			
REGULATED VOC					
1,1,1-TRICHLOROETHANE	34506	WAIVED			
1,1,2,2-TETRACHLOROETHANE	34516	WAIVED			
1,1,2-TRICHLORO-1,2,2-TRIFLUOROETHANE	81611	WAIVED			
1,1,2-TRICHLOROETHANE	34511	WAIVED			
1,1-DICHLOROETHANE	34496	WAIVED			
1,1-DICHLOROETHYLENE	34501	WAIVED			
1,2,4-TRICHLOROBENZENE	34551	WAIVED			
1,2-DICHLOROBENZENE	34536	WAIVED			
1,2-DICHLOROETHANE	34531	WAIVED			
1,2-DICHLOROPROPANE	34541	WAIVED			

**Testing interval is in months;*
0 = No data for this constituent and is DUE NOW
999 = Waived testing (not required)
I = Invalid (NOT) valid analyses reported

System Number: ***1909645***

System Name: ***CITY OF LANCASTER, SOCCER COMPLEX***

PS Code: ***1909645-002***

Source Name: ***WELL 02***

Source Number: ***002***

Source Status: ***ACTIVE UNTREATED***

Water type: ***GROUNDWATER OR WELL***

	STORET NUMBER	TESTING INTERVAL (MONTHS)*	LAST TEST DATE (yyyy/mm/dd)	LAST RESULT REPORTED	NEXT TEST DATE (yyyy/mm)
REGULATED VOC					
1,3-DICHLOROPROPENE (TOTAL)	34561	WAIVED			
1,4-DICHLOROBENZENE	34571	WAIVED			
BENZENE	34030	WAIVED			
CARBON TETRACHLORIDE	32102	WAIVED			
CIS-1,2-DICHLOROETHYLENE	77093	WAIVED			
DICHLOROMETHANE	34423	WAIVED			
ETHYLBENZENE	34371	WAIVED			
METHYL-TERT-BUTYL-ETHER (MTBE)	46491	WAIVED			
MONOCHLOROBENZENE	34301	WAIVED			
STYRENE	77128	WAIVED			
TETRACHLOROETHYLENE	34475	WAIVED			
TOLUENE	34010	WAIVED			
TRANS-1,2-DICHLOROETHYLENE	34546	WAIVED			
TRICHLOROETHYLENE	39180	WAIVED			
TRICHLOROFLUOROMETHANE	34488	WAIVED			
VINYL CHLORIDE	39175	WAIVED			
XYLENES (TOTAL)	81551	WAIVED			
SECONDARY/GP					
AGGRSSIVE INDEX (CORROSIVITY)	82383	WAIVED	2011/03/16	12.000	
BICARBONATE ALKALINITY	00440	WAIVED	2011/03/16	100.000	
CALCIUM	00916	WAIVED	2011/03/16	23.000	
CARBONATE ALKALINITY	00445	WAIVED	2011/03/16	2.700	
CHLORIDE	00940	WAIVED	2011/03/16	60.000	
COLOR	00081	WAIVED	2011/03/16	< .000	
COPPER	01042	WAIVED	2011/03/16	< .000	
FOAMING AGENTS (MBAS)	38260	WAIVED	2011/03/16	< .000	
HARDNESS (TOTAL) AS CACO3	00900	WAIVED	2011/03/16	61.000	
HYDROXIDE ALKALINITY	71830	WAIVED	2011/03/16	< .000	
IRON	01045	WAIVED	2011/03/16	< .000	

**Testing interval is in months;*
0 = No data for this constituent and is DUE NOW
999 = Waived testing (not required)
I = Invalid (NOT) valid analyses reported

System Number: ***1909645***

System Name: ***CITY OF LANCASTER, SOCCER COMPLEX***

PS Code: ***1909645-002***

Source Name: ***WELL 02***

Source Number: ***002***

Source Status: ***ACTIVE UNTREATED***

Water type: ***GROUNDWATER OR WELL***

SECONDARY/GP

	STORET NUMBER	TESTING INTERVAL (MONTHS)*	LAST TEST DATE (yyyy/mm/dd)	LAST RESULT REPORTED	NEXT TEST DATE (yyyy/mm)
MAGNESIUM	00927	WAIVED	2011/03/16	1.200	
MANGANESE	01055	WAIVED	2011/03/16	< .000	
ODOR THRESHOLD @ 60 C	00086	WAIVED	2011/03/16	< .000	
PH, LABORATORY	00403	WAIVED	2011/03/16	8.400	
SILVER	01077	WAIVED	2011/03/16	< .000	
SODIUM	00929	WAIVED	2011/03/16	74.000	
SPECIFIC CONDUCTANCE	00095	WAIVED	2011/03/16	440.000	
SULFATE	00945	WAIVED	2011/03/16	38.000	
TOTAL DISSOLVED SOLIDS	70300	WAIVED	2011/03/16	280.000	
TURBIDITY, LABORATORY	82079	WAIVED	2011/03/16	< .000	
ZINC	01092	WAIVED	2011/03/16	< .000	

**Testing interval is in months;*
0 = No data for this constituent and is DUE NOW
999 = Waived testing (not required)
I = Invalid (NOT) valid analyses reported

System Number: ***1909646***

System Name: ***AGUA DULCE WINERY/VINEYARDS***

PS Code: ***1909646-001***

Source Name: ***WELL 01***

Source Number: ***001***

Source Status: ***ACTIVE UNTREATED***

Water type: ***GROUNDWATER OR WELL***

	STORET NUMBER	TESTING INTERVAL (MONTHS)*	LAST TEST DATE (yyyy/mm/dd)	LAST RESULT REPORTED	NEXT TEST DATE (yyyy/mm)
GENERAL NON CHAP 15					
DIAZINON	39570	WAIVED			
INORGANIC					
ALUMINUM	01105	WAIVED			
ANTIMONY	01097	WAIVED			
ARSENIC	01002	WAIVED			
ASBESTOS	81855	WAIVED			
BARIUM	01007	WAIVED			
BERYLLIUM	01012	WAIVED			
CADMIUM	01027	WAIVED			
CHROMIUM (TOTAL)	01034	WAIVED			
CYANIDE	01291	WAIVED			
FLUORIDE (F) (NATURAL-SOURCE)	00951	WAIVED			
LEAD	01051	WAIVED			
MERCURY	71900	WAIVED			
NICKEL	01067	WAIVED			
PERCHLORATE	A-031	WAIVED			
SELENIUM	01147	WAIVED			
THALLIUM	01059	WAIVED			
NITRATE/NITRITE					
NITRATE (AS NO3)	71850	WAIVED	2011/02/18	33.100	
NITRITE (AS N)	00620	WAIVED			
RADIOLOGICAL					
GROSS ALPHA	01501	WAIVED			
GROSS BETA	03501	WAIVED			
RA-226 FOR CWS OR TOTAL RA FOR NTNC BY 903.0	A-080	WAIVED			
RA-226 OR TOTAL RA BY 903.0 C.E.	A-081	WAIVED			
RADIUM 226	09501	WAIVED			
RADIUM 228	11501	WAIVED			

**Testing interval is in months;*
0 = No data for this constituent and is DUE NOW
999 = Waived testing (not required)
I = Invalid (NOT) valid analyses reported

System Number: ***1909646***

System Name: ***AGUA DULCE WINERY/VINEYARDS***

PS Code: ***1909646-001***

Source Name: ***WELL 01***

Source Number: ***001***

Source Status: ***ACTIVE UNTREATED***

Water type: ***GROUNDWATER OR WELL***

	STORET NUMBER	TESTING INTERVAL (MONTHS)*	LAST TEST DATE (yyyy/mm/dd)	LAST RESULT REPORTED	NEXT TEST DATE (yyyy/mm)
RADIOLOGICAL					
RADIUM, TOTAL, MDA95-NTNC ONLY, BY 903.0	A-082	WAIVED			
STRONTIUM-90	13501	WAIVED			
TRITIUM	07000	WAIVED			
URANIUM (PCI/L)	28012	WAIVED			
REGULATED SOC					
2,3,7,8-TCDD (DIOXIN)	34676	WAIVED			
2,4,5-TP (SILVEX)	39045	WAIVED			
2,4-D	39730	WAIVED			
ALACHLOR	77825	WAIVED			
ATRAZINE	39033	WAIVED			
BENTAZON	38710	WAIVED			
BENZO (A) PYRENE	34247	WAIVED			
CARBOFURAN	81405	WAIVED			
CHLORDANE	39350	WAIVED			
DALAPON	38432	WAIVED			
DI(2-ETHYLHEXYL)ADIPATE	A-026	WAIVED			
DI(2-ETHYLHEXYL)PHTHALATE	39100	WAIVED			
DIBROMOCHLOROPROPANE (DBCP)	38761	WAIVED			
DINOSEB	81287	WAIVED			
DIQUAT	78885	WAIVED			
ENDOTHALL	38926	WAIVED			
ENDRIN	39390	WAIVED			
ETHYLENE DIBROMIDE (EDB)	77651	WAIVED			
GLYPHOSATE	79743	WAIVED			
HEPTACHLOR	39410	WAIVED			
HEPTACHLOR EPOXIDE	39420	WAIVED			
HEXACHLOROBENZENE	39700	WAIVED			
HEXACHLOROCYCLOPENTADIENE	34386	WAIVED			
LINDANE	39340	WAIVED			

**Testing interval is in months;*
0 = No data for this constituent and is DUE NOW
999 = Waived testing (not required)
I = Invalid (NOT) valid analyses reported

System Number: ***1909646***

System Name: ***AGUA DULCE WINERY/VINEYARDS***

PS Code: ***1909646-001***

Source Name: ***WELL 01***

Source Number: ***001***

Source Status: ***ACTIVE UNTREATED***

Water type: ***GROUNDWATER OR WELL***

	STORET NUMBER	TESTING INTERVAL (MONTHS)*	LAST TEST DATE (yyyy/mm/dd)	LAST RESULT REPORTED	NEXT TEST DATE (yyyy/mm)
REGULATED SOC					
METHOXYCHLOR	39480	WAIVED			
MOLINATE	82199	WAIVED			
OXAMYL	38865	WAIVED			
PENTACHLOROPHENOL	39032	WAIVED			
PICLORAM	39720	WAIVED			
POLYCHLORINATED BIPHENYLS, TOTAL, AS DCB	39516	WAIVED			
SIMAZINE	39055	WAIVED			
THIOBENCARB	A-001	WAIVED			
TOXAPHENE	39400	WAIVED			
REGULATED VOC					
1,1,1-TRICHLOROETHANE	34506	WAIVED			
1,1,2,2-TETRACHLOROETHANE	34516	WAIVED			
1,1,2-TRICHLORO-1,2,2-TRIFLUOROETHANE	81611	WAIVED			
1,1,2-TRICHLOROETHANE	34511	WAIVED			
1,1-DICHLOROETHANE	34496	WAIVED			
1,1-DICHLOROETHYLENE	34501	WAIVED			
1,2,4-TRICHLOROBENZENE	34551	WAIVED			
1,2-DICHLOROBENZENE	34536	WAIVED			
1,2-DICHLOROETHANE	34531	WAIVED			
1,2-DICHLOROPROPANE	34541	WAIVED			
1,3-DICHLOROPROPENE (TOTAL)	34561	WAIVED			
1,4-DICHLOROBENZENE	34571	WAIVED			
BENZENE	34030	WAIVED			
CARBON TETRACHLORIDE	32102	WAIVED			
CIS-1,2-DICHLOROETHYLENE	77093	WAIVED			
DICHLOROMETHANE	34423	WAIVED			
ETHYLBENZENE	34371	WAIVED			
METHYL-TERT-BUTYL-ETHER (MTBE)	46491	WAIVED			
MONOCHLOROBENZENE	34301	WAIVED			

**Testing interval is in months;*
0 = No data for this constituent and is DUE NOW
999 = Waived testing (not required)
I = Invalid (NOT) valid analyses reported

System Number: ***1909646***

System Name: ***AGUA DULCE WINERY/VINEYARDS***

PS Code: ***1909646-001***

Source Name: ***WELL 01***

Source Number: ***001***

Source Status: ***ACTIVE UNTREATED***

Water type: ***GROUNDWATER OR WELL***

	STORET NUMBER	TESTING INTERVAL (MONTHS)*	LAST TEST DATE (yyyy/mm/dd)	LAST RESULT REPORTED	NEXT TEST DATE (yyyy/mm)
REGULATED VOC					
STYRENE	77128	WAIVED			
TETRACHLOROETHYLENE	34475	WAIVED			
TOLUENE	34010	WAIVED			
TRANS-1,2-DICHLOROETHYLENE	34546	WAIVED			
TRICHLOROETHYLENE	39180	WAIVED			
TRICHLOROFLUOROMETHANE	34488	WAIVED			
VINYL CHLORIDE	39175	WAIVED			
XYLENES (TOTAL)	81551	WAIVED			
SECONDARY/GP					
AGGRSSIVE INDEX (CORROSIVITY)	82383	WAIVED			
BICARBONATE ALKALINITY	00440	WAIVED			
CALCIUM	00916	WAIVED			
CARBONATE ALKALINITY	00445	WAIVED			
CHLORIDE	00940	WAIVED			
COLOR	00081	WAIVED			
COPPER	01042	WAIVED			
FOAMING AGENTS (MBAS)	38260	WAIVED			
HARDNESS (TOTAL) AS CACO3	00900	WAIVED			
HYDROXIDE ALKALINITY	71830	WAIVED			
IRON	01045	WAIVED			
MAGNESIUM	00927	WAIVED			
MANGANESE	01055	WAIVED			
ODOR THRESHOLD @ 60 C	00086	WAIVED			
PH, LABORATORY	00403	WAIVED			
SILVER	01077	WAIVED			
SODIUM	00929	WAIVED			
SPECIFIC CONDUCTANCE	00095	WAIVED			
SULFATE	00945	WAIVED			
TOTAL DISSOLVED SOLIDS	70300	WAIVED			

**Testing interval is in months;*
0 = No data for this constituent and is DUE NOW
999 = Waived testing (not required)
I = Invalid (NOT) valid analyses reported

System Number: ***1909646***

System Name: ***AGUA DULCE WINERY/VINEYARDS***

PS Code: ***1909646-001***

Source Name: ***WELL 01***

Source Number: ***001***

Source Status: ***ACTIVE UNTREATED***

Water type: ***GROUNDWATER OR WELL***

	STORET NUMBER	TESTING INTERVAL (MONTHS)*	LAST TEST DATE (yyyy/mm/dd)	LAST RESULT REPORTED	NEXT TEST DATE (yyyy/mm)
SECONDARY/GP					
TURBIDITY, LABORATORY	82079	WAIVED			
ZINC	01092	WAIVED			

PS Code: ***1909646-003***

Source Name: ***WELL 003***

Source Number: ***003***

Source Status: ***ACTIVE UNTREATED***

Water type: ***GROUNDWATER OR WELL***

GENERAL NON CHAP 15					
DIAZINON	39570	WAIVED			
INORGANIC					
ALUMINUM	01105	WAIVED			
ANTIMONY	01097	WAIVED			
ARSENIC	01002	WAIVED			
ASBESTOS	81855	WAIVED			
BARIUM	01007	WAIVED			
BERYLLIUM	01012	WAIVED			
CADMIUM	01027	WAIVED			
CHROMIUM (TOTAL)	01034	WAIVED			
CYANIDE	01291	WAIVED			
FLUORIDE (F) (NATURAL-SOURCE)	00951	WAIVED			
LEAD	01051	WAIVED			
MERCURY	71900	WAIVED			
NICKEL	01067	WAIVED			
PERCHLORATE	A-031	WAIVED			
SELENIUM	01147	WAIVED			
THALLIUM	01059	WAIVED			

**Testing interval is in months;*
0 = No data for this constituent and is DUE NOW
999 = Waived testing (not required)
I = Invalid (NOT) valid analyses reported

System Number: ***1909646***

System Name: ***AGUA DULCE WINERY/VINEYARDS***

PS Code: ***1909646-003***

Source Name: ***WELL 003***

Source Number: ***003***

Source Status: ***ACTIVE UNTREATED***

Water type: ***GROUNDWATER OR WELL***

	STORET NUMBER	TESTING INTERVAL (MONTHS)*	LAST TEST DATE (yyyy/mm/dd)	LAST RESULT REPORTED	NEXT TEST DATE (yyyy/mm)
NITRATE/NITRITE					
NITRATE (AS NO3)	71850	WAIVED	2011/02/18	36.200	
NITRITE (AS N)	00620	WAIVED			
RADIOLOGICAL					
GROSS ALPHA	01501	WAIVED			
GROSS BETA	03501	WAIVED			
RA-226 FOR CWS OR TOTAL RA FOR NTNC BY 903.0	A-080	WAIVED			
RA-226 OR TOTAL RA BY 903.0 C.E.	A-081	WAIVED			
RADIUM 226	09501	WAIVED			
RADIUM 228	11501	WAIVED			
RADIUM, TOTAL, MDA95-NTNC ONLY, BY 903.0	A-082	WAIVED			
STRONTIUM-90	13501	WAIVED			
TRITIUM	07000	WAIVED			
URANIUM (PCI/L)	28012	WAIVED			
REGULATED SOC					
2,3,7,8-TCDD (DIOXIN)	34676	WAIVED			
2,4,5-TP (SILVEX)	39045	WAIVED			
2,4-D	39730	WAIVED			
ALACHLOR	77825	WAIVED			
ATRAZINE	39033	WAIVED			
BENTAZON	38710	WAIVED			
BENZO (A) PYRENE	34247	WAIVED			
CARBOFURAN	81405	WAIVED			
CHLORDANE	39350	WAIVED			
DALAPON	38432	WAIVED			
DI(2-ETHYLHEXYL)ADIPATE	A-026	WAIVED			
DI(2-ETHYLHEXYL)PHTHALATE	39100	WAIVED			
DIBROMOCHLOROPROPANE (DBCP)	38761	WAIVED			
DINOSEB	81287	WAIVED			
DIQUAT	78885	WAIVED			

**Testing interval is in months;*
0 = No data for this constituent and is DUE NOW
999 = Waived testing (not required)
I = Invalid (NOT) valid analyses reported

System Number: ***1909646***

System Name: ***AGUA DULCE WINERY/VINEYARDS***

PS Code: ***1909646-003***

Source Name: ***WELL 003***

Source Number: ***003***

Source Status: ***ACTIVE UNTREATED***

Water type: ***GROUNDWATER OR WELL***

	STORET NUMBER	TESTING INTERVAL (MONTHS)*	LAST TEST DATE (yyyy/mm/dd)	LAST RESULT REPORTED	NEXT TEST DATE (yyyy/mm)
REGULATED SOC					
ENDOTHALL	38926	WAIVED			
ENDRIN	39390	WAIVED			
ETHYLENE DIBROMIDE (EDB)	77651	WAIVED			
GLYPHOSATE	79743	WAIVED			
HEPTACHLOR	39410	WAIVED			
HEPTACHLOR EPOXIDE	39420	WAIVED			
HEXACHLOROBENZENE	39700	WAIVED			
HEXACHLOROCYCLOPENTADIENE	34386	WAIVED			
LINDANE	39340	WAIVED			
METHOXYCHLOR	39480	WAIVED			
MOLINATE	82199	WAIVED			
OXAMYL	38865	WAIVED			
PENTACHLOROPHENOL	39032	WAIVED			
PICLORAM	39720	WAIVED			
POLYCHLORINATED BIPHENYLS, TOTAL, AS DCB	39516	WAIVED			
SIMAZINE	39055	WAIVED			
THIOBENCARB	A-001	WAIVED			
TOXAPHENE	39400	WAIVED			
REGULATED VOC					
1,1,1-TRICHLOROETHANE	34506	WAIVED			
1,1,2,2-TETRACHLOROETHANE	34516	WAIVED			
1,1,2-TRICHLORO-1,2,2-TRIFLUOROETHANE	81611	WAIVED			
1,1,2-TRICHLOROETHANE	34511	WAIVED			
1,1-DICHLOROETHANE	34496	WAIVED			
1,1-DICHLOROETHYLENE	34501	WAIVED			
1,2,4-TRICHLOROBENZENE	34551	WAIVED			
1,2-DICHLOROBENZENE	34536	WAIVED			
1,2-DICHLOROETHANE	34531	WAIVED			
1,2-DICHLOROPROPANE	34541	WAIVED			

**Testing interval is in months;*
0 = No data for this constituent and is DUE NOW
999 = Waived testing (not required)
I = Invalid (NOT) valid analyses reported

System Number: ***1909646***

System Name: ***AGUA DULCE WINERY/VINEYARDS***

PS Code: ***1909646-003***

Source Name: ***WELL 003***

Source Number: ***003***

Source Status: ***ACTIVE UNTREATED***

Water type: ***GROUNDWATER OR WELL***

	STORET NUMBER	TESTING INTERVAL (MONTHS)*	LAST TEST DATE (yyyy/mm/dd)	LAST RESULT REPORTED	NEXT TEST DATE (yyyy/mm)
REGULATED VOC					
1,3-DICHLOROPROPENE (TOTAL)	34561	WAIVED			
1,4-DICHLOROBENZENE	34571	WAIVED			
BENZENE	34030	WAIVED			
CARBON TETRACHLORIDE	32102	WAIVED			
CIS-1,2-DICHLOROETHYLENE	77093	WAIVED			
DICHLOROMETHANE	34423	WAIVED			
ETHYLBENZENE	34371	WAIVED			
METHYL-TERT-BUTYL-ETHER (MTBE)	46491	WAIVED			
MONOCHLOROBENZENE	34301	WAIVED			
STYRENE	77128	WAIVED			
TETRACHLOROETHYLENE	34475	WAIVED			
TOLUENE	34010	WAIVED			
TRANS-1,2-DICHLOROETHYLENE	34546	WAIVED			
TRICHLOROETHYLENE	39180	WAIVED			
TRICHLOROFLUOROMETHANE	34488	WAIVED			
VINYL CHLORIDE	39175	WAIVED			
XYLENES (TOTAL)	81551	WAIVED			
SECONDARY/GP					
AGGRSSIVE INDEX (CORROSIVITY)	82383	WAIVED			
BICARBONATE ALKALINITY	00440	WAIVED			
CALCIUM	00916	WAIVED			
CARBONATE ALKALINITY	00445	WAIVED			
CHLORIDE	00940	WAIVED			
COLOR	00081	WAIVED			
COPPER	01042	WAIVED			
FOAMING AGENTS (MBAS)	38260	WAIVED			
HARDNESS (TOTAL) AS CACO3	00900	WAIVED			
HYDROXIDE ALKALINITY	71830	WAIVED			
IRON	01045	WAIVED			

**Testing interval is in months;*
0 = No data for this constituent and is DUE NOW
999 = Waived testing (not required)
I = Invalid (NOT) valid analyses reported

System Number: ***1909646***

System Name: ***AGUA DULCE WINERY/VINEYARDS***

PS Code: ***1909646-003***

Source Name: ***WELL 003***

Source Number: ***003***

Source Status: ***ACTIVE UNTREATED***

Water type: ***GROUNDWATER OR WELL***

SECONDARY/GP	STORET NUMBER	TESTING INTERVAL (MONTHS)*	LAST TEST DATE (yyyy/mm/dd)	LAST RESULT REPORTED	NEXT TEST DATE (yyyy/mm)
MAGNESIUM	00927	WAIVED			
MANGANESE	01055	WAIVED			
ODOR THRESHOLD @ 60 C	00086	WAIVED			
PH, LABORATORY	00403	WAIVED			
SILVER	01077	WAIVED			
SODIUM	00929	WAIVED			
SPECIFIC CONDUCTANCE	00095	WAIVED			
SULFATE	00945	WAIVED			
TOTAL DISSOLVED SOLIDS	70300	WAIVED			
TURBIDITY, LABORATORY	82079	WAIVED			
ZINC	01092	WAIVED			

**Testing interval is in months;*
0 = No data for this constituent and is DUE NOW
999 = Waived testing (not required)
I = Invalid (NOT) valid analyses reported

System Number: 1910158
System Name: STERLING MUTUAL WATER COMPANY

PS Code: 1910158-001
Source Name: NORTH WELL
Source Number: 001
Source Status: ACTIVE UNTREATED
Water type: GROUNDWATER OR WELL

	STORET NUMBER	TESTING INTERVAL (MONTHS)*	LAST TEST DATE (yyyy/mm/dd)	LAST RESULT REPORTED	NEXT TEST DATE (yyyy/mm)
GENERAL NON CHAP 15					
DIAZINON	39570	WAIVED	2003/02/18	.000	
INORGANIC					
ALUMINUM	01105	WAIVED	2010/08/24	< .000	
ANTIMONY	01097	WAIVED	2010/08/24	< .000	
ARSENIC	01002	WAIVED	2010/08/24	2.600	
ASBESTOS	81855	WAIVED	2003/08/28	.000	
BARIUM	01007	WAIVED	2010/08/24	140.000	
BERYLLIUM	01012	WAIVED	2010/08/24	< .000	
CADMIUM	01027	WAIVED	2010/08/24	< .000	
CHROMIUM (TOTAL)	01034	WAIVED	2010/08/24	< .000	
CYANIDE	01291	WAIVED	2007/06/18	< 5.000	
FLUORIDE (F) (NATURAL-SOURCE)	00951	WAIVED	2010/08/24	.230	
LEAD	01051	WAIVED	2007/06/18	.410	
MERCURY	71900	WAIVED	2010/08/24	< .000	
NICKEL	01067	WAIVED	2010/08/24	< .000	
PERCHLORATE	A-031	WAIVED	2011/08/25	< .000	
SELENIUM	01147	WAIVED	2010/08/24	< .000	
THALLIUM	01059	WAIVED	2010/08/24	< .000	
NITRATE/NITRITE					
NITRATE (AS NO3)	71850	WAIVED	2012/02/10	30.000	
NITRITE (AS N)	00620	WAIVED	2010/08/24	< .000	
RADIOLOGICAL					
GROSS ALPHA	01501	WAIVED	2007/02/28	< 3.000	
GROSS BETA	03501	WAIVED			
RA-226 FOR CWS OR TOTAL RA FOR NTNC BY 903.0	A-080	WAIVED			
RA-226 OR TOTAL RA BY 903.0 C.E.	A-081	WAIVED			
RADIUM 226	09501	WAIVED	2007/02/28	< 1.000	
RADIUM 228	11501	WAIVED	2007/02/28	< 1.000	

**Testing interval is in months;*
0 = No data for this constituent and is DUE NOW
999 = Waived testing (not required)
I = Invalid (NOT) valid analyses reported

System Number: ***1910158***

System Name: ***STERLING MUTUAL WATER COMPANY***

PS Code: ***1910158-001***

Source Name: ***NORTH WELL***

Source Number: ***001***

Source Status: ***ACTIVE UNTREATED***

Water type: ***GROUNDWATER OR WELL***

	STORET NUMBER	TESTING INTERVAL (MONTHS)*	LAST TEST DATE (yyyy/mm/dd)	LAST RESULT REPORTED	NEXT TEST DATE (yyyy/mm)
RADIOLOGICAL					
RADIUM, TOTAL, MDA95-NTNC ONLY, BY 903.0	A-082	WAIVED			
STRONTIUM-90	13501	WAIVED			
TRITIUM	07000	WAIVED			
URANIUM (PCI/L)	28012	WAIVED	2007/02/28	2.000	
REGULATED SOC					
2,3,7,8-TCDD (DIOXIN)	34676	WAIVED			
2,4,5-TP (SILVEX)	39045	WAIVED			
2,4-D	39730	WAIVED			
ALACHLOR	77825	WAIVED	2003/02/18	.000	
ATRAZINE	39033	WAIVED	2004/09/20	.000	
BENTAZON	38710	WAIVED			
BENZO (A) PYRENE	34247	WAIVED			
CARBOFURAN	81405	WAIVED			
CHLORDANE	39350	WAIVED	2003/02/18	.000	
DALAPON	38432	WAIVED			
DI(2-ETHYLHEXYL)ADIPATE	A-026	WAIVED			
DI(2-ETHYLHEXYL)PHTHALATE	39100	WAIVED			
DIBROMOCHLOROPROPANE (DBCP)	38761	WAIVED	2004/12/20	.000	
DINOSEB	81287	WAIVED			
DIQUAT	78885	WAIVED			
ENDOTHALL	38926	WAIVED			
ENDRIN	39390	WAIVED	2003/02/18	.000	
ETHYLENE DIBROMIDE (EDB)	77651	WAIVED	2004/12/20	.000	
GLYPHOSATE	79743	WAIVED			
HEPTACHLOR	39410	WAIVED	2003/02/18	.000	
HEPTACHLOR EPOXIDE	39420	WAIVED	2003/02/18	.000	
HEXACHLOROBENZENE	39700	WAIVED	2003/02/18	.000	
HEXACHLOROCYCLOPENTADIENE	34386	WAIVED	2003/02/18	.000	
LINDANE	39340	WAIVED	2003/02/18	.000	

**Testing interval is in months;*
0 = No data for this constituent and is DUE NOW
999 = Waived testing (not required)
I = Invalid (NOT) valid analyses reported

System Number: 1910158
System Name: STERLING MUTUAL WATER COMPANY

PS Code: 1910158-001
Source Name: NORTH WELL
Source Number: 001
Source Status: ACTIVE UNTREATED
Water type: GROUNDWATER OR WELL

	STORET NUMBER	TESTING INTERVAL (MONTHS)*	LAST TEST DATE (yyyy/mm/dd)	LAST RESULT REPORTED	NEXT TEST DATE (yyyy/mm)
REGULATED SOC					
METHOXYCHLOR	39480	WAIVED	2003/02/18	.000	
MOLINATE	82199	WAIVED	2003/02/18	.000	
OXAMYL	38865	WAIVED			
PENTACHLOROPHENOL	39032	WAIVED			
PICLORAM	39720	WAIVED			
POLYCHLORINATED BIPHENYLS, TOTAL, AS DCB	39516	WAIVED	2003/02/18	.000	
SIMAZINE	39055	WAIVED	2004/09/20	.000	
THIOBENCARB	A-001	WAIVED	2004/09/20	.000	
TOXAPHENE	39400	WAIVED	2003/02/18	.000	
REGULATED VOC					
1,1,1-TRICHLOROETHANE	34506	WAIVED	2011/08/25	< .000	
1,1,2,2-TETRACHLOROETHANE	34516	WAIVED	2011/08/25	< .000	
1,1,2-TRICHLORO-1,2,2-TRIFLUOROETHANE	81611	WAIVED	2011/08/25	< .000	
1,1,2-TRICHLOROETHANE	34511	WAIVED	2011/08/25	< .000	
1,1-DICHLOROETHANE	34496	WAIVED	2011/08/25	< .000	
1,1-DICHLOROETHYLENE	34501	WAIVED	2011/08/25	< .000	
1,2,4-TRICHLOROBENZENE	34551	WAIVED	2011/08/25	< .000	
1,2-DICHLOROBENZENE	34536	WAIVED	2011/08/25	< .000	
1,2-DICHLOROETHANE	34531	WAIVED	2011/08/25	< .000	
1,2-DICHLOROPROPANE	34541	WAIVED	2011/08/25	< .000	
1,3-DICHLOROPROPENE (TOTAL)	34561	WAIVED	2011/08/25	< .000	
1,4-DICHLOROBENZENE	34571	WAIVED	2011/08/25	< .000	
BENZENE	34030	WAIVED	2011/08/25	< .000	
CARBON TETRACHLORIDE	32102	WAIVED	2011/08/25	< .000	
CIS-1,2-DICHLOROETHYLENE	77093	WAIVED	2011/08/25	< .000	
DICHLOROMETHANE	34423	WAIVED	2011/08/25	< .000	
ETHYLBENZENE	34371	WAIVED	2011/08/25	< .000	
METHYL-TERT-BUTYL-ETHER (MTBE)	46491	WAIVED	2011/08/25	< .000	
MONOCHLOROBENZENE	34301	WAIVED	2011/08/25	< .000	

**Testing interval is in months;*
0 = No data for this constituent and is DUE NOW
999 = Waived testing (not required)
I = Invalid (NOT) valid analyses reported

System Number: ***1910158***

System Name: ***STERLING MUTUAL WATER COMPANY***

PS Code: ***1910158-001***

Source Name: ***NORTH WELL***

Source Number: ***001***

Source Status: ***ACTIVE UNTREATED***

Water type: ***GROUNDWATER OR WELL***

	STORET NUMBER	TESTING INTERVAL (MONTHS)*	LAST TEST DATE (yyyy/mm/dd)	LAST RESULT REPORTED	NEXT TEST DATE (yyyy/mm)
REGULATED VOC					
STYRENE	77128	WAIVED	2011/08/25	< .000	
TETRACHLOROETHYLENE	34475	WAIVED	2011/08/25	< .000	
TOLUENE	34010	WAIVED	2011/08/25	< .000	
TRANS-1,2-DICHLOROETHYLENE	34546	WAIVED	2011/08/25	< .000	
TRICHLOROETHYLENE	39180	WAIVED	2011/08/25	< .000	
TRICHLOROFLUOROMETHANE	34488	WAIVED	2011/08/25	< .000	
VINYL CHLORIDE	39175	WAIVED	2011/08/25	< .000	
XYLENES (TOTAL)	81551	WAIVED	2011/08/25	< .000	
SECONDARY/GP					
AGGRSSIVE INDEX (CORROSIVITY)	82383	WAIVED			
BICARBONATE ALKALINITY	00440	WAIVED	2007/06/18	240.000	
CALCIUM	00916	WAIVED	2007/06/18	75.000	
CARBONATE ALKALINITY	00445	WAIVED	2007/06/18	< 2.000	
CHLORIDE	00940	WAIVED	2007/06/18	28.000	
COLOR	00081	WAIVED	2007/06/18	.000	
COPPER	01042	WAIVED	2007/06/18	1.300	
FOAMING AGENTS (MBAS)	38260	WAIVED	2007/06/18	< .050	
HARDNESS (TOTAL) AS CACO3	00900	WAIVED	2007/06/18	250.000	
HYDROXIDE ALKALINITY	71830	WAIVED	2007/06/18	< 2.000	
IRON	01045	WAIVED	2007/06/18	< 20.000	
MAGNESIUM	00927	WAIVED	2007/06/18	16.000	
MANGANESE	01055	WAIVED	2007/06/18	.620	
ODOR THRESHOLD @ 60 C	00086	WAIVED	2007/06/18	1.000	
PH, LABORATORY	00403	WAIVED	2007/06/18	7.820	
SILVER	01077	WAIVED	2010/08/24	< .000	
SODIUM	00929	WAIVED	2007/06/18	21.000	
SPECIFIC CONDUCTANCE	00095	WAIVED	2007/06/18	620.000	
SULFATE	00945	WAIVED	2007/06/18	43.000	
TOTAL DISSOLVED SOLIDS	70300	WAIVED	2007/06/18	380.000	

**Testing interval is in months;*
0 = No data for this constituent and is DUE NOW
999 = Waived testing (not required)
I = Invalid (NOT) valid analyses reported

System Number: ***1910158***

System Name: ***STERLING MUTUAL WATER COMPANY***

PS Code: ***1910158-001***

Source Name: ***NORTH WELL***

Source Number: ***001***

Source Status: ***ACTIVE UNTREATED***

Water type: ***GROUNDWATER OR WELL***

	STORET NUMBER	TESTING INTERVAL (MONTHS)*	LAST TEST DATE (yyyy/mm/dd)	LAST RESULT REPORTED	NEXT TEST DATE (yyyy/mm)
SECONDARY/GP					
TURBIDITY, LABORATORY	82079	WAIVED	2007/06/18	.160	
ZINC	01092	WAIVED	2007/06/18	51.000	

PS Code: ***1910158-002***

Source Name: ***NEW SOUTH WELL***

Source Number: ***002***

Source Status: ***ACTIVE UNTREATED***

Water type: ***GROUNDWATER OR WELL***

	STORET NUMBER	TESTING INTERVAL (MONTHS)*	LAST TEST DATE (yyyy/mm/dd)	LAST RESULT REPORTED	NEXT TEST DATE (yyyy/mm)
GENERAL NON CHAP 15					
DIAZINON	39570	WAIVED	2003/02/18	.000	
INORGANIC					
ALUMINUM	01105	WAIVED	2011/08/25	< .000	
ANTIMONY	01097	WAIVED	2011/08/25	< .000	
ARSENIC	01002	WAIVED	2011/08/25	2.600	
ASBESTOS	81855	WAIVED	2003/08/28	.000	
BARIUM	01007	WAIVED	2011/08/25	120.000	
BERYLLIUM	01012	WAIVED	2011/08/25	< .000	
CADMIUM	01027	WAIVED	2011/08/25	< .000	
CHROMIUM (TOTAL)	01034	WAIVED	2011/08/25	< .000	
CYANIDE	01291	WAIVED	2011/08/25	< .000	
FLUORIDE (F) (NATURAL-SOURCE)	00951	WAIVED	2011/08/25	.310	
LEAD	01051	WAIVED	2007/06/18	< .200	
MERCURY	71900	WAIVED	2011/08/25	< .000	
NICKEL	01067	WAIVED	2011/08/25	< .000	
PERCHLORATE	A-031	WAIVED	2011/08/25	< .000	
SELENIUM	01147	WAIVED	2011/08/25	< .000	
THALLIUM	01059	WAIVED	2011/08/25	< .000	

**Testing interval is in months;*
0 = No data for this constituent and is DUE NOW
999 = Waived testing (not required)
I = Invalid (NOT) valid analyses reported

System Number: ***1910158***

System Name: ***STERLING MUTUAL WATER COMPANY***

PS Code: ***1910158-002***

Source Name: ***NEW SOUTH WELL***

Source Number: ***002***

Source Status: ***ACTIVE UNTREATED***

Water type: ***GROUNDWATER OR WELL***

	STORET NUMBER	TESTING INTERVAL (MONTHS)*	LAST TEST DATE (yyyy/mm/dd)	LAST RESULT REPORTED	NEXT TEST DATE (yyyy/mm)
NITRATE/NITRITE					
NITRATE (AS NO3)	71850	WAIVED	2012/02/10	12.000	
NITRITE (AS N)	00620	WAIVED	2011/08/25	< .000	
RADIOLOGICAL					
GROSS ALPHA	01501	WAIVED	2007/02/28	< 3.000	
GROSS BETA	03501	WAIVED			
RA-226 FOR CWS OR TOTAL RA FOR NTNC BY 903.0	A-080	WAIVED			
RA-226 OR TOTAL RA BY 903.0 C.E.	A-081	WAIVED			
RADIUM 226	09501	WAIVED	2007/02/28	< 1.000	
RADIUM 228	11501	WAIVED	2007/02/28	< 1.000	
RADIUM, TOTAL, MDA95-NTNC ONLY, BY 903.0	A-082	WAIVED			
STRONTIUM-90	13501	WAIVED			
TRITIUM	07000	WAIVED			
URANIUM (PCI/L)	28012	WAIVED	2007/02/28	< 2.000	
REGULATED SOC					
2,3,7,8-TCDD (DIOXIN)	34676	WAIVED			
2,4,5-TP (SILVEX)	39045	WAIVED	1991/06/11	.000	
2,4-D	39730	WAIVED	1991/06/11	.000	
ALACHLOR	77825	WAIVED	2003/02/18	.000	
ATRAZINE	39033	WAIVED	2004/09/20	.000	
BENTAZON	38710	WAIVED	1992/06/04	.000	
BENZO (A) PYRENE	34247	WAIVED			
CARBOFURAN	81405	WAIVED	1991/06/11	.000	
CHLORDANE	39350	WAIVED	2003/02/18	.000	
DALAPON	38432	WAIVED			
DI(2-ETHYLHEXYL)ADIPATE	A-026	WAIVED			
DI(2-ETHYLHEXYL)PHTHALATE	39100	WAIVED	1991/06/11	.000	
DIBROMOCHLOROPROPANE (DBCP)	38761	WAIVED	2004/12/20	.000	
DINOSEB	81287	WAIVED			
DIQUAT	78885	WAIVED			

**Testing interval is in months;*
0 = No data for this constituent and is DUE NOW
999 = Waived testing (not required)
I = Invalid (NOT) valid analyses reported

System Number: 1910158
System Name: STERLING MUTUAL WATER COMPANY

PS Code: 1910158-002
Source Name: NEW SOUTH WELL
Source Number: 002
Source Status: ACTIVE UNTREATED
Water type: GROUNDWATER OR WELL

	STORET NUMBER	TESTING INTERVAL (MONTHS)*	LAST TEST DATE (yyyy/mm/dd)	LAST RESULT REPORTED	NEXT TEST DATE (yyyy/mm)
REGULATED SOC					
ENDOTHALL	38926	WAIVED			
ENDRIN	39390	WAIVED	2003/02/18	.000	
ETHYLENE DIBROMIDE (EDB)	77651	WAIVED	2004/12/20	.000	
GLYPHOSATE	79743	WAIVED			
HEPTACHLOR	39410	WAIVED	2003/02/18	.000	
HEPTACHLOR EPOXIDE	39420	WAIVED	2003/02/18	.000	
HEXACHLOROBENZENE	39700	WAIVED	2003/02/18	.000	
HEXACHLOROCYCLOPENTADIENE	34386	WAIVED	2003/02/18	.000	
LINDANE	39340	WAIVED	2003/02/18	.000	
METHOXYCHLOR	39480	WAIVED	2003/02/18	.000	
MOLINATE	82199	WAIVED	2003/02/18	.000	
OXAMYL	38865	WAIVED			
PENTACHLOROPHENOL	39032	WAIVED			
PICLORAM	39720	WAIVED			
POLYCHLORINATED BIPHENYLS, TOTAL, AS DCB	39516	WAIVED	2003/02/18	.000	
SIMAZINE	39055	WAIVED	2004/09/20	.000	
THIOBENCARB	A-001	WAIVED	2004/09/20	.000	
TOXAPHENE	39400	WAIVED	2003/02/18	.000	
REGULATED VOC					
1,1,1-TRICHLOROETHANE	34506	WAIVED	2011/08/25	< .000	
1,1,2,2-TETRACHLOROETHANE	34516	WAIVED	2011/08/25	< .000	
1,1,2-TRICHLORO-1,2,2-TRIFLUOROETHANE	81611	WAIVED	2011/08/25	< .000	
1,1,2-TRICHLOROETHANE	34511	WAIVED	2011/08/25	< .000	
1,1-DICHLOROETHANE	34496	WAIVED	2011/08/25	< .000	
1,1-DICHLOROETHYLENE	34501	WAIVED	2011/08/25	< .000	
1,2,4-TRICHLOROBENZENE	34551	WAIVED	2011/08/25	< .000	
1,2-DICHLOROBENZENE	34536	WAIVED	2011/08/25	< .000	
1,2-DICHLOROETHANE	34531	WAIVED	2011/08/25	< .000	
1,2-DICHLOROPROPANE	34541	WAIVED	2011/08/25	< .000	

**Testing interval is in months;*
0 = No data for this constituent and is DUE NOW
999 = Waived testing (not required)
I = Invalid (NOT) valid analyses reported

System Number: 1910158
System Name: STERLING MUTUAL WATER COMPANY

PS Code: 1910158-002
Source Name: NEW SOUTH WELL
Source Number: 002
Source Status: ACTIVE UNTREATED
Water type: GROUNDWATER OR WELL

	STORET NUMBER	TESTING INTERVAL (MONTHS)*	LAST TEST DATE (yyyy/mm/dd)	LAST RESULT REPORTED	NEXT TEST DATE (yyyy/mm)
REGULATED VOC					
1,3-DICHLOROPROPENE (TOTAL)	34561	WAIVED	2011/08/25	< .000	
1,4-DICHLOROBENZENE	34571	WAIVED	2011/08/25	< .000	
BENZENE	34030	WAIVED	2011/08/25	< .000	
CARBON TETRACHLORIDE	32102	WAIVED	2011/08/25	< .000	
CIS-1,2-DICHLOROETHYLENE	77093	WAIVED	2011/08/25	< .000	
DICHLOROMETHANE	34423	WAIVED	2011/08/25	< .000	
ETHYLBENZENE	34371	WAIVED	2011/08/25	< .000	
METHYL-TERT-BUTYL-ETHER (MTBE)	46491	WAIVED	2011/08/25	< .000	
MONOCHLOROBENZENE	34301	WAIVED	2011/08/25	< .000	
STYRENE	77128	WAIVED	2011/08/25	< .000	
TETRACHLOROETHYLENE	34475	WAIVED	2011/08/25	< .000	
TOLUENE	34010	WAIVED	2011/08/25	< .000	
TRANS-1,2-DICHLOROETHYLENE	34546	WAIVED	2011/08/25	< .000	
TRICHLOROETHYLENE	39180	WAIVED	2011/08/25	< .000	
TRICHLOROFLUOROMETHANE	34488	WAIVED	2011/08/25	< .000	
VINYL CHLORIDE	39175	WAIVED	2011/08/25	< .000	
XYLENES (TOTAL)	81551	WAIVED	2011/08/25	< .000	
SECONDARY/GP					
AGGRSSIVE INDEX (CORROSIVITY)	82383	WAIVED			
BICARBONATE ALKALINITY	00440	WAIVED	2007/06/18	190.000	
CALCIUM	00916	WAIVED	2007/06/18	53.000	
CARBONATE ALKALINITY	00445	WAIVED	2007/06/18	< 2.000	
CHLORIDE	00940	WAIVED	2007/06/18	21.000	
COLOR	00081	WAIVED	2007/06/18	.000	
COPPER	01042	WAIVED	2007/06/18	< .500	
FOAMING AGENTS (MBAS)	38260	WAIVED	2007/06/18	< .050	
HARDNESS (TOTAL) AS CACO3	00900	WAIVED	2007/06/18	180.000	
HYDROXIDE ALKALINITY	71830	WAIVED	2007/06/18	< 2.000	
IRON	01045	WAIVED	2007/06/18	< 20.000	

**Testing interval is in months;*
0 = No data for this constituent and is DUE NOW
999 = Waived testing (not required)
I = Invalid (NOT) valid analyses reported

System Number: ***1910158***

System Name: ***STERLING MUTUAL WATER COMPANY***

PS Code: ***1910158-002***

Source Name: ***NEW SOUTH WELL***

Source Number: ***002***

Source Status: ***ACTIVE UNTREATED***

Water type: ***GROUNDWATER OR WELL***

SECONDARY/GP

	STORET NUMBER	TESTING INTERVAL (MONTHS)*	LAST TEST DATE (yyyy/mm/dd)	LAST RESULT REPORTED	NEXT TEST DATE (yyyy/mm)
MAGNESIUM	00927	WAIVED	2007/06/18	11.000	
MANGANESE	01055	WAIVED	2007/06/18	< .200	
ODOR THRESHOLD @ 60 C	00086	WAIVED	2007/06/18	1.000	
PH, LABORATORY	00403	WAIVED	2007/06/18	7.960	
SILVER	01077	WAIVED	2011/08/25	< .000	
SODIUM	00929	WAIVED	2007/06/18	16.000	
SPECIFIC CONDUCTANCE	00095	WAIVED	2007/06/18	450.000	
SULFATE	00945	WAIVED	2007/06/18	34.000	
TOTAL DISSOLVED SOLIDS	70300	WAIVED	2007/06/18	280.000	
TURBIDITY, LABORATORY	82079	WAIVED	2007/06/18	< .100	
ZINC	01092	WAIVED	2007/06/18	7.800	

**Testing interval is in months;*
0 = No data for this constituent and is DUE NOW
999 = Waived testing (not required)
I = Invalid (NOT) valid analyses reported