DISTRICT 54

MERCED COUNTY

DRINKING WATER MONITORING SCHEDULE

THE CALIFORNIA DEPARTMENT OF PUBIC HEALTH (CDPH) MONITORING SCHEDULER LISTS REQUIRED CONTAMINANT TESTING OF DRINKING WATER FOR PUBLIC WATER SYSTEMS IN CALIFORNIA. THE SCHEDULE INCLUDES REQUIRED UPCOMING TESTING, PAST DUE REQUIRED, AND WAIVED TESTING.

THIS INFORMATION IS VALID AS OF MAY 24, 2012.

UPDATES WILL BE REGULARLY PERFORMED REFLECTING CHANGES IN THE WATER QUALITY MONITORING DATABASE. THESE DOCUMENTS SHOULD BE CONSIDERED "DRAFT" IN THAT THEY MAY CHANGE WITH SUBSEQUENT UPDATES AS NEW DATA ARE SUBMITTED, OR AS MONITORING SCHEDULES ARE REVISED. THIS MONITORING SCHEDULE SHOULD NOT BE USED TO DETERMINE IF SYSTEMS ARE IN COMPLETE COMPLIANCE WITH MONITORING REQUIREMENTS. THE PURPOSE IS TO ASSIST SYSTEMS IN THEIR PLANNING FOR SAMPLING EVENTS, AND VERIFICATION OF SCHEDULED MONITORING WITH CDHS RECORDS.

THE TELEPHONE NUMBER FOR THE LOCAL DRINKING WATER OFFICE IS:

(209) 381-1076

Please be aware that the monitoring schedules do not reflect compliance with initial monitoring for newly regulated constituents (such as MTBE), or constituents that require special monitoring frequencies. Specifically, the database is unable to accurately forecast the following for the Monitoring Schedules:

The SOC frequency for large water systems serving over 3,300 people of 2 quarters every 3 years. In addition, if you have been advised of any increased monitoring that is not reflected in the Monitoring Schedule for a particular source, please contact your local Drinking Water office

Some older data may not be present in the database, and these are indicated in the schedule as "DUE." If these samples were taken, have your laboratory submit the data. Since January 1, 2001, data have been required to be submitted directly to CDPH via electronic data transfer (EDT).

If sampled after January 1, 2001, have your lab submit those data (and data prior to 2001 if possible) electronically as required to CDPH via EDT. Your laboratory can contact Anthony Meeks in the CDPH Monitoring and Evaluation Unit at (916) 449-5568 or at edt@cdph.ca.gov for further information. Changes in the monitoring notification documents will be seen in the next update.

System Number: ***2400004***

System Name: ***BOLAND S MOBILE HOME PARK***

PS Code: ***2400004-002***

Source Name: ***WELL 02 (NEW, 1994)***

Source Number: ***002***

Source Status: ***ACTIVE UNTREATED***

Water type: ***GROUNDWATER OR WELL***

	STORET NUMBER	TESTING INTERVAL (MONTHS)*	LAST TEST DATE (yyyy/mm/dd)	LAST RESULT REPORTED	NEXT TEST DATE (yyyy/mm)
GENERAL NON CHAP 15					
DIAZINON	39570	WAIVED			
INORGANIC					
ALUMINUM	01105	WAIVED			
ANTIMONY	01097	WAIVED			
ARSENIC	01002	WAIVED			
ASBESTOS	81855	WAIVED			
BARIUM	01007	WAIVED			
BERYLLIUM	01012	WAIVED			
CADMIUM	01027	WAIVED			
CHROMIUM (TOTAL)	01034	WAIVED			
CYANIDE	01291	WAIVED			
FLUORIDE (F) (NATURAL-SOURCE)	00951	WAIVED			
LEAD	01051	WAIVED			
MERCURY	71900	WAIVED			
NICKEL	01067	WAIVED			
PERCHLORATE	A-031	WAIVED			
SELENIUM	01147	WAIVED			
THALLIUM	01059	WAIVED			
NITRATE/NITRITE					
NITRATE (AS NO3)	71850	WAIVED			
NITRITE (AS N)	00620	WAIVED			
RADIOLOGICAL					
GROSS ALPHA	01501	WAIVED			
GROSS BETA	03501	WAIVED			
RA-226 FOR CWS OR TOTAL RA FOR NTNC BY 903.0	A-080	WAIVED			
RA-226 OR TOTAL RA BY 903.0 C.E.	A-081	WAIVED			
RADIUM 226	09501	WAIVED			
RADIUM 228	11501	WAIVED			

**Testing interval is in months;*
0 = No data for this constituent and is DUE NOW
999 = Waived testing (not required)
I = Invalid (NOT) valid analyses reported

System Number: ***2400004***

System Name: ***BOLAND S MOBILE HOME PARK***

PS Code: ***2400004-002***

Source Name: ***WELL 02 (NEW, 1994)***

Source Number: ***002***

Source Status: ***ACTIVE UNTREATED***

Water type: ***GROUNDWATER OR WELL***

	STORET NUMBER	TESTING INTERVAL (MONTHS)*	LAST TEST DATE (yyyy/mm/dd)	LAST RESULT REPORTED	NEXT TEST DATE (yyyy/mm)
RADIOLOGICAL					
RADIUM, TOTAL, MDA95-NTNC ONLY, BY 903.0	A-082	WAIVED			
STRONTIUM-90	13501	WAIVED			
TRITIUM	07000	WAIVED			
URANIUM (PCI/L)	28012	WAIVED			
REGULATED SOC					
2,3,7,8-TCDD (DIOXIN)	34676	WAIVED			
2,4,5-TP (SILVEX)	39045	WAIVED			
2,4-D	39730	WAIVED			
ALACHLOR	77825	WAIVED			
ATRAZINE	39033	WAIVED			
BENTAZON	38710	WAIVED			
BENZO (A) PYRENE	34247	WAIVED			
CARBOFURAN	81405	WAIVED			
CHLORDANE	39350	WAIVED			
DALAPON	38432	WAIVED			
DI(2-ETHYLHEXYL)ADIPATE	A-026	WAIVED			
DI(2-ETHYLHEXYL)PHTHALATE	39100	WAIVED			
DIBROMOCHLOROPROPANE (DBCP)	38761	WAIVED			
DINOSEB	81287	WAIVED			
DIQUAT	78885	WAIVED			
ENDOTHALL	38926	WAIVED			
ENDRIN	39390	WAIVED			
ETHYLENE DIBROMIDE (EDB)	77651	WAIVED			
GLYPHOSATE	79743	WAIVED			
HEPTACHLOR	39410	WAIVED			
HEPTACHLOR EPOXIDE	39420	WAIVED			
HEXACHLOROBENZENE	39700	WAIVED			
HEXACHLOROCYCLOPENTADIENE	34386	WAIVED			
LINDANE	39340	WAIVED			

**Testing interval is in months;*
0 = No data for this constituent and is DUE NOW
999 = Waived testing (not required)
I = Invalid (NOT) valid analyses reported

System Number: ***2400004***

System Name: ***BOLAND S MOBILE HOME PARK***

PS Code: ***2400004-002***

Source Name: ***WELL 02 (NEW, 1994)***

Source Number: ***002***

Source Status: ***ACTIVE UNTREATED***

Water type: ***GROUNDWATER OR WELL***

	STORET NUMBER	TESTING INTERVAL (MONTHS)*	LAST TEST DATE (yyyy/mm/dd)	LAST RESULT REPORTED	NEXT TEST DATE (yyyy/mm)
REGULATED SOC					
METHOXYCHLOR	39480	WAIVED			
MOLINATE	82199	WAIVED			
OXAMYL	38865	WAIVED			
PENTACHLOROPHENOL	39032	WAIVED			
PICLORAM	39720	WAIVED			
POLYCHLORINATED BIPHENYLS, TOTAL, AS DCB	39516	WAIVED			
SIMAZINE	39055	WAIVED			
THIOBENCARB	A-001	WAIVED			
TOXAPHENE	39400	WAIVED			
REGULATED VOC					
1,1,1-TRICHLOROETHANE	34506	WAIVED			
1,1,2,2-TETRACHLOROETHANE	34516	WAIVED			
1,1,2-TRICHLORO-1,2,2-TRIFLUOROETHANE	81611	WAIVED			
1,1,2-TRICHLOROETHANE	34511	WAIVED			
1,1-DICHLOROETHANE	34496	WAIVED			
1,1-DICHLOROETHYLENE	34501	WAIVED			
1,2,4-TRICHLOROBENZENE	34551	WAIVED			
1,2-DICHLOROBENZENE	34536	WAIVED			
1,2-DICHLOROETHANE	34531	WAIVED			
1,2-DICHLOROPROPANE	34541	WAIVED			
1,3-DICHLOROPROPENE (TOTAL)	34561	WAIVED			
1,4-DICHLOROBENZENE	34571	WAIVED			
BENZENE	34030	WAIVED			
CARBON TETRACHLORIDE	32102	WAIVED			
CIS-1,2-DICHLOROETHYLENE	77093	WAIVED			
DICHLOROMETHANE	34423	WAIVED			
ETHYLBENZENE	34371	WAIVED			
METHYL-TERT-BUTYL-ETHER (MTBE)	46491	WAIVED			
MONOCHLOROBENZENE	34301	WAIVED			

**Testing interval is in months;*
0 = No data for this constituent and is DUE NOW
999 = Waived testing (not required)
I = Invalid (NOT) valid analyses reported

System Number: ***2400004***

System Name: ***BOLAND S MOBILE HOME PARK***

PS Code: ***2400004-002***

Source Name: ***WELL 02 (NEW, 1994)***

Source Number: ***002***

Source Status: ***ACTIVE UNTREATED***

Water type: ***GROUNDWATER OR WELL***

	STORET NUMBER	TESTING INTERVAL (MONTHS)*	LAST TEST DATE (yyyy/mm/dd)	LAST RESULT REPORTED	NEXT TEST DATE (yyyy/mm)
REGULATED VOC					
STYRENE	77128	WAIVED			
TETRACHLOROETHYLENE	34475	WAIVED			
TOLUENE	34010	WAIVED			
TRANS-1,2-DICHLOROETHYLENE	34546	WAIVED			
TRICHLOROETHYLENE	39180	WAIVED			
TRICHLOROFLUOROMETHANE	34488	WAIVED			
VINYL CHLORIDE	39175	WAIVED			
XYLENES (TOTAL)	81551	WAIVED			
SECONDARY/GP					
AGGRSSIVE INDEX (CORROSIVITY)	82383	WAIVED			
BICARBONATE ALKALINITY	00440	WAIVED			
CALCIUM	00916	WAIVED			
CARBONATE ALKALINITY	00445	WAIVED			
CHLORIDE	00940	WAIVED			
COLOR	00081	WAIVED			
COPPER	01042	WAIVED			
FOAMING AGENTS (MBAS)	38260	WAIVED			
HARDNESS (TOTAL) AS CACO3	00900	WAIVED			
HYDROXIDE ALKALINITY	71830	WAIVED			
IRON	01045	WAIVED			
MAGNESIUM	00927	WAIVED			
MANGANESE	01055	WAIVED			
ODOR THRESHOLD @ 60 C	00086	WAIVED			
PH, LABORATORY	00403	WAIVED			
SILVER	01077	WAIVED			
SODIUM	00929	WAIVED			
SPECIFIC CONDUCTANCE	00095	WAIVED			
SULFATE	00945	WAIVED			
TOTAL DISSOLVED SOLIDS	70300	WAIVED			

**Testing interval is in months;*
0 = No data for this constituent and is DUE NOW
999 = Waived testing (not required)
I = Invalid (NOT) valid analyses reported

System Number: ***2400004***

System Name: ***BOLAND S MOBILE HOME PARK***

	STORET NUMBER	TESTING INTERVAL (MONTHS)*	LAST TEST DATE (yyyy/mm/dd)	LAST RESULT REPORTED	NEXT TEST DATE (yyyy/mm)

PS Code: ***2400004-002***

Source Name: ***WELL 02 (NEW, 1994)***

Source Number: ***002***

Source Status: ***ACTIVE UNTREATED***

Water type: ***GROUNDWATER OR WELL***

SECONDARY/GP

TURBIDITY, LABORATORY	82079	WAIVED
ZINC	01092	WAIVED

PS Code: ***2400004-011***

Source Name: ***WELL #2 (~1994)***

Source Number: ***011***

Source Status: ***ACTIVE UNTREATED***

Water type: ***GROUNDWATER OR WELL***

GENERAL NON CHAP 15

DIAZINON	39570	WAIVED

INORGANIC

ALUMINUM	01105	WAIVED
ANTIMONY	01097	WAIVED
ARSENIC	01002	WAIVED
ASBESTOS	81855	WAIVED
BARIUM	01007	WAIVED
BERYLLIUM	01012	WAIVED
CADMIUM	01027	WAIVED
CHROMIUM (TOTAL)	01034	WAIVED
CYANIDE	01291	WAIVED
FLUORIDE (F) (NATURAL-SOURCE)	00951	WAIVED
LEAD	01051	WAIVED
MERCURY	71900	WAIVED
NICKEL	01067	WAIVED
PERCHLORATE	A-031	WAIVED
SELENIUM	01147	WAIVED
THALLIUM	01059	WAIVED

**Testing interval is in months;*
0 = No data for this constituent and is DUE NOW
999 = Waived testing (not required)
I = Invalid (NOT) valid analyses reported

System Number: ***2400004***

System Name: ***BOLAND S MOBILE HOME PARK***

PS Code: ***2400004-011***

Source Name: ***WELL #2 (~1994)***

Source Number: ***011***

Source Status: ***ACTIVE UNTREATED***

Water type: ***GROUNDWATER OR WELL***

	STORET NUMBER	TESTING INTERVAL (MONTHS)*	LAST TEST DATE (yyyy/mm/dd)	LAST RESULT REPORTED	NEXT TEST DATE (yyyy/mm)
NITRATE/NITRITE					
NITRATE (AS NO3)	71850	WAIVED			
NITRITE (AS N)	00620	WAIVED			
RADIOLOGICAL					
GROSS ALPHA	01501	WAIVED			
GROSS BETA	03501	WAIVED			
RA-226 FOR CWS OR TOTAL RA FOR NTNC BY 903.0	A-080	WAIVED			
RA-226 OR TOTAL RA BY 903.0 C.E.	A-081	WAIVED			
RADIUM 226	09501	WAIVED			
RADIUM 228	11501	WAIVED			
RADIUM, TOTAL, MDA95-NTNC ONLY, BY 903.0	A-082	WAIVED			
STRONTIUM-90	13501	WAIVED			
TRITIUM	07000	WAIVED			
URANIUM (PCI/L)	28012	WAIVED			
REGULATED SOC					
2,3,7,8-TCDD (DIOXIN)	34676	WAIVED			
2,4,5-TP (SILVEX)	39045	WAIVED			
2,4-D	39730	WAIVED			
ALACHLOR	77825	WAIVED			
ATRAZINE	39033	WAIVED			
BENTAZON	38710	WAIVED			
BENZO (A) PYRENE	34247	WAIVED			
CARBOFURAN	81405	WAIVED			
CHLORDANE	39350	WAIVED			
DALAPON	38432	WAIVED			
DI(2-ETHYLHEXYL)ADIPATE	A-026	WAIVED			
DI(2-ETHYLHEXYL)PHTHALATE	39100	WAIVED			
DIBROMOCHLOROPROPANE (DBCP)	38761	WAIVED			
DINOSEB	81287	WAIVED			
DIQUAT	78885	WAIVED			

**Testing interval is in months;*
0 = No data for this constituent and is DUE NOW
999 = Waived testing (not required)
I = Invalid (NOT) valid analyses reported

System Number: ***2400004***

System Name: ***BOLAND S MOBILE HOME PARK***

PS Code: ***2400004-011***

Source Name: ***WELL #2 (~1994)***

Source Number: ***011***

Source Status: ***ACTIVE UNTREATED***

Water type: ***GROUNDWATER OR WELL***

	STORET NUMBER	TESTING INTERVAL (MONTHS)*	LAST TEST DATE (yyyy/mm/dd)	LAST RESULT REPORTED	NEXT TEST DATE (yyyy/mm)
REGULATED SOC					
ENDOTHALL	38926	WAIVED			
ENDRIN	39390	WAIVED			
ETHYLENE DIBROMIDE (EDB)	77651	WAIVED			
GLYPHOSATE	79743	WAIVED			
HEPTACHLOR	39410	WAIVED			
HEPTACHLOR EPOXIDE	39420	WAIVED			
HEXACHLOROBENZENE	39700	WAIVED			
HEXACHLOROCYCLOPENTADIENE	34386	WAIVED			
LINDANE	39340	WAIVED			
METHOXYCHLOR	39480	WAIVED			
MOLINATE	82199	WAIVED			
OXAMYL	38865	WAIVED			
PENTACHLOROPHENOL	39032	WAIVED			
PICLORAM	39720	WAIVED			
POLYCHLORINATED BIPHENYLS, TOTAL, AS DCB	39516	WAIVED			
SIMAZINE	39055	WAIVED			
THIOBENCARB	A-001	WAIVED			
TOXAPHENE	39400	WAIVED			
REGULATED VOC					
1,1,1-TRICHLOROETHANE	34506	WAIVED			
1,1,2,2-TETRACHLOROETHANE	34516	WAIVED			
1,1,2-TRICHLORO-1,2,2-TRIFLUOROETHANE	81611	WAIVED			
1,1,2-TRICHLOROETHANE	34511	WAIVED			
1,1-DICHLOROETHANE	34496	WAIVED			
1,1-DICHLOROETHYLENE	34501	WAIVED			
1,2,4-TRICHLOROBENZENE	34551	WAIVED			
1,2-DICHLOROBENZENE	34536	WAIVED			
1,2-DICHLOROETHANE	34531	WAIVED			
1,2-DICHLOROPROPANE	34541	WAIVED			

**Testing interval is in months;*
0 = No data for this constituent and is DUE NOW
999 = Waived testing (not required)
I = Invalid (NOT) valid analyses reported

System Number: ***2400004***

System Name: ***BOLAND S MOBILE HOME PARK***

PS Code: ***2400004-011***

Source Name: ***WELL #2 (~1994)***

Source Number: ***011***

Source Status: ***ACTIVE UNTREATED***

Water type: ***GROUNDWATER OR WELL***

	STORET NUMBER	TESTING INTERVAL (MONTHS)*	LAST TEST DATE (yyyy/mm/dd)	LAST RESULT REPORTED	NEXT TEST DATE (yyyy/mm)
REGULATED VOC					
1,3-DICHLOROPROPENE (TOTAL)	34561	WAIVED			
1,4-DICHLOROBENZENE	34571	WAIVED			
BENZENE	34030	WAIVED			
CARBON TETRACHLORIDE	32102	WAIVED			
CIS-1,2-DICHLOROETHYLENE	77093	WAIVED			
DICHLOROMETHANE	34423	WAIVED			
ETHYLBENZENE	34371	WAIVED			
METHYL-TERT-BUTYL-ETHER (MTBE)	46491	WAIVED			
MONOCHLOROBENZENE	34301	WAIVED			
STYRENE	77128	WAIVED			
TETRACHLOROETHYLENE	34475	WAIVED			
TOLUENE	34010	WAIVED			
TRANS-1,2-DICHLOROETHYLENE	34546	WAIVED			
TRICHLOROETHYLENE	39180	WAIVED			
TRICHLOROFLUOROMETHANE	34488	WAIVED			
VINYL CHLORIDE	39175	WAIVED			
XYLENES (TOTAL)	81551	WAIVED			
SECONDARY/GP					
AGGRSSIVE INDEX (CORROSIVITY)	82383	WAIVED			
BICARBONATE ALKALINITY	00440	WAIVED			
CALCIUM	00916	WAIVED			
CARBONATE ALKALINITY	00445	WAIVED			
CHLORIDE	00940	WAIVED			
COLOR	00081	WAIVED			
COPPER	01042	WAIVED			
FOAMING AGENTS (MBAS)	38260	WAIVED			
HARDNESS (TOTAL) AS CACO3	00900	WAIVED			
HYDROXIDE ALKALINITY	71830	WAIVED			
IRON	01045	WAIVED			

**Testing interval is in months;*
0 = No data for this constituent and is DUE NOW
999 = Waived testing (not required)
I = Invalid (NOT) valid analyses reported

System Number: ***2400004***

System Name: ***BOLAND S MOBILE HOME PARK***

PS Code: ***2400004-011***

Source Name: ***WELL #2 (~1994)***

Source Number: ***011***

Source Status: ***ACTIVE UNTREATED***

Water type: ***GROUNDWATER OR WELL***

SECONDARY/GP	STORET NUMBER	TESTING INTERVAL (MONTHS)*	LAST TEST DATE (yyyy/mm/dd)	LAST RESULT REPORTED	NEXT TEST DATE (yyyy/mm)
MAGNESIUM	00927	WAIVED			
MANGANESE	01055	WAIVED			
ODOR THRESHOLD @ 60 C	00086	WAIVED			
PH, LABORATORY	00403	WAIVED			
SILVER	01077	WAIVED			
SODIUM	00929	WAIVED			
SPECIFIC CONDUCTANCE	00095	WAIVED			
SULFATE	00945	WAIVED			
TOTAL DISSOLVED SOLIDS	70300	WAIVED			
TURBIDITY, LABORATORY	82079	WAIVED			
ZINC	01092	WAIVED			

**Testing interval is in months;*
0 = No data for this constituent and is DUE NOW
999 = Waived testing (not required)
I = Invalid (NOT) valid analyses reported

System Number: ***2400005***

System Name: ***MANCHESTER MOBILE HOME PARK***

PS Code: ***2400005-001***

Source Name: ***WELL 01***

Source Number: ***001***

Source Status: ***ACTIVE UNTREATED***

Water type: ***GROUNDWATER OR WELL***

	STORET NUMBER	TESTING INTERVAL (MONTHS)*	LAST TEST DATE (yyyy/mm/dd)	LAST RESULT REPORTED	NEXT TEST DATE (yyyy/mm)
GENERAL NON CHAP 15					
DIAZINON	39570	WAIVED			
INORGANIC					
ALUMINUM	01105	WAIVED			
ANTIMONY	01097	WAIVED			
ARSENIC	01002	WAIVED			
ASBESTOS	81855	WAIVED			
BARIUM	01007	WAIVED			
BERYLLIUM	01012	WAIVED			
CADMIUM	01027	WAIVED			
CHROMIUM (TOTAL)	01034	WAIVED			
CYANIDE	01291	WAIVED			
FLUORIDE (F) (NATURAL-SOURCE)	00951	WAIVED			
LEAD	01051	WAIVED			
MERCURY	71900	WAIVED			
NICKEL	01067	WAIVED			
PERCHLORATE	A-031	WAIVED			
SELENIUM	01147	WAIVED			
THALLIUM	01059	WAIVED			
NITRATE/NITRITE					
NITRATE (AS NO3)	71850	WAIVED	2012/01/16	29.100	
NITRITE (AS N)	00620	WAIVED			
RADIOLOGICAL					
GROSS ALPHA	01501	WAIVED			
GROSS BETA	03501	WAIVED			
RA-226 FOR CWS OR TOTAL RA FOR NTNC BY 903.0	A-080	WAIVED			
RA-226 OR TOTAL RA BY 903.0 C.E.	A-081	WAIVED			
RADIUM 226	09501	WAIVED			
RADIUM 228	11501	WAIVED			

**Testing interval is in months;*
0 = No data for this constituent and is DUE NOW
999 = Waived testing (not required)
I = Invalid (NOT) valid analyses reported

System Number: ***2400005***

System Name: ***MANCHESTER MOBILE HOME PARK***

PS Code: ***2400005-001***

Source Name: ***WELL 01***

Source Number: ***001***

Source Status: ***ACTIVE UNTREATED***

Water type: ***GROUNDWATER OR WELL***

	STORET NUMBER	TESTING INTERVAL (MONTHS)*	LAST TEST DATE (yyyy/mm/dd)	LAST RESULT REPORTED	NEXT TEST DATE (yyyy/mm)
RADIOLOGICAL					
RADIUM, TOTAL, MDA95-NTNC ONLY, BY 903.0	A-082	WAIVED			
STRONTIUM-90	13501	WAIVED			
TRITIUM	07000	WAIVED			
URANIUM (PCI/L)	28012	WAIVED			
REGULATED SOC					
2,3,7,8-TCDD (DIOXIN)	34676	WAIVED			
2,4,5-TP (SILVEX)	39045	WAIVED			
2,4-D	39730	WAIVED			
ALACHLOR	77825	WAIVED			
ATRAZINE	39033	WAIVED			
BENTAZON	38710	WAIVED			
BENZO (A) PYRENE	34247	WAIVED			
CARBOFURAN	81405	WAIVED			
CHLORDANE	39350	WAIVED			
DALAPON	38432	WAIVED			
DI(2-ETHYLHEXYL)ADIPATE	A-026	WAIVED			
DI(2-ETHYLHEXYL)PHTHALATE	39100	WAIVED			
DIBROMOCHLOROPROPANE (DBCP)	38761	WAIVED			
DINOSEB	81287	WAIVED			
DIQUAT	78885	WAIVED			
ENDOTHALL	38926	WAIVED			
ENDRIN	39390	WAIVED			
ETHYLENE DIBROMIDE (EDB)	77651	WAIVED			
GLYPHOSATE	79743	WAIVED			
HEPTACHLOR	39410	WAIVED			
HEPTACHLOR EPOXIDE	39420	WAIVED			
HEXACHLOROBENZENE	39700	WAIVED			
HEXACHLOROCYCLOPENTADIENE	34386	WAIVED			
LINDANE	39340	WAIVED			

**Testing interval is in months;*
0 = No data for this constituent and is DUE NOW
999 = Waived testing (not required)
I = Invalid (NOT) valid analyses reported

System Number: ***2400005***

System Name: ***MANCHESTER MOBILE HOME PARK***

PS Code: ***2400005-001***

Source Name: ***WELL 01***

Source Number: ***001***

Source Status: ***ACTIVE UNTREATED***

Water type: ***GROUNDWATER OR WELL***

	STORET NUMBER	TESTING INTERVAL (MONTHS)*	LAST TEST DATE (yyyy/mm/dd)	LAST RESULT REPORTED	NEXT TEST DATE (yyyy/mm)
REGULATED SOC					
METHOXYCHLOR	39480	WAIVED			
MOLINATE	82199	WAIVED			
OXAMYL	38865	WAIVED			
PENTACHLOROPHENOL	39032	WAIVED			
PICLORAM	39720	WAIVED			
POLYCHLORINATED BIPHENYLS, TOTAL, AS DCB	39516	WAIVED			
SIMAZINE	39055	WAIVED			
THIOBENCARB	A-001	WAIVED			
TOXAPHENE	39400	WAIVED			
REGULATED VOC					
1,1,1-TRICHLOROETHANE	34506	WAIVED			
1,1,2,2-TETRACHLOROETHANE	34516	WAIVED			
1,1,2-TRICHLORO-1,2,2-TRIFLUOROETHANE	81611	WAIVED			
1,1,2-TRICHLOROETHANE	34511	WAIVED			
1,1-DICHLOROETHANE	34496	WAIVED			
1,1-DICHLOROETHYLENE	34501	WAIVED			
1,2,4-TRICHLOROBENZENE	34551	WAIVED			
1,2-DICHLOROBENZENE	34536	WAIVED			
1,2-DICHLOROETHANE	34531	WAIVED			
1,2-DICHLOROPROPANE	34541	WAIVED			
1,3-DICHLOROPROPENE (TOTAL)	34561	WAIVED			
1,4-DICHLOROBENZENE	34571	WAIVED			
BENZENE	34030	WAIVED			
CARBON TETRACHLORIDE	32102	WAIVED			
CIS-1,2-DICHLOROETHYLENE	77093	WAIVED			
DICHLOROMETHANE	34423	WAIVED			
ETHYLBENZENE	34371	WAIVED			
METHYL-TERT-BUTYL-ETHER (MTBE)	46491	WAIVED			
MONOCHLOROBENZENE	34301	WAIVED			

**Testing interval is in months;*
0 = No data for this constituent and is DUE NOW
999 = Waived testing (not required)
I = Invalid (NOT) valid analyses reported

System Number: ***2400005***

System Name: ***MANCHESTER MOBILE HOME PARK***

PS Code: ***2400005-001***

Source Name: ***WELL 01***

Source Number: ***001***

Source Status: ***ACTIVE UNTREATED***

Water type: ***GROUNDWATER OR WELL***

	STORET NUMBER	TESTING INTERVAL (MONTHS)*	LAST TEST DATE (yyyy/mm/dd)	LAST RESULT REPORTED	NEXT TEST DATE (yyyy/mm)
REGULATED VOC					
STYRENE	77128	WAIVED			
TETRACHLOROETHYLENE	34475	WAIVED			
TOLUENE	34010	WAIVED			
TRANS-1,2-DICHLOROETHYLENE	34546	WAIVED			
TRICHLOROETHYLENE	39180	WAIVED			
TRICHLOROFLUOROMETHANE	34488	WAIVED			
VINYL CHLORIDE	39175	WAIVED			
XYLENES (TOTAL)	81551	WAIVED			
SECONDARY/GP					
AGGRSSIVE INDEX (CORROSIVITY)	82383	WAIVED			
BICARBONATE ALKALINITY	00440	WAIVED			
CALCIUM	00916	WAIVED			
CARBONATE ALKALINITY	00445	WAIVED			
CHLORIDE	00940	WAIVED			
COLOR	00081	WAIVED			
COPPER	01042	WAIVED			
FOAMING AGENTS (MBAS)	38260	WAIVED			
HARDNESS (TOTAL) AS CACO3	00900	WAIVED			
HYDROXIDE ALKALINITY	71830	WAIVED			
IRON	01045	WAIVED			
MAGNESIUM	00927	WAIVED			
MANGANESE	01055	WAIVED			
ODOR THRESHOLD @ 60 C	00086	WAIVED			
PH, LABORATORY	00403	WAIVED			
SILVER	01077	WAIVED			
SODIUM	00929	WAIVED			
SPECIFIC CONDUCTANCE	00095	WAIVED			
SULFATE	00945	WAIVED			
TOTAL DISSOLVED SOLIDS	70300	WAIVED			

**Testing interval is in months;*
0 = No data for this constituent and is DUE NOW
999 = Waived testing (not required)
I = Invalid (NOT) valid analyses reported

System Number: ***2400005***

System Name: ***MANCHESTER MOBILE HOME PARK***

PS Code: ***2400005-001***

Source Name: ***WELL 01***

Source Number: ***001***

Source Status: ***ACTIVE UNTREATED***

Water type: ***GROUNDWATER OR WELL***

	STORET NUMBER	TESTING INTERVAL (MONTHS)*	LAST TEST DATE (yyyy/mm/dd)	LAST RESULT REPORTED	NEXT TEST DATE (yyyy/mm)
SECONDARY/GP					
TURBIDITY, LABORATORY	82079	WAIVED			
ZINC	01092	WAIVED			

**Testing interval is in months;*
0 = No data for this constituent and is DUE NOW
999 = Waived testing (not required)
I = Invalid (NOT) valid analyses reported

System Number: ***2400006***

System Name: ***HAYES RENTALS***

PS Code: ***2400006-001***

Source Name: ***SYSTEM WELL***

Source Number: ***001***

Source Status: ***ACTIVE UNTREATED***

Water type: ***GROUNDWATER OR WELL***

	STORET NUMBER	TESTING INTERVAL (MONTHS)*	LAST TEST DATE (yyyy/mm/dd)	LAST RESULT REPORTED	NEXT TEST DATE (yyyy/mm)
GENERAL NON CHAP 15					
DIAZINON	39570	WAIVED			
INORGANIC					
ALUMINUM	01105	WAIVED			
ANTIMONY	01097	WAIVED			
ARSENIC	01002	WAIVED			
ASBESTOS	81855	WAIVED			
BARIUM	01007	WAIVED			
BERYLLIUM	01012	WAIVED			
CADMIUM	01027	WAIVED			
CHROMIUM (TOTAL)	01034	WAIVED			
CYANIDE	01291	WAIVED			
FLUORIDE (F) (NATURAL-SOURCE)	00951	WAIVED			
LEAD	01051	WAIVED			
MERCURY	71900	WAIVED			
NICKEL	01067	WAIVED			
PERCHLORATE	A-031	WAIVED	2007/11/06	.000	
SELENIUM	01147	WAIVED			
THALLIUM	01059	WAIVED			
NITRATE/NITRITE					
NITRATE (AS NO3)	71850	WAIVED			
NITRITE (AS N)	00620	WAIVED			
RADIOLOGICAL					
GROSS ALPHA	01501	WAIVED			
GROSS BETA	03501	WAIVED			
RA-226 FOR CWS OR TOTAL RA FOR NTNC BY 903.0	A-080	WAIVED			
RA-226 OR TOTAL RA BY 903.0 C.E.	A-081	WAIVED			
RADIUM 226	09501	WAIVED			
RADIUM 228	11501	WAIVED			

**Testing interval is in months;*
0 = No data for this constituent and is DUE NOW
999 = Waived testing (not required)
I = Invalid (NOT) valid analyses reported

System Number: ***2400006***

System Name: ***HAYES RENTALS***

PS Code: ***2400006-001***

Source Name: ***SYSTEM WELL***

Source Number: ***001***

Source Status: ***ACTIVE UNTREATED***

Water type: ***GROUNDWATER OR WELL***

	STORET NUMBER	TESTING INTERVAL (MONTHS)*	LAST TEST DATE (yyyy/mm/dd)	LAST RESULT REPORTED	NEXT TEST DATE (yyyy/mm)
RADIOLOGICAL					
RADIUM, TOTAL, MDA95-NTNC ONLY, BY 903.0	A-082	WAIVED			
STRONTIUM-90	13501	WAIVED			
TRITIUM	07000	WAIVED			
URANIUM (PCI/L)	28012	WAIVED			
REGULATED SOC					
2,3,7,8-TCDD (DIOXIN)	34676	WAIVED			
2,4,5-TP (SILVEX)	39045	WAIVED			
2,4-D	39730	WAIVED			
ALACHLOR	77825	WAIVED			
ATRAZINE	39033	WAIVED			
BENTAZON	38710	WAIVED			
BENZO (A) PYRENE	34247	WAIVED			
CARBOFURAN	81405	WAIVED			
CHLORDANE	39350	WAIVED			
DALAPON	38432	WAIVED			
DI(2-ETHYLHEXYL)ADIPATE	A-026	WAIVED			
DI(2-ETHYLHEXYL)PHTHALATE	39100	WAIVED			
DIBROMOCHLOROPROPANE (DBCP)	38761	WAIVED			
DINOSEB	81287	WAIVED			
DIQUAT	78885	WAIVED			
ENDOTHALL	38926	WAIVED			
ENDRIN	39390	WAIVED			
ETHYLENE DIBROMIDE (EDB)	77651	WAIVED			
GLYPHOSATE	79743	WAIVED			
HEPTACHLOR	39410	WAIVED			
HEPTACHLOR EPOXIDE	39420	WAIVED			
HEXACHLOROBENZENE	39700	WAIVED			
HEXACHLOROCYCLOPENTADIENE	34386	WAIVED			
LINDANE	39340	WAIVED			

**Testing interval is in months;*
0 = No data for this constituent and is DUE NOW
999 = Waived testing (not required)
I = Invalid (NOT) valid analyses reported

System Number: ***2400006***

System Name: ***HAYES RENTALS***

PS Code: ***2400006-001***

Source Name: ***SYSTEM WELL***

Source Number: ***001***

Source Status: ***ACTIVE UNTREATED***

Water type: ***GROUNDWATER OR WELL***

	STORET NUMBER	TESTING INTERVAL (MONTHS)*	LAST TEST DATE (yyyy/mm/dd)	LAST RESULT REPORTED	NEXT TEST DATE (yyyy/mm)
REGULATED SOC					
METHOXYCHLOR	39480	WAIVED			
MOLINATE	82199	WAIVED			
OXAMYL	38865	WAIVED			
PENTACHLOROPHENOL	39032	WAIVED			
PICLORAM	39720	WAIVED			
POLYCHLORINATED BIPHENYLS, TOTAL, AS DCB	39516	WAIVED			
SIMAZINE	39055	WAIVED			
THIOBENCARB	A-001	WAIVED			
TOXAPHENE	39400	WAIVED			
REGULATED VOC					
1,1,1-TRICHLOROETHANE	34506	WAIVED			
1,1,2,2-TETRACHLOROETHANE	34516	WAIVED			
1,1,2-TRICHLORO-1,2,2-TRIFLUOROETHANE	81611	WAIVED			
1,1,2-TRICHLOROETHANE	34511	WAIVED			
1,1-DICHLOROETHANE	34496	WAIVED			
1,1-DICHLOROETHYLENE	34501	WAIVED			
1,2,4-TRICHLOROBENZENE	34551	WAIVED			
1,2-DICHLOROBENZENE	34536	WAIVED			
1,2-DICHLOROETHANE	34531	WAIVED			
1,2-DICHLOROPROPANE	34541	WAIVED			
1,3-DICHLOROPROPENE (TOTAL)	34561	WAIVED			
1,4-DICHLOROBENZENE	34571	WAIVED			
BENZENE	34030	WAIVED			
CARBON TETRACHLORIDE	32102	WAIVED			
CIS-1,2-DICHLOROETHYLENE	77093	WAIVED			
DICHLOROMETHANE	34423	WAIVED			
ETHYLBENZENE	34371	WAIVED			
METHYL-TERT-BUTYL-ETHER (MTBE)	46491	WAIVED			
MONOCHLOROBENZENE	34301	WAIVED			

**Testing interval is in months;*
0 = No data for this constituent and is DUE NOW
999 = Waived testing (not required)
I = Invalid (NOT) valid analyses reported

System Number: ***2400006***

System Name: ***HAYES RENTALS***

PS Code: ***2400006-001***

Source Name: ***SYSTEM WELL***

Source Number: ***001***

Source Status: ***ACTIVE UNTREATED***

Water type: ***GROUNDWATER OR WELL***

	STORET NUMBER	TESTING INTERVAL (MONTHS)*	LAST TEST DATE (yyyy/mm/dd)	LAST RESULT REPORTED	NEXT TEST DATE (yyyy/mm)
REGULATED VOC					
STYRENE	77128	WAIVED			
TETRACHLOROETHYLENE	34475	WAIVED			
TOLUENE	34010	WAIVED			
TRANS-1,2-DICHLOROETHYLENE	34546	WAIVED			
TRICHLOROETHYLENE	39180	WAIVED			
TRICHLOROFLUOROMETHANE	34488	WAIVED			
VINYL CHLORIDE	39175	WAIVED			
XYLENES (TOTAL)	81551	WAIVED			
SECONDARY/GP					
AGGRSSIVE INDEX (CORROSIVITY)	82383	WAIVED			
BICARBONATE ALKALINITY	00440	WAIVED			
CALCIUM	00916	WAIVED			
CARBONATE ALKALINITY	00445	WAIVED			
CHLORIDE	00940	WAIVED			
COLOR	00081	WAIVED			
COPPER	01042	WAIVED			
FOAMING AGENTS (MBAS)	38260	WAIVED			
HARDNESS (TOTAL) AS CACO3	00900	WAIVED			
HYDROXIDE ALKALINITY	71830	WAIVED			
IRON	01045	WAIVED			
MAGNESIUM	00927	WAIVED			
MANGANESE	01055	WAIVED			
ODOR THRESHOLD @ 60 C	00086	WAIVED			
PH, LABORATORY	00403	WAIVED			
SILVER	01077	WAIVED			
SODIUM	00929	WAIVED			
SPECIFIC CONDUCTANCE	00095	WAIVED	2007/11/06	260.000	
SULFATE	00945	WAIVED			
TOTAL DISSOLVED SOLIDS	70300	WAIVED			

**Testing interval is in months;*
0 = No data for this constituent and is DUE NOW
999 = Waived testing (not required)
I = Invalid (NOT) valid analyses reported

System Number: ***2400006***

System Name: ***HAYES RENTALS***

PS Code: ***2400006-001***

Source Name: ***SYSTEM WELL***

Source Number: ***001***

Source Status: ***ACTIVE UNTREATED***

Water type: ***GROUNDWATER OR WELL***

SECONDARY/GP	STORET NUMBER	TESTING INTERVAL (MONTHS)*	LAST TEST DATE (yyyy/mm/dd)	LAST RESULT REPORTED	NEXT TEST DATE (yyyy/mm)
TURBIDITY, LABORATORY	82079	WAIVED			
ZINC	01092	WAIVED			

**Testing interval is in months;*
0 = No data for this constituent and is DUE NOW
999 = Waived testing (not required)
I = Invalid (NOT) valid analyses reported

System Number: ***2400011***

System Name: ***DOLE ATWATER PLANT***

PS Code: ***2400011-001***

Source Name: ***SYSTEM WELL-WELL #8 NO. OF PLANT***

Source Number: ***001***

Source Status: ***ACTIVE UNTREATED***

Water type: ***GROUNDWATER OR WELL***

	STORET NUMBER	TESTING INTERVAL (MONTHS)*	LAST TEST DATE (yyyy/mm/dd)	LAST RESULT REPORTED	NEXT TEST DATE (yyyy/mm)	
GENERAL NON CHAP 15						
DIAZINON	39570	WAIVED	2008/10/21	< .250		
INORGANIC						
ALUMINUM	01105	036	2009/08/28	.000	2012/08	
ANTIMONY	01097	036	2009/08/28	.000	2012/08	
ARSENIC	01002	036	2009/08/28	2.300	2012/08	
ASBESTOS	81855	WAIVED				
BARIUM	01007	036	2009/08/28	.000	2012/08	
BERYLLIUM	01012	036	2009/08/28	.000	2012/08	
CADMIUM	01027	036	2009/08/28	.000	2012/08	
CHROMIUM (TOTAL)	01034	036	2009/08/28	.000	2012/08	
CYANIDE	01291	WAIVED				
FLUORIDE (F) (NATURAL-SOURCE)	00951	036	2009/08/28	.200	2012/08	
LEAD	01051	WAIVED	2009/08/28	.000		
MERCURY	71900	036	2009/08/28	.000	2012/08	
NICKEL	01067	036	2009/08/28	.000	2012/08	
PERCHLORATE	A-031	036	2009/08/28	.000	2012/08	
SELENIUM	01147	036	2009/08/28	.000	2012/08	
THALLIUM	01059	036	2009/08/28	.000	2012/08	
NITRATE/NITRITE						
NITRATE (AS NO3)	71850	012	**2009/10/20**	32.400	**2010/10**	**DUE**
NITRITE (AS N)	00620	036	2009/08/28	< 400.000	2012/08	
RADIOLOGICAL						
GROSS ALPHA	01501	WAIVED	2003/10/16	.720		
GROSS BETA	03501	WAIVED				
RA-226 FOR CWS OR TOTAL RA FOR NTNC BY 903.0	A-080	WAIVED				
RA-226 OR TOTAL RA BY 903.0 C.E.	A-081	WAIVED				
RADIUM 226	09501	WAIVED				
RADIUM 228	11501	WAIVED				

**Testing interval is in months;*
0 = No data for this constituent and is DUE NOW
999 = Waived testing (not required)
I = Invalid (NOT) valid analyses reported

System Number: ***2400011***

System Name: ***DOLE ATWATER PLANT***

PS Code: ***2400011-001***

Source Name: ***SYSTEM WELL-WELL #8 NO. OF PLANT***

Source Number: ***001***

Source Status: ***ACTIVE UNTREATED***

Water type: ***GROUNDWATER OR WELL***

	STORET NUMBER	TESTING INTERVAL (MONTHS)*	LAST TEST DATE (yyyy/mm/dd)	LAST RESULT REPORTED	NEXT TEST DATE (yyyy/mm)	
RADIOLOGICAL						
RADIUM, TOTAL, MDA95-NTNC ONLY, BY 903.0	A-082	WAIVED				
STRONTIUM-90	13501	WAIVED				
TRITIUM	07000	WAIVED				
URANIUM (PCI/L)	28012	WAIVED				
REGULATED SOC						
2,3,7,8-TCDD (DIOXIN)	34676	WAIVED				
2,4,5-TP (SILVEX)	39045	WAIVED				
2,4-D	39730	WAIVED				
ALACHLOR	77825	036	2008/10/21	.000	2011/10	DUE
ATRAZINE	39033	036	2008/10/21	.000	2011/10	DUE
BENTAZON	38710	WAIVED				
BENZO (A) PYRENE	34247	WAIVED	2008/10/21	.000		
CARBOFURAN	81405	WAIVED				
CHLORDANE	39350	WAIVED				
DALAPON	38432	WAIVED				
DI(2-ETHYLHEXYL)ADIPATE	A-026	WAIVED	2008/10/21	.000		
DI(2-ETHYLHEXYL)PHTHALATE	39100	WAIVED	2008/10/21	.000		
DIBROMOCHLOROPROPANE (DBCP)	38761	036	2007/06/18	.130	2010/06	DUE
DINOSEB	81287	WAIVED				
DIQUAT	78885	WAIVED				
ENDOTHALL	38926	WAIVED				
ENDRIN	39390	WAIVED				
ETHYLENE DIBROMIDE (EDB)	77651	036	2007/06/18	.000	2010/06	DUE
GLYPHOSATE	79743	WAIVED				
HEPTACHLOR	39410	WAIVED				
HEPTACHLOR EPOXIDE	39420	WAIVED				
HEXACHLOROBENZENE	39700	WAIVED				
HEXACHLOROCYCLOPENTADIENE	34386	WAIVED				
LINDANE	39340	WAIVED				

**Testing interval is in months;*
0 = No data for this constituent and is DUE NOW
999 = Waived testing (not required)
I = Invalid (NOT) valid analyses reported

System Number: ***2400011***

System Name: ***DOLE ATWATER PLANT***

PS Code: ***2400011-001***

Source Name: ***SYSTEM WELL-WELL #8 NO. OF PLANT***

Source Number: ***001***

Source Status: ***ACTIVE UNTREATED***

Water type: ***GROUNDWATER OR WELL***

	STORET NUMBER	TESTING INTERVAL (MONTHS)*	LAST TEST DATE (yyyy/mm/dd)	LAST RESULT REPORTED	NEXT TEST DATE (yyyy/mm)	
REGULATED SOC						
METHOXYCHLOR	39480	WAIVED				
MOLINATE	82199	WAIVED	2008/10/21	.000		
OXAMYL	38865	WAIVED				
PENTACHLOROPHENOL	39032	WAIVED				
PICLORAM	39720	WAIVED				
POLYCHLORINATED BIPHENYLS, TOTAL, AS DCB	39516	WAIVED				
SIMAZINE	39055	036	**2008/10/21**	.000	**2011/10**	**DUE**
THIOBENCARB	A-001	WAIVED	2008/10/21	.000		
TOXAPHENE	39400	WAIVED				
REGULATED VOC						
1,1,1-TRICHLOROETHANE	34506	060	2007/08/28	.000	2012/08	
1,1,2,2-TETRACHLOROETHANE	34516	060	2007/08/28	.000	2012/08	
1,1,2-TRICHLORO-1,2,2-TRIFLUOROETHANE	81611	060	2007/08/28	.000	2012/08	
1,1,2-TRICHLOROETHANE	34511	060	2007/08/28	.000	2012/08	
1,1-DICHLOROETHANE	34496	060	2007/08/28	.000	2012/08	
1,1-DICHLOROETHYLENE	34501	060	2007/08/28	.000	2012/08	
1,2,4-TRICHLOROBENZENE	34551	060	2007/08/28	.000	2012/08	
1,2-DICHLOROBENZENE	34536	060	2007/08/28	.000	2012/08	
1,2-DICHLOROETHANE	34531	060	2007/08/28	.000	2012/08	
1,2-DICHLOROPROPANE	34541	060	2007/08/28	.000	2012/08	
1,3-DICHLOROPROPENE (TOTAL)	34561	060	2007/08/28	.000	2012/08	
1,4-DICHLOROBENZENE	34571	060	2007/08/28	.000	2012/08	
BENZENE	34030	060	2007/08/28	.000	2012/08	
CARBON TETRACHLORIDE	32102	060	2007/08/28	.000	2012/08	
CIS-1,2-DICHLOROETHYLENE	77093	060	2007/08/28	.000	2012/08	
DICHLOROMETHANE	34423	060	2007/08/28	.000	2012/08	
ETHYLBENZENE	34371	060	2007/08/28	.000	2012/08	
METHYL-TERT-BUTYL-ETHER (MTBE)	46491	060	2007/09/11	.000	2012/09	
MONOCHLOROBENZENE	34301	060	2007/08/28	.000	2012/08	

**Testing interval is in months;*
0 = No data for this constituent and is DUE NOW
999 = Waived testing (not required)
I = Invalid (NOT) valid analyses reported

System Number: ***2400011***

System Name: ***DOLE ATWATER PLANT***

PS Code: ***2400011-001***

Source Name: ***SYSTEM WELL-WELL #8 NO. OF PLANT***

Source Number: ***001***

Source Status: ***ACTIVE UNTREATED***

Water type: ***GROUNDWATER OR WELL***

	STORET NUMBER	TESTING INTERVAL (MONTHS)*	LAST TEST DATE (yyyy/mm/dd)	LAST RESULT REPORTED	NEXT TEST DATE (yyyy/mm)
REGULATED VOC					
STYRENE	77128	060	2007/08/28	.000	2012/08
TETRACHLOROETHYLENE	34475	060	2007/08/28	.000	2012/08
TOLUENE	34010	060	2007/08/28	.000	2012/08
TRANS-1,2-DICHLOROETHYLENE	34546	060	2007/08/28	.000	2012/08
TRICHLOROETHYLENE	39180	060	2007/08/28	.000	2012/08
TRICHLOROFLUOROMETHANE	34488	060	2007/08/28	.000	2012/08
VINYL CHLORIDE	39175	060	2007/08/28	.000	2012/08
XYLENES (TOTAL)	81551	060	2007/08/28	< .500	2012/08
SECONDARY/GP					
AGGRSSIVE INDEX (CORROSIVITY)	82383	WAIVED	2002/10/22	10.000	
BICARBONATE ALKALINITY	00440	WAIVED	2006/08/08	117.800	
CALCIUM	00916	WAIVED	2006/08/08	13.500	
CARBONATE ALKALINITY	00445	WAIVED	2006/08/08	< 1.000	
CHLORIDE	00940	WAIVED	2006/08/08	4.700	
COLOR	00081	WAIVED	2006/08/08	< 3.000	
COPPER	01042	WAIVED	2006/08/08	< 50.000	
FOAMING AGENTS (MBAS)	38260	WAIVED	2006/08/08	< .020	
HARDNESS (TOTAL) AS CACO3	00900	WAIVED	2006/08/08	119.700	
HYDROXIDE ALKALINITY	71830	WAIVED	2006/08/08	< 1.000	
IRON	01045	WAIVED	2006/08/08	< 100.000	
MAGNESIUM	00927	WAIVED	2006/08/08	8.000	
MANGANESE	01055	WAIVED	2006/08/08	< 20.000	
ODOR THRESHOLD @ 60 C	00086	WAIVED	2006/08/08	< 1.000	
PH, LABORATORY	00403	WAIVED	2006/08/08	6.900	
SILVER	01077	WAIVED	2009/08/28	.000	
SODIUM	00929	WAIVED	2006/08/08	24.000	
SPECIFIC CONDUCTANCE	00095	WAIVED	2009/08/28	270.000	
SULFATE	00945	WAIVED	2006/08/08	15.100	
TOTAL DISSOLVED SOLIDS	70300	WAIVED	2006/08/08	178.000	

**Testing interval is in months;*
0 = No data for this constituent and is DUE NOW
999 = Waived testing (not required)
I = Invalid (NOT) valid analyses reported

System Number: ***2400011***

System Name: ***DOLE ATWATER PLANT***

PS Code: ***2400011-001***

Source Name: ***SYSTEM WELL-WELL #8 NO. OF PLANT***

Source Number: ***001***

Source Status: ***ACTIVE UNTREATED***

Water type: ***GROUNDWATER OR WELL***

	STORET NUMBER	TESTING INTERVAL (MONTHS)*	LAST TEST DATE (yyyy/mm/dd)	LAST RESULT REPORTED	NEXT TEST DATE (yyyy/mm)
SECONDARY/GP					
TURBIDITY, LABORATORY	82079	WAIVED	2006/08/08	.070	
ZINC	01092	WAIVED	2006/08/08	< 50.000	

PS Code: ***2400011-011***

Source Name: ***WELL 1 - NEW 5/97 N. OF OLIVE/E OF VINE***

Source Number: ***011***

Source Status: ***ACTIVE UNTREATED***

Water type: ***GROUNDWATER OR WELL***

	STORET NUMBER	TESTING INTERVAL (MONTHS)*	LAST TEST DATE (yyyy/mm/dd)	LAST RESULT REPORTED	NEXT TEST DATE (yyyy/mm)
GENERAL NON CHAP 15					
DIAZINON	39570	WAIVED	2009/08/28	< .250	
INORGANIC					
ALUMINUM	01105	036	2009/09/22	< 50.000	2012/09
ANTIMONY	01097	036	2009/09/22	< 6.000	2012/09
ARSENIC	01002	036	2009/09/22	3.500	2012/09
ASBESTOS	81855	WAIVED			
BARIUM	01007	036	2009/09/22	< 100.000	2012/09
BERYLLIUM	01012	036	2009/09/22	< 1.000	2012/09
CADMIUM	01027	036	2009/09/22	< 1.000	2012/09
CHROMIUM (TOTAL)	01034	036	2009/09/22	< 10.000	2012/09
CYANIDE	01291	WAIVED			
FLUORIDE (F) (NATURAL-SOURCE)	00951	036	2009/09/22	.100	2012/09
LEAD	01051	WAIVED	2009/09/22	< 5.000	
MERCURY	71900	036	2009/09/22	< 1.000	2012/09
NICKEL	01067	036	2009/09/22	< 10.000	2012/09
PERCHLORATE	A-031	036	2009/08/28	.000	2012/08
SELENIUM	01147	036	2009/09/22	< 5.000	2012/09
THALLIUM	01059	036	2009/09/22	< 1.000	2012/09

**Testing interval is in months;*
0 = No data for this constituent and is DUE NOW
999 = Waived testing (not required)
I = Invalid (NOT) valid analyses reported

System Number: ***2400011***

System Name: ***DOLE ATWATER PLANT***

PS Code: ***2400011-011***

Source Name: ***WELL 1 - NEW 5/97 N. OF OLIVE/E OF VINE***

Source Number: ***011***

Source Status: ***ACTIVE UNTREATED***

Water type: ***GROUNDWATER OR WELL***

	STORET NUMBER	TESTING INTERVAL (MONTHS)*	LAST TEST DATE (yyyy/mm/dd)	LAST RESULT REPORTED	NEXT TEST DATE (yyyy/mm)	
NITRATE/NITRITE						
NITRATE (AS NO3)	71850	012	2011/01/18	44.300	2012/01	DUE
NITRITE (AS N)	00620	036	2009/09/22	< 400.000	2012/09	
RADIOLOGICAL						
GROSS ALPHA	01501	WAIVED	2003/10/16	1.590		
GROSS BETA	03501	WAIVED				
RA-226 FOR CWS OR TOTAL RA FOR NTNC BY 903.0	A-080	WAIVED				
RA-226 OR TOTAL RA BY 903.0 C.E.	A-081	WAIVED				
RADIUM 226	09501	WAIVED				
RADIUM 228	11501	WAIVED				
RADIUM, TOTAL, MDA95-NTNC ONLY, BY 903.0	A-082	WAIVED				
STRONTIUM-90	13501	WAIVED				
TRITIUM	07000	WAIVED				
URANIUM (PCI/L)	28012	WAIVED				
REGULATED SOC						
2,3,7,8-TCDD (DIOXIN)	34676	WAIVED				
2,4,5-TP (SILVEX)	39045	WAIVED				
2,4-D	39730	WAIVED				
ALACHLOR	77825	036	2009/08/28	.000	2012/08	
ATRAZINE	39033	036	2009/08/28	.000	2012/08	
BENTAZON	38710	WAIVED				
BENZO (A) PYRENE	34247	WAIVED	2009/08/28	.000		
CARBOFURAN	81405	WAIVED				
CHLORDANE	39350	WAIVED				
DALAPON	38432	WAIVED				
DI(2-ETHYLHEXYL)ADIPATE	A-026	WAIVED	2009/08/28	.000		
DI(2-ETHYLHEXYL)PHTHALATE	39100	WAIVED	2009/08/28	.000		
DIBROMOCHLOROPROPANE (DBCP)	38761	036	2009/02/17	.000	2012/02	DUE
DINOSEB	81287	WAIVED				
DIQUAT	78885	WAIVED				

**Testing interval is in months;*
0 = No data for this constituent and is DUE NOW
999 = Waived testing (not required)
I = Invalid (NOT) valid analyses reported

System Number: ***2400011***

System Name: ***DOLE ATWATER PLANT***

PS Code: ***2400011-011***

Source Name: ***WELL 1 - NEW 5/97 N. OF OLIVE/E OF VINE***

Source Number: ***011***

Source Status: ***ACTIVE UNTREATED***

Water type: ***GROUNDWATER OR WELL***

	STORET NUMBER	TESTING INTERVAL (MONTHS)*	LAST TEST DATE (yyyy/mm/dd)	LAST RESULT REPORTED	NEXT TEST DATE (yyyy/mm)
REGULATED SOC					
ENDOTHALL	38926	WAIVED			
ENDRIN	39390	WAIVED			
ETHYLENE DIBROMIDE (EDB)	77651	036	2010/09/30	.000	2013/09
GLYPHOSATE	79743	WAIVED			
HEPTACHLOR	39410	WAIVED			
HEPTACHLOR EPOXIDE	39420	WAIVED			
HEXACHLOROBENZENE	39700	WAIVED			
HEXACHLOROCYCLOPENTADIENE	34386	WAIVED			
LINDANE	39340	WAIVED			
METHOXYCHLOR	39480	WAIVED			
MOLINATE	82199	WAIVED	2009/08/28	.000	
OXAMYL	38865	WAIVED			
PENTACHLOROPHENOL	39032	WAIVED			
PICLORAM	39720	WAIVED			
POLYCHLORINATED BIPHENYLS, TOTAL, AS DCB	39516	WAIVED			
SIMAZINE	39055	036	2009/08/28	.000	2012/08
THIOBENCARB	A-001	WAIVED	2009/08/28	.000	
TOXAPHENE	39400	WAIVED			
REGULATED VOC					
1,1,1-TRICHLOROETHANE	34506	060	2007/08/28	.000	2012/08
1,1,2,2-TETRACHLOROETHANE	34516	060	2007/08/28	.000	2012/08
1,1,2-TRICHLORO-1,2,2-TRIFLUOROETHANE	81611	060	2007/08/28	.000	2012/08
1,1,2-TRICHLOROETHANE	34511	060	2007/08/28	.000	2012/08
1,1-DICHLOROETHANE	34496	060	2007/08/28	.000	2012/08
1,1-DICHLOROETHYLENE	34501	060	2007/08/28	.000	2012/08
1,2,4-TRICHLOROBENZENE	34551	060	2007/08/28	.000	2012/08
1,2-DICHLOROBENZENE	34536	060	2007/08/28	.000	2012/08
1,2-DICHLOROETHANE	34531	060	2007/08/28	.000	2012/08
1,2-DICHLOROPROPANE	34541	060	2007/08/28	.000	2012/08

**Testing interval is in months;*
0 = No data for this constituent and is DUE NOW
999 = Waived testing (not required)
I = Invalid (NOT) valid analyses reported

System Number: ***2400011***

System Name: ***DOLE ATWATER PLANT***

PS Code: ***2400011-011***

Source Name: ***WELL 1 - NEW 5/97 N. OF OLIVE/E OF VINE***

Source Number: ***011***

Source Status: ***ACTIVE UNTREATED***

Water type: ***GROUNDWATER OR WELL***

	STORET NUMBER	TESTING INTERVAL (MONTHS)*	LAST TEST DATE (yyyy/mm/dd)	LAST RESULT REPORTED	NEXT TEST DATE (yyyy/mm)
REGULATED VOC					
1,3-DICHLOROPROPENE (TOTAL)	34561	060	2007/08/28	.000	2012/08
1,4-DICHLOROBENZENE	34571	060	2007/08/28	.000	2012/08
BENZENE	34030	060	2007/08/28	.000	2012/08
CARBON TETRACHLORIDE	32102	060	2007/08/28	.000	2012/08
CIS-1,2-DICHLOROETHYLENE	77093	060	2007/08/28	.000	2012/08
DICHLOROMETHANE	34423	060	2007/08/28	.000	2012/08
ETHYLBENZENE	34371	060	2007/08/28	.000	2012/08
METHYL-TERT-BUTYL-ETHER (MTBE)	46491	060	2007/08/28	.000	2012/08
MONOCHLOROBENZENE	34301	060	2007/08/28	.000	2012/08
STYRENE	77128	060	2007/08/28	.000	2012/08
TETRACHLOROETHYLENE	34475	060	2007/08/28	.000	2012/08
TOLUENE	34010	060	2007/08/28	.000	2012/08
TRANS-1,2-DICHLOROETHYLENE	34546	060	2007/08/28	.000	2012/08
TRICHLOROETHYLENE	39180	060	2007/08/28	.000	2012/08
TRICHLOROFLUOROMETHANE	34488	060	2007/08/28	.000	2012/08
VINYL CHLORIDE	39175	060	2007/08/28	.000	2012/08
XYLENES (TOTAL)	81551	060	2007/08/28	< .500	2012/08
SECONDARY/GP					
AGGRSSIVE INDEX (CORROSIVITY)	82383	WAIVED	2005/08/05	10.600	
BICARBONATE ALKALINITY	00440	WAIVED	2009/02/17	131.900	
CALCIUM	00916	WAIVED	2009/02/17	32.200	
CARBONATE ALKALINITY	00445	WAIVED	2009/02/17	< 1.000	
CHLORIDE	00940	WAIVED	2009/02/17	5.900	
COLOR	00081	WAIVED	2009/02/17	< 3.000	
COPPER	01042	WAIVED	2006/09/26	< 50.000	
FOAMING AGENTS (MBAS)	38260	WAIVED	2009/02/17	< .020	
HARDNESS (TOTAL) AS CACO3	00900	WAIVED	2009/02/17	169.200	
HYDROXIDE ALKALINITY	71830	WAIVED	2009/02/17	< 1.000	
IRON	01045	WAIVED	2006/09/26	< 100.000	

**Testing interval is in months;*
0 = No data for this constituent and is DUE NOW
999 = Waived testing (not required)
I = Invalid (NOT) valid analyses reported

System Number: ***2400011***

System Name: ***DOLE ATWATER PLANT***

PS Code: ***2400011-011***

Source Name: ***WELL 1 - NEW 5/97 N. OF OLIVE/E OF VINE***

Source Number: ***011***

Source Status: ***ACTIVE UNTREATED***

Water type: ***GROUNDWATER OR WELL***

	STORET NUMBER	TESTING INTERVAL (MONTHS)*	LAST TEST DATE (yyyy/mm/dd)	LAST RESULT REPORTED	NEXT TEST DATE (yyyy/mm)
SECONDARY/GP					
MAGNESIUM	00927	WAIVED	2006/09/26	8.500	
MANGANESE	01055	WAIVED	2006/09/26	< 20.000	
ODOR THRESHOLD @ 60 C	00086	WAIVED	2009/02/17	< 1.000	
PH, LABORATORY	00403	WAIVED	2009/02/17	7.200	
SILVER	01077	WAIVED	2009/09/22	< 10.000	
SODIUM	00929	WAIVED	2006/09/26	28.000	
SPECIFIC CONDUCTANCE	00095	WAIVED	2009/08/28	300.000	
SULFATE	00945	WAIVED	2009/02/17	11.800	
TOTAL DISSOLVED SOLIDS	70300	WAIVED	2009/02/17	225.000	
TURBIDITY, LABORATORY	82079	WAIVED	2009/02/17	.730	
ZINC	01092	WAIVED	2006/09/26	< 50.000	

PS Code: ***2400011-012***

Source Name: ***WELL #2 NW OF PLANT 6/2010***

Source Number: ***012***

Source Status: ***ACTIVE UNTREATED***

Water type: ***GROUNDWATER OR WELL***

GENERAL NON CHAP 15					
DIAZINON	39570	WAIVED			
INORGANIC					
ALUMINUM	01105	000			DUE
ANTIMONY	01097	000			DUE
ARSENIC	01002	000			DUE
ASBESTOS	81855	WAIVED			
BARIUM	01007	000			DUE
BERYLLIUM	01012	000			DUE
CADMIUM	01027	000			DUE
CHROMIUM (TOTAL)	01034	000			DUE
CYANIDE	01291	WAIVED			

**Testing interval is in months;*
0 = No data for this constituent and is DUE NOW
999 = Waived testing (not required)
I = Invalid (NOT) valid analyses reported

System Number: ***2400011***

System Name: ***DOLE ATWATER PLANT***

PS Code: ***2400011-012***

Source Name: ***WELL #2 NW OF PLANT 6/2010***

Source Number: ***012***

Source Status: ***ACTIVE UNTREATED***

Water type: ***GROUNDWATER OR WELL***

	STORET NUMBER	TESTING INTERVAL (MONTHS)*	LAST TEST DATE (yyyy/mm/dd)	LAST RESULT REPORTED	NEXT TEST DATE (yyyy/mm)	
INORGANIC						
FLUORIDE (F) (NATURAL-SOURCE)	00951	000				DUE
LEAD	01051	WAIVED				
MERCURY	71900	000				DUE
NICKEL	01067	000				DUE
PERCHLORATE	A-031	036	2011/01/18	< .000	2014/01	
SELENIUM	01147	000				DUE
THALLIUM	01059	000				DUE
NITRATE/NITRITE						
NITRATE (AS NO3)	71850	012	2012/01/19	30.000	2013/01	
NITRITE (AS N)	00620	000				DUE
RADIOLOGICAL						
GROSS ALPHA	01501	WAIVED				
GROSS BETA	03501	WAIVED				
RA-226 FOR CWS OR TOTAL RA FOR NTNC BY 903.0	A-080	WAIVED				
RA-226 OR TOTAL RA BY 903.0 C.E.	A-081	WAIVED				
RADIUM 226	09501	WAIVED				
RADIUM 228	11501	WAIVED				
RADIUM, TOTAL, MDA95-NTNC ONLY, BY 903.0	A-082	WAIVED				
STRONTIUM-90	13501	WAIVED				
TRITIUM	07000	WAIVED				
URANIUM (PCI/L)	28012	WAIVED				
REGULATED SOC						
2,3,7,8-TCDD (DIOXIN)	34676	WAIVED				
2,4,5-TP (SILVEX)	39045	WAIVED				
2,4-D	39730	WAIVED				
ALACHLOR	77825	000				DUE
ATRAZINE	39033	000				DUE
BENTAZON	38710	WAIVED				

**Testing interval is in months;*
0 = No data for this constituent and is DUE NOW
999 = Waived testing (not required)
I = Invalid (NOT) valid analyses reported

System Number: ***2400011***

System Name: ***DOLE ATWATER PLANT***

PS Code: ***2400011-012***

Source Name: ***WELL #2 NW OF PLANT 6/2010***

Source Number: ***012***

Source Status: ***ACTIVE UNTREATED***

Water type: ***GROUNDWATER OR WELL***

	STORET NUMBER	TESTING INTERVAL (MONTHS)*	LAST TEST DATE (yyyy/mm/dd)	LAST RESULT REPORTED	NEXT TEST DATE (yyyy/mm)	
REGULATED SOC						
BENZO (A) PYRENE	34247	WAIVED				
CARBOFURAN	81405	WAIVED				
CHLORDANE	39350	WAIVED				
DALAPON	38432	WAIVED				
DI(2-ETHYLHEXYL)ADIPATE	A-026	WAIVED				
DI(2-ETHYLHEXYL)PHTHALATE	39100	WAIVED				
DIBROMOCHLOROPROPANE (DBCP)	38761	036	2010/11/30	.000	2013/11	
DINOSEB	81287	WAIVED				
DIQUAT	78885	WAIVED				
ENDOTHALL	38926	WAIVED				
ENDRIN	39390	WAIVED				
ETHYLENE DIBROMIDE (EDB)	77651	036	2010/11/30	.000	2013/11	
GLYPHOSATE	79743	WAIVED				
HEPTACHLOR	39410	WAIVED				
HEPTACHLOR EPOXIDE	39420	WAIVED				
HEXACHLOROBENZENE	39700	WAIVED				
HEXACHLOROCYCLOPENTADIENE	34386	WAIVED				
LINDANE	39340	WAIVED				
METHOXYCHLOR	39480	WAIVED				
MOLINATE	82199	WAIVED				
OXAMYL	38865	WAIVED				
PENTACHLOROPHENOL	39032	WAIVED				
PICLORAM	39720	WAIVED				
POLYCHLORINATED BIPHENYLS, TOTAL, AS DCB	39516	WAIVED				
SIMAZINE	39055	000				**DUE**
THIOBENCARB	A-001	WAIVED				
TOXAPHENE	39400	WAIVED				
REGULATED VOC						
1,1,1-TRICHLOROETHANE	34506	000				**DUE**

**Testing interval is in months;*
0 = No data for this constituent and is DUE NOW
999 = Waived testing (not required)
I = Invalid (NOT) valid analyses reported

System Number: ***2400011***

System Name: ***DOLE ATWATER PLANT***

PS Code: ***2400011-012***

Source Name: ***WELL #2 NW OF PLANT 6/2010***

Source Number: ***012***

Source Status: ***ACTIVE UNTREATED***

Water type: ***GROUNDWATER OR WELL***

	STORET NUMBER	TESTING INTERVAL (MONTHS)*	LAST TEST DATE (yyyy/mm/dd)	LAST RESULT REPORTED	NEXT TEST DATE (yyyy/mm)	
REGULATED VOC						
1,1,2,2-TETRACHLOROETHANE	34516	000				DUE
1,1,2-TRICHLORO-1,2,2-TRIFLUOROETHANE	81611	000				DUE
1,1,2-TRICHLOROETHANE	34511	000				DUE
1,1-DICHLOROETHANE	34496	000				DUE
1,1-DICHLOROETHYLENE	34501	000				DUE
1,2,4-TRICHLOROBENZENE	34551	000				DUE
1,2-DICHLOROBENZENE	34536	000				DUE
1,2-DICHLOROETHANE	34531	000				DUE
1,2-DICHLOROPROPANE	34541	000				DUE
1,3-DICHLOROPROPENE (TOTAL)	34561	000				DUE
1,4-DICHLOROBENZENE	34571	000				DUE
BENZENE	34030	000				DUE
CARBON TETRACHLORIDE	32102	000				DUE
CIS-1,2-DICHLOROETHYLENE	77093	000				DUE
DICHLOROMETHANE	34423	000				DUE
ETHYLBENZENE	34371	000				DUE
METHYL-TERT-BUTYL-ETHER (MTBE)	46491	060	2011/01/18	< .000	2016/01	
MONOCHLOROBENZENE	34301	000				DUE
STYRENE	77128	000				DUE
TETRACHLOROETHYLENE	34475	000				DUE
TOLUENE	34010	000				DUE
TRANS-1,2-DICHLOROETHYLENE	34546	000				DUE
TRICHLOROETHYLENE	39180	000				DUE
TRICHLOROFLUOROMETHANE	34488	000				DUE
VINYL CHLORIDE	39175	000				DUE
XYLENES (TOTAL)	81551	000				DUE
SECONDARY/GP						
AGGRSSIVE INDEX (CORROSIVITY)	82383	WAIVED				
BICARBONATE ALKALINITY	00440	000				DUE

**Testing interval is in months;*
0 = No data for this constituent and is DUE NOW
999 = Waived testing (not required)
I = Invalid (NOT) valid analyses reported

System Number: ***2400011***

System Name: ***DOLE ATWATER PLANT***

PS Code: ***2400011-012***

Source Name: ***WELL #2 NW OF PLANT 6/2010***

Source Number: ***012***

Source Status: ***ACTIVE UNTREATED***

Water type: ***GROUNDWATER OR WELL***

SECONDARY/GP

	STORET NUMBER	TESTING INTERVAL (MONTHS)*	LAST TEST DATE (yyyy/mm/dd)	LAST RESULT REPORTED	NEXT TEST DATE (yyyy/mm)
CALCIUM	00916	000			DUE
CARBONATE ALKALINITY	00445	000			DUE
CHLORIDE	00940	WAIVED			
COLOR	00081	WAIVED			
COPPER	01042	WAIVED			
FOAMING AGENTS (MBAS)	38260	WAIVED			
HARDNESS (TOTAL) AS CACO3	00900	000			DUE
HYDROXIDE ALKALINITY	71830	000			DUE
IRON	01045	000			DUE
MAGNESIUM	00927	000			DUE
MANGANESE	01055	000			DUE
ODOR THRESHOLD @ 60 C	00086	WAIVED			
PH, LABORATORY	00403	000			DUE
SILVER	01077	WAIVED			
SODIUM	00929	000			DUE
SPECIFIC CONDUCTANCE	00095	WAIVED	2011/01/18	310.000	
SULFATE	00945	WAIVED			
TOTAL DISSOLVED SOLIDS	70300	WAIVED			
TURBIDITY, LABORATORY	82079	WAIVED			
ZINC	01092	WAIVED			

PS Code: ***2400011-013***

Source Name: ***WELL #3 1000 FT. N OF PLANT (3/12)***

Source Number: ***013***

Source Status: ***ACTIVE UNTREATED***

Water type:

GENERAL NON CHAP 15

DIAZINON	39570	WAIVED

**Testing interval is in months;*
0 = No data for this constituent and is DUE NOW
999 = Waived testing (not required)
I = Invalid (NOT) valid analyses reported

System Number: ***2400011***

System Name: ***DOLE ATWATER PLANT***

PS Code: ***2400011-013***

Source Name: ***WELL #3 1000 FT. N OF PLANT (3/12)***

Source Number: ***013***

Source Status: ***ACTIVE UNTREATED***

Water type:

	STORET NUMBER	TESTING INTERVAL (MONTHS)*	LAST TEST DATE (yyyy/mm/dd)	LAST RESULT REPORTED	NEXT TEST DATE (yyyy/mm)
INORGANIC					
ALUMINUM	01105	WAIVED			
ANTIMONY	01097	WAIVED			
ARSENIC	01002	WAIVED			
ASBESTOS	81855	WAIVED			
BARIUM	01007	WAIVED			
BERYLLIUM	01012	WAIVED			
CADMIUM	01027	WAIVED			
CHROMIUM (TOTAL)	01034	WAIVED			
CYANIDE	01291	WAIVED			
FLUORIDE (F) (NATURAL-SOURCE)	00951	WAIVED			
LEAD	01051	WAIVED			
MERCURY	71900	WAIVED			
NICKEL	01067	WAIVED			
PERCHLORATE	A-031	WAIVED			
SELENIUM	01147	WAIVED			
THALLIUM	01059	WAIVED			
NITRATE/NITRITE					
NITRATE (AS NO3)	71850	WAIVED			
NITRITE (AS N)	00620	WAIVED			
RADIOLOGICAL					
GROSS ALPHA	01501	WAIVED			
GROSS BETA	03501	WAIVED			
RA-226 FOR CWS OR TOTAL RA FOR NTNC BY 903.0	A-080	WAIVED			
RA-226 OR TOTAL RA BY 903.0 C.E.	A-081	WAIVED			
RADIUM 226	09501	WAIVED			
RADIUM 228	11501	WAIVED			
RADIUM, TOTAL, MDA95-NTNC ONLY, BY 903.0	A-082	WAIVED			
STRONTIUM-90	13501	WAIVED			
TRITIUM	07000	WAIVED			

**Testing interval is in months;*
0 = No data for this constituent and is DUE NOW
999 = Waived testing (not required)
I = Invalid (NOT) valid analyses reported

System Number: ***2400011***

System Name: ***DOLE ATWATER PLANT***

PS Code: ***2400011-013***

Source Name: ***WELL #3 1000 FT. N OF PLANT (3/12)***

Source Number: ***013***

Source Status: ***ACTIVE UNTREATED***

Water type:

	STORET NUMBER	TESTING INTERVAL (MONTHS)*	LAST TEST DATE (yyyy/mm/dd)	LAST RESULT REPORTED	NEXT TEST DATE (yyyy/mm)
RADIOLOGICAL					
URANIUM (PCI/L)	28012	WAIVED			
REGULATED SOC					
2,3,7,8-TCDD (DIOXIN)	34676	WAIVED			
2,4,5-TP (SILVEX)	39045	WAIVED			
2,4-D	39730	WAIVED			
ALACHLOR	77825	WAIVED			
ATRAZINE	39033	WAIVED			
BENTAZON	38710	WAIVED			
BENZO (A) PYRENE	34247	WAIVED			
CARBOFURAN	81405	WAIVED			
CHLORDANE	39350	WAIVED			
DALAPON	38432	WAIVED			
DI(2-ETHYLHEXYL)ADIPATE	A-026	WAIVED			
DI(2-ETHYLHEXYL)PHTHALATE	39100	WAIVED			
DIBROMOCHLOROPROPANE (DBCP)	38761	WAIVED			
DINOSEB	81287	WAIVED			
DIQUAT	78885	WAIVED			
ENDOTHALL	38926	WAIVED			
ENDRIN	39390	WAIVED			
ETHYLENE DIBROMIDE (EDB)	77651	WAIVED			
GLYPHOSATE	79743	WAIVED			
HEPTACHLOR	39410	WAIVED			
HEPTACHLOR EPOXIDE	39420	WAIVED			
HEXACHLOROBENZENE	39700	WAIVED			
HEXACHLOROCYCLOPENTADIENE	34386	WAIVED			
LINDANE	39340	WAIVED			
METHOXYCHLOR	39480	WAIVED			
MOLINATE	82199	WAIVED			
OXAMYL	38865	WAIVED			

**Testing interval is in months;*
0 = No data for this constituent and is DUE NOW
999 = Waived testing (not required)
I = Invalid (NOT) valid analyses reported

System Number: ***2400011***

System Name: ***DOLE ATWATER PLANT***

PS Code: ***2400011-013***

Source Name: ***WELL #3 1000 FT. N OF PLANT (3/12)***

Source Number: ***013***

Source Status: ***ACTIVE UNTREATED***

Water type:

	STORET NUMBER	TESTING INTERVAL (MONTHS)*	LAST TEST DATE (yyyy/mm/dd)	LAST RESULT REPORTED	NEXT TEST DATE (yyyy/mm)
REGULATED SOC					
PENTACHLOROPHENOL	39032	WAIVED			
PICLORAM	39720	WAIVED			
POLYCHLORINATED BIPHENYLS, TOTAL, AS DCB	39516	WAIVED			
SIMAZINE	39055	WAIVED			
THIOBENCARB	A-001	WAIVED			
TOXAPHENE	39400	WAIVED			
REGULATED VOC					
1,1,1-TRICHLOROETHANE	34506	WAIVED			
1,1,2,2-TETRACHLOROETHANE	34516	WAIVED			
1,1,2-TRICHLORO-1,2,2-TRIFLUOROETHANE	81611	WAIVED			
1,1,2-TRICHLOROETHANE	34511	WAIVED			
1,1-DICHLOROETHANE	34496	WAIVED			
1,1-DICHLOROETHYLENE	34501	WAIVED			
1,2,4-TRICHLOROBENZENE	34551	WAIVED			
1,2-DICHLOROBENZENE	34536	WAIVED			
1,2-DICHLOROETHANE	34531	WAIVED			
1,2-DICHLOROPROPANE	34541	WAIVED			
1,3-DICHLOROPROPENE (TOTAL)	34561	WAIVED			
1,4-DICHLOROBENZENE	34571	WAIVED			
BENZENE	34030	WAIVED			
CARBON TETRACHLORIDE	32102	WAIVED			
CIS-1,2-DICHLOROETHYLENE	77093	WAIVED			
DICHLOROMETHANE	34423	WAIVED			
ETHYLBENZENE	34371	WAIVED			
METHYL-TERT-BUTYL-ETHER (MTBE)	46491	WAIVED			
MONOCHLOROBENZENE	34301	WAIVED			
STYRENE	77128	WAIVED			
TETRACHLOROETHYLENE	34475	WAIVED			
TOLUENE	34010	WAIVED			

**Testing interval is in months;*
0 = No data for this constituent and is DUE NOW
999 = Waived testing (not required)
I = Invalid (NOT) valid analyses reported

System Number: ***2400011***

System Name: ***DOLE ATWATER PLANT***

PS Code: ***2400011-013***

Source Name: ***WELL #3 1000 FT. N OF PLANT (3/12)***

Source Number: ***013***

Source Status: ***ACTIVE UNTREATED***

Water type:

	STORET NUMBER	TESTING INTERVAL (MONTHS)*	LAST TEST DATE (yyyy/mm/dd)	LAST RESULT REPORTED	NEXT TEST DATE (yyyy/mm)
REGULATED VOC					
TRANS-1,2-DICHLOROETHYLENE	34546	WAIVED			
TRICHLOROETHYLENE	39180	WAIVED			
TRICHLOROFLUOROMETHANE	34488	WAIVED			
VINYL CHLORIDE	39175	WAIVED			
XYLENES (TOTAL)	81551	WAIVED			
SECONDARY/GP					
AGGRSSIVE INDEX (CORROSIVITY)	82383	WAIVED			
BICARBONATE ALKALINITY	00440	WAIVED			
CALCIUM	00916	WAIVED			
CARBONATE ALKALINITY	00445	WAIVED			
CHLORIDE	00940	WAIVED			
COLOR	00081	WAIVED			
COPPER	01042	WAIVED			
FOAMING AGENTS (MBAS)	38260	WAIVED			
HARDNESS (TOTAL) AS CACO3	00900	WAIVED			
HYDROXIDE ALKALINITY	71830	WAIVED			
IRON	01045	WAIVED			
MAGNESIUM	00927	WAIVED			
MANGANESE	01055	WAIVED			
ODOR THRESHOLD @ 60 C	00086	WAIVED			
PH, LABORATORY	00403	WAIVED			
SILVER	01077	WAIVED			
SODIUM	00929	WAIVED			
SPECIFIC CONDUCTANCE	00095	WAIVED			
SULFATE	00945	WAIVED			
TOTAL DISSOLVED SOLIDS	70300	WAIVED			
TURBIDITY, LABORATORY	82079	WAIVED			
ZINC	01092	WAIVED			

**Testing interval is in months;*
0 = No data for this constituent and is DUE NOW
999 = Waived testing (not required)
I = Invalid (NOT) valid analyses reported

System Number: ***2400013***

System Name: ***SENSIENT DEHYDRATED FLAVORS LLC***

PS Code: ***2400013-003***

Source Name: ***WELL 03 - STANDBY***

Source Number: ***003***

Source Status: ***STANDBY UNTREATED***

Water type: ***GROUNDWATER OR WELL***

	STORET NUMBER	TESTING INTERVAL (MONTHS)*	LAST TEST DATE (yyyy/mm/dd)	LAST RESULT REPORTED	NEXT TEST DATE (yyyy/mm)
GENERAL NON CHAP 15					
DIAZINON	39570	WAIVED			
INORGANIC					
ALUMINUM	01105	000			DUE
ANTIMONY	01097	000			DUE
ARSENIC	01002	000			DUE
ASBESTOS	81855	WAIVED			
BARIUM	01007	000			DUE
BERYLLIUM	01012	000			DUE
CADMIUM	01027	000			DUE
CHROMIUM (TOTAL)	01034	000			DUE
CYANIDE	01291	WAIVED			
FLUORIDE (F) (NATURAL-SOURCE)	00951	000			DUE
LEAD	01051	WAIVED			
MERCURY	71900	000			DUE
NICKEL	01067	000			DUE
PERCHLORATE	A-031	000			DUE
SELENIUM	01147	000			DUE
THALLIUM	01059	000			DUE
NITRATE/NITRITE					
NITRATE (AS NO3)	71850	000			DUE
NITRITE (AS N)	00620	000			DUE
RADIOLOGICAL					
GROSS ALPHA	01501	WAIVED			
GROSS BETA	03501	WAIVED			
RA-226 FOR CWS OR TOTAL RA FOR NTNC BY 903.0	A-080	WAIVED			
RA-226 OR TOTAL RA BY 903.0 C.E.	A-081	WAIVED			
RADIUM 226	09501	WAIVED			
RADIUM 228	11501	WAIVED			

**Testing interval is in months;*
0 = No data for this constituent and is DUE NOW
999 = Waived testing (not required)
I = Invalid (NOT) valid analyses reported

System Number: ***2400013***

System Name: ***SENSIENT DEHYDRATED FLAVORS LLC***

PS Code: ***2400013-003***

Source Name: ***WELL 03 - STANDBY***

Source Number: ***003***

Source Status: ***STANDBY UNTREATED***

Water type: ***GROUNDWATER OR WELL***

	STORET NUMBER	TESTING INTERVAL (MONTHS)*	LAST TEST DATE (yyyy/mm/dd)	LAST RESULT REPORTED	NEXT TEST DATE (yyyy/mm)
RADIOLOGICAL					
RADIUM, TOTAL, MDA95-NTNC ONLY, BY 903.0	A-082	WAIVED			
STRONTIUM-90	13501	WAIVED			
TRITIUM	07000	WAIVED			
URANIUM (PCI/L)	28012	WAIVED			
REGULATED SOC					
2,3,7,8-TCDD (DIOXIN)	34676	WAIVED			
2,4,5-TP (SILVEX)	39045	WAIVED			
2,4-D	39730	WAIVED			
ALACHLOR	77825	000			DUE
ATRAZINE	39033	000			DUE
BENTAZON	38710	WAIVED			
BENZO (A) PYRENE	34247	WAIVED			
CARBOFURAN	81405	WAIVED			
CHLORDANE	39350	WAIVED			
DALAPON	38432	WAIVED			
DI(2-ETHYLHEXYL)ADIPATE	A-026	WAIVED			
DI(2-ETHYLHEXYL)PHTHALATE	39100	WAIVED			
DIBROMOCHLOROPROPANE (DBCP)	38761	000			DUE
DINOSEB	81287	WAIVED			
DIQUAT	78885	WAIVED			
ENDOTHALL	38926	WAIVED			
ENDRIN	39390	WAIVED			
ETHYLENE DIBROMIDE (EDB)	77651	000			DUE
GLYPHOSATE	79743	WAIVED			
HEPTACHLOR	39410	WAIVED			
HEPTACHLOR EPOXIDE	39420	WAIVED			
HEXACHLOROBENZENE	39700	WAIVED			
HEXACHLOROCYCLOPENTADIENE	34386	WAIVED			
LINDANE	39340	WAIVED			

**Testing interval is in months;*
0 = No data for this constituent and is DUE NOW
999 = Waived testing (not required)
I = Invalid (NOT) valid analyses reported

System Number: ***2400013***

System Name: ***SENSIENT DEHYDRATED FLAVORS LLC***

PS Code: ***2400013-003***

Source Name: ***WELL 03 - STANDBY***

Source Number: ***003***

Source Status: ***STANDBY UNTREATED***

Water type: ***GROUNDWATER OR WELL***

	STORET NUMBER	TESTING INTERVAL (MONTHS)*	LAST TEST DATE (yyyy/mm/dd)	LAST RESULT REPORTED	NEXT TEST DATE (yyyy/mm)
REGULATED SOC					
METHOXYCHLOR	39480	WAIVED			
MOLINATE	82199	WAIVED			
OXAMYL	38865	WAIVED			
PENTACHLOROPHENOL	39032	WAIVED			
PICLORAM	39720	WAIVED			
POLYCHLORINATED BIPHENYLS, TOTAL, AS DCB	39516	WAIVED			
SIMAZINE	39055	000			DUE
THIOBENCARB	A-001	WAIVED			
TOXAPHENE	39400	WAIVED			
REGULATED VOC					
1,1,1-TRICHLOROETHANE	34506	000			DUE
1,1,2,2-TETRACHLOROETHANE	34516	000			DUE
1,1,2-TRICHLORO-1,2,2-TRIFLUOROETHANE	81611	000			DUE
1,1,2-TRICHLOROETHANE	34511	000			DUE
1,1-DICHLOROETHANE	34496	000			DUE
1,1-DICHLOROETHYLENE	34501	000			DUE
1,2,4-TRICHLOROBENZENE	34551	000			DUE
1,2-DICHLOROBENZENE	34536	000			DUE
1,2-DICHLOROETHANE	34531	000			DUE
1,2-DICHLOROPROPANE	34541	000			DUE
1,3-DICHLOROPROPENE (TOTAL)	34561	000			DUE
1,4-DICHLOROBENZENE	34571	000			DUE
BENZENE	34030	000			DUE
CARBON TETRACHLORIDE	32102	000			DUE
CIS-1,2-DICHLOROETHYLENE	77093	000			DUE
DICHLOROMETHANE	34423	000			DUE
ETHYLBENZENE	34371	000			DUE
METHYL-TERT-BUTYL-ETHER (MTBE)	46491	000			DUE
MONOCHLOROBENZENE	34301	000			DUE

**Testing interval is in months;*
0 = No data for this constituent and is DUE NOW
999 = Waived testing (not required)
I = Invalid (NOT) valid analyses reported

System Number: ***2400013***

System Name: ***SENSIENT DEHYDRATED FLAVORS LLC***

PS Code: ***2400013-003***

Source Name: ***WELL 03 - STANDBY***

Source Number: ***003***

Source Status: ***STANDBY UNTREATED***

Water type: ***GROUNDWATER OR WELL***

	STORET NUMBER	TESTING INTERVAL (MONTHS)*	LAST TEST DATE (yyyy/mm/dd)	LAST RESULT REPORTED	NEXT TEST DATE (yyyy/mm)
REGULATED VOC					
STYRENE	77128	000			DUE
TETRACHLOROETHYLENE	34475	000			DUE
TOLUENE	34010	000			DUE
TRANS-1,2-DICHLOROETHYLENE	34546	000			DUE
TRICHLOROETHYLENE	39180	000			DUE
TRICHLOROFLUOROMETHANE	34488	000			DUE
VINYL CHLORIDE	39175	000			DUE
XYLENES (TOTAL)	81551	000			DUE
SECONDARY/GP					
AGGRSSIVE INDEX (CORROSIVITY)	82383	WAIVED			
BICARBONATE ALKALINITY	00440	000			DUE
CALCIUM	00916	000			DUE
CARBONATE ALKALINITY	00445	000			DUE
CHLORIDE	00940	WAIVED			
COLOR	00081	WAIVED			
COPPER	01042	WAIVED			
FOAMING AGENTS (MBAS)	38260	WAIVED			
HARDNESS (TOTAL) AS CACO3	00900	000			DUE
HYDROXIDE ALKALINITY	71830	000			DUE
IRON	01045	000			DUE
MAGNESIUM	00927	000			DUE
MANGANESE	01055	000			DUE
ODOR THRESHOLD @ 60 C	00086	WAIVED			
PH, LABORATORY	00403	000			DUE
SILVER	01077	WAIVED			
SODIUM	00929	000			DUE
SPECIFIC CONDUCTANCE	00095	WAIVED			
SULFATE	00945	WAIVED			
TOTAL DISSOLVED SOLIDS	70300	WAIVED			

**Testing interval is in months;*
0 = No data for this constituent and is DUE NOW
999 = Waived testing (not required)
I = Invalid (NOT) valid analyses reported

System Number: ***2400013***

System Name: ***SENSIENT DEHYDRATED FLAVORS LLC***

PS Code: ***2400013-003***

Source Name: ***WELL 03 - STANDBY***

Source Number: ***003***

Source Status: ***STANDBY UNTREATED***

Water type: ***GROUNDWATER OR WELL***

SECONDARY/GP

	STORET NUMBER	TESTING INTERVAL (MONTHS)*	LAST TEST DATE (yyyy/mm/dd)	LAST RESULT REPORTED	NEXT TEST DATE (yyyy/mm)	
TURBIDITY, LABORATORY	82079	WAIVED				
ZINC	01092	WAIVED				

PS Code: ***2400013-011***

Source Name: ***WELL 02***

Source Number: ***011***

Source Status: ***ACTIVE UNTREATED***

Water type: ***GROUNDWATER OR WELL***

GENERAL NON CHAP 15

	STORET NUMBER	TESTING INTERVAL (MONTHS)*	LAST TEST DATE (yyyy/mm/dd)	LAST RESULT REPORTED	NEXT TEST DATE (yyyy/mm)	
DIAZINON	39570	WAIVED	2009/05/14	< .250		

INORGANIC

	STORET NUMBER	TESTING INTERVAL (MONTHS)*	LAST TEST DATE (yyyy/mm/dd)	LAST RESULT REPORTED	NEXT TEST DATE (yyyy/mm)	
ALUMINUM	01105	036	2009/05/14	.000	2012/05	
ANTIMONY	01097	036	2009/05/14	.000	2012/05	
ARSENIC	01002	036	2009/05/14	2.400	2012/05	
ASBESTOS	81855	WAIVED				
BARIUM	01007	036	2009/05/14	160.000	2012/05	
BERYLLIUM	01012	036	2009/05/14	.000	2012/05	
CADMIUM	01027	036	2009/05/14	.000	2012/05	
CHROMIUM (TOTAL)	01034	036	2009/05/14	.000	2012/05	
CYANIDE	01291	WAIVED				
FLUORIDE (F) (NATURAL-SOURCE)	00951	036	2009/05/14	.100	2012/05	
LEAD	01051	WAIVED	2009/05/14	.000		
MERCURY	71900	036	2009/05/14	.000	2012/05	
NICKEL	01067	036	2009/05/14	.000	2012/05	
PERCHLORATE	A-031	036	**2008/09/02**	.000	**2011/09**	**DUE**
SELENIUM	01147	036	2009/05/14	.000	2012/05	
THALLIUM	01059	036	2009/05/14	.000	2012/05	

**Testing interval is in months;*
0 = No data for this constituent and is DUE NOW
999 = Waived testing (not required)
I = Invalid (NOT) valid analyses reported

System Number: ***2400013***

System Name: ***SENSIENT DEHYDRATED FLAVORS LLC***

PS Code: ***2400013-011***

Source Name: ***WELL 02***

Source Number: ***011***

Source Status: ***ACTIVE UNTREATED***

Water type: ***GROUNDWATER OR WELL***

	STORET NUMBER	TESTING INTERVAL (MONTHS)*	LAST TEST DATE (yyyy/mm/dd)	LAST RESULT REPORTED	NEXT TEST DATE (yyyy/mm)
NITRATE/NITRITE					
NITRATE (AS NO3)	71850	012	2011/09/06	24.600	2012/09
NITRITE (AS N)	00620	036	2010/09/14	< 400.000	2013/09
RADIOLOGICAL					
GROSS ALPHA	01501	WAIVED	2011/04/12	5.630	
GROSS BETA	03501	WAIVED			
RA-226 FOR CWS OR TOTAL RA FOR NTNC BY 903.0	A-080	WAIVED			
RA-226 OR TOTAL RA BY 903.0 C.E.	A-081	WAIVED			
RADIUM 226	09501	WAIVED			
RADIUM 228	11501	WAIVED			
RADIUM, TOTAL, MDA95-NTNC ONLY, BY 903.0	A-082	WAIVED			
STRONTIUM-90	13501	WAIVED			
TRITIUM	07000	WAIVED			
URANIUM (PCI/L)	28012	WAIVED	2011/04/12	4.700	
REGULATED SOC					
2,3,7,8-TCDD (DIOXIN)	34676	WAIVED			
2,4,5-TP (SILVEX)	39045	WAIVED			
2,4-D	39730	WAIVED			
ALACHLOR	77825	036	2009/05/14	.000	2012/05
ATRAZINE	39033	036	2009/05/14	.000	2012/05
BENTAZON	38710	WAIVED			
BENZO (A) PYRENE	34247	WAIVED	2009/05/14	.000	
CARBOFURAN	81405	WAIVED			
CHLORDANE	39350	WAIVED			
DALAPON	38432	WAIVED			
DI(2-ETHYLHEXYL)ADIPATE	A-026	WAIVED	2009/05/14	.000	
DI(2-ETHYLHEXYL)PHTHALATE	39100	WAIVED	2009/05/14	.000	
DIBROMOCHLOROPROPANE (DBCP)	38761	036	2009/05/14	.170	2012/05
DINOSEB	81287	WAIVED			
DIQUAT	78885	WAIVED			

**Testing interval is in months;*
0 = No data for this constituent and is DUE NOW
999 = Waived testing (not required)
I = Invalid (NOT) valid analyses reported

System Number: ***2400013***

System Name: ***SENSIENT DEHYDRATED FLAVORS LLC***

PS Code: ***2400013-011***

Source Name: ***WELL 02***

Source Number: ***011***

Source Status: ***ACTIVE UNTREATED***

Water type: ***GROUNDWATER OR WELL***

	STORET NUMBER	TESTING INTERVAL (MONTHS)*	LAST TEST DATE (yyyy/mm/dd)	LAST RESULT REPORTED	NEXT TEST DATE (yyyy/mm)
REGULATED SOC					
ENDOTHALL	38926	WAIVED			
ENDRIN	39390	WAIVED			
ETHYLENE DIBROMIDE (EDB)	77651	036	2009/05/14	.000	2012/05
GLYPHOSATE	79743	WAIVED			
HEPTACHLOR	39410	WAIVED			
HEPTACHLOR EPOXIDE	39420	WAIVED			
HEXACHLOROBENZENE	39700	WAIVED			
HEXACHLOROCYCLOPENTADIENE	34386	WAIVED			
LINDANE	39340	WAIVED			
METHOXYCHLOR	39480	WAIVED			
MOLINATE	82199	WAIVED	2009/05/14	.000	
OXAMYL	38865	WAIVED			
PENTACHLOROPHENOL	39032	WAIVED			
PICLORAM	39720	WAIVED			
POLYCHLORINATED BIPHENYLS, TOTAL, AS DCB	39516	WAIVED			
SIMAZINE	39055	036	2009/05/14	.000	2012/05
THIOBENCARB	A-001	WAIVED	2009/05/14	.000	
TOXAPHENE	39400	WAIVED			
REGULATED VOC					
1,1,1-TRICHLOROETHANE	34506	060	2009/05/14	.000	2014/05
1,1,2,2-TETRACHLOROETHANE	34516	060	2009/05/14	.000	2014/05
1,1,2-TRICHLORO-1,2,2-TRIFLUOROETHANE	81611	060	2009/05/14	.000	2014/05
1,1,2-TRICHLOROETHANE	34511	060	2009/05/14	.000	2014/05
1,1-DICHLOROETHANE	34496	060	2009/05/14	.000	2014/05
1,1-DICHLOROETHYLENE	34501	060	2009/05/14	.000	2014/05
1,2,4-TRICHLOROBENZENE	34551	060	2009/05/14	.000	2014/05
1,2-DICHLOROBENZENE	34536	060	2009/05/14	.000	2014/05
1,2-DICHLOROETHANE	34531	060	2009/05/14	.000	2014/05
1,2-DICHLOROPROPANE	34541	060	2009/05/14	.000	2014/05

**Testing interval is in months;*
0 = No data for this constituent and is DUE NOW
999 = Waived testing (not required)
I = Invalid (NOT) valid analyses reported

System Number: ***2400013***

System Name: ***SENSIENT DEHYDRATED FLAVORS LLC***

PS Code: ***2400013-011***

Source Name: ***WELL 02***

Source Number: ***011***

Source Status: ***ACTIVE UNTREATED***

Water type: ***GROUNDWATER OR WELL***

	STORET NUMBER	TESTING INTERVAL (MONTHS)*	LAST TEST DATE (yyyy/mm/dd)	LAST RESULT REPORTED	NEXT TEST DATE (yyyy/mm)	
REGULATED VOC						
1,3-DICHLOROPROPENE (TOTAL)	34561	060	2009/05/14	.000	2014/05	
1,4-DICHLOROBENZENE	34571	060	2009/05/14	.000	2014/05	
BENZENE	34030	060	2009/05/14	.000	2014/05	
CARBON TETRACHLORIDE	32102	060	2009/05/14	.000	2014/05	
CIS-1,2-DICHLOROETHYLENE	77093	060	2009/05/14	.000	2014/05	
DICHLOROMETHANE	34423	060	2009/05/14	.000	2014/05	
ETHYLBENZENE	34371	060	2009/05/14	.000	2014/05	
METHYL-TERT-BUTYL-ETHER (MTBE)	46491	060	2009/05/14	.000	2014/05	
MONOCHLOROBENZENE	34301	060	2009/05/14	.000	2014/05	
STYRENE	77128	060	2009/05/14	.000	2014/05	
TETRACHLOROETHYLENE	34475	060	2009/05/14	.000	2014/05	
TOLUENE	34010	060	2009/05/14	.000	2014/05	
TRANS-1,2-DICHLOROETHYLENE	34546	060	2009/05/14	.000	2014/05	
TRICHLOROETHYLENE	39180	060	2009/05/14	.000	2014/05	
TRICHLOROFLUOROMETHANE	34488	060	2009/05/14	.000	2014/05	
VINYL CHLORIDE	39175	060	2009/05/14	.000	2014/05	
XYLENES (TOTAL)	81551	060	2009/05/14	< .500	2014/05	
SECONDARY/GP						
AGGRSSIVE INDEX (CORROSIVITY)	82383	WAIVED				
BICARBONATE ALKALINITY	00440	000				DUE
CALCIUM	00916	WAIVED	2011/09/06	50.000		
CARBONATE ALKALINITY	00445	000				DUE
CHLORIDE	00940	WAIVED	2011/09/06	8.700		
COLOR	00081	WAIVED				
COPPER	01042	WAIVED				
FOAMING AGENTS (MBAS)	38260	WAIVED				
HARDNESS (TOTAL) AS CACO3	00900	000				DUE
HYDROXIDE ALKALINITY	71830	000				DUE
IRON	01045	000				DUE

**Testing interval is in months;*
0 = No data for this constituent and is DUE NOW
999 = Waived testing (not required)
I = Invalid (NOT) valid analyses reported

System Number: ***2400013***

System Name: ***SENSIENT DEHYDRATED FLAVORS LLC***

PS Code: ***2400013-011***

Source Name: ***WELL 02***

Source Number: ***011***

Source Status: ***ACTIVE UNTREATED***

Water type: ***GROUNDWATER OR WELL***

SECONDARY/GP

	STORET NUMBER	TESTING INTERVAL (MONTHS)*	LAST TEST DATE (yyyy/mm/dd)	LAST RESULT REPORTED	NEXT TEST DATE (yyyy/mm)
MAGNESIUM	00927	WAIVED	2009/09/01	8.300	
MANGANESE	01055	000			DUE
ODOR THRESHOLD @ 60 C	00086	WAIVED			
PH, LABORATORY	00403	000			DUE
SILVER	01077	WAIVED	2009/05/14	.000	
SODIUM	00929	WAIVED	2009/09/01	26.200	
SPECIFIC CONDUCTANCE	00095	WAIVED	2011/09/06	490.000	
SULFATE	00945	WAIVED	2011/09/06	17.300	
TOTAL DISSOLVED SOLIDS	70300	WAIVED	2011/09/06	373.000	
TURBIDITY, LABORATORY	82079	WAIVED			
ZINC	01092	WAIVED			

PS Code: ***2400013-012***

Source Name: ***WELL #3-STANDBY WELL (NEWEST WELL)***

Source Number: ***012***

Source Status: ***STANDBY UNTREATED***

Water type: ***GROUNDWATER OR WELL***

GENERAL NON CHAP 15

DIAZINON	39570	WAIVED			

INORGANIC

ALUMINUM	01105	000			DUE
ANTIMONY	01097	000			DUE
ARSENIC	01002	000			DUE
ASBESTOS	81855	WAIVED			
BARIUM	01007	000			DUE
BERYLLIUM	01012	000			DUE
CADMIUM	01027	000			DUE
CHROMIUM (TOTAL)	01034	000			DUE
CYANIDE	01291	WAIVED			

**Testing interval is in months;*
0 = No data for this constituent and is DUE NOW
999 = Waived testing (not required)
I = Invalid (NOT) valid analyses reported

System Number: ***2400013***

System Name: ***SENSIENT DEHYDRATED FLAVORS LLC***

PS Code: ***2400013-012***

Source Name: ***WELL #3-STANDBY WELL (NEWEST WELL)***

Source Number: ***012***

Source Status: ***STANDBY UNTREATED***

Water type: ***GROUNDWATER OR WELL***

	STORET NUMBER	TESTING INTERVAL (MONTHS)*	LAST TEST DATE (yyyy/mm/dd)	LAST RESULT REPORTED	NEXT TEST DATE (yyyy/mm)
INORGANIC					
FLUORIDE (F) (NATURAL-SOURCE)	00951	000			DUE
LEAD	01051	WAIVED			
MERCURY	71900	000			DUE
NICKEL	01067	000			DUE
PERCHLORATE	A-031	000			DUE
SELENIUM	01147	000			DUE
THALLIUM	01059	000			DUE
NITRATE/NITRITE					
NITRATE (AS NO3)	71850	000			DUE
NITRITE (AS N)	00620	000			DUE
RADIOLOGICAL					
GROSS ALPHA	01501	WAIVED			
GROSS BETA	03501	WAIVED			
RA-226 FOR CWS OR TOTAL RA FOR NTNC BY 903.0	A-080	WAIVED			
RA-226 OR TOTAL RA BY 903.0 C.E.	A-081	WAIVED			
RADIUM 226	09501	WAIVED			
RADIUM 228	11501	WAIVED			
RADIUM, TOTAL, MDA95-NTNC ONLY, BY 903.0	A-082	WAIVED			
STRONTIUM-90	13501	WAIVED			
TRITIUM	07000	WAIVED			
URANIUM (PCI/L)	28012	WAIVED			
REGULATED SOC					
2,3,7,8-TCDD (DIOXIN)	34676	WAIVED			
2,4,5-TP (SILVEX)	39045	WAIVED			
2,4-D	39730	WAIVED			
ALACHLOR	77825	000			DUE
ATRAZINE	39033	000			DUE
BENTAZON	38710	WAIVED			

**Testing interval is in months;*
0 = No data for this constituent and is DUE NOW
999 = Waived testing (not required)
I = Invalid (NOT) valid analyses reported

System Number: ***2400013***

System Name: ***SENSIENT DEHYDRATED FLAVORS LLC***

PS Code: ***2400013-012***

Source Name: ***WELL #3-STANDBY WELL (NEWEST WELL)***

Source Number: ***012***

Source Status: ***STANDBY UNTREATED***

Water type: ***GROUNDWATER OR WELL***

	STORET NUMBER	TESTING INTERVAL (MONTHS)*	LAST TEST DATE (yyyy/mm/dd)	LAST RESULT REPORTED	NEXT TEST DATE (yyyy/mm)
REGULATED SOC					
BENZO (A) PYRENE	34247	WAIVED			
CARBOFURAN	81405	WAIVED			
CHLORDANE	39350	WAIVED			
DALAPON	38432	WAIVED			
DI(2-ETHYLHEXYL)ADIPATE	A-026	WAIVED			
DI(2-ETHYLHEXYL)PHTHALATE	39100	WAIVED			
DIBROMOCHLOROPROPANE (DBCP)	38761	000			DUE
DINOSEB	81287	WAIVED			
DIQUAT	78885	WAIVED			
ENDOTHALL	38926	WAIVED			
ENDRIN	39390	WAIVED			
ETHYLENE DIBROMIDE (EDB)	77651	000			DUE
GLYPHOSATE	79743	WAIVED			
HEPTACHLOR	39410	WAIVED			
HEPTACHLOR EPOXIDE	39420	WAIVED			
HEXACHLOROBENZENE	39700	WAIVED			
HEXACHLOROCYCLOPENTADIENE	34386	WAIVED			
LINDANE	39340	WAIVED			
METHOXYCHLOR	39480	WAIVED			
MOLINATE	82199	WAIVED			
OXAMYL	38865	WAIVED			
PENTACHLOROPHENOL	39032	WAIVED			
PICLORAM	39720	WAIVED			
POLYCHLORINATED BIPHENYLS, TOTAL, AS DCB	39516	WAIVED			
SIMAZINE	39055	000			DUE
THIOBENCARB	A-001	WAIVED			
TOXAPHENE	39400	WAIVED			
REGULATED VOC					
1,1,1-TRICHLOROETHANE	34506	000			DUE

**Testing interval is in months;*
0 = No data for this constituent and is DUE NOW
999 = Waived testing (not required)
I = Invalid (NOT) valid analyses reported

System Number: ***2400013***

System Name: ***SENSIENT DEHYDRATED FLAVORS LLC***

PS Code: ***2400013-012***

Source Name: ***WELL #3-STANDBY WELL (NEWEST WELL)***

Source Number: ***012***

Source Status: ***STANDBY UNTREATED***

Water type: ***GROUNDWATER OR WELL***

	STORET NUMBER	TESTING INTERVAL (MONTHS)*	LAST TEST DATE (yyyy/mm/dd)	LAST RESULT REPORTED	NEXT TEST DATE (yyyy/mm)
REGULATED VOC					
1,1,2,2-TETRACHLOROETHANE	34516	000			DUE
1,1,2-TRICHLORO-1,2,2-TRIFLUOROETHANE	81611	000			DUE
1,1,2-TRICHLOROETHANE	34511	000			DUE
1,1-DICHLOROETHANE	34496	000			DUE
1,1-DICHLOROETHYLENE	34501	000			DUE
1,2,4-TRICHLOROBENZENE	34551	000			DUE
1,2-DICHLOROBENZENE	34536	000			DUE
1,2-DICHLOROETHANE	34531	000			DUE
1,2-DICHLOROPROPANE	34541	000			DUE
1,3-DICHLOROPROPENE (TOTAL)	34561	000			DUE
1,4-DICHLOROBENZENE	34571	000			DUE
BENZENE	34030	000			DUE
CARBON TETRACHLORIDE	32102	000			DUE
CIS-1,2-DICHLOROETHYLENE	77093	000			DUE
DICHLOROMETHANE	34423	000			DUE
ETHYLBENZENE	34371	000			DUE
METHYL-TERT-BUTYL-ETHER (MTBE)	46491	000			DUE
MONOCHLOROBENZENE	34301	000			DUE
STYRENE	77128	000			DUE
TETRACHLOROETHYLENE	34475	000			DUE
TOLUENE	34010	000			DUE
TRANS-1,2-DICHLOROETHYLENE	34546	000			DUE
TRICHLOROETHYLENE	39180	000			DUE
TRICHLOROFLUOROMETHANE	34488	000			DUE
VINYL CHLORIDE	39175	000			DUE
XYLENES (TOTAL)	81551	000			DUE
SECONDARY/GP					
AGGRSSIVE INDEX (CORROSIVITY)	82383	WAIVED			
BICARBONATE ALKALINITY	00440	000			DUE

**Testing interval is in months;*
0 = No data for this constituent and is DUE NOW
999 = Waived testing (not required)
I = Invalid (NOT) valid analyses reported

System Number: ***2400013***

System Name: ***SENSIENT DEHYDRATED FLAVORS LLC***

PS Code: ***2400013-012***

Source Name: ***WELL #3-STANDBY WELL (NEWEST WELL)***

Source Number: ***012***

Source Status: ***STANDBY UNTREATED***

Water type: ***GROUNDWATER OR WELL***

SECONDARY/GP

	STORET NUMBER	TESTING INTERVAL (MONTHS)*	LAST TEST DATE (yyyy/mm/dd)	LAST RESULT REPORTED	NEXT TEST DATE (yyyy/mm)
CALCIUM	00916	000			DUE
CARBONATE ALKALINITY	00445	000			DUE
CHLORIDE	00940	WAIVED			
COLOR	00081	WAIVED			
COPPER	01042	WAIVED			
FOAMING AGENTS (MBAS)	38260	WAIVED			
HARDNESS (TOTAL) AS CACO3	00900	000			DUE
HYDROXIDE ALKALINITY	71830	000			DUE
IRON	01045	000			DUE
MAGNESIUM	00927	000			DUE
MANGANESE	01055	000			DUE
ODOR THRESHOLD @ 60 C	00086	WAIVED			
PH, LABORATORY	00403	000			DUE
SILVER	01077	WAIVED			
SODIUM	00929	000			DUE
SPECIFIC CONDUCTANCE	00095	WAIVED			
SULFATE	00945	WAIVED			
TOTAL DISSOLVED SOLIDS	70300	WAIVED			
TURBIDITY, LABORATORY	82079	WAIVED			
ZINC	01092	WAIVED			

**Testing interval is in months;*
0 = No data for this constituent and is DUE NOW
999 = Waived testing (not required)
I = Invalid (NOT) valid analyses reported

System Number: ***2400028***

System Name: ***MERCED RIVER RESORT***

PS Code: ***2400028-001***

Source Name: ***SYSTEM WELL #1: LAUNDRY ROOM WELL***

Source Number: ***001***

Source Status: ***ACTIVE UNTREATED***

Water type: ***GROUNDWATER OR WELL***

	STORET NUMBER	TESTING INTERVAL (MONTHS)*	LAST TEST DATE (yyyy/mm/dd)	LAST RESULT REPORTED	NEXT TEST DATE (yyyy/mm)	
GENERAL NON CHAP 15						
DIAZINON	39570	WAIVED				
INORGANIC						
ALUMINUM	01105	WAIVED				
ANTIMONY	01097	WAIVED				
ARSENIC	01002	WAIVED				
ASBESTOS	81855	WAIVED				
BARIUM	01007	WAIVED				
BERYLLIUM	01012	WAIVED				
CADMIUM	01027	WAIVED				
CHROMIUM (TOTAL)	01034	WAIVED				
CYANIDE	01291	WAIVED				
FLUORIDE (F) (NATURAL-SOURCE)	00951	WAIVED				
LEAD	01051	WAIVED				
MERCURY	71900	WAIVED				
NICKEL	01067	WAIVED				
PERCHLORATE	A-031	WAIVED				
SELENIUM	01147	WAIVED				
THALLIUM	01059	WAIVED				
NITRATE/NITRITE						
NITRATE (AS NO3)	71850	012	2012/02/23	2.200	2013/02	
NITRITE (AS N)	00620	036	**2002/02/12**	< 400.000	**2005/02**	**DUE**
RADIOLOGICAL						
GROSS ALPHA	01501	WAIVED				
GROSS BETA	03501	WAIVED				
RA-226 FOR CWS OR TOTAL RA FOR NTNC BY 903.0	A-080	WAIVED				
RA-226 OR TOTAL RA BY 903.0 C.E.	A-081	WAIVED				
RADIUM 226	09501	WAIVED				
RADIUM 228	11501	WAIVED				

**Testing interval is in months;*
0 = No data for this constituent and is DUE NOW
999 = Waived testing (not required)
I = Invalid (NOT) valid analyses reported

System Number: ***2400028***

System Name: ***MERCED RIVER RESORT***

PS Code: ***2400028-001***

Source Name: ***SYSTEM WELL #1: LAUNDRY ROOM WELL***

Source Number: ***001***

Source Status: ***ACTIVE UNTREATED***

Water type: ***GROUNDWATER OR WELL***

	STORET NUMBER	TESTING INTERVAL (MONTHS)*	LAST TEST DATE (yyyy/mm/dd)	LAST RESULT REPORTED	NEXT TEST DATE (yyyy/mm)
RADIOLOGICAL					
RADIUM, TOTAL, MDA95-NTNC ONLY, BY 903.0	A-082	WAIVED			
STRONTIUM-90	13501	WAIVED			
TRITIUM	07000	WAIVED			
URANIUM (PCI/L)	28012	WAIVED			
REGULATED SOC					
2,3,7,8-TCDD (DIOXIN)	34676	WAIVED			
2,4,5-TP (SILVEX)	39045	WAIVED			
2,4-D	39730	WAIVED			
ALACHLOR	77825	WAIVED			
ATRAZINE	39033	WAIVED			
BENTAZON	38710	WAIVED			
BENZO (A) PYRENE	34247	WAIVED			
CARBOFURAN	81405	WAIVED			
CHLORDANE	39350	WAIVED			
DALAPON	38432	WAIVED			
DI(2-ETHYLHEXYL)ADIPATE	A-026	WAIVED			
DI(2-ETHYLHEXYL)PHTHALATE	39100	WAIVED			
DIBROMOCHLOROPROPANE (DBCP)	38761	WAIVED			
DINOSEB	81287	WAIVED			
DIQUAT	78885	WAIVED			
ENDOTHALL	38926	WAIVED			
ENDRIN	39390	WAIVED			
ETHYLENE DIBROMIDE (EDB)	77651	WAIVED			
GLYPHOSATE	79743	WAIVED			
HEPTACHLOR	39410	WAIVED			
HEPTACHLOR EPOXIDE	39420	WAIVED			
HEXACHLOROBENZENE	39700	WAIVED			
HEXACHLOROCYCLOPENTADIENE	34386	WAIVED			
LINDANE	39340	WAIVED			

**Testing interval is in months;*
0 = No data for this constituent and is DUE NOW
999 = Waived testing (not required)
I = Invalid (NOT) valid analyses reported

System Number: ***2400028***

System Name: ***MERCED RIVER RESORT***

PS Code: ***2400028-001***

Source Name: ***SYSTEM WELL #1: LAUNDRY ROOM WELL***

Source Number: ***001***

Source Status: ***ACTIVE UNTREATED***

Water type: ***GROUNDWATER OR WELL***

	STORET NUMBER	TESTING INTERVAL (MONTHS)*	LAST TEST DATE (yyyy/mm/dd)	LAST RESULT REPORTED	NEXT TEST DATE (yyyy/mm)
REGULATED SOC					
METHOXYCHLOR	39480	WAIVED			
MOLINATE	82199	WAIVED			
OXAMYL	38865	WAIVED			
PENTACHLOROPHENOL	39032	WAIVED			
PICLORAM	39720	WAIVED			
POLYCHLORINATED BIPHENYLS, TOTAL, AS DCB	39516	WAIVED			
SIMAZINE	39055	WAIVED			
THIOBENCARB	A-001	WAIVED			
TOXAPHENE	39400	WAIVED			
REGULATED VOC					
1,1,1-TRICHLOROETHANE	34506	WAIVED			
1,1,2,2-TETRACHLOROETHANE	34516	WAIVED			
1,1,2-TRICHLORO-1,2,2-TRIFLUOROETHANE	81611	WAIVED			
1,1,2-TRICHLOROETHANE	34511	WAIVED			
1,1-DICHLOROETHANE	34496	WAIVED			
1,1-DICHLOROETHYLENE	34501	WAIVED			
1,2,4-TRICHLOROBENZENE	34551	WAIVED			
1,2-DICHLOROBENZENE	34536	WAIVED			
1,2-DICHLOROETHANE	34531	WAIVED			
1,2-DICHLOROPROPANE	34541	WAIVED			
1,3-DICHLOROPROPENE (TOTAL)	34561	WAIVED			
1,4-DICHLOROBENZENE	34571	WAIVED			
BENZENE	34030	WAIVED			
CARBON TETRACHLORIDE	32102	WAIVED			
CIS-1,2-DICHLOROETHYLENE	77093	WAIVED			
DICHLOROMETHANE	34423	WAIVED			
ETHYLBENZENE	34371	WAIVED			
METHYL-TERT-BUTYL-ETHER (MTBE)	46491	WAIVED			
MONOCHLOROBENZENE	34301	WAIVED			

**Testing interval is in months;*
0 = No data for this constituent and is DUE NOW
999 = Waived testing (not required)
I = Invalid (NOT) valid analyses reported

System Number: ***2400028***

System Name: ***MERCED RIVER RESORT***

PS Code: ***2400028-001***

Source Name: ***SYSTEM WELL #1: LAUNDRY ROOM WELL***

Source Number: ***001***

Source Status: ***ACTIVE UNTREATED***

Water type: ***GROUNDWATER OR WELL***

	STORET NUMBER	TESTING INTERVAL (MONTHS)*	LAST TEST DATE (yyyy/mm/dd)	LAST RESULT REPORTED	NEXT TEST DATE (yyyy/mm)
REGULATED VOC					
STYRENE	77128	WAIVED			
TETRACHLOROETHYLENE	34475	WAIVED			
TOLUENE	34010	WAIVED			
TRANS-1,2-DICHLOROETHYLENE	34546	WAIVED			
TRICHLOROETHYLENE	39180	WAIVED			
TRICHLOROFLUOROMETHANE	34488	WAIVED			
VINYL CHLORIDE	39175	WAIVED			
XYLENES (TOTAL)	81551	WAIVED			
SECONDARY/GP					
AGGRSSIVE INDEX (CORROSIVITY)	82383	WAIVED			
BICARBONATE ALKALINITY	00440	WAIVED			
CALCIUM	00916	WAIVED			
CARBONATE ALKALINITY	00445	WAIVED			
CHLORIDE	00940	WAIVED			
COLOR	00081	WAIVED			
COPPER	01042	WAIVED			
FOAMING AGENTS (MBAS)	38260	WAIVED			
HARDNESS (TOTAL) AS CACO3	00900	WAIVED			
HYDROXIDE ALKALINITY	71830	WAIVED			
IRON	01045	WAIVED			
MAGNESIUM	00927	WAIVED			
MANGANESE	01055	WAIVED			
ODOR THRESHOLD @ 60 C	00086	WAIVED			
PH, LABORATORY	00403	WAIVED			
SILVER	01077	WAIVED			
SODIUM	00929	WAIVED			
SPECIFIC CONDUCTANCE	00095	WAIVED			
SULFATE	00945	WAIVED			
TOTAL DISSOLVED SOLIDS	70300	WAIVED			

**Testing interval is in months;*
0 = No data for this constituent and is DUE NOW
999 = Waived testing (not required)
I = Invalid (NOT) valid analyses reported

System Number: ***2400028***

System Name: ***MERCED RIVER RESORT***

	STORET NUMBER	TESTING INTERVAL (MONTHS)*	LAST TEST DATE (yyyy/mm/dd)	LAST RESULT REPORTED	NEXT TEST DATE (yyyy/mm)

PS Code: ***2400028-001***

Source Name: ***SYSTEM WELL #1: LAUNDRY ROOM WELL***

Source Number: ***001***

Source Status: ***ACTIVE UNTREATED***

Water type: ***GROUNDWATER OR WELL***

SECONDARY/GP

TURBIDITY, LABORATORY	82079	WAIVED			
ZINC	01092	WAIVED			

PS Code: ***2400028-002***

Source Name: ***SYSTEM WELL #2: CLUBHOUSE WELL***

Source Number: ***002***

Source Status: ***ACTIVE UNTREATED***

Water type: ***GROUNDWATER OR WELL***

GENERAL NON CHAP 15

DIAZINON	39570	WAIVED			

INORGANIC

ALUMINUM	01105	WAIVED			
ANTIMONY	01097	WAIVED			
ARSENIC	01002	WAIVED			
ASBESTOS	81855	WAIVED			
BARIUM	01007	WAIVED			
BERYLLIUM	01012	WAIVED			
CADMIUM	01027	WAIVED			
CHROMIUM (TOTAL)	01034	WAIVED			
CYANIDE	01291	WAIVED			
FLUORIDE (F) (NATURAL-SOURCE)	00951	WAIVED			
LEAD	01051	WAIVED			
MERCURY	71900	WAIVED			
NICKEL	01067	WAIVED			
PERCHLORATE	A-031	WAIVED			
SELENIUM	01147	WAIVED			
THALLIUM	01059	WAIVED			

**Testing interval is in months;*
0 = No data for this constituent and is DUE NOW
999 = Waived testing (not required)
I = Invalid (NOT) valid analyses reported

System Number: ***2400028***

System Name: ***MERCED RIVER RESORT***

PS Code: ***2400028-002***

Source Name: ***SYSTEM WELL #2: CLUBHOUSE WELL***

Source Number: ***002***

Source Status: ***ACTIVE UNTREATED***

Water type: ***GROUNDWATER OR WELL***

	STORET NUMBER	TESTING INTERVAL (MONTHS)*	LAST TEST DATE (yyyy/mm/dd)	LAST RESULT REPORTED	NEXT TEST DATE (yyyy/mm)	
NITRATE/NITRITE						
NITRATE (AS NO3)	71850	012	2007/02/12	< 2.000	2008/02	DUE
NITRITE (AS N)	00620	036	2002/02/12	< 400.000	2005/02	DUE
RADIOLOGICAL						
GROSS ALPHA	01501	WAIVED				
GROSS BETA	03501	WAIVED				
RA-226 FOR CWS OR TOTAL RA FOR NTNC BY 903.0	A-080	WAIVED				
RA-226 OR TOTAL RA BY 903.0 C.E.	A-081	WAIVED				
RADIUM 226	09501	WAIVED				
RADIUM 228	11501	WAIVED				
RADIUM, TOTAL, MDA95-NTNC ONLY, BY 903.0	A-082	WAIVED				
STRONTIUM-90	13501	WAIVED				
TRITIUM	07000	WAIVED				
URANIUM (PCI/L)	28012	WAIVED				
REGULATED SOC						
2,3,7,8-TCDD (DIOXIN)	34676	WAIVED				
2,4,5-TP (SILVEX)	39045	WAIVED				
2,4-D	39730	WAIVED				
ALACHLOR	77825	WAIVED				
ATRAZINE	39033	WAIVED				
BENTAZON	38710	WAIVED				
BENZO (A) PYRENE	34247	WAIVED				
CARBOFURAN	81405	WAIVED				
CHLORDANE	39350	WAIVED				
DALAPON	38432	WAIVED				
DI(2-ETHYLHEXYL)ADIPATE	A-026	WAIVED				
DI(2-ETHYLHEXYL)PHTHALATE	39100	WAIVED				
DIBROMOCHLOROPROPANE (DBCP)	38761	WAIVED				
DINOSEB	81287	WAIVED				
DIQUAT	78885	WAIVED				

**Testing interval is in months;*
0 = No data for this constituent and is DUE NOW
999 = Waived testing (not required)
I = Invalid (NOT) valid analyses reported

System Number: ***2400028***

System Name: ***MERCED RIVER RESORT***

PS Code: ***2400028-002***

Source Name: ***SYSTEM WELL #2: CLUBHOUSE WELL***

Source Number: ***002***

Source Status: ***ACTIVE UNTREATED***

Water type: ***GROUNDWATER OR WELL***

	STORET NUMBER	TESTING INTERVAL (MONTHS)*	LAST TEST DATE (yyyy/mm/dd)	LAST RESULT REPORTED	NEXT TEST DATE (yyyy/mm)
REGULATED SOC					
ENDOTHALL	38926	WAIVED			
ENDRIN	39390	WAIVED			
ETHYLENE DIBROMIDE (EDB)	77651	WAIVED			
GLYPHOSATE	79743	WAIVED			
HEPTACHLOR	39410	WAIVED			
HEPTACHLOR EPOXIDE	39420	WAIVED			
HEXACHLOROBENZENE	39700	WAIVED			
HEXACHLOROCYCLOPENTADIENE	34386	WAIVED			
LINDANE	39340	WAIVED			
METHOXYCHLOR	39480	WAIVED			
MOLINATE	82199	WAIVED			
OXAMYL	38865	WAIVED			
PENTACHLOROPHENOL	39032	WAIVED			
PICLORAM	39720	WAIVED			
POLYCHLORINATED BIPHENYLS, TOTAL, AS DCB	39516	WAIVED			
SIMAZINE	39055	WAIVED			
THIOBENCARB	A-001	WAIVED			
TOXAPHENE	39400	WAIVED			
REGULATED VOC					
1,1,1-TRICHLOROETHANE	34506	WAIVED			
1,1,2,2-TETRACHLOROETHANE	34516	WAIVED			
1,1,2-TRICHLORO-1,2,2-TRIFLUOROETHANE	81611	WAIVED			
1,1,2-TRICHLOROETHANE	34511	WAIVED			
1,1-DICHLOROETHANE	34496	WAIVED			
1,1-DICHLOROETHYLENE	34501	WAIVED			
1,2,4-TRICHLOROBENZENE	34551	WAIVED			
1,2-DICHLOROBENZENE	34536	WAIVED			
1,2-DICHLOROETHANE	34531	WAIVED			
1,2-DICHLOROPROPANE	34541	WAIVED			

**Testing interval is in months;*
0 = No data for this constituent and is DUE NOW
999 = Waived testing (not required)
I = Invalid (NOT) valid analyses reported

System Number: ***2400028***

System Name: ***MERCED RIVER RESORT***

PS Code: ***2400028-002***

Source Name: ***SYSTEM WELL #2: CLUBHOUSE WELL***

Source Number: ***002***

Source Status: ***ACTIVE UNTREATED***

Water type: ***GROUNDWATER OR WELL***

	STORET NUMBER	TESTING INTERVAL (MONTHS)*	LAST TEST DATE (yyyy/mm/dd)	LAST RESULT REPORTED	NEXT TEST DATE (yyyy/mm)
REGULATED VOC					
1,3-DICHLOROPROPENE (TOTAL)	34561	WAIVED			
1,4-DICHLOROBENZENE	34571	WAIVED			
BENZENE	34030	WAIVED			
CARBON TETRACHLORIDE	32102	WAIVED			
CIS-1,2-DICHLOROETHYLENE	77093	WAIVED			
DICHLOROMETHANE	34423	WAIVED			
ETHYLBENZENE	34371	WAIVED			
METHYL-TERT-BUTYL-ETHER (MTBE)	46491	WAIVED			
MONOCHLOROBENZENE	34301	WAIVED			
STYRENE	77128	WAIVED			
TETRACHLOROETHYLENE	34475	WAIVED			
TOLUENE	34010	WAIVED			
TRANS-1,2-DICHLOROETHYLENE	34546	WAIVED			
TRICHLOROETHYLENE	39180	WAIVED			
TRICHLOROFLUOROMETHANE	34488	WAIVED			
VINYL CHLORIDE	39175	WAIVED			
XYLENES (TOTAL)	81551	WAIVED			
SECONDARY/GP					
AGGRSSIVE INDEX (CORROSIVITY)	82383	WAIVED			
BICARBONATE ALKALINITY	00440	WAIVED			
CALCIUM	00916	WAIVED			
CARBONATE ALKALINITY	00445	WAIVED			
CHLORIDE	00940	WAIVED			
COLOR	00081	WAIVED			
COPPER	01042	WAIVED			
FOAMING AGENTS (MBAS)	38260	WAIVED			
HARDNESS (TOTAL) AS CACO3	00900	WAIVED			
HYDROXIDE ALKALINITY	71830	WAIVED			
IRON	01045	WAIVED			

**Testing interval is in months;*
0 = No data for this constituent and is DUE NOW
999 = Waived testing (not required)
I = Invalid (NOT) valid analyses reported

System Number: ***2400028***

System Name: ***MERCED RIVER RESORT***

PS Code: ***2400028-002***

Source Name: ***SYSTEM WELL #2: CLUBHOUSE WELL***

Source Number: ***002***

Source Status: ***ACTIVE UNTREATED***

Water type: ***GROUNDWATER OR WELL***

SECONDARY/GP	STORET NUMBER	TESTING INTERVAL (MONTHS)*	LAST TEST DATE (yyyy/mm/dd)	LAST RESULT REPORTED	NEXT TEST DATE (yyyy/mm)
MAGNESIUM	00927	WAIVED			
MANGANESE	01055	WAIVED			
ODOR THRESHOLD @ 60 C	00086	WAIVED			
PH, LABORATORY	00403	WAIVED			
SILVER	01077	WAIVED			
SODIUM	00929	WAIVED			
SPECIFIC CONDUCTANCE	00095	WAIVED			
SULFATE	00945	WAIVED			
TOTAL DISSOLVED SOLIDS	70300	WAIVED			
TURBIDITY, LABORATORY	82079	WAIVED			
ZINC	01092	WAIVED			

**Testing interval is in months;*
0 = No data for this constituent and is DUE NOW
999 = Waived testing (not required)
I = Invalid (NOT) valid analyses reported

System Number: ***2400034***

System Name: ***BUHACH PENTECOST HALL***

PS Code: ***2400034-011***

Source Name: ***WELL-NORTH EDGE (4-02)***

Source Number: ***011***

Source Status: ***ACTIVE UNTREATED***

Water type: ***GROUNDWATER OR WELL***

	STORET NUMBER	TESTING INTERVAL (MONTHS)*	LAST TEST DATE (yyyy/mm/dd)	LAST RESULT REPORTED	NEXT TEST DATE (yyyy/mm)	
GENERAL NON CHAP 15						
DIAZINON	39570	WAIVED				
INORGANIC						
ALUMINUM	01105	WAIVED				
ANTIMONY	01097	WAIVED				
ARSENIC	01002	WAIVED				
ASBESTOS	81855	WAIVED				
BARIUM	01007	WAIVED				
BERYLLIUM	01012	WAIVED				
CADMIUM	01027	WAIVED				
CHROMIUM (TOTAL)	01034	WAIVED				
CYANIDE	01291	WAIVED				
FLUORIDE (F) (NATURAL-SOURCE)	00951	WAIVED				
LEAD	01051	WAIVED				
MERCURY	71900	WAIVED				
NICKEL	01067	WAIVED				
PERCHLORATE	A-031	WAIVED				
SELENIUM	01147	WAIVED				
THALLIUM	01059	WAIVED				
NITRATE/NITRITE						
NITRATE (AS NO3)	71850	012	2011/08/09	4.900	2012/08	
NITRITE (AS N)	00620	000				**DUE**
RADIOLOGICAL						
GROSS ALPHA	01501	WAIVED				
GROSS BETA	03501	WAIVED				
RA-226 FOR CWS OR TOTAL RA FOR NTNC BY 903.0	A-080	WAIVED				
RA-226 OR TOTAL RA BY 903.0 C.E.	A-081	WAIVED				
RADIUM 226	09501	WAIVED				
RADIUM 228	11501	WAIVED				

**Testing interval is in months;*
0 = No data for this constituent and is DUE NOW
999 = Waived testing (not required)
I = Invalid (NOT) valid analyses reported

System Number: ***2400034***

System Name: ***BUHACH PENTECOST HALL***

PS Code: ***2400034-011***

Source Name: ***WELL-NORTH EDGE (4-02)***

Source Number: ***011***

Source Status: ***ACTIVE UNTREATED***

Water type: ***GROUNDWATER OR WELL***

	STORET NUMBER	TESTING INTERVAL (MONTHS)*	LAST TEST DATE (yyyy/mm/dd)	LAST RESULT REPORTED	NEXT TEST DATE (yyyy/mm)
RADIOLOGICAL					
RADIUM, TOTAL, MDA95-NTNC ONLY, BY 903.0	A-082	WAIVED			
STRONTIUM-90	13501	WAIVED			
TRITIUM	07000	WAIVED			
URANIUM (PCI/L)	28012	WAIVED			
REGULATED SOC					
2,3,7,8-TCDD (DIOXIN)	34676	WAIVED			
2,4,5-TP (SILVEX)	39045	WAIVED			
2,4-D	39730	WAIVED			
ALACHLOR	77825	WAIVED			
ATRAZINE	39033	WAIVED			
BENTAZON	38710	WAIVED			
BENZO (A) PYRENE	34247	WAIVED			
CARBOFURAN	81405	WAIVED			
CHLORDANE	39350	WAIVED			
DALAPON	38432	WAIVED			
DI(2-ETHYLHEXYL)ADIPATE	A-026	WAIVED			
DI(2-ETHYLHEXYL)PHTHALATE	39100	WAIVED			
DIBROMOCHLOROPROPANE (DBCP)	38761	WAIVED			
DINOSEB	81287	WAIVED			
DIQUAT	78885	WAIVED			
ENDOTHALL	38926	WAIVED			
ENDRIN	39390	WAIVED			
ETHYLENE DIBROMIDE (EDB)	77651	WAIVED			
GLYPHOSATE	79743	WAIVED			
HEPTACHLOR	39410	WAIVED			
HEPTACHLOR EPOXIDE	39420	WAIVED			
HEXACHLOROBENZENE	39700	WAIVED			
HEXACHLOROCYCLOPENTADIENE	34386	WAIVED			
LINDANE	39340	WAIVED			

**Testing interval is in months;*
0 = No data for this constituent and is DUE NOW
999 = Waived testing (not required)
I = Invalid (NOT) valid analyses reported

System Number: ***2400034***

System Name: ***BUHACH PENTECOST HALL***

PS Code: ***2400034-011***

Source Name: ***WELL-NORTH EDGE (4-02)***

Source Number: ***011***

Source Status: ***ACTIVE UNTREATED***

Water type: ***GROUNDWATER OR WELL***

	STORET NUMBER	TESTING INTERVAL (MONTHS)*	LAST TEST DATE (yyyy/mm/dd)	LAST RESULT REPORTED	NEXT TEST DATE (yyyy/mm)
REGULATED SOC					
METHOXYCHLOR	39480	WAIVED			
MOLINATE	82199	WAIVED			
OXAMYL	38865	WAIVED			
PENTACHLOROPHENOL	39032	WAIVED			
PICLORAM	39720	WAIVED			
POLYCHLORINATED BIPHENYLS, TOTAL, AS DCB	39516	WAIVED			
SIMAZINE	39055	WAIVED			
THIOBENCARB	A-001	WAIVED			
TOXAPHENE	39400	WAIVED			
REGULATED VOC					
1,1,1-TRICHLOROETHANE	34506	WAIVED			
1,1,2,2-TETRACHLOROETHANE	34516	WAIVED			
1,1,2-TRICHLORO-1,2,2-TRIFLUOROETHANE	81611	WAIVED			
1,1,2-TRICHLOROETHANE	34511	WAIVED			
1,1-DICHLOROETHANE	34496	WAIVED			
1,1-DICHLOROETHYLENE	34501	WAIVED			
1,2,4-TRICHLOROBENZENE	34551	WAIVED			
1,2-DICHLOROBENZENE	34536	WAIVED			
1,2-DICHLOROETHANE	34531	WAIVED			
1,2-DICHLOROPROPANE	34541	WAIVED			
1,3-DICHLOROPROPENE (TOTAL)	34561	WAIVED			
1,4-DICHLOROBENZENE	34571	WAIVED			
BENZENE	34030	WAIVED			
CARBON TETRACHLORIDE	32102	WAIVED			
CIS-1,2-DICHLOROETHYLENE	77093	WAIVED			
DICHLOROMETHANE	34423	WAIVED			
ETHYLBENZENE	34371	WAIVED			
METHYL-TERT-BUTYL-ETHER (MTBE)	46491	WAIVED			
MONOCHLOROBENZENE	34301	WAIVED			

**Testing interval is in months;*
0 = No data for this constituent and is DUE NOW
999 = Waived testing (not required)
I = Invalid (NOT) valid analyses reported

System Number: ***2400034***

System Name: ***BUHACH PENTECOST HALL***

PS Code: ***2400034-011***

Source Name: ***WELL-NORTH EDGE (4-02)***

Source Number: ***011***

Source Status: ***ACTIVE UNTREATED***

Water type: ***GROUNDWATER OR WELL***

	STORET NUMBER	TESTING INTERVAL (MONTHS)*	LAST TEST DATE (yyyy/mm/dd)	LAST RESULT REPORTED	NEXT TEST DATE (yyyy/mm)
REGULATED VOC					
STYRENE	77128	WAIVED			
TETRACHLOROETHYLENE	34475	WAIVED			
TOLUENE	34010	WAIVED			
TRANS-1,2-DICHLOROETHYLENE	34546	WAIVED			
TRICHLOROETHYLENE	39180	WAIVED			
TRICHLOROFLUOROMETHANE	34488	WAIVED			
VINYL CHLORIDE	39175	WAIVED			
XYLENES (TOTAL)	81551	WAIVED			
SECONDARY/GP					
AGGRSSIVE INDEX (CORROSIVITY)	82383	WAIVED			
BICARBONATE ALKALINITY	00440	WAIVED			
CALCIUM	00916	WAIVED			
CARBONATE ALKALINITY	00445	WAIVED			
CHLORIDE	00940	WAIVED			
COLOR	00081	WAIVED			
COPPER	01042	WAIVED			
FOAMING AGENTS (MBAS)	38260	WAIVED			
HARDNESS (TOTAL) AS CACO3	00900	WAIVED			
HYDROXIDE ALKALINITY	71830	WAIVED			
IRON	01045	WAIVED			
MAGNESIUM	00927	WAIVED			
MANGANESE	01055	WAIVED			
ODOR THRESHOLD @ 60 C	00086	WAIVED			
PH, LABORATORY	00403	WAIVED			
SILVER	01077	WAIVED			
SODIUM	00929	WAIVED			
SPECIFIC CONDUCTANCE	00095	WAIVED			
SULFATE	00945	WAIVED			
TOTAL DISSOLVED SOLIDS	70300	WAIVED			

**Testing interval is in months;*
0 = No data for this constituent and is DUE NOW
999 = Waived testing (not required)
I = Invalid (NOT) valid analyses reported

System Number: ***2400034***

System Name: ***BUHACH PENTECOST HALL***

PS Code: ***2400034-011***

Source Name: ***WELL-NORTH EDGE (4-02)***

Source Number: ***011***

Source Status: ***ACTIVE UNTREATED***

Water type: ***GROUNDWATER OR WELL***

	STORET NUMBER	TESTING INTERVAL (MONTHS)*	LAST TEST DATE (yyyy/mm/dd)	LAST RESULT REPORTED	NEXT TEST DATE (yyyy/mm)
SECONDARY/GP					
TURBIDITY, LABORATORY	82079	WAIVED			
ZINC	01092	WAIVED			

**Testing interval is in months;*
0 = No data for this constituent and is DUE NOW
999 = Waived testing (not required)
I = Invalid (NOT) valid analyses reported

System Number: ***2400046***

System Name: ***BLACK RASCAL WATER COMPANY***

PS Code: ***2400046-001***

Source Name: ***SYSTEM WELL #1-BEHIND 2142 TEAK AVE***

Source Number: ***001***

Source Status: ***ACTIVE UNTREATED***

Water type: ***GROUNDWATER OR WELL***

	STORET NUMBER	TESTING INTERVAL (MONTHS)*	LAST TEST DATE (yyyy/mm/dd)	LAST RESULT REPORTED	NEXT TEST DATE (yyyy/mm)	
GENERAL NON CHAP 15						
DIAZINON	39570	WAIVED				
INORGANIC						
ALUMINUM	01105	000				DUE
ANTIMONY	01097	000				DUE
ARSENIC	01002	000				DUE
ASBESTOS	81855	WAIVED				
BARIUM	01007	000				DUE
BERYLLIUM	01012	000				DUE
CADMIUM	01027	000				DUE
CHROMIUM (TOTAL)	01034	000				DUE
CYANIDE	01291	WAIVED				
FLUORIDE (F) (NATURAL-SOURCE)	00951	000				DUE
LEAD	01051	WAIVED				
MERCURY	71900	000				DUE
NICKEL	01067	000				DUE
PERCHLORATE	A-031	036	2011/09/27	< .000	2014/09	
SELENIUM	01147	000				DUE
THALLIUM	01059	000				DUE
NITRATE/NITRITE						
NITRATE (AS NO3)	71850	012	2007/06/28	12.700	2008/06	DUE
NITRITE (AS N)	00620	000				DUE
RADIOLOGICAL						
GROSS ALPHA	01501	048	2005/09/29	2.400	2009/09	DUE
GROSS BETA	03501	WAIVED				
RA-226 FOR CWS OR TOTAL RA FOR NTNC BY 903.0	A-080	WAIVED				
RA-226 OR TOTAL RA BY 903.0 C.E.	A-081	WAIVED				
RADIUM 226	09501	WAIVED				
RADIUM 228	11501	WAIVED	2008/01/08	< 1.000		

**Testing interval is in months;*
0 = No data for this constituent and is DUE NOW
999 = Waived testing (not required)
I = Invalid (NOT) valid analyses reported

System Number: ***2400046***

System Name: ***BLACK RASCAL WATER COMPANY***

PS Code: ***2400046-001***

Source Name: ***SYSTEM WELL #1-BEHIND 2142 TEAK AVE***

Source Number: ***001***

Source Status: ***ACTIVE UNTREATED***

Water type: ***GROUNDWATER OR WELL***

	STORET NUMBER	TESTING INTERVAL (MONTHS)*	LAST TEST DATE (yyyy/mm/dd)	LAST RESULT REPORTED	NEXT TEST DATE (yyyy/mm)
RADIOLOGICAL					
RADIUM, TOTAL, MDA95-NTNC ONLY, BY 903.0	A-082	WAIVED			
STRONTIUM-90	13501	WAIVED			
TRITIUM	07000	WAIVED			
URANIUM (PCI/L)	28012	WAIVED			
REGULATED SOC					
2,3,7,8-TCDD (DIOXIN)	34676	WAIVED			
2,4,5-TP (SILVEX)	39045	WAIVED			
2,4-D	39730	WAIVED			
ALACHLOR	77825	000			DUE
ATRAZINE	39033	000			DUE
BENTAZON	38710	WAIVED			
BENZO (A) PYRENE	34247	WAIVED			
CARBOFURAN	81405	WAIVED			
CHLORDANE	39350	WAIVED			
DALAPON	38432	WAIVED			
DI(2-ETHYLHEXYL)ADIPATE	A-026	WAIVED			
DI(2-ETHYLHEXYL)PHTHALATE	39100	WAIVED			
DIBROMOCHLOROPROPANE (DBCP)	38761	000			DUE
DINOSEB	81287	WAIVED			
DIQUAT	78885	WAIVED			
ENDOTHALL	38926	WAIVED			
ENDRIN	39390	WAIVED			
ETHYLENE DIBROMIDE (EDB)	77651	000			DUE
GLYPHOSATE	79743	WAIVED			
HEPTACHLOR	39410	WAIVED			
HEPTACHLOR EPOXIDE	39420	WAIVED			
HEXACHLOROBENZENE	39700	WAIVED			
HEXACHLOROCYCLOPENTADIENE	34386	WAIVED			
LINDANE	39340	WAIVED			

**Testing interval is in months;*
0 = No data for this constituent and is DUE NOW
999 = Waived testing (not required)
I = Invalid (NOT) valid analyses reported

System Number: ***2400046***

System Name: ***BLACK RASCAL WATER COMPANY***

PS Code: ***2400046-001***

Source Name: ***SYSTEM WELL #1-BEHIND 2142 TEAK AVE***

Source Number: ***001***

Source Status: ***ACTIVE UNTREATED***

Water type: ***GROUNDWATER OR WELL***

	STORET NUMBER	TESTING INTERVAL (MONTHS)*	LAST TEST DATE (yyyy/mm/dd)	LAST RESULT REPORTED	NEXT TEST DATE (yyyy/mm)
REGULATED SOC					
METHOXYCHLOR	39480	WAIVED			
MOLINATE	82199	WAIVED			
OXAMYL	38865	WAIVED			
PENTACHLOROPHENOL	39032	WAIVED			
PICLORAM	39720	WAIVED			
POLYCHLORINATED BIPHENYLS, TOTAL, AS DCB	39516	WAIVED			
SIMAZINE	39055	000			DUE
THIOBENCARB	A-001	WAIVED			
TOXAPHENE	39400	WAIVED			
REGULATED VOC					
1,1,1-TRICHLOROETHANE	34506	000			DUE
1,1,2,2-TETRACHLOROETHANE	34516	000			DUE
1,1,2-TRICHLORO-1,2,2-TRIFLUOROETHANE	81611	000			DUE
1,1,2-TRICHLOROETHANE	34511	000			DUE
1,1-DICHLOROETHANE	34496	000			DUE
1,1-DICHLOROETHYLENE	34501	000			DUE
1,2,4-TRICHLOROBENZENE	34551	000			DUE
1,2-DICHLOROBENZENE	34536	000			DUE
1,2-DICHLOROETHANE	34531	000			DUE
1,2-DICHLOROPROPANE	34541	000			DUE
1,3-DICHLOROPROPENE (TOTAL)	34561	000			DUE
1,4-DICHLOROBENZENE	34571	000			DUE
BENZENE	34030	000			DUE
CARBON TETRACHLORIDE	32102	000			DUE
CIS-1,2-DICHLOROETHYLENE	77093	000			DUE
DICHLOROMETHANE	34423	000			DUE
ETHYLBENZENE	34371	000			DUE
METHYL-TERT-BUTYL-ETHER (MTBE)	46491	000			DUE
MONOCHLOROBENZENE	34301	000			DUE

**Testing interval is in months;*
0 = No data for this constituent and is DUE NOW
999 = Waived testing (not required)
I = Invalid (NOT) valid analyses reported

System Number: ***2400046***

System Name: ***BLACK RASCAL WATER COMPANY***

PS Code: ***2400046-001***

Source Name: ***SYSTEM WELL #1-BEHIND 2142 TEAK AVE***

Source Number: ***001***

Source Status: ***ACTIVE UNTREATED***

Water type: ***GROUNDWATER OR WELL***

	STORET NUMBER	TESTING INTERVAL (MONTHS)*	LAST TEST DATE (yyyy/mm/dd)	LAST RESULT REPORTED	NEXT TEST DATE (yyyy/mm)	
REGULATED VOC						
STYRENE	77128	000				DUE
TETRACHLOROETHYLENE	34475	000				DUE
TOLUENE	34010	000				DUE
TRANS-1,2-DICHLOROETHYLENE	34546	000				DUE
TRICHLOROETHYLENE	39180	000				DUE
TRICHLOROFLUOROMETHANE	34488	000				DUE
VINYL CHLORIDE	39175	000				DUE
XYLENES (TOTAL)	81551	000				DUE
SECONDARY/GP						
AGGRSSIVE INDEX (CORROSIVITY)	82383	WAIVED				
BICARBONATE ALKALINITY	00440	000				DUE
CALCIUM	00916	000				DUE
CARBONATE ALKALINITY	00445	000				DUE
CHLORIDE	00940	000				DUE
COLOR	00081	000				DUE
COPPER	01042	000				DUE
FOAMING AGENTS (MBAS)	38260	000				DUE
HARDNESS (TOTAL) AS CACO3	00900	000				DUE
HYDROXIDE ALKALINITY	71830	000				DUE
IRON	01045	000				DUE
MAGNESIUM	00927	000				DUE
MANGANESE	01055	000				DUE
ODOR THRESHOLD @ 60 C	00086	000				DUE
PH, LABORATORY	00403	000				DUE
SILVER	01077	000				DUE
SODIUM	00929	000				DUE
SPECIFIC CONDUCTANCE	00095	036	2011/09/27	360.000	2014/09	
SULFATE	00945	000				DUE
TOTAL DISSOLVED SOLIDS	70300	000				DUE

**Testing interval is in months;*
0 = No data for this constituent and is DUE NOW
999 = Waived testing (not required)
I = Invalid (NOT) valid analyses reported

System Number: ***2400046***

System Name: ***BLACK RASCAL WATER COMPANY***

PS Code: ***2400046-001***

Source Name: ***SYSTEM WELL #1-BEHIND 2142 TEAK AVE***

Source Number: ***001***

Source Status: ***ACTIVE UNTREATED***

Water type: ***GROUNDWATER OR WELL***

	STORET NUMBER	TESTING INTERVAL (MONTHS)*	LAST TEST DATE (yyyy/mm/dd)	LAST RESULT REPORTED	NEXT TEST DATE (yyyy/mm)	
SECONDARY/GP						
TURBIDITY, LABORATORY	82079	000				DUE
ZINC	01092	000				DUE

PS Code: ***2400046-002***

Source Name: ***SYSTEM WELL #2-BEHIND 1929 BROOKDALE***

Source Number: ***002***

Source Status: ***ACTIVE UNTREATED***

Water type: ***GROUNDWATER OR WELL***

GENERAL NON CHAP 15						
DIAZINON	39570	WAIVED				
INORGANIC						
ALUMINUM	01105	000				DUE
ANTIMONY	01097	000				DUE
ARSENIC	01002	000				DUE
ASBESTOS	81855	WAIVED				
BARIUM	01007	000				DUE
BERYLLIUM	01012	000				DUE
CADMIUM	01027	000				DUE
CHROMIUM (TOTAL)	01034	000				DUE
CYANIDE	01291	WAIVED				
FLUORIDE (F) (NATURAL-SOURCE)	00951	000				DUE
LEAD	01051	WAIVED				
MERCURY	71900	000				DUE
NICKEL	01067	000				DUE
PERCHLORATE	A-031	036	2008/09/08	.000	2011/09	DUE
SELENIUM	01147	000				DUE
THALLIUM	01059	000				DUE

**Testing interval is in months;*
0 = No data for this constituent and is DUE NOW
999 = Waived testing (not required)
I = Invalid (NOT) valid analyses reported

System Number: ***2400046***

System Name: ***BLACK RASCAL WATER COMPANY***

PS Code: ***2400046-002***

Source Name: ***SYSTEM WELL #2-BEHIND 1929 BROOKDALE***

Source Number: ***002***

Source Status: ***ACTIVE UNTREATED***

Water type: ***GROUNDWATER OR WELL***

	STORET NUMBER	TESTING INTERVAL (MONTHS)*	LAST TEST DATE (yyyy/mm/dd)	LAST RESULT REPORTED	NEXT TEST DATE (yyyy/mm)	
NITRATE/NITRITE						
NITRATE (AS NO3)	71850	012	2007/06/28	21.400	2008/06	DUE
NITRITE (AS N)	00620	000				DUE
RADIOLOGICAL						
GROSS ALPHA	01501	048	2005/09/29	3.570	2009/09	DUE
GROSS BETA	03501	WAIVED				
RA-226 FOR CWS OR TOTAL RA FOR NTNC BY 903.0	A-080	WAIVED				
RA-226 OR TOTAL RA BY 903.0 C.E.	A-081	WAIVED				
RADIUM 226	09501	WAIVED				
RADIUM 228	11501	WAIVED	2008/01/08	< 1.000		
RADIUM, TOTAL, MDA95-NTNC ONLY, BY 903.0	A-082	WAIVED				
STRONTIUM-90	13501	WAIVED				
TRITIUM	07000	WAIVED				
URANIUM (PCI/L)	28012	WAIVED				
REGULATED SOC						
2,3,7,8-TCDD (DIOXIN)	34676	WAIVED				
2,4,5-TP (SILVEX)	39045	WAIVED				
2,4-D	39730	WAIVED				
ALACHLOR	77825	000				DUE
ATRAZINE	39033	000				DUE
BENTAZON	38710	WAIVED				
BENZO (A) PYRENE	34247	WAIVED				
CARBOFURAN	81405	WAIVED				
CHLORDANE	39350	WAIVED				
DALAPON	38432	WAIVED				
DI(2-ETHYLHEXYL)ADIPATE	A-026	WAIVED				
DI(2-ETHYLHEXYL)PHTHALATE	39100	WAIVED				
DIBROMOCHLOROPROPANE (DBCP)	38761	000				DUE
DINOSEB	81287	WAIVED				
DIQUAT	78885	WAIVED				

**Testing interval is in months;*
0 = No data for this constituent and is DUE NOW
999 = Waived testing (not required)
I = Invalid (NOT) valid analyses reported

System Number: ***2400046***

System Name: ***BLACK RASCAL WATER COMPANY***

PS Code: ***2400046-002***

Source Name: ***SYSTEM WELL #2-BEHIND 1929 BROOKDALE***

Source Number: ***002***

Source Status: ***ACTIVE UNTREATED***

Water type: ***GROUNDWATER OR WELL***

	STORET NUMBER	TESTING INTERVAL (MONTHS)*	LAST TEST DATE (yyyy/mm/dd)	LAST RESULT REPORTED	NEXT TEST DATE (yyyy/mm)
REGULATED SOC					
ENDOTHALL	38926	WAIVED			
ENDRIN	39390	WAIVED			
ETHYLENE DIBROMIDE (EDB)	77651	000			DUE
GLYPHOSATE	79743	WAIVED			
HEPTACHLOR	39410	WAIVED			
HEPTACHLOR EPOXIDE	39420	WAIVED			
HEXACHLOROBENZENE	39700	WAIVED			
HEXACHLOROCYCLOPENTADIENE	34386	WAIVED			
LINDANE	39340	WAIVED			
METHOXYCHLOR	39480	WAIVED			
MOLINATE	82199	WAIVED			
OXAMYL	38865	WAIVED			
PENTACHLOROPHENOL	39032	WAIVED			
PICLORAM	39720	WAIVED			
POLYCHLORINATED BIPHENYLS, TOTAL, AS DCB	39516	WAIVED			
SIMAZINE	39055	000			DUE
THIOBENCARB	A-001	WAIVED			
TOXAPHENE	39400	WAIVED			
REGULATED VOC					
1,1,1-TRICHLOROETHANE	34506	000			DUE
1,1,2,2-TETRACHLOROETHANE	34516	000			DUE
1,1,2-TRICHLORO-1,2,2-TRIFLUOROETHANE	81611	000			DUE
1,1,2-TRICHLOROETHANE	34511	000			DUE
1,1-DICHLOROETHANE	34496	000			DUE
1,1-DICHLOROETHYLENE	34501	000			DUE
1,2,4-TRICHLOROBENZENE	34551	000			DUE
1,2-DICHLOROBENZENE	34536	000			DUE
1,2-DICHLOROETHANE	34531	000			DUE
1,2-DICHLOROPROPANE	34541	000			DUE

**Testing interval is in months;*
0 = No data for this constituent and is DUE NOW
999 = Waived testing (not required)
I = Invalid (NOT) valid analyses reported

System Number: ***2400046***

System Name: ***BLACK RASCAL WATER COMPANY***

PS Code: ***2400046-002***

Source Name: ***SYSTEM WELL #2-BEHIND 1929 BROOKDALE***

Source Number: ***002***

Source Status: ***ACTIVE UNTREATED***

Water type: ***GROUNDWATER OR WELL***

	STORET NUMBER	TESTING INTERVAL (MONTHS)*	LAST TEST DATE (yyyy/mm/dd)	LAST RESULT REPORTED	NEXT TEST DATE (yyyy/mm)
REGULATED VOC					
1,3-DICHLOROPROPENE (TOTAL)	34561	000			DUE
1,4-DICHLOROBENZENE	34571	000			DUE
BENZENE	34030	000			DUE
CARBON TETRACHLORIDE	32102	000			DUE
CIS-1,2-DICHLOROETHYLENE	77093	000			DUE
DICHLOROMETHANE	34423	000			DUE
ETHYLBENZENE	34371	000			DUE
METHYL-TERT-BUTYL-ETHER (MTBE)	46491	000			DUE
MONOCHLOROBENZENE	34301	000			DUE
STYRENE	77128	000			DUE
TETRACHLOROETHYLENE	34475	000			DUE
TOLUENE	34010	000			DUE
TRANS-1,2-DICHLOROETHYLENE	34546	000			DUE
TRICHLOROETHYLENE	39180	000			DUE
TRICHLOROFLUOROMETHANE	34488	000			DUE
VINYL CHLORIDE	39175	000			DUE
XYLENES (TOTAL)	81551	000			DUE
SECONDARY/GP					
AGGRSSIVE INDEX (CORROSIVITY)	82383	WAIVED			
BICARBONATE ALKALINITY	00440	000			DUE
CALCIUM	00916	000			DUE
CARBONATE ALKALINITY	00445	000			DUE
CHLORIDE	00940	000			DUE
COLOR	00081	000			DUE
COPPER	01042	000			DUE
FOAMING AGENTS (MBAS)	38260	000			DUE
HARDNESS (TOTAL) AS CACO3	00900	000			DUE
HYDROXIDE ALKALINITY	71830	000			DUE
IRON	01045	000			DUE

**Testing interval is in months;*
0 = No data for this constituent and is DUE NOW
999 = Waived testing (not required)
I = Invalid (NOT) valid analyses reported

System Number: ***2400046***

System Name: ***BLACK RASCAL WATER COMPANY***

PS Code: ***2400046-002***

Source Name: ***SYSTEM WELL #2-BEHIND 1929 BROOKDALE***

Source Number: ***002***

Source Status: ***ACTIVE UNTREATED***

Water type: ***GROUNDWATER OR WELL***

SECONDARY/GP	STORET NUMBER	TESTING INTERVAL (MONTHS)*	LAST TEST DATE (yyyy/mm/dd)	LAST RESULT REPORTED	NEXT TEST DATE (yyyy/mm)	
MAGNESIUM	00927	000				DUE
MANGANESE	01055	000				DUE
ODOR THRESHOLD @ 60 C	00086	000				DUE
PH, LABORATORY	00403	000				DUE
SILVER	01077	000				DUE
SODIUM	00929	000				DUE
SPECIFIC CONDUCTANCE	00095	036	2008/09/08	480.000	2011/09	DUE
SULFATE	00945	000				DUE
TOTAL DISSOLVED SOLIDS	70300	000				DUE
TURBIDITY, LABORATORY	82079	000				DUE
ZINC	01092	000				DUE

**Testing interval is in months;*
0 = No data for this constituent and is DUE NOW
999 = Waived testing (not required)
I = Invalid (NOT) valid analyses reported

System Number: ***2400051***

System Name: ***LIBERTY PACKING PLANT***

PS Code: ***2400051-001***

Source Name: ***WELL #1 EAST-NEAR MAINT.SHOP***

Source Number: ***001***

Source Status: ***ACTIVE UNTREATED***

Water type: ***GROUNDWATER OR WELL***

	STORET NUMBER	TESTING INTERVAL (MONTHS)*	LAST TEST DATE (yyyy/mm/dd)	LAST RESULT REPORTED	NEXT TEST DATE (yyyy/mm)	
GENERAL NON CHAP 15						
DIAZINON	39570	WAIVED	2005/06/23	.000		
INORGANIC						
ALUMINUM	01105	WAIVED	2005/06/23	.000		
ANTIMONY	01097	WAIVED	2005/06/23	.000		
ARSENIC	01002	WAIVED	2005/06/23	.000		
ASBESTOS	81855	WAIVED				
BARIUM	01007	WAIVED	2005/06/23	.000		
BERYLLIUM	01012	WAIVED	2005/06/23	.000		
CADMIUM	01027	WAIVED	2005/06/23	.000		
CHROMIUM (TOTAL)	01034	WAIVED	2005/06/23	.000		
CYANIDE	01291	WAIVED	2002/06/04	.000		
FLUORIDE (F) (NATURAL-SOURCE)	00951	WAIVED	2005/06/23	.000		
LEAD	01051	WAIVED	2002/06/04	.000		
MERCURY	71900	WAIVED	2005/06/23	.000		
NICKEL	01067	WAIVED	2005/06/23	.000		
PERCHLORATE	A-031	WAIVED				
SELENIUM	01147	WAIVED	2005/06/23	.000		
THALLIUM	01059	WAIVED	2005/06/23	.000		
NITRATE/NITRITE						
NITRATE (AS NO3)	71850	012	2005/06/23	13.000	2006/06	DUE
NITRITE (AS N)	00620	036	2005/06/23	.000	2008/06	DUE
RADIOLOGICAL						
GROSS ALPHA	01501	WAIVED	2005/06/23	2.000		
GROSS BETA	03501	WAIVED				
RA-226 FOR CWS OR TOTAL RA FOR NTNC BY 903.0	A-080	WAIVED				
RA-226 OR TOTAL RA BY 903.0 C.E.	A-081	WAIVED				
RADIUM 226	09501	WAIVED				
RADIUM 228	11501	WAIVED				

**Testing interval is in months;*
0 = No data for this constituent and is DUE NOW
999 = Waived testing (not required)
I = Invalid (NOT) valid analyses reported

System Number: ***2400051***

System Name: ***LIBERTY PACKING PLANT***

PS Code: ***2400051-001***

Source Name: ***WELL #1 EAST-NEAR MAINT.SHOP***

Source Number: ***001***

Source Status: ***ACTIVE UNTREATED***

Water type: ***GROUNDWATER OR WELL***

	STORET NUMBER	TESTING INTERVAL (MONTHS)*	LAST TEST DATE (yyyy/mm/dd)	LAST RESULT REPORTED	NEXT TEST DATE (yyyy/mm)
RADIOLOGICAL					
RADIUM, TOTAL, MDA95-NTNC ONLY, BY 903.0	A-082	WAIVED			
STRONTIUM-90	13501	WAIVED			
TRITIUM	07000	WAIVED			
URANIUM (PCI/L)	28012	WAIVED			
REGULATED SOC					
2,3,7,8-TCDD (DIOXIN)	34676	WAIVED			
2,4,5-TP (SILVEX)	39045	WAIVED	2005/06/23	.000	
2,4-D	39730	WAIVED	2005/06/23	.000	
ALACHLOR	77825	WAIVED	2005/06/23	.000	
ATRAZINE	39033	WAIVED	2005/06/23	.000	
BENTAZON	38710	WAIVED	2005/06/23	.000	
BENZO (A) PYRENE	34247	WAIVED	2005/06/23	.000	
CARBOFURAN	81405	WAIVED	2005/06/23	.000	
CHLORDANE	39350	WAIVED	2005/06/23	.000	
DALAPON	38432	WAIVED	2005/06/23	.000	
DI(2-ETHYLHEXYL)ADIPATE	A-026	WAIVED	2005/06/23	.000	
DI(2-ETHYLHEXYL)PHTHALATE	39100	WAIVED	2005/06/23	.000	
DIBROMOCHLOROPROPANE (DBCP)	38761	WAIVED	2002/04/17	.000	
DINOSEB	81287	WAIVED	2005/06/23	.000	
DIQUAT	78885	WAIVED	2005/06/23	.000	
ENDOTHALL	38926	WAIVED	2005/06/23	.000	
ENDRIN	39390	WAIVED	2005/06/23	.000	
ETHYLENE DIBROMIDE (EDB)	77651	WAIVED	2002/04/17	.000	
GLYPHOSATE	79743	WAIVED	2005/06/23	.000	
HEPTACHLOR	39410	WAIVED	2005/06/23	.000	
HEPTACHLOR EPOXIDE	39420	WAIVED	2005/06/23	.000	
HEXACHLOROBENZENE	39700	WAIVED	2005/06/23	.000	
HEXACHLOROCYCLOPENTADIENE	34386	WAIVED	2005/06/23	.000	
LINDANE	39340	WAIVED	2005/06/23	.000	

**Testing interval is in months;*
0 = No data for this constituent and is DUE NOW
999 = Waived testing (not required)
I = Invalid (NOT) valid analyses reported

System Number: ***2400051***

System Name: ***LIBERTY PACKING PLANT***

PS Code: ***2400051-001***

Source Name: ***WELL #1 EAST-NEAR MAINT.SHOP***

Source Number: ***001***

Source Status: ***ACTIVE UNTREATED***

Water type: ***GROUNDWATER OR WELL***

	STORET NUMBER	TESTING INTERVAL (MONTHS)*	LAST TEST DATE (yyyy/mm/dd)	LAST RESULT REPORTED	NEXT TEST DATE (yyyy/mm)
REGULATED SOC					
METHOXYCHLOR	39480	WAIVED	2005/06/23	.000	
MOLINATE	82199	WAIVED	2005/06/23	.000	
OXAMYL	38865	WAIVED	2005/06/23	.000	
PENTACHLOROPHENOL	39032	WAIVED	2005/06/23	.000	
PICLORAM	39720	WAIVED	2005/06/23	.000	
POLYCHLORINATED BIPHENYLS, TOTAL, AS DCB	39516	WAIVED	2005/06/23	.000	
SIMAZINE	39055	WAIVED	2005/06/23	.000	
THIOBENCARB	A-001	WAIVED	2005/06/23	.000	
TOXAPHENE	39400	WAIVED	2005/06/23	.000	
REGULATED VOC					
1,1,1-TRICHLOROETHANE	34506	WAIVED	2002/06/04	.000	
1,1,2,2-TETRACHLOROETHANE	34516	WAIVED	2002/06/04	.000	
1,1,2-TRICHLORO-1,2,2-TRIFLUOROETHANE	81611	WAIVED	2002/06/04	.000	
1,1,2-TRICHLOROETHANE	34511	WAIVED	2002/06/04	.000	
1,1-DICHLOROETHANE	34496	WAIVED	2002/06/04	.000	
1,1-DICHLOROETHYLENE	34501	WAIVED	2002/06/04	.000	
1,2,4-TRICHLOROBENZENE	34551	WAIVED	2002/06/04	.000	
1,2-DICHLOROBENZENE	34536	WAIVED	2002/06/04	.000	
1,2-DICHLOROETHANE	34531	WAIVED	2002/06/04	.000	
1,2-DICHLOROPROPANE	34541	WAIVED	2002/06/04	.000	
1,3-DICHLOROPROPENE (TOTAL)	34561	WAIVED	2002/06/04	.000	
1,4-DICHLOROBENZENE	34571	WAIVED	2002/06/04	.000	
BENZENE	34030	WAIVED	2002/06/04	.000	
CARBON TETRACHLORIDE	32102	WAIVED	2002/06/04	.000	
CIS-1,2-DICHLOROETHYLENE	77093	WAIVED	2002/06/04	.000	
DICHLOROMETHANE	34423	WAIVED	2002/06/04	.000	
ETHYLBENZENE	34371	WAIVED	2002/06/04	.000	
METHYL-TERT-BUTYL-ETHER (MTBE)	46491	WAIVED	2002/06/04	.000	
MONOCHLOROBENZENE	34301	WAIVED	2002/06/04	.000	

**Testing interval is in months;*
0 = No data for this constituent and is DUE NOW
999 = Waived testing (not required)
I = Invalid (NOT) valid analyses reported

System Number: ***2400051***

System Name: ***LIBERTY PACKING PLANT***

PS Code: ***2400051-001***

Source Name: ***WELL #1 EAST-NEAR MAINT.SHOP***

Source Number: ***001***

Source Status: ***ACTIVE UNTREATED***

Water type: ***GROUNDWATER OR WELL***

	STORET NUMBER	TESTING INTERVAL (MONTHS)*	LAST TEST DATE (yyyy/mm/dd)	LAST RESULT REPORTED	NEXT TEST DATE (yyyy/mm)
REGULATED VOC					
STYRENE	77128	WAIVED	2002/06/04	.000	
TETRACHLOROETHYLENE	34475	WAIVED	2002/06/04	.000	
TOLUENE	34010	WAIVED	2002/06/04	.000	
TRANS-1,2-DICHLOROETHYLENE	34546	WAIVED	2002/06/04	.000	
TRICHLOROETHYLENE	39180	WAIVED	2002/06/04	.000	
TRICHLOROFLUOROMETHANE	34488	WAIVED	2002/06/04	.000	
VINYL CHLORIDE	39175	WAIVED	2002/06/04	.000	
XYLENES (TOTAL)	81551	WAIVED	2002/06/04	.000	
SECONDARY/GP					
AGGRSSIVE INDEX (CORROSIVITY)	82383	WAIVED	2005/06/23	12.290	
BICARBONATE ALKALINITY	00440	WAIVED	2005/06/23	293.000	
CALCIUM	00916	WAIVED	2005/06/23	64.000	
CARBONATE ALKALINITY	00445	WAIVED	2005/06/23	.000	
CHLORIDE	00940	WAIVED	2005/06/23	158.000	
COLOR	00081	WAIVED	2005/06/23	< 3.000	
COPPER	01042	WAIVED	2005/06/23	.000	
FOAMING AGENTS (MBAS)	38260	WAIVED	2005/06/23	.000	
HARDNESS (TOTAL) AS CACO3	00900	WAIVED	2005/06/23	259.000	
HYDROXIDE ALKALINITY	71830	WAIVED	2005/06/23	.000	
IRON	01045	WAIVED	2005/06/23	308.000	
MAGNESIUM	00927	WAIVED	2005/06/23	24.000	
MANGANESE	01055	WAIVED	2005/06/23	.000	
ODOR THRESHOLD @ 60 C	00086	WAIVED	2005/06/23	< 1.000	
PH, LABORATORY	00403	WAIVED	2005/06/23	7.700	
SILVER	01077	WAIVED	2005/06/23	.000	
SODIUM	00929	WAIVED	2005/06/23	161.000	
SPECIFIC CONDUCTANCE	00095	WAIVED	2005/06/23	1270.000	
SULFATE	00945	WAIVED	2005/06/23	67.000	
TOTAL DISSOLVED SOLIDS	70300	WAIVED	2005/06/23	990.000	

**Testing interval is in months;*
0 = No data for this constituent and is DUE NOW
999 = Waived testing (not required)
I = Invalid (NOT) valid analyses reported

System Number: ***2400051***

System Name: ***LIBERTY PACKING PLANT***

PS Code: ***2400051-001***

Source Name: ***WELL #1 EAST-NEAR MAINT.SHOP***

Source Number: ***001***

Source Status: ***ACTIVE UNTREATED***

Water type: ***GROUNDWATER OR WELL***

	STORET NUMBER	TESTING INTERVAL (MONTHS)*	LAST TEST DATE (yyyy/mm/dd)	LAST RESULT REPORTED	NEXT TEST DATE (yyyy/mm)
SECONDARY/GP					
TURBIDITY, LABORATORY	82079	WAIVED	2005/06/23	.140	
ZINC	01092	WAIVED	2005/06/23	.000	

PS Code: ***2400051-012***

Source Name: ***WELL #3 SW CORNER***

Source Number: ***012***

Source Status: ***ACTIVE UNTREATED***

Water type: ***GROUNDWATER OR WELL***

GENERAL NON CHAP 15					
DIAZINON	39570	WAIVED	2005/06/23	.000	
INORGANIC					
ALUMINUM	01105	WAIVED	2005/06/23	.000	
ANTIMONY	01097	WAIVED	2005/06/23	.000	
ARSENIC	01002	WAIVED	2005/06/23	.000	
ASBESTOS	81855	WAIVED			
BARIUM	01007	WAIVED	2005/06/23	.000	
BERYLLIUM	01012	WAIVED	2005/06/23	.000	
CADMIUM	01027	WAIVED	2005/06/23	.000	
CHROMIUM (TOTAL)	01034	WAIVED	2005/06/23	.000	
CYANIDE	01291	WAIVED			
FLUORIDE (F) (NATURAL-SOURCE)	00951	WAIVED	2005/06/23	.000	
LEAD	01051	WAIVED			
MERCURY	71900	WAIVED	2005/06/23	.000	
NICKEL	01067	WAIVED	2005/06/23	.000	
PERCHLORATE	A-031	WAIVED			
SELENIUM	01147	WAIVED	2005/06/23	.000	
THALLIUM	01059	WAIVED	2005/06/23	.000	

**Testing interval is in months;*
0 = No data for this constituent and is DUE NOW
999 = Waived testing (not required)
I = Invalid (NOT) valid analyses reported

System Number: ***2400051***

System Name: ***LIBERTY PACKING PLANT***

PS Code: ***2400051-012***

Source Name: ***WELL #3 SW CORNER***

Source Number: ***012***

Source Status: ***ACTIVE UNTREATED***

Water type: ***GROUNDWATER OR WELL***

	STORET NUMBER	TESTING INTERVAL (MONTHS)*	LAST TEST DATE (yyyy/mm/dd)	LAST RESULT REPORTED	NEXT TEST DATE (yyyy/mm)	
NITRATE/NITRITE						
NITRATE (AS NO3)	**71850**	**012**	**2005/06/23**	**8.000**	**2006/06**	**DUE**
NITRITE (AS N)	**00620**	**036**	**2005/06/23**	**.000**	**2008/06**	**DUE**
RADIOLOGICAL						
GROSS ALPHA	**01501**	**WAIVED**	2005/06/23	**.980**		
GROSS BETA	**03501**	**WAIVED**				
RA-226 FOR CWS OR TOTAL RA FOR NTNC BY 903.0	**A-080**	**WAIVED**				
RA-226 OR TOTAL RA BY 903.0 C.E.	**A-081**	**WAIVED**				
RADIUM 226	**09501**	**WAIVED**				
RADIUM 228	**11501**	**WAIVED**				
RADIUM, TOTAL, MDA95-NTNC ONLY, BY 903.0	**A-082**	**WAIVED**				
STRONTIUM-90	**13501**	**WAIVED**				
TRITIUM	**07000**	**WAIVED**				
URANIUM (PCI/L)	**28012**	**WAIVED**				
REGULATED SOC						
2,3,7,8-TCDD (DIOXIN)	**34676**	**WAIVED**				
2,4,5-TP (SILVEX)	**39045**	**WAIVED**	2005/06/23	**.000**		
2,4-D	**39730**	**WAIVED**	2005/06/23	**.000**		
ALACHLOR	**77825**	**WAIVED**	2005/06/23	**.000**		
ATRAZINE	**39033**	**WAIVED**	2005/06/23	**.000**		
BENTAZON	**38710**	**WAIVED**	2005/06/23	**.000**		
BENZO (A) PYRENE	**34247**	**WAIVED**	2005/06/23	**.000**		
CARBOFURAN	**81405**	**WAIVED**	2005/06/23	**.000**		
CHLORDANE	**39350**	**WAIVED**	2005/06/23	**.000**		
DALAPON	**38432**	**WAIVED**	2005/06/23	**.000**		
DI(2-ETHYLHEXYL)ADIPATE	**A-026**	**WAIVED**	2005/06/23	**.000**		
DI(2-ETHYLHEXYL)PHTHALATE	**39100**	**WAIVED**	2005/06/23	**.000**		
DIBROMOCHLOROPROPANE (DBCP)	**38761**	**WAIVED**				
DINOSEB	**81287**	**WAIVED**	2005/06/23	**.000**		
DIQUAT	**78885**	**WAIVED**	2005/06/23	**.000**		

**Testing interval is in months;*
0 = No data for this constituent and is DUE NOW
999 = Waived testing (not required)
I = Invalid (NOT) valid analyses reported

System Number: ***2400051***

System Name: ***LIBERTY PACKING PLANT***

PS Code: ***2400051-012***

Source Name: ***WELL #3 SW CORNER***

Source Number: ***012***

Source Status: ***ACTIVE UNTREATED***

Water type: ***GROUNDWATER OR WELL***

	STORET NUMBER	TESTING INTERVAL (MONTHS)*	LAST TEST DATE (yyyy/mm/dd)	LAST RESULT REPORTED	NEXT TEST DATE (yyyy/mm)
REGULATED SOC					
ENDOTHALL	38926	WAIVED	2005/06/23	.000	
ENDRIN	39390	WAIVED	2005/06/23	.000	
ETHYLENE DIBROMIDE (EDB)	77651	WAIVED			
GLYPHOSATE	79743	WAIVED	2005/06/23	.000	
HEPTACHLOR	39410	WAIVED	2005/06/23	.000	
HEPTACHLOR EPOXIDE	39420	WAIVED	2005/06/23	.000	
HEXACHLOROBENZENE	39700	WAIVED	2005/06/23	.000	
HEXACHLOROCYCLOPENTADIENE	34386	WAIVED	2005/06/23	.000	
LINDANE	39340	WAIVED	2005/06/23	.000	
METHOXYCHLOR	39480	WAIVED	2005/06/23	.000	
MOLINATE	82199	WAIVED	2005/06/23	.000	
OXAMYL	38865	WAIVED	2005/06/23	.000	
PENTACHLOROPHENOL	39032	WAIVED	2005/06/23	.000	
PICLORAM	39720	WAIVED	2005/06/23	.000	
POLYCHLORINATED BIPHENYLS, TOTAL, AS DCB	39516	WAIVED	2005/06/23	.000	
SIMAZINE	39055	WAIVED	2005/06/23	.000	
THIOBENCARB	A-001	WAIVED	2005/06/23	.000	
TOXAPHENE	39400	WAIVED	2005/06/23	.000	
REGULATED VOC					
1,1,1-TRICHLOROETHANE	34506	WAIVED			
1,1,2,2-TETRACHLOROETHANE	34516	WAIVED			
1,1,2-TRICHLORO-1,2,2-TRIFLUOROETHANE	81611	WAIVED			
1,1,2-TRICHLOROETHANE	34511	WAIVED			
1,1-DICHLOROETHANE	34496	WAIVED			
1,1-DICHLOROETHYLENE	34501	WAIVED			
1,2,4-TRICHLOROBENZENE	34551	WAIVED			
1,2-DICHLOROBENZENE	34536	WAIVED			
1,2-DICHLOROETHANE	34531	WAIVED			
1,2-DICHLOROPROPANE	34541	WAIVED			

**Testing interval is in months;*
0 = No data for this constituent and is DUE NOW
999 = Waived testing (not required)
I = Invalid (NOT) valid analyses reported

System Number: ***2400051***

System Name: ***LIBERTY PACKING PLANT***

PS Code: ***2400051-012***

Source Name: ***WELL #3 SW CORNER***

Source Number: ***012***

Source Status: ***ACTIVE UNTREATED***

Water type: ***GROUNDWATER OR WELL***

	STORET NUMBER	TESTING INTERVAL (MONTHS)*	LAST TEST DATE (yyyy/mm/dd)	LAST RESULT REPORTED	NEXT TEST DATE (yyyy/mm)
REGULATED VOC					
1,3-DICHLOROPROPENE (TOTAL)	34561	WAIVED			
1,4-DICHLOROBENZENE	34571	WAIVED			
BENZENE	34030	WAIVED			
CARBON TETRACHLORIDE	32102	WAIVED			
CIS-1,2-DICHLOROETHYLENE	77093	WAIVED			
DICHLOROMETHANE	34423	WAIVED			
ETHYLBENZENE	34371	WAIVED			
METHYL-TERT-BUTYL-ETHER (MTBE)	46491	WAIVED			
MONOCHLOROBENZENE	34301	WAIVED			
STYRENE	77128	WAIVED			
TETRACHLOROETHYLENE	34475	WAIVED			
TOLUENE	34010	WAIVED			
TRANS-1,2-DICHLOROETHYLENE	34546	WAIVED			
TRICHLOROETHYLENE	39180	WAIVED			
TRICHLOROFLUOROMETHANE	34488	WAIVED			
VINYL CHLORIDE	39175	WAIVED			
XYLENES (TOTAL)	81551	WAIVED			
SECONDARY/GP					
AGGRSSIVE INDEX (CORROSIVITY)	82383	WAIVED	2005/06/23	12.400	
BICARBONATE ALKALINITY	00440	WAIVED	2005/06/23	360.000	
CALCIUM	00916	WAIVED	2005/06/23	67.000	
CARBONATE ALKALINITY	00445	WAIVED	2005/06/23	.000	
CHLORIDE	00940	WAIVED	2005/06/23	165.000	
COLOR	00081	WAIVED	2005/06/23	< 3.000	
COPPER	01042	WAIVED	2005/06/23	.000	
FOAMING AGENTS (MBAS)	38260	WAIVED	2005/06/23	.000	
HARDNESS (TOTAL) AS CACO3	00900	WAIVED	2005/06/23	278.000	
HYDROXIDE ALKALINITY	71830	WAIVED	2005/06/23	.000	
IRON	01045	WAIVED	2005/06/23	286.000	

**Testing interval is in months;*
0 = No data for this constituent and is DUE NOW
999 = Waived testing (not required)
I = Invalid (NOT) valid analyses reported

System Number: ***2400051***

System Name: ***LIBERTY PACKING PLANT***

PS Code: ***2400051-012***

Source Name: ***WELL #3 SW CORNER***

Source Number: ***012***

Source Status: ***ACTIVE UNTREATED***

Water type: ***GROUNDWATER OR WELL***

SECONDARY/GP

	STORET NUMBER	TESTING INTERVAL (MONTHS)*	LAST TEST DATE (yyyy/mm/dd)	LAST RESULT REPORTED	NEXT TEST DATE (yyyy/mm)
MAGNESIUM	00927	WAIVED	2005/06/23	27.000	
MANGANESE	01055	WAIVED	2005/06/23	.000	
ODOR THRESHOLD @ 60 C	00086	WAIVED	2005/06/23	< 1.000	
PH, LABORATORY	00403	WAIVED	2005/06/23	7.700	
SILVER	01077	WAIVED	2005/06/23	.000	
SODIUM	00929	WAIVED	2005/06/23	187.000	
SPECIFIC CONDUCTANCE	00095	WAIVED	2005/06/23	1400.000	
SULFATE	00945	WAIVED	2005/06/23	77.000	
TOTAL DISSOLVED SOLIDS	70300	WAIVED	2005/06/23	1630.000	
TURBIDITY, LABORATORY	82079	WAIVED	2005/06/23	.080	
ZINC	01092	WAIVED	2005/06/23	.000	

PS Code: ***2400051-013***

Source Name: ***WELL #4 NW CORNER***

Source Number: ***013***

Source Status: ***ACTIVE UNTREATED***

Water type: ***GROUNDWATER OR WELL***

GENERAL NON CHAP 15

DIAZINON	39570	WAIVED

INORGANIC

ALUMINUM	01105	WAIVED
ANTIMONY	01097	WAIVED
ARSENIC	01002	WAIVED
ASBESTOS	81855	WAIVED
BARIUM	01007	WAIVED
BERYLLIUM	01012	WAIVED
CADMIUM	01027	WAIVED
CHROMIUM (TOTAL)	01034	WAIVED
CYANIDE	01291	WAIVED

**Testing interval is in months;*
0 = No data for this constituent and is DUE NOW
999 = Waived testing (not required)
I = Invalid (NOT) valid analyses reported

System Number: ***2400051***

System Name: ***LIBERTY PACKING PLANT***

PS Code: ***2400051-013***

Source Name: ***WELL #4 NW CORNER***

Source Number: ***013***

Source Status: ***ACTIVE UNTREATED***

Water type: ***GROUNDWATER OR WELL***

	STORET NUMBER	TESTING INTERVAL (MONTHS)*	LAST TEST DATE (yyyy/mm/dd)	LAST RESULT REPORTED	NEXT TEST DATE (yyyy/mm)
INORGANIC					
FLUORIDE (F) (NATURAL-SOURCE)	00951	WAIVED			
LEAD	01051	WAIVED			
MERCURY	71900	WAIVED			
NICKEL	01067	WAIVED			
PERCHLORATE	A-031	WAIVED			
SELENIUM	01147	WAIVED			
THALLIUM	01059	WAIVED			
NITRATE/NITRITE					
NITRATE (AS NO3)	71850	000			DUE
NITRITE (AS N)	00620	000			DUE
RADIOLOGICAL					
GROSS ALPHA	01501	WAIVED			
GROSS BETA	03501	WAIVED			
RA-226 FOR CWS OR TOTAL RA FOR NTNC BY 903.0	A-080	WAIVED			
RA-226 OR TOTAL RA BY 903.0 C.E.	A-081	WAIVED			
RADIUM 226	09501	WAIVED			
RADIUM 228	11501	WAIVED			
RADIUM, TOTAL, MDA95-NTNC ONLY, BY 903.0	A-082	WAIVED			
STRONTIUM-90	13501	WAIVED			
TRITIUM	07000	WAIVED			
URANIUM (PCI/L)	28012	WAIVED			
REGULATED SOC					
2,3,7,8-TCDD (DIOXIN)	34676	WAIVED			
2,4,5-TP (SILVEX)	39045	WAIVED			
2,4-D	39730	WAIVED			
ALACHLOR	77825	WAIVED			
ATRAZINE	39033	WAIVED			
BENTAZON	38710	WAIVED			

**Testing interval is in months;*
0 = No data for this constituent and is DUE NOW
999 = Waived testing (not required)
I = Invalid (NOT) valid analyses reported

System Number: ***2400051***

System Name: ***LIBERTY PACKING PLANT***

PS Code: ***2400051-013***

Source Name: ***WELL #4 NW CORNER***

Source Number: ***013***

Source Status: ***ACTIVE UNTREATED***

Water type: ***GROUNDWATER OR WELL***

	STORET NUMBER	TESTING INTERVAL (MONTHS)*	LAST TEST DATE (yyyy/mm/dd)	LAST RESULT REPORTED	NEXT TEST DATE (yyyy/mm)
REGULATED SOC					
BENZO (A) PYRENE	34247	WAIVED			
CARBOFURAN	81405	WAIVED			
CHLORDANE	39350	WAIVED			
DALAPON	38432	WAIVED			
DI(2-ETHYLHEXYL)ADIPATE	A-026	WAIVED			
DI(2-ETHYLHEXYL)PHTHALATE	39100	WAIVED			
DIBROMOCHLOROPROPANE (DBCP)	38761	WAIVED			
DINOSEB	81287	WAIVED			
DIQUAT	78885	WAIVED			
ENDOTHALL	38926	WAIVED			
ENDRIN	39390	WAIVED			
ETHYLENE DIBROMIDE (EDB)	77651	WAIVED			
GLYPHOSATE	79743	WAIVED			
HEPTACHLOR	39410	WAIVED			
HEPTACHLOR EPOXIDE	39420	WAIVED			
HEXACHLOROBENZENE	39700	WAIVED			
HEXACHLOROCYCLOPENTADIENE	34386	WAIVED			
LINDANE	39340	WAIVED			
METHOXYCHLOR	39480	WAIVED			
MOLINATE	82199	WAIVED			
OXAMYL	38865	WAIVED			
PENTACHLOROPHENOL	39032	WAIVED			
PICLORAM	39720	WAIVED			
POLYCHLORINATED BIPHENYLS, TOTAL, AS DCB	39516	WAIVED			
SIMAZINE	39055	WAIVED			
THIOBENCARB	A-001	WAIVED			
TOXAPHENE	39400	WAIVED			
REGULATED VOC					
1,1,1-TRICHLOROETHANE	34506	WAIVED			

**Testing interval is in months;*
0 = No data for this constituent and is DUE NOW
999 = Waived testing (not required)
I = Invalid (NOT) valid analyses reported

System Number: ***2400051***

System Name: ***LIBERTY PACKING PLANT***

PS Code: ***2400051-013***

Source Name: ***WELL #4 NW CORNER***

Source Number: ***013***

Source Status: ***ACTIVE UNTREATED***

Water type: ***GROUNDWATER OR WELL***

	STORET NUMBER	TESTING INTERVAL (MONTHS)*	LAST TEST DATE (yyyy/mm/dd)	LAST RESULT REPORTED	NEXT TEST DATE (yyyy/mm)
REGULATED VOC					
1,1,2,2-TETRACHLOROETHANE	34516	WAIVED			
1,1,2-TRICHLORO-1,2,2-TRIFLUOROETHANE	81611	WAIVED			
1,1,2-TRICHLOROETHANE	34511	WAIVED			
1,1-DICHLOROETHANE	34496	WAIVED			
1,1-DICHLOROETHYLENE	34501	WAIVED			
1,2,4-TRICHLOROBENZENE	34551	WAIVED			
1,2-DICHLOROBENZENE	34536	WAIVED			
1,2-DICHLOROETHANE	34531	WAIVED			
1,2-DICHLOROPROPANE	34541	WAIVED			
1,3-DICHLOROPROPENE (TOTAL)	34561	WAIVED			
1,4-DICHLOROBENZENE	34571	WAIVED			
BENZENE	34030	WAIVED			
CARBON TETRACHLORIDE	32102	WAIVED			
CIS-1,2-DICHLOROETHYLENE	77093	WAIVED			
DICHLOROMETHANE	34423	WAIVED			
ETHYLBENZENE	34371	WAIVED			
METHYL-TERT-BUTYL-ETHER (MTBE)	46491	WAIVED			
MONOCHLOROBENZENE	34301	WAIVED			
STYRENE	77128	WAIVED			
TETRACHLOROETHYLENE	34475	WAIVED			
TOLUENE	34010	WAIVED			
TRANS-1,2-DICHLOROETHYLENE	34546	WAIVED			
TRICHLOROETHYLENE	39180	WAIVED			
TRICHLOROFLUOROMETHANE	34488	WAIVED			
VINYL CHLORIDE	39175	WAIVED			
XYLENES (TOTAL)	81551	WAIVED			
SECONDARY/GP					
AGGRSSIVE INDEX (CORROSIVITY)	82383	WAIVED			
BICARBONATE ALKALINITY	00440	WAIVED			

**Testing interval is in months;*
0 = No data for this constituent and is DUE NOW
999 = Waived testing (not required)
I = Invalid (NOT) valid analyses reported

System Number: ***2400051***

System Name: ***LIBERTY PACKING PLANT***

PS Code: ***2400051-013***

Source Name: ***WELL #4 NW CORNER***

Source Number: ***013***

Source Status: ***ACTIVE UNTREATED***

Water type: ***GROUNDWATER OR WELL***

SECONDARY/GP

	STORET NUMBER	TESTING INTERVAL (MONTHS)*	LAST TEST DATE (yyyy/mm/dd)	LAST RESULT REPORTED	NEXT TEST DATE (yyyy/mm)
CALCIUM	00916	WAIVED			
CARBONATE ALKALINITY	00445	WAIVED			
CHLORIDE	00940	WAIVED			
COLOR	00081	WAIVED			
COPPER	01042	WAIVED			
FOAMING AGENTS (MBAS)	38260	WAIVED			
HARDNESS (TOTAL) AS CACO3	00900	WAIVED			
HYDROXIDE ALKALINITY	71830	WAIVED			
IRON	01045	WAIVED			
MAGNESIUM	00927	WAIVED			
MANGANESE	01055	WAIVED			
ODOR THRESHOLD @ 60 C	00086	WAIVED			
PH, LABORATORY	00403	WAIVED			
SILVER	01077	WAIVED			
SODIUM	00929	WAIVED			
SPECIFIC CONDUCTANCE	00095	WAIVED			
SULFATE	00945	WAIVED			
TOTAL DISSOLVED SOLIDS	70300	WAIVED			
TURBIDITY, LABORATORY	82079	WAIVED			
ZINC	01092	WAIVED			

PS Code: ***2400051-014***

Source Name: ***WELL #5 W SIDE***

Source Number: ***014***

Source Status: ***ACTIVE UNTREATED***

Water type: ***GROUNDWATER OR WELL***

GENERAL NON CHAP 15

DIAZINON	39570	WAIVED			

**Testing interval is in months;*
0 = No data for this constituent and is DUE NOW
999 = Waived testing (not required)
I = Invalid (NOT) valid analyses reported

System Number: ***2400051***

System Name: ***LIBERTY PACKING PLANT***

PS Code: ***2400051-014***

Source Name: ***WELL #5 W SIDE***

Source Number: ***014***

Source Status: ***ACTIVE UNTREATED***

Water type: ***GROUNDWATER OR WELL***

	STORET NUMBER	TESTING INTERVAL (MONTHS)*	LAST TEST DATE (yyyy/mm/dd)	LAST RESULT REPORTED	NEXT TEST DATE (yyyy/mm)
INORGANIC					
ALUMINUM	01105	WAIVED			
ANTIMONY	01097	WAIVED			
ARSENIC	01002	WAIVED			
ASBESTOS	81855	WAIVED			
BARIUM	01007	WAIVED			
BERYLLIUM	01012	WAIVED			
CADMIUM	01027	WAIVED			
CHROMIUM (TOTAL)	01034	WAIVED			
CYANIDE	01291	WAIVED			
FLUORIDE (F) (NATURAL-SOURCE)	00951	WAIVED			
LEAD	01051	WAIVED			
MERCURY	71900	WAIVED			
NICKEL	01067	WAIVED			
PERCHLORATE	A-031	WAIVED			
SELENIUM	01147	WAIVED			
THALLIUM	01059	WAIVED			
NITRATE/NITRITE					
NITRATE (AS NO3)	71850	000			DUE
NITRITE (AS N)	00620	000			DUE
RADIOLOGICAL					
GROSS ALPHA	01501	WAIVED			
GROSS BETA	03501	WAIVED			
RA-226 FOR CWS OR TOTAL RA FOR NTNC BY 903.0	A-080	WAIVED			
RA-226 OR TOTAL RA BY 903.0 C.E.	A-081	WAIVED			
RADIUM 226	09501	WAIVED			
RADIUM 228	11501	WAIVED			
RADIUM, TOTAL, MDA95-NTNC ONLY, BY 903.0	A-082	WAIVED			
STRONTIUM-90	13501	WAIVED			
TRITIUM	07000	WAIVED			

**Testing interval is in months;*
0 = No data for this constituent and is DUE NOW
999 = Waived testing (not required)
I = Invalid (NOT) valid analyses reported

System Number: ***2400051***

System Name: ***LIBERTY PACKING PLANT***

PS Code: ***2400051-014***

Source Name: ***WELL #5 W SIDE***

Source Number: ***014***

Source Status: ***ACTIVE UNTREATED***

Water type: ***GROUNDWATER OR WELL***

	STORET NUMBER	TESTING INTERVAL (MONTHS)*	LAST TEST DATE (yyyy/mm/dd)	LAST RESULT REPORTED	NEXT TEST DATE (yyyy/mm)
RADIOLOGICAL					
URANIUM (PCI/L)	28012	WAIVED			
REGULATED SOC					
2,3,7,8-TCDD (DIOXIN)	34676	WAIVED			
2,4,5-TP (SILVEX)	39045	WAIVED			
2,4-D	39730	WAIVED			
ALACHLOR	77825	WAIVED			
ATRAZINE	39033	WAIVED			
BENTAZON	38710	WAIVED			
BENZO (A) PYRENE	34247	WAIVED			
CARBOFURAN	81405	WAIVED			
CHLORDANE	39350	WAIVED			
DALAPON	38432	WAIVED			
DI(2-ETHYLHEXYL)ADIPATE	A-026	WAIVED			
DI(2-ETHYLHEXYL)PHTHALATE	39100	WAIVED			
DIBROMOCHLOROPROPANE (DBCP)	38761	WAIVED			
DINOSEB	81287	WAIVED			
DIQUAT	78885	WAIVED			
ENDOTHALL	38926	WAIVED			
ENDRIN	39390	WAIVED			
ETHYLENE DIBROMIDE (EDB)	77651	WAIVED			
GLYPHOSATE	79743	WAIVED			
HEPTACHLOR	39410	WAIVED			
HEPTACHLOR EPOXIDE	39420	WAIVED			
HEXACHLOROBENZENE	39700	WAIVED			
HEXACHLOROCYCLOPENTADIENE	34386	WAIVED			
LINDANE	39340	WAIVED			
METHOXYCHLOR	39480	WAIVED			
MOLINATE	82199	WAIVED			
OXAMYL	38865	WAIVED			

**Testing interval is in months;*
0 = No data for this constituent and is DUE NOW
999 = Waived testing (not required)
I = Invalid (NOT) valid analyses reported

System Number: ***2400051***

System Name: ***LIBERTY PACKING PLANT***

PS Code: ***2400051-014***

Source Name: ***WELL #5 W SIDE***

Source Number: ***014***

Source Status: ***ACTIVE UNTREATED***

Water type: ***GROUNDWATER OR WELL***

	STORET NUMBER	TESTING INTERVAL (MONTHS)*	LAST TEST DATE (yyyy/mm/dd)	LAST RESULT REPORTED	NEXT TEST DATE (yyyy/mm)
REGULATED SOC					
PENTACHLOROPHENOL	39032	WAIVED			
PICLORAM	39720	WAIVED			
POLYCHLORINATED BIPHENYLS, TOTAL, AS DCB	39516	WAIVED			
SIMAZINE	39055	WAIVED			
THIOBENCARB	A-001	WAIVED			
TOXAPHENE	39400	WAIVED			
REGULATED VOC					
1,1,1-TRICHLOROETHANE	34506	WAIVED			
1,1,2,2-TETRACHLOROETHANE	34516	WAIVED			
1,1,2-TRICHLORO-1,2,2-TRIFLUOROETHANE	81611	WAIVED			
1,1,2-TRICHLOROETHANE	34511	WAIVED			
1,1-DICHLOROETHANE	34496	WAIVED			
1,1-DICHLOROETHYLENE	34501	WAIVED			
1,2,4-TRICHLOROBENZENE	34551	WAIVED			
1,2-DICHLOROBENZENE	34536	WAIVED			
1,2-DICHLOROETHANE	34531	WAIVED			
1,2-DICHLOROPROPANE	34541	WAIVED			
1,3-DICHLOROPROPENE (TOTAL)	34561	WAIVED			
1,4-DICHLOROBENZENE	34571	WAIVED			
BENZENE	34030	WAIVED			
CARBON TETRACHLORIDE	32102	WAIVED			
CIS-1,2-DICHLOROETHYLENE	77093	WAIVED			
DICHLOROMETHANE	34423	WAIVED			
ETHYLBENZENE	34371	WAIVED			
METHYL-TERT-BUTYL-ETHER (MTBE)	46491	WAIVED			
MONOCHLOROBENZENE	34301	WAIVED			
STYRENE	77128	WAIVED			
TETRACHLOROETHYLENE	34475	WAIVED			
TOLUENE	34010	WAIVED			

**Testing interval is in months;*
0 = No data for this constituent and is DUE NOW
999 = Waived testing (not required)
I = Invalid (NOT) valid analyses reported

System Number: ***2400051***

System Name: ***LIBERTY PACKING PLANT***

PS Code: ***2400051-014***

Source Name: ***WELL #5 W SIDE***

Source Number: ***014***

Source Status: ***ACTIVE UNTREATED***

Water type: ***GROUNDWATER OR WELL***

	STORET NUMBER	TESTING INTERVAL (MONTHS)*	LAST TEST DATE (yyyy/mm/dd)	LAST RESULT REPORTED	NEXT TEST DATE (yyyy/mm)
REGULATED VOC					
TRANS-1,2-DICHLOROETHYLENE	34546	WAIVED			
TRICHLOROETHYLENE	39180	WAIVED			
TRICHLOROFLUOROMETHANE	34488	WAIVED			
VINYL CHLORIDE	39175	WAIVED			
XYLENES (TOTAL)	81551	WAIVED			
SECONDARY/GP					
AGGRSSIVE INDEX (CORROSIVITY)	82383	WAIVED			
BICARBONATE ALKALINITY	00440	WAIVED			
CALCIUM	00916	WAIVED			
CARBONATE ALKALINITY	00445	WAIVED			
CHLORIDE	00940	WAIVED			
COLOR	00081	WAIVED			
COPPER	01042	WAIVED			
FOAMING AGENTS (MBAS)	38260	WAIVED			
HARDNESS (TOTAL) AS CACO3	00900	WAIVED			
HYDROXIDE ALKALINITY	71830	WAIVED			
IRON	01045	WAIVED			
MAGNESIUM	00927	WAIVED			
MANGANESE	01055	WAIVED			
ODOR THRESHOLD @ 60 C	00086	WAIVED			
PH, LABORATORY	00403	WAIVED			
SILVER	01077	WAIVED			
SODIUM	00929	WAIVED			
SPECIFIC CONDUCTANCE	00095	WAIVED			
SULFATE	00945	WAIVED			
TOTAL DISSOLVED SOLIDS	70300	WAIVED			
TURBIDITY, LABORATORY	82079	WAIVED			
ZINC	01092	WAIVED			

**Testing interval is in months;*
0 = No data for this constituent and is DUE NOW
999 = Waived testing (not required)
I = Invalid (NOT) valid analyses reported

System Number: ***2400052***

System Name: ***EDGE OF TOWN - ATWATER RENTALS***

PS Code: ***2400052-001***

Source Name: ***WELL 01***

Source Number: ***001***

Source Status: ***ACTIVE UNTREATED***

Water type: ***GROUNDWATER OR WELL***

	STORET NUMBER	TESTING INTERVAL (MONTHS)*	LAST TEST DATE (yyyy/mm/dd)	LAST RESULT REPORTED	NEXT TEST DATE (yyyy/mm)
GENERAL NON CHAP 15					
DIAZINON	39570	WAIVED			
INORGANIC					
ALUMINUM	01105	WAIVED			
ANTIMONY	01097	WAIVED			
ARSENIC	01002	WAIVED			
ASBESTOS	81855	WAIVED			
BARIUM	01007	WAIVED			
BERYLLIUM	01012	WAIVED			
CADMIUM	01027	WAIVED			
CHROMIUM (TOTAL)	01034	WAIVED			
CYANIDE	01291	WAIVED			
FLUORIDE (F) (NATURAL-SOURCE)	00951	WAIVED			
LEAD	01051	WAIVED			
MERCURY	71900	WAIVED			
NICKEL	01067	WAIVED			
PERCHLORATE	A-031	WAIVED			
SELENIUM	01147	WAIVED			
THALLIUM	01059	WAIVED			
NITRATE/NITRITE					
NITRATE (AS NO3)	71850	WAIVED	2010/07/27	117.000	
NITRITE (AS N)	00620	WAIVED			
RADIOLOGICAL					
GROSS ALPHA	01501	WAIVED			
GROSS BETA	03501	WAIVED			
RA-226 FOR CWS OR TOTAL RA FOR NTNC BY 903.0	A-080	WAIVED			
RA-226 OR TOTAL RA BY 903.0 C.E.	A-081	WAIVED			
RADIUM 226	09501	WAIVED			
RADIUM 228	11501	WAIVED			

**Testing interval is in months;*
0 = No data for this constituent and is DUE NOW
999 = Waived testing (not required)
I = Invalid (NOT) valid analyses reported

System Number: ***2400052***

System Name: ***EDGE OF TOWN - ATWATER RENTALS***

PS Code: ***2400052-001***

Source Name: ***WELL 01***

Source Number: ***001***

Source Status: ***ACTIVE UNTREATED***

Water type: ***GROUNDWATER OR WELL***

	STORET NUMBER	TESTING INTERVAL (MONTHS)*	LAST TEST DATE (yyyy/mm/dd)	LAST RESULT REPORTED	NEXT TEST DATE (yyyy/mm)
RADIOLOGICAL					
RADIUM, TOTAL, MDA95-NTNC ONLY, BY 903.0	A-082	WAIVED			
STRONTIUM-90	13501	WAIVED			
TRITIUM	07000	WAIVED			
URANIUM (PCI/L)	28012	WAIVED			
REGULATED SOC					
2,3,7,8-TCDD (DIOXIN)	34676	WAIVED			
2,4,5-TP (SILVEX)	39045	WAIVED			
2,4-D	39730	WAIVED			
ALACHLOR	77825	WAIVED			
ATRAZINE	39033	WAIVED			
BENTAZON	38710	WAIVED			
BENZO (A) PYRENE	34247	WAIVED			
CARBOFURAN	81405	WAIVED			
CHLORDANE	39350	WAIVED			
DALAPON	38432	WAIVED			
DI(2-ETHYLHEXYL)ADIPATE	A-026	WAIVED			
DI(2-ETHYLHEXYL)PHTHALATE	39100	WAIVED			
DIBROMOCHLOROPROPANE (DBCP)	38761	WAIVED			
DINOSEB	81287	WAIVED			
DIQUAT	78885	WAIVED			
ENDOTHALL	38926	WAIVED			
ENDRIN	39390	WAIVED			
ETHYLENE DIBROMIDE (EDB)	77651	WAIVED			
GLYPHOSATE	79743	WAIVED			
HEPTACHLOR	39410	WAIVED			
HEPTACHLOR EPOXIDE	39420	WAIVED			
HEXACHLOROBENZENE	39700	WAIVED			
HEXACHLOROCYCLOPENTADIENE	34386	WAIVED			
LINDANE	39340	WAIVED			

**Testing interval is in months;*
0 = No data for this constituent and is DUE NOW
999 = Waived testing (not required)
I = Invalid (NOT) valid analyses reported

System Number: ***2400052***

System Name: ***EDGE OF TOWN - ATWATER RENTALS***

PS Code: ***2400052-001***

Source Name: ***WELL 01***

Source Number: ***001***

Source Status: ***ACTIVE UNTREATED***

Water type: ***GROUNDWATER OR WELL***

	STORET NUMBER	TESTING INTERVAL (MONTHS)*	LAST TEST DATE (yyyy/mm/dd)	LAST RESULT REPORTED	NEXT TEST DATE (yyyy/mm)
REGULATED SOC					
METHOXYCHLOR	39480	WAIVED			
MOLINATE	82199	WAIVED			
OXAMYL	38865	WAIVED			
PENTACHLOROPHENOL	39032	WAIVED			
PICLORAM	39720	WAIVED			
POLYCHLORINATED BIPHENYLS, TOTAL, AS DCB	39516	WAIVED			
SIMAZINE	39055	WAIVED			
THIOBENCARB	A-001	WAIVED			
TOXAPHENE	39400	WAIVED			
REGULATED VOC					
1,1,1-TRICHLOROETHANE	34506	WAIVED			
1,1,2,2-TETRACHLOROETHANE	34516	WAIVED			
1,1,2-TRICHLORO-1,2,2-TRIFLUOROETHANE	81611	WAIVED			
1,1,2-TRICHLOROETHANE	34511	WAIVED			
1,1-DICHLOROETHANE	34496	WAIVED			
1,1-DICHLOROETHYLENE	34501	WAIVED			
1,2,4-TRICHLOROBENZENE	34551	WAIVED			
1,2-DICHLOROBENZENE	34536	WAIVED			
1,2-DICHLOROETHANE	34531	WAIVED			
1,2-DICHLOROPROPANE	34541	WAIVED			
1,3-DICHLOROPROPENE (TOTAL)	34561	WAIVED			
1,4-DICHLOROBENZENE	34571	WAIVED			
BENZENE	34030	WAIVED			
CARBON TETRACHLORIDE	32102	WAIVED			
CIS-1,2-DICHLOROETHYLENE	77093	WAIVED			
DICHLOROMETHANE	34423	WAIVED			
ETHYLBENZENE	34371	WAIVED			
METHYL-TERT-BUTYL-ETHER (MTBE)	46491	WAIVED			
MONOCHLOROBENZENE	34301	WAIVED			

**Testing interval is in months;*
0 = No data for this constituent and is DUE NOW
999 = Waived testing (not required)
I = Invalid (NOT) valid analyses reported

System Number: ***2400052***

System Name: ***EDGE OF TOWN - ATWATER RENTALS***

PS Code: ***2400052-001***

Source Name: ***WELL 01***

Source Number: ***001***

Source Status: ***ACTIVE UNTREATED***

Water type: ***GROUNDWATER OR WELL***

	STORET NUMBER	TESTING INTERVAL (MONTHS)*	LAST TEST DATE (yyyy/mm/dd)	LAST RESULT REPORTED	NEXT TEST DATE (yyyy/mm)
REGULATED VOC					
STYRENE	77128	WAIVED			
TETRACHLOROETHYLENE	34475	WAIVED			
TOLUENE	34010	WAIVED			
TRANS-1,2-DICHLOROETHYLENE	34546	WAIVED			
TRICHLOROETHYLENE	39180	WAIVED			
TRICHLOROFLUOROMETHANE	34488	WAIVED			
VINYL CHLORIDE	39175	WAIVED			
XYLENES (TOTAL)	81551	WAIVED			
SECONDARY/GP					
AGGRSSIVE INDEX (CORROSIVITY)	82383	WAIVED			
BICARBONATE ALKALINITY	00440	WAIVED			
CALCIUM	00916	WAIVED			
CARBONATE ALKALINITY	00445	WAIVED			
CHLORIDE	00940	WAIVED			
COLOR	00081	WAIVED			
COPPER	01042	WAIVED			
FOAMING AGENTS (MBAS)	38260	WAIVED			
HARDNESS (TOTAL) AS CACO3	00900	WAIVED			
HYDROXIDE ALKALINITY	71830	WAIVED			
IRON	01045	WAIVED			
MAGNESIUM	00927	WAIVED			
MANGANESE	01055	WAIVED			
ODOR THRESHOLD @ 60 C	00086	WAIVED			
PH, LABORATORY	00403	WAIVED			
SILVER	01077	WAIVED			
SODIUM	00929	WAIVED			
SPECIFIC CONDUCTANCE	00095	WAIVED			
SULFATE	00945	WAIVED			
TOTAL DISSOLVED SOLIDS	70300	WAIVED			

**Testing interval is in months;*
0 = No data for this constituent and is DUE NOW
999 = Waived testing (not required)
I = Invalid (NOT) valid analyses reported

System Number: ***2400052***

System Name: ***EDGE OF TOWN - ATWATER RENTALS***

	STORET NUMBER	TESTING INTERVAL (MONTHS)*	LAST TEST DATE (yyyy/mm/dd)	LAST RESULT REPORTED	NEXT TEST DATE (yyyy/mm)

PS Code: ***2400052-001***

Source Name: ***WELL 01***

Source Number: ***001***

Source Status: ***ACTIVE UNTREATED***

Water type: ***GROUNDWATER OR WELL***

SECONDARY/GP

TURBIDITY, LABORATORY	82079	WAIVED			
ZINC	01092	WAIVED			

PS Code: ***2400052-002***

Source Name: ***WELL 02***

Source Number: ***002***

Source Status: ***ACTIVE UNTREATED***

Water type: ***GROUNDWATER OR WELL***

GENERAL NON CHAP 15

DIAZINON	39570	WAIVED			

INORGANIC

ALUMINUM	01105	WAIVED			
ANTIMONY	01097	WAIVED			
ARSENIC	01002	WAIVED			
ASBESTOS	81855	WAIVED			
BARIUM	01007	WAIVED			
BERYLLIUM	01012	WAIVED			
CADMIUM	01027	WAIVED			
CHROMIUM (TOTAL)	01034	WAIVED			
CYANIDE	01291	WAIVED			
FLUORIDE (F) (NATURAL-SOURCE)	00951	WAIVED			
LEAD	01051	WAIVED			
MERCURY	71900	WAIVED			
NICKEL	01067	WAIVED			
PERCHLORATE	A-031	WAIVED			
SELENIUM	01147	WAIVED			
THALLIUM	01059	WAIVED			

**Testing interval is in months;*
0 = No data for this constituent and is DUE NOW
999 = Waived testing (not required)
I = Invalid (NOT) valid analyses reported

System Number: ***2400052***

System Name: ***EDGE OF TOWN - ATWATER RENTALS***

PS Code: ***2400052-002***

Source Name: ***WELL 02***

Source Number: ***002***

Source Status: ***ACTIVE UNTREATED***

Water type: ***GROUNDWATER OR WELL***

	STORET NUMBER	TESTING INTERVAL (MONTHS)*	LAST TEST DATE (yyyy/mm/dd)	LAST RESULT REPORTED	NEXT TEST DATE (yyyy/mm)
NITRATE/NITRITE					
NITRATE (AS NO3)	71850	WAIVED	2002/07/22	41.900	
NITRITE (AS N)	00620	WAIVED			
RADIOLOGICAL					
GROSS ALPHA	01501	WAIVED			
GROSS BETA	03501	WAIVED			
RA-226 FOR CWS OR TOTAL RA FOR NTNC BY 903.0	A-080	WAIVED			
RA-226 OR TOTAL RA BY 903.0 C.E.	A-081	WAIVED			
RADIUM 226	09501	WAIVED			
RADIUM 228	11501	WAIVED			
RADIUM, TOTAL, MDA95-NTNC ONLY, BY 903.0	A-082	WAIVED			
STRONTIUM-90	13501	WAIVED			
TRITIUM	07000	WAIVED			
URANIUM (PCI/L)	28012	WAIVED			
REGULATED SOC					
2,3,7,8-TCDD (DIOXIN)	34676	WAIVED			
2,4,5-TP (SILVEX)	39045	WAIVED			
2,4-D	39730	WAIVED			
ALACHLOR	77825	WAIVED			
ATRAZINE	39033	WAIVED			
BENTAZON	38710	WAIVED			
BENZO (A) PYRENE	34247	WAIVED			
CARBOFURAN	81405	WAIVED			
CHLORDANE	39350	WAIVED			
DALAPON	38432	WAIVED			
DI(2-ETHYLHEXYL)ADIPATE	A-026	WAIVED			
DI(2-ETHYLHEXYL)PHTHALATE	39100	WAIVED			
DIBROMOCHLOROPROPANE (DBCP)	38761	WAIVED			
DINOSEB	81287	WAIVED			
DIQUAT	78885	WAIVED			

**Testing interval is in months;*
0 = No data for this constituent and is DUE NOW
999 = Waived testing (not required)
I = Invalid (NOT) valid analyses reported

System Number: ***2400052***

System Name: ***EDGE OF TOWN - ATWATER RENTALS***

PS Code: ***2400052-002***

Source Name: ***WELL 02***

Source Number: ***002***

Source Status: ***ACTIVE UNTREATED***

Water type: ***GROUNDWATER OR WELL***

	STORET NUMBER	TESTING INTERVAL (MONTHS)*	LAST TEST DATE (yyyy/mm/dd)	LAST RESULT REPORTED	NEXT TEST DATE (yyyy/mm)
REGULATED SOC					
ENDOTHALL	38926	WAIVED			
ENDRIN	39390	WAIVED			
ETHYLENE DIBROMIDE (EDB)	77651	WAIVED			
GLYPHOSATE	79743	WAIVED			
HEPTACHLOR	39410	WAIVED			
HEPTACHLOR EPOXIDE	39420	WAIVED			
HEXACHLOROBENZENE	39700	WAIVED			
HEXACHLOROCYCLOPENTADIENE	34386	WAIVED			
LINDANE	39340	WAIVED			
METHOXYCHLOR	39480	WAIVED			
MOLINATE	82199	WAIVED			
OXAMYL	38865	WAIVED			
PENTACHLOROPHENOL	39032	WAIVED			
PICLORAM	39720	WAIVED			
POLYCHLORINATED BIPHENYLS, TOTAL, AS DCB	39516	WAIVED			
SIMAZINE	39055	WAIVED			
THIOBENCARB	A-001	WAIVED			
TOXAPHENE	39400	WAIVED			
REGULATED VOC					
1,1,1-TRICHLOROETHANE	34506	WAIVED			
1,1,2,2-TETRACHLOROETHANE	34516	WAIVED			
1,1,2-TRICHLORO-1,2,2-TRIFLUOROETHANE	81611	WAIVED			
1,1,2-TRICHLOROETHANE	34511	WAIVED			
1,1-DICHLOROETHANE	34496	WAIVED			
1,1-DICHLOROETHYLENE	34501	WAIVED			
1,2,4-TRICHLOROBENZENE	34551	WAIVED			
1,2-DICHLOROBENZENE	34536	WAIVED			
1,2-DICHLOROETHANE	34531	WAIVED			
1,2-DICHLOROPROPANE	34541	WAIVED			

**Testing interval is in months;*
0 = No data for this constituent and is DUE NOW
999 = Waived testing (not required)
I = Invalid (NOT) valid analyses reported

System Number: ***2400052***

System Name: ***EDGE OF TOWN - ATWATER RENTALS***

PS Code: ***2400052-002***

Source Name: ***WELL 02***

Source Number: ***002***

Source Status: ***ACTIVE UNTREATED***

Water type: ***GROUNDWATER OR WELL***

	STORET NUMBER	TESTING INTERVAL (MONTHS)*	LAST TEST DATE (yyyy/mm/dd)	LAST RESULT REPORTED	NEXT TEST DATE (yyyy/mm)
REGULATED VOC					
1,3-DICHLOROPROPENE (TOTAL)	34561	WAIVED			
1,4-DICHLOROBENZENE	34571	WAIVED			
BENZENE	34030	WAIVED			
CARBON TETRACHLORIDE	32102	WAIVED			
CIS-1,2-DICHLOROETHYLENE	77093	WAIVED			
DICHLOROMETHANE	34423	WAIVED			
ETHYLBENZENE	34371	WAIVED			
METHYL-TERT-BUTYL-ETHER (MTBE)	46491	WAIVED			
MONOCHLOROBENZENE	34301	WAIVED			
STYRENE	77128	WAIVED			
TETRACHLOROETHYLENE	34475	WAIVED			
TOLUENE	34010	WAIVED			
TRANS-1,2-DICHLOROETHYLENE	34546	WAIVED			
TRICHLOROETHYLENE	39180	WAIVED			
TRICHLOROFLUOROMETHANE	34488	WAIVED			
VINYL CHLORIDE	39175	WAIVED			
XYLENES (TOTAL)	81551	WAIVED			
SECONDARY/GP					
AGGRSSIVE INDEX (CORROSIVITY)	82383	WAIVED			
BICARBONATE ALKALINITY	00440	WAIVED			
CALCIUM	00916	WAIVED			
CARBONATE ALKALINITY	00445	WAIVED			
CHLORIDE	00940	WAIVED			
COLOR	00081	WAIVED			
COPPER	01042	WAIVED			
FOAMING AGENTS (MBAS)	38260	WAIVED			
HARDNESS (TOTAL) AS CACO3	00900	WAIVED			
HYDROXIDE ALKALINITY	71830	WAIVED			
IRON	01045	WAIVED			

**Testing interval is in months;*
0 = No data for this constituent and is DUE NOW
999 = Waived testing (not required)
I = Invalid (NOT) valid analyses reported

System Number: ***2400052***

System Name: ***EDGE OF TOWN - ATWATER RENTALS***

PS Code: ***2400052-002***

Source Name: ***WELL 02***

Source Number: ***002***

Source Status: ***ACTIVE UNTREATED***

Water type: ***GROUNDWATER OR WELL***

SECONDARY/GP	STORET NUMBER	TESTING INTERVAL (MONTHS)*	LAST TEST DATE (yyyy/mm/dd)	LAST RESULT REPORTED	NEXT TEST DATE (yyyy/mm)
MAGNESIUM	00927	WAIVED			
MANGANESE	01055	WAIVED			
ODOR THRESHOLD @ 60 C	00086	WAIVED			
PH, LABORATORY	00403	WAIVED			
SILVER	01077	WAIVED			
SODIUM	00929	WAIVED			
SPECIFIC CONDUCTANCE	00095	WAIVED			
SULFATE	00945	WAIVED			
TOTAL DISSOLVED SOLIDS	70300	WAIVED			
TURBIDITY, LABORATORY	82079	WAIVED			
ZINC	01092	WAIVED			

**Testing interval is in months;*
0 = No data for this constituent and is DUE NOW
999 = Waived testing (not required)
I = Invalid (NOT) valid analyses reported

System Number: ***2400053***

System Name: ***EL NIDO MOBILE HOME PARK***

PS Code: ***2400053-003***

Source Name: ***WELL 03 - NEW WELL***

Source Number: ***003***

Source Status: ***ACTIVE UNTREATED***

Water type: ***GROUNDWATER OR WELL***

	STORET NUMBER	TESTING INTERVAL (MONTHS)*	LAST TEST DATE (yyyy/mm/dd)	LAST RESULT REPORTED	NEXT TEST DATE (yyyy/mm)	
GENERAL NON CHAP 15						
DIAZINON	39570	WAIVED				
INORGANIC						
ALUMINUM	01105	000				DUE
ANTIMONY	01097	000				DUE
ARSENIC	01002	036	2010/09/02	61.000	2013/09	
ASBESTOS	81855	WAIVED				
BARIUM	01007	036	2002/05/02	168.500	2005/05	DUE
BERYLLIUM	01012	000				DUE
CADMIUM	01027	000				DUE
CHROMIUM (TOTAL)	01034	000				DUE
CYANIDE	01291	WAIVED				
FLUORIDE (F) (NATURAL-SOURCE)	00951	000				DUE
LEAD	01051	WAIVED				
MERCURY	71900	000				DUE
NICKEL	01067	000				DUE
PERCHLORATE	A-031	000				DUE
SELENIUM	01147	000				DUE
THALLIUM	01059	000				DUE
NITRATE/NITRITE						
NITRATE (AS NO3)	71850	012	2011/11/29	< 2.000	2012/11	
NITRITE (AS N)	00620	000				DUE
RADIOLOGICAL						
GROSS ALPHA	01501	003	2009/08/27	.000	2009/11	DUE
GROSS BETA	03501	WAIVED				
RA-226 FOR CWS OR TOTAL RA FOR NTNC BY 903.0	A-080	WAIVED				
RA-226 OR TOTAL RA BY 903.0 C.E.	A-081	WAIVED				
RADIUM 226	09501	WAIVED				
RADIUM 228	11501	WAIVED	2009/08/27	< 1.000		

**Testing interval is in months;*
0 = No data for this constituent and is DUE NOW
999 = Waived testing (not required)
I = Invalid (NOT) valid analyses reported

System Number: ***2400053***

System Name: ***EL NIDO MOBILE HOME PARK***

PS Code: ***2400053-003***

Source Name: ***WELL 03 - NEW WELL***

Source Number: ***003***

Source Status: ***ACTIVE UNTREATED***

Water type: ***GROUNDWATER OR WELL***

	STORET NUMBER	TESTING INTERVAL (MONTHS)*	LAST TEST DATE (yyyy/mm/dd)	LAST RESULT REPORTED	NEXT TEST DATE (yyyy/mm)
RADIOLOGICAL					
RADIUM, TOTAL, MDA95-NTNC ONLY, BY 903.0	A-082	WAIVED			
STRONTIUM-90	13501	WAIVED			
TRITIUM	07000	WAIVED			
URANIUM (PCI/L)	28012	WAIVED			
REGULATED SOC					
2,3,7,8-TCDD (DIOXIN)	34676	WAIVED			
2,4,5-TP (SILVEX)	39045	WAIVED			
2,4-D	39730	WAIVED			
ALACHLOR	77825	000			DUE
ATRAZINE	39033	000			DUE
BENTAZON	38710	WAIVED			
BENZO (A) PYRENE	34247	WAIVED			
CARBOFURAN	81405	WAIVED			
CHLORDANE	39350	WAIVED			
DALAPON	38432	WAIVED			
DI(2-ETHYLHEXYL)ADIPATE	A-026	WAIVED			
DI(2-ETHYLHEXYL)PHTHALATE	39100	WAIVED			
DIBROMOCHLOROPROPANE (DBCP)	38761	000			DUE
DINOSEB	81287	WAIVED			
DIQUAT	78885	WAIVED			
ENDOTHALL	38926	WAIVED			
ENDRIN	39390	WAIVED			
ETHYLENE DIBROMIDE (EDB)	77651	000			DUE
GLYPHOSATE	79743	WAIVED			
HEPTACHLOR	39410	WAIVED			
HEPTACHLOR EPOXIDE	39420	WAIVED			
HEXACHLOROBENZENE	39700	WAIVED			
HEXACHLOROCYCLOPENTADIENE	34386	WAIVED			
LINDANE	39340	WAIVED			

**Testing interval is in months;*
0 = No data for this constituent and is DUE NOW
999 = Waived testing (not required)
I = Invalid (NOT) valid analyses reported

System Number: ***2400053***

System Name: ***EL NIDO MOBILE HOME PARK***

PS Code: ***2400053-003***

Source Name: ***WELL 03 - NEW WELL***

Source Number: ***003***

Source Status: ***ACTIVE UNTREATED***

Water type: ***GROUNDWATER OR WELL***

	STORET NUMBER	TESTING INTERVAL (MONTHS)*	LAST TEST DATE (yyyy/mm/dd)	LAST RESULT REPORTED	NEXT TEST DATE (yyyy/mm)
REGULATED SOC					
METHOXYCHLOR	39480	WAIVED			
MOLINATE	82199	WAIVED			
OXAMYL	38865	WAIVED			
PENTACHLOROPHENOL	39032	WAIVED			
PICLORAM	39720	WAIVED			
POLYCHLORINATED BIPHENYLS, TOTAL, AS DCB	39516	WAIVED			
SIMAZINE	39055	000			DUE
THIOBENCARB	A-001	WAIVED			
TOXAPHENE	39400	WAIVED			
REGULATED VOC					
1,1,1-TRICHLOROETHANE	34506	000			DUE
1,1,2,2-TETRACHLOROETHANE	34516	000			DUE
1,1,2-TRICHLORO-1,2,2-TRIFLUOROETHANE	81611	000			DUE
1,1,2-TRICHLOROETHANE	34511	000			DUE
1,1-DICHLOROETHANE	34496	000			DUE
1,1-DICHLOROETHYLENE	34501	000			DUE
1,2,4-TRICHLOROBENZENE	34551	000			DUE
1,2-DICHLOROBENZENE	34536	000			DUE
1,2-DICHLOROETHANE	34531	000			DUE
1,2-DICHLOROPROPANE	34541	000			DUE
1,3-DICHLOROPROPENE (TOTAL)	34561	000			DUE
1,4-DICHLOROBENZENE	34571	000			DUE
BENZENE	34030	000			DUE
CARBON TETRACHLORIDE	32102	000			DUE
CIS-1,2-DICHLOROETHYLENE	77093	000			DUE
DICHLOROMETHANE	34423	000			DUE
ETHYLBENZENE	34371	000			DUE
METHYL-TERT-BUTYL-ETHER (MTBE)	46491	000			DUE
MONOCHLOROBENZENE	34301	000			DUE

**Testing interval is in months;*
0 = No data for this constituent and is DUE NOW
999 = Waived testing (not required)
I = Invalid (NOT) valid analyses reported

System Number: ***2400053***

System Name: ***EL NIDO MOBILE HOME PARK***

PS Code: ***2400053-003***

Source Name: ***WELL 03 - NEW WELL***

Source Number: ***003***

Source Status: ***ACTIVE UNTREATED***

Water type: ***GROUNDWATER OR WELL***

	STORET NUMBER	TESTING INTERVAL (MONTHS)*	LAST TEST DATE (yyyy/mm/dd)	LAST RESULT REPORTED	NEXT TEST DATE (yyyy/mm)
REGULATED VOC					
STYRENE	77128	000			DUE
TETRACHLOROETHYLENE	34475	000			DUE
TOLUENE	34010	000			DUE
TRANS-1,2-DICHLOROETHYLENE	34546	000			DUE
TRICHLOROETHYLENE	39180	000			DUE
TRICHLOROFLUOROMETHANE	34488	000			DUE
VINYL CHLORIDE	39175	000			DUE
XYLENES (TOTAL)	81551	000			DUE
SECONDARY/GP					
AGGRSSIVE INDEX (CORROSIVITY)	82383	WAIVED			
BICARBONATE ALKALINITY	00440	000			DUE
CALCIUM	00916	000			DUE
CARBONATE ALKALINITY	00445	000			DUE
CHLORIDE	00940	000			DUE
COLOR	00081	000			DUE
COPPER	01042	000			DUE
FOAMING AGENTS (MBAS)	38260	000			DUE
HARDNESS (TOTAL) AS CACO3	00900	000			DUE
HYDROXIDE ALKALINITY	71830	000			DUE
IRON	01045	000			DUE
MAGNESIUM	00927	000			DUE
MANGANESE	01055	000			DUE
ODOR THRESHOLD @ 60 C	00086	000			DUE
PH, LABORATORY	00403	000			DUE
SILVER	01077	000			DUE
SODIUM	00929	000			DUE
SPECIFIC CONDUCTANCE	00095	000			DUE
SULFATE	00945	000			DUE
TOTAL DISSOLVED SOLIDS	70300	000			DUE

**Testing interval is in months;*
0 = No data for this constituent and is DUE NOW
999 = Waived testing (not required)
I = Invalid (NOT) valid analyses reported

System Number: ***2400053***

System Name: ***EL NIDO MOBILE HOME PARK***

	STORET NUMBER	TESTING INTERVAL (MONTHS)*	LAST TEST DATE (yyyy/mm/dd)	LAST RESULT REPORTED	NEXT TEST DATE (yyyy/mm)	

PS Code: ***2400053-003***

Source Name: ***WELL 03 - NEW WELL***

Source Number: ***003***

Source Status: ***ACTIVE UNTREATED***

Water type: ***GROUNDWATER OR WELL***

SECONDARY/GP

TURBIDITY, LABORATORY	**82079**	**000**				**DUE**
ZINC	**01092**	**000**				**DUE**

PS Code: ***2400053-013***

Source Name: ***WELL #3 - BY N ENTRANCE, DRILLED 1993***

Source Number: ***013***

Source Status: ***ACTIVE UNTREATED***

Water type: ***GROUNDWATER OR WELL***

GENERAL NON CHAP 15

DIAZINON	**39570**	**WAIVED**	2010/02/25	**< .000**		

INORGANIC

ALUMINUM	**01105**	**036**	2009/11/23	**.000**	2012/11	
ANTIMONY	**01097**	**036**	2009/11/23	**.000**	2012/11	
ARSENIC	**01002**	**036**	2012/02/23	**41.000**	2015/02	
ASBESTOS	**81855**	**WAIVED**				
BARIUM	**01007**	**036**	2009/11/23	**.000**	2012/11	
BERYLLIUM	**01012**	**036**	2009/11/23	**.000**	2012/11	
CADMIUM	**01027**	**036**	2009/11/23	**.000**	2012/11	
CHROMIUM (TOTAL)	**01034**	**036**	2009/11/23	**.000**	2012/11	
CYANIDE	**01291**	**WAIVED**				
FLUORIDE (F) (NATURAL-SOURCE)	**00951**	**036**	2009/11/23	**.200**	2012/11	
LEAD	**01051**	**WAIVED**	2009/11/23	**.000**		
MERCURY	**71900**	**036**	2009/11/23	**.000**	2012/11	
NICKEL	**01067**	**036**	2009/11/23	**.000**	2012/11	
PERCHLORATE	**A-031**	**036**	2011/08/25	**< .000**	2014/08	
SELENIUM	**01147**	**036**	2009/11/23	**.000**	2012/11	
THALLIUM	**01059**	**036**	2009/11/23	**.000**	2012/11	

**Testing interval is in months;*
0 = No data for this constituent and is DUE NOW
999 = Waived testing (not required)
I = Invalid (NOT) valid analyses reported

System Number: ***2400053***

System Name: ***EL NIDO MOBILE HOME PARK***

PS Code: ***2400053-013***

Source Name: ***WELL #3 - BY N ENTRANCE, DRILLED 1993***

Source Number: ***013***

Source Status: ***ACTIVE UNTREATED***

Water type: ***GROUNDWATER OR WELL***

	STORET NUMBER	TESTING INTERVAL (MONTHS)*	LAST TEST DATE (yyyy/mm/dd)	LAST RESULT REPORTED	NEXT TEST DATE (yyyy/mm)	
NITRATE/NITRITE						
NITRATE (AS NO3)	**71850**	**012**	**2010/11/22**	**2.000**	**2011/11**	**DUE**
NITRITE (AS N)	**00620**	**036**	2009/11/23	**< 400.000**	2012/11	
RADIOLOGICAL						
GROSS ALPHA	**01501**	**003**	**2009/11/23**	**.000**	**2010/02**	**DUE**
GROSS BETA	**03501**	**WAIVED**				
RA-226 FOR CWS OR TOTAL RA FOR NTNC BY 903.0	**A-080**	**WAIVED**				
RA-226 OR TOTAL RA BY 903.0 C.E.	**A-081**	**WAIVED**				
RADIUM 226	**09501**	**WAIVED**				
RADIUM 228	**11501**	**WAIVED**	2009/11/23	**< 1.000**		
RADIUM, TOTAL, MDA95-NTNC ONLY, BY 903.0	**A-082**	**WAIVED**				
STRONTIUM-90	**13501**	**WAIVED**				
TRITIUM	**07000**	**WAIVED**				
URANIUM (PCI/L)	**28012**	**WAIVED**				
REGULATED SOC						
2,3,7,8-TCDD (DIOXIN)	**34676**	**WAIVED**				
2,4,5-TP (SILVEX)	**39045**	**WAIVED**				
2,4-D	**39730**	**WAIVED**				
ALACHLOR	**77825**	**036**	2010/02/25	**< .000**	2013/02	
ATRAZINE	**39033**	**036**	2010/02/25	**< .000**	2013/02	
BENTAZON	**38710**	**WAIVED**				
BENZO (A) PYRENE	**34247**	**WAIVED**	2010/02/25	**< .000**		
CARBOFURAN	**81405**	**WAIVED**				
CHLORDANE	**39350**	**WAIVED**				
DALAPON	**38432**	**WAIVED**				
DI(2-ETHYLHEXYL)ADIPATE	**A-026**	**WAIVED**	2010/02/25	**< .000**		
DI(2-ETHYLHEXYL)PHTHALATE	**39100**	**WAIVED**	2010/02/25	**< .000**		
DIBROMOCHLOROPROPANE (DBCP)	**38761**	**036**	2010/02/25	**.032**	2013/02	
DINOSEB	**81287**	**WAIVED**				
DIQUAT	**78885**	**WAIVED**				

**Testing interval is in months;*
0 = No data for this constituent and is DUE NOW
999 = Waived testing (not required)
I = Invalid (NOT) valid analyses reported

System Number: ***2400053***

System Name: ***EL NIDO MOBILE HOME PARK***

PS Code: ***2400053-013***

Source Name: ***WELL #3 - BY N ENTRANCE, DRILLED 1993***

Source Number: ***013***

Source Status: ***ACTIVE UNTREATED***

Water type: ***GROUNDWATER OR WELL***

	STORET NUMBER	TESTING INTERVAL (MONTHS)*	LAST TEST DATE (yyyy/mm/dd)	LAST RESULT REPORTED	NEXT TEST DATE (yyyy/mm)
REGULATED SOC					
ENDOTHALL	38926	WAIVED			
ENDRIN	39390	WAIVED			
ETHYLENE DIBROMIDE (EDB)	77651	036	2010/02/25	< .000	2013/02
GLYPHOSATE	79743	WAIVED			
HEPTACHLOR	39410	WAIVED			
HEPTACHLOR EPOXIDE	39420	WAIVED			
HEXACHLOROBENZENE	39700	WAIVED			
HEXACHLOROCYCLOPENTADIENE	34386	WAIVED			
LINDANE	39340	WAIVED			
METHOXYCHLOR	39480	WAIVED			
MOLINATE	82199	WAIVED	2010/02/25	< .000	
OXAMYL	38865	WAIVED			
PENTACHLOROPHENOL	39032	WAIVED			
PICLORAM	39720	WAIVED			
POLYCHLORINATED BIPHENYLS, TOTAL, AS DCB	39516	WAIVED			
SIMAZINE	39055	036	2010/02/25	< .000	2013/02
THIOBENCARB	A-001	WAIVED	2010/02/25	< .000	
TOXAPHENE	39400	WAIVED			
REGULATED VOC					
1,1,1-TRICHLOROETHANE	34506	060	2010/02/25	< .000	2015/02
1,1,2,2-TETRACHLOROETHANE	34516	060	2010/02/25	< .000	2015/02
1,1,2-TRICHLORO-1,2,2-TRIFLUOROETHANE	81611	060	2010/02/25	< .000	2015/02
1,1,2-TRICHLOROETHANE	34511	060	2010/02/25	< .000	2015/02
1,1-DICHLOROETHANE	34496	060	2010/02/25	< .000	2015/02
1,1-DICHLOROETHYLENE	34501	060	2010/02/25	< .000	2015/02
1,2,4-TRICHLOROBENZENE	34551	060	2010/02/25	< .000	2015/02
1,2-DICHLOROBENZENE	34536	060	2010/02/25	< .000	2015/02
1,2-DICHLOROETHANE	34531	060	2010/02/25	< .000	2015/02
1,2-DICHLOROPROPANE	34541	060	2010/02/25	< .000	2015/02

**Testing interval is in months;*
0 = No data for this constituent and is DUE NOW
999 = Waived testing (not required)
I = Invalid (NOT) valid analyses reported

System Number: ***2400053***

System Name: ***EL NIDO MOBILE HOME PARK***

PS Code: ***2400053-013***

Source Name: ***WELL #3 - BY N ENTRANCE, DRILLED 1993***

Source Number: ***013***

Source Status: ***ACTIVE UNTREATED***

Water type: ***GROUNDWATER OR WELL***

	STORET NUMBER	TESTING INTERVAL (MONTHS)*	LAST TEST DATE (yyyy/mm/dd)	LAST RESULT REPORTED	NEXT TEST DATE (yyyy/mm)
REGULATED VOC					
1,3-DICHLOROPROPENE (TOTAL)	34561	060	2010/02/25	< .000	2015/02
1,4-DICHLOROBENZENE	34571	060	2010/02/25	< .000	2015/02
BENZENE	34030	060	2010/02/25	< .000	2015/02
CARBON TETRACHLORIDE	32102	060	2010/02/25	< .000	2015/02
CIS-1,2-DICHLOROETHYLENE	77093	060	2010/02/25	< .000	2015/02
DICHLOROMETHANE	34423	060	2010/02/25	< .000	2015/02
ETHYLBENZENE	34371	060	2010/02/25	< .000	2015/02
METHYL-TERT-BUTYL-ETHER (MTBE)	46491	060	2010/02/25	< .000	2015/02
MONOCHLOROBENZENE	34301	060	2010/02/25	< .000	2015/02
STYRENE	77128	060	2010/02/25	< .000	2015/02
TETRACHLOROETHYLENE	34475	060	2010/02/25	< .000	2015/02
TOLUENE	34010	060	2010/02/25	< .000	2015/02
TRANS-1,2-DICHLOROETHYLENE	34546	060	2010/02/25	< .000	2015/02
TRICHLOROETHYLENE	39180	060	2010/02/25	< .000	2015/02
TRICHLOROFLUOROMETHANE	34488	060	2010/02/25	< .000	2015/02
VINYL CHLORIDE	39175	060	2010/02/25	< .000	2015/02
XYLENES (TOTAL)	81551	060	2010/02/25	< .000	2015/02
SECONDARY/GP					
AGGRSSIVE INDEX (CORROSIVITY)	82383	WAIVED			
BICARBONATE ALKALINITY	00440	036	2009/11/23	178.100	2012/11
CALCIUM	00916	036	2009/11/23	12.800	2012/11
CARBONATE ALKALINITY	00445	036	2009/11/23	< 1.000	2012/11
CHLORIDE	00940	036	2009/11/23	17.100	2012/11
COLOR	00081	036	2009/11/23	< 3.000	2012/11
COPPER	01042	036	2009/11/23	.000	2012/11
FOAMING AGENTS (MBAS)	38260	036	2009/11/23	< .020	2012/11
HARDNESS (TOTAL) AS CACO3	00900	036	2009/11/23	93.000	2012/11
HYDROXIDE ALKALINITY	71830	036	2009/11/23	< 1.000	2012/11
IRON	01045	036	2009/11/23	.000	2012/11

**Testing interval is in months;*
0 = No data for this constituent and is DUE NOW
999 = Waived testing (not required)
I = Invalid (NOT) valid analyses reported

System Number: ***2400053***

System Name: ***EL NIDO MOBILE HOME PARK***

PS Code: ***2400053-013***

Source Name: ***WELL #3 - BY N ENTRANCE, DRILLED 1993***

Source Number: ***013***

Source Status: ***ACTIVE UNTREATED***

Water type: ***GROUNDWATER OR WELL***

SECONDARY/GP

	STORET NUMBER	TESTING INTERVAL (MONTHS)*	LAST TEST DATE (yyyy/mm/dd)	LAST RESULT REPORTED	NEXT TEST DATE (yyyy/mm)
MAGNESIUM	00927	036	2009/11/23	.760	2012/11
MANGANESE	01055	036	2009/11/23	.000	2012/11
ODOR THRESHOLD @ 60 C	00086	036	2009/11/23	< 1.000	2012/11
PH, LABORATORY	00403	036	2009/11/23	6.900	2012/11
SILVER	01077	036	2009/11/23	.000	2012/11
SODIUM	00929	036	2009/11/23	69.000	2012/11
SPECIFIC CONDUCTANCE	00095	036	2011/08/25	320.000	2014/08
SULFATE	00945	036	2009/11/23	3.900	2012/11
TOTAL DISSOLVED SOLIDS	70300	036	2009/11/23	210.000	2012/11
TURBIDITY, LABORATORY	82079	036	2009/11/23	< .050	2012/11
ZINC	01092	036	2009/11/23	.000	2012/11

PS Code: ***2400053-014***

Source Name: ***WELL #4 - NW CORNER, DRILLED 8/06***

Source Number: ***014***

Source Status: ***ACTIVE UNTREATED***

Water type: ***GROUNDWATER OR WELL***

GENERAL NON CHAP 15

DIAZINON	39570	WAIVED	2010/02/25	< .000	

INORGANIC

ALUMINUM	01105	036	2009/11/23	.000	2012/11
ANTIMONY	01097	036	2009/11/23	.000	2012/11
ARSENIC	01002	036	2012/03/29	40.000	2015/03
ASBESTOS	81855	WAIVED			
BARIUM	01007	036	2009/11/23	170.000	2012/11
BERYLLIUM	01012	036	2009/11/23	.000	2012/11
CADMIUM	01027	036	2009/11/23	.000	2012/11
CHROMIUM (TOTAL)	01034	036	2009/11/23	.000	2012/11
CYANIDE	01291	WAIVED			

**Testing interval is in months;*
0 = No data for this constituent and is DUE NOW
999 = Waived testing (not required)
I = Invalid (NOT) valid analyses reported

System Number: ***2400053***

System Name: ***EL NIDO MOBILE HOME PARK***

PS Code: ***2400053-014***

Source Name: ***WELL #4 - NW CORNER, DRILLED 8/06***

Source Number: ***014***

Source Status: ***ACTIVE UNTREATED***

Water type: ***GROUNDWATER OR WELL***

	STORET NUMBER	TESTING INTERVAL (MONTHS)*	LAST TEST DATE (yyyy/mm/dd)	LAST RESULT REPORTED	NEXT TEST DATE (yyyy/mm)	
INORGANIC						
FLUORIDE (F) (NATURAL-SOURCE)	00951	036	2009/11/23	.100	2012/11	
LEAD	01051	WAIVED	2009/11/23	.000		
MERCURY	71900	036	2009/11/23	.000	2012/11	
NICKEL	01067	036	2009/11/23	.000	2012/11	
PERCHLORATE	A-031	036	2011/08/25	< .000	2014/08	
SELENIUM	01147	036	2009/11/23	.000	2012/11	
THALLIUM	01059	036	2009/11/23	.000	2012/11	
NITRATE/NITRITE						
NITRATE (AS NO3)	71850	012	2011/11/29	< 2.000	2012/11	
NITRITE (AS N)	00620	036	2009/11/23	< 400.000	2012/11	
RADIOLOGICAL						
GROSS ALPHA	01501	003	**2007/02/22**	< 3.000	**2007/05**	**DUE**
GROSS BETA	03501	WAIVED				
RA-226 FOR CWS OR TOTAL RA FOR NTNC BY 903.0	A-080	WAIVED				
RA-226 OR TOTAL RA BY 903.0 C.E.	A-081	WAIVED				
RADIUM 226	09501	WAIVED				
RADIUM 228	11501	WAIVED	2007/02/22	< 1.000		
RADIUM, TOTAL, MDA95-NTNC ONLY, BY 903.0	A-082	WAIVED				
STRONTIUM-90	13501	WAIVED				
TRITIUM	07000	WAIVED				
URANIUM (PCI/L)	28012	WAIVED				
REGULATED SOC						
2,3,7,8-TCDD (DIOXIN)	34676	WAIVED				
2,4,5-TP (SILVEX)	39045	WAIVED				
2,4-D	39730	WAIVED				
ALACHLOR	77825	036	2010/02/25	< .000	2013/02	
ATRAZINE	39033	036	2010/02/25	< .000	2013/02	
BENTAZON	38710	WAIVED				

**Testing interval is in months;*
0 = No data for this constituent and is DUE NOW
999 = Waived testing (not required)
I = Invalid (NOT) valid analyses reported

System Number: ***2400053***

System Name: ***EL NIDO MOBILE HOME PARK***

PS Code: ***2400053-014***

Source Name: ***WELL #4 - NW CORNER, DRILLED 8/06***

Source Number: ***014***

Source Status: ***ACTIVE UNTREATED***

Water type: ***GROUNDWATER OR WELL***

	STORET NUMBER	TESTING INTERVAL (MONTHS)*	LAST TEST DATE (yyyy/mm/dd)	LAST RESULT REPORTED	NEXT TEST DATE (yyyy/mm)	
REGULATED SOC						
BENZO (A) PYRENE	34247	WAIVED	2010/02/25	< .000		
CARBOFURAN	81405	WAIVED				
CHLORDANE	39350	WAIVED				
DALAPON	38432	WAIVED				
DI(2-ETHYLHEXYL)ADIPATE	A-026	WAIVED	2010/02/25	< .000		
DI(2-ETHYLHEXYL)PHTHALATE	39100	WAIVED	2010/02/25	< .000		
DIBROMOCHLOROPROPANE (DBCP)	38761	036	2010/02/25	< .000	2013/02	
DINOSEB	81287	WAIVED				
DIQUAT	78885	WAIVED				
ENDOTHALL	38926	WAIVED				
ENDRIN	39390	WAIVED				
ETHYLENE DIBROMIDE (EDB)	77651	036	2010/02/25	< .000	2013/02	
GLYPHOSATE	79743	WAIVED				
HEPTACHLOR	39410	WAIVED				
HEPTACHLOR EPOXIDE	39420	WAIVED				
HEXACHLOROBENZENE	39700	WAIVED				
HEXACHLOROCYCLOPENTADIENE	34386	WAIVED				
LINDANE	39340	WAIVED				
METHOXYCHLOR	39480	WAIVED				
MOLINATE	82199	WAIVED	2010/02/25	< .000		
OXAMYL	38865	WAIVED				
PENTACHLOROPHENOL	39032	WAIVED				
PICLORAM	39720	WAIVED				
POLYCHLORINATED BIPHENYLS, TOTAL, AS DCB	39516	WAIVED				
SIMAZINE	39055	036	2010/02/25	< .000	2013/02	
THIOBENCARB	A-001	WAIVED	2010/02/25	< .000		
TOXAPHENE	39400	WAIVED				
REGULATED VOC						
1,1,1-TRICHLOROETHANE	34506	060	2007/02/22	.000	2012/02	DUE

**Testing interval is in months;*
0 = No data for this constituent and is DUE NOW
999 = Waived testing (not required)
I = Invalid (NOT) valid analyses reported

System Number: ***2400053***

System Name: ***EL NIDO MOBILE HOME PARK***

PS Code: ***2400053-014***

Source Name: ***WELL #4 - NW CORNER, DRILLED 8/06***

Source Number: ***014***

Source Status: ***ACTIVE UNTREATED***

Water type: ***GROUNDWATER OR WELL***

	STORET NUMBER	TESTING INTERVAL (MONTHS)*	LAST TEST DATE (yyyy/mm/dd)	LAST RESULT REPORTED	NEXT TEST DATE (yyyy/mm)	
REGULATED VOC						
1,1,2,2-TETRACHLOROETHANE	34516	060	2007/02/22	.000	2012/02	DUE
1,1,2-TRICHLORO-1,2,2-TRIFLUOROETHANE	81611	060	2007/02/22	.000	2012/02	DUE
1,1,2-TRICHLOROETHANE	34511	060	2007/02/22	.000	2012/02	DUE
1,1-DICHLOROETHANE	34496	060	2007/02/22	.000	2012/02	DUE
1,1-DICHLOROETHYLENE	34501	060	2007/02/22	.000	2012/02	DUE
1,2,4-TRICHLOROBENZENE	34551	060	2007/02/22	.000	2012/02	DUE
1,2-DICHLOROBENZENE	34536	060	2007/02/22	.000	2012/02	DUE
1,2-DICHLOROETHANE	34531	060	2007/02/22	.000	2012/02	DUE
1,2-DICHLOROPROPANE	34541	060	2007/02/22	.000	2012/02	DUE
1,3-DICHLOROPROPENE (TOTAL)	34561	060	2007/02/22	.000	2012/02	DUE
1,4-DICHLOROBENZENE	34571	060	2007/02/22	.000	2012/02	DUE
BENZENE	34030	060	2007/02/22	.000	2012/02	DUE
CARBON TETRACHLORIDE	32102	060	2007/02/22	.000	2012/02	DUE
CIS-1,2-DICHLOROETHYLENE	77093	060	2007/02/22	.000	2012/02	DUE
DICHLOROMETHANE	34423	060	2007/02/22	.000	2012/02	DUE
ETHYLBENZENE	34371	060	2007/02/22	.000	2012/02	DUE
METHYL-TERT-BUTYL-ETHER (MTBE)	46491	060	2007/02/22	.000	2012/02	DUE
MONOCHLOROBENZENE	34301	060	2007/02/22	.000	2012/02	DUE
STYRENE	77128	060	2007/02/22	.000	2012/02	DUE
TETRACHLOROETHYLENE	34475	060	2007/02/22	.000	2012/02	DUE
TOLUENE	34010	060	2007/02/22	.000	2012/02	DUE
TRANS-1,2-DICHLOROETHYLENE	34546	060	2007/02/22	.000	2012/02	DUE
TRICHLOROETHYLENE	39180	060	2007/02/22	.000	2012/02	DUE
TRICHLOROFLUOROMETHANE	34488	060	2007/02/22	.000	2012/02	DUE
VINYL CHLORIDE	39175	060	2007/02/22	.000	2012/02	DUE
XYLENES (TOTAL)	81551	060	2007/02/22	< .500	2012/02	DUE
SECONDARY/GP						
AGGRSSIVE INDEX (CORROSIVITY)	82383	WAIVED				
BICARBONATE ALKALINITY	00440	036	2009/11/23	140.900	2012/11	

**Testing interval is in months;*
0 = No data for this constituent and is DUE NOW
999 = Waived testing (not required)
I = Invalid (NOT) valid analyses reported

System Number: ***2400053***

System Name: ***EL NIDO MOBILE HOME PARK***

PS Code: ***2400053-014***

Source Name: ***WELL #4 - NW CORNER, DRILLED 8/06***

Source Number: ***014***

Source Status: ***ACTIVE UNTREATED***

Water type: ***GROUNDWATER OR WELL***

SECONDARY/GP

	STORET NUMBER	TESTING INTERVAL (MONTHS)*	LAST TEST DATE (yyyy/mm/dd)	LAST RESULT REPORTED	NEXT TEST DATE (yyyy/mm)
CALCIUM	00916	036	2009/11/23	13.500	2012/11
CARBONATE ALKALINITY	00445	036	2009/11/23	< 1.000	2012/11
CHLORIDE	00940	036	2009/11/23	30.800	2012/11
COLOR	00081	036	2009/11/23	< 3.000	2012/11
COPPER	01042	036	2009/11/23	.000	2012/11
FOAMING AGENTS (MBAS)	38260	036	2009/11/23	< .020	2012/11
HARDNESS (TOTAL) AS CACO3	00900	036	2009/11/23	100.400	2012/11
HYDROXIDE ALKALINITY	71830	036	2009/11/23	< 1.000	2012/11
IRON	01045	036	2009/11/23	.000	2012/11
MAGNESIUM	00927	036	2009/11/23	1.500	2012/11
MANGANESE	01055	036	2009/11/23	.000	2012/11
ODOR THRESHOLD @ 60 C	00086	036	2009/11/23	< 1.000	2012/11
PH, LABORATORY	00403	036	2009/11/23	6.900	2012/11
SILVER	01077	036	2009/11/23	.000	2012/11
SODIUM	00929	036	2009/11/23	60.000	2012/11
SPECIFIC CONDUCTANCE	00095	036	2011/08/25	300.000	2014/08
SULFATE	00945	036	2009/11/23	4.200	2012/11
TOTAL DISSOLVED SOLIDS	70300	036	2009/11/23	219.000	2012/11
TURBIDITY, LABORATORY	82079	036	2009/11/23	.200	2012/11
ZINC	01092	036	2009/11/23	.000	2012/11

**Testing interval is in months;*
0 = No data for this constituent and is DUE NOW
999 = Waived testing (not required)
I = Invalid (NOT) valid analyses reported

System Number: ***2400055***

System Name: ***MORNINGSTAR FOODS***

PS Code: ***2400055-001***

Source Name: ***WELL 1-IN DRY WAREHOUSE***

Source Number: ***001***

Source Status: ***ACTIVE UNTREATED***

Water type: ***GROUNDWATER OR WELL***

	STORET NUMBER	TESTING INTERVAL (MONTHS)*	LAST TEST DATE (yyyy/mm/dd)	LAST RESULT REPORTED	NEXT TEST DATE (yyyy/mm)
GENERAL NON CHAP 15					
DIAZINON	39570	WAIVED			
INORGANIC					
ALUMINUM	01105	036	2010/06/23	< 50.000	2013/06
ANTIMONY	01097	036	2010/06/23	< 6.000	2013/06
ARSENIC	01002	036	2010/06/23	< 2.000	2013/06
ASBESTOS	81855	WAIVED			
BARIUM	01007	036	2010/06/23	< 100.000	2013/06
BERYLLIUM	01012	036	2010/06/23	< 1.000	2013/06
CADMIUM	01027	036	2010/06/23	< 1.000	2013/06
CHROMIUM (TOTAL)	01034	036	2010/06/23	13.600	2013/06
CYANIDE	01291	WAIVED			
FLUORIDE (F) (NATURAL-SOURCE)	00951	036	2010/06/23	.280	2013/06
LEAD	01051	WAIVED	2010/06/23	< 5.000	
MERCURY	71900	036	2010/06/23	< .500	2013/06
NICKEL	01067	036	2010/06/23	< 10.000	2013/06
PERCHLORATE	A-031	036	2011/06/16	< .000	2014/06
SELENIUM	01147	036	2010/06/23	< 5.000	2013/06
THALLIUM	01059	036	2010/06/23	< 1.000	2013/06
NITRATE/NITRITE					
NITRATE (AS NO3)	71850	012	2012/04/19	44.500	2013/04
NITRITE (AS N)	00620	036	2012/04/19	< 400.000	2015/04
RADIOLOGICAL					
GROSS ALPHA	01501	WAIVED	2011/04/21	4.000	
GROSS BETA	03501	WAIVED			
RA-226 FOR CWS OR TOTAL RA FOR NTNC BY 903.0	A-080	WAIVED			
RA-226 OR TOTAL RA BY 903.0 C.E.	A-081	WAIVED			
RADIUM 226	09501	WAIVED			
RADIUM 228	11501	WAIVED			

**Testing interval is in months;*
0 = No data for this constituent and is DUE NOW
999 = Waived testing (not required)
I = Invalid (NOT) valid analyses reported

System Number: ***2400055***

System Name: ***MORNINGSTAR FOODS***

PS Code: ***2400055-001***

Source Name: ***WELL 1-IN DRY WAREHOUSE***

Source Number: ***001***

Source Status: ***ACTIVE UNTREATED***

Water type: ***GROUNDWATER OR WELL***

	STORET NUMBER	TESTING INTERVAL (MONTHS)*	LAST TEST DATE (yyyy/mm/dd)	LAST RESULT REPORTED	NEXT TEST DATE (yyyy/mm)
RADIOLOGICAL					
RADIUM, TOTAL, MDA95-NTNC ONLY, BY 903.0	A-082	WAIVED			
STRONTIUM-90	13501	WAIVED			
TRITIUM	07000	WAIVED			
URANIUM (PCI/L)	28012	WAIVED	2011/04/21	2.700	
REGULATED SOC					
2,3,7,8-TCDD (DIOXIN)	34676	WAIVED			
2,4,5-TP (SILVEX)	39045	WAIVED			
2,4-D	39730	WAIVED			
ALACHLOR	77825	036	2010/06/23	< 1.000	2013/06
ATRAZINE	39033	036	2010/06/23	< .500	2013/06
BENTAZON	38710	WAIVED			
BENZO (A) PYRENE	34247	WAIVED			
CARBOFURAN	81405	WAIVED			
CHLORDANE	39350	WAIVED	2010/06/23	< .100	
DALAPON	38432	WAIVED			
DI(2-ETHYLHEXYL)ADIPATE	A-026	WAIVED			
DI(2-ETHYLHEXYL)PHTHALATE	39100	WAIVED			
DIBROMOCHLOROPROPANE (DBCP)	38761	036	2010/06/23	.010	2013/06
DINOSEB	81287	WAIVED			
DIQUAT	78885	WAIVED			
ENDOTHALL	38926	WAIVED			
ENDRIN	39390	WAIVED	2010/06/23	< .100	
ETHYLENE DIBROMIDE (EDB)	77651	036	2010/06/23	< .020	2013/06
GLYPHOSATE	79743	WAIVED			
HEPTACHLOR	39410	WAIVED	2010/06/23	< .010	
HEPTACHLOR EPOXIDE	39420	WAIVED	2010/06/23	< .010	
HEXACHLOROBENZENE	39700	WAIVED	2010/06/23	< .500	
HEXACHLOROCYCLOPENTADIENE	34386	WAIVED	2010/06/23	< 1.000	
LINDANE	39340	WAIVED	2010/06/23	< .200	

**Testing interval is in months;*
0 = No data for this constituent and is DUE NOW
999 = Waived testing (not required)
I = Invalid (NOT) valid analyses reported

System Number: ***2400055***

System Name: ***MORNINGSTAR FOODS***

PS Code: ***2400055-001***

Source Name: ***WELL 1-IN DRY WAREHOUSE***

Source Number: ***001***

Source Status: ***ACTIVE UNTREATED***

Water type: ***GROUNDWATER OR WELL***

	STORET NUMBER	TESTING INTERVAL (MONTHS)*	LAST TEST DATE (yyyy/mm/dd)	LAST RESULT REPORTED	NEXT TEST DATE (yyyy/mm)
REGULATED SOC					
METHOXYCHLOR	39480	WAIVED	2010/06/23	< 10.000	
MOLINATE	82199	WAIVED			
OXAMYL	38865	WAIVED			
PENTACHLOROPHENOL	39032	WAIVED			
PICLORAM	39720	WAIVED			
POLYCHLORINATED BIPHENYLS, TOTAL, AS DCB	39516	WAIVED	2010/06/23	< .500	
SIMAZINE	39055	036	2010/06/23	< 1.000	2013/06
THIOBENCARB	A-001	WAIVED			
TOXAPHENE	39400	WAIVED	2010/06/23	< 1.000	
REGULATED VOC					
1,1,1-TRICHLOROETHANE	34506	060	2007/10/09	.000	2012/10
1,1,2,2-TETRACHLOROETHANE	34516	060	2007/10/09	.000	2012/10
1,1,2-TRICHLORO-1,2,2-TRIFLUOROETHANE	81611	060	2007/10/09	.000	2012/10
1,1,2-TRICHLOROETHANE	34511	060	2007/10/09	.000	2012/10
1,1-DICHLOROETHANE	34496	060	2007/10/09	.000	2012/10
1,1-DICHLOROETHYLENE	34501	060	2007/10/09	.000	2012/10
1,2,4-TRICHLOROBENZENE	34551	060	2007/10/09	.000	2012/10
1,2-DICHLOROBENZENE	34536	060	2007/10/09	.000	2012/10
1,2-DICHLOROETHANE	34531	060	2007/10/09	.000	2012/10
1,2-DICHLOROPROPANE	34541	060	2007/10/09	.000	2012/10
1,3-DICHLOROPROPENE (TOTAL)	34561	060	2007/10/09	.000	2012/10
1,4-DICHLOROBENZENE	34571	060	2007/10/09	.000	2012/10
BENZENE	34030	060	2007/10/09	.000	2012/10
CARBON TETRACHLORIDE	32102	060	2007/10/09	.000	2012/10
CIS-1,2-DICHLOROETHYLENE	77093	060	2007/10/09	.000	2012/10
DICHLOROMETHANE	34423	060	2007/10/09	.000	2012/10
ETHYLBENZENE	34371	060	2007/10/09	.000	2012/10
METHYL-TERT-BUTYL-ETHER (MTBE)	46491	060	2008/04/17	.000	2013/04
MONOCHLOROBENZENE	34301	060	2007/10/09	.000	2012/10

**Testing interval is in months;*
0 = No data for this constituent and is DUE NOW
999 = Waived testing (not required)
I = Invalid (NOT) valid analyses reported

System Number: ***2400055***

System Name: ***MORNINGSTAR FOODS***

PS Code: ***2400055-001***

Source Name: ***WELL 1-IN DRY WAREHOUSE***

Source Number: ***001***

Source Status: ***ACTIVE UNTREATED***

Water type: ***GROUNDWATER OR WELL***

	STORET NUMBER	TESTING INTERVAL (MONTHS)*	LAST TEST DATE (yyyy/mm/dd)	LAST RESULT REPORTED	NEXT TEST DATE (yyyy/mm)
REGULATED VOC					
STYRENE	77128	060	2007/10/09	.000	2012/10
TETRACHLOROETHYLENE	34475	060	2007/10/09	.890	2012/10
TOLUENE	34010	060	2007/10/09	.000	2012/10
TRANS-1,2-DICHLOROETHYLENE	34546	060	2007/10/09	.000	2012/10
TRICHLOROETHYLENE	39180	060	2007/10/09	.000	2012/10
TRICHLOROFLUOROMETHANE	34488	060	2007/10/09	.000	2012/10
VINYL CHLORIDE	39175	060	2007/10/09	.000	2012/10
XYLENES (TOTAL)	81551	060	2007/10/09	< .500	2012/10
SECONDARY/GP					
AGGRSSIVE INDEX (CORROSIVITY)	82383	WAIVED			
BICARBONATE ALKALINITY	00440	WAIVED	2007/01/10	226.000	
CALCIUM	00916	WAIVED	2007/01/10	71.000	
CARBONATE ALKALINITY	00445	WAIVED	2007/01/10	< 2.000	
CHLORIDE	00940	WAIVED	2007/01/10	154.000	
COLOR	00081	WAIVED	2007/01/10	5.000	
COPPER	01042	WAIVED	2007/01/10	< 50.000	
FOAMING AGENTS (MBAS)	38260	WAIVED	2007/01/10	< .025	
HARDNESS (TOTAL) AS CACO3	00900	WAIVED	2007/01/10	396.000	
HYDROXIDE ALKALINITY	71830	WAIVED	2007/01/10	< .500	
IRON	01045	WAIVED	2007/01/10	590.000	
MAGNESIUM	00927	WAIVED	2007/01/10	30.000	
MANGANESE	01055	WAIVED	2007/01/10	< 20.000	
ODOR THRESHOLD @ 60 C	00086	WAIVED	2007/01/10	.000	
PH, LABORATORY	00403	WAIVED	2007/01/10	8.050	
SILVER	01077	WAIVED	2010/06/23	< 10.000	
SODIUM	00929	WAIVED	2007/01/10	80.000	
SPECIFIC CONDUCTANCE	00095	WAIVED	2011/06/16	1200.000	
SULFATE	00945	WAIVED	2007/01/10	155.000	
TOTAL DISSOLVED SOLIDS	70300	WAIVED	2007/01/10	720.000	

**Testing interval is in months;*
0 = No data for this constituent and is DUE NOW
999 = Waived testing (not required)
I = Invalid (NOT) valid analyses reported

System Number: ***2400055***

System Name: ***MORNINGSTAR FOODS***

PS Code: ***2400055-001***

Source Name: ***WELL 1-IN DRY WAREHOUSE***

Source Number: ***001***

Source Status: ***ACTIVE UNTREATED***

Water type: ***GROUNDWATER OR WELL***

	STORET NUMBER	TESTING INTERVAL (MONTHS)*	LAST TEST DATE (yyyy/mm/dd)	LAST RESULT REPORTED	NEXT TEST DATE (yyyy/mm)
SECONDARY/GP					
TURBIDITY, LABORATORY	82079	WAIVED	2007/01/10	1.500	
ZINC	01092	WAIVED	2007/01/10	< 50.000	

PS Code: ***2400055-011***

Source Name: ***SYSTEM CHLORINE TREATMENT PLANT***

Source Number: ***011***

Source Status: ***ACTIVE TREATED***

Water type: ***GROUNDWATER OR WELL***

GENERAL NON CHAP 15					
DIAZINON	39570	WAIVED	2004/08/11	.000	
INORGANIC					
ALUMINUM	01105	WAIVED	2004/08/11	< 30.000	
ANTIMONY	01097	WAIVED	2004/08/11	< 5.000	
ARSENIC	01002	WAIVED	2004/08/11	< 2.000	
ASBESTOS	81855	WAIVED			
BARIUM	01007	WAIVED	2004/08/11	41.000	
BERYLLIUM	01012	WAIVED	2004/08/11	< .500	
CADMIUM	01027	WAIVED	2004/08/11	< 1.000	
CHROMIUM (TOTAL)	01034	WAIVED	2004/08/11	8.000	
CYANIDE	01291	WAIVED	2004/08/11	< 50.000	
FLUORIDE (F) (NATURAL-SOURCE)	00951	WAIVED	2004/08/11	.200	
LEAD	01051	WAIVED			
MERCURY	71900	WAIVED	2004/08/11	< .200	
NICKEL	01067	WAIVED	2004/08/11	< 5.000	
PERCHLORATE	A-031	WAIVED	2003/02/25	.000	
SELENIUM	01147	WAIVED	2004/08/11	< 5.000	
THALLIUM	01059	WAIVED	2004/08/11	< 1.000	

**Testing interval is in months;*
0 = No data for this constituent and is DUE NOW
999 = Waived testing (not required)
I = Invalid (NOT) valid analyses reported

System Number: ***2400055***

System Name: ***MORNINGSTAR FOODS***

PS Code: ***2400055-011***

Source Name: ***SYSTEM CHLORINE TREATMENT PLANT***

Source Number: ***011***

Source Status: ***ACTIVE TREATED***

Water type: ***GROUNDWATER OR WELL***

	STORET NUMBER	TESTING INTERVAL (MONTHS)*	LAST TEST DATE (yyyy/mm/dd)	LAST RESULT REPORTED	NEXT TEST DATE (yyyy/mm)
NITRATE/NITRITE					
NITRATE (AS NO3)	71850	WAIVED	2004/08/11	28.000	
NITRITE (AS N)	00620	WAIVED	2004/08/11	< 100.000	
RADIOLOGICAL					
GROSS ALPHA	01501	WAIVED			
GROSS BETA	03501	WAIVED			
RA-226 FOR CWS OR TOTAL RA FOR NTNC BY 903.0	A-080	WAIVED			
RA-226 OR TOTAL RA BY 903.0 C.E.	A-081	WAIVED			
RADIUM 226	09501	WAIVED			
RADIUM 228	11501	WAIVED			
RADIUM, TOTAL, MDA95-NTNC ONLY, BY 903.0	A-082	WAIVED			
STRONTIUM-90	13501	WAIVED			
TRITIUM	07000	WAIVED			
URANIUM (PCI/L)	28012	WAIVED			
REGULATED SOC					
2,3,7,8-TCDD (DIOXIN)	34676	WAIVED			
2,4,5-TP (SILVEX)	39045	WAIVED			
2,4-D	39730	WAIVED			
ALACHLOR	77825	WAIVED	2004/08/11	.000	
ATRAZINE	39033	WAIVED	2004/08/11	.000	
BENTAZON	38710	WAIVED			
BENZO (A) PYRENE	34247	WAIVED			
CARBOFURAN	81405	WAIVED			
CHLORDANE	39350	WAIVED			
DALAPON	38432	WAIVED			
DI(2-ETHYLHEXYL)ADIPATE	A-026	WAIVED			
DI(2-ETHYLHEXYL)PHTHALATE	39100	WAIVED			
DIBROMOCHLOROPROPANE (DBCP)	38761	WAIVED	2004/08/30	.000	
DINOSEB	81287	WAIVED			
DIQUAT	78885	WAIVED			

**Testing interval is in months;*
0 = No data for this constituent and is DUE NOW
999 = Waived testing (not required)
I = Invalid (NOT) valid analyses reported

System Number: ***2400055***

System Name: ***MORNINGSTAR FOODS***

PS Code: ***2400055-011***

Source Name: ***SYSTEM CHLORINE TREATMENT PLANT***

Source Number: ***011***

Source Status: ***ACTIVE TREATED***

Water type: ***GROUNDWATER OR WELL***

	STORET NUMBER	TESTING INTERVAL (MONTHS)*	LAST TEST DATE (yyyy/mm/dd)	LAST RESULT REPORTED	NEXT TEST DATE (yyyy/mm)
REGULATED SOC					
ENDOTHALL	38926	WAIVED			
ENDRIN	39390	WAIVED			
ETHYLENE DIBROMIDE (EDB)	77651	WAIVED	2004/08/30	.000	
GLYPHOSATE	79743	WAIVED			
HEPTACHLOR	39410	WAIVED			
HEPTACHLOR EPOXIDE	39420	WAIVED			
HEXACHLOROBENZENE	39700	WAIVED			
HEXACHLOROCYCLOPENTADIENE	34386	WAIVED			
LINDANE	39340	WAIVED			
METHOXYCHLOR	39480	WAIVED			
MOLINATE	82199	WAIVED	2004/08/11	.000	
OXAMYL	38865	WAIVED			
PENTACHLOROPHENOL	39032	WAIVED			
PICLORAM	39720	WAIVED			
POLYCHLORINATED BIPHENYLS, TOTAL, AS DCB	39516	WAIVED			
SIMAZINE	39055	WAIVED	2004/08/11	.000	
THIOBENCARB	A-001	WAIVED	2004/08/11	.000	
TOXAPHENE	39400	WAIVED			
REGULATED VOC					
1,1,1-TRICHLOROETHANE	34506	WAIVED			
1,1,2,2-TETRACHLOROETHANE	34516	WAIVED			
1,1,2-TRICHLORO-1,2,2-TRIFLUOROETHANE	81611	WAIVED			
1,1,2-TRICHLOROETHANE	34511	WAIVED			
1,1-DICHLOROETHANE	34496	WAIVED			
1,1-DICHLOROETHYLENE	34501	WAIVED			
1,2,4-TRICHLOROBENZENE	34551	WAIVED			
1,2-DICHLOROBENZENE	34536	WAIVED			
1,2-DICHLOROETHANE	34531	WAIVED			
1,2-DICHLOROPROPANE	34541	WAIVED			

**Testing interval is in months;*
0 = No data for this constituent and is DUE NOW
999 = Waived testing (not required)
I = Invalid (NOT) valid analyses reported

System Number: ***2400055***

System Name: ***MORNINGSTAR FOODS***

PS Code: ***2400055-011***

Source Name: ***SYSTEM CHLORINE TREATMENT PLANT***

Source Number: ***011***

Source Status: ***ACTIVE TREATED***

Water type: ***GROUNDWATER OR WELL***

	STORET NUMBER	TESTING INTERVAL (MONTHS)*	LAST TEST DATE (yyyy/mm/dd)	LAST RESULT REPORTED	NEXT TEST DATE (yyyy/mm)
REGULATED VOC					
1,3-DICHLOROPROPENE (TOTAL)	34561	WAIVED			
1,4-DICHLOROBENZENE	34571	WAIVED			
BENZENE	34030	WAIVED			
CARBON TETRACHLORIDE	32102	WAIVED			
CIS-1,2-DICHLOROETHYLENE	77093	WAIVED			
DICHLOROMETHANE	34423	WAIVED			
ETHYLBENZENE	34371	WAIVED			
METHYL-TERT-BUTYL-ETHER (MTBE)	46491	WAIVED	2005/06/09	< 2.000	
MONOCHLOROBENZENE	34301	WAIVED			
STYRENE	77128	WAIVED			
TETRACHLOROETHYLENE	34475	WAIVED			
TOLUENE	34010	WAIVED			
TRANS-1,2-DICHLOROETHYLENE	34546	WAIVED			
TRICHLOROETHYLENE	39180	WAIVED			
TRICHLOROFLUOROMETHANE	34488	WAIVED			
VINYL CHLORIDE	39175	WAIVED			
XYLENES (TOTAL)	81551	WAIVED			
SECONDARY/GP					
AGGRSSIVE INDEX (CORROSIVITY)	82383	WAIVED			
BICARBONATE ALKALINITY	00440	WAIVED			
CALCIUM	00916	WAIVED			
CARBONATE ALKALINITY	00445	WAIVED			
CHLORIDE	00940	WAIVED			
COLOR	00081	WAIVED			
COPPER	01042	WAIVED			
FOAMING AGENTS (MBAS)	38260	WAIVED			
HARDNESS (TOTAL) AS CACO3	00900	WAIVED			
HYDROXIDE ALKALINITY	71830	WAIVED			
IRON	01045	WAIVED			

**Testing interval is in months;*
0 = No data for this constituent and is DUE NOW
999 = Waived testing (not required)
I = Invalid (NOT) valid analyses reported

System Number: ***2400055***

System Name: ***MORNINGSTAR FOODS***

PS Code: ***2400055-011***

Source Name: ***SYSTEM CHLORINE TREATMENT PLANT***

Source Number: ***011***

Source Status: ***ACTIVE TREATED***

Water type: ***GROUNDWATER OR WELL***

SECONDARY/GP

	STORET NUMBER	TESTING INTERVAL (MONTHS)*	LAST TEST DATE (yyyy/mm/dd)	LAST RESULT REPORTED	NEXT TEST DATE (yyyy/mm)
MAGNESIUM	00927	WAIVED			
MANGANESE	01055	WAIVED			
ODOR THRESHOLD @ 60 C	00086	WAIVED			
PH, LABORATORY	00403	WAIVED			
SILVER	01077	WAIVED			
SODIUM	00929	WAIVED			
SPECIFIC CONDUCTANCE	00095	WAIVED			
SULFATE	00945	WAIVED			
TOTAL DISSOLVED SOLIDS	70300	WAIVED			
TURBIDITY, LABORATORY	82079	WAIVED			
ZINC	01092	WAIVED			

PS Code: ***2400055-012***

Source Name: ***WELL 2-SOUTH OF PLANT***

Source Number: ***012***

Source Status: ***ACTIVE UNTREATED***

Water type: ***GROUNDWATER OR WELL***

GENERAL NON CHAP 15

DIAZINON	39570	WAIVED			

INORGANIC

ALUMINUM	01105	036	2010/01/21	< 50.000	2013/01
ANTIMONY	01097	036	2010/01/21	< 6.000	2013/01
ARSENIC	01002	036	2010/01/21	< 2.000	2013/01
ASBESTOS	81855	WAIVED			
BARIUM	01007	036	2010/01/21	< 100.000	2013/01
BERYLLIUM	01012	036	2010/01/21	< 1.000	2013/01
CADMIUM	01027	036	2010/01/21	< 1.000	2013/01
CHROMIUM (TOTAL)	01034	036	2010/01/21	18.900	2013/01
CYANIDE	01291	WAIVED			

**Testing interval is in months;*
0 = No data for this constituent and is DUE NOW
999 = Waived testing (not required)
I = Invalid (NOT) valid analyses reported

System Number: ***2400055***

System Name: ***MORNINGSTAR FOODS***

PS Code: ***2400055-012***

Source Name: ***WELL 2-SOUTH OF PLANT***

Source Number: ***012***

Source Status: ***ACTIVE UNTREATED***

Water type: ***GROUNDWATER OR WELL***

	STORET NUMBER	TESTING INTERVAL (MONTHS)*	LAST TEST DATE (yyyy/mm/dd)	LAST RESULT REPORTED	NEXT TEST DATE (yyyy/mm)	
INORGANIC						
FLUORIDE (F) (NATURAL-SOURCE)	00951	036	2010/01/21	.200	2013/01	
LEAD	01051	WAIVED	2010/01/21	< 5.000		
MERCURY	71900	036	2010/01/21	< .500	2013/01	
NICKEL	01067	036	2010/01/21	< 10.000	2013/01	
PERCHLORATE	A-031	000				**DUE**
SELENIUM	01147	036	2010/01/21	< 5.000	2013/01	
THALLIUM	01059	036	2010/01/21	< 1.000	2013/01	
NITRATE/NITRITE						
NITRATE (AS NO3)	71850	012	2012/04/19	38.800	2013/04	
NITRITE (AS N)	00620	036	2012/04/19	< 400.000	2015/04	
RADIOLOGICAL						
GROSS ALPHA	01501	WAIVED	2008/11/18	7.000		
GROSS BETA	03501	WAIVED				
RA-226 FOR CWS OR TOTAL RA FOR NTNC BY 903.0	A-080	WAIVED				
RA-226 OR TOTAL RA BY 903.0 C.E.	A-081	WAIVED				
RADIUM 226	09501	WAIVED	2006/06/22	.300		
RADIUM 228	11501	WAIVED				
RADIUM, TOTAL, MDA95-NTNC ONLY, BY 903.0	A-082	WAIVED				
STRONTIUM-90	13501	WAIVED				
TRITIUM	07000	WAIVED				
URANIUM (PCI/L)	28012	WAIVED	2008/11/18	3.600		
REGULATED SOC						
2,3,7,8-TCDD (DIOXIN)	34676	WAIVED				
2,4,5-TP (SILVEX)	39045	WAIVED				
2,4-D	39730	WAIVED				
ALACHLOR	77825	036	2010/01/21	< 1.000	2013/01	
ATRAZINE	39033	036	2010/01/21	< .500	2013/01	
BENTAZON	38710	WAIVED				

**Testing interval is in months;*
0 = No data for this constituent and is DUE NOW
999 = Waived testing (not required)
I = Invalid (NOT) valid analyses reported

System Number: ***2400055***

System Name: ***MORNINGSTAR FOODS***

PS Code: ***2400055-012***

Source Name: ***WELL 2-SOUTH OF PLANT***

Source Number: ***012***

Source Status: ***ACTIVE UNTREATED***

Water type: ***GROUNDWATER OR WELL***

	STORET NUMBER	TESTING INTERVAL (MONTHS)*	LAST TEST DATE (yyyy/mm/dd)	LAST RESULT REPORTED	NEXT TEST DATE (yyyy/mm)
REGULATED SOC					
BENZO (A) PYRENE	34247	WAIVED			
CARBOFURAN	81405	WAIVED			
CHLORDANE	39350	WAIVED	2010/01/21	< .100	
DALAPON	38432	WAIVED			
DI(2-ETHYLHEXYL)ADIPATE	A-026	WAIVED			
DI(2-ETHYLHEXYL)PHTHALATE	39100	WAIVED			
DIBROMOCHLOROPROPANE (DBCP)	38761	036	2010/01/21	< .010	2013/01
DINOSEB	81287	WAIVED			
DIQUAT	78885	WAIVED			
ENDOTHALL	38926	WAIVED			
ENDRIN	39390	WAIVED	2010/01/21	< .100	
ETHYLENE DIBROMIDE (EDB)	77651	036	2010/01/21	< .020	2013/01
GLYPHOSATE	79743	WAIVED			
HEPTACHLOR	39410	WAIVED	2010/01/21	< .010	
HEPTACHLOR EPOXIDE	39420	WAIVED	2010/01/21	< .010	
HEXACHLOROBENZENE	39700	WAIVED	2010/01/21	< .500	
HEXACHLOROCYCLOPENTADIENE	34386	WAIVED	2010/01/21	< 1.000	
LINDANE	39340	WAIVED	2010/01/21	< .200	
METHOXYCHLOR	39480	WAIVED	2010/01/21	< 10.000	
MOLINATE	82199	WAIVED			
OXAMYL	38865	WAIVED			
PENTACHLOROPHENOL	39032	WAIVED			
PICLORAM	39720	WAIVED			
POLYCHLORINATED BIPHENYLS, TOTAL, AS DCB	39516	WAIVED	2010/01/21	< .500	
SIMAZINE	39055	036	2010/01/21	< 1.000	2013/01
THIOBENCARB	A-001	WAIVED			
TOXAPHENE	39400	WAIVED	2010/01/21	< 1.000	
REGULATED VOC					
1,1,1-TRICHLOROETHANE	34506	060	2007/04/11	< .500	2012/04

**Testing interval is in months;*
0 = No data for this constituent and is DUE NOW
999 = Waived testing (not required)
I = Invalid (NOT) valid analyses reported

System Number: ***2400055***

System Name: ***MORNINGSTAR FOODS***

PS Code: ***2400055-012***

Source Name: ***WELL 2-SOUTH OF PLANT***

Source Number: ***012***

Source Status: ***ACTIVE UNTREATED***

Water type: ***GROUNDWATER OR WELL***

	STORET NUMBER	TESTING INTERVAL (MONTHS)*	LAST TEST DATE (yyyy/mm/dd)	LAST RESULT REPORTED	NEXT TEST DATE (yyyy/mm)
REGULATED VOC					
1,1,2,2-TETRACHLOROETHANE	34516	060	2007/04/11	< .500	2012/04
1,1,2-TRICHLORO-1,2,2-TRIFLUOROETHANE	81611	060	2007/04/11	< 10.000	2012/04
1,1,2-TRICHLOROETHANE	34511	060	2007/04/11	< .500	2012/04
1,1-DICHLOROETHANE	34496	060	2007/04/11	< .500	2012/04
1,1-DICHLOROETHYLENE	34501	060	2007/04/11	< .500	2012/04
1,2,4-TRICHLOROBENZENE	34551	060	2007/04/11	< .500	2012/04
1,2-DICHLOROBENZENE	34536	060	2007/04/11	< .500	2012/04
1,2-DICHLOROETHANE	34531	060	2007/04/11	< .500	2012/04
1,2-DICHLOROPROPANE	34541	060	2007/04/11	< .500	2012/04
1,3-DICHLOROPROPENE (TOTAL)	34561	060	2007/04/11	< .500	2012/04
1,4-DICHLOROBENZENE	34571	060	2007/04/11	< .500	2012/04
BENZENE	34030	060	2007/04/11	< .500	2012/04
CARBON TETRACHLORIDE	32102	060	2007/04/11	< .500	2012/04
CIS-1,2-DICHLOROETHYLENE	77093	060	2007/04/11	< .500	2012/04
DICHLOROMETHANE	34423	060	2007/04/11	< .500	2012/04
ETHYLBENZENE	34371	060	2007/04/11	< .500	2012/04
METHYL-TERT-BUTYL-ETHER (MTBE)	46491	060	2008/11/18	.000	2013/11
MONOCHLOROBENZENE	34301	060	2007/04/11	< .500	2012/04
STYRENE	77128	060	2007/04/11	< .500	2012/04
TETRACHLOROETHYLENE	34475	060	2007/04/11	< .500	2012/04
TOLUENE	34010	060	2007/04/11	< .500	2012/04
TRANS-1,2-DICHLOROETHYLENE	34546	060	2007/04/11	< .500	2012/04
TRICHLOROETHYLENE	39180	060	2007/04/11	< .500	2012/04
TRICHLOROFLUOROMETHANE	34488	060	2007/04/11	< .500	2012/04
VINYL CHLORIDE	39175	060	2007/04/11	< .500	2012/04
XYLENES (TOTAL)	81551	060	2007/04/11	< .500	2012/04
SECONDARY/GP					
AGGRSSIVE INDEX (CORROSIVITY)	82383	WAIVED			
BICARBONATE ALKALINITY	00440	WAIVED	2007/02/14	227.000	

**Testing interval is in months;*
0 = No data for this constituent and is DUE NOW
999 = Waived testing (not required)
I = Invalid (NOT) valid analyses reported

System Number: ***2400055***

System Name: ***MORNINGSTAR FOODS***

PS Code: ***2400055-012***

Source Name: ***WELL 2-SOUTH OF PLANT***

Source Number: ***012***

Source Status: ***ACTIVE UNTREATED***

Water type: ***GROUNDWATER OR WELL***

SECONDARY/GP

	STORET NUMBER	TESTING INTERVAL (MONTHS)*	LAST TEST DATE (yyyy/mm/dd)	LAST RESULT REPORTED	NEXT TEST DATE (yyyy/mm)
CALCIUM	00916	WAIVED	2007/02/14	105.000	
CARBONATE ALKALINITY	00445	WAIVED	2007/02/14	< 2.000	
CHLORIDE	00940	WAIVED	2007/02/14	150.000	
COLOR	00081	WAIVED			
COPPER	01042	WAIVED	2007/02/14	< 50.000	
FOAMING AGENTS (MBAS)	38260	WAIVED	2007/02/14	< .025	
HARDNESS (TOTAL) AS CACO3	00900	WAIVED	2007/02/14	388.000	
HYDROXIDE ALKALINITY	71830	WAIVED	2007/02/14	< .500	
IRON	01045	WAIVED	2007/02/14	< 100.000	
MAGNESIUM	00927	WAIVED	2007/02/14	33.000	
MANGANESE	01055	WAIVED	2007/02/14	< 20.000	
ODOR THRESHOLD @ 60 C	00086	WAIVED			
PH, LABORATORY	00403	WAIVED	2007/02/14	7.860	
SILVER	01077	WAIVED	2010/01/21	< 10.000	
SODIUM	00929	WAIVED	2007/02/14	110.000	
SPECIFIC CONDUCTANCE	00095	WAIVED	2008/12/18	1200.000	
SULFATE	00945	WAIVED	2007/02/14	150.000	
TOTAL DISSOLVED SOLIDS	70300	WAIVED	2007/02/14	750.000	
TURBIDITY, LABORATORY	82079	WAIVED			
ZINC	01092	WAIVED	2007/02/14	230.000	

**Testing interval is in months;*
0 = No data for this constituent and is DUE NOW
999 = Waived testing (not required)
I = Invalid (NOT) valid analyses reported

System Number: ***2400058***

System Name: ***CATTLEMEN S RESTAURANT***

PS Code: ***2400058-001***

Source Name: ***SYSTEM WELL-SOUTH OF REST. @ OLEANDERS***

Source Number: ***001***

Source Status: ***ACTIVE UNTREATED***

Water type: ***GROUNDWATER OR WELL***

	STORET NUMBER	TESTING INTERVAL (MONTHS)*	LAST TEST DATE (yyyy/mm/dd)	LAST RESULT REPORTED	NEXT TEST DATE (yyyy/mm)
GENERAL NON CHAP 15					
DIAZINON	39570	WAIVED			
INORGANIC					
ALUMINUM	01105	WAIVED			
ANTIMONY	01097	WAIVED			
ARSENIC	01002	WAIVED			
ASBESTOS	81855	WAIVED			
BARIUM	01007	WAIVED			
BERYLLIUM	01012	WAIVED			
CADMIUM	01027	WAIVED			
CHROMIUM (TOTAL)	01034	WAIVED			
CYANIDE	01291	WAIVED			
FLUORIDE (F) (NATURAL-SOURCE)	00951	WAIVED			
LEAD	01051	WAIVED			
MERCURY	71900	WAIVED			
NICKEL	01067	WAIVED			
PERCHLORATE	A-031	WAIVED			
SELENIUM	01147	WAIVED			
THALLIUM	01059	WAIVED			
NITRATE/NITRITE					
NITRATE (AS NO3)	71850	012	2012/05/03	< 2.000	2013/05
NITRITE (AS N)	00620	036	2010/05/06	< 400.000	2013/05
RADIOLOGICAL					
GROSS ALPHA	01501	WAIVED			
GROSS BETA	03501	WAIVED			
RA-226 FOR CWS OR TOTAL RA FOR NTNC BY 903.0	A-080	WAIVED			
RA-226 OR TOTAL RA BY 903.0 C.E.	A-081	WAIVED			
RADIUM 226	09501	WAIVED			
RADIUM 228	11501	WAIVED			

**Testing interval is in months;*
0 = No data for this constituent and is DUE NOW
999 = Waived testing (not required)
I = Invalid (NOT) valid analyses reported

System Number: ***2400058***

System Name: ***CATTLEMEN S RESTAURANT***

PS Code: ***2400058-001***

Source Name: ***SYSTEM WELL-SOUTH OF REST. @ OLEANDERS***

Source Number: ***001***

Source Status: ***ACTIVE UNTREATED***

Water type: ***GROUNDWATER OR WELL***

	STORET NUMBER	TESTING INTERVAL (MONTHS)*	LAST TEST DATE (yyyy/mm/dd)	LAST RESULT REPORTED	NEXT TEST DATE (yyyy/mm)
RADIOLOGICAL					
RADIUM, TOTAL, MDA95-NTNC ONLY, BY 903.0	A-082	WAIVED			
STRONTIUM-90	13501	WAIVED			
TRITIUM	07000	WAIVED			
URANIUM (PCI/L)	28012	WAIVED			
REGULATED SOC					
2,3,7,8-TCDD (DIOXIN)	34676	WAIVED			
2,4,5-TP (SILVEX)	39045	WAIVED			
2,4-D	39730	WAIVED			
ALACHLOR	77825	WAIVED			
ATRAZINE	39033	WAIVED			
BENTAZON	38710	WAIVED			
BENZO (A) PYRENE	34247	WAIVED			
CARBOFURAN	81405	WAIVED			
CHLORDANE	39350	WAIVED			
DALAPON	38432	WAIVED			
DI(2-ETHYLHEXYL)ADIPATE	A-026	WAIVED			
DI(2-ETHYLHEXYL)PHTHALATE	39100	WAIVED			
DIBROMOCHLOROPROPANE (DBCP)	38761	WAIVED			
DINOSEB	81287	WAIVED			
DIQUAT	78885	WAIVED			
ENDOTHALL	38926	WAIVED			
ENDRIN	39390	WAIVED			
ETHYLENE DIBROMIDE (EDB)	77651	WAIVED			
GLYPHOSATE	79743	WAIVED			
HEPTACHLOR	39410	WAIVED			
HEPTACHLOR EPOXIDE	39420	WAIVED			
HEXACHLOROBENZENE	39700	WAIVED			
HEXACHLOROCYCLOPENTADIENE	34386	WAIVED			
LINDANE	39340	WAIVED			

**Testing interval is in months;*
0 = No data for this constituent and is DUE NOW
999 = Waived testing (not required)
I = Invalid (NOT) valid analyses reported

System Number: ***2400058***

System Name: ***CATTLEMEN S RESTAURANT***

PS Code: ***2400058-001***

Source Name: ***SYSTEM WELL-SOUTH OF REST. @ OLEANDERS***

Source Number: ***001***

Source Status: ***ACTIVE UNTREATED***

Water type: ***GROUNDWATER OR WELL***

	STORET NUMBER	TESTING INTERVAL (MONTHS)*	LAST TEST DATE (yyyy/mm/dd)	LAST RESULT REPORTED	NEXT TEST DATE (yyyy/mm)
REGULATED SOC					
METHOXYCHLOR	39480	WAIVED			
MOLINATE	82199	WAIVED			
OXAMYL	38865	WAIVED			
PENTACHLOROPHENOL	39032	WAIVED			
PICLORAM	39720	WAIVED			
POLYCHLORINATED BIPHENYLS, TOTAL, AS DCB	39516	WAIVED			
SIMAZINE	39055	WAIVED			
THIOBENCARB	A-001	WAIVED			
TOXAPHENE	39400	WAIVED			
REGULATED VOC					
1,1,1-TRICHLOROETHANE	34506	WAIVED			
1,1,2,2-TETRACHLOROETHANE	34516	WAIVED			
1,1,2-TRICHLORO-1,2,2-TRIFLUOROETHANE	81611	WAIVED			
1,1,2-TRICHLOROETHANE	34511	WAIVED			
1,1-DICHLOROETHANE	34496	WAIVED			
1,1-DICHLOROETHYLENE	34501	WAIVED			
1,2,4-TRICHLOROBENZENE	34551	WAIVED			
1,2-DICHLOROBENZENE	34536	WAIVED			
1,2-DICHLOROETHANE	34531	WAIVED			
1,2-DICHLOROPROPANE	34541	WAIVED			
1,3-DICHLOROPROPENE (TOTAL)	34561	WAIVED			
1,4-DICHLOROBENZENE	34571	WAIVED			
BENZENE	34030	WAIVED			
CARBON TETRACHLORIDE	32102	WAIVED			
CIS-1,2-DICHLOROETHYLENE	77093	WAIVED			
DICHLOROMETHANE	34423	WAIVED			
ETHYLBENZENE	34371	WAIVED			
METHYL-TERT-BUTYL-ETHER (MTBE)	46491	WAIVED			
MONOCHLOROBENZENE	34301	WAIVED			

**Testing interval is in months;*
0 = No data for this constituent and is DUE NOW
999 = Waived testing (not required)
I = Invalid (NOT) valid analyses reported

System Number: ***2400058***

System Name: ***CATTLEMEN S RESTAURANT***

PS Code: ***2400058-001***

Source Name: ***SYSTEM WELL-SOUTH OF REST. @ OLEANDERS***

Source Number: ***001***

Source Status: ***ACTIVE UNTREATED***

Water type: ***GROUNDWATER OR WELL***

	STORET NUMBER	TESTING INTERVAL (MONTHS)*	LAST TEST DATE (yyyy/mm/dd)	LAST RESULT REPORTED	NEXT TEST DATE (yyyy/mm)
REGULATED VOC					
STYRENE	77128	WAIVED			
TETRACHLOROETHYLENE	34475	WAIVED			
TOLUENE	34010	WAIVED			
TRANS-1,2-DICHLOROETHYLENE	34546	WAIVED			
TRICHLOROETHYLENE	39180	WAIVED			
TRICHLOROFLUOROMETHANE	34488	WAIVED			
VINYL CHLORIDE	39175	WAIVED			
XYLENES (TOTAL)	81551	WAIVED			
SECONDARY/GP					
AGGRSSIVE INDEX (CORROSIVITY)	82383	WAIVED			
BICARBONATE ALKALINITY	00440	WAIVED			
CALCIUM	00916	WAIVED			
CARBONATE ALKALINITY	00445	WAIVED			
CHLORIDE	00940	WAIVED			
COLOR	00081	WAIVED			
COPPER	01042	WAIVED			
FOAMING AGENTS (MBAS)	38260	WAIVED			
HARDNESS (TOTAL) AS CACO3	00900	WAIVED			
HYDROXIDE ALKALINITY	71830	WAIVED			
IRON	01045	WAIVED			
MAGNESIUM	00927	WAIVED			
MANGANESE	01055	WAIVED			
ODOR THRESHOLD @ 60 C	00086	WAIVED			
PH, LABORATORY	00403	WAIVED			
SILVER	01077	WAIVED			
SODIUM	00929	WAIVED			
SPECIFIC CONDUCTANCE	00095	WAIVED			
SULFATE	00945	WAIVED			
TOTAL DISSOLVED SOLIDS	70300	WAIVED			

**Testing interval is in months;*
0 = No data for this constituent and is DUE NOW
999 = Waived testing (not required)
I = Invalid (NOT) valid analyses reported

System Number: ***2400058***

System Name: ***CATTLEMEN S RESTAURANT***

	STORET NUMBER	TESTING INTERVAL (MONTHS)*	LAST TEST DATE (yyyy/mm/dd)	LAST RESULT REPORTED	NEXT TEST DATE (yyyy/mm)

PS Code: ***2400058-001***

Source Name: ***SYSTEM WELL-SOUTH OF REST. @ OLEANDERS***

Source Number: ***001***

Source Status: ***ACTIVE UNTREATED***

Water type: ***GROUNDWATER OR WELL***

SECONDARY/GP

TURBIDITY, LABORATORY	**82079**	**WAIVED**			
ZINC	**01092**	**WAIVED**			

**Testing interval is in months;*
0 = No data for this constituent and is DUE NOW
999 = Waived testing (not required)
I = Invalid (NOT) valid analyses reported

System Number: ***2400062***

System Name: ***SNELLING MERCED FALLS SCHOOL***

PS Code: ***2400062-001***

Source Name: ***SYSTEM WELL #1- N.OF CAFETERIA/GYMNASIUM***

Source Number: ***001***

Source Status: ***ACTIVE UNTREATED***

Water type: ***GROUNDWATER OR WELL***

	STORET NUMBER	TESTING INTERVAL (MONTHS)*	LAST TEST DATE (yyyy/mm/dd)	LAST RESULT REPORTED	NEXT TEST DATE (yyyy/mm)
GENERAL NON CHAP 15					
DIAZINON	39570	WAIVED			
INORGANIC					
ALUMINUM	01105	036	2010/08/19	< 50.000	2013/08
ANTIMONY	01097	036	2010/08/19	< 6.000	2013/08
ARSENIC	01002	036	2010/08/19	< 2.000	2013/08
ASBESTOS	81855	WAIVED			
BARIUM	01007	036	2010/08/19	135.000	2013/08
BERYLLIUM	01012	036	2010/08/19	< 1.000	2013/08
CADMIUM	01027	036	2010/08/19	< 1.000	2013/08
CHROMIUM (TOTAL)	01034	036	2010/08/19	8.500	2013/08
CYANIDE	01291	WAIVED			
FLUORIDE (F) (NATURAL-SOURCE)	00951	036	2010/08/19	.190	2013/08
LEAD	01051	WAIVED	2010/08/19	< 5.000	
MERCURY	71900	036	2010/08/19	< .500	2013/08
NICKEL	01067	036	2010/08/19	< 10.000	2013/08
PERCHLORATE	A-031	036	2011/05/19	< .000	2014/05
SELENIUM	01147	036	2010/08/19	< 5.000	2013/08
THALLIUM	01059	036	2010/08/19	< 1.000	2013/08
NITRATE/NITRITE					
NITRATE (AS NO3)	71850	012	2012/02/22	4.500	2013/02
NITRITE (AS N)	00620	036	2010/08/19	< 400.000	2013/08
RADIOLOGICAL					
GROSS ALPHA	01501	WAIVED	2010/08/19	4.000	
GROSS BETA	03501	WAIVED			
RA-226 FOR CWS OR TOTAL RA FOR NTNC BY 903.0	A-080	WAIVED			
RA-226 OR TOTAL RA BY 903.0 C.E.	A-081	WAIVED			
RADIUM 226	09501	WAIVED			
RADIUM 228	11501	WAIVED			

**Testing interval is in months;*
0 = No data for this constituent and is DUE NOW
999 = Waived testing (not required)
I = Invalid (NOT) valid analyses reported

System Number: ***2400062***

System Name: ***SNELLING MERCED FALLS SCHOOL***

PS Code: ***2400062-001***

Source Name: ***SYSTEM WELL #1- N.OF CAFETERIA/GYMNASIUM***

Source Number: ***001***

Source Status: ***ACTIVE UNTREATED***

Water type: ***GROUNDWATER OR WELL***

	STORET NUMBER	TESTING INTERVAL (MONTHS)*	LAST TEST DATE (yyyy/mm/dd)	LAST RESULT REPORTED	NEXT TEST DATE (yyyy/mm)
RADIOLOGICAL					
RADIUM, TOTAL, MDA95-NTNC ONLY, BY 903.0	A-082	WAIVED			
STRONTIUM-90	13501	WAIVED			
TRITIUM	07000	WAIVED			
URANIUM (PCI/L)	28012	WAIVED	2010/08/19	3.000	
REGULATED SOC					
2,3,7,8-TCDD (DIOXIN)	34676	WAIVED			
2,4,5-TP (SILVEX)	39045	WAIVED			
2,4-D	39730	WAIVED			
ALACHLOR	77825	036	2010/11/17	< 1.000	2013/11
ATRAZINE	39033	036	2010/11/17	< .500	2013/11
BENTAZON	38710	WAIVED			
BENZO (A) PYRENE	34247	WAIVED			
CARBOFURAN	81405	WAIVED			
CHLORDANE	39350	WAIVED	2010/11/17	< .100	
DALAPON	38432	WAIVED			
DI(2-ETHYLHEXYL)ADIPATE	A-026	WAIVED			
DI(2-ETHYLHEXYL)PHTHALATE	39100	WAIVED			
DIBROMOCHLOROPROPANE (DBCP)	38761	036	2010/11/17	< .010	2013/11
DINOSEB	81287	WAIVED			
DIQUAT	78885	WAIVED			
ENDOTHALL	38926	WAIVED			
ENDRIN	39390	WAIVED	2010/11/17	< .100	
ETHYLENE DIBROMIDE (EDB)	77651	036	2010/11/17	< .020	2013/11
GLYPHOSATE	79743	WAIVED			
HEPTACHLOR	39410	WAIVED	2010/11/17	< .010	
HEPTACHLOR EPOXIDE	39420	WAIVED	2010/11/17	< .010	
HEXACHLOROBENZENE	39700	WAIVED	2010/11/17	< .500	
HEXACHLOROCYCLOPENTADIENE	34386	WAIVED	2010/11/17	< 1.000	
LINDANE	39340	WAIVED	2010/11/17	< .200	

**Testing interval is in months;*
0 = No data for this constituent and is DUE NOW
999 = Waived testing (not required)
I = Invalid (NOT) valid analyses reported

System Number: ***2400062***

System Name: ***SNELLING MERCED FALLS SCHOOL***

PS Code: ***2400062-001***

Source Name: ***SYSTEM WELL #1- N.OF CAFETERIA/GYMNASIUM***

Source Number: ***001***

Source Status: ***ACTIVE UNTREATED***

Water type: ***GROUNDWATER OR WELL***

	STORET NUMBER	TESTING INTERVAL (MONTHS)*	LAST TEST DATE (yyyy/mm/dd)	LAST RESULT REPORTED	NEXT TEST DATE (yyyy/mm)
REGULATED SOC					
METHOXYCHLOR	39480	WAIVED	2010/11/17	< 10.000	
MOLINATE	82199	WAIVED			
OXAMYL	38865	WAIVED			
PENTACHLOROPHENOL	39032	WAIVED			
PICLORAM	39720	WAIVED			
POLYCHLORINATED BIPHENYLS, TOTAL, AS DCB	39516	WAIVED	2010/11/17	< .500	
SIMAZINE	39055	036	2010/11/17	< 1.000	2013/11
THIOBENCARB	A-001	WAIVED			
TOXAPHENE	39400	WAIVED	2010/11/17	< 1.000	
REGULATED VOC					
1,1,1-TRICHLOROETHANE	34506	060	2007/06/27	< .500	2012/06
1,1,2,2-TETRACHLOROETHANE	34516	060	2007/06/27	< .500	2012/06
1,1,2-TRICHLORO-1,2,2-TRIFLUOROETHANE	81611	060	2007/06/27	< 10.000	2012/06
1,1,2-TRICHLOROETHANE	34511	060	2007/06/27	< .500	2012/06
1,1-DICHLOROETHANE	34496	060	2007/06/27	< .500	2012/06
1,1-DICHLOROETHYLENE	34501	060	2007/06/27	< .500	2012/06
1,2,4-TRICHLOROBENZENE	34551	060	2007/06/27	< .500	2012/06
1,2-DICHLOROBENZENE	34536	060	2007/06/27	< .500	2012/06
1,2-DICHLOROETHANE	34531	060	2007/06/27	< .500	2012/06
1,2-DICHLOROPROPANE	34541	060	2007/06/27	< .500	2012/06
1,3-DICHLOROPROPENE (TOTAL)	34561	060	2007/06/27	< .500	2012/06
1,4-DICHLOROBENZENE	34571	060	2007/06/27	< .500	2012/06
BENZENE	34030	060	2007/06/27	< .500	2012/06
CARBON TETRACHLORIDE	32102	060	2007/06/27	< .500	2012/06
CIS-1,2-DICHLOROETHYLENE	77093	060	2007/06/27	< .500	2012/06
DICHLOROMETHANE	34423	060	2007/06/27	< .500	2012/06
ETHYLBENZENE	34371	060	2007/06/27	< .500	2012/06
METHYL-TERT-BUTYL-ETHER (MTBE)	46491	060	2008/02/07	.000	2013/02
MONOCHLOROBENZENE	34301	060	2007/06/27	< .500	2012/06

**Testing interval is in months;*
0 = No data for this constituent and is DUE NOW
999 = Waived testing (not required)
I = Invalid (NOT) valid analyses reported

System Number: ***2400062***

System Name: ***SNELLING MERCED FALLS SCHOOL***

PS Code: ***2400062-001***

Source Name: ***SYSTEM WELL #1- N.OF CAFETERIA/GYMNASIUM***

Source Number: ***001***

Source Status: ***ACTIVE UNTREATED***

Water type: ***GROUNDWATER OR WELL***

	STORET NUMBER	TESTING INTERVAL (MONTHS)*	LAST TEST DATE (yyyy/mm/dd)	LAST RESULT REPORTED	NEXT TEST DATE (yyyy/mm)	
REGULATED VOC						
STYRENE	77128	060	2007/06/27	< .500	2012/06	
TETRACHLOROETHYLENE	34475	060	2007/06/27	< .500	2012/06	
TOLUENE	34010	060	2007/06/27	< .500	2012/06	
TRANS-1,2-DICHLOROETHYLENE	34546	060	2007/06/27	< .500	2012/06	
TRICHLOROETHYLENE	39180	060	2007/06/27	< .500	2012/06	
TRICHLOROFLUOROMETHANE	34488	060	2007/06/27	< .500	2012/06	
VINYL CHLORIDE	39175	060	2007/06/27	< .500	2012/06	
XYLENES (TOTAL)	81551	060	2007/06/27	< .500	2012/06	
SECONDARY/GP						
AGGRSSIVE INDEX (CORROSIVITY)	82383	WAIVED				
BICARBONATE ALKALINITY	00440	000				DUE
CALCIUM	00916	000				DUE
CARBONATE ALKALINITY	00445	000				DUE
CHLORIDE	00940	WAIVED				
COLOR	00081	WAIVED				
COPPER	01042	WAIVED				
FOAMING AGENTS (MBAS)	38260	WAIVED				
HARDNESS (TOTAL) AS CACO3	00900	000				DUE
HYDROXIDE ALKALINITY	71830	000				DUE
IRON	01045	000				DUE
MAGNESIUM	00927	000				DUE
MANGANESE	01055	000				DUE
ODOR THRESHOLD @ 60 C	00086	WAIVED				
PH, LABORATORY	00403	000				DUE
SILVER	01077	WAIVED	2010/08/19	< 10.000		
SODIUM	00929	000				DUE
SPECIFIC CONDUCTANCE	00095	WAIVED	2011/05/19	150.000		
SULFATE	00945	WAIVED				
TOTAL DISSOLVED SOLIDS	70300	WAIVED				

**Testing interval is in months;*
0 = No data for this constituent and is DUE NOW
999 = Waived testing (not required)
I = Invalid (NOT) valid analyses reported

System Number: ***2400062***

System Name: ***SNELLING MERCED FALLS SCHOOL***

	STORET NUMBER	TESTING INTERVAL (MONTHS)*	LAST TEST DATE (yyyy/mm/dd)	LAST RESULT REPORTED	NEXT TEST DATE (yyyy/mm)

PS Code: ***2400062-001***

Source Name: ***SYSTEM WELL #1- N.OF CAFETERIA/GYMNASIUM***

Source Number: ***001***

Source Status: ***ACTIVE UNTREATED***

Water type: ***GROUNDWATER OR WELL***

SECONDARY/GP

TURBIDITY, LABORATORY	**82079**	**WAIVED**			
ZINC	**01092**	**WAIVED**			

**Testing interval is in months;*
0 = No data for this constituent and is DUE NOW
999 = Waived testing (not required)
I = Invalid (NOT) valid analyses reported

System Number: ***2400064***

System Name: ***MERQUIN ELEMENTARY SCHOOL***

PS Code: ***2400064-001***

Source Name: ***SYSTEM WELL #1- W. SIDE OF SCHOOL PRPRTY***

Source Number: ***001***

Source Status: ***ACTIVE UNTREATED***

Water type: ***GROUNDWATER OR WELL***

	STORET NUMBER	TESTING INTERVAL (MONTHS)*	LAST TEST DATE (yyyy/mm/dd)	LAST RESULT REPORTED	NEXT TEST DATE (yyyy/mm)
GENERAL NON CHAP 15					
DIAZINON	39570	WAIVED	2012/03/22	< .000	
INORGANIC					
ALUMINUM	01105	036	2012/03/22	< 50.000	2015/03
ANTIMONY	01097	036	2012/03/22	< 6.000	2015/03
ARSENIC	01002	036	2012/03/22	3.500	2015/03
ASBESTOS	81855	WAIVED			
BARIUM	01007	036	2012/03/22	< 100.000	2015/03
BERYLLIUM	01012	036	2012/03/22	< 1.000	2015/03
CADMIUM	01027	036	2012/03/22	< 1.000	2015/03
CHROMIUM (TOTAL)	01034	036	2012/03/22	< 10.000	2015/03
CYANIDE	01291	WAIVED			
FLUORIDE (F) (NATURAL-SOURCE)	00951	036	2012/03/22	< .100	2015/03
LEAD	01051	WAIVED	2012/03/22	< 5.000	
MERCURY	71900	036	2012/03/22	< 1.000	2015/03
NICKEL	01067	036	2012/03/22	< 10.000	2015/03
PERCHLORATE	A-031	036	2011/09/08	< .000	2014/09
SELENIUM	01147	036	2012/03/22	< 5.000	2015/03
THALLIUM	01059	036	2012/03/22	< 1.000	2015/03
NITRATE/NITRITE					
NITRATE (AS NO3)	71850	012	2012/03/22	< 2.000	2013/03
NITRITE (AS N)	00620	036	2012/03/22	< 400.000	2015/03
RADIOLOGICAL					
GROSS ALPHA	01501	WAIVED	2006/12/14	2.700	
GROSS BETA	03501	WAIVED			
RA-226 FOR CWS OR TOTAL RA FOR NTNC BY 903.0	A-080	WAIVED			
RA-226 OR TOTAL RA BY 903.0 C.E.	A-081	WAIVED			
RADIUM 226	09501	WAIVED			
RADIUM 228	11501	WAIVED			

**Testing interval is in months;*
0 = No data for this constituent and is DUE NOW
999 = Waived testing (not required)
I = Invalid (NOT) valid analyses reported

System Number: ***2400064***

System Name: ***MERQUIN ELEMENTARY SCHOOL***

PS Code: ***2400064-001***

Source Name: ***SYSTEM WELL #1- W. SIDE OF SCHOOL PRPRTY***

Source Number: ***001***

Source Status: ***ACTIVE UNTREATED***

Water type: ***GROUNDWATER OR WELL***

	STORET NUMBER	TESTING INTERVAL (MONTHS)*	LAST TEST DATE (yyyy/mm/dd)	LAST RESULT REPORTED	NEXT TEST DATE (yyyy/mm)
RADIOLOGICAL					
RADIUM, TOTAL, MDA95-NTNC ONLY, BY 903.0	A-082	WAIVED			
STRONTIUM-90	13501	WAIVED			
TRITIUM	07000	WAIVED			
URANIUM (PCI/L)	28012	WAIVED			
REGULATED SOC					
2,3,7,8-TCDD (DIOXIN)	34676	WAIVED			
2,4,5-TP (SILVEX)	39045	WAIVED			
2,4-D	39730	WAIVED			
ALACHLOR	77825	036	2012/03/22	< .000	2015/03
ATRAZINE	39033	036	2012/03/22	< .000	2015/03
BENTAZON	38710	WAIVED			
BENZO (A) PYRENE	34247	WAIVED	2012/03/22	< .000	
CARBOFURAN	81405	WAIVED			
CHLORDANE	39350	WAIVED			
DALAPON	38432	WAIVED			
DI(2-ETHYLHEXYL)ADIPATE	A-026	WAIVED	2009/03/20	.000	
DI(2-ETHYLHEXYL)PHTHALATE	39100	WAIVED	2012/03/22	< .000	
DIBROMOCHLOROPROPANE (DBCP)	38761	036	2012/03/22	.000	2015/03
DINOSEB	81287	WAIVED			
DIQUAT	78885	WAIVED			
ENDOTHALL	38926	WAIVED			
ENDRIN	39390	WAIVED			
ETHYLENE DIBROMIDE (EDB)	77651	036	2012/03/22	.000	2015/03
GLYPHOSATE	79743	WAIVED			
HEPTACHLOR	39410	WAIVED			
HEPTACHLOR EPOXIDE	39420	WAIVED			
HEXACHLOROBENZENE	39700	WAIVED			
HEXACHLOROCYCLOPENTADIENE	34386	WAIVED			
LINDANE	39340	WAIVED			

**Testing interval is in months;*
0 = No data for this constituent and is DUE NOW
999 = Waived testing (not required)
I = Invalid (NOT) valid analyses reported

System Number: ***2400064***

System Name: ***MERQUIN ELEMENTARY SCHOOL***

PS Code: ***2400064-001***

Source Name: ***SYSTEM WELL #1- W. SIDE OF SCHOOL PRPRTY***

Source Number: ***001***

Source Status: ***ACTIVE UNTREATED***

Water type: ***GROUNDWATER OR WELL***

	STORET NUMBER	TESTING INTERVAL (MONTHS)*	LAST TEST DATE (yyyy/mm/dd)	LAST RESULT REPORTED	NEXT TEST DATE (yyyy/mm)
REGULATED SOC					
METHOXYCHLOR	39480	WAIVED			
MOLINATE	82199	WAIVED	2012/03/22	< .000	
OXAMYL	38865	WAIVED			
PENTACHLOROPHENOL	39032	WAIVED			
PICLORAM	39720	WAIVED			
POLYCHLORINATED BIPHENYLS, TOTAL, AS DCB	39516	WAIVED			
SIMAZINE	39055	036	2012/03/22	< .000	2015/03
THIOBENCARB	A-001	WAIVED	2009/03/20	.000	
TOXAPHENE	39400	WAIVED			
REGULATED VOC					
1,1,1-TRICHLOROETHANE	34506	060	2009/08/13	.000	2014/08
1,1,2,2-TETRACHLOROETHANE	34516	060	2009/08/13	.000	2014/08
1,1,2-TRICHLORO-1,2,2-TRIFLUOROETHANE	81611	060	2009/08/13	.000	2014/08
1,1,2-TRICHLOROETHANE	34511	060	2009/08/13	.000	2014/08
1,1-DICHLOROETHANE	34496	060	2009/08/13	.000	2014/08
1,1-DICHLOROETHYLENE	34501	060	2009/08/13	.000	2014/08
1,2,4-TRICHLOROBENZENE	34551	060	2009/08/13	.000	2014/08
1,2-DICHLOROBENZENE	34536	060	2009/08/13	.000	2014/08
1,2-DICHLOROETHANE	34531	060	2009/08/13	.000	2014/08
1,2-DICHLOROPROPANE	34541	060	2009/08/13	.000	2014/08
1,3-DICHLOROPROPENE (TOTAL)	34561	060	2009/08/13	.000	2014/08
1,4-DICHLOROBENZENE	34571	060	2009/08/13	.000	2014/08
BENZENE	34030	060	2009/08/13	.000	2014/08
CARBON TETRACHLORIDE	32102	060	2009/08/13	.000	2014/08
CIS-1,2-DICHLOROETHYLENE	77093	060	2009/08/13	.000	2014/08
DICHLOROMETHANE	34423	060	2009/08/13	.000	2014/08
ETHYLBENZENE	34371	060	2009/08/13	.000	2014/08
METHYL-TERT-BUTYL-ETHER (MTBE)	46491	060	2009/08/13	.000	2014/08
MONOCHLOROBENZENE	34301	060	2009/08/13	.000	2014/08

**Testing interval is in months;*
0 = No data for this constituent and is DUE NOW
999 = Waived testing (not required)
I = Invalid (NOT) valid analyses reported

System Number: ***2400064***

System Name: ***MERQUIN ELEMENTARY SCHOOL***

PS Code: ***2400064-001***

Source Name: ***SYSTEM WELL #1- W. SIDE OF SCHOOL PRPRTY***

Source Number: ***001***

Source Status: ***ACTIVE UNTREATED***

Water type: ***GROUNDWATER OR WELL***

	STORET NUMBER	TESTING INTERVAL (MONTHS)*	LAST TEST DATE (yyyy/mm/dd)	LAST RESULT REPORTED	NEXT TEST DATE (yyyy/mm)	
REGULATED VOC						
STYRENE	77128	060	2009/08/13	.000	2014/08	
TETRACHLOROETHYLENE	34475	060	2009/08/13	.000	2014/08	
TOLUENE	34010	060	2009/08/13	.000	2014/08	
TRANS-1,2-DICHLOROETHYLENE	34546	060	2009/08/13	.000	2014/08	
TRICHLOROETHYLENE	39180	060	2009/08/13	.000	2014/08	
TRICHLOROFLUOROMETHANE	34488	060	2009/08/13	.000	2014/08	
VINYL CHLORIDE	39175	060	2009/08/13	.000	2014/08	
XYLENES (TOTAL)	81551	060	2009/08/13	< .500	2014/08	
SECONDARY/GP						
AGGRSSIVE INDEX (CORROSIVITY)	82383	WAIVED				
BICARBONATE ALKALINITY	00440	000				DUE
CALCIUM	00916	000				DUE
CARBONATE ALKALINITY	00445	000				DUE
CHLORIDE	00940	WAIVED				
COLOR	00081	WAIVED				
COPPER	01042	WAIVED				
FOAMING AGENTS (MBAS)	38260	WAIVED				
HARDNESS (TOTAL) AS CACO3	00900	000				DUE
HYDROXIDE ALKALINITY	71830	000				DUE
IRON	01045	000				DUE
MAGNESIUM	00927	000				DUE
MANGANESE	01055	000				DUE
ODOR THRESHOLD @ 60 C	00086	WAIVED				
PH, LABORATORY	00403	000				DUE
SILVER	01077	WAIVED	2012/03/22	< 10.000		
SODIUM	00929	000				DUE
SPECIFIC CONDUCTANCE	00095	WAIVED	2011/09/08	1200.000		
SULFATE	00945	WAIVED				
TOTAL DISSOLVED SOLIDS	70300	WAIVED				

**Testing interval is in months;*
0 = No data for this constituent and is DUE NOW
999 = Waived testing (not required)
I = Invalid (NOT) valid analyses reported

System Number: ***2400064***

System Name: ***MERQUIN ELEMENTARY SCHOOL***

PS Code: ***2400064-001***

Source Name: ***SYSTEM WELL #1- W. SIDE OF SCHOOL PRPRTY***

Source Number: ***001***

Source Status: ***ACTIVE UNTREATED***

Water type: ***GROUNDWATER OR WELL***

SECONDARY/GP	STORET NUMBER	TESTING INTERVAL (MONTHS)*	LAST TEST DATE (yyyy/mm/dd)	LAST RESULT REPORTED	NEXT TEST DATE (yyyy/mm)
TURBIDITY, LABORATORY	82079	WAIVED			
ZINC	01092	WAIVED			

**Testing interval is in months;*
0 = No data for this constituent and is DUE NOW
999 = Waived testing (not required)
I = Invalid (NOT) valid analyses reported

System Number: ***2400065***

System Name: ***PLAINSBURG ELEMENTARY SCHOOL***

PS Code: ***2400065-001***

Source Name: ***SYSTEM WELL #1- N. SIDE OF BUS BARN***

Source Number: ***001***

Source Status: ***ACTIVE UNTREATED***

Water type: ***GROUNDWATER OR WELL***

	STORET NUMBER	TESTING INTERVAL (MONTHS)*	LAST TEST DATE (yyyy/mm/dd)	LAST RESULT REPORTED	NEXT TEST DATE (yyyy/mm)
GENERAL NON CHAP 15					
DIAZINON	39570	WAIVED			
INORGANIC					
ALUMINUM	01105	036	2010/08/19	< 50.000	2013/08
ANTIMONY	01097	036	2010/08/19	< 6.000	2013/08
ARSENIC	01002	036	2010/08/19	3.400	2013/08
ASBESTOS	81855	WAIVED			
BARIUM	01007	036	2010/08/19	367.000	2013/08
BERYLLIUM	01012	036	2010/08/19	< 1.000	2013/08
CADMIUM	01027	036	2010/08/19	< 1.000	2013/08
CHROMIUM (TOTAL)	01034	036	2010/08/19	17.400	2013/08
CYANIDE	01291	WAIVED			
FLUORIDE (F) (NATURAL-SOURCE)	00951	036	2010/08/19	.160	2013/08
LEAD	01051	WAIVED	2010/08/19	< 5.000	
MERCURY	71900	036	2010/08/19	< .500	2013/08
NICKEL	01067	036	2010/08/19	< 10.000	2013/08
PERCHLORATE	A-031	036	2011/05/19	< .000	2014/05
SELENIUM	01147	036	2010/08/19	< 5.000	2013/08
THALLIUM	01059	036	2010/08/19	< 1.000	2013/08
NITRATE/NITRITE					
NITRATE (AS NO3)	71850	012	2012/02/22	19.300	2013/02
NITRITE (AS N)	00620	036	2010/08/19	< 400.000	2013/08
RADIOLOGICAL					
GROSS ALPHA	01501	WAIVED	2011/02/24	3.500	
GROSS BETA	03501	WAIVED			
RA-226 FOR CWS OR TOTAL RA FOR NTNC BY 903.0	A-080	WAIVED			
RA-226 OR TOTAL RA BY 903.0 C.E.	A-081	WAIVED			
RADIUM 226	09501	WAIVED			
RADIUM 228	11501	WAIVED			

**Testing interval is in months;*
0 = No data for this constituent and is DUE NOW
999 = Waived testing (not required)
I = Invalid (NOT) valid analyses reported

System Number: ***2400065***

System Name: ***PLAINSBURG ELEMENTARY SCHOOL***

PS Code: ***2400065-001***

Source Name: ***SYSTEM WELL #1- N. SIDE OF BUS BARN***

Source Number: ***001***

Source Status: ***ACTIVE UNTREATED***

Water type: ***GROUNDWATER OR WELL***

	STORET NUMBER	TESTING INTERVAL (MONTHS)*	LAST TEST DATE (yyyy/mm/dd)	LAST RESULT REPORTED	NEXT TEST DATE (yyyy/mm)
RADIOLOGICAL					
RADIUM, TOTAL, MDA95-NTNC ONLY, BY 903.0	A-082	WAIVED			
STRONTIUM-90	13501	WAIVED			
TRITIUM	07000	WAIVED			
URANIUM (PCI/L)	28012	WAIVED	2011/02/24	2.500	
REGULATED SOC					
2,3,7,8-TCDD (DIOXIN)	34676	WAIVED			
2,4,5-TP (SILVEX)	39045	WAIVED			
2,4-D	39730	WAIVED			
ALACHLOR	77825	036	2010/09/15	< 1.000	2013/09
ATRAZINE	39033	036	2010/09/15	< .500	2013/09
BENTAZON	38710	WAIVED			
BENZO (A) PYRENE	34247	WAIVED			
CARBOFURAN	81405	WAIVED			
CHLORDANE	39350	WAIVED	2010/09/15	< .100	
DALAPON	38432	WAIVED			
DI(2-ETHYLHEXYL)ADIPATE	A-026	WAIVED			
DI(2-ETHYLHEXYL)PHTHALATE	39100	WAIVED			
DIBROMOCHLOROPROPANE (DBCP)	38761	036	2010/09/15	< .010	2013/09
DINOSEB	81287	WAIVED			
DIQUAT	78885	WAIVED			
ENDOTHALL	38926	WAIVED			
ENDRIN	39390	WAIVED	2010/09/15	< .100	
ETHYLENE DIBROMIDE (EDB)	77651	036	2010/09/15	< .020	2013/09
GLYPHOSATE	79743	WAIVED			
HEPTACHLOR	39410	WAIVED	2010/09/15	< .010	
HEPTACHLOR EPOXIDE	39420	WAIVED	2010/09/15	< .010	
HEXACHLOROBENZENE	39700	WAIVED	2010/09/15	< .500	
HEXACHLOROCYCLOPENTADIENE	34386	WAIVED	2010/09/15	< 1.000	
LINDANE	39340	WAIVED	2010/09/15	< .200	

**Testing interval is in months;*
0 = No data for this constituent and is DUE NOW
999 = Waived testing (not required)
I = Invalid (NOT) valid analyses reported

System Number: ***2400065***

System Name: ***PLAINSBURG ELEMENTARY SCHOOL***

PS Code: ***2400065-001***

Source Name: ***SYSTEM WELL #1- N. SIDE OF BUS BARN***

Source Number: ***001***

Source Status: ***ACTIVE UNTREATED***

Water type: ***GROUNDWATER OR WELL***

	STORET NUMBER	TESTING INTERVAL (MONTHS)*	LAST TEST DATE (yyyy/mm/dd)	LAST RESULT REPORTED	NEXT TEST DATE (yyyy/mm)
REGULATED SOC					
METHOXYCHLOR	39480	WAIVED	2010/09/15	< 10.000	
MOLINATE	82199	WAIVED			
OXAMYL	38865	WAIVED			
PENTACHLOROPHENOL	39032	WAIVED			
PICLORAM	39720	WAIVED			
POLYCHLORINATED BIPHENYLS, TOTAL, AS DCB	39516	WAIVED	2010/09/15	< .500	
SIMAZINE	39055	036	2010/09/15	< 1.000	2013/09
THIOBENCARB	A-001	WAIVED			
TOXAPHENE	39400	WAIVED	2010/09/15	< 1.000	
REGULATED VOC					
1,1,1-TRICHLOROETHANE	34506	060	2007/10/01	.000	2012/10
1,1,2,2-TETRACHLOROETHANE	34516	060	2007/10/01	.000	2012/10
1,1,2-TRICHLORO-1,2,2-TRIFLUOROETHANE	81611	060	2007/10/01	.000	2012/10
1,1,2-TRICHLOROETHANE	34511	060	2007/10/01	.000	2012/10
1,1-DICHLOROETHANE	34496	060	2007/10/01	.000	2012/10
1,1-DICHLOROETHYLENE	34501	060	2007/10/01	.000	2012/10
1,2,4-TRICHLOROBENZENE	34551	060	2007/10/01	.000	2012/10
1,2-DICHLOROBENZENE	34536	060	2007/10/01	.000	2012/10
1,2-DICHLOROETHANE	34531	060	2007/10/01	.000	2012/10
1,2-DICHLOROPROPANE	34541	060	2007/10/01	.000	2012/10
1,3-DICHLOROPROPENE (TOTAL)	34561	060	2007/10/01	.000	2012/10
1,4-DICHLOROBENZENE	34571	060	2007/10/01	.000	2012/10
BENZENE	34030	060	2007/10/01	.000	2012/10
CARBON TETRACHLORIDE	32102	060	2007/10/01	.000	2012/10
CIS-1,2-DICHLOROETHYLENE	77093	060	2007/10/01	.000	2012/10
DICHLOROMETHANE	34423	060	2007/10/01	.000	2012/10
ETHYLBENZENE	34371	060	2007/10/01	.000	2012/10
METHYL-TERT-BUTYL-ETHER (MTBE)	46491	060	2008/02/06	.000	2013/02
MONOCHLOROBENZENE	34301	060	2007/10/01	.000	2012/10

**Testing interval is in months;*
0 = No data for this constituent and is DUE NOW
999 = Waived testing (not required)
I = Invalid (NOT) valid analyses reported

System Number: ***2400065***

System Name: ***PLAINSBURG ELEMENTARY SCHOOL***

PS Code: ***2400065-001***

Source Name: ***SYSTEM WELL #1- N. SIDE OF BUS BARN***

Source Number: ***001***

Source Status: ***ACTIVE UNTREATED***

Water type: ***GROUNDWATER OR WELL***

	STORET NUMBER	TESTING INTERVAL (MONTHS)*	LAST TEST DATE (yyyy/mm/dd)	LAST RESULT REPORTED	NEXT TEST DATE (yyyy/mm)	
REGULATED VOC						
STYRENE	77128	060	2007/10/01	.000	2012/10	
TETRACHLOROETHYLENE	34475	060	2007/10/01	.000	2012/10	
TOLUENE	34010	060	2007/10/01	.000	2012/10	
TRANS-1,2-DICHLOROETHYLENE	34546	060	2007/10/01	.000	2012/10	
TRICHLOROETHYLENE	39180	060	2007/10/01	.000	2012/10	
TRICHLOROFLUOROMETHANE	34488	060	2007/10/01	.000	2012/10	
VINYL CHLORIDE	39175	060	2007/10/01	.000	2012/10	
XYLENES (TOTAL)	81551	060	2007/10/01	< .500	2012/10	
SECONDARY/GP						
AGGRSSIVE INDEX (CORROSIVITY)	82383	WAIVED				
BICARBONATE ALKALINITY	00440	000				DUE
CALCIUM	00916	000				DUE
CARBONATE ALKALINITY	00445	000				DUE
CHLORIDE	00940	WAIVED				
COLOR	00081	WAIVED				
COPPER	01042	WAIVED				
FOAMING AGENTS (MBAS)	38260	WAIVED				
HARDNESS (TOTAL) AS CACO3	00900	000				DUE
HYDROXIDE ALKALINITY	71830	000				DUE
IRON	01045	000				DUE
MAGNESIUM	00927	000				DUE
MANGANESE	01055	000				DUE
ODOR THRESHOLD @ 60 C	00086	WAIVED				
PH, LABORATORY	00403	000				DUE
SILVER	01077	WAIVED	2010/08/19	< 10.000		
SODIUM	00929	000				DUE
SPECIFIC CONDUCTANCE	00095	WAIVED	2011/05/19	420.000		
SULFATE	00945	WAIVED				
TOTAL DISSOLVED SOLIDS	70300	WAIVED				

**Testing interval is in months;*
0 = No data for this constituent and is DUE NOW
999 = Waived testing (not required)
I = Invalid (NOT) valid analyses reported

System Number: ***2400065***

System Name: ***PLAINSBURG ELEMENTARY SCHOOL***

PS Code: ***2400065-001***

Source Name: ***SYSTEM WELL #1- N. SIDE OF BUS BARN***

Source Number: ***001***

Source Status: ***ACTIVE UNTREATED***

Water type: ***GROUNDWATER OR WELL***

SECONDARY/GP

	STORET NUMBER	TESTING INTERVAL (MONTHS)*	LAST TEST DATE (yyyy/mm/dd)	LAST RESULT REPORTED	NEXT TEST DATE (yyyy/mm)
TURBIDITY, LABORATORY	82079	WAIVED			
ZINC	01092	WAIVED			

**Testing interval is in months;*
0 = No data for this constituent and is DUE NOW
999 = Waived testing (not required)
I = Invalid (NOT) valid analyses reported

System Number: ***2400066***

System Name: ***PLANADA SCHOOL***

PS Code: ***2400066-001***

Source Name: ***SYSTEM WELL #1-S.E.CORNER OF SCHL GRNDS***

Source Number: ***001***

Source Status: ***ACTIVE UNTREATED***

Water type: ***GROUNDWATER OR WELL***

	STORET NUMBER	TESTING INTERVAL (MONTHS)*	LAST TEST DATE (yyyy/mm/dd)	LAST RESULT REPORTED	NEXT TEST DATE (yyyy/mm)
GENERAL NON CHAP 15					
DIAZINON	39570	WAIVED	2010/05/18	< .000	
INORGANIC					
ALUMINUM	01105	036	2010/05/18	< .000	2013/05
ANTIMONY	01097	036	2010/05/18	< .000	2013/05
ARSENIC	01002	036	2010/05/18	2.300	2013/05
ASBESTOS	81855	WAIVED			
BARIUM	01007	036	2010/05/18	200.000	2013/05
BERYLLIUM	01012	036	2010/05/18	< .000	2013/05
CADMIUM	01027	036	2010/05/18	< .000	2013/05
CHROMIUM (TOTAL)	01034	036	2010/05/18	< .000	2013/05
CYANIDE	01291	WAIVED			
FLUORIDE (F) (NATURAL-SOURCE)	00951	036	2010/05/18	< .100	2013/05
LEAD	01051	WAIVED	2010/05/18	< .000	
MERCURY	71900	036	2010/05/18	< .000	2013/05
NICKEL	01067	036	2010/05/18	< .000	2013/05
PERCHLORATE	A-031	036	2009/06/02	.000	2012/06
SELENIUM	01147	036	2010/05/18	< .000	2013/05
THALLIUM	01059	036	2010/05/18	< .000	2013/05
NITRATE/NITRITE					
NITRATE (AS NO3)	71850	012	2012/05/08	21.900	2013/05
NITRITE (AS N)	00620	036	2010/05/18	< 400.000	2013/05
RADIOLOGICAL					
GROSS ALPHA	01501	WAIVED	2009/01/29	.000	
GROSS BETA	03501	WAIVED			
RA-226 FOR CWS OR TOTAL RA FOR NTNC BY 903.0	A-080	WAIVED			
RA-226 OR TOTAL RA BY 903.0 C.E.	A-081	WAIVED			
RADIUM 226	09501	WAIVED			
RADIUM 228	11501	WAIVED			

**Testing interval is in months;*
0 = No data for this constituent and is DUE NOW
999 = Waived testing (not required)
I = Invalid (NOT) valid analyses reported

System Number: ***2400066***

System Name: ***PLANADA SCHOOL***

PS Code: ***2400066-001***

Source Name: ***SYSTEM WELL #1-S.E.CORNER OF SCHL GRNDS***

Source Number: ***001***

Source Status: ***ACTIVE UNTREATED***

Water type: ***GROUNDWATER OR WELL***

	STORET NUMBER	TESTING INTERVAL (MONTHS)*	LAST TEST DATE (yyyy/mm/dd)	LAST RESULT REPORTED	NEXT TEST DATE (yyyy/mm)
RADIOLOGICAL					
RADIUM, TOTAL, MDA95-NTNC ONLY, BY 903.0	A-082	WAIVED			
STRONTIUM-90	13501	WAIVED			
TRITIUM	07000	WAIVED			
URANIUM (PCI/L)	28012	WAIVED			
REGULATED SOC					
2,3,7,8-TCDD (DIOXIN)	34676	WAIVED			
2,4,5-TP (SILVEX)	39045	WAIVED			
2,4-D	39730	WAIVED			
ALACHLOR	77825	036	2010/05/18	< .000	2013/05
ATRAZINE	39033	036	2010/05/18	< .000	2013/05
BENTAZON	38710	WAIVED			
BENZO (A) PYRENE	34247	WAIVED	2010/05/18	< .000	
CARBOFURAN	81405	WAIVED			
CHLORDANE	39350	WAIVED			
DALAPON	38432	WAIVED			
DI(2-ETHYLHEXYL)ADIPATE	A-026	WAIVED	2010/05/18	< .000	
DI(2-ETHYLHEXYL)PHTHALATE	39100	WAIVED	2010/05/18	< .000	
DIBROMOCHLOROPROPANE (DBCP)	38761	036	2012/01/24	.000	2015/01
DINOSEB	81287	WAIVED			
DIQUAT	78885	WAIVED			
ENDOTHALL	38926	WAIVED			
ENDRIN	39390	WAIVED			
ETHYLENE DIBROMIDE (EDB)	77651	036	2012/01/24	.000	2015/01
GLYPHOSATE	79743	WAIVED			
HEPTACHLOR	39410	WAIVED			
HEPTACHLOR EPOXIDE	39420	WAIVED			
HEXACHLOROBENZENE	39700	WAIVED			
HEXACHLOROCYCLOPENTADIENE	34386	WAIVED			
LINDANE	39340	WAIVED			

**Testing interval is in months;*
0 = No data for this constituent and is DUE NOW
999 = Waived testing (not required)
I = Invalid (NOT) valid analyses reported

System Number: ***2400066***

System Name: ***PLANADA SCHOOL***

PS Code: ***2400066-001***

Source Name: ***SYSTEM WELL #1-S.E.CORNER OF SCHL GRNDS***

Source Number: ***001***

Source Status: ***ACTIVE UNTREATED***

Water type: ***GROUNDWATER OR WELL***

	STORET NUMBER	TESTING INTERVAL (MONTHS)*	LAST TEST DATE (yyyy/mm/dd)	LAST RESULT REPORTED	NEXT TEST DATE (yyyy/mm)
REGULATED SOC					
METHOXYCHLOR	39480	WAIVED			
MOLINATE	82199	WAIVED	2010/05/18	< .000	
OXAMYL	38865	WAIVED			
PENTACHLOROPHENOL	39032	WAIVED			
PICLORAM	39720	WAIVED			
POLYCHLORINATED BIPHENYLS, TOTAL, AS DCB	39516	WAIVED			
SIMAZINE	39055	036	2010/05/18	< .000	2013/05
THIOBENCARB	A-001	WAIVED	2010/05/18	< .000	
TOXAPHENE	39400	WAIVED			
REGULATED VOC					
1,1,1-TRICHLOROETHANE	34506	060	2007/05/01	.000	2012/05
1,1,2,2-TETRACHLOROETHANE	34516	060	2007/05/01	.000	2012/05
1,1,2-TRICHLORO-1,2,2-TRIFLUOROETHANE	81611	060	2007/05/01	.000	2012/05
1,1,2-TRICHLOROETHANE	34511	060	2007/05/01	.000	2012/05
1,1-DICHLOROETHANE	34496	060	2007/05/01	.000	2012/05
1,1-DICHLOROETHYLENE	34501	060	2007/05/01	.000	2012/05
1,2,4-TRICHLOROBENZENE	34551	060	2007/05/01	.000	2012/05
1,2-DICHLOROBENZENE	34536	060	2007/05/01	.000	2012/05
1,2-DICHLOROETHANE	34531	060	2007/05/01	.000	2012/05
1,2-DICHLOROPROPANE	34541	060	2007/05/01	.000	2012/05
1,3-DICHLOROPROPENE (TOTAL)	34561	060	2007/05/01	.000	2012/05
1,4-DICHLOROBENZENE	34571	060	2007/05/01	.000	2012/05
BENZENE	34030	060	2007/05/01	.000	2012/05
CARBON TETRACHLORIDE	32102	060	2007/05/01	.000	2012/05
CIS-1,2-DICHLOROETHYLENE	77093	060	2007/05/01	.000	2012/05
DICHLOROMETHANE	34423	060	2007/05/01	.000	2012/05
ETHYLBENZENE	34371	060	2007/05/01	.000	2012/05
METHYL-TERT-BUTYL-ETHER (MTBE)	46491	060	2007/05/01	.000	2012/05
MONOCHLOROBENZENE	34301	060	2007/05/01	.000	2012/05

**Testing interval is in months;*
0 = No data for this constituent and is DUE NOW
999 = Waived testing (not required)
I = Invalid (NOT) valid analyses reported

System Number: ***2400066***

System Name: ***PLANADA SCHOOL***

PS Code: ***2400066-001***

Source Name: ***SYSTEM WELL #1-S.E.CORNER OF SCHL GRNDS***

Source Number: ***001***

Source Status: ***ACTIVE UNTREATED***

Water type: ***GROUNDWATER OR WELL***

	STORET NUMBER	TESTING INTERVAL (MONTHS)*	LAST TEST DATE (yyyy/mm/dd)	LAST RESULT REPORTED	NEXT TEST DATE (yyyy/mm)	
REGULATED VOC						
STYRENE	77128	060	2007/05/01	.000	2012/05	
TETRACHLOROETHYLENE	34475	060	2007/05/01	.000	2012/05	
TOLUENE	34010	060	2007/05/01	.000	2012/05	
TRANS-1,2-DICHLOROETHYLENE	34546	060	2007/05/01	.000	2012/05	
TRICHLOROETHYLENE	39180	060	2007/05/01	.000	2012/05	
TRICHLOROFLUOROMETHANE	34488	060	2007/05/01	.000	2012/05	
VINYL CHLORIDE	39175	060	2007/05/01	.000	2012/05	
XYLENES (TOTAL)	81551	060	2007/05/01	< .500	2012/05	
SECONDARY/GP						
AGGRSSIVE INDEX (CORROSIVITY)	82383	WAIVED				
BICARBONATE ALKALINITY	00440	000				DUE
CALCIUM	00916	000				DUE
CARBONATE ALKALINITY	00445	000				DUE
CHLORIDE	00940	WAIVED				
COLOR	00081	WAIVED				
COPPER	01042	WAIVED				
FOAMING AGENTS (MBAS)	38260	WAIVED				
HARDNESS (TOTAL) AS CACO3	00900	000				DUE
HYDROXIDE ALKALINITY	71830	000				DUE
IRON	01045	000				DUE
MAGNESIUM	00927	000				DUE
MANGANESE	01055	000				DUE
ODOR THRESHOLD @ 60 C	00086	WAIVED				
PH, LABORATORY	00403	000				DUE
SILVER	01077	WAIVED	2010/05/18	< .000		
SODIUM	00929	000				DUE
SPECIFIC CONDUCTANCE	00095	WAIVED	2009/06/02	270.000		
SULFATE	00945	WAIVED				
TOTAL DISSOLVED SOLIDS	70300	WAIVED				

**Testing interval is in months;*
0 = No data for this constituent and is DUE NOW
999 = Waived testing (not required)
I = Invalid (NOT) valid analyses reported

System Number: ***2400066***

System Name: ***PLANADA SCHOOL***

	STORET NUMBER	TESTING INTERVAL (MONTHS)*	LAST TEST DATE (yyyy/mm/dd)	LAST RESULT REPORTED	NEXT TEST DATE (yyyy/mm)

PS Code: ***2400066-001***

Source Name: ***SYSTEM WELL #1-S.E.CORNER OF SCHL GRNDS***

Source Number: ***001***

Source Status: ***ACTIVE UNTREATED***

Water type: ***GROUNDWATER OR WELL***

SECONDARY/GP

TURBIDITY, LABORATORY	**82079**	**WAIVED**			
ZINC	**01092**	**WAIVED**			

**Testing interval is in months;*
0 = No data for this constituent and is DUE NOW
999 = Waived testing (not required)
I = Invalid (NOT) valid analyses reported

System Number: ***2400071***

System Name: ***WASHINGTON SCHOOL***

PS Code: ***2400071-001***

Source Name: ***SYSTEM WELL #1-250 FT N. OF GYMNASIUM***

Source Number: ***001***

Source Status: ***ACTIVE UNTREATED***

Water type: ***GROUNDWATER OR WELL***

	STORET NUMBER	TESTING INTERVAL (MONTHS)*	LAST TEST DATE (yyyy/mm/dd)	LAST RESULT REPORTED	NEXT TEST DATE (yyyy/mm)
GENERAL NON CHAP 15					
DIAZINON	39570	WAIVED	2007/02/13	< .250	
INORGANIC					
ALUMINUM	01105	036	2010/02/11	< 50.000	2013/02
ANTIMONY	01097	036	2010/02/11	< 6.000	2013/02
ARSENIC	01002	036	2010/02/11	< 2.000	2013/02
ASBESTOS	81855	WAIVED			
BARIUM	01007	036	2010/02/11	158.000	2013/02
BERYLLIUM	01012	036	2010/02/11	< 1.000	2013/02
CADMIUM	01027	036	2010/02/11	< 1.000	2013/02
CHROMIUM (TOTAL)	01034	036	2010/02/11	11.400	2013/02
CYANIDE	01291	WAIVED			
FLUORIDE (F) (NATURAL-SOURCE)	00951	036	2010/02/11	.200	2013/02
LEAD	01051	WAIVED	2010/02/11	< 5.000	
MERCURY	71900	036	2010/02/11	< .500	2013/02
NICKEL	01067	036	2010/02/11	< 10.000	2013/02
PERCHLORATE	A-031	036	2011/05/19	< .000	2014/05
SELENIUM	01147	036	2010/02/11	< 5.000	2013/02
THALLIUM	01059	036	2010/02/11	< 1.000	2013/02
NITRATE/NITRITE					
NITRATE (AS NO3)	71850	012	2012/02/22	33.300	2013/02
NITRITE (AS N)	00620	036	2010/02/11	< 400.000	2013/02
RADIOLOGICAL					
GROSS ALPHA	01501	WAIVED	2010/02/11	2.000	
GROSS BETA	03501	WAIVED			
RA-226 FOR CWS OR TOTAL RA FOR NTNC BY 903.0	A-080	WAIVED			
RA-226 OR TOTAL RA BY 903.0 C.E.	A-081	WAIVED			
RADIUM 226	09501	WAIVED			
RADIUM 228	11501	WAIVED			

**Testing interval is in months;*
0 = No data for this constituent and is DUE NOW
999 = Waived testing (not required)
I = Invalid (NOT) valid analyses reported

System Number: ***2400071***

System Name: ***WASHINGTON SCHOOL***

PS Code: ***2400071-001***

Source Name: ***SYSTEM WELL #1-250 FT N. OF GYMNASIUM***

Source Number: ***001***

Source Status: ***ACTIVE UNTREATED***

Water type: ***GROUNDWATER OR WELL***

	STORET NUMBER	TESTING INTERVAL (MONTHS)*	LAST TEST DATE (yyyy/mm/dd)	LAST RESULT REPORTED	NEXT TEST DATE (yyyy/mm)
RADIOLOGICAL					
RADIUM, TOTAL, MDA95-NTNC ONLY, BY 903.0	A-082	WAIVED			
STRONTIUM-90	13501	WAIVED			
TRITIUM	07000	WAIVED			
URANIUM (PCI/L)	28012	WAIVED	2010/02/11	2.500	
REGULATED SOC					
2,3,7,8-TCDD (DIOXIN)	34676	WAIVED			
2,4,5-TP (SILVEX)	39045	WAIVED			
2,4-D	39730	WAIVED			
ALACHLOR	77825	036	2010/02/11	< 1.000	2013/02
ATRAZINE	39033	036	2010/02/11	< .500	2013/02
BENTAZON	38710	WAIVED			
BENZO (A) PYRENE	34247	WAIVED	2007/02/13	.000	
CARBOFURAN	81405	WAIVED			
CHLORDANE	39350	WAIVED	2010/02/11	< .100	
DALAPON	38432	WAIVED			
DI(2-ETHYLHEXYL)ADIPATE	A-026	WAIVED	2007/02/13	.000	
DI(2-ETHYLHEXYL)PHTHALATE	39100	WAIVED	2007/02/13	.000	
DIBROMOCHLOROPROPANE (DBCP)	38761	036	2010/02/11	< .010	2013/02
DINOSEB	81287	WAIVED			
DIQUAT	78885	WAIVED			
ENDOTHALL	38926	WAIVED			
ENDRIN	39390	WAIVED	2010/02/11	< .100	
ETHYLENE DIBROMIDE (EDB)	77651	036	2010/02/11	< .020	2013/02
GLYPHOSATE	79743	WAIVED			
HEPTACHLOR	39410	WAIVED	2010/02/11	< .010	
HEPTACHLOR EPOXIDE	39420	WAIVED	2010/02/11	< .010	
HEXACHLOROBENZENE	39700	WAIVED	2010/02/11	< .500	
HEXACHLOROCYCLOPENTADIENE	34386	WAIVED	2010/02/11	< 1.000	
LINDANE	39340	WAIVED	2010/02/11	< .200	

**Testing interval is in months;*
0 = No data for this constituent and is DUE NOW
999 = Waived testing (not required)
I = Invalid (NOT) valid analyses reported

System Number: 2400071
System Name: WASHINGTON SCHOOL

PS Code: 2400071-001
Source Name: SYSTEM WELL #1-250 FT N. OF GYMNASIUM
Source Number: 001
Source Status: ACTIVE UNTREATED
Water type: GROUNDWATER OR WELL

	STORET NUMBER	TESTING INTERVAL (MONTHS)*	LAST TEST DATE (yyyy/mm/dd)	LAST RESULT REPORTED	NEXT TEST DATE (yyyy/mm)	
REGULATED SOC						
METHOXYCHLOR	39480	WAIVED	2010/02/11	< 10.000		
MOLINATE	82199	WAIVED	2007/02/13	.000		
OXAMYL	38865	WAIVED				
PENTACHLOROPHENOL	39032	WAIVED				
PICLORAM	39720	WAIVED				
POLYCHLORINATED BIPHENYLS, TOTAL, AS DCB	39516	WAIVED	2010/02/11	< .500		
SIMAZINE	39055	036	2010/02/11	< 1.000	2013/02	
THIOBENCARB	A-001	WAIVED	2007/02/13	.000		
TOXAPHENE	39400	WAIVED	2010/02/11	< 1.000		
REGULATED VOC						
1,1,1-TRICHLOROETHANE	34506	060	2007/02/13	.000	2012/02	DUE
1,1,2,2-TETRACHLOROETHANE	34516	060	2007/02/13	.000	2012/02	DUE
1,1,2-TRICHLORO-1,2,2-TRIFLUOROETHANE	81611	060	2007/02/13	.000	2012/02	DUE
1,1,2-TRICHLOROETHANE	34511	060	2007/02/13	.000	2012/02	DUE
1,1-DICHLOROETHANE	34496	060	2007/02/13	.000	2012/02	DUE
1,1-DICHLOROETHYLENE	34501	060	2007/02/13	.000	2012/02	DUE
1,2,4-TRICHLOROBENZENE	34551	060	2007/02/13	.000	2012/02	DUE
1,2-DICHLOROBENZENE	34536	060	2007/02/13	.000	2012/02	DUE
1,2-DICHLOROETHANE	34531	060	2007/02/13	.000	2012/02	DUE
1,2-DICHLOROPROPANE	34541	060	2007/02/13	.000	2012/02	DUE
1,3-DICHLOROPROPENE (TOTAL)	34561	060	2007/02/13	.000	2012/02	DUE
1,4-DICHLOROBENZENE	34571	060	2007/02/13	.000	2012/02	DUE
BENZENE	34030	060	2007/02/13	.000	2012/02	DUE
CARBON TETRACHLORIDE	32102	060	2007/02/13	.000	2012/02	DUE
CIS-1,2-DICHLOROETHYLENE	77093	060	2007/02/13	.000	2012/02	DUE
DICHLOROMETHANE	34423	060	2007/02/13	.000	2012/02	DUE
ETHYLBENZENE	34371	060	2007/02/13	.000	2012/02	DUE
METHYL-TERT-BUTYL-ETHER (MTBE)	46491	060	2007/02/13	.000	2012/02	DUE
MONOCHLOROBENZENE	34301	060	2007/02/13	.000	2012/02	DUE

**Testing interval is in months;*
0 = No data for this constituent and is DUE NOW
999 = Waived testing (not required)
I = Invalid (NOT) valid analyses reported

System Number: ***2400071***

System Name: ***WASHINGTON SCHOOL***

PS Code: ***2400071-001***

Source Name: ***SYSTEM WELL #1-250 FT N. OF GYMNASIUM***

Source Number: ***001***

Source Status: ***ACTIVE UNTREATED***

Water type: ***GROUNDWATER OR WELL***

	STORET NUMBER	TESTING INTERVAL (MONTHS)*	LAST TEST DATE (yyyy/mm/dd)	LAST RESULT REPORTED	NEXT TEST DATE (yyyy/mm)	
REGULATED VOC						
STYRENE	77128	060	2007/02/13	.000	2012/02	DUE
TETRACHLOROETHYLENE	34475	060	2007/02/13	.000	2012/02	DUE
TOLUENE	34010	060	2007/02/13	.000	2012/02	DUE
TRANS-1,2-DICHLOROETHYLENE	34546	060	2007/02/13	.000	2012/02	DUE
TRICHLOROETHYLENE	39180	060	2007/02/13	.000	2012/02	DUE
TRICHLOROFLUOROMETHANE	34488	060	2007/02/13	.000	2012/02	DUE
VINYL CHLORIDE	39175	060	2007/02/13	.000	2012/02	DUE
XYLENES (TOTAL)	81551	060	2007/02/13	< .500	2012/02	DUE
SECONDARY/GP						
AGGRSSIVE INDEX (CORROSIVITY)	82383	WAIVED				
BICARBONATE ALKALINITY	00440	000				DUE
CALCIUM	00916	000				DUE
CARBONATE ALKALINITY	00445	000				DUE
CHLORIDE	00940	WAIVED				
COLOR	00081	WAIVED				
COPPER	01042	WAIVED				
FOAMING AGENTS (MBAS)	38260	WAIVED				
HARDNESS (TOTAL) AS CACO3	00900	000				DUE
HYDROXIDE ALKALINITY	71830	000				DUE
IRON	01045	000				DUE
MAGNESIUM	00927	000				DUE
MANGANESE	01055	000				DUE
ODOR THRESHOLD @ 60 C	00086	WAIVED				
PH, LABORATORY	00403	000				DUE
SILVER	01077	WAIVED	2010/02/11	< 10.000		
SODIUM	00929	000				DUE
SPECIFIC CONDUCTANCE	00095	WAIVED	2011/05/19	320.000		
SULFATE	00945	WAIVED				
TOTAL DISSOLVED SOLIDS	70300	WAIVED				

**Testing interval is in months;*
0 = No data for this constituent and is DUE NOW
999 = Waived testing (not required)
I = Invalid (NOT) valid analyses reported

System Number: ***2400071***

System Name: ***WASHINGTON SCHOOL***

PS Code: ***2400071-001***

Source Name: ***SYSTEM WELL #1-250 FT N. OF GYMNASIUM***

Source Number: ***001***

Source Status: ***ACTIVE UNTREATED***

Water type: ***GROUNDWATER OR WELL***

	STORET NUMBER	TESTING INTERVAL (MONTHS)*	LAST TEST DATE (yyyy/mm/dd)	LAST RESULT REPORTED	NEXT TEST DATE (yyyy/mm)
SECONDARY/GP					
TURBIDITY, LABORATORY	82079	WAIVED			
ZINC	01092	WAIVED			

**Testing interval is in months;*
0 = No data for this constituent and is DUE NOW
999 = Waived testing (not required)
I = Invalid (NOT) valid analyses reported

System Number: ***2400075***

System Name: ***EL NIDO ELEMENTARY SCHOOL***

PS Code: ***2400075-001***

Source Name: ***WELL #1 S.E. CORNER OF SCHOOL PROPERTY***

Source Number: ***001***

Source Status: ***ACTIVE UNTREATED***

Water type: ***GROUNDWATER OR WELL***

	STORET NUMBER	TESTING INTERVAL (MONTHS)*	LAST TEST DATE (yyyy/mm/dd)	LAST RESULT REPORTED	NEXT TEST DATE (yyyy/mm)	
GENERAL NON CHAP 15						
DIAZINON	39570	WAIVED				
INORGANIC						
ALUMINUM	01105	036	2008/12/04	< 50.000	2011/12	DUE
ANTIMONY	01097	036	2008/12/04	< 6.000	2011/12	DUE
ARSENIC	01002	036	2010/09/15	4.200	2013/09	
ASBESTOS	81855	WAIVED				
BARIUM	01007	036	2008/12/04	727.000	2011/12	DUE
BERYLLIUM	01012	036	2008/12/04	< 1.000	2011/12	DUE
CADMIUM	01027	036	2008/12/04	< 1.000	2011/12	DUE
CHROMIUM (TOTAL)	01034	036	2008/12/04	1.100	2011/12	DUE
CYANIDE	01291	WAIVED	2005/12/21	< .010		
FLUORIDE (F) (NATURAL-SOURCE)	00951	036	2008/12/04	< .100	2011/12	DUE
LEAD	01051	WAIVED	2008/12/04	< 5.000		
MERCURY	71900	036	2008/12/04	< .500	2011/12	DUE
NICKEL	01067	036	2008/12/04	< 10.000	2011/12	DUE
PERCHLORATE	A-031	036	2008/09/09	.000	2011/09	DUE
SELENIUM	01147	036	2008/12/04	8.600	2011/12	DUE
THALLIUM	01059	036	2008/12/04	< 1.000	2011/12	DUE
NITRATE/NITRITE						
NITRATE (AS NO3)	71850	012	2010/07/28	< 2.000	2011/07	DUE
NITRITE (AS N)	00620	036	2010/07/28	< 400.000	2013/07	
RADIOLOGICAL						
GROSS ALPHA	01501	WAIVED	2008/09/08	1.000		
GROSS BETA	03501	WAIVED				
RA-226 FOR CWS OR TOTAL RA FOR NTNC BY 903.0	A-080	WAIVED				
RA-226 OR TOTAL RA BY 903.0 C.E.	A-081	WAIVED				
RADIUM 226	09501	WAIVED				
RADIUM 228	11501	WAIVED				

**Testing interval is in months;*
0 = No data for this constituent and is DUE NOW
999 = Waived testing (not required)
I = Invalid (NOT) valid analyses reported

System Number: ***2400075***

System Name: ***EL NIDO ELEMENTARY SCHOOL***

PS Code: ***2400075-001***

Source Name: ***WELL #1 S.E. CORNER OF SCHOOL PROPERTY***

Source Number: ***001***

Source Status: ***ACTIVE UNTREATED***

Water type: ***GROUNDWATER OR WELL***

	STORET NUMBER	TESTING INTERVAL (MONTHS)*	LAST TEST DATE (yyyy/mm/dd)	LAST RESULT REPORTED	NEXT TEST DATE (yyyy/mm)	
RADIOLOGICAL						
RADIUM, TOTAL, MDA95-NTNC ONLY, BY 903.0	A-082	WAIVED				
STRONTIUM-90	13501	WAIVED				
TRITIUM	07000	WAIVED				
URANIUM (PCI/L)	28012	WAIVED	2008/09/08	< 1.000		
REGULATED SOC						
2,3,7,8-TCDD (DIOXIN)	34676	WAIVED				
2,4,5-TP (SILVEX)	39045	WAIVED				
2,4-D	39730	WAIVED				
ALACHLOR	77825	036	2008/12/04	< 1.000	2011/12	DUE
ATRAZINE	39033	036	2008/12/04	< .500	2011/12	DUE
BENTAZON	38710	WAIVED				
BENZO (A) PYRENE	34247	WAIVED				
CARBOFURAN	81405	WAIVED				
CHLORDANE	39350	WAIVED	2008/12/04	< .100		
DALAPON	38432	WAIVED				
DI(2-ETHYLHEXYL)ADIPATE	A-026	WAIVED				
DI(2-ETHYLHEXYL)PHTHALATE	39100	WAIVED				
DIBROMOCHLOROPROPANE (DBCP)	38761	036	2008/12/04	< .010	2011/12	DUE
DINOSEB	81287	WAIVED				
DIQUAT	78885	WAIVED				
ENDOTHALL	38926	WAIVED				
ENDRIN	39390	WAIVED	2008/12/04	< .100		
ETHYLENE DIBROMIDE (EDB)	77651	036	2008/12/04	< .020	2011/12	DUE
GLYPHOSATE	79743	WAIVED				
HEPTACHLOR	39410	WAIVED	2008/12/04	< .010		
HEPTACHLOR EPOXIDE	39420	WAIVED	2008/12/04	< .010		
HEXACHLOROBENZENE	39700	WAIVED	2008/12/04	< .500		
HEXACHLOROCYCLOPENTADIENE	34386	WAIVED	2008/12/04	< 1.000		
LINDANE	39340	WAIVED	2008/12/04	< .200		

**Testing interval is in months;*
0 = No data for this constituent and is DUE NOW
999 = Waived testing (not required)
I = Invalid (NOT) valid analyses reported

System Number: ***2400075***

System Name: ***EL NIDO ELEMENTARY SCHOOL***

PS Code: ***2400075-001***

Source Name: ***WELL #1 S.E. CORNER OF SCHOOL PROPERTY***

Source Number: ***001***

Source Status: ***ACTIVE UNTREATED***

Water type: ***GROUNDWATER OR WELL***

	STORET NUMBER	TESTING INTERVAL (MONTHS)*	LAST TEST DATE (yyyy/mm/dd)	LAST RESULT REPORTED	NEXT TEST DATE (yyyy/mm)	
REGULATED SOC						
METHOXYCHLOR	39480	WAIVED	2008/12/04	< 10.000		
MOLINATE	82199	WAIVED				
OXAMYL	38865	WAIVED				
PENTACHLOROPHENOL	39032	WAIVED				
PICLORAM	39720	WAIVED				
POLYCHLORINATED BIPHENYLS, TOTAL, AS DCB	39516	WAIVED	2008/12/04	< .500		
SIMAZINE	39055	036	2008/12/04	< 1.000	2011/12	DUE
THIOBENCARB	A-001	WAIVED	2005/12/21	< .200		
TOXAPHENE	39400	WAIVED	2008/12/04	< 1.000		
REGULATED VOC						
1,1,1-TRICHLOROETHANE	34506	060	2005/12/21	< .500	2010/12	DUE
1,1,2,2-TETRACHLOROETHANE	34516	060	2005/12/21	< .500	2010/12	DUE
1,1,2-TRICHLORO-1,2,2-TRIFLUOROETHANE	81611	060	2005/12/21	< 10.000	2010/12	DUE
1,1,2-TRICHLOROETHANE	34511	060	2005/12/21	< .500	2010/12	DUE
1,1-DICHLOROETHANE	34496	060	2005/12/21	< .500	2010/12	DUE
1,1-DICHLOROETHYLENE	34501	060	2005/12/21	< .500	2010/12	DUE
1,2,4-TRICHLOROBENZENE	34551	060	2005/12/21	< .500	2010/12	DUE
1,2-DICHLOROBENZENE	34536	060	2005/12/21	< .500	2010/12	DUE
1,2-DICHLOROETHANE	34531	060	2005/12/21	< .500	2010/12	DUE
1,2-DICHLOROPROPANE	34541	060	2005/12/21	< .500	2010/12	DUE
1,3-DICHLOROPROPENE (TOTAL)	34561	060	2005/12/21	< .500	2010/12	DUE
1,4-DICHLOROBENZENE	34571	060	2005/12/21	< .500	2010/12	DUE
BENZENE	34030	060	2005/12/21	< .500	2010/12	DUE
CARBON TETRACHLORIDE	32102	060	2005/12/21	< .500	2010/12	DUE
CIS-1,2-DICHLOROETHYLENE	77093	060	2005/12/21	< .500	2010/12	DUE
DICHLOROMETHANE	34423	060	2005/12/21	< .500	2010/12	DUE
ETHYLBENZENE	34371	060	2005/12/21	< .500	2010/12	DUE
METHYL-TERT-BUTYL-ETHER (MTBE)	46491	060	2005/12/21	< 3.000	2010/12	DUE
MONOCHLOROBENZENE	34301	060	2005/12/21	< .500	2010/12	DUE

**Testing interval is in months;*
0 = No data for this constituent and is DUE NOW
999 = Waived testing (not required)
I = Invalid (NOT) valid analyses reported

System Number: ***2400075***

System Name: ***EL NIDO ELEMENTARY SCHOOL***

PS Code: ***2400075-001***

Source Name: ***WELL #1 S.E. CORNER OF SCHOOL PROPERTY***

Source Number: ***001***

Source Status: ***ACTIVE UNTREATED***

Water type: ***GROUNDWATER OR WELL***

REGULATED VOC

	STORET NUMBER	TESTING INTERVAL (MONTHS)*	LAST TEST DATE (yyyy/mm/dd)	LAST RESULT REPORTED	NEXT TEST DATE (yyyy/mm)	
STYRENE	77128	060	2005/12/21	< .500	2010/12	DUE
TETRACHLOROETHYLENE	34475	060	2005/12/21	< .500	2010/12	DUE
TOLUENE	34010	060	2005/12/21	< .500	2010/12	DUE
TRANS-1,2-DICHLOROETHYLENE	34546	060	2005/12/21	< .500	2010/12	DUE
TRICHLOROETHYLENE	39180	060	2005/12/21	< .500	2010/12	DUE
TRICHLOROFLUOROMETHANE	34488	060	2005/12/21	< 5.000	2010/12	DUE
VINYL CHLORIDE	39175	060	2005/12/21	< .500	2010/12	DUE
XYLENES (TOTAL)	81551	060	2005/12/21	< .500	2010/12	DUE

SECONDARY/GP

AGGRSSIVE INDEX (CORROSIVITY)	82383	WAIVED		
BICARBONATE ALKALINITY	00440	WAIVED	2005/12/21	100.000
CALCIUM	00916	WAIVED	2005/12/21	67.000
CARBONATE ALKALINITY	00445	WAIVED	2005/12/21	< 2.000
CHLORIDE	00940	WAIVED	2005/12/21	580.000
COLOR	00081	WAIVED		
COPPER	01042	WAIVED	2005/12/21	1.000
FOAMING AGENTS (MBAS)	38260	WAIVED	2005/12/21	< .050
HARDNESS (TOTAL) AS CACO3	00900	WAIVED	2005/12/21	240.000
HYDROXIDE ALKALINITY	71830	WAIVED	2005/12/21	< 2.000
IRON	01045	WAIVED	2010/09/15	< 100.000
MAGNESIUM	00927	WAIVED	2005/12/21	17.000
MANGANESE	01055	WAIVED	2009/12/09	493.000
ODOR THRESHOLD @ 60 C	00086	WAIVED		
PH, LABORATORY	00403	WAIVED	2009/12/09	8.050
SILVER	01077	WAIVED	2008/12/04	< 10.000
SODIUM	00929	WAIVED	2005/12/21	280.000
SPECIFIC CONDUCTANCE	00095	WAIVED	2008/09/09	1300.000
SULFATE	00945	WAIVED	2005/12/21	.780
TOTAL DISSOLVED SOLIDS	70300	WAIVED	2005/12/21	1000.000

**Testing interval is in months;*
0 = No data for this constituent and is DUE NOW
999 = Waived testing (not required)
I = Invalid (NOT) valid analyses reported

System Number: ***2400075***

System Name: ***EL NIDO ELEMENTARY SCHOOL***

PS Code: ***2400075-001***

Source Name: ***WELL #1 S.E. CORNER OF SCHOOL PROPERTY***

Source Number: ***001***

Source Status: ***ACTIVE UNTREATED***

Water type: ***GROUNDWATER OR WELL***

SECONDARY/GP

	STORET NUMBER	TESTING INTERVAL (MONTHS)*	LAST TEST DATE (yyyy/mm/dd)	LAST RESULT REPORTED	NEXT TEST DATE (yyyy/mm)
TURBIDITY, LABORATORY	82079	WAIVED	2005/12/21	.970	
ZINC	01092	WAIVED	2005/12/21	84.000	

PS Code: ***2400075-011***

Source Name: ***WELL #1-TREATED***

Source Number: ***011***

Source Status: ***ACTIVE TREATED***

Water type: ***GROUNDWATER OR WELL***

GENERAL NON CHAP 15

	STORET NUMBER	TESTING INTERVAL (MONTHS)*	LAST TEST DATE (yyyy/mm/dd)	LAST RESULT REPORTED	NEXT TEST DATE (yyyy/mm)
DIAZINON	39570	WAIVED			

INORGANIC

	STORET NUMBER	TESTING INTERVAL (MONTHS)*	LAST TEST DATE (yyyy/mm/dd)	LAST RESULT REPORTED	NEXT TEST DATE (yyyy/mm)
ALUMINUM	01105	WAIVED	2011/08/12	< .000	
ANTIMONY	01097	WAIVED	2011/08/12	< .000	
ARSENIC	01002	WAIVED	2012/03/08	< .000	
ASBESTOS	81855	WAIVED			
BARIUM	01007	WAIVED	2011/08/12	670.000	
BERYLLIUM	01012	WAIVED	2011/08/12	< .000	
CADMIUM	01027	WAIVED	2011/08/12	< .000	
CHROMIUM (TOTAL)	01034	WAIVED	2011/08/12	< .000	
CYANIDE	01291	WAIVED			
FLUORIDE (F) (NATURAL-SOURCE)	00951	WAIVED	2011/08/12	< .000	
LEAD	01051	WAIVED	2011/08/12	< .000	
MERCURY	71900	WAIVED	2011/08/12	< .000	
NICKEL	01067	WAIVED	2011/08/12	< .000	
PERCHLORATE	A-031	WAIVED			
SELENIUM	01147	WAIVED	2011/08/12	5.700	
THALLIUM	01059	WAIVED	2011/08/12	< .000	

**Testing interval is in months;*
0 = No data for this constituent and is DUE NOW
999 = Waived testing (not required)
I = Invalid (NOT) valid analyses reported

System Number: ***2400075***

System Name: ***EL NIDO ELEMENTARY SCHOOL***

PS Code: ***2400075-011***

Source Name: ***WELL #1-TREATED***

Source Number: ***011***

Source Status: ***ACTIVE TREATED***

Water type: ***GROUNDWATER OR WELL***

	STORET NUMBER	TESTING INTERVAL (MONTHS)*	LAST TEST DATE (yyyy/mm/dd)	LAST RESULT REPORTED	NEXT TEST DATE (yyyy/mm)
NITRATE/NITRITE					
NITRATE (AS NO3)	71850	WAIVED	2011/08/12	< .000	
NITRITE (AS N)	00620	WAIVED	2011/08/12	< .000	
RADIOLOGICAL					
GROSS ALPHA	01501	WAIVED			
GROSS BETA	03501	WAIVED			
RA-226 FOR CWS OR TOTAL RA FOR NTNC BY 903.0	A-080	WAIVED			
RA-226 OR TOTAL RA BY 903.0 C.E.	A-081	WAIVED			
RADIUM 226	09501	WAIVED			
RADIUM 228	11501	WAIVED			
RADIUM, TOTAL, MDA95-NTNC ONLY, BY 903.0	A-082	WAIVED			
STRONTIUM-90	13501	WAIVED			
TRITIUM	07000	WAIVED			
URANIUM (PCI/L)	28012	WAIVED			
REGULATED SOC					
2,3,7,8-TCDD (DIOXIN)	34676	WAIVED			
2,4,5-TP (SILVEX)	39045	WAIVED			
2,4-D	39730	WAIVED			
ALACHLOR	77825	WAIVED	2011/08/12	< .000	
ATRAZINE	39033	WAIVED	2011/08/12	< .000	
BENTAZON	38710	WAIVED			
BENZO (A) PYRENE	34247	WAIVED			
CARBOFURAN	81405	WAIVED			
CHLORDANE	39350	WAIVED			
DALAPON	38432	WAIVED			
DI(2-ETHYLHEXYL)ADIPATE	A-026	WAIVED			
DI(2-ETHYLHEXYL)PHTHALATE	39100	WAIVED			
DIBROMOCHLOROPROPANE (DBCP)	38761	WAIVED	2011/08/12	< .000	
DINOSEB	81287	WAIVED			
DIQUAT	78885	WAIVED			

**Testing interval is in months;*
0 = No data for this constituent and is DUE NOW
999 = Waived testing (not required)
I = Invalid (NOT) valid analyses reported

System Number: ***2400075***

System Name: ***EL NIDO ELEMENTARY SCHOOL***

PS Code: ***2400075-011***

Source Name: ***WELL #1-TREATED***

Source Number: ***011***

Source Status: ***ACTIVE TREATED***

Water type: ***GROUNDWATER OR WELL***

	STORET NUMBER	TESTING INTERVAL (MONTHS)*	LAST TEST DATE (yyyy/mm/dd)	LAST RESULT REPORTED	NEXT TEST DATE (yyyy/mm)
REGULATED SOC					
ENDOTHALL	38926	WAIVED			
ENDRIN	39390	WAIVED			
ETHYLENE DIBROMIDE (EDB)	77651	WAIVED	2011/08/12	< .000	
GLYPHOSATE	79743	WAIVED			
HEPTACHLOR	39410	WAIVED			
HEPTACHLOR EPOXIDE	39420	WAIVED			
HEXACHLOROBENZENE	39700	WAIVED			
HEXACHLOROCYCLOPENTADIENE	34386	WAIVED			
LINDANE	39340	WAIVED			
METHOXYCHLOR	39480	WAIVED			
MOLINATE	82199	WAIVED			
OXAMYL	38865	WAIVED			
PENTACHLOROPHENOL	39032	WAIVED			
PICLORAM	39720	WAIVED			
POLYCHLORINATED BIPHENYLS, TOTAL, AS DCB	39516	WAIVED			
SIMAZINE	39055	WAIVED	2011/08/12	< .000	
THIOBENCARB	A-001	WAIVED			
TOXAPHENE	39400	WAIVED			
REGULATED VOC					
1,1,1-TRICHLOROETHANE	34506	WAIVED	2011/08/12	< .000	
1,1,2,2-TETRACHLOROETHANE	34516	WAIVED	2011/08/12	< .000	
1,1,2-TRICHLORO-1,2,2-TRIFLUOROETHANE	81611	WAIVED	2011/08/12	< .000	
1,1,2-TRICHLOROETHANE	34511	WAIVED	2011/08/12	< .000	
1,1-DICHLOROETHANE	34496	WAIVED	2011/08/12	< .000	
1,1-DICHLOROETHYLENE	34501	WAIVED	2011/08/12	< .000	
1,2,4-TRICHLOROBENZENE	34551	WAIVED	2011/08/12	< .000	
1,2-DICHLOROBENZENE	34536	WAIVED	2011/08/12	< .000	
1,2-DICHLOROETHANE	34531	WAIVED	2011/08/12	< .000	
1,2-DICHLOROPROPANE	34541	WAIVED	2011/08/12	< .000	

**Testing interval is in months;*
0 = No data for this constituent and is DUE NOW
999 = Waived testing (not required)
I = Invalid (NOT) valid analyses reported

System Number: ***2400075***

System Name: ***EL NIDO ELEMENTARY SCHOOL***

PS Code: ***2400075-011***

Source Name: ***WELL #1-TREATED***

Source Number: ***011***

Source Status: ***ACTIVE TREATED***

Water type: ***GROUNDWATER OR WELL***

	STORET NUMBER	TESTING INTERVAL (MONTHS)*	LAST TEST DATE (yyyy/mm/dd)	LAST RESULT REPORTED	NEXT TEST DATE (yyyy/mm)
REGULATED VOC					
1,3-DICHLOROPROPENE (TOTAL)	34561	WAIVED	2011/08/12	< .000	
1,4-DICHLOROBENZENE	34571	WAIVED	2011/08/12	< .000	
BENZENE	34030	WAIVED	2011/08/12	< .000	
CARBON TETRACHLORIDE	32102	WAIVED	2011/08/12	< .000	
CIS-1,2-DICHLOROETHYLENE	77093	WAIVED	2011/08/12	< .000	
DICHLOROMETHANE	34423	WAIVED	2011/08/12	< .000	
ETHYLBENZENE	34371	WAIVED	2011/08/12	< .000	
METHYL-TERT-BUTYL-ETHER (MTBE)	46491	WAIVED	2011/08/12	< .000	
MONOCHLOROBENZENE	34301	WAIVED	2011/08/12	< .000	
STYRENE	77128	WAIVED	2011/08/12	< .000	
TETRACHLOROETHYLENE	34475	WAIVED	2011/08/12	< .000	
TOLUENE	34010	WAIVED	2011/08/12	< .000	
TRANS-1,2-DICHLOROETHYLENE	34546	WAIVED	2011/08/12	< .000	
TRICHLOROETHYLENE	39180	WAIVED	2011/08/12	< .000	
TRICHLOROFLUOROMETHANE	34488	WAIVED	2011/08/12	< .000	
VINYL CHLORIDE	39175	WAIVED	2011/08/12	< .000	
XYLENES (TOTAL)	81551	WAIVED	2011/08/12	< .000	
SECONDARY/GP					
AGGRSSIVE INDEX (CORROSIVITY)	82383	WAIVED			
BICARBONATE ALKALINITY	00440	WAIVED			
CALCIUM	00916	WAIVED			
CARBONATE ALKALINITY	00445	WAIVED			
CHLORIDE	00940	WAIVED			
COLOR	00081	WAIVED			
COPPER	01042	WAIVED			
FOAMING AGENTS (MBAS)	38260	WAIVED			
HARDNESS (TOTAL) AS CACO3	00900	WAIVED			
HYDROXIDE ALKALINITY	71830	WAIVED			
IRON	01045	WAIVED	2012/03/08	< .000	

**Testing interval is in months;*
0 = No data for this constituent and is DUE NOW
999 = Waived testing (not required)
I = Invalid (NOT) valid analyses reported

System Number: ***2400075***

System Name: ***EL NIDO ELEMENTARY SCHOOL***

PS Code: ***2400075-011***

Source Name: ***WELL #1-TREATED***

Source Number: ***011***

Source Status: ***ACTIVE TREATED***

Water type: ***GROUNDWATER OR WELL***

SECONDARY/GP	STORET NUMBER	TESTING INTERVAL (MONTHS)*	LAST TEST DATE (yyyy/mm/dd)	LAST RESULT REPORTED	NEXT TEST DATE (yyyy/mm)
MAGNESIUM	00927	WAIVED			
MANGANESE	01055	WAIVED	2009/12/30	< 20.000	
ODOR THRESHOLD @ 60 C	00086	WAIVED			
PH, LABORATORY	00403	WAIVED	2009/12/30	7.590	
SILVER	01077	WAIVED			
SODIUM	00929	WAIVED			
SPECIFIC CONDUCTANCE	00095	WAIVED			
SULFATE	00945	WAIVED			
TOTAL DISSOLVED SOLIDS	70300	WAIVED			
TURBIDITY, LABORATORY	82079	WAIVED			
ZINC	01092	WAIVED			

**Testing interval is in months;*
0 = No data for this constituent and is DUE NOW
999 = Waived testing (not required)
I = Invalid (NOT) valid analyses reported

System Number: ***2400076***

System Name: ***HOPETON SCHOOL***

PS Code: ***2400076-011***

Source Name: ***WELL #2-E. OF PLAYGROUND. ACTIVE 9/04***

Source Number: ***011***

Source Status: ***ACTIVE UNTREATED***

Water type: ***GROUNDWATER OR WELL***

	STORET NUMBER	TESTING INTERVAL (MONTHS)*	LAST TEST DATE (yyyy/mm/dd)	LAST RESULT REPORTED	NEXT TEST DATE (yyyy/mm)	
GENERAL NON CHAP 15						
DIAZINON	39570	WAIVED				
INORGANIC						
ALUMINUM	01105	036	2011/03/29	< 50.000	2014/03	
ANTIMONY	01097	036	2011/03/29	< 6.000	2014/03	
ARSENIC	01002	036	2011/03/29	< 2.000	2014/03	
ASBESTOS	81855	WAIVED				
BARIUM	01007	036	2011/03/29	< 100.000	2014/03	
BERYLLIUM	01012	036	2011/03/29	< 1.000	2014/03	
CADMIUM	01027	036	2011/03/29	< 1.000	2014/03	
CHROMIUM (TOTAL)	01034	036	2011/03/29	5.300	2014/03	
CYANIDE	01291	WAIVED				
FLUORIDE (F) (NATURAL-SOURCE)	00951	036	2011/03/29	< .100	2014/03	
LEAD	01051	WAIVED	2011/03/29	< 5.000		
MERCURY	71900	036	2011/03/29	< .500	2014/03	
NICKEL	01067	036	2011/03/29	< 10.000	2014/03	
PERCHLORATE	A-031	036	2011/05/19	< .000	2014/05	
SELENIUM	01147	036	2011/03/29	< 5.000	2014/03	
THALLIUM	01059	036	2011/03/29	< 1.000	2014/03	
NITRATE/NITRITE						
NITRATE (AS NO3)	71850	012	**2011/03/29**	3.700	**2012/03**	**DUE**
NITRITE (AS N)	00620	036	2011/03/29	< 400.000	2014/03	
RADIOLOGICAL						
GROSS ALPHA	01501	WAIVED	2010/08/19	2.500		
GROSS BETA	03501	WAIVED				
RA-226 FOR CWS OR TOTAL RA FOR NTNC BY 903.0	A-080	WAIVED				
RA-226 OR TOTAL RA BY 903.0 C.E.	A-081	WAIVED				
RADIUM 226	09501	WAIVED				
RADIUM 228	11501	WAIVED				

**Testing interval is in months;*
0 = No data for this constituent and is DUE NOW
999 = Waived testing (not required)
I = Invalid (NOT) valid analyses reported

System Number: ***2400076***

System Name: ***HOPETON SCHOOL***

PS Code: ***2400076-011***

Source Name: ***WELL #2-E. OF PLAYGROUND. ACTIVE 9/04***

Source Number: ***011***

Source Status: ***ACTIVE UNTREATED***

Water type: ***GROUNDWATER OR WELL***

	STORET NUMBER	TESTING INTERVAL (MONTHS)*	LAST TEST DATE (yyyy/mm/dd)	LAST RESULT REPORTED	NEXT TEST DATE (yyyy/mm)
RADIOLOGICAL					
RADIUM, TOTAL, MDA95-NTNC ONLY, BY 903.0	A-082	WAIVED			
STRONTIUM-90	13501	WAIVED			
TRITIUM	07000	WAIVED			
URANIUM (PCI/L)	28012	WAIVED	2010/08/19	3.500	
REGULATED SOC					
2,3,7,8-TCDD (DIOXIN)	34676	WAIVED			
2,4,5-TP (SILVEX)	39045	WAIVED			
2,4-D	39730	WAIVED			
ALACHLOR	77825	036	2010/11/17	< 1.000	2013/11
ATRAZINE	39033	036	2010/11/17	< .500	2013/11
BENTAZON	38710	WAIVED			
BENZO (A) PYRENE	34247	WAIVED			
CARBOFURAN	81405	WAIVED			
CHLORDANE	39350	WAIVED	2010/11/17	< .100	
DALAPON	38432	WAIVED			
DI(2-ETHYLHEXYL)ADIPATE	A-026	WAIVED			
DI(2-ETHYLHEXYL)PHTHALATE	39100	WAIVED			
DIBROMOCHLOROPROPANE (DBCP)	38761	036	2010/11/17	< .010	2013/11
DINOSEB	81287	WAIVED			
DIQUAT	78885	WAIVED			
ENDOTHALL	38926	WAIVED			
ENDRIN	39390	WAIVED	2010/11/17	< .100	
ETHYLENE DIBROMIDE (EDB)	77651	036	2010/11/17	< .020	2013/11
GLYPHOSATE	79743	WAIVED			
HEPTACHLOR	39410	WAIVED	2010/11/17	< .010	
HEPTACHLOR EPOXIDE	39420	WAIVED	2010/11/17	< .010	
HEXACHLOROBENZENE	39700	WAIVED	2010/11/17	< .500	
HEXACHLOROCYCLOPENTADIENE	34386	WAIVED	2010/11/17	< 1.000	
LINDANE	39340	WAIVED	2010/11/17	< .200	

**Testing interval is in months;*
0 = No data for this constituent and is DUE NOW
999 = Waived testing (not required)
I = Invalid (NOT) valid analyses reported

System Number: ***2400076***

System Name: ***HOPETON SCHOOL***

PS Code: ***2400076-011***

Source Name: ***WELL #2-E. OF PLAYGROUND. ACTIVE 9/04***

Source Number: ***011***

Source Status: ***ACTIVE UNTREATED***

Water type: ***GROUNDWATER OR WELL***

	STORET NUMBER	TESTING INTERVAL (MONTHS)*	LAST TEST DATE (yyyy/mm/dd)	LAST RESULT REPORTED	NEXT TEST DATE (yyyy/mm)
REGULATED SOC					
METHOXYCHLOR	39480	WAIVED	2010/11/17	< 10.000	
MOLINATE	82199	WAIVED			
OXAMYL	38865	WAIVED			
PENTACHLOROPHENOL	39032	WAIVED			
PICLORAM	39720	WAIVED			
POLYCHLORINATED BIPHENYLS, TOTAL, AS DCB	39516	WAIVED	2010/11/17	< .500	
SIMAZINE	39055	036	2010/11/17	< 1.000	2013/11
THIOBENCARB	A-001	WAIVED			
TOXAPHENE	39400	WAIVED	2010/11/17	< 1.000	
REGULATED VOC					
1,1,1-TRICHLOROETHANE	34506	060	2010/10/21	< .500	2015/10
1,1,2,2-TETRACHLOROETHANE	34516	060	2010/10/21	< .500	2015/10
1,1,2-TRICHLORO-1,2,2-TRIFLUOROETHANE	81611	060	2010/10/21	< 10.000	2015/10
1,1,2-TRICHLOROETHANE	34511	060	2010/10/21	< .500	2015/10
1,1-DICHLOROETHANE	34496	060	2010/10/21	< .500	2015/10
1,1-DICHLOROETHYLENE	34501	060	2010/10/21	< .500	2015/10
1,2,4-TRICHLOROBENZENE	34551	060	2010/10/21	< .500	2015/10
1,2-DICHLOROBENZENE	34536	060	2010/10/21	< .500	2015/10
1,2-DICHLOROETHANE	34531	060	2010/10/21	< .500	2015/10
1,2-DICHLOROPROPANE	34541	060	2010/10/21	< .500	2015/10
1,3-DICHLOROPROPENE (TOTAL)	34561	060	2010/10/21	< .500	2015/10
1,4-DICHLOROBENZENE	34571	060	2010/10/21	< .500	2015/10
BENZENE	34030	060	2010/10/21	< .500	2015/10
CARBON TETRACHLORIDE	32102	060	2010/10/21	< .500	2015/10
CIS-1,2-DICHLOROETHYLENE	77093	060	2010/10/21	< .500	2015/10
DICHLOROMETHANE	34423	060	2010/10/21	< .500	2015/10
ETHYLBENZENE	34371	060	2010/10/21	< .500	2015/10
METHYL-TERT-BUTYL-ETHER (MTBE)	46491	060	2010/10/21	< 3.000	2015/10
MONOCHLOROBENZENE	34301	060	2010/10/21	< .500	2015/10

**Testing interval is in months;*
0 = No data for this constituent and is DUE NOW
999 = Waived testing (not required)
I = Invalid (NOT) valid analyses reported

System Number: ***2400076***

System Name: ***HOPETON SCHOOL***

PS Code: ***2400076-011***

Source Name: ***WELL #2-E. OF PLAYGROUND. ACTIVE 9/04***

Source Number: ***011***

Source Status: ***ACTIVE UNTREATED***

Water type: ***GROUNDWATER OR WELL***

	STORET NUMBER	TESTING INTERVAL (MONTHS)*	LAST TEST DATE (yyyy/mm/dd)	LAST RESULT REPORTED	NEXT TEST DATE (yyyy/mm)	
REGULATED VOC						
STYRENE	77128	060	2010/10/21	< .500	2015/10	
TETRACHLOROETHYLENE	34475	060	2010/10/21	< .500	2015/10	
TOLUENE	34010	060	2010/10/21	< .500	2015/10	
TRANS-1,2-DICHLOROETHYLENE	34546	060	2010/10/21	< .500	2015/10	
TRICHLOROETHYLENE	39180	060	2010/10/21	< .500	2015/10	
TRICHLOROFLUOROMETHANE	34488	060	2010/10/21	< 5.000	2015/10	
VINYL CHLORIDE	39175	060	2010/10/21	< .500	2015/10	
XYLENES (TOTAL)	81551	060	2010/10/21	< 1.000	2015/10	
SECONDARY/GP						
AGGRSSIVE INDEX (CORROSIVITY)	82383	WAIVED				
BICARBONATE ALKALINITY	00440	000				DUE
CALCIUM	00916	000				DUE
CARBONATE ALKALINITY	00445	000				DUE
CHLORIDE	00940	WAIVED				
COLOR	00081	WAIVED				
COPPER	01042	WAIVED				
FOAMING AGENTS (MBAS)	38260	WAIVED				
HARDNESS (TOTAL) AS CACO3	00900	000				DUE
HYDROXIDE ALKALINITY	71830	000				DUE
IRON	01045	000				DUE
MAGNESIUM	00927	000				DUE
MANGANESE	01055	000				DUE
ODOR THRESHOLD @ 60 C	00086	WAIVED				
PH, LABORATORY	00403	000				DUE
SILVER	01077	WAIVED	2011/03/29	< 10.000		
SODIUM	00929	000				DUE
SPECIFIC CONDUCTANCE	00095	WAIVED	2011/05/19	100.000		
SULFATE	00945	WAIVED				
TOTAL DISSOLVED SOLIDS	70300	WAIVED				

**Testing interval is in months;*
0 = No data for this constituent and is DUE NOW
999 = Waived testing (not required)
I = Invalid (NOT) valid analyses reported

System Number: ***2400076***

System Name: ***HOPETON SCHOOL***

PS Code: ***2400076-011***

Source Name: ***WELL #2-E. OF PLAYGROUND. ACTIVE 9/04***

Source Number: ***011***

Source Status: ***ACTIVE UNTREATED***

Water type: ***GROUNDWATER OR WELL***

	STORET NUMBER	TESTING INTERVAL (MONTHS)*	LAST TEST DATE (yyyy/mm/dd)	LAST RESULT REPORTED	NEXT TEST DATE (yyyy/mm)
SECONDARY/GP					
TURBIDITY, LABORATORY	82079	WAIVED			
ZINC	01092	WAIVED			

**Testing interval is in months;*
0 = No data for this constituent and is DUE NOW
999 = Waived testing (not required)
I = Invalid (NOT) valid analyses reported

System Number: ***2400078***

System Name: ***TURLOCK GOLF & COUNTRY CLUB***

PS Code: ***2400078-001***

Source Name: ***SYSTEM WELL #1- CLUBHOUSE/POOL AREA***

Source Number: ***001***

Source Status: ***ACTIVE UNTREATED***

Water type: ***GROUNDWATER OR WELL***

	STORET NUMBER	TESTING INTERVAL (MONTHS)*	LAST TEST DATE (yyyy/mm/dd)	LAST RESULT REPORTED	NEXT TEST DATE (yyyy/mm)
GENERAL NON CHAP 15					
DIAZINON	39570	WAIVED			
INORGANIC					
ALUMINUM	01105	036	2010/04/22	< 50.000	2013/04
ANTIMONY	01097	036	2010/04/22	< 6.000	2013/04
ARSENIC	01002	036	2010/04/22	6.500	2013/04
ASBESTOS	81855	WAIVED			
BARIUM	01007	036	2010/04/22	< 100.000	2013/04
BERYLLIUM	01012	036	2010/04/22	< 1.000	2013/04
CADMIUM	01027	036	2010/04/22	< 1.000	2013/04
CHROMIUM (TOTAL)	01034	036	2010/04/22	29.900	2013/04
CYANIDE	01291	WAIVED			
FLUORIDE (F) (NATURAL-SOURCE)	00951	036	2010/04/22	.160	2013/04
LEAD	01051	WAIVED	2010/04/22	< 5.000	
MERCURY	71900	036	2010/04/22	< .500	2013/04
NICKEL	01067	036	2010/04/22	< 10.000	2013/04
PERCHLORATE	A-031	036	2011/05/19	< .000	2014/05
SELENIUM	01147	036	2010/04/22	< 5.000	2013/04
THALLIUM	01059	036	2010/04/22	< 1.000	2013/04
NITRATE/NITRITE					
NITRATE (AS NO3)	71850	012	2011/04/21	11.200	2012/04
NITRITE (AS N)	00620	036	2010/04/22	< 400.000	2013/04
RADIOLOGICAL					
GROSS ALPHA	01501	WAIVED	2010/01/21	1.600	
GROSS BETA	03501	WAIVED			
RA-226 FOR CWS OR TOTAL RA FOR NTNC BY 903.0	A-080	WAIVED			
RA-226 OR TOTAL RA BY 903.0 C.E.	A-081	WAIVED			
RADIUM 226	09501	WAIVED			
RADIUM 228	11501	WAIVED			

**Testing interval is in months;*
0 = No data for this constituent and is DUE NOW
999 = Waived testing (not required)
I = Invalid (NOT) valid analyses reported

System Number: ***2400078***

System Name: ***TURLOCK GOLF & COUNTRY CLUB***

PS Code: ***2400078-001***

Source Name: ***SYSTEM WELL #1- CLUBHOUSE/POOL AREA***

Source Number: ***001***

Source Status: ***ACTIVE UNTREATED***

Water type: ***GROUNDWATER OR WELL***

	STORET NUMBER	TESTING INTERVAL (MONTHS)*	LAST TEST DATE (yyyy/mm/dd)	LAST RESULT REPORTED	NEXT TEST DATE (yyyy/mm)
RADIOLOGICAL					
RADIUM, TOTAL, MDA95-NTNC ONLY, BY 903.0	A-082	WAIVED			
STRONTIUM-90	13501	WAIVED			
TRITIUM	07000	WAIVED			
URANIUM (PCI/L)	28012	WAIVED	2010/01/21	2.900	
REGULATED SOC					
2,3,7,8-TCDD (DIOXIN)	34676	WAIVED			
2,4,5-TP (SILVEX)	39045	WAIVED			
2,4-D	39730	WAIVED			
ALACHLOR	77825	036	2010/01/21	< 1.000	2013/01
ATRAZINE	39033	036	2010/01/21	< .500	2013/01
BENTAZON	38710	WAIVED			
BENZO (A) PYRENE	34247	WAIVED			
CARBOFURAN	81405	WAIVED			
CHLORDANE	39350	WAIVED	2010/01/21	< .100	
DALAPON	38432	WAIVED			
DI(2-ETHYLHEXYL)ADIPATE	A-026	WAIVED			
DI(2-ETHYLHEXYL)PHTHALATE	39100	WAIVED			
DIBROMOCHLOROPROPANE (DBCP)	38761	036	2010/01/21	< .010	2013/01
DINOSEB	81287	WAIVED			
DIQUAT	78885	WAIVED			
ENDOTHALL	38926	WAIVED			
ENDRIN	39390	WAIVED	2010/01/21	< .100	
ETHYLENE DIBROMIDE (EDB)	77651	036	2010/01/21	< .020	2013/01
GLYPHOSATE	79743	WAIVED			
HEPTACHLOR	39410	WAIVED	2010/01/21	< .010	
HEPTACHLOR EPOXIDE	39420	WAIVED	2010/01/21	< .010	
HEXACHLOROBENZENE	39700	WAIVED	2010/01/21	< .500	
HEXACHLOROCYCLOPENTADIENE	34386	WAIVED	2010/01/21	< 1.000	
LINDANE	39340	WAIVED	2010/01/21	< .200	

**Testing interval is in months;*
0 = No data for this constituent and is DUE NOW
999 = Waived testing (not required)
I = Invalid (NOT) valid analyses reported

System Number: 2400078
System Name: TURLOCK GOLF & COUNTRY CLUB

PS Code: 2400078-001
Source Name: SYSTEM WELL #1- CLUBHOUSE/POOL AREA
Source Number: 001
Source Status: ACTIVE UNTREATED
Water type: GROUNDWATER OR WELL

	STORET NUMBER	TESTING INTERVAL (MONTHS)*	LAST TEST DATE (yyyy/mm/dd)	LAST RESULT REPORTED	NEXT TEST DATE (yyyy/mm)
REGULATED SOC					
METHOXYCHLOR	39480	WAIVED	2010/01/21	< 10.000	
MOLINATE	82199	WAIVED			
OXAMYL	38865	WAIVED			
PENTACHLOROPHENOL	39032	WAIVED			
PICLORAM	39720	WAIVED			
POLYCHLORINATED BIPHENYLS, TOTAL, AS DCB	39516	WAIVED	2010/01/21	< .500	
SIMAZINE	39055	036	2010/01/21	< 1.000	2013/01
THIOBENCARB	A-001	WAIVED			
TOXAPHENE	39400	WAIVED	2010/01/21	< 1.000	
REGULATED VOC					
1,1,1-TRICHLOROETHANE	34506	060	2007/09/19	.000	2012/09
1,1,2,2-TETRACHLOROETHANE	34516	060	2007/09/19	.000	2012/09
1,1,2-TRICHLORO-1,2,2-TRIFLUOROETHANE	81611	060	2007/09/19	.000	2012/09
1,1,2-TRICHLOROETHANE	34511	060	2007/09/19	.000	2012/09
1,1-DICHLOROETHANE	34496	060	2007/09/19	.000	2012/09
1,1-DICHLOROETHYLENE	34501	060	2007/09/19	.000	2012/09
1,2,4-TRICHLOROBENZENE	34551	060	2007/09/19	.000	2012/09
1,2-DICHLOROBENZENE	34536	060	2007/09/19	.000	2012/09
1,2-DICHLOROETHANE	34531	060	2007/09/19	.000	2012/09
1,2-DICHLOROPROPANE	34541	060	2007/09/19	.000	2012/09
1,3-DICHLOROPROPENE (TOTAL)	34561	060	2007/09/19	.000	2012/09
1,4-DICHLOROBENZENE	34571	060	2007/09/19	.000	2012/09
BENZENE	34030	060	2007/09/19	.000	2012/09
CARBON TETRACHLORIDE	32102	060	2007/09/19	.000	2012/09
CIS-1,2-DICHLOROETHYLENE	77093	060	2007/09/19	.000	2012/09
DICHLOROMETHANE	34423	060	2007/09/19	.000	2012/09
ETHYLBENZENE	34371	060	2007/09/19	.000	2012/09
METHYL-TERT-BUTYL-ETHER (MTBE)	46491	060	2007/11/06	.000	2012/11
MONOCHLOROBENZENE	34301	060	2007/09/19	.000	2012/09

**Testing interval is in months;*
0 = No data for this constituent and is DUE NOW
999 = Waived testing (not required)
I = Invalid (NOT) valid analyses reported

System Number: 2400078
System Name: TURLOCK GOLF & COUNTRY CLUB

PS Code: 2400078-001
Source Name: SYSTEM WELL #1- CLUBHOUSE/POOL AREA
Source Number: 001
Source Status: ACTIVE UNTREATED
Water type: GROUNDWATER OR WELL

	STORET NUMBER	TESTING INTERVAL (MONTHS)*	LAST TEST DATE (yyyy/mm/dd)	LAST RESULT REPORTED	NEXT TEST DATE (yyyy/mm)
REGULATED VOC					
STYRENE	77128	060	2007/09/19	.000	2012/09
TETRACHLOROETHYLENE	34475	060	2007/09/19	.000	2012/09
TOLUENE	34010	060	2007/09/19	.000	2012/09
TRANS-1,2-DICHLOROETHYLENE	34546	060	2007/09/19	.000	2012/09
TRICHLOROETHYLENE	39180	060	2007/09/19	.000	2012/09
TRICHLOROFLUOROMETHANE	34488	060	2007/09/19	.000	2012/09
VINYL CHLORIDE	39175	060	2007/09/19	.000	2012/09
XYLENES (TOTAL)	81551	060	2007/09/19	< .500	2012/09
SECONDARY/GP					
AGGRSSIVE INDEX (CORROSIVITY)	82383	WAIVED			
BICARBONATE ALKALINITY	00440	WAIVED	2007/01/18	61.000	
CALCIUM	00916	WAIVED	2007/01/18	7.300	
CARBONATE ALKALINITY	00445	WAIVED	2007/01/18	< 2.000	
CHLORIDE	00940	WAIVED	2007/01/18	9.700	
COLOR	00081	WAIVED	2007/01/18	< 5.000	
COPPER	01042	WAIVED	2007/01/18	< 50.000	
FOAMING AGENTS (MBAS)	38260	WAIVED	2007/01/18	.025	
HARDNESS (TOTAL) AS CACO3	00900	WAIVED	2007/01/18	45.500	
HYDROXIDE ALKALINITY	71830	WAIVED	2007/01/18	.500	
IRON	01045	WAIVED	2007/01/18	< 100.000	
MAGNESIUM	00927	WAIVED	2007/01/18	3.600	
MANGANESE	01055	WAIVED	2007/01/18	< 20.000	
ODOR THRESHOLD @ 60 C	00086	WAIVED	2007/01/18	.000	
PH, LABORATORY	00403	WAIVED	2007/01/18	7.290	
SILVER	01077	WAIVED	2010/04/22	< 10.000	
SODIUM	00929	WAIVED	2007/01/18	18.000	
SPECIFIC CONDUCTANCE	00095	WAIVED	2011/05/19	200.000	
SULFATE	00945	WAIVED	2007/01/18	4.000	
TOTAL DISSOLVED SOLIDS	70300	WAIVED	2007/01/18	130.000	

**Testing interval is in months;*
0 = No data for this constituent and is DUE NOW
999 = Waived testing (not required)
I = Invalid (NOT) valid analyses reported

System Number: ***2400078***

System Name: ***TURLOCK GOLF & COUNTRY CLUB***

PS Code: ***2400078-001***

Source Name: ***SYSTEM WELL #1- CLUBHOUSE/POOL AREA***

Source Number: ***001***

Source Status: ***ACTIVE UNTREATED***

Water type: ***GROUNDWATER OR WELL***

SECONDARY/GP

	STORET NUMBER	TESTING INTERVAL (MONTHS)*	LAST TEST DATE (yyyy/mm/dd)	LAST RESULT REPORTED	NEXT TEST DATE (yyyy/mm)
TURBIDITY, LABORATORY	82079	WAIVED	2007/01/18	.100	
ZINC	01092	WAIVED	2007/01/18	< 50.000	

**Testing interval is in months;*
0 = No data for this constituent and is DUE NOW
999 = Waived testing (not required)
I = Invalid (NOT) valid analyses reported

System Number: ***2400079***

System Name: ***MCSWAIN ELEMENTARY SCHOOL***

PS Code: ***2400079-001***

Source Name: ***WELL #2- SCHOOL WELL 02N (1982)***

Source Number: ***001***

Source Status: ***ACTIVE UNTREATED***

Water type: ***GROUNDWATER OR WELL***

	STORET NUMBER	TESTING INTERVAL (MONTHS)*	LAST TEST DATE (yyyy/mm/dd)	LAST RESULT REPORTED	NEXT TEST DATE (yyyy/mm)
GENERAL NON CHAP 15					
DIAZINON	39570	WAIVED			
INORGANIC					
ALUMINUM	01105	036	2011/12/15	< .000	2014/12
ANTIMONY	01097	036	2011/12/15	< .000	2014/12
ARSENIC	01002	036	2011/01/31	5.000	2014/01
ASBESTOS	81855	WAIVED			
BARIUM	01007	036	2011/12/15	170.000	2014/12
BERYLLIUM	01012	036	2011/12/15	< .000	2014/12
CADMIUM	01027	036	2011/12/15	< .000	2014/12
CHROMIUM (TOTAL)	01034	036	2011/12/15	< .000	2014/12
CYANIDE	01291	WAIVED			
FLUORIDE (F) (NATURAL-SOURCE)	00951	036	2011/12/15	.180	2014/12
LEAD	01051	WAIVED	2011/12/15	< .000	
MERCURY	71900	036	2011/12/15	< .000	2014/12
NICKEL	01067	036	2011/12/15	< .000	2014/12
PERCHLORATE	A-031	036	2011/12/15	< .000	2014/12
SELENIUM	01147	036	2011/12/15	< .000	2014/12
THALLIUM	01059	036	2011/12/15	< .000	2014/12
NITRATE/NITRITE					
NITRATE (AS NO3)	71850	012	2011/12/15	16.000	2012/12
NITRITE (AS N)	00620	036	2011/12/15	< .000	2014/12
RADIOLOGICAL					
GROSS ALPHA	01501	WAIVED			
GROSS BETA	03501	WAIVED			
RA-226 FOR CWS OR TOTAL RA FOR NTNC BY 903.0	A-080	WAIVED			
RA-226 OR TOTAL RA BY 903.0 C.E.	A-081	WAIVED			
RADIUM 226	09501	WAIVED			
RADIUM 228	11501	WAIVED			

**Testing interval is in months;*
0 = No data for this constituent and is DUE NOW
999 = Waived testing (not required)
I = Invalid (NOT) valid analyses reported

System Number: ***2400079***

System Name: ***MCSWAIN ELEMENTARY SCHOOL***

PS Code: ***2400079-001***

Source Name: ***WELL #2- SCHOOL WELL 02N (1982)***

Source Number: ***001***

Source Status: ***ACTIVE UNTREATED***

Water type: ***GROUNDWATER OR WELL***

	STORET NUMBER	TESTING INTERVAL (MONTHS)*	LAST TEST DATE (yyyy/mm/dd)	LAST RESULT REPORTED	NEXT TEST DATE (yyyy/mm)
RADIOLOGICAL					
RADIUM, TOTAL, MDA95-NTNC ONLY, BY 903.0	A-082	WAIVED			
STRONTIUM-90	13501	WAIVED			
TRITIUM	07000	WAIVED			
URANIUM (PCI/L)	28012	WAIVED			
REGULATED SOC					
2,3,7,8-TCDD (DIOXIN)	34676	WAIVED			
2,4,5-TP (SILVEX)	39045	WAIVED			
2,4-D	39730	WAIVED			
ALACHLOR	77825	036	2011/12/15	< .000	2014/12
ATRAZINE	39033	036	2011/12/15	< .000	2014/12
BENTAZON	38710	WAIVED			
BENZO (A) PYRENE	34247	WAIVED			
CARBOFURAN	81405	WAIVED			
CHLORDANE	39350	WAIVED			
DALAPON	38432	WAIVED			
DI(2-ETHYLHEXYL)ADIPATE	A-026	WAIVED			
DI(2-ETHYLHEXYL)PHTHALATE	39100	WAIVED			
DIBROMOCHLOROPROPANE (DBCP)	38761	036	2011/12/15	< .000	2014/12
DINOSEB	81287	WAIVED			
DIQUAT	78885	WAIVED			
ENDOTHALL	38926	WAIVED			
ENDRIN	39390	WAIVED			
ETHYLENE DIBROMIDE (EDB)	77651	036	2011/12/15	< .000	2014/12
GLYPHOSATE	79743	WAIVED			
HEPTACHLOR	39410	WAIVED			
HEPTACHLOR EPOXIDE	39420	WAIVED			
HEXACHLOROBENZENE	39700	WAIVED			
HEXACHLOROCYCLOPENTADIENE	34386	WAIVED			
LINDANE	39340	WAIVED			

**Testing interval is in months;*
0 = No data for this constituent and is DUE NOW
999 = Waived testing (not required)
I = Invalid (NOT) valid analyses reported

System Number: ***2400079***

System Name: ***MCSWAIN ELEMENTARY SCHOOL***

PS Code: ***2400079-001***

Source Name: ***WELL #2- SCHOOL WELL 02N (1982)***

Source Number: ***001***

Source Status: ***ACTIVE UNTREATED***

Water type: ***GROUNDWATER OR WELL***

	STORET NUMBER	TESTING INTERVAL (MONTHS)*	LAST TEST DATE (yyyy/mm/dd)	LAST RESULT REPORTED	NEXT TEST DATE (yyyy/mm)
REGULATED SOC					
METHOXYCHLOR	39480	WAIVED			
MOLINATE	82199	WAIVED			
OXAMYL	38865	WAIVED			
PENTACHLOROPHENOL	39032	WAIVED			
PICLORAM	39720	WAIVED			
POLYCHLORINATED BIPHENYLS, TOTAL, AS DCB	39516	WAIVED			
SIMAZINE	39055	036	2011/12/15	< .000	2014/12
THIOBENCARB	A-001	WAIVED			
TOXAPHENE	39400	WAIVED			
REGULATED VOC					
1,1,1-TRICHLOROETHANE	34506	060	2011/12/15	< .000	2016/12
1,1,2,2-TETRACHLOROETHANE	34516	060	2011/12/15	< .000	2016/12
1,1,2-TRICHLORO-1,2,2-TRIFLUOROETHANE	81611	060	2011/12/15	< .000	2016/12
1,1,2-TRICHLOROETHANE	34511	060	2011/12/15	< .000	2016/12
1,1-DICHLOROETHANE	34496	060	2011/12/15	< .000	2016/12
1,1-DICHLOROETHYLENE	34501	060	2011/12/15	< .000	2016/12
1,2,4-TRICHLOROBENZENE	34551	060	2011/12/15	< .000	2016/12
1,2-DICHLOROBENZENE	34536	060	2011/12/15	< .000	2016/12
1,2-DICHLOROETHANE	34531	060	2011/12/15	< .000	2016/12
1,2-DICHLOROPROPANE	34541	060	2011/12/15	< .000	2016/12
1,3-DICHLOROPROPENE (TOTAL)	34561	060	2011/12/15	< .000	2016/12
1,4-DICHLOROBENZENE	34571	060	2011/12/15	< .000	2016/12
BENZENE	34030	060	2011/12/15	< .000	2016/12
CARBON TETRACHLORIDE	32102	060	2011/12/15	< .000	2016/12
CIS-1,2-DICHLOROETHYLENE	77093	060	2011/12/15	< .000	2016/12
DICHLOROMETHANE	34423	060	2011/12/15	< .000	2016/12
ETHYLBENZENE	34371	060	2011/12/15	< .000	2016/12
METHYL-TERT-BUTYL-ETHER (MTBE)	46491	060	2011/12/15	< .000	2016/12
MONOCHLOROBENZENE	34301	060	2011/12/15	< .000	2016/12

**Testing interval is in months;*
0 = No data for this constituent and is DUE NOW
999 = Waived testing (not required)
I = Invalid (NOT) valid analyses reported

System Number: ***2400079***

System Name: ***MCSWAIN ELEMENTARY SCHOOL***

PS Code: ***2400079-001***

Source Name: ***WELL #2- SCHOOL WELL 02N (1982)***

Source Number: ***001***

Source Status: ***ACTIVE UNTREATED***

Water type: ***GROUNDWATER OR WELL***

	STORET NUMBER	TESTING INTERVAL (MONTHS)*	LAST TEST DATE (yyyy/mm/dd)	LAST RESULT REPORTED	NEXT TEST DATE (yyyy/mm)
REGULATED VOC					
STYRENE	77128	060	2011/12/15	< .000	2016/12
TETRACHLOROETHYLENE	34475	060	2011/12/15	< .000	2016/12
TOLUENE	34010	060	2011/12/15	< .000	2016/12
TRANS-1,2-DICHLOROETHYLENE	34546	060	2011/12/15	< .000	2016/12
TRICHLOROETHYLENE	39180	060	2011/12/15	< .000	2016/12
TRICHLOROFLUOROMETHANE	34488	060	2011/12/15	< .000	2016/12
VINYL CHLORIDE	39175	060	2011/12/15	< .000	2016/12
XYLENES (TOTAL)	81551	060	2011/12/15	< .000	2016/12
SECONDARY/GP					
AGGRSSIVE INDEX (CORROSIVITY)	82383	WAIVED			
BICARBONATE ALKALINITY	00440	WAIVED	2011/12/15	210.000	
CALCIUM	00916	WAIVED	2011/12/15	45.000	
CARBONATE ALKALINITY	00445	WAIVED	2011/12/15	< .000	
CHLORIDE	00940	WAIVED			
COLOR	00081	WAIVED			
COPPER	01042	WAIVED	2011/12/15	< .000	
FOAMING AGENTS (MBAS)	38260	WAIVED			
HARDNESS (TOTAL) AS CACO3	00900	WAIVED	2011/12/15	180.000	
HYDROXIDE ALKALINITY	71830	WAIVED	2011/12/15	< .000	
IRON	01045	WAIVED	2011/12/15	940.000	
MAGNESIUM	00927	WAIVED	2011/12/15	17.000	
MANGANESE	01055	WAIVED	2011/12/15	< .000	
ODOR THRESHOLD @ 60 C	00086	WAIVED			
PH, LABORATORY	00403	WAIVED	2011/12/15	8.100	
SILVER	01077	WAIVED			
SODIUM	00929	WAIVED	2011/12/15	16.000	
SPECIFIC CONDUCTANCE	00095	WAIVED	2011/12/15	430.000	
SULFATE	00945	WAIVED			
TOTAL DISSOLVED SOLIDS	70300	WAIVED			

**Testing interval is in months;*
0 = No data for this constituent and is DUE NOW
999 = Waived testing (not required)
I = Invalid (NOT) valid analyses reported

System Number: ***2400079***

System Name: ***MCSWAIN ELEMENTARY SCHOOL***

PS Code: ***2400079-001***

Source Name: ***WELL #2- SCHOOL WELL 02N (1982)***

Source Number: ***001***

Source Status: ***ACTIVE UNTREATED***

Water type: ***GROUNDWATER OR WELL***

	STORET NUMBER	TESTING INTERVAL (MONTHS)*	LAST TEST DATE (yyyy/mm/dd)	LAST RESULT REPORTED	NEXT TEST DATE (yyyy/mm)
SECONDARY/GP					
TURBIDITY, LABORATORY	82079	WAIVED			
ZINC	01092	WAIVED			

PS Code: ***2400079-002***

Source Name: ***WELL #1- COUNTY WELL 01S (1981)***

Source Number: ***002***

Source Status: ***ACTIVE UNTREATED***

Water type: ***GROUNDWATER OR WELL***

	STORET NUMBER	TESTING INTERVAL (MONTHS)*	LAST TEST DATE (yyyy/mm/dd)	LAST RESULT REPORTED	NEXT TEST DATE (yyyy/mm)
GENERAL NON CHAP 15					
DIAZINON	39570	WAIVED			
INORGANIC					
ALUMINUM	01105	036	2011/12/15	< .000	2014/12
ANTIMONY	01097	036	2011/12/15	< .000	2014/12
ARSENIC	01002	036	2011/12/15	4.800	2014/12
ASBESTOS	81855	WAIVED			
BARIUM	01007	036	2011/12/15	150.000	2014/12
BERYLLIUM	01012	036	2011/12/15	< .000	2014/12
CADMIUM	01027	036	2011/12/15	< .000	2014/12
CHROMIUM (TOTAL)	01034	036	2011/12/15	< .000	2014/12
CYANIDE	01291	WAIVED			
FLUORIDE (F) (NATURAL-SOURCE)	00951	036	2011/12/15	.180	2014/12
LEAD	01051	WAIVED	2011/12/15	< .000	
MERCURY	71900	036	2011/12/15	< .000	2014/12
NICKEL	01067	036	2011/12/15	< .000	2014/12
PERCHLORATE	A-031	036	2011/12/15	< .000	2014/12
SELENIUM	01147	036	2011/12/15	< .000	2014/12
THALLIUM	01059	036	2011/12/15	< .000	2014/12

**Testing interval is in months;*
0 = No data for this constituent and is DUE NOW
999 = Waived testing (not required)
I = Invalid (NOT) valid analyses reported

System Number: ***2400079***

System Name: ***MCSWAIN ELEMENTARY SCHOOL***

PS Code: ***2400079-002***

Source Name: ***WELL #1- COUNTY WELL 01S (1981)***

Source Number: ***002***

Source Status: ***ACTIVE UNTREATED***

Water type: ***GROUNDWATER OR WELL***

	STORET NUMBER	TESTING INTERVAL (MONTHS)*	LAST TEST DATE (yyyy/mm/dd)	LAST RESULT REPORTED	NEXT TEST DATE (yyyy/mm)
NITRATE/NITRITE					
NITRATE (AS NO3)	71850	012	2011/12/15	34.000	2012/12
NITRITE (AS N)	00620	036	2011/12/15	< .000	2014/12
RADIOLOGICAL					
GROSS ALPHA	01501	WAIVED			
GROSS BETA	03501	WAIVED			
RA-226 FOR CWS OR TOTAL RA FOR NTNC BY 903.0	A-080	WAIVED			
RA-226 OR TOTAL RA BY 903.0 C.E.	A-081	WAIVED			
RADIUM 226	09501	WAIVED			
RADIUM 228	11501	WAIVED			
RADIUM, TOTAL, MDA95-NTNC ONLY, BY 903.0	A-082	WAIVED			
STRONTIUM-90	13501	WAIVED			
TRITIUM	07000	WAIVED			
URANIUM (PCI/L)	28012	WAIVED			
REGULATED SOC					
2,3,7,8-TCDD (DIOXIN)	34676	WAIVED			
2,4,5-TP (SILVEX)	39045	WAIVED			
2,4-D	39730	WAIVED			
ALACHLOR	77825	036	2011/12/15	< .000	2014/12
ATRAZINE	39033	036	2011/12/15	< .000	2014/12
BENTAZON	38710	WAIVED			
BENZO (A) PYRENE	34247	WAIVED			
CARBOFURAN	81405	WAIVED			
CHLORDANE	39350	WAIVED			
DALAPON	38432	WAIVED			
DI(2-ETHYLHEXYL)ADIPATE	A-026	WAIVED			
DI(2-ETHYLHEXYL)PHTHALATE	39100	WAIVED			
DIBROMOCHLOROPROPANE (DBCP)	38761	036	2011/12/15	< .000	2014/12
DINOSEB	81287	WAIVED			
DIQUAT	78885	WAIVED			

**Testing interval is in months;*
0 = No data for this constituent and is DUE NOW
999 = Waived testing (not required)
I = Invalid (NOT) valid analyses reported

System Number: ***2400079***

System Name: ***MCSWAIN ELEMENTARY SCHOOL***

PS Code: ***2400079-002***

Source Name: ***WELL #1- COUNTY WELL 01S (1981)***

Source Number: ***002***

Source Status: ***ACTIVE UNTREATED***

Water type: ***GROUNDWATER OR WELL***

	STORET NUMBER	TESTING INTERVAL (MONTHS)*	LAST TEST DATE (yyyy/mm/dd)	LAST RESULT REPORTED	NEXT TEST DATE (yyyy/mm)
REGULATED SOC					
ENDOTHALL	38926	WAIVED			
ENDRIN	39390	WAIVED			
ETHYLENE DIBROMIDE (EDB)	77651	036	2011/12/15	< .000	2014/12
GLYPHOSATE	79743	WAIVED			
HEPTACHLOR	39410	WAIVED			
HEPTACHLOR EPOXIDE	39420	WAIVED			
HEXACHLOROBENZENE	39700	WAIVED			
HEXACHLOROCYCLOPENTADIENE	34386	WAIVED			
LINDANE	39340	WAIVED			
METHOXYCHLOR	39480	WAIVED			
MOLINATE	82199	WAIVED			
OXAMYL	38865	WAIVED			
PENTACHLOROPHENOL	39032	WAIVED			
PICLORAM	39720	WAIVED			
POLYCHLORINATED BIPHENYLS, TOTAL, AS DCB	39516	WAIVED			
SIMAZINE	39055	036	2011/12/15	< .000	2014/12
THIOBENCARB	A-001	WAIVED			
TOXAPHENE	39400	WAIVED			
REGULATED VOC					
1,1,1-TRICHLOROETHANE	34506	060	2011/12/15	< .000	2016/12
1,1,2,2-TETRACHLOROETHANE	34516	060	2011/12/15	< .000	2016/12
1,1,2-TRICHLORO-1,2,2-TRIFLUOROETHANE	81611	060	2011/12/15	< .000	2016/12
1,1,2-TRICHLOROETHANE	34511	060	2011/12/15	< .000	2016/12
1,1-DICHLOROETHANE	34496	060	2011/12/15	< .000	2016/12
1,1-DICHLOROETHYLENE	34501	060	2011/12/15	< .000	2016/12
1,2,4-TRICHLOROBENZENE	34551	060	2011/12/15	< .000	2016/12
1,2-DICHLOROBENZENE	34536	060	2011/12/15	< .000	2016/12
1,2-DICHLOROETHANE	34531	060	2011/12/15	< .000	2016/12
1,2-DICHLOROPROPANE	34541	060	2011/12/15	< .000	2016/12

**Testing interval is in months;*
0 = No data for this constituent and is DUE NOW
999 = Waived testing (not required)
I = Invalid (NOT) valid analyses reported

System Number: ***2400079***

System Name: ***MCSWAIN ELEMENTARY SCHOOL***

PS Code: ***2400079-002***

Source Name: ***WELL #1- COUNTY WELL 01S (1981)***

Source Number: ***002***

Source Status: ***ACTIVE UNTREATED***

Water type: ***GROUNDWATER OR WELL***

	STORET NUMBER	TESTING INTERVAL (MONTHS)*	LAST TEST DATE (yyyy/mm/dd)	LAST RESULT REPORTED	NEXT TEST DATE (yyyy/mm)
REGULATED VOC					
1,3-DICHLOROPROPENE (TOTAL)	34561	060	2011/12/15	< .000	2016/12
1,4-DICHLOROBENZENE	34571	060	2011/12/15	< .000	2016/12
BENZENE	34030	060	2011/12/15	< .000	2016/12
CARBON TETRACHLORIDE	32102	060	2011/12/15	< .000	2016/12
CIS-1,2-DICHLOROETHYLENE	77093	060	2011/12/15	< .000	2016/12
DICHLOROMETHANE	34423	060	2011/12/15	< .000	2016/12
ETHYLBENZENE	34371	060	2011/12/15	< .000	2016/12
METHYL-TERT-BUTYL-ETHER (MTBE)	46491	060	2011/12/15	< .000	2016/12
MONOCHLOROBENZENE	34301	060	2011/12/15	< .000	2016/12
STYRENE	77128	060	2011/12/15	< .000	2016/12
TETRACHLOROETHYLENE	34475	060	2011/12/15	< .000	2016/12
TOLUENE	34010	060	2011/12/15	< .000	2016/12
TRANS-1,2-DICHLOROETHYLENE	34546	060	2011/12/15	< .000	2016/12
TRICHLOROETHYLENE	39180	060	2011/12/15	< .000	2016/12
TRICHLOROFLUOROMETHANE	34488	060	2011/12/15	< .000	2016/12
VINYL CHLORIDE	39175	060	2011/12/15	< .000	2016/12
XYLENES (TOTAL)	81551	060	2011/12/15	< .000	2016/12
SECONDARY/GP					
AGGRSSIVE INDEX (CORROSIVITY)	82383	WAIVED			
BICARBONATE ALKALINITY	00440	WAIVED	2011/12/15	170.000	
CALCIUM	00916	WAIVED	2011/12/15	43.000	
CARBONATE ALKALINITY	00445	WAIVED	2011/12/15	< .000	
CHLORIDE	00940	WAIVED			
COLOR	00081	WAIVED			
COPPER	01042	WAIVED			
FOAMING AGENTS (MBAS)	38260	WAIVED			
HARDNESS (TOTAL) AS CACO3	00900	WAIVED	2011/12/15	180.000	
HYDROXIDE ALKALINITY	71830	WAIVED	2011/12/15	< .000	
IRON	01045	WAIVED	2011/12/15	< .000	

**Testing interval is in months;*
0 = No data for this constituent and is DUE NOW
999 = Waived testing (not required)
I = Invalid (NOT) valid analyses reported

System Number: ***2400079***

System Name: ***MCSWAIN ELEMENTARY SCHOOL***

PS Code: ***2400079-002***

Source Name: ***WELL #1- COUNTY WELL 01S (1981)***

Source Number: ***002***

Source Status: ***ACTIVE UNTREATED***

Water type: ***GROUNDWATER OR WELL***

SECONDARY/GP

	STORET NUMBER	TESTING INTERVAL (MONTHS)*	LAST TEST DATE (yyyy/mm/dd)	LAST RESULT REPORTED	NEXT TEST DATE (yyyy/mm)
MAGNESIUM	00927	WAIVED	2011/12/15	17.000	
MANGANESE	01055	WAIVED	2011/12/15	< .000	
ODOR THRESHOLD @ 60 C	00086	WAIVED			
PH, LABORATORY	00403	WAIVED	2011/12/15	8.000	
SILVER	01077	WAIVED			
SODIUM	00929	WAIVED	2011/12/15	13.000	
SPECIFIC CONDUCTANCE	00095	WAIVED	2011/12/15	420.000	
SULFATE	00945	WAIVED			
TOTAL DISSOLVED SOLIDS	70300	WAIVED			
TURBIDITY, LABORATORY	82079	WAIVED			
ZINC	01092	WAIVED			

PS Code: ***2400079-012***

Source Name: ***WELL 3 - WEST CAMPUS WELL (2008)***

Source Number: ***012***

Source Status: ***ACTIVE UNTREATED***

Water type: ***GROUNDWATER OR WELL***

GENERAL NON CHAP 15

DIAZINON	39570	WAIVED	2009/02/23	< .250	

INORGANIC

ALUMINUM	01105	036	2011/12/15	< .000	2014/12
ANTIMONY	01097	036	2011/12/15	< .000	2014/12
ARSENIC	01002	036	2011/12/15	2.300	2014/12
ASBESTOS	81855	WAIVED			
BARIUM	01007	036	2011/12/15	130.000	2014/12
BERYLLIUM	01012	036	2011/12/15	< .000	2014/12
CADMIUM	01027	036	2011/12/15	< .000	2014/12
CHROMIUM (TOTAL)	01034	036	2011/12/15	< .000	2014/12
CYANIDE	01291	WAIVED			

**Testing interval is in months;*
0 = No data for this constituent and is DUE NOW
999 = Waived testing (not required)
I = Invalid (NOT) valid analyses reported

System Number: ***2400079***

System Name: ***MCSWAIN ELEMENTARY SCHOOL***

PS Code: ***2400079-012***

Source Name: ***WELL 3 - WEST CAMPUS WELL (2008)***

Source Number: ***012***

Source Status: ***ACTIVE UNTREATED***

Water type: ***GROUNDWATER OR WELL***

	STORET NUMBER	TESTING INTERVAL (MONTHS)*	LAST TEST DATE (yyyy/mm/dd)	LAST RESULT REPORTED	NEXT TEST DATE (yyyy/mm)	
INORGANIC						
FLUORIDE (F) (NATURAL-SOURCE)	00951	036	2011/12/15	.150	2014/12	
LEAD	01051	WAIVED	2011/12/15	< .000		
MERCURY	71900	036	2011/12/15	< .000	2014/12	
NICKEL	01067	036	2011/12/15	< .000	2014/12	
PERCHLORATE	A-031	036	2009/05/07	.000	2012/05	
SELENIUM	01147	036	2011/12/15	< .000	2014/12	
THALLIUM	01059	036	2011/12/15	< .000	2014/12	
NITRATE/NITRITE						
NITRATE (AS NO3)	71850	012	2011/12/15	9.000	2012/12	
NITRITE (AS N)	00620	036	2011/12/15	< .000	2014/12	
RADIOLOGICAL						
GROSS ALPHA	01501	WAIVED	2009/08/18	.000		
GROSS BETA	03501	WAIVED				
RA-226 FOR CWS OR TOTAL RA FOR NTNC BY 903.0	A-080	WAIVED				
RA-226 OR TOTAL RA BY 903.0 C.E.	A-081	WAIVED				
RADIUM 226	09501	WAIVED				
RADIUM 228	11501	WAIVED				
RADIUM, TOTAL, MDA95-NTNC ONLY, BY 903.0	A-082	WAIVED				
STRONTIUM-90	13501	WAIVED				
TRITIUM	07000	WAIVED				
URANIUM (PCI/L)	28012	WAIVED				
REGULATED SOC						
2,3,7,8-TCDD (DIOXIN)	34676	WAIVED				
2,4,5-TP (SILVEX)	39045	WAIVED				
2,4-D	39730	WAIVED				
ALACHLOR	77825	036	2009/02/23	.000	2012/02	DUE
ATRAZINE	39033	036	2009/02/23	.000	2012/02	DUE
BENTAZON	38710	WAIVED				

**Testing interval is in months;*
0 = No data for this constituent and is DUE NOW
999 = Waived testing (not required)
I = Invalid (NOT) valid analyses reported

System Number: ***2400079***

System Name: ***MCSWAIN ELEMENTARY SCHOOL***

PS Code: ***2400079-012***

Source Name: ***WELL 3 - WEST CAMPUS WELL (2008)***

Source Number: ***012***

Source Status: ***ACTIVE UNTREATED***

Water type: ***GROUNDWATER OR WELL***

	STORET NUMBER	TESTING INTERVAL (MONTHS)*	LAST TEST DATE (yyyy/mm/dd)	LAST RESULT REPORTED	NEXT TEST DATE (yyyy/mm)	
REGULATED SOC						
BENZO (A) PYRENE	34247	WAIVED	2009/02/23	.000		
CARBOFURAN	81405	WAIVED				
CHLORDANE	39350	WAIVED				
DALAPON	38432	WAIVED				
DI(2-ETHYLHEXYL)ADIPATE	A-026	WAIVED	2009/02/23	.000		
DI(2-ETHYLHEXYL)PHTHALATE	39100	WAIVED	2009/02/23	.000		
DIBROMOCHLOROPROPANE (DBCP)	38761	036	2009/02/23	.000	2012/02	DUE
DINOSEB	81287	WAIVED				
DIQUAT	78885	WAIVED				
ENDOTHALL	38926	WAIVED				
ENDRIN	39390	WAIVED				
ETHYLENE DIBROMIDE (EDB)	77651	036	2009/02/23	.000	2012/02	DUE
GLYPHOSATE	79743	WAIVED				
HEPTACHLOR	39410	WAIVED				
HEPTACHLOR EPOXIDE	39420	WAIVED				
HEXACHLOROBENZENE	39700	WAIVED				
HEXACHLOROCYCLOPENTADIENE	34386	WAIVED				
LINDANE	39340	WAIVED				
METHOXYCHLOR	39480	WAIVED				
MOLINATE	82199	WAIVED	2009/02/23	.000		
OXAMYL	38865	WAIVED				
PENTACHLOROPHENOL	39032	WAIVED				
PICLORAM	39720	WAIVED				
POLYCHLORINATED BIPHENYLS, TOTAL, AS DCB	39516	WAIVED				
SIMAZINE	39055	036	2009/02/23	.000	2012/02	DUE
THIOBENCARB	A-001	WAIVED	2009/02/23	.000		
TOXAPHENE	39400	WAIVED				
REGULATED VOC						
1,1,1-TRICHLOROETHANE	34506	060	2009/02/23	.000	2014/02	

**Testing interval is in months;*
0 = No data for this constituent and is DUE NOW
999 = Waived testing (not required)
I = Invalid (NOT) valid analyses reported

System Number: ***2400079***

System Name: ***MCSWAIN ELEMENTARY SCHOOL***

PS Code: ***2400079-012***

Source Name: ***WELL 3 - WEST CAMPUS WELL (2008)***

Source Number: ***012***

Source Status: ***ACTIVE UNTREATED***

Water type: ***GROUNDWATER OR WELL***

	STORET NUMBER	TESTING INTERVAL (MONTHS)*	LAST TEST DATE (yyyy/mm/dd)	LAST RESULT REPORTED	NEXT TEST DATE (yyyy/mm)
REGULATED VOC					
1,1,2,2-TETRACHLOROETHANE	34516	060	2009/02/23	.000	2014/02
1,1,2-TRICHLORO-1,2,2-TRIFLUOROETHANE	81611	060	2009/02/23	.000	2014/02
1,1,2-TRICHLOROETHANE	34511	060	2009/02/23	.000	2014/02
1,1-DICHLOROETHANE	34496	060	2009/02/23	.000	2014/02
1,1-DICHLOROETHYLENE	34501	060	2009/02/23	.000	2014/02
1,2,4-TRICHLOROBENZENE	34551	060	2009/02/23	.000	2014/02
1,2-DICHLOROBENZENE	34536	060	2009/02/23	.000	2014/02
1,2-DICHLOROETHANE	34531	060	2009/02/23	.000	2014/02
1,2-DICHLOROPROPANE	34541	060	2009/02/23	.000	2014/02
1,3-DICHLOROPROPENE (TOTAL)	34561	060	2009/02/23	.000	2014/02
1,4-DICHLOROBENZENE	34571	060	2009/02/23	.000	2014/02
BENZENE	34030	060	2009/02/23	.000	2014/02
CARBON TETRACHLORIDE	32102	060	2009/02/23	.000	2014/02
CIS-1,2-DICHLOROETHYLENE	77093	060	2009/02/23	.000	2014/02
DICHLOROMETHANE	34423	060	2009/02/23	.000	2014/02
ETHYLBENZENE	34371	060	2009/02/23	.000	2014/02
METHYL-TERT-BUTYL-ETHER (MTBE)	46491	060	2009/08/18	.000	2014/08
MONOCHLOROBENZENE	34301	060	2009/02/23	.000	2014/02
STYRENE	77128	060	2009/02/23	.000	2014/02
TETRACHLOROETHYLENE	34475	060	2009/02/23	.000	2014/02
TOLUENE	34010	060	2009/02/23	.000	2014/02
TRANS-1,2-DICHLOROETHYLENE	34546	060	2009/02/23	.000	2014/02
TRICHLOROETHYLENE	39180	060	2009/02/23	.000	2014/02
TRICHLOROFLUOROMETHANE	34488	060	2009/02/23	.000	2014/02
VINYL CHLORIDE	39175	060	2009/02/23	.000	2014/02
XYLENES (TOTAL)	81551	060	2009/02/23	< .500	2014/02
SECONDARY/GP					
AGGRSSIVE INDEX (CORROSIVITY)	82383	WAIVED	2008/11/05	11.200	
BICARBONATE ALKALINITY	00440	WAIVED	2008/11/05	175.500	

**Testing interval is in months;*
0 = No data for this constituent and is DUE NOW
999 = Waived testing (not required)
I = Invalid (NOT) valid analyses reported

System Number: ***2400079***

System Name: ***MCSWAIN ELEMENTARY SCHOOL***

PS Code: ***2400079-012***

Source Name: ***WELL 3 - WEST CAMPUS WELL (2008)***

Source Number: ***012***

Source Status: ***ACTIVE UNTREATED***

Water type: ***GROUNDWATER OR WELL***

SECONDARY/GP

	STORET NUMBER	TESTING INTERVAL (MONTHS)*	LAST TEST DATE (yyyy/mm/dd)	LAST RESULT REPORTED	NEXT TEST DATE (yyyy/mm)
CALCIUM	00916	WAIVED	2008/11/05	27.800	
CARBONATE ALKALINITY	00445	WAIVED	2008/11/05	< 1.000	
CHLORIDE	00940	WAIVED	2008/11/05	9.600	
COLOR	00081	WAIVED	2008/11/05	< 3.000	
COPPER	01042	WAIVED	2008/11/05	.000	
FOAMING AGENTS (MBAS)	38260	WAIVED	2008/11/05	< .020	
HARDNESS (TOTAL) AS CACO3	00900	WAIVED	2008/11/05	116.600	
HYDROXIDE ALKALINITY	71830	WAIVED	2008/11/05	< 1.000	
IRON	01045	WAIVED	2008/11/05	.000	
MAGNESIUM	00927	WAIVED	2008/11/05	8.800	
MANGANESE	01055	WAIVED	2008/11/05	.000	
ODOR THRESHOLD @ 60 C	00086	WAIVED	2008/11/05	< 1.000	
PH, LABORATORY	00403	WAIVED	2008/11/05	7.200	
SILVER	01077	WAIVED	2008/11/05	.000	
SODIUM	00929	WAIVED	2008/11/05	19.000	
SPECIFIC CONDUCTANCE	00095	WAIVED	2009/05/07	300.000	
SULFATE	00945	WAIVED	2008/11/05	8.400	
TOTAL DISSOLVED SOLIDS	70300	WAIVED	2008/11/05	204.000	
TURBIDITY, LABORATORY	82079	WAIVED	2008/11/05	.120	
ZINC	01092	WAIVED	2008/11/05	77.000	

**Testing interval is in months;*
0 = No data for this constituent and is DUE NOW
999 = Waived testing (not required)
I = Invalid (NOT) valid analyses reported

System Number: ***2400084***

System Name: ***EVERGREEN MOBILE HOME PARK***

PS Code: ***2400084-001***

Source Name: ***WELL 01 - N. OF MAIN APT. BLDG.***

Source Number: ***001***

Source Status: ***ACTIVE UNTREATED***

Water type: ***GROUNDWATER OR WELL***

	STORET NUMBER	TESTING INTERVAL (MONTHS)*	LAST TEST DATE (yyyy/mm/dd)	LAST RESULT REPORTED	NEXT TEST DATE (yyyy/mm)
GENERAL NON CHAP 15					
DIAZINON	39570	WAIVED			
INORGANIC					
ALUMINUM	01105	WAIVED			
ANTIMONY	01097	WAIVED			
ARSENIC	01002	WAIVED			
ASBESTOS	81855	WAIVED			
BARIUM	01007	WAIVED			
BERYLLIUM	01012	WAIVED			
CADMIUM	01027	WAIVED			
CHROMIUM (TOTAL)	01034	WAIVED			
CYANIDE	01291	WAIVED			
FLUORIDE (F) (NATURAL-SOURCE)	00951	WAIVED			
LEAD	01051	WAIVED			
MERCURY	71900	WAIVED			
NICKEL	01067	WAIVED			
PERCHLORATE	A-031	WAIVED			
SELENIUM	01147	WAIVED			
THALLIUM	01059	WAIVED			
NITRATE/NITRITE					
NITRATE (AS NO3)	71850	WAIVED	2012/03/19	20.800	
NITRITE (AS N)	00620	WAIVED			
RADIOLOGICAL					
GROSS ALPHA	01501	WAIVED			
GROSS BETA	03501	WAIVED			
RA-226 FOR CWS OR TOTAL RA FOR NTNC BY 903.0	A-080	WAIVED			
RA-226 OR TOTAL RA BY 903.0 C.E.	A-081	WAIVED			
RADIUM 226	09501	WAIVED			
RADIUM 228	11501	WAIVED			

**Testing interval is in months;*
0 = No data for this constituent and is DUE NOW
999 = Waived testing (not required)
I = Invalid (NOT) valid analyses reported

System Number: ***2400084***

System Name: ***EVERGREEN MOBILE HOME PARK***

PS Code: ***2400084-001***

Source Name: ***WELL 01 - N. OF MAIN APT. BLDG.***

Source Number: ***001***

Source Status: ***ACTIVE UNTREATED***

Water type: ***GROUNDWATER OR WELL***

	STORET NUMBER	TESTING INTERVAL (MONTHS)*	LAST TEST DATE (yyyy/mm/dd)	LAST RESULT REPORTED	NEXT TEST DATE (yyyy/mm)
RADIOLOGICAL					
RADIUM, TOTAL, MDA95-NTNC ONLY, BY 903.0	A-082	WAIVED			
STRONTIUM-90	13501	WAIVED			
TRITIUM	07000	WAIVED			
URANIUM (PCI/L)	28012	WAIVED			
REGULATED SOC					
2,3,7,8-TCDD (DIOXIN)	34676	WAIVED			
2,4,5-TP (SILVEX)	39045	WAIVED			
2,4-D	39730	WAIVED			
ALACHLOR	77825	WAIVED			
ATRAZINE	39033	WAIVED			
BENTAZON	38710	WAIVED			
BENZO (A) PYRENE	34247	WAIVED			
CARBOFURAN	81405	WAIVED			
CHLORDANE	39350	WAIVED			
DALAPON	38432	WAIVED			
DI(2-ETHYLHEXYL)ADIPATE	A-026	WAIVED			
DI(2-ETHYLHEXYL)PHTHALATE	39100	WAIVED			
DIBROMOCHLOROPROPANE (DBCP)	38761	WAIVED	2004/03/15	1.300	
DINOSEB	81287	WAIVED			
DIQUAT	78885	WAIVED			
ENDOTHALL	38926	WAIVED			
ENDRIN	39390	WAIVED			
ETHYLENE DIBROMIDE (EDB)	77651	WAIVED	2004/03/15	.000	
GLYPHOSATE	79743	WAIVED			
HEPTACHLOR	39410	WAIVED			
HEPTACHLOR EPOXIDE	39420	WAIVED			
HEXACHLOROBENZENE	39700	WAIVED			
HEXACHLOROCYCLOPENTADIENE	34386	WAIVED			
LINDANE	39340	WAIVED			

**Testing interval is in months;*
0 = No data for this constituent and is DUE NOW
999 = Waived testing (not required)
I = Invalid (NOT) valid analyses reported

System Number: ***2400084***

System Name: ***EVERGREEN MOBILE HOME PARK***

PS Code: ***2400084-001***

Source Name: ***WELL 01 - N. OF MAIN APT. BLDG.***

Source Number: ***001***

Source Status: ***ACTIVE UNTREATED***

Water type: ***GROUNDWATER OR WELL***

	STORET NUMBER	TESTING INTERVAL (MONTHS)*	LAST TEST DATE (yyyy/mm/dd)	LAST RESULT REPORTED	NEXT TEST DATE (yyyy/mm)
REGULATED SOC					
METHOXYCHLOR	39480	WAIVED			
MOLINATE	82199	WAIVED			
OXAMYL	38865	WAIVED			
PENTACHLOROPHENOL	39032	WAIVED			
PICLORAM	39720	WAIVED			
POLYCHLORINATED BIPHENYLS, TOTAL, AS DCB	39516	WAIVED			
SIMAZINE	39055	WAIVED			
THIOBENCARB	A-001	WAIVED			
TOXAPHENE	39400	WAIVED			
REGULATED VOC					
1,1,1-TRICHLOROETHANE	34506	WAIVED			
1,1,2,2-TETRACHLOROETHANE	34516	WAIVED			
1,1,2-TRICHLORO-1,2,2-TRIFLUOROETHANE	81611	WAIVED			
1,1,2-TRICHLOROETHANE	34511	WAIVED			
1,1-DICHLOROETHANE	34496	WAIVED			
1,1-DICHLOROETHYLENE	34501	WAIVED			
1,2,4-TRICHLOROBENZENE	34551	WAIVED			
1,2-DICHLOROBENZENE	34536	WAIVED			
1,2-DICHLOROETHANE	34531	WAIVED			
1,2-DICHLOROPROPANE	34541	WAIVED			
1,3-DICHLOROPROPENE (TOTAL)	34561	WAIVED			
1,4-DICHLOROBENZENE	34571	WAIVED			
BENZENE	34030	WAIVED			
CARBON TETRACHLORIDE	32102	WAIVED			
CIS-1,2-DICHLOROETHYLENE	77093	WAIVED			
DICHLOROMETHANE	34423	WAIVED			
ETHYLBENZENE	34371	WAIVED			
METHYL-TERT-BUTYL-ETHER (MTBE)	46491	WAIVED			
MONOCHLOROBENZENE	34301	WAIVED			

**Testing interval is in months;*
0 = No data for this constituent and is DUE NOW
999 = Waived testing (not required)
I = Invalid (NOT) valid analyses reported

System Number: ***2400084***

System Name: ***EVERGREEN MOBILE HOME PARK***

PS Code: ***2400084-001***

Source Name: ***WELL 01 - N. OF MAIN APT. BLDG.***

Source Number: ***001***

Source Status: ***ACTIVE UNTREATED***

Water type: ***GROUNDWATER OR WELL***

	STORET NUMBER	TESTING INTERVAL (MONTHS)*	LAST TEST DATE (yyyy/mm/dd)	LAST RESULT REPORTED	NEXT TEST DATE (yyyy/mm)
REGULATED VOC					
STYRENE	77128	WAIVED			
TETRACHLOROETHYLENE	34475	WAIVED			
TOLUENE	34010	WAIVED			
TRANS-1,2-DICHLOROETHYLENE	34546	WAIVED			
TRICHLOROETHYLENE	39180	WAIVED			
TRICHLOROFLUOROMETHANE	34488	WAIVED			
VINYL CHLORIDE	39175	WAIVED			
XYLENES (TOTAL)	81551	WAIVED			
SECONDARY/GP					
AGGRSSIVE INDEX (CORROSIVITY)	82383	WAIVED			
BICARBONATE ALKALINITY	00440	WAIVED			
CALCIUM	00916	WAIVED			
CARBONATE ALKALINITY	00445	WAIVED			
CHLORIDE	00940	WAIVED			
COLOR	00081	WAIVED			
COPPER	01042	WAIVED			
FOAMING AGENTS (MBAS)	38260	WAIVED			
HARDNESS (TOTAL) AS CACO3	00900	WAIVED			
HYDROXIDE ALKALINITY	71830	WAIVED			
IRON	01045	WAIVED			
MAGNESIUM	00927	WAIVED			
MANGANESE	01055	WAIVED			
ODOR THRESHOLD @ 60 C	00086	WAIVED			
PH, LABORATORY	00403	WAIVED			
SILVER	01077	WAIVED			
SODIUM	00929	WAIVED			
SPECIFIC CONDUCTANCE	00095	WAIVED			
SULFATE	00945	WAIVED			
TOTAL DISSOLVED SOLIDS	70300	WAIVED			

**Testing interval is in months;*
0 = No data for this constituent and is DUE NOW
999 = Waived testing (not required)
I = Invalid (NOT) valid analyses reported

System Number: ***2400084***

System Name: ***EVERGREEN MOBILE HOME PARK***

PS Code: ***2400084-001***

Source Name: ***WELL 01 - N. OF MAIN APT. BLDG.***

Source Number: ***001***

Source Status: ***ACTIVE UNTREATED***

Water type: ***GROUNDWATER OR WELL***

	STORET NUMBER	TESTING INTERVAL (MONTHS)*	LAST TEST DATE (yyyy/mm/dd)	LAST RESULT REPORTED	NEXT TEST DATE (yyyy/mm)
SECONDARY/GP					
TURBIDITY, LABORATORY	82079	WAIVED			
ZINC	01092	WAIVED			

PS Code: ***2400084-011***

Source Name: ***WELL #2-STANDBY WELL***

Source Number: ***011***

Source Status: ***STANDBY UNTREATED***

Water type: ***GROUNDWATER OR WELL***

GENERAL NON CHAP 15					
DIAZINON	39570	WAIVED			
INORGANIC					
ALUMINUM	01105	WAIVED			
ANTIMONY	01097	WAIVED			
ARSENIC	01002	WAIVED			
ASBESTOS	81855	WAIVED			
BARIUM	01007	WAIVED			
BERYLLIUM	01012	WAIVED			
CADMIUM	01027	WAIVED			
CHROMIUM (TOTAL)	01034	WAIVED			
CYANIDE	01291	WAIVED			
FLUORIDE (F) (NATURAL-SOURCE)	00951	WAIVED			
LEAD	01051	WAIVED			
MERCURY	71900	WAIVED			
NICKEL	01067	WAIVED			
PERCHLORATE	A-031	WAIVED			
SELENIUM	01147	WAIVED			
THALLIUM	01059	WAIVED			

**Testing interval is in months;*
0 = No data for this constituent and is DUE NOW
999 = Waived testing (not required)
I = Invalid (NOT) valid analyses reported

System Number: ***2400084***

System Name: ***EVERGREEN MOBILE HOME PARK***

PS Code: ***2400084-011***

Source Name: ***WELL #2-STANDBY WELL***

Source Number: ***011***

Source Status: ***STANDBY UNTREATED***

Water type: ***GROUNDWATER OR WELL***

	STORET NUMBER	TESTING INTERVAL (MONTHS)*	LAST TEST DATE (yyyy/mm/dd)	LAST RESULT REPORTED	NEXT TEST DATE (yyyy/mm)
NITRATE/NITRITE					
NITRATE (AS NO3)	71850	WAIVED			
NITRITE (AS N)	00620	WAIVED			
RADIOLOGICAL					
GROSS ALPHA	01501	WAIVED			
GROSS BETA	03501	WAIVED			
RA-226 FOR CWS OR TOTAL RA FOR NTNC BY 903.0	A-080	WAIVED			
RA-226 OR TOTAL RA BY 903.0 C.E.	A-081	WAIVED			
RADIUM 226	09501	WAIVED			
RADIUM 228	11501	WAIVED			
RADIUM, TOTAL, MDA95-NTNC ONLY, BY 903.0	A-082	WAIVED			
STRONTIUM-90	13501	WAIVED			
TRITIUM	07000	WAIVED			
URANIUM (PCI/L)	28012	WAIVED			
REGULATED SOC					
2,3,7,8-TCDD (DIOXIN)	34676	WAIVED			
2,4,5-TP (SILVEX)	39045	WAIVED			
2,4-D	39730	WAIVED			
ALACHLOR	77825	WAIVED			
ATRAZINE	39033	WAIVED			
BENTAZON	38710	WAIVED			
BENZO (A) PYRENE	34247	WAIVED			
CARBOFURAN	81405	WAIVED			
CHLORDANE	39350	WAIVED			
DALAPON	38432	WAIVED			
DI(2-ETHYLHEXYL)ADIPATE	A-026	WAIVED			
DI(2-ETHYLHEXYL)PHTHALATE	39100	WAIVED			
DIBROMOCHLOROPROPANE (DBCP)	38761	WAIVED			
DINOSEB	81287	WAIVED			
DIQUAT	78885	WAIVED			

**Testing interval is in months;*
0 = No data for this constituent and is DUE NOW
999 = Waived testing (not required)
I = Invalid (NOT) valid analyses reported

System Number: ***2400084***

System Name: ***EVERGREEN MOBILE HOME PARK***

PS Code: ***2400084-011***

Source Name: ***WELL #2-STANDBY WELL***

Source Number: ***011***

Source Status: ***STANDBY UNTREATED***

Water type: ***GROUNDWATER OR WELL***

	STORET NUMBER	TESTING INTERVAL (MONTHS)*	LAST TEST DATE (yyyy/mm/dd)	LAST RESULT REPORTED	NEXT TEST DATE (yyyy/mm)
REGULATED SOC					
ENDOTHALL	38926	WAIVED			
ENDRIN	39390	WAIVED			
ETHYLENE DIBROMIDE (EDB)	77651	WAIVED			
GLYPHOSATE	79743	WAIVED			
HEPTACHLOR	39410	WAIVED			
HEPTACHLOR EPOXIDE	39420	WAIVED			
HEXACHLOROBENZENE	39700	WAIVED			
HEXACHLOROCYCLOPENTADIENE	34386	WAIVED			
LINDANE	39340	WAIVED			
METHOXYCHLOR	39480	WAIVED			
MOLINATE	82199	WAIVED			
OXAMYL	38865	WAIVED			
PENTACHLOROPHENOL	39032	WAIVED			
PICLORAM	39720	WAIVED			
POLYCHLORINATED BIPHENYLS, TOTAL, AS DCB	39516	WAIVED			
SIMAZINE	39055	WAIVED			
THIOBENCARB	A-001	WAIVED			
TOXAPHENE	39400	WAIVED			
REGULATED VOC					
1,1,1-TRICHLOROETHANE	34506	WAIVED			
1,1,2,2-TETRACHLOROETHANE	34516	WAIVED			
1,1,2-TRICHLORO-1,2,2-TRIFLUOROETHANE	81611	WAIVED			
1,1,2-TRICHLOROETHANE	34511	WAIVED			
1,1-DICHLOROETHANE	34496	WAIVED			
1,1-DICHLOROETHYLENE	34501	WAIVED			
1,2,4-TRICHLOROBENZENE	34551	WAIVED			
1,2-DICHLOROBENZENE	34536	WAIVED			
1,2-DICHLOROETHANE	34531	WAIVED			
1,2-DICHLOROPROPANE	34541	WAIVED			

**Testing interval is in months;*
0 = No data for this constituent and is DUE NOW
999 = Waived testing (not required)
I = Invalid (NOT) valid analyses reported

System Number: ***2400084***

System Name: ***EVERGREEN MOBILE HOME PARK***

PS Code: ***2400084-011***

Source Name: ***WELL #2-STANDBY WELL***

Source Number: ***011***

Source Status: ***STANDBY UNTREATED***

Water type: ***GROUNDWATER OR WELL***

	STORET NUMBER	TESTING INTERVAL (MONTHS)*	LAST TEST DATE (yyyy/mm/dd)	LAST RESULT REPORTED	NEXT TEST DATE (yyyy/mm)
REGULATED VOC					
1,3-DICHLOROPROPENE (TOTAL)	34561	WAIVED			
1,4-DICHLOROBENZENE	34571	WAIVED			
BENZENE	34030	WAIVED			
CARBON TETRACHLORIDE	32102	WAIVED			
CIS-1,2-DICHLOROETHYLENE	77093	WAIVED			
DICHLOROMETHANE	34423	WAIVED			
ETHYLBENZENE	34371	WAIVED			
METHYL-TERT-BUTYL-ETHER (MTBE)	46491	WAIVED			
MONOCHLOROBENZENE	34301	WAIVED			
STYRENE	77128	WAIVED			
TETRACHLOROETHYLENE	34475	WAIVED			
TOLUENE	34010	WAIVED			
TRANS-1,2-DICHLOROETHYLENE	34546	WAIVED			
TRICHLOROETHYLENE	39180	WAIVED			
TRICHLOROFLUOROMETHANE	34488	WAIVED			
VINYL CHLORIDE	39175	WAIVED			
XYLENES (TOTAL)	81551	WAIVED			
SECONDARY/GP					
AGGRSSIVE INDEX (CORROSIVITY)	82383	WAIVED			
BICARBONATE ALKALINITY	00440	WAIVED			
CALCIUM	00916	WAIVED			
CARBONATE ALKALINITY	00445	WAIVED			
CHLORIDE	00940	WAIVED			
COLOR	00081	WAIVED			
COPPER	01042	WAIVED			
FOAMING AGENTS (MBAS)	38260	WAIVED			
HARDNESS (TOTAL) AS CACO3	00900	WAIVED			
HYDROXIDE ALKALINITY	71830	WAIVED			
IRON	01045	WAIVED			

**Testing interval is in months;*
0 = No data for this constituent and is DUE NOW
999 = Waived testing (not required)
I = Invalid (NOT) valid analyses reported

System Number: ***2400084***

System Name: ***EVERGREEN MOBILE HOME PARK***

PS Code: ***2400084-011***

Source Name: ***WELL #2-STANDBY WELL***

Source Number: ***011***

Source Status: ***STANDBY UNTREATED***

Water type: ***GROUNDWATER OR WELL***

SECONDARY/GP	STORET NUMBER	TESTING INTERVAL (MONTHS)*	LAST TEST DATE (yyyy/mm/dd)	LAST RESULT REPORTED	NEXT TEST DATE (yyyy/mm)
MAGNESIUM	00927	WAIVED			
MANGANESE	01055	WAIVED			
ODOR THRESHOLD @ 60 C	00086	WAIVED			
PH, LABORATORY	00403	WAIVED			
SILVER	01077	WAIVED			
SODIUM	00929	WAIVED			
SPECIFIC CONDUCTANCE	00095	WAIVED			
SULFATE	00945	WAIVED			
TOTAL DISSOLVED SOLIDS	70300	WAIVED			
TURBIDITY, LABORATORY	82079	WAIVED			
ZINC	01092	WAIVED			

**Testing interval is in months;*
0 = No data for this constituent and is DUE NOW
999 = Waived testing (not required)
I = Invalid (NOT) valid analyses reported

System Number: ***2400088***

System Name: ***HENDERSON COUNTY PARK (MCDPW)***

PS Code: ***2400088-001***

Source Name: ***SYSTEM WELL #1: WEST WELL***

Source Number: ***001***

Source Status: ***ACTIVE UNTREATED***

Water type: ***GROUNDWATER OR WELL***

	STORET NUMBER	TESTING INTERVAL (MONTHS)*	LAST TEST DATE (yyyy/mm/dd)	LAST RESULT REPORTED	NEXT TEST DATE (yyyy/mm)
GENERAL NON CHAP 15					
DIAZINON	39570	WAIVED			
INORGANIC					
ALUMINUM	01105	WAIVED			
ANTIMONY	01097	WAIVED			
ARSENIC	01002	WAIVED			
ASBESTOS	81855	WAIVED			
BARIUM	01007	WAIVED			
BERYLLIUM	01012	WAIVED			
CADMIUM	01027	WAIVED			
CHROMIUM (TOTAL)	01034	WAIVED			
CYANIDE	01291	WAIVED			
FLUORIDE (F) (NATURAL-SOURCE)	00951	WAIVED			
LEAD	01051	WAIVED			
MERCURY	71900	WAIVED			
NICKEL	01067	WAIVED			
PERCHLORATE	A-031	WAIVED			
SELENIUM	01147	WAIVED			
THALLIUM	01059	WAIVED			
NITRATE/NITRITE					
NITRATE (AS NO3)	71850	012	2012/04/25	2.100	2013/04
NITRITE (AS N)	00620	036	2011/01/03	.000	2014/01
RADIOLOGICAL					
GROSS ALPHA	01501	WAIVED			
GROSS BETA	03501	WAIVED			
RA-226 FOR CWS OR TOTAL RA FOR NTNC BY 903.0	A-080	WAIVED			
RA-226 OR TOTAL RA BY 903.0 C.E.	A-081	WAIVED			
RADIUM 226	09501	WAIVED			
RADIUM 228	11501	WAIVED			

**Testing interval is in months;*
0 = No data for this constituent and is DUE NOW
999 = Waived testing (not required)
I = Invalid (NOT) valid analyses reported

System Number: ***2400088***

System Name: ***HENDERSON COUNTY PARK (MCDPW)***

PS Code: ***2400088-001***

Source Name: ***SYSTEM WELL #1: WEST WELL***

Source Number: ***001***

Source Status: ***ACTIVE UNTREATED***

Water type: ***GROUNDWATER OR WELL***

	STORET NUMBER	TESTING INTERVAL (MONTHS)*	LAST TEST DATE (yyyy/mm/dd)	LAST RESULT REPORTED	NEXT TEST DATE (yyyy/mm)
RADIOLOGICAL					
RADIUM, TOTAL, MDA95-NTNC ONLY, BY 903.0	A-082	WAIVED			
STRONTIUM-90	13501	WAIVED			
TRITIUM	07000	WAIVED			
URANIUM (PCI/L)	28012	WAIVED			
REGULATED SOC					
2,3,7,8-TCDD (DIOXIN)	34676	WAIVED			
2,4,5-TP (SILVEX)	39045	WAIVED			
2,4-D	39730	WAIVED			
ALACHLOR	77825	WAIVED			
ATRAZINE	39033	WAIVED			
BENTAZON	38710	WAIVED			
BENZO (A) PYRENE	34247	WAIVED			
CARBOFURAN	81405	WAIVED			
CHLORDANE	39350	WAIVED			
DALAPON	38432	WAIVED			
DI(2-ETHYLHEXYL)ADIPATE	A-026	WAIVED			
DI(2-ETHYLHEXYL)PHTHALATE	39100	WAIVED			
DIBROMOCHLOROPROPANE (DBCP)	38761	WAIVED			
DINOSEB	81287	WAIVED			
DIQUAT	78885	WAIVED			
ENDOTHALL	38926	WAIVED			
ENDRIN	39390	WAIVED			
ETHYLENE DIBROMIDE (EDB)	77651	WAIVED			
GLYPHOSATE	79743	WAIVED			
HEPTACHLOR	39410	WAIVED			
HEPTACHLOR EPOXIDE	39420	WAIVED			
HEXACHLOROBENZENE	39700	WAIVED			
HEXACHLOROCYCLOPENTADIENE	34386	WAIVED			
LINDANE	39340	WAIVED			

**Testing interval is in months;*
0 = No data for this constituent and is DUE NOW
999 = Waived testing (not required)
I = Invalid (NOT) valid analyses reported

System Number: ***2400088***

System Name: ***HENDERSON COUNTY PARK (MCDPW)***

PS Code: ***2400088-001***

Source Name: ***SYSTEM WELL #1: WEST WELL***

Source Number: ***001***

Source Status: ***ACTIVE UNTREATED***

Water type: ***GROUNDWATER OR WELL***

	STORET NUMBER	TESTING INTERVAL (MONTHS)*	LAST TEST DATE (yyyy/mm/dd)	LAST RESULT REPORTED	NEXT TEST DATE (yyyy/mm)
REGULATED SOC					
METHOXYCHLOR	39480	WAIVED			
MOLINATE	82199	WAIVED			
OXAMYL	38865	WAIVED			
PENTACHLOROPHENOL	39032	WAIVED			
PICLORAM	39720	WAIVED			
POLYCHLORINATED BIPHENYLS, TOTAL, AS DCB	39516	WAIVED			
SIMAZINE	39055	WAIVED			
THIOBENCARB	A-001	WAIVED			
TOXAPHENE	39400	WAIVED			
REGULATED VOC					
1,1,1-TRICHLOROETHANE	34506	WAIVED			
1,1,2,2-TETRACHLOROETHANE	34516	WAIVED			
1,1,2-TRICHLORO-1,2,2-TRIFLUOROETHANE	81611	WAIVED			
1,1,2-TRICHLOROETHANE	34511	WAIVED			
1,1-DICHLOROETHANE	34496	WAIVED			
1,1-DICHLOROETHYLENE	34501	WAIVED			
1,2,4-TRICHLOROBENZENE	34551	WAIVED			
1,2-DICHLOROBENZENE	34536	WAIVED			
1,2-DICHLOROETHANE	34531	WAIVED			
1,2-DICHLOROPROPANE	34541	WAIVED			
1,3-DICHLOROPROPENE (TOTAL)	34561	WAIVED			
1,4-DICHLOROBENZENE	34571	WAIVED			
BENZENE	34030	WAIVED			
CARBON TETRACHLORIDE	32102	WAIVED			
CIS-1,2-DICHLOROETHYLENE	77093	WAIVED			
DICHLOROMETHANE	34423	WAIVED			
ETHYLBENZENE	34371	WAIVED			
METHYL-TERT-BUTYL-ETHER (MTBE)	46491	WAIVED			
MONOCHLOROBENZENE	34301	WAIVED			

**Testing interval is in months;*
0 = No data for this constituent and is DUE NOW
999 = Waived testing (not required)
I = Invalid (NOT) valid analyses reported

System Number: ***2400088***

System Name: ***HENDERSON COUNTY PARK (MCDPW)***

PS Code: ***2400088-001***

Source Name: ***SYSTEM WELL #1: WEST WELL***

Source Number: ***001***

Source Status: ***ACTIVE UNTREATED***

Water type: ***GROUNDWATER OR WELL***

	STORET NUMBER	TESTING INTERVAL (MONTHS)*	LAST TEST DATE (yyyy/mm/dd)	LAST RESULT REPORTED	NEXT TEST DATE (yyyy/mm)
REGULATED VOC					
STYRENE	77128	WAIVED			
TETRACHLOROETHYLENE	34475	WAIVED			
TOLUENE	34010	WAIVED			
TRANS-1,2-DICHLOROETHYLENE	34546	WAIVED			
TRICHLOROETHYLENE	39180	WAIVED			
TRICHLOROFLUOROMETHANE	34488	WAIVED			
VINYL CHLORIDE	39175	WAIVED			
XYLENES (TOTAL)	81551	WAIVED			
SECONDARY/GP					
AGGRSSIVE INDEX (CORROSIVITY)	82383	WAIVED			
BICARBONATE ALKALINITY	00440	WAIVED			
CALCIUM	00916	WAIVED			
CARBONATE ALKALINITY	00445	WAIVED			
CHLORIDE	00940	WAIVED			
COLOR	00081	WAIVED			
COPPER	01042	WAIVED			
FOAMING AGENTS (MBAS)	38260	WAIVED			
HARDNESS (TOTAL) AS CACO3	00900	WAIVED			
HYDROXIDE ALKALINITY	71830	WAIVED			
IRON	01045	WAIVED			
MAGNESIUM	00927	WAIVED			
MANGANESE	01055	WAIVED			
ODOR THRESHOLD @ 60 C	00086	WAIVED			
PH, LABORATORY	00403	WAIVED			
SILVER	01077	WAIVED			
SODIUM	00929	WAIVED			
SPECIFIC CONDUCTANCE	00095	WAIVED			
SULFATE	00945	WAIVED			
TOTAL DISSOLVED SOLIDS	70300	WAIVED			

**Testing interval is in months;*
0 = No data for this constituent and is DUE NOW
999 = Waived testing (not required)
I = Invalid (NOT) valid analyses reported

System Number: ***2400088***

System Name: ***HENDERSON COUNTY PARK (MCDPW)***

PS Code: ***2400088-001***

Source Name: ***SYSTEM WELL #1: WEST WELL***

Source Number: ***001***

Source Status: ***ACTIVE UNTREATED***

Water type: ***GROUNDWATER OR WELL***

SECONDARY/GP

	STORET NUMBER	TESTING INTERVAL (MONTHS)*	LAST TEST DATE (yyyy/mm/dd)	LAST RESULT REPORTED	NEXT TEST DATE (yyyy/mm)
TURBIDITY, LABORATORY	82079	WAIVED			
ZINC	01092	WAIVED			

PS Code: ***2400088-002***

Source Name: ***SYSTEM WELL #2: EAST WELL***

Source Number: ***002***

Source Status: ***ACTIVE UNTREATED***

Water type: ***GROUNDWATER OR WELL***

GENERAL NON CHAP 15

	STORET NUMBER	TESTING INTERVAL (MONTHS)*	LAST TEST DATE (yyyy/mm/dd)	LAST RESULT REPORTED	NEXT TEST DATE (yyyy/mm)
DIAZINON	39570	WAIVED			

INORGANIC

	STORET NUMBER	TESTING INTERVAL (MONTHS)*	LAST TEST DATE (yyyy/mm/dd)	LAST RESULT REPORTED	NEXT TEST DATE (yyyy/mm)
ALUMINUM	01105	WAIVED			
ANTIMONY	01097	WAIVED			
ARSENIC	01002	WAIVED			
ASBESTOS	81855	WAIVED			
BARIUM	01007	WAIVED			
BERYLLIUM	01012	WAIVED			
CADMIUM	01027	WAIVED			
CHROMIUM (TOTAL)	01034	WAIVED			
CYANIDE	01291	WAIVED			
FLUORIDE (F) (NATURAL-SOURCE)	00951	WAIVED			
LEAD	01051	WAIVED			
MERCURY	71900	WAIVED			
NICKEL	01067	WAIVED			
PERCHLORATE	A-031	WAIVED			
SELENIUM	01147	WAIVED			
THALLIUM	01059	WAIVED			

**Testing interval is in months;*
0 = No data for this constituent and is DUE NOW
999 = Waived testing (not required)
I = Invalid (NOT) valid analyses reported

System Number: ***2400088***

System Name: ***HENDERSON COUNTY PARK (MCDPW)***

PS Code: ***2400088-002***

Source Name: ***SYSTEM WELL #2: EAST WELL***

Source Number: ***002***

Source Status: ***ACTIVE UNTREATED***

Water type: ***GROUNDWATER OR WELL***

	STORET NUMBER	TESTING INTERVAL (MONTHS)*	LAST TEST DATE (yyyy/mm/dd)	LAST RESULT REPORTED	NEXT TEST DATE (yyyy/mm)
NITRATE/NITRITE					
NITRATE (AS NO3)	71850	012	2012/04/25	2.200	2013/04
NITRITE (AS N)	00620	036	2012/04/25	.000	2015/04
RADIOLOGICAL					
GROSS ALPHA	01501	WAIVED			
GROSS BETA	03501	WAIVED			
RA-226 FOR CWS OR TOTAL RA FOR NTNC BY 903.0	A-080	WAIVED			
RA-226 OR TOTAL RA BY 903.0 C.E.	A-081	WAIVED			
RADIUM 226	09501	WAIVED			
RADIUM 228	11501	WAIVED			
RADIUM, TOTAL, MDA95-NTNC ONLY, BY 903.0	A-082	WAIVED			
STRONTIUM-90	13501	WAIVED			
TRITIUM	07000	WAIVED			
URANIUM (PCI/L)	28012	WAIVED			
REGULATED SOC					
2,3,7,8-TCDD (DIOXIN)	34676	WAIVED			
2,4,5-TP (SILVEX)	39045	WAIVED			
2,4-D	39730	WAIVED			
ALACHLOR	77825	WAIVED			
ATRAZINE	39033	WAIVED			
BENTAZON	38710	WAIVED			
BENZO (A) PYRENE	34247	WAIVED			
CARBOFURAN	81405	WAIVED			
CHLORDANE	39350	WAIVED			
DALAPON	38432	WAIVED			
DI(2-ETHYLHEXYL)ADIPATE	A-026	WAIVED			
DI(2-ETHYLHEXYL)PHTHALATE	39100	WAIVED			
DIBROMOCHLOROPROPANE (DBCP)	38761	WAIVED			
DINOSEB	81287	WAIVED			
DIQUAT	78885	WAIVED			

**Testing interval is in months;*
0 = No data for this constituent and is DUE NOW
999 = Waived testing (not required)
I = Invalid (NOT) valid analyses reported

System Number: ***2400088***

System Name: ***HENDERSON COUNTY PARK (MCDPW)***

PS Code: ***2400088-002***

Source Name: ***SYSTEM WELL #2: EAST WELL***

Source Number: ***002***

Source Status: ***ACTIVE UNTREATED***

Water type: ***GROUNDWATER OR WELL***

	STORET NUMBER	TESTING INTERVAL (MONTHS)*	LAST TEST DATE (yyyy/mm/dd)	LAST RESULT REPORTED	NEXT TEST DATE (yyyy/mm)
REGULATED SOC					
ENDOTHALL	38926	WAIVED			
ENDRIN	39390	WAIVED			
ETHYLENE DIBROMIDE (EDB)	77651	WAIVED			
GLYPHOSATE	79743	WAIVED			
HEPTACHLOR	39410	WAIVED			
HEPTACHLOR EPOXIDE	39420	WAIVED			
HEXACHLOROBENZENE	39700	WAIVED			
HEXACHLOROCYCLOPENTADIENE	34386	WAIVED			
LINDANE	39340	WAIVED			
METHOXYCHLOR	39480	WAIVED			
MOLINATE	82199	WAIVED			
OXAMYL	38865	WAIVED			
PENTACHLOROPHENOL	39032	WAIVED			
PICLORAM	39720	WAIVED			
POLYCHLORINATED BIPHENYLS, TOTAL, AS DCB	39516	WAIVED			
SIMAZINE	39055	WAIVED			
THIOBENCARB	A-001	WAIVED			
TOXAPHENE	39400	WAIVED			
REGULATED VOC					
1,1,1-TRICHLOROETHANE	34506	WAIVED			
1,1,2,2-TETRACHLOROETHANE	34516	WAIVED			
1,1,2-TRICHLORO-1,2,2-TRIFLUOROETHANE	81611	WAIVED			
1,1,2-TRICHLOROETHANE	34511	WAIVED			
1,1-DICHLOROETHANE	34496	WAIVED			
1,1-DICHLOROETHYLENE	34501	WAIVED			
1,2,4-TRICHLOROBENZENE	34551	WAIVED			
1,2-DICHLOROBENZENE	34536	WAIVED			
1,2-DICHLOROETHANE	34531	WAIVED			
1,2-DICHLOROPROPANE	34541	WAIVED			

**Testing interval is in months;*
0 = No data for this constituent and is DUE NOW
999 = Waived testing (not required)
I = Invalid (NOT) valid analyses reported

System Number: ***2400088***

System Name: ***HENDERSON COUNTY PARK (MCDPW)***

PS Code: ***2400088-002***

Source Name: ***SYSTEM WELL #2: EAST WELL***

Source Number: ***002***

Source Status: ***ACTIVE UNTREATED***

Water type: ***GROUNDWATER OR WELL***

	STORET NUMBER	TESTING INTERVAL (MONTHS)*	LAST TEST DATE (yyyy/mm/dd)	LAST RESULT REPORTED	NEXT TEST DATE (yyyy/mm)
REGULATED VOC					
1,3-DICHLOROPROPENE (TOTAL)	34561	WAIVED			
1,4-DICHLOROBENZENE	34571	WAIVED			
BENZENE	34030	WAIVED			
CARBON TETRACHLORIDE	32102	WAIVED			
CIS-1,2-DICHLOROETHYLENE	77093	WAIVED			
DICHLOROMETHANE	34423	WAIVED			
ETHYLBENZENE	34371	WAIVED			
METHYL-TERT-BUTYL-ETHER (MTBE)	46491	WAIVED			
MONOCHLOROBENZENE	34301	WAIVED			
STYRENE	77128	WAIVED			
TETRACHLOROETHYLENE	34475	WAIVED			
TOLUENE	34010	WAIVED			
TRANS-1,2-DICHLOROETHYLENE	34546	WAIVED			
TRICHLOROETHYLENE	39180	WAIVED			
TRICHLOROFLUOROMETHANE	34488	WAIVED			
VINYL CHLORIDE	39175	WAIVED			
XYLENES (TOTAL)	81551	WAIVED			
SECONDARY/GP					
AGGRSSIVE INDEX (CORROSIVITY)	82383	WAIVED			
BICARBONATE ALKALINITY	00440	WAIVED			
CALCIUM	00916	WAIVED			
CARBONATE ALKALINITY	00445	WAIVED			
CHLORIDE	00940	WAIVED			
COLOR	00081	WAIVED			
COPPER	01042	WAIVED			
FOAMING AGENTS (MBAS)	38260	WAIVED			
HARDNESS (TOTAL) AS CACO3	00900	WAIVED			
HYDROXIDE ALKALINITY	71830	WAIVED			
IRON	01045	WAIVED			

**Testing interval is in months;*
0 = No data for this constituent and is DUE NOW
999 = Waived testing (not required)
I = Invalid (NOT) valid analyses reported

System Number: ***2400088***

System Name: ***HENDERSON COUNTY PARK (MCDPW)***

PS Code: ***2400088-002***

Source Name: ***SYSTEM WELL #2: EAST WELL***

Source Number: ***002***

Source Status: ***ACTIVE UNTREATED***

Water type: ***GROUNDWATER OR WELL***

SECONDARY/GP	STORET NUMBER	TESTING INTERVAL (MONTHS)*	LAST TEST DATE (yyyy/mm/dd)	LAST RESULT REPORTED	NEXT TEST DATE (yyyy/mm)
MAGNESIUM	00927	WAIVED			
MANGANESE	01055	WAIVED			
ODOR THRESHOLD @ 60 C	00086	WAIVED			
PH, LABORATORY	00403	WAIVED			
SILVER	01077	WAIVED			
SODIUM	00929	WAIVED			
SPECIFIC CONDUCTANCE	00095	WAIVED			
SULFATE	00945	WAIVED			
TOTAL DISSOLVED SOLIDS	70300	WAIVED			
TURBIDITY, LABORATORY	82079	WAIVED			
ZINC	01092	WAIVED			

**Testing interval is in months;*
0 = No data for this constituent and is DUE NOW
999 = Waived testing (not required)
I = Invalid (NOT) valid analyses reported

System Number: ***2400089***

System Name: ***HAGAMAN COUNTY PARK (MCDPW)***

PS Code: ***2400089-001***

Source Name: ***SYSTEM WELL #1-E. OF CARETAKER S HOUSE***

Source Number: ***001***

Source Status: ***ACTIVE UNTREATED***

Water type: ***GROUNDWATER OR WELL***

	STORET NUMBER	TESTING INTERVAL (MONTHS)*	LAST TEST DATE (yyyy/mm/dd)	LAST RESULT REPORTED	NEXT TEST DATE (yyyy/mm)
GENERAL NON CHAP 15					
DIAZINON	39570	WAIVED			
INORGANIC					
ALUMINUM	01105	WAIVED			
ANTIMONY	01097	WAIVED			
ARSENIC	01002	WAIVED			
ASBESTOS	81855	WAIVED			
BARIUM	01007	WAIVED			
BERYLLIUM	01012	WAIVED			
CADMIUM	01027	WAIVED			
CHROMIUM (TOTAL)	01034	WAIVED			
CYANIDE	01291	WAIVED			
FLUORIDE (F) (NATURAL-SOURCE)	00951	WAIVED			
LEAD	01051	WAIVED			
MERCURY	71900	WAIVED			
NICKEL	01067	WAIVED			
PERCHLORATE	A-031	WAIVED			
SELENIUM	01147	WAIVED			
THALLIUM	01059	WAIVED			
NITRATE/NITRITE					
NITRATE (AS NO3)	71850	012	2012/04/24	.000	2013/04
NITRITE (AS N)	00620	036	2011/01/03	.000	2014/01
RADIOLOGICAL					
GROSS ALPHA	01501	WAIVED			
GROSS BETA	03501	WAIVED			
RA-226 FOR CWS OR TOTAL RA FOR NTNC BY 903.0	A-080	WAIVED			
RA-226 OR TOTAL RA BY 903.0 C.E.	A-081	WAIVED			
RADIUM 226	09501	WAIVED			
RADIUM 228	11501	WAIVED			

**Testing interval is in months;*
0 = No data for this constituent and is DUE NOW
999 = Waived testing (not required)
I = Invalid (NOT) valid analyses reported

System Number: ***2400089***

System Name: ***HAGAMAN COUNTY PARK (MCDPW)***

PS Code: ***2400089-001***

Source Name: ***SYSTEM WELL #1-E. OF CARETAKER S HOUSE***

Source Number: ***001***

Source Status: ***ACTIVE UNTREATED***

Water type: ***GROUNDWATER OR WELL***

	STORET NUMBER	TESTING INTERVAL (MONTHS)*	LAST TEST DATE (yyyy/mm/dd)	LAST RESULT REPORTED	NEXT TEST DATE (yyyy/mm)
RADIOLOGICAL					
RADIUM, TOTAL, MDA95-NTNC ONLY, BY 903.0	A-082	WAIVED			
STRONTIUM-90	13501	WAIVED			
TRITIUM	07000	WAIVED			
URANIUM (PCI/L)	28012	WAIVED			
REGULATED SOC					
2,3,7,8-TCDD (DIOXIN)	34676	WAIVED			
2,4,5-TP (SILVEX)	39045	WAIVED			
2,4-D	39730	WAIVED			
ALACHLOR	77825	WAIVED			
ATRAZINE	39033	WAIVED			
BENTAZON	38710	WAIVED			
BENZO (A) PYRENE	34247	WAIVED			
CARBOFURAN	81405	WAIVED			
CHLORDANE	39350	WAIVED			
DALAPON	38432	WAIVED			
DI(2-ETHYLHEXYL)ADIPATE	A-026	WAIVED			
DI(2-ETHYLHEXYL)PHTHALATE	39100	WAIVED			
DIBROMOCHLOROPROPANE (DBCP)	38761	WAIVED			
DINOSEB	81287	WAIVED			
DIQUAT	78885	WAIVED			
ENDOTHALL	38926	WAIVED			
ENDRIN	39390	WAIVED			
ETHYLENE DIBROMIDE (EDB)	77651	WAIVED			
GLYPHOSATE	79743	WAIVED			
HEPTACHLOR	39410	WAIVED			
HEPTACHLOR EPOXIDE	39420	WAIVED			
HEXACHLOROBENZENE	39700	WAIVED			
HEXACHLOROCYCLOPENTADIENE	34386	WAIVED			
LINDANE	39340	WAIVED			

**Testing interval is in months;*
0 = No data for this constituent and is DUE NOW
999 = Waived testing (not required)
I = Invalid (NOT) valid analyses reported

System Number: ***2400089***

System Name: ***HAGAMAN COUNTY PARK (MCDPW)***

PS Code: ***2400089-001***

Source Name: ***SYSTEM WELL #1-E. OF CARETAKER S HOUSE***

Source Number: ***001***

Source Status: ***ACTIVE UNTREATED***

Water type: ***GROUNDWATER OR WELL***

	STORET NUMBER	TESTING INTERVAL (MONTHS)*	LAST TEST DATE (yyyy/mm/dd)	LAST RESULT REPORTED	NEXT TEST DATE (yyyy/mm)
REGULATED SOC					
METHOXYCHLOR	39480	WAIVED			
MOLINATE	82199	WAIVED			
OXAMYL	38865	WAIVED			
PENTACHLOROPHENOL	39032	WAIVED			
PICLORAM	39720	WAIVED			
POLYCHLORINATED BIPHENYLS, TOTAL, AS DCB	39516	WAIVED			
SIMAZINE	39055	WAIVED			
THIOBENCARB	A-001	WAIVED			
TOXAPHENE	39400	WAIVED			
REGULATED VOC					
1,1,1-TRICHLOROETHANE	34506	WAIVED			
1,1,2,2-TETRACHLOROETHANE	34516	WAIVED			
1,1,2-TRICHLORO-1,2,2-TRIFLUOROETHANE	81611	WAIVED			
1,1,2-TRICHLOROETHANE	34511	WAIVED			
1,1-DICHLOROETHANE	34496	WAIVED			
1,1-DICHLOROETHYLENE	34501	WAIVED			
1,2,4-TRICHLOROBENZENE	34551	WAIVED			
1,2-DICHLOROBENZENE	34536	WAIVED			
1,2-DICHLOROETHANE	34531	WAIVED			
1,2-DICHLOROPROPANE	34541	WAIVED			
1,3-DICHLOROPROPENE (TOTAL)	34561	WAIVED			
1,4-DICHLOROBENZENE	34571	WAIVED			
BENZENE	34030	WAIVED			
CARBON TETRACHLORIDE	32102	WAIVED			
CIS-1,2-DICHLOROETHYLENE	77093	WAIVED			
DICHLOROMETHANE	34423	WAIVED			
ETHYLBENZENE	34371	WAIVED			
METHYL-TERT-BUTYL-ETHER (MTBE)	46491	WAIVED			
MONOCHLOROBENZENE	34301	WAIVED			

**Testing interval is in months;*
0 = No data for this constituent and is DUE NOW
999 = Waived testing (not required)
I = Invalid (NOT) valid analyses reported

System Number: ***2400089***

System Name: ***HAGAMAN COUNTY PARK (MCDPW)***

PS Code: ***2400089-001***

Source Name: ***SYSTEM WELL #1-E. OF CARETAKER S HOUSE***

Source Number: ***001***

Source Status: ***ACTIVE UNTREATED***

Water type: ***GROUNDWATER OR WELL***

	STORET NUMBER	TESTING INTERVAL (MONTHS)*	LAST TEST DATE (yyyy/mm/dd)	LAST RESULT REPORTED	NEXT TEST DATE (yyyy/mm)
REGULATED VOC					
STYRENE	77128	WAIVED			
TETRACHLOROETHYLENE	34475	WAIVED			
TOLUENE	34010	WAIVED			
TRANS-1,2-DICHLOROETHYLENE	34546	WAIVED			
TRICHLOROETHYLENE	39180	WAIVED			
TRICHLOROFLUOROMETHANE	34488	WAIVED			
VINYL CHLORIDE	39175	WAIVED			
XYLENES (TOTAL)	81551	WAIVED			
SECONDARY/GP					
AGGRSSIVE INDEX (CORROSIVITY)	82383	WAIVED			
BICARBONATE ALKALINITY	00440	WAIVED			
CALCIUM	00916	WAIVED			
CARBONATE ALKALINITY	00445	WAIVED			
CHLORIDE	00940	WAIVED			
COLOR	00081	WAIVED			
COPPER	01042	WAIVED			
FOAMING AGENTS (MBAS)	38260	WAIVED			
HARDNESS (TOTAL) AS CACO3	00900	WAIVED			
HYDROXIDE ALKALINITY	71830	WAIVED			
IRON	01045	WAIVED			
MAGNESIUM	00927	WAIVED			
MANGANESE	01055	WAIVED			
ODOR THRESHOLD @ 60 C	00086	WAIVED			
PH, LABORATORY	00403	WAIVED			
SILVER	01077	WAIVED			
SODIUM	00929	WAIVED			
SPECIFIC CONDUCTANCE	00095	WAIVED			
SULFATE	00945	WAIVED			
TOTAL DISSOLVED SOLIDS	70300	WAIVED			

**Testing interval is in months;*
0 = No data for this constituent and is DUE NOW
999 = Waived testing (not required)
I = Invalid (NOT) valid analyses reported

System Number: ***2400089***

System Name: ***HAGAMAN COUNTY PARK (MCDPW)***

	STORET NUMBER	TESTING INTERVAL (MONTHS)*	LAST TEST DATE (yyyy/mm/dd)	LAST RESULT REPORTED	NEXT TEST DATE (yyyy/mm)

PS Code: ***2400089-001***

Source Name: ***SYSTEM WELL #1-E. OF CARETAKER S HOUSE***

Source Number: ***001***

Source Status: ***ACTIVE UNTREATED***

Water type: ***GROUNDWATER OR WELL***

SECONDARY/GP

TURBIDITY, LABORATORY	82079	WAIVED			
ZINC	01092	WAIVED			

**Testing interval is in months;*
0 = No data for this constituent and is DUE NOW
999 = Waived testing (not required)
I = Invalid (NOT) valid analyses reported

System Number: ***2400091***

System Name: ***CHARLESTON SCHOOL***

PS Code: ***2400091-011***

Source Name: ***WELL #2-SW CORNER OF PROP. DIRLL 8/19/05***

Source Number: ***011***

Source Status: ***ACTIVE UNTREATED***

Water type: ***GROUNDWATER OR WELL***

	STORET NUMBER	TESTING INTERVAL (MONTHS)*	LAST TEST DATE (yyyy/mm/dd)	LAST RESULT REPORTED	NEXT TEST DATE (yyyy/mm)
GENERAL NON CHAP 15					
DIAZINON	39570	WAIVED	2009/04/27	< .250	
INORGANIC					
ALUMINUM	01105	036	2009/04/27	.000	2012/04
ANTIMONY	01097	036	2009/04/27	.000	2012/04
ARSENIC	01002	036	2009/04/27	2.400	2012/04
ASBESTOS	81855	WAIVED			
BARIUM	01007	036	2009/04/27	.000	2012/04
BERYLLIUM	01012	036	2009/04/27	.000	2012/04
CADMIUM	01027	036	2009/04/27	.000	2012/04
CHROMIUM (TOTAL)	01034	036	2009/04/27	.000	2012/04
CYANIDE	01291	WAIVED			
FLUORIDE (F) (NATURAL-SOURCE)	00951	036	2012/04/16	.100	2015/04
LEAD	01051	WAIVED	2009/04/27	5.700	
MERCURY	71900	036	2009/04/27	.000	2012/04
NICKEL	01067	036	2009/04/27	.000	2012/04
PERCHLORATE	A-031	036	2010/07/16	< .000	2013/07
SELENIUM	01147	036	2009/04/27	.000	2012/04
THALLIUM	01059	036	2009/04/27	.000	2012/04
NITRATE/NITRITE					
NITRATE (AS NO3)	71850	012	2012/04/16	< 2.000	2013/04
NITRITE (AS N)	00620	036	2012/04/16	< 400.000	2015/04
RADIOLOGICAL					
GROSS ALPHA	01501	WAIVED	2006/09/14	4.090	
GROSS BETA	03501	WAIVED			
RA-226 FOR CWS OR TOTAL RA FOR NTNC BY 903.0	A-080	WAIVED			
RA-226 OR TOTAL RA BY 903.0 C.E.	A-081	WAIVED			
RADIUM 226	09501	WAIVED	2006/09/14	< 1.000	
RADIUM 228	11501	WAIVED	2006/09/14	< 1.000	

**Testing interval is in months;*
0 = No data for this constituent and is DUE NOW
999 = Waived testing (not required)
I = Invalid (NOT) valid analyses reported

System Number: ***2400091***

System Name: ***CHARLESTON SCHOOL***

PS Code: ***2400091-011***

Source Name: ***WELL #2-SW CORNER OF PROP. DIRLL 8/19/05***

Source Number: ***011***

Source Status: ***ACTIVE UNTREATED***

Water type: ***GROUNDWATER OR WELL***

	STORET NUMBER	TESTING INTERVAL (MONTHS)*	LAST TEST DATE (yyyy/mm/dd)	LAST RESULT REPORTED	NEXT TEST DATE (yyyy/mm)
RADIOLOGICAL					
RADIUM, TOTAL, MDA95-NTNC ONLY, BY 903.0	A-082	WAIVED			
STRONTIUM-90	13501	WAIVED			
TRITIUM	07000	WAIVED			
URANIUM (PCI/L)	28012	WAIVED			
REGULATED SOC					
2,3,7,8-TCDD (DIOXIN)	34676	WAIVED			
2,4,5-TP (SILVEX)	39045	WAIVED			
2,4-D	39730	WAIVED			
ALACHLOR	77825	036	2009/04/27	.000	2012/04
ATRAZINE	39033	036	2009/04/27	.000	2012/04
BENTAZON	38710	WAIVED			
BENZO (A) PYRENE	34247	WAIVED	2009/04/27	.000	
CARBOFURAN	81405	WAIVED			
CHLORDANE	39350	WAIVED			
DALAPON	38432	WAIVED			
DI(2-ETHYLHEXYL)ADIPATE	A-026	WAIVED	2009/04/27	.000	
DI(2-ETHYLHEXYL)PHTHALATE	39100	WAIVED	2009/04/27	.000	
DIBROMOCHLOROPROPANE (DBCP)	38761	036	2012/04/16	.000	2015/04
DINOSEB	81287	WAIVED			
DIQUAT	78885	WAIVED			
ENDOTHALL	38926	WAIVED			
ENDRIN	39390	WAIVED			
ETHYLENE DIBROMIDE (EDB)	77651	036	2012/04/16	.000	2015/04
GLYPHOSATE	79743	WAIVED			
HEPTACHLOR	39410	WAIVED			
HEPTACHLOR EPOXIDE	39420	WAIVED			
HEXACHLOROBENZENE	39700	WAIVED			
HEXACHLOROCYCLOPENTADIENE	34386	WAIVED			
LINDANE	39340	WAIVED			

**Testing interval is in months;*
0 = No data for this constituent and is DUE NOW
999 = Waived testing (not required)
I = Invalid (NOT) valid analyses reported

System Number: ***2400091***

System Name: ***CHARLESTON SCHOOL***

PS Code: ***2400091-011***

Source Name: ***WELL #2-SW CORNER OF PROP. DIRLL 8/19/05***

Source Number: ***011***

Source Status: ***ACTIVE UNTREATED***

Water type: ***GROUNDWATER OR WELL***

	STORET NUMBER	TESTING INTERVAL (MONTHS)*	LAST TEST DATE (yyyy/mm/dd)	LAST RESULT REPORTED	NEXT TEST DATE (yyyy/mm)
REGULATED SOC					
METHOXYCHLOR	39480	WAIVED			
MOLINATE	82199	WAIVED	2009/04/27	.000	
OXAMYL	38865	WAIVED			
PENTACHLOROPHENOL	39032	WAIVED			
PICLORAM	39720	WAIVED			
POLYCHLORINATED BIPHENYLS, TOTAL, AS DCB	39516	WAIVED			
SIMAZINE	39055	036	2009/04/27	.000	2012/04
THIOBENCARB	A-001	WAIVED	2009/04/27	.000	
TOXAPHENE	39400	WAIVED			
REGULATED VOC					
1,1,1-TRICHLOROETHANE	34506	060	2011/12/15	< .000	2016/12
1,1,2,2-TETRACHLOROETHANE	34516	060	2011/12/15	< .000	2016/12
1,1,2-TRICHLORO-1,2,2-TRIFLUOROETHANE	81611	060	2011/12/15	< .000	2016/12
1,1,2-TRICHLOROETHANE	34511	060	2011/12/15	< .000	2016/12
1,1-DICHLOROETHANE	34496	060	2011/12/15	< .000	2016/12
1,1-DICHLOROETHYLENE	34501	060	2011/12/15	< .000	2016/12
1,2,4-TRICHLOROBENZENE	34551	060	2011/12/15	< .000	2016/12
1,2-DICHLOROBENZENE	34536	060	2011/12/15	< .000	2016/12
1,2-DICHLOROETHANE	34531	060	2011/12/15	< .000	2016/12
1,2-DICHLOROPROPANE	34541	060	2011/12/15	< .000	2016/12
1,3-DICHLOROPROPENE (TOTAL)	34561	060	2011/12/15	< .000	2016/12
1,4-DICHLOROBENZENE	34571	060	2011/12/15	< .000	2016/12
BENZENE	34030	060	2011/12/15	< .000	2016/12
CARBON TETRACHLORIDE	32102	060	2011/12/15	< .000	2016/12
CIS-1,2-DICHLOROETHYLENE	77093	060	2011/12/15	< .000	2016/12
DICHLOROMETHANE	34423	060	2011/12/15	< .000	2016/12
ETHYLBENZENE	34371	060	2011/12/15	< .000	2016/12
METHYL-TERT-BUTYL-ETHER (MTBE)	46491	060	2011/12/15	< .000	2016/12
MONOCHLOROBENZENE	34301	060	2011/12/15	< .000	2016/12

**Testing interval is in months;*
0 = No data for this constituent and is DUE NOW
999 = Waived testing (not required)
I = Invalid (NOT) valid analyses reported

System Number: ***2400091***

System Name: ***CHARLESTON SCHOOL***

PS Code: ***2400091-011***

Source Name: ***WELL #2-SW CORNER OF PROP. DIRLL 8/19/05***

Source Number: ***011***

Source Status: ***ACTIVE UNTREATED***

Water type: ***GROUNDWATER OR WELL***

	STORET NUMBER	TESTING INTERVAL (MONTHS)*	LAST TEST DATE (yyyy/mm/dd)	LAST RESULT REPORTED	NEXT TEST DATE (yyyy/mm)	
REGULATED VOC						
STYRENE	77128	060	2011/12/15	< .000	2016/12	
TETRACHLOROETHYLENE	34475	060	2011/12/15	< .000	2016/12	
TOLUENE	34010	060	2011/12/15	< .000	2016/12	
TRANS-1,2-DICHLOROETHYLENE	34546	060	2011/12/15	< .000	2016/12	
TRICHLOROETHYLENE	39180	060	2011/12/15	< .000	2016/12	
TRICHLOROFLUOROMETHANE	34488	060	2011/12/15	< .000	2016/12	
VINYL CHLORIDE	39175	060	2011/12/15	< .000	2016/12	
XYLENES (TOTAL)	81551	060	2011/12/15	< .000	2016/12	
SECONDARY/GP						
AGGRSSIVE INDEX (CORROSIVITY)	82383	WAIVED				
BICARBONATE ALKALINITY	00440	000				DUE
CALCIUM	00916	000				DUE
CARBONATE ALKALINITY	00445	000				DUE
CHLORIDE	00940	WAIVED				
COLOR	00081	WAIVED				
COPPER	01042	WAIVED				
FOAMING AGENTS (MBAS)	38260	WAIVED				
HARDNESS (TOTAL) AS CACO3	00900	000				DUE
HYDROXIDE ALKALINITY	71830	000				DUE
IRON	01045	000				DUE
MAGNESIUM	00927	000				DUE
MANGANESE	01055	000				DUE
ODOR THRESHOLD @ 60 C	00086	WAIVED				
PH, LABORATORY	00403	000				DUE
SILVER	01077	WAIVED	2009/04/27	.000		
SODIUM	00929	000				DUE
SPECIFIC CONDUCTANCE	00095	WAIVED	2010/07/16	1700.000		
SULFATE	00945	WAIVED				
TOTAL DISSOLVED SOLIDS	70300	WAIVED				

**Testing interval is in months;*
0 = No data for this constituent and is DUE NOW
999 = Waived testing (not required)
I = Invalid (NOT) valid analyses reported

System Number: ***2400091***

System Name: ***CHARLESTON SCHOOL***

PS Code: ***2400091-011***

Source Name: ***WELL #2-SW CORNER OF PROP. DIRLL 8/19/05***

Source Number: ***011***

Source Status: ***ACTIVE UNTREATED***

Water type: ***GROUNDWATER OR WELL***

SECONDARY/GP

	STORET NUMBER	TESTING INTERVAL (MONTHS)*	LAST TEST DATE (yyyy/mm/dd)	LAST RESULT REPORTED	NEXT TEST DATE (yyyy/mm)
TURBIDITY, LABORATORY	82079	WAIVED			
ZINC	01092	WAIVED			

**Testing interval is in months;*
0 = No data for this constituent and is DUE NOW
999 = Waived testing (not required)
I = Invalid (NOT) valid analyses reported

System Number: ***2400097***

System Name: ***CRESSEY SCHOOL***

PS Code: ***2400097-001***

Source Name: ***SYSTEM WELL#1-S. SIDE OF SCHOOL PROPERTY***

Source Number: ***001***

Source Status: ***ACTIVE UNTREATED***

Water type: ***GROUNDWATER OR WELL***

	STORET NUMBER	TESTING INTERVAL (MONTHS)*	LAST TEST DATE (yyyy/mm/dd)	LAST RESULT REPORTED	NEXT TEST DATE (yyyy/mm)
GENERAL NON CHAP 15					
DIAZINON	39570	WAIVED			
INORGANIC					
ALUMINUM	01105	036	2009/12/14	< 50.000	2012/12
ANTIMONY	01097	036	2009/12/14	< 6.000	2012/12
ARSENIC	01002	036	2009/12/14	2.900	2012/12
ASBESTOS	81855	WAIVED			
BARIUM	01007	036	2009/12/14	< 100.000	2012/12
BERYLLIUM	01012	036	2009/12/14	< 1.000	2012/12
CADMIUM	01027	036	2009/12/14	< 1.000	2012/12
CHROMIUM (TOTAL)	01034	036	2009/12/14	< 10.000	2012/12
CYANIDE	01291	WAIVED			
FLUORIDE (F) (NATURAL-SOURCE)	00951	036	2009/12/14	< .100	2012/12
LEAD	01051	WAIVED	2009/12/14	< 5.000	
MERCURY	71900	036	2009/12/14	< 1.000	2012/12
NICKEL	01067	036	2009/12/14	< 10.000	2012/12
PERCHLORATE	A-031	036	2010/06/08	< .000	2013/06
SELENIUM	01147	036	2009/12/14	< 5.000	2012/12
THALLIUM	01059	036	2009/12/14	< 1.000	2012/12
NITRATE/NITRITE					
NITRATE (AS NO3)	71850	012	2011/12/13	15.300	2012/12
NITRITE (AS N)	00620	036	2009/12/14	< 400.000	2012/12
RADIOLOGICAL					
GROSS ALPHA	01501	WAIVED	2010/01/11	.000	
GROSS BETA	03501	WAIVED			
RA-226 FOR CWS OR TOTAL RA FOR NTNC BY 903.0	A-080	WAIVED			
RA-226 OR TOTAL RA BY 903.0 C.E.	A-081	WAIVED			
RADIUM 226	09501	WAIVED			
RADIUM 228	11501	WAIVED			

**Testing interval is in months;*
0 = No data for this constituent and is DUE NOW
999 = Waived testing (not required)
I = Invalid (NOT) valid analyses reported

System Number: ***2400097***

System Name: ***CRESSEY SCHOOL***

PS Code: ***2400097-001***

Source Name: ***SYSTEM WELL#1-S. SIDE OF SCHOOL PROPERTY***

Source Number: ***001***

Source Status: ***ACTIVE UNTREATED***

Water type: ***GROUNDWATER OR WELL***

	STORET NUMBER	TESTING INTERVAL (MONTHS)*	LAST TEST DATE (yyyy/mm/dd)	LAST RESULT REPORTED	NEXT TEST DATE (yyyy/mm)
RADIOLOGICAL					
RADIUM, TOTAL, MDA95-NTNC ONLY, BY 903.0	A-082	WAIVED			
STRONTIUM-90	13501	WAIVED			
TRITIUM	07000	WAIVED			
URANIUM (PCI/L)	28012	WAIVED			
REGULATED SOC					
2,3,7,8-TCDD (DIOXIN)	34676	WAIVED			
2,4,5-TP (SILVEX)	39045	WAIVED			
2,4-D	39730	WAIVED			
ALACHLOR	77825	000			DUE
ATRAZINE	39033	000			DUE
BENTAZON	38710	WAIVED			
BENZO (A) PYRENE	34247	WAIVED			
CARBOFURAN	81405	WAIVED			
CHLORDANE	39350	WAIVED			
DALAPON	38432	WAIVED			
DI(2-ETHYLHEXYL)ADIPATE	A-026	WAIVED			
DI(2-ETHYLHEXYL)PHTHALATE	39100	WAIVED			
DIBROMOCHLOROPROPANE (DBCP)	38761	000			DUE
DINOSEB	81287	WAIVED			
DIQUAT	78885	WAIVED			
ENDOTHALL	38926	WAIVED			
ENDRIN	39390	WAIVED			
ETHYLENE DIBROMIDE (EDB)	77651	000			DUE
GLYPHOSATE	79743	WAIVED			
HEPTACHLOR	39410	WAIVED			
HEPTACHLOR EPOXIDE	39420	WAIVED			
HEXACHLOROBENZENE	39700	WAIVED			
HEXACHLOROCYCLOPENTADIENE	34386	WAIVED			
LINDANE	39340	WAIVED			

**Testing interval is in months;*
0 = No data for this constituent and is DUE NOW
999 = Waived testing (not required)
I = Invalid (NOT) valid analyses reported

System Number: ***2400097***

System Name: ***CRESSEY SCHOOL***

PS Code: ***2400097-001***

Source Name: ***SYSTEM WELL#1-S. SIDE OF SCHOOL PROPERTY***

Source Number: ***001***

Source Status: ***ACTIVE UNTREATED***

Water type: ***GROUNDWATER OR WELL***

	STORET NUMBER	TESTING INTERVAL (MONTHS)*	LAST TEST DATE (yyyy/mm/dd)	LAST RESULT REPORTED	NEXT TEST DATE (yyyy/mm)	
REGULATED SOC						
METHOXYCHLOR	39480	WAIVED				
MOLINATE	82199	WAIVED				
OXAMYL	38865	WAIVED				
PENTACHLOROPHENOL	39032	WAIVED				
PICLORAM	39720	WAIVED				
POLYCHLORINATED BIPHENYLS, TOTAL, AS DCB	39516	WAIVED				
SIMAZINE	39055	000				**DUE**
THIOBENCARB	A-001	WAIVED				
TOXAPHENE	39400	WAIVED				
REGULATED VOC						
1,1,1-TRICHLOROETHANE	34506	060	2010/02/16	< .500	2015/02	
1,1,2,2-TETRACHLOROETHANE	34516	060	2010/02/16	< .500	2015/02	
1,1,2-TRICHLORO-1,2,2-TRIFLUOROETHANE	81611	060	2010/02/16	< 10.000	2015/02	
1,1,2-TRICHLOROETHANE	34511	060	2010/02/16	< .500	2015/02	
1,1-DICHLOROETHANE	34496	060	2010/02/16	< .500	2015/02	
1,1-DICHLOROETHYLENE	34501	060	2010/02/16	< .500	2015/02	
1,2,4-TRICHLOROBENZENE	34551	060	2010/02/16	< .500	2015/02	
1,2-DICHLOROBENZENE	34536	060	2010/02/16	< .500	2015/02	
1,2-DICHLOROETHANE	34531	060	2010/02/16	< .500	2015/02	
1,2-DICHLOROPROPANE	34541	060	2010/02/16	< .500	2015/02	
1,3-DICHLOROPROPENE (TOTAL)	34561	060	2010/02/16	< .500	2015/02	
1,4-DICHLOROBENZENE	34571	060	2010/02/16	< .500	2015/02	
BENZENE	34030	060	2010/02/16	< .500	2015/02	
CARBON TETRACHLORIDE	32102	060	2010/02/16	< .500	2015/02	
CIS-1,2-DICHLOROETHYLENE	77093	060	2010/02/16	< .500	2015/02	
DICHLOROMETHANE	34423	060	2010/02/16	< .500	2015/02	
ETHYLBENZENE	34371	060	2010/02/16	< .500	2015/02	
METHYL-TERT-BUTYL-ETHER (MTBE)	46491	060	2010/02/16	< 3.000	2015/02	
MONOCHLOROBENZENE	34301	060	2010/02/16	< .500	2015/02	

**Testing interval is in months;*
0 = No data for this constituent and is DUE NOW
999 = Waived testing (not required)
I = Invalid (NOT) valid analyses reported

System Number: ***2400097***

System Name: ***CRESSEY SCHOOL***

PS Code: ***2400097-001***

Source Name: ***SYSTEM WELL#1-S. SIDE OF SCHOOL PROPERTY***

Source Number: ***001***

Source Status: ***ACTIVE UNTREATED***

Water type: ***GROUNDWATER OR WELL***

	STORET NUMBER	TESTING INTERVAL (MONTHS)*	LAST TEST DATE (yyyy/mm/dd)	LAST RESULT REPORTED	NEXT TEST DATE (yyyy/mm)	
REGULATED VOC						
STYRENE	77128	060	2010/02/16	< .500	2015/02	
TETRACHLOROETHYLENE	34475	060	2010/02/16	< .500	2015/02	
TOLUENE	34010	060	2010/02/16	< .500	2015/02	
TRANS-1,2-DICHLOROETHYLENE	34546	060	2010/02/16	< .500	2015/02	
TRICHLOROETHYLENE	39180	060	2010/02/16	< .500	2015/02	
TRICHLOROFLUOROMETHANE	34488	060	2010/02/16	< 5.000	2015/02	
VINYL CHLORIDE	39175	060	2010/02/16	< .500	2015/02	
XYLENES (TOTAL)	81551	060	2010/02/16	< .500	2015/02	
SECONDARY/GP						
AGGRSSIVE INDEX (CORROSIVITY)	82383	WAIVED				
BICARBONATE ALKALINITY	00440	000				DUE
CALCIUM	00916	000				DUE
CARBONATE ALKALINITY	00445	000				DUE
CHLORIDE	00940	WAIVED				
COLOR	00081	WAIVED				
COPPER	01042	WAIVED				
FOAMING AGENTS (MBAS)	38260	WAIVED				
HARDNESS (TOTAL) AS CACO3	00900	000				DUE
HYDROXIDE ALKALINITY	71830	000				DUE
IRON	01045	000				DUE
MAGNESIUM	00927	000				DUE
MANGANESE	01055	000				DUE
ODOR THRESHOLD @ 60 C	00086	WAIVED				
PH, LABORATORY	00403	000				DUE
SILVER	01077	WAIVED	2009/12/14	< 10.000		
SODIUM	00929	000				DUE
SPECIFIC CONDUCTANCE	00095	WAIVED	2010/06/08	230.000		
SULFATE	00945	WAIVED				
TOTAL DISSOLVED SOLIDS	70300	WAIVED				

**Testing interval is in months;*
0 = No data for this constituent and is DUE NOW
999 = Waived testing (not required)
I = Invalid (NOT) valid analyses reported

System Number: ***2400097***

System Name: ***CRESSEY SCHOOL***

	STORET NUMBER	TESTING INTERVAL (MONTHS)*	LAST TEST DATE (yyyy/mm/dd)	LAST RESULT REPORTED	NEXT TEST DATE (yyyy/mm)

PS Code: ***2400097-001***

Source Name: ***SYSTEM WELL#1-S. SIDE OF SCHOOL PROPERTY***

Source Number: ***001***

Source Status: ***ACTIVE UNTREATED***

Water type: ***GROUNDWATER OR WELL***

SECONDARY/GP

TURBIDITY, LABORATORY	82079	WAIVED			
ZINC	01092	WAIVED			

**Testing interval is in months;*
0 = No data for this constituent and is DUE NOW
999 = Waived testing (not required)
I = Invalid (NOT) valid analyses reported

System Number: ***2400099***

System Name: ***GRACE MENNONITE SCHOOL***

PS Code: ***2400099-001***

Source Name: ***SYSTEM WELL #1-S. SIDE OF PROPERTY***

Source Number: ***001***

Source Status: ***ACTIVE UNTREATED***

Water type: ***GROUNDWATER OR WELL***

	STORET NUMBER	TESTING INTERVAL (MONTHS)*	LAST TEST DATE (yyyy/mm/dd)	LAST RESULT REPORTED	NEXT TEST DATE (yyyy/mm)
GENERAL NON CHAP 15					
DIAZINON	39570	WAIVED	2010/09/28	< .000	
INORGANIC					
ALUMINUM	01105	036	2009/09/22	< 50.000	2012/09
ANTIMONY	01097	036	2009/09/22	< 6.000	2012/09
ARSENIC	01002	036	2009/09/22	4.800	2012/09
ASBESTOS	81855	WAIVED			
BARIUM	01007	036	2009/09/22	< 100.000	2012/09
BERYLLIUM	01012	036	2009/09/22	< 1.000	2012/09
CADMIUM	01027	036	2009/09/22	< 1.000	2012/09
CHROMIUM (TOTAL)	01034	036	2009/09/22	< 10.000	2012/09
CYANIDE	01291	WAIVED			
FLUORIDE (F) (NATURAL-SOURCE)	00951	036	2009/09/22	< .100	2012/09
LEAD	01051	WAIVED	2009/09/22	< 5.000	
MERCURY	71900	036	2009/09/22	< 1.000	2012/09
NICKEL	01067	036	2009/09/22	< 10.000	2012/09
PERCHLORATE	A-031	036	2011/09/09	< .000	2014/09
SELENIUM	01147	036	2009/09/22	< 5.000	2012/09
THALLIUM	01059	036	2009/09/22	< 1.000	2012/09
NITRATE/NITRITE					
NITRATE (AS NO3)	71850	012	2012/03/19	28.900	2013/03
NITRITE (AS N)	00620	036	2009/09/22	< 400.000	2012/09
RADIOLOGICAL					
GROSS ALPHA	01501	WAIVED	2007/08/20	1.050	
GROSS BETA	03501	WAIVED			
RA-226 FOR CWS OR TOTAL RA FOR NTNC BY 903.0	A-080	WAIVED			
RA-226 OR TOTAL RA BY 903.0 C.E.	A-081	WAIVED			
RADIUM 226	09501	WAIVED			
RADIUM 228	11501	WAIVED			

**Testing interval is in months;*
0 = No data for this constituent and is DUE NOW
999 = Waived testing (not required)
I = Invalid (NOT) valid analyses reported

System Number: ***2400099***

System Name: ***GRACE MENNONITE SCHOOL***

PS Code: ***2400099-001***

Source Name: ***SYSTEM WELL #1-S. SIDE OF PROPERTY***

Source Number: ***001***

Source Status: ***ACTIVE UNTREATED***

Water type: ***GROUNDWATER OR WELL***

	STORET NUMBER	TESTING INTERVAL (MONTHS)*	LAST TEST DATE (yyyy/mm/dd)	LAST RESULT REPORTED	NEXT TEST DATE (yyyy/mm)
RADIOLOGICAL					
RADIUM, TOTAL, MDA95-NTNC ONLY, BY 903.0	A-082	WAIVED			
STRONTIUM-90	13501	WAIVED			
TRITIUM	07000	WAIVED			
URANIUM (PCI/L)	28012	WAIVED			
REGULATED SOC					
2,3,7,8-TCDD (DIOXIN)	34676	WAIVED			
2,4,5-TP (SILVEX)	39045	WAIVED			
2,4-D	39730	WAIVED			
ALACHLOR	77825	036	2010/09/28	< .000	2013/09
ATRAZINE	39033	036	2010/09/28	< .000	2013/09
BENTAZON	38710	WAIVED			
BENZO (A) PYRENE	34247	WAIVED	2010/09/28	< .000	
CARBOFURAN	81405	WAIVED			
CHLORDANE	39350	WAIVED			
DALAPON	38432	WAIVED			
DI(2-ETHYLHEXYL)ADIPATE	A-026	WAIVED	2010/09/28	< .000	
DI(2-ETHYLHEXYL)PHTHALATE	39100	WAIVED	2010/09/28	< .000	
DIBROMOCHLOROPROPANE (DBCP)	38761	036	2010/09/28	.000	2013/09
DINOSEB	81287	WAIVED			
DIQUAT	78885	WAIVED			
ENDOTHALL	38926	WAIVED			
ENDRIN	39390	WAIVED			
ETHYLENE DIBROMIDE (EDB)	77651	036	2010/09/28	.000	2013/09
GLYPHOSATE	79743	WAIVED			
HEPTACHLOR	39410	WAIVED			
HEPTACHLOR EPOXIDE	39420	WAIVED			
HEXACHLOROBENZENE	39700	WAIVED			
HEXACHLOROCYCLOPENTADIENE	34386	WAIVED			
LINDANE	39340	WAIVED			

**Testing interval is in months;*
0 = No data for this constituent and is DUE NOW
999 = Waived testing (not required)
I = Invalid (NOT) valid analyses reported

System Number: ***2400099***

System Name: ***GRACE MENNONITE SCHOOL***

PS Code: ***2400099-001***

Source Name: ***SYSTEM WELL #1-S. SIDE OF PROPERTY***

Source Number: ***001***

Source Status: ***ACTIVE UNTREATED***

Water type: ***GROUNDWATER OR WELL***

	STORET NUMBER	TESTING INTERVAL (MONTHS)*	LAST TEST DATE (yyyy/mm/dd)	LAST RESULT REPORTED	NEXT TEST DATE (yyyy/mm)
REGULATED SOC					
METHOXYCHLOR	39480	WAIVED			
MOLINATE	82199	WAIVED	2010/09/28	< .000	
OXAMYL	38865	WAIVED			
PENTACHLOROPHENOL	39032	WAIVED			
PICLORAM	39720	WAIVED			
POLYCHLORINATED BIPHENYLS, TOTAL, AS DCB	39516	WAIVED			
SIMAZINE	39055	036	2010/09/28	< .000	2013/09
THIOBENCARB	A-001	WAIVED	2010/09/28	< .000	
TOXAPHENE	39400	WAIVED			
REGULATED VOC					
1,1,1-TRICHLOROETHANE	34506	060	2007/09/14	.000	2012/09
1,1,2,2-TETRACHLOROETHANE	34516	060	2007/09/14	.000	2012/09
1,1,2-TRICHLORO-1,2,2-TRIFLUOROETHANE	81611	060	2007/09/14	.000	2012/09
1,1,2-TRICHLOROETHANE	34511	060	2007/09/14	.000	2012/09
1,1-DICHLOROETHANE	34496	060	2007/09/14	.000	2012/09
1,1-DICHLOROETHYLENE	34501	060	2007/09/14	.000	2012/09
1,2,4-TRICHLOROBENZENE	34551	060	2007/09/14	.000	2012/09
1,2-DICHLOROBENZENE	34536	060	2007/09/14	.000	2012/09
1,2-DICHLOROETHANE	34531	060	2007/09/14	.000	2012/09
1,2-DICHLOROPROPANE	34541	060	2007/09/14	.000	2012/09
1,3-DICHLOROPROPENE (TOTAL)	34561	060	2007/09/14	.000	2012/09
1,4-DICHLOROBENZENE	34571	060	2007/09/14	.000	2012/09
BENZENE	34030	060	2007/09/14	.000	2012/09
CARBON TETRACHLORIDE	32102	060	2007/09/14	.000	2012/09
CIS-1,2-DICHLOROETHYLENE	77093	060	2007/09/14	.000	2012/09
DICHLOROMETHANE	34423	060	2007/09/14	.000	2012/09
ETHYLBENZENE	34371	060	2007/09/14	.000	2012/09
METHYL-TERT-BUTYL-ETHER (MTBE)	46491	060	2008/12/09	.000	2013/12
MONOCHLOROBENZENE	34301	060	2007/09/14	.000	2012/09

**Testing interval is in months;*
0 = No data for this constituent and is DUE NOW
999 = Waived testing (not required)
I = Invalid (NOT) valid analyses reported

System Number: ***2400099***

System Name: ***GRACE MENNONITE SCHOOL***

PS Code: ***2400099-001***

Source Name: ***SYSTEM WELL #1-S. SIDE OF PROPERTY***

Source Number: ***001***

Source Status: ***ACTIVE UNTREATED***

Water type: ***GROUNDWATER OR WELL***

	STORET NUMBER	TESTING INTERVAL (MONTHS)*	LAST TEST DATE (yyyy/mm/dd)	LAST RESULT REPORTED	NEXT TEST DATE (yyyy/mm)	
REGULATED VOC						
STYRENE	77128	060	2007/09/14	.000	2012/09	
TETRACHLOROETHYLENE	34475	060	2007/09/14	.000	2012/09	
TOLUENE	34010	060	2007/09/14	.000	2012/09	
TRANS-1,2-DICHLOROETHYLENE	34546	060	2007/09/14	.000	2012/09	
TRICHLOROETHYLENE	39180	060	2007/09/14	.000	2012/09	
TRICHLOROFLUOROMETHANE	34488	060	2007/09/14	.000	2012/09	
VINYL CHLORIDE	39175	060	2007/09/14	.000	2012/09	
XYLENES (TOTAL)	81551	060	2007/09/14	< .500	2012/09	
SECONDARY/GP						
AGGRSSIVE INDEX (CORROSIVITY)	82383	WAIVED				
BICARBONATE ALKALINITY	00440	000				DUE
CALCIUM	00916	000				DUE
CARBONATE ALKALINITY	00445	000				DUE
CHLORIDE	00940	WAIVED				
COLOR	00081	WAIVED				
COPPER	01042	WAIVED				
FOAMING AGENTS (MBAS)	38260	WAIVED				
HARDNESS (TOTAL) AS CACO3	00900	000				DUE
HYDROXIDE ALKALINITY	71830	000				DUE
IRON	01045	000				DUE
MAGNESIUM	00927	000				DUE
MANGANESE	01055	000				DUE
ODOR THRESHOLD @ 60 C	00086	WAIVED				
PH, LABORATORY	00403	000				DUE
SILVER	01077	WAIVED	2009/09/22	< 10.000		
SODIUM	00929	000				DUE
SPECIFIC CONDUCTANCE	00095	WAIVED	2011/09/09	210.000		
SULFATE	00945	WAIVED				
TOTAL DISSOLVED SOLIDS	70300	WAIVED				

**Testing interval is in months;*
0 = No data for this constituent and is DUE NOW
999 = Waived testing (not required)
I = Invalid (NOT) valid analyses reported

System Number: ***2400099***

System Name: ***GRACE MENNONITE SCHOOL***

PS Code: ***2400099-001***

Source Name: ***SYSTEM WELL #1-S. SIDE OF PROPERTY***

Source Number: ***001***

Source Status: ***ACTIVE UNTREATED***

Water type: ***GROUNDWATER OR WELL***

SECONDARY/GP	STORET NUMBER	TESTING INTERVAL (MONTHS)*	LAST TEST DATE (yyyy/mm/dd)	LAST RESULT REPORTED	NEXT TEST DATE (yyyy/mm)
TURBIDITY, LABORATORY	82079	WAIVED			
ZINC	01092	WAIVED			

**Testing interval is in months;*
0 = No data for this constituent and is DUE NOW
999 = Waived testing (not required)
I = Invalid (NOT) valid analyses reported

System Number: ***2400113***

System Name: ***SCHELBY SCHOOL***

PS Code: ***2400113-013***

Source Name: ***WELL #4 TO NORTH-DRILLED 1989***

Source Number: ***013***

Source Status: ***ACTIVE UNTREATED***

Water type: ***GROUNDWATER OR WELL***

	STORET NUMBER	TESTING INTERVAL (MONTHS)*	LAST TEST DATE (yyyy/mm/dd)	LAST RESULT REPORTED	NEXT TEST DATE (yyyy/mm)
GENERAL NON CHAP 15					
DIAZINON	39570	WAIVED	2009/12/17	< .250	
INORGANIC					
ALUMINUM	01105	036	2009/12/17	.000	2012/12
ANTIMONY	01097	036	2009/12/17	.000	2012/12
ARSENIC	01002	036	2009/12/17	3.600	2012/12
ASBESTOS	81855	WAIVED			
BARIUM	01007	036	2009/12/17	.000	2012/12
BERYLLIUM	01012	036	2009/12/17	.000	2012/12
CADMIUM	01027	036	2009/12/17	.000	2012/12
CHROMIUM (TOTAL)	01034	036	2009/12/17	.000	2012/12
CYANIDE	01291	WAIVED			
FLUORIDE (F) (NATURAL-SOURCE)	00951	036	2009/12/17	.100	2012/12
LEAD	01051	WAIVED	2009/12/17	.000	
MERCURY	71900	036	2009/12/17	.000	2012/12
NICKEL	01067	036	2009/12/17	.000	2012/12
PERCHLORATE	A-031	036	2010/06/08	< .000	2013/06
SELENIUM	01147	036	2009/12/17	.000	2012/12
THALLIUM	01059	036	2009/12/17	.000	2012/12
NITRATE/NITRITE					
NITRATE (AS NO3)	71850	012	2011/12/20	< 2.000	2012/12
NITRITE (AS N)	00620	036	2009/12/17	< 400.000	2012/12
RADIOLOGICAL					
GROSS ALPHA	01501	WAIVED	2010/03/16	< .000	
GROSS BETA	03501	WAIVED			
RA-226 FOR CWS OR TOTAL RA FOR NTNC BY 903.0	A-080	WAIVED			
RA-226 OR TOTAL RA BY 903.0 C.E.	A-081	WAIVED			
RADIUM 226	09501	WAIVED			
RADIUM 228	11501	WAIVED			

**Testing interval is in months;*
0 = No data for this constituent and is DUE NOW
999 = Waived testing (not required)
I = Invalid (NOT) valid analyses reported

System Number: ***2400113***

System Name: ***SCHELBY SCHOOL***

PS Code: ***2400113-013***

Source Name: ***WELL #4 TO NORTH-DRILLED 1989***

Source Number: ***013***

Source Status: ***ACTIVE UNTREATED***

Water type: ***GROUNDWATER OR WELL***

	STORET NUMBER	TESTING INTERVAL (MONTHS)*	LAST TEST DATE (yyyy/mm/dd)	LAST RESULT REPORTED	NEXT TEST DATE (yyyy/mm)
RADIOLOGICAL					
RADIUM, TOTAL, MDA95-NTNC ONLY, BY 903.0	A-082	WAIVED			
STRONTIUM-90	13501	WAIVED			
TRITIUM	07000	WAIVED			
URANIUM (PCI/L)	28012	WAIVED			
REGULATED SOC					
2,3,7,8-TCDD (DIOXIN)	34676	WAIVED			
2,4,5-TP (SILVEX)	39045	WAIVED			
2,4-D	39730	WAIVED			
ALACHLOR	77825	036	2009/12/17	.000	2012/12
ATRAZINE	39033	036	2009/12/17	.000	2012/12
BENTAZON	38710	WAIVED			
BENZO (A) PYRENE	34247	WAIVED	2009/12/17	.000	
CARBOFURAN	81405	WAIVED			
CHLORDANE	39350	WAIVED			
DALAPON	38432	WAIVED			
DI(2-ETHYLHEXYL)ADIPATE	A-026	WAIVED	2009/12/17	.000	
DI(2-ETHYLHEXYL)PHTHALATE	39100	WAIVED	2009/12/17	.000	
DIBROMOCHLOROPROPANE (DBCP)	38761	036	2009/12/17	.000	2012/12
DINOSEB	81287	WAIVED			
DIQUAT	78885	WAIVED			
ENDOTHALL	38926	WAIVED			
ENDRIN	39390	WAIVED			
ETHYLENE DIBROMIDE (EDB)	77651	036	2009/12/17	.000	2012/12
GLYPHOSATE	79743	WAIVED			
HEPTACHLOR	39410	WAIVED			
HEPTACHLOR EPOXIDE	39420	WAIVED			
HEXACHLOROBENZENE	39700	WAIVED			
HEXACHLOROCYCLOPENTADIENE	34386	WAIVED			
LINDANE	39340	WAIVED			

**Testing interval is in months;*
0 = No data for this constituent and is DUE NOW
999 = Waived testing (not required)
I = Invalid (NOT) valid analyses reported

System Number: ***2400113***

System Name: ***SCHELBY SCHOOL***

PS Code: ***2400113-013***

Source Name: ***WELL #4 TO NORTH-DRILLED 1989***

Source Number: ***013***

Source Status: ***ACTIVE UNTREATED***

Water type: ***GROUNDWATER OR WELL***

	STORET NUMBER	TESTING INTERVAL (MONTHS)*	LAST TEST DATE (yyyy/mm/dd)	LAST RESULT REPORTED	NEXT TEST DATE (yyyy/mm)
REGULATED SOC					
METHOXYCHLOR	39480	WAIVED			
MOLINATE	82199	WAIVED	2009/12/17	.000	
OXAMYL	38865	WAIVED			
PENTACHLOROPHENOL	39032	WAIVED			
PICLORAM	39720	WAIVED			
POLYCHLORINATED BIPHENYLS, TOTAL, AS DCB	39516	WAIVED			
SIMAZINE	39055	036	2009/12/17	.000	2012/12
THIOBENCARB	A-001	WAIVED	2009/12/17	.000	
TOXAPHENE	39400	WAIVED			
REGULATED VOC					
1,1,1-TRICHLOROETHANE	34506	060	2009/12/17	.000	2014/12
1,1,2,2-TETRACHLOROETHANE	34516	060	2009/12/17	.000	2014/12
1,1,2-TRICHLORO-1,2,2-TRIFLUOROETHANE	81611	060	2009/12/17	.000	2014/12
1,1,2-TRICHLOROETHANE	34511	060	2009/12/17	.000	2014/12
1,1-DICHLOROETHANE	34496	060	2009/12/17	.000	2014/12
1,1-DICHLOROETHYLENE	34501	060	2009/12/17	.000	2014/12
1,2,4-TRICHLOROBENZENE	34551	060	2009/12/17	.000	2014/12
1,2-DICHLOROBENZENE	34536	060	2009/12/17	.000	2014/12
1,2-DICHLOROETHANE	34531	060	2009/12/17	.000	2014/12
1,2-DICHLOROPROPANE	34541	060	2009/12/17	.000	2014/12
1,3-DICHLOROPROPENE (TOTAL)	34561	060	2009/12/17	.000	2014/12
1,4-DICHLOROBENZENE	34571	060	2009/12/17	.000	2014/12
BENZENE	34030	060	2009/12/17	.000	2014/12
CARBON TETRACHLORIDE	32102	060	2009/12/17	.000	2014/12
CIS-1,2-DICHLOROETHYLENE	77093	060	2009/12/17	.000	2014/12
DICHLOROMETHANE	34423	060	2009/12/17	.000	2014/12
ETHYLBENZENE	34371	060	2009/12/17	.000	2014/12
METHYL-TERT-BUTYL-ETHER (MTBE)	46491	060	2009/12/17	.000	2014/12
MONOCHLOROBENZENE	34301	060	2009/12/17	.000	2014/12

**Testing interval is in months;*
0 = No data for this constituent and is DUE NOW
999 = Waived testing (not required)
I = Invalid (NOT) valid analyses reported

System Number: ***2400113***

System Name: ***SCHELBY SCHOOL***

PS Code: ***2400113-013***

Source Name: ***WELL #4 TO NORTH-DRILLED 1989***

Source Number: ***013***

Source Status: ***ACTIVE UNTREATED***

Water type: ***GROUNDWATER OR WELL***

	STORET NUMBER	TESTING INTERVAL (MONTHS)*	LAST TEST DATE (yyyy/mm/dd)	LAST RESULT REPORTED	NEXT TEST DATE (yyyy/mm)	
REGULATED VOC						
STYRENE	77128	060	2009/12/17	.000	2014/12	
TETRACHLOROETHYLENE	34475	060	2009/12/17	.000	2014/12	
TOLUENE	34010	060	2009/12/17	.000	2014/12	
TRANS-1,2-DICHLOROETHYLENE	34546	060	2009/12/17	.000	2014/12	
TRICHLOROETHYLENE	39180	060	2009/12/17	.000	2014/12	
TRICHLOROFLUOROMETHANE	34488	060	2009/12/17	.000	2014/12	
VINYL CHLORIDE	39175	060	2009/12/17	.000	2014/12	
XYLENES (TOTAL)	81551	060	2009/12/17	< .500	2014/12	
SECONDARY/GP						
AGGRSSIVE INDEX (CORROSIVITY)	82383	WAIVED	2003/03/27	10.500		
BICARBONATE ALKALINITY	00440	000				DUE
CALCIUM	00916	000				DUE
CARBONATE ALKALINITY	00445	000				DUE
CHLORIDE	00940	WAIVED				
COLOR	00081	WAIVED				
COPPER	01042	WAIVED				
FOAMING AGENTS (MBAS)	38260	WAIVED				
HARDNESS (TOTAL) AS CACO3	00900	000				DUE
HYDROXIDE ALKALINITY	71830	000				DUE
IRON	01045	000				DUE
MAGNESIUM	00927	000				DUE
MANGANESE	01055	000				DUE
ODOR THRESHOLD @ 60 C	00086	WAIVED				
PH, LABORATORY	00403	WAIVED	2003/03/27	7.100		
SILVER	01077	WAIVED	2009/12/17	.000		
SODIUM	00929	000				DUE
SPECIFIC CONDUCTANCE	00095	WAIVED	2010/06/08	220.000		
SULFATE	00945	WAIVED				
TOTAL DISSOLVED SOLIDS	70300	WAIVED	2003/03/27	208.000		

**Testing interval is in months;*
0 = No data for this constituent and is DUE NOW
999 = Waived testing (not required)
I = Invalid (NOT) valid analyses reported

System Number: ***2400113***

System Name: ***SCHELBY SCHOOL***

PS Code: ***2400113-013***

Source Name: ***WELL #4 TO NORTH-DRILLED 1989***

Source Number: ***013***

Source Status: ***ACTIVE UNTREATED***

Water type: ***GROUNDWATER OR WELL***

	STORET NUMBER	TESTING INTERVAL (MONTHS)*	LAST TEST DATE (yyyy/mm/dd)	LAST RESULT REPORTED	NEXT TEST DATE (yyyy/mm)
SECONDARY/GP					
TURBIDITY, LABORATORY	82079	WAIVED			
ZINC	01092	WAIVED			

PS Code: ***2400113-014***

Source Name: ***WELL #5 TO SOUTH-DRILLED 2000***

Source Number: ***014***

Source Status: ***ACTIVE UNTREATED***

Water type: ***GROUNDWATER OR WELL***

	STORET NUMBER	TESTING INTERVAL (MONTHS)*	LAST TEST DATE (yyyy/mm/dd)	LAST RESULT REPORTED	NEXT TEST DATE (yyyy/mm)
GENERAL NON CHAP 15					
DIAZINON	39570	WAIVED	2009/12/17	< .250	
INORGANIC					
ALUMINUM	01105	036	2009/12/17	.000	2012/12
ANTIMONY	01097	036	2009/12/17	.000	2012/12
ARSENIC	01002	036	2010/01/25	7.200	2013/01
ASBESTOS	81855	WAIVED			
BARIUM	01007	036	2009/12/17	.000	2012/12
BERYLLIUM	01012	036	2009/12/17	.000	2012/12
CADMIUM	01027	036	2009/12/17	.000	2012/12
CHROMIUM (TOTAL)	01034	036	2009/12/17	.000	2012/12
CYANIDE	01291	WAIVED			
FLUORIDE (F) (NATURAL-SOURCE)	00951	036	2009/12/17	.100	2012/12
LEAD	01051	WAIVED	2009/12/17	.000	
MERCURY	71900	036	2009/12/17	.000	2012/12
NICKEL	01067	036	2009/12/17	.000	2012/12
PERCHLORATE	A-031	036	2010/06/08	< .000	2013/06
SELENIUM	01147	036	2009/12/17	.000	2012/12
THALLIUM	01059	036	2009/12/17	.000	2012/12

**Testing interval is in months;*
0 = No data for this constituent and is DUE NOW
999 = Waived testing (not required)
I = Invalid (NOT) valid analyses reported

System Number: ***2400113***

System Name: ***SCHELBY SCHOOL***

PS Code: ***2400113-014***

Source Name: ***WELL #5 TO SOUTH-DRILLED 2000***

Source Number: ***014***

Source Status: ***ACTIVE UNTREATED***

Water type: ***GROUNDWATER OR WELL***

	STORET NUMBER	TESTING INTERVAL (MONTHS)*	LAST TEST DATE (yyyy/mm/dd)	LAST RESULT REPORTED	NEXT TEST DATE (yyyy/mm)
NITRATE/NITRITE					
NITRATE (AS NO3)	71850	012	2011/12/20	2.800	2012/12
NITRITE (AS N)	00620	036	2009/12/17	< 400.000	2012/12
RADIOLOGICAL					
GROSS ALPHA	01501	WAIVED	2010/03/16	< .000	
GROSS BETA	03501	WAIVED			
RA-226 FOR CWS OR TOTAL RA FOR NTNC BY 903.0	A-080	WAIVED			
RA-226 OR TOTAL RA BY 903.0 C.E.	A-081	WAIVED			
RADIUM 226	09501	WAIVED			
RADIUM 228	11501	WAIVED			
RADIUM, TOTAL, MDA95-NTNC ONLY, BY 903.0	A-082	WAIVED			
STRONTIUM-90	13501	WAIVED			
TRITIUM	07000	WAIVED			
URANIUM (PCI/L)	28012	WAIVED			
REGULATED SOC					
2,3,7,8-TCDD (DIOXIN)	34676	WAIVED			
2,4,5-TP (SILVEX)	39045	WAIVED			
2,4-D	39730	WAIVED			
ALACHLOR	77825	036	2009/12/17	.000	2012/12
ATRAZINE	39033	036	2009/12/17	.000	2012/12
BENTAZON	38710	WAIVED			
BENZO (A) PYRENE	34247	WAIVED	2009/12/17	.000	
CARBOFURAN	81405	WAIVED			
CHLORDANE	39350	WAIVED			
DALAPON	38432	WAIVED			
DI(2-ETHYLHEXYL)ADIPATE	A-026	WAIVED	2009/12/17	.000	
DI(2-ETHYLHEXYL)PHTHALATE	39100	WAIVED	2009/12/17	.000	
DIBROMOCHLOROPROPANE (DBCP)	38761	036	2009/12/17	.000	2012/12
DINOSEB	81287	WAIVED			
DIQUAT	78885	WAIVED			

**Testing interval is in months;*
0 = No data for this constituent and is DUE NOW
999 = Waived testing (not required)
I = Invalid (NOT) valid analyses reported

System Number: ***2400113***

System Name: ***SCHELBY SCHOOL***

PS Code: ***2400113-014***

Source Name: ***WELL #5 TO SOUTH-DRILLED 2000***

Source Number: ***014***

Source Status: ***ACTIVE UNTREATED***

Water type: ***GROUNDWATER OR WELL***

	STORET NUMBER	TESTING INTERVAL (MONTHS)*	LAST TEST DATE (yyyy/mm/dd)	LAST RESULT REPORTED	NEXT TEST DATE (yyyy/mm)
REGULATED SOC					
ENDOTHALL	38926	WAIVED			
ENDRIN	39390	WAIVED			
ETHYLENE DIBROMIDE (EDB)	77651	036	2009/12/17	.000	2012/12
GLYPHOSATE	79743	WAIVED			
HEPTACHLOR	39410	WAIVED			
HEPTACHLOR EPOXIDE	39420	WAIVED			
HEXACHLOROBENZENE	39700	WAIVED			
HEXACHLOROCYCLOPENTADIENE	34386	WAIVED			
LINDANE	39340	WAIVED			
METHOXYCHLOR	39480	WAIVED			
MOLINATE	82199	WAIVED	2009/12/17	.000	
OXAMYL	38865	WAIVED			
PENTACHLOROPHENOL	39032	WAIVED			
PICLORAM	39720	WAIVED			
POLYCHLORINATED BIPHENYLS, TOTAL, AS DCB	39516	WAIVED			
SIMAZINE	39055	036	2009/12/17	.000	2012/12
THIOBENCARB	A-001	WAIVED	2009/12/17	.000	
TOXAPHENE	39400	WAIVED			
REGULATED VOC					
1,1,1-TRICHLOROETHANE	34506	060	2009/12/17	.000	2014/12
1,1,2,2-TETRACHLOROETHANE	34516	060	2009/12/17	.000	2014/12
1,1,2-TRICHLORO-1,2,2-TRIFLUOROETHANE	81611	060	2009/12/17	.000	2014/12
1,1,2-TRICHLOROETHANE	34511	060	2009/12/17	.000	2014/12
1,1-DICHLOROETHANE	34496	060	2009/12/17	.000	2014/12
1,1-DICHLOROETHYLENE	34501	060	2009/12/17	.000	2014/12
1,2,4-TRICHLOROBENZENE	34551	060	2009/12/17	.000	2014/12
1,2-DICHLOROBENZENE	34536	060	2009/12/17	.000	2014/12
1,2-DICHLOROETHANE	34531	060	2009/12/17	.000	2014/12
1,2-DICHLOROPROPANE	34541	060	2009/12/17	.000	2014/12

**Testing interval is in months;*
0 = No data for this constituent and is DUE NOW
999 = Waived testing (not required)
I = Invalid (NOT) valid analyses reported

System Number: ***2400113***

System Name: ***SCHELBY SCHOOL***

PS Code: ***2400113-014***

Source Name: ***WELL #5 TO SOUTH-DRILLED 2000***

Source Number: ***014***

Source Status: ***ACTIVE UNTREATED***

Water type: ***GROUNDWATER OR WELL***

	STORET NUMBER	TESTING INTERVAL (MONTHS)*	LAST TEST DATE (yyyy/mm/dd)	LAST RESULT REPORTED	NEXT TEST DATE (yyyy/mm)	
REGULATED VOC						
1,3-DICHLOROPROPENE (TOTAL)	34561	060	2009/12/17	.000	2014/12	
1,4-DICHLOROBENZENE	34571	060	2009/12/17	.000	2014/12	
BENZENE	34030	060	2009/12/17	.000	2014/12	
CARBON TETRACHLORIDE	32102	060	2009/12/17	.000	2014/12	
CIS-1,2-DICHLOROETHYLENE	77093	060	2009/12/17	.000	2014/12	
DICHLOROMETHANE	34423	060	2009/12/17	.000	2014/12	
ETHYLBENZENE	34371	060	2009/12/17	.000	2014/12	
METHYL-TERT-BUTYL-ETHER (MTBE)	46491	060	2009/12/17	.000	2014/12	
MONOCHLOROBENZENE	34301	060	2009/12/17	.000	2014/12	
STYRENE	77128	060	2009/12/17	.000	2014/12	
TETRACHLOROETHYLENE	34475	060	2009/12/17	.000	2014/12	
TOLUENE	34010	060	2009/12/17	.000	2014/12	
TRANS-1,2-DICHLOROETHYLENE	34546	060	2009/12/17	.000	2014/12	
TRICHLOROETHYLENE	39180	060	2009/12/17	.000	2014/12	
TRICHLOROFLUOROMETHANE	34488	060	2009/12/17	.000	2014/12	
VINYL CHLORIDE	39175	060	2009/12/17	.000	2014/12	
XYLENES (TOTAL)	81551	060	2009/12/17	< .500	2014/12	
SECONDARY/GP						
AGGRSSIVE INDEX (CORROSIVITY)	82383	WAIVED				
BICARBONATE ALKALINITY	00440	000				DUE
CALCIUM	00916	000				DUE
CARBONATE ALKALINITY	00445	000				DUE
CHLORIDE	00940	WAIVED				
COLOR	00081	WAIVED				
COPPER	01042	WAIVED				
FOAMING AGENTS (MBAS)	38260	WAIVED				
HARDNESS (TOTAL) AS CACO3	00900	000				DUE
HYDROXIDE ALKALINITY	71830	000				DUE
IRON	01045	000				DUE

**Testing interval is in months;*
0 = No data for this constituent and is DUE NOW
999 = Waived testing (not required)
I = Invalid (NOT) valid analyses reported

System Number: ***2400113***

System Name: ***SCHELBY SCHOOL***

PS Code: ***2400113-014***

Source Name: ***WELL #5 TO SOUTH-DRILLED 2000***

Source Number: ***014***

Source Status: ***ACTIVE UNTREATED***

Water type: ***GROUNDWATER OR WELL***

SECONDARY/GP

	STORET NUMBER	TESTING INTERVAL (MONTHS)*	LAST TEST DATE (yyyy/mm/dd)	LAST RESULT REPORTED	NEXT TEST DATE (yyyy/mm)	
MAGNESIUM	**00927**	**000**				**DUE**
MANGANESE	**01055**	**000**				**DUE**
ODOR THRESHOLD @ 60 C	**00086**	**WAIVED**				
PH, LABORATORY	**00403**	**000**				**DUE**
SILVER	**01077**	**WAIVED**	2009/12/17	**.000**		
SODIUM	**00929**	**000**				**DUE**
SPECIFIC CONDUCTANCE	**00095**	**WAIVED**	2010/06/08	**220.000**		
SULFATE	**00945**	**WAIVED**				
TOTAL DISSOLVED SOLIDS	**70300**	**WAIVED**				
TURBIDITY, LABORATORY	**82079**	**WAIVED**				
ZINC	**01092**	**WAIVED**				

**Testing interval is in months;*
0 = No data for this constituent and is DUE NOW
999 = Waived testing (not required)
I = Invalid (NOT) valid analyses reported

System Number: ***2400114***

System Name: ***LAKE YOSEMITE COUNTY PARK (MCDPW)***

PS Code: ***2400114-002***

Source Name: ***SYSTEM WELL #2-GOAT RIDGE AREA***

Source Number: ***002***

Source Status: ***ACTIVE UNTREATED***

Water type: ***GROUNDWATER OR WELL***

	STORET NUMBER	TESTING INTERVAL (MONTHS)*	LAST TEST DATE (yyyy/mm/dd)	LAST RESULT REPORTED	NEXT TEST DATE (yyyy/mm)
GENERAL NON CHAP 15					
DIAZINON	39570	WAIVED			
INORGANIC					
ALUMINUM	01105	WAIVED			
ANTIMONY	01097	WAIVED			
ARSENIC	01002	WAIVED			
ASBESTOS	81855	WAIVED			
BARIUM	01007	WAIVED			
BERYLLIUM	01012	WAIVED			
CADMIUM	01027	WAIVED			
CHROMIUM (TOTAL)	01034	WAIVED			
CYANIDE	01291	WAIVED			
FLUORIDE (F) (NATURAL-SOURCE)	00951	WAIVED			
LEAD	01051	WAIVED			
MERCURY	71900	WAIVED			
NICKEL	01067	WAIVED			
PERCHLORATE	A-031	WAIVED			
SELENIUM	01147	WAIVED			
THALLIUM	01059	WAIVED			
NITRATE/NITRITE					
NITRATE (AS NO3)	71850	000			**DUE**
NITRITE (AS N)	00620	000			**DUE**
RADIOLOGICAL					
GROSS ALPHA	01501	WAIVED			
GROSS BETA	03501	WAIVED			
RA-226 FOR CWS OR TOTAL RA FOR NTNC BY 903.0	A-080	WAIVED			
RA-226 OR TOTAL RA BY 903.0 C.E.	A-081	WAIVED			
RADIUM 226	09501	WAIVED			
RADIUM 228	11501	WAIVED			

**Testing interval is in months;*
0 = No data for this constituent and is DUE NOW
999 = Waived testing (not required)
I = Invalid (NOT) valid analyses reported

System Number: ***2400114***

System Name: ***LAKE YOSEMITE COUNTY PARK (MCDPW)***

PS Code: ***2400114-002***

Source Name: ***SYSTEM WELL #2-GOAT RIDGE AREA***

Source Number: ***002***

Source Status: ***ACTIVE UNTREATED***

Water type: ***GROUNDWATER OR WELL***

	STORET NUMBER	TESTING INTERVAL (MONTHS)*	LAST TEST DATE (yyyy/mm/dd)	LAST RESULT REPORTED	NEXT TEST DATE (yyyy/mm)
RADIOLOGICAL					
RADIUM, TOTAL, MDA95-NTNC ONLY, BY 903.0	A-082	WAIVED			
STRONTIUM-90	13501	WAIVED			
TRITIUM	07000	WAIVED			
URANIUM (PCI/L)	28012	WAIVED			
REGULATED SOC					
2,3,7,8-TCDD (DIOXIN)	34676	WAIVED			
2,4,5-TP (SILVEX)	39045	WAIVED			
2,4-D	39730	WAIVED			
ALACHLOR	77825	WAIVED			
ATRAZINE	39033	WAIVED			
BENTAZON	38710	WAIVED			
BENZO (A) PYRENE	34247	WAIVED			
CARBOFURAN	81405	WAIVED			
CHLORDANE	39350	WAIVED			
DALAPON	38432	WAIVED			
DI(2-ETHYLHEXYL)ADIPATE	A-026	WAIVED			
DI(2-ETHYLHEXYL)PHTHALATE	39100	WAIVED			
DIBROMOCHLOROPROPANE (DBCP)	38761	WAIVED			
DINOSEB	81287	WAIVED			
DIQUAT	78885	WAIVED			
ENDOTHALL	38926	WAIVED			
ENDRIN	39390	WAIVED			
ETHYLENE DIBROMIDE (EDB)	77651	WAIVED			
GLYPHOSATE	79743	WAIVED			
HEPTACHLOR	39410	WAIVED			
HEPTACHLOR EPOXIDE	39420	WAIVED			
HEXACHLOROBENZENE	39700	WAIVED			
HEXACHLOROCYCLOPENTADIENE	34386	WAIVED			
LINDANE	39340	WAIVED			

**Testing interval is in months;*
0 = No data for this constituent and is DUE NOW
999 = Waived testing (not required)
I = Invalid (NOT) valid analyses reported

System Number: ***2400114***

System Name: ***LAKE YOSEMITE COUNTY PARK (MCDPW)***

PS Code: ***2400114-002***

Source Name: ***SYSTEM WELL #2-GOAT RIDGE AREA***

Source Number: ***002***

Source Status: ***ACTIVE UNTREATED***

Water type: ***GROUNDWATER OR WELL***

REGULATED SOC

	STORET NUMBER	TESTING INTERVAL (MONTHS)*	LAST TEST DATE (yyyy/mm/dd)	LAST RESULT REPORTED	NEXT TEST DATE (yyyy/mm)
METHOXYCHLOR	39480	WAIVED			
MOLINATE	82199	WAIVED			
OXAMYL	38865	WAIVED			
PENTACHLOROPHENOL	39032	WAIVED			
PICLORAM	39720	WAIVED			
POLYCHLORINATED BIPHENYLS, TOTAL, AS DCB	39516	WAIVED			
SIMAZINE	39055	WAIVED			
THIOBENCARB	A-001	WAIVED			
TOXAPHENE	39400	WAIVED			

REGULATED VOC

1,1,1-TRICHLOROETHANE	34506	WAIVED			
1,1,2,2-TETRACHLOROETHANE	34516	WAIVED			
1,1,2-TRICHLORO-1,2,2-TRIFLUOROETHANE	81611	WAIVED			
1,1,2-TRICHLOROETHANE	34511	WAIVED			
1,1-DICHLOROETHANE	34496	WAIVED			
1,1-DICHLOROETHYLENE	34501	WAIVED			
1,2,4-TRICHLOROBENZENE	34551	WAIVED			
1,2-DICHLOROBENZENE	34536	WAIVED			
1,2-DICHLOROETHANE	34531	WAIVED			
1,2-DICHLOROPROPANE	34541	WAIVED			
1,3-DICHLOROPROPENE (TOTAL)	34561	WAIVED			
1,4-DICHLOROBENZENE	34571	WAIVED			
BENZENE	34030	WAIVED			
CARBON TETRACHLORIDE	32102	WAIVED			
CIS-1,2-DICHLOROETHYLENE	77093	WAIVED			
DICHLOROMETHANE	34423	WAIVED			
ETHYLBENZENE	34371	WAIVED			
METHYL-TERT-BUTYL-ETHER (MTBE)	46491	WAIVED			
MONOCHLOROBENZENE	34301	WAIVED			

**Testing interval is in months;*
0 = No data for this constituent and is DUE NOW
999 = Waived testing (not required)
I = Invalid (NOT) valid analyses reported

System Number: ***2400114***

System Name: ***LAKE YOSEMITE COUNTY PARK (MCDPW)***

PS Code: ***2400114-002***

Source Name: ***SYSTEM WELL #2-GOAT RIDGE AREA***

Source Number: ***002***

Source Status: ***ACTIVE UNTREATED***

Water type: ***GROUNDWATER OR WELL***

	STORET NUMBER	TESTING INTERVAL (MONTHS)*	LAST TEST DATE (yyyy/mm/dd)	LAST RESULT REPORTED	NEXT TEST DATE (yyyy/mm)
REGULATED VOC					
STYRENE	77128	WAIVED			
TETRACHLOROETHYLENE	34475	WAIVED			
TOLUENE	34010	WAIVED			
TRANS-1,2-DICHLOROETHYLENE	34546	WAIVED			
TRICHLOROETHYLENE	39180	WAIVED			
TRICHLOROFLUOROMETHANE	34488	WAIVED			
VINYL CHLORIDE	39175	WAIVED			
XYLENES (TOTAL)	81551	WAIVED			
SECONDARY/GP					
AGGRSSIVE INDEX (CORROSIVITY)	82383	WAIVED			
BICARBONATE ALKALINITY	00440	WAIVED			
CALCIUM	00916	WAIVED			
CARBONATE ALKALINITY	00445	WAIVED			
CHLORIDE	00940	WAIVED			
COLOR	00081	WAIVED			
COPPER	01042	WAIVED			
FOAMING AGENTS (MBAS)	38260	WAIVED			
HARDNESS (TOTAL) AS CACO3	00900	WAIVED			
HYDROXIDE ALKALINITY	71830	WAIVED			
IRON	01045	WAIVED			
MAGNESIUM	00927	WAIVED			
MANGANESE	01055	WAIVED			
ODOR THRESHOLD @ 60 C	00086	WAIVED			
PH, LABORATORY	00403	WAIVED			
SILVER	01077	WAIVED			
SODIUM	00929	WAIVED			
SPECIFIC CONDUCTANCE	00095	WAIVED			
SULFATE	00945	WAIVED			
TOTAL DISSOLVED SOLIDS	70300	WAIVED			

**Testing interval is in months;*
0 = No data for this constituent and is DUE NOW
999 = Waived testing (not required)
I = Invalid (NOT) valid analyses reported

System Number: ***2400114***

System Name: ***LAKE YOSEMITE COUNTY PARK (MCDPW)***

PS Code: ***2400114-002***

Source Name: ***SYSTEM WELL #2-GOAT RIDGE AREA***

Source Number: ***002***

Source Status: ***ACTIVE UNTREATED***

Water type: ***GROUNDWATER OR WELL***

	STORET NUMBER	TESTING INTERVAL (MONTHS)*	LAST TEST DATE (yyyy/mm/dd)	LAST RESULT REPORTED	NEXT TEST DATE (yyyy/mm)
SECONDARY/GP					
TURBIDITY, LABORATORY	82079	WAIVED			
ZINC	01092	WAIVED			

PS Code: ***2400114-003***

Source Name: ***SYSTEM WELL #3-SCOUT ISLAND AREA***

Source Number: ***003***

Source Status: ***ACTIVE UNTREATED***

Water type: ***GROUNDWATER OR WELL***

	STORET NUMBER	TESTING INTERVAL (MONTHS)*	LAST TEST DATE (yyyy/mm/dd)	LAST RESULT REPORTED	NEXT TEST DATE (yyyy/mm)
GENERAL NON CHAP 15					
DIAZINON	39570	WAIVED			
INORGANIC					
ALUMINUM	01105	WAIVED			
ANTIMONY	01097	WAIVED			
ARSENIC	01002	WAIVED			
ASBESTOS	81855	WAIVED			
BARIUM	01007	WAIVED			
BERYLLIUM	01012	WAIVED			
CADMIUM	01027	WAIVED			
CHROMIUM (TOTAL)	01034	WAIVED			
CYANIDE	01291	WAIVED			
FLUORIDE (F) (NATURAL-SOURCE)	00951	WAIVED			
LEAD	01051	WAIVED			
MERCURY	71900	WAIVED			
NICKEL	01067	WAIVED			
PERCHLORATE	A-031	WAIVED			
SELENIUM	01147	WAIVED			
THALLIUM	01059	WAIVED			

**Testing interval is in months;*
0 = No data for this constituent and is DUE NOW
999 = Waived testing (not required)
I = Invalid (NOT) valid analyses reported

System Number: ***2400114***

System Name: ***LAKE YOSEMITE COUNTY PARK (MCDPW)***

PS Code: ***2400114-003***

Source Name: ***SYSTEM WELL #3-SCOUT ISLAND AREA***

Source Number: ***003***

Source Status: ***ACTIVE UNTREATED***

Water type: ***GROUNDWATER OR WELL***

	STORET NUMBER	TESTING INTERVAL (MONTHS)*	LAST TEST DATE (yyyy/mm/dd)	LAST RESULT REPORTED	NEXT TEST DATE (yyyy/mm)
NITRATE/NITRITE					
NITRATE (AS NO3)	**71850**	**000**			**DUE**
NITRITE (AS N)	**00620**	**000**			**DUE**
RADIOLOGICAL					
GROSS ALPHA	**01501**	**WAIVED**			
GROSS BETA	**03501**	**WAIVED**			
RA-226 FOR CWS OR TOTAL RA FOR NTNC BY 903.0	**A-080**	**WAIVED**			
RA-226 OR TOTAL RA BY 903.0 C.E.	**A-081**	**WAIVED**			
RADIUM 226	**09501**	**WAIVED**			
RADIUM 228	**11501**	**WAIVED**			
RADIUM, TOTAL, MDA95-NTNC ONLY, BY 903.0	**A-082**	**WAIVED**			
STRONTIUM-90	**13501**	**WAIVED**			
TRITIUM	**07000**	**WAIVED**			
URANIUM (PCI/L)	**28012**	**WAIVED**			
REGULATED SOC					
2,3,7,8-TCDD (DIOXIN)	**34676**	**WAIVED**			
2,4,5-TP (SILVEX)	**39045**	**WAIVED**			
2,4-D	**39730**	**WAIVED**			
ALACHLOR	**77825**	**WAIVED**			
ATRAZINE	**39033**	**WAIVED**			
BENTAZON	**38710**	**WAIVED**			
BENZO (A) PYRENE	**34247**	**WAIVED**			
CARBOFURAN	**81405**	**WAIVED**			
CHLORDANE	**39350**	**WAIVED**			
DALAPON	**38432**	**WAIVED**			
DI(2-ETHYLHEXYL)ADIPATE	**A-026**	**WAIVED**			
DI(2-ETHYLHEXYL)PHTHALATE	**39100**	**WAIVED**			
DIBROMOCHLOROPROPANE (DBCP)	**38761**	**WAIVED**			
DINOSEB	**81287**	**WAIVED**			
DIQUAT	**78885**	**WAIVED**			

**Testing interval is in months;*
0 = No data for this constituent and is DUE NOW
999 = Waived testing (not required)
I = Invalid (NOT) valid analyses reported

System Number: ***2400114***

System Name: ***LAKE YOSEMITE COUNTY PARK (MCDPW)***

PS Code: ***2400114-003***

Source Name: ***SYSTEM WELL #3-SCOUT ISLAND AREA***

Source Number: ***003***

Source Status: ***ACTIVE UNTREATED***

Water type: ***GROUNDWATER OR WELL***

	STORET NUMBER	TESTING INTERVAL (MONTHS)*	LAST TEST DATE (yyyy/mm/dd)	LAST RESULT REPORTED	NEXT TEST DATE (yyyy/mm)
REGULATED SOC					
ENDOTHALL	38926	WAIVED			
ENDRIN	39390	WAIVED			
ETHYLENE DIBROMIDE (EDB)	77651	WAIVED			
GLYPHOSATE	79743	WAIVED			
HEPTACHLOR	39410	WAIVED			
HEPTACHLOR EPOXIDE	39420	WAIVED			
HEXACHLOROBENZENE	39700	WAIVED			
HEXACHLOROCYCLOPENTADIENE	34386	WAIVED			
LINDANE	39340	WAIVED			
METHOXYCHLOR	39480	WAIVED			
MOLINATE	82199	WAIVED			
OXAMYL	38865	WAIVED			
PENTACHLOROPHENOL	39032	WAIVED			
PICLORAM	39720	WAIVED			
POLYCHLORINATED BIPHENYLS, TOTAL, AS DCB	39516	WAIVED			
SIMAZINE	39055	WAIVED			
THIOBENCARB	A-001	WAIVED			
TOXAPHENE	39400	WAIVED			
REGULATED VOC					
1,1,1-TRICHLOROETHANE	34506	WAIVED			
1,1,2,2-TETRACHLOROETHANE	34516	WAIVED			
1,1,2-TRICHLORO-1,2,2-TRIFLUOROETHANE	81611	WAIVED			
1,1,2-TRICHLOROETHANE	34511	WAIVED			
1,1-DICHLOROETHANE	34496	WAIVED			
1,1-DICHLOROETHYLENE	34501	WAIVED			
1,2,4-TRICHLOROBENZENE	34551	WAIVED			
1,2-DICHLOROBENZENE	34536	WAIVED			
1,2-DICHLOROETHANE	34531	WAIVED			
1,2-DICHLOROPROPANE	34541	WAIVED			

**Testing interval is in months;*
0 = No data for this constituent and is DUE NOW
999 = Waived testing (not required)
I = Invalid (NOT) valid analyses reported

System Number: ***2400114***

System Name: ***LAKE YOSEMITE COUNTY PARK (MCDPW)***

PS Code: ***2400114-003***

Source Name: ***SYSTEM WELL #3-SCOUT ISLAND AREA***

Source Number: ***003***

Source Status: ***ACTIVE UNTREATED***

Water type: ***GROUNDWATER OR WELL***

	STORET NUMBER	TESTING INTERVAL (MONTHS)*	LAST TEST DATE (yyyy/mm/dd)	LAST RESULT REPORTED	NEXT TEST DATE (yyyy/mm)
REGULATED VOC					
1,3-DICHLOROPROPENE (TOTAL)	34561	WAIVED			
1,4-DICHLOROBENZENE	34571	WAIVED			
BENZENE	34030	WAIVED			
CARBON TETRACHLORIDE	32102	WAIVED			
CIS-1,2-DICHLOROETHYLENE	77093	WAIVED			
DICHLOROMETHANE	34423	WAIVED			
ETHYLBENZENE	34371	WAIVED			
METHYL-TERT-BUTYL-ETHER (MTBE)	46491	WAIVED			
MONOCHLOROBENZENE	34301	WAIVED			
STYRENE	77128	WAIVED			
TETRACHLOROETHYLENE	34475	WAIVED			
TOLUENE	34010	WAIVED			
TRANS-1,2-DICHLOROETHYLENE	34546	WAIVED			
TRICHLOROETHYLENE	39180	WAIVED			
TRICHLOROFLUOROMETHANE	34488	WAIVED			
VINYL CHLORIDE	39175	WAIVED			
XYLENES (TOTAL)	81551	WAIVED			
SECONDARY/GP					
AGGRSSIVE INDEX (CORROSIVITY)	82383	WAIVED			
BICARBONATE ALKALINITY	00440	WAIVED			
CALCIUM	00916	WAIVED			
CARBONATE ALKALINITY	00445	WAIVED			
CHLORIDE	00940	WAIVED			
COLOR	00081	WAIVED			
COPPER	01042	WAIVED			
FOAMING AGENTS (MBAS)	38260	WAIVED			
HARDNESS (TOTAL) AS CACO3	00900	WAIVED			
HYDROXIDE ALKALINITY	71830	WAIVED			
IRON	01045	WAIVED			

**Testing interval is in months;*
0 = No data for this constituent and is DUE NOW
999 = Waived testing (not required)
I = Invalid (NOT) valid analyses reported

System Number: ***2400114***

System Name: ***LAKE YOSEMITE COUNTY PARK (MCDPW)***

PS Code: ***2400114-003***

Source Name: ***SYSTEM WELL #3-SCOUT ISLAND AREA***

Source Number: ***003***

Source Status: ***ACTIVE UNTREATED***

Water type: ***GROUNDWATER OR WELL***

SECONDARY/GP

	STORET NUMBER	TESTING INTERVAL (MONTHS)*	LAST TEST DATE (yyyy/mm/dd)	LAST RESULT REPORTED	NEXT TEST DATE (yyyy/mm)
MAGNESIUM	00927	WAIVED			
MANGANESE	01055	WAIVED			
ODOR THRESHOLD @ 60 C	00086	WAIVED			
PH, LABORATORY	00403	WAIVED			
SILVER	01077	WAIVED			
SODIUM	00929	WAIVED			
SPECIFIC CONDUCTANCE	00095	WAIVED			
SULFATE	00945	WAIVED			
TOTAL DISSOLVED SOLIDS	70300	WAIVED			
TURBIDITY, LABORATORY	82079	WAIVED			
ZINC	01092	WAIVED			

PS Code: ***2400114-004***

Source Name: ***SYSTEM WELL #5-NEW ROTARY COVE II AREA***

Source Number: ***004***

Source Status: ***ACTIVE UNTREATED***

Water type: ***GROUNDWATER OR WELL***

GENERAL NON CHAP 15

DIAZINON	39570	WAIVED			

INORGANIC

ALUMINUM	01105	WAIVED			
ANTIMONY	01097	WAIVED			
ARSENIC	01002	WAIVED			
ASBESTOS	81855	WAIVED			
BARIUM	01007	WAIVED			
BERYLLIUM	01012	WAIVED			
CADMIUM	01027	WAIVED			
CHROMIUM (TOTAL)	01034	WAIVED			
CYANIDE	01291	WAIVED			

**Testing interval is in months;*
0 = No data for this constituent and is DUE NOW
999 = Waived testing (not required)
I = Invalid (NOT) valid analyses reported

System Number: ***2400114***

System Name: ***LAKE YOSEMITE COUNTY PARK (MCDPW)***

PS Code: ***2400114-004***

Source Name: ***SYSTEM WELL #5-NEW ROTARY COVE II AREA***

Source Number: ***004***

Source Status: ***ACTIVE UNTREATED***

Water type: ***GROUNDWATER OR WELL***

	STORET NUMBER	TESTING INTERVAL (MONTHS)*	LAST TEST DATE (yyyy/mm/dd)	LAST RESULT REPORTED	NEXT TEST DATE (yyyy/mm)	
INORGANIC						
FLUORIDE (F) (NATURAL-SOURCE)	00951	WAIVED				
LEAD	01051	WAIVED				
MERCURY	71900	WAIVED				
NICKEL	01067	WAIVED				
PERCHLORATE	A-031	WAIVED				
SELENIUM	01147	WAIVED				
THALLIUM	01059	WAIVED				
NITRATE/NITRITE						
NITRATE (AS NO3)	71850	012	2011/01/03	14.000	2012/01	DUE
NITRITE (AS N)	00620	036	2011/01/03	.000	2014/01	
RADIOLOGICAL						
GROSS ALPHA	01501	WAIVED				
GROSS BETA	03501	WAIVED				
RA-226 FOR CWS OR TOTAL RA FOR NTNC BY 903.0	A-080	WAIVED				
RA-226 OR TOTAL RA BY 903.0 C.E.	A-081	WAIVED				
RADIUM 226	09501	WAIVED				
RADIUM 228	11501	WAIVED				
RADIUM, TOTAL, MDA95-NTNC ONLY, BY 903.0	A-082	WAIVED				
STRONTIUM-90	13501	WAIVED				
TRITIUM	07000	WAIVED				
URANIUM (PCI/L)	28012	WAIVED				
REGULATED SOC						
2,3,7,8-TCDD (DIOXIN)	34676	WAIVED				
2,4,5-TP (SILVEX)	39045	WAIVED				
2,4-D	39730	WAIVED				
ALACHLOR	77825	WAIVED				
ATRAZINE	39033	WAIVED				
BENTAZON	38710	WAIVED				

**Testing interval is in months;*
0 = No data for this constituent and is DUE NOW
999 = Waived testing (not required)
I = Invalid (NOT) valid analyses reported

System Number: ***2400114***

System Name: ***LAKE YOSEMITE COUNTY PARK (MCDPW)***

PS Code: ***2400114-004***

Source Name: ***SYSTEM WELL #5-NEW ROTARY COVE II AREA***

Source Number: ***004***

Source Status: ***ACTIVE UNTREATED***

Water type: ***GROUNDWATER OR WELL***

REGULATED SOC

	STORET NUMBER	TESTING INTERVAL (MONTHS)*	LAST TEST DATE (yyyy/mm/dd)	LAST RESULT REPORTED	NEXT TEST DATE (yyyy/mm)
BENZO (A) PYRENE	34247	WAIVED			
CARBOFURAN	81405	WAIVED			
CHLORDANE	39350	WAIVED			
DALAPON	38432	WAIVED			
DI(2-ETHYLHEXYL)ADIPATE	A-026	WAIVED			
DI(2-ETHYLHEXYL)PHTHALATE	39100	WAIVED			
DIBROMOCHLOROPROPANE (DBCP)	38761	WAIVED			
DINOSEB	81287	WAIVED			
DIQUAT	78885	WAIVED			
ENDOTHALL	38926	WAIVED			
ENDRIN	39390	WAIVED			
ETHYLENE DIBROMIDE (EDB)	77651	WAIVED			
GLYPHOSATE	79743	WAIVED			
HEPTACHLOR	39410	WAIVED			
HEPTACHLOR EPOXIDE	39420	WAIVED			
HEXACHLOROBENZENE	39700	WAIVED			
HEXACHLOROCYCLOPENTADIENE	34386	WAIVED			
LINDANE	39340	WAIVED			
METHOXYCHLOR	39480	WAIVED			
MOLINATE	82199	WAIVED			
OXAMYL	38865	WAIVED			
PENTACHLOROPHENOL	39032	WAIVED			
PICLORAM	39720	WAIVED			
POLYCHLORINATED BIPHENYLS, TOTAL, AS DCB	39516	WAIVED			
SIMAZINE	39055	WAIVED			
THIOBENCARB	A-001	WAIVED			
TOXAPHENE	39400	WAIVED			

REGULATED VOC

1,1,1-TRICHLOROETHANE	34506	WAIVED			

**Testing interval is in months;*
0 = No data for this constituent and is DUE NOW
999 = Waived testing (not required)
I = Invalid (NOT) valid analyses reported

System Number: ***2400114***

System Name: ***LAKE YOSEMITE COUNTY PARK (MCDPW)***

PS Code: ***2400114-004***

Source Name: ***SYSTEM WELL #5-NEW ROTARY COVE II AREA***

Source Number: ***004***

Source Status: ***ACTIVE UNTREATED***

Water type: ***GROUNDWATER OR WELL***

	STORET NUMBER	TESTING INTERVAL (MONTHS)*	LAST TEST DATE (yyyy/mm/dd)	LAST RESULT REPORTED	NEXT TEST DATE (yyyy/mm)
REGULATED VOC					
1,1,2,2-TETRACHLOROETHANE	34516	WAIVED			
1,1,2-TRICHLORO-1,2,2-TRIFLUOROETHANE	81611	WAIVED			
1,1,2-TRICHLOROETHANE	34511	WAIVED			
1,1-DICHLOROETHANE	34496	WAIVED			
1,1-DICHLOROETHYLENE	34501	WAIVED			
1,2,4-TRICHLOROBENZENE	34551	WAIVED			
1,2-DICHLOROBENZENE	34536	WAIVED			
1,2-DICHLOROETHANE	34531	WAIVED			
1,2-DICHLOROPROPANE	34541	WAIVED			
1,3-DICHLOROPROPENE (TOTAL)	34561	WAIVED			
1,4-DICHLOROBENZENE	34571	WAIVED			
BENZENE	34030	WAIVED			
CARBON TETRACHLORIDE	32102	WAIVED			
CIS-1,2-DICHLOROETHYLENE	77093	WAIVED			
DICHLOROMETHANE	34423	WAIVED			
ETHYLBENZENE	34371	WAIVED			
METHYL-TERT-BUTYL-ETHER (MTBE)	46491	WAIVED			
MONOCHLOROBENZENE	34301	WAIVED			
STYRENE	77128	WAIVED			
TETRACHLOROETHYLENE	34475	WAIVED			
TOLUENE	34010	WAIVED			
TRANS-1,2-DICHLOROETHYLENE	34546	WAIVED			
TRICHLOROETHYLENE	39180	WAIVED			
TRICHLOROFLUOROMETHANE	34488	WAIVED			
VINYL CHLORIDE	39175	WAIVED			
XYLENES (TOTAL)	81551	WAIVED			
SECONDARY/GP					
AGGRSSIVE INDEX (CORROSIVITY)	82383	WAIVED			
BICARBONATE ALKALINITY	00440	WAIVED			

**Testing interval is in months;*
0 = No data for this constituent and is DUE NOW
999 = Waived testing (not required)
I = Invalid (NOT) valid analyses reported

System Number: ***2400114***

System Name: ***LAKE YOSEMITE COUNTY PARK (MCDPW)***

PS Code: ***2400114-004***

Source Name: ***SYSTEM WELL #5-NEW ROTARY COVE II AREA***

Source Number: ***004***

Source Status: ***ACTIVE UNTREATED***

Water type: ***GROUNDWATER OR WELL***

SECONDARY/GP

	STORET NUMBER	TESTING INTERVAL (MONTHS)*	LAST TEST DATE (yyyy/mm/dd)	LAST RESULT REPORTED	NEXT TEST DATE (yyyy/mm)
CALCIUM	00916	WAIVED			
CARBONATE ALKALINITY	00445	WAIVED			
CHLORIDE	00940	WAIVED			
COLOR	00081	WAIVED			
COPPER	01042	WAIVED			
FOAMING AGENTS (MBAS)	38260	WAIVED			
HARDNESS (TOTAL) AS CACO3	00900	WAIVED			
HYDROXIDE ALKALINITY	71830	WAIVED			
IRON	01045	WAIVED			
MAGNESIUM	00927	WAIVED			
MANGANESE	01055	WAIVED			
ODOR THRESHOLD @ 60 C	00086	WAIVED			
PH, LABORATORY	00403	WAIVED			
SILVER	01077	WAIVED			
SODIUM	00929	WAIVED			
SPECIFIC CONDUCTANCE	00095	WAIVED			
SULFATE	00945	WAIVED			
TOTAL DISSOLVED SOLIDS	70300	WAIVED			
TURBIDITY, LABORATORY	82079	WAIVED			
ZINC	01092	WAIVED			

PS Code: ***2400114-014***

Source Name: ***WELL # 6 - BICENTENNIAL GROVE 8/07***

Source Number: ***014***

Source Status: ***ACTIVE UNTREATED***

Water type: ***GROUNDWATER OR WELL***

GENERAL NON CHAP 15

DIAZINON	39570	WAIVED			

**Testing interval is in months;*
0 = No data for this constituent and is DUE NOW
999 = Waived testing (not required)
I = Invalid (NOT) valid analyses reported

System Number: ***2400114***

System Name: ***LAKE YOSEMITE COUNTY PARK (MCDPW)***

PS Code: ***2400114-014***

Source Name: ***WELL # 6 - BICENTENNIAL GROVE 8/07***

Source Number: ***014***

Source Status: ***ACTIVE UNTREATED***

Water type: ***GROUNDWATER OR WELL***

	STORET NUMBER	TESTING INTERVAL (MONTHS)*	LAST TEST DATE (yyyy/mm/dd)	LAST RESULT REPORTED	NEXT TEST DATE (yyyy/mm)
INORGANIC					
ALUMINUM	01105	WAIVED			
ANTIMONY	01097	WAIVED			
ARSENIC	01002	WAIVED			
ASBESTOS	81855	WAIVED			
BARIUM	01007	WAIVED			
BERYLLIUM	01012	WAIVED			
CADMIUM	01027	WAIVED			
CHROMIUM (TOTAL)	01034	WAIVED			
CYANIDE	01291	WAIVED			
FLUORIDE (F) (NATURAL-SOURCE)	00951	WAIVED			
LEAD	01051	WAIVED			
MERCURY	71900	WAIVED			
NICKEL	01067	WAIVED			
PERCHLORATE	A-031	WAIVED			
SELENIUM	01147	WAIVED			
THALLIUM	01059	WAIVED			
NITRATE/NITRITE					
NITRATE (AS NO3)	71850	012	2012/04/25	16.000	2013/04
NITRITE (AS N)	00620	036	2011/01/03	.000	2014/01
RADIOLOGICAL					
GROSS ALPHA	01501	WAIVED			
GROSS BETA	03501	WAIVED			
RA-226 FOR CWS OR TOTAL RA FOR NTNC BY 903.0	A-080	WAIVED			
RA-226 OR TOTAL RA BY 903.0 C.E.	A-081	WAIVED			
RADIUM 226	09501	WAIVED			
RADIUM 228	11501	WAIVED			
RADIUM, TOTAL, MDA95-NTNC ONLY, BY 903.0	A-082	WAIVED			
STRONTIUM-90	13501	WAIVED			
TRITIUM	07000	WAIVED			

**Testing interval is in months;*
0 = No data for this constituent and is DUE NOW
999 = Waived testing (not required)
I = Invalid (NOT) valid analyses reported

System Number: ***2400114***

System Name: ***LAKE YOSEMITE COUNTY PARK (MCDPW)***

PS Code: ***2400114-014***

Source Name: ***WELL # 6 - BICENTENNIAL GROVE 8/07***

Source Number: ***014***

Source Status: ***ACTIVE UNTREATED***

Water type: ***GROUNDWATER OR WELL***

	STORET NUMBER	TESTING INTERVAL (MONTHS)*	LAST TEST DATE (yyyy/mm/dd)	LAST RESULT REPORTED	NEXT TEST DATE (yyyy/mm)
RADIOLOGICAL					
URANIUM (PCI/L)	28012	WAIVED			
REGULATED SOC					
2,3,7,8-TCDD (DIOXIN)	34676	WAIVED			
2,4,5-TP (SILVEX)	39045	WAIVED			
2,4-D	39730	WAIVED			
ALACHLOR	77825	WAIVED			
ATRAZINE	39033	WAIVED			
BENTAZON	38710	WAIVED			
BENZO (A) PYRENE	34247	WAIVED			
CARBOFURAN	81405	WAIVED			
CHLORDANE	39350	WAIVED			
DALAPON	38432	WAIVED			
DI(2-ETHYLHEXYL)ADIPATE	A-026	WAIVED			
DI(2-ETHYLHEXYL)PHTHALATE	39100	WAIVED			
DIBROMOCHLOROPROPANE (DBCP)	38761	WAIVED			
DINOSEB	81287	WAIVED			
DIQUAT	78885	WAIVED			
ENDOTHALL	38926	WAIVED			
ENDRIN	39390	WAIVED			
ETHYLENE DIBROMIDE (EDB)	77651	WAIVED			
GLYPHOSATE	79743	WAIVED			
HEPTACHLOR	39410	WAIVED			
HEPTACHLOR EPOXIDE	39420	WAIVED			
HEXACHLOROBENZENE	39700	WAIVED			
HEXACHLOROCYCLOPENTADIENE	34386	WAIVED			
LINDANE	39340	WAIVED			
METHOXYCHLOR	39480	WAIVED			
MOLINATE	82199	WAIVED			
OXAMYL	38865	WAIVED			

**Testing interval is in months;*
0 = No data for this constituent and is DUE NOW
999 = Waived testing (not required)
I = Invalid (NOT) valid analyses reported

System Number: ***2400114***

System Name: ***LAKE YOSEMITE COUNTY PARK (MCDPW)***

PS Code: ***2400114-014***

Source Name: ***WELL # 6 - BICENTENNIAL GROVE 8/07***

Source Number: ***014***

Source Status: ***ACTIVE UNTREATED***

Water type: ***GROUNDWATER OR WELL***

	STORET NUMBER	TESTING INTERVAL (MONTHS)*	LAST TEST DATE (yyyy/mm/dd)	LAST RESULT REPORTED	NEXT TEST DATE (yyyy/mm)
REGULATED SOC					
PENTACHLOROPHENOL	39032	WAIVED			
PICLORAM	39720	WAIVED			
POLYCHLORINATED BIPHENYLS, TOTAL, AS DCB	39516	WAIVED			
SIMAZINE	39055	WAIVED			
THIOBENCARB	A-001	WAIVED			
TOXAPHENE	39400	WAIVED			
REGULATED VOC					
1,1,1-TRICHLOROETHANE	34506	WAIVED			
1,1,2,2-TETRACHLOROETHANE	34516	WAIVED			
1,1,2-TRICHLORO-1,2,2-TRIFLUOROETHANE	81611	WAIVED			
1,1,2-TRICHLOROETHANE	34511	WAIVED			
1,1-DICHLOROETHANE	34496	WAIVED			
1,1-DICHLOROETHYLENE	34501	WAIVED			
1,2,4-TRICHLOROBENZENE	34551	WAIVED			
1,2-DICHLOROBENZENE	34536	WAIVED			
1,2-DICHLOROETHANE	34531	WAIVED			
1,2-DICHLOROPROPANE	34541	WAIVED			
1,3-DICHLOROPROPENE (TOTAL)	34561	WAIVED			
1,4-DICHLOROBENZENE	34571	WAIVED			
BENZENE	34030	WAIVED			
CARBON TETRACHLORIDE	32102	WAIVED			
CIS-1,2-DICHLOROETHYLENE	77093	WAIVED			
DICHLOROMETHANE	34423	WAIVED			
ETHYLBENZENE	34371	WAIVED			
METHYL-TERT-BUTYL-ETHER (MTBE)	46491	WAIVED			
MONOCHLOROBENZENE	34301	WAIVED			
STYRENE	77128	WAIVED			
TETRACHLOROETHYLENE	34475	WAIVED			
TOLUENE	34010	WAIVED			

**Testing interval is in months;*
0 = No data for this constituent and is DUE NOW
999 = Waived testing (not required)
I = Invalid (NOT) valid analyses reported

System Number: ***2400114***

System Name: ***LAKE YOSEMITE COUNTY PARK (MCDPW)***

PS Code: ***2400114-014***

Source Name: ***WELL # 6 - BICENTENNIAL GROVE 8/07***

Source Number: ***014***

Source Status: ***ACTIVE UNTREATED***

Water type: ***GROUNDWATER OR WELL***

	STORET NUMBER	TESTING INTERVAL (MONTHS)*	LAST TEST DATE (yyyy/mm/dd)	LAST RESULT REPORTED	NEXT TEST DATE (yyyy/mm)
REGULATED VOC					
TRANS-1,2-DICHLOROETHYLENE	34546	WAIVED			
TRICHLOROETHYLENE	39180	WAIVED			
TRICHLOROFLUOROMETHANE	34488	WAIVED			
VINYL CHLORIDE	39175	WAIVED			
XYLENES (TOTAL)	81551	WAIVED			
SECONDARY/GP					
AGGRSSIVE INDEX (CORROSIVITY)	82383	WAIVED			
BICARBONATE ALKALINITY	00440	WAIVED			
CALCIUM	00916	WAIVED			
CARBONATE ALKALINITY	00445	WAIVED			
CHLORIDE	00940	WAIVED			
COLOR	00081	WAIVED			
COPPER	01042	WAIVED			
FOAMING AGENTS (MBAS)	38260	WAIVED			
HARDNESS (TOTAL) AS CACO3	00900	WAIVED			
HYDROXIDE ALKALINITY	71830	WAIVED			
IRON	01045	WAIVED			
MAGNESIUM	00927	WAIVED			
MANGANESE	01055	WAIVED			
ODOR THRESHOLD @ 60 C	00086	WAIVED			
PH, LABORATORY	00403	WAIVED			
SILVER	01077	WAIVED			
SODIUM	00929	WAIVED			
SPECIFIC CONDUCTANCE	00095	WAIVED			
SULFATE	00945	WAIVED			
TOTAL DISSOLVED SOLIDS	70300	WAIVED			
TURBIDITY, LABORATORY	82079	WAIVED			
ZINC	01092	WAIVED			

**Testing interval is in months;*
0 = No data for this constituent and is DUE NOW
999 = Waived testing (not required)
I = Invalid (NOT) valid analyses reported

System Number: ***2400117***

System Name: ***RANCHO DEL REY GOLF CLUB***

PS Code: ***2400117-011***

Source Name: ***WELL#2CLUB HOUSE LOOP A***

Source Number: ***011***

Source Status: ***ACTIVE UNTREATED***

Water type: ***GROUNDWATER OR WELL***

	STORET NUMBER	TESTING INTERVAL (MONTHS)*	LAST TEST DATE (yyyy/mm/dd)	LAST RESULT REPORTED	NEXT TEST DATE (yyyy/mm)
GENERAL NON CHAP 15					
DIAZINON	39570	WAIVED			
INORGANIC					
ALUMINUM	01105	WAIVED			
ANTIMONY	01097	WAIVED			
ARSENIC	01002	WAIVED			
ASBESTOS	81855	WAIVED			
BARIUM	01007	WAIVED			
BERYLLIUM	01012	WAIVED			
CADMIUM	01027	WAIVED			
CHROMIUM (TOTAL)	01034	WAIVED			
CYANIDE	01291	WAIVED			
FLUORIDE (F) (NATURAL-SOURCE)	00951	WAIVED			
LEAD	01051	WAIVED			
MERCURY	71900	WAIVED			
NICKEL	01067	WAIVED			
PERCHLORATE	A-031	WAIVED			
SELENIUM	01147	WAIVED			
THALLIUM	01059	WAIVED			
NITRATE/NITRITE					
NITRATE (AS NO3)	71850	012	2012/02/28	36.000	2013/02
NITRITE (AS N)	00620	036	2012/02/28	< 400.000	2015/02
RADIOLOGICAL					
GROSS ALPHA	01501	WAIVED			
GROSS BETA	03501	WAIVED			
RA-226 FOR CWS OR TOTAL RA FOR NTNC BY 903.0	A-080	WAIVED			
RA-226 OR TOTAL RA BY 903.0 C.E.	A-081	WAIVED			
RADIUM 226	09501	WAIVED			
RADIUM 228	11501	WAIVED			

**Testing interval is in months;*
0 = No data for this constituent and is DUE NOW
999 = Waived testing (not required)
I = Invalid (NOT) valid analyses reported

System Number: ***2400117***

System Name: ***RANCHO DEL REY GOLF CLUB***

PS Code: ***2400117-011***

Source Name: ***WELL#2CLUB HOUSE LOOP A***

Source Number: ***011***

Source Status: ***ACTIVE UNTREATED***

Water type: ***GROUNDWATER OR WELL***

	STORET NUMBER	TESTING INTERVAL (MONTHS)*	LAST TEST DATE (yyyy/mm/dd)	LAST RESULT REPORTED	NEXT TEST DATE (yyyy/mm)
RADIOLOGICAL					
RADIUM, TOTAL, MDA95-NTNC ONLY, BY 903.0	A-082	WAIVED			
STRONTIUM-90	13501	WAIVED			
TRITIUM	07000	WAIVED			
URANIUM (PCI/L)	28012	WAIVED			
REGULATED SOC					
2,3,7,8-TCDD (DIOXIN)	34676	WAIVED			
2,4,5-TP (SILVEX)	39045	WAIVED			
2,4-D	39730	WAIVED			
ALACHLOR	77825	WAIVED			
ATRAZINE	39033	WAIVED			
BENTAZON	38710	WAIVED			
BENZO (A) PYRENE	34247	WAIVED			
CARBOFURAN	81405	WAIVED			
CHLORDANE	39350	WAIVED			
DALAPON	38432	WAIVED			
DI(2-ETHYLHEXYL)ADIPATE	A-026	WAIVED			
DI(2-ETHYLHEXYL)PHTHALATE	39100	WAIVED			
DIBROMOCHLOROPROPANE (DBCP)	38761	WAIVED	2012/02/28	.000	
DINOSEB	81287	WAIVED			
DIQUAT	78885	WAIVED			
ENDOTHALL	38926	WAIVED			
ENDRIN	39390	WAIVED			
ETHYLENE DIBROMIDE (EDB)	77651	WAIVED	2006/08/08	.000	
GLYPHOSATE	79743	WAIVED			
HEPTACHLOR	39410	WAIVED			
HEPTACHLOR EPOXIDE	39420	WAIVED			
HEXACHLOROBENZENE	39700	WAIVED			
HEXACHLOROCYCLOPENTADIENE	34386	WAIVED			
LINDANE	39340	WAIVED			

**Testing interval is in months;*
0 = No data for this constituent and is DUE NOW
999 = Waived testing (not required)
I = Invalid (NOT) valid analyses reported

System Number: ***2400117***

System Name: ***RANCHO DEL REY GOLF CLUB***

PS Code: ***2400117-011***

Source Name: ***WELL#2CLUB HOUSE LOOP A***

Source Number: ***011***

Source Status: ***ACTIVE UNTREATED***

Water type: ***GROUNDWATER OR WELL***

	STORET NUMBER	TESTING INTERVAL (MONTHS)*	LAST TEST DATE (yyyy/mm/dd)	LAST RESULT REPORTED	NEXT TEST DATE (yyyy/mm)
REGULATED SOC					
METHOXYCHLOR	39480	WAIVED			
MOLINATE	82199	WAIVED			
OXAMYL	38865	WAIVED			
PENTACHLOROPHENOL	39032	WAIVED			
PICLORAM	39720	WAIVED			
POLYCHLORINATED BIPHENYLS, TOTAL, AS DCB	39516	WAIVED			
SIMAZINE	39055	WAIVED			
THIOBENCARB	A-001	WAIVED			
TOXAPHENE	39400	WAIVED			
REGULATED VOC					
1,1,1-TRICHLOROETHANE	34506	WAIVED			
1,1,2,2-TETRACHLOROETHANE	34516	WAIVED			
1,1,2-TRICHLORO-1,2,2-TRIFLUOROETHANE	81611	WAIVED			
1,1,2-TRICHLOROETHANE	34511	WAIVED			
1,1-DICHLOROETHANE	34496	WAIVED			
1,1-DICHLOROETHYLENE	34501	WAIVED			
1,2,4-TRICHLOROBENZENE	34551	WAIVED			
1,2-DICHLOROBENZENE	34536	WAIVED			
1,2-DICHLOROETHANE	34531	WAIVED			
1,2-DICHLOROPROPANE	34541	WAIVED			
1,3-DICHLOROPROPENE (TOTAL)	34561	WAIVED			
1,4-DICHLOROBENZENE	34571	WAIVED			
BENZENE	34030	WAIVED			
CARBON TETRACHLORIDE	32102	WAIVED			
CIS-1,2-DICHLOROETHYLENE	77093	WAIVED			
DICHLOROMETHANE	34423	WAIVED			
ETHYLBENZENE	34371	WAIVED			
METHYL-TERT-BUTYL-ETHER (MTBE)	46491	WAIVED			
MONOCHLOROBENZENE	34301	WAIVED			

**Testing interval is in months;*
0 = No data for this constituent and is DUE NOW
999 = Waived testing (not required)
I = Invalid (NOT) valid analyses reported

System Number: ***2400117***

System Name: ***RANCHO DEL REY GOLF CLUB***

PS Code: ***2400117-011***

Source Name: ***WELL#2CLUB HOUSE LOOP A***

Source Number: ***011***

Source Status: ***ACTIVE UNTREATED***

Water type: ***GROUNDWATER OR WELL***

	STORET NUMBER	TESTING INTERVAL (MONTHS)*	LAST TEST DATE (yyyy/mm/dd)	LAST RESULT REPORTED	NEXT TEST DATE (yyyy/mm)
REGULATED VOC					
STYRENE	77128	WAIVED			
TETRACHLOROETHYLENE	34475	WAIVED			
TOLUENE	34010	WAIVED			
TRANS-1,2-DICHLOROETHYLENE	34546	WAIVED			
TRICHLOROETHYLENE	39180	WAIVED			
TRICHLOROFLUOROMETHANE	34488	WAIVED			
VINYL CHLORIDE	39175	WAIVED			
XYLENES (TOTAL)	81551	WAIVED			
SECONDARY/GP					
AGGRSSIVE INDEX (CORROSIVITY)	82383	WAIVED			
BICARBONATE ALKALINITY	00440	WAIVED			
CALCIUM	00916	WAIVED			
CARBONATE ALKALINITY	00445	WAIVED			
CHLORIDE	00940	WAIVED			
COLOR	00081	WAIVED			
COPPER	01042	WAIVED			
FOAMING AGENTS (MBAS)	38260	WAIVED			
HARDNESS (TOTAL) AS CACO3	00900	WAIVED			
HYDROXIDE ALKALINITY	71830	WAIVED			
IRON	01045	WAIVED			
MAGNESIUM	00927	WAIVED			
MANGANESE	01055	WAIVED			
ODOR THRESHOLD @ 60 C	00086	WAIVED			
PH, LABORATORY	00403	WAIVED			
SILVER	01077	WAIVED			
SODIUM	00929	WAIVED			
SPECIFIC CONDUCTANCE	00095	WAIVED			
SULFATE	00945	WAIVED			
TOTAL DISSOLVED SOLIDS	70300	WAIVED			

**Testing interval is in months;*
0 = No data for this constituent and is DUE NOW
999 = Waived testing (not required)
I = Invalid (NOT) valid analyses reported

System Number: ***2400117***

System Name: ***RANCHO DEL REY GOLF CLUB***

PS Code: ***2400117-011***

Source Name: ***WELL#2CLUB HOUSE LOOP A***

Source Number: ***011***

Source Status: ***ACTIVE UNTREATED***

Water type: ***GROUNDWATER OR WELL***

SECONDARY/GP

	STORET NUMBER	TESTING INTERVAL (MONTHS)*	LAST TEST DATE (yyyy/mm/dd)	LAST RESULT REPORTED	NEXT TEST DATE (yyyy/mm)
TURBIDITY, LABORATORY	82079	WAIVED			
ZINC	01092	WAIVED			

PS Code: ***2400117-013***

Source Name: ***CHLORINATOR AT WELL #2 - LOOP A***

Source Number: ***013***

Source Status: ***ACTIVE TREATED***

Water type: ***GROUNDWATER OR WELL***

GENERAL NON CHAP 15

	STORET NUMBER	TESTING INTERVAL (MONTHS)*	LAST TEST DATE (yyyy/mm/dd)	LAST RESULT REPORTED	NEXT TEST DATE (yyyy/mm)
DIAZINON	39570	WAIVED			

INORGANIC

	STORET NUMBER	TESTING INTERVAL (MONTHS)*	LAST TEST DATE (yyyy/mm/dd)	LAST RESULT REPORTED	NEXT TEST DATE (yyyy/mm)
ALUMINUM	01105	WAIVED			
ANTIMONY	01097	WAIVED			
ARSENIC	01002	WAIVED			
ASBESTOS	81855	WAIVED			
BARIUM	01007	WAIVED			
BERYLLIUM	01012	WAIVED			
CADMIUM	01027	WAIVED			
CHROMIUM (TOTAL)	01034	WAIVED			
CYANIDE	01291	WAIVED			
FLUORIDE (F) (NATURAL-SOURCE)	00951	WAIVED			
LEAD	01051	WAIVED			
MERCURY	71900	WAIVED			
NICKEL	01067	WAIVED			
PERCHLORATE	A-031	WAIVED			
SELENIUM	01147	WAIVED			
THALLIUM	01059	WAIVED			

**Testing interval is in months;*
0 = No data for this constituent and is DUE NOW
999 = Waived testing (not required)
I = Invalid (NOT) valid analyses reported

System Number: ***2400117***

System Name: ***RANCHO DEL REY GOLF CLUB***

PS Code: ***2400117-013***

Source Name: ***CHLORINATOR AT WELL #2 - LOOP A***

Source Number: ***013***

Source Status: ***ACTIVE TREATED***

Water type: ***GROUNDWATER OR WELL***

	STORET NUMBER	TESTING INTERVAL (MONTHS)*	LAST TEST DATE (yyyy/mm/dd)	LAST RESULT REPORTED	NEXT TEST DATE (yyyy/mm)
NITRATE/NITRITE					
NITRATE (AS NO3)	71850	WAIVED			
NITRITE (AS N)	00620	WAIVED			
RADIOLOGICAL					
GROSS ALPHA	01501	WAIVED			
GROSS BETA	03501	WAIVED			
RA-226 FOR CWS OR TOTAL RA FOR NTNC BY 903.0	A-080	WAIVED			
RA-226 OR TOTAL RA BY 903.0 C.E.	A-081	WAIVED			
RADIUM 226	09501	WAIVED			
RADIUM 228	11501	WAIVED			
RADIUM, TOTAL, MDA95-NTNC ONLY, BY 903.0	A-082	WAIVED			
STRONTIUM-90	13501	WAIVED			
TRITIUM	07000	WAIVED			
URANIUM (PCI/L)	28012	WAIVED			
REGULATED SOC					
2,3,7,8-TCDD (DIOXIN)	34676	WAIVED			
2,4,5-TP (SILVEX)	39045	WAIVED			
2,4-D	39730	WAIVED			
ALACHLOR	77825	WAIVED			
ATRAZINE	39033	WAIVED			
BENTAZON	38710	WAIVED			
BENZO (A) PYRENE	34247	WAIVED			
CARBOFURAN	81405	WAIVED			
CHLORDANE	39350	WAIVED			
DALAPON	38432	WAIVED			
DI(2-ETHYLHEXYL)ADIPATE	A-026	WAIVED			
DI(2-ETHYLHEXYL)PHTHALATE	39100	WAIVED			
DIBROMOCHLOROPROPANE (DBCP)	38761	WAIVED	2008/08/22	.000	
DINOSEB	81287	WAIVED			
DIQUAT	78885	WAIVED			

**Testing interval is in months;*
0 = No data for this constituent and is DUE NOW
999 = Waived testing (not required)
I = Invalid (NOT) valid analyses reported

System Number: ***2400117***

System Name: ***RANCHO DEL REY GOLF CLUB***

PS Code: ***2400117-013***

Source Name: ***CHLORINATOR AT WELL #2 - LOOP A***

Source Number: ***013***

Source Status: ***ACTIVE TREATED***

Water type: ***GROUNDWATER OR WELL***

	STORET NUMBER	TESTING INTERVAL (MONTHS)*	LAST TEST DATE (yyyy/mm/dd)	LAST RESULT REPORTED	NEXT TEST DATE (yyyy/mm)
REGULATED SOC					
ENDOTHALL	38926	WAIVED			
ENDRIN	39390	WAIVED			
ETHYLENE DIBROMIDE (EDB)	77651	WAIVED			
GLYPHOSATE	79743	WAIVED			
HEPTACHLOR	39410	WAIVED			
HEPTACHLOR EPOXIDE	39420	WAIVED			
HEXACHLOROBENZENE	39700	WAIVED			
HEXACHLOROCYCLOPENTADIENE	34386	WAIVED			
LINDANE	39340	WAIVED			
METHOXYCHLOR	39480	WAIVED			
MOLINATE	82199	WAIVED			
OXAMYL	38865	WAIVED			
PENTACHLOROPHENOL	39032	WAIVED			
PICLORAM	39720	WAIVED			
POLYCHLORINATED BIPHENYLS, TOTAL, AS DCB	39516	WAIVED			
SIMAZINE	39055	WAIVED			
THIOBENCARB	A-001	WAIVED			
TOXAPHENE	39400	WAIVED			
REGULATED VOC					
1,1,1-TRICHLOROETHANE	34506	WAIVED			
1,1,2,2-TETRACHLOROETHANE	34516	WAIVED			
1,1,2-TRICHLORO-1,2,2-TRIFLUOROETHANE	81611	WAIVED			
1,1,2-TRICHLOROETHANE	34511	WAIVED			
1,1-DICHLOROETHANE	34496	WAIVED			
1,1-DICHLOROETHYLENE	34501	WAIVED			
1,2,4-TRICHLOROBENZENE	34551	WAIVED			
1,2-DICHLOROBENZENE	34536	WAIVED			
1,2-DICHLOROETHANE	34531	WAIVED			
1,2-DICHLOROPROPANE	34541	WAIVED			

**Testing interval is in months;*
0 = No data for this constituent and is DUE NOW
999 = Waived testing (not required)
I = Invalid (NOT) valid analyses reported

System Number: ***2400117***

System Name: ***RANCHO DEL REY GOLF CLUB***

PS Code: ***2400117-013***

Source Name: ***CHLORINATOR AT WELL #2 - LOOP A***

Source Number: ***013***

Source Status: ***ACTIVE TREATED***

Water type: ***GROUNDWATER OR WELL***

	STORET NUMBER	TESTING INTERVAL (MONTHS)*	LAST TEST DATE (yyyy/mm/dd)	LAST RESULT REPORTED	NEXT TEST DATE (yyyy/mm)
REGULATED VOC					
1,3-DICHLOROPROPENE (TOTAL)	34561	WAIVED			
1,4-DICHLOROBENZENE	34571	WAIVED			
BENZENE	34030	WAIVED			
CARBON TETRACHLORIDE	32102	WAIVED			
CIS-1,2-DICHLOROETHYLENE	77093	WAIVED			
DICHLOROMETHANE	34423	WAIVED			
ETHYLBENZENE	34371	WAIVED			
METHYL-TERT-BUTYL-ETHER (MTBE)	46491	WAIVED			
MONOCHLOROBENZENE	34301	WAIVED			
STYRENE	77128	WAIVED			
TETRACHLOROETHYLENE	34475	WAIVED			
TOLUENE	34010	WAIVED			
TRANS-1,2-DICHLOROETHYLENE	34546	WAIVED			
TRICHLOROETHYLENE	39180	WAIVED			
TRICHLOROFLUOROMETHANE	34488	WAIVED			
VINYL CHLORIDE	39175	WAIVED			
XYLENES (TOTAL)	81551	WAIVED			
SECONDARY/GP					
AGGRSSIVE INDEX (CORROSIVITY)	82383	WAIVED			
BICARBONATE ALKALINITY	00440	WAIVED			
CALCIUM	00916	WAIVED			
CARBONATE ALKALINITY	00445	WAIVED			
CHLORIDE	00940	WAIVED			
COLOR	00081	WAIVED			
COPPER	01042	WAIVED			
FOAMING AGENTS (MBAS)	38260	WAIVED			
HARDNESS (TOTAL) AS CACO3	00900	WAIVED			
HYDROXIDE ALKALINITY	71830	WAIVED			
IRON	01045	WAIVED			

**Testing interval is in months;*
0 = No data for this constituent and is DUE NOW
999 = Waived testing (not required)
I = Invalid (NOT) valid analyses reported

System Number: ***2400117***

System Name: ***RANCHO DEL REY GOLF CLUB***

PS Code: ***2400117-013***

Source Name: ***CHLORINATOR AT WELL #2 - LOOP A***

Source Number: ***013***

Source Status: ***ACTIVE TREATED***

Water type: ***GROUNDWATER OR WELL***

	STORET NUMBER	TESTING INTERVAL (MONTHS)*	LAST TEST DATE (yyyy/mm/dd)	LAST RESULT REPORTED	NEXT TEST DATE (yyyy/mm)
SECONDARY/GP					
MAGNESIUM	00927	WAIVED			
MANGANESE	01055	WAIVED			
ODOR THRESHOLD @ 60 C	00086	WAIVED			
PH, LABORATORY	00403	WAIVED			
SILVER	01077	WAIVED			
SODIUM	00929	WAIVED			
SPECIFIC CONDUCTANCE	00095	WAIVED			
SULFATE	00945	WAIVED			
TOTAL DISSOLVED SOLIDS	70300	WAIVED			
TURBIDITY, LABORATORY	82079	WAIVED			
ZINC	01092	WAIVED			

PS Code: ***2400117-014***

Source Name: ***WELL #3 GOLF COURSE (DRILLED 11/03)***

Source Number: ***014***

Source Status: ***ACTIVE UNTREATED***

Water type: ***GROUNDWATER OR WELL***

GENERAL NON CHAP 15					
DIAZINON	39570	WAIVED	2003/11/05	.000	
INORGANIC					
ALUMINUM	01105	WAIVED			
ANTIMONY	01097	WAIVED			
ARSENIC	01002	WAIVED			
ASBESTOS	81855	WAIVED			
BARIUM	01007	WAIVED			
BERYLLIUM	01012	WAIVED	2003/11/05	< 1.000	
CADMIUM	01027	WAIVED			
CHROMIUM (TOTAL)	01034	WAIVED	2003/11/05	< 10.000	
CYANIDE	01291	WAIVED			

**Testing interval is in months;*
0 = No data for this constituent and is DUE NOW
999 = Waived testing (not required)
I = Invalid (NOT) valid analyses reported

System Number: ***2400117***

System Name: ***RANCHO DEL REY GOLF CLUB***

PS Code: ***2400117-014***

Source Name: ***WELL #3 GOLF COURSE (DRILLED 11/03)***

Source Number: ***014***

Source Status: ***ACTIVE UNTREATED***

Water type: ***GROUNDWATER OR WELL***

	STORET NUMBER	TESTING INTERVAL (MONTHS)*	LAST TEST DATE (yyyy/mm/dd)	LAST RESULT REPORTED	NEXT TEST DATE (yyyy/mm)
INORGANIC					
FLUORIDE (F) (NATURAL-SOURCE)	00951	WAIVED			
LEAD	01051	WAIVED			
MERCURY	71900	WAIVED			
NICKEL	01067	WAIVED			
PERCHLORATE	A-031	WAIVED			
SELENIUM	01147	WAIVED			
THALLIUM	01059	WAIVED			
NITRATE/NITRITE					
NITRATE (AS NO3)	71850	012	2012/02/28	16.900	2013/02
NITRITE (AS N)	00620	036	2012/02/28	< 400.000	2015/02
RADIOLOGICAL					
GROSS ALPHA	01501	WAIVED			
GROSS BETA	03501	WAIVED			
RA-226 FOR CWS OR TOTAL RA FOR NTNC BY 903.0	A-080	WAIVED			
RA-226 OR TOTAL RA BY 903.0 C.E.	A-081	WAIVED			
RADIUM 226	09501	WAIVED			
RADIUM 228	11501	WAIVED			
RADIUM, TOTAL, MDA95-NTNC ONLY, BY 903.0	A-082	WAIVED			
STRONTIUM-90	13501	WAIVED			
TRITIUM	07000	WAIVED			
URANIUM (PCI/L)	28012	WAIVED			
REGULATED SOC					
2,3,7,8-TCDD (DIOXIN)	34676	WAIVED			
2,4,5-TP (SILVEX)	39045	WAIVED			
2,4-D	39730	WAIVED			
ALACHLOR	77825	WAIVED	2003/11/05	.000	
ATRAZINE	39033	WAIVED	2003/11/05	.000	
BENTAZON	38710	WAIVED			

**Testing interval is in months;*
0 = No data for this constituent and is DUE NOW
999 = Waived testing (not required)
I = Invalid (NOT) valid analyses reported

System Number: ***2400117***

System Name: ***RANCHO DEL REY GOLF CLUB***

PS Code: ***2400117-014***

Source Name: ***WELL #3 GOLF COURSE (DRILLED 11/03)***

Source Number: ***014***

Source Status: ***ACTIVE UNTREATED***

Water type: ***GROUNDWATER OR WELL***

	STORET NUMBER	TESTING INTERVAL (MONTHS)*	LAST TEST DATE (yyyy/mm/dd)	LAST RESULT REPORTED	NEXT TEST DATE (yyyy/mm)
REGULATED SOC					
BENZO (A) PYRENE	34247	WAIVED	2003/11/05	.000	
CARBOFURAN	81405	WAIVED			
CHLORDANE	39350	WAIVED			
DALAPON	38432	WAIVED			
DI(2-ETHYLHEXYL)ADIPATE	A-026	WAIVED			
DI(2-ETHYLHEXYL)PHTHALATE	39100	WAIVED	2003/11/05	.000	
DIBROMOCHLOROPROPANE (DBCP)	38761	WAIVED	2012/02/28	.000	
DINOSEB	81287	WAIVED			
DIQUAT	78885	WAIVED			
ENDOTHALL	38926	WAIVED			
ENDRIN	39390	WAIVED			
ETHYLENE DIBROMIDE (EDB)	77651	WAIVED	2006/08/08	.000	
GLYPHOSATE	79743	WAIVED			
HEPTACHLOR	39410	WAIVED			
HEPTACHLOR EPOXIDE	39420	WAIVED			
HEXACHLOROBENZENE	39700	WAIVED			
HEXACHLOROCYCLOPENTADIENE	34386	WAIVED			
LINDANE	39340	WAIVED			
METHOXYCHLOR	39480	WAIVED			
MOLINATE	82199	WAIVED	2003/11/05	.000	
OXAMYL	38865	WAIVED			
PENTACHLOROPHENOL	39032	WAIVED			
PICLORAM	39720	WAIVED			
POLYCHLORINATED BIPHENYLS, TOTAL, AS DCB	39516	WAIVED			
SIMAZINE	39055	WAIVED	2003/11/05	.000	
THIOBENCARB	A-001	WAIVED	2003/11/05	.000	
TOXAPHENE	39400	WAIVED			
REGULATED VOC					
1,1,1-TRICHLOROETHANE	34506	WAIVED	2003/11/05	.000	

**Testing interval is in months;*
0 = No data for this constituent and is DUE NOW
999 = Waived testing (not required)
I = Invalid (NOT) valid analyses reported

System Number: ***2400117***

System Name: ***RANCHO DEL REY GOLF CLUB***

PS Code: ***2400117-014***

Source Name: ***WELL #3 GOLF COURSE (DRILLED 11/03)***

Source Number: ***014***

Source Status: ***ACTIVE UNTREATED***

Water type: ***GROUNDWATER OR WELL***

	STORET NUMBER	TESTING INTERVAL (MONTHS)*	LAST TEST DATE (yyyy/mm/dd)	LAST RESULT REPORTED	NEXT TEST DATE (yyyy/mm)
REGULATED VOC					
1,1,2,2-TETRACHLOROETHANE	34516	WAIVED	2003/11/05	.000	
1,1,2-TRICHLORO-1,2,2-TRIFLUOROETHANE	81611	WAIVED	2003/11/05	.000	
1,1,2-TRICHLOROETHANE	34511	WAIVED	2003/11/05	.000	
1,1-DICHLOROETHANE	34496	WAIVED	2003/11/05	.000	
1,1-DICHLOROETHYLENE	34501	WAIVED	2003/11/05	.000	
1,2,4-TRICHLOROBENZENE	34551	WAIVED	2003/11/05	.000	
1,2-DICHLOROBENZENE	34536	WAIVED	2003/11/05	.000	
1,2-DICHLOROETHANE	34531	WAIVED	2003/11/05	.000	
1,2-DICHLOROPROPANE	34541	WAIVED	2003/11/05	.000	
1,3-DICHLOROPROPENE (TOTAL)	34561	WAIVED	2003/11/05	.000	
1,4-DICHLOROBENZENE	34571	WAIVED	2003/11/05	.000	
BENZENE	34030	WAIVED	2003/11/05	.000	
CARBON TETRACHLORIDE	32102	WAIVED	2003/11/05	.000	
CIS-1,2-DICHLOROETHYLENE	77093	WAIVED	2003/11/05	.000	
DICHLOROMETHANE	34423	WAIVED	2003/11/05	.000	
ETHYLBENZENE	34371	WAIVED	2003/11/05	.000	
METHYL-TERT-BUTYL-ETHER (MTBE)	46491	WAIVED	2003/11/05	.000	
MONOCHLOROBENZENE	34301	WAIVED	2003/11/05	.000	
STYRENE	77128	WAIVED	2003/11/05	.000	
TETRACHLOROETHYLENE	34475	WAIVED	2003/11/05	.000	
TOLUENE	34010	WAIVED	2003/11/05	.000	
TRANS-1,2-DICHLOROETHYLENE	34546	WAIVED	2003/11/05	.000	
TRICHLOROETHYLENE	39180	WAIVED	2003/11/05	.000	
TRICHLOROFLUOROMETHANE	34488	WAIVED	2003/11/05	.000	
VINYL CHLORIDE	39175	WAIVED	2003/11/05	.000	
XYLENES (TOTAL)	81551	WAIVED	2003/11/05	.000	
SECONDARY/GP					
AGGRSSIVE INDEX (CORROSIVITY)	82383	WAIVED			
BICARBONATE ALKALINITY	00440	WAIVED			

**Testing interval is in months;*
0 = No data for this constituent and is DUE NOW
999 = Waived testing (not required)
I = Invalid (NOT) valid analyses reported

System Number: ***2400117***

System Name: ***RANCHO DEL REY GOLF CLUB***

PS Code: ***2400117-014***

Source Name: ***WELL #3 GOLF COURSE (DRILLED 11/03)***

Source Number: ***014***

Source Status: ***ACTIVE UNTREATED***

Water type: ***GROUNDWATER OR WELL***

SECONDARY/GP

	STORET NUMBER	TESTING INTERVAL (MONTHS)*	LAST TEST DATE (yyyy/mm/dd)	LAST RESULT REPORTED	NEXT TEST DATE (yyyy/mm)
CALCIUM	00916	WAIVED			
CARBONATE ALKALINITY	00445	WAIVED			
CHLORIDE	00940	WAIVED			
COLOR	00081	WAIVED			
COPPER	01042	WAIVED			
FOAMING AGENTS (MBAS)	38260	WAIVED			
HARDNESS (TOTAL) AS CACO3	00900	WAIVED			
HYDROXIDE ALKALINITY	71830	WAIVED			
IRON	01045	WAIVED			
MAGNESIUM	00927	WAIVED			
MANGANESE	01055	WAIVED			
ODOR THRESHOLD @ 60 C	00086	WAIVED			
PH, LABORATORY	00403	WAIVED			
SILVER	01077	WAIVED			
SODIUM	00929	WAIVED			
SPECIFIC CONDUCTANCE	00095	WAIVED			
SULFATE	00945	WAIVED			
TOTAL DISSOLVED SOLIDS	70300	WAIVED			
TURBIDITY, LABORATORY	82079	WAIVED			
ZINC	01092	WAIVED			

**Testing interval is in months;*
0 = No data for this constituent and is DUE NOW
999 = Waived testing (not required)
I = Invalid (NOT) valid analyses reported

System Number: ***2400119***

System Name: ***MERCED GOLF & COUNTRY CLUB***

PS Code: ***2400119-001***

Source Name: ***WELL #1-S. OF CLUBHOUSE PARKING LOT***

Source Number: ***001***

Source Status: ***ACTIVE UNTREATED***

Water type: ***GROUNDWATER OR WELL***

	STORET NUMBER	TESTING INTERVAL (MONTHS)*	LAST TEST DATE (yyyy/mm/dd)	LAST RESULT REPORTED	NEXT TEST DATE (yyyy/mm)
GENERAL NON CHAP 15					
DIAZINON	39570	WAIVED			
INORGANIC					
ALUMINUM	01105	WAIVED			
ANTIMONY	01097	WAIVED			
ARSENIC	01002	WAIVED			
ASBESTOS	81855	WAIVED			
BARIUM	01007	WAIVED			
BERYLLIUM	01012	WAIVED			
CADMIUM	01027	WAIVED			
CHROMIUM (TOTAL)	01034	WAIVED			
CYANIDE	01291	WAIVED			
FLUORIDE (F) (NATURAL-SOURCE)	00951	WAIVED			
LEAD	01051	WAIVED			
MERCURY	71900	WAIVED			
NICKEL	01067	WAIVED			
PERCHLORATE	A-031	WAIVED			
SELENIUM	01147	WAIVED			
THALLIUM	01059	WAIVED			
NITRATE/NITRITE					
NITRATE (AS NO3)	71850	012	2012/01/16	7.000	2013/01
NITRITE (AS N)	00620	036	2011/01/28	< 400.000	2014/01
RADIOLOGICAL					
GROSS ALPHA	01501	WAIVED			
GROSS BETA	03501	WAIVED			
RA-226 FOR CWS OR TOTAL RA FOR NTNC BY 903.0	A-080	WAIVED			
RA-226 OR TOTAL RA BY 903.0 C.E.	A-081	WAIVED			
RADIUM 226	09501	WAIVED			
RADIUM 228	11501	WAIVED			

**Testing interval is in months;*
0 = No data for this constituent and is DUE NOW
999 = Waived testing (not required)
I = Invalid (NOT) valid analyses reported

System Number: ***2400119***

System Name: ***MERCED GOLF & COUNTRY CLUB***

PS Code: ***2400119-001***

Source Name: ***WELL #1-S. OF CLUBHOUSE PARKING LOT***

Source Number: ***001***

Source Status: ***ACTIVE UNTREATED***

Water type: ***GROUNDWATER OR WELL***

	STORET NUMBER	TESTING INTERVAL (MONTHS)*	LAST TEST DATE (yyyy/mm/dd)	LAST RESULT REPORTED	NEXT TEST DATE (yyyy/mm)
RADIOLOGICAL					
RADIUM, TOTAL, MDA95-NTNC ONLY, BY 903.0	A-082	WAIVED			
STRONTIUM-90	13501	WAIVED			
TRITIUM	07000	WAIVED			
URANIUM (PCI/L)	28012	WAIVED			
REGULATED SOC					
2,3,7,8-TCDD (DIOXIN)	34676	WAIVED			
2,4,5-TP (SILVEX)	39045	WAIVED			
2,4-D	39730	WAIVED			
ALACHLOR	77825	WAIVED			
ATRAZINE	39033	WAIVED			
BENTAZON	38710	WAIVED			
BENZO (A) PYRENE	34247	WAIVED			
CARBOFURAN	81405	WAIVED			
CHLORDANE	39350	WAIVED			
DALAPON	38432	WAIVED			
DI(2-ETHYLHEXYL)ADIPATE	A-026	WAIVED			
DI(2-ETHYLHEXYL)PHTHALATE	39100	WAIVED			
DIBROMOCHLOROPROPANE (DBCP)	38761	WAIVED			
DINOSEB	81287	WAIVED			
DIQUAT	78885	WAIVED			
ENDOTHALL	38926	WAIVED			
ENDRIN	39390	WAIVED			
ETHYLENE DIBROMIDE (EDB)	77651	WAIVED			
GLYPHOSATE	79743	WAIVED			
HEPTACHLOR	39410	WAIVED			
HEPTACHLOR EPOXIDE	39420	WAIVED			
HEXACHLOROBENZENE	39700	WAIVED			
HEXACHLOROCYCLOPENTADIENE	34386	WAIVED			
LINDANE	39340	WAIVED			

**Testing interval is in months;*
0 = No data for this constituent and is DUE NOW
999 = Waived testing (not required)
I = Invalid (NOT) valid analyses reported

System Number: ***2400119***

System Name: ***MERCED GOLF & COUNTRY CLUB***

PS Code: ***2400119-001***

Source Name: ***WELL #1-S. OF CLUBHOUSE PARKING LOT***

Source Number: ***001***

Source Status: ***ACTIVE UNTREATED***

Water type: ***GROUNDWATER OR WELL***

	STORET NUMBER	TESTING INTERVAL (MONTHS)*	LAST TEST DATE (yyyy/mm/dd)	LAST RESULT REPORTED	NEXT TEST DATE (yyyy/mm)
REGULATED SOC					
METHOXYCHLOR	39480	WAIVED			
MOLINATE	82199	WAIVED			
OXAMYL	38865	WAIVED			
PENTACHLOROPHENOL	39032	WAIVED			
PICLORAM	39720	WAIVED			
POLYCHLORINATED BIPHENYLS, TOTAL, AS DCB	39516	WAIVED			
SIMAZINE	39055	WAIVED			
THIOBENCARB	A-001	WAIVED			
TOXAPHENE	39400	WAIVED			
REGULATED VOC					
1,1,1-TRICHLOROETHANE	34506	WAIVED			
1,1,2,2-TETRACHLOROETHANE	34516	WAIVED			
1,1,2-TRICHLORO-1,2,2-TRIFLUOROETHANE	81611	WAIVED			
1,1,2-TRICHLOROETHANE	34511	WAIVED			
1,1-DICHLOROETHANE	34496	WAIVED			
1,1-DICHLOROETHYLENE	34501	WAIVED			
1,2,4-TRICHLOROBENZENE	34551	WAIVED			
1,2-DICHLOROBENZENE	34536	WAIVED			
1,2-DICHLOROETHANE	34531	WAIVED			
1,2-DICHLOROPROPANE	34541	WAIVED			
1,3-DICHLOROPROPENE (TOTAL)	34561	WAIVED			
1,4-DICHLOROBENZENE	34571	WAIVED			
BENZENE	34030	WAIVED			
CARBON TETRACHLORIDE	32102	WAIVED			
CIS-1,2-DICHLOROETHYLENE	77093	WAIVED			
DICHLOROMETHANE	34423	WAIVED			
ETHYLBENZENE	34371	WAIVED			
METHYL-TERT-BUTYL-ETHER (MTBE)	46491	WAIVED			
MONOCHLOROBENZENE	34301	WAIVED			

**Testing interval is in months;*
0 = No data for this constituent and is DUE NOW
999 = Waived testing (not required)
I = Invalid (NOT) valid analyses reported

System Number: ***2400119***

System Name: ***MERCED GOLF & COUNTRY CLUB***

PS Code: ***2400119-001***

Source Name: ***WELL #1-S. OF CLUBHOUSE PARKING LOT***

Source Number: ***001***

Source Status: ***ACTIVE UNTREATED***

Water type: ***GROUNDWATER OR WELL***

	STORET NUMBER	TESTING INTERVAL (MONTHS)*	LAST TEST DATE (yyyy/mm/dd)	LAST RESULT REPORTED	NEXT TEST DATE (yyyy/mm)
REGULATED VOC					
STYRENE	77128	WAIVED			
TETRACHLOROETHYLENE	34475	WAIVED			
TOLUENE	34010	WAIVED			
TRANS-1,2-DICHLOROETHYLENE	34546	WAIVED			
TRICHLOROETHYLENE	39180	WAIVED			
TRICHLOROFLUOROMETHANE	34488	WAIVED			
VINYL CHLORIDE	39175	WAIVED			
XYLENES (TOTAL)	81551	WAIVED			
SECONDARY/GP					
AGGRSSIVE INDEX (CORROSIVITY)	82383	WAIVED			
BICARBONATE ALKALINITY	00440	WAIVED			
CALCIUM	00916	WAIVED			
CARBONATE ALKALINITY	00445	WAIVED			
CHLORIDE	00940	WAIVED			
COLOR	00081	WAIVED			
COPPER	01042	WAIVED			
FOAMING AGENTS (MBAS)	38260	WAIVED			
HARDNESS (TOTAL) AS CACO3	00900	WAIVED			
HYDROXIDE ALKALINITY	71830	WAIVED			
IRON	01045	WAIVED			
MAGNESIUM	00927	WAIVED			
MANGANESE	01055	WAIVED			
ODOR THRESHOLD @ 60 C	00086	WAIVED			
PH, LABORATORY	00403	WAIVED			
SILVER	01077	WAIVED			
SODIUM	00929	WAIVED			
SPECIFIC CONDUCTANCE	00095	WAIVED			
SULFATE	00945	WAIVED			
TOTAL DISSOLVED SOLIDS	70300	WAIVED			

**Testing interval is in months;*
0 = No data for this constituent and is DUE NOW
999 = Waived testing (not required)
I = Invalid (NOT) valid analyses reported

System Number: ***2400119***

System Name: ***MERCED GOLF & COUNTRY CLUB***

PS Code: ***2400119-001***

Source Name: ***WELL #1-S. OF CLUBHOUSE PARKING LOT***

Source Number: ***001***

Source Status: ***ACTIVE UNTREATED***

Water type: ***GROUNDWATER OR WELL***

SECONDARY/GP

	STORET NUMBER	TESTING INTERVAL (MONTHS)*	LAST TEST DATE (yyyy/mm/dd)	LAST RESULT REPORTED	NEXT TEST DATE (yyyy/mm)
TURBIDITY, LABORATORY	82079	WAIVED			
ZINC	01092	WAIVED			

**Testing interval is in months;*
0 = No data for this constituent and is DUE NOW
999 = Waived testing (not required)
I = Invalid (NOT) valid analyses reported

System Number: ***2400122***

System Name: ***LONGVIEW MENNONITE SCHOOL***

PS Code: ***2400122-001***

Source Name: ***WELL #1-S.W. OF SCHOOL BUILDINGS***

Source Number: ***001***

Source Status: ***ACTIVE RAW***

Water type: ***GROUNDWATER OR WELL***

	STORET NUMBER	TESTING INTERVAL (MONTHS)*	LAST TEST DATE (yyyy/mm/dd)	LAST RESULT REPORTED	NEXT TEST DATE (yyyy/mm)	
GENERAL NON CHAP 15						
DIAZINON	39570	WAIVED				
INORGANIC						
ALUMINUM	01105	036	2010/10/21	< 50.000	2013/10	
ANTIMONY	01097	036	2010/10/21	< 6.000	2013/10	
ARSENIC	01002	036	2010/10/21	9.900	2013/10	
ASBESTOS	81855	WAIVED				
BARIUM	01007	036	2010/10/21	198.000	2013/10	
BERYLLIUM	01012	036	2010/10/21	< 1.000	2013/10	
CADMIUM	01027	036	2010/10/21	< 1.000	2013/10	
CHROMIUM (TOTAL)	01034	036	2010/10/21	2.600	2013/10	
CYANIDE	01291	WAIVED				
FLUORIDE (F) (NATURAL-SOURCE)	00951	036	2010/10/21	.170	2013/10	
LEAD	01051	WAIVED	2010/10/21	< 5.000		
MERCURY	71900	036	2010/10/21	< .500	2013/10	
NICKEL	01067	036	2010/10/21	< 10.000	2013/10	
PERCHLORATE	A-031	036	2011/05/19	< .000	2014/05	
SELENIUM	01147	036	2010/10/21	< 5.000	2013/10	
THALLIUM	01059	036	2010/10/21	< 1.000	2013/10	
NITRATE/NITRITE						
NITRATE (AS NO3)	71850	012	**2011/01/20**	42.100	**2012/01**	**DUE**
NITRITE (AS N)	00620	036	2010/10/21	< 400.000	2013/10	
RADIOLOGICAL						
GROSS ALPHA	01501	WAIVED	2008/01/16	4.000		
GROSS BETA	03501	WAIVED				
RA-226 FOR CWS OR TOTAL RA FOR NTNC BY 903.0	A-080	WAIVED				
RA-226 OR TOTAL RA BY 903.0 C.E.	A-081	WAIVED				
RADIUM 226	09501	WAIVED				
RADIUM 228	11501	WAIVED				

**Testing interval is in months;*
0 = No data for this constituent and is DUE NOW
999 = Waived testing (not required)
I = Invalid (NOT) valid analyses reported

System Number: ***2400122***

System Name: ***LONGVIEW MENNONITE SCHOOL***

PS Code: ***2400122-001***

Source Name: ***WELL #1-S.W. OF SCHOOL BUILDINGS***

Source Number: ***001***

Source Status: ***ACTIVE RAW***

Water type: ***GROUNDWATER OR WELL***

	STORET NUMBER	TESTING INTERVAL (MONTHS)*	LAST TEST DATE (yyyy/mm/dd)	LAST RESULT REPORTED	NEXT TEST DATE (yyyy/mm)	
RADIOLOGICAL						
RADIUM, TOTAL, MDA95-NTNC ONLY, BY 903.0	A-082	WAIVED				
STRONTIUM-90	13501	WAIVED				
TRITIUM	07000	WAIVED				
URANIUM (PCI/L)	28012	WAIVED	2008/01/16	2.201		
REGULATED SOC						
2,3,7,8-TCDD (DIOXIN)	34676	WAIVED				
2,4,5-TP (SILVEX)	39045	WAIVED				
2,4-D	39730	WAIVED				
ALACHLOR	77825	036	2007/06/12	< 1.000	2010/06	DUE
ATRAZINE	39033	036	2007/06/12	< 1.000	2010/06	DUE
BENTAZON	38710	WAIVED				
BENZO (A) PYRENE	34247	WAIVED				
CARBOFURAN	81405	WAIVED				
CHLORDANE	39350	WAIVED	2007/06/12	< .100		
DALAPON	38432	WAIVED				
DI(2-ETHYLHEXYL)ADIPATE	A-026	WAIVED				
DI(2-ETHYLHEXYL)PHTHALATE	39100	WAIVED				
DIBROMOCHLOROPROPANE (DBCP)	38761	036	2011/01/20	.670	2014/01	
DINOSEB	81287	WAIVED				
DIQUAT	78885	WAIVED				
ENDOTHALL	38926	WAIVED				
ENDRIN	39390	WAIVED	2007/06/12	< .100		
ETHYLENE DIBROMIDE (EDB)	77651	036	2011/01/20	< .020	2014/01	
GLYPHOSATE	79743	WAIVED				
HEPTACHLOR	39410	WAIVED	2007/06/12	< .010		
HEPTACHLOR EPOXIDE	39420	WAIVED	2007/06/12	< .010		
HEXACHLOROBENZENE	39700	WAIVED	2007/06/12	< .500		
HEXACHLOROCYCLOPENTADIENE	34386	WAIVED	2007/06/12	< 1.000		
LINDANE	39340	WAIVED	2007/06/12	< .200		

**Testing interval is in months;*
0 = No data for this constituent and is DUE NOW
999 = Waived testing (not required)
I = Invalid (NOT) valid analyses reported

System Number: 2400122
System Name: LONGVIEW MENNONITE SCHOOL

PS Code: 2400122-001
Source Name: WELL #1-S.W. OF SCHOOL BUILDINGS
Source Number: 001
Source Status: ACTIVE RAW
Water type: GROUNDWATER OR WELL

	STORET NUMBER	TESTING INTERVAL (MONTHS)*	LAST TEST DATE (yyyy/mm/dd)	LAST RESULT REPORTED	NEXT TEST DATE (yyyy/mm)	
REGULATED SOC						
METHOXYCHLOR	39480	WAIVED	2007/06/12	< 10.000		
MOLINATE	82199	WAIVED				
OXAMYL	38865	WAIVED				
PENTACHLOROPHENOL	39032	WAIVED				
PICLORAM	39720	WAIVED				
POLYCHLORINATED BIPHENYLS, TOTAL, AS DCB	39516	WAIVED	2007/06/12	.000		
SIMAZINE	39055	036	**2007/06/12**	< 1.000	**2010/06**	**DUE**
THIOBENCARB	A-001	WAIVED				
TOXAPHENE	39400	WAIVED	2007/06/12	< 1.000		
REGULATED VOC						
1,1,1-TRICHLOROETHANE	34506	060	2007/06/12	< .500	2012/06	
1,1,2,2-TETRACHLOROETHANE	34516	060	2007/06/12	< .500	2012/06	
1,1,2-TRICHLORO-1,2,2-TRIFLUOROETHANE	81611	060	2007/06/12	< 10.000	2012/06	
1,1,2-TRICHLOROETHANE	34511	060	2007/06/12	< .500	2012/06	
1,1-DICHLOROETHANE	34496	060	2007/06/12	< .500	2012/06	
1,1-DICHLOROETHYLENE	34501	060	2007/06/12	< .500	2012/06	
1,2,4-TRICHLOROBENZENE	34551	060	2007/06/12	< .500	2012/06	
1,2-DICHLOROBENZENE	34536	060	2007/06/12	< .500	2012/06	
1,2-DICHLOROETHANE	34531	060	2007/06/12	< .500	2012/06	
1,2-DICHLOROPROPANE	34541	060	2007/06/12	< .500	2012/06	
1,3-DICHLOROPROPENE (TOTAL)	34561	060	2007/06/12	< .500	2012/06	
1,4-DICHLOROBENZENE	34571	060	2007/06/12	< .500	2012/06	
BENZENE	34030	060	2007/06/12	< .500	2012/06	
CARBON TETRACHLORIDE	32102	060	2007/06/12	< .500	2012/06	
CIS-1,2-DICHLOROETHYLENE	77093	060	2007/06/12	< .500	2012/06	
DICHLOROMETHANE	34423	060	2007/06/12	< .500	2012/06	
ETHYLBENZENE	34371	060	2007/06/12	< .500	2012/06	
METHYL-TERT-BUTYL-ETHER (MTBE)	46491	060	2007/12/05	.000	2012/12	
MONOCHLOROBENZENE	34301	060	2007/06/12	< .500	2012/06	

**Testing interval is in months;*
0 = No data for this constituent and is DUE NOW
999 = Waived testing (not required)
I = Invalid (NOT) valid analyses reported

System Number: ***2400122***

System Name: ***LONGVIEW MENNONITE SCHOOL***

PS Code: ***2400122-001***

Source Name: ***WELL #1-S.W. OF SCHOOL BUILDINGS***

Source Number: ***001***

Source Status: ***ACTIVE RAW***

Water type: ***GROUNDWATER OR WELL***

	STORET NUMBER	TESTING INTERVAL (MONTHS)*	LAST TEST DATE (yyyy/mm/dd)	LAST RESULT REPORTED	NEXT TEST DATE (yyyy/mm)
REGULATED VOC					
STYRENE	77128	060	2007/06/12	< .500	2012/06
TETRACHLOROETHYLENE	34475	060	2007/06/12	< .500	2012/06
TOLUENE	34010	060	2007/06/12	< .500	2012/06
TRANS-1,2-DICHLOROETHYLENE	34546	060	2007/06/12	< .500	2012/06
TRICHLOROETHYLENE	39180	060	2007/06/12	< .500	2012/06
TRICHLOROFLUOROMETHANE	34488	060	2007/06/12	< .500	2012/06
VINYL CHLORIDE	39175	060	2007/06/12	< .500	2012/06
XYLENES (TOTAL)	81551	060	2007/06/12	< .500	2012/06
SECONDARY/GP					
AGGRSSIVE INDEX (CORROSIVITY)	82383	WAIVED			
BICARBONATE ALKALINITY	00440	WAIVED	2007/03/14	112.000	
CALCIUM	00916	WAIVED	2007/03/14	20.000	
CARBONATE ALKALINITY	00445	WAIVED	2007/03/14	< 2.000	
CHLORIDE	00940	WAIVED	2007/03/14	7.900	
COLOR	00081	WAIVED	2007/03/14	< 5.000	
COPPER	01042	WAIVED	2007/03/14	< 50.000	
FOAMING AGENTS (MBAS)	38260	WAIVED	2007/03/14	< .025	
HARDNESS (TOTAL) AS CACO3	00900	WAIVED	2007/03/14	72.700	
HYDROXIDE ALKALINITY	71830	WAIVED	2007/03/14	< .500	
IRON	01045	WAIVED	2007/03/14	< 100.000	
MAGNESIUM	00927	WAIVED	2007/03/14	6.400	
MANGANESE	01055	WAIVED	2007/03/14	< 20.000	
ODOR THRESHOLD @ 60 C	00086	WAIVED	2007/03/14	.000	
PH, LABORATORY	00403	WAIVED	2007/03/14	7.160	
SILVER	01077	WAIVED	2010/10/21	< 10.000	
SODIUM	00929	WAIVED	2007/03/14	48.000	
SPECIFIC CONDUCTANCE	00095	WAIVED	2011/05/19	440.000	
SULFATE	00945	WAIVED	2007/03/14	28.500	
TOTAL DISSOLVED SOLIDS	70300	WAIVED	2007/03/14	280.000	

**Testing interval is in months;*
0 = No data for this constituent and is DUE NOW
999 = Waived testing (not required)
I = Invalid (NOT) valid analyses reported

System Number: ***2400122***

System Name: ***LONGVIEW MENNONITE SCHOOL***

PS Code: ***2400122-001***

Source Name: ***WELL #1-S.W. OF SCHOOL BUILDINGS***

Source Number: ***001***

Source Status: ***ACTIVE RAW***

Water type: ***GROUNDWATER OR WELL***

	STORET NUMBER	TESTING INTERVAL (MONTHS)*	LAST TEST DATE (yyyy/mm/dd)	LAST RESULT REPORTED	NEXT TEST DATE (yyyy/mm)
SECONDARY/GP					
TURBIDITY, LABORATORY	82079	WAIVED	2007/03/14	.050	
ZINC	01092	WAIVED	2007/03/14	< 50.000	

PS Code: ***2400122-011***

Source Name: ***GAC FILTERS-LEAD***

Source Number: ***011***

Source Status: ***ACTIVE TREATED***

Water type: ***GROUNDWATER OR WELL***

GENERAL NON CHAP 15					
DIAZINON	39570	WAIVED			
INORGANIC					
ALUMINUM	01105	WAIVED			
ANTIMONY	01097	WAIVED			
ARSENIC	01002	WAIVED			
ASBESTOS	81855	WAIVED			
BARIUM	01007	WAIVED			
BERYLLIUM	01012	WAIVED			
CADMIUM	01027	WAIVED			
CHROMIUM (TOTAL)	01034	WAIVED			
CYANIDE	01291	WAIVED			
FLUORIDE (F) (NATURAL-SOURCE)	00951	WAIVED			
LEAD	01051	WAIVED			
MERCURY	71900	WAIVED			
NICKEL	01067	WAIVED			
PERCHLORATE	A-031	WAIVED			
SELENIUM	01147	WAIVED			
THALLIUM	01059	WAIVED			

**Testing interval is in months;*
0 = No data for this constituent and is DUE NOW
999 = Waived testing (not required)
I = Invalid (NOT) valid analyses reported

System Number: ***2400122***

System Name: ***LONGVIEW MENNONITE SCHOOL***

PS Code: ***2400122-011***

Source Name: ***GAC FILTERS-LEAD***

Source Number: ***011***

Source Status: ***ACTIVE TREATED***

Water type: ***GROUNDWATER OR WELL***

	STORET NUMBER	TESTING INTERVAL (MONTHS)*	LAST TEST DATE (yyyy/mm/dd)	LAST RESULT REPORTED	NEXT TEST DATE (yyyy/mm)
NITRATE/NITRITE					
NITRATE (AS NO3)	71850	WAIVED			
NITRITE (AS N)	00620	WAIVED			
RADIOLOGICAL					
GROSS ALPHA	01501	WAIVED			
GROSS BETA	03501	WAIVED			
RA-226 FOR CWS OR TOTAL RA FOR NTNC BY 903.0	A-080	WAIVED			
RA-226 OR TOTAL RA BY 903.0 C.E.	A-081	WAIVED			
RADIUM 226	09501	WAIVED			
RADIUM 228	11501	WAIVED			
RADIUM, TOTAL, MDA95-NTNC ONLY, BY 903.0	A-082	WAIVED			
STRONTIUM-90	13501	WAIVED			
TRITIUM	07000	WAIVED			
URANIUM (PCI/L)	28012	WAIVED			
REGULATED SOC					
2,3,7,8-TCDD (DIOXIN)	34676	WAIVED			
2,4,5-TP (SILVEX)	39045	WAIVED			
2,4-D	39730	WAIVED			
ALACHLOR	77825	WAIVED			
ATRAZINE	39033	WAIVED			
BENTAZON	38710	WAIVED			
BENZO (A) PYRENE	34247	WAIVED			
CARBOFURAN	81405	WAIVED			
CHLORDANE	39350	WAIVED			
DALAPON	38432	WAIVED			
DI(2-ETHYLHEXYL)ADIPATE	A-026	WAIVED			
DI(2-ETHYLHEXYL)PHTHALATE	39100	WAIVED			
DIBROMOCHLOROPROPANE (DBCP)	38761	WAIVED	2011/01/20	< .010	
DINOSEB	81287	WAIVED			
DIQUAT	78885	WAIVED			

**Testing interval is in months;*
0 = No data for this constituent and is DUE NOW
999 = Waived testing (not required)
I = Invalid (NOT) valid analyses reported

System Number: ***2400122***

System Name: ***LONGVIEW MENNONITE SCHOOL***

PS Code: ***2400122-011***

Source Name: ***GAC FILTERS-LEAD***

Source Number: ***011***

Source Status: ***ACTIVE TREATED***

Water type: ***GROUNDWATER OR WELL***

	STORET NUMBER	TESTING INTERVAL (MONTHS)*	LAST TEST DATE (yyyy/mm/dd)	LAST RESULT REPORTED	NEXT TEST DATE (yyyy/mm)
REGULATED SOC					
ENDOTHALL	38926	WAIVED			
ENDRIN	39390	WAIVED			
ETHYLENE DIBROMIDE (EDB)	77651	WAIVED	2011/01/20	< .020	
GLYPHOSATE	79743	WAIVED			
HEPTACHLOR	39410	WAIVED			
HEPTACHLOR EPOXIDE	39420	WAIVED			
HEXACHLOROBENZENE	39700	WAIVED			
HEXACHLOROCYCLOPENTADIENE	34386	WAIVED			
LINDANE	39340	WAIVED			
METHOXYCHLOR	39480	WAIVED			
MOLINATE	82199	WAIVED			
OXAMYL	38865	WAIVED			
PENTACHLOROPHENOL	39032	WAIVED			
PICLORAM	39720	WAIVED			
POLYCHLORINATED BIPHENYLS, TOTAL, AS DCB	39516	WAIVED			
SIMAZINE	39055	WAIVED			
THIOBENCARB	A-001	WAIVED			
TOXAPHENE	39400	WAIVED			
REGULATED VOC					
1,1,1-TRICHLOROETHANE	34506	WAIVED			
1,1,2,2-TETRACHLOROETHANE	34516	WAIVED			
1,1,2-TRICHLORO-1,2,2-TRIFLUOROETHANE	81611	WAIVED			
1,1,2-TRICHLOROETHANE	34511	WAIVED			
1,1-DICHLOROETHANE	34496	WAIVED			
1,1-DICHLOROETHYLENE	34501	WAIVED			
1,2,4-TRICHLOROBENZENE	34551	WAIVED			
1,2-DICHLOROBENZENE	34536	WAIVED			
1,2-DICHLOROETHANE	34531	WAIVED			
1,2-DICHLOROPROPANE	34541	WAIVED			

**Testing interval is in months;*
0 = No data for this constituent and is DUE NOW
999 = Waived testing (not required)
I = Invalid (NOT) valid analyses reported

System Number: ***2400122***

System Name: ***LONGVIEW MENNONITE SCHOOL***

PS Code: ***2400122-011***

Source Name: ***GAC FILTERS-LEAD***

Source Number: ***011***

Source Status: ***ACTIVE TREATED***

Water type: ***GROUNDWATER OR WELL***

	STORET NUMBER	TESTING INTERVAL (MONTHS)*	LAST TEST DATE (yyyy/mm/dd)	LAST RESULT REPORTED	NEXT TEST DATE (yyyy/mm)
REGULATED VOC					
1,3-DICHLOROPROPENE (TOTAL)	34561	WAIVED			
1,4-DICHLOROBENZENE	34571	WAIVED			
BENZENE	34030	WAIVED			
CARBON TETRACHLORIDE	32102	WAIVED			
CIS-1,2-DICHLOROETHYLENE	77093	WAIVED			
DICHLOROMETHANE	34423	WAIVED			
ETHYLBENZENE	34371	WAIVED			
METHYL-TERT-BUTYL-ETHER (MTBE)	46491	WAIVED			
MONOCHLOROBENZENE	34301	WAIVED			
STYRENE	77128	WAIVED			
TETRACHLOROETHYLENE	34475	WAIVED			
TOLUENE	34010	WAIVED			
TRANS-1,2-DICHLOROETHYLENE	34546	WAIVED			
TRICHLOROETHYLENE	39180	WAIVED			
TRICHLOROFLUOROMETHANE	34488	WAIVED			
VINYL CHLORIDE	39175	WAIVED			
XYLENES (TOTAL)	81551	WAIVED			
SECONDARY/GP					
AGGRSSIVE INDEX (CORROSIVITY)	82383	WAIVED			
BICARBONATE ALKALINITY	00440	WAIVED			
CALCIUM	00916	WAIVED			
CARBONATE ALKALINITY	00445	WAIVED			
CHLORIDE	00940	WAIVED			
COLOR	00081	WAIVED			
COPPER	01042	WAIVED			
FOAMING AGENTS (MBAS)	38260	WAIVED			
HARDNESS (TOTAL) AS CACO3	00900	WAIVED			
HYDROXIDE ALKALINITY	71830	WAIVED			
IRON	01045	WAIVED			

**Testing interval is in months;*
0 = No data for this constituent and is DUE NOW
999 = Waived testing (not required)
I = Invalid (NOT) valid analyses reported

System Number: ***2400122***

System Name: ***LONGVIEW MENNONITE SCHOOL***

PS Code: ***2400122-011***

Source Name: ***GAC FILTERS-LEAD***

Source Number: ***011***

Source Status: ***ACTIVE TREATED***

Water type: ***GROUNDWATER OR WELL***

	STORET NUMBER	TESTING INTERVAL (MONTHS)*	LAST TEST DATE (yyyy/mm/dd)	LAST RESULT REPORTED	NEXT TEST DATE (yyyy/mm)
SECONDARY/GP					
MAGNESIUM	00927	WAIVED			
MANGANESE	01055	WAIVED			
ODOR THRESHOLD @ 60 C	00086	WAIVED			
PH, LABORATORY	00403	WAIVED			
SILVER	01077	WAIVED			
SODIUM	00929	WAIVED			
SPECIFIC CONDUCTANCE	00095	WAIVED			
SULFATE	00945	WAIVED			
TOTAL DISSOLVED SOLIDS	70300	WAIVED			
TURBIDITY, LABORATORY	82079	WAIVED			
ZINC	01092	WAIVED			

PS Code: ***2400122-012***

Source Name: ***GAC FILTER-LAG***

Source Number: ***012***

Source Status: ***ACTIVE TREATED***

Water type: ***GROUNDWATER OR WELL***

GENERAL NON CHAP 15					
DIAZINON	39570	WAIVED			
INORGANIC					
ALUMINUM	01105	WAIVED			
ANTIMONY	01097	WAIVED			
ARSENIC	01002	WAIVED			
ASBESTOS	81855	WAIVED			
BARIUM	01007	WAIVED			
BERYLLIUM	01012	WAIVED			
CADMIUM	01027	WAIVED			
CHROMIUM (TOTAL)	01034	WAIVED			
CYANIDE	01291	WAIVED			

**Testing interval is in months;*
0 = No data for this constituent and is DUE NOW
999 = Waived testing (not required)
I = Invalid (NOT) valid analyses reported

System Number: ***2400122***

System Name: ***LONGVIEW MENNONITE SCHOOL***

PS Code: ***2400122-012***

Source Name: ***GAC FILTER-LAG***

Source Number: ***012***

Source Status: ***ACTIVE TREATED***

Water type: ***GROUNDWATER OR WELL***

	STORET NUMBER	TESTING INTERVAL (MONTHS)*	LAST TEST DATE (yyyy/mm/dd)	LAST RESULT REPORTED	NEXT TEST DATE (yyyy/mm)
INORGANIC					
FLUORIDE (F) (NATURAL-SOURCE)	00951	WAIVED			
LEAD	01051	WAIVED			
MERCURY	71900	WAIVED			
NICKEL	01067	WAIVED			
PERCHLORATE	A-031	WAIVED			
SELENIUM	01147	WAIVED			
THALLIUM	01059	WAIVED			
NITRATE/NITRITE					
NITRATE (AS NO3)	71850	WAIVED	2011/01/20	46.700	
NITRITE (AS N)	00620	WAIVED	2007/09/04	< 400.000	
RADIOLOGICAL					
GROSS ALPHA	01501	WAIVED			
GROSS BETA	03501	WAIVED			
RA-226 FOR CWS OR TOTAL RA FOR NTNC BY 903.0	A-080	WAIVED			
RA-226 OR TOTAL RA BY 903.0 C.E.	A-081	WAIVED			
RADIUM 226	09501	WAIVED			
RADIUM 228	11501	WAIVED			
RADIUM, TOTAL, MDA95-NTNC ONLY, BY 903.0	A-082	WAIVED			
STRONTIUM-90	13501	WAIVED			
TRITIUM	07000	WAIVED			
URANIUM (PCI/L)	28012	WAIVED			
REGULATED SOC					
2,3,7,8-TCDD (DIOXIN)	34676	WAIVED			
2,4,5-TP (SILVEX)	39045	WAIVED			
2,4-D	39730	WAIVED			
ALACHLOR	77825	WAIVED	2007/03/21	< 1.000	
ATRAZINE	39033	WAIVED	2007/03/21	< .500	
BENTAZON	38710	WAIVED			

**Testing interval is in months;*
0 = No data for this constituent and is DUE NOW
999 = Waived testing (not required)
I = Invalid (NOT) valid analyses reported

System Number: ***2400122***

System Name: ***LONGVIEW MENNONITE SCHOOL***

PS Code: ***2400122-012***

Source Name: ***GAC FILTER-LAG***

Source Number: ***012***

Source Status: ***ACTIVE TREATED***

Water type: ***GROUNDWATER OR WELL***

	STORET NUMBER	TESTING INTERVAL (MONTHS)*	LAST TEST DATE (yyyy/mm/dd)	LAST RESULT REPORTED	NEXT TEST DATE (yyyy/mm)
REGULATED SOC					
BENZO (A) PYRENE	34247	WAIVED			
CARBOFURAN	81405	WAIVED			
CHLORDANE	39350	WAIVED	2007/03/21	< .100	
DALAPON	38432	WAIVED			
DI(2-ETHYLHEXYL)ADIPATE	A-026	WAIVED			
DI(2-ETHYLHEXYL)PHTHALATE	39100	WAIVED			
DIBROMOCHLOROPROPANE (DBCP)	38761	WAIVED			
DINOSEB	81287	WAIVED			
DIQUAT	78885	WAIVED			
ENDOTHALL	38926	WAIVED			
ENDRIN	39390	WAIVED	2007/03/21	< .100	
ETHYLENE DIBROMIDE (EDB)	77651	WAIVED			
GLYPHOSATE	79743	WAIVED			
HEPTACHLOR	39410	WAIVED	2007/03/21	< .010	
HEPTACHLOR EPOXIDE	39420	WAIVED	2007/03/21	< .010	
HEXACHLOROBENZENE	39700	WAIVED	2007/03/21	< .500	
HEXACHLOROCYCLOPENTADIENE	34386	WAIVED	2007/03/21	< 1.000	
LINDANE	39340	WAIVED	2007/03/21	< .200	
METHOXYCHLOR	39480	WAIVED	2007/03/21	< 10.000	
MOLINATE	82199	WAIVED			
OXAMYL	38865	WAIVED			
PENTACHLOROPHENOL	39032	WAIVED			
PICLORAM	39720	WAIVED			
POLYCHLORINATED BIPHENYLS, TOTAL, AS DCB	39516	WAIVED	2007/03/21	< .500	
SIMAZINE	39055	WAIVED	2007/03/21	< 1.000	
THIOBENCARB	A-001	WAIVED			
TOXAPHENE	39400	WAIVED	2007/03/21	< 1.000	
REGULATED VOC					
1,1,1-TRICHLOROETHANE	34506	WAIVED			

**Testing interval is in months;*
0 = No data for this constituent and is DUE NOW
999 = Waived testing (not required)
I = Invalid (NOT) valid analyses reported

System Number: ***2400122***

System Name: ***LONGVIEW MENNONITE SCHOOL***

PS Code: ***2400122-012***

Source Name: ***GAC FILTER-LAG***

Source Number: ***012***

Source Status: ***ACTIVE TREATED***

Water type: ***GROUNDWATER OR WELL***

	STORET NUMBER	TESTING INTERVAL (MONTHS)*	LAST TEST DATE (yyyy/mm/dd)	LAST RESULT REPORTED	NEXT TEST DATE (yyyy/mm)
REGULATED VOC					
1,1,2,2-TETRACHLOROETHANE	34516	WAIVED			
1,1,2-TRICHLORO-1,2,2-TRIFLUOROETHANE	81611	WAIVED			
1,1,2-TRICHLOROETHANE	34511	WAIVED			
1,1-DICHLOROETHANE	34496	WAIVED			
1,1-DICHLOROETHYLENE	34501	WAIVED			
1,2,4-TRICHLOROBENZENE	34551	WAIVED			
1,2-DICHLOROBENZENE	34536	WAIVED			
1,2-DICHLOROETHANE	34531	WAIVED			
1,2-DICHLOROPROPANE	34541	WAIVED			
1,3-DICHLOROPROPENE (TOTAL)	34561	WAIVED			
1,4-DICHLOROBENZENE	34571	WAIVED			
BENZENE	34030	WAIVED			
CARBON TETRACHLORIDE	32102	WAIVED			
CIS-1,2-DICHLOROETHYLENE	77093	WAIVED			
DICHLOROMETHANE	34423	WAIVED			
ETHYLBENZENE	34371	WAIVED			
METHYL-TERT-BUTYL-ETHER (MTBE)	46491	WAIVED			
MONOCHLOROBENZENE	34301	WAIVED			
STYRENE	77128	WAIVED			
TETRACHLOROETHYLENE	34475	WAIVED			
TOLUENE	34010	WAIVED			
TRANS-1,2-DICHLOROETHYLENE	34546	WAIVED			
TRICHLOROETHYLENE	39180	WAIVED			
TRICHLOROFLUOROMETHANE	34488	WAIVED			
VINYL CHLORIDE	39175	WAIVED			
XYLENES (TOTAL)	81551	WAIVED			
SECONDARY/GP					
AGGRSSIVE INDEX (CORROSIVITY)	82383	WAIVED			
BICARBONATE ALKALINITY	00440	WAIVED			

**Testing interval is in months;*
0 = No data for this constituent and is DUE NOW
999 = Waived testing (not required)
I = Invalid (NOT) valid analyses reported

System Number: ***2400122***

System Name: ***LONGVIEW MENNONITE SCHOOL***

PS Code: ***2400122-012***

Source Name: ***GAC FILTER-LAG***

Source Number: ***012***

Source Status: ***ACTIVE TREATED***

Water type: ***GROUNDWATER OR WELL***

SECONDARY/GP

	STORET NUMBER	TESTING INTERVAL (MONTHS)*	LAST TEST DATE (yyyy/mm/dd)	LAST RESULT REPORTED	NEXT TEST DATE (yyyy/mm)
CALCIUM	00916	WAIVED			
CARBONATE ALKALINITY	00445	WAIVED			
CHLORIDE	00940	WAIVED			
COLOR	00081	WAIVED			
COPPER	01042	WAIVED			
FOAMING AGENTS (MBAS)	38260	WAIVED			
HARDNESS (TOTAL) AS CACO3	00900	WAIVED			
HYDROXIDE ALKALINITY	71830	WAIVED			
IRON	01045	WAIVED			
MAGNESIUM	00927	WAIVED			
MANGANESE	01055	WAIVED			
ODOR THRESHOLD @ 60 C	00086	WAIVED			
PH, LABORATORY	00403	WAIVED			
SILVER	01077	WAIVED			
SODIUM	00929	WAIVED			
SPECIFIC CONDUCTANCE	00095	WAIVED			
SULFATE	00945	WAIVED			
TOTAL DISSOLVED SOLIDS	70300	WAIVED			
TURBIDITY, LABORATORY	82079	WAIVED			
ZINC	01092	WAIVED			

PS Code: ***2400122-013***

Source Name: ***RO TREATED***

Source Number: ***013***

Source Status: ***ACTIVE TREATED***

Water type: ***GROUNDWATER OR WELL***

GENERAL NON CHAP 15

DIAZINON	39570	WAIVED			

**Testing interval is in months;*
0 = No data for this constituent and is DUE NOW
999 = Waived testing (not required)
I = Invalid (NOT) valid analyses reported

System Number: ***2400122***

System Name: ***LONGVIEW MENNONITE SCHOOL***

PS Code: ***2400122-013***

Source Name: ***RO TREATED***

Source Number: ***013***

Source Status: ***ACTIVE TREATED***

Water type: ***GROUNDWATER OR WELL***

	STORET NUMBER	TESTING INTERVAL (MONTHS)*	LAST TEST DATE (yyyy/mm/dd)	LAST RESULT REPORTED	NEXT TEST DATE (yyyy/mm)
INORGANIC					
ALUMINUM	01105	WAIVED			
ANTIMONY	01097	WAIVED			
ARSENIC	01002	WAIVED			
ASBESTOS	81855	WAIVED			
BARIUM	01007	WAIVED			
BERYLLIUM	01012	WAIVED			
CADMIUM	01027	WAIVED			
CHROMIUM (TOTAL)	01034	WAIVED			
CYANIDE	01291	WAIVED			
FLUORIDE (F) (NATURAL-SOURCE)	00951	WAIVED			
LEAD	01051	WAIVED			
MERCURY	71900	WAIVED			
NICKEL	01067	WAIVED			
PERCHLORATE	A-031	WAIVED			
SELENIUM	01147	WAIVED			
THALLIUM	01059	WAIVED			
NITRATE/NITRITE					
NITRATE (AS NO3)	71850	WAIVED			
NITRITE (AS N)	00620	WAIVED			
RADIOLOGICAL					
GROSS ALPHA	01501	WAIVED			
GROSS BETA	03501	WAIVED			
RA-226 FOR CWS OR TOTAL RA FOR NTNC BY 903.0	A-080	WAIVED			
RA-226 OR TOTAL RA BY 903.0 C.E.	A-081	WAIVED			
RADIUM 226	09501	WAIVED			
RADIUM 228	11501	WAIVED			
RADIUM, TOTAL, MDA95-NTNC ONLY, BY 903.0	A-082	WAIVED			
STRONTIUM-90	13501	WAIVED			
TRITIUM	07000	WAIVED			

**Testing interval is in months;*
0 = No data for this constituent and is DUE NOW
999 = Waived testing (not required)
I = Invalid (NOT) valid analyses reported

System Number: ***2400122***

System Name: ***LONGVIEW MENNONITE SCHOOL***

PS Code: ***2400122-013***

Source Name: ***RO TREATED***

Source Number: ***013***

Source Status: ***ACTIVE TREATED***

Water type: ***GROUNDWATER OR WELL***

	STORET NUMBER	TESTING INTERVAL (MONTHS)*	LAST TEST DATE (yyyy/mm/dd)	LAST RESULT REPORTED	NEXT TEST DATE (yyyy/mm)
RADIOLOGICAL					
URANIUM (PCI/L)	28012	WAIVED			
REGULATED SOC					
2,3,7,8-TCDD (DIOXIN)	34676	WAIVED			
2,4,5-TP (SILVEX)	39045	WAIVED			
2,4-D	39730	WAIVED			
ALACHLOR	77825	WAIVED			
ATRAZINE	39033	WAIVED			
BENTAZON	38710	WAIVED			
BENZO (A) PYRENE	34247	WAIVED			
CARBOFURAN	81405	WAIVED			
CHLORDANE	39350	WAIVED			
DALAPON	38432	WAIVED			
DI(2-ETHYLHEXYL)ADIPATE	A-026	WAIVED			
DI(2-ETHYLHEXYL)PHTHALATE	39100	WAIVED			
DIBROMOCHLOROPROPANE (DBCP)	38761	WAIVED			
DINOSEB	81287	WAIVED			
DIQUAT	78885	WAIVED			
ENDOTHALL	38926	WAIVED			
ENDRIN	39390	WAIVED			
ETHYLENE DIBROMIDE (EDB)	77651	WAIVED			
GLYPHOSATE	79743	WAIVED			
HEPTACHLOR	39410	WAIVED			
HEPTACHLOR EPOXIDE	39420	WAIVED			
HEXACHLOROBENZENE	39700	WAIVED			
HEXACHLOROCYCLOPENTADIENE	34386	WAIVED			
LINDANE	39340	WAIVED			
METHOXYCHLOR	39480	WAIVED			
MOLINATE	82199	WAIVED			
OXAMYL	38865	WAIVED			

**Testing interval is in months;*
0 = No data for this constituent and is DUE NOW
999 = Waived testing (not required)
I = Invalid (NOT) valid analyses reported

System Number: ***2400122***

System Name: ***LONGVIEW MENNONITE SCHOOL***

PS Code: ***2400122-013***

Source Name: ***RO TREATED***

Source Number: ***013***

Source Status: ***ACTIVE TREATED***

Water type: ***GROUNDWATER OR WELL***

	STORET NUMBER	TESTING INTERVAL (MONTHS)*	LAST TEST DATE (yyyy/mm/dd)	LAST RESULT REPORTED	NEXT TEST DATE (yyyy/mm)
REGULATED SOC					
PENTACHLOROPHENOL	39032	WAIVED			
PICLORAM	39720	WAIVED			
POLYCHLORINATED BIPHENYLS, TOTAL, AS DCB	39516	WAIVED			
SIMAZINE	39055	WAIVED			
THIOBENCARB	A-001	WAIVED			
TOXAPHENE	39400	WAIVED			
REGULATED VOC					
1,1,1-TRICHLOROETHANE	34506	WAIVED			
1,1,2,2-TETRACHLOROETHANE	34516	WAIVED			
1,1,2-TRICHLORO-1,2,2-TRIFLUOROETHANE	81611	WAIVED			
1,1,2-TRICHLOROETHANE	34511	WAIVED			
1,1-DICHLOROETHANE	34496	WAIVED			
1,1-DICHLOROETHYLENE	34501	WAIVED			
1,2,4-TRICHLOROBENZENE	34551	WAIVED			
1,2-DICHLOROBENZENE	34536	WAIVED			
1,2-DICHLOROETHANE	34531	WAIVED			
1,2-DICHLOROPROPANE	34541	WAIVED			
1,3-DICHLOROPROPENE (TOTAL)	34561	WAIVED			
1,4-DICHLOROBENZENE	34571	WAIVED			
BENZENE	34030	WAIVED			
CARBON TETRACHLORIDE	32102	WAIVED			
CIS-1,2-DICHLOROETHYLENE	77093	WAIVED			
DICHLOROMETHANE	34423	WAIVED			
ETHYLBENZENE	34371	WAIVED			
METHYL-TERT-BUTYL-ETHER (MTBE)	46491	WAIVED			
MONOCHLOROBENZENE	34301	WAIVED			
STYRENE	77128	WAIVED			
TETRACHLOROETHYLENE	34475	WAIVED			
TOLUENE	34010	WAIVED			

**Testing interval is in months;*
0 = No data for this constituent and is DUE NOW
999 = Waived testing (not required)
I = Invalid (NOT) valid analyses reported

System Number: ***2400122***

System Name: ***LONGVIEW MENNONITE SCHOOL***

PS Code: ***2400122-013***

Source Name: ***RO TREATED***

Source Number: ***013***

Source Status: ***ACTIVE TREATED***

Water type: ***GROUNDWATER OR WELL***

	STORET NUMBER	TESTING INTERVAL (MONTHS)*	LAST TEST DATE (yyyy/mm/dd)	LAST RESULT REPORTED	NEXT TEST DATE (yyyy/mm)
REGULATED VOC					
TRANS-1,2-DICHLOROETHYLENE	34546	WAIVED			
TRICHLOROETHYLENE	39180	WAIVED			
TRICHLOROFLUOROMETHANE	34488	WAIVED			
VINYL CHLORIDE	39175	WAIVED			
XYLENES (TOTAL)	81551	WAIVED			
SECONDARY/GP					
AGGRSSIVE INDEX (CORROSIVITY)	82383	WAIVED			
BICARBONATE ALKALINITY	00440	WAIVED			
CALCIUM	00916	WAIVED			
CARBONATE ALKALINITY	00445	WAIVED			
CHLORIDE	00940	WAIVED			
COLOR	00081	WAIVED			
COPPER	01042	WAIVED			
FOAMING AGENTS (MBAS)	38260	WAIVED			
HARDNESS (TOTAL) AS CACO3	00900	WAIVED			
HYDROXIDE ALKALINITY	71830	WAIVED			
IRON	01045	WAIVED			
MAGNESIUM	00927	WAIVED			
MANGANESE	01055	WAIVED			
ODOR THRESHOLD @ 60 C	00086	WAIVED			
PH, LABORATORY	00403	WAIVED			
SILVER	01077	WAIVED			
SODIUM	00929	WAIVED			
SPECIFIC CONDUCTANCE	00095	WAIVED			
SULFATE	00945	WAIVED			
TOTAL DISSOLVED SOLIDS	70300	WAIVED			
TURBIDITY, LABORATORY	82079	WAIVED			
ZINC	01092	WAIVED			

**Testing interval is in months;*
0 = No data for this constituent and is DUE NOW
999 = Waived testing (not required)
I = Invalid (NOT) valid analyses reported

System Number: ***2400128***

System Name: ***COUNTRY CLUB COUNTY WD***

PS Code: ***2400128-001***

Source Name: ***WELL#1-STANDBY-120 FROM RD-RESLEEVE 01***

Source Number: ***001***

Source Status: ***STANDBY UNTREATED***

Water type: ***GROUNDWATER OR WELL***

	STORET NUMBER	TESTING INTERVAL (MONTHS)*	LAST TEST DATE (yyyy/mm/dd)	LAST RESULT REPORTED	NEXT TEST DATE (yyyy/mm)	
GENERAL NON CHAP 15						
DIAZINON	39570	WAIVED				
INORGANIC						
ALUMINUM	01105	000				DUE
ANTIMONY	01097	000				DUE
ARSENIC	01002	000				DUE
ASBESTOS	81855	WAIVED				
BARIUM	01007	000				DUE
BERYLLIUM	01012	000				DUE
CADMIUM	01027	000				DUE
CHROMIUM (TOTAL)	01034	000				DUE
CYANIDE	01291	WAIVED				
FLUORIDE (F) (NATURAL-SOURCE)	00951	000				DUE
LEAD	01051	WAIVED				
MERCURY	71900	000				DUE
NICKEL	01067	000				DUE
PERCHLORATE	A-031	000				DUE
SELENIUM	01147	000				DUE
THALLIUM	01059	000				DUE
NITRATE/NITRITE						
NITRATE (AS NO3)	71850	012	2008/08/13	5.100	2009/08	DUE
NITRITE (AS N)	00620	000				DUE
RADIOLOGICAL						
GROSS ALPHA	01501	003				DUE
GROSS BETA	03501	WAIVED				
RA-226 FOR CWS OR TOTAL RA FOR NTNC BY 903.0	A-080	WAIVED				
RA-226 OR TOTAL RA BY 903.0 C.E.	A-081	WAIVED				
RADIUM 226	09501	WAIVED				
RADIUM 228	11501	WAIVED				

**Testing interval is in months;*
0 = No data for this constituent and is DUE NOW
999 = Waived testing (not required)
I = Invalid (NOT) valid analyses reported

System Number: ***2400128***

System Name: ***COUNTRY CLUB COUNTY WD***

PS Code: ***2400128-001***

Source Name: ***WELL#1-STANDBY-120 FROM RD-RESLEEVE 01***

Source Number: ***001***

Source Status: ***STANDBY UNTREATED***

Water type: ***GROUNDWATER OR WELL***

	STORET NUMBER	TESTING INTERVAL (MONTHS)*	LAST TEST DATE (yyyy/mm/dd)	LAST RESULT REPORTED	NEXT TEST DATE (yyyy/mm)
RADIOLOGICAL					
RADIUM, TOTAL, MDA95-NTNC ONLY, BY 903.0	A-082	WAIVED			
STRONTIUM-90	13501	WAIVED			
TRITIUM	07000	WAIVED			
URANIUM (PCI/L)	28012	WAIVED			
REGULATED SOC					
2,3,7,8-TCDD (DIOXIN)	34676	WAIVED			
2,4,5-TP (SILVEX)	39045	WAIVED			
2,4-D	39730	WAIVED			
ALACHLOR	77825	000			DUE
ATRAZINE	39033	000			DUE
BENTAZON	38710	WAIVED			
BENZO (A) PYRENE	34247	WAIVED			
CARBOFURAN	81405	WAIVED			
CHLORDANE	39350	WAIVED			
DALAPON	38432	WAIVED			
DI(2-ETHYLHEXYL)ADIPATE	A-026	WAIVED			
DI(2-ETHYLHEXYL)PHTHALATE	39100	WAIVED			
DIBROMOCHLOROPROPANE (DBCP)	38761	000			DUE
DINOSEB	81287	WAIVED			
DIQUAT	78885	WAIVED			
ENDOTHALL	38926	WAIVED			
ENDRIN	39390	WAIVED			
ETHYLENE DIBROMIDE (EDB)	77651	000			DUE
GLYPHOSATE	79743	WAIVED			
HEPTACHLOR	39410	WAIVED			
HEPTACHLOR EPOXIDE	39420	WAIVED			
HEXACHLOROBENZENE	39700	WAIVED			
HEXACHLOROCYCLOPENTADIENE	34386	WAIVED			
LINDANE	39340	WAIVED			

**Testing interval is in months;*
0 = No data for this constituent and is DUE NOW
999 = Waived testing (not required)
I = Invalid (NOT) valid analyses reported

System Number: ***2400128***

System Name: ***COUNTRY CLUB COUNTY WD***

PS Code: ***2400128-001***

Source Name: ***WELL#1-STANDBY-120 FROM RD-RESLEEVE 01***

Source Number: ***001***

Source Status: ***STANDBY UNTREATED***

Water type: ***GROUNDWATER OR WELL***

	STORET NUMBER	TESTING INTERVAL (MONTHS)*	LAST TEST DATE (yyyy/mm/dd)	LAST RESULT REPORTED	NEXT TEST DATE (yyyy/mm)	
REGULATED SOC						
METHOXYCHLOR	39480	WAIVED				
MOLINATE	82199	WAIVED				
OXAMYL	38865	WAIVED				
PENTACHLOROPHENOL	39032	WAIVED				
PICLORAM	39720	WAIVED				
POLYCHLORINATED BIPHENYLS, TOTAL, AS DCB	39516	WAIVED				
SIMAZINE	39055	000				DUE
THIOBENCARB	A-001	WAIVED				
TOXAPHENE	39400	WAIVED				
REGULATED VOC						
1,1,1-TRICHLOROETHANE	34506	000				DUE
1,1,2,2-TETRACHLOROETHANE	34516	000				DUE
1,1,2-TRICHLORO-1,2,2-TRIFLUOROETHANE	81611	000				DUE
1,1,2-TRICHLOROETHANE	34511	000				DUE
1,1-DICHLOROETHANE	34496	000				DUE
1,1-DICHLOROETHYLENE	34501	000				DUE
1,2,4-TRICHLOROBENZENE	34551	000				DUE
1,2-DICHLOROBENZENE	34536	000				DUE
1,2-DICHLOROETHANE	34531	000				DUE
1,2-DICHLOROPROPANE	34541	000				DUE
1,3-DICHLOROPROPENE (TOTAL)	34561	000				DUE
1,4-DICHLOROBENZENE	34571	000				DUE
BENZENE	34030	000				DUE
CARBON TETRACHLORIDE	32102	000				DUE
CIS-1,2-DICHLOROETHYLENE	77093	000				DUE
DICHLOROMETHANE	34423	000				DUE
ETHYLBENZENE	34371	000				DUE
METHYL-TERT-BUTYL-ETHER (MTBE)	46491	060	2002/10/14	.000	2007/10	DUE
MONOCHLOROBENZENE	34301	000				DUE

**Testing interval is in months;*
0 = No data for this constituent and is DUE NOW
999 = Waived testing (not required)
I = Invalid (NOT) valid analyses reported

System Number: ***2400128***

System Name: ***COUNTRY CLUB COUNTY WD***

PS Code: ***2400128-001***

Source Name: ***WELL#1-STANDBY-120 FROM RD-RESLEEVE 01***

Source Number: ***001***

Source Status: ***STANDBY UNTREATED***

Water type: ***GROUNDWATER OR WELL***

	STORET NUMBER	TESTING INTERVAL (MONTHS)*	LAST TEST DATE (yyyy/mm/dd)	LAST RESULT REPORTED	NEXT TEST DATE (yyyy/mm)
REGULATED VOC					
STYRENE	77128	000			DUE
TETRACHLOROETHYLENE	34475	000			DUE
TOLUENE	34010	000			DUE
TRANS-1,2-DICHLOROETHYLENE	34546	000			DUE
TRICHLOROETHYLENE	39180	000			DUE
TRICHLOROFLUOROMETHANE	34488	000			DUE
VINYL CHLORIDE	39175	000			DUE
XYLENES (TOTAL)	81551	000			DUE
SECONDARY/GP					
AGGRSSIVE INDEX (CORROSIVITY)	82383	WAIVED			
BICARBONATE ALKALINITY	00440	000			DUE
CALCIUM	00916	000			DUE
CARBONATE ALKALINITY	00445	000			DUE
CHLORIDE	00940	000			DUE
COLOR	00081	000			DUE
COPPER	01042	000			DUE
FOAMING AGENTS (MBAS)	38260	000			DUE
HARDNESS (TOTAL) AS CACO3	00900	000			DUE
HYDROXIDE ALKALINITY	71830	000			DUE
IRON	01045	000			DUE
MAGNESIUM	00927	000			DUE
MANGANESE	01055	000			DUE
ODOR THRESHOLD @ 60 C	00086	000			DUE
PH, LABORATORY	00403	000			DUE
SILVER	01077	000			DUE
SODIUM	00929	000			DUE
SPECIFIC CONDUCTANCE	00095	000			DUE
SULFATE	00945	000			DUE
TOTAL DISSOLVED SOLIDS	70300	000			DUE

**Testing interval is in months;*
0 = No data for this constituent and is DUE NOW
999 = Waived testing (not required)
I = Invalid (NOT) valid analyses reported

System Number: ***2400128***

System Name: ***COUNTRY CLUB COUNTY WD***

PS Code: ***2400128-001***

Source Name: ***WELL#1-STANDBY-120 FROM RD-RESLEEVE 01***

Source Number: ***001***

Source Status: ***STANDBY UNTREATED***

Water type: ***GROUNDWATER OR WELL***

	STORET NUMBER	TESTING INTERVAL (MONTHS)*	LAST TEST DATE (yyyy/mm/dd)	LAST RESULT REPORTED	NEXT TEST DATE (yyyy/mm)	
SECONDARY/GP						
TURBIDITY, LABORATORY	82079	000				DUE
ZINC	01092	000				DUE

PS Code: ***2400128-011***

Source Name: ***WELL #2-MAIN WELL-20 FROM RD.***

Source Number: ***011***

Source Status: ***ACTIVE UNTREATED***

Water type: ***GROUNDWATER OR WELL***

	STORET NUMBER	TESTING INTERVAL (MONTHS)*	LAST TEST DATE (yyyy/mm/dd)	LAST RESULT REPORTED	NEXT TEST DATE (yyyy/mm)
GENERAL NON CHAP 15					
DIAZINON	39570	WAIVED	2010/10/07	< .000	
INORGANIC					
ALUMINUM	01105	036	2010/10/07	< .000	2013/10
ANTIMONY	01097	036	2010/10/07	< .000	2013/10
ARSENIC	01002	036	2010/10/07	6.500	2013/10
ASBESTOS	81855	WAIVED			
BARIUM	01007	036	2010/10/07	110.000	2013/10
BERYLLIUM	01012	036	2010/10/07	< .000	2013/10
CADMIUM	01027	036	2010/10/07	< .000	2013/10
CHROMIUM (TOTAL)	01034	036	2010/10/07	< .000	2013/10
CYANIDE	01291	WAIVED			
FLUORIDE (F) (NATURAL-SOURCE)	00951	036	2010/10/07	< .100	2013/10
LEAD	01051	WAIVED	2010/10/07	< .000	
MERCURY	71900	036	2010/10/07	< .000	2013/10
NICKEL	01067	036	2010/10/07	< .000	2013/10
PERCHLORATE	A-031	036	2011/07/14	< .000	2014/07
SELENIUM	01147	036	2010/10/07	< .000	2013/10
THALLIUM	01059	036	2010/10/07	< .000	2013/10

**Testing interval is in months;*
0 = No data for this constituent and is DUE NOW
999 = Waived testing (not required)
I = Invalid (NOT) valid analyses reported

System Number: ***2400128***

System Name: ***COUNTRY CLUB COUNTY WD***

PS Code: ***2400128-011***

Source Name: ***WELL #2-MAIN WELL-20 FROM RD.***

Source Number: ***011***

Source Status: ***ACTIVE UNTREATED***

Water type: ***GROUNDWATER OR WELL***

	STORET NUMBER	TESTING INTERVAL (MONTHS)*	LAST TEST DATE (yyyy/mm/dd)	LAST RESULT REPORTED	NEXT TEST DATE (yyyy/mm)	
NITRATE/NITRITE						
NITRATE (AS NO3)	71850	012	2011/10/06	11.000	2012/10	
NITRITE (AS N)	00620	036	2010/10/07	< 400.000	2013/10	
RADIOLOGICAL						
GROSS ALPHA	01501	003	2006/08/29	1.060	2006/11	DUE
GROSS BETA	03501	WAIVED				
RA-226 FOR CWS OR TOTAL RA FOR NTNC BY 903.0	A-080	WAIVED				
RA-226 OR TOTAL RA BY 903.0 C.E.	A-081	WAIVED				
RADIUM 226	09501	WAIVED				
RADIUM 228	11501	WAIVED	2007/05/17	< 1.000		
RADIUM, TOTAL, MDA95-NTNC ONLY, BY 903.0	A-082	WAIVED				
STRONTIUM-90	13501	WAIVED				
TRITIUM	07000	WAIVED				
URANIUM (PCI/L)	28012	WAIVED				
REGULATED SOC						
2,3,7,8-TCDD (DIOXIN)	34676	WAIVED				
2,4,5-TP (SILVEX)	39045	WAIVED				
2,4-D	39730	WAIVED				
ALACHLOR	77825	036	2010/10/07	< .000	2013/10	
ATRAZINE	39033	036	2010/10/07	< .000	2013/10	
BENTAZON	38710	WAIVED				
BENZO (A) PYRENE	34247	WAIVED	2010/10/07	< .000		
CARBOFURAN	81405	WAIVED				
CHLORDANE	39350	WAIVED				
DALAPON	38432	WAIVED				
DI(2-ETHYLHEXYL)ADIPATE	A-026	WAIVED	2010/10/07	< .000		
DI(2-ETHYLHEXYL)PHTHALATE	39100	WAIVED	2010/10/07	< .000		
DIBROMOCHLOROPROPANE (DBCP)	38761	036	2010/10/07	.000	2013/10	
DINOSEB	81287	WAIVED				
DIQUAT	78885	WAIVED				

**Testing interval is in months;*
0 = No data for this constituent and is DUE NOW
999 = Waived testing (not required)
I = Invalid (NOT) valid analyses reported

System Number: ***2400128***

System Name: ***COUNTRY CLUB COUNTY WD***

PS Code: ***2400128-011***

Source Name: ***WELL #2-MAIN WELL-20 FROM RD.***

Source Number: ***011***

Source Status: ***ACTIVE UNTREATED***

Water type: ***GROUNDWATER OR WELL***

	STORET NUMBER	TESTING INTERVAL (MONTHS)*	LAST TEST DATE (yyyy/mm/dd)	LAST RESULT REPORTED	NEXT TEST DATE (yyyy/mm)
REGULATED SOC					
ENDOTHALL	38926	WAIVED			
ENDRIN	39390	WAIVED			
ETHYLENE DIBROMIDE (EDB)	77651	036	2010/10/07	.000	2013/10
GLYPHOSATE	79743	WAIVED			
HEPTACHLOR	39410	WAIVED			
HEPTACHLOR EPOXIDE	39420	WAIVED			
HEXACHLOROBENZENE	39700	WAIVED			
HEXACHLOROCYCLOPENTADIENE	34386	WAIVED			
LINDANE	39340	WAIVED			
METHOXYCHLOR	39480	WAIVED			
MOLINATE	82199	WAIVED	2010/10/07	< .000	
OXAMYL	38865	WAIVED			
PENTACHLOROPHENOL	39032	WAIVED			
PICLORAM	39720	WAIVED			
POLYCHLORINATED BIPHENYLS, TOTAL, AS DCB	39516	WAIVED			
SIMAZINE	39055	036	2010/10/07	< .000	2013/10
THIOBENCARB	A-001	WAIVED	2010/10/07	< .000	
TOXAPHENE	39400	WAIVED			
REGULATED VOC					
1,1,1-TRICHLOROETHANE	34506	060	2010/10/07	< .000	2015/10
1,1,2,2-TETRACHLOROETHANE	34516	060	2010/10/07	< .000	2015/10
1,1,2-TRICHLORO-1,2,2-TRIFLUOROETHANE	81611	060	2010/10/07	< .000	2015/10
1,1,2-TRICHLOROETHANE	34511	060	2010/10/07	< .000	2015/10
1,1-DICHLOROETHANE	34496	060	2010/10/07	< .000	2015/10
1,1-DICHLOROETHYLENE	34501	060	2010/10/07	< .000	2015/10
1,2,4-TRICHLOROBENZENE	34551	060	2010/10/07	< .000	2015/10
1,2-DICHLOROBENZENE	34536	060	2010/10/07	< .000	2015/10
1,2-DICHLOROETHANE	34531	060	2010/10/07	< .000	2015/10
1,2-DICHLOROPROPANE	34541	060	2010/10/07	< .000	2015/10

**Testing interval is in months;*
0 = No data for this constituent and is DUE NOW
999 = Waived testing (not required)
I = Invalid (NOT) valid analyses reported

System Number: ***2400128***

System Name: ***COUNTRY CLUB COUNTY WD***

PS Code: ***2400128-011***

Source Name: ***WELL #2-MAIN WELL-20 FROM RD.***

Source Number: ***011***

Source Status: ***ACTIVE UNTREATED***

Water type: ***GROUNDWATER OR WELL***

	STORET NUMBER	TESTING INTERVAL (MONTHS)*	LAST TEST DATE (yyyy/mm/dd)	LAST RESULT REPORTED	NEXT TEST DATE (yyyy/mm)
REGULATED VOC					
1,3-DICHLOROPROPENE (TOTAL)	34561	060	2010/10/07	< .000	2015/10
1,4-DICHLOROBENZENE	34571	060	2010/10/07	< .000	2015/10
BENZENE	34030	060	2010/10/07	< .000	2015/10
CARBON TETRACHLORIDE	32102	060	2010/10/07	< .000	2015/10
CIS-1,2-DICHLOROETHYLENE	77093	060	2010/10/07	< .000	2015/10
DICHLOROMETHANE	34423	060	2010/10/07	< .000	2015/10
ETHYLBENZENE	34371	060	2010/10/07	< .000	2015/10
METHYL-TERT-BUTYL-ETHER (MTBE)	46491	060	2010/10/07	< .000	2015/10
MONOCHLOROBENZENE	34301	060	2010/10/07	< .000	2015/10
STYRENE	77128	060	2010/10/07	< .000	2015/10
TETRACHLOROETHYLENE	34475	060	2010/10/07	< .000	2015/10
TOLUENE	34010	060	2010/10/07	< .000	2015/10
TRANS-1,2-DICHLOROETHYLENE	34546	060	2010/10/07	< .000	2015/10
TRICHLOROETHYLENE	39180	060	2010/10/07	< .000	2015/10
TRICHLOROFLUOROMETHANE	34488	060	2010/10/07	< .000	2015/10
VINYL CHLORIDE	39175	060	2010/10/07	< .000	2015/10
XYLENES (TOTAL)	81551	060	2010/10/07	< .000	2015/10
SECONDARY/GP					
AGGRSSIVE INDEX (CORROSIVITY)	82383	WAIVED			
BICARBONATE ALKALINITY	00440	036	2010/10/07	161.400	2013/10
CALCIUM	00916	036	2010/10/07	27.800	2013/10
CARBONATE ALKALINITY	00445	036	2010/10/07	< 1.000	2013/10
CHLORIDE	00940	036	2010/10/07	77.000	2013/10
COLOR	00081	036	2010/10/07	< 3.000	2013/10
COPPER	01042	036	2010/10/07	< .000	2013/10
FOAMING AGENTS (MBAS)	38260	036	2010/10/07	< .020	2013/10
HARDNESS (TOTAL) AS CACO3	00900	036	2010/10/07	137.200	2013/10
HYDROXIDE ALKALINITY	71830	036	2010/10/07	< 1.000	2013/10
IRON	01045	036	2010/10/07	< .000	2013/10

**Testing interval is in months;*
0 = No data for this constituent and is DUE NOW
999 = Waived testing (not required)
I = Invalid (NOT) valid analyses reported

System Number: ***2400128***

System Name: ***COUNTRY CLUB COUNTY WD***

PS Code: ***2400128-011***

Source Name: ***WELL #2-MAIN WELL-20 FROM RD.***

Source Number: ***011***

Source Status: ***ACTIVE UNTREATED***

Water type: ***GROUNDWATER OR WELL***

SECONDARY/GP

	STORET NUMBER	TESTING INTERVAL (MONTHS)*	LAST TEST DATE (yyyy/mm/dd)	LAST RESULT REPORTED	NEXT TEST DATE (yyyy/mm)
MAGNESIUM	**00927**	**036**	2010/10/07	**6.300**	2013/10
MANGANESE	**01055**	**036**	2010/10/07	**< .000**	2013/10
ODOR THRESHOLD @ 60 C	**00086**	**036**	2010/10/07	**< 1.000**	2013/10
PH, LABORATORY	**00403**	**036**	2010/10/07	**7.300**	2013/10
SILVER	**01077**	**036**	2010/10/07	**< .000**	2013/10
SODIUM	**00929**	**036**	2010/10/07	**49.000**	2013/10
SPECIFIC CONDUCTANCE	**00095**	**036**	2011/07/14	**460.000**	2014/07
SULFATE	**00945**	**036**	2010/10/07	**5.000**	2013/10
TOTAL DISSOLVED SOLIDS	**70300**	**036**	2010/10/07	**288.000**	2013/10
TURBIDITY, LABORATORY	**82079**	**036**	2010/10/07	**< .050**	2013/10
ZINC	**01092**	**036**	2010/10/07	**< .000**	2013/10

**Testing interval is in months;*
0 = No data for this constituent and is DUE NOW
999 = Waived testing (not required)
I = Invalid (NOT) valid analyses reported

System Number: ***2400134***

System Name: ***BUHACH PRESCHOOL (KINDERCARE)***

PS Code: ***2400134-001***

Source Name: ***WELL #1-FRONT OF MIDDLE BUILDING***

Source Number: ***001***

Source Status: ***ACTIVE UNTREATED***

Water type: ***GROUNDWATER OR WELL***

	STORET NUMBER	TESTING INTERVAL (MONTHS)*	LAST TEST DATE (yyyy/mm/dd)	LAST RESULT REPORTED	NEXT TEST DATE (yyyy/mm)	
GENERAL NON CHAP 15						
DIAZINON	39570	WAIVED	2006/10/10	< .250		
INORGANIC						
ALUMINUM	01105	036	2011/03/03	< 50.000	2014/03	
ANTIMONY	01097	036	2011/03/03	< 6.000	2014/03	
ARSENIC	01002	036	2011/03/03	< 2.000	2014/03	
ASBESTOS	81855	WAIVED				
BARIUM	01007	036	2011/03/03	< 100.000	2014/03	
BERYLLIUM	01012	036	2011/03/03	< 1.000	2014/03	
CADMIUM	01027	036	2011/03/03	< 1.000	2014/03	
CHROMIUM (TOTAL)	01034	036	2011/03/03	4.800	2014/03	
CYANIDE	01291	WAIVED				
FLUORIDE (F) (NATURAL-SOURCE)	00951	036	2011/03/03	.120	2014/03	
LEAD	01051	WAIVED	2011/03/03	< 5.000		
MERCURY	71900	036	2011/03/03	< .500	2014/03	
NICKEL	01067	036	2011/03/03	< 10.000	2014/03	
PERCHLORATE	A-031	036	2011/12/15	< .000	2014/12	
SELENIUM	01147	036	2011/03/03	< 5.000	2014/03	
THALLIUM	01059	036	2011/03/03	< 1.000	2014/03	
NITRATE/NITRITE						
NITRATE (AS NO3)	71850	012	**2011/03/03**	< 2.000	**2012/03**	**DUE**
NITRITE (AS N)	00620	036	2011/03/03	< 400.000	2014/03	
RADIOLOGICAL						
GROSS ALPHA	01501	WAIVED	2011/03/03	1.500		
GROSS BETA	03501	WAIVED				
RA-226 FOR CWS OR TOTAL RA FOR NTNC BY 903.0	A-080	WAIVED				
RA-226 OR TOTAL RA BY 903.0 C.E.	A-081	WAIVED				
RADIUM 226	09501	WAIVED	2009/04/06	.080		
RADIUM 228	11501	WAIVED	2009/04/06	.004		

**Testing interval is in months;*
0 = No data for this constituent and is DUE NOW
999 = Waived testing (not required)
I = Invalid (NOT) valid analyses reported

System Number: ***2400134***

System Name: ***BUHACH PRESCHOOL (KINDERCARE)***

PS Code: ***2400134-001***

Source Name: ***WELL #1-FRONT OF MIDDLE BUILDING***

Source Number: ***001***

Source Status: ***ACTIVE UNTREATED***

Water type: ***GROUNDWATER OR WELL***

	STORET NUMBER	TESTING INTERVAL (MONTHS)*	LAST TEST DATE (yyyy/mm/dd)	LAST RESULT REPORTED	NEXT TEST DATE (yyyy/mm)
RADIOLOGICAL					
RADIUM, TOTAL, MDA95-NTNC ONLY, BY 903.0	A-082	WAIVED			
STRONTIUM-90	13501	WAIVED			
TRITIUM	07000	WAIVED			
URANIUM (PCI/L)	28012	WAIVED	2007/05/02	< .667	
REGULATED SOC					
2,3,7,8-TCDD (DIOXIN)	34676	WAIVED			
2,4,5-TP (SILVEX)	39045	WAIVED			
2,4-D	39730	WAIVED			
ALACHLOR	77825	036	2011/12/15	< .000	2014/12
ATRAZINE	39033	036	2011/12/15	< .000	2014/12
BENTAZON	38710	WAIVED			
BENZO (A) PYRENE	34247	WAIVED	2006/10/10	.000	
CARBOFURAN	81405	WAIVED			
CHLORDANE	39350	WAIVED	2007/02/01	< .100	
DALAPON	38432	WAIVED			
DI(2-ETHYLHEXYL)ADIPATE	A-026	WAIVED	2006/10/10	.000	
DI(2-ETHYLHEXYL)PHTHALATE	39100	WAIVED	2006/10/10	.000	
DIBROMOCHLOROPROPANE (DBCP)	38761	036	2011/12/15	< .000	2014/12
DINOSEB	81287	WAIVED			
DIQUAT	78885	WAIVED			
ENDOTHALL	38926	WAIVED			
ENDRIN	39390	WAIVED	2007/02/01	< .100	
ETHYLENE DIBROMIDE (EDB)	77651	036	2011/12/15	< .000	2014/12
GLYPHOSATE	79743	WAIVED			
HEPTACHLOR	39410	WAIVED	2007/02/01	< .010	
HEPTACHLOR EPOXIDE	39420	WAIVED	2007/02/01	< .010	
HEXACHLOROBENZENE	39700	WAIVED	2007/02/01	< .500	
HEXACHLOROCYCLOPENTADIENE	34386	WAIVED	2007/02/01	< 1.000	
LINDANE	39340	WAIVED	2007/02/01	< .200	

**Testing interval is in months;*
0 = No data for this constituent and is DUE NOW
999 = Waived testing (not required)
I = Invalid (NOT) valid analyses reported

System Number: ***2400134***

System Name: ***BUHACH PRESCHOOL (KINDERCARE)***

PS Code: ***2400134-001***

Source Name: ***WELL #1-FRONT OF MIDDLE BUILDING***

Source Number: ***001***

Source Status: ***ACTIVE UNTREATED***

Water type: ***GROUNDWATER OR WELL***

	STORET NUMBER	TESTING INTERVAL (MONTHS)*	LAST TEST DATE (yyyy/mm/dd)	LAST RESULT REPORTED	NEXT TEST DATE (yyyy/mm)
REGULATED SOC					
METHOXYCHLOR	39480	WAIVED	2007/02/01	< 10.000	
MOLINATE	82199	WAIVED	2006/10/10	.000	
OXAMYL	38865	WAIVED			
PENTACHLOROPHENOL	39032	WAIVED			
PICLORAM	39720	WAIVED			
POLYCHLORINATED BIPHENYLS, TOTAL, AS DCB	39516	WAIVED	2007/02/01	< .500	
SIMAZINE	39055	036	2011/12/15	< .000	2014/12
THIOBENCARB	A-001	WAIVED	2006/10/10	.000	
TOXAPHENE	39400	WAIVED	2007/02/01	< 1.000	
REGULATED VOC					
1,1,1-TRICHLOROETHANE	34506	060	2011/12/15	< .000	2016/12
1,1,2,2-TETRACHLOROETHANE	34516	060	2011/12/15	< .000	2016/12
1,1,2-TRICHLORO-1,2,2-TRIFLUOROETHANE	81611	060	2011/12/15	< .000	2016/12
1,1,2-TRICHLOROETHANE	34511	060	2011/12/15	< .000	2016/12
1,1-DICHLOROETHANE	34496	060	2011/12/15	< .000	2016/12
1,1-DICHLOROETHYLENE	34501	060	2011/12/15	< .000	2016/12
1,2,4-TRICHLOROBENZENE	34551	060	2011/12/15	< .000	2016/12
1,2-DICHLOROBENZENE	34536	060	2011/12/15	< .000	2016/12
1,2-DICHLOROETHANE	34531	060	2011/12/15	< .000	2016/12
1,2-DICHLOROPROPANE	34541	060	2011/12/15	< .000	2016/12
1,3-DICHLOROPROPENE (TOTAL)	34561	060	2011/12/15	< .000	2016/12
1,4-DICHLOROBENZENE	34571	060	2011/12/15	< .000	2016/12
BENZENE	34030	060	2011/12/15	< .000	2016/12
CARBON TETRACHLORIDE	32102	060	2011/12/15	< .000	2016/12
CIS-1,2-DICHLOROETHYLENE	77093	060	2011/12/15	< .000	2016/12
DICHLOROMETHANE	34423	060	2011/12/15	< .000	2016/12
ETHYLBENZENE	34371	060	2011/12/15	< .000	2016/12
METHYL-TERT-BUTYL-ETHER (MTBE)	46491	060	2011/12/15	< .000	2016/12
MONOCHLOROBENZENE	34301	060	2011/12/15	< .000	2016/12

**Testing interval is in months;*
0 = No data for this constituent and is DUE NOW
999 = Waived testing (not required)
I = Invalid (NOT) valid analyses reported

System Number: ***2400134***

System Name: ***BUHACH PRESCHOOL (KINDERCARE)***

PS Code: ***2400134-001***

Source Name: ***WELL #1-FRONT OF MIDDLE BUILDING***

Source Number: ***001***

Source Status: ***ACTIVE UNTREATED***

Water type: ***GROUNDWATER OR WELL***

	STORET NUMBER	TESTING INTERVAL (MONTHS)*	LAST TEST DATE (yyyy/mm/dd)	LAST RESULT REPORTED	NEXT TEST DATE (yyyy/mm)
REGULATED VOC					
STYRENE	77128	060	2011/12/15	< .000	2016/12
TETRACHLOROETHYLENE	34475	060	2011/12/15	< .000	2016/12
TOLUENE	34010	060	2011/12/15	< .000	2016/12
TRANS-1,2-DICHLOROETHYLENE	34546	060	2011/12/15	< .000	2016/12
TRICHLOROETHYLENE	39180	060	2011/12/15	< .000	2016/12
TRICHLOROFLUOROMETHANE	34488	060	2011/12/15	< .000	2016/12
VINYL CHLORIDE	39175	060	2011/12/15	< .000	2016/12
XYLENES (TOTAL)	81551	060	2011/12/15	.720	2016/12
SECONDARY/GP					
AGGRSSIVE INDEX (CORROSIVITY)	82383	WAIVED			
BICARBONATE ALKALINITY	00440	WAIVED	2011/03/03	111.000	
CALCIUM	00916	WAIVED	2011/03/03	11.000	
CARBONATE ALKALINITY	00445	WAIVED	2011/03/03	< 2.000	
CHLORIDE	00940	WAIVED	2011/03/03	20.100	
COLOR	00081	WAIVED	2011/03/03	< 5.000	
COPPER	01042	WAIVED	2011/03/03	< 50.000	
FOAMING AGENTS (MBAS)	38260	WAIVED	2011/03/03	< .025	
HARDNESS (TOTAL) AS CACO3	00900	WAIVED	2011/03/03	40.400	
HYDROXIDE ALKALINITY	71830	WAIVED	2011/03/03	< .500	
IRON	01045	WAIVED	2011/03/03	120.000	
MAGNESIUM	00927	WAIVED	2011/03/03	2.000	
MANGANESE	01055	WAIVED	2011/03/03	60.000	
ODOR THRESHOLD @ 60 C	00086	WAIVED	2011/03/03	.000	
PH, LABORATORY	00403	WAIVED	2011/03/03	8.390	
SILVER	01077	WAIVED	2011/03/03	< 10.000	
SODIUM	00929	WAIVED	2011/03/03	44.000	
SPECIFIC CONDUCTANCE	00095	WAIVED	2011/12/15	270.000	
SULFATE	00945	WAIVED	2011/03/03	7.300	
TOTAL DISSOLVED SOLIDS	70300	WAIVED	2011/03/03	180.000	

**Testing interval is in months;*
0 = No data for this constituent and is DUE NOW
999 = Waived testing (not required)
I = Invalid (NOT) valid analyses reported

System Number: ***2400134***

System Name: ***BUHACH PRESCHOOL (KINDERCARE)***

PS Code: ***2400134-001***

Source Name: ***WELL #1-FRONT OF MIDDLE BUILDING***

Source Number: ***001***

Source Status: ***ACTIVE UNTREATED***

Water type: ***GROUNDWATER OR WELL***

SECONDARY/GP

	STORET NUMBER	TESTING INTERVAL (MONTHS)*	LAST TEST DATE (yyyy/mm/dd)	LAST RESULT REPORTED	NEXT TEST DATE (yyyy/mm)
TURBIDITY, LABORATORY	82079	WAIVED	2011/03/03	.200	
ZINC	01092	WAIVED	2011/03/03	< 50.000	

**Testing interval is in months;*
0 = No data for this constituent and is DUE NOW
999 = Waived testing (not required)
I = Invalid (NOT) valid analyses reported

System Number: ***2400139***

System Name: ***YOSEMITE WHOLESALE***

PS Code: ***2400139-001***

Source Name: ***WELL #1-E. OF LARGE WATER TANK***

Source Number: ***001***

Source Status: ***ACTIVE UNTREATED***

Water type: ***GROUNDWATER OR WELL***

	STORET NUMBER	TESTING INTERVAL (MONTHS)*	LAST TEST DATE (yyyy/mm/dd)	LAST RESULT REPORTED	NEXT TEST DATE (yyyy/mm)
GENERAL NON CHAP 15					
DIAZINON	39570	WAIVED			
INORGANIC					
ALUMINUM	01105	036	2010/01/21	< 50.000	2013/01
ANTIMONY	01097	036	2010/01/21	< 6.000	2013/01
ARSENIC	01002	036	2010/01/21	3.200	2013/01
ASBESTOS	81855	WAIVED			
BARIUM	01007	036	2010/01/21	179.000	2013/01
BERYLLIUM	01012	036	2010/01/21	< 1.000	2013/01
CADMIUM	01027	036	2010/01/21	< 1.000	2013/01
CHROMIUM (TOTAL)	01034	036	2010/01/21	7.400	2013/01
CYANIDE	01291	WAIVED			
FLUORIDE (F) (NATURAL-SOURCE)	00951	036	2010/01/21	.100	2013/01
LEAD	01051	WAIVED	2010/01/21	< 5.000	
MERCURY	71900	036	2010/01/21	< .500	2013/01
NICKEL	01067	036	2010/01/21	< 10.000	2013/01
PERCHLORATE	A-031	036	2011/05/19	< .000	2014/05
SELENIUM	01147	036	2010/01/21	< 5.000	2013/01
THALLIUM	01059	036	2010/01/21	< 1.000	2013/01
NITRATE/NITRITE					
NITRATE (AS NO3)	71850	012	2012/02/22	4.100	2013/02
NITRITE (AS N)	00620	036	2010/01/21	< 400.000	2013/01
RADIOLOGICAL					
GROSS ALPHA	01501	WAIVED	2012/02/22	< .000	
GROSS BETA	03501	WAIVED			
RA-226 FOR CWS OR TOTAL RA FOR NTNC BY 903.0	A-080	WAIVED			
RA-226 OR TOTAL RA BY 903.0 C.E.	A-081	WAIVED			
RADIUM 226	09501	WAIVED			
RADIUM 228	11501	WAIVED			

**Testing interval is in months;*
0 = No data for this constituent and is DUE NOW
999 = Waived testing (not required)
I = Invalid (NOT) valid analyses reported

System Number: ***2400139***

System Name: ***YOSEMITE WHOLESALE***

PS Code: ***2400139-001***

Source Name: ***WELL #1-E. OF LARGE WATER TANK***

Source Number: ***001***

Source Status: ***ACTIVE UNTREATED***

Water type: ***GROUNDWATER OR WELL***

	STORET NUMBER	TESTING INTERVAL (MONTHS)*	LAST TEST DATE (yyyy/mm/dd)	LAST RESULT REPORTED	NEXT TEST DATE (yyyy/mm)
RADIOLOGICAL					
RADIUM, TOTAL, MDA95-NTNC ONLY, BY 903.0	A-082	WAIVED			
STRONTIUM-90	13501	WAIVED			
TRITIUM	07000	WAIVED			
URANIUM (PCI/L)	28012	WAIVED	2012/02/22	1.400	
REGULATED SOC					
2,3,7,8-TCDD (DIOXIN)	34676	WAIVED			
2,4,5-TP (SILVEX)	39045	WAIVED			
2,4-D	39730	WAIVED			
ALACHLOR	77825	036	2010/01/21	< 1.000	2013/01
ATRAZINE	39033	036	2010/01/21	< .500	2013/01
BENTAZON	38710	WAIVED			
BENZO (A) PYRENE	34247	WAIVED			
CARBOFURAN	81405	WAIVED			
CHLORDANE	39350	WAIVED	2010/01/21	< .100	
DALAPON	38432	WAIVED			
DI(2-ETHYLHEXYL)ADIPATE	A-026	WAIVED			
DI(2-ETHYLHEXYL)PHTHALATE	39100	WAIVED			
DIBROMOCHLOROPROPANE (DBCP)	38761	036	2010/01/21	< .010	2013/01
DINOSEB	81287	WAIVED			
DIQUAT	78885	WAIVED			
ENDOTHALL	38926	WAIVED			
ENDRIN	39390	WAIVED	2010/01/21	< .100	
ETHYLENE DIBROMIDE (EDB)	77651	036	2010/01/21	< .020	2013/01
GLYPHOSATE	79743	WAIVED			
HEPTACHLOR	39410	WAIVED	2010/01/21	< .010	
HEPTACHLOR EPOXIDE	39420	WAIVED	2010/01/21	< .010	
HEXACHLOROBENZENE	39700	WAIVED	2010/01/21	< .500	
HEXACHLOROCYCLOPENTADIENE	34386	WAIVED	2010/01/21	< 1.000	
LINDANE	39340	WAIVED	2010/01/21	< .200	

**Testing interval is in months;*
0 = No data for this constituent and is DUE NOW
999 = Waived testing (not required)
I = Invalid (NOT) valid analyses reported

System Number: ***2400139***

System Name: ***YOSEMITE WHOLESALE***

PS Code: ***2400139-001***

Source Name: ***WELL #1-E. OF LARGE WATER TANK***

Source Number: ***001***

Source Status: ***ACTIVE UNTREATED***

Water type: ***GROUNDWATER OR WELL***

	STORET NUMBER	TESTING INTERVAL (MONTHS)*	LAST TEST DATE (yyyy/mm/dd)	LAST RESULT REPORTED	NEXT TEST DATE (yyyy/mm)
REGULATED SOC					
METHOXYCHLOR	39480	WAIVED	2010/01/21	< 10.000	
MOLINATE	82199	WAIVED			
OXAMYL	38865	WAIVED			
PENTACHLOROPHENOL	39032	WAIVED			
PICLORAM	39720	WAIVED			
POLYCHLORINATED BIPHENYLS, TOTAL, AS DCB	39516	WAIVED	2010/01/21	< .500	
SIMAZINE	39055	036	2010/01/21	< 1.000	2013/01
THIOBENCARB	A-001	WAIVED			
TOXAPHENE	39400	WAIVED	2010/01/21	< 1.000	
REGULATED VOC					
1,1,1-TRICHLOROETHANE	34506	060	2007/10/01	.000	2012/10
1,1,2,2-TETRACHLOROETHANE	34516	060	2007/10/01	.000	2012/10
1,1,2-TRICHLORO-1,2,2-TRIFLUOROETHANE	81611	060	2007/10/01	.000	2012/10
1,1,2-TRICHLOROETHANE	34511	060	2007/10/01	.000	2012/10
1,1-DICHLOROETHANE	34496	060	2007/10/01	.000	2012/10
1,1-DICHLOROETHYLENE	34501	060	2007/10/01	.000	2012/10
1,2,4-TRICHLOROBENZENE	34551	060	2007/10/01	.000	2012/10
1,2-DICHLOROBENZENE	34536	060	2007/10/01	.000	2012/10
1,2-DICHLOROETHANE	34531	060	2007/10/01	.000	2012/10
1,2-DICHLOROPROPANE	34541	060	2007/10/01	.000	2012/10
1,3-DICHLOROPROPENE (TOTAL)	34561	060	2007/10/01	.000	2012/10
1,4-DICHLOROBENZENE	34571	060	2007/10/01	.000	2012/10
BENZENE	34030	060	2007/10/01	.000	2012/10
CARBON TETRACHLORIDE	32102	060	2007/10/01	.000	2012/10
CIS-1,2-DICHLOROETHYLENE	77093	060	2007/10/01	.000	2012/10
DICHLOROMETHANE	34423	060	2007/10/01	.000	2012/10
ETHYLBENZENE	34371	060	2007/10/01	.000	2012/10
METHYL-TERT-BUTYL-ETHER (MTBE)	46491	060	2007/10/01	.000	2012/10
MONOCHLOROBENZENE	34301	060	2007/10/01	.000	2012/10

**Testing interval is in months;*
0 = No data for this constituent and is DUE NOW
999 = Waived testing (not required)
I = Invalid (NOT) valid analyses reported

System Number: ***2400139***

System Name: ***YOSEMITE WHOLESALE***

PS Code: ***2400139-001***

Source Name: ***WELL #1-E. OF LARGE WATER TANK***

Source Number: ***001***

Source Status: ***ACTIVE UNTREATED***

Water type: ***GROUNDWATER OR WELL***

	STORET NUMBER	TESTING INTERVAL (MONTHS)*	LAST TEST DATE (yyyy/mm/dd)	LAST RESULT REPORTED	NEXT TEST DATE (yyyy/mm)
REGULATED VOC					
STYRENE	77128	060	2007/10/01	.000	2012/10
TETRACHLOROETHYLENE	34475	060	2007/10/01	.000	2012/10
TOLUENE	34010	060	2007/10/01	.000	2012/10
TRANS-1,2-DICHLOROETHYLENE	34546	060	2007/10/01	.000	2012/10
TRICHLOROETHYLENE	39180	060	2007/10/01	.620	2012/10
TRICHLOROFLUOROMETHANE	34488	060	2007/10/01	.000	2012/10
VINYL CHLORIDE	39175	060	2007/10/01	.000	2012/10
XYLENES (TOTAL)	81551	060	2007/10/01	< .500	2012/10
SECONDARY/GP					
AGGRSSIVE INDEX (CORROSIVITY)	82383	WAIVED			
BICARBONATE ALKALINITY	00440	WAIVED	2007/01/09	123.000	
CALCIUM	00916	WAIVED	2007/01/09	21.000	
CARBONATE ALKALINITY	00445	WAIVED	2007/01/09	< 2.000	
CHLORIDE	00940	WAIVED	2007/01/09	8.500	
COLOR	00081	WAIVED	2007/01/09	< 5.000	
COPPER	01042	WAIVED	2007/01/09	< 50.000	
FOAMING AGENTS (MBAS)	38260	WAIVED	2007/01/09	< .025	
HARDNESS (TOTAL) AS CACO3	00900	WAIVED	2007/01/09	88.200	
HYDROXIDE ALKALINITY	71830	WAIVED	2007/01/09	< .500	
IRON	01045	WAIVED	2007/01/09	< 100.000	
MAGNESIUM	00927	WAIVED	2007/01/09	6.600	
MANGANESE	01055	WAIVED	2007/01/09	< 20.000	
ODOR THRESHOLD @ 60 C	00086	WAIVED	2007/01/09	.000	
PH, LABORATORY	00403	WAIVED	2007/01/09	7.370	
SILVER	01077	WAIVED	2010/01/21	< 10.000	
SODIUM	00929	WAIVED	2007/01/09	28.000	
SPECIFIC CONDUCTANCE	00095	WAIVED	2011/05/19	320.000	
SULFATE	00945	WAIVED	2007/01/09	11.900	
TOTAL DISSOLVED SOLIDS	70300	WAIVED	2007/01/09	200.000	

**Testing interval is in months;*
0 = No data for this constituent and is DUE NOW
999 = Waived testing (not required)
I = Invalid (NOT) valid analyses reported

System Number: ***2400139***

System Name: ***YOSEMITE WHOLESALE***

PS Code: ***2400139-001***

Source Name: ***WELL #1-E. OF LARGE WATER TANK***

Source Number: ***001***

Source Status: ***ACTIVE UNTREATED***

Water type: ***GROUNDWATER OR WELL***

	STORET NUMBER	TESTING INTERVAL (MONTHS)*	LAST TEST DATE (yyyy/mm/dd)	LAST RESULT REPORTED	NEXT TEST DATE (yyyy/mm)
SECONDARY/GP					
TURBIDITY, LABORATORY	82079	WAIVED	2007/01/09	.200	
ZINC	01092	WAIVED	2007/01/09	< 50.000	

PS Code: ***2400139-011***

Source Name: ***WELL 02 - STANDBY***

Source Number: ***011***

Source Status: ***STANDBY UNTREATED***

Water type: ***GROUNDWATER OR WELL***

GENERAL NON CHAP 15					
DIAZINON	39570	WAIVED			
INORGANIC					
ALUMINUM	01105	000			DUE
ANTIMONY	01097	000			DUE
ARSENIC	01002	000			DUE
ASBESTOS	81855	WAIVED			
BARIUM	01007	000			DUE
BERYLLIUM	01012	000			DUE
CADMIUM	01027	000			DUE
CHROMIUM (TOTAL)	01034	000			DUE
CYANIDE	01291	WAIVED			
FLUORIDE (F) (NATURAL-SOURCE)	00951	000			DUE
LEAD	01051	WAIVED			
MERCURY	71900	000			DUE
NICKEL	01067	000			DUE
PERCHLORATE	A-031	000			DUE
SELENIUM	01147	000			DUE
THALLIUM	01059	000			DUE

**Testing interval is in months;*
0 = No data for this constituent and is DUE NOW
999 = Waived testing (not required)
I = Invalid (NOT) valid analyses reported

System Number: ***2400139***

System Name: ***YOSEMITE WHOLESALE***

PS Code: ***2400139-011***

Source Name: ***WELL 02 - STANDBY***

Source Number: ***011***

Source Status: ***STANDBY UNTREATED***

Water type: ***GROUNDWATER OR WELL***

	STORET NUMBER	TESTING INTERVAL (MONTHS)*	LAST TEST DATE (yyyy/mm/dd)	LAST RESULT REPORTED	NEXT TEST DATE (yyyy/mm)
NITRATE/NITRITE					
NITRATE (AS NO3)	71850	000			DUE
NITRITE (AS N)	00620	000			DUE
RADIOLOGICAL					
GROSS ALPHA	01501	WAIVED			
GROSS BETA	03501	WAIVED			
RA-226 FOR CWS OR TOTAL RA FOR NTNC BY 903.0	A-080	WAIVED			
RA-226 OR TOTAL RA BY 903.0 C.E.	A-081	WAIVED			
RADIUM 226	09501	WAIVED			
RADIUM 228	11501	WAIVED			
RADIUM, TOTAL, MDA95-NTNC ONLY, BY 903.0	A-082	WAIVED			
STRONTIUM-90	13501	WAIVED			
TRITIUM	07000	WAIVED			
URANIUM (PCI/L)	28012	WAIVED			
REGULATED SOC					
2,3,7,8-TCDD (DIOXIN)	34676	WAIVED			
2,4,5-TP (SILVEX)	39045	WAIVED			
2,4-D	39730	WAIVED			
ALACHLOR	77825	000			DUE
ATRAZINE	39033	000			DUE
BENTAZON	38710	WAIVED			
BENZO (A) PYRENE	34247	WAIVED			
CARBOFURAN	81405	WAIVED			
CHLORDANE	39350	WAIVED			
DALAPON	38432	WAIVED			
DI(2-ETHYLHEXYL)ADIPATE	A-026	WAIVED			
DI(2-ETHYLHEXYL)PHTHALATE	39100	WAIVED			
DIBROMOCHLOROPROPANE (DBCP)	38761	000			DUE
DINOSEB	81287	WAIVED			
DIQUAT	78885	WAIVED			

**Testing interval is in months;*
0 = No data for this constituent and is DUE NOW
999 = Waived testing (not required)
I = Invalid (NOT) valid analyses reported

System Number: ***2400139***

System Name: ***YOSEMITE WHOLESALE***

PS Code: ***2400139-011***

Source Name: ***WELL 02 - STANDBY***

Source Number: ***011***

Source Status: ***STANDBY UNTREATED***

Water type: ***GROUNDWATER OR WELL***

	STORET NUMBER	TESTING INTERVAL (MONTHS)*	LAST TEST DATE (yyyy/mm/dd)	LAST RESULT REPORTED	NEXT TEST DATE (yyyy/mm)
REGULATED SOC					
ENDOTHALL	38926	WAIVED			
ENDRIN	39390	WAIVED			
ETHYLENE DIBROMIDE (EDB)	77651	000			DUE
GLYPHOSATE	79743	WAIVED			
HEPTACHLOR	39410	WAIVED			
HEPTACHLOR EPOXIDE	39420	WAIVED			
HEXACHLOROBENZENE	39700	WAIVED			
HEXACHLOROCYCLOPENTADIENE	34386	WAIVED			
LINDANE	39340	WAIVED			
METHOXYCHLOR	39480	WAIVED			
MOLINATE	82199	WAIVED			
OXAMYL	38865	WAIVED			
PENTACHLOROPHENOL	39032	WAIVED			
PICLORAM	39720	WAIVED			
POLYCHLORINATED BIPHENYLS, TOTAL, AS DCB	39516	WAIVED			
SIMAZINE	39055	000			DUE
THIOBENCARB	A-001	WAIVED			
TOXAPHENE	39400	WAIVED			
REGULATED VOC					
1,1,1-TRICHLOROETHANE	34506	000			DUE
1,1,2,2-TETRACHLOROETHANE	34516	000			DUE
1,1,2-TRICHLORO-1,2,2-TRIFLUOROETHANE	81611	000			DUE
1,1,2-TRICHLOROETHANE	34511	000			DUE
1,1-DICHLOROETHANE	34496	000			DUE
1,1-DICHLOROETHYLENE	34501	000			DUE
1,2,4-TRICHLOROBENZENE	34551	000			DUE
1,2-DICHLOROBENZENE	34536	000			DUE
1,2-DICHLOROETHANE	34531	000			DUE
1,2-DICHLOROPROPANE	34541	000			DUE

**Testing interval is in months;*
0 = No data for this constituent and is DUE NOW
999 = Waived testing (not required)
I = Invalid (NOT) valid analyses reported

System Number: ***2400139***

System Name: ***YOSEMITE WHOLESALE***

PS Code: ***2400139-011***

Source Name: ***WELL 02 - STANDBY***

Source Number: ***011***

Source Status: ***STANDBY UNTREATED***

Water type: ***GROUNDWATER OR WELL***

	STORET NUMBER	TESTING INTERVAL (MONTHS)*	LAST TEST DATE (yyyy/mm/dd)	LAST RESULT REPORTED	NEXT TEST DATE (yyyy/mm)
REGULATED VOC					
1,3-DICHLOROPROPENE (TOTAL)	34561	000			DUE
1,4-DICHLOROBENZENE	34571	000			DUE
BENZENE	34030	000			DUE
CARBON TETRACHLORIDE	32102	000			DUE
CIS-1,2-DICHLOROETHYLENE	77093	000			DUE
DICHLOROMETHANE	34423	000			DUE
ETHYLBENZENE	34371	000			DUE
METHYL-TERT-BUTYL-ETHER (MTBE)	46491	000			DUE
MONOCHLOROBENZENE	34301	000			DUE
STYRENE	77128	000			DUE
TETRACHLOROETHYLENE	34475	000			DUE
TOLUENE	34010	000			DUE
TRANS-1,2-DICHLOROETHYLENE	34546	000			DUE
TRICHLOROETHYLENE	39180	000			DUE
TRICHLOROFLUOROMETHANE	34488	000			DUE
VINYL CHLORIDE	39175	000			DUE
XYLENES (TOTAL)	81551	000			DUE
SECONDARY/GP					
AGGRSSIVE INDEX (CORROSIVITY)	82383	WAIVED			
BICARBONATE ALKALINITY	00440	000			DUE
CALCIUM	00916	000			DUE
CARBONATE ALKALINITY	00445	000			DUE
CHLORIDE	00940	WAIVED			
COLOR	00081	WAIVED			
COPPER	01042	WAIVED			
FOAMING AGENTS (MBAS)	38260	WAIVED			
HARDNESS (TOTAL) AS CACO3	00900	000			DUE
HYDROXIDE ALKALINITY	71830	000			DUE
IRON	01045	000			DUE

**Testing interval is in months;*
0 = No data for this constituent and is DUE NOW
999 = Waived testing (not required)
I = Invalid (NOT) valid analyses reported

System Number: ***2400139***

System Name: ***YOSEMITE WHOLESALE***

PS Code: ***2400139-011***

Source Name: ***WELL 02 - STANDBY***

Source Number: ***011***

Source Status: ***STANDBY UNTREATED***

Water type: ***GROUNDWATER OR WELL***

	STORET NUMBER	TESTING INTERVAL (MONTHS)*	LAST TEST DATE (yyyy/mm/dd)	LAST RESULT REPORTED	NEXT TEST DATE (yyyy/mm)	
SECONDARY/GP						
MAGNESIUM	00927	000				DUE
MANGANESE	01055	000				DUE
ODOR THRESHOLD @ 60 C	00086	WAIVED				
PH, LABORATORY	00403	000				DUE
SILVER	01077	WAIVED				
SODIUM	00929	000				DUE
SPECIFIC CONDUCTANCE	00095	WAIVED				
SULFATE	00945	WAIVED				
TOTAL DISSOLVED SOLIDS	70300	WAIVED				
TURBIDITY, LABORATORY	82079	WAIVED				
ZINC	01092	WAIVED				

PS Code: ***2400139-012***

Source Name: ***CHLORINATOR AT WELL #1***

Source Number: ***012***

Source Status: ***ACTIVE TREATED***

Water type: ***GROUNDWATER OR WELL***

GENERAL NON CHAP 15					
DIAZINON	39570	WAIVED			
INORGANIC					
ALUMINUM	01105	WAIVED			
ANTIMONY	01097	WAIVED			
ARSENIC	01002	WAIVED			
ASBESTOS	81855	WAIVED			
BARIUM	01007	WAIVED			
BERYLLIUM	01012	WAIVED			
CADMIUM	01027	WAIVED			
CHROMIUM (TOTAL)	01034	WAIVED	2004/07/14	2.000	
CYANIDE	01291	WAIVED			

**Testing interval is in months;*
0 = No data for this constituent and is DUE NOW
999 = Waived testing (not required)
I = Invalid (NOT) valid analyses reported

System Number: ***2400139***

System Name: ***YOSEMITE WHOLESALE***

PS Code: ***2400139-012***

Source Name: ***CHLORINATOR AT WELL #1***

Source Number: ***012***

Source Status: ***ACTIVE TREATED***

Water type: ***GROUNDWATER OR WELL***

	STORET NUMBER	TESTING INTERVAL (MONTHS)*	LAST TEST DATE (yyyy/mm/dd)	LAST RESULT REPORTED	NEXT TEST DATE (yyyy/mm)
INORGANIC					
FLUORIDE (F) (NATURAL-SOURCE)	00951	WAIVED			
LEAD	01051	WAIVED			
MERCURY	71900	WAIVED			
NICKEL	01067	WAIVED			
PERCHLORATE	A-031	WAIVED	2008/09/08	.000	
SELENIUM	01147	WAIVED			
THALLIUM	01059	WAIVED			
NITRATE/NITRITE					
NITRATE (AS NO3)	71850	WAIVED	2009/02/05	2.800	
NITRITE (AS N)	00620	WAIVED	2004/07/14	< 400.000	
RADIOLOGICAL					
GROSS ALPHA	01501	WAIVED			
GROSS BETA	03501	WAIVED			
RA-226 FOR CWS OR TOTAL RA FOR NTNC BY 903.0	A-080	WAIVED			
RA-226 OR TOTAL RA BY 903.0 C.E.	A-081	WAIVED			
RADIUM 226	09501	WAIVED			
RADIUM 228	11501	WAIVED			
RADIUM, TOTAL, MDA95-NTNC ONLY, BY 903.0	A-082	WAIVED			
STRONTIUM-90	13501	WAIVED			
TRITIUM	07000	WAIVED			
URANIUM (PCI/L)	28012	WAIVED			
REGULATED SOC					
2,3,7,8-TCDD (DIOXIN)	34676	WAIVED			
2,4,5-TP (SILVEX)	39045	WAIVED			
2,4-D	39730	WAIVED			
ALACHLOR	77825	WAIVED			
ATRAZINE	39033	WAIVED			
BENTAZON	38710	WAIVED			

**Testing interval is in months;*
0 = No data for this constituent and is DUE NOW
999 = Waived testing (not required)
I = Invalid (NOT) valid analyses reported

System Number: ***2400139***

System Name: ***YOSEMITE WHOLESALE***

PS Code: ***2400139-012***

Source Name: ***CHLORINATOR AT WELL #1***

Source Number: ***012***

Source Status: ***ACTIVE TREATED***

Water type: ***GROUNDWATER OR WELL***

	STORET NUMBER	TESTING INTERVAL (MONTHS)*	LAST TEST DATE (yyyy/mm/dd)	LAST RESULT REPORTED	NEXT TEST DATE (yyyy/mm)
REGULATED SOC					
BENZO (A) PYRENE	34247	WAIVED			
CARBOFURAN	81405	WAIVED			
CHLORDANE	39350	WAIVED			
DALAPON	38432	WAIVED			
DI(2-ETHYLHEXYL)ADIPATE	A-026	WAIVED			
DI(2-ETHYLHEXYL)PHTHALATE	39100	WAIVED			
DIBROMOCHLOROPROPANE (DBCP)	38761	WAIVED			
DINOSEB	81287	WAIVED			
DIQUAT	78885	WAIVED			
ENDOTHALL	38926	WAIVED			
ENDRIN	39390	WAIVED			
ETHYLENE DIBROMIDE (EDB)	77651	WAIVED			
GLYPHOSATE	79743	WAIVED			
HEPTACHLOR	39410	WAIVED			
HEPTACHLOR EPOXIDE	39420	WAIVED			
HEXACHLOROBENZENE	39700	WAIVED			
HEXACHLOROCYCLOPENTADIENE	34386	WAIVED			
LINDANE	39340	WAIVED			
METHOXYCHLOR	39480	WAIVED			
MOLINATE	82199	WAIVED			
OXAMYL	38865	WAIVED			
PENTACHLOROPHENOL	39032	WAIVED			
PICLORAM	39720	WAIVED			
POLYCHLORINATED BIPHENYLS, TOTAL, AS DCB	39516	WAIVED			
SIMAZINE	39055	WAIVED			
THIOBENCARB	A-001	WAIVED			
TOXAPHENE	39400	WAIVED			
REGULATED VOC					
1,1,1-TRICHLOROETHANE	34506	WAIVED			

**Testing interval is in months;*
0 = No data for this constituent and is DUE NOW
999 = Waived testing (not required)
I = Invalid (NOT) valid analyses reported

System Number: ***2400139***

System Name: ***YOSEMITE WHOLESALE***

PS Code: ***2400139-012***

Source Name: ***CHLORINATOR AT WELL #1***

Source Number: ***012***

Source Status: ***ACTIVE TREATED***

Water type: ***GROUNDWATER OR WELL***

	STORET NUMBER	TESTING INTERVAL (MONTHS)*	LAST TEST DATE (yyyy/mm/dd)	LAST RESULT REPORTED	NEXT TEST DATE (yyyy/mm)
REGULATED VOC					
1,1,2,2-TETRACHLOROETHANE	34516	WAIVED			
1,1,2-TRICHLORO-1,2,2-TRIFLUOROETHANE	81611	WAIVED			
1,1,2-TRICHLOROETHANE	34511	WAIVED			
1,1-DICHLOROETHANE	34496	WAIVED			
1,1-DICHLOROETHYLENE	34501	WAIVED			
1,2,4-TRICHLOROBENZENE	34551	WAIVED			
1,2-DICHLOROBENZENE	34536	WAIVED			
1,2-DICHLOROETHANE	34531	WAIVED			
1,2-DICHLOROPROPANE	34541	WAIVED			
1,3-DICHLOROPROPENE (TOTAL)	34561	WAIVED			
1,4-DICHLOROBENZENE	34571	WAIVED			
BENZENE	34030	WAIVED			
CARBON TETRACHLORIDE	32102	WAIVED			
CIS-1,2-DICHLOROETHYLENE	77093	WAIVED			
DICHLOROMETHANE	34423	WAIVED			
ETHYLBENZENE	34371	WAIVED			
METHYL-TERT-BUTYL-ETHER (MTBE)	46491	WAIVED			
MONOCHLOROBENZENE	34301	WAIVED			
STYRENE	77128	WAIVED			
TETRACHLOROETHYLENE	34475	WAIVED			
TOLUENE	34010	WAIVED			
TRANS-1,2-DICHLOROETHYLENE	34546	WAIVED			
TRICHLOROETHYLENE	39180	WAIVED			
TRICHLOROFLUOROMETHANE	34488	WAIVED			
VINYL CHLORIDE	39175	WAIVED			
XYLENES (TOTAL)	81551	WAIVED			
SECONDARY/GP					
AGGRSSIVE INDEX (CORROSIVITY)	82383	WAIVED			
BICARBONATE ALKALINITY	00440	WAIVED			

**Testing interval is in months;*
0 = No data for this constituent and is DUE NOW
999 = Waived testing (not required)
I = Invalid (NOT) valid analyses reported

System Number: ***2400139***

System Name: ***YOSEMITE WHOLESALE***

PS Code: ***2400139-012***

Source Name: ***CHLORINATOR AT WELL #1***

Source Number: ***012***

Source Status: ***ACTIVE TREATED***

Water type: ***GROUNDWATER OR WELL***

SECONDARY/GP

	STORET NUMBER	TESTING INTERVAL (MONTHS)*	LAST TEST DATE (yyyy/mm/dd)	LAST RESULT REPORTED	NEXT TEST DATE (yyyy/mm)
CALCIUM	00916	WAIVED			
CARBONATE ALKALINITY	00445	WAIVED			
CHLORIDE	00940	WAIVED			
COLOR	00081	WAIVED			
COPPER	01042	WAIVED			
FOAMING AGENTS (MBAS)	38260	WAIVED			
HARDNESS (TOTAL) AS CACO3	00900	WAIVED			
HYDROXIDE ALKALINITY	71830	WAIVED			
IRON	01045	WAIVED			
MAGNESIUM	00927	WAIVED			
MANGANESE	01055	WAIVED			
ODOR THRESHOLD @ 60 C	00086	WAIVED			
PH, LABORATORY	00403	WAIVED			
SILVER	01077	WAIVED			
SODIUM	00929	WAIVED			
SPECIFIC CONDUCTANCE	00095	WAIVED	2008/09/08	300.000	
SULFATE	00945	WAIVED			
TOTAL DISSOLVED SOLIDS	70300	WAIVED			
TURBIDITY, LABORATORY	82079	WAIVED			
ZINC	01092	WAIVED			

**Testing interval is in months;*
0 = No data for this constituent and is DUE NOW
999 = Waived testing (not required)
I = Invalid (NOT) valid analyses reported

System Number: ***2400140***

System Name: ***NAGAME JAPANESE RESTAURANT***

PS Code: ***2400140-001***

Source Name: ***WELL #1-W. OF RESTAURANT***

Source Number: ***001***

Source Status: ***ACTIVE UNTREATED***

Water type: ***GROUNDWATER OR WELL***

	STORET NUMBER	TESTING INTERVAL (MONTHS)*	LAST TEST DATE (yyyy/mm/dd)	LAST RESULT REPORTED	NEXT TEST DATE (yyyy/mm)	
GENERAL NON CHAP 15						
DIAZINON	39570	WAIVED				
INORGANIC						
ALUMINUM	01105	WAIVED				
ANTIMONY	01097	WAIVED				
ARSENIC	01002	WAIVED				
ASBESTOS	81855	WAIVED				
BARIUM	01007	WAIVED				
BERYLLIUM	01012	WAIVED				
CADMIUM	01027	WAIVED				
CHROMIUM (TOTAL)	01034	WAIVED				
CYANIDE	01291	WAIVED				
FLUORIDE (F) (NATURAL-SOURCE)	00951	WAIVED				
LEAD	01051	WAIVED				
MERCURY	71900	WAIVED				
NICKEL	01067	WAIVED				
PERCHLORATE	A-031	WAIVED				
SELENIUM	01147	WAIVED				
THALLIUM	01059	WAIVED				
NITRATE/NITRITE						
NITRATE (AS NO3)	71850	012	2012/04/17	9.100	2013/04	
NITRITE (AS N)	00620	000				**DUE**
RADIOLOGICAL						
GROSS ALPHA	01501	WAIVED				
GROSS BETA	03501	WAIVED				
RA-226 FOR CWS OR TOTAL RA FOR NTNC BY 903.0	A-080	WAIVED				
RA-226 OR TOTAL RA BY 903.0 C.E.	A-081	WAIVED				
RADIUM 226	09501	WAIVED				
RADIUM 228	11501	WAIVED				

**Testing interval is in months;*
0 = No data for this constituent and is DUE NOW
999 = Waived testing (not required)
I = Invalid (NOT) valid analyses reported

System Number: ***2400140***

System Name: ***NAGAME JAPANESE RESTAURANT***

PS Code: ***2400140-001***

Source Name: ***WELL #1-W. OF RESTAURANT***

Source Number: ***001***

Source Status: ***ACTIVE UNTREATED***

Water type: ***GROUNDWATER OR WELL***

	STORET NUMBER	TESTING INTERVAL (MONTHS)*	LAST TEST DATE (yyyy/mm/dd)	LAST RESULT REPORTED	NEXT TEST DATE (yyyy/mm)
RADIOLOGICAL					
RADIUM, TOTAL, MDA95-NTNC ONLY, BY 903.0	A-082	WAIVED			
STRONTIUM-90	13501	WAIVED			
TRITIUM	07000	WAIVED			
URANIUM (PCI/L)	28012	WAIVED			
REGULATED SOC					
2,3,7,8-TCDD (DIOXIN)	34676	WAIVED			
2,4,5-TP (SILVEX)	39045	WAIVED			
2,4-D	39730	WAIVED			
ALACHLOR	77825	WAIVED			
ATRAZINE	39033	WAIVED			
BENTAZON	38710	WAIVED			
BENZO (A) PYRENE	34247	WAIVED			
CARBOFURAN	81405	WAIVED			
CHLORDANE	39350	WAIVED			
DALAPON	38432	WAIVED			
DI(2-ETHYLHEXYL)ADIPATE	A-026	WAIVED			
DI(2-ETHYLHEXYL)PHTHALATE	39100	WAIVED			
DIBROMOCHLOROPROPANE (DBCP)	38761	WAIVED			
DINOSEB	81287	WAIVED			
DIQUAT	78885	WAIVED			
ENDOTHALL	38926	WAIVED			
ENDRIN	39390	WAIVED			
ETHYLENE DIBROMIDE (EDB)	77651	WAIVED			
GLYPHOSATE	79743	WAIVED			
HEPTACHLOR	39410	WAIVED			
HEPTACHLOR EPOXIDE	39420	WAIVED			
HEXACHLOROBENZENE	39700	WAIVED			
HEXACHLOROCYCLOPENTADIENE	34386	WAIVED			
LINDANE	39340	WAIVED			

**Testing interval is in months;*
0 = No data for this constituent and is DUE NOW
999 = Waived testing (not required)
I = Invalid (NOT) valid analyses reported

System Number: ***2400140***

System Name: ***NAGAME JAPANESE RESTAURANT***

PS Code: ***2400140-001***

Source Name: ***WELL #1-W. OF RESTAURANT***

Source Number: ***001***

Source Status: ***ACTIVE UNTREATED***

Water type: ***GROUNDWATER OR WELL***

	STORET NUMBER	TESTING INTERVAL (MONTHS)*	LAST TEST DATE (yyyy/mm/dd)	LAST RESULT REPORTED	NEXT TEST DATE (yyyy/mm)
REGULATED SOC					
METHOXYCHLOR	39480	WAIVED			
MOLINATE	82199	WAIVED			
OXAMYL	38865	WAIVED			
PENTACHLOROPHENOL	39032	WAIVED			
PICLORAM	39720	WAIVED			
POLYCHLORINATED BIPHENYLS, TOTAL, AS DCB	39516	WAIVED			
SIMAZINE	39055	WAIVED			
THIOBENCARB	A-001	WAIVED			
TOXAPHENE	39400	WAIVED			
REGULATED VOC					
1,1,1-TRICHLOROETHANE	34506	WAIVED			
1,1,2,2-TETRACHLOROETHANE	34516	WAIVED			
1,1,2-TRICHLORO-1,2,2-TRIFLUOROETHANE	81611	WAIVED			
1,1,2-TRICHLOROETHANE	34511	WAIVED			
1,1-DICHLOROETHANE	34496	WAIVED			
1,1-DICHLOROETHYLENE	34501	WAIVED			
1,2,4-TRICHLOROBENZENE	34551	WAIVED			
1,2-DICHLOROBENZENE	34536	WAIVED			
1,2-DICHLOROETHANE	34531	WAIVED			
1,2-DICHLOROPROPANE	34541	WAIVED			
1,3-DICHLOROPROPENE (TOTAL)	34561	WAIVED			
1,4-DICHLOROBENZENE	34571	WAIVED			
BENZENE	34030	WAIVED			
CARBON TETRACHLORIDE	32102	WAIVED			
CIS-1,2-DICHLOROETHYLENE	77093	WAIVED			
DICHLOROMETHANE	34423	WAIVED			
ETHYLBENZENE	34371	WAIVED			
METHYL-TERT-BUTYL-ETHER (MTBE)	46491	WAIVED			
MONOCHLOROBENZENE	34301	WAIVED			

**Testing interval is in months;*
0 = No data for this constituent and is DUE NOW
999 = Waived testing (not required)
I = Invalid (NOT) valid analyses reported

System Number: ***2400140***

System Name: ***NAGAME JAPANESE RESTAURANT***

PS Code: ***2400140-001***

Source Name: ***WELL #1-W. OF RESTAURANT***

Source Number: ***001***

Source Status: ***ACTIVE UNTREATED***

Water type: ***GROUNDWATER OR WELL***

	STORET NUMBER	TESTING INTERVAL (MONTHS)*	LAST TEST DATE (yyyy/mm/dd)	LAST RESULT REPORTED	NEXT TEST DATE (yyyy/mm)
REGULATED VOC					
STYRENE	77128	WAIVED			
TETRACHLOROETHYLENE	34475	WAIVED			
TOLUENE	34010	WAIVED			
TRANS-1,2-DICHLOROETHYLENE	34546	WAIVED			
TRICHLOROETHYLENE	39180	WAIVED			
TRICHLOROFLUOROMETHANE	34488	WAIVED			
VINYL CHLORIDE	39175	WAIVED			
XYLENES (TOTAL)	81551	WAIVED			
SECONDARY/GP					
AGGRSSIVE INDEX (CORROSIVITY)	82383	WAIVED			
BICARBONATE ALKALINITY	00440	WAIVED			
CALCIUM	00916	WAIVED			
CARBONATE ALKALINITY	00445	WAIVED			
CHLORIDE	00940	WAIVED			
COLOR	00081	WAIVED			
COPPER	01042	WAIVED			
FOAMING AGENTS (MBAS)	38260	WAIVED			
HARDNESS (TOTAL) AS CACO3	00900	WAIVED			
HYDROXIDE ALKALINITY	71830	WAIVED			
IRON	01045	WAIVED			
MAGNESIUM	00927	WAIVED			
MANGANESE	01055	WAIVED			
ODOR THRESHOLD @ 60 C	00086	WAIVED			
PH, LABORATORY	00403	WAIVED			
SILVER	01077	WAIVED			
SODIUM	00929	WAIVED			
SPECIFIC CONDUCTANCE	00095	WAIVED			
SULFATE	00945	WAIVED			
TOTAL DISSOLVED SOLIDS	70300	WAIVED			

**Testing interval is in months;*
0 = No data for this constituent and is DUE NOW
999 = Waived testing (not required)
I = Invalid (NOT) valid analyses reported

System Number: ***2400140***

System Name: ***NAGAME JAPANESE RESTAURANT***

PS Code: ***2400140-001***

Source Name: ***WELL #1-W. OF RESTAURANT***

Source Number: ***001***

Source Status: ***ACTIVE UNTREATED***

Water type: ***GROUNDWATER OR WELL***

SECONDARY/GP

	STORET NUMBER	TESTING INTERVAL (MONTHS)*	LAST TEST DATE (yyyy/mm/dd)	LAST RESULT REPORTED	NEXT TEST DATE (yyyy/mm)
TURBIDITY, LABORATORY	82079	WAIVED			
ZINC	01092	WAIVED			

**Testing interval is in months;*
0 = No data for this constituent and is DUE NOW
999 = Waived testing (not required)
I = Invalid (NOT) valid analyses reported

System Number: ***2400143***

System Name: ***HAPPY ACRES***

PS Code: ***2400143-001***

Source Name: ***WELL 01 - N. OF GARAGE***

Source Number: ***001***

Source Status: ***ACTIVE UNTREATED***

Water type: ***GROUNDWATER OR WELL***

	STORET NUMBER	TESTING INTERVAL (MONTHS)*	LAST TEST DATE (yyyy/mm/dd)	LAST RESULT REPORTED	NEXT TEST DATE (yyyy/mm)
GENERAL NON CHAP 15					
DIAZINON	39570	WAIVED			
INORGANIC					
ALUMINUM	01105	WAIVED			
ANTIMONY	01097	WAIVED			
ARSENIC	01002	WAIVED			
ASBESTOS	81855	WAIVED			
BARIUM	01007	WAIVED			
BERYLLIUM	01012	WAIVED			
CADMIUM	01027	WAIVED			
CHROMIUM (TOTAL)	01034	WAIVED			
CYANIDE	01291	WAIVED			
FLUORIDE (F) (NATURAL-SOURCE)	00951	WAIVED			
LEAD	01051	WAIVED			
MERCURY	71900	WAIVED			
NICKEL	01067	WAIVED			
PERCHLORATE	A-031	WAIVED			
SELENIUM	01147	WAIVED			
THALLIUM	01059	WAIVED			
NITRATE/NITRITE					
NITRATE (AS NO3)	71850	WAIVED	2012/01/19	40.300	
NITRITE (AS N)	00620	WAIVED	2009/11/10	< 400.000	
RADIOLOGICAL					
GROSS ALPHA	01501	WAIVED			
GROSS BETA	03501	WAIVED			
RA-226 FOR CWS OR TOTAL RA FOR NTNC BY 903.0	A-080	WAIVED			
RA-226 OR TOTAL RA BY 903.0 C.E.	A-081	WAIVED			
RADIUM 226	09501	WAIVED			
RADIUM 228	11501	WAIVED			

**Testing interval is in months;*
0 = No data for this constituent and is DUE NOW
999 = Waived testing (not required)
I = Invalid (NOT) valid analyses reported

System Number: ***2400143***

System Name: ***HAPPY ACRES***

PS Code: ***2400143-001***

Source Name: ***WELL 01 - N. OF GARAGE***

Source Number: ***001***

Source Status: ***ACTIVE UNTREATED***

Water type: ***GROUNDWATER OR WELL***

	STORET NUMBER	TESTING INTERVAL (MONTHS)*	LAST TEST DATE (yyyy/mm/dd)	LAST RESULT REPORTED	NEXT TEST DATE (yyyy/mm)
RADIOLOGICAL					
RADIUM, TOTAL, MDA95-NTNC ONLY, BY 903.0	A-082	WAIVED			
STRONTIUM-90	13501	WAIVED			
TRITIUM	07000	WAIVED			
URANIUM (PCI/L)	28012	WAIVED			
REGULATED SOC					
2,3,7,8-TCDD (DIOXIN)	34676	WAIVED			
2,4,5-TP (SILVEX)	39045	WAIVED			
2,4-D	39730	WAIVED			
ALACHLOR	77825	WAIVED			
ATRAZINE	39033	WAIVED			
BENTAZON	38710	WAIVED			
BENZO (A) PYRENE	34247	WAIVED			
CARBOFURAN	81405	WAIVED			
CHLORDANE	39350	WAIVED			
DALAPON	38432	WAIVED			
DI(2-ETHYLHEXYL)ADIPATE	A-026	WAIVED			
DI(2-ETHYLHEXYL)PHTHALATE	39100	WAIVED			
DIBROMOCHLOROPROPANE (DBCP)	38761	WAIVED	2011/01/10	.000	
DINOSEB	81287	WAIVED			
DIQUAT	78885	WAIVED			
ENDOTHALL	38926	WAIVED			
ENDRIN	39390	WAIVED			
ETHYLENE DIBROMIDE (EDB)	77651	WAIVED	2011/01/10	.000	
GLYPHOSATE	79743	WAIVED			
HEPTACHLOR	39410	WAIVED			
HEPTACHLOR EPOXIDE	39420	WAIVED			
HEXACHLOROBENZENE	39700	WAIVED			
HEXACHLOROCYCLOPENTADIENE	34386	WAIVED			
LINDANE	39340	WAIVED			

**Testing interval is in months;*
0 = No data for this constituent and is DUE NOW
999 = Waived testing (not required)
I = Invalid (NOT) valid analyses reported

System Number: ***2400143***

System Name: ***HAPPY ACRES***

PS Code: ***2400143-001***

Source Name: ***WELL 01 - N. OF GARAGE***

Source Number: ***001***

Source Status: ***ACTIVE UNTREATED***

Water type: ***GROUNDWATER OR WELL***

	STORET NUMBER	TESTING INTERVAL (MONTHS)*	LAST TEST DATE (yyyy/mm/dd)	LAST RESULT REPORTED	NEXT TEST DATE (yyyy/mm)
REGULATED SOC					
METHOXYCHLOR	39480	WAIVED			
MOLINATE	82199	WAIVED			
OXAMYL	38865	WAIVED			
PENTACHLOROPHENOL	39032	WAIVED			
PICLORAM	39720	WAIVED			
POLYCHLORINATED BIPHENYLS, TOTAL, AS DCB	39516	WAIVED			
SIMAZINE	39055	WAIVED			
THIOBENCARB	A-001	WAIVED			
TOXAPHENE	39400	WAIVED			
REGULATED VOC					
1,1,1-TRICHLOROETHANE	34506	WAIVED			
1,1,2,2-TETRACHLOROETHANE	34516	WAIVED			
1,1,2-TRICHLORO-1,2,2-TRIFLUOROETHANE	81611	WAIVED			
1,1,2-TRICHLOROETHANE	34511	WAIVED			
1,1-DICHLOROETHANE	34496	WAIVED			
1,1-DICHLOROETHYLENE	34501	WAIVED			
1,2,4-TRICHLOROBENZENE	34551	WAIVED			
1,2-DICHLOROBENZENE	34536	WAIVED			
1,2-DICHLOROETHANE	34531	WAIVED			
1,2-DICHLOROPROPANE	34541	WAIVED			
1,3-DICHLOROPROPENE (TOTAL)	34561	WAIVED			
1,4-DICHLOROBENZENE	34571	WAIVED			
BENZENE	34030	WAIVED			
CARBON TETRACHLORIDE	32102	WAIVED			
CIS-1,2-DICHLOROETHYLENE	77093	WAIVED			
DICHLOROMETHANE	34423	WAIVED			
ETHYLBENZENE	34371	WAIVED			
METHYL-TERT-BUTYL-ETHER (MTBE)	46491	WAIVED			
MONOCHLOROBENZENE	34301	WAIVED			

**Testing interval is in months;*
0 = No data for this constituent and is DUE NOW
999 = Waived testing (not required)
I = Invalid (NOT) valid analyses reported

System Number: ***2400143***

System Name: ***HAPPY ACRES***

PS Code: ***2400143-001***

Source Name: ***WELL 01 - N. OF GARAGE***

Source Number: ***001***

Source Status: ***ACTIVE UNTREATED***

Water type: ***GROUNDWATER OR WELL***

	STORET NUMBER	TESTING INTERVAL (MONTHS)*	LAST TEST DATE (yyyy/mm/dd)	LAST RESULT REPORTED	NEXT TEST DATE (yyyy/mm)
REGULATED VOC					
STYRENE	77128	WAIVED			
TETRACHLOROETHYLENE	34475	WAIVED			
TOLUENE	34010	WAIVED			
TRANS-1,2-DICHLOROETHYLENE	34546	WAIVED			
TRICHLOROETHYLENE	39180	WAIVED			
TRICHLOROFLUOROMETHANE	34488	WAIVED			
VINYL CHLORIDE	39175	WAIVED			
XYLENES (TOTAL)	81551	WAIVED			
SECONDARY/GP					
AGGRSSIVE INDEX (CORROSIVITY)	82383	WAIVED			
BICARBONATE ALKALINITY	00440	WAIVED			
CALCIUM	00916	WAIVED			
CARBONATE ALKALINITY	00445	WAIVED			
CHLORIDE	00940	WAIVED			
COLOR	00081	WAIVED			
COPPER	01042	WAIVED			
FOAMING AGENTS (MBAS)	38260	WAIVED			
HARDNESS (TOTAL) AS CACO3	00900	WAIVED			
HYDROXIDE ALKALINITY	71830	WAIVED			
IRON	01045	WAIVED			
MAGNESIUM	00927	WAIVED			
MANGANESE	01055	WAIVED			
ODOR THRESHOLD @ 60 C	00086	WAIVED			
PH, LABORATORY	00403	WAIVED			
SILVER	01077	WAIVED			
SODIUM	00929	WAIVED			
SPECIFIC CONDUCTANCE	00095	WAIVED			
SULFATE	00945	WAIVED			
TOTAL DISSOLVED SOLIDS	70300	WAIVED			

**Testing interval is in months;*
0 = No data for this constituent and is DUE NOW
999 = Waived testing (not required)
I = Invalid (NOT) valid analyses reported

System Number: ***2400143***

System Name: ***HAPPY ACRES***

PS Code: ***2400143-001***

Source Name: ***WELL 01 - N. OF GARAGE***

Source Number: ***001***

Source Status: ***ACTIVE UNTREATED***

Water type: ***GROUNDWATER OR WELL***

SECONDARY/GP

	STORET NUMBER	TESTING INTERVAL (MONTHS)*	LAST TEST DATE (yyyy/mm/dd)	LAST RESULT REPORTED	NEXT TEST DATE (yyyy/mm)
TURBIDITY, LABORATORY	82079	WAIVED			
ZINC	01092	WAIVED			

**Testing interval is in months;*
0 = No data for this constituent and is DUE NOW
999 = Waived testing (not required)
I = Invalid (NOT) valid analyses reported

System Number: ***2400146***

System Name: ***EL REY APARTMENTS***

PS Code: ***2400146-011***

Source Name: ***WELL 2 - DRILLED 12/99***

Source Number: ***011***

Source Status: ***ACTIVE UNTREATED***

Water type: ***GROUNDWATER OR WELL***

	STORET NUMBER	TESTING INTERVAL (MONTHS)*	LAST TEST DATE (yyyy/mm/dd)	LAST RESULT REPORTED	NEXT TEST DATE (yyyy/mm)
GENERAL NON CHAP 15					
DIAZINON	39570	WAIVED			
INORGANIC					
ALUMINUM	01105	WAIVED			
ANTIMONY	01097	WAIVED			
ARSENIC	01002	WAIVED			
ASBESTOS	81855	WAIVED			
BARIUM	01007	WAIVED			
BERYLLIUM	01012	WAIVED			
CADMIUM	01027	WAIVED			
CHROMIUM (TOTAL)	01034	WAIVED			
CYANIDE	01291	WAIVED			
FLUORIDE (F) (NATURAL-SOURCE)	00951	WAIVED			
LEAD	01051	WAIVED			
MERCURY	71900	WAIVED			
NICKEL	01067	WAIVED			
PERCHLORATE	A-031	WAIVED			
SELENIUM	01147	WAIVED			
THALLIUM	01059	WAIVED			
NITRATE/NITRITE					
NITRATE (AS NO3)	71850	WAIVED			
NITRITE (AS N)	00620	WAIVED			
RADIOLOGICAL					
GROSS ALPHA	01501	WAIVED			
GROSS BETA	03501	WAIVED			
RA-226 FOR CWS OR TOTAL RA FOR NTNC BY 903.0	A-080	WAIVED			
RA-226 OR TOTAL RA BY 903.0 C.E.	A-081	WAIVED			
RADIUM 226	09501	WAIVED			
RADIUM 228	11501	WAIVED			

**Testing interval is in months;*
0 = No data for this constituent and is DUE NOW
999 = Waived testing (not required)
I = Invalid (NOT) valid analyses reported

System Number: ***2400146***

System Name: ***EL REY APARTMENTS***

PS Code: ***2400146-011***

Source Name: ***WELL 2 - DRILLED 12/99***

Source Number: ***011***

Source Status: ***ACTIVE UNTREATED***

Water type: ***GROUNDWATER OR WELL***

	STORET NUMBER	TESTING INTERVAL (MONTHS)*	LAST TEST DATE (yyyy/mm/dd)	LAST RESULT REPORTED	NEXT TEST DATE (yyyy/mm)
RADIOLOGICAL					
RADIUM, TOTAL, MDA95-NTNC ONLY, BY 903.0	A-082	WAIVED			
STRONTIUM-90	13501	WAIVED			
TRITIUM	07000	WAIVED			
URANIUM (PCI/L)	28012	WAIVED			
REGULATED SOC					
2,3,7,8-TCDD (DIOXIN)	34676	WAIVED			
2,4,5-TP (SILVEX)	39045	WAIVED			
2,4-D	39730	WAIVED			
ALACHLOR	77825	WAIVED			
ATRAZINE	39033	WAIVED			
BENTAZON	38710	WAIVED			
BENZO (A) PYRENE	34247	WAIVED			
CARBOFURAN	81405	WAIVED			
CHLORDANE	39350	WAIVED			
DALAPON	38432	WAIVED			
DI(2-ETHYLHEXYL)ADIPATE	A-026	WAIVED			
DI(2-ETHYLHEXYL)PHTHALATE	39100	WAIVED			
DIBROMOCHLOROPROPANE (DBCP)	38761	WAIVED			
DINOSEB	81287	WAIVED			
DIQUAT	78885	WAIVED			
ENDOTHALL	38926	WAIVED			
ENDRIN	39390	WAIVED			
ETHYLENE DIBROMIDE (EDB)	77651	WAIVED			
GLYPHOSATE	79743	WAIVED			
HEPTACHLOR	39410	WAIVED			
HEPTACHLOR EPOXIDE	39420	WAIVED			
HEXACHLOROBENZENE	39700	WAIVED			
HEXACHLOROCYCLOPENTADIENE	34386	WAIVED			
LINDANE	39340	WAIVED			

**Testing interval is in months;*
0 = No data for this constituent and is DUE NOW
999 = Waived testing (not required)
I = Invalid (NOT) valid analyses reported

System Number: ***2400146***

System Name: ***EL REY APARTMENTS***

PS Code: ***2400146-011***

Source Name: ***WELL 2 - DRILLED 12/99***

Source Number: ***011***

Source Status: ***ACTIVE UNTREATED***

Water type: ***GROUNDWATER OR WELL***

	STORET NUMBER	TESTING INTERVAL (MONTHS)*	LAST TEST DATE (yyyy/mm/dd)	LAST RESULT REPORTED	NEXT TEST DATE (yyyy/mm)
REGULATED SOC					
METHOXYCHLOR	39480	WAIVED			
MOLINATE	82199	WAIVED			
OXAMYL	38865	WAIVED			
PENTACHLOROPHENOL	39032	WAIVED			
PICLORAM	39720	WAIVED			
POLYCHLORINATED BIPHENYLS, TOTAL, AS DCB	39516	WAIVED			
SIMAZINE	39055	WAIVED			
THIOBENCARB	A-001	WAIVED			
TOXAPHENE	39400	WAIVED			
REGULATED VOC					
1,1,1-TRICHLOROETHANE	34506	WAIVED			
1,1,2,2-TETRACHLOROETHANE	34516	WAIVED			
1,1,2-TRICHLORO-1,2,2-TRIFLUOROETHANE	81611	WAIVED			
1,1,2-TRICHLOROETHANE	34511	WAIVED			
1,1-DICHLOROETHANE	34496	WAIVED			
1,1-DICHLOROETHYLENE	34501	WAIVED			
1,2,4-TRICHLOROBENZENE	34551	WAIVED			
1,2-DICHLOROBENZENE	34536	WAIVED			
1,2-DICHLOROETHANE	34531	WAIVED			
1,2-DICHLOROPROPANE	34541	WAIVED			
1,3-DICHLOROPROPENE (TOTAL)	34561	WAIVED			
1,4-DICHLOROBENZENE	34571	WAIVED			
BENZENE	34030	WAIVED			
CARBON TETRACHLORIDE	32102	WAIVED			
CIS-1,2-DICHLOROETHYLENE	77093	WAIVED			
DICHLOROMETHANE	34423	WAIVED			
ETHYLBENZENE	34371	WAIVED			
METHYL-TERT-BUTYL-ETHER (MTBE)	46491	WAIVED			
MONOCHLOROBENZENE	34301	WAIVED			

**Testing interval is in months;*
0 = No data for this constituent and is DUE NOW
999 = Waived testing (not required)
I = Invalid (NOT) valid analyses reported

System Number: ***2400146***

System Name: ***EL REY APARTMENTS***

PS Code: ***2400146-011***

Source Name: ***WELL 2 - DRILLED 12/99***

Source Number: ***011***

Source Status: ***ACTIVE UNTREATED***

Water type: ***GROUNDWATER OR WELL***

	STORET NUMBER	TESTING INTERVAL (MONTHS)*	LAST TEST DATE (yyyy/mm/dd)	LAST RESULT REPORTED	NEXT TEST DATE (yyyy/mm)
REGULATED VOC					
STYRENE	77128	WAIVED			
TETRACHLOROETHYLENE	34475	WAIVED			
TOLUENE	34010	WAIVED			
TRANS-1,2-DICHLOROETHYLENE	34546	WAIVED			
TRICHLOROETHYLENE	39180	WAIVED			
TRICHLOROFLUOROMETHANE	34488	WAIVED			
VINYL CHLORIDE	39175	WAIVED			
XYLENES (TOTAL)	81551	WAIVED			
SECONDARY/GP					
AGGRSSIVE INDEX (CORROSIVITY)	82383	WAIVED			
BICARBONATE ALKALINITY	00440	WAIVED			
CALCIUM	00916	WAIVED			
CARBONATE ALKALINITY	00445	WAIVED			
CHLORIDE	00940	WAIVED			
COLOR	00081	WAIVED			
COPPER	01042	WAIVED			
FOAMING AGENTS (MBAS)	38260	WAIVED			
HARDNESS (TOTAL) AS CACO3	00900	WAIVED			
HYDROXIDE ALKALINITY	71830	WAIVED			
IRON	01045	WAIVED			
MAGNESIUM	00927	WAIVED			
MANGANESE	01055	WAIVED			
ODOR THRESHOLD @ 60 C	00086	WAIVED			
PH, LABORATORY	00403	WAIVED			
SILVER	01077	WAIVED			
SODIUM	00929	WAIVED			
SPECIFIC CONDUCTANCE	00095	WAIVED			
SULFATE	00945	WAIVED			
TOTAL DISSOLVED SOLIDS	70300	WAIVED			

**Testing interval is in months;*
0 = No data for this constituent and is DUE NOW
999 = Waived testing (not required)
I = Invalid (NOT) valid analyses reported

System Number: ***2400146***

System Name: ***EL REY APARTMENTS***

PS Code: ***2400146-011***

Source Name: ***WELL 2 - DRILLED 12/99***

Source Number: ***011***

Source Status: ***ACTIVE UNTREATED***

Water type: ***GROUNDWATER OR WELL***

	STORET NUMBER	TESTING INTERVAL (MONTHS)*	LAST TEST DATE (yyyy/mm/dd)	LAST RESULT REPORTED	NEXT TEST DATE (yyyy/mm)
SECONDARY/GP					
TURBIDITY, LABORATORY	82079	WAIVED			
ZINC	01092	WAIVED			

**Testing interval is in months;*
0 = No data for this constituent and is DUE NOW
999 = Waived testing (not required)
I = Invalid (NOT) valid analyses reported

System Number: ***2400147***

System Name: ***CLAUSEN MEAT PACKING, INC.***

PS Code: ***2400147-001***

Source Name: ***WELL #1-N. SIDE OF PROCESSING PLANT***

Source Number: ***001***

Source Status: ***ACTIVE UNTREATED***

Water type: ***GROUNDWATER OR WELL***

	STORET NUMBER	TESTING INTERVAL (MONTHS)*	LAST TEST DATE (yyyy/mm/dd)	LAST RESULT REPORTED	NEXT TEST DATE (yyyy/mm)	
GENERAL NON CHAP 15						
DIAZINON	39570	WAIVED				
INORGANIC						
ALUMINUM	01105	000				DUE
ANTIMONY	01097	000				DUE
ARSENIC	01002	000				DUE
ASBESTOS	81855	WAIVED				
BARIUM	01007	000				DUE
BERYLLIUM	01012	000				DUE
CADMIUM	01027	000				DUE
CHROMIUM (TOTAL)	01034	000				DUE
CYANIDE	01291	WAIVED				
FLUORIDE (F) (NATURAL-SOURCE)	00951	000				DUE
LEAD	01051	WAIVED				
MERCURY	71900	000				DUE
NICKEL	01067	000				DUE
PERCHLORATE	A-031	000				DUE
SELENIUM	01147	000				DUE
THALLIUM	01059	000				DUE
NITRATE/NITRITE						
NITRATE (AS NO3)	71850	012	2003/03/27	5.000	2004/03	DUE
NITRITE (AS N)	00620	000				DUE
RADIOLOGICAL						
GROSS ALPHA	01501	WAIVED				
GROSS BETA	03501	WAIVED				
RA-226 FOR CWS OR TOTAL RA FOR NTNC BY 903.0	A-080	WAIVED				
RA-226 OR TOTAL RA BY 903.0 C.E.	A-081	WAIVED				
RADIUM 226	09501	WAIVED				
RADIUM 228	11501	WAIVED				

**Testing interval is in months;*
0 = No data for this constituent and is DUE NOW
999 = Waived testing (not required)
I = Invalid (NOT) valid analyses reported

System Number: ***2400147***

System Name: ***CLAUSEN MEAT PACKING, INC.***

PS Code: ***2400147-001***

Source Name: ***WELL #1-N. SIDE OF PROCESSING PLANT***

Source Number: ***001***

Source Status: ***ACTIVE UNTREATED***

Water type: ***GROUNDWATER OR WELL***

	STORET NUMBER	TESTING INTERVAL (MONTHS)*	LAST TEST DATE (yyyy/mm/dd)	LAST RESULT REPORTED	NEXT TEST DATE (yyyy/mm)
RADIOLOGICAL					
RADIUM, TOTAL, MDA95-NTNC ONLY, BY 903.0	A-082	WAIVED			
STRONTIUM-90	13501	WAIVED			
TRITIUM	07000	WAIVED			
URANIUM (PCI/L)	28012	WAIVED			
REGULATED SOC					
2,3,7,8-TCDD (DIOXIN)	34676	WAIVED			
2,4,5-TP (SILVEX)	39045	WAIVED			
2,4-D	39730	WAIVED			
ALACHLOR	77825	000			DUE
ATRAZINE	39033	000			DUE
BENTAZON	38710	WAIVED			
BENZO (A) PYRENE	34247	WAIVED			
CARBOFURAN	81405	WAIVED			
CHLORDANE	39350	WAIVED			
DALAPON	38432	WAIVED			
DI(2-ETHYLHEXYL)ADIPATE	A-026	WAIVED			
DI(2-ETHYLHEXYL)PHTHALATE	39100	WAIVED			
DIBROMOCHLOROPROPANE (DBCP)	38761	000			DUE
DINOSEB	81287	WAIVED			
DIQUAT	78885	WAIVED			
ENDOTHALL	38926	WAIVED			
ENDRIN	39390	WAIVED			
ETHYLENE DIBROMIDE (EDB)	77651	000			DUE
GLYPHOSATE	79743	WAIVED			
HEPTACHLOR	39410	WAIVED			
HEPTACHLOR EPOXIDE	39420	WAIVED			
HEXACHLOROBENZENE	39700	WAIVED			
HEXACHLOROCYCLOPENTADIENE	34386	WAIVED			
LINDANE	39340	WAIVED			

**Testing interval is in months;*
0 = No data for this constituent and is DUE NOW
999 = Waived testing (not required)
I = Invalid (NOT) valid analyses reported

System Number: ***2400147***

System Name: ***CLAUSEN MEAT PACKING, INC.***

PS Code: ***2400147-001***

Source Name: ***WELL #1-N. SIDE OF PROCESSING PLANT***

Source Number: ***001***

Source Status: ***ACTIVE UNTREATED***

Water type: ***GROUNDWATER OR WELL***

	STORET NUMBER	TESTING INTERVAL (MONTHS)*	LAST TEST DATE (yyyy/mm/dd)	LAST RESULT REPORTED	NEXT TEST DATE (yyyy/mm)
REGULATED SOC					
METHOXYCHLOR	39480	WAIVED			
MOLINATE	82199	WAIVED			
OXAMYL	38865	WAIVED			
PENTACHLOROPHENOL	39032	WAIVED			
PICLORAM	39720	WAIVED			
POLYCHLORINATED BIPHENYLS, TOTAL, AS DCB	39516	WAIVED			
SIMAZINE	39055	000			DUE
THIOBENCARB	A-001	WAIVED			
TOXAPHENE	39400	WAIVED			
REGULATED VOC					
1,1,1-TRICHLOROETHANE	34506	000			DUE
1,1,2,2-TETRACHLOROETHANE	34516	000			DUE
1,1,2-TRICHLORO-1,2,2-TRIFLUOROETHANE	81611	000			DUE
1,1,2-TRICHLOROETHANE	34511	000			DUE
1,1-DICHLOROETHANE	34496	000			DUE
1,1-DICHLOROETHYLENE	34501	000			DUE
1,2,4-TRICHLOROBENZENE	34551	000			DUE
1,2-DICHLOROBENZENE	34536	000			DUE
1,2-DICHLOROETHANE	34531	000			DUE
1,2-DICHLOROPROPANE	34541	000			DUE
1,3-DICHLOROPROPENE (TOTAL)	34561	000			DUE
1,4-DICHLOROBENZENE	34571	000			DUE
BENZENE	34030	000			DUE
CARBON TETRACHLORIDE	32102	000			DUE
CIS-1,2-DICHLOROETHYLENE	77093	000			DUE
DICHLOROMETHANE	34423	000			DUE
ETHYLBENZENE	34371	000			DUE
METHYL-TERT-BUTYL-ETHER (MTBE)	46491	000			DUE
MONOCHLOROBENZENE	34301	000			DUE

**Testing interval is in months;*
0 = No data for this constituent and is DUE NOW
999 = Waived testing (not required)
I = Invalid (NOT) valid analyses reported

System Number: ***2400147***

System Name: ***CLAUSEN MEAT PACKING, INC.***

PS Code: ***2400147-001***

Source Name: ***WELL #1-N. SIDE OF PROCESSING PLANT***

Source Number: ***001***

Source Status: ***ACTIVE UNTREATED***

Water type: ***GROUNDWATER OR WELL***

	STORET NUMBER	TESTING INTERVAL (MONTHS)*	LAST TEST DATE (yyyy/mm/dd)	LAST RESULT REPORTED	NEXT TEST DATE (yyyy/mm)
REGULATED VOC					
STYRENE	77128	000			DUE
TETRACHLOROETHYLENE	34475	000			DUE
TOLUENE	34010	000			DUE
TRANS-1,2-DICHLOROETHYLENE	34546	000			DUE
TRICHLOROETHYLENE	39180	000			DUE
TRICHLOROFLUOROMETHANE	34488	000			DUE
VINYL CHLORIDE	39175	000			DUE
XYLENES (TOTAL)	81551	000			DUE
SECONDARY/GP					
AGGRSSIVE INDEX (CORROSIVITY)	82383	WAIVED			
BICARBONATE ALKALINITY	00440	000			DUE
CALCIUM	00916	000			DUE
CARBONATE ALKALINITY	00445	000			DUE
CHLORIDE	00940	WAIVED			
COLOR	00081	WAIVED			
COPPER	01042	WAIVED			
FOAMING AGENTS (MBAS)	38260	WAIVED			
HARDNESS (TOTAL) AS CACO3	00900	000			DUE
HYDROXIDE ALKALINITY	71830	000			DUE
IRON	01045	000			DUE
MAGNESIUM	00927	000			DUE
MANGANESE	01055	000			DUE
ODOR THRESHOLD @ 60 C	00086	WAIVED			
PH, LABORATORY	00403	000			DUE
SILVER	01077	WAIVED			
SODIUM	00929	000			DUE
SPECIFIC CONDUCTANCE	00095	WAIVED			
SULFATE	00945	WAIVED			
TOTAL DISSOLVED SOLIDS	70300	WAIVED			

**Testing interval is in months;*
0 = No data for this constituent and is DUE NOW
999 = Waived testing (not required)
I = Invalid (NOT) valid analyses reported

System Number: ***2400147***

System Name: ***CLAUSEN MEAT PACKING, INC.***

PS Code: ***2400147-001***

Source Name: ***WELL #1-N. SIDE OF PROCESSING PLANT***

Source Number: ***001***

Source Status: ***ACTIVE UNTREATED***

Water type: ***GROUNDWATER OR WELL***

SECONDARY/GP

	STORET NUMBER	TESTING INTERVAL (MONTHS)*	LAST TEST DATE (yyyy/mm/dd)	LAST RESULT REPORTED	NEXT TEST DATE (yyyy/mm)
TURBIDITY, LABORATORY	82079	WAIVED			
ZINC	01092	WAIVED			

**Testing interval is in months;*
0 = No data for this constituent and is DUE NOW
999 = Waived testing (not required)
I = Invalid (NOT) valid analyses reported

System Number: ***2400148***

System Name: ***MERCED ADVENTIST CHURCH WATER SYS.***

PS Code: ***2400148-001***

Source Name: ***SYSTEM WELL-S.E. OF SCHOOL BUILDING***

Source Number: ***001***

Source Status: ***ACTIVE UNTREATED***

Water type: ***GROUNDWATER OR WELL***

	STORET NUMBER	TESTING INTERVAL (MONTHS)*	LAST TEST DATE (yyyy/mm/dd)	LAST RESULT REPORTED	NEXT TEST DATE (yyyy/mm)	
GENERAL NON CHAP 15						
DIAZINON	39570	WAIVED	2007/03/26	< .250		
INORGANIC						
ALUMINUM	01105	036	2010/03/10	< 50.000	2013/03	
ANTIMONY	01097	036	2010/03/10	< 6.000	2013/03	
ARSENIC	01002	036	2010/03/10	2.900	2013/03	
ASBESTOS	81855	WAIVED				
BARIUM	01007	036	2010/03/10	432.000	2013/03	
BERYLLIUM	01012	036	2010/03/10	< 1.000	2013/03	
CADMIUM	01027	036	2010/03/10	< 1.000	2013/03	
CHROMIUM (TOTAL)	01034	036	2010/03/10	4.400	2013/03	
CYANIDE	01291	WAIVED				
FLUORIDE (F) (NATURAL-SOURCE)	00951	036	2010/03/10	.210	2013/03	
LEAD	01051	WAIVED	2010/03/10	< 5.000		
MERCURY	71900	036	2010/03/10	< .500	2013/03	
NICKEL	01067	036	2010/03/10	< 10.000	2013/03	
PERCHLORATE	A-031	036	2011/05/19	< .000	2014/05	
SELENIUM	01147	036	2010/03/10	< 5.000	2013/03	
THALLIUM	01059	036	2010/03/10	< 1.000	2013/03	
NITRATE/NITRITE						
NITRATE (AS NO3)	71850	012	2011/03/29	24.800	2012/03	DUE
NITRITE (AS N)	00620	036	2010/03/10	< 400.000	2013/03	
RADIOLOGICAL						
GROSS ALPHA	01501	WAIVED	2010/03/10	6.000		
GROSS BETA	03501	WAIVED				
RA-226 FOR CWS OR TOTAL RA FOR NTNC BY 903.0	A-080	WAIVED				
RA-226 OR TOTAL RA BY 903.0 C.E.	A-081	WAIVED				
RADIUM 226	09501	WAIVED				
RADIUM 228	11501	WAIVED				

**Testing interval is in months;*
0 = No data for this constituent and is DUE NOW
999 = Waived testing (not required)
I = Invalid (NOT) valid analyses reported

System Number: ***2400148***

System Name: ***MERCED ADVENTIST CHURCH WATER SYS.***

PS Code: ***2400148-001***

Source Name: ***SYSTEM WELL-S.E. OF SCHOOL BUILDING***

Source Number: ***001***

Source Status: ***ACTIVE UNTREATED***

Water type: ***GROUNDWATER OR WELL***

	STORET NUMBER	TESTING INTERVAL (MONTHS)*	LAST TEST DATE (yyyy/mm/dd)	LAST RESULT REPORTED	NEXT TEST DATE (yyyy/mm)
RADIOLOGICAL					
RADIUM, TOTAL, MDA95-NTNC ONLY, BY 903.0	A-082	WAIVED			
STRONTIUM-90	13501	WAIVED			
TRITIUM	07000	WAIVED			
URANIUM (PCI/L)	28012	WAIVED	2010/03/10	8.000	
REGULATED SOC					
2,3,7,8-TCDD (DIOXIN)	34676	WAIVED			
2,4,5-TP (SILVEX)	39045	WAIVED			
2,4-D	39730	WAIVED			
ALACHLOR	77825	036	2010/10/28	< 1.000	2013/10
ATRAZINE	39033	036	2010/10/28	< .500	2013/10
BENTAZON	38710	WAIVED			
BENZO (A) PYRENE	34247	WAIVED	2007/03/26	.000	
CARBOFURAN	81405	WAIVED			
CHLORDANE	39350	WAIVED	2010/10/28	< .100	
DALAPON	38432	WAIVED			
DI(2-ETHYLHEXYL)ADIPATE	A-026	WAIVED	2007/03/26	.000	
DI(2-ETHYLHEXYL)PHTHALATE	39100	WAIVED	2007/03/26	.000	
DIBROMOCHLOROPROPANE (DBCP)	38761	036	2010/10/28	< .010	2013/10
DINOSEB	81287	WAIVED			
DIQUAT	78885	WAIVED			
ENDOTHALL	38926	WAIVED			
ENDRIN	39390	WAIVED	2010/10/28	< .100	
ETHYLENE DIBROMIDE (EDB)	77651	036	2010/10/28	< .020	2013/10
GLYPHOSATE	79743	WAIVED			
HEPTACHLOR	39410	WAIVED	2010/10/28	< .010	
HEPTACHLOR EPOXIDE	39420	WAIVED	2010/10/28	< .010	
HEXACHLOROBENZENE	39700	WAIVED	2010/10/28	< .500	
HEXACHLOROCYCLOPENTADIENE	34386	WAIVED	2010/10/28	< 1.000	
LINDANE	39340	WAIVED	2010/10/28	< .200	

**Testing interval is in months;*
0 = No data for this constituent and is DUE NOW
999 = Waived testing (not required)
I = Invalid (NOT) valid analyses reported

System Number: ***2400148***

System Name: ***MERCED ADVENTIST CHURCH WATER SYS.***

PS Code: ***2400148-001***

Source Name: ***SYSTEM WELL-S.E. OF SCHOOL BUILDING***

Source Number: ***001***

Source Status: ***ACTIVE UNTREATED***

Water type: ***GROUNDWATER OR WELL***

	STORET NUMBER	TESTING INTERVAL (MONTHS)*	LAST TEST DATE (yyyy/mm/dd)	LAST RESULT REPORTED	NEXT TEST DATE (yyyy/mm)	
REGULATED SOC						
METHOXYCHLOR	39480	WAIVED	2010/10/28	< 10.000		
MOLINATE	82199	WAIVED	2007/03/26	.000		
OXAMYL	38865	WAIVED				
PENTACHLOROPHENOL	39032	WAIVED				
PICLORAM	39720	WAIVED				
POLYCHLORINATED BIPHENYLS, TOTAL, AS DCB	39516	WAIVED	2010/10/28	< .500		
SIMAZINE	39055	036	2010/10/28	< 1.000	2013/10	
THIOBENCARB	A-001	WAIVED	2007/03/26	.000		
TOXAPHENE	39400	WAIVED	2010/10/28	< 1.000		
REGULATED VOC						
1,1,1-TRICHLOROETHANE	34506	000				DUE
1,1,2,2-TETRACHLOROETHANE	34516	000				DUE
1,1,2-TRICHLORO-1,2,2-TRIFLUOROETHANE	81611	000				DUE
1,1,2-TRICHLOROETHANE	34511	000				DUE
1,1-DICHLOROETHANE	34496	000				DUE
1,1-DICHLOROETHYLENE	34501	000				DUE
1,2,4-TRICHLOROBENZENE	34551	000				DUE
1,2-DICHLOROBENZENE	34536	000				DUE
1,2-DICHLOROETHANE	34531	000				DUE
1,2-DICHLOROPROPANE	34541	000				DUE
1,3-DICHLOROPROPENE (TOTAL)	34561	000				DUE
1,4-DICHLOROBENZENE	34571	000				DUE
BENZENE	34030	000				DUE
CARBON TETRACHLORIDE	32102	000				DUE
CIS-1,2-DICHLOROETHYLENE	77093	000				DUE
DICHLOROMETHANE	34423	000				DUE
ETHYLBENZENE	34371	000				DUE
METHYL-TERT-BUTYL-ETHER (MTBE)	46491	060	2009/04/22	.000	2014/04	
MONOCHLOROBENZENE	34301	000				DUE

**Testing interval is in months;*
0 = No data for this constituent and is DUE NOW
999 = Waived testing (not required)
I = Invalid (NOT) valid analyses reported

System Number: ***2400148***

System Name: ***MERCED ADVENTIST CHURCH WATER SYS.***

PS Code: ***2400148-001***

Source Name: ***SYSTEM WELL-S.E. OF SCHOOL BUILDING***

Source Number: ***001***

Source Status: ***ACTIVE UNTREATED***

Water type: ***GROUNDWATER OR WELL***

	STORET NUMBER	TESTING INTERVAL (MONTHS)*	LAST TEST DATE (yyyy/mm/dd)	LAST RESULT REPORTED	NEXT TEST DATE (yyyy/mm)
REGULATED VOC					
STYRENE	77128	000			DUE
TETRACHLOROETHYLENE	34475	000			DUE
TOLUENE	34010	000			DUE
TRANS-1,2-DICHLOROETHYLENE	34546	000			DUE
TRICHLOROETHYLENE	39180	000			DUE
TRICHLOROFLUOROMETHANE	34488	000			DUE
VINYL CHLORIDE	39175	000			DUE
XYLENES (TOTAL)	81551	000			DUE
SECONDARY/GP					
AGGRSSIVE INDEX (CORROSIVITY)	82383	WAIVED			
BICARBONATE ALKALINITY	00440	WAIVED	2010/03/10	242.000	
CALCIUM	00916	WAIVED	2010/03/10	39.200	
CARBONATE ALKALINITY	00445	WAIVED	2010/03/10	< 2.000	
CHLORIDE	00940	WAIVED	2010/03/10	13.700	
COLOR	00081	WAIVED	2010/03/10	< 5.000	
COPPER	01042	WAIVED	2010/03/10	< 50.000	
FOAMING AGENTS (MBAS)	38260	WAIVED	2010/03/10	< .025	
HARDNESS (TOTAL) AS CACO3	00900	WAIVED	2010/03/10	259.000	
HYDROXIDE ALKALINITY	71830	WAIVED	2010/03/10	< .500	
IRON	01045	WAIVED	2010/03/10	< 100.000	
MAGNESIUM	00927	WAIVED	2010/03/10	28.700	
MANGANESE	01055	WAIVED	2010/03/10	< 20.000	
ODOR THRESHOLD @ 60 C	00086	WAIVED	2010/03/10	.000	
PH, LABORATORY	00403	WAIVED	2010/03/10	7.630	
SILVER	01077	WAIVED	2010/03/10	< 10.000	
SODIUM	00929	WAIVED	2010/03/10	22.000	
SPECIFIC CONDUCTANCE	00095	WAIVED	2011/05/19	520.000	
SULFATE	00945	WAIVED	2010/03/10	16.200	
TOTAL DISSOLVED SOLIDS	70300	WAIVED	2010/03/10	360.000	

**Testing interval is in months;*
0 = No data for this constituent and is DUE NOW
999 = Waived testing (not required)
I = Invalid (NOT) valid analyses reported

System Number: ***2400148***

System Name: ***MERCED ADVENTIST CHURCH WATER SYS.***

PS Code: ***2400148-001***

Source Name: ***SYSTEM WELL-S.E. OF SCHOOL BUILDING***

Source Number: ***001***

Source Status: ***ACTIVE UNTREATED***

Water type: ***GROUNDWATER OR WELL***

SECONDARY/GP

	STORET NUMBER	TESTING INTERVAL (MONTHS)*	LAST TEST DATE (yyyy/mm/dd)	LAST RESULT REPORTED	NEXT TEST DATE (yyyy/mm)
TURBIDITY, LABORATORY	82079	WAIVED	2010/03/10	.100	
ZINC	01092	WAIVED	2010/03/10	704.000	

**Testing interval is in months;*
0 = No data for this constituent and is DUE NOW
999 = Waived testing (not required)
I = Invalid (NOT) valid analyses reported

System Number: ***2400149***

System Name: ***BECERRA CORNERS***

PS Code: ***2400149-001***

Source Name: ***WELL 01***

Source Number: ***001***

Source Status: ***ACTIVE UNTREATED***

Water type: ***GROUNDWATER OR WELL***

	STORET NUMBER	TESTING INTERVAL (MONTHS)*	LAST TEST DATE (yyyy/mm/dd)	LAST RESULT REPORTED	NEXT TEST DATE (yyyy/mm)
GENERAL NON CHAP 15					
DIAZINON	39570	WAIVED			
INORGANIC					
ALUMINUM	01105	WAIVED			
ANTIMONY	01097	WAIVED			
ARSENIC	01002	WAIVED			
ASBESTOS	81855	WAIVED			
BARIUM	01007	WAIVED			
BERYLLIUM	01012	WAIVED			
CADMIUM	01027	WAIVED			
CHROMIUM (TOTAL)	01034	WAIVED			
CYANIDE	01291	WAIVED			
FLUORIDE (F) (NATURAL-SOURCE)	00951	WAIVED			
LEAD	01051	WAIVED			
MERCURY	71900	WAIVED			
NICKEL	01067	WAIVED			
PERCHLORATE	A-031	WAIVED			
SELENIUM	01147	WAIVED			
THALLIUM	01059	WAIVED			
NITRATE/NITRITE					
NITRATE (AS NO3)	71850	WAIVED	2011/10/14	5.900	
NITRITE (AS N)	00620	WAIVED	2006/10/30	< 400.000	
RADIOLOGICAL					
GROSS ALPHA	01501	WAIVED			
GROSS BETA	03501	WAIVED			
RA-226 FOR CWS OR TOTAL RA FOR NTNC BY 903.0	A-080	WAIVED			
RA-226 OR TOTAL RA BY 903.0 C.E.	A-081	WAIVED			
RADIUM 226	09501	WAIVED			
RADIUM 228	11501	WAIVED			

**Testing interval is in months;*
0 = No data for this constituent and is DUE NOW
999 = Waived testing (not required)
I = Invalid (NOT) valid analyses reported

System Number: ***2400149***

System Name: ***BECERRA CORNERS***

PS Code: ***2400149-001***

Source Name: ***WELL 01***

Source Number: ***001***

Source Status: ***ACTIVE UNTREATED***

Water type: ***GROUNDWATER OR WELL***

	STORET NUMBER	TESTING INTERVAL (MONTHS)*	LAST TEST DATE (yyyy/mm/dd)	LAST RESULT REPORTED	NEXT TEST DATE (yyyy/mm)
RADIOLOGICAL					
RADIUM, TOTAL, MDA95-NTNC ONLY, BY 903.0	A-082	WAIVED			
STRONTIUM-90	13501	WAIVED			
TRITIUM	07000	WAIVED			
URANIUM (PCI/L)	28012	WAIVED			
REGULATED SOC					
2,3,7,8-TCDD (DIOXIN)	34676	WAIVED			
2,4,5-TP (SILVEX)	39045	WAIVED			
2,4-D	39730	WAIVED			
ALACHLOR	77825	WAIVED			
ATRAZINE	39033	WAIVED			
BENTAZON	38710	WAIVED			
BENZO (A) PYRENE	34247	WAIVED			
CARBOFURAN	81405	WAIVED			
CHLORDANE	39350	WAIVED			
DALAPON	38432	WAIVED			
DI(2-ETHYLHEXYL)ADIPATE	A-026	WAIVED			
DI(2-ETHYLHEXYL)PHTHALATE	39100	WAIVED			
DIBROMOCHLOROPROPANE (DBCP)	38761	WAIVED			
DINOSEB	81287	WAIVED			
DIQUAT	78885	WAIVED			
ENDOTHALL	38926	WAIVED			
ENDRIN	39390	WAIVED			
ETHYLENE DIBROMIDE (EDB)	77651	WAIVED			
GLYPHOSATE	79743	WAIVED			
HEPTACHLOR	39410	WAIVED			
HEPTACHLOR EPOXIDE	39420	WAIVED			
HEXACHLOROBENZENE	39700	WAIVED			
HEXACHLOROCYCLOPENTADIENE	34386	WAIVED			
LINDANE	39340	WAIVED			

**Testing interval is in months;*
0 = No data for this constituent and is DUE NOW
999 = Waived testing (not required)
I = Invalid (NOT) valid analyses reported

System Number: ***2400149***

System Name: ***BECERRA CORNERS***

PS Code: ***2400149-001***

Source Name: ***WELL 01***

Source Number: ***001***

Source Status: ***ACTIVE UNTREATED***

Water type: ***GROUNDWATER OR WELL***

	STORET NUMBER	TESTING INTERVAL (MONTHS)*	LAST TEST DATE (yyyy/mm/dd)	LAST RESULT REPORTED	NEXT TEST DATE (yyyy/mm)
REGULATED SOC					
METHOXYCHLOR	39480	WAIVED			
MOLINATE	82199	WAIVED			
OXAMYL	38865	WAIVED			
PENTACHLOROPHENOL	39032	WAIVED			
PICLORAM	39720	WAIVED			
POLYCHLORINATED BIPHENYLS, TOTAL, AS DCB	39516	WAIVED			
SIMAZINE	39055	WAIVED			
THIOBENCARB	A-001	WAIVED			
TOXAPHENE	39400	WAIVED			
REGULATED VOC					
1,1,1-TRICHLOROETHANE	34506	WAIVED			
1,1,2,2-TETRACHLOROETHANE	34516	WAIVED			
1,1,2-TRICHLORO-1,2,2-TRIFLUOROETHANE	81611	WAIVED			
1,1,2-TRICHLOROETHANE	34511	WAIVED			
1,1-DICHLOROETHANE	34496	WAIVED			
1,1-DICHLOROETHYLENE	34501	WAIVED			
1,2,4-TRICHLOROBENZENE	34551	WAIVED			
1,2-DICHLOROBENZENE	34536	WAIVED			
1,2-DICHLOROETHANE	34531	WAIVED			
1,2-DICHLOROPROPANE	34541	WAIVED			
1,3-DICHLOROPROPENE (TOTAL)	34561	WAIVED			
1,4-DICHLOROBENZENE	34571	WAIVED			
BENZENE	34030	WAIVED			
CARBON TETRACHLORIDE	32102	WAIVED			
CIS-1,2-DICHLOROETHYLENE	77093	WAIVED			
DICHLOROMETHANE	34423	WAIVED			
ETHYLBENZENE	34371	WAIVED			
METHYL-TERT-BUTYL-ETHER (MTBE)	46491	WAIVED			
MONOCHLOROBENZENE	34301	WAIVED			

**Testing interval is in months;*
0 = No data for this constituent and is DUE NOW
999 = Waived testing (not required)
I = Invalid (NOT) valid analyses reported

System Number: ***2400149***

System Name: ***BECERRA CORNERS***

PS Code: ***2400149-001***

Source Name: ***WELL 01***

Source Number: ***001***

Source Status: ***ACTIVE UNTREATED***

Water type: ***GROUNDWATER OR WELL***

	STORET NUMBER	TESTING INTERVAL (MONTHS)*	LAST TEST DATE (yyyy/mm/dd)	LAST RESULT REPORTED	NEXT TEST DATE (yyyy/mm)
REGULATED VOC					
STYRENE	77128	WAIVED			
TETRACHLOROETHYLENE	34475	WAIVED			
TOLUENE	34010	WAIVED			
TRANS-1,2-DICHLOROETHYLENE	34546	WAIVED			
TRICHLOROETHYLENE	39180	WAIVED			
TRICHLOROFLUOROMETHANE	34488	WAIVED			
VINYL CHLORIDE	39175	WAIVED			
XYLENES (TOTAL)	81551	WAIVED			
SECONDARY/GP					
AGGRSSIVE INDEX (CORROSIVITY)	82383	WAIVED			
BICARBONATE ALKALINITY	00440	WAIVED			
CALCIUM	00916	WAIVED			
CARBONATE ALKALINITY	00445	WAIVED			
CHLORIDE	00940	WAIVED			
COLOR	00081	WAIVED			
COPPER	01042	WAIVED			
FOAMING AGENTS (MBAS)	38260	WAIVED			
HARDNESS (TOTAL) AS CACO3	00900	WAIVED			
HYDROXIDE ALKALINITY	71830	WAIVED			
IRON	01045	WAIVED			
MAGNESIUM	00927	WAIVED			
MANGANESE	01055	WAIVED			
ODOR THRESHOLD @ 60 C	00086	WAIVED			
PH, LABORATORY	00403	WAIVED			
SILVER	01077	WAIVED			
SODIUM	00929	WAIVED			
SPECIFIC CONDUCTANCE	00095	WAIVED			
SULFATE	00945	WAIVED			
TOTAL DISSOLVED SOLIDS	70300	WAIVED			

**Testing interval is in months;*
0 = No data for this constituent and is DUE NOW
999 = Waived testing (not required)
I = Invalid (NOT) valid analyses reported

System Number: ***2400149***

System Name: ***BECERRA CORNERS***

PS Code: ***2400149-001***

Source Name: ***WELL 01***

Source Number: ***001***

Source Status: ***ACTIVE UNTREATED***

Water type: ***GROUNDWATER OR WELL***

	STORET NUMBER	TESTING INTERVAL (MONTHS)*	LAST TEST DATE (yyyy/mm/dd)	LAST RESULT REPORTED	NEXT TEST DATE (yyyy/mm)
SECONDARY/GP					
TURBIDITY, LABORATORY	82079	WAIVED			
ZINC	01092	WAIVED			

**Testing interval is in months;*
0 = No data for this constituent and is DUE NOW
999 = Waived testing (not required)
I = Invalid (NOT) valid analyses reported

System Number: ***2400153***

System Name: ***APOSTOLIC TABERNACLE***

PS Code: ***2400153-001***

Source Name: ***SYSTEM WELL-E. END OF SCHOOL BUILDING***

Source Number: ***001***

Source Status: ***ACTIVE UNTREATED***

Water type: ***GROUNDWATER OR WELL***

	STORET NUMBER	TESTING INTERVAL (MONTHS)*	LAST TEST DATE (yyyy/mm/dd)	LAST RESULT REPORTED	NEXT TEST DATE (yyyy/mm)	
GENERAL NON CHAP 15						
DIAZINON	39570	WAIVED				
INORGANIC						
ALUMINUM	01105	036	2011/05/31	< .000	2014/05	
ANTIMONY	01097	036	2011/05/31	< .000	2014/05	
ARSENIC	01002	036	2011/05/31	< .000	2014/05	
ASBESTOS	81855	WAIVED				
BARIUM	01007	036	2011/05/31	270.000	2014/05	
BERYLLIUM	01012	036	2011/05/31	< .000	2014/05	
CADMIUM	01027	036	2011/05/31	< .000	2014/05	
CHROMIUM (TOTAL)	01034	036	2011/05/31	< .000	2014/05	
CYANIDE	01291	WAIVED	2005/05/18	.000		
FLUORIDE (F) (NATURAL-SOURCE)	00951	036	2011/05/31	< .100	2014/05	
LEAD	01051	WAIVED	2011/05/31	< .000		
MERCURY	71900	036	2011/05/31	< .000	2014/05	
NICKEL	01067	036	2011/05/31	< .000	2014/05	
PERCHLORATE	A-031	036	**2007/11/06**	.000	**2010/11**	**DUE**
SELENIUM	01147	036	2011/05/31	< .000	2014/05	
THALLIUM	01059	036	2011/05/31	< .000	2014/05	
NITRATE/NITRITE						
NITRATE (AS NO3)	71850	012	2011/11/22	8.000	2012/11	
NITRITE (AS N)	00620	036	2011/05/31	< 400.000	2014/05	
RADIOLOGICAL						
GROSS ALPHA	01501	WAIVED	2012/02/21	5.210		
GROSS BETA	03501	WAIVED				
RA-226 FOR CWS OR TOTAL RA FOR NTNC BY 903.0	A-080	WAIVED				
RA-226 OR TOTAL RA BY 903.0 C.E.	A-081	WAIVED				
RADIUM 226	09501	WAIVED				
RADIUM 228	11501	WAIVED				

**Testing interval is in months;*
0 = No data for this constituent and is DUE NOW
999 = Waived testing (not required)
I = Invalid (NOT) valid analyses reported

System Number: ***2400153***

System Name: ***APOSTOLIC TABERNACLE***

PS Code: ***2400153-001***

Source Name: ***SYSTEM WELL-E. END OF SCHOOL BUILDING***

Source Number: ***001***

Source Status: ***ACTIVE UNTREATED***

Water type: ***GROUNDWATER OR WELL***

	STORET NUMBER	TESTING INTERVAL (MONTHS)*	LAST TEST DATE (yyyy/mm/dd)	LAST RESULT REPORTED	NEXT TEST DATE (yyyy/mm)	
RADIOLOGICAL						
RADIUM, TOTAL, MDA95-NTNC ONLY, BY 903.0	A-082	WAIVED				
STRONTIUM-90	13501	WAIVED				
TRITIUM	07000	WAIVED				
URANIUM (PCI/L)	28012	WAIVED	2012/02/21	2.800		
REGULATED SOC						
2,3,7,8-TCDD (DIOXIN)	34676	WAIVED				
2,4,5-TP (SILVEX)	39045	WAIVED				
2,4-D	39730	WAIVED				
ALACHLOR	77825	000				**DUE**
ATRAZINE	39033	000				**DUE**
BENTAZON	38710	WAIVED				
BENZO (A) PYRENE	34247	WAIVED				
CARBOFURAN	81405	WAIVED				
CHLORDANE	39350	WAIVED				
DALAPON	38432	WAIVED				
DI(2-ETHYLHEXYL)ADIPATE	A-026	WAIVED				
DI(2-ETHYLHEXYL)PHTHALATE	39100	WAIVED				
DIBROMOCHLOROPROPANE (DBCP)	38761	036	2005/05/18	.000	2008/05	**DUE**
DINOSEB	81287	WAIVED				
DIQUAT	78885	WAIVED				
ENDOTHALL	38926	WAIVED				
ENDRIN	39390	WAIVED				
ETHYLENE DIBROMIDE (EDB)	77651	036	2005/05/18	.000	2008/05	**DUE**
GLYPHOSATE	79743	WAIVED				
HEPTACHLOR	39410	WAIVED				
HEPTACHLOR EPOXIDE	39420	WAIVED				
HEXACHLOROBENZENE	39700	WAIVED				
HEXACHLOROCYCLOPENTADIENE	34386	WAIVED				
LINDANE	39340	WAIVED				

**Testing interval is in months;*
0 = No data for this constituent and is DUE NOW
999 = Waived testing (not required)
I = Invalid (NOT) valid analyses reported

System Number: ***2400153***

System Name: ***APOSTOLIC TABERNACLE***

PS Code: ***2400153-001***

Source Name: ***SYSTEM WELL-E. END OF SCHOOL BUILDING***

Source Number: ***001***

Source Status: ***ACTIVE UNTREATED***

Water type: ***GROUNDWATER OR WELL***

	STORET NUMBER	TESTING INTERVAL (MONTHS)*	LAST TEST DATE (yyyy/mm/dd)	LAST RESULT REPORTED	NEXT TEST DATE (yyyy/mm)	
REGULATED SOC						
METHOXYCHLOR	39480	WAIVED				
MOLINATE	82199	WAIVED				
OXAMYL	38865	WAIVED				
PENTACHLOROPHENOL	39032	WAIVED				
PICLORAM	39720	WAIVED				
POLYCHLORINATED BIPHENYLS, TOTAL, AS DCB	39516	WAIVED				
SIMAZINE	39055	000				**DUE**
THIOBENCARB	A-001	WAIVED				
TOXAPHENE	39400	WAIVED				
REGULATED VOC						
1,1,1-TRICHLOROETHANE	34506	060	2011/05/31	< .000	2016/05	
1,1,2,2-TETRACHLOROETHANE	34516	060	2011/05/31	< .000	2016/05	
1,1,2-TRICHLORO-1,2,2-TRIFLUOROETHANE	81611	060	2011/05/31	< .000	2016/05	
1,1,2-TRICHLOROETHANE	34511	060	2011/05/31	< .000	2016/05	
1,1-DICHLOROETHANE	34496	060	2011/05/31	< .000	2016/05	
1,1-DICHLOROETHYLENE	34501	060	2011/05/31	< .000	2016/05	
1,2,4-TRICHLOROBENZENE	34551	060	2011/05/31	< .000	2016/05	
1,2-DICHLOROBENZENE	34536	060	2011/05/31	< .000	2016/05	
1,2-DICHLOROETHANE	34531	060	2011/05/31	< .000	2016/05	
1,2-DICHLOROPROPANE	34541	060	2011/05/31	< .000	2016/05	
1,3-DICHLOROPROPENE (TOTAL)	34561	060	2011/05/31	< .000	2016/05	
1,4-DICHLOROBENZENE	34571	060	2011/05/31	< .000	2016/05	
BENZENE	34030	060	2011/05/31	< .000	2016/05	
CARBON TETRACHLORIDE	32102	060	2011/05/31	< .000	2016/05	
CIS-1,2-DICHLOROETHYLENE	77093	060	2011/05/31	< .000	2016/05	
DICHLOROMETHANE	34423	060	2011/05/31	< .000	2016/05	
ETHYLBENZENE	34371	060	2011/05/31	< .000	2016/05	
METHYL-TERT-BUTYL-ETHER (MTBE)	46491	060	2011/05/31	< .000	2016/05	
MONOCHLOROBENZENE	34301	060	2011/05/31	< .000	2016/05	

**Testing interval is in months;*
0 = No data for this constituent and is DUE NOW
999 = Waived testing (not required)
I = Invalid (NOT) valid analyses reported

System Number: ***2400153***

System Name: ***APOSTOLIC TABERNACLE***

PS Code: ***2400153-001***

Source Name: ***SYSTEM WELL-E. END OF SCHOOL BUILDING***

Source Number: ***001***

Source Status: ***ACTIVE UNTREATED***

Water type: ***GROUNDWATER OR WELL***

	STORET NUMBER	TESTING INTERVAL (MONTHS)*	LAST TEST DATE (yyyy/mm/dd)	LAST RESULT REPORTED	NEXT TEST DATE (yyyy/mm)	
REGULATED VOC						
STYRENE	77128	060	2011/05/31	< .000	2016/05	
TETRACHLOROETHYLENE	34475	060	2011/05/31	< .000	2016/05	
TOLUENE	34010	060	2011/05/31	< .000	2016/05	
TRANS-1,2-DICHLOROETHYLENE	34546	060	2011/05/31	< .000	2016/05	
TRICHLOROETHYLENE	39180	060	2011/05/31	< .000	2016/05	
TRICHLOROFLUOROMETHANE	34488	060	2011/05/31	< .000	2016/05	
VINYL CHLORIDE	39175	060	2011/05/31	< .000	2016/05	
XYLENES (TOTAL)	81551	060	2011/05/31	< .000	2016/05	
SECONDARY/GP						
AGGRSSIVE INDEX (CORROSIVITY)	82383	WAIVED				
BICARBONATE ALKALINITY	00440	000				DUE
CALCIUM	00916	000				DUE
CARBONATE ALKALINITY	00445	000				DUE
CHLORIDE	00940	WAIVED				
COLOR	00081	WAIVED				
COPPER	01042	WAIVED				
FOAMING AGENTS (MBAS)	38260	WAIVED				
HARDNESS (TOTAL) AS CACO3	00900	000				DUE
HYDROXIDE ALKALINITY	71830	000				DUE
IRON	01045	000				DUE
MAGNESIUM	00927	000				DUE
MANGANESE	01055	000				DUE
ODOR THRESHOLD @ 60 C	00086	WAIVED				
PH, LABORATORY	00403	000				DUE
SILVER	01077	WAIVED	2011/05/31	< .000		
SODIUM	00929	000				DUE
SPECIFIC CONDUCTANCE	00095	WAIVED	2007/11/06	430.000		
SULFATE	00945	WAIVED				
TOTAL DISSOLVED SOLIDS	70300	WAIVED				

**Testing interval is in months;*
0 = No data for this constituent and is DUE NOW
999 = Waived testing (not required)
I = Invalid (NOT) valid analyses reported

System Number: ***2400153***

System Name: ***APOSTOLIC TABERNACLE***

	STORET NUMBER	TESTING INTERVAL (MONTHS)*	LAST TEST DATE (yyyy/mm/dd)	LAST RESULT REPORTED	NEXT TEST DATE (yyyy/mm)

PS Code: ***2400153-001***

Source Name: ***SYSTEM WELL-E. END OF SCHOOL BUILDING***

Source Number: ***001***

Source Status: ***ACTIVE UNTREATED***

Water type: ***GROUNDWATER OR WELL***

SECONDARY/GP

TURBIDITY, LABORATORY	82079	WAIVED			
ZINC	01092	WAIVED			

**Testing interval is in months;*
0 = No data for this constituent and is DUE NOW
999 = Waived testing (not required)
I = Invalid (NOT) valid analyses reported

System Number: ***2400154***

System Name: ***INGOMAR PACKING***

PS Code: ***2400154-001***

Source Name: ***WELL #1-DOMESTIC-NEAR LARGE WATER TANK***

Source Number: ***001***

Source Status: ***ACTIVE UNTREATED***

Water type: ***GROUNDWATER OR WELL***

	STORET NUMBER	TESTING INTERVAL (MONTHS)*	LAST TEST DATE (yyyy/mm/dd)	LAST RESULT REPORTED	NEXT TEST DATE (yyyy/mm)	
GENERAL NON CHAP 15						
DIAZINON	39570	WAIVED				
INORGANIC						
ALUMINUM	01105	000				DUE
ANTIMONY	01097	000				DUE
ARSENIC	01002	000				DUE
ASBESTOS	81855	WAIVED				
BARIUM	01007	000				DUE
BERYLLIUM	01012	000				DUE
CADMIUM	01027	000				DUE
CHROMIUM (TOTAL)	01034	000				DUE
CYANIDE	01291	WAIVED				
FLUORIDE (F) (NATURAL-SOURCE)	00951	000				DUE
LEAD	01051	WAIVED				
MERCURY	71900	000				DUE
NICKEL	01067	000				DUE
PERCHLORATE	A-031	000				DUE
SELENIUM	01147	000				DUE
THALLIUM	01059	000				DUE
NITRATE/NITRITE						
NITRATE (AS NO3)	71850	012	2007/06/27	18.000	2008/06	DUE
NITRITE (AS N)	00620	000				DUE
RADIOLOGICAL						
GROSS ALPHA	01501	WAIVED	2007/10/10	.000		
GROSS BETA	03501	WAIVED				
RA-226 FOR CWS OR TOTAL RA FOR NTNC BY 903.0	A-080	WAIVED				
RA-226 OR TOTAL RA BY 903.0 C.E.	A-081	WAIVED				
RADIUM 226	09501	WAIVED				
RADIUM 228	11501	WAIVED				

**Testing interval is in months;*
0 = No data for this constituent and is DUE NOW
999 = Waived testing (not required)
I = Invalid (NOT) valid analyses reported

System Number: ***2400154***

System Name: ***INGOMAR PACKING***

PS Code: ***2400154-001***

Source Name: ***WELL #1-DOMESTIC-NEAR LARGE WATER TANK***

Source Number: ***001***

Source Status: ***ACTIVE UNTREATED***

Water type: ***GROUNDWATER OR WELL***

	STORET NUMBER	TESTING INTERVAL (MONTHS)*	LAST TEST DATE (yyyy/mm/dd)	LAST RESULT REPORTED	NEXT TEST DATE (yyyy/mm)	
RADIOLOGICAL						
RADIUM, TOTAL, MDA95-NTNC ONLY, BY 903.0	A-082	WAIVED				
STRONTIUM-90	13501	WAIVED				
TRITIUM	07000	WAIVED				
URANIUM (PCI/L)	28012	WAIVED				
REGULATED SOC						
2,3,7,8-TCDD (DIOXIN)	34676	WAIVED				
2,4,5-TP (SILVEX)	39045	WAIVED				
2,4-D	39730	WAIVED				
ALACHLOR	77825	036	2005/10/20	.000	2008/10	DUE
ATRAZINE	39033	036	2005/10/20	.000	2008/10	DUE
BENTAZON	38710	WAIVED				
BENZO (A) PYRENE	34247	WAIVED				
CARBOFURAN	81405	WAIVED				
CHLORDANE	39350	WAIVED				
DALAPON	38432	WAIVED				
DI(2-ETHYLHEXYL)ADIPATE	A-026	WAIVED				
DI(2-ETHYLHEXYL)PHTHALATE	39100	WAIVED				
DIBROMOCHLOROPROPANE (DBCP)	38761	036	2005/10/20	.000	2008/10	DUE
DINOSEB	81287	WAIVED				
DIQUAT	78885	WAIVED				
ENDOTHALL	38926	WAIVED				
ENDRIN	39390	WAIVED				
ETHYLENE DIBROMIDE (EDB)	77651	036	2005/10/20	.000	2008/10	DUE
GLYPHOSATE	79743	WAIVED				
HEPTACHLOR	39410	WAIVED				
HEPTACHLOR EPOXIDE	39420	WAIVED				
HEXACHLOROBENZENE	39700	WAIVED				
HEXACHLOROCYCLOPENTADIENE	34386	WAIVED				
LINDANE	39340	WAIVED				

**Testing interval is in months;*
0 = No data for this constituent and is DUE NOW
999 = Waived testing (not required)
I = Invalid (NOT) valid analyses reported

System Number: ***2400154***

System Name: ***INGOMAR PACKING***

PS Code: ***2400154-001***

Source Name: ***WELL #1-DOMESTIC-NEAR LARGE WATER TANK***

Source Number: ***001***

Source Status: ***ACTIVE UNTREATED***

Water type: ***GROUNDWATER OR WELL***

	STORET NUMBER	TESTING INTERVAL (MONTHS)*	LAST TEST DATE (yyyy/mm/dd)	LAST RESULT REPORTED	NEXT TEST DATE (yyyy/mm)	
REGULATED SOC						
METHOXYCHLOR	39480	WAIVED				
MOLINATE	82199	WAIVED	2005/10/20	.000		
OXAMYL	38865	WAIVED				
PENTACHLOROPHENOL	39032	WAIVED				
PICLORAM	39720	WAIVED				
POLYCHLORINATED BIPHENYLS, TOTAL, AS DCB	39516	WAIVED				
SIMAZINE	39055	036	2005/10/20	.000	2008/10	DUE
THIOBENCARB	A-001	WAIVED	2005/10/20	.000		
TOXAPHENE	39400	WAIVED				
REGULATED VOC						
1,1,1-TRICHLOROETHANE	34506	060	2005/10/20	.000	2010/10	DUE
1,1,2,2-TETRACHLOROETHANE	34516	060	2005/10/20	.000	2010/10	DUE
1,1,2-TRICHLORO-1,2,2-TRIFLUOROETHANE	81611	060	2005/10/20	.000	2010/10	DUE
1,1,2-TRICHLOROETHANE	34511	060	2005/10/20	.000	2010/10	DUE
1,1-DICHLOROETHANE	34496	060	2005/10/20	.000	2010/10	DUE
1,1-DICHLOROETHYLENE	34501	060	2005/10/20	.000	2010/10	DUE
1,2,4-TRICHLOROBENZENE	34551	060	2005/10/20	.000	2010/10	DUE
1,2-DICHLOROBENZENE	34536	060	2005/10/20	.000	2010/10	DUE
1,2-DICHLOROETHANE	34531	060	2005/10/20	.000	2010/10	DUE
1,2-DICHLOROPROPANE	34541	060	2005/10/20	.000	2010/10	DUE
1,3-DICHLOROPROPENE (TOTAL)	34561	060	2005/10/20	.000	2010/10	DUE
1,4-DICHLOROBENZENE	34571	060	2005/10/20	.000	2010/10	DUE
BENZENE	34030	060	2005/10/20	.000	2010/10	DUE
CARBON TETRACHLORIDE	32102	060	2005/10/20	.000	2010/10	DUE
CIS-1,2-DICHLOROETHYLENE	77093	060	2005/10/20	.000	2010/10	DUE
DICHLOROMETHANE	34423	060	2005/10/20	.000	2010/10	DUE
ETHYLBENZENE	34371	060	2005/10/20	.000	2010/10	DUE
METHYL-TERT-BUTYL-ETHER (MTBE)	46491	060	2005/10/20	.000	2010/10	DUE
MONOCHLOROBENZENE	34301	060	2005/10/20	.000	2010/10	DUE

**Testing interval is in months;*
0 = No data for this constituent and is DUE NOW
999 = Waived testing (not required)
I = Invalid (NOT) valid analyses reported

System Number: ***2400154***

System Name: ***INGOMAR PACKING***

PS Code: ***2400154-001***

Source Name: ***WELL #1-DOMESTIC-NEAR LARGE WATER TANK***

Source Number: ***001***

Source Status: ***ACTIVE UNTREATED***

Water type: ***GROUNDWATER OR WELL***

	STORET NUMBER	TESTING INTERVAL (MONTHS)*	LAST TEST DATE (yyyy/mm/dd)	LAST RESULT REPORTED	NEXT TEST DATE (yyyy/mm)	
REGULATED VOC						
STYRENE	77128	060	2005/10/20	.000	2010/10	DUE
TETRACHLOROETHYLENE	34475	060	2005/10/20	.000	2010/10	DUE
TOLUENE	34010	060	2005/10/20	.000	2010/10	DUE
TRANS-1,2-DICHLOROETHYLENE	34546	060	2005/10/20	.000	2010/10	DUE
TRICHLOROETHYLENE	39180	060	2005/10/20	.000	2010/10	DUE
TRICHLOROFLUOROMETHANE	34488	060	2005/10/20	.000	2010/10	DUE
VINYL CHLORIDE	39175	060	2005/10/20	.000	2010/10	DUE
XYLENES (TOTAL)	81551	060	2005/10/20	< .500	2010/10	DUE
SECONDARY/GP						
AGGRSSIVE INDEX (CORROSIVITY)	82383	WAIVED				
BICARBONATE ALKALINITY	00440	000				DUE
CALCIUM	00916	000				DUE
CARBONATE ALKALINITY	00445	000				DUE
CHLORIDE	00940	WAIVED				
COLOR	00081	WAIVED				
COPPER	01042	WAIVED				
FOAMING AGENTS (MBAS)	38260	WAIVED				
HARDNESS (TOTAL) AS CACO3	00900	000				DUE
HYDROXIDE ALKALINITY	71830	000				DUE
IRON	01045	000				DUE
MAGNESIUM	00927	000				DUE
MANGANESE	01055	000				DUE
ODOR THRESHOLD @ 60 C	00086	WAIVED				
PH, LABORATORY	00403	000				DUE
SILVER	01077	WAIVED				
SODIUM	00929	000				DUE
SPECIFIC CONDUCTANCE	00095	WAIVED				
SULFATE	00945	WAIVED				
TOTAL DISSOLVED SOLIDS	70300	WAIVED				

**Testing interval is in months;*
0 = No data for this constituent and is DUE NOW
999 = Waived testing (not required)
I = Invalid (NOT) valid analyses reported

System Number: ***2400154***

System Name: ***INGOMAR PACKING***

	STORET NUMBER	TESTING INTERVAL (MONTHS)*	LAST TEST DATE (yyyy/mm/dd)	LAST RESULT REPORTED	NEXT TEST DATE (yyyy/mm)

PS Code: ***2400154-001***

Source Name: ***WELL #1-DOMESTIC-NEAR LARGE WATER TANK***

Source Number: ***001***

Source Status: ***ACTIVE UNTREATED***

Water type: ***GROUNDWATER OR WELL***

SECONDARY/GP

TURBIDITY, LABORATORY	**82079**	**WAIVED**			
ZINC	**01092**	**WAIVED**			

**Testing interval is in months;*
0 = No data for this constituent and is DUE NOW
999 = Waived testing (not required)
I = Invalid (NOT) valid analyses reported

System Number: ***2400155***

System Name: ***AKAL APARTMENTS***

PS Code: ***2400155-001***

Source Name: ***WELL #1-IN SHED NEAR FREEWAY FENCE***

Source Number: ***001***

Source Status: ***ACTIVE UNTREATED***

Water type: ***GROUNDWATER OR WELL***

	STORET NUMBER	TESTING INTERVAL (MONTHS)*	LAST TEST DATE (yyyy/mm/dd)	LAST RESULT REPORTED	NEXT TEST DATE (yyyy/mm)
GENERAL NON CHAP 15					
DIAZINON	39570	WAIVED			
INORGANIC					
ALUMINUM	01105	WAIVED			
ANTIMONY	01097	WAIVED			
ARSENIC	01002	WAIVED			
ASBESTOS	81855	WAIVED			
BARIUM	01007	WAIVED			
BERYLLIUM	01012	WAIVED			
CADMIUM	01027	WAIVED			
CHROMIUM (TOTAL)	01034	WAIVED			
CYANIDE	01291	WAIVED			
FLUORIDE (F) (NATURAL-SOURCE)	00951	WAIVED			
LEAD	01051	WAIVED			
MERCURY	71900	WAIVED			
NICKEL	01067	WAIVED			
PERCHLORATE	A-031	WAIVED			
SELENIUM	01147	WAIVED			
THALLIUM	01059	WAIVED			
NITRATE/NITRITE					
NITRATE (AS NO3)	71850	WAIVED	2012/04/24	< 2.000	
NITRITE (AS N)	00620	WAIVED	2012/04/24	< 400.000	
RADIOLOGICAL					
GROSS ALPHA	01501	WAIVED			
GROSS BETA	03501	WAIVED			
RA-226 FOR CWS OR TOTAL RA FOR NTNC BY 903.0	A-080	WAIVED			
RA-226 OR TOTAL RA BY 903.0 C.E.	A-081	WAIVED			
RADIUM 226	09501	WAIVED			
RADIUM 228	11501	WAIVED			

**Testing interval is in months;*
0 = No data for this constituent and is DUE NOW
999 = Waived testing (not required)
I = Invalid (NOT) valid analyses reported

System Number: ***2400155***

System Name: ***AKAL APARTMENTS***

PS Code: ***2400155-001***

Source Name: ***WELL #1-IN SHED NEAR FREEWAY FENCE***

Source Number: ***001***

Source Status: ***ACTIVE UNTREATED***

Water type: ***GROUNDWATER OR WELL***

	STORET NUMBER	TESTING INTERVAL (MONTHS)*	LAST TEST DATE (yyyy/mm/dd)	LAST RESULT REPORTED	NEXT TEST DATE (yyyy/mm)
RADIOLOGICAL					
RADIUM, TOTAL, MDA95-NTNC ONLY, BY 903.0	A-082	WAIVED			
STRONTIUM-90	13501	WAIVED			
TRITIUM	07000	WAIVED			
URANIUM (PCI/L)	28012	WAIVED			
REGULATED SOC					
2,3,7,8-TCDD (DIOXIN)	34676	WAIVED			
2,4,5-TP (SILVEX)	39045	WAIVED			
2,4-D	39730	WAIVED			
ALACHLOR	77825	WAIVED			
ATRAZINE	39033	WAIVED			
BENTAZON	38710	WAIVED			
BENZO (A) PYRENE	34247	WAIVED			
CARBOFURAN	81405	WAIVED			
CHLORDANE	39350	WAIVED			
DALAPON	38432	WAIVED			
DI(2-ETHYLHEXYL)ADIPATE	A-026	WAIVED			
DI(2-ETHYLHEXYL)PHTHALATE	39100	WAIVED			
DIBROMOCHLOROPROPANE (DBCP)	38761	WAIVED			
DINOSEB	81287	WAIVED			
DIQUAT	78885	WAIVED			
ENDOTHALL	38926	WAIVED			
ENDRIN	39390	WAIVED			
ETHYLENE DIBROMIDE (EDB)	77651	WAIVED			
GLYPHOSATE	79743	WAIVED			
HEPTACHLOR	39410	WAIVED			
HEPTACHLOR EPOXIDE	39420	WAIVED			
HEXACHLOROBENZENE	39700	WAIVED			
HEXACHLOROCYCLOPENTADIENE	34386	WAIVED			
LINDANE	39340	WAIVED			

**Testing interval is in months;*
0 = No data for this constituent and is DUE NOW
999 = Waived testing (not required)
I = Invalid (NOT) valid analyses reported

System Number: ***2400155***

System Name: ***AKAL APARTMENTS***

PS Code: ***2400155-001***

Source Name: ***WELL #1-IN SHED NEAR FREEWAY FENCE***

Source Number: ***001***

Source Status: ***ACTIVE UNTREATED***

Water type: ***GROUNDWATER OR WELL***

	STORET NUMBER	TESTING INTERVAL (MONTHS)*	LAST TEST DATE (yyyy/mm/dd)	LAST RESULT REPORTED	NEXT TEST DATE (yyyy/mm)
REGULATED SOC					
METHOXYCHLOR	39480	WAIVED			
MOLINATE	82199	WAIVED			
OXAMYL	38865	WAIVED			
PENTACHLOROPHENOL	39032	WAIVED			
PICLORAM	39720	WAIVED			
POLYCHLORINATED BIPHENYLS, TOTAL, AS DCB	39516	WAIVED			
SIMAZINE	39055	WAIVED			
THIOBENCARB	A-001	WAIVED			
TOXAPHENE	39400	WAIVED			
REGULATED VOC					
1,1,1-TRICHLOROETHANE	34506	WAIVED			
1,1,2,2-TETRACHLOROETHANE	34516	WAIVED			
1,1,2-TRICHLORO-1,2,2-TRIFLUOROETHANE	81611	WAIVED			
1,1,2-TRICHLOROETHANE	34511	WAIVED			
1,1-DICHLOROETHANE	34496	WAIVED			
1,1-DICHLOROETHYLENE	34501	WAIVED			
1,2,4-TRICHLOROBENZENE	34551	WAIVED			
1,2-DICHLOROBENZENE	34536	WAIVED			
1,2-DICHLOROETHANE	34531	WAIVED			
1,2-DICHLOROPROPANE	34541	WAIVED			
1,3-DICHLOROPROPENE (TOTAL)	34561	WAIVED			
1,4-DICHLOROBENZENE	34571	WAIVED			
BENZENE	34030	WAIVED			
CARBON TETRACHLORIDE	32102	WAIVED			
CIS-1,2-DICHLOROETHYLENE	77093	WAIVED			
DICHLOROMETHANE	34423	WAIVED			
ETHYLBENZENE	34371	WAIVED			
METHYL-TERT-BUTYL-ETHER (MTBE)	46491	WAIVED			
MONOCHLOROBENZENE	34301	WAIVED			

**Testing interval is in months;*
0 = No data for this constituent and is DUE NOW
999 = Waived testing (not required)
I = Invalid (NOT) valid analyses reported

System Number: ***2400155***

System Name: ***AKAL APARTMENTS***

PS Code: ***2400155-001***

Source Name: ***WELL #1-IN SHED NEAR FREEWAY FENCE***

Source Number: ***001***

Source Status: ***ACTIVE UNTREATED***

Water type: ***GROUNDWATER OR WELL***

	STORET NUMBER	TESTING INTERVAL (MONTHS)*	LAST TEST DATE (yyyy/mm/dd)	LAST RESULT REPORTED	NEXT TEST DATE (yyyy/mm)
REGULATED VOC					
STYRENE	77128	WAIVED			
TETRACHLOROETHYLENE	34475	WAIVED			
TOLUENE	34010	WAIVED			
TRANS-1,2-DICHLOROETHYLENE	34546	WAIVED			
TRICHLOROETHYLENE	39180	WAIVED			
TRICHLOROFLUOROMETHANE	34488	WAIVED			
VINYL CHLORIDE	39175	WAIVED			
XYLENES (TOTAL)	81551	WAIVED			
SECONDARY/GP					
AGGRSSIVE INDEX (CORROSIVITY)	82383	WAIVED			
BICARBONATE ALKALINITY	00440	WAIVED			
CALCIUM	00916	WAIVED			
CARBONATE ALKALINITY	00445	WAIVED			
CHLORIDE	00940	WAIVED			
COLOR	00081	WAIVED			
COPPER	01042	WAIVED			
FOAMING AGENTS (MBAS)	38260	WAIVED			
HARDNESS (TOTAL) AS CACO3	00900	WAIVED			
HYDROXIDE ALKALINITY	71830	WAIVED			
IRON	01045	WAIVED			
MAGNESIUM	00927	WAIVED			
MANGANESE	01055	WAIVED			
ODOR THRESHOLD @ 60 C	00086	WAIVED			
PH, LABORATORY	00403	WAIVED			
SILVER	01077	WAIVED			
SODIUM	00929	WAIVED			
SPECIFIC CONDUCTANCE	00095	WAIVED			
SULFATE	00945	WAIVED			
TOTAL DISSOLVED SOLIDS	70300	WAIVED			

**Testing interval is in months;*
0 = No data for this constituent and is DUE NOW
999 = Waived testing (not required)
I = Invalid (NOT) valid analyses reported

System Number: ***2400155***

System Name: ***AKAL APARTMENTS***

PS Code: ***2400155-001***

Source Name: ***WELL #1-IN SHED NEAR FREEWAY FENCE***

Source Number: ***001***

Source Status: ***ACTIVE UNTREATED***

Water type: ***GROUNDWATER OR WELL***

SECONDARY/GP	STORET NUMBER	TESTING INTERVAL (MONTHS)*	LAST TEST DATE (yyyy/mm/dd)	LAST RESULT REPORTED	NEXT TEST DATE (yyyy/mm)
TURBIDITY, LABORATORY	82079	WAIVED			
ZINC	01092	WAIVED			

**Testing interval is in months;*
0 = No data for this constituent and is DUE NOW
999 = Waived testing (not required)
I = Invalid (NOT) valid analyses reported

System Number: ***2400162***

System Name: ***HUGHSON NUT-LIVINGSTON***

PS Code: ***2400162-012***

Source Name: ***WELL 04***

Source Number: ***012***

Source Status: ***ACTIVE UNTREATED***

Water type: ***GROUNDWATER OR WELL***

	STORET NUMBER	TESTING INTERVAL (MONTHS)*	LAST TEST DATE (yyyy/mm/dd)	LAST RESULT REPORTED	NEXT TEST DATE (yyyy/mm)
GENERAL NON CHAP 15					
DIAZINON	39570	WAIVED	2005/06/13	< .025	
INORGANIC					
ALUMINUM	01105	WAIVED	2011/09/06	4.000	
ANTIMONY	01097	WAIVED	2011/09/06	.000	
ARSENIC	01002	WAIVED	2011/09/06	6.900	
ASBESTOS	81855	WAIVED			
BARIUM	01007	WAIVED	2011/09/06	17.100	
BERYLLIUM	01012	WAIVED	2011/09/06	.000	
CADMIUM	01027	WAIVED	2011/09/06	.000	
CHROMIUM (TOTAL)	01034	WAIVED	2011/09/06	2.400	
CYANIDE	01291	WAIVED			
FLUORIDE (F) (NATURAL-SOURCE)	00951	WAIVED	2011/09/06	.100	
LEAD	01051	WAIVED	2008/09/19	< 1.000	
MERCURY	71900	WAIVED	2011/09/06	.000	
NICKEL	01067	WAIVED	2011/09/06	.000	
PERCHLORATE	A-031	WAIVED	2011/09/06	< 4.000	
SELENIUM	01147	WAIVED	2011/09/06	.000	
THALLIUM	01059	WAIVED	2011/09/06	.000	
NITRATE/NITRITE					
NITRATE (AS NO3)	71850	012	2011/09/06	9.900	2012/09
NITRITE (AS N)	00620	036	2011/09/06	.000	2014/09
RADIOLOGICAL					
GROSS ALPHA	01501	WAIVED	2009/06/30	.000	
GROSS BETA	03501	WAIVED			
RA-226 FOR CWS OR TOTAL RA FOR NTNC BY 903.0	A-080	WAIVED			
RA-226 OR TOTAL RA BY 903.0 C.E.	A-081	WAIVED			
RADIUM 226	09501	WAIVED			
RADIUM 228	11501	WAIVED			

**Testing interval is in months;*
0 = No data for this constituent and is DUE NOW
999 = Waived testing (not required)
I = Invalid (NOT) valid analyses reported

System Number: ***2400162***

System Name: ***HUGHSON NUT-LIVINGSTON***

PS Code: ***2400162-012***

Source Name: ***WELL 04***

Source Number: ***012***

Source Status: ***ACTIVE UNTREATED***

Water type: ***GROUNDWATER OR WELL***

	STORET NUMBER	TESTING INTERVAL (MONTHS)*	LAST TEST DATE (yyyy/mm/dd)	LAST RESULT REPORTED	NEXT TEST DATE (yyyy/mm)
RADIOLOGICAL					
RADIUM, TOTAL, MDA95-NTNC ONLY, BY 903.0	A-082	WAIVED			
STRONTIUM-90	13501	WAIVED			
TRITIUM	07000	WAIVED			
URANIUM (PCI/L)	28012	WAIVED	2007/03/16	1.040	
REGULATED SOC					
2,3,7,8-TCDD (DIOXIN)	34676	WAIVED			
2,4,5-TP (SILVEX)	39045	WAIVED			
2,4-D	39730	WAIVED			
ALACHLOR	77825	WAIVED	2008/09/19	.000	
ATRAZINE	39033	WAIVED	2008/09/19	.000	
BENTAZON	38710	WAIVED			
BENZO (A) PYRENE	34247	WAIVED			
CARBOFURAN	81405	WAIVED			
CHLORDANE	39350	WAIVED			
DALAPON	38432	WAIVED			
DI(2-ETHYLHEXYL)ADIPATE	A-026	WAIVED			
DI(2-ETHYLHEXYL)PHTHALATE	39100	WAIVED			
DIBROMOCHLOROPROPANE (DBCP)	38761	WAIVED	2011/09/06	.026	
DINOSEB	81287	WAIVED			
DIQUAT	78885	WAIVED			
ENDOTHALL	38926	WAIVED			
ENDRIN	39390	WAIVED			
ETHYLENE DIBROMIDE (EDB)	77651	WAIVED	2011/09/06	.000	
GLYPHOSATE	79743	WAIVED			
HEPTACHLOR	39410	WAIVED			
HEPTACHLOR EPOXIDE	39420	WAIVED			
HEXACHLOROBENZENE	39700	WAIVED			
HEXACHLOROCYCLOPENTADIENE	34386	WAIVED			
LINDANE	39340	WAIVED			

**Testing interval is in months;*
0 = No data for this constituent and is DUE NOW
999 = Waived testing (not required)
I = Invalid (NOT) valid analyses reported

System Number: ***2400162***

System Name: ***HUGHSON NUT-LIVINGSTON***

PS Code: ***2400162-012***

Source Name: ***WELL 04***

Source Number: ***012***

Source Status: ***ACTIVE UNTREATED***

Water type: ***GROUNDWATER OR WELL***

	STORET NUMBER	TESTING INTERVAL (MONTHS)*	LAST TEST DATE (yyyy/mm/dd)	LAST RESULT REPORTED	NEXT TEST DATE (yyyy/mm)
REGULATED SOC					
METHOXYCHLOR	39480	WAIVED			
MOLINATE	82199	WAIVED	2005/06/13	.000	
OXAMYL	38865	WAIVED			
PENTACHLOROPHENOL	39032	WAIVED			
PICLORAM	39720	WAIVED			
POLYCHLORINATED BIPHENYLS, TOTAL, AS DCB	39516	WAIVED			
SIMAZINE	39055	WAIVED	2008/09/19	.000	
THIOBENCARB	A-001	WAIVED	2005/06/13	.000	
TOXAPHENE	39400	WAIVED			
REGULATED VOC					
1,1,1-TRICHLOROETHANE	34506	WAIVED	2011/09/06	.000	
1,1,2,2-TETRACHLOROETHANE	34516	WAIVED	2011/09/06	.000	
1,1,2-TRICHLORO-1,2,2-TRIFLUOROETHANE	81611	WAIVED	2011/09/06	.000	
1,1,2-TRICHLOROETHANE	34511	WAIVED	2011/09/06	.000	
1,1-DICHLOROETHANE	34496	WAIVED	2011/09/06	.000	
1,1-DICHLOROETHYLENE	34501	WAIVED	2011/09/06	.000	
1,2,4-TRICHLOROBENZENE	34551	WAIVED	2011/09/06	.000	
1,2-DICHLOROBENZENE	34536	WAIVED	2011/09/06	.000	
1,2-DICHLOROETHANE	34531	WAIVED	2011/09/06	.000	
1,2-DICHLOROPROPANE	34541	WAIVED	2011/09/06	.000	
1,3-DICHLOROPROPENE (TOTAL)	34561	WAIVED	2011/09/06	.000	
1,4-DICHLOROBENZENE	34571	WAIVED	2011/09/06	.000	
BENZENE	34030	WAIVED	2011/09/06	.000	
CARBON TETRACHLORIDE	32102	WAIVED	2011/09/06	.000	
CIS-1,2-DICHLOROETHYLENE	77093	WAIVED	2011/09/06	.000	
DICHLOROMETHANE	34423	WAIVED	2011/09/06	.000	
ETHYLBENZENE	34371	WAIVED	2011/09/06	.000	
METHYL-TERT-BUTYL-ETHER (MTBE)	46491	WAIVED	2011/09/06	.000	
MONOCHLOROBENZENE	34301	WAIVED	2011/09/06	.000	

**Testing interval is in months;*
0 = No data for this constituent and is DUE NOW
999 = Waived testing (not required)
I = Invalid (NOT) valid analyses reported

System Number: ***2400162***

System Name: ***HUGHSON NUT-LIVINGSTON***

PS Code: ***2400162-012***

Source Name: ***WELL 04***

Source Number: ***012***

Source Status: ***ACTIVE UNTREATED***

Water type: ***GROUNDWATER OR WELL***

	STORET NUMBER	TESTING INTERVAL (MONTHS)*	LAST TEST DATE (yyyy/mm/dd)	LAST RESULT REPORTED	NEXT TEST DATE (yyyy/mm)
REGULATED VOC					
STYRENE	77128	WAIVED	2011/09/06	.000	
TETRACHLOROETHYLENE	34475	WAIVED	2011/09/06	.000	
TOLUENE	34010	WAIVED	2011/09/06	.000	
TRANS-1,2-DICHLOROETHYLENE	34546	WAIVED	2011/09/06	.000	
TRICHLOROETHYLENE	39180	WAIVED	2011/09/06	.000	
TRICHLOROFLUOROMETHANE	34488	WAIVED	2011/09/06	.000	
VINYL CHLORIDE	39175	WAIVED	2011/09/06	.000	
XYLENES (TOTAL)	81551	WAIVED	2011/09/06	.000	
SECONDARY/GP					
AGGRSSIVE INDEX (CORROSIVITY)	82383	WAIVED			
BICARBONATE ALKALINITY	00440	WAIVED	2010/06/02	75.000	
CALCIUM	00916	WAIVED	2010/06/02	8.000	
CARBONATE ALKALINITY	00445	WAIVED	2010/06/02	< 1.000	
CHLORIDE	00940	WAIVED	2010/06/02	8.300	
COLOR	00081	WAIVED	2010/06/02	< 3.000	
COPPER	01042	WAIVED	2010/06/02	< 4.000	
FOAMING AGENTS (MBAS)	38260	WAIVED	2010/06/02	< .100	
HARDNESS (TOTAL) AS CACO3	00900	WAIVED	2010/06/02	27.000	
HYDROXIDE ALKALINITY	71830	WAIVED	2010/06/02	< 1.000	
IRON	01045	WAIVED	2010/06/02	< 20.000	
MAGNESIUM	00927	WAIVED	2010/06/02	1.700	
MANGANESE	01055	WAIVED	2010/06/02	< 10.000	
ODOR THRESHOLD @ 60 C	00086	WAIVED	2010/06/02	< 1.000	
PH, LABORATORY	00403	WAIVED	2010/06/02	7.600	
SILVER	01077	WAIVED	2011/09/06	.000	
SODIUM	00929	WAIVED	2010/06/02	35.000	
SPECIFIC CONDUCTANCE	00095	WAIVED	2010/06/02	220.000	
SULFATE	00945	WAIVED	2010/06/02	10.000	
TOTAL DISSOLVED SOLIDS	70300	WAIVED	2010/06/02	210.000	

**Testing interval is in months;*
0 = No data for this constituent and is DUE NOW
999 = Waived testing (not required)
I = Invalid (NOT) valid analyses reported

System Number: ***2400162***

System Name: ***HUGHSON NUT-LIVINGSTON***

PS Code: ***2400162-012***

Source Name: ***WELL 04***

Source Number: ***012***

Source Status: ***ACTIVE UNTREATED***

Water type: ***GROUNDWATER OR WELL***

	STORET NUMBER	TESTING INTERVAL (MONTHS)*	LAST TEST DATE (yyyy/mm/dd)	LAST RESULT REPORTED	NEXT TEST DATE (yyyy/mm)
SECONDARY/GP					
TURBIDITY, LABORATORY	**82079**	**WAIVED**	2010/06/02	**< .100**	
ZINC	**01092**	**WAIVED**	2010/06/02	**< 20.000**	

**Testing interval is in months;*
0 = No data for this constituent and is DUE NOW
999 = Waived testing (not required)
I = Invalid (NOT) valid analyses reported

System Number: ***2400165***

System Name: ***FOSTER FARMS COLLIER COMPLEX (FKA DELHI***

PS Code: ***2400165-001***

Source Name: ***WELL #1-S.E. OF OFFICE/SHOP BUILDING***

Source Number: ***001***

Source Status: ***ACTIVE UNTREATED***

Water type: ***GROUNDWATER OR WELL***

	STORET NUMBER	TESTING INTERVAL (MONTHS)*	LAST TEST DATE (yyyy/mm/dd)	LAST RESULT REPORTED	NEXT TEST DATE (yyyy/mm)	
GENERAL NON CHAP 15						
DIAZINON	39570	WAIVED	2004/10/04	.000		
INORGANIC						
ALUMINUM	01105	036	2011/03/01	< 50.000	2014/03	
ANTIMONY	01097	036	2011/03/01	< 6.000	2014/03	
ARSENIC	01002	036	2011/10/05	15.400	2014/10	
ASBESTOS	81855	WAIVED				
BARIUM	01007	036	2011/03/01	< 100.000	2014/03	
BERYLLIUM	01012	036	2011/03/01	< 1.000	2014/03	
CADMIUM	01027	036	2011/03/01	< 1.000	2014/03	
CHROMIUM (TOTAL)	01034	036	2011/03/01	18.100	2014/03	
CYANIDE	01291	WAIVED				
FLUORIDE (F) (NATURAL-SOURCE)	00951	036	2011/03/01	< .100	2014/03	
LEAD	01051	WAIVED	2011/03/01	< 5.000		
MERCURY	71900	036	2011/03/01	< .500	2014/03	
NICKEL	01067	036	2011/03/01	< 10.000	2014/03	
PERCHLORATE	A-031	036	**2008/09/02**	< 4.000	**2011/09**	**DUE**
SELENIUM	01147	036	2011/03/01	< 5.000	2014/03	
THALLIUM	01059	036	2011/03/01	< 1.000	2014/03	
NITRATE/NITRITE						
NITRATE (AS NO3)	71850	012	2011/10/05	2.100	2012/10	
NITRITE (AS N)	00620	036	2011/03/01	< 400.000	2014/03	
RADIOLOGICAL						
GROSS ALPHA	01501	WAIVED	2005/01/04	< 1.000		
GROSS BETA	03501	WAIVED				
RA-226 FOR CWS OR TOTAL RA FOR NTNC BY 903.0	A-080	WAIVED				
RA-226 OR TOTAL RA BY 903.0 C.E.	A-081	WAIVED				
RADIUM 226	09501	WAIVED				
RADIUM 228	11501	WAIVED	2006/04/06	< 1.000		

**Testing interval is in months;*
0 = No data for this constituent and is DUE NOW
999 = Waived testing (not required)
I = Invalid (NOT) valid analyses reported

System Number: ***2400165***

System Name: ***FOSTER FARMS COLLIER COMPLEX (FKA DELHI***

PS Code: ***2400165-001***

Source Name: ***WELL #1-S.E. OF OFFICE/SHOP BUILDING***

Source Number: ***001***

Source Status: ***ACTIVE UNTREATED***

Water type: ***GROUNDWATER OR WELL***

	STORET NUMBER	TESTING INTERVAL (MONTHS)*	LAST TEST DATE (yyyy/mm/dd)	LAST RESULT REPORTED	NEXT TEST DATE (yyyy/mm)	
RADIOLOGICAL						
RADIUM, TOTAL, MDA95-NTNC ONLY, BY 903.0	A-082	WAIVED				
STRONTIUM-90	13501	WAIVED				
TRITIUM	07000	WAIVED				
URANIUM (PCI/L)	28012	WAIVED				
REGULATED SOC						
2,3,7,8-TCDD (DIOXIN)	34676	WAIVED				
2,4,5-TP (SILVEX)	39045	WAIVED				
2,4-D	39730	WAIVED				
ALACHLOR	77825	036	2007/02/01	< 1.000	2010/02	DUE
ATRAZINE	39033	036	2007/02/01	< .500	2010/02	DUE
BENTAZON	38710	WAIVED				
BENZO (A) PYRENE	34247	WAIVED	2004/10/04	.000		
CARBOFURAN	81405	WAIVED				
CHLORDANE	39350	WAIVED	2007/02/01	< .100		
DALAPON	38432	WAIVED				
DI(2-ETHYLHEXYL)ADIPATE	A-026	WAIVED	2004/10/04	.000		
DI(2-ETHYLHEXYL)PHTHALATE	39100	WAIVED	2004/10/04	.000		
DIBROMOCHLOROPROPANE (DBCP)	38761	036	2010/04/05	< .010	2013/04	
DINOSEB	81287	WAIVED				
DIQUAT	78885	WAIVED				
ENDOTHALL	38926	WAIVED				
ENDRIN	39390	WAIVED	2007/02/01	< .100		
ETHYLENE DIBROMIDE (EDB)	77651	036	2010/04/05	< .020	2013/04	
GLYPHOSATE	79743	WAIVED				
HEPTACHLOR	39410	WAIVED	2007/02/01	< .010		
HEPTACHLOR EPOXIDE	39420	WAIVED	2007/02/01	< .010		
HEXACHLOROBENZENE	39700	WAIVED	2007/02/01	< .500		
HEXACHLOROCYCLOPENTADIENE	34386	WAIVED	2007/02/01	< 1.000		
LINDANE	39340	WAIVED	2007/02/01	< .200		

**Testing interval is in months;*
0 = No data for this constituent and is DUE NOW
999 = Waived testing (not required)
I = Invalid (NOT) valid analyses reported

System Number: 2400165
System Name: FOSTER FARMS COLLIER COMPLEX (FKA DELHI

PS Code: 2400165-001
Source Name: WELL #1-S.E. OF OFFICE/SHOP BUILDING
Source Number: 001
Source Status: ACTIVE UNTREATED
Water type: GROUNDWATER OR WELL

	STORET NUMBER	TESTING INTERVAL (MONTHS)*	LAST TEST DATE (yyyy/mm/dd)	LAST RESULT REPORTED	NEXT TEST DATE (yyyy/mm)	
REGULATED SOC						
METHOXYCHLOR	39480	WAIVED	2007/02/01	< 10.000		
MOLINATE	82199	WAIVED	2004/10/04	.000		
OXAMYL	38865	WAIVED				
PENTACHLOROPHENOL	39032	WAIVED				
PICLORAM	39720	WAIVED				
POLYCHLORINATED BIPHENYLS, TOTAL, AS DCB	39516	WAIVED	2007/02/01	< .500		
SIMAZINE	39055	036	2007/02/01	< 1.000	2010/02	DUE
THIOBENCARB	A-001	WAIVED	2004/10/04	.000		
TOXAPHENE	39400	WAIVED	2007/02/01	< 1.000		
REGULATED VOC						
1,1,1-TRICHLOROETHANE	34506	060	2010/06/01	< .000	2015/06	
1,1,2,2-TETRACHLOROETHANE	34516	060	2010/06/01	< .000	2015/06	
1,1,2-TRICHLORO-1,2,2-TRIFLUOROETHANE	81611	060	2010/06/01	< .000	2015/06	
1,1,2-TRICHLOROETHANE	34511	060	2010/06/01	< .000	2015/06	
1,1-DICHLOROETHANE	34496	060	2010/06/01	< .000	2015/06	
1,1-DICHLOROETHYLENE	34501	060	2010/06/01	< .000	2015/06	
1,2,4-TRICHLOROBENZENE	34551	060	2010/06/01	< .000	2015/06	
1,2-DICHLOROBENZENE	34536	060	2010/06/01	< .000	2015/06	
1,2-DICHLOROETHANE	34531	060	2010/06/01	< .000	2015/06	
1,2-DICHLOROPROPANE	34541	060	2010/06/01	< .000	2015/06	
1,3-DICHLOROPROPENE (TOTAL)	34561	060	2010/06/01	< .000	2015/06	
1,4-DICHLOROBENZENE	34571	060	2010/06/01	< .000	2015/06	
BENZENE	34030	060	2010/06/01	< .000	2015/06	
CARBON TETRACHLORIDE	32102	060	2010/06/01	< .000	2015/06	
CIS-1,2-DICHLOROETHYLENE	77093	060	2010/06/01	< .000	2015/06	
DICHLOROMETHANE	34423	060	2010/06/01	< .000	2015/06	
ETHYLBENZENE	34371	060	2010/06/01	< .000	2015/06	
METHYL-TERT-BUTYL-ETHER (MTBE)	46491	060	2010/06/01	< .000	2015/06	
MONOCHLOROBENZENE	34301	060	2010/06/01	< .000	2015/06	

**Testing interval is in months;*
0 = No data for this constituent and is DUE NOW
999 = Waived testing (not required)
I = Invalid (NOT) valid analyses reported

System Number: 2400165
System Name: FOSTER FARMS COLLIER COMPLEX (FKA DELHI

PS Code: 2400165-001
Source Name: WELL #1-S.E. OF OFFICE/SHOP BUILDING
Source Number: 001
Source Status: ACTIVE UNTREATED
Water type: GROUNDWATER OR WELL

	STORET NUMBER	TESTING INTERVAL (MONTHS)*	LAST TEST DATE (yyyy/mm/dd)	LAST RESULT REPORTED	NEXT TEST DATE (yyyy/mm)
REGULATED VOC					
STYRENE	77128	060	2010/06/01	< .000	2015/06
TETRACHLOROETHYLENE	34475	060	2010/06/01	< .000	2015/06
TOLUENE	34010	060	2010/06/01	< .000	2015/06
TRANS-1,2-DICHLOROETHYLENE	34546	060	2010/06/01	< .000	2015/06
TRICHLOROETHYLENE	39180	060	2010/06/01	< .000	2015/06
TRICHLOROFLUOROMETHANE	34488	060	2010/06/01	< .000	2015/06
VINYL CHLORIDE	39175	060	2010/06/01	< .000	2015/06
XYLENES (TOTAL)	81551	060	2010/06/01	< .000	2015/06
SECONDARY/GP					
AGGRSSIVE INDEX (CORROSIVITY)	82383	WAIVED			
BICARBONATE ALKALINITY	00440	WAIVED	2011/03/01	115.000	
CALCIUM	00916	WAIVED	2011/03/01	6.000	
CARBONATE ALKALINITY	00445	WAIVED	2011/03/01	< 2.000	
CHLORIDE	00940	WAIVED	2011/03/01	26.800	
COLOR	00081	WAIVED	2011/03/01	5.000	
COPPER	01042	WAIVED	2011/03/01	< 50.000	
FOAMING AGENTS (MBAS)	38260	WAIVED	2011/03/01	< .025	
HARDNESS (TOTAL) AS CACO3	00900	WAIVED	2011/03/01	28.300	
HYDROXIDE ALKALINITY	71830	WAIVED	2011/03/01	< .500	
IRON	01045	WAIVED	2011/03/01	< 100.000	
MAGNESIUM	00927	WAIVED	2011/03/01	< 2.000	
MANGANESE	01055	WAIVED	2011/03/01	219.000	
ODOR THRESHOLD @ 60 C	00086	WAIVED	2011/03/01	.000	
PH, LABORATORY	00403	WAIVED	2011/03/01	8.270	
SILVER	01077	WAIVED	2011/03/01	< 10.000	
SODIUM	00929	WAIVED	2011/03/01	63.000	
SPECIFIC CONDUCTANCE	00095	WAIVED	2011/03/01	320.000	
SULFATE	00945	WAIVED	2011/03/01	3.000	
TOTAL DISSOLVED SOLIDS	70300	WAIVED	2011/03/01	200.000	

**Testing interval is in months;*
0 = No data for this constituent and is DUE NOW
999 = Waived testing (not required)
I = Invalid (NOT) valid analyses reported

System Number: ***2400165***

System Name: ***FOSTER FARMS COLLIER COMPLEX (FKA DELHI***

PS Code: ***2400165-001***

Source Name: ***WELL #1-S.E. OF OFFICE/SHOP BUILDING***

Source Number: ***001***

Source Status: ***ACTIVE UNTREATED***

Water type: ***GROUNDWATER OR WELL***

SECONDARY/GP

	STORET NUMBER	TESTING INTERVAL (MONTHS)*	LAST TEST DATE (yyyy/mm/dd)	LAST RESULT REPORTED	NEXT TEST DATE (yyyy/mm)
TURBIDITY, LABORATORY	82079	WAIVED	2011/03/01	.200	
ZINC	01092	WAIVED	2011/03/01	< 50.000	

**Testing interval is in months;*
0 = No data for this constituent and is DUE NOW
999 = Waived testing (not required)
I = Invalid (NOT) valid analyses reported

System Number: ***2400166***

System Name: ***FOSTER FARMS CHICKEN LIVEHAUL***

PS Code: ***2400166-001***

Source Name: ***WELL #1- S. OF PRESSURE TANK***

Source Number: ***001***

Source Status: ***ACTIVE UNTREATED***

Water type: ***GROUNDWATER OR WELL***

	STORET NUMBER	TESTING INTERVAL (MONTHS)*	LAST TEST DATE (yyyy/mm/dd)	LAST RESULT REPORTED	NEXT TEST DATE (yyyy/mm)	
GENERAL NON CHAP 15						
DIAZINON	39570	WAIVED				
INORGANIC						
ALUMINUM	01105	036	2010/04/05	< 50.000	2013/04	
ANTIMONY	01097	036	2010/04/05	< 6.000	2013/04	
ARSENIC	01002	036	2010/04/05	2.100	2013/04	
ASBESTOS	81855	WAIVED				
BARIUM	01007	036	2010/04/05	< 100.000	2013/04	
BERYLLIUM	01012	036	2010/04/05	< 1.000	2013/04	
CADMIUM	01027	036	2010/04/05	< 1.000	2013/04	
CHROMIUM (TOTAL)	01034	036	2010/04/05	< 1.000	2013/04	
CYANIDE	01291	WAIVED				
FLUORIDE (F) (NATURAL-SOURCE)	00951	036	2010/04/05	.180	2013/04	
LEAD	01051	WAIVED	2010/04/05	< 5.000		
MERCURY	71900	036	2010/04/05	< .500	2013/04	
NICKEL	01067	036	2010/04/05	< 10.000	2013/04	
PERCHLORATE	A-031	036	2010/04/05	< 4.000	2013/04	
SELENIUM	01147	036	2010/04/05	< 5.000	2013/04	
THALLIUM	01059	036	2010/04/05	< 1.000	2013/04	
NITRATE/NITRITE						
NITRATE (AS NO3)	71850	012	2011/03/01	14.300	2012/03	DUE
NITRITE (AS N)	00620	036	2010/04/05	< 400.000	2013/04	
RADIOLOGICAL						
GROSS ALPHA	01501	WAIVED	2005/01/04	1.000		
GROSS BETA	03501	WAIVED				
RA-226 FOR CWS OR TOTAL RA FOR NTNC BY 903.0	A-080	WAIVED				
RA-226 OR TOTAL RA BY 903.0 C.E.	A-081	WAIVED				
RADIUM 226	09501	WAIVED				
RADIUM 228	11501	WAIVED	2006/04/06	< 1.000		

**Testing interval is in months;*
0 = No data for this constituent and is DUE NOW
999 = Waived testing (not required)
I = Invalid (NOT) valid analyses reported

System Number: ***2400166***

System Name: ***FOSTER FARMS CHICKEN LIVEHAUL***

PS Code: ***2400166-001***

Source Name: ***WELL #1- S. OF PRESSURE TANK***

Source Number: ***001***

Source Status: ***ACTIVE UNTREATED***

Water type: ***GROUNDWATER OR WELL***

	STORET NUMBER	TESTING INTERVAL (MONTHS)*	LAST TEST DATE (yyyy/mm/dd)	LAST RESULT REPORTED	NEXT TEST DATE (yyyy/mm)
RADIOLOGICAL					
RADIUM, TOTAL, MDA95-NTNC ONLY, BY 903.0	A-082	WAIVED			
STRONTIUM-90	13501	WAIVED			
TRITIUM	07000	WAIVED			
URANIUM (PCI/L)	28012	WAIVED			
REGULATED SOC					
2,3,7,8-TCDD (DIOXIN)	34676	WAIVED			
2,4,5-TP (SILVEX)	39045	WAIVED	2002/07/29	.000	
2,4-D	39730	WAIVED	2002/07/29	.000	
ALACHLOR	77825	036	2010/04/05	< 1.000	2013/04
ATRAZINE	39033	036	2010/04/05	< .500	2013/04
BENTAZON	38710	WAIVED	2002/07/29	.000	
BENZO (A) PYRENE	34247	WAIVED			
CARBOFURAN	81405	WAIVED			
CHLORDANE	39350	WAIVED	2010/04/05	< .100	
DALAPON	38432	WAIVED	2002/07/29	.000	
DI(2-ETHYLHEXYL)ADIPATE	A-026	WAIVED			
DI(2-ETHYLHEXYL)PHTHALATE	39100	WAIVED			
DIBROMOCHLOROPROPANE (DBCP)	38761	036	2010/04/05	< .010	2013/04
DINOSEB	81287	WAIVED	2002/07/29	.000	
DIQUAT	78885	WAIVED			
ENDOTHALL	38926	WAIVED			
ENDRIN	39390	WAIVED	2010/04/05	< .100	
ETHYLENE DIBROMIDE (EDB)	77651	036	2010/04/05	< .020	2013/04
GLYPHOSATE	79743	WAIVED			
HEPTACHLOR	39410	WAIVED	2010/04/05	< .010	
HEPTACHLOR EPOXIDE	39420	WAIVED	2010/04/05	< .010	
HEXACHLOROBENZENE	39700	WAIVED	2010/04/05	< .500	
HEXACHLOROCYCLOPENTADIENE	34386	WAIVED	2010/04/05	< 1.000	
LINDANE	39340	WAIVED	2010/04/05	< .200	

**Testing interval is in months;*
0 = No data for this constituent and is DUE NOW
999 = Waived testing (not required)
I = Invalid (NOT) valid analyses reported

System Number: ***2400166***

System Name: ***FOSTER FARMS CHICKEN LIVEHAUL***

PS Code: ***2400166-001***

Source Name: ***WELL #1- S. OF PRESSURE TANK***

Source Number: ***001***

Source Status: ***ACTIVE UNTREATED***

Water type: ***GROUNDWATER OR WELL***

	STORET NUMBER	TESTING INTERVAL (MONTHS)*	LAST TEST DATE (yyyy/mm/dd)	LAST RESULT REPORTED	NEXT TEST DATE (yyyy/mm)
REGULATED SOC					
METHOXYCHLOR	39480	WAIVED	2010/04/05	< 10.000	
MOLINATE	82199	WAIVED			
OXAMYL	38865	WAIVED			
PENTACHLOROPHENOL	39032	WAIVED	2002/07/29	.000	
PICLORAM	39720	WAIVED	2002/07/29	.000	
POLYCHLORINATED BIPHENYLS, TOTAL, AS DCB	39516	WAIVED	2010/04/05	< .500	
SIMAZINE	39055	036	2010/04/05	< 1.000	2013/04
THIOBENCARB	A-001	WAIVED			
TOXAPHENE	39400	WAIVED	2010/04/05	< 1.000	
REGULATED VOC					
1,1,1-TRICHLOROETHANE	34506	060	2010/04/05	< .000	2015/04
1,1,2,2-TETRACHLOROETHANE	34516	060	2010/04/05	< .000	2015/04
1,1,2-TRICHLORO-1,2,2-TRIFLUOROETHANE	81611	060	2010/04/05	< .000	2015/04
1,1,2-TRICHLOROETHANE	34511	060	2010/04/05	< .000	2015/04
1,1-DICHLOROETHANE	34496	060	2010/04/05	< .000	2015/04
1,1-DICHLOROETHYLENE	34501	060	2010/04/05	< .000	2015/04
1,2,4-TRICHLOROBENZENE	34551	060	2010/04/05	< .000	2015/04
1,2-DICHLOROBENZENE	34536	060	2010/04/05	< .000	2015/04
1,2-DICHLOROETHANE	34531	060	2010/04/05	< .000	2015/04
1,2-DICHLOROPROPANE	34541	060	2010/04/05	< .000	2015/04
1,3-DICHLOROPROPENE (TOTAL)	34561	060	2010/04/05	< .000	2015/04
1,4-DICHLOROBENZENE	34571	060	2010/04/05	< .000	2015/04
BENZENE	34030	060	2010/04/05	< .000	2015/04
CARBON TETRACHLORIDE	32102	060	2010/04/05	< .000	2015/04
CIS-1,2-DICHLOROETHYLENE	77093	060	2010/04/05	< .000	2015/04
DICHLOROMETHANE	34423	060	2010/04/05	< .000	2015/04
ETHYLBENZENE	34371	060	2010/04/05	< .000	2015/04
METHYL-TERT-BUTYL-ETHER (MTBE)	46491	060	2010/04/05	< .000	2015/04
MONOCHLOROBENZENE	34301	060	2010/04/05	< .000	2015/04

**Testing interval is in months;*
0 = No data for this constituent and is DUE NOW
999 = Waived testing (not required)
I = Invalid (NOT) valid analyses reported

System Number: ***2400166***

System Name: ***FOSTER FARMS CHICKEN LIVEHAUL***

PS Code: ***2400166-001***

Source Name: ***WELL #1- S. OF PRESSURE TANK***

Source Number: ***001***

Source Status: ***ACTIVE UNTREATED***

Water type: ***GROUNDWATER OR WELL***

	STORET NUMBER	TESTING INTERVAL (MONTHS)*	LAST TEST DATE (yyyy/mm/dd)	LAST RESULT REPORTED	NEXT TEST DATE (yyyy/mm)
REGULATED VOC					
STYRENE	77128	060	2010/04/05	< .000	2015/04
TETRACHLOROETHYLENE	34475	060	2010/04/05	< .000	2015/04
TOLUENE	34010	060	2010/04/05	< .000	2015/04
TRANS-1,2-DICHLOROETHYLENE	34546	060	2010/04/05	< .000	2015/04
TRICHLOROETHYLENE	39180	060	2010/04/05	< .000	2015/04
TRICHLOROFLUOROMETHANE	34488	060	2010/04/05	< .000	2015/04
VINYL CHLORIDE	39175	060	2010/04/05	< .000	2015/04
XYLENES (TOTAL)	81551	060	2010/04/05	< .000	2015/04
SECONDARY/GP					
AGGRSSIVE INDEX (CORROSIVITY)	82383	WAIVED			
BICARBONATE ALKALINITY	00440	WAIVED	2010/04/05	83.000	
CALCIUM	00916	WAIVED	2010/04/05	17.000	
CARBONATE ALKALINITY	00445	WAIVED	2010/04/05	< 2.000	
CHLORIDE	00940	WAIVED	2010/04/05	6.900	
COLOR	00081	WAIVED	2010/04/05	< 5.000	
COPPER	01042	WAIVED	2010/04/05	< 50.000	
FOAMING AGENTS (MBAS)	38260	WAIVED	2010/04/05	< .025	
HARDNESS (TOTAL) AS CACO3	00900	WAIVED	2010/04/05	84.800	
HYDROXIDE ALKALINITY	71830	WAIVED	2010/04/05	< .500	
IRON	01045	WAIVED	2010/04/05	< 100.000	
MAGNESIUM	00927	WAIVED	2010/04/05	7.500	
MANGANESE	01055	WAIVED	2010/04/05	35.900	
ODOR THRESHOLD @ 60 C	00086	WAIVED	2010/04/05	.000	
PH, LABORATORY	00403	WAIVED	2010/04/05	7.600	
SILVER	01077	WAIVED	2010/04/05	< 10.000	
SODIUM	00929	WAIVED	2010/04/05	15.000	
SPECIFIC CONDUCTANCE	00095	WAIVED	2010/04/05	250.000	
SULFATE	00945	WAIVED	2010/04/05	16.600	
TOTAL DISSOLVED SOLIDS	70300	WAIVED	2010/04/05	170.000	

**Testing interval is in months;*
0 = No data for this constituent and is DUE NOW
999 = Waived testing (not required)
I = Invalid (NOT) valid analyses reported

System Number: ***2400166***

System Name: ***FOSTER FARMS CHICKEN LIVEHAUL***

PS Code: ***2400166-001***

Source Name: ***WELL #1- S. OF PRESSURE TANK***

Source Number: ***001***

Source Status: ***ACTIVE UNTREATED***

Water type: ***GROUNDWATER OR WELL***

SECONDARY/GP

	STORET NUMBER	TESTING INTERVAL (MONTHS)*	LAST TEST DATE (yyyy/mm/dd)	LAST RESULT REPORTED	NEXT TEST DATE (yyyy/mm)
TURBIDITY, LABORATORY	82079	WAIVED	2010/04/05	.200	
ZINC	01092	WAIVED	2010/04/05	< 50.000	

**Testing interval is in months;*
0 = No data for this constituent and is DUE NOW
999 = Waived testing (not required)
I = Invalid (NOT) valid analyses reported

System Number: ***2400167***

System Name: ***BALLICO COMMUNITY SERV. DIST.***

PS Code: ***2400167-001***

Source Name: ***WELL #1-PARK ST. NEAR BROADWAY***

Source Number: ***001***

Source Status: ***ACTIVE UNTREATED***

Water type: ***GROUNDWATER OR WELL***

	STORET NUMBER	TESTING INTERVAL (MONTHS)*	LAST TEST DATE (yyyy/mm/dd)	LAST RESULT REPORTED	NEXT TEST DATE (yyyy/mm)	
GENERAL NON CHAP 15						
DIAZINON	39570	WAIVED	2004/01/26	.000		
INORGANIC						
ALUMINUM	01105	036	2004/01/26	< 50.000	2007/01	DUE
ANTIMONY	01097	036	2004/01/26	< 6.000	2007/01	DUE
ARSENIC	01002	036	2011/07/28	< .000	2014/07	
ASBESTOS	81855	WAIVED				
BARIUM	01007	036	2004/01/26	< 100.000	2007/01	DUE
BERYLLIUM	01012	036	2004/01/26	.000	2007/01	DUE
CADMIUM	01027	036	2004/01/26	< 1.000	2007/01	DUE
CHROMIUM (TOTAL)	01034	036	2004/01/26	< 10.000	2007/01	DUE
CYANIDE	01291	WAIVED				
FLUORIDE (F) (NATURAL-SOURCE)	00951	036	2004/01/26	< .100	2007/01	DUE
LEAD	01051	WAIVED	2004/01/26	< 5.000		
MERCURY	71900	036	2004/01/26	< 1.000	2007/01	DUE
NICKEL	01067	036	2004/01/26	< 10.000	2007/01	DUE
PERCHLORATE	A-031	036	2011/07/28	< .000	2014/07	
SELENIUM	01147	036	2004/01/26	< 5.000	2007/01	DUE
THALLIUM	01059	036	2004/01/26	< 1.000	2007/01	DUE
NITRATE/NITRITE						
NITRATE (AS NO3)	71850	012	2011/07/28	34.500	2012/07	
NITRITE (AS N)	00620	036	2004/01/26	< 400.000	2007/01	DUE
RADIOLOGICAL						
GROSS ALPHA	01501	003				DUE
GROSS BETA	03501	WAIVED				
RA-226 FOR CWS OR TOTAL RA FOR NTNC BY 903.0	A-080	WAIVED				
RA-226 OR TOTAL RA BY 903.0 C.E.	A-081	WAIVED				
RADIUM 226	09501	WAIVED				
RADIUM 228	11501	WAIVED				

**Testing interval is in months;*
0 = No data for this constituent and is DUE NOW
999 = Waived testing (not required)
I = Invalid (NOT) valid analyses reported

System Number: ***2400167***

System Name: ***BALLICO COMMUNITY SERV. DIST.***

PS Code: ***2400167-001***

Source Name: ***WELL #1-PARK ST. NEAR BROADWAY***

Source Number: ***001***

Source Status: ***ACTIVE UNTREATED***

Water type: ***GROUNDWATER OR WELL***

	STORET NUMBER	TESTING INTERVAL (MONTHS)*	LAST TEST DATE (yyyy/mm/dd)	LAST RESULT REPORTED	NEXT TEST DATE (yyyy/mm)	
RADIOLOGICAL						
RADIUM, TOTAL, MDA95-NTNC ONLY, BY 903.0	A-082	WAIVED				
STRONTIUM-90	13501	WAIVED				
TRITIUM	07000	WAIVED				
URANIUM (PCI/L)	28012	WAIVED				
REGULATED SOC						
2,3,7,8-TCDD (DIOXIN)	34676	WAIVED				
2,4,5-TP (SILVEX)	39045	WAIVED				
2,4-D	39730	WAIVED				
ALACHLOR	77825	036	2004/01/26	.000	2007/01	DUE
ATRAZINE	39033	036	2004/01/26	.000	2007/01	DUE
BENTAZON	38710	WAIVED				
BENZO (A) PYRENE	34247	WAIVED	2004/01/26	.000		
CARBOFURAN	81405	WAIVED				
CHLORDANE	39350	WAIVED				
DALAPON	38432	WAIVED				
DI(2-ETHYLHEXYL)ADIPATE	A-026	WAIVED	2004/01/26	.000		
DI(2-ETHYLHEXYL)PHTHALATE	39100	WAIVED	2004/01/26	.000		
DIBROMOCHLOROPROPANE (DBCP)	38761	036	2004/01/26	.000	2007/01	DUE
DINOSEB	81287	WAIVED				
DIQUAT	78885	WAIVED				
ENDOTHALL	38926	WAIVED				
ENDRIN	39390	WAIVED				
ETHYLENE DIBROMIDE (EDB)	77651	036	2004/01/26	.000	2007/01	DUE
GLYPHOSATE	79743	WAIVED				
HEPTACHLOR	39410	WAIVED				
HEPTACHLOR EPOXIDE	39420	WAIVED				
HEXACHLOROBENZENE	39700	WAIVED				
HEXACHLOROCYCLOPENTADIENE	34386	WAIVED				
LINDANE	39340	WAIVED				

**Testing interval is in months;*
0 = No data for this constituent and is DUE NOW
999 = Waived testing (not required)
I = Invalid (NOT) valid analyses reported

System Number: ***2400167***

System Name: ***BALLICO COMMUNITY SERV. DIST.***

PS Code: ***2400167-001***

Source Name: ***WELL #1-PARK ST. NEAR BROADWAY***

Source Number: ***001***

Source Status: ***ACTIVE UNTREATED***

Water type: ***GROUNDWATER OR WELL***

	STORET NUMBER	TESTING INTERVAL (MONTHS)*	LAST TEST DATE (yyyy/mm/dd)	LAST RESULT REPORTED	NEXT TEST DATE (yyyy/mm)	
REGULATED SOC						
METHOXYCHLOR	39480	WAIVED				
MOLINATE	82199	WAIVED	2004/01/26	.000		
OXAMYL	38865	WAIVED				
PENTACHLOROPHENOL	39032	WAIVED				
PICLORAM	39720	WAIVED				
POLYCHLORINATED BIPHENYLS, TOTAL, AS DCB	39516	WAIVED				
SIMAZINE	39055	036	2004/01/26	.000	2007/01	DUE
THIOBENCARB	A-001	WAIVED	2004/01/26	.000		
TOXAPHENE	39400	WAIVED				
REGULATED VOC						
1,1,1-TRICHLOROETHANE	34506	060	2004/01/26	.000	2009/01	DUE
1,1,2,2-TETRACHLOROETHANE	34516	060	2004/01/26	.000	2009/01	DUE
1,1,2-TRICHLORO-1,2,2-TRIFLUOROETHANE	81611	060	2004/01/26	.000	2009/01	DUE
1,1,2-TRICHLOROETHANE	34511	060	2004/01/26	.000	2009/01	DUE
1,1-DICHLOROETHANE	34496	060	2004/01/26	.000	2009/01	DUE
1,1-DICHLOROETHYLENE	34501	060	2004/01/26	.000	2009/01	DUE
1,2,4-TRICHLOROBENZENE	34551	060	2004/01/26	.000	2009/01	DUE
1,2-DICHLOROBENZENE	34536	060	2004/01/26	.000	2009/01	DUE
1,2-DICHLOROETHANE	34531	060	2004/01/26	.000	2009/01	DUE
1,2-DICHLOROPROPANE	34541	060	2004/01/26	.000	2009/01	DUE
1,3-DICHLOROPROPENE (TOTAL)	34561	060	2004/01/26	.000	2009/01	DUE
1,4-DICHLOROBENZENE	34571	060	2004/01/26	.000	2009/01	DUE
BENZENE	34030	060	2004/01/26	.000	2009/01	DUE
CARBON TETRACHLORIDE	32102	060	2004/01/26	.000	2009/01	DUE
CIS-1,2-DICHLOROETHYLENE	77093	060	2004/01/26	.000	2009/01	DUE
DICHLOROMETHANE	34423	060	2004/01/26	.000	2009/01	DUE
ETHYLBENZENE	34371	060	2004/01/26	.000	2009/01	DUE
METHYL-TERT-BUTYL-ETHER (MTBE)	46491	060	2004/01/26	.000	2009/01	DUE
MONOCHLOROBENZENE	34301	060	2004/01/26	.000	2009/01	DUE

**Testing interval is in months;*
0 = No data for this constituent and is DUE NOW
999 = Waived testing (not required)
I = Invalid (NOT) valid analyses reported

System Number: 2400167
System Name: BALLICO COMMUNITY SERV. DIST.

PS Code: 2400167-001
Source Name: WELL #1-PARK ST. NEAR BROADWAY
Source Number: 001
Source Status: ACTIVE UNTREATED
Water type: GROUNDWATER OR WELL

	STORET NUMBER	TESTING INTERVAL (MONTHS)*	LAST TEST DATE (yyyy/mm/dd)	LAST RESULT REPORTED	NEXT TEST DATE (yyyy/mm)	
REGULATED VOC						
STYRENE	77128	060	2004/01/26	.000	2009/01	DUE
TETRACHLOROETHYLENE	34475	060	2004/01/26	.000	2009/01	DUE
TOLUENE	34010	060	2004/01/26	.000	2009/01	DUE
TRANS-1,2-DICHLOROETHYLENE	34546	060	2004/01/26	.000	2009/01	DUE
TRICHLOROETHYLENE	39180	060	2004/01/26	.000	2009/01	DUE
TRICHLOROFLUOROMETHANE	34488	060	2004/01/26	.000	2009/01	DUE
VINYL CHLORIDE	39175	060	2004/01/26	.000	2009/01	DUE
XYLENES (TOTAL)	81551	060	2004/01/26	.000	2009/01	DUE
SECONDARY/GP						
AGGRSSIVE INDEX (CORROSIVITY)	82383	WAIVED	2004/01/26	10.600		
BICARBONATE ALKALINITY	00440	036	2004/01/26	105.100	2007/01	DUE
CALCIUM	00916	036	2004/01/26	24.000	2007/01	DUE
CARBONATE ALKALINITY	00445	036	2004/01/26	< 1.000	2007/01	DUE
CHLORIDE	00940	036	2004/01/26	20.200	2007/01	DUE
COLOR	00081	036	2004/01/26	< 3.000	2007/01	DUE
COPPER	01042	036	2004/01/26	< 50.000	2007/01	DUE
FOAMING AGENTS (MBAS)	38260	036	2004/01/26	< .020	2007/01	DUE
HARDNESS (TOTAL) AS CACO3	00900	036	2004/01/26	88.000	2007/01	DUE
HYDROXIDE ALKALINITY	71830	036	2004/01/26	< 1.000	2007/01	DUE
IRON	01045	036	2004/01/26	< 100.000	2007/01	DUE
MAGNESIUM	00927	036	2004/01/26	8.000	2007/01	DUE
MANGANESE	01055	036	2004/01/26	< 20.000	2007/01	DUE
ODOR THRESHOLD @ 60 C	00086	036	2004/01/26	< 1.000	2007/01	DUE
PH, LABORATORY	00403	036	2004/01/26	6.900	2007/01	DUE
SILVER	01077	036	2004/01/26	< 10.000	2007/01	DUE
SODIUM	00929	036	2004/01/26	.600	2007/01	DUE
SPECIFIC CONDUCTANCE	00095	036	2011/07/28	330.000	2014/07	
SULFATE	00945	036	2004/01/26	13.800	2007/01	DUE
TOTAL DISSOLVED SOLIDS	70300	036	2004/01/26	196.000	2007/01	DUE

**Testing interval is in months;*
0 = No data for this constituent and is DUE NOW
999 = Waived testing (not required)
I = Invalid (NOT) valid analyses reported

System Number: ***2400167***

System Name: ***BALLICO COMMUNITY SERV. DIST.***

PS Code: ***2400167-001***

Source Name: ***WELL #1-PARK ST. NEAR BROADWAY***

Source Number: ***001***

Source Status: ***ACTIVE UNTREATED***

Water type: ***GROUNDWATER OR WELL***

SECONDARY/GP

	STORET NUMBER	TESTING INTERVAL (MONTHS)*	LAST TEST DATE (yyyy/mm/dd)	LAST RESULT REPORTED	NEXT TEST DATE (yyyy/mm)	
TURBIDITY, LABORATORY	82079	036	2004/01/26	< .050	2007/01	DUE
ZINC	01092	036	2004/01/26	< 50.000	2007/01	DUE

**Testing interval is in months;*
0 = No data for this constituent and is DUE NOW
999 = Waived testing (not required)
I = Invalid (NOT) valid analyses reported

System Number: ***2400168***

System Name: ***FIORINI RANCH***

PS Code: ***2400168-001***

Source Name: ***WELL #1- 1/4 MI. W. OF LABOR CAMP***

Source Number: ***001***

Source Status: ***ACTIVE UNTREATED***

Water type: ***GROUNDWATER OR WELL***

	STORET NUMBER	TESTING INTERVAL (MONTHS)*	LAST TEST DATE (yyyy/mm/dd)	LAST RESULT REPORTED	NEXT TEST DATE (yyyy/mm)	
GENERAL NON CHAP 15						
DIAZINON	39570	WAIVED				
INORGANIC						
ALUMINUM	01105	WAIVED				
ANTIMONY	01097	WAIVED				
ARSENIC	01002	WAIVED				
ASBESTOS	81855	WAIVED				
BARIUM	01007	WAIVED				
BERYLLIUM	01012	WAIVED				
CADMIUM	01027	WAIVED				
CHROMIUM (TOTAL)	01034	WAIVED				
CYANIDE	01291	WAIVED				
FLUORIDE (F) (NATURAL-SOURCE)	00951	WAIVED				
LEAD	01051	WAIVED				
MERCURY	71900	WAIVED				
NICKEL	01067	WAIVED				
PERCHLORATE	A-031	WAIVED				
SELENIUM	01147	WAIVED				
THALLIUM	01059	WAIVED				
NITRATE/NITRITE						
NITRATE (AS NO3)	71850	012	2012/04/24	5.200	2013/04	
NITRITE (AS N)	00620	000				**DUE**
RADIOLOGICAL						
GROSS ALPHA	01501	WAIVED				
GROSS BETA	03501	WAIVED				
RA-226 FOR CWS OR TOTAL RA FOR NTNC BY 903.0	A-080	WAIVED				
RA-226 OR TOTAL RA BY 903.0 C.E.	A-081	WAIVED				
RADIUM 226	09501	WAIVED				
RADIUM 228	11501	WAIVED				

**Testing interval is in months;*
0 = No data for this constituent and is DUE NOW
999 = Waived testing (not required)
I = Invalid (NOT) valid analyses reported

System Number: ***2400168***

System Name: ***FIORINI RANCH***

PS Code: ***2400168-001***

Source Name: ***WELL #1- 1/4 MI. W. OF LABOR CAMP***

Source Number: ***001***

Source Status: ***ACTIVE UNTREATED***

Water type: ***GROUNDWATER OR WELL***

	STORET NUMBER	TESTING INTERVAL (MONTHS)*	LAST TEST DATE (yyyy/mm/dd)	LAST RESULT REPORTED	NEXT TEST DATE (yyyy/mm)
RADIOLOGICAL					
RADIUM, TOTAL, MDA95-NTNC ONLY, BY 903.0	A-082	WAIVED			
STRONTIUM-90	13501	WAIVED			
TRITIUM	07000	WAIVED			
URANIUM (PCI/L)	28012	WAIVED			
REGULATED SOC					
2,3,7,8-TCDD (DIOXIN)	34676	WAIVED			
2,4,5-TP (SILVEX)	39045	WAIVED			
2,4-D	39730	WAIVED			
ALACHLOR	77825	WAIVED			
ATRAZINE	39033	WAIVED			
BENTAZON	38710	WAIVED			
BENZO (A) PYRENE	34247	WAIVED			
CARBOFURAN	81405	WAIVED			
CHLORDANE	39350	WAIVED			
DALAPON	38432	WAIVED			
DI(2-ETHYLHEXYL)ADIPATE	A-026	WAIVED			
DI(2-ETHYLHEXYL)PHTHALATE	39100	WAIVED			
DIBROMOCHLOROPROPANE (DBCP)	38761	WAIVED			
DINOSEB	81287	WAIVED			
DIQUAT	78885	WAIVED			
ENDOTHALL	38926	WAIVED			
ENDRIN	39390	WAIVED			
ETHYLENE DIBROMIDE (EDB)	77651	WAIVED			
GLYPHOSATE	79743	WAIVED			
HEPTACHLOR	39410	WAIVED			
HEPTACHLOR EPOXIDE	39420	WAIVED			
HEXACHLOROBENZENE	39700	WAIVED			
HEXACHLOROCYCLOPENTADIENE	34386	WAIVED			
LINDANE	39340	WAIVED			

**Testing interval is in months;*
0 = No data for this constituent and is DUE NOW
999 = Waived testing (not required)
I = Invalid (NOT) valid analyses reported

System Number: ***2400168***

System Name: ***FIORINI RANCH***

PS Code: ***2400168-001***

Source Name: ***WELL #1- 1/4 MI. W. OF LABOR CAMP***

Source Number: ***001***

Source Status: ***ACTIVE UNTREATED***

Water type: ***GROUNDWATER OR WELL***

	STORET NUMBER	TESTING INTERVAL (MONTHS)*	LAST TEST DATE (yyyy/mm/dd)	LAST RESULT REPORTED	NEXT TEST DATE (yyyy/mm)
REGULATED SOC					
METHOXYCHLOR	39480	WAIVED			
MOLINATE	82199	WAIVED			
OXAMYL	38865	WAIVED			
PENTACHLOROPHENOL	39032	WAIVED			
PICLORAM	39720	WAIVED			
POLYCHLORINATED BIPHENYLS, TOTAL, AS DCB	39516	WAIVED			
SIMAZINE	39055	WAIVED			
THIOBENCARB	A-001	WAIVED			
TOXAPHENE	39400	WAIVED			
REGULATED VOC					
1,1,1-TRICHLOROETHANE	34506	WAIVED			
1,1,2,2-TETRACHLOROETHANE	34516	WAIVED			
1,1,2-TRICHLORO-1,2,2-TRIFLUOROETHANE	81611	WAIVED			
1,1,2-TRICHLOROETHANE	34511	WAIVED			
1,1-DICHLOROETHANE	34496	WAIVED			
1,1-DICHLOROETHYLENE	34501	WAIVED			
1,2,4-TRICHLOROBENZENE	34551	WAIVED			
1,2-DICHLOROBENZENE	34536	WAIVED			
1,2-DICHLOROETHANE	34531	WAIVED			
1,2-DICHLOROPROPANE	34541	WAIVED			
1,3-DICHLOROPROPENE (TOTAL)	34561	WAIVED			
1,4-DICHLOROBENZENE	34571	WAIVED			
BENZENE	34030	WAIVED			
CARBON TETRACHLORIDE	32102	WAIVED			
CIS-1,2-DICHLOROETHYLENE	77093	WAIVED			
DICHLOROMETHANE	34423	WAIVED			
ETHYLBENZENE	34371	WAIVED			
METHYL-TERT-BUTYL-ETHER (MTBE)	46491	WAIVED			
MONOCHLOROBENZENE	34301	WAIVED			

**Testing interval is in months;*
0 = No data for this constituent and is DUE NOW
999 = Waived testing (not required)
I = Invalid (NOT) valid analyses reported

System Number: ***2400168***

System Name: ***FIORINI RANCH***

PS Code: ***2400168-001***

Source Name: ***WELL #1- 1/4 MI. W. OF LABOR CAMP***

Source Number: ***001***

Source Status: ***ACTIVE UNTREATED***

Water type: ***GROUNDWATER OR WELL***

	STORET NUMBER	TESTING INTERVAL (MONTHS)*	LAST TEST DATE (yyyy/mm/dd)	LAST RESULT REPORTED	NEXT TEST DATE (yyyy/mm)
REGULATED VOC					
STYRENE	77128	WAIVED			
TETRACHLOROETHYLENE	34475	WAIVED			
TOLUENE	34010	WAIVED			
TRANS-1,2-DICHLOROETHYLENE	34546	WAIVED			
TRICHLOROETHYLENE	39180	WAIVED			
TRICHLOROFLUOROMETHANE	34488	WAIVED			
VINYL CHLORIDE	39175	WAIVED			
XYLENES (TOTAL)	81551	WAIVED			
SECONDARY/GP					
AGGRSSIVE INDEX (CORROSIVITY)	82383	WAIVED			
BICARBONATE ALKALINITY	00440	WAIVED			
CALCIUM	00916	WAIVED			
CARBONATE ALKALINITY	00445	WAIVED			
CHLORIDE	00940	WAIVED			
COLOR	00081	WAIVED			
COPPER	01042	WAIVED			
FOAMING AGENTS (MBAS)	38260	WAIVED			
HARDNESS (TOTAL) AS CACO3	00900	WAIVED			
HYDROXIDE ALKALINITY	71830	WAIVED			
IRON	01045	WAIVED			
MAGNESIUM	00927	WAIVED			
MANGANESE	01055	WAIVED			
ODOR THRESHOLD @ 60 C	00086	WAIVED			
PH, LABORATORY	00403	WAIVED			
SILVER	01077	WAIVED			
SODIUM	00929	WAIVED			
SPECIFIC CONDUCTANCE	00095	WAIVED			
SULFATE	00945	WAIVED			
TOTAL DISSOLVED SOLIDS	70300	WAIVED			

**Testing interval is in months;*
0 = No data for this constituent and is DUE NOW
999 = Waived testing (not required)
I = Invalid (NOT) valid analyses reported

System Number: ***2400168***

System Name: ***FIORINI RANCH***

PS Code: ***2400168-001***

Source Name: ***WELL #1- 1/4 MI. W. OF LABOR CAMP***

Source Number: ***001***

Source Status: ***ACTIVE UNTREATED***

Water type: ***GROUNDWATER OR WELL***

	STORET NUMBER	TESTING INTERVAL (MONTHS)*	LAST TEST DATE (yyyy/mm/dd)	LAST RESULT REPORTED	NEXT TEST DATE (yyyy/mm)
SECONDARY/GP					
TURBIDITY, LABORATORY	82079	WAIVED			
ZINC	01092	WAIVED			

**Testing interval is in months;*
0 = No data for this constituent and is DUE NOW
999 = Waived testing (not required)
I = Invalid (NOT) valid analyses reported

System Number: ***2400169***

System Name: ***E & J GALLO WINERY***

PS Code: ***2400169-002***

Source Name: ***WELL #4-1500 S OF RIVER RD (130 DEEP)***

Source Number: ***002***

Source Status: ***ACTIVE UNTREATED***

Water type: ***GROUNDWATER OR WELL***

	STORET NUMBER	TESTING INTERVAL (MONTHS)*	LAST TEST DATE (yyyy/mm/dd)	LAST RESULT REPORTED	NEXT TEST DATE (yyyy/mm)
GENERAL NON CHAP 15					
DIAZINON	39570	WAIVED	2007/01/23	< .250	
INORGANIC					
ALUMINUM	01105	036	2010/01/05	< 50.000	2013/01
ANTIMONY	01097	036	2010/01/05	< 6.000	2013/01
ARSENIC	01002	036	2010/01/05	3.100	2013/01
ASBESTOS	81855	WAIVED			
BARIUM	01007	036	2010/01/05	126.000	2013/01
BERYLLIUM	01012	036	2010/01/05	< 1.000	2013/01
CADMIUM	01027	036	2010/01/05	< 1.000	2013/01
CHROMIUM (TOTAL)	01034	036	2010/01/05	< 10.000	2013/01
CYANIDE	01291	WAIVED	2007/02/07	< 100.000	
FLUORIDE (F) (NATURAL-SOURCE)	00951	036	2010/01/05	.120	2013/01
LEAD	01051	WAIVED	2008/06/02	< 5.000	
MERCURY	71900	036	2010/01/05	< 1.000	2013/01
NICKEL	01067	036	2010/01/05	< 10.000	2013/01
PERCHLORATE	A-031	036	2011/10/03	< 4.000	2014/10
SELENIUM	01147	036	2010/01/05	< 5.000	2013/01
THALLIUM	01059	036	2010/01/05	< 1.000	2013/01
NITRATE/NITRITE					
NITRATE (AS NO3)	71850	012	2012/05/08	51.900	2013/05
NITRITE (AS N)	00620	036	2012/04/02	< 400.000	2015/04
RADIOLOGICAL					
GROSS ALPHA	01501	WAIVED	2012/01/04	8.150	
GROSS BETA	03501	WAIVED			
RA-226 FOR CWS OR TOTAL RA FOR NTNC BY 903.0	A-080	WAIVED			
RA-226 OR TOTAL RA BY 903.0 C.E.	A-081	WAIVED			
RADIUM 226	09501	WAIVED			
RADIUM 228	11501	WAIVED	2006/10/04	.152	

**Testing interval is in months;*
0 = No data for this constituent and is DUE NOW
999 = Waived testing (not required)
I = Invalid (NOT) valid analyses reported

System Number: ***2400169***

System Name: ***E & J GALLO WINERY***

PS Code: ***2400169-002***

Source Name: ***WELL #4-1500 S OF RIVER RD (130 DEEP)***

Source Number: ***002***

Source Status: ***ACTIVE UNTREATED***

Water type: ***GROUNDWATER OR WELL***

	STORET NUMBER	TESTING INTERVAL (MONTHS)*	LAST TEST DATE (yyyy/mm/dd)	LAST RESULT REPORTED	NEXT TEST DATE (yyyy/mm)
RADIOLOGICAL					
RADIUM, TOTAL, MDA95-NTNC ONLY, BY 903.0	A-082	WAIVED			
STRONTIUM-90	13501	WAIVED			
TRITIUM	07000	WAIVED			
URANIUM (PCI/L)	28012	WAIVED	2012/01/04	8.060	
REGULATED SOC					
2,3,7,8-TCDD (DIOXIN)	34676	WAIVED			
2,4,5-TP (SILVEX)	39045	WAIVED			
2,4-D	39730	WAIVED			
ALACHLOR	77825	036	2010/01/05	< 1.000	2013/01
ATRAZINE	39033	036	2010/01/05	< .500	2013/01
BENTAZON	38710	WAIVED			
BENZO (A) PYRENE	34247	WAIVED			
CARBOFURAN	81405	WAIVED			
CHLORDANE	39350	WAIVED			
DALAPON	38432	WAIVED			
DI(2-ETHYLHEXYL)ADIPATE	A-026	WAIVED			
DI(2-ETHYLHEXYL)PHTHALATE	39100	WAIVED			
DIBROMOCHLOROPROPANE (DBCP)	38761	036	2010/02/01	.190	2013/02
DINOSEB	81287	WAIVED			
DIQUAT	78885	WAIVED			
ENDOTHALL	38926	WAIVED			
ENDRIN	39390	WAIVED			
ETHYLENE DIBROMIDE (EDB)	77651	036	2010/01/05	< .020	2013/01
GLYPHOSATE	79743	WAIVED			
HEPTACHLOR	39410	WAIVED			
HEPTACHLOR EPOXIDE	39420	WAIVED			
HEXACHLOROBENZENE	39700	WAIVED			
HEXACHLOROCYCLOPENTADIENE	34386	WAIVED			
LINDANE	39340	WAIVED			

**Testing interval is in months;*
0 = No data for this constituent and is DUE NOW
999 = Waived testing (not required)
I = Invalid (NOT) valid analyses reported

System Number: ***2400169***

System Name: ***E & J GALLO WINERY***

PS Code: ***2400169-002***

Source Name: ***WELL #4-1500 S OF RIVER RD (130 DEEP)***

Source Number: ***002***

Source Status: ***ACTIVE UNTREATED***

Water type: ***GROUNDWATER OR WELL***

	STORET NUMBER	TESTING INTERVAL (MONTHS)*	LAST TEST DATE (yyyy/mm/dd)	LAST RESULT REPORTED	NEXT TEST DATE (yyyy/mm)	
REGULATED SOC						
METHOXYCHLOR	39480	WAIVED				
MOLINATE	82199	WAIVED	2007/01/23	< 2.000		
OXAMYL	38865	WAIVED				
PENTACHLOROPHENOL	39032	WAIVED				
PICLORAM	39720	WAIVED				
POLYCHLORINATED BIPHENYLS, TOTAL, AS DCB	39516	WAIVED				
SIMAZINE	39055	036	2010/01/05	< 1.000	2013/01	
THIOBENCARB	A-001	WAIVED	2007/01/23	< 1.000		
TOXAPHENE	39400	WAIVED				
REGULATED VOC						
1,1,1-TRICHLOROETHANE	34506	060	2007/01/23	< .500	2012/01	DUE
1,1,2,2-TETRACHLOROETHANE	34516	060	2007/01/23	< .500	2012/01	DUE
1,1,2-TRICHLORO-1,2,2-TRIFLUOROETHANE	81611	060	2007/01/23	< 10.000	2012/01	DUE
1,1,2-TRICHLOROETHANE	34511	060	2007/01/23	< .500	2012/01	DUE
1,1-DICHLOROETHANE	34496	060	2007/01/23	< .500	2012/01	DUE
1,1-DICHLOROETHYLENE	34501	060	2007/01/23	< .500	2012/01	DUE
1,2,4-TRICHLOROBENZENE	34551	060	2007/01/23	< .500	2012/01	DUE
1,2-DICHLOROBENZENE	34536	060	2007/01/23	< .500	2012/01	DUE
1,2-DICHLOROETHANE	34531	060	2007/01/23	< .500	2012/01	DUE
1,2-DICHLOROPROPANE	34541	060	2007/01/23	< .500	2012/01	DUE
1,3-DICHLOROPROPENE (TOTAL)	34561	060	2007/01/23	< .500	2012/01	DUE
1,4-DICHLOROBENZENE	34571	060	2007/01/23	< .500	2012/01	DUE
BENZENE	34030	060	2007/01/23	< .500	2012/01	DUE
CARBON TETRACHLORIDE	32102	060	2007/01/23	< .500	2012/01	DUE
CIS-1,2-DICHLOROETHYLENE	77093	060	2007/01/23	< .500	2012/01	DUE
DICHLOROMETHANE	34423	060	2007/01/23	< .500	2012/01	DUE
ETHYLBENZENE	34371	060	2007/01/23	< .500	2012/01	DUE
METHYL-TERT-BUTYL-ETHER (MTBE)	46491	060	2007/01/23	< 3.000	2012/01	DUE
MONOCHLOROBENZENE	34301	060	2007/01/23	< .500	2012/01	DUE

**Testing interval is in months;*
0 = No data for this constituent and is DUE NOW
999 = Waived testing (not required)
I = Invalid (NOT) valid analyses reported

System Number: ***2400169***

System Name: ***E & J GALLO WINERY***

PS Code: ***2400169-002***

Source Name: ***WELL #4-1500 S OF RIVER RD (130 DEEP)***

Source Number: ***002***

Source Status: ***ACTIVE UNTREATED***

Water type: ***GROUNDWATER OR WELL***

	STORET NUMBER	TESTING INTERVAL (MONTHS)*	LAST TEST DATE (yyyy/mm/dd)	LAST RESULT REPORTED	NEXT TEST DATE (yyyy/mm)	
REGULATED VOC						
STYRENE	77128	060	2007/01/23	< .500	2012/01	DUE
TETRACHLOROETHYLENE	34475	060	2007/01/23	< .500	2012/01	DUE
TOLUENE	34010	060	2007/01/23	< .500	2012/01	DUE
TRANS-1,2-DICHLOROETHYLENE	34546	060	2007/01/23	< .500	2012/01	DUE
TRICHLOROETHYLENE	39180	060	2007/01/23	< .500	2012/01	DUE
TRICHLOROFLUOROMETHANE	34488	060	2007/01/23	< 5.000	2012/01	DUE
VINYL CHLORIDE	39175	060	2007/01/23	< .500	2012/01	DUE
XYLENES (TOTAL)	81551	060	2007/01/23	< .500	2012/01	DUE
SECONDARY/GP						
AGGRSSIVE INDEX (CORROSIVITY)	82383	WAIVED				
BICARBONATE ALKALINITY	00440	WAIVED	2007/02/07	235.000		
CALCIUM	00916	WAIVED	2007/02/07	58.400		
CARBONATE ALKALINITY	00445	WAIVED	2007/02/07	< 20.000		
CHLORIDE	00940	WAIVED				
COLOR	00081	WAIVED				
COPPER	01042	WAIVED	2008/06/02	< 50.000		
FOAMING AGENTS (MBAS)	38260	WAIVED				
HARDNESS (TOTAL) AS CACO3	00900	WAIVED	2007/02/07	218.000		
HYDROXIDE ALKALINITY	71830	WAIVED	2007/02/07	< 20.000		
IRON	01045	WAIVED	2007/02/07	< 100.000		
MAGNESIUM	00927	WAIVED	2007/02/07	17.600		
MANGANESE	01055	WAIVED	2007/02/07	< 20.000		
ODOR THRESHOLD @ 60 C	00086	WAIVED				
PH, LABORATORY	00403	WAIVED	2007/02/07	7.300		
SILVER	01077	WAIVED				
SODIUM	00929	WAIVED	2007/02/07	46.200		
SPECIFIC CONDUCTANCE	00095	WAIVED				
SULFATE	00945	WAIVED				
TOTAL DISSOLVED SOLIDS	70300	WAIVED				

**Testing interval is in months;*
0 = No data for this constituent and is DUE NOW
999 = Waived testing (not required)
I = Invalid (NOT) valid analyses reported

System Number: ***2400169***

System Name: ***E & J GALLO WINERY***

PS Code: ***2400169-002***

Source Name: ***WELL #4-1500 S OF RIVER RD (130 DEEP)***

Source Number: ***002***

Source Status: ***ACTIVE UNTREATED***

Water type: ***GROUNDWATER OR WELL***

SECONDARY/GP

	STORET NUMBER	TESTING INTERVAL (MONTHS)*	LAST TEST DATE (yyyy/mm/dd)	LAST RESULT REPORTED	NEXT TEST DATE (yyyy/mm)
TURBIDITY, LABORATORY	82079	WAIVED			
ZINC	01092	WAIVED			

PS Code: ***2400169-003***

Source Name: ***BLENDING TANK 3006-WELLS 4,6,7,8***

Source Number: ***003***

Source Status: ***ACTIVE TREATED***

Water type: ***GROUNDWATER OR WELL***

GENERAL NON CHAP 15

	STORET NUMBER	TESTING INTERVAL (MONTHS)*	LAST TEST DATE (yyyy/mm/dd)	LAST RESULT REPORTED	NEXT TEST DATE (yyyy/mm)
DIAZINON	39570	WAIVED	2007/01/23	< .250	

INORGANIC

	STORET NUMBER	TESTING INTERVAL (MONTHS)*	LAST TEST DATE (yyyy/mm/dd)	LAST RESULT REPORTED	NEXT TEST DATE (yyyy/mm)
ALUMINUM	01105	WAIVED	2010/01/05	< 50.000	
ANTIMONY	01097	WAIVED	2010/01/05	< 6.000	
ARSENIC	01002	WAIVED	2012/04/02	19.000	
ASBESTOS	81855	WAIVED			
BARIUM	01007	WAIVED	2010/01/05	< 100.000	
BERYLLIUM	01012	WAIVED	2010/01/05	< 1.000	
CADMIUM	01027	WAIVED	2010/01/05	< 1.000	
CHROMIUM (TOTAL)	01034	WAIVED	2010/01/05	< 10.000	
CYANIDE	01291	WAIVED	2007/02/07	< 100.000	
FLUORIDE (F) (NATURAL-SOURCE)	00951	WAIVED	2010/01/05	.180	
LEAD	01051	WAIVED	2008/06/02	< 5.000	
MERCURY	71900	WAIVED	2010/01/05	< 1.000	
NICKEL	01067	WAIVED	2010/01/05	< 10.000	
PERCHLORATE	A-031	WAIVED	2010/01/05	< 4.000	
SELENIUM	01147	WAIVED	2010/01/05	< 5.000	
THALLIUM	01059	WAIVED	2010/01/05	< 1.000	

**Testing interval is in months;*
0 = No data for this constituent and is DUE NOW
999 = Waived testing (not required)
I = Invalid (NOT) valid analyses reported

System Number: ***2400169***

System Name: ***E & J GALLO WINERY***

PS Code: ***2400169-003***

Source Name: ***BLENDING TANK 3006-WELLS 4,6,7,8***

Source Number: ***003***

Source Status: ***ACTIVE TREATED***

Water type: ***GROUNDWATER OR WELL***

	STORET NUMBER	TESTING INTERVAL (MONTHS)*	LAST TEST DATE (yyyy/mm/dd)	LAST RESULT REPORTED	NEXT TEST DATE (yyyy/mm)
NITRATE/NITRITE					
NITRATE (AS NO3)	71850	WAIVED	2012/05/07	29.200	
NITRITE (AS N)	00620	WAIVED	2012/04/02	< 400.000	
RADIOLOGICAL					
GROSS ALPHA	01501	WAIVED			
GROSS BETA	03501	WAIVED			
RA-226 FOR CWS OR TOTAL RA FOR NTNC BY 903.0	A-080	WAIVED			
RA-226 OR TOTAL RA BY 903.0 C.E.	A-081	WAIVED			
RADIUM 226	09501	WAIVED			
RADIUM 228	11501	WAIVED			
RADIUM, TOTAL, MDA95-NTNC ONLY, BY 903.0	A-082	WAIVED			
STRONTIUM-90	13501	WAIVED			
TRITIUM	07000	WAIVED			
URANIUM (PCI/L)	28012	WAIVED			
REGULATED SOC					
2,3,7,8-TCDD (DIOXIN)	34676	WAIVED			
2,4,5-TP (SILVEX)	39045	WAIVED			
2,4-D	39730	WAIVED			
ALACHLOR	77825	WAIVED	2010/01/05	< 1.000	
ATRAZINE	39033	WAIVED	2010/01/05	< .500	
BENTAZON	38710	WAIVED			
BENZO (A) PYRENE	34247	WAIVED			
CARBOFURAN	81405	WAIVED			
CHLORDANE	39350	WAIVED			
DALAPON	38432	WAIVED			
DI(2-ETHYLHEXYL)ADIPATE	A-026	WAIVED			
DI(2-ETHYLHEXYL)PHTHALATE	39100	WAIVED			
DIBROMOCHLOROPROPANE (DBCP)	38761	WAIVED	2012/04/02	.020	
DINOSEB	81287	WAIVED			
DIQUAT	78885	WAIVED			

**Testing interval is in months;*
0 = No data for this constituent and is DUE NOW
999 = Waived testing (not required)
I = Invalid (NOT) valid analyses reported

System Number: 2400169
System Name: E & J GALLO WINERY

PS Code: 2400169-003
Source Name: BLENDING TANK 3006-WELLS 4,6,7,8
Source Number: 003
Source Status: ACTIVE TREATED
Water type: GROUNDWATER OR WELL

	STORET NUMBER	TESTING INTERVAL (MONTHS)*	LAST TEST DATE (yyyy/mm/dd)	LAST RESULT REPORTED	NEXT TEST DATE (yyyy/mm)
REGULATED SOC					
ENDOTHALL	38926	WAIVED			
ENDRIN	39390	WAIVED			
ETHYLENE DIBROMIDE (EDB)	77651	WAIVED	2010/01/05	< .020	
GLYPHOSATE	79743	WAIVED			
HEPTACHLOR	39410	WAIVED			
HEPTACHLOR EPOXIDE	39420	WAIVED			
HEXACHLOROBENZENE	39700	WAIVED			
HEXACHLOROCYCLOPENTADIENE	34386	WAIVED			
LINDANE	39340	WAIVED			
METHOXYCHLOR	39480	WAIVED			
MOLINATE	82199	WAIVED	2007/01/23	< 2.000	
OXAMYL	38865	WAIVED			
PENTACHLOROPHENOL	39032	WAIVED			
PICLORAM	39720	WAIVED			
POLYCHLORINATED BIPHENYLS, TOTAL, AS DCB	39516	WAIVED			
SIMAZINE	39055	WAIVED	2010/01/05	< 1.000	
THIOBENCARB	A-001	WAIVED	2007/01/23	< 1.000	
TOXAPHENE	39400	WAIVED			
REGULATED VOC					
1,1,1-TRICHLOROETHANE	34506	WAIVED	2007/01/23	< .500	
1,1,2,2-TETRACHLOROETHANE	34516	WAIVED	2007/01/23	< .500	
1,1,2-TRICHLORO-1,2,2-TRIFLUOROETHANE	81611	WAIVED	2007/01/23	< 10.000	
1,1,2-TRICHLOROETHANE	34511	WAIVED	2007/01/23	< .500	
1,1-DICHLOROETHANE	34496	WAIVED	2007/01/23	< .500	
1,1-DICHLOROETHYLENE	34501	WAIVED	2007/01/23	< .500	
1,2,4-TRICHLOROBENZENE	34551	WAIVED	2007/01/23	< .500	
1,2-DICHLOROBENZENE	34536	WAIVED	2007/01/23	< .500	
1,2-DICHLOROETHANE	34531	WAIVED	2007/01/23	< .500	
1,2-DICHLOROPROPANE	34541	WAIVED	2007/01/23	< .500	

**Testing interval is in months;*
0 = No data for this constituent and is DUE NOW
999 = Waived testing (not required)
I = Invalid (NOT) valid analyses reported

System Number: ***2400169***

System Name: ***E & J GALLO WINERY***

PS Code: ***2400169-003***

Source Name: ***BLENDING TANK 3006-WELLS 4,6,7,8***

Source Number: ***003***

Source Status: ***ACTIVE TREATED***

Water type: ***GROUNDWATER OR WELL***

	STORET NUMBER	TESTING INTERVAL (MONTHS)*	LAST TEST DATE (yyyy/mm/dd)	LAST RESULT REPORTED	NEXT TEST DATE (yyyy/mm)
REGULATED VOC					
1,3-DICHLOROPROPENE (TOTAL)	34561	WAIVED	2007/01/23	< .500	
1,4-DICHLOROBENZENE	34571	WAIVED	2007/01/23	< .500	
BENZENE	34030	WAIVED	2007/01/23	< .500	
CARBON TETRACHLORIDE	32102	WAIVED	2007/01/23	< .500	
CIS-1,2-DICHLOROETHYLENE	77093	WAIVED	2007/01/23	< .500	
DICHLOROMETHANE	34423	WAIVED	2007/01/23	< .500	
ETHYLBENZENE	34371	WAIVED	2007/01/23	< .500	
METHYL-TERT-BUTYL-ETHER (MTBE)	46491	WAIVED	2007/01/23	< 3.000	
MONOCHLOROBENZENE	34301	WAIVED	2007/01/23	< .500	
STYRENE	77128	WAIVED	2007/01/23	< .500	
TETRACHLOROETHYLENE	34475	WAIVED	2007/01/23	< .500	
TOLUENE	34010	WAIVED	2007/01/23	< .500	
TRANS-1,2-DICHLOROETHYLENE	34546	WAIVED	2007/01/23	< .500	
TRICHLOROETHYLENE	39180	WAIVED	2007/01/23	< .500	
TRICHLOROFLUOROMETHANE	34488	WAIVED	2007/01/23	< 5.000	
VINYL CHLORIDE	39175	WAIVED	2007/01/23	< .500	
XYLENES (TOTAL)	81551	WAIVED	2007/01/23	< .500	
SECONDARY/GP					
AGGRSSIVE INDEX (CORROSIVITY)	82383	WAIVED			
BICARBONATE ALKALINITY	00440	WAIVED	2007/02/07	125.000	
CALCIUM	00916	WAIVED	2007/02/07	38.400	
CARBONATE ALKALINITY	00445	WAIVED	2007/02/07	< 20.000	
CHLORIDE	00940	WAIVED			
COLOR	00081	WAIVED			
COPPER	01042	WAIVED	2008/06/02	< 50.000	
FOAMING AGENTS (MBAS)	38260	WAIVED			
HARDNESS (TOTAL) AS CACO3	00900	WAIVED	2007/02/07	147.000	
HYDROXIDE ALKALINITY	71830	WAIVED	2007/02/07	< 20.000	
IRON	01045	WAIVED	2007/02/07	< 100.000	

**Testing interval is in months;*
0 = No data for this constituent and is DUE NOW
999 = Waived testing (not required)
I = Invalid (NOT) valid analyses reported

System Number: ***2400169***

System Name: ***E & J GALLO WINERY***

PS Code: ***2400169-003***

Source Name: ***BLENDING TANK 3006-WELLS 4,6,7,8***

Source Number: ***003***

Source Status: ***ACTIVE TREATED***

Water type: ***GROUNDWATER OR WELL***

	STORET NUMBER	TESTING INTERVAL (MONTHS)*	LAST TEST DATE (yyyy/mm/dd)	LAST RESULT REPORTED	NEXT TEST DATE (yyyy/mm)	
SECONDARY/GP						
MAGNESIUM	00927	WAIVED	2007/02/07	12.500		
MANGANESE	01055	WAIVED	2007/02/07	< 20.000		
ODOR THRESHOLD @ 60 C	00086	WAIVED				
PH, LABORATORY	00403	WAIVED	2007/02/07	7.200		
SILVER	01077	WAIVED				
SODIUM	00929	WAIVED	2007/02/07	34.500		
SPECIFIC CONDUCTANCE	00095	WAIVED				
SULFATE	00945	WAIVED				
TOTAL DISSOLVED SOLIDS	70300	WAIVED				
TURBIDITY, LABORATORY	82079	WAIVED				
ZINC	01092	WAIVED				

PS Code: ***2400169-004***

Source Name: ***WELL 05***

Source Number: ***004***

Source Status: ***ACTIVE RAW***

Water type: ***GROUNDWATER OR WELL***

GENERAL NON CHAP 15						
DIAZINON	39570	WAIVED	2002/08/16	.000		
INORGANIC						
ALUMINUM	01105	036	2002/08/16	.000	2005/08	DUE
ANTIMONY	01097	036	2002/09/18	.000	2005/09	DUE
ARSENIC	01002	036	2006/04/05	< 2.000	2009/04	DUE
ASBESTOS	81855	WAIVED				
BARIUM	01007	036	2002/08/16	.000	2005/08	DUE
BERYLLIUM	01012	036	2002/08/16	.000	2005/08	DUE
CADMIUM	01027	036	2002/08/16	.000	2005/08	DUE
CHROMIUM (TOTAL)	01034	036	2002/08/16	.000	2005/08	DUE
CYANIDE	01291	WAIVED	2002/08/16	.000		

**Testing interval is in months;*
0 = No data for this constituent and is DUE NOW
999 = Waived testing (not required)
I = Invalid (NOT) valid analyses reported

System Number: ***2400169***

System Name: ***E & J GALLO WINERY***

PS Code: ***2400169-004***

Source Name: ***WELL 05***

Source Number: ***004***

Source Status: ***ACTIVE RAW***

Water type: ***GROUNDWATER OR WELL***

	STORET NUMBER	TESTING INTERVAL (MONTHS)*	LAST TEST DATE (yyyy/mm/dd)	LAST RESULT REPORTED	NEXT TEST DATE (yyyy/mm)	
INORGANIC						
FLUORIDE (F) (NATURAL-SOURCE)	00951	000				DUE
LEAD	01051	WAIVED	2002/08/16	.000		
MERCURY	71900	036	2002/08/16	.000	2005/08	DUE
NICKEL	01067	036	2002/08/16	.000	2005/08	DUE
PERCHLORATE	A-031	000				DUE
SELENIUM	01147	036	2002/08/16	.000	2005/08	DUE
THALLIUM	01059	036	2002/08/16	.000	2005/08	DUE
NITRATE/NITRITE						
NITRATE (AS NO3)	71850	012	2003/01/23	.000	2004/01	DUE
NITRITE (AS N)	00620	036	2007/01/04	< 400.000	2010/01	DUE
RADIOLOGICAL						
GROSS ALPHA	01501	WAIVED	2007/02/01	.800		
GROSS BETA	03501	WAIVED				
RA-226 FOR CWS OR TOTAL RA FOR NTNC BY 903.0	A-080	WAIVED				
RA-226 OR TOTAL RA BY 903.0 C.E.	A-081	WAIVED				
RADIUM 226	09501	WAIVED	2007/02/01	.050		
RADIUM 228	11501	WAIVED	2007/02/01	.570		
RADIUM, TOTAL, MDA95-NTNC ONLY, BY 903.0	A-082	WAIVED				
STRONTIUM-90	13501	WAIVED				
TRITIUM	07000	WAIVED				
URANIUM (PCI/L)	28012	WAIVED	2007/02/01	.900		
REGULATED SOC						
2,3,7,8-TCDD (DIOXIN)	34676	WAIVED				
2,4,5-TP (SILVEX)	39045	WAIVED				
2,4-D	39730	WAIVED				
ALACHLOR	77825	036	2002/08/16	.000	2005/08	DUE
ATRAZINE	39033	036	2002/08/16	.000	2005/08	DUE
BENTAZON	38710	WAIVED				

**Testing interval is in months;*
0 = No data for this constituent and is DUE NOW
999 = Waived testing (not required)
I = Invalid (NOT) valid analyses reported

System Number: ***2400169***

System Name: ***E & J GALLO WINERY***

PS Code: ***2400169-004***

Source Name: ***WELL 05***

Source Number: ***004***

Source Status: ***ACTIVE RAW***

Water type: ***GROUNDWATER OR WELL***

	STORET NUMBER	TESTING INTERVAL (MONTHS)*	LAST TEST DATE (yyyy/mm/dd)	LAST RESULT REPORTED	NEXT TEST DATE (yyyy/mm)	
REGULATED SOC						
BENZO (A) PYRENE	34247	WAIVED				
CARBOFURAN	81405	WAIVED				
CHLORDANE	39350	WAIVED				
DALAPON	38432	WAIVED				
DI(2-ETHYLHEXYL)ADIPATE	A-026	WAIVED				
DI(2-ETHYLHEXYL)PHTHALATE	39100	WAIVED				
DIBROMOCHLOROPROPANE (DBCP)	38761	036	2002/08/16	.000	2005/08	DUE
DINOSEB	81287	WAIVED				
DIQUAT	78885	WAIVED				
ENDOTHALL	38926	WAIVED				
ENDRIN	39390	WAIVED				
ETHYLENE DIBROMIDE (EDB)	77651	036	2002/08/16	.000	2005/08	DUE
GLYPHOSATE	79743	WAIVED				
HEPTACHLOR	39410	WAIVED				
HEPTACHLOR EPOXIDE	39420	WAIVED				
HEXACHLOROBENZENE	39700	WAIVED				
HEXACHLOROCYCLOPENTADIENE	34386	WAIVED				
LINDANE	39340	WAIVED				
METHOXYCHLOR	39480	WAIVED				
MOLINATE	82199	WAIVED	2002/08/16	.000		
OXAMYL	38865	WAIVED				
PENTACHLOROPHENOL	39032	WAIVED				
PICLORAM	39720	WAIVED				
POLYCHLORINATED BIPHENYLS, TOTAL, AS DCB	39516	WAIVED				
SIMAZINE	39055	036	2002/08/16	.000	2005/08	DUE
THIOBENCARB	A-001	WAIVED	2002/08/16	.000		
TOXAPHENE	39400	WAIVED				
REGULATED VOC						
1,1,1-TRICHLOROETHANE	34506	060	2002/08/16	.000	2007/08	DUE

**Testing interval is in months;*
0 = No data for this constituent and is DUE NOW
999 = Waived testing (not required)
I = Invalid (NOT) valid analyses reported

System Number: ***2400169***

System Name: ***E & J GALLO WINERY***

PS Code: ***2400169-004***

Source Name: ***WELL 05***

Source Number: ***004***

Source Status: ***ACTIVE RAW***

Water type: ***GROUNDWATER OR WELL***

REGULATED VOC

	STORET NUMBER	TESTING INTERVAL (MONTHS)*	LAST TEST DATE (yyyy/mm/dd)	LAST RESULT REPORTED	NEXT TEST DATE (yyyy/mm)	
1,1,2,2-TETRACHLOROETHANE	34516	060	2002/08/16	.000	2007/08	DUE
1,1,2-TRICHLORO-1,2,2-TRIFLUOROETHANE	81611	060	2002/08/16	.000	2007/08	DUE
1,1,2-TRICHLOROETHANE	34511	060	2002/08/16	.000	2007/08	DUE
1,1-DICHLOROETHANE	34496	060	2002/08/16	.000	2007/08	DUE
1,1-DICHLOROETHYLENE	34501	060	2002/08/16	.000	2007/08	DUE
1,2,4-TRICHLOROBENZENE	34551	060	2002/08/16	.000	2007/08	DUE
1,2-DICHLOROBENZENE	34536	060	2002/08/16	.000	2007/08	DUE
1,2-DICHLOROETHANE	34531	060	2002/08/16	.000	2007/08	DUE
1,2-DICHLOROPROPANE	34541	060	2002/08/16	.000	2007/08	DUE
1,3-DICHLOROPROPENE (TOTAL)	34561	060	2002/08/16	.000	2007/08	DUE
1,4-DICHLOROBENZENE	34571	060	2002/08/16	.000	2007/08	DUE
BENZENE	34030	060	2002/08/16	.000	2007/08	DUE
CARBON TETRACHLORIDE	32102	060	2002/08/16	.000	2007/08	DUE
CIS-1,2-DICHLOROETHYLENE	77093	060	2002/08/16	.000	2007/08	DUE
DICHLOROMETHANE	34423	060	2002/08/16	.000	2007/08	DUE
ETHYLBENZENE	34371	060	2002/08/16	.000	2007/08	DUE
METHYL-TERT-BUTYL-ETHER (MTBE)	46491	060	2002/08/16	.000	2007/08	DUE
MONOCHLOROBENZENE	34301	060	2002/08/16	.000	2007/08	DUE
STYRENE	77128	060	2002/08/16	.000	2007/08	DUE
TETRACHLOROETHYLENE	34475	060	2002/08/16	.000	2007/08	DUE
TOLUENE	34010	060	2002/08/16	.000	2007/08	DUE
TRANS-1,2-DICHLOROETHYLENE	34546	060	2002/08/16	.000	2007/08	DUE
TRICHLOROETHYLENE	39180	060	2002/08/16	.000	2007/08	DUE
TRICHLOROFLUOROMETHANE	34488	060	2002/08/16	.000	2007/08	DUE
VINYL CHLORIDE	39175	060	2002/08/16	.000	2007/08	DUE
XYLENES (TOTAL)	81551	060	2002/08/16	.000	2007/08	DUE

SECONDARY/GP

AGGRSSIVE INDEX (CORROSIVITY)	82383	WAIVED				
BICARBONATE ALKALINITY	00440	000				DUE

**Testing interval is in months;*
0 = No data for this constituent and is DUE NOW
999 = Waived testing (not required)
I = Invalid (NOT) valid analyses reported

System Number: ***2400169***

System Name: ***E & J GALLO WINERY***

PS Code: ***2400169-004***

Source Name: ***WELL 05***

Source Number: ***004***

Source Status: ***ACTIVE RAW***

Water type: ***GROUNDWATER OR WELL***

SECONDARY/GP

	STORET NUMBER	TESTING INTERVAL (MONTHS)*	LAST TEST DATE (yyyy/mm/dd)	LAST RESULT REPORTED	NEXT TEST DATE (yyyy/mm)
CALCIUM	00916	000			DUE
CARBONATE ALKALINITY	00445	000			DUE
CHLORIDE	00940	WAIVED			
COLOR	00081	WAIVED			
COPPER	01042	WAIVED			
FOAMING AGENTS (MBAS)	38260	WAIVED			
HARDNESS (TOTAL) AS CACO3	00900	000			DUE
HYDROXIDE ALKALINITY	71830	000			DUE
IRON	01045	000			DUE
MAGNESIUM	00927	000			DUE
MANGANESE	01055	000			DUE
ODOR THRESHOLD @ 60 C	00086	WAIVED			
PH, LABORATORY	00403	000			DUE
SILVER	01077	WAIVED			
SODIUM	00929	000			DUE
SPECIFIC CONDUCTANCE	00095	WAIVED			
SULFATE	00945	WAIVED			
TOTAL DISSOLVED SOLIDS	70300	WAIVED			
TURBIDITY, LABORATORY	82079	WAIVED			
ZINC	01092	WAIVED			

PS Code: ***2400169-014***

Source Name: ***WELL #6-NW OF PEACH & HOWARD-DRILL 7/04***

Source Number: ***014***

Source Status: ***ACTIVE UNTREATED***

Water type: ***GROUNDWATER OR WELL***

GENERAL NON CHAP 15

DIAZINON	39570	WAIVED	2007/01/23	< .250

**Testing interval is in months;*
0 = No data for this constituent and is DUE NOW
999 = Waived testing (not required)
I = Invalid (NOT) valid analyses reported

System Number: ***2400169***

System Name: ***E & J GALLO WINERY***

PS Code: ***2400169-014***

Source Name: ***WELL #6-NW OF PEACH & HOWARD-DRILL 7/04***

Source Number: ***014***

Source Status: ***ACTIVE UNTREATED***

Water type: ***GROUNDWATER OR WELL***

	STORET NUMBER	TESTING INTERVAL (MONTHS)*	LAST TEST DATE (yyyy/mm/dd)	LAST RESULT REPORTED	NEXT TEST DATE (yyyy/mm)
INORGANIC					
ALUMINUM	01105	036	2010/01/05	< 50.000	2013/01
ANTIMONY	01097	036	2010/01/05	< 6.000	2013/01
ARSENIC	01002	036	2010/02/01	3.000	2013/02
ASBESTOS	81855	WAIVED			
BARIUM	01007	036	2010/01/05	119.000	2013/01
BERYLLIUM	01012	036	2010/01/05	< 1.000	2013/01
CADMIUM	01027	036	2010/01/05	< 1.000	2013/01
CHROMIUM (TOTAL)	01034	036	2010/01/05	< 10.000	2013/01
CYANIDE	01291	WAIVED	2007/02/07	< 100.000	
FLUORIDE (F) (NATURAL-SOURCE)	00951	036	2010/01/05	.180	2013/01
LEAD	01051	WAIVED	2008/06/02	< 5.000	
MERCURY	71900	036	2010/01/05	< 1.000	2013/01
NICKEL	01067	036	2010/01/05	< 10.000	2013/01
PERCHLORATE	A-031	036	2011/10/03	< 4.000	2014/10
SELENIUM	01147	036	2010/01/05	< 5.000	2013/01
THALLIUM	01059	036	2010/01/05	< 1.000	2013/01
NITRATE/NITRITE					
NITRATE (AS NO3)	71850	012	2012/05/08	65.800	2013/05
NITRITE (AS N)	00620	036	2012/04/02	< 400.000	2015/04
RADIOLOGICAL					
GROSS ALPHA	01501	WAIVED	2012/01/04	9.430	
GROSS BETA	03501	WAIVED			
RA-226 FOR CWS OR TOTAL RA FOR NTNC BY 903.0	A-080	WAIVED			
RA-226 OR TOTAL RA BY 903.0 C.E.	A-081	WAIVED			
RADIUM 226	09501	WAIVED	2007/02/01	.060	
RADIUM 228	11501	WAIVED	2007/02/01	.320	
RADIUM, TOTAL, MDA95-NTNC ONLY, BY 903.0	A-082	WAIVED			
STRONTIUM-90	13501	WAIVED			
TRITIUM	07000	WAIVED			

**Testing interval is in months;*
0 = No data for this constituent and is DUE NOW
999 = Waived testing (not required)
I = Invalid (NOT) valid analyses reported

System Number: ***2400169***

System Name: ***E & J GALLO WINERY***

PS Code: ***2400169-014***

Source Name: ***WELL #6-NW OF PEACH & HOWARD-DRILL 7/04***

Source Number: ***014***

Source Status: ***ACTIVE UNTREATED***

Water type: ***GROUNDWATER OR WELL***

	STORET NUMBER	TESTING INTERVAL (MONTHS)*	LAST TEST DATE (yyyy/mm/dd)	LAST RESULT REPORTED	NEXT TEST DATE (yyyy/mm)
RADIOLOGICAL					
URANIUM (PCI/L)	28012	WAIVED	2012/01/04	9.200	
REGULATED SOC					
2,3,7,8-TCDD (DIOXIN)	34676	WAIVED			
2,4,5-TP (SILVEX)	39045	WAIVED			
2,4-D	39730	WAIVED			
ALACHLOR	77825	036	2010/01/05	< 1.000	2013/01
ATRAZINE	39033	036	2010/01/05	< .500	2013/01
BENTAZON	38710	WAIVED			
BENZO (A) PYRENE	34247	WAIVED			
CARBOFURAN	81405	WAIVED			
CHLORDANE	39350	WAIVED			
DALAPON	38432	WAIVED			
DI(2-ETHYLHEXYL)ADIPATE	A-026	WAIVED			
DI(2-ETHYLHEXYL)PHTHALATE	39100	WAIVED			
DIBROMOCHLOROPROPANE (DBCP)	38761	036	2010/01/05	.040	2013/01
DINOSEB	81287	WAIVED			
DIQUAT	78885	WAIVED			
ENDOTHALL	38926	WAIVED			
ENDRIN	39390	WAIVED			
ETHYLENE DIBROMIDE (EDB)	77651	036	2010/01/05	< .020	2013/01
GLYPHOSATE	79743	WAIVED			
HEPTACHLOR	39410	WAIVED			
HEPTACHLOR EPOXIDE	39420	WAIVED			
HEXACHLOROBENZENE	39700	WAIVED			
HEXACHLOROCYCLOPENTADIENE	34386	WAIVED			
LINDANE	39340	WAIVED			
METHOXYCHLOR	39480	WAIVED			
MOLINATE	82199	WAIVED	2007/01/23	< 2.000	
OXAMYL	38865	WAIVED			

**Testing interval is in months;*
0 = No data for this constituent and is DUE NOW
999 = Waived testing (not required)
I = Invalid (NOT) valid analyses reported

System Number: ***2400169***

System Name: ***E & J GALLO WINERY***

PS Code: ***2400169-014***

Source Name: ***WELL #6-NW OF PEACH & HOWARD-DRILL 7/04***

Source Number: ***014***

Source Status: ***ACTIVE UNTREATED***

Water type: ***GROUNDWATER OR WELL***

	STORET NUMBER	TESTING INTERVAL (MONTHS)*	LAST TEST DATE (yyyy/mm/dd)	LAST RESULT REPORTED	NEXT TEST DATE (yyyy/mm)	
REGULATED SOC						
PENTACHLOROPHENOL	39032	WAIVED				
PICLORAM	39720	WAIVED				
POLYCHLORINATED BIPHENYLS, TOTAL, AS DCB	39516	WAIVED				
SIMAZINE	39055	036	2010/01/05	< 1.000	2013/01	
THIOBENCARB	A-001	WAIVED	2007/01/23	< 1.000		
TOXAPHENE	39400	WAIVED				
REGULATED VOC						
1,1,1-TRICHLOROETHANE	34506	060	2007/01/23	< .500	2012/01	DUE
1,1,2,2-TETRACHLOROETHANE	34516	060	2007/01/23	< .500	2012/01	DUE
1,1,2-TRICHLORO-1,2,2-TRIFLUOROETHANE	81611	060	2007/01/23	< 10.000	2012/01	DUE
1,1,2-TRICHLOROETHANE	34511	060	2007/01/23	< .500	2012/01	DUE
1,1-DICHLOROETHANE	34496	060	2007/01/23	< .500	2012/01	DUE
1,1-DICHLOROETHYLENE	34501	060	2007/01/23	< .500	2012/01	DUE
1,2,4-TRICHLOROBENZENE	34551	060	2007/01/23	< .500	2012/01	DUE
1,2-DICHLOROBENZENE	34536	060	2007/01/23	< .500	2012/01	DUE
1,2-DICHLOROETHANE	34531	060	2007/01/23	< .500	2012/01	DUE
1,2-DICHLOROPROPANE	34541	060	2007/01/23	< .500	2012/01	DUE
1,3-DICHLOROPROPENE (TOTAL)	34561	060	2007/01/23	< .500	2012/01	DUE
1,4-DICHLOROBENZENE	34571	060	2007/01/23	< .500	2012/01	DUE
BENZENE	34030	060	2007/01/23	< .500	2012/01	DUE
CARBON TETRACHLORIDE	32102	060	2007/01/23	< .500	2012/01	DUE
CIS-1,2-DICHLOROETHYLENE	77093	060	2007/01/23	< .500	2012/01	DUE
DICHLOROMETHANE	34423	060	2007/01/23	< .500	2012/01	DUE
ETHYLBENZENE	34371	060	2007/01/23	< .500	2012/01	DUE
METHYL-TERT-BUTYL-ETHER (MTBE)	46491	060	2007/01/23	< 3.000	2012/01	DUE
MONOCHLOROBENZENE	34301	060	2007/01/23	< .500	2012/01	DUE
STYRENE	77128	060	2007/01/23	< .500	2012/01	DUE
TETRACHLOROETHYLENE	34475	060	2007/01/23	< .500	2012/01	DUE
TOLUENE	34010	060	2007/01/23	< .500	2012/01	DUE

**Testing interval is in months;*
0 = No data for this constituent and is DUE NOW
999 = Waived testing (not required)
I = Invalid (NOT) valid analyses reported

System Number: ***2400169***

System Name: ***E & J GALLO WINERY***

PS Code: ***2400169-014***

Source Name: ***WELL #6-NW OF PEACH & HOWARD-DRILL 7/04***

Source Number: ***014***

Source Status: ***ACTIVE UNTREATED***

Water type: ***GROUNDWATER OR WELL***

	STORET NUMBER	TESTING INTERVAL (MONTHS)*	LAST TEST DATE (yyyy/mm/dd)	LAST RESULT REPORTED	NEXT TEST DATE (yyyy/mm)	
REGULATED VOC						
TRANS-1,2-DICHLOROETHYLENE	34546	060	2007/01/23	< .500	2012/01	DUE
TRICHLOROETHYLENE	39180	060	2007/01/23	< .500	2012/01	DUE
TRICHLOROFLUOROMETHANE	34488	060	2007/01/23	< 5.000	2012/01	DUE
VINYL CHLORIDE	39175	060	2007/01/23	< .500	2012/01	DUE
XYLENES (TOTAL)	81551	060	2007/01/23	< .500	2012/01	DUE
SECONDARY/GP						
AGGRSSIVE INDEX (CORROSIVITY)	82383	WAIVED				
BICARBONATE ALKALINITY	00440	WAIVED	2007/02/07	115.000		
CALCIUM	00916	WAIVED	2007/02/07	30.900		
CARBONATE ALKALINITY	00445	WAIVED	2007/02/07	< 20.000		
CHLORIDE	00940	WAIVED				
COLOR	00081	WAIVED				
COPPER	01042	WAIVED	2008/06/02	< 50.000		
FOAMING AGENTS (MBAS)	38260	WAIVED				
HARDNESS (TOTAL) AS CACO3	00900	WAIVED	2007/02/07	116.000		
HYDROXIDE ALKALINITY	71830	WAIVED	2007/02/07	< 20.000		
IRON	01045	WAIVED	2007/02/07	< 100.000		
MAGNESIUM	00927	WAIVED	2007/02/07	9.400		
MANGANESE	01055	WAIVED	2007/02/07	< 20.000		
ODOR THRESHOLD @ 60 C	00086	WAIVED				
PH, LABORATORY	00403	WAIVED	2007/02/07	7.300		
SILVER	01077	WAIVED				
SODIUM	00929	WAIVED	2007/02/07	31.800		
SPECIFIC CONDUCTANCE	00095	WAIVED				
SULFATE	00945	WAIVED				
TOTAL DISSOLVED SOLIDS	70300	WAIVED				
TURBIDITY, LABORATORY	82079	WAIVED				
ZINC	01092	WAIVED				

**Testing interval is in months;*
0 = No data for this constituent and is DUE NOW
999 = Waived testing (not required)
I = Invalid (NOT) valid analyses reported

System Number: ***2400169***

System Name: ***E & J GALLO WINERY***

PS Code: ***2400169-015***

Source Name: ***CHLORINE DIOXIDE TREATMNT PLNT-TANK 3006***

Source Number: ***015***

Source Status: ***ACTIVE TREATED***

Water type: ***GROUNDWATER OR WELL***

	STORET NUMBER	TESTING INTERVAL (MONTHS)*	LAST TEST DATE (yyyy/mm/dd)	LAST RESULT REPORTED	NEXT TEST DATE (yyyy/mm)
GENERAL NON CHAP 15					
DIAZINON	39570	WAIVED			
INORGANIC					
ALUMINUM	01105	WAIVED			
ANTIMONY	01097	WAIVED			
ARSENIC	01002	WAIVED			
ASBESTOS	81855	WAIVED			
BARIUM	01007	WAIVED			
BERYLLIUM	01012	WAIVED			
CADMIUM	01027	WAIVED			
CHROMIUM (TOTAL)	01034	WAIVED			
CYANIDE	01291	WAIVED			
FLUORIDE (F) (NATURAL-SOURCE)	00951	WAIVED			
LEAD	01051	WAIVED			
MERCURY	71900	WAIVED			
NICKEL	01067	WAIVED			
PERCHLORATE	A-031	WAIVED			
SELENIUM	01147	WAIVED			
THALLIUM	01059	WAIVED			
NITRATE/NITRITE					
NITRATE (AS NO3)	71850	WAIVED			
NITRITE (AS N)	00620	WAIVED			
RADIOLOGICAL					
GROSS ALPHA	01501	WAIVED			
GROSS BETA	03501	WAIVED			
RA-226 FOR CWS OR TOTAL RA FOR NTNC BY 903.0	A-080	WAIVED			
RA-226 OR TOTAL RA BY 903.0 C.E.	A-081	WAIVED			
RADIUM 226	09501	WAIVED			
RADIUM 228	11501	WAIVED			

**Testing interval is in months;*
0 = No data for this constituent and is DUE NOW
999 = Waived testing (not required)
I = Invalid (NOT) valid analyses reported

System Number: ***2400169***

System Name: ***E & J GALLO WINERY***

PS Code: ***2400169-015***

Source Name: ***CHLORINE DIOXIDE TREATMNT PLNT-TANK 3006***

Source Number: ***015***

Source Status: ***ACTIVE TREATED***

Water type: ***GROUNDWATER OR WELL***

	STORET NUMBER	TESTING INTERVAL (MONTHS)*	LAST TEST DATE (yyyy/mm/dd)	LAST RESULT REPORTED	NEXT TEST DATE (yyyy/mm)
RADIOLOGICAL					
RADIUM, TOTAL, MDA95-NTNC ONLY, BY 903.0	A-082	WAIVED			
STRONTIUM-90	13501	WAIVED			
TRITIUM	07000	WAIVED			
URANIUM (PCI/L)	28012	WAIVED			
REGULATED SOC					
2,3,7,8-TCDD (DIOXIN)	34676	WAIVED			
2,4,5-TP (SILVEX)	39045	WAIVED			
2,4-D	39730	WAIVED			
ALACHLOR	77825	WAIVED			
ATRAZINE	39033	WAIVED			
BENTAZON	38710	WAIVED			
BENZO (A) PYRENE	34247	WAIVED			
CARBOFURAN	81405	WAIVED			
CHLORDANE	39350	WAIVED			
DALAPON	38432	WAIVED			
DI(2-ETHYLHEXYL)ADIPATE	A-026	WAIVED			
DI(2-ETHYLHEXYL)PHTHALATE	39100	WAIVED			
DIBROMOCHLOROPROPANE (DBCP)	38761	WAIVED			
DINOSEB	81287	WAIVED			
DIQUAT	78885	WAIVED			
ENDOTHALL	38926	WAIVED			
ENDRIN	39390	WAIVED			
ETHYLENE DIBROMIDE (EDB)	77651	WAIVED			
GLYPHOSATE	79743	WAIVED			
HEPTACHLOR	39410	WAIVED			
HEPTACHLOR EPOXIDE	39420	WAIVED			
HEXACHLOROBENZENE	39700	WAIVED			
HEXACHLOROCYCLOPENTADIENE	34386	WAIVED			
LINDANE	39340	WAIVED			

**Testing interval is in months;*
0 = No data for this constituent and is DUE NOW
999 = Waived testing (not required)
I = Invalid (NOT) valid analyses reported

System Number: ***2400169***

System Name: ***E & J GALLO WINERY***

PS Code: ***2400169-015***

Source Name: ***CHLORINE DIOXIDE TREATMNT PLNT-TANK 3006***

Source Number: ***015***

Source Status: ***ACTIVE TREATED***

Water type: ***GROUNDWATER OR WELL***

	STORET NUMBER	TESTING INTERVAL (MONTHS)*	LAST TEST DATE (yyyy/mm/dd)	LAST RESULT REPORTED	NEXT TEST DATE (yyyy/mm)
REGULATED SOC					
METHOXYCHLOR	39480	WAIVED			
MOLINATE	82199	WAIVED			
OXAMYL	38865	WAIVED			
PENTACHLOROPHENOL	39032	WAIVED			
PICLORAM	39720	WAIVED			
POLYCHLORINATED BIPHENYLS, TOTAL, AS DCB	39516	WAIVED			
SIMAZINE	39055	WAIVED			
THIOBENCARB	A-001	WAIVED			
TOXAPHENE	39400	WAIVED			
REGULATED VOC					
1,1,1-TRICHLOROETHANE	34506	WAIVED			
1,1,2,2-TETRACHLOROETHANE	34516	WAIVED			
1,1,2-TRICHLORO-1,2,2-TRIFLUOROETHANE	81611	WAIVED			
1,1,2-TRICHLOROETHANE	34511	WAIVED			
1,1-DICHLOROETHANE	34496	WAIVED			
1,1-DICHLOROETHYLENE	34501	WAIVED			
1,2,4-TRICHLOROBENZENE	34551	WAIVED			
1,2-DICHLOROBENZENE	34536	WAIVED			
1,2-DICHLOROETHANE	34531	WAIVED			
1,2-DICHLOROPROPANE	34541	WAIVED			
1,3-DICHLOROPROPENE (TOTAL)	34561	WAIVED			
1,4-DICHLOROBENZENE	34571	WAIVED			
BENZENE	34030	WAIVED			
CARBON TETRACHLORIDE	32102	WAIVED			
CIS-1,2-DICHLOROETHYLENE	77093	WAIVED			
DICHLOROMETHANE	34423	WAIVED			
ETHYLBENZENE	34371	WAIVED			
METHYL-TERT-BUTYL-ETHER (MTBE)	46491	WAIVED			
MONOCHLOROBENZENE	34301	WAIVED			

**Testing interval is in months;*
0 = No data for this constituent and is DUE NOW
999 = Waived testing (not required)
I = Invalid (NOT) valid analyses reported

System Number: ***2400169***

System Name: ***E & J GALLO WINERY***

PS Code: ***2400169-015***

Source Name: ***CHLORINE DIOXIDE TREATMNT PLNT-TANK 3006***

Source Number: ***015***

Source Status: ***ACTIVE TREATED***

Water type: ***GROUNDWATER OR WELL***

	STORET NUMBER	TESTING INTERVAL (MONTHS)*	LAST TEST DATE (yyyy/mm/dd)	LAST RESULT REPORTED	NEXT TEST DATE (yyyy/mm)
REGULATED VOC					
STYRENE	77128	WAIVED			
TETRACHLOROETHYLENE	34475	WAIVED			
TOLUENE	34010	WAIVED			
TRANS-1,2-DICHLOROETHYLENE	34546	WAIVED			
TRICHLOROETHYLENE	39180	WAIVED			
TRICHLOROFLUOROMETHANE	34488	WAIVED			
VINYL CHLORIDE	39175	WAIVED			
XYLENES (TOTAL)	81551	WAIVED			
SECONDARY/GP					
AGGRSSIVE INDEX (CORROSIVITY)	82383	WAIVED			
BICARBONATE ALKALINITY	00440	WAIVED			
CALCIUM	00916	WAIVED			
CARBONATE ALKALINITY	00445	WAIVED			
CHLORIDE	00940	WAIVED			
COLOR	00081	WAIVED			
COPPER	01042	WAIVED			
FOAMING AGENTS (MBAS)	38260	WAIVED			
HARDNESS (TOTAL) AS CACO3	00900	WAIVED			
HYDROXIDE ALKALINITY	71830	WAIVED			
IRON	01045	WAIVED			
MAGNESIUM	00927	WAIVED			
MANGANESE	01055	WAIVED			
ODOR THRESHOLD @ 60 C	00086	WAIVED			
PH, LABORATORY	00403	WAIVED			
SILVER	01077	WAIVED			
SODIUM	00929	WAIVED			
SPECIFIC CONDUCTANCE	00095	WAIVED			
SULFATE	00945	WAIVED			
TOTAL DISSOLVED SOLIDS	70300	WAIVED			

**Testing interval is in months;*
0 = No data for this constituent and is DUE NOW
999 = Waived testing (not required)
I = Invalid (NOT) valid analyses reported

System Number: ***2400169***

System Name: ***E & J GALLO WINERY***

PS Code: ***2400169-015***

Source Name: ***CHLORINE DIOXIDE TREATMNT PLNT-TANK 3006***

Source Number: ***015***

Source Status: ***ACTIVE TREATED***

Water type: ***GROUNDWATER OR WELL***

	STORET NUMBER	TESTING INTERVAL (MONTHS)*	LAST TEST DATE (yyyy/mm/dd)	LAST RESULT REPORTED	NEXT TEST DATE (yyyy/mm)	
SECONDARY/GP						
TURBIDITY, LABORATORY	82079	WAIVED				
ZINC	01092	WAIVED				

PS Code: ***2400169-016***

Source Name: ***WELL #7-BY CANAL W OF VINEWOOD-CONN.1/06***

Source Number: ***016***

Source Status: ***ACTIVE UNTREATED***

Water type: ***GROUNDWATER OR WELL***

	STORET NUMBER	TESTING INTERVAL (MONTHS)*	LAST TEST DATE (yyyy/mm/dd)	LAST RESULT REPORTED	NEXT TEST DATE (yyyy/mm)	
GENERAL NON CHAP 15						
DIAZINON	39570	WAIVED	2007/01/23	< .250		
INORGANIC						
ALUMINUM	01105	036	2007/02/07	< 50.000	2010/02	DUE
ANTIMONY	01097	036	2007/02/07	< 6.000	2010/02	DUE
ARSENIC	01002	036	2007/02/07	2.600	2010/02	DUE
ASBESTOS	81855	WAIVED				
BARIUM	01007	036	2007/02/07	< 100.000	2010/02	DUE
BERYLLIUM	01012	036	2007/02/07	< 1.000	2010/02	DUE
CADMIUM	01027	036	2007/02/07	< 1.000	2010/02	DUE
CHROMIUM (TOTAL)	01034	036	2007/02/07	< 10.000	2010/02	DUE
CYANIDE	01291	WAIVED	2007/02/07	< 100.000		
FLUORIDE (F) (NATURAL-SOURCE)	00951	036	2007/02/07	< .100	2010/02	DUE
LEAD	01051	WAIVED	2008/06/02	< 5.000		
MERCURY	71900	036	2007/02/07	< 1.000	2010/02	DUE
NICKEL	01067	036	2007/02/07	< 10.000	2010/02	DUE
PERCHLORATE	A-031	036	2008/01/14	< 4.000	2011/01	DUE
SELENIUM	01147	036	2007/02/07	< 5.000	2010/02	DUE
THALLIUM	01059	036	2007/02/07	< 1.000	2010/02	DUE

**Testing interval is in months;*
0 = No data for this constituent and is DUE NOW
999 = Waived testing (not required)
I = Invalid (NOT) valid analyses reported

System Number: ***2400169***

System Name: ***E & J GALLO WINERY***

PS Code: ***2400169-016***

Source Name: ***WELL #7-BY CANAL W OF VINEWOOD-CONN.1/06***

Source Number: ***016***

Source Status: ***ACTIVE UNTREATED***

Water type: ***GROUNDWATER OR WELL***

	STORET NUMBER	TESTING INTERVAL (MONTHS)*	LAST TEST DATE (yyyy/mm/dd)	LAST RESULT REPORTED	NEXT TEST DATE (yyyy/mm)	
NITRATE/NITRITE						
NITRATE (AS NO3)	71850	012	2012/05/07	16.000	2013/05	
NITRITE (AS N)	00620	036	2012/04/02	< 400.000	2015/04	
RADIOLOGICAL						
GROSS ALPHA	01501	WAIVED	2007/02/01	1.080		
GROSS BETA	03501	WAIVED				
RA-226 FOR CWS OR TOTAL RA FOR NTNC BY 903.0	A-080	WAIVED				
RA-226 OR TOTAL RA BY 903.0 C.E.	A-081	WAIVED				
RADIUM 226	09501	WAIVED	2007/02/01	.030		
RADIUM 228	11501	WAIVED	2007/02/01	.420		
RADIUM, TOTAL, MDA95-NTNC ONLY, BY 903.0	A-082	WAIVED				
STRONTIUM-90	13501	WAIVED				
TRITIUM	07000	WAIVED				
URANIUM (PCI/L)	28012	WAIVED	2007/02/01	1.020		
REGULATED SOC						
2,3,7,8-TCDD (DIOXIN)	34676	WAIVED				
2,4,5-TP (SILVEX)	39045	WAIVED				
2,4-D	39730	WAIVED				
ALACHLOR	77825	036	2007/01/23	< 1.000	2010/01	DUE
ATRAZINE	39033	036	2007/01/23	< .500	2010/01	DUE
BENTAZON	38710	WAIVED				
BENZO (A) PYRENE	34247	WAIVED				
CARBOFURAN	81405	WAIVED				
CHLORDANE	39350	WAIVED				
DALAPON	38432	WAIVED				
DI(2-ETHYLHEXYL)ADIPATE	A-026	WAIVED				
DI(2-ETHYLHEXYL)PHTHALATE	39100	WAIVED				
DIBROMOCHLOROPROPANE (DBCP)	38761	036	2007/01/23	< .010	2010/01	DUE
DINOSEB	81287	WAIVED				
DIQUAT	78885	WAIVED				

**Testing interval is in months;*
0 = No data for this constituent and is DUE NOW
999 = Waived testing (not required)
I = Invalid (NOT) valid analyses reported

System Number: ***2400169***

System Name: ***E & J GALLO WINERY***

PS Code: ***2400169-016***

Source Name: ***WELL #7-BY CANAL W OF VINEWOOD-CONN.1/06***

Source Number: ***016***

Source Status: ***ACTIVE UNTREATED***

Water type: ***GROUNDWATER OR WELL***

	STORET NUMBER	TESTING INTERVAL (MONTHS)*	LAST TEST DATE (yyyy/mm/dd)	LAST RESULT REPORTED	NEXT TEST DATE (yyyy/mm)	
REGULATED SOC						
ENDOTHALL	38926	WAIVED				
ENDRIN	39390	WAIVED				
ETHYLENE DIBROMIDE (EDB)	77651	036	2007/01/23	< .020	2010/01	DUE
GLYPHOSATE	79743	WAIVED				
HEPTACHLOR	39410	WAIVED				
HEPTACHLOR EPOXIDE	39420	WAIVED				
HEXACHLOROBENZENE	39700	WAIVED				
HEXACHLOROCYCLOPENTADIENE	34386	WAIVED				
LINDANE	39340	WAIVED				
METHOXYCHLOR	39480	WAIVED				
MOLINATE	82199	WAIVED	2007/01/23	< 2.000		
OXAMYL	38865	WAIVED				
PENTACHLOROPHENOL	39032	WAIVED				
PICLORAM	39720	WAIVED				
POLYCHLORINATED BIPHENYLS, TOTAL, AS DCB	39516	WAIVED				
SIMAZINE	39055	036	2007/01/23	< 1.000	2010/01	DUE
THIOBENCARB	A-001	WAIVED	2007/01/23	< 1.000		
TOXAPHENE	39400	WAIVED				
REGULATED VOC						
1,1,1-TRICHLOROETHANE	34506	060	2007/01/23	< .500	2012/01	DUE
1,1,2,2-TETRACHLOROETHANE	34516	060	2007/01/23	< .500	2012/01	DUE
1,1,2-TRICHLORO-1,2,2-TRIFLUOROETHANE	81611	060	2007/01/23	< 10.000	2012/01	DUE
1,1,2-TRICHLOROETHANE	34511	060	2007/01/23	< .500	2012/01	DUE
1,1-DICHLOROETHANE	34496	060	2007/01/23	< .500	2012/01	DUE
1,1-DICHLOROETHYLENE	34501	060	2007/01/23	< .500	2012/01	DUE
1,2,4-TRICHLOROBENZENE	34551	060	2007/01/23	< .500	2012/01	DUE
1,2-DICHLOROBENZENE	34536	060	2007/01/23	< .500	2012/01	DUE
1,2-DICHLOROETHANE	34531	060	2007/01/23	< .500	2012/01	DUE
1,2-DICHLOROPROPANE	34541	060	2007/01/23	< .500	2012/01	DUE

**Testing interval is in months;*
0 = No data for this constituent and is DUE NOW
999 = Waived testing (not required)
I = Invalid (NOT) valid analyses reported

System Number: ***2400169***

System Name: ***E & J GALLO WINERY***

PS Code: ***2400169-016***

Source Name: ***WELL #7-BY CANAL W OF VINEWOOD-CONN.1/06***

Source Number: ***016***

Source Status: ***ACTIVE UNTREATED***

Water type: ***GROUNDWATER OR WELL***

REGULATED VOC

	STORET NUMBER	TESTING INTERVAL (MONTHS)*	LAST TEST DATE (yyyy/mm/dd)	LAST RESULT REPORTED	NEXT TEST DATE (yyyy/mm)	
1,3-DICHLOROPROPENE (TOTAL)	34561	060	2007/01/23	< .500	2012/01	DUE
1,4-DICHLOROBENZENE	34571	060	2007/01/23	< .500	2012/01	DUE
BENZENE	34030	060	2007/01/23	< .500	2012/01	DUE
CARBON TETRACHLORIDE	32102	060	2007/01/23	< .500	2012/01	DUE
CIS-1,2-DICHLOROETHYLENE	77093	060	2007/01/23	< .500	2012/01	DUE
DICHLOROMETHANE	34423	060	2007/01/23	< .500	2012/01	DUE
ETHYLBENZENE	34371	060	2007/01/23	< .500	2012/01	DUE
METHYL-TERT-BUTYL-ETHER (MTBE)	46491	060	2007/01/23	< 3.000	2012/01	DUE
MONOCHLOROBENZENE	34301	060	2007/01/23	< .500	2012/01	DUE
STYRENE	77128	060	2007/01/23	< .500	2012/01	DUE
TETRACHLOROETHYLENE	34475	060	2007/01/23	< .500	2012/01	DUE
TOLUENE	34010	060	2007/01/23	< .500	2012/01	DUE
TRANS-1,2-DICHLOROETHYLENE	34546	060	2007/01/23	< .500	2012/01	DUE
TRICHLOROETHYLENE	39180	060	2007/01/23	< .500	2012/01	DUE
TRICHLOROFLUOROMETHANE	34488	060	2007/01/23	< 5.000	2012/01	DUE
VINYL CHLORIDE	39175	060	2007/01/23	< .500	2012/01	DUE
XYLENES (TOTAL)	81551	060	2007/01/23	< .500	2012/01	DUE

SECONDARY/GP

AGGRSSIVE INDEX (CORROSIVITY)	82383	WAIVED		
BICARBONATE ALKALINITY	00440	WAIVED	2007/02/07	105.000
CALCIUM	00916	WAIVED	2007/02/07	40.300
CARBONATE ALKALINITY	00445	WAIVED	2007/02/07	< 20.000
CHLORIDE	00940	WAIVED		
COLOR	00081	WAIVED		
COPPER	01042	WAIVED	2008/06/02	< 50.000
FOAMING AGENTS (MBAS)	38260	WAIVED		
HARDNESS (TOTAL) AS CACO3	00900	WAIVED	2007/02/07	159.000
HYDROXIDE ALKALINITY	71830	WAIVED	2007/02/07	< 20.000
IRON	01045	WAIVED	2007/02/07	< 100.000

**Testing interval is in months;*
0 = No data for this constituent and is DUE NOW
999 = Waived testing (not required)
I = Invalid (NOT) valid analyses reported

System Number: ***2400169***

System Name: ***E & J GALLO WINERY***

PS Code: ***2400169-016***

Source Name: ***WELL #7-BY CANAL W OF VINEWOOD-CONN.1/06***

Source Number: ***016***

Source Status: ***ACTIVE UNTREATED***

Water type: ***GROUNDWATER OR WELL***

SECONDARY/GP

	STORET NUMBER	TESTING INTERVAL (MONTHS)*	LAST TEST DATE (yyyy/mm/dd)	LAST RESULT REPORTED	NEXT TEST DATE (yyyy/mm)
MAGNESIUM	00927	WAIVED	2007/02/07	14.200	
MANGANESE	01055	WAIVED	2007/02/07	< 20.000	
ODOR THRESHOLD @ 60 C	00086	WAIVED			
PH, LABORATORY	00403	WAIVED	2007/02/07	7.100	
SILVER	01077	WAIVED			
SODIUM	00929	WAIVED	2007/02/07	28.000	
SPECIFIC CONDUCTANCE	00095	WAIVED			
SULFATE	00945	WAIVED			
TOTAL DISSOLVED SOLIDS	70300	WAIVED			
TURBIDITY, LABORATORY	82079	WAIVED			
ZINC	01092	WAIVED			

PS Code: ***2400169-017***

Source Name: ***WELL #8-ON BLUFF E OF WINERY, 9/06***

Source Number: ***017***

Source Status: ***ACTIVE UNTREATED***

Water type: ***GROUNDWATER OR WELL***

GENERAL NON CHAP 15

DIAZINON	39570	WAIVED	2007/01/23	< .250	

INORGANIC

ALUMINUM	01105	036	2010/01/05	< 50.000	2013/01
ANTIMONY	01097	036	2010/01/05	< 6.000	2013/01
ARSENIC	01002	036	2010/01/05	2.700	2013/01
ASBESTOS	81855	WAIVED			
BARIUM	01007	036	2010/01/05	< 100.000	2013/01
BERYLLIUM	01012	036	2010/01/05	< 1.000	2013/01
CADMIUM	01027	036	2010/01/05	< 1.000	2013/01
CHROMIUM (TOTAL)	01034	036	2010/01/05	< 10.000	2013/01
CYANIDE	01291	WAIVED	2007/01/23	< 10.000	

**Testing interval is in months;*
0 = No data for this constituent and is DUE NOW
999 = Waived testing (not required)
I = Invalid (NOT) valid analyses reported

System Number: ***2400169***

System Name: ***E & J GALLO WINERY***

PS Code: ***2400169-017***

Source Name: ***WELL #8-ON BLUFF E OF WINERY, 9/06***

Source Number: ***017***

Source Status: ***ACTIVE UNTREATED***

Water type: ***GROUNDWATER OR WELL***

	STORET NUMBER	TESTING INTERVAL (MONTHS)*	LAST TEST DATE (yyyy/mm/dd)	LAST RESULT REPORTED	NEXT TEST DATE (yyyy/mm)
INORGANIC					
FLUORIDE (F) (NATURAL-SOURCE)	00951	036	2010/01/05	.220	2013/01
LEAD	01051	WAIVED	2008/06/02	< 5.000	
MERCURY	71900	036	2010/01/05	< 1.000	2013/01
NICKEL	01067	036	2010/01/05	< 10.000	2013/01
PERCHLORATE	A-031	036	2011/10/03	< 4.000	2014/10
SELENIUM	01147	036	2010/01/05	< 5.000	2013/01
THALLIUM	01059	036	2010/01/05	< 1.000	2013/01
NITRATE/NITRITE					
NITRATE (AS NO3)	71850	012	2012/05/07	23.400	2013/05
NITRITE (AS N)	00620	036	2012/04/02	< 400.000	2015/04
RADIOLOGICAL					
GROSS ALPHA	01501	WAIVED	2007/07/11	4.220	
GROSS BETA	03501	WAIVED			
RA-226 FOR CWS OR TOTAL RA FOR NTNC BY 903.0	A-080	WAIVED	2010/11/16	.140	
RA-226 OR TOTAL RA BY 903.0 C.E.	A-081	WAIVED	2010/11/16	.090	
RADIUM 226	09501	WAIVED			
RADIUM 228	11501	WAIVED			
RADIUM, TOTAL, MDA95-NTNC ONLY, BY 903.0	A-082	WAIVED			
STRONTIUM-90	13501	WAIVED			
TRITIUM	07000	WAIVED			
URANIUM (PCI/L)	28012	WAIVED	2007/07/11	5.380	
REGULATED SOC					
2,3,7,8-TCDD (DIOXIN)	34676	WAIVED			
2,4,5-TP (SILVEX)	39045	WAIVED			
2,4-D	39730	WAIVED			
ALACHLOR	77825	036	2010/01/05	< 1.000	2013/01
ATRAZINE	39033	036	2010/01/05	< .500	2013/01
BENTAZON	38710	WAIVED			

**Testing interval is in months;*
0 = No data for this constituent and is DUE NOW
999 = Waived testing (not required)
I = Invalid (NOT) valid analyses reported

System Number: ***2400169***

System Name: ***E & J GALLO WINERY***

PS Code: ***2400169-017***

Source Name: ***WELL #8-ON BLUFF E OF WINERY, 9/06***

Source Number: ***017***

Source Status: ***ACTIVE UNTREATED***

Water type: ***GROUNDWATER OR WELL***

	STORET NUMBER	TESTING INTERVAL (MONTHS)*	LAST TEST DATE (yyyy/mm/dd)	LAST RESULT REPORTED	NEXT TEST DATE (yyyy/mm)	
REGULATED SOC						
BENZO (A) PYRENE	34247	WAIVED				
CARBOFURAN	81405	WAIVED				
CHLORDANE	39350	WAIVED				
DALAPON	38432	WAIVED				
DI(2-ETHYLHEXYL)ADIPATE	A-026	WAIVED				
DI(2-ETHYLHEXYL)PHTHALATE	39100	WAIVED				
DIBROMOCHLOROPROPANE (DBCP)	38761	036	2010/01/05	< .010	2013/01	
DINOSEB	81287	WAIVED				
DIQUAT	78885	WAIVED				
ENDOTHALL	38926	WAIVED				
ENDRIN	39390	WAIVED				
ETHYLENE DIBROMIDE (EDB)	77651	036	2010/01/05	< .020	2013/01	
GLYPHOSATE	79743	WAIVED				
HEPTACHLOR	39410	WAIVED				
HEPTACHLOR EPOXIDE	39420	WAIVED				
HEXACHLOROBENZENE	39700	WAIVED				
HEXACHLOROCYCLOPENTADIENE	34386	WAIVED				
LINDANE	39340	WAIVED				
METHOXYCHLOR	39480	WAIVED				
MOLINATE	82199	WAIVED	2007/01/23	< 2.000		
OXAMYL	38865	WAIVED				
PENTACHLOROPHENOL	39032	WAIVED				
PICLORAM	39720	WAIVED				
POLYCHLORINATED BIPHENYLS, TOTAL, AS DCB	39516	WAIVED				
SIMAZINE	39055	036	2010/01/05	< 1.000	2013/01	
THIOBENCARB	A-001	WAIVED	2007/01/23	< 1.000		
TOXAPHENE	39400	WAIVED				
REGULATED VOC						
1,1,1-TRICHLOROETHANE	34506	060	2007/01/23	< .500	2012/01	DUE

**Testing interval is in months;*
0 = No data for this constituent and is DUE NOW
999 = Waived testing (not required)
I = Invalid (NOT) valid analyses reported

System Number: ***2400169***

System Name: ***E & J GALLO WINERY***

PS Code: ***2400169-017***

Source Name: ***WELL #8-ON BLUFF E OF WINERY, 9/06***

Source Number: ***017***

Source Status: ***ACTIVE UNTREATED***

Water type: ***GROUNDWATER OR WELL***

	STORET NUMBER	TESTING INTERVAL (MONTHS)*	LAST TEST DATE (yyyy/mm/dd)	LAST RESULT REPORTED	NEXT TEST DATE (yyyy/mm)	
REGULATED VOC						
1,1,2,2-TETRACHLOROETHANE	34516	060	2007/01/23	< .500	2012/01	DUE
1,1,2-TRICHLORO-1,2,2-TRIFLUOROETHANE	81611	060	2007/01/23	< 10.000	2012/01	DUE
1,1,2-TRICHLOROETHANE	34511	060	2007/01/23	< .500	2012/01	DUE
1,1-DICHLOROETHANE	34496	060	2007/01/23	< .500	2012/01	DUE
1,1-DICHLOROETHYLENE	34501	060	2007/01/23	< .500	2012/01	DUE
1,2,4-TRICHLOROBENZENE	34551	060	2007/01/23	< .500	2012/01	DUE
1,2-DICHLOROBENZENE	34536	060	2007/01/23	< .500	2012/01	DUE
1,2-DICHLOROETHANE	34531	060	2007/01/23	< .500	2012/01	DUE
1,2-DICHLOROPROPANE	34541	060	2007/01/23	< .500	2012/01	DUE
1,3-DICHLOROPROPENE (TOTAL)	34561	060	2007/01/23	< .500	2012/01	DUE
1,4-DICHLOROBENZENE	34571	060	2007/01/23	< .500	2012/01	DUE
BENZENE	34030	060	2007/01/23	< .500	2012/01	DUE
CARBON TETRACHLORIDE	32102	060	2007/01/23	< .500	2012/01	DUE
CIS-1,2-DICHLOROETHYLENE	77093	060	2007/01/23	< .500	2012/01	DUE
DICHLOROMETHANE	34423	060	2007/01/23	< .500	2012/01	DUE
ETHYLBENZENE	34371	060	2007/01/23	< .500	2012/01	DUE
METHYL-TERT-BUTYL-ETHER (MTBE)	46491	060	2007/07/11	< 3.000	2012/07	
MONOCHLOROBENZENE	34301	060	2007/01/23	< .500	2012/01	DUE
STYRENE	77128	060	2007/01/23	< .500	2012/01	DUE
TETRACHLOROETHYLENE	34475	060	2007/01/23	< .500	2012/01	DUE
TOLUENE	34010	060	2007/01/23	< .500	2012/01	DUE
TRANS-1,2-DICHLOROETHYLENE	34546	060	2007/01/23	< .500	2012/01	DUE
TRICHLOROETHYLENE	39180	060	2007/01/23	< .500	2012/01	DUE
TRICHLOROFLUOROMETHANE	34488	060	2007/01/23	< 5.000	2012/01	DUE
VINYL CHLORIDE	39175	060	2007/01/23	< .500	2012/01	DUE
XYLENES (TOTAL)	81551	060	2007/01/23	< .500	2012/01	DUE
SECONDARY/GP						
AGGRSSIVE INDEX (CORROSIVITY)	82383	WAIVED				
BICARBONATE ALKALINITY	00440	WAIVED	2007/01/23	144.000		

**Testing interval is in months;*
0 = No data for this constituent and is DUE NOW
999 = Waived testing (not required)
I = Invalid (NOT) valid analyses reported

System Number: ***2400169***

System Name: ***E & J GALLO WINERY***

PS Code: ***2400169-017***

Source Name: ***WELL #8-ON BLUFF E OF WINERY, 9/06***

Source Number: ***017***

Source Status: ***ACTIVE UNTREATED***

Water type: ***GROUNDWATER OR WELL***

SECONDARY/GP

	STORET NUMBER	TESTING INTERVAL (MONTHS)*	LAST TEST DATE (yyyy/mm/dd)	LAST RESULT REPORTED	NEXT TEST DATE (yyyy/mm)
CALCIUM	00916	WAIVED	2007/01/23	33.000	
CARBONATE ALKALINITY	00445	WAIVED	2007/01/23	< 20.000	
CHLORIDE	00940	WAIVED			
COLOR	00081	WAIVED			
COPPER	01042	WAIVED	2008/06/02	< 50.000	
FOAMING AGENTS (MBAS)	38260	WAIVED			
HARDNESS (TOTAL) AS CACO3	00900	WAIVED	2007/01/23	120.000	
HYDROXIDE ALKALINITY	71830	WAIVED	2007/01/23	< 20.000	
IRON	01045	WAIVED	2007/01/23	< 100.000	
MAGNESIUM	00927	WAIVED	2007/01/23	9.900	
MANGANESE	01055	WAIVED	2007/01/23	< 20.000	
ODOR THRESHOLD @ 60 C	00086	WAIVED			
PH, LABORATORY	00403	WAIVED	2007/01/23	7.500	
SILVER	01077	WAIVED			
SODIUM	00929	WAIVED	2007/01/23	54.300	
SPECIFIC CONDUCTANCE	00095	WAIVED			
SULFATE	00945	WAIVED			
TOTAL DISSOLVED SOLIDS	70300	WAIVED			
TURBIDITY, LABORATORY	82079	WAIVED			
ZINC	01092	WAIVED			

PS Code: ***2400169-018***

Source Name: ***WELL #9***

Source Number: ***018***

Source Status: ***ACTIVE UNTREATED***

Water type: ***GROUNDWATER OR WELL***

GENERAL NON CHAP 15

DIAZINON	39570	WAIVED	2012/04/02	< .250	

**Testing interval is in months;*
0 = No data for this constituent and is DUE NOW
999 = Waived testing (not required)
I = Invalid (NOT) valid analyses reported

System Number: 2400169
System Name: E & J GALLO WINERY

PS Code: 2400169-018
Source Name: WELL #9
Source Number: 018
Source Status: ACTIVE UNTREATED
Water type: GROUNDWATER OR WELL

	STORET NUMBER	TESTING INTERVAL (MONTHS)*	LAST TEST DATE (yyyy/mm/dd)	LAST RESULT REPORTED	NEXT TEST DATE (yyyy/mm)
INORGANIC					
ALUMINUM	01105	036	2012/01/30	< 50.000	2015/01
ANTIMONY	01097	036	2012/01/30	< 6.000	2015/01
ARSENIC	01002	036	2012/04/02	68.000	2015/04
ASBESTOS	81855	WAIVED	2009/07/27	.000	
BARIUM	01007	036	2012/01/30	< 100.000	2015/01
BERYLLIUM	01012	036	2012/01/30	< 1.000	2015/01
CADMIUM	01027	036	2012/01/30	< 1.000	2015/01
CHROMIUM (TOTAL)	01034	036	2012/01/30	< 10.000	2015/01
CYANIDE	01291	WAIVED	2009/07/27	< 100.000	
FLUORIDE (F) (NATURAL-SOURCE)	00951	036	2012/01/30	.150	2015/01
LEAD	01051	WAIVED	2009/07/27	< 5.000	
MERCURY	71900	036	2012/01/30	< 1.000	2015/01
NICKEL	01067	036	2012/01/30	< 10.000	2015/01
PERCHLORATE	A-031	036	2012/01/30	< 4.000	2015/01
SELENIUM	01147	036	2012/01/30	< 5.000	2015/01
THALLIUM	01059	036	2012/01/30	< 1.000	2015/01
NITRATE/NITRITE					
NITRATE (AS NO3)	71850	012	2012/05/07	3.000	2013/05
NITRITE (AS N)	00620	036	2012/04/02	< 400.000	2015/04
RADIOLOGICAL					
GROSS ALPHA	01501	WAIVED	2012/04/02	4.110	
GROSS BETA	03501	WAIVED			
RA-226 FOR CWS OR TOTAL RA FOR NTNC BY 903.0	A-080	WAIVED			
RA-226 OR TOTAL RA BY 903.0 C.E.	A-081	WAIVED			
RADIUM 226	09501	WAIVED			
RADIUM 228	11501	WAIVED			
RADIUM, TOTAL, MDA95-NTNC ONLY, BY 903.0	A-082	WAIVED			
STRONTIUM-90	13501	WAIVED			
TRITIUM	07000	WAIVED			

**Testing interval is in months;*
0 = No data for this constituent and is DUE NOW
999 = Waived testing (not required)
I = Invalid (NOT) valid analyses reported

System Number: ***2400169***

System Name: ***E & J GALLO WINERY***

PS Code: ***2400169-018***

Source Name: ***WELL #9***

Source Number: ***018***

Source Status: ***ACTIVE UNTREATED***

Water type: ***GROUNDWATER OR WELL***

	STORET NUMBER	TESTING INTERVAL (MONTHS)*	LAST TEST DATE (yyyy/mm/dd)	LAST RESULT REPORTED	NEXT TEST DATE (yyyy/mm)
RADIOLOGICAL					
URANIUM (PCI/L)	28012	WAIVED	2012/04/02	5.800	
REGULATED SOC					
2,3,7,8-TCDD (DIOXIN)	34676	WAIVED	2009/07/27	.000	
2,4,5-TP (SILVEX)	39045	WAIVED	2009/07/27	< 1.000	
2,4-D	39730	WAIVED	2009/07/27	< 10.000	
ALACHLOR	77825	036	2012/04/02	< 1.000	2015/04
ATRAZINE	39033	036	2012/04/02	< .500	2015/04
BENTAZON	38710	WAIVED	2009/07/27	< 2.000	
BENZO (A) PYRENE	34247	WAIVED	2009/07/27	.000	
CARBOFURAN	81405	WAIVED	2009/07/27	.000	
CHLORDANE	39350	WAIVED	2009/07/27	< .100	
DALAPON	38432	WAIVED	2009/07/27	< 10.000	
DI(2-ETHYLHEXYL)ADIPATE	A-026	WAIVED	2009/07/27	.000	
DI(2-ETHYLHEXYL)PHTHALATE	39100	WAIVED	2009/07/27	.000	
DIBROMOCHLOROPROPANE (DBCP)	38761	036	2012/04/02	< .010	2015/04
DINOSEB	81287	WAIVED	2009/07/27	< 2.000	
DIQUAT	78885	WAIVED	2009/07/27	.000	
ENDOTHALL	38926	WAIVED	2009/07/27	.000	
ENDRIN	39390	WAIVED	2009/07/27	< .100	
ETHYLENE DIBROMIDE (EDB)	77651	036	2012/04/02	< .020	2015/04
GLYPHOSATE	79743	WAIVED	2009/07/27	.000	
HEPTACHLOR	39410	WAIVED	2009/07/27	< .010	
HEPTACHLOR EPOXIDE	39420	WAIVED	2009/07/27	< .010	
HEXACHLOROBENZENE	39700	WAIVED			
HEXACHLOROCYCLOPENTADIENE	34386	WAIVED			
LINDANE	39340	WAIVED	2009/07/27	< .200	
METHOXYCHLOR	39480	WAIVED	2009/07/27	< 10.000	
MOLINATE	82199	WAIVED	2012/04/02	< 2.000	
OXAMYL	38865	WAIVED	2009/07/27	.000	

**Testing interval is in months;*
0 = No data for this constituent and is DUE NOW
999 = Waived testing (not required)
I = Invalid (NOT) valid analyses reported

System Number: ***2400169***

System Name: ***E & J GALLO WINERY***

PS Code: ***2400169-018***

Source Name: ***WELL #9***

Source Number: ***018***

Source Status: ***ACTIVE UNTREATED***

Water type: ***GROUNDWATER OR WELL***

	STORET NUMBER	TESTING INTERVAL (MONTHS)*	LAST TEST DATE (yyyy/mm/dd)	LAST RESULT REPORTED	NEXT TEST DATE (yyyy/mm)
REGULATED SOC					
PENTACHLOROPHENOL	39032	WAIVED	2009/07/27	< .200	
PICLORAM	39720	WAIVED	2009/07/27	< 1.000	
POLYCHLORINATED BIPHENYLS, TOTAL, AS DCB	39516	WAIVED			
SIMAZINE	39055	036	2012/04/02	< 1.000	2015/04
THIOBENCARB	A-001	WAIVED	2012/04/02	< 1.000	
TOXAPHENE	39400	WAIVED	2009/07/27	< 1.000	
REGULATED VOC					
1,1,1-TRICHLOROETHANE	34506	060	2012/04/02	< .500	2017/04
1,1,2,2-TETRACHLOROETHANE	34516	060	2012/04/02	< .500	2017/04
1,1,2-TRICHLORO-1,2,2-TRIFLUOROETHANE	81611	060	2012/04/02	< 10.000	2017/04
1,1,2-TRICHLOROETHANE	34511	060	2012/04/02	< .500	2017/04
1,1-DICHLOROETHANE	34496	060	2012/04/02	< .500	2017/04
1,1-DICHLOROETHYLENE	34501	060	2012/04/02	< .500	2017/04
1,2,4-TRICHLOROBENZENE	34551	060	2012/04/02	< .500	2017/04
1,2-DICHLOROBENZENE	34536	060	2012/04/02	< .500	2017/04
1,2-DICHLOROETHANE	34531	060	2012/04/02	< .500	2017/04
1,2-DICHLOROPROPANE	34541	060	2012/04/02	< .500	2017/04
1,3-DICHLOROPROPENE (TOTAL)	34561	060	2012/04/02	< .500	2017/04
1,4-DICHLOROBENZENE	34571	060	2012/04/02	< .500	2017/04
BENZENE	34030	060	2012/04/02	< .500	2017/04
CARBON TETRACHLORIDE	32102	060	2012/04/02	< .500	2017/04
CIS-1,2-DICHLOROETHYLENE	77093	060	2012/04/02	< .500	2017/04
DICHLOROMETHANE	34423	060	2012/04/02	< .500	2017/04
ETHYLBENZENE	34371	060	2012/04/02	< .500	2017/04
METHYL-TERT-BUTYL-ETHER (MTBE)	46491	060	2012/04/02	< 3.000	2017/04
MONOCHLOROBENZENE	34301	060	2012/04/02	< .500	2017/04
STYRENE	77128	060	2012/04/02	< .500	2017/04
TETRACHLOROETHYLENE	34475	060	2012/04/02	< .500	2017/04
TOLUENE	34010	060	2012/04/02	< .500	2017/04

**Testing interval is in months;*
0 = No data for this constituent and is DUE NOW
999 = Waived testing (not required)
I = Invalid (NOT) valid analyses reported

System Number: ***2400169***

System Name: ***E & J GALLO WINERY***

PS Code: ***2400169-018***

Source Name: ***WELL #9***

Source Number: ***018***

Source Status: ***ACTIVE UNTREATED***

Water type: ***GROUNDWATER OR WELL***

	STORET NUMBER	TESTING INTERVAL (MONTHS)*	LAST TEST DATE (yyyy/mm/dd)	LAST RESULT REPORTED	NEXT TEST DATE (yyyy/mm)
REGULATED VOC					
TRANS-1,2-DICHLOROETHYLENE	34546	060	2012/04/02	< .500	2017/04
TRICHLOROETHYLENE	39180	060	2012/04/02	< .500	2017/04
TRICHLOROFLUOROMETHANE	34488	060	2012/04/02	< 5.000	2017/04
VINYL CHLORIDE	39175	060	2012/04/02	< .500	2017/04
XYLENES (TOTAL)	81551	060	2012/04/02	< .500	2017/04
SECONDARY/GP					
AGGRSSIVE INDEX (CORROSIVITY)	82383	WAIVED			
BICARBONATE ALKALINITY	00440	WAIVED	2012/02/14	159.000	
CALCIUM	00916	WAIVED	2012/02/14	16.000	
CARBONATE ALKALINITY	00445	WAIVED	2012/02/14	< 12.000	
CHLORIDE	00940	WAIVED	2012/02/14	79.300	
COLOR	00081	WAIVED	2012/02/14	< 5.000	
COPPER	01042	WAIVED	2012/02/14	< 50.000	
FOAMING AGENTS (MBAS)	38260	WAIVED	2012/02/14	< .050	
HARDNESS (TOTAL) AS CACO3	00900	WAIVED	2012/02/14	54.000	
HYDROXIDE ALKALINITY	71830	WAIVED	2012/02/14	< 6.800	
IRON	01045	WAIVED	2012/02/14	< 100.000	
MAGNESIUM	00927	WAIVED	2012/02/14	3.400	
MANGANESE	01055	WAIVED	2012/02/14	24.000	
ODOR THRESHOLD @ 60 C	00086	WAIVED	2012/02/14	1.000	
PH, LABORATORY	00403	WAIVED	2012/02/14	8.600	
SILVER	01077	WAIVED	2012/02/14	< 10.000	
SODIUM	00929	WAIVED	2012/02/14	90.100	
SPECIFIC CONDUCTANCE	00095	WAIVED	2012/02/14	616.000	
SULFATE	00945	WAIVED	2012/02/14	21.800	
TOTAL DISSOLVED SOLIDS	70300	WAIVED	2012/02/14	314.000	
TURBIDITY, LABORATORY	82079	WAIVED	2012/02/14	.200	
ZINC	01092	WAIVED	2012/02/14	< 50.000	

**Testing interval is in months;*
0 = No data for this constituent and is DUE NOW
999 = Waived testing (not required)
I = Invalid (NOT) valid analyses reported

System Number: ***2400170***

System Name: ***HILMAR CHEESE***

PS Code: ***2400170-001***

Source Name: ***WELL #1-NORTH WELL***

Source Number: ***001***

Source Status: ***ACTIVE UNTREATED***

Water type: ***GROUNDWATER OR WELL***

	STORET NUMBER	TESTING INTERVAL (MONTHS)*	LAST TEST DATE (yyyy/mm/dd)	LAST RESULT REPORTED	NEXT TEST DATE (yyyy/mm)	
GENERAL NON CHAP 15						
DIAZINON	39570	WAIVED	2003/10/23	.000		
INORGANIC						
ALUMINUM	01105	036	2005/05/10	< 30.000	2008/05	DUE
ANTIMONY	01097	000				DUE
ARSENIC	01002	036	2011/05/03	8.600	2014/05	
ASBESTOS	81855	WAIVED				
BARIUM	01007	036	2005/05/10	210.000	2008/05	DUE
BERYLLIUM	01012	000				DUE
CADMIUM	01027	000				DUE
CHROMIUM (TOTAL)	01034	000				DUE
CYANIDE	01291	WAIVED				
FLUORIDE (F) (NATURAL-SOURCE)	00951	000				DUE
LEAD	01051	WAIVED				
MERCURY	71900	000				DUE
NICKEL	01067	000				DUE
PERCHLORATE	A-031	036	2008/09/02	< 1.000	2011/09	DUE
SELENIUM	01147	000				DUE
THALLIUM	01059	000				DUE
NITRATE/NITRITE						
NITRATE (AS NO3)	71850	012	2011/05/03	35.000	2012/05	
NITRITE (AS N)	00620	000				DUE
RADIOLOGICAL						
GROSS ALPHA	01501	WAIVED				
GROSS BETA	03501	WAIVED				
RA-226 FOR CWS OR TOTAL RA FOR NTNC BY 903.0	A-080	WAIVED				
RA-226 OR TOTAL RA BY 903.0 C.E.	A-081	WAIVED				
RADIUM 226	09501	WAIVED				
RADIUM 228	11501	WAIVED				

**Testing interval is in months;*
0 = No data for this constituent and is DUE NOW
999 = Waived testing (not required)
I = Invalid (NOT) valid analyses reported

System Number: ***2400170***

System Name: ***HILMAR CHEESE***

PS Code: ***2400170-001***

Source Name: ***WELL #1-NORTH WELL***

Source Number: ***001***

Source Status: ***ACTIVE UNTREATED***

Water type: ***GROUNDWATER OR WELL***

	STORET NUMBER	TESTING INTERVAL (MONTHS)*	LAST TEST DATE (yyyy/mm/dd)	LAST RESULT REPORTED	NEXT TEST DATE (yyyy/mm)	
RADIOLOGICAL						
RADIUM, TOTAL, MDA95-NTNC ONLY, BY 903.0	A-082	WAIVED				
STRONTIUM-90	13501	WAIVED				
TRITIUM	07000	WAIVED				
URANIUM (PCI/L)	28012	WAIVED				
REGULATED SOC						
2,3,7,8-TCDD (DIOXIN)	34676	WAIVED				
2,4,5-TP (SILVEX)	39045	WAIVED				
2,4-D	39730	WAIVED				
ALACHLOR	77825	036	2003/10/23	.000	2006/10	DUE
ATRAZINE	39033	036	2003/10/23	.000	2006/10	DUE
BENTAZON	38710	WAIVED				
BENZO (A) PYRENE	34247	WAIVED				
CARBOFURAN	81405	WAIVED				
CHLORDANE	39350	WAIVED	2003/10/23	.000		
DALAPON	38432	WAIVED				
DI(2-ETHYLHEXYL)ADIPATE	A-026	WAIVED				
DI(2-ETHYLHEXYL)PHTHALATE	39100	WAIVED				
DIBROMOCHLOROPROPANE (DBCP)	38761	036	2003/10/23	.000	2006/10	DUE
DINOSEB	81287	WAIVED				
DIQUAT	78885	WAIVED				
ENDOTHALL	38926	WAIVED				
ENDRIN	39390	WAIVED	2003/10/23	.000		
ETHYLENE DIBROMIDE (EDB)	77651	036	2003/10/23	.000	2006/10	DUE
GLYPHOSATE	79743	WAIVED				
HEPTACHLOR	39410	WAIVED	2003/10/23	.000		
HEPTACHLOR EPOXIDE	39420	WAIVED	2003/10/23	.000		
HEXACHLOROBENZENE	39700	WAIVED	2003/10/23	.000		
HEXACHLOROCYCLOPENTADIENE	34386	WAIVED	2003/10/23	.000		
LINDANE	39340	WAIVED	2003/10/23	.000		

**Testing interval is in months;*
0 = No data for this constituent and is DUE NOW
999 = Waived testing (not required)
I = Invalid (NOT) valid analyses reported

System Number: ***2400170***

System Name: ***HILMAR CHEESE***

PS Code: ***2400170-001***

Source Name: ***WELL #1-NORTH WELL***

Source Number: ***001***

Source Status: ***ACTIVE UNTREATED***

Water type: ***GROUNDWATER OR WELL***

	STORET NUMBER	TESTING INTERVAL (MONTHS)*	LAST TEST DATE (yyyy/mm/dd)	LAST RESULT REPORTED	NEXT TEST DATE (yyyy/mm)	
REGULATED SOC						
METHOXYCHLOR	39480	WAIVED	2003/10/23	.000		
MOLINATE	82199	WAIVED	2003/10/23	.000		
OXAMYL	38865	WAIVED				
PENTACHLOROPHENOL	39032	WAIVED				
PICLORAM	39720	WAIVED				
POLYCHLORINATED BIPHENYLS, TOTAL, AS DCB	39516	WAIVED				
SIMAZINE	39055	036	2003/10/23	.000	2006/10	DUE
THIOBENCARB	A-001	WAIVED	2003/10/23	.000		
TOXAPHENE	39400	WAIVED	2003/10/23	.000		
REGULATED VOC						
1,1,1-TRICHLOROETHANE	34506	000				DUE
1,1,2,2-TETRACHLOROETHANE	34516	000				DUE
1,1,2-TRICHLORO-1,2,2-TRIFLUOROETHANE	81611	000				DUE
1,1,2-TRICHLOROETHANE	34511	000				DUE
1,1-DICHLOROETHANE	34496	000				DUE
1,1-DICHLOROETHYLENE	34501	000				DUE
1,2,4-TRICHLOROBENZENE	34551	000				DUE
1,2-DICHLOROBENZENE	34536	000				DUE
1,2-DICHLOROETHANE	34531	000				DUE
1,2-DICHLOROPROPANE	34541	000				DUE
1,3-DICHLOROPROPENE (TOTAL)	34561	000				DUE
1,4-DICHLOROBENZENE	34571	000				DUE
BENZENE	34030	000				DUE
CARBON TETRACHLORIDE	32102	000				DUE
CIS-1,2-DICHLOROETHYLENE	77093	000				DUE
DICHLOROMETHANE	34423	000				DUE
ETHYLBENZENE	34371	000				DUE
METHYL-TERT-BUTYL-ETHER (MTBE)	46491	060	2003/10/23	.000	2008/10	DUE
MONOCHLOROBENZENE	34301	000				DUE

**Testing interval is in months;*
0 = No data for this constituent and is DUE NOW
999 = Waived testing (not required)
I = Invalid (NOT) valid analyses reported

System Number: ***2400170***

System Name: ***HILMAR CHEESE***

PS Code: ***2400170-001***

Source Name: ***WELL #1-NORTH WELL***

Source Number: ***001***

Source Status: ***ACTIVE UNTREATED***

Water type: ***GROUNDWATER OR WELL***

	STORET NUMBER	TESTING INTERVAL (MONTHS)*	LAST TEST DATE (yyyy/mm/dd)	LAST RESULT REPORTED	NEXT TEST DATE (yyyy/mm)
REGULATED VOC					
STYRENE	77128	000			DUE
TETRACHLOROETHYLENE	34475	000			DUE
TOLUENE	34010	000			DUE
TRANS-1,2-DICHLOROETHYLENE	34546	000			DUE
TRICHLOROETHYLENE	39180	000			DUE
TRICHLOROFLUOROMETHANE	34488	000			DUE
VINYL CHLORIDE	39175	000			DUE
XYLENES (TOTAL)	81551	000			DUE
SECONDARY/GP					
AGGRSSIVE INDEX (CORROSIVITY)	82383	WAIVED			
BICARBONATE ALKALINITY	00440	WAIVED	2005/05/10	340.000	
CALCIUM	00916	WAIVED	2005/05/10	71.000	
CARBONATE ALKALINITY	00445	WAIVED	2005/05/10	< 1.000	
CHLORIDE	00940	WAIVED	2005/05/10	160.000	
COLOR	00081	WAIVED			
COPPER	01042	WAIVED			
FOAMING AGENTS (MBAS)	38260	WAIVED			
HARDNESS (TOTAL) AS CACO3	00900	WAIVED	2005/05/10	280.000	
HYDROXIDE ALKALINITY	71830	WAIVED	2005/05/10	< 1.000	
IRON	01045	WAIVED	2005/05/10	< 20.000	
MAGNESIUM	00927	WAIVED	2005/05/10	24.000	
MANGANESE	01055	WAIVED	2005/05/10	60.000	
ODOR THRESHOLD @ 60 C	00086	WAIVED			
PH, LABORATORY	00403	WAIVED	2005/05/10	7.600	
SILVER	01077	WAIVED			
SODIUM	00929	WAIVED	2005/05/10	130.000	
SPECIFIC CONDUCTANCE	00095	WAIVED	2005/05/10	1200.000	
SULFATE	00945	WAIVED	2005/05/10	21.000	
TOTAL DISSOLVED SOLIDS	70300	WAIVED	2005/05/10	760.000	

**Testing interval is in months;*
0 = No data for this constituent and is DUE NOW
999 = Waived testing (not required)
I = Invalid (NOT) valid analyses reported

System Number: ***2400170***

System Name: ***HILMAR CHEESE***

PS Code: ***2400170-001***

Source Name: ***WELL #1-NORTH WELL***

Source Number: ***001***

Source Status: ***ACTIVE UNTREATED***

Water type: ***GROUNDWATER OR WELL***

	STORET NUMBER	TESTING INTERVAL (MONTHS)*	LAST TEST DATE (yyyy/mm/dd)	LAST RESULT REPORTED	NEXT TEST DATE (yyyy/mm)	
SECONDARY/GP						
TURBIDITY, LABORATORY	82079	WAIVED				
ZINC	01092	WAIVED				

PS Code: ***2400170-002***

Source Name: ***WELL #3-SOUTH WELL***

Source Number: ***002***

Source Status: ***ACTIVE UNTREATED***

Water type: ***GROUNDWATER OR WELL***

	STORET NUMBER	TESTING INTERVAL (MONTHS)*	LAST TEST DATE (yyyy/mm/dd)	LAST RESULT REPORTED	NEXT TEST DATE (yyyy/mm)	
GENERAL NON CHAP 15						
DIAZINON	39570	WAIVED	2003/10/23	.000		
INORGANIC						
ALUMINUM	01105	000				DUE
ANTIMONY	01097	000				DUE
ARSENIC	01002	036	2006/12/06	6.000	2009/12	DUE
ASBESTOS	81855	WAIVED				
BARIUM	01007	000				DUE
BERYLLIUM	01012	000				DUE
CADMIUM	01027	000				DUE
CHROMIUM (TOTAL)	01034	000				DUE
CYANIDE	01291	WAIVED				
FLUORIDE (F) (NATURAL-SOURCE)	00951	000				DUE
LEAD	01051	WAIVED				
MERCURY	71900	000				DUE
NICKEL	01067	000				DUE
PERCHLORATE	A-031	036	2008/09/02	< 1.000	2011/09	DUE
SELENIUM	01147	000				DUE
THALLIUM	01059	000				DUE

**Testing interval is in months;*
0 = No data for this constituent and is DUE NOW
999 = Waived testing (not required)
I = Invalid (NOT) valid analyses reported

System Number: ***2400170***

System Name: ***HILMAR CHEESE***

PS Code: ***2400170-002***

Source Name: ***WELL #3-SOUTH WELL***

Source Number: ***002***

Source Status: ***ACTIVE UNTREATED***

Water type: ***GROUNDWATER OR WELL***

	STORET NUMBER	TESTING INTERVAL (MONTHS)*	LAST TEST DATE (yyyy/mm/dd)	LAST RESULT REPORTED	NEXT TEST DATE (yyyy/mm)	
NITRATE/NITRITE						
NITRATE (AS NO3)	71850	012	2006/12/06	58.000	2007/12	DUE
NITRITE (AS N)	00620	000				DUE
RADIOLOGICAL						
GROSS ALPHA	01501	WAIVED				
GROSS BETA	03501	WAIVED				
RA-226 FOR CWS OR TOTAL RA FOR NTNC BY 903.0	A-080	WAIVED				
RA-226 OR TOTAL RA BY 903.0 C.E.	A-081	WAIVED				
RADIUM 226	09501	WAIVED				
RADIUM 228	11501	WAIVED				
RADIUM, TOTAL, MDA95-NTNC ONLY, BY 903.0	A-082	WAIVED				
STRONTIUM-90	13501	WAIVED				
TRITIUM	07000	WAIVED				
URANIUM (PCI/L)	28012	WAIVED				
REGULATED SOC						
2,3,7,8-TCDD (DIOXIN)	34676	WAIVED				
2,4,5-TP (SILVEX)	39045	WAIVED				
2,4-D	39730	WAIVED				
ALACHLOR	77825	036	2003/10/23	.000	2006/10	DUE
ATRAZINE	39033	036	2003/10/23	.000	2006/10	DUE
BENTAZON	38710	WAIVED				
BENZO (A) PYRENE	34247	WAIVED				
CARBOFURAN	81405	WAIVED				
CHLORDANE	39350	WAIVED	2003/10/23	.000		
DALAPON	38432	WAIVED				
DI(2-ETHYLHEXYL)ADIPATE	A-026	WAIVED				
DI(2-ETHYLHEXYL)PHTHALATE	39100	WAIVED				
DIBROMOCHLOROPROPANE (DBCP)	38761	036	2003/10/23	.000	2006/10	DUE
DINOSEB	81287	WAIVED				
DIQUAT	78885	WAIVED				

**Testing interval is in months;*
0 = No data for this constituent and is DUE NOW
999 = Waived testing (not required)
I = Invalid (NOT) valid analyses reported

System Number: ***2400170***

System Name: ***HILMAR CHEESE***

PS Code: ***2400170-002***

Source Name: ***WELL #3-SOUTH WELL***

Source Number: ***002***

Source Status: ***ACTIVE UNTREATED***

Water type: ***GROUNDWATER OR WELL***

	STORET NUMBER	TESTING INTERVAL (MONTHS)*	LAST TEST DATE (yyyy/mm/dd)	LAST RESULT REPORTED	NEXT TEST DATE (yyyy/mm)	
REGULATED SOC						
ENDOTHALL	38926	WAIVED				
ENDRIN	39390	WAIVED	2003/10/23	.000		
ETHYLENE DIBROMIDE (EDB)	77651	036	2003/10/23	.000	2006/10	DUE
GLYPHOSATE	79743	WAIVED				
HEPTACHLOR	39410	WAIVED	2003/10/23	.000		
HEPTACHLOR EPOXIDE	39420	WAIVED	2003/10/23	.000		
HEXACHLOROBENZENE	39700	WAIVED	2003/10/23	.000		
HEXACHLOROCYCLOPENTADIENE	34386	WAIVED	2003/10/23	.000		
LINDANE	39340	WAIVED	2003/10/23	.000		
METHOXYCHLOR	39480	WAIVED	2003/10/23	.000		
MOLINATE	82199	WAIVED	2003/10/23	.000		
OXAMYL	38865	WAIVED				
PENTACHLOROPHENOL	39032	WAIVED				
PICLORAM	39720	WAIVED				
POLYCHLORINATED BIPHENYLS, TOTAL, AS DCB	39516	WAIVED				
SIMAZINE	39055	036	2003/10/23	.000	2006/10	DUE
THIOBENCARB	A-001	WAIVED	2003/10/23	.000		
TOXAPHENE	39400	WAIVED	2003/10/23	.000		
REGULATED VOC						
1,1,1-TRICHLOROETHANE	34506	060	2003/10/23	.000	2008/10	DUE
1,1,2,2-TETRACHLOROETHANE	34516	060	2003/10/23	.000	2008/10	DUE
1,1,2-TRICHLORO-1,2,2-TRIFLUOROETHANE	81611	060	2003/10/23	.000	2008/10	DUE
1,1,2-TRICHLOROETHANE	34511	060	2003/10/23	.000	2008/10	DUE
1,1-DICHLOROETHANE	34496	060	2003/10/23	.000	2008/10	DUE
1,1-DICHLOROETHYLENE	34501	060	2003/10/23	.000	2008/10	DUE
1,2,4-TRICHLOROBENZENE	34551	060	2003/10/23	.000	2008/10	DUE
1,2-DICHLOROBENZENE	34536	060	2003/10/23	.000	2008/10	DUE
1,2-DICHLOROETHANE	34531	060	2003/10/23	.000	2008/10	DUE
1,2-DICHLOROPROPANE	34541	060	2003/10/23	.000	2008/10	DUE

**Testing interval is in months;*
0 = No data for this constituent and is DUE NOW
999 = Waived testing (not required)
I = Invalid (NOT) valid analyses reported

System Number: ***2400170***

System Name: ***HILMAR CHEESE***

PS Code: ***2400170-002***

Source Name: ***WELL #3-SOUTH WELL***

Source Number: ***002***

Source Status: ***ACTIVE UNTREATED***

Water type: ***GROUNDWATER OR WELL***

	STORET NUMBER	TESTING INTERVAL (MONTHS)*	LAST TEST DATE (yyyy/mm/dd)	LAST RESULT REPORTED	NEXT TEST DATE (yyyy/mm)	
REGULATED VOC						
1,3-DICHLOROPROPENE (TOTAL)	34561	060	2003/10/23	.000	2008/10	DUE
1,4-DICHLOROBENZENE	34571	060	2003/10/23	.000	2008/10	DUE
BENZENE	34030	060	2003/10/23	.000	2008/10	DUE
CARBON TETRACHLORIDE	32102	060	2003/10/23	.000	2008/10	DUE
CIS-1,2-DICHLOROETHYLENE	77093	060	2003/10/23	.000	2008/10	DUE
DICHLOROMETHANE	34423	060	2003/10/23	.000	2008/10	DUE
ETHYLBENZENE	34371	060	2003/10/23	.000	2008/10	DUE
METHYL-TERT-BUTYL-ETHER (MTBE)	46491	060	2003/10/23	.000	2008/10	DUE
MONOCHLOROBENZENE	34301	060	2003/10/23	.000	2008/10	DUE
STYRENE	77128	060	2003/10/23	.000	2008/10	DUE
TETRACHLOROETHYLENE	34475	060	2003/10/23	.000	2008/10	DUE
TOLUENE	34010	060	2003/10/23	.000	2008/10	DUE
TRANS-1,2-DICHLOROETHYLENE	34546	060	2003/10/23	.000	2008/10	DUE
TRICHLOROETHYLENE	39180	060	2003/10/23	.000	2008/10	DUE
TRICHLOROFLUOROMETHANE	34488	060	2003/10/23	.000	2008/10	DUE
VINYL CHLORIDE	39175	060	2003/10/23	.000	2008/10	DUE
XYLENES (TOTAL)	81551	060	2003/10/23	.000	2008/10	DUE
SECONDARY/GP						
AGGRSSIVE INDEX (CORROSIVITY)	82383	WAIVED				
BICARBONATE ALKALINITY	00440	000				DUE
CALCIUM	00916	000				DUE
CARBONATE ALKALINITY	00445	000				DUE
CHLORIDE	00940	WAIVED				
COLOR	00081	WAIVED				
COPPER	01042	WAIVED				
FOAMING AGENTS (MBAS)	38260	WAIVED				
HARDNESS (TOTAL) AS CACO3	00900	000				DUE
HYDROXIDE ALKALINITY	71830	000				DUE
IRON	01045	000				DUE

**Testing interval is in months;*
0 = No data for this constituent and is DUE NOW
999 = Waived testing (not required)
I = Invalid (NOT) valid analyses reported

System Number: ***2400170***

System Name: ***HILMAR CHEESE***

PS Code: ***2400170-002***

Source Name: ***WELL #3-SOUTH WELL***

Source Number: ***002***

Source Status: ***ACTIVE UNTREATED***

Water type: ***GROUNDWATER OR WELL***

	STORET NUMBER	TESTING INTERVAL (MONTHS)*	LAST TEST DATE (yyyy/mm/dd)	LAST RESULT REPORTED	NEXT TEST DATE (yyyy/mm)	
SECONDARY/GP						
MAGNESIUM	00927	000				DUE
MANGANESE	01055	000				DUE
ODOR THRESHOLD @ 60 C	00086	WAIVED				
PH, LABORATORY	00403	000				DUE
SILVER	01077	WAIVED				
SODIUM	00929	000				DUE
SPECIFIC CONDUCTANCE	00095	WAIVED				
SULFATE	00945	WAIVED				
TOTAL DISSOLVED SOLIDS	70300	WAIVED				
TURBIDITY, LABORATORY	82079	WAIVED				
ZINC	01092	WAIVED				

PS Code: ***2400170-012***

Source Name: ***BLENDING TANK FOR WELL 1 & 3***

Source Number: ***012***

Source Status: ***ACTIVE TREATED***

Water type: ***GROUNDWATER OR WELL***

GENERAL NON CHAP 15						
DIAZINON	39570	WAIVED				
INORGANIC						
ALUMINUM	01105	WAIVED				
ANTIMONY	01097	WAIVED				
ARSENIC	01002	WAIVED	2006/12/06	7.000		
ASBESTOS	81855	WAIVED				
BARIUM	01007	WAIVED				
BERYLLIUM	01012	WAIVED				
CADMIUM	01027	WAIVED				
CHROMIUM (TOTAL)	01034	WAIVED				
CYANIDE	01291	WAIVED				

**Testing interval is in months;*
0 = No data for this constituent and is DUE NOW
999 = Waived testing (not required)
I = Invalid (NOT) valid analyses reported

System Number: ***2400170***

System Name: ***HILMAR CHEESE***

PS Code: ***2400170-012***

Source Name: ***BLENDING TANK FOR WELL 1 & 3***

Source Number: ***012***

Source Status: ***ACTIVE TREATED***

Water type: ***GROUNDWATER OR WELL***

	STORET NUMBER	TESTING INTERVAL (MONTHS)*	LAST TEST DATE (yyyy/mm/dd)	LAST RESULT REPORTED	NEXT TEST DATE (yyyy/mm)
INORGANIC					
FLUORIDE (F) (NATURAL-SOURCE)	00951	WAIVED			
LEAD	01051	WAIVED			
MERCURY	71900	WAIVED			
NICKEL	01067	WAIVED			
PERCHLORATE	A-031	WAIVED			
SELENIUM	01147	WAIVED			
THALLIUM	01059	WAIVED			
NITRATE/NITRITE					
NITRATE (AS NO3)	71850	WAIVED	2009/01/06	33.000	
NITRITE (AS N)	00620	WAIVED	2008/01/03	.600	
RADIOLOGICAL					
GROSS ALPHA	01501	WAIVED			
GROSS BETA	03501	WAIVED			
RA-226 FOR CWS OR TOTAL RA FOR NTNC BY 903.0	A-080	WAIVED			
RA-226 OR TOTAL RA BY 903.0 C.E.	A-081	WAIVED			
RADIUM 226	09501	WAIVED			
RADIUM 228	11501	WAIVED			
RADIUM, TOTAL, MDA95-NTNC ONLY, BY 903.0	A-082	WAIVED			
STRONTIUM-90	13501	WAIVED			
TRITIUM	07000	WAIVED			
URANIUM (PCI/L)	28012	WAIVED			
REGULATED SOC					
2,3,7,8-TCDD (DIOXIN)	34676	WAIVED			
2,4,5-TP (SILVEX)	39045	WAIVED			
2,4-D	39730	WAIVED			
ALACHLOR	77825	WAIVED			
ATRAZINE	39033	WAIVED			
BENTAZON	38710	WAIVED			

**Testing interval is in months;*
0 = No data for this constituent and is DUE NOW
999 = Waived testing (not required)
I = Invalid (NOT) valid analyses reported

System Number: ***2400170***

System Name: ***HILMAR CHEESE***

PS Code: ***2400170-012***

Source Name: ***BLENDING TANK FOR WELL 1 & 3***

Source Number: ***012***

Source Status: ***ACTIVE TREATED***

Water type: ***GROUNDWATER OR WELL***

	STORET NUMBER	TESTING INTERVAL (MONTHS)*	LAST TEST DATE (yyyy/mm/dd)	LAST RESULT REPORTED	NEXT TEST DATE (yyyy/mm)
REGULATED SOC					
BENZO (A) PYRENE	34247	WAIVED			
CARBOFURAN	81405	WAIVED			
CHLORDANE	39350	WAIVED			
DALAPON	38432	WAIVED			
DI(2-ETHYLHEXYL)ADIPATE	A-026	WAIVED			
DI(2-ETHYLHEXYL)PHTHALATE	39100	WAIVED			
DIBROMOCHLOROPROPANE (DBCP)	38761	WAIVED			
DINOSEB	81287	WAIVED			
DIQUAT	78885	WAIVED			
ENDOTHALL	38926	WAIVED			
ENDRIN	39390	WAIVED			
ETHYLENE DIBROMIDE (EDB)	77651	WAIVED			
GLYPHOSATE	79743	WAIVED			
HEPTACHLOR	39410	WAIVED			
HEPTACHLOR EPOXIDE	39420	WAIVED			
HEXACHLOROBENZENE	39700	WAIVED			
HEXACHLOROCYCLOPENTADIENE	34386	WAIVED			
LINDANE	39340	WAIVED			
METHOXYCHLOR	39480	WAIVED			
MOLINATE	82199	WAIVED			
OXAMYL	38865	WAIVED			
PENTACHLOROPHENOL	39032	WAIVED			
PICLORAM	39720	WAIVED			
POLYCHLORINATED BIPHENYLS, TOTAL, AS DCB	39516	WAIVED			
SIMAZINE	39055	WAIVED			
THIOBENCARB	A-001	WAIVED			
TOXAPHENE	39400	WAIVED			
REGULATED VOC					
1,1,1-TRICHLOROETHANE	34506	WAIVED			

**Testing interval is in months;*
0 = No data for this constituent and is DUE NOW
999 = Waived testing (not required)
I = Invalid (NOT) valid analyses reported

System Number: ***2400170***

System Name: ***HILMAR CHEESE***

PS Code: ***2400170-012***

Source Name: ***BLENDING TANK FOR WELL 1 & 3***

Source Number: ***012***

Source Status: ***ACTIVE TREATED***

Water type: ***GROUNDWATER OR WELL***

	STORET NUMBER	TESTING INTERVAL (MONTHS)*	LAST TEST DATE (yyyy/mm/dd)	LAST RESULT REPORTED	NEXT TEST DATE (yyyy/mm)
REGULATED VOC					
1,1,2,2-TETRACHLOROETHANE	34516	WAIVED			
1,1,2-TRICHLORO-1,2,2-TRIFLUOROETHANE	81611	WAIVED			
1,1,2-TRICHLOROETHANE	34511	WAIVED			
1,1-DICHLOROETHANE	34496	WAIVED			
1,1-DICHLOROETHYLENE	34501	WAIVED			
1,2,4-TRICHLOROBENZENE	34551	WAIVED			
1,2-DICHLOROBENZENE	34536	WAIVED			
1,2-DICHLOROETHANE	34531	WAIVED			
1,2-DICHLOROPROPANE	34541	WAIVED			
1,3-DICHLOROPROPENE (TOTAL)	34561	WAIVED			
1,4-DICHLOROBENZENE	34571	WAIVED			
BENZENE	34030	WAIVED			
CARBON TETRACHLORIDE	32102	WAIVED			
CIS-1,2-DICHLOROETHYLENE	77093	WAIVED			
DICHLOROMETHANE	34423	WAIVED			
ETHYLBENZENE	34371	WAIVED			
METHYL-TERT-BUTYL-ETHER (MTBE)	46491	WAIVED			
MONOCHLOROBENZENE	34301	WAIVED			
STYRENE	77128	WAIVED			
TETRACHLOROETHYLENE	34475	WAIVED			
TOLUENE	34010	WAIVED			
TRANS-1,2-DICHLOROETHYLENE	34546	WAIVED			
TRICHLOROETHYLENE	39180	WAIVED			
TRICHLOROFLUOROMETHANE	34488	WAIVED			
VINYL CHLORIDE	39175	WAIVED			
XYLENES (TOTAL)	81551	WAIVED			
SECONDARY/GP					
AGGRSSIVE INDEX (CORROSIVITY)	82383	WAIVED			
BICARBONATE ALKALINITY	00440	WAIVED			

**Testing interval is in months;*
0 = No data for this constituent and is DUE NOW
999 = Waived testing (not required)
I = Invalid (NOT) valid analyses reported

System Number: ***2400170***

System Name: ***HILMAR CHEESE***

PS Code: ***2400170-012***

Source Name: ***BLENDING TANK FOR WELL 1 & 3***

Source Number: ***012***

Source Status: ***ACTIVE TREATED***

Water type: ***GROUNDWATER OR WELL***

SECONDARY/GP

	STORET NUMBER	TESTING INTERVAL (MONTHS)*	LAST TEST DATE (yyyy/mm/dd)	LAST RESULT REPORTED	NEXT TEST DATE (yyyy/mm)
CALCIUM	00916	WAIVED			
CARBONATE ALKALINITY	00445	WAIVED			
CHLORIDE	00940	WAIVED			
COLOR	00081	WAIVED			
COPPER	01042	WAIVED			
FOAMING AGENTS (MBAS)	38260	WAIVED			
HARDNESS (TOTAL) AS CACO3	00900	WAIVED			
HYDROXIDE ALKALINITY	71830	WAIVED			
IRON	01045	WAIVED			
MAGNESIUM	00927	WAIVED			
MANGANESE	01055	WAIVED			
ODOR THRESHOLD @ 60 C	00086	WAIVED			
PH, LABORATORY	00403	WAIVED			
SILVER	01077	WAIVED			
SODIUM	00929	WAIVED			
SPECIFIC CONDUCTANCE	00095	WAIVED			
SULFATE	00945	WAIVED			
TOTAL DISSOLVED SOLIDS	70300	WAIVED			
TURBIDITY, LABORATORY	82079	WAIVED			
ZINC	01092	WAIVED			

PS Code: ***2400170-013***

Source Name: ***WELL #4-OSLO WELL (DRILLED 5/16/03)***

Source Number: ***013***

Source Status: ***ACTIVE UNTREATED***

Water type: ***GROUNDWATER OR WELL***

GENERAL NON CHAP 15

DIAZINON	39570	WAIVED			

**Testing interval is in months;*
0 = No data for this constituent and is DUE NOW
999 = Waived testing (not required)
I = Invalid (NOT) valid analyses reported

System Number: ***2400170***

System Name: ***HILMAR CHEESE***

PS Code: ***2400170-013***

Source Name: ***WELL #4-OSLO WELL (DRILLED 5/16/03)***

Source Number: ***013***

Source Status: ***ACTIVE UNTREATED***

Water type: ***GROUNDWATER OR WELL***

	STORET NUMBER	TESTING INTERVAL (MONTHS)*	LAST TEST DATE (yyyy/mm/dd)	LAST RESULT REPORTED	NEXT TEST DATE (yyyy/mm)	
INORGANIC						
ALUMINUM	01105	000				DUE
ANTIMONY	01097	000				DUE
ARSENIC	01002	036	2012/04/03	31.000	2015/04	
ASBESTOS	81855	WAIVED				
BARIUM	01007	036	2005/07/08	320.000	2008/07	DUE
BERYLLIUM	01012	000				DUE
CADMIUM	01027	000				DUE
CHROMIUM (TOTAL)	01034	000				DUE
CYANIDE	01291	WAIVED				
FLUORIDE (F) (NATURAL-SOURCE)	00951	000				DUE
LEAD	01051	WAIVED				
MERCURY	71900	000				DUE
NICKEL	01067	000				DUE
PERCHLORATE	A-031	036	2011/08/30	< 4.000	2014/08	
SELENIUM	01147	000				DUE
THALLIUM	01059	000				DUE
NITRATE/NITRITE						
NITRATE (AS NO3)	71850	012	2012/01/10	< .440	2013/01	
NITRITE (AS N)	00620	000				DUE
RADIOLOGICAL						
GROSS ALPHA	01501	WAIVED	2007/10/04	2.280		
GROSS BETA	03501	WAIVED				
RA-226 FOR CWS OR TOTAL RA FOR NTNC BY 903.0	A-080	WAIVED				
RA-226 OR TOTAL RA BY 903.0 C.E.	A-081	WAIVED				
RADIUM 226	09501	WAIVED				
RADIUM 228	11501	WAIVED				
RADIUM, TOTAL, MDA95-NTNC ONLY, BY 903.0	A-082	WAIVED				
STRONTIUM-90	13501	WAIVED				
TRITIUM	07000	WAIVED				

**Testing interval is in months;*
0 = No data for this constituent and is DUE NOW
999 = Waived testing (not required)
I = Invalid (NOT) valid analyses reported

System Number: ***2400170***

System Name: ***HILMAR CHEESE***

PS Code: ***2400170-013***

Source Name: ***WELL #4-OSLO WELL (DRILLED 5/16/03)***

Source Number: ***013***

Source Status: ***ACTIVE UNTREATED***

Water type: ***GROUNDWATER OR WELL***

	STORET NUMBER	TESTING INTERVAL (MONTHS)*	LAST TEST DATE (yyyy/mm/dd)	LAST RESULT REPORTED	NEXT TEST DATE (yyyy/mm)	
RADIOLOGICAL						
URANIUM (PCI/L)	28012	WAIVED	2007/07/10	9.000		
REGULATED SOC						
2,3,7,8-TCDD (DIOXIN)	34676	WAIVED				
2,4,5-TP (SILVEX)	39045	WAIVED				
2,4-D	39730	WAIVED				
ALACHLOR	77825	036	2007/04/17	< 1.000	2010/04	DUE
ATRAZINE	39033	036	2007/04/17	< .500	2010/04	DUE
BENTAZON	38710	WAIVED				
BENZO (A) PYRENE	34247	WAIVED				
CARBOFURAN	81405	WAIVED				
CHLORDANE	39350	WAIVED				
DALAPON	38432	WAIVED				
DI(2-ETHYLHEXYL)ADIPATE	A-026	WAIVED				
DI(2-ETHYLHEXYL)PHTHALATE	39100	WAIVED				
DIBROMOCHLOROPROPANE (DBCP)	38761	036	2007/04/12	< .010	2010/04	DUE
DINOSEB	81287	WAIVED				
DIQUAT	78885	WAIVED				
ENDOTHALL	38926	WAIVED				
ENDRIN	39390	WAIVED				
ETHYLENE DIBROMIDE (EDB)	77651	036	2007/04/12	< .020	2010/04	DUE
GLYPHOSATE	79743	WAIVED				
HEPTACHLOR	39410	WAIVED				
HEPTACHLOR EPOXIDE	39420	WAIVED				
HEXACHLOROBENZENE	39700	WAIVED				
HEXACHLOROCYCLOPENTADIENE	34386	WAIVED				
LINDANE	39340	WAIVED				
METHOXYCHLOR	39480	WAIVED				
MOLINATE	82199	WAIVED				
OXAMYL	38865	WAIVED				

**Testing interval is in months;*
0 = No data for this constituent and is DUE NOW
999 = Waived testing (not required)
I = Invalid (NOT) valid analyses reported

System Number: ***2400170***

System Name: ***HILMAR CHEESE***

PS Code: ***2400170-013***

Source Name: ***WELL #4-OSLO WELL (DRILLED 5/16/03)***

Source Number: ***013***

Source Status: ***ACTIVE UNTREATED***

Water type: ***GROUNDWATER OR WELL***

	STORET NUMBER	TESTING INTERVAL (MONTHS)*	LAST TEST DATE (yyyy/mm/dd)	LAST RESULT REPORTED	NEXT TEST DATE (yyyy/mm)	
REGULATED SOC						
PENTACHLOROPHENOL	39032	WAIVED				
PICLORAM	39720	WAIVED				
POLYCHLORINATED BIPHENYLS, TOTAL, AS DCB	39516	WAIVED				
SIMAZINE	39055	036	2007/04/17	< .500	2010/04	DUE
THIOBENCARB	A-001	WAIVED				
TOXAPHENE	39400	WAIVED				
REGULATED VOC						
1,1,1-TRICHLOROETHANE	34506	060	2007/04/17	< .500	2012/04	
1,1,2,2-TETRACHLOROETHANE	34516	060	2007/04/17	< .500	2012/04	
1,1,2-TRICHLORO-1,2,2-TRIFLUOROETHANE	81611	060	2007/04/17	< .500	2012/04	
1,1,2-TRICHLOROETHANE	34511	060	2007/04/17	< .500	2012/04	
1,1-DICHLOROETHANE	34496	060	2007/04/17	< .500	2012/04	
1,1-DICHLOROETHYLENE	34501	060	2007/04/17	< .500	2012/04	
1,2,4-TRICHLOROBENZENE	34551	060	2007/04/17	< .500	2012/04	
1,2-DICHLOROBENZENE	34536	060	2007/04/17	< .500	2012/04	
1,2-DICHLOROETHANE	34531	060	2007/04/17	< .500	2012/04	
1,2-DICHLOROPROPANE	34541	060	2007/04/17	< .500	2012/04	
1,3-DICHLOROPROPENE (TOTAL)	34561	060	2007/04/17	< .500	2012/04	
1,4-DICHLOROBENZENE	34571	060	2007/04/17	< .500	2012/04	
BENZENE	34030	060	2007/04/17	< .500	2012/04	
CARBON TETRACHLORIDE	32102	060	2007/04/17	< .500	2012/04	
CIS-1,2-DICHLOROETHYLENE	77093	060	2007/04/17	< .500	2012/04	
DICHLOROMETHANE	34423	060	2007/04/17	< .500	2012/04	
ETHYLBENZENE	34371	060	2007/04/17	< .500	2012/04	
METHYL-TERT-BUTYL-ETHER (MTBE)	46491	060	2007/04/17	< 3.000	2012/04	
MONOCHLOROBENZENE	34301	060	2007/04/17	< .500	2012/04	
STYRENE	77128	060	2007/04/17	< .500	2012/04	
TETRACHLOROETHYLENE	34475	060	2007/04/17	< .500	2012/04	
TOLUENE	34010	060	2007/04/17	< .500	2012/04	

**Testing interval is in months;*
0 = No data for this constituent and is DUE NOW
999 = Waived testing (not required)
I = Invalid (NOT) valid analyses reported

System Number: ***2400170***

System Name: ***HILMAR CHEESE***

PS Code: ***2400170-013***

Source Name: ***WELL #4-OSLO WELL (DRILLED 5/16/03)***

Source Number: ***013***

Source Status: ***ACTIVE UNTREATED***

Water type: ***GROUNDWATER OR WELL***

	STORET NUMBER	TESTING INTERVAL (MONTHS)*	LAST TEST DATE (yyyy/mm/dd)	LAST RESULT REPORTED	NEXT TEST DATE (yyyy/mm)	
REGULATED VOC						
TRANS-1,2-DICHLOROETHYLENE	34546	060	2007/04/17	< .500	2012/04	
TRICHLOROETHYLENE	39180	060	2007/04/17	< .500	2012/04	
TRICHLOROFLUOROMETHANE	34488	060	2007/04/17	< .500	2012/04	
VINYL CHLORIDE	39175	060	2007/04/17	< .500	2012/04	
XYLENES (TOTAL)	81551	060	2007/04/17	< .500	2012/04	
SECONDARY/GP						
AGGRSSIVE INDEX (CORROSIVITY)	82383	WAIVED				
BICARBONATE ALKALINITY	00440	000				DUE
CALCIUM	00916	000				DUE
CARBONATE ALKALINITY	00445	000				DUE
CHLORIDE	00940	WAIVED				
COLOR	00081	WAIVED				
COPPER	01042	WAIVED				
FOAMING AGENTS (MBAS)	38260	WAIVED				
HARDNESS (TOTAL) AS CACO3	00900	000				DUE
HYDROXIDE ALKALINITY	71830	000				DUE
IRON	01045	000				DUE
MAGNESIUM	00927	000				DUE
MANGANESE	01055	000				DUE
ODOR THRESHOLD @ 60 C	00086	WAIVED				
PH, LABORATORY	00403	000				DUE
SILVER	01077	WAIVED				
SODIUM	00929	000				DUE
SPECIFIC CONDUCTANCE	00095	WAIVED				
SULFATE	00945	WAIVED				
TOTAL DISSOLVED SOLIDS	70300	WAIVED				
TURBIDITY, LABORATORY	82079	WAIVED				
ZINC	01092	WAIVED				

**Testing interval is in months;*
0 = No data for this constituent and is DUE NOW
999 = Waived testing (not required)
I = Invalid (NOT) valid analyses reported

System Number: ***2400170***

System Name: ***HILMAR CHEESE***

PS Code: ***2400170-014***

Source Name: ***CHLORINATOR FOR WELL 1 & 3***

Source Number: ***014***

Source Status: ***ACTIVE TREATED***

Water type: ***GROUNDWATER OR WELL***

	STORET NUMBER	TESTING INTERVAL (MONTHS)*	LAST TEST DATE (yyyy/mm/dd)	LAST RESULT REPORTED	NEXT TEST DATE (yyyy/mm)
GENERAL NON CHAP 15					
DIAZINON	39570	WAIVED			
INORGANIC					
ALUMINUM	01105	WAIVED			
ANTIMONY	01097	WAIVED			
ARSENIC	01002	WAIVED			
ASBESTOS	81855	WAIVED			
BARIUM	01007	WAIVED			
BERYLLIUM	01012	WAIVED			
CADMIUM	01027	WAIVED			
CHROMIUM (TOTAL)	01034	WAIVED			
CYANIDE	01291	WAIVED			
FLUORIDE (F) (NATURAL-SOURCE)	00951	WAIVED			
LEAD	01051	WAIVED			
MERCURY	71900	WAIVED			
NICKEL	01067	WAIVED			
PERCHLORATE	A-031	WAIVED			
SELENIUM	01147	WAIVED			
THALLIUM	01059	WAIVED			
NITRATE/NITRITE					
NITRATE (AS NO3)	71850	WAIVED			
NITRITE (AS N)	00620	WAIVED			
RADIOLOGICAL					
GROSS ALPHA	01501	WAIVED			
GROSS BETA	03501	WAIVED			
RA-226 FOR CWS OR TOTAL RA FOR NTNC BY 903.0	A-080	WAIVED			
RA-226 OR TOTAL RA BY 903.0 C.E.	A-081	WAIVED			
RADIUM 226	09501	WAIVED			
RADIUM 228	11501	WAIVED			

**Testing interval is in months;*
0 = No data for this constituent and is DUE NOW
999 = Waived testing (not required)
I = Invalid (NOT) valid analyses reported

System Number: ***2400170***

System Name: ***HILMAR CHEESE***

PS Code: ***2400170-014***

Source Name: ***CHLORINATOR FOR WELL 1 & 3***

Source Number: ***014***

Source Status: ***ACTIVE TREATED***

Water type: ***GROUNDWATER OR WELL***

	STORET NUMBER	TESTING INTERVAL (MONTHS)*	LAST TEST DATE (yyyy/mm/dd)	LAST RESULT REPORTED	NEXT TEST DATE (yyyy/mm)
RADIOLOGICAL					
RADIUM, TOTAL, MDA95-NTNC ONLY, BY 903.0	A-082	WAIVED			
STRONTIUM-90	13501	WAIVED			
TRITIUM	07000	WAIVED			
URANIUM (PCI/L)	28012	WAIVED			
REGULATED SOC					
2,3,7,8-TCDD (DIOXIN)	34676	WAIVED			
2,4,5-TP (SILVEX)	39045	WAIVED			
2,4-D	39730	WAIVED			
ALACHLOR	77825	WAIVED			
ATRAZINE	39033	WAIVED			
BENTAZON	38710	WAIVED			
BENZO (A) PYRENE	34247	WAIVED			
CARBOFURAN	81405	WAIVED			
CHLORDANE	39350	WAIVED			
DALAPON	38432	WAIVED			
DI(2-ETHYLHEXYL)ADIPATE	A-026	WAIVED			
DI(2-ETHYLHEXYL)PHTHALATE	39100	WAIVED			
DIBROMOCHLOROPROPANE (DBCP)	38761	WAIVED			
DINOSEB	81287	WAIVED			
DIQUAT	78885	WAIVED			
ENDOTHALL	38926	WAIVED			
ENDRIN	39390	WAIVED			
ETHYLENE DIBROMIDE (EDB)	77651	WAIVED			
GLYPHOSATE	79743	WAIVED			
HEPTACHLOR	39410	WAIVED			
HEPTACHLOR EPOXIDE	39420	WAIVED			
HEXACHLOROBENZENE	39700	WAIVED			
HEXACHLOROCYCLOPENTADIENE	34386	WAIVED			
LINDANE	39340	WAIVED			

**Testing interval is in months;*
0 = No data for this constituent and is DUE NOW
999 = Waived testing (not required)
I = Invalid (NOT) valid analyses reported

System Number: ***2400170***

System Name: ***HILMAR CHEESE***

PS Code: ***2400170-014***

Source Name: ***CHLORINATOR FOR WELL 1 & 3***

Source Number: ***014***

Source Status: ***ACTIVE TREATED***

Water type: ***GROUNDWATER OR WELL***

	STORET NUMBER	TESTING INTERVAL (MONTHS)*	LAST TEST DATE (yyyy/mm/dd)	LAST RESULT REPORTED	NEXT TEST DATE (yyyy/mm)
REGULATED SOC					
METHOXYCHLOR	39480	WAIVED			
MOLINATE	82199	WAIVED			
OXAMYL	38865	WAIVED			
PENTACHLOROPHENOL	39032	WAIVED			
PICLORAM	39720	WAIVED			
POLYCHLORINATED BIPHENYLS, TOTAL, AS DCB	39516	WAIVED			
SIMAZINE	39055	WAIVED			
THIOBENCARB	A-001	WAIVED			
TOXAPHENE	39400	WAIVED			
REGULATED VOC					
1,1,1-TRICHLOROETHANE	34506	WAIVED			
1,1,2,2-TETRACHLOROETHANE	34516	WAIVED			
1,1,2-TRICHLORO-1,2,2-TRIFLUOROETHANE	81611	WAIVED			
1,1,2-TRICHLOROETHANE	34511	WAIVED			
1,1-DICHLOROETHANE	34496	WAIVED			
1,1-DICHLOROETHYLENE	34501	WAIVED			
1,2,4-TRICHLOROBENZENE	34551	WAIVED			
1,2-DICHLOROBENZENE	34536	WAIVED			
1,2-DICHLOROETHANE	34531	WAIVED			
1,2-DICHLOROPROPANE	34541	WAIVED			
1,3-DICHLOROPROPENE (TOTAL)	34561	WAIVED			
1,4-DICHLOROBENZENE	34571	WAIVED			
BENZENE	34030	WAIVED			
CARBON TETRACHLORIDE	32102	WAIVED			
CIS-1,2-DICHLOROETHYLENE	77093	WAIVED			
DICHLOROMETHANE	34423	WAIVED			
ETHYLBENZENE	34371	WAIVED			
METHYL-TERT-BUTYL-ETHER (MTBE)	46491	WAIVED			
MONOCHLOROBENZENE	34301	WAIVED			

**Testing interval is in months;*
0 = No data for this constituent and is DUE NOW
999 = Waived testing (not required)
I = Invalid (NOT) valid analyses reported

System Number: ***2400170***

System Name: ***HILMAR CHEESE***

PS Code: ***2400170-014***

Source Name: ***CHLORINATOR FOR WELL 1 & 3***

Source Number: ***014***

Source Status: ***ACTIVE TREATED***

Water type: ***GROUNDWATER OR WELL***

	STORET NUMBER	TESTING INTERVAL (MONTHS)*	LAST TEST DATE (yyyy/mm/dd)	LAST RESULT REPORTED	NEXT TEST DATE (yyyy/mm)
REGULATED VOC					
STYRENE	77128	WAIVED			
TETRACHLOROETHYLENE	34475	WAIVED			
TOLUENE	34010	WAIVED			
TRANS-1,2-DICHLOROETHYLENE	34546	WAIVED			
TRICHLOROETHYLENE	39180	WAIVED			
TRICHLOROFLUOROMETHANE	34488	WAIVED			
VINYL CHLORIDE	39175	WAIVED			
XYLENES (TOTAL)	81551	WAIVED			
SECONDARY/GP					
AGGRSSIVE INDEX (CORROSIVITY)	82383	WAIVED			
BICARBONATE ALKALINITY	00440	WAIVED			
CALCIUM	00916	WAIVED			
CARBONATE ALKALINITY	00445	WAIVED			
CHLORIDE	00940	WAIVED			
COLOR	00081	WAIVED			
COPPER	01042	WAIVED			
FOAMING AGENTS (MBAS)	38260	WAIVED			
HARDNESS (TOTAL) AS CACO3	00900	WAIVED			
HYDROXIDE ALKALINITY	71830	WAIVED			
IRON	01045	WAIVED			
MAGNESIUM	00927	WAIVED			
MANGANESE	01055	WAIVED			
ODOR THRESHOLD @ 60 C	00086	WAIVED			
PH, LABORATORY	00403	WAIVED			
SILVER	01077	WAIVED			
SODIUM	00929	WAIVED			
SPECIFIC CONDUCTANCE	00095	WAIVED			
SULFATE	00945	WAIVED			
TOTAL DISSOLVED SOLIDS	70300	WAIVED			

**Testing interval is in months;*
0 = No data for this constituent and is DUE NOW
999 = Waived testing (not required)
I = Invalid (NOT) valid analyses reported

System Number: ***2400170***

System Name: ***HILMAR CHEESE***

PS Code: ***2400170-014***

Source Name: ***CHLORINATOR FOR WELL 1 & 3***

Source Number: ***014***

Source Status: ***ACTIVE TREATED***

Water type: ***GROUNDWATER OR WELL***

	STORET NUMBER	TESTING INTERVAL (MONTHS)*	LAST TEST DATE (yyyy/mm/dd)	LAST RESULT REPORTED	NEXT TEST DATE (yyyy/mm)
SECONDARY/GP					
TURBIDITY, LABORATORY	82079	WAIVED			
ZINC	01092	WAIVED			

PS Code: ***2400170-015***

Source Name: ***CHLORINATOR FOR WELL 4***

Source Number: ***015***

Source Status: ***ACTIVE TREATED***

Water type: ***GROUNDWATER OR WELL***

GENERAL NON CHAP 15					
DIAZINON	39570	WAIVED			
INORGANIC					
ALUMINUM	01105	WAIVED			
ANTIMONY	01097	WAIVED			
ARSENIC	01002	WAIVED			
ASBESTOS	81855	WAIVED			
BARIUM	01007	WAIVED			
BERYLLIUM	01012	WAIVED			
CADMIUM	01027	WAIVED			
CHROMIUM (TOTAL)	01034	WAIVED			
CYANIDE	01291	WAIVED			
FLUORIDE (F) (NATURAL-SOURCE)	00951	WAIVED			
LEAD	01051	WAIVED			
MERCURY	71900	WAIVED			
NICKEL	01067	WAIVED			
PERCHLORATE	A-031	WAIVED			
SELENIUM	01147	WAIVED			
THALLIUM	01059	WAIVED			

**Testing interval is in months;*
0 = No data for this constituent and is DUE NOW
999 = Waived testing (not required)
I = Invalid (NOT) valid analyses reported

System Number: ***2400170***

System Name: ***HILMAR CHEESE***

PS Code: ***2400170-015***

Source Name: ***CHLORINATOR FOR WELL 4***

Source Number: ***015***

Source Status: ***ACTIVE TREATED***

Water type: ***GROUNDWATER OR WELL***

	STORET NUMBER	TESTING INTERVAL (MONTHS)*	LAST TEST DATE (yyyy/mm/dd)	LAST RESULT REPORTED	NEXT TEST DATE (yyyy/mm)
NITRATE/NITRITE					
NITRATE (AS NO3)	71850	WAIVED			
NITRITE (AS N)	00620	WAIVED			
RADIOLOGICAL					
GROSS ALPHA	01501	WAIVED			
GROSS BETA	03501	WAIVED			
RA-226 FOR CWS OR TOTAL RA FOR NTNC BY 903.0	A-080	WAIVED			
RA-226 OR TOTAL RA BY 903.0 C.E.	A-081	WAIVED			
RADIUM 226	09501	WAIVED			
RADIUM 228	11501	WAIVED			
RADIUM, TOTAL, MDA95-NTNC ONLY, BY 903.0	A-082	WAIVED			
STRONTIUM-90	13501	WAIVED			
TRITIUM	07000	WAIVED			
URANIUM (PCI/L)	28012	WAIVED			
REGULATED SOC					
2,3,7,8-TCDD (DIOXIN)	34676	WAIVED			
2,4,5-TP (SILVEX)	39045	WAIVED			
2,4-D	39730	WAIVED			
ALACHLOR	77825	WAIVED			
ATRAZINE	39033	WAIVED			
BENTAZON	38710	WAIVED			
BENZO (A) PYRENE	34247	WAIVED			
CARBOFURAN	81405	WAIVED			
CHLORDANE	39350	WAIVED			
DALAPON	38432	WAIVED			
DI(2-ETHYLHEXYL)ADIPATE	A-026	WAIVED			
DI(2-ETHYLHEXYL)PHTHALATE	39100	WAIVED			
DIBROMOCHLOROPROPANE (DBCP)	38761	WAIVED			
DINOSEB	81287	WAIVED			
DIQUAT	78885	WAIVED			

**Testing interval is in months;*
0 = No data for this constituent and is DUE NOW
999 = Waived testing (not required)
I = Invalid (NOT) valid analyses reported

System Number: ***2400170***

System Name: ***HILMAR CHEESE***

PS Code: ***2400170-015***

Source Name: ***CHLORINATOR FOR WELL 4***

Source Number: ***015***

Source Status: ***ACTIVE TREATED***

Water type: ***GROUNDWATER OR WELL***

	STORET NUMBER	TESTING INTERVAL (MONTHS)*	LAST TEST DATE (yyyy/mm/dd)	LAST RESULT REPORTED	NEXT TEST DATE (yyyy/mm)
REGULATED SOC					
ENDOTHALL	38926	WAIVED			
ENDRIN	39390	WAIVED			
ETHYLENE DIBROMIDE (EDB)	77651	WAIVED			
GLYPHOSATE	79743	WAIVED			
HEPTACHLOR	39410	WAIVED			
HEPTACHLOR EPOXIDE	39420	WAIVED			
HEXACHLOROBENZENE	39700	WAIVED			
HEXACHLOROCYCLOPENTADIENE	34386	WAIVED			
LINDANE	39340	WAIVED			
METHOXYCHLOR	39480	WAIVED			
MOLINATE	82199	WAIVED			
OXAMYL	38865	WAIVED			
PENTACHLOROPHENOL	39032	WAIVED			
PICLORAM	39720	WAIVED			
POLYCHLORINATED BIPHENYLS, TOTAL, AS DCB	39516	WAIVED			
SIMAZINE	39055	WAIVED			
THIOBENCARB	A-001	WAIVED			
TOXAPHENE	39400	WAIVED			
REGULATED VOC					
1,1,1-TRICHLOROETHANE	34506	WAIVED			
1,1,2,2-TETRACHLOROETHANE	34516	WAIVED			
1,1,2-TRICHLORO-1,2,2-TRIFLUOROETHANE	81611	WAIVED			
1,1,2-TRICHLOROETHANE	34511	WAIVED			
1,1-DICHLOROETHANE	34496	WAIVED			
1,1-DICHLOROETHYLENE	34501	WAIVED			
1,2,4-TRICHLOROBENZENE	34551	WAIVED			
1,2-DICHLOROBENZENE	34536	WAIVED			
1,2-DICHLOROETHANE	34531	WAIVED			
1,2-DICHLOROPROPANE	34541	WAIVED			

**Testing interval is in months;*
0 = No data for this constituent and is DUE NOW
999 = Waived testing (not required)
I = Invalid (NOT) valid analyses reported

System Number: ***2400170***

System Name: ***HILMAR CHEESE***

PS Code: ***2400170-015***

Source Name: ***CHLORINATOR FOR WELL 4***

Source Number: ***015***

Source Status: ***ACTIVE TREATED***

Water type: ***GROUNDWATER OR WELL***

	STORET NUMBER	TESTING INTERVAL (MONTHS)*	LAST TEST DATE (yyyy/mm/dd)	LAST RESULT REPORTED	NEXT TEST DATE (yyyy/mm)
REGULATED VOC					
1,3-DICHLOROPROPENE (TOTAL)	34561	WAIVED			
1,4-DICHLOROBENZENE	34571	WAIVED			
BENZENE	34030	WAIVED			
CARBON TETRACHLORIDE	32102	WAIVED			
CIS-1,2-DICHLOROETHYLENE	77093	WAIVED			
DICHLOROMETHANE	34423	WAIVED			
ETHYLBENZENE	34371	WAIVED			
METHYL-TERT-BUTYL-ETHER (MTBE)	46491	WAIVED			
MONOCHLOROBENZENE	34301	WAIVED			
STYRENE	77128	WAIVED			
TETRACHLOROETHYLENE	34475	WAIVED			
TOLUENE	34010	WAIVED			
TRANS-1,2-DICHLOROETHYLENE	34546	WAIVED			
TRICHLOROETHYLENE	39180	WAIVED			
TRICHLOROFLUOROMETHANE	34488	WAIVED			
VINYL CHLORIDE	39175	WAIVED			
XYLENES (TOTAL)	81551	WAIVED			
SECONDARY/GP					
AGGRSSIVE INDEX (CORROSIVITY)	82383	WAIVED			
BICARBONATE ALKALINITY	00440	WAIVED			
CALCIUM	00916	WAIVED			
CARBONATE ALKALINITY	00445	WAIVED			
CHLORIDE	00940	WAIVED			
COLOR	00081	WAIVED			
COPPER	01042	WAIVED			
FOAMING AGENTS (MBAS)	38260	WAIVED			
HARDNESS (TOTAL) AS CACO3	00900	WAIVED			
HYDROXIDE ALKALINITY	71830	WAIVED			
IRON	01045	WAIVED			

**Testing interval is in months;*
0 = No data for this constituent and is DUE NOW
999 = Waived testing (not required)
I = Invalid (NOT) valid analyses reported

System Number: ***2400170***

System Name: ***HILMAR CHEESE***

PS Code: ***2400170-015***

Source Name: ***CHLORINATOR FOR WELL 4***

Source Number: ***015***

Source Status: ***ACTIVE TREATED***

Water type: ***GROUNDWATER OR WELL***

	STORET NUMBER	TESTING INTERVAL (MONTHS)*	LAST TEST DATE (yyyy/mm/dd)	LAST RESULT REPORTED	NEXT TEST DATE (yyyy/mm)
SECONDARY/GP					
MAGNESIUM	00927	WAIVED			
MANGANESE	01055	WAIVED			
ODOR THRESHOLD @ 60 C	00086	WAIVED			
PH, LABORATORY	00403	WAIVED			
SILVER	01077	WAIVED			
SODIUM	00929	WAIVED			
SPECIFIC CONDUCTANCE	00095	WAIVED			
SULFATE	00945	WAIVED			
TOTAL DISSOLVED SOLIDS	70300	WAIVED			
TURBIDITY, LABORATORY	82079	WAIVED			
ZINC	01092	WAIVED			

PS Code: ***2400170-016***

Source Name: ***WELL #5 - AT STORAGE TANK***

Source Number: ***016***

Source Status: ***ACTIVE UNTREATED***

Water type: ***GROUNDWATER OR WELL***

GENERAL NON CHAP 15					
DIAZINON	39570	WAIVED			
INORGANIC					
ALUMINUM	01105	036	2010/10/11	< 50.000	2013/10
ANTIMONY	01097	036	2010/10/11	< 2.000	2013/10
ARSENIC	01002	036	2012/04/10	140.000	2015/04
ASBESTOS	81855	WAIVED			
BARIUM	01007	036	2010/10/11	86.000	2013/10
BERYLLIUM	01012	036	2010/10/11	< 1.000	2013/10
CADMIUM	01027	036	2010/10/11	< 1.000	2013/10
CHROMIUM (TOTAL)	01034	036	2010/10/11	< 10.000	2013/10
CYANIDE	01291	WAIVED			

**Testing interval is in months;*
0 = No data for this constituent and is DUE NOW
999 = Waived testing (not required)
I = Invalid (NOT) valid analyses reported

System Number: ***2400170***

System Name: ***HILMAR CHEESE***

PS Code: ***2400170-016***

Source Name: ***WELL #5 - AT STORAGE TANK***

Source Number: ***016***

Source Status: ***ACTIVE UNTREATED***

Water type: ***GROUNDWATER OR WELL***

	STORET NUMBER	TESTING INTERVAL (MONTHS)*	LAST TEST DATE (yyyy/mm/dd)	LAST RESULT REPORTED	NEXT TEST DATE (yyyy/mm)
INORGANIC					
FLUORIDE (F) (NATURAL-SOURCE)	00951	036	2010/10/11	.087	2013/10
LEAD	01051	WAIVED	2010/10/11	< 1.000	
MERCURY	71900	036	2010/10/11	< .200	2013/10
NICKEL	01067	036	2010/10/11	< 10.000	2013/10
PERCHLORATE	A-031	036	2011/05/17	< 4.000	2014/05
SELENIUM	01147	036	2010/10/11	< 2.000	2013/10
THALLIUM	01059	036	2010/10/11	< 1.000	2013/10
NITRATE/NITRITE					
NITRATE (AS NO3)	71850	012	2012/01/17	< .440	2013/01
NITRITE (AS N)	00620	036	2010/10/11	< 50.000	2013/10
RADIOLOGICAL					
GROSS ALPHA	01501	WAIVED	2010/10/11	< .000	
GROSS BETA	03501	WAIVED			
RA-226 FOR CWS OR TOTAL RA FOR NTNC BY 903.0	A-080	WAIVED			
RA-226 OR TOTAL RA BY 903.0 C.E.	A-081	WAIVED			
RADIUM 226	09501	WAIVED			
RADIUM 228	11501	WAIVED			
RADIUM, TOTAL, MDA95-NTNC ONLY, BY 903.0	A-082	WAIVED			
STRONTIUM-90	13501	WAIVED			
TRITIUM	07000	WAIVED			
URANIUM (PCI/L)	28012	WAIVED	2010/10/11	< .000	
REGULATED SOC					
2,3,7,8-TCDD (DIOXIN)	34676	WAIVED			
2,4,5-TP (SILVEX)	39045	WAIVED			
2,4-D	39730	WAIVED			
ALACHLOR	77825	036	2011/08/23	< .200	2014/08
ATRAZINE	39033	036	2011/08/23	< .300	2014/08
BENTAZON	38710	WAIVED			

**Testing interval is in months;*
0 = No data for this constituent and is DUE NOW
999 = Waived testing (not required)
I = Invalid (NOT) valid analyses reported

System Number: ***2400170***

System Name: ***HILMAR CHEESE***

PS Code: ***2400170-016***

Source Name: ***WELL #5 - AT STORAGE TANK***

Source Number: ***016***

Source Status: ***ACTIVE UNTREATED***

Water type: ***GROUNDWATER OR WELL***

	STORET NUMBER	TESTING INTERVAL (MONTHS)*	LAST TEST DATE (yyyy/mm/dd)	LAST RESULT REPORTED	NEXT TEST DATE (yyyy/mm)
REGULATED SOC					
BENZO (A) PYRENE	34247	WAIVED			
CARBOFURAN	81405	WAIVED			
CHLORDANE	39350	WAIVED			
DALAPON	38432	WAIVED			
DI(2-ETHYLHEXYL)ADIPATE	A-026	WAIVED			
DI(2-ETHYLHEXYL)PHTHALATE	39100	WAIVED			
DIBROMOCHLOROPROPANE (DBCP)	38761	036	2011/08/23	< .010	2014/08
DINOSEB	81287	WAIVED			
DIQUAT	78885	WAIVED			
ENDOTHALL	38926	WAIVED			
ENDRIN	39390	WAIVED			
ETHYLENE DIBROMIDE (EDB)	77651	036	2011/08/23	< .010	2014/08
GLYPHOSATE	79743	WAIVED			
HEPTACHLOR	39410	WAIVED			
HEPTACHLOR EPOXIDE	39420	WAIVED			
HEXACHLOROBENZENE	39700	WAIVED			
HEXACHLOROCYCLOPENTADIENE	34386	WAIVED			
LINDANE	39340	WAIVED			
METHOXYCHLOR	39480	WAIVED			
MOLINATE	82199	WAIVED			
OXAMYL	38865	WAIVED			
PENTACHLOROPHENOL	39032	WAIVED			
PICLORAM	39720	WAIVED			
POLYCHLORINATED BIPHENYLS, TOTAL, AS DCB	39516	WAIVED			
SIMAZINE	39055	036	2011/08/23	< .300	2014/08
THIOBENCARB	A-001	WAIVED	2010/10/11	< .500	
TOXAPHENE	39400	WAIVED			
REGULATED VOC					
1,1,1-TRICHLOROETHANE	34506	060	2011/08/23	< .500	2016/08

**Testing interval is in months;*
0 = No data for this constituent and is DUE NOW
999 = Waived testing (not required)
I = Invalid (NOT) valid analyses reported

System Number: ***2400170***

System Name: ***HILMAR CHEESE***

PS Code: ***2400170-016***

Source Name: ***WELL #5 - AT STORAGE TANK***

Source Number: ***016***

Source Status: ***ACTIVE UNTREATED***

Water type: ***GROUNDWATER OR WELL***

	STORET NUMBER	TESTING INTERVAL (MONTHS)*	LAST TEST DATE (yyyy/mm/dd)	LAST RESULT REPORTED	NEXT TEST DATE (yyyy/mm)
REGULATED VOC					
1,1,2,2-TETRACHLOROETHANE	34516	060	2011/08/23	< .500	2016/08
1,1,2-TRICHLORO-1,2,2-TRIFLUOROETHANE	81611	060	2011/08/23	< .500	2016/08
1,1,2-TRICHLOROETHANE	34511	060	2011/08/23	< .500	2016/08
1,1-DICHLOROETHANE	34496	060	2011/08/23	< .500	2016/08
1,1-DICHLOROETHYLENE	34501	060	2011/08/23	< .500	2016/08
1,2,4-TRICHLOROBENZENE	34551	060	2011/08/23	< .500	2016/08
1,2-DICHLOROBENZENE	34536	060	2011/08/23	< .500	2016/08
1,2-DICHLOROETHANE	34531	060	2011/08/23	< .500	2016/08
1,2-DICHLOROPROPANE	34541	060	2011/08/23	< .500	2016/08
1,3-DICHLOROPROPENE (TOTAL)	34561	060	2011/08/23	< .500	2016/08
1,4-DICHLOROBENZENE	34571	060	2011/08/23	< .500	2016/08
BENZENE	34030	060	2011/08/23	< .500	2016/08
CARBON TETRACHLORIDE	32102	060	2011/08/23	< .500	2016/08
CIS-1,2-DICHLOROETHYLENE	77093	060	2011/08/23	< .500	2016/08
DICHLOROMETHANE	34423	060	2011/08/23	< .500	2016/08
ETHYLBENZENE	34371	060	2011/08/23	< .500	2016/08
METHYL-TERT-BUTYL-ETHER (MTBE)	46491	060	2011/08/23	< .500	2016/08
MONOCHLOROBENZENE	34301	060	2011/08/23	< .500	2016/08
STYRENE	77128	060	2011/08/23	< .500	2016/08
TETRACHLOROETHYLENE	34475	060	2011/08/23	< .500	2016/08
TOLUENE	34010	060	2011/08/23	< .500	2016/08
TRANS-1,2-DICHLOROETHYLENE	34546	060	2011/08/23	< .500	2016/08
TRICHLOROETHYLENE	39180	060	2011/08/23	< .500	2016/08
TRICHLOROFLUOROMETHANE	34488	060	2011/08/23	< .500	2016/08
VINYL CHLORIDE	39175	060	2011/08/23	< .500	2016/08
XYLENES (TOTAL)	81551	060	2011/08/23	< 1.000	2016/08
SECONDARY/GP					
AGGRSSIVE INDEX (CORROSIVITY)	82383	WAIVED			
BICARBONATE ALKALINITY	00440	WAIVED	2010/10/11	180.000	

**Testing interval is in months;*
0 = No data for this constituent and is DUE NOW
999 = Waived testing (not required)
I = Invalid (NOT) valid analyses reported

System Number: ***2400170***

System Name: ***HILMAR CHEESE***

PS Code: ***2400170-016***

Source Name: ***WELL #5 - AT STORAGE TANK***

Source Number: ***016***

Source Status: ***ACTIVE UNTREATED***

Water type: ***GROUNDWATER OR WELL***

SECONDARY/GP

	STORET NUMBER	TESTING INTERVAL (MONTHS)*	LAST TEST DATE (yyyy/mm/dd)	LAST RESULT REPORTED	NEXT TEST DATE (yyyy/mm)
CALCIUM	00916	WAIVED	2010/10/11	20.000	
CARBONATE ALKALINITY	00445	WAIVED	2010/10/11	< 2.500	
CHLORIDE	00940	WAIVED	2010/10/11	170.000	
COLOR	00081	WAIVED	2010/10/11	10.000	
COPPER	01042	WAIVED	2010/10/11	< 10.000	
FOAMING AGENTS (MBAS)	38260	WAIVED	2010/10/11	< .200	
HARDNESS (TOTAL) AS CACO3	00900	WAIVED	2010/10/11	84.000	
HYDROXIDE ALKALINITY	71830	WAIVED	2010/10/11	< 1.400	
IRON	01045	WAIVED	2010/10/11	< 50.000	
MAGNESIUM	00927	WAIVED	2010/10/11	8.500	
MANGANESE	01055	WAIVED	2010/10/11	220.000	
ODOR THRESHOLD @ 60 C	00086	WAIVED	2010/10/11	.000	
PH, LABORATORY	00403	WAIVED	2010/10/11	7.990	
SILVER	01077	WAIVED	2010/10/11	< 10.000	
SODIUM	00929	WAIVED	2010/10/11	130.000	
SPECIFIC CONDUCTANCE	00095	WAIVED	2010/10/11	804.000	
SULFATE	00945	WAIVED	2010/10/11	1.400	
TOTAL DISSOLVED SOLIDS	70300	WAIVED	2010/10/11	480.000	
TURBIDITY, LABORATORY	82079	WAIVED	2010/10/11	1.200	
ZINC	01092	WAIVED	2010/10/11	< 50.000	

PS Code: ***2400170-017***

Source Name: ***RAW WATER -ATEC INFLOW FROM TANK***

Source Number: ***017***

Source Status: ***ACTIVE TREATED***

Water type: ***GROUNDWATER OR WELL***

GENERAL NON CHAP 15

DIAZINON	39570	WAIVED			

**Testing interval is in months;*
0 = No data for this constituent and is DUE NOW
999 = Waived testing (not required)
I = Invalid (NOT) valid analyses reported

System Number: ***2400170***

System Name: ***HILMAR CHEESE***

PS Code: ***2400170-017***

Source Name: ***RAW WATER -ATEC INFLOW FROM TANK***

Source Number: ***017***

Source Status: ***ACTIVE TREATED***

Water type: ***GROUNDWATER OR WELL***

	STORET NUMBER	TESTING INTERVAL (MONTHS)*	LAST TEST DATE (yyyy/mm/dd)	LAST RESULT REPORTED	NEXT TEST DATE (yyyy/mm)
INORGANIC					
ALUMINUM	01105	WAIVED			
ANTIMONY	01097	WAIVED			
ARSENIC	01002	WAIVED	2011/06/07	6.900	
ASBESTOS	81855	WAIVED			
BARIUM	01007	WAIVED			
BERYLLIUM	01012	WAIVED			
CADMIUM	01027	WAIVED			
CHROMIUM (TOTAL)	01034	WAIVED			
CYANIDE	01291	WAIVED			
FLUORIDE (F) (NATURAL-SOURCE)	00951	WAIVED			
LEAD	01051	WAIVED			
MERCURY	71900	WAIVED			
NICKEL	01067	WAIVED			
PERCHLORATE	A-031	WAIVED			
SELENIUM	01147	WAIVED			
THALLIUM	01059	WAIVED			
NITRATE/NITRITE					
NITRATE (AS NO3)	71850	WAIVED			
NITRITE (AS N)	00620	WAIVED			
RADIOLOGICAL					
GROSS ALPHA	01501	WAIVED			
GROSS BETA	03501	WAIVED			
RA-226 FOR CWS OR TOTAL RA FOR NTNC BY 903.0	A-080	WAIVED			
RA-226 OR TOTAL RA BY 903.0 C.E.	A-081	WAIVED			
RADIUM 226	09501	WAIVED			
RADIUM 228	11501	WAIVED			
RADIUM, TOTAL, MDA95-NTNC ONLY, BY 903.0	A-082	WAIVED			
STRONTIUM-90	13501	WAIVED			
TRITIUM	07000	WAIVED			

**Testing interval is in months;*
0 = No data for this constituent and is DUE NOW
999 = Waived testing (not required)
I = Invalid (NOT) valid analyses reported

System Number: ***2400170***

System Name: ***HILMAR CHEESE***

PS Code: ***2400170-017***

Source Name: ***RAW WATER -ATEC INFLOW FROM TANK***

Source Number: ***017***

Source Status: ***ACTIVE TREATED***

Water type: ***GROUNDWATER OR WELL***

	STORET NUMBER	TESTING INTERVAL (MONTHS)*	LAST TEST DATE (yyyy/mm/dd)	LAST RESULT REPORTED	NEXT TEST DATE (yyyy/mm)
RADIOLOGICAL					
URANIUM (PCI/L)	28012	WAIVED			
REGULATED SOC					
2,3,7,8-TCDD (DIOXIN)	34676	WAIVED			
2,4,5-TP (SILVEX)	39045	WAIVED			
2,4-D	39730	WAIVED			
ALACHLOR	77825	WAIVED			
ATRAZINE	39033	WAIVED			
BENTAZON	38710	WAIVED			
BENZO (A) PYRENE	34247	WAIVED			
CARBOFURAN	81405	WAIVED			
CHLORDANE	39350	WAIVED			
DALAPON	38432	WAIVED			
DI(2-ETHYLHEXYL)ADIPATE	A-026	WAIVED			
DI(2-ETHYLHEXYL)PHTHALATE	39100	WAIVED			
DIBROMOCHLOROPROPANE (DBCP)	38761	WAIVED			
DINOSEB	81287	WAIVED			
DIQUAT	78885	WAIVED			
ENDOTHALL	38926	WAIVED			
ENDRIN	39390	WAIVED			
ETHYLENE DIBROMIDE (EDB)	77651	WAIVED			
GLYPHOSATE	79743	WAIVED			
HEPTACHLOR	39410	WAIVED			
HEPTACHLOR EPOXIDE	39420	WAIVED			
HEXACHLOROBENZENE	39700	WAIVED			
HEXACHLOROCYCLOPENTADIENE	34386	WAIVED			
LINDANE	39340	WAIVED			
METHOXYCHLOR	39480	WAIVED			
MOLINATE	82199	WAIVED			
OXAMYL	38865	WAIVED			

**Testing interval is in months;*
0 = No data for this constituent and is DUE NOW
999 = Waived testing (not required)
I = Invalid (NOT) valid analyses reported

System Number: ***2400170***

System Name: ***HILMAR CHEESE***

PS Code: ***2400170-017***

Source Name: ***RAW WATER -ATEC INFLOW FROM TANK***

Source Number: ***017***

Source Status: ***ACTIVE TREATED***

Water type: ***GROUNDWATER OR WELL***

	STORET NUMBER	TESTING INTERVAL (MONTHS)*	LAST TEST DATE (yyyy/mm/dd)	LAST RESULT REPORTED	NEXT TEST DATE (yyyy/mm)
REGULATED SOC					
PENTACHLOROPHENOL	39032	WAIVED			
PICLORAM	39720	WAIVED			
POLYCHLORINATED BIPHENYLS, TOTAL, AS DCB	39516	WAIVED			
SIMAZINE	39055	WAIVED			
THIOBENCARB	A-001	WAIVED			
TOXAPHENE	39400	WAIVED			
REGULATED VOC					
1,1,1-TRICHLOROETHANE	34506	WAIVED			
1,1,2,2-TETRACHLOROETHANE	34516	WAIVED			
1,1,2-TRICHLORO-1,2,2-TRIFLUOROETHANE	81611	WAIVED			
1,1,2-TRICHLOROETHANE	34511	WAIVED			
1,1-DICHLOROETHANE	34496	WAIVED			
1,1-DICHLOROETHYLENE	34501	WAIVED			
1,2,4-TRICHLOROBENZENE	34551	WAIVED			
1,2-DICHLOROBENZENE	34536	WAIVED			
1,2-DICHLOROETHANE	34531	WAIVED			
1,2-DICHLOROPROPANE	34541	WAIVED			
1,3-DICHLOROPROPENE (TOTAL)	34561	WAIVED			
1,4-DICHLOROBENZENE	34571	WAIVED			
BENZENE	34030	WAIVED			
CARBON TETRACHLORIDE	32102	WAIVED			
CIS-1,2-DICHLOROETHYLENE	77093	WAIVED			
DICHLOROMETHANE	34423	WAIVED			
ETHYLBENZENE	34371	WAIVED			
METHYL-TERT-BUTYL-ETHER (MTBE)	46491	WAIVED			
MONOCHLOROBENZENE	34301	WAIVED			
STYRENE	77128	WAIVED			
TETRACHLOROETHYLENE	34475	WAIVED			
TOLUENE	34010	WAIVED			

**Testing interval is in months;*
0 = No data for this constituent and is DUE NOW
999 = Waived testing (not required)
I = Invalid (NOT) valid analyses reported

System Number: ***2400170***

System Name: ***HILMAR CHEESE***

PS Code: ***2400170-017***

Source Name: ***RAW WATER -ATEC INFLOW FROM TANK***

Source Number: ***017***

Source Status: ***ACTIVE TREATED***

Water type: ***GROUNDWATER OR WELL***

	STORET NUMBER	TESTING INTERVAL (MONTHS)*	LAST TEST DATE (yyyy/mm/dd)	LAST RESULT REPORTED	NEXT TEST DATE (yyyy/mm)
REGULATED VOC					
TRANS-1,2-DICHLOROETHYLENE	34546	WAIVED			
TRICHLOROETHYLENE	39180	WAIVED			
TRICHLOROFLUOROMETHANE	34488	WAIVED			
VINYL CHLORIDE	39175	WAIVED			
XYLENES (TOTAL)	81551	WAIVED			
SECONDARY/GP					
AGGRSSIVE INDEX (CORROSIVITY)	82383	WAIVED			
BICARBONATE ALKALINITY	00440	WAIVED			
CALCIUM	00916	WAIVED			
CARBONATE ALKALINITY	00445	WAIVED			
CHLORIDE	00940	WAIVED			
COLOR	00081	WAIVED			
COPPER	01042	WAIVED			
FOAMING AGENTS (MBAS)	38260	WAIVED			
HARDNESS (TOTAL) AS CACO3	00900	WAIVED			
HYDROXIDE ALKALINITY	71830	WAIVED			
IRON	01045	WAIVED	2011/06/07	< 50.000	
MAGNESIUM	00927	WAIVED			
MANGANESE	01055	WAIVED	2011/06/07	< 10.000	
ODOR THRESHOLD @ 60 C	00086	WAIVED			
PH, LABORATORY	00403	WAIVED			
SILVER	01077	WAIVED			
SODIUM	00929	WAIVED			
SPECIFIC CONDUCTANCE	00095	WAIVED			
SULFATE	00945	WAIVED			
TOTAL DISSOLVED SOLIDS	70300	WAIVED			
TURBIDITY, LABORATORY	82079	WAIVED			
ZINC	01092	WAIVED			

**Testing interval is in months;*
0 = No data for this constituent and is DUE NOW
999 = Waived testing (not required)
I = Invalid (NOT) valid analyses reported

System Number: ***2400170***

System Name: ***HILMAR CHEESE***

PS Code: ***2400170-018***

Source Name: ***TREATED WATER - ATEC ARSENIC REMOVAL***

Source Number: ***018***

Source Status: ***ACTIVE TREATED***

Water type: ***GROUNDWATER OR WELL***

	STORET NUMBER	TESTING INTERVAL (MONTHS)*	LAST TEST DATE (yyyy/mm/dd)	LAST RESULT REPORTED	NEXT TEST DATE (yyyy/mm)
GENERAL NON CHAP 15					
DIAZINON	39570	WAIVED			
INORGANIC					
ALUMINUM	01105	WAIVED			
ANTIMONY	01097	WAIVED			
ARSENIC	01002	WAIVED	2012/04/17	4.000	
ASBESTOS	81855	WAIVED			
BARIUM	01007	WAIVED			
BERYLLIUM	01012	WAIVED			
CADMIUM	01027	WAIVED			
CHROMIUM (TOTAL)	01034	WAIVED			
CYANIDE	01291	WAIVED			
FLUORIDE (F) (NATURAL-SOURCE)	00951	WAIVED			
LEAD	01051	WAIVED			
MERCURY	71900	WAIVED			
NICKEL	01067	WAIVED			
PERCHLORATE	A-031	WAIVED			
SELENIUM	01147	WAIVED			
THALLIUM	01059	WAIVED			
NITRATE/NITRITE					
NITRATE (AS NO3)	71850	WAIVED			
NITRITE (AS N)	00620	WAIVED			
RADIOLOGICAL					
GROSS ALPHA	01501	WAIVED			
GROSS BETA	03501	WAIVED			
RA-226 FOR CWS OR TOTAL RA FOR NTNC BY 903.0	A-080	WAIVED			
RA-226 OR TOTAL RA BY 903.0 C.E.	A-081	WAIVED			
RADIUM 226	09501	WAIVED			
RADIUM 228	11501	WAIVED			

**Testing interval is in months;*
0 = No data for this constituent and is DUE NOW
999 = Waived testing (not required)
I = Invalid (NOT) valid analyses reported

System Number: ***2400170***

System Name: ***HILMAR CHEESE***

PS Code: ***2400170-018***

Source Name: ***TREATED WATER - ATEC ARSENIC REMOVAL***

Source Number: ***018***

Source Status: ***ACTIVE TREATED***

Water type: ***GROUNDWATER OR WELL***

	STORET NUMBER	TESTING INTERVAL (MONTHS)*	LAST TEST DATE (yyyy/mm/dd)	LAST RESULT REPORTED	NEXT TEST DATE (yyyy/mm)
RADIOLOGICAL					
RADIUM, TOTAL, MDA95-NTNC ONLY, BY 903.0	A-082	WAIVED			
STRONTIUM-90	13501	WAIVED			
TRITIUM	07000	WAIVED			
URANIUM (PCI/L)	28012	WAIVED			
REGULATED SOC					
2,3,7,8-TCDD (DIOXIN)	34676	WAIVED			
2,4,5-TP (SILVEX)	39045	WAIVED			
2,4-D	39730	WAIVED			
ALACHLOR	77825	WAIVED			
ATRAZINE	39033	WAIVED			
BENTAZON	38710	WAIVED			
BENZO (A) PYRENE	34247	WAIVED			
CARBOFURAN	81405	WAIVED			
CHLORDANE	39350	WAIVED			
DALAPON	38432	WAIVED			
DI(2-ETHYLHEXYL)ADIPATE	A-026	WAIVED			
DI(2-ETHYLHEXYL)PHTHALATE	39100	WAIVED			
DIBROMOCHLOROPROPANE (DBCP)	38761	WAIVED			
DINOSEB	81287	WAIVED			
DIQUAT	78885	WAIVED			
ENDOTHALL	38926	WAIVED			
ENDRIN	39390	WAIVED			
ETHYLENE DIBROMIDE (EDB)	77651	WAIVED			
GLYPHOSATE	79743	WAIVED			
HEPTACHLOR	39410	WAIVED			
HEPTACHLOR EPOXIDE	39420	WAIVED			
HEXACHLOROBENZENE	39700	WAIVED			
HEXACHLOROCYCLOPENTADIENE	34386	WAIVED			
LINDANE	39340	WAIVED			

**Testing interval is in months;*
0 = No data for this constituent and is DUE NOW
999 = Waived testing (not required)
I = Invalid (NOT) valid analyses reported

System Number: ***2400170***

System Name: ***HILMAR CHEESE***

PS Code: ***2400170-018***

Source Name: ***TREATED WATER - ATEC ARSENIC REMOVAL***

Source Number: ***018***

Source Status: ***ACTIVE TREATED***

Water type: ***GROUNDWATER OR WELL***

	STORET NUMBER	TESTING INTERVAL (MONTHS)*	LAST TEST DATE (yyyy/mm/dd)	LAST RESULT REPORTED	NEXT TEST DATE (yyyy/mm)
REGULATED SOC					
METHOXYCHLOR	39480	WAIVED			
MOLINATE	82199	WAIVED			
OXAMYL	38865	WAIVED			
PENTACHLOROPHENOL	39032	WAIVED			
PICLORAM	39720	WAIVED			
POLYCHLORINATED BIPHENYLS, TOTAL, AS DCB	39516	WAIVED			
SIMAZINE	39055	WAIVED			
THIOBENCARB	A-001	WAIVED			
TOXAPHENE	39400	WAIVED			
REGULATED VOC					
1,1,1-TRICHLOROETHANE	34506	WAIVED			
1,1,2,2-TETRACHLOROETHANE	34516	WAIVED			
1,1,2-TRICHLORO-1,2,2-TRIFLUOROETHANE	81611	WAIVED			
1,1,2-TRICHLOROETHANE	34511	WAIVED			
1,1-DICHLOROETHANE	34496	WAIVED			
1,1-DICHLOROETHYLENE	34501	WAIVED			
1,2,4-TRICHLOROBENZENE	34551	WAIVED			
1,2-DICHLOROBENZENE	34536	WAIVED			
1,2-DICHLOROETHANE	34531	WAIVED			
1,2-DICHLOROPROPANE	34541	WAIVED			
1,3-DICHLOROPROPENE (TOTAL)	34561	WAIVED			
1,4-DICHLOROBENZENE	34571	WAIVED			
BENZENE	34030	WAIVED			
CARBON TETRACHLORIDE	32102	WAIVED			
CIS-1,2-DICHLOROETHYLENE	77093	WAIVED			
DICHLOROMETHANE	34423	WAIVED			
ETHYLBENZENE	34371	WAIVED			
METHYL-TERT-BUTYL-ETHER (MTBE)	46491	WAIVED			
MONOCHLOROBENZENE	34301	WAIVED			

**Testing interval is in months;*
0 = No data for this constituent and is DUE NOW
999 = Waived testing (not required)
I = Invalid (NOT) valid analyses reported

System Number: ***2400170***

System Name: ***HILMAR CHEESE***

PS Code: ***2400170-018***

Source Name: ***TREATED WATER - ATEC ARSENIC REMOVAL***

Source Number: ***018***

Source Status: ***ACTIVE TREATED***

Water type: ***GROUNDWATER OR WELL***

	STORET NUMBER	TESTING INTERVAL (MONTHS)*	LAST TEST DATE (yyyy/mm/dd)	LAST RESULT REPORTED	NEXT TEST DATE (yyyy/mm)
REGULATED VOC					
STYRENE	77128	WAIVED			
TETRACHLOROETHYLENE	34475	WAIVED			
TOLUENE	34010	WAIVED			
TRANS-1,2-DICHLOROETHYLENE	34546	WAIVED			
TRICHLOROETHYLENE	39180	WAIVED			
TRICHLOROFLUOROMETHANE	34488	WAIVED			
VINYL CHLORIDE	39175	WAIVED			
XYLENES (TOTAL)	81551	WAIVED			
SECONDARY/GP					
AGGRSSIVE INDEX (CORROSIVITY)	82383	WAIVED			
BICARBONATE ALKALINITY	00440	WAIVED			
CALCIUM	00916	WAIVED			
CARBONATE ALKALINITY	00445	WAIVED			
CHLORIDE	00940	WAIVED			
COLOR	00081	WAIVED			
COPPER	01042	WAIVED			
FOAMING AGENTS (MBAS)	38260	WAIVED			
HARDNESS (TOTAL) AS CACO3	00900	WAIVED			
HYDROXIDE ALKALINITY	71830	WAIVED			
IRON	01045	WAIVED	2012/04/17	< 50.000	
MAGNESIUM	00927	WAIVED			
MANGANESE	01055	WAIVED	2012/04/17	< 10.000	
ODOR THRESHOLD @ 60 C	00086	WAIVED			
PH, LABORATORY	00403	WAIVED			
SILVER	01077	WAIVED			
SODIUM	00929	WAIVED			
SPECIFIC CONDUCTANCE	00095	WAIVED			
SULFATE	00945	WAIVED			
TOTAL DISSOLVED SOLIDS	70300	WAIVED			

**Testing interval is in months;*
0 = No data for this constituent and is DUE NOW
999 = Waived testing (not required)
I = Invalid (NOT) valid analyses reported

System Number: ***2400170***

System Name: ***HILMAR CHEESE***

	STORET NUMBER	TESTING INTERVAL (MONTHS)*	LAST TEST DATE (yyyy/mm/dd)	LAST RESULT REPORTED	NEXT TEST DATE (yyyy/mm)

PS Code: ***2400170-018***

Source Name: ***TREATED WATER - ATEC ARSENIC REMOVAL***

Source Number: ***018***

Source Status: ***ACTIVE TREATED***

Water type: ***GROUNDWATER OR WELL***

SECONDARY/GP

TURBIDITY, LABORATORY	82079	WAIVED			
ZINC	01092	WAIVED			

PS Code: ***2400170-019***

Source Name: ***TANK 1 (SOUTH) OUTFLOW***

Source Number: ***019***

Source Status: ***ACTIVE TREATED***

Water type:

GENERAL NON CHAP 15

DIAZINON	39570	WAIVED			

INORGANIC

ALUMINUM	01105	WAIVED			
ANTIMONY	01097	WAIVED			
ARSENIC	01002	WAIVED			
ASBESTOS	81855	WAIVED			
BARIUM	01007	WAIVED			
BERYLLIUM	01012	WAIVED			
CADMIUM	01027	WAIVED			
CHROMIUM (TOTAL)	01034	WAIVED			
CYANIDE	01291	WAIVED			
FLUORIDE (F) (NATURAL-SOURCE)	00951	WAIVED			
LEAD	01051	WAIVED			
MERCURY	71900	WAIVED			
NICKEL	01067	WAIVED			
PERCHLORATE	A-031	WAIVED			
SELENIUM	01147	WAIVED			
THALLIUM	01059	WAIVED			

**Testing interval is in months;*
0 = No data for this constituent and is DUE NOW
999 = Waived testing (not required)
I = Invalid (NOT) valid analyses reported

System Number: ***2400170***

System Name: ***HILMAR CHEESE***

PS Code: ***2400170-019***

Source Name: ***TANK 1 (SOUTH) OUTFLOW***

Source Number: ***019***

Source Status: ***ACTIVE TREATED***

Water type:

	STORET NUMBER	TESTING INTERVAL (MONTHS)*	LAST TEST DATE (yyyy/mm/dd)	LAST RESULT REPORTED	NEXT TEST DATE (yyyy/mm)
NITRATE/NITRITE					
NITRATE (AS NO3)	71850	WAIVED			
NITRITE (AS N)	00620	WAIVED			
RADIOLOGICAL					
GROSS ALPHA	01501	WAIVED			
GROSS BETA	03501	WAIVED			
RA-226 FOR CWS OR TOTAL RA FOR NTNC BY 903.0	A-080	WAIVED			
RA-226 OR TOTAL RA BY 903.0 C.E.	A-081	WAIVED			
RADIUM 226	09501	WAIVED			
RADIUM 228	11501	WAIVED			
RADIUM, TOTAL, MDA95-NTNC ONLY, BY 903.0	A-082	WAIVED			
STRONTIUM-90	13501	WAIVED			
TRITIUM	07000	WAIVED			
URANIUM (PCI/L)	28012	WAIVED			
REGULATED SOC					
2,3,7,8-TCDD (DIOXIN)	34676	WAIVED			
2,4,5-TP (SILVEX)	39045	WAIVED			
2,4-D	39730	WAIVED			
ALACHLOR	77825	WAIVED			
ATRAZINE	39033	WAIVED			
BENTAZON	38710	WAIVED			
BENZO (A) PYRENE	34247	WAIVED			
CARBOFURAN	81405	WAIVED			
CHLORDANE	39350	WAIVED			
DALAPON	38432	WAIVED			
DI(2-ETHYLHEXYL)ADIPATE	A-026	WAIVED			
DI(2-ETHYLHEXYL)PHTHALATE	39100	WAIVED			
DIBROMOCHLOROPROPANE (DBCP)	38761	WAIVED			
DINOSEB	81287	WAIVED			
DIQUAT	78885	WAIVED			

**Testing interval is in months;*
0 = No data for this constituent and is DUE NOW
999 = Waived testing (not required)
I = Invalid (NOT) valid analyses reported

System Number: ***2400170***

System Name: ***HILMAR CHEESE***

PS Code: ***2400170-019***

Source Name: ***TANK 1 (SOUTH) OUTFLOW***

Source Number: ***019***

Source Status: ***ACTIVE TREATED***

Water type:

	STORET NUMBER	TESTING INTERVAL (MONTHS)*	LAST TEST DATE (yyyy/mm/dd)	LAST RESULT REPORTED	NEXT TEST DATE (yyyy/mm)
REGULATED SOC					
ENDOTHALL	38926	WAIVED			
ENDRIN	39390	WAIVED			
ETHYLENE DIBROMIDE (EDB)	77651	WAIVED			
GLYPHOSATE	79743	WAIVED			
HEPTACHLOR	39410	WAIVED			
HEPTACHLOR EPOXIDE	39420	WAIVED			
HEXACHLOROBENZENE	39700	WAIVED			
HEXACHLOROCYCLOPENTADIENE	34386	WAIVED			
LINDANE	39340	WAIVED			
METHOXYCHLOR	39480	WAIVED			
MOLINATE	82199	WAIVED			
OXAMYL	38865	WAIVED			
PENTACHLOROPHENOL	39032	WAIVED			
PICLORAM	39720	WAIVED			
POLYCHLORINATED BIPHENYLS, TOTAL, AS DCB	39516	WAIVED			
SIMAZINE	39055	WAIVED			
THIOBENCARB	A-001	WAIVED			
TOXAPHENE	39400	WAIVED			
REGULATED VOC					
1,1,1-TRICHLOROETHANE	34506	WAIVED			
1,1,2,2-TETRACHLOROETHANE	34516	WAIVED			
1,1,2-TRICHLORO-1,2,2-TRIFLUOROETHANE	81611	WAIVED			
1,1,2-TRICHLOROETHANE	34511	WAIVED			
1,1-DICHLOROETHANE	34496	WAIVED			
1,1-DICHLOROETHYLENE	34501	WAIVED			
1,2,4-TRICHLOROBENZENE	34551	WAIVED			
1,2-DICHLOROBENZENE	34536	WAIVED			
1,2-DICHLOROETHANE	34531	WAIVED			
1,2-DICHLOROPROPANE	34541	WAIVED			

**Testing interval is in months;*
0 = No data for this constituent and is DUE NOW
999 = Waived testing (not required)
I = Invalid (NOT) valid analyses reported

System Number: ***2400170***

System Name: ***HILMAR CHEESE***

PS Code: ***2400170-019***

Source Name: ***TANK 1 (SOUTH) OUTFLOW***

Source Number: ***019***

Source Status: ***ACTIVE TREATED***

Water type:

	STORET NUMBER	TESTING INTERVAL (MONTHS)*	LAST TEST DATE (yyyy/mm/dd)	LAST RESULT REPORTED	NEXT TEST DATE (yyyy/mm)
REGULATED VOC					
1,3-DICHLOROPROPENE (TOTAL)	34561	WAIVED			
1,4-DICHLOROBENZENE	34571	WAIVED			
BENZENE	34030	WAIVED			
CARBON TETRACHLORIDE	32102	WAIVED			
CIS-1,2-DICHLOROETHYLENE	77093	WAIVED			
DICHLOROMETHANE	34423	WAIVED			
ETHYLBENZENE	34371	WAIVED			
METHYL-TERT-BUTYL-ETHER (MTBE)	46491	WAIVED			
MONOCHLOROBENZENE	34301	WAIVED			
STYRENE	77128	WAIVED			
TETRACHLOROETHYLENE	34475	WAIVED			
TOLUENE	34010	WAIVED			
TRANS-1,2-DICHLOROETHYLENE	34546	WAIVED			
TRICHLOROETHYLENE	39180	WAIVED			
TRICHLOROFLUOROMETHANE	34488	WAIVED			
VINYL CHLORIDE	39175	WAIVED			
XYLENES (TOTAL)	81551	WAIVED			
SECONDARY/GP					
AGGRSSIVE INDEX (CORROSIVITY)	82383	WAIVED			
BICARBONATE ALKALINITY	00440	WAIVED			
CALCIUM	00916	WAIVED			
CARBONATE ALKALINITY	00445	WAIVED			
CHLORIDE	00940	WAIVED			
COLOR	00081	WAIVED			
COPPER	01042	WAIVED			
FOAMING AGENTS (MBAS)	38260	WAIVED			
HARDNESS (TOTAL) AS CACO3	00900	WAIVED			
HYDROXIDE ALKALINITY	71830	WAIVED			
IRON	01045	WAIVED			

**Testing interval is in months;*
0 = No data for this constituent and is DUE NOW
999 = Waived testing (not required)
I = Invalid (NOT) valid analyses reported

System Number: ***2400170***

System Name: ***HILMAR CHEESE***

PS Code: ***2400170-019***

Source Name: ***TANK 1 (SOUTH) OUTFLOW***

Source Number: ***019***

Source Status: ***ACTIVE TREATED***

Water type:

SECONDARY/GP	STORET NUMBER	TESTING INTERVAL (MONTHS)*	LAST TEST DATE (yyyy/mm/dd)	LAST RESULT REPORTED	NEXT TEST DATE (yyyy/mm)
MAGNESIUM	00927	WAIVED			
MANGANESE	01055	WAIVED			
ODOR THRESHOLD @ 60 C	00086	WAIVED			
PH, LABORATORY	00403	WAIVED			
SILVER	01077	WAIVED			
SODIUM	00929	WAIVED			
SPECIFIC CONDUCTANCE	00095	WAIVED			
SULFATE	00945	WAIVED			
TOTAL DISSOLVED SOLIDS	70300	WAIVED			
TURBIDITY, LABORATORY	82079	WAIVED			
ZINC	01092	WAIVED			

**Testing interval is in months;*
0 = No data for this constituent and is DUE NOW
999 = Waived testing (not required)
I = Invalid (NOT) valid analyses reported

System Number: ***2400172***

System Name: ***SANDY MUSH DETENTION CENTER D.B.A. JOHN***

PS Code: ***2400172-001***

Source Name: ***WELL 1 N OF ADULT-EAST WELL***

Source Number: ***001***

Source Status: ***ACTIVE UNTREATED***

Water type: ***GROUNDWATER OR WELL***

	STORET NUMBER	TESTING INTERVAL (MONTHS)*	LAST TEST DATE (yyyy/mm/dd)	LAST RESULT REPORTED	NEXT TEST DATE (yyyy/mm)	
GENERAL NON CHAP 15						
DIAZINON	39570	WAIVED				
INORGANIC						
ALUMINUM	01105	036	2005/09/08	< 50.000	2008/09	DUE
ANTIMONY	01097	036	2007/11/02	< 6.000	2010/11	DUE
ARSENIC	01002	036	2009/01/22	18.000	2012/01	DUE
ASBESTOS	81855	WAIVED				
BARIUM	01007	036	2005/09/08	140.000	2008/09	DUE
BERYLLIUM	01012	036	2005/09/08	< 1.000	2008/09	DUE
CADMIUM	01027	036	2007/11/02	< 1.000	2010/11	DUE
CHROMIUM (TOTAL)	01034	036	2007/11/02	31.000	2010/11	DUE
CYANIDE	01291	WAIVED				
FLUORIDE (F) (NATURAL-SOURCE)	00951	036	2005/09/08	.100	2008/09	DUE
LEAD	01051	WAIVED	2007/11/02	< 5.000		
MERCURY	71900	036	2005/09/08	< .500	2008/09	DUE
NICKEL	01067	036	2005/09/08	< 10.000	2008/09	DUE
PERCHLORATE	A-031	036	2007/11/06	.000	2010/11	DUE
SELENIUM	01147	036	2007/11/02	< 5.000	2010/11	DUE
THALLIUM	01059	036	2005/09/08	< 1.000	2008/09	DUE
NITRATE/NITRITE						
NITRATE (AS NO3)	71850	012	2010/06/10	7.900	2011/06	DUE
NITRITE (AS N)	00620	036	2005/09/08	< 400.000	2008/09	DUE
RADIOLOGICAL						
GROSS ALPHA	01501	048	2007/06/05	< 1.000	2011/06	DUE
GROSS BETA	03501	WAIVED				
RA-226 FOR CWS OR TOTAL RA FOR NTNC BY 903.0	A-080	WAIVED				
RA-226 OR TOTAL RA BY 903.0 C.E.	A-081	WAIVED				
RADIUM 226	09501	WAIVED				
RADIUM 228	11501	WAIVED				

**Testing interval is in months;*
0 = No data for this constituent and is DUE NOW
999 = Waived testing (not required)
I = Invalid (NOT) valid analyses reported

System Number: 2400172
System Name: SANDY MUSH DETENTION CENTER D.B.A. JOHN

PS Code: 2400172-001
Source Name: WELL 1 N OF ADULT-EAST WELL
Source Number: 001
Source Status: ACTIVE UNTREATED
Water type: GROUNDWATER OR WELL

	STORET NUMBER	TESTING INTERVAL (MONTHS)*	LAST TEST DATE (yyyy/mm/dd)	LAST RESULT REPORTED	NEXT TEST DATE (yyyy/mm)	
RADIOLOGICAL						
RADIUM, TOTAL, MDA95-NTNC ONLY, BY 903.0	A-082	WAIVED				
STRONTIUM-90	13501	WAIVED				
TRITIUM	07000	WAIVED				
URANIUM (PCI/L)	28012	WAIVED	2009/01/22	2.500		
REGULATED SOC						
2,3,7,8-TCDD (DIOXIN)	34676	WAIVED				
2,4,5-TP (SILVEX)	39045	WAIVED				
2,4-D	39730	WAIVED				
ALACHLOR	77825	036	2005/12/13	< 1.000	2008/12	DUE
ATRAZINE	39033	036	2005/12/13	< .500	2008/12	DUE
BENTAZON	38710	WAIVED				
BENZO (A) PYRENE	34247	WAIVED				
CARBOFURAN	81405	WAIVED				
CHLORDANE	39350	WAIVED	2002/06/25	< .100		
DALAPON	38432	WAIVED				
DI(2-ETHYLHEXYL)ADIPATE	A-026	WAIVED				
DI(2-ETHYLHEXYL)PHTHALATE	39100	WAIVED				
DIBROMOCHLOROPROPANE (DBCP)	38761	036	2006/02/22	< .500	2009/02	DUE
DINOSEB	81287	WAIVED				
DIQUAT	78885	WAIVED				
ENDOTHALL	38926	WAIVED				
ENDRIN	39390	WAIVED	2002/06/25	< .100		
ETHYLENE DIBROMIDE (EDB)	77651	036	2006/02/22	< .500	2009/02	DUE
GLYPHOSATE	79743	WAIVED				
HEPTACHLOR	39410	WAIVED	2002/06/25	< .010		
HEPTACHLOR EPOXIDE	39420	WAIVED	2002/06/25	< .010		
HEXACHLOROBENZENE	39700	WAIVED	2002/06/25	< .500		
HEXACHLOROCYCLOPENTADIENE	34386	WAIVED	2002/06/25	< 1.000		
LINDANE	39340	WAIVED	2002/06/25	< .200		

**Testing interval is in months;*
0 = No data for this constituent and is DUE NOW
999 = Waived testing (not required)
I = Invalid (NOT) valid analyses reported

System Number: 2400172

System Name: SANDY MUSH DETENTION CENTER D.B.A. JOHN

PS Code: 2400172-001

Source Name: WELL 1 N OF ADULT-EAST WELL

Source Number: 001

Source Status: ACTIVE UNTREATED

Water type: GROUNDWATER OR WELL

	STORET NUMBER	TESTING INTERVAL (MONTHS)*	LAST TEST DATE (yyyy/mm/dd)	LAST RESULT REPORTED	NEXT TEST DATE (yyyy/mm)	
REGULATED SOC						
METHOXYCHLOR	39480	WAIVED	2002/06/25	< 10.000		
MOLINATE	82199	WAIVED				
OXAMYL	38865	WAIVED				
PENTACHLOROPHENOL	39032	WAIVED				
PICLORAM	39720	WAIVED				
POLYCHLORINATED BIPHENYLS, TOTAL, AS DCB	39516	WAIVED	2002/06/25	.000		
SIMAZINE	39055	036	2005/12/13	< 1.000	2008/12	DUE
THIOBENCARB	A-001	WAIVED				
TOXAPHENE	39400	WAIVED	2002/06/25	< 1.000		
REGULATED VOC						
1,1,1-TRICHLOROETHANE	34506	060	2006/02/22	< .500	2011/02	DUE
1,1,2,2-TETRACHLOROETHANE	34516	060	2006/02/22	< .500	2011/02	DUE
1,1,2-TRICHLORO-1,2,2-TRIFLUOROETHANE	81611	060	2006/02/22	< 10.000	2011/02	DUE
1,1,2-TRICHLOROETHANE	34511	060	2006/02/22	< .500	2011/02	DUE
1,1-DICHLOROETHANE	34496	060	2006/02/22	< .500	2011/02	DUE
1,1-DICHLOROETHYLENE	34501	060	2006/02/22	< .500	2011/02	DUE
1,2,4-TRICHLOROBENZENE	34551	060	2006/02/22	< .500	2011/02	DUE
1,2-DICHLOROBENZENE	34536	060	2006/02/22	< .500	2011/02	DUE
1,2-DICHLOROETHANE	34531	060	2006/02/22	< .500	2011/02	DUE
1,2-DICHLOROPROPANE	34541	060	2006/02/22	< .500	2011/02	DUE
1,3-DICHLOROPROPENE (TOTAL)	34561	060	2006/02/22	< .500	2011/02	DUE
1,4-DICHLOROBENZENE	34571	060	2006/02/22	< .500	2011/02	DUE
BENZENE	34030	060	2006/02/22	< .500	2011/02	DUE
CARBON TETRACHLORIDE	32102	060	2006/02/22	< .500	2011/02	DUE
CIS-1,2-DICHLOROETHYLENE	77093	060	2006/02/22	< .500	2011/02	DUE
DICHLOROMETHANE	34423	060	2006/02/22	< .500	2011/02	DUE
ETHYLBENZENE	34371	060	2006/02/22	< .500	2011/02	DUE
METHYL-TERT-BUTYL-ETHER (MTBE)	46491	060	2006/02/22	< 2.000	2011/02	DUE
MONOCHLOROBENZENE	34301	060	2006/02/22	< .500	2011/02	DUE

**Testing interval is in months;*
0 = No data for this constituent and is DUE NOW
999 = Waived testing (not required)
I = Invalid (NOT) valid analyses reported

System Number: 2400172
System Name: SANDY MUSH DETENTION CENTER D.B.A. JOHN

PS Code: 2400172-001
Source Name: WELL 1 N OF ADULT-EAST WELL
Source Number: 001
Source Status: ACTIVE UNTREATED
Water type: GROUNDWATER OR WELL

	STORET NUMBER	TESTING INTERVAL (MONTHS)*	LAST TEST DATE (yyyy/mm/dd)	LAST RESULT REPORTED	NEXT TEST DATE (yyyy/mm)	
REGULATED VOC						
STYRENE	77128	060	2006/02/22	< .500	2011/02	DUE
TETRACHLOROETHYLENE	34475	060	2006/02/22	< .500	2011/02	DUE
TOLUENE	34010	060	2006/02/22	< .500	2011/02	DUE
TRANS-1,2-DICHLOROETHYLENE	34546	060	2006/02/22	< .500	2011/02	DUE
TRICHLOROETHYLENE	39180	060	2006/02/22	< .500	2011/02	DUE
TRICHLOROFLUOROMETHANE	34488	060	2006/02/22	< .500	2011/02	DUE
VINYL CHLORIDE	39175	060	2006/02/22	< .500	2011/02	DUE
XYLENES (TOTAL)	81551	060	2006/02/22	< .500	2011/02	DUE
SECONDARY/GP						
AGGRSSIVE INDEX (CORROSIVITY)	82383	WAIVED				
BICARBONATE ALKALINITY	00440	036	2009/01/22	295.900	2012/01	DUE
CALCIUM	00916	036	2007/11/02	35.000	2010/11	DUE
CARBONATE ALKALINITY	00445	036	2009/01/22	< 1.000	2012/01	DUE
CHLORIDE	00940	036	2007/11/02	40.800	2010/11	DUE
COLOR	00081	036	2005/09/08	10.000	2008/09	DUE
COPPER	01042	036	2007/11/02	< 50.000	2010/11	DUE
FOAMING AGENTS (MBAS)	38260	036	2005/09/08	< .025	2008/09	DUE
HARDNESS (TOTAL) AS CACO3	00900	036	2009/01/22	195.700	2012/01	DUE
HYDROXIDE ALKALINITY	71830	036	2009/01/22	< 1.000	2012/01	DUE
IRON	01045	036	2009/01/22	340.000	2012/01	DUE
MAGNESIUM	00927	036	2007/11/02	16.700	2010/11	DUE
MANGANESE	01055	036	2007/11/02	< 20.000	2010/11	DUE
ODOR THRESHOLD @ 60 C	00086	036	2005/09/08	1.000	2008/09	DUE
PH, LABORATORY	00403	036	2009/01/22	7.100	2012/01	DUE
SILVER	01077	036	2005/09/08	< 10.000	2008/09	DUE
SODIUM	00929	036	2007/11/02	49.400	2010/11	DUE
SPECIFIC CONDUCTANCE	00095	036	2007/11/06	460.000	2010/11	DUE
SULFATE	00945	036	2007/11/02	13.400	2010/11	DUE
TOTAL DISSOLVED SOLIDS	70300	036	2009/01/22	362.000	2012/01	DUE

**Testing interval is in months;*
0 = No data for this constituent and is DUE NOW
999 = Waived testing (not required)
I = Invalid (NOT) valid analyses reported

System Number: 2400172

System Name: SANDY MUSH DETENTION CENTER D.B.A. JOHN

PS Code: 2400172-001

Source Name: WELL 1 N OF ADULT-EAST WELL

Source Number: 001

Source Status: ACTIVE UNTREATED

Water type: GROUNDWATER OR WELL

	STORET NUMBER	TESTING INTERVAL (MONTHS)*	LAST TEST DATE (yyyy/mm/dd)	LAST RESULT REPORTED	NEXT TEST DATE (yyyy/mm)	
SECONDARY/GP						
TURBIDITY, LABORATORY	82079	036	2005/09/08	4.900	2008/09	DUE
ZINC	01092	036	2007/11/02	< 50.000	2010/11	DUE

PS Code: 2400172-002

Source Name: WELL 2 N OF ADULT-WEST WELL

Source Number: 002

Source Status: ACTIVE UNTREATED

Water type: GROUNDWATER OR WELL

GENERAL NON CHAP 15					
DIAZINON	39570	WAIVED	2011/09/02	< .000	
INORGANIC					
ALUMINUM	01105	036	2011/09/02	< .000	2014/09
ANTIMONY	01097	036	2011/09/02	< .000	2014/09
ARSENIC	01002	036	2012/03/01	32.000	2015/03
ASBESTOS	81855	WAIVED			
BARIUM	01007	036	2011/09/02	170.000	2014/09
BERYLLIUM	01012	036	2011/09/02	< .000	2014/09
CADMIUM	01027	036	2011/09/02	< .000	2014/09
CHROMIUM (TOTAL)	01034	036	2011/09/02	12.000	2014/09
CYANIDE	01291	WAIVED			
FLUORIDE (F) (NATURAL-SOURCE)	00951	036	2011/09/02	.200	2014/09
LEAD	01051	WAIVED	2011/09/02	< .000	
MERCURY	71900	036	2011/09/02	< .000	2014/09
NICKEL	01067	036	2011/09/02	< .000	2014/09
PERCHLORATE	A-031	036	2011/09/02	< .000	2014/09
SELENIUM	01147	036	2011/09/02	< .000	2014/09
THALLIUM	01059	036	2011/09/02	< .000	2014/09

**Testing interval is in months;*
0 = No data for this constituent and is DUE NOW
999 = Waived testing (not required)
I = Invalid (NOT) valid analyses reported

System Number: 2400172

System Name: SANDY MUSH DETENTION CENTER D.B.A. JOHN

PS Code: 2400172-002

Source Name: WELL 2 N OF ADULT-WEST WELL

Source Number: 002

Source Status: ACTIVE UNTREATED

Water type: GROUNDWATER OR WELL

	STORET NUMBER	TESTING INTERVAL (MONTHS)*	LAST TEST DATE (yyyy/mm/dd)	LAST RESULT REPORTED	NEXT TEST DATE (yyyy/mm)
NITRATE/NITRITE					
NITRATE (AS NO3)	71850	012	2011/09/02	22.200	2012/09
NITRITE (AS N)	00620	036	2011/09/02	< 400.000	2014/09
RADIOLOGICAL					
GROSS ALPHA	01501	048	2011/09/02	8.310	2015/09
GROSS BETA	03501	WAIVED			
RA-226 FOR CWS OR TOTAL RA FOR NTNC BY 903.0	A-080	WAIVED			
RA-226 OR TOTAL RA BY 903.0 C.E.	A-081	WAIVED			
RADIUM 226	09501	WAIVED			
RADIUM 228	11501	WAIVED			
RADIUM, TOTAL, MDA95-NTNC ONLY, BY 903.0	A-082	WAIVED			
STRONTIUM-90	13501	WAIVED			
TRITIUM	07000	WAIVED			
URANIUM (PCI/L)	28012	WAIVED	2011/09/02	7.100	
REGULATED SOC					
2,3,7,8-TCDD (DIOXIN)	34676	WAIVED			
2,4,5-TP (SILVEX)	39045	WAIVED			
2,4-D	39730	WAIVED			
ALACHLOR	77825	036	2011/09/02	< .000	2014/09
ATRAZINE	39033	036	2011/09/02	< .000	2014/09
BENTAZON	38710	WAIVED			
BENZO (A) PYRENE	34247	WAIVED	2011/09/02	< .000	
CARBOFURAN	81405	WAIVED			
CHLORDANE	39350	WAIVED	2002/06/25	< .100	
DALAPON	38432	WAIVED			
DI(2-ETHYLHEXYL)ADIPATE	A-026	WAIVED	2011/09/02	< .000	
DI(2-ETHYLHEXYL)PHTHALATE	39100	WAIVED	2011/09/02	< .000	
DIBROMOCHLOROPROPANE (DBCP)	38761	036	2011/09/02	.000	2014/09
DINOSEB	81287	WAIVED			
DIQUAT	78885	WAIVED			

**Testing interval is in months;*
0 = No data for this constituent and is DUE NOW
999 = Waived testing (not required)
I = Invalid (NOT) valid analyses reported

System Number: ***2400172***

System Name: ***SANDY MUSH DETENTION CENTER D.B.A. JOHN***

PS Code: ***2400172-002***

Source Name: ***WELL 2 N OF ADULT-WEST WELL***

Source Number: ***002***

Source Status: ***ACTIVE UNTREATED***

Water type: ***GROUNDWATER OR WELL***

	STORET NUMBER	TESTING INTERVAL (MONTHS)*	LAST TEST DATE (yyyy/mm/dd)	LAST RESULT REPORTED	NEXT TEST DATE (yyyy/mm)
REGULATED SOC					
ENDOTHALL	38926	WAIVED			
ENDRIN	39390	WAIVED	2002/06/25	< .100	
ETHYLENE DIBROMIDE (EDB)	77651	036	2011/09/02	.000	2014/09
GLYPHOSATE	79743	WAIVED			
HEPTACHLOR	39410	WAIVED	2002/06/25	< .010	
HEPTACHLOR EPOXIDE	39420	WAIVED	2002/06/25	< .010	
HEXACHLOROBENZENE	39700	WAIVED	2002/06/25	< .500	
HEXACHLOROCYCLOPENTADIENE	34386	WAIVED	2002/06/25	< 1.000	
LINDANE	39340	WAIVED	2002/06/25	< .200	
METHOXYCHLOR	39480	WAIVED	2002/06/25	< 10.000	
MOLINATE	82199	WAIVED	2011/09/02	< .000	
OXAMYL	38865	WAIVED			
PENTACHLOROPHENOL	39032	WAIVED			
PICLORAM	39720	WAIVED			
POLYCHLORINATED BIPHENYLS, TOTAL, AS DCB	39516	WAIVED	2002/06/25	.000	
SIMAZINE	39055	036	2011/09/02	< .000	2014/09
THIOBENCARB	A-001	WAIVED	2011/09/02	< .000	
TOXAPHENE	39400	WAIVED	2002/06/25	< 1.000	
REGULATED VOC					
1,1,1-TRICHLOROETHANE	34506	060	2011/09/02	< .000	2016/09
1,1,2,2-TETRACHLOROETHANE	34516	060	2011/09/02	< .000	2016/09
1,1,2-TRICHLORO-1,2,2-TRIFLUOROETHANE	81611	060	2011/09/02	< .000	2016/09
1,1,2-TRICHLOROETHANE	34511	060	2011/09/02	< .000	2016/09
1,1-DICHLOROETHANE	34496	060	2011/09/02	< .000	2016/09
1,1-DICHLOROETHYLENE	34501	060	2011/09/02	< .000	2016/09
1,2,4-TRICHLOROBENZENE	34551	060	2011/09/02	< .000	2016/09
1,2-DICHLOROBENZENE	34536	060	2011/09/02	< .000	2016/09
1,2-DICHLOROETHANE	34531	060	2011/09/02	< .000	2016/09
1,2-DICHLOROPROPANE	34541	060	2011/09/02	< .000	2016/09

**Testing interval is in months;*
0 = No data for this constituent and is DUE NOW
999 = Waived testing (not required)
I = Invalid (NOT) valid analyses reported

System Number: ***2400172***

System Name: ***SANDY MUSH DETENTION CENTER D.B.A. JOHN***

PS Code: ***2400172-002***

Source Name: ***WELL 2 N OF ADULT-WEST WELL***

Source Number: ***002***

Source Status: ***ACTIVE UNTREATED***

Water type: ***GROUNDWATER OR WELL***

	STORET NUMBER	TESTING INTERVAL (MONTHS)*	LAST TEST DATE (yyyy/mm/dd)	LAST RESULT REPORTED	NEXT TEST DATE (yyyy/mm)
REGULATED VOC					
1,3-DICHLOROPROPENE (TOTAL)	34561	060	2011/09/02	< .000	2016/09
1,4-DICHLOROBENZENE	34571	060	2011/09/02	< .000	2016/09
BENZENE	34030	060	2011/09/02	< .000	2016/09
CARBON TETRACHLORIDE	32102	060	2011/09/02	< .000	2016/09
CIS-1,2-DICHLOROETHYLENE	77093	060	2011/09/02	< .000	2016/09
DICHLOROMETHANE	34423	060	2011/09/02	< .000	2016/09
ETHYLBENZENE	34371	060	2011/09/02	< .000	2016/09
METHYL-TERT-BUTYL-ETHER (MTBE)	46491	060	2011/09/02	< .000	2016/09
MONOCHLOROBENZENE	34301	060	2011/09/02	< .000	2016/09
STYRENE	77128	060	2011/09/02	< .000	2016/09
TETRACHLOROETHYLENE	34475	060	2011/09/02	< .000	2016/09
TOLUENE	34010	060	2011/09/02	< .000	2016/09
TRANS-1,2-DICHLOROETHYLENE	34546	060	2011/09/02	< .000	2016/09
TRICHLOROETHYLENE	39180	060	2011/09/02	< .000	2016/09
TRICHLOROFLUOROMETHANE	34488	060	2011/09/02	< .000	2016/09
VINYL CHLORIDE	39175	060	2011/09/02	< .000	2016/09
XYLENES (TOTAL)	81551	060	2011/09/02	< .000	2016/09
SECONDARY/GP					
AGGRSSIVE INDEX (CORROSIVITY)	82383	WAIVED			
BICARBONATE ALKALINITY	00440	036	2011/09/02	371.000	2014/09
CALCIUM	00916	036	2011/09/02	77.000	2014/09
CARBONATE ALKALINITY	00445	036	2011/09/02	< 1.000	2014/09
CHLORIDE	00940	036	2011/09/02	29.900	2014/09
COLOR	00081	036	2011/09/02	< 3.000	2014/09
COPPER	01042	036	2011/09/02	< .000	2014/09
FOAMING AGENTS (MBAS)	38260	036	2011/09/02	< .020	2014/09
HARDNESS (TOTAL) AS CACO3	00900	036	2011/09/02	351.400	2014/09
HYDROXIDE ALKALINITY	71830	036	2011/09/02	< 1.000	2014/09
IRON	01045	036	2011/09/02	< .000	2014/09

**Testing interval is in months;*
0 = No data for this constituent and is DUE NOW
999 = Waived testing (not required)
I = Invalid (NOT) valid analyses reported

System Number: 2400172

System Name: SANDY MUSH DETENTION CENTER D.B.A. JOHN

PS Code: 2400172-002

Source Name: WELL 2 N OF ADULT-WEST WELL

Source Number: 002

Source Status: ACTIVE UNTREATED

Water type: GROUNDWATER OR WELL

	STORET NUMBER	TESTING INTERVAL (MONTHS)*	LAST TEST DATE (yyyy/mm/dd)	LAST RESULT REPORTED	NEXT TEST DATE (yyyy/mm)	
SECONDARY/GP						
MAGNESIUM	00927	036	2011/09/02	33.000	2014/09	
MANGANESE	01055	036	2011/09/02	< .000	2014/09	
ODOR THRESHOLD @ 60 C	00086	036	2011/09/02	< 1.000	2014/09	
PH, LABORATORY	00403	036	2009/01/22	7.200	2012/01	DUE
SILVER	01077	036	2011/09/02	< .000	2014/09	
SODIUM	00929	036	2011/09/02	47.000	2014/09	
SPECIFIC CONDUCTANCE	00095	036	2011/09/02	730.000	2014/09	
SULFATE	00945	036	2011/09/02	31.400	2014/09	
TOTAL DISSOLVED SOLIDS	70300	036	2011/09/02	509.000	2014/09	
TURBIDITY, LABORATORY	82079	036	2011/09/02	.060	2014/09	
ZINC	01092	036	2011/09/02	< .000	2014/09	

PS Code: 2400172-012

Source Name: WELL 3 W OF ADULT FACILITY

Source Number: 012

Source Status: ACTIVE UNTREATED

Water type: GROUNDWATER OR WELL

GENERAL NON CHAP 15					
DIAZINON	39570	WAIVED	2011/09/02	< .000	
INORGANIC					
ALUMINUM	01105	036	2011/09/02	< .000	2014/09
ANTIMONY	01097	036	2011/09/02	< .000	2014/09
ARSENIC	01002	036	2012/03/08	32.000	2015/03
ASBESTOS	81855	WAIVED			
BARIUM	01007	036	2011/09/02	< .000	2014/09
BERYLLIUM	01012	036	2011/09/02	< .000	2014/09
CADMIUM	01027	036	2011/09/02	< .000	2014/09
CHROMIUM (TOTAL)	01034	036	2011/09/02	< .000	2014/09
CYANIDE	01291	WAIVED			

**Testing interval is in months;*
0 = No data for this constituent and is DUE NOW
999 = Waived testing (not required)
I = Invalid (NOT) valid analyses reported

System Number: 2400172

System Name: SANDY MUSH DETENTION CENTER D.B.A. JOHN

PS Code: 2400172-012

Source Name: WELL 3 W OF ADULT FACILITY

Source Number: 012

Source Status: ACTIVE UNTREATED

Water type: GROUNDWATER OR WELL

	STORET NUMBER	TESTING INTERVAL (MONTHS)*	LAST TEST DATE (yyyy/mm/dd)	LAST RESULT REPORTED	NEXT TEST DATE (yyyy/mm)	
INORGANIC						
FLUORIDE (F) (NATURAL-SOURCE)	00951	036	2011/09/02	< .100	2014/09	
LEAD	01051	WAIVED	2011/09/02	< .000		
MERCURY	71900	036	2011/09/02	< .000	2014/09	
NICKEL	01067	036	2011/09/02	< .000	2014/09	
PERCHLORATE	A-031	036	2011/09/02	< .000	2014/09	
SELENIUM	01147	036	2011/09/02	< .000	2014/09	
THALLIUM	01059	036	2011/09/02	< .000	2014/09	
NITRATE/NITRITE						
NITRATE (AS NO3)	71850	012	2011/09/02	< 2.000	2012/09	
NITRITE (AS N)	00620	036	**2007/10/02**	< 400.000	**2010/10**	**DUE**
RADIOLOGICAL						
GROSS ALPHA	01501	048	2011/09/02	.670	2015/09	
GROSS BETA	03501	WAIVED				
RA-226 FOR CWS OR TOTAL RA FOR NTNC BY 903.0	A-080	WAIVED				
RA-226 OR TOTAL RA BY 903.0 C.E.	A-081	WAIVED				
RADIUM 226	09501	WAIVED				
RADIUM 228	11501	WAIVED	2004/04/27	.000		
RADIUM, TOTAL, MDA95-NTNC ONLY, BY 903.0	A-082	WAIVED				
STRONTIUM-90	13501	WAIVED				
TRITIUM	07000	WAIVED				
URANIUM (PCI/L)	28012	WAIVED	2007/11/02	.075		
REGULATED SOC						
2,3,7,8-TCDD (DIOXIN)	34676	WAIVED				
2,4,5-TP (SILVEX)	39045	WAIVED				
2,4-D	39730	WAIVED				
ALACHLOR	77825	036	2011/09/02	< .000	2014/09	
ATRAZINE	39033	036	2011/09/02	< .000	2014/09	
BENTAZON	38710	WAIVED				

**Testing interval is in months;*
0 = No data for this constituent and is DUE NOW
999 = Waived testing (not required)
I = Invalid (NOT) valid analyses reported

System Number: ***2400172***

System Name: ***SANDY MUSH DETENTION CENTER D.B.A. JOHN***

PS Code: ***2400172-012***

Source Name: ***WELL 3 W OF ADULT FACILITY***

Source Number: ***012***

Source Status: ***ACTIVE UNTREATED***

Water type: ***GROUNDWATER OR WELL***

	STORET NUMBER	TESTING INTERVAL (MONTHS)*	LAST TEST DATE (yyyy/mm/dd)	LAST RESULT REPORTED	NEXT TEST DATE (yyyy/mm)
REGULATED SOC					
BENZO (A) PYRENE	34247	WAIVED	2011/09/02	< .000	
CARBOFURAN	81405	WAIVED			
CHLORDANE	39350	WAIVED	2007/10/02	< .100	
DALAPON	38432	WAIVED			
DI(2-ETHYLHEXYL)ADIPATE	A-026	WAIVED	2011/09/02	< .000	
DI(2-ETHYLHEXYL)PHTHALATE	39100	WAIVED	2011/09/02	< .000	
DIBROMOCHLOROPROPANE (DBCP)	38761	036	2011/09/02	.000	2014/09
DINOSEB	81287	WAIVED			
DIQUAT	78885	WAIVED			
ENDOTHALL	38926	WAIVED			
ENDRIN	39390	WAIVED	2007/10/02	< .100	
ETHYLENE DIBROMIDE (EDB)	77651	036	2011/09/02	.000	2014/09
GLYPHOSATE	79743	WAIVED			
HEPTACHLOR	39410	WAIVED	2007/10/02	< .010	
HEPTACHLOR EPOXIDE	39420	WAIVED	2007/10/02	< .010	
HEXACHLOROBENZENE	39700	WAIVED	2007/10/02	< .500	
HEXACHLOROCYCLOPENTADIENE	34386	WAIVED	2007/10/02	< 1.000	
LINDANE	39340	WAIVED	2007/10/02	< .200	
METHOXYCHLOR	39480	WAIVED	2007/10/02	< 10.000	
MOLINATE	82199	WAIVED	2011/09/02	< .000	
OXAMYL	38865	WAIVED			
PENTACHLOROPHENOL	39032	WAIVED			
PICLORAM	39720	WAIVED			
POLYCHLORINATED BIPHENYLS, TOTAL, AS DCB	39516	WAIVED	2007/10/02	< .500	
SIMAZINE	39055	036	2011/09/02	< .000	2014/09
THIOBENCARB	A-001	WAIVED	2011/09/02	< .000	
TOXAPHENE	39400	WAIVED	2007/10/02	< 1.000	
REGULATED VOC					
1,1,1-TRICHLOROETHANE	34506	060	2011/09/02	< .000	2016/09

**Testing interval is in months;*
0 = No data for this constituent and is DUE NOW
999 = Waived testing (not required)
I = Invalid (NOT) valid analyses reported

System Number: 2400172

System Name: SANDY MUSH DETENTION CENTER D.B.A. JOHN

PS Code: 2400172-012

Source Name: WELL 3 W OF ADULT FACILITY

Source Number: 012

Source Status: ACTIVE UNTREATED

Water type: GROUNDWATER OR WELL

	STORET NUMBER	TESTING INTERVAL (MONTHS)*	LAST TEST DATE (yyyy/mm/dd)	LAST RESULT REPORTED	NEXT TEST DATE (yyyy/mm)
REGULATED VOC					
1,1,2,2-TETRACHLOROETHANE	34516	060	2011/09/02	< .000	2016/09
1,1,2-TRICHLORO-1,2,2-TRIFLUOROETHANE	81611	060	2011/09/02	< .000	2016/09
1,1,2-TRICHLOROETHANE	34511	060	2011/09/02	< .000	2016/09
1,1-DICHLOROETHANE	34496	060	2011/09/02	< .000	2016/09
1,1-DICHLOROETHYLENE	34501	060	2011/09/02	< .000	2016/09
1,2,4-TRICHLOROBENZENE	34551	060	2011/09/02	< .000	2016/09
1,2-DICHLOROBENZENE	34536	060	2011/09/02	< .000	2016/09
1,2-DICHLOROETHANE	34531	060	2011/09/02	< .000	2016/09
1,2-DICHLOROPROPANE	34541	060	2011/09/02	< .000	2016/09
1,3-DICHLOROPROPENE (TOTAL)	34561	060	2011/09/02	< .000	2016/09
1,4-DICHLOROBENZENE	34571	060	2011/09/02	< .000	2016/09
BENZENE	34030	060	2011/09/02	< .000	2016/09
CARBON TETRACHLORIDE	32102	060	2011/09/02	< .000	2016/09
CIS-1,2-DICHLOROETHYLENE	77093	060	2011/09/02	< .000	2016/09
DICHLOROMETHANE	34423	060	2011/09/02	< .000	2016/09
ETHYLBENZENE	34371	060	2011/09/02	< .000	2016/09
METHYL-TERT-BUTYL-ETHER (MTBE)	46491	060	2011/09/02	< .000	2016/09
MONOCHLOROBENZENE	34301	060	2011/09/02	< .000	2016/09
STYRENE	77128	060	2011/09/02	< .000	2016/09
TETRACHLOROETHYLENE	34475	060	2011/09/02	< .000	2016/09
TOLUENE	34010	060	2011/09/02	< .000	2016/09
TRANS-1,2-DICHLOROETHYLENE	34546	060	2011/09/02	< .000	2016/09
TRICHLOROETHYLENE	39180	060	2011/09/02	< .000	2016/09
TRICHLOROFLUOROMETHANE	34488	060	2011/09/02	< .000	2016/09
VINYL CHLORIDE	39175	060	2011/09/02	< .000	2016/09
XYLENES (TOTAL)	81551	060	2011/09/02	< .000	2016/09
SECONDARY/GP					
AGGRSSIVE INDEX (CORROSIVITY)	82383	WAIVED	2011/09/02	< 400.000	
BICARBONATE ALKALINITY	00440	036	2011/09/02	190.900	2014/09

**Testing interval is in months;*
0 = No data for this constituent and is DUE NOW
999 = Waived testing (not required)
I = Invalid (NOT) valid analyses reported

System Number: ***2400172***

System Name: ***SANDY MUSH DETENTION CENTER D.B.A. JOHN***

PS Code: ***2400172-012***

Source Name: ***WELL 3 W OF ADULT FACILITY***

Source Number: ***012***

Source Status: ***ACTIVE UNTREATED***

Water type: ***GROUNDWATER OR WELL***

SECONDARY/GP

	STORET NUMBER	TESTING INTERVAL (MONTHS)*	LAST TEST DATE (yyyy/mm/dd)	LAST RESULT REPORTED	NEXT TEST DATE (yyyy/mm)	
CALCIUM	00916	036	2011/09/02	14.600	2014/09	
CARBONATE ALKALINITY	00445	036	2011/09/02	< 1.000	2014/09	
CHLORIDE	00940	036	2011/09/02	7.400	2014/09	
COLOR	00081	036	2011/09/02	7.000	2014/09	
COPPER	01042	036	2011/09/02	< .000	2014/09	
FOAMING AGENTS (MBAS)	38260	036	2011/09/02	< .020	2014/09	
HARDNESS (TOTAL) AS CACO3	00900	036	2011/09/02	142.100	2014/09	
HYDROXIDE ALKALINITY	71830	036	2011/09/02	< 1.000	2014/09	
IRON	01045	036	2011/09/02	140.000	2014/09	
MAGNESIUM	00927	036	2011/09/02	1.400	2014/09	
MANGANESE	01055	036	2011/09/02	35.000	2014/09	
ODOR THRESHOLD @ 60 C	00086	036	2011/09/02	< 1.000	2014/09	
PH, LABORATORY	00403	036	**2007/11/02**	7.600	**2010/11**	**DUE**
SILVER	01077	036	2011/09/02	< .000	2014/09	
SODIUM	00929	036	2011/09/02	63.000	2014/09	
SPECIFIC CONDUCTANCE	00095	036	2011/09/02	300.000	2014/09	
SULFATE	00945	036	2011/09/02	14.800	2014/09	
TOTAL DISSOLVED SOLIDS	70300	036	2011/09/02	294.000	2014/09	
TURBIDITY, LABORATORY	82079	036	2011/09/02	2.800	2014/09	
ZINC	01092	036	2011/09/02	< .000	2014/09	

PS Code: ***2400172-014***

Source Name: ***CHLORINATOR FOR WELL 3***

Source Number: ***014***

Source Status: ***ACTIVE TREATED***

Water type: ***GROUNDWATER OR WELL***

GENERAL NON CHAP 15

DIAZINON	39570	WAIVED

**Testing interval is in months;*
0 = No data for this constituent and is DUE NOW
999 = Waived testing (not required)
I = Invalid (NOT) valid analyses reported

System Number: ***2400172***

System Name: ***SANDY MUSH DETENTION CENTER D.B.A. JOHN***

PS Code: ***2400172-014***

Source Name: ***CHLORINATOR FOR WELL 3***

Source Number: ***014***

Source Status: ***ACTIVE TREATED***

Water type: ***GROUNDWATER OR WELL***

	STORET NUMBER	TESTING INTERVAL (MONTHS)*	LAST TEST DATE (yyyy/mm/dd)	LAST RESULT REPORTED	NEXT TEST DATE (yyyy/mm)
INORGANIC					
ALUMINUM	01105	WAIVED			
ANTIMONY	01097	WAIVED			
ARSENIC	01002	WAIVED			
ASBESTOS	81855	WAIVED			
BARIUM	01007	WAIVED			
BERYLLIUM	01012	WAIVED			
CADMIUM	01027	WAIVED			
CHROMIUM (TOTAL)	01034	WAIVED			
CYANIDE	01291	WAIVED			
FLUORIDE (F) (NATURAL-SOURCE)	00951	WAIVED			
LEAD	01051	WAIVED			
MERCURY	71900	WAIVED			
NICKEL	01067	WAIVED			
PERCHLORATE	A-031	WAIVED			
SELENIUM	01147	WAIVED			
THALLIUM	01059	WAIVED			
NITRATE/NITRITE					
NITRATE (AS NO3)	71850	WAIVED			
NITRITE (AS N)	00620	WAIVED			
RADIOLOGICAL					
GROSS ALPHA	01501	WAIVED			
GROSS BETA	03501	WAIVED			
RA-226 FOR CWS OR TOTAL RA FOR NTNC BY 903.0	A-080	WAIVED			
RA-226 OR TOTAL RA BY 903.0 C.E.	A-081	WAIVED			
RADIUM 226	09501	WAIVED			
RADIUM 228	11501	WAIVED			
RADIUM, TOTAL, MDA95-NTNC ONLY, BY 903.0	A-082	WAIVED			
STRONTIUM-90	13501	WAIVED			
TRITIUM	07000	WAIVED			

**Testing interval is in months;*
0 = No data for this constituent and is DUE NOW
999 = Waived testing (not required)
I = Invalid (NOT) valid analyses reported

System Number: ***2400172***

System Name: ***SANDY MUSH DETENTION CENTER D.B.A. JOHN***

PS Code: ***2400172-014***

Source Name: ***CHLORINATOR FOR WELL 3***

Source Number: ***014***

Source Status: ***ACTIVE TREATED***

Water type: ***GROUNDWATER OR WELL***

	STORET NUMBER	TESTING INTERVAL (MONTHS)*	LAST TEST DATE (yyyy/mm/dd)	LAST RESULT REPORTED	NEXT TEST DATE (yyyy/mm)
RADIOLOGICAL					
URANIUM (PCI/L)	28012	WAIVED			
REGULATED SOC					
2,3,7,8-TCDD (DIOXIN)	34676	WAIVED			
2,4,5-TP (SILVEX)	39045	WAIVED			
2,4-D	39730	WAIVED			
ALACHLOR	77825	WAIVED			
ATRAZINE	39033	WAIVED			
BENTAZON	38710	WAIVED			
BENZO (A) PYRENE	34247	WAIVED			
CARBOFURAN	81405	WAIVED			
CHLORDANE	39350	WAIVED			
DALAPON	38432	WAIVED			
DI(2-ETHYLHEXYL)ADIPATE	A-026	WAIVED			
DI(2-ETHYLHEXYL)PHTHALATE	39100	WAIVED			
DIBROMOCHLOROPROPANE (DBCP)	38761	WAIVED			
DINOSEB	81287	WAIVED			
DIQUAT	78885	WAIVED			
ENDOTHALL	38926	WAIVED			
ENDRIN	39390	WAIVED			
ETHYLENE DIBROMIDE (EDB)	77651	WAIVED			
GLYPHOSATE	79743	WAIVED			
HEPTACHLOR	39410	WAIVED			
HEPTACHLOR EPOXIDE	39420	WAIVED			
HEXACHLOROBENZENE	39700	WAIVED			
HEXACHLOROCYCLOPENTADIENE	34386	WAIVED			
LINDANE	39340	WAIVED			
METHOXYCHLOR	39480	WAIVED			
MOLINATE	82199	WAIVED			
OXAMYL	38865	WAIVED			

**Testing interval is in months;*
0 = No data for this constituent and is DUE NOW
999 = Waived testing (not required)
I = Invalid (NOT) valid analyses reported

System Number: ***2400172***

System Name: ***SANDY MUSH DETENTION CENTER D.B.A. JOHN***

PS Code: ***2400172-014***

Source Name: ***CHLORINATOR FOR WELL 3***

Source Number: ***014***

Source Status: ***ACTIVE TREATED***

Water type: ***GROUNDWATER OR WELL***

	STORET NUMBER	TESTING INTERVAL (MONTHS)*	LAST TEST DATE (yyyy/mm/dd)	LAST RESULT REPORTED	NEXT TEST DATE (yyyy/mm)
REGULATED SOC					
PENTACHLOROPHENOL	39032	WAIVED			
PICLORAM	39720	WAIVED			
POLYCHLORINATED BIPHENYLS, TOTAL, AS DCB	39516	WAIVED			
SIMAZINE	39055	WAIVED			
THIOBENCARB	A-001	WAIVED			
TOXAPHENE	39400	WAIVED			
REGULATED VOC					
1,1,1-TRICHLOROETHANE	34506	WAIVED			
1,1,2,2-TETRACHLOROETHANE	34516	WAIVED			
1,1,2-TRICHLORO-1,2,2-TRIFLUOROETHANE	81611	WAIVED			
1,1,2-TRICHLOROETHANE	34511	WAIVED			
1,1-DICHLOROETHANE	34496	WAIVED			
1,1-DICHLOROETHYLENE	34501	WAIVED			
1,2,4-TRICHLOROBENZENE	34551	WAIVED			
1,2-DICHLOROBENZENE	34536	WAIVED			
1,2-DICHLOROETHANE	34531	WAIVED			
1,2-DICHLOROPROPANE	34541	WAIVED			
1,3-DICHLOROPROPENE (TOTAL)	34561	WAIVED			
1,4-DICHLOROBENZENE	34571	WAIVED			
BENZENE	34030	WAIVED			
CARBON TETRACHLORIDE	32102	WAIVED			
CIS-1,2-DICHLOROETHYLENE	77093	WAIVED			
DICHLOROMETHANE	34423	WAIVED			
ETHYLBENZENE	34371	WAIVED			
METHYL-TERT-BUTYL-ETHER (MTBE)	46491	WAIVED			
MONOCHLOROBENZENE	34301	WAIVED			
STYRENE	77128	WAIVED			
TETRACHLOROETHYLENE	34475	WAIVED			
TOLUENE	34010	WAIVED			

**Testing interval is in months;*
0 = No data for this constituent and is DUE NOW
999 = Waived testing (not required)
I = Invalid (NOT) valid analyses reported

System Number: ***2400172***

System Name: ***SANDY MUSH DETENTION CENTER D.B.A. JOHN***

PS Code: ***2400172-014***

Source Name: ***CHLORINATOR FOR WELL 3***

Source Number: ***014***

Source Status: ***ACTIVE TREATED***

Water type: ***GROUNDWATER OR WELL***

	STORET NUMBER	TESTING INTERVAL (MONTHS)*	LAST TEST DATE (yyyy/mm/dd)	LAST RESULT REPORTED	NEXT TEST DATE (yyyy/mm)
REGULATED VOC					
TRANS-1,2-DICHLOROETHYLENE	34546	WAIVED			
TRICHLOROETHYLENE	39180	WAIVED			
TRICHLOROFLUOROMETHANE	34488	WAIVED			
VINYL CHLORIDE	39175	WAIVED			
XYLENES (TOTAL)	81551	WAIVED			
SECONDARY/GP					
AGGRSSIVE INDEX (CORROSIVITY)	82383	WAIVED			
BICARBONATE ALKALINITY	00440	WAIVED			
CALCIUM	00916	WAIVED			
CARBONATE ALKALINITY	00445	WAIVED			
CHLORIDE	00940	WAIVED			
COLOR	00081	WAIVED			
COPPER	01042	WAIVED			
FOAMING AGENTS (MBAS)	38260	WAIVED			
HARDNESS (TOTAL) AS CACO3	00900	WAIVED			
HYDROXIDE ALKALINITY	71830	WAIVED			
IRON	01045	WAIVED			
MAGNESIUM	00927	WAIVED			
MANGANESE	01055	WAIVED			
ODOR THRESHOLD @ 60 C	00086	WAIVED			
PH, LABORATORY	00403	WAIVED			
SILVER	01077	WAIVED			
SODIUM	00929	WAIVED			
SPECIFIC CONDUCTANCE	00095	WAIVED			
SULFATE	00945	WAIVED			
TOTAL DISSOLVED SOLIDS	70300	WAIVED			
TURBIDITY, LABORATORY	82079	WAIVED			
ZINC	01092	WAIVED			

**Testing interval is in months;*
0 = No data for this constituent and is DUE NOW
999 = Waived testing (not required)
I = Invalid (NOT) valid analyses reported

System Number: ***2400174***

System Name: ***SJR ERRECA***

PS Code: ***2400174-002***

Source Name: ***WELL 02 - NEW WELL - S.E. OF OFFICE***

Source Number: ***002***

Source Status: ***ACTIVE UNTREATED***

Water type: ***GROUNDWATER OR WELL***

	STORET NUMBER	TESTING INTERVAL (MONTHS)*	LAST TEST DATE (yyyy/mm/dd)	LAST RESULT REPORTED	NEXT TEST DATE (yyyy/mm)
GENERAL NON CHAP 15					
DIAZINON	39570	WAIVED	2008/06/05	< .200	
INORGANIC					
ALUMINUM	01105	WAIVED	2008/07/31	< 50.000	
ANTIMONY	01097	WAIVED	2008/07/31	< 2.000	
ARSENIC	01002	WAIVED	2008/07/31	5.200	
ASBESTOS	81855	WAIVED			
BARIUM	01007	WAIVED	2008/07/31	< 100.000	
BERYLLIUM	01012	WAIVED	2008/07/31	< 1.000	
CADMIUM	01027	WAIVED	2008/07/31	< 1.000	
CHROMIUM (TOTAL)	01034	WAIVED	2008/07/31	< 10.000	
CYANIDE	01291	WAIVED			
FLUORIDE (F) (NATURAL-SOURCE)	00951	WAIVED	2008/06/05	< .100	
LEAD	01051	WAIVED	2008/07/31	< 1.000	
MERCURY	71900	WAIVED	2008/07/31	< .200	
NICKEL	01067	WAIVED	2008/07/31	< 10.000	
PERCHLORATE	A-031	WAIVED	2008/08/05	< 4.000	
SELENIUM	01147	WAIVED	2008/07/31	5.000	
THALLIUM	01059	WAIVED	2008/07/31	< 1.000	
NITRATE/NITRITE					
NITRATE (AS NO3)	71850	WAIVED	2011/11/01	1.130	
NITRITE (AS N)	00620	WAIVED	2011/12/07	< 100.000	
RADIOLOGICAL					
GROSS ALPHA	01501	WAIVED	2010/10/11	1.030	
GROSS BETA	03501	WAIVED			
RA-226 FOR CWS OR TOTAL RA FOR NTNC BY 903.0	A-080	WAIVED			
RA-226 OR TOTAL RA BY 903.0 C.E.	A-081	WAIVED			
RADIUM 226	09501	WAIVED			
RADIUM 228	11501	WAIVED	2008/01/08	.070	

**Testing interval is in months;*
0 = No data for this constituent and is DUE NOW
999 = Waived testing (not required)
I = Invalid (NOT) valid analyses reported

System Number: ***2400174***

System Name: ***SJR ERRECA***

PS Code: ***2400174-002***

Source Name: ***WELL 02 - NEW WELL - S.E. OF OFFICE***

Source Number: ***002***

Source Status: ***ACTIVE UNTREATED***

Water type: ***GROUNDWATER OR WELL***

	STORET NUMBER	TESTING INTERVAL (MONTHS)*	LAST TEST DATE (yyyy/mm/dd)	LAST RESULT REPORTED	NEXT TEST DATE (yyyy/mm)
RADIOLOGICAL					
RADIUM, TOTAL, MDA95-NTNC ONLY, BY 903.0	A-082	WAIVED			
STRONTIUM-90	13501	WAIVED			
TRITIUM	07000	WAIVED			
URANIUM (PCI/L)	28012	WAIVED	2010/10/11	.330	
REGULATED SOC					
2,3,7,8-TCDD (DIOXIN)	34676	WAIVED			
2,4,5-TP (SILVEX)	39045	WAIVED			
2,4-D	39730	WAIVED			
ALACHLOR	77825	WAIVED	2008/06/05	< .200	
ATRAZINE	39033	WAIVED	2008/06/05	< .300	
BENTAZON	38710	WAIVED			
BENZO (A) PYRENE	34247	WAIVED	2008/06/05	< .100	
CARBOFURAN	81405	WAIVED			
CHLORDANE	39350	WAIVED			
DALAPON	38432	WAIVED			
DI(2-ETHYLHEXYL)ADIPATE	A-026	WAIVED	2008/06/05	< 1.000	
DI(2-ETHYLHEXYL)PHTHALATE	39100	WAIVED	2008/06/05	< 3.000	
DIBROMOCHLOROPROPANE (DBCP)	38761	WAIVED	2008/07/31	.014	
DINOSEB	81287	WAIVED			
DIQUAT	78885	WAIVED			
ENDOTHALL	38926	WAIVED			
ENDRIN	39390	WAIVED			
ETHYLENE DIBROMIDE (EDB)	77651	WAIVED	2008/07/31	< .010	
GLYPHOSATE	79743	WAIVED			
HEPTACHLOR	39410	WAIVED			
HEPTACHLOR EPOXIDE	39420	WAIVED			
HEXACHLOROBENZENE	39700	WAIVED	2008/06/05	< .100	
HEXACHLOROCYCLOPENTADIENE	34386	WAIVED	2008/06/05	< 3.000	
LINDANE	39340	WAIVED	2008/06/05	< .100	

**Testing interval is in months;*
0 = No data for this constituent and is DUE NOW
999 = Waived testing (not required)
I = Invalid (NOT) valid analyses reported

System Number: ***2400174***

System Name: ***SJR ERRECA***

PS Code: ***2400174-002***

Source Name: ***WELL 02 - NEW WELL - S.E. OF OFFICE***

Source Number: ***002***

Source Status: ***ACTIVE UNTREATED***

Water type: ***GROUNDWATER OR WELL***

	STORET NUMBER	TESTING INTERVAL (MONTHS)*	LAST TEST DATE (yyyy/mm/dd)	LAST RESULT REPORTED	NEXT TEST DATE (yyyy/mm)
REGULATED SOC					
METHOXYCHLOR	39480	WAIVED	2008/06/05	< .300	
MOLINATE	82199	WAIVED	2008/06/05	< .500	
OXAMYL	38865	WAIVED			
PENTACHLOROPHENOL	39032	WAIVED			
PICLORAM	39720	WAIVED			
POLYCHLORINATED BIPHENYLS, TOTAL, AS DCB	39516	WAIVED			
SIMAZINE	39055	WAIVED	2008/06/05	< .300	
THIOBENCARB	A-001	WAIVED	2008/06/05	< .500	
TOXAPHENE	39400	WAIVED			
REGULATED VOC					
1,1,1-TRICHLOROETHANE	34506	WAIVED	2006/06/22	.000	
1,1,2,2-TETRACHLOROETHANE	34516	WAIVED	2006/06/22	.000	
1,1,2-TRICHLORO-1,2,2-TRIFLUOROETHANE	81611	WAIVED	2006/06/22	.000	
1,1,2-TRICHLOROETHANE	34511	WAIVED	2006/06/22	.000	
1,1-DICHLOROETHANE	34496	WAIVED	2006/06/22	.000	
1,1-DICHLOROETHYLENE	34501	WAIVED	2006/06/22	.000	
1,2,4-TRICHLOROBENZENE	34551	WAIVED	2006/06/22	.000	
1,2-DICHLOROBENZENE	34536	WAIVED	2006/06/22	.000	
1,2-DICHLOROETHANE	34531	WAIVED	2006/06/22	.000	
1,2-DICHLOROPROPANE	34541	WAIVED	2006/06/22	.000	
1,3-DICHLOROPROPENE (TOTAL)	34561	WAIVED	2006/06/22	.000	
1,4-DICHLOROBENZENE	34571	WAIVED	2006/06/22	.000	
BENZENE	34030	WAIVED	2006/06/22	.000	
CARBON TETRACHLORIDE	32102	WAIVED	2006/06/22	.000	
CIS-1,2-DICHLOROETHYLENE	77093	WAIVED	2006/06/22	.000	
DICHLOROMETHANE	34423	WAIVED	2006/06/22	.000	
ETHYLBENZENE	34371	WAIVED	2006/06/22	.000	
METHYL-TERT-BUTYL-ETHER (MTBE)	46491	WAIVED	2006/06/22	.000	
MONOCHLOROBENZENE	34301	WAIVED	2006/06/22	.000	

**Testing interval is in months;*
0 = No data for this constituent and is DUE NOW
999 = Waived testing (not required)
I = Invalid (NOT) valid analyses reported

System Number: ***2400174***

System Name: ***SJR ERRECA***

PS Code: ***2400174-002***

Source Name: ***WELL 02 - NEW WELL - S.E. OF OFFICE***

Source Number: ***002***

Source Status: ***ACTIVE UNTREATED***

Water type: ***GROUNDWATER OR WELL***

	STORET NUMBER	TESTING INTERVAL (MONTHS)*	LAST TEST DATE (yyyy/mm/dd)	LAST RESULT REPORTED	NEXT TEST DATE (yyyy/mm)
REGULATED VOC					
STYRENE	77128	WAIVED	2006/06/22	.000	
TETRACHLOROETHYLENE	34475	WAIVED	2006/06/22	.000	
TOLUENE	34010	WAIVED	2006/06/22	.000	
TRANS-1,2-DICHLOROETHYLENE	34546	WAIVED	2006/06/22	.000	
TRICHLOROETHYLENE	39180	WAIVED	2006/06/22	.000	
TRICHLOROFLUOROMETHANE	34488	WAIVED	2006/06/22	.000	
VINYL CHLORIDE	39175	WAIVED	2006/06/22	.000	
XYLENES (TOTAL)	81551	WAIVED	2006/06/22	< .500	
SECONDARY/GP					
AGGRSSIVE INDEX (CORROSIVITY)	82383	WAIVED			
BICARBONATE ALKALINITY	00440	WAIVED	2008/06/05	46.000	
CALCIUM	00916	WAIVED	2008/06/05	128.000	
CARBONATE ALKALINITY	00445	WAIVED	2008/06/05	< 1.000	
CHLORIDE	00940	WAIVED	2008/06/05	604.000	
COLOR	00081	WAIVED	2005/11/03	5.000	
COPPER	01042	WAIVED	2008/06/05	< 50.000	
FOAMING AGENTS (MBAS)	38260	WAIVED	2008/06/05	< .100	
HARDNESS (TOTAL) AS CACO3	00900	WAIVED	2008/06/05	404.000	
HYDROXIDE ALKALINITY	71830	WAIVED	2008/06/05	< 1.000	
IRON	01045	WAIVED	2008/06/05	< 100.000	
MAGNESIUM	00927	WAIVED	2008/06/05	20.600	
MANGANESE	01055	WAIVED	2008/06/05	< 20.000	
ODOR THRESHOLD @ 60 C	00086	WAIVED	2005/11/03	1.000	
PH, LABORATORY	00403	WAIVED	2008/06/05	7.800	
SILVER	01077	WAIVED	2008/07/31	< 10.000	
SODIUM	00929	WAIVED	2008/06/05	259.000	
SPECIFIC CONDUCTANCE	00095	WAIVED	2008/06/05	2100.000	
SULFATE	00945	WAIVED	2008/06/05	61.600	
TOTAL DISSOLVED SOLIDS	70300	WAIVED	2008/06/05	1130.000	

**Testing interval is in months;*
0 = No data for this constituent and is DUE NOW
999 = Waived testing (not required)
I = Invalid (NOT) valid analyses reported

System Number: ***2400174***

System Name: ***SJR ERRECA***

PS Code: ***2400174-002***

Source Name: ***WELL 02 - NEW WELL - S.E. OF OFFICE***

Source Number: ***002***

Source Status: ***ACTIVE UNTREATED***

Water type: ***GROUNDWATER OR WELL***

	STORET NUMBER	TESTING INTERVAL (MONTHS)*	LAST TEST DATE (yyyy/mm/dd)	LAST RESULT REPORTED	NEXT TEST DATE (yyyy/mm)	
SECONDARY/GP						
TURBIDITY, LABORATORY	82079	WAIVED	2005/11/03	.400		
ZINC	01092	WAIVED	2008/06/05	< 50.000		

PS Code: ***2400174-011***

Source Name: ***WELL 02 - NEW WELL - S.E. OF OFFICE***

Source Number: ***011***

Source Status: ***ACTIVE UNTREATED***

Water type: ***GROUNDWATER OR WELL***

GENERAL NON CHAP 15						
DIAZINON	39570	WAIVED				
INORGANIC						
ALUMINUM	01105	000				DUE
ANTIMONY	01097	036	2008/07/27	< 2.000	2011/07	DUE
ARSENIC	01002	036	2008/07/27	9.400	2011/07	DUE
ASBESTOS	81855	WAIVED				
BARIUM	01007	000				DUE
BERYLLIUM	01012	000				DUE
CADMIUM	01027	000				DUE
CHROMIUM (TOTAL)	01034	000				DUE
CYANIDE	01291	WAIVED				
FLUORIDE (F) (NATURAL-SOURCE)	00951	000				DUE
LEAD	01051	WAIVED	2008/07/27	< 1.000		
MERCURY	71900	036	2008/07/27	< .200	2011/07	DUE
NICKEL	01067	000				DUE
PERCHLORATE	A-031	000				DUE
SELENIUM	01147	036	2008/07/27	< 2.000	2011/07	DUE
THALLIUM	01059	036	2008/07/27	< 1.000	2011/07	DUE

**Testing interval is in months;*
0 = No data for this constituent and is DUE NOW
999 = Waived testing (not required)
I = Invalid (NOT) valid analyses reported

System Number: ***2400174***

System Name: ***SJR ERRECA***

PS Code: ***2400174-011***

Source Name: ***WELL 02 - NEW WELL - S.E. OF OFFICE***

Source Number: ***011***

Source Status: ***ACTIVE UNTREATED***

Water type: ***GROUNDWATER OR WELL***

	STORET NUMBER	TESTING INTERVAL (MONTHS)*	LAST TEST DATE (yyyy/mm/dd)	LAST RESULT REPORTED	NEXT TEST DATE (yyyy/mm)	
NITRATE/NITRITE						
NITRATE (AS NO3)	71850	000				DUE
NITRITE (AS N)	00620	000				DUE
RADIOLOGICAL						
GROSS ALPHA	01501	003				DUE
GROSS BETA	03501	WAIVED				
RA-226 FOR CWS OR TOTAL RA FOR NTNC BY 903.0	A-080	WAIVED				
RA-226 OR TOTAL RA BY 903.0 C.E.	A-081	WAIVED				
RADIUM 226	09501	WAIVED				
RADIUM 228	11501	WAIVED				
RADIUM, TOTAL, MDA95-NTNC ONLY, BY 903.0	A-082	WAIVED				
STRONTIUM-90	13501	WAIVED				
TRITIUM	07000	WAIVED				
URANIUM (PCI/L)	28012	WAIVED				
REGULATED SOC						
2,3,7,8-TCDD (DIOXIN)	34676	WAIVED				
2,4,5-TP (SILVEX)	39045	WAIVED				
2,4-D	39730	WAIVED				
ALACHLOR	77825	036	2005/11/03	.000	2008/11	DUE
ATRAZINE	39033	036	2005/11/03	.000	2008/11	DUE
BENTAZON	38710	WAIVED				
BENZO (A) PYRENE	34247	WAIVED				
CARBOFURAN	81405	WAIVED				
CHLORDANE	39350	WAIVED				
DALAPON	38432	WAIVED				
DI(2-ETHYLHEXYL)ADIPATE	A-026	WAIVED				
DI(2-ETHYLHEXYL)PHTHALATE	39100	WAIVED				
DIBROMOCHLOROPROPANE (DBCP)	38761	036	2005/11/03	.000	2008/11	DUE
DINOSEB	81287	WAIVED				
DIQUAT	78885	WAIVED				

**Testing interval is in months;*
0 = No data for this constituent and is DUE NOW
999 = Waived testing (not required)
I = Invalid (NOT) valid analyses reported

System Number: ***2400174***

System Name: ***SJR ERRECA***

PS Code: ***2400174-011***

Source Name: ***WELL 02 - NEW WELL - S.E. OF OFFICE***

Source Number: ***011***

Source Status: ***ACTIVE UNTREATED***

Water type: ***GROUNDWATER OR WELL***

	STORET NUMBER	TESTING INTERVAL (MONTHS)*	LAST TEST DATE (yyyy/mm/dd)	LAST RESULT REPORTED	NEXT TEST DATE (yyyy/mm)	
REGULATED SOC						
ENDOTHALL	38926	WAIVED				
ENDRIN	39390	WAIVED				
ETHYLENE DIBROMIDE (EDB)	77651	036	2005/11/03	.000	2008/11	DUE
GLYPHOSATE	79743	WAIVED				
HEPTACHLOR	39410	WAIVED				
HEPTACHLOR EPOXIDE	39420	WAIVED				
HEXACHLOROBENZENE	39700	WAIVED				
HEXACHLOROCYCLOPENTADIENE	34386	WAIVED				
LINDANE	39340	WAIVED				
METHOXYCHLOR	39480	WAIVED				
MOLINATE	82199	WAIVED	2005/11/03	.000		
OXAMYL	38865	WAIVED				
PENTACHLOROPHENOL	39032	WAIVED				
PICLORAM	39720	WAIVED				
POLYCHLORINATED BIPHENYLS, TOTAL, AS DCB	39516	WAIVED				
SIMAZINE	39055	036	2005/11/03	.000	2008/11	DUE
THIOBENCARB	A-001	WAIVED	2005/11/03	.000		
TOXAPHENE	39400	WAIVED				
REGULATED VOC						
1,1,1-TRICHLOROETHANE	34506	000				DUE
1,1,2,2-TETRACHLOROETHANE	34516	000				DUE
1,1,2-TRICHLORO-1,2,2-TRIFLUOROETHANE	81611	000				DUE
1,1,2-TRICHLOROETHANE	34511	000				DUE
1,1-DICHLOROETHANE	34496	000				DUE
1,1-DICHLOROETHYLENE	34501	000				DUE
1,2,4-TRICHLOROBENZENE	34551	000				DUE
1,2-DICHLOROBENZENE	34536	000				DUE
1,2-DICHLOROETHANE	34531	000				DUE
1,2-DICHLOROPROPANE	34541	000				DUE

**Testing interval is in months;*
0 = No data for this constituent and is DUE NOW
999 = Waived testing (not required)
I = Invalid (NOT) valid analyses reported

System Number: ***2400174***

System Name: ***SJR ERRECA***

PS Code: ***2400174-011***

Source Name: ***WELL 02 - NEW WELL - S.E. OF OFFICE***

Source Number: ***011***

Source Status: ***ACTIVE UNTREATED***

Water type: ***GROUNDWATER OR WELL***

	STORET NUMBER	TESTING INTERVAL (MONTHS)*	LAST TEST DATE (yyyy/mm/dd)	LAST RESULT REPORTED	NEXT TEST DATE (yyyy/mm)
REGULATED VOC					
1,3-DICHLOROPROPENE (TOTAL)	34561	000			DUE
1,4-DICHLOROBENZENE	34571	000			DUE
BENZENE	34030	000			DUE
CARBON TETRACHLORIDE	32102	000			DUE
CIS-1,2-DICHLOROETHYLENE	77093	000			DUE
DICHLOROMETHANE	34423	000			DUE
ETHYLBENZENE	34371	000			DUE
METHYL-TERT-BUTYL-ETHER (MTBE)	46491	000			DUE
MONOCHLOROBENZENE	34301	000			DUE
STYRENE	77128	000			DUE
TETRACHLOROETHYLENE	34475	000			DUE
TOLUENE	34010	000			DUE
TRANS-1,2-DICHLOROETHYLENE	34546	000			DUE
TRICHLOROETHYLENE	39180	000			DUE
TRICHLOROFLUOROMETHANE	34488	000			DUE
VINYL CHLORIDE	39175	000			DUE
XYLENES (TOTAL)	81551	000			DUE
SECONDARY/GP					
AGGRSSIVE INDEX (CORROSIVITY)	82383	WAIVED			
BICARBONATE ALKALINITY	00440	000			DUE
CALCIUM	00916	000			DUE
CARBONATE ALKALINITY	00445	000			DUE
CHLORIDE	00940	000			DUE
COLOR	00081	000			DUE
COPPER	01042	000			DUE
FOAMING AGENTS (MBAS)	38260	000			DUE
HARDNESS (TOTAL) AS CACO3	00900	000			DUE
HYDROXIDE ALKALINITY	71830	000			DUE
IRON	01045	000			DUE

**Testing interval is in months;*
0 = No data for this constituent and is DUE NOW
999 = Waived testing (not required)
I = Invalid (NOT) valid analyses reported

System Number: ***2400174***

System Name: ***SJR ERRECA***

PS Code: ***2400174-011***

Source Name: ***WELL 02 - NEW WELL - S.E. OF OFFICE***

Source Number: ***011***

Source Status: ***ACTIVE UNTREATED***

Water type: ***GROUNDWATER OR WELL***

SECONDARY/GP

	STORET NUMBER	TESTING INTERVAL (MONTHS)*	LAST TEST DATE (yyyy/mm/dd)	LAST RESULT REPORTED	NEXT TEST DATE (yyyy/mm)
MAGNESIUM	00927	000			DUE
MANGANESE	01055	000			DUE
ODOR THRESHOLD @ 60 C	00086	000			DUE
PH, LABORATORY	00403	000			DUE
SILVER	01077	000			DUE
SODIUM	00929	000			DUE
SPECIFIC CONDUCTANCE	00095	000			DUE
SULFATE	00945	000			DUE
TOTAL DISSOLVED SOLIDS	70300	000			DUE
TURBIDITY, LABORATORY	82079	000			DUE
ZINC	01092	000			DUE

**Testing interval is in months;*
0 = No data for this constituent and is DUE NOW
999 = Waived testing (not required)
I = Invalid (NOT) valid analyses reported

System Number: ***2400175***

System Name: ***MORNING STAR PACKING***

PS Code: ***2400175-001***

Source Name: ***WELL #1-S.E. OF PLANT/OFFICE***

Source Number: ***001***

Source Status: ***ACTIVE UNTREATED***

Water type: ***GROUNDWATER OR WELL***

	STORET NUMBER	TESTING INTERVAL (MONTHS)*	LAST TEST DATE (yyyy/mm/dd)	LAST RESULT REPORTED	NEXT TEST DATE (yyyy/mm)	
GENERAL NON CHAP 15						
DIAZINON	39570	WAIVED	2005/06/23	.000		
INORGANIC						
ALUMINUM	01105	036	2005/06/23	.000	2008/06	DUE
ANTIMONY	01097	036	2005/06/23	.000	2008/06	DUE
ARSENIC	01002	036	2005/06/23	.000	2008/06	DUE
ASBESTOS	81855	WAIVED				
BARIUM	01007	036	2005/06/23	.000	2008/06	DUE
BERYLLIUM	01012	036	2005/06/23	.000	2008/06	DUE
CADMIUM	01027	036	2005/06/23	.000	2008/06	DUE
CHROMIUM (TOTAL)	01034	036	2005/06/23	47.000	2008/06	DUE
CYANIDE	01291	WAIVED				
FLUORIDE (F) (NATURAL-SOURCE)	00951	036	2005/06/23	.000	2008/06	DUE
LEAD	01051	WAIVED				
MERCURY	71900	036	2005/06/23	.000	2008/06	DUE
NICKEL	01067	036	2005/06/23	.000	2008/06	DUE
PERCHLORATE	A-031	000				DUE
SELENIUM	01147	036	2005/06/23	.000	2008/06	DUE
THALLIUM	01059	036	2005/06/23	.000	2008/06	DUE
NITRATE/NITRITE						
NITRATE (AS NO3)	71850	012	2005/06/23	6.000	2006/06	DUE
NITRITE (AS N)	00620	036	2005/06/23	.000	2008/06	DUE
RADIOLOGICAL						
GROSS ALPHA	01501	WAIVED	2005/06/23	1.380		
GROSS BETA	03501	WAIVED				
RA-226 FOR CWS OR TOTAL RA FOR NTNC BY 903.0	A-080	WAIVED				
RA-226 OR TOTAL RA BY 903.0 C.E.	A-081	WAIVED				
RADIUM 226	09501	WAIVED				
RADIUM 228	11501	WAIVED				

**Testing interval is in months;*
0 = No data for this constituent and is DUE NOW
999 = Waived testing (not required)
I = Invalid (NOT) valid analyses reported

System Number: ***2400175***

System Name: ***MORNING STAR PACKING***

PS Code: ***2400175-001***

Source Name: ***WELL #1-S.E. OF PLANT/OFFICE***

Source Number: ***001***

Source Status: ***ACTIVE UNTREATED***

Water type: ***GROUNDWATER OR WELL***

	STORET NUMBER	TESTING INTERVAL (MONTHS)*	LAST TEST DATE (yyyy/mm/dd)	LAST RESULT REPORTED	NEXT TEST DATE (yyyy/mm)	
RADIOLOGICAL						
RADIUM, TOTAL, MDA95-NTNC ONLY, BY 903.0	A-082	WAIVED				
STRONTIUM-90	13501	WAIVED				
TRITIUM	07000	WAIVED				
URANIUM (PCI/L)	28012	WAIVED				
REGULATED SOC						
2,3,7,8-TCDD (DIOXIN)	34676	WAIVED				
2,4,5-TP (SILVEX)	39045	WAIVED	2005/06/23	.000		
2,4-D	39730	WAIVED	2005/06/23	.000		
ALACHLOR	77825	036	2005/06/23	.000	2008/06	DUE
ATRAZINE	39033	036	2005/06/23	.000	2008/06	DUE
BENTAZON	38710	WAIVED	2005/06/23	.000		
BENZO (A) PYRENE	34247	WAIVED	2005/06/23	.000		
CARBOFURAN	81405	WAIVED	2005/06/23	.000		
CHLORDANE	39350	WAIVED	2005/06/23	.000		
DALAPON	38432	WAIVED	2005/06/23	.000		
DI(2-ETHYLHEXYL)ADIPATE	A-026	WAIVED	2005/06/23	.000		
DI(2-ETHYLHEXYL)PHTHALATE	39100	WAIVED	2005/06/23	.000		
DIBROMOCHLOROPROPANE (DBCP)	38761	036	2002/04/17	.000	2005/04	DUE
DINOSEB	81287	WAIVED	2005/06/23	.000		
DIQUAT	78885	WAIVED	2005/06/23	.000		
ENDOTHALL	38926	WAIVED	2005/06/23	.000		
ENDRIN	39390	WAIVED	2005/06/23	.000		
ETHYLENE DIBROMIDE (EDB)	77651	036	2002/04/17	.000	2005/04	DUE
GLYPHOSATE	79743	WAIVED	2005/06/23	.000		
HEPTACHLOR	39410	WAIVED	2005/06/23	.000		
HEPTACHLOR EPOXIDE	39420	WAIVED	2005/06/23	.000		
HEXACHLOROBENZENE	39700	WAIVED	2005/06/23	.000		
HEXACHLOROCYCLOPENTADIENE	34386	WAIVED	2005/06/23	.000		
LINDANE	39340	WAIVED	2005/06/23	.000		

**Testing interval is in months;*
0 = No data for this constituent and is DUE NOW
999 = Waived testing (not required)
I = Invalid (NOT) valid analyses reported

System Number: ***2400175***

System Name: ***MORNING STAR PACKING***

PS Code: ***2400175-001***

Source Name: ***WELL #1-S.E. OF PLANT/OFFICE***

Source Number: ***001***

Source Status: ***ACTIVE UNTREATED***

Water type: ***GROUNDWATER OR WELL***

	STORET NUMBER	TESTING INTERVAL (MONTHS)*	LAST TEST DATE (yyyy/mm/dd)	LAST RESULT REPORTED	NEXT TEST DATE (yyyy/mm)	
REGULATED SOC						
METHOXYCHLOR	39480	WAIVED	2005/06/23	.000		
MOLINATE	82199	WAIVED	2005/06/23	.000		
OXAMYL	38865	WAIVED	2005/06/23	.000		
PENTACHLOROPHENOL	39032	WAIVED	2005/06/23	.000		
PICLORAM	39720	WAIVED	2005/06/23	.000		
POLYCHLORINATED BIPHENYLS, TOTAL, AS DCB	39516	WAIVED	2005/06/23	.000		
SIMAZINE	39055	036	2005/06/23	.000	2008/06	DUE
THIOBENCARB	A-001	WAIVED	2005/06/23	.000		
TOXAPHENE	39400	WAIVED	2005/06/23	.000		
REGULATED VOC						
1,1,1-TRICHLOROETHANE	34506	060	2002/04/17	.000	2007/04	DUE
1,1,2,2-TETRACHLOROETHANE	34516	060	2002/04/17	.000	2007/04	DUE
1,1,2-TRICHLORO-1,2,2-TRIFLUOROETHANE	81611	000				DUE
1,1,2-TRICHLOROETHANE	34511	060	2002/04/17	.000	2007/04	DUE
1,1-DICHLOROETHANE	34496	060	2002/04/17	.000	2007/04	DUE
1,1-DICHLOROETHYLENE	34501	060	2002/04/17	.000	2007/04	DUE
1,2,4-TRICHLOROBENZENE	34551	060	2002/04/17	.000	2007/04	DUE
1,2-DICHLOROBENZENE	34536	060	2002/04/17	.000	2007/04	DUE
1,2-DICHLOROETHANE	34531	060	2002/04/17	.000	2007/04	DUE
1,2-DICHLOROPROPANE	34541	060	2002/04/17	.000	2007/04	DUE
1,3-DICHLOROPROPENE (TOTAL)	34561	060	2002/04/17	.000	2007/04	DUE
1,4-DICHLOROBENZENE	34571	060	2002/04/17	.000	2007/04	DUE
BENZENE	34030	060	2002/04/17	.000	2007/04	DUE
CARBON TETRACHLORIDE	32102	060	2002/04/17	.000	2007/04	DUE
CIS-1,2-DICHLOROETHYLENE	77093	060	2002/04/17	.000	2007/04	DUE
DICHLOROMETHANE	34423	060	2002/04/17	.000	2007/04	DUE
ETHYLBENZENE	34371	060	2002/04/17	.000	2007/04	DUE
METHYL-TERT-BUTYL-ETHER (MTBE)	46491	060	2002/04/17	.000	2007/04	DUE
MONOCHLOROBENZENE	34301	060	2002/04/17	.000	2007/04	DUE

**Testing interval is in months;*
0 = No data for this constituent and is DUE NOW
999 = Waived testing (not required)
I = Invalid (NOT) valid analyses reported

System Number: ***2400175***

System Name: ***MORNING STAR PACKING***

PS Code: ***2400175-001***

Source Name: ***WELL #1-S.E. OF PLANT/OFFICE***

Source Number: ***001***

Source Status: ***ACTIVE UNTREATED***

Water type: ***GROUNDWATER OR WELL***

	STORET NUMBER	TESTING INTERVAL (MONTHS)*	LAST TEST DATE (yyyy/mm/dd)	LAST RESULT REPORTED	NEXT TEST DATE (yyyy/mm)	
REGULATED VOC						
STYRENE	77128	060	2002/04/17	.000	2007/04	DUE
TETRACHLOROETHYLENE	34475	060	2002/04/17	.000	2007/04	DUE
TOLUENE	34010	060	2002/04/17	.000	2007/04	DUE
TRANS-1,2-DICHLOROETHYLENE	34546	060	2002/04/17	.000	2007/04	DUE
TRICHLOROETHYLENE	39180	060	2002/04/17	.000	2007/04	DUE
TRICHLOROFLUOROMETHANE	34488	060	2002/04/17	.000	2007/04	DUE
VINYL CHLORIDE	39175	060	2002/04/17	.000	2007/04	DUE
XYLENES (TOTAL)	81551	060	2002/04/17	.000	2007/04	DUE
SECONDARY/GP						
AGGRSSIVE INDEX (CORROSIVITY)	82383	WAIVED	2005/06/23	12.140		
BICARBONATE ALKALINITY	00440	WAIVED	2005/06/23	229.000		
CALCIUM	00916	WAIVED	2005/06/23	36.000		
CARBONATE ALKALINITY	00445	WAIVED	2005/06/23	.000		
CHLORIDE	00940	WAIVED	2005/06/23	32.000		
COLOR	00081	WAIVED	2005/06/23	< 3.000		
COPPER	01042	WAIVED	2005/06/23	.000		
FOAMING AGENTS (MBAS)	38260	WAIVED	2005/06/23	.000		
HARDNESS (TOTAL) AS CACO3	00900	WAIVED	2005/06/23	181.000		
HYDROXIDE ALKALINITY	71830	WAIVED	2005/06/23	.000		
IRON	01045	WAIVED	2005/06/23	238.000		
MAGNESIUM	00927	WAIVED	2005/06/23	22.000		
MANGANESE	01055	WAIVED	2005/06/23	.000		
ODOR THRESHOLD @ 60 C	00086	WAIVED	2005/06/23	< 1.000		
PH, LABORATORY	00403	WAIVED	2005/06/23	7.900		
SILVER	01077	WAIVED	2005/06/23	.000		
SODIUM	00929	WAIVED	2005/06/23	50.000		
SPECIFIC CONDUCTANCE	00095	WAIVED	2005/06/23	550.000		
SULFATE	00945	WAIVED	2005/06/23	37.000		
TOTAL DISSOLVED SOLIDS	70300	WAIVED	2005/06/23	470.000		

**Testing interval is in months;*
0 = No data for this constituent and is DUE NOW
999 = Waived testing (not required)
I = Invalid (NOT) valid analyses reported

System Number: ***2400175***

System Name: ***MORNING STAR PACKING***

PS Code: ***2400175-001***

Source Name: ***WELL #1-S.E. OF PLANT/OFFICE***

Source Number: ***001***

Source Status: ***ACTIVE UNTREATED***

Water type: ***GROUNDWATER OR WELL***

	STORET NUMBER	TESTING INTERVAL (MONTHS)*	LAST TEST DATE (yyyy/mm/dd)	LAST RESULT REPORTED	NEXT TEST DATE (yyyy/mm)	
SECONDARY/GP						
TURBIDITY, LABORATORY	82079	WAIVED	2005/06/23	.150		
ZINC	01092	WAIVED	2005/06/23	.000		

PS Code: ***2400175-002***

Source Name: ***WELL #2-N. OF MAINT. BLDG.***

Source Number: ***002***

Source Status: ***ACTIVE UNTREATED***

Water type: ***GROUNDWATER OR WELL***

GENERAL NON CHAP 15						
DIAZINON	39570	WAIVED	2005/06/23	.000		
INORGANIC						
ALUMINUM	01105	036	2005/06/23	.000	2008/06	DUE
ANTIMONY	01097	036	2005/06/23	.000	2008/06	DUE
ARSENIC	01002	036	2005/06/23	.000	2008/06	DUE
ASBESTOS	81855	WAIVED				
BARIUM	01007	036	2005/06/23	.000	2008/06	DUE
BERYLLIUM	01012	036	2005/06/23	.000	2008/06	DUE
CADMIUM	01027	036	2005/06/23	.000	2008/06	DUE
CHROMIUM (TOTAL)	01034	036	2005/06/23	17.000	2008/06	DUE
CYANIDE	01291	WAIVED				
FLUORIDE (F) (NATURAL-SOURCE)	00951	036	2005/06/23	.000	2008/06	DUE
LEAD	01051	WAIVED				
MERCURY	71900	036	2005/06/23	.000	2008/06	DUE
NICKEL	01067	036	2005/06/23	.000	2008/06	DUE
PERCHLORATE	A-031	000				DUE
SELENIUM	01147	036	2005/06/23	.000	2008/06	DUE
THALLIUM	01059	036	2005/06/23	.000	2008/06	DUE

**Testing interval is in months;*
0 = No data for this constituent and is DUE NOW
999 = Waived testing (not required)
I = Invalid (NOT) valid analyses reported

System Number: 2400175
System Name: MORNING STAR PACKING

PS Code: 2400175-002
Source Name: WELL #2-N. OF MAINT. BLDG.
Source Number: 002
Source Status: ACTIVE UNTREATED
Water type: GROUNDWATER OR WELL

	STORET NUMBER	TESTING INTERVAL (MONTHS)*	LAST TEST DATE (yyyy/mm/dd)	LAST RESULT REPORTED	NEXT TEST DATE (yyyy/mm)	
NITRATE/NITRITE						
NITRATE (AS NO3)	71850	012	2005/06/23	11.000	2006/06	DUE
NITRITE (AS N)	00620	036	2005/06/23	.000	2008/06	DUE
RADIOLOGICAL						
GROSS ALPHA	01501	WAIVED	2005/06/23	2.540		
GROSS BETA	03501	WAIVED				
RA-226 FOR CWS OR TOTAL RA FOR NTNC BY 903.0	A-080	WAIVED				
RA-226 OR TOTAL RA BY 903.0 C.E.	A-081	WAIVED				
RADIUM 226	09501	WAIVED				
RADIUM 228	11501	WAIVED				
RADIUM, TOTAL, MDA95-NTNC ONLY, BY 903.0	A-082	WAIVED				
STRONTIUM-90	13501	WAIVED				
TRITIUM	07000	WAIVED				
URANIUM (PCI/L)	28012	WAIVED				
REGULATED SOC						
2,3,7,8-TCDD (DIOXIN)	34676	WAIVED				
2,4,5-TP (SILVEX)	39045	WAIVED	2005/06/23	.000		
2,4-D	39730	WAIVED	2005/06/23	.000		
ALACHLOR	77825	036	2005/06/23	.000	2008/06	DUE
ATRAZINE	39033	036	2005/06/23	.000	2008/06	DUE
BENTAZON	38710	WAIVED	2005/06/23	.000		
BENZO (A) PYRENE	34247	WAIVED	2005/06/23	.000		
CARBOFURAN	81405	WAIVED	2005/06/23	.000		
CHLORDANE	39350	WAIVED	2005/06/23	.000		
DALAPON	38432	WAIVED	2005/06/23	.000		
DI(2-ETHYLHEXYL)ADIPATE	A-026	WAIVED	2005/06/23	.000		
DI(2-ETHYLHEXYL)PHTHALATE	39100	WAIVED	2005/06/23	.000		
DIBROMOCHLOROPROPANE (DBCP)	38761	036	2002/04/17	.000	2005/04	DUE
DINOSEB	81287	WAIVED	2005/06/23	.000		
DIQUAT	78885	WAIVED	2005/06/23	.000		

**Testing interval is in months;*
0 = No data for this constituent and is DUE NOW
999 = Waived testing (not required)
I = Invalid (NOT) valid analyses reported

System Number: ***2400175***

System Name: ***MORNING STAR PACKING***

PS Code: ***2400175-002***

Source Name: ***WELL #2-N. OF MAINT. BLDG.***

Source Number: ***002***

Source Status: ***ACTIVE UNTREATED***

Water type: ***GROUNDWATER OR WELL***

	STORET NUMBER	TESTING INTERVAL (MONTHS)*	LAST TEST DATE (yyyy/mm/dd)	LAST RESULT REPORTED	NEXT TEST DATE (yyyy/mm)	
REGULATED SOC						
ENDOTHALL	38926	WAIVED	2005/06/23	.000		
ENDRIN	39390	WAIVED	2005/06/23	.000		
ETHYLENE DIBROMIDE (EDB)	77651	036	2002/04/17	.000	2005/04	DUE
GLYPHOSATE	79743	WAIVED	2005/06/23	.000		
HEPTACHLOR	39410	WAIVED	2005/06/23	.000		
HEPTACHLOR EPOXIDE	39420	WAIVED	2005/06/23	.000		
HEXACHLOROBENZENE	39700	WAIVED	2005/06/23	.000		
HEXACHLOROCYCLOPENTADIENE	34386	WAIVED	2005/06/23	.000		
LINDANE	39340	WAIVED	2005/06/23	.000		
METHOXYCHLOR	39480	WAIVED	2005/06/23	.000		
MOLINATE	82199	WAIVED	2005/06/23	.000		
OXAMYL	38865	WAIVED	2005/06/23	.000		
PENTACHLOROPHENOL	39032	WAIVED	2005/06/23	.000		
PICLORAM	39720	WAIVED	2005/06/23	.000		
POLYCHLORINATED BIPHENYLS, TOTAL, AS DCB	39516	WAIVED	2005/06/23	.000		
SIMAZINE	39055	036	2005/06/23	.000	2008/06	DUE
THIOBENCARB	A-001	WAIVED	2005/06/23	.000		
TOXAPHENE	39400	WAIVED	2005/06/23	.000		
REGULATED VOC						
1,1,1-TRICHLOROETHANE	34506	060	2002/04/17	.000	2007/04	DUE
1,1,2,2-TETRACHLOROETHANE	34516	060	2002/04/17	.000	2007/04	DUE
1,1,2-TRICHLORO-1,2,2-TRIFLUOROETHANE	81611	000				DUE
1,1,2-TRICHLOROETHANE	34511	060	2002/04/17	.000	2007/04	DUE
1,1-DICHLOROETHANE	34496	060	2002/04/17	.000	2007/04	DUE
1,1-DICHLOROETHYLENE	34501	060	2002/04/17	.000	2007/04	DUE
1,2,4-TRICHLOROBENZENE	34551	060	2002/04/17	.000	2007/04	DUE
1,2-DICHLOROBENZENE	34536	060	2002/04/17	.000	2007/04	DUE
1,2-DICHLOROETHANE	34531	060	2002/04/17	.000	2007/04	DUE
1,2-DICHLOROPROPANE	34541	060	2002/04/17	.000	2007/04	DUE

**Testing interval is in months;*
0 = No data for this constituent and is DUE NOW
999 = Waived testing (not required)
I = Invalid (NOT) valid analyses reported

System Number: ***2400175***

System Name: ***MORNING STAR PACKING***

PS Code: ***2400175-002***

Source Name: ***WELL #2-N. OF MAINT. BLDG.***

Source Number: ***002***

Source Status: ***ACTIVE UNTREATED***

Water type: ***GROUNDWATER OR WELL***

	STORET NUMBER	TESTING INTERVAL (MONTHS)*	LAST TEST DATE (yyyy/mm/dd)	LAST RESULT REPORTED	NEXT TEST DATE (yyyy/mm)	
REGULATED VOC						
1,3-DICHLOROPROPENE (TOTAL)	34561	060	2002/04/17	.000	2007/04	DUE
1,4-DICHLOROBENZENE	34571	060	2002/04/17	.000	2007/04	DUE
BENZENE	34030	060	2002/04/17	.000	2007/04	DUE
CARBON TETRACHLORIDE	32102	060	2002/04/17	.000	2007/04	DUE
CIS-1,2-DICHLOROETHYLENE	77093	060	2002/04/17	.000	2007/04	DUE
DICHLOROMETHANE	34423	060	2002/04/17	.000	2007/04	DUE
ETHYLBENZENE	34371	060	2002/04/17	.000	2007/04	DUE
METHYL-TERT-BUTYL-ETHER (MTBE)	46491	060	2002/04/17	.000	2007/04	DUE
MONOCHLOROBENZENE	34301	060	2002/04/17	.000	2007/04	DUE
STYRENE	77128	060	2002/04/17	.000	2007/04	DUE
TETRACHLOROETHYLENE	34475	060	2002/04/17	.000	2007/04	DUE
TOLUENE	34010	060	2002/04/17	.000	2007/04	DUE
TRANS-1,2-DICHLOROETHYLENE	34546	060	2002/04/17	.000	2007/04	DUE
TRICHLOROETHYLENE	39180	060	2002/04/17	.000	2007/04	DUE
TRICHLOROFLUOROMETHANE	34488	060	2002/04/17	.000	2007/04	DUE
VINYL CHLORIDE	39175	060	2002/04/17	.000	2007/04	DUE
XYLENES (TOTAL)	81551	060	2002/04/17	.000	2007/04	DUE
SECONDARY/GP						
AGGRSSIVE INDEX (CORROSIVITY)	82383	WAIVED	2005/06/23	12.270		
BICARBONATE ALKALINITY	00440	WAIVED	2005/06/23	271.000		
CALCIUM	00916	WAIVED	2005/06/23	52.000		
CARBONATE ALKALINITY	00445	WAIVED	2005/06/23	.000		
CHLORIDE	00940	WAIVED	2005/06/23	69.000		
COLOR	00081	WAIVED	2005/06/23	< 3.000		
COPPER	01042	WAIVED	2005/06/23	.000		
FOAMING AGENTS (MBAS)	38260	WAIVED	2005/06/23	.000		
HARDNESS (TOTAL) AS CACO3	00900	WAIVED	2005/06/23	241.000		
HYDROXIDE ALKALINITY	71830	WAIVED	2005/06/23	.000		
IRON	01045	WAIVED	2005/06/23	371.000		

**Testing interval is in months;*
0 = No data for this constituent and is DUE NOW
999 = Waived testing (not required)
I = Invalid (NOT) valid analyses reported

System Number: ***2400175***

System Name: ***MORNING STAR PACKING***

PS Code: ***2400175-002***

Source Name: ***WELL #2-N. OF MAINT. BLDG.***

Source Number: ***002***

Source Status: ***ACTIVE UNTREATED***

Water type: ***GROUNDWATER OR WELL***

	STORET NUMBER	TESTING INTERVAL (MONTHS)*	LAST TEST DATE (yyyy/mm/dd)	LAST RESULT REPORTED	NEXT TEST DATE (yyyy/mm)	
SECONDARY/GP						
MAGNESIUM	00927	WAIVED	2005/06/23	27.000		
MANGANESE	01055	WAIVED	2005/06/23	.000		
ODOR THRESHOLD @ 60 C	00086	WAIVED	2005/06/23	< 1.000		
PH, LABORATORY	00403	WAIVED	2005/06/23	7.800		
SILVER	01077	WAIVED	2005/06/23	.000		
SODIUM	00929	WAIVED	2005/06/23	77.000		
SPECIFIC CONDUCTANCE	00095	WAIVED	2005/06/23	790.000		
SULFATE	00945	WAIVED	2005/06/23	57.000		
TOTAL DISSOLVED SOLIDS	70300	WAIVED	2005/06/23	550.000		
TURBIDITY, LABORATORY	82079	WAIVED	2005/06/23	.680		
ZINC	01092	WAIVED	2005/06/23	.000		

PS Code: ***2400175-003***

Source Name: ***WELL #3-@ FRNT GATE-SEASONAL***

Source Number: ***003***

Source Status: ***ACTIVE UNTREATED***

Water type: ***GROUNDWATER OR WELL***

GENERAL NON CHAP 15						
DIAZINON	39570	WAIVED	2005/06/23	.000		
INORGANIC						
ALUMINUM	01105	036	2005/06/23	.000	2008/06	DUE
ANTIMONY	01097	036	2005/06/23	.000	2008/06	DUE
ARSENIC	01002	036	2005/06/23	.000	2008/06	DUE
ASBESTOS	81855	WAIVED				
BARIUM	01007	036	2005/06/23	.000	2008/06	DUE
BERYLLIUM	01012	036	2005/06/23	.000	2008/06	DUE
CADMIUM	01027	036	2005/06/23	.000	2008/06	DUE
CHROMIUM (TOTAL)	01034	036	2005/06/23	21.000	2008/06	DUE
CYANIDE	01291	WAIVED				

**Testing interval is in months;*
0 = No data for this constituent and is DUE NOW
999 = Waived testing (not required)
I = Invalid (NOT) valid analyses reported

System Number: ***2400175***

System Name: ***MORNING STAR PACKING***

PS Code: ***2400175-003***

Source Name: ***WELL #3-@ FRNT GATE-SEASONAL***

Source Number: ***003***

Source Status: ***ACTIVE UNTREATED***

Water type: ***GROUNDWATER OR WELL***

	STORET NUMBER	TESTING INTERVAL (MONTHS)*	LAST TEST DATE (yyyy/mm/dd)	LAST RESULT REPORTED	NEXT TEST DATE (yyyy/mm)	
INORGANIC						
FLUORIDE (F) (NATURAL-SOURCE)	00951	036	2005/06/23	.000	2008/06	DUE
LEAD	01051	WAIVED				
MERCURY	71900	036	2005/06/23	.000	2008/06	DUE
NICKEL	01067	036	2005/06/23	.000	2008/06	DUE
PERCHLORATE	A-031	000				DUE
SELENIUM	01147	036	2005/06/23	.000	2008/06	DUE
THALLIUM	01059	036	2005/06/23	.000	2008/06	DUE
NITRATE/NITRITE						
NITRATE (AS NO3)	71850	012	2005/06/23	14.000	2006/06	DUE
NITRITE (AS N)	00620	036	2005/06/23	.000	2008/06	DUE
RADIOLOGICAL						
GROSS ALPHA	01501	WAIVED	2005/06/23	1.090		
GROSS BETA	03501	WAIVED				
RA-226 FOR CWS OR TOTAL RA FOR NTNC BY 903.0	A-080	WAIVED				
RA-226 OR TOTAL RA BY 903.0 C.E.	A-081	WAIVED				
RADIUM 226	09501	WAIVED				
RADIUM 228	11501	WAIVED				
RADIUM, TOTAL, MDA95-NTNC ONLY, BY 903.0	A-082	WAIVED				
STRONTIUM-90	13501	WAIVED				
TRITIUM	07000	WAIVED				
URANIUM (PCI/L)	28012	WAIVED				
REGULATED SOC						
2,3,7,8-TCDD (DIOXIN)	34676	WAIVED				
2,4,5-TP (SILVEX)	39045	WAIVED	2005/06/23	.000		
2,4-D	39730	WAIVED	2005/06/23	.000		
ALACHLOR	77825	036	2005/06/23	.000	2008/06	DUE
ATRAZINE	39033	036	2005/06/23	.000	2008/06	DUE
BENTAZON	38710	WAIVED	2005/06/23	.000		

**Testing interval is in months;*
0 = No data for this constituent and is DUE NOW
999 = Waived testing (not required)
I = Invalid (NOT) valid analyses reported

System Number: ***2400175***

System Name: ***MORNING STAR PACKING***

PS Code: ***2400175-003***

Source Name: ***WELL #3-@ FRNT GATE-SEASONAL***

Source Number: ***003***

Source Status: ***ACTIVE UNTREATED***

Water type: ***GROUNDWATER OR WELL***

	STORET NUMBER	TESTING INTERVAL (MONTHS)*	LAST TEST DATE (yyyy/mm/dd)	LAST RESULT REPORTED	NEXT TEST DATE (yyyy/mm)	
REGULATED SOC						
BENZO (A) PYRENE	34247	WAIVED	2005/06/23	.000		
CARBOFURAN	81405	WAIVED	2005/06/23	.000		
CHLORDANE	39350	WAIVED	2005/06/23	.000		
DALAPON	38432	WAIVED	2005/06/23	.000		
DI(2-ETHYLHEXYL)ADIPATE	A-026	WAIVED	2005/06/23	.000		
DI(2-ETHYLHEXYL)PHTHALATE	39100	WAIVED	2005/06/23	.000		
DIBROMOCHLOROPROPANE (DBCP)	38761	036	2002/04/17	.000	2005/04	DUE
DINOSEB	81287	WAIVED	2005/06/23	.000		
DIQUAT	78885	WAIVED	2005/06/23	.000		
ENDOTHALL	38926	WAIVED	2005/06/23	.000		
ENDRIN	39390	WAIVED	2005/06/23	.000		
ETHYLENE DIBROMIDE (EDB)	77651	036	2002/04/17	.000	2005/04	DUE
GLYPHOSATE	79743	WAIVED	2005/06/23	.000		
HEPTACHLOR	39410	WAIVED	2005/06/23	.000		
HEPTACHLOR EPOXIDE	39420	WAIVED	2005/06/23	.000		
HEXACHLOROBENZENE	39700	WAIVED	2005/06/23	.000		
HEXACHLOROCYCLOPENTADIENE	34386	WAIVED	2005/06/23	.000		
LINDANE	39340	WAIVED	2005/06/23	.000		
METHOXYCHLOR	39480	WAIVED	2005/06/23	.000		
MOLINATE	82199	WAIVED	2005/06/23	.000		
OXAMYL	38865	WAIVED	2005/06/23	.000		
PENTACHLOROPHENOL	39032	WAIVED	2005/06/23	.000		
PICLORAM	39720	WAIVED	2005/06/23	.000		
POLYCHLORINATED BIPHENYLS, TOTAL, AS DCB	39516	WAIVED	2005/06/23	.000		
SIMAZINE	39055	036	2005/06/23	.000	2008/06	DUE
THIOBENCARB	A-001	WAIVED	2005/06/23	.000		
TOXAPHENE	39400	WAIVED	2005/06/23	.000		
REGULATED VOC						
1,1,1-TRICHLOROETHANE	34506	060	2002/04/17	.000	2007/04	DUE

**Testing interval is in months;*
0 = No data for this constituent and is DUE NOW
999 = Waived testing (not required)
I = Invalid (NOT) valid analyses reported

System Number: ***2400175***

System Name: ***MORNING STAR PACKING***

PS Code: ***2400175-003***

Source Name: ***WELL #3-@ FRNT GATE-SEASONAL***

Source Number: ***003***

Source Status: ***ACTIVE UNTREATED***

Water type: ***GROUNDWATER OR WELL***

REGULATED VOC

	STORET NUMBER	TESTING INTERVAL (MONTHS)*	LAST TEST DATE (yyyy/mm/dd)	LAST RESULT REPORTED	NEXT TEST DATE (yyyy/mm)	
1,1,2,2-TETRACHLOROETHANE	34516	060	2002/04/17	.000	2007/04	DUE
1,1,2-TRICHLORO-1,2,2-TRIFLUOROETHANE	81611	000				DUE
1,1,2-TRICHLOROETHANE	34511	060	2002/04/17	.000	2007/04	DUE
1,1-DICHLOROETHANE	34496	060	2002/04/17	.000	2007/04	DUE
1,1-DICHLOROETHYLENE	34501	060	2002/04/17	.000	2007/04	DUE
1,2,4-TRICHLOROBENZENE	34551	060	2002/04/17	.000	2007/04	DUE
1,2-DICHLOROBENZENE	34536	060	2002/04/17	.000	2007/04	DUE
1,2-DICHLOROETHANE	34531	060	2002/04/17	.000	2007/04	DUE
1,2-DICHLOROPROPANE	34541	060	2002/04/17	.000	2007/04	DUE
1,3-DICHLOROPROPENE (TOTAL)	34561	060	2002/04/17	.000	2007/04	DUE
1,4-DICHLOROBENZENE	34571	060	2002/04/17	.000	2007/04	DUE
BENZENE	34030	060	2002/04/17	.000	2007/04	DUE
CARBON TETRACHLORIDE	32102	060	2002/04/17	.000	2007/04	DUE
CIS-1,2-DICHLOROETHYLENE	77093	060	2002/04/17	.000	2007/04	DUE
DICHLOROMETHANE	34423	060	2002/04/17	.000	2007/04	DUE
ETHYLBENZENE	34371	060	2002/04/17	.000	2007/04	DUE
METHYL-TERT-BUTYL-ETHER (MTBE)	46491	060	2002/04/17	.000	2007/04	DUE
MONOCHLOROBENZENE	34301	060	2002/04/17	.000	2007/04	DUE
STYRENE	77128	060	2002/04/17	.000	2007/04	DUE
TETRACHLOROETHYLENE	34475	060	2002/04/17	.000	2007/04	DUE
TOLUENE	34010	060	2002/04/17	.000	2007/04	DUE
TRANS-1,2-DICHLOROETHYLENE	34546	060	2002/04/17	.000	2007/04	DUE
TRICHLOROETHYLENE	39180	060	2002/04/17	.000	2007/04	DUE
TRICHLOROFLUOROMETHANE	34488	060	2002/04/17	.000	2007/04	DUE
VINYL CHLORIDE	39175	060	2002/04/17	.000	2007/04	DUE
XYLENES (TOTAL)	81551	060	2002/04/17	.000	2007/04	DUE

SECONDARY/GP

AGGRSSIVE INDEX (CORROSIVITY)	82383	WAIVED	2005/06/23	12.430		
BICARBONATE ALKALINITY	00440	WAIVED	2005/06/23	278.000		

**Testing interval is in months;*
0 = No data for this constituent and is DUE NOW
999 = Waived testing (not required)
I = Invalid (NOT) valid analyses reported

System Number: ***2400175***

System Name: ***MORNING STAR PACKING***

PS Code: ***2400175-003***

Source Name: ***WELL #3-@ FRNT GATE-SEASONAL***

Source Number: ***003***

Source Status: ***ACTIVE UNTREATED***

Water type: ***GROUNDWATER OR WELL***

SECONDARY/GP

	STORET NUMBER	TESTING INTERVAL (MONTHS)*	LAST TEST DATE (yyyy/mm/dd)	LAST RESULT REPORTED	NEXT TEST DATE (yyyy/mm)
CALCIUM	00916	WAIVED	2005/06/23	59.000	
CARBONATE ALKALINITY	00445	WAIVED	2005/06/23	.000	
CHLORIDE	00940	WAIVED	2005/06/23	106.000	
COLOR	00081	WAIVED	2005/06/23	< 3.000	
COPPER	01042	WAIVED	2005/06/23	.000	
FOAMING AGENTS (MBAS)	38260	WAIVED	2005/06/23	.000	
HARDNESS (TOTAL) AS CACO3	00900	WAIVED	2005/06/23	283.000	
HYDROXIDE ALKALINITY	71830	WAIVED	2005/06/23	.000	
IRON	01045	WAIVED	2005/06/23	239.000	
MAGNESIUM	00927	WAIVED	2005/06/23	33.000	
MANGANESE	01055	WAIVED	2005/06/23	.000	
ODOR THRESHOLD @ 60 C	00086	WAIVED	2005/06/23	< 1.000	
PH, LABORATORY	00403	WAIVED	2005/06/23	7.900	
SILVER	01077	WAIVED	2005/06/23	.000	
SODIUM	00929	WAIVED	2005/06/23	93.000	
SPECIFIC CONDUCTANCE	00095	WAIVED	2005/06/23	930.000	
SULFATE	00945	WAIVED	2005/06/23	64.000	
TOTAL DISSOLVED SOLIDS	70300	WAIVED	2005/06/23	580.000	
TURBIDITY, LABORATORY	82079	WAIVED	2005/06/23	.200	
ZINC	01092	WAIVED	2005/06/23	.000	

PS Code: ***2400175-013***

Source Name: ***WELL #4 - CENTER OF PLANT 6/30/10***

Source Number: ***013***

Source Status: ***ACTIVE UNTREATED***

Water type: ***GROUNDWATER OR WELL***

GENERAL NON CHAP 15

DIAZINON	39570	WAIVED			

**Testing interval is in months;*
0 = No data for this constituent and is DUE NOW
999 = Waived testing (not required)
I = Invalid (NOT) valid analyses reported

System Number: ***2400175***

System Name: ***MORNING STAR PACKING***

PS Code: ***2400175-013***

Source Name: ***WELL #4 - CENTER OF PLANT 6/30/10***

Source Number: ***013***

Source Status: ***ACTIVE UNTREATED***

Water type: ***GROUNDWATER OR WELL***

	STORET NUMBER	TESTING INTERVAL (MONTHS)*	LAST TEST DATE (yyyy/mm/dd)	LAST RESULT REPORTED	NEXT TEST DATE (yyyy/mm)
INORGANIC					
ALUMINUM	01105	000			DUE
ANTIMONY	01097	000			DUE
ARSENIC	01002	000			DUE
ASBESTOS	81855	WAIVED			
BARIUM	01007	000			DUE
BERYLLIUM	01012	000			DUE
CADMIUM	01027	000			DUE
CHROMIUM (TOTAL)	01034	000			DUE
CYANIDE	01291	WAIVED			
FLUORIDE (F) (NATURAL-SOURCE)	00951	000			DUE
LEAD	01051	WAIVED			
MERCURY	71900	000			DUE
NICKEL	01067	000			DUE
PERCHLORATE	A-031	000			DUE
SELENIUM	01147	000			DUE
THALLIUM	01059	000			DUE
NITRATE/NITRITE					
NITRATE (AS NO3)	71850	000			DUE
NITRITE (AS N)	00620	000			DUE
RADIOLOGICAL					
GROSS ALPHA	01501	WAIVED			
GROSS BETA	03501	WAIVED			
RA-226 FOR CWS OR TOTAL RA FOR NTNC BY 903.0	A-080	WAIVED			
RA-226 OR TOTAL RA BY 903.0 C.E.	A-081	WAIVED			
RADIUM 226	09501	WAIVED			
RADIUM 228	11501	WAIVED			
RADIUM, TOTAL, MDA95-NTNC ONLY, BY 903.0	A-082	WAIVED			
STRONTIUM-90	13501	WAIVED			
TRITIUM	07000	WAIVED			

**Testing interval is in months;*
0 = No data for this constituent and is DUE NOW
999 = Waived testing (not required)
I = Invalid (NOT) valid analyses reported

System Number: ***2400175***

System Name: ***MORNING STAR PACKING***

PS Code: ***2400175-013***

Source Name: ***WELL #4 - CENTER OF PLANT 6/30/10***

Source Number: ***013***

Source Status: ***ACTIVE UNTREATED***

Water type: ***GROUNDWATER OR WELL***

	STORET NUMBER	TESTING INTERVAL (MONTHS)*	LAST TEST DATE (yyyy/mm/dd)	LAST RESULT REPORTED	NEXT TEST DATE (yyyy/mm)	
RADIOLOGICAL						
URANIUM (PCI/L)	28012	WAIVED				
REGULATED SOC						
2,3,7,8-TCDD (DIOXIN)	34676	WAIVED				
2,4,5-TP (SILVEX)	39045	WAIVED				
2,4-D	39730	WAIVED				
ALACHLOR	77825	000				**DUE**
ATRAZINE	39033	000				**DUE**
BENTAZON	38710	WAIVED				
BENZO (A) PYRENE	34247	WAIVED				
CARBOFURAN	81405	WAIVED				
CHLORDANE	39350	WAIVED				
DALAPON	38432	WAIVED				
DI(2-ETHYLHEXYL)ADIPATE	A-026	WAIVED				
DI(2-ETHYLHEXYL)PHTHALATE	39100	WAIVED				
DIBROMOCHLOROPROPANE (DBCP)	38761	000				**DUE**
DINOSEB	81287	WAIVED				
DIQUAT	78885	WAIVED				
ENDOTHALL	38926	WAIVED				
ENDRIN	39390	WAIVED				
ETHYLENE DIBROMIDE (EDB)	77651	000				**DUE**
GLYPHOSATE	79743	WAIVED				
HEPTACHLOR	39410	WAIVED				
HEPTACHLOR EPOXIDE	39420	WAIVED				
HEXACHLOROBENZENE	39700	WAIVED				
HEXACHLOROCYCLOPENTADIENE	34386	WAIVED				
LINDANE	39340	WAIVED				
METHOXYCHLOR	39480	WAIVED				
MOLINATE	82199	WAIVED				
OXAMYL	38865	WAIVED				

**Testing interval is in months;*
0 = No data for this constituent and is DUE NOW
999 = Waived testing (not required)
I = Invalid (NOT) valid analyses reported

System Number: ***2400175***

System Name: ***MORNING STAR PACKING***

PS Code: ***2400175-013***

Source Name: ***WELL #4 - CENTER OF PLANT 6/30/10***

Source Number: ***013***

Source Status: ***ACTIVE UNTREATED***

Water type: ***GROUNDWATER OR WELL***

	STORET NUMBER	TESTING INTERVAL (MONTHS)*	LAST TEST DATE (yyyy/mm/dd)	LAST RESULT REPORTED	NEXT TEST DATE (yyyy/mm)
REGULATED SOC					
PENTACHLOROPHENOL	39032	WAIVED			
PICLORAM	39720	WAIVED			
POLYCHLORINATED BIPHENYLS, TOTAL, AS DCB	39516	WAIVED			
SIMAZINE	39055	000			DUE
THIOBENCARB	A-001	WAIVED			
TOXAPHENE	39400	WAIVED			
REGULATED VOC					
1,1,1-TRICHLOROETHANE	34506	000			DUE
1,1,2,2-TETRACHLOROETHANE	34516	000			DUE
1,1,2-TRICHLORO-1,2,2-TRIFLUOROETHANE	81611	000			DUE
1,1,2-TRICHLOROETHANE	34511	000			DUE
1,1-DICHLOROETHANE	34496	000			DUE
1,1-DICHLOROETHYLENE	34501	000			DUE
1,2,4-TRICHLOROBENZENE	34551	000			DUE
1,2-DICHLOROBENZENE	34536	000			DUE
1,2-DICHLOROETHANE	34531	000			DUE
1,2-DICHLOROPROPANE	34541	000			DUE
1,3-DICHLOROPROPENE (TOTAL)	34561	000			DUE
1,4-DICHLOROBENZENE	34571	000			DUE
BENZENE	34030	000			DUE
CARBON TETRACHLORIDE	32102	000			DUE
CIS-1,2-DICHLOROETHYLENE	77093	000			DUE
DICHLOROMETHANE	34423	000			DUE
ETHYLBENZENE	34371	000			DUE
METHYL-TERT-BUTYL-ETHER (MTBE)	46491	000			DUE
MONOCHLOROBENZENE	34301	000			DUE
STYRENE	77128	000			DUE
TETRACHLOROETHYLENE	34475	000			DUE
TOLUENE	34010	000			DUE

**Testing interval is in months;*
0 = No data for this constituent and is DUE NOW
999 = Waived testing (not required)
I = Invalid (NOT) valid analyses reported

System Number: ***2400175***

System Name: ***MORNING STAR PACKING***

PS Code: ***2400175-013***

Source Name: ***WELL #4 - CENTER OF PLANT 6/30/10***

Source Number: ***013***

Source Status: ***ACTIVE UNTREATED***

Water type: ***GROUNDWATER OR WELL***

	STORET NUMBER	TESTING INTERVAL (MONTHS)*	LAST TEST DATE (yyyy/mm/dd)	LAST RESULT REPORTED	NEXT TEST DATE (yyyy/mm)
REGULATED VOC					
TRANS-1,2-DICHLOROETHYLENE	34546	000			DUE
TRICHLOROETHYLENE	39180	000			DUE
TRICHLOROFLUOROMETHANE	34488	000			DUE
VINYL CHLORIDE	39175	000			DUE
XYLENES (TOTAL)	81551	000			DUE
SECONDARY/GP					
AGGRSSIVE INDEX (CORROSIVITY)	82383	WAIVED			
BICARBONATE ALKALINITY	00440	000			DUE
CALCIUM	00916	000			DUE
CARBONATE ALKALINITY	00445	000			DUE
CHLORIDE	00940	WAIVED			
COLOR	00081	WAIVED			
COPPER	01042	WAIVED			
FOAMING AGENTS (MBAS)	38260	WAIVED			
HARDNESS (TOTAL) AS CACO3	00900	000			DUE
HYDROXIDE ALKALINITY	71830	000			DUE
IRON	01045	000			DUE
MAGNESIUM	00927	000			DUE
MANGANESE	01055	000			DUE
ODOR THRESHOLD @ 60 C	00086	WAIVED			
PH, LABORATORY	00403	000			DUE
SILVER	01077	WAIVED			
SODIUM	00929	000			DUE
SPECIFIC CONDUCTANCE	00095	WAIVED			
SULFATE	00945	WAIVED			
TOTAL DISSOLVED SOLIDS	70300	WAIVED			
TURBIDITY, LABORATORY	82079	WAIVED			
ZINC	01092	WAIVED			

**Testing interval is in months;*
0 = No data for this constituent and is DUE NOW
999 = Waived testing (not required)
I = Invalid (NOT) valid analyses reported

System Number: ***2400175***

System Name: ***MORNING STAR PACKING***

PS Code: ***2400175-014***

Source Name: ***WELL #5 - BY MAIN ENTRANCE 7/10***

Source Number: ***014***

Source Status: ***ACTIVE UNTREATED***

Water type: ***GROUNDWATER OR WELL***

	STORET NUMBER	TESTING INTERVAL (MONTHS)*	LAST TEST DATE (yyyy/mm/dd)	LAST RESULT REPORTED	NEXT TEST DATE (yyyy/mm)
GENERAL NON CHAP 15					
DIAZINON	39570	WAIVED			
INORGANIC					
ALUMINUM	01105	000			DUE
ANTIMONY	01097	000			DUE
ARSENIC	01002	000			DUE
ASBESTOS	81855	WAIVED			
BARIUM	01007	000			DUE
BERYLLIUM	01012	000			DUE
CADMIUM	01027	000			DUE
CHROMIUM (TOTAL)	01034	000			DUE
CYANIDE	01291	WAIVED			
FLUORIDE (F) (NATURAL-SOURCE)	00951	000			DUE
LEAD	01051	WAIVED			
MERCURY	71900	000			DUE
NICKEL	01067	000			DUE
PERCHLORATE	A-031	000			DUE
SELENIUM	01147	000			DUE
THALLIUM	01059	000			DUE
NITRATE/NITRITE					
NITRATE (AS NO3)	71850	000			DUE
NITRITE (AS N)	00620	000			DUE
RADIOLOGICAL					
GROSS ALPHA	01501	WAIVED			
GROSS BETA	03501	WAIVED			
RA-226 FOR CWS OR TOTAL RA FOR NTNC BY 903.0	A-080	WAIVED			
RA-226 OR TOTAL RA BY 903.0 C.E.	A-081	WAIVED			
RADIUM 226	09501	WAIVED			
RADIUM 228	11501	WAIVED			

**Testing interval is in months;*
0 = No data for this constituent and is DUE NOW
999 = Waived testing (not required)
I = Invalid (NOT) valid analyses reported

System Number: ***2400175***

System Name: ***MORNING STAR PACKING***

PS Code: ***2400175-014***

Source Name: ***WELL #5 - BY MAIN ENTRANCE 7/10***

Source Number: ***014***

Source Status: ***ACTIVE UNTREATED***

Water type: ***GROUNDWATER OR WELL***

	STORET NUMBER	TESTING INTERVAL (MONTHS)*	LAST TEST DATE (yyyy/mm/dd)	LAST RESULT REPORTED	NEXT TEST DATE (yyyy/mm)
RADIOLOGICAL					
RADIUM, TOTAL, MDA95-NTNC ONLY, BY 903.0	A-082	WAIVED			
STRONTIUM-90	13501	WAIVED			
TRITIUM	07000	WAIVED			
URANIUM (PCI/L)	28012	WAIVED			
REGULATED SOC					
2,3,7,8-TCDD (DIOXIN)	34676	WAIVED			
2,4,5-TP (SILVEX)	39045	WAIVED			
2,4-D	39730	WAIVED			
ALACHLOR	77825	000			**DUE**
ATRAZINE	39033	000			**DUE**
BENTAZON	38710	WAIVED			
BENZO (A) PYRENE	34247	WAIVED			
CARBOFURAN	81405	WAIVED			
CHLORDANE	39350	WAIVED			
DALAPON	38432	WAIVED			
DI(2-ETHYLHEXYL)ADIPATE	A-026	WAIVED			
DI(2-ETHYLHEXYL)PHTHALATE	39100	WAIVED			
DIBROMOCHLOROPROPANE (DBCP)	38761	000			**DUE**
DINOSEB	81287	WAIVED			
DIQUAT	78885	WAIVED			
ENDOTHALL	38926	WAIVED			
ENDRIN	39390	WAIVED			
ETHYLENE DIBROMIDE (EDB)	77651	000			**DUE**
GLYPHOSATE	79743	WAIVED			
HEPTACHLOR	39410	WAIVED			
HEPTACHLOR EPOXIDE	39420	WAIVED			
HEXACHLOROBENZENE	39700	WAIVED			
HEXACHLOROCYCLOPENTADIENE	34386	WAIVED			
LINDANE	39340	WAIVED			

**Testing interval is in months;*
0 = No data for this constituent and is DUE NOW
999 = Waived testing (not required)
I = Invalid (NOT) valid analyses reported

System Number: ***2400175***

System Name: ***MORNING STAR PACKING***

PS Code: ***2400175-014***

Source Name: ***WELL #5 - BY MAIN ENTRANCE 7/10***

Source Number: ***014***

Source Status: ***ACTIVE UNTREATED***

Water type: ***GROUNDWATER OR WELL***

	STORET NUMBER	TESTING INTERVAL (MONTHS)*	LAST TEST DATE (yyyy/mm/dd)	LAST RESULT REPORTED	NEXT TEST DATE (yyyy/mm)
REGULATED SOC					
METHOXYCHLOR	39480	WAIVED			
MOLINATE	82199	WAIVED			
OXAMYL	38865	WAIVED			
PENTACHLOROPHENOL	39032	WAIVED			
PICLORAM	39720	WAIVED			
POLYCHLORINATED BIPHENYLS, TOTAL, AS DCB	39516	WAIVED			
SIMAZINE	39055	000			DUE
THIOBENCARB	A-001	WAIVED			
TOXAPHENE	39400	WAIVED			
REGULATED VOC					
1,1,1-TRICHLOROETHANE	34506	000			DUE
1,1,2,2-TETRACHLOROETHANE	34516	000			DUE
1,1,2-TRICHLORO-1,2,2-TRIFLUOROETHANE	81611	000			DUE
1,1,2-TRICHLOROETHANE	34511	000			DUE
1,1-DICHLOROETHANE	34496	000			DUE
1,1-DICHLOROETHYLENE	34501	000			DUE
1,2,4-TRICHLOROBENZENE	34551	000			DUE
1,2-DICHLOROBENZENE	34536	000			DUE
1,2-DICHLOROETHANE	34531	000			DUE
1,2-DICHLOROPROPANE	34541	000			DUE
1,3-DICHLOROPROPENE (TOTAL)	34561	000			DUE
1,4-DICHLOROBENZENE	34571	000			DUE
BENZENE	34030	000			DUE
CARBON TETRACHLORIDE	32102	000			DUE
CIS-1,2-DICHLOROETHYLENE	77093	000			DUE
DICHLOROMETHANE	34423	000			DUE
ETHYLBENZENE	34371	000			DUE
METHYL-TERT-BUTYL-ETHER (MTBE)	46491	000			DUE
MONOCHLOROBENZENE	34301	000			DUE

**Testing interval is in months;*
0 = No data for this constituent and is DUE NOW
999 = Waived testing (not required)
I = Invalid (NOT) valid analyses reported

System Number: ***2400175***

System Name: ***MORNING STAR PACKING***

PS Code: ***2400175-014***

Source Name: ***WELL #5 - BY MAIN ENTRANCE 7/10***

Source Number: ***014***

Source Status: ***ACTIVE UNTREATED***

Water type: ***GROUNDWATER OR WELL***

	STORET NUMBER	TESTING INTERVAL (MONTHS)*	LAST TEST DATE (yyyy/mm/dd)	LAST RESULT REPORTED	NEXT TEST DATE (yyyy/mm)
REGULATED VOC					
STYRENE	77128	000			DUE
TETRACHLOROETHYLENE	34475	000			DUE
TOLUENE	34010	000			DUE
TRANS-1,2-DICHLOROETHYLENE	34546	000			DUE
TRICHLOROETHYLENE	39180	000			DUE
TRICHLOROFLUOROMETHANE	34488	000			DUE
VINYL CHLORIDE	39175	000			DUE
XYLENES (TOTAL)	81551	000			DUE
SECONDARY/GP					
AGGRSSIVE INDEX (CORROSIVITY)	82383	WAIVED			
BICARBONATE ALKALINITY	00440	000			DUE
CALCIUM	00916	000			DUE
CARBONATE ALKALINITY	00445	000			DUE
CHLORIDE	00940	WAIVED			
COLOR	00081	WAIVED			
COPPER	01042	WAIVED			
FOAMING AGENTS (MBAS)	38260	WAIVED			
HARDNESS (TOTAL) AS CACO3	00900	000			DUE
HYDROXIDE ALKALINITY	71830	000			DUE
IRON	01045	000			DUE
MAGNESIUM	00927	000			DUE
MANGANESE	01055	000			DUE
ODOR THRESHOLD @ 60 C	00086	WAIVED			
PH, LABORATORY	00403	000			DUE
SILVER	01077	WAIVED			
SODIUM	00929	000			DUE
SPECIFIC CONDUCTANCE	00095	WAIVED			
SULFATE	00945	WAIVED			
TOTAL DISSOLVED SOLIDS	70300	WAIVED			

**Testing interval is in months;*
0 = No data for this constituent and is DUE NOW
999 = Waived testing (not required)
I = Invalid (NOT) valid analyses reported

System Number: ***2400175***

System Name: ***MORNING STAR PACKING***

PS Code: ***2400175-014***

Source Name: ***WELL #5 - BY MAIN ENTRANCE 7/10***

Source Number: ***014***

Source Status: ***ACTIVE UNTREATED***

Water type: ***GROUNDWATER OR WELL***

SECONDARY/GP

	STORET NUMBER	TESTING INTERVAL (MONTHS)*	LAST TEST DATE (yyyy/mm/dd)	LAST RESULT REPORTED	NEXT TEST DATE (yyyy/mm)
TURBIDITY, LABORATORY	82079	WAIVED			
ZINC	01092	WAIVED			

**Testing interval is in months;*
0 = No data for this constituent and is DUE NOW
999 = Waived testing (not required)
I = Invalid (NOT) valid analyses reported

System Number: ***2400176***

System Name: ***ST. PAUL LUTHERAN DAY CARE***

PS Code: ***2400176-001***

Source Name: ***WELL #1-E. OF CHURCH/SCHOOL BUILDING***

Source Number: ***001***

Source Status: ***ACTIVE UNTREATED***

Water type: ***GROUNDWATER OR WELL***

	STORET NUMBER	TESTING INTERVAL (MONTHS)*	LAST TEST DATE (yyyy/mm/dd)	LAST RESULT REPORTED	NEXT TEST DATE (yyyy/mm)
GENERAL NON CHAP 15					
DIAZINON	39570	WAIVED	2010/06/15	< .000	
INORGANIC					
ALUMINUM	01105	036	2010/06/15	< .000	2013/06
ANTIMONY	01097	036	2010/06/15	< .000	2013/06
ARSENIC	01002	036	2010/06/15	2.700	2013/06
ASBESTOS	81855	WAIVED			
BARIUM	01007	036	2010/06/15	500.000	2013/06
BERYLLIUM	01012	036	2010/06/15	< .000	2013/06
CADMIUM	01027	036	2010/06/15	< .000	2013/06
CHROMIUM (TOTAL)	01034	036	2010/06/15	< .000	2013/06
CYANIDE	01291	WAIVED			
FLUORIDE (F) (NATURAL-SOURCE)	00951	036	2010/06/15	< .100	2013/06
LEAD	01051	WAIVED	2010/06/15	< .000	
MERCURY	71900	036	2010/06/15	< .000	2013/06
NICKEL	01067	036	2010/06/15	< .000	2013/06
PERCHLORATE	A-031	036	2011/08/08	< .000	2014/08
SELENIUM	01147	036	2010/06/15	< .000	2013/06
THALLIUM	01059	036	2010/06/15	< .000	2013/06
NITRATE/NITRITE					
NITRATE (AS NO3)	71850	012	2012/03/12	35.700	2013/03
NITRITE (AS N)	00620	036	2010/06/15	< 400.000	2013/06
RADIOLOGICAL					
GROSS ALPHA	01501	WAIVED	2011/03/22	10.600	
GROSS BETA	03501	WAIVED			
RA-226 FOR CWS OR TOTAL RA FOR NTNC BY 903.0	A-080	WAIVED	2008/03/17	.638	
RA-226 OR TOTAL RA BY 903.0 C.E.	A-081	WAIVED	2008/03/17	.212	
RADIUM 226	09501	WAIVED	2007/09/14	.223	
RADIUM 228	11501	WAIVED			

**Testing interval is in months;*
0 = No data for this constituent and is DUE NOW
999 = Waived testing (not required)
I = Invalid (NOT) valid analyses reported

System Number: ***2400176***

System Name: ***ST. PAUL LUTHERAN DAY CARE***

PS Code: ***2400176-001***

Source Name: ***WELL #1-E. OF CHURCH/SCHOOL BUILDING***

Source Number: ***001***

Source Status: ***ACTIVE UNTREATED***

Water type: ***GROUNDWATER OR WELL***

	STORET NUMBER	TESTING INTERVAL (MONTHS)*	LAST TEST DATE (yyyy/mm/dd)	LAST RESULT REPORTED	NEXT TEST DATE (yyyy/mm)
RADIOLOGICAL					
RADIUM, TOTAL, MDA95-NTNC ONLY, BY 903.0	A-082	WAIVED	2008/03/17	.214	
STRONTIUM-90	13501	WAIVED			
TRITIUM	07000	WAIVED			
URANIUM (PCI/L)	28012	WAIVED	2011/03/22	12.000	
REGULATED SOC					
2,3,7,8-TCDD (DIOXIN)	34676	WAIVED			
2,4,5-TP (SILVEX)	39045	WAIVED			
2,4-D	39730	WAIVED			
ALACHLOR	77825	036	2010/06/15	< .000	2013/06
ATRAZINE	39033	036	2010/06/15	< .000	2013/06
BENTAZON	38710	WAIVED			
BENZO (A) PYRENE	34247	WAIVED	2010/06/15	< .000	
CARBOFURAN	81405	WAIVED			
CHLORDANE	39350	WAIVED			
DALAPON	38432	WAIVED			
DI(2-ETHYLHEXYL)ADIPATE	A-026	WAIVED	2010/06/15	< .000	
DI(2-ETHYLHEXYL)PHTHALATE	39100	WAIVED	2010/06/15	< .000	
DIBROMOCHLOROPROPANE (DBCP)	38761	036	2010/06/15	.000	2013/06
DINOSEB	81287	WAIVED			
DIQUAT	78885	WAIVED			
ENDOTHALL	38926	WAIVED			
ENDRIN	39390	WAIVED			
ETHYLENE DIBROMIDE (EDB)	77651	036	2010/06/15	.000	2013/06
GLYPHOSATE	79743	WAIVED			
HEPTACHLOR	39410	WAIVED			
HEPTACHLOR EPOXIDE	39420	WAIVED			
HEXACHLOROBENZENE	39700	WAIVED			
HEXACHLOROCYCLOPENTADIENE	34386	WAIVED			
LINDANE	39340	WAIVED			

**Testing interval is in months;*
0 = No data for this constituent and is DUE NOW
999 = Waived testing (not required)
I = Invalid (NOT) valid analyses reported

System Number: ***2400176***

System Name: ***ST. PAUL LUTHERAN DAY CARE***

PS Code: ***2400176-001***

Source Name: ***WELL #1-E. OF CHURCH/SCHOOL BUILDING***

Source Number: ***001***

Source Status: ***ACTIVE UNTREATED***

Water type: ***GROUNDWATER OR WELL***

	STORET NUMBER	TESTING INTERVAL (MONTHS)*	LAST TEST DATE (yyyy/mm/dd)	LAST RESULT REPORTED	NEXT TEST DATE (yyyy/mm)
REGULATED SOC					
METHOXYCHLOR	39480	WAIVED			
MOLINATE	82199	WAIVED	2010/06/15	< .000	
OXAMYL	38865	WAIVED			
PENTACHLOROPHENOL	39032	WAIVED			
PICLORAM	39720	WAIVED			
POLYCHLORINATED BIPHENYLS, TOTAL, AS DCB	39516	WAIVED			
SIMAZINE	39055	036	2010/06/15	< .000	2013/06
THIOBENCARB	A-001	WAIVED	2010/06/15	< .000	
TOXAPHENE	39400	WAIVED			
REGULATED VOC					
1,1,1-TRICHLOROETHANE	34506	060	2007/06/26	.000	2012/06
1,1,2,2-TETRACHLOROETHANE	34516	060	2007/06/26	.000	2012/06
1,1,2-TRICHLORO-1,2,2-TRIFLUOROETHANE	81611	060	2007/06/26	.000	2012/06
1,1,2-TRICHLOROETHANE	34511	060	2007/06/26	.000	2012/06
1,1-DICHLOROETHANE	34496	060	2007/06/26	.000	2012/06
1,1-DICHLOROETHYLENE	34501	060	2007/06/26	.000	2012/06
1,2,4-TRICHLOROBENZENE	34551	060	2007/06/26	.000	2012/06
1,2-DICHLOROBENZENE	34536	060	2007/06/26	.000	2012/06
1,2-DICHLOROETHANE	34531	060	2007/06/26	.000	2012/06
1,2-DICHLOROPROPANE	34541	060	2007/06/26	.000	2012/06
1,3-DICHLOROPROPENE (TOTAL)	34561	060	2007/06/26	.000	2012/06
1,4-DICHLOROBENZENE	34571	060	2007/06/26	.000	2012/06
BENZENE	34030	060	2007/06/26	.000	2012/06
CARBON TETRACHLORIDE	32102	060	2007/06/26	.000	2012/06
CIS-1,2-DICHLOROETHYLENE	77093	060	2007/06/26	.000	2012/06
DICHLOROMETHANE	34423	060	2007/06/26	.000	2012/06
ETHYLBENZENE	34371	060	2007/06/26	.000	2012/06
METHYL-TERT-BUTYL-ETHER (MTBE)	46491	060	2008/03/17	.000	2013/03
MONOCHLOROBENZENE	34301	060	2007/06/26	.000	2012/06

**Testing interval is in months;*
0 = No data for this constituent and is DUE NOW
999 = Waived testing (not required)
I = Invalid (NOT) valid analyses reported

System Number: ***2400176***

System Name: ***ST. PAUL LUTHERAN DAY CARE***

PS Code: ***2400176-001***

Source Name: ***WELL #1-E. OF CHURCH/SCHOOL BUILDING***

Source Number: ***001***

Source Status: ***ACTIVE UNTREATED***

Water type: ***GROUNDWATER OR WELL***

	STORET NUMBER	TESTING INTERVAL (MONTHS)*	LAST TEST DATE (yyyy/mm/dd)	LAST RESULT REPORTED	NEXT TEST DATE (yyyy/mm)	
REGULATED VOC						
STYRENE	77128	060	2007/06/26	.000	2012/06	
TETRACHLOROETHYLENE	34475	060	2007/06/26	.000	2012/06	
TOLUENE	34010	060	2007/06/26	.000	2012/06	
TRANS-1,2-DICHLOROETHYLENE	34546	060	2007/06/26	.000	2012/06	
TRICHLOROETHYLENE	39180	060	2007/06/26	.000	2012/06	
TRICHLOROFLUOROMETHANE	34488	060	2007/06/26	.000	2012/06	
VINYL CHLORIDE	39175	060	2007/06/26	.000	2012/06	
XYLENES (TOTAL)	81551	060	2007/06/26	< .500	2012/06	
SECONDARY/GP						
AGGRSSIVE INDEX (CORROSIVITY)	82383	WAIVED				
BICARBONATE ALKALINITY	00440	000				DUE
CALCIUM	00916	000				DUE
CARBONATE ALKALINITY	00445	000				DUE
CHLORIDE	00940	WAIVED				
COLOR	00081	WAIVED				
COPPER	01042	WAIVED				
FOAMING AGENTS (MBAS)	38260	WAIVED				
HARDNESS (TOTAL) AS CACO3	00900	000				DUE
HYDROXIDE ALKALINITY	71830	000				DUE
IRON	01045	000				DUE
MAGNESIUM	00927	000				DUE
MANGANESE	01055	000				DUE
ODOR THRESHOLD @ 60 C	00086	WAIVED				
PH, LABORATORY	00403	000				DUE
SILVER	01077	WAIVED	2010/06/15	< .000		
SODIUM	00929	000				DUE
SPECIFIC CONDUCTANCE	00095	WAIVED	2011/08/08	720.000		
SULFATE	00945	WAIVED				
TOTAL DISSOLVED SOLIDS	70300	WAIVED				

**Testing interval is in months;*
0 = No data for this constituent and is DUE NOW
999 = Waived testing (not required)
I = Invalid (NOT) valid analyses reported

System Number: ***2400176***

System Name: ***ST. PAUL LUTHERAN DAY CARE***

PS Code: ***2400176-001***

Source Name: ***WELL #1-E. OF CHURCH/SCHOOL BUILDING***

Source Number: ***001***

Source Status: ***ACTIVE UNTREATED***

Water type: ***GROUNDWATER OR WELL***

SECONDARY/GP

	STORET NUMBER	TESTING INTERVAL (MONTHS)*	LAST TEST DATE (yyyy/mm/dd)	LAST RESULT REPORTED	NEXT TEST DATE (yyyy/mm)
TURBIDITY, LABORATORY	82079	WAIVED			
ZINC	01092	WAIVED			

**Testing interval is in months;*
0 = No data for this constituent and is DUE NOW
999 = Waived testing (not required)
I = Invalid (NOT) valid analyses reported

System Number: ***2400178***

System Name: ***SAN JUAN RANCH***

PS Code: ***2400178-011***

Source Name: ***WELL #2-SR51, 350 FT E OF HOUSE H***

Source Number: ***011***

Source Status: ***ACTIVE UNTREATED***

Water type: ***GROUNDWATER OR WELL***

	STORET NUMBER	TESTING INTERVAL (MONTHS)*	LAST TEST DATE (yyyy/mm/dd)	LAST RESULT REPORTED	NEXT TEST DATE (yyyy/mm)
GENERAL NON CHAP 15					
DIAZINON	39570	WAIVED	2008/06/05	< .200	
INORGANIC					
ALUMINUM	01105	WAIVED	2008/08/07	< 50.000	
ANTIMONY	01097	WAIVED	2005/11/03	< 2.000	
ARSENIC	01002	WAIVED	2005/11/03	< 10.000	
ASBESTOS	81855	WAIVED			
BARIUM	01007	WAIVED	2008/08/07	< 100.000	
BERYLLIUM	01012	WAIVED	2008/08/07	< 1.000	
CADMIUM	01027	WAIVED	2008/08/07	< 1.000	
CHROMIUM (TOTAL)	01034	WAIVED	2008/08/07	< 10.000	
CYANIDE	01291	WAIVED			
FLUORIDE (F) (NATURAL-SOURCE)	00951	WAIVED	2008/06/05	< .100	
LEAD	01051	WAIVED	2005/11/03	20.000	
MERCURY	71900	WAIVED	2005/11/03	< .200	
NICKEL	01067	WAIVED	2008/08/07	< 10.000	
PERCHLORATE	A-031	WAIVED	2008/08/07	< 4.000	
SELENIUM	01147	WAIVED	2005/11/03	< 2.000	
THALLIUM	01059	WAIVED	2005/11/03	< 1.000	
NITRATE/NITRITE					
NITRATE (AS NO3)	71850	WAIVED	2011/07/12	.500	
NITRITE (AS N)	00620	WAIVED	2011/07/12	< 100.000	
RADIOLOGICAL					
GROSS ALPHA	01501	WAIVED	2006/05/08	19.100	
GROSS BETA	03501	WAIVED			
RA-226 FOR CWS OR TOTAL RA FOR NTNC BY 903.0	A-080	WAIVED			
RA-226 OR TOTAL RA BY 903.0 C.E.	A-081	WAIVED			
RADIUM 226	09501	WAIVED			
RADIUM 228	11501	WAIVED	2007/10/09	.000	

**Testing interval is in months;*
0 = No data for this constituent and is DUE NOW
999 = Waived testing (not required)
I = Invalid (NOT) valid analyses reported

System Number: ***2400178***

System Name: ***SAN JUAN RANCH***

PS Code: ***2400178-011***

Source Name: ***WELL #2-SR51, 350 FT E OF HOUSE H***

Source Number: ***011***

Source Status: ***ACTIVE UNTREATED***

Water type: ***GROUNDWATER OR WELL***

	STORET NUMBER	TESTING INTERVAL (MONTHS)*	LAST TEST DATE (yyyy/mm/dd)	LAST RESULT REPORTED	NEXT TEST DATE (yyyy/mm)
RADIOLOGICAL					
RADIUM, TOTAL, MDA95-NTNC ONLY, BY 903.0	A-082	WAIVED			
STRONTIUM-90	13501	WAIVED			
TRITIUM	07000	WAIVED			
URANIUM (PCI/L)	28012	WAIVED	2006/05/08	15.900	
REGULATED SOC					
2,3,7,8-TCDD (DIOXIN)	34676	WAIVED			
2,4,5-TP (SILVEX)	39045	WAIVED			
2,4-D	39730	WAIVED			
ALACHLOR	77825	WAIVED	2008/06/05	< .200	
ATRAZINE	39033	WAIVED	2008/06/05	< .300	
BENTAZON	38710	WAIVED			
BENZO (A) PYRENE	34247	WAIVED	2008/06/05	< .100	
CARBOFURAN	81405	WAIVED			
CHLORDANE	39350	WAIVED			
DALAPON	38432	WAIVED			
DI(2-ETHYLHEXYL)ADIPATE	A-026	WAIVED	2008/06/05	< 1.000	
DI(2-ETHYLHEXYL)PHTHALATE	39100	WAIVED	2008/06/05	< 3.000	
DIBROMOCHLOROPROPANE (DBCP)	38761	WAIVED	2005/11/03	.000	
DINOSEB	81287	WAIVED			
DIQUAT	78885	WAIVED			
ENDOTHALL	38926	WAIVED			
ENDRIN	39390	WAIVED			
ETHYLENE DIBROMIDE (EDB)	77651	WAIVED	2005/11/03	.000	
GLYPHOSATE	79743	WAIVED			
HEPTACHLOR	39410	WAIVED			
HEPTACHLOR EPOXIDE	39420	WAIVED			
HEXACHLOROBENZENE	39700	WAIVED	2008/06/05	< .100	
HEXACHLOROCYCLOPENTADIENE	34386	WAIVED	2008/06/05	< 3.000	
LINDANE	39340	WAIVED	2008/06/05	< .100	

**Testing interval is in months;*
0 = No data for this constituent and is DUE NOW
999 = Waived testing (not required)
I = Invalid (NOT) valid analyses reported

System Number: ***2400178***

System Name: ***SAN JUAN RANCH***

PS Code: ***2400178-011***

Source Name: ***WELL #2-SR51, 350 FT E OF HOUSE H***

Source Number: ***011***

Source Status: ***ACTIVE UNTREATED***

Water type: ***GROUNDWATER OR WELL***

	STORET NUMBER	TESTING INTERVAL (MONTHS)*	LAST TEST DATE (yyyy/mm/dd)	LAST RESULT REPORTED	NEXT TEST DATE (yyyy/mm)
REGULATED SOC					
METHOXYCHLOR	39480	WAIVED	2008/06/05	< .300	
MOLINATE	82199	WAIVED	2008/06/05	< .500	
OXAMYL	38865	WAIVED			
PENTACHLOROPHENOL	39032	WAIVED			
PICLORAM	39720	WAIVED			
POLYCHLORINATED BIPHENYLS, TOTAL, AS DCB	39516	WAIVED			
SIMAZINE	39055	WAIVED	2008/06/05	< .300	
THIOBENCARB	A-001	WAIVED	2008/06/05	< .500	
TOXAPHENE	39400	WAIVED			
REGULATED VOC					
1,1,1-TRICHLOROETHANE	34506	WAIVED			
1,1,2,2-TETRACHLOROETHANE	34516	WAIVED			
1,1,2-TRICHLORO-1,2,2-TRIFLUOROETHANE	81611	WAIVED			
1,1,2-TRICHLOROETHANE	34511	WAIVED			
1,1-DICHLOROETHANE	34496	WAIVED			
1,1-DICHLOROETHYLENE	34501	WAIVED			
1,2,4-TRICHLOROBENZENE	34551	WAIVED			
1,2-DICHLOROBENZENE	34536	WAIVED			
1,2-DICHLOROETHANE	34531	WAIVED			
1,2-DICHLOROPROPANE	34541	WAIVED			
1,3-DICHLOROPROPENE (TOTAL)	34561	WAIVED			
1,4-DICHLOROBENZENE	34571	WAIVED			
BENZENE	34030	WAIVED			
CARBON TETRACHLORIDE	32102	WAIVED			
CIS-1,2-DICHLOROETHYLENE	77093	WAIVED			
DICHLOROMETHANE	34423	WAIVED			
ETHYLBENZENE	34371	WAIVED			
METHYL-TERT-BUTYL-ETHER (MTBE)	46491	WAIVED			
MONOCHLOROBENZENE	34301	WAIVED			

**Testing interval is in months;*
0 = No data for this constituent and is DUE NOW
999 = Waived testing (not required)
I = Invalid (NOT) valid analyses reported

System Number: ***2400178***

System Name: ***SAN JUAN RANCH***

PS Code: ***2400178-011***

Source Name: ***WELL #2-SR51, 350 FT E OF HOUSE H***

Source Number: ***011***

Source Status: ***ACTIVE UNTREATED***

Water type: ***GROUNDWATER OR WELL***

	STORET NUMBER	TESTING INTERVAL (MONTHS)*	LAST TEST DATE (yyyy/mm/dd)	LAST RESULT REPORTED	NEXT TEST DATE (yyyy/mm)
REGULATED VOC					
STYRENE	77128	WAIVED			
TETRACHLOROETHYLENE	34475	WAIVED			
TOLUENE	34010	WAIVED			
TRANS-1,2-DICHLOROETHYLENE	34546	WAIVED			
TRICHLOROETHYLENE	39180	WAIVED			
TRICHLOROFLUOROMETHANE	34488	WAIVED			
VINYL CHLORIDE	39175	WAIVED			
XYLENES (TOTAL)	81551	WAIVED			
SECONDARY/GP					
AGGRSSIVE INDEX (CORROSIVITY)	82383	WAIVED			
BICARBONATE ALKALINITY	00440	WAIVED	2008/06/05	227.000	
CALCIUM	00916	WAIVED	2008/06/05	70.700	
CARBONATE ALKALINITY	00445	WAIVED	2008/06/05	< 1.000	
CHLORIDE	00940	WAIVED	2008/06/05	291.000	
COLOR	00081	WAIVED	2005/11/03	5.000	
COPPER	01042	WAIVED	2008/06/05	< 50.000	
FOAMING AGENTS (MBAS)	38260	WAIVED	2008/06/05	< .100	
HARDNESS (TOTAL) AS CACO3	00900	WAIVED	2008/06/05	276.000	
HYDROXIDE ALKALINITY	71830	WAIVED	2008/06/05	< 1.000	
IRON	01045	WAIVED	2008/06/05	< 100.000	
MAGNESIUM	00927	WAIVED	2008/06/05	24.100	
MANGANESE	01055	WAIVED	2008/06/05	< 20.000	
ODOR THRESHOLD @ 60 C	00086	WAIVED	2005/11/03	1.000	
PH, LABORATORY	00403	WAIVED	2008/06/05	8.000	
SILVER	01077	WAIVED	2008/08/07	< 10.000	
SODIUM	00929	WAIVED	2008/06/05	206.000	
SPECIFIC CONDUCTANCE	00095	WAIVED	2008/06/05	1500.000	
SULFATE	00945	WAIVED	2008/06/05	110.000	
TOTAL DISSOLVED SOLIDS	70300	WAIVED	2008/06/05	808.000	

**Testing interval is in months;*
0 = No data for this constituent and is DUE NOW
999 = Waived testing (not required)
I = Invalid (NOT) valid analyses reported

System Number: ***2400178***

System Name: ***SAN JUAN RANCH***

PS Code: ***2400178-011***

Source Name: ***WELL #2-SR51, 350 FT E OF HOUSE H***

Source Number: ***011***

Source Status: ***ACTIVE UNTREATED***

Water type: ***GROUNDWATER OR WELL***

SECONDARY/GP

	STORET NUMBER	TESTING INTERVAL (MONTHS)*	LAST TEST DATE (yyyy/mm/dd)	LAST RESULT REPORTED	NEXT TEST DATE (yyyy/mm)
TURBIDITY, LABORATORY	82079	WAIVED	2005/11/03	.700	
ZINC	01092	WAIVED	2008/06/05	< 50.000	

**Testing interval is in months;*
0 = No data for this constituent and is DUE NOW
999 = Waived testing (not required)
I = Invalid (NOT) valid analyses reported

System Number: ***2400182***

System Name: ***DOLE OAKDALE ROAD WELL***

PS Code: ***2400182-011***

Source Name: ***WELL #2-S. OF NEW M/H***

Source Number: ***011***

Source Status: ***ACTIVE UNTREATED***

Water type: ***GROUNDWATER OR WELL***

	STORET NUMBER	TESTING INTERVAL (MONTHS)*	LAST TEST DATE (yyyy/mm/dd)	LAST RESULT REPORTED	NEXT TEST DATE (yyyy/mm)	
GENERAL NON CHAP 15						
DIAZINON	39570	WAIVED				
INORGANIC						
ALUMINUM	01105	WAIVED	2003/01/21	76.200		
ANTIMONY	01097	WAIVED	2003/01/21	< 6.000		
ARSENIC	01002	WAIVED	2003/01/21	< 2.000		
ASBESTOS	81855	WAIVED				
BARIUM	01007	WAIVED	2003/01/21	171.100		
BERYLLIUM	01012	WAIVED	2003/01/21	< 1.000		
CADMIUM	01027	WAIVED	2003/01/21	< 1.000		
CHROMIUM (TOTAL)	01034	WAIVED	2003/01/21	< 10.000		
CYANIDE	01291	WAIVED				
FLUORIDE (F) (NATURAL-SOURCE)	00951	WAIVED	2003/01/21	.200		
LEAD	01051	WAIVED	2003/01/21	< 5.000		
MERCURY	71900	WAIVED	2003/01/21	< 1.000		
NICKEL	01067	WAIVED	2003/01/21	< 10.000		
PERCHLORATE	A-031	WAIVED				
SELENIUM	01147	WAIVED	2003/01/21	< 5.000		
THALLIUM	01059	WAIVED	2003/01/21	< 1.000		
NITRATE/NITRITE						
NITRATE (AS NO3)	71850	012	2010/01/11	4.000	2011/01	DUE
NITRITE (AS N)	00620	036	2010/01/11	< 400.000	2013/01	
RADIOLOGICAL						
GROSS ALPHA	01501	WAIVED	2004/04/20	.200		
GROSS BETA	03501	WAIVED				
RA-226 FOR CWS OR TOTAL RA FOR NTNC BY 903.0	A-080	WAIVED				
RA-226 OR TOTAL RA BY 903.0 C.E.	A-081	WAIVED				
RADIUM 226	09501	WAIVED				
RADIUM 228	11501	WAIVED				

**Testing interval is in months;*
0 = No data for this constituent and is DUE NOW
999 = Waived testing (not required)
I = Invalid (NOT) valid analyses reported

System Number: ***2400182***

System Name: ***DOLE OAKDALE ROAD WELL***

PS Code: ***2400182-011***

Source Name: ***WELL #2-S. OF NEW M/H***

Source Number: ***011***

Source Status: ***ACTIVE UNTREATED***

Water type: ***GROUNDWATER OR WELL***

	STORET NUMBER	TESTING INTERVAL (MONTHS)*	LAST TEST DATE (yyyy/mm/dd)	LAST RESULT REPORTED	NEXT TEST DATE (yyyy/mm)
RADIOLOGICAL					
RADIUM, TOTAL, MDA95-NTNC ONLY, BY 903.0	A-082	WAIVED			
STRONTIUM-90	13501	WAIVED			
TRITIUM	07000	WAIVED			
URANIUM (PCI/L)	28012	WAIVED			
REGULATED SOC					
2,3,7,8-TCDD (DIOXIN)	34676	WAIVED			
2,4,5-TP (SILVEX)	39045	WAIVED			
2,4-D	39730	WAIVED			
ALACHLOR	77825	WAIVED	2003/01/21	.000	
ATRAZINE	39033	WAIVED	2003/01/21	.000	
BENTAZON	38710	WAIVED			
BENZO (A) PYRENE	34247	WAIVED			
CARBOFURAN	81405	WAIVED			
CHLORDANE	39350	WAIVED			
DALAPON	38432	WAIVED			
DI(2-ETHYLHEXYL)ADIPATE	A-026	WAIVED			
DI(2-ETHYLHEXYL)PHTHALATE	39100	WAIVED			
DIBROMOCHLOROPROPANE (DBCP)	38761	WAIVED	2003/01/21	.000	
DINOSEB	81287	WAIVED			
DIQUAT	78885	WAIVED			
ENDOTHALL	38926	WAIVED			
ENDRIN	39390	WAIVED			
ETHYLENE DIBROMIDE (EDB)	77651	WAIVED	2003/01/21	.000	
GLYPHOSATE	79743	WAIVED			
HEPTACHLOR	39410	WAIVED			
HEPTACHLOR EPOXIDE	39420	WAIVED			
HEXACHLOROBENZENE	39700	WAIVED			
HEXACHLOROCYCLOPENTADIENE	34386	WAIVED			
LINDANE	39340	WAIVED			

**Testing interval is in months;*
0 = No data for this constituent and is DUE NOW
999 = Waived testing (not required)
I = Invalid (NOT) valid analyses reported

System Number: ***2400182***

System Name: ***DOLE OAKDALE ROAD WELL***

PS Code: ***2400182-011***

Source Name: ***WELL #2-S. OF NEW M/H***

Source Number: ***011***

Source Status: ***ACTIVE UNTREATED***

Water type: ***GROUNDWATER OR WELL***

	STORET NUMBER	TESTING INTERVAL (MONTHS)*	LAST TEST DATE (yyyy/mm/dd)	LAST RESULT REPORTED	NEXT TEST DATE (yyyy/mm)
REGULATED SOC					
METHOXYCHLOR	39480	WAIVED			
MOLINATE	82199	WAIVED			
OXAMYL	38865	WAIVED			
PENTACHLOROPHENOL	39032	WAIVED			
PICLORAM	39720	WAIVED			
POLYCHLORINATED BIPHENYLS, TOTAL, AS DCB	39516	WAIVED			
SIMAZINE	39055	WAIVED	2003/01/21	.000	
THIOBENCARB	A-001	WAIVED			
TOXAPHENE	39400	WAIVED			
REGULATED VOC					
1,1,1-TRICHLOROETHANE	34506	WAIVED	2005/01/18	.000	
1,1,2,2-TETRACHLOROETHANE	34516	WAIVED	2005/01/18	.000	
1,1,2-TRICHLORO-1,2,2-TRIFLUOROETHANE	81611	WAIVED	2005/01/18	.000	
1,1,2-TRICHLOROETHANE	34511	WAIVED	2005/01/18	.000	
1,1-DICHLOROETHANE	34496	WAIVED	2005/01/18	.000	
1,1-DICHLOROETHYLENE	34501	WAIVED	2005/01/18	.000	
1,2,4-TRICHLOROBENZENE	34551	WAIVED	2005/01/18	.000	
1,2-DICHLOROBENZENE	34536	WAIVED	2005/01/18	.000	
1,2-DICHLOROETHANE	34531	WAIVED	2005/01/18	.000	
1,2-DICHLOROPROPANE	34541	WAIVED	2005/01/18	.000	
1,3-DICHLOROPROPENE (TOTAL)	34561	WAIVED	2005/01/18	.000	
1,4-DICHLOROBENZENE	34571	WAIVED	2005/01/18	.000	
BENZENE	34030	WAIVED	2005/01/18	.000	
CARBON TETRACHLORIDE	32102	WAIVED	2005/01/18	.000	
CIS-1,2-DICHLOROETHYLENE	77093	WAIVED	2005/01/18	.000	
DICHLOROMETHANE	34423	WAIVED	2005/01/18	.000	
ETHYLBENZENE	34371	WAIVED	2005/01/18	.000	
METHYL-TERT-BUTYL-ETHER (MTBE)	46491	WAIVED	2005/01/18	.000	
MONOCHLOROBENZENE	34301	WAIVED	2005/01/18	.000	

**Testing interval is in months;*
0 = No data for this constituent and is DUE NOW
999 = Waived testing (not required)
I = Invalid (NOT) valid analyses reported

System Number: ***2400182***

System Name: ***DOLE OAKDALE ROAD WELL***

PS Code: ***2400182-011***

Source Name: ***WELL #2-S. OF NEW M/H***

Source Number: ***011***

Source Status: ***ACTIVE UNTREATED***

Water type: ***GROUNDWATER OR WELL***

	STORET NUMBER	TESTING INTERVAL (MONTHS)*	LAST TEST DATE (yyyy/mm/dd)	LAST RESULT REPORTED	NEXT TEST DATE (yyyy/mm)
REGULATED VOC					
STYRENE	77128	WAIVED	2005/01/18	.000	
TETRACHLOROETHYLENE	34475	WAIVED	2005/01/18	.000	
TOLUENE	34010	WAIVED	2005/01/18	.000	
TRANS-1,2-DICHLOROETHYLENE	34546	WAIVED	2005/01/18	.000	
TRICHLOROETHYLENE	39180	WAIVED	2005/01/18	.000	
TRICHLOROFLUOROMETHANE	34488	WAIVED	2005/01/18	.000	
VINYL CHLORIDE	39175	WAIVED	2005/01/18	.000	
XYLENES (TOTAL)	81551	WAIVED	2005/01/18	.000	
SECONDARY/GP					
AGGRSSIVE INDEX (CORROSIVITY)	82383	WAIVED	2005/08/16	10.400	
BICARBONATE ALKALINITY	00440	WAIVED	2003/01/21	76.900	
CALCIUM	00916	WAIVED	2005/08/16	25.600	
CARBONATE ALKALINITY	00445	WAIVED	2003/01/21	< 1.000	
CHLORIDE	00940	WAIVED	2003/01/21	3.400	
COLOR	00081	WAIVED	2003/01/21	< 3.000	
COPPER	01042	WAIVED	2003/01/21	< 50.000	
FOAMING AGENTS (MBAS)	38260	WAIVED	2003/01/21	< .050	
HARDNESS (TOTAL) AS CACO3	00900	WAIVED	2003/01/21	88.000	
HYDROXIDE ALKALINITY	71830	WAIVED	2003/01/21	< 1.000	
IRON	01045	WAIVED	2003/01/21	< 100.000	
MAGNESIUM	00927	WAIVED	2003/01/21	5.500	
MANGANESE	01055	WAIVED	2003/01/21	< 20.000	
ODOR THRESHOLD @ 60 C	00086	WAIVED	2003/01/21	< 1.000	
PH, LABORATORY	00403	WAIVED	2005/08/16	6.800	
SILVER	01077	WAIVED	2003/01/21	< 10.000	
SODIUM	00929	WAIVED	2003/01/21	7.800	
SPECIFIC CONDUCTANCE	00095	WAIVED	2003/01/21	243.000	
SULFATE	00945	WAIVED	2003/01/21	2.600	
TOTAL DISSOLVED SOLIDS	70300	WAIVED	2005/08/16	102.000	

**Testing interval is in months;*
0 = No data for this constituent and is DUE NOW
999 = Waived testing (not required)
I = Invalid (NOT) valid analyses reported

System Number: ***2400182***

System Name: ***DOLE OAKDALE ROAD WELL***

PS Code: ***2400182-011***

Source Name: ***WELL #2-S. OF NEW M/H***

Source Number: ***011***

Source Status: ***ACTIVE UNTREATED***

Water type: ***GROUNDWATER OR WELL***

	STORET NUMBER	TESTING INTERVAL (MONTHS)*	LAST TEST DATE (yyyy/mm/dd)	LAST RESULT REPORTED	NEXT TEST DATE (yyyy/mm)
SECONDARY/GP					
TURBIDITY, LABORATORY	**82079**	**WAIVED**	2003/01/21	**.140**	
ZINC	**01092**	**WAIVED**	2003/01/21	**< 50.000**	

**Testing interval is in months;*
0 = No data for this constituent and is DUE NOW
999 = Waived testing (not required)
I = Invalid (NOT) valid analyses reported

System Number: ***2400188***

System Name: ***RANCHWOOD PROPERTY HOUSING***

PS Code: ***2400188-001***

Source Name: ***WELL #1-W OF HOUSING, S OF ROAD***

Source Number: ***001***

Source Status: ***ACTIVE UNTREATED***

Water type: ***GROUNDWATER OR WELL***

	STORET NUMBER	TESTING INTERVAL (MONTHS)*	LAST TEST DATE (yyyy/mm/dd)	LAST RESULT REPORTED	NEXT TEST DATE (yyyy/mm)
GENERAL NON CHAP 15					
DIAZINON	39570	WAIVED			
INORGANIC					
ALUMINUM	01105	WAIVED			
ANTIMONY	01097	WAIVED			
ARSENIC	01002	WAIVED			
ASBESTOS	81855	WAIVED			
BARIUM	01007	WAIVED			
BERYLLIUM	01012	WAIVED			
CADMIUM	01027	WAIVED			
CHROMIUM (TOTAL)	01034	WAIVED			
CYANIDE	01291	WAIVED			
FLUORIDE (F) (NATURAL-SOURCE)	00951	WAIVED			
LEAD	01051	WAIVED			
MERCURY	71900	WAIVED			
NICKEL	01067	WAIVED			
PERCHLORATE	A-031	WAIVED			
SELENIUM	01147	WAIVED			
THALLIUM	01059	WAIVED			
NITRATE/NITRITE					
NITRATE (AS NO3)	71850	WAIVED			
NITRITE (AS N)	00620	WAIVED			
RADIOLOGICAL					
GROSS ALPHA	01501	WAIVED			
GROSS BETA	03501	WAIVED			
RA-226 FOR CWS OR TOTAL RA FOR NTNC BY 903.0	A-080	WAIVED			
RA-226 OR TOTAL RA BY 903.0 C.E.	A-081	WAIVED			
RADIUM 226	09501	WAIVED			
RADIUM 228	11501	WAIVED			

**Testing interval is in months;*
0 = No data for this constituent and is DUE NOW
999 = Waived testing (not required)
I = Invalid (NOT) valid analyses reported

System Number: ***2400188***

System Name: ***RANCHWOOD PROPERTY HOUSING***

PS Code: ***2400188-001***

Source Name: ***WELL #1-W OF HOUSING, S OF ROAD***

Source Number: ***001***

Source Status: ***ACTIVE UNTREATED***

Water type: ***GROUNDWATER OR WELL***

	STORET NUMBER	TESTING INTERVAL (MONTHS)*	LAST TEST DATE (yyyy/mm/dd)	LAST RESULT REPORTED	NEXT TEST DATE (yyyy/mm)
RADIOLOGICAL					
RADIUM, TOTAL, MDA95-NTNC ONLY, BY 903.0	A-082	WAIVED			
STRONTIUM-90	13501	WAIVED			
TRITIUM	07000	WAIVED			
URANIUM (PCI/L)	28012	WAIVED			
REGULATED SOC					
2,3,7,8-TCDD (DIOXIN)	34676	WAIVED			
2,4,5-TP (SILVEX)	39045	WAIVED			
2,4-D	39730	WAIVED			
ALACHLOR	77825	WAIVED			
ATRAZINE	39033	WAIVED			
BENTAZON	38710	WAIVED			
BENZO (A) PYRENE	34247	WAIVED			
CARBOFURAN	81405	WAIVED			
CHLORDANE	39350	WAIVED			
DALAPON	38432	WAIVED			
DI(2-ETHYLHEXYL)ADIPATE	A-026	WAIVED			
DI(2-ETHYLHEXYL)PHTHALATE	39100	WAIVED			
DIBROMOCHLOROPROPANE (DBCP)	38761	WAIVED			
DINOSEB	81287	WAIVED			
DIQUAT	78885	WAIVED			
ENDOTHALL	38926	WAIVED			
ENDRIN	39390	WAIVED			
ETHYLENE DIBROMIDE (EDB)	77651	WAIVED			
GLYPHOSATE	79743	WAIVED			
HEPTACHLOR	39410	WAIVED			
HEPTACHLOR EPOXIDE	39420	WAIVED			
HEXACHLOROBENZENE	39700	WAIVED			
HEXACHLOROCYCLOPENTADIENE	34386	WAIVED			
LINDANE	39340	WAIVED			

**Testing interval is in months;*
0 = No data for this constituent and is DUE NOW
999 = Waived testing (not required)
I = Invalid (NOT) valid analyses reported

System Number: ***2400188***

System Name: ***RANCHWOOD PROPERTY HOUSING***

PS Code: ***2400188-001***

Source Name: ***WELL #1-W OF HOUSING, S OF ROAD***

Source Number: ***001***

Source Status: ***ACTIVE UNTREATED***

Water type: ***GROUNDWATER OR WELL***

	STORET NUMBER	TESTING INTERVAL (MONTHS)*	LAST TEST DATE (yyyy/mm/dd)	LAST RESULT REPORTED	NEXT TEST DATE (yyyy/mm)
REGULATED SOC					
METHOXYCHLOR	39480	WAIVED			
MOLINATE	82199	WAIVED			
OXAMYL	38865	WAIVED			
PENTACHLOROPHENOL	39032	WAIVED			
PICLORAM	39720	WAIVED			
POLYCHLORINATED BIPHENYLS, TOTAL, AS DCB	39516	WAIVED			
SIMAZINE	39055	WAIVED			
THIOBENCARB	A-001	WAIVED			
TOXAPHENE	39400	WAIVED			
REGULATED VOC					
1,1,1-TRICHLOROETHANE	34506	WAIVED			
1,1,2,2-TETRACHLOROETHANE	34516	WAIVED			
1,1,2-TRICHLORO-1,2,2-TRIFLUOROETHANE	81611	WAIVED			
1,1,2-TRICHLOROETHANE	34511	WAIVED			
1,1-DICHLOROETHANE	34496	WAIVED			
1,1-DICHLOROETHYLENE	34501	WAIVED			
1,2,4-TRICHLOROBENZENE	34551	WAIVED			
1,2-DICHLOROBENZENE	34536	WAIVED			
1,2-DICHLOROETHANE	34531	WAIVED			
1,2-DICHLOROPROPANE	34541	WAIVED			
1,3-DICHLOROPROPENE (TOTAL)	34561	WAIVED			
1,4-DICHLOROBENZENE	34571	WAIVED			
BENZENE	34030	WAIVED			
CARBON TETRACHLORIDE	32102	WAIVED			
CIS-1,2-DICHLOROETHYLENE	77093	WAIVED			
DICHLOROMETHANE	34423	WAIVED			
ETHYLBENZENE	34371	WAIVED			
METHYL-TERT-BUTYL-ETHER (MTBE)	46491	WAIVED			
MONOCHLOROBENZENE	34301	WAIVED			

**Testing interval is in months;*
0 = No data for this constituent and is DUE NOW
999 = Waived testing (not required)
I = Invalid (NOT) valid analyses reported

System Number: ***2400188***

System Name: ***RANCHWOOD PROPERTY HOUSING***

PS Code: ***2400188-001***

Source Name: ***WELL #1-W OF HOUSING, S OF ROAD***

Source Number: ***001***

Source Status: ***ACTIVE UNTREATED***

Water type: ***GROUNDWATER OR WELL***

	STORET NUMBER	TESTING INTERVAL (MONTHS)*	LAST TEST DATE (yyyy/mm/dd)	LAST RESULT REPORTED	NEXT TEST DATE (yyyy/mm)
REGULATED VOC					
STYRENE	77128	WAIVED			
TETRACHLOROETHYLENE	34475	WAIVED			
TOLUENE	34010	WAIVED			
TRANS-1,2-DICHLOROETHYLENE	34546	WAIVED			
TRICHLOROETHYLENE	39180	WAIVED			
TRICHLOROFLUOROMETHANE	34488	WAIVED			
VINYL CHLORIDE	39175	WAIVED			
XYLENES (TOTAL)	81551	WAIVED			
SECONDARY/GP					
AGGRSSIVE INDEX (CORROSIVITY)	82383	WAIVED			
BICARBONATE ALKALINITY	00440	WAIVED			
CALCIUM	00916	WAIVED			
CARBONATE ALKALINITY	00445	WAIVED			
CHLORIDE	00940	WAIVED			
COLOR	00081	WAIVED			
COPPER	01042	WAIVED			
FOAMING AGENTS (MBAS)	38260	WAIVED			
HARDNESS (TOTAL) AS CACO3	00900	WAIVED			
HYDROXIDE ALKALINITY	71830	WAIVED			
IRON	01045	WAIVED			
MAGNESIUM	00927	WAIVED			
MANGANESE	01055	WAIVED			
ODOR THRESHOLD @ 60 C	00086	WAIVED			
PH, LABORATORY	00403	WAIVED			
SILVER	01077	WAIVED			
SODIUM	00929	WAIVED			
SPECIFIC CONDUCTANCE	00095	WAIVED			
SULFATE	00945	WAIVED			
TOTAL DISSOLVED SOLIDS	70300	WAIVED			

**Testing interval is in months;*
0 = No data for this constituent and is DUE NOW
999 = Waived testing (not required)
I = Invalid (NOT) valid analyses reported

System Number: ***2400188***

System Name: ***RANCHWOOD PROPERTY HOUSING***

PS Code: ***2400188-001***

Source Name: ***WELL #1-W OF HOUSING, S OF ROAD***

Source Number: ***001***

Source Status: ***ACTIVE UNTREATED***

Water type: ***GROUNDWATER OR WELL***

SECONDARY/GP

	STORET NUMBER	TESTING INTERVAL (MONTHS)*	LAST TEST DATE (yyyy/mm/dd)	LAST RESULT REPORTED	NEXT TEST DATE (yyyy/mm)
TURBIDITY, LABORATORY	82079	WAIVED			
ZINC	01092	WAIVED			

**Testing interval is in months;*
0 = No data for this constituent and is DUE NOW
999 = Waived testing (not required)
I = Invalid (NOT) valid analyses reported

System Number: ***2400196***

System Name: ***HENRY MILLER RECLAMATION DISTRICT***

PS Code: ***2400196-011***

Source Name: ***WELL 2 (DRILLED 97)***

Source Number: ***011***

Source Status: ***ACTIVE UNTREATED***

Water type: ***GROUNDWATER OR WELL***

	STORET NUMBER	TESTING INTERVAL (MONTHS)*	LAST TEST DATE (yyyy/mm/dd)	LAST RESULT REPORTED	NEXT TEST DATE (yyyy/mm)
GENERAL NON CHAP 15					
DIAZINON	39570	WAIVED			
INORGANIC					
ALUMINUM	01105	WAIVED			
ANTIMONY	01097	WAIVED			
ARSENIC	01002	WAIVED			
ASBESTOS	81855	WAIVED			
BARIUM	01007	WAIVED			
BERYLLIUM	01012	WAIVED			
CADMIUM	01027	WAIVED			
CHROMIUM (TOTAL)	01034	WAIVED			
CYANIDE	01291	WAIVED			
FLUORIDE (F) (NATURAL-SOURCE)	00951	WAIVED			
LEAD	01051	WAIVED			
MERCURY	71900	WAIVED			
NICKEL	01067	WAIVED			
PERCHLORATE	A-031	WAIVED			
SELENIUM	01147	WAIVED			
THALLIUM	01059	WAIVED			
NITRATE/NITRITE					
NITRATE (AS NO3)	71850	WAIVED			
NITRITE (AS N)	00620	WAIVED			
RADIOLOGICAL					
GROSS ALPHA	01501	WAIVED			
GROSS BETA	03501	WAIVED			
RA-226 FOR CWS OR TOTAL RA FOR NTNC BY 903.0	A-080	WAIVED			
RA-226 OR TOTAL RA BY 903.0 C.E.	A-081	WAIVED			
RADIUM 226	09501	WAIVED			
RADIUM 228	11501	WAIVED			

**Testing interval is in months;*
0 = No data for this constituent and is DUE NOW
999 = Waived testing (not required)
I = Invalid (NOT) valid analyses reported

System Number: ***2400196***

System Name: ***HENRY MILLER RECLAMATION DISTRICT***

PS Code: ***2400196-011***

Source Name: ***WELL 2 (DRILLED 97)***

Source Number: ***011***

Source Status: ***ACTIVE UNTREATED***

Water type: ***GROUNDWATER OR WELL***

	STORET NUMBER	TESTING INTERVAL (MONTHS)*	LAST TEST DATE (yyyy/mm/dd)	LAST RESULT REPORTED	NEXT TEST DATE (yyyy/mm)
RADIOLOGICAL					
RADIUM, TOTAL, MDA95-NTNC ONLY, BY 903.0	A-082	WAIVED			
STRONTIUM-90	13501	WAIVED			
TRITIUM	07000	WAIVED			
URANIUM (PCI/L)	28012	WAIVED			
REGULATED SOC					
2,3,7,8-TCDD (DIOXIN)	34676	WAIVED			
2,4,5-TP (SILVEX)	39045	WAIVED			
2,4-D	39730	WAIVED			
ALACHLOR	77825	WAIVED			
ATRAZINE	39033	WAIVED			
BENTAZON	38710	WAIVED			
BENZO (A) PYRENE	34247	WAIVED			
CARBOFURAN	81405	WAIVED			
CHLORDANE	39350	WAIVED			
DALAPON	38432	WAIVED			
DI(2-ETHYLHEXYL)ADIPATE	A-026	WAIVED			
DI(2-ETHYLHEXYL)PHTHALATE	39100	WAIVED			
DIBROMOCHLOROPROPANE (DBCP)	38761	WAIVED			
DINOSEB	81287	WAIVED			
DIQUAT	78885	WAIVED			
ENDOTHALL	38926	WAIVED			
ENDRIN	39390	WAIVED			
ETHYLENE DIBROMIDE (EDB)	77651	WAIVED			
GLYPHOSATE	79743	WAIVED			
HEPTACHLOR	39410	WAIVED			
HEPTACHLOR EPOXIDE	39420	WAIVED			
HEXACHLOROBENZENE	39700	WAIVED			
HEXACHLOROCYCLOPENTADIENE	34386	WAIVED			
LINDANE	39340	WAIVED			

**Testing interval is in months;*
0 = No data for this constituent and is DUE NOW
999 = Waived testing (not required)
I = Invalid (NOT) valid analyses reported

System Number: ***2400196***

System Name: ***HENRY MILLER RECLAMATION DISTRICT***

PS Code: ***2400196-011***

Source Name: ***WELL 2 (DRILLED 97)***

Source Number: ***011***

Source Status: ***ACTIVE UNTREATED***

Water type: ***GROUNDWATER OR WELL***

	STORET NUMBER	TESTING INTERVAL (MONTHS)*	LAST TEST DATE (yyyy/mm/dd)	LAST RESULT REPORTED	NEXT TEST DATE (yyyy/mm)
REGULATED SOC					
METHOXYCHLOR	39480	WAIVED			
MOLINATE	82199	WAIVED			
OXAMYL	38865	WAIVED			
PENTACHLOROPHENOL	39032	WAIVED			
PICLORAM	39720	WAIVED			
POLYCHLORINATED BIPHENYLS, TOTAL, AS DCB	39516	WAIVED			
SIMAZINE	39055	WAIVED			
THIOBENCARB	A-001	WAIVED			
TOXAPHENE	39400	WAIVED			
REGULATED VOC					
1,1,1-TRICHLOROETHANE	34506	WAIVED			
1,1,2,2-TETRACHLOROETHANE	34516	WAIVED			
1,1,2-TRICHLORO-1,2,2-TRIFLUOROETHANE	81611	WAIVED			
1,1,2-TRICHLOROETHANE	34511	WAIVED			
1,1-DICHLOROETHANE	34496	WAIVED			
1,1-DICHLOROETHYLENE	34501	WAIVED			
1,2,4-TRICHLOROBENZENE	34551	WAIVED			
1,2-DICHLOROBENZENE	34536	WAIVED			
1,2-DICHLOROETHANE	34531	WAIVED			
1,2-DICHLOROPROPANE	34541	WAIVED			
1,3-DICHLOROPROPENE (TOTAL)	34561	WAIVED			
1,4-DICHLOROBENZENE	34571	WAIVED			
BENZENE	34030	WAIVED			
CARBON TETRACHLORIDE	32102	WAIVED			
CIS-1,2-DICHLOROETHYLENE	77093	WAIVED			
DICHLOROMETHANE	34423	WAIVED			
ETHYLBENZENE	34371	WAIVED			
METHYL-TERT-BUTYL-ETHER (MTBE)	46491	WAIVED			
MONOCHLOROBENZENE	34301	WAIVED			

**Testing interval is in months;*
0 = No data for this constituent and is DUE NOW
999 = Waived testing (not required)
I = Invalid (NOT) valid analyses reported

System Number: ***2400196***

System Name: ***HENRY MILLER RECLAMATION DISTRICT***

PS Code: ***2400196-011***

Source Name: ***WELL 2 (DRILLED 97)***

Source Number: ***011***

Source Status: ***ACTIVE UNTREATED***

Water type: ***GROUNDWATER OR WELL***

	STORET NUMBER	TESTING INTERVAL (MONTHS)*	LAST TEST DATE (yyyy/mm/dd)	LAST RESULT REPORTED	NEXT TEST DATE (yyyy/mm)
REGULATED VOC					
STYRENE	77128	WAIVED			
TETRACHLOROETHYLENE	34475	WAIVED			
TOLUENE	34010	WAIVED			
TRANS-1,2-DICHLOROETHYLENE	34546	WAIVED			
TRICHLOROETHYLENE	39180	WAIVED			
TRICHLOROFLUOROMETHANE	34488	WAIVED			
VINYL CHLORIDE	39175	WAIVED			
XYLENES (TOTAL)	81551	WAIVED			
SECONDARY/GP					
AGGRSSIVE INDEX (CORROSIVITY)	82383	WAIVED			
BICARBONATE ALKALINITY	00440	WAIVED			
CALCIUM	00916	WAIVED			
CARBONATE ALKALINITY	00445	WAIVED			
CHLORIDE	00940	WAIVED			
COLOR	00081	WAIVED			
COPPER	01042	WAIVED			
FOAMING AGENTS (MBAS)	38260	WAIVED			
HARDNESS (TOTAL) AS CACO3	00900	WAIVED			
HYDROXIDE ALKALINITY	71830	WAIVED			
IRON	01045	WAIVED			
MAGNESIUM	00927	WAIVED			
MANGANESE	01055	WAIVED			
ODOR THRESHOLD @ 60 C	00086	WAIVED			
PH, LABORATORY	00403	WAIVED			
SILVER	01077	WAIVED			
SODIUM	00929	WAIVED			
SPECIFIC CONDUCTANCE	00095	WAIVED			
SULFATE	00945	WAIVED			
TOTAL DISSOLVED SOLIDS	70300	WAIVED			

**Testing interval is in months;*
0 = No data for this constituent and is DUE NOW
999 = Waived testing (not required)
I = Invalid (NOT) valid analyses reported

System Number: ***2400196***

System Name: ***HENRY MILLER RECLAMATION DISTRICT***

PS Code: ***2400196-011***

Source Name: ***WELL 2 (DRILLED 97)***

Source Number: ***011***

Source Status: ***ACTIVE UNTREATED***

Water type: ***GROUNDWATER OR WELL***

	STORET NUMBER	TESTING INTERVAL (MONTHS)*	LAST TEST DATE (yyyy/mm/dd)	LAST RESULT REPORTED	NEXT TEST DATE (yyyy/mm)
SECONDARY/GP					
TURBIDITY, LABORATORY	82079	WAIVED			
ZINC	01092	WAIVED			

**Testing interval is in months;*
0 = No data for this constituent and is DUE NOW
999 = Waived testing (not required)
I = Invalid (NOT) valid analyses reported

System Number: ***2400198***

System Name: ***E & J GALLO LIVINGSTON RANCH***

PS Code: ***2400198-001***

Source Name: ***WELL #1-EAST***

Source Number: ***001***

Source Status: ***ACTIVE UNTREATED***

Water type: ***GROUNDWATER OR WELL***

	STORET NUMBER	TESTING INTERVAL (MONTHS)*	LAST TEST DATE (yyyy/mm/dd)	LAST RESULT REPORTED	NEXT TEST DATE (yyyy/mm)
GENERAL NON CHAP 15					
DIAZINON	39570	WAIVED			
INORGANIC					
ALUMINUM	01105	WAIVED			
ANTIMONY	01097	WAIVED			
ARSENIC	01002	WAIVED			
ASBESTOS	81855	WAIVED			
BARIUM	01007	WAIVED			
BERYLLIUM	01012	WAIVED			
CADMIUM	01027	WAIVED			
CHROMIUM (TOTAL)	01034	WAIVED			
CYANIDE	01291	WAIVED			
FLUORIDE (F) (NATURAL-SOURCE)	00951	WAIVED			
LEAD	01051	WAIVED			
MERCURY	71900	WAIVED			
NICKEL	01067	WAIVED			
PERCHLORATE	A-031	WAIVED			
SELENIUM	01147	WAIVED			
THALLIUM	01059	WAIVED			
NITRATE/NITRITE					
NITRATE (AS NO3)	71850	WAIVED			
NITRITE (AS N)	00620	WAIVED			
RADIOLOGICAL					
GROSS ALPHA	01501	WAIVED			
GROSS BETA	03501	WAIVED			
RA-226 FOR CWS OR TOTAL RA FOR NTNC BY 903.0	A-080	WAIVED			
RA-226 OR TOTAL RA BY 903.0 C.E.	A-081	WAIVED			
RADIUM 226	09501	WAIVED			
RADIUM 228	11501	WAIVED			

**Testing interval is in months;*
0 = No data for this constituent and is DUE NOW
999 = Waived testing (not required)
I = Invalid (NOT) valid analyses reported

System Number: ***2400198***

System Name: ***E & J GALLO LIVINGSTON RANCH***

PS Code: ***2400198-001***

Source Name: ***WELL #1-EAST***

Source Number: ***001***

Source Status: ***ACTIVE UNTREATED***

Water type: ***GROUNDWATER OR WELL***

	STORET NUMBER	TESTING INTERVAL (MONTHS)*	LAST TEST DATE (yyyy/mm/dd)	LAST RESULT REPORTED	NEXT TEST DATE (yyyy/mm)
RADIOLOGICAL					
RADIUM, TOTAL, MDA95-NTNC ONLY, BY 903.0	A-082	WAIVED			
STRONTIUM-90	13501	WAIVED			
TRITIUM	07000	WAIVED			
URANIUM (PCI/L)	28012	WAIVED			
REGULATED SOC					
2,3,7,8-TCDD (DIOXIN)	34676	WAIVED			
2,4,5-TP (SILVEX)	39045	WAIVED			
2,4-D	39730	WAIVED			
ALACHLOR	77825	WAIVED			
ATRAZINE	39033	WAIVED			
BENTAZON	38710	WAIVED			
BENZO (A) PYRENE	34247	WAIVED			
CARBOFURAN	81405	WAIVED			
CHLORDANE	39350	WAIVED			
DALAPON	38432	WAIVED			
DI(2-ETHYLHEXYL)ADIPATE	A-026	WAIVED			
DI(2-ETHYLHEXYL)PHTHALATE	39100	WAIVED			
DIBROMOCHLOROPROPANE (DBCP)	38761	WAIVED			
DINOSEB	81287	WAIVED			
DIQUAT	78885	WAIVED			
ENDOTHALL	38926	WAIVED			
ENDRIN	39390	WAIVED			
ETHYLENE DIBROMIDE (EDB)	77651	WAIVED			
GLYPHOSATE	79743	WAIVED			
HEPTACHLOR	39410	WAIVED			
HEPTACHLOR EPOXIDE	39420	WAIVED			
HEXACHLOROBENZENE	39700	WAIVED			
HEXACHLOROCYCLOPENTADIENE	34386	WAIVED			
LINDANE	39340	WAIVED			

**Testing interval is in months;*
0 = No data for this constituent and is DUE NOW
999 = Waived testing (not required)
I = Invalid (NOT) valid analyses reported

System Number: ***2400198***

System Name: ***E & J GALLO LIVINGSTON RANCH***

PS Code: ***2400198-001***

Source Name: ***WELL #1-EAST***

Source Number: ***001***

Source Status: ***ACTIVE UNTREATED***

Water type: ***GROUNDWATER OR WELL***

	STORET NUMBER	TESTING INTERVAL (MONTHS)*	LAST TEST DATE (yyyy/mm/dd)	LAST RESULT REPORTED	NEXT TEST DATE (yyyy/mm)
REGULATED SOC					
METHOXYCHLOR	39480	WAIVED			
MOLINATE	82199	WAIVED			
OXAMYL	38865	WAIVED			
PENTACHLOROPHENOL	39032	WAIVED			
PICLORAM	39720	WAIVED			
POLYCHLORINATED BIPHENYLS, TOTAL, AS DCB	39516	WAIVED			
SIMAZINE	39055	WAIVED			
THIOBENCARB	A-001	WAIVED			
TOXAPHENE	39400	WAIVED			
REGULATED VOC					
1,1,1-TRICHLOROETHANE	34506	WAIVED			
1,1,2,2-TETRACHLOROETHANE	34516	WAIVED			
1,1,2-TRICHLORO-1,2,2-TRIFLUOROETHANE	81611	WAIVED			
1,1,2-TRICHLOROETHANE	34511	WAIVED			
1,1-DICHLOROETHANE	34496	WAIVED			
1,1-DICHLOROETHYLENE	34501	WAIVED			
1,2,4-TRICHLOROBENZENE	34551	WAIVED			
1,2-DICHLOROBENZENE	34536	WAIVED			
1,2-DICHLOROETHANE	34531	WAIVED			
1,2-DICHLOROPROPANE	34541	WAIVED			
1,3-DICHLOROPROPENE (TOTAL)	34561	WAIVED			
1,4-DICHLOROBENZENE	34571	WAIVED			
BENZENE	34030	WAIVED			
CARBON TETRACHLORIDE	32102	WAIVED			
CIS-1,2-DICHLOROETHYLENE	77093	WAIVED			
DICHLOROMETHANE	34423	WAIVED			
ETHYLBENZENE	34371	WAIVED			
METHYL-TERT-BUTYL-ETHER (MTBE)	46491	WAIVED			
MONOCHLOROBENZENE	34301	WAIVED			

**Testing interval is in months;*
0 = No data for this constituent and is DUE NOW
999 = Waived testing (not required)
I = Invalid (NOT) valid analyses reported

System Number: ***2400198***

System Name: ***E & J GALLO LIVINGSTON RANCH***

PS Code: ***2400198-001***

Source Name: ***WELL #1-EAST***

Source Number: ***001***

Source Status: ***ACTIVE UNTREATED***

Water type: ***GROUNDWATER OR WELL***

	STORET NUMBER	TESTING INTERVAL (MONTHS)*	LAST TEST DATE (yyyy/mm/dd)	LAST RESULT REPORTED	NEXT TEST DATE (yyyy/mm)
REGULATED VOC					
STYRENE	77128	WAIVED			
TETRACHLOROETHYLENE	34475	WAIVED			
TOLUENE	34010	WAIVED			
TRANS-1,2-DICHLOROETHYLENE	34546	WAIVED			
TRICHLOROETHYLENE	39180	WAIVED			
TRICHLOROFLUOROMETHANE	34488	WAIVED			
VINYL CHLORIDE	39175	WAIVED			
XYLENES (TOTAL)	81551	WAIVED			
SECONDARY/GP					
AGGRSSIVE INDEX (CORROSIVITY)	82383	WAIVED			
BICARBONATE ALKALINITY	00440	WAIVED			
CALCIUM	00916	WAIVED			
CARBONATE ALKALINITY	00445	WAIVED			
CHLORIDE	00940	WAIVED			
COLOR	00081	WAIVED			
COPPER	01042	WAIVED			
FOAMING AGENTS (MBAS)	38260	WAIVED			
HARDNESS (TOTAL) AS CACO3	00900	WAIVED			
HYDROXIDE ALKALINITY	71830	WAIVED			
IRON	01045	WAIVED			
MAGNESIUM	00927	WAIVED			
MANGANESE	01055	WAIVED			
ODOR THRESHOLD @ 60 C	00086	WAIVED			
PH, LABORATORY	00403	WAIVED			
SILVER	01077	WAIVED			
SODIUM	00929	WAIVED			
SPECIFIC CONDUCTANCE	00095	WAIVED			
SULFATE	00945	WAIVED			
TOTAL DISSOLVED SOLIDS	70300	WAIVED			

**Testing interval is in months;*
0 = No data for this constituent and is DUE NOW
999 = Waived testing (not required)
I = Invalid (NOT) valid analyses reported

System Number: ***2400198***

System Name: ***E & J GALLO LIVINGSTON RANCH***

	STORET NUMBER	TESTING INTERVAL (MONTHS)*	LAST TEST DATE (yyyy/mm/dd)	LAST RESULT REPORTED	NEXT TEST DATE (yyyy/mm)

PS Code: ***2400198-001***

Source Name: ***WELL #1-EAST***

Source Number: ***001***

Source Status: ***ACTIVE UNTREATED***

Water type: ***GROUNDWATER OR WELL***

SECONDARY/GP

TURBIDITY, LABORATORY	82079	WAIVED			
ZINC	01092	WAIVED			

PS Code: ***2400198-002***

Source Name: ***WELL #2-NORTH***

Source Number: ***002***

Source Status: ***ACTIVE UNTREATED***

Water type: ***GROUNDWATER OR WELL***

GENERAL NON CHAP 15

DIAZINON	39570	WAIVED			

INORGANIC

ALUMINUM	01105	WAIVED			
ANTIMONY	01097	WAIVED			
ARSENIC	01002	WAIVED			
ASBESTOS	81855	WAIVED			
BARIUM	01007	WAIVED			
BERYLLIUM	01012	WAIVED			
CADMIUM	01027	WAIVED			
CHROMIUM (TOTAL)	01034	WAIVED			
CYANIDE	01291	WAIVED			
FLUORIDE (F) (NATURAL-SOURCE)	00951	WAIVED			
LEAD	01051	WAIVED			
MERCURY	71900	WAIVED			
NICKEL	01067	WAIVED			
PERCHLORATE	A-031	WAIVED			
SELENIUM	01147	WAIVED			
THALLIUM	01059	WAIVED			

**Testing interval is in months;*
0 = No data for this constituent and is DUE NOW
999 = Waived testing (not required)
I = Invalid (NOT) valid analyses reported

System Number: ***2400198***

System Name: ***E & J GALLO LIVINGSTON RANCH***

PS Code: ***2400198-002***

Source Name: ***WELL #2-NORTH***

Source Number: ***002***

Source Status: ***ACTIVE UNTREATED***

Water type: ***GROUNDWATER OR WELL***

	STORET NUMBER	TESTING INTERVAL (MONTHS)*	LAST TEST DATE (yyyy/mm/dd)	LAST RESULT REPORTED	NEXT TEST DATE (yyyy/mm)
NITRATE/NITRITE					
NITRATE (AS NO3)	71850	WAIVED			
NITRITE (AS N)	00620	WAIVED			
RADIOLOGICAL					
GROSS ALPHA	01501	WAIVED			
GROSS BETA	03501	WAIVED			
RA-226 FOR CWS OR TOTAL RA FOR NTNC BY 903.0	A-080	WAIVED			
RA-226 OR TOTAL RA BY 903.0 C.E.	A-081	WAIVED			
RADIUM 226	09501	WAIVED			
RADIUM 228	11501	WAIVED			
RADIUM, TOTAL, MDA95-NTNC ONLY, BY 903.0	A-082	WAIVED			
STRONTIUM-90	13501	WAIVED			
TRITIUM	07000	WAIVED			
URANIUM (PCI/L)	28012	WAIVED			
REGULATED SOC					
2,3,7,8-TCDD (DIOXIN)	34676	WAIVED			
2,4,5-TP (SILVEX)	39045	WAIVED			
2,4-D	39730	WAIVED			
ALACHLOR	77825	WAIVED			
ATRAZINE	39033	WAIVED			
BENTAZON	38710	WAIVED			
BENZO (A) PYRENE	34247	WAIVED			
CARBOFURAN	81405	WAIVED			
CHLORDANE	39350	WAIVED			
DALAPON	38432	WAIVED			
DI(2-ETHYLHEXYL)ADIPATE	A-026	WAIVED			
DI(2-ETHYLHEXYL)PHTHALATE	39100	WAIVED			
DIBROMOCHLOROPROPANE (DBCP)	38761	WAIVED			
DINOSEB	81287	WAIVED			
DIQUAT	78885	WAIVED			

**Testing interval is in months;*
0 = No data for this constituent and is DUE NOW
999 = Waived testing (not required)
I = Invalid (NOT) valid analyses reported

System Number: ***2400198***

System Name: ***E & J GALLO LIVINGSTON RANCH***

PS Code: ***2400198-002***

Source Name: ***WELL #2-NORTH***

Source Number: ***002***

Source Status: ***ACTIVE UNTREATED***

Water type: ***GROUNDWATER OR WELL***

	STORET NUMBER	TESTING INTERVAL (MONTHS)*	LAST TEST DATE (yyyy/mm/dd)	LAST RESULT REPORTED	NEXT TEST DATE (yyyy/mm)
REGULATED SOC					
ENDOTHALL	38926	WAIVED			
ENDRIN	39390	WAIVED			
ETHYLENE DIBROMIDE (EDB)	77651	WAIVED			
GLYPHOSATE	79743	WAIVED			
HEPTACHLOR	39410	WAIVED			
HEPTACHLOR EPOXIDE	39420	WAIVED			
HEXACHLOROBENZENE	39700	WAIVED			
HEXACHLOROCYCLOPENTADIENE	34386	WAIVED			
LINDANE	39340	WAIVED			
METHOXYCHLOR	39480	WAIVED			
MOLINATE	82199	WAIVED			
OXAMYL	38865	WAIVED			
PENTACHLOROPHENOL	39032	WAIVED			
PICLORAM	39720	WAIVED			
POLYCHLORINATED BIPHENYLS, TOTAL, AS DCB	39516	WAIVED			
SIMAZINE	39055	WAIVED			
THIOBENCARB	A-001	WAIVED			
TOXAPHENE	39400	WAIVED			
REGULATED VOC					
1,1,1-TRICHLOROETHANE	34506	WAIVED			
1,1,2,2-TETRACHLOROETHANE	34516	WAIVED			
1,1,2-TRICHLORO-1,2,2-TRIFLUOROETHANE	81611	WAIVED			
1,1,2-TRICHLOROETHANE	34511	WAIVED			
1,1-DICHLOROETHANE	34496	WAIVED			
1,1-DICHLOROETHYLENE	34501	WAIVED			
1,2,4-TRICHLOROBENZENE	34551	WAIVED			
1,2-DICHLOROBENZENE	34536	WAIVED			
1,2-DICHLOROETHANE	34531	WAIVED			
1,2-DICHLOROPROPANE	34541	WAIVED			

**Testing interval is in months;*
0 = No data for this constituent and is DUE NOW
999 = Waived testing (not required)
I = Invalid (NOT) valid analyses reported

System Number: ***2400198***

System Name: ***E & J GALLO LIVINGSTON RANCH***

PS Code: ***2400198-002***

Source Name: ***WELL #2-NORTH***

Source Number: ***002***

Source Status: ***ACTIVE UNTREATED***

Water type: ***GROUNDWATER OR WELL***

	STORET NUMBER	TESTING INTERVAL (MONTHS)*	LAST TEST DATE (yyyy/mm/dd)	LAST RESULT REPORTED	NEXT TEST DATE (yyyy/mm)
REGULATED VOC					
1,3-DICHLOROPROPENE (TOTAL)	34561	WAIVED			
1,4-DICHLOROBENZENE	34571	WAIVED			
BENZENE	34030	WAIVED			
CARBON TETRACHLORIDE	32102	WAIVED			
CIS-1,2-DICHLOROETHYLENE	77093	WAIVED			
DICHLOROMETHANE	34423	WAIVED			
ETHYLBENZENE	34371	WAIVED			
METHYL-TERT-BUTYL-ETHER (MTBE)	46491	WAIVED			
MONOCHLOROBENZENE	34301	WAIVED			
STYRENE	77128	WAIVED			
TETRACHLOROETHYLENE	34475	WAIVED			
TOLUENE	34010	WAIVED			
TRANS-1,2-DICHLOROETHYLENE	34546	WAIVED			
TRICHLOROETHYLENE	39180	WAIVED			
TRICHLOROFLUOROMETHANE	34488	WAIVED			
VINYL CHLORIDE	39175	WAIVED			
XYLENES (TOTAL)	81551	WAIVED			
SECONDARY/GP					
AGGRSSIVE INDEX (CORROSIVITY)	82383	WAIVED			
BICARBONATE ALKALINITY	00440	WAIVED			
CALCIUM	00916	WAIVED			
CARBONATE ALKALINITY	00445	WAIVED			
CHLORIDE	00940	WAIVED			
COLOR	00081	WAIVED			
COPPER	01042	WAIVED			
FOAMING AGENTS (MBAS)	38260	WAIVED			
HARDNESS (TOTAL) AS CACO3	00900	WAIVED			
HYDROXIDE ALKALINITY	71830	WAIVED			
IRON	01045	WAIVED			

**Testing interval is in months;*
0 = No data for this constituent and is DUE NOW
999 = Waived testing (not required)
I = Invalid (NOT) valid analyses reported

System Number: ***2400198***

System Name: ***E & J GALLO LIVINGSTON RANCH***

PS Code: ***2400198-002***

Source Name: ***WELL #2-NORTH***

Source Number: ***002***

Source Status: ***ACTIVE UNTREATED***

Water type: ***GROUNDWATER OR WELL***

SECONDARY/GP	STORET NUMBER	TESTING INTERVAL (MONTHS)*	LAST TEST DATE (yyyy/mm/dd)	LAST RESULT REPORTED	NEXT TEST DATE (yyyy/mm)
MAGNESIUM	00927	WAIVED			
MANGANESE	01055	WAIVED			
ODOR THRESHOLD @ 60 C	00086	WAIVED			
PH, LABORATORY	00403	WAIVED			
SILVER	01077	WAIVED			
SODIUM	00929	WAIVED			
SPECIFIC CONDUCTANCE	00095	WAIVED			
SULFATE	00945	WAIVED			
TOTAL DISSOLVED SOLIDS	70300	WAIVED			
TURBIDITY, LABORATORY	82079	WAIVED			
ZINC	01092	WAIVED			

**Testing interval is in months;*
0 = No data for this constituent and is DUE NOW
999 = Waived testing (not required)
I = Invalid (NOT) valid analyses reported

System Number: ***2400199***

System Name: ***MACHADO/TALBOTT EMPLOYEE HSNG.***

PS Code: ***2400199-001***

Source Name: ***WELL #1-NORTH OF OLD COTTON GIN***

Source Number: ***001***

Source Status: ***ACTIVE UNTREATED***

Water type: ***GROUNDWATER OR WELL***

	STORET NUMBER	TESTING INTERVAL (MONTHS)*	LAST TEST DATE (yyyy/mm/dd)	LAST RESULT REPORTED	NEXT TEST DATE (yyyy/mm)
GENERAL NON CHAP 15					
DIAZINON	39570	WAIVED			
INORGANIC					
ALUMINUM	01105	WAIVED			
ANTIMONY	01097	WAIVED			
ARSENIC	01002	WAIVED			
ASBESTOS	81855	WAIVED			
BARIUM	01007	WAIVED			
BERYLLIUM	01012	WAIVED			
CADMIUM	01027	WAIVED			
CHROMIUM (TOTAL)	01034	WAIVED			
CYANIDE	01291	WAIVED			
FLUORIDE (F) (NATURAL-SOURCE)	00951	WAIVED			
LEAD	01051	WAIVED			
MERCURY	71900	WAIVED			
NICKEL	01067	WAIVED			
PERCHLORATE	A-031	WAIVED			
SELENIUM	01147	WAIVED			
THALLIUM	01059	WAIVED			
NITRATE/NITRITE					
NITRATE (AS NO3)	71850	WAIVED			
NITRITE (AS N)	00620	WAIVED			
RADIOLOGICAL					
GROSS ALPHA	01501	WAIVED			
GROSS BETA	03501	WAIVED			
RA-226 FOR CWS OR TOTAL RA FOR NTNC BY 903.0	A-080	WAIVED			
RA-226 OR TOTAL RA BY 903.0 C.E.	A-081	WAIVED			
RADIUM 226	09501	WAIVED			
RADIUM 228	11501	WAIVED			

**Testing interval is in months;*
0 = No data for this constituent and is DUE NOW
999 = Waived testing (not required)
I = Invalid (NOT) valid analyses reported

System Number: ***2400199***

System Name: ***MACHADO/TALBOTT EMPLOYEE HSNG.***

PS Code: ***2400199-001***

Source Name: ***WELL #1-NORTH OF OLD COTTON GIN***

Source Number: ***001***

Source Status: ***ACTIVE UNTREATED***

Water type: ***GROUNDWATER OR WELL***

	STORET NUMBER	TESTING INTERVAL (MONTHS)*	LAST TEST DATE (yyyy/mm/dd)	LAST RESULT REPORTED	NEXT TEST DATE (yyyy/mm)
RADIOLOGICAL					
RADIUM, TOTAL, MDA95-NTNC ONLY, BY 903.0	A-082	WAIVED			
STRONTIUM-90	13501	WAIVED			
TRITIUM	07000	WAIVED			
URANIUM (PCI/L)	28012	WAIVED			
REGULATED SOC					
2,3,7,8-TCDD (DIOXIN)	34676	WAIVED			
2,4,5-TP (SILVEX)	39045	WAIVED			
2,4-D	39730	WAIVED			
ALACHLOR	77825	WAIVED			
ATRAZINE	39033	WAIVED			
BENTAZON	38710	WAIVED			
BENZO (A) PYRENE	34247	WAIVED			
CARBOFURAN	81405	WAIVED			
CHLORDANE	39350	WAIVED			
DALAPON	38432	WAIVED			
DI(2-ETHYLHEXYL)ADIPATE	A-026	WAIVED			
DI(2-ETHYLHEXYL)PHTHALATE	39100	WAIVED			
DIBROMOCHLOROPROPANE (DBCP)	38761	WAIVED			
DINOSEB	81287	WAIVED			
DIQUAT	78885	WAIVED			
ENDOTHALL	38926	WAIVED			
ENDRIN	39390	WAIVED			
ETHYLENE DIBROMIDE (EDB)	77651	WAIVED			
GLYPHOSATE	79743	WAIVED			
HEPTACHLOR	39410	WAIVED			
HEPTACHLOR EPOXIDE	39420	WAIVED			
HEXACHLOROBENZENE	39700	WAIVED			
HEXACHLOROCYCLOPENTADIENE	34386	WAIVED			
LINDANE	39340	WAIVED			

**Testing interval is in months;*
0 = No data for this constituent and is DUE NOW
999 = Waived testing (not required)
I = Invalid (NOT) valid analyses reported

System Number: ***2400199***

System Name: ***MACHADO/TALBOTT EMPLOYEE HSNG.***

PS Code: ***2400199-001***

Source Name: ***WELL #1-NORTH OF OLD COTTON GIN***

Source Number: ***001***

Source Status: ***ACTIVE UNTREATED***

Water type: ***GROUNDWATER OR WELL***

	STORET NUMBER	TESTING INTERVAL (MONTHS)*	LAST TEST DATE (yyyy/mm/dd)	LAST RESULT REPORTED	NEXT TEST DATE (yyyy/mm)
REGULATED SOC					
METHOXYCHLOR	39480	WAIVED			
MOLINATE	82199	WAIVED			
OXAMYL	38865	WAIVED			
PENTACHLOROPHENOL	39032	WAIVED			
PICLORAM	39720	WAIVED			
POLYCHLORINATED BIPHENYLS, TOTAL, AS DCB	39516	WAIVED			
SIMAZINE	39055	WAIVED			
THIOBENCARB	A-001	WAIVED			
TOXAPHENE	39400	WAIVED			
REGULATED VOC					
1,1,1-TRICHLOROETHANE	34506	WAIVED			
1,1,2,2-TETRACHLOROETHANE	34516	WAIVED			
1,1,2-TRICHLORO-1,2,2-TRIFLUOROETHANE	81611	WAIVED			
1,1,2-TRICHLOROETHANE	34511	WAIVED			
1,1-DICHLOROETHANE	34496	WAIVED			
1,1-DICHLOROETHYLENE	34501	WAIVED			
1,2,4-TRICHLOROBENZENE	34551	WAIVED			
1,2-DICHLOROBENZENE	34536	WAIVED			
1,2-DICHLOROETHANE	34531	WAIVED			
1,2-DICHLOROPROPANE	34541	WAIVED			
1,3-DICHLOROPROPENE (TOTAL)	34561	WAIVED			
1,4-DICHLOROBENZENE	34571	WAIVED			
BENZENE	34030	WAIVED			
CARBON TETRACHLORIDE	32102	WAIVED			
CIS-1,2-DICHLOROETHYLENE	77093	WAIVED			
DICHLOROMETHANE	34423	WAIVED			
ETHYLBENZENE	34371	WAIVED			
METHYL-TERT-BUTYL-ETHER (MTBE)	46491	WAIVED			
MONOCHLOROBENZENE	34301	WAIVED			

**Testing interval is in months;*
0 = No data for this constituent and is DUE NOW
999 = Waived testing (not required)
I = Invalid (NOT) valid analyses reported

System Number: ***2400199***

System Name: ***MACHADO/TALBOTT EMPLOYEE HSNG.***

PS Code: ***2400199-001***

Source Name: ***WELL #1-NORTH OF OLD COTTON GIN***

Source Number: ***001***

Source Status: ***ACTIVE UNTREATED***

Water type: ***GROUNDWATER OR WELL***

	STORET NUMBER	TESTING INTERVAL (MONTHS)*	LAST TEST DATE (yyyy/mm/dd)	LAST RESULT REPORTED	NEXT TEST DATE (yyyy/mm)
REGULATED VOC					
STYRENE	77128	WAIVED			
TETRACHLOROETHYLENE	34475	WAIVED			
TOLUENE	34010	WAIVED			
TRANS-1,2-DICHLOROETHYLENE	34546	WAIVED			
TRICHLOROETHYLENE	39180	WAIVED			
TRICHLOROFLUOROMETHANE	34488	WAIVED			
VINYL CHLORIDE	39175	WAIVED			
XYLENES (TOTAL)	81551	WAIVED			
SECONDARY/GP					
AGGRSSIVE INDEX (CORROSIVITY)	82383	WAIVED			
BICARBONATE ALKALINITY	00440	WAIVED			
CALCIUM	00916	WAIVED			
CARBONATE ALKALINITY	00445	WAIVED			
CHLORIDE	00940	WAIVED			
COLOR	00081	WAIVED			
COPPER	01042	WAIVED			
FOAMING AGENTS (MBAS)	38260	WAIVED			
HARDNESS (TOTAL) AS CACO3	00900	WAIVED			
HYDROXIDE ALKALINITY	71830	WAIVED			
IRON	01045	WAIVED			
MAGNESIUM	00927	WAIVED			
MANGANESE	01055	WAIVED			
ODOR THRESHOLD @ 60 C	00086	WAIVED			
PH, LABORATORY	00403	WAIVED			
SILVER	01077	WAIVED			
SODIUM	00929	WAIVED			
SPECIFIC CONDUCTANCE	00095	WAIVED			
SULFATE	00945	WAIVED			
TOTAL DISSOLVED SOLIDS	70300	WAIVED			

**Testing interval is in months;*
0 = No data for this constituent and is DUE NOW
999 = Waived testing (not required)
I = Invalid (NOT) valid analyses reported

System Number: ***2400199***

System Name: ***MACHADO/TALBOTT EMPLOYEE HSNG.***

PS Code: ***2400199-001***

Source Name: ***WELL #1-NORTH OF OLD COTTON GIN***

Source Number: ***001***

Source Status: ***ACTIVE UNTREATED***

Water type: ***GROUNDWATER OR WELL***

SECONDARY/GP

	STORET NUMBER	TESTING INTERVAL (MONTHS)*	LAST TEST DATE (yyyy/mm/dd)	LAST RESULT REPORTED	NEXT TEST DATE (yyyy/mm)
TURBIDITY, LABORATORY	82079	WAIVED			
ZINC	01092	WAIVED			

**Testing interval is in months;*
0 = No data for this constituent and is DUE NOW
999 = Waived testing (not required)
I = Invalid (NOT) valid analyses reported

System Number: ***2400201***

System Name: ***VOLTA COMMUNITY SD***

PS Code: ***2400201-001***

Source Name: ***WELL #1-VOLTA RD./S.OF CENTER ST.***

Source Number: ***001***

Source Status: ***ACTIVE UNTREATED***

Water type: ***GROUNDWATER OR WELL***

	STORET NUMBER	TESTING INTERVAL (MONTHS)*	LAST TEST DATE (yyyy/mm/dd)	LAST RESULT REPORTED	NEXT TEST DATE (yyyy/mm)
GENERAL NON CHAP 15					
DIAZINON	39570	WAIVED	2011/08/25	< .000	
INORGANIC					
ALUMINUM	01105	036	2011/08/25	< .000	2014/08
ANTIMONY	01097	036	2011/08/25	< .000	2014/08
ARSENIC	01002	036	2011/08/25	< .000	2014/08
ASBESTOS	81855	WAIVED			
BARIUM	01007	036	2011/08/25	100.000	2014/08
BERYLLIUM	01012	036	2011/08/25	< .000	2014/08
CADMIUM	01027	036	2011/08/25	< .000	2014/08
CHROMIUM (TOTAL)	01034	036	2011/08/25	29.000	2014/08
CYANIDE	01291	WAIVED			
FLUORIDE (F) (NATURAL-SOURCE)	00951	036	2011/08/25	< .100	2014/08
LEAD	01051	WAIVED	2011/08/25	< .000	
MERCURY	71900	036	2011/08/25	< .000	2014/08
NICKEL	01067	036	2011/08/25	< .000	2014/08
PERCHLORATE	A-031	036	2009/12/03	.000	2012/12
SELENIUM	01147	036	2011/08/25	< .000	2014/08
THALLIUM	01059	036	2011/08/25	< .000	2014/08
NITRATE/NITRITE					
NITRATE (AS NO3)	71850	012	2011/08/25	11.000	2012/08
NITRITE (AS N)	00620	036	2011/08/25	< 400.000	2014/08
RADIOLOGICAL					
GROSS ALPHA	01501	048	2010/06/24	< .000	2014/06
GROSS BETA	03501	WAIVED			
RA-226 FOR CWS OR TOTAL RA FOR NTNC BY 903.0	A-080	WAIVED			
RA-226 OR TOTAL RA BY 903.0 C.E.	A-081	WAIVED			
RADIUM 226	09501	WAIVED			
RADIUM 228	11501	WAIVED	2009/09/10	< 1.000	

**Testing interval is in months;*
0 = No data for this constituent and is DUE NOW
999 = Waived testing (not required)
I = Invalid (NOT) valid analyses reported

System Number: ***2400201***

System Name: ***VOLTA COMMUNITY SD***

PS Code: ***2400201-001***

Source Name: ***WELL #1-VOLTA RD./S.OF CENTER ST.***

Source Number: ***001***

Source Status: ***ACTIVE UNTREATED***

Water type: ***GROUNDWATER OR WELL***

	STORET NUMBER	TESTING INTERVAL (MONTHS)*	LAST TEST DATE (yyyy/mm/dd)	LAST RESULT REPORTED	NEXT TEST DATE (yyyy/mm)
RADIOLOGICAL					
RADIUM, TOTAL, MDA95-NTNC ONLY, BY 903.0	A-082	WAIVED			
STRONTIUM-90	13501	WAIVED			
TRITIUM	07000	WAIVED			
URANIUM (PCI/L)	28012	WAIVED			
REGULATED SOC					
2,3,7,8-TCDD (DIOXIN)	34676	WAIVED			
2,4,5-TP (SILVEX)	39045	WAIVED			
2,4-D	39730	WAIVED			
ALACHLOR	77825	036	2011/08/25	< .000	2014/08
ATRAZINE	39033	036	2011/08/25	< .000	2014/08
BENTAZON	38710	WAIVED			
BENZO (A) PYRENE	34247	WAIVED	2011/08/25	< .000	
CARBOFURAN	81405	WAIVED			
CHLORDANE	39350	WAIVED	2008/08/21	.000	
DALAPON	38432	WAIVED			
DI(2-ETHYLHEXYL)ADIPATE	A-026	WAIVED	2011/08/25	< .000	
DI(2-ETHYLHEXYL)PHTHALATE	39100	WAIVED	2011/08/25	< .000	
DIBROMOCHLOROPROPANE (DBCP)	38761	036	2011/08/25	.000	2014/08
DINOSEB	81287	WAIVED			
DIQUAT	78885	WAIVED			
ENDOTHALL	38926	WAIVED			
ENDRIN	39390	WAIVED	2008/08/21	.000	
ETHYLENE DIBROMIDE (EDB)	77651	036	2011/08/25	.000	2014/08
GLYPHOSATE	79743	WAIVED			
HEPTACHLOR	39410	WAIVED	2008/08/21	.000	
HEPTACHLOR EPOXIDE	39420	WAIVED	2008/08/21	.000	
HEXACHLOROBENZENE	39700	WAIVED	2008/08/21	.000	
HEXACHLOROCYCLOPENTADIENE	34386	WAIVED	2008/08/21	.000	
LINDANE	39340	WAIVED	2008/08/21	.000	

**Testing interval is in months;*
0 = No data for this constituent and is DUE NOW
999 = Waived testing (not required)
I = Invalid (NOT) valid analyses reported

System Number: ***2400201***

System Name: ***VOLTA COMMUNITY SD***

PS Code: ***2400201-001***

Source Name: ***WELL #1-VOLTA RD./S.OF CENTER ST.***

Source Number: ***001***

Source Status: ***ACTIVE UNTREATED***

Water type: ***GROUNDWATER OR WELL***

	STORET NUMBER	TESTING INTERVAL (MONTHS)*	LAST TEST DATE (yyyy/mm/dd)	LAST RESULT REPORTED	NEXT TEST DATE (yyyy/mm)
REGULATED SOC					
METHOXYCHLOR	39480	WAIVED	2008/08/21	.000	
MOLINATE	82199	WAIVED	2011/08/25	< .000	
OXAMYL	38865	WAIVED			
PENTACHLOROPHENOL	39032	WAIVED			
PICLORAM	39720	WAIVED			
POLYCHLORINATED BIPHENYLS, TOTAL, AS DCB	39516	WAIVED	2008/08/21	.000	
SIMAZINE	39055	036	2011/08/25	< .000	2014/08
THIOBENCARB	A-001	WAIVED	2011/08/25	< .000	
TOXAPHENE	39400	WAIVED	2008/08/21	.000	
REGULATED VOC					
1,1,1-TRICHLOROETHANE	34506	060	2011/04/28	< .000	2016/04
1,1,2,2-TETRACHLOROETHANE	34516	060	2011/04/28	< .000	2016/04
1,1,2-TRICHLORO-1,2,2-TRIFLUOROETHANE	81611	060	2011/04/28	< .000	2016/04
1,1,2-TRICHLOROETHANE	34511	060	2011/04/28	< .000	2016/04
1,1-DICHLOROETHANE	34496	060	2011/04/28	< .000	2016/04
1,1-DICHLOROETHYLENE	34501	060	2011/04/28	< .000	2016/04
1,2,4-TRICHLOROBENZENE	34551	060	2011/04/28	< .000	2016/04
1,2-DICHLOROBENZENE	34536	060	2011/04/28	< .000	2016/04
1,2-DICHLOROETHANE	34531	060	2011/04/28	< .000	2016/04
1,2-DICHLOROPROPANE	34541	060	2011/04/28	< .000	2016/04
1,3-DICHLOROPROPENE (TOTAL)	34561	060	2011/04/28	< .000	2016/04
1,4-DICHLOROBENZENE	34571	060	2011/04/28	< .000	2016/04
BENZENE	34030	060	2011/04/28	< .000	2016/04
CARBON TETRACHLORIDE	32102	060	2011/04/28	< .000	2016/04
CIS-1,2-DICHLOROETHYLENE	77093	060	2011/04/28	< .000	2016/04
DICHLOROMETHANE	34423	060	2011/04/28	< .000	2016/04
ETHYLBENZENE	34371	060	2011/04/28	< .000	2016/04
METHYL-TERT-BUTYL-ETHER (MTBE)	46491	060	2011/04/28	< .000	2016/04
MONOCHLOROBENZENE	34301	060	2011/04/28	< .000	2016/04

**Testing interval is in months;*
0 = No data for this constituent and is DUE NOW
999 = Waived testing (not required)
I = Invalid (NOT) valid analyses reported

System Number: ***2400201***

System Name: ***VOLTA COMMUNITY SD***

PS Code: ***2400201-001***

Source Name: ***WELL #1-VOLTA RD./S.OF CENTER ST.***

Source Number: ***001***

Source Status: ***ACTIVE UNTREATED***

Water type: ***GROUNDWATER OR WELL***

	STORET NUMBER	TESTING INTERVAL (MONTHS)*	LAST TEST DATE (yyyy/mm/dd)	LAST RESULT REPORTED	NEXT TEST DATE (yyyy/mm)	
REGULATED VOC						
STYRENE	77128	060	2011/04/28	< .000	2016/04	
TETRACHLOROETHYLENE	34475	060	2011/04/28	< .000	2016/04	
TOLUENE	34010	060	2011/04/28	< .000	2016/04	
TRANS-1,2-DICHLOROETHYLENE	34546	060	2011/04/28	< .000	2016/04	
TRICHLOROETHYLENE	39180	060	2011/04/28	< .000	2016/04	
TRICHLOROFLUOROMETHANE	34488	060	2011/04/28	< .000	2016/04	
VINYL CHLORIDE	39175	060	2011/04/28	< .000	2016/04	
XYLENES (TOTAL)	81551	060	2011/04/28	< .000	2016/04	
SECONDARY/GP						
AGGRSSIVE INDEX (CORROSIVITY)	82383	WAIVED	2005/04/06	12.320		
BICARBONATE ALKALINITY	00440	036	2011/08/25	254.900	2014/08	
CALCIUM	00916	036	2011/08/25	62.400	2014/08	
CARBONATE ALKALINITY	00445	036	2011/08/25	< 1.000	2014/08	
CHLORIDE	00940	036	2011/08/25	121.000	2014/08	
COLOR	00081	036	**2008/08/21**	< 3.000	**2011/08**	**DUE**
COPPER	01042	036	2011/08/25	< .000	2014/08	
FOAMING AGENTS (MBAS)	38260	036	2011/08/25	< .020	2014/08	
HARDNESS (TOTAL) AS CACO3	00900	036	2011/08/25	295.700	2014/08	
HYDROXIDE ALKALINITY	71830	036	2011/08/25	< 1.000	2014/08	
IRON	01045	036	2011/08/25	< .000	2014/08	
MAGNESIUM	00927	036	2011/08/25	27.000	2014/08	
MANGANESE	01055	036	2011/08/25	< .000	2014/08	
ODOR THRESHOLD @ 60 C	00086	036	**2008/08/21**	< 1.000	**2011/08**	**DUE**
PH, LABORATORY	00403	036	**2008/08/21**	7.400	**2011/08**	**DUE**
SILVER	01077	036	2011/08/25	< .000	2014/08	
SODIUM	00929	036	2011/08/25	86.000	2014/08	
SPECIFIC CONDUCTANCE	00095	036	2011/08/25	850.000	2014/08	
SULFATE	00945	036	2011/08/25	49.400	2014/08	
TOTAL DISSOLVED SOLIDS	70300	036	2011/08/25	467.000	2014/08	

**Testing interval is in months;*
0 = No data for this constituent and is DUE NOW
999 = Waived testing (not required)
I = Invalid (NOT) valid analyses reported

System Number: ***2400201***

System Name: ***VOLTA COMMUNITY SD***

PS Code: ***2400201-001***

Source Name: ***WELL #1-VOLTA RD./S.OF CENTER ST.***

Source Number: ***001***

Source Status: ***ACTIVE UNTREATED***

Water type: ***GROUNDWATER OR WELL***

SECONDARY/GP

	STORET NUMBER	TESTING INTERVAL (MONTHS)*	LAST TEST DATE (yyyy/mm/dd)	LAST RESULT REPORTED	NEXT TEST DATE (yyyy/mm)	
TURBIDITY, LABORATORY	**82079**	**036**	**2008/08/21**	**< .050**	**2011/08**	**DUE**
ZINC	**01092**	**036**	2011/08/25	**< .000**	2014/08	

**Testing interval is in months;*
0 = No data for this constituent and is DUE NOW
999 = Waived testing (not required)
I = Invalid (NOT) valid analyses reported

System Number: ***2400204***

System Name: ***SJR DELTA HOUSING***

PS Code: ***2400204-011***

Source Name: ***WELL 01 (NEW WELL)-S OF HOUSE #6-TRTD***

Source Number: ***011***

Source Status: ***ACTIVE UNTREATED***

Water type: ***GROUNDWATER OR WELL***

	STORET NUMBER	TESTING INTERVAL (MONTHS)*	LAST TEST DATE (yyyy/mm/dd)	LAST RESULT REPORTED	NEXT TEST DATE (yyyy/mm)	
GENERAL NON CHAP 15						
DIAZINON	39570	WAIVED	2008/06/05	< .200		
INORGANIC						
ALUMINUM	01105	036	2008/07/27	< 50.000	2011/07	DUE
ANTIMONY	01097	036	2008/07/27	< 2.000	2011/07	DUE
ARSENIC	01002	036	2008/07/27	9.400	2011/07	DUE
ASBESTOS	81855	WAIVED				
BARIUM	01007	036	2008/07/27	129.000	2011/07	DUE
BERYLLIUM	01012	036	2008/07/27	< 1.000	2011/07	DUE
CADMIUM	01027	036	2008/07/27	< 1.000	2011/07	DUE
CHROMIUM (TOTAL)	01034	036	2008/07/27	< 10.000	2011/07	DUE
CYANIDE	01291	WAIVED				
FLUORIDE (F) (NATURAL-SOURCE)	00951	036	2008/07/27	.200	2011/07	DUE
LEAD	01051	WAIVED	2008/07/27	< 1.000		
MERCURY	71900	036	2008/07/27	< .200	2011/07	DUE
NICKEL	01067	036	2008/07/27	< 10.000	2011/07	DUE
PERCHLORATE	A-031	036	2008/08/05	< 4.000	2011/08	DUE
SELENIUM	01147	036	2008/07/27	< 2.000	2011/07	DUE
THALLIUM	01059	036	2008/07/27	< 1.000	2011/07	DUE
NITRATE/NITRITE						
NITRATE (AS NO3)	71850	012	2011/12/07	1.300	2012/12	
NITRITE (AS N)	00620	036	2011/12/07	< 100.000	2014/12	
RADIOLOGICAL						
GROSS ALPHA	01501	048	2010/10/12	7.030	2014/10	
GROSS BETA	03501	WAIVED				
RA-226 FOR CWS OR TOTAL RA FOR NTNC BY 903.0	A-080	WAIVED				
RA-226 OR TOTAL RA BY 903.0 C.E.	A-081	WAIVED				
RADIUM 226	09501	WAIVED				
RADIUM 228	11501	WAIVED	2008/01/08	.270		

**Testing interval is in months;*
0 = No data for this constituent and is DUE NOW
999 = Waived testing (not required)
I = Invalid (NOT) valid analyses reported

System Number: ***2400204***

System Name: ***SJR DELTA HOUSING***

PS Code: ***2400204-011***

Source Name: ***WELL 01 (NEW WELL)-S OF HOUSE #6-TRTD***

Source Number: ***011***

Source Status: ***ACTIVE UNTREATED***

Water type: ***GROUNDWATER OR WELL***

	STORET NUMBER	TESTING INTERVAL (MONTHS)*	LAST TEST DATE (yyyy/mm/dd)	LAST RESULT REPORTED	NEXT TEST DATE (yyyy/mm)	
RADIOLOGICAL						
RADIUM, TOTAL, MDA95-NTNC ONLY, BY 903.0	A-082	WAIVED				
STRONTIUM-90	13501	WAIVED				
TRITIUM	07000	WAIVED				
URANIUM (PCI/L)	28012	WAIVED	2010/10/12	6.380		
REGULATED SOC						
2,3,7,8-TCDD (DIOXIN)	34676	WAIVED				
2,4,5-TP (SILVEX)	39045	WAIVED				
2,4-D	39730	WAIVED				
ALACHLOR	77825	036	2008/06/05	< .200	2011/06	DUE
ATRAZINE	39033	036	2008/06/05	< .300	2011/06	DUE
BENTAZON	38710	WAIVED				
BENZO (A) PYRENE	34247	WAIVED	2008/06/05	< .100		
CARBOFURAN	81405	WAIVED				
CHLORDANE	39350	WAIVED				
DALAPON	38432	WAIVED				
DI(2-ETHYLHEXYL)ADIPATE	A-026	WAIVED	2008/06/05	< 1.000		
DI(2-ETHYLHEXYL)PHTHALATE	39100	WAIVED	2008/06/05	< 3.000		
DIBROMOCHLOROPROPANE (DBCP)	38761	036	2008/08/28	< .010	2011/08	DUE
DINOSEB	81287	WAIVED				
DIQUAT	78885	WAIVED				
ENDOTHALL	38926	WAIVED				
ENDRIN	39390	WAIVED				
ETHYLENE DIBROMIDE (EDB)	77651	036	2008/08/28	< .010	2011/08	DUE
GLYPHOSATE	79743	WAIVED				
HEPTACHLOR	39410	WAIVED				
HEPTACHLOR EPOXIDE	39420	WAIVED				
HEXACHLOROBENZENE	39700	WAIVED	2008/06/05	< .100		
HEXACHLOROCYCLOPENTADIENE	34386	WAIVED	2008/06/05	< 3.000		
LINDANE	39340	WAIVED	2008/06/05	< .100		

**Testing interval is in months;*
0 = No data for this constituent and is DUE NOW
999 = Waived testing (not required)
I = Invalid (NOT) valid analyses reported

System Number: ***2400204***

System Name: ***SJR DELTA HOUSING***

PS Code: ***2400204-011***

Source Name: ***WELL 01 (NEW WELL)-S OF HOUSE #6-TRTD***

Source Number: ***011***

Source Status: ***ACTIVE UNTREATED***

Water type: ***GROUNDWATER OR WELL***

	STORET NUMBER	TESTING INTERVAL (MONTHS)*	LAST TEST DATE (yyyy/mm/dd)	LAST RESULT REPORTED	NEXT TEST DATE (yyyy/mm)	
REGULATED SOC						
METHOXYCHLOR	39480	WAIVED	2008/06/05	< .300		
MOLINATE	82199	WAIVED	2008/06/05	< .500		
OXAMYL	38865	WAIVED				
PENTACHLOROPHENOL	39032	WAIVED				
PICLORAM	39720	WAIVED				
POLYCHLORINATED BIPHENYLS, TOTAL, AS DCB	39516	WAIVED				
SIMAZINE	39055	036	2008/06/05	< .300	2011/06	DUE
THIOBENCARB	A-001	WAIVED	2008/06/05	< .500		
TOXAPHENE	39400	WAIVED				
REGULATED VOC						
1,1,1-TRICHLOROETHANE	34506	060	2006/06/22	.000	2011/06	DUE
1,1,2,2-TETRACHLOROETHANE	34516	060	2006/06/22	.000	2011/06	DUE
1,1,2-TRICHLORO-1,2,2-TRIFLUOROETHANE	81611	060	2006/06/22	.000	2011/06	DUE
1,1,2-TRICHLOROETHANE	34511	060	2006/06/22	.000	2011/06	DUE
1,1-DICHLOROETHANE	34496	060	2006/06/22	.000	2011/06	DUE
1,1-DICHLOROETHYLENE	34501	060	2006/06/22	.000	2011/06	DUE
1,2,4-TRICHLOROBENZENE	34551	060	2006/06/22	.000	2011/06	DUE
1,2-DICHLOROBENZENE	34536	060	2006/06/22	.000	2011/06	DUE
1,2-DICHLOROETHANE	34531	060	2006/06/22	.000	2011/06	DUE
1,2-DICHLOROPROPANE	34541	060	2006/06/22	.000	2011/06	DUE
1,3-DICHLOROPROPENE (TOTAL)	34561	060	2006/06/22	.000	2011/06	DUE
1,4-DICHLOROBENZENE	34571	060	2006/06/22	.000	2011/06	DUE
BENZENE	34030	060	2006/06/22	.000	2011/06	DUE
CARBON TETRACHLORIDE	32102	060	2006/06/22	.000	2011/06	DUE
CIS-1,2-DICHLOROETHYLENE	77093	060	2006/06/22	.000	2011/06	DUE
DICHLOROMETHANE	34423	060	2006/06/22	.000	2011/06	DUE
ETHYLBENZENE	34371	060	2006/06/22	.000	2011/06	DUE
METHYL-TERT-BUTYL-ETHER (MTBE)	46491	060	2006/06/22	.000	2011/06	DUE
MONOCHLOROBENZENE	34301	060	2006/06/22	.000	2011/06	DUE

**Testing interval is in months;*
0 = No data for this constituent and is DUE NOW
999 = Waived testing (not required)
I = Invalid (NOT) valid analyses reported

System Number: ***2400204***

System Name: ***SJR DELTA HOUSING***

PS Code: ***2400204-011***

Source Name: ***WELL 01 (NEW WELL)-S OF HOUSE #6-TRTD***

Source Number: ***011***

Source Status: ***ACTIVE UNTREATED***

Water type: ***GROUNDWATER OR WELL***

	STORET NUMBER	TESTING INTERVAL (MONTHS)*	LAST TEST DATE (yyyy/mm/dd)	LAST RESULT REPORTED	NEXT TEST DATE (yyyy/mm)	
REGULATED VOC						
STYRENE	77128	060	2006/06/22	.000	2011/06	DUE
TETRACHLOROETHYLENE	34475	060	2006/06/22	.000	2011/06	DUE
TOLUENE	34010	060	2006/06/22	.000	2011/06	DUE
TRANS-1,2-DICHLOROETHYLENE	34546	060	2006/06/22	.000	2011/06	DUE
TRICHLOROETHYLENE	39180	060	2006/06/22	.000	2011/06	DUE
TRICHLOROFLUOROMETHANE	34488	060	2006/06/22	.000	2011/06	DUE
VINYL CHLORIDE	39175	060	2006/06/22	.000	2011/06	DUE
XYLENES (TOTAL)	81551	060	2006/06/22	< .500	2011/06	DUE
SECONDARY/GP						
AGGRSSIVE INDEX (CORROSIVITY)	82383	WAIVED				
BICARBONATE ALKALINITY	00440	036	2008/06/05	307.000	2011/06	DUE
CALCIUM	00916	036	2008/06/05	123.000	2011/06	DUE
CARBONATE ALKALINITY	00445	036	2008/06/05	< 1.000	2011/06	DUE
CHLORIDE	00940	036	2008/06/05	337.000	2011/06	DUE
COLOR	00081	000				DUE
COPPER	01042	036	2008/06/05	< 50.000	2011/06	DUE
FOAMING AGENTS (MBAS)	38260	036	2008/06/05	< .100	2011/06	DUE
HARDNESS (TOTAL) AS CACO3	00900	036	2008/06/05	586.000	2011/06	DUE
HYDROXIDE ALKALINITY	71830	036	2008/06/05	< 1.000	2011/06	DUE
IRON	01045	036	2008/06/05	< 100.000	2011/06	DUE
MAGNESIUM	00927	036	2008/06/05	67.600	2011/06	DUE
MANGANESE	01055	036	2008/06/05	< 20.000	2011/06	DUE
ODOR THRESHOLD @ 60 C	00086	000				DUE
PH, LABORATORY	00403	036	2008/06/05	7.600	2011/06	DUE
SILVER	01077	036	2008/07/27	< 10.000	2011/07	DUE
SODIUM	00929	036	2008/06/05	170.000	2011/06	DUE
SPECIFIC CONDUCTANCE	00095	036	2008/06/05	1820.000	2011/06	DUE
SULFATE	00945	036	2008/06/05	160.000	2011/06	DUE
TOTAL DISSOLVED SOLIDS	70300	036	2008/06/05	1020.000	2011/06	DUE

**Testing interval is in months;*
0 = No data for this constituent and is DUE NOW
999 = Waived testing (not required)
I = Invalid (NOT) valid analyses reported

System Number: ***2400204***

System Name: ***SJR DELTA HOUSING***

PS Code: ***2400204-011***

Source Name: ***WELL 01 (NEW WELL)-S OF HOUSE #6-TRTD***

Source Number: ***011***

Source Status: ***ACTIVE UNTREATED***

Water type: ***GROUNDWATER OR WELL***

SECONDARY/GP	STORET NUMBER	TESTING INTERVAL (MONTHS)*	LAST TEST DATE (yyyy/mm/dd)	LAST RESULT REPORTED	NEXT TEST DATE (yyyy/mm)	
TURBIDITY, LABORATORY	82079	000				DUE
ZINC	01092	036	2008/06/05	499.000	2011/06	DUE

**Testing interval is in months;*
0 = No data for this constituent and is DUE NOW
999 = Waived testing (not required)
I = Invalid (NOT) valid analyses reported

System Number: ***2400206***

System Name: ***JOSEPH GALLO CHEESE CO.***

PS Code: ***2400206-001***

Source Name: ***WELL 01 - 4/10 MI S.W. CHEESE PLANT***

Source Number: ***001***

Source Status: ***ACTIVE UNTREATED***

Water type: ***GROUNDWATER OR WELL***

	STORET NUMBER	TESTING INTERVAL (MONTHS)*	LAST TEST DATE (yyyy/mm/dd)	LAST RESULT REPORTED	NEXT TEST DATE (yyyy/mm)	
GENERAL NON CHAP 15						
DIAZINON	39570	WAIVED	2007/02/28	< .025		
INORGANIC						
ALUMINUM	01105	036	2003/02/07	< 30.000	2006/02	DUE
ANTIMONY	01097	036	2003/02/07	< 5.000	2006/02	DUE
ARSENIC	01002	036	2007/06/29	7.000	2010/06	DUE
ASBESTOS	81855	WAIVED				
BARIUM	01007	036	2003/02/07	170.000	2006/02	DUE
BERYLLIUM	01012	036	2003/02/07	< .500	2006/02	DUE
CADMIUM	01027	036	2003/02/07	< 1.000	2006/02	DUE
CHROMIUM (TOTAL)	01034	036	2003/02/07	2.000	2006/02	DUE
CYANIDE	01291	WAIVED				
FLUORIDE (F) (NATURAL-SOURCE)	00951	036	2003/02/07	.200	2006/02	DUE
LEAD	01051	WAIVED	2003/02/07	< 4.000		
MERCURY	71900	036	2003/02/07	< .200	2006/02	DUE
NICKEL	01067	036	2003/02/07	< 5.000	2006/02	DUE
PERCHLORATE	A-031	036	2007/12/18	.000	2010/12	DUE
SELENIUM	01147	036	2003/02/07	< 5.000	2006/02	DUE
THALLIUM	01059	036	2003/02/07	< 2.000	2006/02	DUE
NITRATE/NITRITE						
NITRATE (AS NO3)	71850	012	2006/12/11	3.300	2007/12	DUE
NITRITE (AS N)	00620	036	2003/02/07	< 100.000	2006/02	DUE
RADIOLOGICAL						
GROSS ALPHA	01501	WAIVED	2007/12/18	6.310		
GROSS BETA	03501	WAIVED				
RA-226 FOR CWS OR TOTAL RA FOR NTNC BY 903.0	A-080	WAIVED				
RA-226 OR TOTAL RA BY 903.0 C.E.	A-081	WAIVED				
RADIUM 226	09501	WAIVED	2007/12/18	.160		
RADIUM 228	11501	WAIVED	2007/12/18	.060		

**Testing interval is in months;*
0 = No data for this constituent and is DUE NOW
999 = Waived testing (not required)
I = Invalid (NOT) valid analyses reported

System Number: ***2400206***

System Name: ***JOSEPH GALLO CHEESE CO.***

PS Code: ***2400206-001***

Source Name: ***WELL 01 - 4/10 MI S.W. CHEESE PLANT***

Source Number: ***001***

Source Status: ***ACTIVE UNTREATED***

Water type: ***GROUNDWATER OR WELL***

	STORET NUMBER	TESTING INTERVAL (MONTHS)*	LAST TEST DATE (yyyy/mm/dd)	LAST RESULT REPORTED	NEXT TEST DATE (yyyy/mm)	
RADIOLOGICAL						
RADIUM, TOTAL, MDA95-NTNC ONLY, BY 903.0	A-082	WAIVED				
STRONTIUM-90	13501	WAIVED				
TRITIUM	07000	WAIVED				
URANIUM (PCI/L)	28012	WAIVED	2007/12/18	5.420		
REGULATED SOC						
2,3,7,8-TCDD (DIOXIN)	34676	WAIVED				
2,4,5-TP (SILVEX)	39045	WAIVED				
2,4-D	39730	WAIVED				
ALACHLOR	77825	036	2007/02/28	.000	2010/02	DUE
ATRAZINE	39033	036	2007/02/28	.000	2010/02	DUE
BENTAZON	38710	WAIVED				
BENZO (A) PYRENE	34247	WAIVED				
CARBOFURAN	81405	WAIVED				
CHLORDANE	39350	WAIVED	2003/02/07	.000		
DALAPON	38432	WAIVED				
DI(2-ETHYLHEXYL)ADIPATE	A-026	WAIVED				
DI(2-ETHYLHEXYL)PHTHALATE	39100	WAIVED				
DIBROMOCHLOROPROPANE (DBCP)	38761	036	2007/02/28	.000	2010/02	DUE
DINOSEB	81287	WAIVED				
DIQUAT	78885	WAIVED				
ENDOTHALL	38926	WAIVED				
ENDRIN	39390	WAIVED	2003/02/07	.000		
ETHYLENE DIBROMIDE (EDB)	77651	036	2007/02/28	.000	2010/02	DUE
GLYPHOSATE	79743	WAIVED				
HEPTACHLOR	39410	WAIVED	2003/02/07	.000		
HEPTACHLOR EPOXIDE	39420	WAIVED	2003/02/07	.000		
HEXACHLOROBENZENE	39700	WAIVED	2003/02/07	.000		
HEXACHLOROCYCLOPENTADIENE	34386	WAIVED	2003/02/07	.000		
LINDANE	39340	WAIVED	2003/02/07	.000		

**Testing interval is in months;*
0 = No data for this constituent and is DUE NOW
999 = Waived testing (not required)
I = Invalid (NOT) valid analyses reported

System Number: ***2400206***

System Name: ***JOSEPH GALLO CHEESE CO.***

PS Code: ***2400206-001***

Source Name: ***WELL 01 - 4/10 MI S.W. CHEESE PLANT***

Source Number: ***001***

Source Status: ***ACTIVE UNTREATED***

Water type: ***GROUNDWATER OR WELL***

	STORET NUMBER	TESTING INTERVAL (MONTHS)*	LAST TEST DATE (yyyy/mm/dd)	LAST RESULT REPORTED	NEXT TEST DATE (yyyy/mm)	
REGULATED SOC						
METHOXYCHLOR	39480	WAIVED	2003/02/07	.000		
MOLINATE	82199	WAIVED	2007/02/28	.000		
OXAMYL	38865	WAIVED				
PENTACHLOROPHENOL	39032	WAIVED				
PICLORAM	39720	WAIVED				
POLYCHLORINATED BIPHENYLS, TOTAL, AS DCB	39516	WAIVED				
SIMAZINE	39055	036	2007/02/28	.000	2010/02	DUE
THIOBENCARB	A-001	WAIVED	2007/02/28	.000		
TOXAPHENE	39400	WAIVED	2003/02/07	.000		
REGULATED VOC						
1,1,1-TRICHLOROETHANE	34506	060	2007/02/28	.000	2012/02	DUE
1,1,2,2-TETRACHLOROETHANE	34516	060	2007/02/28	.000	2012/02	DUE
1,1,2-TRICHLORO-1,2,2-TRIFLUOROETHANE	81611	060	2007/02/28	.000	2012/02	DUE
1,1,2-TRICHLOROETHANE	34511	060	2007/02/28	.000	2012/02	DUE
1,1-DICHLOROETHANE	34496	060	2007/02/28	.000	2012/02	DUE
1,1-DICHLOROETHYLENE	34501	060	2007/02/28	.000	2012/02	DUE
1,2,4-TRICHLOROBENZENE	34551	060	2007/02/28	.000	2012/02	DUE
1,2-DICHLOROBENZENE	34536	060	2007/02/28	.000	2012/02	DUE
1,2-DICHLOROETHANE	34531	060	2007/02/28	.000	2012/02	DUE
1,2-DICHLOROPROPANE	34541	060	2007/02/28	.000	2012/02	DUE
1,3-DICHLOROPROPENE (TOTAL)	34561	060	2007/02/28	.000	2012/02	DUE
1,4-DICHLOROBENZENE	34571	060	2007/02/28	.000	2012/02	DUE
BENZENE	34030	060	2007/02/28	.000	2012/02	DUE
CARBON TETRACHLORIDE	32102	060	2007/02/28	.000	2012/02	DUE
CIS-1,2-DICHLOROETHYLENE	77093	060	2007/02/28	.000	2012/02	DUE
DICHLOROMETHANE	34423	060	2007/02/28	.000	2012/02	DUE
ETHYLBENZENE	34371	060	2007/02/28	.000	2012/02	DUE
METHYL-TERT-BUTYL-ETHER (MTBE)	46491	060	2007/02/28	.000	2012/02	DUE
MONOCHLOROBENZENE	34301	060	2007/02/28	.000	2012/02	DUE

**Testing interval is in months;*
0 = No data for this constituent and is DUE NOW
999 = Waived testing (not required)
I = Invalid (NOT) valid analyses reported

System Number: ***2400206***

System Name: ***JOSEPH GALLO CHEESE CO.***

PS Code: ***2400206-001***

Source Name: ***WELL 01 - 4/10 MI S.W. CHEESE PLANT***

Source Number: ***001***

Source Status: ***ACTIVE UNTREATED***

Water type: ***GROUNDWATER OR WELL***

	STORET NUMBER	TESTING INTERVAL (MONTHS)*	LAST TEST DATE (yyyy/mm/dd)	LAST RESULT REPORTED	NEXT TEST DATE (yyyy/mm)	
REGULATED VOC						
STYRENE	77128	060	2007/02/28	.000	2012/02	DUE
TETRACHLOROETHYLENE	34475	060	2007/02/28	.000	2012/02	DUE
TOLUENE	34010	060	2007/02/28	.000	2012/02	DUE
TRANS-1,2-DICHLOROETHYLENE	34546	060	2007/02/28	.000	2012/02	DUE
TRICHLOROETHYLENE	39180	060	2007/02/28	.000	2012/02	DUE
TRICHLOROFLUOROMETHANE	34488	060	2007/02/28	.000	2012/02	DUE
VINYL CHLORIDE	39175	060	2007/02/28	.000	2012/02	DUE
XYLENES (TOTAL)	81551	060	2007/02/28	.000	2012/02	DUE
SECONDARY/GP						
AGGRSSIVE INDEX (CORROSIVITY)	82383	WAIVED				
BICARBONATE ALKALINITY	00440	000				DUE
CALCIUM	00916	000				DUE
CARBONATE ALKALINITY	00445	000				DUE
CHLORIDE	00940	WAIVED				
COLOR	00081	WAIVED				
COPPER	01042	WAIVED				
FOAMING AGENTS (MBAS)	38260	WAIVED				
HARDNESS (TOTAL) AS CACO3	00900	000				DUE
HYDROXIDE ALKALINITY	71830	000				DUE
IRON	01045	000				DUE
MAGNESIUM	00927	000				DUE
MANGANESE	01055	000				DUE
ODOR THRESHOLD @ 60 C	00086	WAIVED				
PH, LABORATORY	00403	000				DUE
SILVER	01077	WAIVED	2003/02/07	< 5.000		
SODIUM	00929	000				DUE
SPECIFIC CONDUCTANCE	00095	WAIVED				
SULFATE	00945	WAIVED				
TOTAL DISSOLVED SOLIDS	70300	WAIVED				

**Testing interval is in months;*
0 = No data for this constituent and is DUE NOW
999 = Waived testing (not required)
I = Invalid (NOT) valid analyses reported

System Number: 2400206
System Name: JOSEPH GALLO CHEESE CO.

PS Code: 2400206-001
Source Name: WELL 01 - 4/10 MI S.W. CHEESE PLANT
Source Number: 001
Source Status: ACTIVE UNTREATED
Water type: GROUNDWATER OR WELL

	STORET NUMBER	TESTING INTERVAL (MONTHS)*	LAST TEST DATE (yyyy/mm/dd)	LAST RESULT REPORTED	NEXT TEST DATE (yyyy/mm)	
SECONDARY/GP						
TURBIDITY, LABORATORY	82079	WAIVED				
ZINC	01092	WAIVED				

PS Code: 2400206-011
Source Name: WELL #2-100 FT S OF PLANT
Source Number: 011
Source Status: ACTIVE UNTREATED
Water type: GROUNDWATER OR WELL

	STORET NUMBER	TESTING INTERVAL (MONTHS)*	LAST TEST DATE (yyyy/mm/dd)	LAST RESULT REPORTED	NEXT TEST DATE (yyyy/mm)	
GENERAL NON CHAP 15						
DIAZINON	39570	WAIVED	2007/02/05	< .025		
INORGANIC						
ALUMINUM	01105	000				DUE
ANTIMONY	01097	000				DUE
ARSENIC	01002	036	2007/06/29	15.000	2010/06	DUE
ASBESTOS	81855	WAIVED				
BARIUM	01007	000				DUE
BERYLLIUM	01012	000				DUE
CADMIUM	01027	000				DUE
CHROMIUM (TOTAL)	01034	000				DUE
CYANIDE	01291	WAIVED				
FLUORIDE (F) (NATURAL-SOURCE)	00951	000				DUE
LEAD	01051	WAIVED				
MERCURY	71900	000				DUE
NICKEL	01067	000				DUE
PERCHLORATE	A-031	036	2007/12/18	.000	2010/12	DUE
SELENIUM	01147	000				DUE
THALLIUM	01059	000				DUE

**Testing interval is in months;*
0 = No data for this constituent and is DUE NOW
999 = Waived testing (not required)
I = Invalid (NOT) valid analyses reported

System Number: ***2400206***

System Name: ***JOSEPH GALLO CHEESE CO.***

PS Code: ***2400206-011***

Source Name: ***WELL #2-100 FT S OF PLANT***

Source Number: ***011***

Source Status: ***ACTIVE UNTREATED***

Water type: ***GROUNDWATER OR WELL***

	STORET NUMBER	TESTING INTERVAL (MONTHS)*	LAST TEST DATE (yyyy/mm/dd)	LAST RESULT REPORTED	NEXT TEST DATE (yyyy/mm)	
NITRATE/NITRITE						
NITRATE (AS NO3)	71850	012	2006/05/11	6.300	2007/05	DUE
NITRITE (AS N)	00620	000				DUE
RADIOLOGICAL						
GROSS ALPHA	01501	WAIVED	2007/12/18	12.700		
GROSS BETA	03501	WAIVED				
RA-226 FOR CWS OR TOTAL RA FOR NTNC BY 903.0	A-080	WAIVED				
RA-226 OR TOTAL RA BY 903.0 C.E.	A-081	WAIVED				
RADIUM 226	09501	WAIVED	2007/12/18	.140		
RADIUM 228	11501	WAIVED	2007/12/18	- .060		
RADIUM, TOTAL, MDA95-NTNC ONLY, BY 903.0	A-082	WAIVED				
STRONTIUM-90	13501	WAIVED				
TRITIUM	07000	WAIVED				
URANIUM (PCI/L)	28012	WAIVED	2007/12/18	10.000		
REGULATED SOC						
2,3,7,8-TCDD (DIOXIN)	34676	WAIVED				
2,4,5-TP (SILVEX)	39045	WAIVED				
2,4-D	39730	WAIVED				
ALACHLOR	77825	036	2007/02/05	.000	2010/02	DUE
ATRAZINE	39033	036	2007/02/05	.000	2010/02	DUE
BENTAZON	38710	WAIVED				
BENZO (A) PYRENE	34247	WAIVED				
CARBOFURAN	81405	WAIVED				
CHLORDANE	39350	WAIVED				
DALAPON	38432	WAIVED				
DI(2-ETHYLHEXYL)ADIPATE	A-026	WAIVED				
DI(2-ETHYLHEXYL)PHTHALATE	39100	WAIVED				
DIBROMOCHLOROPROPANE (DBCP)	38761	036	2007/02/05	.000	2010/02	DUE
DINOSEB	81287	WAIVED				
DIQUAT	78885	WAIVED				

**Testing interval is in months;*
0 = No data for this constituent and is DUE NOW
999 = Waived testing (not required)
I = Invalid (NOT) valid analyses reported

System Number: 2400206
System Name: JOSEPH GALLO CHEESE CO.

PS Code: 2400206-011
Source Name: WELL #2-100 FT S OF PLANT
Source Number: 011
Source Status: ACTIVE UNTREATED
Water type: GROUNDWATER OR WELL

	STORET NUMBER	TESTING INTERVAL (MONTHS)*	LAST TEST DATE (yyyy/mm/dd)	LAST RESULT REPORTED	NEXT TEST DATE (yyyy/mm)	
REGULATED SOC						
ENDOTHALL	38926	WAIVED				
ENDRIN	39390	WAIVED				
ETHYLENE DIBROMIDE (EDB)	77651	036	2007/02/05	.000	2010/02	DUE
GLYPHOSATE	79743	WAIVED				
HEPTACHLOR	39410	WAIVED				
HEPTACHLOR EPOXIDE	39420	WAIVED				
HEXACHLOROBENZENE	39700	WAIVED				
HEXACHLOROCYCLOPENTADIENE	34386	WAIVED				
LINDANE	39340	WAIVED				
METHOXYCHLOR	39480	WAIVED				
MOLINATE	82199	WAIVED	2007/02/05	.000		
OXAMYL	38865	WAIVED				
PENTACHLOROPHENOL	39032	WAIVED				
PICLORAM	39720	WAIVED				
POLYCHLORINATED BIPHENYLS, TOTAL, AS DCB	39516	WAIVED				
SIMAZINE	39055	036	2007/02/05	.000	2010/02	DUE
THIOBENCARB	A-001	WAIVED	2007/02/05	.000		
TOXAPHENE	39400	WAIVED				
REGULATED VOC						
1,1,1-TRICHLOROETHANE	34506	060	2007/02/05	.000	2012/02	DUE
1,1,2,2-TETRACHLOROETHANE	34516	060	2007/02/05	.000	2012/02	DUE
1,1,2-TRICHLORO-1,2,2-TRIFLUOROETHANE	81611	060	2007/02/05	.000	2012/02	DUE
1,1,2-TRICHLOROETHANE	34511	060	2007/02/05	.000	2012/02	DUE
1,1-DICHLOROETHANE	34496	060	2007/02/05	.000	2012/02	DUE
1,1-DICHLOROETHYLENE	34501	060	2007/02/05	.000	2012/02	DUE
1,2,4-TRICHLOROBENZENE	34551	060	2007/02/05	.000	2012/02	DUE
1,2-DICHLOROBENZENE	34536	060	2007/02/05	.000	2012/02	DUE
1,2-DICHLOROETHANE	34531	060	2007/02/05	.000	2012/02	DUE
1,2-DICHLOROPROPANE	34541	060	2007/02/05	.000	2012/02	DUE

**Testing interval is in months;*
0 = No data for this constituent and is DUE NOW
999 = Waived testing (not required)
I = Invalid (NOT) valid analyses reported

System Number: ***2400206***

System Name: ***JOSEPH GALLO CHEESE CO.***

PS Code: ***2400206-011***

Source Name: ***WELL #2-100 FT S OF PLANT***

Source Number: ***011***

Source Status: ***ACTIVE UNTREATED***

Water type: ***GROUNDWATER OR WELL***

	STORET NUMBER	TESTING INTERVAL (MONTHS)*	LAST TEST DATE (yyyy/mm/dd)	LAST RESULT REPORTED	NEXT TEST DATE (yyyy/mm)	
REGULATED VOC						
1,3-DICHLOROPROPENE (TOTAL)	34561	060	2007/02/05	.000	2012/02	DUE
1,4-DICHLOROBENZENE	34571	060	2007/02/05	.000	2012/02	DUE
BENZENE	34030	060	2007/02/05	.000	2012/02	DUE
CARBON TETRACHLORIDE	32102	060	2007/02/05	.000	2012/02	DUE
CIS-1,2-DICHLOROETHYLENE	77093	060	2007/02/05	.000	2012/02	DUE
DICHLOROMETHANE	34423	060	2007/02/05	.000	2012/02	DUE
ETHYLBENZENE	34371	060	2007/02/05	.000	2012/02	DUE
METHYL-TERT-BUTYL-ETHER (MTBE)	46491	060	2007/02/05	.000	2012/02	DUE
MONOCHLOROBENZENE	34301	060	2007/02/05	.000	2012/02	DUE
STYRENE	77128	060	2007/02/05	.000	2012/02	DUE
TETRACHLOROETHYLENE	34475	060	2007/02/05	.000	2012/02	DUE
TOLUENE	34010	060	2007/02/05	.000	2012/02	DUE
TRANS-1,2-DICHLOROETHYLENE	34546	060	2007/02/05	.000	2012/02	DUE
TRICHLOROETHYLENE	39180	060	2007/02/05	.000	2012/02	DUE
TRICHLOROFLUOROMETHANE	34488	060	2007/02/05	.000	2012/02	DUE
VINYL CHLORIDE	39175	060	2007/02/05	.000	2012/02	DUE
XYLENES (TOTAL)	81551	060	2007/02/05	.000	2012/02	DUE
SECONDARY/GP						
AGGRSSIVE INDEX (CORROSIVITY)	82383	WAIVED				
BICARBONATE ALKALINITY	00440	000				DUE
CALCIUM	00916	000				DUE
CARBONATE ALKALINITY	00445	000				DUE
CHLORIDE	00940	WAIVED				
COLOR	00081	WAIVED				
COPPER	01042	WAIVED				
FOAMING AGENTS (MBAS)	38260	WAIVED				
HARDNESS (TOTAL) AS CACO3	00900	000				DUE
HYDROXIDE ALKALINITY	71830	000				DUE
IRON	01045	000				DUE

**Testing interval is in months;*
0 = No data for this constituent and is DUE NOW
999 = Waived testing (not required)
I = Invalid (NOT) valid analyses reported

System Number: ***2400206***

System Name: ***JOSEPH GALLO CHEESE CO.***

PS Code: ***2400206-011***

Source Name: ***WELL #2-100 FT S OF PLANT***

Source Number: ***011***

Source Status: ***ACTIVE UNTREATED***

Water type: ***GROUNDWATER OR WELL***

SECONDARY/GP

	STORET NUMBER	TESTING INTERVAL (MONTHS)*	LAST TEST DATE (yyyy/mm/dd)	LAST RESULT REPORTED	NEXT TEST DATE (yyyy/mm)	
MAGNESIUM	00927	000				**DUE**
MANGANESE	01055	000				**DUE**
ODOR THRESHOLD @ 60 C	00086	WAIVED				
PH, LABORATORY	00403	000				**DUE**
SILVER	01077	WAIVED				
SODIUM	00929	000				**DUE**
SPECIFIC CONDUCTANCE	00095	WAIVED				
SULFATE	00945	WAIVED				
TOTAL DISSOLVED SOLIDS	70300	WAIVED				
TURBIDITY, LABORATORY	82079	WAIVED				
ZINC	01092	WAIVED				

**Testing interval is in months;*
0 = No data for this constituent and is DUE NOW
999 = Waived testing (not required)
I = Invalid (NOT) valid analyses reported

System Number: ***2400211***

System Name: ***RYEL FAMILY TRUST***

PS Code: ***2400211-001***

Source Name: ***WELL 01 - S. OF 766 S. HWY 59***

Source Number: ***001***

Source Status: ***ACTIVE UNTREATED***

Water type: ***GROUNDWATER OR WELL***

	STORET NUMBER	TESTING INTERVAL (MONTHS)*	LAST TEST DATE (yyyy/mm/dd)	LAST RESULT REPORTED	NEXT TEST DATE (yyyy/mm)
GENERAL NON CHAP 15					
DIAZINON	39570	WAIVED			
INORGANIC					
ALUMINUM	01105	036	2011/03/29	< 50.000	2014/03
ANTIMONY	01097	036	2011/03/29	< 6.000	2014/03
ARSENIC	01002	036	2011/03/29	5.000	2014/03
ASBESTOS	81855	WAIVED			
BARIUM	01007	036	2011/03/29	306.000	2014/03
BERYLLIUM	01012	036	2011/03/29	< 1.000	2014/03
CADMIUM	01027	036	2011/03/29	< 1.000	2014/03
CHROMIUM (TOTAL)	01034	036	2011/03/29	30.300	2014/03
CYANIDE	01291	WAIVED			
FLUORIDE (F) (NATURAL-SOURCE)	00951	036	2011/03/29	.120	2014/03
LEAD	01051	WAIVED	2011/03/29	< 5.000	
MERCURY	71900	036	2011/03/29	< .500	2014/03
NICKEL	01067	036	2011/03/29	< 10.000	2014/03
PERCHLORATE	A-031	036	2011/05/19	< .000	2014/05
SELENIUM	01147	036	2011/03/29	< 5.000	2014/03
THALLIUM	01059	036	2011/03/29	< 1.000	2014/03
NITRATE/NITRITE					
NITRATE (AS NO3)	71850	012	2012/02/22	5.000	2013/02
NITRITE (AS N)	00620	036	2011/03/29	< 400.000	2014/03
RADIOLOGICAL					
GROSS ALPHA	01501	WAIVED	2012/03/22	13.700	
GROSS BETA	03501	WAIVED			
RA-226 FOR CWS OR TOTAL RA FOR NTNC BY 903.0	A-080	WAIVED			
RA-226 OR TOTAL RA BY 903.0 C.E.	A-081	WAIVED			
RADIUM 226	09501	WAIVED			
RADIUM 228	11501	WAIVED			

**Testing interval is in months;*
0 = No data for this constituent and is DUE NOW
999 = Waived testing (not required)
I = Invalid (NOT) valid analyses reported

System Number: ***2400211***

System Name: ***RYEL FAMILY TRUST***

PS Code: ***2400211-001***

Source Name: ***WELL 01 - S. OF 766 S. HWY 59***

Source Number: ***001***

Source Status: ***ACTIVE UNTREATED***

Water type: ***GROUNDWATER OR WELL***

	STORET NUMBER	TESTING INTERVAL (MONTHS)*	LAST TEST DATE (yyyy/mm/dd)	LAST RESULT REPORTED	NEXT TEST DATE (yyyy/mm)	
RADIOLOGICAL						
RADIUM, TOTAL, MDA95-NTNC ONLY, BY 903.0	A-082	WAIVED				
STRONTIUM-90	13501	WAIVED				
TRITIUM	07000	WAIVED				
URANIUM (PCI/L)	28012	WAIVED	2012/03/22	16.000		
REGULATED SOC						
2,3,7,8-TCDD (DIOXIN)	34676	WAIVED				
2,4,5-TP (SILVEX)	39045	WAIVED				
2,4-D	39730	WAIVED				
ALACHLOR	77825	000				**DUE**
ATRAZINE	39033	000				**DUE**
BENTAZON	38710	WAIVED				
BENZO (A) PYRENE	34247	WAIVED				
CARBOFURAN	81405	WAIVED				
CHLORDANE	39350	WAIVED	2011/04/21	< .000		
DALAPON	38432	WAIVED				
DI(2-ETHYLHEXYL)ADIPATE	A-026	WAIVED				
DI(2-ETHYLHEXYL)PHTHALATE	39100	WAIVED				
DIBROMOCHLOROPROPANE (DBCP)	38761	036	2011/04/21	< .000	2014/04	
DINOSEB	81287	WAIVED				
DIQUAT	78885	WAIVED				
ENDOTHALL	38926	WAIVED				
ENDRIN	39390	WAIVED	2011/04/21	< .000		
ETHYLENE DIBROMIDE (EDB)	77651	036	2011/04/21	< .000	2014/04	
GLYPHOSATE	79743	WAIVED				
HEPTACHLOR	39410	WAIVED	2011/04/21	< .000		
HEPTACHLOR EPOXIDE	39420	WAIVED	2011/04/21	< .000		
HEXACHLOROBENZENE	39700	WAIVED	2011/04/21	< .000		
HEXACHLOROCYCLOPENTADIENE	34386	WAIVED	2011/04/21	< .000		
LINDANE	39340	WAIVED	2011/04/21	< .000		

**Testing interval is in months;*
0 = No data for this constituent and is DUE NOW
999 = Waived testing (not required)
I = Invalid (NOT) valid analyses reported

System Number: ***2400211***

System Name: ***RYEL FAMILY TRUST***

PS Code: ***2400211-001***

Source Name: ***WELL 01 - S. OF 766 S. HWY 59***

Source Number: ***001***

Source Status: ***ACTIVE UNTREATED***

Water type: ***GROUNDWATER OR WELL***

	STORET NUMBER	TESTING INTERVAL (MONTHS)*	LAST TEST DATE (yyyy/mm/dd)	LAST RESULT REPORTED	NEXT TEST DATE (yyyy/mm)	
REGULATED SOC						
METHOXYCHLOR	39480	WAIVED	2011/04/21	< .000		
MOLINATE	82199	WAIVED				
OXAMYL	38865	WAIVED				
PENTACHLOROPHENOL	39032	WAIVED				
PICLORAM	39720	WAIVED				
POLYCHLORINATED BIPHENYLS, TOTAL, AS DCB	39516	WAIVED				
SIMAZINE	39055	000				**DUE**
THIOBENCARB	A-001	WAIVED				
TOXAPHENE	39400	WAIVED	2011/04/21	< .000		
REGULATED VOC						
1,1,1-TRICHLOROETHANE	34506	060	2008/02/11	.000	2013/02	
1,1,2,2-TETRACHLOROETHANE	34516	060	2008/02/11	.000	2013/02	
1,1,2-TRICHLORO-1,2,2-TRIFLUOROETHANE	81611	060	2008/02/11	.000	2013/02	
1,1,2-TRICHLOROETHANE	34511	060	2008/02/11	.000	2013/02	
1,1-DICHLOROETHANE	34496	060	2008/02/11	.000	2013/02	
1,1-DICHLOROETHYLENE	34501	060	2008/02/11	.000	2013/02	
1,2,4-TRICHLOROBENZENE	34551	060	2008/02/11	.000	2013/02	
1,2-DICHLOROBENZENE	34536	060	2008/02/11	.000	2013/02	
1,2-DICHLOROETHANE	34531	060	2008/02/11	.000	2013/02	
1,2-DICHLOROPROPANE	34541	060	2008/02/11	.000	2013/02	
1,3-DICHLOROPROPENE (TOTAL)	34561	060	2008/02/11	.000	2013/02	
1,4-DICHLOROBENZENE	34571	060	2008/02/11	.000	2013/02	
BENZENE	34030	060	2008/02/11	.000	2013/02	
CARBON TETRACHLORIDE	32102	060	2008/02/11	.000	2013/02	
CIS-1,2-DICHLOROETHYLENE	77093	060	2008/02/11	.000	2013/02	
DICHLOROMETHANE	34423	060	2008/02/11	.000	2013/02	
ETHYLBENZENE	34371	060	2008/02/11	.000	2013/02	
METHYL-TERT-BUTYL-ETHER (MTBE)	46491	060	2008/02/11	.000	2013/02	
MONOCHLOROBENZENE	34301	060	2008/02/11	.000	2013/02	

**Testing interval is in months;*
0 = No data for this constituent and is DUE NOW
999 = Waived testing (not required)
I = Invalid (NOT) valid analyses reported

System Number: ***2400211***

System Name: ***RYEL FAMILY TRUST***

PS Code: ***2400211-001***

Source Name: ***WELL 01 - S. OF 766 S. HWY 59***

Source Number: ***001***

Source Status: ***ACTIVE UNTREATED***

Water type: ***GROUNDWATER OR WELL***

	STORET NUMBER	TESTING INTERVAL (MONTHS)*	LAST TEST DATE (yyyy/mm/dd)	LAST RESULT REPORTED	NEXT TEST DATE (yyyy/mm)	
REGULATED VOC						
STYRENE	77128	060	2008/02/11	.000	2013/02	
TETRACHLOROETHYLENE	34475	060	2008/02/11	.000	2013/02	
TOLUENE	34010	060	2008/02/11	.000	2013/02	
TRANS-1,2-DICHLOROETHYLENE	34546	060	2008/02/11	.000	2013/02	
TRICHLOROETHYLENE	39180	060	2008/02/11	.000	2013/02	
TRICHLOROFLUOROMETHANE	34488	060	2008/02/11	.000	2013/02	
VINYL CHLORIDE	39175	060	2008/02/11	.000	2013/02	
XYLENES (TOTAL)	81551	060	2008/02/11	< .500	2013/02	
SECONDARY/GP						
AGGRSSIVE INDEX (CORROSIVITY)	82383	WAIVED				
BICARBONATE ALKALINITY	00440	000				DUE
CALCIUM	00916	000				DUE
CARBONATE ALKALINITY	00445	000				DUE
CHLORIDE	00940	WAIVED				
COLOR	00081	WAIVED				
COPPER	01042	WAIVED				
FOAMING AGENTS (MBAS)	38260	WAIVED				
HARDNESS (TOTAL) AS CACO3	00900	000				DUE
HYDROXIDE ALKALINITY	71830	000				DUE
IRON	01045	000				DUE
MAGNESIUM	00927	000				DUE
MANGANESE	01055	000				DUE
ODOR THRESHOLD @ 60 C	00086	WAIVED				
PH, LABORATORY	00403	000				DUE
SILVER	01077	WAIVED	2011/03/29	< 10.000		
SODIUM	00929	000				DUE
SPECIFIC CONDUCTANCE	00095	WAIVED	2011/05/19	970.000		
SULFATE	00945	WAIVED				
TOTAL DISSOLVED SOLIDS	70300	WAIVED				

**Testing interval is in months;*
0 = No data for this constituent and is DUE NOW
999 = Waived testing (not required)
I = Invalid (NOT) valid analyses reported

System Number: ***2400211***

System Name: ***RYEL FAMILY TRUST***

PS Code: ***2400211-001***

Source Name: ***WELL 01 - S. OF 766 S. HWY 59***

Source Number: ***001***

Source Status: ***ACTIVE UNTREATED***

Water type: ***GROUNDWATER OR WELL***

SECONDARY/GP

	STORET NUMBER	TESTING INTERVAL (MONTHS)*	LAST TEST DATE (yyyy/mm/dd)	LAST RESULT REPORTED	NEXT TEST DATE (yyyy/mm)
TURBIDITY, LABORATORY	82079	WAIVED			
ZINC	01092	WAIVED			

PS Code: ***2400211-011***

Source Name: ***CHLORINATOR AT WELL #1 - STANDBY***

Source Number: ***011***

Source Status: ***STANDBY TREATED***

Water type: ***GROUNDWATER OR WELL***

GENERAL NON CHAP 15

	STORET NUMBER	TESTING INTERVAL (MONTHS)*	LAST TEST DATE (yyyy/mm/dd)	LAST RESULT REPORTED	NEXT TEST DATE (yyyy/mm)
DIAZINON	39570	WAIVED			

INORGANIC

	STORET NUMBER	TESTING INTERVAL (MONTHS)*	LAST TEST DATE (yyyy/mm/dd)	LAST RESULT REPORTED	NEXT TEST DATE (yyyy/mm)
ALUMINUM	01105	WAIVED			
ANTIMONY	01097	WAIVED			
ARSENIC	01002	WAIVED			
ASBESTOS	81855	WAIVED			
BARIUM	01007	WAIVED			
BERYLLIUM	01012	WAIVED			
CADMIUM	01027	WAIVED			
CHROMIUM (TOTAL)	01034	WAIVED			
CYANIDE	01291	WAIVED			
FLUORIDE (F) (NATURAL-SOURCE)	00951	WAIVED			
LEAD	01051	WAIVED			
MERCURY	71900	WAIVED			
NICKEL	01067	WAIVED			
PERCHLORATE	A-031	WAIVED			
SELENIUM	01147	WAIVED			
THALLIUM	01059	WAIVED			

**Testing interval is in months;*
0 = No data for this constituent and is DUE NOW
999 = Waived testing (not required)
I = Invalid (NOT) valid analyses reported

System Number: ***2400211***

System Name: ***RYEL FAMILY TRUST***

PS Code: ***2400211-011***

Source Name: ***CHLORINATOR AT WELL #1 - STANDBY***

Source Number: ***011***

Source Status: ***STANDBY TREATED***

Water type: ***GROUNDWATER OR WELL***

	STORET NUMBER	TESTING INTERVAL (MONTHS)*	LAST TEST DATE (yyyy/mm/dd)	LAST RESULT REPORTED	NEXT TEST DATE (yyyy/mm)
NITRATE/NITRITE					
NITRATE (AS NO3)	71850	WAIVED	2009/03/04	5.700	
NITRITE (AS N)	00620	WAIVED			
RADIOLOGICAL					
GROSS ALPHA	01501	WAIVED			
GROSS BETA	03501	WAIVED			
RA-226 FOR CWS OR TOTAL RA FOR NTNC BY 903.0	A-080	WAIVED			
RA-226 OR TOTAL RA BY 903.0 C.E.	A-081	WAIVED			
RADIUM 226	09501	WAIVED			
RADIUM 228	11501	WAIVED			
RADIUM, TOTAL, MDA95-NTNC ONLY, BY 903.0	A-082	WAIVED			
STRONTIUM-90	13501	WAIVED			
TRITIUM	07000	WAIVED			
URANIUM (PCI/L)	28012	WAIVED			
REGULATED SOC					
2,3,7,8-TCDD (DIOXIN)	34676	WAIVED			
2,4,5-TP (SILVEX)	39045	WAIVED			
2,4-D	39730	WAIVED			
ALACHLOR	77825	WAIVED			
ATRAZINE	39033	WAIVED			
BENTAZON	38710	WAIVED			
BENZO (A) PYRENE	34247	WAIVED			
CARBOFURAN	81405	WAIVED			
CHLORDANE	39350	WAIVED			
DALAPON	38432	WAIVED			
DI(2-ETHYLHEXYL)ADIPATE	A-026	WAIVED			
DI(2-ETHYLHEXYL)PHTHALATE	39100	WAIVED			
DIBROMOCHLOROPROPANE (DBCP)	38761	WAIVED			
DINOSEB	81287	WAIVED			
DIQUAT	78885	WAIVED			

**Testing interval is in months;*
0 = No data for this constituent and is DUE NOW
999 = Waived testing (not required)
I = Invalid (NOT) valid analyses reported

System Number: ***2400211***

System Name: ***RYEL FAMILY TRUST***

PS Code: ***2400211-011***

Source Name: ***CHLORINATOR AT WELL #1 - STANDBY***

Source Number: ***011***

Source Status: ***STANDBY TREATED***

Water type: ***GROUNDWATER OR WELL***

	STORET NUMBER	TESTING INTERVAL (MONTHS)*	LAST TEST DATE (yyyy/mm/dd)	LAST RESULT REPORTED	NEXT TEST DATE (yyyy/mm)
REGULATED SOC					
ENDOTHALL	38926	WAIVED			
ENDRIN	39390	WAIVED			
ETHYLENE DIBROMIDE (EDB)	77651	WAIVED			
GLYPHOSATE	79743	WAIVED			
HEPTACHLOR	39410	WAIVED			
HEPTACHLOR EPOXIDE	39420	WAIVED			
HEXACHLOROBENZENE	39700	WAIVED			
HEXACHLOROCYCLOPENTADIENE	34386	WAIVED			
LINDANE	39340	WAIVED			
METHOXYCHLOR	39480	WAIVED			
MOLINATE	82199	WAIVED			
OXAMYL	38865	WAIVED			
PENTACHLOROPHENOL	39032	WAIVED			
PICLORAM	39720	WAIVED			
POLYCHLORINATED BIPHENYLS, TOTAL, AS DCB	39516	WAIVED			
SIMAZINE	39055	WAIVED			
THIOBENCARB	A-001	WAIVED			
TOXAPHENE	39400	WAIVED			
REGULATED VOC					
1,1,1-TRICHLOROETHANE	34506	WAIVED			
1,1,2,2-TETRACHLOROETHANE	34516	WAIVED			
1,1,2-TRICHLORO-1,2,2-TRIFLUOROETHANE	81611	WAIVED			
1,1,2-TRICHLOROETHANE	34511	WAIVED			
1,1-DICHLOROETHANE	34496	WAIVED			
1,1-DICHLOROETHYLENE	34501	WAIVED			
1,2,4-TRICHLOROBENZENE	34551	WAIVED			
1,2-DICHLOROBENZENE	34536	WAIVED			
1,2-DICHLOROETHANE	34531	WAIVED			
1,2-DICHLOROPROPANE	34541	WAIVED			

**Testing interval is in months;*
0 = No data for this constituent and is DUE NOW
999 = Waived testing (not required)
I = Invalid (NOT) valid analyses reported

System Number: ***2400211***

System Name: ***RYEL FAMILY TRUST***

PS Code: ***2400211-011***

Source Name: ***CHLORINATOR AT WELL #1 - STANDBY***

Source Number: ***011***

Source Status: ***STANDBY TREATED***

Water type: ***GROUNDWATER OR WELL***

	STORET NUMBER	TESTING INTERVAL (MONTHS)*	LAST TEST DATE (yyyy/mm/dd)	LAST RESULT REPORTED	NEXT TEST DATE (yyyy/mm)
REGULATED VOC					
1,3-DICHLOROPROPENE (TOTAL)	34561	WAIVED			
1,4-DICHLOROBENZENE	34571	WAIVED			
BENZENE	34030	WAIVED			
CARBON TETRACHLORIDE	32102	WAIVED			
CIS-1,2-DICHLOROETHYLENE	77093	WAIVED			
DICHLOROMETHANE	34423	WAIVED			
ETHYLBENZENE	34371	WAIVED			
METHYL-TERT-BUTYL-ETHER (MTBE)	46491	WAIVED			
MONOCHLOROBENZENE	34301	WAIVED			
STYRENE	77128	WAIVED			
TETRACHLOROETHYLENE	34475	WAIVED			
TOLUENE	34010	WAIVED			
TRANS-1,2-DICHLOROETHYLENE	34546	WAIVED			
TRICHLOROETHYLENE	39180	WAIVED			
TRICHLOROFLUOROMETHANE	34488	WAIVED			
VINYL CHLORIDE	39175	WAIVED			
XYLENES (TOTAL)	81551	WAIVED			
SECONDARY/GP					
AGGRSSIVE INDEX (CORROSIVITY)	82383	WAIVED			
BICARBONATE ALKALINITY	00440	WAIVED			
CALCIUM	00916	WAIVED			
CARBONATE ALKALINITY	00445	WAIVED			
CHLORIDE	00940	WAIVED			
COLOR	00081	WAIVED			
COPPER	01042	WAIVED			
FOAMING AGENTS (MBAS)	38260	WAIVED			
HARDNESS (TOTAL) AS CACO3	00900	WAIVED			
HYDROXIDE ALKALINITY	71830	WAIVED			
IRON	01045	WAIVED			

**Testing interval is in months;*
0 = No data for this constituent and is DUE NOW
999 = Waived testing (not required)
I = Invalid (NOT) valid analyses reported

System Number: ***2400211***

System Name: ***RYEL FAMILY TRUST***

PS Code: ***2400211-011***

Source Name: ***CHLORINATOR AT WELL #1 - STANDBY***

Source Number: ***011***

Source Status: ***STANDBY TREATED***

Water type: ***GROUNDWATER OR WELL***

SECONDARY/GP	STORET NUMBER	TESTING INTERVAL (MONTHS)*	LAST TEST DATE (yyyy/mm/dd)	LAST RESULT REPORTED	NEXT TEST DATE (yyyy/mm)
MAGNESIUM	00927	WAIVED			
MANGANESE	01055	WAIVED			
ODOR THRESHOLD @ 60 C	00086	WAIVED			
PH, LABORATORY	00403	WAIVED			
SILVER	01077	WAIVED			
SODIUM	00929	WAIVED			
SPECIFIC CONDUCTANCE	00095	WAIVED			
SULFATE	00945	WAIVED			
TOTAL DISSOLVED SOLIDS	70300	WAIVED			
TURBIDITY, LABORATORY	82079	WAIVED			
ZINC	01092	WAIVED			

**Testing interval is in months;*
0 = No data for this constituent and is DUE NOW
999 = Waived testing (not required)
I = Invalid (NOT) valid analyses reported

System Number: 2400214
System Name: DOLE LOS CERRITOS WELL

PS Code: 2400214-011
Source Name: WELL #2-~600 FT NE OF FEEDLOT HOUSING
Source Number: 011
Source Status: ACTIVE UNTREATED
Water type: GROUNDWATER OR WELL

	STORET NUMBER	TESTING INTERVAL (MONTHS)*	LAST TEST DATE (yyyy/mm/dd)	LAST RESULT REPORTED	NEXT TEST DATE (yyyy/mm)	
GENERAL NON CHAP 15						
DIAZINON	39570	WAIVED				
INORGANIC						
ALUMINUM	01105	WAIVED	2006/10/16	.000		
ANTIMONY	01097	WAIVED	2006/10/16	.000		
ARSENIC	01002	WAIVED	2006/10/16	3.000		
ASBESTOS	81855	WAIVED				
BARIUM	01007	WAIVED	2006/10/16	100.000		
BERYLLIUM	01012	WAIVED	2006/10/16	.000		
CADMIUM	01027	WAIVED	2006/10/16	.000		
CHROMIUM (TOTAL)	01034	WAIVED	2006/10/16	.000		
CYANIDE	01291	WAIVED				
FLUORIDE (F) (NATURAL-SOURCE)	00951	WAIVED	2006/10/16	.200		
LEAD	01051	WAIVED	2006/10/16	.000		
MERCURY	71900	WAIVED	2006/10/16	.000		
NICKEL	01067	WAIVED	2006/10/16	.000		
PERCHLORATE	A-031	WAIVED				
SELENIUM	01147	WAIVED	2006/10/16	.000		
THALLIUM	01059	WAIVED	2006/10/16	.000		
NITRATE/NITRITE						
NITRATE (AS NO3)	71850	012	2009/10/27	12.800	2010/10	DUE
NITRITE (AS N)	00620	036	2006/10/16	.000	2009/10	DUE
RADIOLOGICAL						
GROSS ALPHA	01501	WAIVED	2005/10/18	- .380		
GROSS BETA	03501	WAIVED				
RA-226 FOR CWS OR TOTAL RA FOR NTNC BY 903.0	A-080	WAIVED				
RA-226 OR TOTAL RA BY 903.0 C.E.	A-081	WAIVED				
RADIUM 226	09501	WAIVED				
RADIUM 228	11501	WAIVED				

**Testing interval is in months;*
0 = No data for this constituent and is DUE NOW
999 = Waived testing (not required)
I = Invalid (NOT) valid analyses reported

System Number: ***2400214***

System Name: ***DOLE LOS CERRITOS WELL***

PS Code: ***2400214-011***

Source Name: ***WELL #2-~600 FT NE OF FEEDLOT HOUSING***

Source Number: ***011***

Source Status: ***ACTIVE UNTREATED***

Water type: ***GROUNDWATER OR WELL***

	STORET NUMBER	TESTING INTERVAL (MONTHS)*	LAST TEST DATE (yyyy/mm/dd)	LAST RESULT REPORTED	NEXT TEST DATE (yyyy/mm)
RADIOLOGICAL					
RADIUM, TOTAL, MDA95-NTNC ONLY, BY 903.0	A-082	WAIVED			
STRONTIUM-90	13501	WAIVED			
TRITIUM	07000	WAIVED			
URANIUM (PCI/L)	28012	WAIVED			
REGULATED SOC					
2,3,7,8-TCDD (DIOXIN)	34676	WAIVED			
2,4,5-TP (SILVEX)	39045	WAIVED			
2,4-D	39730	WAIVED			
ALACHLOR	77825	WAIVED			
ATRAZINE	39033	WAIVED			
BENTAZON	38710	WAIVED			
BENZO (A) PYRENE	34247	WAIVED			
CARBOFURAN	81405	WAIVED			
CHLORDANE	39350	WAIVED			
DALAPON	38432	WAIVED			
DI(2-ETHYLHEXYL)ADIPATE	A-026	WAIVED			
DI(2-ETHYLHEXYL)PHTHALATE	39100	WAIVED			
DIBROMOCHLOROPROPANE (DBCP)	38761	WAIVED	2006/10/16	.000	
DINOSEB	81287	WAIVED			
DIQUAT	78885	WAIVED			
ENDOTHALL	38926	WAIVED			
ENDRIN	39390	WAIVED			
ETHYLENE DIBROMIDE (EDB)	77651	WAIVED	2006/10/16	.000	
GLYPHOSATE	79743	WAIVED			
HEPTACHLOR	39410	WAIVED			
HEPTACHLOR EPOXIDE	39420	WAIVED			
HEXACHLOROBENZENE	39700	WAIVED			
HEXACHLOROCYCLOPENTADIENE	34386	WAIVED			
LINDANE	39340	WAIVED			

**Testing interval is in months;*
0 = No data for this constituent and is DUE NOW
999 = Waived testing (not required)
I = Invalid (NOT) valid analyses reported

System Number: ***2400214***

System Name: ***DOLE LOS CERRITOS WELL***

PS Code: ***2400214-011***

Source Name: ***WELL #2-~600 FT NE OF FEEDLOT HOUSING***

Source Number: ***011***

Source Status: ***ACTIVE UNTREATED***

Water type: ***GROUNDWATER OR WELL***

	STORET NUMBER	TESTING INTERVAL (MONTHS)*	LAST TEST DATE (yyyy/mm/dd)	LAST RESULT REPORTED	NEXT TEST DATE (yyyy/mm)
REGULATED SOC					
METHOXYCHLOR	39480	WAIVED			
MOLINATE	82199	WAIVED			
OXAMYL	38865	WAIVED			
PENTACHLOROPHENOL	39032	WAIVED			
PICLORAM	39720	WAIVED			
POLYCHLORINATED BIPHENYLS, TOTAL, AS DCB	39516	WAIVED			
SIMAZINE	39055	WAIVED			
THIOBENCARB	A-001	WAIVED			
TOXAPHENE	39400	WAIVED			
REGULATED VOC					
1,1,1-TRICHLOROETHANE	34506	WAIVED			
1,1,2,2-TETRACHLOROETHANE	34516	WAIVED			
1,1,2-TRICHLORO-1,2,2-TRIFLUOROETHANE	81611	WAIVED			
1,1,2-TRICHLOROETHANE	34511	WAIVED			
1,1-DICHLOROETHANE	34496	WAIVED			
1,1-DICHLOROETHYLENE	34501	WAIVED			
1,2,4-TRICHLOROBENZENE	34551	WAIVED			
1,2-DICHLOROBENZENE	34536	WAIVED			
1,2-DICHLOROETHANE	34531	WAIVED			
1,2-DICHLOROPROPANE	34541	WAIVED			
1,3-DICHLOROPROPENE (TOTAL)	34561	WAIVED			
1,4-DICHLOROBENZENE	34571	WAIVED			
BENZENE	34030	WAIVED			
CARBON TETRACHLORIDE	32102	WAIVED			
CIS-1,2-DICHLOROETHYLENE	77093	WAIVED			
DICHLOROMETHANE	34423	WAIVED			
ETHYLBENZENE	34371	WAIVED			
METHYL-TERT-BUTYL-ETHER (MTBE)	46491	WAIVED			
MONOCHLOROBENZENE	34301	WAIVED			

**Testing interval is in months;*
0 = No data for this constituent and is DUE NOW
999 = Waived testing (not required)
I = Invalid (NOT) valid analyses reported

System Number: ***2400214***

System Name: ***DOLE LOS CERRITOS WELL***

PS Code: ***2400214-011***

Source Name: ***WELL #2-~600 FT NE OF FEEDLOT HOUSING***

Source Number: ***011***

Source Status: ***ACTIVE UNTREATED***

Water type: ***GROUNDWATER OR WELL***

	STORET NUMBER	TESTING INTERVAL (MONTHS)*	LAST TEST DATE (yyyy/mm/dd)	LAST RESULT REPORTED	NEXT TEST DATE (yyyy/mm)
REGULATED VOC					
STYRENE	77128	WAIVED			
TETRACHLOROETHYLENE	34475	WAIVED			
TOLUENE	34010	WAIVED			
TRANS-1,2-DICHLOROETHYLENE	34546	WAIVED			
TRICHLOROETHYLENE	39180	WAIVED			
TRICHLOROFLUOROMETHANE	34488	WAIVED			
VINYL CHLORIDE	39175	WAIVED			
XYLENES (TOTAL)	81551	WAIVED			
SECONDARY/GP					
AGGRSSIVE INDEX (CORROSIVITY)	82383	WAIVED			
BICARBONATE ALKALINITY	00440	WAIVED	2006/10/16	84.000	
CALCIUM	00916	WAIVED	2006/10/16	9.400	
CARBONATE ALKALINITY	00445	WAIVED	2006/10/16	< 1.000	
CHLORIDE	00940	WAIVED	2006/10/16	57.000	
COLOR	00081	WAIVED			
COPPER	01042	WAIVED	2006/10/16	.000	
FOAMING AGENTS (MBAS)	38260	WAIVED	2006/10/16	.066	
HARDNESS (TOTAL) AS CACO3	00900	WAIVED	2006/10/16	46.000	
HYDROXIDE ALKALINITY	71830	WAIVED	2006/10/16	< 1.000	
IRON	01045	WAIVED	2006/10/16	.000	
MAGNESIUM	00927	WAIVED	2006/10/16	5.400	
MANGANESE	01055	WAIVED	2006/10/16	.000	
ODOR THRESHOLD @ 60 C	00086	WAIVED			
PH, LABORATORY	00403	WAIVED	2006/10/16	7.800	
SILVER	01077	WAIVED	2006/10/16	.000	
SODIUM	00929	WAIVED	2006/10/16	54.000	
SPECIFIC CONDUCTANCE	00095	WAIVED	2006/10/16	360.000	
SULFATE	00945	WAIVED	2006/10/16	4.000	
TOTAL DISSOLVED SOLIDS	70300	WAIVED	2006/10/16	290.000	

**Testing interval is in months;*
0 = No data for this constituent and is DUE NOW
999 = Waived testing (not required)
I = Invalid (NOT) valid analyses reported

System Number: ***2400214***

System Name: ***DOLE LOS CERRITOS WELL***

PS Code: ***2400214-011***

Source Name: ***WELL #2-~600 FT NE OF FEEDLOT HOUSING***

Source Number: ***011***

Source Status: ***ACTIVE UNTREATED***

Water type: ***GROUNDWATER OR WELL***

	STORET NUMBER	TESTING INTERVAL (MONTHS)*	LAST TEST DATE (yyyy/mm/dd)	LAST RESULT REPORTED	NEXT TEST DATE (yyyy/mm)
SECONDARY/GP					
TURBIDITY, LABORATORY	**82079**	**WAIVED**			
ZINC	**01092**	**WAIVED**	2006/10/16	**810.000**	

**Testing interval is in months;*
0 = No data for this constituent and is DUE NOW
999 = Waived testing (not required)
I = Invalid (NOT) valid analyses reported

System Number: ***2400215***

System Name: ***STEVINSON RANCH COTTAGES***

PS Code: ***2400215-011***

Source Name: ***WELL #2-SW OF COTTAGES-DRILLED 5/98***

Source Number: ***011***

Source Status: ***ACTIVE UNTREATED***

Water type: ***GROUNDWATER OR WELL***

	STORET NUMBER	TESTING INTERVAL (MONTHS)*	LAST TEST DATE (yyyy/mm/dd)	LAST RESULT REPORTED	NEXT TEST DATE (yyyy/mm)
GENERAL NON CHAP 15					
DIAZINON	39570	WAIVED			
INORGANIC					
ALUMINUM	01105	WAIVED			
ANTIMONY	01097	WAIVED			
ARSENIC	01002	WAIVED			
ASBESTOS	81855	WAIVED			
BARIUM	01007	WAIVED			
BERYLLIUM	01012	WAIVED			
CADMIUM	01027	WAIVED			
CHROMIUM (TOTAL)	01034	WAIVED			
CYANIDE	01291	WAIVED			
FLUORIDE (F) (NATURAL-SOURCE)	00951	WAIVED			
LEAD	01051	WAIVED			
MERCURY	71900	WAIVED			
NICKEL	01067	WAIVED			
PERCHLORATE	A-031	WAIVED	2008/09/08	.000	
SELENIUM	01147	WAIVED			
THALLIUM	01059	WAIVED			
NITRATE/NITRITE					
NITRATE (AS NO3)	71850	012	2012/02/22	< 2.000	2013/02
NITRITE (AS N)	00620	036	2010/02/11	< 400.000	2013/02
RADIOLOGICAL					
GROSS ALPHA	01501	WAIVED			
GROSS BETA	03501	WAIVED			
RA-226 FOR CWS OR TOTAL RA FOR NTNC BY 903.0	A-080	WAIVED			
RA-226 OR TOTAL RA BY 903.0 C.E.	A-081	WAIVED			
RADIUM 226	09501	WAIVED			
RADIUM 228	11501	WAIVED			

**Testing interval is in months;*
0 = No data for this constituent and is DUE NOW
999 = Waived testing (not required)
I = Invalid (NOT) valid analyses reported

System Number: ***2400215***

System Name: ***STEVINSON RANCH COTTAGES***

PS Code: ***2400215-011***

Source Name: ***WELL #2-SW OF COTTAGES-DRILLED 5/98***

Source Number: ***011***

Source Status: ***ACTIVE UNTREATED***

Water type: ***GROUNDWATER OR WELL***

	STORET NUMBER	TESTING INTERVAL (MONTHS)*	LAST TEST DATE (yyyy/mm/dd)	LAST RESULT REPORTED	NEXT TEST DATE (yyyy/mm)
RADIOLOGICAL					
RADIUM, TOTAL, MDA95-NTNC ONLY, BY 903.0	A-082	WAIVED			
STRONTIUM-90	13501	WAIVED			
TRITIUM	07000	WAIVED			
URANIUM (PCI/L)	28012	WAIVED			
REGULATED SOC					
2,3,7,8-TCDD (DIOXIN)	34676	WAIVED			
2,4,5-TP (SILVEX)	39045	WAIVED			
2,4-D	39730	WAIVED			
ALACHLOR	77825	WAIVED			
ATRAZINE	39033	WAIVED			
BENTAZON	38710	WAIVED			
BENZO (A) PYRENE	34247	WAIVED			
CARBOFURAN	81405	WAIVED			
CHLORDANE	39350	WAIVED			
DALAPON	38432	WAIVED			
DI(2-ETHYLHEXYL)ADIPATE	A-026	WAIVED			
DI(2-ETHYLHEXYL)PHTHALATE	39100	WAIVED			
DIBROMOCHLOROPROPANE (DBCP)	38761	WAIVED			
DINOSEB	81287	WAIVED			
DIQUAT	78885	WAIVED			
ENDOTHALL	38926	WAIVED			
ENDRIN	39390	WAIVED			
ETHYLENE DIBROMIDE (EDB)	77651	WAIVED			
GLYPHOSATE	79743	WAIVED			
HEPTACHLOR	39410	WAIVED			
HEPTACHLOR EPOXIDE	39420	WAIVED			
HEXACHLOROBENZENE	39700	WAIVED			
HEXACHLOROCYCLOPENTADIENE	34386	WAIVED			
LINDANE	39340	WAIVED			

**Testing interval is in months;*
0 = No data for this constituent and is DUE NOW
999 = Waived testing (not required)
I = Invalid (NOT) valid analyses reported

System Number: ***2400215***

System Name: ***STEVINSON RANCH COTTAGES***

PS Code: ***2400215-011***

Source Name: ***WELL #2-SW OF COTTAGES-DRILLED 5/98***

Source Number: ***011***

Source Status: ***ACTIVE UNTREATED***

Water type: ***GROUNDWATER OR WELL***

	STORET NUMBER	TESTING INTERVAL (MONTHS)*	LAST TEST DATE (yyyy/mm/dd)	LAST RESULT REPORTED	NEXT TEST DATE (yyyy/mm)
REGULATED SOC					
METHOXYCHLOR	39480	WAIVED			
MOLINATE	82199	WAIVED			
OXAMYL	38865	WAIVED			
PENTACHLOROPHENOL	39032	WAIVED			
PICLORAM	39720	WAIVED			
POLYCHLORINATED BIPHENYLS, TOTAL, AS DCB	39516	WAIVED			
SIMAZINE	39055	WAIVED			
THIOBENCARB	A-001	WAIVED			
TOXAPHENE	39400	WAIVED			
REGULATED VOC					
1,1,1-TRICHLOROETHANE	34506	WAIVED			
1,1,2,2-TETRACHLOROETHANE	34516	WAIVED			
1,1,2-TRICHLORO-1,2,2-TRIFLUOROETHANE	81611	WAIVED			
1,1,2-TRICHLOROETHANE	34511	WAIVED			
1,1-DICHLOROETHANE	34496	WAIVED			
1,1-DICHLOROETHYLENE	34501	WAIVED			
1,2,4-TRICHLOROBENZENE	34551	WAIVED			
1,2-DICHLOROBENZENE	34536	WAIVED			
1,2-DICHLOROETHANE	34531	WAIVED			
1,2-DICHLOROPROPANE	34541	WAIVED			
1,3-DICHLOROPROPENE (TOTAL)	34561	WAIVED			
1,4-DICHLOROBENZENE	34571	WAIVED			
BENZENE	34030	WAIVED			
CARBON TETRACHLORIDE	32102	WAIVED			
CIS-1,2-DICHLOROETHYLENE	77093	WAIVED			
DICHLOROMETHANE	34423	WAIVED			
ETHYLBENZENE	34371	WAIVED			
METHYL-TERT-BUTYL-ETHER (MTBE)	46491	WAIVED			
MONOCHLOROBENZENE	34301	WAIVED			

**Testing interval is in months;*
0 = No data for this constituent and is DUE NOW
999 = Waived testing (not required)
I = Invalid (NOT) valid analyses reported

System Number: 2400215
System Name: STEVINSON RANCH COTTAGES

PS Code: 2400215-011
Source Name: WELL #2-SW OF COTTAGES-DRILLED 5/98
Source Number: 011
Source Status: ACTIVE UNTREATED
Water type: GROUNDWATER OR WELL

	STORET NUMBER	TESTING INTERVAL (MONTHS)*	LAST TEST DATE (yyyy/mm/dd)	LAST RESULT REPORTED	NEXT TEST DATE (yyyy/mm)
REGULATED VOC					
STYRENE	77128	WAIVED			
TETRACHLOROETHYLENE	34475	WAIVED			
TOLUENE	34010	WAIVED			
TRANS-1,2-DICHLOROETHYLENE	34546	WAIVED			
TRICHLOROETHYLENE	39180	WAIVED			
TRICHLOROFLUOROMETHANE	34488	WAIVED			
VINYL CHLORIDE	39175	WAIVED			
XYLENES (TOTAL)	81551	WAIVED			
SECONDARY/GP					
AGGRSSIVE INDEX (CORROSIVITY)	82383	WAIVED			
BICARBONATE ALKALINITY	00440	WAIVED			
CALCIUM	00916	WAIVED			
CARBONATE ALKALINITY	00445	WAIVED			
CHLORIDE	00940	WAIVED			
COLOR	00081	WAIVED			
COPPER	01042	WAIVED			
FOAMING AGENTS (MBAS)	38260	WAIVED			
HARDNESS (TOTAL) AS CACO3	00900	WAIVED			
HYDROXIDE ALKALINITY	71830	WAIVED			
IRON	01045	WAIVED			
MAGNESIUM	00927	WAIVED			
MANGANESE	01055	WAIVED			
ODOR THRESHOLD @ 60 C	00086	WAIVED			
PH, LABORATORY	00403	WAIVED			
SILVER	01077	WAIVED			
SODIUM	00929	WAIVED			
SPECIFIC CONDUCTANCE	00095	WAIVED	2008/09/08	740.000	
SULFATE	00945	WAIVED			
TOTAL DISSOLVED SOLIDS	70300	WAIVED			

**Testing interval is in months;*
0 = No data for this constituent and is DUE NOW
999 = Waived testing (not required)
I = Invalid (NOT) valid analyses reported

System Number: ***2400215***

System Name: ***STEVINSON RANCH COTTAGES***

PS Code: ***2400215-011***

Source Name: ***WELL #2-SW OF COTTAGES-DRILLED 5/98***

Source Number: ***011***

Source Status: ***ACTIVE UNTREATED***

Water type: ***GROUNDWATER OR WELL***

SECONDARY/GP

	STORET NUMBER	TESTING INTERVAL (MONTHS)*	LAST TEST DATE (yyyy/mm/dd)	LAST RESULT REPORTED	NEXT TEST DATE (yyyy/mm)
TURBIDITY, LABORATORY	82079	WAIVED			
ZINC	01092	WAIVED			

**Testing interval is in months;*
0 = No data for this constituent and is DUE NOW
999 = Waived testing (not required)
I = Invalid (NOT) valid analyses reported

System Number: ***2400216***

System Name: ***CAL TRANS CHP CHOWCHILLA RIVER FACILITY***

PS Code: ***2400216-001***

Source Name: ***WELL #1 - S END OF FACILITY***

Source Number: ***001***

Source Status: ***ACTIVE UNTREATED***

Water type: ***GROUNDWATER OR WELL***

	STORET NUMBER	TESTING INTERVAL (MONTHS)*	LAST TEST DATE (yyyy/mm/dd)	LAST RESULT REPORTED	NEXT TEST DATE (yyyy/mm)	
GENERAL NON CHAP 15						
DIAZINON	39570	WAIVED				
INORGANIC						
ALUMINUM	01105	036	2010/08/10	< 50.000	2013/08	
ANTIMONY	01097	000				**DUE**
ARSENIC	01002	036	2010/08/10	4.300	2013/08	
ASBESTOS	81855	WAIVED				
BARIUM	01007	036	2010/08/10	< 100.000	2013/08	
BERYLLIUM	01012	000				**DUE**
CADMIUM	01027	036	2010/08/10	< 1.000	2013/08	
CHROMIUM (TOTAL)	01034	036	2010/08/10	< 10.000	2013/08	
CYANIDE	01291	WAIVED				
FLUORIDE (F) (NATURAL-SOURCE)	00951	036	2010/08/10	.140	2013/08	
LEAD	01051	WAIVED	2010/08/10	< 5.000		
MERCURY	71900	036	2010/08/10	< 1.000	2013/08	
NICKEL	01067	000				**DUE**
PERCHLORATE	A-031	036	**2008/05/06**	< 4.000	**2011/05**	**DUE**
SELENIUM	01147	036	2010/08/10	< 5.000	2013/08	
THALLIUM	01059	000				**DUE**
NITRATE/NITRITE						
NITRATE (AS NO3)	71850	012	2011/08/18	8.100	2012/08	
NITRITE (AS N)	00620	036	2010/08/10	< 400.000	2013/08	
RADIOLOGICAL						
GROSS ALPHA	01501	WAIVED	2008/02/28	.612		
GROSS BETA	03501	WAIVED				
RA-226 FOR CWS OR TOTAL RA FOR NTNC BY 903.0	A-080	WAIVED	2008/02/28	.284		
RA-226 OR TOTAL RA BY 903.0 C.E.	A-081	WAIVED	2008/02/28	.173		
RADIUM 226	09501	WAIVED	2007/10/10	.000		
RADIUM 228	11501	WAIVED				

**Testing interval is in months;*
0 = No data for this constituent and is DUE NOW
999 = Waived testing (not required)
I = Invalid (NOT) valid analyses reported

System Number: ***2400216***

System Name: ***CAL TRANS CHP CHOWCHILLA RIVER FACILITY***

PS Code: ***2400216-001***

Source Name: ***WELL #1 - S END OF FACILITY***

Source Number: ***001***

Source Status: ***ACTIVE UNTREATED***

Water type: ***GROUNDWATER OR WELL***

	STORET NUMBER	TESTING INTERVAL (MONTHS)*	LAST TEST DATE (yyyy/mm/dd)	LAST RESULT REPORTED	NEXT TEST DATE (yyyy/mm)	
RADIOLOGICAL						
RADIUM, TOTAL, MDA95-NTNC ONLY, BY 903.0	A-082	WAIVED	2008/02/28	.150		
STRONTIUM-90	13501	WAIVED				
TRITIUM	07000	WAIVED				
URANIUM (PCI/L)	28012	WAIVED	2008/02/28	.188		
REGULATED SOC						
2,3,7,8-TCDD (DIOXIN)	34676	WAIVED				
2,4,5-TP (SILVEX)	39045	WAIVED				
2,4-D	39730	WAIVED				
ALACHLOR	77825	000				**DUE**
ATRAZINE	39033	036	2010/08/10	< .500	2013/08	
BENTAZON	38710	WAIVED				
BENZO (A) PYRENE	34247	WAIVED				
CARBOFURAN	81405	WAIVED				
CHLORDANE	39350	WAIVED				
DALAPON	38432	WAIVED				
DI(2-ETHYLHEXYL)ADIPATE	A-026	WAIVED				
DI(2-ETHYLHEXYL)PHTHALATE	39100	WAIVED				
DIBROMOCHLOROPROPANE (DBCP)	38761	036	2010/08/10	< .010	2013/08	
DINOSEB	81287	WAIVED				
DIQUAT	78885	WAIVED				
ENDOTHALL	38926	WAIVED				
ENDRIN	39390	WAIVED				
ETHYLENE DIBROMIDE (EDB)	77651	036	2010/08/10	< .020	2013/08	
GLYPHOSATE	79743	WAIVED				
HEPTACHLOR	39410	WAIVED				
HEPTACHLOR EPOXIDE	39420	WAIVED				
HEXACHLOROBENZENE	39700	WAIVED				
HEXACHLOROCYCLOPENTADIENE	34386	WAIVED				
LINDANE	39340	WAIVED				

**Testing interval is in months;*
0 = No data for this constituent and is DUE NOW
999 = Waived testing (not required)
I = Invalid (NOT) valid analyses reported

System Number: 2400216

System Name: CAL TRANS CHP CHOWCHILLA RIVER FACILITY

PS Code: 2400216-001

Source Name: WELL #1 - S END OF FACILITY

Source Number: 001

Source Status: ACTIVE UNTREATED

Water type: GROUNDWATER OR WELL

	STORET NUMBER	TESTING INTERVAL (MONTHS)*	LAST TEST DATE (yyyy/mm/dd)	LAST RESULT REPORTED	NEXT TEST DATE (yyyy/mm)
REGULATED SOC					
METHOXYCHLOR	39480	WAIVED			
MOLINATE	82199	WAIVED			
OXAMYL	38865	WAIVED			
PENTACHLOROPHENOL	39032	WAIVED			
PICLORAM	39720	WAIVED			
POLYCHLORINATED BIPHENYLS, TOTAL, AS DCB	39516	WAIVED			
SIMAZINE	39055	036	2010/08/10	< 1.000	2013/08
THIOBENCARB	A-001	WAIVED			
TOXAPHENE	39400	WAIVED			
REGULATED VOC					
1,1,1-TRICHLOROETHANE	34506	060	2009/10/07	< .500	2014/10
1,1,2,2-TETRACHLOROETHANE	34516	060	2009/10/07	< .500	2014/10
1,1,2-TRICHLORO-1,2,2-TRIFLUOROETHANE	81611	060	2009/10/07	< 10.000	2014/10
1,1,2-TRICHLOROETHANE	34511	060	2009/10/07	< .500	2014/10
1,1-DICHLOROETHANE	34496	060	2009/10/07	< .500	2014/10
1,1-DICHLOROETHYLENE	34501	060	2009/10/07	< .500	2014/10
1,2,4-TRICHLOROBENZENE	34551	060	2009/10/07	< .500	2014/10
1,2-DICHLOROBENZENE	34536	060	2009/10/07	< .500	2014/10
1,2-DICHLOROETHANE	34531	060	2009/10/07	< .500	2014/10
1,2-DICHLOROPROPANE	34541	060	2009/10/07	< .500	2014/10
1,3-DICHLOROPROPENE (TOTAL)	34561	060	2009/10/07	< .500	2014/10
1,4-DICHLOROBENZENE	34571	060	2009/10/07	< .500	2014/10
BENZENE	34030	060	2009/10/07	< .500	2014/10
CARBON TETRACHLORIDE	32102	060	2009/10/07	< .500	2014/10
CIS-1,2-DICHLOROETHYLENE	77093	060	2009/10/07	< .500	2014/10
DICHLOROMETHANE	34423	060	2009/10/07	< .500	2014/10
ETHYLBENZENE	34371	060	2009/10/07	< .500	2014/10
METHYL-TERT-BUTYL-ETHER (MTBE)	46491	060	2009/10/07	< 3.000	2014/10
MONOCHLOROBENZENE	34301	060	2009/10/07	< .500	2014/10

**Testing interval is in months;*
0 = No data for this constituent and is DUE NOW
999 = Waived testing (not required)
I = Invalid (NOT) valid analyses reported

System Number: 2400216
System Name: CAL TRANS CHP CHOWCHILLA RIVER FACILITY

PS Code: 2400216-001
Source Name: WELL #1 - S END OF FACILITY
Source Number: 001
Source Status: ACTIVE UNTREATED
Water type: GROUNDWATER OR WELL

	STORET NUMBER	TESTING INTERVAL (MONTHS)*	LAST TEST DATE (yyyy/mm/dd)	LAST RESULT REPORTED	NEXT TEST DATE (yyyy/mm)
REGULATED VOC					
STYRENE	77128	060	2009/10/07	< .500	2014/10
TETRACHLOROETHYLENE	34475	060	2009/10/07	< .500	2014/10
TOLUENE	34010	060	2009/10/07	< .500	2014/10
TRANS-1,2-DICHLOROETHYLENE	34546	060	2009/10/07	< .500	2014/10
TRICHLOROETHYLENE	39180	060	2009/10/07	< .500	2014/10
TRICHLOROFLUOROMETHANE	34488	060	2009/10/07	< 5.000	2014/10
VINYL CHLORIDE	39175	060	2009/10/07	< .500	2014/10
XYLENES (TOTAL)	81551	060	2009/10/07	< .500	2014/10
SECONDARY/GP					
AGGRSSIVE INDEX (CORROSIVITY)	82383	WAIVED			
BICARBONATE ALKALINITY	00440	WAIVED	2010/08/10	77.100	
CALCIUM	00916	WAIVED	2010/08/10	11.000	
CARBONATE ALKALINITY	00445	WAIVED	2010/08/10	< 12.000	
CHLORIDE	00940	WAIVED	2010/08/10	11.200	
COLOR	00081	WAIVED	2010/08/10	< 5.000	
COPPER	01042	WAIVED	2010/08/10	< 50.000	
FOAMING AGENTS (MBAS)	38260	WAIVED	2010/08/10	< .050	
HARDNESS (TOTAL) AS CACO3	00900	WAIVED	2010/08/10	44.000	
HYDROXIDE ALKALINITY	71830	WAIVED	2010/08/10	< 6.800	
IRON	01045	WAIVED	2010/08/10	< 100.000	
MAGNESIUM	00927	WAIVED	2010/08/10	3.800	
MANGANESE	01055	WAIVED	2010/08/10	< 20.000	
ODOR THRESHOLD @ 60 C	00086	WAIVED	2010/08/10	< 1.000	
PH, LABORATORY	00403	WAIVED	2010/08/10	8.000	
SILVER	01077	WAIVED	2010/08/10	< 10.000	
SODIUM	00929	WAIVED	2010/08/10	13.500	
SPECIFIC CONDUCTANCE	00095	WAIVED	2010/08/10	166.000	
SULFATE	00945	WAIVED	2010/08/10	8.200	
TOTAL DISSOLVED SOLIDS	70300	WAIVED	2010/08/10	180.000	

**Testing interval is in months;*
0 = No data for this constituent and is DUE NOW
999 = Waived testing (not required)
I = Invalid (NOT) valid analyses reported

System Number: ***2400216***

System Name: ***CAL TRANS CHP CHOWCHILLA RIVER FACILITY***

PS Code: ***2400216-001***

Source Name: ***WELL #1 - S END OF FACILITY***

Source Number: ***001***

Source Status: ***ACTIVE UNTREATED***

Water type: ***GROUNDWATER OR WELL***

	STORET NUMBER	TESTING INTERVAL (MONTHS)*	LAST TEST DATE (yyyy/mm/dd)	LAST RESULT REPORTED	NEXT TEST DATE (yyyy/mm)
SECONDARY/GP					
TURBIDITY, LABORATORY	**82079**	**WAIVED**	2010/08/10	**.400**	
ZINC	**01092**	**WAIVED**	2010/08/10	**< 50.000**	

**Testing interval is in months;*
0 = No data for this constituent and is DUE NOW
999 = Waived testing (not required)
I = Invalid (NOT) valid analyses reported

System Number: ***2400218***

System Name: ***FOSTER FARMS FERTILIZER PLANT***

PS Code: ***2400218-001***

Source Name: ***WELL #1***

Source Number: ***001***

Source Status: ***ACTIVE UNTREATED***

Water type: ***GROUNDWATER OR WELL***

	STORET NUMBER	TESTING INTERVAL (MONTHS)*	LAST TEST DATE (yyyy/mm/dd)	LAST RESULT REPORTED	NEXT TEST DATE (yyyy/mm)	
GENERAL NON CHAP 15						
DIAZINON	39570	WAIVED	2004/04/01	.000		
INORGANIC						
ALUMINUM	01105	036	2012/03/08	140.000	2015/03	
ANTIMONY	01097	036	2012/03/08	< 2.000	2015/03	
ARSENIC	01002	036	2012/03/08	3.600	2015/03	
ASBESTOS	81855	WAIVED				
BARIUM	01007	036	2012/03/08	100.000	2015/03	
BERYLLIUM	01012	036	2012/03/08	< 1.000	2015/03	
CADMIUM	01027	036	2012/03/08	< 1.000	2015/03	
CHROMIUM (TOTAL)	01034	036	2012/03/08	< 10.000	2015/03	
CYANIDE	01291	WAIVED				
FLUORIDE (F) (NATURAL-SOURCE)	00951	036	2012/03/08	.220	2015/03	
LEAD	01051	WAIVED	2012/03/08	< 1.000		
MERCURY	71900	036	2012/03/08	< .200	2015/03	
NICKEL	01067	036	2012/03/08	< 10.000	2015/03	
PERCHLORATE	A-031	036	**2008/09/02**	< 4.000	**2011/09**	**DUE**
SELENIUM	01147	036	2012/03/08	< 2.000	2015/03	
THALLIUM	01059	036	2012/03/08	< 1.000	2015/03	
NITRATE/NITRITE						
NITRATE (AS NO3)	71850	012	2012/03/08	< .440	2013/03	
NITRITE (AS N)	00620	036	2012/03/08	< 50.000	2015/03	
RADIOLOGICAL						
GROSS ALPHA	01501	WAIVED	2005/01/04	1.300		
GROSS BETA	03501	WAIVED				
RA-226 FOR CWS OR TOTAL RA FOR NTNC BY 903.0	A-080	WAIVED				
RA-226 OR TOTAL RA BY 903.0 C.E.	A-081	WAIVED				
RADIUM 226	09501	WAIVED				
RADIUM 228	11501	WAIVED	2006/04/07	< 1.000		

**Testing interval is in months;*
0 = No data for this constituent and is DUE NOW
999 = Waived testing (not required)
I = Invalid (NOT) valid analyses reported

System Number: ***2400218***

System Name: ***FOSTER FARMS FERTILIZER PLANT***

PS Code: ***2400218-001***

Source Name: ***WELL #1***

Source Number: ***001***

Source Status: ***ACTIVE UNTREATED***

Water type: ***GROUNDWATER OR WELL***

	STORET NUMBER	TESTING INTERVAL (MONTHS)*	LAST TEST DATE (yyyy/mm/dd)	LAST RESULT REPORTED	NEXT TEST DATE (yyyy/mm)	
RADIOLOGICAL						
RADIUM, TOTAL, MDA95-NTNC ONLY, BY 903.0	A-082	WAIVED				
STRONTIUM-90	13501	WAIVED				
TRITIUM	07000	WAIVED				
URANIUM (PCI/L)	28012	WAIVED				
REGULATED SOC						
2,3,7,8-TCDD (DIOXIN)	34676	WAIVED				
2,4,5-TP (SILVEX)	39045	WAIVED				
2,4-D	39730	WAIVED				
ALACHLOR	77825	036	2007/02/01	< 1.000	2010/02	DUE
ATRAZINE	39033	036	2007/02/01	< .500	2010/02	DUE
BENTAZON	38710	WAIVED				
BENZO (A) PYRENE	34247	WAIVED	2004/04/01	.000		
CARBOFURAN	81405	WAIVED				
CHLORDANE	39350	WAIVED	2007/02/01	< .100		
DALAPON	38432	WAIVED				
DI(2-ETHYLHEXYL)ADIPATE	A-026	WAIVED	2004/04/01	.000		
DI(2-ETHYLHEXYL)PHTHALATE	39100	WAIVED	2004/04/01	.000		
DIBROMOCHLOROPROPANE (DBCP)	38761	036	2006/12/05	< .010	2009/12	DUE
DINOSEB	81287	WAIVED				
DIQUAT	78885	WAIVED				
ENDOTHALL	38926	WAIVED				
ENDRIN	39390	WAIVED	2007/02/01	< .100		
ETHYLENE DIBROMIDE (EDB)	77651	036	2006/12/05	< .020	2009/12	DUE
GLYPHOSATE	79743	WAIVED				
HEPTACHLOR	39410	WAIVED	2007/02/01	< .010		
HEPTACHLOR EPOXIDE	39420	WAIVED	2007/02/01	< .010		
HEXACHLOROBENZENE	39700	WAIVED	2007/02/01	< .500		
HEXACHLOROCYCLOPENTADIENE	34386	WAIVED	2007/02/01	< 1.000		
LINDANE	39340	WAIVED	2007/02/01	< .200		

**Testing interval is in months;*
0 = No data for this constituent and is DUE NOW
999 = Waived testing (not required)
I = Invalid (NOT) valid analyses reported

System Number: ***2400218***

System Name: ***FOSTER FARMS FERTILIZER PLANT***

PS Code: ***2400218-001***

Source Name: ***WELL #1***

Source Number: ***001***

Source Status: ***ACTIVE UNTREATED***

Water type: ***GROUNDWATER OR WELL***

	STORET NUMBER	TESTING INTERVAL (MONTHS)*	LAST TEST DATE (yyyy/mm/dd)	LAST RESULT REPORTED	NEXT TEST DATE (yyyy/mm)	
REGULATED SOC						
METHOXYCHLOR	39480	WAIVED	2007/02/01	< 10.000		
MOLINATE	82199	WAIVED	2004/04/01	.000		
OXAMYL	38865	WAIVED				
PENTACHLOROPHENOL	39032	WAIVED				
PICLORAM	39720	WAIVED				
POLYCHLORINATED BIPHENYLS, TOTAL, AS DCB	39516	WAIVED	2007/02/01	< .500		
SIMAZINE	39055	036	**2007/02/01**	< 1.000	**2010/02**	**DUE**
THIOBENCARB	A-001	WAIVED	2004/04/01	.000		
TOXAPHENE	39400	WAIVED	2007/02/01	< 1.000		
REGULATED VOC						
1,1,1-TRICHLOROETHANE	34506	060	2010/06/03	< .000	2015/06	
1,1,2,2-TETRACHLOROETHANE	34516	060	2010/06/03	< .000	2015/06	
1,1,2-TRICHLORO-1,2,2-TRIFLUOROETHANE	81611	060	2010/06/03	< .000	2015/06	
1,1,2-TRICHLOROETHANE	34511	060	2010/06/03	< .000	2015/06	
1,1-DICHLOROETHANE	34496	060	2010/06/03	< .000	2015/06	
1,1-DICHLOROETHYLENE	34501	060	2010/06/03	< .000	2015/06	
1,2,4-TRICHLOROBENZENE	34551	060	2010/06/03	< .000	2015/06	
1,2-DICHLOROBENZENE	34536	060	2010/06/03	< .000	2015/06	
1,2-DICHLOROETHANE	34531	060	2010/06/03	< .000	2015/06	
1,2-DICHLOROPROPANE	34541	060	2010/06/03	< .000	2015/06	
1,3-DICHLOROPROPENE (TOTAL)	34561	060	2010/06/03	< .000	2015/06	
1,4-DICHLOROBENZENE	34571	060	2010/06/03	< .000	2015/06	
BENZENE	34030	060	2010/06/03	< .000	2015/06	
CARBON TETRACHLORIDE	32102	060	2010/06/03	< .000	2015/06	
CIS-1,2-DICHLOROETHYLENE	77093	060	2010/06/03	< .000	2015/06	
DICHLOROMETHANE	34423	060	2010/06/03	< .000	2015/06	
ETHYLBENZENE	34371	060	2010/06/03	< .000	2015/06	
METHYL-TERT-BUTYL-ETHER (MTBE)	46491	060	2010/06/03	< .000	2015/06	
MONOCHLOROBENZENE	34301	060	2010/06/03	< .000	2015/06	

**Testing interval is in months;*
0 = No data for this constituent and is DUE NOW
999 = Waived testing (not required)
I = Invalid (NOT) valid analyses reported

System Number: ***2400218***

System Name: ***FOSTER FARMS FERTILIZER PLANT***

PS Code: ***2400218-001***

Source Name: ***WELL #1***

Source Number: ***001***

Source Status: ***ACTIVE UNTREATED***

Water type: ***GROUNDWATER OR WELL***

	STORET NUMBER	TESTING INTERVAL (MONTHS)*	LAST TEST DATE (yyyy/mm/dd)	LAST RESULT REPORTED	NEXT TEST DATE (yyyy/mm)
REGULATED VOC					
STYRENE	77128	060	2010/06/03	< .000	2015/06
TETRACHLOROETHYLENE	34475	060	2010/06/03	< .000	2015/06
TOLUENE	34010	060	2010/06/03	< .000	2015/06
TRANS-1,2-DICHLOROETHYLENE	34546	060	2010/06/03	< .000	2015/06
TRICHLOROETHYLENE	39180	060	2010/06/03	< .000	2015/06
TRICHLOROFLUOROMETHANE	34488	060	2010/06/03	< .000	2015/06
VINYL CHLORIDE	39175	060	2010/06/03	< .000	2015/06
XYLENES (TOTAL)	81551	060	2010/06/03	< .000	2015/06
SECONDARY/GP					
AGGRSSIVE INDEX (CORROSIVITY)	82383	WAIVED			
BICARBONATE ALKALINITY	00440	WAIVED	2012/03/08	220.000	
CALCIUM	00916	WAIVED	2012/03/08	24.000	
CARBONATE ALKALINITY	00445	WAIVED	2012/03/08	< 2.500	
CHLORIDE	00940	WAIVED	2012/03/08	23.000	
COLOR	00081	WAIVED	2012/03/08	1.000	
COPPER	01042	WAIVED	2012/03/08	< 10.000	
FOAMING AGENTS (MBAS)	38260	WAIVED	2012/03/08	< .100	
HARDNESS (TOTAL) AS CACO3	00900	WAIVED	2012/03/08	71.000	
HYDROXIDE ALKALINITY	71830	WAIVED	2012/03/08	< 1.400	
IRON	01045	WAIVED	2012/03/08	430.000	
MAGNESIUM	00927	WAIVED	2012/03/08	2.500	
MANGANESE	01055	WAIVED	2012/03/08	77.000	
ODOR THRESHOLD @ 60 C	00086	WAIVED	2012/03/08	.000	
PH, LABORATORY	00403	WAIVED	2012/03/08	8.270	
SILVER	01077	WAIVED	2012/03/08	< 10.000	
SODIUM	00929	WAIVED	2012/03/08	96.000	
SPECIFIC CONDUCTANCE	00095	WAIVED	2012/03/08	498.000	
SULFATE	00945	WAIVED	2012/03/08	36.000	
TOTAL DISSOLVED SOLIDS	70300	WAIVED	2012/03/08	320.000	

**Testing interval is in months;*
0 = No data for this constituent and is DUE NOW
999 = Waived testing (not required)
I = Invalid (NOT) valid analyses reported

System Number: ***2400218***

System Name: ***FOSTER FARMS FERTILIZER PLANT***

PS Code: ***2400218-001***

Source Name: ***WELL #1***

Source Number: ***001***

Source Status: ***ACTIVE UNTREATED***

Water type: ***GROUNDWATER OR WELL***

	STORET NUMBER	TESTING INTERVAL (MONTHS)*	LAST TEST DATE (yyyy/mm/dd)	LAST RESULT REPORTED	NEXT TEST DATE (yyyy/mm)
SECONDARY/GP					
TURBIDITY, LABORATORY	**82079**	**WAIVED**	2012/03/08	**.330**	
ZINC	**01092**	**WAIVED**	2012/03/08	**< 50.000**	

**Testing interval is in months;*
0 = No data for this constituent and is DUE NOW
999 = Waived testing (not required)
I = Invalid (NOT) valid analyses reported

System Number: ***2400219***

System Name: ***MERCED NEW LIFE SCHOOL***

PS Code: ***2400219-001***

Source Name: ***WELL #1***

Source Number: ***001***

Source Status: ***ACTIVE UNTREATED***

Water type: ***GROUNDWATER OR WELL***

	STORET NUMBER	TESTING INTERVAL (MONTHS)*	LAST TEST DATE (yyyy/mm/dd)	LAST RESULT REPORTED	NEXT TEST DATE (yyyy/mm)	
GENERAL NON CHAP 15						
DIAZINON	39570	WAIVED	2011/12/27	< .000		
INORGANIC						
ALUMINUM	01105	036	2012/02/21	< .000	2015/02	
ANTIMONY	01097	036	2012/02/21	< .000	2015/02	
ARSENIC	01002	036	2012/02/21	4.700	2015/02	
ASBESTOS	81855	WAIVED				
BARIUM	01007	036	2012/02/21	240.000	2015/02	
BERYLLIUM	01012	036	2012/02/21	< .000	2015/02	
CADMIUM	01027	036	2012/02/21	< .000	2015/02	
CHROMIUM (TOTAL)	01034	036	2012/02/21	< .000	2015/02	
CYANIDE	01291	WAIVED				
FLUORIDE (F) (NATURAL-SOURCE)	00951	036	2012/02/21	< .100	2015/02	
LEAD	01051	WAIVED	2012/02/21	< .000		
MERCURY	71900	036	2012/02/21	< .000	2015/02	
NICKEL	01067	036	2012/02/21	< .000	2015/02	
PERCHLORATE	A-031	036	**2008/09/02**	< 4.000	**2011/09**	**DUE**
SELENIUM	01147	036	2012/02/21	< .000	2015/02	
THALLIUM	01059	036	2012/02/21	< .000	2015/02	
NITRATE/NITRITE						
NITRATE (AS NO3)	71850	012	2012/02/21	8.100	2013/02	
NITRITE (AS N)	00620	036	2012/02/21	< 400.000	2015/02	
RADIOLOGICAL						
GROSS ALPHA	01501	WAIVED	2005/01/04	1.000		
GROSS BETA	03501	WAIVED				
RA-226 FOR CWS OR TOTAL RA FOR NTNC BY 903.0	A-080	WAIVED				
RA-226 OR TOTAL RA BY 903.0 C.E.	A-081	WAIVED				
RADIUM 226	09501	WAIVED				
RADIUM 228	11501	WAIVED	2006/04/06	< 1.000		

**Testing interval is in months;*
0 = No data for this constituent and is DUE NOW
999 = Waived testing (not required)
I = Invalid (NOT) valid analyses reported

System Number: ***2400219***

System Name: ***MERCED NEW LIFE SCHOOL***

PS Code: ***2400219-001***

Source Name: ***WELL #1***

Source Number: ***001***

Source Status: ***ACTIVE UNTREATED***

Water type: ***GROUNDWATER OR WELL***

	STORET NUMBER	TESTING INTERVAL (MONTHS)*	LAST TEST DATE (yyyy/mm/dd)	LAST RESULT REPORTED	NEXT TEST DATE (yyyy/mm)
RADIOLOGICAL					
RADIUM, TOTAL, MDA95-NTNC ONLY, BY 903.0	A-082	WAIVED			
STRONTIUM-90	13501	WAIVED			
TRITIUM	07000	WAIVED			
URANIUM (PCI/L)	28012	WAIVED			
REGULATED SOC					
2,3,7,8-TCDD (DIOXIN)	34676	WAIVED			
2,4,5-TP (SILVEX)	39045	WAIVED			
2,4-D	39730	WAIVED			
ALACHLOR	77825	036	2011/12/27	< .000	2014/12
ATRAZINE	39033	036	2011/12/27	< .000	2014/12
BENTAZON	38710	WAIVED			
BENZO (A) PYRENE	34247	WAIVED	2011/12/27	< .000	
CARBOFURAN	81405	WAIVED			
CHLORDANE	39350	WAIVED	2007/02/01	.100	
DALAPON	38432	WAIVED			
DI(2-ETHYLHEXYL)ADIPATE	A-026	WAIVED	2011/12/27	< .000	
DI(2-ETHYLHEXYL)PHTHALATE	39100	WAIVED	2011/12/27	< .000	
DIBROMOCHLOROPROPANE (DBCP)	38761	036	2011/12/27	.000	2014/12
DINOSEB	81287	WAIVED			
DIQUAT	78885	WAIVED			
ENDOTHALL	38926	WAIVED			
ENDRIN	39390	WAIVED	2007/02/01	< .100	
ETHYLENE DIBROMIDE (EDB)	77651	036	2011/12/27	.000	2014/12
GLYPHOSATE	79743	WAIVED			
HEPTACHLOR	39410	WAIVED	2007/02/01	< .010	
HEPTACHLOR EPOXIDE	39420	WAIVED	2007/02/01	< .010	
HEXACHLOROBENZENE	39700	WAIVED	2007/02/01	< .500	
HEXACHLOROCYCLOPENTADIENE	34386	WAIVED	2007/02/01	< 1.000	
LINDANE	39340	WAIVED	2007/02/01	< .200	

**Testing interval is in months;*
0 = No data for this constituent and is DUE NOW
999 = Waived testing (not required)
I = Invalid (NOT) valid analyses reported

System Number: ***2400219***

System Name: ***MERCED NEW LIFE SCHOOL***

PS Code: ***2400219-001***

Source Name: ***WELL #1***

Source Number: ***001***

Source Status: ***ACTIVE UNTREATED***

Water type: ***GROUNDWATER OR WELL***

	STORET NUMBER	TESTING INTERVAL (MONTHS)*	LAST TEST DATE (yyyy/mm/dd)	LAST RESULT REPORTED	NEXT TEST DATE (yyyy/mm)
REGULATED SOC					
METHOXYCHLOR	39480	WAIVED	2007/02/01	< 10.000	
MOLINATE	82199	WAIVED	2011/12/27	< .000	
OXAMYL	38865	WAIVED			
PENTACHLOROPHENOL	39032	WAIVED			
PICLORAM	39720	WAIVED			
POLYCHLORINATED BIPHENYLS, TOTAL, AS DCB	39516	WAIVED	2007/02/01	< .500	
SIMAZINE	39055	036	2011/12/27	< .000	2014/12
THIOBENCARB	A-001	WAIVED	2011/12/27	< .000	
TOXAPHENE	39400	WAIVED	2007/02/01	< 1.000	
REGULATED VOC					
1,1,1-TRICHLOROETHANE	34506	060	2011/12/27	< .000	2016/12
1,1,2,2-TETRACHLOROETHANE	34516	060	2011/12/27	< .000	2016/12
1,1,2-TRICHLORO-1,2,2-TRIFLUOROETHANE	81611	060	2011/12/27	< .000	2016/12
1,1,2-TRICHLOROETHANE	34511	060	2011/12/27	< .000	2016/12
1,1-DICHLOROETHANE	34496	060	2011/12/27	< .000	2016/12
1,1-DICHLOROETHYLENE	34501	060	2011/12/27	< .000	2016/12
1,2,4-TRICHLOROBENZENE	34551	060	2011/12/27	< .000	2016/12
1,2-DICHLOROBENZENE	34536	060	2011/12/27	< .000	2016/12
1,2-DICHLOROETHANE	34531	060	2011/12/27	< .000	2016/12
1,2-DICHLOROPROPANE	34541	060	2011/12/27	< .000	2016/12
1,3-DICHLOROPROPENE (TOTAL)	34561	060	2011/12/27	< .000	2016/12
1,4-DICHLOROBENZENE	34571	060	2011/12/27	< .000	2016/12
BENZENE	34030	060	2011/12/27	< .000	2016/12
CARBON TETRACHLORIDE	32102	060	2011/12/27	< .000	2016/12
CIS-1,2-DICHLOROETHYLENE	77093	060	2011/12/27	< .000	2016/12
DICHLOROMETHANE	34423	060	2011/12/27	< .000	2016/12
ETHYLBENZENE	34371	060	2011/12/27	< .000	2016/12
METHYL-TERT-BUTYL-ETHER (MTBE)	46491	060	2011/12/27	< .000	2016/12
MONOCHLOROBENZENE	34301	060	2011/12/27	< .000	2016/12

**Testing interval is in months;*
0 = No data for this constituent and is DUE NOW
999 = Waived testing (not required)
I = Invalid (NOT) valid analyses reported

System Number: ***2400219***

System Name: ***MERCED NEW LIFE SCHOOL***

PS Code: ***2400219-001***

Source Name: ***WELL #1***

Source Number: ***001***

Source Status: ***ACTIVE UNTREATED***

Water type: ***GROUNDWATER OR WELL***

	STORET NUMBER	TESTING INTERVAL (MONTHS)*	LAST TEST DATE (yyyy/mm/dd)	LAST RESULT REPORTED	NEXT TEST DATE (yyyy/mm)
REGULATED VOC					
STYRENE	77128	060	2011/12/27	< .000	2016/12
TETRACHLOROETHYLENE	34475	060	2011/12/27	< .000	2016/12
TOLUENE	34010	060	2011/12/27	< .000	2016/12
TRANS-1,2-DICHLOROETHYLENE	34546	060	2011/12/27	< .000	2016/12
TRICHLOROETHYLENE	39180	060	2011/12/27	< .000	2016/12
TRICHLOROFLUOROMETHANE	34488	060	2011/12/27	< .000	2016/12
VINYL CHLORIDE	39175	060	2011/12/27	< .000	2016/12
XYLENES (TOTAL)	81551	060	2011/12/27	< .000	2016/12
SECONDARY/GP					
AGGRSSIVE INDEX (CORROSIVITY)	82383	WAIVED			
BICARBONATE ALKALINITY	00440	WAIVED	2009/02/18	111.000	
CALCIUM	00916	WAIVED	2009/02/18	19.000	
CARBONATE ALKALINITY	00445	WAIVED	2009/02/18	< 2.000	
CHLORIDE	00940	WAIVED	2009/02/18	4.600	
COLOR	00081	WAIVED	2009/02/18	< 5.000	
COPPER	01042	WAIVED	2009/02/18	< 50.000	
FOAMING AGENTS (MBAS)	38260	WAIVED	2009/02/18	< .025	
HARDNESS (TOTAL) AS CACO3	00900	WAIVED	2009/02/18	107.000	
HYDROXIDE ALKALINITY	71830	WAIVED	2009/02/18	< .500	
IRON	01045	WAIVED	2009/02/18	< 100.000	
MAGNESIUM	00927	WAIVED	2009/02/18	13.000	
MANGANESE	01055	WAIVED	2009/02/18	< 20.000	
ODOR THRESHOLD @ 60 C	00086	WAIVED	2009/02/18	.000	
PH, LABORATORY	00403	WAIVED	2009/02/18	7.600	
SILVER	01077	WAIVED	2012/02/21	< .000	
SODIUM	00929	WAIVED	2009/02/18	24.000	
SPECIFIC CONDUCTANCE	00095	WAIVED	2009/02/18	220.000	
SULFATE	00945	WAIVED	2009/02/18	6.500	
TOTAL DISSOLVED SOLIDS	70300	WAIVED	2009/02/18	230.000	

**Testing interval is in months;*
0 = No data for this constituent and is DUE NOW
999 = Waived testing (not required)
I = Invalid (NOT) valid analyses reported

System Number: ***2400219***

System Name: ***MERCED NEW LIFE SCHOOL***

PS Code: ***2400219-001***

Source Name: ***WELL #1***

Source Number: ***001***

Source Status: ***ACTIVE UNTREATED***

Water type: ***GROUNDWATER OR WELL***

	STORET NUMBER	TESTING INTERVAL (MONTHS)*	LAST TEST DATE (yyyy/mm/dd)	LAST RESULT REPORTED	NEXT TEST DATE (yyyy/mm)
SECONDARY/GP					
TURBIDITY, LABORATORY	**82079**	**WAIVED**	2009/02/18	**.100**	
ZINC	**01092**	**WAIVED**	2009/02/18	**87.300**	

**Testing interval is in months;*
0 = No data for this constituent and is DUE NOW
999 = Waived testing (not required)
I = Invalid (NOT) valid analyses reported

System Number: ***2400220***

System Name: ***STEVINSON RANCH GOLF CLUB***

PS Code: ***2400220-001***

Source Name: ***WELL #1-NW OF DRIV. RANGE-DRILL 5/20***

Source Number: ***001***

Source Status: ***ACTIVE UNTREATED***

Water type: ***GROUNDWATER OR WELL***

	STORET NUMBER	TESTING INTERVAL (MONTHS)*	LAST TEST DATE (yyyy/mm/dd)	LAST RESULT REPORTED	NEXT TEST DATE (yyyy/mm)
GENERAL NON CHAP 15					
DIAZINON	39570	WAIVED			
INORGANIC					
ALUMINUM	01105	036	2010/06/23	< 50.000	2013/06
ANTIMONY	01097	036	2010/06/23	< 6.000	2013/06
ARSENIC	01002	036	2010/06/23	3.500	2013/06
ASBESTOS	81855	WAIVED			
BARIUM	01007	036	2010/06/23	< 100.000	2013/06
BERYLLIUM	01012	036	2010/06/23	< 1.000	2013/06
CADMIUM	01027	036	2010/06/23	< 1.000	2013/06
CHROMIUM (TOTAL)	01034	036	2010/06/23	1.700	2013/06
CYANIDE	01291	WAIVED			
FLUORIDE (F) (NATURAL-SOURCE)	00951	036	2010/06/23	.580	2013/06
LEAD	01051	WAIVED	2010/06/23	< 5.000	
MERCURY	71900	036	2010/06/23	< .500	2013/06
NICKEL	01067	036	2010/06/23	< 10.000	2013/06
PERCHLORATE	A-031	036	2011/05/19	< .000	2014/05
SELENIUM	01147	036	2010/06/23	< 5.000	2013/06
THALLIUM	01059	036	2010/06/23	< 1.000	2013/06
NITRATE/NITRITE					
NITRATE (AS NO3)	71850	012	2012/03/22	2.800	2013/03
NITRITE (AS N)	00620	036	2010/06/23	< 400.000	2013/06
RADIOLOGICAL					
GROSS ALPHA	01501	WAIVED	2010/06/23	1.400	
GROSS BETA	03501	WAIVED			
RA-226 FOR CWS OR TOTAL RA FOR NTNC BY 903.0	A-080	WAIVED			
RA-226 OR TOTAL RA BY 903.0 C.E.	A-081	WAIVED			
RADIUM 226	09501	WAIVED			
RADIUM 228	11501	WAIVED			

**Testing interval is in months;*
0 = No data for this constituent and is DUE NOW
999 = Waived testing (not required)
I = Invalid (NOT) valid analyses reported

System Number: 2400220
System Name: STEVINSON RANCH GOLF CLUB

PS Code: 2400220-001
Source Name: WELL #1-NW OF DRIV. RANGE-DRILL 5/20
Source Number: 001
Source Status: ACTIVE UNTREATED
Water type: GROUNDWATER OR WELL

	STORET NUMBER	TESTING INTERVAL (MONTHS)*	LAST TEST DATE (yyyy/mm/dd)	LAST RESULT REPORTED	NEXT TEST DATE (yyyy/mm)
RADIOLOGICAL					
RADIUM, TOTAL, MDA95-NTNC ONLY, BY 903.0	A-082	WAIVED			
STRONTIUM-90	13501	WAIVED			
TRITIUM	07000	WAIVED			
URANIUM (PCI/L)	28012	WAIVED	2010/06/23	1.000	
REGULATED SOC					
2,3,7,8-TCDD (DIOXIN)	34676	WAIVED			
2,4,5-TP (SILVEX)	39045	WAIVED			
2,4-D	39730	WAIVED			
ALACHLOR	77825	036	2010/06/23	< 1.000	2013/06
ATRAZINE	39033	036	2010/06/23	< .500	2013/06
BENTAZON	38710	WAIVED			
BENZO (A) PYRENE	34247	WAIVED			
CARBOFURAN	81405	WAIVED			
CHLORDANE	39350	WAIVED	2010/06/23	< .100	
DALAPON	38432	WAIVED			
DI(2-ETHYLHEXYL)ADIPATE	A-026	WAIVED			
DI(2-ETHYLHEXYL)PHTHALATE	39100	WAIVED			
DIBROMOCHLOROPROPANE (DBCP)	38761	036	2010/06/23	.010	2013/06
DINOSEB	81287	WAIVED			
DIQUAT	78885	WAIVED			
ENDOTHALL	38926	WAIVED			
ENDRIN	39390	WAIVED	2010/06/23	< .100	
ETHYLENE DIBROMIDE (EDB)	77651	036	2010/06/23	< .020	2013/06
GLYPHOSATE	79743	WAIVED			
HEPTACHLOR	39410	WAIVED	2010/06/23	< .010	
HEPTACHLOR EPOXIDE	39420	WAIVED	2010/06/23	< .010	
HEXACHLOROBENZENE	39700	WAIVED	2010/06/23	< .500	
HEXACHLOROCYCLOPENTADIENE	34386	WAIVED	2010/06/23	< 1.000	
LINDANE	39340	WAIVED	2010/06/23	< .200	

**Testing interval is in months;*
0 = No data for this constituent and is DUE NOW
999 = Waived testing (not required)
I = Invalid (NOT) valid analyses reported

System Number: ***2400220***

System Name: ***STEVINSON RANCH GOLF CLUB***

PS Code: ***2400220-001***

Source Name: ***WELL #1-NW OF DRIV. RANGE-DRILL 5/20***

Source Number: ***001***

Source Status: ***ACTIVE UNTREATED***

Water type: ***GROUNDWATER OR WELL***

	STORET NUMBER	TESTING INTERVAL (MONTHS)*	LAST TEST DATE (yyyy/mm/dd)	LAST RESULT REPORTED	NEXT TEST DATE (yyyy/mm)
REGULATED SOC					
METHOXYCHLOR	39480	WAIVED	2010/06/23	< 10.000	
MOLINATE	82199	WAIVED			
OXAMYL	38865	WAIVED			
PENTACHLOROPHENOL	39032	WAIVED			
PICLORAM	39720	WAIVED			
POLYCHLORINATED BIPHENYLS, TOTAL, AS DCB	39516	WAIVED	2010/06/23	< .500	
SIMAZINE	39055	036	2010/06/23	< 1.000	2013/06
THIOBENCARB	A-001	WAIVED			
TOXAPHENE	39400	WAIVED	2010/06/23	< 1.000	
REGULATED VOC					
1,1,1-TRICHLOROETHANE	34506	060	2007/06/27	< .500	2012/06
1,1,2,2-TETRACHLOROETHANE	34516	060	2007/06/27	< .500	2012/06
1,1,2-TRICHLORO-1,2,2-TRIFLUOROETHANE	81611	060	2007/06/27	< 10.000	2012/06
1,1,2-TRICHLOROETHANE	34511	060	2007/06/27	< .500	2012/06
1,1-DICHLOROETHANE	34496	060	2007/06/27	< .500	2012/06
1,1-DICHLOROETHYLENE	34501	060	2007/06/27	< .500	2012/06
1,2,4-TRICHLOROBENZENE	34551	060	2007/06/27	< .500	2012/06
1,2-DICHLOROBENZENE	34536	060	2007/06/27	< .500	2012/06
1,2-DICHLOROETHANE	34531	060	2007/06/27	< .500	2012/06
1,2-DICHLOROPROPANE	34541	060	2007/06/27	< .500	2012/06
1,3-DICHLOROPROPENE (TOTAL)	34561	060	2007/06/27	< .500	2012/06
1,4-DICHLOROBENZENE	34571	060	2007/06/27	< .500	2012/06
BENZENE	34030	060	2007/06/27	< .500	2012/06
CARBON TETRACHLORIDE	32102	060	2007/06/27	< .500	2012/06
CIS-1,2-DICHLOROETHYLENE	77093	060	2007/06/27	< .500	2012/06
DICHLOROMETHANE	34423	060	2007/06/27	< .500	2012/06
ETHYLBENZENE	34371	060	2007/06/27	< .500	2012/06
METHYL-TERT-BUTYL-ETHER (MTBE)	46491	060	2007/06/27	< 2.000	2012/06
MONOCHLOROBENZENE	34301	060	2007/06/27	< .500	2012/06

**Testing interval is in months;*
0 = No data for this constituent and is DUE NOW
999 = Waived testing (not required)
I = Invalid (NOT) valid analyses reported

System Number: 2400220
System Name: STEVINSON RANCH GOLF CLUB

PS Code: 2400220-001
Source Name: WELL #1-NW OF DRIV. RANGE-DRILL 5/20
Source Number: 001
Source Status: ACTIVE UNTREATED
Water type: GROUNDWATER OR WELL

	STORET NUMBER	TESTING INTERVAL (MONTHS)*	LAST TEST DATE (yyyy/mm/dd)	LAST RESULT REPORTED	NEXT TEST DATE (yyyy/mm)	
REGULATED VOC						
STYRENE	77128	060	2007/06/27	< .500	2012/06	
TETRACHLOROETHYLENE	34475	060	2007/06/27	< .500	2012/06	
TOLUENE	34010	060	2007/06/27	< .500	2012/06	
TRANS-1,2-DICHLOROETHYLENE	34546	060	2007/06/27	< .500	2012/06	
TRICHLOROETHYLENE	39180	060	2007/06/27	< .500	2012/06	
TRICHLOROFLUOROMETHANE	34488	060	2007/06/27	< .500	2012/06	
VINYL CHLORIDE	39175	060	2007/06/27	< .500	2012/06	
XYLENES (TOTAL)	81551	060	2007/06/27	< .500	2012/06	
SECONDARY/GP						
AGGRSSIVE INDEX (CORROSIVITY)	82383	WAIVED				
BICARBONATE ALKALINITY	00440	000				DUE
CALCIUM	00916	000				DUE
CARBONATE ALKALINITY	00445	000				DUE
CHLORIDE	00940	WAIVED				
COLOR	00081	WAIVED				
COPPER	01042	WAIVED				
FOAMING AGENTS (MBAS)	38260	WAIVED				
HARDNESS (TOTAL) AS CACO3	00900	000				DUE
HYDROXIDE ALKALINITY	71830	000				DUE
IRON	01045	000				DUE
MAGNESIUM	00927	000				DUE
MANGANESE	01055	000				DUE
ODOR THRESHOLD @ 60 C	00086	WAIVED				
PH, LABORATORY	00403	000				DUE
SILVER	01077	WAIVED	2010/06/23	< 10.000		
SODIUM	00929	000				DUE
SPECIFIC CONDUCTANCE	00095	WAIVED	2011/05/19	1100.000		
SULFATE	00945	WAIVED				
TOTAL DISSOLVED SOLIDS	70300	WAIVED				

**Testing interval is in months;*
0 = No data for this constituent and is DUE NOW
999 = Waived testing (not required)
I = Invalid (NOT) valid analyses reported

System Number: ***2400220***

System Name: ***STEVINSON RANCH GOLF CLUB***

PS Code: ***2400220-001***

Source Name: ***WELL #1-NW OF DRIV. RANGE-DRILL 5/20***

Source Number: ***001***

Source Status: ***ACTIVE UNTREATED***

Water type: ***GROUNDWATER OR WELL***

	STORET NUMBER	TESTING INTERVAL (MONTHS)*	LAST TEST DATE (yyyy/mm/dd)	LAST RESULT REPORTED	NEXT TEST DATE (yyyy/mm)
SECONDARY/GP					
TURBIDITY, LABORATORY	82079	WAIVED			
ZINC	01092	WAIVED			

**Testing interval is in months;*
0 = No data for this constituent and is DUE NOW
999 = Waived testing (not required)
I = Invalid (NOT) valid analyses reported

System Number: ***2400222***

System Name: ***9-IRON WATER SYSTEM***

PS Code: ***2400222-001***

Source Name: ***WELL 1 S OF PRACTICE TEES***

Source Number: ***001***

Source Status: ***ACTIVE UNTREATED***

Water type: ***GROUNDWATER OR WELL***

	STORET NUMBER	TESTING INTERVAL (MONTHS)*	LAST TEST DATE (yyyy/mm/dd)	LAST RESULT REPORTED	NEXT TEST DATE (yyyy/mm)
GENERAL NON CHAP 15					
DIAZINON	39570	WAIVED			
INORGANIC					
ALUMINUM	01105	WAIVED			
ANTIMONY	01097	WAIVED			
ARSENIC	01002	WAIVED			
ASBESTOS	81855	WAIVED			
BARIUM	01007	WAIVED			
BERYLLIUM	01012	WAIVED			
CADMIUM	01027	WAIVED			
CHROMIUM (TOTAL)	01034	WAIVED			
CYANIDE	01291	WAIVED			
FLUORIDE (F) (NATURAL-SOURCE)	00951	WAIVED			
LEAD	01051	WAIVED			
MERCURY	71900	WAIVED			
NICKEL	01067	WAIVED			
PERCHLORATE	A-031	WAIVED			
SELENIUM	01147	WAIVED			
THALLIUM	01059	WAIVED			
NITRATE/NITRITE					
NITRATE (AS NO3)	71850	WAIVED			
NITRITE (AS N)	00620	WAIVED			
RADIOLOGICAL					
GROSS ALPHA	01501	WAIVED			
GROSS BETA	03501	WAIVED			
RA-226 FOR CWS OR TOTAL RA FOR NTNC BY 903.0	A-080	WAIVED			
RA-226 OR TOTAL RA BY 903.0 C.E.	A-081	WAIVED			
RADIUM 226	09501	WAIVED			
RADIUM 228	11501	WAIVED			

**Testing interval is in months;*
0 = No data for this constituent and is DUE NOW
999 = Waived testing (not required)
I = Invalid (NOT) valid analyses reported

System Number: ***2400222***

System Name: ***9-IRON WATER SYSTEM***

PS Code: ***2400222-001***

Source Name: ***WELL 1 S OF PRACTICE TEES***

Source Number: ***001***

Source Status: ***ACTIVE UNTREATED***

Water type: ***GROUNDWATER OR WELL***

	STORET NUMBER	TESTING INTERVAL (MONTHS)*	LAST TEST DATE (yyyy/mm/dd)	LAST RESULT REPORTED	NEXT TEST DATE (yyyy/mm)
RADIOLOGICAL					
RADIUM, TOTAL, MDA95-NTNC ONLY, BY 903.0	A-082	WAIVED			
STRONTIUM-90	13501	WAIVED			
TRITIUM	07000	WAIVED			
URANIUM (PCI/L)	28012	WAIVED			
REGULATED SOC					
2,3,7,8-TCDD (DIOXIN)	34676	WAIVED			
2,4,5-TP (SILVEX)	39045	WAIVED			
2,4-D	39730	WAIVED			
ALACHLOR	77825	WAIVED			
ATRAZINE	39033	WAIVED			
BENTAZON	38710	WAIVED			
BENZO (A) PYRENE	34247	WAIVED			
CARBOFURAN	81405	WAIVED			
CHLORDANE	39350	WAIVED			
DALAPON	38432	WAIVED			
DI(2-ETHYLHEXYL)ADIPATE	A-026	WAIVED			
DI(2-ETHYLHEXYL)PHTHALATE	39100	WAIVED			
DIBROMOCHLOROPROPANE (DBCP)	38761	WAIVED			
DINOSEB	81287	WAIVED			
DIQUAT	78885	WAIVED			
ENDOTHALL	38926	WAIVED			
ENDRIN	39390	WAIVED			
ETHYLENE DIBROMIDE (EDB)	77651	WAIVED			
GLYPHOSATE	79743	WAIVED			
HEPTACHLOR	39410	WAIVED			
HEPTACHLOR EPOXIDE	39420	WAIVED			
HEXACHLOROBENZENE	39700	WAIVED			
HEXACHLOROCYCLOPENTADIENE	34386	WAIVED			
LINDANE	39340	WAIVED			

**Testing interval is in months;*
0 = No data for this constituent and is DUE NOW
999 = Waived testing (not required)
I = Invalid (NOT) valid analyses reported

System Number: ***2400222***

System Name: ***9-IRON WATER SYSTEM***

PS Code: ***2400222-001***

Source Name: ***WELL 1 S OF PRACTICE TEES***

Source Number: ***001***

Source Status: ***ACTIVE UNTREATED***

Water type: ***GROUNDWATER OR WELL***

	STORET NUMBER	TESTING INTERVAL (MONTHS)*	LAST TEST DATE (yyyy/mm/dd)	LAST RESULT REPORTED	NEXT TEST DATE (yyyy/mm)
REGULATED SOC					
METHOXYCHLOR	39480	WAIVED			
MOLINATE	82199	WAIVED			
OXAMYL	38865	WAIVED			
PENTACHLOROPHENOL	39032	WAIVED			
PICLORAM	39720	WAIVED			
POLYCHLORINATED BIPHENYLS, TOTAL, AS DCB	39516	WAIVED			
SIMAZINE	39055	WAIVED			
THIOBENCARB	A-001	WAIVED			
TOXAPHENE	39400	WAIVED			
REGULATED VOC					
1,1,1-TRICHLOROETHANE	34506	WAIVED			
1,1,2,2-TETRACHLOROETHANE	34516	WAIVED			
1,1,2-TRICHLORO-1,2,2-TRIFLUOROETHANE	81611	WAIVED			
1,1,2-TRICHLOROETHANE	34511	WAIVED			
1,1-DICHLOROETHANE	34496	WAIVED			
1,1-DICHLOROETHYLENE	34501	WAIVED			
1,2,4-TRICHLOROBENZENE	34551	WAIVED			
1,2-DICHLOROBENZENE	34536	WAIVED			
1,2-DICHLOROETHANE	34531	WAIVED			
1,2-DICHLOROPROPANE	34541	WAIVED			
1,3-DICHLOROPROPENE (TOTAL)	34561	WAIVED			
1,4-DICHLOROBENZENE	34571	WAIVED			
BENZENE	34030	WAIVED			
CARBON TETRACHLORIDE	32102	WAIVED			
CIS-1,2-DICHLOROETHYLENE	77093	WAIVED			
DICHLOROMETHANE	34423	WAIVED			
ETHYLBENZENE	34371	WAIVED			
METHYL-TERT-BUTYL-ETHER (MTBE)	46491	WAIVED			
MONOCHLOROBENZENE	34301	WAIVED			

**Testing interval is in months;*
0 = No data for this constituent and is DUE NOW
999 = Waived testing (not required)
I = Invalid (NOT) valid analyses reported

System Number: ***2400222***

System Name: ***9-IRON WATER SYSTEM***

PS Code: ***2400222-001***

Source Name: ***WELL 1 S OF PRACTICE TEES***

Source Number: ***001***

Source Status: ***ACTIVE UNTREATED***

Water type: ***GROUNDWATER OR WELL***

	STORET NUMBER	TESTING INTERVAL (MONTHS)*	LAST TEST DATE (yyyy/mm/dd)	LAST RESULT REPORTED	NEXT TEST DATE (yyyy/mm)
REGULATED VOC					
STYRENE	77128	WAIVED			
TETRACHLOROETHYLENE	34475	WAIVED			
TOLUENE	34010	WAIVED			
TRANS-1,2-DICHLOROETHYLENE	34546	WAIVED			
TRICHLOROETHYLENE	39180	WAIVED			
TRICHLOROFLUOROMETHANE	34488	WAIVED			
VINYL CHLORIDE	39175	WAIVED			
XYLENES (TOTAL)	81551	WAIVED			
SECONDARY/GP					
AGGRSSIVE INDEX (CORROSIVITY)	82383	WAIVED			
BICARBONATE ALKALINITY	00440	WAIVED			
CALCIUM	00916	WAIVED			
CARBONATE ALKALINITY	00445	WAIVED			
CHLORIDE	00940	WAIVED			
COLOR	00081	WAIVED			
COPPER	01042	WAIVED			
FOAMING AGENTS (MBAS)	38260	WAIVED			
HARDNESS (TOTAL) AS CACO3	00900	WAIVED			
HYDROXIDE ALKALINITY	71830	WAIVED			
IRON	01045	WAIVED			
MAGNESIUM	00927	WAIVED			
MANGANESE	01055	WAIVED			
ODOR THRESHOLD @ 60 C	00086	WAIVED			
PH, LABORATORY	00403	WAIVED			
SILVER	01077	WAIVED			
SODIUM	00929	WAIVED			
SPECIFIC CONDUCTANCE	00095	WAIVED			
SULFATE	00945	WAIVED			
TOTAL DISSOLVED SOLIDS	70300	WAIVED			

**Testing interval is in months;*
0 = No data for this constituent and is DUE NOW
999 = Waived testing (not required)
I = Invalid (NOT) valid analyses reported

System Number: ***2400222***

System Name: ***9-IRON WATER SYSTEM***

PS Code: ***2400222-001***

Source Name: ***WELL 1 S OF PRACTICE TEES***

Source Number: ***001***

Source Status: ***ACTIVE UNTREATED***

Water type: ***GROUNDWATER OR WELL***

	STORET NUMBER	TESTING INTERVAL (MONTHS)*	LAST TEST DATE (yyyy/mm/dd)	LAST RESULT REPORTED	NEXT TEST DATE (yyyy/mm)
SECONDARY/GP					
TURBIDITY, LABORATORY	82079	WAIVED			
ZINC	01092	WAIVED			

**Testing interval is in months;*
0 = No data for this constituent and is DUE NOW
999 = Waived testing (not required)
I = Invalid (NOT) valid analyses reported

System Number: ***2400223***

System Name: ***MINTURN NUT CO., INC.***

PS Code: ***2400223-001***

Source Name: ***WELL #1***

Source Number: ***001***

Source Status: ***ACTIVE UNTREATED***

Water type: ***GROUNDWATER OR WELL***

	STORET NUMBER	TESTING INTERVAL (MONTHS)*	LAST TEST DATE (yyyy/mm/dd)	LAST RESULT REPORTED	NEXT TEST DATE (yyyy/mm)
GENERAL NON CHAP 15					
DIAZINON	39570	WAIVED	2011/11/29	< .000	
INORGANIC					
ALUMINUM	01105	036	2011/11/29	< .000	2014/11
ANTIMONY	01097	036	2011/11/29	< .000	2014/11
ARSENIC	01002	036	2011/11/29	2.500	2014/11
ASBESTOS	81855	WAIVED			
BARIUM	01007	036	2011/11/29	130.000	2014/11
BERYLLIUM	01012	036	2011/11/29	< .000	2014/11
CADMIUM	01027	036	2011/11/29	< .000	2014/11
CHROMIUM (TOTAL)	01034	036	2011/11/29	< .000	2014/11
CYANIDE	01291	WAIVED	2006/12/05	.000	
FLUORIDE (F) (NATURAL-SOURCE)	00951	036	2011/11/29	.200	2014/11
LEAD	01051	WAIVED	2011/11/29	< .000	
MERCURY	71900	036	2011/11/29	< .000	2014/11
NICKEL	01067	036	2011/11/29	< .000	2014/11
PERCHLORATE	A-031	036	2011/02/15	< .000	2014/02
SELENIUM	01147	036	2011/11/29	< .000	2014/11
THALLIUM	01059	036	2011/11/29	< .000	2014/11
NITRATE/NITRITE					
NITRATE (AS NO3)	71850	012	2011/11/29	9.200	2012/11
NITRITE (AS N)	00620	036	2011/11/29	< 400.000	2014/11
RADIOLOGICAL					
GROSS ALPHA	01501	WAIVED	2007/10/11	.000	
GROSS BETA	03501	WAIVED			
RA-226 FOR CWS OR TOTAL RA FOR NTNC BY 903.0	A-080	WAIVED			
RA-226 OR TOTAL RA BY 903.0 C.E.	A-081	WAIVED			
RADIUM 226	09501	WAIVED			
RADIUM 228	11501	WAIVED			

**Testing interval is in months;*
0 = No data for this constituent and is DUE NOW
999 = Waived testing (not required)
I = Invalid (NOT) valid analyses reported

System Number: ***2400223***

System Name: ***MINTURN NUT CO., INC.***

PS Code: ***2400223-001***

Source Name: ***WELL #1***

Source Number: ***001***

Source Status: ***ACTIVE UNTREATED***

Water type: ***GROUNDWATER OR WELL***

	STORET NUMBER	TESTING INTERVAL (MONTHS)*	LAST TEST DATE (yyyy/mm/dd)	LAST RESULT REPORTED	NEXT TEST DATE (yyyy/mm)
RADIOLOGICAL					
RADIUM, TOTAL, MDA95-NTNC ONLY, BY 903.0	A-082	WAIVED			
STRONTIUM-90	13501	WAIVED			
TRITIUM	07000	WAIVED			
URANIUM (PCI/L)	28012	WAIVED			
REGULATED SOC					
2,3,7,8-TCDD (DIOXIN)	34676	WAIVED			
2,4,5-TP (SILVEX)	39045	WAIVED	2006/12/05	.000	
2,4-D	39730	WAIVED	2006/12/05	.000	
ALACHLOR	77825	036	2011/11/29	< .000	2014/11
ATRAZINE	39033	036	2011/11/29	< .000	2014/11
BENTAZON	38710	WAIVED	2006/12/05	.000	
BENZO (A) PYRENE	34247	WAIVED	2011/11/29	< .000	
CARBOFURAN	81405	WAIVED	2006/12/05	.000	
CHLORDANE	39350	WAIVED	2006/12/05	.000	
DALAPON	38432	WAIVED	2006/12/05	.000	
DI(2-ETHYLHEXYL)ADIPATE	A-026	WAIVED	2011/11/29	< .000	
DI(2-ETHYLHEXYL)PHTHALATE	39100	WAIVED	2011/11/29	< .000	
DIBROMOCHLOROPROPANE (DBCP)	38761	036	2011/11/29	.000	2014/11
DINOSEB	81287	WAIVED	2006/12/05	.000	
DIQUAT	78885	WAIVED	2006/12/05	.000	
ENDOTHALL	38926	WAIVED	2006/12/05	.000	
ENDRIN	39390	WAIVED	2006/12/05	.000	
ETHYLENE DIBROMIDE (EDB)	77651	036	2011/11/29	.000	2014/11
GLYPHOSATE	79743	WAIVED	2006/12/05	.000	
HEPTACHLOR	39410	WAIVED	2006/12/05	.000	
HEPTACHLOR EPOXIDE	39420	WAIVED	2006/12/05	.000	
HEXACHLOROBENZENE	39700	WAIVED	2006/12/05	.000	
HEXACHLOROCYCLOPENTADIENE	34386	WAIVED	2006/12/05	.000	
LINDANE	39340	WAIVED	2006/12/05	.000	

**Testing interval is in months;*
0 = No data for this constituent and is DUE NOW
999 = Waived testing (not required)
I = Invalid (NOT) valid analyses reported

System Number: ***2400223***

System Name: ***MINTURN NUT CO., INC.***

PS Code: ***2400223-001***

Source Name: ***WELL #1***

Source Number: ***001***

Source Status: ***ACTIVE UNTREATED***

Water type: ***GROUNDWATER OR WELL***

	STORET NUMBER	TESTING INTERVAL (MONTHS)*	LAST TEST DATE (yyyy/mm/dd)	LAST RESULT REPORTED	NEXT TEST DATE (yyyy/mm)
REGULATED SOC					
METHOXYCHLOR	39480	WAIVED	2006/12/05	.000	
MOLINATE	82199	WAIVED	2011/11/29	< .000	
OXAMYL	38865	WAIVED	2006/12/05	.000	
PENTACHLOROPHENOL	39032	WAIVED	2006/12/05	.000	
PICLORAM	39720	WAIVED	2006/12/05	.000	
POLYCHLORINATED BIPHENYLS, TOTAL, AS DCB	39516	WAIVED	2006/12/05	.000	
SIMAZINE	39055	036	2011/11/29	< .000	2014/11
THIOBENCARB	A-001	WAIVED	2011/11/29	< .000	
TOXAPHENE	39400	WAIVED	2006/12/05	.000	
REGULATED VOC					
1,1,1-TRICHLOROETHANE	34506	060	2012/01/24	< .000	2017/01
1,1,2,2-TETRACHLOROETHANE	34516	060	2012/01/24	< .000	2017/01
1,1,2-TRICHLORO-1,2,2-TRIFLUOROETHANE	81611	060	2012/01/24	< .000	2017/01
1,1,2-TRICHLOROETHANE	34511	060	2012/01/24	< .000	2017/01
1,1-DICHLOROETHANE	34496	060	2012/01/24	< .000	2017/01
1,1-DICHLOROETHYLENE	34501	060	2012/01/24	< .000	2017/01
1,2,4-TRICHLOROBENZENE	34551	060	2012/01/24	< .000	2017/01
1,2-DICHLOROBENZENE	34536	060	2012/01/24	< .000	2017/01
1,2-DICHLOROETHANE	34531	060	2012/01/24	< .000	2017/01
1,2-DICHLOROPROPANE	34541	060	2012/01/24	< .000	2017/01
1,3-DICHLOROPROPENE (TOTAL)	34561	060	2012/01/24	< .000	2017/01
1,4-DICHLOROBENZENE	34571	060	2012/01/24	< .000	2017/01
BENZENE	34030	060	2012/01/24	< .000	2017/01
CARBON TETRACHLORIDE	32102	060	2012/01/24	< .000	2017/01
CIS-1,2-DICHLOROETHYLENE	77093	060	2012/01/24	< .000	2017/01
DICHLOROMETHANE	34423	060	2012/01/24	< .000	2017/01
ETHYLBENZENE	34371	060	2012/01/24	< .000	2017/01
METHYL-TERT-BUTYL-ETHER (MTBE)	46491	060	2012/01/24	< .000	2017/01
MONOCHLOROBENZENE	34301	060	2012/01/24	< .000	2017/01

**Testing interval is in months;*
0 = No data for this constituent and is DUE NOW
999 = Waived testing (not required)
I = Invalid (NOT) valid analyses reported

System Number: ***2400223***

System Name: ***MINTURN NUT CO., INC.***

PS Code: ***2400223-001***

Source Name: ***WELL #1***

Source Number: ***001***

Source Status: ***ACTIVE UNTREATED***

Water type: ***GROUNDWATER OR WELL***

	STORET NUMBER	TESTING INTERVAL (MONTHS)*	LAST TEST DATE (yyyy/mm/dd)	LAST RESULT REPORTED	NEXT TEST DATE (yyyy/mm)
REGULATED VOC					
STYRENE	77128	060	2012/01/24	< .000	2017/01
TETRACHLOROETHYLENE	34475	060	2012/01/24	< .000	2017/01
TOLUENE	34010	060	2012/01/24	< .000	2017/01
TRANS-1,2-DICHLOROETHYLENE	34546	060	2012/01/24	< .000	2017/01
TRICHLOROETHYLENE	39180	060	2012/01/24	< .000	2017/01
TRICHLOROFLUOROMETHANE	34488	060	2012/01/24	< .000	2017/01
VINYL CHLORIDE	39175	060	2012/01/24	< .000	2017/01
XYLENES (TOTAL)	81551	060	2012/01/24	< .000	2017/01
SECONDARY/GP					
AGGRSSIVE INDEX (CORROSIVITY)	82383	WAIVED	2006/12/05	11.000	
BICARBONATE ALKALINITY	00440	WAIVED	2006/12/05	95.000	
CALCIUM	00916	WAIVED	2006/12/05	18.000	
CARBONATE ALKALINITY	00445	WAIVED	2006/12/05	< 1.000	
CHLORIDE	00940	WAIVED	2006/12/05	17.000	
COLOR	00081	WAIVED	2006/12/05	< 1.000	
COPPER	01042	WAIVED	2006/12/05	.000	
FOAMING AGENTS (MBAS)	38260	WAIVED	2006/12/05	< .050	
HARDNESS (TOTAL) AS CACO3	00900	WAIVED	2006/12/05	68.000	
HYDROXIDE ALKALINITY	71830	WAIVED	2006/12/05	< 1.000	
IRON	01045	WAIVED	2006/12/05	.000	
MAGNESIUM	00927	WAIVED	2006/12/05	5.700	
MANGANESE	01055	WAIVED	2006/12/05	.000	
ODOR THRESHOLD @ 60 C	00086	WAIVED	2006/12/05	1.000	
PH, LABORATORY	00403	WAIVED	2006/12/05	7.900	
SILVER	01077	WAIVED	2011/11/29	< .000	
SODIUM	00929	WAIVED	2006/12/05	18.000	
SPECIFIC CONDUCTANCE	00095	WAIVED	2011/02/15	220.000	
SULFATE	00945	WAIVED	2006/12/05	4.900	
TOTAL DISSOLVED SOLIDS	70300	WAIVED	2006/12/05	180.000	

**Testing interval is in months;*
0 = No data for this constituent and is DUE NOW
999 = Waived testing (not required)
I = Invalid (NOT) valid analyses reported

System Number: ***2400223***

System Name: ***MINTURN NUT CO., INC.***

PS Code: ***2400223-001***

Source Name: ***WELL #1***

Source Number: ***001***

Source Status: ***ACTIVE UNTREATED***

Water type: ***GROUNDWATER OR WELL***

	STORET NUMBER	TESTING INTERVAL (MONTHS)*	LAST TEST DATE (yyyy/mm/dd)	LAST RESULT REPORTED	NEXT TEST DATE (yyyy/mm)
SECONDARY/GP					
TURBIDITY, LABORATORY	82079	WAIVED	2006/12/05	< .100	
ZINC	01092	WAIVED	2006/12/05	210.000	

PS Code: ***2400223-007***

Source Name: ***WELL #1***

Source Number: ***007***

Source Status: ***ACTIVE UNTREATED***

Water type: ***GROUNDWATER OR WELL***

GENERAL NON CHAP 15					
DIAZINON	39570	WAIVED			
INORGANIC					
ALUMINUM	01105	WAIVED			
ANTIMONY	01097	WAIVED			
ARSENIC	01002	WAIVED			
ASBESTOS	81855	WAIVED			
BARIUM	01007	WAIVED			
BERYLLIUM	01012	WAIVED			
CADMIUM	01027	WAIVED			
CHROMIUM (TOTAL)	01034	WAIVED			
CYANIDE	01291	WAIVED			
FLUORIDE (F) (NATURAL-SOURCE)	00951	WAIVED			
LEAD	01051	WAIVED			
MERCURY	71900	WAIVED			
NICKEL	01067	WAIVED			
PERCHLORATE	A-031	WAIVED			
SELENIUM	01147	WAIVED			
THALLIUM	01059	WAIVED			

**Testing interval is in months;*
0 = No data for this constituent and is DUE NOW
999 = Waived testing (not required)
I = Invalid (NOT) valid analyses reported

System Number: ***2400223***

System Name: ***MINTURN NUT CO., INC.***

PS Code: ***2400223-007***

Source Name: ***WELL #1***

Source Number: ***007***

Source Status: ***ACTIVE UNTREATED***

Water type: ***GROUNDWATER OR WELL***

	STORET NUMBER	TESTING INTERVAL (MONTHS)*	LAST TEST DATE (yyyy/mm/dd)	LAST RESULT REPORTED	NEXT TEST DATE (yyyy/mm)
NITRATE/NITRITE					
NITRATE (AS NO3)	71850	WAIVED			
NITRITE (AS N)	00620	WAIVED			
RADIOLOGICAL					
GROSS ALPHA	01501	WAIVED			
GROSS BETA	03501	WAIVED			
RA-226 FOR CWS OR TOTAL RA FOR NTNC BY 903.0	A-080	WAIVED			
RA-226 OR TOTAL RA BY 903.0 C.E.	A-081	WAIVED			
RADIUM 226	09501	WAIVED			
RADIUM 228	11501	WAIVED			
RADIUM, TOTAL, MDA95-NTNC ONLY, BY 903.0	A-082	WAIVED			
STRONTIUM-90	13501	WAIVED			
TRITIUM	07000	WAIVED			
URANIUM (PCI/L)	28012	WAIVED			
REGULATED SOC					
2,3,7,8-TCDD (DIOXIN)	34676	WAIVED			
2,4,5-TP (SILVEX)	39045	WAIVED			
2,4-D	39730	WAIVED			
ALACHLOR	77825	WAIVED			
ATRAZINE	39033	WAIVED			
BENTAZON	38710	WAIVED			
BENZO (A) PYRENE	34247	WAIVED			
CARBOFURAN	81405	WAIVED			
CHLORDANE	39350	WAIVED			
DALAPON	38432	WAIVED			
DI(2-ETHYLHEXYL)ADIPATE	A-026	WAIVED			
DI(2-ETHYLHEXYL)PHTHALATE	39100	WAIVED			
DIBROMOCHLOROPROPANE (DBCP)	38761	WAIVED			
DINOSEB	81287	WAIVED			
DIQUAT	78885	WAIVED			

**Testing interval is in months;*
0 = No data for this constituent and is DUE NOW
999 = Waived testing (not required)
I = Invalid (NOT) valid analyses reported

System Number: ***2400223***

System Name: ***MINTURN NUT CO., INC.***

PS Code: ***2400223-007***

Source Name: ***WELL #1***

Source Number: ***007***

Source Status: ***ACTIVE UNTREATED***

Water type: ***GROUNDWATER OR WELL***

	STORET NUMBER	TESTING INTERVAL (MONTHS)*	LAST TEST DATE (yyyy/mm/dd)	LAST RESULT REPORTED	NEXT TEST DATE (yyyy/mm)
REGULATED SOC					
ENDOTHALL	38926	WAIVED			
ENDRIN	39390	WAIVED			
ETHYLENE DIBROMIDE (EDB)	77651	WAIVED			
GLYPHOSATE	79743	WAIVED			
HEPTACHLOR	39410	WAIVED			
HEPTACHLOR EPOXIDE	39420	WAIVED			
HEXACHLOROBENZENE	39700	WAIVED			
HEXACHLOROCYCLOPENTADIENE	34386	WAIVED			
LINDANE	39340	WAIVED			
METHOXYCHLOR	39480	WAIVED			
MOLINATE	82199	WAIVED			
OXAMYL	38865	WAIVED			
PENTACHLOROPHENOL	39032	WAIVED			
PICLORAM	39720	WAIVED			
POLYCHLORINATED BIPHENYLS, TOTAL, AS DCB	39516	WAIVED			
SIMAZINE	39055	WAIVED			
THIOBENCARB	A-001	WAIVED			
TOXAPHENE	39400	WAIVED			
REGULATED VOC					
1,1,1-TRICHLOROETHANE	34506	WAIVED			
1,1,2,2-TETRACHLOROETHANE	34516	WAIVED			
1,1,2-TRICHLORO-1,2,2-TRIFLUOROETHANE	81611	WAIVED			
1,1,2-TRICHLOROETHANE	34511	WAIVED			
1,1-DICHLOROETHANE	34496	WAIVED			
1,1-DICHLOROETHYLENE	34501	WAIVED			
1,2,4-TRICHLOROBENZENE	34551	WAIVED			
1,2-DICHLOROBENZENE	34536	WAIVED			
1,2-DICHLOROETHANE	34531	WAIVED			
1,2-DICHLOROPROPANE	34541	WAIVED			

**Testing interval is in months;*
0 = No data for this constituent and is DUE NOW
999 = Waived testing (not required)
I = Invalid (NOT) valid analyses reported

System Number: ***2400223***

System Name: ***MINTURN NUT CO., INC.***

PS Code: ***2400223-007***

Source Name: ***WELL #1***

Source Number: ***007***

Source Status: ***ACTIVE UNTREATED***

Water type: ***GROUNDWATER OR WELL***

	STORET NUMBER	TESTING INTERVAL (MONTHS)*	LAST TEST DATE (yyyy/mm/dd)	LAST RESULT REPORTED	NEXT TEST DATE (yyyy/mm)
REGULATED VOC					
1,3-DICHLOROPROPENE (TOTAL)	34561	WAIVED			
1,4-DICHLOROBENZENE	34571	WAIVED			
BENZENE	34030	WAIVED			
CARBON TETRACHLORIDE	32102	WAIVED			
CIS-1,2-DICHLOROETHYLENE	77093	WAIVED			
DICHLOROMETHANE	34423	WAIVED			
ETHYLBENZENE	34371	WAIVED			
METHYL-TERT-BUTYL-ETHER (MTBE)	46491	WAIVED			
MONOCHLOROBENZENE	34301	WAIVED			
STYRENE	77128	WAIVED			
TETRACHLOROETHYLENE	34475	WAIVED			
TOLUENE	34010	WAIVED			
TRANS-1,2-DICHLOROETHYLENE	34546	WAIVED			
TRICHLOROETHYLENE	39180	WAIVED			
TRICHLOROFLUOROMETHANE	34488	WAIVED			
VINYL CHLORIDE	39175	WAIVED			
XYLENES (TOTAL)	81551	WAIVED			
SECONDARY/GP					
AGGRSSIVE INDEX (CORROSIVITY)	82383	WAIVED			
BICARBONATE ALKALINITY	00440	WAIVED			
CALCIUM	00916	WAIVED			
CARBONATE ALKALINITY	00445	WAIVED			
CHLORIDE	00940	WAIVED			
COLOR	00081	WAIVED			
COPPER	01042	WAIVED			
FOAMING AGENTS (MBAS)	38260	WAIVED			
HARDNESS (TOTAL) AS CACO3	00900	WAIVED			
HYDROXIDE ALKALINITY	71830	WAIVED			
IRON	01045	WAIVED			

**Testing interval is in months;*
0 = No data for this constituent and is DUE NOW
999 = Waived testing (not required)
I = Invalid (NOT) valid analyses reported

System Number: ***2400223***

System Name: ***MINTURN NUT CO., INC.***

PS Code: ***2400223-007***

Source Name: ***WELL #1***

Source Number: ***007***

Source Status: ***ACTIVE UNTREATED***

Water type: ***GROUNDWATER OR WELL***

SECONDARY/GP	STORET NUMBER	TESTING INTERVAL (MONTHS)*	LAST TEST DATE (yyyy/mm/dd)	LAST RESULT REPORTED	NEXT TEST DATE (yyyy/mm)
MAGNESIUM	00927	WAIVED			
MANGANESE	01055	WAIVED			
ODOR THRESHOLD @ 60 C	00086	WAIVED			
PH, LABORATORY	00403	WAIVED			
SILVER	01077	WAIVED			
SODIUM	00929	WAIVED			
SPECIFIC CONDUCTANCE	00095	WAIVED			
SULFATE	00945	WAIVED			
TOTAL DISSOLVED SOLIDS	70300	WAIVED			
TURBIDITY, LABORATORY	82079	WAIVED			
ZINC	01092	WAIVED			

**Testing interval is in months;*
0 = No data for this constituent and is DUE NOW
999 = Waived testing (not required)
I = Invalid (NOT) valid analyses reported

System Number: ***2400225***

System Name: ***DRISCOLL STRAWBERRY***

PS Code: ***2400225-001***

Source Name: ***WELL #1 NW OF FACILITY***

Source Number: ***001***

Source Status: ***ACTIVE UNTREATED***

Water type: ***GROUNDWATER OR WELL***

	STORET NUMBER	TESTING INTERVAL (MONTHS)*	LAST TEST DATE (yyyy/mm/dd)	LAST RESULT REPORTED	NEXT TEST DATE (yyyy/mm)
GENERAL NON CHAP 15					
DIAZINON	39570	WAIVED			
INORGANIC					
ALUMINUM	01105	WAIVED			
ANTIMONY	01097	WAIVED			
ARSENIC	01002	WAIVED			
ASBESTOS	81855	WAIVED			
BARIUM	01007	WAIVED			
BERYLLIUM	01012	WAIVED			
CADMIUM	01027	WAIVED			
CHROMIUM (TOTAL)	01034	WAIVED			
CYANIDE	01291	WAIVED			
FLUORIDE (F) (NATURAL-SOURCE)	00951	WAIVED			
LEAD	01051	WAIVED			
MERCURY	71900	WAIVED			
NICKEL	01067	WAIVED			
PERCHLORATE	A-031	WAIVED			
SELENIUM	01147	WAIVED			
THALLIUM	01059	WAIVED			
NITRATE/NITRITE					
NITRATE (AS NO3)	71850	WAIVED			
NITRITE (AS N)	00620	WAIVED			
RADIOLOGICAL					
GROSS ALPHA	01501	WAIVED			
GROSS BETA	03501	WAIVED			
RA-226 FOR CWS OR TOTAL RA FOR NTNC BY 903.0	A-080	WAIVED			
RA-226 OR TOTAL RA BY 903.0 C.E.	A-081	WAIVED			
RADIUM 226	09501	WAIVED			
RADIUM 228	11501	WAIVED			

**Testing interval is in months;*
0 = No data for this constituent and is DUE NOW
999 = Waived testing (not required)
I = Invalid (NOT) valid analyses reported

System Number: ***2400225***

System Name: ***DRISCOLL STRAWBERRY***

PS Code: ***2400225-001***

Source Name: ***WELL #1 NW OF FACILITY***

Source Number: ***001***

Source Status: ***ACTIVE UNTREATED***

Water type: ***GROUNDWATER OR WELL***

	STORET NUMBER	TESTING INTERVAL (MONTHS)*	LAST TEST DATE (yyyy/mm/dd)	LAST RESULT REPORTED	NEXT TEST DATE (yyyy/mm)
RADIOLOGICAL					
RADIUM, TOTAL, MDA95-NTNC ONLY, BY 903.0	A-082	WAIVED			
STRONTIUM-90	13501	WAIVED			
TRITIUM	07000	WAIVED			
URANIUM (PCI/L)	28012	WAIVED			
REGULATED SOC					
2,3,7,8-TCDD (DIOXIN)	34676	WAIVED			
2,4,5-TP (SILVEX)	39045	WAIVED			
2,4-D	39730	WAIVED			
ALACHLOR	77825	WAIVED			
ATRAZINE	39033	WAIVED			
BENTAZON	38710	WAIVED			
BENZO (A) PYRENE	34247	WAIVED			
CARBOFURAN	81405	WAIVED			
CHLORDANE	39350	WAIVED			
DALAPON	38432	WAIVED			
DI(2-ETHYLHEXYL)ADIPATE	A-026	WAIVED			
DI(2-ETHYLHEXYL)PHTHALATE	39100	WAIVED			
DIBROMOCHLOROPROPANE (DBCP)	38761	WAIVED			
DINOSEB	81287	WAIVED			
DIQUAT	78885	WAIVED			
ENDOTHALL	38926	WAIVED			
ENDRIN	39390	WAIVED			
ETHYLENE DIBROMIDE (EDB)	77651	WAIVED			
GLYPHOSATE	79743	WAIVED			
HEPTACHLOR	39410	WAIVED			
HEPTACHLOR EPOXIDE	39420	WAIVED			
HEXACHLOROBENZENE	39700	WAIVED			
HEXACHLOROCYCLOPENTADIENE	34386	WAIVED			
LINDANE	39340	WAIVED			

**Testing interval is in months;*
0 = No data for this constituent and is DUE NOW
999 = Waived testing (not required)
I = Invalid (NOT) valid analyses reported

System Number: ***2400225***

System Name: ***DRISCOLL STRAWBERRY***

PS Code: ***2400225-001***

Source Name: ***WELL #1 NW OF FACILITY***

Source Number: ***001***

Source Status: ***ACTIVE UNTREATED***

Water type: ***GROUNDWATER OR WELL***

	STORET NUMBER	TESTING INTERVAL (MONTHS)*	LAST TEST DATE (yyyy/mm/dd)	LAST RESULT REPORTED	NEXT TEST DATE (yyyy/mm)
REGULATED SOC					
METHOXYCHLOR	39480	WAIVED			
MOLINATE	82199	WAIVED			
OXAMYL	38865	WAIVED			
PENTACHLOROPHENOL	39032	WAIVED			
PICLORAM	39720	WAIVED			
POLYCHLORINATED BIPHENYLS, TOTAL, AS DCB	39516	WAIVED			
SIMAZINE	39055	WAIVED			
THIOBENCARB	A-001	WAIVED			
TOXAPHENE	39400	WAIVED			
REGULATED VOC					
1,1,1-TRICHLOROETHANE	34506	WAIVED			
1,1,2,2-TETRACHLOROETHANE	34516	WAIVED			
1,1,2-TRICHLORO-1,2,2-TRIFLUOROETHANE	81611	WAIVED			
1,1,2-TRICHLOROETHANE	34511	WAIVED			
1,1-DICHLOROETHANE	34496	WAIVED			
1,1-DICHLOROETHYLENE	34501	WAIVED			
1,2,4-TRICHLOROBENZENE	34551	WAIVED			
1,2-DICHLOROBENZENE	34536	WAIVED			
1,2-DICHLOROETHANE	34531	WAIVED			
1,2-DICHLOROPROPANE	34541	WAIVED			
1,3-DICHLOROPROPENE (TOTAL)	34561	WAIVED			
1,4-DICHLOROBENZENE	34571	WAIVED			
BENZENE	34030	WAIVED			
CARBON TETRACHLORIDE	32102	WAIVED			
CIS-1,2-DICHLOROETHYLENE	77093	WAIVED			
DICHLOROMETHANE	34423	WAIVED			
ETHYLBENZENE	34371	WAIVED			
METHYL-TERT-BUTYL-ETHER (MTBE)	46491	WAIVED			
MONOCHLOROBENZENE	34301	WAIVED			

**Testing interval is in months;*
0 = No data for this constituent and is DUE NOW
999 = Waived testing (not required)
I = Invalid (NOT) valid analyses reported

System Number: ***2400225***

System Name: ***DRISCOLL STRAWBERRY***

PS Code: ***2400225-001***

Source Name: ***WELL #1 NW OF FACILITY***

Source Number: ***001***

Source Status: ***ACTIVE UNTREATED***

Water type: ***GROUNDWATER OR WELL***

	STORET NUMBER	TESTING INTERVAL (MONTHS)*	LAST TEST DATE (yyyy/mm/dd)	LAST RESULT REPORTED	NEXT TEST DATE (yyyy/mm)
REGULATED VOC					
STYRENE	77128	WAIVED			
TETRACHLOROETHYLENE	34475	WAIVED			
TOLUENE	34010	WAIVED			
TRANS-1,2-DICHLOROETHYLENE	34546	WAIVED			
TRICHLOROETHYLENE	39180	WAIVED			
TRICHLOROFLUOROMETHANE	34488	WAIVED			
VINYL CHLORIDE	39175	WAIVED			
XYLENES (TOTAL)	81551	WAIVED			
SECONDARY/GP					
AGGRSSIVE INDEX (CORROSIVITY)	82383	WAIVED			
BICARBONATE ALKALINITY	00440	WAIVED			
CALCIUM	00916	WAIVED			
CARBONATE ALKALINITY	00445	WAIVED			
CHLORIDE	00940	WAIVED			
COLOR	00081	WAIVED			
COPPER	01042	WAIVED			
FOAMING AGENTS (MBAS)	38260	WAIVED			
HARDNESS (TOTAL) AS CACO3	00900	WAIVED			
HYDROXIDE ALKALINITY	71830	WAIVED			
IRON	01045	WAIVED			
MAGNESIUM	00927	WAIVED			
MANGANESE	01055	WAIVED			
ODOR THRESHOLD @ 60 C	00086	WAIVED			
PH, LABORATORY	00403	WAIVED			
SILVER	01077	WAIVED			
SODIUM	00929	WAIVED			
SPECIFIC CONDUCTANCE	00095	WAIVED			
SULFATE	00945	WAIVED			
TOTAL DISSOLVED SOLIDS	70300	WAIVED			

**Testing interval is in months;*
0 = No data for this constituent and is DUE NOW
999 = Waived testing (not required)
I = Invalid (NOT) valid analyses reported

System Number: ***2400225***

System Name: ***DRISCOLL STRAWBERRY***

PS Code: ***2400225-001***

Source Name: ***WELL #1 NW OF FACILITY***

Source Number: ***001***

Source Status: ***ACTIVE UNTREATED***

Water type: ***GROUNDWATER OR WELL***

	STORET NUMBER	TESTING INTERVAL (MONTHS)*	LAST TEST DATE (yyyy/mm/dd)	LAST RESULT REPORTED	NEXT TEST DATE (yyyy/mm)
SECONDARY/GP					
TURBIDITY, LABORATORY	82079	WAIVED			
ZINC	01092	WAIVED			

**Testing interval is in months;*
0 = No data for this constituent and is DUE NOW
999 = Waived testing (not required)
I = Invalid (NOT) valid analyses reported

System Number: ***2400226***

System Name: ***HW NEWPORT (FKA GOLD HILLS NUT)***

PS Code: ***2400226-001***

Source Name: ***WELL 1***

Source Number: ***001***

Source Status: ***ACTIVE UNTREATED***

Water type: ***GROUNDWATER OR WELL***

	STORET NUMBER	TESTING INTERVAL (MONTHS)*	LAST TEST DATE (yyyy/mm/dd)	LAST RESULT REPORTED	NEXT TEST DATE (yyyy/mm)
GENERAL NON CHAP 15					
DIAZINON	39570	WAIVED	2008/10/06	< .030	
INORGANIC					
ALUMINUM	01105	036	2011/10/24	.000	2014/10
ANTIMONY	01097	036	2011/10/24	.000	2014/10
ARSENIC	01002	036	2011/10/24	3.300	2014/10
ASBESTOS	81855	WAIVED			
BARIUM	01007	036	2011/10/24	54.400	2014/10
BERYLLIUM	01012	036	2011/10/24	.000	2014/10
CADMIUM	01027	036	2011/10/24	.000	2014/10
CHROMIUM (TOTAL)	01034	036	2011/10/24	3.300	2014/10
CYANIDE	01291	WAIVED			
FLUORIDE (F) (NATURAL-SOURCE)	00951	036	2011/10/24	< .100	2014/10
LEAD	01051	WAIVED	2011/10/24	.000	
MERCURY	71900	036	2011/10/24	.000	2014/10
NICKEL	01067	036	2011/10/24	.000	2014/10
PERCHLORATE	A-031	036	2011/10/24	< 4.000	2014/10
SELENIUM	01147	036	2011/10/24	.000	2014/10
THALLIUM	01059	036	2011/10/24	.000	2014/10
NITRATE/NITRITE					
NITRATE (AS NO3)	71850	012	2011/10/24	6.500	2012/10
NITRITE (AS N)	00620	036	2011/10/24	< 100.000	2014/10
RADIOLOGICAL					
GROSS ALPHA	01501	WAIVED	2007/07/31	.320	
GROSS BETA	03501	WAIVED			
RA-226 FOR CWS OR TOTAL RA FOR NTNC BY 903.0	A-080	WAIVED			
RA-226 OR TOTAL RA BY 903.0 C.E.	A-081	WAIVED			
RADIUM 226	09501	WAIVED			
RADIUM 228	11501	WAIVED			

**Testing interval is in months;*
0 = No data for this constituent and is DUE NOW
999 = Waived testing (not required)
I = Invalid (NOT) valid analyses reported

System Number: ***2400226***

System Name: ***HW NEWPORT (FKA GOLD HILLS NUT)***

PS Code: ***2400226-001***

Source Name: ***WELL 1***

Source Number: ***001***

Source Status: ***ACTIVE UNTREATED***

Water type: ***GROUNDWATER OR WELL***

	STORET NUMBER	TESTING INTERVAL (MONTHS)*	LAST TEST DATE (yyyy/mm/dd)	LAST RESULT REPORTED	NEXT TEST DATE (yyyy/mm)
RADIOLOGICAL					
RADIUM, TOTAL, MDA95-NTNC ONLY, BY 903.0	A-082	WAIVED			
STRONTIUM-90	13501	WAIVED			
TRITIUM	07000	WAIVED			
URANIUM (PCI/L)	28012	WAIVED			
REGULATED SOC					
2,3,7,8-TCDD (DIOXIN)	34676	WAIVED			
2,4,5-TP (SILVEX)	39045	WAIVED			
2,4-D	39730	WAIVED			
ALACHLOR	77825	036	2011/10/24	.000	2014/10
ATRAZINE	39033	036	2011/10/24	.000	2014/10
BENTAZON	38710	WAIVED			
BENZO (A) PYRENE	34247	WAIVED			
CARBOFURAN	81405	WAIVED			
CHLORDANE	39350	WAIVED	2009/01/21	.000	
DALAPON	38432	WAIVED			
DI(2-ETHYLHEXYL)ADIPATE	A-026	WAIVED			
DI(2-ETHYLHEXYL)PHTHALATE	39100	WAIVED			
DIBROMOCHLOROPROPANE (DBCP)	38761	036	2011/10/24	.000	2014/10
DINOSEB	81287	WAIVED			
DIQUAT	78885	WAIVED			
ENDOTHALL	38926	WAIVED			
ENDRIN	39390	WAIVED	2009/01/21	.000	
ETHYLENE DIBROMIDE (EDB)	77651	036	2011/10/24	.000	2014/10
GLYPHOSATE	79743	WAIVED			
HEPTACHLOR	39410	WAIVED	2009/01/21	.000	
HEPTACHLOR EPOXIDE	39420	WAIVED	2009/01/21	.000	
HEXACHLOROBENZENE	39700	WAIVED	2009/01/21	.000	
HEXACHLOROCYCLOPENTADIENE	34386	WAIVED	2009/01/21	.000	
LINDANE	39340	WAIVED	2009/01/21	.000	

**Testing interval is in months;*
0 = No data for this constituent and is DUE NOW
999 = Waived testing (not required)
I = Invalid (NOT) valid analyses reported

System Number: ***2400226***

System Name: ***HW NEWPORT (FKA GOLD HILLS NUT)***

PS Code: ***2400226-001***

Source Name: ***WELL 1***

Source Number: ***001***

Source Status: ***ACTIVE UNTREATED***

Water type: ***GROUNDWATER OR WELL***

	STORET NUMBER	TESTING INTERVAL (MONTHS)*	LAST TEST DATE (yyyy/mm/dd)	LAST RESULT REPORTED	NEXT TEST DATE (yyyy/mm)
REGULATED SOC					
METHOXYCHLOR	39480	WAIVED	2009/01/21	.000	
MOLINATE	82199	WAIVED	2008/10/06	.000	
OXAMYL	38865	WAIVED			
PENTACHLOROPHENOL	39032	WAIVED			
PICLORAM	39720	WAIVED			
POLYCHLORINATED BIPHENYLS, TOTAL, AS DCB	39516	WAIVED			
SIMAZINE	39055	036	2011/10/24	.000	2014/10
THIOBENCARB	A-001	WAIVED	2008/10/06	.000	
TOXAPHENE	39400	WAIVED	2009/01/21	.000	
REGULATED VOC					
1,1,1-TRICHLOROETHANE	34506	060	2011/10/24	.000	2016/10
1,1,2,2-TETRACHLOROETHANE	34516	060	2011/10/24	.000	2016/10
1,1,2-TRICHLORO-1,2,2-TRIFLUOROETHANE	81611	060	2011/10/24	.000	2016/10
1,1,2-TRICHLOROETHANE	34511	060	2011/10/24	.000	2016/10
1,1-DICHLOROETHANE	34496	060	2011/10/24	.000	2016/10
1,1-DICHLOROETHYLENE	34501	060	2011/10/24	.000	2016/10
1,2,4-TRICHLOROBENZENE	34551	060	2011/10/24	.000	2016/10
1,2-DICHLOROBENZENE	34536	060	2011/10/24	.000	2016/10
1,2-DICHLOROETHANE	34531	060	2011/10/24	.000	2016/10
1,2-DICHLOROPROPANE	34541	060	2011/10/24	.000	2016/10
1,3-DICHLOROPROPENE (TOTAL)	34561	060	2011/10/24	.000	2016/10
1,4-DICHLOROBENZENE	34571	060	2011/10/24	.000	2016/10
BENZENE	34030	060	2011/10/24	.000	2016/10
CARBON TETRACHLORIDE	32102	060	2011/10/24	.000	2016/10
CIS-1,2-DICHLOROETHYLENE	77093	060	2011/10/24	.000	2016/10
DICHLOROMETHANE	34423	060	2011/10/24	.000	2016/10
ETHYLBENZENE	34371	060	2011/10/24	.000	2016/10
METHYL-TERT-BUTYL-ETHER (MTBE)	46491	060	2011/10/24	.000	2016/10
MONOCHLOROBENZENE	34301	060	2011/10/24	.000	2016/10

**Testing interval is in months;*
0 = No data for this constituent and is DUE NOW
999 = Waived testing (not required)
I = Invalid (NOT) valid analyses reported

System Number: ***2400226***

System Name: ***HW NEWPORT (FKA GOLD HILLS NUT)***

PS Code: ***2400226-001***

Source Name: ***WELL 1***

Source Number: ***001***

Source Status: ***ACTIVE UNTREATED***

Water type: ***GROUNDWATER OR WELL***

	STORET NUMBER	TESTING INTERVAL (MONTHS)*	LAST TEST DATE (yyyy/mm/dd)	LAST RESULT REPORTED	NEXT TEST DATE (yyyy/mm)	
REGULATED VOC						
STYRENE	77128	060	2011/10/24	.000	2016/10	
TETRACHLOROETHYLENE	34475	060	2011/10/24	.000	2016/10	
TOLUENE	34010	060	2011/10/24	.000	2016/10	
TRANS-1,2-DICHLOROETHYLENE	34546	060	2011/10/24	.000	2016/10	
TRICHLOROETHYLENE	39180	060	2011/10/24	.000	2016/10	
TRICHLOROFLUOROMETHANE	34488	060	2011/10/24	.000	2016/10	
VINYL CHLORIDE	39175	060	2011/10/24	.000	2016/10	
XYLENES (TOTAL)	81551	060	2011/10/24	.000	2016/10	
SECONDARY/GP						
AGGRSSIVE INDEX (CORROSIVITY)	82383	WAIVED				
BICARBONATE ALKALINITY	00440	000				DUE
CALCIUM	00916	000				DUE
CARBONATE ALKALINITY	00445	000				DUE
CHLORIDE	00940	WAIVED				
COLOR	00081	WAIVED				
COPPER	01042	WAIVED				
FOAMING AGENTS (MBAS)	38260	WAIVED				
HARDNESS (TOTAL) AS CACO3	00900	000				DUE
HYDROXIDE ALKALINITY	71830	000				DUE
IRON	01045	000				DUE
MAGNESIUM	00927	000				DUE
MANGANESE	01055	000				DUE
ODOR THRESHOLD @ 60 C	00086	WAIVED				
PH, LABORATORY	00403	000				DUE
SILVER	01077	WAIVED	2011/10/24	.000		
SODIUM	00929	000				DUE
SPECIFIC CONDUCTANCE	00095	WAIVED				
SULFATE	00945	WAIVED				
TOTAL DISSOLVED SOLIDS	70300	WAIVED				

**Testing interval is in months;*
0 = No data for this constituent and is DUE NOW
999 = Waived testing (not required)
I = Invalid (NOT) valid analyses reported

System Number: ***2400226***

System Name: ***HW NEWPORT (FKA GOLD HILLS NUT)***

PS Code: ***2400226-001***

Source Name: ***WELL 1***

Source Number: ***001***

Source Status: ***ACTIVE UNTREATED***

Water type: ***GROUNDWATER OR WELL***

	STORET NUMBER	TESTING INTERVAL (MONTHS)*	LAST TEST DATE (yyyy/mm/dd)	LAST RESULT REPORTED	NEXT TEST DATE (yyyy/mm)
SECONDARY/GP					
TURBIDITY, LABORATORY	82079	WAIVED			
ZINC	01092	WAIVED			

**Testing interval is in months;*
0 = No data for this constituent and is DUE NOW
999 = Waived testing (not required)
I = Invalid (NOT) valid analyses reported

System Number: ***2400232***

System Name: ***A V THOMAS PRODUCE, INC.***

PS Code: ***2400232-001***

Source Name: ***WELL 1 NORTH (DRILLED 2007)***

Source Number: ***001***

Source Status: ***ACTIVE UNTREATED***

Water type: ***GROUNDWATER OR WELL***

	STORET NUMBER	TESTING INTERVAL (MONTHS)*	LAST TEST DATE (yyyy/mm/dd)	LAST RESULT REPORTED	NEXT TEST DATE (yyyy/mm)
GENERAL NON CHAP 15					
DIAZINON	39570	WAIVED			
INORGANIC					
ALUMINUM	01105	WAIVED			
ANTIMONY	01097	WAIVED			
ARSENIC	01002	WAIVED			
ASBESTOS	81855	WAIVED			
BARIUM	01007	WAIVED			
BERYLLIUM	01012	WAIVED			
CADMIUM	01027	WAIVED			
CHROMIUM (TOTAL)	01034	WAIVED			
CYANIDE	01291	WAIVED			
FLUORIDE (F) (NATURAL-SOURCE)	00951	WAIVED			
LEAD	01051	WAIVED			
MERCURY	71900	WAIVED			
NICKEL	01067	WAIVED			
PERCHLORATE	A-031	WAIVED			
SELENIUM	01147	WAIVED			
THALLIUM	01059	WAIVED			
NITRATE/NITRITE					
NITRATE (AS NO3)	71850	WAIVED			
NITRITE (AS N)	00620	WAIVED			
RADIOLOGICAL					
GROSS ALPHA	01501	WAIVED			
GROSS BETA	03501	WAIVED			
RA-226 FOR CWS OR TOTAL RA FOR NTNC BY 903.0	A-080	WAIVED			
RA-226 OR TOTAL RA BY 903.0 C.E.	A-081	WAIVED			
RADIUM 226	09501	WAIVED			
RADIUM 228	11501	WAIVED			

**Testing interval is in months;*
0 = No data for this constituent and is DUE NOW
999 = Waived testing (not required)
I = Invalid (NOT) valid analyses reported

System Number: ***2400232***

System Name: ***A V THOMAS PRODUCE, INC.***

PS Code: ***2400232-001***

Source Name: ***WELL 1 NORTH (DRILLED 2007)***

Source Number: ***001***

Source Status: ***ACTIVE UNTREATED***

Water type: ***GROUNDWATER OR WELL***

	STORET NUMBER	TESTING INTERVAL (MONTHS)*	LAST TEST DATE (yyyy/mm/dd)	LAST RESULT REPORTED	NEXT TEST DATE (yyyy/mm)
RADIOLOGICAL					
RADIUM, TOTAL, MDA95-NTNC ONLY, BY 903.0	A-082	WAIVED			
STRONTIUM-90	13501	WAIVED			
TRITIUM	07000	WAIVED			
URANIUM (PCI/L)	28012	WAIVED			
REGULATED SOC					
2,3,7,8-TCDD (DIOXIN)	34676	WAIVED			
2,4,5-TP (SILVEX)	39045	WAIVED			
2,4-D	39730	WAIVED			
ALACHLOR	77825	WAIVED			
ATRAZINE	39033	WAIVED			
BENTAZON	38710	WAIVED			
BENZO (A) PYRENE	34247	WAIVED			
CARBOFURAN	81405	WAIVED			
CHLORDANE	39350	WAIVED			
DALAPON	38432	WAIVED			
DI(2-ETHYLHEXYL)ADIPATE	A-026	WAIVED			
DI(2-ETHYLHEXYL)PHTHALATE	39100	WAIVED			
DIBROMOCHLOROPROPANE (DBCP)	38761	WAIVED			
DINOSEB	81287	WAIVED			
DIQUAT	78885	WAIVED			
ENDOTHALL	38926	WAIVED			
ENDRIN	39390	WAIVED			
ETHYLENE DIBROMIDE (EDB)	77651	WAIVED			
GLYPHOSATE	79743	WAIVED			
HEPTACHLOR	39410	WAIVED			
HEPTACHLOR EPOXIDE	39420	WAIVED			
HEXACHLOROBENZENE	39700	WAIVED			
HEXACHLOROCYCLOPENTADIENE	34386	WAIVED			
LINDANE	39340	WAIVED			

**Testing interval is in months;*
0 = No data for this constituent and is DUE NOW
999 = Waived testing (not required)
I = Invalid (NOT) valid analyses reported

System Number: ***2400232***

System Name: ***A V THOMAS PRODUCE, INC.***

PS Code: ***2400232-001***

Source Name: ***WELL 1 NORTH (DRILLED 2007)***

Source Number: ***001***

Source Status: ***ACTIVE UNTREATED***

Water type: ***GROUNDWATER OR WELL***

	STORET NUMBER	TESTING INTERVAL (MONTHS)*	LAST TEST DATE (yyyy/mm/dd)	LAST RESULT REPORTED	NEXT TEST DATE (yyyy/mm)
REGULATED SOC					
METHOXYCHLOR	39480	WAIVED			
MOLINATE	82199	WAIVED			
OXAMYL	38865	WAIVED			
PENTACHLOROPHENOL	39032	WAIVED			
PICLORAM	39720	WAIVED			
POLYCHLORINATED BIPHENYLS, TOTAL, AS DCB	39516	WAIVED			
SIMAZINE	39055	WAIVED			
THIOBENCARB	A-001	WAIVED			
TOXAPHENE	39400	WAIVED			
REGULATED VOC					
1,1,1-TRICHLOROETHANE	34506	WAIVED			
1,1,2,2-TETRACHLOROETHANE	34516	WAIVED			
1,1,2-TRICHLORO-1,2,2-TRIFLUOROETHANE	81611	WAIVED			
1,1,2-TRICHLOROETHANE	34511	WAIVED			
1,1-DICHLOROETHANE	34496	WAIVED			
1,1-DICHLOROETHYLENE	34501	WAIVED			
1,2,4-TRICHLOROBENZENE	34551	WAIVED			
1,2-DICHLOROBENZENE	34536	WAIVED			
1,2-DICHLOROETHANE	34531	WAIVED			
1,2-DICHLOROPROPANE	34541	WAIVED			
1,3-DICHLOROPROPENE (TOTAL)	34561	WAIVED			
1,4-DICHLOROBENZENE	34571	WAIVED			
BENZENE	34030	WAIVED			
CARBON TETRACHLORIDE	32102	WAIVED			
CIS-1,2-DICHLOROETHYLENE	77093	WAIVED			
DICHLOROMETHANE	34423	WAIVED			
ETHYLBENZENE	34371	WAIVED			
METHYL-TERT-BUTYL-ETHER (MTBE)	46491	WAIVED			
MONOCHLOROBENZENE	34301	WAIVED			

**Testing interval is in months;*
0 = No data for this constituent and is DUE NOW
999 = Waived testing (not required)
I = Invalid (NOT) valid analyses reported

System Number: ***2400232***

System Name: ***A V THOMAS PRODUCE, INC.***

PS Code: ***2400232-001***

Source Name: ***WELL 1 NORTH (DRILLED 2007)***

Source Number: ***001***

Source Status: ***ACTIVE UNTREATED***

Water type: ***GROUNDWATER OR WELL***

	STORET NUMBER	TESTING INTERVAL (MONTHS)*	LAST TEST DATE (yyyy/mm/dd)	LAST RESULT REPORTED	NEXT TEST DATE (yyyy/mm)
REGULATED VOC					
STYRENE	77128	WAIVED			
TETRACHLOROETHYLENE	34475	WAIVED			
TOLUENE	34010	WAIVED			
TRANS-1,2-DICHLOROETHYLENE	34546	WAIVED			
TRICHLOROETHYLENE	39180	WAIVED			
TRICHLOROFLUOROMETHANE	34488	WAIVED			
VINYL CHLORIDE	39175	WAIVED			
XYLENES (TOTAL)	81551	WAIVED			
SECONDARY/GP					
AGGRSSIVE INDEX (CORROSIVITY)	82383	WAIVED			
BICARBONATE ALKALINITY	00440	WAIVED			
CALCIUM	00916	WAIVED			
CARBONATE ALKALINITY	00445	WAIVED			
CHLORIDE	00940	WAIVED			
COLOR	00081	WAIVED			
COPPER	01042	WAIVED			
FOAMING AGENTS (MBAS)	38260	WAIVED			
HARDNESS (TOTAL) AS CACO3	00900	WAIVED			
HYDROXIDE ALKALINITY	71830	WAIVED			
IRON	01045	WAIVED			
MAGNESIUM	00927	WAIVED			
MANGANESE	01055	WAIVED			
ODOR THRESHOLD @ 60 C	00086	WAIVED			
PH, LABORATORY	00403	WAIVED			
SILVER	01077	WAIVED			
SODIUM	00929	WAIVED			
SPECIFIC CONDUCTANCE	00095	WAIVED			
SULFATE	00945	WAIVED			
TOTAL DISSOLVED SOLIDS	70300	WAIVED			

**Testing interval is in months;*
0 = No data for this constituent and is DUE NOW
999 = Waived testing (not required)
I = Invalid (NOT) valid analyses reported

System Number: ***2400232***

System Name: ***A V THOMAS PRODUCE, INC.***

PS Code: ***2400232-001***

Source Name: ***WELL 1 NORTH (DRILLED 2007)***

Source Number: ***001***

Source Status: ***ACTIVE UNTREATED***

Water type: ***GROUNDWATER OR WELL***

	STORET NUMBER	TESTING INTERVAL (MONTHS)*	LAST TEST DATE (yyyy/mm/dd)	LAST RESULT REPORTED	NEXT TEST DATE (yyyy/mm)
SECONDARY/GP					
TURBIDITY, LABORATORY	82079	WAIVED			
ZINC	01092	WAIVED			

PS Code: ***2400232-002***

Source Name: ***WELL 2 SOUTH (DRILLED 1987)***

Source Number: ***002***

Source Status: ***ACTIVE UNTREATED***

Water type: ***GROUNDWATER OR WELL***

GENERAL NON CHAP 15					
DIAZINON	39570	WAIVED			
INORGANIC					
ALUMINUM	01105	WAIVED			
ANTIMONY	01097	WAIVED			
ARSENIC	01002	WAIVED			
ASBESTOS	81855	WAIVED			
BARIUM	01007	WAIVED			
BERYLLIUM	01012	WAIVED			
CADMIUM	01027	WAIVED			
CHROMIUM (TOTAL)	01034	WAIVED			
CYANIDE	01291	WAIVED			
FLUORIDE (F) (NATURAL-SOURCE)	00951	WAIVED			
LEAD	01051	WAIVED			
MERCURY	71900	WAIVED			
NICKEL	01067	WAIVED			
PERCHLORATE	A-031	WAIVED			
SELENIUM	01147	WAIVED			
THALLIUM	01059	WAIVED			

**Testing interval is in months;*
0 = No data for this constituent and is DUE NOW
999 = Waived testing (not required)
I = Invalid (NOT) valid analyses reported

System Number: ***2400232***

System Name: ***A V THOMAS PRODUCE, INC.***

PS Code: ***2400232-002***

Source Name: ***WELL 2 SOUTH (DRILLED 1987)***

Source Number: ***002***

Source Status: ***ACTIVE UNTREATED***

Water type: ***GROUNDWATER OR WELL***

	STORET NUMBER	TESTING INTERVAL (MONTHS)*	LAST TEST DATE (yyyy/mm/dd)	LAST RESULT REPORTED	NEXT TEST DATE (yyyy/mm)
NITRATE/NITRITE					
NITRATE (AS NO3)	71850	WAIVED			
NITRITE (AS N)	00620	WAIVED			
RADIOLOGICAL					
GROSS ALPHA	01501	WAIVED			
GROSS BETA	03501	WAIVED			
RA-226 FOR CWS OR TOTAL RA FOR NTNC BY 903.0	A-080	WAIVED			
RA-226 OR TOTAL RA BY 903.0 C.E.	A-081	WAIVED			
RADIUM 226	09501	WAIVED			
RADIUM 228	11501	WAIVED			
RADIUM, TOTAL, MDA95-NTNC ONLY, BY 903.0	A-082	WAIVED			
STRONTIUM-90	13501	WAIVED			
TRITIUM	07000	WAIVED			
URANIUM (PCI/L)	28012	WAIVED			
REGULATED SOC					
2,3,7,8-TCDD (DIOXIN)	34676	WAIVED			
2,4,5-TP (SILVEX)	39045	WAIVED			
2,4-D	39730	WAIVED			
ALACHLOR	77825	WAIVED			
ATRAZINE	39033	WAIVED			
BENTAZON	38710	WAIVED			
BENZO (A) PYRENE	34247	WAIVED			
CARBOFURAN	81405	WAIVED			
CHLORDANE	39350	WAIVED			
DALAPON	38432	WAIVED			
DI(2-ETHYLHEXYL)ADIPATE	A-026	WAIVED			
DI(2-ETHYLHEXYL)PHTHALATE	39100	WAIVED			
DIBROMOCHLOROPROPANE (DBCP)	38761	WAIVED			
DINOSEB	81287	WAIVED			
DIQUAT	78885	WAIVED			

**Testing interval is in months;*
0 = No data for this constituent and is DUE NOW
999 = Waived testing (not required)
I = Invalid (NOT) valid analyses reported

System Number: ***2400232***

System Name: ***A V THOMAS PRODUCE, INC.***

PS Code: ***2400232-002***

Source Name: ***WELL 2 SOUTH (DRILLED 1987)***

Source Number: ***002***

Source Status: ***ACTIVE UNTREATED***

Water type: ***GROUNDWATER OR WELL***

	STORET NUMBER	TESTING INTERVAL (MONTHS)*	LAST TEST DATE (yyyy/mm/dd)	LAST RESULT REPORTED	NEXT TEST DATE (yyyy/mm)
REGULATED SOC					
ENDOTHALL	38926	WAIVED			
ENDRIN	39390	WAIVED			
ETHYLENE DIBROMIDE (EDB)	77651	WAIVED			
GLYPHOSATE	79743	WAIVED			
HEPTACHLOR	39410	WAIVED			
HEPTACHLOR EPOXIDE	39420	WAIVED			
HEXACHLOROBENZENE	39700	WAIVED			
HEXACHLOROCYCLOPENTADIENE	34386	WAIVED			
LINDANE	39340	WAIVED			
METHOXYCHLOR	39480	WAIVED			
MOLINATE	82199	WAIVED			
OXAMYL	38865	WAIVED			
PENTACHLOROPHENOL	39032	WAIVED			
PICLORAM	39720	WAIVED			
POLYCHLORINATED BIPHENYLS, TOTAL, AS DCB	39516	WAIVED			
SIMAZINE	39055	WAIVED			
THIOBENCARB	A-001	WAIVED			
TOXAPHENE	39400	WAIVED			
REGULATED VOC					
1,1,1-TRICHLOROETHANE	34506	WAIVED			
1,1,2,2-TETRACHLOROETHANE	34516	WAIVED			
1,1,2-TRICHLORO-1,2,2-TRIFLUOROETHANE	81611	WAIVED			
1,1,2-TRICHLOROETHANE	34511	WAIVED			
1,1-DICHLOROETHANE	34496	WAIVED			
1,1-DICHLOROETHYLENE	34501	WAIVED			
1,2,4-TRICHLOROBENZENE	34551	WAIVED			
1,2-DICHLOROBENZENE	34536	WAIVED			
1,2-DICHLOROETHANE	34531	WAIVED			
1,2-DICHLOROPROPANE	34541	WAIVED			

**Testing interval is in months;*
0 = No data for this constituent and is DUE NOW
999 = Waived testing (not required)
I = Invalid (NOT) valid analyses reported

System Number: ***2400232***

System Name: ***A V THOMAS PRODUCE, INC.***

PS Code: ***2400232-002***

Source Name: ***WELL 2 SOUTH (DRILLED 1987)***

Source Number: ***002***

Source Status: ***ACTIVE UNTREATED***

Water type: ***GROUNDWATER OR WELL***

	STORET NUMBER	TESTING INTERVAL (MONTHS)*	LAST TEST DATE (yyyy/mm/dd)	LAST RESULT REPORTED	NEXT TEST DATE (yyyy/mm)
REGULATED VOC					
1,3-DICHLOROPROPENE (TOTAL)	34561	WAIVED			
1,4-DICHLOROBENZENE	34571	WAIVED			
BENZENE	34030	WAIVED			
CARBON TETRACHLORIDE	32102	WAIVED			
CIS-1,2-DICHLOROETHYLENE	77093	WAIVED			
DICHLOROMETHANE	34423	WAIVED			
ETHYLBENZENE	34371	WAIVED			
METHYL-TERT-BUTYL-ETHER (MTBE)	46491	WAIVED			
MONOCHLOROBENZENE	34301	WAIVED			
STYRENE	77128	WAIVED			
TETRACHLOROETHYLENE	34475	WAIVED			
TOLUENE	34010	WAIVED			
TRANS-1,2-DICHLOROETHYLENE	34546	WAIVED			
TRICHLOROETHYLENE	39180	WAIVED			
TRICHLOROFLUOROMETHANE	34488	WAIVED			
VINYL CHLORIDE	39175	WAIVED			
XYLENES (TOTAL)	81551	WAIVED			
SECONDARY/GP					
AGGRSSIVE INDEX (CORROSIVITY)	82383	WAIVED			
BICARBONATE ALKALINITY	00440	WAIVED			
CALCIUM	00916	WAIVED			
CARBONATE ALKALINITY	00445	WAIVED			
CHLORIDE	00940	WAIVED			
COLOR	00081	WAIVED			
COPPER	01042	WAIVED			
FOAMING AGENTS (MBAS)	38260	WAIVED			
HARDNESS (TOTAL) AS CACO3	00900	WAIVED			
HYDROXIDE ALKALINITY	71830	WAIVED			
IRON	01045	WAIVED			

**Testing interval is in months;*
0 = No data for this constituent and is DUE NOW
999 = Waived testing (not required)
I = Invalid (NOT) valid analyses reported

System Number: ***2400232***

System Name: ***A V THOMAS PRODUCE, INC.***

PS Code: ***2400232-002***

Source Name: ***WELL 2 SOUTH (DRILLED 1987)***

Source Number: ***002***

Source Status: ***ACTIVE UNTREATED***

Water type: ***GROUNDWATER OR WELL***

SECONDARY/GP	STORET NUMBER	TESTING INTERVAL (MONTHS)*	LAST TEST DATE (yyyy/mm/dd)	LAST RESULT REPORTED	NEXT TEST DATE (yyyy/mm)
MAGNESIUM	00927	WAIVED			
MANGANESE	01055	WAIVED			
ODOR THRESHOLD @ 60 C	00086	WAIVED			
PH, LABORATORY	00403	WAIVED			
SILVER	01077	WAIVED			
SODIUM	00929	WAIVED			
SPECIFIC CONDUCTANCE	00095	WAIVED			
SULFATE	00945	WAIVED			
TOTAL DISSOLVED SOLIDS	70300	WAIVED			
TURBIDITY, LABORATORY	82079	WAIVED			
ZINC	01092	WAIVED			

**Testing interval is in months;*
0 = No data for this constituent and is DUE NOW
999 = Waived testing (not required)
I = Invalid (NOT) valid analyses reported

System Number: ***2400233***

System Name: ***GONZALES FOOD FACILITY***

PS Code: ***2400233-001***

Source Name: ***WELL #1***

Source Number: ***001***

Source Status: ***ACTIVE UNTREATED***

Water type: ***GROUNDWATER OR WELL***

	STORET NUMBER	TESTING INTERVAL (MONTHS)*	LAST TEST DATE (yyyy/mm/dd)	LAST RESULT REPORTED	NEXT TEST DATE (yyyy/mm)
GENERAL NON CHAP 15					
DIAZINON	39570	WAIVED			
INORGANIC					
ALUMINUM	01105	WAIVED			
ANTIMONY	01097	WAIVED			
ARSENIC	01002	WAIVED			
ASBESTOS	81855	WAIVED			
BARIUM	01007	WAIVED			
BERYLLIUM	01012	WAIVED			
CADMIUM	01027	WAIVED			
CHROMIUM (TOTAL)	01034	WAIVED			
CYANIDE	01291	WAIVED			
FLUORIDE (F) (NATURAL-SOURCE)	00951	WAIVED			
LEAD	01051	WAIVED			
MERCURY	71900	WAIVED			
NICKEL	01067	WAIVED			
PERCHLORATE	A-031	WAIVED			
SELENIUM	01147	WAIVED			
THALLIUM	01059	WAIVED			
NITRATE/NITRITE					
NITRATE (AS NO3)	71850	WAIVED			
NITRITE (AS N)	00620	WAIVED			
RADIOLOGICAL					
GROSS ALPHA	01501	WAIVED			
GROSS BETA	03501	WAIVED			
RA-226 FOR CWS OR TOTAL RA FOR NTNC BY 903.0	A-080	WAIVED			
RA-226 OR TOTAL RA BY 903.0 C.E.	A-081	WAIVED			
RADIUM 226	09501	WAIVED			
RADIUM 228	11501	WAIVED			

**Testing interval is in months;*
0 = No data for this constituent and is DUE NOW
999 = Waived testing (not required)
I = Invalid (NOT) valid analyses reported

System Number: ***2400233***

System Name: ***GONZALES FOOD FACILITY***

PS Code: ***2400233-001***

Source Name: ***WELL #1***

Source Number: ***001***

Source Status: ***ACTIVE UNTREATED***

Water type: ***GROUNDWATER OR WELL***

	STORET NUMBER	TESTING INTERVAL (MONTHS)*	LAST TEST DATE (yyyy/mm/dd)	LAST RESULT REPORTED	NEXT TEST DATE (yyyy/mm)
RADIOLOGICAL					
RADIUM, TOTAL, MDA95-NTNC ONLY, BY 903.0	A-082	WAIVED			
STRONTIUM-90	13501	WAIVED			
TRITIUM	07000	WAIVED			
URANIUM (PCI/L)	28012	WAIVED			
REGULATED SOC					
2,3,7,8-TCDD (DIOXIN)	34676	WAIVED			
2,4,5-TP (SILVEX)	39045	WAIVED			
2,4-D	39730	WAIVED			
ALACHLOR	77825	WAIVED			
ATRAZINE	39033	WAIVED			
BENTAZON	38710	WAIVED			
BENZO (A) PYRENE	34247	WAIVED			
CARBOFURAN	81405	WAIVED			
CHLORDANE	39350	WAIVED			
DALAPON	38432	WAIVED			
DI(2-ETHYLHEXYL)ADIPATE	A-026	WAIVED			
DI(2-ETHYLHEXYL)PHTHALATE	39100	WAIVED			
DIBROMOCHLOROPROPANE (DBCP)	38761	WAIVED			
DINOSEB	81287	WAIVED			
DIQUAT	78885	WAIVED			
ENDOTHALL	38926	WAIVED			
ENDRIN	39390	WAIVED			
ETHYLENE DIBROMIDE (EDB)	77651	WAIVED			
GLYPHOSATE	79743	WAIVED			
HEPTACHLOR	39410	WAIVED			
HEPTACHLOR EPOXIDE	39420	WAIVED			
HEXACHLOROBENZENE	39700	WAIVED			
HEXACHLOROCYCLOPENTADIENE	34386	WAIVED			
LINDANE	39340	WAIVED			

**Testing interval is in months;*
0 = No data for this constituent and is DUE NOW
999 = Waived testing (not required)
I = Invalid (NOT) valid analyses reported

System Number: ***2400233***

System Name: ***GONZALES FOOD FACILITY***

PS Code: ***2400233-001***

Source Name: ***WELL #1***

Source Number: ***001***

Source Status: ***ACTIVE UNTREATED***

Water type: ***GROUNDWATER OR WELL***

	STORET NUMBER	TESTING INTERVAL (MONTHS)*	LAST TEST DATE (yyyy/mm/dd)	LAST RESULT REPORTED	NEXT TEST DATE (yyyy/mm)
REGULATED SOC					
METHOXYCHLOR	39480	WAIVED			
MOLINATE	82199	WAIVED			
OXAMYL	38865	WAIVED			
PENTACHLOROPHENOL	39032	WAIVED			
PICLORAM	39720	WAIVED			
POLYCHLORINATED BIPHENYLS, TOTAL, AS DCB	39516	WAIVED			
SIMAZINE	39055	WAIVED			
THIOBENCARB	A-001	WAIVED			
TOXAPHENE	39400	WAIVED			
REGULATED VOC					
1,1,1-TRICHLOROETHANE	34506	WAIVED			
1,1,2,2-TETRACHLOROETHANE	34516	WAIVED			
1,1,2-TRICHLORO-1,2,2-TRIFLUOROETHANE	81611	WAIVED			
1,1,2-TRICHLOROETHANE	34511	WAIVED			
1,1-DICHLOROETHANE	34496	WAIVED			
1,1-DICHLOROETHYLENE	34501	WAIVED			
1,2,4-TRICHLOROBENZENE	34551	WAIVED			
1,2-DICHLOROBENZENE	34536	WAIVED			
1,2-DICHLOROETHANE	34531	WAIVED			
1,2-DICHLOROPROPANE	34541	WAIVED			
1,3-DICHLOROPROPENE (TOTAL)	34561	WAIVED			
1,4-DICHLOROBENZENE	34571	WAIVED			
BENZENE	34030	WAIVED			
CARBON TETRACHLORIDE	32102	WAIVED			
CIS-1,2-DICHLOROETHYLENE	77093	WAIVED			
DICHLOROMETHANE	34423	WAIVED			
ETHYLBENZENE	34371	WAIVED			
METHYL-TERT-BUTYL-ETHER (MTBE)	46491	WAIVED			
MONOCHLOROBENZENE	34301	WAIVED			

**Testing interval is in months;*
0 = No data for this constituent and is DUE NOW
999 = Waived testing (not required)
I = Invalid (NOT) valid analyses reported

System Number: ***2400233***

System Name: ***GONZALES FOOD FACILITY***

PS Code: ***2400233-001***

Source Name: ***WELL #1***

Source Number: ***001***

Source Status: ***ACTIVE UNTREATED***

Water type: ***GROUNDWATER OR WELL***

	STORET NUMBER	TESTING INTERVAL (MONTHS)*	LAST TEST DATE (yyyy/mm/dd)	LAST RESULT REPORTED	NEXT TEST DATE (yyyy/mm)
REGULATED VOC					
STYRENE	77128	WAIVED			
TETRACHLOROETHYLENE	34475	WAIVED			
TOLUENE	34010	WAIVED			
TRANS-1,2-DICHLOROETHYLENE	34546	WAIVED			
TRICHLOROETHYLENE	39180	WAIVED			
TRICHLOROFLUOROMETHANE	34488	WAIVED			
VINYL CHLORIDE	39175	WAIVED			
XYLENES (TOTAL)	81551	WAIVED			
SECONDARY/GP					
AGGRSSIVE INDEX (CORROSIVITY)	82383	WAIVED			
BICARBONATE ALKALINITY	00440	WAIVED			
CALCIUM	00916	WAIVED			
CARBONATE ALKALINITY	00445	WAIVED			
CHLORIDE	00940	WAIVED			
COLOR	00081	WAIVED			
COPPER	01042	WAIVED			
FOAMING AGENTS (MBAS)	38260	WAIVED			
HARDNESS (TOTAL) AS CACO3	00900	WAIVED			
HYDROXIDE ALKALINITY	71830	WAIVED			
IRON	01045	WAIVED			
MAGNESIUM	00927	WAIVED			
MANGANESE	01055	WAIVED			
ODOR THRESHOLD @ 60 C	00086	WAIVED			
PH, LABORATORY	00403	WAIVED			
SILVER	01077	WAIVED			
SODIUM	00929	WAIVED			
SPECIFIC CONDUCTANCE	00095	WAIVED			
SULFATE	00945	WAIVED			
TOTAL DISSOLVED SOLIDS	70300	WAIVED			

**Testing interval is in months;*
0 = No data for this constituent and is DUE NOW
999 = Waived testing (not required)
I = Invalid (NOT) valid analyses reported

System Number: ***2400233***

System Name: ***GONZALES FOOD FACILITY***

PS Code: ***2400233-001***

Source Name: ***WELL #1***

Source Number: ***001***

Source Status: ***ACTIVE UNTREATED***

Water type: ***GROUNDWATER OR WELL***

	STORET NUMBER	TESTING INTERVAL (MONTHS)*	LAST TEST DATE (yyyy/mm/dd)	LAST RESULT REPORTED	NEXT TEST DATE (yyyy/mm)
SECONDARY/GP					
TURBIDITY, LABORATORY	82079	WAIVED			
ZINC	01092	WAIVED			

**Testing interval is in months;*
0 = No data for this constituent and is DUE NOW
999 = Waived testing (not required)
I = Invalid (NOT) valid analyses reported

System Number: ***2400234***

System Name: ***ATWATER LDS***

PS Code: ***2400234-001***

Source Name: ***WELL 1***

Source Number: ***001***

Source Status: ***ACTIVE UNTREATED***

Water type: ***GROUNDWATER OR WELL***

	STORET NUMBER	TESTING INTERVAL (MONTHS)*	LAST TEST DATE (yyyy/mm/dd)	LAST RESULT REPORTED	NEXT TEST DATE (yyyy/mm)	
GENERAL NON CHAP 15						
DIAZINON	39570	WAIVED				
INORGANIC						
ALUMINUM	01105	000				DUE
ANTIMONY	01097	000				DUE
ARSENIC	01002	000				DUE
ASBESTOS	81855	WAIVED				
BARIUM	01007	000				DUE
BERYLLIUM	01012	000				DUE
CADMIUM	01027	000				DUE
CHROMIUM (TOTAL)	01034	000				DUE
CYANIDE	01291	WAIVED				
FLUORIDE (F) (NATURAL-SOURCE)	00951	000				DUE
LEAD	01051	WAIVED				
MERCURY	71900	000				DUE
NICKEL	01067	000				DUE
PERCHLORATE	A-031	000				DUE
SELENIUM	01147	000				DUE
THALLIUM	01059	000				DUE
NITRATE/NITRITE						
NITRATE (AS NO3)	71850	012	2011/09/09	19.600	2012/09	
NITRITE (AS N)	00620	036	2011/09/09	< 400.000	2014/09	
RADIOLOGICAL						
GROSS ALPHA	01501	WAIVED				
GROSS BETA	03501	WAIVED				
RA-226 FOR CWS OR TOTAL RA FOR NTNC BY 903.0	A-080	WAIVED				
RA-226 OR TOTAL RA BY 903.0 C.E.	A-081	WAIVED				
RADIUM 226	09501	WAIVED				
RADIUM 228	11501	WAIVED				

**Testing interval is in months;*
0 = No data for this constituent and is DUE NOW
999 = Waived testing (not required)
I = Invalid (NOT) valid analyses reported

System Number: ***2400234***

System Name: ***ATWATER LDS***

PS Code: ***2400234-001***

Source Name: ***WELL 1***

Source Number: ***001***

Source Status: ***ACTIVE UNTREATED***

Water type: ***GROUNDWATER OR WELL***

	STORET NUMBER	TESTING INTERVAL (MONTHS)*	LAST TEST DATE (yyyy/mm/dd)	LAST RESULT REPORTED	NEXT TEST DATE (yyyy/mm)
RADIOLOGICAL					
RADIUM, TOTAL, MDA95-NTNC ONLY, BY 903.0	A-082	WAIVED			
STRONTIUM-90	13501	WAIVED			
TRITIUM	07000	WAIVED			
URANIUM (PCI/L)	28012	WAIVED			
REGULATED SOC					
2,3,7,8-TCDD (DIOXIN)	34676	WAIVED			
2,4,5-TP (SILVEX)	39045	WAIVED			
2,4-D	39730	WAIVED			
ALACHLOR	77825	000			DUE
ATRAZINE	39033	000			DUE
BENTAZON	38710	WAIVED			
BENZO (A) PYRENE	34247	WAIVED			
CARBOFURAN	81405	WAIVED			
CHLORDANE	39350	WAIVED			
DALAPON	38432	WAIVED			
DI(2-ETHYLHEXYL)ADIPATE	A-026	WAIVED			
DI(2-ETHYLHEXYL)PHTHALATE	39100	WAIVED			
DIBROMOCHLOROPROPANE (DBCP)	38761	000			DUE
DINOSEB	81287	WAIVED			
DIQUAT	78885	WAIVED			
ENDOTHALL	38926	WAIVED			
ENDRIN	39390	WAIVED			
ETHYLENE DIBROMIDE (EDB)	77651	000			DUE
GLYPHOSATE	79743	WAIVED			
HEPTACHLOR	39410	WAIVED			
HEPTACHLOR EPOXIDE	39420	WAIVED			
HEXACHLOROBENZENE	39700	WAIVED			
HEXACHLOROCYCLOPENTADIENE	34386	WAIVED			
LINDANE	39340	WAIVED			

**Testing interval is in months;*
0 = No data for this constituent and is DUE NOW
999 = Waived testing (not required)
I = Invalid (NOT) valid analyses reported

System Number: ***2400234***

System Name: ***ATWATER LDS***

PS Code: ***2400234-001***

Source Name: ***WELL 1***

Source Number: ***001***

Source Status: ***ACTIVE UNTREATED***

Water type: ***GROUNDWATER OR WELL***

	STORET NUMBER	TESTING INTERVAL (MONTHS)*	LAST TEST DATE (yyyy/mm/dd)	LAST RESULT REPORTED	NEXT TEST DATE (yyyy/mm)
REGULATED SOC					
METHOXYCHLOR	39480	WAIVED			
MOLINATE	82199	WAIVED			
OXAMYL	38865	WAIVED			
PENTACHLOROPHENOL	39032	WAIVED			
PICLORAM	39720	WAIVED			
POLYCHLORINATED BIPHENYLS, TOTAL, AS DCB	39516	WAIVED			
SIMAZINE	39055	000			DUE
THIOBENCARB	A-001	WAIVED			
TOXAPHENE	39400	WAIVED			
REGULATED VOC					
1,1,1-TRICHLOROETHANE	34506	000			DUE
1,1,2,2-TETRACHLOROETHANE	34516	000			DUE
1,1,2-TRICHLORO-1,2,2-TRIFLUOROETHANE	81611	000			DUE
1,1,2-TRICHLOROETHANE	34511	000			DUE
1,1-DICHLOROETHANE	34496	000			DUE
1,1-DICHLOROETHYLENE	34501	000			DUE
1,2,4-TRICHLOROBENZENE	34551	000			DUE
1,2-DICHLOROBENZENE	34536	000			DUE
1,2-DICHLOROETHANE	34531	000			DUE
1,2-DICHLOROPROPANE	34541	000			DUE
1,3-DICHLOROPROPENE (TOTAL)	34561	000			DUE
1,4-DICHLOROBENZENE	34571	000			DUE
BENZENE	34030	000			DUE
CARBON TETRACHLORIDE	32102	000			DUE
CIS-1,2-DICHLOROETHYLENE	77093	000			DUE
DICHLOROMETHANE	34423	000			DUE
ETHYLBENZENE	34371	000			DUE
METHYL-TERT-BUTYL-ETHER (MTBE)	46491	000			DUE
MONOCHLOROBENZENE	34301	000			DUE

**Testing interval is in months;*
0 = No data for this constituent and is DUE NOW
999 = Waived testing (not required)
I = Invalid (NOT) valid analyses reported

System Number: ***2400234***

System Name: ***ATWATER LDS***

PS Code: ***2400234-001***

Source Name: ***WELL 1***

Source Number: ***001***

Source Status: ***ACTIVE UNTREATED***

Water type: ***GROUNDWATER OR WELL***

	STORET NUMBER	TESTING INTERVAL (MONTHS)*	LAST TEST DATE (yyyy/mm/dd)	LAST RESULT REPORTED	NEXT TEST DATE (yyyy/mm)
REGULATED VOC					
STYRENE	77128	000			DUE
TETRACHLOROETHYLENE	34475	000			DUE
TOLUENE	34010	000			DUE
TRANS-1,2-DICHLOROETHYLENE	34546	000			DUE
TRICHLOROETHYLENE	39180	000			DUE
TRICHLOROFLUOROMETHANE	34488	000			DUE
VINYL CHLORIDE	39175	000			DUE
XYLENES (TOTAL)	81551	000			DUE
SECONDARY/GP					
AGGRSSIVE INDEX (CORROSIVITY)	82383	WAIVED			
BICARBONATE ALKALINITY	00440	000			DUE
CALCIUM	00916	000			DUE
CARBONATE ALKALINITY	00445	000			DUE
CHLORIDE	00940	WAIVED			
COLOR	00081	WAIVED			
COPPER	01042	WAIVED			
FOAMING AGENTS (MBAS)	38260	WAIVED			
HARDNESS (TOTAL) AS CACO3	00900	000			DUE
HYDROXIDE ALKALINITY	71830	000			DUE
IRON	01045	000			DUE
MAGNESIUM	00927	000			DUE
MANGANESE	01055	000			DUE
ODOR THRESHOLD @ 60 C	00086	WAIVED			
PH, LABORATORY	00403	000			DUE
SILVER	01077	WAIVED			
SODIUM	00929	000			DUE
SPECIFIC CONDUCTANCE	00095	WAIVED			
SULFATE	00945	WAIVED			
TOTAL DISSOLVED SOLIDS	70300	WAIVED			

**Testing interval is in months;*
0 = No data for this constituent and is DUE NOW
999 = Waived testing (not required)
I = Invalid (NOT) valid analyses reported

System Number: ***2400234***

System Name: ***ATWATER LDS***

PS Code: ***2400234-001***

Source Name: ***WELL 1***

Source Number: ***001***

Source Status: ***ACTIVE UNTREATED***

Water type: ***GROUNDWATER OR WELL***

	STORET NUMBER	TESTING INTERVAL (MONTHS)*	LAST TEST DATE (yyyy/mm/dd)	LAST RESULT REPORTED	NEXT TEST DATE (yyyy/mm)
SECONDARY/GP					
TURBIDITY, LABORATORY	82079	WAIVED			
ZINC	01092	WAIVED			

**Testing interval is in months;*
0 = No data for this constituent and is DUE NOW
999 = Waived testing (not required)
I = Invalid (NOT) valid analyses reported

System Number: ***2400235***

System Name: ***MICHAEL AND VERONICA BRASIL***

PS Code: ***2400235-001***

Source Name: ***WELL 1 - SOUTH WELL BY MILK BARN***

Source Number: ***001***

Source Status: ***ACTIVE UNTREATED***

Water type: ***GROUNDWATER OR WELL***

	STORET NUMBER	TESTING INTERVAL (MONTHS)*	LAST TEST DATE (yyyy/mm/dd)	LAST RESULT REPORTED	NEXT TEST DATE (yyyy/mm)
GENERAL NON CHAP 15					
DIAZINON	39570	WAIVED			
INORGANIC					
ALUMINUM	01105	WAIVED			
ANTIMONY	01097	WAIVED			
ARSENIC	01002	WAIVED			
ASBESTOS	81855	WAIVED			
BARIUM	01007	WAIVED			
BERYLLIUM	01012	WAIVED			
CADMIUM	01027	WAIVED			
CHROMIUM (TOTAL)	01034	WAIVED			
CYANIDE	01291	WAIVED			
FLUORIDE (F) (NATURAL-SOURCE)	00951	WAIVED			
LEAD	01051	WAIVED			
MERCURY	71900	WAIVED			
NICKEL	01067	WAIVED			
PERCHLORATE	A-031	WAIVED			
SELENIUM	01147	WAIVED			
THALLIUM	01059	WAIVED			
NITRATE/NITRITE					
NITRATE (AS NO3)	71850	WAIVED			
NITRITE (AS N)	00620	WAIVED			
RADIOLOGICAL					
GROSS ALPHA	01501	WAIVED			
GROSS BETA	03501	WAIVED			
RA-226 FOR CWS OR TOTAL RA FOR NTNC BY 903.0	A-080	WAIVED			
RA-226 OR TOTAL RA BY 903.0 C.E.	A-081	WAIVED			
RADIUM 226	09501	WAIVED			
RADIUM 228	11501	WAIVED			

**Testing interval is in months;*
0 = No data for this constituent and is DUE NOW
999 = Waived testing (not required)
I = Invalid (NOT) valid analyses reported

System Number: ***2400235***

System Name: ***MICHAEL AND VERONICA BRASIL***

PS Code: ***2400235-001***

Source Name: ***WELL 1 - SOUTH WELL BY MILK BARN***

Source Number: ***001***

Source Status: ***ACTIVE UNTREATED***

Water type: ***GROUNDWATER OR WELL***

	STORET NUMBER	TESTING INTERVAL (MONTHS)*	LAST TEST DATE (yyyy/mm/dd)	LAST RESULT REPORTED	NEXT TEST DATE (yyyy/mm)
RADIOLOGICAL					
RADIUM, TOTAL, MDA95-NTNC ONLY, BY 903.0	A-082	WAIVED			
STRONTIUM-90	13501	WAIVED			
TRITIUM	07000	WAIVED			
URANIUM (PCI/L)	28012	WAIVED			
REGULATED SOC					
2,3,7,8-TCDD (DIOXIN)	34676	WAIVED			
2,4,5-TP (SILVEX)	39045	WAIVED			
2,4-D	39730	WAIVED			
ALACHLOR	77825	WAIVED			
ATRAZINE	39033	WAIVED			
BENTAZON	38710	WAIVED			
BENZO (A) PYRENE	34247	WAIVED			
CARBOFURAN	81405	WAIVED			
CHLORDANE	39350	WAIVED			
DALAPON	38432	WAIVED			
DI(2-ETHYLHEXYL)ADIPATE	A-026	WAIVED			
DI(2-ETHYLHEXYL)PHTHALATE	39100	WAIVED			
DIBROMOCHLOROPROPANE (DBCP)	38761	WAIVED			
DINOSEB	81287	WAIVED			
DIQUAT	78885	WAIVED			
ENDOTHALL	38926	WAIVED			
ENDRIN	39390	WAIVED			
ETHYLENE DIBROMIDE (EDB)	77651	WAIVED			
GLYPHOSATE	79743	WAIVED			
HEPTACHLOR	39410	WAIVED			
HEPTACHLOR EPOXIDE	39420	WAIVED			
HEXACHLOROBENZENE	39700	WAIVED			
HEXACHLOROCYCLOPENTADIENE	34386	WAIVED			
LINDANE	39340	WAIVED			

**Testing interval is in months;*
0 = No data for this constituent and is DUE NOW
999 = Waived testing (not required)
I = Invalid (NOT) valid analyses reported

System Number: ***2400235***

System Name: ***MICHAEL AND VERONICA BRASIL***

PS Code: ***2400235-001***

Source Name: ***WELL 1 - SOUTH WELL BY MILK BARN***

Source Number: ***001***

Source Status: ***ACTIVE UNTREATED***

Water type: ***GROUNDWATER OR WELL***

	STORET NUMBER	TESTING INTERVAL (MONTHS)*	LAST TEST DATE (yyyy/mm/dd)	LAST RESULT REPORTED	NEXT TEST DATE (yyyy/mm)
REGULATED SOC					
METHOXYCHLOR	39480	WAIVED			
MOLINATE	82199	WAIVED			
OXAMYL	38865	WAIVED			
PENTACHLOROPHENOL	39032	WAIVED			
PICLORAM	39720	WAIVED			
POLYCHLORINATED BIPHENYLS, TOTAL, AS DCB	39516	WAIVED			
SIMAZINE	39055	WAIVED			
THIOBENCARB	A-001	WAIVED			
TOXAPHENE	39400	WAIVED			
REGULATED VOC					
1,1,1-TRICHLOROETHANE	34506	WAIVED			
1,1,2,2-TETRACHLOROETHANE	34516	WAIVED			
1,1,2-TRICHLORO-1,2,2-TRIFLUOROETHANE	81611	WAIVED			
1,1,2-TRICHLOROETHANE	34511	WAIVED			
1,1-DICHLOROETHANE	34496	WAIVED			
1,1-DICHLOROETHYLENE	34501	WAIVED			
1,2,4-TRICHLOROBENZENE	34551	WAIVED			
1,2-DICHLOROBENZENE	34536	WAIVED			
1,2-DICHLOROETHANE	34531	WAIVED			
1,2-DICHLOROPROPANE	34541	WAIVED			
1,3-DICHLOROPROPENE (TOTAL)	34561	WAIVED			
1,4-DICHLOROBENZENE	34571	WAIVED			
BENZENE	34030	WAIVED			
CARBON TETRACHLORIDE	32102	WAIVED			
CIS-1,2-DICHLOROETHYLENE	77093	WAIVED			
DICHLOROMETHANE	34423	WAIVED			
ETHYLBENZENE	34371	WAIVED			
METHYL-TERT-BUTYL-ETHER (MTBE)	46491	WAIVED			
MONOCHLOROBENZENE	34301	WAIVED			

**Testing interval is in months;*
0 = No data for this constituent and is DUE NOW
999 = Waived testing (not required)
I = Invalid (NOT) valid analyses reported

System Number: ***2400235***

System Name: ***MICHAEL AND VERONICA BRASIL***

PS Code: ***2400235-001***

Source Name: ***WELL 1 - SOUTH WELL BY MILK BARN***

Source Number: ***001***

Source Status: ***ACTIVE UNTREATED***

Water type: ***GROUNDWATER OR WELL***

	STORET NUMBER	TESTING INTERVAL (MONTHS)*	LAST TEST DATE (yyyy/mm/dd)	LAST RESULT REPORTED	NEXT TEST DATE (yyyy/mm)
REGULATED VOC					
STYRENE	77128	WAIVED			
TETRACHLOROETHYLENE	34475	WAIVED			
TOLUENE	34010	WAIVED			
TRANS-1,2-DICHLOROETHYLENE	34546	WAIVED			
TRICHLOROETHYLENE	39180	WAIVED			
TRICHLOROFLUOROMETHANE	34488	WAIVED			
VINYL CHLORIDE	39175	WAIVED			
XYLENES (TOTAL)	81551	WAIVED			
SECONDARY/GP					
AGGRSSIVE INDEX (CORROSIVITY)	82383	WAIVED			
BICARBONATE ALKALINITY	00440	WAIVED			
CALCIUM	00916	WAIVED			
CARBONATE ALKALINITY	00445	WAIVED			
CHLORIDE	00940	WAIVED			
COLOR	00081	WAIVED			
COPPER	01042	WAIVED			
FOAMING AGENTS (MBAS)	38260	WAIVED			
HARDNESS (TOTAL) AS CACO3	00900	WAIVED			
HYDROXIDE ALKALINITY	71830	WAIVED			
IRON	01045	WAIVED			
MAGNESIUM	00927	WAIVED			
MANGANESE	01055	WAIVED			
ODOR THRESHOLD @ 60 C	00086	WAIVED			
PH, LABORATORY	00403	WAIVED			
SILVER	01077	WAIVED			
SODIUM	00929	WAIVED			
SPECIFIC CONDUCTANCE	00095	WAIVED			
SULFATE	00945	WAIVED			
TOTAL DISSOLVED SOLIDS	70300	WAIVED			

**Testing interval is in months;*
0 = No data for this constituent and is DUE NOW
999 = Waived testing (not required)
I = Invalid (NOT) valid analyses reported

System Number: ***2400235***

System Name: ***MICHAEL AND VERONICA BRASIL***

	STORET NUMBER	TESTING INTERVAL (MONTHS)*	LAST TEST DATE (yyyy/mm/dd)	LAST RESULT REPORTED	NEXT TEST DATE (yyyy/mm)

PS Code: ***2400235-001***

Source Name: ***WELL 1 - SOUTH WELL BY MILK BARN***

Source Number: ***001***

Source Status: ***ACTIVE UNTREATED***

Water type: ***GROUNDWATER OR WELL***

SECONDARY/GP

TURBIDITY, LABORATORY	82079	WAIVED			
ZINC	01092	WAIVED			

PS Code: ***2400235-002***

Source Name: ***WELL 2 - NORTH WELL BY MILK BARN***

Source Number: ***002***

Source Status: ***ACTIVE UNTREATED***

Water type: ***GROUNDWATER OR WELL***

GENERAL NON CHAP 15

DIAZINON	39570	WAIVED			

INORGANIC

ALUMINUM	01105	WAIVED			
ANTIMONY	01097	WAIVED			
ARSENIC	01002	WAIVED			
ASBESTOS	81855	WAIVED			
BARIUM	01007	WAIVED			
BERYLLIUM	01012	WAIVED			
CADMIUM	01027	WAIVED			
CHROMIUM (TOTAL)	01034	WAIVED			
CYANIDE	01291	WAIVED			
FLUORIDE (F) (NATURAL-SOURCE)	00951	WAIVED			
LEAD	01051	WAIVED			
MERCURY	71900	WAIVED			
NICKEL	01067	WAIVED			
PERCHLORATE	A-031	WAIVED			
SELENIUM	01147	WAIVED			
THALLIUM	01059	WAIVED			

**Testing interval is in months;*
0 = No data for this constituent and is DUE NOW
999 = Waived testing (not required)
I = Invalid (NOT) valid analyses reported

System Number: ***2400235***

System Name: ***MICHAEL AND VERONICA BRASIL***

PS Code: ***2400235-002***

Source Name: ***WELL 2 - NORTH WELL BY MILK BARN***

Source Number: ***002***

Source Status: ***ACTIVE UNTREATED***

Water type: ***GROUNDWATER OR WELL***

	STORET NUMBER	TESTING INTERVAL (MONTHS)*	LAST TEST DATE (yyyy/mm/dd)	LAST RESULT REPORTED	NEXT TEST DATE (yyyy/mm)
NITRATE/NITRITE					
NITRATE (AS NO3)	71850	WAIVED			
NITRITE (AS N)	00620	WAIVED			
RADIOLOGICAL					
GROSS ALPHA	01501	WAIVED			
GROSS BETA	03501	WAIVED			
RA-226 FOR CWS OR TOTAL RA FOR NTNC BY 903.0	A-080	WAIVED			
RA-226 OR TOTAL RA BY 903.0 C.E.	A-081	WAIVED			
RADIUM 226	09501	WAIVED			
RADIUM 228	11501	WAIVED			
RADIUM, TOTAL, MDA95-NTNC ONLY, BY 903.0	A-082	WAIVED			
STRONTIUM-90	13501	WAIVED			
TRITIUM	07000	WAIVED			
URANIUM (PCI/L)	28012	WAIVED			
REGULATED SOC					
2,3,7,8-TCDD (DIOXIN)	34676	WAIVED			
2,4,5-TP (SILVEX)	39045	WAIVED			
2,4-D	39730	WAIVED			
ALACHLOR	77825	WAIVED			
ATRAZINE	39033	WAIVED			
BENTAZON	38710	WAIVED			
BENZO (A) PYRENE	34247	WAIVED			
CARBOFURAN	81405	WAIVED			
CHLORDANE	39350	WAIVED			
DALAPON	38432	WAIVED			
DI(2-ETHYLHEXYL)ADIPATE	A-026	WAIVED			
DI(2-ETHYLHEXYL)PHTHALATE	39100	WAIVED			
DIBROMOCHLOROPROPANE (DBCP)	38761	WAIVED			
DINOSEB	81287	WAIVED			
DIQUAT	78885	WAIVED			

**Testing interval is in months;*
0 = No data for this constituent and is DUE NOW
999 = Waived testing (not required)
I = Invalid (NOT) valid analyses reported

System Number: ***2400235***

System Name: ***MICHAEL AND VERONICA BRASIL***

PS Code: ***2400235-002***

Source Name: ***WELL 2 - NORTH WELL BY MILK BARN***

Source Number: ***002***

Source Status: ***ACTIVE UNTREATED***

Water type: ***GROUNDWATER OR WELL***

	STORET NUMBER	TESTING INTERVAL (MONTHS)*	LAST TEST DATE (yyyy/mm/dd)	LAST RESULT REPORTED	NEXT TEST DATE (yyyy/mm)
REGULATED SOC					
ENDOTHALL	38926	WAIVED			
ENDRIN	39390	WAIVED			
ETHYLENE DIBROMIDE (EDB)	77651	WAIVED			
GLYPHOSATE	79743	WAIVED			
HEPTACHLOR	39410	WAIVED			
HEPTACHLOR EPOXIDE	39420	WAIVED			
HEXACHLOROBENZENE	39700	WAIVED			
HEXACHLOROCYCLOPENTADIENE	34386	WAIVED			
LINDANE	39340	WAIVED			
METHOXYCHLOR	39480	WAIVED			
MOLINATE	82199	WAIVED			
OXAMYL	38865	WAIVED			
PENTACHLOROPHENOL	39032	WAIVED			
PICLORAM	39720	WAIVED			
POLYCHLORINATED BIPHENYLS, TOTAL, AS DCB	39516	WAIVED			
SIMAZINE	39055	WAIVED			
THIOBENCARB	A-001	WAIVED			
TOXAPHENE	39400	WAIVED			
REGULATED VOC					
1,1,1-TRICHLOROETHANE	34506	WAIVED			
1,1,2,2-TETRACHLOROETHANE	34516	WAIVED			
1,1,2-TRICHLORO-1,2,2-TRIFLUOROETHANE	81611	WAIVED			
1,1,2-TRICHLOROETHANE	34511	WAIVED			
1,1-DICHLOROETHANE	34496	WAIVED			
1,1-DICHLOROETHYLENE	34501	WAIVED			
1,2,4-TRICHLOROBENZENE	34551	WAIVED			
1,2-DICHLOROBENZENE	34536	WAIVED			
1,2-DICHLOROETHANE	34531	WAIVED			
1,2-DICHLOROPROPANE	34541	WAIVED			

**Testing interval is in months;*
0 = No data for this constituent and is DUE NOW
999 = Waived testing (not required)
I = Invalid (NOT) valid analyses reported

System Number: ***2400235***

System Name: ***MICHAEL AND VERONICA BRASIL***

PS Code: ***2400235-002***

Source Name: ***WELL 2 - NORTH WELL BY MILK BARN***

Source Number: ***002***

Source Status: ***ACTIVE UNTREATED***

Water type: ***GROUNDWATER OR WELL***

	STORET NUMBER	TESTING INTERVAL (MONTHS)*	LAST TEST DATE (yyyy/mm/dd)	LAST RESULT REPORTED	NEXT TEST DATE (yyyy/mm)
REGULATED VOC					
1,3-DICHLOROPROPENE (TOTAL)	34561	WAIVED			
1,4-DICHLOROBENZENE	34571	WAIVED			
BENZENE	34030	WAIVED			
CARBON TETRACHLORIDE	32102	WAIVED			
CIS-1,2-DICHLOROETHYLENE	77093	WAIVED			
DICHLOROMETHANE	34423	WAIVED			
ETHYLBENZENE	34371	WAIVED			
METHYL-TERT-BUTYL-ETHER (MTBE)	46491	WAIVED			
MONOCHLOROBENZENE	34301	WAIVED			
STYRENE	77128	WAIVED			
TETRACHLOROETHYLENE	34475	WAIVED			
TOLUENE	34010	WAIVED			
TRANS-1,2-DICHLOROETHYLENE	34546	WAIVED			
TRICHLOROETHYLENE	39180	WAIVED			
TRICHLOROFLUOROMETHANE	34488	WAIVED			
VINYL CHLORIDE	39175	WAIVED			
XYLENES (TOTAL)	81551	WAIVED			
SECONDARY/GP					
AGGRSSIVE INDEX (CORROSIVITY)	82383	WAIVED			
BICARBONATE ALKALINITY	00440	WAIVED			
CALCIUM	00916	WAIVED			
CARBONATE ALKALINITY	00445	WAIVED			
CHLORIDE	00940	WAIVED			
COLOR	00081	WAIVED			
COPPER	01042	WAIVED			
FOAMING AGENTS (MBAS)	38260	WAIVED			
HARDNESS (TOTAL) AS CACO3	00900	WAIVED			
HYDROXIDE ALKALINITY	71830	WAIVED			
IRON	01045	WAIVED			

**Testing interval is in months;*
0 = No data for this constituent and is DUE NOW
999 = Waived testing (not required)
I = Invalid (NOT) valid analyses reported

System Number: ***2400235***

System Name: ***MICHAEL AND VERONICA BRASIL***

PS Code: ***2400235-002***

Source Name: ***WELL 2 - NORTH WELL BY MILK BARN***

Source Number: ***002***

Source Status: ***ACTIVE UNTREATED***

Water type: ***GROUNDWATER OR WELL***

SECONDARY/GP

	STORET NUMBER	TESTING INTERVAL (MONTHS)*	LAST TEST DATE (yyyy/mm/dd)	LAST RESULT REPORTED	NEXT TEST DATE (yyyy/mm)
MAGNESIUM	00927	WAIVED			
MANGANESE	01055	WAIVED			
ODOR THRESHOLD @ 60 C	00086	WAIVED			
PH, LABORATORY	00403	WAIVED			
SILVER	01077	WAIVED			
SODIUM	00929	WAIVED			
SPECIFIC CONDUCTANCE	00095	WAIVED			
SULFATE	00945	WAIVED			
TOTAL DISSOLVED SOLIDS	70300	WAIVED			
TURBIDITY, LABORATORY	82079	WAIVED			
ZINC	01092	WAIVED			

**Testing interval is in months;*
0 = No data for this constituent and is DUE NOW
999 = Waived testing (not required)
I = Invalid (NOT) valid analyses reported

System Number: ***2400236***

System Name: ***VLC (VISTA LIVESTOCK COMPANY)***

PS Code: ***2400236-001***

Source Name: ***WELL #1 E ON HILL-REACTIVATED 12-02***

Source Number: ***001***

Source Status: ***ACTIVE UNTREATED***

Water type: ***GROUNDWATER OR WELL***

	STORET NUMBER	TESTING INTERVAL (MONTHS)*	LAST TEST DATE (yyyy/mm/dd)	LAST RESULT REPORTED	NEXT TEST DATE (yyyy/mm)
GENERAL NON CHAP 15					
DIAZINON	39570	WAIVED			
INORGANIC					
ALUMINUM	01105	WAIVED			
ANTIMONY	01097	WAIVED			
ARSENIC	01002	WAIVED			
ASBESTOS	81855	WAIVED			
BARIUM	01007	WAIVED			
BERYLLIUM	01012	WAIVED			
CADMIUM	01027	WAIVED			
CHROMIUM (TOTAL)	01034	WAIVED			
CYANIDE	01291	WAIVED			
FLUORIDE (F) (NATURAL-SOURCE)	00951	WAIVED			
LEAD	01051	WAIVED			
MERCURY	71900	WAIVED			
NICKEL	01067	WAIVED			
PERCHLORATE	A-031	WAIVED			
SELENIUM	01147	WAIVED			
THALLIUM	01059	WAIVED			
NITRATE/NITRITE					
NITRATE (AS NO3)	71850	WAIVED			
NITRITE (AS N)	00620	WAIVED			
RADIOLOGICAL					
GROSS ALPHA	01501	WAIVED			
GROSS BETA	03501	WAIVED			
RA-226 FOR CWS OR TOTAL RA FOR NTNC BY 903.0	A-080	WAIVED			
RA-226 OR TOTAL RA BY 903.0 C.E.	A-081	WAIVED			
RADIUM 226	09501	WAIVED			
RADIUM 228	11501	WAIVED			

**Testing interval is in months;*
0 = No data for this constituent and is DUE NOW
999 = Waived testing (not required)
I = Invalid (NOT) valid analyses reported

System Number: ***2400236***

System Name: ***VLC (VISTA LIVESTOCK COMPANY)***

PS Code: ***2400236-001***

Source Name: ***WELL #1 E ON HILL-REACTIVATED 12-02***

Source Number: ***001***

Source Status: ***ACTIVE UNTREATED***

Water type: ***GROUNDWATER OR WELL***

	STORET NUMBER	TESTING INTERVAL (MONTHS)*	LAST TEST DATE (yyyy/mm/dd)	LAST RESULT REPORTED	NEXT TEST DATE (yyyy/mm)
RADIOLOGICAL					
RADIUM, TOTAL, MDA95-NTNC ONLY, BY 903.0	A-082	WAIVED			
STRONTIUM-90	13501	WAIVED			
TRITIUM	07000	WAIVED			
URANIUM (PCI/L)	28012	WAIVED			
REGULATED SOC					
2,3,7,8-TCDD (DIOXIN)	34676	WAIVED			
2,4,5-TP (SILVEX)	39045	WAIVED			
2,4-D	39730	WAIVED			
ALACHLOR	77825	WAIVED			
ATRAZINE	39033	WAIVED			
BENTAZON	38710	WAIVED			
BENZO (A) PYRENE	34247	WAIVED			
CARBOFURAN	81405	WAIVED			
CHLORDANE	39350	WAIVED			
DALAPON	38432	WAIVED			
DI(2-ETHYLHEXYL)ADIPATE	A-026	WAIVED			
DI(2-ETHYLHEXYL)PHTHALATE	39100	WAIVED			
DIBROMOCHLOROPROPANE (DBCP)	38761	WAIVED			
DINOSEB	81287	WAIVED			
DIQUAT	78885	WAIVED			
ENDOTHALL	38926	WAIVED			
ENDRIN	39390	WAIVED			
ETHYLENE DIBROMIDE (EDB)	77651	WAIVED			
GLYPHOSATE	79743	WAIVED			
HEPTACHLOR	39410	WAIVED			
HEPTACHLOR EPOXIDE	39420	WAIVED			
HEXACHLOROBENZENE	39700	WAIVED			
HEXACHLOROCYCLOPENTADIENE	34386	WAIVED			
LINDANE	39340	WAIVED			

**Testing interval is in months;*
0 = No data for this constituent and is DUE NOW
999 = Waived testing (not required)
I = Invalid (NOT) valid analyses reported

System Number: ***2400236***

System Name: ***VLC (VISTA LIVESTOCK COMPANY)***

PS Code: ***2400236-001***

Source Name: ***WELL #1 E ON HILL-REACTIVATED 12-02***

Source Number: ***001***

Source Status: ***ACTIVE UNTREATED***

Water type: ***GROUNDWATER OR WELL***

	STORET NUMBER	TESTING INTERVAL (MONTHS)*	LAST TEST DATE (yyyy/mm/dd)	LAST RESULT REPORTED	NEXT TEST DATE (yyyy/mm)
REGULATED SOC					
METHOXYCHLOR	39480	WAIVED			
MOLINATE	82199	WAIVED			
OXAMYL	38865	WAIVED			
PENTACHLOROPHENOL	39032	WAIVED			
PICLORAM	39720	WAIVED			
POLYCHLORINATED BIPHENYLS, TOTAL, AS DCB	39516	WAIVED			
SIMAZINE	39055	WAIVED			
THIOBENCARB	A-001	WAIVED			
TOXAPHENE	39400	WAIVED			
REGULATED VOC					
1,1,1-TRICHLOROETHANE	34506	WAIVED			
1,1,2,2-TETRACHLOROETHANE	34516	WAIVED			
1,1,2-TRICHLORO-1,2,2-TRIFLUOROETHANE	81611	WAIVED			
1,1,2-TRICHLOROETHANE	34511	WAIVED			
1,1-DICHLOROETHANE	34496	WAIVED			
1,1-DICHLOROETHYLENE	34501	WAIVED			
1,2,4-TRICHLOROBENZENE	34551	WAIVED			
1,2-DICHLOROBENZENE	34536	WAIVED			
1,2-DICHLOROETHANE	34531	WAIVED			
1,2-DICHLOROPROPANE	34541	WAIVED			
1,3-DICHLOROPROPENE (TOTAL)	34561	WAIVED			
1,4-DICHLOROBENZENE	34571	WAIVED			
BENZENE	34030	WAIVED			
CARBON TETRACHLORIDE	32102	WAIVED			
CIS-1,2-DICHLOROETHYLENE	77093	WAIVED			
DICHLOROMETHANE	34423	WAIVED			
ETHYLBENZENE	34371	WAIVED			
METHYL-TERT-BUTYL-ETHER (MTBE)	46491	WAIVED			
MONOCHLOROBENZENE	34301	WAIVED			

**Testing interval is in months;*
0 = No data for this constituent and is DUE NOW
999 = Waived testing (not required)
I = Invalid (NOT) valid analyses reported

System Number: ***2400236***

System Name: ***VLC (VISTA LIVESTOCK COMPANY)***

PS Code: ***2400236-001***

Source Name: ***WELL #1 E ON HILL-REACTIVATED 12-02***

Source Number: ***001***

Source Status: ***ACTIVE UNTREATED***

Water type: ***GROUNDWATER OR WELL***

	STORET NUMBER	TESTING INTERVAL (MONTHS)*	LAST TEST DATE (yyyy/mm/dd)	LAST RESULT REPORTED	NEXT TEST DATE (yyyy/mm)
REGULATED VOC					
STYRENE	77128	WAIVED			
TETRACHLOROETHYLENE	34475	WAIVED			
TOLUENE	34010	WAIVED			
TRANS-1,2-DICHLOROETHYLENE	34546	WAIVED			
TRICHLOROETHYLENE	39180	WAIVED			
TRICHLOROFLUOROMETHANE	34488	WAIVED			
VINYL CHLORIDE	39175	WAIVED			
XYLENES (TOTAL)	81551	WAIVED			
SECONDARY/GP					
AGGRSSIVE INDEX (CORROSIVITY)	82383	WAIVED			
BICARBONATE ALKALINITY	00440	WAIVED			
CALCIUM	00916	WAIVED			
CARBONATE ALKALINITY	00445	WAIVED			
CHLORIDE	00940	WAIVED			
COLOR	00081	WAIVED			
COPPER	01042	WAIVED			
FOAMING AGENTS (MBAS)	38260	WAIVED			
HARDNESS (TOTAL) AS CACO3	00900	WAIVED			
HYDROXIDE ALKALINITY	71830	WAIVED			
IRON	01045	WAIVED			
MAGNESIUM	00927	WAIVED			
MANGANESE	01055	WAIVED			
ODOR THRESHOLD @ 60 C	00086	WAIVED			
PH, LABORATORY	00403	WAIVED			
SILVER	01077	WAIVED			
SODIUM	00929	WAIVED			
SPECIFIC CONDUCTANCE	00095	WAIVED			
SULFATE	00945	WAIVED			
TOTAL DISSOLVED SOLIDS	70300	WAIVED			

**Testing interval is in months;*
0 = No data for this constituent and is DUE NOW
999 = Waived testing (not required)
I = Invalid (NOT) valid analyses reported

System Number: ***2400236***

System Name: ***VLC (VISTA LIVESTOCK COMPANY)***

PS Code: ***2400236-001***

Source Name: ***WELL #1 E ON HILL-REACTIVATED 12-02***

Source Number: ***001***

Source Status: ***ACTIVE UNTREATED***

Water type: ***GROUNDWATER OR WELL***

SECONDARY/GP

	STORET NUMBER	TESTING INTERVAL (MONTHS)*	LAST TEST DATE (yyyy/mm/dd)	LAST RESULT REPORTED	NEXT TEST DATE (yyyy/mm)
TURBIDITY, LABORATORY	82079	WAIVED			
ZINC	01092	WAIVED			

**Testing interval is in months;*
0 = No data for this constituent and is DUE NOW
999 = Waived testing (not required)
I = Invalid (NOT) valid analyses reported

System Number: ***2400237***

System Name: ***SVD 2 AND 3***

PS Code: ***2400237-001***

Source Name: ***WELL #2 SW***

Source Number: ***001***

Source Status: ***ACTIVE UNTREATED***

Water type: ***GROUNDWATER OR WELL***

	STORET NUMBER	TESTING INTERVAL (MONTHS)*	LAST TEST DATE (yyyy/mm/dd)	LAST RESULT REPORTED	NEXT TEST DATE (yyyy/mm)
GENERAL NON CHAP 15					
DIAZINON	39570	WAIVED			
INORGANIC					
ALUMINUM	01105	WAIVED			
ANTIMONY	01097	WAIVED			
ARSENIC	01002	WAIVED			
ASBESTOS	81855	WAIVED			
BARIUM	01007	WAIVED			
BERYLLIUM	01012	WAIVED			
CADMIUM	01027	WAIVED			
CHROMIUM (TOTAL)	01034	WAIVED			
CYANIDE	01291	WAIVED			
FLUORIDE (F) (NATURAL-SOURCE)	00951	WAIVED			
LEAD	01051	WAIVED			
MERCURY	71900	WAIVED			
NICKEL	01067	WAIVED			
PERCHLORATE	A-031	WAIVED			
SELENIUM	01147	WAIVED			
THALLIUM	01059	WAIVED			
NITRATE/NITRITE					
NITRATE (AS NO3)	71850	WAIVED			
NITRITE (AS N)	00620	WAIVED			
RADIOLOGICAL					
GROSS ALPHA	01501	WAIVED			
GROSS BETA	03501	WAIVED			
RA-226 FOR CWS OR TOTAL RA FOR NTNC BY 903.0	A-080	WAIVED			
RA-226 OR TOTAL RA BY 903.0 C.E.	A-081	WAIVED			
RADIUM 226	09501	WAIVED			
RADIUM 228	11501	WAIVED			

**Testing interval is in months;*
0 = No data for this constituent and is DUE NOW
999 = Waived testing (not required)
I = Invalid (NOT) valid analyses reported

System Number: ***2400237***

System Name: ***SVD 2 AND 3***

PS Code: ***2400237-001***

Source Name: ***WELL #2 SW***

Source Number: ***001***

Source Status: ***ACTIVE UNTREATED***

Water type: ***GROUNDWATER OR WELL***

	STORET NUMBER	TESTING INTERVAL (MONTHS)*	LAST TEST DATE (yyyy/mm/dd)	LAST RESULT REPORTED	NEXT TEST DATE (yyyy/mm)
RADIOLOGICAL					
RADIUM, TOTAL, MDA95-NTNC ONLY, BY 903.0	A-082	WAIVED			
STRONTIUM-90	13501	WAIVED			
TRITIUM	07000	WAIVED			
URANIUM (PCI/L)	28012	WAIVED			
REGULATED SOC					
2,3,7,8-TCDD (DIOXIN)	34676	WAIVED			
2,4,5-TP (SILVEX)	39045	WAIVED			
2,4-D	39730	WAIVED			
ALACHLOR	77825	WAIVED			
ATRAZINE	39033	WAIVED			
BENTAZON	38710	WAIVED			
BENZO (A) PYRENE	34247	WAIVED			
CARBOFURAN	81405	WAIVED			
CHLORDANE	39350	WAIVED			
DALAPON	38432	WAIVED			
DI(2-ETHYLHEXYL)ADIPATE	A-026	WAIVED			
DI(2-ETHYLHEXYL)PHTHALATE	39100	WAIVED			
DIBROMOCHLOROPROPANE (DBCP)	38761	WAIVED			
DINOSEB	81287	WAIVED			
DIQUAT	78885	WAIVED			
ENDOTHALL	38926	WAIVED			
ENDRIN	39390	WAIVED			
ETHYLENE DIBROMIDE (EDB)	77651	WAIVED			
GLYPHOSATE	79743	WAIVED			
HEPTACHLOR	39410	WAIVED			
HEPTACHLOR EPOXIDE	39420	WAIVED			
HEXACHLOROBENZENE	39700	WAIVED			
HEXACHLOROCYCLOPENTADIENE	34386	WAIVED			
LINDANE	39340	WAIVED			

**Testing interval is in months;*
0 = No data for this constituent and is DUE NOW
999 = Waived testing (not required)
I = Invalid (NOT) valid analyses reported

System Number: ***2400237***

System Name: ***SVD 2 AND 3***

PS Code: ***2400237-001***

Source Name: ***WELL #2 SW***

Source Number: ***001***

Source Status: ***ACTIVE UNTREATED***

Water type: ***GROUNDWATER OR WELL***

	STORET NUMBER	TESTING INTERVAL (MONTHS)*	LAST TEST DATE (yyyy/mm/dd)	LAST RESULT REPORTED	NEXT TEST DATE (yyyy/mm)
REGULATED SOC					
METHOXYCHLOR	39480	WAIVED			
MOLINATE	82199	WAIVED			
OXAMYL	38865	WAIVED			
PENTACHLOROPHENOL	39032	WAIVED			
PICLORAM	39720	WAIVED			
POLYCHLORINATED BIPHENYLS, TOTAL, AS DCB	39516	WAIVED			
SIMAZINE	39055	WAIVED			
THIOBENCARB	A-001	WAIVED			
TOXAPHENE	39400	WAIVED			
REGULATED VOC					
1,1,1-TRICHLOROETHANE	34506	WAIVED			
1,1,2,2-TETRACHLOROETHANE	34516	WAIVED			
1,1,2-TRICHLORO-1,2,2-TRIFLUOROETHANE	81611	WAIVED			
1,1,2-TRICHLOROETHANE	34511	WAIVED			
1,1-DICHLOROETHANE	34496	WAIVED			
1,1-DICHLOROETHYLENE	34501	WAIVED			
1,2,4-TRICHLOROBENZENE	34551	WAIVED			
1,2-DICHLOROBENZENE	34536	WAIVED			
1,2-DICHLOROETHANE	34531	WAIVED			
1,2-DICHLOROPROPANE	34541	WAIVED			
1,3-DICHLOROPROPENE (TOTAL)	34561	WAIVED			
1,4-DICHLOROBENZENE	34571	WAIVED			
BENZENE	34030	WAIVED			
CARBON TETRACHLORIDE	32102	WAIVED			
CIS-1,2-DICHLOROETHYLENE	77093	WAIVED			
DICHLOROMETHANE	34423	WAIVED			
ETHYLBENZENE	34371	WAIVED			
METHYL-TERT-BUTYL-ETHER (MTBE)	46491	WAIVED			
MONOCHLOROBENZENE	34301	WAIVED			

**Testing interval is in months;*
0 = No data for this constituent and is DUE NOW
999 = Waived testing (not required)
I = Invalid (NOT) valid analyses reported

System Number: ***2400237***

System Name: ***SVD 2 AND 3***

PS Code: ***2400237-001***

Source Name: ***WELL #2 SW***

Source Number: ***001***

Source Status: ***ACTIVE UNTREATED***

Water type: ***GROUNDWATER OR WELL***

	STORET NUMBER	TESTING INTERVAL (MONTHS)*	LAST TEST DATE (yyyy/mm/dd)	LAST RESULT REPORTED	NEXT TEST DATE (yyyy/mm)
REGULATED VOC					
STYRENE	77128	WAIVED			
TETRACHLOROETHYLENE	34475	WAIVED			
TOLUENE	34010	WAIVED			
TRANS-1,2-DICHLOROETHYLENE	34546	WAIVED			
TRICHLOROETHYLENE	39180	WAIVED			
TRICHLOROFLUOROMETHANE	34488	WAIVED			
VINYL CHLORIDE	39175	WAIVED			
XYLENES (TOTAL)	81551	WAIVED			
SECONDARY/GP					
AGGRSSIVE INDEX (CORROSIVITY)	82383	WAIVED			
BICARBONATE ALKALINITY	00440	WAIVED			
CALCIUM	00916	WAIVED			
CARBONATE ALKALINITY	00445	WAIVED			
CHLORIDE	00940	WAIVED			
COLOR	00081	WAIVED			
COPPER	01042	WAIVED			
FOAMING AGENTS (MBAS)	38260	WAIVED			
HARDNESS (TOTAL) AS CACO3	00900	WAIVED			
HYDROXIDE ALKALINITY	71830	WAIVED			
IRON	01045	WAIVED			
MAGNESIUM	00927	WAIVED			
MANGANESE	01055	WAIVED			
ODOR THRESHOLD @ 60 C	00086	WAIVED			
PH, LABORATORY	00403	WAIVED			
SILVER	01077	WAIVED			
SODIUM	00929	WAIVED			
SPECIFIC CONDUCTANCE	00095	WAIVED			
SULFATE	00945	WAIVED			
TOTAL DISSOLVED SOLIDS	70300	WAIVED			

**Testing interval is in months;*
0 = No data for this constituent and is DUE NOW
999 = Waived testing (not required)
I = Invalid (NOT) valid analyses reported

System Number: ***2400237***

System Name: ***SVD 2 AND 3***

PS Code: ***2400237-001***

Source Name: ***WELL #2 SW***

Source Number: ***001***

Source Status: ***ACTIVE UNTREATED***

Water type: ***GROUNDWATER OR WELL***

	STORET NUMBER	TESTING INTERVAL (MONTHS)*	LAST TEST DATE (yyyy/mm/dd)	LAST RESULT REPORTED	NEXT TEST DATE (yyyy/mm)
SECONDARY/GP					
TURBIDITY, LABORATORY	82079	WAIVED			
ZINC	01092	WAIVED			

PS Code: ***2400237-002***

Source Name: ***WELL #3 NE***

Source Number: ***002***

Source Status: ***ACTIVE UNTREATED***

Water type: ***GROUNDWATER OR WELL***

GENERAL NON CHAP 15					
DIAZINON	39570	WAIVED			
INORGANIC					
ALUMINUM	01105	WAIVED			
ANTIMONY	01097	WAIVED			
ARSENIC	01002	WAIVED			
ASBESTOS	81855	WAIVED			
BARIUM	01007	WAIVED			
BERYLLIUM	01012	WAIVED			
CADMIUM	01027	WAIVED			
CHROMIUM (TOTAL)	01034	WAIVED			
CYANIDE	01291	WAIVED			
FLUORIDE (F) (NATURAL-SOURCE)	00951	WAIVED			
LEAD	01051	WAIVED			
MERCURY	71900	WAIVED			
NICKEL	01067	WAIVED			
PERCHLORATE	A-031	WAIVED			
SELENIUM	01147	WAIVED			
THALLIUM	01059	WAIVED			

**Testing interval is in months;*
0 = No data for this constituent and is DUE NOW
999 = Waived testing (not required)
I = Invalid (NOT) valid analyses reported

System Number: ***2400237***

System Name: ***SVD 2 AND 3***

PS Code: ***2400237-002***

Source Name: ***WELL #3 NE***

Source Number: ***002***

Source Status: ***ACTIVE UNTREATED***

Water type: ***GROUNDWATER OR WELL***

	STORET NUMBER	TESTING INTERVAL (MONTHS)*	LAST TEST DATE (yyyy/mm/dd)	LAST RESULT REPORTED	NEXT TEST DATE (yyyy/mm)
NITRATE/NITRITE					
NITRATE (AS NO3)	71850	WAIVED			
NITRITE (AS N)	00620	WAIVED			
RADIOLOGICAL					
GROSS ALPHA	01501	WAIVED			
GROSS BETA	03501	WAIVED			
RA-226 FOR CWS OR TOTAL RA FOR NTNC BY 903.0	A-080	WAIVED			
RA-226 OR TOTAL RA BY 903.0 C.E.	A-081	WAIVED			
RADIUM 226	09501	WAIVED			
RADIUM 228	11501	WAIVED			
RADIUM, TOTAL, MDA95-NTNC ONLY, BY 903.0	A-082	WAIVED			
STRONTIUM-90	13501	WAIVED			
TRITIUM	07000	WAIVED			
URANIUM (PCI/L)	28012	WAIVED			
REGULATED SOC					
2,3,7,8-TCDD (DIOXIN)	34676	WAIVED			
2,4,5-TP (SILVEX)	39045	WAIVED			
2,4-D	39730	WAIVED			
ALACHLOR	77825	WAIVED			
ATRAZINE	39033	WAIVED			
BENTAZON	38710	WAIVED			
BENZO (A) PYRENE	34247	WAIVED			
CARBOFURAN	81405	WAIVED			
CHLORDANE	39350	WAIVED			
DALAPON	38432	WAIVED			
DI(2-ETHYLHEXYL)ADIPATE	A-026	WAIVED			
DI(2-ETHYLHEXYL)PHTHALATE	39100	WAIVED			
DIBROMOCHLOROPROPANE (DBCP)	38761	WAIVED			
DINOSEB	81287	WAIVED			
DIQUAT	78885	WAIVED			

**Testing interval is in months;*
0 = No data for this constituent and is DUE NOW
999 = Waived testing (not required)
I = Invalid (NOT) valid analyses reported

System Number: ***2400237***

System Name: ***SVD 2 AND 3***

PS Code: ***2400237-002***

Source Name: ***WELL #3 NE***

Source Number: ***002***

Source Status: ***ACTIVE UNTREATED***

Water type: ***GROUNDWATER OR WELL***

	STORET NUMBER	TESTING INTERVAL (MONTHS)*	LAST TEST DATE (yyyy/mm/dd)	LAST RESULT REPORTED	NEXT TEST DATE (yyyy/mm)
REGULATED SOC					
ENDOTHALL	38926	WAIVED			
ENDRIN	39390	WAIVED			
ETHYLENE DIBROMIDE (EDB)	77651	WAIVED			
GLYPHOSATE	79743	WAIVED			
HEPTACHLOR	39410	WAIVED			
HEPTACHLOR EPOXIDE	39420	WAIVED			
HEXACHLOROBENZENE	39700	WAIVED			
HEXACHLOROCYCLOPENTADIENE	34386	WAIVED			
LINDANE	39340	WAIVED			
METHOXYCHLOR	39480	WAIVED			
MOLINATE	82199	WAIVED			
OXAMYL	38865	WAIVED			
PENTACHLOROPHENOL	39032	WAIVED			
PICLORAM	39720	WAIVED			
POLYCHLORINATED BIPHENYLS, TOTAL, AS DCB	39516	WAIVED			
SIMAZINE	39055	WAIVED			
THIOBENCARB	A-001	WAIVED			
TOXAPHENE	39400	WAIVED			
REGULATED VOC					
1,1,1-TRICHLOROETHANE	34506	WAIVED			
1,1,2,2-TETRACHLOROETHANE	34516	WAIVED			
1,1,2-TRICHLORO-1,2,2-TRIFLUOROETHANE	81611	WAIVED			
1,1,2-TRICHLOROETHANE	34511	WAIVED			
1,1-DICHLOROETHANE	34496	WAIVED			
1,1-DICHLOROETHYLENE	34501	WAIVED			
1,2,4-TRICHLOROBENZENE	34551	WAIVED			
1,2-DICHLOROBENZENE	34536	WAIVED			
1,2-DICHLOROETHANE	34531	WAIVED			
1,2-DICHLOROPROPANE	34541	WAIVED			

**Testing interval is in months;*
0 = No data for this constituent and is DUE NOW
999 = Waived testing (not required)
I = Invalid (NOT) valid analyses reported

System Number: ***2400237***

System Name: ***SVD 2 AND 3***

PS Code: ***2400237-002***

Source Name: ***WELL #3 NE***

Source Number: ***002***

Source Status: ***ACTIVE UNTREATED***

Water type: ***GROUNDWATER OR WELL***

	STORET NUMBER	TESTING INTERVAL (MONTHS)*	LAST TEST DATE (yyyy/mm/dd)	LAST RESULT REPORTED	NEXT TEST DATE (yyyy/mm)
REGULATED VOC					
1,3-DICHLOROPROPENE (TOTAL)	34561	WAIVED			
1,4-DICHLOROBENZENE	34571	WAIVED			
BENZENE	34030	WAIVED			
CARBON TETRACHLORIDE	32102	WAIVED			
CIS-1,2-DICHLOROETHYLENE	77093	WAIVED			
DICHLOROMETHANE	34423	WAIVED			
ETHYLBENZENE	34371	WAIVED			
METHYL-TERT-BUTYL-ETHER (MTBE)	46491	WAIVED			
MONOCHLOROBENZENE	34301	WAIVED			
STYRENE	77128	WAIVED			
TETRACHLOROETHYLENE	34475	WAIVED			
TOLUENE	34010	WAIVED			
TRANS-1,2-DICHLOROETHYLENE	34546	WAIVED			
TRICHLOROETHYLENE	39180	WAIVED			
TRICHLOROFLUOROMETHANE	34488	WAIVED			
VINYL CHLORIDE	39175	WAIVED			
XYLENES (TOTAL)	81551	WAIVED			
SECONDARY/GP					
AGGRSSIVE INDEX (CORROSIVITY)	82383	WAIVED			
BICARBONATE ALKALINITY	00440	WAIVED			
CALCIUM	00916	WAIVED			
CARBONATE ALKALINITY	00445	WAIVED			
CHLORIDE	00940	WAIVED			
COLOR	00081	WAIVED			
COPPER	01042	WAIVED			
FOAMING AGENTS (MBAS)	38260	WAIVED			
HARDNESS (TOTAL) AS CACO3	00900	WAIVED			
HYDROXIDE ALKALINITY	71830	WAIVED			
IRON	01045	WAIVED			

**Testing interval is in months;*
0 = No data for this constituent and is DUE NOW
999 = Waived testing (not required)
I = Invalid (NOT) valid analyses reported

System Number: ***2400237***

System Name: ***SVD 2 AND 3***

PS Code: ***2400237-002***

Source Name: ***WELL #3 NE***

Source Number: ***002***

Source Status: ***ACTIVE UNTREATED***

Water type: ***GROUNDWATER OR WELL***

SECONDARY/GP	STORET NUMBER	TESTING INTERVAL (MONTHS)*	LAST TEST DATE (yyyy/mm/dd)	LAST RESULT REPORTED	NEXT TEST DATE (yyyy/mm)
MAGNESIUM	00927	WAIVED			
MANGANESE	01055	WAIVED			
ODOR THRESHOLD @ 60 C	00086	WAIVED			
PH, LABORATORY	00403	WAIVED			
SILVER	01077	WAIVED			
SODIUM	00929	WAIVED			
SPECIFIC CONDUCTANCE	00095	WAIVED			
SULFATE	00945	WAIVED			
TOTAL DISSOLVED SOLIDS	70300	WAIVED			
TURBIDITY, LABORATORY	82079	WAIVED			
ZINC	01092	WAIVED			

**Testing interval is in months;*
0 = No data for this constituent and is DUE NOW
999 = Waived testing (not required)
I = Invalid (NOT) valid analyses reported

System Number: ***2400238***

System Name: ***SVS 4***

PS Code: ***2400238-001***

Source Name: ***WELL #4 SW OF DAIRY - DRILLED 3/06***

Source Number: ***001***

Source Status: ***ACTIVE UNTREATED***

Water type: ***GROUNDWATER OR WELL***

	STORET NUMBER	TESTING INTERVAL (MONTHS)*	LAST TEST DATE (yyyy/mm/dd)	LAST RESULT REPORTED	NEXT TEST DATE (yyyy/mm)
GENERAL NON CHAP 15					
DIAZINON	39570	WAIVED			
INORGANIC					
ALUMINUM	01105	WAIVED			
ANTIMONY	01097	WAIVED			
ARSENIC	01002	WAIVED			
ASBESTOS	81855	WAIVED			
BARIUM	01007	WAIVED			
BERYLLIUM	01012	WAIVED			
CADMIUM	01027	WAIVED			
CHROMIUM (TOTAL)	01034	WAIVED			
CYANIDE	01291	WAIVED			
FLUORIDE (F) (NATURAL-SOURCE)	00951	WAIVED			
LEAD	01051	WAIVED			
MERCURY	71900	WAIVED			
NICKEL	01067	WAIVED			
PERCHLORATE	A-031	WAIVED			
SELENIUM	01147	WAIVED			
THALLIUM	01059	WAIVED			
NITRATE/NITRITE					
NITRATE (AS NO3)	71850	WAIVED			
NITRITE (AS N)	00620	WAIVED			
RADIOLOGICAL					
GROSS ALPHA	01501	WAIVED			
GROSS BETA	03501	WAIVED			
RA-226 FOR CWS OR TOTAL RA FOR NTNC BY 903.0	A-080	WAIVED			
RA-226 OR TOTAL RA BY 903.0 C.E.	A-081	WAIVED			
RADIUM 226	09501	WAIVED			
RADIUM 228	11501	WAIVED			

**Testing interval is in months;*
0 = No data for this constituent and is DUE NOW
999 = Waived testing (not required)
I = Invalid (NOT) valid analyses reported

System Number: ***2400238***

System Name: ***SVS 4***

PS Code: ***2400238-001***

Source Name: ***WELL #4 SW OF DAIRY - DRILLED 3/06***

Source Number: ***001***

Source Status: ***ACTIVE UNTREATED***

Water type: ***GROUNDWATER OR WELL***

	STORET NUMBER	TESTING INTERVAL (MONTHS)*	LAST TEST DATE (yyyy/mm/dd)	LAST RESULT REPORTED	NEXT TEST DATE (yyyy/mm)
RADIOLOGICAL					
RADIUM, TOTAL, MDA95-NTNC ONLY, BY 903.0	A-082	WAIVED			
STRONTIUM-90	13501	WAIVED			
TRITIUM	07000	WAIVED			
URANIUM (PCI/L)	28012	WAIVED			
REGULATED SOC					
2,3,7,8-TCDD (DIOXIN)	34676	WAIVED			
2,4,5-TP (SILVEX)	39045	WAIVED			
2,4-D	39730	WAIVED			
ALACHLOR	77825	WAIVED			
ATRAZINE	39033	WAIVED			
BENTAZON	38710	WAIVED			
BENZO (A) PYRENE	34247	WAIVED			
CARBOFURAN	81405	WAIVED			
CHLORDANE	39350	WAIVED			
DALAPON	38432	WAIVED			
DI(2-ETHYLHEXYL)ADIPATE	A-026	WAIVED			
DI(2-ETHYLHEXYL)PHTHALATE	39100	WAIVED			
DIBROMOCHLOROPROPANE (DBCP)	38761	WAIVED			
DINOSEB	81287	WAIVED			
DIQUAT	78885	WAIVED			
ENDOTHALL	38926	WAIVED			
ENDRIN	39390	WAIVED			
ETHYLENE DIBROMIDE (EDB)	77651	WAIVED			
GLYPHOSATE	79743	WAIVED			
HEPTACHLOR	39410	WAIVED			
HEPTACHLOR EPOXIDE	39420	WAIVED			
HEXACHLOROBENZENE	39700	WAIVED			
HEXACHLOROCYCLOPENTADIENE	34386	WAIVED			
LINDANE	39340	WAIVED			

**Testing interval is in months;*
0 = No data for this constituent and is DUE NOW
999 = Waived testing (not required)
I = Invalid (NOT) valid analyses reported

System Number: ***2400238***

System Name: ***SVS 4***

PS Code: ***2400238-001***

Source Name: ***WELL #4 SW OF DAIRY - DRILLED 3/06***

Source Number: ***001***

Source Status: ***ACTIVE UNTREATED***

Water type: ***GROUNDWATER OR WELL***

	STORET NUMBER	TESTING INTERVAL (MONTHS)*	LAST TEST DATE (yyyy/mm/dd)	LAST RESULT REPORTED	NEXT TEST DATE (yyyy/mm)
REGULATED SOC					
METHOXYCHLOR	39480	WAIVED			
MOLINATE	82199	WAIVED			
OXAMYL	38865	WAIVED			
PENTACHLOROPHENOL	39032	WAIVED			
PICLORAM	39720	WAIVED			
POLYCHLORINATED BIPHENYLS, TOTAL, AS DCB	39516	WAIVED			
SIMAZINE	39055	WAIVED			
THIOBENCARB	A-001	WAIVED			
TOXAPHENE	39400	WAIVED			
REGULATED VOC					
1,1,1-TRICHLOROETHANE	34506	WAIVED			
1,1,2,2-TETRACHLOROETHANE	34516	WAIVED			
1,1,2-TRICHLORO-1,2,2-TRIFLUOROETHANE	81611	WAIVED			
1,1,2-TRICHLOROETHANE	34511	WAIVED			
1,1-DICHLOROETHANE	34496	WAIVED			
1,1-DICHLOROETHYLENE	34501	WAIVED			
1,2,4-TRICHLOROBENZENE	34551	WAIVED			
1,2-DICHLOROBENZENE	34536	WAIVED			
1,2-DICHLOROETHANE	34531	WAIVED			
1,2-DICHLOROPROPANE	34541	WAIVED			
1,3-DICHLOROPROPENE (TOTAL)	34561	WAIVED			
1,4-DICHLOROBENZENE	34571	WAIVED			
BENZENE	34030	WAIVED			
CARBON TETRACHLORIDE	32102	WAIVED			
CIS-1,2-DICHLOROETHYLENE	77093	WAIVED			
DICHLOROMETHANE	34423	WAIVED			
ETHYLBENZENE	34371	WAIVED			
METHYL-TERT-BUTYL-ETHER (MTBE)	46491	WAIVED			
MONOCHLOROBENZENE	34301	WAIVED			

**Testing interval is in months;*
0 = No data for this constituent and is DUE NOW
999 = Waived testing (not required)
I = Invalid (NOT) valid analyses reported

System Number: ***2400238***

System Name: ***SVS 4***

PS Code: ***2400238-001***

Source Name: ***WELL #4 SW OF DAIRY - DRILLED 3/06***

Source Number: ***001***

Source Status: ***ACTIVE UNTREATED***

Water type: ***GROUNDWATER OR WELL***

	STORET NUMBER	TESTING INTERVAL (MONTHS)*	LAST TEST DATE (yyyy/mm/dd)	LAST RESULT REPORTED	NEXT TEST DATE (yyyy/mm)
REGULATED VOC					
STYRENE	77128	WAIVED			
TETRACHLOROETHYLENE	34475	WAIVED			
TOLUENE	34010	WAIVED			
TRANS-1,2-DICHLOROETHYLENE	34546	WAIVED			
TRICHLOROETHYLENE	39180	WAIVED			
TRICHLOROFLUOROMETHANE	34488	WAIVED			
VINYL CHLORIDE	39175	WAIVED			
XYLENES (TOTAL)	81551	WAIVED			
SECONDARY/GP					
AGGRSSIVE INDEX (CORROSIVITY)	82383	WAIVED			
BICARBONATE ALKALINITY	00440	WAIVED			
CALCIUM	00916	WAIVED			
CARBONATE ALKALINITY	00445	WAIVED			
CHLORIDE	00940	WAIVED			
COLOR	00081	WAIVED			
COPPER	01042	WAIVED			
FOAMING AGENTS (MBAS)	38260	WAIVED			
HARDNESS (TOTAL) AS CACO3	00900	WAIVED			
HYDROXIDE ALKALINITY	71830	WAIVED			
IRON	01045	WAIVED			
MAGNESIUM	00927	WAIVED			
MANGANESE	01055	WAIVED			
ODOR THRESHOLD @ 60 C	00086	WAIVED			
PH, LABORATORY	00403	WAIVED			
SILVER	01077	WAIVED			
SODIUM	00929	WAIVED			
SPECIFIC CONDUCTANCE	00095	WAIVED			
SULFATE	00945	WAIVED			
TOTAL DISSOLVED SOLIDS	70300	WAIVED			

**Testing interval is in months;*
0 = No data for this constituent and is DUE NOW
999 = Waived testing (not required)
I = Invalid (NOT) valid analyses reported

System Number: ***2400238***

System Name: ***SVS 4***

PS Code: ***2400238-001***

Source Name: ***WELL #4 SW OF DAIRY - DRILLED 3/06***

Source Number: ***001***

Source Status: ***ACTIVE UNTREATED***

Water type: ***GROUNDWATER OR WELL***

	STORET NUMBER	TESTING INTERVAL (MONTHS)*	LAST TEST DATE (yyyy/mm/dd)	LAST RESULT REPORTED	NEXT TEST DATE (yyyy/mm)
SECONDARY/GP					
TURBIDITY, LABORATORY	82079	WAIVED			
ZINC	01092	WAIVED			

**Testing interval is in months;*
0 = No data for this constituent and is DUE NOW
999 = Waived testing (not required)
I = Invalid (NOT) valid analyses reported

System Number: ***2400239***

System Name: ***GOLDEN BY-PRODUCTS, INC***

PS Code: ***2400239-001***

Source Name: ***WELL 1***

Source Number: ***001***

Source Status: ***ACTIVE UNTREATED***

Water type: ***GROUNDWATER OR WELL***

	STORET NUMBER	TESTING INTERVAL (MONTHS)*	LAST TEST DATE (yyyy/mm/dd)	LAST RESULT REPORTED	NEXT TEST DATE (yyyy/mm)
GENERAL NON CHAP 15					
DIAZINON	39570	WAIVED	2010/11/17	< .000	
INORGANIC					
ALUMINUM	01105	WAIVED	2010/08/10	< 50.000	
ANTIMONY	01097	WAIVED	2010/08/10	< 6.000	
ARSENIC	01002	WAIVED	2010/08/10	4.400	
ASBESTOS	81855	WAIVED			
BARIUM	01007	WAIVED	2010/08/10	< 100.000	
BERYLLIUM	01012	WAIVED	2010/08/10	< 1.000	
CADMIUM	01027	WAIVED	2010/08/10	< 1.000	
CHROMIUM (TOTAL)	01034	WAIVED	2010/08/10	< 10.000	
CYANIDE	01291	WAIVED			
FLUORIDE (F) (NATURAL-SOURCE)	00951	WAIVED	2010/08/10	.110	
LEAD	01051	WAIVED	2010/08/10	< 5.000	
MERCURY	71900	WAIVED	2010/08/10	< 1.000	
NICKEL	01067	WAIVED	2010/08/10	< 10.000	
PERCHLORATE	A-031	WAIVED	2011/09/13	< .000	
SELENIUM	01147	WAIVED	2010/08/10	< 5.000	
THALLIUM	01059	WAIVED	2010/08/10	< 1.000	
NITRATE/NITRITE					
NITRATE (AS NO3)	71850	012	2011/08/09	8.900	2012/08
NITRITE (AS N)	00620	036	2010/08/10	< 400.000	2013/08
RADIOLOGICAL					
GROSS ALPHA	01501	WAIVED	2007/11/30	.000	
GROSS BETA	03501	WAIVED			
RA-226 FOR CWS OR TOTAL RA FOR NTNC BY 903.0	A-080	WAIVED			
RA-226 OR TOTAL RA BY 903.0 C.E.	A-081	WAIVED			
RADIUM 226	09501	WAIVED			
RADIUM 228	11501	WAIVED			

**Testing interval is in months;*
0 = No data for this constituent and is DUE NOW
999 = Waived testing (not required)
I = Invalid (NOT) valid analyses reported

System Number: ***2400239***

System Name: ***GOLDEN BY-PRODUCTS, INC***

PS Code: ***2400239-001***

Source Name: ***WELL 1***

Source Number: ***001***

Source Status: ***ACTIVE UNTREATED***

Water type: ***GROUNDWATER OR WELL***

	STORET NUMBER	TESTING INTERVAL (MONTHS)*	LAST TEST DATE (yyyy/mm/dd)	LAST RESULT REPORTED	NEXT TEST DATE (yyyy/mm)
RADIOLOGICAL					
RADIUM, TOTAL, MDA95-NTNC ONLY, BY 903.0	A-082	WAIVED			
STRONTIUM-90	13501	WAIVED			
TRITIUM	07000	WAIVED			
URANIUM (PCI/L)	28012	WAIVED			
REGULATED SOC					
2,3,7,8-TCDD (DIOXIN)	34676	WAIVED			
2,4,5-TP (SILVEX)	39045	WAIVED			
2,4-D	39730	WAIVED			
ALACHLOR	77825	WAIVED	2010/11/17	< .000	
ATRAZINE	39033	WAIVED	2010/11/17	< .000	
BENTAZON	38710	WAIVED			
BENZO (A) PYRENE	34247	WAIVED	2010/11/17	< .000	
CARBOFURAN	81405	WAIVED			
CHLORDANE	39350	WAIVED			
DALAPON	38432	WAIVED			
DI(2-ETHYLHEXYL)ADIPATE	A-026	WAIVED	2010/11/17	< .000	
DI(2-ETHYLHEXYL)PHTHALATE	39100	WAIVED	2010/11/17	< .000	
DIBROMOCHLOROPROPANE (DBCP)	38761	WAIVED	2010/11/17	.000	
DINOSEB	81287	WAIVED			
DIQUAT	78885	WAIVED			
ENDOTHALL	38926	WAIVED			
ENDRIN	39390	WAIVED			
ETHYLENE DIBROMIDE (EDB)	77651	WAIVED	2010/11/17	.000	
GLYPHOSATE	79743	WAIVED			
HEPTACHLOR	39410	WAIVED			
HEPTACHLOR EPOXIDE	39420	WAIVED			
HEXACHLOROBENZENE	39700	WAIVED			
HEXACHLOROCYCLOPENTADIENE	34386	WAIVED			
LINDANE	39340	WAIVED			

**Testing interval is in months;*
0 = No data for this constituent and is DUE NOW
999 = Waived testing (not required)
I = Invalid (NOT) valid analyses reported

System Number: ***2400239***

System Name: ***GOLDEN BY-PRODUCTS, INC***

PS Code: ***2400239-001***

Source Name: ***WELL 1***

Source Number: ***001***

Source Status: ***ACTIVE UNTREATED***

Water type: ***GROUNDWATER OR WELL***

	STORET NUMBER	TESTING INTERVAL (MONTHS)*	LAST TEST DATE (yyyy/mm/dd)	LAST RESULT REPORTED	NEXT TEST DATE (yyyy/mm)
REGULATED SOC					
METHOXYCHLOR	39480	WAIVED			
MOLINATE	82199	WAIVED	2010/11/17	< .000	
OXAMYL	38865	WAIVED			
PENTACHLOROPHENOL	39032	WAIVED			
PICLORAM	39720	WAIVED			
POLYCHLORINATED BIPHENYLS, TOTAL, AS DCB	39516	WAIVED			
SIMAZINE	39055	WAIVED	2010/11/17	< .000	
THIOBENCARB	A-001	WAIVED	2010/11/17	< .000	
TOXAPHENE	39400	WAIVED			
REGULATED VOC					
1,1,1-TRICHLOROETHANE	34506	WAIVED	2007/11/30	.000	
1,1,2,2-TETRACHLOROETHANE	34516	WAIVED	2007/11/30	.000	
1,1,2-TRICHLORO-1,2,2-TRIFLUOROETHANE	81611	WAIVED	2007/11/30	.000	
1,1,2-TRICHLOROETHANE	34511	WAIVED	2007/11/30	.000	
1,1-DICHLOROETHANE	34496	WAIVED	2007/11/30	.000	
1,1-DICHLOROETHYLENE	34501	WAIVED	2007/11/30	.000	
1,2,4-TRICHLOROBENZENE	34551	WAIVED	2007/11/30	.000	
1,2-DICHLOROBENZENE	34536	WAIVED	2007/11/30	.000	
1,2-DICHLOROETHANE	34531	WAIVED	2007/11/30	.000	
1,2-DICHLOROPROPANE	34541	WAIVED	2007/11/30	.000	
1,3-DICHLOROPROPENE (TOTAL)	34561	WAIVED	2007/11/30	.000	
1,4-DICHLOROBENZENE	34571	WAIVED	2007/11/30	.000	
BENZENE	34030	WAIVED	2007/11/30	.000	
CARBON TETRACHLORIDE	32102	WAIVED	2007/11/30	.000	
CIS-1,2-DICHLOROETHYLENE	77093	WAIVED	2007/11/30	.000	
DICHLOROMETHANE	34423	WAIVED	2007/11/30	.000	
ETHYLBENZENE	34371	WAIVED	2007/11/30	.000	
METHYL-TERT-BUTYL-ETHER (MTBE)	46491	WAIVED	2008/05/09	.000	
MONOCHLOROBENZENE	34301	WAIVED	2007/11/30	.000	

**Testing interval is in months;*
0 = No data for this constituent and is DUE NOW
999 = Waived testing (not required)
I = Invalid (NOT) valid analyses reported

System Number: ***2400239***

System Name: ***GOLDEN BY-PRODUCTS, INC***

PS Code: ***2400239-001***

Source Name: ***WELL 1***

Source Number: ***001***

Source Status: ***ACTIVE UNTREATED***

Water type: ***GROUNDWATER OR WELL***

	STORET NUMBER	TESTING INTERVAL (MONTHS)*	LAST TEST DATE (yyyy/mm/dd)	LAST RESULT REPORTED	NEXT TEST DATE (yyyy/mm)
REGULATED VOC					
STYRENE	77128	WAIVED	2007/11/30	.000	
TETRACHLOROETHYLENE	34475	WAIVED	2007/11/30	.000	
TOLUENE	34010	WAIVED	2007/11/30	.000	
TRANS-1,2-DICHLOROETHYLENE	34546	WAIVED	2007/11/30	.000	
TRICHLOROETHYLENE	39180	WAIVED	2007/11/30	.000	
TRICHLOROFLUOROMETHANE	34488	WAIVED	2007/11/30	.000	
VINYL CHLORIDE	39175	WAIVED	2007/11/30	.000	
XYLENES (TOTAL)	81551	WAIVED	2007/11/30	< .500	
SECONDARY/GP					
AGGRSSIVE INDEX (CORROSIVITY)	82383	WAIVED			
BICARBONATE ALKALINITY	00440	WAIVED			
CALCIUM	00916	WAIVED			
CARBONATE ALKALINITY	00445	WAIVED			
CHLORIDE	00940	WAIVED			
COLOR	00081	WAIVED			
COPPER	01042	WAIVED			
FOAMING AGENTS (MBAS)	38260	WAIVED			
HARDNESS (TOTAL) AS CACO3	00900	WAIVED			
HYDROXIDE ALKALINITY	71830	WAIVED			
IRON	01045	WAIVED			
MAGNESIUM	00927	WAIVED			
MANGANESE	01055	WAIVED			
ODOR THRESHOLD @ 60 C	00086	WAIVED			
PH, LABORATORY	00403	WAIVED			
SILVER	01077	WAIVED	2010/08/10	< 10.000	
SODIUM	00929	WAIVED			
SPECIFIC CONDUCTANCE	00095	WAIVED	2011/09/13	110.000	
SULFATE	00945	WAIVED			
TOTAL DISSOLVED SOLIDS	70300	WAIVED			

**Testing interval is in months;*
0 = No data for this constituent and is DUE NOW
999 = Waived testing (not required)
I = Invalid (NOT) valid analyses reported

System Number: ***2400239***

System Name: ***GOLDEN BY-PRODUCTS, INC***

PS Code: ***2400239-001***

Source Name: ***WELL 1***

Source Number: ***001***

Source Status: ***ACTIVE UNTREATED***

Water type: ***GROUNDWATER OR WELL***

	STORET NUMBER	TESTING INTERVAL (MONTHS)*	LAST TEST DATE (yyyy/mm/dd)	LAST RESULT REPORTED	NEXT TEST DATE (yyyy/mm)
SECONDARY/GP					
TURBIDITY, LABORATORY	82079	WAIVED			
ZINC	01092	WAIVED			

**Testing interval is in months;*
0 = No data for this constituent and is DUE NOW
999 = Waived testing (not required)
I = Invalid (NOT) valid analyses reported

System Number: ***2400240***

System Name: ***THE VISTA***

PS Code: ***2400240-001***

Source Name: ***WELL #1***

Source Number: ***001***

Source Status: ***ACTIVE UNTREATED***

Water type: ***GROUNDWATER OR WELL***

	STORET NUMBER	TESTING INTERVAL (MONTHS)*	LAST TEST DATE (yyyy/mm/dd)	LAST RESULT REPORTED	NEXT TEST DATE (yyyy/mm)
GENERAL NON CHAP 15					
DIAZINON	39570	WAIVED			
INORGANIC					
ALUMINUM	01105	WAIVED			
ANTIMONY	01097	WAIVED			
ARSENIC	01002	WAIVED			
ASBESTOS	81855	WAIVED			
BARIUM	01007	WAIVED			
BERYLLIUM	01012	WAIVED			
CADMIUM	01027	WAIVED			
CHROMIUM (TOTAL)	01034	WAIVED			
CYANIDE	01291	WAIVED			
FLUORIDE (F) (NATURAL-SOURCE)	00951	WAIVED			
LEAD	01051	WAIVED			
MERCURY	71900	WAIVED			
NICKEL	01067	WAIVED			
PERCHLORATE	A-031	WAIVED			
SELENIUM	01147	WAIVED			
THALLIUM	01059	WAIVED			
NITRATE/NITRITE					
NITRATE (AS NO3)	71850	WAIVED			
NITRITE (AS N)	00620	WAIVED			
RADIOLOGICAL					
GROSS ALPHA	01501	WAIVED			
GROSS BETA	03501	WAIVED			
RA-226 FOR CWS OR TOTAL RA FOR NTNC BY 903.0	A-080	WAIVED			
RA-226 OR TOTAL RA BY 903.0 C.E.	A-081	WAIVED			
RADIUM 226	09501	WAIVED			
RADIUM 228	11501	WAIVED			

**Testing interval is in months;*
0 = No data for this constituent and is DUE NOW
999 = Waived testing (not required)
I = Invalid (NOT) valid analyses reported

System Number: ***2400240***

System Name: ***THE VISTA***

PS Code: ***2400240-001***

Source Name: ***WELL #1***

Source Number: ***001***

Source Status: ***ACTIVE UNTREATED***

Water type: ***GROUNDWATER OR WELL***

	STORET NUMBER	TESTING INTERVAL (MONTHS)*	LAST TEST DATE (yyyy/mm/dd)	LAST RESULT REPORTED	NEXT TEST DATE (yyyy/mm)
RADIOLOGICAL					
RADIUM, TOTAL, MDA95-NTNC ONLY, BY 903.0	A-082	WAIVED			
STRONTIUM-90	13501	WAIVED			
TRITIUM	07000	WAIVED			
URANIUM (PCI/L)	28012	WAIVED			
REGULATED SOC					
2,3,7,8-TCDD (DIOXIN)	34676	WAIVED			
2,4,5-TP (SILVEX)	39045	WAIVED			
2,4-D	39730	WAIVED			
ALACHLOR	77825	WAIVED			
ATRAZINE	39033	WAIVED			
BENTAZON	38710	WAIVED			
BENZO (A) PYRENE	34247	WAIVED			
CARBOFURAN	81405	WAIVED			
CHLORDANE	39350	WAIVED			
DALAPON	38432	WAIVED			
DI(2-ETHYLHEXYL)ADIPATE	A-026	WAIVED			
DI(2-ETHYLHEXYL)PHTHALATE	39100	WAIVED			
DIBROMOCHLOROPROPANE (DBCP)	38761	WAIVED			
DINOSEB	81287	WAIVED			
DIQUAT	78885	WAIVED			
ENDOTHALL	38926	WAIVED			
ENDRIN	39390	WAIVED			
ETHYLENE DIBROMIDE (EDB)	77651	WAIVED			
GLYPHOSATE	79743	WAIVED			
HEPTACHLOR	39410	WAIVED			
HEPTACHLOR EPOXIDE	39420	WAIVED			
HEXACHLOROBENZENE	39700	WAIVED			
HEXACHLOROCYCLOPENTADIENE	34386	WAIVED			
LINDANE	39340	WAIVED			

**Testing interval is in months;*
0 = No data for this constituent and is DUE NOW
999 = Waived testing (not required)
I = Invalid (NOT) valid analyses reported

System Number: ***2400240***

System Name: ***THE VISTA***

PS Code: ***2400240-001***

Source Name: ***WELL #1***

Source Number: ***001***

Source Status: ***ACTIVE UNTREATED***

Water type: ***GROUNDWATER OR WELL***

	STORET NUMBER	TESTING INTERVAL (MONTHS)*	LAST TEST DATE (yyyy/mm/dd)	LAST RESULT REPORTED	NEXT TEST DATE (yyyy/mm)
REGULATED SOC					
METHOXYCHLOR	39480	WAIVED			
MOLINATE	82199	WAIVED			
OXAMYL	38865	WAIVED			
PENTACHLOROPHENOL	39032	WAIVED			
PICLORAM	39720	WAIVED			
POLYCHLORINATED BIPHENYLS, TOTAL, AS DCB	39516	WAIVED			
SIMAZINE	39055	WAIVED			
THIOBENCARB	A-001	WAIVED			
TOXAPHENE	39400	WAIVED			
REGULATED VOC					
1,1,1-TRICHLOROETHANE	34506	WAIVED			
1,1,2,2-TETRACHLOROETHANE	34516	WAIVED			
1,1,2-TRICHLORO-1,2,2-TRIFLUOROETHANE	81611	WAIVED			
1,1,2-TRICHLOROETHANE	34511	WAIVED			
1,1-DICHLOROETHANE	34496	WAIVED			
1,1-DICHLOROETHYLENE	34501	WAIVED			
1,2,4-TRICHLOROBENZENE	34551	WAIVED			
1,2-DICHLOROBENZENE	34536	WAIVED			
1,2-DICHLOROETHANE	34531	WAIVED			
1,2-DICHLOROPROPANE	34541	WAIVED			
1,3-DICHLOROPROPENE (TOTAL)	34561	WAIVED			
1,4-DICHLOROBENZENE	34571	WAIVED			
BENZENE	34030	WAIVED			
CARBON TETRACHLORIDE	32102	WAIVED			
CIS-1,2-DICHLOROETHYLENE	77093	WAIVED			
DICHLOROMETHANE	34423	WAIVED			
ETHYLBENZENE	34371	WAIVED			
METHYL-TERT-BUTYL-ETHER (MTBE)	46491	WAIVED			
MONOCHLOROBENZENE	34301	WAIVED			

**Testing interval is in months;*
0 = No data for this constituent and is DUE NOW
999 = Waived testing (not required)
I = Invalid (NOT) valid analyses reported

System Number: ***2400240***

System Name: ***THE VISTA***

PS Code: ***2400240-001***

Source Name: ***WELL #1***

Source Number: ***001***

Source Status: ***ACTIVE UNTREATED***

Water type: ***GROUNDWATER OR WELL***

	STORET NUMBER	TESTING INTERVAL (MONTHS)*	LAST TEST DATE (yyyy/mm/dd)	LAST RESULT REPORTED	NEXT TEST DATE (yyyy/mm)
REGULATED VOC					
STYRENE	77128	WAIVED			
TETRACHLOROETHYLENE	34475	WAIVED			
TOLUENE	34010	WAIVED			
TRANS-1,2-DICHLOROETHYLENE	34546	WAIVED			
TRICHLOROETHYLENE	39180	WAIVED			
TRICHLOROFLUOROMETHANE	34488	WAIVED			
VINYL CHLORIDE	39175	WAIVED			
XYLENES (TOTAL)	81551	WAIVED			
SECONDARY/GP					
AGGRSSIVE INDEX (CORROSIVITY)	82383	WAIVED			
BICARBONATE ALKALINITY	00440	WAIVED			
CALCIUM	00916	WAIVED			
CARBONATE ALKALINITY	00445	WAIVED			
CHLORIDE	00940	WAIVED			
COLOR	00081	WAIVED			
COPPER	01042	WAIVED			
FOAMING AGENTS (MBAS)	38260	WAIVED			
HARDNESS (TOTAL) AS CACO3	00900	WAIVED			
HYDROXIDE ALKALINITY	71830	WAIVED			
IRON	01045	WAIVED			
MAGNESIUM	00927	WAIVED			
MANGANESE	01055	WAIVED			
ODOR THRESHOLD @ 60 C	00086	WAIVED			
PH, LABORATORY	00403	WAIVED			
SILVER	01077	WAIVED			
SODIUM	00929	WAIVED			
SPECIFIC CONDUCTANCE	00095	WAIVED			
SULFATE	00945	WAIVED			
TOTAL DISSOLVED SOLIDS	70300	WAIVED			

**Testing interval is in months;*
0 = No data for this constituent and is DUE NOW
999 = Waived testing (not required)
I = Invalid (NOT) valid analyses reported

System Number: ***2400240***

System Name: ***THE VISTA***

PS Code: ***2400240-001***

Source Name: ***WELL #1***

Source Number: ***001***

Source Status: ***ACTIVE UNTREATED***

Water type: ***GROUNDWATER OR WELL***

	STORET NUMBER	TESTING INTERVAL (MONTHS)*	LAST TEST DATE (yyyy/mm/dd)	LAST RESULT REPORTED	NEXT TEST DATE (yyyy/mm)
SECONDARY/GP					
TURBIDITY, LABORATORY	82079	WAIVED			
ZINC	01092	WAIVED			

**Testing interval is in months;*
0 = No data for this constituent and is DUE NOW
999 = Waived testing (not required)
I = Invalid (NOT) valid analyses reported

System Number: ***2400241***

System Name: ***BOWLES FARMING***

PS Code: ***2400241-001***

Source Name: ***WELL 2 - NORTH WELL (07-261-DO)***

Source Number: ***001***

Source Status: ***ACTIVE UNTREATED***

Water type: ***GROUNDWATER OR WELL***

	STORET NUMBER	TESTING INTERVAL (MONTHS)*	LAST TEST DATE (yyyy/mm/dd)	LAST RESULT REPORTED	NEXT TEST DATE (yyyy/mm)
GENERAL NON CHAP 15					
DIAZINON	39570	WAIVED			
INORGANIC					
ALUMINUM	01105	WAIVED			
ANTIMONY	01097	WAIVED			
ARSENIC	01002	WAIVED			
ASBESTOS	81855	WAIVED			
BARIUM	01007	WAIVED			
BERYLLIUM	01012	WAIVED			
CADMIUM	01027	WAIVED			
CHROMIUM (TOTAL)	01034	WAIVED			
CYANIDE	01291	WAIVED			
FLUORIDE (F) (NATURAL-SOURCE)	00951	WAIVED			
LEAD	01051	WAIVED			
MERCURY	71900	WAIVED			
NICKEL	01067	WAIVED			
PERCHLORATE	A-031	WAIVED			
SELENIUM	01147	WAIVED			
THALLIUM	01059	WAIVED			
NITRATE/NITRITE					
NITRATE (AS NO3)	71850	WAIVED			
NITRITE (AS N)	00620	WAIVED			
RADIOLOGICAL					
GROSS ALPHA	01501	WAIVED			
GROSS BETA	03501	WAIVED			
RA-226 FOR CWS OR TOTAL RA FOR NTNC BY 903.0	A-080	WAIVED			
RA-226 OR TOTAL RA BY 903.0 C.E.	A-081	WAIVED			
RADIUM 226	09501	WAIVED			
RADIUM 228	11501	WAIVED			

**Testing interval is in months;*
0 = No data for this constituent and is DUE NOW
999 = Waived testing (not required)
I = Invalid (NOT) valid analyses reported

System Number: ***2400241***

System Name: ***BOWLES FARMING***

PS Code: ***2400241-001***

Source Name: ***WELL 2 - NORTH WELL (07-261-DO)***

Source Number: ***001***

Source Status: ***ACTIVE UNTREATED***

Water type: ***GROUNDWATER OR WELL***

	STORET NUMBER	TESTING INTERVAL (MONTHS)*	LAST TEST DATE (yyyy/mm/dd)	LAST RESULT REPORTED	NEXT TEST DATE (yyyy/mm)
RADIOLOGICAL					
RADIUM, TOTAL, MDA95-NTNC ONLY, BY 903.0	A-082	WAIVED			
STRONTIUM-90	13501	WAIVED			
TRITIUM	07000	WAIVED			
URANIUM (PCI/L)	28012	WAIVED			
REGULATED SOC					
2,3,7,8-TCDD (DIOXIN)	34676	WAIVED			
2,4,5-TP (SILVEX)	39045	WAIVED			
2,4-D	39730	WAIVED			
ALACHLOR	77825	WAIVED			
ATRAZINE	39033	WAIVED			
BENTAZON	38710	WAIVED			
BENZO (A) PYRENE	34247	WAIVED			
CARBOFURAN	81405	WAIVED			
CHLORDANE	39350	WAIVED			
DALAPON	38432	WAIVED			
DI(2-ETHYLHEXYL)ADIPATE	A-026	WAIVED			
DI(2-ETHYLHEXYL)PHTHALATE	39100	WAIVED			
DIBROMOCHLOROPROPANE (DBCP)	38761	WAIVED			
DINOSEB	81287	WAIVED			
DIQUAT	78885	WAIVED			
ENDOTHALL	38926	WAIVED			
ENDRIN	39390	WAIVED			
ETHYLENE DIBROMIDE (EDB)	77651	WAIVED			
GLYPHOSATE	79743	WAIVED			
HEPTACHLOR	39410	WAIVED			
HEPTACHLOR EPOXIDE	39420	WAIVED			
HEXACHLOROBENZENE	39700	WAIVED			
HEXACHLOROCYCLOPENTADIENE	34386	WAIVED			
LINDANE	39340	WAIVED			

**Testing interval is in months;*
0 = No data for this constituent and is DUE NOW
999 = Waived testing (not required)
I = Invalid (NOT) valid analyses reported

System Number: ***2400241***

System Name: ***BOWLES FARMING***

PS Code: ***2400241-001***

Source Name: ***WELL 2 - NORTH WELL (07-261-DO)***

Source Number: ***001***

Source Status: ***ACTIVE UNTREATED***

Water type: ***GROUNDWATER OR WELL***

	STORET NUMBER	TESTING INTERVAL (MONTHS)*	LAST TEST DATE (yyyy/mm/dd)	LAST RESULT REPORTED	NEXT TEST DATE (yyyy/mm)
REGULATED SOC					
METHOXYCHLOR	39480	WAIVED			
MOLINATE	82199	WAIVED			
OXAMYL	38865	WAIVED			
PENTACHLOROPHENOL	39032	WAIVED			
PICLORAM	39720	WAIVED			
POLYCHLORINATED BIPHENYLS, TOTAL, AS DCB	39516	WAIVED			
SIMAZINE	39055	WAIVED			
THIOBENCARB	A-001	WAIVED			
TOXAPHENE	39400	WAIVED			
REGULATED VOC					
1,1,1-TRICHLOROETHANE	34506	WAIVED			
1,1,2,2-TETRACHLOROETHANE	34516	WAIVED			
1,1,2-TRICHLORO-1,2,2-TRIFLUOROETHANE	81611	WAIVED			
1,1,2-TRICHLOROETHANE	34511	WAIVED			
1,1-DICHLOROETHANE	34496	WAIVED			
1,1-DICHLOROETHYLENE	34501	WAIVED			
1,2,4-TRICHLOROBENZENE	34551	WAIVED			
1,2-DICHLOROBENZENE	34536	WAIVED			
1,2-DICHLOROETHANE	34531	WAIVED			
1,2-DICHLOROPROPANE	34541	WAIVED			
1,3-DICHLOROPROPENE (TOTAL)	34561	WAIVED			
1,4-DICHLOROBENZENE	34571	WAIVED			
BENZENE	34030	WAIVED			
CARBON TETRACHLORIDE	32102	WAIVED			
CIS-1,2-DICHLOROETHYLENE	77093	WAIVED			
DICHLOROMETHANE	34423	WAIVED			
ETHYLBENZENE	34371	WAIVED			
METHYL-TERT-BUTYL-ETHER (MTBE)	46491	WAIVED			
MONOCHLOROBENZENE	34301	WAIVED			

**Testing interval is in months;*
0 = No data for this constituent and is DUE NOW
999 = Waived testing (not required)
I = Invalid (NOT) valid analyses reported

System Number: ***2400241***

System Name: ***BOWLES FARMING***

PS Code: ***2400241-001***

Source Name: ***WELL 2 - NORTH WELL (07-261-DO)***

Source Number: ***001***

Source Status: ***ACTIVE UNTREATED***

Water type: ***GROUNDWATER OR WELL***

	STORET NUMBER	TESTING INTERVAL (MONTHS)*	LAST TEST DATE (yyyy/mm/dd)	LAST RESULT REPORTED	NEXT TEST DATE (yyyy/mm)
REGULATED VOC					
STYRENE	77128	WAIVED			
TETRACHLOROETHYLENE	34475	WAIVED			
TOLUENE	34010	WAIVED			
TRANS-1,2-DICHLOROETHYLENE	34546	WAIVED			
TRICHLOROETHYLENE	39180	WAIVED			
TRICHLOROFLUOROMETHANE	34488	WAIVED			
VINYL CHLORIDE	39175	WAIVED			
XYLENES (TOTAL)	81551	WAIVED			
SECONDARY/GP					
AGGRSSIVE INDEX (CORROSIVITY)	82383	WAIVED			
BICARBONATE ALKALINITY	00440	WAIVED			
CALCIUM	00916	WAIVED			
CARBONATE ALKALINITY	00445	WAIVED			
CHLORIDE	00940	WAIVED			
COLOR	00081	WAIVED			
COPPER	01042	WAIVED			
FOAMING AGENTS (MBAS)	38260	WAIVED			
HARDNESS (TOTAL) AS CACO3	00900	WAIVED			
HYDROXIDE ALKALINITY	71830	WAIVED			
IRON	01045	WAIVED			
MAGNESIUM	00927	WAIVED			
MANGANESE	01055	WAIVED			
ODOR THRESHOLD @ 60 C	00086	WAIVED			
PH, LABORATORY	00403	WAIVED			
SILVER	01077	WAIVED			
SODIUM	00929	WAIVED			
SPECIFIC CONDUCTANCE	00095	WAIVED			
SULFATE	00945	WAIVED			
TOTAL DISSOLVED SOLIDS	70300	WAIVED			

**Testing interval is in months;*
0 = No data for this constituent and is DUE NOW
999 = Waived testing (not required)
I = Invalid (NOT) valid analyses reported

System Number: ***2400241***

System Name: ***BOWLES FARMING***

PS Code: ***2400241-001***

Source Name: ***WELL 2 - NORTH WELL (07-261-DO)***

Source Number: ***001***

Source Status: ***ACTIVE UNTREATED***

Water type: ***GROUNDWATER OR WELL***

	STORET NUMBER	TESTING INTERVAL (MONTHS)*	LAST TEST DATE (yyyy/mm/dd)	LAST RESULT REPORTED	NEXT TEST DATE (yyyy/mm)
SECONDARY/GP					
TURBIDITY, LABORATORY	82079	WAIVED			
ZINC	01092	WAIVED			

**Testing interval is in months;*
0 = No data for this constituent and is DUE NOW
999 = Waived testing (not required)
I = Invalid (NOT) valid analyses reported

System Number: ***2400245***

System Name: ***DELHI KINGDOM HALL***

PS Code: ***2400245-001***

Source Name: ***WELL #1***

Source Number: ***001***

Source Status: ***ACTIVE UNTREATED***

Water type: ***GROUNDWATER OR WELL***

	STORET NUMBER	TESTING INTERVAL (MONTHS)*	LAST TEST DATE (yyyy/mm/dd)	LAST RESULT REPORTED	NEXT TEST DATE (yyyy/mm)
GENERAL NON CHAP 15					
DIAZINON	39570	WAIVED			
INORGANIC					
ALUMINUM	01105	WAIVED			
ANTIMONY	01097	WAIVED			
ARSENIC	01002	WAIVED			
ASBESTOS	81855	WAIVED			
BARIUM	01007	WAIVED			
BERYLLIUM	01012	WAIVED			
CADMIUM	01027	WAIVED			
CHROMIUM (TOTAL)	01034	WAIVED			
CYANIDE	01291	WAIVED			
FLUORIDE (F) (NATURAL-SOURCE)	00951	WAIVED			
LEAD	01051	WAIVED			
MERCURY	71900	WAIVED			
NICKEL	01067	WAIVED			
PERCHLORATE	A-031	WAIVED			
SELENIUM	01147	WAIVED			
THALLIUM	01059	WAIVED			
NITRATE/NITRITE					
NITRATE (AS NO3)	71850	WAIVED	2011/02/10	7.800	
NITRITE (AS N)	00620	WAIVED			
RADIOLOGICAL					
GROSS ALPHA	01501	WAIVED			
GROSS BETA	03501	WAIVED			
RA-226 FOR CWS OR TOTAL RA FOR NTNC BY 903.0	A-080	WAIVED			
RA-226 OR TOTAL RA BY 903.0 C.E.	A-081	WAIVED			
RADIUM 226	09501	WAIVED			
RADIUM 228	11501	WAIVED			

**Testing interval is in months;*
0 = No data for this constituent and is DUE NOW
999 = Waived testing (not required)
I = Invalid (NOT) valid analyses reported

System Number: ***2400245***

System Name: ***DELHI KINGDOM HALL***

PS Code: ***2400245-001***

Source Name: ***WELL #1***

Source Number: ***001***

Source Status: ***ACTIVE UNTREATED***

Water type: ***GROUNDWATER OR WELL***

	STORET NUMBER	TESTING INTERVAL (MONTHS)*	LAST TEST DATE (yyyy/mm/dd)	LAST RESULT REPORTED	NEXT TEST DATE (yyyy/mm)
RADIOLOGICAL					
RADIUM, TOTAL, MDA95-NTNC ONLY, BY 903.0	A-082	WAIVED			
STRONTIUM-90	13501	WAIVED			
TRITIUM	07000	WAIVED			
URANIUM (PCI/L)	28012	WAIVED			
REGULATED SOC					
2,3,7,8-TCDD (DIOXIN)	34676	WAIVED			
2,4,5-TP (SILVEX)	39045	WAIVED			
2,4-D	39730	WAIVED			
ALACHLOR	77825	WAIVED			
ATRAZINE	39033	WAIVED			
BENTAZON	38710	WAIVED			
BENZO (A) PYRENE	34247	WAIVED			
CARBOFURAN	81405	WAIVED			
CHLORDANE	39350	WAIVED			
DALAPON	38432	WAIVED			
DI(2-ETHYLHEXYL)ADIPATE	A-026	WAIVED			
DI(2-ETHYLHEXYL)PHTHALATE	39100	WAIVED			
DIBROMOCHLOROPROPANE (DBCP)	38761	WAIVED			
DINOSEB	81287	WAIVED			
DIQUAT	78885	WAIVED			
ENDOTHALL	38926	WAIVED			
ENDRIN	39390	WAIVED			
ETHYLENE DIBROMIDE (EDB)	77651	WAIVED			
GLYPHOSATE	79743	WAIVED			
HEPTACHLOR	39410	WAIVED			
HEPTACHLOR EPOXIDE	39420	WAIVED			
HEXACHLOROBENZENE	39700	WAIVED			
HEXACHLOROCYCLOPENTADIENE	34386	WAIVED			
LINDANE	39340	WAIVED			

**Testing interval is in months;*
0 = No data for this constituent and is DUE NOW
999 = Waived testing (not required)
I = Invalid (NOT) valid analyses reported

System Number: ***2400245***

System Name: ***DELHI KINGDOM HALL***

PS Code: ***2400245-001***

Source Name: ***WELL #1***

Source Number: ***001***

Source Status: ***ACTIVE UNTREATED***

Water type: ***GROUNDWATER OR WELL***

	STORET NUMBER	TESTING INTERVAL (MONTHS)*	LAST TEST DATE (yyyy/mm/dd)	LAST RESULT REPORTED	NEXT TEST DATE (yyyy/mm)
REGULATED SOC					
METHOXYCHLOR	39480	WAIVED			
MOLINATE	82199	WAIVED			
OXAMYL	38865	WAIVED			
PENTACHLOROPHENOL	39032	WAIVED			
PICLORAM	39720	WAIVED			
POLYCHLORINATED BIPHENYLS, TOTAL, AS DCB	39516	WAIVED			
SIMAZINE	39055	WAIVED			
THIOBENCARB	A-001	WAIVED			
TOXAPHENE	39400	WAIVED			
REGULATED VOC					
1,1,1-TRICHLOROETHANE	34506	WAIVED			
1,1,2,2-TETRACHLOROETHANE	34516	WAIVED			
1,1,2-TRICHLORO-1,2,2-TRIFLUOROETHANE	81611	WAIVED			
1,1,2-TRICHLOROETHANE	34511	WAIVED			
1,1-DICHLOROETHANE	34496	WAIVED			
1,1-DICHLOROETHYLENE	34501	WAIVED			
1,2,4-TRICHLOROBENZENE	34551	WAIVED			
1,2-DICHLOROBENZENE	34536	WAIVED			
1,2-DICHLOROETHANE	34531	WAIVED			
1,2-DICHLOROPROPANE	34541	WAIVED			
1,3-DICHLOROPROPENE (TOTAL)	34561	WAIVED			
1,4-DICHLOROBENZENE	34571	WAIVED			
BENZENE	34030	WAIVED			
CARBON TETRACHLORIDE	32102	WAIVED			
CIS-1,2-DICHLOROETHYLENE	77093	WAIVED			
DICHLOROMETHANE	34423	WAIVED			
ETHYLBENZENE	34371	WAIVED			
METHYL-TERT-BUTYL-ETHER (MTBE)	46491	WAIVED			
MONOCHLOROBENZENE	34301	WAIVED			

**Testing interval is in months;*
0 = No data for this constituent and is DUE NOW
999 = Waived testing (not required)
I = Invalid (NOT) valid analyses reported

System Number: ***2400245***

System Name: ***DELHI KINGDOM HALL***

PS Code: ***2400245-001***

Source Name: ***WELL #1***

Source Number: ***001***

Source Status: ***ACTIVE UNTREATED***

Water type: ***GROUNDWATER OR WELL***

	STORET NUMBER	TESTING INTERVAL (MONTHS)*	LAST TEST DATE (yyyy/mm/dd)	LAST RESULT REPORTED	NEXT TEST DATE (yyyy/mm)
REGULATED VOC					
STYRENE	77128	WAIVED			
TETRACHLOROETHYLENE	34475	WAIVED			
TOLUENE	34010	WAIVED			
TRANS-1,2-DICHLOROETHYLENE	34546	WAIVED			
TRICHLOROETHYLENE	39180	WAIVED			
TRICHLOROFLUOROMETHANE	34488	WAIVED			
VINYL CHLORIDE	39175	WAIVED			
XYLENES (TOTAL)	81551	WAIVED			
SECONDARY/GP					
AGGRSSIVE INDEX (CORROSIVITY)	82383	WAIVED			
BICARBONATE ALKALINITY	00440	WAIVED			
CALCIUM	00916	WAIVED			
CARBONATE ALKALINITY	00445	WAIVED			
CHLORIDE	00940	WAIVED			
COLOR	00081	WAIVED			
COPPER	01042	WAIVED			
FOAMING AGENTS (MBAS)	38260	WAIVED			
HARDNESS (TOTAL) AS CACO3	00900	WAIVED			
HYDROXIDE ALKALINITY	71830	WAIVED			
IRON	01045	WAIVED			
MAGNESIUM	00927	WAIVED			
MANGANESE	01055	WAIVED			
ODOR THRESHOLD @ 60 C	00086	WAIVED			
PH, LABORATORY	00403	WAIVED			
SILVER	01077	WAIVED			
SODIUM	00929	WAIVED			
SPECIFIC CONDUCTANCE	00095	WAIVED			
SULFATE	00945	WAIVED			
TOTAL DISSOLVED SOLIDS	70300	WAIVED			

**Testing interval is in months;*
0 = No data for this constituent and is DUE NOW
999 = Waived testing (not required)
I = Invalid (NOT) valid analyses reported

System Number: ***2400245***

System Name: ***DELHI KINGDOM HALL***

PS Code: ***2400245-001***

Source Name: ***WELL #1***

Source Number: ***001***

Source Status: ***ACTIVE UNTREATED***

Water type: ***GROUNDWATER OR WELL***

SECONDARY/GP	STORET NUMBER	TESTING INTERVAL (MONTHS)*	LAST TEST DATE (yyyy/mm/dd)	LAST RESULT REPORTED	NEXT TEST DATE (yyyy/mm)
TURBIDITY, LABORATORY	82079	WAIVED			
ZINC	01092	WAIVED			

**Testing interval is in months;*
0 = No data for this constituent and is DUE NOW
999 = Waived testing (not required)
I = Invalid (NOT) valid analyses reported

System Number: ***2410700***

System Name: ***CASTLE AIRPORT***

PS Code: ***2410700-010***

Source Name: ***WELL #10***

Source Number: ***010***

Source Status: ***ACTIVE UNTREATED***

Water type: ***GROUNDWATER OR WELL***

	STORET NUMBER	TESTING INTERVAL (MONTHS)*	LAST TEST DATE (yyyy/mm/dd)	LAST RESULT REPORTED	NEXT TEST DATE (yyyy/mm)	
GENERAL NON CHAP 15						
DIAZINON	39570	WAIVED	2007/09/11	< .250		
INORGANIC						
ALUMINUM	01105	036	2010/09/08	< 50.000	2013/09	
ANTIMONY	01097	036	2010/09/08	< 6.000	2013/09	
ARSENIC	01002	036	2010/09/08	3.800	2013/09	
ASBESTOS	81855	WAIVED				
BARIUM	01007	036	2010/09/08	118.000	2013/09	
BERYLLIUM	01012	036	2010/09/08	< 1.000	2013/09	
CADMIUM	01027	036	2010/09/08	< 1.000	2013/09	
CHROMIUM (TOTAL)	01034	036	2010/09/08	< 10.000	2013/09	
CYANIDE	01291	WAIVED	2010/09/08	< 100.000		
FLUORIDE (F) (NATURAL-SOURCE)	00951	036	2010/09/08	.160	2013/09	
LEAD	01051	WAIVED	2010/09/08	< 5.000		
MERCURY	71900	036	2010/09/08	< 1.000	2013/09	
NICKEL	01067	036	2010/09/08	< 10.000	2013/09	
PERCHLORATE	A-031	036	**2008/06/11**	< 4.000	**2011/06**	**DUE**
SELENIUM	01147	036	2010/09/08	< 5.000	2013/09	
THALLIUM	01059	036	2010/09/08	< 1.000	2013/09	
NITRATE/NITRITE						
NITRATE (AS NO3)	71850	012	2011/09/14	13.400	2012/09	
NITRITE (AS N)	00620	036	2010/09/08	< 400.000	2013/09	
RADIOLOGICAL						
GROSS ALPHA	01501	048	**2008/03/19**	2.700	**2012/03**	**DUE**
GROSS BETA	03501	WAIVED				
RA-226 FOR CWS OR TOTAL RA FOR NTNC BY 903.0	A-080	WAIVED	2008/03/19	.066		
RA-226 OR TOTAL RA BY 903.0 C.E.	A-081	WAIVED	2008/03/19	.188		
RADIUM 226	09501	WAIVED	2007/09/11	.260		
RADIUM 228	11501	WAIVED	2008/06/11	.000		

**Testing interval is in months;*
0 = No data for this constituent and is DUE NOW
999 = Waived testing (not required)
I = Invalid (NOT) valid analyses reported

System Number: ***2410700***

System Name: ***CASTLE AIRPORT***

PS Code: ***2410700-010***

Source Name: ***WELL #10***

Source Number: ***010***

Source Status: ***ACTIVE UNTREATED***

Water type: ***GROUNDWATER OR WELL***

	STORET NUMBER	TESTING INTERVAL (MONTHS)*	LAST TEST DATE (yyyy/mm/dd)	LAST RESULT REPORTED	NEXT TEST DATE (yyyy/mm)	
RADIOLOGICAL						
RADIUM, TOTAL, MDA95-NTNC ONLY, BY 903.0	A-082	WAIVED	2008/03/19	.340		
STRONTIUM-90	13501	WAIVED				
TRITIUM	07000	WAIVED				
URANIUM (PCI/L)	28012	WAIVED	2008/03/19	1.020		
REGULATED SOC						
2,3,7,8-TCDD (DIOXIN)	34676	WAIVED	1994/05/09	< 2.000		
2,4,5-TP (SILVEX)	39045	WAIVED	1994/08/10	.000		
2,4-D	39730	WAIVED	1994/08/10	.000		
ALACHLOR	77825	036	**2007/09/11**	< 1.000	**2010/09**	**DUE**
ATRAZINE	39033	036	**2007/09/11**	< .500	**2010/09**	**DUE**
BENTAZON	38710	WAIVED	1994/08/10	.000		
BENZO (A) PYRENE	34247	WAIVED	1994/08/10	.000		
CARBOFURAN	81405	WAIVED	1995/03/29	< 1.000		
CHLORDANE	39350	WAIVED	2011/01/05	< .100		
DALAPON	38432	WAIVED	1994/08/10	.000		
DI(2-ETHYLHEXYL)ADIPATE	A-026	WAIVED	1994/05/09	< 2.000		
DI(2-ETHYLHEXYL)PHTHALATE	39100	WAIVED	1994/08/10	.000		
DIBROMOCHLOROPROPANE (DBCP)	38761	036	2011/01/05	< .010	2014/01	
DINOSEB	81287	WAIVED	1994/08/10	.000		
DIQUAT	78885	WAIVED	1994/08/10	.000		
ENDOTHALL	38926	WAIVED	1994/08/10	.000		
ENDRIN	39390	WAIVED	2011/01/05	< .100		
ETHYLENE DIBROMIDE (EDB)	77651	036	2011/01/05	< .020	2014/01	
GLYPHOSATE	79743	WAIVED	1994/08/10	.000		
HEPTACHLOR	39410	WAIVED	2011/01/05	< .010		
HEPTACHLOR EPOXIDE	39420	WAIVED	2011/01/05	< .010		
HEXACHLOROBENZENE	39700	WAIVED	2011/01/05	< .500		
HEXACHLOROCYCLOPENTADIENE	34386	WAIVED	2011/01/05	< 1.000		
LINDANE	39340	WAIVED	2011/01/05	< .200		

**Testing interval is in months;*
0 = No data for this constituent and is DUE NOW
999 = Waived testing (not required)
I = Invalid (NOT) valid analyses reported

System Number: ***2410700***

System Name: ***CASTLE AIRPORT***

PS Code: ***2410700-010***

Source Name: ***WELL #10***

Source Number: ***010***

Source Status: ***ACTIVE UNTREATED***

Water type: ***GROUNDWATER OR WELL***

	STORET NUMBER	TESTING INTERVAL (MONTHS)*	LAST TEST DATE (yyyy/mm/dd)	LAST RESULT REPORTED	NEXT TEST DATE (yyyy/mm)	
REGULATED SOC						
METHOXYCHLOR	39480	WAIVED	2011/01/05	< 10.000		
MOLINATE	82199	WAIVED	2007/09/11	< 2.000		
OXAMYL	38865	WAIVED	1995/03/29	< 1.000		
PENTACHLOROPHENOL	39032	WAIVED	1994/08/10	.000		
PICLORAM	39720	WAIVED	1994/08/10	.000		
POLYCHLORINATED BIPHENYLS, TOTAL, AS DCB	39516	WAIVED	1994/08/10	.000		
SIMAZINE	39055	036	**2007/09/11**	< 1.000	**2010/09**	**DUE**
THIOBENCARB	A-001	WAIVED	2007/09/11	< 1.000		
TOXAPHENE	39400	WAIVED	2011/01/05	< 1.000		
REGULATED VOC						
1,1,1-TRICHLOROETHANE	34506	060	2007/12/11	< .500	2012/12	
1,1,2,2-TETRACHLOROETHANE	34516	060	2007/12/11	< .500	2012/12	
1,1,2-TRICHLORO-1,2,2-TRIFLUOROETHANE	81611	060	2007/12/11	< 10.000	2012/12	
1,1,2-TRICHLOROETHANE	34511	060	2007/12/11	< .500	2012/12	
1,1-DICHLOROETHANE	34496	060	2007/12/11	< .500	2012/12	
1,1-DICHLOROETHYLENE	34501	060	2007/12/11	< .500	2012/12	
1,2,4-TRICHLOROBENZENE	34551	060	2007/12/11	< .500	2012/12	
1,2-DICHLOROBENZENE	34536	060	2007/12/11	< .500	2012/12	
1,2-DICHLOROETHANE	34531	060	2007/12/11	< .500	2012/12	
1,2-DICHLOROPROPANE	34541	060	2007/12/11	< .500	2012/12	
1,3-DICHLOROPROPENE (TOTAL)	34561	060	2007/12/11	< .500	2012/12	
1,4-DICHLOROBENZENE	34571	060	2007/12/11	< .500	2012/12	
BENZENE	34030	060	2007/12/11	< .500	2012/12	
CARBON TETRACHLORIDE	32102	060	2007/12/11	< .500	2012/12	
CIS-1,2-DICHLOROETHYLENE	77093	060	2007/12/11	< .500	2012/12	
DICHLOROMETHANE	34423	060	2007/12/11	< .500	2012/12	
ETHYLBENZENE	34371	060	2007/12/11	< .500	2012/12	
METHYL-TERT-BUTYL-ETHER (MTBE)	46491	060	2008/06/11	< 3.000	2013/06	
MONOCHLOROBENZENE	34301	060	2007/12/11	< .500	2012/12	

**Testing interval is in months;*
0 = No data for this constituent and is DUE NOW
999 = Waived testing (not required)
I = Invalid (NOT) valid analyses reported

System Number: ***2410700***

System Name: ***CASTLE AIRPORT***

PS Code: ***2410700-010***

Source Name: ***WELL #10***

Source Number: ***010***

Source Status: ***ACTIVE UNTREATED***

Water type: ***GROUNDWATER OR WELL***

	STORET NUMBER	TESTING INTERVAL (MONTHS)*	LAST TEST DATE (yyyy/mm/dd)	LAST RESULT REPORTED	NEXT TEST DATE (yyyy/mm)
REGULATED VOC					
STYRENE	77128	060	2007/12/11	< .500	2012/12
TETRACHLOROETHYLENE	34475	060	2007/12/11	< .500	2012/12
TOLUENE	34010	060	2007/12/11	< .500	2012/12
TRANS-1,2-DICHLOROETHYLENE	34546	060	2007/12/11	< .500	2012/12
TRICHLOROETHYLENE	39180	060	2007/12/11	< .500	2012/12
TRICHLOROFLUOROMETHANE	34488	060	2007/12/11	< 5.000	2012/12
VINYL CHLORIDE	39175	060	2007/12/11	< .500	2012/12
XYLENES (TOTAL)	81551	060	2007/12/11	< .500	2012/12
SECONDARY/GP					
AGGRSSIVE INDEX (CORROSIVITY)	82383	WAIVED			
BICARBONATE ALKALINITY	00440	036	2010/09/08	128.000	2013/09
CALCIUM	00916	036	2010/09/08	21.000	2013/09
CARBONATE ALKALINITY	00445	036	2010/09/08	< 12.000	2013/09
CHLORIDE	00940	036	2010/09/08	20.000	2013/09
COLOR	00081	036	2010/09/08	< 5.000	2013/09
COPPER	01042	036	2010/09/08	< 50.000	2013/09
FOAMING AGENTS (MBAS)	38260	036	2010/09/08	< .050	2013/09
HARDNESS (TOTAL) AS CACO3	00900	036	2010/09/08	74.000	2013/09
HYDROXIDE ALKALINITY	71830	036	2010/09/08	< 6.800	2013/09
IRON	01045	036	2010/09/08	< 100.000	2013/09
MAGNESIUM	00927	036	2010/09/08	4.900	2013/09
MANGANESE	01055	036	2010/09/08	< 20.000	2013/09
ODOR THRESHOLD @ 60 C	00086	036	2010/09/08	< 1.000	2013/09
PH, LABORATORY	00403	036	2010/09/08	7.700	2013/09
SILVER	01077	036	2010/09/08	< 10.000	2013/09
SODIUM	00929	036	2010/09/08	28.500	2013/09
SPECIFIC CONDUCTANCE	00095	036	2010/09/08	310.000	2013/09
SULFATE	00945	036	2010/09/08	9.700	2013/09
TOTAL DISSOLVED SOLIDS	70300	036	2010/09/30	383.000	2013/09

**Testing interval is in months;*
0 = No data for this constituent and is DUE NOW
999 = Waived testing (not required)
I = Invalid (NOT) valid analyses reported

System Number: ***2410700***

System Name: ***CASTLE AIRPORT***

PS Code: ***2410700-010***

Source Name: ***WELL #10***

Source Number: ***010***

Source Status: ***ACTIVE UNTREATED***

Water type: ***GROUNDWATER OR WELL***

	STORET NUMBER	TESTING INTERVAL (MONTHS)*	LAST TEST DATE (yyyy/mm/dd)	LAST RESULT REPORTED	NEXT TEST DATE (yyyy/mm)	
SECONDARY/GP						
TURBIDITY, LABORATORY	82079	036	2010/09/08	< .100	2013/09	
ZINC	01092	036	2010/09/08	< 50.000	2013/09	

PS Code: ***2410700-012***

Source Name: ***WELL #12***

Source Number: ***012***

Source Status: ***ACTIVE UNTREATED***

Water type: ***GROUNDWATER OR WELL***

	STORET NUMBER	TESTING INTERVAL (MONTHS)*	LAST TEST DATE (yyyy/mm/dd)	LAST RESULT REPORTED	NEXT TEST DATE (yyyy/mm)	
GENERAL NON CHAP 15						
DIAZINON	39570	WAIVED	1994/05/09	< .300		
INORGANIC						
ALUMINUM	01105	036	2010/09/08	< 50.000	2013/09	
ANTIMONY	01097	036	2010/09/08	< 6.000	2013/09	
ARSENIC	01002	036	2010/09/08	4.700	2013/09	
ASBESTOS	81855	WAIVED				
BARIUM	01007	036	2010/09/08	156.000	2013/09	
BERYLLIUM	01012	036	2010/09/08	< 1.000	2013/09	
CADMIUM	01027	036	2010/09/08	< 1.000	2013/09	
CHROMIUM (TOTAL)	01034	036	2010/09/08	< 10.000	2013/09	
CYANIDE	01291	WAIVED	2010/09/08	< 100.000		
FLUORIDE (F) (NATURAL-SOURCE)	00951	036	2010/09/08	.140	2013/09	
LEAD	01051	WAIVED	2010/09/08	< 5.000		
MERCURY	71900	036	2010/09/08	< 1.000	2013/09	
NICKEL	01067	036	2010/09/08	< 10.000	2013/09	
PERCHLORATE	A-031	036	**2008/06/11**	< 4.000	**2011/06**	**DUE**
SELENIUM	01147	036	2010/09/08	< 5.000	2013/09	
THALLIUM	01059	036	2010/09/08	< 1.000	2013/09	

**Testing interval is in months;*
0 = No data for this constituent and is DUE NOW
999 = Waived testing (not required)
I = Invalid (NOT) valid analyses reported

System Number: ***2410700***

System Name: ***CASTLE AIRPORT***

PS Code: ***2410700-012***

Source Name: ***WELL #12***

Source Number: ***012***

Source Status: ***ACTIVE UNTREATED***

Water type: ***GROUNDWATER OR WELL***

	STORET NUMBER	TESTING INTERVAL (MONTHS)*	LAST TEST DATE (yyyy/mm/dd)	LAST RESULT REPORTED	NEXT TEST DATE (yyyy/mm)	
NITRATE/NITRITE						
NITRATE (AS NO3)	71850	012	2011/09/14	7.800	2012/09	
NITRITE (AS N)	00620	036	2010/09/08	< 400.000	2013/09	
RADIOLOGICAL						
GROSS ALPHA	01501	048	2008/03/19	2.790	2012/03	DUE
GROSS BETA	03501	WAIVED				
RA-226 FOR CWS OR TOTAL RA FOR NTNC BY 903.0	A-080	WAIVED	2008/03/19	.131		
RA-226 OR TOTAL RA BY 903.0 C.E.	A-081	WAIVED	2008/03/19	.203		
RADIUM 226	09501	WAIVED	2007/12/04	< 1.000		
RADIUM 228	11501	WAIVED	2008/06/11	.000		
RADIUM, TOTAL, MDA95-NTNC ONLY, BY 903.0	A-082	WAIVED	2008/03/19	.340		
STRONTIUM-90	13501	WAIVED				
TRITIUM	07000	WAIVED				
URANIUM (PCI/L)	28012	WAIVED	2008/03/19	1.110		
REGULATED SOC						
2,3,7,8-TCDD (DIOXIN)	34676	WAIVED	1994/05/09	< 2.000		
2,4,5-TP (SILVEX)	39045	WAIVED	1994/08/10	.000		
2,4-D	39730	WAIVED	1994/08/10	.000		
ALACHLOR	77825	036	1994/05/09	< .400	1997/05	DUE
ATRAZINE	39033	036	1997/03/25	.000	2000/03	DUE
BENTAZON	38710	WAIVED	1994/08/10	.000		
BENZO (A) PYRENE	34247	WAIVED	1994/08/10	.000		
CARBOFURAN	81405	WAIVED	1995/03/29	< 1.000		
CHLORDANE	39350	WAIVED	2011/01/05	< .100		
DALAPON	38432	WAIVED	1994/08/10	.000		
DI(2-ETHYLHEXYL)ADIPATE	A-026	WAIVED	1994/05/09	< 2.000		
DI(2-ETHYLHEXYL)PHTHALATE	39100	WAIVED	1994/08/10	.000		
DIBROMOCHLOROPROPANE (DBCP)	38761	036	2011/01/05	< .010	2014/01	
DINOSEB	81287	WAIVED	1994/08/10	.000		
DIQUAT	78885	WAIVED	1994/08/10	.000		

**Testing interval is in months;*
0 = No data for this constituent and is DUE NOW
999 = Waived testing (not required)
I = Invalid (NOT) valid analyses reported

System Number: ***2410700***

System Name: ***CASTLE AIRPORT***

PS Code: ***2410700-012***

Source Name: ***WELL #12***

Source Number: ***012***

Source Status: ***ACTIVE UNTREATED***

Water type: ***GROUNDWATER OR WELL***

	STORET NUMBER	TESTING INTERVAL (MONTHS)*	LAST TEST DATE (yyyy/mm/dd)	LAST RESULT REPORTED	NEXT TEST DATE (yyyy/mm)	
REGULATED SOC						
ENDOTHALL	38926	WAIVED	1994/08/10	.000		
ENDRIN	39390	WAIVED	2011/01/05	< .100		
ETHYLENE DIBROMIDE (EDB)	77651	036	2011/01/05	< .020	2014/01	
GLYPHOSATE	79743	WAIVED	1994/08/10	.000		
HEPTACHLOR	39410	WAIVED	2011/01/05	< .010		
HEPTACHLOR EPOXIDE	39420	WAIVED	2011/01/05	< .010		
HEXACHLOROBENZENE	39700	WAIVED	2011/01/05	< .500		
HEXACHLOROCYCLOPENTADIENE	34386	WAIVED	2011/01/05	< 1.000		
LINDANE	39340	WAIVED	2011/01/05	< .200		
METHOXYCHLOR	39480	WAIVED	2011/01/05	< 10.000		
MOLINATE	82199	WAIVED	1994/05/09	< .200		
OXAMYL	38865	WAIVED	1995/03/29	< 1.000		
PENTACHLOROPHENOL	39032	WAIVED	1994/08/10	.000		
PICLORAM	39720	WAIVED	1994/08/10	.000		
POLYCHLORINATED BIPHENYLS, TOTAL, AS DCB	39516	WAIVED	1994/08/10	.000		
SIMAZINE	39055	036	**1997/03/25**	.000	**2000/03**	**DUE**
THIOBENCARB	A-001	WAIVED	1993/12/21	< .500		
TOXAPHENE	39400	WAIVED	2011/01/05	< 1.000		
REGULATED VOC						
1,1,1-TRICHLOROETHANE	34506	060	2007/12/04	< .500	2012/12	
1,1,2,2-TETRACHLOROETHANE	34516	060	2007/12/04	< .500	2012/12	
1,1,2-TRICHLORO-1,2,2-TRIFLUOROETHANE	81611	060	2007/12/04	< 10.000	2012/12	
1,1,2-TRICHLOROETHANE	34511	060	2007/12/04	< .500	2012/12	
1,1-DICHLOROETHANE	34496	060	2007/12/04	< .500	2012/12	
1,1-DICHLOROETHYLENE	34501	060	2007/12/04	< .500	2012/12	
1,2,4-TRICHLOROBENZENE	34551	060	2007/12/04	< .500	2012/12	
1,2-DICHLOROBENZENE	34536	060	2007/12/04	< .500	2012/12	
1,2-DICHLOROETHANE	34531	060	2007/12/04	< .500	2012/12	
1,2-DICHLOROPROPANE	34541	060	2007/12/04	< .500	2012/12	

**Testing interval is in months;*
0 = No data for this constituent and is DUE NOW
999 = Waived testing (not required)
I = Invalid (NOT) valid analyses reported

System Number: ***2410700***

System Name: ***CASTLE AIRPORT***

PS Code: ***2410700-012***

Source Name: ***WELL #12***

Source Number: ***012***

Source Status: ***ACTIVE UNTREATED***

Water type: ***GROUNDWATER OR WELL***

	STORET NUMBER	TESTING INTERVAL (MONTHS)*	LAST TEST DATE (yyyy/mm/dd)	LAST RESULT REPORTED	NEXT TEST DATE (yyyy/mm)
REGULATED VOC					
1,3-DICHLOROPROPENE (TOTAL)	34561	060	2007/12/04	< .500	2012/12
1,4-DICHLOROBENZENE	34571	060	2007/12/04	< .500	2012/12
BENZENE	34030	060	2007/12/04	< .500	2012/12
CARBON TETRACHLORIDE	32102	060	2007/12/04	< .500	2012/12
CIS-1,2-DICHLOROETHYLENE	77093	060	2007/12/04	< .500	2012/12
DICHLOROMETHANE	34423	060	2007/12/04	< .500	2012/12
ETHYLBENZENE	34371	060	2007/12/04	< .500	2012/12
METHYL-TERT-BUTYL-ETHER (MTBE)	46491	060	2008/06/11	< 3.000	2013/06
MONOCHLOROBENZENE	34301	060	2007/12/04	< .500	2012/12
STYRENE	77128	060	2007/12/04	< .500	2012/12
TETRACHLOROETHYLENE	34475	060	2007/12/04	< .500	2012/12
TOLUENE	34010	060	2007/12/04	< .500	2012/12
TRANS-1,2-DICHLOROETHYLENE	34546	060	2007/12/04	< .500	2012/12
TRICHLOROETHYLENE	39180	060	2007/12/04	< .500	2012/12
TRICHLOROFLUOROMETHANE	34488	060	2007/12/04	< 5.000	2012/12
VINYL CHLORIDE	39175	060	2007/12/04	< .500	2012/12
XYLENES (TOTAL)	81551	060	2007/12/04	< .500	2012/12
SECONDARY/GP					
AGGRSSIVE INDEX (CORROSIVITY)	82383	WAIVED			
BICARBONATE ALKALINITY	00440	036	2010/09/08	126.000	2013/09
CALCIUM	00916	036	2010/09/08	19.000	2013/09
CARBONATE ALKALINITY	00445	036	2010/09/08	< 12.000	2013/09
CHLORIDE	00940	036	2010/09/08	14.600	2013/09
COLOR	00081	036	2010/09/08	< 5.000	2013/09
COPPER	01042	036	2010/09/08	< 50.000	2013/09
FOAMING AGENTS (MBAS)	38260	036	2010/09/08	< .050	2013/09
HARDNESS (TOTAL) AS CACO3	00900	036	2010/09/08	64.000	2013/09
HYDROXIDE ALKALINITY	71830	036	2010/09/08	< 6.800	2013/09
IRON	01045	036	2010/09/08	< 100.000	2013/09

**Testing interval is in months;*
0 = No data for this constituent and is DUE NOW
999 = Waived testing (not required)
I = Invalid (NOT) valid analyses reported

System Number: ***2410700***

System Name: ***CASTLE AIRPORT***

PS Code: ***2410700-012***

Source Name: ***WELL #12***

Source Number: ***012***

Source Status: ***ACTIVE UNTREATED***

Water type: ***GROUNDWATER OR WELL***

SECONDARY/GP

	STORET NUMBER	TESTING INTERVAL (MONTHS)*	LAST TEST DATE (yyyy/mm/dd)	LAST RESULT REPORTED	NEXT TEST DATE (yyyy/mm)
MAGNESIUM	00927	036	2010/09/08	4.300	2013/09
MANGANESE	01055	036	2010/09/08	< 20.000	2013/09
ODOR THRESHOLD @ 60 C	00086	036	2010/09/08	< 1.000	2013/09
PH, LABORATORY	00403	036	2010/09/08	8.000	2013/09
SILVER	01077	036	2010/09/08	< 10.000	2013/09
SODIUM	00929	036	2010/09/08	22.200	2013/09
SPECIFIC CONDUCTANCE	00095	036	2010/09/08	273.000	2013/09
SULFATE	00945	036	2010/09/08	9.300	2013/09
TOTAL DISSOLVED SOLIDS	70300	036	2010/09/08	241.000	2013/09
TURBIDITY, LABORATORY	82079	036	2010/09/08	.200	2013/09
ZINC	01092	036	2010/09/08	< 50.000	2013/09

PS Code: ***2410700-015***

Source Name: ***WELL #10 CHLORINATOR***

Source Number: ***015***

Source Status: ***ACTIVE TREATED***

Water type: ***GROUNDWATER OR WELL***

GENERAL NON CHAP 15

DIAZINON	39570	WAIVED

INORGANIC

ALUMINUM	01105	WAIVED
ANTIMONY	01097	WAIVED
ARSENIC	01002	WAIVED
ASBESTOS	81855	WAIVED
BARIUM	01007	WAIVED
BERYLLIUM	01012	WAIVED
CADMIUM	01027	WAIVED
CHROMIUM (TOTAL)	01034	WAIVED
CYANIDE	01291	WAIVED

**Testing interval is in months;*
0 = No data for this constituent and is DUE NOW
999 = Waived testing (not required)
I = Invalid (NOT) valid analyses reported

System Number: ***2410700***

System Name: ***CASTLE AIRPORT***

PS Code: ***2410700-015***

Source Name: ***WELL #10 CHLORINATOR***

Source Number: ***015***

Source Status: ***ACTIVE TREATED***

Water type: ***GROUNDWATER OR WELL***

	STORET NUMBER	TESTING INTERVAL (MONTHS)*	LAST TEST DATE (yyyy/mm/dd)	LAST RESULT REPORTED	NEXT TEST DATE (yyyy/mm)
INORGANIC					
FLUORIDE (F) (NATURAL-SOURCE)	00951	WAIVED			
LEAD	01051	WAIVED			
MERCURY	71900	WAIVED			
NICKEL	01067	WAIVED			
PERCHLORATE	A-031	WAIVED			
SELENIUM	01147	WAIVED			
THALLIUM	01059	WAIVED			
NITRATE/NITRITE					
NITRATE (AS NO3)	71850	WAIVED			
NITRITE (AS N)	00620	WAIVED			
RADIOLOGICAL					
GROSS ALPHA	01501	WAIVED			
GROSS BETA	03501	WAIVED			
RA-226 FOR CWS OR TOTAL RA FOR NTNC BY 903.0	A-080	WAIVED			
RA-226 OR TOTAL RA BY 903.0 C.E.	A-081	WAIVED			
RADIUM 226	09501	WAIVED			
RADIUM 228	11501	WAIVED			
RADIUM, TOTAL, MDA95-NTNC ONLY, BY 903.0	A-082	WAIVED			
STRONTIUM-90	13501	WAIVED			
TRITIUM	07000	WAIVED			
URANIUM (PCI/L)	28012	WAIVED			
REGULATED SOC					
2,3,7,8-TCDD (DIOXIN)	34676	WAIVED			
2,4,5-TP (SILVEX)	39045	WAIVED			
2,4-D	39730	WAIVED			
ALACHLOR	77825	WAIVED			
ATRAZINE	39033	WAIVED			
BENTAZON	38710	WAIVED			

**Testing interval is in months;*
0 = No data for this constituent and is DUE NOW
999 = Waived testing (not required)
I = Invalid (NOT) valid analyses reported

System Number: ***2410700***

System Name: ***CASTLE AIRPORT***

PS Code: ***2410700-015***

Source Name: ***WELL #10 CHLORINATOR***

Source Number: ***015***

Source Status: ***ACTIVE TREATED***

Water type: ***GROUNDWATER OR WELL***

	STORET NUMBER	TESTING INTERVAL (MONTHS)*	LAST TEST DATE (yyyy/mm/dd)	LAST RESULT REPORTED	NEXT TEST DATE (yyyy/mm)
REGULATED SOC					
BENZO (A) PYRENE	34247	WAIVED			
CARBOFURAN	81405	WAIVED			
CHLORDANE	39350	WAIVED			
DALAPON	38432	WAIVED			
DI(2-ETHYLHEXYL)ADIPATE	A-026	WAIVED			
DI(2-ETHYLHEXYL)PHTHALATE	39100	WAIVED			
DIBROMOCHLOROPROPANE (DBCP)	38761	WAIVED			
DINOSEB	81287	WAIVED			
DIQUAT	78885	WAIVED			
ENDOTHALL	38926	WAIVED			
ENDRIN	39390	WAIVED			
ETHYLENE DIBROMIDE (EDB)	77651	WAIVED			
GLYPHOSATE	79743	WAIVED			
HEPTACHLOR	39410	WAIVED			
HEPTACHLOR EPOXIDE	39420	WAIVED			
HEXACHLOROBENZENE	39700	WAIVED			
HEXACHLOROCYCLOPENTADIENE	34386	WAIVED			
LINDANE	39340	WAIVED			
METHOXYCHLOR	39480	WAIVED			
MOLINATE	82199	WAIVED			
OXAMYL	38865	WAIVED			
PENTACHLOROPHENOL	39032	WAIVED			
PICLORAM	39720	WAIVED			
POLYCHLORINATED BIPHENYLS, TOTAL, AS DCB	39516	WAIVED			
SIMAZINE	39055	WAIVED			
THIOBENCARB	A-001	WAIVED			
TOXAPHENE	39400	WAIVED			
REGULATED VOC					
1,1,1-TRICHLOROETHANE	34506	WAIVED			

**Testing interval is in months;*
0 = No data for this constituent and is DUE NOW
999 = Waived testing (not required)
I = Invalid (NOT) valid analyses reported

System Number: ***2410700***

System Name: ***CASTLE AIRPORT***

PS Code: ***2410700-015***

Source Name: ***WELL #10 CHLORINATOR***

Source Number: ***015***

Source Status: ***ACTIVE TREATED***

Water type: ***GROUNDWATER OR WELL***

	STORET NUMBER	TESTING INTERVAL (MONTHS)*	LAST TEST DATE (yyyy/mm/dd)	LAST RESULT REPORTED	NEXT TEST DATE (yyyy/mm)
REGULATED VOC					
1,1,2,2-TETRACHLOROETHANE	34516	WAIVED			
1,1,2-TRICHLORO-1,2,2-TRIFLUOROETHANE	81611	WAIVED			
1,1,2-TRICHLOROETHANE	34511	WAIVED			
1,1-DICHLOROETHANE	34496	WAIVED			
1,1-DICHLOROETHYLENE	34501	WAIVED			
1,2,4-TRICHLOROBENZENE	34551	WAIVED			
1,2-DICHLOROBENZENE	34536	WAIVED			
1,2-DICHLOROETHANE	34531	WAIVED			
1,2-DICHLOROPROPANE	34541	WAIVED			
1,3-DICHLOROPROPENE (TOTAL)	34561	WAIVED			
1,4-DICHLOROBENZENE	34571	WAIVED			
BENZENE	34030	WAIVED			
CARBON TETRACHLORIDE	32102	WAIVED			
CIS-1,2-DICHLOROETHYLENE	77093	WAIVED			
DICHLOROMETHANE	34423	WAIVED			
ETHYLBENZENE	34371	WAIVED			
METHYL-TERT-BUTYL-ETHER (MTBE)	46491	WAIVED			
MONOCHLOROBENZENE	34301	WAIVED			
STYRENE	77128	WAIVED			
TETRACHLOROETHYLENE	34475	WAIVED			
TOLUENE	34010	WAIVED			
TRANS-1,2-DICHLOROETHYLENE	34546	WAIVED			
TRICHLOROETHYLENE	39180	WAIVED			
TRICHLOROFLUOROMETHANE	34488	WAIVED			
VINYL CHLORIDE	39175	WAIVED			
XYLENES (TOTAL)	81551	WAIVED			
SECONDARY/GP					
AGGRSSIVE INDEX (CORROSIVITY)	82383	WAIVED			
BICARBONATE ALKALINITY	00440	WAIVED			

**Testing interval is in months;*
0 = No data for this constituent and is DUE NOW
999 = Waived testing (not required)
I = Invalid (NOT) valid analyses reported

System Number: ***2410700***

System Name: ***CASTLE AIRPORT***

PS Code: ***2410700-015***

Source Name: ***WELL #10 CHLORINATOR***

Source Number: ***015***

Source Status: ***ACTIVE TREATED***

Water type: ***GROUNDWATER OR WELL***

SECONDARY/GP

	STORET NUMBER	TESTING INTERVAL (MONTHS)*	LAST TEST DATE (yyyy/mm/dd)	LAST RESULT REPORTED	NEXT TEST DATE (yyyy/mm)
CALCIUM	00916	WAIVED			
CARBONATE ALKALINITY	00445	WAIVED			
CHLORIDE	00940	WAIVED			
COLOR	00081	WAIVED			
COPPER	01042	WAIVED			
FOAMING AGENTS (MBAS)	38260	WAIVED			
HARDNESS (TOTAL) AS CACO3	00900	WAIVED			
HYDROXIDE ALKALINITY	71830	WAIVED			
IRON	01045	WAIVED			
MAGNESIUM	00927	WAIVED			
MANGANESE	01055	WAIVED			
ODOR THRESHOLD @ 60 C	00086	WAIVED			
PH, LABORATORY	00403	WAIVED			
SILVER	01077	WAIVED			
SODIUM	00929	WAIVED			
SPECIFIC CONDUCTANCE	00095	WAIVED			
SULFATE	00945	WAIVED			
TOTAL DISSOLVED SOLIDS	70300	WAIVED			
TURBIDITY, LABORATORY	82079	WAIVED			
ZINC	01092	WAIVED			

PS Code: ***2410700-016***

Source Name: ***WELL #12 CHLORINATOR***

Source Number: ***016***

Source Status: ***ACTIVE TREATED***

Water type: ***GROUNDWATER OR WELL***

GENERAL NON CHAP 15

DIAZINON	39570	WAIVED			

**Testing interval is in months;*
0 = No data for this constituent and is DUE NOW
999 = Waived testing (not required)
I = Invalid (NOT) valid analyses reported

System Number: ***2410700***

System Name: ***CASTLE AIRPORT***

PS Code: ***2410700-016***

Source Name: ***WELL #12 CHLORINATOR***

Source Number: ***016***

Source Status: ***ACTIVE TREATED***

Water type: ***GROUNDWATER OR WELL***

	STORET NUMBER	TESTING INTERVAL (MONTHS)*	LAST TEST DATE (yyyy/mm/dd)	LAST RESULT REPORTED	NEXT TEST DATE (yyyy/mm)
INORGANIC					
ALUMINUM	01105	WAIVED			
ANTIMONY	01097	WAIVED			
ARSENIC	01002	WAIVED			
ASBESTOS	81855	WAIVED			
BARIUM	01007	WAIVED			
BERYLLIUM	01012	WAIVED			
CADMIUM	01027	WAIVED			
CHROMIUM (TOTAL)	01034	WAIVED			
CYANIDE	01291	WAIVED			
FLUORIDE (F) (NATURAL-SOURCE)	00951	WAIVED			
LEAD	01051	WAIVED			
MERCURY	71900	WAIVED			
NICKEL	01067	WAIVED			
PERCHLORATE	A-031	WAIVED			
SELENIUM	01147	WAIVED			
THALLIUM	01059	WAIVED			
NITRATE/NITRITE					
NITRATE (AS NO3)	71850	WAIVED			
NITRITE (AS N)	00620	WAIVED			
RADIOLOGICAL					
GROSS ALPHA	01501	WAIVED			
GROSS BETA	03501	WAIVED			
RA-226 FOR CWS OR TOTAL RA FOR NTNC BY 903.0	A-080	WAIVED			
RA-226 OR TOTAL RA BY 903.0 C.E.	A-081	WAIVED			
RADIUM 226	09501	WAIVED			
RADIUM 228	11501	WAIVED			
RADIUM, TOTAL, MDA95-NTNC ONLY, BY 903.0	A-082	WAIVED			
STRONTIUM-90	13501	WAIVED			
TRITIUM	07000	WAIVED			

**Testing interval is in months;*
0 = No data for this constituent and is DUE NOW
999 = Waived testing (not required)
I = Invalid (NOT) valid analyses reported

System Number: ***2410700***

System Name: ***CASTLE AIRPORT***

PS Code: ***2410700-016***

Source Name: ***WELL #12 CHLORINATOR***

Source Number: ***016***

Source Status: ***ACTIVE TREATED***

Water type: ***GROUNDWATER OR WELL***

	STORET NUMBER	TESTING INTERVAL (MONTHS)*	LAST TEST DATE (yyyy/mm/dd)	LAST RESULT REPORTED	NEXT TEST DATE (yyyy/mm)
RADIOLOGICAL					
URANIUM (PCI/L)	28012	WAIVED			
REGULATED SOC					
2,3,7,8-TCDD (DIOXIN)	34676	WAIVED			
2,4,5-TP (SILVEX)	39045	WAIVED			
2,4-D	39730	WAIVED			
ALACHLOR	77825	WAIVED			
ATRAZINE	39033	WAIVED			
BENTAZON	38710	WAIVED			
BENZO (A) PYRENE	34247	WAIVED			
CARBOFURAN	81405	WAIVED			
CHLORDANE	39350	WAIVED			
DALAPON	38432	WAIVED			
DI(2-ETHYLHEXYL)ADIPATE	A-026	WAIVED			
DI(2-ETHYLHEXYL)PHTHALATE	39100	WAIVED			
DIBROMOCHLOROPROPANE (DBCP)	38761	WAIVED			
DINOSEB	81287	WAIVED			
DIQUAT	78885	WAIVED			
ENDOTHALL	38926	WAIVED			
ENDRIN	39390	WAIVED			
ETHYLENE DIBROMIDE (EDB)	77651	WAIVED			
GLYPHOSATE	79743	WAIVED			
HEPTACHLOR	39410	WAIVED			
HEPTACHLOR EPOXIDE	39420	WAIVED			
HEXACHLOROBENZENE	39700	WAIVED			
HEXACHLOROCYCLOPENTADIENE	34386	WAIVED			
LINDANE	39340	WAIVED			
METHOXYCHLOR	39480	WAIVED			
MOLINATE	82199	WAIVED			
OXAMYL	38865	WAIVED			

**Testing interval is in months;*
0 = No data for this constituent and is DUE NOW
999 = Waived testing (not required)
I = Invalid (NOT) valid analyses reported

System Number: ***2410700***

System Name: ***CASTLE AIRPORT***

PS Code: ***2410700-016***

Source Name: ***WELL #12 CHLORINATOR***

Source Number: ***016***

Source Status: ***ACTIVE TREATED***

Water type: ***GROUNDWATER OR WELL***

	STORET NUMBER	TESTING INTERVAL (MONTHS)*	LAST TEST DATE (yyyy/mm/dd)	LAST RESULT REPORTED	NEXT TEST DATE (yyyy/mm)
REGULATED SOC					
PENTACHLOROPHENOL	39032	WAIVED			
PICLORAM	39720	WAIVED			
POLYCHLORINATED BIPHENYLS, TOTAL, AS DCB	39516	WAIVED			
SIMAZINE	39055	WAIVED			
THIOBENCARB	A-001	WAIVED			
TOXAPHENE	39400	WAIVED			
REGULATED VOC					
1,1,1-TRICHLOROETHANE	34506	WAIVED			
1,1,2,2-TETRACHLOROETHANE	34516	WAIVED			
1,1,2-TRICHLORO-1,2,2-TRIFLUOROETHANE	81611	WAIVED			
1,1,2-TRICHLOROETHANE	34511	WAIVED			
1,1-DICHLOROETHANE	34496	WAIVED			
1,1-DICHLOROETHYLENE	34501	WAIVED			
1,2,4-TRICHLOROBENZENE	34551	WAIVED			
1,2-DICHLOROBENZENE	34536	WAIVED			
1,2-DICHLOROETHANE	34531	WAIVED			
1,2-DICHLOROPROPANE	34541	WAIVED			
1,3-DICHLOROPROPENE (TOTAL)	34561	WAIVED			
1,4-DICHLOROBENZENE	34571	WAIVED			
BENZENE	34030	WAIVED			
CARBON TETRACHLORIDE	32102	WAIVED			
CIS-1,2-DICHLOROETHYLENE	77093	WAIVED			
DICHLOROMETHANE	34423	WAIVED			
ETHYLBENZENE	34371	WAIVED			
METHYL-TERT-BUTYL-ETHER (MTBE)	46491	WAIVED			
MONOCHLOROBENZENE	34301	WAIVED			
STYRENE	77128	WAIVED			
TETRACHLOROETHYLENE	34475	WAIVED			
TOLUENE	34010	WAIVED			

**Testing interval is in months;*
0 = No data for this constituent and is DUE NOW
999 = Waived testing (not required)
I = Invalid (NOT) valid analyses reported

System Number: ***2410700***

System Name: ***CASTLE AIRPORT***

PS Code: ***2410700-016***

Source Name: ***WELL #12 CHLORINATOR***

Source Number: ***016***

Source Status: ***ACTIVE TREATED***

Water type: ***GROUNDWATER OR WELL***

	STORET NUMBER	TESTING INTERVAL (MONTHS)*	LAST TEST DATE (yyyy/mm/dd)	LAST RESULT REPORTED	NEXT TEST DATE (yyyy/mm)
REGULATED VOC					
TRANS-1,2-DICHLOROETHYLENE	34546	WAIVED			
TRICHLOROETHYLENE	39180	WAIVED			
TRICHLOROFLUOROMETHANE	34488	WAIVED			
VINYL CHLORIDE	39175	WAIVED			
XYLENES (TOTAL)	81551	WAIVED			
SECONDARY/GP					
AGGRSSIVE INDEX (CORROSIVITY)	82383	WAIVED			
BICARBONATE ALKALINITY	00440	WAIVED			
CALCIUM	00916	WAIVED			
CARBONATE ALKALINITY	00445	WAIVED			
CHLORIDE	00940	WAIVED			
COLOR	00081	WAIVED			
COPPER	01042	WAIVED			
FOAMING AGENTS (MBAS)	38260	WAIVED			
HARDNESS (TOTAL) AS CACO3	00900	WAIVED			
HYDROXIDE ALKALINITY	71830	WAIVED			
IRON	01045	WAIVED			
MAGNESIUM	00927	WAIVED			
MANGANESE	01055	WAIVED			
ODOR THRESHOLD @ 60 C	00086	WAIVED			
PH, LABORATORY	00403	WAIVED			
SILVER	01077	WAIVED			
SODIUM	00929	WAIVED			
SPECIFIC CONDUCTANCE	00095	WAIVED			
SULFATE	00945	WAIVED			
TOTAL DISSOLVED SOLIDS	70300	WAIVED			
TURBIDITY, LABORATORY	82079	WAIVED			
ZINC	01092	WAIVED			

**Testing interval is in months;*
0 = No data for this constituent and is DUE NOW
999 = Waived testing (not required)
I = Invalid (NOT) valid analyses reported

System Number: ***2410700***

System Name: ***CASTLE AIRPORT***

PS Code: ***2410700-017***

Source Name: ***STORAGE TANK #1***

Source Number: ***017***

Source Status: ***ACTIVE TREATED***

Water type:

	STORET NUMBER	TESTING INTERVAL (MONTHS)*	LAST TEST DATE (yyyy/mm/dd)	LAST RESULT REPORTED	NEXT TEST DATE (yyyy/mm)
GENERAL NON CHAP 15					
DIAZINON	39570	WAIVED			
INORGANIC					
ALUMINUM	01105	WAIVED			
ANTIMONY	01097	WAIVED			
ARSENIC	01002	WAIVED			
ASBESTOS	81855	WAIVED			
BARIUM	01007	WAIVED			
BERYLLIUM	01012	WAIVED			
CADMIUM	01027	WAIVED			
CHROMIUM (TOTAL)	01034	WAIVED			
CYANIDE	01291	WAIVED			
FLUORIDE (F) (NATURAL-SOURCE)	00951	WAIVED			
LEAD	01051	WAIVED			
MERCURY	71900	WAIVED			
NICKEL	01067	WAIVED			
PERCHLORATE	A-031	WAIVED			
SELENIUM	01147	WAIVED			
THALLIUM	01059	WAIVED			
NITRATE/NITRITE					
NITRATE (AS NO3)	71850	WAIVED			
NITRITE (AS N)	00620	WAIVED			
RADIOLOGICAL					
GROSS ALPHA	01501	WAIVED			
GROSS BETA	03501	WAIVED			
RA-226 FOR CWS OR TOTAL RA FOR NTNC BY 903.0	A-080	WAIVED			
RA-226 OR TOTAL RA BY 903.0 C.E.	A-081	WAIVED			
RADIUM 226	09501	WAIVED			
RADIUM 228	11501	WAIVED			

**Testing interval is in months;*
0 = No data for this constituent and is DUE NOW
999 = Waived testing (not required)
I = Invalid (NOT) valid analyses reported

System Number: ***2410700***

System Name: ***CASTLE AIRPORT***

PS Code: ***2410700-017***

Source Name: ***STORAGE TANK #1***

Source Number: ***017***

Source Status: ***ACTIVE TREATED***

Water type:

	STORET NUMBER	TESTING INTERVAL (MONTHS)*	LAST TEST DATE (yyyy/mm/dd)	LAST RESULT REPORTED	NEXT TEST DATE (yyyy/mm)
RADIOLOGICAL					
RADIUM, TOTAL, MDA95-NTNC ONLY, BY 903.0	A-082	WAIVED			
STRONTIUM-90	13501	WAIVED			
TRITIUM	07000	WAIVED			
URANIUM (PCI/L)	28012	WAIVED			
REGULATED SOC					
2,3,7,8-TCDD (DIOXIN)	34676	WAIVED			
2,4,5-TP (SILVEX)	39045	WAIVED			
2,4-D	39730	WAIVED			
ALACHLOR	77825	WAIVED			
ATRAZINE	39033	WAIVED			
BENTAZON	38710	WAIVED			
BENZO (A) PYRENE	34247	WAIVED			
CARBOFURAN	81405	WAIVED			
CHLORDANE	39350	WAIVED			
DALAPON	38432	WAIVED			
DI(2-ETHYLHEXYL)ADIPATE	A-026	WAIVED			
DI(2-ETHYLHEXYL)PHTHALATE	39100	WAIVED			
DIBROMOCHLOROPROPANE (DBCP)	38761	WAIVED			
DINOSEB	81287	WAIVED			
DIQUAT	78885	WAIVED			
ENDOTHALL	38926	WAIVED			
ENDRIN	39390	WAIVED			
ETHYLENE DIBROMIDE (EDB)	77651	WAIVED			
GLYPHOSATE	79743	WAIVED			
HEPTACHLOR	39410	WAIVED			
HEPTACHLOR EPOXIDE	39420	WAIVED			
HEXACHLOROBENZENE	39700	WAIVED			
HEXACHLOROCYCLOPENTADIENE	34386	WAIVED			
LINDANE	39340	WAIVED			

**Testing interval is in months;*
0 = No data for this constituent and is DUE NOW
999 = Waived testing (not required)
I = Invalid (NOT) valid analyses reported

System Number: ***2410700***

System Name: ***CASTLE AIRPORT***

PS Code: ***2410700-017***

Source Name: ***STORAGE TANK #1***

Source Number: ***017***

Source Status: ***ACTIVE TREATED***

Water type:

	STORET NUMBER	TESTING INTERVAL (MONTHS)*	LAST TEST DATE (yyyy/mm/dd)	LAST RESULT REPORTED	NEXT TEST DATE (yyyy/mm)
REGULATED SOC					
METHOXYCHLOR	39480	WAIVED			
MOLINATE	82199	WAIVED			
OXAMYL	38865	WAIVED			
PENTACHLOROPHENOL	39032	WAIVED			
PICLORAM	39720	WAIVED			
POLYCHLORINATED BIPHENYLS, TOTAL, AS DCB	39516	WAIVED			
SIMAZINE	39055	WAIVED			
THIOBENCARB	A-001	WAIVED			
TOXAPHENE	39400	WAIVED			
REGULATED VOC					
1,1,1-TRICHLOROETHANE	34506	WAIVED			
1,1,2,2-TETRACHLOROETHANE	34516	WAIVED			
1,1,2-TRICHLORO-1,2,2-TRIFLUOROETHANE	81611	WAIVED			
1,1,2-TRICHLOROETHANE	34511	WAIVED			
1,1-DICHLOROETHANE	34496	WAIVED			
1,1-DICHLOROETHYLENE	34501	WAIVED			
1,2,4-TRICHLOROBENZENE	34551	WAIVED			
1,2-DICHLOROBENZENE	34536	WAIVED			
1,2-DICHLOROETHANE	34531	WAIVED			
1,2-DICHLOROPROPANE	34541	WAIVED			
1,3-DICHLOROPROPENE (TOTAL)	34561	WAIVED			
1,4-DICHLOROBENZENE	34571	WAIVED			
BENZENE	34030	WAIVED			
CARBON TETRACHLORIDE	32102	WAIVED			
CIS-1,2-DICHLOROETHYLENE	77093	WAIVED			
DICHLOROMETHANE	34423	WAIVED			
ETHYLBENZENE	34371	WAIVED			
METHYL-TERT-BUTYL-ETHER (MTBE)	46491	WAIVED			
MONOCHLOROBENZENE	34301	WAIVED			

**Testing interval is in months;*
0 = No data for this constituent and is DUE NOW
999 = Waived testing (not required)
I = Invalid (NOT) valid analyses reported

System Number: ***2410700***

System Name: ***CASTLE AIRPORT***

PS Code: ***2410700-017***

Source Name: ***STORAGE TANK #1***

Source Number: ***017***

Source Status: ***ACTIVE TREATED***

Water type:

	STORET NUMBER	TESTING INTERVAL (MONTHS)*	LAST TEST DATE (yyyy/mm/dd)	LAST RESULT REPORTED	NEXT TEST DATE (yyyy/mm)
REGULATED VOC					
STYRENE	77128	WAIVED			
TETRACHLOROETHYLENE	34475	WAIVED			
TOLUENE	34010	WAIVED			
TRANS-1,2-DICHLOROETHYLENE	34546	WAIVED			
TRICHLOROETHYLENE	39180	WAIVED			
TRICHLOROFLUOROMETHANE	34488	WAIVED			
VINYL CHLORIDE	39175	WAIVED			
XYLENES (TOTAL)	81551	WAIVED			
SECONDARY/GP					
AGGRSSIVE INDEX (CORROSIVITY)	82383	WAIVED			
BICARBONATE ALKALINITY	00440	WAIVED			
CALCIUM	00916	WAIVED			
CARBONATE ALKALINITY	00445	WAIVED			
CHLORIDE	00940	WAIVED			
COLOR	00081	WAIVED			
COPPER	01042	WAIVED			
FOAMING AGENTS (MBAS)	38260	WAIVED			
HARDNESS (TOTAL) AS CACO3	00900	WAIVED			
HYDROXIDE ALKALINITY	71830	WAIVED			
IRON	01045	WAIVED			
MAGNESIUM	00927	WAIVED			
MANGANESE	01055	WAIVED			
ODOR THRESHOLD @ 60 C	00086	WAIVED			
PH, LABORATORY	00403	WAIVED			
SILVER	01077	WAIVED			
SODIUM	00929	WAIVED			
SPECIFIC CONDUCTANCE	00095	WAIVED			
SULFATE	00945	WAIVED			
TOTAL DISSOLVED SOLIDS	70300	WAIVED			

**Testing interval is in months;*
0 = No data for this constituent and is DUE NOW
999 = Waived testing (not required)
I = Invalid (NOT) valid analyses reported

System Number: ***2410700***

System Name: ***CASTLE AIRPORT***

PS Code: ***2410700-017***

Source Name: ***STORAGE TANK #1***

Source Number: ***017***

Source Status: ***ACTIVE TREATED***

Water type:

SECONDARY/GP

	STORET NUMBER	TESTING INTERVAL (MONTHS)*	LAST TEST DATE (yyyy/mm/dd)	LAST RESULT REPORTED	NEXT TEST DATE (yyyy/mm)
TURBIDITY, LABORATORY	82079	WAIVED			
ZINC	01092	WAIVED			

**Testing interval is in months;*
0 = No data for this constituent and is DUE NOW
999 = Waived testing (not required)
I = Invalid (NOT) valid analyses reported