DISTRICT 61

PLACER COUNTY

DRINKING WATER MONITORING SCHEDULE

THE CALIFORNIA DEPARTMENT OF PUBIC HEALTH (CDPH) MONITORING SCHEDULER LISTS REQUIRED CONTAMINANT TESTING OF DRINKING WATER FOR PUBLIC WATER SYSTEMS IN CALIFORNIA. THE SCHEDULE INCLUDES REQUIRED UPCOMING TESTING, PAST DUE REQUIRED, AND WAIVED TESTING.

THIS INFORMATION IS VALID AS OF MAY 24, 2012.

UPDATES WILL BE REGULARLY PERFORMED REFLECTING CHANGES IN THE WATER QUALITY MONITORING DATABASE. THESE DOCUMENTS SHOULD BE CONSIDERED "DRAFT" IN THAT THEY MAY CHANGE WITH SUBSEQUENT UPDATES AS NEW DATA ARE SUBMITTED, OR AS MONITORING SCHEDULES ARE REVISED. THIS MONITORING SCHEDULE SHOULD NOT BE USED TO DETERMINE IF SYSTEMS ARE IN COMPLETE COMPLIANCE WITH MONITORING REQUIREMENTS. THE PURPOSE IS TO ASSIST SYSTEMS IN THEIR PLANNING FOR SAMPLING EVENTS, AND VERIFICATION OF SCHEDULED MONITORING WITH CDHS RECORDS.

THE TELEPHONE NUMBER FOR THE LOCAL DRINKING WATER OFFICE IS:

(530) 745-2319

Please be aware that the monitoring schedules do not reflect compliance with initial monitoring for newly regulated constituents (such as MTBE), or constituents that require special monitoring frequencies. Specifically, the database is unable to accurately forecast the following for the Monitoring Schedules:

The SOC frequency for large water systems serving over 3,300 people of 2 quarters every 3 years. In addition, if you have been advised of any increased monitoring that is not reflected in the Monitoring Schedule for a particular source, please contact your local Drinking Water office

Some older data may not be present in the database, and these are indicated in the schedule as "DUE." If these samples were taken, have your laboratory submit the data. Since January 1, 2001, data have been required to be submitted directly to CDPH via electronic data transfer (EDT).

If sampled after January 1, 2001, have your lab submit those data (and data prior to 2001 if possible) electronically as required to CDPH via EDT. Your laboratory can contact Anthony Meeks in the CDPH Monitoring and Evaluation Unit at (916) 449-5568 or at edt@cdph.ca.gov for further information. Changes in the monitoring notification documents will be seen in the next update.

System Number: ***3100008***

System Name: ***CISCO GAS & FOOD***

PS Code: ***3100008-001***

Source Name: ***WELL #1***

Source Number: ***001***

Source Status: ***ACTIVE UNTREATED***

Water type: ***GROUNDWATER OR WELL***

	STORET NUMBER	TESTING INTERVAL (MONTHS)*	LAST TEST DATE (yyyy/mm/dd)	LAST RESULT REPORTED	NEXT TEST DATE (yyyy/mm)	
GENERAL NON CHAP 15						
DIAZINON	39570	WAIVED				
INORGANIC						
ALUMINUM	01105	WAIVED				
ANTIMONY	01097	WAIVED				
ARSENIC	01002	WAIVED				
ASBESTOS	81855	WAIVED				
BARIUM	01007	WAIVED				
BERYLLIUM	01012	WAIVED				
CADMIUM	01027	WAIVED				
CHROMIUM (TOTAL)	01034	WAIVED				
CYANIDE	01291	WAIVED				
FLUORIDE (F) (NATURAL-SOURCE)	00951	000				**DUE**
LEAD	01051	WAIVED				
MERCURY	71900	WAIVED				
NICKEL	01067	WAIVED				
PERCHLORATE	A-031	WAIVED				
SELENIUM	01147	WAIVED				
THALLIUM	01059	WAIVED				
NITRATE/NITRITE						
NITRATE (AS NO3)	71850	012	2011/03/03	.000	2012/03	**DUE**
NITRITE (AS N)	00620	036	2003/06/10	< 400.000	2006/06	**DUE**
RADIOLOGICAL						
GROSS ALPHA	01501	WAIVED				
GROSS BETA	03501	WAIVED				
RA-226 FOR CWS OR TOTAL RA FOR NTNC BY 903.0	A-080	WAIVED				
RA-226 OR TOTAL RA BY 903.0 C.E.	A-081	WAIVED				
RADIUM 226	09501	WAIVED				
RADIUM 228	11501	WAIVED				

**Testing interval is in months;*
0 = No data for this constituent and is DUE NOW
999 = Waived testing (not required)
I = Invalid (NOT) valid analyses reported

System Number: ***3100008***

System Name: ***CISCO GAS & FOOD***

PS Code: ***3100008-001***

Source Name: ***WELL #1***

Source Number: ***001***

Source Status: ***ACTIVE UNTREATED***

Water type: ***GROUNDWATER OR WELL***

	STORET NUMBER	TESTING INTERVAL (MONTHS)*	LAST TEST DATE (yyyy/mm/dd)	LAST RESULT REPORTED	NEXT TEST DATE (yyyy/mm)
RADIOLOGICAL					
RADIUM, TOTAL, MDA95-NTNC ONLY, BY 903.0	A-082	WAIVED			
STRONTIUM-90	13501	WAIVED			
TRITIUM	07000	WAIVED			
URANIUM (PCI/L)	28012	WAIVED			
REGULATED SOC					
2,3,7,8-TCDD (DIOXIN)	34676	WAIVED			
2,4,5-TP (SILVEX)	39045	WAIVED			
2,4-D	39730	WAIVED			
ALACHLOR	77825	WAIVED			
ATRAZINE	39033	WAIVED			
BENTAZON	38710	WAIVED			
BENZO (A) PYRENE	34247	WAIVED			
CARBOFURAN	81405	WAIVED			
CHLORDANE	39350	WAIVED			
DALAPON	38432	WAIVED			
DI(2-ETHYLHEXYL)ADIPATE	A-026	WAIVED			
DI(2-ETHYLHEXYL)PHTHALATE	39100	WAIVED			
DIBROMOCHLOROPROPANE (DBCP)	38761	WAIVED			
DINOSEB	81287	WAIVED			
DIQUAT	78885	WAIVED			
ENDOTHALL	38926	WAIVED			
ENDRIN	39390	WAIVED			
ETHYLENE DIBROMIDE (EDB)	77651	WAIVED			
GLYPHOSATE	79743	WAIVED			
HEPTACHLOR	39410	WAIVED			
HEPTACHLOR EPOXIDE	39420	WAIVED			
HEXACHLOROBENZENE	39700	WAIVED			
HEXACHLOROCYCLOPENTADIENE	34386	WAIVED			
LINDANE	39340	WAIVED			

**Testing interval is in months;*
0 = No data for this constituent and is DUE NOW
999 = Waived testing (not required)
I = Invalid (NOT) valid analyses reported

System Number: ***3100008***

System Name: ***CISCO GAS & FOOD***

PS Code: ***3100008-001***

Source Name: ***WELL #1***

Source Number: ***001***

Source Status: ***ACTIVE UNTREATED***

Water type: ***GROUNDWATER OR WELL***

	STORET NUMBER	TESTING INTERVAL (MONTHS)*	LAST TEST DATE (yyyy/mm/dd)	LAST RESULT REPORTED	NEXT TEST DATE (yyyy/mm)
REGULATED SOC					
METHOXYCHLOR	39480	WAIVED			
MOLINATE	82199	WAIVED			
OXAMYL	38865	WAIVED			
PENTACHLOROPHENOL	39032	WAIVED			
PICLORAM	39720	WAIVED			
POLYCHLORINATED BIPHENYLS, TOTAL, AS DCB	39516	WAIVED			
SIMAZINE	39055	WAIVED			
THIOBENCARB	A-001	WAIVED			
TOXAPHENE	39400	WAIVED			
REGULATED VOC					
1,1,1-TRICHLOROETHANE	34506	WAIVED	1988/04/27	.000	
1,1,2,2-TETRACHLOROETHANE	34516	WAIVED	1988/04/27	.000	
1,1,2-TRICHLORO-1,2,2-TRIFLUOROETHANE	81611	WAIVED	1988/04/27	.000	
1,1,2-TRICHLOROETHANE	34511	WAIVED	1988/04/27	.000	
1,1-DICHLOROETHANE	34496	WAIVED	1988/04/27	.000	
1,1-DICHLOROETHYLENE	34501	WAIVED	1988/04/27	.000	
1,2,4-TRICHLOROBENZENE	34551	WAIVED			
1,2-DICHLOROBENZENE	34536	WAIVED	1988/04/27	.000	
1,2-DICHLOROETHANE	34531	WAIVED	1988/04/27	.000	
1,2-DICHLOROPROPANE	34541	WAIVED			
1,3-DICHLOROPROPENE (TOTAL)	34561	WAIVED			
1,4-DICHLOROBENZENE	34571	WAIVED	1988/04/27	.000	
BENZENE	34030	WAIVED	1988/04/27	.000	
CARBON TETRACHLORIDE	32102	WAIVED	1988/04/27	.000	
CIS-1,2-DICHLOROETHYLENE	77093	WAIVED	1988/04/27	.000	
DICHLOROMETHANE	34423	WAIVED	1988/04/27	.000	
ETHYLBENZENE	34371	WAIVED	1988/04/27	.000	
METHYL-TERT-BUTYL-ETHER (MTBE)	46491	WAIVED			
MONOCHLOROBENZENE	34301	WAIVED	1988/04/27	.000	

**Testing interval is in months;*
0 = No data for this constituent and is DUE NOW
999 = Waived testing (not required)
I = Invalid (NOT) valid analyses reported

System Number: ***3100008***

System Name: ***CISCO GAS & FOOD***

PS Code: ***3100008-001***

Source Name: ***WELL #1***

Source Number: ***001***

Source Status: ***ACTIVE UNTREATED***

Water type: ***GROUNDWATER OR WELL***

	STORET NUMBER	TESTING INTERVAL (MONTHS)*	LAST TEST DATE (yyyy/mm/dd)	LAST RESULT REPORTED	NEXT TEST DATE (yyyy/mm)
REGULATED VOC					
STYRENE	77128	WAIVED			
TETRACHLOROETHYLENE	34475	WAIVED	1988/04/27	.000	
TOLUENE	34010	WAIVED	1988/04/27	.000	
TRANS-1,2-DICHLOROETHYLENE	34546	WAIVED	1988/04/27	.000	
TRICHLOROETHYLENE	39180	WAIVED	1988/04/27	.000	
TRICHLOROFLUOROMETHANE	34488	WAIVED	1988/04/27	.000	
VINYL CHLORIDE	39175	WAIVED	1988/04/27	.000	
XYLENES (TOTAL)	81551	WAIVED	1988/04/27	.000	
SECONDARY/GP					
AGGRSSIVE INDEX (CORROSIVITY)	82383	WAIVED			
BICARBONATE ALKALINITY	00440	000			DUE
CALCIUM	00916	000			DUE
CARBONATE ALKALINITY	00445	000			DUE
CHLORIDE	00940	WAIVED			
COLOR	00081	WAIVED			
COPPER	01042	WAIVED			
FOAMING AGENTS (MBAS)	38260	WAIVED			
HARDNESS (TOTAL) AS CACO3	00900	000			DUE
HYDROXIDE ALKALINITY	71830	000			DUE
IRON	01045	000			DUE
MAGNESIUM	00927	000			DUE
MANGANESE	01055	000			DUE
ODOR THRESHOLD @ 60 C	00086	WAIVED			
PH, LABORATORY	00403	000			DUE
SILVER	01077	WAIVED			
SODIUM	00929	000			DUE
SPECIFIC CONDUCTANCE	00095	WAIVED			
SULFATE	00945	WAIVED			
TOTAL DISSOLVED SOLIDS	70300	WAIVED			

**Testing interval is in months;*
0 = No data for this constituent and is DUE NOW
999 = Waived testing (not required)
I = Invalid (NOT) valid analyses reported

System Number: ***3100008***

System Name: ***CISCO GAS & FOOD***

PS Code: ***3100008-001***

Source Name: ***WELL #1***

Source Number: ***001***

Source Status: ***ACTIVE UNTREATED***

Water type: ***GROUNDWATER OR WELL***

SECONDARY/GP	STORET NUMBER	TESTING INTERVAL (MONTHS)*	LAST TEST DATE (yyyy/mm/dd)	LAST RESULT REPORTED	NEXT TEST DATE (yyyy/mm)
TURBIDITY, LABORATORY	82079	WAIVED			
ZINC	01092	WAIVED			

**Testing interval is in months;*
0 = No data for this constituent and is DUE NOW
999 = Waived testing (not required)
I = Invalid (NOT) valid analyses reported

System Number: ***3100010***

System Name: ***MORNING STAR LAKE RESORT***

PS Code: ***3100010-001***

Source Name: ***WELL #1***

Source Number: ***001***

Source Status: ***ACTIVE UNTREATED***

Water type: ***GROUNDWATER OR WELL***

	STORET NUMBER	TESTING INTERVAL (MONTHS)*	LAST TEST DATE (yyyy/mm/dd)	LAST RESULT REPORTED	NEXT TEST DATE (yyyy/mm)	
GENERAL NON CHAP 15						
DIAZINON	39570	WAIVED				
INORGANIC						
ALUMINUM	01105	WAIVED				
ANTIMONY	01097	WAIVED				
ARSENIC	01002	WAIVED				
ASBESTOS	81855	WAIVED				
BARIUM	01007	WAIVED				
BERYLLIUM	01012	WAIVED				
CADMIUM	01027	WAIVED				
CHROMIUM (TOTAL)	01034	WAIVED				
CYANIDE	01291	WAIVED				
FLUORIDE (F) (NATURAL-SOURCE)	00951	000				**DUE**
LEAD	01051	WAIVED				
MERCURY	71900	WAIVED				
NICKEL	01067	WAIVED				
PERCHLORATE	A-031	WAIVED				
SELENIUM	01147	WAIVED				
THALLIUM	01059	WAIVED				
NITRATE/NITRITE						
NITRATE (AS NO3)	71850	012	2009/09/28	.000	2010/09	**DUE**
NITRITE (AS N)	00620	036	2009/09/28	.000	2012/09	
RADIOLOGICAL						
GROSS ALPHA	01501	WAIVED				
GROSS BETA	03501	WAIVED				
RA-226 FOR CWS OR TOTAL RA FOR NTNC BY 903.0	A-080	WAIVED				
RA-226 OR TOTAL RA BY 903.0 C.E.	A-081	WAIVED				
RADIUM 226	09501	WAIVED				
RADIUM 228	11501	WAIVED				

**Testing interval is in months;*
0 = No data for this constituent and is DUE NOW
999 = Waived testing (not required)
I = Invalid (NOT) valid analyses reported

System Number: ***3100010***

System Name: ***MORNING STAR LAKE RESORT***

PS Code: ***3100010-001***

Source Name: ***WELL #1***

Source Number: ***001***

Source Status: ***ACTIVE UNTREATED***

Water type: ***GROUNDWATER OR WELL***

	STORET NUMBER	TESTING INTERVAL (MONTHS)*	LAST TEST DATE (yyyy/mm/dd)	LAST RESULT REPORTED	NEXT TEST DATE (yyyy/mm)
RADIOLOGICAL					
RADIUM, TOTAL, MDA95-NTNC ONLY, BY 903.0	A-082	WAIVED			
STRONTIUM-90	13501	WAIVED			
TRITIUM	07000	WAIVED			
URANIUM (PCI/L)	28012	WAIVED			
REGULATED SOC					
2,3,7,8-TCDD (DIOXIN)	34676	WAIVED			
2,4,5-TP (SILVEX)	39045	WAIVED			
2,4-D	39730	WAIVED			
ALACHLOR	77825	WAIVED			
ATRAZINE	39033	WAIVED			
BENTAZON	38710	WAIVED			
BENZO (A) PYRENE	34247	WAIVED			
CARBOFURAN	81405	WAIVED			
CHLORDANE	39350	WAIVED			
DALAPON	38432	WAIVED			
DI(2-ETHYLHEXYL)ADIPATE	A-026	WAIVED			
DI(2-ETHYLHEXYL)PHTHALATE	39100	WAIVED			
DIBROMOCHLOROPROPANE (DBCP)	38761	WAIVED			
DINOSEB	81287	WAIVED			
DIQUAT	78885	WAIVED			
ENDOTHALL	38926	WAIVED			
ENDRIN	39390	WAIVED			
ETHYLENE DIBROMIDE (EDB)	77651	WAIVED			
GLYPHOSATE	79743	WAIVED			
HEPTACHLOR	39410	WAIVED			
HEPTACHLOR EPOXIDE	39420	WAIVED			
HEXACHLOROBENZENE	39700	WAIVED			
HEXACHLOROCYCLOPENTADIENE	34386	WAIVED			
LINDANE	39340	WAIVED			

**Testing interval is in months;*
0 = No data for this constituent and is DUE NOW
999 = Waived testing (not required)
I = Invalid (NOT) valid analyses reported

System Number: ***3100010***

System Name: ***MORNING STAR LAKE RESORT***

PS Code: ***3100010-001***

Source Name: ***WELL #1***

Source Number: ***001***

Source Status: ***ACTIVE UNTREATED***

Water type: ***GROUNDWATER OR WELL***

	STORET NUMBER	TESTING INTERVAL (MONTHS)*	LAST TEST DATE (yyyy/mm/dd)	LAST RESULT REPORTED	NEXT TEST DATE (yyyy/mm)
REGULATED SOC					
METHOXYCHLOR	39480	WAIVED			
MOLINATE	82199	WAIVED			
OXAMYL	38865	WAIVED			
PENTACHLOROPHENOL	39032	WAIVED			
PICLORAM	39720	WAIVED			
POLYCHLORINATED BIPHENYLS, TOTAL, AS DCB	39516	WAIVED			
SIMAZINE	39055	WAIVED			
THIOBENCARB	A-001	WAIVED			
TOXAPHENE	39400	WAIVED			
REGULATED VOC					
1,1,1-TRICHLOROETHANE	34506	WAIVED	1988/04/26	.000	
1,1,2,2-TETRACHLOROETHANE	34516	WAIVED	1988/04/26	.000	
1,1,2-TRICHLORO-1,2,2-TRIFLUOROETHANE	81611	WAIVED	1988/04/26	.000	
1,1,2-TRICHLOROETHANE	34511	WAIVED	1988/04/26	.000	
1,1-DICHLOROETHANE	34496	WAIVED	1988/04/26	.000	
1,1-DICHLOROETHYLENE	34501	WAIVED	1988/04/26	.000	
1,2,4-TRICHLOROBENZENE	34551	WAIVED			
1,2-DICHLOROBENZENE	34536	WAIVED	1988/04/26	.000	
1,2-DICHLOROETHANE	34531	WAIVED	1988/04/26	.000	
1,2-DICHLOROPROPANE	34541	WAIVED			
1,3-DICHLOROPROPENE (TOTAL)	34561	WAIVED			
1,4-DICHLOROBENZENE	34571	WAIVED	1988/04/26	.000	
BENZENE	34030	WAIVED	1988/04/26	.000	
CARBON TETRACHLORIDE	32102	WAIVED	1988/04/26	.000	
CIS-1,2-DICHLOROETHYLENE	77093	WAIVED	1988/04/26	.000	
DICHLOROMETHANE	34423	WAIVED	1988/04/26	.000	
ETHYLBENZENE	34371	WAIVED	1988/04/26	.000	
METHYL-TERT-BUTYL-ETHER (MTBE)	46491	WAIVED			
MONOCHLOROBENZENE	34301	WAIVED	1988/04/26	.000	

**Testing interval is in months;*
0 = No data for this constituent and is DUE NOW
999 = Waived testing (not required)
I = Invalid (NOT) valid analyses reported

System Number: ***3100010***

System Name: ***MORNING STAR LAKE RESORT***

PS Code: ***3100010-001***

Source Name: ***WELL #1***

Source Number: ***001***

Source Status: ***ACTIVE UNTREATED***

Water type: ***GROUNDWATER OR WELL***

	STORET NUMBER	TESTING INTERVAL (MONTHS)*	LAST TEST DATE (yyyy/mm/dd)	LAST RESULT REPORTED	NEXT TEST DATE (yyyy/mm)
REGULATED VOC					
STYRENE	77128	WAIVED			
TETRACHLOROETHYLENE	34475	WAIVED	1988/04/26	.000	
TOLUENE	34010	WAIVED	1988/04/26	.000	
TRANS-1,2-DICHLOROETHYLENE	34546	WAIVED	1988/04/26	.000	
TRICHLOROETHYLENE	39180	WAIVED	1988/04/26	.000	
TRICHLOROFLUOROMETHANE	34488	WAIVED	1988/04/26	.000	
VINYL CHLORIDE	39175	WAIVED	1988/04/26	.000	
XYLENES (TOTAL)	81551	WAIVED	1988/04/26	.000	
SECONDARY/GP					
AGGRSSIVE INDEX (CORROSIVITY)	82383	WAIVED			
BICARBONATE ALKALINITY	00440	000			DUE
CALCIUM	00916	000			DUE
CARBONATE ALKALINITY	00445	000			DUE
CHLORIDE	00940	WAIVED			
COLOR	00081	WAIVED			
COPPER	01042	WAIVED			
FOAMING AGENTS (MBAS)	38260	WAIVED			
HARDNESS (TOTAL) AS CACO3	00900	000			DUE
HYDROXIDE ALKALINITY	71830	000			DUE
IRON	01045	000			DUE
MAGNESIUM	00927	000			DUE
MANGANESE	01055	000			DUE
ODOR THRESHOLD @ 60 C	00086	WAIVED			
PH, LABORATORY	00403	000			DUE
SILVER	01077	WAIVED			
SODIUM	00929	000			DUE
SPECIFIC CONDUCTANCE	00095	WAIVED			
SULFATE	00945	WAIVED			
TOTAL DISSOLVED SOLIDS	70300	WAIVED			

**Testing interval is in months;*
0 = No data for this constituent and is DUE NOW
999 = Waived testing (not required)
I = Invalid (NOT) valid analyses reported

System Number: ***3100010***

System Name: ***MORNING STAR LAKE RESORT***

PS Code: ***3100010-001***

Source Name: ***WELL #1***

Source Number: ***001***

Source Status: ***ACTIVE UNTREATED***

Water type: ***GROUNDWATER OR WELL***

	STORET NUMBER	TESTING INTERVAL (MONTHS)*	LAST TEST DATE (yyyy/mm/dd)	LAST RESULT REPORTED	NEXT TEST DATE (yyyy/mm)
SECONDARY/GP					
TURBIDITY, LABORATORY	82079	WAIVED			
ZINC	01092	WAIVED			

**Testing interval is in months;*
0 = No data for this constituent and is DUE NOW
999 = Waived testing (not required)
I = Invalid (NOT) valid analyses reported

System Number: ***3100011***

System Name: ***AUBURN VALLEY COMMUNITY SERVICE DIS***

PS Code: ***3100011-002***

Source Name: ***WELL #2***

Source Number: ***002***

Source Status: ***ACTIVE UNTREATED***

Water type: ***GROUNDWATER OR WELL***

	STORET NUMBER	TESTING INTERVAL (MONTHS)*	LAST TEST DATE (yyyy/mm/dd)	LAST RESULT REPORTED	NEXT TEST DATE (yyyy/mm)	
GENERAL NON CHAP 15						
DIAZINON	39570	WAIVED				
INORGANIC						
ALUMINUM	01105	108	2009/12/22	.000	2018/12	
ANTIMONY	01097	108	2009/05/21	.000	2018/05	
ARSENIC	01002	108	2009/05/21	.000	2018/05	
ASBESTOS	81855	WAIVED				
BARIUM	01007	108	2009/05/21	.000	2018/05	
BERYLLIUM	01012	108	2009/05/21	.000	2018/05	
CADMIUM	01027	108	2009/05/21	.000	2018/05	
CHROMIUM (TOTAL)	01034	108	2009/05/21	.000	2018/05	
CYANIDE	01291	WAIVED				
FLUORIDE (F) (NATURAL-SOURCE)	00951	108	2009/05/21	.300	2018/05	
LEAD	01051	WAIVED	2009/05/21	.000		
MERCURY	71900	108	2009/05/21	.000	2018/05	
NICKEL	01067	108	2009/05/21	.000	2018/05	
PERCHLORATE	A-031	036	**2008/07/14**	< 4.000	**2011/07**	**DUE**
SELENIUM	01147	108	2009/05/21	.000	2018/05	
THALLIUM	01059	108	2009/05/21	.000	2018/05	
NITRATE/NITRITE						
NITRATE (AS NO3)	71850	012	2011/11/23	.000	2012/11	
NITRITE (AS N)	00620	036	2009/05/21	.000	2012/05	
RADIOLOGICAL						
GROSS ALPHA	01501	108	**2001/03/26**	< 1.000	**2010/03**	**DUE**
GROSS BETA	03501	WAIVED				
RA-226 FOR CWS OR TOTAL RA FOR NTNC BY 903.0	A-080	WAIVED				
RA-226 OR TOTAL RA BY 903.0 C.E.	A-081	WAIVED				
RADIUM 226	09501	WAIVED				
RADIUM 228	11501	003				**DUE**

**Testing interval is in months;*
0 = No data for this constituent and is DUE NOW
999 = Waived testing (not required)
I = Invalid (NOT) valid analyses reported

System Number: ***3100011***

System Name: ***AUBURN VALLEY COMMUNITY SERVICE DIS***

PS Code: ***3100011-002***

Source Name: ***WELL #2***

Source Number: ***002***

Source Status: ***ACTIVE UNTREATED***

Water type: ***GROUNDWATER OR WELL***

	STORET NUMBER	TESTING INTERVAL (MONTHS)*	LAST TEST DATE (yyyy/mm/dd)	LAST RESULT REPORTED	NEXT TEST DATE (yyyy/mm)
RADIOLOGICAL					
RADIUM, TOTAL, MDA95-NTNC ONLY, BY 903.0	A-082	WAIVED			
STRONTIUM-90	13501	WAIVED			
TRITIUM	07000	WAIVED			
URANIUM (PCI/L)	28012	WAIVED			
REGULATED SOC					
2,3,7,8-TCDD (DIOXIN)	34676	WAIVED			
2,4,5-TP (SILVEX)	39045	WAIVED			
2,4-D	39730	WAIVED			
ALACHLOR	77825	WAIVED			
ATRAZINE	39033	WAIVED			
BENTAZON	38710	WAIVED			
BENZO (A) PYRENE	34247	WAIVED			
CARBOFURAN	81405	WAIVED			
CHLORDANE	39350	WAIVED			
DALAPON	38432	WAIVED			
DI(2-ETHYLHEXYL)ADIPATE	A-026	WAIVED			
DI(2-ETHYLHEXYL)PHTHALATE	39100	WAIVED			
DIBROMOCHLOROPROPANE (DBCP)	38761	WAIVED			
DINOSEB	81287	WAIVED			
DIQUAT	78885	WAIVED			
ENDOTHALL	38926	WAIVED			
ENDRIN	39390	WAIVED			
ETHYLENE DIBROMIDE (EDB)	77651	WAIVED			
GLYPHOSATE	79743	WAIVED			
HEPTACHLOR	39410	WAIVED			
HEPTACHLOR EPOXIDE	39420	WAIVED			
HEXACHLOROBENZENE	39700	WAIVED			
HEXACHLOROCYCLOPENTADIENE	34386	WAIVED			
LINDANE	39340	WAIVED			

**Testing interval is in months;*
0 = No data for this constituent and is DUE NOW
999 = Waived testing (not required)
I = Invalid (NOT) valid analyses reported

System Number: ***3100011***

System Name: ***AUBURN VALLEY COMMUNITY SERVICE DIS***

PS Code: ***3100011-002***

Source Name: ***WELL #2***

Source Number: ***002***

Source Status: ***ACTIVE UNTREATED***

Water type: ***GROUNDWATER OR WELL***

	STORET NUMBER	TESTING INTERVAL (MONTHS)*	LAST TEST DATE (yyyy/mm/dd)	LAST RESULT REPORTED	NEXT TEST DATE (yyyy/mm)	
REGULATED SOC						
METHOXYCHLOR	39480	WAIVED				
MOLINATE	82199	WAIVED				
OXAMYL	38865	WAIVED				
PENTACHLOROPHENOL	39032	WAIVED				
PICLORAM	39720	WAIVED				
POLYCHLORINATED BIPHENYLS, TOTAL, AS DCB	39516	WAIVED				
SIMAZINE	39055	WAIVED				
THIOBENCARB	A-001	WAIVED				
TOXAPHENE	39400	WAIVED				
REGULATED VOC						
1,1,1-TRICHLOROETHANE	34506	072	1999/09/20	.000	2005/09	DUE
1,1,2,2-TETRACHLOROETHANE	34516	072	1999/09/20	.000	2005/09	DUE
1,1,2-TRICHLORO-1,2,2-TRIFLUOROETHANE	81611	072	1997/04/09	.000	2003/04	DUE
1,1,2-TRICHLOROETHANE	34511	072	1999/09/20	.000	2005/09	DUE
1,1-DICHLOROETHANE	34496	072	1999/09/20	.000	2005/09	DUE
1,1-DICHLOROETHYLENE	34501	072	1999/09/20	.000	2005/09	DUE
1,2,4-TRICHLOROBENZENE	34551	072	1999/09/20	.000	2005/09	DUE
1,2-DICHLOROBENZENE	34536	072	1999/09/20	.000	2005/09	DUE
1,2-DICHLOROETHANE	34531	072	1999/09/20	.000	2005/09	DUE
1,2-DICHLOROPROPANE	34541	072	1999/09/20	.000	2005/09	DUE
1,3-DICHLOROPROPENE (TOTAL)	34561	072	1999/09/20	.000	2005/09	DUE
1,4-DICHLOROBENZENE	34571	072	1999/09/20	.000	2005/09	DUE
BENZENE	34030	072	1999/09/20	.000	2005/09	DUE
CARBON TETRACHLORIDE	32102	072	1999/09/20	.000	2005/09	DUE
CIS-1,2-DICHLOROETHYLENE	77093	072	1999/09/20	.000	2005/09	DUE
DICHLOROMETHANE	34423	072	1999/09/20	.000	2005/09	DUE
ETHYLBENZENE	34371	072	1999/09/20	.000	2005/09	DUE
METHYL-TERT-BUTYL-ETHER (MTBE)	46491	072	1999/09/20	< .500	2005/09	DUE
MONOCHLOROBENZENE	34301	072	1999/09/20	.000	2005/09	DUE

**Testing interval is in months;*
0 = No data for this constituent and is DUE NOW
999 = Waived testing (not required)
I = Invalid (NOT) valid analyses reported

System Number: ***3100011***

System Name: ***AUBURN VALLEY COMMUNITY SERVICE DIS***

PS Code: ***3100011-002***

Source Name: ***WELL #2***

Source Number: ***002***

Source Status: ***ACTIVE UNTREATED***

Water type: ***GROUNDWATER OR WELL***

	STORET NUMBER	TESTING INTERVAL (MONTHS)*	LAST TEST DATE (yyyy/mm/dd)	LAST RESULT REPORTED	NEXT TEST DATE (yyyy/mm)	
REGULATED VOC						
STYRENE	77128	072	1999/09/20	.000	2005/09	DUE
TETRACHLOROETHYLENE	34475	072	1999/09/20	.000	2005/09	DUE
TOLUENE	34010	072	1999/09/20	.000	2005/09	DUE
TRANS-1,2-DICHLOROETHYLENE	34546	072	1999/09/20	.000	2005/09	DUE
TRICHLOROETHYLENE	39180	072	1999/09/20	.000	2005/09	DUE
TRICHLOROFLUOROMETHANE	34488	072	1999/09/20	.000	2005/09	DUE
VINYL CHLORIDE	39175	072	1999/09/20	.000	2005/09	DUE
XYLENES (TOTAL)	81551	072	1999/09/20	.000	2005/09	DUE
SECONDARY/GP						
AGGRSSIVE INDEX (CORROSIVITY)	82383	WAIVED	2009/12/22	12.000		
BICARBONATE ALKALINITY	00440	108	2009/12/22	258.000	2018/12	
CALCIUM	00916	108	2009/12/22	45.500	2018/12	
CARBONATE ALKALINITY	00445	108	2009/12/22	.000	2018/12	
CHLORIDE	00940	108	2009/12/22	10.900	2018/12	
COLOR	00081	108	2009/12/22	.000	2018/12	
COPPER	01042	108	2009/12/22	.000	2018/12	
FOAMING AGENTS (MBAS)	38260	108	2009/12/22	.000	2018/12	
HARDNESS (TOTAL) AS CACO3	00900	108	2009/12/22	215.000	2018/12	
HYDROXIDE ALKALINITY	71830	108	2009/12/22	.000	2018/12	
IRON	01045	108	2009/12/22	210.000	2018/12	
MAGNESIUM	00927	108	2009/12/22	25.800	2018/12	
MANGANESE	01055	108	2009/12/22	.000	2018/12	
ODOR THRESHOLD @ 60 C	00086	108	2009/12/22	.000	2018/12	
PH, LABORATORY	00403	108	2009/12/22	7.600	2018/12	
SILVER	01077	108	2009/12/22	.000	2018/12	
SODIUM	00929	108	2009/12/22	9.480	2018/12	
SPECIFIC CONDUCTANCE	00095	108	2009/12/22	441.000	2018/12	
SULFATE	00945	108	2009/12/22	14.600	2018/12	
TOTAL DISSOLVED SOLIDS	70300	108	2009/12/22	252.000	2018/12	

**Testing interval is in months;*
0 = No data for this constituent and is DUE NOW
999 = Waived testing (not required)
I = Invalid (NOT) valid analyses reported

System Number: ***3100011***

System Name: ***AUBURN VALLEY COMMUNITY SERVICE DIS***

PS Code: ***3100011-002***

Source Name: ***WELL #2***

Source Number: ***002***

Source Status: ***ACTIVE UNTREATED***

Water type: ***GROUNDWATER OR WELL***

	STORET NUMBER	TESTING INTERVAL (MONTHS)*	LAST TEST DATE (yyyy/mm/dd)	LAST RESULT REPORTED	NEXT TEST DATE (yyyy/mm)	
SECONDARY/GP						
TURBIDITY, LABORATORY	82079	108	2009/12/22	1.640	2018/12	
ZINC	01092	108	2009/12/22	.000	2018/12	

PS Code: ***3100011-006***

Source Name: ***WELL #6***

Source Number: ***006***

Source Status: ***ACTIVE UNTREATED***

Water type: ***GROUNDWATER OR WELL***

GENERAL NON CHAP 15						
DIAZINON	39570	WAIVED				
INORGANIC						
ALUMINUM	01105	036	2009/12/22	.000	2012/12	
ANTIMONY	01097	036	2009/05/21	.000	2012/05	
ARSENIC	01002	036	2009/05/21	.000	2012/05	
ASBESTOS	81855	WAIVED				
BARIUM	01007	036	2009/05/21	.000	2012/05	
BERYLLIUM	01012	036	2009/05/21	.000	2012/05	
CADMIUM	01027	036	2009/05/21	.000	2012/05	
CHROMIUM (TOTAL)	01034	036	2009/05/21	.000	2012/05	
CYANIDE	01291	WAIVED				
FLUORIDE (F) (NATURAL-SOURCE)	00951	036	2009/05/21	.300	2012/05	
LEAD	01051	WAIVED	2009/05/21	.000		
MERCURY	71900	036	2009/05/21	.000	2012/05	
NICKEL	01067	036	2009/05/21	.000	2012/05	
PERCHLORATE	A-031	036	**2008/07/14**	< 4.000	**2011/07**	**DUE**
SELENIUM	01147	036	2009/05/21	.000	2012/05	
THALLIUM	01059	036	2009/05/21	.000	2012/05	

**Testing interval is in months;*
0 = No data for this constituent and is DUE NOW
999 = Waived testing (not required)
I = Invalid (NOT) valid analyses reported

System Number: ***3100011***

System Name: ***AUBURN VALLEY COMMUNITY SERVICE DIS***

PS Code: ***3100011-006***

Source Name: ***WELL #6***

Source Number: ***006***

Source Status: ***ACTIVE UNTREATED***

Water type: ***GROUNDWATER OR WELL***

	STORET NUMBER	TESTING INTERVAL (MONTHS)*	LAST TEST DATE (yyyy/mm/dd)	LAST RESULT REPORTED	NEXT TEST DATE (yyyy/mm)	
NITRATE/NITRITE						
NITRATE (AS NO3)	71850	012	2011/11/23	.000	2012/11	
NITRITE (AS N)	00620	036	2009/05/21	.000	2012/05	
RADIOLOGICAL						
GROSS ALPHA	01501	000				**DUE**
GROSS BETA	03501	WAIVED				
RA-226 FOR CWS OR TOTAL RA FOR NTNC BY 903.0	A-080	WAIVED				
RA-226 OR TOTAL RA BY 903.0 C.E.	A-081	WAIVED				
RADIUM 226	09501	WAIVED				
RADIUM 228	11501	003				**DUE**
RADIUM, TOTAL, MDA95-NTNC ONLY, BY 903.0	A-082	WAIVED				
STRONTIUM-90	13501	WAIVED				
TRITIUM	07000	WAIVED				
URANIUM (PCI/L)	28012	WAIVED				
REGULATED SOC						
2,3,7,8-TCDD (DIOXIN)	34676	WAIVED				
2,4,5-TP (SILVEX)	39045	WAIVED				
2,4-D	39730	WAIVED				
ALACHLOR	77825	WAIVED				
ATRAZINE	39033	WAIVED				
BENTAZON	38710	WAIVED				
BENZO (A) PYRENE	34247	WAIVED				
CARBOFURAN	81405	WAIVED				
CHLORDANE	39350	WAIVED				
DALAPON	38432	WAIVED				
DI(2-ETHYLHEXYL)ADIPATE	A-026	WAIVED				
DI(2-ETHYLHEXYL)PHTHALATE	39100	WAIVED				
DIBROMOCHLOROPROPANE (DBCP)	38761	WAIVED				
DINOSEB	81287	WAIVED				
DIQUAT	78885	WAIVED				

**Testing interval is in months;*
0 = No data for this constituent and is DUE NOW
999 = Waived testing (not required)
I = Invalid (NOT) valid analyses reported

System Number: ***3100011***

System Name: ***AUBURN VALLEY COMMUNITY SERVICE DIS***

PS Code: ***3100011-006***

Source Name: ***WELL #6***

Source Number: ***006***

Source Status: ***ACTIVE UNTREATED***

Water type: ***GROUNDWATER OR WELL***

REGULATED SOC

	STORET NUMBER	TESTING INTERVAL (MONTHS)*	LAST TEST DATE (yyyy/mm/dd)	LAST RESULT REPORTED	NEXT TEST DATE (yyyy/mm)
ENDOTHALL	38926	WAIVED			
ENDRIN	39390	WAIVED			
ETHYLENE DIBROMIDE (EDB)	77651	WAIVED			
GLYPHOSATE	79743	WAIVED			
HEPTACHLOR	39410	WAIVED			
HEPTACHLOR EPOXIDE	39420	WAIVED			
HEXACHLOROBENZENE	39700	WAIVED			
HEXACHLOROCYCLOPENTADIENE	34386	WAIVED			
LINDANE	39340	WAIVED			
METHOXYCHLOR	39480	WAIVED			
MOLINATE	82199	WAIVED			
OXAMYL	38865	WAIVED			
PENTACHLOROPHENOL	39032	WAIVED			
PICLORAM	39720	WAIVED			
POLYCHLORINATED BIPHENYLS, TOTAL, AS DCB	39516	WAIVED			
SIMAZINE	39055	WAIVED			
THIOBENCARB	A-001	WAIVED			
TOXAPHENE	39400	WAIVED			

REGULATED VOC

1,1,1-TRICHLOROETHANE	34506	000			DUE
1,1,2,2-TETRACHLOROETHANE	34516	000			DUE
1,1,2-TRICHLORO-1,2,2-TRIFLUOROETHANE	81611	000			DUE
1,1,2-TRICHLOROETHANE	34511	000			DUE
1,1-DICHLOROETHANE	34496	000			DUE
1,1-DICHLOROETHYLENE	34501	000			DUE
1,2,4-TRICHLOROBENZENE	34551	000			DUE
1,2-DICHLOROBENZENE	34536	000			DUE
1,2-DICHLOROETHANE	34531	000			DUE
1,2-DICHLOROPROPANE	34541	000			DUE

**Testing interval is in months;*
0 = No data for this constituent and is DUE NOW
999 = Waived testing (not required)
I = Invalid (NOT) valid analyses reported

System Number: ***3100011***

System Name: ***AUBURN VALLEY COMMUNITY SERVICE DIS***

PS Code: ***3100011-006***

Source Name: ***WELL #6***

Source Number: ***006***

Source Status: ***ACTIVE UNTREATED***

Water type: ***GROUNDWATER OR WELL***

REGULATED VOC

	STORET NUMBER	TESTING INTERVAL (MONTHS)*	LAST TEST DATE (yyyy/mm/dd)	LAST RESULT REPORTED	NEXT TEST DATE (yyyy/mm)	
1,3-DICHLOROPROPENE (TOTAL)	34561	000				DUE
1,4-DICHLOROBENZENE	34571	000				DUE
BENZENE	34030	000				DUE
CARBON TETRACHLORIDE	32102	000				DUE
CIS-1,2-DICHLOROETHYLENE	77093	000				DUE
DICHLOROMETHANE	34423	000				DUE
ETHYLBENZENE	34371	000				DUE
METHYL-TERT-BUTYL-ETHER (MTBE)	46491	000				DUE
MONOCHLOROBENZENE	34301	000				DUE
STYRENE	77128	000				DUE
TETRACHLOROETHYLENE	34475	000				DUE
TOLUENE	34010	000				DUE
TRANS-1,2-DICHLOROETHYLENE	34546	000				DUE
TRICHLOROETHYLENE	39180	000				DUE
TRICHLOROFLUOROMETHANE	34488	000				DUE
VINYL CHLORIDE	39175	000				DUE
XYLENES (TOTAL)	81551	000				DUE

SECONDARY/GP

AGGRSSIVE INDEX (CORROSIVITY)	82383	WAIVED	2009/12/22	12.400	
BICARBONATE ALKALINITY	00440	108	2009/12/22	286.000	2018/12
CALCIUM	00916	108	2009/12/22	52.300	2018/12
CARBONATE ALKALINITY	00445	108	2009/12/22	.000	2018/12
CHLORIDE	00940	036	2009/12/22	10.600	2012/12
COLOR	00081	036	2009/12/22	.000	2012/12
COPPER	01042	036	2009/12/22	.000	2012/12
FOAMING AGENTS (MBAS)	38260	036	2009/12/22	.000	2012/12
HARDNESS (TOTAL) AS CACO3	00900	108	2009/12/22	237.000	2018/12
HYDROXIDE ALKALINITY	71830	108	2009/12/22	.000	2018/12
IRON	01045	036	2009/12/22	.000	2012/12

**Testing interval is in months;*
0 = No data for this constituent and is DUE NOW
999 = Waived testing (not required)
I = Invalid (NOT) valid analyses reported

System Number: ***3100011***

System Name: ***AUBURN VALLEY COMMUNITY SERVICE DIS***

PS Code: ***3100011-006***

Source Name: ***WELL #6***

Source Number: ***006***

Source Status: ***ACTIVE UNTREATED***

Water type: ***GROUNDWATER OR WELL***

	STORET NUMBER	TESTING INTERVAL (MONTHS)*	LAST TEST DATE (yyyy/mm/dd)	LAST RESULT REPORTED	NEXT TEST DATE (yyyy/mm)
SECONDARY/GP					
MAGNESIUM	00927	108	2009/12/22	27.200	2018/12
MANGANESE	01055	036	2009/12/22	.000	2012/12
ODOR THRESHOLD @ 60 C	00086	036	2009/12/22	.000	2012/12
PH, LABORATORY	00403	036	2009/12/22	7.920	2012/12
SILVER	01077	036	2009/12/22	.000	2012/12
SODIUM	00929	108	2009/12/22	9.870	2018/12
SPECIFIC CONDUCTANCE	00095	036	2009/12/22	480.000	2012/12
SULFATE	00945	036	2009/12/22	18.300	2012/12
TOTAL DISSOLVED SOLIDS	70300	036	2009/12/22	308.000	2012/12
TURBIDITY, LABORATORY	82079	036	2009/12/22	.980	2012/12
ZINC	01092	036	2009/12/22	256.800	2012/12

PS Code: ***3100011-008***

Source Name: ***WELL #8***

Source Number: ***008***

Source Status: ***ACTIVE UNTREATED***

Water type: ***GROUNDWATER OR WELL***

GENERAL NON CHAP 15					
DIAZINON	39570	WAIVED			
INORGANIC					
ALUMINUM	01105	036	2009/12/22	.000	2012/12
ANTIMONY	01097	036	2009/05/21	.000	2012/05
ARSENIC	01002	036	2009/05/21	2.400	2012/05
ASBESTOS	81855	WAIVED			
BARIUM	01007	036	2009/05/21	.000	2012/05
BERYLLIUM	01012	036	2009/05/21	.000	2012/05
CADMIUM	01027	036	2009/05/21	.000	2012/05
CHROMIUM (TOTAL)	01034	036	2009/05/21	.000	2012/05
CYANIDE	01291	WAIVED			

**Testing interval is in months;*
0 = No data for this constituent and is DUE NOW
999 = Waived testing (not required)
I = Invalid (NOT) valid analyses reported

System Number: ***3100011***

System Name: ***AUBURN VALLEY COMMUNITY SERVICE DIS***

PS Code: ***3100011-008***

Source Name: ***WELL #8***

Source Number: ***008***

Source Status: ***ACTIVE UNTREATED***

Water type: ***GROUNDWATER OR WELL***

	STORET NUMBER	TESTING INTERVAL (MONTHS)*	LAST TEST DATE (yyyy/mm/dd)	LAST RESULT REPORTED	NEXT TEST DATE (yyyy/mm)	
INORGANIC						
FLUORIDE (F) (NATURAL-SOURCE)	00951	036	2009/05/21	.200	2012/05	
LEAD	01051	WAIVED	2009/05/21	.000		
MERCURY	71900	036	2009/05/21	.000	2012/05	
NICKEL	01067	036	2009/05/21	.000	2012/05	
PERCHLORATE	A-031	036	**2008/07/14**	< 4.000	**2011/07**	**DUE**
SELENIUM	01147	036	2009/05/21	.000	2012/05	
THALLIUM	01059	036	2009/05/21	.000	2012/05	
NITRATE/NITRITE						
NITRATE (AS NO3)	71850	012	2011/11/23	.000	2012/11	
NITRITE (AS N)	00620	036	2009/05/21	.000	2012/05	
RADIOLOGICAL						
GROSS ALPHA	01501	108	2007/10/04	< 3.000	2016/10	
GROSS BETA	03501	WAIVED				
RA-226 FOR CWS OR TOTAL RA FOR NTNC BY 903.0	A-080	WAIVED				
RA-226 OR TOTAL RA BY 903.0 C.E.	A-081	WAIVED				
RADIUM 226	09501	WAIVED	2007/01/01	.000		
RADIUM 228	11501	108	2007/01/01	.000	2016/01	
RADIUM, TOTAL, MDA95-NTNC ONLY, BY 903.0	A-082	WAIVED				
STRONTIUM-90	13501	WAIVED				
TRITIUM	07000	WAIVED				
URANIUM (PCI/L)	28012	WAIVED				
REGULATED SOC						
2,3,7,8-TCDD (DIOXIN)	34676	WAIVED				
2,4,5-TP (SILVEX)	39045	WAIVED				
2,4-D	39730	WAIVED				
ALACHLOR	77825	WAIVED				
ATRAZINE	39033	WAIVED				
BENTAZON	38710	WAIVED				

**Testing interval is in months;*
0 = No data for this constituent and is DUE NOW
999 = Waived testing (not required)
I = Invalid (NOT) valid analyses reported

System Number: ***3100011***

System Name: ***AUBURN VALLEY COMMUNITY SERVICE DIS***

PS Code: ***3100011-008***

Source Name: ***WELL #8***

Source Number: ***008***

Source Status: ***ACTIVE UNTREATED***

Water type: ***GROUNDWATER OR WELL***

	STORET NUMBER	TESTING INTERVAL (MONTHS)*	LAST TEST DATE (yyyy/mm/dd)	LAST RESULT REPORTED	NEXT TEST DATE (yyyy/mm)
REGULATED SOC					
BENZO (A) PYRENE	34247	WAIVED			
CARBOFURAN	81405	WAIVED			
CHLORDANE	39350	WAIVED			
DALAPON	38432	WAIVED			
DI(2-ETHYLHEXYL)ADIPATE	A-026	WAIVED			
DI(2-ETHYLHEXYL)PHTHALATE	39100	WAIVED			
DIBROMOCHLOROPROPANE (DBCP)	38761	WAIVED			
DINOSEB	81287	WAIVED			
DIQUAT	78885	WAIVED			
ENDOTHALL	38926	WAIVED			
ENDRIN	39390	WAIVED			
ETHYLENE DIBROMIDE (EDB)	77651	WAIVED			
GLYPHOSATE	79743	WAIVED			
HEPTACHLOR	39410	WAIVED			
HEPTACHLOR EPOXIDE	39420	WAIVED			
HEXACHLOROBENZENE	39700	WAIVED			
HEXACHLOROCYCLOPENTADIENE	34386	WAIVED			
LINDANE	39340	WAIVED			
METHOXYCHLOR	39480	WAIVED			
MOLINATE	82199	WAIVED			
OXAMYL	38865	WAIVED			
PENTACHLOROPHENOL	39032	WAIVED			
PICLORAM	39720	WAIVED			
POLYCHLORINATED BIPHENYLS, TOTAL, AS DCB	39516	WAIVED			
SIMAZINE	39055	WAIVED			
THIOBENCARB	A-001	WAIVED			
TOXAPHENE	39400	WAIVED			
REGULATED VOC					
1,1,1-TRICHLOROETHANE	34506	072	2009/03/12	.000	2015/03

**Testing interval is in months;*
0 = No data for this constituent and is DUE NOW
999 = Waived testing (not required)
I = Invalid (NOT) valid analyses reported

System Number: ***3100011***

System Name: ***AUBURN VALLEY COMMUNITY SERVICE DIS***

PS Code: ***3100011-008***

Source Name: ***WELL #8***

Source Number: ***008***

Source Status: ***ACTIVE UNTREATED***

Water type: ***GROUNDWATER OR WELL***

	STORET NUMBER	TESTING INTERVAL (MONTHS)*	LAST TEST DATE (yyyy/mm/dd)	LAST RESULT REPORTED	NEXT TEST DATE (yyyy/mm)
REGULATED VOC					
1,1,2,2-TETRACHLOROETHANE	34516	072	2009/03/12	.000	2015/03
1,1,2-TRICHLORO-1,2,2-TRIFLUOROETHANE	81611	072	2009/03/12	.000	2015/03
1,1,2-TRICHLOROETHANE	34511	072	2009/03/12	.000	2015/03
1,1-DICHLOROETHANE	34496	072	2009/03/12	.000	2015/03
1,1-DICHLOROETHYLENE	34501	072	2009/03/12	.000	2015/03
1,2,4-TRICHLOROBENZENE	34551	072	2009/03/12	.000	2015/03
1,2-DICHLOROBENZENE	34536	072	2009/03/12	.000	2015/03
1,2-DICHLOROETHANE	34531	072	2009/03/12	.000	2015/03
1,2-DICHLOROPROPANE	34541	072	2009/03/12	.000	2015/03
1,3-DICHLOROPROPENE (TOTAL)	34561	072	2009/03/12	.000	2015/03
1,4-DICHLOROBENZENE	34571	072	2009/03/12	.000	2015/03
BENZENE	34030	072	2009/03/12	.000	2015/03
CARBON TETRACHLORIDE	32102	072	2009/03/12	.000	2015/03
CIS-1,2-DICHLOROETHYLENE	77093	072	2009/03/12	.000	2015/03
DICHLOROMETHANE	34423	072	2009/03/12	.000	2015/03
ETHYLBENZENE	34371	072	2009/03/12	.000	2015/03
METHYL-TERT-BUTYL-ETHER (MTBE)	46491	072	2009/03/12	.000	2015/03
MONOCHLOROBENZENE	34301	072	2009/03/12	.000	2015/03
STYRENE	77128	072	2009/03/12	.000	2015/03
TETRACHLOROETHYLENE	34475	072	2009/03/12	.000	2015/03
TOLUENE	34010	072	2009/03/12	.000	2015/03
TRANS-1,2-DICHLOROETHYLENE	34546	072	2009/03/12	.000	2015/03
TRICHLOROETHYLENE	39180	072	2009/03/12	.000	2015/03
TRICHLOROFLUOROMETHANE	34488	072	2009/03/12	.000	2015/03
VINYL CHLORIDE	39175	072	2009/03/12	.000	2015/03
XYLENES (TOTAL)	81551	072	2009/03/12	.000	2015/03
SECONDARY/GP					
AGGRSSIVE INDEX (CORROSIVITY)	82383	WAIVED	2009/12/22	12.400	
BICARBONATE ALKALINITY	00440	108	2009/12/22	305.000	2018/12

**Testing interval is in months;*
0 = No data for this constituent and is DUE NOW
999 = Waived testing (not required)
I = Invalid (NOT) valid analyses reported

System Number: ***3100011***

System Name: ***AUBURN VALLEY COMMUNITY SERVICE DIS***

PS Code: ***3100011-008***

Source Name: ***WELL #8***

Source Number: ***008***

Source Status: ***ACTIVE UNTREATED***

Water type: ***GROUNDWATER OR WELL***

SECONDARY/GP

	STORET NUMBER	TESTING INTERVAL (MONTHS)*	LAST TEST DATE (yyyy/mm/dd)	LAST RESULT REPORTED	NEXT TEST DATE (yyyy/mm)
CALCIUM	00916	108	2009/12/22	56.800	2018/12
CARBONATE ALKALINITY	00445	108	2009/12/22	.000	2018/12
CHLORIDE	00940	036	2009/12/22	10.700	2012/12
COLOR	00081	036	2009/12/22	30.000	2012/12
COPPER	01042	036	2009/12/22	.000	2012/12
FOAMING AGENTS (MBAS)	38260	036	2009/12/22	.000	2012/12
HARDNESS (TOTAL) AS CACO3	00900	108	2009/12/22	240.000	2018/12
HYDROXIDE ALKALINITY	71830	108	2009/12/22	.000	2018/12
IRON	01045	036	2010/01/29	403.000	2013/01
MAGNESIUM	00927	108	2009/12/22	24.200	2018/12
MANGANESE	01055	036	2009/12/22	.000	2012/12
ODOR THRESHOLD @ 60 C	00086	036	2009/12/22	.000	2012/12
PH, LABORATORY	00403	036	2009/12/22	7.820	2012/12
SILVER	01077	036	2009/12/22	.000	2012/12
SODIUM	00929	108	2009/12/22	10.900	2018/12
SPECIFIC CONDUCTANCE	00095	036	2009/12/22	467.000	2012/12
SULFATE	00945	036	2009/12/22	1.200	2012/12
TOTAL DISSOLVED SOLIDS	70300	036	2009/12/22	284.000	2012/12
TURBIDITY, LABORATORY	82079	036	2010/01/29	4.300	2013/01
ZINC	01092	036	2009/12/22	62.800	2012/12

**Testing interval is in months;*
0 = No data for this constituent and is DUE NOW
999 = Waived testing (not required)
I = Invalid (NOT) valid analyses reported

System Number: ***3100014***

System Name: ***BAKER RANCH WATER COMPANY***

PS Code: ***3100014-001***

Source Name: ***WELL 01***

Source Number: ***001***

Source Status: ***ACTIVE UNTREATED***

Water type: ***GROUNDWATER OR WELL***

	STORET NUMBER	TESTING INTERVAL (MONTHS)*	LAST TEST DATE (yyyy/mm/dd)	LAST RESULT REPORTED	NEXT TEST DATE (yyyy/mm)	
GENERAL NON CHAP 15						
DIAZINON	39570	WAIVED				
INORGANIC						
ALUMINUM	01105	108	2012/03/27	.000	2021/03	
ANTIMONY	01097	108	2012/03/27	.000	2021/03	
ARSENIC	01002	108	2012/03/27	.000	2021/03	
ASBESTOS	81855	WAIVED				
BARIUM	01007	108	2012/03/27	.000	2021/03	
BERYLLIUM	01012	108	2012/03/27	.000	2021/03	
CADMIUM	01027	108	2012/03/27	4.500	2021/03	
CHROMIUM (TOTAL)	01034	108	2012/03/27	.000	2021/03	
CYANIDE	01291	WAIVED				
FLUORIDE (F) (NATURAL-SOURCE)	00951	108	2012/03/27	.000	2021/03	
LEAD	01051	WAIVED	1993/09/09	19.000		
MERCURY	71900	108	2012/03/27	.000	2021/03	
NICKEL	01067	108	2012/03/27	.000	2021/03	
PERCHLORATE	A-031	036	**2008/09/15**	.000	**2011/09**	**DUE**
SELENIUM	01147	108	2012/03/27	.000	2021/03	
THALLIUM	01059	108	2012/03/27	.000	2021/03	
NITRATE/NITRITE						
NITRATE (AS NO3)	71850	012	2012/03/27	.000	2013/03	
NITRITE (AS N)	00620	036	2012/03/27	80.000	2015/03	
RADIOLOGICAL						
GROSS ALPHA	01501	108	2010/01/25	.000	2019/01	
GROSS BETA	03501	WAIVED				
RA-226 FOR CWS OR TOTAL RA FOR NTNC BY 903.0	A-080	WAIVED				
RA-226 OR TOTAL RA BY 903.0 C.E.	A-081	WAIVED				
RADIUM 226	09501	WAIVED				
RADIUM 228	11501	003	**2007/04/23**	.000	**2007/07**	**DUE**

**Testing interval is in months;*
0 = No data for this constituent and is DUE NOW
999 = Waived testing (not required)
I = Invalid (NOT) valid analyses reported

System Number: ***3100014***

System Name: ***BAKER RANCH WATER COMPANY***

PS Code: ***3100014-001***

Source Name: ***WELL 01***

Source Number: ***001***

Source Status: ***ACTIVE UNTREATED***

Water type: ***GROUNDWATER OR WELL***

	STORET NUMBER	TESTING INTERVAL (MONTHS)*	LAST TEST DATE (yyyy/mm/dd)	LAST RESULT REPORTED	NEXT TEST DATE (yyyy/mm)
RADIOLOGICAL					
RADIUM, TOTAL, MDA95-NTNC ONLY, BY 903.0	A-082	WAIVED			
STRONTIUM-90	13501	WAIVED			
TRITIUM	07000	WAIVED			
URANIUM (PCI/L)	28012	WAIVED			
REGULATED SOC					
2,3,7,8-TCDD (DIOXIN)	34676	WAIVED			
2,4,5-TP (SILVEX)	39045	WAIVED			
2,4-D	39730	WAIVED			
ALACHLOR	77825	WAIVED			
ATRAZINE	39033	WAIVED			
BENTAZON	38710	WAIVED			
BENZO (A) PYRENE	34247	WAIVED			
CARBOFURAN	81405	WAIVED			
CHLORDANE	39350	WAIVED			
DALAPON	38432	WAIVED			
DI(2-ETHYLHEXYL)ADIPATE	A-026	WAIVED			
DI(2-ETHYLHEXYL)PHTHALATE	39100	WAIVED			
DIBROMOCHLOROPROPANE (DBCP)	38761	WAIVED			
DINOSEB	81287	WAIVED			
DIQUAT	78885	WAIVED			
ENDOTHALL	38926	WAIVED			
ENDRIN	39390	WAIVED			
ETHYLENE DIBROMIDE (EDB)	77651	WAIVED			
GLYPHOSATE	79743	WAIVED			
HEPTACHLOR	39410	WAIVED			
HEPTACHLOR EPOXIDE	39420	WAIVED			
HEXACHLOROBENZENE	39700	WAIVED			
HEXACHLOROCYCLOPENTADIENE	34386	WAIVED			
LINDANE	39340	WAIVED			

**Testing interval is in months;*
0 = No data for this constituent and is DUE NOW
999 = Waived testing (not required)
I = Invalid (NOT) valid analyses reported

System Number: ***3100014***

System Name: ***BAKER RANCH WATER COMPANY***

PS Code: ***3100014-001***

Source Name: ***WELL 01***

Source Number: ***001***

Source Status: ***ACTIVE UNTREATED***

Water type: ***GROUNDWATER OR WELL***

	STORET NUMBER	TESTING INTERVAL (MONTHS)*	LAST TEST DATE (yyyy/mm/dd)	LAST RESULT REPORTED	NEXT TEST DATE (yyyy/mm)
REGULATED SOC					
METHOXYCHLOR	39480	WAIVED			
MOLINATE	82199	WAIVED			
OXAMYL	38865	WAIVED			
PENTACHLOROPHENOL	39032	WAIVED			
PICLORAM	39720	WAIVED			
POLYCHLORINATED BIPHENYLS, TOTAL, AS DCB	39516	WAIVED			
SIMAZINE	39055	WAIVED			
THIOBENCARB	A-001	WAIVED			
TOXAPHENE	39400	WAIVED			
REGULATED VOC					
1,1,1-TRICHLOROETHANE	34506	072	2007/08/20	.000	2013/08
1,1,2,2-TETRACHLOROETHANE	34516	072	2007/08/20	.000	2013/08
1,1,2-TRICHLORO-1,2,2-TRIFLUOROETHANE	81611	072	2007/08/20	.000	2013/08
1,1,2-TRICHLOROETHANE	34511	072	2007/08/20	.000	2013/08
1,1-DICHLOROETHANE	34496	072	2007/08/20	.000	2013/08
1,1-DICHLOROETHYLENE	34501	072	2007/08/20	.000	2013/08
1,2,4-TRICHLOROBENZENE	34551	072	2007/08/20	.000	2013/08
1,2-DICHLOROBENZENE	34536	072	2007/08/20	.000	2013/08
1,2-DICHLOROETHANE	34531	072	2007/08/20	.000	2013/08
1,2-DICHLOROPROPANE	34541	072	2007/08/20	.000	2013/08
1,3-DICHLOROPROPENE (TOTAL)	34561	072	2007/08/20	.000	2013/08
1,4-DICHLOROBENZENE	34571	072	2007/08/20	.000	2013/08
BENZENE	34030	072	2007/08/20	.000	2013/08
CARBON TETRACHLORIDE	32102	072	2007/08/20	.000	2013/08
CIS-1,2-DICHLOROETHYLENE	77093	072	2007/08/20	.000	2013/08
DICHLOROMETHANE	34423	072	2007/08/20	.000	2013/08
ETHYLBENZENE	34371	072	2007/08/20	.000	2013/08
METHYL-TERT-BUTYL-ETHER (MTBE)	46491	072	2007/08/20	.000	2013/08
MONOCHLOROBENZENE	34301	072	2007/08/20	.000	2013/08

**Testing interval is in months;*
0 = No data for this constituent and is DUE NOW
999 = Waived testing (not required)
I = Invalid (NOT) valid analyses reported

System Number: ***3100014***

System Name: ***BAKER RANCH WATER COMPANY***

PS Code: ***3100014-001***

Source Name: ***WELL 01***

Source Number: ***001***

Source Status: ***ACTIVE UNTREATED***

Water type: ***GROUNDWATER OR WELL***

	STORET NUMBER	TESTING INTERVAL (MONTHS)*	LAST TEST DATE (yyyy/mm/dd)	LAST RESULT REPORTED	NEXT TEST DATE (yyyy/mm)	
REGULATED VOC						
STYRENE	77128	072	2007/08/20	.000	2013/08	
TETRACHLOROETHYLENE	34475	072	2007/08/20	.000	2013/08	
TOLUENE	34010	072	2007/08/20	.000	2013/08	
TRANS-1,2-DICHLOROETHYLENE	34546	072	2007/08/20	.000	2013/08	
TRICHLOROETHYLENE	39180	072	2007/08/20	.000	2013/08	
TRICHLOROFLUOROMETHANE	34488	072	2007/08/20	.000	2013/08	
VINYL CHLORIDE	39175	072	2007/08/20	.000	2013/08	
XYLENES (TOTAL)	81551	072	**1988/04/27**	.000	**1994/04**	**DUE**
SECONDARY/GP						
AGGRSSIVE INDEX (CORROSIVITY)	82383	WAIVED	2005/06/07	10.700		
BICARBONATE ALKALINITY	00440	108	2012/03/27	103.000	2021/03	
CALCIUM	00916	108	2012/03/27	22.900	2021/03	
CARBONATE ALKALINITY	00445	108	2012/03/27	.000	2021/03	
CHLORIDE	00940	108	2005/06/07	1.100	2014/06	
COLOR	00081	108	2008/12/29	.000	2017/12	
COPPER	01042	108	2012/03/27	.000	2021/03	
FOAMING AGENTS (MBAS)	38260	108	2012/03/27	.000	2021/03	
HARDNESS (TOTAL) AS CACO3	00900	108	2012/03/27	69.000	2021/03	
HYDROXIDE ALKALINITY	71830	108	2012/03/27	.000	2021/03	
IRON	01045	108	2012/03/27	.000	2021/03	
MAGNESIUM	00927	108	2012/03/27	2.800	2021/03	
MANGANESE	01055	108	2012/03/27	87.000	2021/03	
ODOR THRESHOLD @ 60 C	00086	108	2012/03/27	.000	2021/03	
PH, LABORATORY	00403	108	2012/03/27	6.800	2021/03	
SILVER	01077	108	2012/03/27	.000	2021/03	
SODIUM	00929	108	2012/03/27	2.800	2021/03	
SPECIFIC CONDUCTANCE	00095	108	2012/03/27	202.000	2021/03	
SULFATE	00945	108	2012/03/27	4.000	2021/03	
TOTAL DISSOLVED SOLIDS	70300	108	2012/03/27	91.000	2021/03	

**Testing interval is in months;*
0 = No data for this constituent and is DUE NOW
999 = Waived testing (not required)
I = Invalid (NOT) valid analyses reported

System Number: ***3100014***

System Name: ***BAKER RANCH WATER COMPANY***

PS Code: ***3100014-001***

Source Name: ***WELL 01***

Source Number: ***001***

Source Status: ***ACTIVE UNTREATED***

Water type: ***GROUNDWATER OR WELL***

	STORET NUMBER	TESTING INTERVAL (MONTHS)*	LAST TEST DATE (yyyy/mm/dd)	LAST RESULT REPORTED	NEXT TEST DATE (yyyy/mm)	
SECONDARY/GP						
TURBIDITY, LABORATORY	82079	108	2012/03/27	.150	2021/03	
ZINC	01092	108	2012/03/27	.000	2021/03	

PS Code: ***3100014-002***

Source Name: ***WELL 02***

Source Number: ***002***

Source Status: ***ACTIVE UNTREATED***

Water type: ***GROUNDWATER OR WELL***

GENERAL NON CHAP 15						
DIAZINON	39570	WAIVED				
INORGANIC						
ALUMINUM	01105	108	2011/04/20	.000	2020/04	
ANTIMONY	01097	108	2011/04/20	.000	2020/04	
ARSENIC	01002	108	2011/04/20	.000	2020/04	
ASBESTOS	81855	WAIVED				
BARIUM	01007	108	2011/04/20	.000	2020/04	
BERYLLIUM	01012	108	2011/04/20	.000	2020/04	
CADMIUM	01027	108	2011/04/20	.000	2020/04	
CHROMIUM (TOTAL)	01034	108	2011/04/20	.000	2020/04	
CYANIDE	01291	WAIVED	2008/08/26	.000		
FLUORIDE (F) (NATURAL-SOURCE)	00951	108	2011/04/20	.000	2020/04	
LEAD	01051	WAIVED				
MERCURY	71900	108	2011/04/20	.000	2020/04	
NICKEL	01067	108	2011/04/20	.000	2020/04	
PERCHLORATE	A-031	036	**2008/09/15**	.000	**2011/09**	**DUE**
SELENIUM	01147	108	2011/04/20	.000	2020/04	
THALLIUM	01059	108	2011/04/20	.000	2020/04	

**Testing interval is in months;*
0 = No data for this constituent and is DUE NOW
999 = Waived testing (not required)
I = Invalid (NOT) valid analyses reported

System Number: ***3100014***

System Name: ***BAKER RANCH WATER COMPANY***

PS Code: ***3100014-002***

Source Name: ***WELL 02***

Source Number: ***002***

Source Status: ***ACTIVE UNTREATED***

Water type: ***GROUNDWATER OR WELL***

	STORET NUMBER	TESTING INTERVAL (MONTHS)*	LAST TEST DATE (yyyy/mm/dd)	LAST RESULT REPORTED	NEXT TEST DATE (yyyy/mm)	
NITRATE/NITRITE						
NITRATE (AS NO3)	71850	012	2011/12/29	.000	2012/12	
NITRITE (AS N)	00620	036	2011/04/20	.000	2014/04	
RADIOLOGICAL						
GROSS ALPHA	01501	108	2007/05/31	.000	2016/05	
GROSS BETA	03501	WAIVED				
RA-226 FOR CWS OR TOTAL RA FOR NTNC BY 903.0	A-080	WAIVED				
RA-226 OR TOTAL RA BY 903.0 C.E.	A-081	WAIVED				
RADIUM 226	09501	WAIVED				
RADIUM 228	11501	003	2007/04/23	.085	2007/07	DUE
RADIUM, TOTAL, MDA95-NTNC ONLY, BY 903.0	A-082	WAIVED				
STRONTIUM-90	13501	WAIVED				
TRITIUM	07000	WAIVED				
URANIUM (PCI/L)	28012	WAIVED				
REGULATED SOC						
2,3,7,8-TCDD (DIOXIN)	34676	WAIVED				
2,4,5-TP (SILVEX)	39045	WAIVED				
2,4-D	39730	WAIVED				
ALACHLOR	77825	WAIVED				
ATRAZINE	39033	WAIVED				
BENTAZON	38710	WAIVED				
BENZO (A) PYRENE	34247	WAIVED				
CARBOFURAN	81405	WAIVED				
CHLORDANE	39350	WAIVED				
DALAPON	38432	WAIVED				
DI(2-ETHYLHEXYL)ADIPATE	A-026	WAIVED				
DI(2-ETHYLHEXYL)PHTHALATE	39100	WAIVED				
DIBROMOCHLOROPROPANE (DBCP)	38761	WAIVED				
DINOSEB	81287	WAIVED				
DIQUAT	78885	WAIVED				

**Testing interval is in months;*
0 = No data for this constituent and is DUE NOW
999 = Waived testing (not required)
I = Invalid (NOT) valid analyses reported

System Number: ***3100014***

System Name: ***BAKER RANCH WATER COMPANY***

PS Code: ***3100014-002***

Source Name: ***WELL 02***

Source Number: ***002***

Source Status: ***ACTIVE UNTREATED***

Water type: ***GROUNDWATER OR WELL***

	STORET NUMBER	TESTING INTERVAL (MONTHS)*	LAST TEST DATE (yyyy/mm/dd)	LAST RESULT REPORTED	NEXT TEST DATE (yyyy/mm)	
REGULATED SOC						
ENDOTHALL	38926	WAIVED				
ENDRIN	39390	WAIVED				
ETHYLENE DIBROMIDE (EDB)	77651	WAIVED				
GLYPHOSATE	79743	WAIVED				
HEPTACHLOR	39410	WAIVED				
HEPTACHLOR EPOXIDE	39420	WAIVED				
HEXACHLOROBENZENE	39700	WAIVED				
HEXACHLOROCYCLOPENTADIENE	34386	WAIVED				
LINDANE	39340	WAIVED				
METHOXYCHLOR	39480	WAIVED				
MOLINATE	82199	WAIVED				
OXAMYL	38865	WAIVED				
PENTACHLOROPHENOL	39032	WAIVED				
PICLORAM	39720	WAIVED				
POLYCHLORINATED BIPHENYLS, TOTAL, AS DCB	39516	WAIVED				
SIMAZINE	39055	WAIVED				
THIOBENCARB	A-001	WAIVED				
TOXAPHENE	39400	WAIVED				
REGULATED VOC						
1,1,1-TRICHLOROETHANE	34506	072	2003/10/10	.000	2009/10	DUE
1,1,2,2-TETRACHLOROETHANE	34516	072	2003/10/10	.000	2009/10	DUE
1,1,2-TRICHLORO-1,2,2-TRIFLUOROETHANE	81611	072	2003/10/10	.000	2009/10	DUE
1,1,2-TRICHLOROETHANE	34511	072	2003/10/10	.000	2009/10	DUE
1,1-DICHLOROETHANE	34496	072	2003/10/10	.000	2009/10	DUE
1,1-DICHLOROETHYLENE	34501	072	2003/10/10	.000	2009/10	DUE
1,2,4-TRICHLOROBENZENE	34551	072	2003/10/10	.000	2009/10	DUE
1,2-DICHLOROBENZENE	34536	072	2003/10/10	.000	2009/10	DUE
1,2-DICHLOROETHANE	34531	072	2003/10/10	.000	2009/10	DUE
1,2-DICHLOROPROPANE	34541	072	2003/10/10	.000	2009/10	DUE

**Testing interval is in months;*
0 = No data for this constituent and is DUE NOW
999 = Waived testing (not required)
I = Invalid (NOT) valid analyses reported

System Number: ***3100014***

System Name: ***BAKER RANCH WATER COMPANY***

PS Code: ***3100014-002***

Source Name: ***WELL 02***

Source Number: ***002***

Source Status: ***ACTIVE UNTREATED***

Water type: ***GROUNDWATER OR WELL***

	STORET NUMBER	TESTING INTERVAL (MONTHS)*	LAST TEST DATE (yyyy/mm/dd)	LAST RESULT REPORTED	NEXT TEST DATE (yyyy/mm)	
REGULATED VOC						
1,3-DICHLOROPROPENE (TOTAL)	34561	072	2003/10/10	.000	2009/10	DUE
1,4-DICHLOROBENZENE	34571	072	2003/10/10	.000	2009/10	DUE
BENZENE	34030	072	2003/10/10	.000	2009/10	DUE
CARBON TETRACHLORIDE	32102	072	2003/10/10	.000	2009/10	DUE
CIS-1,2-DICHLOROETHYLENE	77093	072	2003/10/10	.000	2009/10	DUE
DICHLOROMETHANE	34423	072	2003/10/10	.000	2009/10	DUE
ETHYLBENZENE	34371	072	2003/10/10	.000	2009/10	DUE
METHYL-TERT-BUTYL-ETHER (MTBE)	46491	072	2003/10/10	.000	2009/10	DUE
MONOCHLOROBENZENE	34301	072	2003/10/10	.000	2009/10	DUE
STYRENE	77128	072	2003/10/10	.000	2009/10	DUE
TETRACHLOROETHYLENE	34475	072	2003/10/10	.000	2009/10	DUE
TOLUENE	34010	072	2003/10/10	.000	2009/10	DUE
TRANS-1,2-DICHLOROETHYLENE	34546	072	2003/10/10	.000	2009/10	DUE
TRICHLOROETHYLENE	39180	072	2003/10/10	.000	2009/10	DUE
TRICHLOROFLUOROMETHANE	34488	072	2003/10/10	.000	2009/10	DUE
VINYL CHLORIDE	39175	072	2003/10/10	.000	2009/10	DUE
XYLENES (TOTAL)	81551	072	2003/10/10	.000	2009/10	DUE
SECONDARY/GP						
AGGRSSIVE INDEX (CORROSIVITY)	82383	WAIVED	2006/10/09	10.600		
BICARBONATE ALKALINITY	00440	108	2011/04/20	176.000	2020/04	
CALCIUM	00916	108	2011/04/20	43.600	2020/04	
CARBONATE ALKALINITY	00445	108	2011/04/20	.000	2020/04	
CHLORIDE	00940	108	2011/04/20	1.400	2020/04	
COLOR	00081	108	2011/04/20	5.000	2020/04	
COPPER	01042	108	2011/04/20	.000	2020/04	
FOAMING AGENTS (MBAS)	38260	108	2011/04/20	.000	2020/04	
HARDNESS (TOTAL) AS CACO3	00900	108	2011/04/20	123.000	2020/04	
HYDROXIDE ALKALINITY	71830	108	2011/04/20	.000	2020/04	
IRON	01045	108	2011/04/20	89.000	2020/04	

**Testing interval is in months;*
0 = No data for this constituent and is DUE NOW
999 = Waived testing (not required)
I = Invalid (NOT) valid analyses reported

System Number: ***3100014***

System Name: ***BAKER RANCH WATER COMPANY***

PS Code: ***3100014-002***

Source Name: ***WELL 02***

Source Number: ***002***

Source Status: ***ACTIVE UNTREATED***

Water type: ***GROUNDWATER OR WELL***

SECONDARY/GP	STORET NUMBER	TESTING INTERVAL (MONTHS)*	LAST TEST DATE (yyyy/mm/dd)	LAST RESULT REPORTED	NEXT TEST DATE (yyyy/mm)
MAGNESIUM	**00927**	**108**	2011/04/20	**3.500**	2020/04
MANGANESE	**01055**	**108**	2011/04/20	**.000**	2020/04
ODOR THRESHOLD @ 60 C	**00086**	**108**	2011/04/20	**.000**	2020/04
PH, LABORATORY	**00403**	**108**	2011/04/20	**7.200**	2020/04
SILVER	**01077**	**108**	2011/04/20	**.000**	2020/04
SODIUM	**00929**	**108**	2011/04/20	**.000**	2020/04
SPECIFIC CONDUCTANCE	**00095**	**108**	2012/03/27	**240.000**	2021/03
SULFATE	**00945**	**108**	2011/04/20	**6.700**	2020/04
TOTAL DISSOLVED SOLIDS	**70300**	**108**	2011/04/20	**160.000**	2020/04
TURBIDITY, LABORATORY	**82079**	**108**	2011/04/20	**.710**	2020/04
ZINC	**01092**	**108**	2011/04/20	**.000**	2020/04

**Testing interval is in months;*
0 = No data for this constituent and is DUE NOW
999 = Waived testing (not required)
I = Invalid (NOT) valid analyses reported

System Number: ***3100019***

System Name: ***NORTH EDEN VALLEY***

PS Code: ***3100019-002***

Source Name: ***WELL 02 DRILLED 1996***

Source Number: ***002***

Source Status: ***ACTIVE UNTREATED***

Water type: ***GROUNDWATER OR WELL***

	STORET NUMBER	TESTING INTERVAL (MONTHS)*	LAST TEST DATE (yyyy/mm/dd)	LAST RESULT REPORTED	NEXT TEST DATE (yyyy/mm)	
GENERAL NON CHAP 15						
DIAZINON	39570	WAIVED				
INORGANIC						
ALUMINUM	01105	012	2011/10/03	.000	2012/10	
ANTIMONY	01097	012	2011/10/03	.000	2012/10	
ARSENIC	01002	012	2011/10/03	.000	2012/10	
ASBESTOS	81855	000				**DUE**
BARIUM	01007	012	2011/10/03	483.000	2012/10	
BERYLLIUM	01012	012	2011/10/03	.000	2012/10	
CADMIUM	01027	012	2011/10/03	.000	2012/10	
CHROMIUM (TOTAL)	01034	012	2011/10/03	.000	2012/10	
CYANIDE	01291	036				**DUE**
FLUORIDE (F) (NATURAL-SOURCE)	00951	012	2011/10/03	.200	2012/10	
LEAD	01051	036	2011/10/03	.000	2014/10	
MERCURY	71900	012	2011/10/03	.000	2012/10	
NICKEL	01067	012	2011/10/03	.000	2012/10	
PERCHLORATE	A-031	012	2011/06/01	< .000	2012/06	
SELENIUM	01147	012	2011/10/03	.000	2012/10	
THALLIUM	01059	012	2011/10/03	.000	2012/10	
NITRATE/NITRITE						
NITRATE (AS NO3)	71850	012	2012/02/14	.000	2013/02	
NITRITE (AS N)	00620	036	2012/02/14	.000	2015/02	
RADIOLOGICAL						
GROSS ALPHA	01501	000				**DUE**
GROSS BETA	03501	WAIVED				
RA-226 FOR CWS OR TOTAL RA FOR NTNC BY 903.0	A-080	WAIVED				
RA-226 OR TOTAL RA BY 903.0 C.E.	A-081	WAIVED				
RADIUM 226	09501	WAIVED				
RADIUM 228	11501	003				**DUE**

**Testing interval is in months;*
0 = No data for this constituent and is DUE NOW
999 = Waived testing (not required)
I = Invalid (NOT) valid analyses reported

System Number: ***3100019***

System Name: ***NORTH EDEN VALLEY***

PS Code: ***3100019-002***

Source Name: ***WELL 02 DRILLED 1996***

Source Number: ***002***

Source Status: ***ACTIVE UNTREATED***

Water type: ***GROUNDWATER OR WELL***

	STORET NUMBER	TESTING INTERVAL (MONTHS)*	LAST TEST DATE (yyyy/mm/dd)	LAST RESULT REPORTED	NEXT TEST DATE (yyyy/mm)
RADIOLOGICAL					
RADIUM, TOTAL, MDA95-NTNC ONLY, BY 903.0	A-082	WAIVED			
STRONTIUM-90	13501	WAIVED			
TRITIUM	07000	WAIVED			
URANIUM (PCI/L)	28012	WAIVED			
REGULATED SOC					
2,3,7,8-TCDD (DIOXIN)	34676	WAIVED			
2,4,5-TP (SILVEX)	39045	WAIVED			
2,4-D	39730	WAIVED			
ALACHLOR	77825	WAIVED			
ATRAZINE	39033	WAIVED			
BENTAZON	38710	WAIVED			
BENZO (A) PYRENE	34247	WAIVED			
CARBOFURAN	81405	WAIVED			
CHLORDANE	39350	WAIVED			
DALAPON	38432	WAIVED			
DI(2-ETHYLHEXYL)ADIPATE	A-026	WAIVED			
DI(2-ETHYLHEXYL)PHTHALATE	39100	WAIVED			
DIBROMOCHLOROPROPANE (DBCP)	38761	WAIVED			
DINOSEB	81287	WAIVED			
DIQUAT	78885	WAIVED			
ENDOTHALL	38926	WAIVED			
ENDRIN	39390	WAIVED			
ETHYLENE DIBROMIDE (EDB)	77651	WAIVED			
GLYPHOSATE	79743	WAIVED			
HEPTACHLOR	39410	WAIVED			
HEPTACHLOR EPOXIDE	39420	WAIVED			
HEXACHLOROBENZENE	39700	WAIVED			
HEXACHLOROCYCLOPENTADIENE	34386	WAIVED			
LINDANE	39340	WAIVED			

**Testing interval is in months;*
0 = No data for this constituent and is DUE NOW
999 = Waived testing (not required)
I = Invalid (NOT) valid analyses reported

System Number: ***3100019***

System Name: ***NORTH EDEN VALLEY***

PS Code: ***3100019-002***

Source Name: ***WELL 02 DRILLED 1996***

Source Number: ***002***

Source Status: ***ACTIVE UNTREATED***

Water type: ***GROUNDWATER OR WELL***

	STORET NUMBER	TESTING INTERVAL (MONTHS)*	LAST TEST DATE (yyyy/mm/dd)	LAST RESULT REPORTED	NEXT TEST DATE (yyyy/mm)
REGULATED SOC					
METHOXYCHLOR	39480	WAIVED			
MOLINATE	82199	WAIVED			
OXAMYL	38865	WAIVED			
PENTACHLOROPHENOL	39032	WAIVED			
PICLORAM	39720	WAIVED			
POLYCHLORINATED BIPHENYLS, TOTAL, AS DCB	39516	WAIVED			
SIMAZINE	39055	WAIVED			
THIOBENCARB	A-001	WAIVED			
TOXAPHENE	39400	WAIVED			
REGULATED VOC					
1,1,1-TRICHLOROETHANE	34506	WAIVED	2012/01/05	.000	
1,1,2,2-TETRACHLOROETHANE	34516	WAIVED	2012/01/05	.000	
1,1,2-TRICHLORO-1,2,2-TRIFLUOROETHANE	81611	WAIVED	2012/01/05	.000	
1,1,2-TRICHLOROETHANE	34511	WAIVED	2012/01/05	.000	
1,1-DICHLOROETHANE	34496	WAIVED	2012/01/05	.000	
1,1-DICHLOROETHYLENE	34501	WAIVED	2012/01/05	.000	
1,2,4-TRICHLOROBENZENE	34551	WAIVED	2012/01/05	.000	
1,2-DICHLOROBENZENE	34536	WAIVED	2012/01/05	.000	
1,2-DICHLOROETHANE	34531	WAIVED	2012/01/05	.000	
1,2-DICHLOROPROPANE	34541	WAIVED	2012/01/05	.000	
1,3-DICHLOROPROPENE (TOTAL)	34561	WAIVED	2012/01/05	.000	
1,4-DICHLOROBENZENE	34571	WAIVED	2012/01/05	.000	
BENZENE	34030	WAIVED	2012/01/05	.000	
CARBON TETRACHLORIDE	32102	WAIVED	2012/01/05	.000	
CIS-1,2-DICHLOROETHYLENE	77093	WAIVED	2012/01/05	.000	
DICHLOROMETHANE	34423	WAIVED	2012/01/05	.000	
ETHYLBENZENE	34371	WAIVED	2012/01/05	.000	
METHYL-TERT-BUTYL-ETHER (MTBE)	46491	WAIVED	2012/01/05	.000	
MONOCHLOROBENZENE	34301	WAIVED	2012/01/05	.000	

**Testing interval is in months;*
0 = No data for this constituent and is DUE NOW
999 = Waived testing (not required)
I = Invalid (NOT) valid analyses reported

System Number: ***3100019***

System Name: ***NORTH EDEN VALLEY***

PS Code: ***3100019-002***

Source Name: ***WELL 02 DRILLED 1996***

Source Number: ***002***

Source Status: ***ACTIVE UNTREATED***

Water type: ***GROUNDWATER OR WELL***

	STORET NUMBER	TESTING INTERVAL (MONTHS)*	LAST TEST DATE (yyyy/mm/dd)	LAST RESULT REPORTED	NEXT TEST DATE (yyyy/mm)
REGULATED VOC					
STYRENE	77128	WAIVED	2012/01/05	.000	
TETRACHLOROETHYLENE	34475	WAIVED	2012/01/05	.000	
TOLUENE	34010	WAIVED	2012/01/05	.000	
TRANS-1,2-DICHLOROETHYLENE	34546	WAIVED	2012/01/05	.000	
TRICHLOROETHYLENE	39180	WAIVED	2012/01/05	.000	
TRICHLOROFLUOROMETHANE	34488	WAIVED	2012/01/05	.000	
VINYL CHLORIDE	39175	WAIVED	2012/01/05	.000	
XYLENES (TOTAL)	81551	WAIVED	2012/01/05	.000	
SECONDARY/GP					
AGGRSSIVE INDEX (CORROSIVITY)	82383	WAIVED	2011/10/03	12.500	
BICARBONATE ALKALINITY	00440	108	2011/10/03	229.000	2020/10
CALCIUM	00916	108	2011/10/03	83.500	2020/10
CARBONATE ALKALINITY	00445	108	2011/10/03	.000	2020/10
CHLORIDE	00940	012	2011/10/03	68.700	2012/10
COLOR	00081	WAIVED	2011/10/03	10.000	
COPPER	01042	012	2011/10/03	.000	2012/10
FOAMING AGENTS (MBAS)	38260	012	2011/10/03	.000	2012/10
HARDNESS (TOTAL) AS CACO3	00900	108	2011/10/03	256.000	2020/10
HYDROXIDE ALKALINITY	71830	108	2011/10/03	.000	2020/10
IRON	01045	108	2012/04/24	270.000	2021/04
MAGNESIUM	00927	108	2011/10/03	14.600	2020/10
MANGANESE	01055	108	2012/04/24	588.000	2021/04
ODOR THRESHOLD @ 60 C	00086	WAIVED	2011/10/03	.000	
PH, LABORATORY	00403	WAIVED	2011/10/03	7.950	
SILVER	01077	012	2011/10/03	.000	2012/10
SODIUM	00929	108	2011/10/03	16.100	2020/10
SPECIFIC CONDUCTANCE	00095	012	2011/10/03	588.000	2012/10
SULFATE	00945	012	2011/10/03	4.800	2012/10
TOTAL DISSOLVED SOLIDS	70300	012	2011/10/03	341.000	2012/10

**Testing interval is in months;*
0 = No data for this constituent and is DUE NOW
999 = Waived testing (not required)
I = Invalid (NOT) valid analyses reported

System Number: ***3100019***

System Name: ***NORTH EDEN VALLEY***

PS Code: ***3100019-002***

Source Name: ***WELL 02 DRILLED 1996***

Source Number: ***002***

Source Status: ***ACTIVE UNTREATED***

Water type: ***GROUNDWATER OR WELL***

	STORET NUMBER	TESTING INTERVAL (MONTHS)*	LAST TEST DATE (yyyy/mm/dd)	LAST RESULT REPORTED	NEXT TEST DATE (yyyy/mm)
SECONDARY/GP					
TURBIDITY, LABORATORY	**82079**	**WAIVED**	2011/10/03	**1.300**	
ZINC	**01092**	**012**	2011/10/03	**.000**	2012/10

**Testing interval is in months;*
0 = No data for this constituent and is DUE NOW
999 = Waived testing (not required)
I = Invalid (NOT) valid analyses reported

System Number: ***3100023***

System Name: ***ROCKANNA ROYALE MOBILE HOME PARK***

PS Code: ***3100023-001***

Source Name: ***WELL 01 DRILLED 1983***

Source Number: ***001***

Source Status: ***ACTIVE RAW***

Water type: ***GROUNDWATER OR WELL***

	STORET NUMBER	TESTING INTERVAL (MONTHS)*	LAST TEST DATE (yyyy/mm/dd)	LAST RESULT REPORTED	NEXT TEST DATE (yyyy/mm)	
GENERAL NON CHAP 15						
DIAZINON	39570	WAIVED				
INORGANIC						
ALUMINUM	01105	108	2009/03/09	.000	2018/03	
ANTIMONY	01097	108	2009/03/09	.000	2018/03	
ARSENIC	01002	108	2009/03/09	.000	2018/03	
ASBESTOS	81855	WAIVED				
BARIUM	01007	108	2009/03/09	.000	2018/03	
BERYLLIUM	01012	108	2009/03/09	.000	2018/03	
CADMIUM	01027	108	2009/03/09	.000	2018/03	
CHROMIUM (TOTAL)	01034	108	2009/03/09	.000	2018/03	
CYANIDE	01291	WAIVED				
FLUORIDE (F) (NATURAL-SOURCE)	00951	108	2009/03/09	.000	2018/03	
LEAD	01051	WAIVED	2009/03/09	.000		
MERCURY	71900	108	2009/03/09	.000	2018/03	
NICKEL	01067	108	2009/03/09	.000	2018/03	
PERCHLORATE	A-031	036	**2008/07/10**	< 4.000	**2011/07**	**DUE**
SELENIUM	01147	108	2009/03/09	.000	2018/03	
THALLIUM	01059	108	2009/03/09	.000	2018/03	
NITRATE/NITRITE						
NITRATE (AS NO3)	71850	012	2011/11/30	2.550	2012/11	
NITRITE (AS N)	00620	036	**2009/03/09**	.000	**2012/03**	**DUE**
RADIOLOGICAL						
GROSS ALPHA	01501	108	2004/07/08	.300	2013/07	
GROSS BETA	03501	WAIVED				
RA-226 FOR CWS OR TOTAL RA FOR NTNC BY 903.0	A-080	WAIVED				
RA-226 OR TOTAL RA BY 903.0 C.E.	A-081	WAIVED				
RADIUM 226	09501	WAIVED				
RADIUM 228	11501	108	2007/11/06	1.400	2016/11	

**Testing interval is in months;*
0 = No data for this constituent and is DUE NOW
999 = Waived testing (not required)
I = Invalid (NOT) valid analyses reported

System Number: ***3100023***

System Name: ***ROCKANNA ROYALE MOBILE HOME PARK***

PS Code: ***3100023-001***

Source Name: ***WELL 01 DRILLED 1983***

Source Number: ***001***

Source Status: ***ACTIVE RAW***

Water type: ***GROUNDWATER OR WELL***

	STORET NUMBER	TESTING INTERVAL (MONTHS)*	LAST TEST DATE (yyyy/mm/dd)	LAST RESULT REPORTED	NEXT TEST DATE (yyyy/mm)
RADIOLOGICAL					
RADIUM, TOTAL, MDA95-NTNC ONLY, BY 903.0	A-082	WAIVED			
STRONTIUM-90	13501	WAIVED			
TRITIUM	07000	WAIVED			
URANIUM (PCI/L)	28012	WAIVED			
REGULATED SOC					
2,3,7,8-TCDD (DIOXIN)	34676	WAIVED			
2,4,5-TP (SILVEX)	39045	WAIVED			
2,4-D	39730	WAIVED			
ALACHLOR	77825	WAIVED			
ATRAZINE	39033	WAIVED			
BENTAZON	38710	WAIVED			
BENZO (A) PYRENE	34247	WAIVED			
CARBOFURAN	81405	WAIVED			
CHLORDANE	39350	WAIVED			
DALAPON	38432	WAIVED			
DI(2-ETHYLHEXYL)ADIPATE	A-026	WAIVED			
DI(2-ETHYLHEXYL)PHTHALATE	39100	WAIVED			
DIBROMOCHLOROPROPANE (DBCP)	38761	WAIVED			
DINOSEB	81287	WAIVED			
DIQUAT	78885	WAIVED			
ENDOTHALL	38926	WAIVED			
ENDRIN	39390	WAIVED			
ETHYLENE DIBROMIDE (EDB)	77651	WAIVED			
GLYPHOSATE	79743	WAIVED			
HEPTACHLOR	39410	WAIVED			
HEPTACHLOR EPOXIDE	39420	WAIVED			
HEXACHLOROBENZENE	39700	WAIVED			
HEXACHLOROCYCLOPENTADIENE	34386	WAIVED			
LINDANE	39340	WAIVED			

**Testing interval is in months;*
0 = No data for this constituent and is DUE NOW
999 = Waived testing (not required)
I = Invalid (NOT) valid analyses reported

System Number: ***3100023***

System Name: ***ROCKANNA ROYALE MOBILE HOME PARK***

PS Code: ***3100023-001***

Source Name: ***WELL 01 DRILLED 1983***

Source Number: ***001***

Source Status: ***ACTIVE RAW***

Water type: ***GROUNDWATER OR WELL***

	STORET NUMBER	TESTING INTERVAL (MONTHS)*	LAST TEST DATE (yyyy/mm/dd)	LAST RESULT REPORTED	NEXT TEST DATE (yyyy/mm)
REGULATED SOC					
METHOXYCHLOR	39480	WAIVED			
MOLINATE	82199	WAIVED			
OXAMYL	38865	WAIVED			
PENTACHLOROPHENOL	39032	WAIVED			
PICLORAM	39720	WAIVED			
POLYCHLORINATED BIPHENYLS, TOTAL, AS DCB	39516	WAIVED			
SIMAZINE	39055	WAIVED			
THIOBENCARB	A-001	WAIVED			
TOXAPHENE	39400	WAIVED			
REGULATED VOC					
1,1,1-TRICHLOROETHANE	34506	072	2007/08/22	.000	2013/08
1,1,2,2-TETRACHLOROETHANE	34516	072	2007/08/22	.000	2013/08
1,1,2-TRICHLORO-1,2,2-TRIFLUOROETHANE	81611	072	2007/08/22	.000	2013/08
1,1,2-TRICHLOROETHANE	34511	072	2007/08/22	.000	2013/08
1,1-DICHLOROETHANE	34496	072	2007/08/22	.000	2013/08
1,1-DICHLOROETHYLENE	34501	072	2007/08/22	.000	2013/08
1,2,4-TRICHLOROBENZENE	34551	072	2007/08/22	.000	2013/08
1,2-DICHLOROBENZENE	34536	072	2007/08/22	.000	2013/08
1,2-DICHLOROETHANE	34531	072	2007/08/22	.000	2013/08
1,2-DICHLOROPROPANE	34541	072	2007/08/22	.000	2013/08
1,3-DICHLOROPROPENE (TOTAL)	34561	072	2007/08/22	.000	2013/08
1,4-DICHLOROBENZENE	34571	072	2007/08/22	.000	2013/08
BENZENE	34030	072	2007/08/22	.000	2013/08
CARBON TETRACHLORIDE	32102	072	2007/08/22	.000	2013/08
CIS-1,2-DICHLOROETHYLENE	77093	072	2007/08/22	.000	2013/08
DICHLOROMETHANE	34423	072	2007/08/22	.000	2013/08
ETHYLBENZENE	34371	072	2007/08/22	.000	2013/08
METHYL-TERT-BUTYL-ETHER (MTBE)	46491	072	2007/08/22	.000	2013/08
MONOCHLOROBENZENE	34301	072	2007/08/22	.000	2013/08

**Testing interval is in months;*
0 = No data for this constituent and is DUE NOW
999 = Waived testing (not required)
I = Invalid (NOT) valid analyses reported

System Number: ***3100023***

System Name: ***ROCKANNA ROYALE MOBILE HOME PARK***

PS Code: ***3100023-001***

Source Name: ***WELL 01 DRILLED 1983***

Source Number: ***001***

Source Status: ***ACTIVE RAW***

Water type: ***GROUNDWATER OR WELL***

	STORET NUMBER	TESTING INTERVAL (MONTHS)*	LAST TEST DATE (yyyy/mm/dd)	LAST RESULT REPORTED	NEXT TEST DATE (yyyy/mm)
REGULATED VOC					
STYRENE	77128	072	2007/08/22	.000	2013/08
TETRACHLOROETHYLENE	34475	072	2007/08/22	.000	2013/08
TOLUENE	34010	072	2007/08/22	.000	2013/08
TRANS-1,2-DICHLOROETHYLENE	34546	072	2007/08/22	.000	2013/08
TRICHLOROETHYLENE	39180	072	2007/08/22	.000	2013/08
TRICHLOROFLUOROMETHANE	34488	072	2007/08/22	.000	2013/08
VINYL CHLORIDE	39175	072	2007/08/22	.000	2013/08
XYLENES (TOTAL)	81551	072	2007/08/22	.000	2013/08
SECONDARY/GP					
AGGRSSIVE INDEX (CORROSIVITY)	82383	WAIVED	2009/03/09	11.600	
BICARBONATE ALKALINITY	00440	108	2009/03/09	188.000	2018/03
CALCIUM	00916	108	2009/03/09	29.800	2018/03
CARBONATE ALKALINITY	00445	108	2009/03/09	.000	2018/03
CHLORIDE	00940	108	2009/03/09	10.600	2018/03
COLOR	00081	108	2009/03/09	.000	2018/03
COPPER	01042	108	2009/03/09	.000	2018/03
FOAMING AGENTS (MBAS)	38260	108	2009/03/09	.050	2018/03
HARDNESS (TOTAL) AS CACO3	00900	108	2009/03/09	143.000	2018/03
HYDROXIDE ALKALINITY	71830	108	2009/03/09	.000	2018/03
IRON	01045	108	2009/03/09	.000	2018/03
MAGNESIUM	00927	108	2009/03/09	16.600	2018/03
MANGANESE	01055	108	2009/03/09	.000	2018/03
ODOR THRESHOLD @ 60 C	00086	108	2009/03/09	.000	2018/03
PH, LABORATORY	00403	108	2009/03/09	7.570	2018/03
SILVER	01077	108	2009/03/09	.000	2018/03
SODIUM	00929	108	2009/03/09	15.800	2018/03
SPECIFIC CONDUCTANCE	00095	108	2009/03/09	345.000	2018/03
SULFATE	00945	108	2009/03/09	13.200	2018/03
TOTAL DISSOLVED SOLIDS	70300	108	2009/03/09	208.000	2018/03

**Testing interval is in months;*
0 = No data for this constituent and is DUE NOW
999 = Waived testing (not required)
I = Invalid (NOT) valid analyses reported

System Number: ***3100023***

System Name: ***ROCKANNA ROYALE MOBILE HOME PARK***

PS Code: ***3100023-001***

Source Name: ***WELL 01 DRILLED 1983***

Source Number: ***001***

Source Status: ***ACTIVE RAW***

Water type: ***GROUNDWATER OR WELL***

SECONDARY/GP

	STORET NUMBER	TESTING INTERVAL (MONTHS)*	LAST TEST DATE (yyyy/mm/dd)	LAST RESULT REPORTED	NEXT TEST DATE (yyyy/mm)
TURBIDITY, LABORATORY	**82079**	**108**	2009/03/09	**.390**	2018/03
ZINC	**01092**	**108**	2009/03/09	**.000**	2018/03

**Testing interval is in months;*
0 = No data for this constituent and is DUE NOW
999 = Waived testing (not required)
I = Invalid (NOT) valid analyses reported

System Number: ***3100027***

System Name: ***RAINBOW LODGE***

PS Code: ***3100027-001***

Source Name: ***SPRING #1***

Source Number: ***001***

Source Status: ***ACTIVE UNTREATED***

Water type: ***GROUNDWATER OR WELL***

	STORET NUMBER	TESTING INTERVAL (MONTHS)*	LAST TEST DATE (yyyy/mm/dd)	LAST RESULT REPORTED	NEXT TEST DATE (yyyy/mm)
GENERAL NON CHAP 15					
DIAZINON	39570	WAIVED			
INORGANIC					
ALUMINUM	01105	WAIVED			
ANTIMONY	01097	WAIVED			
ARSENIC	01002	WAIVED			
ASBESTOS	81855	WAIVED			
BARIUM	01007	WAIVED			
BERYLLIUM	01012	WAIVED			
CADMIUM	01027	WAIVED			
CHROMIUM (TOTAL)	01034	WAIVED			
CYANIDE	01291	WAIVED			
FLUORIDE (F) (NATURAL-SOURCE)	00951	WAIVED			
LEAD	01051	WAIVED			
MERCURY	71900	WAIVED			
NICKEL	01067	WAIVED			
PERCHLORATE	A-031	WAIVED			
SELENIUM	01147	WAIVED			
THALLIUM	01059	WAIVED			
NITRATE/NITRITE					
NITRATE (AS NO3)	71850	WAIVED			
NITRITE (AS N)	00620	WAIVED			
RADIOLOGICAL					
GROSS ALPHA	01501	WAIVED			
GROSS BETA	03501	WAIVED			
RA-226 FOR CWS OR TOTAL RA FOR NTNC BY 903.0	A-080	WAIVED			
RA-226 OR TOTAL RA BY 903.0 C.E.	A-081	WAIVED			
RADIUM 226	09501	WAIVED			
RADIUM 228	11501	WAIVED			

**Testing interval is in months;*
0 = No data for this constituent and is DUE NOW
999 = Waived testing (not required)
I = Invalid (NOT) valid analyses reported

System Number: ***3100027***

System Name: ***RAINBOW LODGE***

PS Code: ***3100027-001***

Source Name: ***SPRING #1***

Source Number: ***001***

Source Status: ***ACTIVE UNTREATED***

Water type: ***GROUNDWATER OR WELL***

	STORET NUMBER	TESTING INTERVAL (MONTHS)*	LAST TEST DATE (yyyy/mm/dd)	LAST RESULT REPORTED	NEXT TEST DATE (yyyy/mm)
RADIOLOGICAL					
RADIUM, TOTAL, MDA95-NTNC ONLY, BY 903.0	A-082	WAIVED			
STRONTIUM-90	13501	WAIVED			
TRITIUM	07000	WAIVED			
URANIUM (PCI/L)	28012	WAIVED			
REGULATED SOC					
2,3,7,8-TCDD (DIOXIN)	34676	WAIVED			
2,4,5-TP (SILVEX)	39045	WAIVED			
2,4-D	39730	WAIVED			
ALACHLOR	77825	WAIVED			
ATRAZINE	39033	WAIVED			
BENTAZON	38710	WAIVED			
BENZO (A) PYRENE	34247	WAIVED			
CARBOFURAN	81405	WAIVED			
CHLORDANE	39350	WAIVED			
DALAPON	38432	WAIVED			
DI(2-ETHYLHEXYL)ADIPATE	A-026	WAIVED			
DI(2-ETHYLHEXYL)PHTHALATE	39100	WAIVED			
DIBROMOCHLOROPROPANE (DBCP)	38761	WAIVED			
DINOSEB	81287	WAIVED			
DIQUAT	78885	WAIVED			
ENDOTHALL	38926	WAIVED			
ENDRIN	39390	WAIVED			
ETHYLENE DIBROMIDE (EDB)	77651	WAIVED			
GLYPHOSATE	79743	WAIVED			
HEPTACHLOR	39410	WAIVED			
HEPTACHLOR EPOXIDE	39420	WAIVED			
HEXACHLOROBENZENE	39700	WAIVED			
HEXACHLOROCYCLOPENTADIENE	34386	WAIVED			
LINDANE	39340	WAIVED			

**Testing interval is in months;*
0 = No data for this constituent and is DUE NOW
999 = Waived testing (not required)
I = Invalid (NOT) valid analyses reported

System Number: ***3100027***

System Name: ***RAINBOW LODGE***

PS Code: ***3100027-001***

Source Name: ***SPRING #1***

Source Number: ***001***

Source Status: ***ACTIVE UNTREATED***

Water type: ***GROUNDWATER OR WELL***

	STORET NUMBER	TESTING INTERVAL (MONTHS)*	LAST TEST DATE (yyyy/mm/dd)	LAST RESULT REPORTED	NEXT TEST DATE (yyyy/mm)
REGULATED SOC					
METHOXYCHLOR	39480	WAIVED			
MOLINATE	82199	WAIVED			
OXAMYL	38865	WAIVED			
PENTACHLOROPHENOL	39032	WAIVED			
PICLORAM	39720	WAIVED			
POLYCHLORINATED BIPHENYLS, TOTAL, AS DCB	39516	WAIVED			
SIMAZINE	39055	WAIVED			
THIOBENCARB	A-001	WAIVED			
TOXAPHENE	39400	WAIVED			
REGULATED VOC					
1,1,1-TRICHLOROETHANE	34506	WAIVED			
1,1,2,2-TETRACHLOROETHANE	34516	WAIVED			
1,1,2-TRICHLORO-1,2,2-TRIFLUOROETHANE	81611	WAIVED			
1,1,2-TRICHLOROETHANE	34511	WAIVED			
1,1-DICHLOROETHANE	34496	WAIVED			
1,1-DICHLOROETHYLENE	34501	WAIVED			
1,2,4-TRICHLOROBENZENE	34551	WAIVED			
1,2-DICHLOROBENZENE	34536	WAIVED			
1,2-DICHLOROETHANE	34531	WAIVED			
1,2-DICHLOROPROPANE	34541	WAIVED			
1,3-DICHLOROPROPENE (TOTAL)	34561	WAIVED			
1,4-DICHLOROBENZENE	34571	WAIVED			
BENZENE	34030	WAIVED			
CARBON TETRACHLORIDE	32102	WAIVED			
CIS-1,2-DICHLOROETHYLENE	77093	WAIVED			
DICHLOROMETHANE	34423	WAIVED			
ETHYLBENZENE	34371	WAIVED			
METHYL-TERT-BUTYL-ETHER (MTBE)	46491	WAIVED			
MONOCHLOROBENZENE	34301	WAIVED			

**Testing interval is in months;*
0 = No data for this constituent and is DUE NOW
999 = Waived testing (not required)
I = Invalid (NOT) valid analyses reported

System Number: ***3100027***

System Name: ***RAINBOW LODGE***

PS Code: ***3100027-001***

Source Name: ***SPRING #1***

Source Number: ***001***

Source Status: ***ACTIVE UNTREATED***

Water type: ***GROUNDWATER OR WELL***

	STORET NUMBER	TESTING INTERVAL (MONTHS)*	LAST TEST DATE (yyyy/mm/dd)	LAST RESULT REPORTED	NEXT TEST DATE (yyyy/mm)
REGULATED VOC					
STYRENE	77128	WAIVED			
TETRACHLOROETHYLENE	34475	WAIVED			
TOLUENE	34010	WAIVED			
TRANS-1,2-DICHLOROETHYLENE	34546	WAIVED			
TRICHLOROETHYLENE	39180	WAIVED			
TRICHLOROFLUOROMETHANE	34488	WAIVED			
VINYL CHLORIDE	39175	WAIVED			
XYLENES (TOTAL)	81551	WAIVED			
SECONDARY/GP					
AGGRSSIVE INDEX (CORROSIVITY)	82383	WAIVED			
BICARBONATE ALKALINITY	00440	WAIVED			
CALCIUM	00916	WAIVED			
CARBONATE ALKALINITY	00445	WAIVED			
CHLORIDE	00940	WAIVED			
COLOR	00081	WAIVED			
COPPER	01042	WAIVED			
FOAMING AGENTS (MBAS)	38260	WAIVED			
HARDNESS (TOTAL) AS CACO3	00900	WAIVED			
HYDROXIDE ALKALINITY	71830	WAIVED			
IRON	01045	WAIVED			
MAGNESIUM	00927	WAIVED			
MANGANESE	01055	WAIVED			
ODOR THRESHOLD @ 60 C	00086	WAIVED			
PH, LABORATORY	00403	WAIVED			
SILVER	01077	WAIVED			
SODIUM	00929	WAIVED			
SPECIFIC CONDUCTANCE	00095	WAIVED			
SULFATE	00945	WAIVED			
TOTAL DISSOLVED SOLIDS	70300	WAIVED			

**Testing interval is in months;*
0 = No data for this constituent and is DUE NOW
999 = Waived testing (not required)
I = Invalid (NOT) valid analyses reported

System Number: ***3100027***

System Name: ***RAINBOW LODGE***

PS Code: ***3100027-001***

Source Name: ***SPRING #1***

Source Number: ***001***

Source Status: ***ACTIVE UNTREATED***

Water type: ***GROUNDWATER OR WELL***

	STORET NUMBER	TESTING INTERVAL (MONTHS)*	LAST TEST DATE (yyyy/mm/dd)	LAST RESULT REPORTED	NEXT TEST DATE (yyyy/mm)
SECONDARY/GP					
TURBIDITY, LABORATORY	82079	WAIVED			
ZINC	01092	WAIVED			

PS Code: ***3100027-002***

Source Name: ***SPRING #2***

Source Number: ***002***

Source Status: ***ACTIVE UNTREATED***

Water type: ***GROUNDWATER OR WELL***

GENERAL NON CHAP 15					
DIAZINON	39570	WAIVED			
INORGANIC					
ALUMINUM	01105	WAIVED			
ANTIMONY	01097	WAIVED			
ARSENIC	01002	WAIVED			
ASBESTOS	81855	WAIVED			
BARIUM	01007	WAIVED			
BERYLLIUM	01012	WAIVED			
CADMIUM	01027	WAIVED			
CHROMIUM (TOTAL)	01034	WAIVED			
CYANIDE	01291	WAIVED			
FLUORIDE (F) (NATURAL-SOURCE)	00951	WAIVED			
LEAD	01051	WAIVED			
MERCURY	71900	WAIVED			
NICKEL	01067	WAIVED			
PERCHLORATE	A-031	WAIVED			
SELENIUM	01147	WAIVED			
THALLIUM	01059	WAIVED			

**Testing interval is in months;*
0 = No data for this constituent and is DUE NOW
999 = Waived testing (not required)
I = Invalid (NOT) valid analyses reported

System Number: ***3100027***

System Name: ***RAINBOW LODGE***

PS Code: ***3100027-002***

Source Name: ***SPRING #2***

Source Number: ***002***

Source Status: ***ACTIVE UNTREATED***

Water type: ***GROUNDWATER OR WELL***

	STORET NUMBER	TESTING INTERVAL (MONTHS)*	LAST TEST DATE (yyyy/mm/dd)	LAST RESULT REPORTED	NEXT TEST DATE (yyyy/mm)
NITRATE/NITRITE					
NITRATE (AS NO3)	71850	WAIVED			
NITRITE (AS N)	00620	WAIVED			
RADIOLOGICAL					
GROSS ALPHA	01501	WAIVED			
GROSS BETA	03501	WAIVED			
RA-226 FOR CWS OR TOTAL RA FOR NTNC BY 903.0	A-080	WAIVED			
RA-226 OR TOTAL RA BY 903.0 C.E.	A-081	WAIVED			
RADIUM 226	09501	WAIVED			
RADIUM 228	11501	WAIVED			
RADIUM, TOTAL, MDA95-NTNC ONLY, BY 903.0	A-082	WAIVED			
STRONTIUM-90	13501	WAIVED			
TRITIUM	07000	WAIVED			
URANIUM (PCI/L)	28012	WAIVED			
REGULATED SOC					
2,3,7,8-TCDD (DIOXIN)	34676	WAIVED			
2,4,5-TP (SILVEX)	39045	WAIVED			
2,4-D	39730	WAIVED			
ALACHLOR	77825	WAIVED			
ATRAZINE	39033	WAIVED			
BENTAZON	38710	WAIVED			
BENZO (A) PYRENE	34247	WAIVED			
CARBOFURAN	81405	WAIVED			
CHLORDANE	39350	WAIVED			
DALAPON	38432	WAIVED			
DI(2-ETHYLHEXYL)ADIPATE	A-026	WAIVED			
DI(2-ETHYLHEXYL)PHTHALATE	39100	WAIVED			
DIBROMOCHLOROPROPANE (DBCP)	38761	WAIVED			
DINOSEB	81287	WAIVED			
DIQUAT	78885	WAIVED			

**Testing interval is in months;*
0 = No data for this constituent and is DUE NOW
999 = Waived testing (not required)
I = Invalid (NOT) valid analyses reported

System Number: ***3100027***

System Name: ***RAINBOW LODGE***

PS Code: ***3100027-002***

Source Name: ***SPRING #2***

Source Number: ***002***

Source Status: ***ACTIVE UNTREATED***

Water type: ***GROUNDWATER OR WELL***

	STORET NUMBER	TESTING INTERVAL (MONTHS)*	LAST TEST DATE (yyyy/mm/dd)	LAST RESULT REPORTED	NEXT TEST DATE (yyyy/mm)
REGULATED SOC					
ENDOTHALL	38926	WAIVED			
ENDRIN	39390	WAIVED			
ETHYLENE DIBROMIDE (EDB)	77651	WAIVED			
GLYPHOSATE	79743	WAIVED			
HEPTACHLOR	39410	WAIVED			
HEPTACHLOR EPOXIDE	39420	WAIVED			
HEXACHLOROBENZENE	39700	WAIVED			
HEXACHLOROCYCLOPENTADIENE	34386	WAIVED			
LINDANE	39340	WAIVED			
METHOXYCHLOR	39480	WAIVED			
MOLINATE	82199	WAIVED			
OXAMYL	38865	WAIVED			
PENTACHLOROPHENOL	39032	WAIVED			
PICLORAM	39720	WAIVED			
POLYCHLORINATED BIPHENYLS, TOTAL, AS DCB	39516	WAIVED			
SIMAZINE	39055	WAIVED			
THIOBENCARB	A-001	WAIVED			
TOXAPHENE	39400	WAIVED			
REGULATED VOC					
1,1,1-TRICHLOROETHANE	34506	WAIVED			
1,1,2,2-TETRACHLOROETHANE	34516	WAIVED			
1,1,2-TRICHLORO-1,2,2-TRIFLUOROETHANE	81611	WAIVED			
1,1,2-TRICHLOROETHANE	34511	WAIVED			
1,1-DICHLOROETHANE	34496	WAIVED			
1,1-DICHLOROETHYLENE	34501	WAIVED			
1,2,4-TRICHLOROBENZENE	34551	WAIVED			
1,2-DICHLOROBENZENE	34536	WAIVED			
1,2-DICHLOROETHANE	34531	WAIVED			
1,2-DICHLOROPROPANE	34541	WAIVED			

**Testing interval is in months;*
0 = No data for this constituent and is DUE NOW
999 = Waived testing (not required)
I = Invalid (NOT) valid analyses reported

System Number: ***3100027***

System Name: ***RAINBOW LODGE***

PS Code: ***3100027-002***

Source Name: ***SPRING #2***

Source Number: ***002***

Source Status: ***ACTIVE UNTREATED***

Water type: ***GROUNDWATER OR WELL***

	STORET NUMBER	TESTING INTERVAL (MONTHS)*	LAST TEST DATE (yyyy/mm/dd)	LAST RESULT REPORTED	NEXT TEST DATE (yyyy/mm)
REGULATED VOC					
1,3-DICHLOROPROPENE (TOTAL)	34561	WAIVED			
1,4-DICHLOROBENZENE	34571	WAIVED			
BENZENE	34030	WAIVED			
CARBON TETRACHLORIDE	32102	WAIVED			
CIS-1,2-DICHLOROETHYLENE	77093	WAIVED			
DICHLOROMETHANE	34423	WAIVED			
ETHYLBENZENE	34371	WAIVED			
METHYL-TERT-BUTYL-ETHER (MTBE)	46491	WAIVED			
MONOCHLOROBENZENE	34301	WAIVED			
STYRENE	77128	WAIVED			
TETRACHLOROETHYLENE	34475	WAIVED			
TOLUENE	34010	WAIVED			
TRANS-1,2-DICHLOROETHYLENE	34546	WAIVED			
TRICHLOROETHYLENE	39180	WAIVED			
TRICHLOROFLUOROMETHANE	34488	WAIVED			
VINYL CHLORIDE	39175	WAIVED			
XYLENES (TOTAL)	81551	WAIVED			
SECONDARY/GP					
AGGRSSIVE INDEX (CORROSIVITY)	82383	WAIVED			
BICARBONATE ALKALINITY	00440	WAIVED			
CALCIUM	00916	WAIVED			
CARBONATE ALKALINITY	00445	WAIVED			
CHLORIDE	00940	WAIVED			
COLOR	00081	WAIVED			
COPPER	01042	WAIVED			
FOAMING AGENTS (MBAS)	38260	WAIVED			
HARDNESS (TOTAL) AS CACO3	00900	WAIVED			
HYDROXIDE ALKALINITY	71830	WAIVED			
IRON	01045	WAIVED			

**Testing interval is in months;*
0 = No data for this constituent and is DUE NOW
999 = Waived testing (not required)
I = Invalid (NOT) valid analyses reported

System Number: ***3100027***

System Name: ***RAINBOW LODGE***

PS Code: ***3100027-002***

Source Name: ***SPRING #2***

Source Number: ***002***

Source Status: ***ACTIVE UNTREATED***

Water type: ***GROUNDWATER OR WELL***

	STORET NUMBER	TESTING INTERVAL (MONTHS)*	LAST TEST DATE (yyyy/mm/dd)	LAST RESULT REPORTED	NEXT TEST DATE (yyyy/mm)
SECONDARY/GP					
MAGNESIUM	00927	WAIVED			
MANGANESE	01055	WAIVED			
ODOR THRESHOLD @ 60 C	00086	WAIVED			
PH, LABORATORY	00403	WAIVED			
SILVER	01077	WAIVED			
SODIUM	00929	WAIVED			
SPECIFIC CONDUCTANCE	00095	WAIVED			
SULFATE	00945	WAIVED			
TOTAL DISSOLVED SOLIDS	70300	WAIVED			
TURBIDITY, LABORATORY	82079	WAIVED			
ZINC	01092	WAIVED			

PS Code: ***3100027-003***

Source Name: ***SPRING #4***

Source Number: ***003***

Source Status: ***ACTIVE UNTREATED***

Water type: ***GROUNDWATER OR WELL***

GENERAL NON CHAP 15					
DIAZINON	39570	WAIVED			
INORGANIC					
ALUMINUM	01105	WAIVED			
ANTIMONY	01097	WAIVED			
ARSENIC	01002	WAIVED			
ASBESTOS	81855	WAIVED			
BARIUM	01007	WAIVED			
BERYLLIUM	01012	WAIVED			
CADMIUM	01027	WAIVED			
CHROMIUM (TOTAL)	01034	WAIVED			
CYANIDE	01291	WAIVED			

**Testing interval is in months;*
0 = No data for this constituent and is DUE NOW
999 = Waived testing (not required)
I = Invalid (NOT) valid analyses reported

System Number: ***3100027***

System Name: ***RAINBOW LODGE***

PS Code: ***3100027-003***

Source Name: ***SPRING #4***

Source Number: ***003***

Source Status: ***ACTIVE UNTREATED***

Water type: ***GROUNDWATER OR WELL***

	STORET NUMBER	TESTING INTERVAL (MONTHS)*	LAST TEST DATE (yyyy/mm/dd)	LAST RESULT REPORTED	NEXT TEST DATE (yyyy/mm)
INORGANIC					
FLUORIDE (F) (NATURAL-SOURCE)	00951	WAIVED			
LEAD	01051	WAIVED			
MERCURY	71900	WAIVED			
NICKEL	01067	WAIVED			
PERCHLORATE	A-031	WAIVED			
SELENIUM	01147	WAIVED			
THALLIUM	01059	WAIVED			
NITRATE/NITRITE					
NITRATE (AS NO3)	71850	WAIVED			
NITRITE (AS N)	00620	WAIVED			
RADIOLOGICAL					
GROSS ALPHA	01501	WAIVED			
GROSS BETA	03501	WAIVED			
RA-226 FOR CWS OR TOTAL RA FOR NTNC BY 903.0	A-080	WAIVED			
RA-226 OR TOTAL RA BY 903.0 C.E.	A-081	WAIVED			
RADIUM 226	09501	WAIVED			
RADIUM 228	11501	WAIVED			
RADIUM, TOTAL, MDA95-NTNC ONLY, BY 903.0	A-082	WAIVED			
STRONTIUM-90	13501	WAIVED			
TRITIUM	07000	WAIVED			
URANIUM (PCI/L)	28012	WAIVED			
REGULATED SOC					
2,3,7,8-TCDD (DIOXIN)	34676	WAIVED			
2,4,5-TP (SILVEX)	39045	WAIVED			
2,4-D	39730	WAIVED			
ALACHLOR	77825	WAIVED			
ATRAZINE	39033	WAIVED			
BENTAZON	38710	WAIVED			

**Testing interval is in months;*
0 = No data for this constituent and is DUE NOW
999 = Waived testing (not required)
I = Invalid (NOT) valid analyses reported

System Number: ***3100027***

System Name: ***RAINBOW LODGE***

PS Code: ***3100027-003***

Source Name: ***SPRING #4***

Source Number: ***003***

Source Status: ***ACTIVE UNTREATED***

Water type: ***GROUNDWATER OR WELL***

	STORET NUMBER	TESTING INTERVAL (MONTHS)*	LAST TEST DATE (yyyy/mm/dd)	LAST RESULT REPORTED	NEXT TEST DATE (yyyy/mm)
REGULATED SOC					
BENZO (A) PYRENE	34247	WAIVED			
CARBOFURAN	81405	WAIVED			
CHLORDANE	39350	WAIVED			
DALAPON	38432	WAIVED			
DI(2-ETHYLHEXYL)ADIPATE	A-026	WAIVED			
DI(2-ETHYLHEXYL)PHTHALATE	39100	WAIVED			
DIBROMOCHLOROPROPANE (DBCP)	38761	WAIVED			
DINOSEB	81287	WAIVED			
DIQUAT	78885	WAIVED			
ENDOTHALL	38926	WAIVED			
ENDRIN	39390	WAIVED			
ETHYLENE DIBROMIDE (EDB)	77651	WAIVED			
GLYPHOSATE	79743	WAIVED			
HEPTACHLOR	39410	WAIVED			
HEPTACHLOR EPOXIDE	39420	WAIVED			
HEXACHLOROBENZENE	39700	WAIVED			
HEXACHLOROCYCLOPENTADIENE	34386	WAIVED			
LINDANE	39340	WAIVED			
METHOXYCHLOR	39480	WAIVED			
MOLINATE	82199	WAIVED			
OXAMYL	38865	WAIVED			
PENTACHLOROPHENOL	39032	WAIVED			
PICLORAM	39720	WAIVED			
POLYCHLORINATED BIPHENYLS, TOTAL, AS DCB	39516	WAIVED			
SIMAZINE	39055	WAIVED			
THIOBENCARB	A-001	WAIVED			
TOXAPHENE	39400	WAIVED			
REGULATED VOC					
1,1,1-TRICHLOROETHANE	34506	WAIVED			

**Testing interval is in months;*
0 = No data for this constituent and is DUE NOW
999 = Waived testing (not required)
I = Invalid (NOT) valid analyses reported

System Number: ***3100027***

System Name: ***RAINBOW LODGE***

PS Code: ***3100027-003***

Source Name: ***SPRING #4***

Source Number: ***003***

Source Status: ***ACTIVE UNTREATED***

Water type: ***GROUNDWATER OR WELL***

	STORET NUMBER	TESTING INTERVAL (MONTHS)*	LAST TEST DATE (yyyy/mm/dd)	LAST RESULT REPORTED	NEXT TEST DATE (yyyy/mm)
REGULATED VOC					
1,1,2,2-TETRACHLOROETHANE	34516	WAIVED			
1,1,2-TRICHLORO-1,2,2-TRIFLUOROETHANE	81611	WAIVED			
1,1,2-TRICHLOROETHANE	34511	WAIVED			
1,1-DICHLOROETHANE	34496	WAIVED			
1,1-DICHLOROETHYLENE	34501	WAIVED			
1,2,4-TRICHLOROBENZENE	34551	WAIVED			
1,2-DICHLOROBENZENE	34536	WAIVED			
1,2-DICHLOROETHANE	34531	WAIVED			
1,2-DICHLOROPROPANE	34541	WAIVED			
1,3-DICHLOROPROPENE (TOTAL)	34561	WAIVED			
1,4-DICHLOROBENZENE	34571	WAIVED			
BENZENE	34030	WAIVED			
CARBON TETRACHLORIDE	32102	WAIVED			
CIS-1,2-DICHLOROETHYLENE	77093	WAIVED			
DICHLOROMETHANE	34423	WAIVED			
ETHYLBENZENE	34371	WAIVED			
METHYL-TERT-BUTYL-ETHER (MTBE)	46491	WAIVED			
MONOCHLOROBENZENE	34301	WAIVED			
STYRENE	77128	WAIVED			
TETRACHLOROETHYLENE	34475	WAIVED			
TOLUENE	34010	WAIVED			
TRANS-1,2-DICHLOROETHYLENE	34546	WAIVED			
TRICHLOROETHYLENE	39180	WAIVED			
TRICHLOROFLUOROMETHANE	34488	WAIVED			
VINYL CHLORIDE	39175	WAIVED			
XYLENES (TOTAL)	81551	WAIVED			
SECONDARY/GP					
AGGRSSIVE INDEX (CORROSIVITY)	82383	WAIVED			
BICARBONATE ALKALINITY	00440	WAIVED			

**Testing interval is in months;*
0 = No data for this constituent and is DUE NOW
999 = Waived testing (not required)
I = Invalid (NOT) valid analyses reported

System Number: ***3100027***

System Name: ***RAINBOW LODGE***

PS Code: ***3100027-003***

Source Name: ***SPRING #4***

Source Number: ***003***

Source Status: ***ACTIVE UNTREATED***

Water type: ***GROUNDWATER OR WELL***

SECONDARY/GP

	STORET NUMBER	TESTING INTERVAL (MONTHS)*	LAST TEST DATE (yyyy/mm/dd)	LAST RESULT REPORTED	NEXT TEST DATE (yyyy/mm)
CALCIUM	00916	WAIVED			
CARBONATE ALKALINITY	00445	WAIVED			
CHLORIDE	00940	WAIVED			
COLOR	00081	WAIVED			
COPPER	01042	WAIVED			
FOAMING AGENTS (MBAS)	38260	WAIVED			
HARDNESS (TOTAL) AS CACO3	00900	WAIVED			
HYDROXIDE ALKALINITY	71830	WAIVED			
IRON	01045	WAIVED			
MAGNESIUM	00927	WAIVED			
MANGANESE	01055	WAIVED			
ODOR THRESHOLD @ 60 C	00086	WAIVED			
PH, LABORATORY	00403	WAIVED			
SILVER	01077	WAIVED			
SODIUM	00929	WAIVED			
SPECIFIC CONDUCTANCE	00095	WAIVED			
SULFATE	00945	WAIVED			
TOTAL DISSOLVED SOLIDS	70300	WAIVED			
TURBIDITY, LABORATORY	82079	WAIVED			
ZINC	01092	WAIVED			

PS Code: ***3100027-004***

Source Name: ***SPRING #6***

Source Number: ***004***

Source Status: ***ACTIVE UNTREATED***

Water type: ***GROUNDWATER OR WELL***

GENERAL NON CHAP 15

DIAZINON	39570	WAIVED			

**Testing interval is in months;*
0 = No data for this constituent and is DUE NOW
999 = Waived testing (not required)
I = Invalid (NOT) valid analyses reported

System Number: ***3100027***

System Name: ***RAINBOW LODGE***

PS Code: ***3100027-004***

Source Name: ***SPRING #6***

Source Number: ***004***

Source Status: ***ACTIVE UNTREATED***

Water type: ***GROUNDWATER OR WELL***

	STORET NUMBER	TESTING INTERVAL (MONTHS)*	LAST TEST DATE (yyyy/mm/dd)	LAST RESULT REPORTED	NEXT TEST DATE (yyyy/mm)
INORGANIC					
ALUMINUM	01105	WAIVED			
ANTIMONY	01097	WAIVED			
ARSENIC	01002	WAIVED			
ASBESTOS	81855	WAIVED			
BARIUM	01007	WAIVED			
BERYLLIUM	01012	WAIVED			
CADMIUM	01027	WAIVED			
CHROMIUM (TOTAL)	01034	WAIVED			
CYANIDE	01291	WAIVED			
FLUORIDE (F) (NATURAL-SOURCE)	00951	WAIVED			
LEAD	01051	WAIVED			
MERCURY	71900	WAIVED			
NICKEL	01067	WAIVED			
PERCHLORATE	A-031	WAIVED			
SELENIUM	01147	WAIVED			
THALLIUM	01059	WAIVED			
NITRATE/NITRITE					
NITRATE (AS NO3)	71850	WAIVED			
NITRITE (AS N)	00620	WAIVED			
RADIOLOGICAL					
GROSS ALPHA	01501	WAIVED			
GROSS BETA	03501	WAIVED			
RA-226 FOR CWS OR TOTAL RA FOR NTNC BY 903.0	A-080	WAIVED			
RA-226 OR TOTAL RA BY 903.0 C.E.	A-081	WAIVED			
RADIUM 226	09501	WAIVED			
RADIUM 228	11501	WAIVED			
RADIUM, TOTAL, MDA95-NTNC ONLY, BY 903.0	A-082	WAIVED			
STRONTIUM-90	13501	WAIVED			
TRITIUM	07000	WAIVED			

**Testing interval is in months;*
0 = No data for this constituent and is DUE NOW
999 = Waived testing (not required)
I = Invalid (NOT) valid analyses reported

System Number: ***3100027***

System Name: ***RAINBOW LODGE***

PS Code: ***3100027-004***

Source Name: ***SPRING #6***

Source Number: ***004***

Source Status: ***ACTIVE UNTREATED***

Water type: ***GROUNDWATER OR WELL***

	STORET NUMBER	TESTING INTERVAL (MONTHS)*	LAST TEST DATE (yyyy/mm/dd)	LAST RESULT REPORTED	NEXT TEST DATE (yyyy/mm)
RADIOLOGICAL					
URANIUM (PCI/L)	28012	WAIVED			
REGULATED SOC					
2,3,7,8-TCDD (DIOXIN)	34676	WAIVED			
2,4,5-TP (SILVEX)	39045	WAIVED			
2,4-D	39730	WAIVED			
ALACHLOR	77825	WAIVED			
ATRAZINE	39033	WAIVED			
BENTAZON	38710	WAIVED			
BENZO (A) PYRENE	34247	WAIVED			
CARBOFURAN	81405	WAIVED			
CHLORDANE	39350	WAIVED			
DALAPON	38432	WAIVED			
DI(2-ETHYLHEXYL)ADIPATE	A-026	WAIVED			
DI(2-ETHYLHEXYL)PHTHALATE	39100	WAIVED			
DIBROMOCHLOROPROPANE (DBCP)	38761	WAIVED			
DINOSEB	81287	WAIVED			
DIQUAT	78885	WAIVED			
ENDOTHALL	38926	WAIVED			
ENDRIN	39390	WAIVED			
ETHYLENE DIBROMIDE (EDB)	77651	WAIVED			
GLYPHOSATE	79743	WAIVED			
HEPTACHLOR	39410	WAIVED			
HEPTACHLOR EPOXIDE	39420	WAIVED			
HEXACHLOROBENZENE	39700	WAIVED			
HEXACHLOROCYCLOPENTADIENE	34386	WAIVED			
LINDANE	39340	WAIVED			
METHOXYCHLOR	39480	WAIVED			
MOLINATE	82199	WAIVED			
OXAMYL	38865	WAIVED			

**Testing interval is in months;*
0 = No data for this constituent and is DUE NOW
999 = Waived testing (not required)
I = Invalid (NOT) valid analyses reported

System Number: ***3100027***

System Name: ***RAINBOW LODGE***

PS Code: ***3100027-004***

Source Name: ***SPRING #6***

Source Number: ***004***

Source Status: ***ACTIVE UNTREATED***

Water type: ***GROUNDWATER OR WELL***

	STORET NUMBER	TESTING INTERVAL (MONTHS)*	LAST TEST DATE (yyyy/mm/dd)	LAST RESULT REPORTED	NEXT TEST DATE (yyyy/mm)
REGULATED SOC					
PENTACHLOROPHENOL	39032	WAIVED			
PICLORAM	39720	WAIVED			
POLYCHLORINATED BIPHENYLS, TOTAL, AS DCB	39516	WAIVED			
SIMAZINE	39055	WAIVED			
THIOBENCARB	A-001	WAIVED			
TOXAPHENE	39400	WAIVED			
REGULATED VOC					
1,1,1-TRICHLOROETHANE	34506	WAIVED			
1,1,2,2-TETRACHLOROETHANE	34516	WAIVED			
1,1,2-TRICHLORO-1,2,2-TRIFLUOROETHANE	81611	WAIVED			
1,1,2-TRICHLOROETHANE	34511	WAIVED			
1,1-DICHLOROETHANE	34496	WAIVED			
1,1-DICHLOROETHYLENE	34501	WAIVED			
1,2,4-TRICHLOROBENZENE	34551	WAIVED			
1,2-DICHLOROBENZENE	34536	WAIVED			
1,2-DICHLOROETHANE	34531	WAIVED			
1,2-DICHLOROPROPANE	34541	WAIVED			
1,3-DICHLOROPROPENE (TOTAL)	34561	WAIVED			
1,4-DICHLOROBENZENE	34571	WAIVED			
BENZENE	34030	WAIVED			
CARBON TETRACHLORIDE	32102	WAIVED			
CIS-1,2-DICHLOROETHYLENE	77093	WAIVED			
DICHLOROMETHANE	34423	WAIVED			
ETHYLBENZENE	34371	WAIVED			
METHYL-TERT-BUTYL-ETHER (MTBE)	46491	WAIVED			
MONOCHLOROBENZENE	34301	WAIVED			
STYRENE	77128	WAIVED			
TETRACHLOROETHYLENE	34475	WAIVED			
TOLUENE	34010	WAIVED			

**Testing interval is in months;*
0 = No data for this constituent and is DUE NOW
999 = Waived testing (not required)
I = Invalid (NOT) valid analyses reported

System Number: ***3100027***

System Name: ***RAINBOW LODGE***

PS Code: ***3100027-004***

Source Name: ***SPRING #6***

Source Number: ***004***

Source Status: ***ACTIVE UNTREATED***

Water type: ***GROUNDWATER OR WELL***

	STORET NUMBER	TESTING INTERVAL (MONTHS)*	LAST TEST DATE (yyyy/mm/dd)	LAST RESULT REPORTED	NEXT TEST DATE (yyyy/mm)
REGULATED VOC					
TRANS-1,2-DICHLOROETHYLENE	34546	WAIVED			
TRICHLOROETHYLENE	39180	WAIVED			
TRICHLOROFLUOROMETHANE	34488	WAIVED			
VINYL CHLORIDE	39175	WAIVED			
XYLENES (TOTAL)	81551	WAIVED			
SECONDARY/GP					
AGGRSSIVE INDEX (CORROSIVITY)	82383	WAIVED			
BICARBONATE ALKALINITY	00440	WAIVED			
CALCIUM	00916	WAIVED			
CARBONATE ALKALINITY	00445	WAIVED			
CHLORIDE	00940	WAIVED			
COLOR	00081	WAIVED			
COPPER	01042	WAIVED			
FOAMING AGENTS (MBAS)	38260	WAIVED			
HARDNESS (TOTAL) AS CACO3	00900	WAIVED			
HYDROXIDE ALKALINITY	71830	WAIVED			
IRON	01045	WAIVED			
MAGNESIUM	00927	WAIVED			
MANGANESE	01055	WAIVED			
ODOR THRESHOLD @ 60 C	00086	WAIVED			
PH, LABORATORY	00403	WAIVED			
SILVER	01077	WAIVED			
SODIUM	00929	WAIVED			
SPECIFIC CONDUCTANCE	00095	WAIVED			
SULFATE	00945	WAIVED			
TOTAL DISSOLVED SOLIDS	70300	WAIVED			
TURBIDITY, LABORATORY	82079	WAIVED			
ZINC	01092	WAIVED			

**Testing interval is in months;*
0 = No data for this constituent and is DUE NOW
999 = Waived testing (not required)
I = Invalid (NOT) valid analyses reported

System Number: ***3100027***

System Name: ***RAINBOW LODGE***

PS Code: ***3100027-005***

Source Name: ***SPRING #7***

Source Number: ***005***

Source Status: ***ACTIVE UNTREATED***

Water type: ***GROUNDWATER OR WELL***

	STORET NUMBER	TESTING INTERVAL (MONTHS)*	LAST TEST DATE (yyyy/mm/dd)	LAST RESULT REPORTED	NEXT TEST DATE (yyyy/mm)
GENERAL NON CHAP 15					
DIAZINON	39570	WAIVED			
INORGANIC					
ALUMINUM	01105	WAIVED			
ANTIMONY	01097	WAIVED			
ARSENIC	01002	WAIVED			
ASBESTOS	81855	WAIVED			
BARIUM	01007	WAIVED			
BERYLLIUM	01012	WAIVED			
CADMIUM	01027	WAIVED			
CHROMIUM (TOTAL)	01034	WAIVED			
CYANIDE	01291	WAIVED			
FLUORIDE (F) (NATURAL-SOURCE)	00951	WAIVED			
LEAD	01051	WAIVED			
MERCURY	71900	WAIVED			
NICKEL	01067	WAIVED			
PERCHLORATE	A-031	WAIVED			
SELENIUM	01147	WAIVED			
THALLIUM	01059	WAIVED			
NITRATE/NITRITE					
NITRATE (AS NO3)	71850	WAIVED			
NITRITE (AS N)	00620	WAIVED			
RADIOLOGICAL					
GROSS ALPHA	01501	WAIVED			
GROSS BETA	03501	WAIVED			
RA-226 FOR CWS OR TOTAL RA FOR NTNC BY 903.0	A-080	WAIVED			
RA-226 OR TOTAL RA BY 903.0 C.E.	A-081	WAIVED			
RADIUM 226	09501	WAIVED			
RADIUM 228	11501	WAIVED			

**Testing interval is in months;*
0 = No data for this constituent and is DUE NOW
999 = Waived testing (not required)
I = Invalid (NOT) valid analyses reported

System Number: ***3100027***

System Name: ***RAINBOW LODGE***

PS Code: ***3100027-005***

Source Name: ***SPRING #7***

Source Number: ***005***

Source Status: ***ACTIVE UNTREATED***

Water type: ***GROUNDWATER OR WELL***

	STORET NUMBER	TESTING INTERVAL (MONTHS)*	LAST TEST DATE (yyyy/mm/dd)	LAST RESULT REPORTED	NEXT TEST DATE (yyyy/mm)
RADIOLOGICAL					
RADIUM, TOTAL, MDA95-NTNC ONLY, BY 903.0	A-082	WAIVED			
STRONTIUM-90	13501	WAIVED			
TRITIUM	07000	WAIVED			
URANIUM (PCI/L)	28012	WAIVED			
REGULATED SOC					
2,3,7,8-TCDD (DIOXIN)	34676	WAIVED			
2,4,5-TP (SILVEX)	39045	WAIVED			
2,4-D	39730	WAIVED			
ALACHLOR	77825	WAIVED			
ATRAZINE	39033	WAIVED			
BENTAZON	38710	WAIVED			
BENZO (A) PYRENE	34247	WAIVED			
CARBOFURAN	81405	WAIVED			
CHLORDANE	39350	WAIVED			
DALAPON	38432	WAIVED			
DI(2-ETHYLHEXYL)ADIPATE	A-026	WAIVED			
DI(2-ETHYLHEXYL)PHTHALATE	39100	WAIVED			
DIBROMOCHLOROPROPANE (DBCP)	38761	WAIVED			
DINOSEB	81287	WAIVED			
DIQUAT	78885	WAIVED			
ENDOTHALL	38926	WAIVED			
ENDRIN	39390	WAIVED			
ETHYLENE DIBROMIDE (EDB)	77651	WAIVED			
GLYPHOSATE	79743	WAIVED			
HEPTACHLOR	39410	WAIVED			
HEPTACHLOR EPOXIDE	39420	WAIVED			
HEXACHLOROBENZENE	39700	WAIVED			
HEXACHLOROCYCLOPENTADIENE	34386	WAIVED			
LINDANE	39340	WAIVED			

**Testing interval is in months;*
0 = No data for this constituent and is DUE NOW
999 = Waived testing (not required)
I = Invalid (NOT) valid analyses reported

System Number: ***3100027***

System Name: ***RAINBOW LODGE***

PS Code: ***3100027-005***

Source Name: ***SPRING #7***

Source Number: ***005***

Source Status: ***ACTIVE UNTREATED***

Water type: ***GROUNDWATER OR WELL***

	STORET NUMBER	TESTING INTERVAL (MONTHS)*	LAST TEST DATE (yyyy/mm/dd)	LAST RESULT REPORTED	NEXT TEST DATE (yyyy/mm)
REGULATED SOC					
METHOXYCHLOR	39480	WAIVED			
MOLINATE	82199	WAIVED			
OXAMYL	38865	WAIVED			
PENTACHLOROPHENOL	39032	WAIVED			
PICLORAM	39720	WAIVED			
POLYCHLORINATED BIPHENYLS, TOTAL, AS DCB	39516	WAIVED			
SIMAZINE	39055	WAIVED			
THIOBENCARB	A-001	WAIVED			
TOXAPHENE	39400	WAIVED			
REGULATED VOC					
1,1,1-TRICHLOROETHANE	34506	WAIVED			
1,1,2,2-TETRACHLOROETHANE	34516	WAIVED			
1,1,2-TRICHLORO-1,2,2-TRIFLUOROETHANE	81611	WAIVED			
1,1,2-TRICHLOROETHANE	34511	WAIVED			
1,1-DICHLOROETHANE	34496	WAIVED			
1,1-DICHLOROETHYLENE	34501	WAIVED			
1,2,4-TRICHLOROBENZENE	34551	WAIVED			
1,2-DICHLOROBENZENE	34536	WAIVED			
1,2-DICHLOROETHANE	34531	WAIVED			
1,2-DICHLOROPROPANE	34541	WAIVED			
1,3-DICHLOROPROPENE (TOTAL)	34561	WAIVED			
1,4-DICHLOROBENZENE	34571	WAIVED			
BENZENE	34030	WAIVED			
CARBON TETRACHLORIDE	32102	WAIVED			
CIS-1,2-DICHLOROETHYLENE	77093	WAIVED			
DICHLOROMETHANE	34423	WAIVED			
ETHYLBENZENE	34371	WAIVED			
METHYL-TERT-BUTYL-ETHER (MTBE)	46491	WAIVED			
MONOCHLOROBENZENE	34301	WAIVED			

**Testing interval is in months;*
0 = No data for this constituent and is DUE NOW
999 = Waived testing (not required)
I = Invalid (NOT) valid analyses reported

System Number: ***3100027***

System Name: ***RAINBOW LODGE***

PS Code: ***3100027-005***

Source Name: ***SPRING #7***

Source Number: ***005***

Source Status: ***ACTIVE UNTREATED***

Water type: ***GROUNDWATER OR WELL***

	STORET NUMBER	TESTING INTERVAL (MONTHS)*	LAST TEST DATE (yyyy/mm/dd)	LAST RESULT REPORTED	NEXT TEST DATE (yyyy/mm)
REGULATED VOC					
STYRENE	77128	WAIVED			
TETRACHLOROETHYLENE	34475	WAIVED			
TOLUENE	34010	WAIVED			
TRANS-1,2-DICHLOROETHYLENE	34546	WAIVED			
TRICHLOROETHYLENE	39180	WAIVED			
TRICHLOROFLUOROMETHANE	34488	WAIVED			
VINYL CHLORIDE	39175	WAIVED			
XYLENES (TOTAL)	81551	WAIVED			
SECONDARY/GP					
AGGRSSIVE INDEX (CORROSIVITY)	82383	WAIVED			
BICARBONATE ALKALINITY	00440	WAIVED			
CALCIUM	00916	WAIVED			
CARBONATE ALKALINITY	00445	WAIVED			
CHLORIDE	00940	WAIVED			
COLOR	00081	WAIVED			
COPPER	01042	WAIVED			
FOAMING AGENTS (MBAS)	38260	WAIVED			
HARDNESS (TOTAL) AS CACO3	00900	WAIVED			
HYDROXIDE ALKALINITY	71830	WAIVED			
IRON	01045	WAIVED			
MAGNESIUM	00927	WAIVED			
MANGANESE	01055	WAIVED			
ODOR THRESHOLD @ 60 C	00086	WAIVED			
PH, LABORATORY	00403	WAIVED			
SILVER	01077	WAIVED			
SODIUM	00929	WAIVED			
SPECIFIC CONDUCTANCE	00095	WAIVED			
SULFATE	00945	WAIVED			
TOTAL DISSOLVED SOLIDS	70300	WAIVED			

**Testing interval is in months;*
0 = No data for this constituent and is DUE NOW
999 = Waived testing (not required)
I = Invalid (NOT) valid analyses reported

System Number: ***3100027***

System Name: ***RAINBOW LODGE***

PS Code: ***3100027-005***

Source Name: ***SPRING #7***

Source Number: ***005***

Source Status: ***ACTIVE UNTREATED***

Water type: ***GROUNDWATER OR WELL***

	STORET NUMBER	TESTING INTERVAL (MONTHS)*	LAST TEST DATE (yyyy/mm/dd)	LAST RESULT REPORTED	NEXT TEST DATE (yyyy/mm)
SECONDARY/GP					
TURBIDITY, LABORATORY	82079	WAIVED			
ZINC	01092	WAIVED			

PS Code: ***3100027-006***

Source Name: ***SPRING #8***

Source Number: ***006***

Source Status: ***ACTIVE UNTREATED***

Water type: ***GROUNDWATER OR WELL***

GENERAL NON CHAP 15					
DIAZINON	39570	WAIVED			
INORGANIC					
ALUMINUM	01105	WAIVED			
ANTIMONY	01097	WAIVED			
ARSENIC	01002	WAIVED			
ASBESTOS	81855	WAIVED			
BARIUM	01007	WAIVED			
BERYLLIUM	01012	WAIVED			
CADMIUM	01027	WAIVED			
CHROMIUM (TOTAL)	01034	WAIVED			
CYANIDE	01291	WAIVED			
FLUORIDE (F) (NATURAL-SOURCE)	00951	WAIVED			
LEAD	01051	WAIVED			
MERCURY	71900	WAIVED			
NICKEL	01067	WAIVED			
PERCHLORATE	A-031	WAIVED			
SELENIUM	01147	WAIVED			
THALLIUM	01059	WAIVED			

**Testing interval is in months;*
0 = No data for this constituent and is DUE NOW
999 = Waived testing (not required)
I = Invalid (NOT) valid analyses reported

System Number: ***3100027***

System Name: ***RAINBOW LODGE***

PS Code: ***3100027-006***

Source Name: ***SPRING #8***

Source Number: ***006***

Source Status: ***ACTIVE UNTREATED***

Water type: ***GROUNDWATER OR WELL***

	STORET NUMBER	TESTING INTERVAL (MONTHS)*	LAST TEST DATE (yyyy/mm/dd)	LAST RESULT REPORTED	NEXT TEST DATE (yyyy/mm)
NITRATE/NITRITE					
NITRATE (AS NO3)	71850	WAIVED			
NITRITE (AS N)	00620	WAIVED			
RADIOLOGICAL					
GROSS ALPHA	01501	WAIVED			
GROSS BETA	03501	WAIVED			
RA-226 FOR CWS OR TOTAL RA FOR NTNC BY 903.0	A-080	WAIVED			
RA-226 OR TOTAL RA BY 903.0 C.E.	A-081	WAIVED			
RADIUM 226	09501	WAIVED			
RADIUM 228	11501	WAIVED			
RADIUM, TOTAL, MDA95-NTNC ONLY, BY 903.0	A-082	WAIVED			
STRONTIUM-90	13501	WAIVED			
TRITIUM	07000	WAIVED			
URANIUM (PCI/L)	28012	WAIVED			
REGULATED SOC					
2,3,7,8-TCDD (DIOXIN)	34676	WAIVED			
2,4,5-TP (SILVEX)	39045	WAIVED			
2,4-D	39730	WAIVED			
ALACHLOR	77825	WAIVED			
ATRAZINE	39033	WAIVED			
BENTAZON	38710	WAIVED			
BENZO (A) PYRENE	34247	WAIVED			
CARBOFURAN	81405	WAIVED			
CHLORDANE	39350	WAIVED			
DALAPON	38432	WAIVED			
DI(2-ETHYLHEXYL)ADIPATE	A-026	WAIVED			
DI(2-ETHYLHEXYL)PHTHALATE	39100	WAIVED			
DIBROMOCHLOROPROPANE (DBCP)	38761	WAIVED			
DINOSEB	81287	WAIVED			
DIQUAT	78885	WAIVED			

**Testing interval is in months;*
0 = No data for this constituent and is DUE NOW
999 = Waived testing (not required)
I = Invalid (NOT) valid analyses reported

System Number: ***3100027***

System Name: ***RAINBOW LODGE***

PS Code: ***3100027-006***

Source Name: ***SPRING #8***

Source Number: ***006***

Source Status: ***ACTIVE UNTREATED***

Water type: ***GROUNDWATER OR WELL***

	STORET NUMBER	TESTING INTERVAL (MONTHS)*	LAST TEST DATE (yyyy/mm/dd)	LAST RESULT REPORTED	NEXT TEST DATE (yyyy/mm)
REGULATED SOC					
ENDOTHALL	38926	WAIVED			
ENDRIN	39390	WAIVED			
ETHYLENE DIBROMIDE (EDB)	77651	WAIVED			
GLYPHOSATE	79743	WAIVED			
HEPTACHLOR	39410	WAIVED			
HEPTACHLOR EPOXIDE	39420	WAIVED			
HEXACHLOROBENZENE	39700	WAIVED			
HEXACHLOROCYCLOPENTADIENE	34386	WAIVED			
LINDANE	39340	WAIVED			
METHOXYCHLOR	39480	WAIVED			
MOLINATE	82199	WAIVED			
OXAMYL	38865	WAIVED			
PENTACHLOROPHENOL	39032	WAIVED			
PICLORAM	39720	WAIVED			
POLYCHLORINATED BIPHENYLS, TOTAL, AS DCB	39516	WAIVED			
SIMAZINE	39055	WAIVED			
THIOBENCARB	A-001	WAIVED			
TOXAPHENE	39400	WAIVED			
REGULATED VOC					
1,1,1-TRICHLOROETHANE	34506	WAIVED			
1,1,2,2-TETRACHLOROETHANE	34516	WAIVED			
1,1,2-TRICHLORO-1,2,2-TRIFLUOROETHANE	81611	WAIVED			
1,1,2-TRICHLOROETHANE	34511	WAIVED			
1,1-DICHLOROETHANE	34496	WAIVED			
1,1-DICHLOROETHYLENE	34501	WAIVED			
1,2,4-TRICHLOROBENZENE	34551	WAIVED			
1,2-DICHLOROBENZENE	34536	WAIVED			
1,2-DICHLOROETHANE	34531	WAIVED			
1,2-DICHLOROPROPANE	34541	WAIVED			

**Testing interval is in months;*
0 = No data for this constituent and is DUE NOW
999 = Waived testing (not required)
I = Invalid (NOT) valid analyses reported

System Number: ***3100027***

System Name: ***RAINBOW LODGE***

PS Code: ***3100027-006***

Source Name: ***SPRING #8***

Source Number: ***006***

Source Status: ***ACTIVE UNTREATED***

Water type: ***GROUNDWATER OR WELL***

	STORET NUMBER	TESTING INTERVAL (MONTHS)*	LAST TEST DATE (yyyy/mm/dd)	LAST RESULT REPORTED	NEXT TEST DATE (yyyy/mm)
REGULATED VOC					
1,3-DICHLOROPROPENE (TOTAL)	34561	WAIVED			
1,4-DICHLOROBENZENE	34571	WAIVED			
BENZENE	34030	WAIVED			
CARBON TETRACHLORIDE	32102	WAIVED			
CIS-1,2-DICHLOROETHYLENE	77093	WAIVED			
DICHLOROMETHANE	34423	WAIVED			
ETHYLBENZENE	34371	WAIVED			
METHYL-TERT-BUTYL-ETHER (MTBE)	46491	WAIVED			
MONOCHLOROBENZENE	34301	WAIVED			
STYRENE	77128	WAIVED			
TETRACHLOROETHYLENE	34475	WAIVED			
TOLUENE	34010	WAIVED			
TRANS-1,2-DICHLOROETHYLENE	34546	WAIVED			
TRICHLOROETHYLENE	39180	WAIVED			
TRICHLOROFLUOROMETHANE	34488	WAIVED			
VINYL CHLORIDE	39175	WAIVED			
XYLENES (TOTAL)	81551	WAIVED			
SECONDARY/GP					
AGGRSSIVE INDEX (CORROSIVITY)	82383	WAIVED			
BICARBONATE ALKALINITY	00440	WAIVED			
CALCIUM	00916	WAIVED			
CARBONATE ALKALINITY	00445	WAIVED			
CHLORIDE	00940	WAIVED			
COLOR	00081	WAIVED			
COPPER	01042	WAIVED			
FOAMING AGENTS (MBAS)	38260	WAIVED			
HARDNESS (TOTAL) AS CACO3	00900	WAIVED			
HYDROXIDE ALKALINITY	71830	WAIVED			
IRON	01045	WAIVED			

**Testing interval is in months;*
0 = No data for this constituent and is DUE NOW
999 = Waived testing (not required)
I = Invalid (NOT) valid analyses reported

System Number: ***3100027***

System Name: ***RAINBOW LODGE***

PS Code: ***3100027-006***

Source Name: ***SPRING #8***

Source Number: ***006***

Source Status: ***ACTIVE UNTREATED***

Water type: ***GROUNDWATER OR WELL***

	STORET NUMBER	TESTING INTERVAL (MONTHS)*	LAST TEST DATE (yyyy/mm/dd)	LAST RESULT REPORTED	NEXT TEST DATE (yyyy/mm)
SECONDARY/GP					
MAGNESIUM	00927	WAIVED			
MANGANESE	01055	WAIVED			
ODOR THRESHOLD @ 60 C	00086	WAIVED			
PH, LABORATORY	00403	WAIVED			
SILVER	01077	WAIVED			
SODIUM	00929	WAIVED			
SPECIFIC CONDUCTANCE	00095	WAIVED			
SULFATE	00945	WAIVED			
TOTAL DISSOLVED SOLIDS	70300	WAIVED			
TURBIDITY, LABORATORY	82079	WAIVED			
ZINC	01092	WAIVED			

PS Code: ***3100027-008***

Source Name: ***BOREHOLE***

Source Number: ***008***

Source Status: ***ACTIVE UNTREATED***

Water type: ***GROUNDWATER OR WELL***

GENERAL NON CHAP 15					
DIAZINON	39570	WAIVED			
INORGANIC					
ALUMINUM	01105	WAIVED			
ANTIMONY	01097	WAIVED			
ARSENIC	01002	WAIVED			
ASBESTOS	81855	WAIVED			
BARIUM	01007	WAIVED			
BERYLLIUM	01012	WAIVED			
CADMIUM	01027	WAIVED			
CHROMIUM (TOTAL)	01034	WAIVED			
CYANIDE	01291	WAIVED			

**Testing interval is in months;*
0 = No data for this constituent and is DUE NOW
999 = Waived testing (not required)
I = Invalid (NOT) valid analyses reported

System Number: ***3100027***

System Name: ***RAINBOW LODGE***

PS Code: ***3100027-008***

Source Name: ***BOREHOLE***

Source Number: ***008***

Source Status: ***ACTIVE UNTREATED***

Water type: ***GROUNDWATER OR WELL***

	STORET NUMBER	TESTING INTERVAL (MONTHS)*	LAST TEST DATE (yyyy/mm/dd)	LAST RESULT REPORTED	NEXT TEST DATE (yyyy/mm)
INORGANIC					
FLUORIDE (F) (NATURAL-SOURCE)	00951	WAIVED			
LEAD	01051	WAIVED			
MERCURY	71900	WAIVED			
NICKEL	01067	WAIVED			
PERCHLORATE	A-031	WAIVED			
SELENIUM	01147	WAIVED			
THALLIUM	01059	WAIVED			
NITRATE/NITRITE					
NITRATE (AS NO3)	71850	WAIVED			
NITRITE (AS N)	00620	WAIVED			
RADIOLOGICAL					
GROSS ALPHA	01501	WAIVED			
GROSS BETA	03501	WAIVED			
RA-226 FOR CWS OR TOTAL RA FOR NTNC BY 903.0	A-080	WAIVED			
RA-226 OR TOTAL RA BY 903.0 C.E.	A-081	WAIVED			
RADIUM 226	09501	WAIVED			
RADIUM 228	11501	WAIVED			
RADIUM, TOTAL, MDA95-NTNC ONLY, BY 903.0	A-082	WAIVED			
STRONTIUM-90	13501	WAIVED			
TRITIUM	07000	WAIVED			
URANIUM (PCI/L)	28012	WAIVED			
REGULATED SOC					
2,3,7,8-TCDD (DIOXIN)	34676	WAIVED			
2,4,5-TP (SILVEX)	39045	WAIVED			
2,4-D	39730	WAIVED			
ALACHLOR	77825	WAIVED			
ATRAZINE	39033	WAIVED			
BENTAZON	38710	WAIVED			

**Testing interval is in months;*
0 = No data for this constituent and is DUE NOW
999 = Waived testing (not required)
I = Invalid (NOT) valid analyses reported

System Number: ***3100027***

System Name: ***RAINBOW LODGE***

PS Code: ***3100027-008***

Source Name: ***BOREHOLE***

Source Number: ***008***

Source Status: ***ACTIVE UNTREATED***

Water type: ***GROUNDWATER OR WELL***

	STORET NUMBER	TESTING INTERVAL (MONTHS)*	LAST TEST DATE (yyyy/mm/dd)	LAST RESULT REPORTED	NEXT TEST DATE (yyyy/mm)
REGULATED SOC					
BENZO (A) PYRENE	34247	WAIVED			
CARBOFURAN	81405	WAIVED			
CHLORDANE	39350	WAIVED			
DALAPON	38432	WAIVED			
DI(2-ETHYLHEXYL)ADIPATE	A-026	WAIVED			
DI(2-ETHYLHEXYL)PHTHALATE	39100	WAIVED			
DIBROMOCHLOROPROPANE (DBCP)	38761	WAIVED			
DINOSEB	81287	WAIVED			
DIQUAT	78885	WAIVED			
ENDOTHALL	38926	WAIVED			
ENDRIN	39390	WAIVED			
ETHYLENE DIBROMIDE (EDB)	77651	WAIVED			
GLYPHOSATE	79743	WAIVED			
HEPTACHLOR	39410	WAIVED			
HEPTACHLOR EPOXIDE	39420	WAIVED			
HEXACHLOROBENZENE	39700	WAIVED			
HEXACHLOROCYCLOPENTADIENE	34386	WAIVED			
LINDANE	39340	WAIVED			
METHOXYCHLOR	39480	WAIVED			
MOLINATE	82199	WAIVED			
OXAMYL	38865	WAIVED			
PENTACHLOROPHENOL	39032	WAIVED			
PICLORAM	39720	WAIVED			
POLYCHLORINATED BIPHENYLS, TOTAL, AS DCB	39516	WAIVED			
SIMAZINE	39055	WAIVED			
THIOBENCARB	A-001	WAIVED			
TOXAPHENE	39400	WAIVED			
REGULATED VOC					
1,1,1-TRICHLOROETHANE	34506	WAIVED			

**Testing interval is in months;*
0 = No data for this constituent and is DUE NOW
999 = Waived testing (not required)
I = Invalid (NOT) valid analyses reported

System Number: ***3100027***

System Name: ***RAINBOW LODGE***

PS Code: ***3100027-008***

Source Name: ***BOREHOLE***

Source Number: ***008***

Source Status: ***ACTIVE UNTREATED***

Water type: ***GROUNDWATER OR WELL***

	STORET NUMBER	TESTING INTERVAL (MONTHS)*	LAST TEST DATE (yyyy/mm/dd)	LAST RESULT REPORTED	NEXT TEST DATE (yyyy/mm)
REGULATED VOC					
1,1,2,2-TETRACHLOROETHANE	34516	WAIVED			
1,1,2-TRICHLORO-1,2,2-TRIFLUOROETHANE	81611	WAIVED			
1,1,2-TRICHLOROETHANE	34511	WAIVED			
1,1-DICHLOROETHANE	34496	WAIVED			
1,1-DICHLOROETHYLENE	34501	WAIVED			
1,2,4-TRICHLOROBENZENE	34551	WAIVED			
1,2-DICHLOROBENZENE	34536	WAIVED			
1,2-DICHLOROETHANE	34531	WAIVED			
1,2-DICHLOROPROPANE	34541	WAIVED			
1,3-DICHLOROPROPENE (TOTAL)	34561	WAIVED			
1,4-DICHLOROBENZENE	34571	WAIVED			
BENZENE	34030	WAIVED			
CARBON TETRACHLORIDE	32102	WAIVED			
CIS-1,2-DICHLOROETHYLENE	77093	WAIVED			
DICHLOROMETHANE	34423	WAIVED			
ETHYLBENZENE	34371	WAIVED			
METHYL-TERT-BUTYL-ETHER (MTBE)	46491	WAIVED			
MONOCHLOROBENZENE	34301	WAIVED			
STYRENE	77128	WAIVED			
TETRACHLOROETHYLENE	34475	WAIVED			
TOLUENE	34010	WAIVED			
TRANS-1,2-DICHLOROETHYLENE	34546	WAIVED			
TRICHLOROETHYLENE	39180	WAIVED			
TRICHLOROFLUOROMETHANE	34488	WAIVED			
VINYL CHLORIDE	39175	WAIVED			
XYLENES (TOTAL)	81551	WAIVED			
SECONDARY/GP					
AGGRSSIVE INDEX (CORROSIVITY)	82383	WAIVED			
BICARBONATE ALKALINITY	00440	WAIVED			

**Testing interval is in months;*
0 = No data for this constituent and is DUE NOW
999 = Waived testing (not required)
I = Invalid (NOT) valid analyses reported

System Number: ***3100027***

System Name: ***RAINBOW LODGE***

PS Code: ***3100027-008***

Source Name: ***BOREHOLE***

Source Number: ***008***

Source Status: ***ACTIVE UNTREATED***

Water type: ***GROUNDWATER OR WELL***

SECONDARY/GP

	STORET NUMBER	TESTING INTERVAL (MONTHS)*	LAST TEST DATE (yyyy/mm/dd)	LAST RESULT REPORTED	NEXT TEST DATE (yyyy/mm)
CALCIUM	00916	WAIVED			
CARBONATE ALKALINITY	00445	WAIVED			
CHLORIDE	00940	WAIVED			
COLOR	00081	WAIVED			
COPPER	01042	WAIVED			
FOAMING AGENTS (MBAS)	38260	WAIVED			
HARDNESS (TOTAL) AS CACO3	00900	WAIVED			
HYDROXIDE ALKALINITY	71830	WAIVED			
IRON	01045	WAIVED			
MAGNESIUM	00927	WAIVED			
MANGANESE	01055	WAIVED			
ODOR THRESHOLD @ 60 C	00086	WAIVED			
PH, LABORATORY	00403	WAIVED			
SILVER	01077	WAIVED			
SODIUM	00929	WAIVED			
SPECIFIC CONDUCTANCE	00095	WAIVED			
SULFATE	00945	WAIVED			
TOTAL DISSOLVED SOLIDS	70300	WAIVED			
TURBIDITY, LABORATORY	82079	WAIVED			
ZINC	01092	WAIVED			

**Testing interval is in months;*
0 = No data for this constituent and is DUE NOW
999 = Waived testing (not required)
I = Invalid (NOT) valid analyses reported

System Number: ***3100029***

System Name: ***TIMBERLAND TRACT WATER CO***

PS Code: ***3100029-001***

Source Name: ***WELL 01***

Source Number: ***001***

Source Status: ***ACTIVE UNTREATED***

Water type: ***GROUNDWATER OR WELL***

	STORET NUMBER	TESTING INTERVAL (MONTHS)*	LAST TEST DATE (yyyy/mm/dd)	LAST RESULT REPORTED	NEXT TEST DATE (yyyy/mm)	
GENERAL NON CHAP 15						
DIAZINON	39570	WAIVED				
INORGANIC						
ALUMINUM	01105	108	2010/08/17	.000	2019/08	
ANTIMONY	01097	108	2010/08/17	.000	2019/08	
ARSENIC	01002	108	2010/08/17	.000	2019/08	
ASBESTOS	81855	WAIVED				
BARIUM	01007	108	2010/08/17	13.100	2019/08	
BERYLLIUM	01012	108	2010/08/17	.000	2019/08	
CADMIUM	01027	108	2010/08/17	.000	2019/08	
CHROMIUM (TOTAL)	01034	108	2010/08/17	.000	2019/08	
CYANIDE	01291	WAIVED				
FLUORIDE (F) (NATURAL-SOURCE)	00951	108	2010/08/17	.000	2019/08	
LEAD	01051	WAIVED	1993/06/22	< 5.000		
MERCURY	71900	108	2010/08/17	.000	2019/08	
NICKEL	01067	108	2010/08/17	.000	2019/08	
PERCHLORATE	A-031	036	2009/07/28	.000	2012/07	
SELENIUM	01147	108	2010/08/17	.000	2019/08	
THALLIUM	01059	108	2010/08/17	.000	2019/08	
NITRATE/NITRITE						
NITRATE (AS NO3)	71850	012	2011/06/21	.000	2012/06	
NITRITE (AS N)	00620	036	2011/06/21	.000	2014/06	
RADIOLOGICAL						
GROSS ALPHA	01501	108	2007/11/20	1.100	2016/11	
GROSS BETA	03501	WAIVED				
RA-226 FOR CWS OR TOTAL RA FOR NTNC BY 903.0	A-080	WAIVED				
RA-226 OR TOTAL RA BY 903.0 C.E.	A-081	WAIVED				
RADIUM 226	09501	WAIVED				
RADIUM 228	11501	003				**DUE**

**Testing interval is in months;*
0 = No data for this constituent and is DUE NOW
999 = Waived testing (not required)
I = Invalid (NOT) valid analyses reported

System Number: ***3100029***

System Name: ***TIMBERLAND TRACT WATER CO***

PS Code: ***3100029-001***

Source Name: ***WELL 01***

Source Number: ***001***

Source Status: ***ACTIVE UNTREATED***

Water type: ***GROUNDWATER OR WELL***

	STORET NUMBER	TESTING INTERVAL (MONTHS)*	LAST TEST DATE (yyyy/mm/dd)	LAST RESULT REPORTED	NEXT TEST DATE (yyyy/mm)
RADIOLOGICAL					
RADIUM, TOTAL, MDA95-NTNC ONLY, BY 903.0	A-082	WAIVED			
STRONTIUM-90	13501	WAIVED			
TRITIUM	07000	WAIVED			
URANIUM (PCI/L)	28012	WAIVED			
REGULATED SOC					
2,3,7,8-TCDD (DIOXIN)	34676	WAIVED			
2,4,5-TP (SILVEX)	39045	WAIVED			
2,4-D	39730	WAIVED			
ALACHLOR	77825	WAIVED			
ATRAZINE	39033	WAIVED			
BENTAZON	38710	WAIVED			
BENZO (A) PYRENE	34247	WAIVED			
CARBOFURAN	81405	WAIVED			
CHLORDANE	39350	WAIVED			
DALAPON	38432	WAIVED			
DI(2-ETHYLHEXYL)ADIPATE	A-026	WAIVED			
DI(2-ETHYLHEXYL)PHTHALATE	39100	WAIVED			
DIBROMOCHLOROPROPANE (DBCP)	38761	WAIVED	2010/05/25	< 2.000	
DINOSEB	81287	WAIVED			
DIQUAT	78885	WAIVED			
ENDOTHALL	38926	WAIVED			
ENDRIN	39390	WAIVED			
ETHYLENE DIBROMIDE (EDB)	77651	WAIVED	2010/05/25	< .500	
GLYPHOSATE	79743	WAIVED			
HEPTACHLOR	39410	WAIVED			
HEPTACHLOR EPOXIDE	39420	WAIVED			
HEXACHLOROBENZENE	39700	WAIVED			
HEXACHLOROCYCLOPENTADIENE	34386	WAIVED			
LINDANE	39340	WAIVED			

**Testing interval is in months;*
0 = No data for this constituent and is DUE NOW
999 = Waived testing (not required)
I = Invalid (NOT) valid analyses reported

System Number: ***3100029***

System Name: ***TIMBERLAND TRACT WATER CO***

PS Code: ***3100029-001***

Source Name: ***WELL 01***

Source Number: ***001***

Source Status: ***ACTIVE UNTREATED***

Water type: ***GROUNDWATER OR WELL***

	STORET NUMBER	TESTING INTERVAL (MONTHS)*	LAST TEST DATE (yyyy/mm/dd)	LAST RESULT REPORTED	NEXT TEST DATE (yyyy/mm)
REGULATED SOC					
METHOXYCHLOR	39480	WAIVED			
MOLINATE	82199	WAIVED			
OXAMYL	38865	WAIVED			
PENTACHLOROPHENOL	39032	WAIVED			
PICLORAM	39720	WAIVED			
POLYCHLORINATED BIPHENYLS, TOTAL, AS DCB	39516	WAIVED			
SIMAZINE	39055	WAIVED			
THIOBENCARB	A-001	WAIVED			
TOXAPHENE	39400	WAIVED			
REGULATED VOC					
1,1,1-TRICHLOROETHANE	34506	072	2010/05/25	.000	2016/05
1,1,2,2-TETRACHLOROETHANE	34516	072	2010/05/25	.000	2016/05
1,1,2-TRICHLORO-1,2,2-TRIFLUOROETHANE	81611	072	2010/05/25	.000	2016/05
1,1,2-TRICHLOROETHANE	34511	072	2010/05/25	.000	2016/05
1,1-DICHLOROETHANE	34496	072	2010/05/25	.000	2016/05
1,1-DICHLOROETHYLENE	34501	072	2010/05/25	.000	2016/05
1,2,4-TRICHLOROBENZENE	34551	072	2010/05/25	.000	2016/05
1,2-DICHLOROBENZENE	34536	072	2010/05/25	.000	2016/05
1,2-DICHLOROETHANE	34531	072	2010/05/25	.000	2016/05
1,2-DICHLOROPROPANE	34541	072	2010/05/25	.000	2016/05
1,3-DICHLOROPROPENE (TOTAL)	34561	072	2010/05/25	.000	2016/05
1,4-DICHLOROBENZENE	34571	072	2010/05/25	.000	2016/05
BENZENE	34030	072	2010/05/25	.000	2016/05
CARBON TETRACHLORIDE	32102	072	2010/05/25	.000	2016/05
CIS-1,2-DICHLOROETHYLENE	77093	072	2010/05/25	.000	2016/05
DICHLOROMETHANE	34423	072	2010/05/25	.000	2016/05
ETHYLBENZENE	34371	072	2010/05/25	.000	2016/05
METHYL-TERT-BUTYL-ETHER (MTBE)	46491	072	2010/05/25	.000	2016/05
MONOCHLOROBENZENE	34301	072	2010/05/25	.000	2016/05

**Testing interval is in months;*
0 = No data for this constituent and is DUE NOW
999 = Waived testing (not required)
I = Invalid (NOT) valid analyses reported

System Number: ***3100029***

System Name: ***TIMBERLAND TRACT WATER CO***

PS Code: ***3100029-001***

Source Name: ***WELL 01***

Source Number: ***001***

Source Status: ***ACTIVE UNTREATED***

Water type: ***GROUNDWATER OR WELL***

	STORET NUMBER	TESTING INTERVAL (MONTHS)*	LAST TEST DATE (yyyy/mm/dd)	LAST RESULT REPORTED	NEXT TEST DATE (yyyy/mm)
REGULATED VOC					
STYRENE	77128	072	2010/05/25	.000	2016/05
TETRACHLOROETHYLENE	34475	072	2010/05/25	.000	2016/05
TOLUENE	34010	072	2010/05/25	.000	2016/05
TRANS-1,2-DICHLOROETHYLENE	34546	072	2010/05/25	.000	2016/05
TRICHLOROETHYLENE	39180	072	2010/05/25	.000	2016/05
TRICHLOROFLUOROMETHANE	34488	072	2010/05/25	.000	2016/05
VINYL CHLORIDE	39175	072	2010/05/25	.000	2016/05
XYLENES (TOTAL)	81551	072	2010/05/25	.000	2016/05
SECONDARY/GP					
AGGRSSIVE INDEX (CORROSIVITY)	82383	WAIVED	2004/04/20	11.600	
BICARBONATE ALKALINITY	00440	108	2010/08/17	113.000	2019/08
CALCIUM	00916	108	2010/08/17	15.800	2019/08
CARBONATE ALKALINITY	00445	108	2010/08/17	.000	2019/08
CHLORIDE	00940	108	2007/08/21	.300	2016/08
COLOR	00081	108	2010/08/17	.000	2019/08
COPPER	01042	108	2010/08/17	.000	2019/08
FOAMING AGENTS (MBAS)	38260	108	2010/08/17	.000	2019/08
HARDNESS (TOTAL) AS CACO3	00900	108	2010/08/17	74.000	2019/08
HYDROXIDE ALKALINITY	71830	108	2010/08/17	.000	2019/08
IRON	01045	108	2010/08/17	.000	2019/08
MAGNESIUM	00927	108	2010/08/17	8.400	2019/08
MANGANESE	01055	108	2010/08/17	.000	2019/08
ODOR THRESHOLD @ 60 C	00086	108	2010/08/17	.000	2019/08
PH, LABORATORY	00403	108	2010/08/17	8.100	2019/08
SILVER	01077	108	2010/08/17	.000	2019/08
SODIUM	00929	108	2010/08/17	5.400	2019/08
SPECIFIC CONDUCTANCE	00095	108	2010/08/17	167.000	2019/08
SULFATE	00945	108	2010/08/17	.300	2019/08
TOTAL DISSOLVED SOLIDS	70300	108	2010/08/17	99.000	2019/08

**Testing interval is in months;*
0 = No data for this constituent and is DUE NOW
999 = Waived testing (not required)
I = Invalid (NOT) valid analyses reported

System Number: ***3100029***

System Name: ***TIMBERLAND TRACT WATER CO***

PS Code: ***3100029-001***

Source Name: ***WELL 01***

Source Number: ***001***

Source Status: ***ACTIVE UNTREATED***

Water type: ***GROUNDWATER OR WELL***

	STORET NUMBER	TESTING INTERVAL (MONTHS)*	LAST TEST DATE (yyyy/mm/dd)	LAST RESULT REPORTED	NEXT TEST DATE (yyyy/mm)
SECONDARY/GP					
TURBIDITY, LABORATORY	**82079**	**108**	2010/08/17	**.000**	2019/08
ZINC	**01092**	**108**	2010/08/17	**.000**	2019/08

**Testing interval is in months;*
0 = No data for this constituent and is DUE NOW
999 = Waived testing (not required)
I = Invalid (NOT) valid analyses reported

System Number: ***3100033***

System Name: ***TAHOMA MEADOWS MUTUAL WATER COMPANY***

PS Code: ***3100033-001***

Source Name: ***WELL #1***

Source Number: ***001***

Source Status: ***ACTIVE UNTREATED***

Water type: ***GROUNDWATER OR WELL***

	STORET NUMBER	TESTING INTERVAL (MONTHS)*	LAST TEST DATE (yyyy/mm/dd)	LAST RESULT REPORTED	NEXT TEST DATE (yyyy/mm)	
GENERAL NON CHAP 15						
DIAZINON	39570	WAIVED				
INORGANIC						
ALUMINUM	01105	108	2010/07/06	92.000	2019/07	
ANTIMONY	01097	108	2009/11/24	.000	2018/11	
ARSENIC	01002	108	2011/04/05	19.800	2020/04	
ASBESTOS	81855	WAIVED				
BARIUM	01007	108	2009/11/24	21.600	2018/11	
BERYLLIUM	01012	108	2009/11/24	.000	2018/11	
CADMIUM	01027	108	2009/11/24	.000	2018/11	
CHROMIUM (TOTAL)	01034	108	2009/11/24	.000	2018/11	
CYANIDE	01291	WAIVED	2004/04/06	< 100.000		
FLUORIDE (F) (NATURAL-SOURCE)	00951	108	2009/11/24	.000	2018/11	
LEAD	01051	WAIVED	2010/07/06	2.800		
MERCURY	71900	108	2009/11/24	.000	2018/11	
NICKEL	01067	108	2009/11/24	.000	2018/11	
PERCHLORATE	A-031	036	**2008/07/01**	.000	**2011/07**	**DUE**
SELENIUM	01147	108	2009/11/24	.000	2018/11	
THALLIUM	01059	108	2009/11/24	.000	2018/11	
NITRATE/NITRITE						
NITRATE (AS NO3)	71850	012	2011/06/07	.000	2012/06	
NITRITE (AS N)	00620	036	2010/06/01	.000	2013/06	
RADIOLOGICAL						
GROSS ALPHA	01501	108	2008/04/30	.000	2017/04	
GROSS BETA	03501	WAIVED				
RA-226 FOR CWS OR TOTAL RA FOR NTNC BY 903.0	A-080	WAIVED	2008/04/01	.000		
RA-226 OR TOTAL RA BY 903.0 C.E.	A-081	WAIVED	2008/04/01	.211		
RADIUM 226	09501	WAIVED				
RADIUM 228	11501	003	**2008/04/01**	.014	**2008/07**	**DUE**

**Testing interval is in months;*
0 = No data for this constituent and is DUE NOW
999 = Waived testing (not required)
I = Invalid (NOT) valid analyses reported

System Number: ***3100033***

System Name: ***TAHOMA MEADOWS MUTUAL WATER COMPANY***

PS Code: ***3100033-001***

Source Name: ***WELL #1***

Source Number: ***001***

Source Status: ***ACTIVE UNTREATED***

Water type: ***GROUNDWATER OR WELL***

	STORET NUMBER	TESTING INTERVAL (MONTHS)*	LAST TEST DATE (yyyy/mm/dd)	LAST RESULT REPORTED	NEXT TEST DATE (yyyy/mm)
RADIOLOGICAL					
RADIUM, TOTAL, MDA95-NTNC ONLY, BY 903.0	A-082	WAIVED	2008/04/01	.470	
STRONTIUM-90	13501	WAIVED			
TRITIUM	07000	WAIVED			
URANIUM (PCI/L)	28012	WAIVED	2008/04/01	.850	
REGULATED SOC					
2,3,7,8-TCDD (DIOXIN)	34676	WAIVED			
2,4,5-TP (SILVEX)	39045	WAIVED			
2,4-D	39730	WAIVED			
ALACHLOR	77825	WAIVED			
ATRAZINE	39033	WAIVED			
BENTAZON	38710	WAIVED			
BENZO (A) PYRENE	34247	WAIVED			
CARBOFURAN	81405	WAIVED			
CHLORDANE	39350	WAIVED			
DALAPON	38432	WAIVED			
DI(2-ETHYLHEXYL)ADIPATE	A-026	WAIVED			
DI(2-ETHYLHEXYL)PHTHALATE	39100	WAIVED			
DIBROMOCHLOROPROPANE (DBCP)	38761	WAIVED			
DINOSEB	81287	WAIVED			
DIQUAT	78885	WAIVED			
ENDOTHALL	38926	WAIVED			
ENDRIN	39390	WAIVED			
ETHYLENE DIBROMIDE (EDB)	77651	WAIVED			
GLYPHOSATE	79743	WAIVED			
HEPTACHLOR	39410	WAIVED			
HEPTACHLOR EPOXIDE	39420	WAIVED			
HEXACHLOROBENZENE	39700	WAIVED			
HEXACHLOROCYCLOPENTADIENE	34386	WAIVED			
LINDANE	39340	WAIVED			

**Testing interval is in months;*
0 = No data for this constituent and is DUE NOW
999 = Waived testing (not required)
I = Invalid (NOT) valid analyses reported

System Number: ***3100033***

System Name: ***TAHOMA MEADOWS MUTUAL WATER COMPANY***

PS Code: ***3100033-001***

Source Name: ***WELL #1***

Source Number: ***001***

Source Status: ***ACTIVE UNTREATED***

Water type: ***GROUNDWATER OR WELL***

	STORET NUMBER	TESTING INTERVAL (MONTHS)*	LAST TEST DATE (yyyy/mm/dd)	LAST RESULT REPORTED	NEXT TEST DATE (yyyy/mm)	
REGULATED SOC						
METHOXYCHLOR	39480	WAIVED				
MOLINATE	82199	WAIVED				
OXAMYL	38865	WAIVED				
PENTACHLOROPHENOL	39032	WAIVED				
PICLORAM	39720	WAIVED				
POLYCHLORINATED BIPHENYLS, TOTAL, AS DCB	39516	WAIVED				
SIMAZINE	39055	WAIVED				
THIOBENCARB	A-001	WAIVED				
TOXAPHENE	39400	WAIVED				
REGULATED VOC						
1,1,1-TRICHLOROETHANE	34506	072	2007/06/19	.000	2013/06	
1,1,2,2-TETRACHLOROETHANE	34516	072	2007/06/19	.000	2013/06	
1,1,2-TRICHLORO-1,2,2-TRIFLUOROETHANE	81611	072	**2004/04/06**	.000	**2010/04**	**DUE**
1,1,2-TRICHLOROETHANE	34511	072	2007/06/19	.000	2013/06	
1,1-DICHLOROETHANE	34496	072	2007/06/19	.000	2013/06	
1,1-DICHLOROETHYLENE	34501	072	2007/06/19	.000	2013/06	
1,2,4-TRICHLOROBENZENE	34551	072	**2004/04/06**	.000	**2010/04**	**DUE**
1,2-DICHLOROBENZENE	34536	072	2007/06/19	.000	2013/06	
1,2-DICHLOROETHANE	34531	072	2007/06/19	.000	2013/06	
1,2-DICHLOROPROPANE	34541	072	2007/06/19	.000	2013/06	
1,3-DICHLOROPROPENE (TOTAL)	34561	072	2007/06/19	.000	2013/06	
1,4-DICHLOROBENZENE	34571	072	2007/06/19	.000	2013/06	
BENZENE	34030	072	2007/06/19	.000	2013/06	
CARBON TETRACHLORIDE	32102	072	2007/06/19	.000	2013/06	
CIS-1,2-DICHLOROETHYLENE	77093	072	2007/06/19	.000	2013/06	
DICHLOROMETHANE	34423	072	2007/06/19	.000	2013/06	
ETHYLBENZENE	34371	072	2007/06/19	.000	2013/06	
METHYL-TERT-BUTYL-ETHER (MTBE)	46491	072	**2004/04/06**	.000	**2010/04**	**DUE**
MONOCHLOROBENZENE	34301	072	2007/06/19	.000	2013/06	

**Testing interval is in months;*
0 = No data for this constituent and is DUE NOW
999 = Waived testing (not required)
I = Invalid (NOT) valid analyses reported

System Number: ***3100033***

System Name: ***TAHOMA MEADOWS MUTUAL WATER COMPANY***

PS Code: ***3100033-001***

Source Name: ***WELL #1***

Source Number: ***001***

Source Status: ***ACTIVE UNTREATED***

Water type: ***GROUNDWATER OR WELL***

	STORET NUMBER	TESTING INTERVAL (MONTHS)*	LAST TEST DATE (yyyy/mm/dd)	LAST RESULT REPORTED	NEXT TEST DATE (yyyy/mm)
REGULATED VOC					
STYRENE	77128	072	2007/06/19	.000	2013/06
TETRACHLOROETHYLENE	34475	072	2007/06/19	.000	2013/06
TOLUENE	34010	072	2007/06/19	.000	2013/06
TRANS-1,2-DICHLOROETHYLENE	34546	072	2007/06/19	.000	2013/06
TRICHLOROETHYLENE	39180	072	2007/06/19	.000	2013/06
TRICHLOROFLUOROMETHANE	34488	072	2007/06/19	.000	2013/06
VINYL CHLORIDE	39175	072	2007/06/19	.000	2013/06
XYLENES (TOTAL)	81551	072	2007/06/19	.000	2013/06
SECONDARY/GP					
AGGRSSIVE INDEX (CORROSIVITY)	82383	WAIVED	2004/04/06	11.200	
BICARBONATE ALKALINITY	00440	108	2010/07/06	98.800	2019/07
CALCIUM	00916	108	2010/07/06	13.200	2019/07
CARBONATE ALKALINITY	00445	108	2010/07/06	.000	2019/07
CHLORIDE	00940	108	2007/06/05	.500	2016/06
COLOR	00081	108	2010/07/06	5.000	2019/07
COPPER	01042	108	2010/07/06	26.000	2019/07
FOAMING AGENTS (MBAS)	38260	108	2010/07/06	.000	2019/07
HARDNESS (TOTAL) AS CACO3	00900	108	2010/07/06	62.000	2019/07
HYDROXIDE ALKALINITY	71830	108	2010/07/06	.000	2019/07
IRON	01045	108	2010/07/06	403.000	2019/07
MAGNESIUM	00927	108	2010/07/06	7.000	2019/07
MANGANESE	01055	108	2010/07/06	172.000	2019/07
ODOR THRESHOLD @ 60 C	00086	108	2010/07/06	.000	2019/07
PH, LABORATORY	00403	108	2010/07/06	7.900	2019/07
SILVER	01077	108	2010/07/06	.000	2019/07
SODIUM	00929	108	2010/07/06	8.500	2019/07
SPECIFIC CONDUCTANCE	00095	108	2010/07/06	158.000	2019/07
SULFATE	00945	108	2010/07/06	.600	2019/07
TOTAL DISSOLVED SOLIDS	70300	108	2010/07/06	84.000	2019/07

**Testing interval is in months;*
0 = No data for this constituent and is DUE NOW
999 = Waived testing (not required)
I = Invalid (NOT) valid analyses reported

System Number: ***3100033***

System Name: ***TAHOMA MEADOWS MUTUAL WATER COMPANY***

PS Code: ***3100033-001***

Source Name: ***WELL #1***

Source Number: ***001***

Source Status: ***ACTIVE UNTREATED***

Water type: ***GROUNDWATER OR WELL***

SECONDARY/GP

	STORET NUMBER	TESTING INTERVAL (MONTHS)*	LAST TEST DATE (yyyy/mm/dd)	LAST RESULT REPORTED	NEXT TEST DATE (yyyy/mm)
TURBIDITY, LABORATORY	**82079**	**108**	2010/07/06	**3.000**	2019/07
ZINC	**01092**	**108**	2010/07/06	**.000**	2019/07

**Testing interval is in months;*
0 = No data for this constituent and is DUE NOW
999 = Waived testing (not required)
I = Invalid (NOT) valid analyses reported

System Number: ***3100034***

System Name: ***BIG BEND MUTUAL WATER COMPANY***

PS Code: ***3100034-002***

Source Name: ***HORIZONTAL WELL 1996***

Source Number: ***002***

Source Status: ***ACTIVE UNTREATED***

Water type: ***GROUNDWATER OR WELL***

	STORET NUMBER	TESTING INTERVAL (MONTHS)*	LAST TEST DATE (yyyy/mm/dd)	LAST RESULT REPORTED	NEXT TEST DATE (yyyy/mm)
GENERAL NON CHAP 15					
DIAZINON	39570	WAIVED			
INORGANIC					
ALUMINUM	01105	WAIVED			
ANTIMONY	01097	WAIVED			
ARSENIC	01002	WAIVED	2011/12/12	9.900	
ASBESTOS	81855	WAIVED			
BARIUM	01007	WAIVED			
BERYLLIUM	01012	WAIVED			
CADMIUM	01027	WAIVED			
CHROMIUM (TOTAL)	01034	WAIVED			
CYANIDE	01291	WAIVED			
FLUORIDE (F) (NATURAL-SOURCE)	00951	WAIVED			
LEAD	01051	WAIVED			
MERCURY	71900	WAIVED			
NICKEL	01067	WAIVED			
PERCHLORATE	A-031	WAIVED			
SELENIUM	01147	WAIVED			
THALLIUM	01059	WAIVED			
NITRATE/NITRITE					
NITRATE (AS NO3)	71850	WAIVED			
NITRITE (AS N)	00620	WAIVED			
RADIOLOGICAL					
GROSS ALPHA	01501	WAIVED			
GROSS BETA	03501	WAIVED			
RA-226 FOR CWS OR TOTAL RA FOR NTNC BY 903.0	A-080	WAIVED			
RA-226 OR TOTAL RA BY 903.0 C.E.	A-081	WAIVED			
RADIUM 226	09501	WAIVED			
RADIUM 228	11501	WAIVED			

**Testing interval is in months;*
0 = No data for this constituent and is DUE NOW
999 = Waived testing (not required)
I = Invalid (NOT) valid analyses reported

System Number: ***3100034***

System Name: ***BIG BEND MUTUAL WATER COMPANY***

PS Code: ***3100034-002***

Source Name: ***HORIZONTAL WELL 1996***

Source Number: ***002***

Source Status: ***ACTIVE UNTREATED***

Water type: ***GROUNDWATER OR WELL***

	STORET NUMBER	TESTING INTERVAL (MONTHS)*	LAST TEST DATE (yyyy/mm/dd)	LAST RESULT REPORTED	NEXT TEST DATE (yyyy/mm)
RADIOLOGICAL					
RADIUM, TOTAL, MDA95-NTNC ONLY, BY 903.0	A-082	WAIVED			
STRONTIUM-90	13501	WAIVED			
TRITIUM	07000	WAIVED			
URANIUM (PCI/L)	28012	WAIVED			
REGULATED SOC					
2,3,7,8-TCDD (DIOXIN)	34676	WAIVED			
2,4,5-TP (SILVEX)	39045	WAIVED			
2,4-D	39730	WAIVED			
ALACHLOR	77825	WAIVED			
ATRAZINE	39033	WAIVED			
BENTAZON	38710	WAIVED			
BENZO (A) PYRENE	34247	WAIVED			
CARBOFURAN	81405	WAIVED			
CHLORDANE	39350	WAIVED			
DALAPON	38432	WAIVED			
DI(2-ETHYLHEXYL)ADIPATE	A-026	WAIVED			
DI(2-ETHYLHEXYL)PHTHALATE	39100	WAIVED			
DIBROMOCHLOROPROPANE (DBCP)	38761	WAIVED			
DINOSEB	81287	WAIVED			
DIQUAT	78885	WAIVED			
ENDOTHALL	38926	WAIVED			
ENDRIN	39390	WAIVED			
ETHYLENE DIBROMIDE (EDB)	77651	WAIVED			
GLYPHOSATE	79743	WAIVED			
HEPTACHLOR	39410	WAIVED			
HEPTACHLOR EPOXIDE	39420	WAIVED			
HEXACHLOROBENZENE	39700	WAIVED			
HEXACHLOROCYCLOPENTADIENE	34386	WAIVED			
LINDANE	39340	WAIVED			

**Testing interval is in months;*
0 = No data for this constituent and is DUE NOW
999 = Waived testing (not required)
I = Invalid (NOT) valid analyses reported

System Number: ***3100034***

System Name: ***BIG BEND MUTUAL WATER COMPANY***

PS Code: ***3100034-002***

Source Name: ***HORIZONTAL WELL 1996***

Source Number: ***002***

Source Status: ***ACTIVE UNTREATED***

Water type: ***GROUNDWATER OR WELL***

	STORET NUMBER	TESTING INTERVAL (MONTHS)*	LAST TEST DATE (yyyy/mm/dd)	LAST RESULT REPORTED	NEXT TEST DATE (yyyy/mm)
REGULATED SOC					
METHOXYCHLOR	39480	WAIVED			
MOLINATE	82199	WAIVED			
OXAMYL	38865	WAIVED			
PENTACHLOROPHENOL	39032	WAIVED			
PICLORAM	39720	WAIVED			
POLYCHLORINATED BIPHENYLS, TOTAL, AS DCB	39516	WAIVED			
SIMAZINE	39055	WAIVED			
THIOBENCARB	A-001	WAIVED			
TOXAPHENE	39400	WAIVED			
REGULATED VOC					
1,1,1-TRICHLOROETHANE	34506	WAIVED			
1,1,2,2-TETRACHLOROETHANE	34516	WAIVED			
1,1,2-TRICHLORO-1,2,2-TRIFLUOROETHANE	81611	WAIVED			
1,1,2-TRICHLOROETHANE	34511	WAIVED			
1,1-DICHLOROETHANE	34496	WAIVED			
1,1-DICHLOROETHYLENE	34501	WAIVED			
1,2,4-TRICHLOROBENZENE	34551	WAIVED			
1,2-DICHLOROBENZENE	34536	WAIVED			
1,2-DICHLOROETHANE	34531	WAIVED			
1,2-DICHLOROPROPANE	34541	WAIVED			
1,3-DICHLOROPROPENE (TOTAL)	34561	WAIVED			
1,4-DICHLOROBENZENE	34571	WAIVED			
BENZENE	34030	WAIVED			
CARBON TETRACHLORIDE	32102	WAIVED			
CIS-1,2-DICHLOROETHYLENE	77093	WAIVED			
DICHLOROMETHANE	34423	WAIVED			
ETHYLBENZENE	34371	WAIVED			
METHYL-TERT-BUTYL-ETHER (MTBE)	46491	WAIVED			
MONOCHLOROBENZENE	34301	WAIVED			

**Testing interval is in months;*
0 = No data for this constituent and is DUE NOW
999 = Waived testing (not required)
I = Invalid (NOT) valid analyses reported

System Number: ***3100034***

System Name: ***BIG BEND MUTUAL WATER COMPANY***

PS Code: ***3100034-002***

Source Name: ***HORIZONTAL WELL 1996***

Source Number: ***002***

Source Status: ***ACTIVE UNTREATED***

Water type: ***GROUNDWATER OR WELL***

	STORET NUMBER	TESTING INTERVAL (MONTHS)*	LAST TEST DATE (yyyy/mm/dd)	LAST RESULT REPORTED	NEXT TEST DATE (yyyy/mm)
REGULATED VOC					
STYRENE	77128	WAIVED			
TETRACHLOROETHYLENE	34475	WAIVED			
TOLUENE	34010	WAIVED			
TRANS-1,2-DICHLOROETHYLENE	34546	WAIVED			
TRICHLOROETHYLENE	39180	WAIVED			
TRICHLOROFLUOROMETHANE	34488	WAIVED			
VINYL CHLORIDE	39175	WAIVED			
XYLENES (TOTAL)	81551	WAIVED			
SECONDARY/GP					
AGGRSSIVE INDEX (CORROSIVITY)	82383	WAIVED			
BICARBONATE ALKALINITY	00440	WAIVED			
CALCIUM	00916	WAIVED			
CARBONATE ALKALINITY	00445	WAIVED			
CHLORIDE	00940	WAIVED			
COLOR	00081	WAIVED			
COPPER	01042	WAIVED			
FOAMING AGENTS (MBAS)	38260	WAIVED			
HARDNESS (TOTAL) AS CACO3	00900	WAIVED			
HYDROXIDE ALKALINITY	71830	WAIVED			
IRON	01045	WAIVED			
MAGNESIUM	00927	WAIVED			
MANGANESE	01055	WAIVED			
ODOR THRESHOLD @ 60 C	00086	WAIVED			
PH, LABORATORY	00403	WAIVED			
SILVER	01077	WAIVED			
SODIUM	00929	WAIVED			
SPECIFIC CONDUCTANCE	00095	WAIVED			
SULFATE	00945	WAIVED			
TOTAL DISSOLVED SOLIDS	70300	WAIVED			

**Testing interval is in months;*
0 = No data for this constituent and is DUE NOW
999 = Waived testing (not required)
I = Invalid (NOT) valid analyses reported

System Number: ***3100034***

System Name: ***BIG BEND MUTUAL WATER COMPANY***

PS Code: ***3100034-002***

Source Name: ***HORIZONTAL WELL 1996***

Source Number: ***002***

Source Status: ***ACTIVE UNTREATED***

Water type: ***GROUNDWATER OR WELL***

	STORET NUMBER	TESTING INTERVAL (MONTHS)*	LAST TEST DATE (yyyy/mm/dd)	LAST RESULT REPORTED	NEXT TEST DATE (yyyy/mm)
SECONDARY/GP					
TURBIDITY, LABORATORY	82079	WAIVED			
ZINC	01092	WAIVED			

**Testing interval is in months;*
0 = No data for this constituent and is DUE NOW
999 = Waived testing (not required)
I = Invalid (NOT) valid analyses reported

System Number: ***3100038***

System Name: ***HEATHER GLEN COMMUNITY SERVICE DIST***

PS Code: ***3100038-001***

Source Name: ***SURFACE WATER TREATMENT PLANT-TREATED***

Source Number: ***001***

Source Status: ***ACTIVE TREATED***

Water type: ***SURFACE***

	STORET NUMBER	TESTING INTERVAL (MONTHS)*	LAST TEST DATE (yyyy/mm/dd)	LAST RESULT REPORTED	NEXT TEST DATE (yyyy/mm)
GENERAL NON CHAP 15					
DIAZINON	39570	WAIVED			
INORGANIC					
ALUMINUM	01105	WAIVED	2007/05/07	.000	
ANTIMONY	01097	WAIVED	2007/05/07	< 6.000	
ARSENIC	01002	WAIVED	2007/05/07	< 2.000	
ASBESTOS	81855	WAIVED			
BARIUM	01007	WAIVED	2007/05/07	.000	
BERYLLIUM	01012	WAIVED	2010/12/06	.000	
CADMIUM	01027	WAIVED	2007/05/07	.000	
CHROMIUM (TOTAL)	01034	WAIVED	2007/05/07	< 10.000	
CYANIDE	01291	WAIVED			
FLUORIDE (F) (NATURAL-SOURCE)	00951	WAIVED	2007/05/07	< .100	
LEAD	01051	WAIVED			
MERCURY	71900	WAIVED	2007/05/07	< 1.000	
NICKEL	01067	WAIVED	2007/05/07	.000	
PERCHLORATE	A-031	WAIVED	2011/06/06	< .000	
SELENIUM	01147	WAIVED	2007/05/07	< 5.000	
THALLIUM	01059	WAIVED	2007/05/07	< 1.000	
NITRATE/NITRITE					
NITRATE (AS NO3)	71850	WAIVED	2007/05/07	< 2.000	
NITRITE (AS N)	00620	WAIVED	2007/05/07	< 400.000	
RADIOLOGICAL					
GROSS ALPHA	01501	WAIVED			
GROSS BETA	03501	WAIVED			
RA-226 FOR CWS OR TOTAL RA FOR NTNC BY 903.0	A-080	WAIVED			
RA-226 OR TOTAL RA BY 903.0 C.E.	A-081	WAIVED			
RADIUM 226	09501	WAIVED			
RADIUM 228	11501	WAIVED			

**Testing interval is in months;*
0 = No data for this constituent and is DUE NOW
999 = Waived testing (not required)
I = Invalid (NOT) valid analyses reported

System Number: ***3100038***

System Name: ***HEATHER GLEN COMMUNITY SERVICE DIST***

PS Code: ***3100038-001***

Source Name: ***SURFACE WATER TREATMENT PLANT-TREATED***

Source Number: ***001***

Source Status: ***ACTIVE TREATED***

Water type: ***SURFACE***

	STORET NUMBER	TESTING INTERVAL (MONTHS)*	LAST TEST DATE (yyyy/mm/dd)	LAST RESULT REPORTED	NEXT TEST DATE (yyyy/mm)
RADIOLOGICAL					
RADIUM, TOTAL, MDA95-NTNC ONLY, BY 903.0	A-082	WAIVED			
STRONTIUM-90	13501	WAIVED			
TRITIUM	07000	WAIVED			
URANIUM (PCI/L)	28012	WAIVED			
REGULATED SOC					
2,3,7,8-TCDD (DIOXIN)	34676	WAIVED			
2,4,5-TP (SILVEX)	39045	WAIVED			
2,4-D	39730	WAIVED			
ALACHLOR	77825	WAIVED			
ATRAZINE	39033	WAIVED			
BENTAZON	38710	WAIVED			
BENZO (A) PYRENE	34247	WAIVED			
CARBOFURAN	81405	WAIVED			
CHLORDANE	39350	WAIVED			
DALAPON	38432	WAIVED			
DI(2-ETHYLHEXYL)ADIPATE	A-026	WAIVED			
DI(2-ETHYLHEXYL)PHTHALATE	39100	WAIVED			
DIBROMOCHLOROPROPANE (DBCP)	38761	WAIVED			
DINOSEB	81287	WAIVED			
DIQUAT	78885	WAIVED			
ENDOTHALL	38926	WAIVED			
ENDRIN	39390	WAIVED			
ETHYLENE DIBROMIDE (EDB)	77651	WAIVED			
GLYPHOSATE	79743	WAIVED			
HEPTACHLOR	39410	WAIVED			
HEPTACHLOR EPOXIDE	39420	WAIVED			
HEXACHLOROBENZENE	39700	WAIVED			
HEXACHLOROCYCLOPENTADIENE	34386	WAIVED			
LINDANE	39340	WAIVED			

**Testing interval is in months;*
0 = No data for this constituent and is DUE NOW
999 = Waived testing (not required)
I = Invalid (NOT) valid analyses reported

System Number: ***3100038***

System Name: ***HEATHER GLEN COMMUNITY SERVICE DIST***

PS Code: ***3100038-001***

Source Name: ***SURFACE WATER TREATMENT PLANT-TREATED***

Source Number: ***001***

Source Status: ***ACTIVE TREATED***

Water type: ***SURFACE***

	STORET NUMBER	TESTING INTERVAL (MONTHS)*	LAST TEST DATE (yyyy/mm/dd)	LAST RESULT REPORTED	NEXT TEST DATE (yyyy/mm)
REGULATED SOC					
METHOXYCHLOR	39480	WAIVED			
MOLINATE	82199	WAIVED			
OXAMYL	38865	WAIVED			
PENTACHLOROPHENOL	39032	WAIVED			
PICLORAM	39720	WAIVED			
POLYCHLORINATED BIPHENYLS, TOTAL, AS DCB	39516	WAIVED			
SIMAZINE	39055	WAIVED			
THIOBENCARB	A-001	WAIVED			
TOXAPHENE	39400	WAIVED			
REGULATED VOC					
1,1,1-TRICHLOROETHANE	34506	WAIVED			
1,1,2,2-TETRACHLOROETHANE	34516	WAIVED			
1,1,2-TRICHLORO-1,2,2-TRIFLUOROETHANE	81611	WAIVED			
1,1,2-TRICHLOROETHANE	34511	WAIVED			
1,1-DICHLOROETHANE	34496	WAIVED			
1,1-DICHLOROETHYLENE	34501	WAIVED			
1,2,4-TRICHLOROBENZENE	34551	WAIVED			
1,2-DICHLOROBENZENE	34536	WAIVED			
1,2-DICHLOROETHANE	34531	WAIVED			
1,2-DICHLOROPROPANE	34541	WAIVED			
1,3-DICHLOROPROPENE (TOTAL)	34561	WAIVED			
1,4-DICHLOROBENZENE	34571	WAIVED			
BENZENE	34030	WAIVED			
CARBON TETRACHLORIDE	32102	WAIVED			
CIS-1,2-DICHLOROETHYLENE	77093	WAIVED			
DICHLOROMETHANE	34423	WAIVED			
ETHYLBENZENE	34371	WAIVED			
METHYL-TERT-BUTYL-ETHER (MTBE)	46491	WAIVED			
MONOCHLOROBENZENE	34301	WAIVED			

**Testing interval is in months;*
0 = No data for this constituent and is DUE NOW
999 = Waived testing (not required)
I = Invalid (NOT) valid analyses reported

System Number: ***3100038***

System Name: ***HEATHER GLEN COMMUNITY SERVICE DIST***

PS Code: ***3100038-001***

Source Name: ***SURFACE WATER TREATMENT PLANT-TREATED***

Source Number: ***001***

Source Status: ***ACTIVE TREATED***

Water type: ***SURFACE***

	STORET NUMBER	TESTING INTERVAL (MONTHS)*	LAST TEST DATE (yyyy/mm/dd)	LAST RESULT REPORTED	NEXT TEST DATE (yyyy/mm)
REGULATED VOC					
STYRENE	77128	WAIVED			
TETRACHLOROETHYLENE	34475	WAIVED			
TOLUENE	34010	WAIVED			
TRANS-1,2-DICHLOROETHYLENE	34546	WAIVED			
TRICHLOROETHYLENE	39180	WAIVED			
TRICHLOROFLUOROMETHANE	34488	WAIVED			
VINYL CHLORIDE	39175	WAIVED			
XYLENES (TOTAL)	81551	WAIVED			
SECONDARY/GP					
AGGRSSIVE INDEX (CORROSIVITY)	82383	WAIVED	1997/05/19	8.900	
BICARBONATE ALKALINITY	00440	WAIVED	2006/08/25	17.000	
CALCIUM	00916	WAIVED	1997/05/19	3.800	
CARBONATE ALKALINITY	00445	WAIVED	2006/08/25	.000	
CHLORIDE	00940	WAIVED	1997/05/19	4.000	
COLOR	00081	WAIVED	1997/05/19	< 3.000	
COPPER	01042	WAIVED	1997/05/19	< 50.000	
FOAMING AGENTS (MBAS)	38260	WAIVED	1997/05/19	< .050	
HARDNESS (TOTAL) AS CACO3	00900	WAIVED	1997/05/19	16.000	
HYDROXIDE ALKALINITY	71830	WAIVED	2006/08/25	.000	
IRON	01045	WAIVED	1997/05/19	< 100.000	
MAGNESIUM	00927	WAIVED	1997/05/19	1.100	
MANGANESE	01055	WAIVED	1997/05/19	< 30.000	
ODOR THRESHOLD @ 60 C	00086	WAIVED	1997/05/19	8.000	
PH, LABORATORY	00403	WAIVED	1997/05/19	6.600	
SILVER	01077	WAIVED	1997/05/19	< 10.000	
SODIUM	00929	WAIVED	1997/05/19	9.800	
SPECIFIC CONDUCTANCE	00095	WAIVED	2011/06/06	120.000	
SULFATE	00945	WAIVED	1997/05/19	7.200	
TOTAL DISSOLVED SOLIDS	70300	WAIVED	1997/05/19	54.000	

**Testing interval is in months;*
0 = No data for this constituent and is DUE NOW
999 = Waived testing (not required)
I = Invalid (NOT) valid analyses reported

System Number: ***3100038***

System Name: ***HEATHER GLEN COMMUNITY SERVICE DIST***

PS Code: ***3100038-001***

Source Name: ***SURFACE WATER TREATMENT PLANT-TREATED***

Source Number: ***001***

Source Status: ***ACTIVE TREATED***

Water type: ***SURFACE***

	STORET NUMBER	TESTING INTERVAL (MONTHS)*	LAST TEST DATE (yyyy/mm/dd)	LAST RESULT REPORTED	NEXT TEST DATE (yyyy/mm)	
SECONDARY/GP						
TURBIDITY, LABORATORY	82079	WAIVED	1997/05/19	< .100		
ZINC	01092	WAIVED	1997/05/19	< 50.000		

PS Code: ***3100038-002***

Source Name: ***PCWA CANAL***

Source Number: ***002***

Source Status: ***ACTIVE RAW***

Water type: ***SURFACE***

	STORET NUMBER	TESTING INTERVAL (MONTHS)*	LAST TEST DATE (yyyy/mm/dd)	LAST RESULT REPORTED	NEXT TEST DATE (yyyy/mm)	
GENERAL NON CHAP 15						
DIAZINON	39570	WAIVED				
INORGANIC						
ALUMINUM	01105	012	2011/12/05	.000	2012/12	
ANTIMONY	01097	012	2010/06/07	.000	2011/06	DUE
ARSENIC	01002	012	2010/06/07	.000	2011/06	DUE
ASBESTOS	81855	000				DUE
BARIUM	01007	012	2010/06/07	36.100	2011/06	DUE
BERYLLIUM	01012	012				DUE
CADMIUM	01027	012	2010/06/07	.000	2011/06	DUE
CHROMIUM (TOTAL)	01034	012	2010/06/07	.000	2011/06	DUE
CYANIDE	01291	036				DUE
FLUORIDE (F) (NATURAL-SOURCE)	00951	012	2010/06/07	.000	2011/06	DUE
LEAD	01051	036				DUE
MERCURY	71900	012	2010/06/07	.000	2011/06	DUE
NICKEL	01067	012	2010/06/07	.000	2011/06	DUE
PERCHLORATE	A-031	012	2009/06/15	.000	2010/06	DUE
SELENIUM	01147	012	2010/06/07	.000	2011/06	DUE
THALLIUM	01059	012	2010/06/07	.000	2011/06	DUE

**Testing interval is in months;*
0 = No data for this constituent and is DUE NOW
999 = Waived testing (not required)
I = Invalid (NOT) valid analyses reported

System Number: ***3100038***

System Name: ***HEATHER GLEN COMMUNITY SERVICE DIST***

PS Code: ***3100038-002***

Source Name: ***PCWA CANAL***

Source Number: ***002***

Source Status: ***ACTIVE RAW***

Water type: ***SURFACE***

	STORET NUMBER	TESTING INTERVAL (MONTHS)*	LAST TEST DATE (yyyy/mm/dd)	LAST RESULT REPORTED	NEXT TEST DATE (yyyy/mm)	
NITRATE/NITRITE						
NITRATE (AS NO3)	71850	003	2010/06/07	.000	2010/09	DUE
NITRITE (AS N)	00620	036	2010/06/07	.000	2013/06	
RADIOLOGICAL						
GROSS ALPHA	01501	108	2010/09/09	.000	2019/09	
GROSS BETA	03501	WAIVED				
RA-226 FOR CWS OR TOTAL RA FOR NTNC BY 903.0	A-080	WAIVED				
RA-226 OR TOTAL RA BY 903.0 C.E.	A-081	WAIVED				
RADIUM 226	09501	WAIVED				
RADIUM 228	11501	003	2010/09/09	.132	2010/12	DUE
RADIUM, TOTAL, MDA95-NTNC ONLY, BY 903.0	A-082	WAIVED				
STRONTIUM-90	13501	WAIVED				
TRITIUM	07000	WAIVED				
URANIUM (PCI/L)	28012	WAIVED				
REGULATED SOC						
2,3,7,8-TCDD (DIOXIN)	34676	WAIVED				
2,4,5-TP (SILVEX)	39045	WAIVED				
2,4-D	39730	WAIVED				
ALACHLOR	77825	WAIVED				
ATRAZINE	39033	WAIVED				
BENTAZON	38710	WAIVED				
BENZO (A) PYRENE	34247	WAIVED				
CARBOFURAN	81405	WAIVED				
CHLORDANE	39350	WAIVED				
DALAPON	38432	WAIVED				
DI(2-ETHYLHEXYL)ADIPATE	A-026	WAIVED				
DI(2-ETHYLHEXYL)PHTHALATE	39100	WAIVED				
DIBROMOCHLOROPROPANE (DBCP)	38761	WAIVED				
DINOSEB	81287	WAIVED				
DIQUAT	78885	WAIVED				

**Testing interval is in months;*
0 = No data for this constituent and is DUE NOW
999 = Waived testing (not required)
I = Invalid (NOT) valid analyses reported

System Number: ***3100038***

System Name: ***HEATHER GLEN COMMUNITY SERVICE DIST***

PS Code: ***3100038-002***

Source Name: ***PCWA CANAL***

Source Number: ***002***

Source Status: ***ACTIVE RAW***

Water type: ***SURFACE***

	STORET NUMBER	TESTING INTERVAL (MONTHS)*	LAST TEST DATE (yyyy/mm/dd)	LAST RESULT REPORTED	NEXT TEST DATE (yyyy/mm)
REGULATED SOC					
ENDOTHALL	38926	WAIVED			
ENDRIN	39390	WAIVED			
ETHYLENE DIBROMIDE (EDB)	77651	WAIVED			
GLYPHOSATE	79743	WAIVED			
HEPTACHLOR	39410	WAIVED			
HEPTACHLOR EPOXIDE	39420	WAIVED			
HEXACHLOROBENZENE	39700	WAIVED			
HEXACHLOROCYCLOPENTADIENE	34386	WAIVED			
LINDANE	39340	WAIVED			
METHOXYCHLOR	39480	WAIVED			
MOLINATE	82199	WAIVED			
OXAMYL	38865	WAIVED			
PENTACHLOROPHENOL	39032	WAIVED			
PICLORAM	39720	WAIVED			
POLYCHLORINATED BIPHENYLS, TOTAL, AS DCB	39516	WAIVED			
SIMAZINE	39055	WAIVED			
THIOBENCARB	A-001	WAIVED			
TOXAPHENE	39400	WAIVED			
REGULATED VOC					
1,1,1-TRICHLOROETHANE	34506	000			DUE
1,1,2,2-TETRACHLOROETHANE	34516	000			DUE
1,1,2-TRICHLORO-1,2,2-TRIFLUOROETHANE	81611	000			DUE
1,1,2-TRICHLOROETHANE	34511	000			DUE
1,1-DICHLOROETHANE	34496	000			DUE
1,1-DICHLOROETHYLENE	34501	000			DUE
1,2,4-TRICHLOROBENZENE	34551	000			DUE
1,2-DICHLOROBENZENE	34536	000			DUE
1,2-DICHLOROETHANE	34531	000			DUE
1,2-DICHLOROPROPANE	34541	000			DUE

**Testing interval is in months;*
0 = No data for this constituent and is DUE NOW
999 = Waived testing (not required)
I = Invalid (NOT) valid analyses reported

System Number: ***3100038***

System Name: ***HEATHER GLEN COMMUNITY SERVICE DIST***

PS Code: ***3100038-002***

Source Name: ***PCWA CANAL***

Source Number: ***002***

Source Status: ***ACTIVE RAW***

Water type: ***SURFACE***

	STORET NUMBER	TESTING INTERVAL (MONTHS)*	LAST TEST DATE (yyyy/mm/dd)	LAST RESULT REPORTED	NEXT TEST DATE (yyyy/mm)	
REGULATED VOC						
1,3-DICHLOROPROPENE (TOTAL)	34561	000				DUE
1,4-DICHLOROBENZENE	34571	000				DUE
BENZENE	34030	000				DUE
CARBON TETRACHLORIDE	32102	000				DUE
CIS-1,2-DICHLOROETHYLENE	77093	000				DUE
DICHLOROMETHANE	34423	000				DUE
ETHYLBENZENE	34371	000				DUE
METHYL-TERT-BUTYL-ETHER (MTBE)	46491	000				DUE
MONOCHLOROBENZENE	34301	000				DUE
STYRENE	77128	000				DUE
TETRACHLOROETHYLENE	34475	000				DUE
TOLUENE	34010	000				DUE
TRANS-1,2-DICHLOROETHYLENE	34546	000				DUE
TRICHLOROETHYLENE	39180	000				DUE
TRICHLOROFLUOROMETHANE	34488	000				DUE
VINYL CHLORIDE	39175	000				DUE
XYLENES (TOTAL)	81551	000				DUE
SECONDARY/GP						
AGGRSSIVE INDEX (CORROSIVITY)	82383	WAIVED				
BICARBONATE ALKALINITY	00440	108	2012/04/18	29.000	2021/04	
CALCIUM	00916	108	2011/12/05	1.800	2020/12	
CARBONATE ALKALINITY	00445	108	2012/04/18	.000	2021/04	
CHLORIDE	00940	012				DUE
COLOR	00081	WAIVED	2011/12/05	17.000		
COPPER	01042	012	2011/12/05	.000	2012/12	
FOAMING AGENTS (MBAS)	38260	012	2011/12/05	.000	2012/12	
HARDNESS (TOTAL) AS CACO3	00900	108	2011/12/05	6.000	2020/12	
HYDROXIDE ALKALINITY	71830	108	2012/04/18	.000	2021/04	
IRON	01045	012	2011/12/05	.000	2012/12	

**Testing interval is in months;*
0 = No data for this constituent and is DUE NOW
999 = Waived testing (not required)
I = Invalid (NOT) valid analyses reported

System Number: ***3100038***

System Name: ***HEATHER GLEN COMMUNITY SERVICE DIST***

PS Code: ***3100038-002***

Source Name: ***PCWA CANAL***

Source Number: ***002***

Source Status: ***ACTIVE RAW***

Water type: ***SURFACE***

SECONDARY/GP

	STORET NUMBER	TESTING INTERVAL (MONTHS)*	LAST TEST DATE (yyyy/mm/dd)	LAST RESULT REPORTED	NEXT TEST DATE (yyyy/mm)
MAGNESIUM	00927	108	2011/12/05	.400	2020/12
MANGANESE	01055	012	2011/12/05	.000	2012/12
ODOR THRESHOLD @ 60 C	00086	WAIVED	2011/12/05	2.000	
PH, LABORATORY	00403	WAIVED	2011/12/05	7.400	
SILVER	01077	012	2011/12/05	.000	2012/12
SODIUM	00929	108	2011/12/05	2.100	2020/12
SPECIFIC CONDUCTANCE	00095	012	2011/12/05	58.900	2012/12
SULFATE	00945	012	2011/12/05	.300	2012/12
TOTAL DISSOLVED SOLIDS	70300	012	2011/12/05	25.000	2012/12
TURBIDITY, LABORATORY	82079	WAIVED	2011/12/05	11.000	
ZINC	01092	012	2011/12/05	.000	2012/12

**Testing interval is in months;*
0 = No data for this constituent and is DUE NOW
999 = Waived testing (not required)
I = Invalid (NOT) valid analyses reported

System Number: ***3100040***

System Name: ***SHADY GLEN COMM WATER SYSTEM***

PS Code: ***3100040-001***

Source Name: ***SURFACE WATER TREATMENT PLANT-TREATED***

Source Number: ***001***

Source Status: ***ACTIVE TREATED***

Water type: ***SURFACE***

	STORET NUMBER	TESTING INTERVAL (MONTHS)*	LAST TEST DATE (yyyy/mm/dd)	LAST RESULT REPORTED	NEXT TEST DATE (yyyy/mm)
GENERAL NON CHAP 15					
DIAZINON	39570	WAIVED			
INORGANIC					
ALUMINUM	01105	WAIVED			
ANTIMONY	01097	WAIVED			
ARSENIC	01002	WAIVED			
ASBESTOS	81855	WAIVED			
BARIUM	01007	WAIVED			
BERYLLIUM	01012	WAIVED			
CADMIUM	01027	WAIVED			
CHROMIUM (TOTAL)	01034	WAIVED			
CYANIDE	01291	WAIVED			
FLUORIDE (F) (NATURAL-SOURCE)	00951	WAIVED			
LEAD	01051	WAIVED			
MERCURY	71900	WAIVED			
NICKEL	01067	WAIVED			
PERCHLORATE	A-031	WAIVED	2011/05/05	< .000	
SELENIUM	01147	WAIVED			
THALLIUM	01059	WAIVED			
NITRATE/NITRITE					
NITRATE (AS NO3)	71850	WAIVED	2003/07/17	< 2.000	
NITRITE (AS N)	00620	WAIVED			
RADIOLOGICAL					
GROSS ALPHA	01501	WAIVED			
GROSS BETA	03501	WAIVED			
RA-226 FOR CWS OR TOTAL RA FOR NTNC BY 903.0	A-080	WAIVED			
RA-226 OR TOTAL RA BY 903.0 C.E.	A-081	WAIVED			
RADIUM 226	09501	WAIVED			
RADIUM 228	11501	WAIVED			

**Testing interval is in months;*
0 = No data for this constituent and is DUE NOW
999 = Waived testing (not required)
I = Invalid (NOT) valid analyses reported

System Number: ***3100040***

System Name: ***SHADY GLEN COMM WATER SYSTEM***

PS Code: ***3100040-001***

Source Name: ***SURFACE WATER TREATMENT PLANT-TREATED***

Source Number: ***001***

Source Status: ***ACTIVE TREATED***

Water type: ***SURFACE***

	STORET NUMBER	TESTING INTERVAL (MONTHS)*	LAST TEST DATE (yyyy/mm/dd)	LAST RESULT REPORTED	NEXT TEST DATE (yyyy/mm)
RADIOLOGICAL					
RADIUM, TOTAL, MDA95-NTNC ONLY, BY 903.0	A-082	WAIVED			
STRONTIUM-90	13501	WAIVED			
TRITIUM	07000	WAIVED			
URANIUM (PCI/L)	28012	WAIVED			
REGULATED SOC					
2,3,7,8-TCDD (DIOXIN)	34676	WAIVED			
2,4,5-TP (SILVEX)	39045	WAIVED			
2,4-D	39730	WAIVED			
ALACHLOR	77825	WAIVED			
ATRAZINE	39033	WAIVED			
BENTAZON	38710	WAIVED			
BENZO (A) PYRENE	34247	WAIVED			
CARBOFURAN	81405	WAIVED			
CHLORDANE	39350	WAIVED			
DALAPON	38432	WAIVED			
DI(2-ETHYLHEXYL)ADIPATE	A-026	WAIVED			
DI(2-ETHYLHEXYL)PHTHALATE	39100	WAIVED			
DIBROMOCHLOROPROPANE (DBCP)	38761	WAIVED			
DINOSEB	81287	WAIVED			
DIQUAT	78885	WAIVED			
ENDOTHALL	38926	WAIVED			
ENDRIN	39390	WAIVED			
ETHYLENE DIBROMIDE (EDB)	77651	WAIVED			
GLYPHOSATE	79743	WAIVED			
HEPTACHLOR	39410	WAIVED			
HEPTACHLOR EPOXIDE	39420	WAIVED			
HEXACHLOROBENZENE	39700	WAIVED			
HEXACHLOROCYCLOPENTADIENE	34386	WAIVED			
LINDANE	39340	WAIVED			

**Testing interval is in months;*
0 = No data for this constituent and is DUE NOW
999 = Waived testing (not required)
I = Invalid (NOT) valid analyses reported

System Number: ***3100040***

System Name: ***SHADY GLEN COMM WATER SYSTEM***

PS Code: ***3100040-001***

Source Name: ***SURFACE WATER TREATMENT PLANT-TREATED***

Source Number: ***001***

Source Status: ***ACTIVE TREATED***

Water type: ***SURFACE***

	STORET NUMBER	TESTING INTERVAL (MONTHS)*	LAST TEST DATE (yyyy/mm/dd)	LAST RESULT REPORTED	NEXT TEST DATE (yyyy/mm)
REGULATED SOC					
METHOXYCHLOR	39480	WAIVED			
MOLINATE	82199	WAIVED			
OXAMYL	38865	WAIVED			
PENTACHLOROPHENOL	39032	WAIVED			
PICLORAM	39720	WAIVED			
POLYCHLORINATED BIPHENYLS, TOTAL, AS DCB	39516	WAIVED			
SIMAZINE	39055	WAIVED			
THIOBENCARB	A-001	WAIVED			
TOXAPHENE	39400	WAIVED			
REGULATED VOC					
1,1,1-TRICHLOROETHANE	34506	WAIVED			
1,1,2,2-TETRACHLOROETHANE	34516	WAIVED			
1,1,2-TRICHLORO-1,2,2-TRIFLUOROETHANE	81611	WAIVED			
1,1,2-TRICHLOROETHANE	34511	WAIVED			
1,1-DICHLOROETHANE	34496	WAIVED			
1,1-DICHLOROETHYLENE	34501	WAIVED			
1,2,4-TRICHLOROBENZENE	34551	WAIVED			
1,2-DICHLOROBENZENE	34536	WAIVED			
1,2-DICHLOROETHANE	34531	WAIVED			
1,2-DICHLOROPROPANE	34541	WAIVED			
1,3-DICHLOROPROPENE (TOTAL)	34561	WAIVED			
1,4-DICHLOROBENZENE	34571	WAIVED			
BENZENE	34030	WAIVED			
CARBON TETRACHLORIDE	32102	WAIVED			
CIS-1,2-DICHLOROETHYLENE	77093	WAIVED			
DICHLOROMETHANE	34423	WAIVED			
ETHYLBENZENE	34371	WAIVED			
METHYL-TERT-BUTYL-ETHER (MTBE)	46491	WAIVED			
MONOCHLOROBENZENE	34301	WAIVED			

**Testing interval is in months;*
0 = No data for this constituent and is DUE NOW
999 = Waived testing (not required)
I = Invalid (NOT) valid analyses reported

System Number: ***3100040***

System Name: ***SHADY GLEN COMM WATER SYSTEM***

PS Code: ***3100040-001***

Source Name: ***SURFACE WATER TREATMENT PLANT-TREATED***

Source Number: ***001***

Source Status: ***ACTIVE TREATED***

Water type: ***SURFACE***

	STORET NUMBER	TESTING INTERVAL (MONTHS)*	LAST TEST DATE (yyyy/mm/dd)	LAST RESULT REPORTED	NEXT TEST DATE (yyyy/mm)
REGULATED VOC					
STYRENE	77128	WAIVED			
TETRACHLOROETHYLENE	34475	WAIVED			
TOLUENE	34010	WAIVED			
TRANS-1,2-DICHLOROETHYLENE	34546	WAIVED			
TRICHLOROETHYLENE	39180	WAIVED			
TRICHLOROFLUOROMETHANE	34488	WAIVED			
VINYL CHLORIDE	39175	WAIVED			
XYLENES (TOTAL)	81551	WAIVED			
SECONDARY/GP					
AGGRSSIVE INDEX (CORROSIVITY)	82383	WAIVED			
BICARBONATE ALKALINITY	00440	WAIVED			
CALCIUM	00916	WAIVED			
CARBONATE ALKALINITY	00445	WAIVED			
CHLORIDE	00940	WAIVED			
COLOR	00081	WAIVED			
COPPER	01042	WAIVED			
FOAMING AGENTS (MBAS)	38260	WAIVED			
HARDNESS (TOTAL) AS CACO3	00900	WAIVED			
HYDROXIDE ALKALINITY	71830	WAIVED			
IRON	01045	WAIVED			
MAGNESIUM	00927	WAIVED			
MANGANESE	01055	WAIVED			
ODOR THRESHOLD @ 60 C	00086	WAIVED			
PH, LABORATORY	00403	WAIVED			
SILVER	01077	WAIVED			
SODIUM	00929	WAIVED			
SPECIFIC CONDUCTANCE	00095	WAIVED	2011/05/05	79.000	
SULFATE	00945	WAIVED			
TOTAL DISSOLVED SOLIDS	70300	WAIVED			

**Testing interval is in months;*
0 = No data for this constituent and is DUE NOW
999 = Waived testing (not required)
I = Invalid (NOT) valid analyses reported

System Number: ***3100040***

System Name: ***SHADY GLEN COMM WATER SYSTEM***

PS Code: ***3100040-001***

Source Name: ***SURFACE WATER TREATMENT PLANT-TREATED***

Source Number: ***001***

Source Status: ***ACTIVE TREATED***

Water type: ***SURFACE***

	STORET NUMBER	TESTING INTERVAL (MONTHS)*	LAST TEST DATE (yyyy/mm/dd)	LAST RESULT REPORTED	NEXT TEST DATE (yyyy/mm)
SECONDARY/GP					
TURBIDITY, LABORATORY	82079	WAIVED			
ZINC	01092	WAIVED			

PS Code: ***3100040-002***

Source Name: ***PCWA CANAL***

Source Number: ***002***

Source Status: ***ACTIVE RAW***

Water type: ***SURFACE***

GENERAL NON CHAP 15					
DIAZINON	39570	WAIVED			
INORGANIC					
ALUMINUM	01105	012			DUE
ANTIMONY	01097	012			DUE
ARSENIC	01002	012			DUE
ASBESTOS	81855	000			DUE
BARIUM	01007	012			DUE
BERYLLIUM	01012	012			DUE
CADMIUM	01027	012			DUE
CHROMIUM (TOTAL)	01034	012			DUE
CYANIDE	01291	036			DUE
FLUORIDE (F) (NATURAL-SOURCE)	00951	012			DUE
LEAD	01051	036			DUE
MERCURY	71900	012			DUE
NICKEL	01067	012			DUE
PERCHLORATE	A-031	006			DUE
SELENIUM	01147	012			DUE
THALLIUM	01059	012			DUE

**Testing interval is in months;*
0 = No data for this constituent and is DUE NOW
999 = Waived testing (not required)
I = Invalid (NOT) valid analyses reported

System Number: ***3100040***

System Name: ***SHADY GLEN COMM WATER SYSTEM***

PS Code: ***3100040-002***

Source Name: ***PCWA CANAL***

Source Number: ***002***

Source Status: ***ACTIVE RAW***

Water type: ***SURFACE***

	STORET NUMBER	TESTING INTERVAL (MONTHS)*	LAST TEST DATE (yyyy/mm/dd)	LAST RESULT REPORTED	NEXT TEST DATE (yyyy/mm)
NITRATE/NITRITE					
NITRATE (AS NO3)	71850	003			DUE
NITRITE (AS N)	00620	000			DUE
RADIOLOGICAL					
GROSS ALPHA	01501	000			DUE
GROSS BETA	03501	WAIVED			
RA-226 FOR CWS OR TOTAL RA FOR NTNC BY 903.0	A-080	WAIVED			
RA-226 OR TOTAL RA BY 903.0 C.E.	A-081	WAIVED			
RADIUM 226	09501	WAIVED			
RADIUM 228	11501	003			DUE
RADIUM, TOTAL, MDA95-NTNC ONLY, BY 903.0	A-082	WAIVED			
STRONTIUM-90	13501	WAIVED			
TRITIUM	07000	WAIVED			
URANIUM (PCI/L)	28012	WAIVED			
REGULATED SOC					
2,3,7,8-TCDD (DIOXIN)	34676	WAIVED			
2,4,5-TP (SILVEX)	39045	WAIVED			
2,4-D	39730	WAIVED			
ALACHLOR	77825	WAIVED			
ATRAZINE	39033	WAIVED			
BENTAZON	38710	WAIVED			
BENZO (A) PYRENE	34247	WAIVED			
CARBOFURAN	81405	WAIVED			
CHLORDANE	39350	WAIVED			
DALAPON	38432	WAIVED			
DI(2-ETHYLHEXYL)ADIPATE	A-026	WAIVED			
DI(2-ETHYLHEXYL)PHTHALATE	39100	WAIVED			
DIBROMOCHLOROPROPANE (DBCP)	38761	WAIVED			
DINOSEB	81287	WAIVED			
DIQUAT	78885	WAIVED			

**Testing interval is in months;*
0 = No data for this constituent and is DUE NOW
999 = Waived testing (not required)
I = Invalid (NOT) valid analyses reported

System Number: ***3100040***

System Name: ***SHADY GLEN COMM WATER SYSTEM***

PS Code: ***3100040-002***

Source Name: ***PCWA CANAL***

Source Number: ***002***

Source Status: ***ACTIVE RAW***

Water type: ***SURFACE***

	STORET NUMBER	TESTING INTERVAL (MONTHS)*	LAST TEST DATE (yyyy/mm/dd)	LAST RESULT REPORTED	NEXT TEST DATE (yyyy/mm)
REGULATED SOC					
ENDOTHALL	38926	WAIVED			
ENDRIN	39390	WAIVED			
ETHYLENE DIBROMIDE (EDB)	77651	WAIVED			
GLYPHOSATE	79743	WAIVED			
HEPTACHLOR	39410	WAIVED			
HEPTACHLOR EPOXIDE	39420	WAIVED			
HEXACHLOROBENZENE	39700	WAIVED			
HEXACHLOROCYCLOPENTADIENE	34386	WAIVED			
LINDANE	39340	WAIVED			
METHOXYCHLOR	39480	WAIVED			
MOLINATE	82199	WAIVED			
OXAMYL	38865	WAIVED			
PENTACHLOROPHENOL	39032	WAIVED			
PICLORAM	39720	WAIVED			
POLYCHLORINATED BIPHENYLS, TOTAL, AS DCB	39516	WAIVED			
SIMAZINE	39055	WAIVED			
THIOBENCARB	A-001	WAIVED			
TOXAPHENE	39400	WAIVED			
REGULATED VOC					
1,1,1-TRICHLOROETHANE	34506	000			DUE
1,1,2,2-TETRACHLOROETHANE	34516	000			DUE
1,1,2-TRICHLORO-1,2,2-TRIFLUOROETHANE	81611	000			DUE
1,1,2-TRICHLOROETHANE	34511	000			DUE
1,1-DICHLOROETHANE	34496	000			DUE
1,1-DICHLOROETHYLENE	34501	000			DUE
1,2,4-TRICHLOROBENZENE	34551	000			DUE
1,2-DICHLOROBENZENE	34536	000			DUE
1,2-DICHLOROETHANE	34531	000			DUE
1,2-DICHLOROPROPANE	34541	000			DUE

**Testing interval is in months;*
0 = No data for this constituent and is DUE NOW
999 = Waived testing (not required)
I = Invalid (NOT) valid analyses reported

System Number: ***3100040***

System Name: ***SHADY GLEN COMM WATER SYSTEM***

PS Code: ***3100040-002***

Source Name: ***PCWA CANAL***

Source Number: ***002***

Source Status: ***ACTIVE RAW***

Water type: ***SURFACE***

	STORET NUMBER	TESTING INTERVAL (MONTHS)*	LAST TEST DATE (yyyy/mm/dd)	LAST RESULT REPORTED	NEXT TEST DATE (yyyy/mm)	
REGULATED VOC						
1,3-DICHLOROPROPENE (TOTAL)	34561	000				DUE
1,4-DICHLOROBENZENE	34571	000				DUE
BENZENE	34030	000				DUE
CARBON TETRACHLORIDE	32102	000				DUE
CIS-1,2-DICHLOROETHYLENE	77093	000				DUE
DICHLOROMETHANE	34423	000				DUE
ETHYLBENZENE	34371	000				DUE
METHYL-TERT-BUTYL-ETHER (MTBE)	46491	000				DUE
MONOCHLOROBENZENE	34301	000				DUE
STYRENE	77128	000				DUE
TETRACHLOROETHYLENE	34475	000				DUE
TOLUENE	34010	000				DUE
TRANS-1,2-DICHLOROETHYLENE	34546	000				DUE
TRICHLOROETHYLENE	39180	000				DUE
TRICHLOROFLUOROMETHANE	34488	000				DUE
VINYL CHLORIDE	39175	000				DUE
XYLENES (TOTAL)	81551	000				DUE
SECONDARY/GP						
AGGRSSIVE INDEX (CORROSIVITY)	82383	WAIVED				
BICARBONATE ALKALINITY	00440	108	2011/06/13	173.000	2020/06	
CALCIUM	00916	000				DUE
CARBONATE ALKALINITY	00445	108	2011/06/13	.000	2020/06	
CHLORIDE	00940	012				DUE
COLOR	00081	WAIVED				
COPPER	01042	012				DUE
FOAMING AGENTS (MBAS)	38260	012				DUE
HARDNESS (TOTAL) AS CACO3	00900	000				DUE
HYDROXIDE ALKALINITY	71830	108	2011/06/13	.000	2020/06	
IRON	01045	012				DUE

**Testing interval is in months;*
0 = No data for this constituent and is DUE NOW
999 = Waived testing (not required)
I = Invalid (NOT) valid analyses reported

System Number: ***3100040***

System Name: ***SHADY GLEN COMM WATER SYSTEM***

PS Code: ***3100040-002***

Source Name: ***PCWA CANAL***

Source Number: ***002***

Source Status: ***ACTIVE RAW***

Water type: ***SURFACE***

SECONDARY/GP

	STORET NUMBER	TESTING INTERVAL (MONTHS)*	LAST TEST DATE (yyyy/mm/dd)	LAST RESULT REPORTED	NEXT TEST DATE (yyyy/mm)	
MAGNESIUM	00927	000				DUE
MANGANESE	01055	012				DUE
ODOR THRESHOLD @ 60 C	00086	WAIVED				
PH, LABORATORY	00403	WAIVED				
SILVER	01077	012				DUE
SODIUM	00929	000				DUE
SPECIFIC CONDUCTANCE	00095	012				DUE
SULFATE	00945	012				DUE
TOTAL DISSOLVED SOLIDS	70300	012				DUE
TURBIDITY, LABORATORY	82079	WAIVED				
ZINC	01092	012				DUE

**Testing interval is in months;*
0 = No data for this constituent and is DUE NOW
999 = Waived testing (not required)
I = Invalid (NOT) valid analyses reported

System Number: ***3100041***

System Name: ***ALPINE MEADOWS PROPERTY OWNERS ASSO***

PS Code: ***3100041-001***

Source Name: ***SURFACE WATER TREATMENT PLANT-TREATED***

Source Number: ***001***

Source Status: ***ACTIVE TREATED***

Water type: ***SURFACE***

	STORET NUMBER	TESTING INTERVAL (MONTHS)*	LAST TEST DATE (yyyy/mm/dd)	LAST RESULT REPORTED	NEXT TEST DATE (yyyy/mm)
GENERAL NON CHAP 15					
DIAZINON	39570	WAIVED			
INORGANIC					
ALUMINUM	01105	WAIVED	2011/06/23	.000	
ANTIMONY	01097	WAIVED	2011/06/23	.000	
ARSENIC	01002	WAIVED	2011/06/23	.000	
ASBESTOS	81855	WAIVED			
BARIUM	01007	WAIVED	2011/06/23	.000	
BERYLLIUM	01012	WAIVED	2011/06/23	.000	
CADMIUM	01027	WAIVED	2011/06/23	.000	
CHROMIUM (TOTAL)	01034	WAIVED	2011/06/23	.000	
CYANIDE	01291	WAIVED			
FLUORIDE (F) (NATURAL-SOURCE)	00951	WAIVED	2011/06/23	.000	
LEAD	01051	WAIVED	2000/02/10	2.200	
MERCURY	71900	WAIVED	2011/06/23	.000	
NICKEL	01067	WAIVED	2011/06/23	.000	
PERCHLORATE	A-031	WAIVED	2011/06/23	< .000	
SELENIUM	01147	WAIVED	2011/06/23	.000	
THALLIUM	01059	WAIVED	2011/06/23	.000	
NITRATE/NITRITE					
NITRATE (AS NO3)	71850	WAIVED	2011/06/23	.000	
NITRITE (AS N)	00620	WAIVED	2011/06/23	.000	
RADIOLOGICAL					
GROSS ALPHA	01501	WAIVED	2006/07/13	< 3.000	
GROSS BETA	03501	WAIVED			
RA-226 FOR CWS OR TOTAL RA FOR NTNC BY 903.0	A-080	WAIVED			
RA-226 OR TOTAL RA BY 903.0 C.E.	A-081	WAIVED			
RADIUM 226	09501	WAIVED			
RADIUM 228	11501	WAIVED			

**Testing interval is in months;*
0 = No data for this constituent and is DUE NOW
999 = Waived testing (not required)
I = Invalid (NOT) valid analyses reported

System Number: ***3100041***

System Name: ***ALPINE MEADOWS PROPERTY OWNERS ASSO***

PS Code: ***3100041-001***

Source Name: ***SURFACE WATER TREATMENT PLANT-TREATED***

Source Number: ***001***

Source Status: ***ACTIVE TREATED***

Water type: ***SURFACE***

	STORET NUMBER	TESTING INTERVAL (MONTHS)*	LAST TEST DATE (yyyy/mm/dd)	LAST RESULT REPORTED	NEXT TEST DATE (yyyy/mm)
RADIOLOGICAL					
RADIUM, TOTAL, MDA95-NTNC ONLY, BY 903.0	A-082	WAIVED			
STRONTIUM-90	13501	WAIVED			
TRITIUM	07000	WAIVED			
URANIUM (PCI/L)	28012	WAIVED			
REGULATED SOC					
2,3,7,8-TCDD (DIOXIN)	34676	WAIVED			
2,4,5-TP (SILVEX)	39045	WAIVED			
2,4-D	39730	WAIVED			
ALACHLOR	77825	WAIVED			
ATRAZINE	39033	WAIVED			
BENTAZON	38710	WAIVED			
BENZO (A) PYRENE	34247	WAIVED			
CARBOFURAN	81405	WAIVED			
CHLORDANE	39350	WAIVED			
DALAPON	38432	WAIVED			
DI(2-ETHYLHEXYL)ADIPATE	A-026	WAIVED			
DI(2-ETHYLHEXYL)PHTHALATE	39100	WAIVED			
DIBROMOCHLOROPROPANE (DBCP)	38761	WAIVED			
DINOSEB	81287	WAIVED			
DIQUAT	78885	WAIVED			
ENDOTHALL	38926	WAIVED			
ENDRIN	39390	WAIVED			
ETHYLENE DIBROMIDE (EDB)	77651	WAIVED			
GLYPHOSATE	79743	WAIVED			
HEPTACHLOR	39410	WAIVED			
HEPTACHLOR EPOXIDE	39420	WAIVED			
HEXACHLOROBENZENE	39700	WAIVED			
HEXACHLOROCYCLOPENTADIENE	34386	WAIVED			
LINDANE	39340	WAIVED			

**Testing interval is in months;*
0 = No data for this constituent and is DUE NOW
999 = Waived testing (not required)
I = Invalid (NOT) valid analyses reported

System Number: ***3100041***

System Name: ***ALPINE MEADOWS PROPERTY OWNERS ASSO***

PS Code: ***3100041-001***

Source Name: ***SURFACE WATER TREATMENT PLANT-TREATED***

Source Number: ***001***

Source Status: ***ACTIVE TREATED***

Water type: ***SURFACE***

REGULATED SOC

	STORET NUMBER	TESTING INTERVAL (MONTHS)*	LAST TEST DATE (yyyy/mm/dd)	LAST RESULT REPORTED	NEXT TEST DATE (yyyy/mm)
METHOXYCHLOR	39480	WAIVED			
MOLINATE	82199	WAIVED			
OXAMYL	38865	WAIVED			
PENTACHLOROPHENOL	39032	WAIVED			
PICLORAM	39720	WAIVED			
POLYCHLORINATED BIPHENYLS, TOTAL, AS DCB	39516	WAIVED			
SIMAZINE	39055	WAIVED			
THIOBENCARB	A-001	WAIVED			
TOXAPHENE	39400	WAIVED			

REGULATED VOC

1,1,1-TRICHLOROETHANE	34506	WAIVED			
1,1,2,2-TETRACHLOROETHANE	34516	WAIVED			
1,1,2-TRICHLORO-1,2,2-TRIFLUOROETHANE	81611	WAIVED			
1,1,2-TRICHLOROETHANE	34511	WAIVED			
1,1-DICHLOROETHANE	34496	WAIVED			
1,1-DICHLOROETHYLENE	34501	WAIVED			
1,2,4-TRICHLOROBENZENE	34551	WAIVED			
1,2-DICHLOROBENZENE	34536	WAIVED			
1,2-DICHLOROETHANE	34531	WAIVED			
1,2-DICHLOROPROPANE	34541	WAIVED			
1,3-DICHLOROPROPENE (TOTAL)	34561	WAIVED			
1,4-DICHLOROBENZENE	34571	WAIVED			
BENZENE	34030	WAIVED			
CARBON TETRACHLORIDE	32102	WAIVED			
CIS-1,2-DICHLOROETHYLENE	77093	WAIVED			
DICHLOROMETHANE	34423	WAIVED			
ETHYLBENZENE	34371	WAIVED			
METHYL-TERT-BUTYL-ETHER (MTBE)	46491	WAIVED			
MONOCHLOROBENZENE	34301	WAIVED			

**Testing interval is in months;*
0 = No data for this constituent and is DUE NOW
999 = Waived testing (not required)
I = Invalid (NOT) valid analyses reported

System Number: ***3100041***

System Name: ***ALPINE MEADOWS PROPERTY OWNERS ASSO***

PS Code: ***3100041-001***

Source Name: ***SURFACE WATER TREATMENT PLANT-TREATED***

Source Number: ***001***

Source Status: ***ACTIVE TREATED***

Water type: ***SURFACE***

	STORET NUMBER	TESTING INTERVAL (MONTHS)*	LAST TEST DATE (yyyy/mm/dd)	LAST RESULT REPORTED	NEXT TEST DATE (yyyy/mm)
REGULATED VOC					
STYRENE	77128	WAIVED			
TETRACHLOROETHYLENE	34475	WAIVED			
TOLUENE	34010	WAIVED			
TRANS-1,2-DICHLOROETHYLENE	34546	WAIVED			
TRICHLOROETHYLENE	39180	WAIVED			
TRICHLOROFLUOROMETHANE	34488	WAIVED			
VINYL CHLORIDE	39175	WAIVED			
XYLENES (TOTAL)	81551	WAIVED			
SECONDARY/GP					
AGGRSSIVE INDEX (CORROSIVITY)	82383	WAIVED	1998/08/13	9.000	
BICARBONATE ALKALINITY	00440	WAIVED	2011/04/28	30.900	
CALCIUM	00916	WAIVED	2011/04/28	3.500	
CARBONATE ALKALINITY	00445	WAIVED	2011/04/28	.000	
CHLORIDE	00940	WAIVED	1998/08/13	4.900	
COLOR	00081	WAIVED	2011/04/28	.000	
COPPER	01042	WAIVED	2011/04/28	.000	
FOAMING AGENTS (MBAS)	38260	WAIVED	2011/04/28	.000	
HARDNESS (TOTAL) AS CACO3	00900	WAIVED	2011/04/28	15.000	
HYDROXIDE ALKALINITY	71830	WAIVED	2011/04/28	.000	
IRON	01045	WAIVED	2011/04/28	.000	
MAGNESIUM	00927	WAIVED	2011/04/28	1.400	
MANGANESE	01055	WAIVED	2011/04/28	.000	
ODOR THRESHOLD @ 60 C	00086	WAIVED	2011/04/28	2.000	
PH, LABORATORY	00403	WAIVED	2011/04/28	7.600	
SILVER	01077	WAIVED	2011/04/28	.000	
SODIUM	00929	WAIVED	2011/04/28	8.800	
SPECIFIC CONDUCTANCE	00095	WAIVED	2011/06/23	77.000	
SULFATE	00945	WAIVED	2011/04/28	.800	
TOTAL DISSOLVED SOLIDS	70300	WAIVED	2011/04/28	46.000	

**Testing interval is in months;*
0 = No data for this constituent and is DUE NOW
999 = Waived testing (not required)
I = Invalid (NOT) valid analyses reported

System Number: ***3100041***

System Name: ***ALPINE MEADOWS PROPERTY OWNERS ASSO***

PS Code: ***3100041-001***

Source Name: ***SURFACE WATER TREATMENT PLANT-TREATED***

Source Number: ***001***

Source Status: ***ACTIVE TREATED***

Water type: ***SURFACE***

SECONDARY/GP

	STORET NUMBER	TESTING INTERVAL (MONTHS)*	LAST TEST DATE (yyyy/mm/dd)	LAST RESULT REPORTED	NEXT TEST DATE (yyyy/mm)	
TURBIDITY, LABORATORY	82079	WAIVED	2011/04/28	.000		
ZINC	01092	WAIVED	2011/04/28	.000		

PS Code: ***3100041-002***

Source Name: ***PCWA CANAL***

Source Number: ***002***

Source Status: ***ACTIVE RAW***

Water type: ***SURFACE***

GENERAL NON CHAP 15

DIAZINON	39570	WAIVED				

INORGANIC

ALUMINUM	01105	012	2008/09/16	225.000	2009/09	DUE
ANTIMONY	01097	012	2008/09/16	.000	2009/09	DUE
ARSENIC	01002	012	2008/09/16	.000	2009/09	DUE
ASBESTOS	81855	000				DUE
BARIUM	01007	012	2008/09/16	16.100	2009/09	DUE
BERYLLIUM	01012	012	2008/09/16	.000	2009/09	DUE
CADMIUM	01027	012	2008/09/16	.000	2009/09	DUE
CHROMIUM (TOTAL)	01034	012	2008/09/16	10.400	2009/09	DUE
CYANIDE	01291	036				DUE
FLUORIDE (F) (NATURAL-SOURCE)	00951	012	2008/09/16	.000	2009/09	DUE
LEAD	01051	036				DUE
MERCURY	71900	012	2008/09/16	.000	2009/09	DUE
NICKEL	01067	012	2008/09/16	.000	2009/09	DUE
PERCHLORATE	A-031	012	2008/09/16	.000	2009/09	DUE
SELENIUM	01147	012	2008/09/16	.000	2009/09	DUE
THALLIUM	01059	012	2008/09/16	.000	2009/09	DUE

**Testing interval is in months;*
0 = No data for this constituent and is DUE NOW
999 = Waived testing (not required)
I = Invalid (NOT) valid analyses reported

System Number: ***3100041***

System Name: ***ALPINE MEADOWS PROPERTY OWNERS ASSO***

PS Code: ***3100041-002***

Source Name: ***PCWA CANAL***

Source Number: ***002***

Source Status: ***ACTIVE RAW***

Water type: ***SURFACE***

	STORET NUMBER	TESTING INTERVAL (MONTHS)*	LAST TEST DATE (yyyy/mm/dd)	LAST RESULT REPORTED	NEXT TEST DATE (yyyy/mm)	
NITRATE/NITRITE						
NITRATE (AS NO3)	71850	003	2008/09/16	.000	2008/12	DUE
NITRITE (AS N)	00620	036	2008/09/16	.000	2011/09	DUE
RADIOLOGICAL						
GROSS ALPHA	01501	108	2008/09/16	.000	2017/09	
GROSS BETA	03501	WAIVED				
RA-226 FOR CWS OR TOTAL RA FOR NTNC BY 903.0	A-080	WAIVED				
RA-226 OR TOTAL RA BY 903.0 C.E.	A-081	WAIVED				
RADIUM 226	09501	WAIVED				
RADIUM 228	11501	003	2008/09/16	.000	2008/12	DUE
RADIUM, TOTAL, MDA95-NTNC ONLY, BY 903.0	A-082	WAIVED				
STRONTIUM-90	13501	WAIVED				
TRITIUM	07000	WAIVED				
URANIUM (PCI/L)	28012	WAIVED				
REGULATED SOC						
2,3,7,8-TCDD (DIOXIN)	34676	WAIVED				
2,4,5-TP (SILVEX)	39045	WAIVED				
2,4-D	39730	WAIVED				
ALACHLOR	77825	WAIVED				
ATRAZINE	39033	WAIVED				
BENTAZON	38710	WAIVED				
BENZO (A) PYRENE	34247	WAIVED				
CARBOFURAN	81405	WAIVED				
CHLORDANE	39350	WAIVED				
DALAPON	38432	WAIVED				
DI(2-ETHYLHEXYL)ADIPATE	A-026	WAIVED				
DI(2-ETHYLHEXYL)PHTHALATE	39100	WAIVED				
DIBROMOCHLOROPROPANE (DBCP)	38761	WAIVED				
DINOSEB	81287	WAIVED				
DIQUAT	78885	WAIVED				

**Testing interval is in months;*
0 = No data for this constituent and is DUE NOW
999 = Waived testing (not required)
I = Invalid (NOT) valid analyses reported

System Number: ***3100041***

System Name: ***ALPINE MEADOWS PROPERTY OWNERS ASSO***

PS Code: ***3100041-002***

Source Name: ***PCWA CANAL***

Source Number: ***002***

Source Status: ***ACTIVE RAW***

Water type: ***SURFACE***

	STORET NUMBER	TESTING INTERVAL (MONTHS)*	LAST TEST DATE (yyyy/mm/dd)	LAST RESULT REPORTED	NEXT TEST DATE (yyyy/mm)
REGULATED SOC					
ENDOTHALL	38926	WAIVED			
ENDRIN	39390	WAIVED			
ETHYLENE DIBROMIDE (EDB)	77651	WAIVED			
GLYPHOSATE	79743	WAIVED			
HEPTACHLOR	39410	WAIVED			
HEPTACHLOR EPOXIDE	39420	WAIVED			
HEXACHLOROBENZENE	39700	WAIVED			
HEXACHLOROCYCLOPENTADIENE	34386	WAIVED			
LINDANE	39340	WAIVED			
METHOXYCHLOR	39480	WAIVED			
MOLINATE	82199	WAIVED			
OXAMYL	38865	WAIVED			
PENTACHLOROPHENOL	39032	WAIVED			
PICLORAM	39720	WAIVED			
POLYCHLORINATED BIPHENYLS, TOTAL, AS DCB	39516	WAIVED			
SIMAZINE	39055	WAIVED			
THIOBENCARB	A-001	WAIVED			
TOXAPHENE	39400	WAIVED			
REGULATED VOC					
1,1,1-TRICHLOROETHANE	34506	WAIVED	2008/09/16	.000	
1,1,2,2-TETRACHLOROETHANE	34516	WAIVED	2008/09/16	.000	
1,1,2-TRICHLORO-1,2,2-TRIFLUOROETHANE	81611	WAIVED	2008/09/16	.000	
1,1,2-TRICHLOROETHANE	34511	WAIVED	2008/09/16	.000	
1,1-DICHLOROETHANE	34496	WAIVED	2008/09/16	.000	
1,1-DICHLOROETHYLENE	34501	WAIVED	2008/09/16	.000	
1,2,4-TRICHLOROBENZENE	34551	WAIVED	2008/09/16	.000	
1,2-DICHLOROBENZENE	34536	WAIVED	2008/09/16	.000	
1,2-DICHLOROETHANE	34531	WAIVED	2008/09/16	.000	
1,2-DICHLOROPROPANE	34541	WAIVED	2008/09/16	.000	

**Testing interval is in months;*
0 = No data for this constituent and is DUE NOW
999 = Waived testing (not required)
I = Invalid (NOT) valid analyses reported

System Number: ***3100041***

System Name: ***ALPINE MEADOWS PROPERTY OWNERS ASSO***

PS Code: ***3100041-002***

Source Name: ***PCWA CANAL***

Source Number: ***002***

Source Status: ***ACTIVE RAW***

Water type: ***SURFACE***

	STORET NUMBER	TESTING INTERVAL (MONTHS)*	LAST TEST DATE (yyyy/mm/dd)	LAST RESULT REPORTED	NEXT TEST DATE (yyyy/mm)	
REGULATED VOC						
1,3-DICHLOROPROPENE (TOTAL)	34561	WAIVED	2008/09/16	.000		
1,4-DICHLOROBENZENE	34571	WAIVED	2008/09/16	.000		
BENZENE	34030	WAIVED	2008/09/16	.000		
CARBON TETRACHLORIDE	32102	WAIVED	2008/09/16	.000		
CIS-1,2-DICHLOROETHYLENE	77093	WAIVED	2008/09/16	.000		
DICHLOROMETHANE	34423	000				**DUE**
ETHYLBENZENE	34371	WAIVED	2008/09/16	.000		
METHYL-TERT-BUTYL-ETHER (MTBE)	46491	WAIVED	2008/09/16	.000		
MONOCHLOROBENZENE	34301	WAIVED	2008/09/16	.000		
STYRENE	77128	WAIVED	2008/09/16	.000		
TETRACHLOROETHYLENE	34475	WAIVED	2008/09/16	.000		
TOLUENE	34010	WAIVED	2008/09/16	.000		
TRANS-1,2-DICHLOROETHYLENE	34546	WAIVED	2008/09/16	.000		
TRICHLOROETHYLENE	39180	WAIVED	2008/09/16	.000		
TRICHLOROFLUOROMETHANE	34488	WAIVED	2008/09/16	.000		
VINYL CHLORIDE	39175	WAIVED	2008/09/16	.000		
XYLENES (TOTAL)	81551	000				**DUE**
SECONDARY/GP						
AGGRSSIVE INDEX (CORROSIVITY)	82383	WAIVED				
BICARBONATE ALKALINITY	00440	108	2012/03/22	23.300	2021/03	
CALCIUM	00916	000				**DUE**
CARBONATE ALKALINITY	00445	108	2012/03/22	.000	2021/03	
CHLORIDE	00940	012				**DUE**
COLOR	00081	WAIVED				
COPPER	01042	012				**DUE**
FOAMING AGENTS (MBAS)	38260	012				**DUE**
HARDNESS (TOTAL) AS CACO3	00900	000				**DUE**
HYDROXIDE ALKALINITY	71830	108	2012/03/22	.000	2021/03	
IRON	01045	012				**DUE**

**Testing interval is in months;*
0 = No data for this constituent and is DUE NOW
999 = Waived testing (not required)
I = Invalid (NOT) valid analyses reported

System Number: ***3100041***

System Name: ***ALPINE MEADOWS PROPERTY OWNERS ASSO***

PS Code: ***3100041-002***

Source Name: ***PCWA CANAL***

Source Number: ***002***

Source Status: ***ACTIVE RAW***

Water type: ***SURFACE***

SECONDARY/GP

	STORET NUMBER	TESTING INTERVAL (MONTHS)*	LAST TEST DATE (yyyy/mm/dd)	LAST RESULT REPORTED	NEXT TEST DATE (yyyy/mm)	
MAGNESIUM	00927	000				DUE
MANGANESE	01055	012				DUE
ODOR THRESHOLD @ 60 C	00086	WAIVED				
PH, LABORATORY	00403	WAIVED				
SILVER	01077	012				DUE
SODIUM	00929	000				DUE
SPECIFIC CONDUCTANCE	00095	012	2008/09/16	33.000	2009/09	DUE
SULFATE	00945	012				DUE
TOTAL DISSOLVED SOLIDS	70300	012				DUE
TURBIDITY, LABORATORY	82079	WAIVED				
ZINC	01092	012				DUE

**Testing interval is in months;*
0 = No data for this constituent and is DUE NOW
999 = Waived testing (not required)
I = Invalid (NOT) valid analyses reported

System Number: ***3100043***

System Name: ***GOLD HILL MOBILEHOME PARK***

PS Code: ***3100043-002***

Source Name: ***WELL 02 DRILLED 1995***

Source Number: ***002***

Source Status: ***ACTIVE UNTREATED***

Water type: ***GROUNDWATER OR WELL***

	STORET NUMBER	TESTING INTERVAL (MONTHS)*	LAST TEST DATE (yyyy/mm/dd)	LAST RESULT REPORTED	NEXT TEST DATE (yyyy/mm)	
GENERAL NON CHAP 15						
DIAZINON	39570	WAIVED				
INORGANIC						
ALUMINUM	01105	108	2010/05/05	.000	2019/05	
ANTIMONY	01097	108	2010/05/05	.000	2019/05	
ARSENIC	01002	108	2010/05/05	.000	2019/05	
ASBESTOS	81855	WAIVED	2010/05/05	.000		
BARIUM	01007	108	2010/05/05	.000	2019/05	
BERYLLIUM	01012	108	2010/05/05	.000	2019/05	
CADMIUM	01027	108	2010/05/05	.000	2019/05	
CHROMIUM (TOTAL)	01034	108	2010/05/05	.000	2019/05	
CYANIDE	01291	WAIVED	2007/05/02	.000		
FLUORIDE (F) (NATURAL-SOURCE)	00951	108	2010/05/05	.000	2019/05	
LEAD	01051	WAIVED				
MERCURY	71900	036	**2007/05/02**	< 1.000	**2010/05**	**DUE**
NICKEL	01067	108	2010/05/05	.000	2019/05	
PERCHLORATE	A-031	036	2009/09/23	.000	2012/09	
SELENIUM	01147	108	2010/05/05	.000	2019/05	
THALLIUM	01059	108	2010/05/05	.000	2019/05	
NITRATE/NITRITE						
NITRATE (AS NO3)	71850	012	2011/05/04	9.250	2012/05	
NITRITE (AS N)	00620	036	2010/05/05	.000	2013/05	
RADIOLOGICAL						
GROSS ALPHA	01501	108	2011/11/23	1.540	2020/11	
GROSS BETA	03501	WAIVED				
RA-226 FOR CWS OR TOTAL RA FOR NTNC BY 903.0	A-080	WAIVED	2011/11/23	.207		
RA-226 OR TOTAL RA BY 903.0 C.E.	A-081	WAIVED	2011/11/23	.321		
RADIUM 226	09501	WAIVED				
RADIUM 228	11501	003	**2011/11/23**	.000	**2012/02**	**DUE**

**Testing interval is in months;*
0 = No data for this constituent and is DUE NOW
999 = Waived testing (not required)
I = Invalid (NOT) valid analyses reported

System Number: ***3100043***

System Name: ***GOLD HILL MOBILEHOME PARK***

PS Code: ***3100043-002***

Source Name: ***WELL 02 DRILLED 1995***

Source Number: ***002***

Source Status: ***ACTIVE UNTREATED***

Water type: ***GROUNDWATER OR WELL***

	STORET NUMBER	TESTING INTERVAL (MONTHS)*	LAST TEST DATE (yyyy/mm/dd)	LAST RESULT REPORTED	NEXT TEST DATE (yyyy/mm)
RADIOLOGICAL					
RADIUM, TOTAL, MDA95-NTNC ONLY, BY 903.0	A-082	WAIVED	2011/11/23	.439	
STRONTIUM-90	13501	WAIVED			
TRITIUM	07000	WAIVED			
URANIUM (PCI/L)	28012	WAIVED			
REGULATED SOC					
2,3,7,8-TCDD (DIOXIN)	34676	WAIVED			
2,4,5-TP (SILVEX)	39045	WAIVED			
2,4-D	39730	WAIVED			
ALACHLOR	77825	WAIVED			
ATRAZINE	39033	WAIVED			
BENTAZON	38710	WAIVED			
BENZO (A) PYRENE	34247	WAIVED			
CARBOFURAN	81405	WAIVED			
CHLORDANE	39350	WAIVED			
DALAPON	38432	WAIVED			
DI(2-ETHYLHEXYL)ADIPATE	A-026	WAIVED			
DI(2-ETHYLHEXYL)PHTHALATE	39100	WAIVED			
DIBROMOCHLOROPROPANE (DBCP)	38761	WAIVED			
DINOSEB	81287	WAIVED			
DIQUAT	78885	WAIVED			
ENDOTHALL	38926	WAIVED			
ENDRIN	39390	WAIVED			
ETHYLENE DIBROMIDE (EDB)	77651	WAIVED			
GLYPHOSATE	79743	WAIVED			
HEPTACHLOR	39410	WAIVED			
HEPTACHLOR EPOXIDE	39420	WAIVED			
HEXACHLOROBENZENE	39700	WAIVED			
HEXACHLOROCYCLOPENTADIENE	34386	WAIVED			
LINDANE	39340	WAIVED			

**Testing interval is in months;*
0 = No data for this constituent and is DUE NOW
999 = Waived testing (not required)
I = Invalid (NOT) valid analyses reported

System Number: ***3100043***

System Name: ***GOLD HILL MOBILEHOME PARK***

PS Code: ***3100043-002***

Source Name: ***WELL 02 DRILLED 1995***

Source Number: ***002***

Source Status: ***ACTIVE UNTREATED***

Water type: ***GROUNDWATER OR WELL***

	STORET NUMBER	TESTING INTERVAL (MONTHS)*	LAST TEST DATE (yyyy/mm/dd)	LAST RESULT REPORTED	NEXT TEST DATE (yyyy/mm)	
REGULATED SOC						
METHOXYCHLOR	39480	WAIVED				
MOLINATE	82199	WAIVED				
OXAMYL	38865	WAIVED				
PENTACHLOROPHENOL	39032	WAIVED				
PICLORAM	39720	WAIVED				
POLYCHLORINATED BIPHENYLS, TOTAL, AS DCB	39516	WAIVED				
SIMAZINE	39055	WAIVED				
THIOBENCARB	A-001	WAIVED				
TOXAPHENE	39400	WAIVED				
REGULATED VOC						
1,1,1-TRICHLOROETHANE	34506	072	2007/05/02	< .500	2013/05	
1,1,2,2-TETRACHLOROETHANE	34516	072	2007/05/02	< .500	2013/05	
1,1,2-TRICHLORO-1,2,2-TRIFLUOROETHANE	81611	072	2007/05/02	< 10.000	2013/05	
1,1,2-TRICHLOROETHANE	34511	072	2007/05/02	< .500	2013/05	
1,1-DICHLOROETHANE	34496	072	2007/05/02	< .500	2013/05	
1,1-DICHLOROETHYLENE	34501	072	2007/05/02	< .500	2013/05	
1,2,4-TRICHLOROBENZENE	34551	072	2007/05/02	< .500	2013/05	
1,2-DICHLOROBENZENE	34536	072	2007/05/02	< .500	2013/05	
1,2-DICHLOROETHANE	34531	072	2007/05/02	< .500	2013/05	
1,2-DICHLOROPROPANE	34541	072	2007/05/02	< .500	2013/05	
1,3-DICHLOROPROPENE (TOTAL)	34561	072	2007/05/02	< .500	2013/05	
1,4-DICHLOROBENZENE	34571	072	2007/05/02	< .500	2013/05	
BENZENE	34030	072	2007/05/02	< .500	2013/05	
CARBON TETRACHLORIDE	32102	072	2007/05/02	< 1.000	2013/05	
CIS-1,2-DICHLOROETHYLENE	77093	072	2007/05/02	< .500	2013/05	
DICHLOROMETHANE	34423	072	**2004/05/19**	.000	**2010/05**	**DUE**
ETHYLBENZENE	34371	072	2007/05/02	< .500	2013/05	
METHYL-TERT-BUTYL-ETHER (MTBE)	46491	072	2007/05/02	< 3.000	2013/05	
MONOCHLOROBENZENE	34301	072	2007/05/02	< .500	2013/05	

**Testing interval is in months;*
0 = No data for this constituent and is DUE NOW
999 = Waived testing (not required)
I = Invalid (NOT) valid analyses reported

System Number: ***3100043***

System Name: ***GOLD HILL MOBILEHOME PARK***

PS Code: ***3100043-002***

Source Name: ***WELL 02 DRILLED 1995***

Source Number: ***002***

Source Status: ***ACTIVE UNTREATED***

Water type: ***GROUNDWATER OR WELL***

	STORET NUMBER	TESTING INTERVAL (MONTHS)*	LAST TEST DATE (yyyy/mm/dd)	LAST RESULT REPORTED	NEXT TEST DATE (yyyy/mm)	
REGULATED VOC						
STYRENE	77128	072	2007/05/02	< .500	2013/05	
TETRACHLOROETHYLENE	34475	072	2007/05/02	< 4.000	2013/05	
TOLUENE	34010	072	2007/05/02	< .500	2013/05	
TRANS-1,2-DICHLOROETHYLENE	34546	072	2007/05/02	< .500	2013/05	
TRICHLOROETHYLENE	39180	072	2007/05/02	< .500	2013/05	
TRICHLOROFLUOROMETHANE	34488	072	2007/05/02	< 5.000	2013/05	
VINYL CHLORIDE	39175	072	2007/05/02	< .500	2013/05	
XYLENES (TOTAL)	81551	072	2007/05/02	< .500	2013/05	
SECONDARY/GP						
AGGRSSIVE INDEX (CORROSIVITY)	82383	WAIVED	2007/05/02	10.300		
BICARBONATE ALKALINITY	00440	108	2010/05/05	124.000	2019/05	
CALCIUM	00916	108	2010/05/05	19.400	2019/05	
CARBONATE ALKALINITY	00445	108	2010/05/05	.000	2019/05	
CHLORIDE	00940	036	**2007/05/02**	12.200	**2010/05**	**DUE**
COLOR	00081	108	2010/05/05	.000	2019/05	
COPPER	01042	108	2010/05/05	11.000	2019/05	
FOAMING AGENTS (MBAS)	38260	108	2010/05/05	.000	2019/05	
HARDNESS (TOTAL) AS CACO3	00900	108	2010/05/05	95.000	2019/05	
HYDROXIDE ALKALINITY	71830	108	2010/05/05	.000	2019/05	
IRON	01045	108	2010/05/05	.000	2019/05	
MAGNESIUM	00927	108	2010/05/05	11.300	2019/05	
MANGANESE	01055	108	2010/05/05	.000	2019/05	
ODOR THRESHOLD @ 60 C	00086	108	2010/05/05	.000	2019/05	
PH, LABORATORY	00403	108	2010/05/05	7.100	2019/05	
SILVER	01077	108	2010/05/05	.000	2019/05	
SODIUM	00929	108	2010/05/05	15.000	2019/05	
SPECIFIC CONDUCTANCE	00095	108	2010/05/05	272.000	2019/05	
SULFATE	00945	108	2010/05/05	14.500	2019/05	
TOTAL DISSOLVED SOLIDS	70300	108	2010/05/05	79.000	2019/05	

**Testing interval is in months;*
0 = No data for this constituent and is DUE NOW
999 = Waived testing (not required)
I = Invalid (NOT) valid analyses reported

System Number: ***3100043***

System Name: ***GOLD HILL MOBILEHOME PARK***

PS Code: ***3100043-002***

Source Name: ***WELL 02 DRILLED 1995***

Source Number: ***002***

Source Status: ***ACTIVE UNTREATED***

Water type: ***GROUNDWATER OR WELL***

	STORET NUMBER	TESTING INTERVAL (MONTHS)*	LAST TEST DATE (yyyy/mm/dd)	LAST RESULT REPORTED	NEXT TEST DATE (yyyy/mm)
SECONDARY/GP					
TURBIDITY, LABORATORY	**82079**	**108**	2010/05/05	**.000**	2019/05
ZINC	**01092**	**108**	2010/05/05	**.000**	2019/05

**Testing interval is in months;*
0 = No data for this constituent and is DUE NOW
999 = Waived testing (not required)
I = Invalid (NOT) valid analyses reported

System Number: ***3100048***

System Name: ***IMMACULATE CONCEPTION***

PS Code: ***3100048-001***

Source Name: ***WELL#1***

Source Number: ***001***

Source Status: ***ACTIVE UNTREATED***

Water type: ***GROUNDWATER OR WELL***

	STORET NUMBER	TESTING INTERVAL (MONTHS)*	LAST TEST DATE (yyyy/mm/dd)	LAST RESULT REPORTED	NEXT TEST DATE (yyyy/mm)	
GENERAL NON CHAP 15						
DIAZINON	39570	WAIVED				
INORGANIC						
ALUMINUM	01105	036	2009/04/13	.000	2012/04	
ANTIMONY	01097	036				**DUE**
ARSENIC	01002	036	2009/04/13	.000	2012/04	
ASBESTOS	81855	WAIVED				
BARIUM	01007	036	2009/04/13	12.100	2012/04	
BERYLLIUM	01012	036	2009/04/13	.000	2012/04	
CADMIUM	01027	036	2009/04/13	.000	2012/04	
CHROMIUM (TOTAL)	01034	036	2009/04/13	1.700	2012/04	
CYANIDE	01291	WAIVED				
FLUORIDE (F) (NATURAL-SOURCE)	00951	036	2009/04/13	.000	2012/04	
LEAD	01051	WAIVED				
MERCURY	71900	036	2009/04/13	.000	2012/04	
NICKEL	01067	036	2009/04/13	.000	2012/04	
PERCHLORATE	A-031	006	**2009/01/05**	.000	**2009/07**	**DUE**
SELENIUM	01147	036	2009/04/13	.000	2012/04	
THALLIUM	01059	036	2009/04/13	.000	2012/04	
NITRATE/NITRITE						
NITRATE (AS NO3)	71850	012	**2009/04/13**	.000	**2010/04**	**DUE**
NITRITE (AS N)	00620	036	2009/04/13	.000	2012/04	
RADIOLOGICAL						
GROSS ALPHA	01501	003				**DUE**
GROSS BETA	03501	WAIVED				
RA-226 FOR CWS OR TOTAL RA FOR NTNC BY 903.0	A-080	WAIVED				
RA-226 OR TOTAL RA BY 903.0 C.E.	A-081	WAIVED				
RADIUM 226	09501	WAIVED				
RADIUM 228	11501	WAIVED				

**Testing interval is in months;*
0 = No data for this constituent and is DUE NOW
999 = Waived testing (not required)
I = Invalid (NOT) valid analyses reported

System Number: ***3100048***

System Name: ***IMMACULATE CONCEPTION***

PS Code: ***3100048-001***

Source Name: ***WELL#1***

Source Number: ***001***

Source Status: ***ACTIVE UNTREATED***

Water type: ***GROUNDWATER OR WELL***

	STORET NUMBER	TESTING INTERVAL (MONTHS)*	LAST TEST DATE (yyyy/mm/dd)	LAST RESULT REPORTED	NEXT TEST DATE (yyyy/mm)
RADIOLOGICAL					
RADIUM, TOTAL, MDA95-NTNC ONLY, BY 903.0	A-082	WAIVED			
STRONTIUM-90	13501	WAIVED			
TRITIUM	07000	WAIVED			
URANIUM (PCI/L)	28012	WAIVED			
REGULATED SOC					
2,3,7,8-TCDD (DIOXIN)	34676	WAIVED			
2,4,5-TP (SILVEX)	39045	WAIVED			
2,4-D	39730	WAIVED			
ALACHLOR	77825	WAIVED			
ATRAZINE	39033	WAIVED			
BENTAZON	38710	WAIVED			
BENZO (A) PYRENE	34247	WAIVED			
CARBOFURAN	81405	WAIVED			
CHLORDANE	39350	WAIVED			
DALAPON	38432	WAIVED			
DI(2-ETHYLHEXYL)ADIPATE	A-026	WAIVED			
DI(2-ETHYLHEXYL)PHTHALATE	39100	WAIVED			
DIBROMOCHLOROPROPANE (DBCP)	38761	WAIVED			
DINOSEB	81287	WAIVED			
DIQUAT	78885	WAIVED			
ENDOTHALL	38926	WAIVED			
ENDRIN	39390	WAIVED			
ETHYLENE DIBROMIDE (EDB)	77651	WAIVED			
GLYPHOSATE	79743	WAIVED			
HEPTACHLOR	39410	WAIVED			
HEPTACHLOR EPOXIDE	39420	WAIVED			
HEXACHLOROBENZENE	39700	WAIVED			
HEXACHLOROCYCLOPENTADIENE	34386	WAIVED			
LINDANE	39340	WAIVED			

**Testing interval is in months;*
0 = No data for this constituent and is DUE NOW
999 = Waived testing (not required)
I = Invalid (NOT) valid analyses reported

System Number: ***3100048***

System Name: ***IMMACULATE CONCEPTION***

PS Code: ***3100048-001***

Source Name: ***WELL#1***

Source Number: ***001***

Source Status: ***ACTIVE UNTREATED***

Water type: ***GROUNDWATER OR WELL***

	STORET NUMBER	TESTING INTERVAL (MONTHS)*	LAST TEST DATE (yyyy/mm/dd)	LAST RESULT REPORTED	NEXT TEST DATE (yyyy/mm)	
REGULATED SOC						
METHOXYCHLOR	39480	WAIVED				
MOLINATE	82199	WAIVED				
OXAMYL	38865	WAIVED				
PENTACHLOROPHENOL	39032	WAIVED				
PICLORAM	39720	WAIVED				
POLYCHLORINATED BIPHENYLS, TOTAL, AS DCB	39516	WAIVED				
SIMAZINE	39055	WAIVED				
THIOBENCARB	A-001	WAIVED				
TOXAPHENE	39400	WAIVED				
REGULATED VOC						
1,1,1-TRICHLOROETHANE	34506	072	1988/04/19	.000	1994/04	DUE
1,1,2,2-TETRACHLOROETHANE	34516	072	1988/04/19	.000	1994/04	DUE
1,1,2-TRICHLORO-1,2,2-TRIFLUOROETHANE	81611	072	1988/04/19	.000	1994/04	DUE
1,1,2-TRICHLOROETHANE	34511	072	1988/04/19	.000	1994/04	DUE
1,1-DICHLOROETHANE	34496	072	1988/04/19	.000	1994/04	DUE
1,1-DICHLOROETHYLENE	34501	072	1988/04/19	.000	1994/04	DUE
1,2,4-TRICHLOROBENZENE	34551	000				DUE
1,2-DICHLOROBENZENE	34536	072	1988/04/19	.000	1994/04	DUE
1,2-DICHLOROETHANE	34531	072	1988/04/19	.000	1994/04	DUE
1,2-DICHLOROPROPANE	34541	000				DUE
1,3-DICHLOROPROPENE (TOTAL)	34561	000				DUE
1,4-DICHLOROBENZENE	34571	072	1988/04/19	.000	1994/04	DUE
BENZENE	34030	072	1988/04/19	.000	1994/04	DUE
CARBON TETRACHLORIDE	32102	072	1988/04/19	.000	1994/04	DUE
CIS-1,2-DICHLOROETHYLENE	77093	072	1988/04/19	.000	1994/04	DUE
DICHLOROMETHANE	34423	072	1988/04/19	.000	1994/04	DUE
ETHYLBENZENE	34371	072	1988/04/19	.000	1994/04	DUE
METHYL-TERT-BUTYL-ETHER (MTBE)	46491	000				DUE
MONOCHLOROBENZENE	34301	072	1988/04/19	.000	1994/04	DUE

**Testing interval is in months;*
0 = No data for this constituent and is DUE NOW
999 = Waived testing (not required)
I = Invalid (NOT) valid analyses reported

System Number: ***3100048***

System Name: ***IMMACULATE CONCEPTION***

PS Code: ***3100048-001***

Source Name: ***WELL#1***

Source Number: ***001***

Source Status: ***ACTIVE UNTREATED***

Water type: ***GROUNDWATER OR WELL***

	STORET NUMBER	TESTING INTERVAL (MONTHS)*	LAST TEST DATE (yyyy/mm/dd)	LAST RESULT REPORTED	NEXT TEST DATE (yyyy/mm)	
REGULATED VOC						
STYRENE	77128	000				DUE
TETRACHLOROETHYLENE	34475	072	1988/04/19	.000	1994/04	DUE
TOLUENE	34010	072	1988/04/19	.000	1994/04	DUE
TRANS-1,2-DICHLOROETHYLENE	34546	072	1988/04/19	.000	1994/04	DUE
TRICHLOROETHYLENE	39180	072	1988/04/19	.000	1994/04	DUE
TRICHLOROFLUOROMETHANE	34488	072	1988/04/19	.000	1994/04	DUE
VINYL CHLORIDE	39175	072	1988/04/19	.000	1994/04	DUE
XYLENES (TOTAL)	81551	072	1988/04/19	.000	1994/04	DUE
SECONDARY/GP						
AGGRSSIVE INDEX (CORROSIVITY)	82383	WAIVED				
BICARBONATE ALKALINITY	00440	000				DUE
CALCIUM	00916	000				DUE
CARBONATE ALKALINITY	00445	000				DUE
CHLORIDE	00940	WAIVED				
COLOR	00081	WAIVED				
COPPER	01042	WAIVED				
FOAMING AGENTS (MBAS)	38260	WAIVED				
HARDNESS (TOTAL) AS CACO3	00900	000				DUE
HYDROXIDE ALKALINITY	71830	000				DUE
IRON	01045	000				DUE
MAGNESIUM	00927	000				DUE
MANGANESE	01055	000				DUE
ODOR THRESHOLD @ 60 C	00086	WAIVED				
PH, LABORATORY	00403	000				DUE
SILVER	01077	WAIVED				
SODIUM	00929	000				DUE
SPECIFIC CONDUCTANCE	00095	WAIVED	2009/01/05	250.000		
SULFATE	00945	WAIVED				
TOTAL DISSOLVED SOLIDS	70300	WAIVED				

**Testing interval is in months;*
0 = No data for this constituent and is DUE NOW
999 = Waived testing (not required)
I = Invalid (NOT) valid analyses reported

System Number: ***3100048***

System Name: ***IMMACULATE CONCEPTION***

PS Code: ***3100048-001***

Source Name: ***WELL#1***

Source Number: ***001***

Source Status: ***ACTIVE UNTREATED***

Water type: ***GROUNDWATER OR WELL***

SECONDARY/GP	STORET NUMBER	TESTING INTERVAL (MONTHS)*	LAST TEST DATE (yyyy/mm/dd)	LAST RESULT REPORTED	NEXT TEST DATE (yyyy/mm)
TURBIDITY, LABORATORY	82079	WAIVED			
ZINC	01092	WAIVED			

**Testing interval is in months;*
0 = No data for this constituent and is DUE NOW
999 = Waived testing (not required)
I = Invalid (NOT) valid analyses reported

System Number: ***3100058***

System Name: ***DUTCH FLAT MUTUAL***

PS Code: ***3100058-001***

Source Name: ***SURFACE WATER TREATMENT PLANT-TREATED***

Source Number: ***001***

Source Status: ***ACTIVE TREATED***

Water type: ***SURFACE***

	STORET NUMBER	TESTING INTERVAL (MONTHS)*	LAST TEST DATE (yyyy/mm/dd)	LAST RESULT REPORTED	NEXT TEST DATE (yyyy/mm)
GENERAL NON CHAP 15					
DIAZINON	39570	WAIVED			
INORGANIC					
ALUMINUM	01105	WAIVED	1997/05/20	< 50.000	
ANTIMONY	01097	WAIVED	1997/05/20	< 6.000	
ARSENIC	01002	WAIVED	1997/05/20	< 2.000	
ASBESTOS	81855	WAIVED			
BARIUM	01007	WAIVED	1997/05/20	< 100.000	
BERYLLIUM	01012	WAIVED	1997/05/20	< 1.000	
CADMIUM	01027	WAIVED	1997/05/20	< 1.000	
CHROMIUM (TOTAL)	01034	WAIVED	1997/05/20	< 10.000	
CYANIDE	01291	WAIVED			
FLUORIDE (F) (NATURAL-SOURCE)	00951	WAIVED	1997/05/20	< .100	
LEAD	01051	WAIVED			
MERCURY	71900	WAIVED	1997/05/20	< 1.000	
NICKEL	01067	WAIVED	1997/05/20	< 10.000	
PERCHLORATE	A-031	WAIVED	2008/08/13	.000	
SELENIUM	01147	WAIVED	1997/05/20	< 5.000	
THALLIUM	01059	WAIVED	1997/05/20	< 1.000	
NITRATE/NITRITE					
NITRATE (AS NO3)	71850	WAIVED	2003/03/12	< 2.000	
NITRITE (AS N)	00620	WAIVED	2003/03/12	< 400.000	
RADIOLOGICAL					
GROSS ALPHA	01501	WAIVED			
GROSS BETA	03501	WAIVED			
RA-226 FOR CWS OR TOTAL RA FOR NTNC BY 903.0	A-080	WAIVED			
RA-226 OR TOTAL RA BY 903.0 C.E.	A-081	WAIVED			
RADIUM 226	09501	WAIVED			
RADIUM 228	11501	WAIVED			

**Testing interval is in months;*
0 = No data for this constituent and is DUE NOW
999 = Waived testing (not required)
I = Invalid (NOT) valid analyses reported

System Number: ***3100058***

System Name: ***DUTCH FLAT MUTUAL***

PS Code: ***3100058-001***

Source Name: ***SURFACE WATER TREATMENT PLANT-TREATED***

Source Number: ***001***

Source Status: ***ACTIVE TREATED***

Water type: ***SURFACE***

	STORET NUMBER	TESTING INTERVAL (MONTHS)*	LAST TEST DATE (yyyy/mm/dd)	LAST RESULT REPORTED	NEXT TEST DATE (yyyy/mm)
RADIOLOGICAL					
RADIUM, TOTAL, MDA95-NTNC ONLY, BY 903.0	A-082	WAIVED			
STRONTIUM-90	13501	WAIVED			
TRITIUM	07000	WAIVED			
URANIUM (PCI/L)	28012	WAIVED			
REGULATED SOC					
2,3,7,8-TCDD (DIOXIN)	34676	WAIVED			
2,4,5-TP (SILVEX)	39045	WAIVED			
2,4-D	39730	WAIVED			
ALACHLOR	77825	WAIVED			
ATRAZINE	39033	WAIVED			
BENTAZON	38710	WAIVED			
BENZO (A) PYRENE	34247	WAIVED			
CARBOFURAN	81405	WAIVED			
CHLORDANE	39350	WAIVED			
DALAPON	38432	WAIVED			
DI(2-ETHYLHEXYL)ADIPATE	A-026	WAIVED			
DI(2-ETHYLHEXYL)PHTHALATE	39100	WAIVED			
DIBROMOCHLOROPROPANE (DBCP)	38761	WAIVED			
DINOSEB	81287	WAIVED			
DIQUAT	78885	WAIVED			
ENDOTHALL	38926	WAIVED			
ENDRIN	39390	WAIVED			
ETHYLENE DIBROMIDE (EDB)	77651	WAIVED			
GLYPHOSATE	79743	WAIVED			
HEPTACHLOR	39410	WAIVED			
HEPTACHLOR EPOXIDE	39420	WAIVED			
HEXACHLOROBENZENE	39700	WAIVED			
HEXACHLOROCYCLOPENTADIENE	34386	WAIVED			
LINDANE	39340	WAIVED			

**Testing interval is in months;*
0 = No data for this constituent and is DUE NOW
999 = Waived testing (not required)
I = Invalid (NOT) valid analyses reported

System Number: ***3100058***

System Name: ***DUTCH FLAT MUTUAL***

PS Code: ***3100058-001***

Source Name: ***SURFACE WATER TREATMENT PLANT-TREATED***

Source Number: ***001***

Source Status: ***ACTIVE TREATED***

Water type: ***SURFACE***

	STORET NUMBER	TESTING INTERVAL (MONTHS)*	LAST TEST DATE (yyyy/mm/dd)	LAST RESULT REPORTED	NEXT TEST DATE (yyyy/mm)
REGULATED SOC					
METHOXYCHLOR	39480	WAIVED			
MOLINATE	82199	WAIVED			
OXAMYL	38865	WAIVED			
PENTACHLOROPHENOL	39032	WAIVED			
PICLORAM	39720	WAIVED			
POLYCHLORINATED BIPHENYLS, TOTAL, AS DCB	39516	WAIVED			
SIMAZINE	39055	WAIVED			
THIOBENCARB	A-001	WAIVED			
TOXAPHENE	39400	WAIVED			
REGULATED VOC					
1,1,1-TRICHLOROETHANE	34506	WAIVED			
1,1,2,2-TETRACHLOROETHANE	34516	WAIVED			
1,1,2-TRICHLORO-1,2,2-TRIFLUOROETHANE	81611	WAIVED			
1,1,2-TRICHLOROETHANE	34511	WAIVED			
1,1-DICHLOROETHANE	34496	WAIVED			
1,1-DICHLOROETHYLENE	34501	WAIVED			
1,2,4-TRICHLOROBENZENE	34551	WAIVED			
1,2-DICHLOROBENZENE	34536	WAIVED			
1,2-DICHLOROETHANE	34531	WAIVED			
1,2-DICHLOROPROPANE	34541	WAIVED			
1,3-DICHLOROPROPENE (TOTAL)	34561	WAIVED			
1,4-DICHLOROBENZENE	34571	WAIVED			
BENZENE	34030	WAIVED			
CARBON TETRACHLORIDE	32102	WAIVED			
CIS-1,2-DICHLOROETHYLENE	77093	WAIVED			
DICHLOROMETHANE	34423	WAIVED			
ETHYLBENZENE	34371	WAIVED			
METHYL-TERT-BUTYL-ETHER (MTBE)	46491	WAIVED			
MONOCHLOROBENZENE	34301	WAIVED			

**Testing interval is in months;*
0 = No data for this constituent and is DUE NOW
999 = Waived testing (not required)
I = Invalid (NOT) valid analyses reported

System Number: ***3100058***

System Name: ***DUTCH FLAT MUTUAL***

PS Code: ***3100058-001***

Source Name: ***SURFACE WATER TREATMENT PLANT-TREATED***

Source Number: ***001***

Source Status: ***ACTIVE TREATED***

Water type: ***SURFACE***

	STORET NUMBER	TESTING INTERVAL (MONTHS)*	LAST TEST DATE (yyyy/mm/dd)	LAST RESULT REPORTED	NEXT TEST DATE (yyyy/mm)
REGULATED VOC					
STYRENE	77128	WAIVED			
TETRACHLOROETHYLENE	34475	WAIVED			
TOLUENE	34010	WAIVED			
TRANS-1,2-DICHLOROETHYLENE	34546	WAIVED			
TRICHLOROETHYLENE	39180	WAIVED			
TRICHLOROFLUOROMETHANE	34488	WAIVED			
VINYL CHLORIDE	39175	WAIVED			
XYLENES (TOTAL)	81551	WAIVED			
SECONDARY/GP					
AGGRSSIVE INDEX (CORROSIVITY)	82383	WAIVED	1997/05/20	9.800	
BICARBONATE ALKALINITY	00440	WAIVED	2009/08/13	15.000	
CALCIUM	00916	WAIVED	1997/05/20	3.600	
CARBONATE ALKALINITY	00445	WAIVED	2009/08/13	.000	
CHLORIDE	00940	WAIVED	1997/05/20	3.500	
COLOR	00081	WAIVED	1997/05/20	< 3.000	
COPPER	01042	WAIVED	1997/05/20	< 50.000	
FOAMING AGENTS (MBAS)	38260	WAIVED	1997/05/20	< .050	
HARDNESS (TOTAL) AS CACO3	00900	WAIVED	1997/05/20	14.000	
HYDROXIDE ALKALINITY	71830	WAIVED	2009/08/13	.000	
IRON	01045	WAIVED	1997/05/20	< 100.000	
MAGNESIUM	00927	WAIVED	1997/05/20	.900	
MANGANESE	01055	WAIVED	1997/05/20	< 30.000	
ODOR THRESHOLD @ 60 C	00086	WAIVED	1997/05/20	8.000	
PH, LABORATORY	00403	WAIVED	1997/05/20	7.700	
SILVER	01077	WAIVED	1997/05/20	< 10.000	
SODIUM	00929	WAIVED	1997/05/20	4.400	
SPECIFIC CONDUCTANCE	00095	WAIVED	2008/08/13	54.000	
SULFATE	00945	WAIVED	1997/05/20	4.800	
TOTAL DISSOLVED SOLIDS	70300	WAIVED	1997/05/20	42.000	

**Testing interval is in months;*
0 = No data for this constituent and is DUE NOW
999 = Waived testing (not required)
I = Invalid (NOT) valid analyses reported

System Number: ***3100058***

System Name: ***DUTCH FLAT MUTUAL***

PS Code: ***3100058-001***

Source Name: ***SURFACE WATER TREATMENT PLANT-TREATED***

Source Number: ***001***

Source Status: ***ACTIVE TREATED***

Water type: ***SURFACE***

SECONDARY/GP

	STORET NUMBER	TESTING INTERVAL (MONTHS)*	LAST TEST DATE (yyyy/mm/dd)	LAST RESULT REPORTED	NEXT TEST DATE (yyyy/mm)	
TURBIDITY, LABORATORY	82079	WAIVED	1997/05/20	< .100		
ZINC	01092	WAIVED	1997/05/20	< 50.000		

PS Code: ***3100058-002***

Source Name: ***PCWA CANAL***

Source Number: ***002***

Source Status: ***ACTIVE RAW***

Water type: ***SURFACE***

GENERAL NON CHAP 15

DIAZINON	39570	WAIVED				

INORGANIC

ALUMINUM	01105	012	2011/12/08	.000	2012/12	
ANTIMONY	01097	012	2011/05/12	.000	2012/05	
ARSENIC	01002	012	2011/05/12	.000	2012/05	
ASBESTOS	81855	000				**DUE**
BARIUM	01007	012	2011/05/12	36.100	2012/05	
BERYLLIUM	01012	012	2011/05/12	.000	2012/05	
CADMIUM	01027	012	2011/05/12	.000	2012/05	
CHROMIUM (TOTAL)	01034	012	2011/05/12	.000	2012/05	
CYANIDE	01291	036				**DUE**
FLUORIDE (F) (NATURAL-SOURCE)	00951	012	2011/05/12	.000	2012/05	
LEAD	01051	036				**DUE**
MERCURY	71900	012	2011/05/12	.000	2012/05	
NICKEL	01067	012	2011/05/12	.000	2012/05	
PERCHLORATE	A-031	012	2011/06/16	< .000	2012/06	
SELENIUM	01147	012	2011/05/12	.000	2012/05	
THALLIUM	01059	012	2011/05/12	.000	2012/05	

**Testing interval is in months;*
0 = No data for this constituent and is DUE NOW
999 = Waived testing (not required)
I = Invalid (NOT) valid analyses reported

System Number: ***3100058***

System Name: ***DUTCH FLAT MUTUAL***

PS Code: ***3100058-002***

Source Name: ***PCWA CANAL***

Source Number: ***002***

Source Status: ***ACTIVE RAW***

Water type: ***SURFACE***

	STORET NUMBER	TESTING INTERVAL (MONTHS)*	LAST TEST DATE (yyyy/mm/dd)	LAST RESULT REPORTED	NEXT TEST DATE (yyyy/mm)	
NITRATE/NITRITE						
NITRATE (AS NO3)	71850	003	2011/05/12	.000	2011/08	DUE
NITRITE (AS N)	00620	036	2011/05/12	.000	2014/05	
RADIOLOGICAL						
GROSS ALPHA	01501	108	2011/09/08	.158	2020/09	
GROSS BETA	03501	WAIVED				
RA-226 FOR CWS OR TOTAL RA FOR NTNC BY 903.0	A-080	WAIVED				
RA-226 OR TOTAL RA BY 903.0 C.E.	A-081	WAIVED				
RADIUM 226	09501	WAIVED				
RADIUM 228	11501	003	2011/12/08	.000	2012/03	DUE
RADIUM, TOTAL, MDA95-NTNC ONLY, BY 903.0	A-082	WAIVED				
STRONTIUM-90	13501	WAIVED				
TRITIUM	07000	WAIVED				
URANIUM (PCI/L)	28012	WAIVED				
REGULATED SOC						
2,3,7,8-TCDD (DIOXIN)	34676	WAIVED				
2,4,5-TP (SILVEX)	39045	WAIVED				
2,4-D	39730	WAIVED				
ALACHLOR	77825	WAIVED				
ATRAZINE	39033	WAIVED				
BENTAZON	38710	WAIVED				
BENZO (A) PYRENE	34247	WAIVED				
CARBOFURAN	81405	WAIVED				
CHLORDANE	39350	WAIVED				
DALAPON	38432	WAIVED				
DI(2-ETHYLHEXYL)ADIPATE	A-026	WAIVED				
DI(2-ETHYLHEXYL)PHTHALATE	39100	WAIVED				
DIBROMOCHLOROPROPANE (DBCP)	38761	WAIVED				
DINOSEB	81287	WAIVED				
DIQUAT	78885	WAIVED				

**Testing interval is in months;*
0 = No data for this constituent and is DUE NOW
999 = Waived testing (not required)
I = Invalid (NOT) valid analyses reported

System Number: ***3100058***

System Name: ***DUTCH FLAT MUTUAL***

PS Code: ***3100058-002***

Source Name: ***PCWA CANAL***

Source Number: ***002***

Source Status: ***ACTIVE RAW***

Water type: ***SURFACE***

	STORET NUMBER	TESTING INTERVAL (MONTHS)*	LAST TEST DATE (yyyy/mm/dd)	LAST RESULT REPORTED	NEXT TEST DATE (yyyy/mm)
REGULATED SOC					
ENDOTHALL	38926	WAIVED			
ENDRIN	39390	WAIVED			
ETHYLENE DIBROMIDE (EDB)	77651	WAIVED			
GLYPHOSATE	79743	WAIVED			
HEPTACHLOR	39410	WAIVED			
HEPTACHLOR EPOXIDE	39420	WAIVED			
HEXACHLOROBENZENE	39700	WAIVED			
HEXACHLOROCYCLOPENTADIENE	34386	WAIVED			
LINDANE	39340	WAIVED			
METHOXYCHLOR	39480	WAIVED			
MOLINATE	82199	WAIVED			
OXAMYL	38865	WAIVED			
PENTACHLOROPHENOL	39032	WAIVED			
PICLORAM	39720	WAIVED			
POLYCHLORINATED BIPHENYLS, TOTAL, AS DCB	39516	WAIVED			
SIMAZINE	39055	WAIVED			
THIOBENCARB	A-001	WAIVED			
TOXAPHENE	39400	WAIVED			
REGULATED VOC					
1,1,1-TRICHLOROETHANE	34506	000			DUE
1,1,2,2-TETRACHLOROETHANE	34516	000			DUE
1,1,2-TRICHLORO-1,2,2-TRIFLUOROETHANE	81611	000			DUE
1,1,2-TRICHLOROETHANE	34511	000			DUE
1,1-DICHLOROETHANE	34496	000			DUE
1,1-DICHLOROETHYLENE	34501	000			DUE
1,2,4-TRICHLOROBENZENE	34551	000			DUE
1,2-DICHLOROBENZENE	34536	000			DUE
1,2-DICHLOROETHANE	34531	000			DUE
1,2-DICHLOROPROPANE	34541	000			DUE

**Testing interval is in months;*
0 = No data for this constituent and is DUE NOW
999 = Waived testing (not required)
I = Invalid (NOT) valid analyses reported

System Number: ***3100058***

System Name: ***DUTCH FLAT MUTUAL***

PS Code: ***3100058-002***

Source Name: ***PCWA CANAL***

Source Number: ***002***

Source Status: ***ACTIVE RAW***

Water type: ***SURFACE***

	STORET NUMBER	TESTING INTERVAL (MONTHS)*	LAST TEST DATE (yyyy/mm/dd)	LAST RESULT REPORTED	NEXT TEST DATE (yyyy/mm)	
REGULATED VOC						
1,3-DICHLOROPROPENE (TOTAL)	34561	000				DUE
1,4-DICHLOROBENZENE	34571	000				DUE
BENZENE	34030	000				DUE
CARBON TETRACHLORIDE	32102	000				DUE
CIS-1,2-DICHLOROETHYLENE	77093	000				DUE
DICHLOROMETHANE	34423	000				DUE
ETHYLBENZENE	34371	000				DUE
METHYL-TERT-BUTYL-ETHER (MTBE)	46491	000				DUE
MONOCHLOROBENZENE	34301	000				DUE
STYRENE	77128	000				DUE
TETRACHLOROETHYLENE	34475	000				DUE
TOLUENE	34010	000				DUE
TRANS-1,2-DICHLOROETHYLENE	34546	000				DUE
TRICHLOROETHYLENE	39180	000				DUE
TRICHLOROFLUOROMETHANE	34488	000				DUE
VINYL CHLORIDE	39175	000				DUE
XYLENES (TOTAL)	81551	000				DUE
SECONDARY/GP						
AGGRSSIVE INDEX (CORROSIVITY)	82383	WAIVED				
BICARBONATE ALKALINITY	00440	108	2012/01/12	18.000	2021/01	
CALCIUM	00916	108	2011/12/08	1.700	2020/12	
CARBONATE ALKALINITY	00445	108	2012/01/12	.000	2021/01	
CHLORIDE	00940	012				DUE
COLOR	00081	WAIVED	2011/12/08	.000		
COPPER	01042	012	2011/12/08	.000	2012/12	
FOAMING AGENTS (MBAS)	38260	012	2011/12/08	.000	2012/12	
HARDNESS (TOTAL) AS CACO3	00900	108	2011/12/08	6.000	2020/12	
HYDROXIDE ALKALINITY	71830	108	2012/01/12	.000	2021/01	
IRON	01045	012	2011/12/08	.000	2012/12	

**Testing interval is in months;*
0 = No data for this constituent and is DUE NOW
999 = Waived testing (not required)
I = Invalid (NOT) valid analyses reported

System Number: ***3100058***

System Name: ***DUTCH FLAT MUTUAL***

PS Code: ***3100058-002***

Source Name: ***PCWA CANAL***

Source Number: ***002***

Source Status: ***ACTIVE RAW***

Water type: ***SURFACE***

SECONDARY/GP

	STORET NUMBER	TESTING INTERVAL (MONTHS)*	LAST TEST DATE (yyyy/mm/dd)	LAST RESULT REPORTED	NEXT TEST DATE (yyyy/mm)
MAGNESIUM	00927	108	2011/12/08	.400	2020/12
MANGANESE	01055	012	2011/12/08	.000	2012/12
ODOR THRESHOLD @ 60 C	00086	WAIVED	2011/12/08	.000	
PH, LABORATORY	00403	WAIVED	2011/12/08	7.300	
SILVER	01077	012	2011/12/08	.000	2012/12
SODIUM	00929	108	2011/12/08	2.100	2020/12
SPECIFIC CONDUCTANCE	00095	108	2011/12/08	42.800	2020/12
SULFATE	00945	012	2011/12/08	.300	2012/12
TOTAL DISSOLVED SOLIDS	70300	012	2011/12/08	28.000	2012/12
TURBIDITY, LABORATORY	82079	WAIVED	2011/12/08	1.100	
ZINC	01092	012	2011/12/08	.000	2012/12

**Testing interval is in months;*
0 = No data for this constituent and is DUE NOW
999 = Waived testing (not required)
I = Invalid (NOT) valid analyses reported

System Number: ***3100061***

System Name: ***SIERRA MEADOWS APARTMENT***

PS Code: ***3100061-001***

Source Name: ***WELL 01***

Source Number: ***001***

Source Status: ***ACTIVE UNTREATED***

Water type: ***GROUNDWATER OR WELL***

	STORET NUMBER	TESTING INTERVAL (MONTHS)*	LAST TEST DATE (yyyy/mm/dd)	LAST RESULT REPORTED	NEXT TEST DATE (yyyy/mm)
GENERAL NON CHAP 15					
DIAZINON	39570	WAIVED			
INORGANIC					
ALUMINUM	01105	108	2011/02/17	< 50.000	2020/02
ANTIMONY	01097	108	2011/02/17	< 6.000	2020/02
ARSENIC	01002	108	2011/02/17	3.600	2020/02
ASBESTOS	81855	WAIVED	2008/02/21	.000	
BARIUM	01007	108	2011/02/17	< 100.000	2020/02
BERYLLIUM	01012	108	2011/02/17	< 1.000	2020/02
CADMIUM	01027	108	2011/02/17	< 1.000	2020/02
CHROMIUM (TOTAL)	01034	108	2011/02/17	< 10.000	2020/02
CYANIDE	01291	WAIVED	2008/02/21	< .005	
FLUORIDE (F) (NATURAL-SOURCE)	00951	108	2011/02/17	.530	2020/02
LEAD	01051	WAIVED	2011/02/17	< 5.000	
MERCURY	71900	108	2011/02/17	< 1.000	2020/02
NICKEL	01067	108	2011/02/17	< 10.000	2020/02
PERCHLORATE	A-031	036	2011/06/16	< 4.000	2014/06
SELENIUM	01147	108	2011/02/17	< 5.000	2020/02
THALLIUM	01059	108	2011/02/17	< 1.000	2020/02
NITRATE/NITRITE					
NITRATE (AS NO3)	71850	012	2011/06/16	< 2.000	2012/06
NITRITE (AS N)	00620	036	2011/02/17	.000	2014/02
RADIOLOGICAL					
GROSS ALPHA	01501	108	2010/02/23	3.430	2019/02
GROSS BETA	03501	WAIVED			
RA-226 FOR CWS OR TOTAL RA FOR NTNC BY 903.0	A-080	WAIVED			
RA-226 OR TOTAL RA BY 903.0 C.E.	A-081	WAIVED			
RADIUM 226	09501	WAIVED			
RADIUM 228	11501	108	2009/10/15	.089	2018/10

**Testing interval is in months;*
0 = No data for this constituent and is DUE NOW
999 = Waived testing (not required)
I = Invalid (NOT) valid analyses reported

System Number: ***3100061***

System Name: ***SIERRA MEADOWS APARTMENT***

PS Code: ***3100061-001***

Source Name: ***WELL 01***

Source Number: ***001***

Source Status: ***ACTIVE UNTREATED***

Water type: ***GROUNDWATER OR WELL***

	STORET NUMBER	TESTING INTERVAL (MONTHS)*	LAST TEST DATE (yyyy/mm/dd)	LAST RESULT REPORTED	NEXT TEST DATE (yyyy/mm)
RADIOLOGICAL					
RADIUM, TOTAL, MDA95-NTNC ONLY, BY 903.0	A-082	WAIVED			
STRONTIUM-90	13501	WAIVED			
TRITIUM	07000	WAIVED			
URANIUM (PCI/L)	28012	WAIVED	2004/03/18	< 2.000	
REGULATED SOC					
2,3,7,8-TCDD (DIOXIN)	34676	WAIVED			
2,4,5-TP (SILVEX)	39045	WAIVED			
2,4-D	39730	WAIVED			
ALACHLOR	77825	WAIVED			
ATRAZINE	39033	WAIVED			
BENTAZON	38710	WAIVED			
BENZO (A) PYRENE	34247	WAIVED			
CARBOFURAN	81405	WAIVED			
CHLORDANE	39350	WAIVED			
DALAPON	38432	WAIVED			
DI(2-ETHYLHEXYL)ADIPATE	A-026	WAIVED			
DI(2-ETHYLHEXYL)PHTHALATE	39100	WAIVED			
DIBROMOCHLOROPROPANE (DBCP)	38761	WAIVED	2008/02/21	< 2.000	
DINOSEB	81287	WAIVED			
DIQUAT	78885	WAIVED			
ENDOTHALL	38926	WAIVED			
ENDRIN	39390	WAIVED			
ETHYLENE DIBROMIDE (EDB)	77651	WAIVED	2008/02/21	< .500	
GLYPHOSATE	79743	WAIVED			
HEPTACHLOR	39410	WAIVED			
HEPTACHLOR EPOXIDE	39420	WAIVED			
HEXACHLOROBENZENE	39700	WAIVED			
HEXACHLOROCYCLOPENTADIENE	34386	WAIVED			
LINDANE	39340	WAIVED			

**Testing interval is in months;*
0 = No data for this constituent and is DUE NOW
999 = Waived testing (not required)
I = Invalid (NOT) valid analyses reported

System Number: ***3100061***

System Name: ***SIERRA MEADOWS APARTMENT***

PS Code: ***3100061-001***

Source Name: ***WELL 01***

Source Number: ***001***

Source Status: ***ACTIVE UNTREATED***

Water type: ***GROUNDWATER OR WELL***

	STORET NUMBER	TESTING INTERVAL (MONTHS)*	LAST TEST DATE (yyyy/mm/dd)	LAST RESULT REPORTED	NEXT TEST DATE (yyyy/mm)
REGULATED SOC					
METHOXYCHLOR	39480	WAIVED			
MOLINATE	82199	WAIVED			
OXAMYL	38865	WAIVED			
PENTACHLOROPHENOL	39032	WAIVED			
PICLORAM	39720	WAIVED			
POLYCHLORINATED BIPHENYLS, TOTAL, AS DCB	39516	WAIVED			
SIMAZINE	39055	WAIVED			
THIOBENCARB	A-001	WAIVED	2008/02/21	< 1.000	
TOXAPHENE	39400	WAIVED			
REGULATED VOC					
1,1,1-TRICHLOROETHANE	34506	072	2008/02/21	< .500	2014/02
1,1,2,2-TETRACHLOROETHANE	34516	072	2008/02/21	< .500	2014/02
1,1,2-TRICHLORO-1,2,2-TRIFLUOROETHANE	81611	072	2008/02/21	< 10.000	2014/02
1,1,2-TRICHLOROETHANE	34511	072	2008/02/21	< .500	2014/02
1,1-DICHLOROETHANE	34496	072	2008/02/21	< .500	2014/02
1,1-DICHLOROETHYLENE	34501	072	2008/02/21	< .500	2014/02
1,2,4-TRICHLOROBENZENE	34551	072	2008/02/21	< .500	2014/02
1,2-DICHLOROBENZENE	34536	072	2008/02/21	< .500	2014/02
1,2-DICHLOROETHANE	34531	072	2008/02/21	< .500	2014/02
1,2-DICHLOROPROPANE	34541	072	2008/02/21	< .500	2014/02
1,3-DICHLOROPROPENE (TOTAL)	34561	072	2008/02/21	< .500	2014/02
1,4-DICHLOROBENZENE	34571	072	2008/02/21	< .500	2014/02
BENZENE	34030	072	2008/02/21	< .500	2014/02
CARBON TETRACHLORIDE	32102	072	2008/02/21	< .500	2014/02
CIS-1,2-DICHLOROETHYLENE	77093	072	2008/02/21	< .500	2014/02
DICHLOROMETHANE	34423	072	2008/02/21	< .500	2014/02
ETHYLBENZENE	34371	072	2008/02/21	< .500	2014/02
METHYL-TERT-BUTYL-ETHER (MTBE)	46491	072	2008/02/21	< 3.000	2014/02
MONOCHLOROBENZENE	34301	072	2008/02/21	< .500	2014/02

**Testing interval is in months;*
0 = No data for this constituent and is DUE NOW
999 = Waived testing (not required)
I = Invalid (NOT) valid analyses reported

System Number: ***3100061***

System Name: ***SIERRA MEADOWS APARTMENT***

PS Code: ***3100061-001***

Source Name: ***WELL 01***

Source Number: ***001***

Source Status: ***ACTIVE UNTREATED***

Water type: ***GROUNDWATER OR WELL***

	STORET NUMBER	TESTING INTERVAL (MONTHS)*	LAST TEST DATE (yyyy/mm/dd)	LAST RESULT REPORTED	NEXT TEST DATE (yyyy/mm)	
REGULATED VOC						
STYRENE	77128	072	2008/02/21	< .500	2014/02	
TETRACHLOROETHYLENE	34475	072	2008/02/21	< .500	2014/02	
TOLUENE	34010	072	2008/02/21	< .500	2014/02	
TRANS-1,2-DICHLOROETHYLENE	34546	000				**DUE**
TRICHLOROETHYLENE	39180	072	2008/02/21	< .500	2014/02	
TRICHLOROFLUOROMETHANE	34488	072	2008/02/21	< 5.000	2014/02	
VINYL CHLORIDE	39175	072	2008/02/21	< .500	2014/02	
XYLENES (TOTAL)	81551	072	2008/02/21	< .500	2014/02	
SECONDARY/GP						
AGGRSSIVE INDEX (CORROSIVITY)	82383	WAIVED	2004/03/18	11.200		
BICARBONATE ALKALINITY	00440	108	2011/02/17	220.000	2020/02	
CALCIUM	00916	108	2011/02/17	5.100	2020/02	
CARBONATE ALKALINITY	00445	108	2011/02/17	28.000	2020/02	
CHLORIDE	00940	108	2011/02/17	85.000	2020/02	
COLOR	00081	108	2011/02/17	.000	2020/02	
COPPER	01042	108	2011/02/17	< 50.000	2020/02	
FOAMING AGENTS (MBAS)	38260	108	2011/02/17	.000	2020/02	
HARDNESS (TOTAL) AS CACO3	00900	108	2011/02/17	20.000	2020/02	
HYDROXIDE ALKALINITY	71830	108	2011/02/17	.000	2020/02	
IRON	01045	108	2011/02/17	< 100.000	2020/02	
MAGNESIUM	00927	108	2011/02/17	1.800	2020/02	
MANGANESE	01055	108	2011/02/17	.000	2020/02	
ODOR THRESHOLD @ 60 C	00086	108	2011/02/17	< 1.000	2020/02	
PH, LABORATORY	00403	108	2011/02/17	8.940	2020/02	
SILVER	01077	108	2011/02/17	< 10.000	2020/02	
SODIUM	00929	108	2011/02/17	140.000	2020/02	
SPECIFIC CONDUCTANCE	00095	108	2011/02/17	700.000	2020/02	
SULFATE	00945	108	2011/02/17	30.000	2020/02	
TOTAL DISSOLVED SOLIDS	70300	108	2011/02/17	410.000	2020/02	

**Testing interval is in months;*
0 = No data for this constituent and is DUE NOW
999 = Waived testing (not required)
I = Invalid (NOT) valid analyses reported

System Number: ***3100061***

System Name: ***SIERRA MEADOWS APARTMENT***

PS Code: ***3100061-001***

Source Name: ***WELL 01***

Source Number: ***001***

Source Status: ***ACTIVE UNTREATED***

Water type: ***GROUNDWATER OR WELL***

SECONDARY/GP	STORET NUMBER	TESTING INTERVAL (MONTHS)*	LAST TEST DATE (yyyy/mm/dd)	LAST RESULT REPORTED	NEXT TEST DATE (yyyy/mm)
TURBIDITY, LABORATORY	**82079**	**108**	2011/02/17	**.000**	2020/02
ZINC	**01092**	**108**	2011/02/17	**< 50.000**	2020/02

**Testing interval is in months;*
0 = No data for this constituent and is DUE NOW
999 = Waived testing (not required)
I = Invalid (NOT) valid analyses reported

System Number: ***3100062***

System Name: ***INDIAN CREEK COUNTRY CLUB***

PS Code: ***3100062-002***

Source Name: ***8TH GREEN WELL***

Source Number: ***002***

Source Status: ***ACTIVE UNTREATED***

Water type: ***GROUNDWATER OR WELL***

	STORET NUMBER	TESTING INTERVAL (MONTHS)*	LAST TEST DATE (yyyy/mm/dd)	LAST RESULT REPORTED	NEXT TEST DATE (yyyy/mm)	
GENERAL NON CHAP 15						
DIAZINON	39570	WAIVED				
INORGANIC						
ALUMINUM	01105	WAIVED				
ANTIMONY	01097	WAIVED				
ARSENIC	01002	WAIVED				
ASBESTOS	81855	WAIVED				
BARIUM	01007	WAIVED				
BERYLLIUM	01012	WAIVED				
CADMIUM	01027	WAIVED				
CHROMIUM (TOTAL)	01034	WAIVED				
CYANIDE	01291	WAIVED				
FLUORIDE (F) (NATURAL-SOURCE)	00951	000				**DUE**
LEAD	01051	WAIVED				
MERCURY	71900	WAIVED				
NICKEL	01067	WAIVED				
PERCHLORATE	A-031	WAIVED				
SELENIUM	01147	WAIVED				
THALLIUM	01059	WAIVED				
NITRATE/NITRITE						
NITRATE (AS NO3)	71850	012	2012/01/19	9.990	2013/01	
NITRITE (AS N)	00620	036	2011/05/26	.000	2014/05	
RADIOLOGICAL						
GROSS ALPHA	01501	WAIVED				
GROSS BETA	03501	WAIVED				
RA-226 FOR CWS OR TOTAL RA FOR NTNC BY 903.0	A-080	WAIVED				
RA-226 OR TOTAL RA BY 903.0 C.E.	A-081	WAIVED				
RADIUM 226	09501	WAIVED				
RADIUM 228	11501	WAIVED				

**Testing interval is in months;*
0 = No data for this constituent and is DUE NOW
999 = Waived testing (not required)
I = Invalid (NOT) valid analyses reported

System Number: ***3100062***

System Name: ***INDIAN CREEK COUNTRY CLUB***

PS Code: ***3100062-002***

Source Name: ***8TH GREEN WELL***

Source Number: ***002***

Source Status: ***ACTIVE UNTREATED***

Water type: ***GROUNDWATER OR WELL***

	STORET NUMBER	TESTING INTERVAL (MONTHS)*	LAST TEST DATE (yyyy/mm/dd)	LAST RESULT REPORTED	NEXT TEST DATE (yyyy/mm)
RADIOLOGICAL					
RADIUM, TOTAL, MDA95-NTNC ONLY, BY 903.0	A-082	WAIVED			
STRONTIUM-90	13501	WAIVED			
TRITIUM	07000	WAIVED			
URANIUM (PCI/L)	28012	WAIVED			
REGULATED SOC					
2,3,7,8-TCDD (DIOXIN)	34676	WAIVED			
2,4,5-TP (SILVEX)	39045	WAIVED			
2,4-D	39730	WAIVED			
ALACHLOR	77825	WAIVED			
ATRAZINE	39033	WAIVED			
BENTAZON	38710	WAIVED			
BENZO (A) PYRENE	34247	WAIVED			
CARBOFURAN	81405	WAIVED			
CHLORDANE	39350	WAIVED			
DALAPON	38432	WAIVED			
DI(2-ETHYLHEXYL)ADIPATE	A-026	WAIVED			
DI(2-ETHYLHEXYL)PHTHALATE	39100	WAIVED			
DIBROMOCHLOROPROPANE (DBCP)	38761	WAIVED			
DINOSEB	81287	WAIVED			
DIQUAT	78885	WAIVED			
ENDOTHALL	38926	WAIVED			
ENDRIN	39390	WAIVED			
ETHYLENE DIBROMIDE (EDB)	77651	WAIVED			
GLYPHOSATE	79743	WAIVED			
HEPTACHLOR	39410	WAIVED			
HEPTACHLOR EPOXIDE	39420	WAIVED			
HEXACHLOROBENZENE	39700	WAIVED			
HEXACHLOROCYCLOPENTADIENE	34386	WAIVED			
LINDANE	39340	WAIVED			

**Testing interval is in months;*
0 = No data for this constituent and is DUE NOW
999 = Waived testing (not required)
I = Invalid (NOT) valid analyses reported

System Number: ***3100062***

System Name: ***INDIAN CREEK COUNTRY CLUB***

PS Code: ***3100062-002***

Source Name: ***8TH GREEN WELL***

Source Number: ***002***

Source Status: ***ACTIVE UNTREATED***

Water type: ***GROUNDWATER OR WELL***

	STORET NUMBER	TESTING INTERVAL (MONTHS)*	LAST TEST DATE (yyyy/mm/dd)	LAST RESULT REPORTED	NEXT TEST DATE (yyyy/mm)
REGULATED SOC					
METHOXYCHLOR	39480	WAIVED			
MOLINATE	82199	WAIVED			
OXAMYL	38865	WAIVED			
PENTACHLOROPHENOL	39032	WAIVED			
PICLORAM	39720	WAIVED			
POLYCHLORINATED BIPHENYLS, TOTAL, AS DCB	39516	WAIVED			
SIMAZINE	39055	WAIVED			
THIOBENCARB	A-001	WAIVED			
TOXAPHENE	39400	WAIVED			
REGULATED VOC					
1,1,1-TRICHLOROETHANE	34506	WAIVED			
1,1,2,2-TETRACHLOROETHANE	34516	WAIVED			
1,1,2-TRICHLORO-1,2,2-TRIFLUOROETHANE	81611	WAIVED			
1,1,2-TRICHLOROETHANE	34511	WAIVED			
1,1-DICHLOROETHANE	34496	WAIVED			
1,1-DICHLOROETHYLENE	34501	WAIVED			
1,2,4-TRICHLOROBENZENE	34551	WAIVED			
1,2-DICHLOROBENZENE	34536	WAIVED			
1,2-DICHLOROETHANE	34531	WAIVED			
1,2-DICHLOROPROPANE	34541	WAIVED			
1,3-DICHLOROPROPENE (TOTAL)	34561	WAIVED			
1,4-DICHLOROBENZENE	34571	WAIVED			
BENZENE	34030	WAIVED			
CARBON TETRACHLORIDE	32102	WAIVED			
CIS-1,2-DICHLOROETHYLENE	77093	WAIVED			
DICHLOROMETHANE	34423	WAIVED			
ETHYLBENZENE	34371	WAIVED			
METHYL-TERT-BUTYL-ETHER (MTBE)	46491	WAIVED			
MONOCHLOROBENZENE	34301	WAIVED			

**Testing interval is in months;*
0 = No data for this constituent and is DUE NOW
999 = Waived testing (not required)
I = Invalid (NOT) valid analyses reported

System Number: ***3100062***

System Name: ***INDIAN CREEK COUNTRY CLUB***

PS Code: ***3100062-002***

Source Name: ***8TH GREEN WELL***

Source Number: ***002***

Source Status: ***ACTIVE UNTREATED***

Water type: ***GROUNDWATER OR WELL***

	STORET NUMBER	TESTING INTERVAL (MONTHS)*	LAST TEST DATE (yyyy/mm/dd)	LAST RESULT REPORTED	NEXT TEST DATE (yyyy/mm)
REGULATED VOC					
STYRENE	77128	WAIVED			
TETRACHLOROETHYLENE	34475	WAIVED			
TOLUENE	34010	WAIVED			
TRANS-1,2-DICHLOROETHYLENE	34546	WAIVED			
TRICHLOROETHYLENE	39180	WAIVED			
TRICHLOROFLUOROMETHANE	34488	WAIVED			
VINYL CHLORIDE	39175	WAIVED			
XYLENES (TOTAL)	81551	WAIVED			
SECONDARY/GP					
AGGRSSIVE INDEX (CORROSIVITY)	82383	WAIVED			
BICARBONATE ALKALINITY	00440	000			DUE
CALCIUM	00916	000			DUE
CARBONATE ALKALINITY	00445	000			DUE
CHLORIDE	00940	WAIVED			
COLOR	00081	WAIVED			
COPPER	01042	WAIVED			
FOAMING AGENTS (MBAS)	38260	WAIVED			
HARDNESS (TOTAL) AS CACO3	00900	000			DUE
HYDROXIDE ALKALINITY	71830	000			DUE
IRON	01045	000			DUE
MAGNESIUM	00927	000			DUE
MANGANESE	01055	000			DUE
ODOR THRESHOLD @ 60 C	00086	WAIVED			
PH, LABORATORY	00403	000			DUE
SILVER	01077	WAIVED			
SODIUM	00929	000			DUE
SPECIFIC CONDUCTANCE	00095	WAIVED			
SULFATE	00945	WAIVED			
TOTAL DISSOLVED SOLIDS	70300	WAIVED			

**Testing interval is in months;*
0 = No data for this constituent and is DUE NOW
999 = Waived testing (not required)
I = Invalid (NOT) valid analyses reported

System Number: ***3100062***

System Name: ***INDIAN CREEK COUNTRY CLUB***

	STORET NUMBER	TESTING INTERVAL (MONTHS)*	LAST TEST DATE (yyyy/mm/dd)	LAST RESULT REPORTED	NEXT TEST DATE (yyyy/mm)

PS Code: ***3100062-002***

Source Name: ***8TH GREEN WELL***

Source Number: ***002***

Source Status: ***ACTIVE UNTREATED***

Water type: ***GROUNDWATER OR WELL***

SECONDARY/GP

TURBIDITY, LABORATORY	82079	WAIVED			
ZINC	01092	WAIVED			

PS Code: ***3100062-003***

Source Name: ***1ST TEE WELL***

Source Number: ***003***

Source Status: ***ACTIVE UNTREATED***

Water type: ***GROUNDWATER OR WELL***

GENERAL NON CHAP 15

DIAZINON	39570	WAIVED			

INORGANIC

ALUMINUM	01105	WAIVED			
ANTIMONY	01097	WAIVED			
ARSENIC	01002	WAIVED			
ASBESTOS	81855	WAIVED			
BARIUM	01007	WAIVED			
BERYLLIUM	01012	WAIVED			
CADMIUM	01027	WAIVED			
CHROMIUM (TOTAL)	01034	WAIVED			
CYANIDE	01291	WAIVED			
FLUORIDE (F) (NATURAL-SOURCE)	00951	000			**DUE**
LEAD	01051	WAIVED			
MERCURY	71900	WAIVED			
NICKEL	01067	WAIVED			
PERCHLORATE	A-031	WAIVED			
SELENIUM	01147	WAIVED			
THALLIUM	01059	WAIVED			

**Testing interval is in months;*
0 = No data for this constituent and is DUE NOW
999 = Waived testing (not required)
I = Invalid (NOT) valid analyses reported

System Number: ***3100062***

System Name: ***INDIAN CREEK COUNTRY CLUB***

PS Code: ***3100062-003***

Source Name: ***1ST TEE WELL***

Source Number: ***003***

Source Status: ***ACTIVE UNTREATED***

Water type: ***GROUNDWATER OR WELL***

	STORET NUMBER	TESTING INTERVAL (MONTHS)*	LAST TEST DATE (yyyy/mm/dd)	LAST RESULT REPORTED	NEXT TEST DATE (yyyy/mm)
NITRATE/NITRITE					
NITRATE (AS NO3)	71850	003	2012/01/19	19.500	2012/04
NITRITE (AS N)	00620	036	2011/05/26	.000	2014/05
RADIOLOGICAL					
GROSS ALPHA	01501	WAIVED			
GROSS BETA	03501	WAIVED			
RA-226 FOR CWS OR TOTAL RA FOR NTNC BY 903.0	A-080	WAIVED			
RA-226 OR TOTAL RA BY 903.0 C.E.	A-081	WAIVED			
RADIUM 226	09501	WAIVED			
RADIUM 228	11501	WAIVED			
RADIUM, TOTAL, MDA95-NTNC ONLY, BY 903.0	A-082	WAIVED			
STRONTIUM-90	13501	WAIVED			
TRITIUM	07000	WAIVED			
URANIUM (PCI/L)	28012	WAIVED			
REGULATED SOC					
2,3,7,8-TCDD (DIOXIN)	34676	WAIVED			
2,4,5-TP (SILVEX)	39045	WAIVED			
2,4-D	39730	WAIVED			
ALACHLOR	77825	WAIVED			
ATRAZINE	39033	WAIVED			
BENTAZON	38710	WAIVED			
BENZO (A) PYRENE	34247	WAIVED			
CARBOFURAN	81405	WAIVED			
CHLORDANE	39350	WAIVED			
DALAPON	38432	WAIVED			
DI(2-ETHYLHEXYL)ADIPATE	A-026	WAIVED			
DI(2-ETHYLHEXYL)PHTHALATE	39100	WAIVED			
DIBROMOCHLOROPROPANE (DBCP)	38761	WAIVED			
DINOSEB	81287	WAIVED			
DIQUAT	78885	WAIVED			

**Testing interval is in months;*
0 = No data for this constituent and is DUE NOW
999 = Waived testing (not required)
I = Invalid (NOT) valid analyses reported

System Number: ***3100062***

System Name: ***INDIAN CREEK COUNTRY CLUB***

PS Code: ***3100062-003***

Source Name: ***1ST TEE WELL***

Source Number: ***003***

Source Status: ***ACTIVE UNTREATED***

Water type: ***GROUNDWATER OR WELL***

	STORET NUMBER	TESTING INTERVAL (MONTHS)*	LAST TEST DATE (yyyy/mm/dd)	LAST RESULT REPORTED	NEXT TEST DATE (yyyy/mm)
REGULATED SOC					
ENDOTHALL	38926	WAIVED			
ENDRIN	39390	WAIVED			
ETHYLENE DIBROMIDE (EDB)	77651	WAIVED			
GLYPHOSATE	79743	WAIVED			
HEPTACHLOR	39410	WAIVED			
HEPTACHLOR EPOXIDE	39420	WAIVED			
HEXACHLOROBENZENE	39700	WAIVED			
HEXACHLOROCYCLOPENTADIENE	34386	WAIVED			
LINDANE	39340	WAIVED			
METHOXYCHLOR	39480	WAIVED			
MOLINATE	82199	WAIVED			
OXAMYL	38865	WAIVED			
PENTACHLOROPHENOL	39032	WAIVED			
PICLORAM	39720	WAIVED			
POLYCHLORINATED BIPHENYLS, TOTAL, AS DCB	39516	WAIVED			
SIMAZINE	39055	WAIVED			
THIOBENCARB	A-001	WAIVED			
TOXAPHENE	39400	WAIVED			
REGULATED VOC					
1,1,1-TRICHLOROETHANE	34506	WAIVED			
1,1,2,2-TETRACHLOROETHANE	34516	WAIVED			
1,1,2-TRICHLORO-1,2,2-TRIFLUOROETHANE	81611	WAIVED			
1,1,2-TRICHLOROETHANE	34511	WAIVED			
1,1-DICHLOROETHANE	34496	WAIVED			
1,1-DICHLOROETHYLENE	34501	WAIVED			
1,2,4-TRICHLOROBENZENE	34551	WAIVED			
1,2-DICHLOROBENZENE	34536	WAIVED			
1,2-DICHLOROETHANE	34531	WAIVED			
1,2-DICHLOROPROPANE	34541	WAIVED			

**Testing interval is in months;*
0 = No data for this constituent and is DUE NOW
999 = Waived testing (not required)
I = Invalid (NOT) valid analyses reported

System Number: ***3100062***

System Name: ***INDIAN CREEK COUNTRY CLUB***

PS Code: ***3100062-003***

Source Name: ***1ST TEE WELL***

Source Number: ***003***

Source Status: ***ACTIVE UNTREATED***

Water type: ***GROUNDWATER OR WELL***

	STORET NUMBER	TESTING INTERVAL (MONTHS)*	LAST TEST DATE (yyyy/mm/dd)	LAST RESULT REPORTED	NEXT TEST DATE (yyyy/mm)
REGULATED VOC					
1,3-DICHLOROPROPENE (TOTAL)	34561	WAIVED			
1,4-DICHLOROBENZENE	34571	WAIVED			
BENZENE	34030	WAIVED			
CARBON TETRACHLORIDE	32102	WAIVED			
CIS-1,2-DICHLOROETHYLENE	77093	WAIVED			
DICHLOROMETHANE	34423	WAIVED			
ETHYLBENZENE	34371	WAIVED			
METHYL-TERT-BUTYL-ETHER (MTBE)	46491	WAIVED			
MONOCHLOROBENZENE	34301	WAIVED			
STYRENE	77128	WAIVED			
TETRACHLOROETHYLENE	34475	WAIVED			
TOLUENE	34010	WAIVED			
TRANS-1,2-DICHLOROETHYLENE	34546	WAIVED			
TRICHLOROETHYLENE	39180	WAIVED			
TRICHLOROFLUOROMETHANE	34488	WAIVED			
VINYL CHLORIDE	39175	WAIVED			
XYLENES (TOTAL)	81551	WAIVED			
SECONDARY/GP					
AGGRSSIVE INDEX (CORROSIVITY)	82383	WAIVED			
BICARBONATE ALKALINITY	00440	000			DUE
CALCIUM	00916	000			DUE
CARBONATE ALKALINITY	00445	000			DUE
CHLORIDE	00940	WAIVED			
COLOR	00081	WAIVED			
COPPER	01042	WAIVED			
FOAMING AGENTS (MBAS)	38260	WAIVED			
HARDNESS (TOTAL) AS CACO3	00900	000			DUE
HYDROXIDE ALKALINITY	71830	000			DUE
IRON	01045	000			DUE

**Testing interval is in months;*
0 = No data for this constituent and is DUE NOW
999 = Waived testing (not required)
I = Invalid (NOT) valid analyses reported

System Number: ***3100062***

System Name: ***INDIAN CREEK COUNTRY CLUB***

PS Code: ***3100062-003***

Source Name: ***1ST TEE WELL***

Source Number: ***003***

Source Status: ***ACTIVE UNTREATED***

Water type: ***GROUNDWATER OR WELL***

SECONDARY/GP

	STORET NUMBER	TESTING INTERVAL (MONTHS)*	LAST TEST DATE (yyyy/mm/dd)	LAST RESULT REPORTED	NEXT TEST DATE (yyyy/mm)	
MAGNESIUM	00927	000				**DUE**
MANGANESE	01055	000				**DUE**
ODOR THRESHOLD @ 60 C	00086	WAIVED				
PH, LABORATORY	00403	000				**DUE**
SILVER	01077	WAIVED				
SODIUM	00929	000				**DUE**
SPECIFIC CONDUCTANCE	00095	WAIVED				
SULFATE	00945	WAIVED				
TOTAL DISSOLVED SOLIDS	70300	WAIVED				
TURBIDITY, LABORATORY	82079	WAIVED				
ZINC	01092	WAIVED				

**Testing interval is in months;*
0 = No data for this constituent and is DUE NOW
999 = Waived testing (not required)
I = Invalid (NOT) valid analyses reported

System Number: ***3100063***

System Name: ***OPHIR GARDENS***

PS Code: ***3100063-002***

Source Name: ***WELL 02 DRILLED APRIL 1998***

Source Number: ***002***

Source Status: ***ACTIVE UNTREATED***

Water type: ***GROUNDWATER OR WELL***

	STORET NUMBER	TESTING INTERVAL (MONTHS)*	LAST TEST DATE (yyyy/mm/dd)	LAST RESULT REPORTED	NEXT TEST DATE (yyyy/mm)	
GENERAL NON CHAP 15						
DIAZINON	39570	WAIVED				
INORGANIC						
ALUMINUM	01105	108	2010/12/29	< 50.000	2019/12	
ANTIMONY	01097	108	2010/12/29	< 6.000	2019/12	
ARSENIC	01002	108	2010/12/29	< 2.000	2019/12	
ASBESTOS	81855	WAIVED				
BARIUM	01007	108	2010/12/29	< 100.000	2019/12	
BERYLLIUM	01012	108	2010/12/29	< 1.000	2019/12	
CADMIUM	01027	108	2010/12/29	< 1.000	2019/12	
CHROMIUM (TOTAL)	01034	108	2010/12/29	< 10.000	2019/12	
CYANIDE	01291	WAIVED	2010/12/29	.000		
FLUORIDE (F) (NATURAL-SOURCE)	00951	108	2010/12/29	.220	2019/12	
LEAD	01051	WAIVED	2010/12/29	< 5.000		
MERCURY	71900	108	2010/12/29	< 1.000	2019/12	
NICKEL	01067	108	2010/12/29	< 10.000	2019/12	
PERCHLORATE	A-031	036	2012/03/23	.000	2015/03	
SELENIUM	01147	108	2010/12/29	< 5.000	2019/12	
THALLIUM	01059	108	2010/12/29	< 1.000	2019/12	
NITRATE/NITRITE						
NITRATE (AS NO3)	71850	012	2012/03/23	2.300	2013/03	
NITRITE (AS N)	00620	036	2010/12/29	.000	2013/12	
RADIOLOGICAL						
GROSS ALPHA	01501	108	2005/06/16	< 3.000	2014/06	
GROSS BETA	03501	WAIVED				
RA-226 FOR CWS OR TOTAL RA FOR NTNC BY 903.0	A-080	WAIVED				
RA-226 OR TOTAL RA BY 903.0 C.E.	A-081	WAIVED				
RADIUM 226	09501	WAIVED				
RADIUM 228	11501	003	**2007/09/20**	.000	**2007/12**	**DUE**

**Testing interval is in months;*
0 = No data for this constituent and is DUE NOW
999 = Waived testing (not required)
I = Invalid (NOT) valid analyses reported

System Number: ***3100063***

System Name: ***OPHIR GARDENS***

PS Code: ***3100063-002***

Source Name: ***WELL 02 DRILLED APRIL 1998***

Source Number: ***002***

Source Status: ***ACTIVE UNTREATED***

Water type: ***GROUNDWATER OR WELL***

	STORET NUMBER	TESTING INTERVAL (MONTHS)*	LAST TEST DATE (yyyy/mm/dd)	LAST RESULT REPORTED	NEXT TEST DATE (yyyy/mm)
RADIOLOGICAL					
RADIUM, TOTAL, MDA95-NTNC ONLY, BY 903.0	A-082	WAIVED			
STRONTIUM-90	13501	WAIVED			
TRITIUM	07000	WAIVED			
URANIUM (PCI/L)	28012	WAIVED			
REGULATED SOC					
2,3,7,8-TCDD (DIOXIN)	34676	WAIVED			
2,4,5-TP (SILVEX)	39045	WAIVED			
2,4-D	39730	000			**DUE**
ALACHLOR	77825	WAIVED			
ATRAZINE	39033	000			**DUE**
BENTAZON	38710	WAIVED			
BENZO (A) PYRENE	34247	WAIVED			
CARBOFURAN	81405	WAIVED			
CHLORDANE	39350	WAIVED			
DALAPON	38432	WAIVED			
DI(2-ETHYLHEXYL)ADIPATE	A-026	WAIVED			
DI(2-ETHYLHEXYL)PHTHALATE	39100	WAIVED			
DIBROMOCHLOROPROPANE (DBCP)	38761	WAIVED			
DINOSEB	81287	WAIVED			
DIQUAT	78885	WAIVED			
ENDOTHALL	38926	WAIVED			
ENDRIN	39390	WAIVED			
ETHYLENE DIBROMIDE (EDB)	77651	WAIVED			
GLYPHOSATE	79743	000			**DUE**
HEPTACHLOR	39410	WAIVED			
HEPTACHLOR EPOXIDE	39420	WAIVED			
HEXACHLOROBENZENE	39700	WAIVED			
HEXACHLOROCYCLOPENTADIENE	34386	WAIVED			
LINDANE	39340	WAIVED			

**Testing interval is in months;*
0 = No data for this constituent and is DUE NOW
999 = Waived testing (not required)
I = Invalid (NOT) valid analyses reported

System Number: ***3100063***

System Name: ***OPHIR GARDENS***

PS Code: ***3100063-002***

Source Name: ***WELL 02 DRILLED APRIL 1998***

Source Number: ***002***

Source Status: ***ACTIVE UNTREATED***

Water type: ***GROUNDWATER OR WELL***

	STORET NUMBER	TESTING INTERVAL (MONTHS)*	LAST TEST DATE (yyyy/mm/dd)	LAST RESULT REPORTED	NEXT TEST DATE (yyyy/mm)
REGULATED SOC					
METHOXYCHLOR	39480	WAIVED			
MOLINATE	82199	WAIVED			
OXAMYL	38865	WAIVED			
PENTACHLOROPHENOL	39032	WAIVED			
PICLORAM	39720	WAIVED			
POLYCHLORINATED BIPHENYLS, TOTAL, AS DCB	39516	WAIVED			
SIMAZINE	39055	WAIVED			
THIOBENCARB	A-001	WAIVED	2010/12/29	< 1.000	
TOXAPHENE	39400	WAIVED			
REGULATED VOC					
1,1,1-TRICHLOROETHANE	34506	072	2010/12/29	< .500	2016/12
1,1,2,2-TETRACHLOROETHANE	34516	072	2010/12/29	< .500	2016/12
1,1,2-TRICHLORO-1,2,2-TRIFLUOROETHANE	81611	072	2010/12/29	< 10.000	2016/12
1,1,2-TRICHLOROETHANE	34511	072	2010/12/29	< .500	2016/12
1,1-DICHLOROETHANE	34496	072	2010/12/29	< .500	2016/12
1,1-DICHLOROETHYLENE	34501	072	2010/12/29	< .500	2016/12
1,2,4-TRICHLOROBENZENE	34551	072	2010/12/29	< .500	2016/12
1,2-DICHLOROBENZENE	34536	072	2010/12/29	< .500	2016/12
1,2-DICHLOROETHANE	34531	072	2010/12/29	< .500	2016/12
1,2-DICHLOROPROPANE	34541	072	2010/12/29	< .500	2016/12
1,3-DICHLOROPROPENE (TOTAL)	34561	072	2010/12/29	< .500	2016/12
1,4-DICHLOROBENZENE	34571	072	2010/12/29	< .500	2016/12
BENZENE	34030	072	2010/12/29	< .500	2016/12
CARBON TETRACHLORIDE	32102	072	2010/12/29	< .500	2016/12
CIS-1,2-DICHLOROETHYLENE	77093	072	2010/12/29	< .500	2016/12
DICHLOROMETHANE	34423	072	2010/12/29	< .500	2016/12
ETHYLBENZENE	34371	072	2010/12/29	< .500	2016/12
METHYL-TERT-BUTYL-ETHER (MTBE)	46491	072	2010/12/29	< 3.000	2016/12
MONOCHLOROBENZENE	34301	072	2010/12/29	< .500	2016/12

**Testing interval is in months;*
0 = No data for this constituent and is DUE NOW
999 = Waived testing (not required)
I = Invalid (NOT) valid analyses reported

System Number: ***3100063***

System Name: ***OPHIR GARDENS***

PS Code: ***3100063-002***

Source Name: ***WELL 02 DRILLED APRIL 1998***

Source Number: ***002***

Source Status: ***ACTIVE UNTREATED***

Water type: ***GROUNDWATER OR WELL***

	STORET NUMBER	TESTING INTERVAL (MONTHS)*	LAST TEST DATE (yyyy/mm/dd)	LAST RESULT REPORTED	NEXT TEST DATE (yyyy/mm)
REGULATED VOC					
STYRENE	77128	072	2010/12/29	< .500	2016/12
TETRACHLOROETHYLENE	34475	072	2010/12/29	< .500	2016/12
TOLUENE	34010	072	2010/12/29	< .500	2016/12
TRANS-1,2-DICHLOROETHYLENE	34546	072	2010/12/29	< .500	2016/12
TRICHLOROETHYLENE	39180	072	2010/12/29	< .500	2016/12
TRICHLOROFLUOROMETHANE	34488	072	2010/12/29	< 5.000	2016/12
VINYL CHLORIDE	39175	072	2010/12/29	< .500	2016/12
XYLENES (TOTAL)	81551	072	2010/12/29	.000	2016/12
SECONDARY/GP					
AGGRSSIVE INDEX (CORROSIVITY)	82383	WAIVED			
BICARBONATE ALKALINITY	00440	108	2010/12/29	195.000	2019/12
CALCIUM	00916	108	2010/12/29	89.000	2019/12
CARBONATE ALKALINITY	00445	108	2010/12/29	.000	2019/12
CHLORIDE	00940	108	2010/12/29	80.000	2019/12
COLOR	00081	108	2010/12/29	.000	2019/12
COPPER	01042	108	2010/12/29	< 50.000	2019/12
FOAMING AGENTS (MBAS)	38260	108	2010/12/29	.000	2019/12
HARDNESS (TOTAL) AS CACO3	00900	108	2010/12/29	380.000	2019/12
HYDROXIDE ALKALINITY	71830	108	2010/12/29	.000	2019/12
IRON	01045	108	2010/12/29	< 100.000	2019/12
MAGNESIUM	00927	108	2010/12/29	37.000	2019/12
MANGANESE	01055	108	2010/12/29	.000	2019/12
ODOR THRESHOLD @ 60 C	00086	108	2010/12/29	< 1.000	2019/12
PH, LABORATORY	00403	108	2010/12/29	7.550	2019/12
SILVER	01077	108	2010/12/29	< 10.000	2019/12
SODIUM	00929	108	2010/12/29	80.000	2019/12
SPECIFIC CONDUCTANCE	00095	108	2010/12/29	1000.000	2019/12
SULFATE	00945	108	2010/12/29	230.000	2019/12
TOTAL DISSOLVED SOLIDS	70300	108	2010/12/29	720.000	2019/12

**Testing interval is in months;*
0 = No data for this constituent and is DUE NOW
999 = Waived testing (not required)
I = Invalid (NOT) valid analyses reported

System Number: ***3100063***

System Name: ***OPHIR GARDENS***

PS Code: ***3100063-002***

Source Name: ***WELL 02 DRILLED APRIL 1998***

Source Number: ***002***

Source Status: ***ACTIVE UNTREATED***

Water type: ***GROUNDWATER OR WELL***

	STORET NUMBER	TESTING INTERVAL (MONTHS)*	LAST TEST DATE (yyyy/mm/dd)	LAST RESULT REPORTED	NEXT TEST DATE (yyyy/mm)
SECONDARY/GP					
TURBIDITY, LABORATORY	**82079**	**108**	2010/12/29	**.000**	2019/12
ZINC	**01092**	**108**	2010/12/29	**< 50.000**	2019/12

**Testing interval is in months;*
0 = No data for this constituent and is DUE NOW
999 = Waived testing (not required)
I = Invalid (NOT) valid analyses reported

System Number: ***3100067***

System Name: ***LAKE ARTHUR CABINS***

PS Code: ***3100067-001***

Source Name: ***WELL #1***

Source Number: ***001***

Source Status: ***ACTIVE UNTREATED***

Water type: ***GROUNDWATER OR WELL***

	STORET NUMBER	TESTING INTERVAL (MONTHS)*	LAST TEST DATE (yyyy/mm/dd)	LAST RESULT REPORTED	NEXT TEST DATE (yyyy/mm)	
GENERAL NON CHAP 15						
DIAZINON	39570	WAIVED				
INORGANIC						
ALUMINUM	01105	WAIVED	2009/04/10	.000		
ANTIMONY	01097	WAIVED				
ARSENIC	01002	WAIVED				
ASBESTOS	81855	WAIVED				
BARIUM	01007	WAIVED				
BERYLLIUM	01012	WAIVED				
CADMIUM	01027	WAIVED				
CHROMIUM (TOTAL)	01034	WAIVED				
CYANIDE	01291	WAIVED				
FLUORIDE (F) (NATURAL-SOURCE)	00951	WAIVED	2009/04/10	.000		
LEAD	01051	WAIVED				
MERCURY	71900	WAIVED				
NICKEL	01067	WAIVED				
PERCHLORATE	A-031	WAIVED				
SELENIUM	01147	WAIVED				
THALLIUM	01059	WAIVED				
NITRATE/NITRITE						
NITRATE (AS NO3)	71850	012	2010/10/04	3.500	2011/10	DUE
NITRITE (AS N)	00620	000				DUE
RADIOLOGICAL						
GROSS ALPHA	01501	WAIVED				
GROSS BETA	03501	WAIVED				
RA-226 FOR CWS OR TOTAL RA FOR NTNC BY 903.0	A-080	WAIVED				
RA-226 OR TOTAL RA BY 903.0 C.E.	A-081	WAIVED				
RADIUM 226	09501	WAIVED				
RADIUM 228	11501	WAIVED				

**Testing interval is in months;*
0 = No data for this constituent and is DUE NOW
999 = Waived testing (not required)
I = Invalid (NOT) valid analyses reported

System Number: ***3100067***

System Name: ***LAKE ARTHUR CABINS***

PS Code: ***3100067-001***

Source Name: ***WELL #1***

Source Number: ***001***

Source Status: ***ACTIVE UNTREATED***

Water type: ***GROUNDWATER OR WELL***

	STORET NUMBER	TESTING INTERVAL (MONTHS)*	LAST TEST DATE (yyyy/mm/dd)	LAST RESULT REPORTED	NEXT TEST DATE (yyyy/mm)
RADIOLOGICAL					
RADIUM, TOTAL, MDA95-NTNC ONLY, BY 903.0	A-082	WAIVED			
STRONTIUM-90	13501	WAIVED			
TRITIUM	07000	WAIVED			
URANIUM (PCI/L)	28012	WAIVED			
REGULATED SOC					
2,3,7,8-TCDD (DIOXIN)	34676	WAIVED			
2,4,5-TP (SILVEX)	39045	WAIVED			
2,4-D	39730	WAIVED			
ALACHLOR	77825	WAIVED			
ATRAZINE	39033	WAIVED			
BENTAZON	38710	WAIVED			
BENZO (A) PYRENE	34247	WAIVED			
CARBOFURAN	81405	WAIVED			
CHLORDANE	39350	WAIVED			
DALAPON	38432	WAIVED			
DI(2-ETHYLHEXYL)ADIPATE	A-026	WAIVED			
DI(2-ETHYLHEXYL)PHTHALATE	39100	WAIVED			
DIBROMOCHLOROPROPANE (DBCP)	38761	WAIVED			
DINOSEB	81287	WAIVED			
DIQUAT	78885	WAIVED			
ENDOTHALL	38926	WAIVED			
ENDRIN	39390	WAIVED			
ETHYLENE DIBROMIDE (EDB)	77651	WAIVED			
GLYPHOSATE	79743	WAIVED			
HEPTACHLOR	39410	WAIVED			
HEPTACHLOR EPOXIDE	39420	WAIVED			
HEXACHLOROBENZENE	39700	WAIVED			
HEXACHLOROCYCLOPENTADIENE	34386	WAIVED			
LINDANE	39340	WAIVED			

**Testing interval is in months;*
0 = No data for this constituent and is DUE NOW
999 = Waived testing (not required)
I = Invalid (NOT) valid analyses reported

System Number: ***3100067***

System Name: ***LAKE ARTHUR CABINS***

PS Code: ***3100067-001***

Source Name: ***WELL #1***

Source Number: ***001***

Source Status: ***ACTIVE UNTREATED***

Water type: ***GROUNDWATER OR WELL***

	STORET NUMBER	TESTING INTERVAL (MONTHS)*	LAST TEST DATE (yyyy/mm/dd)	LAST RESULT REPORTED	NEXT TEST DATE (yyyy/mm)
REGULATED SOC					
METHOXYCHLOR	39480	WAIVED			
MOLINATE	82199	WAIVED			
OXAMYL	38865	WAIVED			
PENTACHLOROPHENOL	39032	WAIVED			
PICLORAM	39720	WAIVED			
POLYCHLORINATED BIPHENYLS, TOTAL, AS DCB	39516	WAIVED			
SIMAZINE	39055	WAIVED			
THIOBENCARB	A-001	WAIVED			
TOXAPHENE	39400	WAIVED			
REGULATED VOC					
1,1,1-TRICHLOROETHANE	34506	WAIVED			
1,1,2,2-TETRACHLOROETHANE	34516	WAIVED			
1,1,2-TRICHLORO-1,2,2-TRIFLUOROETHANE	81611	WAIVED			
1,1,2-TRICHLOROETHANE	34511	WAIVED			
1,1-DICHLOROETHANE	34496	WAIVED			
1,1-DICHLOROETHYLENE	34501	WAIVED			
1,2,4-TRICHLOROBENZENE	34551	WAIVED			
1,2-DICHLOROBENZENE	34536	WAIVED			
1,2-DICHLOROETHANE	34531	WAIVED			
1,2-DICHLOROPROPANE	34541	WAIVED			
1,3-DICHLOROPROPENE (TOTAL)	34561	WAIVED			
1,4-DICHLOROBENZENE	34571	WAIVED			
BENZENE	34030	WAIVED			
CARBON TETRACHLORIDE	32102	WAIVED			
CIS-1,2-DICHLOROETHYLENE	77093	WAIVED			
DICHLOROMETHANE	34423	WAIVED			
ETHYLBENZENE	34371	WAIVED			
METHYL-TERT-BUTYL-ETHER (MTBE)	46491	WAIVED			
MONOCHLOROBENZENE	34301	WAIVED			

**Testing interval is in months;*
0 = No data for this constituent and is DUE NOW
999 = Waived testing (not required)
I = Invalid (NOT) valid analyses reported

System Number: ***3100067***

System Name: ***LAKE ARTHUR CABINS***

PS Code: ***3100067-001***

Source Name: ***WELL #1***

Source Number: ***001***

Source Status: ***ACTIVE UNTREATED***

Water type: ***GROUNDWATER OR WELL***

	STORET NUMBER	TESTING INTERVAL (MONTHS)*	LAST TEST DATE (yyyy/mm/dd)	LAST RESULT REPORTED	NEXT TEST DATE (yyyy/mm)
REGULATED VOC					
STYRENE	77128	WAIVED			
TETRACHLOROETHYLENE	34475	WAIVED			
TOLUENE	34010	WAIVED			
TRANS-1,2-DICHLOROETHYLENE	34546	WAIVED			
TRICHLOROETHYLENE	39180	WAIVED			
TRICHLOROFLUOROMETHANE	34488	WAIVED			
VINYL CHLORIDE	39175	WAIVED			
XYLENES (TOTAL)	81551	WAIVED			
SECONDARY/GP					
AGGRSSIVE INDEX (CORROSIVITY)	82383	WAIVED	2009/04/10	11.700	
BICARBONATE ALKALINITY	00440	WAIVED	2009/04/10	145.000	
CALCIUM	00916	WAIVED	2009/04/10	33.100	
CARBONATE ALKALINITY	00445	WAIVED	2009/04/10	.000	
CHLORIDE	00940	WAIVED	2009/04/10	6.000	
COLOR	00081	WAIVED	2009/04/10	.000	
COPPER	01042	WAIVED	2009/04/10	.000	
FOAMING AGENTS (MBAS)	38260	WAIVED	2009/04/10	.000	
HARDNESS (TOTAL) AS CACO3	00900	WAIVED	2009/04/10	89.000	
HYDROXIDE ALKALINITY	71830	WAIVED	2009/04/10	.000	
IRON	01045	WAIVED	2009/04/10	.000	
MAGNESIUM	00927	WAIVED	2009/04/10	4.800	
MANGANESE	01055	WAIVED	2009/04/10	29.000	
ODOR THRESHOLD @ 60 C	00086	WAIVED	2009/04/10	.000	
PH, LABORATORY	00403	WAIVED	2009/04/10	7.670	
SILVER	01077	WAIVED	2009/04/10	.000	
SODIUM	00929	WAIVED	2009/04/10	17.400	
SPECIFIC CONDUCTANCE	00095	WAIVED	2009/04/10	242.000	
SULFATE	00945	WAIVED	2009/04/10	3.040	
TOTAL DISSOLVED SOLIDS	70300	WAIVED	2009/04/10	158.000	

**Testing interval is in months;*
0 = No data for this constituent and is DUE NOW
999 = Waived testing (not required)
I = Invalid (NOT) valid analyses reported

System Number: ***3100067***

System Name: ***LAKE ARTHUR CABINS***

PS Code: ***3100067-001***

Source Name: ***WELL #1***

Source Number: ***001***

Source Status: ***ACTIVE UNTREATED***

Water type: ***GROUNDWATER OR WELL***

	STORET NUMBER	TESTING INTERVAL (MONTHS)*	LAST TEST DATE (yyyy/mm/dd)	LAST RESULT REPORTED	NEXT TEST DATE (yyyy/mm)
SECONDARY/GP					
TURBIDITY, LABORATORY	82079	WAIVED	2009/04/10	.500	
ZINC	01092	WAIVED	2009/04/10	183.000	

PS Code: ***3100067-002***

Source Name: ***WELL #2, 125 PINEWOOD***

Source Number: ***002***

Source Status: ***ACTIVE UNTREATED***

Water type: ***GROUNDWATER OR WELL***

GENERAL NON CHAP 15					
DIAZINON	39570	WAIVED			
INORGANIC					
ALUMINUM	01105	WAIVED	2009/04/10	.000	
ANTIMONY	01097	WAIVED			
ARSENIC	01002	WAIVED			
ASBESTOS	81855	WAIVED			
BARIUM	01007	WAIVED			
BERYLLIUM	01012	WAIVED			
CADMIUM	01027	WAIVED			
CHROMIUM (TOTAL)	01034	WAIVED			
CYANIDE	01291	WAIVED			
FLUORIDE (F) (NATURAL-SOURCE)	00951	WAIVED	2009/04/10	.200	
LEAD	01051	WAIVED			
MERCURY	71900	WAIVED			
NICKEL	01067	WAIVED			
PERCHLORATE	A-031	WAIVED			
SELENIUM	01147	WAIVED			
THALLIUM	01059	WAIVED			

**Testing interval is in months;*
0 = No data for this constituent and is DUE NOW
999 = Waived testing (not required)
I = Invalid (NOT) valid analyses reported

System Number: ***3100067***

System Name: ***LAKE ARTHUR CABINS***

PS Code: ***3100067-002***

Source Name: ***WELL #2, 125 PINEWOOD***

Source Number: ***002***

Source Status: ***ACTIVE UNTREATED***

Water type: ***GROUNDWATER OR WELL***

	STORET NUMBER	TESTING INTERVAL (MONTHS)*	LAST TEST DATE (yyyy/mm/dd)	LAST RESULT REPORTED	NEXT TEST DATE (yyyy/mm)
NITRATE/NITRITE					
NITRATE (AS NO3)	**71850**	**000**			**DUE**
NITRITE (AS N)	**00620**	**000**			**DUE**
RADIOLOGICAL					
GROSS ALPHA	**01501**	**WAIVED**			
GROSS BETA	**03501**	**WAIVED**			
RA-226 FOR CWS OR TOTAL RA FOR NTNC BY 903.0	**A-080**	**WAIVED**			
RA-226 OR TOTAL RA BY 903.0 C.E.	**A-081**	**WAIVED**			
RADIUM 226	**09501**	**WAIVED**			
RADIUM 228	**11501**	**WAIVED**			
RADIUM, TOTAL, MDA95-NTNC ONLY, BY 903.0	**A-082**	**WAIVED**			
STRONTIUM-90	**13501**	**WAIVED**			
TRITIUM	**07000**	**WAIVED**			
URANIUM (PCI/L)	**28012**	**WAIVED**			
REGULATED SOC					
2,3,7,8-TCDD (DIOXIN)	**34676**	**WAIVED**			
2,4,5-TP (SILVEX)	**39045**	**WAIVED**			
2,4-D	**39730**	**WAIVED**			
ALACHLOR	**77825**	**WAIVED**			
ATRAZINE	**39033**	**WAIVED**			
BENTAZON	**38710**	**WAIVED**			
BENZO (A) PYRENE	**34247**	**WAIVED**			
CARBOFURAN	**81405**	**WAIVED**			
CHLORDANE	**39350**	**WAIVED**			
DALAPON	**38432**	**WAIVED**			
DI(2-ETHYLHEXYL)ADIPATE	**A-026**	**WAIVED**			
DI(2-ETHYLHEXYL)PHTHALATE	**39100**	**WAIVED**			
DIBROMOCHLOROPROPANE (DBCP)	**38761**	**WAIVED**			
DINOSEB	**81287**	**WAIVED**			
DIQUAT	**78885**	**WAIVED**			

**Testing interval is in months;*
0 = No data for this constituent and is DUE NOW
999 = Waived testing (not required)
I = Invalid (NOT) valid analyses reported

System Number: ***3100067***

System Name: ***LAKE ARTHUR CABINS***

PS Code: ***3100067-002***

Source Name: ***WELL #2, 125 PINEWOOD***

Source Number: ***002***

Source Status: ***ACTIVE UNTREATED***

Water type: ***GROUNDWATER OR WELL***

	STORET NUMBER	TESTING INTERVAL (MONTHS)*	LAST TEST DATE (yyyy/mm/dd)	LAST RESULT REPORTED	NEXT TEST DATE (yyyy/mm)
REGULATED SOC					
ENDOTHALL	38926	WAIVED			
ENDRIN	39390	WAIVED			
ETHYLENE DIBROMIDE (EDB)	77651	WAIVED			
GLYPHOSATE	79743	WAIVED			
HEPTACHLOR	39410	WAIVED			
HEPTACHLOR EPOXIDE	39420	WAIVED			
HEXACHLOROBENZENE	39700	WAIVED			
HEXACHLOROCYCLOPENTADIENE	34386	WAIVED			
LINDANE	39340	WAIVED			
METHOXYCHLOR	39480	WAIVED			
MOLINATE	82199	WAIVED			
OXAMYL	38865	WAIVED			
PENTACHLOROPHENOL	39032	WAIVED			
PICLORAM	39720	WAIVED			
POLYCHLORINATED BIPHENYLS, TOTAL, AS DCB	39516	WAIVED			
SIMAZINE	39055	WAIVED			
THIOBENCARB	A-001	WAIVED			
TOXAPHENE	39400	WAIVED			
REGULATED VOC					
1,1,1-TRICHLOROETHANE	34506	WAIVED			
1,1,2,2-TETRACHLOROETHANE	34516	WAIVED			
1,1,2-TRICHLORO-1,2,2-TRIFLUOROETHANE	81611	WAIVED			
1,1,2-TRICHLOROETHANE	34511	WAIVED			
1,1-DICHLOROETHANE	34496	WAIVED			
1,1-DICHLOROETHYLENE	34501	WAIVED			
1,2,4-TRICHLOROBENZENE	34551	WAIVED			
1,2-DICHLOROBENZENE	34536	WAIVED			
1,2-DICHLOROETHANE	34531	WAIVED			
1,2-DICHLOROPROPANE	34541	WAIVED			

**Testing interval is in months;*
0 = No data for this constituent and is DUE NOW
999 = Waived testing (not required)
I = Invalid (NOT) valid analyses reported

System Number: ***3100067***

System Name: ***LAKE ARTHUR CABINS***

PS Code: ***3100067-002***

Source Name: ***WELL #2, 125 PINEWOOD***

Source Number: ***002***

Source Status: ***ACTIVE UNTREATED***

Water type: ***GROUNDWATER OR WELL***

	STORET NUMBER	TESTING INTERVAL (MONTHS)*	LAST TEST DATE (yyyy/mm/dd)	LAST RESULT REPORTED	NEXT TEST DATE (yyyy/mm)
REGULATED VOC					
1,3-DICHLOROPROPENE (TOTAL)	34561	WAIVED			
1,4-DICHLOROBENZENE	34571	WAIVED			
BENZENE	34030	WAIVED			
CARBON TETRACHLORIDE	32102	WAIVED			
CIS-1,2-DICHLOROETHYLENE	77093	WAIVED			
DICHLOROMETHANE	34423	WAIVED			
ETHYLBENZENE	34371	WAIVED			
METHYL-TERT-BUTYL-ETHER (MTBE)	46491	WAIVED			
MONOCHLOROBENZENE	34301	WAIVED			
STYRENE	77128	WAIVED			
TETRACHLOROETHYLENE	34475	WAIVED			
TOLUENE	34010	WAIVED			
TRANS-1,2-DICHLOROETHYLENE	34546	WAIVED			
TRICHLOROETHYLENE	39180	WAIVED			
TRICHLOROFLUOROMETHANE	34488	WAIVED			
VINYL CHLORIDE	39175	WAIVED			
XYLENES (TOTAL)	81551	WAIVED			
SECONDARY/GP					
AGGRSSIVE INDEX (CORROSIVITY)	82383	WAIVED	2009/04/10	11.700	
BICARBONATE ALKALINITY	00440	WAIVED	2009/04/10	133.000	
CALCIUM	00916	WAIVED	2009/04/10	36.100	
CARBONATE ALKALINITY	00445	WAIVED	2009/04/10	.000	
CHLORIDE	00940	WAIVED	2009/04/10	6.000	
COLOR	00081	WAIVED	2009/04/10	.000	
COPPER	01042	WAIVED	2009/04/10	.000	
FOAMING AGENTS (MBAS)	38260	WAIVED	2009/04/10	.000	
HARDNESS (TOTAL) AS CACO3	00900	WAIVED	2009/04/10	101.000	
HYDROXIDE ALKALINITY	71830	WAIVED	2009/04/10	.000	
IRON	01045	WAIVED	2009/04/10	.000	

**Testing interval is in months;*
0 = No data for this constituent and is DUE NOW
999 = Waived testing (not required)
I = Invalid (NOT) valid analyses reported

System Number: ***3100067***

System Name: ***LAKE ARTHUR CABINS***

PS Code: ***3100067-002***

Source Name: ***WELL #2, 125 PINEWOOD***

Source Number: ***002***

Source Status: ***ACTIVE UNTREATED***

Water type: ***GROUNDWATER OR WELL***

SECONDARY/GP

	STORET NUMBER	TESTING INTERVAL (MONTHS)*	LAST TEST DATE (yyyy/mm/dd)	LAST RESULT REPORTED	NEXT TEST DATE (yyyy/mm)
MAGNESIUM	00927	WAIVED	2009/04/10	5.000	
MANGANESE	01055	WAIVED	2009/04/10	.000	
ODOR THRESHOLD @ 60 C	00086	WAIVED	2009/04/10	.000	
PH, LABORATORY	00403	WAIVED	2009/04/10	7.710	
SILVER	01077	WAIVED	2009/04/10	.000	
SODIUM	00929	WAIVED	2009/04/10	8.410	
SPECIFIC CONDUCTANCE	00095	WAIVED	2009/04/10	224.000	
SULFATE	00945	WAIVED	2009/04/10	3.780	
TOTAL DISSOLVED SOLIDS	70300	WAIVED	2009/04/10	158.000	
TURBIDITY, LABORATORY	82079	WAIVED	2009/04/10	.190	
ZINC	01092	WAIVED	2009/04/10	.000	

**Testing interval is in months;*
0 = No data for this constituent and is DUE NOW
999 = Waived testing (not required)
I = Invalid (NOT) valid analyses reported

System Number: ***3100069***

System Name: ***GLEN OAKS MOBILE HOME PARK***

PS Code: ***3100069-001***

Source Name: ***WELL 01 DRILLED 1987***

Source Number: ***001***

Source Status: ***ACTIVE UNTREATED***

Water type: ***GROUNDWATER OR WELL***

	STORET NUMBER	TESTING INTERVAL (MONTHS)*	LAST TEST DATE (yyyy/mm/dd)	LAST RESULT REPORTED	NEXT TEST DATE (yyyy/mm)	
GENERAL NON CHAP 15						
DIAZINON	39570	WAIVED				
INORGANIC						
ALUMINUM	01105	108	2010/03/11	.000	2019/03	
ANTIMONY	01097	036	2010/03/11	.000	2013/03	
ARSENIC	01002	036	2010/03/11	.000	2013/03	
ASBESTOS	81855	WAIVED				
BARIUM	01007	036	2010/03/11	.000	2013/03	
BERYLLIUM	01012	036	2010/03/11	.000	2013/03	
CADMIUM	01027	036	2010/03/11	.000	2013/03	
CHROMIUM (TOTAL)	01034	036	2010/03/11	.000	2013/03	
CYANIDE	01291	WAIVED				
FLUORIDE (F) (NATURAL-SOURCE)	00951	036	2010/03/11	.200	2013/03	
LEAD	01051	WAIVED	2010/03/11	.000		
MERCURY	71900	036	2010/03/11	.000	2013/03	
NICKEL	01067	036	2010/03/11	.000	2013/03	
PERCHLORATE	A-031	036	**2009/01/12**	.000	**2012/01**	**DUE**
SELENIUM	01147	036	2010/03/11	.000	2013/03	
THALLIUM	01059	036	2010/03/11	.000	2013/03	
NITRATE/NITRITE						
NITRATE (AS NO3)	71850	012	**2010/03/11**	.000	**2011/03**	**DUE**
NITRITE (AS N)	00620	036	2010/03/11	.000	2013/03	
RADIOLOGICAL						
GROSS ALPHA	01501	000				**DUE**
GROSS BETA	03501	WAIVED				
RA-226 FOR CWS OR TOTAL RA FOR NTNC BY 903.0	A-080	WAIVED				
RA-226 OR TOTAL RA BY 903.0 C.E.	A-081	WAIVED				
RADIUM 226	09501	WAIVED				
RADIUM 228	11501	003				**DUE**

**Testing interval is in months;*
0 = No data for this constituent and is DUE NOW
999 = Waived testing (not required)
I = Invalid (NOT) valid analyses reported

System Number: ***3100069***

System Name: ***GLEN OAKS MOBILE HOME PARK***

PS Code: ***3100069-001***

Source Name: ***WELL 01 DRILLED 1987***

Source Number: ***001***

Source Status: ***ACTIVE UNTREATED***

Water type: ***GROUNDWATER OR WELL***

	STORET NUMBER	TESTING INTERVAL (MONTHS)*	LAST TEST DATE (yyyy/mm/dd)	LAST RESULT REPORTED	NEXT TEST DATE (yyyy/mm)
RADIOLOGICAL					
RADIUM, TOTAL, MDA95-NTNC ONLY, BY 903.0	A-082	WAIVED			
STRONTIUM-90	13501	WAIVED			
TRITIUM	07000	WAIVED			
URANIUM (PCI/L)	28012	WAIVED			
REGULATED SOC					
2,3,7,8-TCDD (DIOXIN)	34676	WAIVED			
2,4,5-TP (SILVEX)	39045	WAIVED			
2,4-D	39730	WAIVED			
ALACHLOR	77825	WAIVED			
ATRAZINE	39033	WAIVED			
BENTAZON	38710	WAIVED			
BENZO (A) PYRENE	34247	WAIVED			
CARBOFURAN	81405	WAIVED			
CHLORDANE	39350	WAIVED			
DALAPON	38432	WAIVED			
DI(2-ETHYLHEXYL)ADIPATE	A-026	WAIVED			
DI(2-ETHYLHEXYL)PHTHALATE	39100	WAIVED			
DIBROMOCHLOROPROPANE (DBCP)	38761	WAIVED			
DINOSEB	81287	WAIVED			
DIQUAT	78885	WAIVED			
ENDOTHALL	38926	WAIVED			
ENDRIN	39390	WAIVED			
ETHYLENE DIBROMIDE (EDB)	77651	WAIVED			
GLYPHOSATE	79743	WAIVED			
HEPTACHLOR	39410	WAIVED			
HEPTACHLOR EPOXIDE	39420	WAIVED			
HEXACHLOROBENZENE	39700	WAIVED			
HEXACHLOROCYCLOPENTADIENE	34386	WAIVED			
LINDANE	39340	WAIVED			

**Testing interval is in months;*
0 = No data for this constituent and is DUE NOW
999 = Waived testing (not required)
I = Invalid (NOT) valid analyses reported

System Number: ***3100069***

System Name: ***GLEN OAKS MOBILE HOME PARK***

PS Code: ***3100069-001***

Source Name: ***WELL 01 DRILLED 1987***

Source Number: ***001***

Source Status: ***ACTIVE UNTREATED***

Water type: ***GROUNDWATER OR WELL***

	STORET NUMBER	TESTING INTERVAL (MONTHS)*	LAST TEST DATE (yyyy/mm/dd)	LAST RESULT REPORTED	NEXT TEST DATE (yyyy/mm)	
REGULATED SOC						
METHOXYCHLOR	39480	WAIVED				
MOLINATE	82199	WAIVED				
OXAMYL	38865	WAIVED				
PENTACHLOROPHENOL	39032	WAIVED				
PICLORAM	39720	WAIVED				
POLYCHLORINATED BIPHENYLS, TOTAL, AS DCB	39516	WAIVED				
SIMAZINE	39055	WAIVED	1988/04/26	< .060		
THIOBENCARB	A-001	WAIVED				
TOXAPHENE	39400	WAIVED				
REGULATED VOC						
1,1,1-TRICHLOROETHANE	34506	072	1998/03/04	.000	2004/03	DUE
1,1,2,2-TETRACHLOROETHANE	34516	072	1998/03/04	.000	2004/03	DUE
1,1,2-TRICHLORO-1,2,2-TRIFLUOROETHANE	81611	072	1998/03/04	.000	2004/03	DUE
1,1,2-TRICHLOROETHANE	34511	072	1998/03/04	.000	2004/03	DUE
1,1-DICHLOROETHANE	34496	072	1998/03/04	.000	2004/03	DUE
1,1-DICHLOROETHYLENE	34501	072	1998/03/04	.000	2004/03	DUE
1,2,4-TRICHLOROBENZENE	34551	072	1998/03/04	.000	2004/03	DUE
1,2-DICHLOROBENZENE	34536	072	1998/03/04	.000	2004/03	DUE
1,2-DICHLOROETHANE	34531	072	1998/03/04	.000	2004/03	DUE
1,2-DICHLOROPROPANE	34541	072	1998/03/04	.000	2004/03	DUE
1,3-DICHLOROPROPENE (TOTAL)	34561	072	1998/03/04	.000	2004/03	DUE
1,4-DICHLOROBENZENE	34571	072	1998/03/04	.000	2004/03	DUE
BENZENE	34030	072	1998/03/04	.000	2004/03	DUE
CARBON TETRACHLORIDE	32102	072	1998/03/04	.000	2004/03	DUE
CIS-1,2-DICHLOROETHYLENE	77093	072	1998/03/04	.000	2004/03	DUE
DICHLOROMETHANE	34423	072	1998/03/04	.000	2004/03	DUE
ETHYLBENZENE	34371	072	1998/03/04	.000	2004/03	DUE
METHYL-TERT-BUTYL-ETHER (MTBE)	46491	072	1998/03/04	.000	2004/03	DUE
MONOCHLOROBENZENE	34301	072	1998/03/04	.000	2004/03	DUE

**Testing interval is in months;*
0 = No data for this constituent and is DUE NOW
999 = Waived testing (not required)
I = Invalid (NOT) valid analyses reported

System Number: ***3100069***

System Name: ***GLEN OAKS MOBILE HOME PARK***

PS Code: ***3100069-001***

Source Name: ***WELL 01 DRILLED 1987***

Source Number: ***001***

Source Status: ***ACTIVE UNTREATED***

Water type: ***GROUNDWATER OR WELL***

	STORET NUMBER	TESTING INTERVAL (MONTHS)*	LAST TEST DATE (yyyy/mm/dd)	LAST RESULT REPORTED	NEXT TEST DATE (yyyy/mm)	
REGULATED VOC						
STYRENE	77128	072	1998/03/04	.000	2004/03	DUE
TETRACHLOROETHYLENE	34475	072	1998/03/04	.000	2004/03	DUE
TOLUENE	34010	072	1998/03/04	.000	2004/03	DUE
TRANS-1,2-DICHLOROETHYLENE	34546	072	1998/03/04	.000	2004/03	DUE
TRICHLOROETHYLENE	39180	072	1998/03/04	.000	2004/03	DUE
TRICHLOROFLUOROMETHANE	34488	072	1998/03/04	.000	2004/03	DUE
VINYL CHLORIDE	39175	072	1998/03/04	.000	2004/03	DUE
XYLENES (TOTAL)	81551	072	1998/03/04	.000	2004/03	DUE
SECONDARY/GP						
AGGRSSIVE INDEX (CORROSIVITY)	82383	WAIVED	2010/03/11	11.000		
BICARBONATE ALKALINITY	00440	108	2010/03/11	115.000	2019/03	
CALCIUM	00916	108	2010/03/11	30.500	2019/03	
CARBONATE ALKALINITY	00445	108	2010/03/11	.000	2019/03	
CHLORIDE	00940	108	2010/03/11	11.000	2019/03	
COLOR	00081	108	2010/03/11	20.000	2019/03	
COPPER	01042	108	2010/03/11	.000	2019/03	
FOAMING AGENTS (MBAS)	38260	108	2010/03/11	.200	2019/03	
HARDNESS (TOTAL) AS CACO3	00900	108	2010/03/11	103.000	2019/03	
HYDROXIDE ALKALINITY	71830	108	2010/03/11	.000	2019/03	
IRON	01045	108	2012/04/02	2990.000	2021/04	
MAGNESIUM	00927	108	2010/03/11	6.900	2019/03	
MANGANESE	01055	108	2012/04/02	1621.400	2021/04	
ODOR THRESHOLD @ 60 C	00086	108	2010/03/11	.000	2019/03	
PH, LABORATORY	00403	036	2007/08/07	7.740	2010/08	DUE
SILVER	01077	108	2010/03/11	.000	2019/03	
SODIUM	00929	108	2010/03/11	9.740	2019/03	
SPECIFIC CONDUCTANCE	00095	108	2010/03/11	261.000	2019/03	
SULFATE	00945	108	2010/03/11	24.000	2019/03	
TOTAL DISSOLVED SOLIDS	70300	108	2010/03/11	170.000	2019/03	

**Testing interval is in months;*
0 = No data for this constituent and is DUE NOW
999 = Waived testing (not required)
I = Invalid (NOT) valid analyses reported

System Number: ***3100069***

System Name: ***GLEN OAKS MOBILE HOME PARK***

PS Code: ***3100069-001***

Source Name: ***WELL 01 DRILLED 1987***

Source Number: ***001***

Source Status: ***ACTIVE UNTREATED***

Water type: ***GROUNDWATER OR WELL***

SECONDARY/GP

	STORET NUMBER	TESTING INTERVAL (MONTHS)*	LAST TEST DATE (yyyy/mm/dd)	LAST RESULT REPORTED	NEXT TEST DATE (yyyy/mm)
TURBIDITY, LABORATORY	**82079**	**108**	2010/03/11	**22.300**	2019/03
ZINC	**01092**	**108**	2010/03/11	**.000**	2019/03

**Testing interval is in months;*
0 = No data for this constituent and is DUE NOW
999 = Waived testing (not required)
I = Invalid (NOT) valid analyses reported

System Number: ***3100072***

System Name: ***LIVE OAK WALDORF SCHOOL***

PS Code: ***3100072-001***

Source Name: ***WELL #1***

Source Number: ***001***

Source Status: ***ACTIVE UNTREATED***

Water type: ***GROUNDWATER OR WELL***

	STORET NUMBER	TESTING INTERVAL (MONTHS)*	LAST TEST DATE (yyyy/mm/dd)	LAST RESULT REPORTED	NEXT TEST DATE (yyyy/mm)	
GENERAL NON CHAP 15						
DIAZINON	39570	WAIVED				
INORGANIC						
ALUMINUM	01105	108	2010/04/05	.000	2019/04	
ANTIMONY	01097	108	2010/04/05	.000	2019/04	
ARSENIC	01002	108	2010/04/05	.000	2019/04	
ASBESTOS	81855	WAIVED				
BARIUM	01007	108	2010/04/05	49.300	2019/04	
BERYLLIUM	01012	108	2007/04/02	< 1.000	2016/04	
CADMIUM	01027	108	2010/04/05	.000	2019/04	
CHROMIUM (TOTAL)	01034	108	2010/04/05	.000	2019/04	
CYANIDE	01291	WAIVED				
FLUORIDE (F) (NATURAL-SOURCE)	00951	108	2010/04/05	.000	2019/04	
LEAD	01051	WAIVED	2000/05/12	< 2.000		
MERCURY	71900	108	2010/04/05	.000	2019/04	
NICKEL	01067	108	2010/04/05	.000	2019/04	
PERCHLORATE	A-031	036	2009/09/17	.000	2012/09	
SELENIUM	01147	108	2010/04/05	.000	2019/04	
THALLIUM	01059	108	2010/04/05	.000	2019/04	
NITRATE/NITRITE						
NITRATE (AS NO3)	71850	012	2012/02/06	1.240	2013/02	
NITRITE (AS N)	00620	036	2010/04/05	.000	2013/04	
RADIOLOGICAL						
GROSS ALPHA	01501	003	2007/10/29	.000	2008/01	DUE
GROSS BETA	03501	WAIVED				
RA-226 FOR CWS OR TOTAL RA FOR NTNC BY 903.0	A-080	WAIVED				
RA-226 OR TOTAL RA BY 903.0 C.E.	A-081	WAIVED				
RADIUM 226	09501	WAIVED				
RADIUM 228	11501	WAIVED				

**Testing interval is in months;*
0 = No data for this constituent and is DUE NOW
999 = Waived testing (not required)
I = Invalid (NOT) valid analyses reported

System Number: ***3100072***

System Name: ***LIVE OAK WALDORF SCHOOL***

PS Code: ***3100072-001***

Source Name: ***WELL #1***

Source Number: ***001***

Source Status: ***ACTIVE UNTREATED***

Water type: ***GROUNDWATER OR WELL***

	STORET NUMBER	TESTING INTERVAL (MONTHS)*	LAST TEST DATE (yyyy/mm/dd)	LAST RESULT REPORTED	NEXT TEST DATE (yyyy/mm)
RADIOLOGICAL					
RADIUM, TOTAL, MDA95-NTNC ONLY, BY 903.0	A-082	WAIVED			
STRONTIUM-90	13501	WAIVED			
TRITIUM	07000	WAIVED			
URANIUM (PCI/L)	28012	WAIVED			
REGULATED SOC					
2,3,7,8-TCDD (DIOXIN)	34676	WAIVED			
2,4,5-TP (SILVEX)	39045	WAIVED			
2,4-D	39730	WAIVED			
ALACHLOR	77825	WAIVED			
ATRAZINE	39033	WAIVED			
BENTAZON	38710	WAIVED			
BENZO (A) PYRENE	34247	WAIVED			
CARBOFURAN	81405	WAIVED			
CHLORDANE	39350	WAIVED			
DALAPON	38432	WAIVED			
DI(2-ETHYLHEXYL)ADIPATE	A-026	WAIVED			
DI(2-ETHYLHEXYL)PHTHALATE	39100	WAIVED			
DIBROMOCHLOROPROPANE (DBCP)	38761	WAIVED			
DINOSEB	81287	WAIVED			
DIQUAT	78885	WAIVED			
ENDOTHALL	38926	WAIVED			
ENDRIN	39390	WAIVED			
ETHYLENE DIBROMIDE (EDB)	77651	WAIVED			
GLYPHOSATE	79743	WAIVED			
HEPTACHLOR	39410	WAIVED			
HEPTACHLOR EPOXIDE	39420	WAIVED			
HEXACHLOROBENZENE	39700	WAIVED			
HEXACHLOROCYCLOPENTADIENE	34386	WAIVED			
LINDANE	39340	WAIVED			

**Testing interval is in months;*
0 = No data for this constituent and is DUE NOW
999 = Waived testing (not required)
I = Invalid (NOT) valid analyses reported

System Number: ***3100072***

System Name: ***LIVE OAK WALDORF SCHOOL***

PS Code: ***3100072-001***

Source Name: ***WELL #1***

Source Number: ***001***

Source Status: ***ACTIVE UNTREATED***

Water type: ***GROUNDWATER OR WELL***

	STORET NUMBER	TESTING INTERVAL (MONTHS)*	LAST TEST DATE (yyyy/mm/dd)	LAST RESULT REPORTED	NEXT TEST DATE (yyyy/mm)	
REGULATED SOC						
METHOXYCHLOR	39480	WAIVED				
MOLINATE	82199	WAIVED				
OXAMYL	38865	WAIVED				
PENTACHLOROPHENOL	39032	WAIVED				
PICLORAM	39720	WAIVED				
POLYCHLORINATED BIPHENYLS, TOTAL, AS DCB	39516	WAIVED				
SIMAZINE	39055	WAIVED				
THIOBENCARB	A-001	WAIVED				
TOXAPHENE	39400	WAIVED				
REGULATED VOC						
1,1,1-TRICHLOROETHANE	34506	072	2004/04/26	.000	2010/04	DUE
1,1,2,2-TETRACHLOROETHANE	34516	072	2004/04/26	.000	2010/04	DUE
1,1,2-TRICHLORO-1,2,2-TRIFLUOROETHANE	81611	072	2004/04/26	.000	2010/04	DUE
1,1,2-TRICHLOROETHANE	34511	072	2004/04/26	.000	2010/04	DUE
1,1-DICHLOROETHANE	34496	072	2004/04/26	.000	2010/04	DUE
1,1-DICHLOROETHYLENE	34501	072	2004/04/26	.000	2010/04	DUE
1,2,4-TRICHLOROBENZENE	34551	072	2004/04/26	.000	2010/04	DUE
1,2-DICHLOROBENZENE	34536	072	2004/04/26	.000	2010/04	DUE
1,2-DICHLOROETHANE	34531	072	2004/04/26	.000	2010/04	DUE
1,2-DICHLOROPROPANE	34541	072	2004/04/26	.000	2010/04	DUE
1,3-DICHLOROPROPENE (TOTAL)	34561	072	2004/04/26	.000	2010/04	DUE
1,4-DICHLOROBENZENE	34571	072	2004/04/26	.000	2010/04	DUE
BENZENE	34030	072	2004/04/26	.000	2010/04	DUE
CARBON TETRACHLORIDE	32102	072	2004/04/26	.000	2010/04	DUE
CIS-1,2-DICHLOROETHYLENE	77093	072	2004/04/26	.000	2010/04	DUE
DICHLOROMETHANE	34423	072	2004/04/26	.000	2010/04	DUE
ETHYLBENZENE	34371	072	2004/04/26	.000	2010/04	DUE
METHYL-TERT-BUTYL-ETHER (MTBE)	46491	072	2004/04/26	.000	2010/04	DUE
MONOCHLOROBENZENE	34301	072	2004/04/26	.000	2010/04	DUE

**Testing interval is in months;*
0 = No data for this constituent and is DUE NOW
999 = Waived testing (not required)
I = Invalid (NOT) valid analyses reported

System Number: ***3100072***

System Name: ***LIVE OAK WALDORF SCHOOL***

PS Code: ***3100072-001***

Source Name: ***WELL #1***

Source Number: ***001***

Source Status: ***ACTIVE UNTREATED***

Water type: ***GROUNDWATER OR WELL***

	STORET NUMBER	TESTING INTERVAL (MONTHS)*	LAST TEST DATE (yyyy/mm/dd)	LAST RESULT REPORTED	NEXT TEST DATE (yyyy/mm)	
REGULATED VOC						
STYRENE	77128	072	2004/04/26	.000	2010/04	DUE
TETRACHLOROETHYLENE	34475	072	2004/04/26	.000	2010/04	DUE
TOLUENE	34010	072	2004/04/26	.000	2010/04	DUE
TRANS-1,2-DICHLOROETHYLENE	34546	072	2004/04/26	.000	2010/04	DUE
TRICHLOROETHYLENE	39180	072	2004/04/26	.000	2010/04	DUE
TRICHLOROFLUOROMETHANE	34488	072	2004/04/26	.000	2010/04	DUE
VINYL CHLORIDE	39175	072	2004/04/26	.000	2010/04	DUE
XYLENES (TOTAL)	81551	072	2004/04/26	.000	2010/04	DUE
SECONDARY/GP						
AGGRSSIVE INDEX (CORROSIVITY)	82383	WAIVED	2000/05/12	10.900		
BICARBONATE ALKALINITY	00440	WAIVED	2011/03/17	114.000		
CALCIUM	00916	WAIVED	2000/05/12	15.900		
CARBONATE ALKALINITY	00445	WAIVED	2011/03/17	.000		
CHLORIDE	00940	WAIVED				
COLOR	00081	WAIVED				
COPPER	01042	WAIVED	2000/05/12	< 20.000		
FOAMING AGENTS (MBAS)	38260	WAIVED				
HARDNESS (TOTAL) AS CACO3	00900	000				DUE
HYDROXIDE ALKALINITY	71830	WAIVED	2011/03/17	.000		
IRON	01045	000				DUE
MAGNESIUM	00927	000				DUE
MANGANESE	01055	000				DUE
ODOR THRESHOLD @ 60 C	00086	WAIVED				
PH, LABORATORY	00403	WAIVED	2011/03/17	6.800		
SILVER	01077	WAIVED				
SODIUM	00929	000				DUE
SPECIFIC CONDUCTANCE	00095	WAIVED	2009/09/17	200.000		
SULFATE	00945	WAIVED				
TOTAL DISSOLVED SOLIDS	70300	WAIVED				

**Testing interval is in months;*
0 = No data for this constituent and is DUE NOW
999 = Waived testing (not required)
I = Invalid (NOT) valid analyses reported

System Number: ***3100072***

System Name: ***LIVE OAK WALDORF SCHOOL***

PS Code: ***3100072-001***

Source Name: ***WELL #1***

Source Number: ***001***

Source Status: ***ACTIVE UNTREATED***

Water type: ***GROUNDWATER OR WELL***

	STORET NUMBER	TESTING INTERVAL (MONTHS)*	LAST TEST DATE (yyyy/mm/dd)	LAST RESULT REPORTED	NEXT TEST DATE (yyyy/mm)
SECONDARY/GP					
TURBIDITY, LABORATORY	82079	WAIVED			
ZINC	01092	WAIVED			

**Testing interval is in months;*
0 = No data for this constituent and is DUE NOW
999 = Waived testing (not required)
I = Invalid (NOT) valid analyses reported

System Number: ***3100077***

System Name: ***DRY CREEK ELEMENTARY SCHOOL.***

PS Code: ***3100077-003***

Source Name: ***WELL 03 DRILLED 1996***

Source Number: ***003***

Source Status: ***ACTIVE UNTREATED***

Water type: ***GROUNDWATER OR WELL***

	STORET NUMBER	TESTING INTERVAL (MONTHS)*	LAST TEST DATE (yyyy/mm/dd)	LAST RESULT REPORTED	NEXT TEST DATE (yyyy/mm)
GENERAL NON CHAP 15					
DIAZINON	39570	WAIVED			
INORGANIC					
ALUMINUM	01105	108	2011/07/13	.000	2020/07
ANTIMONY	01097	108	2011/07/13	.000	2020/07
ARSENIC	01002	108	2011/07/13	2.900	2020/07
ASBESTOS	81855	WAIVED	2007/07/19	.000	
BARIUM	01007	108	2011/07/13	68.500	2020/07
BERYLLIUM	01012	108	2011/07/13	.000	2020/07
CADMIUM	01027	108	2011/07/13	.000	2020/07
CHROMIUM (TOTAL)	01034	108	2011/07/13	.000	2020/07
CYANIDE	01291	WAIVED	2007/07/19	.000	
FLUORIDE (F) (NATURAL-SOURCE)	00951	108	2011/07/13	.200	2020/07
LEAD	01051	WAIVED	2010/06/17	< 5.000	
MERCURY	71900	108	2011/07/13	.000	2020/07
NICKEL	01067	108	2011/07/13	.000	2020/07
PERCHLORATE	A-031	036	2011/07/13	< .000	2014/07
SELENIUM	01147	108	2011/07/13	.000	2020/07
THALLIUM	01059	108	2011/07/13	.000	2020/07
NITRATE/NITRITE					
NITRATE (AS NO3)	71850	012	2011/07/13	4.250	2012/07
NITRITE (AS N)	00620	036	2011/07/13	.000	2014/07
RADIOLOGICAL					
GROSS ALPHA	01501	108	2012/04/10	1.110	2021/04
GROSS BETA	03501	WAIVED			
RA-226 FOR CWS OR TOTAL RA FOR NTNC BY 903.0	A-080	WAIVED			
RA-226 OR TOTAL RA BY 903.0 C.E.	A-081	WAIVED			
RADIUM 226	09501	WAIVED			
RADIUM 228	11501	WAIVED			

**Testing interval is in months;*
0 = No data for this constituent and is DUE NOW
999 = Waived testing (not required)
I = Invalid (NOT) valid analyses reported

System Number: ***3100077***

System Name: ***DRY CREEK ELEMENTARY SCHOOL.***

PS Code: ***3100077-003***

Source Name: ***WELL 03 DRILLED 1996***

Source Number: ***003***

Source Status: ***ACTIVE UNTREATED***

Water type: ***GROUNDWATER OR WELL***

	STORET NUMBER	TESTING INTERVAL (MONTHS)*	LAST TEST DATE (yyyy/mm/dd)	LAST RESULT REPORTED	NEXT TEST DATE (yyyy/mm)
RADIOLOGICAL					
RADIUM, TOTAL, MDA95-NTNC ONLY, BY 903.0	A-082	WAIVED			
STRONTIUM-90	13501	WAIVED			
TRITIUM	07000	WAIVED			
URANIUM (PCI/L)	28012	WAIVED			
REGULATED SOC					
2,3,7,8-TCDD (DIOXIN)	34676	WAIVED			
2,4,5-TP (SILVEX)	39045	WAIVED			
2,4-D	39730	WAIVED			
ALACHLOR	77825	WAIVED			
ATRAZINE	39033	WAIVED			
BENTAZON	38710	WAIVED			
BENZO (A) PYRENE	34247	WAIVED			
CARBOFURAN	81405	WAIVED			
CHLORDANE	39350	WAIVED			
DALAPON	38432	WAIVED			
DI(2-ETHYLHEXYL)ADIPATE	A-026	WAIVED			
DI(2-ETHYLHEXYL)PHTHALATE	39100	WAIVED			
DIBROMOCHLOROPROPANE (DBCP)	38761	WAIVED			
DINOSEB	81287	WAIVED			
DIQUAT	78885	WAIVED			
ENDOTHALL	38926	WAIVED			
ENDRIN	39390	WAIVED			
ETHYLENE DIBROMIDE (EDB)	77651	WAIVED			
GLYPHOSATE	79743	WAIVED			
HEPTACHLOR	39410	WAIVED			
HEPTACHLOR EPOXIDE	39420	WAIVED			
HEXACHLOROBENZENE	39700	WAIVED			
HEXACHLOROCYCLOPENTADIENE	34386	WAIVED			
LINDANE	39340	WAIVED			

**Testing interval is in months;*
0 = No data for this constituent and is DUE NOW
999 = Waived testing (not required)
I = Invalid (NOT) valid analyses reported

System Number: ***3100077***

System Name: ***DRY CREEK ELEMENTARY SCHOOL.***

PS Code: ***3100077-003***

Source Name: ***WELL 03 DRILLED 1996***

Source Number: ***003***

Source Status: ***ACTIVE UNTREATED***

Water type: ***GROUNDWATER OR WELL***

	STORET NUMBER	TESTING INTERVAL (MONTHS)*	LAST TEST DATE (yyyy/mm/dd)	LAST RESULT REPORTED	NEXT TEST DATE (yyyy/mm)
REGULATED SOC					
METHOXYCHLOR	39480	WAIVED			
MOLINATE	82199	WAIVED			
OXAMYL	38865	WAIVED			
PENTACHLOROPHENOL	39032	WAIVED			
PICLORAM	39720	WAIVED			
POLYCHLORINATED BIPHENYLS, TOTAL, AS DCB	39516	WAIVED			
SIMAZINE	39055	WAIVED			
THIOBENCARB	A-001	WAIVED			
TOXAPHENE	39400	WAIVED			
REGULATED VOC					
1,1,1-TRICHLOROETHANE	34506	072	2008/02/21	.000	2014/02
1,1,2,2-TETRACHLOROETHANE	34516	072	2008/02/21	.000	2014/02
1,1,2-TRICHLORO-1,2,2-TRIFLUOROETHANE	81611	072	2008/02/21	.000	2014/02
1,1,2-TRICHLOROETHANE	34511	072	2008/02/21	.000	2014/02
1,1-DICHLOROETHANE	34496	072	2008/02/21	.000	2014/02
1,1-DICHLOROETHYLENE	34501	072	2008/02/21	.000	2014/02
1,2,4-TRICHLOROBENZENE	34551	072	2008/02/21	.000	2014/02
1,2-DICHLOROBENZENE	34536	072	2008/02/21	.000	2014/02
1,2-DICHLOROETHANE	34531	072	2008/02/21	.000	2014/02
1,2-DICHLOROPROPANE	34541	072	2008/02/21	.000	2014/02
1,3-DICHLOROPROPENE (TOTAL)	34561	072	2008/02/21	.000	2014/02
1,4-DICHLOROBENZENE	34571	072	2008/02/21	.000	2014/02
BENZENE	34030	072	2008/02/21	.000	2014/02
CARBON TETRACHLORIDE	32102	072	2008/02/21	.000	2014/02
CIS-1,2-DICHLOROETHYLENE	77093	072	2008/02/21	.000	2014/02
DICHLOROMETHANE	34423	072	2008/02/21	.000	2014/02
ETHYLBENZENE	34371	072	2008/02/21	.000	2014/02
METHYL-TERT-BUTYL-ETHER (MTBE)	46491	072	2008/02/21	.000	2014/02
MONOCHLOROBENZENE	34301	072	2008/02/21	.000	2014/02

**Testing interval is in months;*
0 = No data for this constituent and is DUE NOW
999 = Waived testing (not required)
I = Invalid (NOT) valid analyses reported

System Number: ***3100077***

System Name: ***DRY CREEK ELEMENTARY SCHOOL.***

PS Code: ***3100077-003***

Source Name: ***WELL 03 DRILLED 1996***

Source Number: ***003***

Source Status: ***ACTIVE UNTREATED***

Water type: ***GROUNDWATER OR WELL***

	STORET NUMBER	TESTING INTERVAL (MONTHS)*	LAST TEST DATE (yyyy/mm/dd)	LAST RESULT REPORTED	NEXT TEST DATE (yyyy/mm)	
REGULATED VOC						
STYRENE	77128	072	2008/02/21	.000	2014/02	
TETRACHLOROETHYLENE	34475	072	2008/02/21	.000	2014/02	
TOLUENE	34010	072	2008/02/21	.000	2014/02	
TRANS-1,2-DICHLOROETHYLENE	34546	072	2008/02/21	.000	2014/02	
TRICHLOROETHYLENE	39180	072	2008/02/21	.000	2014/02	
TRICHLOROFLUOROMETHANE	34488	072	2008/02/21	.000	2014/02	
VINYL CHLORIDE	39175	072	2008/02/21	.000	2014/02	
XYLENES (TOTAL)	81551	072	2008/02/21	.000	2014/02	
SECONDARY/GP						
AGGRSSIVE INDEX (CORROSIVITY)	82383	WAIVED				
BICARBONATE ALKALINITY	00440	000				DUE
CALCIUM	00916	000				DUE
CARBONATE ALKALINITY	00445	000				DUE
CHLORIDE	00940	WAIVED				
COLOR	00081	WAIVED				
COPPER	01042	WAIVED	2010/06/17	< 50.000		
FOAMING AGENTS (MBAS)	38260	WAIVED				
HARDNESS (TOTAL) AS CACO3	00900	000				DUE
HYDROXIDE ALKALINITY	71830	000				DUE
IRON	01045	WAIVED	2010/06/17	280.000		
MAGNESIUM	00927	000				DUE
MANGANESE	01055	WAIVED	2010/06/17	.000		
ODOR THRESHOLD @ 60 C	00086	WAIVED				
PH, LABORATORY	00403	000				DUE
SILVER	01077	WAIVED	2010/06/17	< 10.000		
SODIUM	00929	000				DUE
SPECIFIC CONDUCTANCE	00095	WAIVED	2011/07/13	290.000		
SULFATE	00945	WAIVED				
TOTAL DISSOLVED SOLIDS	70300	WAIVED				

**Testing interval is in months;*
0 = No data for this constituent and is DUE NOW
999 = Waived testing (not required)
I = Invalid (NOT) valid analyses reported

System Number: ***3100077***

System Name: ***DRY CREEK ELEMENTARY SCHOOL.***

PS Code: ***3100077-003***

Source Name: ***WELL 03 DRILLED 1996***

Source Number: ***003***

Source Status: ***ACTIVE UNTREATED***

Water type: ***GROUNDWATER OR WELL***

	STORET NUMBER	TESTING INTERVAL (MONTHS)*	LAST TEST DATE (yyyy/mm/dd)	LAST RESULT REPORTED	NEXT TEST DATE (yyyy/mm)
SECONDARY/GP					
TURBIDITY, LABORATORY	82079	WAIVED			
ZINC	01092	WAIVED	2010/06/17	390.000	

PS Code: ***3100077-004***

Source Name: ***WELL 04 DRILLED 3/98***

Source Number: ***004***

Source Status: ***ACTIVE UNTREATED***

Water type: ***GROUNDWATER OR WELL***

	STORET NUMBER	TESTING INTERVAL (MONTHS)*	LAST TEST DATE (yyyy/mm/dd)	LAST RESULT REPORTED	NEXT TEST DATE (yyyy/mm)
GENERAL NON CHAP 15					
DIAZINON	39570	WAIVED			
INORGANIC					
ALUMINUM	01105	108	2011/07/13	.000	2020/07
ANTIMONY	01097	108	2011/07/13	.000	2020/07
ARSENIC	01002	108	2011/07/13	.000	2020/07
ASBESTOS	81855	WAIVED	2007/07/19	.000	
BARIUM	01007	108	2011/07/13	130.000	2020/07
BERYLLIUM	01012	108	2011/07/13	.000	2020/07
CADMIUM	01027	108	2011/07/13	.000	2020/07
CHROMIUM (TOTAL)	01034	108	2011/07/13	.000	2020/07
CYANIDE	01291	WAIVED	2007/07/19	.000	
FLUORIDE (F) (NATURAL-SOURCE)	00951	108	2011/07/13	.000	2020/07
LEAD	01051	WAIVED	2010/07/01	< 5.000	
MERCURY	71900	108	2011/07/13	.000	2020/07
NICKEL	01067	108	2011/07/13	.000	2020/07
PERCHLORATE	A-031	036	2011/07/13	< .000	2014/07
SELENIUM	01147	108	2011/07/13	.000	2020/07
THALLIUM	01059	108	2011/07/13	.000	2020/07

**Testing interval is in months;*
0 = No data for this constituent and is DUE NOW
999 = Waived testing (not required)
I = Invalid (NOT) valid analyses reported

System Number: ***3100077***

System Name: ***DRY CREEK ELEMENTARY SCHOOL.***

PS Code: ***3100077-004***

Source Name: ***WELL 04 DRILLED 3/98***

Source Number: ***004***

Source Status: ***ACTIVE UNTREATED***

Water type: ***GROUNDWATER OR WELL***

	STORET NUMBER	TESTING INTERVAL (MONTHS)*	LAST TEST DATE (yyyy/mm/dd)	LAST RESULT REPORTED	NEXT TEST DATE (yyyy/mm)
NITRATE/NITRITE					
NITRATE (AS NO3)	71850	012	2011/07/13	13.640	2012/07
NITRITE (AS N)	00620	036	2011/07/13	.000	2014/07
RADIOLOGICAL					
GROSS ALPHA	01501	003	2012/04/10	1.110	2012/07
GROSS BETA	03501	WAIVED			
RA-226 FOR CWS OR TOTAL RA FOR NTNC BY 903.0	A-080	WAIVED			
RA-226 OR TOTAL RA BY 903.0 C.E.	A-081	WAIVED			
RADIUM 226	09501	WAIVED			
RADIUM 228	11501	WAIVED			
RADIUM, TOTAL, MDA95-NTNC ONLY, BY 903.0	A-082	WAIVED			
STRONTIUM-90	13501	WAIVED			
TRITIUM	07000	WAIVED			
URANIUM (PCI/L)	28012	WAIVED			
REGULATED SOC					
2,3,7,8-TCDD (DIOXIN)	34676	WAIVED			
2,4,5-TP (SILVEX)	39045	WAIVED			
2,4-D	39730	WAIVED			
ALACHLOR	77825	WAIVED			
ATRAZINE	39033	WAIVED			
BENTAZON	38710	WAIVED			
BENZO (A) PYRENE	34247	WAIVED			
CARBOFURAN	81405	WAIVED			
CHLORDANE	39350	WAIVED			
DALAPON	38432	WAIVED			
DI(2-ETHYLHEXYL)ADIPATE	A-026	WAIVED			
DI(2-ETHYLHEXYL)PHTHALATE	39100	WAIVED			
DIBROMOCHLOROPROPANE (DBCP)	38761	WAIVED	2008/02/21	< 2.000	
DINOSEB	81287	WAIVED			
DIQUAT	78885	WAIVED			

**Testing interval is in months;*
0 = No data for this constituent and is DUE NOW
999 = Waived testing (not required)
I = Invalid (NOT) valid analyses reported

System Number: ***3100077***

System Name: ***DRY CREEK ELEMENTARY SCHOOL.***

PS Code: ***3100077-004***

Source Name: ***WELL 04 DRILLED 3/98***

Source Number: ***004***

Source Status: ***ACTIVE UNTREATED***

Water type: ***GROUNDWATER OR WELL***

	STORET NUMBER	TESTING INTERVAL (MONTHS)*	LAST TEST DATE (yyyy/mm/dd)	LAST RESULT REPORTED	NEXT TEST DATE (yyyy/mm)
REGULATED SOC					
ENDOTHALL	38926	WAIVED			
ENDRIN	39390	WAIVED			
ETHYLENE DIBROMIDE (EDB)	77651	WAIVED	2008/02/21	< .500	
GLYPHOSATE	79743	WAIVED			
HEPTACHLOR	39410	WAIVED			
HEPTACHLOR EPOXIDE	39420	WAIVED			
HEXACHLOROBENZENE	39700	WAIVED			
HEXACHLOROCYCLOPENTADIENE	34386	WAIVED			
LINDANE	39340	WAIVED			
METHOXYCHLOR	39480	WAIVED			
MOLINATE	82199	WAIVED			
OXAMYL	38865	WAIVED			
PENTACHLOROPHENOL	39032	WAIVED			
PICLORAM	39720	WAIVED			
POLYCHLORINATED BIPHENYLS, TOTAL, AS DCB	39516	WAIVED			
SIMAZINE	39055	WAIVED			
THIOBENCARB	A-001	WAIVED			
TOXAPHENE	39400	WAIVED			
REGULATED VOC					
1,1,1-TRICHLOROETHANE	34506	072	2008/02/21	< .500	2014/02
1,1,2,2-TETRACHLOROETHANE	34516	072	2008/02/21	< .500	2014/02
1,1,2-TRICHLORO-1,2,2-TRIFLUOROETHANE	81611	072	2008/02/21	< 10.000	2014/02
1,1,2-TRICHLOROETHANE	34511	072	2008/02/21	< .500	2014/02
1,1-DICHLOROETHANE	34496	072	2008/02/21	< .500	2014/02
1,1-DICHLOROETHYLENE	34501	072	2008/02/21	< .500	2014/02
1,2,4-TRICHLOROBENZENE	34551	072	2008/02/21	< .500	2014/02
1,2-DICHLOROBENZENE	34536	072	2008/02/21	< .500	2014/02
1,2-DICHLOROETHANE	34531	072	2008/02/21	< .500	2014/02
1,2-DICHLOROPROPANE	34541	072	2008/02/21	< .500	2014/02

**Testing interval is in months;*
0 = No data for this constituent and is DUE NOW
999 = Waived testing (not required)
I = Invalid (NOT) valid analyses reported

System Number: ***3100077***

System Name: ***DRY CREEK ELEMENTARY SCHOOL.***

PS Code: ***3100077-004***

Source Name: ***WELL 04 DRILLED 3/98***

Source Number: ***004***

Source Status: ***ACTIVE UNTREATED***

Water type: ***GROUNDWATER OR WELL***

	STORET NUMBER	TESTING INTERVAL (MONTHS)*	LAST TEST DATE (yyyy/mm/dd)	LAST RESULT REPORTED	NEXT TEST DATE (yyyy/mm)	
REGULATED VOC						
1,3-DICHLOROPROPENE (TOTAL)	34561	072	2008/02/21	< .500	2014/02	
1,4-DICHLOROBENZENE	34571	072	2008/02/21	< .500	2014/02	
BENZENE	34030	072	2008/02/21	< .500	2014/02	
CARBON TETRACHLORIDE	32102	072	2008/02/21	< .500	2014/02	
CIS-1,2-DICHLOROETHYLENE	77093	072	2008/02/21	< .500	2014/02	
DICHLOROMETHANE	34423	072	2008/02/21	< .500	2014/02	
ETHYLBENZENE	34371	072	2008/02/21	< .500	2014/02	
METHYL-TERT-BUTYL-ETHER (MTBE)	46491	072	2008/02/21	< 3.000	2014/02	
MONOCHLOROBENZENE	34301	072	2008/02/21	< .500	2014/02	
STYRENE	77128	072	2008/02/21	< .500	2014/02	
TETRACHLOROETHYLENE	34475	072	2008/02/21	< .500	2014/02	
TOLUENE	34010	072	2008/02/21	< .500	2014/02	
TRANS-1,2-DICHLOROETHYLENE	34546	072	2007/07/19	.000	2013/07	
TRICHLOROETHYLENE	39180	072	2008/02/21	< .500	2014/02	
TRICHLOROFLUOROMETHANE	34488	072	2008/02/21	< 5.000	2014/02	
VINYL CHLORIDE	39175	072	2008/02/21	< .500	2014/02	
XYLENES (TOTAL)	81551	072	2008/02/21	< .500	2014/02	
SECONDARY/GP						
AGGRSSIVE INDEX (CORROSIVITY)	82383	WAIVED				
BICARBONATE ALKALINITY	00440	000				**DUE**
CALCIUM	00916	000				**DUE**
CARBONATE ALKALINITY	00445	000				**DUE**
CHLORIDE	00940	WAIVED				
COLOR	00081	WAIVED				
COPPER	01042	WAIVED	2010/07/01	< 50.000		
FOAMING AGENTS (MBAS)	38260	WAIVED				
HARDNESS (TOTAL) AS CACO3	00900	000				**DUE**
HYDROXIDE ALKALINITY	71830	000				**DUE**
IRON	01045	WAIVED	2010/07/01	< 100.000		

**Testing interval is in months;*
0 = No data for this constituent and is DUE NOW
999 = Waived testing (not required)
I = Invalid (NOT) valid analyses reported

System Number: ***3100077***

System Name: ***DRY CREEK ELEMENTARY SCHOOL.***

PS Code: ***3100077-004***

Source Name: ***WELL 04 DRILLED 3/98***

Source Number: ***004***

Source Status: ***ACTIVE UNTREATED***

Water type: ***GROUNDWATER OR WELL***

SECONDARY/GP

	STORET NUMBER	TESTING INTERVAL (MONTHS)*	LAST TEST DATE (yyyy/mm/dd)	LAST RESULT REPORTED	NEXT TEST DATE (yyyy/mm)
MAGNESIUM	**00927**	**000**			**DUE**
MANGANESE	**01055**	**WAIVED**	2010/07/01	**.000**	
ODOR THRESHOLD @ 60 C	**00086**	**WAIVED**			
PH, LABORATORY	**00403**	**000**			**DUE**
SILVER	**01077**	**WAIVED**	2010/07/01	**< 10.000**	
SODIUM	**00929**	**000**			**DUE**
SPECIFIC CONDUCTANCE	**00095**	**WAIVED**	2011/07/13	**500.000**	
SULFATE	**00945**	**WAIVED**			
TOTAL DISSOLVED SOLIDS	**70300**	**WAIVED**			
TURBIDITY, LABORATORY	**82079**	**WAIVED**			
ZINC	**01092**	**WAIVED**	2010/07/01	**< 50.000**	

**Testing interval is in months;*
0 = No data for this constituent and is DUE NOW
999 = Waived testing (not required)
I = Invalid (NOT) valid analyses reported

System Number: ***3100079***

System Name: ***SIERRA REACH MINISTRIES***

PS Code: ***3100079-001***

Source Name: ***WELL #1***

Source Number: ***001***

Source Status: ***ACTIVE UNTREATED***

Water type: ***GROUNDWATER OR WELL***

	STORET NUMBER	TESTING INTERVAL (MONTHS)*	LAST TEST DATE (yyyy/mm/dd)	LAST RESULT REPORTED	NEXT TEST DATE (yyyy/mm)	
GENERAL NON CHAP 15						
DIAZINON	39570	WAIVED				
INORGANIC						
ALUMINUM	01105	WAIVED				
ANTIMONY	01097	WAIVED				
ARSENIC	01002	WAIVED				
ASBESTOS	81855	WAIVED				
BARIUM	01007	WAIVED				
BERYLLIUM	01012	WAIVED				
CADMIUM	01027	WAIVED				
CHROMIUM (TOTAL)	01034	WAIVED				
CYANIDE	01291	WAIVED				
FLUORIDE (F) (NATURAL-SOURCE)	00951	000				**DUE**
LEAD	01051	WAIVED				
MERCURY	71900	WAIVED				
NICKEL	01067	WAIVED				
PERCHLORATE	A-031	WAIVED				
SELENIUM	01147	WAIVED				
THALLIUM	01059	WAIVED				
NITRATE/NITRITE						
NITRATE (AS NO3)	71850	012	2012/02/23	.000	2013/02	
NITRITE (AS N)	00620	036	2011/03/04	.000	2014/03	
RADIOLOGICAL						
GROSS ALPHA	01501	WAIVED				
GROSS BETA	03501	WAIVED				
RA-226 FOR CWS OR TOTAL RA FOR NTNC BY 903.0	A-080	WAIVED				
RA-226 OR TOTAL RA BY 903.0 C.E.	A-081	WAIVED				
RADIUM 226	09501	WAIVED				
RADIUM 228	11501	WAIVED				

**Testing interval is in months;*
0 = No data for this constituent and is DUE NOW
999 = Waived testing (not required)
I = Invalid (NOT) valid analyses reported

System Number: ***3100079***

System Name: ***SIERRA REACH MINISTRIES***

PS Code: ***3100079-001***

Source Name: ***WELL #1***

Source Number: ***001***

Source Status: ***ACTIVE UNTREATED***

Water type: ***GROUNDWATER OR WELL***

	STORET NUMBER	TESTING INTERVAL (MONTHS)*	LAST TEST DATE (yyyy/mm/dd)	LAST RESULT REPORTED	NEXT TEST DATE (yyyy/mm)
RADIOLOGICAL					
RADIUM, TOTAL, MDA95-NTNC ONLY, BY 903.0	A-082	WAIVED			
STRONTIUM-90	13501	WAIVED			
TRITIUM	07000	WAIVED			
URANIUM (PCI/L)	28012	WAIVED			
REGULATED SOC					
2,3,7,8-TCDD (DIOXIN)	34676	WAIVED			
2,4,5-TP (SILVEX)	39045	WAIVED			
2,4-D	39730	WAIVED			
ALACHLOR	77825	WAIVED			
ATRAZINE	39033	WAIVED			
BENTAZON	38710	WAIVED			
BENZO (A) PYRENE	34247	WAIVED			
CARBOFURAN	81405	WAIVED			
CHLORDANE	39350	WAIVED			
DALAPON	38432	WAIVED			
DI(2-ETHYLHEXYL)ADIPATE	A-026	WAIVED			
DI(2-ETHYLHEXYL)PHTHALATE	39100	WAIVED			
DIBROMOCHLOROPROPANE (DBCP)	38761	WAIVED			
DINOSEB	81287	WAIVED			
DIQUAT	78885	WAIVED			
ENDOTHALL	38926	WAIVED			
ENDRIN	39390	WAIVED			
ETHYLENE DIBROMIDE (EDB)	77651	WAIVED			
GLYPHOSATE	79743	WAIVED			
HEPTACHLOR	39410	WAIVED			
HEPTACHLOR EPOXIDE	39420	WAIVED			
HEXACHLOROBENZENE	39700	WAIVED			
HEXACHLOROCYCLOPENTADIENE	34386	WAIVED			
LINDANE	39340	WAIVED			

**Testing interval is in months;*
0 = No data for this constituent and is DUE NOW
999 = Waived testing (not required)
I = Invalid (NOT) valid analyses reported

System Number: ***3100079***

System Name: ***SIERRA REACH MINISTRIES***

PS Code: ***3100079-001***

Source Name: ***WELL #1***

Source Number: ***001***

Source Status: ***ACTIVE UNTREATED***

Water type: ***GROUNDWATER OR WELL***

	STORET NUMBER	TESTING INTERVAL (MONTHS)*	LAST TEST DATE (yyyy/mm/dd)	LAST RESULT REPORTED	NEXT TEST DATE (yyyy/mm)
REGULATED SOC					
METHOXYCHLOR	39480	WAIVED			
MOLINATE	82199	WAIVED			
OXAMYL	38865	WAIVED			
PENTACHLOROPHENOL	39032	WAIVED			
PICLORAM	39720	WAIVED			
POLYCHLORINATED BIPHENYLS, TOTAL, AS DCB	39516	WAIVED			
SIMAZINE	39055	WAIVED	1988/04/27	< .060	
THIOBENCARB	A-001	WAIVED			
TOXAPHENE	39400	WAIVED			
REGULATED VOC					
1,1,1-TRICHLOROETHANE	34506	WAIVED	1988/04/27	.000	
1,1,2,2-TETRACHLOROETHANE	34516	WAIVED	1988/04/27	.000	
1,1,2-TRICHLORO-1,2,2-TRIFLUOROETHANE	81611	WAIVED	1988/04/27	.000	
1,1,2-TRICHLOROETHANE	34511	WAIVED	1988/04/27	.000	
1,1-DICHLOROETHANE	34496	WAIVED	1988/04/27	.000	
1,1-DICHLOROETHYLENE	34501	WAIVED	1988/04/27	.000	
1,2,4-TRICHLOROBENZENE	34551	WAIVED			
1,2-DICHLOROBENZENE	34536	WAIVED	1988/04/27	.000	
1,2-DICHLOROETHANE	34531	WAIVED	1988/04/27	.000	
1,2-DICHLOROPROPANE	34541	WAIVED			
1,3-DICHLOROPROPENE (TOTAL)	34561	WAIVED			
1,4-DICHLOROBENZENE	34571	WAIVED	1988/04/27	.000	
BENZENE	34030	WAIVED	1988/04/27	.000	
CARBON TETRACHLORIDE	32102	WAIVED	1988/04/27	.000	
CIS-1,2-DICHLOROETHYLENE	77093	WAIVED	1988/04/27	.000	
DICHLOROMETHANE	34423	WAIVED	1988/04/27	.000	
ETHYLBENZENE	34371	WAIVED	1988/04/27	.000	
METHYL-TERT-BUTYL-ETHER (MTBE)	46491	WAIVED			
MONOCHLOROBENZENE	34301	WAIVED	1988/04/27	.000	

**Testing interval is in months;*
0 = No data for this constituent and is DUE NOW
999 = Waived testing (not required)
I = Invalid (NOT) valid analyses reported

System Number: ***3100079***

System Name: ***SIERRA REACH MINISTRIES***

PS Code: ***3100079-001***

Source Name: ***WELL #1***

Source Number: ***001***

Source Status: ***ACTIVE UNTREATED***

Water type: ***GROUNDWATER OR WELL***

	STORET NUMBER	TESTING INTERVAL (MONTHS)*	LAST TEST DATE (yyyy/mm/dd)	LAST RESULT REPORTED	NEXT TEST DATE (yyyy/mm)
REGULATED VOC					
STYRENE	77128	WAIVED			
TETRACHLOROETHYLENE	34475	WAIVED	1988/04/27	.000	
TOLUENE	34010	WAIVED	1988/04/27	.000	
TRANS-1,2-DICHLOROETHYLENE	34546	WAIVED	1988/04/27	.000	
TRICHLOROETHYLENE	39180	WAIVED	1988/04/27	.000	
TRICHLOROFLUOROMETHANE	34488	WAIVED	1988/04/27	.000	
VINYL CHLORIDE	39175	WAIVED	1988/04/27	.000	
XYLENES (TOTAL)	81551	WAIVED	1988/04/27	.000	
SECONDARY/GP					
AGGRSSIVE INDEX (CORROSIVITY)	82383	WAIVED			
BICARBONATE ALKALINITY	00440	000			DUE
CALCIUM	00916	000			DUE
CARBONATE ALKALINITY	00445	000			DUE
CHLORIDE	00940	WAIVED			
COLOR	00081	WAIVED			
COPPER	01042	WAIVED			
FOAMING AGENTS (MBAS)	38260	WAIVED			
HARDNESS (TOTAL) AS CACO3	00900	000			DUE
HYDROXIDE ALKALINITY	71830	000			DUE
IRON	01045	000			DUE
MAGNESIUM	00927	000			DUE
MANGANESE	01055	000			DUE
ODOR THRESHOLD @ 60 C	00086	WAIVED			
PH, LABORATORY	00403	000			DUE
SILVER	01077	WAIVED			
SODIUM	00929	000			DUE
SPECIFIC CONDUCTANCE	00095	WAIVED			
SULFATE	00945	WAIVED			
TOTAL DISSOLVED SOLIDS	70300	WAIVED			

**Testing interval is in months;*
0 = No data for this constituent and is DUE NOW
999 = Waived testing (not required)
I = Invalid (NOT) valid analyses reported

System Number: ***3100079***

System Name: ***SIERRA REACH MINISTRIES***

PS Code: ***3100079-001***

Source Name: ***WELL #1***

Source Number: ***001***

Source Status: ***ACTIVE UNTREATED***

Water type: ***GROUNDWATER OR WELL***

SECONDARY/GP	STORET NUMBER	TESTING INTERVAL (MONTHS)*	LAST TEST DATE (yyyy/mm/dd)	LAST RESULT REPORTED	NEXT TEST DATE (yyyy/mm)
TURBIDITY, LABORATORY	82079	WAIVED			
ZINC	01092	WAIVED			

**Testing interval is in months;*
0 = No data for this constituent and is DUE NOW
999 = Waived testing (not required)
I = Invalid (NOT) valid analyses reported

System Number: ***3100080***

System Name: ***BIG BEND CAMPGROUND & ADMIN SITE***

PS Code: ***3100080-002***

Source Name: ***WELL 02 DRILLED 1996***

Source Number: ***002***

Source Status: ***ACTIVE UNTREATED***

Water type: ***GROUNDWATER OR WELL***

	STORET NUMBER	TESTING INTERVAL (MONTHS)*	LAST TEST DATE (yyyy/mm/dd)	LAST RESULT REPORTED	NEXT TEST DATE (yyyy/mm)
GENERAL NON CHAP 15					
DIAZINON	39570	WAIVED			
INORGANIC					
ALUMINUM	01105	WAIVED			
ANTIMONY	01097	WAIVED			
ARSENIC	01002	WAIVED			
ASBESTOS	81855	WAIVED			
BARIUM	01007	WAIVED			
BERYLLIUM	01012	WAIVED			
CADMIUM	01027	WAIVED			
CHROMIUM (TOTAL)	01034	WAIVED			
CYANIDE	01291	WAIVED			
FLUORIDE (F) (NATURAL-SOURCE)	00951	WAIVED			
LEAD	01051	WAIVED			
MERCURY	71900	WAIVED			
NICKEL	01067	WAIVED			
PERCHLORATE	A-031	WAIVED			
SELENIUM	01147	WAIVED			
THALLIUM	01059	WAIVED			
NITRATE/NITRITE					
NITRATE (AS NO3)	71850	WAIVED	2010/08/05	.000	
NITRITE (AS N)	00620	WAIVED	2009/07/02	.070	
RADIOLOGICAL					
GROSS ALPHA	01501	WAIVED			
GROSS BETA	03501	WAIVED			
RA-226 FOR CWS OR TOTAL RA FOR NTNC BY 903.0	A-080	WAIVED			
RA-226 OR TOTAL RA BY 903.0 C.E.	A-081	WAIVED			
RADIUM 226	09501	WAIVED			
RADIUM 228	11501	WAIVED			

**Testing interval is in months;*
0 = No data for this constituent and is DUE NOW
999 = Waived testing (not required)
I = Invalid (NOT) valid analyses reported

System Number: ***3100080***

System Name: ***BIG BEND CAMPGROUND & ADMIN SITE***

PS Code: ***3100080-002***

Source Name: ***WELL 02 DRILLED 1996***

Source Number: ***002***

Source Status: ***ACTIVE UNTREATED***

Water type: ***GROUNDWATER OR WELL***

	STORET NUMBER	TESTING INTERVAL (MONTHS)*	LAST TEST DATE (yyyy/mm/dd)	LAST RESULT REPORTED	NEXT TEST DATE (yyyy/mm)
RADIOLOGICAL					
RADIUM, TOTAL, MDA95-NTNC ONLY, BY 903.0	A-082	WAIVED			
STRONTIUM-90	13501	WAIVED			
TRITIUM	07000	WAIVED			
URANIUM (PCI/L)	28012	WAIVED			
REGULATED SOC					
2,3,7,8-TCDD (DIOXIN)	34676	WAIVED			
2,4,5-TP (SILVEX)	39045	WAIVED			
2,4-D	39730	WAIVED			
ALACHLOR	77825	WAIVED			
ATRAZINE	39033	WAIVED			
BENTAZON	38710	WAIVED			
BENZO (A) PYRENE	34247	WAIVED			
CARBOFURAN	81405	WAIVED			
CHLORDANE	39350	WAIVED			
DALAPON	38432	WAIVED			
DI(2-ETHYLHEXYL)ADIPATE	A-026	WAIVED			
DI(2-ETHYLHEXYL)PHTHALATE	39100	WAIVED			
DIBROMOCHLOROPROPANE (DBCP)	38761	WAIVED			
DINOSEB	81287	WAIVED			
DIQUAT	78885	WAIVED			
ENDOTHALL	38926	WAIVED			
ENDRIN	39390	WAIVED			
ETHYLENE DIBROMIDE (EDB)	77651	WAIVED			
GLYPHOSATE	79743	WAIVED			
HEPTACHLOR	39410	WAIVED			
HEPTACHLOR EPOXIDE	39420	WAIVED			
HEXACHLOROBENZENE	39700	WAIVED			
HEXACHLOROCYCLOPENTADIENE	34386	WAIVED			
LINDANE	39340	WAIVED			

**Testing interval is in months;*
0 = No data for this constituent and is DUE NOW
999 = Waived testing (not required)
I = Invalid (NOT) valid analyses reported

System Number: ***3100080***

System Name: ***BIG BEND CAMPGROUND & ADMIN SITE***

PS Code: ***3100080-002***

Source Name: ***WELL 02 DRILLED 1996***

Source Number: ***002***

Source Status: ***ACTIVE UNTREATED***

Water type: ***GROUNDWATER OR WELL***

	STORET NUMBER	TESTING INTERVAL (MONTHS)*	LAST TEST DATE (yyyy/mm/dd)	LAST RESULT REPORTED	NEXT TEST DATE (yyyy/mm)
REGULATED SOC					
METHOXYCHLOR	39480	WAIVED			
MOLINATE	82199	WAIVED			
OXAMYL	38865	WAIVED			
PENTACHLOROPHENOL	39032	WAIVED			
PICLORAM	39720	WAIVED			
POLYCHLORINATED BIPHENYLS, TOTAL, AS DCB	39516	WAIVED			
SIMAZINE	39055	WAIVED			
THIOBENCARB	A-001	WAIVED			
TOXAPHENE	39400	WAIVED			
REGULATED VOC					
1,1,1-TRICHLOROETHANE	34506	WAIVED			
1,1,2,2-TETRACHLOROETHANE	34516	WAIVED			
1,1,2-TRICHLORO-1,2,2-TRIFLUOROETHANE	81611	WAIVED			
1,1,2-TRICHLOROETHANE	34511	WAIVED			
1,1-DICHLOROETHANE	34496	WAIVED			
1,1-DICHLOROETHYLENE	34501	WAIVED			
1,2,4-TRICHLOROBENZENE	34551	WAIVED			
1,2-DICHLOROBENZENE	34536	WAIVED			
1,2-DICHLOROETHANE	34531	WAIVED			
1,2-DICHLOROPROPANE	34541	WAIVED			
1,3-DICHLOROPROPENE (TOTAL)	34561	WAIVED			
1,4-DICHLOROBENZENE	34571	WAIVED			
BENZENE	34030	WAIVED			
CARBON TETRACHLORIDE	32102	WAIVED			
CIS-1,2-DICHLOROETHYLENE	77093	WAIVED			
DICHLOROMETHANE	34423	WAIVED			
ETHYLBENZENE	34371	WAIVED			
METHYL-TERT-BUTYL-ETHER (MTBE)	46491	WAIVED			
MONOCHLOROBENZENE	34301	WAIVED			

**Testing interval is in months;*
0 = No data for this constituent and is DUE NOW
999 = Waived testing (not required)
I = Invalid (NOT) valid analyses reported

System Number: ***3100080***

System Name: ***BIG BEND CAMPGROUND & ADMIN SITE***

PS Code: ***3100080-002***

Source Name: ***WELL 02 DRILLED 1996***

Source Number: ***002***

Source Status: ***ACTIVE UNTREATED***

Water type: ***GROUNDWATER OR WELL***

	STORET NUMBER	TESTING INTERVAL (MONTHS)*	LAST TEST DATE (yyyy/mm/dd)	LAST RESULT REPORTED	NEXT TEST DATE (yyyy/mm)
REGULATED VOC					
STYRENE	77128	WAIVED			
TETRACHLOROETHYLENE	34475	WAIVED			
TOLUENE	34010	WAIVED			
TRANS-1,2-DICHLOROETHYLENE	34546	WAIVED			
TRICHLOROETHYLENE	39180	WAIVED			
TRICHLOROFLUOROMETHANE	34488	WAIVED			
VINYL CHLORIDE	39175	WAIVED			
XYLENES (TOTAL)	81551	WAIVED			
SECONDARY/GP					
AGGRSSIVE INDEX (CORROSIVITY)	82383	WAIVED			
BICARBONATE ALKALINITY	00440	WAIVED			
CALCIUM	00916	WAIVED			
CARBONATE ALKALINITY	00445	WAIVED			
CHLORIDE	00940	WAIVED			
COLOR	00081	WAIVED			
COPPER	01042	WAIVED			
FOAMING AGENTS (MBAS)	38260	WAIVED			
HARDNESS (TOTAL) AS CACO3	00900	WAIVED			
HYDROXIDE ALKALINITY	71830	WAIVED			
IRON	01045	WAIVED			
MAGNESIUM	00927	WAIVED			
MANGANESE	01055	WAIVED			
ODOR THRESHOLD @ 60 C	00086	WAIVED			
PH, LABORATORY	00403	WAIVED			
SILVER	01077	WAIVED			
SODIUM	00929	WAIVED			
SPECIFIC CONDUCTANCE	00095	WAIVED			
SULFATE	00945	WAIVED			
TOTAL DISSOLVED SOLIDS	70300	WAIVED			

**Testing interval is in months;*
0 = No data for this constituent and is DUE NOW
999 = Waived testing (not required)
I = Invalid (NOT) valid analyses reported

System Number: ***3100080***

System Name: ***BIG BEND CAMPGROUND & ADMIN SITE***

PS Code: ***3100080-002***

Source Name: ***WELL 02 DRILLED 1996***

Source Number: ***002***

Source Status: ***ACTIVE UNTREATED***

Water type: ***GROUNDWATER OR WELL***

	STORET NUMBER	TESTING INTERVAL (MONTHS)*	LAST TEST DATE (yyyy/mm/dd)	LAST RESULT REPORTED	NEXT TEST DATE (yyyy/mm)
SECONDARY/GP					
TURBIDITY, LABORATORY	82079	WAIVED			
ZINC	01092	WAIVED			

**Testing interval is in months;*
0 = No data for this constituent and is DUE NOW
999 = Waived testing (not required)
I = Invalid (NOT) valid analyses reported

System Number: ***3100081***

System Name: ***NORTH FORK CAMPGROUND***

PS Code: ***3100081-001***

Source Name: ***SPRING 01***

Source Number: ***001***

Source Status: ***ACTIVE UNTREATED***

Water type: ***GROUNDWATER OR WELL***

	STORET NUMBER	TESTING INTERVAL (MONTHS)*	LAST TEST DATE (yyyy/mm/dd)	LAST RESULT REPORTED	NEXT TEST DATE (yyyy/mm)
GENERAL NON CHAP 15					
DIAZINON	39570	WAIVED			
INORGANIC					
ALUMINUM	01105	WAIVED			
ANTIMONY	01097	WAIVED			
ARSENIC	01002	WAIVED			
ASBESTOS	81855	WAIVED			
BARIUM	01007	WAIVED			
BERYLLIUM	01012	WAIVED			
CADMIUM	01027	WAIVED			
CHROMIUM (TOTAL)	01034	WAIVED			
CYANIDE	01291	WAIVED			
FLUORIDE (F) (NATURAL-SOURCE)	00951	WAIVED			
LEAD	01051	WAIVED			
MERCURY	71900	WAIVED			
NICKEL	01067	WAIVED			
PERCHLORATE	A-031	WAIVED			
SELENIUM	01147	WAIVED			
THALLIUM	01059	WAIVED			
NITRATE/NITRITE					
NITRATE (AS NO3)	71850	WAIVED	2011/07/05	.000	
NITRITE (AS N)	00620	WAIVED	2011/07/05	.000	
RADIOLOGICAL					
GROSS ALPHA	01501	WAIVED			
GROSS BETA	03501	WAIVED			
RA-226 FOR CWS OR TOTAL RA FOR NTNC BY 903.0	A-080	WAIVED			
RA-226 OR TOTAL RA BY 903.0 C.E.	A-081	WAIVED			
RADIUM 226	09501	WAIVED			
RADIUM 228	11501	WAIVED			

**Testing interval is in months;*
0 = No data for this constituent and is DUE NOW
999 = Waived testing (not required)
I = Invalid (NOT) valid analyses reported

System Number: ***3100081***

System Name: ***NORTH FORK CAMPGROUND***

PS Code: ***3100081-001***

Source Name: ***SPRING 01***

Source Number: ***001***

Source Status: ***ACTIVE UNTREATED***

Water type: ***GROUNDWATER OR WELL***

	STORET NUMBER	TESTING INTERVAL (MONTHS)*	LAST TEST DATE (yyyy/mm/dd)	LAST RESULT REPORTED	NEXT TEST DATE (yyyy/mm)
RADIOLOGICAL					
RADIUM, TOTAL, MDA95-NTNC ONLY, BY 903.0	A-082	WAIVED			
STRONTIUM-90	13501	WAIVED			
TRITIUM	07000	WAIVED			
URANIUM (PCI/L)	28012	WAIVED			
REGULATED SOC					
2,3,7,8-TCDD (DIOXIN)	34676	WAIVED			
2,4,5-TP (SILVEX)	39045	WAIVED			
2,4-D	39730	WAIVED			
ALACHLOR	77825	WAIVED			
ATRAZINE	39033	WAIVED			
BENTAZON	38710	WAIVED			
BENZO (A) PYRENE	34247	WAIVED			
CARBOFURAN	81405	WAIVED			
CHLORDANE	39350	WAIVED			
DALAPON	38432	WAIVED			
DI(2-ETHYLHEXYL)ADIPATE	A-026	WAIVED			
DI(2-ETHYLHEXYL)PHTHALATE	39100	WAIVED			
DIBROMOCHLOROPROPANE (DBCP)	38761	WAIVED			
DINOSEB	81287	WAIVED			
DIQUAT	78885	WAIVED			
ENDOTHALL	38926	WAIVED			
ENDRIN	39390	WAIVED			
ETHYLENE DIBROMIDE (EDB)	77651	WAIVED			
GLYPHOSATE	79743	WAIVED			
HEPTACHLOR	39410	WAIVED			
HEPTACHLOR EPOXIDE	39420	WAIVED			
HEXACHLOROBENZENE	39700	WAIVED			
HEXACHLOROCYCLOPENTADIENE	34386	WAIVED			
LINDANE	39340	WAIVED			

**Testing interval is in months;*
0 = No data for this constituent and is DUE NOW
999 = Waived testing (not required)
I = Invalid (NOT) valid analyses reported

System Number: ***3100081***

System Name: ***NORTH FORK CAMPGROUND***

PS Code: ***3100081-001***

Source Name: ***SPRING 01***

Source Number: ***001***

Source Status: ***ACTIVE UNTREATED***

Water type: ***GROUNDWATER OR WELL***

	STORET NUMBER	TESTING INTERVAL (MONTHS)*	LAST TEST DATE (yyyy/mm/dd)	LAST RESULT REPORTED	NEXT TEST DATE (yyyy/mm)
REGULATED SOC					
METHOXYCHLOR	39480	WAIVED			
MOLINATE	82199	WAIVED			
OXAMYL	38865	WAIVED			
PENTACHLOROPHENOL	39032	WAIVED			
PICLORAM	39720	WAIVED			
POLYCHLORINATED BIPHENYLS, TOTAL, AS DCB	39516	WAIVED			
SIMAZINE	39055	WAIVED			
THIOBENCARB	A-001	WAIVED			
TOXAPHENE	39400	WAIVED			
REGULATED VOC					
1,1,1-TRICHLOROETHANE	34506	WAIVED			
1,1,2,2-TETRACHLOROETHANE	34516	WAIVED			
1,1,2-TRICHLORO-1,2,2-TRIFLUOROETHANE	81611	WAIVED			
1,1,2-TRICHLOROETHANE	34511	WAIVED			
1,1-DICHLOROETHANE	34496	WAIVED			
1,1-DICHLOROETHYLENE	34501	WAIVED			
1,2,4-TRICHLOROBENZENE	34551	WAIVED			
1,2-DICHLOROBENZENE	34536	WAIVED			
1,2-DICHLOROETHANE	34531	WAIVED			
1,2-DICHLOROPROPANE	34541	WAIVED			
1,3-DICHLOROPROPENE (TOTAL)	34561	WAIVED			
1,4-DICHLOROBENZENE	34571	WAIVED			
BENZENE	34030	WAIVED			
CARBON TETRACHLORIDE	32102	WAIVED			
CIS-1,2-DICHLOROETHYLENE	77093	WAIVED			
DICHLOROMETHANE	34423	WAIVED			
ETHYLBENZENE	34371	WAIVED			
METHYL-TERT-BUTYL-ETHER (MTBE)	46491	WAIVED			
MONOCHLOROBENZENE	34301	WAIVED			

**Testing interval is in months;*
0 = No data for this constituent and is DUE NOW
999 = Waived testing (not required)
I = Invalid (NOT) valid analyses reported

System Number: ***3100081***

System Name: ***NORTH FORK CAMPGROUND***

PS Code: ***3100081-001***

Source Name: ***SPRING 01***

Source Number: ***001***

Source Status: ***ACTIVE UNTREATED***

Water type: ***GROUNDWATER OR WELL***

	STORET NUMBER	TESTING INTERVAL (MONTHS)*	LAST TEST DATE (yyyy/mm/dd)	LAST RESULT REPORTED	NEXT TEST DATE (yyyy/mm)
REGULATED VOC					
STYRENE	77128	WAIVED			
TETRACHLOROETHYLENE	34475	WAIVED			
TOLUENE	34010	WAIVED			
TRANS-1,2-DICHLOROETHYLENE	34546	WAIVED			
TRICHLOROETHYLENE	39180	WAIVED			
TRICHLOROFLUOROMETHANE	34488	WAIVED			
VINYL CHLORIDE	39175	WAIVED			
XYLENES (TOTAL)	81551	WAIVED			
SECONDARY/GP					
AGGRSSIVE INDEX (CORROSIVITY)	82383	WAIVED			
BICARBONATE ALKALINITY	00440	WAIVED			
CALCIUM	00916	WAIVED			
CARBONATE ALKALINITY	00445	WAIVED			
CHLORIDE	00940	WAIVED			
COLOR	00081	WAIVED			
COPPER	01042	WAIVED			
FOAMING AGENTS (MBAS)	38260	WAIVED			
HARDNESS (TOTAL) AS CACO3	00900	WAIVED			
HYDROXIDE ALKALINITY	71830	WAIVED			
IRON	01045	WAIVED	1997/06/16	< 100.000	
MAGNESIUM	00927	WAIVED			
MANGANESE	01055	WAIVED			
ODOR THRESHOLD @ 60 C	00086	WAIVED			
PH, LABORATORY	00403	WAIVED			
SILVER	01077	WAIVED			
SODIUM	00929	WAIVED			
SPECIFIC CONDUCTANCE	00095	WAIVED			
SULFATE	00945	WAIVED			
TOTAL DISSOLVED SOLIDS	70300	WAIVED			

**Testing interval is in months;*
0 = No data for this constituent and is DUE NOW
999 = Waived testing (not required)
I = Invalid (NOT) valid analyses reported

System Number: ***3100081***

System Name: ***NORTH FORK CAMPGROUND***

PS Code: ***3100081-001***

Source Name: ***SPRING 01***

Source Number: ***001***

Source Status: ***ACTIVE UNTREATED***

Water type: ***GROUNDWATER OR WELL***

SECONDARY/GP	STORET NUMBER	TESTING INTERVAL (MONTHS)*	LAST TEST DATE (yyyy/mm/dd)	LAST RESULT REPORTED	NEXT TEST DATE (yyyy/mm)
TURBIDITY, LABORATORY	82079	WAIVED			
ZINC	01092	WAIVED			

**Testing interval is in months;*
0 = No data for this constituent and is DUE NOW
999 = Waived testing (not required)
I = Invalid (NOT) valid analyses reported

System Number: ***3100082***

System Name: ***HAMPSHIRE ROCKS CAMPGROUND***

PS Code: ***3100082-002***

Source Name: ***WELL 01***

Source Number: ***002***

Source Status: ***ACTIVE UNTREATED***

Water type: ***GROUNDWATER OR WELL***

	STORET NUMBER	TESTING INTERVAL (MONTHS)*	LAST TEST DATE (yyyy/mm/dd)	LAST RESULT REPORTED	NEXT TEST DATE (yyyy/mm)	
GENERAL NON CHAP 15						
DIAZINON	39570	WAIVED				
INORGANIC						
ALUMINUM	01105	WAIVED				
ANTIMONY	01097	WAIVED				
ARSENIC	01002	WAIVED				
ASBESTOS	81855	WAIVED				
BARIUM	01007	WAIVED				
BERYLLIUM	01012	WAIVED				
CADMIUM	01027	WAIVED				
CHROMIUM (TOTAL)	01034	WAIVED				
CYANIDE	01291	WAIVED				
FLUORIDE (F) (NATURAL-SOURCE)	00951	000				**DUE**
LEAD	01051	WAIVED				
MERCURY	71900	WAIVED				
NICKEL	01067	WAIVED				
PERCHLORATE	A-031	WAIVED				
SELENIUM	01147	WAIVED				
THALLIUM	01059	WAIVED				
NITRATE/NITRITE						
NITRATE (AS NO3)	71850	012	2007/06/07	.000	2008/06	**DUE**
NITRITE (AS N)	00620	036	2007/06/07	.000	2010/06	**DUE**
RADIOLOGICAL						
GROSS ALPHA	01501	WAIVED				
GROSS BETA	03501	WAIVED				
RA-226 FOR CWS OR TOTAL RA FOR NTNC BY 903.0	A-080	WAIVED				
RA-226 OR TOTAL RA BY 903.0 C.E.	A-081	WAIVED				
RADIUM 226	09501	WAIVED				
RADIUM 228	11501	WAIVED				

**Testing interval is in months;*
0 = No data for this constituent and is DUE NOW
999 = Waived testing (not required)
I = Invalid (NOT) valid analyses reported

System Number: ***3100082***

System Name: ***HAMPSHIRE ROCKS CAMPGROUND***

PS Code: ***3100082-002***

Source Name: ***WELL 01***

Source Number: ***002***

Source Status: ***ACTIVE UNTREATED***

Water type: ***GROUNDWATER OR WELL***

	STORET NUMBER	TESTING INTERVAL (MONTHS)*	LAST TEST DATE (yyyy/mm/dd)	LAST RESULT REPORTED	NEXT TEST DATE (yyyy/mm)
RADIOLOGICAL					
RADIUM, TOTAL, MDA95-NTNC ONLY, BY 903.0	A-082	WAIVED			
STRONTIUM-90	13501	WAIVED			
TRITIUM	07000	WAIVED			
URANIUM (PCI/L)	28012	WAIVED			
REGULATED SOC					
2,3,7,8-TCDD (DIOXIN)	34676	WAIVED			
2,4,5-TP (SILVEX)	39045	WAIVED			
2,4-D	39730	WAIVED			
ALACHLOR	77825	WAIVED			
ATRAZINE	39033	WAIVED			
BENTAZON	38710	WAIVED			
BENZO (A) PYRENE	34247	WAIVED			
CARBOFURAN	81405	WAIVED			
CHLORDANE	39350	WAIVED			
DALAPON	38432	WAIVED			
DI(2-ETHYLHEXYL)ADIPATE	A-026	WAIVED			
DI(2-ETHYLHEXYL)PHTHALATE	39100	WAIVED			
DIBROMOCHLOROPROPANE (DBCP)	38761	WAIVED			
DINOSEB	81287	WAIVED			
DIQUAT	78885	WAIVED			
ENDOTHALL	38926	WAIVED			
ENDRIN	39390	WAIVED			
ETHYLENE DIBROMIDE (EDB)	77651	WAIVED			
GLYPHOSATE	79743	WAIVED			
HEPTACHLOR	39410	WAIVED			
HEPTACHLOR EPOXIDE	39420	WAIVED			
HEXACHLOROBENZENE	39700	WAIVED			
HEXACHLOROCYCLOPENTADIENE	34386	WAIVED			
LINDANE	39340	WAIVED			

**Testing interval is in months;*
0 = No data for this constituent and is DUE NOW
999 = Waived testing (not required)
I = Invalid (NOT) valid analyses reported

System Number: ***3100082***

System Name: ***HAMPSHIRE ROCKS CAMPGROUND***

PS Code: ***3100082-002***

Source Name: ***WELL 01***

Source Number: ***002***

Source Status: ***ACTIVE UNTREATED***

Water type: ***GROUNDWATER OR WELL***

	STORET NUMBER	TESTING INTERVAL (MONTHS)*	LAST TEST DATE (yyyy/mm/dd)	LAST RESULT REPORTED	NEXT TEST DATE (yyyy/mm)
REGULATED SOC					
METHOXYCHLOR	39480	WAIVED			
MOLINATE	82199	WAIVED			
OXAMYL	38865	WAIVED			
PENTACHLOROPHENOL	39032	WAIVED			
PICLORAM	39720	WAIVED			
POLYCHLORINATED BIPHENYLS, TOTAL, AS DCB	39516	WAIVED			
SIMAZINE	39055	WAIVED			
THIOBENCARB	A-001	WAIVED			
TOXAPHENE	39400	WAIVED			
REGULATED VOC					
1,1,1-TRICHLOROETHANE	34506	WAIVED			
1,1,2,2-TETRACHLOROETHANE	34516	WAIVED			
1,1,2-TRICHLORO-1,2,2-TRIFLUOROETHANE	81611	WAIVED			
1,1,2-TRICHLOROETHANE	34511	WAIVED			
1,1-DICHLOROETHANE	34496	WAIVED			
1,1-DICHLOROETHYLENE	34501	WAIVED			
1,2,4-TRICHLOROBENZENE	34551	WAIVED			
1,2-DICHLOROBENZENE	34536	WAIVED			
1,2-DICHLOROETHANE	34531	WAIVED			
1,2-DICHLOROPROPANE	34541	WAIVED			
1,3-DICHLOROPROPENE (TOTAL)	34561	WAIVED			
1,4-DICHLOROBENZENE	34571	WAIVED			
BENZENE	34030	WAIVED			
CARBON TETRACHLORIDE	32102	WAIVED			
CIS-1,2-DICHLOROETHYLENE	77093	WAIVED			
DICHLOROMETHANE	34423	WAIVED			
ETHYLBENZENE	34371	WAIVED			
METHYL-TERT-BUTYL-ETHER (MTBE)	46491	WAIVED			
MONOCHLOROBENZENE	34301	WAIVED			

**Testing interval is in months;*
0 = No data for this constituent and is DUE NOW
999 = Waived testing (not required)
I = Invalid (NOT) valid analyses reported

System Number: ***3100082***

System Name: ***HAMPSHIRE ROCKS CAMPGROUND***

PS Code: ***3100082-002***

Source Name: ***WELL 01***

Source Number: ***002***

Source Status: ***ACTIVE UNTREATED***

Water type: ***GROUNDWATER OR WELL***

	STORET NUMBER	TESTING INTERVAL (MONTHS)*	LAST TEST DATE (yyyy/mm/dd)	LAST RESULT REPORTED	NEXT TEST DATE (yyyy/mm)
REGULATED VOC					
STYRENE	77128	WAIVED			
TETRACHLOROETHYLENE	34475	WAIVED			
TOLUENE	34010	WAIVED			
TRANS-1,2-DICHLOROETHYLENE	34546	WAIVED			
TRICHLOROETHYLENE	39180	WAIVED			
TRICHLOROFLUOROMETHANE	34488	WAIVED			
VINYL CHLORIDE	39175	WAIVED			
XYLENES (TOTAL)	81551	WAIVED			
SECONDARY/GP					
AGGRSSIVE INDEX (CORROSIVITY)	82383	WAIVED			
BICARBONATE ALKALINITY	00440	000			DUE
CALCIUM	00916	000			DUE
CARBONATE ALKALINITY	00445	000			DUE
CHLORIDE	00940	WAIVED			
COLOR	00081	WAIVED			
COPPER	01042	WAIVED			
FOAMING AGENTS (MBAS)	38260	WAIVED			
HARDNESS (TOTAL) AS CACO3	00900	000			DUE
HYDROXIDE ALKALINITY	71830	000			DUE
IRON	01045	000			DUE
MAGNESIUM	00927	000			DUE
MANGANESE	01055	000			DUE
ODOR THRESHOLD @ 60 C	00086	WAIVED			
PH, LABORATORY	00403	000			DUE
SILVER	01077	WAIVED			
SODIUM	00929	000			DUE
SPECIFIC CONDUCTANCE	00095	WAIVED			
SULFATE	00945	WAIVED			
TOTAL DISSOLVED SOLIDS	70300	WAIVED			

**Testing interval is in months;*
0 = No data for this constituent and is DUE NOW
999 = Waived testing (not required)
I = Invalid (NOT) valid analyses reported

System Number: ***3100082***

System Name: ***HAMPSHIRE ROCKS CAMPGROUND***

PS Code: ***3100082-002***

Source Name: ***WELL 01***

Source Number: ***002***

Source Status: ***ACTIVE UNTREATED***

Water type: ***GROUNDWATER OR WELL***

SECONDARY/GP	STORET NUMBER	TESTING INTERVAL (MONTHS)*	LAST TEST DATE (yyyy/mm/dd)	LAST RESULT REPORTED	NEXT TEST DATE (yyyy/mm)
TURBIDITY, LABORATORY	82079	WAIVED			
ZINC	01092	WAIVED			

**Testing interval is in months;*
0 = No data for this constituent and is DUE NOW
999 = Waived testing (not required)
I = Invalid (NOT) valid analyses reported

System Number: ***3100083***

System Name: ***OPHIR ELEMENTARY SCHOOL WATER SYSTEM***

PS Code: ***3100083-001***

Source Name: ***WELL #1***

Source Number: ***001***

Source Status: ***ACTIVE UNTREATED***

Water type: ***GROUNDWATER OR WELL***

	STORET NUMBER	TESTING INTERVAL (MONTHS)*	LAST TEST DATE (yyyy/mm/dd)	LAST RESULT REPORTED	NEXT TEST DATE (yyyy/mm)	
GENERAL NON CHAP 15						
DIAZINON	39570	WAIVED				
INORGANIC						
ALUMINUM	01105	108	2011/02/02	54.000	2020/02	
ANTIMONY	01097	108	2011/02/02	.000	2020/02	
ARSENIC	01002	108	2011/02/02	.000	2020/02	
ASBESTOS	81855	WAIVED				
BARIUM	01007	108	2011/02/02	24.700	2020/02	
BERYLLIUM	01012	108	2011/02/02	.000	2020/02	
CADMIUM	01027	108	2011/02/02	.000	2020/02	
CHROMIUM (TOTAL)	01034	108	2011/02/02	.000	2020/02	
CYANIDE	01291	WAIVED				
FLUORIDE (F) (NATURAL-SOURCE)	00951	108	2011/02/02	.000	2020/02	
LEAD	01051	WAIVED				
MERCURY	71900	108	2011/02/02	.000	2020/02	
NICKEL	01067	108	2011/02/02	.000	2020/02	
PERCHLORATE	A-031	006	**2009/12/02**	.000	**2010/06**	**DUE**
SELENIUM	01147	108	2011/02/02	.000	2020/02	
THALLIUM	01059	108	2011/02/02	.000	2020/02	
NITRATE/NITRITE						
NITRATE (AS NO3)	71850	012	**2011/02/02**	9.340	**2012/02**	**DUE**
NITRITE (AS N)	00620	036	2011/02/02	.000	2014/02	
RADIOLOGICAL						
GROSS ALPHA	01501	003	**2010/09/01**	.737	**2010/12**	**DUE**
GROSS BETA	03501	WAIVED				
RA-226 FOR CWS OR TOTAL RA FOR NTNC BY 903.0	A-080	WAIVED				
RA-226 OR TOTAL RA BY 903.0 C.E.	A-081	WAIVED				
RADIUM 226	09501	WAIVED				
RADIUM 228	11501	WAIVED	2010/09/01	.000		

**Testing interval is in months;*
0 = No data for this constituent and is DUE NOW
999 = Waived testing (not required)
I = Invalid (NOT) valid analyses reported

System Number: ***3100083***

System Name: ***OPHIR ELEMENTARY SCHOOL WATER SYSTEM***

PS Code: ***3100083-001***

Source Name: ***WELL #1***

Source Number: ***001***

Source Status: ***ACTIVE UNTREATED***

Water type: ***GROUNDWATER OR WELL***

	STORET NUMBER	TESTING INTERVAL (MONTHS)*	LAST TEST DATE (yyyy/mm/dd)	LAST RESULT REPORTED	NEXT TEST DATE (yyyy/mm)
RADIOLOGICAL					
RADIUM, TOTAL, MDA95-NTNC ONLY, BY 903.0	A-082	WAIVED			
STRONTIUM-90	13501	WAIVED			
TRITIUM	07000	WAIVED			
URANIUM (PCI/L)	28012	WAIVED			
REGULATED SOC					
2,3,7,8-TCDD (DIOXIN)	34676	WAIVED			
2,4,5-TP (SILVEX)	39045	WAIVED			
2,4-D	39730	WAIVED			
ALACHLOR	77825	WAIVED			
ATRAZINE	39033	WAIVED			
BENTAZON	38710	WAIVED			
BENZO (A) PYRENE	34247	WAIVED			
CARBOFURAN	81405	WAIVED			
CHLORDANE	39350	WAIVED			
DALAPON	38432	WAIVED			
DI(2-ETHYLHEXYL)ADIPATE	A-026	WAIVED			
DI(2-ETHYLHEXYL)PHTHALATE	39100	WAIVED			
DIBROMOCHLOROPROPANE (DBCP)	38761	WAIVED			
DINOSEB	81287	WAIVED			
DIQUAT	78885	WAIVED			
ENDOTHALL	38926	WAIVED			
ENDRIN	39390	WAIVED			
ETHYLENE DIBROMIDE (EDB)	77651	WAIVED			
GLYPHOSATE	79743	WAIVED			
HEPTACHLOR	39410	WAIVED			
HEPTACHLOR EPOXIDE	39420	WAIVED			
HEXACHLOROBENZENE	39700	WAIVED			
HEXACHLOROCYCLOPENTADIENE	34386	WAIVED			
LINDANE	39340	WAIVED			

**Testing interval is in months;*
0 = No data for this constituent and is DUE NOW
999 = Waived testing (not required)
I = Invalid (NOT) valid analyses reported

System Number: ***3100083***

System Name: ***OPHIR ELEMENTARY SCHOOL WATER SYSTEM***

PS Code: ***3100083-001***

Source Name: ***WELL #1***

Source Number: ***001***

Source Status: ***ACTIVE UNTREATED***

Water type: ***GROUNDWATER OR WELL***

	STORET NUMBER	TESTING INTERVAL (MONTHS)*	LAST TEST DATE (yyyy/mm/dd)	LAST RESULT REPORTED	NEXT TEST DATE (yyyy/mm)	
REGULATED SOC						
METHOXYCHLOR	39480	WAIVED				
MOLINATE	82199	WAIVED				
OXAMYL	38865	WAIVED				
PENTACHLOROPHENOL	39032	WAIVED				
PICLORAM	39720	WAIVED				
POLYCHLORINATED BIPHENYLS, TOTAL, AS DCB	39516	WAIVED				
SIMAZINE	39055	WAIVED				
THIOBENCARB	A-001	WAIVED				
TOXAPHENE	39400	WAIVED				
REGULATED VOC						
1,1,1-TRICHLOROETHANE	34506	072	2000/08/30	.000	2006/08	DUE
1,1,2,2-TETRACHLOROETHANE	34516	072	2000/08/30	.000	2006/08	DUE
1,1,2-TRICHLORO-1,2,2-TRIFLUOROETHANE	81611	072	2000/08/30	.000	2006/08	DUE
1,1,2-TRICHLOROETHANE	34511	072	2000/08/30	.000	2006/08	DUE
1,1-DICHLOROETHANE	34496	072	2000/08/30	.000	2006/08	DUE
1,1-DICHLOROETHYLENE	34501	072	2000/08/30	.000	2006/08	DUE
1,2,4-TRICHLOROBENZENE	34551	072	2000/08/30	.000	2006/08	DUE
1,2-DICHLOROBENZENE	34536	072	2000/08/30	.000	2006/08	DUE
1,2-DICHLOROETHANE	34531	072	2000/08/30	.000	2006/08	DUE
1,2-DICHLOROPROPANE	34541	072	2000/08/30	.000	2006/08	DUE
1,3-DICHLOROPROPENE (TOTAL)	34561	072	2000/08/30	.000	2006/08	DUE
1,4-DICHLOROBENZENE	34571	072	2000/08/30	.000	2006/08	DUE
BENZENE	34030	072	2000/08/30	.000	2006/08	DUE
CARBON TETRACHLORIDE	32102	072	2000/08/30	.000	2006/08	DUE
CIS-1,2-DICHLOROETHYLENE	77093	072	2000/08/30	.000	2006/08	DUE
DICHLOROMETHANE	34423	072	2000/08/30	.000	2006/08	DUE
ETHYLBENZENE	34371	072	2000/08/30	.000	2006/08	DUE
METHYL-TERT-BUTYL-ETHER (MTBE)	46491	072	2000/08/30	.000	2006/08	DUE
MONOCHLOROBENZENE	34301	072	2000/08/30	.000	2006/08	DUE

**Testing interval is in months;*
0 = No data for this constituent and is DUE NOW
999 = Waived testing (not required)
I = Invalid (NOT) valid analyses reported

System Number: ***3100083***

System Name: ***OPHIR ELEMENTARY SCHOOL WATER SYSTEM***

PS Code: ***3100083-001***

Source Name: ***WELL #1***

Source Number: ***001***

Source Status: ***ACTIVE UNTREATED***

Water type: ***GROUNDWATER OR WELL***

	STORET NUMBER	TESTING INTERVAL (MONTHS)*	LAST TEST DATE (yyyy/mm/dd)	LAST RESULT REPORTED	NEXT TEST DATE (yyyy/mm)	
REGULATED VOC						
STYRENE	77128	072	2000/08/30	.000	2006/08	DUE
TETRACHLOROETHYLENE	34475	072	2000/08/30	.000	2006/08	DUE
TOLUENE	34010	072	2000/08/30	.000	2006/08	DUE
TRANS-1,2-DICHLOROETHYLENE	34546	072	2000/08/30	.000	2006/08	DUE
TRICHLOROETHYLENE	39180	072	2000/08/30	.000	2006/08	DUE
TRICHLOROFLUOROMETHANE	34488	072	2000/08/30	.000	2006/08	DUE
VINYL CHLORIDE	39175	072	2000/08/30	.000	2006/08	DUE
XYLENES (TOTAL)	81551	072	2000/08/30	.000	2006/08	DUE
SECONDARY/GP						
AGGRSSIVE INDEX (CORROSIVITY)	82383	WAIVED				
BICARBONATE ALKALINITY	00440	000				DUE
CALCIUM	00916	000				DUE
CARBONATE ALKALINITY	00445	000				DUE
CHLORIDE	00940	WAIVED				
COLOR	00081	WAIVED				
COPPER	01042	WAIVED				
FOAMING AGENTS (MBAS)	38260	WAIVED				
HARDNESS (TOTAL) AS CACO3	00900	000				DUE
HYDROXIDE ALKALINITY	71830	000				DUE
IRON	01045	000				DUE
MAGNESIUM	00927	000				DUE
MANGANESE	01055	000				DUE
ODOR THRESHOLD @ 60 C	00086	WAIVED				
PH, LABORATORY	00403	000				DUE
SILVER	01077	WAIVED				
SODIUM	00929	000				DUE
SPECIFIC CONDUCTANCE	00095	WAIVED	2009/12/02	500.000		
SULFATE	00945	WAIVED				
TOTAL DISSOLVED SOLIDS	70300	WAIVED				

**Testing interval is in months;*
0 = No data for this constituent and is DUE NOW
999 = Waived testing (not required)
I = Invalid (NOT) valid analyses reported

System Number: ***3100083***

System Name: ***OPHIR ELEMENTARY SCHOOL WATER SYSTEM***

PS Code: ***3100083-001***

Source Name: ***WELL #1***

Source Number: ***001***

Source Status: ***ACTIVE UNTREATED***

Water type: ***GROUNDWATER OR WELL***

SECONDARY/GP

	STORET NUMBER	TESTING INTERVAL (MONTHS)*	LAST TEST DATE (yyyy/mm/dd)	LAST RESULT REPORTED	NEXT TEST DATE (yyyy/mm)
TURBIDITY, LABORATORY	82079	WAIVED			
ZINC	01092	WAIVED			

**Testing interval is in months;*
0 = No data for this constituent and is DUE NOW
999 = Waived testing (not required)
I = Invalid (NOT) valid analyses reported

System Number: ***3100084***

System Name: ***FRENCH MEADOWS SOUTH SHORE***

PS Code: ***3100084-002***

Source Name: ***SPRING 02 DEVELOPED 1994***

Source Number: ***002***

Source Status: ***ACTIVE UNTREATED***

Water type: ***GROUNDWATER OR WELL***

	STORET NUMBER	TESTING INTERVAL (MONTHS)*	LAST TEST DATE (yyyy/mm/dd)	LAST RESULT REPORTED	NEXT TEST DATE (yyyy/mm)
GENERAL NON CHAP 15					
DIAZINON	39570	WAIVED			
INORGANIC					
ALUMINUM	01105	WAIVED			
ANTIMONY	01097	WAIVED			
ARSENIC	01002	WAIVED			
ASBESTOS	81855	WAIVED			
BARIUM	01007	WAIVED			
BERYLLIUM	01012	WAIVED			
CADMIUM	01027	WAIVED			
CHROMIUM (TOTAL)	01034	WAIVED			
CYANIDE	01291	WAIVED			
FLUORIDE (F) (NATURAL-SOURCE)	00951	WAIVED			
LEAD	01051	WAIVED			
MERCURY	71900	WAIVED			
NICKEL	01067	WAIVED			
PERCHLORATE	A-031	WAIVED			
SELENIUM	01147	WAIVED			
THALLIUM	01059	WAIVED			
NITRATE/NITRITE					
NITRATE (AS NO3)	71850	WAIVED	2009/07/14	.000	
NITRITE (AS N)	00620	WAIVED	2008/09/02	.000	
RADIOLOGICAL					
GROSS ALPHA	01501	WAIVED			
GROSS BETA	03501	WAIVED			
RA-226 FOR CWS OR TOTAL RA FOR NTNC BY 903.0	A-080	WAIVED			
RA-226 OR TOTAL RA BY 903.0 C.E.	A-081	WAIVED			
RADIUM 226	09501	WAIVED			
RADIUM 228	11501	WAIVED			

**Testing interval is in months;*
0 = No data for this constituent and is DUE NOW
999 = Waived testing (not required)
I = Invalid (NOT) valid analyses reported

System Number: ***3100084***

System Name: ***FRENCH MEADOWS SOUTH SHORE***

PS Code: ***3100084-002***

Source Name: ***SPRING 02 DEVELOPED 1994***

Source Number: ***002***

Source Status: ***ACTIVE UNTREATED***

Water type: ***GROUNDWATER OR WELL***

	STORET NUMBER	TESTING INTERVAL (MONTHS)*	LAST TEST DATE (yyyy/mm/dd)	LAST RESULT REPORTED	NEXT TEST DATE (yyyy/mm)
RADIOLOGICAL					
RADIUM, TOTAL, MDA95-NTNC ONLY, BY 903.0	A-082	WAIVED			
STRONTIUM-90	13501	WAIVED			
TRITIUM	07000	WAIVED			
URANIUM (PCI/L)	28012	WAIVED			
REGULATED SOC					
2,3,7,8-TCDD (DIOXIN)	34676	WAIVED			
2,4,5-TP (SILVEX)	39045	WAIVED			
2,4-D	39730	WAIVED			
ALACHLOR	77825	WAIVED			
ATRAZINE	39033	WAIVED			
BENTAZON	38710	WAIVED			
BENZO (A) PYRENE	34247	WAIVED			
CARBOFURAN	81405	WAIVED			
CHLORDANE	39350	WAIVED			
DALAPON	38432	WAIVED			
DI(2-ETHYLHEXYL)ADIPATE	A-026	WAIVED			
DI(2-ETHYLHEXYL)PHTHALATE	39100	WAIVED			
DIBROMOCHLOROPROPANE (DBCP)	38761	WAIVED			
DINOSEB	81287	WAIVED			
DIQUAT	78885	WAIVED			
ENDOTHALL	38926	WAIVED			
ENDRIN	39390	WAIVED			
ETHYLENE DIBROMIDE (EDB)	77651	WAIVED			
GLYPHOSATE	79743	WAIVED			
HEPTACHLOR	39410	WAIVED			
HEPTACHLOR EPOXIDE	39420	WAIVED			
HEXACHLOROBENZENE	39700	WAIVED			
HEXACHLOROCYCLOPENTADIENE	34386	WAIVED			
LINDANE	39340	WAIVED			

**Testing interval is in months;*
0 = No data for this constituent and is DUE NOW
999 = Waived testing (not required)
I = Invalid (NOT) valid analyses reported

System Number: ***3100084***

System Name: ***FRENCH MEADOWS SOUTH SHORE***

PS Code: ***3100084-002***

Source Name: ***SPRING 02 DEVELOPED 1994***

Source Number: ***002***

Source Status: ***ACTIVE UNTREATED***

Water type: ***GROUNDWATER OR WELL***

	STORET NUMBER	TESTING INTERVAL (MONTHS)*	LAST TEST DATE (yyyy/mm/dd)	LAST RESULT REPORTED	NEXT TEST DATE (yyyy/mm)
REGULATED SOC					
METHOXYCHLOR	39480	WAIVED			
MOLINATE	82199	WAIVED			
OXAMYL	38865	WAIVED			
PENTACHLOROPHENOL	39032	WAIVED			
PICLORAM	39720	WAIVED			
POLYCHLORINATED BIPHENYLS, TOTAL, AS DCB	39516	WAIVED			
SIMAZINE	39055	WAIVED			
THIOBENCARB	A-001	WAIVED			
TOXAPHENE	39400	WAIVED			
REGULATED VOC					
1,1,1-TRICHLOROETHANE	34506	WAIVED			
1,1,2,2-TETRACHLOROETHANE	34516	WAIVED			
1,1,2-TRICHLORO-1,2,2-TRIFLUOROETHANE	81611	WAIVED			
1,1,2-TRICHLOROETHANE	34511	WAIVED			
1,1-DICHLOROETHANE	34496	WAIVED			
1,1-DICHLOROETHYLENE	34501	WAIVED			
1,2,4-TRICHLOROBENZENE	34551	WAIVED			
1,2-DICHLOROBENZENE	34536	WAIVED			
1,2-DICHLOROETHANE	34531	WAIVED			
1,2-DICHLOROPROPANE	34541	WAIVED			
1,3-DICHLOROPROPENE (TOTAL)	34561	WAIVED			
1,4-DICHLOROBENZENE	34571	WAIVED			
BENZENE	34030	WAIVED			
CARBON TETRACHLORIDE	32102	WAIVED			
CIS-1,2-DICHLOROETHYLENE	77093	WAIVED			
DICHLOROMETHANE	34423	WAIVED			
ETHYLBENZENE	34371	WAIVED			
METHYL-TERT-BUTYL-ETHER (MTBE)	46491	WAIVED			
MONOCHLOROBENZENE	34301	WAIVED			

**Testing interval is in months;*
0 = No data for this constituent and is DUE NOW
999 = Waived testing (not required)
I = Invalid (NOT) valid analyses reported

System Number: ***3100084***

System Name: ***FRENCH MEADOWS SOUTH SHORE***

PS Code: ***3100084-002***

Source Name: ***SPRING 02 DEVELOPED 1994***

Source Number: ***002***

Source Status: ***ACTIVE UNTREATED***

Water type: ***GROUNDWATER OR WELL***

	STORET NUMBER	TESTING INTERVAL (MONTHS)*	LAST TEST DATE (yyyy/mm/dd)	LAST RESULT REPORTED	NEXT TEST DATE (yyyy/mm)
REGULATED VOC					
STYRENE	77128	WAIVED			
TETRACHLOROETHYLENE	34475	WAIVED			
TOLUENE	34010	WAIVED			
TRANS-1,2-DICHLOROETHYLENE	34546	WAIVED			
TRICHLOROETHYLENE	39180	WAIVED			
TRICHLOROFLUOROMETHANE	34488	WAIVED			
VINYL CHLORIDE	39175	WAIVED			
XYLENES (TOTAL)	81551	WAIVED			
SECONDARY/GP					
AGGRSSIVE INDEX (CORROSIVITY)	82383	WAIVED			
BICARBONATE ALKALINITY	00440	WAIVED			
CALCIUM	00916	WAIVED			
CARBONATE ALKALINITY	00445	WAIVED			
CHLORIDE	00940	WAIVED			
COLOR	00081	WAIVED			
COPPER	01042	WAIVED			
FOAMING AGENTS (MBAS)	38260	WAIVED			
HARDNESS (TOTAL) AS CACO3	00900	WAIVED			
HYDROXIDE ALKALINITY	71830	WAIVED			
IRON	01045	WAIVED			
MAGNESIUM	00927	WAIVED			
MANGANESE	01055	WAIVED			
ODOR THRESHOLD @ 60 C	00086	WAIVED			
PH, LABORATORY	00403	WAIVED			
SILVER	01077	WAIVED			
SODIUM	00929	WAIVED			
SPECIFIC CONDUCTANCE	00095	WAIVED			
SULFATE	00945	WAIVED			
TOTAL DISSOLVED SOLIDS	70300	WAIVED			

**Testing interval is in months;*
0 = No data for this constituent and is DUE NOW
999 = Waived testing (not required)
I = Invalid (NOT) valid analyses reported

System Number: ***3100084***

System Name: ***FRENCH MEADOWS SOUTH SHORE***

PS Code: ***3100084-002***

Source Name: ***SPRING 02 DEVELOPED 1994***

Source Number: ***002***

Source Status: ***ACTIVE UNTREATED***

Water type: ***GROUNDWATER OR WELL***

SECONDARY/GP

	STORET NUMBER	TESTING INTERVAL (MONTHS)*	LAST TEST DATE (yyyy/mm/dd)	LAST RESULT REPORTED	NEXT TEST DATE (yyyy/mm)
TURBIDITY, LABORATORY	82079	WAIVED			
ZINC	01092	WAIVED			

**Testing interval is in months;*
0 = No data for this constituent and is DUE NOW
999 = Waived testing (not required)
I = Invalid (NOT) valid analyses reported

System Number: ***3100085***

System Name: ***FRENCH MEADOWS NORTH SHORE***

PS Code: ***3100085-002***

Source Name: ***WELL 02 DRILLED 1993***

Source Number: ***002***

Source Status: ***ACTIVE UNTREATED***

Water type: ***GROUNDWATER OR WELL***

	STORET NUMBER	TESTING INTERVAL (MONTHS)*	LAST TEST DATE (yyyy/mm/dd)	LAST RESULT REPORTED	NEXT TEST DATE (yyyy/mm)
GENERAL NON CHAP 15					
DIAZINON	39570	WAIVED			
INORGANIC					
ALUMINUM	01105	WAIVED			
ANTIMONY	01097	WAIVED			
ARSENIC	01002	WAIVED			
ASBESTOS	81855	WAIVED			
BARIUM	01007	WAIVED			
BERYLLIUM	01012	WAIVED			
CADMIUM	01027	WAIVED			
CHROMIUM (TOTAL)	01034	WAIVED			
CYANIDE	01291	WAIVED			
FLUORIDE (F) (NATURAL-SOURCE)	00951	WAIVED			
LEAD	01051	WAIVED			
MERCURY	71900	WAIVED			
NICKEL	01067	WAIVED			
PERCHLORATE	A-031	WAIVED			
SELENIUM	01147	WAIVED			
THALLIUM	01059	WAIVED			
NITRATE/NITRITE					
NITRATE (AS NO3)	71850	WAIVED	2007/07/01	.000	
NITRITE (AS N)	00620	WAIVED	2007/07/01	.000	
RADIOLOGICAL					
GROSS ALPHA	01501	WAIVED			
GROSS BETA	03501	WAIVED			
RA-226 FOR CWS OR TOTAL RA FOR NTNC BY 903.0	A-080	WAIVED			
RA-226 OR TOTAL RA BY 903.0 C.E.	A-081	WAIVED			
RADIUM 226	09501	WAIVED			
RADIUM 228	11501	WAIVED			

**Testing interval is in months;*
0 = No data for this constituent and is DUE NOW
999 = Waived testing (not required)
I = Invalid (NOT) valid analyses reported

System Number: ***3100085***

System Name: ***FRENCH MEADOWS NORTH SHORE***

PS Code: ***3100085-002***

Source Name: ***WELL 02 DRILLED 1993***

Source Number: ***002***

Source Status: ***ACTIVE UNTREATED***

Water type: ***GROUNDWATER OR WELL***

	STORET NUMBER	TESTING INTERVAL (MONTHS)*	LAST TEST DATE (yyyy/mm/dd)	LAST RESULT REPORTED	NEXT TEST DATE (yyyy/mm)
RADIOLOGICAL					
RADIUM, TOTAL, MDA95-NTNC ONLY, BY 903.0	A-082	WAIVED			
STRONTIUM-90	13501	WAIVED			
TRITIUM	07000	WAIVED			
URANIUM (PCI/L)	28012	WAIVED			
REGULATED SOC					
2,3,7,8-TCDD (DIOXIN)	34676	WAIVED			
2,4,5-TP (SILVEX)	39045	WAIVED			
2,4-D	39730	WAIVED			
ALACHLOR	77825	WAIVED			
ATRAZINE	39033	WAIVED			
BENTAZON	38710	WAIVED			
BENZO (A) PYRENE	34247	WAIVED			
CARBOFURAN	81405	WAIVED			
CHLORDANE	39350	WAIVED			
DALAPON	38432	WAIVED			
DI(2-ETHYLHEXYL)ADIPATE	A-026	WAIVED			
DI(2-ETHYLHEXYL)PHTHALATE	39100	WAIVED			
DIBROMOCHLOROPROPANE (DBCP)	38761	WAIVED			
DINOSEB	81287	WAIVED			
DIQUAT	78885	WAIVED			
ENDOTHALL	38926	WAIVED			
ENDRIN	39390	WAIVED			
ETHYLENE DIBROMIDE (EDB)	77651	WAIVED			
GLYPHOSATE	79743	WAIVED			
HEPTACHLOR	39410	WAIVED			
HEPTACHLOR EPOXIDE	39420	WAIVED			
HEXACHLOROBENZENE	39700	WAIVED			
HEXACHLOROCYCLOPENTADIENE	34386	WAIVED			
LINDANE	39340	WAIVED			

**Testing interval is in months;*
0 = No data for this constituent and is DUE NOW
999 = Waived testing (not required)
I = Invalid (NOT) valid analyses reported

System Number: ***3100085***

System Name: ***FRENCH MEADOWS NORTH SHORE***

PS Code: ***3100085-002***

Source Name: ***WELL 02 DRILLED 1993***

Source Number: ***002***

Source Status: ***ACTIVE UNTREATED***

Water type: ***GROUNDWATER OR WELL***

	STORET NUMBER	TESTING INTERVAL (MONTHS)*	LAST TEST DATE (yyyy/mm/dd)	LAST RESULT REPORTED	NEXT TEST DATE (yyyy/mm)
REGULATED SOC					
METHOXYCHLOR	39480	WAIVED			
MOLINATE	82199	WAIVED			
OXAMYL	38865	WAIVED			
PENTACHLOROPHENOL	39032	WAIVED			
PICLORAM	39720	WAIVED			
POLYCHLORINATED BIPHENYLS, TOTAL, AS DCB	39516	WAIVED			
SIMAZINE	39055	WAIVED			
THIOBENCARB	A-001	WAIVED			
TOXAPHENE	39400	WAIVED			
REGULATED VOC					
1,1,1-TRICHLOROETHANE	34506	WAIVED			
1,1,2,2-TETRACHLOROETHANE	34516	WAIVED			
1,1,2-TRICHLORO-1,2,2-TRIFLUOROETHANE	81611	WAIVED			
1,1,2-TRICHLOROETHANE	34511	WAIVED			
1,1-DICHLOROETHANE	34496	WAIVED			
1,1-DICHLOROETHYLENE	34501	WAIVED			
1,2,4-TRICHLOROBENZENE	34551	WAIVED			
1,2-DICHLOROBENZENE	34536	WAIVED			
1,2-DICHLOROETHANE	34531	WAIVED			
1,2-DICHLOROPROPANE	34541	WAIVED			
1,3-DICHLOROPROPENE (TOTAL)	34561	WAIVED			
1,4-DICHLOROBENZENE	34571	WAIVED			
BENZENE	34030	WAIVED			
CARBON TETRACHLORIDE	32102	WAIVED			
CIS-1,2-DICHLOROETHYLENE	77093	WAIVED			
DICHLOROMETHANE	34423	WAIVED			
ETHYLBENZENE	34371	WAIVED			
METHYL-TERT-BUTYL-ETHER (MTBE)	46491	WAIVED			
MONOCHLOROBENZENE	34301	WAIVED			

**Testing interval is in months;*
0 = No data for this constituent and is DUE NOW
999 = Waived testing (not required)
I = Invalid (NOT) valid analyses reported

System Number: ***3100085***

System Name: ***FRENCH MEADOWS NORTH SHORE***

PS Code: ***3100085-002***

Source Name: ***WELL 02 DRILLED 1993***

Source Number: ***002***

Source Status: ***ACTIVE UNTREATED***

Water type: ***GROUNDWATER OR WELL***

	STORET NUMBER	TESTING INTERVAL (MONTHS)*	LAST TEST DATE (yyyy/mm/dd)	LAST RESULT REPORTED	NEXT TEST DATE (yyyy/mm)
REGULATED VOC					
STYRENE	77128	WAIVED			
TETRACHLOROETHYLENE	34475	WAIVED			
TOLUENE	34010	WAIVED			
TRANS-1,2-DICHLOROETHYLENE	34546	WAIVED			
TRICHLOROETHYLENE	39180	WAIVED			
TRICHLOROFLUOROMETHANE	34488	WAIVED			
VINYL CHLORIDE	39175	WAIVED			
XYLENES (TOTAL)	81551	WAIVED			
SECONDARY/GP					
AGGRSSIVE INDEX (CORROSIVITY)	82383	WAIVED			
BICARBONATE ALKALINITY	00440	WAIVED			
CALCIUM	00916	WAIVED			
CARBONATE ALKALINITY	00445	WAIVED			
CHLORIDE	00940	WAIVED			
COLOR	00081	WAIVED			
COPPER	01042	WAIVED			
FOAMING AGENTS (MBAS)	38260	WAIVED			
HARDNESS (TOTAL) AS CACO3	00900	WAIVED			
HYDROXIDE ALKALINITY	71830	WAIVED			
IRON	01045	WAIVED			
MAGNESIUM	00927	WAIVED			
MANGANESE	01055	WAIVED			
ODOR THRESHOLD @ 60 C	00086	WAIVED			
PH, LABORATORY	00403	WAIVED			
SILVER	01077	WAIVED			
SODIUM	00929	WAIVED			
SPECIFIC CONDUCTANCE	00095	WAIVED			
SULFATE	00945	WAIVED			
TOTAL DISSOLVED SOLIDS	70300	WAIVED			

**Testing interval is in months;*
0 = No data for this constituent and is DUE NOW
999 = Waived testing (not required)
I = Invalid (NOT) valid analyses reported

System Number: ***3100085***

System Name: ***FRENCH MEADOWS NORTH SHORE***

PS Code: ***3100085-002***

Source Name: ***WELL 02 DRILLED 1993***

Source Number: ***002***

Source Status: ***ACTIVE UNTREATED***

Water type: ***GROUNDWATER OR WELL***

SECONDARY/GP	STORET NUMBER	TESTING INTERVAL (MONTHS)*	LAST TEST DATE (yyyy/mm/dd)	LAST RESULT REPORTED	NEXT TEST DATE (yyyy/mm)
TURBIDITY, LABORATORY	82079	WAIVED			
ZINC	01092	WAIVED			

**Testing interval is in months;*
0 = No data for this constituent and is DUE NOW
999 = Waived testing (not required)
I = Invalid (NOT) valid analyses reported

System Number: ***3100086***

System Name: ***BIG TREES PICNIC GROUND***

PS Code: ***3100086-001***

Source Name: ***HORIZONTAL WELL 01***

Source Number: ***001***

Source Status: ***ACTIVE UNTREATED***

Water type: ***GROUNDWATER OR WELL***

	STORET NUMBER	TESTING INTERVAL (MONTHS)*	LAST TEST DATE (yyyy/mm/dd)	LAST RESULT REPORTED	NEXT TEST DATE (yyyy/mm)	
GENERAL NON CHAP 15						
DIAZINON	39570	WAIVED				
INORGANIC						
ALUMINUM	01105	WAIVED				
ANTIMONY	01097	WAIVED				
ARSENIC	01002	WAIVED				
ASBESTOS	81855	WAIVED				
BARIUM	01007	WAIVED				
BERYLLIUM	01012	WAIVED				
CADMIUM	01027	WAIVED				
CHROMIUM (TOTAL)	01034	WAIVED				
CYANIDE	01291	WAIVED				
FLUORIDE (F) (NATURAL-SOURCE)	00951	000				**DUE**
LEAD	01051	WAIVED				
MERCURY	71900	WAIVED				
NICKEL	01067	WAIVED				
PERCHLORATE	A-031	WAIVED				
SELENIUM	01147	WAIVED				
THALLIUM	01059	WAIVED				
NITRATE/NITRITE						
NITRATE (AS NO3)	71850	012	2011/09/14	.000	2012/09	
NITRITE (AS N)	00620	036	2010/10/25	.000	2013/10	
RADIOLOGICAL						
GROSS ALPHA	01501	WAIVED				
GROSS BETA	03501	WAIVED				
RA-226 FOR CWS OR TOTAL RA FOR NTNC BY 903.0	A-080	WAIVED				
RA-226 OR TOTAL RA BY 903.0 C.E.	A-081	WAIVED				
RADIUM 226	09501	WAIVED				
RADIUM 228	11501	WAIVED				

**Testing interval is in months;*
0 = No data for this constituent and is DUE NOW
999 = Waived testing (not required)
I = Invalid (NOT) valid analyses reported

System Number: ***3100086***

System Name: ***BIG TREES PICNIC GROUND***

PS Code: ***3100086-001***

Source Name: ***HORIZONTAL WELL 01***

Source Number: ***001***

Source Status: ***ACTIVE UNTREATED***

Water type: ***GROUNDWATER OR WELL***

	STORET NUMBER	TESTING INTERVAL (MONTHS)*	LAST TEST DATE (yyyy/mm/dd)	LAST RESULT REPORTED	NEXT TEST DATE (yyyy/mm)
RADIOLOGICAL					
RADIUM, TOTAL, MDA95-NTNC ONLY, BY 903.0	A-082	WAIVED			
STRONTIUM-90	13501	WAIVED			
TRITIUM	07000	WAIVED			
URANIUM (PCI/L)	28012	WAIVED			
REGULATED SOC					
2,3,7,8-TCDD (DIOXIN)	34676	WAIVED			
2,4,5-TP (SILVEX)	39045	WAIVED			
2,4-D	39730	WAIVED			
ALACHLOR	77825	WAIVED			
ATRAZINE	39033	WAIVED			
BENTAZON	38710	WAIVED			
BENZO (A) PYRENE	34247	WAIVED			
CARBOFURAN	81405	WAIVED			
CHLORDANE	39350	WAIVED			
DALAPON	38432	WAIVED			
DI(2-ETHYLHEXYL)ADIPATE	A-026	WAIVED			
DI(2-ETHYLHEXYL)PHTHALATE	39100	WAIVED			
DIBROMOCHLOROPROPANE (DBCP)	38761	WAIVED			
DINOSEB	81287	WAIVED			
DIQUAT	78885	WAIVED			
ENDOTHALL	38926	WAIVED			
ENDRIN	39390	WAIVED			
ETHYLENE DIBROMIDE (EDB)	77651	WAIVED			
GLYPHOSATE	79743	WAIVED			
HEPTACHLOR	39410	WAIVED			
HEPTACHLOR EPOXIDE	39420	WAIVED			
HEXACHLOROBENZENE	39700	WAIVED			
HEXACHLOROCYCLOPENTADIENE	34386	WAIVED			
LINDANE	39340	WAIVED			

**Testing interval is in months;*
0 = No data for this constituent and is DUE NOW
999 = Waived testing (not required)
I = Invalid (NOT) valid analyses reported

System Number: ***3100086***

System Name: ***BIG TREES PICNIC GROUND***

PS Code: ***3100086-001***

Source Name: ***HORIZONTAL WELL 01***

Source Number: ***001***

Source Status: ***ACTIVE UNTREATED***

Water type: ***GROUNDWATER OR WELL***

	STORET NUMBER	TESTING INTERVAL (MONTHS)*	LAST TEST DATE (yyyy/mm/dd)	LAST RESULT REPORTED	NEXT TEST DATE (yyyy/mm)
REGULATED SOC					
METHOXYCHLOR	39480	WAIVED			
MOLINATE	82199	WAIVED			
OXAMYL	38865	WAIVED			
PENTACHLOROPHENOL	39032	WAIVED			
PICLORAM	39720	WAIVED			
POLYCHLORINATED BIPHENYLS, TOTAL, AS DCB	39516	WAIVED			
SIMAZINE	39055	WAIVED			
THIOBENCARB	A-001	WAIVED			
TOXAPHENE	39400	WAIVED			
REGULATED VOC					
1,1,1-TRICHLOROETHANE	34506	WAIVED	1988/05/31	.000	
1,1,2,2-TETRACHLOROETHANE	34516	WAIVED	1988/05/31	.000	
1,1,2-TRICHLORO-1,2,2-TRIFLUOROETHANE	81611	WAIVED	1988/05/31	.000	
1,1,2-TRICHLOROETHANE	34511	WAIVED	1988/05/31	.000	
1,1-DICHLOROETHANE	34496	WAIVED	1988/05/31	.000	
1,1-DICHLOROETHYLENE	34501	WAIVED	1988/05/31	.000	
1,2,4-TRICHLOROBENZENE	34551	WAIVED			
1,2-DICHLOROBENZENE	34536	WAIVED	1988/05/31	.000	
1,2-DICHLOROETHANE	34531	WAIVED	1988/05/31	.000	
1,2-DICHLOROPROPANE	34541	WAIVED			
1,3-DICHLOROPROPENE (TOTAL)	34561	WAIVED			
1,4-DICHLOROBENZENE	34571	WAIVED	1988/05/31	.000	
BENZENE	34030	WAIVED	1988/05/31	.000	
CARBON TETRACHLORIDE	32102	WAIVED	1988/05/31	.000	
CIS-1,2-DICHLOROETHYLENE	77093	WAIVED	1988/05/31	.000	
DICHLOROMETHANE	34423	WAIVED	1988/05/31	.000	
ETHYLBENZENE	34371	WAIVED	1988/05/31	.000	
METHYL-TERT-BUTYL-ETHER (MTBE)	46491	WAIVED			
MONOCHLOROBENZENE	34301	WAIVED	1988/05/31	.000	

**Testing interval is in months;*
0 = No data for this constituent and is DUE NOW
999 = Waived testing (not required)
I = Invalid (NOT) valid analyses reported

System Number: ***3100086***

System Name: ***BIG TREES PICNIC GROUND***

PS Code: ***3100086-001***

Source Name: ***HORIZONTAL WELL 01***

Source Number: ***001***

Source Status: ***ACTIVE UNTREATED***

Water type: ***GROUNDWATER OR WELL***

	STORET NUMBER	TESTING INTERVAL (MONTHS)*	LAST TEST DATE (yyyy/mm/dd)	LAST RESULT REPORTED	NEXT TEST DATE (yyyy/mm)
REGULATED VOC					
STYRENE	77128	WAIVED			
TETRACHLOROETHYLENE	34475	WAIVED	1988/05/31	.000	
TOLUENE	34010	WAIVED	1988/05/31	.000	
TRANS-1,2-DICHLOROETHYLENE	34546	WAIVED	1988/05/31	.000	
TRICHLOROETHYLENE	39180	WAIVED	1988/05/31	.000	
TRICHLOROFLUOROMETHANE	34488	WAIVED	1988/05/31	.000	
VINYL CHLORIDE	39175	WAIVED	1988/05/31	.000	
XYLENES (TOTAL)	81551	WAIVED	1988/05/31	.000	
SECONDARY/GP					
AGGRSSIVE INDEX (CORROSIVITY)	82383	WAIVED			
BICARBONATE ALKALINITY	00440	000			DUE
CALCIUM	00916	000			DUE
CARBONATE ALKALINITY	00445	000			DUE
CHLORIDE	00940	WAIVED			
COLOR	00081	WAIVED			
COPPER	01042	WAIVED			
FOAMING AGENTS (MBAS)	38260	WAIVED			
HARDNESS (TOTAL) AS CACO3	00900	000			DUE
HYDROXIDE ALKALINITY	71830	000			DUE
IRON	01045	000			DUE
MAGNESIUM	00927	000			DUE
MANGANESE	01055	000			DUE
ODOR THRESHOLD @ 60 C	00086	WAIVED			
PH, LABORATORY	00403	000			DUE
SILVER	01077	WAIVED			
SODIUM	00929	000			DUE
SPECIFIC CONDUCTANCE	00095	WAIVED			
SULFATE	00945	WAIVED			
TOTAL DISSOLVED SOLIDS	70300	WAIVED			

**Testing interval is in months;*
0 = No data for this constituent and is DUE NOW
999 = Waived testing (not required)
I = Invalid (NOT) valid analyses reported

System Number: ***3100086***

System Name: ***BIG TREES PICNIC GROUND***

PS Code: ***3100086-001***

Source Name: ***HORIZONTAL WELL 01***

Source Number: ***001***

Source Status: ***ACTIVE UNTREATED***

Water type: ***GROUNDWATER OR WELL***

	STORET NUMBER	TESTING INTERVAL (MONTHS)*	LAST TEST DATE (yyyy/mm/dd)	LAST RESULT REPORTED	NEXT TEST DATE (yyyy/mm)
SECONDARY/GP					
TURBIDITY, LABORATORY	82079	WAIVED			
ZINC	01092	WAIVED			

**Testing interval is in months;*
0 = No data for this constituent and is DUE NOW
999 = Waived testing (not required)
I = Invalid (NOT) valid analyses reported

System Number: ***3100088***

System Name: ***SILVER CREEK CAMPGROUND***

PS Code: ***3100088-001***

Source Name: ***NORTH WELL 01***

Source Number: ***001***

Source Status: ***ACTIVE UNTREATED***

Water type: ***GROUNDWATER OR WELL***

	STORET NUMBER	TESTING INTERVAL (MONTHS)*	LAST TEST DATE (yyyy/mm/dd)	LAST RESULT REPORTED	NEXT TEST DATE (yyyy/mm)
GENERAL NON CHAP 15					
DIAZINON	39570	WAIVED			
INORGANIC					
ALUMINUM	01105	WAIVED			
ANTIMONY	01097	WAIVED			
ARSENIC	01002	WAIVED			
ASBESTOS	81855	WAIVED			
BARIUM	01007	WAIVED			
BERYLLIUM	01012	WAIVED			
CADMIUM	01027	WAIVED			
CHROMIUM (TOTAL)	01034	WAIVED			
CYANIDE	01291	WAIVED			
FLUORIDE (F) (NATURAL-SOURCE)	00951	WAIVED			
LEAD	01051	WAIVED			
MERCURY	71900	WAIVED			
NICKEL	01067	WAIVED			
PERCHLORATE	A-031	WAIVED			
SELENIUM	01147	WAIVED			
THALLIUM	01059	WAIVED			
NITRATE/NITRITE					
NITRATE (AS NO3)	71850	WAIVED	2005/07/28	< 2.000	
NITRITE (AS N)	00620	WAIVED	2005/07/28	< 400.000	
RADIOLOGICAL					
GROSS ALPHA	01501	WAIVED			
GROSS BETA	03501	WAIVED			
RA-226 FOR CWS OR TOTAL RA FOR NTNC BY 903.0	A-080	WAIVED			
RA-226 OR TOTAL RA BY 903.0 C.E.	A-081	WAIVED			
RADIUM 226	09501	WAIVED			
RADIUM 228	11501	WAIVED			

**Testing interval is in months;*
0 = No data for this constituent and is DUE NOW
999 = Waived testing (not required)
I = Invalid (NOT) valid analyses reported

System Number: ***3100088***

System Name: ***SILVER CREEK CAMPGROUND***

PS Code: ***3100088-001***

Source Name: ***NORTH WELL 01***

Source Number: ***001***

Source Status: ***ACTIVE UNTREATED***

Water type: ***GROUNDWATER OR WELL***

	STORET NUMBER	TESTING INTERVAL (MONTHS)*	LAST TEST DATE (yyyy/mm/dd)	LAST RESULT REPORTED	NEXT TEST DATE (yyyy/mm)
RADIOLOGICAL					
RADIUM, TOTAL, MDA95-NTNC ONLY, BY 903.0	A-082	WAIVED			
STRONTIUM-90	13501	WAIVED			
TRITIUM	07000	WAIVED			
URANIUM (PCI/L)	28012	WAIVED			
REGULATED SOC					
2,3,7,8-TCDD (DIOXIN)	34676	WAIVED			
2,4,5-TP (SILVEX)	39045	WAIVED			
2,4-D	39730	WAIVED			
ALACHLOR	77825	WAIVED			
ATRAZINE	39033	WAIVED			
BENTAZON	38710	WAIVED			
BENZO (A) PYRENE	34247	WAIVED			
CARBOFURAN	81405	WAIVED			
CHLORDANE	39350	WAIVED			
DALAPON	38432	WAIVED			
DI(2-ETHYLHEXYL)ADIPATE	A-026	WAIVED			
DI(2-ETHYLHEXYL)PHTHALATE	39100	WAIVED			
DIBROMOCHLOROPROPANE (DBCP)	38761	WAIVED			
DINOSEB	81287	WAIVED			
DIQUAT	78885	WAIVED			
ENDOTHALL	38926	WAIVED			
ENDRIN	39390	WAIVED			
ETHYLENE DIBROMIDE (EDB)	77651	WAIVED			
GLYPHOSATE	79743	WAIVED			
HEPTACHLOR	39410	WAIVED			
HEPTACHLOR EPOXIDE	39420	WAIVED			
HEXACHLOROBENZENE	39700	WAIVED			
HEXACHLOROCYCLOPENTADIENE	34386	WAIVED			
LINDANE	39340	WAIVED			

**Testing interval is in months;*
0 = No data for this constituent and is DUE NOW
999 = Waived testing (not required)
I = Invalid (NOT) valid analyses reported

System Number: ***3100088***

System Name: ***SILVER CREEK CAMPGROUND***

PS Code: ***3100088-001***

Source Name: ***NORTH WELL 01***

Source Number: ***001***

Source Status: ***ACTIVE UNTREATED***

Water type: ***GROUNDWATER OR WELL***

	STORET NUMBER	TESTING INTERVAL (MONTHS)*	LAST TEST DATE (yyyy/mm/dd)	LAST RESULT REPORTED	NEXT TEST DATE (yyyy/mm)
REGULATED SOC					
METHOXYCHLOR	39480	WAIVED			
MOLINATE	82199	WAIVED			
OXAMYL	38865	WAIVED			
PENTACHLOROPHENOL	39032	WAIVED			
PICLORAM	39720	WAIVED			
POLYCHLORINATED BIPHENYLS, TOTAL, AS DCB	39516	WAIVED			
SIMAZINE	39055	WAIVED			
THIOBENCARB	A-001	WAIVED			
TOXAPHENE	39400	WAIVED			
REGULATED VOC					
1,1,1-TRICHLOROETHANE	34506	WAIVED			
1,1,2,2-TETRACHLOROETHANE	34516	WAIVED			
1,1,2-TRICHLORO-1,2,2-TRIFLUOROETHANE	81611	WAIVED			
1,1,2-TRICHLOROETHANE	34511	WAIVED			
1,1-DICHLOROETHANE	34496	WAIVED			
1,1-DICHLOROETHYLENE	34501	WAIVED			
1,2,4-TRICHLOROBENZENE	34551	WAIVED			
1,2-DICHLOROBENZENE	34536	WAIVED			
1,2-DICHLOROETHANE	34531	WAIVED			
1,2-DICHLOROPROPANE	34541	WAIVED			
1,3-DICHLOROPROPENE (TOTAL)	34561	WAIVED			
1,4-DICHLOROBENZENE	34571	WAIVED			
BENZENE	34030	WAIVED			
CARBON TETRACHLORIDE	32102	WAIVED			
CIS-1,2-DICHLOROETHYLENE	77093	WAIVED			
DICHLOROMETHANE	34423	WAIVED			
ETHYLBENZENE	34371	WAIVED			
METHYL-TERT-BUTYL-ETHER (MTBE)	46491	WAIVED			
MONOCHLOROBENZENE	34301	WAIVED			

**Testing interval is in months;*
0 = No data for this constituent and is DUE NOW
999 = Waived testing (not required)
I = Invalid (NOT) valid analyses reported

System Number: ***3100088***

System Name: ***SILVER CREEK CAMPGROUND***

PS Code: ***3100088-001***

Source Name: ***NORTH WELL 01***

Source Number: ***001***

Source Status: ***ACTIVE UNTREATED***

Water type: ***GROUNDWATER OR WELL***

	STORET NUMBER	TESTING INTERVAL (MONTHS)*	LAST TEST DATE (yyyy/mm/dd)	LAST RESULT REPORTED	NEXT TEST DATE (yyyy/mm)
REGULATED VOC					
STYRENE	77128	WAIVED			
TETRACHLOROETHYLENE	34475	WAIVED			
TOLUENE	34010	WAIVED			
TRANS-1,2-DICHLOROETHYLENE	34546	WAIVED			
TRICHLOROETHYLENE	39180	WAIVED			
TRICHLOROFLUOROMETHANE	34488	WAIVED			
VINYL CHLORIDE	39175	WAIVED			
XYLENES (TOTAL)	81551	WAIVED			
SECONDARY/GP					
AGGRSSIVE INDEX (CORROSIVITY)	82383	WAIVED			
BICARBONATE ALKALINITY	00440	WAIVED			
CALCIUM	00916	WAIVED			
CARBONATE ALKALINITY	00445	WAIVED			
CHLORIDE	00940	WAIVED			
COLOR	00081	WAIVED			
COPPER	01042	WAIVED			
FOAMING AGENTS (MBAS)	38260	WAIVED			
HARDNESS (TOTAL) AS CACO3	00900	WAIVED			
HYDROXIDE ALKALINITY	71830	WAIVED			
IRON	01045	WAIVED			
MAGNESIUM	00927	WAIVED			
MANGANESE	01055	WAIVED			
ODOR THRESHOLD @ 60 C	00086	WAIVED			
PH, LABORATORY	00403	WAIVED			
SILVER	01077	WAIVED			
SODIUM	00929	WAIVED			
SPECIFIC CONDUCTANCE	00095	WAIVED			
SULFATE	00945	WAIVED			
TOTAL DISSOLVED SOLIDS	70300	WAIVED			

**Testing interval is in months;*
0 = No data for this constituent and is DUE NOW
999 = Waived testing (not required)
I = Invalid (NOT) valid analyses reported

System Number: ***3100088***

System Name: ***SILVER CREEK CAMPGROUND***

	STORET NUMBER	TESTING INTERVAL (MONTHS)*	LAST TEST DATE (yyyy/mm/dd)	LAST RESULT REPORTED	NEXT TEST DATE (yyyy/mm)

PS Code: ***3100088-001***

Source Name: ***NORTH WELL 01***

Source Number: ***001***

Source Status: ***ACTIVE UNTREATED***

Water type: ***GROUNDWATER OR WELL***

SECONDARY/GP

TURBIDITY, LABORATORY	82079	WAIVED			
ZINC	01092	WAIVED			

PS Code: ***3100088-002***

Source Name: ***SOUTH WELL 02***

Source Number: ***002***

Source Status: ***ACTIVE UNTREATED***

Water type: ***GROUNDWATER OR WELL***

GENERAL NON CHAP 15

DIAZINON	39570	WAIVED			

INORGANIC

ALUMINUM	01105	WAIVED			
ANTIMONY	01097	WAIVED			
ARSENIC	01002	WAIVED			
ASBESTOS	81855	WAIVED			
BARIUM	01007	WAIVED			
BERYLLIUM	01012	WAIVED			
CADMIUM	01027	WAIVED			
CHROMIUM (TOTAL)	01034	WAIVED			
CYANIDE	01291	WAIVED			
FLUORIDE (F) (NATURAL-SOURCE)	00951	WAIVED			
LEAD	01051	WAIVED			
MERCURY	71900	WAIVED			
NICKEL	01067	WAIVED			
PERCHLORATE	A-031	WAIVED			
SELENIUM	01147	WAIVED			
THALLIUM	01059	WAIVED			

**Testing interval is in months;*
0 = No data for this constituent and is DUE NOW
999 = Waived testing (not required)
I = Invalid (NOT) valid analyses reported

System Number: ***3100088***

System Name: ***SILVER CREEK CAMPGROUND***

PS Code: ***3100088-002***

Source Name: ***SOUTH WELL 02***

Source Number: ***002***

Source Status: ***ACTIVE UNTREATED***

Water type: ***GROUNDWATER OR WELL***

	STORET NUMBER	TESTING INTERVAL (MONTHS)*	LAST TEST DATE (yyyy/mm/dd)	LAST RESULT REPORTED	NEXT TEST DATE (yyyy/mm)
NITRATE/NITRITE					
NITRATE (AS NO3)	71850	WAIVED	2005/07/28	< 2.000	
NITRITE (AS N)	00620	WAIVED	2005/07/28	< 400.000	
RADIOLOGICAL					
GROSS ALPHA	01501	WAIVED			
GROSS BETA	03501	WAIVED			
RA-226 FOR CWS OR TOTAL RA FOR NTNC BY 903.0	A-080	WAIVED			
RA-226 OR TOTAL RA BY 903.0 C.E.	A-081	WAIVED			
RADIUM 226	09501	WAIVED			
RADIUM 228	11501	WAIVED			
RADIUM, TOTAL, MDA95-NTNC ONLY, BY 903.0	A-082	WAIVED			
STRONTIUM-90	13501	WAIVED			
TRITIUM	07000	WAIVED			
URANIUM (PCI/L)	28012	WAIVED			
REGULATED SOC					
2,3,7,8-TCDD (DIOXIN)	34676	WAIVED			
2,4,5-TP (SILVEX)	39045	WAIVED			
2,4-D	39730	WAIVED			
ALACHLOR	77825	WAIVED			
ATRAZINE	39033	WAIVED			
BENTAZON	38710	WAIVED			
BENZO (A) PYRENE	34247	WAIVED			
CARBOFURAN	81405	WAIVED			
CHLORDANE	39350	WAIVED			
DALAPON	38432	WAIVED			
DI(2-ETHYLHEXYL)ADIPATE	A-026	WAIVED			
DI(2-ETHYLHEXYL)PHTHALATE	39100	WAIVED			
DIBROMOCHLOROPROPANE (DBCP)	38761	WAIVED			
DINOSEB	81287	WAIVED			
DIQUAT	78885	WAIVED			

**Testing interval is in months;*
0 = No data for this constituent and is DUE NOW
999 = Waived testing (not required)
I = Invalid (NOT) valid analyses reported

System Number: ***3100088***

System Name: ***SILVER CREEK CAMPGROUND***

PS Code: ***3100088-002***

Source Name: ***SOUTH WELL 02***

Source Number: ***002***

Source Status: ***ACTIVE UNTREATED***

Water type: ***GROUNDWATER OR WELL***

	STORET NUMBER	TESTING INTERVAL (MONTHS)*	LAST TEST DATE (yyyy/mm/dd)	LAST RESULT REPORTED	NEXT TEST DATE (yyyy/mm)
REGULATED SOC					
ENDOTHALL	38926	WAIVED			
ENDRIN	39390	WAIVED			
ETHYLENE DIBROMIDE (EDB)	77651	WAIVED			
GLYPHOSATE	79743	WAIVED			
HEPTACHLOR	39410	WAIVED			
HEPTACHLOR EPOXIDE	39420	WAIVED			
HEXACHLOROBENZENE	39700	WAIVED			
HEXACHLOROCYCLOPENTADIENE	34386	WAIVED			
LINDANE	39340	WAIVED			
METHOXYCHLOR	39480	WAIVED			
MOLINATE	82199	WAIVED			
OXAMYL	38865	WAIVED			
PENTACHLOROPHENOL	39032	WAIVED			
PICLORAM	39720	WAIVED			
POLYCHLORINATED BIPHENYLS, TOTAL, AS DCB	39516	WAIVED			
SIMAZINE	39055	WAIVED			
THIOBENCARB	A-001	WAIVED			
TOXAPHENE	39400	WAIVED			
REGULATED VOC					
1,1,1-TRICHLOROETHANE	34506	WAIVED			
1,1,2,2-TETRACHLOROETHANE	34516	WAIVED			
1,1,2-TRICHLORO-1,2,2-TRIFLUOROETHANE	81611	WAIVED			
1,1,2-TRICHLOROETHANE	34511	WAIVED			
1,1-DICHLOROETHANE	34496	WAIVED			
1,1-DICHLOROETHYLENE	34501	WAIVED			
1,2,4-TRICHLOROBENZENE	34551	WAIVED			
1,2-DICHLOROBENZENE	34536	WAIVED			
1,2-DICHLOROETHANE	34531	WAIVED			
1,2-DICHLOROPROPANE	34541	WAIVED			

**Testing interval is in months;*
0 = No data for this constituent and is DUE NOW
999 = Waived testing (not required)
I = Invalid (NOT) valid analyses reported

System Number: ***3100088***

System Name: ***SILVER CREEK CAMPGROUND***

PS Code: ***3100088-002***

Source Name: ***SOUTH WELL 02***

Source Number: ***002***

Source Status: ***ACTIVE UNTREATED***

Water type: ***GROUNDWATER OR WELL***

	STORET NUMBER	TESTING INTERVAL (MONTHS)*	LAST TEST DATE (yyyy/mm/dd)	LAST RESULT REPORTED	NEXT TEST DATE (yyyy/mm)
REGULATED VOC					
1,3-DICHLOROPROPENE (TOTAL)	34561	WAIVED			
1,4-DICHLOROBENZENE	34571	WAIVED			
BENZENE	34030	WAIVED			
CARBON TETRACHLORIDE	32102	WAIVED			
CIS-1,2-DICHLOROETHYLENE	77093	WAIVED			
DICHLOROMETHANE	34423	WAIVED			
ETHYLBENZENE	34371	WAIVED			
METHYL-TERT-BUTYL-ETHER (MTBE)	46491	WAIVED			
MONOCHLOROBENZENE	34301	WAIVED			
STYRENE	77128	WAIVED			
TETRACHLOROETHYLENE	34475	WAIVED			
TOLUENE	34010	WAIVED			
TRANS-1,2-DICHLOROETHYLENE	34546	WAIVED			
TRICHLOROETHYLENE	39180	WAIVED			
TRICHLOROFLUOROMETHANE	34488	WAIVED			
VINYL CHLORIDE	39175	WAIVED			
XYLENES (TOTAL)	81551	WAIVED			
SECONDARY/GP					
AGGRSSIVE INDEX (CORROSIVITY)	82383	WAIVED			
BICARBONATE ALKALINITY	00440	WAIVED			
CALCIUM	00916	WAIVED			
CARBONATE ALKALINITY	00445	WAIVED			
CHLORIDE	00940	WAIVED			
COLOR	00081	WAIVED			
COPPER	01042	WAIVED			
FOAMING AGENTS (MBAS)	38260	WAIVED			
HARDNESS (TOTAL) AS CACO3	00900	WAIVED			
HYDROXIDE ALKALINITY	71830	WAIVED			
IRON	01045	WAIVED			

**Testing interval is in months;*
0 = No data for this constituent and is DUE NOW
999 = Waived testing (not required)
I = Invalid (NOT) valid analyses reported

System Number: ***3100088***

System Name: ***SILVER CREEK CAMPGROUND***

PS Code: ***3100088-002***

Source Name: ***SOUTH WELL 02***

Source Number: ***002***

Source Status: ***ACTIVE UNTREATED***

Water type: ***GROUNDWATER OR WELL***

	STORET NUMBER	TESTING INTERVAL (MONTHS)*	LAST TEST DATE (yyyy/mm/dd)	LAST RESULT REPORTED	NEXT TEST DATE (yyyy/mm)
SECONDARY/GP					
MAGNESIUM	00927	WAIVED			
MANGANESE	01055	WAIVED			
ODOR THRESHOLD @ 60 C	00086	WAIVED			
PH, LABORATORY	00403	WAIVED			
SILVER	01077	WAIVED			
SODIUM	00929	WAIVED			
SPECIFIC CONDUCTANCE	00095	WAIVED			
SULFATE	00945	WAIVED			
TOTAL DISSOLVED SOLIDS	70300	WAIVED			
TURBIDITY, LABORATORY	82079	WAIVED			
ZINC	01092	WAIVED			

PS Code: ***3100088-003***

Source Name: ***WELL #3***

Source Number: ***003***

Source Status: ***ACTIVE UNTREATED***

Water type:

GENERAL NON CHAP 15					
DIAZINON	39570	WAIVED			
INORGANIC					
ALUMINUM	01105	WAIVED			
ANTIMONY	01097	WAIVED			
ARSENIC	01002	WAIVED			
ASBESTOS	81855	WAIVED			
BARIUM	01007	WAIVED			
BERYLLIUM	01012	WAIVED			
CADMIUM	01027	WAIVED			
CHROMIUM (TOTAL)	01034	WAIVED			
CYANIDE	01291	WAIVED			

**Testing interval is in months;*
0 = No data for this constituent and is DUE NOW
999 = Waived testing (not required)
I = Invalid (NOT) valid analyses reported

System Number: ***3100088***

System Name: ***SILVER CREEK CAMPGROUND***

PS Code: ***3100088-003***

Source Name: ***WELL #3***

Source Number: ***003***

Source Status: ***ACTIVE UNTREATED***

Water type:

	STORET NUMBER	TESTING INTERVAL (MONTHS)*	LAST TEST DATE (yyyy/mm/dd)	LAST RESULT REPORTED	NEXT TEST DATE (yyyy/mm)
INORGANIC					
FLUORIDE (F) (NATURAL-SOURCE)	00951	WAIVED			
LEAD	01051	WAIVED			
MERCURY	71900	WAIVED			
NICKEL	01067	WAIVED			
PERCHLORATE	A-031	WAIVED			
SELENIUM	01147	WAIVED			
THALLIUM	01059	WAIVED			
NITRATE/NITRITE					
NITRATE (AS NO3)	71850	WAIVED			
NITRITE (AS N)	00620	WAIVED			
RADIOLOGICAL					
GROSS ALPHA	01501	WAIVED			
GROSS BETA	03501	WAIVED			
RA-226 FOR CWS OR TOTAL RA FOR NTNC BY 903.0	A-080	WAIVED			
RA-226 OR TOTAL RA BY 903.0 C.E.	A-081	WAIVED			
RADIUM 226	09501	WAIVED			
RADIUM 228	11501	WAIVED			
RADIUM, TOTAL, MDA95-NTNC ONLY, BY 903.0	A-082	WAIVED			
STRONTIUM-90	13501	WAIVED			
TRITIUM	07000	WAIVED			
URANIUM (PCI/L)	28012	WAIVED			
REGULATED SOC					
2,3,7,8-TCDD (DIOXIN)	34676	WAIVED			
2,4,5-TP (SILVEX)	39045	WAIVED			
2,4-D	39730	WAIVED			
ALACHLOR	77825	WAIVED			
ATRAZINE	39033	WAIVED			
BENTAZON	38710	WAIVED			

**Testing interval is in months;*
0 = No data for this constituent and is DUE NOW
999 = Waived testing (not required)
I = Invalid (NOT) valid analyses reported

System Number: ***3100088***

System Name: ***SILVER CREEK CAMPGROUND***

PS Code: ***3100088-003***

Source Name: ***WELL #3***

Source Number: ***003***

Source Status: ***ACTIVE UNTREATED***

Water type:

	STORET NUMBER	TESTING INTERVAL (MONTHS)*	LAST TEST DATE (yyyy/mm/dd)	LAST RESULT REPORTED	NEXT TEST DATE (yyyy/mm)
REGULATED SOC					
BENZO (A) PYRENE	34247	WAIVED			
CARBOFURAN	81405	WAIVED			
CHLORDANE	39350	WAIVED			
DALAPON	38432	WAIVED			
DI(2-ETHYLHEXYL)ADIPATE	A-026	WAIVED			
DI(2-ETHYLHEXYL)PHTHALATE	39100	WAIVED			
DIBROMOCHLOROPROPANE (DBCP)	38761	WAIVED			
DINOSEB	81287	WAIVED			
DIQUAT	78885	WAIVED			
ENDOTHALL	38926	WAIVED			
ENDRIN	39390	WAIVED			
ETHYLENE DIBROMIDE (EDB)	77651	WAIVED			
GLYPHOSATE	79743	WAIVED			
HEPTACHLOR	39410	WAIVED			
HEPTACHLOR EPOXIDE	39420	WAIVED			
HEXACHLOROBENZENE	39700	WAIVED			
HEXACHLOROCYCLOPENTADIENE	34386	WAIVED			
LINDANE	39340	WAIVED			
METHOXYCHLOR	39480	WAIVED			
MOLINATE	82199	WAIVED			
OXAMYL	38865	WAIVED			
PENTACHLOROPHENOL	39032	WAIVED			
PICLORAM	39720	WAIVED			
POLYCHLORINATED BIPHENYLS, TOTAL, AS DCB	39516	WAIVED			
SIMAZINE	39055	WAIVED			
THIOBENCARB	A-001	WAIVED			
TOXAPHENE	39400	WAIVED			
REGULATED VOC					
1,1,1-TRICHLOROETHANE	34506	WAIVED			

**Testing interval is in months;*
0 = No data for this constituent and is DUE NOW
999 = Waived testing (not required)
I = Invalid (NOT) valid analyses reported

System Number: ***3100088***

System Name: ***SILVER CREEK CAMPGROUND***

PS Code: ***3100088-003***

Source Name: ***WELL #3***

Source Number: ***003***

Source Status: ***ACTIVE UNTREATED***

Water type:

	STORET NUMBER	TESTING INTERVAL (MONTHS)*	LAST TEST DATE (yyyy/mm/dd)	LAST RESULT REPORTED	NEXT TEST DATE (yyyy/mm)
REGULATED VOC					
1,1,2,2-TETRACHLOROETHANE	34516	WAIVED			
1,1,2-TRICHLORO-1,2,2-TRIFLUOROETHANE	81611	WAIVED			
1,1,2-TRICHLOROETHANE	34511	WAIVED			
1,1-DICHLOROETHANE	34496	WAIVED			
1,1-DICHLOROETHYLENE	34501	WAIVED			
1,2,4-TRICHLOROBENZENE	34551	WAIVED			
1,2-DICHLOROBENZENE	34536	WAIVED			
1,2-DICHLOROETHANE	34531	WAIVED			
1,2-DICHLOROPROPANE	34541	WAIVED			
1,3-DICHLOROPROPENE (TOTAL)	34561	WAIVED			
1,4-DICHLOROBENZENE	34571	WAIVED			
BENZENE	34030	WAIVED			
CARBON TETRACHLORIDE	32102	WAIVED			
CIS-1,2-DICHLOROETHYLENE	77093	WAIVED			
DICHLOROMETHANE	34423	WAIVED			
ETHYLBENZENE	34371	WAIVED			
METHYL-TERT-BUTYL-ETHER (MTBE)	46491	WAIVED			
MONOCHLOROBENZENE	34301	WAIVED			
STYRENE	77128	WAIVED			
TETRACHLOROETHYLENE	34475	WAIVED			
TOLUENE	34010	WAIVED			
TRANS-1,2-DICHLOROETHYLENE	34546	WAIVED			
TRICHLOROETHYLENE	39180	WAIVED			
TRICHLOROFLUOROMETHANE	34488	WAIVED			
VINYL CHLORIDE	39175	WAIVED			
XYLENES (TOTAL)	81551	WAIVED			
SECONDARY/GP					
AGGRSSIVE INDEX (CORROSIVITY)	82383	WAIVED			
BICARBONATE ALKALINITY	00440	WAIVED			

**Testing interval is in months;*
0 = No data for this constituent and is DUE NOW
999 = Waived testing (not required)
I = Invalid (NOT) valid analyses reported

System Number: ***3100088***

System Name: ***SILVER CREEK CAMPGROUND***

PS Code: ***3100088-003***

Source Name: ***WELL #3***

Source Number: ***003***

Source Status: ***ACTIVE UNTREATED***

Water type:

SECONDARY/GP

	STORET NUMBER	TESTING INTERVAL (MONTHS)*	LAST TEST DATE (yyyy/mm/dd)	LAST RESULT REPORTED	NEXT TEST DATE (yyyy/mm)
CALCIUM	00916	WAIVED			
CARBONATE ALKALINITY	00445	WAIVED			
CHLORIDE	00940	WAIVED			
COLOR	00081	WAIVED			
COPPER	01042	WAIVED			
FOAMING AGENTS (MBAS)	38260	WAIVED			
HARDNESS (TOTAL) AS CACO3	00900	WAIVED			
HYDROXIDE ALKALINITY	71830	WAIVED			
IRON	01045	WAIVED			
MAGNESIUM	00927	WAIVED			
MANGANESE	01055	WAIVED			
ODOR THRESHOLD @ 60 C	00086	WAIVED			
PH, LABORATORY	00403	WAIVED			
SILVER	01077	WAIVED			
SODIUM	00929	WAIVED			
SPECIFIC CONDUCTANCE	00095	WAIVED			
SULFATE	00945	WAIVED			
TOTAL DISSOLVED SOLIDS	70300	WAIVED			
TURBIDITY, LABORATORY	82079	WAIVED			
ZINC	01092	WAIVED			

**Testing interval is in months;*
0 = No data for this constituent and is DUE NOW
999 = Waived testing (not required)
I = Invalid (NOT) valid analyses reported

System Number: ***3100096***

System Name: ***SONS OF NORWAY REC CENTER***

PS Code: ***3100096-001***

Source Name: ***SPRING 01 REDEVELOPED 1993***

Source Number: ***001***

Source Status: ***ACTIVE UNTREATED***

Water type: ***GROUNDWATER OR WELL***

	STORET NUMBER	TESTING INTERVAL (MONTHS)*	LAST TEST DATE (yyyy/mm/dd)	LAST RESULT REPORTED	NEXT TEST DATE (yyyy/mm)	
GENERAL NON CHAP 15						
DIAZINON	39570	WAIVED				
INORGANIC						
ALUMINUM	01105	WAIVED	1993/09/22	< 100.000		
ANTIMONY	01097	WAIVED				
ARSENIC	01002	WAIVED	1993/09/22	< 5.000		
ASBESTOS	81855	WAIVED				
BARIUM	01007	WAIVED	1993/09/22	< 100.000		
BERYLLIUM	01012	WAIVED				
CADMIUM	01027	WAIVED	1993/09/22	< 1.000		
CHROMIUM (TOTAL)	01034	WAIVED	1993/09/22	< 10.000		
CYANIDE	01291	WAIVED				
FLUORIDE (F) (NATURAL-SOURCE)	00951	WAIVED	1993/09/22	< .100		
LEAD	01051	WAIVED	1993/09/22	< 5.000		
MERCURY	71900	WAIVED	1993/09/22	< 1.000		
NICKEL	01067	WAIVED				
PERCHLORATE	A-031	WAIVED				
SELENIUM	01147	WAIVED	1993/09/22	< 5.000		
THALLIUM	01059	WAIVED				
NITRATE/NITRITE						
NITRATE (AS NO3)	71850	012	2003/08/21	< 2.000	2004/08	DUE
NITRITE (AS N)	00620	036	2003/08/21	< 400.000	2006/08	DUE
RADIOLOGICAL						
GROSS ALPHA	01501	WAIVED				
GROSS BETA	03501	WAIVED				
RA-226 FOR CWS OR TOTAL RA FOR NTNC BY 903.0	A-080	WAIVED				
RA-226 OR TOTAL RA BY 903.0 C.E.	A-081	WAIVED				
RADIUM 226	09501	WAIVED				
RADIUM 228	11501	WAIVED				

**Testing interval is in months;*
0 = No data for this constituent and is DUE NOW
999 = Waived testing (not required)
I = Invalid (NOT) valid analyses reported

System Number: ***3100096***

System Name: ***SONS OF NORWAY REC CENTER***

PS Code: ***3100096-001***

Source Name: ***SPRING 01 REDEVELOPED 1993***

Source Number: ***001***

Source Status: ***ACTIVE UNTREATED***

Water type: ***GROUNDWATER OR WELL***

	STORET NUMBER	TESTING INTERVAL (MONTHS)*	LAST TEST DATE (yyyy/mm/dd)	LAST RESULT REPORTED	NEXT TEST DATE (yyyy/mm)
RADIOLOGICAL					
RADIUM, TOTAL, MDA95-NTNC ONLY, BY 903.0	A-082	WAIVED			
STRONTIUM-90	13501	WAIVED			
TRITIUM	07000	WAIVED			
URANIUM (PCI/L)	28012	WAIVED			
REGULATED SOC					
2,3,7,8-TCDD (DIOXIN)	34676	WAIVED			
2,4,5-TP (SILVEX)	39045	WAIVED			
2,4-D	39730	WAIVED			
ALACHLOR	77825	WAIVED			
ATRAZINE	39033	WAIVED			
BENTAZON	38710	WAIVED			
BENZO (A) PYRENE	34247	WAIVED			
CARBOFURAN	81405	WAIVED			
CHLORDANE	39350	WAIVED			
DALAPON	38432	WAIVED			
DI(2-ETHYLHEXYL)ADIPATE	A-026	WAIVED			
DI(2-ETHYLHEXYL)PHTHALATE	39100	WAIVED			
DIBROMOCHLOROPROPANE (DBCP)	38761	WAIVED			
DINOSEB	81287	WAIVED			
DIQUAT	78885	WAIVED			
ENDOTHALL	38926	WAIVED			
ENDRIN	39390	WAIVED			
ETHYLENE DIBROMIDE (EDB)	77651	WAIVED			
GLYPHOSATE	79743	WAIVED			
HEPTACHLOR	39410	WAIVED			
HEPTACHLOR EPOXIDE	39420	WAIVED			
HEXACHLOROBENZENE	39700	WAIVED			
HEXACHLOROCYCLOPENTADIENE	34386	WAIVED			
LINDANE	39340	WAIVED			

**Testing interval is in months;*
0 = No data for this constituent and is DUE NOW
999 = Waived testing (not required)
I = Invalid (NOT) valid analyses reported

System Number: ***3100096***

System Name: ***SONS OF NORWAY REC CENTER***

PS Code: ***3100096-001***

Source Name: ***SPRING 01 REDEVELOPED 1993***

Source Number: ***001***

Source Status: ***ACTIVE UNTREATED***

Water type: ***GROUNDWATER OR WELL***

	STORET NUMBER	TESTING INTERVAL (MONTHS)*	LAST TEST DATE (yyyy/mm/dd)	LAST RESULT REPORTED	NEXT TEST DATE (yyyy/mm)
REGULATED SOC					
METHOXYCHLOR	39480	WAIVED			
MOLINATE	82199	WAIVED			
OXAMYL	38865	WAIVED			
PENTACHLOROPHENOL	39032	WAIVED			
PICLORAM	39720	WAIVED			
POLYCHLORINATED BIPHENYLS, TOTAL, AS DCB	39516	WAIVED			
SIMAZINE	39055	WAIVED			
THIOBENCARB	A-001	WAIVED			
TOXAPHENE	39400	WAIVED			
REGULATED VOC					
1,1,1-TRICHLOROETHANE	34506	WAIVED	1988/04/26	.000	
1,1,2,2-TETRACHLOROETHANE	34516	WAIVED	1988/04/26	.000	
1,1,2-TRICHLORO-1,2,2-TRIFLUOROETHANE	81611	WAIVED	1988/04/26	.000	
1,1,2-TRICHLOROETHANE	34511	WAIVED	1988/04/26	.000	
1,1-DICHLOROETHANE	34496	WAIVED	1988/04/26	.000	
1,1-DICHLOROETHYLENE	34501	WAIVED	1988/04/26	.000	
1,2,4-TRICHLOROBENZENE	34551	WAIVED			
1,2-DICHLOROBENZENE	34536	WAIVED	1988/04/26	.000	
1,2-DICHLOROETHANE	34531	WAIVED	1988/04/26	.000	
1,2-DICHLOROPROPANE	34541	WAIVED			
1,3-DICHLOROPROPENE (TOTAL)	34561	WAIVED			
1,4-DICHLOROBENZENE	34571	WAIVED	1988/04/26	.000	
BENZENE	34030	WAIVED	1988/04/26	.000	
CARBON TETRACHLORIDE	32102	WAIVED	1988/04/26	.000	
CIS-1,2-DICHLOROETHYLENE	77093	WAIVED	1988/04/26	.000	
DICHLOROMETHANE	34423	WAIVED	1988/04/26	.000	
ETHYLBENZENE	34371	WAIVED	1988/04/26	.000	
METHYL-TERT-BUTYL-ETHER (MTBE)	46491	WAIVED			
MONOCHLOROBENZENE	34301	WAIVED	1988/04/26	.000	

**Testing interval is in months;*
0 = No data for this constituent and is DUE NOW
999 = Waived testing (not required)
I = Invalid (NOT) valid analyses reported

System Number: ***3100096***

System Name: ***SONS OF NORWAY REC CENTER***

PS Code: ***3100096-001***

Source Name: ***SPRING 01 REDEVELOPED 1993***

Source Number: ***001***

Source Status: ***ACTIVE UNTREATED***

Water type: ***GROUNDWATER OR WELL***

	STORET NUMBER	TESTING INTERVAL (MONTHS)*	LAST TEST DATE (yyyy/mm/dd)	LAST RESULT REPORTED	NEXT TEST DATE (yyyy/mm)
REGULATED VOC					
STYRENE	77128	WAIVED			
TETRACHLOROETHYLENE	34475	WAIVED	1988/04/26	.000	
TOLUENE	34010	WAIVED	1988/04/26	.000	
TRANS-1,2-DICHLOROETHYLENE	34546	WAIVED	1988/04/26	.000	
TRICHLOROETHYLENE	39180	WAIVED	1988/04/26	.000	
TRICHLOROFLUOROMETHANE	34488	WAIVED	1988/04/26	.000	
VINYL CHLORIDE	39175	WAIVED	1988/04/26	.000	
XYLENES (TOTAL)	81551	WAIVED	1988/04/26	.000	
SECONDARY/GP					
AGGRSSIVE INDEX (CORROSIVITY)	82383	WAIVED			
BICARBONATE ALKALINITY	00440	WAIVED	2003/08/21	84.900	
CALCIUM	00916	WAIVED	2003/08/21	19.700	
CARBONATE ALKALINITY	00445	WAIVED	2003/08/21	< 1.000	
CHLORIDE	00940	WAIVED	1993/09/22	.800	
COLOR	00081	WAIVED	1993/09/22	< 3.000	
COPPER	01042	WAIVED	1993/09/22	< 50.000	
FOAMING AGENTS (MBAS)	38260	WAIVED	1993/09/22	< .050	
HARDNESS (TOTAL) AS CACO3	00900	WAIVED	2003/08/21	71.000	
HYDROXIDE ALKALINITY	71830	WAIVED	2003/08/21	< 1.000	
IRON	01045	WAIVED	2003/08/21	2200.000	
MAGNESIUM	00927	WAIVED	2003/08/21	5.300	
MANGANESE	01055	WAIVED	2003/08/21	170.000	
ODOR THRESHOLD @ 60 C	00086	WAIVED	1993/09/22	1.000	
PH, LABORATORY	00403	WAIVED	2003/08/21	6.800	
SILVER	01077	WAIVED	1993/09/22	< 10.000	
SODIUM	00929	WAIVED	2003/08/21	5.500	
SPECIFIC CONDUCTANCE	00095	WAIVED	1993/09/22	41.000	
SULFATE	00945	WAIVED	1993/09/22	.400	
TOTAL DISSOLVED SOLIDS	70300	WAIVED	1993/09/22	45.000	

**Testing interval is in months;*
0 = No data for this constituent and is DUE NOW
999 = Waived testing (not required)
I = Invalid (NOT) valid analyses reported

System Number: ***3100096***

System Name: ***SONS OF NORWAY REC CENTER***

PS Code: ***3100096-001***

Source Name: ***SPRING 01 REDEVELOPED 1993***

Source Number: ***001***

Source Status: ***ACTIVE UNTREATED***

Water type: ***GROUNDWATER OR WELL***

SECONDARY/GP

	STORET NUMBER	TESTING INTERVAL (MONTHS)*	LAST TEST DATE (yyyy/mm/dd)	LAST RESULT REPORTED	NEXT TEST DATE (yyyy/mm)
TURBIDITY, LABORATORY	82079	WAIVED	1993/09/22	< .100	
ZINC	01092	WAIVED	1993/09/22	< 50.000	

**Testing interval is in months;*
0 = No data for this constituent and is DUE NOW
999 = Waived testing (not required)
I = Invalid (NOT) valid analyses reported

System Number: ***3100102***

System Name: ***APPLEGATE MOTEL WATER SYSTEM***

PS Code: ***3100102-002***

Source Name: ***WELL 02 DRILLED 1998***

Source Number: ***002***

Source Status: ***ACTIVE UNTREATED***

Water type: ***GROUNDWATER OR WELL***

	STORET NUMBER	TESTING INTERVAL (MONTHS)*	LAST TEST DATE (yyyy/mm/dd)	LAST RESULT REPORTED	NEXT TEST DATE (yyyy/mm)
GENERAL NON CHAP 15					
DIAZINON	39570	WAIVED			
INORGANIC					
ALUMINUM	01105	WAIVED			
ANTIMONY	01097	WAIVED			
ARSENIC	01002	WAIVED			
ASBESTOS	81855	WAIVED			
BARIUM	01007	WAIVED			
BERYLLIUM	01012	WAIVED			
CADMIUM	01027	WAIVED			
CHROMIUM (TOTAL)	01034	WAIVED			
CYANIDE	01291	WAIVED			
FLUORIDE (F) (NATURAL-SOURCE)	00951	WAIVED			
LEAD	01051	WAIVED			
MERCURY	71900	WAIVED			
NICKEL	01067	WAIVED			
PERCHLORATE	A-031	WAIVED			
SELENIUM	01147	WAIVED			
THALLIUM	01059	WAIVED			
NITRATE/NITRITE					
NITRATE (AS NO3)	71850	WAIVED			
NITRITE (AS N)	00620	WAIVED			
RADIOLOGICAL					
GROSS ALPHA	01501	WAIVED			
GROSS BETA	03501	WAIVED			
RA-226 FOR CWS OR TOTAL RA FOR NTNC BY 903.0	A-080	WAIVED			
RA-226 OR TOTAL RA BY 903.0 C.E.	A-081	WAIVED			
RADIUM 226	09501	WAIVED			
RADIUM 228	11501	WAIVED			

**Testing interval is in months;*
0 = No data for this constituent and is DUE NOW
999 = Waived testing (not required)
I = Invalid (NOT) valid analyses reported

System Number: ***3100102***

System Name: ***APPLEGATE MOTEL WATER SYSTEM***

PS Code: ***3100102-002***

Source Name: ***WELL 02 DRILLED 1998***

Source Number: ***002***

Source Status: ***ACTIVE UNTREATED***

Water type: ***GROUNDWATER OR WELL***

	STORET NUMBER	TESTING INTERVAL (MONTHS)*	LAST TEST DATE (yyyy/mm/dd)	LAST RESULT REPORTED	NEXT TEST DATE (yyyy/mm)
RADIOLOGICAL					
RADIUM, TOTAL, MDA95-NTNC ONLY, BY 903.0	A-082	WAIVED			
STRONTIUM-90	13501	WAIVED			
TRITIUM	07000	WAIVED			
URANIUM (PCI/L)	28012	WAIVED			
REGULATED SOC					
2,3,7,8-TCDD (DIOXIN)	34676	WAIVED			
2,4,5-TP (SILVEX)	39045	WAIVED			
2,4-D	39730	WAIVED			
ALACHLOR	77825	WAIVED			
ATRAZINE	39033	WAIVED			
BENTAZON	38710	WAIVED			
BENZO (A) PYRENE	34247	WAIVED			
CARBOFURAN	81405	WAIVED			
CHLORDANE	39350	WAIVED			
DALAPON	38432	WAIVED			
DI(2-ETHYLHEXYL)ADIPATE	A-026	WAIVED			
DI(2-ETHYLHEXYL)PHTHALATE	39100	WAIVED			
DIBROMOCHLOROPROPANE (DBCP)	38761	WAIVED			
DINOSEB	81287	WAIVED			
DIQUAT	78885	WAIVED			
ENDOTHALL	38926	WAIVED			
ENDRIN	39390	WAIVED			
ETHYLENE DIBROMIDE (EDB)	77651	WAIVED			
GLYPHOSATE	79743	WAIVED			
HEPTACHLOR	39410	WAIVED			
HEPTACHLOR EPOXIDE	39420	WAIVED			
HEXACHLOROBENZENE	39700	WAIVED			
HEXACHLOROCYCLOPENTADIENE	34386	WAIVED			
LINDANE	39340	WAIVED			

**Testing interval is in months;*
0 = No data for this constituent and is DUE NOW
999 = Waived testing (not required)
I = Invalid (NOT) valid analyses reported

System Number: ***3100102***

System Name: ***APPLEGATE MOTEL WATER SYSTEM***

PS Code: ***3100102-002***

Source Name: ***WELL 02 DRILLED 1998***

Source Number: ***002***

Source Status: ***ACTIVE UNTREATED***

Water type: ***GROUNDWATER OR WELL***

	STORET NUMBER	TESTING INTERVAL (MONTHS)*	LAST TEST DATE (yyyy/mm/dd)	LAST RESULT REPORTED	NEXT TEST DATE (yyyy/mm)
REGULATED SOC					
METHOXYCHLOR	39480	WAIVED			
MOLINATE	82199	WAIVED			
OXAMYL	38865	WAIVED			
PENTACHLOROPHENOL	39032	WAIVED			
PICLORAM	39720	WAIVED			
POLYCHLORINATED BIPHENYLS, TOTAL, AS DCB	39516	WAIVED			
SIMAZINE	39055	WAIVED			
THIOBENCARB	A-001	WAIVED			
TOXAPHENE	39400	WAIVED			
REGULATED VOC					
1,1,1-TRICHLOROETHANE	34506	WAIVED			
1,1,2,2-TETRACHLOROETHANE	34516	WAIVED			
1,1,2-TRICHLORO-1,2,2-TRIFLUOROETHANE	81611	WAIVED			
1,1,2-TRICHLOROETHANE	34511	WAIVED			
1,1-DICHLOROETHANE	34496	WAIVED			
1,1-DICHLOROETHYLENE	34501	WAIVED			
1,2,4-TRICHLOROBENZENE	34551	WAIVED			
1,2-DICHLOROBENZENE	34536	WAIVED			
1,2-DICHLOROETHANE	34531	WAIVED			
1,2-DICHLOROPROPANE	34541	WAIVED			
1,3-DICHLOROPROPENE (TOTAL)	34561	WAIVED			
1,4-DICHLOROBENZENE	34571	WAIVED			
BENZENE	34030	WAIVED			
CARBON TETRACHLORIDE	32102	WAIVED			
CIS-1,2-DICHLOROETHYLENE	77093	WAIVED			
DICHLOROMETHANE	34423	WAIVED			
ETHYLBENZENE	34371	WAIVED			
METHYL-TERT-BUTYL-ETHER (MTBE)	46491	WAIVED			
MONOCHLOROBENZENE	34301	WAIVED			

**Testing interval is in months;*
0 = No data for this constituent and is DUE NOW
999 = Waived testing (not required)
I = Invalid (NOT) valid analyses reported

System Number: ***3100102***

System Name: ***APPLEGATE MOTEL WATER SYSTEM***

PS Code: ***3100102-002***

Source Name: ***WELL 02 DRILLED 1998***

Source Number: ***002***

Source Status: ***ACTIVE UNTREATED***

Water type: ***GROUNDWATER OR WELL***

	STORET NUMBER	TESTING INTERVAL (MONTHS)*	LAST TEST DATE (yyyy/mm/dd)	LAST RESULT REPORTED	NEXT TEST DATE (yyyy/mm)
REGULATED VOC					
STYRENE	77128	WAIVED			
TETRACHLOROETHYLENE	34475	WAIVED			
TOLUENE	34010	WAIVED			
TRANS-1,2-DICHLOROETHYLENE	34546	WAIVED			
TRICHLOROETHYLENE	39180	WAIVED			
TRICHLOROFLUOROMETHANE	34488	WAIVED			
VINYL CHLORIDE	39175	WAIVED			
XYLENES (TOTAL)	81551	WAIVED			
SECONDARY/GP					
AGGRSSIVE INDEX (CORROSIVITY)	82383	WAIVED			
BICARBONATE ALKALINITY	00440	WAIVED			
CALCIUM	00916	WAIVED			
CARBONATE ALKALINITY	00445	WAIVED			
CHLORIDE	00940	WAIVED			
COLOR	00081	WAIVED			
COPPER	01042	WAIVED			
FOAMING AGENTS (MBAS)	38260	WAIVED			
HARDNESS (TOTAL) AS CACO3	00900	WAIVED			
HYDROXIDE ALKALINITY	71830	WAIVED			
IRON	01045	WAIVED			
MAGNESIUM	00927	WAIVED			
MANGANESE	01055	WAIVED			
ODOR THRESHOLD @ 60 C	00086	WAIVED			
PH, LABORATORY	00403	WAIVED			
SILVER	01077	WAIVED			
SODIUM	00929	WAIVED			
SPECIFIC CONDUCTANCE	00095	WAIVED			
SULFATE	00945	WAIVED			
TOTAL DISSOLVED SOLIDS	70300	WAIVED			

**Testing interval is in months;*
0 = No data for this constituent and is DUE NOW
999 = Waived testing (not required)
I = Invalid (NOT) valid analyses reported

System Number: ***3100102***

System Name: ***APPLEGATE MOTEL WATER SYSTEM***

PS Code: ***3100102-002***

Source Name: ***WELL 02 DRILLED 1998***

Source Number: ***002***

Source Status: ***ACTIVE UNTREATED***

Water type: ***GROUNDWATER OR WELL***

SECONDARY/GP

	STORET NUMBER	TESTING INTERVAL (MONTHS)*	LAST TEST DATE (yyyy/mm/dd)	LAST RESULT REPORTED	NEXT TEST DATE (yyyy/mm)
TURBIDITY, LABORATORY	82079	WAIVED			
ZINC	01092	WAIVED			

**Testing interval is in months;*
0 = No data for this constituent and is DUE NOW
999 = Waived testing (not required)
I = Invalid (NOT) valid analyses reported

System Number: ***3100105***

System Name: ***CLIPPER GAP HEAD START***

PS Code: ***3100105-001***

Source Name: ***WELL 01***

Source Number: ***001***

Source Status: ***ACTIVE UNTREATED***

Water type: ***GROUNDWATER OR WELL***

	STORET NUMBER	TESTING INTERVAL (MONTHS)*	LAST TEST DATE (yyyy/mm/dd)	LAST RESULT REPORTED	NEXT TEST DATE (yyyy/mm)
GENERAL NON CHAP 15					
DIAZINON	39570	WAIVED			
INORGANIC					
ALUMINUM	01105	WAIVED	2009/03/30	150.000	
ANTIMONY	01097	WAIVED	2005/02/07	< 6.000	
ARSENIC	01002	WAIVED	2009/03/30	.000	
ASBESTOS	81855	WAIVED			
BARIUM	01007	WAIVED	2009/03/30	77.900	
BERYLLIUM	01012	WAIVED	2009/03/30	.000	
CADMIUM	01027	WAIVED	2009/03/30	.000	
CHROMIUM (TOTAL)	01034	WAIVED	2009/03/30	.000	
CYANIDE	01291	WAIVED			
FLUORIDE (F) (NATURAL-SOURCE)	00951	WAIVED	2009/03/30	.300	
LEAD	01051	WAIVED			
MERCURY	71900	WAIVED	2009/03/30	.000	
NICKEL	01067	WAIVED	2009/03/30	.000	
PERCHLORATE	A-031	WAIVED	2009/09/21	.000	
SELENIUM	01147	WAIVED	2009/03/30	.000	
THALLIUM	01059	WAIVED	2009/03/30	.000	
NITRATE/NITRITE					
NITRATE (AS NO3)	71850	WAIVED	2012/02/06	.000	
NITRITE (AS N)	00620	WAIVED	2009/03/30	.000	
RADIOLOGICAL					
GROSS ALPHA	01501	WAIVED	2006/08/07	< 3.000	
GROSS BETA	03501	WAIVED			
RA-226 FOR CWS OR TOTAL RA FOR NTNC BY 903.0	A-080	WAIVED			
RA-226 OR TOTAL RA BY 903.0 C.E.	A-081	WAIVED			
RADIUM 226	09501	WAIVED	2006/08/07	.072	
RADIUM 228	11501	WAIVED	2006/08/07	.000	

**Testing interval is in months;*
0 = No data for this constituent and is DUE NOW
999 = Waived testing (not required)
I = Invalid (NOT) valid analyses reported

System Number: ***3100105***

System Name: ***CLIPPER GAP HEAD START***

PS Code: ***3100105-001***

Source Name: ***WELL 01***

Source Number: ***001***

Source Status: ***ACTIVE UNTREATED***

Water type: ***GROUNDWATER OR WELL***

	STORET NUMBER	TESTING INTERVAL (MONTHS)*	LAST TEST DATE (yyyy/mm/dd)	LAST RESULT REPORTED	NEXT TEST DATE (yyyy/mm)
RADIOLOGICAL					
RADIUM, TOTAL, MDA95-NTNC ONLY, BY 903.0	A-082	WAIVED			
STRONTIUM-90	13501	WAIVED			
TRITIUM	07000	WAIVED			
URANIUM (PCI/L)	28012	WAIVED			
REGULATED SOC					
2,3,7,8-TCDD (DIOXIN)	34676	WAIVED			
2,4,5-TP (SILVEX)	39045	WAIVED			
2,4-D	39730	WAIVED			
ALACHLOR	77825	WAIVED			
ATRAZINE	39033	WAIVED			
BENTAZON	38710	WAIVED			
BENZO (A) PYRENE	34247	WAIVED			
CARBOFURAN	81405	WAIVED			
CHLORDANE	39350	WAIVED			
DALAPON	38432	WAIVED			
DI(2-ETHYLHEXYL)ADIPATE	A-026	WAIVED			
DI(2-ETHYLHEXYL)PHTHALATE	39100	WAIVED			
DIBROMOCHLOROPROPANE (DBCP)	38761	WAIVED			
DINOSEB	81287	WAIVED			
DIQUAT	78885	WAIVED			
ENDOTHALL	38926	WAIVED			
ENDRIN	39390	WAIVED			
ETHYLENE DIBROMIDE (EDB)	77651	WAIVED			
GLYPHOSATE	79743	WAIVED			
HEPTACHLOR	39410	WAIVED			
HEPTACHLOR EPOXIDE	39420	WAIVED			
HEXACHLOROBENZENE	39700	WAIVED			
HEXACHLOROCYCLOPENTADIENE	34386	WAIVED			
LINDANE	39340	WAIVED			

**Testing interval is in months;*
0 = No data for this constituent and is DUE NOW
999 = Waived testing (not required)
I = Invalid (NOT) valid analyses reported

System Number: ***3100105***

System Name: ***CLIPPER GAP HEAD START***

PS Code: ***3100105-001***

Source Name: ***WELL 01***

Source Number: ***001***

Source Status: ***ACTIVE UNTREATED***

Water type: ***GROUNDWATER OR WELL***

	STORET NUMBER	TESTING INTERVAL (MONTHS)*	LAST TEST DATE (yyyy/mm/dd)	LAST RESULT REPORTED	NEXT TEST DATE (yyyy/mm)
REGULATED SOC					
METHOXYCHLOR	39480	WAIVED			
MOLINATE	82199	WAIVED			
OXAMYL	38865	WAIVED			
PENTACHLOROPHENOL	39032	WAIVED			
PICLORAM	39720	WAIVED			
POLYCHLORINATED BIPHENYLS, TOTAL, AS DCB	39516	WAIVED			
SIMAZINE	39055	WAIVED			
THIOBENCARB	A-001	WAIVED			
TOXAPHENE	39400	WAIVED			
REGULATED VOC					
1,1,1-TRICHLOROETHANE	34506	WAIVED	2004/04/05	.000	
1,1,2,2-TETRACHLOROETHANE	34516	WAIVED	2004/04/05	.000	
1,1,2-TRICHLORO-1,2,2-TRIFLUOROETHANE	81611	WAIVED	2004/04/05	.000	
1,1,2-TRICHLOROETHANE	34511	WAIVED	2004/04/05	.000	
1,1-DICHLOROETHANE	34496	WAIVED	2004/04/05	.000	
1,1-DICHLOROETHYLENE	34501	WAIVED	2004/04/05	.000	
1,2,4-TRICHLOROBENZENE	34551	WAIVED	2004/04/05	.000	
1,2-DICHLOROBENZENE	34536	WAIVED	2004/04/05	.000	
1,2-DICHLOROETHANE	34531	WAIVED	2004/04/05	.000	
1,2-DICHLOROPROPANE	34541	WAIVED	2004/04/05	.000	
1,3-DICHLOROPROPENE (TOTAL)	34561	WAIVED	2004/04/05	.000	
1,4-DICHLOROBENZENE	34571	WAIVED	2004/04/05	.000	
BENZENE	34030	WAIVED	2004/04/05	.000	
CARBON TETRACHLORIDE	32102	WAIVED	2004/04/05	.000	
CIS-1,2-DICHLOROETHYLENE	77093	WAIVED	2004/04/05	.000	
DICHLOROMETHANE	34423	WAIVED	2004/04/05	.000	
ETHYLBENZENE	34371	WAIVED	2004/04/05	.000	
METHYL-TERT-BUTYL-ETHER (MTBE)	46491	WAIVED	2004/04/05	.000	
MONOCHLOROBENZENE	34301	WAIVED	2004/04/05	.000	

**Testing interval is in months;*
0 = No data for this constituent and is DUE NOW
999 = Waived testing (not required)
I = Invalid (NOT) valid analyses reported

System Number: ***3100105***

System Name: ***CLIPPER GAP HEAD START***

PS Code: ***3100105-001***

Source Name: ***WELL 01***

Source Number: ***001***

Source Status: ***ACTIVE UNTREATED***

Water type: ***GROUNDWATER OR WELL***

	STORET NUMBER	TESTING INTERVAL (MONTHS)*	LAST TEST DATE (yyyy/mm/dd)	LAST RESULT REPORTED	NEXT TEST DATE (yyyy/mm)
REGULATED VOC					
STYRENE	77128	WAIVED	2004/04/05	.000	
TETRACHLOROETHYLENE	34475	WAIVED	2004/04/05	.000	
TOLUENE	34010	WAIVED	2004/04/05	.000	
TRANS-1,2-DICHLOROETHYLENE	34546	WAIVED	2004/04/05	.000	
TRICHLOROETHYLENE	39180	WAIVED	2004/04/05	.000	
TRICHLOROFLUOROMETHANE	34488	WAIVED	2004/04/05	.000	
VINYL CHLORIDE	39175	WAIVED	2004/04/05	.000	
XYLENES (TOTAL)	81551	WAIVED	2004/04/05	.000	
SECONDARY/GP					
AGGRSSIVE INDEX (CORROSIVITY)	82383	WAIVED			
BICARBONATE ALKALINITY	00440	WAIVED			
CALCIUM	00916	WAIVED			
CARBONATE ALKALINITY	00445	WAIVED			
CHLORIDE	00940	WAIVED			
COLOR	00081	WAIVED			
COPPER	01042	WAIVED			
FOAMING AGENTS (MBAS)	38260	WAIVED			
HARDNESS (TOTAL) AS CACO3	00900	WAIVED			
HYDROXIDE ALKALINITY	71830	WAIVED			
IRON	01045	WAIVED			
MAGNESIUM	00927	WAIVED			
MANGANESE	01055	WAIVED			
ODOR THRESHOLD @ 60 C	00086	WAIVED			
PH, LABORATORY	00403	WAIVED			
SILVER	01077	WAIVED			
SODIUM	00929	WAIVED			
SPECIFIC CONDUCTANCE	00095	WAIVED	2009/09/21	230.000	
SULFATE	00945	WAIVED			
TOTAL DISSOLVED SOLIDS	70300	WAIVED			

**Testing interval is in months;*
0 = No data for this constituent and is DUE NOW
999 = Waived testing (not required)
I = Invalid (NOT) valid analyses reported

System Number: ***3100105***

System Name: ***CLIPPER GAP HEAD START***

PS Code: ***3100105-001***

Source Name: ***WELL 01***

Source Number: ***001***

Source Status: ***ACTIVE UNTREATED***

Water type: ***GROUNDWATER OR WELL***

SECONDARY/GP	STORET NUMBER	TESTING INTERVAL (MONTHS)*	LAST TEST DATE (yyyy/mm/dd)	LAST RESULT REPORTED	NEXT TEST DATE (yyyy/mm)
TURBIDITY, LABORATORY	82079	WAIVED			
ZINC	01092	WAIVED			

**Testing interval is in months;*
0 = No data for this constituent and is DUE NOW
999 = Waived testing (not required)
I = Invalid (NOT) valid analyses reported

System Number: ***3100114***

System Name: ***OLIVERS GROCERY***

PS Code: ***3100114-001***

Source Name: ***WELL #1***

Source Number: ***001***

Source Status: ***ACTIVE UNTREATED***

Water type: ***GROUNDWATER OR WELL***

	STORET NUMBER	TESTING INTERVAL (MONTHS)*	LAST TEST DATE (yyyy/mm/dd)	LAST RESULT REPORTED	NEXT TEST DATE (yyyy/mm)	
GENERAL NON CHAP 15						
DIAZINON	39570	WAIVED				
INORGANIC						
ALUMINUM	01105	WAIVED				
ANTIMONY	01097	WAIVED				
ARSENIC	01002	WAIVED				
ASBESTOS	81855	WAIVED				
BARIUM	01007	WAIVED				
BERYLLIUM	01012	WAIVED				
CADMIUM	01027	WAIVED				
CHROMIUM (TOTAL)	01034	WAIVED				
CYANIDE	01291	WAIVED				
FLUORIDE (F) (NATURAL-SOURCE)	00951	000				**DUE**
LEAD	01051	WAIVED				
MERCURY	71900	WAIVED				
NICKEL	01067	WAIVED				
PERCHLORATE	A-031	WAIVED				
SELENIUM	01147	WAIVED				
THALLIUM	01059	WAIVED				
NITRATE/NITRITE						
NITRATE (AS NO3)	71850	012	2011/04/04	7.860	2012/04	
NITRITE (AS N)	00620	036	2011/04/04	.000	2014/04	
RADIOLOGICAL						
GROSS ALPHA	01501	WAIVED				
GROSS BETA	03501	WAIVED				
RA-226 FOR CWS OR TOTAL RA FOR NTNC BY 903.0	A-080	WAIVED				
RA-226 OR TOTAL RA BY 903.0 C.E.	A-081	WAIVED				
RADIUM 226	09501	WAIVED				
RADIUM 228	11501	WAIVED				

**Testing interval is in months;*
0 = No data for this constituent and is DUE NOW
999 = Waived testing (not required)
I = Invalid (NOT) valid analyses reported

System Number: ***3100114***

System Name: ***OLIVERS GROCERY***

PS Code: ***3100114-001***

Source Name: ***WELL #1***

Source Number: ***001***

Source Status: ***ACTIVE UNTREATED***

Water type: ***GROUNDWATER OR WELL***

	STORET NUMBER	TESTING INTERVAL (MONTHS)*	LAST TEST DATE (yyyy/mm/dd)	LAST RESULT REPORTED	NEXT TEST DATE (yyyy/mm)
RADIOLOGICAL					
RADIUM, TOTAL, MDA95-NTNC ONLY, BY 903.0	A-082	WAIVED			
STRONTIUM-90	13501	WAIVED			
TRITIUM	07000	WAIVED			
URANIUM (PCI/L)	28012	WAIVED			
REGULATED SOC					
2,3,7,8-TCDD (DIOXIN)	34676	WAIVED			
2,4,5-TP (SILVEX)	39045	WAIVED			
2,4-D	39730	WAIVED			
ALACHLOR	77825	WAIVED			
ATRAZINE	39033	WAIVED			
BENTAZON	38710	WAIVED			
BENZO (A) PYRENE	34247	WAIVED			
CARBOFURAN	81405	WAIVED			
CHLORDANE	39350	WAIVED			
DALAPON	38432	WAIVED			
DI(2-ETHYLHEXYL)ADIPATE	A-026	WAIVED			
DI(2-ETHYLHEXYL)PHTHALATE	39100	WAIVED			
DIBROMOCHLOROPROPANE (DBCP)	38761	WAIVED			
DINOSEB	81287	WAIVED			
DIQUAT	78885	WAIVED			
ENDOTHALL	38926	WAIVED			
ENDRIN	39390	WAIVED			
ETHYLENE DIBROMIDE (EDB)	77651	WAIVED			
GLYPHOSATE	79743	WAIVED			
HEPTACHLOR	39410	WAIVED			
HEPTACHLOR EPOXIDE	39420	WAIVED			
HEXACHLOROBENZENE	39700	WAIVED			
HEXACHLOROCYCLOPENTADIENE	34386	WAIVED			
LINDANE	39340	WAIVED			

**Testing interval is in months;*
0 = No data for this constituent and is DUE NOW
999 = Waived testing (not required)
I = Invalid (NOT) valid analyses reported

System Number: ***3100114***

System Name: ***OLIVERS GROCERY***

PS Code: ***3100114-001***

Source Name: ***WELL #1***

Source Number: ***001***

Source Status: ***ACTIVE UNTREATED***

Water type: ***GROUNDWATER OR WELL***

	STORET NUMBER	TESTING INTERVAL (MONTHS)*	LAST TEST DATE (yyyy/mm/dd)	LAST RESULT REPORTED	NEXT TEST DATE (yyyy/mm)
REGULATED SOC					
METHOXYCHLOR	39480	WAIVED			
MOLINATE	82199	WAIVED			
OXAMYL	38865	WAIVED			
PENTACHLOROPHENOL	39032	WAIVED			
PICLORAM	39720	WAIVED			
POLYCHLORINATED BIPHENYLS, TOTAL, AS DCB	39516	WAIVED			
SIMAZINE	39055	WAIVED	1988/04/26	< .060	
THIOBENCARB	A-001	WAIVED			
TOXAPHENE	39400	WAIVED			
REGULATED VOC					
1,1,1-TRICHLOROETHANE	34506	WAIVED	1988/04/26	.000	
1,1,2,2-TETRACHLOROETHANE	34516	WAIVED	1988/04/26	.000	
1,1,2-TRICHLORO-1,2,2-TRIFLUOROETHANE	81611	WAIVED	1988/04/26	.000	
1,1,2-TRICHLOROETHANE	34511	WAIVED	1988/04/26	.000	
1,1-DICHLOROETHANE	34496	WAIVED	1988/04/26	.000	
1,1-DICHLOROETHYLENE	34501	WAIVED	1988/04/26	.000	
1,2,4-TRICHLOROBENZENE	34551	WAIVED			
1,2-DICHLOROBENZENE	34536	WAIVED	1988/04/26	.000	
1,2-DICHLOROETHANE	34531	WAIVED	1988/04/26	.000	
1,2-DICHLOROPROPANE	34541	WAIVED			
1,3-DICHLOROPROPENE (TOTAL)	34561	WAIVED			
1,4-DICHLOROBENZENE	34571	WAIVED	1988/04/26	.000	
BENZENE	34030	WAIVED	1988/04/26	.000	
CARBON TETRACHLORIDE	32102	WAIVED	1988/04/26	.000	
CIS-1,2-DICHLOROETHYLENE	77093	WAIVED	1988/04/26	.000	
DICHLOROMETHANE	34423	WAIVED	1988/04/26	.000	
ETHYLBENZENE	34371	WAIVED	1988/04/26	.000	
METHYL-TERT-BUTYL-ETHER (MTBE)	46491	WAIVED			
MONOCHLOROBENZENE	34301	WAIVED	1988/04/26	.000	

**Testing interval is in months;*
0 = No data for this constituent and is DUE NOW
999 = Waived testing (not required)
I = Invalid (NOT) valid analyses reported

System Number: ***3100114***

System Name: ***OLIVERS GROCERY***

PS Code: ***3100114-001***

Source Name: ***WELL #1***

Source Number: ***001***

Source Status: ***ACTIVE UNTREATED***

Water type: ***GROUNDWATER OR WELL***

	STORET NUMBER	TESTING INTERVAL (MONTHS)*	LAST TEST DATE (yyyy/mm/dd)	LAST RESULT REPORTED	NEXT TEST DATE (yyyy/mm)
REGULATED VOC					
STYRENE	77128	WAIVED			
TETRACHLOROETHYLENE	34475	WAIVED	1988/04/26	.000	
TOLUENE	34010	WAIVED	1988/04/26	.000	
TRANS-1,2-DICHLOROETHYLENE	34546	WAIVED	1988/04/26	.000	
TRICHLOROETHYLENE	39180	WAIVED	1988/04/26	.000	
TRICHLOROFLUOROMETHANE	34488	WAIVED	1988/04/26	.000	
VINYL CHLORIDE	39175	WAIVED	1988/04/26	.000	
XYLENES (TOTAL)	81551	WAIVED	1988/04/26	.000	
SECONDARY/GP					
AGGRSSIVE INDEX (CORROSIVITY)	82383	WAIVED			
BICARBONATE ALKALINITY	00440	000			DUE
CALCIUM	00916	000			DUE
CARBONATE ALKALINITY	00445	000			DUE
CHLORIDE	00940	WAIVED			
COLOR	00081	WAIVED			
COPPER	01042	WAIVED			
FOAMING AGENTS (MBAS)	38260	WAIVED			
HARDNESS (TOTAL) AS CACO3	00900	000			DUE
HYDROXIDE ALKALINITY	71830	000			DUE
IRON	01045	000			DUE
MAGNESIUM	00927	000			DUE
MANGANESE	01055	000			DUE
ODOR THRESHOLD @ 60 C	00086	WAIVED			
PH, LABORATORY	00403	000			DUE
SILVER	01077	WAIVED			
SODIUM	00929	000			DUE
SPECIFIC CONDUCTANCE	00095	WAIVED			
SULFATE	00945	WAIVED			
TOTAL DISSOLVED SOLIDS	70300	WAIVED			

**Testing interval is in months;*
0 = No data for this constituent and is DUE NOW
999 = Waived testing (not required)
I = Invalid (NOT) valid analyses reported

System Number: ***3100114***

System Name: ***OLIVERS GROCERY***

PS Code: ***3100114-001***

Source Name: ***WELL #1***

Source Number: ***001***

Source Status: ***ACTIVE UNTREATED***

Water type: ***GROUNDWATER OR WELL***

SECONDARY/GP	STORET NUMBER	TESTING INTERVAL (MONTHS)*	LAST TEST DATE (yyyy/mm/dd)	LAST RESULT REPORTED	NEXT TEST DATE (yyyy/mm)
TURBIDITY, LABORATORY	82079	WAIVED			
ZINC	01092	WAIVED			

**Testing interval is in months;*
0 = No data for this constituent and is DUE NOW
999 = Waived testing (not required)
I = Invalid (NOT) valid analyses reported

System Number: ***3100119***

System Name: ***MIDDLE MEADOWS CAMPGROUND***

PS Code: ***3100119-001***

Source Name: ***SPRING 01 REDEVELOPED***

Source Number: ***001***

Source Status: ***ACTIVE UNTREATED***

Water type: ***GROUNDWATER OR WELL***

	STORET NUMBER	TESTING INTERVAL (MONTHS)*	LAST TEST DATE (yyyy/mm/dd)	LAST RESULT REPORTED	NEXT TEST DATE (yyyy/mm)	
GENERAL NON CHAP 15						
DIAZINON	39570	WAIVED				
INORGANIC						
ALUMINUM	01105	WAIVED				
ANTIMONY	01097	WAIVED				
ARSENIC	01002	WAIVED				
ASBESTOS	81855	WAIVED				
BARIUM	01007	WAIVED				
BERYLLIUM	01012	WAIVED				
CADMIUM	01027	WAIVED				
CHROMIUM (TOTAL)	01034	WAIVED				
CYANIDE	01291	WAIVED				
FLUORIDE (F) (NATURAL-SOURCE)	00951	000				**DUE**
LEAD	01051	WAIVED				
MERCURY	71900	WAIVED				
NICKEL	01067	WAIVED				
PERCHLORATE	A-031	WAIVED				
SELENIUM	01147	WAIVED				
THALLIUM	01059	WAIVED				
NITRATE/NITRITE						
NITRATE (AS NO3)	71850	012	2011/08/25	.000	2012/08	
NITRITE (AS N)	00620	000				**DUE**
RADIOLOGICAL						
GROSS ALPHA	01501	WAIVED				
GROSS BETA	03501	WAIVED				
RA-226 FOR CWS OR TOTAL RA FOR NTNC BY 903.0	A-080	WAIVED				
RA-226 OR TOTAL RA BY 903.0 C.E.	A-081	WAIVED				
RADIUM 226	09501	WAIVED				
RADIUM 228	11501	WAIVED				

**Testing interval is in months;*
0 = No data for this constituent and is DUE NOW
999 = Waived testing (not required)
I = Invalid (NOT) valid analyses reported

System Number: ***3100119***

System Name: ***MIDDLE MEADOWS CAMPGROUND***

PS Code: ***3100119-001***

Source Name: ***SPRING 01 REDEVELOPED***

Source Number: ***001***

Source Status: ***ACTIVE UNTREATED***

Water type: ***GROUNDWATER OR WELL***

	STORET NUMBER	TESTING INTERVAL (MONTHS)*	LAST TEST DATE (yyyy/mm/dd)	LAST RESULT REPORTED	NEXT TEST DATE (yyyy/mm)
RADIOLOGICAL					
RADIUM, TOTAL, MDA95-NTNC ONLY, BY 903.0	A-082	WAIVED			
STRONTIUM-90	13501	WAIVED			
TRITIUM	07000	WAIVED			
URANIUM (PCI/L)	28012	WAIVED			
REGULATED SOC					
2,3,7,8-TCDD (DIOXIN)	34676	WAIVED			
2,4,5-TP (SILVEX)	39045	WAIVED			
2,4-D	39730	WAIVED			
ALACHLOR	77825	WAIVED			
ATRAZINE	39033	WAIVED			
BENTAZON	38710	WAIVED			
BENZO (A) PYRENE	34247	WAIVED			
CARBOFURAN	81405	WAIVED			
CHLORDANE	39350	WAIVED			
DALAPON	38432	WAIVED			
DI(2-ETHYLHEXYL)ADIPATE	A-026	WAIVED			
DI(2-ETHYLHEXYL)PHTHALATE	39100	WAIVED			
DIBROMOCHLOROPROPANE (DBCP)	38761	WAIVED			
DINOSEB	81287	WAIVED			
DIQUAT	78885	WAIVED			
ENDOTHALL	38926	WAIVED			
ENDRIN	39390	WAIVED			
ETHYLENE DIBROMIDE (EDB)	77651	WAIVED			
GLYPHOSATE	79743	WAIVED			
HEPTACHLOR	39410	WAIVED			
HEPTACHLOR EPOXIDE	39420	WAIVED			
HEXACHLOROBENZENE	39700	WAIVED			
HEXACHLOROCYCLOPENTADIENE	34386	WAIVED			
LINDANE	39340	WAIVED			

**Testing interval is in months;*
0 = No data for this constituent and is DUE NOW
999 = Waived testing (not required)
I = Invalid (NOT) valid analyses reported

System Number: ***3100119***

System Name: ***MIDDLE MEADOWS CAMPGROUND***

PS Code: ***3100119-001***

Source Name: ***SPRING 01 REDEVELOPED***

Source Number: ***001***

Source Status: ***ACTIVE UNTREATED***

Water type: ***GROUNDWATER OR WELL***

	STORET NUMBER	TESTING INTERVAL (MONTHS)*	LAST TEST DATE (yyyy/mm/dd)	LAST RESULT REPORTED	NEXT TEST DATE (yyyy/mm)
REGULATED SOC					
METHOXYCHLOR	39480	WAIVED			
MOLINATE	82199	WAIVED			
OXAMYL	38865	WAIVED			
PENTACHLOROPHENOL	39032	WAIVED			
PICLORAM	39720	WAIVED			
POLYCHLORINATED BIPHENYLS, TOTAL, AS DCB	39516	WAIVED			
SIMAZINE	39055	WAIVED			
THIOBENCARB	A-001	WAIVED			
TOXAPHENE	39400	WAIVED			
REGULATED VOC					
1,1,1-TRICHLOROETHANE	34506	WAIVED	1988/05/31	.000	
1,1,2,2-TETRACHLOROETHANE	34516	WAIVED	1988/05/31	.000	
1,1,2-TRICHLORO-1,2,2-TRIFLUOROETHANE	81611	WAIVED	1988/05/31	.000	
1,1,2-TRICHLOROETHANE	34511	WAIVED	1988/05/31	.000	
1,1-DICHLOROETHANE	34496	WAIVED	1988/05/31	.000	
1,1-DICHLOROETHYLENE	34501	WAIVED	1988/05/31	.000	
1,2,4-TRICHLOROBENZENE	34551	WAIVED			
1,2-DICHLOROBENZENE	34536	WAIVED	1988/05/31	.000	
1,2-DICHLOROETHANE	34531	WAIVED	1988/05/31	.000	
1,2-DICHLOROPROPANE	34541	WAIVED			
1,3-DICHLOROPROPENE (TOTAL)	34561	WAIVED			
1,4-DICHLOROBENZENE	34571	WAIVED	1988/05/31	.000	
BENZENE	34030	WAIVED	1988/05/31	.000	
CARBON TETRACHLORIDE	32102	WAIVED	1988/05/31	.000	
CIS-1,2-DICHLOROETHYLENE	77093	WAIVED	1988/05/31	.000	
DICHLOROMETHANE	34423	WAIVED	1988/05/31	.000	
ETHYLBENZENE	34371	WAIVED	1988/05/31	.000	
METHYL-TERT-BUTYL-ETHER (MTBE)	46491	WAIVED			
MONOCHLOROBENZENE	34301	WAIVED	1988/05/31	.000	

**Testing interval is in months;*
0 = No data for this constituent and is DUE NOW
999 = Waived testing (not required)
I = Invalid (NOT) valid analyses reported

System Number: ***3100119***

System Name: ***MIDDLE MEADOWS CAMPGROUND***

PS Code: ***3100119-001***

Source Name: ***SPRING 01 REDEVELOPED***

Source Number: ***001***

Source Status: ***ACTIVE UNTREATED***

Water type: ***GROUNDWATER OR WELL***

	STORET NUMBER	TESTING INTERVAL (MONTHS)*	LAST TEST DATE (yyyy/mm/dd)	LAST RESULT REPORTED	NEXT TEST DATE (yyyy/mm)
REGULATED VOC					
STYRENE	77128	WAIVED			
TETRACHLOROETHYLENE	34475	WAIVED	1988/05/31	.000	
TOLUENE	34010	WAIVED	1988/05/31	.000	
TRANS-1,2-DICHLOROETHYLENE	34546	WAIVED	1988/05/31	.000	
TRICHLOROETHYLENE	39180	WAIVED	1988/05/31	.000	
TRICHLOROFLUOROMETHANE	34488	WAIVED	1988/05/31	.000	
VINYL CHLORIDE	39175	WAIVED	1988/05/31	.000	
XYLENES (TOTAL)	81551	WAIVED	1988/05/31	.000	
SECONDARY/GP					
AGGRSSIVE INDEX (CORROSIVITY)	82383	WAIVED			
BICARBONATE ALKALINITY	00440	000			DUE
CALCIUM	00916	000			DUE
CARBONATE ALKALINITY	00445	000			DUE
CHLORIDE	00940	WAIVED			
COLOR	00081	WAIVED			
COPPER	01042	WAIVED			
FOAMING AGENTS (MBAS)	38260	WAIVED			
HARDNESS (TOTAL) AS CACO3	00900	000			DUE
HYDROXIDE ALKALINITY	71830	000			DUE
IRON	01045	000			DUE
MAGNESIUM	00927	000			DUE
MANGANESE	01055	000			DUE
ODOR THRESHOLD @ 60 C	00086	WAIVED			
PH, LABORATORY	00403	000			DUE
SILVER	01077	WAIVED			
SODIUM	00929	000			DUE
SPECIFIC CONDUCTANCE	00095	WAIVED			
SULFATE	00945	WAIVED			
TOTAL DISSOLVED SOLIDS	70300	WAIVED			

**Testing interval is in months;*
0 = No data for this constituent and is DUE NOW
999 = Waived testing (not required)
I = Invalid (NOT) valid analyses reported

System Number: ***3100119***

System Name: ***MIDDLE MEADOWS CAMPGROUND***

PS Code: ***3100119-001***

Source Name: ***SPRING 01 REDEVELOPED***

Source Number: ***001***

Source Status: ***ACTIVE UNTREATED***

Water type: ***GROUNDWATER OR WELL***

	STORET NUMBER	TESTING INTERVAL (MONTHS)*	LAST TEST DATE (yyyy/mm/dd)	LAST RESULT REPORTED	NEXT TEST DATE (yyyy/mm)
SECONDARY/GP					
TURBIDITY, LABORATORY	82079	WAIVED			
ZINC	01092	WAIVED			

**Testing interval is in months;*
0 = No data for this constituent and is DUE NOW
999 = Waived testing (not required)
I = Invalid (NOT) valid analyses reported

System Number: ***3100120***

System Name: ***HELL HOLE***

PS Code: ***3100120-001***

Source Name: ***HORIZONTAL WELL 01***

Source Number: ***001***

Source Status: ***ACTIVE UNTREATED***

Water type: ***GROUNDWATER OR WELL***

	STORET NUMBER	TESTING INTERVAL (MONTHS)*	LAST TEST DATE (yyyy/mm/dd)	LAST RESULT REPORTED	NEXT TEST DATE (yyyy/mm)	
GENERAL NON CHAP 15						
DIAZINON	39570	WAIVED				
INORGANIC						
ALUMINUM	01105	WAIVED				
ANTIMONY	01097	WAIVED				
ARSENIC	01002	WAIVED				
ASBESTOS	81855	WAIVED				
BARIUM	01007	WAIVED				
BERYLLIUM	01012	WAIVED				
CADMIUM	01027	WAIVED				
CHROMIUM (TOTAL)	01034	WAIVED				
CYANIDE	01291	WAIVED				
FLUORIDE (F) (NATURAL-SOURCE)	00951	000				**DUE**
LEAD	01051	WAIVED				
MERCURY	71900	WAIVED				
NICKEL	01067	WAIVED				
PERCHLORATE	A-031	WAIVED				
SELENIUM	01147	WAIVED				
THALLIUM	01059	WAIVED				
NITRATE/NITRITE						
NITRATE (AS NO3)	71850	012	2011/08/25	.000	2012/08	
NITRITE (AS N)	00620	000				**DUE**
RADIOLOGICAL						
GROSS ALPHA	01501	WAIVED				
GROSS BETA	03501	WAIVED				
RA-226 FOR CWS OR TOTAL RA FOR NTNC BY 903.0	A-080	WAIVED				
RA-226 OR TOTAL RA BY 903.0 C.E.	A-081	WAIVED				
RADIUM 226	09501	WAIVED				
RADIUM 228	11501	WAIVED				

**Testing interval is in months;*
0 = No data for this constituent and is DUE NOW
999 = Waived testing (not required)
I = Invalid (NOT) valid analyses reported

System Number: ***3100120***

System Name: ***HELL HOLE***

PS Code: ***3100120-001***

Source Name: ***HORIZONTAL WELL 01***

Source Number: ***001***

Source Status: ***ACTIVE UNTREATED***

Water type: ***GROUNDWATER OR WELL***

	STORET NUMBER	TESTING INTERVAL (MONTHS)*	LAST TEST DATE (yyyy/mm/dd)	LAST RESULT REPORTED	NEXT TEST DATE (yyyy/mm)
RADIOLOGICAL					
RADIUM, TOTAL, MDA95-NTNC ONLY, BY 903.0	A-082	WAIVED			
STRONTIUM-90	13501	WAIVED			
TRITIUM	07000	WAIVED			
URANIUM (PCI/L)	28012	WAIVED			
REGULATED SOC					
2,3,7,8-TCDD (DIOXIN)	34676	WAIVED			
2,4,5-TP (SILVEX)	39045	WAIVED			
2,4-D	39730	WAIVED			
ALACHLOR	77825	WAIVED			
ATRAZINE	39033	WAIVED			
BENTAZON	38710	WAIVED			
BENZO (A) PYRENE	34247	WAIVED			
CARBOFURAN	81405	WAIVED			
CHLORDANE	39350	WAIVED			
DALAPON	38432	WAIVED			
DI(2-ETHYLHEXYL)ADIPATE	A-026	WAIVED			
DI(2-ETHYLHEXYL)PHTHALATE	39100	WAIVED			
DIBROMOCHLOROPROPANE (DBCP)	38761	WAIVED			
DINOSEB	81287	WAIVED			
DIQUAT	78885	WAIVED			
ENDOTHALL	38926	WAIVED			
ENDRIN	39390	WAIVED			
ETHYLENE DIBROMIDE (EDB)	77651	WAIVED			
GLYPHOSATE	79743	WAIVED			
HEPTACHLOR	39410	WAIVED			
HEPTACHLOR EPOXIDE	39420	WAIVED			
HEXACHLOROBENZENE	39700	WAIVED			
HEXACHLOROCYCLOPENTADIENE	34386	WAIVED			
LINDANE	39340	WAIVED			

**Testing interval is in months;*
0 = No data for this constituent and is DUE NOW
999 = Waived testing (not required)
I = Invalid (NOT) valid analyses reported

System Number: ***3100120***

System Name: ***HELL HOLE***

PS Code: ***3100120-001***

Source Name: ***HORIZONTAL WELL 01***

Source Number: ***001***

Source Status: ***ACTIVE UNTREATED***

Water type: ***GROUNDWATER OR WELL***

	STORET NUMBER	TESTING INTERVAL (MONTHS)*	LAST TEST DATE (yyyy/mm/dd)	LAST RESULT REPORTED	NEXT TEST DATE (yyyy/mm)
REGULATED SOC					
METHOXYCHLOR	39480	WAIVED			
MOLINATE	82199	WAIVED			
OXAMYL	38865	WAIVED			
PENTACHLOROPHENOL	39032	WAIVED			
PICLORAM	39720	WAIVED			
POLYCHLORINATED BIPHENYLS, TOTAL, AS DCB	39516	WAIVED			
SIMAZINE	39055	WAIVED			
THIOBENCARB	A-001	WAIVED			
TOXAPHENE	39400	WAIVED			
REGULATED VOC					
1,1,1-TRICHLOROETHANE	34506	WAIVED	1988/05/31	.000	
1,1,2,2-TETRACHLOROETHANE	34516	WAIVED	1988/05/31	.000	
1,1,2-TRICHLORO-1,2,2-TRIFLUOROETHANE	81611	WAIVED	1988/05/31	.000	
1,1,2-TRICHLOROETHANE	34511	WAIVED	1988/05/31	.000	
1,1-DICHLOROETHANE	34496	WAIVED	1988/05/31	.000	
1,1-DICHLOROETHYLENE	34501	WAIVED	1988/05/31	.000	
1,2,4-TRICHLOROBENZENE	34551	WAIVED			
1,2-DICHLOROBENZENE	34536	WAIVED	1988/05/31	.000	
1,2-DICHLOROETHANE	34531	WAIVED	1988/05/31	.000	
1,2-DICHLOROPROPANE	34541	WAIVED			
1,3-DICHLOROPROPENE (TOTAL)	34561	WAIVED			
1,4-DICHLOROBENZENE	34571	WAIVED	1988/05/31	.000	
BENZENE	34030	WAIVED	1988/05/31	.000	
CARBON TETRACHLORIDE	32102	WAIVED	1988/05/31	.000	
CIS-1,2-DICHLOROETHYLENE	77093	WAIVED	1988/05/31	.000	
DICHLOROMETHANE	34423	WAIVED	1988/05/31	.000	
ETHYLBENZENE	34371	WAIVED	1988/05/31	.000	
METHYL-TERT-BUTYL-ETHER (MTBE)	46491	WAIVED			
MONOCHLOROBENZENE	34301	WAIVED	1988/05/31	.000	

**Testing interval is in months;*
0 = No data for this constituent and is DUE NOW
999 = Waived testing (not required)
I = Invalid (NOT) valid analyses reported

System Number: ***3100120***

System Name: ***HELL HOLE***

PS Code: ***3100120-001***

Source Name: ***HORIZONTAL WELL 01***

Source Number: ***001***

Source Status: ***ACTIVE UNTREATED***

Water type: ***GROUNDWATER OR WELL***

	STORET NUMBER	TESTING INTERVAL (MONTHS)*	LAST TEST DATE (yyyy/mm/dd)	LAST RESULT REPORTED	NEXT TEST DATE (yyyy/mm)
REGULATED VOC					
STYRENE	77128	WAIVED			
TETRACHLOROETHYLENE	34475	WAIVED	1988/05/31	.000	
TOLUENE	34010	WAIVED	1988/05/31	.000	
TRANS-1,2-DICHLOROETHYLENE	34546	WAIVED	1988/05/31	.000	
TRICHLOROETHYLENE	39180	WAIVED	1988/05/31	.000	
TRICHLOROFLUOROMETHANE	34488	WAIVED	1988/05/31	.000	
VINYL CHLORIDE	39175	WAIVED	1988/05/31	.000	
XYLENES (TOTAL)	81551	WAIVED	1988/05/31	.000	
SECONDARY/GP					
AGGRSSIVE INDEX (CORROSIVITY)	82383	WAIVED			
BICARBONATE ALKALINITY	00440	000			DUE
CALCIUM	00916	000			DUE
CARBONATE ALKALINITY	00445	000			DUE
CHLORIDE	00940	WAIVED			
COLOR	00081	WAIVED			
COPPER	01042	WAIVED			
FOAMING AGENTS (MBAS)	38260	WAIVED			
HARDNESS (TOTAL) AS CACO3	00900	000			DUE
HYDROXIDE ALKALINITY	71830	000			DUE
IRON	01045	000			DUE
MAGNESIUM	00927	000			DUE
MANGANESE	01055	000			DUE
ODOR THRESHOLD @ 60 C	00086	WAIVED			
PH, LABORATORY	00403	000			DUE
SILVER	01077	WAIVED			
SODIUM	00929	000			DUE
SPECIFIC CONDUCTANCE	00095	WAIVED			
SULFATE	00945	WAIVED			
TOTAL DISSOLVED SOLIDS	70300	WAIVED			

**Testing interval is in months;*
0 = No data for this constituent and is DUE NOW
999 = Waived testing (not required)
I = Invalid (NOT) valid analyses reported

System Number: ***3100120***

System Name: ***HELL HOLE***

PS Code: ***3100120-001***

Source Name: ***HORIZONTAL WELL 01***

Source Number: ***001***

Source Status: ***ACTIVE UNTREATED***

Water type: ***GROUNDWATER OR WELL***

	STORET NUMBER	TESTING INTERVAL (MONTHS)*	LAST TEST DATE (yyyy/mm/dd)	LAST RESULT REPORTED	NEXT TEST DATE (yyyy/mm)
SECONDARY/GP					
TURBIDITY, LABORATORY	82079	WAIVED			
ZINC	01092	WAIVED			

**Testing interval is in months;*
0 = No data for this constituent and is DUE NOW
999 = Waived testing (not required)
I = Invalid (NOT) valid analyses reported

System Number: ***3100528***

System Name: ***GOLDEN HILLS MUTUAL WATER CO***

PS Code: ***3100528-002***

Source Name: ***PURCHASE WHOLESALE TREATED WATER***

Source Number: ***002***

Source Status: ***PURCHASED TREATED***

Water type: ***SURFACE***

	STORET NUMBER	TESTING INTERVAL (MONTHS)*	LAST TEST DATE (yyyy/mm/dd)	LAST RESULT REPORTED	NEXT TEST DATE (yyyy/mm)
GENERAL NON CHAP 15					
DIAZINON	39570	WAIVED			
INORGANIC					
ALUMINUM	01105	012			DUE
ANTIMONY	01097	012			DUE
ARSENIC	01002	012			DUE
ASBESTOS	81855	000			DUE
BARIUM	01007	012			DUE
BERYLLIUM	01012	012			DUE
CADMIUM	01027	012			DUE
CHROMIUM (TOTAL)	01034	012			DUE
CYANIDE	01291	036			DUE
FLUORIDE (F) (NATURAL-SOURCE)	00951	012			DUE
LEAD	01051	036			DUE
MERCURY	71900	012			DUE
NICKEL	01067	012			DUE
PERCHLORATE	A-031	006			DUE
SELENIUM	01147	012			DUE
THALLIUM	01059	012			DUE
NITRATE/NITRITE					
NITRATE (AS NO3)	71850	003			DUE
NITRITE (AS N)	00620	000			DUE
RADIOLOGICAL					
GROSS ALPHA	01501	000			DUE
GROSS BETA	03501	WAIVED			
RA-226 FOR CWS OR TOTAL RA FOR NTNC BY 903.0	A-080	WAIVED			
RA-226 OR TOTAL RA BY 903.0 C.E.	A-081	WAIVED			
RADIUM 226	09501	WAIVED			
RADIUM 228	11501	003			DUE

**Testing interval is in months;*
0 = No data for this constituent and is DUE NOW
999 = Waived testing (not required)
I = Invalid (NOT) valid analyses reported

System Number: ***3100528***

System Name: ***GOLDEN HILLS MUTUAL WATER CO***

PS Code: ***3100528-002***

Source Name: ***PURCHASE WHOLESALE TREATED WATER***

Source Number: ***002***

Source Status: ***PURCHASED TREATED***

Water type: ***SURFACE***

	STORET NUMBER	TESTING INTERVAL (MONTHS)*	LAST TEST DATE (yyyy/mm/dd)	LAST RESULT REPORTED	NEXT TEST DATE (yyyy/mm)
RADIOLOGICAL					
RADIUM, TOTAL, MDA95-NTNC ONLY, BY 903.0	A-082	WAIVED			
STRONTIUM-90	13501	WAIVED			
TRITIUM	07000	WAIVED			
URANIUM (PCI/L)	28012	WAIVED			
REGULATED SOC					
2,3,7,8-TCDD (DIOXIN)	34676	WAIVED			
2,4,5-TP (SILVEX)	39045	WAIVED			
2,4-D	39730	WAIVED			
ALACHLOR	77825	WAIVED			
ATRAZINE	39033	WAIVED			
BENTAZON	38710	WAIVED			
BENZO (A) PYRENE	34247	WAIVED			
CARBOFURAN	81405	WAIVED			
CHLORDANE	39350	WAIVED			
DALAPON	38432	WAIVED			
DI(2-ETHYLHEXYL)ADIPATE	A-026	WAIVED			
DI(2-ETHYLHEXYL)PHTHALATE	39100	WAIVED			
DIBROMOCHLOROPROPANE (DBCP)	38761	WAIVED			
DINOSEB	81287	WAIVED			
DIQUAT	78885	WAIVED			
ENDOTHALL	38926	WAIVED			
ENDRIN	39390	WAIVED			
ETHYLENE DIBROMIDE (EDB)	77651	WAIVED			
GLYPHOSATE	79743	WAIVED			
HEPTACHLOR	39410	WAIVED			
HEPTACHLOR EPOXIDE	39420	WAIVED			
HEXACHLOROBENZENE	39700	WAIVED			
HEXACHLOROCYCLOPENTADIENE	34386	WAIVED			
LINDANE	39340	WAIVED			

**Testing interval is in months;*
0 = No data for this constituent and is DUE NOW
999 = Waived testing (not required)
I = Invalid (NOT) valid analyses reported

System Number: ***3100528***

System Name: ***GOLDEN HILLS MUTUAL WATER CO***

PS Code: ***3100528-002***

Source Name: ***PURCHASE WHOLESALE TREATED WATER***

Source Number: ***002***

Source Status: ***PURCHASED TREATED***

Water type: ***SURFACE***

	STORET NUMBER	TESTING INTERVAL (MONTHS)*	LAST TEST DATE (yyyy/mm/dd)	LAST RESULT REPORTED	NEXT TEST DATE (yyyy/mm)
REGULATED SOC					
METHOXYCHLOR	39480	WAIVED			
MOLINATE	82199	WAIVED			
OXAMYL	38865	WAIVED			
PENTACHLOROPHENOL	39032	WAIVED			
PICLORAM	39720	WAIVED			
POLYCHLORINATED BIPHENYLS, TOTAL, AS DCB	39516	WAIVED			
SIMAZINE	39055	WAIVED			
THIOBENCARB	A-001	WAIVED			
TOXAPHENE	39400	WAIVED			
REGULATED VOC					
1,1,1-TRICHLOROETHANE	34506	000			DUE
1,1,2,2-TETRACHLOROETHANE	34516	000			DUE
1,1,2-TRICHLORO-1,2,2-TRIFLUOROETHANE	81611	000			DUE
1,1,2-TRICHLOROETHANE	34511	000			DUE
1,1-DICHLOROETHANE	34496	000			DUE
1,1-DICHLOROETHYLENE	34501	000			DUE
1,2,4-TRICHLOROBENZENE	34551	000			DUE
1,2-DICHLOROBENZENE	34536	000			DUE
1,2-DICHLOROETHANE	34531	000			DUE
1,2-DICHLOROPROPANE	34541	000			DUE
1,3-DICHLOROPROPENE (TOTAL)	34561	000			DUE
1,4-DICHLOROBENZENE	34571	000			DUE
BENZENE	34030	000			DUE
CARBON TETRACHLORIDE	32102	000			DUE
CIS-1,2-DICHLOROETHYLENE	77093	000			DUE
DICHLOROMETHANE	34423	000			DUE
ETHYLBENZENE	34371	000			DUE
METHYL-TERT-BUTYL-ETHER (MTBE)	46491	000			DUE
MONOCHLOROBENZENE	34301	000			DUE

**Testing interval is in months;*
0 = No data for this constituent and is DUE NOW
999 = Waived testing (not required)
I = Invalid (NOT) valid analyses reported

System Number: ***3100528***

System Name: ***GOLDEN HILLS MUTUAL WATER CO***

PS Code: ***3100528-002***

Source Name: ***PURCHASE WHOLESALE TREATED WATER***

Source Number: ***002***

Source Status: ***PURCHASED TREATED***

Water type: ***SURFACE***

	STORET NUMBER	TESTING INTERVAL (MONTHS)*	LAST TEST DATE (yyyy/mm/dd)	LAST RESULT REPORTED	NEXT TEST DATE (yyyy/mm)
REGULATED VOC					
STYRENE	77128	000			DUE
TETRACHLOROETHYLENE	34475	000			DUE
TOLUENE	34010	000			DUE
TRANS-1,2-DICHLOROETHYLENE	34546	000			DUE
TRICHLOROETHYLENE	39180	000			DUE
TRICHLOROFLUOROMETHANE	34488	000			DUE
VINYL CHLORIDE	39175	000			DUE
XYLENES (TOTAL)	81551	000			DUE
SECONDARY/GP					
AGGRSSIVE INDEX (CORROSIVITY)	82383	WAIVED			
BICARBONATE ALKALINITY	00440	000			DUE
CALCIUM	00916	000			DUE
CARBONATE ALKALINITY	00445	000			DUE
CHLORIDE	00940	012			DUE
COLOR	00081	WAIVED			
COPPER	01042	012			DUE
FOAMING AGENTS (MBAS)	38260	012			DUE
HARDNESS (TOTAL) AS CACO3	00900	000			DUE
HYDROXIDE ALKALINITY	71830	000			DUE
IRON	01045	012			DUE
MAGNESIUM	00927	000			DUE
MANGANESE	01055	012			DUE
ODOR THRESHOLD @ 60 C	00086	WAIVED			
PH, LABORATORY	00403	WAIVED			
SILVER	01077	012			DUE
SODIUM	00929	000			DUE
SPECIFIC CONDUCTANCE	00095	012			DUE
SULFATE	00945	012			DUE
TOTAL DISSOLVED SOLIDS	70300	012			DUE

**Testing interval is in months;*
0 = No data for this constituent and is DUE NOW
999 = Waived testing (not required)
I = Invalid (NOT) valid analyses reported

System Number: ***3100528***

System Name: ***GOLDEN HILLS MUTUAL WATER CO***

PS Code: ***3100528-002***

Source Name: ***PURCHASE WHOLESALE TREATED WATER***

Source Number: ***002***

Source Status: ***PURCHASED TREATED***

Water type: ***SURFACE***

SECONDARY/GP	STORET NUMBER	TESTING INTERVAL (MONTHS)*	LAST TEST DATE (yyyy/mm/dd)	LAST RESULT REPORTED	NEXT TEST DATE (yyyy/mm)	
TURBIDITY, LABORATORY	82079	WAIVED				
ZINC	01092	012				DUE

**Testing interval is in months;*
0 = No data for this constituent and is DUE NOW
999 = Waived testing (not required)
I = Invalid (NOT) valid analyses reported

System Number: ***3100538***

System Name: ***ROSECREST MUTUAL***

PS Code: ***3100538-001***

Source Name: ***WELL***

Source Number: ***001***

Source Status: ***ACTIVE UNTREATED***

Water type: ***GROUNDWATER OR WELL***

	STORET NUMBER	TESTING INTERVAL (MONTHS)*	LAST TEST DATE (yyyy/mm/dd)	LAST RESULT REPORTED	NEXT TEST DATE (yyyy/mm)	
GENERAL NON CHAP 15						
DIAZINON	39570	WAIVED				
INORGANIC						
ALUMINUM	01105	108	2007/12/20	.000	2016/12	
ANTIMONY	01097	108	2007/12/20	.000	2016/12	
ARSENIC	01002	108	2007/12/20	2.800	2016/12	
ASBESTOS	81855	WAIVED	2007/12/20	.000		
BARIUM	01007	108	2007/12/20	.000	2016/12	
BERYLLIUM	01012	108	2007/12/20	.000	2016/12	
CADMIUM	01027	108	2007/12/20	1.800	2016/12	
CHROMIUM (TOTAL)	01034	108	2007/12/20	.000	2016/12	
CYANIDE	01291	WAIVED	2007/12/20	.000		
FLUORIDE (F) (NATURAL-SOURCE)	00951	108	2007/12/20	.150	2016/12	
LEAD	01051	WAIVED	2007/12/20	.000		
MERCURY	71900	108	2007/12/20	.000	2016/12	
NICKEL	01067	108	2007/12/20	.000	2016/12	
PERCHLORATE	A-031	036	**2008/06/19**	< 4.000	**2011/06**	**DUE**
SELENIUM	01147	108	2007/12/20	.000	2016/12	
THALLIUM	01059	108	2007/12/20	.000	2016/12	
NITRATE/NITRITE						
NITRATE (AS NO3)	71850	012	2011/06/16	9.500	2012/06	
NITRITE (AS N)	00620	036	**2007/12/20**	.000	**2010/12**	**DUE**
RADIOLOGICAL						
GROSS ALPHA	01501	108	2004/03/18	< 3.000	2013/03	
GROSS BETA	03501	WAIVED				
RA-226 FOR CWS OR TOTAL RA FOR NTNC BY 903.0	A-080	WAIVED				
RA-226 OR TOTAL RA BY 903.0 C.E.	A-081	WAIVED				
RADIUM 226	09501	WAIVED				
RADIUM 228	11501	003	**2008/03/20**	.000	**2008/06**	**DUE**

**Testing interval is in months;*
0 = No data for this constituent and is DUE NOW
999 = Waived testing (not required)
I = Invalid (NOT) valid analyses reported

System Number: ***3100538***

System Name: ***ROSECREST MUTUAL***

PS Code: ***3100538-001***

Source Name: ***WELL***

Source Number: ***001***

Source Status: ***ACTIVE UNTREATED***

Water type: ***GROUNDWATER OR WELL***

	STORET NUMBER	TESTING INTERVAL (MONTHS)*	LAST TEST DATE (yyyy/mm/dd)	LAST RESULT REPORTED	NEXT TEST DATE (yyyy/mm)
RADIOLOGICAL					
RADIUM, TOTAL, MDA95-NTNC ONLY, BY 903.0	A-082	WAIVED			
STRONTIUM-90	13501	WAIVED			
TRITIUM	07000	WAIVED			
URANIUM (PCI/L)	28012	WAIVED	2004/03/18	< 2.000	
REGULATED SOC					
2,3,7,8-TCDD (DIOXIN)	34676	WAIVED			
2,4,5-TP (SILVEX)	39045	WAIVED			
2,4-D	39730	WAIVED			
ALACHLOR	77825	WAIVED			
ATRAZINE	39033	WAIVED			
BENTAZON	38710	WAIVED			
BENZO (A) PYRENE	34247	WAIVED			
CARBOFURAN	81405	WAIVED			
CHLORDANE	39350	WAIVED			
DALAPON	38432	WAIVED			
DI(2-ETHYLHEXYL)ADIPATE	A-026	WAIVED			
DI(2-ETHYLHEXYL)PHTHALATE	39100	WAIVED			
DIBROMOCHLOROPROPANE (DBCP)	38761	WAIVED			
DINOSEB	81287	WAIVED			
DIQUAT	78885	WAIVED			
ENDOTHALL	38926	WAIVED			
ENDRIN	39390	WAIVED			
ETHYLENE DIBROMIDE (EDB)	77651	WAIVED			
GLYPHOSATE	79743	WAIVED			
HEPTACHLOR	39410	WAIVED			
HEPTACHLOR EPOXIDE	39420	WAIVED			
HEXACHLOROBENZENE	39700	WAIVED			
HEXACHLOROCYCLOPENTADIENE	34386	WAIVED			
LINDANE	39340	WAIVED			

**Testing interval is in months;*
0 = No data for this constituent and is DUE NOW
999 = Waived testing (not required)
I = Invalid (NOT) valid analyses reported

System Number: ***3100538***

System Name: ***ROSECREST MUTUAL***

PS Code: ***3100538-001***

Source Name: ***WELL***

Source Number: ***001***

Source Status: ***ACTIVE UNTREATED***

Water type: ***GROUNDWATER OR WELL***

	STORET NUMBER	TESTING INTERVAL (MONTHS)*	LAST TEST DATE (yyyy/mm/dd)	LAST RESULT REPORTED	NEXT TEST DATE (yyyy/mm)	
REGULATED SOC						
METHOXYCHLOR	39480	WAIVED				
MOLINATE	82199	WAIVED				
OXAMYL	38865	WAIVED				
PENTACHLOROPHENOL	39032	WAIVED				
PICLORAM	39720	WAIVED				
POLYCHLORINATED BIPHENYLS, TOTAL, AS DCB	39516	WAIVED				
SIMAZINE	39055	WAIVED				
THIOBENCARB	A-001	WAIVED				
TOXAPHENE	39400	WAIVED				
REGULATED VOC						
1,1,1-TRICHLOROETHANE	34506	072	2004/03/18	.000	2010/03	DUE
1,1,2,2-TETRACHLOROETHANE	34516	072	2004/03/18	.000	2010/03	DUE
1,1,2-TRICHLORO-1,2,2-TRIFLUOROETHANE	81611	072	1999/08/19	.000	2005/08	DUE
1,1,2-TRICHLOROETHANE	34511	072	2004/03/18	.000	2010/03	DUE
1,1-DICHLOROETHANE	34496	072	2004/03/18	.000	2010/03	DUE
1,1-DICHLOROETHYLENE	34501	072	2004/03/18	.000	2010/03	DUE
1,2,4-TRICHLOROBENZENE	34551	072	2004/03/18	.000	2010/03	DUE
1,2-DICHLOROBENZENE	34536	072	2004/03/18	.000	2010/03	DUE
1,2-DICHLOROETHANE	34531	072	2004/03/18	.000	2010/03	DUE
1,2-DICHLOROPROPANE	34541	072	2004/03/18	.000	2010/03	DUE
1,3-DICHLOROPROPENE (TOTAL)	34561	072	2004/03/18	.000	2010/03	DUE
1,4-DICHLOROBENZENE	34571	072	2004/03/18	.000	2010/03	DUE
BENZENE	34030	072	2004/03/18	.000	2010/03	DUE
CARBON TETRACHLORIDE	32102	072	2004/03/18	.000	2010/03	DUE
CIS-1,2-DICHLOROETHYLENE	77093	072	2004/03/18	.000	2010/03	DUE
DICHLOROMETHANE	34423	072	2004/03/18	.000	2010/03	DUE
ETHYLBENZENE	34371	072	2004/03/18	.000	2010/03	DUE
METHYL-TERT-BUTYL-ETHER (MTBE)	46491	072	2004/03/18	.000	2010/03	DUE
MONOCHLOROBENZENE	34301	072	2004/03/18	.000	2010/03	DUE

**Testing interval is in months;*
0 = No data for this constituent and is DUE NOW
999 = Waived testing (not required)
I = Invalid (NOT) valid analyses reported

System Number: ***3100538***

System Name: ***ROSECREST MUTUAL***

PS Code: ***3100538-001***

Source Name: ***WELL***

Source Number: ***001***

Source Status: ***ACTIVE UNTREATED***

Water type: ***GROUNDWATER OR WELL***

	STORET NUMBER	TESTING INTERVAL (MONTHS)*	LAST TEST DATE (yyyy/mm/dd)	LAST RESULT REPORTED	NEXT TEST DATE (yyyy/mm)	
REGULATED VOC						
STYRENE	77128	072	2004/03/18	.000	2010/03	DUE
TETRACHLOROETHYLENE	34475	072	2004/03/18	.000	2010/03	DUE
TOLUENE	34010	072	2004/03/18	.000	2010/03	DUE
TRANS-1,2-DICHLOROETHYLENE	34546	072	2004/03/18	.000	2010/03	DUE
TRICHLOROETHYLENE	39180	072	2004/03/18	.000	2010/03	DUE
TRICHLOROFLUOROMETHANE	34488	072	2004/03/18	.000	2010/03	DUE
VINYL CHLORIDE	39175	072	2004/03/18	.000	2010/03	DUE
XYLENES (TOTAL)	81551	072	2004/03/18	.000	2010/03	DUE
SECONDARY/GP						
AGGRSSIVE INDEX (CORROSIVITY)	82383	WAIVED	2004/03/18	11.200		
BICARBONATE ALKALINITY	00440	108	2007/12/20	37.000	2016/12	
CALCIUM	00916	108	2007/12/20	4.700	2016/12	
CARBONATE ALKALINITY	00445	108	2007/12/20	.000	2016/12	
CHLORIDE	00940	108	2007/12/20	2.900	2016/12	
COLOR	00081	108	2007/12/20	.000	2016/12	
COPPER	01042	108	2007/12/20	.000	2016/12	
FOAMING AGENTS (MBAS)	38260	108	2007/12/20	.000	2016/12	
HARDNESS (TOTAL) AS CACO3	00900	108	2007/12/20	27.000	2016/12	
HYDROXIDE ALKALINITY	71830	108	2007/12/20	.000	2016/12	
IRON	01045	108	2007/12/20	.000	2016/12	
MAGNESIUM	00927	108	2007/12/20	3.800	2016/12	
MANGANESE	01055	108	2007/12/20	12.000	2016/12	
ODOR THRESHOLD @ 60 C	00086	108	2007/12/20	.000	2016/12	
PH, LABORATORY	00403	108	2007/12/20	5.610	2016/12	
SILVER	01077	108	2007/12/20	.000	2016/12	
SODIUM	00929	108	2007/12/20	3.600	2016/12	
SPECIFIC CONDUCTANCE	00095	108	2007/12/20	65.000	2016/12	
SULFATE	00945	108	2007/12/20	2.200	2016/12	
TOTAL DISSOLVED SOLIDS	70300	036	2007/12/20	120.000	2010/12	DUE

**Testing interval is in months;*
0 = No data for this constituent and is DUE NOW
999 = Waived testing (not required)
I = Invalid (NOT) valid analyses reported

System Number: ***3100538***

System Name: ***ROSECREST MUTUAL***

PS Code: ***3100538-001***

Source Name: ***WELL***

Source Number: ***001***

Source Status: ***ACTIVE UNTREATED***

Water type: ***GROUNDWATER OR WELL***

SECONDARY/GP	STORET NUMBER	TESTING INTERVAL (MONTHS)*	LAST TEST DATE (yyyy/mm/dd)	LAST RESULT REPORTED	NEXT TEST DATE (yyyy/mm)
TURBIDITY, LABORATORY	**82079**	**108**	2007/12/20	**.000**	2016/12
ZINC	**01092**	**108**	2007/12/20	**.000**	2016/12

**Testing interval is in months;*
0 = No data for this constituent and is DUE NOW
999 = Waived testing (not required)
I = Invalid (NOT) valid analyses reported

System Number: ***3103195***

System Name: ***APPLEGATE STATION***

PS Code: ***3103195-001***

Source Name: ***WELL 01 DRILLED 1992***

Source Number: ***001***

Source Status: ***ACTIVE UNTREATED***

Water type: ***GROUNDWATER OR WELL***

	STORET NUMBER	TESTING INTERVAL (MONTHS)*	LAST TEST DATE (yyyy/mm/dd)	LAST RESULT REPORTED	NEXT TEST DATE (yyyy/mm)
GENERAL NON CHAP 15					
DIAZINON	39570	WAIVED			
INORGANIC					
ALUMINUM	01105	WAIVED			
ANTIMONY	01097	WAIVED			
ARSENIC	01002	WAIVED			
ASBESTOS	81855	WAIVED			
BARIUM	01007	WAIVED			
BERYLLIUM	01012	WAIVED			
CADMIUM	01027	WAIVED			
CHROMIUM (TOTAL)	01034	WAIVED			
CYANIDE	01291	WAIVED			
FLUORIDE (F) (NATURAL-SOURCE)	00951	WAIVED			
LEAD	01051	WAIVED			
MERCURY	71900	WAIVED			
NICKEL	01067	WAIVED			
PERCHLORATE	A-031	WAIVED			
SELENIUM	01147	WAIVED			
THALLIUM	01059	WAIVED			
NITRATE/NITRITE					
NITRATE (AS NO3)	71850	WAIVED	2011/12/19	2.210	
NITRITE (AS N)	00620	WAIVED			
RADIOLOGICAL					
GROSS ALPHA	01501	WAIVED			
GROSS BETA	03501	WAIVED			
RA-226 FOR CWS OR TOTAL RA FOR NTNC BY 903.0	A-080	WAIVED			
RA-226 OR TOTAL RA BY 903.0 C.E.	A-081	WAIVED			
RADIUM 226	09501	WAIVED			
RADIUM 228	11501	WAIVED			

**Testing interval is in months;*
0 = No data for this constituent and is DUE NOW
999 = Waived testing (not required)
I = Invalid (NOT) valid analyses reported

System Number: ***3103195***

System Name: ***APPLEGATE STATION***

PS Code: ***3103195-001***

Source Name: ***WELL 01 DRILLED 1992***

Source Number: ***001***

Source Status: ***ACTIVE UNTREATED***

Water type: ***GROUNDWATER OR WELL***

	STORET NUMBER	TESTING INTERVAL (MONTHS)*	LAST TEST DATE (yyyy/mm/dd)	LAST RESULT REPORTED	NEXT TEST DATE (yyyy/mm)
RADIOLOGICAL					
RADIUM, TOTAL, MDA95-NTNC ONLY, BY 903.0	A-082	WAIVED			
STRONTIUM-90	13501	WAIVED			
TRITIUM	07000	WAIVED			
URANIUM (PCI/L)	28012	WAIVED			
REGULATED SOC					
2,3,7,8-TCDD (DIOXIN)	34676	WAIVED			
2,4,5-TP (SILVEX)	39045	WAIVED			
2,4-D	39730	WAIVED			
ALACHLOR	77825	WAIVED			
ATRAZINE	39033	WAIVED			
BENTAZON	38710	WAIVED			
BENZO (A) PYRENE	34247	WAIVED			
CARBOFURAN	81405	WAIVED			
CHLORDANE	39350	WAIVED			
DALAPON	38432	WAIVED			
DI(2-ETHYLHEXYL)ADIPATE	A-026	WAIVED			
DI(2-ETHYLHEXYL)PHTHALATE	39100	WAIVED			
DIBROMOCHLOROPROPANE (DBCP)	38761	WAIVED			
DINOSEB	81287	WAIVED			
DIQUAT	78885	WAIVED			
ENDOTHALL	38926	WAIVED			
ENDRIN	39390	WAIVED			
ETHYLENE DIBROMIDE (EDB)	77651	WAIVED			
GLYPHOSATE	79743	WAIVED			
HEPTACHLOR	39410	WAIVED			
HEPTACHLOR EPOXIDE	39420	WAIVED			
HEXACHLOROBENZENE	39700	WAIVED			
HEXACHLOROCYCLOPENTADIENE	34386	WAIVED			
LINDANE	39340	WAIVED			

**Testing interval is in months;*
0 = No data for this constituent and is DUE NOW
999 = Waived testing (not required)
I = Invalid (NOT) valid analyses reported

System Number: ***3103195***

System Name: ***APPLEGATE STATION***

PS Code: ***3103195-001***

Source Name: ***WELL 01 DRILLED 1992***

Source Number: ***001***

Source Status: ***ACTIVE UNTREATED***

Water type: ***GROUNDWATER OR WELL***

	STORET NUMBER	TESTING INTERVAL (MONTHS)*	LAST TEST DATE (yyyy/mm/dd)	LAST RESULT REPORTED	NEXT TEST DATE (yyyy/mm)
REGULATED SOC					
METHOXYCHLOR	39480	WAIVED			
MOLINATE	82199	WAIVED			
OXAMYL	38865	WAIVED			
PENTACHLOROPHENOL	39032	WAIVED			
PICLORAM	39720	WAIVED			
POLYCHLORINATED BIPHENYLS, TOTAL, AS DCB	39516	WAIVED			
SIMAZINE	39055	WAIVED			
THIOBENCARB	A-001	WAIVED			
TOXAPHENE	39400	WAIVED			
REGULATED VOC					
1,1,1-TRICHLOROETHANE	34506	WAIVED			
1,1,2,2-TETRACHLOROETHANE	34516	WAIVED			
1,1,2-TRICHLORO-1,2,2-TRIFLUOROETHANE	81611	WAIVED			
1,1,2-TRICHLOROETHANE	34511	WAIVED			
1,1-DICHLOROETHANE	34496	WAIVED			
1,1-DICHLOROETHYLENE	34501	WAIVED			
1,2,4-TRICHLOROBENZENE	34551	WAIVED			
1,2-DICHLOROBENZENE	34536	WAIVED			
1,2-DICHLOROETHANE	34531	WAIVED			
1,2-DICHLOROPROPANE	34541	WAIVED			
1,3-DICHLOROPROPENE (TOTAL)	34561	WAIVED			
1,4-DICHLOROBENZENE	34571	WAIVED			
BENZENE	34030	WAIVED			
CARBON TETRACHLORIDE	32102	WAIVED			
CIS-1,2-DICHLOROETHYLENE	77093	WAIVED			
DICHLOROMETHANE	34423	WAIVED			
ETHYLBENZENE	34371	WAIVED			
METHYL-TERT-BUTYL-ETHER (MTBE)	46491	WAIVED			
MONOCHLOROBENZENE	34301	WAIVED			

**Testing interval is in months;*
0 = No data for this constituent and is DUE NOW
999 = Waived testing (not required)
I = Invalid (NOT) valid analyses reported

System Number: ***3103195***

System Name: ***APPLEGATE STATION***

PS Code: ***3103195-001***

Source Name: ***WELL 01 DRILLED 1992***

Source Number: ***001***

Source Status: ***ACTIVE UNTREATED***

Water type: ***GROUNDWATER OR WELL***

	STORET NUMBER	TESTING INTERVAL (MONTHS)*	LAST TEST DATE (yyyy/mm/dd)	LAST RESULT REPORTED	NEXT TEST DATE (yyyy/mm)
REGULATED VOC					
STYRENE	77128	WAIVED			
TETRACHLOROETHYLENE	34475	WAIVED			
TOLUENE	34010	WAIVED			
TRANS-1,2-DICHLOROETHYLENE	34546	WAIVED			
TRICHLOROETHYLENE	39180	WAIVED			
TRICHLOROFLUOROMETHANE	34488	WAIVED			
VINYL CHLORIDE	39175	WAIVED			
XYLENES (TOTAL)	81551	WAIVED			
SECONDARY/GP					
AGGRSSIVE INDEX (CORROSIVITY)	82383	WAIVED			
BICARBONATE ALKALINITY	00440	WAIVED			
CALCIUM	00916	WAIVED			
CARBONATE ALKALINITY	00445	WAIVED			
CHLORIDE	00940	WAIVED			
COLOR	00081	WAIVED			
COPPER	01042	WAIVED			
FOAMING AGENTS (MBAS)	38260	WAIVED			
HARDNESS (TOTAL) AS CACO3	00900	WAIVED			
HYDROXIDE ALKALINITY	71830	WAIVED			
IRON	01045	WAIVED			
MAGNESIUM	00927	WAIVED			
MANGANESE	01055	WAIVED			
ODOR THRESHOLD @ 60 C	00086	WAIVED			
PH, LABORATORY	00403	WAIVED			
SILVER	01077	WAIVED			
SODIUM	00929	WAIVED			
SPECIFIC CONDUCTANCE	00095	WAIVED			
SULFATE	00945	WAIVED			
TOTAL DISSOLVED SOLIDS	70300	WAIVED			

**Testing interval is in months;*
0 = No data for this constituent and is DUE NOW
999 = Waived testing (not required)
I = Invalid (NOT) valid analyses reported

System Number: ***3103195***

System Name: ***APPLEGATE STATION***

PS Code: ***3103195-001***

Source Name: ***WELL 01 DRILLED 1992***

Source Number: ***001***

Source Status: ***ACTIVE UNTREATED***

Water type: ***GROUNDWATER OR WELL***

	STORET NUMBER	TESTING INTERVAL (MONTHS)*	LAST TEST DATE (yyyy/mm/dd)	LAST RESULT REPORTED	NEXT TEST DATE (yyyy/mm)
SECONDARY/GP					
TURBIDITY, LABORATORY	82079	WAIVED			
ZINC	01092	WAIVED			

**Testing interval is in months;*
0 = No data for this constituent and is DUE NOW
999 = Waived testing (not required)
I = Invalid (NOT) valid analyses reported

System Number: ***3103209***

System Name: ***CAPITAL MT CHRISTIAN CAMP***

PS Code: ***3103209-001***

Source Name: ***WELL 01***

Source Number: ***001***

Source Status: ***ACTIVE UNTREATED***

Water type: ***GROUNDWATER OR WELL***

	STORET NUMBER	TESTING INTERVAL (MONTHS)*	LAST TEST DATE (yyyy/mm/dd)	LAST RESULT REPORTED	NEXT TEST DATE (yyyy/mm)	
GENERAL NON CHAP 15						
DIAZINON	39570	WAIVED				
INORGANIC						
ALUMINUM	01105	WAIVED				
ANTIMONY	01097	WAIVED				
ARSENIC	01002	WAIVED				
ASBESTOS	81855	WAIVED				
BARIUM	01007	WAIVED				
BERYLLIUM	01012	WAIVED				
CADMIUM	01027	WAIVED				
CHROMIUM (TOTAL)	01034	WAIVED				
CYANIDE	01291	WAIVED				
FLUORIDE (F) (NATURAL-SOURCE)	00951	000				**DUE**
LEAD	01051	WAIVED				
MERCURY	71900	WAIVED				
NICKEL	01067	WAIVED				
PERCHLORATE	A-031	WAIVED				
SELENIUM	01147	WAIVED				
THALLIUM	01059	WAIVED				
NITRATE/NITRITE						
NITRATE (AS NO3)	71850	012	1996/09/05	.400	1997/09	**DUE**
NITRITE (AS N)	00620	000				**DUE**
RADIOLOGICAL						
GROSS ALPHA	01501	WAIVED				
GROSS BETA	03501	WAIVED				
RA-226 FOR CWS OR TOTAL RA FOR NTNC BY 903.0	A-080	WAIVED				
RA-226 OR TOTAL RA BY 903.0 C.E.	A-081	WAIVED				
RADIUM 226	09501	WAIVED				
RADIUM 228	11501	WAIVED				

**Testing interval is in months;*
0 = No data for this constituent and is DUE NOW
999 = Waived testing (not required)
I = Invalid (NOT) valid analyses reported

System Number: ***3103209***

System Name: ***CAPITAL MT CHRISTIAN CAMP***

PS Code: ***3103209-001***

Source Name: ***WELL 01***

Source Number: ***001***

Source Status: ***ACTIVE UNTREATED***

Water type: ***GROUNDWATER OR WELL***

	STORET NUMBER	TESTING INTERVAL (MONTHS)*	LAST TEST DATE (yyyy/mm/dd)	LAST RESULT REPORTED	NEXT TEST DATE (yyyy/mm)
RADIOLOGICAL					
RADIUM, TOTAL, MDA95-NTNC ONLY, BY 903.0	A-082	WAIVED			
STRONTIUM-90	13501	WAIVED			
TRITIUM	07000	WAIVED			
URANIUM (PCI/L)	28012	WAIVED			
REGULATED SOC					
2,3,7,8-TCDD (DIOXIN)	34676	WAIVED			
2,4,5-TP (SILVEX)	39045	WAIVED			
2,4-D	39730	WAIVED			
ALACHLOR	77825	WAIVED			
ATRAZINE	39033	WAIVED			
BENTAZON	38710	WAIVED			
BENZO (A) PYRENE	34247	WAIVED			
CARBOFURAN	81405	WAIVED			
CHLORDANE	39350	WAIVED			
DALAPON	38432	WAIVED			
DI(2-ETHYLHEXYL)ADIPATE	A-026	WAIVED			
DI(2-ETHYLHEXYL)PHTHALATE	39100	WAIVED			
DIBROMOCHLOROPROPANE (DBCP)	38761	WAIVED			
DINOSEB	81287	WAIVED			
DIQUAT	78885	WAIVED			
ENDOTHALL	38926	WAIVED			
ENDRIN	39390	WAIVED			
ETHYLENE DIBROMIDE (EDB)	77651	WAIVED			
GLYPHOSATE	79743	WAIVED			
HEPTACHLOR	39410	WAIVED			
HEPTACHLOR EPOXIDE	39420	WAIVED			
HEXACHLOROBENZENE	39700	WAIVED			
HEXACHLOROCYCLOPENTADIENE	34386	WAIVED			
LINDANE	39340	WAIVED			

**Testing interval is in months;*
0 = No data for this constituent and is DUE NOW
999 = Waived testing (not required)
I = Invalid (NOT) valid analyses reported

System Number: ***3103209***

System Name: ***CAPITAL MT CHRISTIAN CAMP***

PS Code: ***3103209-001***

Source Name: ***WELL 01***

Source Number: ***001***

Source Status: ***ACTIVE UNTREATED***

Water type: ***GROUNDWATER OR WELL***

	STORET NUMBER	TESTING INTERVAL (MONTHS)*	LAST TEST DATE (yyyy/mm/dd)	LAST RESULT REPORTED	NEXT TEST DATE (yyyy/mm)
REGULATED SOC					
METHOXYCHLOR	39480	WAIVED			
MOLINATE	82199	WAIVED			
OXAMYL	38865	WAIVED			
PENTACHLOROPHENOL	39032	WAIVED			
PICLORAM	39720	WAIVED			
POLYCHLORINATED BIPHENYLS, TOTAL, AS DCB	39516	WAIVED			
SIMAZINE	39055	WAIVED			
THIOBENCARB	A-001	WAIVED			
TOXAPHENE	39400	WAIVED			
REGULATED VOC					
1,1,1-TRICHLOROETHANE	34506	WAIVED			
1,1,2,2-TETRACHLOROETHANE	34516	WAIVED			
1,1,2-TRICHLORO-1,2,2-TRIFLUOROETHANE	81611	WAIVED			
1,1,2-TRICHLOROETHANE	34511	WAIVED			
1,1-DICHLOROETHANE	34496	WAIVED			
1,1-DICHLOROETHYLENE	34501	WAIVED			
1,2,4-TRICHLOROBENZENE	34551	WAIVED			
1,2-DICHLOROBENZENE	34536	WAIVED			
1,2-DICHLOROETHANE	34531	WAIVED			
1,2-DICHLOROPROPANE	34541	WAIVED			
1,3-DICHLOROPROPENE (TOTAL)	34561	WAIVED			
1,4-DICHLOROBENZENE	34571	WAIVED			
BENZENE	34030	WAIVED			
CARBON TETRACHLORIDE	32102	WAIVED			
CIS-1,2-DICHLOROETHYLENE	77093	WAIVED			
DICHLOROMETHANE	34423	WAIVED			
ETHYLBENZENE	34371	WAIVED			
METHYL-TERT-BUTYL-ETHER (MTBE)	46491	WAIVED			
MONOCHLOROBENZENE	34301	WAIVED			

**Testing interval is in months;*
0 = No data for this constituent and is DUE NOW
999 = Waived testing (not required)
I = Invalid (NOT) valid analyses reported

System Number: ***3103209***

System Name: ***CAPITAL MT CHRISTIAN CAMP***

PS Code: ***3103209-001***

Source Name: ***WELL 01***

Source Number: ***001***

Source Status: ***ACTIVE UNTREATED***

Water type: ***GROUNDWATER OR WELL***

	STORET NUMBER	TESTING INTERVAL (MONTHS)*	LAST TEST DATE (yyyy/mm/dd)	LAST RESULT REPORTED	NEXT TEST DATE (yyyy/mm)
REGULATED VOC					
STYRENE	77128	WAIVED			
TETRACHLOROETHYLENE	34475	WAIVED			
TOLUENE	34010	WAIVED			
TRANS-1,2-DICHLOROETHYLENE	34546	WAIVED			
TRICHLOROETHYLENE	39180	WAIVED			
TRICHLOROFLUOROMETHANE	34488	WAIVED			
VINYL CHLORIDE	39175	WAIVED			
XYLENES (TOTAL)	81551	WAIVED			
SECONDARY/GP					
AGGRSSIVE INDEX (CORROSIVITY)	82383	WAIVED			
BICARBONATE ALKALINITY	00440	000			DUE
CALCIUM	00916	000			DUE
CARBONATE ALKALINITY	00445	000			DUE
CHLORIDE	00940	WAIVED			
COLOR	00081	WAIVED			
COPPER	01042	WAIVED			
FOAMING AGENTS (MBAS)	38260	WAIVED			
HARDNESS (TOTAL) AS CACO3	00900	000			DUE
HYDROXIDE ALKALINITY	71830	000			DUE
IRON	01045	000			DUE
MAGNESIUM	00927	000			DUE
MANGANESE	01055	000			DUE
ODOR THRESHOLD @ 60 C	00086	WAIVED			
PH, LABORATORY	00403	000			DUE
SILVER	01077	WAIVED			
SODIUM	00929	000			DUE
SPECIFIC CONDUCTANCE	00095	WAIVED			
SULFATE	00945	WAIVED			
TOTAL DISSOLVED SOLIDS	70300	WAIVED			

**Testing interval is in months;*
0 = No data for this constituent and is DUE NOW
999 = Waived testing (not required)
I = Invalid (NOT) valid analyses reported

System Number: ***3103209***

System Name: ***CAPITAL MT CHRISTIAN CAMP***

PS Code: ***3103209-001***

Source Name: ***WELL 01***

Source Number: ***001***

Source Status: ***ACTIVE UNTREATED***

Water type: ***GROUNDWATER OR WELL***

SECONDARY/GP

	STORET NUMBER	TESTING INTERVAL (MONTHS)*	LAST TEST DATE (yyyy/mm/dd)	LAST RESULT REPORTED	NEXT TEST DATE (yyyy/mm)
TURBIDITY, LABORATORY	82079	WAIVED			
ZINC	01092	WAIVED			

**Testing interval is in months;*
0 = No data for this constituent and is DUE NOW
999 = Waived testing (not required)
I = Invalid (NOT) valid analyses reported

System Number: ***3103218***

System Name: ***COMMUNITY OF THE GREAT COMMISS***

PS Code: ***3103218-001***

Source Name: ***WELL 01***

Source Number: ***001***

Source Status: ***ACTIVE UNTREATED***

Water type: ***GROUNDWATER OR WELL***

	STORET NUMBER	TESTING INTERVAL (MONTHS)*	LAST TEST DATE (yyyy/mm/dd)	LAST RESULT REPORTED	NEXT TEST DATE (yyyy/mm)	
GENERAL NON CHAP 15						
DIAZINON	39570	WAIVED				
INORGANIC						
ALUMINUM	01105	WAIVED				
ANTIMONY	01097	WAIVED				
ARSENIC	01002	WAIVED				
ASBESTOS	81855	WAIVED				
BARIUM	01007	WAIVED				
BERYLLIUM	01012	WAIVED				
CADMIUM	01027	WAIVED				
CHROMIUM (TOTAL)	01034	WAIVED				
CYANIDE	01291	WAIVED				
FLUORIDE (F) (NATURAL-SOURCE)	00951	000				**DUE**
LEAD	01051	WAIVED				
MERCURY	71900	WAIVED				
NICKEL	01067	WAIVED				
PERCHLORATE	A-031	WAIVED				
SELENIUM	01147	WAIVED				
THALLIUM	01059	WAIVED				
NITRATE/NITRITE						
NITRATE (AS NO3)	71850	012	2011/10/12	.000	2012/10	
NITRITE (AS N)	00620	036	2011/10/12	.000	2014/10	
RADIOLOGICAL						
GROSS ALPHA	01501	WAIVED				
GROSS BETA	03501	WAIVED				
RA-226 FOR CWS OR TOTAL RA FOR NTNC BY 903.0	A-080	WAIVED				
RA-226 OR TOTAL RA BY 903.0 C.E.	A-081	WAIVED				
RADIUM 226	09501	WAIVED				
RADIUM 228	11501	WAIVED				

**Testing interval is in months;*
0 = No data for this constituent and is DUE NOW
999 = Waived testing (not required)
I = Invalid (NOT) valid analyses reported

System Number: ***3103218***

System Name: ***COMMUNITY OF THE GREAT COMMISS***

PS Code: ***3103218-001***

Source Name: ***WELL 01***

Source Number: ***001***

Source Status: ***ACTIVE UNTREATED***

Water type: ***GROUNDWATER OR WELL***

	STORET NUMBER	TESTING INTERVAL (MONTHS)*	LAST TEST DATE (yyyy/mm/dd)	LAST RESULT REPORTED	NEXT TEST DATE (yyyy/mm)
RADIOLOGICAL					
RADIUM, TOTAL, MDA95-NTNC ONLY, BY 903.0	A-082	WAIVED			
STRONTIUM-90	13501	WAIVED			
TRITIUM	07000	WAIVED			
URANIUM (PCI/L)	28012	WAIVED			
REGULATED SOC					
2,3,7,8-TCDD (DIOXIN)	34676	WAIVED			
2,4,5-TP (SILVEX)	39045	WAIVED			
2,4-D	39730	WAIVED			
ALACHLOR	77825	WAIVED			
ATRAZINE	39033	WAIVED			
BENTAZON	38710	WAIVED			
BENZO (A) PYRENE	34247	WAIVED			
CARBOFURAN	81405	WAIVED			
CHLORDANE	39350	WAIVED			
DALAPON	38432	WAIVED			
DI(2-ETHYLHEXYL)ADIPATE	A-026	WAIVED			
DI(2-ETHYLHEXYL)PHTHALATE	39100	WAIVED			
DIBROMOCHLOROPROPANE (DBCP)	38761	WAIVED			
DINOSEB	81287	WAIVED			
DIQUAT	78885	WAIVED			
ENDOTHALL	38926	WAIVED			
ENDRIN	39390	WAIVED			
ETHYLENE DIBROMIDE (EDB)	77651	WAIVED			
GLYPHOSATE	79743	WAIVED			
HEPTACHLOR	39410	WAIVED			
HEPTACHLOR EPOXIDE	39420	WAIVED			
HEXACHLOROBENZENE	39700	WAIVED			
HEXACHLOROCYCLOPENTADIENE	34386	WAIVED			
LINDANE	39340	WAIVED			

**Testing interval is in months;*
0 = No data for this constituent and is DUE NOW
999 = Waived testing (not required)
I = Invalid (NOT) valid analyses reported

System Number: ***3103218***

System Name: ***COMMUNITY OF THE GREAT COMMISS***

PS Code: ***3103218-001***

Source Name: ***WELL 01***

Source Number: ***001***

Source Status: ***ACTIVE UNTREATED***

Water type: ***GROUNDWATER OR WELL***

	STORET NUMBER	TESTING INTERVAL (MONTHS)*	LAST TEST DATE (yyyy/mm/dd)	LAST RESULT REPORTED	NEXT TEST DATE (yyyy/mm)
REGULATED SOC					
METHOXYCHLOR	39480	WAIVED			
MOLINATE	82199	WAIVED			
OXAMYL	38865	WAIVED			
PENTACHLOROPHENOL	39032	WAIVED			
PICLORAM	39720	WAIVED			
POLYCHLORINATED BIPHENYLS, TOTAL, AS DCB	39516	WAIVED			
SIMAZINE	39055	WAIVED			
THIOBENCARB	A-001	WAIVED			
TOXAPHENE	39400	WAIVED			
REGULATED VOC					
1,1,1-TRICHLOROETHANE	34506	WAIVED			
1,1,2,2-TETRACHLOROETHANE	34516	WAIVED			
1,1,2-TRICHLORO-1,2,2-TRIFLUOROETHANE	81611	WAIVED			
1,1,2-TRICHLOROETHANE	34511	WAIVED			
1,1-DICHLOROETHANE	34496	WAIVED			
1,1-DICHLOROETHYLENE	34501	WAIVED			
1,2,4-TRICHLOROBENZENE	34551	WAIVED			
1,2-DICHLOROBENZENE	34536	WAIVED			
1,2-DICHLOROETHANE	34531	WAIVED			
1,2-DICHLOROPROPANE	34541	WAIVED			
1,3-DICHLOROPROPENE (TOTAL)	34561	WAIVED			
1,4-DICHLOROBENZENE	34571	WAIVED			
BENZENE	34030	WAIVED			
CARBON TETRACHLORIDE	32102	WAIVED			
CIS-1,2-DICHLOROETHYLENE	77093	WAIVED			
DICHLOROMETHANE	34423	WAIVED			
ETHYLBENZENE	34371	WAIVED			
METHYL-TERT-BUTYL-ETHER (MTBE)	46491	WAIVED			
MONOCHLOROBENZENE	34301	WAIVED			

**Testing interval is in months;*
0 = No data for this constituent and is DUE NOW
999 = Waived testing (not required)
I = Invalid (NOT) valid analyses reported

System Number: ***3103218***

System Name: ***COMMUNITY OF THE GREAT COMMISS***

PS Code: ***3103218-001***

Source Name: ***WELL 01***

Source Number: ***001***

Source Status: ***ACTIVE UNTREATED***

Water type: ***GROUNDWATER OR WELL***

	STORET NUMBER	TESTING INTERVAL (MONTHS)*	LAST TEST DATE (yyyy/mm/dd)	LAST RESULT REPORTED	NEXT TEST DATE (yyyy/mm)
REGULATED VOC					
STYRENE	77128	WAIVED			
TETRACHLOROETHYLENE	34475	WAIVED			
TOLUENE	34010	WAIVED			
TRANS-1,2-DICHLOROETHYLENE	34546	WAIVED			
TRICHLOROETHYLENE	39180	WAIVED			
TRICHLOROFLUOROMETHANE	34488	WAIVED			
VINYL CHLORIDE	39175	WAIVED			
XYLENES (TOTAL)	81551	WAIVED			
SECONDARY/GP					
AGGRSSIVE INDEX (CORROSIVITY)	82383	WAIVED			
BICARBONATE ALKALINITY	00440	000			DUE
CALCIUM	00916	000			DUE
CARBONATE ALKALINITY	00445	000			DUE
CHLORIDE	00940	WAIVED			
COLOR	00081	WAIVED			
COPPER	01042	WAIVED			
FOAMING AGENTS (MBAS)	38260	WAIVED			
HARDNESS (TOTAL) AS CACO3	00900	000			DUE
HYDROXIDE ALKALINITY	71830	000			DUE
IRON	01045	WAIVED	2009/12/07	.000	
MAGNESIUM	00927	000			DUE
MANGANESE	01055	WAIVED	2009/12/07	.000	
ODOR THRESHOLD @ 60 C	00086	WAIVED			
PH, LABORATORY	00403	000			DUE
SILVER	01077	WAIVED			
SODIUM	00929	000			DUE
SPECIFIC CONDUCTANCE	00095	WAIVED			
SULFATE	00945	WAIVED			
TOTAL DISSOLVED SOLIDS	70300	WAIVED			

**Testing interval is in months;*
0 = No data for this constituent and is DUE NOW
999 = Waived testing (not required)
I = Invalid (NOT) valid analyses reported

System Number: ***3103218***

System Name: ***COMMUNITY OF THE GREAT COMMISS***

PS Code: ***3103218-001***

Source Name: ***WELL 01***

Source Number: ***001***

Source Status: ***ACTIVE UNTREATED***

Water type: ***GROUNDWATER OR WELL***

	STORET NUMBER	TESTING INTERVAL (MONTHS)*	LAST TEST DATE (yyyy/mm/dd)	LAST RESULT REPORTED	NEXT TEST DATE (yyyy/mm)
SECONDARY/GP					
TURBIDITY, LABORATORY	82079	WAIVED			
ZINC	01092	WAIVED			

**Testing interval is in months;*
0 = No data for this constituent and is DUE NOW
999 = Waived testing (not required)
I = Invalid (NOT) valid analyses reported

System Number: ***3103234***

System Name: ***EVERYBODY S INN***

PS Code: ***3103234-001***

Source Name: ***WELL 01***

Source Number: ***001***

Source Status: ***ACTIVE UNTREATED***

Water type: ***GROUNDWATER OR WELL***

	STORET NUMBER	TESTING INTERVAL (MONTHS)*	LAST TEST DATE (yyyy/mm/dd)	LAST RESULT REPORTED	NEXT TEST DATE (yyyy/mm)	
GENERAL NON CHAP 15						
DIAZINON	39570	WAIVED				
INORGANIC						
ALUMINUM	01105	WAIVED				
ANTIMONY	01097	WAIVED				
ARSENIC	01002	WAIVED				
ASBESTOS	81855	WAIVED				
BARIUM	01007	WAIVED				
BERYLLIUM	01012	WAIVED				
CADMIUM	01027	WAIVED				
CHROMIUM (TOTAL)	01034	WAIVED				
CYANIDE	01291	WAIVED				
FLUORIDE (F) (NATURAL-SOURCE)	00951	000				**DUE**
LEAD	01051	WAIVED				
MERCURY	71900	WAIVED				
NICKEL	01067	WAIVED				
PERCHLORATE	A-031	WAIVED				
SELENIUM	01147	WAIVED				
THALLIUM	01059	WAIVED				
NITRATE/NITRITE						
NITRATE (AS NO3)	71850	012	1998/01/12	28.300	1999/01	**DUE**
NITRITE (AS N)	00620	036	1998/01/12	< 50.000	2001/01	**DUE**
RADIOLOGICAL						
GROSS ALPHA	01501	WAIVED				
GROSS BETA	03501	WAIVED				
RA-226 FOR CWS OR TOTAL RA FOR NTNC BY 903.0	A-080	WAIVED				
RA-226 OR TOTAL RA BY 903.0 C.E.	A-081	WAIVED				
RADIUM 226	09501	WAIVED				
RADIUM 228	11501	WAIVED				

**Testing interval is in months;*
0 = No data for this constituent and is DUE NOW
999 = Waived testing (not required)
I = Invalid (NOT) valid analyses reported

System Number: ***3103234***

System Name: ***EVERYBODY S INN***

PS Code: ***3103234-001***

Source Name: ***WELL 01***

Source Number: ***001***

Source Status: ***ACTIVE UNTREATED***

Water type: ***GROUNDWATER OR WELL***

	STORET NUMBER	TESTING INTERVAL (MONTHS)*	LAST TEST DATE (yyyy/mm/dd)	LAST RESULT REPORTED	NEXT TEST DATE (yyyy/mm)
RADIOLOGICAL					
RADIUM, TOTAL, MDA95-NTNC ONLY, BY 903.0	A-082	WAIVED			
STRONTIUM-90	13501	WAIVED			
TRITIUM	07000	WAIVED			
URANIUM (PCI/L)	28012	WAIVED			
REGULATED SOC					
2,3,7,8-TCDD (DIOXIN)	34676	WAIVED			
2,4,5-TP (SILVEX)	39045	WAIVED			
2,4-D	39730	WAIVED			
ALACHLOR	77825	WAIVED			
ATRAZINE	39033	WAIVED			
BENTAZON	38710	WAIVED			
BENZO (A) PYRENE	34247	WAIVED			
CARBOFURAN	81405	WAIVED			
CHLORDANE	39350	WAIVED			
DALAPON	38432	WAIVED			
DI(2-ETHYLHEXYL)ADIPATE	A-026	WAIVED			
DI(2-ETHYLHEXYL)PHTHALATE	39100	WAIVED			
DIBROMOCHLOROPROPANE (DBCP)	38761	WAIVED			
DINOSEB	81287	WAIVED			
DIQUAT	78885	WAIVED			
ENDOTHALL	38926	WAIVED			
ENDRIN	39390	WAIVED			
ETHYLENE DIBROMIDE (EDB)	77651	WAIVED			
GLYPHOSATE	79743	WAIVED			
HEPTACHLOR	39410	WAIVED			
HEPTACHLOR EPOXIDE	39420	WAIVED			
HEXACHLOROBENZENE	39700	WAIVED			
HEXACHLOROCYCLOPENTADIENE	34386	WAIVED			
LINDANE	39340	WAIVED			

**Testing interval is in months;*
0 = No data for this constituent and is DUE NOW
999 = Waived testing (not required)
I = Invalid (NOT) valid analyses reported

System Number: ***3103234***

System Name: ***EVERYBODY S INN***

PS Code: ***3103234-001***

Source Name: ***WELL 01***

Source Number: ***001***

Source Status: ***ACTIVE UNTREATED***

Water type: ***GROUNDWATER OR WELL***

	STORET NUMBER	TESTING INTERVAL (MONTHS)*	LAST TEST DATE (yyyy/mm/dd)	LAST RESULT REPORTED	NEXT TEST DATE (yyyy/mm)
REGULATED SOC					
METHOXYCHLOR	39480	WAIVED			
MOLINATE	82199	WAIVED			
OXAMYL	38865	WAIVED			
PENTACHLOROPHENOL	39032	WAIVED			
PICLORAM	39720	WAIVED			
POLYCHLORINATED BIPHENYLS, TOTAL, AS DCB	39516	WAIVED			
SIMAZINE	39055	WAIVED			
THIOBENCARB	A-001	WAIVED			
TOXAPHENE	39400	WAIVED			
REGULATED VOC					
1,1,1-TRICHLOROETHANE	34506	WAIVED			
1,1,2,2-TETRACHLOROETHANE	34516	WAIVED			
1,1,2-TRICHLORO-1,2,2-TRIFLUOROETHANE	81611	WAIVED			
1,1,2-TRICHLOROETHANE	34511	WAIVED			
1,1-DICHLOROETHANE	34496	WAIVED			
1,1-DICHLOROETHYLENE	34501	WAIVED			
1,2,4-TRICHLOROBENZENE	34551	WAIVED			
1,2-DICHLOROBENZENE	34536	WAIVED			
1,2-DICHLOROETHANE	34531	WAIVED			
1,2-DICHLOROPROPANE	34541	WAIVED			
1,3-DICHLOROPROPENE (TOTAL)	34561	WAIVED			
1,4-DICHLOROBENZENE	34571	WAIVED			
BENZENE	34030	WAIVED			
CARBON TETRACHLORIDE	32102	WAIVED			
CIS-1,2-DICHLOROETHYLENE	77093	WAIVED			
DICHLOROMETHANE	34423	WAIVED			
ETHYLBENZENE	34371	WAIVED			
METHYL-TERT-BUTYL-ETHER (MTBE)	46491	WAIVED			
MONOCHLOROBENZENE	34301	WAIVED			

**Testing interval is in months;*
0 = No data for this constituent and is DUE NOW
999 = Waived testing (not required)
I = Invalid (NOT) valid analyses reported

System Number: ***3103234***

System Name: ***EVERYBODY S INN***

PS Code: ***3103234-001***

Source Name: ***WELL 01***

Source Number: ***001***

Source Status: ***ACTIVE UNTREATED***

Water type: ***GROUNDWATER OR WELL***

	STORET NUMBER	TESTING INTERVAL (MONTHS)*	LAST TEST DATE (yyyy/mm/dd)	LAST RESULT REPORTED	NEXT TEST DATE (yyyy/mm)
REGULATED VOC					
STYRENE	77128	WAIVED			
TETRACHLOROETHYLENE	34475	WAIVED			
TOLUENE	34010	WAIVED			
TRANS-1,2-DICHLOROETHYLENE	34546	WAIVED			
TRICHLOROETHYLENE	39180	WAIVED			
TRICHLOROFLUOROMETHANE	34488	WAIVED			
VINYL CHLORIDE	39175	WAIVED			
XYLENES (TOTAL)	81551	WAIVED			
SECONDARY/GP					
AGGRSSIVE INDEX (CORROSIVITY)	82383	WAIVED			
BICARBONATE ALKALINITY	00440	000			DUE
CALCIUM	00916	000			DUE
CARBONATE ALKALINITY	00445	000			DUE
CHLORIDE	00940	WAIVED			
COLOR	00081	WAIVED			
COPPER	01042	WAIVED			
FOAMING AGENTS (MBAS)	38260	WAIVED			
HARDNESS (TOTAL) AS CACO3	00900	000			DUE
HYDROXIDE ALKALINITY	71830	000			DUE
IRON	01045	000			DUE
MAGNESIUM	00927	000			DUE
MANGANESE	01055	000			DUE
ODOR THRESHOLD @ 60 C	00086	WAIVED			
PH, LABORATORY	00403	000			DUE
SILVER	01077	WAIVED			
SODIUM	00929	000			DUE
SPECIFIC CONDUCTANCE	00095	WAIVED			
SULFATE	00945	WAIVED			
TOTAL DISSOLVED SOLIDS	70300	WAIVED			

**Testing interval is in months;*
0 = No data for this constituent and is DUE NOW
999 = Waived testing (not required)
I = Invalid (NOT) valid analyses reported

System Number: ***3103234***

System Name: ***EVERYBODY S INN***

PS Code: ***3103234-001***

Source Name: ***WELL 01***

Source Number: ***001***

Source Status: ***ACTIVE UNTREATED***

Water type: ***GROUNDWATER OR WELL***

SECONDARY/GP	STORET NUMBER	TESTING INTERVAL (MONTHS)*	LAST TEST DATE (yyyy/mm/dd)	LAST RESULT REPORTED	NEXT TEST DATE (yyyy/mm)
TURBIDITY, LABORATORY	82079	WAIVED			
ZINC	01092	WAIVED			

**Testing interval is in months;*
0 = No data for this constituent and is DUE NOW
999 = Waived testing (not required)
I = Invalid (NOT) valid analyses reported

System Number: ***3103247***

System Name: ***LOOMIS COMMUNITY PARK***

PS Code: ***3103247-002***

Source Name: ***NORTH PARK WELL 02***

Source Number: ***002***

Source Status: ***ACTIVE UNTREATED***

Water type: ***GROUNDWATER OR WELL***

	STORET NUMBER	TESTING INTERVAL (MONTHS)*	LAST TEST DATE (yyyy/mm/dd)	LAST RESULT REPORTED	NEXT TEST DATE (yyyy/mm)
GENERAL NON CHAP 15					
DIAZINON	39570	WAIVED			
INORGANIC					
ALUMINUM	01105	WAIVED			
ANTIMONY	01097	WAIVED			
ARSENIC	01002	WAIVED			
ASBESTOS	81855	WAIVED			
BARIUM	01007	WAIVED			
BERYLLIUM	01012	WAIVED			
CADMIUM	01027	WAIVED			
CHROMIUM (TOTAL)	01034	WAIVED			
CYANIDE	01291	WAIVED			
FLUORIDE (F) (NATURAL-SOURCE)	00951	WAIVED	2011/11/03	.540	
LEAD	01051	WAIVED			
MERCURY	71900	WAIVED			
NICKEL	01067	WAIVED			
PERCHLORATE	A-031	WAIVED			
SELENIUM	01147	WAIVED			
THALLIUM	01059	WAIVED			
NITRATE/NITRITE					
NITRATE (AS NO3)	71850	012	2011/11/03	8.080	2012/11
NITRITE (AS N)	00620	036	2011/11/03	.000	2014/11
RADIOLOGICAL					
GROSS ALPHA	01501	WAIVED			
GROSS BETA	03501	WAIVED			
RA-226 FOR CWS OR TOTAL RA FOR NTNC BY 903.0	A-080	WAIVED			
RA-226 OR TOTAL RA BY 903.0 C.E.	A-081	WAIVED			
RADIUM 226	09501	WAIVED			
RADIUM 228	11501	WAIVED			

**Testing interval is in months;*
0 = No data for this constituent and is DUE NOW
999 = Waived testing (not required)
I = Invalid (NOT) valid analyses reported

System Number: ***3103247***

System Name: ***LOOMIS COMMUNITY PARK***

PS Code: ***3103247-002***

Source Name: ***NORTH PARK WELL 02***

Source Number: ***002***

Source Status: ***ACTIVE UNTREATED***

Water type: ***GROUNDWATER OR WELL***

	STORET NUMBER	TESTING INTERVAL (MONTHS)*	LAST TEST DATE (yyyy/mm/dd)	LAST RESULT REPORTED	NEXT TEST DATE (yyyy/mm)
RADIOLOGICAL					
RADIUM, TOTAL, MDA95-NTNC ONLY, BY 903.0	A-082	WAIVED			
STRONTIUM-90	13501	WAIVED			
TRITIUM	07000	WAIVED			
URANIUM (PCI/L)	28012	WAIVED			
REGULATED SOC					
2,3,7,8-TCDD (DIOXIN)	34676	WAIVED			
2,4,5-TP (SILVEX)	39045	WAIVED			
2,4-D	39730	WAIVED			
ALACHLOR	77825	WAIVED			
ATRAZINE	39033	WAIVED			
BENTAZON	38710	WAIVED			
BENZO (A) PYRENE	34247	WAIVED			
CARBOFURAN	81405	WAIVED			
CHLORDANE	39350	WAIVED			
DALAPON	38432	WAIVED			
DI(2-ETHYLHEXYL)ADIPATE	A-026	WAIVED			
DI(2-ETHYLHEXYL)PHTHALATE	39100	WAIVED			
DIBROMOCHLOROPROPANE (DBCP)	38761	WAIVED			
DINOSEB	81287	WAIVED			
DIQUAT	78885	WAIVED			
ENDOTHALL	38926	WAIVED			
ENDRIN	39390	WAIVED			
ETHYLENE DIBROMIDE (EDB)	77651	WAIVED			
GLYPHOSATE	79743	WAIVED			
HEPTACHLOR	39410	WAIVED			
HEPTACHLOR EPOXIDE	39420	WAIVED			
HEXACHLOROBENZENE	39700	WAIVED			
HEXACHLOROCYCLOPENTADIENE	34386	WAIVED			
LINDANE	39340	WAIVED			

**Testing interval is in months;*
0 = No data for this constituent and is DUE NOW
999 = Waived testing (not required)
I = Invalid (NOT) valid analyses reported

System Number: ***3103247***

System Name: ***LOOMIS COMMUNITY PARK***

PS Code: ***3103247-002***

Source Name: ***NORTH PARK WELL 02***

Source Number: ***002***

Source Status: ***ACTIVE UNTREATED***

Water type: ***GROUNDWATER OR WELL***

	STORET NUMBER	TESTING INTERVAL (MONTHS)*	LAST TEST DATE (yyyy/mm/dd)	LAST RESULT REPORTED	NEXT TEST DATE (yyyy/mm)
REGULATED SOC					
METHOXYCHLOR	39480	WAIVED			
MOLINATE	82199	WAIVED			
OXAMYL	38865	WAIVED			
PENTACHLOROPHENOL	39032	WAIVED			
PICLORAM	39720	WAIVED			
POLYCHLORINATED BIPHENYLS, TOTAL, AS DCB	39516	WAIVED			
SIMAZINE	39055	WAIVED			
THIOBENCARB	A-001	WAIVED			
TOXAPHENE	39400	WAIVED			
REGULATED VOC					
1,1,1-TRICHLOROETHANE	34506	WAIVED			
1,1,2,2-TETRACHLOROETHANE	34516	WAIVED			
1,1,2-TRICHLORO-1,2,2-TRIFLUOROETHANE	81611	WAIVED			
1,1,2-TRICHLOROETHANE	34511	WAIVED			
1,1-DICHLOROETHANE	34496	WAIVED			
1,1-DICHLOROETHYLENE	34501	WAIVED			
1,2,4-TRICHLOROBENZENE	34551	WAIVED			
1,2-DICHLOROBENZENE	34536	WAIVED			
1,2-DICHLOROETHANE	34531	WAIVED			
1,2-DICHLOROPROPANE	34541	WAIVED			
1,3-DICHLOROPROPENE (TOTAL)	34561	WAIVED			
1,4-DICHLOROBENZENE	34571	WAIVED			
BENZENE	34030	WAIVED			
CARBON TETRACHLORIDE	32102	WAIVED			
CIS-1,2-DICHLOROETHYLENE	77093	WAIVED			
DICHLOROMETHANE	34423	WAIVED			
ETHYLBENZENE	34371	WAIVED			
METHYL-TERT-BUTYL-ETHER (MTBE)	46491	WAIVED			
MONOCHLOROBENZENE	34301	WAIVED			

**Testing interval is in months;*
0 = No data for this constituent and is DUE NOW
999 = Waived testing (not required)
I = Invalid (NOT) valid analyses reported

System Number: ***3103247***

System Name: ***LOOMIS COMMUNITY PARK***

PS Code: ***3103247-002***

Source Name: ***NORTH PARK WELL 02***

Source Number: ***002***

Source Status: ***ACTIVE UNTREATED***

Water type: ***GROUNDWATER OR WELL***

	STORET NUMBER	TESTING INTERVAL (MONTHS)*	LAST TEST DATE (yyyy/mm/dd)	LAST RESULT REPORTED	NEXT TEST DATE (yyyy/mm)
REGULATED VOC					
STYRENE	77128	WAIVED			
TETRACHLOROETHYLENE	34475	WAIVED			
TOLUENE	34010	WAIVED			
TRANS-1,2-DICHLOROETHYLENE	34546	WAIVED			
TRICHLOROETHYLENE	39180	WAIVED			
TRICHLOROFLUOROMETHANE	34488	WAIVED			
VINYL CHLORIDE	39175	WAIVED			
XYLENES (TOTAL)	81551	WAIVED			
SECONDARY/GP					
AGGRSSIVE INDEX (CORROSIVITY)	82383	WAIVED			
BICARBONATE ALKALINITY	00440	000			DUE
CALCIUM	00916	000			DUE
CARBONATE ALKALINITY	00445	000			DUE
CHLORIDE	00940	WAIVED			
COLOR	00081	WAIVED			
COPPER	01042	WAIVED			
FOAMING AGENTS (MBAS)	38260	WAIVED			
HARDNESS (TOTAL) AS CACO3	00900	000			DUE
HYDROXIDE ALKALINITY	71830	000			DUE
IRON	01045	000			DUE
MAGNESIUM	00927	000			DUE
MANGANESE	01055	000			DUE
ODOR THRESHOLD @ 60 C	00086	WAIVED			
PH, LABORATORY	00403	000			DUE
SILVER	01077	WAIVED			
SODIUM	00929	000			DUE
SPECIFIC CONDUCTANCE	00095	WAIVED			
SULFATE	00945	WAIVED			
TOTAL DISSOLVED SOLIDS	70300	WAIVED			

**Testing interval is in months;*
0 = No data for this constituent and is DUE NOW
999 = Waived testing (not required)
I = Invalid (NOT) valid analyses reported

System Number: ***3103247***

System Name: ***LOOMIS COMMUNITY PARK***

PS Code: ***3103247-002***

Source Name: ***NORTH PARK WELL 02***

Source Number: ***002***

Source Status: ***ACTIVE UNTREATED***

Water type: ***GROUNDWATER OR WELL***

	STORET NUMBER	TESTING INTERVAL (MONTHS)*	LAST TEST DATE (yyyy/mm/dd)	LAST RESULT REPORTED	NEXT TEST DATE (yyyy/mm)
SECONDARY/GP					
TURBIDITY, LABORATORY	82079	WAIVED			
ZINC	01092	WAIVED			

**Testing interval is in months;*
0 = No data for this constituent and is DUE NOW
999 = Waived testing (not required)
I = Invalid (NOT) valid analyses reported

System Number: ***3103257***

System Name: ***LDS RECREATION BALL PARK***

PS Code: ***3103257-001***

Source Name: ***WELL 01***

Source Number: ***001***

Source Status: ***ACTIVE UNTREATED***

Water type: ***GROUNDWATER OR WELL***

	STORET NUMBER	TESTING INTERVAL (MONTHS)*	LAST TEST DATE (yyyy/mm/dd)	LAST RESULT REPORTED	NEXT TEST DATE (yyyy/mm)	
GENERAL NON CHAP 15						
DIAZINON	39570	WAIVED				
INORGANIC						
ALUMINUM	01105	WAIVED				
ANTIMONY	01097	WAIVED				
ARSENIC	01002	WAIVED				
ASBESTOS	81855	WAIVED				
BARIUM	01007	WAIVED				
BERYLLIUM	01012	WAIVED				
CADMIUM	01027	WAIVED				
CHROMIUM (TOTAL)	01034	WAIVED				
CYANIDE	01291	WAIVED				
FLUORIDE (F) (NATURAL-SOURCE)	00951	000				**DUE**
LEAD	01051	WAIVED				
MERCURY	71900	WAIVED				
NICKEL	01067	WAIVED				
PERCHLORATE	A-031	WAIVED				
SELENIUM	01147	WAIVED				
THALLIUM	01059	WAIVED				
NITRATE/NITRITE						
NITRATE (AS NO3)	71850	012	2011/04/27	3.200	2012/04	
NITRITE (AS N)	00620	036	**2009/03/19**	.000	**2012/03**	**DUE**
RADIOLOGICAL						
GROSS ALPHA	01501	WAIVED				
GROSS BETA	03501	WAIVED				
RA-226 FOR CWS OR TOTAL RA FOR NTNC BY 903.0	A-080	WAIVED				
RA-226 OR TOTAL RA BY 903.0 C.E.	A-081	WAIVED				
RADIUM 226	09501	WAIVED				
RADIUM 228	11501	WAIVED				

**Testing interval is in months;*
0 = No data for this constituent and is DUE NOW
999 = Waived testing (not required)
I = Invalid (NOT) valid analyses reported

System Number: ***3103257***

System Name: ***LDS RECREATION BALL PARK***

PS Code: ***3103257-001***

Source Name: ***WELL 01***

Source Number: ***001***

Source Status: ***ACTIVE UNTREATED***

Water type: ***GROUNDWATER OR WELL***

	STORET NUMBER	TESTING INTERVAL (MONTHS)*	LAST TEST DATE (yyyy/mm/dd)	LAST RESULT REPORTED	NEXT TEST DATE (yyyy/mm)
RADIOLOGICAL					
RADIUM, TOTAL, MDA95-NTNC ONLY, BY 903.0	A-082	WAIVED			
STRONTIUM-90	13501	WAIVED			
TRITIUM	07000	WAIVED			
URANIUM (PCI/L)	28012	WAIVED			
REGULATED SOC					
2,3,7,8-TCDD (DIOXIN)	34676	WAIVED			
2,4,5-TP (SILVEX)	39045	WAIVED			
2,4-D	39730	WAIVED			
ALACHLOR	77825	WAIVED			
ATRAZINE	39033	WAIVED			
BENTAZON	38710	WAIVED			
BENZO (A) PYRENE	34247	WAIVED			
CARBOFURAN	81405	WAIVED			
CHLORDANE	39350	WAIVED			
DALAPON	38432	WAIVED			
DI(2-ETHYLHEXYL)ADIPATE	A-026	WAIVED			
DI(2-ETHYLHEXYL)PHTHALATE	39100	WAIVED			
DIBROMOCHLOROPROPANE (DBCP)	38761	WAIVED			
DINOSEB	81287	WAIVED			
DIQUAT	78885	WAIVED			
ENDOTHALL	38926	WAIVED			
ENDRIN	39390	WAIVED			
ETHYLENE DIBROMIDE (EDB)	77651	WAIVED			
GLYPHOSATE	79743	WAIVED			
HEPTACHLOR	39410	WAIVED			
HEPTACHLOR EPOXIDE	39420	WAIVED			
HEXACHLOROBENZENE	39700	WAIVED			
HEXACHLOROCYCLOPENTADIENE	34386	WAIVED			
LINDANE	39340	WAIVED			

**Testing interval is in months;*
0 = No data for this constituent and is DUE NOW
999 = Waived testing (not required)
I = Invalid (NOT) valid analyses reported

System Number: ***3103257***

System Name: ***LDS RECREATION BALL PARK***

PS Code: ***3103257-001***

Source Name: ***WELL 01***

Source Number: ***001***

Source Status: ***ACTIVE UNTREATED***

Water type: ***GROUNDWATER OR WELL***

	STORET NUMBER	TESTING INTERVAL (MONTHS)*	LAST TEST DATE (yyyy/mm/dd)	LAST RESULT REPORTED	NEXT TEST DATE (yyyy/mm)
REGULATED SOC					
METHOXYCHLOR	39480	WAIVED			
MOLINATE	82199	WAIVED			
OXAMYL	38865	WAIVED			
PENTACHLOROPHENOL	39032	WAIVED			
PICLORAM	39720	WAIVED			
POLYCHLORINATED BIPHENYLS, TOTAL, AS DCB	39516	WAIVED			
SIMAZINE	39055	WAIVED			
THIOBENCARB	A-001	WAIVED			
TOXAPHENE	39400	WAIVED			
REGULATED VOC					
1,1,1-TRICHLOROETHANE	34506	WAIVED			
1,1,2,2-TETRACHLOROETHANE	34516	WAIVED			
1,1,2-TRICHLORO-1,2,2-TRIFLUOROETHANE	81611	WAIVED			
1,1,2-TRICHLOROETHANE	34511	WAIVED			
1,1-DICHLOROETHANE	34496	WAIVED			
1,1-DICHLOROETHYLENE	34501	WAIVED			
1,2,4-TRICHLOROBENZENE	34551	WAIVED			
1,2-DICHLOROBENZENE	34536	WAIVED			
1,2-DICHLOROETHANE	34531	WAIVED			
1,2-DICHLOROPROPANE	34541	WAIVED			
1,3-DICHLOROPROPENE (TOTAL)	34561	WAIVED			
1,4-DICHLOROBENZENE	34571	WAIVED			
BENZENE	34030	WAIVED			
CARBON TETRACHLORIDE	32102	WAIVED			
CIS-1,2-DICHLOROETHYLENE	77093	WAIVED			
DICHLOROMETHANE	34423	WAIVED			
ETHYLBENZENE	34371	WAIVED			
METHYL-TERT-BUTYL-ETHER (MTBE)	46491	WAIVED			
MONOCHLOROBENZENE	34301	WAIVED			

**Testing interval is in months;*
0 = No data for this constituent and is DUE NOW
999 = Waived testing (not required)
I = Invalid (NOT) valid analyses reported

System Number: ***3103257***

System Name: ***LDS RECREATION BALL PARK***

PS Code: ***3103257-001***

Source Name: ***WELL 01***

Source Number: ***001***

Source Status: ***ACTIVE UNTREATED***

Water type: ***GROUNDWATER OR WELL***

	STORET NUMBER	TESTING INTERVAL (MONTHS)*	LAST TEST DATE (yyyy/mm/dd)	LAST RESULT REPORTED	NEXT TEST DATE (yyyy/mm)
REGULATED VOC					
STYRENE	77128	WAIVED			
TETRACHLOROETHYLENE	34475	WAIVED			
TOLUENE	34010	WAIVED			
TRANS-1,2-DICHLOROETHYLENE	34546	WAIVED			
TRICHLOROETHYLENE	39180	WAIVED			
TRICHLOROFLUOROMETHANE	34488	WAIVED			
VINYL CHLORIDE	39175	WAIVED			
XYLENES (TOTAL)	81551	WAIVED			
SECONDARY/GP					
AGGRSSIVE INDEX (CORROSIVITY)	82383	WAIVED			
BICARBONATE ALKALINITY	00440	000			DUE
CALCIUM	00916	000			DUE
CARBONATE ALKALINITY	00445	000			DUE
CHLORIDE	00940	WAIVED			
COLOR	00081	WAIVED			
COPPER	01042	WAIVED			
FOAMING AGENTS (MBAS)	38260	WAIVED			
HARDNESS (TOTAL) AS CACO3	00900	000			DUE
HYDROXIDE ALKALINITY	71830	000			DUE
IRON	01045	000			DUE
MAGNESIUM	00927	000			DUE
MANGANESE	01055	000			DUE
ODOR THRESHOLD @ 60 C	00086	WAIVED			
PH, LABORATORY	00403	000			DUE
SILVER	01077	WAIVED			
SODIUM	00929	000			DUE
SPECIFIC CONDUCTANCE	00095	WAIVED			
SULFATE	00945	WAIVED			
TOTAL DISSOLVED SOLIDS	70300	WAIVED			

**Testing interval is in months;*
0 = No data for this constituent and is DUE NOW
999 = Waived testing (not required)
I = Invalid (NOT) valid analyses reported

System Number: ***3103257***

System Name: ***LDS RECREATION BALL PARK***

PS Code: ***3103257-001***

Source Name: ***WELL 01***

Source Number: ***001***

Source Status: ***ACTIVE UNTREATED***

Water type: ***GROUNDWATER OR WELL***

	STORET NUMBER	TESTING INTERVAL (MONTHS)*	LAST TEST DATE (yyyy/mm/dd)	LAST RESULT REPORTED	NEXT TEST DATE (yyyy/mm)
SECONDARY/GP					
TURBIDITY, LABORATORY	82079	WAIVED			
ZINC	01092	WAIVED			

**Testing interval is in months;*
0 = No data for this constituent and is DUE NOW
999 = Waived testing (not required)
I = Invalid (NOT) valid analyses reported

System Number: ***3103259***

System Name: ***PENRYN OAKS PRESCHOOL***

PS Code: ***3103259-002***

Source Name: ***WELL 02***

Source Number: ***002***

Source Status: ***ACTIVE UNTREATED***

Water type: ***GROUNDWATER OR WELL***

	STORET NUMBER	TESTING INTERVAL (MONTHS)*	LAST TEST DATE (yyyy/mm/dd)	LAST RESULT REPORTED	NEXT TEST DATE (yyyy/mm)
GENERAL NON CHAP 15					
DIAZINON	39570	WAIVED			
INORGANIC					
ALUMINUM	01105	036	2011/06/21	.000	2014/06
ANTIMONY	01097	036	2011/06/21	.000	2014/06
ARSENIC	01002	036	2011/06/21	.000	2014/06
ASBESTOS	81855	WAIVED			
BARIUM	01007	036	2011/06/21	133.700	2014/06
BERYLLIUM	01012	036	2011/06/21	.000	2014/06
CADMIUM	01027	036	2011/06/21	.000	2014/06
CHROMIUM (TOTAL)	01034	108	2011/06/21	.000	2020/06
CYANIDE	01291	WAIVED			
FLUORIDE (F) (NATURAL-SOURCE)	00951	036	2011/06/21	.100	2014/06
LEAD	01051	WAIVED	2011/06/21	.000	
MERCURY	71900	036	2011/06/21	.000	2014/06
NICKEL	01067	036	2011/06/21	.000	2014/06
PERCHLORATE	A-031	036	2011/11/22	< .000	2014/11
SELENIUM	01147	036	2011/06/21	.000	2014/06
THALLIUM	01059	036	2011/06/21	.000	2014/06
NITRATE/NITRITE					
NITRATE (AS NO3)	71850	012	2012/02/28	38.300	2013/02
NITRITE (AS N)	00620	036	2011/06/21	.000	2014/06
RADIOLOGICAL					
GROSS ALPHA	01501	003	2012/02/28	3.200	2012/05
GROSS BETA	03501	WAIVED			
RA-226 FOR CWS OR TOTAL RA FOR NTNC BY 903.0	A-080	WAIVED			
RA-226 OR TOTAL RA BY 903.0 C.E.	A-081	WAIVED			
RADIUM 226	09501	WAIVED			
RADIUM 228	11501	WAIVED			

**Testing interval is in months;*
0 = No data for this constituent and is DUE NOW
999 = Waived testing (not required)
I = Invalid (NOT) valid analyses reported

System Number: ***3103259***

System Name: ***PENRYN OAKS PRESCHOOL***

PS Code: ***3103259-002***

Source Name: ***WELL 02***

Source Number: ***002***

Source Status: ***ACTIVE UNTREATED***

Water type: ***GROUNDWATER OR WELL***

	STORET NUMBER	TESTING INTERVAL (MONTHS)*	LAST TEST DATE (yyyy/mm/dd)	LAST RESULT REPORTED	NEXT TEST DATE (yyyy/mm)
RADIOLOGICAL					
RADIUM, TOTAL, MDA95-NTNC ONLY, BY 903.0	A-082	WAIVED			
STRONTIUM-90	13501	WAIVED			
TRITIUM	07000	WAIVED			
URANIUM (PCI/L)	28012	WAIVED			
REGULATED SOC					
2,3,7,8-TCDD (DIOXIN)	34676	WAIVED			
2,4,5-TP (SILVEX)	39045	WAIVED			
2,4-D	39730	WAIVED			
ALACHLOR	77825	WAIVED			
ATRAZINE	39033	WAIVED			
BENTAZON	38710	WAIVED			
BENZO (A) PYRENE	34247	WAIVED			
CARBOFURAN	81405	WAIVED			
CHLORDANE	39350	WAIVED			
DALAPON	38432	WAIVED			
DI(2-ETHYLHEXYL)ADIPATE	A-026	WAIVED			
DI(2-ETHYLHEXYL)PHTHALATE	39100	WAIVED			
DIBROMOCHLOROPROPANE (DBCP)	38761	WAIVED			
DINOSEB	81287	WAIVED			
DIQUAT	78885	WAIVED			
ENDOTHALL	38926	WAIVED			
ENDRIN	39390	WAIVED			
ETHYLENE DIBROMIDE (EDB)	77651	WAIVED			
GLYPHOSATE	79743	WAIVED			
HEPTACHLOR	39410	WAIVED			
HEPTACHLOR EPOXIDE	39420	WAIVED			
HEXACHLOROBENZENE	39700	WAIVED			
HEXACHLOROCYCLOPENTADIENE	34386	WAIVED			
LINDANE	39340	WAIVED			

**Testing interval is in months;*
0 = No data for this constituent and is DUE NOW
999 = Waived testing (not required)
I = Invalid (NOT) valid analyses reported

System Number: ***3103259***

System Name: ***PENRYN OAKS PRESCHOOL***

PS Code: ***3103259-002***

Source Name: ***WELL 02***

Source Number: ***002***

Source Status: ***ACTIVE UNTREATED***

Water type: ***GROUNDWATER OR WELL***

	STORET NUMBER	TESTING INTERVAL (MONTHS)*	LAST TEST DATE (yyyy/mm/dd)	LAST RESULT REPORTED	NEXT TEST DATE (yyyy/mm)
REGULATED SOC					
METHOXYCHLOR	39480	WAIVED			
MOLINATE	82199	WAIVED			
OXAMYL	38865	WAIVED			
PENTACHLOROPHENOL	39032	WAIVED			
PICLORAM	39720	WAIVED			
POLYCHLORINATED BIPHENYLS, TOTAL, AS DCB	39516	WAIVED			
SIMAZINE	39055	WAIVED			
THIOBENCARB	A-001	WAIVED			
TOXAPHENE	39400	WAIVED			
REGULATED VOC					
1,1,1-TRICHLOROETHANE	34506	072	2006/04/26	.000	2012/04
1,1,2,2-TETRACHLOROETHANE	34516	072	2006/04/26	.000	2012/04
1,1,2-TRICHLORO-1,2,2-TRIFLUOROETHANE	81611	072	2006/04/26	.000	2012/04
1,1,2-TRICHLOROETHANE	34511	072	2006/04/26	.000	2012/04
1,1-DICHLOROETHANE	34496	072	2006/04/26	.000	2012/04
1,1-DICHLOROETHYLENE	34501	072	2006/04/26	.000	2012/04
1,2,4-TRICHLOROBENZENE	34551	072	2006/04/26	.000	2012/04
1,2-DICHLOROBENZENE	34536	072	2006/04/26	.000	2012/04
1,2-DICHLOROETHANE	34531	072	2006/04/26	.000	2012/04
1,2-DICHLOROPROPANE	34541	072	2006/04/26	.000	2012/04
1,3-DICHLOROPROPENE (TOTAL)	34561	072	2006/04/26	.000	2012/04
1,4-DICHLOROBENZENE	34571	072	2006/04/26	.000	2012/04
BENZENE	34030	072	2006/04/26	.000	2012/04
CARBON TETRACHLORIDE	32102	072	2006/04/26	.000	2012/04
CIS-1,2-DICHLOROETHYLENE	77093	072	2006/04/26	.000	2012/04
DICHLOROMETHANE	34423	072	2006/04/26	.000	2012/04
ETHYLBENZENE	34371	072	2006/04/26	.000	2012/04
METHYL-TERT-BUTYL-ETHER (MTBE)	46491	072	2006/04/26	.000	2012/04
MONOCHLOROBENZENE	34301	072	2006/04/26	.000	2012/04

**Testing interval is in months;*
0 = No data for this constituent and is DUE NOW
999 = Waived testing (not required)
I = Invalid (NOT) valid analyses reported

System Number: ***3103259***

System Name: ***PENRYN OAKS PRESCHOOL***

PS Code: ***3103259-002***

Source Name: ***WELL 02***

Source Number: ***002***

Source Status: ***ACTIVE UNTREATED***

Water type: ***GROUNDWATER OR WELL***

	STORET NUMBER	TESTING INTERVAL (MONTHS)*	LAST TEST DATE (yyyy/mm/dd)	LAST RESULT REPORTED	NEXT TEST DATE (yyyy/mm)	
REGULATED VOC						
STYRENE	77128	072	2006/04/26	.000	2012/04	
TETRACHLOROETHYLENE	34475	072	2006/04/26	.000	2012/04	
TOLUENE	34010	072	2006/04/26	.000	2012/04	
TRANS-1,2-DICHLOROETHYLENE	34546	072	2006/04/26	.000	2012/04	
TRICHLOROETHYLENE	39180	072	2006/04/26	.000	2012/04	
TRICHLOROFLUOROMETHANE	34488	072	2006/04/26	.000	2012/04	
VINYL CHLORIDE	39175	072	2006/04/26	.000	2012/04	
XYLENES (TOTAL)	81551	072	2006/04/26	< .500	2012/04	
SECONDARY/GP						
AGGRSSIVE INDEX (CORROSIVITY)	82383	WAIVED				
BICARBONATE ALKALINITY	00440	000				DUE
CALCIUM	00916	000				DUE
CARBONATE ALKALINITY	00445	000				DUE
CHLORIDE	00940	WAIVED				
COLOR	00081	WAIVED				
COPPER	01042	WAIVED				
FOAMING AGENTS (MBAS)	38260	WAIVED				
HARDNESS (TOTAL) AS CACO3	00900	000				DUE
HYDROXIDE ALKALINITY	71830	000				DUE
IRON	01045	000				DUE
MAGNESIUM	00927	000				DUE
MANGANESE	01055	000				DUE
ODOR THRESHOLD @ 60 C	00086	WAIVED				
PH, LABORATORY	00403	000				DUE
SILVER	01077	WAIVED	2011/06/21	.000		
SODIUM	00929	000				DUE
SPECIFIC CONDUCTANCE	00095	WAIVED	2011/11/22	340.000		
SULFATE	00945	WAIVED				
TOTAL DISSOLVED SOLIDS	70300	WAIVED				

**Testing interval is in months;*
0 = No data for this constituent and is DUE NOW
999 = Waived testing (not required)
I = Invalid (NOT) valid analyses reported

System Number: ***3103259***

System Name: ***PENRYN OAKS PRESCHOOL***

PS Code: ***3103259-002***

Source Name: ***WELL 02***

Source Number: ***002***

Source Status: ***ACTIVE UNTREATED***

Water type: ***GROUNDWATER OR WELL***

	STORET NUMBER	TESTING INTERVAL (MONTHS)*	LAST TEST DATE (yyyy/mm/dd)	LAST RESULT REPORTED	NEXT TEST DATE (yyyy/mm)
SECONDARY/GP					
TURBIDITY, LABORATORY	82079	WAIVED			
ZINC	01092	WAIVED			

**Testing interval is in months;*
0 = No data for this constituent and is DUE NOW
999 = Waived testing (not required)
I = Invalid (NOT) valid analyses reported

System Number: ***3103260***

System Name: ***ROBINSON FLAT***

PS Code: ***3103260-001***

Source Name: ***WELL 01***

Source Number: ***001***

Source Status: ***ACTIVE UNTREATED***

Water type: ***GROUNDWATER OR WELL***

	STORET NUMBER	TESTING INTERVAL (MONTHS)*	LAST TEST DATE (yyyy/mm/dd)	LAST RESULT REPORTED	NEXT TEST DATE (yyyy/mm)
GENERAL NON CHAP 15					
DIAZINON	39570	WAIVED			
INORGANIC					
ALUMINUM	01105	WAIVED			
ANTIMONY	01097	WAIVED			
ARSENIC	01002	WAIVED			
ASBESTOS	81855	WAIVED			
BARIUM	01007	WAIVED			
BERYLLIUM	01012	WAIVED			
CADMIUM	01027	WAIVED			
CHROMIUM (TOTAL)	01034	WAIVED			
CYANIDE	01291	WAIVED			
FLUORIDE (F) (NATURAL-SOURCE)	00951	WAIVED			
LEAD	01051	WAIVED			
MERCURY	71900	WAIVED			
NICKEL	01067	WAIVED			
PERCHLORATE	A-031	WAIVED			
SELENIUM	01147	WAIVED			
THALLIUM	01059	WAIVED			
NITRATE/NITRITE					
NITRATE (AS NO3)	71850	WAIVED	2011/09/14	.000	
NITRITE (AS N)	00620	WAIVED	2010/10/25	.000	
RADIOLOGICAL					
GROSS ALPHA	01501	WAIVED			
GROSS BETA	03501	WAIVED			
RA-226 FOR CWS OR TOTAL RA FOR NTNC BY 903.0	A-080	WAIVED			
RA-226 OR TOTAL RA BY 903.0 C.E.	A-081	WAIVED			
RADIUM 226	09501	WAIVED			
RADIUM 228	11501	WAIVED			

**Testing interval is in months;*
0 = No data for this constituent and is DUE NOW
999 = Waived testing (not required)
I = Invalid (NOT) valid analyses reported

System Number: ***3103260***

System Name: ***ROBINSON FLAT***

PS Code: ***3103260-001***

Source Name: ***WELL 01***

Source Number: ***001***

Source Status: ***ACTIVE UNTREATED***

Water type: ***GROUNDWATER OR WELL***

	STORET NUMBER	TESTING INTERVAL (MONTHS)*	LAST TEST DATE (yyyy/mm/dd)	LAST RESULT REPORTED	NEXT TEST DATE (yyyy/mm)
RADIOLOGICAL					
RADIUM, TOTAL, MDA95-NTNC ONLY, BY 903.0	A-082	WAIVED			
STRONTIUM-90	13501	WAIVED			
TRITIUM	07000	WAIVED			
URANIUM (PCI/L)	28012	WAIVED			
REGULATED SOC					
2,3,7,8-TCDD (DIOXIN)	34676	WAIVED			
2,4,5-TP (SILVEX)	39045	WAIVED			
2,4-D	39730	WAIVED			
ALACHLOR	77825	WAIVED			
ATRAZINE	39033	WAIVED			
BENTAZON	38710	WAIVED			
BENZO (A) PYRENE	34247	WAIVED			
CARBOFURAN	81405	WAIVED			
CHLORDANE	39350	WAIVED			
DALAPON	38432	WAIVED			
DI(2-ETHYLHEXYL)ADIPATE	A-026	WAIVED			
DI(2-ETHYLHEXYL)PHTHALATE	39100	WAIVED			
DIBROMOCHLOROPROPANE (DBCP)	38761	WAIVED			
DINOSEB	81287	WAIVED			
DIQUAT	78885	WAIVED			
ENDOTHALL	38926	WAIVED			
ENDRIN	39390	WAIVED			
ETHYLENE DIBROMIDE (EDB)	77651	WAIVED			
GLYPHOSATE	79743	WAIVED			
HEPTACHLOR	39410	WAIVED			
HEPTACHLOR EPOXIDE	39420	WAIVED			
HEXACHLOROBENZENE	39700	WAIVED			
HEXACHLOROCYCLOPENTADIENE	34386	WAIVED			
LINDANE	39340	WAIVED			

**Testing interval is in months;*
0 = No data for this constituent and is DUE NOW
999 = Waived testing (not required)
I = Invalid (NOT) valid analyses reported

System Number: ***3103260***

System Name: ***ROBINSON FLAT***

PS Code: ***3103260-001***

Source Name: ***WELL 01***

Source Number: ***001***

Source Status: ***ACTIVE UNTREATED***

Water type: ***GROUNDWATER OR WELL***

	STORET NUMBER	TESTING INTERVAL (MONTHS)*	LAST TEST DATE (yyyy/mm/dd)	LAST RESULT REPORTED	NEXT TEST DATE (yyyy/mm)
REGULATED SOC					
METHOXYCHLOR	39480	WAIVED			
MOLINATE	82199	WAIVED			
OXAMYL	38865	WAIVED			
PENTACHLOROPHENOL	39032	WAIVED			
PICLORAM	39720	WAIVED			
POLYCHLORINATED BIPHENYLS, TOTAL, AS DCB	39516	WAIVED			
SIMAZINE	39055	WAIVED			
THIOBENCARB	A-001	WAIVED			
TOXAPHENE	39400	WAIVED			
REGULATED VOC					
1,1,1-TRICHLOROETHANE	34506	WAIVED			
1,1,2,2-TETRACHLOROETHANE	34516	WAIVED			
1,1,2-TRICHLORO-1,2,2-TRIFLUOROETHANE	81611	WAIVED			
1,1,2-TRICHLOROETHANE	34511	WAIVED			
1,1-DICHLOROETHANE	34496	WAIVED			
1,1-DICHLOROETHYLENE	34501	WAIVED			
1,2,4-TRICHLOROBENZENE	34551	WAIVED			
1,2-DICHLOROBENZENE	34536	WAIVED			
1,2-DICHLOROETHANE	34531	WAIVED			
1,2-DICHLOROPROPANE	34541	WAIVED			
1,3-DICHLOROPROPENE (TOTAL)	34561	WAIVED			
1,4-DICHLOROBENZENE	34571	WAIVED			
BENZENE	34030	WAIVED			
CARBON TETRACHLORIDE	32102	WAIVED			
CIS-1,2-DICHLOROETHYLENE	77093	WAIVED			
DICHLOROMETHANE	34423	WAIVED			
ETHYLBENZENE	34371	WAIVED			
METHYL-TERT-BUTYL-ETHER (MTBE)	46491	WAIVED			
MONOCHLOROBENZENE	34301	WAIVED			

**Testing interval is in months;*
0 = No data for this constituent and is DUE NOW
999 = Waived testing (not required)
I = Invalid (NOT) valid analyses reported

System Number: ***3103260***

System Name: ***ROBINSON FLAT***

PS Code: ***3103260-001***

Source Name: ***WELL 01***

Source Number: ***001***

Source Status: ***ACTIVE UNTREATED***

Water type: ***GROUNDWATER OR WELL***

	STORET NUMBER	TESTING INTERVAL (MONTHS)*	LAST TEST DATE (yyyy/mm/dd)	LAST RESULT REPORTED	NEXT TEST DATE (yyyy/mm)
REGULATED VOC					
STYRENE	77128	WAIVED			
TETRACHLOROETHYLENE	34475	WAIVED			
TOLUENE	34010	WAIVED			
TRANS-1,2-DICHLOROETHYLENE	34546	WAIVED			
TRICHLOROETHYLENE	39180	WAIVED			
TRICHLOROFLUOROMETHANE	34488	WAIVED			
VINYL CHLORIDE	39175	WAIVED			
XYLENES (TOTAL)	81551	WAIVED			
SECONDARY/GP					
AGGRSSIVE INDEX (CORROSIVITY)	82383	WAIVED			
BICARBONATE ALKALINITY	00440	WAIVED			
CALCIUM	00916	WAIVED			
CARBONATE ALKALINITY	00445	WAIVED			
CHLORIDE	00940	WAIVED			
COLOR	00081	WAIVED			
COPPER	01042	WAIVED			
FOAMING AGENTS (MBAS)	38260	WAIVED			
HARDNESS (TOTAL) AS CACO3	00900	WAIVED			
HYDROXIDE ALKALINITY	71830	WAIVED			
IRON	01045	WAIVED			
MAGNESIUM	00927	WAIVED			
MANGANESE	01055	WAIVED			
ODOR THRESHOLD @ 60 C	00086	WAIVED			
PH, LABORATORY	00403	WAIVED			
SILVER	01077	WAIVED			
SODIUM	00929	WAIVED			
SPECIFIC CONDUCTANCE	00095	WAIVED			
SULFATE	00945	WAIVED			
TOTAL DISSOLVED SOLIDS	70300	WAIVED			

**Testing interval is in months;*
0 = No data for this constituent and is DUE NOW
999 = Waived testing (not required)
I = Invalid (NOT) valid analyses reported

System Number: ***3103260***

System Name: ***ROBINSON FLAT***

PS Code: ***3103260-001***

Source Name: ***WELL 01***

Source Number: ***001***

Source Status: ***ACTIVE UNTREATED***

Water type: ***GROUNDWATER OR WELL***

	STORET NUMBER	TESTING INTERVAL (MONTHS)*	LAST TEST DATE (yyyy/mm/dd)	LAST RESULT REPORTED	NEXT TEST DATE (yyyy/mm)
SECONDARY/GP					
TURBIDITY, LABORATORY	82079	WAIVED			
ZINC	01092	WAIVED			

**Testing interval is in months;*
0 = No data for this constituent and is DUE NOW
999 = Waived testing (not required)
I = Invalid (NOT) valid analyses reported

System Number: ***3103261***

System Name: ***SUGAR PINE RESERVIOR***

PS Code: ***3103261-002***

Source Name: ***WELL 02 DRILLED 1992***

Source Number: ***002***

Source Status: ***ACTIVE UNTREATED***

Water type: ***GROUNDWATER OR WELL***

	STORET NUMBER	TESTING INTERVAL (MONTHS)*	LAST TEST DATE (yyyy/mm/dd)	LAST RESULT REPORTED	NEXT TEST DATE (yyyy/mm)
GENERAL NON CHAP 15					
DIAZINON	39570	WAIVED			
INORGANIC					
ALUMINUM	01105	WAIVED			
ANTIMONY	01097	WAIVED			
ARSENIC	01002	WAIVED			
ASBESTOS	81855	WAIVED			
BARIUM	01007	WAIVED			
BERYLLIUM	01012	WAIVED			
CADMIUM	01027	WAIVED			
CHROMIUM (TOTAL)	01034	WAIVED			
CYANIDE	01291	WAIVED			
FLUORIDE (F) (NATURAL-SOURCE)	00951	WAIVED			
LEAD	01051	WAIVED			
MERCURY	71900	WAIVED			
NICKEL	01067	WAIVED			
PERCHLORATE	A-031	WAIVED			
SELENIUM	01147	WAIVED			
THALLIUM	01059	WAIVED			
NITRATE/NITRITE					
NITRATE (AS NO3)	71850	WAIVED	2011/05/27	.000	
NITRITE (AS N)	00620	WAIVED	2011/05/27	.000	
RADIOLOGICAL					
GROSS ALPHA	01501	WAIVED			
GROSS BETA	03501	WAIVED			
RA-226 FOR CWS OR TOTAL RA FOR NTNC BY 903.0	A-080	WAIVED			
RA-226 OR TOTAL RA BY 903.0 C.E.	A-081	WAIVED			
RADIUM 226	09501	WAIVED			
RADIUM 228	11501	WAIVED			

**Testing interval is in months;*
0 = No data for this constituent and is DUE NOW
999 = Waived testing (not required)
I = Invalid (NOT) valid analyses reported

System Number: ***3103261***

System Name: ***SUGAR PINE RESERVIOR***

PS Code: ***3103261-002***

Source Name: ***WELL 02 DRILLED 1992***

Source Number: ***002***

Source Status: ***ACTIVE UNTREATED***

Water type: ***GROUNDWATER OR WELL***

	STORET NUMBER	TESTING INTERVAL (MONTHS)*	LAST TEST DATE (yyyy/mm/dd)	LAST RESULT REPORTED	NEXT TEST DATE (yyyy/mm)
RADIOLOGICAL					
RADIUM, TOTAL, MDA95-NTNC ONLY, BY 903.0	A-082	WAIVED			
STRONTIUM-90	13501	WAIVED			
TRITIUM	07000	WAIVED			
URANIUM (PCI/L)	28012	WAIVED			
REGULATED SOC					
2,3,7,8-TCDD (DIOXIN)	34676	WAIVED			
2,4,5-TP (SILVEX)	39045	WAIVED			
2,4-D	39730	WAIVED			
ALACHLOR	77825	WAIVED			
ATRAZINE	39033	WAIVED			
BENTAZON	38710	WAIVED			
BENZO (A) PYRENE	34247	WAIVED			
CARBOFURAN	81405	WAIVED			
CHLORDANE	39350	WAIVED			
DALAPON	38432	WAIVED			
DI(2-ETHYLHEXYL)ADIPATE	A-026	WAIVED			
DI(2-ETHYLHEXYL)PHTHALATE	39100	WAIVED			
DIBROMOCHLOROPROPANE (DBCP)	38761	WAIVED			
DINOSEB	81287	WAIVED			
DIQUAT	78885	WAIVED			
ENDOTHALL	38926	WAIVED			
ENDRIN	39390	WAIVED			
ETHYLENE DIBROMIDE (EDB)	77651	WAIVED			
GLYPHOSATE	79743	WAIVED			
HEPTACHLOR	39410	WAIVED			
HEPTACHLOR EPOXIDE	39420	WAIVED			
HEXACHLOROBENZENE	39700	WAIVED			
HEXACHLOROCYCLOPENTADIENE	34386	WAIVED			
LINDANE	39340	WAIVED			

**Testing interval is in months;*
0 = No data for this constituent and is DUE NOW
999 = Waived testing (not required)
I = Invalid (NOT) valid analyses reported

System Number: ***3103261***

System Name: ***SUGAR PINE RESERVIOR***

PS Code: ***3103261-002***

Source Name: ***WELL 02 DRILLED 1992***

Source Number: ***002***

Source Status: ***ACTIVE UNTREATED***

Water type: ***GROUNDWATER OR WELL***

	STORET NUMBER	TESTING INTERVAL (MONTHS)*	LAST TEST DATE (yyyy/mm/dd)	LAST RESULT REPORTED	NEXT TEST DATE (yyyy/mm)
REGULATED SOC					
METHOXYCHLOR	39480	WAIVED			
MOLINATE	82199	WAIVED			
OXAMYL	38865	WAIVED			
PENTACHLOROPHENOL	39032	WAIVED			
PICLORAM	39720	WAIVED			
POLYCHLORINATED BIPHENYLS, TOTAL, AS DCB	39516	WAIVED			
SIMAZINE	39055	WAIVED			
THIOBENCARB	A-001	WAIVED			
TOXAPHENE	39400	WAIVED			
REGULATED VOC					
1,1,1-TRICHLOROETHANE	34506	WAIVED			
1,1,2,2-TETRACHLOROETHANE	34516	WAIVED			
1,1,2-TRICHLORO-1,2,2-TRIFLUOROETHANE	81611	WAIVED			
1,1,2-TRICHLOROETHANE	34511	WAIVED			
1,1-DICHLOROETHANE	34496	WAIVED			
1,1-DICHLOROETHYLENE	34501	WAIVED			
1,2,4-TRICHLOROBENZENE	34551	WAIVED			
1,2-DICHLOROBENZENE	34536	WAIVED			
1,2-DICHLOROETHANE	34531	WAIVED			
1,2-DICHLOROPROPANE	34541	WAIVED			
1,3-DICHLOROPROPENE (TOTAL)	34561	WAIVED			
1,4-DICHLOROBENZENE	34571	WAIVED			
BENZENE	34030	WAIVED			
CARBON TETRACHLORIDE	32102	WAIVED			
CIS-1,2-DICHLOROETHYLENE	77093	WAIVED			
DICHLOROMETHANE	34423	WAIVED			
ETHYLBENZENE	34371	WAIVED			
METHYL-TERT-BUTYL-ETHER (MTBE)	46491	WAIVED			
MONOCHLOROBENZENE	34301	WAIVED			

**Testing interval is in months;*
0 = No data for this constituent and is DUE NOW
999 = Waived testing (not required)
I = Invalid (NOT) valid analyses reported

System Number: ***3103261***

System Name: ***SUGAR PINE RESERVIOR***

PS Code: ***3103261-002***

Source Name: ***WELL 02 DRILLED 1992***

Source Number: ***002***

Source Status: ***ACTIVE UNTREATED***

Water type: ***GROUNDWATER OR WELL***

	STORET NUMBER	TESTING INTERVAL (MONTHS)*	LAST TEST DATE (yyyy/mm/dd)	LAST RESULT REPORTED	NEXT TEST DATE (yyyy/mm)
REGULATED VOC					
STYRENE	77128	WAIVED			
TETRACHLOROETHYLENE	34475	WAIVED			
TOLUENE	34010	WAIVED			
TRANS-1,2-DICHLOROETHYLENE	34546	WAIVED			
TRICHLOROETHYLENE	39180	WAIVED			
TRICHLOROFLUOROMETHANE	34488	WAIVED			
VINYL CHLORIDE	39175	WAIVED			
XYLENES (TOTAL)	81551	WAIVED			
SECONDARY/GP					
AGGRSSIVE INDEX (CORROSIVITY)	82383	WAIVED			
BICARBONATE ALKALINITY	00440	WAIVED			
CALCIUM	00916	WAIVED			
CARBONATE ALKALINITY	00445	WAIVED			
CHLORIDE	00940	WAIVED			
COLOR	00081	WAIVED			
COPPER	01042	WAIVED			
FOAMING AGENTS (MBAS)	38260	WAIVED			
HARDNESS (TOTAL) AS CACO3	00900	WAIVED	2007/08/10	6.000	
HYDROXIDE ALKALINITY	71830	WAIVED			
IRON	01045	WAIVED			
MAGNESIUM	00927	WAIVED			
MANGANESE	01055	WAIVED			
ODOR THRESHOLD @ 60 C	00086	WAIVED			
PH, LABORATORY	00403	WAIVED			
SILVER	01077	WAIVED			
SODIUM	00929	WAIVED			
SPECIFIC CONDUCTANCE	00095	WAIVED			
SULFATE	00945	WAIVED			
TOTAL DISSOLVED SOLIDS	70300	WAIVED			

**Testing interval is in months;*
0 = No data for this constituent and is DUE NOW
999 = Waived testing (not required)
I = Invalid (NOT) valid analyses reported

System Number: ***3103261***

System Name: ***SUGAR PINE RESERVIOR***

PS Code: ***3103261-002***

Source Name: ***WELL 02 DRILLED 1992***

Source Number: ***002***

Source Status: ***ACTIVE UNTREATED***

Water type: ***GROUNDWATER OR WELL***

	STORET NUMBER	TESTING INTERVAL (MONTHS)*	LAST TEST DATE (yyyy/mm/dd)	LAST RESULT REPORTED	NEXT TEST DATE (yyyy/mm)
SECONDARY/GP					
TURBIDITY, LABORATORY	82079	WAIVED			
ZINC	01092	WAIVED			

**Testing interval is in months;*
0 = No data for this constituent and is DUE NOW
999 = Waived testing (not required)
I = Invalid (NOT) valid analyses reported

System Number: ***3103279***

System Name: ***APPLEGATE INN***

PS Code: ***3103279-001***

Source Name: ***WELL 01***

Source Number: ***001***

Source Status: ***ACTIVE UNTREATED***

Water type: ***GROUNDWATER OR WELL***

	STORET NUMBER	TESTING INTERVAL (MONTHS)*	LAST TEST DATE (yyyy/mm/dd)	LAST RESULT REPORTED	NEXT TEST DATE (yyyy/mm)
GENERAL NON CHAP 15					
DIAZINON	39570	WAIVED			
INORGANIC					
ALUMINUM	01105	WAIVED			
ANTIMONY	01097	WAIVED			
ARSENIC	01002	WAIVED			
ASBESTOS	81855	WAIVED			
BARIUM	01007	WAIVED			
BERYLLIUM	01012	WAIVED			
CADMIUM	01027	WAIVED			
CHROMIUM (TOTAL)	01034	WAIVED			
CYANIDE	01291	WAIVED			
FLUORIDE (F) (NATURAL-SOURCE)	00951	WAIVED			
LEAD	01051	WAIVED			
MERCURY	71900	WAIVED			
NICKEL	01067	WAIVED			
PERCHLORATE	A-031	WAIVED			
SELENIUM	01147	WAIVED			
THALLIUM	01059	WAIVED			
NITRATE/NITRITE					
NITRATE (AS NO3)	71850	WAIVED	2010/04/07	.000	
NITRITE (AS N)	00620	WAIVED	2009/04/07	.000	
RADIOLOGICAL					
GROSS ALPHA	01501	WAIVED			
GROSS BETA	03501	WAIVED			
RA-226 FOR CWS OR TOTAL RA FOR NTNC BY 903.0	A-080	WAIVED			
RA-226 OR TOTAL RA BY 903.0 C.E.	A-081	WAIVED			
RADIUM 226	09501	WAIVED			
RADIUM 228	11501	WAIVED			

**Testing interval is in months;*
0 = No data for this constituent and is DUE NOW
999 = Waived testing (not required)
I = Invalid (NOT) valid analyses reported

System Number: ***3103279***

System Name: ***APPLEGATE INN***

PS Code: ***3103279-001***

Source Name: ***WELL 01***

Source Number: ***001***

Source Status: ***ACTIVE UNTREATED***

Water type: ***GROUNDWATER OR WELL***

	STORET NUMBER	TESTING INTERVAL (MONTHS)*	LAST TEST DATE (yyyy/mm/dd)	LAST RESULT REPORTED	NEXT TEST DATE (yyyy/mm)
RADIOLOGICAL					
RADIUM, TOTAL, MDA95-NTNC ONLY, BY 903.0	A-082	WAIVED			
STRONTIUM-90	13501	WAIVED			
TRITIUM	07000	WAIVED			
URANIUM (PCI/L)	28012	WAIVED			
REGULATED SOC					
2,3,7,8-TCDD (DIOXIN)	34676	WAIVED			
2,4,5-TP (SILVEX)	39045	WAIVED			
2,4-D	39730	WAIVED			
ALACHLOR	77825	WAIVED			
ATRAZINE	39033	WAIVED			
BENTAZON	38710	WAIVED			
BENZO (A) PYRENE	34247	WAIVED			
CARBOFURAN	81405	WAIVED			
CHLORDANE	39350	WAIVED			
DALAPON	38432	WAIVED			
DI(2-ETHYLHEXYL)ADIPATE	A-026	WAIVED			
DI(2-ETHYLHEXYL)PHTHALATE	39100	WAIVED			
DIBROMOCHLOROPROPANE (DBCP)	38761	WAIVED			
DINOSEB	81287	WAIVED			
DIQUAT	78885	WAIVED			
ENDOTHALL	38926	WAIVED			
ENDRIN	39390	WAIVED			
ETHYLENE DIBROMIDE (EDB)	77651	WAIVED			
GLYPHOSATE	79743	WAIVED			
HEPTACHLOR	39410	WAIVED			
HEPTACHLOR EPOXIDE	39420	WAIVED			
HEXACHLOROBENZENE	39700	WAIVED			
HEXACHLOROCYCLOPENTADIENE	34386	WAIVED			
LINDANE	39340	WAIVED			

**Testing interval is in months;*
0 = No data for this constituent and is DUE NOW
999 = Waived testing (not required)
I = Invalid (NOT) valid analyses reported

System Number: ***3103279***

System Name: ***APPLEGATE INN***

PS Code: ***3103279-001***

Source Name: ***WELL 01***

Source Number: ***001***

Source Status: ***ACTIVE UNTREATED***

Water type: ***GROUNDWATER OR WELL***

	STORET NUMBER	TESTING INTERVAL (MONTHS)*	LAST TEST DATE (yyyy/mm/dd)	LAST RESULT REPORTED	NEXT TEST DATE (yyyy/mm)
REGULATED SOC					
METHOXYCHLOR	39480	WAIVED			
MOLINATE	82199	WAIVED			
OXAMYL	38865	WAIVED			
PENTACHLOROPHENOL	39032	WAIVED			
PICLORAM	39720	WAIVED			
POLYCHLORINATED BIPHENYLS, TOTAL, AS DCB	39516	WAIVED			
SIMAZINE	39055	WAIVED			
THIOBENCARB	A-001	WAIVED			
TOXAPHENE	39400	WAIVED			
REGULATED VOC					
1,1,1-TRICHLOROETHANE	34506	WAIVED			
1,1,2,2-TETRACHLOROETHANE	34516	WAIVED			
1,1,2-TRICHLORO-1,2,2-TRIFLUOROETHANE	81611	WAIVED			
1,1,2-TRICHLOROETHANE	34511	WAIVED			
1,1-DICHLOROETHANE	34496	WAIVED			
1,1-DICHLOROETHYLENE	34501	WAIVED			
1,2,4-TRICHLOROBENZENE	34551	WAIVED			
1,2-DICHLOROBENZENE	34536	WAIVED			
1,2-DICHLOROETHANE	34531	WAIVED			
1,2-DICHLOROPROPANE	34541	WAIVED			
1,3-DICHLOROPROPENE (TOTAL)	34561	WAIVED			
1,4-DICHLOROBENZENE	34571	WAIVED			
BENZENE	34030	WAIVED			
CARBON TETRACHLORIDE	32102	WAIVED			
CIS-1,2-DICHLOROETHYLENE	77093	WAIVED			
DICHLOROMETHANE	34423	WAIVED			
ETHYLBENZENE	34371	WAIVED			
METHYL-TERT-BUTYL-ETHER (MTBE)	46491	WAIVED	1999/03/08	< .500	
MONOCHLOROBENZENE	34301	WAIVED			

**Testing interval is in months;*
0 = No data for this constituent and is DUE NOW
999 = Waived testing (not required)
I = Invalid (NOT) valid analyses reported

System Number: ***3103279***

System Name: ***APPLEGATE INN***

PS Code: ***3103279-001***

Source Name: ***WELL 01***

Source Number: ***001***

Source Status: ***ACTIVE UNTREATED***

Water type: ***GROUNDWATER OR WELL***

	STORET NUMBER	TESTING INTERVAL (MONTHS)*	LAST TEST DATE (yyyy/mm/dd)	LAST RESULT REPORTED	NEXT TEST DATE (yyyy/mm)
REGULATED VOC					
STYRENE	77128	WAIVED			
TETRACHLOROETHYLENE	34475	WAIVED			
TOLUENE	34010	WAIVED			
TRANS-1,2-DICHLOROETHYLENE	34546	WAIVED			
TRICHLOROETHYLENE	39180	WAIVED			
TRICHLOROFLUOROMETHANE	34488	WAIVED			
VINYL CHLORIDE	39175	WAIVED			
XYLENES (TOTAL)	81551	WAIVED			
SECONDARY/GP					
AGGRSSIVE INDEX (CORROSIVITY)	82383	WAIVED			
BICARBONATE ALKALINITY	00440	WAIVED			
CALCIUM	00916	WAIVED			
CARBONATE ALKALINITY	00445	WAIVED			
CHLORIDE	00940	WAIVED			
COLOR	00081	WAIVED			
COPPER	01042	WAIVED			
FOAMING AGENTS (MBAS)	38260	WAIVED			
HARDNESS (TOTAL) AS CACO3	00900	WAIVED			
HYDROXIDE ALKALINITY	71830	WAIVED			
IRON	01045	WAIVED			
MAGNESIUM	00927	WAIVED			
MANGANESE	01055	WAIVED			
ODOR THRESHOLD @ 60 C	00086	WAIVED			
PH, LABORATORY	00403	WAIVED			
SILVER	01077	WAIVED			
SODIUM	00929	WAIVED			
SPECIFIC CONDUCTANCE	00095	WAIVED			
SULFATE	00945	WAIVED			
TOTAL DISSOLVED SOLIDS	70300	WAIVED			

**Testing interval is in months;*
0 = No data for this constituent and is DUE NOW
999 = Waived testing (not required)
I = Invalid (NOT) valid analyses reported

System Number: ***3103279***

System Name: ***APPLEGATE INN***

PS Code: ***3103279-001***

Source Name: ***WELL 01***

Source Number: ***001***

Source Status: ***ACTIVE UNTREATED***

Water type: ***GROUNDWATER OR WELL***

	STORET NUMBER	TESTING INTERVAL (MONTHS)*	LAST TEST DATE (yyyy/mm/dd)	LAST RESULT REPORTED	NEXT TEST DATE (yyyy/mm)
SECONDARY/GP					
TURBIDITY, LABORATORY	82079	WAIVED			
ZINC	01092	WAIVED			

**Testing interval is in months;*
0 = No data for this constituent and is DUE NOW
999 = Waived testing (not required)
I = Invalid (NOT) valid analyses reported

System Number: ***3103283***

System Name: ***ROLLINS LAKE RESORT, LONG RAVINE***

PS Code: ***3103283-001***

Source Name: ***WELL 01 DRILLED 1993***

Source Number: ***001***

Source Status: ***ACTIVE UNTREATED***

Water type: ***GROUNDWATER OR WELL***

	STORET NUMBER	TESTING INTERVAL (MONTHS)*	LAST TEST DATE (yyyy/mm/dd)	LAST RESULT REPORTED	NEXT TEST DATE (yyyy/mm)
GENERAL NON CHAP 15					
DIAZINON	39570	WAIVED			
INORGANIC					
ALUMINUM	01105	WAIVED			
ANTIMONY	01097	WAIVED			
ARSENIC	01002	WAIVED			
ASBESTOS	81855	WAIVED			
BARIUM	01007	WAIVED			
BERYLLIUM	01012	WAIVED			
CADMIUM	01027	WAIVED			
CHROMIUM (TOTAL)	01034	WAIVED			
CYANIDE	01291	WAIVED			
FLUORIDE (F) (NATURAL-SOURCE)	00951	WAIVED			
LEAD	01051	WAIVED			
MERCURY	71900	WAIVED			
NICKEL	01067	WAIVED			
PERCHLORATE	A-031	WAIVED			
SELENIUM	01147	WAIVED			
THALLIUM	01059	WAIVED			
NITRATE/NITRITE					
NITRATE (AS NO3)	71850	WAIVED	2009/06/18	13.000	
NITRITE (AS N)	00620	WAIVED	2009/04/28	< .100	
RADIOLOGICAL					
GROSS ALPHA	01501	WAIVED			
GROSS BETA	03501	WAIVED			
RA-226 FOR CWS OR TOTAL RA FOR NTNC BY 903.0	A-080	WAIVED			
RA-226 OR TOTAL RA BY 903.0 C.E.	A-081	WAIVED			
RADIUM 226	09501	WAIVED			
RADIUM 228	11501	WAIVED			

**Testing interval is in months;*
0 = No data for this constituent and is DUE NOW
999 = Waived testing (not required)
I = Invalid (NOT) valid analyses reported

System Number: ***3103283***

System Name: ***ROLLINS LAKE RESORT, LONG RAVINE***

PS Code: ***3103283-001***

Source Name: ***WELL 01 DRILLED 1993***

Source Number: ***001***

Source Status: ***ACTIVE UNTREATED***

Water type: ***GROUNDWATER OR WELL***

	STORET NUMBER	TESTING INTERVAL (MONTHS)*	LAST TEST DATE (yyyy/mm/dd)	LAST RESULT REPORTED	NEXT TEST DATE (yyyy/mm)
RADIOLOGICAL					
RADIUM, TOTAL, MDA95-NTNC ONLY, BY 903.0	A-082	WAIVED			
STRONTIUM-90	13501	WAIVED			
TRITIUM	07000	WAIVED			
URANIUM (PCI/L)	28012	WAIVED			
REGULATED SOC					
2,3,7,8-TCDD (DIOXIN)	34676	WAIVED			
2,4,5-TP (SILVEX)	39045	WAIVED			
2,4-D	39730	WAIVED			
ALACHLOR	77825	WAIVED			
ATRAZINE	39033	WAIVED			
BENTAZON	38710	WAIVED			
BENZO (A) PYRENE	34247	WAIVED			
CARBOFURAN	81405	WAIVED			
CHLORDANE	39350	WAIVED			
DALAPON	38432	WAIVED			
DI(2-ETHYLHEXYL)ADIPATE	A-026	WAIVED			
DI(2-ETHYLHEXYL)PHTHALATE	39100	WAIVED			
DIBROMOCHLOROPROPANE (DBCP)	38761	WAIVED			
DINOSEB	81287	WAIVED			
DIQUAT	78885	WAIVED			
ENDOTHALL	38926	WAIVED			
ENDRIN	39390	WAIVED			
ETHYLENE DIBROMIDE (EDB)	77651	WAIVED			
GLYPHOSATE	79743	WAIVED			
HEPTACHLOR	39410	WAIVED			
HEPTACHLOR EPOXIDE	39420	WAIVED			
HEXACHLOROBENZENE	39700	WAIVED			
HEXACHLOROCYCLOPENTADIENE	34386	WAIVED			
LINDANE	39340	WAIVED			

**Testing interval is in months;*
0 = No data for this constituent and is DUE NOW
999 = Waived testing (not required)
I = Invalid (NOT) valid analyses reported

System Number: ***3103283***

System Name: ***ROLLINS LAKE RESORT, LONG RAVINE***

PS Code: ***3103283-001***

Source Name: ***WELL 01 DRILLED 1993***

Source Number: ***001***

Source Status: ***ACTIVE UNTREATED***

Water type: ***GROUNDWATER OR WELL***

	STORET NUMBER	TESTING INTERVAL (MONTHS)*	LAST TEST DATE (yyyy/mm/dd)	LAST RESULT REPORTED	NEXT TEST DATE (yyyy/mm)
REGULATED SOC					
METHOXYCHLOR	39480	WAIVED			
MOLINATE	82199	WAIVED			
OXAMYL	38865	WAIVED			
PENTACHLOROPHENOL	39032	WAIVED			
PICLORAM	39720	WAIVED			
POLYCHLORINATED BIPHENYLS, TOTAL, AS DCB	39516	WAIVED			
SIMAZINE	39055	WAIVED			
THIOBENCARB	A-001	WAIVED			
TOXAPHENE	39400	WAIVED			
REGULATED VOC					
1,1,1-TRICHLOROETHANE	34506	WAIVED			
1,1,2,2-TETRACHLOROETHANE	34516	WAIVED			
1,1,2-TRICHLORO-1,2,2-TRIFLUOROETHANE	81611	WAIVED			
1,1,2-TRICHLOROETHANE	34511	WAIVED			
1,1-DICHLOROETHANE	34496	WAIVED			
1,1-DICHLOROETHYLENE	34501	WAIVED			
1,2,4-TRICHLOROBENZENE	34551	WAIVED			
1,2-DICHLOROBENZENE	34536	WAIVED			
1,2-DICHLOROETHANE	34531	WAIVED			
1,2-DICHLOROPROPANE	34541	WAIVED			
1,3-DICHLOROPROPENE (TOTAL)	34561	WAIVED			
1,4-DICHLOROBENZENE	34571	WAIVED			
BENZENE	34030	WAIVED			
CARBON TETRACHLORIDE	32102	WAIVED			
CIS-1,2-DICHLOROETHYLENE	77093	WAIVED			
DICHLOROMETHANE	34423	WAIVED			
ETHYLBENZENE	34371	WAIVED			
METHYL-TERT-BUTYL-ETHER (MTBE)	46491	WAIVED			
MONOCHLOROBENZENE	34301	WAIVED			

**Testing interval is in months;*
0 = No data for this constituent and is DUE NOW
999 = Waived testing (not required)
I = Invalid (NOT) valid analyses reported

System Number: ***3103283***

System Name: ***ROLLINS LAKE RESORT, LONG RAVINE***

PS Code: ***3103283-001***

Source Name: ***WELL 01 DRILLED 1993***

Source Number: ***001***

Source Status: ***ACTIVE UNTREATED***

Water type: ***GROUNDWATER OR WELL***

	STORET NUMBER	TESTING INTERVAL (MONTHS)*	LAST TEST DATE (yyyy/mm/dd)	LAST RESULT REPORTED	NEXT TEST DATE (yyyy/mm)
REGULATED VOC					
STYRENE	77128	WAIVED			
TETRACHLOROETHYLENE	34475	WAIVED			
TOLUENE	34010	WAIVED			
TRANS-1,2-DICHLOROETHYLENE	34546	WAIVED			
TRICHLOROETHYLENE	39180	WAIVED			
TRICHLOROFLUOROMETHANE	34488	WAIVED			
VINYL CHLORIDE	39175	WAIVED			
XYLENES (TOTAL)	81551	WAIVED			
SECONDARY/GP					
AGGRSSIVE INDEX (CORROSIVITY)	82383	WAIVED			
BICARBONATE ALKALINITY	00440	WAIVED			
CALCIUM	00916	WAIVED			
CARBONATE ALKALINITY	00445	WAIVED			
CHLORIDE	00940	WAIVED			
COLOR	00081	WAIVED			
COPPER	01042	WAIVED			
FOAMING AGENTS (MBAS)	38260	WAIVED			
HARDNESS (TOTAL) AS CACO3	00900	WAIVED			
HYDROXIDE ALKALINITY	71830	WAIVED			
IRON	01045	WAIVED			
MAGNESIUM	00927	WAIVED			
MANGANESE	01055	WAIVED			
ODOR THRESHOLD @ 60 C	00086	WAIVED			
PH, LABORATORY	00403	WAIVED			
SILVER	01077	WAIVED			
SODIUM	00929	WAIVED			
SPECIFIC CONDUCTANCE	00095	WAIVED			
SULFATE	00945	WAIVED			
TOTAL DISSOLVED SOLIDS	70300	WAIVED			

**Testing interval is in months;*
0 = No data for this constituent and is DUE NOW
999 = Waived testing (not required)
I = Invalid (NOT) valid analyses reported

System Number: ***3103283***

System Name: ***ROLLINS LAKE RESORT, LONG RAVINE***

PS Code: ***3103283-001***

Source Name: ***WELL 01 DRILLED 1993***

Source Number: ***001***

Source Status: ***ACTIVE UNTREATED***

Water type: ***GROUNDWATER OR WELL***

SECONDARY/GP	STORET NUMBER	TESTING INTERVAL (MONTHS)*	LAST TEST DATE (yyyy/mm/dd)	LAST RESULT REPORTED	NEXT TEST DATE (yyyy/mm)
TURBIDITY, LABORATORY	82079	WAIVED			
ZINC	01092	WAIVED			

**Testing interval is in months;*
0 = No data for this constituent and is DUE NOW
999 = Waived testing (not required)
I = Invalid (NOT) valid analyses reported

System Number: ***3103288***

System Name: ***SNOWFLOWER***

PS Code: ***3103288-001***

Source Name: ***SURFACE WATER TREATMENT PLANT-TREATED***

Source Number: ***001***

Source Status: ***ACTIVE TREATED***

Water type: ***SURFACE***

	STORET NUMBER	TESTING INTERVAL (MONTHS)*	LAST TEST DATE (yyyy/mm/dd)	LAST RESULT REPORTED	NEXT TEST DATE (yyyy/mm)
GENERAL NON CHAP 15					
DIAZINON	39570	WAIVED			
INORGANIC					
ALUMINUM	01105	WAIVED			
ANTIMONY	01097	WAIVED			
ARSENIC	01002	WAIVED			
ASBESTOS	81855	WAIVED			
BARIUM	01007	WAIVED			
BERYLLIUM	01012	WAIVED			
CADMIUM	01027	WAIVED			
CHROMIUM (TOTAL)	01034	WAIVED			
CYANIDE	01291	WAIVED			
FLUORIDE (F) (NATURAL-SOURCE)	00951	WAIVED			
LEAD	01051	WAIVED			
MERCURY	71900	WAIVED			
NICKEL	01067	WAIVED			
PERCHLORATE	A-031	WAIVED			
SELENIUM	01147	WAIVED			
THALLIUM	01059	WAIVED			
NITRATE/NITRITE					
NITRATE (AS NO3)	71850	WAIVED	2010/10/12	.000	
NITRITE (AS N)	00620	WAIVED	2009/10/08	.000	
RADIOLOGICAL					
GROSS ALPHA	01501	WAIVED			
GROSS BETA	03501	WAIVED			
RA-226 FOR CWS OR TOTAL RA FOR NTNC BY 903.0	A-080	WAIVED			
RA-226 OR TOTAL RA BY 903.0 C.E.	A-081	WAIVED			
RADIUM 226	09501	WAIVED			
RADIUM 228	11501	WAIVED			

**Testing interval is in months;*
0 = No data for this constituent and is DUE NOW
999 = Waived testing (not required)
I = Invalid (NOT) valid analyses reported

System Number: ***3103288***

System Name: ***SNOWFLOWER***

PS Code: ***3103288-001***

Source Name: ***SURFACE WATER TREATMENT PLANT-TREATED***

Source Number: ***001***

Source Status: ***ACTIVE TREATED***

Water type: ***SURFACE***

	STORET NUMBER	TESTING INTERVAL (MONTHS)*	LAST TEST DATE (yyyy/mm/dd)	LAST RESULT REPORTED	NEXT TEST DATE (yyyy/mm)
RADIOLOGICAL					
RADIUM, TOTAL, MDA95-NTNC ONLY, BY 903.0	A-082	WAIVED			
STRONTIUM-90	13501	WAIVED			
TRITIUM	07000	WAIVED			
URANIUM (PCI/L)	28012	WAIVED			
REGULATED SOC					
2,3,7,8-TCDD (DIOXIN)	34676	WAIVED			
2,4,5-TP (SILVEX)	39045	WAIVED			
2,4-D	39730	WAIVED			
ALACHLOR	77825	WAIVED			
ATRAZINE	39033	WAIVED			
BENTAZON	38710	WAIVED			
BENZO (A) PYRENE	34247	WAIVED			
CARBOFURAN	81405	WAIVED			
CHLORDANE	39350	WAIVED			
DALAPON	38432	WAIVED			
DI(2-ETHYLHEXYL)ADIPATE	A-026	WAIVED			
DI(2-ETHYLHEXYL)PHTHALATE	39100	WAIVED			
DIBROMOCHLOROPROPANE (DBCP)	38761	WAIVED			
DINOSEB	81287	WAIVED			
DIQUAT	78885	WAIVED			
ENDOTHALL	38926	WAIVED			
ENDRIN	39390	WAIVED			
ETHYLENE DIBROMIDE (EDB)	77651	WAIVED			
GLYPHOSATE	79743	WAIVED			
HEPTACHLOR	39410	WAIVED			
HEPTACHLOR EPOXIDE	39420	WAIVED			
HEXACHLOROBENZENE	39700	WAIVED			
HEXACHLOROCYCLOPENTADIENE	34386	WAIVED			
LINDANE	39340	WAIVED			

**Testing interval is in months;*
0 = No data for this constituent and is DUE NOW
999 = Waived testing (not required)
I = Invalid (NOT) valid analyses reported

System Number: ***3103288***

System Name: ***SNOWFLOWER***

PS Code: ***3103288-001***

Source Name: ***SURFACE WATER TREATMENT PLANT-TREATED***

Source Number: ***001***

Source Status: ***ACTIVE TREATED***

Water type: ***SURFACE***

	STORET NUMBER	TESTING INTERVAL (MONTHS)*	LAST TEST DATE (yyyy/mm/dd)	LAST RESULT REPORTED	NEXT TEST DATE (yyyy/mm)
REGULATED SOC					
METHOXYCHLOR	39480	WAIVED			
MOLINATE	82199	WAIVED			
OXAMYL	38865	WAIVED			
PENTACHLOROPHENOL	39032	WAIVED			
PICLORAM	39720	WAIVED			
POLYCHLORINATED BIPHENYLS, TOTAL, AS DCB	39516	WAIVED			
SIMAZINE	39055	WAIVED			
THIOBENCARB	A-001	WAIVED			
TOXAPHENE	39400	WAIVED			
REGULATED VOC					
1,1,1-TRICHLOROETHANE	34506	WAIVED			
1,1,2,2-TETRACHLOROETHANE	34516	WAIVED			
1,1,2-TRICHLORO-1,2,2-TRIFLUOROETHANE	81611	WAIVED			
1,1,2-TRICHLOROETHANE	34511	WAIVED			
1,1-DICHLOROETHANE	34496	WAIVED			
1,1-DICHLOROETHYLENE	34501	WAIVED			
1,2,4-TRICHLOROBENZENE	34551	WAIVED			
1,2-DICHLOROBENZENE	34536	WAIVED			
1,2-DICHLOROETHANE	34531	WAIVED			
1,2-DICHLOROPROPANE	34541	WAIVED			
1,3-DICHLOROPROPENE (TOTAL)	34561	WAIVED			
1,4-DICHLOROBENZENE	34571	WAIVED			
BENZENE	34030	WAIVED			
CARBON TETRACHLORIDE	32102	WAIVED			
CIS-1,2-DICHLOROETHYLENE	77093	WAIVED			
DICHLOROMETHANE	34423	WAIVED			
ETHYLBENZENE	34371	WAIVED			
METHYL-TERT-BUTYL-ETHER (MTBE)	46491	WAIVED			
MONOCHLOROBENZENE	34301	WAIVED			

**Testing interval is in months;*
0 = No data for this constituent and is DUE NOW
999 = Waived testing (not required)
I = Invalid (NOT) valid analyses reported

System Number: ***3103288***

System Name: ***SNOWFLOWER***

PS Code: ***3103288-001***

Source Name: ***SURFACE WATER TREATMENT PLANT-TREATED***

Source Number: ***001***

Source Status: ***ACTIVE TREATED***

Water type: ***SURFACE***

	STORET NUMBER	TESTING INTERVAL (MONTHS)*	LAST TEST DATE (yyyy/mm/dd)	LAST RESULT REPORTED	NEXT TEST DATE (yyyy/mm)
REGULATED VOC					
STYRENE	77128	WAIVED			
TETRACHLOROETHYLENE	34475	WAIVED			
TOLUENE	34010	WAIVED			
TRANS-1,2-DICHLOROETHYLENE	34546	WAIVED			
TRICHLOROETHYLENE	39180	WAIVED			
TRICHLOROFLUOROMETHANE	34488	WAIVED			
VINYL CHLORIDE	39175	WAIVED			
XYLENES (TOTAL)	81551	WAIVED			
SECONDARY/GP					
AGGRSSIVE INDEX (CORROSIVITY)	82383	WAIVED			
BICARBONATE ALKALINITY	00440	WAIVED			
CALCIUM	00916	WAIVED			
CARBONATE ALKALINITY	00445	WAIVED			
CHLORIDE	00940	WAIVED			
COLOR	00081	WAIVED			
COPPER	01042	WAIVED			
FOAMING AGENTS (MBAS)	38260	WAIVED			
HARDNESS (TOTAL) AS CACO3	00900	WAIVED			
HYDROXIDE ALKALINITY	71830	WAIVED			
IRON	01045	WAIVED			
MAGNESIUM	00927	WAIVED			
MANGANESE	01055	WAIVED			
ODOR THRESHOLD @ 60 C	00086	WAIVED			
PH, LABORATORY	00403	WAIVED			
SILVER	01077	WAIVED			
SODIUM	00929	WAIVED			
SPECIFIC CONDUCTANCE	00095	WAIVED			
SULFATE	00945	WAIVED			
TOTAL DISSOLVED SOLIDS	70300	WAIVED			

**Testing interval is in months;*
0 = No data for this constituent and is DUE NOW
999 = Waived testing (not required)
I = Invalid (NOT) valid analyses reported

System Number: ***3103288***

System Name: ***SNOWFLOWER***

	STORET NUMBER	TESTING INTERVAL (MONTHS)*	LAST TEST DATE (yyyy/mm/dd)	LAST RESULT REPORTED	NEXT TEST DATE (yyyy/mm)

PS Code: ***3103288-001***

Source Name: ***SURFACE WATER TREATMENT PLANT-TREATED***

Source Number: ***001***

Source Status: ***ACTIVE TREATED***

Water type: ***SURFACE***

SECONDARY/GP

TURBIDITY, LABORATORY	82079	WAIVED			
ZINC	01092	WAIVED			

PS Code: ***3103288-002***

Source Name: ***SNOWFLOWER LAKE***

Source Number: ***002***

Source Status: ***ACTIVE RAW***

Water type: ***SURFACE***

GENERAL NON CHAP 15

DIAZINON	39570	WAIVED			

INORGANIC

ALUMINUM	01105	WAIVED			
ANTIMONY	01097	WAIVED			
ARSENIC	01002	WAIVED			
ASBESTOS	81855	WAIVED			
BARIUM	01007	WAIVED			
BERYLLIUM	01012	WAIVED			
CADMIUM	01027	WAIVED			
CHROMIUM (TOTAL)	01034	WAIVED			
CYANIDE	01291	WAIVED			
FLUORIDE (F) (NATURAL-SOURCE)	00951	000			**DUE**
LEAD	01051	WAIVED			
MERCURY	71900	WAIVED			
NICKEL	01067	WAIVED			
PERCHLORATE	A-031	WAIVED			
SELENIUM	01147	WAIVED			
THALLIUM	01059	WAIVED			

**Testing interval is in months;*
0 = No data for this constituent and is DUE NOW
999 = Waived testing (not required)
I = Invalid (NOT) valid analyses reported

System Number: ***3103288***

System Name: ***SNOWFLOWER***

PS Code: ***3103288-002***

Source Name: ***SNOWFLOWER LAKE***

Source Number: ***002***

Source Status: ***ACTIVE RAW***

Water type: ***SURFACE***

	STORET NUMBER	TESTING INTERVAL (MONTHS)*	LAST TEST DATE (yyyy/mm/dd)	LAST RESULT REPORTED	NEXT TEST DATE (yyyy/mm)	
NITRATE/NITRITE						
NITRATE (AS NO3)	71850	012	2011/10/11	.000	2012/10	
NITRITE (AS N)	00620	036	**2006/10/12**	< 400.000	**2009/10**	**DUE**
RADIOLOGICAL						
GROSS ALPHA	01501	WAIVED				
GROSS BETA	03501	WAIVED				
RA-226 FOR CWS OR TOTAL RA FOR NTNC BY 903.0	A-080	WAIVED				
RA-226 OR TOTAL RA BY 903.0 C.E.	A-081	WAIVED				
RADIUM 226	09501	WAIVED				
RADIUM 228	11501	WAIVED				
RADIUM, TOTAL, MDA95-NTNC ONLY, BY 903.0	A-082	WAIVED				
STRONTIUM-90	13501	WAIVED				
TRITIUM	07000	WAIVED				
URANIUM (PCI/L)	28012	WAIVED				
REGULATED SOC						
2,3,7,8-TCDD (DIOXIN)	34676	WAIVED				
2,4,5-TP (SILVEX)	39045	WAIVED				
2,4-D	39730	WAIVED				
ALACHLOR	77825	WAIVED				
ATRAZINE	39033	WAIVED				
BENTAZON	38710	WAIVED				
BENZO (A) PYRENE	34247	WAIVED				
CARBOFURAN	81405	WAIVED				
CHLORDANE	39350	WAIVED				
DALAPON	38432	WAIVED				
DI(2-ETHYLHEXYL)ADIPATE	A-026	WAIVED				
DI(2-ETHYLHEXYL)PHTHALATE	39100	WAIVED				
DIBROMOCHLOROPROPANE (DBCP)	38761	WAIVED				
DINOSEB	81287	WAIVED				
DIQUAT	78885	WAIVED				

**Testing interval is in months;*
0 = No data for this constituent and is DUE NOW
999 = Waived testing (not required)
I = Invalid (NOT) valid analyses reported

System Number: ***3103288***

System Name: ***SNOWFLOWER***

PS Code: ***3103288-002***

Source Name: ***SNOWFLOWER LAKE***

Source Number: ***002***

Source Status: ***ACTIVE RAW***

Water type: ***SURFACE***

	STORET NUMBER	TESTING INTERVAL (MONTHS)*	LAST TEST DATE (yyyy/mm/dd)	LAST RESULT REPORTED	NEXT TEST DATE (yyyy/mm)
REGULATED SOC					
ENDOTHALL	38926	WAIVED			
ENDRIN	39390	WAIVED			
ETHYLENE DIBROMIDE (EDB)	77651	WAIVED			
GLYPHOSATE	79743	WAIVED			
HEPTACHLOR	39410	WAIVED			
HEPTACHLOR EPOXIDE	39420	WAIVED			
HEXACHLOROBENZENE	39700	WAIVED			
HEXACHLOROCYCLOPENTADIENE	34386	WAIVED			
LINDANE	39340	WAIVED			
METHOXYCHLOR	39480	WAIVED			
MOLINATE	82199	WAIVED			
OXAMYL	38865	WAIVED			
PENTACHLOROPHENOL	39032	WAIVED			
PICLORAM	39720	WAIVED			
POLYCHLORINATED BIPHENYLS, TOTAL, AS DCB	39516	WAIVED			
SIMAZINE	39055	WAIVED			
THIOBENCARB	A-001	WAIVED			
TOXAPHENE	39400	WAIVED			
REGULATED VOC					
1,1,1-TRICHLOROETHANE	34506	WAIVED			
1,1,2,2-TETRACHLOROETHANE	34516	WAIVED			
1,1,2-TRICHLORO-1,2,2-TRIFLUOROETHANE	81611	WAIVED			
1,1,2-TRICHLOROETHANE	34511	WAIVED			
1,1-DICHLOROETHANE	34496	WAIVED			
1,1-DICHLOROETHYLENE	34501	WAIVED			
1,2,4-TRICHLOROBENZENE	34551	WAIVED			
1,2-DICHLOROBENZENE	34536	WAIVED			
1,2-DICHLOROETHANE	34531	WAIVED			
1,2-DICHLOROPROPANE	34541	WAIVED			

**Testing interval is in months;*
0 = No data for this constituent and is DUE NOW
999 = Waived testing (not required)
I = Invalid (NOT) valid analyses reported

System Number: ***3103288***

System Name: ***SNOWFLOWER***

PS Code: ***3103288-002***

Source Name: ***SNOWFLOWER LAKE***

Source Number: ***002***

Source Status: ***ACTIVE RAW***

Water type: ***SURFACE***

	STORET NUMBER	TESTING INTERVAL (MONTHS)*	LAST TEST DATE (yyyy/mm/dd)	LAST RESULT REPORTED	NEXT TEST DATE (yyyy/mm)
REGULATED VOC					
1,3-DICHLOROPROPENE (TOTAL)	34561	WAIVED			
1,4-DICHLOROBENZENE	34571	WAIVED			
BENZENE	34030	WAIVED			
CARBON TETRACHLORIDE	32102	WAIVED			
CIS-1,2-DICHLOROETHYLENE	77093	WAIVED			
DICHLOROMETHANE	34423	WAIVED			
ETHYLBENZENE	34371	WAIVED			
METHYL-TERT-BUTYL-ETHER (MTBE)	46491	WAIVED			
MONOCHLOROBENZENE	34301	WAIVED			
STYRENE	77128	WAIVED			
TETRACHLOROETHYLENE	34475	WAIVED			
TOLUENE	34010	WAIVED			
TRANS-1,2-DICHLOROETHYLENE	34546	WAIVED			
TRICHLOROETHYLENE	39180	WAIVED			
TRICHLOROFLUOROMETHANE	34488	WAIVED			
VINYL CHLORIDE	39175	WAIVED			
XYLENES (TOTAL)	81551	WAIVED			
SECONDARY/GP					
AGGRSSIVE INDEX (CORROSIVITY)	82383	WAIVED			
BICARBONATE ALKALINITY	00440	000			DUE
CALCIUM	00916	000			DUE
CARBONATE ALKALINITY	00445	000			DUE
CHLORIDE	00940	WAIVED			
COLOR	00081	WAIVED			
COPPER	01042	WAIVED			
FOAMING AGENTS (MBAS)	38260	WAIVED			
HARDNESS (TOTAL) AS CACO3	00900	000			DUE
HYDROXIDE ALKALINITY	71830	000			DUE
IRON	01045	WAIVED	2012/04/10	384.000	

**Testing interval is in months;*
0 = No data for this constituent and is DUE NOW
999 = Waived testing (not required)
I = Invalid (NOT) valid analyses reported

System Number: ***3103288***

System Name: ***SNOWFLOWER***

PS Code: ***3103288-002***

Source Name: ***SNOWFLOWER LAKE***

Source Number: ***002***

Source Status: ***ACTIVE RAW***

Water type: ***SURFACE***

SECONDARY/GP

	STORET NUMBER	TESTING INTERVAL (MONTHS)*	LAST TEST DATE (yyyy/mm/dd)	LAST RESULT REPORTED	NEXT TEST DATE (yyyy/mm)	
MAGNESIUM	**00927**	**000**				**DUE**
MANGANESE	**01055**	**WAIVED**	2012/02/07	**26.000**		
ODOR THRESHOLD @ 60 C	**00086**	**WAIVED**				
PH, LABORATORY	**00403**	**000**				**DUE**
SILVER	**01077**	**WAIVED**				
SODIUM	**00929**	**000**				**DUE**
SPECIFIC CONDUCTANCE	**00095**	**WAIVED**				
SULFATE	**00945**	**WAIVED**				
TOTAL DISSOLVED SOLIDS	**70300**	**WAIVED**				
TURBIDITY, LABORATORY	**82079**	**WAIVED**				
ZINC	**01092**	**WAIVED**				

**Testing interval is in months;*
0 = No data for this constituent and is DUE NOW
999 = Waived testing (not required)
I = Invalid (NOT) valid analyses reported

System Number: ***3103291***

System Name: ***NYACK WATER SYSTEM***

PS Code: ***3103291-001***

Source Name: ***WELL 01***

Source Number: ***001***

Source Status: ***ACTIVE UNTREATED***

Water type: ***GROUNDWATER OR WELL***

	STORET NUMBER	TESTING INTERVAL (MONTHS)*	LAST TEST DATE (yyyy/mm/dd)	LAST RESULT REPORTED	NEXT TEST DATE (yyyy/mm)	
GENERAL NON CHAP 15						
DIAZINON	39570	WAIVED				
INORGANIC						
ALUMINUM	01105	108	2011/03/10	.000	2020/03	
ANTIMONY	01097	108	2011/03/10	.000	2020/03	
ARSENIC	01002	108	2011/03/10	5.500	2020/03	
ASBESTOS	81855	WAIVED				
BARIUM	01007	108	2011/03/10	52.800	2020/03	
BERYLLIUM	01012	108	2011/03/10	.000	2020/03	
CADMIUM	01027	108	2011/03/10	.000	2020/03	
CHROMIUM (TOTAL)	01034	108	2011/03/10	.000	2020/03	
CYANIDE	01291	WAIVED				
FLUORIDE (F) (NATURAL-SOURCE)	00951	108	2011/03/10	.100	2020/03	
LEAD	01051	WAIVED				
MERCURY	71900	108	2011/03/10	.000	2020/03	
NICKEL	01067	108	2011/03/10	.000	2020/03	
PERCHLORATE	A-031	036	2011/11/10	< .000	2014/11	
SELENIUM	01147	108	2011/03/10	.000	2020/03	
THALLIUM	01059	108	2011/03/10	.000	2020/03	
NITRATE/NITRITE						
NITRATE (AS NO3)	71850	012	2012/03/15	.000	2013/03	
NITRITE (AS N)	00620	036	2011/03/10	.000	2014/03	
RADIOLOGICAL						
GROSS ALPHA	01501	003	**2007/10/04**	.000	**2008/01**	**DUE**
GROSS BETA	03501	WAIVED				
RA-226 FOR CWS OR TOTAL RA FOR NTNC BY 903.0	A-080	WAIVED				
RA-226 OR TOTAL RA BY 903.0 C.E.	A-081	WAIVED				
RADIUM 226	09501	WAIVED				
RADIUM 228	11501	WAIVED				

**Testing interval is in months;*
0 = No data for this constituent and is DUE NOW
999 = Waived testing (not required)
I = Invalid (NOT) valid analyses reported

System Number: ***3103291***

System Name: ***NYACK WATER SYSTEM***

PS Code: ***3103291-001***

Source Name: ***WELL 01***

Source Number: ***001***

Source Status: ***ACTIVE UNTREATED***

Water type: ***GROUNDWATER OR WELL***

	STORET NUMBER	TESTING INTERVAL (MONTHS)*	LAST TEST DATE (yyyy/mm/dd)	LAST RESULT REPORTED	NEXT TEST DATE (yyyy/mm)
RADIOLOGICAL					
RADIUM, TOTAL, MDA95-NTNC ONLY, BY 903.0	A-082	WAIVED			
STRONTIUM-90	13501	WAIVED			
TRITIUM	07000	WAIVED			
URANIUM (PCI/L)	28012	WAIVED			
REGULATED SOC					
2,3,7,8-TCDD (DIOXIN)	34676	WAIVED			
2,4,5-TP (SILVEX)	39045	WAIVED			
2,4-D	39730	WAIVED			
ALACHLOR	77825	WAIVED			
ATRAZINE	39033	WAIVED			
BENTAZON	38710	WAIVED			
BENZO (A) PYRENE	34247	WAIVED			
CARBOFURAN	81405	WAIVED			
CHLORDANE	39350	WAIVED			
DALAPON	38432	WAIVED			
DI(2-ETHYLHEXYL)ADIPATE	A-026	WAIVED			
DI(2-ETHYLHEXYL)PHTHALATE	39100	WAIVED			
DIBROMOCHLOROPROPANE (DBCP)	38761	WAIVED			
DINOSEB	81287	WAIVED			
DIQUAT	78885	WAIVED			
ENDOTHALL	38926	WAIVED			
ENDRIN	39390	WAIVED			
ETHYLENE DIBROMIDE (EDB)	77651	WAIVED			
GLYPHOSATE	79743	WAIVED			
HEPTACHLOR	39410	WAIVED			
HEPTACHLOR EPOXIDE	39420	WAIVED			
HEXACHLOROBENZENE	39700	WAIVED			
HEXACHLOROCYCLOPENTADIENE	34386	WAIVED			
LINDANE	39340	WAIVED			

**Testing interval is in months;*
0 = No data for this constituent and is DUE NOW
999 = Waived testing (not required)
I = Invalid (NOT) valid analyses reported

System Number: ***3103291***

System Name: ***NYACK WATER SYSTEM***

PS Code: ***3103291-001***

Source Name: ***WELL 01***

Source Number: ***001***

Source Status: ***ACTIVE UNTREATED***

Water type: ***GROUNDWATER OR WELL***

	STORET NUMBER	TESTING INTERVAL (MONTHS)*	LAST TEST DATE (yyyy/mm/dd)	LAST RESULT REPORTED	NEXT TEST DATE (yyyy/mm)	
REGULATED SOC						
METHOXYCHLOR	39480	WAIVED				
MOLINATE	82199	WAIVED				
OXAMYL	38865	WAIVED				
PENTACHLOROPHENOL	39032	WAIVED				
PICLORAM	39720	WAIVED				
POLYCHLORINATED BIPHENYLS, TOTAL, AS DCB	39516	WAIVED				
SIMAZINE	39055	WAIVED				
THIOBENCARB	A-001	WAIVED				
TOXAPHENE	39400	WAIVED				
REGULATED VOC						
1,1,1-TRICHLOROETHANE	34506	072	2007/07/12	.000	2013/07	
1,1,2,2-TETRACHLOROETHANE	34516	072	2007/07/12	.000	2013/07	
1,1,2-TRICHLORO-1,2,2-TRIFLUOROETHANE	81611	000				**DUE**
1,1,2-TRICHLOROETHANE	34511	072	2007/07/12	.000	2013/07	
1,1-DICHLOROETHANE	34496	072	2007/07/12	.000	2013/07	
1,1-DICHLOROETHYLENE	34501	072	2007/07/12	.000	2013/07	
1,2,4-TRICHLOROBENZENE	34551	000				**DUE**
1,2-DICHLOROBENZENE	34536	072	2007/07/12	.000	2013/07	
1,2-DICHLOROETHANE	34531	072	2007/07/12	.000	2013/07	
1,2-DICHLOROPROPANE	34541	072	2007/07/12	.000	2013/07	
1,3-DICHLOROPROPENE (TOTAL)	34561	072	2007/07/12	.000	2013/07	
1,4-DICHLOROBENZENE	34571	072	2007/07/12	.000	2013/07	
BENZENE	34030	072	2007/07/12	.000	2013/07	
CARBON TETRACHLORIDE	32102	072	2007/07/12	.000	2013/07	
CIS-1,2-DICHLOROETHYLENE	77093	072	2007/07/12	.000	2013/07	
DICHLOROMETHANE	34423	072	2007/07/12	.000	2013/07	
ETHYLBENZENE	34371	072	2007/07/12	.000	2013/07	
METHYL-TERT-BUTYL-ETHER (MTBE)	46491	000				**DUE**
MONOCHLOROBENZENE	34301	072	2007/07/12	.000	2013/07	

**Testing interval is in months;*
0 = No data for this constituent and is DUE NOW
999 = Waived testing (not required)
I = Invalid (NOT) valid analyses reported

System Number: ***3103291***

System Name: ***NYACK WATER SYSTEM***

PS Code: ***3103291-001***

Source Name: ***WELL 01***

Source Number: ***001***

Source Status: ***ACTIVE UNTREATED***

Water type: ***GROUNDWATER OR WELL***

	STORET NUMBER	TESTING INTERVAL (MONTHS)*	LAST TEST DATE (yyyy/mm/dd)	LAST RESULT REPORTED	NEXT TEST DATE (yyyy/mm)
REGULATED VOC					
STYRENE	77128	072	2007/07/12	.000	2013/07
TETRACHLOROETHYLENE	34475	072	2007/07/12	.000	2013/07
TOLUENE	34010	072	2007/07/12	.000	2013/07
TRANS-1,2-DICHLOROETHYLENE	34546	072	2007/07/12	.000	2013/07
TRICHLOROETHYLENE	39180	072	2007/07/12	.000	2013/07
TRICHLOROFLUOROMETHANE	34488	072	2007/07/12	.000	2013/07
VINYL CHLORIDE	39175	072	2007/07/12	.000	2013/07
XYLENES (TOTAL)	81551	072	2007/07/12	.000	2013/07
SECONDARY/GP					
AGGRSSIVE INDEX (CORROSIVITY)	82383	WAIVED			
BICARBONATE ALKALINITY	00440	WAIVED	2008/07/17	89.400	
CALCIUM	00916	WAIVED	2008/07/17	12.300	
CARBONATE ALKALINITY	00445	WAIVED	2008/07/17	.000	
CHLORIDE	00940	WAIVED	2008/07/17	.600	
COLOR	00081	WAIVED	2008/07/17	3.000	
COPPER	01042	WAIVED	2008/07/17	1800.000	
FOAMING AGENTS (MBAS)	38260	WAIVED	2008/07/17	.000	
HARDNESS (TOTAL) AS CACO3	00900	WAIVED	2008/07/17	49.000	
HYDROXIDE ALKALINITY	71830	WAIVED	2008/07/17	.000	
IRON	01045	WAIVED	2008/07/17	128.000	
MAGNESIUM	00927	WAIVED	2008/07/17	4.500	
MANGANESE	01055	WAIVED	2008/07/17	25.000	
ODOR THRESHOLD @ 60 C	00086	WAIVED	2008/07/17	2.000	
PH, LABORATORY	00403	WAIVED	2008/07/17	8.000	
SILVER	01077	WAIVED	2008/07/17	.000	
SODIUM	00929	WAIVED	2008/07/17	5.300	
SPECIFIC CONDUCTANCE	00095	WAIVED	2011/11/10	140.000	
SULFATE	00945	WAIVED	2008/07/17	2.700	
TOTAL DISSOLVED SOLIDS	70300	WAIVED	2008/07/17	95.000	

**Testing interval is in months;*
0 = No data for this constituent and is DUE NOW
999 = Waived testing (not required)
I = Invalid (NOT) valid analyses reported

System Number: ***3103291***

System Name: ***NYACK WATER SYSTEM***

PS Code: ***3103291-001***

Source Name: ***WELL 01***

Source Number: ***001***

Source Status: ***ACTIVE UNTREATED***

Water type: ***GROUNDWATER OR WELL***

	STORET NUMBER	TESTING INTERVAL (MONTHS)*	LAST TEST DATE (yyyy/mm/dd)	LAST RESULT REPORTED	NEXT TEST DATE (yyyy/mm)
SECONDARY/GP					
TURBIDITY, LABORATORY	82079	WAIVED	2008/07/17	.530	
ZINC	01092	WAIVED	2008/07/17	112.000	

PS Code: ***3103291-003***

Source Name: ***WELL 02***

Source Number: ***003***

Source Status: ***ACTIVE UNTREATED***

Water type: ***GROUNDWATER OR WELL***

	STORET NUMBER	TESTING INTERVAL (MONTHS)*	LAST TEST DATE (yyyy/mm/dd)	LAST RESULT REPORTED	NEXT TEST DATE (yyyy/mm)
GENERAL NON CHAP 15					
DIAZINON	39570	WAIVED			
INORGANIC					
ALUMINUM	01105	036	2009/06/18	.000	2012/06
ANTIMONY	01097	036	2009/06/18	.000	2012/06
ARSENIC	01002	036	2009/06/18	4.200	2012/06
ASBESTOS	81855	WAIVED			
BARIUM	01007	036	2009/06/18	116.000	2012/06
BERYLLIUM	01012	036	2009/06/18	.000	2012/06
CADMIUM	01027	036	2009/06/18	.000	2012/06
CHROMIUM (TOTAL)	01034	108	2009/06/18	.000	2018/06
CYANIDE	01291	WAIVED			
FLUORIDE (F) (NATURAL-SOURCE)	00951	036	2009/06/18	.000	2012/06
LEAD	01051	WAIVED			
MERCURY	71900	036	2009/06/18	.000	2012/06
NICKEL	01067	036	2009/06/18	.000	2012/06
PERCHLORATE	A-031	036	2009/12/17	.000	2012/12
SELENIUM	01147	036	2009/06/18	.000	2012/06
THALLIUM	01059	036	2009/06/18	.000	2012/06

**Testing interval is in months;*
0 = No data for this constituent and is DUE NOW
999 = Waived testing (not required)
I = Invalid (NOT) valid analyses reported

System Number: ***3103291***

System Name: ***NYACK WATER SYSTEM***

PS Code: ***3103291-003***

Source Name: ***WELL 02***

Source Number: ***003***

Source Status: ***ACTIVE UNTREATED***

Water type: ***GROUNDWATER OR WELL***

	STORET NUMBER	TESTING INTERVAL (MONTHS)*	LAST TEST DATE (yyyy/mm/dd)	LAST RESULT REPORTED	NEXT TEST DATE (yyyy/mm)	
NITRATE/NITRITE						
NITRATE (AS NO3)	71850	012	2010/07/22	.000	2011/07	DUE
NITRITE (AS N)	00620	036	2009/07/09	.000	2012/07	
RADIOLOGICAL						
GROSS ALPHA	01501	003	2007/10/04	.000	2008/01	DUE
GROSS BETA	03501	WAIVED				
RA-226 FOR CWS OR TOTAL RA FOR NTNC BY 903.0	A-080	WAIVED				
RA-226 OR TOTAL RA BY 903.0 C.E.	A-081	WAIVED				
RADIUM 226	09501	WAIVED				
RADIUM 228	11501	WAIVED				
RADIUM, TOTAL, MDA95-NTNC ONLY, BY 903.0	A-082	WAIVED				
STRONTIUM-90	13501	WAIVED				
TRITIUM	07000	WAIVED				
URANIUM (PCI/L)	28012	WAIVED				
REGULATED SOC						
2,3,7,8-TCDD (DIOXIN)	34676	WAIVED				
2,4,5-TP (SILVEX)	39045	WAIVED				
2,4-D	39730	WAIVED				
ALACHLOR	77825	WAIVED				
ATRAZINE	39033	WAIVED				
BENTAZON	38710	WAIVED				
BENZO (A) PYRENE	34247	WAIVED				
CARBOFURAN	81405	WAIVED				
CHLORDANE	39350	WAIVED				
DALAPON	38432	WAIVED				
DI(2-ETHYLHEXYL)ADIPATE	A-026	WAIVED				
DI(2-ETHYLHEXYL)PHTHALATE	39100	WAIVED				
DIBROMOCHLOROPROPANE (DBCP)	38761	WAIVED				
DINOSEB	81287	WAIVED				
DIQUAT	78885	WAIVED				

**Testing interval is in months;*
0 = No data for this constituent and is DUE NOW
999 = Waived testing (not required)
I = Invalid (NOT) valid analyses reported

System Number: ***3103291***

System Name: ***NYACK WATER SYSTEM***

PS Code: ***3103291-003***

Source Name: ***WELL 02***

Source Number: ***003***

Source Status: ***ACTIVE UNTREATED***

Water type: ***GROUNDWATER OR WELL***

	STORET NUMBER	TESTING INTERVAL (MONTHS)*	LAST TEST DATE (yyyy/mm/dd)	LAST RESULT REPORTED	NEXT TEST DATE (yyyy/mm)	
REGULATED SOC						
ENDOTHALL	38926	WAIVED				
ENDRIN	39390	WAIVED				
ETHYLENE DIBROMIDE (EDB)	77651	WAIVED				
GLYPHOSATE	79743	WAIVED				
HEPTACHLOR	39410	WAIVED				
HEPTACHLOR EPOXIDE	39420	WAIVED				
HEXACHLOROBENZENE	39700	WAIVED				
HEXACHLOROCYCLOPENTADIENE	34386	WAIVED				
LINDANE	39340	WAIVED				
METHOXYCHLOR	39480	WAIVED				
MOLINATE	82199	WAIVED				
OXAMYL	38865	WAIVED				
PENTACHLOROPHENOL	39032	WAIVED				
PICLORAM	39720	WAIVED				
POLYCHLORINATED BIPHENYLS, TOTAL, AS DCB	39516	WAIVED				
SIMAZINE	39055	WAIVED				
THIOBENCARB	A-001	WAIVED				
TOXAPHENE	39400	WAIVED				
REGULATED VOC						
1,1,1-TRICHLOROETHANE	34506	072	2007/07/12	.000	2013/07	
1,1,2,2-TETRACHLOROETHANE	34516	072	2007/07/12	.000	2013/07	
1,1,2-TRICHLORO-1,2,2-TRIFLUOROETHANE	81611	000				**DUE**
1,1,2-TRICHLOROETHANE	34511	072	2007/07/12	.000	2013/07	
1,1-DICHLOROETHANE	34496	072	2007/07/12	.000	2013/07	
1,1-DICHLOROETHYLENE	34501	072	2007/07/12	.000	2013/07	
1,2,4-TRICHLOROBENZENE	34551	000				**DUE**
1,2-DICHLOROBENZENE	34536	072	2007/07/12	.000	2013/07	
1,2-DICHLOROETHANE	34531	072	2007/07/12	.000	2013/07	
1,2-DICHLOROPROPANE	34541	072	2007/07/12	.000	2013/07	

**Testing interval is in months;*
0 = No data for this constituent and is DUE NOW
999 = Waived testing (not required)
I = Invalid (NOT) valid analyses reported

System Number: ***3103291***

System Name: ***NYACK WATER SYSTEM***

PS Code: ***3103291-003***

Source Name: ***WELL 02***

Source Number: ***003***

Source Status: ***ACTIVE UNTREATED***

Water type: ***GROUNDWATER OR WELL***

	STORET NUMBER	TESTING INTERVAL (MONTHS)*	LAST TEST DATE (yyyy/mm/dd)	LAST RESULT REPORTED	NEXT TEST DATE (yyyy/mm)	
REGULATED VOC						
1,3-DICHLOROPROPENE (TOTAL)	34561	072	2007/07/12	.000	2013/07	
1,4-DICHLOROBENZENE	34571	072	2007/07/12	.000	2013/07	
BENZENE	34030	072	2007/07/12	.000	2013/07	
CARBON TETRACHLORIDE	32102	072	2007/07/12	.000	2013/07	
CIS-1,2-DICHLOROETHYLENE	77093	072	2007/07/12	.000	2013/07	
DICHLOROMETHANE	34423	072	2007/07/12	.000	2013/07	
ETHYLBENZENE	34371	072	2007/07/12	.000	2013/07	
METHYL-TERT-BUTYL-ETHER (MTBE)	46491	000				**DUE**
MONOCHLOROBENZENE	34301	072	2007/07/12	.000	2013/07	
STYRENE	77128	072	2007/07/12	.000	2013/07	
TETRACHLOROETHYLENE	34475	072	2007/07/12	.000	2013/07	
TOLUENE	34010	072	2007/07/12	.000	2013/07	
TRANS-1,2-DICHLOROETHYLENE	34546	072	2007/07/12	.000	2013/07	
TRICHLOROETHYLENE	39180	072	2007/07/12	.000	2013/07	
TRICHLOROFLUOROMETHANE	34488	072	2007/07/12	.000	2013/07	
VINYL CHLORIDE	39175	072	2007/07/12	.000	2013/07	
XYLENES (TOTAL)	81551	072	2007/07/12	.000	2013/07	
SECONDARY/GP						
AGGRSSIVE INDEX (CORROSIVITY)	82383	WAIVED				
BICARBONATE ALKALINITY	00440	000				**DUE**
CALCIUM	00916	000				**DUE**
CARBONATE ALKALINITY	00445	000				**DUE**
CHLORIDE	00940	WAIVED				
COLOR	00081	WAIVED				
COPPER	01042	WAIVED				
FOAMING AGENTS (MBAS)	38260	WAIVED				
HARDNESS (TOTAL) AS CACO3	00900	000				**DUE**
HYDROXIDE ALKALINITY	71830	000				**DUE**
IRON	01045	000				**DUE**

**Testing interval is in months;*
0 = No data for this constituent and is DUE NOW
999 = Waived testing (not required)
I = Invalid (NOT) valid analyses reported

System Number: ***3103291***

System Name: ***NYACK WATER SYSTEM***

PS Code: ***3103291-003***

Source Name: ***WELL 02***

Source Number: ***003***

Source Status: ***ACTIVE UNTREATED***

Water type: ***GROUNDWATER OR WELL***

SECONDARY/GP	STORET NUMBER	TESTING INTERVAL (MONTHS)*	LAST TEST DATE (yyyy/mm/dd)	LAST RESULT REPORTED	NEXT TEST DATE (yyyy/mm)	
MAGNESIUM	**00927**	**000**				**DUE**
MANGANESE	**01055**	**000**				**DUE**
ODOR THRESHOLD @ 60 C	**00086**	**WAIVED**				
PH, LABORATORY	**00403**	**000**				**DUE**
SILVER	**01077**	**WAIVED**				
SODIUM	**00929**	**000**				**DUE**
SPECIFIC CONDUCTANCE	**00095**	**WAIVED**	2009/12/17	**160.000**		
SULFATE	**00945**	**WAIVED**				
TOTAL DISSOLVED SOLIDS	**70300**	**WAIVED**				
TURBIDITY, LABORATORY	**82079**	**WAIVED**				
ZINC	**01092**	**WAIVED**				

**Testing interval is in months;*
0 = No data for this constituent and is DUE NOW
999 = Waived testing (not required)
I = Invalid (NOT) valid analyses reported

System Number: ***3103294***

System Name: ***8200 WATER SYSTEM***

PS Code: ***3103294-002***

Source Name: ***LOWER WELL 02***

Source Number: ***002***

Source Status: ***ACTIVE UNTREATED***

Water type: ***GROUNDWATER OR WELL***

	STORET NUMBER	TESTING INTERVAL (MONTHS)*	LAST TEST DATE (yyyy/mm/dd)	LAST RESULT REPORTED	NEXT TEST DATE (yyyy/mm)
GENERAL NON CHAP 15					
DIAZINON	39570	WAIVED			
INORGANIC					
ALUMINUM	01105	WAIVED			
ANTIMONY	01097	WAIVED	2011/07/27	.000	
ARSENIC	01002	WAIVED	2011/07/27	.000	
ASBESTOS	81855	WAIVED			
BARIUM	01007	WAIVED	2011/07/27	86.000	
BERYLLIUM	01012	WAIVED	2011/07/27	.000	
CADMIUM	01027	WAIVED	2011/07/27	.000	
CHROMIUM (TOTAL)	01034	WAIVED	2011/07/27	.000	
CYANIDE	01291	WAIVED	2011/07/27	.000	
FLUORIDE (F) (NATURAL-SOURCE)	00951	WAIVED	2011/07/27	.000	
LEAD	01051	WAIVED			
MERCURY	71900	WAIVED	2011/07/27	.000	
NICKEL	01067	WAIVED	2011/07/27	.000	
PERCHLORATE	A-031	WAIVED	2011/07/27	< .000	
SELENIUM	01147	WAIVED			
THALLIUM	01059	WAIVED	2011/07/27	.000	
NITRATE/NITRITE					
NITRATE (AS NO3)	71850	WAIVED	2011/07/27	1.400	
NITRITE (AS N)	00620	WAIVED	2011/07/27	.000	
RADIOLOGICAL					
GROSS ALPHA	01501	WAIVED	2011/11/11	1.050	
GROSS BETA	03501	WAIVED			
RA-226 FOR CWS OR TOTAL RA FOR NTNC BY 903.0	A-080	WAIVED	2011/11/11	.000	
RA-226 OR TOTAL RA BY 903.0 C.E.	A-081	WAIVED	2011/11/11	.292	
RADIUM 226	09501	WAIVED			
RADIUM 228	11501	WAIVED	2011/11/11	.000	

**Testing interval is in months;*
0 = No data for this constituent and is DUE NOW
999 = Waived testing (not required)
I = Invalid (NOT) valid analyses reported

System Number: ***3103294***

System Name: ***8200 WATER SYSTEM***

PS Code: ***3103294-002***

Source Name: ***LOWER WELL 02***

Source Number: ***002***

Source Status: ***ACTIVE UNTREATED***

Water type: ***GROUNDWATER OR WELL***

	STORET NUMBER	TESTING INTERVAL (MONTHS)*	LAST TEST DATE (yyyy/mm/dd)	LAST RESULT REPORTED	NEXT TEST DATE (yyyy/mm)
RADIOLOGICAL					
RADIUM, TOTAL, MDA95-NTNC ONLY, BY 903.0	A-082	WAIVED	2011/11/11	.439	
STRONTIUM-90	13501	WAIVED			
TRITIUM	07000	WAIVED			
URANIUM (PCI/L)	28012	WAIVED	2011/11/11	.116	
REGULATED SOC					
2,3,7,8-TCDD (DIOXIN)	34676	WAIVED			
2,4,5-TP (SILVEX)	39045	WAIVED			
2,4-D	39730	WAIVED			
ALACHLOR	77825	WAIVED			
ATRAZINE	39033	WAIVED			
BENTAZON	38710	WAIVED			
BENZO (A) PYRENE	34247	WAIVED			
CARBOFURAN	81405	WAIVED			
CHLORDANE	39350	WAIVED			
DALAPON	38432	WAIVED			
DI(2-ETHYLHEXYL)ADIPATE	A-026	WAIVED			
DI(2-ETHYLHEXYL)PHTHALATE	39100	WAIVED			
DIBROMOCHLOROPROPANE (DBCP)	38761	WAIVED			
DINOSEB	81287	WAIVED			
DIQUAT	78885	WAIVED			
ENDOTHALL	38926	WAIVED			
ENDRIN	39390	WAIVED			
ETHYLENE DIBROMIDE (EDB)	77651	WAIVED			
GLYPHOSATE	79743	WAIVED			
HEPTACHLOR	39410	WAIVED			
HEPTACHLOR EPOXIDE	39420	WAIVED			
HEXACHLOROBENZENE	39700	WAIVED			
HEXACHLOROCYCLOPENTADIENE	34386	WAIVED			
LINDANE	39340	WAIVED			

**Testing interval is in months;*
0 = No data for this constituent and is DUE NOW
999 = Waived testing (not required)
I = Invalid (NOT) valid analyses reported

System Number: ***3103294***

System Name: ***8200 WATER SYSTEM***

PS Code: ***3103294-002***

Source Name: ***LOWER WELL 02***

Source Number: ***002***

Source Status: ***ACTIVE UNTREATED***

Water type: ***GROUNDWATER OR WELL***

	STORET NUMBER	TESTING INTERVAL (MONTHS)*	LAST TEST DATE (yyyy/mm/dd)	LAST RESULT REPORTED	NEXT TEST DATE (yyyy/mm)
REGULATED SOC					
METHOXYCHLOR	39480	WAIVED			
MOLINATE	82199	WAIVED			
OXAMYL	38865	WAIVED			
PENTACHLOROPHENOL	39032	WAIVED			
PICLORAM	39720	WAIVED			
POLYCHLORINATED BIPHENYLS, TOTAL, AS DCB	39516	WAIVED			
SIMAZINE	39055	WAIVED			
THIOBENCARB	A-001	WAIVED			
TOXAPHENE	39400	WAIVED			
REGULATED VOC					
1,1,1-TRICHLOROETHANE	34506	WAIVED	2011/08/31	.000	
1,1,2,2-TETRACHLOROETHANE	34516	WAIVED	2011/08/31	.000	
1,1,2-TRICHLORO-1,2,2-TRIFLUOROETHANE	81611	WAIVED	2011/08/31	.000	
1,1,2-TRICHLOROETHANE	34511	WAIVED	2011/08/31	.000	
1,1-DICHLOROETHANE	34496	WAIVED	2011/08/31	.000	
1,1-DICHLOROETHYLENE	34501	WAIVED	2011/08/31	.000	
1,2,4-TRICHLOROBENZENE	34551	WAIVED	2011/08/31	.000	
1,2-DICHLOROBENZENE	34536	WAIVED	2011/08/31	.000	
1,2-DICHLOROETHANE	34531	WAIVED	2011/08/31	.000	
1,2-DICHLOROPROPANE	34541	WAIVED	2011/08/31	.000	
1,3-DICHLOROPROPENE (TOTAL)	34561	WAIVED	2011/08/31	.000	
1,4-DICHLOROBENZENE	34571	WAIVED	2011/08/31	.000	
BENZENE	34030	WAIVED	2011/08/31	.000	
CARBON TETRACHLORIDE	32102	WAIVED	2011/08/31	.000	
CIS-1,2-DICHLOROETHYLENE	77093	WAIVED	2011/08/31	.000	
DICHLOROMETHANE	34423	WAIVED	2011/08/31	.000	
ETHYLBENZENE	34371	WAIVED	2011/08/31	.000	
METHYL-TERT-BUTYL-ETHER (MTBE)	46491	WAIVED	2011/08/31	.000	
MONOCHLOROBENZENE	34301	WAIVED	2011/08/31	.000	

**Testing interval is in months;*
0 = No data for this constituent and is DUE NOW
999 = Waived testing (not required)
I = Invalid (NOT) valid analyses reported

System Number: ***3103294***

System Name: ***8200 WATER SYSTEM***

PS Code: ***3103294-002***

Source Name: ***LOWER WELL 02***

Source Number: ***002***

Source Status: ***ACTIVE UNTREATED***

Water type: ***GROUNDWATER OR WELL***

	STORET NUMBER	TESTING INTERVAL (MONTHS)*	LAST TEST DATE (yyyy/mm/dd)	LAST RESULT REPORTED	NEXT TEST DATE (yyyy/mm)
REGULATED VOC					
STYRENE	77128	WAIVED	2011/08/31	.000	
TETRACHLOROETHYLENE	34475	WAIVED	2011/08/31	.000	
TOLUENE	34010	WAIVED	2011/08/31	.000	
TRANS-1,2-DICHLOROETHYLENE	34546	WAIVED	2011/08/31	.000	
TRICHLOROETHYLENE	39180	WAIVED	2011/08/31	.000	
TRICHLOROFLUOROMETHANE	34488	WAIVED	2011/08/31	.000	
VINYL CHLORIDE	39175	WAIVED	2011/08/31	.000	
XYLENES (TOTAL)	81551	WAIVED	2011/08/31	.000	
SECONDARY/GP					
AGGRSSIVE INDEX (CORROSIVITY)	82383	WAIVED			
BICARBONATE ALKALINITY	00440	WAIVED			
CALCIUM	00916	WAIVED			
CARBONATE ALKALINITY	00445	WAIVED			
CHLORIDE	00940	WAIVED			
COLOR	00081	WAIVED			
COPPER	01042	WAIVED			
FOAMING AGENTS (MBAS)	38260	WAIVED			
HARDNESS (TOTAL) AS CACO3	00900	WAIVED			
HYDROXIDE ALKALINITY	71830	WAIVED			
IRON	01045	WAIVED			
MAGNESIUM	00927	WAIVED			
MANGANESE	01055	WAIVED			
ODOR THRESHOLD @ 60 C	00086	WAIVED			
PH, LABORATORY	00403	WAIVED			
SILVER	01077	WAIVED			
SODIUM	00929	WAIVED			
SPECIFIC CONDUCTANCE	00095	WAIVED	2011/07/27	110.000	
SULFATE	00945	WAIVED			
TOTAL DISSOLVED SOLIDS	70300	WAIVED			

**Testing interval is in months;*
0 = No data for this constituent and is DUE NOW
999 = Waived testing (not required)
I = Invalid (NOT) valid analyses reported

System Number: ***3103294***

System Name: ***8200 WATER SYSTEM***

PS Code: ***3103294-002***

Source Name: ***LOWER WELL 02***

Source Number: ***002***

Source Status: ***ACTIVE UNTREATED***

Water type: ***GROUNDWATER OR WELL***

	STORET NUMBER	TESTING INTERVAL (MONTHS)*	LAST TEST DATE (yyyy/mm/dd)	LAST RESULT REPORTED	NEXT TEST DATE (yyyy/mm)
SECONDARY/GP					
TURBIDITY, LABORATORY	82079	WAIVED			
ZINC	01092	WAIVED			

PS Code: ***3103294-003***

Source Name: ***NORTH WELL 03***

Source Number: ***003***

Source Status: ***ACTIVE UNTREATED***

Water type: ***GROUNDWATER OR WELL***

	STORET NUMBER	TESTING INTERVAL (MONTHS)*	LAST TEST DATE (yyyy/mm/dd)	LAST RESULT REPORTED	NEXT TEST DATE (yyyy/mm)
GENERAL NON CHAP 15					
DIAZINON	39570	WAIVED			
INORGANIC					
ALUMINUM	01105	WAIVED	2004/07/12	.000	
ANTIMONY	01097	WAIVED	2011/07/27	.000	
ARSENIC	01002	WAIVED	2011/07/27	.000	
ASBESTOS	81855	WAIVED			
BARIUM	01007	WAIVED	2011/07/27	12.000	
BERYLLIUM	01012	WAIVED	2011/07/27	.000	
CADMIUM	01027	WAIVED	2011/07/27	.000	
CHROMIUM (TOTAL)	01034	WAIVED	2011/07/27	.000	
CYANIDE	01291	WAIVED	2011/07/27	.000	
FLUORIDE (F) (NATURAL-SOURCE)	00951	WAIVED	2011/07/27	.000	
LEAD	01051	WAIVED			
MERCURY	71900	WAIVED	2011/07/27	.000	
NICKEL	01067	WAIVED	2011/07/27	.000	
PERCHLORATE	A-031	WAIVED	2011/07/27	< .000	
SELENIUM	01147	WAIVED	2011/07/27	.000	
THALLIUM	01059	WAIVED	2011/07/27	.000	

**Testing interval is in months;*
0 = No data for this constituent and is DUE NOW
999 = Waived testing (not required)
I = Invalid (NOT) valid analyses reported

System Number: ***3103294***

System Name: ***8200 WATER SYSTEM***

PS Code: ***3103294-003***

Source Name: ***NORTH WELL 03***

Source Number: ***003***

Source Status: ***ACTIVE UNTREATED***

Water type: ***GROUNDWATER OR WELL***

	STORET NUMBER	TESTING INTERVAL (MONTHS)*	LAST TEST DATE (yyyy/mm/dd)	LAST RESULT REPORTED	NEXT TEST DATE (yyyy/mm)
NITRATE/NITRITE					
NITRATE (AS NO3)	71850	WAIVED	2011/07/27	.000	
NITRITE (AS N)	00620	WAIVED	2011/07/27	.000	
RADIOLOGICAL					
GROSS ALPHA	01501	WAIVED	2011/11/11	.563	
GROSS BETA	03501	WAIVED			
RA-226 FOR CWS OR TOTAL RA FOR NTNC BY 903.0	A-080	WAIVED	2011/11/11	.000	
RA-226 OR TOTAL RA BY 903.0 C.E.	A-081	WAIVED	2011/11/11	.272	
RADIUM 226	09501	WAIVED			
RADIUM 228	11501	WAIVED	2011/11/11	.000	
RADIUM, TOTAL, MDA95-NTNC ONLY, BY 903.0	A-082	WAIVED	2011/11/11	.439	
STRONTIUM-90	13501	WAIVED			
TRITIUM	07000	WAIVED			
URANIUM (PCI/L)	28012	WAIVED	2011/11/11	.000	
REGULATED SOC					
2,3,7,8-TCDD (DIOXIN)	34676	WAIVED			
2,4,5-TP (SILVEX)	39045	WAIVED			
2,4-D	39730	WAIVED			
ALACHLOR	77825	WAIVED			
ATRAZINE	39033	WAIVED			
BENTAZON	38710	WAIVED			
BENZO (A) PYRENE	34247	WAIVED			
CARBOFURAN	81405	WAIVED			
CHLORDANE	39350	WAIVED			
DALAPON	38432	WAIVED			
DI(2-ETHYLHEXYL)ADIPATE	A-026	WAIVED			
DI(2-ETHYLHEXYL)PHTHALATE	39100	WAIVED			
DIBROMOCHLOROPROPANE (DBCP)	38761	WAIVED			
DINOSEB	81287	WAIVED			
DIQUAT	78885	WAIVED			

**Testing interval is in months;*
0 = No data for this constituent and is DUE NOW
999 = Waived testing (not required)
I = Invalid (NOT) valid analyses reported

System Number: ***3103294***

System Name: ***8200 WATER SYSTEM***

PS Code: ***3103294-003***

Source Name: ***NORTH WELL 03***

Source Number: ***003***

Source Status: ***ACTIVE UNTREATED***

Water type: ***GROUNDWATER OR WELL***

	STORET NUMBER	TESTING INTERVAL (MONTHS)*	LAST TEST DATE (yyyy/mm/dd)	LAST RESULT REPORTED	NEXT TEST DATE (yyyy/mm)
REGULATED SOC					
ENDOTHALL	38926	WAIVED			
ENDRIN	39390	WAIVED			
ETHYLENE DIBROMIDE (EDB)	77651	WAIVED			
GLYPHOSATE	79743	WAIVED			
HEPTACHLOR	39410	WAIVED			
HEPTACHLOR EPOXIDE	39420	WAIVED			
HEXACHLOROBENZENE	39700	WAIVED			
HEXACHLOROCYCLOPENTADIENE	34386	WAIVED			
LINDANE	39340	WAIVED			
METHOXYCHLOR	39480	WAIVED			
MOLINATE	82199	WAIVED			
OXAMYL	38865	WAIVED			
PENTACHLOROPHENOL	39032	WAIVED			
PICLORAM	39720	WAIVED			
POLYCHLORINATED BIPHENYLS, TOTAL, AS DCB	39516	WAIVED			
SIMAZINE	39055	WAIVED			
THIOBENCARB	A-001	WAIVED			
TOXAPHENE	39400	WAIVED			
REGULATED VOC					
1,1,1-TRICHLOROETHANE	34506	WAIVED	2011/07/27	.000	
1,1,2,2-TETRACHLOROETHANE	34516	WAIVED	2011/07/27	.000	
1,1,2-TRICHLORO-1,2,2-TRIFLUOROETHANE	81611	WAIVED	2011/07/27	.000	
1,1,2-TRICHLOROETHANE	34511	WAIVED	2011/07/27	.000	
1,1-DICHLOROETHANE	34496	WAIVED	2011/07/27	.000	
1,1-DICHLOROETHYLENE	34501	WAIVED	2011/07/27	.000	
1,2,4-TRICHLOROBENZENE	34551	WAIVED	2011/07/27	.000	
1,2-DICHLOROBENZENE	34536	WAIVED	2011/07/27	.000	
1,2-DICHLOROETHANE	34531	WAIVED	2011/07/27	.000	
1,2-DICHLOROPROPANE	34541	WAIVED	2011/07/27	.000	

**Testing interval is in months;*
0 = No data for this constituent and is DUE NOW
999 = Waived testing (not required)
I = Invalid (NOT) valid analyses reported

System Number: ***3103294***

System Name: ***8200 WATER SYSTEM***

PS Code: ***3103294-003***

Source Name: ***NORTH WELL 03***

Source Number: ***003***

Source Status: ***ACTIVE UNTREATED***

Water type: ***GROUNDWATER OR WELL***

	STORET NUMBER	TESTING INTERVAL (MONTHS)*	LAST TEST DATE (yyyy/mm/dd)	LAST RESULT REPORTED	NEXT TEST DATE (yyyy/mm)
REGULATED VOC					
1,3-DICHLOROPROPENE (TOTAL)	34561	WAIVED	2011/07/27	.000	
1,4-DICHLOROBENZENE	34571	WAIVED	2011/07/27	.000	
BENZENE	34030	WAIVED	2011/07/27	.000	
CARBON TETRACHLORIDE	32102	WAIVED	2011/07/27	.000	
CIS-1,2-DICHLOROETHYLENE	77093	WAIVED	2011/07/27	.000	
DICHLOROMETHANE	34423	WAIVED	2011/07/27	.000	
ETHYLBENZENE	34371	WAIVED	2011/07/27	.000	
METHYL-TERT-BUTYL-ETHER (MTBE)	46491	WAIVED	2011/07/27	.000	
MONOCHLOROBENZENE	34301	WAIVED	2011/07/27	.000	
STYRENE	77128	WAIVED	2011/07/27	.000	
TETRACHLOROETHYLENE	34475	WAIVED	2011/07/27	.000	
TOLUENE	34010	WAIVED	2011/07/27	.000	
TRANS-1,2-DICHLOROETHYLENE	34546	WAIVED	2011/07/27	.000	
TRICHLOROETHYLENE	39180	WAIVED	2011/07/27	.000	
TRICHLOROFLUOROMETHANE	34488	WAIVED	2011/07/27	.000	
VINYL CHLORIDE	39175	WAIVED	2011/07/27	.000	
XYLENES (TOTAL)	81551	WAIVED	2011/07/27	.000	
SECONDARY/GP					
AGGRSSIVE INDEX (CORROSIVITY)	82383	WAIVED			
BICARBONATE ALKALINITY	00440	WAIVED	2004/07/12	24.000	
CALCIUM	00916	WAIVED	2004/07/12	8.200	
CARBONATE ALKALINITY	00445	WAIVED	2004/07/12	.000	
CHLORIDE	00940	WAIVED	2004/07/12	1.700	
COLOR	00081	WAIVED	2004/07/12	5.000	
COPPER	01042	WAIVED	2004/07/12	.000	
FOAMING AGENTS (MBAS)	38260	WAIVED	2004/07/12	< .050	
HARDNESS (TOTAL) AS CACO3	00900	WAIVED	2004/07/12	25.000	
HYDROXIDE ALKALINITY	71830	WAIVED	2004/07/12	.000	
IRON	01045	WAIVED	2004/07/12	.000	

**Testing interval is in months;*
0 = No data for this constituent and is DUE NOW
999 = Waived testing (not required)
I = Invalid (NOT) valid analyses reported

System Number: ***3103294***

System Name: ***8200 WATER SYSTEM***

PS Code: ***3103294-003***

Source Name: ***NORTH WELL 03***

Source Number: ***003***

Source Status: ***ACTIVE UNTREATED***

Water type: ***GROUNDWATER OR WELL***

	STORET NUMBER	TESTING INTERVAL (MONTHS)*	LAST TEST DATE (yyyy/mm/dd)	LAST RESULT REPORTED	NEXT TEST DATE (yyyy/mm)
SECONDARY/GP					
MAGNESIUM	00927	WAIVED	2004/07/12	1.200	
MANGANESE	01055	WAIVED	2004/07/12	.000	
ODOR THRESHOLD @ 60 C	00086	WAIVED	2004/07/12	.000	
PH, LABORATORY	00403	WAIVED	2004/07/12	6.660	
SILVER	01077	WAIVED	2004/07/12	.000	
SODIUM	00929	WAIVED	2004/07/12	1.400	
SPECIFIC CONDUCTANCE	00095	WAIVED	2011/07/27	14.000	
SULFATE	00945	WAIVED	2004/07/12	1.200	
TOTAL DISSOLVED SOLIDS	70300	WAIVED	2004/07/12	40.000	
TURBIDITY, LABORATORY	82079	WAIVED	2004/07/12	.440	
ZINC	01092	WAIVED	2004/07/12	.000	

PS Code: ***3103294-004***

Source Name: ***SOUTH WELL 04***

Source Number: ***004***

Source Status: ***ACTIVE UNTREATED***

Water type: ***GROUNDWATER OR WELL***

GENERAL NON CHAP 15					
DIAZINON	39570	WAIVED			
INORGANIC					
ALUMINUM	01105	WAIVED	2004/07/12	.000	
ANTIMONY	01097	WAIVED	2011/07/27	.000	
ARSENIC	01002	WAIVED	2011/07/27	.000	
ASBESTOS	81855	WAIVED			
BARIUM	01007	WAIVED	2011/07/27	12.000	
BERYLLIUM	01012	WAIVED	2011/07/27	.000	
CADMIUM	01027	WAIVED	2011/07/27	.000	
CHROMIUM (TOTAL)	01034	WAIVED	2011/07/27	.000	
CYANIDE	01291	WAIVED	2011/07/27	.000	

**Testing interval is in months;*
0 = No data for this constituent and is DUE NOW
999 = Waived testing (not required)
I = Invalid (NOT) valid analyses reported

System Number: ***3103294***

System Name: ***8200 WATER SYSTEM***

PS Code: ***3103294-004***

Source Name: ***SOUTH WELL 04***

Source Number: ***004***

Source Status: ***ACTIVE UNTREATED***

Water type: ***GROUNDWATER OR WELL***

	STORET NUMBER	TESTING INTERVAL (MONTHS)*	LAST TEST DATE (yyyy/mm/dd)	LAST RESULT REPORTED	NEXT TEST DATE (yyyy/mm)
INORGANIC					
FLUORIDE (F) (NATURAL-SOURCE)	00951	WAIVED	2011/07/27	.000	
LEAD	01051	WAIVED			
MERCURY	71900	WAIVED	2011/07/27	.000	
NICKEL	01067	WAIVED	2011/07/27	.000	
PERCHLORATE	A-031	WAIVED	2011/07/27	< .000	
SELENIUM	01147	WAIVED	2011/07/27	.000	
THALLIUM	01059	WAIVED	2011/07/27	.000	
NITRATE/NITRITE					
NITRATE (AS NO3)	71850	WAIVED	2011/07/27	.000	
NITRITE (AS N)	00620	WAIVED	2011/07/27	.000	
RADIOLOGICAL					
GROSS ALPHA	01501	WAIVED	2011/11/11	.488	
GROSS BETA	03501	WAIVED			
RA-226 FOR CWS OR TOTAL RA FOR NTNC BY 903.0	A-080	WAIVED	2011/11/11	.000	
RA-226 OR TOTAL RA BY 903.0 C.E.	A-081	WAIVED	2011/11/11	.271	
RADIUM 226	09501	WAIVED			
RADIUM 228	11501	WAIVED	2011/11/11	.045	
RADIUM, TOTAL, MDA95-NTNC ONLY, BY 903.0	A-082	WAIVED	2011/11/11	.439	
STRONTIUM-90	13501	WAIVED			
TRITIUM	07000	WAIVED			
URANIUM (PCI/L)	28012	WAIVED	2011/11/11	.000	
REGULATED SOC					
2,3,7,8-TCDD (DIOXIN)	34676	WAIVED			
2,4,5-TP (SILVEX)	39045	WAIVED			
2,4-D	39730	WAIVED			
ALACHLOR	77825	WAIVED			
ATRAZINE	39033	WAIVED			
BENTAZON	38710	WAIVED			

**Testing interval is in months;*
0 = No data for this constituent and is DUE NOW
999 = Waived testing (not required)
I = Invalid (NOT) valid analyses reported

System Number: ***3103294***

System Name: ***8200 WATER SYSTEM***

PS Code: ***3103294-004***

Source Name: ***SOUTH WELL 04***

Source Number: ***004***

Source Status: ***ACTIVE UNTREATED***

Water type: ***GROUNDWATER OR WELL***

	STORET NUMBER	TESTING INTERVAL (MONTHS)*	LAST TEST DATE (yyyy/mm/dd)	LAST RESULT REPORTED	NEXT TEST DATE (yyyy/mm)
REGULATED SOC					
BENZO (A) PYRENE	34247	WAIVED			
CARBOFURAN	81405	WAIVED			
CHLORDANE	39350	WAIVED			
DALAPON	38432	WAIVED			
DI(2-ETHYLHEXYL)ADIPATE	A-026	WAIVED			
DI(2-ETHYLHEXYL)PHTHALATE	39100	WAIVED			
DIBROMOCHLOROPROPANE (DBCP)	38761	WAIVED			
DINOSEB	81287	WAIVED			
DIQUAT	78885	WAIVED			
ENDOTHALL	38926	WAIVED			
ENDRIN	39390	WAIVED			
ETHYLENE DIBROMIDE (EDB)	77651	WAIVED			
GLYPHOSATE	79743	WAIVED			
HEPTACHLOR	39410	WAIVED			
HEPTACHLOR EPOXIDE	39420	WAIVED			
HEXACHLOROBENZENE	39700	WAIVED			
HEXACHLOROCYCLOPENTADIENE	34386	WAIVED			
LINDANE	39340	WAIVED			
METHOXYCHLOR	39480	WAIVED			
MOLINATE	82199	WAIVED			
OXAMYL	38865	WAIVED			
PENTACHLOROPHENOL	39032	WAIVED			
PICLORAM	39720	WAIVED			
POLYCHLORINATED BIPHENYLS, TOTAL, AS DCB	39516	WAIVED			
SIMAZINE	39055	WAIVED			
THIOBENCARB	A-001	WAIVED			
TOXAPHENE	39400	WAIVED			
REGULATED VOC					
1,1,1-TRICHLOROETHANE	34506	WAIVED	2011/07/27	.000	

**Testing interval is in months;*
0 = No data for this constituent and is DUE NOW
999 = Waived testing (not required)
I = Invalid (NOT) valid analyses reported

System Number: ***3103294***

System Name: ***8200 WATER SYSTEM***

PS Code: ***3103294-004***

Source Name: ***SOUTH WELL 04***

Source Number: ***004***

Source Status: ***ACTIVE UNTREATED***

Water type: ***GROUNDWATER OR WELL***

	STORET NUMBER	TESTING INTERVAL (MONTHS)*	LAST TEST DATE (yyyy/mm/dd)	LAST RESULT REPORTED	NEXT TEST DATE (yyyy/mm)
REGULATED VOC					
1,1,2,2-TETRACHLOROETHANE	34516	WAIVED	2011/07/27	.000	
1,1,2-TRICHLORO-1,2,2-TRIFLUOROETHANE	81611	WAIVED	2011/07/27	.000	
1,1,2-TRICHLOROETHANE	34511	WAIVED	2011/07/27	.000	
1,1-DICHLOROETHANE	34496	WAIVED	2011/07/27	.000	
1,1-DICHLOROETHYLENE	34501	WAIVED	2011/07/27	.000	
1,2,4-TRICHLOROBENZENE	34551	WAIVED	2011/07/27	.000	
1,2-DICHLOROBENZENE	34536	WAIVED	2011/07/27	.000	
1,2-DICHLOROETHANE	34531	WAIVED	2011/07/27	.000	
1,2-DICHLOROPROPANE	34541	WAIVED	2011/07/27	.000	
1,3-DICHLOROPROPENE (TOTAL)	34561	WAIVED	2011/07/27	.000	
1,4-DICHLOROBENZENE	34571	WAIVED	2011/07/27	.000	
BENZENE	34030	WAIVED	2011/07/27	.000	
CARBON TETRACHLORIDE	32102	WAIVED	2011/07/27	.000	
CIS-1,2-DICHLOROETHYLENE	77093	WAIVED	2011/07/27	.000	
DICHLOROMETHANE	34423	WAIVED	2011/07/27	.000	
ETHYLBENZENE	34371	WAIVED	2011/07/27	.000	
METHYL-TERT-BUTYL-ETHER (MTBE)	46491	WAIVED	2011/07/27	.000	
MONOCHLOROBENZENE	34301	WAIVED	2011/07/27	.000	
STYRENE	77128	WAIVED	2011/07/27	.000	
TETRACHLOROETHYLENE	34475	WAIVED	2011/07/27	.000	
TOLUENE	34010	WAIVED	2011/07/27	.000	
TRANS-1,2-DICHLOROETHYLENE	34546	WAIVED	2011/07/27	.000	
TRICHLOROETHYLENE	39180	WAIVED	2011/07/27	.000	
TRICHLOROFLUOROMETHANE	34488	WAIVED	2011/07/27	.000	
VINYL CHLORIDE	39175	WAIVED	2011/07/27	.000	
XYLENES (TOTAL)	81551	WAIVED	2011/07/27	.000	
SECONDARY/GP					
AGGRSSIVE INDEX (CORROSIVITY)	82383	WAIVED			
BICARBONATE ALKALINITY	00440	WAIVED	2004/07/12	9.700	

**Testing interval is in months;*
0 = No data for this constituent and is DUE NOW
999 = Waived testing (not required)
I = Invalid (NOT) valid analyses reported

System Number: ***3103294***

System Name: ***8200 WATER SYSTEM***

PS Code: ***3103294-004***

Source Name: ***SOUTH WELL 04***

Source Number: ***004***

Source Status: ***ACTIVE UNTREATED***

Water type: ***GROUNDWATER OR WELL***

SECONDARY/GP

	STORET NUMBER	TESTING INTERVAL (MONTHS)*	LAST TEST DATE (yyyy/mm/dd)	LAST RESULT REPORTED	NEXT TEST DATE (yyyy/mm)
CALCIUM	00916	WAIVED	2004/07/12	5.800	
CARBONATE ALKALINITY	00445	WAIVED	2004/07/12	.000	
CHLORIDE	00940	WAIVED	2004/07/12	4.300	
COLOR	00081	WAIVED	2004/07/12	5.000	
COPPER	01042	WAIVED	2004/07/12	220.000	
FOAMING AGENTS (MBAS)	38260	WAIVED	2004/07/12	< .050	
HARDNESS (TOTAL) AS CACO3	00900	WAIVED	2004/07/12	18.000	
HYDROXIDE ALKALINITY	71830	WAIVED	2004/07/12	.000	
IRON	01045	WAIVED	2004/07/12	720.000	
MAGNESIUM	00927	WAIVED	2004/07/12	.900	
MANGANESE	01055	WAIVED	2004/07/12	.000	
ODOR THRESHOLD @ 60 C	00086	WAIVED	2004/07/12	.000	
PH, LABORATORY	00403	WAIVED	2004/07/12	6.240	
SILVER	01077	WAIVED	2004/07/12	.000	
SODIUM	00929	WAIVED	2004/07/12	1.700	
SPECIFIC CONDUCTANCE	00095	WAIVED	2011/07/27	13.000	
SULFATE	00945	WAIVED	2004/07/12	1.000	
TOTAL DISSOLVED SOLIDS	70300	WAIVED	2004/07/12	39.000	
TURBIDITY, LABORATORY	82079	WAIVED	2004/07/12	.160	
ZINC	01092	WAIVED	2004/07/12	160.000	

PS Code: ***3103294-005***

Source Name: ***UPPER WELL 05***

Source Number: ***005***

Source Status: ***ACTIVE UNTREATED***

Water type: ***GROUNDWATER OR WELL***

GENERAL NON CHAP 15

DIAZINON	39570	WAIVED			

**Testing interval is in months;*
0 = No data for this constituent and is DUE NOW
999 = Waived testing (not required)
I = Invalid (NOT) valid analyses reported

System Number: ***3103294***

System Name: ***8200 WATER SYSTEM***

PS Code: ***3103294-005***

Source Name: ***UPPER WELL 05***

Source Number: ***005***

Source Status: ***ACTIVE UNTREATED***

Water type: ***GROUNDWATER OR WELL***

	STORET NUMBER	TESTING INTERVAL (MONTHS)*	LAST TEST DATE (yyyy/mm/dd)	LAST RESULT REPORTED	NEXT TEST DATE (yyyy/mm)
INORGANIC					
ALUMINUM	01105	WAIVED	2004/07/12	.000	
ANTIMONY	01097	WAIVED	2011/07/27	.000	
ARSENIC	01002	WAIVED	2011/07/27	.000	
ASBESTOS	81855	WAIVED			
BARIUM	01007	WAIVED	2011/07/27	24.000	
BERYLLIUM	01012	WAIVED	2011/07/27	.000	
CADMIUM	01027	WAIVED	2011/07/27	.000	
CHROMIUM (TOTAL)	01034	WAIVED	2011/07/27	.000	
CYANIDE	01291	WAIVED	2011/07/27	.000	
FLUORIDE (F) (NATURAL-SOURCE)	00951	WAIVED	2011/07/27	.000	
LEAD	01051	WAIVED			
MERCURY	71900	WAIVED	2011/07/27	.000	
NICKEL	01067	WAIVED	2011/07/27	.000	
PERCHLORATE	A-031	WAIVED	2011/07/27	< .000	
SELENIUM	01147	WAIVED	2011/07/27	.000	
THALLIUM	01059	WAIVED	2011/07/27	.000	
NITRATE/NITRITE					
NITRATE (AS NO3)	71850	WAIVED	2011/07/27	.420	
NITRITE (AS N)	00620	WAIVED	2011/07/27	.000	
RADIOLOGICAL					
GROSS ALPHA	01501	WAIVED	2011/11/11	.000	
GROSS BETA	03501	WAIVED			
RA-226 FOR CWS OR TOTAL RA FOR NTNC BY 903.0	A-080	WAIVED	2011/11/11	.000	
RA-226 OR TOTAL RA BY 903.0 C.E.	A-081	WAIVED	2011/11/11	.290	
RADIUM 226	09501	WAIVED			
RADIUM 228	11501	WAIVED	2011/11/11	.000	
RADIUM, TOTAL, MDA95-NTNC ONLY, BY 903.0	A-082	WAIVED	2011/11/11	.439	
STRONTIUM-90	13501	WAIVED			
TRITIUM	07000	WAIVED			

**Testing interval is in months;*
0 = No data for this constituent and is DUE NOW
999 = Waived testing (not required)
I = Invalid (NOT) valid analyses reported

System Number: ***3103294***

System Name: ***8200 WATER SYSTEM***

PS Code: ***3103294-005***

Source Name: ***UPPER WELL 05***

Source Number: ***005***

Source Status: ***ACTIVE UNTREATED***

Water type: ***GROUNDWATER OR WELL***

	STORET NUMBER	TESTING INTERVAL (MONTHS)*	LAST TEST DATE (yyyy/mm/dd)	LAST RESULT REPORTED	NEXT TEST DATE (yyyy/mm)
RADIOLOGICAL					
URANIUM (PCI/L)	28012	WAIVED	2011/11/11	.466	
REGULATED SOC					
2,3,7,8-TCDD (DIOXIN)	34676	WAIVED			
2,4,5-TP (SILVEX)	39045	WAIVED			
2,4-D	39730	WAIVED			
ALACHLOR	77825	WAIVED			
ATRAZINE	39033	WAIVED			
BENTAZON	38710	WAIVED			
BENZO (A) PYRENE	34247	WAIVED			
CARBOFURAN	81405	WAIVED			
CHLORDANE	39350	WAIVED			
DALAPON	38432	WAIVED			
DI(2-ETHYLHEXYL)ADIPATE	A-026	WAIVED			
DI(2-ETHYLHEXYL)PHTHALATE	39100	WAIVED			
DIBROMOCHLOROPROPANE (DBCP)	38761	WAIVED			
DINOSEB	81287	WAIVED			
DIQUAT	78885	WAIVED			
ENDOTHALL	38926	WAIVED			
ENDRIN	39390	WAIVED			
ETHYLENE DIBROMIDE (EDB)	77651	WAIVED			
GLYPHOSATE	79743	WAIVED			
HEPTACHLOR	39410	WAIVED			
HEPTACHLOR EPOXIDE	39420	WAIVED			
HEXACHLOROBENZENE	39700	WAIVED			
HEXACHLOROCYCLOPENTADIENE	34386	WAIVED			
LINDANE	39340	WAIVED			
METHOXYCHLOR	39480	WAIVED			
MOLINATE	82199	WAIVED			
OXAMYL	38865	WAIVED			

**Testing interval is in months;*
0 = No data for this constituent and is DUE NOW
999 = Waived testing (not required)
I = Invalid (NOT) valid analyses reported

System Number: ***3103294***

System Name: ***8200 WATER SYSTEM***

PS Code: ***3103294-005***

Source Name: ***UPPER WELL 05***

Source Number: ***005***

Source Status: ***ACTIVE UNTREATED***

Water type: ***GROUNDWATER OR WELL***

	STORET NUMBER	TESTING INTERVAL (MONTHS)*	LAST TEST DATE (yyyy/mm/dd)	LAST RESULT REPORTED	NEXT TEST DATE (yyyy/mm)
REGULATED SOC					
PENTACHLOROPHENOL	39032	WAIVED			
PICLORAM	39720	WAIVED			
POLYCHLORINATED BIPHENYLS, TOTAL, AS DCB	39516	WAIVED			
SIMAZINE	39055	WAIVED			
THIOBENCARB	A-001	WAIVED			
TOXAPHENE	39400	WAIVED			
REGULATED VOC					
1,1,1-TRICHLOROETHANE	34506	WAIVED	2011/08/31	.000	
1,1,2,2-TETRACHLOROETHANE	34516	WAIVED	2011/08/31	.000	
1,1,2-TRICHLORO-1,2,2-TRIFLUOROETHANE	81611	WAIVED	2011/08/31	.000	
1,1,2-TRICHLOROETHANE	34511	WAIVED	2011/08/31	.000	
1,1-DICHLOROETHANE	34496	WAIVED	2011/08/31	.000	
1,1-DICHLOROETHYLENE	34501	WAIVED	2011/08/31	.000	
1,2,4-TRICHLOROBENZENE	34551	WAIVED	2011/08/31	.000	
1,2-DICHLOROBENZENE	34536	WAIVED	2011/08/31	.000	
1,2-DICHLOROETHANE	34531	WAIVED	2011/08/31	.000	
1,2-DICHLOROPROPANE	34541	WAIVED	2011/08/31	.000	
1,3-DICHLOROPROPENE (TOTAL)	34561	WAIVED	2011/08/31	.000	
1,4-DICHLOROBENZENE	34571	WAIVED	2011/08/31	.000	
BENZENE	34030	WAIVED	2011/08/31	.000	
CARBON TETRACHLORIDE	32102	WAIVED	2011/08/31	.000	
CIS-1,2-DICHLOROETHYLENE	77093	WAIVED	2011/08/31	.000	
DICHLOROMETHANE	34423	WAIVED	2011/08/31	.000	
ETHYLBENZENE	34371	WAIVED	2011/08/31	.000	
METHYL-TERT-BUTYL-ETHER (MTBE)	46491	WAIVED	2011/08/31	.000	
MONOCHLOROBENZENE	34301	WAIVED	2011/08/31	.000	
STYRENE	77128	WAIVED	2011/08/31	.000	
TETRACHLOROETHYLENE	34475	WAIVED	2011/08/31	.000	
TOLUENE	34010	WAIVED	2011/08/31	.000	

**Testing interval is in months;*
0 = No data for this constituent and is DUE NOW
999 = Waived testing (not required)
I = Invalid (NOT) valid analyses reported

System Number: ***3103294***

System Name: ***8200 WATER SYSTEM***

PS Code: ***3103294-005***

Source Name: ***UPPER WELL 05***

Source Number: ***005***

Source Status: ***ACTIVE UNTREATED***

Water type: ***GROUNDWATER OR WELL***

	STORET NUMBER	TESTING INTERVAL (MONTHS)*	LAST TEST DATE (yyyy/mm/dd)	LAST RESULT REPORTED	NEXT TEST DATE (yyyy/mm)
REGULATED VOC					
TRANS-1,2-DICHLOROETHYLENE	34546	WAIVED	2011/08/31	.000	
TRICHLOROETHYLENE	39180	WAIVED	2011/08/31	.000	
TRICHLOROFLUOROMETHANE	34488	WAIVED	2011/08/31	.000	
VINYL CHLORIDE	39175	WAIVED	2011/08/31	.000	
XYLENES (TOTAL)	81551	WAIVED	2011/08/31	.000	
SECONDARY/GP					
AGGRSSIVE INDEX (CORROSIVITY)	82383	WAIVED			
BICARBONATE ALKALINITY	00440	WAIVED	2004/07/12	56.000	
CALCIUM	00916	WAIVED	2004/07/12	13.000	
CARBONATE ALKALINITY	00445	WAIVED	2004/07/12	.000	
CHLORIDE	00940	WAIVED	2004/07/12	5.700	
COLOR	00081	WAIVED	2004/07/12	5.000	
COPPER	01042	WAIVED	2004/07/12	.000	
FOAMING AGENTS (MBAS)	38260	WAIVED	2004/07/12	< .050	
HARDNESS (TOTAL) AS CACO3	00900	WAIVED	2004/07/12	43.000	
HYDROXIDE ALKALINITY	71830	WAIVED	2004/07/12	.000	
IRON	01045	WAIVED	2004/07/12	.000	
MAGNESIUM	00927	WAIVED	2004/07/12	2.500	
MANGANESE	01055	WAIVED	2004/07/12	.000	
ODOR THRESHOLD @ 60 C	00086	WAIVED	2004/07/12	.000	
PH, LABORATORY	00403	WAIVED	2004/07/12	8.050	
SILVER	01077	WAIVED	2004/07/12	.000	
SODIUM	00929	WAIVED	2004/07/12	4.600	
SPECIFIC CONDUCTANCE	00095	WAIVED	2011/07/27	100.000	
SULFATE	00945	WAIVED	2004/07/12	1.200	
TOTAL DISSOLVED SOLIDS	70300	WAIVED	2004/07/12	68.000	
TURBIDITY, LABORATORY	82079	WAIVED	2004/07/12	.210	
ZINC	01092	WAIVED	2004/07/12	.000	

**Testing interval is in months;*
0 = No data for this constituent and is DUE NOW
999 = Waived testing (not required)
I = Invalid (NOT) valid analyses reported

System Number: 3103294
System Name: 8200 WATER SYSTEM

PS Code: 3103294-006
Source Name: NEWPORT WELL 06
Source Number: 006
Source Status: ACTIVE UNTREATED
Water type: GROUNDWATER OR WELL

	STORET NUMBER	TESTING INTERVAL (MONTHS)*	LAST TEST DATE (yyyy/mm/dd)	LAST RESULT REPORTED	NEXT TEST DATE (yyyy/mm)
GENERAL NON CHAP 15					
DIAZINON	39570	WAIVED			
INORGANIC					
ALUMINUM	01105	WAIVED	2004/07/12	.000	
ANTIMONY	01097	WAIVED	2004/07/12	.000	
ARSENIC	01002	WAIVED	2004/07/12	21.000	
ASBESTOS	81855	WAIVED			
BARIUM	01007	WAIVED	2004/07/12	36.000	
BERYLLIUM	01012	WAIVED			
CADMIUM	01027	WAIVED	2004/07/12	.000	
CHROMIUM (TOTAL)	01034	WAIVED	2004/07/12	.000	
CYANIDE	01291	WAIVED	2004/07/12	.000	
FLUORIDE (F) (NATURAL-SOURCE)	00951	WAIVED	2004/07/12	.000	
LEAD	01051	WAIVED			
MERCURY	71900	WAIVED	2004/07/12	.000	
NICKEL	01067	WAIVED	2004/07/12	.000	
PERCHLORATE	A-031	WAIVED			
SELENIUM	01147	WAIVED	2004/07/12	.000	
THALLIUM	01059	WAIVED	2004/07/12	.000	
NITRATE/NITRITE					
NITRATE (AS NO3)	71850	WAIVED	2004/07/12	.530	
NITRITE (AS N)	00620	WAIVED	2004/07/12	.000	
RADIOLOGICAL					
GROSS ALPHA	01501	WAIVED	2004/07/12	7.760	
GROSS BETA	03501	WAIVED			
RA-226 FOR CWS OR TOTAL RA FOR NTNC BY 903.0	A-080	WAIVED			
RA-226 OR TOTAL RA BY 903.0 C.E.	A-081	WAIVED			
RADIUM 226	09501	WAIVED			
RADIUM 228	11501	WAIVED			

**Testing interval is in months;*
0 = No data for this constituent and is DUE NOW
999 = Waived testing (not required)
I = Invalid (NOT) valid analyses reported

System Number: ***3103294***

System Name: ***8200 WATER SYSTEM***

PS Code: ***3103294-006***

Source Name: ***NEWPORT WELL 06***

Source Number: ***006***

Source Status: ***ACTIVE UNTREATED***

Water type: ***GROUNDWATER OR WELL***

	STORET NUMBER	TESTING INTERVAL (MONTHS)*	LAST TEST DATE (yyyy/mm/dd)	LAST RESULT REPORTED	NEXT TEST DATE (yyyy/mm)
RADIOLOGICAL					
RADIUM, TOTAL, MDA95-NTNC ONLY, BY 903.0	A-082	WAIVED			
STRONTIUM-90	13501	WAIVED			
TRITIUM	07000	WAIVED			
URANIUM (PCI/L)	28012	WAIVED			
REGULATED SOC					
2,3,7,8-TCDD (DIOXIN)	34676	WAIVED			
2,4,5-TP (SILVEX)	39045	WAIVED			
2,4-D	39730	WAIVED			
ALACHLOR	77825	WAIVED			
ATRAZINE	39033	WAIVED			
BENTAZON	38710	WAIVED			
BENZO (A) PYRENE	34247	WAIVED			
CARBOFURAN	81405	WAIVED			
CHLORDANE	39350	WAIVED			
DALAPON	38432	WAIVED			
DI(2-ETHYLHEXYL)ADIPATE	A-026	WAIVED			
DI(2-ETHYLHEXYL)PHTHALATE	39100	WAIVED			
DIBROMOCHLOROPROPANE (DBCP)	38761	WAIVED			
DINOSEB	81287	WAIVED			
DIQUAT	78885	WAIVED			
ENDOTHALL	38926	WAIVED			
ENDRIN	39390	WAIVED			
ETHYLENE DIBROMIDE (EDB)	77651	WAIVED			
GLYPHOSATE	79743	WAIVED			
HEPTACHLOR	39410	WAIVED			
HEPTACHLOR EPOXIDE	39420	WAIVED			
HEXACHLOROBENZENE	39700	WAIVED			
HEXACHLOROCYCLOPENTADIENE	34386	WAIVED			
LINDANE	39340	WAIVED			

**Testing interval is in months;*
0 = No data for this constituent and is DUE NOW
999 = Waived testing (not required)
I = Invalid (NOT) valid analyses reported

System Number: ***3103294***

System Name: ***8200 WATER SYSTEM***

PS Code: ***3103294-006***

Source Name: ***NEWPORT WELL 06***

Source Number: ***006***

Source Status: ***ACTIVE UNTREATED***

Water type: ***GROUNDWATER OR WELL***

	STORET NUMBER	TESTING INTERVAL (MONTHS)*	LAST TEST DATE (yyyy/mm/dd)	LAST RESULT REPORTED	NEXT TEST DATE (yyyy/mm)
REGULATED SOC					
METHOXYCHLOR	39480	WAIVED			
MOLINATE	82199	WAIVED			
OXAMYL	38865	WAIVED			
PENTACHLOROPHENOL	39032	WAIVED			
PICLORAM	39720	WAIVED			
POLYCHLORINATED BIPHENYLS, TOTAL, AS DCB	39516	WAIVED			
SIMAZINE	39055	WAIVED			
THIOBENCARB	A-001	WAIVED			
TOXAPHENE	39400	WAIVED			
REGULATED VOC					
1,1,1-TRICHLOROETHANE	34506	WAIVED	2004/07/12	.000	
1,1,2,2-TETRACHLOROETHANE	34516	WAIVED	2004/07/12	.000	
1,1,2-TRICHLORO-1,2,2-TRIFLUOROETHANE	81611	WAIVED	2004/07/12	.000	
1,1,2-TRICHLOROETHANE	34511	WAIVED	2004/07/12	.000	
1,1-DICHLOROETHANE	34496	WAIVED	2004/07/12	.000	
1,1-DICHLOROETHYLENE	34501	WAIVED	2004/07/12	.000	
1,2,4-TRICHLOROBENZENE	34551	WAIVED	2004/07/12	.000	
1,2-DICHLOROBENZENE	34536	WAIVED	2004/07/12	.000	
1,2-DICHLOROETHANE	34531	WAIVED	2004/07/12	.000	
1,2-DICHLOROPROPANE	34541	WAIVED	2004/07/12	.000	
1,3-DICHLOROPROPENE (TOTAL)	34561	WAIVED	2004/07/12	.000	
1,4-DICHLOROBENZENE	34571	WAIVED	2004/07/12	.000	
BENZENE	34030	WAIVED	2004/07/12	.000	
CARBON TETRACHLORIDE	32102	WAIVED	2004/07/12	.000	
CIS-1,2-DICHLOROETHYLENE	77093	WAIVED	2004/07/12	.000	
DICHLOROMETHANE	34423	WAIVED	2004/07/12	.000	
ETHYLBENZENE	34371	WAIVED	2004/07/12	.000	
METHYL-TERT-BUTYL-ETHER (MTBE)	46491	WAIVED	2004/07/12	.000	
MONOCHLOROBENZENE	34301	WAIVED	2004/07/12	.000	

**Testing interval is in months;*
0 = No data for this constituent and is DUE NOW
999 = Waived testing (not required)
I = Invalid (NOT) valid analyses reported

System Number: ***3103294***

System Name: ***8200 WATER SYSTEM***

PS Code: ***3103294-006***

Source Name: ***NEWPORT WELL 06***

Source Number: ***006***

Source Status: ***ACTIVE UNTREATED***

Water type: ***GROUNDWATER OR WELL***

	STORET NUMBER	TESTING INTERVAL (MONTHS)*	LAST TEST DATE (yyyy/mm/dd)	LAST RESULT REPORTED	NEXT TEST DATE (yyyy/mm)
REGULATED VOC					
STYRENE	77128	WAIVED	2004/07/12	.000	
TETRACHLOROETHYLENE	34475	WAIVED	2004/07/12	.000	
TOLUENE	34010	WAIVED	2004/07/12	.000	
TRANS-1,2-DICHLOROETHYLENE	34546	WAIVED	2004/07/12	.000	
TRICHLOROETHYLENE	39180	WAIVED	2004/07/12	.000	
TRICHLOROFLUOROMETHANE	34488	WAIVED	2004/07/12	.000	
VINYL CHLORIDE	39175	WAIVED	2004/07/12	.000	
XYLENES (TOTAL)	81551	WAIVED	2004/07/12	.000	
SECONDARY/GP					
AGGRSSIVE INDEX (CORROSIVITY)	82383	WAIVED			
BICARBONATE ALKALINITY	00440	WAIVED	2004/07/12	54.000	
CALCIUM	00916	WAIVED	2004/07/12	12.000	
CARBONATE ALKALINITY	00445	WAIVED	2004/07/12	.000	
CHLORIDE	00940	WAIVED	2004/07/12	1.500	
COLOR	00081	WAIVED	2004/07/12	5.000	
COPPER	01042	WAIVED	2004/07/12	.000	
FOAMING AGENTS (MBAS)	38260	WAIVED	2004/07/12	< .050	
HARDNESS (TOTAL) AS CACO3	00900	WAIVED	2004/07/12	35.000	
HYDROXIDE ALKALINITY	71830	WAIVED	2004/07/12	.000	
IRON	01045	WAIVED	2004/07/12	.000	
MAGNESIUM	00927	WAIVED	2004/07/12	1.200	
MANGANESE	01055	WAIVED	2004/07/12	.000	
ODOR THRESHOLD @ 60 C	00086	WAIVED	2004/07/12	.000	
PH, LABORATORY	00403	WAIVED	2004/07/12	8.630	
SILVER	01077	WAIVED	2004/07/12	.000	
SODIUM	00929	WAIVED	2004/07/12	7.600	
SPECIFIC CONDUCTANCE	00095	WAIVED	2004/07/12	86.000	
SULFATE	00945	WAIVED	2004/07/12	6.400	
TOTAL DISSOLVED SOLIDS	70300	WAIVED	2004/07/12	70.000	

**Testing interval is in months;*
0 = No data for this constituent and is DUE NOW
999 = Waived testing (not required)
I = Invalid (NOT) valid analyses reported

System Number: ***3103294***

System Name: ***8200 WATER SYSTEM***

PS Code: ***3103294-006***

Source Name: ***NEWPORT WELL 06***

Source Number: ***006***

Source Status: ***ACTIVE UNTREATED***

Water type: ***GROUNDWATER OR WELL***

SECONDARY/GP	STORET NUMBER	TESTING INTERVAL (MONTHS)*	LAST TEST DATE (yyyy/mm/dd)	LAST RESULT REPORTED	NEXT TEST DATE (yyyy/mm)
TURBIDITY, LABORATORY	82079	WAIVED	2004/07/12	.350	
ZINC	01092	WAIVED	2004/07/12	27.000	

**Testing interval is in months;*
0 = No data for this constituent and is DUE NOW
999 = Waived testing (not required)
I = Invalid (NOT) valid analyses reported

System Number: ***3103297***

System Name: ***GOOSE MEADOWS***

PS Code: ***3103297-001***

Source Name: ***NORTH WELL 01***

Source Number: ***001***

Source Status: ***ACTIVE UNTREATED***

Water type: ***GROUNDWATER OR WELL***

	STORET NUMBER	TESTING INTERVAL (MONTHS)*	LAST TEST DATE (yyyy/mm/dd)	LAST RESULT REPORTED	NEXT TEST DATE (yyyy/mm)
GENERAL NON CHAP 15					
DIAZINON	39570	WAIVED			
INORGANIC					
ALUMINUM	01105	WAIVED			
ANTIMONY	01097	WAIVED			
ARSENIC	01002	WAIVED			
ASBESTOS	81855	WAIVED			
BARIUM	01007	WAIVED			
BERYLLIUM	01012	WAIVED			
CADMIUM	01027	WAIVED			
CHROMIUM (TOTAL)	01034	WAIVED			
CYANIDE	01291	WAIVED			
FLUORIDE (F) (NATURAL-SOURCE)	00951	WAIVED			
LEAD	01051	WAIVED			
MERCURY	71900	WAIVED			
NICKEL	01067	WAIVED			
PERCHLORATE	A-031	WAIVED			
SELENIUM	01147	WAIVED			
THALLIUM	01059	WAIVED			
NITRATE/NITRITE					
NITRATE (AS NO3)	71850	WAIVED	2005/07/28	< 2.000	
NITRITE (AS N)	00620	WAIVED	2005/07/28	< 400.000	
RADIOLOGICAL					
GROSS ALPHA	01501	WAIVED			
GROSS BETA	03501	WAIVED			
RA-226 FOR CWS OR TOTAL RA FOR NTNC BY 903.0	A-080	WAIVED			
RA-226 OR TOTAL RA BY 903.0 C.E.	A-081	WAIVED			
RADIUM 226	09501	WAIVED			
RADIUM 228	11501	WAIVED			

**Testing interval is in months;*
0 = No data for this constituent and is DUE NOW
999 = Waived testing (not required)
I = Invalid (NOT) valid analyses reported

System Number: ***3103297***

System Name: ***GOOSE MEADOWS***

PS Code: ***3103297-001***

Source Name: ***NORTH WELL 01***

Source Number: ***001***

Source Status: ***ACTIVE UNTREATED***

Water type: ***GROUNDWATER OR WELL***

	STORET NUMBER	TESTING INTERVAL (MONTHS)*	LAST TEST DATE (yyyy/mm/dd)	LAST RESULT REPORTED	NEXT TEST DATE (yyyy/mm)
RADIOLOGICAL					
RADIUM, TOTAL, MDA95-NTNC ONLY, BY 903.0	A-082	WAIVED			
STRONTIUM-90	13501	WAIVED			
TRITIUM	07000	WAIVED			
URANIUM (PCI/L)	28012	WAIVED			
REGULATED SOC					
2,3,7,8-TCDD (DIOXIN)	34676	WAIVED			
2,4,5-TP (SILVEX)	39045	WAIVED			
2,4-D	39730	WAIVED			
ALACHLOR	77825	WAIVED			
ATRAZINE	39033	WAIVED			
BENTAZON	38710	WAIVED			
BENZO (A) PYRENE	34247	WAIVED			
CARBOFURAN	81405	WAIVED			
CHLORDANE	39350	WAIVED			
DALAPON	38432	WAIVED			
DI(2-ETHYLHEXYL)ADIPATE	A-026	WAIVED			
DI(2-ETHYLHEXYL)PHTHALATE	39100	WAIVED			
DIBROMOCHLOROPROPANE (DBCP)	38761	WAIVED			
DINOSEB	81287	WAIVED			
DIQUAT	78885	WAIVED			
ENDOTHALL	38926	WAIVED			
ENDRIN	39390	WAIVED			
ETHYLENE DIBROMIDE (EDB)	77651	WAIVED			
GLYPHOSATE	79743	WAIVED			
HEPTACHLOR	39410	WAIVED			
HEPTACHLOR EPOXIDE	39420	WAIVED			
HEXACHLOROBENZENE	39700	WAIVED			
HEXACHLOROCYCLOPENTADIENE	34386	WAIVED			
LINDANE	39340	WAIVED			

**Testing interval is in months;*
0 = No data for this constituent and is DUE NOW
999 = Waived testing (not required)
I = Invalid (NOT) valid analyses reported

System Number: ***3103297***

System Name: ***GOOSE MEADOWS***

PS Code: ***3103297-001***

Source Name: ***NORTH WELL 01***

Source Number: ***001***

Source Status: ***ACTIVE UNTREATED***

Water type: ***GROUNDWATER OR WELL***

	STORET NUMBER	TESTING INTERVAL (MONTHS)*	LAST TEST DATE (yyyy/mm/dd)	LAST RESULT REPORTED	NEXT TEST DATE (yyyy/mm)
REGULATED SOC					
METHOXYCHLOR	39480	WAIVED			
MOLINATE	82199	WAIVED			
OXAMYL	38865	WAIVED			
PENTACHLOROPHENOL	39032	WAIVED			
PICLORAM	39720	WAIVED			
POLYCHLORINATED BIPHENYLS, TOTAL, AS DCB	39516	WAIVED			
SIMAZINE	39055	WAIVED			
THIOBENCARB	A-001	WAIVED			
TOXAPHENE	39400	WAIVED			
REGULATED VOC					
1,1,1-TRICHLOROETHANE	34506	WAIVED			
1,1,2,2-TETRACHLOROETHANE	34516	WAIVED			
1,1,2-TRICHLORO-1,2,2-TRIFLUOROETHANE	81611	WAIVED			
1,1,2-TRICHLOROETHANE	34511	WAIVED			
1,1-DICHLOROETHANE	34496	WAIVED			
1,1-DICHLOROETHYLENE	34501	WAIVED			
1,2,4-TRICHLOROBENZENE	34551	WAIVED			
1,2-DICHLOROBENZENE	34536	WAIVED			
1,2-DICHLOROETHANE	34531	WAIVED			
1,2-DICHLOROPROPANE	34541	WAIVED			
1,3-DICHLOROPROPENE (TOTAL)	34561	WAIVED			
1,4-DICHLOROBENZENE	34571	WAIVED			
BENZENE	34030	WAIVED			
CARBON TETRACHLORIDE	32102	WAIVED			
CIS-1,2-DICHLOROETHYLENE	77093	WAIVED			
DICHLOROMETHANE	34423	WAIVED			
ETHYLBENZENE	34371	WAIVED			
METHYL-TERT-BUTYL-ETHER (MTBE)	46491	WAIVED			
MONOCHLOROBENZENE	34301	WAIVED			

**Testing interval is in months;*
0 = No data for this constituent and is DUE NOW
999 = Waived testing (not required)
I = Invalid (NOT) valid analyses reported

System Number: ***3103297***

System Name: ***GOOSE MEADOWS***

PS Code: ***3103297-001***

Source Name: ***NORTH WELL 01***

Source Number: ***001***

Source Status: ***ACTIVE UNTREATED***

Water type: ***GROUNDWATER OR WELL***

	STORET NUMBER	TESTING INTERVAL (MONTHS)*	LAST TEST DATE (yyyy/mm/dd)	LAST RESULT REPORTED	NEXT TEST DATE (yyyy/mm)
REGULATED VOC					
STYRENE	77128	WAIVED			
TETRACHLOROETHYLENE	34475	WAIVED			
TOLUENE	34010	WAIVED			
TRANS-1,2-DICHLOROETHYLENE	34546	WAIVED			
TRICHLOROETHYLENE	39180	WAIVED			
TRICHLOROFLUOROMETHANE	34488	WAIVED			
VINYL CHLORIDE	39175	WAIVED			
XYLENES (TOTAL)	81551	WAIVED			
SECONDARY/GP					
AGGRSSIVE INDEX (CORROSIVITY)	82383	WAIVED			
BICARBONATE ALKALINITY	00440	WAIVED			
CALCIUM	00916	WAIVED			
CARBONATE ALKALINITY	00445	WAIVED			
CHLORIDE	00940	WAIVED			
COLOR	00081	WAIVED			
COPPER	01042	WAIVED			
FOAMING AGENTS (MBAS)	38260	WAIVED			
HARDNESS (TOTAL) AS CACO3	00900	WAIVED			
HYDROXIDE ALKALINITY	71830	WAIVED			
IRON	01045	WAIVED			
MAGNESIUM	00927	WAIVED			
MANGANESE	01055	WAIVED			
ODOR THRESHOLD @ 60 C	00086	WAIVED			
PH, LABORATORY	00403	WAIVED			
SILVER	01077	WAIVED			
SODIUM	00929	WAIVED			
SPECIFIC CONDUCTANCE	00095	WAIVED			
SULFATE	00945	WAIVED			
TOTAL DISSOLVED SOLIDS	70300	WAIVED			

**Testing interval is in months;*
0 = No data for this constituent and is DUE NOW
999 = Waived testing (not required)
I = Invalid (NOT) valid analyses reported

System Number: ***3103297***

System Name: ***GOOSE MEADOWS***

	STORET NUMBER	TESTING INTERVAL (MONTHS)*	LAST TEST DATE (yyyy/mm/dd)	LAST RESULT REPORTED	NEXT TEST DATE (yyyy/mm)

PS Code: ***3103297-001***

Source Name: ***NORTH WELL 01***

Source Number: ***001***

Source Status: ***ACTIVE UNTREATED***

Water type: ***GROUNDWATER OR WELL***

SECONDARY/GP

TURBIDITY, LABORATORY	82079	WAIVED			
ZINC	01092	WAIVED			

PS Code: ***3103297-002***

Source Name: ***SOUTH WELL 02***

Source Number: ***002***

Source Status: ***ACTIVE UNTREATED***

Water type: ***GROUNDWATER OR WELL***

GENERAL NON CHAP 15

DIAZINON	39570	WAIVED			

INORGANIC

ALUMINUM	01105	WAIVED			
ANTIMONY	01097	WAIVED			
ARSENIC	01002	WAIVED			
ASBESTOS	81855	WAIVED			
BARIUM	01007	WAIVED			
BERYLLIUM	01012	WAIVED			
CADMIUM	01027	WAIVED			
CHROMIUM (TOTAL)	01034	WAIVED			
CYANIDE	01291	WAIVED			
FLUORIDE (F) (NATURAL-SOURCE)	00951	WAIVED			
LEAD	01051	WAIVED			
MERCURY	71900	WAIVED			
NICKEL	01067	WAIVED			
PERCHLORATE	A-031	WAIVED			
SELENIUM	01147	WAIVED			
THALLIUM	01059	WAIVED			

**Testing interval is in months;*
0 = No data for this constituent and is DUE NOW
999 = Waived testing (not required)
I = Invalid (NOT) valid analyses reported

System Number: ***3103297***

System Name: ***GOOSE MEADOWS***

PS Code: ***3103297-002***

Source Name: ***SOUTH WELL 02***

Source Number: ***002***

Source Status: ***ACTIVE UNTREATED***

Water type: ***GROUNDWATER OR WELL***

	STORET NUMBER	TESTING INTERVAL (MONTHS)*	LAST TEST DATE (yyyy/mm/dd)	LAST RESULT REPORTED	NEXT TEST DATE (yyyy/mm)
NITRATE/NITRITE					
NITRATE (AS NO3)	71850	WAIVED	2005/07/28	< 2.000	
NITRITE (AS N)	00620	WAIVED	2005/07/28	< 400.000	
RADIOLOGICAL					
GROSS ALPHA	01501	WAIVED			
GROSS BETA	03501	WAIVED			
RA-226 FOR CWS OR TOTAL RA FOR NTNC BY 903.0	A-080	WAIVED			
RA-226 OR TOTAL RA BY 903.0 C.E.	A-081	WAIVED			
RADIUM 226	09501	WAIVED			
RADIUM 228	11501	WAIVED			
RADIUM, TOTAL, MDA95-NTNC ONLY, BY 903.0	A-082	WAIVED			
STRONTIUM-90	13501	WAIVED			
TRITIUM	07000	WAIVED			
URANIUM (PCI/L)	28012	WAIVED			
REGULATED SOC					
2,3,7,8-TCDD (DIOXIN)	34676	WAIVED			
2,4,5-TP (SILVEX)	39045	WAIVED			
2,4-D	39730	WAIVED			
ALACHLOR	77825	WAIVED			
ATRAZINE	39033	WAIVED			
BENTAZON	38710	WAIVED			
BENZO (A) PYRENE	34247	WAIVED			
CARBOFURAN	81405	WAIVED			
CHLORDANE	39350	WAIVED			
DALAPON	38432	WAIVED			
DI(2-ETHYLHEXYL)ADIPATE	A-026	WAIVED			
DI(2-ETHYLHEXYL)PHTHALATE	39100	WAIVED			
DIBROMOCHLOROPROPANE (DBCP)	38761	WAIVED			
DINOSEB	81287	WAIVED			
DIQUAT	78885	WAIVED			

**Testing interval is in months;*
0 = No data for this constituent and is DUE NOW
999 = Waived testing (not required)
I = Invalid (NOT) valid analyses reported

System Number: ***3103297***

System Name: ***GOOSE MEADOWS***

PS Code: ***3103297-002***

Source Name: ***SOUTH WELL 02***

Source Number: ***002***

Source Status: ***ACTIVE UNTREATED***

Water type: ***GROUNDWATER OR WELL***

	STORET NUMBER	TESTING INTERVAL (MONTHS)*	LAST TEST DATE (yyyy/mm/dd)	LAST RESULT REPORTED	NEXT TEST DATE (yyyy/mm)
REGULATED SOC					
ENDOTHALL	38926	WAIVED			
ENDRIN	39390	WAIVED			
ETHYLENE DIBROMIDE (EDB)	77651	WAIVED			
GLYPHOSATE	79743	WAIVED			
HEPTACHLOR	39410	WAIVED			
HEPTACHLOR EPOXIDE	39420	WAIVED			
HEXACHLOROBENZENE	39700	WAIVED			
HEXACHLOROCYCLOPENTADIENE	34386	WAIVED			
LINDANE	39340	WAIVED			
METHOXYCHLOR	39480	WAIVED			
MOLINATE	82199	WAIVED			
OXAMYL	38865	WAIVED			
PENTACHLOROPHENOL	39032	WAIVED			
PICLORAM	39720	WAIVED			
POLYCHLORINATED BIPHENYLS, TOTAL, AS DCB	39516	WAIVED			
SIMAZINE	39055	WAIVED			
THIOBENCARB	A-001	WAIVED			
TOXAPHENE	39400	WAIVED			
REGULATED VOC					
1,1,1-TRICHLOROETHANE	34506	WAIVED			
1,1,2,2-TETRACHLOROETHANE	34516	WAIVED			
1,1,2-TRICHLORO-1,2,2-TRIFLUOROETHANE	81611	WAIVED			
1,1,2-TRICHLOROETHANE	34511	WAIVED			
1,1-DICHLOROETHANE	34496	WAIVED			
1,1-DICHLOROETHYLENE	34501	WAIVED			
1,2,4-TRICHLOROBENZENE	34551	WAIVED			
1,2-DICHLOROBENZENE	34536	WAIVED			
1,2-DICHLOROETHANE	34531	WAIVED			
1,2-DICHLOROPROPANE	34541	WAIVED			

**Testing interval is in months;*
0 = No data for this constituent and is DUE NOW
999 = Waived testing (not required)
I = Invalid (NOT) valid analyses reported

System Number: ***3103297***

System Name: ***GOOSE MEADOWS***

PS Code: ***3103297-002***

Source Name: ***SOUTH WELL 02***

Source Number: ***002***

Source Status: ***ACTIVE UNTREATED***

Water type: ***GROUNDWATER OR WELL***

	STORET NUMBER	TESTING INTERVAL (MONTHS)*	LAST TEST DATE (yyyy/mm/dd)	LAST RESULT REPORTED	NEXT TEST DATE (yyyy/mm)
REGULATED VOC					
1,3-DICHLOROPROPENE (TOTAL)	34561	WAIVED			
1,4-DICHLOROBENZENE	34571	WAIVED			
BENZENE	34030	WAIVED			
CARBON TETRACHLORIDE	32102	WAIVED			
CIS-1,2-DICHLOROETHYLENE	77093	WAIVED			
DICHLOROMETHANE	34423	WAIVED			
ETHYLBENZENE	34371	WAIVED			
METHYL-TERT-BUTYL-ETHER (MTBE)	46491	WAIVED			
MONOCHLOROBENZENE	34301	WAIVED			
STYRENE	77128	WAIVED			
TETRACHLOROETHYLENE	34475	WAIVED			
TOLUENE	34010	WAIVED			
TRANS-1,2-DICHLOROETHYLENE	34546	WAIVED			
TRICHLOROETHYLENE	39180	WAIVED			
TRICHLOROFLUOROMETHANE	34488	WAIVED			
VINYL CHLORIDE	39175	WAIVED			
XYLENES (TOTAL)	81551	WAIVED			
SECONDARY/GP					
AGGRSSIVE INDEX (CORROSIVITY)	82383	WAIVED			
BICARBONATE ALKALINITY	00440	WAIVED			
CALCIUM	00916	WAIVED			
CARBONATE ALKALINITY	00445	WAIVED			
CHLORIDE	00940	WAIVED			
COLOR	00081	WAIVED			
COPPER	01042	WAIVED			
FOAMING AGENTS (MBAS)	38260	WAIVED			
HARDNESS (TOTAL) AS CACO3	00900	WAIVED			
HYDROXIDE ALKALINITY	71830	WAIVED			
IRON	01045	WAIVED			

**Testing interval is in months;*
0 = No data for this constituent and is DUE NOW
999 = Waived testing (not required)
I = Invalid (NOT) valid analyses reported

System Number: ***3103297***

System Name: ***GOOSE MEADOWS***

PS Code: ***3103297-002***

Source Name: ***SOUTH WELL 02***

Source Number: ***002***

Source Status: ***ACTIVE UNTREATED***

Water type: ***GROUNDWATER OR WELL***

	STORET NUMBER	TESTING INTERVAL (MONTHS)*	LAST TEST DATE (yyyy/mm/dd)	LAST RESULT REPORTED	NEXT TEST DATE (yyyy/mm)
SECONDARY/GP					
MAGNESIUM	00927	WAIVED			
MANGANESE	01055	WAIVED			
ODOR THRESHOLD @ 60 C	00086	WAIVED			
PH, LABORATORY	00403	WAIVED			
SILVER	01077	WAIVED			
SODIUM	00929	WAIVED			
SPECIFIC CONDUCTANCE	00095	WAIVED			
SULFATE	00945	WAIVED			
TOTAL DISSOLVED SOLIDS	70300	WAIVED			
TURBIDITY, LABORATORY	82079	WAIVED			
ZINC	01092	WAIVED			

PS Code: ***3103297-003***

Source Name: ***WELL #3***

Source Number: ***003***

Source Status: ***ACTIVE UNTREATED***

Water type:

GENERAL NON CHAP 15					
DIAZINON	39570	WAIVED			
INORGANIC					
ALUMINUM	01105	WAIVED			
ANTIMONY	01097	WAIVED			
ARSENIC	01002	WAIVED			
ASBESTOS	81855	WAIVED			
BARIUM	01007	WAIVED			
BERYLLIUM	01012	WAIVED			
CADMIUM	01027	WAIVED			
CHROMIUM (TOTAL)	01034	WAIVED			
CYANIDE	01291	WAIVED			

**Testing interval is in months;*
0 = No data for this constituent and is DUE NOW
999 = Waived testing (not required)
I = Invalid (NOT) valid analyses reported

System Number: ***3103297***

System Name: ***GOOSE MEADOWS***

PS Code: ***3103297-003***

Source Name: ***WELL #3***

Source Number: ***003***

Source Status: ***ACTIVE UNTREATED***

Water type:

	STORET NUMBER	TESTING INTERVAL (MONTHS)*	LAST TEST DATE (yyyy/mm/dd)	LAST RESULT REPORTED	NEXT TEST DATE (yyyy/mm)
INORGANIC					
FLUORIDE (F) (NATURAL-SOURCE)	00951	WAIVED			
LEAD	01051	WAIVED			
MERCURY	71900	WAIVED			
NICKEL	01067	WAIVED			
PERCHLORATE	A-031	WAIVED			
SELENIUM	01147	WAIVED			
THALLIUM	01059	WAIVED			
NITRATE/NITRITE					
NITRATE (AS NO3)	71850	WAIVED			
NITRITE (AS N)	00620	WAIVED			
RADIOLOGICAL					
GROSS ALPHA	01501	WAIVED			
GROSS BETA	03501	WAIVED			
RA-226 FOR CWS OR TOTAL RA FOR NTNC BY 903.0	A-080	WAIVED			
RA-226 OR TOTAL RA BY 903.0 C.E.	A-081	WAIVED			
RADIUM 226	09501	WAIVED			
RADIUM 228	11501	WAIVED			
RADIUM, TOTAL, MDA95-NTNC ONLY, BY 903.0	A-082	WAIVED			
STRONTIUM-90	13501	WAIVED			
TRITIUM	07000	WAIVED			
URANIUM (PCI/L)	28012	WAIVED			
REGULATED SOC					
2,3,7,8-TCDD (DIOXIN)	34676	WAIVED			
2,4,5-TP (SILVEX)	39045	WAIVED			
2,4-D	39730	WAIVED			
ALACHLOR	77825	WAIVED			
ATRAZINE	39033	WAIVED			
BENTAZON	38710	WAIVED			

**Testing interval is in months;*
0 = No data for this constituent and is DUE NOW
999 = Waived testing (not required)
I = Invalid (NOT) valid analyses reported

System Number: ***3103297***

System Name: ***GOOSE MEADOWS***

PS Code: ***3103297-003***

Source Name: ***WELL #3***

Source Number: ***003***

Source Status: ***ACTIVE UNTREATED***

Water type:

	STORET NUMBER	TESTING INTERVAL (MONTHS)*	LAST TEST DATE (yyyy/mm/dd)	LAST RESULT REPORTED	NEXT TEST DATE (yyyy/mm)
REGULATED SOC					
BENZO (A) PYRENE	34247	WAIVED			
CARBOFURAN	81405	WAIVED			
CHLORDANE	39350	WAIVED			
DALAPON	38432	WAIVED			
DI(2-ETHYLHEXYL)ADIPATE	A-026	WAIVED			
DI(2-ETHYLHEXYL)PHTHALATE	39100	WAIVED			
DIBROMOCHLOROPROPANE (DBCP)	38761	WAIVED			
DINOSEB	81287	WAIVED			
DIQUAT	78885	WAIVED			
ENDOTHALL	38926	WAIVED			
ENDRIN	39390	WAIVED			
ETHYLENE DIBROMIDE (EDB)	77651	WAIVED			
GLYPHOSATE	79743	WAIVED			
HEPTACHLOR	39410	WAIVED			
HEPTACHLOR EPOXIDE	39420	WAIVED			
HEXACHLOROBENZENE	39700	WAIVED			
HEXACHLOROCYCLOPENTADIENE	34386	WAIVED			
LINDANE	39340	WAIVED			
METHOXYCHLOR	39480	WAIVED			
MOLINATE	82199	WAIVED			
OXAMYL	38865	WAIVED			
PENTACHLOROPHENOL	39032	WAIVED			
PICLORAM	39720	WAIVED			
POLYCHLORINATED BIPHENYLS, TOTAL, AS DCB	39516	WAIVED			
SIMAZINE	39055	WAIVED			
THIOBENCARB	A-001	WAIVED			
TOXAPHENE	39400	WAIVED			
REGULATED VOC					
1,1,1-TRICHLOROETHANE	34506	WAIVED			

**Testing interval is in months;*
0 = No data for this constituent and is DUE NOW
999 = Waived testing (not required)
I = Invalid (NOT) valid analyses reported

System Number: ***3103297***

System Name: ***GOOSE MEADOWS***

PS Code: ***3103297-003***

Source Name: ***WELL #3***

Source Number: ***003***

Source Status: ***ACTIVE UNTREATED***

Water type:

	STORET NUMBER	TESTING INTERVAL (MONTHS)*	LAST TEST DATE (yyyy/mm/dd)	LAST RESULT REPORTED	NEXT TEST DATE (yyyy/mm)
REGULATED VOC					
1,1,2,2-TETRACHLOROETHANE	34516	WAIVED			
1,1,2-TRICHLORO-1,2,2-TRIFLUOROETHANE	81611	WAIVED			
1,1,2-TRICHLOROETHANE	34511	WAIVED			
1,1-DICHLOROETHANE	34496	WAIVED			
1,1-DICHLOROETHYLENE	34501	WAIVED			
1,2,4-TRICHLOROBENZENE	34551	WAIVED			
1,2-DICHLOROBENZENE	34536	WAIVED			
1,2-DICHLOROETHANE	34531	WAIVED			
1,2-DICHLOROPROPANE	34541	WAIVED			
1,3-DICHLOROPROPENE (TOTAL)	34561	WAIVED			
1,4-DICHLOROBENZENE	34571	WAIVED			
BENZENE	34030	WAIVED			
CARBON TETRACHLORIDE	32102	WAIVED			
CIS-1,2-DICHLOROETHYLENE	77093	WAIVED			
DICHLOROMETHANE	34423	WAIVED			
ETHYLBENZENE	34371	WAIVED			
METHYL-TERT-BUTYL-ETHER (MTBE)	46491	WAIVED			
MONOCHLOROBENZENE	34301	WAIVED			
STYRENE	77128	WAIVED			
TETRACHLOROETHYLENE	34475	WAIVED			
TOLUENE	34010	WAIVED			
TRANS-1,2-DICHLOROETHYLENE	34546	WAIVED			
TRICHLOROETHYLENE	39180	WAIVED			
TRICHLOROFLUOROMETHANE	34488	WAIVED			
VINYL CHLORIDE	39175	WAIVED			
XYLENES (TOTAL)	81551	WAIVED			
SECONDARY/GP					
AGGRSSIVE INDEX (CORROSIVITY)	82383	WAIVED			
BICARBONATE ALKALINITY	00440	WAIVED			

**Testing interval is in months;*
0 = No data for this constituent and is DUE NOW
999 = Waived testing (not required)
I = Invalid (NOT) valid analyses reported

System Number: ***3103297***

System Name: ***GOOSE MEADOWS***

PS Code: ***3103297-003***

Source Name: ***WELL #3***

Source Number: ***003***

Source Status: ***ACTIVE UNTREATED***

Water type:

SECONDARY/GP

	STORET NUMBER	TESTING INTERVAL (MONTHS)*	LAST TEST DATE (yyyy/mm/dd)	LAST RESULT REPORTED	NEXT TEST DATE (yyyy/mm)
CALCIUM	00916	WAIVED			
CARBONATE ALKALINITY	00445	WAIVED			
CHLORIDE	00940	WAIVED			
COLOR	00081	WAIVED			
COPPER	01042	WAIVED			
FOAMING AGENTS (MBAS)	38260	WAIVED			
HARDNESS (TOTAL) AS CACO3	00900	WAIVED			
HYDROXIDE ALKALINITY	71830	WAIVED			
IRON	01045	WAIVED			
MAGNESIUM	00927	WAIVED			
MANGANESE	01055	WAIVED			
ODOR THRESHOLD @ 60 C	00086	WAIVED			
PH, LABORATORY	00403	WAIVED			
SILVER	01077	WAIVED			
SODIUM	00929	WAIVED			
SPECIFIC CONDUCTANCE	00095	WAIVED			
SULFATE	00945	WAIVED			
TOTAL DISSOLVED SOLIDS	70300	WAIVED			
TURBIDITY, LABORATORY	82079	WAIVED			
ZINC	01092	WAIVED			

**Testing interval is in months;*
0 = No data for this constituent and is DUE NOW
999 = Waived testing (not required)
I = Invalid (NOT) valid analyses reported

System Number: ***3103310***

System Name: ***EMIGRANT GAP MUTUAL WATER CO.***

PS Code: ***3103310-001***

Source Name: ***WELL 01***

Source Number: ***001***

Source Status: ***ACTIVE UNTREATED***

Water type: ***GROUNDWATER OR WELL***

	STORET NUMBER	TESTING INTERVAL (MONTHS)*	LAST TEST DATE (yyyy/mm/dd)	LAST RESULT REPORTED	NEXT TEST DATE (yyyy/mm)
GENERAL NON CHAP 15					
DIAZINON	39570	WAIVED			
INORGANIC					
ALUMINUM	01105	WAIVED	2008/06/12	.000	
ANTIMONY	01097	WAIVED	2008/06/12	.000	
ARSENIC	01002	WAIVED	2008/06/12	4.400	
ASBESTOS	81855	WAIVED			
BARIUM	01007	WAIVED	2008/06/12	.000	
BERYLLIUM	01012	WAIVED	2008/06/12	.000	
CADMIUM	01027	WAIVED	2008/08/23	.000	
CHROMIUM (TOTAL)	01034	WAIVED	2008/06/12	.000	
CYANIDE	01291	WAIVED			
FLUORIDE (F) (NATURAL-SOURCE)	00951	WAIVED	2008/06/12	.000	
LEAD	01051	WAIVED			
MERCURY	71900	WAIVED	2008/06/12	.000	
NICKEL	01067	WAIVED	2008/06/12	.000	
PERCHLORATE	A-031	WAIVED	2011/07/14	< .000	
SELENIUM	01147	WAIVED	2008/06/12	.000	
THALLIUM	01059	WAIVED	2008/06/12	.000	
NITRATE/NITRITE					
NITRATE (AS NO3)	71850	WAIVED	2011/05/12	.000	
NITRITE (AS N)	00620	WAIVED	2011/05/12	.000	
RADIOLOGICAL					
GROSS ALPHA	01501	WAIVED	2007/09/13	.000	
GROSS BETA	03501	WAIVED			
RA-226 FOR CWS OR TOTAL RA FOR NTNC BY 903.0	A-080	WAIVED			
RA-226 OR TOTAL RA BY 903.0 C.E.	A-081	WAIVED			
RADIUM 226	09501	WAIVED			
RADIUM 228	11501	WAIVED			

**Testing interval is in months;*
0 = No data for this constituent and is DUE NOW
999 = Waived testing (not required)
I = Invalid (NOT) valid analyses reported

System Number: ***3103310***

System Name: ***EMIGRANT GAP MUTUAL WATER CO.***

PS Code: ***3103310-001***

Source Name: ***WELL 01***

Source Number: ***001***

Source Status: ***ACTIVE UNTREATED***

Water type: ***GROUNDWATER OR WELL***

	STORET NUMBER	TESTING INTERVAL (MONTHS)*	LAST TEST DATE (yyyy/mm/dd)	LAST RESULT REPORTED	NEXT TEST DATE (yyyy/mm)
RADIOLOGICAL					
RADIUM, TOTAL, MDA95-NTNC ONLY, BY 903.0	A-082	WAIVED			
STRONTIUM-90	13501	WAIVED			
TRITIUM	07000	WAIVED			
URANIUM (PCI/L)	28012	WAIVED			
REGULATED SOC					
2,3,7,8-TCDD (DIOXIN)	34676	WAIVED			
2,4,5-TP (SILVEX)	39045	WAIVED			
2,4-D	39730	WAIVED			
ALACHLOR	77825	WAIVED			
ATRAZINE	39033	WAIVED			
BENTAZON	38710	WAIVED			
BENZO (A) PYRENE	34247	WAIVED			
CARBOFURAN	81405	WAIVED			
CHLORDANE	39350	WAIVED			
DALAPON	38432	WAIVED			
DI(2-ETHYLHEXYL)ADIPATE	A-026	WAIVED			
DI(2-ETHYLHEXYL)PHTHALATE	39100	WAIVED			
DIBROMOCHLOROPROPANE (DBCP)	38761	WAIVED			
DINOSEB	81287	WAIVED			
DIQUAT	78885	WAIVED			
ENDOTHALL	38926	WAIVED			
ENDRIN	39390	WAIVED			
ETHYLENE DIBROMIDE (EDB)	77651	WAIVED			
GLYPHOSATE	79743	WAIVED			
HEPTACHLOR	39410	WAIVED			
HEPTACHLOR EPOXIDE	39420	WAIVED			
HEXACHLOROBENZENE	39700	WAIVED			
HEXACHLOROCYCLOPENTADIENE	34386	WAIVED			
LINDANE	39340	WAIVED			

**Testing interval is in months;*
0 = No data for this constituent and is DUE NOW
999 = Waived testing (not required)
I = Invalid (NOT) valid analyses reported

System Number: ***3103310***

System Name: ***EMIGRANT GAP MUTUAL WATER CO.***

PS Code: ***3103310-001***

Source Name: ***WELL 01***

Source Number: ***001***

Source Status: ***ACTIVE UNTREATED***

Water type: ***GROUNDWATER OR WELL***

	STORET NUMBER	TESTING INTERVAL (MONTHS)*	LAST TEST DATE (yyyy/mm/dd)	LAST RESULT REPORTED	NEXT TEST DATE (yyyy/mm)
REGULATED SOC					
METHOXYCHLOR	39480	WAIVED			
MOLINATE	82199	WAIVED			
OXAMYL	38865	WAIVED			
PENTACHLOROPHENOL	39032	WAIVED			
PICLORAM	39720	WAIVED			
POLYCHLORINATED BIPHENYLS, TOTAL, AS DCB	39516	WAIVED			
SIMAZINE	39055	WAIVED			
THIOBENCARB	A-001	WAIVED			
TOXAPHENE	39400	WAIVED			
REGULATED VOC					
1,1,1-TRICHLOROETHANE	34506	WAIVED	2005/06/09	.000	
1,1,2,2-TETRACHLOROETHANE	34516	WAIVED	2005/06/09	.000	
1,1,2-TRICHLORO-1,2,2-TRIFLUOROETHANE	81611	WAIVED	2005/06/09	.000	
1,1,2-TRICHLOROETHANE	34511	WAIVED	2005/06/09	.000	
1,1-DICHLOROETHANE	34496	WAIVED	2005/06/09	.000	
1,1-DICHLOROETHYLENE	34501	WAIVED	2005/06/09	.000	
1,2,4-TRICHLOROBENZENE	34551	WAIVED	2005/06/09	.000	
1,2-DICHLOROBENZENE	34536	WAIVED	2005/06/09	.000	
1,2-DICHLOROETHANE	34531	WAIVED	2005/06/09	.000	
1,2-DICHLOROPROPANE	34541	WAIVED	2005/06/09	.000	
1,3-DICHLOROPROPENE (TOTAL)	34561	WAIVED	2005/06/09	.000	
1,4-DICHLOROBENZENE	34571	WAIVED	2005/06/09	.000	
BENZENE	34030	WAIVED	2005/06/09	.000	
CARBON TETRACHLORIDE	32102	WAIVED	2005/06/09	.000	
CIS-1,2-DICHLOROETHYLENE	77093	WAIVED	2005/06/09	.000	
DICHLOROMETHANE	34423	WAIVED	2005/06/09	.000	
ETHYLBENZENE	34371	WAIVED	2005/06/09	.000	
METHYL-TERT-BUTYL-ETHER (MTBE)	46491	WAIVED	2005/06/09	.000	
MONOCHLOROBENZENE	34301	WAIVED	2005/06/09	.000	

**Testing interval is in months;*
0 = No data for this constituent and is DUE NOW
999 = Waived testing (not required)
I = Invalid (NOT) valid analyses reported

System Number: ***3103310***

System Name: ***EMIGRANT GAP MUTUAL WATER CO.***

PS Code: ***3103310-001***

Source Name: ***WELL 01***

Source Number: ***001***

Source Status: ***ACTIVE UNTREATED***

Water type: ***GROUNDWATER OR WELL***

	STORET NUMBER	TESTING INTERVAL (MONTHS)*	LAST TEST DATE (yyyy/mm/dd)	LAST RESULT REPORTED	NEXT TEST DATE (yyyy/mm)
REGULATED VOC					
STYRENE	77128	WAIVED	2005/06/09	.000	
TETRACHLOROETHYLENE	34475	WAIVED	2005/06/09	.000	
TOLUENE	34010	WAIVED	2005/06/09	.000	
TRANS-1,2-DICHLOROETHYLENE	34546	WAIVED	2005/06/09	.000	
TRICHLOROETHYLENE	39180	WAIVED	2005/06/09	.000	
TRICHLOROFLUOROMETHANE	34488	WAIVED	2005/06/09	.000	
VINYL CHLORIDE	39175	WAIVED	2005/06/09	.000	
XYLENES (TOTAL)	81551	WAIVED	2005/06/09	< .500	
SECONDARY/GP					
AGGRSSIVE INDEX (CORROSIVITY)	82383	WAIVED	1999/02/11	11.400	
BICARBONATE ALKALINITY	00440	WAIVED	2008/06/12	99.800	
CALCIUM	00916	WAIVED	2008/06/12	11.400	
CARBONATE ALKALINITY	00445	WAIVED	2008/06/12	.000	
CHLORIDE	00940	WAIVED	2008/06/12	.500	
COLOR	00081	WAIVED	2008/06/12	5.000	
COPPER	01042	WAIVED	2008/06/12	.000	
FOAMING AGENTS (MBAS)	38260	WAIVED	2008/06/12	.000	
HARDNESS (TOTAL) AS CACO3	00900	WAIVED	2008/06/12	66.000	
HYDROXIDE ALKALINITY	71830	WAIVED	2008/06/12	.000	
IRON	01045	WAIVED	2008/06/12	174.000	
MAGNESIUM	00927	WAIVED	2008/06/12	9.100	
MANGANESE	01055	WAIVED	2008/06/12	77.000	
ODOR THRESHOLD @ 60 C	00086	WAIVED	2008/06/12	.000	
PH, LABORATORY	00403	WAIVED	2008/06/12	7.500	
SILVER	01077	WAIVED	2008/06/12	.000	
SODIUM	00929	WAIVED	1999/02/11	7.000	
SPECIFIC CONDUCTANCE	00095	WAIVED	2011/07/14	170.000	
SULFATE	00945	WAIVED	2008/06/12	4.600	
TOTAL DISSOLVED SOLIDS	70300	WAIVED	2008/06/12	122.000	

**Testing interval is in months;*
0 = No data for this constituent and is DUE NOW
999 = Waived testing (not required)
I = Invalid (NOT) valid analyses reported

System Number: ***3103310***

System Name: ***EMIGRANT GAP MUTUAL WATER CO.***

PS Code: ***3103310-001***

Source Name: ***WELL 01***

Source Number: ***001***

Source Status: ***ACTIVE UNTREATED***

Water type: ***GROUNDWATER OR WELL***

	STORET NUMBER	TESTING INTERVAL (MONTHS)*	LAST TEST DATE (yyyy/mm/dd)	LAST RESULT REPORTED	NEXT TEST DATE (yyyy/mm)
SECONDARY/GP					
TURBIDITY, LABORATORY	82079	WAIVED	2008/06/12	.240	
ZINC	01092	WAIVED	2008/06/12	621.000	

PS Code: ***3103310-002***

Source Name: ***WELL 02***

Source Number: ***002***

Source Status: ***ACTIVE UNTREATED***

Water type: ***GROUNDWATER OR WELL***

	STORET NUMBER	TESTING INTERVAL (MONTHS)*	LAST TEST DATE (yyyy/mm/dd)	LAST RESULT REPORTED	NEXT TEST DATE (yyyy/mm)
GENERAL NON CHAP 15					
DIAZINON	39570	WAIVED			
INORGANIC					
ALUMINUM	01105	WAIVED	2011/06/16	.000	
ANTIMONY	01097	WAIVED	2011/06/16	.000	
ARSENIC	01002	WAIVED	2011/06/16	.000	
ASBESTOS	81855	WAIVED			
BARIUM	01007	WAIVED	2011/06/16	18.800	
BERYLLIUM	01012	WAIVED	2011/06/16	.000	
CADMIUM	01027	WAIVED	2011/06/16	5.600	
CHROMIUM (TOTAL)	01034	WAIVED	2011/06/16	.000	
CYANIDE	01291	WAIVED			
FLUORIDE (F) (NATURAL-SOURCE)	00951	WAIVED	2011/06/16	.000	
LEAD	01051	WAIVED			
MERCURY	71900	WAIVED	2011/06/16	.000	
NICKEL	01067	WAIVED	2011/06/16	.000	
PERCHLORATE	A-031	WAIVED	2011/07/14	< .000	
SELENIUM	01147	WAIVED	2011/06/16	.000	
THALLIUM	01059	WAIVED	2011/06/16	.000	

**Testing interval is in months;*
0 = No data for this constituent and is DUE NOW
999 = Waived testing (not required)
I = Invalid (NOT) valid analyses reported

System Number: ***3103310***

System Name: ***EMIGRANT GAP MUTUAL WATER CO.***

PS Code: ***3103310-002***

Source Name: ***WELL 02***

Source Number: ***002***

Source Status: ***ACTIVE UNTREATED***

Water type: ***GROUNDWATER OR WELL***

	STORET NUMBER	TESTING INTERVAL (MONTHS)*	LAST TEST DATE (yyyy/mm/dd)	LAST RESULT REPORTED	NEXT TEST DATE (yyyy/mm)
NITRATE/NITRITE					
NITRATE (AS NO3)	71850	WAIVED	2011/06/16	.000	
NITRITE (AS N)	00620	WAIVED	2011/06/16	.000	
RADIOLOGICAL					
GROSS ALPHA	01501	WAIVED			
GROSS BETA	03501	WAIVED			
RA-226 FOR CWS OR TOTAL RA FOR NTNC BY 903.0	A-080	WAIVED			
RA-226 OR TOTAL RA BY 903.0 C.E.	A-081	WAIVED			
RADIUM 226	09501	WAIVED			
RADIUM 228	11501	WAIVED			
RADIUM, TOTAL, MDA95-NTNC ONLY, BY 903.0	A-082	WAIVED			
STRONTIUM-90	13501	WAIVED			
TRITIUM	07000	WAIVED			
URANIUM (PCI/L)	28012	WAIVED			
REGULATED SOC					
2,3,7,8-TCDD (DIOXIN)	34676	WAIVED			
2,4,5-TP (SILVEX)	39045	WAIVED			
2,4-D	39730	WAIVED			
ALACHLOR	77825	WAIVED			
ATRAZINE	39033	WAIVED			
BENTAZON	38710	WAIVED			
BENZO (A) PYRENE	34247	WAIVED			
CARBOFURAN	81405	WAIVED			
CHLORDANE	39350	WAIVED			
DALAPON	38432	WAIVED			
DI(2-ETHYLHEXYL)ADIPATE	A-026	WAIVED			
DI(2-ETHYLHEXYL)PHTHALATE	39100	WAIVED			
DIBROMOCHLOROPROPANE (DBCP)	38761	WAIVED			
DINOSEB	81287	WAIVED			
DIQUAT	78885	WAIVED			

**Testing interval is in months;*
0 = No data for this constituent and is DUE NOW
999 = Waived testing (not required)
I = Invalid (NOT) valid analyses reported

System Number: ***3103310***

System Name: ***EMIGRANT GAP MUTUAL WATER CO.***

PS Code: ***3103310-002***

Source Name: ***WELL 02***

Source Number: ***002***

Source Status: ***ACTIVE UNTREATED***

Water type: ***GROUNDWATER OR WELL***

	STORET NUMBER	TESTING INTERVAL (MONTHS)*	LAST TEST DATE (yyyy/mm/dd)	LAST RESULT REPORTED	NEXT TEST DATE (yyyy/mm)
REGULATED SOC					
ENDOTHALL	38926	WAIVED			
ENDRIN	39390	WAIVED			
ETHYLENE DIBROMIDE (EDB)	77651	WAIVED			
GLYPHOSATE	79743	WAIVED			
HEPTACHLOR	39410	WAIVED			
HEPTACHLOR EPOXIDE	39420	WAIVED			
HEXACHLOROBENZENE	39700	WAIVED			
HEXACHLOROCYCLOPENTADIENE	34386	WAIVED			
LINDANE	39340	WAIVED			
METHOXYCHLOR	39480	WAIVED			
MOLINATE	82199	WAIVED			
OXAMYL	38865	WAIVED			
PENTACHLOROPHENOL	39032	WAIVED			
PICLORAM	39720	WAIVED			
POLYCHLORINATED BIPHENYLS, TOTAL, AS DCB	39516	WAIVED			
SIMAZINE	39055	WAIVED			
THIOBENCARB	A-001	WAIVED			
TOXAPHENE	39400	WAIVED			
REGULATED VOC					
1,1,1-TRICHLOROETHANE	34506	WAIVED			
1,1,2,2-TETRACHLOROETHANE	34516	WAIVED			
1,1,2-TRICHLORO-1,2,2-TRIFLUOROETHANE	81611	WAIVED			
1,1,2-TRICHLOROETHANE	34511	WAIVED			
1,1-DICHLOROETHANE	34496	WAIVED			
1,1-DICHLOROETHYLENE	34501	WAIVED			
1,2,4-TRICHLOROBENZENE	34551	WAIVED			
1,2-DICHLOROBENZENE	34536	WAIVED			
1,2-DICHLOROETHANE	34531	WAIVED			
1,2-DICHLOROPROPANE	34541	WAIVED			

**Testing interval is in months;*
0 = No data for this constituent and is DUE NOW
999 = Waived testing (not required)
I = Invalid (NOT) valid analyses reported

System Number: ***3103310***

System Name: ***EMIGRANT GAP MUTUAL WATER CO.***

PS Code: ***3103310-002***

Source Name: ***WELL 02***

Source Number: ***002***

Source Status: ***ACTIVE UNTREATED***

Water type: ***GROUNDWATER OR WELL***

	STORET NUMBER	TESTING INTERVAL (MONTHS)*	LAST TEST DATE (yyyy/mm/dd)	LAST RESULT REPORTED	NEXT TEST DATE (yyyy/mm)
REGULATED VOC					
1,3-DICHLOROPROPENE (TOTAL)	34561	WAIVED			
1,4-DICHLOROBENZENE	34571	WAIVED			
BENZENE	34030	WAIVED			
CARBON TETRACHLORIDE	32102	WAIVED			
CIS-1,2-DICHLOROETHYLENE	77093	WAIVED			
DICHLOROMETHANE	34423	WAIVED			
ETHYLBENZENE	34371	WAIVED			
METHYL-TERT-BUTYL-ETHER (MTBE)	46491	WAIVED			
MONOCHLOROBENZENE	34301	WAIVED			
STYRENE	77128	WAIVED			
TETRACHLOROETHYLENE	34475	WAIVED			
TOLUENE	34010	WAIVED			
TRANS-1,2-DICHLOROETHYLENE	34546	WAIVED			
TRICHLOROETHYLENE	39180	WAIVED			
TRICHLOROFLUOROMETHANE	34488	WAIVED			
VINYL CHLORIDE	39175	WAIVED			
XYLENES (TOTAL)	81551	WAIVED			
SECONDARY/GP					
AGGRSSIVE INDEX (CORROSIVITY)	82383	WAIVED			
BICARBONATE ALKALINITY	00440	WAIVED	2011/06/16	121.000	
CALCIUM	00916	WAIVED	2011/06/16	12.400	
CARBONATE ALKALINITY	00445	WAIVED	2011/06/16	.000	
CHLORIDE	00940	WAIVED	2008/06/12	.600	
COLOR	00081	WAIVED	2011/06/16	.000	
COPPER	01042	WAIVED	2011/06/16	.000	
FOAMING AGENTS (MBAS)	38260	WAIVED	2011/06/16	.000	
HARDNESS (TOTAL) AS CACO3	00900	WAIVED	2011/06/16	73.000	
HYDROXIDE ALKALINITY	71830	WAIVED	2011/06/16	.000	
IRON	01045	WAIVED	2011/06/16	.000	

**Testing interval is in months;*
0 = No data for this constituent and is DUE NOW
999 = Waived testing (not required)
I = Invalid (NOT) valid analyses reported

System Number: ***3103310***

System Name: ***EMIGRANT GAP MUTUAL WATER CO.***

PS Code: ***3103310-002***

Source Name: ***WELL 02***

Source Number: ***002***

Source Status: ***ACTIVE UNTREATED***

Water type: ***GROUNDWATER OR WELL***

SECONDARY/GP

	STORET NUMBER	TESTING INTERVAL (MONTHS)*	LAST TEST DATE (yyyy/mm/dd)	LAST RESULT REPORTED	NEXT TEST DATE (yyyy/mm)
MAGNESIUM	00927	WAIVED	2011/06/16	10.200	
MANGANESE	01055	WAIVED	2011/06/16	.000	
ODOR THRESHOLD @ 60 C	00086	WAIVED	2011/06/16	.000	
PH, LABORATORY	00403	WAIVED	2011/06/16	8.000	
SILVER	01077	WAIVED	2011/06/16	.000	
SODIUM	00929	WAIVED	2011/06/16	6.600	
SPECIFIC CONDUCTANCE	00095	WAIVED	2011/07/14	170.000	
SULFATE	00945	WAIVED	2011/06/16	1.800	
TOTAL DISSOLVED SOLIDS	70300	WAIVED	2011/06/16	114.000	
TURBIDITY, LABORATORY	82079	WAIVED	2011/06/16	.250	
ZINC	01092	WAIVED	2011/06/16	51.100	

**Testing interval is in months;*
0 = No data for this constituent and is DUE NOW
999 = Waived testing (not required)
I = Invalid (NOT) valid analyses reported

System Number: ***3103664***

System Name: ***KASPIAN POINT PICNIC AREA***

PS Code: ***3103664-001***

Source Name: ***WELL #1***

Source Number: ***001***

Source Status: ***ACTIVE UNTREATED***

Water type: ***GROUNDWATER OR WELL***

	STORET NUMBER	TESTING INTERVAL (MONTHS)*	LAST TEST DATE (yyyy/mm/dd)	LAST RESULT REPORTED	NEXT TEST DATE (yyyy/mm)	
GENERAL NON CHAP 15						
DIAZINON	39570	WAIVED				
INORGANIC						
ALUMINUM	01105	WAIVED				
ANTIMONY	01097	WAIVED				
ARSENIC	01002	WAIVED				
ASBESTOS	81855	WAIVED				
BARIUM	01007	WAIVED				
BERYLLIUM	01012	WAIVED				
CADMIUM	01027	WAIVED				
CHROMIUM (TOTAL)	01034	WAIVED				
CYANIDE	01291	WAIVED				
FLUORIDE (F) (NATURAL-SOURCE)	00951	000				**DUE**
LEAD	01051	WAIVED				
MERCURY	71900	WAIVED				
NICKEL	01067	WAIVED				
PERCHLORATE	A-031	WAIVED				
SELENIUM	01147	WAIVED				
THALLIUM	01059	WAIVED				
NITRATE/NITRITE						
NITRATE (AS NO3)	71850	012	2011/06/30	.589	2012/06	
NITRITE (AS N)	00620	036	2011/06/30	< 10.000	2014/06	
RADIOLOGICAL						
GROSS ALPHA	01501	WAIVED				
GROSS BETA	03501	WAIVED				
RA-226 FOR CWS OR TOTAL RA FOR NTNC BY 903.0	A-080	WAIVED				
RA-226 OR TOTAL RA BY 903.0 C.E.	A-081	WAIVED				
RADIUM 226	09501	WAIVED				
RADIUM 228	11501	WAIVED				

**Testing interval is in months;*
0 = No data for this constituent and is DUE NOW
999 = Waived testing (not required)
I = Invalid (NOT) valid analyses reported

System Number: ***3103664***

System Name: ***KASPIAN POINT PICNIC AREA***

PS Code: ***3103664-001***

Source Name: ***WELL #1***

Source Number: ***001***

Source Status: ***ACTIVE UNTREATED***

Water type: ***GROUNDWATER OR WELL***

	STORET NUMBER	TESTING INTERVAL (MONTHS)*	LAST TEST DATE (yyyy/mm/dd)	LAST RESULT REPORTED	NEXT TEST DATE (yyyy/mm)
RADIOLOGICAL					
RADIUM, TOTAL, MDA95-NTNC ONLY, BY 903.0	A-082	WAIVED			
STRONTIUM-90	13501	WAIVED			
TRITIUM	07000	WAIVED			
URANIUM (PCI/L)	28012	WAIVED			
REGULATED SOC					
2,3,7,8-TCDD (DIOXIN)	34676	WAIVED			
2,4,5-TP (SILVEX)	39045	WAIVED			
2,4-D	39730	WAIVED			
ALACHLOR	77825	WAIVED			
ATRAZINE	39033	WAIVED			
BENTAZON	38710	WAIVED			
BENZO (A) PYRENE	34247	WAIVED			
CARBOFURAN	81405	WAIVED			
CHLORDANE	39350	WAIVED			
DALAPON	38432	WAIVED			
DI(2-ETHYLHEXYL)ADIPATE	A-026	WAIVED			
DI(2-ETHYLHEXYL)PHTHALATE	39100	WAIVED			
DIBROMOCHLOROPROPANE (DBCP)	38761	WAIVED			
DINOSEB	81287	WAIVED			
DIQUAT	78885	WAIVED			
ENDOTHALL	38926	WAIVED			
ENDRIN	39390	WAIVED			
ETHYLENE DIBROMIDE (EDB)	77651	WAIVED			
GLYPHOSATE	79743	WAIVED			
HEPTACHLOR	39410	WAIVED			
HEPTACHLOR EPOXIDE	39420	WAIVED			
HEXACHLOROBENZENE	39700	WAIVED			
HEXACHLOROCYCLOPENTADIENE	34386	WAIVED			
LINDANE	39340	WAIVED			

**Testing interval is in months;*
0 = No data for this constituent and is DUE NOW
999 = Waived testing (not required)
I = Invalid (NOT) valid analyses reported

System Number: ***3103664***

System Name: ***KASPIAN POINT PICNIC AREA***

PS Code: ***3103664-001***

Source Name: ***WELL #1***

Source Number: ***001***

Source Status: ***ACTIVE UNTREATED***

Water type: ***GROUNDWATER OR WELL***

	STORET NUMBER	TESTING INTERVAL (MONTHS)*	LAST TEST DATE (yyyy/mm/dd)	LAST RESULT REPORTED	NEXT TEST DATE (yyyy/mm)
REGULATED SOC					
METHOXYCHLOR	39480	WAIVED			
MOLINATE	82199	WAIVED			
OXAMYL	38865	WAIVED			
PENTACHLOROPHENOL	39032	WAIVED			
PICLORAM	39720	WAIVED			
POLYCHLORINATED BIPHENYLS, TOTAL, AS DCB	39516	WAIVED			
SIMAZINE	39055	WAIVED			
THIOBENCARB	A-001	WAIVED			
TOXAPHENE	39400	WAIVED			
REGULATED VOC					
1,1,1-TRICHLOROETHANE	34506	WAIVED			
1,1,2,2-TETRACHLOROETHANE	34516	WAIVED			
1,1,2-TRICHLORO-1,2,2-TRIFLUOROETHANE	81611	WAIVED			
1,1,2-TRICHLOROETHANE	34511	WAIVED			
1,1-DICHLOROETHANE	34496	WAIVED			
1,1-DICHLOROETHYLENE	34501	WAIVED			
1,2,4-TRICHLOROBENZENE	34551	WAIVED			
1,2-DICHLOROBENZENE	34536	WAIVED			
1,2-DICHLOROETHANE	34531	WAIVED			
1,2-DICHLOROPROPANE	34541	WAIVED			
1,3-DICHLOROPROPENE (TOTAL)	34561	WAIVED			
1,4-DICHLOROBENZENE	34571	WAIVED			
BENZENE	34030	WAIVED			
CARBON TETRACHLORIDE	32102	WAIVED			
CIS-1,2-DICHLOROETHYLENE	77093	WAIVED			
DICHLOROMETHANE	34423	WAIVED			
ETHYLBENZENE	34371	WAIVED			
METHYL-TERT-BUTYL-ETHER (MTBE)	46491	WAIVED			
MONOCHLOROBENZENE	34301	WAIVED			

**Testing interval is in months;*
0 = No data for this constituent and is DUE NOW
999 = Waived testing (not required)
I = Invalid (NOT) valid analyses reported

System Number: ***3103664***

System Name: ***KASPIAN POINT PICNIC AREA***

PS Code: ***3103664-001***

Source Name: ***WELL #1***

Source Number: ***001***

Source Status: ***ACTIVE UNTREATED***

Water type: ***GROUNDWATER OR WELL***

	STORET NUMBER	TESTING INTERVAL (MONTHS)*	LAST TEST DATE (yyyy/mm/dd)	LAST RESULT REPORTED	NEXT TEST DATE (yyyy/mm)
REGULATED VOC					
STYRENE	77128	WAIVED			
TETRACHLOROETHYLENE	34475	WAIVED			
TOLUENE	34010	WAIVED			
TRANS-1,2-DICHLOROETHYLENE	34546	WAIVED			
TRICHLOROETHYLENE	39180	WAIVED			
TRICHLOROFLUOROMETHANE	34488	WAIVED			
VINYL CHLORIDE	39175	WAIVED			
XYLENES (TOTAL)	81551	WAIVED			
SECONDARY/GP					
AGGRSSIVE INDEX (CORROSIVITY)	82383	WAIVED			
BICARBONATE ALKALINITY	00440	000			DUE
CALCIUM	00916	000			DUE
CARBONATE ALKALINITY	00445	000			DUE
CHLORIDE	00940	WAIVED			
COLOR	00081	WAIVED			
COPPER	01042	WAIVED			
FOAMING AGENTS (MBAS)	38260	WAIVED			
HARDNESS (TOTAL) AS CACO3	00900	000			DUE
HYDROXIDE ALKALINITY	71830	000			DUE
IRON	01045	000			DUE
MAGNESIUM	00927	000			DUE
MANGANESE	01055	000			DUE
ODOR THRESHOLD @ 60 C	00086	WAIVED			
PH, LABORATORY	00403	000			DUE
SILVER	01077	WAIVED			
SODIUM	00929	000			DUE
SPECIFIC CONDUCTANCE	00095	WAIVED			
SULFATE	00945	WAIVED			
TOTAL DISSOLVED SOLIDS	70300	WAIVED			

**Testing interval is in months;*
0 = No data for this constituent and is DUE NOW
999 = Waived testing (not required)
I = Invalid (NOT) valid analyses reported

System Number: ***3103664***

System Name: ***KASPIAN POINT PICNIC AREA***

PS Code: ***3103664-001***

Source Name: ***WELL #1***

Source Number: ***001***

Source Status: ***ACTIVE UNTREATED***

Water type: ***GROUNDWATER OR WELL***

SECONDARY/GP	STORET NUMBER	TESTING INTERVAL (MONTHS)*	LAST TEST DATE (yyyy/mm/dd)	LAST RESULT REPORTED	NEXT TEST DATE (yyyy/mm)
TURBIDITY, LABORATORY	82079	WAIVED			
ZINC	01092	WAIVED			

**Testing interval is in months;*
0 = No data for this constituent and is DUE NOW
999 = Waived testing (not required)
I = Invalid (NOT) valid analyses reported

System Number: ***3103665***

System Name: ***GRANITE FLAT CAMPGROUND***

PS Code: ***3103665-001***

Source Name: ***WELL 01***

Source Number: ***001***

Source Status: ***ACTIVE UNTREATED***

Water type: ***GROUNDWATER OR WELL***

	STORET NUMBER	TESTING INTERVAL (MONTHS)*	LAST TEST DATE (yyyy/mm/dd)	LAST RESULT REPORTED	NEXT TEST DATE (yyyy/mm)	
GENERAL NON CHAP 15						
DIAZINON	39570	WAIVED				
INORGANIC						
ALUMINUM	01105	WAIVED				
ANTIMONY	01097	WAIVED				
ARSENIC	01002	WAIVED				
ASBESTOS	81855	WAIVED				
BARIUM	01007	WAIVED				
BERYLLIUM	01012	WAIVED				
CADMIUM	01027	WAIVED				
CHROMIUM (TOTAL)	01034	WAIVED				
CYANIDE	01291	WAIVED				
FLUORIDE (F) (NATURAL-SOURCE)	00951	000				**DUE**
LEAD	01051	WAIVED				
MERCURY	71900	WAIVED				
NICKEL	01067	WAIVED				
PERCHLORATE	A-031	WAIVED				
SELENIUM	01147	WAIVED				
THALLIUM	01059	WAIVED				
NITRATE/NITRITE						
NITRATE (AS NO3)	71850	012	2007/05/18	< 2.000	2008/05	**DUE**
NITRITE (AS N)	00620	036	2006/09/21	< 400.000	2009/09	**DUE**
RADIOLOGICAL						
GROSS ALPHA	01501	WAIVED				
GROSS BETA	03501	WAIVED				
RA-226 FOR CWS OR TOTAL RA FOR NTNC BY 903.0	A-080	WAIVED				
RA-226 OR TOTAL RA BY 903.0 C.E.	A-081	WAIVED				
RADIUM 226	09501	WAIVED				
RADIUM 228	11501	WAIVED				

**Testing interval is in months;*
0 = No data for this constituent and is DUE NOW
999 = Waived testing (not required)
I = Invalid (NOT) valid analyses reported

System Number: ***3103665***

System Name: ***GRANITE FLAT CAMPGROUND***

PS Code: ***3103665-001***

Source Name: ***WELL 01***

Source Number: ***001***

Source Status: ***ACTIVE UNTREATED***

Water type: ***GROUNDWATER OR WELL***

	STORET NUMBER	TESTING INTERVAL (MONTHS)*	LAST TEST DATE (yyyy/mm/dd)	LAST RESULT REPORTED	NEXT TEST DATE (yyyy/mm)
RADIOLOGICAL					
RADIUM, TOTAL, MDA95-NTNC ONLY, BY 903.0	A-082	WAIVED			
STRONTIUM-90	13501	WAIVED			
TRITIUM	07000	WAIVED			
URANIUM (PCI/L)	28012	WAIVED			
REGULATED SOC					
2,3,7,8-TCDD (DIOXIN)	34676	WAIVED			
2,4,5-TP (SILVEX)	39045	WAIVED			
2,4-D	39730	WAIVED			
ALACHLOR	77825	WAIVED			
ATRAZINE	39033	WAIVED			
BENTAZON	38710	WAIVED			
BENZO (A) PYRENE	34247	WAIVED			
CARBOFURAN	81405	WAIVED			
CHLORDANE	39350	WAIVED			
DALAPON	38432	WAIVED			
DI(2-ETHYLHEXYL)ADIPATE	A-026	WAIVED			
DI(2-ETHYLHEXYL)PHTHALATE	39100	WAIVED			
DIBROMOCHLOROPROPANE (DBCP)	38761	WAIVED			
DINOSEB	81287	WAIVED			
DIQUAT	78885	WAIVED			
ENDOTHALL	38926	WAIVED			
ENDRIN	39390	WAIVED			
ETHYLENE DIBROMIDE (EDB)	77651	WAIVED			
GLYPHOSATE	79743	WAIVED			
HEPTACHLOR	39410	WAIVED			
HEPTACHLOR EPOXIDE	39420	WAIVED			
HEXACHLOROBENZENE	39700	WAIVED			
HEXACHLOROCYCLOPENTADIENE	34386	WAIVED			
LINDANE	39340	WAIVED			

**Testing interval is in months;*
0 = No data for this constituent and is DUE NOW
999 = Waived testing (not required)
I = Invalid (NOT) valid analyses reported

System Number: ***3103665***

System Name: ***GRANITE FLAT CAMPGROUND***

PS Code: ***3103665-001***

Source Name: ***WELL 01***

Source Number: ***001***

Source Status: ***ACTIVE UNTREATED***

Water type: ***GROUNDWATER OR WELL***

	STORET NUMBER	TESTING INTERVAL (MONTHS)*	LAST TEST DATE (yyyy/mm/dd)	LAST RESULT REPORTED	NEXT TEST DATE (yyyy/mm)
REGULATED SOC					
METHOXYCHLOR	39480	WAIVED			
MOLINATE	82199	WAIVED			
OXAMYL	38865	WAIVED			
PENTACHLOROPHENOL	39032	WAIVED			
PICLORAM	39720	WAIVED			
POLYCHLORINATED BIPHENYLS, TOTAL, AS DCB	39516	WAIVED			
SIMAZINE	39055	WAIVED			
THIOBENCARB	A-001	WAIVED			
TOXAPHENE	39400	WAIVED			
REGULATED VOC					
1,1,1-TRICHLOROETHANE	34506	WAIVED			
1,1,2,2-TETRACHLOROETHANE	34516	WAIVED			
1,1,2-TRICHLORO-1,2,2-TRIFLUOROETHANE	81611	WAIVED			
1,1,2-TRICHLOROETHANE	34511	WAIVED			
1,1-DICHLOROETHANE	34496	WAIVED			
1,1-DICHLOROETHYLENE	34501	WAIVED			
1,2,4-TRICHLOROBENZENE	34551	WAIVED			
1,2-DICHLOROBENZENE	34536	WAIVED			
1,2-DICHLOROETHANE	34531	WAIVED			
1,2-DICHLOROPROPANE	34541	WAIVED			
1,3-DICHLOROPROPENE (TOTAL)	34561	WAIVED			
1,4-DICHLOROBENZENE	34571	WAIVED			
BENZENE	34030	WAIVED			
CARBON TETRACHLORIDE	32102	WAIVED			
CIS-1,2-DICHLOROETHYLENE	77093	WAIVED			
DICHLOROMETHANE	34423	WAIVED			
ETHYLBENZENE	34371	WAIVED			
METHYL-TERT-BUTYL-ETHER (MTBE)	46491	WAIVED			
MONOCHLOROBENZENE	34301	WAIVED			

**Testing interval is in months;*
0 = No data for this constituent and is DUE NOW
999 = Waived testing (not required)
I = Invalid (NOT) valid analyses reported

System Number: ***3103665***

System Name: ***GRANITE FLAT CAMPGROUND***

PS Code: ***3103665-001***

Source Name: ***WELL 01***

Source Number: ***001***

Source Status: ***ACTIVE UNTREATED***

Water type: ***GROUNDWATER OR WELL***

	STORET NUMBER	TESTING INTERVAL (MONTHS)*	LAST TEST DATE (yyyy/mm/dd)	LAST RESULT REPORTED	NEXT TEST DATE (yyyy/mm)
REGULATED VOC					
STYRENE	77128	WAIVED			
TETRACHLOROETHYLENE	34475	WAIVED			
TOLUENE	34010	WAIVED			
TRANS-1,2-DICHLOROETHYLENE	34546	WAIVED			
TRICHLOROETHYLENE	39180	WAIVED			
TRICHLOROFLUOROMETHANE	34488	WAIVED			
VINYL CHLORIDE	39175	WAIVED			
XYLENES (TOTAL)	81551	WAIVED			
SECONDARY/GP					
AGGRSSIVE INDEX (CORROSIVITY)	82383	WAIVED			
BICARBONATE ALKALINITY	00440	000			DUE
CALCIUM	00916	000			DUE
CARBONATE ALKALINITY	00445	000			DUE
CHLORIDE	00940	WAIVED			
COLOR	00081	WAIVED			
COPPER	01042	WAIVED			
FOAMING AGENTS (MBAS)	38260	WAIVED			
HARDNESS (TOTAL) AS CACO3	00900	000			DUE
HYDROXIDE ALKALINITY	71830	000			DUE
IRON	01045	000			DUE
MAGNESIUM	00927	000			DUE
MANGANESE	01055	000			DUE
ODOR THRESHOLD @ 60 C	00086	WAIVED			
PH, LABORATORY	00403	000			DUE
SILVER	01077	WAIVED			
SODIUM	00929	000			DUE
SPECIFIC CONDUCTANCE	00095	WAIVED			
SULFATE	00945	WAIVED			
TOTAL DISSOLVED SOLIDS	70300	WAIVED			

**Testing interval is in months;*
0 = No data for this constituent and is DUE NOW
999 = Waived testing (not required)
I = Invalid (NOT) valid analyses reported

System Number: ***3103665***

System Name: ***GRANITE FLAT CAMPGROUND***

PS Code: ***3103665-001***

Source Name: ***WELL 01***

Source Number: ***001***

Source Status: ***ACTIVE UNTREATED***

Water type: ***GROUNDWATER OR WELL***

SECONDARY/GP	STORET NUMBER	TESTING INTERVAL (MONTHS)*	LAST TEST DATE (yyyy/mm/dd)	LAST RESULT REPORTED	NEXT TEST DATE (yyyy/mm)
TURBIDITY, LABORATORY	82079	WAIVED			
ZINC	01092	WAIVED			

**Testing interval is in months;*
0 = No data for this constituent and is DUE NOW
999 = Waived testing (not required)
I = Invalid (NOT) valid analyses reported

System Number: ***3103666***

System Name: ***SILVER CREEK SUMMER HOME TRACT***

PS Code: ***3103666-001***

Source Name: ***WELL #1***

Source Number: ***001***

Source Status: ***ACTIVE UNTREATED***

Water type: ***GROUNDWATER OR WELL***

	STORET NUMBER	TESTING INTERVAL (MONTHS)*	LAST TEST DATE (yyyy/mm/dd)	LAST RESULT REPORTED	NEXT TEST DATE (yyyy/mm)	
GENERAL NON CHAP 15						
DIAZINON	39570	WAIVED				
INORGANIC						
ALUMINUM	01105	WAIVED				
ANTIMONY	01097	WAIVED				
ARSENIC	01002	WAIVED				
ASBESTOS	81855	WAIVED				
BARIUM	01007	WAIVED				
BERYLLIUM	01012	WAIVED				
CADMIUM	01027	WAIVED				
CHROMIUM (TOTAL)	01034	WAIVED				
CYANIDE	01291	WAIVED				
FLUORIDE (F) (NATURAL-SOURCE)	00951	000				**DUE**
LEAD	01051	WAIVED				
MERCURY	71900	WAIVED				
NICKEL	01067	WAIVED				
PERCHLORATE	A-031	WAIVED				
SELENIUM	01147	WAIVED				
THALLIUM	01059	WAIVED				
NITRATE/NITRITE						
NITRATE (AS NO3)	71850	012	2011/12/12	.000	2012/12	
NITRITE (AS N)	00620	036	**2008/07/02**	.000	**2011/07**	**DUE**
RADIOLOGICAL						
GROSS ALPHA	01501	WAIVED				
GROSS BETA	03501	WAIVED				
RA-226 FOR CWS OR TOTAL RA FOR NTNC BY 903.0	A-080	WAIVED				
RA-226 OR TOTAL RA BY 903.0 C.E.	A-081	WAIVED				
RADIUM 226	09501	WAIVED				
RADIUM 228	11501	WAIVED				

**Testing interval is in months;*
0 = No data for this constituent and is DUE NOW
999 = Waived testing (not required)
I = Invalid (NOT) valid analyses reported

System Number: ***3103666***

System Name: ***SILVER CREEK SUMMER HOME TRACT***

PS Code: ***3103666-001***

Source Name: ***WELL #1***

Source Number: ***001***

Source Status: ***ACTIVE UNTREATED***

Water type: ***GROUNDWATER OR WELL***

	STORET NUMBER	TESTING INTERVAL (MONTHS)*	LAST TEST DATE (yyyy/mm/dd)	LAST RESULT REPORTED	NEXT TEST DATE (yyyy/mm)
RADIOLOGICAL					
RADIUM, TOTAL, MDA95-NTNC ONLY, BY 903.0	A-082	WAIVED			
STRONTIUM-90	13501	WAIVED			
TRITIUM	07000	WAIVED			
URANIUM (PCI/L)	28012	WAIVED			
REGULATED SOC					
2,3,7,8-TCDD (DIOXIN)	34676	WAIVED			
2,4,5-TP (SILVEX)	39045	WAIVED			
2,4-D	39730	WAIVED			
ALACHLOR	77825	WAIVED			
ATRAZINE	39033	WAIVED			
BENTAZON	38710	WAIVED			
BENZO (A) PYRENE	34247	WAIVED			
CARBOFURAN	81405	WAIVED			
CHLORDANE	39350	WAIVED			
DALAPON	38432	WAIVED			
DI(2-ETHYLHEXYL)ADIPATE	A-026	WAIVED			
DI(2-ETHYLHEXYL)PHTHALATE	39100	WAIVED			
DIBROMOCHLOROPROPANE (DBCP)	38761	WAIVED			
DINOSEB	81287	WAIVED			
DIQUAT	78885	WAIVED			
ENDOTHALL	38926	WAIVED			
ENDRIN	39390	WAIVED			
ETHYLENE DIBROMIDE (EDB)	77651	WAIVED			
GLYPHOSATE	79743	WAIVED			
HEPTACHLOR	39410	WAIVED			
HEPTACHLOR EPOXIDE	39420	WAIVED			
HEXACHLOROBENZENE	39700	WAIVED			
HEXACHLOROCYCLOPENTADIENE	34386	WAIVED			
LINDANE	39340	WAIVED			

**Testing interval is in months;*
0 = No data for this constituent and is DUE NOW
999 = Waived testing (not required)
I = Invalid (NOT) valid analyses reported

System Number: ***3103666***

System Name: ***SILVER CREEK SUMMER HOME TRACT***

PS Code: ***3103666-001***

Source Name: ***WELL #1***

Source Number: ***001***

Source Status: ***ACTIVE UNTREATED***

Water type: ***GROUNDWATER OR WELL***

	STORET NUMBER	TESTING INTERVAL (MONTHS)*	LAST TEST DATE (yyyy/mm/dd)	LAST RESULT REPORTED	NEXT TEST DATE (yyyy/mm)
REGULATED SOC					
METHOXYCHLOR	39480	WAIVED			
MOLINATE	82199	WAIVED			
OXAMYL	38865	WAIVED			
PENTACHLOROPHENOL	39032	WAIVED			
PICLORAM	39720	WAIVED			
POLYCHLORINATED BIPHENYLS, TOTAL, AS DCB	39516	WAIVED			
SIMAZINE	39055	WAIVED			
THIOBENCARB	A-001	WAIVED			
TOXAPHENE	39400	WAIVED			
REGULATED VOC					
1,1,1-TRICHLOROETHANE	34506	WAIVED			
1,1,2,2-TETRACHLOROETHANE	34516	WAIVED			
1,1,2-TRICHLORO-1,2,2-TRIFLUOROETHANE	81611	WAIVED			
1,1,2-TRICHLOROETHANE	34511	WAIVED			
1,1-DICHLOROETHANE	34496	WAIVED			
1,1-DICHLOROETHYLENE	34501	WAIVED			
1,2,4-TRICHLOROBENZENE	34551	WAIVED			
1,2-DICHLOROBENZENE	34536	WAIVED			
1,2-DICHLOROETHANE	34531	WAIVED			
1,2-DICHLOROPROPANE	34541	WAIVED			
1,3-DICHLOROPROPENE (TOTAL)	34561	WAIVED			
1,4-DICHLOROBENZENE	34571	WAIVED			
BENZENE	34030	WAIVED			
CARBON TETRACHLORIDE	32102	WAIVED			
CIS-1,2-DICHLOROETHYLENE	77093	WAIVED			
DICHLOROMETHANE	34423	WAIVED			
ETHYLBENZENE	34371	WAIVED			
METHYL-TERT-BUTYL-ETHER (MTBE)	46491	WAIVED			
MONOCHLOROBENZENE	34301	WAIVED			

**Testing interval is in months;*
0 = No data for this constituent and is DUE NOW
999 = Waived testing (not required)
I = Invalid (NOT) valid analyses reported

System Number: ***3103666***

System Name: ***SILVER CREEK SUMMER HOME TRACT***

PS Code: ***3103666-001***

Source Name: ***WELL #1***

Source Number: ***001***

Source Status: ***ACTIVE UNTREATED***

Water type: ***GROUNDWATER OR WELL***

	STORET NUMBER	TESTING INTERVAL (MONTHS)*	LAST TEST DATE (yyyy/mm/dd)	LAST RESULT REPORTED	NEXT TEST DATE (yyyy/mm)
REGULATED VOC					
STYRENE	77128	WAIVED			
TETRACHLOROETHYLENE	34475	WAIVED			
TOLUENE	34010	WAIVED			
TRANS-1,2-DICHLOROETHYLENE	34546	WAIVED			
TRICHLOROETHYLENE	39180	WAIVED			
TRICHLOROFLUOROMETHANE	34488	WAIVED			
VINYL CHLORIDE	39175	WAIVED			
XYLENES (TOTAL)	81551	WAIVED			
SECONDARY/GP					
AGGRSSIVE INDEX (CORROSIVITY)	82383	WAIVED			
BICARBONATE ALKALINITY	00440	000			DUE
CALCIUM	00916	000			DUE
CARBONATE ALKALINITY	00445	000			DUE
CHLORIDE	00940	WAIVED			
COLOR	00081	WAIVED			
COPPER	01042	WAIVED			
FOAMING AGENTS (MBAS)	38260	WAIVED			
HARDNESS (TOTAL) AS CACO3	00900	000			DUE
HYDROXIDE ALKALINITY	71830	000			DUE
IRON	01045	000			DUE
MAGNESIUM	00927	000			DUE
MANGANESE	01055	000			DUE
ODOR THRESHOLD @ 60 C	00086	WAIVED			
PH, LABORATORY	00403	000			DUE
SILVER	01077	WAIVED			
SODIUM	00929	000			DUE
SPECIFIC CONDUCTANCE	00095	WAIVED			
SULFATE	00945	WAIVED			
TOTAL DISSOLVED SOLIDS	70300	WAIVED			

**Testing interval is in months;*
0 = No data for this constituent and is DUE NOW
999 = Waived testing (not required)
I = Invalid (NOT) valid analyses reported

System Number: ***3103666***

System Name: ***SILVER CREEK SUMMER HOME TRACT***

PS Code: ***3103666-001***

Source Name: ***WELL #1***

Source Number: ***001***

Source Status: ***ACTIVE UNTREATED***

Water type: ***GROUNDWATER OR WELL***

	STORET NUMBER	TESTING INTERVAL (MONTHS)*	LAST TEST DATE (yyyy/mm/dd)	LAST RESULT REPORTED	NEXT TEST DATE (yyyy/mm)
SECONDARY/GP					
TURBIDITY, LABORATORY	82079	WAIVED			
ZINC	01092	WAIVED			

**Testing interval is in months;*
0 = No data for this constituent and is DUE NOW
999 = Waived testing (not required)
I = Invalid (NOT) valid analyses reported

System Number: ***3103835***

System Name: ***LAKEVIEW HILLS COMMUNITY ASSOC***

PS Code: ***3103835-001***

Source Name: ***PURCHASE WHOLESALE TREATED WATER***

Source Number: ***001***

Source Status: ***PURCHASED TREATED***

Water type: ***SURFACE***

	STORET NUMBER	TESTING INTERVAL (MONTHS)*	LAST TEST DATE (yyyy/mm/dd)	LAST RESULT REPORTED	NEXT TEST DATE (yyyy/mm)	
GENERAL NON CHAP 15						
DIAZINON	39570	WAIVED				
INORGANIC						
ALUMINUM	01105	012				DUE
ANTIMONY	01097	012				DUE
ARSENIC	01002	012				DUE
ASBESTOS	81855	000				DUE
BARIUM	01007	012				DUE
BERYLLIUM	01012	012				DUE
CADMIUM	01027	012				DUE
CHROMIUM (TOTAL)	01034	012				DUE
CYANIDE	01291	036				DUE
FLUORIDE (F) (NATURAL-SOURCE)	00951	012				DUE
LEAD	01051	036				DUE
MERCURY	71900	012				DUE
NICKEL	01067	012				DUE
PERCHLORATE	A-031	012	2008/06/19	< 4.000	2009/06	DUE
SELENIUM	01147	012				DUE
THALLIUM	01059	012				DUE
NITRATE/NITRITE						
NITRATE (AS NO3)	71850	003				DUE
NITRITE (AS N)	00620	000				DUE
RADIOLOGICAL						
GROSS ALPHA	01501	000				DUE
GROSS BETA	03501	WAIVED				
RA-226 FOR CWS OR TOTAL RA FOR NTNC BY 903.0	A-080	WAIVED				
RA-226 OR TOTAL RA BY 903.0 C.E.	A-081	WAIVED				
RADIUM 226	09501	WAIVED				
RADIUM 228	11501	003				DUE

**Testing interval is in months;*
0 = No data for this constituent and is DUE NOW
999 = Waived testing (not required)
I = Invalid (NOT) valid analyses reported

System Number: ***3103835***

System Name: ***LAKEVIEW HILLS COMMUNITY ASSOC***

PS Code: ***3103835-001***

Source Name: ***PURCHASE WHOLESALE TREATED WATER***

Source Number: ***001***

Source Status: ***PURCHASED TREATED***

Water type: ***SURFACE***

	STORET NUMBER	TESTING INTERVAL (MONTHS)*	LAST TEST DATE (yyyy/mm/dd)	LAST RESULT REPORTED	NEXT TEST DATE (yyyy/mm)
RADIOLOGICAL					
RADIUM, TOTAL, MDA95-NTNC ONLY, BY 903.0	A-082	WAIVED			
STRONTIUM-90	13501	WAIVED			
TRITIUM	07000	WAIVED			
URANIUM (PCI/L)	28012	WAIVED			
REGULATED SOC					
2,3,7,8-TCDD (DIOXIN)	34676	WAIVED			
2,4,5-TP (SILVEX)	39045	WAIVED			
2,4-D	39730	WAIVED			
ALACHLOR	77825	WAIVED			
ATRAZINE	39033	WAIVED			
BENTAZON	38710	WAIVED			
BENZO (A) PYRENE	34247	WAIVED			
CARBOFURAN	81405	WAIVED			
CHLORDANE	39350	WAIVED			
DALAPON	38432	WAIVED			
DI(2-ETHYLHEXYL)ADIPATE	A-026	WAIVED			
DI(2-ETHYLHEXYL)PHTHALATE	39100	WAIVED			
DIBROMOCHLOROPROPANE (DBCP)	38761	WAIVED			
DINOSEB	81287	WAIVED			
DIQUAT	78885	WAIVED			
ENDOTHALL	38926	WAIVED			
ENDRIN	39390	WAIVED			
ETHYLENE DIBROMIDE (EDB)	77651	WAIVED			
GLYPHOSATE	79743	WAIVED			
HEPTACHLOR	39410	WAIVED			
HEPTACHLOR EPOXIDE	39420	WAIVED			
HEXACHLOROBENZENE	39700	WAIVED			
HEXACHLOROCYCLOPENTADIENE	34386	WAIVED			
LINDANE	39340	WAIVED			

**Testing interval is in months;*
0 = No data for this constituent and is DUE NOW
999 = Waived testing (not required)
I = Invalid (NOT) valid analyses reported

System Number: ***3103835***

System Name: ***LAKEVIEW HILLS COMMUNITY ASSOC***

PS Code: ***3103835-001***

Source Name: ***PURCHASE WHOLESALE TREATED WATER***

Source Number: ***001***

Source Status: ***PURCHASED TREATED***

Water type: ***SURFACE***

	STORET NUMBER	TESTING INTERVAL (MONTHS)*	LAST TEST DATE (yyyy/mm/dd)	LAST RESULT REPORTED	NEXT TEST DATE (yyyy/mm)
REGULATED SOC					
METHOXYCHLOR	39480	WAIVED			
MOLINATE	82199	WAIVED			
OXAMYL	38865	WAIVED			
PENTACHLOROPHENOL	39032	WAIVED			
PICLORAM	39720	WAIVED			
POLYCHLORINATED BIPHENYLS, TOTAL, AS DCB	39516	WAIVED			
SIMAZINE	39055	WAIVED			
THIOBENCARB	A-001	WAIVED			
TOXAPHENE	39400	WAIVED			
REGULATED VOC					
1,1,1-TRICHLOROETHANE	34506	000			DUE
1,1,2,2-TETRACHLOROETHANE	34516	000			DUE
1,1,2-TRICHLORO-1,2,2-TRIFLUOROETHANE	81611	000			DUE
1,1,2-TRICHLOROETHANE	34511	000			DUE
1,1-DICHLOROETHANE	34496	000			DUE
1,1-DICHLOROETHYLENE	34501	000			DUE
1,2,4-TRICHLOROBENZENE	34551	000			DUE
1,2-DICHLOROBENZENE	34536	000			DUE
1,2-DICHLOROETHANE	34531	000			DUE
1,2-DICHLOROPROPANE	34541	000			DUE
1,3-DICHLOROPROPENE (TOTAL)	34561	000			DUE
1,4-DICHLOROBENZENE	34571	000			DUE
BENZENE	34030	000			DUE
CARBON TETRACHLORIDE	32102	000			DUE
CIS-1,2-DICHLOROETHYLENE	77093	000			DUE
DICHLOROMETHANE	34423	000			DUE
ETHYLBENZENE	34371	000			DUE
METHYL-TERT-BUTYL-ETHER (MTBE)	46491	000			DUE
MONOCHLOROBENZENE	34301	000			DUE

**Testing interval is in months;*
0 = No data for this constituent and is DUE NOW
999 = Waived testing (not required)
I = Invalid (NOT) valid analyses reported

System Number: ***3103835***

System Name: ***LAKEVIEW HILLS COMMUNITY ASSOC***

PS Code: ***3103835-001***

Source Name: ***PURCHASE WHOLESALE TREATED WATER***

Source Number: ***001***

Source Status: ***PURCHASED TREATED***

Water type: ***SURFACE***

	STORET NUMBER	TESTING INTERVAL (MONTHS)*	LAST TEST DATE (yyyy/mm/dd)	LAST RESULT REPORTED	NEXT TEST DATE (yyyy/mm)
REGULATED VOC					
STYRENE	77128	000			DUE
TETRACHLOROETHYLENE	34475	000			DUE
TOLUENE	34010	000			DUE
TRANS-1,2-DICHLOROETHYLENE	34546	000			DUE
TRICHLOROETHYLENE	39180	000			DUE
TRICHLOROFLUOROMETHANE	34488	000			DUE
VINYL CHLORIDE	39175	000			DUE
XYLENES (TOTAL)	81551	000			DUE
SECONDARY/GP					
AGGRSSIVE INDEX (CORROSIVITY)	82383	WAIVED			
BICARBONATE ALKALINITY	00440	000			DUE
CALCIUM	00916	000			DUE
CARBONATE ALKALINITY	00445	000			DUE
CHLORIDE	00940	012			DUE
COLOR	00081	WAIVED			
COPPER	01042	012			DUE
FOAMING AGENTS (MBAS)	38260	012			DUE
HARDNESS (TOTAL) AS CACO3	00900	000			DUE
HYDROXIDE ALKALINITY	71830	000			DUE
IRON	01045	012			DUE
MAGNESIUM	00927	000			DUE
MANGANESE	01055	012			DUE
ODOR THRESHOLD @ 60 C	00086	WAIVED			
PH, LABORATORY	00403	WAIVED			
SILVER	01077	012			DUE
SODIUM	00929	000			DUE
SPECIFIC CONDUCTANCE	00095	012			DUE
SULFATE	00945	012			DUE
TOTAL DISSOLVED SOLIDS	70300	012			DUE

**Testing interval is in months;*
0 = No data for this constituent and is DUE NOW
999 = Waived testing (not required)
I = Invalid (NOT) valid analyses reported

System Number: ***3103835***

System Name: ***LAKEVIEW HILLS COMMUNITY ASSOC***

PS Code: ***3103835-001***

Source Name: ***PURCHASE WHOLESALE TREATED WATER***

Source Number: ***001***

Source Status: ***PURCHASED TREATED***

Water type: ***SURFACE***

SECONDARY/GP

	STORET NUMBER	TESTING INTERVAL (MONTHS)*	LAST TEST DATE (yyyy/mm/dd)	LAST RESULT REPORTED	NEXT TEST DATE (yyyy/mm)	
TURBIDITY, LABORATORY	82079	WAIVED				
ZINC	01092	012				DUE

**Testing interval is in months;*
0 = No data for this constituent and is DUE NOW
999 = Waived testing (not required)
I = Invalid (NOT) valid analyses reported

System Number: ***3103836***

System Name: ***HIDDEN VALLEY COMMUNITY ASSOCIATION***

PS Code: ***3103836-001***

Source Name: ***PURCHASE WHOLESALE TREATED WATER***

Source Number: ***001***

Source Status: ***PURCHASED TREATED***

Water type: ***SURFACE***

	STORET NUMBER	TESTING INTERVAL (MONTHS)*	LAST TEST DATE (yyyy/mm/dd)	LAST RESULT REPORTED	NEXT TEST DATE (yyyy/mm)	
GENERAL NON CHAP 15						
DIAZINON	39570	WAIVED				
INORGANIC						
ALUMINUM	01105	012				DUE
ANTIMONY	01097	012				DUE
ARSENIC	01002	012				DUE
ASBESTOS	81855	000				DUE
BARIUM	01007	012				DUE
BERYLLIUM	01012	012				DUE
CADMIUM	01027	012				DUE
CHROMIUM (TOTAL)	01034	012				DUE
CYANIDE	01291	036				DUE
FLUORIDE (F) (NATURAL-SOURCE)	00951	012				DUE
LEAD	01051	036				DUE
MERCURY	71900	012				DUE
NICKEL	01067	012				DUE
PERCHLORATE	A-031	012	2008/06/26	< 4.000	2009/06	DUE
SELENIUM	01147	012				DUE
THALLIUM	01059	012				DUE
NITRATE/NITRITE						
NITRATE (AS NO3)	71850	003	2007/06/21	5.400	2007/09	DUE
NITRITE (AS N)	00620	000				DUE
RADIOLOGICAL						
GROSS ALPHA	01501	000				DUE
GROSS BETA	03501	WAIVED				
RA-226 FOR CWS OR TOTAL RA FOR NTNC BY 903.0	A-080	WAIVED				
RA-226 OR TOTAL RA BY 903.0 C.E.	A-081	WAIVED				
RADIUM 226	09501	WAIVED				
RADIUM 228	11501	003				DUE

**Testing interval is in months;*
0 = No data for this constituent and is DUE NOW
999 = Waived testing (not required)
I = Invalid (NOT) valid analyses reported

System Number: ***3103836***

System Name: ***HIDDEN VALLEY COMMUNITY ASSOCIATION***

PS Code: ***3103836-001***

Source Name: ***PURCHASE WHOLESALE TREATED WATER***

Source Number: ***001***

Source Status: ***PURCHASED TREATED***

Water type: ***SURFACE***

	STORET NUMBER	TESTING INTERVAL (MONTHS)*	LAST TEST DATE (yyyy/mm/dd)	LAST RESULT REPORTED	NEXT TEST DATE (yyyy/mm)
RADIOLOGICAL					
RADIUM, TOTAL, MDA95-NTNC ONLY, BY 903.0	A-082	WAIVED			
STRONTIUM-90	13501	WAIVED			
TRITIUM	07000	WAIVED			
URANIUM (PCI/L)	28012	WAIVED			
REGULATED SOC					
2,3,7,8-TCDD (DIOXIN)	34676	WAIVED			
2,4,5-TP (SILVEX)	39045	WAIVED			
2,4-D	39730	WAIVED			
ALACHLOR	77825	WAIVED			
ATRAZINE	39033	WAIVED			
BENTAZON	38710	WAIVED			
BENZO (A) PYRENE	34247	WAIVED			
CARBOFURAN	81405	WAIVED			
CHLORDANE	39350	WAIVED			
DALAPON	38432	WAIVED			
DI(2-ETHYLHEXYL)ADIPATE	A-026	WAIVED			
DI(2-ETHYLHEXYL)PHTHALATE	39100	WAIVED			
DIBROMOCHLOROPROPANE (DBCP)	38761	WAIVED			
DINOSEB	81287	WAIVED			
DIQUAT	78885	WAIVED			
ENDOTHALL	38926	WAIVED			
ENDRIN	39390	WAIVED			
ETHYLENE DIBROMIDE (EDB)	77651	WAIVED			
GLYPHOSATE	79743	WAIVED			
HEPTACHLOR	39410	WAIVED			
HEPTACHLOR EPOXIDE	39420	WAIVED			
HEXACHLOROBENZENE	39700	WAIVED			
HEXACHLOROCYCLOPENTADIENE	34386	WAIVED			
LINDANE	39340	WAIVED			

**Testing interval is in months;*
0 = No data for this constituent and is DUE NOW
999 = Waived testing (not required)
I = Invalid (NOT) valid analyses reported

System Number: ***3103836***

System Name: ***HIDDEN VALLEY COMMUNITY ASSOCIATION***

PS Code: ***3103836-001***

Source Name: ***PURCHASE WHOLESALE TREATED WATER***

Source Number: ***001***

Source Status: ***PURCHASED TREATED***

Water type: ***SURFACE***

	STORET NUMBER	TESTING INTERVAL (MONTHS)*	LAST TEST DATE (yyyy/mm/dd)	LAST RESULT REPORTED	NEXT TEST DATE (yyyy/mm)
REGULATED SOC					
METHOXYCHLOR	39480	WAIVED			
MOLINATE	82199	WAIVED			
OXAMYL	38865	WAIVED			
PENTACHLOROPHENOL	39032	WAIVED			
PICLORAM	39720	WAIVED			
POLYCHLORINATED BIPHENYLS, TOTAL, AS DCB	39516	WAIVED			
SIMAZINE	39055	WAIVED			
THIOBENCARB	A-001	WAIVED			
TOXAPHENE	39400	WAIVED			
REGULATED VOC					
1,1,1-TRICHLOROETHANE	34506	000			DUE
1,1,2,2-TETRACHLOROETHANE	34516	000			DUE
1,1,2-TRICHLORO-1,2,2-TRIFLUOROETHANE	81611	000			DUE
1,1,2-TRICHLOROETHANE	34511	000			DUE
1,1-DICHLOROETHANE	34496	000			DUE
1,1-DICHLOROETHYLENE	34501	000			DUE
1,2,4-TRICHLOROBENZENE	34551	000			DUE
1,2-DICHLOROBENZENE	34536	000			DUE
1,2-DICHLOROETHANE	34531	000			DUE
1,2-DICHLOROPROPANE	34541	000			DUE
1,3-DICHLOROPROPENE (TOTAL)	34561	000			DUE
1,4-DICHLOROBENZENE	34571	000			DUE
BENZENE	34030	000			DUE
CARBON TETRACHLORIDE	32102	000			DUE
CIS-1,2-DICHLOROETHYLENE	77093	000			DUE
DICHLOROMETHANE	34423	000			DUE
ETHYLBENZENE	34371	000			DUE
METHYL-TERT-BUTYL-ETHER (MTBE)	46491	000			DUE
MONOCHLOROBENZENE	34301	000			DUE

**Testing interval is in months;*
0 = No data for this constituent and is DUE NOW
999 = Waived testing (not required)
I = Invalid (NOT) valid analyses reported

System Number: ***3103836***

System Name: ***HIDDEN VALLEY COMMUNITY ASSOCIATION***

PS Code: ***3103836-001***

Source Name: ***PURCHASE WHOLESALE TREATED WATER***

Source Number: ***001***

Source Status: ***PURCHASED TREATED***

Water type: ***SURFACE***

	STORET NUMBER	TESTING INTERVAL (MONTHS)*	LAST TEST DATE (yyyy/mm/dd)	LAST RESULT REPORTED	NEXT TEST DATE (yyyy/mm)
REGULATED VOC					
STYRENE	77128	000			DUE
TETRACHLOROETHYLENE	34475	000			DUE
TOLUENE	34010	000			DUE
TRANS-1,2-DICHLOROETHYLENE	34546	000			DUE
TRICHLOROETHYLENE	39180	000			DUE
TRICHLOROFLUOROMETHANE	34488	000			DUE
VINYL CHLORIDE	39175	000			DUE
XYLENES (TOTAL)	81551	000			DUE
SECONDARY/GP					
AGGRSSIVE INDEX (CORROSIVITY)	82383	WAIVED			
BICARBONATE ALKALINITY	00440	000			DUE
CALCIUM	00916	000			DUE
CARBONATE ALKALINITY	00445	000			DUE
CHLORIDE	00940	012			DUE
COLOR	00081	WAIVED			
COPPER	01042	012			DUE
FOAMING AGENTS (MBAS)	38260	012			DUE
HARDNESS (TOTAL) AS CACO3	00900	000			DUE
HYDROXIDE ALKALINITY	71830	000			DUE
IRON	01045	012			DUE
MAGNESIUM	00927	000			DUE
MANGANESE	01055	012			DUE
ODOR THRESHOLD @ 60 C	00086	WAIVED			
PH, LABORATORY	00403	WAIVED			
SILVER	01077	012			DUE
SODIUM	00929	000			DUE
SPECIFIC CONDUCTANCE	00095	012			DUE
SULFATE	00945	012			DUE
TOTAL DISSOLVED SOLIDS	70300	012			DUE

**Testing interval is in months;*
0 = No data for this constituent and is DUE NOW
999 = Waived testing (not required)
I = Invalid (NOT) valid analyses reported

System Number: ***3103836***

System Name: ***HIDDEN VALLEY COMMUNITY ASSOCIATION***

PS Code: ***3103836-001***

Source Name: ***PURCHASE WHOLESALE TREATED WATER***

Source Number: ***001***

Source Status: ***PURCHASED TREATED***

Water type: ***SURFACE***

SECONDARY/GP

	STORET NUMBER	TESTING INTERVAL (MONTHS)*	LAST TEST DATE (yyyy/mm/dd)	LAST RESULT REPORTED	NEXT TEST DATE (yyyy/mm)	
TURBIDITY, LABORATORY	82079	WAIVED				
ZINC	01092	012				DUE

**Testing interval is in months;*
0 = No data for this constituent and is DUE NOW
999 = Waived testing (not required)
I = Invalid (NOT) valid analyses reported

System Number: ***3104449***

System Name: ***CAMP WINTHERS***

PS Code: ***3104449-001***

Source Name: ***SURFACE WATER TREATMENT PLANT-TREATED***

Source Number: ***001***

Source Status: ***ACTIVE TREATED***

Water type: ***SURFACE***

	STORET NUMBER	TESTING INTERVAL (MONTHS)*	LAST TEST DATE (yyyy/mm/dd)	LAST RESULT REPORTED	NEXT TEST DATE (yyyy/mm)
GENERAL NON CHAP 15					
DIAZINON	39570	WAIVED			
INORGANIC					
ALUMINUM	01105	WAIVED			
ANTIMONY	01097	WAIVED			
ARSENIC	01002	WAIVED			
ASBESTOS	81855	WAIVED			
BARIUM	01007	WAIVED			
BERYLLIUM	01012	WAIVED			
CADMIUM	01027	WAIVED			
CHROMIUM (TOTAL)	01034	WAIVED			
CYANIDE	01291	WAIVED			
FLUORIDE (F) (NATURAL-SOURCE)	00951	000			DUE
LEAD	01051	WAIVED			
MERCURY	71900	WAIVED			
NICKEL	01067	WAIVED			
PERCHLORATE	A-031	WAIVED			
SELENIUM	01147	WAIVED			
THALLIUM	01059	WAIVED			
NITRATE/NITRITE					
NITRATE (AS NO3)	71850	000			DUE
NITRITE (AS N)	00620	000			DUE
RADIOLOGICAL					
GROSS ALPHA	01501	WAIVED			
GROSS BETA	03501	WAIVED			
RA-226 FOR CWS OR TOTAL RA FOR NTNC BY 903.0	A-080	WAIVED			
RA-226 OR TOTAL RA BY 903.0 C.E.	A-081	WAIVED			
RADIUM 226	09501	WAIVED			
RADIUM 228	11501	WAIVED			

**Testing interval is in months;*
0 = No data for this constituent and is DUE NOW
999 = Waived testing (not required)
I = Invalid (NOT) valid analyses reported

System Number: ***3104449***

System Name: ***CAMP WINTHERS***

PS Code: ***3104449-001***

Source Name: ***SURFACE WATER TREATMENT PLANT-TREATED***

Source Number: ***001***

Source Status: ***ACTIVE TREATED***

Water type: ***SURFACE***

	STORET NUMBER	TESTING INTERVAL (MONTHS)*	LAST TEST DATE (yyyy/mm/dd)	LAST RESULT REPORTED	NEXT TEST DATE (yyyy/mm)
RADIOLOGICAL					
RADIUM, TOTAL, MDA95-NTNC ONLY, BY 903.0	A-082	WAIVED			
STRONTIUM-90	13501	WAIVED			
TRITIUM	07000	WAIVED			
URANIUM (PCI/L)	28012	WAIVED			
REGULATED SOC					
2,3,7,8-TCDD (DIOXIN)	34676	WAIVED			
2,4,5-TP (SILVEX)	39045	WAIVED			
2,4-D	39730	WAIVED			
ALACHLOR	77825	WAIVED			
ATRAZINE	39033	WAIVED			
BENTAZON	38710	WAIVED			
BENZO (A) PYRENE	34247	WAIVED			
CARBOFURAN	81405	WAIVED			
CHLORDANE	39350	WAIVED			
DALAPON	38432	WAIVED			
DI(2-ETHYLHEXYL)ADIPATE	A-026	WAIVED			
DI(2-ETHYLHEXYL)PHTHALATE	39100	WAIVED			
DIBROMOCHLOROPROPANE (DBCP)	38761	WAIVED			
DINOSEB	81287	WAIVED			
DIQUAT	78885	WAIVED			
ENDOTHALL	38926	WAIVED			
ENDRIN	39390	WAIVED			
ETHYLENE DIBROMIDE (EDB)	77651	WAIVED			
GLYPHOSATE	79743	WAIVED			
HEPTACHLOR	39410	WAIVED			
HEPTACHLOR EPOXIDE	39420	WAIVED			
HEXACHLOROBENZENE	39700	WAIVED			
HEXACHLOROCYCLOPENTADIENE	34386	WAIVED			
LINDANE	39340	WAIVED			

**Testing interval is in months;*
0 = No data for this constituent and is DUE NOW
999 = Waived testing (not required)
I = Invalid (NOT) valid analyses reported

System Number: ***3104449***

System Name: ***CAMP WINTHERS***

PS Code: ***3104449-001***

Source Name: ***SURFACE WATER TREATMENT PLANT-TREATED***

Source Number: ***001***

Source Status: ***ACTIVE TREATED***

Water type: ***SURFACE***

	STORET NUMBER	TESTING INTERVAL (MONTHS)*	LAST TEST DATE (yyyy/mm/dd)	LAST RESULT REPORTED	NEXT TEST DATE (yyyy/mm)
REGULATED SOC					
METHOXYCHLOR	39480	WAIVED			
MOLINATE	82199	WAIVED			
OXAMYL	38865	WAIVED			
PENTACHLOROPHENOL	39032	WAIVED			
PICLORAM	39720	WAIVED			
POLYCHLORINATED BIPHENYLS, TOTAL, AS DCB	39516	WAIVED			
SIMAZINE	39055	WAIVED			
THIOBENCARB	A-001	WAIVED			
TOXAPHENE	39400	WAIVED			
REGULATED VOC					
1,1,1-TRICHLOROETHANE	34506	WAIVED			
1,1,2,2-TETRACHLOROETHANE	34516	WAIVED			
1,1,2-TRICHLORO-1,2,2-TRIFLUOROETHANE	81611	WAIVED			
1,1,2-TRICHLOROETHANE	34511	WAIVED			
1,1-DICHLOROETHANE	34496	WAIVED			
1,1-DICHLOROETHYLENE	34501	WAIVED			
1,2,4-TRICHLOROBENZENE	34551	WAIVED			
1,2-DICHLOROBENZENE	34536	WAIVED			
1,2-DICHLOROETHANE	34531	WAIVED			
1,2-DICHLOROPROPANE	34541	WAIVED			
1,3-DICHLOROPROPENE (TOTAL)	34561	WAIVED			
1,4-DICHLOROBENZENE	34571	WAIVED			
BENZENE	34030	WAIVED			
CARBON TETRACHLORIDE	32102	WAIVED			
CIS-1,2-DICHLOROETHYLENE	77093	WAIVED			
DICHLOROMETHANE	34423	WAIVED			
ETHYLBENZENE	34371	WAIVED			
METHYL-TERT-BUTYL-ETHER (MTBE)	46491	WAIVED			
MONOCHLOROBENZENE	34301	WAIVED			

**Testing interval is in months;*
0 = No data for this constituent and is DUE NOW
999 = Waived testing (not required)
I = Invalid (NOT) valid analyses reported

System Number: ***3104449***

System Name: ***CAMP WINTHERS***

PS Code: ***3104449-001***

Source Name: ***SURFACE WATER TREATMENT PLANT-TREATED***

Source Number: ***001***

Source Status: ***ACTIVE TREATED***

Water type: ***SURFACE***

	STORET NUMBER	TESTING INTERVAL (MONTHS)*	LAST TEST DATE (yyyy/mm/dd)	LAST RESULT REPORTED	NEXT TEST DATE (yyyy/mm)
REGULATED VOC					
STYRENE	77128	WAIVED			
TETRACHLOROETHYLENE	34475	WAIVED			
TOLUENE	34010	WAIVED			
TRANS-1,2-DICHLOROETHYLENE	34546	WAIVED			
TRICHLOROETHYLENE	39180	WAIVED			
TRICHLOROFLUOROMETHANE	34488	WAIVED			
VINYL CHLORIDE	39175	WAIVED			
XYLENES (TOTAL)	81551	WAIVED			
SECONDARY/GP					
AGGRSSIVE INDEX (CORROSIVITY)	82383	WAIVED			
BICARBONATE ALKALINITY	00440	000			DUE
CALCIUM	00916	000			DUE
CARBONATE ALKALINITY	00445	000			DUE
CHLORIDE	00940	WAIVED			
COLOR	00081	WAIVED			
COPPER	01042	WAIVED			
FOAMING AGENTS (MBAS)	38260	WAIVED			
HARDNESS (TOTAL) AS CACO3	00900	000			DUE
HYDROXIDE ALKALINITY	71830	000			DUE
IRON	01045	000			DUE
MAGNESIUM	00927	000			DUE
MANGANESE	01055	000			DUE
ODOR THRESHOLD @ 60 C	00086	WAIVED			
PH, LABORATORY	00403	000			DUE
SILVER	01077	WAIVED			
SODIUM	00929	000			DUE
SPECIFIC CONDUCTANCE	00095	WAIVED			
SULFATE	00945	WAIVED			
TOTAL DISSOLVED SOLIDS	70300	WAIVED			

**Testing interval is in months;*
0 = No data for this constituent and is DUE NOW
999 = Waived testing (not required)
I = Invalid (NOT) valid analyses reported

System Number: ***3104449***

System Name: ***CAMP WINTHERS***

	STORET NUMBER	TESTING INTERVAL (MONTHS)*	LAST TEST DATE (yyyy/mm/dd)	LAST RESULT REPORTED	NEXT TEST DATE (yyyy/mm)

PS Code: ***3104449-001***

Source Name: ***SURFACE WATER TREATMENT PLANT-TREATED***

Source Number: ***001***

Source Status: ***ACTIVE TREATED***

Water type: ***SURFACE***

SECONDARY/GP

TURBIDITY, LABORATORY	82079	WAIVED			
ZINC	01092	WAIVED			

PS Code: ***3104449-002***

Source Name: ***CASCADE LAKE***

Source Number: ***002***

Source Status: ***ACTIVE RAW***

Water type: ***SURFACE***

GENERAL NON CHAP 15

DIAZINON	39570	WAIVED			

INORGANIC

ALUMINUM	01105	WAIVED			
ANTIMONY	01097	WAIVED			
ARSENIC	01002	WAIVED			
ASBESTOS	81855	WAIVED			
BARIUM	01007	WAIVED			
BERYLLIUM	01012	WAIVED			
CADMIUM	01027	WAIVED			
CHROMIUM (TOTAL)	01034	WAIVED			
CYANIDE	01291	WAIVED			
FLUORIDE (F) (NATURAL-SOURCE)	00951	000			**DUE**
LEAD	01051	WAIVED			
MERCURY	71900	WAIVED			
NICKEL	01067	WAIVED			
PERCHLORATE	A-031	WAIVED			
SELENIUM	01147	WAIVED			
THALLIUM	01059	WAIVED			

**Testing interval is in months;*
0 = No data for this constituent and is DUE NOW
999 = Waived testing (not required)
I = Invalid (NOT) valid analyses reported

System Number: ***3104449***

System Name: ***CAMP WINTHERS***

PS Code: ***3104449-002***

Source Name: ***CASCADE LAKE***

Source Number: ***002***

Source Status: ***ACTIVE RAW***

Water type: ***SURFACE***

	STORET NUMBER	TESTING INTERVAL (MONTHS)*	LAST TEST DATE (yyyy/mm/dd)	LAST RESULT REPORTED	NEXT TEST DATE (yyyy/mm)
NITRATE/NITRITE					
NITRATE (AS NO3)	**71850**	**000**			**DUE**
NITRITE (AS N)	**00620**	**000**			**DUE**
RADIOLOGICAL					
GROSS ALPHA	**01501**	**WAIVED**			
GROSS BETA	**03501**	**WAIVED**			
RA-226 FOR CWS OR TOTAL RA FOR NTNC BY 903.0	**A-080**	**WAIVED**			
RA-226 OR TOTAL RA BY 903.0 C.E.	**A-081**	**WAIVED**			
RADIUM 226	**09501**	**WAIVED**			
RADIUM 228	**11501**	**WAIVED**			
RADIUM, TOTAL, MDA95-NTNC ONLY, BY 903.0	**A-082**	**WAIVED**			
STRONTIUM-90	**13501**	**WAIVED**			
TRITIUM	**07000**	**WAIVED**			
URANIUM (PCI/L)	**28012**	**WAIVED**			
REGULATED SOC					
2,3,7,8-TCDD (DIOXIN)	**34676**	**WAIVED**			
2,4,5-TP (SILVEX)	**39045**	**WAIVED**			
2,4-D	**39730**	**WAIVED**			
ALACHLOR	**77825**	**WAIVED**			
ATRAZINE	**39033**	**WAIVED**			
BENTAZON	**38710**	**WAIVED**			
BENZO (A) PYRENE	**34247**	**WAIVED**			
CARBOFURAN	**81405**	**WAIVED**			
CHLORDANE	**39350**	**WAIVED**			
DALAPON	**38432**	**WAIVED**			
DI(2-ETHYLHEXYL)ADIPATE	**A-026**	**WAIVED**			
DI(2-ETHYLHEXYL)PHTHALATE	**39100**	**WAIVED**			
DIBROMOCHLOROPROPANE (DBCP)	**38761**	**WAIVED**			
DINOSEB	**81287**	**WAIVED**			
DIQUAT	**78885**	**WAIVED**			

**Testing interval is in months;*
0 = No data for this constituent and is DUE NOW
999 = Waived testing (not required)
I = Invalid (NOT) valid analyses reported

System Number: ***3104449***

System Name: ***CAMP WINTHERS***

PS Code: ***3104449-002***

Source Name: ***CASCADE LAKE***

Source Number: ***002***

Source Status: ***ACTIVE RAW***

Water type: ***SURFACE***

	STORET NUMBER	TESTING INTERVAL (MONTHS)*	LAST TEST DATE (yyyy/mm/dd)	LAST RESULT REPORTED	NEXT TEST DATE (yyyy/mm)
REGULATED SOC					
ENDOTHALL	38926	WAIVED			
ENDRIN	39390	WAIVED			
ETHYLENE DIBROMIDE (EDB)	77651	WAIVED			
GLYPHOSATE	79743	WAIVED			
HEPTACHLOR	39410	WAIVED			
HEPTACHLOR EPOXIDE	39420	WAIVED			
HEXACHLOROBENZENE	39700	WAIVED			
HEXACHLOROCYCLOPENTADIENE	34386	WAIVED			
LINDANE	39340	WAIVED			
METHOXYCHLOR	39480	WAIVED			
MOLINATE	82199	WAIVED			
OXAMYL	38865	WAIVED			
PENTACHLOROPHENOL	39032	WAIVED			
PICLORAM	39720	WAIVED			
POLYCHLORINATED BIPHENYLS, TOTAL, AS DCB	39516	WAIVED			
SIMAZINE	39055	WAIVED			
THIOBENCARB	A-001	WAIVED			
TOXAPHENE	39400	WAIVED			
REGULATED VOC					
1,1,1-TRICHLOROETHANE	34506	WAIVED			
1,1,2,2-TETRACHLOROETHANE	34516	WAIVED			
1,1,2-TRICHLORO-1,2,2-TRIFLUOROETHANE	81611	WAIVED			
1,1,2-TRICHLOROETHANE	34511	WAIVED			
1,1-DICHLOROETHANE	34496	WAIVED			
1,1-DICHLOROETHYLENE	34501	WAIVED			
1,2,4-TRICHLOROBENZENE	34551	WAIVED			
1,2-DICHLOROBENZENE	34536	WAIVED			
1,2-DICHLOROETHANE	34531	WAIVED			
1,2-DICHLOROPROPANE	34541	WAIVED			

**Testing interval is in months;*
0 = No data for this constituent and is DUE NOW
999 = Waived testing (not required)
I = Invalid (NOT) valid analyses reported

System Number: ***3104449***

System Name: ***CAMP WINTHERS***

PS Code: ***3104449-002***

Source Name: ***CASCADE LAKE***

Source Number: ***002***

Source Status: ***ACTIVE RAW***

Water type: ***SURFACE***

	STORET NUMBER	TESTING INTERVAL (MONTHS)*	LAST TEST DATE (yyyy/mm/dd)	LAST RESULT REPORTED	NEXT TEST DATE (yyyy/mm)
REGULATED VOC					
1,3-DICHLOROPROPENE (TOTAL)	34561	WAIVED			
1,4-DICHLOROBENZENE	34571	WAIVED			
BENZENE	34030	WAIVED			
CARBON TETRACHLORIDE	32102	WAIVED			
CIS-1,2-DICHLOROETHYLENE	77093	WAIVED			
DICHLOROMETHANE	34423	WAIVED			
ETHYLBENZENE	34371	WAIVED			
METHYL-TERT-BUTYL-ETHER (MTBE)	46491	WAIVED			
MONOCHLOROBENZENE	34301	WAIVED			
STYRENE	77128	WAIVED			
TETRACHLOROETHYLENE	34475	WAIVED			
TOLUENE	34010	WAIVED			
TRANS-1,2-DICHLOROETHYLENE	34546	WAIVED			
TRICHLOROETHYLENE	39180	WAIVED			
TRICHLOROFLUOROMETHANE	34488	WAIVED			
VINYL CHLORIDE	39175	WAIVED			
XYLENES (TOTAL)	81551	WAIVED			
SECONDARY/GP					
AGGRSSIVE INDEX (CORROSIVITY)	82383	WAIVED			
BICARBONATE ALKALINITY	00440	000			DUE
CALCIUM	00916	000			DUE
CARBONATE ALKALINITY	00445	000			DUE
CHLORIDE	00940	WAIVED			
COLOR	00081	WAIVED			
COPPER	01042	WAIVED			
FOAMING AGENTS (MBAS)	38260	WAIVED			
HARDNESS (TOTAL) AS CACO3	00900	000			DUE
HYDROXIDE ALKALINITY	71830	000			DUE
IRON	01045	000			DUE

**Testing interval is in months;*
0 = No data for this constituent and is DUE NOW
999 = Waived testing (not required)
I = Invalid (NOT) valid analyses reported

System Number: ***3104449***

System Name: ***CAMP WINTHERS***

PS Code: ***3104449-002***

Source Name: ***CASCADE LAKE***

Source Number: ***002***

Source Status: ***ACTIVE RAW***

Water type: ***SURFACE***

SECONDARY/GP

	STORET NUMBER	TESTING INTERVAL (MONTHS)*	LAST TEST DATE (yyyy/mm/dd)	LAST RESULT REPORTED	NEXT TEST DATE (yyyy/mm)	
MAGNESIUM	00927	000				DUE
MANGANESE	01055	000				DUE
ODOR THRESHOLD @ 60 C	00086	WAIVED				
PH, LABORATORY	00403	000				DUE
SILVER	01077	WAIVED				
SODIUM	00929	000				DUE
SPECIFIC CONDUCTANCE	00095	WAIVED				
SULFATE	00945	WAIVED				
TOTAL DISSOLVED SOLIDS	70300	WAIVED				
TURBIDITY, LABORATORY	82079	WAIVED				
ZINC	01092	WAIVED				

**Testing interval is in months;*
0 = No data for this constituent and is DUE NOW
999 = Waived testing (not required)
I = Invalid (NOT) valid analyses reported

System Number: ***3104457***

System Name: ***SKY MOUNTAIN CHRISTIAN CAMP***

PS Code: ***3104457-003***

Source Name: ***WELL***

Source Number: ***003***

Source Status: ***ACTIVE UNTREATED***

Water type: ***GROUNDWATER OR WELL***

	STORET NUMBER	TESTING INTERVAL (MONTHS)*	LAST TEST DATE (yyyy/mm/dd)	LAST RESULT REPORTED	NEXT TEST DATE (yyyy/mm)
GENERAL NON CHAP 15					
DIAZINON	39570	WAIVED			
INORGANIC					
ALUMINUM	01105	036			DUE
ANTIMONY	01097	036			DUE
ARSENIC	01002	036			DUE
ASBESTOS	81855	WAIVED			
BARIUM	01007	036			DUE
BERYLLIUM	01012	036			DUE
CADMIUM	01027	036			DUE
CHROMIUM (TOTAL)	01034	036			DUE
CYANIDE	01291	WAIVED			
FLUORIDE (F) (NATURAL-SOURCE)	00951	036			DUE
LEAD	01051	WAIVED			
MERCURY	71900	036			DUE
NICKEL	01067	036			DUE
PERCHLORATE	A-031	006			DUE
SELENIUM	01147	036			DUE
THALLIUM	01059	036			DUE
NITRATE/NITRITE					
NITRATE (AS NO3)	71850	000			DUE
NITRITE (AS N)	00620	000			DUE
RADIOLOGICAL					
GROSS ALPHA	01501	000			DUE
GROSS BETA	03501	WAIVED			
RA-226 FOR CWS OR TOTAL RA FOR NTNC BY 903.0	A-080	WAIVED			
RA-226 OR TOTAL RA BY 903.0 C.E.	A-081	WAIVED			
RADIUM 226	09501	WAIVED			
RADIUM 228	11501	003			DUE

**Testing interval is in months;*
0 = No data for this constituent and is DUE NOW
999 = Waived testing (not required)
I = Invalid (NOT) valid analyses reported

System Number: ***3104457***

System Name: ***SKY MOUNTAIN CHRISTIAN CAMP***

PS Code: ***3104457-003***

Source Name: ***WELL***

Source Number: ***003***

Source Status: ***ACTIVE UNTREATED***

Water type: ***GROUNDWATER OR WELL***

	STORET NUMBER	TESTING INTERVAL (MONTHS)*	LAST TEST DATE (yyyy/mm/dd)	LAST RESULT REPORTED	NEXT TEST DATE (yyyy/mm)
RADIOLOGICAL					
RADIUM, TOTAL, MDA95-NTNC ONLY, BY 903.0	A-082	WAIVED			
STRONTIUM-90	13501	WAIVED			
TRITIUM	07000	WAIVED			
URANIUM (PCI/L)	28012	WAIVED			
REGULATED SOC					
2,3,7,8-TCDD (DIOXIN)	34676	WAIVED			
2,4,5-TP (SILVEX)	39045	WAIVED			
2,4-D	39730	WAIVED			
ALACHLOR	77825	WAIVED			
ATRAZINE	39033	WAIVED			
BENTAZON	38710	WAIVED			
BENZO (A) PYRENE	34247	WAIVED			
CARBOFURAN	81405	WAIVED			
CHLORDANE	39350	WAIVED			
DALAPON	38432	WAIVED			
DI(2-ETHYLHEXYL)ADIPATE	A-026	WAIVED			
DI(2-ETHYLHEXYL)PHTHALATE	39100	WAIVED			
DIBROMOCHLOROPROPANE (DBCP)	38761	WAIVED			
DINOSEB	81287	WAIVED			
DIQUAT	78885	WAIVED			
ENDOTHALL	38926	WAIVED			
ENDRIN	39390	WAIVED			
ETHYLENE DIBROMIDE (EDB)	77651	WAIVED			
GLYPHOSATE	79743	WAIVED			
HEPTACHLOR	39410	WAIVED			
HEPTACHLOR EPOXIDE	39420	WAIVED			
HEXACHLOROBENZENE	39700	WAIVED			
HEXACHLOROCYCLOPENTADIENE	34386	WAIVED			
LINDANE	39340	WAIVED			

**Testing interval is in months;*
0 = No data for this constituent and is DUE NOW
999 = Waived testing (not required)
I = Invalid (NOT) valid analyses reported

System Number: ***3104457***

System Name: ***SKY MOUNTAIN CHRISTIAN CAMP***

PS Code: ***3104457-003***

Source Name: ***WELL***

Source Number: ***003***

Source Status: ***ACTIVE UNTREATED***

Water type: ***GROUNDWATER OR WELL***

	STORET NUMBER	TESTING INTERVAL (MONTHS)*	LAST TEST DATE (yyyy/mm/dd)	LAST RESULT REPORTED	NEXT TEST DATE (yyyy/mm)
REGULATED SOC					
METHOXYCHLOR	39480	WAIVED			
MOLINATE	82199	WAIVED			
OXAMYL	38865	WAIVED			
PENTACHLOROPHENOL	39032	WAIVED			
PICLORAM	39720	WAIVED			
POLYCHLORINATED BIPHENYLS, TOTAL, AS DCB	39516	WAIVED			
SIMAZINE	39055	WAIVED			
THIOBENCARB	A-001	WAIVED			
TOXAPHENE	39400	WAIVED			
REGULATED VOC					
1,1,1-TRICHLOROETHANE	34506	000			DUE
1,1,2,2-TETRACHLOROETHANE	34516	000			DUE
1,1,2-TRICHLORO-1,2,2-TRIFLUOROETHANE	81611	000			DUE
1,1,2-TRICHLOROETHANE	34511	000			DUE
1,1-DICHLOROETHANE	34496	000			DUE
1,1-DICHLOROETHYLENE	34501	000			DUE
1,2,4-TRICHLOROBENZENE	34551	000			DUE
1,2-DICHLOROBENZENE	34536	000			DUE
1,2-DICHLOROETHANE	34531	000			DUE
1,2-DICHLOROPROPANE	34541	000			DUE
1,3-DICHLOROPROPENE (TOTAL)	34561	000			DUE
1,4-DICHLOROBENZENE	34571	000			DUE
BENZENE	34030	000			DUE
CARBON TETRACHLORIDE	32102	000			DUE
CIS-1,2-DICHLOROETHYLENE	77093	000			DUE
DICHLOROMETHANE	34423	000			DUE
ETHYLBENZENE	34371	000			DUE
METHYL-TERT-BUTYL-ETHER (MTBE)	46491	000			DUE
MONOCHLOROBENZENE	34301	000			DUE

**Testing interval is in months;*
0 = No data for this constituent and is DUE NOW
999 = Waived testing (not required)
I = Invalid (NOT) valid analyses reported

System Number: ***3104457***

System Name: ***SKY MOUNTAIN CHRISTIAN CAMP***

PS Code: ***3104457-003***

Source Name: ***WELL***

Source Number: ***003***

Source Status: ***ACTIVE UNTREATED***

Water type: ***GROUNDWATER OR WELL***

	STORET NUMBER	TESTING INTERVAL (MONTHS)*	LAST TEST DATE (yyyy/mm/dd)	LAST RESULT REPORTED	NEXT TEST DATE (yyyy/mm)
REGULATED VOC					
STYRENE	77128	000			DUE
TETRACHLOROETHYLENE	34475	000			DUE
TOLUENE	34010	000			DUE
TRANS-1,2-DICHLOROETHYLENE	34546	000			DUE
TRICHLOROETHYLENE	39180	000			DUE
TRICHLOROFLUOROMETHANE	34488	000			DUE
VINYL CHLORIDE	39175	000			DUE
XYLENES (TOTAL)	81551	000			DUE
SECONDARY/GP					
AGGRSSIVE INDEX (CORROSIVITY)	82383	WAIVED			
BICARBONATE ALKALINITY	00440	000			DUE
CALCIUM	00916	000			DUE
CARBONATE ALKALINITY	00445	000			DUE
CHLORIDE	00940	036			DUE
COLOR	00081	036			DUE
COPPER	01042	036			DUE
FOAMING AGENTS (MBAS)	38260	036			DUE
HARDNESS (TOTAL) AS CACO3	00900	000			DUE
HYDROXIDE ALKALINITY	71830	000			DUE
IRON	01045	036			DUE
MAGNESIUM	00927	000			DUE
MANGANESE	01055	036			DUE
ODOR THRESHOLD @ 60 C	00086	036			DUE
PH, LABORATORY	00403	036			DUE
SILVER	01077	036			DUE
SODIUM	00929	000			DUE
SPECIFIC CONDUCTANCE	00095	036			DUE
SULFATE	00945	036			DUE
TOTAL DISSOLVED SOLIDS	70300	036			DUE

**Testing interval is in months;*
0 = No data for this constituent and is DUE NOW
999 = Waived testing (not required)
I = Invalid (NOT) valid analyses reported

System Number: ***3104457***

System Name: ***SKY MOUNTAIN CHRISTIAN CAMP***

PS Code: ***3104457-003***

Source Name: ***WELL***

Source Number: ***003***

Source Status: ***ACTIVE UNTREATED***

Water type: ***GROUNDWATER OR WELL***

	STORET NUMBER	TESTING INTERVAL (MONTHS)*	LAST TEST DATE (yyyy/mm/dd)	LAST RESULT REPORTED	NEXT TEST DATE (yyyy/mm)	
SECONDARY/GP						
TURBIDITY, LABORATORY	82079	036				DUE
ZINC	01092	036				DUE

**Testing interval is in months;*
0 = No data for this constituent and is DUE NOW
999 = Waived testing (not required)
I = Invalid (NOT) valid analyses reported

System Number: ***3104508***

System Name: ***HUPPE MOORE LANDSCAPE***

PS Code: ***3104508-001***

Source Name: ***WELL 01 DRILLED 1991***

Source Number: ***001***

Source Status: ***ACTIVE UNTREATED***

Water type: ***GROUNDWATER OR WELL***

	STORET NUMBER	TESTING INTERVAL (MONTHS)*	LAST TEST DATE (yyyy/mm/dd)	LAST RESULT REPORTED	NEXT TEST DATE (yyyy/mm)
GENERAL NON CHAP 15					
DIAZINON	39570	WAIVED			
INORGANIC					
ALUMINUM	01105	108	2011/04/27	< 50.000	2020/04
ANTIMONY	01097	108	2011/04/27	< 6.000	2020/04
ARSENIC	01002	108	2011/04/27	2.700	2020/04
ASBESTOS	81855	WAIVED	2007/07/20	.000	
BARIUM	01007	108	2011/04/27	< 100.000	2020/04
BERYLLIUM	01012	108	2011/04/27	< 1.000	2020/04
CADMIUM	01027	108	2011/04/27	< 1.000	2020/04
CHROMIUM (TOTAL)	01034	108	2011/04/27	< 10.000	2020/04
CYANIDE	01291	WAIVED	2007/07/20	.000	
FLUORIDE (F) (NATURAL-SOURCE)	00951	036	2011/04/27	.150	2014/04
LEAD	01051	WAIVED	2011/04/27	< 5.000	
MERCURY	71900	108	2011/04/27	< 1.000	2020/04
NICKEL	01067	108	2011/04/27	< 10.000	2020/04
PERCHLORATE	A-031	036	2011/06/16	< 4.000	2014/06
SELENIUM	01147	108	2011/04/27	< 5.000	2020/04
THALLIUM	01059	108	2011/04/27	< 1.000	2020/04
NITRATE/NITRITE					
NITRATE (AS NO3)	71850	012	2011/04/27	7.900	2012/04
NITRITE (AS N)	00620	036	2011/04/27	< .100	2014/04
RADIOLOGICAL					
GROSS ALPHA	01501	108	2007/10/19	< 3.000	2016/10
GROSS BETA	03501	WAIVED			
RA-226 FOR CWS OR TOTAL RA FOR NTNC BY 903.0	A-080	WAIVED			
RA-226 OR TOTAL RA BY 903.0 C.E.	A-081	WAIVED			
RADIUM 226	09501	WAIVED			
RADIUM 228	11501	WAIVED	2007/10/19	< 1.000	

**Testing interval is in months;*
0 = No data for this constituent and is DUE NOW
999 = Waived testing (not required)
I = Invalid (NOT) valid analyses reported

System Number: ***3104508***

System Name: ***HUPPE MOORE LANDSCAPE***

PS Code: ***3104508-001***

Source Name: ***WELL 01 DRILLED 1991***

Source Number: ***001***

Source Status: ***ACTIVE UNTREATED***

Water type: ***GROUNDWATER OR WELL***

	STORET NUMBER	TESTING INTERVAL (MONTHS)*	LAST TEST DATE (yyyy/mm/dd)	LAST RESULT REPORTED	NEXT TEST DATE (yyyy/mm)
RADIOLOGICAL					
RADIUM, TOTAL, MDA95-NTNC ONLY, BY 903.0	A-082	WAIVED			
STRONTIUM-90	13501	WAIVED			
TRITIUM	07000	WAIVED			
URANIUM (PCI/L)	28012	WAIVED			
REGULATED SOC					
2,3,7,8-TCDD (DIOXIN)	34676	WAIVED			
2,4,5-TP (SILVEX)	39045	WAIVED			
2,4-D	39730	WAIVED			
ALACHLOR	77825	WAIVED			
ATRAZINE	39033	WAIVED			
BENTAZON	38710	WAIVED			
BENZO (A) PYRENE	34247	WAIVED			
CARBOFURAN	81405	WAIVED			
CHLORDANE	39350	WAIVED			
DALAPON	38432	WAIVED			
DI(2-ETHYLHEXYL)ADIPATE	A-026	WAIVED			
DI(2-ETHYLHEXYL)PHTHALATE	39100	WAIVED			
DIBROMOCHLOROPROPANE (DBCP)	38761	WAIVED			
DINOSEB	81287	WAIVED			
DIQUAT	78885	WAIVED			
ENDOTHALL	38926	WAIVED			
ENDRIN	39390	WAIVED			
ETHYLENE DIBROMIDE (EDB)	77651	WAIVED			
GLYPHOSATE	79743	WAIVED			
HEPTACHLOR	39410	WAIVED			
HEPTACHLOR EPOXIDE	39420	WAIVED			
HEXACHLOROBENZENE	39700	WAIVED			
HEXACHLOROCYCLOPENTADIENE	34386	WAIVED			
LINDANE	39340	WAIVED			

**Testing interval is in months;*
0 = No data for this constituent and is DUE NOW
999 = Waived testing (not required)
I = Invalid (NOT) valid analyses reported

System Number: ***3104508***

System Name: ***HUPPE MOORE LANDSCAPE***

PS Code: ***3104508-001***

Source Name: ***WELL 01 DRILLED 1991***

Source Number: ***001***

Source Status: ***ACTIVE UNTREATED***

Water type: ***GROUNDWATER OR WELL***

	STORET NUMBER	TESTING INTERVAL (MONTHS)*	LAST TEST DATE (yyyy/mm/dd)	LAST RESULT REPORTED	NEXT TEST DATE (yyyy/mm)
REGULATED SOC					
METHOXYCHLOR	39480	WAIVED			
MOLINATE	82199	WAIVED			
OXAMYL	38865	WAIVED			
PENTACHLOROPHENOL	39032	WAIVED			
PICLORAM	39720	WAIVED			
POLYCHLORINATED BIPHENYLS, TOTAL, AS DCB	39516	WAIVED			
SIMAZINE	39055	WAIVED			
THIOBENCARB	A-001	WAIVED	2008/07/25	< 1.000	
TOXAPHENE	39400	WAIVED			
REGULATED VOC					
1,1,1-TRICHLOROETHANE	34506	072	2011/04/27	< .500	2017/04
1,1,2,2-TETRACHLOROETHANE	34516	072	2011/04/27	< .500	2017/04
1,1,2-TRICHLORO-1,2,2-TRIFLUOROETHANE	81611	072	2011/04/27	< 10.000	2017/04
1,1,2-TRICHLOROETHANE	34511	072	2011/04/27	< .500	2017/04
1,1-DICHLOROETHANE	34496	072	2011/04/27	< .500	2017/04
1,1-DICHLOROETHYLENE	34501	072	2011/04/27	< .500	2017/04
1,2,4-TRICHLOROBENZENE	34551	072	2011/04/27	< .500	2017/04
1,2-DICHLOROBENZENE	34536	072	2011/04/27	< .500	2017/04
1,2-DICHLOROETHANE	34531	072	2011/04/27	< .500	2017/04
1,2-DICHLOROPROPANE	34541	072	2011/04/27	< .500	2017/04
1,3-DICHLOROPROPENE (TOTAL)	34561	072	2011/04/27	< .500	2017/04
1,4-DICHLOROBENZENE	34571	072	2011/04/27	< .500	2017/04
BENZENE	34030	072	2011/04/27	< .500	2017/04
CARBON TETRACHLORIDE	32102	072	2011/04/27	< .500	2017/04
CIS-1,2-DICHLOROETHYLENE	77093	072	2011/04/27	< .500	2017/04
DICHLOROMETHANE	34423	072	2011/04/27	< .500	2017/04
ETHYLBENZENE	34371	072	2011/04/27	< .500	2017/04
METHYL-TERT-BUTYL-ETHER (MTBE)	46491	072	2011/04/27	< 3.000	2017/04
MONOCHLOROBENZENE	34301	072	2011/04/27	< .500	2017/04

**Testing interval is in months;*
0 = No data for this constituent and is DUE NOW
999 = Waived testing (not required)
I = Invalid (NOT) valid analyses reported

System Number: ***3104508***

System Name: ***HUPPE MOORE LANDSCAPE***

PS Code: ***3104508-001***

Source Name: ***WELL 01 DRILLED 1991***

Source Number: ***001***

Source Status: ***ACTIVE UNTREATED***

Water type: ***GROUNDWATER OR WELL***

	STORET NUMBER	TESTING INTERVAL (MONTHS)*	LAST TEST DATE (yyyy/mm/dd)	LAST RESULT REPORTED	NEXT TEST DATE (yyyy/mm)	
REGULATED VOC						
STYRENE	77128	072	2011/04/27	< .500	2017/04	
TETRACHLOROETHYLENE	34475	072	2011/04/27	< .500	2017/04	
TOLUENE	34010	072	2011/04/27	< .500	2017/04	
TRANS-1,2-DICHLOROETHYLENE	34546	072	2011/04/27	< .500	2017/04	
TRICHLOROETHYLENE	39180	072	2011/04/27	< .500	2017/04	
TRICHLOROFLUOROMETHANE	34488	072	2011/04/27	< 5.000	2017/04	
VINYL CHLORIDE	39175	072	2011/04/27	< .500	2017/04	
XYLENES (TOTAL)	81551	072	2011/04/27	.000	2017/04	
SECONDARY/GP						
AGGRSSIVE INDEX (CORROSIVITY)	82383	WAIVED				
BICARBONATE ALKALINITY	00440	000				DUE
CALCIUM	00916	000				DUE
CARBONATE ALKALINITY	00445	000				DUE
CHLORIDE	00940	WAIVED				
COLOR	00081	WAIVED	2008/07/25	.000		
COPPER	01042	WAIVED	2011/04/27	< 50.000		
FOAMING AGENTS (MBAS)	38260	WAIVED	2008/07/25	< .100		
HARDNESS (TOTAL) AS CACO3	00900	000				DUE
HYDROXIDE ALKALINITY	71830	000				DUE
IRON	01045	WAIVED	2011/04/27	< 100.000		
MAGNESIUM	00927	000				DUE
MANGANESE	01055	WAIVED	2011/04/27	< 10.000		
ODOR THRESHOLD @ 60 C	00086	WAIVED	2008/07/25	.000		
PH, LABORATORY	00403	000				DUE
SILVER	01077	WAIVED	2011/04/27	< 10.000		
SODIUM	00929	000				DUE
SPECIFIC CONDUCTANCE	00095	WAIVED				
SULFATE	00945	WAIVED				
TOTAL DISSOLVED SOLIDS	70300	WAIVED				

**Testing interval is in months;*
0 = No data for this constituent and is DUE NOW
999 = Waived testing (not required)
I = Invalid (NOT) valid analyses reported

System Number: ***3104508***

System Name: ***HUPPE MOORE LANDSCAPE***

PS Code: ***3104508-001***

Source Name: ***WELL 01 DRILLED 1991***

Source Number: ***001***

Source Status: ***ACTIVE UNTREATED***

Water type: ***GROUNDWATER OR WELL***

	STORET NUMBER	TESTING INTERVAL (MONTHS)*	LAST TEST DATE (yyyy/mm/dd)	LAST RESULT REPORTED	NEXT TEST DATE (yyyy/mm)
SECONDARY/GP					
TURBIDITY, LABORATORY	**82079**	**WAIVED**	2008/07/25	**< .500**	
ZINC	**01092**	**WAIVED**	2011/04/27	**< 50.000**	

**Testing interval is in months;*
0 = No data for this constituent and is DUE NOW
999 = Waived testing (not required)
I = Invalid (NOT) valid analyses reported

System Number: 3104509
System Name: FOOTHILL BIBLE CHURCH

PS Code: 3104509-001
Source Name: WELL 01 DRILLED 1992
Source Number: 001
Source Status: ACTIVE UNTREATED
Water type: GROUNDWATER OR WELL

	STORET NUMBER	TESTING INTERVAL (MONTHS)*	LAST TEST DATE (yyyy/mm/dd)	LAST RESULT REPORTED	NEXT TEST DATE (yyyy/mm)
GENERAL NON CHAP 15					
DIAZINON	39570	WAIVED			
INORGANIC					
ALUMINUM	01105	WAIVED	2008/08/06	.000	
ANTIMONY	01097	WAIVED	2008/08/06	.000	
ARSENIC	01002	WAIVED	2008/08/06	.000	
ASBESTOS	81855	WAIVED			
BARIUM	01007	WAIVED	2008/08/06	68.900	
BERYLLIUM	01012	WAIVED	2008/08/06	.000	
CADMIUM	01027	WAIVED	2008/08/06	.000	
CHROMIUM (TOTAL)	01034	WAIVED	2008/08/06	.000	
CYANIDE	01291	WAIVED	2008/08/06	.000	
FLUORIDE (F) (NATURAL-SOURCE)	00951	WAIVED	2008/08/06	.100	
LEAD	01051	WAIVED			
MERCURY	71900	WAIVED	2008/08/06	.000	
NICKEL	01067	WAIVED	2008/08/06	.000	
PERCHLORATE	A-031	WAIVED			
SELENIUM	01147	WAIVED	2008/08/06	.000	
THALLIUM	01059	WAIVED	2008/08/06	.000	
NITRATE/NITRITE					
NITRATE (AS NO3)	71850	012	2012/03/12	48.800	2013/03
NITRITE (AS N)	00620	036	2012/03/12	.000	2015/03
RADIOLOGICAL					
GROSS ALPHA	01501	WAIVED			
GROSS BETA	03501	WAIVED			
RA-226 FOR CWS OR TOTAL RA FOR NTNC BY 903.0	A-080	WAIVED			
RA-226 OR TOTAL RA BY 903.0 C.E.	A-081	WAIVED			
RADIUM 226	09501	WAIVED			
RADIUM 228	11501	WAIVED			

**Testing interval is in months;*
0 = No data for this constituent and is DUE NOW
999 = Waived testing (not required)
I = Invalid (NOT) valid analyses reported

System Number: ***3104509***

System Name: ***FOOTHILL BIBLE CHURCH***

PS Code: ***3104509-001***

Source Name: ***WELL 01 DRILLED 1992***

Source Number: ***001***

Source Status: ***ACTIVE UNTREATED***

Water type: ***GROUNDWATER OR WELL***

	STORET NUMBER	TESTING INTERVAL (MONTHS)*	LAST TEST DATE (yyyy/mm/dd)	LAST RESULT REPORTED	NEXT TEST DATE (yyyy/mm)
RADIOLOGICAL					
RADIUM, TOTAL, MDA95-NTNC ONLY, BY 903.0	A-082	WAIVED			
STRONTIUM-90	13501	WAIVED			
TRITIUM	07000	WAIVED			
URANIUM (PCI/L)	28012	WAIVED			
REGULATED SOC					
2,3,7,8-TCDD (DIOXIN)	34676	WAIVED			
2,4,5-TP (SILVEX)	39045	WAIVED			
2,4-D	39730	WAIVED			
ALACHLOR	77825	WAIVED			
ATRAZINE	39033	WAIVED			
BENTAZON	38710	WAIVED			
BENZO (A) PYRENE	34247	WAIVED			
CARBOFURAN	81405	WAIVED			
CHLORDANE	39350	WAIVED			
DALAPON	38432	WAIVED			
DI(2-ETHYLHEXYL)ADIPATE	A-026	WAIVED			
DI(2-ETHYLHEXYL)PHTHALATE	39100	WAIVED			
DIBROMOCHLOROPROPANE (DBCP)	38761	WAIVED			
DINOSEB	81287	WAIVED			
DIQUAT	78885	WAIVED			
ENDOTHALL	38926	WAIVED			
ENDRIN	39390	WAIVED			
ETHYLENE DIBROMIDE (EDB)	77651	WAIVED			
GLYPHOSATE	79743	WAIVED			
HEPTACHLOR	39410	WAIVED			
HEPTACHLOR EPOXIDE	39420	WAIVED			
HEXACHLOROBENZENE	39700	WAIVED			
HEXACHLOROCYCLOPENTADIENE	34386	WAIVED			
LINDANE	39340	WAIVED			

**Testing interval is in months;*
0 = No data for this constituent and is DUE NOW
999 = Waived testing (not required)
I = Invalid (NOT) valid analyses reported

System Number: ***3104509***

System Name: ***FOOTHILL BIBLE CHURCH***

PS Code: ***3104509-001***

Source Name: ***WELL 01 DRILLED 1992***

Source Number: ***001***

Source Status: ***ACTIVE UNTREATED***

Water type: ***GROUNDWATER OR WELL***

	STORET NUMBER	TESTING INTERVAL (MONTHS)*	LAST TEST DATE (yyyy/mm/dd)	LAST RESULT REPORTED	NEXT TEST DATE (yyyy/mm)
REGULATED SOC					
METHOXYCHLOR	39480	WAIVED			
MOLINATE	82199	WAIVED			
OXAMYL	38865	WAIVED			
PENTACHLOROPHENOL	39032	WAIVED			
PICLORAM	39720	WAIVED			
POLYCHLORINATED BIPHENYLS, TOTAL, AS DCB	39516	WAIVED			
SIMAZINE	39055	WAIVED			
THIOBENCARB	A-001	WAIVED			
TOXAPHENE	39400	WAIVED			
REGULATED VOC					
1,1,1-TRICHLOROETHANE	34506	WAIVED			
1,1,2,2-TETRACHLOROETHANE	34516	WAIVED			
1,1,2-TRICHLORO-1,2,2-TRIFLUOROETHANE	81611	WAIVED			
1,1,2-TRICHLOROETHANE	34511	WAIVED			
1,1-DICHLOROETHANE	34496	WAIVED			
1,1-DICHLOROETHYLENE	34501	WAIVED			
1,2,4-TRICHLOROBENZENE	34551	WAIVED			
1,2-DICHLOROBENZENE	34536	WAIVED			
1,2-DICHLOROETHANE	34531	WAIVED			
1,2-DICHLOROPROPANE	34541	WAIVED			
1,3-DICHLOROPROPENE (TOTAL)	34561	WAIVED			
1,4-DICHLOROBENZENE	34571	WAIVED			
BENZENE	34030	WAIVED			
CARBON TETRACHLORIDE	32102	WAIVED			
CIS-1,2-DICHLOROETHYLENE	77093	WAIVED			
DICHLOROMETHANE	34423	WAIVED			
ETHYLBENZENE	34371	WAIVED			
METHYL-TERT-BUTYL-ETHER (MTBE)	46491	WAIVED			
MONOCHLOROBENZENE	34301	WAIVED			

**Testing interval is in months;*
0 = No data for this constituent and is DUE NOW
999 = Waived testing (not required)
I = Invalid (NOT) valid analyses reported

System Number: ***3104509***

System Name: ***FOOTHILL BIBLE CHURCH***

PS Code: ***3104509-001***

Source Name: ***WELL 01 DRILLED 1992***

Source Number: ***001***

Source Status: ***ACTIVE UNTREATED***

Water type: ***GROUNDWATER OR WELL***

	STORET NUMBER	TESTING INTERVAL (MONTHS)*	LAST TEST DATE (yyyy/mm/dd)	LAST RESULT REPORTED	NEXT TEST DATE (yyyy/mm)
REGULATED VOC					
STYRENE	77128	WAIVED			
TETRACHLOROETHYLENE	34475	WAIVED			
TOLUENE	34010	WAIVED			
TRANS-1,2-DICHLOROETHYLENE	34546	WAIVED			
TRICHLOROETHYLENE	39180	WAIVED			
TRICHLOROFLUOROMETHANE	34488	WAIVED			
VINYL CHLORIDE	39175	WAIVED			
XYLENES (TOTAL)	81551	WAIVED			
SECONDARY/GP					
AGGRSSIVE INDEX (CORROSIVITY)	82383	WAIVED			
BICARBONATE ALKALINITY	00440	000			DUE
CALCIUM	00916	000			DUE
CARBONATE ALKALINITY	00445	000			DUE
CHLORIDE	00940	WAIVED			
COLOR	00081	WAIVED			
COPPER	01042	WAIVED			
FOAMING AGENTS (MBAS)	38260	WAIVED			
HARDNESS (TOTAL) AS CACO3	00900	000			DUE
HYDROXIDE ALKALINITY	71830	000			DUE
IRON	01045	000			DUE
MAGNESIUM	00927	000			DUE
MANGANESE	01055	000			DUE
ODOR THRESHOLD @ 60 C	00086	WAIVED			
PH, LABORATORY	00403	000			DUE
SILVER	01077	WAIVED			
SODIUM	00929	000			DUE
SPECIFIC CONDUCTANCE	00095	WAIVED			
SULFATE	00945	WAIVED			
TOTAL DISSOLVED SOLIDS	70300	WAIVED			

**Testing interval is in months;*
0 = No data for this constituent and is DUE NOW
999 = Waived testing (not required)
I = Invalid (NOT) valid analyses reported

System Number: ***3104509***

System Name: ***FOOTHILL BIBLE CHURCH***

PS Code: ***3104509-001***

Source Name: ***WELL 01 DRILLED 1992***

Source Number: ***001***

Source Status: ***ACTIVE UNTREATED***

Water type: ***GROUNDWATER OR WELL***

	STORET NUMBER	TESTING INTERVAL (MONTHS)*	LAST TEST DATE (yyyy/mm/dd)	LAST RESULT REPORTED	NEXT TEST DATE (yyyy/mm)
SECONDARY/GP					
TURBIDITY, LABORATORY	82079	WAIVED			
ZINC	01092	WAIVED			

**Testing interval is in months;*
0 = No data for this constituent and is DUE NOW
999 = Waived testing (not required)
I = Invalid (NOT) valid analyses reported

System Number: ***3105446***

System Name: ***LODGEPOLE CAMPGROUND***

PS Code: ***3105446-001***

Source Name: ***WELL #1***

Source Number: ***001***

Source Status: ***ACTIVE UNTREATED***

Water type: ***GROUNDWATER OR WELL***

	STORET NUMBER	TESTING INTERVAL (MONTHS)*	LAST TEST DATE (yyyy/mm/dd)	LAST RESULT REPORTED	NEXT TEST DATE (yyyy/mm)	
GENERAL NON CHAP 15						
DIAZINON	39570	WAIVED				
INORGANIC						
ALUMINUM	01105	WAIVED				
ANTIMONY	01097	WAIVED				
ARSENIC	01002	WAIVED				
ASBESTOS	81855	WAIVED				
BARIUM	01007	WAIVED				
BERYLLIUM	01012	WAIVED				
CADMIUM	01027	WAIVED				
CHROMIUM (TOTAL)	01034	WAIVED				
CYANIDE	01291	WAIVED				
FLUORIDE (F) (NATURAL-SOURCE)	00951	000				**DUE**
LEAD	01051	WAIVED				
MERCURY	71900	WAIVED				
NICKEL	01067	WAIVED				
PERCHLORATE	A-031	WAIVED				
SELENIUM	01147	WAIVED				
THALLIUM	01059	WAIVED				
NITRATE/NITRITE						
NITRATE (AS NO3)	71850	012	2010/07/08	.000	2011/07	**DUE**
NITRITE (AS N)	00620	036	2010/07/08	.000	2013/07	
RADIOLOGICAL						
GROSS ALPHA	01501	WAIVED				
GROSS BETA	03501	WAIVED				
RA-226 FOR CWS OR TOTAL RA FOR NTNC BY 903.0	A-080	WAIVED				
RA-226 OR TOTAL RA BY 903.0 C.E.	A-081	WAIVED				
RADIUM 226	09501	WAIVED				
RADIUM 228	11501	WAIVED				

**Testing interval is in months;*
0 = No data for this constituent and is DUE NOW
999 = Waived testing (not required)
I = Invalid (NOT) valid analyses reported

System Number: ***3105446***

System Name: ***LODGEPOLE CAMPGROUND***

PS Code: ***3105446-001***

Source Name: ***WELL #1***

Source Number: ***001***

Source Status: ***ACTIVE UNTREATED***

Water type: ***GROUNDWATER OR WELL***

	STORET NUMBER	TESTING INTERVAL (MONTHS)*	LAST TEST DATE (yyyy/mm/dd)	LAST RESULT REPORTED	NEXT TEST DATE (yyyy/mm)
RADIOLOGICAL					
RADIUM, TOTAL, MDA95-NTNC ONLY, BY 903.0	A-082	WAIVED			
STRONTIUM-90	13501	WAIVED			
TRITIUM	07000	WAIVED			
URANIUM (PCI/L)	28012	WAIVED			
REGULATED SOC					
2,3,7,8-TCDD (DIOXIN)	34676	WAIVED			
2,4,5-TP (SILVEX)	39045	WAIVED			
2,4-D	39730	WAIVED			
ALACHLOR	77825	WAIVED			
ATRAZINE	39033	WAIVED			
BENTAZON	38710	WAIVED			
BENZO (A) PYRENE	34247	WAIVED			
CARBOFURAN	81405	WAIVED			
CHLORDANE	39350	WAIVED			
DALAPON	38432	WAIVED			
DI(2-ETHYLHEXYL)ADIPATE	A-026	WAIVED			
DI(2-ETHYLHEXYL)PHTHALATE	39100	WAIVED			
DIBROMOCHLOROPROPANE (DBCP)	38761	WAIVED			
DINOSEB	81287	WAIVED			
DIQUAT	78885	WAIVED			
ENDOTHALL	38926	WAIVED			
ENDRIN	39390	WAIVED			
ETHYLENE DIBROMIDE (EDB)	77651	WAIVED			
GLYPHOSATE	79743	WAIVED			
HEPTACHLOR	39410	WAIVED			
HEPTACHLOR EPOXIDE	39420	WAIVED			
HEXACHLOROBENZENE	39700	WAIVED			
HEXACHLOROCYCLOPENTADIENE	34386	WAIVED			
LINDANE	39340	WAIVED			

**Testing interval is in months;*
0 = No data for this constituent and is DUE NOW
999 = Waived testing (not required)
I = Invalid (NOT) valid analyses reported

System Number: ***3105446***

System Name: ***LODGEPOLE CAMPGROUND***

PS Code: ***3105446-001***

Source Name: ***WELL #1***

Source Number: ***001***

Source Status: ***ACTIVE UNTREATED***

Water type: ***GROUNDWATER OR WELL***

	STORET NUMBER	TESTING INTERVAL (MONTHS)*	LAST TEST DATE (yyyy/mm/dd)	LAST RESULT REPORTED	NEXT TEST DATE (yyyy/mm)
REGULATED SOC					
METHOXYCHLOR	39480	WAIVED			
MOLINATE	82199	WAIVED			
OXAMYL	38865	WAIVED			
PENTACHLOROPHENOL	39032	WAIVED			
PICLORAM	39720	WAIVED			
POLYCHLORINATED BIPHENYLS, TOTAL, AS DCB	39516	WAIVED			
SIMAZINE	39055	WAIVED			
THIOBENCARB	A-001	WAIVED			
TOXAPHENE	39400	WAIVED			
REGULATED VOC					
1,1,1-TRICHLOROETHANE	34506	WAIVED			
1,1,2,2-TETRACHLOROETHANE	34516	WAIVED			
1,1,2-TRICHLORO-1,2,2-TRIFLUOROETHANE	81611	WAIVED			
1,1,2-TRICHLOROETHANE	34511	WAIVED			
1,1-DICHLOROETHANE	34496	WAIVED			
1,1-DICHLOROETHYLENE	34501	WAIVED			
1,2,4-TRICHLOROBENZENE	34551	WAIVED			
1,2-DICHLOROBENZENE	34536	WAIVED			
1,2-DICHLOROETHANE	34531	WAIVED			
1,2-DICHLOROPROPANE	34541	WAIVED			
1,3-DICHLOROPROPENE (TOTAL)	34561	WAIVED			
1,4-DICHLOROBENZENE	34571	WAIVED			
BENZENE	34030	WAIVED			
CARBON TETRACHLORIDE	32102	WAIVED			
CIS-1,2-DICHLOROETHYLENE	77093	WAIVED			
DICHLOROMETHANE	34423	WAIVED			
ETHYLBENZENE	34371	WAIVED			
METHYL-TERT-BUTYL-ETHER (MTBE)	46491	WAIVED			
MONOCHLOROBENZENE	34301	WAIVED			

**Testing interval is in months;*
0 = No data for this constituent and is DUE NOW
999 = Waived testing (not required)
I = Invalid (NOT) valid analyses reported

System Number: ***3105446***

System Name: ***LODGEPOLE CAMPGROUND***

PS Code: ***3105446-001***

Source Name: ***WELL #1***

Source Number: ***001***

Source Status: ***ACTIVE UNTREATED***

Water type: ***GROUNDWATER OR WELL***

	STORET NUMBER	TESTING INTERVAL (MONTHS)*	LAST TEST DATE (yyyy/mm/dd)	LAST RESULT REPORTED	NEXT TEST DATE (yyyy/mm)
REGULATED VOC					
STYRENE	77128	WAIVED			
TETRACHLOROETHYLENE	34475	WAIVED			
TOLUENE	34010	WAIVED			
TRANS-1,2-DICHLOROETHYLENE	34546	WAIVED			
TRICHLOROETHYLENE	39180	WAIVED			
TRICHLOROFLUOROMETHANE	34488	WAIVED			
VINYL CHLORIDE	39175	WAIVED			
XYLENES (TOTAL)	81551	WAIVED			
SECONDARY/GP					
AGGRSSIVE INDEX (CORROSIVITY)	82383	WAIVED			
BICARBONATE ALKALINITY	00440	000			DUE
CALCIUM	00916	000			DUE
CARBONATE ALKALINITY	00445	000			DUE
CHLORIDE	00940	WAIVED			
COLOR	00081	WAIVED			
COPPER	01042	WAIVED			
FOAMING AGENTS (MBAS)	38260	WAIVED			
HARDNESS (TOTAL) AS CACO3	00900	000			DUE
HYDROXIDE ALKALINITY	71830	000			DUE
IRON	01045	000			DUE
MAGNESIUM	00927	000			DUE
MANGANESE	01055	000			DUE
ODOR THRESHOLD @ 60 C	00086	WAIVED			
PH, LABORATORY	00403	000			DUE
SILVER	01077	WAIVED			
SODIUM	00929	000			DUE
SPECIFIC CONDUCTANCE	00095	WAIVED			
SULFATE	00945	WAIVED			
TOTAL DISSOLVED SOLIDS	70300	WAIVED			

**Testing interval is in months;*
0 = No data for this constituent and is DUE NOW
999 = Waived testing (not required)
I = Invalid (NOT) valid analyses reported

System Number: ***3105446***

System Name: ***LODGEPOLE CAMPGROUND***

PS Code: ***3105446-001***

Source Name: ***WELL #1***

Source Number: ***001***

Source Status: ***ACTIVE UNTREATED***

Water type: ***GROUNDWATER OR WELL***

	STORET NUMBER	TESTING INTERVAL (MONTHS)*	LAST TEST DATE (yyyy/mm/dd)	LAST RESULT REPORTED	NEXT TEST DATE (yyyy/mm)
SECONDARY/GP					
TURBIDITY, LABORATORY	82079	WAIVED			
ZINC	01092	WAIVED			

PS Code: ***3105446-003***

Source Name: ***WELL - NEW #2***

Source Number: ***003***

Source Status: ***ACTIVE UNTREATED***

Water type: ***GROUNDWATER OR WELL***

	STORET NUMBER	TESTING INTERVAL (MONTHS)*	LAST TEST DATE (yyyy/mm/dd)	LAST RESULT REPORTED	NEXT TEST DATE (yyyy/mm)
GENERAL NON CHAP 15					
DIAZINON	39570	WAIVED			
INORGANIC					
ALUMINUM	01105	WAIVED			
ANTIMONY	01097	WAIVED			
ARSENIC	01002	WAIVED			
ASBESTOS	81855	WAIVED			
BARIUM	01007	WAIVED			
BERYLLIUM	01012	WAIVED			
CADMIUM	01027	WAIVED			
CHROMIUM (TOTAL)	01034	WAIVED			
CYANIDE	01291	WAIVED			
FLUORIDE (F) (NATURAL-SOURCE)	00951	000			**DUE**
LEAD	01051	WAIVED			
MERCURY	71900	WAIVED			
NICKEL	01067	WAIVED			
PERCHLORATE	A-031	WAIVED			
SELENIUM	01147	WAIVED			
THALLIUM	01059	WAIVED			

**Testing interval is in months;*
0 = No data for this constituent and is DUE NOW
999 = Waived testing (not required)
I = Invalid (NOT) valid analyses reported

System Number: ***3105446***

System Name: ***LODGEPOLE CAMPGROUND***

PS Code: ***3105446-003***

Source Name: ***WELL - NEW #2***

Source Number: ***003***

Source Status: ***ACTIVE UNTREATED***

Water type: ***GROUNDWATER OR WELL***

	STORET NUMBER	TESTING INTERVAL (MONTHS)*	LAST TEST DATE (yyyy/mm/dd)	LAST RESULT REPORTED	NEXT TEST DATE (yyyy/mm)	
NITRATE/NITRITE						
NITRATE (AS NO3)	71850	000				DUE
NITRITE (AS N)	00620	000				DUE
RADIOLOGICAL						
GROSS ALPHA	01501	WAIVED				
GROSS BETA	03501	WAIVED				
RA-226 FOR CWS OR TOTAL RA FOR NTNC BY 903.0	A-080	WAIVED				
RA-226 OR TOTAL RA BY 903.0 C.E.	A-081	WAIVED				
RADIUM 226	09501	WAIVED				
RADIUM 228	11501	WAIVED				
RADIUM, TOTAL, MDA95-NTNC ONLY, BY 903.0	A-082	WAIVED				
STRONTIUM-90	13501	WAIVED				
TRITIUM	07000	WAIVED				
URANIUM (PCI/L)	28012	WAIVED				
REGULATED SOC						
2,3,7,8-TCDD (DIOXIN)	34676	WAIVED				
2,4,5-TP (SILVEX)	39045	WAIVED				
2,4-D	39730	WAIVED				
ALACHLOR	77825	WAIVED				
ATRAZINE	39033	WAIVED				
BENTAZON	38710	WAIVED				
BENZO (A) PYRENE	34247	WAIVED				
CARBOFURAN	81405	WAIVED				
CHLORDANE	39350	WAIVED				
DALAPON	38432	WAIVED				
DI(2-ETHYLHEXYL)ADIPATE	A-026	WAIVED				
DI(2-ETHYLHEXYL)PHTHALATE	39100	WAIVED				
DIBROMOCHLOROPROPANE (DBCP)	38761	WAIVED				
DINOSEB	81287	WAIVED				
DIQUAT	78885	WAIVED				

**Testing interval is in months;*
0 = No data for this constituent and is DUE NOW
999 = Waived testing (not required)
I = Invalid (NOT) valid analyses reported

System Number: ***3105446***

System Name: ***LODGEPOLE CAMPGROUND***

PS Code: ***3105446-003***

Source Name: ***WELL - NEW #2***

Source Number: ***003***

Source Status: ***ACTIVE UNTREATED***

Water type: ***GROUNDWATER OR WELL***

	STORET NUMBER	TESTING INTERVAL (MONTHS)*	LAST TEST DATE (yyyy/mm/dd)	LAST RESULT REPORTED	NEXT TEST DATE (yyyy/mm)
REGULATED SOC					
ENDOTHALL	38926	WAIVED			
ENDRIN	39390	WAIVED			
ETHYLENE DIBROMIDE (EDB)	77651	WAIVED			
GLYPHOSATE	79743	WAIVED			
HEPTACHLOR	39410	WAIVED			
HEPTACHLOR EPOXIDE	39420	WAIVED			
HEXACHLOROBENZENE	39700	WAIVED			
HEXACHLOROCYCLOPENTADIENE	34386	WAIVED			
LINDANE	39340	WAIVED			
METHOXYCHLOR	39480	WAIVED			
MOLINATE	82199	WAIVED			
OXAMYL	38865	WAIVED			
PENTACHLOROPHENOL	39032	WAIVED			
PICLORAM	39720	WAIVED			
POLYCHLORINATED BIPHENYLS, TOTAL, AS DCB	39516	WAIVED			
SIMAZINE	39055	WAIVED			
THIOBENCARB	A-001	WAIVED			
TOXAPHENE	39400	WAIVED			
REGULATED VOC					
1,1,1-TRICHLOROETHANE	34506	WAIVED			
1,1,2,2-TETRACHLOROETHANE	34516	WAIVED			
1,1,2-TRICHLORO-1,2,2-TRIFLUOROETHANE	81611	WAIVED			
1,1,2-TRICHLOROETHANE	34511	WAIVED			
1,1-DICHLOROETHANE	34496	WAIVED			
1,1-DICHLOROETHYLENE	34501	WAIVED			
1,2,4-TRICHLOROBENZENE	34551	WAIVED			
1,2-DICHLOROBENZENE	34536	WAIVED			
1,2-DICHLOROETHANE	34531	WAIVED			
1,2-DICHLOROPROPANE	34541	WAIVED			

**Testing interval is in months;*
0 = No data for this constituent and is DUE NOW
999 = Waived testing (not required)
I = Invalid (NOT) valid analyses reported

System Number: ***3105446***

System Name: ***LODGEPOLE CAMPGROUND***

PS Code: ***3105446-003***

Source Name: ***WELL - NEW #2***

Source Number: ***003***

Source Status: ***ACTIVE UNTREATED***

Water type: ***GROUNDWATER OR WELL***

	STORET NUMBER	TESTING INTERVAL (MONTHS)*	LAST TEST DATE (yyyy/mm/dd)	LAST RESULT REPORTED	NEXT TEST DATE (yyyy/mm)
REGULATED VOC					
1,3-DICHLOROPROPENE (TOTAL)	34561	WAIVED			
1,4-DICHLOROBENZENE	34571	WAIVED			
BENZENE	34030	WAIVED			
CARBON TETRACHLORIDE	32102	WAIVED			
CIS-1,2-DICHLOROETHYLENE	77093	WAIVED			
DICHLOROMETHANE	34423	WAIVED			
ETHYLBENZENE	34371	WAIVED			
METHYL-TERT-BUTYL-ETHER (MTBE)	46491	WAIVED			
MONOCHLOROBENZENE	34301	WAIVED			
STYRENE	77128	WAIVED			
TETRACHLOROETHYLENE	34475	WAIVED			
TOLUENE	34010	WAIVED			
TRANS-1,2-DICHLOROETHYLENE	34546	WAIVED			
TRICHLOROETHYLENE	39180	WAIVED			
TRICHLOROFLUOROMETHANE	34488	WAIVED			
VINYL CHLORIDE	39175	WAIVED			
XYLENES (TOTAL)	81551	WAIVED			
SECONDARY/GP					
AGGRSSIVE INDEX (CORROSIVITY)	82383	WAIVED			
BICARBONATE ALKALINITY	00440	000			DUE
CALCIUM	00916	000			DUE
CARBONATE ALKALINITY	00445	000			DUE
CHLORIDE	00940	WAIVED			
COLOR	00081	WAIVED			
COPPER	01042	WAIVED			
FOAMING AGENTS (MBAS)	38260	WAIVED			
HARDNESS (TOTAL) AS CACO3	00900	000			DUE
HYDROXIDE ALKALINITY	71830	000			DUE
IRON	01045	000			DUE

**Testing interval is in months;*
0 = No data for this constituent and is DUE NOW
999 = Waived testing (not required)
I = Invalid (NOT) valid analyses reported

System Number: ***3105446***

System Name: ***LODGEPOLE CAMPGROUND***

PS Code: ***3105446-003***

Source Name: ***WELL - NEW #2***

Source Number: ***003***

Source Status: ***ACTIVE UNTREATED***

Water type: ***GROUNDWATER OR WELL***

SECONDARY/GP

	STORET NUMBER	TESTING INTERVAL (MONTHS)*	LAST TEST DATE (yyyy/mm/dd)	LAST RESULT REPORTED	NEXT TEST DATE (yyyy/mm)	
MAGNESIUM	**00927**	**000**				**DUE**
MANGANESE	**01055**	**000**				**DUE**
ODOR THRESHOLD @ 60 C	**00086**	**WAIVED**				
PH, LABORATORY	**00403**	**000**				**DUE**
SILVER	**01077**	**WAIVED**				
SODIUM	**00929**	**000**				**DUE**
SPECIFIC CONDUCTANCE	**00095**	**WAIVED**				
SULFATE	**00945**	**WAIVED**				
TOTAL DISSOLVED SOLIDS	**70300**	**WAIVED**				
TURBIDITY, LABORATORY	**82079**	**WAIVED**				
ZINC	**01092**	**WAIVED**				

**Testing interval is in months;*
0 = No data for this constituent and is DUE NOW
999 = Waived testing (not required)
I = Invalid (NOT) valid analyses reported

System Number: ***3105779***

System Name: ***EASTERN REGIONAL SANITARY LANDFILL WATER***

PS Code: ***3105779-001***

Source Name: ***EXISTING MURF WELL***

Source Number: ***001***

Source Status: ***ACTIVE UNTREATED***

Water type: ***GROUNDWATER OR WELL***

	STORET NUMBER	TESTING INTERVAL (MONTHS)*	LAST TEST DATE (yyyy/mm/dd)	LAST RESULT REPORTED	NEXT TEST DATE (yyyy/mm)	
GENERAL NON CHAP 15						
DIAZINON	39570	WAIVED				
INORGANIC						
ALUMINUM	01105	108	2011/04/26	.000	2020/04	
ANTIMONY	01097	036	2011/04/26	.000	2014/04	
ARSENIC	01002	036	2011/04/26	.000	2014/04	
ASBESTOS	81855	WAIVED				
BARIUM	01007	036	2011/04/26	11.200	2014/04	
BERYLLIUM	01012	036	2011/04/26	.000	2014/04	
CADMIUM	01027	036	2011/04/26	.000	2014/04	
CHROMIUM (TOTAL)	01034	108	2011/04/26	.000	2020/04	
CYANIDE	01291	WAIVED				
FLUORIDE (F) (NATURAL-SOURCE)	00951	036	2011/04/26	.000	2014/04	
LEAD	01051	WAIVED				
MERCURY	71900	036	2011/04/26	.000	2014/04	
NICKEL	01067	036	2011/04/26	.000	2014/04	
PERCHLORATE	A-031	036	2011/04/26	< .000	2014/04	
SELENIUM	01147	036	2011/04/26	.000	2014/04	
THALLIUM	01059	036	2011/04/26	.000	2014/04	
NITRATE/NITRITE						
NITRATE (AS NO3)	71850	012	2011/04/26	.000	2012/04	
NITRITE (AS N)	00620	036	2011/04/26	.000	2014/04	
RADIOLOGICAL						
GROSS ALPHA	01501	003	2009/03/30	.574	2009/06	DUE
GROSS BETA	03501	WAIVED	2009/03/30	1.960		
RA-226 FOR CWS OR TOTAL RA FOR NTNC BY 903.0	A-080	WAIVED				
RA-226 OR TOTAL RA BY 903.0 C.E.	A-081	WAIVED				
RADIUM 226	09501	WAIVED	2009/03/30	.000		
RADIUM 228	11501	WAIVED	2009/03/30	.000		

**Testing interval is in months;*
0 = No data for this constituent and is DUE NOW
999 = Waived testing (not required)
I = Invalid (NOT) valid analyses reported

System Number: 3105779

System Name: EASTERN REGIONAL SANITARY LANDFILL WATER

PS Code: 3105779-001

Source Name: EXISTING MURF WELL

Source Number: 001

Source Status: ACTIVE UNTREATED

Water type: GROUNDWATER OR WELL

	STORET NUMBER	TESTING INTERVAL (MONTHS)*	LAST TEST DATE (yyyy/mm/dd)	LAST RESULT REPORTED	NEXT TEST DATE (yyyy/mm)
RADIOLOGICAL					
RADIUM, TOTAL, MDA95-NTNC ONLY, BY 903.0	A-082	WAIVED			
STRONTIUM-90	13501	WAIVED			
TRITIUM	07000	WAIVED			
URANIUM (PCI/L)	28012	WAIVED	2009/03/30	.454	
REGULATED SOC					
2,3,7,8-TCDD (DIOXIN)	34676	WAIVED	2008/06/24	.000	
2,4,5-TP (SILVEX)	39045	WAIVED	2005/12/13	.000	
2,4-D	39730	WAIVED	2005/12/13	.000	
ALACHLOR	77825	WAIVED	2005/12/13	.000	
ATRAZINE	39033	WAIVED	2005/12/13	.000	
BENTAZON	38710	WAIVED	2005/12/13	.000	
BENZO (A) PYRENE	34247	WAIVED			
CARBOFURAN	81405	WAIVED	2005/12/13	.000	
CHLORDANE	39350	WAIVED	2005/12/13	.000	
DALAPON	38432	WAIVED	2005/12/13	.000	
DI(2-ETHYLHEXYL)ADIPATE	A-026	WAIVED			
DI(2-ETHYLHEXYL)PHTHALATE	39100	WAIVED			
DIBROMOCHLOROPROPANE (DBCP)	38761	WAIVED	2005/12/13	.000	
DINOSEB	81287	WAIVED	2005/12/13	.000	
DIQUAT	78885	WAIVED	2005/12/13	.000	
ENDOTHALL	38926	WAIVED	2005/12/13	.000	
ENDRIN	39390	WAIVED	2005/12/13	.000	
ETHYLENE DIBROMIDE (EDB)	77651	WAIVED	2005/12/13	.000	
GLYPHOSATE	79743	WAIVED	2005/12/13	.000	
HEPTACHLOR	39410	WAIVED	2005/12/13	.000	
HEPTACHLOR EPOXIDE	39420	WAIVED	2005/12/13	.000	
HEXACHLOROBENZENE	39700	WAIVED	2005/12/13	.000	
HEXACHLOROCYCLOPENTADIENE	34386	WAIVED	2005/12/13	.000	
LINDANE	39340	WAIVED	2005/12/13	.000	

**Testing interval is in months;*
0 = No data for this constituent and is DUE NOW
999 = Waived testing (not required)
I = Invalid (NOT) valid analyses reported

System Number: ***3105779***

System Name: ***EASTERN REGIONAL SANITARY LANDFILL WATER***

PS Code: ***3105779-001***

Source Name: ***EXISTING MURF WELL***

Source Number: ***001***

Source Status: ***ACTIVE UNTREATED***

Water type: ***GROUNDWATER OR WELL***

	STORET NUMBER	TESTING INTERVAL (MONTHS)*	LAST TEST DATE (yyyy/mm/dd)	LAST RESULT REPORTED	NEXT TEST DATE (yyyy/mm)	
REGULATED SOC						
METHOXYCHLOR	39480	WAIVED	2005/12/13	.000		
MOLINATE	82199	WAIVED	2005/12/13	.000		
OXAMYL	38865	WAIVED	2005/12/13	.000		
PENTACHLOROPHENOL	39032	WAIVED	2005/12/13	.000		
PICLORAM	39720	WAIVED	2005/12/13	.000		
POLYCHLORINATED BIPHENYLS, TOTAL, AS DCB	39516	WAIVED	2005/12/13	.000		
SIMAZINE	39055	WAIVED	2005/12/13	.000		
THIOBENCARB	A-001	WAIVED	2005/12/13	.000		
TOXAPHENE	39400	WAIVED	2005/12/13	.000		
REGULATED VOC						
1,1,1-TRICHLOROETHANE	34506	072	**2005/12/13**	.000	**2011/12**	**DUE**
1,1,2,2-TETRACHLOROETHANE	34516	072	2008/06/24	.000	2014/06	
1,1,2-TRICHLORO-1,2,2-TRIFLUOROETHANE	81611	072	2008/06/24	.000	2014/06	
1,1,2-TRICHLOROETHANE	34511	072	2008/06/24	.000	2014/06	
1,1-DICHLOROETHANE	34496	072	**2005/12/13**	.000	**2011/12**	**DUE**
1,1-DICHLOROETHYLENE	34501	072	2008/06/24	.000	2014/06	
1,2,4-TRICHLOROBENZENE	34551	072	2008/06/24	.000	2014/06	
1,2-DICHLOROBENZENE	34536	072	2008/06/24	.000	2014/06	
1,2-DICHLOROETHANE	34531	072	2008/06/24	.000	2014/06	
1,2-DICHLOROPROPANE	34541	072	2008/06/24	.000	2014/06	
1,3-DICHLOROPROPENE (TOTAL)	34561	072	2008/06/24	.000	2014/06	
1,4-DICHLOROBENZENE	34571	072	2008/06/24	.000	2014/06	
BENZENE	34030	072	2008/06/24	.000	2014/06	
CARBON TETRACHLORIDE	32102	072	2008/06/24	.000	2014/06	
CIS-1,2-DICHLOROETHYLENE	77093	072	2008/06/24	.000	2014/06	
DICHLOROMETHANE	34423	072	2008/06/24	.000	2014/06	
ETHYLBENZENE	34371	072	2008/06/24	.000	2014/06	
METHYL-TERT-BUTYL-ETHER (MTBE)	46491	072	2008/06/24	.000	2014/06	
MONOCHLOROBENZENE	34301	072	2008/06/24	.000	2014/06	

**Testing interval is in months;*
0 = No data for this constituent and is DUE NOW
999 = Waived testing (not required)
I = Invalid (NOT) valid analyses reported

System Number: 3105779
System Name: EASTERN REGIONAL SANITARY LANDFILL WATER

PS Code: 3105779-001
Source Name: EXISTING MURF WELL
Source Number: 001
Source Status: ACTIVE UNTREATED
Water type: GROUNDWATER OR WELL

	STORET NUMBER	TESTING INTERVAL (MONTHS)*	LAST TEST DATE (yyyy/mm/dd)	LAST RESULT REPORTED	NEXT TEST DATE (yyyy/mm)	
REGULATED VOC						
STYRENE	77128	072	2005/12/13	.000	2011/12	DUE
TETRACHLOROETHYLENE	34475	072	2005/12/13	.000	2011/12	DUE
TOLUENE	34010	072	2008/06/24	.000	2014/06	
TRANS-1,2-DICHLOROETHYLENE	34546	072	2008/06/24	.000	2014/06	
TRICHLOROETHYLENE	39180	072	2008/06/24	.000	2014/06	
TRICHLOROFLUOROMETHANE	34488	072	2008/06/24	.000	2014/06	
VINYL CHLORIDE	39175	072	2008/06/24	.000	2014/06	
XYLENES (TOTAL)	81551	072	2005/12/13	.000	2011/12	DUE
SECONDARY/GP						
AGGRSSIVE INDEX (CORROSIVITY)	82383	WAIVED				
BICARBONATE ALKALINITY	00440	000				DUE
CALCIUM	00916	WAIVED	2009/08/25	16.500		
CARBONATE ALKALINITY	00445	000				DUE
CHLORIDE	00940	WAIVED				
COLOR	00081	WAIVED	2009/08/25	3.000		
COPPER	01042	WAIVED	2009/08/25	.000		
FOAMING AGENTS (MBAS)	38260	WAIVED	2009/08/25	.000		
HARDNESS (TOTAL) AS CACO3	00900	WAIVED	2009/08/25	71.000		
HYDROXIDE ALKALINITY	71830	000				DUE
IRON	01045	WAIVED	2009/08/25	.000		
MAGNESIUM	00927	WAIVED	2009/08/25	7.200		
MANGANESE	01055	WAIVED	2009/08/25	.000		
ODOR THRESHOLD @ 60 C	00086	WAIVED	2009/08/25	.000		
PH, LABORATORY	00403	WAIVED	2009/08/25	7.800		
SILVER	01077	WAIVED	2009/08/25	.000		
SODIUM	00929	WAIVED	2009/08/25	6.300		
SPECIFIC CONDUCTANCE	00095	WAIVED	2011/04/26	170.000		
SULFATE	00945	WAIVED	2009/08/25	.000		
TOTAL DISSOLVED SOLIDS	70300	WAIVED	2009/08/25	100.000		

**Testing interval is in months;*
0 = No data for this constituent and is DUE NOW
999 = Waived testing (not required)
I = Invalid (NOT) valid analyses reported

System Number: ***3105779***

System Name: ***EASTERN REGIONAL SANITARY LANDFILL WATER***

PS Code: ***3105779-001***

Source Name: ***EXISTING MURF WELL***

Source Number: ***001***

Source Status: ***ACTIVE UNTREATED***

Water type: ***GROUNDWATER OR WELL***

SECONDARY/GP

	STORET NUMBER	TESTING INTERVAL (MONTHS)*	LAST TEST DATE (yyyy/mm/dd)	LAST RESULT REPORTED	NEXT TEST DATE (yyyy/mm)
TURBIDITY, LABORATORY	82079	WAIVED	2009/08/25	.240	
ZINC	01092	WAIVED	2009/08/25	.000	

**Testing interval is in months;*
0 = No data for this constituent and is DUE NOW
999 = Waived testing (not required)
I = Invalid (NOT) valid analyses reported

System Number: ***3105852***

System Name: ***BEAR VALLEY, SIERRA DISCOVERY TRAIL***

PS Code: ***3105852-001***

Source Name: ***WELL #1***

Source Number: ***001***

Source Status: ***ACTIVE UNTREATED***

Water type: ***GROUNDWATER OR WELL***

	STORET NUMBER	TESTING INTERVAL (MONTHS)*	LAST TEST DATE (yyyy/mm/dd)	LAST RESULT REPORTED	NEXT TEST DATE (yyyy/mm)	
GENERAL NON CHAP 15						
DIAZINON	39570	WAIVED				
INORGANIC						
ALUMINUM	01105	WAIVED				
ANTIMONY	01097	WAIVED				
ARSENIC	01002	WAIVED				
ASBESTOS	81855	WAIVED				
BARIUM	01007	WAIVED				
BERYLLIUM	01012	WAIVED				
CADMIUM	01027	WAIVED				
CHROMIUM (TOTAL)	01034	WAIVED				
CYANIDE	01291	WAIVED				
FLUORIDE (F) (NATURAL-SOURCE)	00951	000				**DUE**
LEAD	01051	WAIVED				
MERCURY	71900	WAIVED				
NICKEL	01067	WAIVED				
PERCHLORATE	A-031	WAIVED				
SELENIUM	01147	WAIVED				
THALLIUM	01059	WAIVED				
NITRATE/NITRITE						
NITRATE (AS NO3)	71850	012	2010/07/08	.000	2011/07	**DUE**
NITRITE (AS N)	00620	036	2010/07/08	.000	2013/07	
RADIOLOGICAL						
GROSS ALPHA	01501	WAIVED				
GROSS BETA	03501	WAIVED				
RA-226 FOR CWS OR TOTAL RA FOR NTNC BY 903.0	A-080	WAIVED				
RA-226 OR TOTAL RA BY 903.0 C.E.	A-081	WAIVED				
RADIUM 226	09501	WAIVED				
RADIUM 228	11501	WAIVED				

**Testing interval is in months;*
0 = No data for this constituent and is DUE NOW
999 = Waived testing (not required)
I = Invalid (NOT) valid analyses reported

System Number: ***3105852***

System Name: ***BEAR VALLEY, SIERRA DISCOVERY TRAIL***

PS Code: ***3105852-001***

Source Name: ***WELL #1***

Source Number: ***001***

Source Status: ***ACTIVE UNTREATED***

Water type: ***GROUNDWATER OR WELL***

	STORET NUMBER	TESTING INTERVAL (MONTHS)*	LAST TEST DATE (yyyy/mm/dd)	LAST RESULT REPORTED	NEXT TEST DATE (yyyy/mm)
RADIOLOGICAL					
RADIUM, TOTAL, MDA95-NTNC ONLY, BY 903.0	A-082	WAIVED			
STRONTIUM-90	13501	WAIVED			
TRITIUM	07000	WAIVED			
URANIUM (PCI/L)	28012	WAIVED			
REGULATED SOC					
2,3,7,8-TCDD (DIOXIN)	34676	WAIVED			
2,4,5-TP (SILVEX)	39045	WAIVED			
2,4-D	39730	WAIVED			
ALACHLOR	77825	WAIVED			
ATRAZINE	39033	WAIVED			
BENTAZON	38710	WAIVED			
BENZO (A) PYRENE	34247	WAIVED			
CARBOFURAN	81405	WAIVED			
CHLORDANE	39350	WAIVED			
DALAPON	38432	WAIVED			
DI(2-ETHYLHEXYL)ADIPATE	A-026	WAIVED			
DI(2-ETHYLHEXYL)PHTHALATE	39100	WAIVED			
DIBROMOCHLOROPROPANE (DBCP)	38761	WAIVED			
DINOSEB	81287	WAIVED			
DIQUAT	78885	WAIVED			
ENDOTHALL	38926	WAIVED			
ENDRIN	39390	WAIVED			
ETHYLENE DIBROMIDE (EDB)	77651	WAIVED			
GLYPHOSATE	79743	WAIVED			
HEPTACHLOR	39410	WAIVED			
HEPTACHLOR EPOXIDE	39420	WAIVED			
HEXACHLOROBENZENE	39700	WAIVED			
HEXACHLOROCYCLOPENTADIENE	34386	WAIVED			
LINDANE	39340	WAIVED			

**Testing interval is in months;*
0 = No data for this constituent and is DUE NOW
999 = Waived testing (not required)
I = Invalid (NOT) valid analyses reported

System Number: ***3105852***

System Name: ***BEAR VALLEY, SIERRA DISCOVERY TRAIL***

PS Code: ***3105852-001***

Source Name: ***WELL #1***

Source Number: ***001***

Source Status: ***ACTIVE UNTREATED***

Water type: ***GROUNDWATER OR WELL***

	STORET NUMBER	TESTING INTERVAL (MONTHS)*	LAST TEST DATE (yyyy/mm/dd)	LAST RESULT REPORTED	NEXT TEST DATE (yyyy/mm)
REGULATED SOC					
METHOXYCHLOR	39480	WAIVED			
MOLINATE	82199	WAIVED			
OXAMYL	38865	WAIVED			
PENTACHLOROPHENOL	39032	WAIVED			
PICLORAM	39720	WAIVED			
POLYCHLORINATED BIPHENYLS, TOTAL, AS DCB	39516	WAIVED			
SIMAZINE	39055	WAIVED			
THIOBENCARB	A-001	WAIVED			
TOXAPHENE	39400	WAIVED			
REGULATED VOC					
1,1,1-TRICHLOROETHANE	34506	WAIVED			
1,1,2,2-TETRACHLOROETHANE	34516	WAIVED			
1,1,2-TRICHLORO-1,2,2-TRIFLUOROETHANE	81611	WAIVED			
1,1,2-TRICHLOROETHANE	34511	WAIVED			
1,1-DICHLOROETHANE	34496	WAIVED			
1,1-DICHLOROETHYLENE	34501	WAIVED			
1,2,4-TRICHLOROBENZENE	34551	WAIVED			
1,2-DICHLOROBENZENE	34536	WAIVED			
1,2-DICHLOROETHANE	34531	WAIVED			
1,2-DICHLOROPROPANE	34541	WAIVED			
1,3-DICHLOROPROPENE (TOTAL)	34561	WAIVED			
1,4-DICHLOROBENZENE	34571	WAIVED			
BENZENE	34030	WAIVED			
CARBON TETRACHLORIDE	32102	WAIVED			
CIS-1,2-DICHLOROETHYLENE	77093	WAIVED			
DICHLOROMETHANE	34423	WAIVED			
ETHYLBENZENE	34371	WAIVED			
METHYL-TERT-BUTYL-ETHER (MTBE)	46491	WAIVED			
MONOCHLOROBENZENE	34301	WAIVED			

**Testing interval is in months;*
0 = No data for this constituent and is DUE NOW
999 = Waived testing (not required)
I = Invalid (NOT) valid analyses reported

System Number: ***3105852***

System Name: ***BEAR VALLEY, SIERRA DISCOVERY TRAIL***

PS Code: ***3105852-001***

Source Name: ***WELL #1***

Source Number: ***001***

Source Status: ***ACTIVE UNTREATED***

Water type: ***GROUNDWATER OR WELL***

	STORET NUMBER	TESTING INTERVAL (MONTHS)*	LAST TEST DATE (yyyy/mm/dd)	LAST RESULT REPORTED	NEXT TEST DATE (yyyy/mm)
REGULATED VOC					
STYRENE	77128	WAIVED			
TETRACHLOROETHYLENE	34475	WAIVED			
TOLUENE	34010	WAIVED			
TRANS-1,2-DICHLOROETHYLENE	34546	WAIVED			
TRICHLOROETHYLENE	39180	WAIVED			
TRICHLOROFLUOROMETHANE	34488	WAIVED			
VINYL CHLORIDE	39175	WAIVED			
XYLENES (TOTAL)	81551	WAIVED			
SECONDARY/GP					
AGGRSSIVE INDEX (CORROSIVITY)	82383	WAIVED			
BICARBONATE ALKALINITY	00440	000			DUE
CALCIUM	00916	000			DUE
CARBONATE ALKALINITY	00445	000			DUE
CHLORIDE	00940	WAIVED			
COLOR	00081	WAIVED			
COPPER	01042	WAIVED			
FOAMING AGENTS (MBAS)	38260	WAIVED			
HARDNESS (TOTAL) AS CACO3	00900	000			DUE
HYDROXIDE ALKALINITY	71830	000			DUE
IRON	01045	000			DUE
MAGNESIUM	00927	000			DUE
MANGANESE	01055	000			DUE
ODOR THRESHOLD @ 60 C	00086	WAIVED			
PH, LABORATORY	00403	000			DUE
SILVER	01077	WAIVED			
SODIUM	00929	000			DUE
SPECIFIC CONDUCTANCE	00095	WAIVED			
SULFATE	00945	WAIVED			
TOTAL DISSOLVED SOLIDS	70300	WAIVED			

**Testing interval is in months;*
0 = No data for this constituent and is DUE NOW
999 = Waived testing (not required)
I = Invalid (NOT) valid analyses reported

System Number: ***3105852***

System Name: ***BEAR VALLEY, SIERRA DISCOVERY TRAIL***

PS Code: ***3105852-001***

Source Name: ***WELL #1***

Source Number: ***001***

Source Status: ***ACTIVE UNTREATED***

Water type: ***GROUNDWATER OR WELL***

SECONDARY/GP	STORET NUMBER	TESTING INTERVAL (MONTHS)*	LAST TEST DATE (yyyy/mm/dd)	LAST RESULT REPORTED	NEXT TEST DATE (yyyy/mm)
TURBIDITY, LABORATORY	82079	WAIVED			
ZINC	01092	WAIVED			

**Testing interval is in months;*
0 = No data for this constituent and is DUE NOW
999 = Waived testing (not required)
I = Invalid (NOT) valid analyses reported

System Number: ***3105853***

System Name: ***KIDD LAKE***

PS Code: ***3105853-001***

Source Name: ***WELL #1***

Source Number: ***001***

Source Status: ***ACTIVE UNTREATED***

Water type: ***GROUNDWATER OR WELL***

	STORET NUMBER	TESTING INTERVAL (MONTHS)*	LAST TEST DATE (yyyy/mm/dd)	LAST RESULT REPORTED	NEXT TEST DATE (yyyy/mm)	
GENERAL NON CHAP 15						
DIAZINON	39570	WAIVED				
INORGANIC						
ALUMINUM	01105	WAIVED				
ANTIMONY	01097	WAIVED				
ARSENIC	01002	WAIVED				
ASBESTOS	81855	WAIVED				
BARIUM	01007	WAIVED				
BERYLLIUM	01012	WAIVED				
CADMIUM	01027	WAIVED				
CHROMIUM (TOTAL)	01034	WAIVED				
CYANIDE	01291	WAIVED				
FLUORIDE (F) (NATURAL-SOURCE)	00951	000				**DUE**
LEAD	01051	WAIVED				
MERCURY	71900	WAIVED				
NICKEL	01067	WAIVED				
PERCHLORATE	A-031	WAIVED				
SELENIUM	01147	WAIVED				
THALLIUM	01059	WAIVED				
NITRATE/NITRITE						
NITRATE (AS NO3)	71850	012	2010/06/29	.000	2011/06	**DUE**
NITRITE (AS N)	00620	036	2010/06/29	.000	2013/06	
RADIOLOGICAL						
GROSS ALPHA	01501	WAIVED				
GROSS BETA	03501	WAIVED				
RA-226 FOR CWS OR TOTAL RA FOR NTNC BY 903.0	A-080	WAIVED				
RA-226 OR TOTAL RA BY 903.0 C.E.	A-081	WAIVED				
RADIUM 226	09501	WAIVED				
RADIUM 228	11501	WAIVED				

**Testing interval is in months;*
0 = No data for this constituent and is DUE NOW
999 = Waived testing (not required)
I = Invalid (NOT) valid analyses reported

System Number: ***3105853***

System Name: ***KIDD LAKE***

PS Code: ***3105853-001***

Source Name: ***WELL #1***

Source Number: ***001***

Source Status: ***ACTIVE UNTREATED***

Water type: ***GROUNDWATER OR WELL***

	STORET NUMBER	TESTING INTERVAL (MONTHS)*	LAST TEST DATE (yyyy/mm/dd)	LAST RESULT REPORTED	NEXT TEST DATE (yyyy/mm)
RADIOLOGICAL					
RADIUM, TOTAL, MDA95-NTNC ONLY, BY 903.0	A-082	WAIVED			
STRONTIUM-90	13501	WAIVED			
TRITIUM	07000	WAIVED			
URANIUM (PCI/L)	28012	WAIVED			
REGULATED SOC					
2,3,7,8-TCDD (DIOXIN)	34676	WAIVED			
2,4,5-TP (SILVEX)	39045	WAIVED			
2,4-D	39730	WAIVED			
ALACHLOR	77825	WAIVED			
ATRAZINE	39033	WAIVED			
BENTAZON	38710	WAIVED			
BENZO (A) PYRENE	34247	WAIVED			
CARBOFURAN	81405	WAIVED			
CHLORDANE	39350	WAIVED			
DALAPON	38432	WAIVED			
DI(2-ETHYLHEXYL)ADIPATE	A-026	WAIVED			
DI(2-ETHYLHEXYL)PHTHALATE	39100	WAIVED			
DIBROMOCHLOROPROPANE (DBCP)	38761	WAIVED			
DINOSEB	81287	WAIVED			
DIQUAT	78885	WAIVED			
ENDOTHALL	38926	WAIVED			
ENDRIN	39390	WAIVED			
ETHYLENE DIBROMIDE (EDB)	77651	WAIVED			
GLYPHOSATE	79743	WAIVED			
HEPTACHLOR	39410	WAIVED			
HEPTACHLOR EPOXIDE	39420	WAIVED			
HEXACHLOROBENZENE	39700	WAIVED			
HEXACHLOROCYCLOPENTADIENE	34386	WAIVED			
LINDANE	39340	WAIVED			

**Testing interval is in months;*
0 = No data for this constituent and is DUE NOW
999 = Waived testing (not required)
I = Invalid (NOT) valid analyses reported

System Number: ***3105853***

System Name: ***KIDD LAKE***

PS Code: ***3105853-001***

Source Name: ***WELL #1***

Source Number: ***001***

Source Status: ***ACTIVE UNTREATED***

Water type: ***GROUNDWATER OR WELL***

	STORET NUMBER	TESTING INTERVAL (MONTHS)*	LAST TEST DATE (yyyy/mm/dd)	LAST RESULT REPORTED	NEXT TEST DATE (yyyy/mm)
REGULATED SOC					
METHOXYCHLOR	39480	WAIVED			
MOLINATE	82199	WAIVED			
OXAMYL	38865	WAIVED			
PENTACHLOROPHENOL	39032	WAIVED			
PICLORAM	39720	WAIVED			
POLYCHLORINATED BIPHENYLS, TOTAL, AS DCB	39516	WAIVED			
SIMAZINE	39055	WAIVED			
THIOBENCARB	A-001	WAIVED			
TOXAPHENE	39400	WAIVED			
REGULATED VOC					
1,1,1-TRICHLOROETHANE	34506	WAIVED			
1,1,2,2-TETRACHLOROETHANE	34516	WAIVED			
1,1,2-TRICHLORO-1,2,2-TRIFLUOROETHANE	81611	WAIVED			
1,1,2-TRICHLOROETHANE	34511	WAIVED			
1,1-DICHLOROETHANE	34496	WAIVED			
1,1-DICHLOROETHYLENE	34501	WAIVED			
1,2,4-TRICHLOROBENZENE	34551	WAIVED			
1,2-DICHLOROBENZENE	34536	WAIVED			
1,2-DICHLOROETHANE	34531	WAIVED			
1,2-DICHLOROPROPANE	34541	WAIVED			
1,3-DICHLOROPROPENE (TOTAL)	34561	WAIVED			
1,4-DICHLOROBENZENE	34571	WAIVED			
BENZENE	34030	WAIVED			
CARBON TETRACHLORIDE	32102	WAIVED			
CIS-1,2-DICHLOROETHYLENE	77093	WAIVED			
DICHLOROMETHANE	34423	WAIVED			
ETHYLBENZENE	34371	WAIVED			
METHYL-TERT-BUTYL-ETHER (MTBE)	46491	WAIVED			
MONOCHLOROBENZENE	34301	WAIVED			

**Testing interval is in months;*
0 = No data for this constituent and is DUE NOW
999 = Waived testing (not required)
I = Invalid (NOT) valid analyses reported

System Number: ***3105853***

System Name: ***KIDD LAKE***

PS Code: ***3105853-001***

Source Name: ***WELL #1***

Source Number: ***001***

Source Status: ***ACTIVE UNTREATED***

Water type: ***GROUNDWATER OR WELL***

	STORET NUMBER	TESTING INTERVAL (MONTHS)*	LAST TEST DATE (yyyy/mm/dd)	LAST RESULT REPORTED	NEXT TEST DATE (yyyy/mm)
REGULATED VOC					
STYRENE	77128	WAIVED			
TETRACHLOROETHYLENE	34475	WAIVED			
TOLUENE	34010	WAIVED			
TRANS-1,2-DICHLOROETHYLENE	34546	WAIVED			
TRICHLOROETHYLENE	39180	WAIVED			
TRICHLOROFLUOROMETHANE	34488	WAIVED			
VINYL CHLORIDE	39175	WAIVED			
XYLENES (TOTAL)	81551	WAIVED			
SECONDARY/GP					
AGGRSSIVE INDEX (CORROSIVITY)	82383	WAIVED			
BICARBONATE ALKALINITY	00440	000			DUE
CALCIUM	00916	000			DUE
CARBONATE ALKALINITY	00445	000			DUE
CHLORIDE	00940	WAIVED			
COLOR	00081	WAIVED			
COPPER	01042	WAIVED			
FOAMING AGENTS (MBAS)	38260	WAIVED			
HARDNESS (TOTAL) AS CACO3	00900	000			DUE
HYDROXIDE ALKALINITY	71830	000			DUE
IRON	01045	000			DUE
MAGNESIUM	00927	000			DUE
MANGANESE	01055	000			DUE
ODOR THRESHOLD @ 60 C	00086	WAIVED			
PH, LABORATORY	00403	000			DUE
SILVER	01077	WAIVED			
SODIUM	00929	000			DUE
SPECIFIC CONDUCTANCE	00095	WAIVED			
SULFATE	00945	WAIVED			
TOTAL DISSOLVED SOLIDS	70300	WAIVED			

**Testing interval is in months;*
0 = No data for this constituent and is DUE NOW
999 = Waived testing (not required)
I = Invalid (NOT) valid analyses reported

System Number: ***3105853***

System Name: ***KIDD LAKE***

PS Code: ***3105853-001***

Source Name: ***WELL #1***

Source Number: ***001***

Source Status: ***ACTIVE UNTREATED***

Water type: ***GROUNDWATER OR WELL***

	STORET NUMBER	TESTING INTERVAL (MONTHS)*	LAST TEST DATE (yyyy/mm/dd)	LAST RESULT REPORTED	NEXT TEST DATE (yyyy/mm)
SECONDARY/GP					
TURBIDITY, LABORATORY	82079	WAIVED			
ZINC	01092	WAIVED			

**Testing interval is in months;*
0 = No data for this constituent and is DUE NOW
999 = Waived testing (not required)
I = Invalid (NOT) valid analyses reported

System Number: ***3105886***

System Name: ***ANTELOPE SPRINGS***

PS Code: ***3105886-001***

Source Name: ***WELL 01***

Source Number: ***001***

Source Status: ***ACTIVE UNTREATED***

Water type: ***GROUNDWATER OR WELL***

	STORET NUMBER	TESTING INTERVAL (MONTHS)*	LAST TEST DATE (yyyy/mm/dd)	LAST RESULT REPORTED	NEXT TEST DATE (yyyy/mm)	
GENERAL NON CHAP 15						
DIAZINON	39570	WAIVED				
INORGANIC						
ALUMINUM	01105	WAIVED				
ANTIMONY	01097	WAIVED				
ARSENIC	01002	WAIVED				
ASBESTOS	81855	WAIVED				
BARIUM	01007	WAIVED				
BERYLLIUM	01012	WAIVED				
CADMIUM	01027	WAIVED				
CHROMIUM (TOTAL)	01034	WAIVED				
CYANIDE	01291	WAIVED				
FLUORIDE (F) (NATURAL-SOURCE)	00951	000				**DUE**
LEAD	01051	WAIVED				
MERCURY	71900	WAIVED				
NICKEL	01067	WAIVED				
PERCHLORATE	A-031	WAIVED				
SELENIUM	01147	WAIVED				
THALLIUM	01059	WAIVED				
NITRATE/NITRITE						
NITRATE (AS NO3)	71850	012	2011/06/16	1.300	2012/06	
NITRITE (AS N)	00620	036	2011/03/31	.000	2014/03	
RADIOLOGICAL						
GROSS ALPHA	01501	WAIVED				
GROSS BETA	03501	WAIVED				
RA-226 FOR CWS OR TOTAL RA FOR NTNC BY 903.0	A-080	WAIVED				
RA-226 OR TOTAL RA BY 903.0 C.E.	A-081	WAIVED				
RADIUM 226	09501	WAIVED				
RADIUM 228	11501	WAIVED				

**Testing interval is in months;*
0 = No data for this constituent and is DUE NOW
999 = Waived testing (not required)
I = Invalid (NOT) valid analyses reported

System Number: ***3105886***

System Name: ***ANTELOPE SPRINGS***

PS Code: ***3105886-001***

Source Name: ***WELL 01***

Source Number: ***001***

Source Status: ***ACTIVE UNTREATED***

Water type: ***GROUNDWATER OR WELL***

	STORET NUMBER	TESTING INTERVAL (MONTHS)*	LAST TEST DATE (yyyy/mm/dd)	LAST RESULT REPORTED	NEXT TEST DATE (yyyy/mm)
RADIOLOGICAL					
RADIUM, TOTAL, MDA95-NTNC ONLY, BY 903.0	A-082	WAIVED			
STRONTIUM-90	13501	WAIVED			
TRITIUM	07000	WAIVED			
URANIUM (PCI/L)	28012	WAIVED			
REGULATED SOC					
2,3,7,8-TCDD (DIOXIN)	34676	WAIVED			
2,4,5-TP (SILVEX)	39045	WAIVED			
2,4-D	39730	WAIVED			
ALACHLOR	77825	WAIVED			
ATRAZINE	39033	WAIVED			
BENTAZON	38710	WAIVED			
BENZO (A) PYRENE	34247	WAIVED			
CARBOFURAN	81405	WAIVED			
CHLORDANE	39350	WAIVED			
DALAPON	38432	WAIVED			
DI(2-ETHYLHEXYL)ADIPATE	A-026	WAIVED			
DI(2-ETHYLHEXYL)PHTHALATE	39100	WAIVED			
DIBROMOCHLOROPROPANE (DBCP)	38761	WAIVED			
DINOSEB	81287	WAIVED			
DIQUAT	78885	WAIVED			
ENDOTHALL	38926	WAIVED			
ENDRIN	39390	WAIVED			
ETHYLENE DIBROMIDE (EDB)	77651	WAIVED			
GLYPHOSATE	79743	WAIVED			
HEPTACHLOR	39410	WAIVED			
HEPTACHLOR EPOXIDE	39420	WAIVED			
HEXACHLOROBENZENE	39700	WAIVED			
HEXACHLOROCYCLOPENTADIENE	34386	WAIVED			
LINDANE	39340	WAIVED			

**Testing interval is in months;*
0 = No data for this constituent and is DUE NOW
999 = Waived testing (not required)
I = Invalid (NOT) valid analyses reported

System Number: ***3105886***

System Name: ***ANTELOPE SPRINGS***

PS Code: ***3105886-001***

Source Name: ***WELL 01***

Source Number: ***001***

Source Status: ***ACTIVE UNTREATED***

Water type: ***GROUNDWATER OR WELL***

	STORET NUMBER	TESTING INTERVAL (MONTHS)*	LAST TEST DATE (yyyy/mm/dd)	LAST RESULT REPORTED	NEXT TEST DATE (yyyy/mm)
REGULATED SOC					
METHOXYCHLOR	39480	WAIVED			
MOLINATE	82199	WAIVED			
OXAMYL	38865	WAIVED			
PENTACHLOROPHENOL	39032	WAIVED			
PICLORAM	39720	WAIVED			
POLYCHLORINATED BIPHENYLS, TOTAL, AS DCB	39516	WAIVED			
SIMAZINE	39055	WAIVED			
THIOBENCARB	A-001	WAIVED			
TOXAPHENE	39400	WAIVED			
REGULATED VOC					
1,1,1-TRICHLOROETHANE	34506	WAIVED			
1,1,2,2-TETRACHLOROETHANE	34516	WAIVED			
1,1,2-TRICHLORO-1,2,2-TRIFLUOROETHANE	81611	WAIVED			
1,1,2-TRICHLOROETHANE	34511	WAIVED			
1,1-DICHLOROETHANE	34496	WAIVED			
1,1-DICHLOROETHYLENE	34501	WAIVED			
1,2,4-TRICHLOROBENZENE	34551	WAIVED			
1,2-DICHLOROBENZENE	34536	WAIVED			
1,2-DICHLOROETHANE	34531	WAIVED			
1,2-DICHLOROPROPANE	34541	WAIVED			
1,3-DICHLOROPROPENE (TOTAL)	34561	WAIVED			
1,4-DICHLOROBENZENE	34571	WAIVED			
BENZENE	34030	WAIVED			
CARBON TETRACHLORIDE	32102	WAIVED			
CIS-1,2-DICHLOROETHYLENE	77093	WAIVED			
DICHLOROMETHANE	34423	WAIVED			
ETHYLBENZENE	34371	WAIVED			
METHYL-TERT-BUTYL-ETHER (MTBE)	46491	WAIVED			
MONOCHLOROBENZENE	34301	WAIVED			

**Testing interval is in months;*
0 = No data for this constituent and is DUE NOW
999 = Waived testing (not required)
I = Invalid (NOT) valid analyses reported

System Number: ***3105886***

System Name: ***ANTELOPE SPRINGS***

PS Code: ***3105886-001***

Source Name: ***WELL 01***

Source Number: ***001***

Source Status: ***ACTIVE UNTREATED***

Water type: ***GROUNDWATER OR WELL***

	STORET NUMBER	TESTING INTERVAL (MONTHS)*	LAST TEST DATE (yyyy/mm/dd)	LAST RESULT REPORTED	NEXT TEST DATE (yyyy/mm)
REGULATED VOC					
STYRENE	77128	WAIVED			
TETRACHLOROETHYLENE	34475	WAIVED			
TOLUENE	34010	WAIVED			
TRANS-1,2-DICHLOROETHYLENE	34546	WAIVED			
TRICHLOROETHYLENE	39180	WAIVED			
TRICHLOROFLUOROMETHANE	34488	WAIVED			
VINYL CHLORIDE	39175	WAIVED			
XYLENES (TOTAL)	81551	WAIVED			
SECONDARY/GP					
AGGRSSIVE INDEX (CORROSIVITY)	82383	WAIVED			
BICARBONATE ALKALINITY	00440	000			DUE
CALCIUM	00916	000			DUE
CARBONATE ALKALINITY	00445	000			DUE
CHLORIDE	00940	WAIVED			
COLOR	00081	WAIVED			
COPPER	01042	WAIVED			
FOAMING AGENTS (MBAS)	38260	WAIVED			
HARDNESS (TOTAL) AS CACO3	00900	000			DUE
HYDROXIDE ALKALINITY	71830	000			DUE
IRON	01045	000			DUE
MAGNESIUM	00927	000			DUE
MANGANESE	01055	000			DUE
ODOR THRESHOLD @ 60 C	00086	WAIVED			
PH, LABORATORY	00403	000			DUE
SILVER	01077	WAIVED			
SODIUM	00929	000			DUE
SPECIFIC CONDUCTANCE	00095	WAIVED			
SULFATE	00945	WAIVED			
TOTAL DISSOLVED SOLIDS	70300	WAIVED			

**Testing interval is in months;*
0 = No data for this constituent and is DUE NOW
999 = Waived testing (not required)
I = Invalid (NOT) valid analyses reported

System Number: ***3105886***

System Name: ***ANTELOPE SPRINGS***

PS Code: ***3105886-001***

Source Name: ***WELL 01***

Source Number: ***001***

Source Status: ***ACTIVE UNTREATED***

Water type: ***GROUNDWATER OR WELL***

SECONDARY/GP	STORET NUMBER	TESTING INTERVAL (MONTHS)*	LAST TEST DATE (yyyy/mm/dd)	LAST RESULT REPORTED	NEXT TEST DATE (yyyy/mm)
TURBIDITY, LABORATORY	82079	WAIVED			
ZINC	01092	WAIVED			

**Testing interval is in months;*
0 = No data for this constituent and is DUE NOW
999 = Waived testing (not required)
I = Invalid (NOT) valid analyses reported

System Number: ***3105918***

System Name: ***RIDE TO WALK***

PS Code: ***3105918-001***

Source Name: ***WELL 01 DRILLED 1997***

Source Number: ***001***

Source Status: ***PURCHASED UNTREATED***

Water type: ***GROUNDWATER OR WELL***

	STORET NUMBER	TESTING INTERVAL (MONTHS)*	LAST TEST DATE (yyyy/mm/dd)	LAST RESULT REPORTED	NEXT TEST DATE (yyyy/mm)	
GENERAL NON CHAP 15						
DIAZINON	39570	WAIVED				
INORGANIC						
ALUMINUM	01105	WAIVED				
ANTIMONY	01097	WAIVED				
ARSENIC	01002	WAIVED				
ASBESTOS	81855	WAIVED				
BARIUM	01007	WAIVED				
BERYLLIUM	01012	WAIVED				
CADMIUM	01027	WAIVED				
CHROMIUM (TOTAL)	01034	WAIVED				
CYANIDE	01291	WAIVED				
FLUORIDE (F) (NATURAL-SOURCE)	00951	000				**DUE**
LEAD	01051	WAIVED				
MERCURY	71900	WAIVED				
NICKEL	01067	WAIVED				
PERCHLORATE	A-031	WAIVED				
SELENIUM	01147	WAIVED				
THALLIUM	01059	WAIVED				
NITRATE/NITRITE						
NITRATE (AS NO3)	71850	012	2011/04/05	.000	2012/04	
NITRITE (AS N)	00620	036	2009/05/06	.000	2012/05	
RADIOLOGICAL						
GROSS ALPHA	01501	WAIVED				
GROSS BETA	03501	WAIVED				
RA-226 FOR CWS OR TOTAL RA FOR NTNC BY 903.0	A-080	WAIVED				
RA-226 OR TOTAL RA BY 903.0 C.E.	A-081	WAIVED				
RADIUM 226	09501	WAIVED				
RADIUM 228	11501	WAIVED				

**Testing interval is in months;*
0 = No data for this constituent and is DUE NOW
999 = Waived testing (not required)
I = Invalid (NOT) valid analyses reported

System Number: ***3105918***

System Name: ***RIDE TO WALK***

PS Code: ***3105918-001***

Source Name: ***WELL 01 DRILLED 1997***

Source Number: ***001***

Source Status: ***PURCHASED UNTREATED***

Water type: ***GROUNDWATER OR WELL***

	STORET NUMBER	TESTING INTERVAL (MONTHS)*	LAST TEST DATE (yyyy/mm/dd)	LAST RESULT REPORTED	NEXT TEST DATE (yyyy/mm)
RADIOLOGICAL					
RADIUM, TOTAL, MDA95-NTNC ONLY, BY 903.0	A-082	WAIVED			
STRONTIUM-90	13501	WAIVED			
TRITIUM	07000	WAIVED			
URANIUM (PCI/L)	28012	WAIVED			
REGULATED SOC					
2,3,7,8-TCDD (DIOXIN)	34676	WAIVED			
2,4,5-TP (SILVEX)	39045	WAIVED			
2,4-D	39730	WAIVED			
ALACHLOR	77825	WAIVED			
ATRAZINE	39033	WAIVED			
BENTAZON	38710	WAIVED			
BENZO (A) PYRENE	34247	WAIVED			
CARBOFURAN	81405	WAIVED			
CHLORDANE	39350	WAIVED			
DALAPON	38432	WAIVED			
DI(2-ETHYLHEXYL)ADIPATE	A-026	WAIVED			
DI(2-ETHYLHEXYL)PHTHALATE	39100	WAIVED			
DIBROMOCHLOROPROPANE (DBCP)	38761	WAIVED			
DINOSEB	81287	WAIVED			
DIQUAT	78885	WAIVED			
ENDOTHALL	38926	WAIVED			
ENDRIN	39390	WAIVED			
ETHYLENE DIBROMIDE (EDB)	77651	WAIVED			
GLYPHOSATE	79743	WAIVED			
HEPTACHLOR	39410	WAIVED			
HEPTACHLOR EPOXIDE	39420	WAIVED			
HEXACHLOROBENZENE	39700	WAIVED			
HEXACHLOROCYCLOPENTADIENE	34386	WAIVED			
LINDANE	39340	WAIVED			

**Testing interval is in months;*
0 = No data for this constituent and is DUE NOW
999 = Waived testing (not required)
I = Invalid (NOT) valid analyses reported

System Number: ***3105918***

System Name: ***RIDE TO WALK***

PS Code: ***3105918-001***

Source Name: ***WELL 01 DRILLED 1997***

Source Number: ***001***

Source Status: ***PURCHASED UNTREATED***

Water type: ***GROUNDWATER OR WELL***

	STORET NUMBER	TESTING INTERVAL (MONTHS)*	LAST TEST DATE (yyyy/mm/dd)	LAST RESULT REPORTED	NEXT TEST DATE (yyyy/mm)
REGULATED SOC					
METHOXYCHLOR	39480	WAIVED			
MOLINATE	82199	WAIVED			
OXAMYL	38865	WAIVED			
PENTACHLOROPHENOL	39032	WAIVED			
PICLORAM	39720	WAIVED			
POLYCHLORINATED BIPHENYLS, TOTAL, AS DCB	39516	WAIVED			
SIMAZINE	39055	WAIVED			
THIOBENCARB	A-001	WAIVED			
TOXAPHENE	39400	WAIVED			
REGULATED VOC					
1,1,1-TRICHLOROETHANE	34506	WAIVED			
1,1,2,2-TETRACHLOROETHANE	34516	WAIVED			
1,1,2-TRICHLORO-1,2,2-TRIFLUOROETHANE	81611	WAIVED			
1,1,2-TRICHLOROETHANE	34511	WAIVED			
1,1-DICHLOROETHANE	34496	WAIVED			
1,1-DICHLOROETHYLENE	34501	WAIVED			
1,2,4-TRICHLOROBENZENE	34551	WAIVED			
1,2-DICHLOROBENZENE	34536	WAIVED			
1,2-DICHLOROETHANE	34531	WAIVED			
1,2-DICHLOROPROPANE	34541	WAIVED			
1,3-DICHLOROPROPENE (TOTAL)	34561	WAIVED			
1,4-DICHLOROBENZENE	34571	WAIVED			
BENZENE	34030	WAIVED			
CARBON TETRACHLORIDE	32102	WAIVED			
CIS-1,2-DICHLOROETHYLENE	77093	WAIVED			
DICHLOROMETHANE	34423	WAIVED			
ETHYLBENZENE	34371	WAIVED			
METHYL-TERT-BUTYL-ETHER (MTBE)	46491	WAIVED			
MONOCHLOROBENZENE	34301	WAIVED			

**Testing interval is in months;*
0 = No data for this constituent and is DUE NOW
999 = Waived testing (not required)
I = Invalid (NOT) valid analyses reported

System Number: ***3105918***

System Name: ***RIDE TO WALK***

PS Code: ***3105918-001***

Source Name: ***WELL 01 DRILLED 1997***

Source Number: ***001***

Source Status: ***PURCHASED UNTREATED***

Water type: ***GROUNDWATER OR WELL***

	STORET NUMBER	TESTING INTERVAL (MONTHS)*	LAST TEST DATE (yyyy/mm/dd)	LAST RESULT REPORTED	NEXT TEST DATE (yyyy/mm)
REGULATED VOC					
STYRENE	77128	WAIVED			
TETRACHLOROETHYLENE	34475	WAIVED			
TOLUENE	34010	WAIVED			
TRANS-1,2-DICHLOROETHYLENE	34546	WAIVED			
TRICHLOROETHYLENE	39180	WAIVED			
TRICHLOROFLUOROMETHANE	34488	WAIVED			
VINYL CHLORIDE	39175	WAIVED			
XYLENES (TOTAL)	81551	WAIVED			
SECONDARY/GP					
AGGRSSIVE INDEX (CORROSIVITY)	82383	WAIVED			
BICARBONATE ALKALINITY	00440	000			DUE
CALCIUM	00916	000			DUE
CARBONATE ALKALINITY	00445	000			DUE
CHLORIDE	00940	WAIVED			
COLOR	00081	WAIVED			
COPPER	01042	WAIVED			
FOAMING AGENTS (MBAS)	38260	WAIVED			
HARDNESS (TOTAL) AS CACO3	00900	000			DUE
HYDROXIDE ALKALINITY	71830	000			DUE
IRON	01045	000			DUE
MAGNESIUM	00927	000			DUE
MANGANESE	01055	000			DUE
ODOR THRESHOLD @ 60 C	00086	WAIVED			
PH, LABORATORY	00403	000			DUE
SILVER	01077	WAIVED			
SODIUM	00929	000			DUE
SPECIFIC CONDUCTANCE	00095	WAIVED			
SULFATE	00945	WAIVED			
TOTAL DISSOLVED SOLIDS	70300	WAIVED			

**Testing interval is in months;*
0 = No data for this constituent and is DUE NOW
999 = Waived testing (not required)
I = Invalid (NOT) valid analyses reported

System Number: ***3105918***

System Name: ***RIDE TO WALK***

PS Code: ***3105918-001***

Source Name: ***WELL 01 DRILLED 1997***

Source Number: ***001***

Source Status: ***PURCHASED UNTREATED***

Water type: ***GROUNDWATER OR WELL***

	STORET NUMBER	TESTING INTERVAL (MONTHS)*	LAST TEST DATE (yyyy/mm/dd)	LAST RESULT REPORTED	NEXT TEST DATE (yyyy/mm)
SECONDARY/GP					
TURBIDITY, LABORATORY	82079	WAIVED			
ZINC	01092	WAIVED			

**Testing interval is in months;*
0 = No data for this constituent and is DUE NOW
999 = Waived testing (not required)
I = Invalid (NOT) valid analyses reported

System Number: ***3106491***

System Name: ***JEHOVAH S WITNESS/VISTA CONG.***

PS Code: ***3106491-001***

Source Name: ***WELL 01 DRILLED 1997***

Source Number: ***001***

Source Status: ***ACTIVE UNTREATED***

Water type: ***GROUNDWATER OR WELL***

	STORET NUMBER	TESTING INTERVAL (MONTHS)*	LAST TEST DATE (yyyy/mm/dd)	LAST RESULT REPORTED	NEXT TEST DATE (yyyy/mm)	
GENERAL NON CHAP 15						
DIAZINON	39570	WAIVED				
INORGANIC						
ALUMINUM	01105	WAIVED				
ANTIMONY	01097	WAIVED				
ARSENIC	01002	WAIVED				
ASBESTOS	81855	WAIVED				
BARIUM	01007	WAIVED				
BERYLLIUM	01012	WAIVED				
CADMIUM	01027	WAIVED				
CHROMIUM (TOTAL)	01034	WAIVED				
CYANIDE	01291	WAIVED				
FLUORIDE (F) (NATURAL-SOURCE)	00951	000				**DUE**
LEAD	01051	WAIVED				
MERCURY	71900	WAIVED				
NICKEL	01067	WAIVED				
PERCHLORATE	A-031	WAIVED				
SELENIUM	01147	WAIVED				
THALLIUM	01059	WAIVED				
NITRATE/NITRITE						
NITRATE (AS NO3)	71850	012	2011/02/17	1.100	2012/02	**DUE**
NITRITE (AS N)	00620	036	2005/07/21	.000	2008/07	**DUE**
RADIOLOGICAL						
GROSS ALPHA	01501	WAIVED				
GROSS BETA	03501	WAIVED				
RA-226 FOR CWS OR TOTAL RA FOR NTNC BY 903.0	A-080	WAIVED				
RA-226 OR TOTAL RA BY 903.0 C.E.	A-081	WAIVED				
RADIUM 226	09501	WAIVED				
RADIUM 228	11501	WAIVED				

**Testing interval is in months;*
0 = No data for this constituent and is DUE NOW
999 = Waived testing (not required)
I = Invalid (NOT) valid analyses reported

System Number: ***3106491***

System Name: ***JEHOVAH S WITNESS/VISTA CONG.***

PS Code: ***3106491-001***

Source Name: ***WELL 01 DRILLED 1997***

Source Number: ***001***

Source Status: ***ACTIVE UNTREATED***

Water type: ***GROUNDWATER OR WELL***

	STORET NUMBER	TESTING INTERVAL (MONTHS)*	LAST TEST DATE (yyyy/mm/dd)	LAST RESULT REPORTED	NEXT TEST DATE (yyyy/mm)
RADIOLOGICAL					
RADIUM, TOTAL, MDA95-NTNC ONLY, BY 903.0	A-082	WAIVED			
STRONTIUM-90	13501	WAIVED			
TRITIUM	07000	WAIVED			
URANIUM (PCI/L)	28012	WAIVED			
REGULATED SOC					
2,3,7,8-TCDD (DIOXIN)	34676	WAIVED			
2,4,5-TP (SILVEX)	39045	WAIVED			
2,4-D	39730	WAIVED			
ALACHLOR	77825	WAIVED			
ATRAZINE	39033	WAIVED			
BENTAZON	38710	WAIVED			
BENZO (A) PYRENE	34247	WAIVED			
CARBOFURAN	81405	WAIVED			
CHLORDANE	39350	WAIVED			
DALAPON	38432	WAIVED			
DI(2-ETHYLHEXYL)ADIPATE	A-026	WAIVED			
DI(2-ETHYLHEXYL)PHTHALATE	39100	WAIVED			
DIBROMOCHLOROPROPANE (DBCP)	38761	WAIVED			
DINOSEB	81287	WAIVED			
DIQUAT	78885	WAIVED			
ENDOTHALL	38926	WAIVED			
ENDRIN	39390	WAIVED			
ETHYLENE DIBROMIDE (EDB)	77651	WAIVED			
GLYPHOSATE	79743	WAIVED			
HEPTACHLOR	39410	WAIVED			
HEPTACHLOR EPOXIDE	39420	WAIVED			
HEXACHLOROBENZENE	39700	WAIVED			
HEXACHLOROCYCLOPENTADIENE	34386	WAIVED			
LINDANE	39340	WAIVED			

**Testing interval is in months;*
0 = No data for this constituent and is DUE NOW
999 = Waived testing (not required)
I = Invalid (NOT) valid analyses reported

System Number: ***3106491***

System Name: ***JEHOVAH S WITNESS/VISTA CONG.***

PS Code: ***3106491-001***

Source Name: ***WELL 01 DRILLED 1997***

Source Number: ***001***

Source Status: ***ACTIVE UNTREATED***

Water type: ***GROUNDWATER OR WELL***

	STORET NUMBER	TESTING INTERVAL (MONTHS)*	LAST TEST DATE (yyyy/mm/dd)	LAST RESULT REPORTED	NEXT TEST DATE (yyyy/mm)
REGULATED SOC					
METHOXYCHLOR	39480	WAIVED			
MOLINATE	82199	WAIVED			
OXAMYL	38865	WAIVED			
PENTACHLOROPHENOL	39032	WAIVED			
PICLORAM	39720	WAIVED			
POLYCHLORINATED BIPHENYLS, TOTAL, AS DCB	39516	WAIVED			
SIMAZINE	39055	WAIVED			
THIOBENCARB	A-001	WAIVED			
TOXAPHENE	39400	WAIVED			
REGULATED VOC					
1,1,1-TRICHLOROETHANE	34506	WAIVED			
1,1,2,2-TETRACHLOROETHANE	34516	WAIVED			
1,1,2-TRICHLORO-1,2,2-TRIFLUOROETHANE	81611	WAIVED			
1,1,2-TRICHLOROETHANE	34511	WAIVED			
1,1-DICHLOROETHANE	34496	WAIVED			
1,1-DICHLOROETHYLENE	34501	WAIVED			
1,2,4-TRICHLOROBENZENE	34551	WAIVED			
1,2-DICHLOROBENZENE	34536	WAIVED			
1,2-DICHLOROETHANE	34531	WAIVED			
1,2-DICHLOROPROPANE	34541	WAIVED			
1,3-DICHLOROPROPENE (TOTAL)	34561	WAIVED			
1,4-DICHLOROBENZENE	34571	WAIVED			
BENZENE	34030	WAIVED			
CARBON TETRACHLORIDE	32102	WAIVED			
CIS-1,2-DICHLOROETHYLENE	77093	WAIVED			
DICHLOROMETHANE	34423	WAIVED			
ETHYLBENZENE	34371	WAIVED			
METHYL-TERT-BUTYL-ETHER (MTBE)	46491	WAIVED			
MONOCHLOROBENZENE	34301	WAIVED			

**Testing interval is in months;*
0 = No data for this constituent and is DUE NOW
999 = Waived testing (not required)
I = Invalid (NOT) valid analyses reported

System Number: ***3106491***

System Name: ***JEHOVAH S WITNESS/VISTA CONG.***

PS Code: ***3106491-001***

Source Name: ***WELL 01 DRILLED 1997***

Source Number: ***001***

Source Status: ***ACTIVE UNTREATED***

Water type: ***GROUNDWATER OR WELL***

	STORET NUMBER	TESTING INTERVAL (MONTHS)*	LAST TEST DATE (yyyy/mm/dd)	LAST RESULT REPORTED	NEXT TEST DATE (yyyy/mm)
REGULATED VOC					
STYRENE	77128	WAIVED			
TETRACHLOROETHYLENE	34475	WAIVED			
TOLUENE	34010	WAIVED			
TRANS-1,2-DICHLOROETHYLENE	34546	WAIVED			
TRICHLOROETHYLENE	39180	WAIVED			
TRICHLOROFLUOROMETHANE	34488	WAIVED			
VINYL CHLORIDE	39175	WAIVED			
XYLENES (TOTAL)	81551	WAIVED			
SECONDARY/GP					
AGGRSSIVE INDEX (CORROSIVITY)	82383	WAIVED			
BICARBONATE ALKALINITY	00440	000			DUE
CALCIUM	00916	000			DUE
CARBONATE ALKALINITY	00445	000			DUE
CHLORIDE	00940	WAIVED			
COLOR	00081	WAIVED			
COPPER	01042	WAIVED			
FOAMING AGENTS (MBAS)	38260	WAIVED			
HARDNESS (TOTAL) AS CACO3	00900	000			DUE
HYDROXIDE ALKALINITY	71830	000			DUE
IRON	01045	000			DUE
MAGNESIUM	00927	000			DUE
MANGANESE	01055	000			DUE
ODOR THRESHOLD @ 60 C	00086	WAIVED			
PH, LABORATORY	00403	000			DUE
SILVER	01077	WAIVED			
SODIUM	00929	000			DUE
SPECIFIC CONDUCTANCE	00095	WAIVED			
SULFATE	00945	WAIVED			
TOTAL DISSOLVED SOLIDS	70300	WAIVED			

**Testing interval is in months;*
0 = No data for this constituent and is DUE NOW
999 = Waived testing (not required)
I = Invalid (NOT) valid analyses reported

System Number: ***3106491***

System Name: ***JEHOVAH S WITNESS/VISTA CONG.***

PS Code: ***3106491-001***

Source Name: ***WELL 01 DRILLED 1997***

Source Number: ***001***

Source Status: ***ACTIVE UNTREATED***

Water type: ***GROUNDWATER OR WELL***

SECONDARY/GP

	STORET NUMBER	TESTING INTERVAL (MONTHS)*	LAST TEST DATE (yyyy/mm/dd)	LAST RESULT REPORTED	NEXT TEST DATE (yyyy/mm)
TURBIDITY, LABORATORY	82079	WAIVED			
ZINC	01092	WAIVED			

**Testing interval is in months;*
0 = No data for this constituent and is DUE NOW
999 = Waived testing (not required)
I = Invalid (NOT) valid analyses reported

System Number: ***3106501***

System Name: ***CISCO GROVE CAMPGROUND & RV PARK***

PS Code: ***3106501-001***

Source Name: ***WELL 01***

Source Number: ***001***

Source Status: ***ACTIVE UNTREATED***

Water type: ***GROUNDWATER OR WELL***

	STORET NUMBER	TESTING INTERVAL (MONTHS)*	LAST TEST DATE (yyyy/mm/dd)	LAST RESULT REPORTED	NEXT TEST DATE (yyyy/mm)	
GENERAL NON CHAP 15						
DIAZINON	39570	WAIVED				
INORGANIC						
ALUMINUM	01105	WAIVED				
ANTIMONY	01097	WAIVED				
ARSENIC	01002	WAIVED				
ASBESTOS	81855	WAIVED				
BARIUM	01007	WAIVED				
BERYLLIUM	01012	WAIVED				
CADMIUM	01027	WAIVED				
CHROMIUM (TOTAL)	01034	WAIVED				
CYANIDE	01291	WAIVED				
FLUORIDE (F) (NATURAL-SOURCE)	00951	000				DUE
LEAD	01051	WAIVED				
MERCURY	71900	WAIVED				
NICKEL	01067	WAIVED				
PERCHLORATE	A-031	WAIVED				
SELENIUM	01147	WAIVED				
THALLIUM	01059	WAIVED				
NITRATE/NITRITE						
NITRATE (AS NO3)	71850	012	2009/03/19	.000	2010/03	DUE
NITRITE (AS N)	00620	000				DUE
RADIOLOGICAL						
GROSS ALPHA	01501	WAIVED				
GROSS BETA	03501	WAIVED				
RA-226 FOR CWS OR TOTAL RA FOR NTNC BY 903.0	A-080	WAIVED				
RA-226 OR TOTAL RA BY 903.0 C.E.	A-081	WAIVED				
RADIUM 226	09501	WAIVED				
RADIUM 228	11501	WAIVED				

**Testing interval is in months;*
0 = No data for this constituent and is DUE NOW
999 = Waived testing (not required)
I = Invalid (NOT) valid analyses reported

System Number: ***3106501***

System Name: ***CISCO GROVE CAMPGROUND & RV PARK***

PS Code: ***3106501-001***

Source Name: ***WELL 01***

Source Number: ***001***

Source Status: ***ACTIVE UNTREATED***

Water type: ***GROUNDWATER OR WELL***

	STORET NUMBER	TESTING INTERVAL (MONTHS)*	LAST TEST DATE (yyyy/mm/dd)	LAST RESULT REPORTED	NEXT TEST DATE (yyyy/mm)
RADIOLOGICAL					
RADIUM, TOTAL, MDA95-NTNC ONLY, BY 903.0	A-082	WAIVED			
STRONTIUM-90	13501	WAIVED			
TRITIUM	07000	WAIVED			
URANIUM (PCI/L)	28012	WAIVED			
REGULATED SOC					
2,3,7,8-TCDD (DIOXIN)	34676	WAIVED			
2,4,5-TP (SILVEX)	39045	WAIVED			
2,4-D	39730	WAIVED			
ALACHLOR	77825	WAIVED			
ATRAZINE	39033	WAIVED			
BENTAZON	38710	WAIVED			
BENZO (A) PYRENE	34247	WAIVED			
CARBOFURAN	81405	WAIVED			
CHLORDANE	39350	WAIVED			
DALAPON	38432	WAIVED			
DI(2-ETHYLHEXYL)ADIPATE	A-026	WAIVED			
DI(2-ETHYLHEXYL)PHTHALATE	39100	WAIVED			
DIBROMOCHLOROPROPANE (DBCP)	38761	WAIVED			
DINOSEB	81287	WAIVED			
DIQUAT	78885	WAIVED			
ENDOTHALL	38926	WAIVED			
ENDRIN	39390	WAIVED			
ETHYLENE DIBROMIDE (EDB)	77651	WAIVED			
GLYPHOSATE	79743	WAIVED			
HEPTACHLOR	39410	WAIVED			
HEPTACHLOR EPOXIDE	39420	WAIVED			
HEXACHLOROBENZENE	39700	WAIVED			
HEXACHLOROCYCLOPENTADIENE	34386	WAIVED			
LINDANE	39340	WAIVED			

**Testing interval is in months;*
0 = No data for this constituent and is DUE NOW
999 = Waived testing (not required)
I = Invalid (NOT) valid analyses reported

System Number: ***3106501***

System Name: ***CISCO GROVE CAMPGROUND & RV PARK***

PS Code: ***3106501-001***

Source Name: ***WELL 01***

Source Number: ***001***

Source Status: ***ACTIVE UNTREATED***

Water type: ***GROUNDWATER OR WELL***

	STORET NUMBER	TESTING INTERVAL (MONTHS)*	LAST TEST DATE (yyyy/mm/dd)	LAST RESULT REPORTED	NEXT TEST DATE (yyyy/mm)
REGULATED SOC					
METHOXYCHLOR	39480	WAIVED			
MOLINATE	82199	WAIVED			
OXAMYL	38865	WAIVED			
PENTACHLOROPHENOL	39032	WAIVED			
PICLORAM	39720	WAIVED			
POLYCHLORINATED BIPHENYLS, TOTAL, AS DCB	39516	WAIVED			
SIMAZINE	39055	WAIVED			
THIOBENCARB	A-001	WAIVED			
TOXAPHENE	39400	WAIVED			
REGULATED VOC					
1,1,1-TRICHLOROETHANE	34506	WAIVED			
1,1,2,2-TETRACHLOROETHANE	34516	WAIVED			
1,1,2-TRICHLORO-1,2,2-TRIFLUOROETHANE	81611	WAIVED			
1,1,2-TRICHLOROETHANE	34511	WAIVED			
1,1-DICHLOROETHANE	34496	WAIVED			
1,1-DICHLOROETHYLENE	34501	WAIVED			
1,2,4-TRICHLOROBENZENE	34551	WAIVED			
1,2-DICHLOROBENZENE	34536	WAIVED			
1,2-DICHLOROETHANE	34531	WAIVED			
1,2-DICHLOROPROPANE	34541	WAIVED			
1,3-DICHLOROPROPENE (TOTAL)	34561	WAIVED			
1,4-DICHLOROBENZENE	34571	WAIVED			
BENZENE	34030	WAIVED			
CARBON TETRACHLORIDE	32102	WAIVED			
CIS-1,2-DICHLOROETHYLENE	77093	WAIVED			
DICHLOROMETHANE	34423	WAIVED			
ETHYLBENZENE	34371	WAIVED			
METHYL-TERT-BUTYL-ETHER (MTBE)	46491	WAIVED			
MONOCHLOROBENZENE	34301	WAIVED			

**Testing interval is in months;*
0 = No data for this constituent and is DUE NOW
999 = Waived testing (not required)
I = Invalid (NOT) valid analyses reported

System Number: ***3106501***

System Name: ***CISCO GROVE CAMPGROUND & RV PARK***

PS Code: ***3106501-001***

Source Name: ***WELL 01***

Source Number: ***001***

Source Status: ***ACTIVE UNTREATED***

Water type: ***GROUNDWATER OR WELL***

	STORET NUMBER	TESTING INTERVAL (MONTHS)*	LAST TEST DATE (yyyy/mm/dd)	LAST RESULT REPORTED	NEXT TEST DATE (yyyy/mm)
REGULATED VOC					
STYRENE	77128	WAIVED			
TETRACHLOROETHYLENE	34475	WAIVED			
TOLUENE	34010	WAIVED			
TRANS-1,2-DICHLOROETHYLENE	34546	WAIVED			
TRICHLOROETHYLENE	39180	WAIVED			
TRICHLOROFLUOROMETHANE	34488	WAIVED			
VINYL CHLORIDE	39175	WAIVED			
XYLENES (TOTAL)	81551	WAIVED			
SECONDARY/GP					
AGGRSSIVE INDEX (CORROSIVITY)	82383	WAIVED			
BICARBONATE ALKALINITY	00440	000			DUE
CALCIUM	00916	000			DUE
CARBONATE ALKALINITY	00445	000			DUE
CHLORIDE	00940	WAIVED			
COLOR	00081	WAIVED			
COPPER	01042	WAIVED			
FOAMING AGENTS (MBAS)	38260	WAIVED			
HARDNESS (TOTAL) AS CACO3	00900	000			DUE
HYDROXIDE ALKALINITY	71830	000			DUE
IRON	01045	000			DUE
MAGNESIUM	00927	000			DUE
MANGANESE	01055	000			DUE
ODOR THRESHOLD @ 60 C	00086	WAIVED			
PH, LABORATORY	00403	000			DUE
SILVER	01077	WAIVED			
SODIUM	00929	000			DUE
SPECIFIC CONDUCTANCE	00095	WAIVED			
SULFATE	00945	WAIVED			
TOTAL DISSOLVED SOLIDS	70300	WAIVED			

**Testing interval is in months;*
0 = No data for this constituent and is DUE NOW
999 = Waived testing (not required)
I = Invalid (NOT) valid analyses reported

System Number: ***3106501***

System Name: ***CISCO GROVE CAMPGROUND & RV PARK***

	STORET NUMBER	TESTING INTERVAL (MONTHS)*	LAST TEST DATE (yyyy/mm/dd)	LAST RESULT REPORTED	NEXT TEST DATE (yyyy/mm)

PS Code: ***3106501-001***

Source Name: ***WELL 01***

Source Number: ***001***

Source Status: ***ACTIVE UNTREATED***

Water type: ***GROUNDWATER OR WELL***

SECONDARY/GP

TURBIDITY, LABORATORY	82079	WAIVED			
ZINC	01092	WAIVED			

PS Code: ***3106501-002***

Source Name: ***WELL 02***

Source Number: ***002***

Source Status: ***ACTIVE UNTREATED***

Water type: ***GROUNDWATER OR WELL***

GENERAL NON CHAP 15

DIAZINON	39570	WAIVED			

INORGANIC

ALUMINUM	01105	WAIVED			
ANTIMONY	01097	WAIVED			
ARSENIC	01002	WAIVED			
ASBESTOS	81855	WAIVED			
BARIUM	01007	WAIVED			
BERYLLIUM	01012	WAIVED			
CADMIUM	01027	WAIVED			
CHROMIUM (TOTAL)	01034	WAIVED			
CYANIDE	01291	WAIVED			
FLUORIDE (F) (NATURAL-SOURCE)	00951	000			**DUE**
LEAD	01051	WAIVED			
MERCURY	71900	WAIVED			
NICKEL	01067	WAIVED			
PERCHLORATE	A-031	WAIVED			
SELENIUM	01147	WAIVED			
THALLIUM	01059	WAIVED			

**Testing interval is in months;*
0 = No data for this constituent and is DUE NOW
999 = Waived testing (not required)
I = Invalid (NOT) valid analyses reported

System Number: ***3106501***

System Name: ***CISCO GROVE CAMPGROUND & RV PARK***

PS Code: ***3106501-002***

Source Name: ***WELL 02***

Source Number: ***002***

Source Status: ***ACTIVE UNTREATED***

Water type: ***GROUNDWATER OR WELL***

	STORET NUMBER	TESTING INTERVAL (MONTHS)*	LAST TEST DATE (yyyy/mm/dd)	LAST RESULT REPORTED	NEXT TEST DATE (yyyy/mm)
NITRATE/NITRITE					
NITRATE (AS NO3)	71850	000			DUE
NITRITE (AS N)	00620	000			DUE
RADIOLOGICAL					
GROSS ALPHA	01501	WAIVED			
GROSS BETA	03501	WAIVED			
RA-226 FOR CWS OR TOTAL RA FOR NTNC BY 903.0	A-080	WAIVED			
RA-226 OR TOTAL RA BY 903.0 C.E.	A-081	WAIVED			
RADIUM 226	09501	WAIVED			
RADIUM 228	11501	WAIVED			
RADIUM, TOTAL, MDA95-NTNC ONLY, BY 903.0	A-082	WAIVED			
STRONTIUM-90	13501	WAIVED			
TRITIUM	07000	WAIVED			
URANIUM (PCI/L)	28012	WAIVED			
REGULATED SOC					
2,3,7,8-TCDD (DIOXIN)	34676	WAIVED			
2,4,5-TP (SILVEX)	39045	WAIVED			
2,4-D	39730	WAIVED			
ALACHLOR	77825	WAIVED			
ATRAZINE	39033	WAIVED			
BENTAZON	38710	WAIVED			
BENZO (A) PYRENE	34247	WAIVED			
CARBOFURAN	81405	WAIVED			
CHLORDANE	39350	WAIVED			
DALAPON	38432	WAIVED			
DI(2-ETHYLHEXYL)ADIPATE	A-026	WAIVED			
DI(2-ETHYLHEXYL)PHTHALATE	39100	WAIVED			
DIBROMOCHLOROPROPANE (DBCP)	38761	WAIVED			
DINOSEB	81287	WAIVED			
DIQUAT	78885	WAIVED			

**Testing interval is in months;*
0 = No data for this constituent and is DUE NOW
999 = Waived testing (not required)
I = Invalid (NOT) valid analyses reported

System Number: ***3106501***

System Name: ***CISCO GROVE CAMPGROUND & RV PARK***

PS Code: ***3106501-002***

Source Name: ***WELL 02***

Source Number: ***002***

Source Status: ***ACTIVE UNTREATED***

Water type: ***GROUNDWATER OR WELL***

	STORET NUMBER	TESTING INTERVAL (MONTHS)*	LAST TEST DATE (yyyy/mm/dd)	LAST RESULT REPORTED	NEXT TEST DATE (yyyy/mm)
REGULATED SOC					
ENDOTHALL	38926	WAIVED			
ENDRIN	39390	WAIVED			
ETHYLENE DIBROMIDE (EDB)	77651	WAIVED			
GLYPHOSATE	79743	WAIVED			
HEPTACHLOR	39410	WAIVED			
HEPTACHLOR EPOXIDE	39420	WAIVED			
HEXACHLOROBENZENE	39700	WAIVED			
HEXACHLOROCYCLOPENTADIENE	34386	WAIVED			
LINDANE	39340	WAIVED			
METHOXYCHLOR	39480	WAIVED			
MOLINATE	82199	WAIVED			
OXAMYL	38865	WAIVED			
PENTACHLOROPHENOL	39032	WAIVED			
PICLORAM	39720	WAIVED			
POLYCHLORINATED BIPHENYLS, TOTAL, AS DCB	39516	WAIVED			
SIMAZINE	39055	WAIVED			
THIOBENCARB	A-001	WAIVED			
TOXAPHENE	39400	WAIVED			
REGULATED VOC					
1,1,1-TRICHLOROETHANE	34506	WAIVED			
1,1,2,2-TETRACHLOROETHANE	34516	WAIVED			
1,1,2-TRICHLORO-1,2,2-TRIFLUOROETHANE	81611	WAIVED			
1,1,2-TRICHLOROETHANE	34511	WAIVED			
1,1-DICHLOROETHANE	34496	WAIVED			
1,1-DICHLOROETHYLENE	34501	WAIVED			
1,2,4-TRICHLOROBENZENE	34551	WAIVED			
1,2-DICHLOROBENZENE	34536	WAIVED			
1,2-DICHLOROETHANE	34531	WAIVED			
1,2-DICHLOROPROPANE	34541	WAIVED			

**Testing interval is in months;*
0 = No data for this constituent and is DUE NOW
999 = Waived testing (not required)
I = Invalid (NOT) valid analyses reported

System Number: ***3106501***

System Name: ***CISCO GROVE CAMPGROUND & RV PARK***

PS Code: ***3106501-002***

Source Name: ***WELL 02***

Source Number: ***002***

Source Status: ***ACTIVE UNTREATED***

Water type: ***GROUNDWATER OR WELL***

	STORET NUMBER	TESTING INTERVAL (MONTHS)*	LAST TEST DATE (yyyy/mm/dd)	LAST RESULT REPORTED	NEXT TEST DATE (yyyy/mm)
REGULATED VOC					
1,3-DICHLOROPROPENE (TOTAL)	34561	WAIVED			
1,4-DICHLOROBENZENE	34571	WAIVED			
BENZENE	34030	WAIVED			
CARBON TETRACHLORIDE	32102	WAIVED			
CIS-1,2-DICHLOROETHYLENE	77093	WAIVED			
DICHLOROMETHANE	34423	WAIVED			
ETHYLBENZENE	34371	WAIVED			
METHYL-TERT-BUTYL-ETHER (MTBE)	46491	WAIVED			
MONOCHLOROBENZENE	34301	WAIVED			
STYRENE	77128	WAIVED			
TETRACHLOROETHYLENE	34475	WAIVED			
TOLUENE	34010	WAIVED			
TRANS-1,2-DICHLOROETHYLENE	34546	WAIVED			
TRICHLOROETHYLENE	39180	WAIVED			
TRICHLOROFLUOROMETHANE	34488	WAIVED			
VINYL CHLORIDE	39175	WAIVED			
XYLENES (TOTAL)	81551	WAIVED			
SECONDARY/GP					
AGGRSSIVE INDEX (CORROSIVITY)	82383	WAIVED			
BICARBONATE ALKALINITY	00440	000			DUE
CALCIUM	00916	000			DUE
CARBONATE ALKALINITY	00445	000			DUE
CHLORIDE	00940	WAIVED			
COLOR	00081	WAIVED			
COPPER	01042	WAIVED			
FOAMING AGENTS (MBAS)	38260	WAIVED			
HARDNESS (TOTAL) AS CACO3	00900	000			DUE
HYDROXIDE ALKALINITY	71830	000			DUE
IRON	01045	000			DUE

**Testing interval is in months;*
0 = No data for this constituent and is DUE NOW
999 = Waived testing (not required)
I = Invalid (NOT) valid analyses reported

System Number: ***3106501***

System Name: ***CISCO GROVE CAMPGROUND & RV PARK***

PS Code: ***3106501-002***

Source Name: ***WELL 02***

Source Number: ***002***

Source Status: ***ACTIVE UNTREATED***

Water type: ***GROUNDWATER OR WELL***

SECONDARY/GP

	STORET NUMBER	TESTING INTERVAL (MONTHS)*	LAST TEST DATE (yyyy/mm/dd)	LAST RESULT REPORTED	NEXT TEST DATE (yyyy/mm)
MAGNESIUM	00927	000			DUE
MANGANESE	01055	000			DUE
ODOR THRESHOLD @ 60 C	00086	WAIVED			
PH, LABORATORY	00403	000			DUE
SILVER	01077	WAIVED			
SODIUM	00929	000			DUE
SPECIFIC CONDUCTANCE	00095	WAIVED			
SULFATE	00945	WAIVED			
TOTAL DISSOLVED SOLIDS	70300	WAIVED			
TURBIDITY, LABORATORY	82079	WAIVED			
ZINC	01092	WAIVED			

PS Code: ***3106501-003***

Source Name: ***WELL 03***

Source Number: ***003***

Source Status: ***ACTIVE UNTREATED***

Water type: ***GROUNDWATER OR WELL***

GENERAL NON CHAP 15

DIAZINON	39570	WAIVED			

INORGANIC

ALUMINUM	01105	WAIVED			
ANTIMONY	01097	WAIVED			
ARSENIC	01002	WAIVED			
ASBESTOS	81855	WAIVED			
BARIUM	01007	WAIVED			
BERYLLIUM	01012	WAIVED			
CADMIUM	01027	WAIVED			
CHROMIUM (TOTAL)	01034	WAIVED			
CYANIDE	01291	WAIVED			

**Testing interval is in months;*
0 = No data for this constituent and is DUE NOW
999 = Waived testing (not required)
I = Invalid (NOT) valid analyses reported

System Number: ***3106501***

System Name: ***CISCO GROVE CAMPGROUND & RV PARK***

PS Code: ***3106501-003***

Source Name: ***WELL 03***

Source Number: ***003***

Source Status: ***ACTIVE UNTREATED***

Water type: ***GROUNDWATER OR WELL***

	STORET NUMBER	TESTING INTERVAL (MONTHS)*	LAST TEST DATE (yyyy/mm/dd)	LAST RESULT REPORTED	NEXT TEST DATE (yyyy/mm)
INORGANIC					
FLUORIDE (F) (NATURAL-SOURCE)	00951	000			DUE
LEAD	01051	WAIVED			
MERCURY	71900	WAIVED			
NICKEL	01067	WAIVED			
PERCHLORATE	A-031	WAIVED			
SELENIUM	01147	WAIVED			
THALLIUM	01059	WAIVED			
NITRATE/NITRITE					
NITRATE (AS NO3)	71850	000			DUE
NITRITE (AS N)	00620	000			DUE
RADIOLOGICAL					
GROSS ALPHA	01501	WAIVED			
GROSS BETA	03501	WAIVED			
RA-226 FOR CWS OR TOTAL RA FOR NTNC BY 903.0	A-080	WAIVED			
RA-226 OR TOTAL RA BY 903.0 C.E.	A-081	WAIVED			
RADIUM 226	09501	WAIVED			
RADIUM 228	11501	WAIVED			
RADIUM, TOTAL, MDA95-NTNC ONLY, BY 903.0	A-082	WAIVED			
STRONTIUM-90	13501	WAIVED			
TRITIUM	07000	WAIVED			
URANIUM (PCI/L)	28012	WAIVED			
REGULATED SOC					
2,3,7,8-TCDD (DIOXIN)	34676	WAIVED			
2,4,5-TP (SILVEX)	39045	WAIVED			
2,4-D	39730	WAIVED			
ALACHLOR	77825	WAIVED			
ATRAZINE	39033	WAIVED			
BENTAZON	38710	WAIVED			

**Testing interval is in months;*
0 = No data for this constituent and is DUE NOW
999 = Waived testing (not required)
I = Invalid (NOT) valid analyses reported

System Number: ***3106501***

System Name: ***CISCO GROVE CAMPGROUND & RV PARK***

PS Code: ***3106501-003***

Source Name: ***WELL 03***

Source Number: ***003***

Source Status: ***ACTIVE UNTREATED***

Water type: ***GROUNDWATER OR WELL***

	STORET NUMBER	TESTING INTERVAL (MONTHS)*	LAST TEST DATE (yyyy/mm/dd)	LAST RESULT REPORTED	NEXT TEST DATE (yyyy/mm)
REGULATED SOC					
BENZO (A) PYRENE	34247	WAIVED			
CARBOFURAN	81405	WAIVED			
CHLORDANE	39350	WAIVED			
DALAPON	38432	WAIVED			
DI(2-ETHYLHEXYL)ADIPATE	A-026	WAIVED			
DI(2-ETHYLHEXYL)PHTHALATE	39100	WAIVED			
DIBROMOCHLOROPROPANE (DBCP)	38761	WAIVED			
DINOSEB	81287	WAIVED			
DIQUAT	78885	WAIVED			
ENDOTHALL	38926	WAIVED			
ENDRIN	39390	WAIVED			
ETHYLENE DIBROMIDE (EDB)	77651	WAIVED			
GLYPHOSATE	79743	WAIVED			
HEPTACHLOR	39410	WAIVED			
HEPTACHLOR EPOXIDE	39420	WAIVED			
HEXACHLOROBENZENE	39700	WAIVED			
HEXACHLOROCYCLOPENTADIENE	34386	WAIVED			
LINDANE	39340	WAIVED			
METHOXYCHLOR	39480	WAIVED			
MOLINATE	82199	WAIVED			
OXAMYL	38865	WAIVED			
PENTACHLOROPHENOL	39032	WAIVED			
PICLORAM	39720	WAIVED			
POLYCHLORINATED BIPHENYLS, TOTAL, AS DCB	39516	WAIVED			
SIMAZINE	39055	WAIVED			
THIOBENCARB	A-001	WAIVED			
TOXAPHENE	39400	WAIVED			
REGULATED VOC					
1,1,1-TRICHLOROETHANE	34506	WAIVED			

**Testing interval is in months;*
0 = No data for this constituent and is DUE NOW
999 = Waived testing (not required)
I = Invalid (NOT) valid analyses reported

System Number: ***3106501***

System Name: ***CISCO GROVE CAMPGROUND & RV PARK***

PS Code: ***3106501-003***

Source Name: ***WELL 03***

Source Number: ***003***

Source Status: ***ACTIVE UNTREATED***

Water type: ***GROUNDWATER OR WELL***

	STORET NUMBER	TESTING INTERVAL (MONTHS)*	LAST TEST DATE (yyyy/mm/dd)	LAST RESULT REPORTED	NEXT TEST DATE (yyyy/mm)
REGULATED VOC					
1,1,2,2-TETRACHLOROETHANE	34516	WAIVED			
1,1,2-TRICHLORO-1,2,2-TRIFLUOROETHANE	81611	WAIVED			
1,1,2-TRICHLOROETHANE	34511	WAIVED			
1,1-DICHLOROETHANE	34496	WAIVED			
1,1-DICHLOROETHYLENE	34501	WAIVED			
1,2,4-TRICHLOROBENZENE	34551	WAIVED			
1,2-DICHLOROBENZENE	34536	WAIVED			
1,2-DICHLOROETHANE	34531	WAIVED			
1,2-DICHLOROPROPANE	34541	WAIVED			
1,3-DICHLOROPROPENE (TOTAL)	34561	WAIVED			
1,4-DICHLOROBENZENE	34571	WAIVED			
BENZENE	34030	WAIVED			
CARBON TETRACHLORIDE	32102	WAIVED			
CIS-1,2-DICHLOROETHYLENE	77093	WAIVED			
DICHLOROMETHANE	34423	WAIVED			
ETHYLBENZENE	34371	WAIVED			
METHYL-TERT-BUTYL-ETHER (MTBE)	46491	WAIVED			
MONOCHLOROBENZENE	34301	WAIVED			
STYRENE	77128	WAIVED			
TETRACHLOROETHYLENE	34475	WAIVED			
TOLUENE	34010	WAIVED			
TRANS-1,2-DICHLOROETHYLENE	34546	WAIVED			
TRICHLOROETHYLENE	39180	WAIVED			
TRICHLOROFLUOROMETHANE	34488	WAIVED			
VINYL CHLORIDE	39175	WAIVED			
XYLENES (TOTAL)	81551	WAIVED			
SECONDARY/GP					
AGGRSSIVE INDEX (CORROSIVITY)	82383	WAIVED			
BICARBONATE ALKALINITY	00440	000			**DUE**

**Testing interval is in months;*
0 = No data for this constituent and is DUE NOW
999 = Waived testing (not required)
I = Invalid (NOT) valid analyses reported

System Number: ***3106501***

System Name: ***CISCO GROVE CAMPGROUND & RV PARK***

PS Code: ***3106501-003***

Source Name: ***WELL 03***

Source Number: ***003***

Source Status: ***ACTIVE UNTREATED***

Water type: ***GROUNDWATER OR WELL***

SECONDARY/GP

	STORET NUMBER	TESTING INTERVAL (MONTHS)*	LAST TEST DATE (yyyy/mm/dd)	LAST RESULT REPORTED	NEXT TEST DATE (yyyy/mm)
CALCIUM	00916	000			DUE
CARBONATE ALKALINITY	00445	000			DUE
CHLORIDE	00940	WAIVED			
COLOR	00081	WAIVED			
COPPER	01042	WAIVED			
FOAMING AGENTS (MBAS)	38260	WAIVED			
HARDNESS (TOTAL) AS CACO3	00900	000			DUE
HYDROXIDE ALKALINITY	71830	000			DUE
IRON	01045	000			DUE
MAGNESIUM	00927	000			DUE
MANGANESE	01055	000			DUE
ODOR THRESHOLD @ 60 C	00086	WAIVED			
PH, LABORATORY	00403	000			DUE
SILVER	01077	WAIVED			
SODIUM	00929	000			DUE
SPECIFIC CONDUCTANCE	00095	WAIVED			
SULFATE	00945	WAIVED			
TOTAL DISSOLVED SOLIDS	70300	WAIVED			
TURBIDITY, LABORATORY	82079	WAIVED			
ZINC	01092	WAIVED			

PS Code: ***3106501-004***

Source Name: ***WELL 04***

Source Number: ***004***

Source Status: ***ACTIVE UNTREATED***

Water type: ***GROUNDWATER OR WELL***

GENERAL NON CHAP 15

DIAZINON	39570	WAIVED			

**Testing interval is in months;*
0 = No data for this constituent and is DUE NOW
999 = Waived testing (not required)
I = Invalid (NOT) valid analyses reported

System Number: ***3106501***

System Name: ***CISCO GROVE CAMPGROUND & RV PARK***

PS Code: ***3106501-004***

Source Name: ***WELL 04***

Source Number: ***004***

Source Status: ***ACTIVE UNTREATED***

Water type: ***GROUNDWATER OR WELL***

	STORET NUMBER	TESTING INTERVAL (MONTHS)*	LAST TEST DATE (yyyy/mm/dd)	LAST RESULT REPORTED	NEXT TEST DATE (yyyy/mm)
INORGANIC					
ALUMINUM	01105	WAIVED			
ANTIMONY	01097	WAIVED			
ARSENIC	01002	WAIVED			
ASBESTOS	81855	WAIVED			
BARIUM	01007	WAIVED			
BERYLLIUM	01012	WAIVED			
CADMIUM	01027	WAIVED			
CHROMIUM (TOTAL)	01034	WAIVED			
CYANIDE	01291	WAIVED			
FLUORIDE (F) (NATURAL-SOURCE)	00951	000			DUE
LEAD	01051	WAIVED			
MERCURY	71900	WAIVED			
NICKEL	01067	WAIVED			
PERCHLORATE	A-031	WAIVED			
SELENIUM	01147	WAIVED			
THALLIUM	01059	WAIVED			
NITRATE/NITRITE					
NITRATE (AS NO3)	71850	000			DUE
NITRITE (AS N)	00620	000			DUE
RADIOLOGICAL					
GROSS ALPHA	01501	WAIVED			
GROSS BETA	03501	WAIVED			
RA-226 FOR CWS OR TOTAL RA FOR NTNC BY 903.0	A-080	WAIVED			
RA-226 OR TOTAL RA BY 903.0 C.E.	A-081	WAIVED			
RADIUM 226	09501	WAIVED			
RADIUM 228	11501	WAIVED			
RADIUM, TOTAL, MDA95-NTNC ONLY, BY 903.0	A-082	WAIVED			
STRONTIUM-90	13501	WAIVED			
TRITIUM	07000	WAIVED			

**Testing interval is in months;*
0 = No data for this constituent and is DUE NOW
999 = Waived testing (not required)
I = Invalid (NOT) valid analyses reported

System Number: ***3106501***

System Name: ***CISCO GROVE CAMPGROUND & RV PARK***

PS Code: ***3106501-004***

Source Name: ***WELL 04***

Source Number: ***004***

Source Status: ***ACTIVE UNTREATED***

Water type: ***GROUNDWATER OR WELL***

	STORET NUMBER	TESTING INTERVAL (MONTHS)*	LAST TEST DATE (yyyy/mm/dd)	LAST RESULT REPORTED	NEXT TEST DATE (yyyy/mm)
RADIOLOGICAL					
URANIUM (PCI/L)	28012	WAIVED			
REGULATED SOC					
2,3,7,8-TCDD (DIOXIN)	34676	WAIVED			
2,4,5-TP (SILVEX)	39045	WAIVED			
2,4-D	39730	WAIVED			
ALACHLOR	77825	WAIVED			
ATRAZINE	39033	WAIVED			
BENTAZON	38710	WAIVED			
BENZO (A) PYRENE	34247	WAIVED			
CARBOFURAN	81405	WAIVED			
CHLORDANE	39350	WAIVED			
DALAPON	38432	WAIVED			
DI(2-ETHYLHEXYL)ADIPATE	A-026	WAIVED			
DI(2-ETHYLHEXYL)PHTHALATE	39100	WAIVED			
DIBROMOCHLOROPROPANE (DBCP)	38761	WAIVED			
DINOSEB	81287	WAIVED			
DIQUAT	78885	WAIVED			
ENDOTHALL	38926	WAIVED			
ENDRIN	39390	WAIVED			
ETHYLENE DIBROMIDE (EDB)	77651	WAIVED			
GLYPHOSATE	79743	WAIVED			
HEPTACHLOR	39410	WAIVED			
HEPTACHLOR EPOXIDE	39420	WAIVED			
HEXACHLOROBENZENE	39700	WAIVED			
HEXACHLOROCYCLOPENTADIENE	34386	WAIVED			
LINDANE	39340	WAIVED			
METHOXYCHLOR	39480	WAIVED			
MOLINATE	82199	WAIVED			
OXAMYL	38865	WAIVED			

**Testing interval is in months;*
0 = No data for this constituent and is DUE NOW
999 = Waived testing (not required)
I = Invalid (NOT) valid analyses reported

System Number: ***3106501***

System Name: ***CISCO GROVE CAMPGROUND & RV PARK***

PS Code: ***3106501-004***

Source Name: ***WELL 04***

Source Number: ***004***

Source Status: ***ACTIVE UNTREATED***

Water type: ***GROUNDWATER OR WELL***

	STORET NUMBER	TESTING INTERVAL (MONTHS)*	LAST TEST DATE (yyyy/mm/dd)	LAST RESULT REPORTED	NEXT TEST DATE (yyyy/mm)
REGULATED SOC					
PENTACHLOROPHENOL	39032	WAIVED			
PICLORAM	39720	WAIVED			
POLYCHLORINATED BIPHENYLS, TOTAL, AS DCB	39516	WAIVED			
SIMAZINE	39055	WAIVED			
THIOBENCARB	A-001	WAIVED			
TOXAPHENE	39400	WAIVED			
REGULATED VOC					
1,1,1-TRICHLOROETHANE	34506	WAIVED			
1,1,2,2-TETRACHLOROETHANE	34516	WAIVED			
1,1,2-TRICHLORO-1,2,2-TRIFLUOROETHANE	81611	WAIVED			
1,1,2-TRICHLOROETHANE	34511	WAIVED			
1,1-DICHLOROETHANE	34496	WAIVED			
1,1-DICHLOROETHYLENE	34501	WAIVED			
1,2,4-TRICHLOROBENZENE	34551	WAIVED			
1,2-DICHLOROBENZENE	34536	WAIVED			
1,2-DICHLOROETHANE	34531	WAIVED			
1,2-DICHLOROPROPANE	34541	WAIVED			
1,3-DICHLOROPROPENE (TOTAL)	34561	WAIVED			
1,4-DICHLOROBENZENE	34571	WAIVED			
BENZENE	34030	WAIVED			
CARBON TETRACHLORIDE	32102	WAIVED			
CIS-1,2-DICHLOROETHYLENE	77093	WAIVED			
DICHLOROMETHANE	34423	WAIVED			
ETHYLBENZENE	34371	WAIVED			
METHYL-TERT-BUTYL-ETHER (MTBE)	46491	WAIVED			
MONOCHLOROBENZENE	34301	WAIVED			
STYRENE	77128	WAIVED			
TETRACHLOROETHYLENE	34475	WAIVED			
TOLUENE	34010	WAIVED			

**Testing interval is in months;*
0 = No data for this constituent and is DUE NOW
999 = Waived testing (not required)
I = Invalid (NOT) valid analyses reported

System Number: ***3106501***

System Name: ***CISCO GROVE CAMPGROUND & RV PARK***

PS Code: ***3106501-004***

Source Name: ***WELL 04***

Source Number: ***004***

Source Status: ***ACTIVE UNTREATED***

Water type: ***GROUNDWATER OR WELL***

	STORET NUMBER	TESTING INTERVAL (MONTHS)*	LAST TEST DATE (yyyy/mm/dd)	LAST RESULT REPORTED	NEXT TEST DATE (yyyy/mm)
REGULATED VOC					
TRANS-1,2-DICHLOROETHYLENE	34546	WAIVED			
TRICHLOROETHYLENE	39180	WAIVED			
TRICHLOROFLUOROMETHANE	34488	WAIVED			
VINYL CHLORIDE	39175	WAIVED			
XYLENES (TOTAL)	81551	WAIVED			
SECONDARY/GP					
AGGRSSIVE INDEX (CORROSIVITY)	82383	WAIVED			
BICARBONATE ALKALINITY	00440	000			DUE
CALCIUM	00916	000			DUE
CARBONATE ALKALINITY	00445	000			DUE
CHLORIDE	00940	WAIVED			
COLOR	00081	WAIVED			
COPPER	01042	WAIVED			
FOAMING AGENTS (MBAS)	38260	WAIVED			
HARDNESS (TOTAL) AS CACO3	00900	000			DUE
HYDROXIDE ALKALINITY	71830	000			DUE
IRON	01045	000			DUE
MAGNESIUM	00927	000			DUE
MANGANESE	01055	000			DUE
ODOR THRESHOLD @ 60 C	00086	WAIVED			
PH, LABORATORY	00403	000			DUE
SILVER	01077	WAIVED			
SODIUM	00929	000			DUE
SPECIFIC CONDUCTANCE	00095	WAIVED			
SULFATE	00945	WAIVED			
TOTAL DISSOLVED SOLIDS	70300	WAIVED			
TURBIDITY, LABORATORY	82079	WAIVED			
ZINC	01092	WAIVED			

**Testing interval is in months;*
0 = No data for this constituent and is DUE NOW
999 = Waived testing (not required)
I = Invalid (NOT) valid analyses reported

System Number: ***3106937***

System Name: ***LOOMIS LAND INC SENIOR CARE VILLA WATER***

PS Code: ***3106937-001***

Source Name: ***WELL 01 DRILLED 1998***

Source Number: ***001***

Source Status: ***ACTIVE UNTREATED***

Water type: ***GROUNDWATER OR WELL***

	STORET NUMBER	TESTING INTERVAL (MONTHS)*	LAST TEST DATE (yyyy/mm/dd)	LAST RESULT REPORTED	NEXT TEST DATE (yyyy/mm)	
GENERAL NON CHAP 15						
DIAZINON	39570	WAIVED				
INORGANIC						
ALUMINUM	01105	036	2011/03/31	.000	2014/03	
ANTIMONY	01097	036	2011/03/31	.000	2014/03	
ARSENIC	01002	036	2011/03/31	8.200	2014/03	
ASBESTOS	81855	WAIVED				
BARIUM	01007	036	2011/03/31	.000	2014/03	
BERYLLIUM	01012	036	2011/03/31	.000	2014/03	
CADMIUM	01027	036	2011/03/31	.000	2014/03	
CHROMIUM (TOTAL)	01034	036	2011/03/31	.000	2014/03	
CYANIDE	01291	WAIVED				
FLUORIDE (F) (NATURAL-SOURCE)	00951	036	2011/03/31	.200	2014/03	
LEAD	01051	WAIVED	2011/03/31	.000		
MERCURY	71900	036	2011/03/31	.000	2014/03	
NICKEL	01067	036	2011/03/31	.000	2014/03	
PERCHLORATE	A-031	036	**2008/07/28**	< 4.000	**2011/07**	**DUE**
SELENIUM	01147	036	2011/03/31	.000	2014/03	
THALLIUM	01059	036	2011/03/31	.000	2014/03	
NITRATE/NITRITE						
NITRATE (AS NO3)	71850	012	2011/12/27	5.260	2012/12	
NITRITE (AS N)	00620	036	2011/03/31	.000	2014/03	
RADIOLOGICAL						
GROSS ALPHA	01501	003				**DUE**
GROSS BETA	03501	WAIVED				
RA-226 FOR CWS OR TOTAL RA FOR NTNC BY 903.0	A-080	WAIVED				
RA-226 OR TOTAL RA BY 903.0 C.E.	A-081	WAIVED				
RADIUM 226	09501	WAIVED				
RADIUM 228	11501	WAIVED				

**Testing interval is in months;*
0 = No data for this constituent and is DUE NOW
999 = Waived testing (not required)
I = Invalid (NOT) valid analyses reported

System Number: ***3106937***

System Name: ***LOOMIS LAND INC SENIOR CARE VILLA WATER***

PS Code: ***3106937-001***

Source Name: ***WELL 01 DRILLED 1998***

Source Number: ***001***

Source Status: ***ACTIVE UNTREATED***

Water type: ***GROUNDWATER OR WELL***

	STORET NUMBER	TESTING INTERVAL (MONTHS)*	LAST TEST DATE (yyyy/mm/dd)	LAST RESULT REPORTED	NEXT TEST DATE (yyyy/mm)
RADIOLOGICAL					
RADIUM, TOTAL, MDA95-NTNC ONLY, BY 903.0	A-082	WAIVED			
STRONTIUM-90	13501	WAIVED			
TRITIUM	07000	WAIVED			
URANIUM (PCI/L)	28012	WAIVED			
REGULATED SOC					
2,3,7,8-TCDD (DIOXIN)	34676	WAIVED			
2,4,5-TP (SILVEX)	39045	WAIVED			
2,4-D	39730	WAIVED			
ALACHLOR	77825	WAIVED			
ATRAZINE	39033	WAIVED			
BENTAZON	38710	WAIVED			
BENZO (A) PYRENE	34247	WAIVED			
CARBOFURAN	81405	WAIVED			
CHLORDANE	39350	WAIVED			
DALAPON	38432	WAIVED			
DI(2-ETHYLHEXYL)ADIPATE	A-026	WAIVED			
DI(2-ETHYLHEXYL)PHTHALATE	39100	WAIVED			
DIBROMOCHLOROPROPANE (DBCP)	38761	WAIVED			
DINOSEB	81287	WAIVED			
DIQUAT	78885	WAIVED			
ENDOTHALL	38926	WAIVED			
ENDRIN	39390	WAIVED			
ETHYLENE DIBROMIDE (EDB)	77651	WAIVED			
GLYPHOSATE	79743	WAIVED			
HEPTACHLOR	39410	WAIVED			
HEPTACHLOR EPOXIDE	39420	WAIVED			
HEXACHLOROBENZENE	39700	WAIVED			
HEXACHLOROCYCLOPENTADIENE	34386	WAIVED			
LINDANE	39340	WAIVED			

**Testing interval is in months;*
0 = No data for this constituent and is DUE NOW
999 = Waived testing (not required)
I = Invalid (NOT) valid analyses reported

System Number: ***3106937***

System Name: ***LOOMIS LAND INC SENIOR CARE VILLA WATER***

PS Code: ***3106937-001***

Source Name: ***WELL 01 DRILLED 1998***

Source Number: ***001***

Source Status: ***ACTIVE UNTREATED***

Water type: ***GROUNDWATER OR WELL***

	STORET NUMBER	TESTING INTERVAL (MONTHS)*	LAST TEST DATE (yyyy/mm/dd)	LAST RESULT REPORTED	NEXT TEST DATE (yyyy/mm)
REGULATED SOC					
METHOXYCHLOR	39480	WAIVED			
MOLINATE	82199	WAIVED			
OXAMYL	38865	WAIVED			
PENTACHLOROPHENOL	39032	WAIVED			
PICLORAM	39720	WAIVED			
POLYCHLORINATED BIPHENYLS, TOTAL, AS DCB	39516	WAIVED			
SIMAZINE	39055	WAIVED			
THIOBENCARB	A-001	WAIVED			
TOXAPHENE	39400	WAIVED			
REGULATED VOC					
1,1,1-TRICHLOROETHANE	34506	000			DUE
1,1,2,2-TETRACHLOROETHANE	34516	000			DUE
1,1,2-TRICHLORO-1,2,2-TRIFLUOROETHANE	81611	000			DUE
1,1,2-TRICHLOROETHANE	34511	000			DUE
1,1-DICHLOROETHANE	34496	000			DUE
1,1-DICHLOROETHYLENE	34501	000			DUE
1,2,4-TRICHLOROBENZENE	34551	000			DUE
1,2-DICHLOROBENZENE	34536	000			DUE
1,2-DICHLOROETHANE	34531	000			DUE
1,2-DICHLOROPROPANE	34541	000			DUE
1,3-DICHLOROPROPENE (TOTAL)	34561	000			DUE
1,4-DICHLOROBENZENE	34571	000			DUE
BENZENE	34030	000			DUE
CARBON TETRACHLORIDE	32102	000			DUE
CIS-1,2-DICHLOROETHYLENE	77093	000			DUE
DICHLOROMETHANE	34423	000			DUE
ETHYLBENZENE	34371	000			DUE
METHYL-TERT-BUTYL-ETHER (MTBE)	46491	000			DUE
MONOCHLOROBENZENE	34301	000			DUE

**Testing interval is in months;*
0 = No data for this constituent and is DUE NOW
999 = Waived testing (not required)
I = Invalid (NOT) valid analyses reported

System Number: ***3106937***

System Name: ***LOOMIS LAND INC SENIOR CARE VILLA WATER***

PS Code: ***3106937-001***

Source Name: ***WELL 01 DRILLED 1998***

Source Number: ***001***

Source Status: ***ACTIVE UNTREATED***

Water type: ***GROUNDWATER OR WELL***

	STORET NUMBER	TESTING INTERVAL (MONTHS)*	LAST TEST DATE (yyyy/mm/dd)	LAST RESULT REPORTED	NEXT TEST DATE (yyyy/mm)
REGULATED VOC					
STYRENE	77128	000			DUE
TETRACHLOROETHYLENE	34475	000			DUE
TOLUENE	34010	000			DUE
TRANS-1,2-DICHLOROETHYLENE	34546	000			DUE
TRICHLOROETHYLENE	39180	000			DUE
TRICHLOROFLUOROMETHANE	34488	000			DUE
VINYL CHLORIDE	39175	000			DUE
XYLENES (TOTAL)	81551	000			DUE
SECONDARY/GP					
AGGRSSIVE INDEX (CORROSIVITY)	82383	WAIVED			
BICARBONATE ALKALINITY	00440	000			DUE
CALCIUM	00916	000			DUE
CARBONATE ALKALINITY	00445	000			DUE
CHLORIDE	00940	WAIVED			
COLOR	00081	WAIVED			
COPPER	01042	WAIVED			
FOAMING AGENTS (MBAS)	38260	WAIVED			
HARDNESS (TOTAL) AS CACO3	00900	000			DUE
HYDROXIDE ALKALINITY	71830	000			DUE
IRON	01045	000			DUE
MAGNESIUM	00927	000			DUE
MANGANESE	01055	000			DUE
ODOR THRESHOLD @ 60 C	00086	WAIVED			
PH, LABORATORY	00403	000			DUE
SILVER	01077	WAIVED	2011/03/31	.000	
SODIUM	00929	000			DUE
SPECIFIC CONDUCTANCE	00095	WAIVED			
SULFATE	00945	WAIVED			
TOTAL DISSOLVED SOLIDS	70300	WAIVED			

**Testing interval is in months;*
0 = No data for this constituent and is DUE NOW
999 = Waived testing (not required)
I = Invalid (NOT) valid analyses reported

System Number: ***3106937***

System Name: ***LOOMIS LAND INC SENIOR CARE VILLA WATER***

PS Code: ***3106937-001***

Source Name: ***WELL 01 DRILLED 1998***

Source Number: ***001***

Source Status: ***ACTIVE UNTREATED***

Water type: ***GROUNDWATER OR WELL***

SECONDARY/GP

	STORET NUMBER	TESTING INTERVAL (MONTHS)*	LAST TEST DATE (yyyy/mm/dd)	LAST RESULT REPORTED	NEXT TEST DATE (yyyy/mm)
TURBIDITY, LABORATORY	82079	WAIVED			
ZINC	01092	WAIVED			

**Testing interval is in months;*
0 = No data for this constituent and is DUE NOW
999 = Waived testing (not required)
I = Invalid (NOT) valid analyses reported

System Number: ***3107069***

System Name: ***APPLEGATE PARK***

PS Code: ***3107069-001***

Source Name: ***WELL 01 DRILLED 1998***

Source Number: ***001***

Source Status: ***ACTIVE UNTREATED***

Water type: ***GROUNDWATER OR WELL***

	STORET NUMBER	TESTING INTERVAL (MONTHS)*	LAST TEST DATE (yyyy/mm/dd)	LAST RESULT REPORTED	NEXT TEST DATE (yyyy/mm)
GENERAL NON CHAP 15					
DIAZINON	39570	WAIVED			
INORGANIC					
ALUMINUM	01105	WAIVED			
ANTIMONY	01097	WAIVED			
ARSENIC	01002	WAIVED			
ASBESTOS	81855	WAIVED			
BARIUM	01007	WAIVED			
BERYLLIUM	01012	WAIVED			
CADMIUM	01027	WAIVED			
CHROMIUM (TOTAL)	01034	WAIVED			
CYANIDE	01291	WAIVED			
FLUORIDE (F) (NATURAL-SOURCE)	00951	WAIVED	2011/11/02	.660	
LEAD	01051	WAIVED			
MERCURY	71900	WAIVED			
NICKEL	01067	WAIVED			
PERCHLORATE	A-031	WAIVED			
SELENIUM	01147	WAIVED			
THALLIUM	01059	WAIVED			
NITRATE/NITRITE					
NITRATE (AS NO3)	71850	012	2011/11/02	.000	2012/11
NITRITE (AS N)	00620	036	2011/11/02	.000	2014/11
RADIOLOGICAL					
GROSS ALPHA	01501	WAIVED			
GROSS BETA	03501	WAIVED			
RA-226 FOR CWS OR TOTAL RA FOR NTNC BY 903.0	A-080	WAIVED			
RA-226 OR TOTAL RA BY 903.0 C.E.	A-081	WAIVED			
RADIUM 226	09501	WAIVED			
RADIUM 228	11501	WAIVED			

**Testing interval is in months;*
0 = No data for this constituent and is DUE NOW
999 = Waived testing (not required)
I = Invalid (NOT) valid analyses reported

System Number: ***3107069***

System Name: ***APPLEGATE PARK***

PS Code: ***3107069-001***

Source Name: ***WELL 01 DRILLED 1998***

Source Number: ***001***

Source Status: ***ACTIVE UNTREATED***

Water type: ***GROUNDWATER OR WELL***

	STORET NUMBER	TESTING INTERVAL (MONTHS)*	LAST TEST DATE (yyyy/mm/dd)	LAST RESULT REPORTED	NEXT TEST DATE (yyyy/mm)
RADIOLOGICAL					
RADIUM, TOTAL, MDA95-NTNC ONLY, BY 903.0	A-082	WAIVED			
STRONTIUM-90	13501	WAIVED			
TRITIUM	07000	WAIVED			
URANIUM (PCI/L)	28012	WAIVED			
REGULATED SOC					
2,3,7,8-TCDD (DIOXIN)	34676	WAIVED			
2,4,5-TP (SILVEX)	39045	WAIVED			
2,4-D	39730	WAIVED			
ALACHLOR	77825	WAIVED			
ATRAZINE	39033	WAIVED			
BENTAZON	38710	WAIVED			
BENZO (A) PYRENE	34247	WAIVED			
CARBOFURAN	81405	WAIVED			
CHLORDANE	39350	WAIVED			
DALAPON	38432	WAIVED			
DI(2-ETHYLHEXYL)ADIPATE	A-026	WAIVED			
DI(2-ETHYLHEXYL)PHTHALATE	39100	WAIVED			
DIBROMOCHLOROPROPANE (DBCP)	38761	WAIVED			
DINOSEB	81287	WAIVED			
DIQUAT	78885	WAIVED			
ENDOTHALL	38926	WAIVED			
ENDRIN	39390	WAIVED			
ETHYLENE DIBROMIDE (EDB)	77651	WAIVED			
GLYPHOSATE	79743	WAIVED			
HEPTACHLOR	39410	WAIVED			
HEPTACHLOR EPOXIDE	39420	WAIVED			
HEXACHLOROBENZENE	39700	WAIVED			
HEXACHLOROCYCLOPENTADIENE	34386	WAIVED			
LINDANE	39340	WAIVED			

**Testing interval is in months;*
0 = No data for this constituent and is DUE NOW
999 = Waived testing (not required)
I = Invalid (NOT) valid analyses reported

System Number: ***3107069***

System Name: ***APPLEGATE PARK***

PS Code: ***3107069-001***

Source Name: ***WELL 01 DRILLED 1998***

Source Number: ***001***

Source Status: ***ACTIVE UNTREATED***

Water type: ***GROUNDWATER OR WELL***

	STORET NUMBER	TESTING INTERVAL (MONTHS)*	LAST TEST DATE (yyyy/mm/dd)	LAST RESULT REPORTED	NEXT TEST DATE (yyyy/mm)
REGULATED SOC					
METHOXYCHLOR	39480	WAIVED			
MOLINATE	82199	WAIVED			
OXAMYL	38865	WAIVED			
PENTACHLOROPHENOL	39032	WAIVED			
PICLORAM	39720	WAIVED			
POLYCHLORINATED BIPHENYLS, TOTAL, AS DCB	39516	WAIVED			
SIMAZINE	39055	WAIVED			
THIOBENCARB	A-001	WAIVED			
TOXAPHENE	39400	WAIVED			
REGULATED VOC					
1,1,1-TRICHLOROETHANE	34506	WAIVED			
1,1,2,2-TETRACHLOROETHANE	34516	WAIVED			
1,1,2-TRICHLORO-1,2,2-TRIFLUOROETHANE	81611	WAIVED			
1,1,2-TRICHLOROETHANE	34511	WAIVED			
1,1-DICHLOROETHANE	34496	WAIVED			
1,1-DICHLOROETHYLENE	34501	WAIVED			
1,2,4-TRICHLOROBENZENE	34551	WAIVED			
1,2-DICHLOROBENZENE	34536	WAIVED			
1,2-DICHLOROETHANE	34531	WAIVED			
1,2-DICHLOROPROPANE	34541	WAIVED			
1,3-DICHLOROPROPENE (TOTAL)	34561	WAIVED			
1,4-DICHLOROBENZENE	34571	WAIVED			
BENZENE	34030	WAIVED			
CARBON TETRACHLORIDE	32102	WAIVED			
CIS-1,2-DICHLOROETHYLENE	77093	WAIVED			
DICHLOROMETHANE	34423	WAIVED			
ETHYLBENZENE	34371	WAIVED			
METHYL-TERT-BUTYL-ETHER (MTBE)	46491	WAIVED			
MONOCHLOROBENZENE	34301	WAIVED			

**Testing interval is in months;*
0 = No data for this constituent and is DUE NOW
999 = Waived testing (not required)
I = Invalid (NOT) valid analyses reported

System Number: ***3107069***

System Name: ***APPLEGATE PARK***

PS Code: ***3107069-001***

Source Name: ***WELL 01 DRILLED 1998***

Source Number: ***001***

Source Status: ***ACTIVE UNTREATED***

Water type: ***GROUNDWATER OR WELL***

	STORET NUMBER	TESTING INTERVAL (MONTHS)*	LAST TEST DATE (yyyy/mm/dd)	LAST RESULT REPORTED	NEXT TEST DATE (yyyy/mm)
REGULATED VOC					
STYRENE	77128	WAIVED			
TETRACHLOROETHYLENE	34475	WAIVED			
TOLUENE	34010	WAIVED			
TRANS-1,2-DICHLOROETHYLENE	34546	WAIVED			
TRICHLOROETHYLENE	39180	WAIVED			
TRICHLOROFLUOROMETHANE	34488	WAIVED			
VINYL CHLORIDE	39175	WAIVED			
XYLENES (TOTAL)	81551	WAIVED			
SECONDARY/GP					
AGGRSSIVE INDEX (CORROSIVITY)	82383	WAIVED			
BICARBONATE ALKALINITY	00440	000			DUE
CALCIUM	00916	000			DUE
CARBONATE ALKALINITY	00445	000			DUE
CHLORIDE	00940	WAIVED			
COLOR	00081	WAIVED			
COPPER	01042	WAIVED			
FOAMING AGENTS (MBAS)	38260	WAIVED			
HARDNESS (TOTAL) AS CACO3	00900	000			DUE
HYDROXIDE ALKALINITY	71830	000			DUE
IRON	01045	000			DUE
MAGNESIUM	00927	000			DUE
MANGANESE	01055	000			DUE
ODOR THRESHOLD @ 60 C	00086	WAIVED			
PH, LABORATORY	00403	000			DUE
SILVER	01077	WAIVED			
SODIUM	00929	000			DUE
SPECIFIC CONDUCTANCE	00095	WAIVED			
SULFATE	00945	WAIVED			
TOTAL DISSOLVED SOLIDS	70300	WAIVED			

**Testing interval is in months;*
0 = No data for this constituent and is DUE NOW
999 = Waived testing (not required)
I = Invalid (NOT) valid analyses reported

System Number: ***3107069***

System Name: ***APPLEGATE PARK***

PS Code: ***3107069-001***

Source Name: ***WELL 01 DRILLED 1998***

Source Number: ***001***

Source Status: ***ACTIVE UNTREATED***

Water type: ***GROUNDWATER OR WELL***

	STORET NUMBER	TESTING INTERVAL (MONTHS)*	LAST TEST DATE (yyyy/mm/dd)	LAST RESULT REPORTED	NEXT TEST DATE (yyyy/mm)
SECONDARY/GP					
TURBIDITY, LABORATORY	82079	WAIVED			
ZINC	01092	WAIVED			

**Testing interval is in months;*
0 = No data for this constituent and is DUE NOW
999 = Waived testing (not required)
I = Invalid (NOT) valid analyses reported

System Number: ***3107084***

System Name: ***TURKEY CREEK GOLF CLUB***

PS Code: ***3107084-001***

Source Name: ***WELL #1***

Source Number: ***001***

Source Status: ***ACTIVE UNTREATED***

Water type: ***GROUNDWATER OR WELL***

	STORET NUMBER	TESTING INTERVAL (MONTHS)*	LAST TEST DATE (yyyy/mm/dd)	LAST RESULT REPORTED	NEXT TEST DATE (yyyy/mm)	
GENERAL NON CHAP 15						
DIAZINON	39570	WAIVED				
INORGANIC						
ALUMINUM	01105	108	2008/06/04	.000	2017/06	
ANTIMONY	01097	108	2008/06/04	.000	2017/06	
ARSENIC	01002	108	2008/06/04	.000	2017/06	
ASBESTOS	81855	WAIVED				
BARIUM	01007	108	2008/06/04	.000	2017/06	
BERYLLIUM	01012	108	2008/06/04	.000	2017/06	
CADMIUM	01027	108	2008/06/04	15.300	2017/06	
CHROMIUM (TOTAL)	01034	108	2008/06/04	.000	2017/06	
CYANIDE	01291	WAIVED				
FLUORIDE (F) (NATURAL-SOURCE)	00951	108	2012/03/07	1.700	2021/03	
LEAD	01051	WAIVED				
MERCURY	71900	108	2008/06/04	.000	2017/06	
NICKEL	01067	108	2008/06/04	.000	2017/06	
PERCHLORATE	A-031	036	2009/12/02	.000	2012/12	
SELENIUM	01147	108	2008/06/04	.000	2017/06	
THALLIUM	01059	108	2008/06/04	.000	2017/06	
NITRATE/NITRITE						
NITRATE (AS NO3)	71850	012	2009/06/03	.000	2010/06	DUE
NITRITE (AS N)	00620	036	2008/06/04	.000	2011/06	DUE
RADIOLOGICAL						
GROSS ALPHA	01501	003	2009/09/02	1.260	2009/12	DUE
GROSS BETA	03501	WAIVED				
RA-226 FOR CWS OR TOTAL RA FOR NTNC BY 903.0	A-080	WAIVED				
RA-226 OR TOTAL RA BY 903.0 C.E.	A-081	WAIVED				
RADIUM 226	09501	WAIVED				
RADIUM 228	11501	WAIVED				

**Testing interval is in months;*
0 = No data for this constituent and is DUE NOW
999 = Waived testing (not required)
I = Invalid (NOT) valid analyses reported

System Number: ***3107084***

System Name: ***TURKEY CREEK GOLF CLUB***

PS Code: ***3107084-001***

Source Name: ***WELL #1***

Source Number: ***001***

Source Status: ***ACTIVE UNTREATED***

Water type: ***GROUNDWATER OR WELL***

	STORET NUMBER	TESTING INTERVAL (MONTHS)*	LAST TEST DATE (yyyy/mm/dd)	LAST RESULT REPORTED	NEXT TEST DATE (yyyy/mm)
RADIOLOGICAL					
RADIUM, TOTAL, MDA95-NTNC ONLY, BY 903.0	A-082	WAIVED			
STRONTIUM-90	13501	WAIVED			
TRITIUM	07000	WAIVED			
URANIUM (PCI/L)	28012	WAIVED			
REGULATED SOC					
2,3,7,8-TCDD (DIOXIN)	34676	WAIVED			
2,4,5-TP (SILVEX)	39045	WAIVED			
2,4-D	39730	WAIVED			
ALACHLOR	77825	WAIVED			
ATRAZINE	39033	WAIVED			
BENTAZON	38710	WAIVED			
BENZO (A) PYRENE	34247	WAIVED			
CARBOFURAN	81405	WAIVED			
CHLORDANE	39350	WAIVED			
DALAPON	38432	WAIVED			
DI(2-ETHYLHEXYL)ADIPATE	A-026	WAIVED			
DI(2-ETHYLHEXYL)PHTHALATE	39100	WAIVED			
DIBROMOCHLOROPROPANE (DBCP)	38761	WAIVED			
DINOSEB	81287	WAIVED			
DIQUAT	78885	WAIVED			
ENDOTHALL	38926	WAIVED			
ENDRIN	39390	WAIVED			
ETHYLENE DIBROMIDE (EDB)	77651	WAIVED			
GLYPHOSATE	79743	WAIVED			
HEPTACHLOR	39410	WAIVED			
HEPTACHLOR EPOXIDE	39420	WAIVED			
HEXACHLOROBENZENE	39700	WAIVED			
HEXACHLOROCYCLOPENTADIENE	34386	WAIVED			
LINDANE	39340	WAIVED			

**Testing interval is in months;*
0 = No data for this constituent and is DUE NOW
999 = Waived testing (not required)
I = Invalid (NOT) valid analyses reported

System Number: ***3107084***

System Name: ***TURKEY CREEK GOLF CLUB***

PS Code: ***3107084-001***

Source Name: ***WELL #1***

Source Number: ***001***

Source Status: ***ACTIVE UNTREATED***

Water type: ***GROUNDWATER OR WELL***

	STORET NUMBER	TESTING INTERVAL (MONTHS)*	LAST TEST DATE (yyyy/mm/dd)	LAST RESULT REPORTED	NEXT TEST DATE (yyyy/mm)	
REGULATED SOC						
METHOXYCHLOR	39480	WAIVED				
MOLINATE	82199	WAIVED				
OXAMYL	38865	WAIVED				
PENTACHLOROPHENOL	39032	WAIVED				
PICLORAM	39720	WAIVED				
POLYCHLORINATED BIPHENYLS, TOTAL, AS DCB	39516	WAIVED				
SIMAZINE	39055	WAIVED				
THIOBENCARB	A-001	WAIVED				
TOXAPHENE	39400	WAIVED				
REGULATED VOC						
1,1,1-TRICHLOROETHANE	34506	072	2008/03/05	.000	2014/03	
1,1,2,2-TETRACHLOROETHANE	34516	072	2008/03/05	.000	2014/03	
1,1,2-TRICHLORO-1,2,2-TRIFLUOROETHANE	81611	072	2008/03/05	.000	2014/03	
1,1,2-TRICHLOROETHANE	34511	072	2008/03/05	.000	2014/03	
1,1-DICHLOROETHANE	34496	072	2008/03/05	.000	2014/03	
1,1-DICHLOROETHYLENE	34501	000				**DUE**
1,2,4-TRICHLOROBENZENE	34551	072	2008/03/05	.000	2014/03	
1,2-DICHLOROBENZENE	34536	072	2008/03/05	.000	2014/03	
1,2-DICHLOROETHANE	34531	072	2008/03/05	.000	2014/03	
1,2-DICHLOROPROPANE	34541	072	2008/03/05	.000	2014/03	
1,3-DICHLOROPROPENE (TOTAL)	34561	072	2008/03/05	.000	2014/03	
1,4-DICHLOROBENZENE	34571	072	2008/03/05	.000	2014/03	
BENZENE	34030	072	2008/03/05	.000	2014/03	
CARBON TETRACHLORIDE	32102	072	2008/03/05	.000	2014/03	
CIS-1,2-DICHLOROETHYLENE	77093	072	2008/03/05	.000	2014/03	
DICHLOROMETHANE	34423	072	2008/03/05	.000	2014/03	
ETHYLBENZENE	34371	072	2008/03/05	.000	2014/03	
METHYL-TERT-BUTYL-ETHER (MTBE)	46491	072	2008/03/05	.000	2014/03	
MONOCHLOROBENZENE	34301	072	2008/03/05	.000	2014/03	

**Testing interval is in months;*
0 = No data for this constituent and is DUE NOW
999 = Waived testing (not required)
I = Invalid (NOT) valid analyses reported

System Number: ***3107084***

System Name: ***TURKEY CREEK GOLF CLUB***

PS Code: ***3107084-001***

Source Name: ***WELL #1***

Source Number: ***001***

Source Status: ***ACTIVE UNTREATED***

Water type: ***GROUNDWATER OR WELL***

	STORET NUMBER	TESTING INTERVAL (MONTHS)*	LAST TEST DATE (yyyy/mm/dd)	LAST RESULT REPORTED	NEXT TEST DATE (yyyy/mm)	
REGULATED VOC						
STYRENE	77128	072	2008/03/05	.000	2014/03	
TETRACHLOROETHYLENE	34475	072	2008/03/05	.000	2014/03	
TOLUENE	34010	072	2008/03/05	.000	2014/03	
TRANS-1,2-DICHLOROETHYLENE	34546	072	2008/03/05	.000	2014/03	
TRICHLOROETHYLENE	39180	072	2008/03/05	.000	2014/03	
TRICHLOROFLUOROMETHANE	34488	072	2008/03/05	.000	2014/03	
VINYL CHLORIDE	39175	072	2008/03/05	.000	2014/03	
XYLENES (TOTAL)	81551	000				**DUE**
SECONDARY/GP						
AGGRSSIVE INDEX (CORROSIVITY)	82383	WAIVED				
BICARBONATE ALKALINITY	00440	000				**DUE**
CALCIUM	00916	000				**DUE**
CARBONATE ALKALINITY	00445	000				**DUE**
CHLORIDE	00940	WAIVED				
COLOR	00081	WAIVED				
COPPER	01042	WAIVED				
FOAMING AGENTS (MBAS)	38260	WAIVED				
HARDNESS (TOTAL) AS CACO3	00900	000				**DUE**
HYDROXIDE ALKALINITY	71830	000				**DUE**
IRON	01045	000				**DUE**
MAGNESIUM	00927	000				**DUE**
MANGANESE	01055	000				**DUE**
ODOR THRESHOLD @ 60 C	00086	WAIVED				
PH, LABORATORY	00403	000				**DUE**
SILVER	01077	WAIVED	2008/06/04	.000		
SODIUM	00929	000				**DUE**
SPECIFIC CONDUCTANCE	00095	WAIVED	2012/03/14	860.000		
SULFATE	00945	WAIVED				
TOTAL DISSOLVED SOLIDS	70300	WAIVED	2012/03/07	466.000		

**Testing interval is in months;*
0 = No data for this constituent and is DUE NOW
999 = Waived testing (not required)
I = Invalid (NOT) valid analyses reported

System Number: ***3107084***

System Name: ***TURKEY CREEK GOLF CLUB***

PS Code: ***3107084-001***

Source Name: ***WELL #1***

Source Number: ***001***

Source Status: ***ACTIVE UNTREATED***

Water type: ***GROUNDWATER OR WELL***

	STORET NUMBER	TESTING INTERVAL (MONTHS)*	LAST TEST DATE (yyyy/mm/dd)	LAST RESULT REPORTED	NEXT TEST DATE (yyyy/mm)
SECONDARY/GP					
TURBIDITY, LABORATORY	82079	WAIVED			
ZINC	01092	WAIVED			

**Testing interval is in months;*
0 = No data for this constituent and is DUE NOW
999 = Waived testing (not required)
I = Invalid (NOT) valid analyses reported

System Number: ***3107310***

System Name: ***VETERINARY DEVELOPMENT COMPANY***

PS Code: ***3107310-001***

Source Name: ***WELL 01 DRILLED 1977***

Source Number: ***001***

Source Status: ***ACTIVE UNTREATED***

Water type: ***GROUNDWATER OR WELL***

	STORET NUMBER	TESTING INTERVAL (MONTHS)*	LAST TEST DATE (yyyy/mm/dd)	LAST RESULT REPORTED	NEXT TEST DATE (yyyy/mm)	
GENERAL NON CHAP 15						
DIAZINON	39570	WAIVED				
INORGANIC						
ALUMINUM	01105	036	2011/06/21	.000	2014/06	
ANTIMONY	01097	036	2011/06/21	.000	2014/06	
ARSENIC	01002	036	2011/06/21	6.000	2014/06	
ASBESTOS	81855	WAIVED				
BARIUM	01007	036	2011/06/21	.000	2014/06	
BERYLLIUM	01012	036	2011/06/21	.000	2014/06	
CADMIUM	01027	036	2011/06/21	.000	2014/06	
CHROMIUM (TOTAL)	01034	036	2011/06/21	.000	2014/06	
CYANIDE	01291	WAIVED				
FLUORIDE (F) (NATURAL-SOURCE)	00951	036	2011/06/21	.100	2014/06	
LEAD	01051	WAIVED	2011/06/21	.000		
MERCURY	71900	036	2011/06/21	.000	2014/06	
NICKEL	01067	036	2011/06/21	.000	2014/06	
PERCHLORATE	A-031	036	2008/07/28	< 4.000	2011/07	DUE
SELENIUM	01147	036	2011/06/21	.000	2014/06	
THALLIUM	01059	036	2011/06/21	.000	2014/06	
NITRATE/NITRITE						
NITRATE (AS NO3)	71850	012	2011/12/27	.000	2012/12	
NITRITE (AS N)	00620	036	2011/06/21	.000	2014/06	
RADIOLOGICAL						
GROSS ALPHA	01501	003	2007/07/09	< 3.000	2007/10	DUE
GROSS BETA	03501	WAIVED				
RA-226 FOR CWS OR TOTAL RA FOR NTNC BY 903.0	A-080	WAIVED				
RA-226 OR TOTAL RA BY 903.0 C.E.	A-081	WAIVED				
RADIUM 226	09501	WAIVED				
RADIUM 228	11501	WAIVED	2007/07/09	< 1.000		

**Testing interval is in months;*
0 = No data for this constituent and is DUE NOW
999 = Waived testing (not required)
I = Invalid (NOT) valid analyses reported

System Number: ***3107310***

System Name: ***VETERINARY DEVELOPMENT COMPANY***

PS Code: ***3107310-001***

Source Name: ***WELL 01 DRILLED 1977***

Source Number: ***001***

Source Status: ***ACTIVE UNTREATED***

Water type: ***GROUNDWATER OR WELL***

	STORET NUMBER	TESTING INTERVAL (MONTHS)*	LAST TEST DATE (yyyy/mm/dd)	LAST RESULT REPORTED	NEXT TEST DATE (yyyy/mm)
RADIOLOGICAL					
RADIUM, TOTAL, MDA95-NTNC ONLY, BY 903.0	A-082	WAIVED			
STRONTIUM-90	13501	WAIVED			
TRITIUM	07000	WAIVED			
URANIUM (PCI/L)	28012	WAIVED			
REGULATED SOC					
2,3,7,8-TCDD (DIOXIN)	34676	WAIVED			
2,4,5-TP (SILVEX)	39045	WAIVED			
2,4-D	39730	WAIVED			
ALACHLOR	77825	WAIVED			
ATRAZINE	39033	WAIVED			
BENTAZON	38710	WAIVED			
BENZO (A) PYRENE	34247	WAIVED			
CARBOFURAN	81405	WAIVED			
CHLORDANE	39350	WAIVED			
DALAPON	38432	WAIVED			
DI(2-ETHYLHEXYL)ADIPATE	A-026	WAIVED			
DI(2-ETHYLHEXYL)PHTHALATE	39100	WAIVED			
DIBROMOCHLOROPROPANE (DBCP)	38761	WAIVED			
DINOSEB	81287	WAIVED			
DIQUAT	78885	WAIVED			
ENDOTHALL	38926	WAIVED			
ENDRIN	39390	WAIVED			
ETHYLENE DIBROMIDE (EDB)	77651	WAIVED			
GLYPHOSATE	79743	WAIVED			
HEPTACHLOR	39410	WAIVED			
HEPTACHLOR EPOXIDE	39420	WAIVED			
HEXACHLOROBENZENE	39700	WAIVED			
HEXACHLOROCYCLOPENTADIENE	34386	WAIVED			
LINDANE	39340	WAIVED			

**Testing interval is in months;*
0 = No data for this constituent and is DUE NOW
999 = Waived testing (not required)
I = Invalid (NOT) valid analyses reported

System Number: ***3107310***

System Name: ***VETERINARY DEVELOPMENT COMPANY***

PS Code: ***3107310-001***

Source Name: ***WELL 01 DRILLED 1977***

Source Number: ***001***

Source Status: ***ACTIVE UNTREATED***

Water type: ***GROUNDWATER OR WELL***

	STORET NUMBER	TESTING INTERVAL (MONTHS)*	LAST TEST DATE (yyyy/mm/dd)	LAST RESULT REPORTED	NEXT TEST DATE (yyyy/mm)
REGULATED SOC					
METHOXYCHLOR	39480	WAIVED			
MOLINATE	82199	WAIVED			
OXAMYL	38865	WAIVED			
PENTACHLOROPHENOL	39032	WAIVED			
PICLORAM	39720	WAIVED			
POLYCHLORINATED BIPHENYLS, TOTAL, AS DCB	39516	WAIVED			
SIMAZINE	39055	WAIVED			
THIOBENCARB	A-001	WAIVED			
TOXAPHENE	39400	WAIVED			
REGULATED VOC					
1,1,1-TRICHLOROETHANE	34506	072	2012/04/25	.000	2018/04
1,1,2,2-TETRACHLOROETHANE	34516	072	2012/04/25	.000	2018/04
1,1,2-TRICHLORO-1,2,2-TRIFLUOROETHANE	81611	072	2012/04/25	.000	2018/04
1,1,2-TRICHLOROETHANE	34511	072	2012/04/25	.000	2018/04
1,1-DICHLOROETHANE	34496	072	2012/04/25	.000	2018/04
1,1-DICHLOROETHYLENE	34501	072	2012/04/25	.000	2018/04
1,2,4-TRICHLOROBENZENE	34551	072	2012/04/25	.000	2018/04
1,2-DICHLOROBENZENE	34536	072	2012/04/25	.000	2018/04
1,2-DICHLOROETHANE	34531	072	2012/04/25	.000	2018/04
1,2-DICHLOROPROPANE	34541	072	2012/04/25	.000	2018/04
1,3-DICHLOROPROPENE (TOTAL)	34561	072	2012/04/25	.000	2018/04
1,4-DICHLOROBENZENE	34571	072	2012/04/25	.000	2018/04
BENZENE	34030	072	2012/04/25	.000	2018/04
CARBON TETRACHLORIDE	32102	072	2012/04/25	.000	2018/04
CIS-1,2-DICHLOROETHYLENE	77093	072	2012/04/25	.000	2018/04
DICHLOROMETHANE	34423	072	2012/04/25	.000	2018/04
ETHYLBENZENE	34371	072	2012/04/25	.000	2018/04
METHYL-TERT-BUTYL-ETHER (MTBE)	46491	072	2012/04/25	.000	2018/04
MONOCHLOROBENZENE	34301	072	2012/04/25	.000	2018/04

**Testing interval is in months;*
0 = No data for this constituent and is DUE NOW
999 = Waived testing (not required)
I = Invalid (NOT) valid analyses reported

System Number: ***3107310***

System Name: ***VETERINARY DEVELOPMENT COMPANY***

PS Code: ***3107310-001***

Source Name: ***WELL 01 DRILLED 1977***

Source Number: ***001***

Source Status: ***ACTIVE UNTREATED***

Water type: ***GROUNDWATER OR WELL***

	STORET NUMBER	TESTING INTERVAL (MONTHS)*	LAST TEST DATE (yyyy/mm/dd)	LAST RESULT REPORTED	NEXT TEST DATE (yyyy/mm)	
REGULATED VOC						
STYRENE	77128	072	2012/04/25	.000	2018/04	
TETRACHLOROETHYLENE	34475	072	2012/04/25	.000	2018/04	
TOLUENE	34010	072	2012/04/25	.000	2018/04	
TRANS-1,2-DICHLOROETHYLENE	34546	072	2012/04/25	.000	2018/04	
TRICHLOROETHYLENE	39180	072	2012/04/25	.000	2018/04	
TRICHLOROFLUOROMETHANE	34488	072	2012/04/25	.000	2018/04	
VINYL CHLORIDE	39175	072	2012/04/25	.000	2018/04	
XYLENES (TOTAL)	81551	072	2012/04/25	.000	2018/04	
SECONDARY/GP						
AGGRSSIVE INDEX (CORROSIVITY)	82383	WAIVED				
BICARBONATE ALKALINITY	00440	000				DUE
CALCIUM	00916	000				DUE
CARBONATE ALKALINITY	00445	000				DUE
CHLORIDE	00940	WAIVED				
COLOR	00081	WAIVED				
COPPER	01042	WAIVED				
FOAMING AGENTS (MBAS)	38260	WAIVED				
HARDNESS (TOTAL) AS CACO3	00900	000				DUE
HYDROXIDE ALKALINITY	71830	000				DUE
IRON	01045	000				DUE
MAGNESIUM	00927	000				DUE
MANGANESE	01055	000				DUE
ODOR THRESHOLD @ 60 C	00086	WAIVED				
PH, LABORATORY	00403	000				DUE
SILVER	01077	WAIVED	2011/06/21	.000		
SODIUM	00929	000				DUE
SPECIFIC CONDUCTANCE	00095	WAIVED				
SULFATE	00945	WAIVED				
TOTAL DISSOLVED SOLIDS	70300	WAIVED				

**Testing interval is in months;*
0 = No data for this constituent and is DUE NOW
999 = Waived testing (not required)
I = Invalid (NOT) valid analyses reported

System Number: ***3107310***

System Name: ***VETERINARY DEVELOPMENT COMPANY***

PS Code: ***3107310-001***

Source Name: ***WELL 01 DRILLED 1977***

Source Number: ***001***

Source Status: ***ACTIVE UNTREATED***

Water type: ***GROUNDWATER OR WELL***

SECONDARY/GP

	STORET NUMBER	TESTING INTERVAL (MONTHS)*	LAST TEST DATE (yyyy/mm/dd)	LAST RESULT REPORTED	NEXT TEST DATE (yyyy/mm)	
TURBIDITY, LABORATORY	82079	WAIVED				
ZINC	01092	WAIVED				

PS Code: ***3107310-002***

Source Name: ***WELL 02 DRILLED 1999***

Source Number: ***002***

Source Status: ***ACTIVE UNTREATED***

Water type: ***GROUNDWATER OR WELL***

GENERAL NON CHAP 15

DIAZINON	39570	WAIVED				

INORGANIC

ALUMINUM	01105	036	2011/06/21	.000	2014/06	
ANTIMONY	01097	036	2011/06/21	.000	2014/06	
ARSENIC	01002	036	2011/06/21	2.100	2014/06	
ASBESTOS	81855	WAIVED				
BARIUM	01007	036	2011/06/21	.000	2014/06	
BERYLLIUM	01012	036	2011/06/21	.000	2014/06	
CADMIUM	01027	036	2011/06/21	.000	2014/06	
CHROMIUM (TOTAL)	01034	036	2011/06/21	.000	2014/06	
CYANIDE	01291	WAIVED				
FLUORIDE (F) (NATURAL-SOURCE)	00951	036	2011/06/21	.400	2014/06	
LEAD	01051	WAIVED	2011/06/21	.000		
MERCURY	71900	036	2011/06/21	.000	2014/06	
NICKEL	01067	036	2011/06/21	.000	2014/06	
PERCHLORATE	A-031	036	**2008/07/28**	< 4.000	**2011/07**	**DUE**
SELENIUM	01147	036	2011/06/21	.000	2014/06	
THALLIUM	01059	036	2011/06/21	.000	2014/06	

**Testing interval is in months;*
0 = No data for this constituent and is DUE NOW
999 = Waived testing (not required)
I = Invalid (NOT) valid analyses reported

System Number: ***3107310***

System Name: ***VETERINARY DEVELOPMENT COMPANY***

PS Code: ***3107310-002***

Source Name: ***WELL 02 DRILLED 1999***

Source Number: ***002***

Source Status: ***ACTIVE UNTREATED***

Water type: ***GROUNDWATER OR WELL***

	STORET NUMBER	TESTING INTERVAL (MONTHS)*	LAST TEST DATE (yyyy/mm/dd)	LAST RESULT REPORTED	NEXT TEST DATE (yyyy/mm)	
NITRATE/NITRITE						
NITRATE (AS NO3)	71850	012	2011/12/27	.000	2012/12	
NITRITE (AS N)	00620	036	2011/06/21	.000	2014/06	
RADIOLOGICAL						
GROSS ALPHA	01501	003	2007/07/09	< 3.000	2007/10	DUE
GROSS BETA	03501	WAIVED				
RA-226 FOR CWS OR TOTAL RA FOR NTNC BY 903.0	A-080	WAIVED				
RA-226 OR TOTAL RA BY 903.0 C.E.	A-081	WAIVED				
RADIUM 226	09501	WAIVED				
RADIUM 228	11501	WAIVED	2007/07/09	< 1.000		
RADIUM, TOTAL, MDA95-NTNC ONLY, BY 903.0	A-082	WAIVED				
STRONTIUM-90	13501	WAIVED				
TRITIUM	07000	WAIVED				
URANIUM (PCI/L)	28012	WAIVED				
REGULATED SOC						
2,3,7,8-TCDD (DIOXIN)	34676	WAIVED				
2,4,5-TP (SILVEX)	39045	WAIVED				
2,4-D	39730	WAIVED				
ALACHLOR	77825	WAIVED				
ATRAZINE	39033	WAIVED				
BENTAZON	38710	WAIVED				
BENZO (A) PYRENE	34247	WAIVED				
CARBOFURAN	81405	WAIVED				
CHLORDANE	39350	WAIVED				
DALAPON	38432	WAIVED				
DI(2-ETHYLHEXYL)ADIPATE	A-026	WAIVED				
DI(2-ETHYLHEXYL)PHTHALATE	39100	WAIVED				
DIBROMOCHLOROPROPANE (DBCP)	38761	WAIVED				
DINOSEB	81287	WAIVED				
DIQUAT	78885	WAIVED				

**Testing interval is in months;*
0 = No data for this constituent and is DUE NOW
999 = Waived testing (not required)
I = Invalid (NOT) valid analyses reported

System Number: ***3107310***

System Name: ***VETERINARY DEVELOPMENT COMPANY***

PS Code: ***3107310-002***

Source Name: ***WELL 02 DRILLED 1999***

Source Number: ***002***

Source Status: ***ACTIVE UNTREATED***

Water type: ***GROUNDWATER OR WELL***

	STORET NUMBER	TESTING INTERVAL (MONTHS)*	LAST TEST DATE (yyyy/mm/dd)	LAST RESULT REPORTED	NEXT TEST DATE (yyyy/mm)
REGULATED SOC					
ENDOTHALL	38926	WAIVED			
ENDRIN	39390	WAIVED			
ETHYLENE DIBROMIDE (EDB)	77651	WAIVED			
GLYPHOSATE	79743	WAIVED			
HEPTACHLOR	39410	WAIVED			
HEPTACHLOR EPOXIDE	39420	WAIVED			
HEXACHLOROBENZENE	39700	WAIVED			
HEXACHLOROCYCLOPENTADIENE	34386	WAIVED			
LINDANE	39340	WAIVED			
METHOXYCHLOR	39480	WAIVED			
MOLINATE	82199	WAIVED			
OXAMYL	38865	WAIVED			
PENTACHLOROPHENOL	39032	WAIVED			
PICLORAM	39720	WAIVED			
POLYCHLORINATED BIPHENYLS, TOTAL, AS DCB	39516	WAIVED			
SIMAZINE	39055	WAIVED			
THIOBENCARB	A-001	WAIVED			
TOXAPHENE	39400	WAIVED			
REGULATED VOC					
1,1,1-TRICHLOROETHANE	34506	072	2012/04/25	.000	2018/04
1,1,2,2-TETRACHLOROETHANE	34516	072	2012/04/25	.000	2018/04
1,1,2-TRICHLORO-1,2,2-TRIFLUOROETHANE	81611	072	2012/04/25	.000	2018/04
1,1,2-TRICHLOROETHANE	34511	072	2012/04/25	.000	2018/04
1,1-DICHLOROETHANE	34496	072	2012/04/25	.000	2018/04
1,1-DICHLOROETHYLENE	34501	072	2012/04/25	.000	2018/04
1,2,4-TRICHLOROBENZENE	34551	072	2012/04/25	.000	2018/04
1,2-DICHLOROBENZENE	34536	072	2012/04/25	.000	2018/04
1,2-DICHLOROETHANE	34531	072	2012/04/25	.000	2018/04
1,2-DICHLOROPROPANE	34541	072	2012/04/25	.000	2018/04

**Testing interval is in months;*
0 = No data for this constituent and is DUE NOW
999 = Waived testing (not required)
I = Invalid (NOT) valid analyses reported

System Number: ***3107310***

System Name: ***VETERINARY DEVELOPMENT COMPANY***

PS Code: ***3107310-002***

Source Name: ***WELL 02 DRILLED 1999***

Source Number: ***002***

Source Status: ***ACTIVE UNTREATED***

Water type: ***GROUNDWATER OR WELL***

	STORET NUMBER	TESTING INTERVAL (MONTHS)*	LAST TEST DATE (yyyy/mm/dd)	LAST RESULT REPORTED	NEXT TEST DATE (yyyy/mm)	
REGULATED VOC						
1,3-DICHLOROPROPENE (TOTAL)	34561	072	2012/04/25	.000	2018/04	
1,4-DICHLOROBENZENE	34571	072	2012/04/25	.000	2018/04	
BENZENE	34030	072	2012/04/25	.000	2018/04	
CARBON TETRACHLORIDE	32102	072	2012/04/25	.000	2018/04	
CIS-1,2-DICHLOROETHYLENE	77093	072	2012/04/25	.000	2018/04	
DICHLOROMETHANE	34423	072	2012/04/25	.000	2018/04	
ETHYLBENZENE	34371	072	2012/04/25	.000	2018/04	
METHYL-TERT-BUTYL-ETHER (MTBE)	46491	072	2012/04/25	.000	2018/04	
MONOCHLOROBENZENE	34301	072	2012/04/25	.000	2018/04	
STYRENE	77128	072	2012/04/25	.000	2018/04	
TETRACHLOROETHYLENE	34475	072	2012/04/25	.000	2018/04	
TOLUENE	34010	072	2012/04/25	.000	2018/04	
TRANS-1,2-DICHLOROETHYLENE	34546	072	2012/04/25	.000	2018/04	
TRICHLOROETHYLENE	39180	072	2012/04/25	.000	2018/04	
TRICHLOROFLUOROMETHANE	34488	072	2012/04/25	.000	2018/04	
VINYL CHLORIDE	39175	072	2012/04/25	.000	2018/04	
XYLENES (TOTAL)	81551	072	2012/04/25	.000	2018/04	
SECONDARY/GP						
AGGRSSIVE INDEX (CORROSIVITY)	82383	WAIVED				
BICARBONATE ALKALINITY	00440	000				**DUE**
CALCIUM	00916	000				**DUE**
CARBONATE ALKALINITY	00445	000				**DUE**
CHLORIDE	00940	WAIVED				
COLOR	00081	WAIVED				
COPPER	01042	WAIVED				
FOAMING AGENTS (MBAS)	38260	WAIVED				
HARDNESS (TOTAL) AS CACO3	00900	000				**DUE**
HYDROXIDE ALKALINITY	71830	000				**DUE**
IRON	01045	000				**DUE**

**Testing interval is in months;*
0 = No data for this constituent and is DUE NOW
999 = Waived testing (not required)
I = Invalid (NOT) valid analyses reported

System Number: ***3107310***

System Name: ***VETERINARY DEVELOPMENT COMPANY***

PS Code: ***3107310-002***

Source Name: ***WELL 02 DRILLED 1999***

Source Number: ***002***

Source Status: ***ACTIVE UNTREATED***

Water type: ***GROUNDWATER OR WELL***

SECONDARY/GP

	STORET NUMBER	TESTING INTERVAL (MONTHS)*	LAST TEST DATE (yyyy/mm/dd)	LAST RESULT REPORTED	NEXT TEST DATE (yyyy/mm)	
MAGNESIUM	**00927**	**000**				**DUE**
MANGANESE	**01055**	**000**				**DUE**
ODOR THRESHOLD @ 60 C	**00086**	**WAIVED**				
PH, LABORATORY	**00403**	**000**				**DUE**
SILVER	**01077**	**WAIVED**	2011/06/21	**.000**		
SODIUM	**00929**	**000**				**DUE**
SPECIFIC CONDUCTANCE	**00095**	**WAIVED**				
SULFATE	**00945**	**WAIVED**				
TOTAL DISSOLVED SOLIDS	**70300**	**WAIVED**				
TURBIDITY, LABORATORY	**82079**	**WAIVED**				
ZINC	**01092**	**WAIVED**				

**Testing interval is in months;*
0 = No data for this constituent and is DUE NOW
999 = Waived testing (not required)
I = Invalid (NOT) valid analyses reported

System Number: ***3107311***

System Name: ***NORTHSTAR SUMMIT DECK & GRILL***

PS Code: ***3107311-001***

Source Name: ***WELL #1 DRILLED 1985***

Source Number: ***001***

Source Status: ***ACTIVE UNTREATED***

Water type: ***GROUNDWATER OR WELL***

	STORET NUMBER	TESTING INTERVAL (MONTHS)*	LAST TEST DATE (yyyy/mm/dd)	LAST RESULT REPORTED	NEXT TEST DATE (yyyy/mm)	
GENERAL NON CHAP 15						
DIAZINON	39570	WAIVED				
INORGANIC						
ALUMINUM	01105	WAIVED				
ANTIMONY	01097	WAIVED				
ARSENIC	01002	WAIVED				
ASBESTOS	81855	WAIVED				
BARIUM	01007	WAIVED				
BERYLLIUM	01012	WAIVED				
CADMIUM	01027	WAIVED				
CHROMIUM (TOTAL)	01034	WAIVED				
CYANIDE	01291	WAIVED				
FLUORIDE (F) (NATURAL-SOURCE)	00951	000				**DUE**
LEAD	01051	WAIVED				
MERCURY	71900	WAIVED				
NICKEL	01067	WAIVED				
PERCHLORATE	A-031	WAIVED				
SELENIUM	01147	WAIVED				
THALLIUM	01059	WAIVED				
NITRATE/NITRITE						
NITRATE (AS NO3)	71850	012	2011/12/28	.000	2012/12	
NITRITE (AS N)	00620	036	**2002/01/28**	**< 400.000**	**2005/01**	**DUE**
RADIOLOGICAL						
GROSS ALPHA	01501	WAIVED				
GROSS BETA	03501	WAIVED				
RA-226 FOR CWS OR TOTAL RA FOR NTNC BY 903.0	A-080	WAIVED				
RA-226 OR TOTAL RA BY 903.0 C.E.	A-081	WAIVED				
RADIUM 226	09501	WAIVED				
RADIUM 228	11501	WAIVED				

**Testing interval is in months;*
0 = No data for this constituent and is DUE NOW
999 = Waived testing (not required)
I = Invalid (NOT) valid analyses reported

System Number: ***3107311***

System Name: ***NORTHSTAR SUMMIT DECK & GRILL***

PS Code: ***3107311-001***

Source Name: ***WELL #1 DRILLED 1985***

Source Number: ***001***

Source Status: ***ACTIVE UNTREATED***

Water type: ***GROUNDWATER OR WELL***

	STORET NUMBER	TESTING INTERVAL (MONTHS)*	LAST TEST DATE (yyyy/mm/dd)	LAST RESULT REPORTED	NEXT TEST DATE (yyyy/mm)
RADIOLOGICAL					
RADIUM, TOTAL, MDA95-NTNC ONLY, BY 903.0	A-082	WAIVED			
STRONTIUM-90	13501	WAIVED			
TRITIUM	07000	WAIVED			
URANIUM (PCI/L)	28012	WAIVED			
REGULATED SOC					
2,3,7,8-TCDD (DIOXIN)	34676	WAIVED			
2,4,5-TP (SILVEX)	39045	WAIVED			
2,4-D	39730	WAIVED			
ALACHLOR	77825	WAIVED			
ATRAZINE	39033	WAIVED			
BENTAZON	38710	WAIVED			
BENZO (A) PYRENE	34247	WAIVED			
CARBOFURAN	81405	WAIVED			
CHLORDANE	39350	WAIVED			
DALAPON	38432	WAIVED			
DI(2-ETHYLHEXYL)ADIPATE	A-026	WAIVED			
DI(2-ETHYLHEXYL)PHTHALATE	39100	WAIVED			
DIBROMOCHLOROPROPANE (DBCP)	38761	WAIVED			
DINOSEB	81287	WAIVED			
DIQUAT	78885	WAIVED			
ENDOTHALL	38926	WAIVED			
ENDRIN	39390	WAIVED			
ETHYLENE DIBROMIDE (EDB)	77651	WAIVED			
GLYPHOSATE	79743	WAIVED			
HEPTACHLOR	39410	WAIVED			
HEPTACHLOR EPOXIDE	39420	WAIVED			
HEXACHLOROBENZENE	39700	WAIVED			
HEXACHLOROCYCLOPENTADIENE	34386	WAIVED			
LINDANE	39340	WAIVED			

**Testing interval is in months;*
0 = No data for this constituent and is DUE NOW
999 = Waived testing (not required)
I = Invalid (NOT) valid analyses reported

System Number: ***3107311***

System Name: ***NORTHSTAR SUMMIT DECK & GRILL***

PS Code: ***3107311-001***

Source Name: ***WELL #1 DRILLED 1985***

Source Number: ***001***

Source Status: ***ACTIVE UNTREATED***

Water type: ***GROUNDWATER OR WELL***

	STORET NUMBER	TESTING INTERVAL (MONTHS)*	LAST TEST DATE (yyyy/mm/dd)	LAST RESULT REPORTED	NEXT TEST DATE (yyyy/mm)
REGULATED SOC					
METHOXYCHLOR	39480	WAIVED			
MOLINATE	82199	WAIVED			
OXAMYL	38865	WAIVED			
PENTACHLOROPHENOL	39032	WAIVED			
PICLORAM	39720	WAIVED			
POLYCHLORINATED BIPHENYLS, TOTAL, AS DCB	39516	WAIVED			
SIMAZINE	39055	WAIVED			
THIOBENCARB	A-001	WAIVED			
TOXAPHENE	39400	WAIVED			
REGULATED VOC					
1,1,1-TRICHLOROETHANE	34506	WAIVED			
1,1,2,2-TETRACHLOROETHANE	34516	WAIVED			
1,1,2-TRICHLORO-1,2,2-TRIFLUOROETHANE	81611	WAIVED			
1,1,2-TRICHLOROETHANE	34511	WAIVED			
1,1-DICHLOROETHANE	34496	WAIVED			
1,1-DICHLOROETHYLENE	34501	WAIVED			
1,2,4-TRICHLOROBENZENE	34551	WAIVED			
1,2-DICHLOROBENZENE	34536	WAIVED			
1,2-DICHLOROETHANE	34531	WAIVED			
1,2-DICHLOROPROPANE	34541	WAIVED			
1,3-DICHLOROPROPENE (TOTAL)	34561	WAIVED			
1,4-DICHLOROBENZENE	34571	WAIVED			
BENZENE	34030	WAIVED			
CARBON TETRACHLORIDE	32102	WAIVED			
CIS-1,2-DICHLOROETHYLENE	77093	WAIVED			
DICHLOROMETHANE	34423	WAIVED			
ETHYLBENZENE	34371	WAIVED			
METHYL-TERT-BUTYL-ETHER (MTBE)	46491	WAIVED			
MONOCHLOROBENZENE	34301	WAIVED			

**Testing interval is in months;*
0 = No data for this constituent and is DUE NOW
999 = Waived testing (not required)
I = Invalid (NOT) valid analyses reported

System Number: ***3107311***

System Name: ***NORTHSTAR SUMMIT DECK & GRILL***

PS Code: ***3107311-001***

Source Name: ***WELL #1 DRILLED 1985***

Source Number: ***001***

Source Status: ***ACTIVE UNTREATED***

Water type: ***GROUNDWATER OR WELL***

	STORET NUMBER	TESTING INTERVAL (MONTHS)*	LAST TEST DATE (yyyy/mm/dd)	LAST RESULT REPORTED	NEXT TEST DATE (yyyy/mm)
REGULATED VOC					
STYRENE	77128	WAIVED			
TETRACHLOROETHYLENE	34475	WAIVED			
TOLUENE	34010	WAIVED			
TRANS-1,2-DICHLOROETHYLENE	34546	WAIVED			
TRICHLOROETHYLENE	39180	WAIVED			
TRICHLOROFLUOROMETHANE	34488	WAIVED			
VINYL CHLORIDE	39175	WAIVED			
XYLENES (TOTAL)	81551	WAIVED			
SECONDARY/GP					
AGGRSSIVE INDEX (CORROSIVITY)	82383	WAIVED			
BICARBONATE ALKALINITY	00440	000			DUE
CALCIUM	00916	000			DUE
CARBONATE ALKALINITY	00445	000			DUE
CHLORIDE	00940	WAIVED			
COLOR	00081	WAIVED			
COPPER	01042	WAIVED			
FOAMING AGENTS (MBAS)	38260	WAIVED			
HARDNESS (TOTAL) AS CACO3	00900	000			DUE
HYDROXIDE ALKALINITY	71830	000			DUE
IRON	01045	000			DUE
MAGNESIUM	00927	000			DUE
MANGANESE	01055	000			DUE
ODOR THRESHOLD @ 60 C	00086	WAIVED			
PH, LABORATORY	00403	000			DUE
SILVER	01077	WAIVED			
SODIUM	00929	000			DUE
SPECIFIC CONDUCTANCE	00095	WAIVED			
SULFATE	00945	WAIVED			
TOTAL DISSOLVED SOLIDS	70300	WAIVED			

**Testing interval is in months;*
0 = No data for this constituent and is DUE NOW
999 = Waived testing (not required)
I = Invalid (NOT) valid analyses reported

System Number: ***3107311***

System Name: ***NORTHSTAR SUMMIT DECK & GRILL***

PS Code: ***3107311-001***

Source Name: ***WELL #1 DRILLED 1985***

Source Number: ***001***

Source Status: ***ACTIVE UNTREATED***

Water type: ***GROUNDWATER OR WELL***

	STORET NUMBER	TESTING INTERVAL (MONTHS)*	LAST TEST DATE (yyyy/mm/dd)	LAST RESULT REPORTED	NEXT TEST DATE (yyyy/mm)
SECONDARY/GP					
TURBIDITY, LABORATORY	82079	WAIVED			
ZINC	01092	WAIVED			

**Testing interval is in months;*
0 = No data for this constituent and is DUE NOW
999 = Waived testing (not required)
I = Invalid (NOT) valid analyses reported

System Number: ***3107313***
System Name: ***AQUAPURE***

PS Code: ***3107313-001***
Source Name: ***WELL 01***
Source Number: ***001***
Source Status: ***ACTIVE UNTREATED***
Water type: ***GROUNDWATER OR WELL***

	STORET NUMBER	TESTING INTERVAL (MONTHS)*	LAST TEST DATE (yyyy/mm/dd)	LAST RESULT REPORTED	NEXT TEST DATE (yyyy/mm)	
GENERAL NON CHAP 15						
DIAZINON	39570	WAIVED				
INORGANIC						
ALUMINUM	01105	036	2008/03/25	.000	2011/03	DUE
ANTIMONY	01097	036	2008/03/25	.000	2011/03	DUE
ARSENIC	01002	036	2008/03/25	8.800	2011/03	DUE
ASBESTOS	81855	WAIVED				
BARIUM	01007	036	2008/03/25	10.900	2011/03	DUE
BERYLLIUM	01012	036	2008/03/25	.000	2011/03	DUE
CADMIUM	01027	036	2008/03/25	9.200	2011/03	DUE
CHROMIUM (TOTAL)	01034	036	2008/03/25	.000	2011/03	DUE
CYANIDE	01291	WAIVED				
FLUORIDE (F) (NATURAL-SOURCE)	00951	036	2008/03/25	.000	2011/03	DUE
LEAD	01051	WAIVED				
MERCURY	71900	036	2008/03/25	.000	2011/03	DUE
NICKEL	01067	036	2008/03/25	.000	2011/03	DUE
PERCHLORATE	A-031	036	2008/08/26	.000	2011/08	DUE
SELENIUM	01147	036	2008/03/25	.000	2011/03	DUE
THALLIUM	01059	036	2008/03/25	.000	2011/03	DUE
NITRATE/NITRITE						
NITRATE (AS NO3)	71850	012	2011/04/19	.000	2012/04	
NITRITE (AS N)	00620	036	2011/04/19	.000	2014/04	
RADIOLOGICAL						
GROSS ALPHA	01501	003	2009/03/24	.000	2009/06	DUE
GROSS BETA	03501	WAIVED				
RA-226 FOR CWS OR TOTAL RA FOR NTNC BY 903.0	A-080	WAIVED				
RA-226 OR TOTAL RA BY 903.0 C.E.	A-081	WAIVED				
RADIUM 226	09501	WAIVED				
RADIUM 228	11501	WAIVED				

**Testing interval is in months;*
0 = No data for this constituent and is DUE NOW
999 = Waived testing (not required)
I = Invalid (NOT) valid analyses reported

System Number: ***3107313***

System Name: ***AQUAPURE***

PS Code: ***3107313-001***

Source Name: ***WELL 01***

Source Number: ***001***

Source Status: ***ACTIVE UNTREATED***

Water type: ***GROUNDWATER OR WELL***

	STORET NUMBER	TESTING INTERVAL (MONTHS)*	LAST TEST DATE (yyyy/mm/dd)	LAST RESULT REPORTED	NEXT TEST DATE (yyyy/mm)
RADIOLOGICAL					
RADIUM, TOTAL, MDA95-NTNC ONLY, BY 903.0	A-082	WAIVED			
STRONTIUM-90	13501	WAIVED			
TRITIUM	07000	WAIVED			
URANIUM (PCI/L)	28012	WAIVED			
REGULATED SOC					
2,3,7,8-TCDD (DIOXIN)	34676	WAIVED			
2,4,5-TP (SILVEX)	39045	WAIVED			
2,4-D	39730	WAIVED			
ALACHLOR	77825	WAIVED			
ATRAZINE	39033	WAIVED			
BENTAZON	38710	WAIVED			
BENZO (A) PYRENE	34247	WAIVED			
CARBOFURAN	81405	WAIVED			
CHLORDANE	39350	WAIVED			
DALAPON	38432	WAIVED			
DI(2-ETHYLHEXYL)ADIPATE	A-026	WAIVED			
DI(2-ETHYLHEXYL)PHTHALATE	39100	WAIVED			
DIBROMOCHLOROPROPANE (DBCP)	38761	WAIVED			
DINOSEB	81287	WAIVED			
DIQUAT	78885	WAIVED			
ENDOTHALL	38926	WAIVED			
ENDRIN	39390	WAIVED			
ETHYLENE DIBROMIDE (EDB)	77651	WAIVED			
GLYPHOSATE	79743	WAIVED			
HEPTACHLOR	39410	WAIVED			
HEPTACHLOR EPOXIDE	39420	WAIVED			
HEXACHLOROBENZENE	39700	WAIVED			
HEXACHLOROCYCLOPENTADIENE	34386	WAIVED			
LINDANE	39340	WAIVED			

**Testing interval is in months;*
0 = No data for this constituent and is DUE NOW
999 = Waived testing (not required)
I = Invalid (NOT) valid analyses reported

System Number: ***3107313***

System Name: ***AQUAPURE***

PS Code: ***3107313-001***

Source Name: ***WELL 01***

Source Number: ***001***

Source Status: ***ACTIVE UNTREATED***

Water type: ***GROUNDWATER OR WELL***

	STORET NUMBER	TESTING INTERVAL (MONTHS)*	LAST TEST DATE (yyyy/mm/dd)	LAST RESULT REPORTED	NEXT TEST DATE (yyyy/mm)	
REGULATED SOC						
METHOXYCHLOR	39480	WAIVED				
MOLINATE	82199	WAIVED				
OXAMYL	38865	WAIVED				
PENTACHLOROPHENOL	39032	WAIVED				
PICLORAM	39720	WAIVED				
POLYCHLORINATED BIPHENYLS, TOTAL, AS DCB	39516	WAIVED				
SIMAZINE	39055	WAIVED				
THIOBENCARB	A-001	WAIVED				
TOXAPHENE	39400	WAIVED				
REGULATED VOC						
1,1,1-TRICHLOROETHANE	34506	072	2008/03/25	.000	2014/03	
1,1,2,2-TETRACHLOROETHANE	34516	072	2008/03/25	.000	2014/03	
1,1,2-TRICHLORO-1,2,2-TRIFLUOROETHANE	81611	072	2008/03/25	.000	2014/03	
1,1,2-TRICHLOROETHANE	34511	072	2008/03/25	.000	2014/03	
1,1-DICHLOROETHANE	34496	072	2008/03/25	.000	2014/03	
1,1-DICHLOROETHYLENE	34501	000				**DUE**
1,2,4-TRICHLOROBENZENE	34551	072	2008/03/25	.000	2014/03	
1,2-DICHLOROBENZENE	34536	072	2008/03/25	.000	2014/03	
1,2-DICHLOROETHANE	34531	072	2008/03/25	.000	2014/03	
1,2-DICHLOROPROPANE	34541	072	2008/03/25	.000	2014/03	
1,3-DICHLOROPROPENE (TOTAL)	34561	072	2008/03/25	.000	2014/03	
1,4-DICHLOROBENZENE	34571	072	2008/03/25	.000	2014/03	
BENZENE	34030	072	2008/03/25	.000	2014/03	
CARBON TETRACHLORIDE	32102	072	2008/03/25	.000	2014/03	
CIS-1,2-DICHLOROETHYLENE	77093	072	2008/03/25	.000	2014/03	
DICHLOROMETHANE	34423	072	2008/03/25	.000	2014/03	
ETHYLBENZENE	34371	072	2008/03/25	.000	2014/03	
METHYL-TERT-BUTYL-ETHER (MTBE)	46491	072	2008/03/25	.000	2014/03	
MONOCHLOROBENZENE	34301	072	2008/03/25	.000	2014/03	

**Testing interval is in months;*
0 = No data for this constituent and is DUE NOW
999 = Waived testing (not required)
I = Invalid (NOT) valid analyses reported

System Number: ***3107313***
System Name: ***AQUAPURE***

PS Code: ***3107313-001***
Source Name: ***WELL 01***
Source Number: ***001***
Source Status: ***ACTIVE UNTREATED***
Water type: ***GROUNDWATER OR WELL***

	STORET NUMBER	TESTING INTERVAL (MONTHS)*	LAST TEST DATE (yyyy/mm/dd)	LAST RESULT REPORTED	NEXT TEST DATE (yyyy/mm)	
REGULATED VOC						
STYRENE	77128	072	2008/03/25	.000	2014/03	
TETRACHLOROETHYLENE	34475	072	2008/03/25	.000	2014/03	
TOLUENE	34010	072	2008/03/25	.000	2014/03	
TRANS-1,2-DICHLOROETHYLENE	34546	000				**DUE**
TRICHLOROETHYLENE	39180	072	2008/03/25	.000	2014/03	
TRICHLOROFLUOROMETHANE	34488	072	2008/03/25	.000	2014/03	
VINYL CHLORIDE	39175	072	2008/03/25	.000	2014/03	
XYLENES (TOTAL)	81551	000				**DUE**
SECONDARY/GP						
AGGRSSIVE INDEX (CORROSIVITY)	82383	WAIVED				
BICARBONATE ALKALINITY	00440	000				**DUE**
CALCIUM	00916	000				**DUE**
CARBONATE ALKALINITY	00445	000				**DUE**
CHLORIDE	00940	WAIVED				
COLOR	00081	WAIVED				
COPPER	01042	WAIVED	2008/04/08	.000		
FOAMING AGENTS (MBAS)	38260	WAIVED				
HARDNESS (TOTAL) AS CACO3	00900	000				**DUE**
HYDROXIDE ALKALINITY	71830	000				**DUE**
IRON	01045	WAIVED	2008/04/08	.000		
MAGNESIUM	00927	000				**DUE**
MANGANESE	01055	000				**DUE**
ODOR THRESHOLD @ 60 C	00086	WAIVED				
PH, LABORATORY	00403	000				**DUE**
SILVER	01077	WAIVED				
SODIUM	00929	000				**DUE**
SPECIFIC CONDUCTANCE	00095	WAIVED	2008/08/26	160.000		
SULFATE	00945	WAIVED				
TOTAL DISSOLVED SOLIDS	70300	WAIVED				

**Testing interval is in months;*
0 = No data for this constituent and is DUE NOW
999 = Waived testing (not required)
I = Invalid (NOT) valid analyses reported

System Number: ***3107313***

System Name: ***AQUAPURE***

	STORET NUMBER	TESTING INTERVAL (MONTHS)*	LAST TEST DATE (yyyy/mm/dd)	LAST RESULT REPORTED	NEXT TEST DATE (yyyy/mm)

PS Code: ***3107313-001***

Source Name: ***WELL 01***

Source Number: ***001***

Source Status: ***ACTIVE UNTREATED***

Water type: ***GROUNDWATER OR WELL***

SECONDARY/GP

TURBIDITY, LABORATORY	82079	WAIVED			
ZINC	01092	WAIVED			

**Testing interval is in months;*
0 = No data for this constituent and is DUE NOW
999 = Waived testing (not required)
I = Invalid (NOT) valid analyses reported

System Number: ***3107315***

System Name: ***TAHOE VISTANA***

PS Code: ***3107315-001***

Source Name: ***WELL 01***

Source Number: ***001***

Source Status: ***ACTIVE UNTREATED***

Water type: ***GROUNDWATER OR WELL***

	STORET NUMBER	TESTING INTERVAL (MONTHS)*	LAST TEST DATE (yyyy/mm/dd)	LAST RESULT REPORTED	NEXT TEST DATE (yyyy/mm)	
GENERAL NON CHAP 15						
DIAZINON	39570	WAIVED				
INORGANIC						
ALUMINUM	01105	WAIVED				
ANTIMONY	01097	WAIVED				
ARSENIC	01002	WAIVED				
ASBESTOS	81855	WAIVED				
BARIUM	01007	WAIVED				
BERYLLIUM	01012	WAIVED				
CADMIUM	01027	WAIVED				
CHROMIUM (TOTAL)	01034	WAIVED				
CYANIDE	01291	WAIVED				
FLUORIDE (F) (NATURAL-SOURCE)	00951	000				**DUE**
LEAD	01051	WAIVED				
MERCURY	71900	WAIVED				
NICKEL	01067	WAIVED				
PERCHLORATE	A-031	WAIVED				
SELENIUM	01147	WAIVED				
THALLIUM	01059	WAIVED				
NITRATE/NITRITE						
NITRATE (AS NO3)	71850	012	2011/06/13	.000	2012/06	
NITRITE (AS N)	00620	036	2011/06/13	.000	2014/06	
RADIOLOGICAL						
GROSS ALPHA	01501	WAIVED				
GROSS BETA	03501	WAIVED				
RA-226 FOR CWS OR TOTAL RA FOR NTNC BY 903.0	A-080	WAIVED				
RA-226 OR TOTAL RA BY 903.0 C.E.	A-081	WAIVED				
RADIUM 226	09501	WAIVED				
RADIUM 228	11501	WAIVED				

**Testing interval is in months;*
0 = No data for this constituent and is DUE NOW
999 = Waived testing (not required)
I = Invalid (NOT) valid analyses reported

System Number: ***3107315***

System Name: ***TAHOE VISTANA***

PS Code: ***3107315-001***

Source Name: ***WELL 01***

Source Number: ***001***

Source Status: ***ACTIVE UNTREATED***

Water type: ***GROUNDWATER OR WELL***

	STORET NUMBER	TESTING INTERVAL (MONTHS)*	LAST TEST DATE (yyyy/mm/dd)	LAST RESULT REPORTED	NEXT TEST DATE (yyyy/mm)
RADIOLOGICAL					
RADIUM, TOTAL, MDA95-NTNC ONLY, BY 903.0	A-082	WAIVED			
STRONTIUM-90	13501	WAIVED			
TRITIUM	07000	WAIVED			
URANIUM (PCI/L)	28012	WAIVED			
REGULATED SOC					
2,3,7,8-TCDD (DIOXIN)	34676	WAIVED			
2,4,5-TP (SILVEX)	39045	WAIVED			
2,4-D	39730	WAIVED			
ALACHLOR	77825	WAIVED			
ATRAZINE	39033	WAIVED			
BENTAZON	38710	WAIVED			
BENZO (A) PYRENE	34247	WAIVED			
CARBOFURAN	81405	WAIVED			
CHLORDANE	39350	WAIVED			
DALAPON	38432	WAIVED			
DI(2-ETHYLHEXYL)ADIPATE	A-026	WAIVED			
DI(2-ETHYLHEXYL)PHTHALATE	39100	WAIVED			
DIBROMOCHLOROPROPANE (DBCP)	38761	WAIVED			
DINOSEB	81287	WAIVED			
DIQUAT	78885	WAIVED			
ENDOTHALL	38926	WAIVED			
ENDRIN	39390	WAIVED			
ETHYLENE DIBROMIDE (EDB)	77651	WAIVED			
GLYPHOSATE	79743	WAIVED			
HEPTACHLOR	39410	WAIVED			
HEPTACHLOR EPOXIDE	39420	WAIVED			
HEXACHLOROBENZENE	39700	WAIVED			
HEXACHLOROCYCLOPENTADIENE	34386	WAIVED			
LINDANE	39340	WAIVED			

**Testing interval is in months;*
0 = No data for this constituent and is DUE NOW
999 = Waived testing (not required)
I = Invalid (NOT) valid analyses reported

System Number: ***3107315***

System Name: ***TAHOE VISTANA***

PS Code: ***3107315-001***

Source Name: ***WELL 01***

Source Number: ***001***

Source Status: ***ACTIVE UNTREATED***

Water type: ***GROUNDWATER OR WELL***

	STORET NUMBER	TESTING INTERVAL (MONTHS)*	LAST TEST DATE (yyyy/mm/dd)	LAST RESULT REPORTED	NEXT TEST DATE (yyyy/mm)
REGULATED SOC					
METHOXYCHLOR	39480	WAIVED			
MOLINATE	82199	WAIVED			
OXAMYL	38865	WAIVED			
PENTACHLOROPHENOL	39032	WAIVED			
PICLORAM	39720	WAIVED			
POLYCHLORINATED BIPHENYLS, TOTAL, AS DCB	39516	WAIVED			
SIMAZINE	39055	WAIVED			
THIOBENCARB	A-001	WAIVED			
TOXAPHENE	39400	WAIVED			
REGULATED VOC					
1,1,1-TRICHLOROETHANE	34506	WAIVED			
1,1,2,2-TETRACHLOROETHANE	34516	WAIVED			
1,1,2-TRICHLORO-1,2,2-TRIFLUOROETHANE	81611	WAIVED			
1,1,2-TRICHLOROETHANE	34511	WAIVED			
1,1-DICHLOROETHANE	34496	WAIVED			
1,1-DICHLOROETHYLENE	34501	WAIVED			
1,2,4-TRICHLOROBENZENE	34551	WAIVED			
1,2-DICHLOROBENZENE	34536	WAIVED			
1,2-DICHLOROETHANE	34531	WAIVED			
1,2-DICHLOROPROPANE	34541	WAIVED			
1,3-DICHLOROPROPENE (TOTAL)	34561	WAIVED			
1,4-DICHLOROBENZENE	34571	WAIVED			
BENZENE	34030	WAIVED			
CARBON TETRACHLORIDE	32102	WAIVED			
CIS-1,2-DICHLOROETHYLENE	77093	WAIVED			
DICHLOROMETHANE	34423	WAIVED			
ETHYLBENZENE	34371	WAIVED			
METHYL-TERT-BUTYL-ETHER (MTBE)	46491	WAIVED			
MONOCHLOROBENZENE	34301	WAIVED			

**Testing interval is in months;*
0 = No data for this constituent and is DUE NOW
999 = Waived testing (not required)
I = Invalid (NOT) valid analyses reported

System Number: ***3107315***

System Name: ***TAHOE VISTANA***

PS Code: ***3107315-001***

Source Name: ***WELL 01***

Source Number: ***001***

Source Status: ***ACTIVE UNTREATED***

Water type: ***GROUNDWATER OR WELL***

	STORET NUMBER	TESTING INTERVAL (MONTHS)*	LAST TEST DATE (yyyy/mm/dd)	LAST RESULT REPORTED	NEXT TEST DATE (yyyy/mm)
REGULATED VOC					
STYRENE	77128	WAIVED			
TETRACHLOROETHYLENE	34475	WAIVED			
TOLUENE	34010	WAIVED			
TRANS-1,2-DICHLOROETHYLENE	34546	WAIVED			
TRICHLOROETHYLENE	39180	WAIVED			
TRICHLOROFLUOROMETHANE	34488	WAIVED			
VINYL CHLORIDE	39175	WAIVED			
XYLENES (TOTAL)	81551	WAIVED			
SECONDARY/GP					
AGGRSSIVE INDEX (CORROSIVITY)	82383	WAIVED			
BICARBONATE ALKALINITY	00440	000			DUE
CALCIUM	00916	000			DUE
CARBONATE ALKALINITY	00445	000			DUE
CHLORIDE	00940	WAIVED			
COLOR	00081	WAIVED			
COPPER	01042	WAIVED			
FOAMING AGENTS (MBAS)	38260	WAIVED			
HARDNESS (TOTAL) AS CACO3	00900	000			DUE
HYDROXIDE ALKALINITY	71830	000			DUE
IRON	01045	000			DUE
MAGNESIUM	00927	000			DUE
MANGANESE	01055	000			DUE
ODOR THRESHOLD @ 60 C	00086	WAIVED			
PH, LABORATORY	00403	000			DUE
SILVER	01077	WAIVED			
SODIUM	00929	000			DUE
SPECIFIC CONDUCTANCE	00095	WAIVED			
SULFATE	00945	WAIVED			
TOTAL DISSOLVED SOLIDS	70300	WAIVED			

**Testing interval is in months;*
0 = No data for this constituent and is DUE NOW
999 = Waived testing (not required)
I = Invalid (NOT) valid analyses reported

System Number: ***3107315***

System Name: ***TAHOE VISTANA***

PS Code: ***3107315-001***

Source Name: ***WELL 01***

Source Number: ***001***

Source Status: ***ACTIVE UNTREATED***

Water type: ***GROUNDWATER OR WELL***

	STORET NUMBER	TESTING INTERVAL (MONTHS)*	LAST TEST DATE (yyyy/mm/dd)	LAST RESULT REPORTED	NEXT TEST DATE (yyyy/mm)
SECONDARY/GP					
TURBIDITY, LABORATORY	82079	WAIVED			
ZINC	01092	WAIVED			

PS Code: ***3107315-002***

Source Name: ***WELL 02***

Source Number: ***002***

Source Status: ***ACTIVE UNTREATED***

Water type: ***GROUNDWATER OR WELL***

GENERAL NON CHAP 15					
DIAZINON	39570	WAIVED			
INORGANIC					
ALUMINUM	01105	WAIVED			
ANTIMONY	01097	WAIVED			
ARSENIC	01002	WAIVED			
ASBESTOS	81855	WAIVED			
BARIUM	01007	WAIVED			
BERYLLIUM	01012	WAIVED			
CADMIUM	01027	WAIVED			
CHROMIUM (TOTAL)	01034	WAIVED			
CYANIDE	01291	WAIVED			
FLUORIDE (F) (NATURAL-SOURCE)	00951	000			DUE
LEAD	01051	WAIVED			
MERCURY	71900	WAIVED			
NICKEL	01067	WAIVED			
PERCHLORATE	A-031	WAIVED			
SELENIUM	01147	WAIVED			
THALLIUM	01059	WAIVED			

**Testing interval is in months;*
0 = No data for this constituent and is DUE NOW
999 = Waived testing (not required)
I = Invalid (NOT) valid analyses reported

System Number: ***3107315***

System Name: ***TAHOE VISTANA***

PS Code: ***3107315-002***

Source Name: ***WELL 02***

Source Number: ***002***

Source Status: ***ACTIVE UNTREATED***

Water type: ***GROUNDWATER OR WELL***

	STORET NUMBER	TESTING INTERVAL (MONTHS)*	LAST TEST DATE (yyyy/mm/dd)	LAST RESULT REPORTED	NEXT TEST DATE (yyyy/mm)
NITRATE/NITRITE					
NITRATE (AS NO3)	71850	012	2011/06/13	.000	2012/06
NITRITE (AS N)	00620	036	2011/06/13	.000	2014/06
RADIOLOGICAL					
GROSS ALPHA	01501	WAIVED			
GROSS BETA	03501	WAIVED			
RA-226 FOR CWS OR TOTAL RA FOR NTNC BY 903.0	A-080	WAIVED			
RA-226 OR TOTAL RA BY 903.0 C.E.	A-081	WAIVED			
RADIUM 226	09501	WAIVED			
RADIUM 228	11501	WAIVED			
RADIUM, TOTAL, MDA95-NTNC ONLY, BY 903.0	A-082	WAIVED			
STRONTIUM-90	13501	WAIVED			
TRITIUM	07000	WAIVED			
URANIUM (PCI/L)	28012	WAIVED			
REGULATED SOC					
2,3,7,8-TCDD (DIOXIN)	34676	WAIVED			
2,4,5-TP (SILVEX)	39045	WAIVED			
2,4-D	39730	WAIVED			
ALACHLOR	77825	WAIVED			
ATRAZINE	39033	WAIVED			
BENTAZON	38710	WAIVED			
BENZO (A) PYRENE	34247	WAIVED			
CARBOFURAN	81405	WAIVED			
CHLORDANE	39350	WAIVED			
DALAPON	38432	WAIVED			
DI(2-ETHYLHEXYL)ADIPATE	A-026	WAIVED			
DI(2-ETHYLHEXYL)PHTHALATE	39100	WAIVED			
DIBROMOCHLOROPROPANE (DBCP)	38761	WAIVED			
DINOSEB	81287	WAIVED			
DIQUAT	78885	WAIVED			

**Testing interval is in months;*
0 = No data for this constituent and is DUE NOW
999 = Waived testing (not required)
I = Invalid (NOT) valid analyses reported

System Number: ***3107315***

System Name: ***TAHOE VISTANA***

PS Code: ***3107315-002***

Source Name: ***WELL 02***

Source Number: ***002***

Source Status: ***ACTIVE UNTREATED***

Water type: ***GROUNDWATER OR WELL***

	STORET NUMBER	TESTING INTERVAL (MONTHS)*	LAST TEST DATE (yyyy/mm/dd)	LAST RESULT REPORTED	NEXT TEST DATE (yyyy/mm)
REGULATED SOC					
ENDOTHALL	38926	WAIVED			
ENDRIN	39390	WAIVED			
ETHYLENE DIBROMIDE (EDB)	77651	WAIVED			
GLYPHOSATE	79743	WAIVED			
HEPTACHLOR	39410	WAIVED			
HEPTACHLOR EPOXIDE	39420	WAIVED			
HEXACHLOROBENZENE	39700	WAIVED			
HEXACHLOROCYCLOPENTADIENE	34386	WAIVED			
LINDANE	39340	WAIVED			
METHOXYCHLOR	39480	WAIVED			
MOLINATE	82199	WAIVED			
OXAMYL	38865	WAIVED			
PENTACHLOROPHENOL	39032	WAIVED			
PICLORAM	39720	WAIVED			
POLYCHLORINATED BIPHENYLS, TOTAL, AS DCB	39516	WAIVED			
SIMAZINE	39055	WAIVED			
THIOBENCARB	A-001	WAIVED			
TOXAPHENE	39400	WAIVED			
REGULATED VOC					
1,1,1-TRICHLOROETHANE	34506	WAIVED			
1,1,2,2-TETRACHLOROETHANE	34516	WAIVED			
1,1,2-TRICHLORO-1,2,2-TRIFLUOROETHANE	81611	WAIVED			
1,1,2-TRICHLOROETHANE	34511	WAIVED			
1,1-DICHLOROETHANE	34496	WAIVED			
1,1-DICHLOROETHYLENE	34501	WAIVED			
1,2,4-TRICHLOROBENZENE	34551	WAIVED			
1,2-DICHLOROBENZENE	34536	WAIVED			
1,2-DICHLOROETHANE	34531	WAIVED			
1,2-DICHLOROPROPANE	34541	WAIVED			

**Testing interval is in months;*
0 = No data for this constituent and is DUE NOW
999 = Waived testing (not required)
I = Invalid (NOT) valid analyses reported

System Number: ***3107315***

System Name: ***TAHOE VISTANA***

PS Code: ***3107315-002***

Source Name: ***WELL 02***

Source Number: ***002***

Source Status: ***ACTIVE UNTREATED***

Water type: ***GROUNDWATER OR WELL***

	STORET NUMBER	TESTING INTERVAL (MONTHS)*	LAST TEST DATE (yyyy/mm/dd)	LAST RESULT REPORTED	NEXT TEST DATE (yyyy/mm)
REGULATED VOC					
1,3-DICHLOROPROPENE (TOTAL)	34561	WAIVED			
1,4-DICHLOROBENZENE	34571	WAIVED			
BENZENE	34030	WAIVED			
CARBON TETRACHLORIDE	32102	WAIVED			
CIS-1,2-DICHLOROETHYLENE	77093	WAIVED			
DICHLOROMETHANE	34423	WAIVED			
ETHYLBENZENE	34371	WAIVED			
METHYL-TERT-BUTYL-ETHER (MTBE)	46491	WAIVED			
MONOCHLOROBENZENE	34301	WAIVED			
STYRENE	77128	WAIVED			
TETRACHLOROETHYLENE	34475	WAIVED			
TOLUENE	34010	WAIVED			
TRANS-1,2-DICHLOROETHYLENE	34546	WAIVED			
TRICHLOROETHYLENE	39180	WAIVED			
TRICHLOROFLUOROMETHANE	34488	WAIVED			
VINYL CHLORIDE	39175	WAIVED			
XYLENES (TOTAL)	81551	WAIVED			
SECONDARY/GP					
AGGRSSIVE INDEX (CORROSIVITY)	82383	WAIVED			
BICARBONATE ALKALINITY	00440	000			DUE
CALCIUM	00916	000			DUE
CARBONATE ALKALINITY	00445	000			DUE
CHLORIDE	00940	WAIVED			
COLOR	00081	WAIVED			
COPPER	01042	WAIVED			
FOAMING AGENTS (MBAS)	38260	WAIVED			
HARDNESS (TOTAL) AS CACO3	00900	000			DUE
HYDROXIDE ALKALINITY	71830	000			DUE
IRON	01045	000			DUE

**Testing interval is in months;*
0 = No data for this constituent and is DUE NOW
999 = Waived testing (not required)
I = Invalid (NOT) valid analyses reported

System Number: ***3107315***

System Name: ***TAHOE VISTANA***

PS Code: ***3107315-002***

Source Name: ***WELL 02***

Source Number: ***002***

Source Status: ***ACTIVE UNTREATED***

Water type: ***GROUNDWATER OR WELL***

SECONDARY/GP

	STORET NUMBER	TESTING INTERVAL (MONTHS)*	LAST TEST DATE (yyyy/mm/dd)	LAST RESULT REPORTED	NEXT TEST DATE (yyyy/mm)	
MAGNESIUM	**00927**	**000**				**DUE**
MANGANESE	**01055**	**000**				**DUE**
ODOR THRESHOLD @ 60 C	**00086**	**WAIVED**				
PH, LABORATORY	**00403**	**000**				**DUE**
SILVER	**01077**	**WAIVED**				
SODIUM	**00929**	**000**				**DUE**
SPECIFIC CONDUCTANCE	**00095**	**WAIVED**				
SULFATE	**00945**	**WAIVED**				
TOTAL DISSOLVED SOLIDS	**70300**	**WAIVED**				
TURBIDITY, LABORATORY	**82079**	**WAIVED**				
ZINC	**01092**	**WAIVED**				

**Testing interval is in months;*
0 = No data for this constituent and is DUE NOW
999 = Waived testing (not required)
I = Invalid (NOT) valid analyses reported

System Number: ***3107317***

System Name: ***FIR CRAGS SUMMER HOME TRACT***

PS Code: ***3107317-001***

Source Name: ***EXISTING SPRING 2002 (SURFACE INFLUENCE)***

Source Number: ***001***

Source Status: ***ACTIVE RAW***

Water type: ***SURFACE***

	STORET NUMBER	TESTING INTERVAL (MONTHS)*	LAST TEST DATE (yyyy/mm/dd)	LAST RESULT REPORTED	NEXT TEST DATE (yyyy/mm)
GENERAL NON CHAP 15					
DIAZINON	39570	WAIVED			
INORGANIC					
ALUMINUM	01105	WAIVED			
ANTIMONY	01097	WAIVED			
ARSENIC	01002	WAIVED			
ASBESTOS	81855	WAIVED			
BARIUM	01007	WAIVED			
BERYLLIUM	01012	WAIVED			
CADMIUM	01027	WAIVED			
CHROMIUM (TOTAL)	01034	WAIVED			
CYANIDE	01291	WAIVED			
FLUORIDE (F) (NATURAL-SOURCE)	00951	000			DUE
LEAD	01051	WAIVED			
MERCURY	71900	WAIVED			
NICKEL	01067	WAIVED			
PERCHLORATE	A-031	WAIVED			
SELENIUM	01147	WAIVED			
THALLIUM	01059	WAIVED			
NITRATE/NITRITE					
NITRATE (AS NO3)	71850	000			DUE
NITRITE (AS N)	00620	000			DUE
RADIOLOGICAL					
GROSS ALPHA	01501	WAIVED			
GROSS BETA	03501	WAIVED			
RA-226 FOR CWS OR TOTAL RA FOR NTNC BY 903.0	A-080	WAIVED			
RA-226 OR TOTAL RA BY 903.0 C.E.	A-081	WAIVED			
RADIUM 226	09501	WAIVED			
RADIUM 228	11501	WAIVED			

**Testing interval is in months;*
0 = No data for this constituent and is DUE NOW
999 = Waived testing (not required)
I = Invalid (NOT) valid analyses reported

System Number: ***3107317***

System Name: ***FIR CRAGS SUMMER HOME TRACT***

PS Code: ***3107317-001***

Source Name: ***EXISTING SPRING 2002 (SURFACE INFLUENCE)***

Source Number: ***001***

Source Status: ***ACTIVE RAW***

Water type: ***SURFACE***

	STORET NUMBER	TESTING INTERVAL (MONTHS)*	LAST TEST DATE (yyyy/mm/dd)	LAST RESULT REPORTED	NEXT TEST DATE (yyyy/mm)
RADIOLOGICAL					
RADIUM, TOTAL, MDA95-NTNC ONLY, BY 903.0	A-082	WAIVED			
STRONTIUM-90	13501	WAIVED			
TRITIUM	07000	WAIVED			
URANIUM (PCI/L)	28012	WAIVED			
REGULATED SOC					
2,3,7,8-TCDD (DIOXIN)	34676	WAIVED			
2,4,5-TP (SILVEX)	39045	WAIVED			
2,4-D	39730	WAIVED			
ALACHLOR	77825	WAIVED			
ATRAZINE	39033	WAIVED			
BENTAZON	38710	WAIVED			
BENZO (A) PYRENE	34247	WAIVED			
CARBOFURAN	81405	WAIVED			
CHLORDANE	39350	WAIVED			
DALAPON	38432	WAIVED			
DI(2-ETHYLHEXYL)ADIPATE	A-026	WAIVED			
DI(2-ETHYLHEXYL)PHTHALATE	39100	WAIVED			
DIBROMOCHLOROPROPANE (DBCP)	38761	WAIVED			
DINOSEB	81287	WAIVED			
DIQUAT	78885	WAIVED			
ENDOTHALL	38926	WAIVED			
ENDRIN	39390	WAIVED			
ETHYLENE DIBROMIDE (EDB)	77651	WAIVED			
GLYPHOSATE	79743	WAIVED			
HEPTACHLOR	39410	WAIVED			
HEPTACHLOR EPOXIDE	39420	WAIVED			
HEXACHLOROBENZENE	39700	WAIVED			
HEXACHLOROCYCLOPENTADIENE	34386	WAIVED			
LINDANE	39340	WAIVED			

**Testing interval is in months;*
0 = No data for this constituent and is DUE NOW
999 = Waived testing (not required)
I = Invalid (NOT) valid analyses reported

System Number: ***3107317***

System Name: ***FIR CRAGS SUMMER HOME TRACT***

PS Code: ***3107317-001***

Source Name: ***EXISTING SPRING 2002 (SURFACE INFLUENCE)***

Source Number: ***001***

Source Status: ***ACTIVE RAW***

Water type: ***SURFACE***

	STORET NUMBER	TESTING INTERVAL (MONTHS)*	LAST TEST DATE (yyyy/mm/dd)	LAST RESULT REPORTED	NEXT TEST DATE (yyyy/mm)
REGULATED SOC					
METHOXYCHLOR	39480	WAIVED			
MOLINATE	82199	WAIVED			
OXAMYL	38865	WAIVED			
PENTACHLOROPHENOL	39032	WAIVED			
PICLORAM	39720	WAIVED			
POLYCHLORINATED BIPHENYLS, TOTAL, AS DCB	39516	WAIVED			
SIMAZINE	39055	WAIVED			
THIOBENCARB	A-001	WAIVED			
TOXAPHENE	39400	WAIVED			
REGULATED VOC					
1,1,1-TRICHLOROETHANE	34506	WAIVED			
1,1,2,2-TETRACHLOROETHANE	34516	WAIVED			
1,1,2-TRICHLORO-1,2,2-TRIFLUOROETHANE	81611	WAIVED			
1,1,2-TRICHLOROETHANE	34511	WAIVED			
1,1-DICHLOROETHANE	34496	WAIVED			
1,1-DICHLOROETHYLENE	34501	WAIVED			
1,2,4-TRICHLOROBENZENE	34551	WAIVED			
1,2-DICHLOROBENZENE	34536	WAIVED			
1,2-DICHLOROETHANE	34531	WAIVED			
1,2-DICHLOROPROPANE	34541	WAIVED			
1,3-DICHLOROPROPENE (TOTAL)	34561	WAIVED			
1,4-DICHLOROBENZENE	34571	WAIVED			
BENZENE	34030	WAIVED			
CARBON TETRACHLORIDE	32102	WAIVED			
CIS-1,2-DICHLOROETHYLENE	77093	WAIVED			
DICHLOROMETHANE	34423	WAIVED			
ETHYLBENZENE	34371	WAIVED			
METHYL-TERT-BUTYL-ETHER (MTBE)	46491	WAIVED			
MONOCHLOROBENZENE	34301	WAIVED			

**Testing interval is in months;*
0 = No data for this constituent and is DUE NOW
999 = Waived testing (not required)
I = Invalid (NOT) valid analyses reported

System Number: ***3107317***

System Name: ***FIR CRAGS SUMMER HOME TRACT***

PS Code: ***3107317-001***

Source Name: ***EXISTING SPRING 2002 (SURFACE INFLUENCE)***

Source Number: ***001***

Source Status: ***ACTIVE RAW***

Water type: ***SURFACE***

	STORET NUMBER	TESTING INTERVAL (MONTHS)*	LAST TEST DATE (yyyy/mm/dd)	LAST RESULT REPORTED	NEXT TEST DATE (yyyy/mm)
REGULATED VOC					
STYRENE	77128	WAIVED			
TETRACHLOROETHYLENE	34475	WAIVED			
TOLUENE	34010	WAIVED			
TRANS-1,2-DICHLOROETHYLENE	34546	WAIVED			
TRICHLOROETHYLENE	39180	WAIVED			
TRICHLOROFLUOROMETHANE	34488	WAIVED			
VINYL CHLORIDE	39175	WAIVED			
XYLENES (TOTAL)	81551	WAIVED			
SECONDARY/GP					
AGGRSSIVE INDEX (CORROSIVITY)	82383	WAIVED			
BICARBONATE ALKALINITY	00440	000			DUE
CALCIUM	00916	000			DUE
CARBONATE ALKALINITY	00445	000			DUE
CHLORIDE	00940	WAIVED			
COLOR	00081	WAIVED			
COPPER	01042	WAIVED			
FOAMING AGENTS (MBAS)	38260	WAIVED			
HARDNESS (TOTAL) AS CACO3	00900	000			DUE
HYDROXIDE ALKALINITY	71830	000			DUE
IRON	01045	000			DUE
MAGNESIUM	00927	000			DUE
MANGANESE	01055	000			DUE
ODOR THRESHOLD @ 60 C	00086	WAIVED			
PH, LABORATORY	00403	000			DUE
SILVER	01077	WAIVED			
SODIUM	00929	000			DUE
SPECIFIC CONDUCTANCE	00095	WAIVED			
SULFATE	00945	WAIVED			
TOTAL DISSOLVED SOLIDS	70300	WAIVED			

**Testing interval is in months;*
0 = No data for this constituent and is DUE NOW
999 = Waived testing (not required)
I = Invalid (NOT) valid analyses reported

System Number: ***3107317***

System Name: ***FIR CRAGS SUMMER HOME TRACT***

PS Code: ***3107317-001***

Source Name: ***EXISTING SPRING 2002 (SURFACE INFLUENCE)***

Source Number: ***001***

Source Status: ***ACTIVE RAW***

Water type: ***SURFACE***

SECONDARY/GP

	STORET NUMBER	TESTING INTERVAL (MONTHS)*	LAST TEST DATE (yyyy/mm/dd)	LAST RESULT REPORTED	NEXT TEST DATE (yyyy/mm)
TURBIDITY, LABORATORY	82079	WAIVED			
ZINC	01092	WAIVED			

**Testing interval is in months;*
0 = No data for this constituent and is DUE NOW
999 = Waived testing (not required)
I = Invalid (NOT) valid analyses reported

System Number: ***3107318***

System Name: ***SIERRA WOODS LODGE***

PS Code: ***3107318-001***

Source Name: ***WELL 01***

Source Number: ***001***

Source Status: ***ACTIVE UNTREATED***

Water type: ***GROUNDWATER OR WELL***

	STORET NUMBER	TESTING INTERVAL (MONTHS)*	LAST TEST DATE (yyyy/mm/dd)	LAST RESULT REPORTED	NEXT TEST DATE (yyyy/mm)
GENERAL NON CHAP 15					
DIAZINON	39570	WAIVED			
INORGANIC					
ALUMINUM	01105	WAIVED			
ANTIMONY	01097	WAIVED			
ARSENIC	01002	WAIVED			
ASBESTOS	81855	WAIVED			
BARIUM	01007	WAIVED			
BERYLLIUM	01012	WAIVED			
CADMIUM	01027	WAIVED			
CHROMIUM (TOTAL)	01034	WAIVED			
CYANIDE	01291	WAIVED			
FLUORIDE (F) (NATURAL-SOURCE)	00951	000			DUE
LEAD	01051	WAIVED			
MERCURY	71900	WAIVED			
NICKEL	01067	WAIVED			
PERCHLORATE	A-031	WAIVED			
SELENIUM	01147	WAIVED			
THALLIUM	01059	WAIVED			
NITRATE/NITRITE					
NITRATE (AS NO3)	71850	000			DUE
NITRITE (AS N)	00620	000			DUE
RADIOLOGICAL					
GROSS ALPHA	01501	WAIVED			
GROSS BETA	03501	WAIVED			
RA-226 FOR CWS OR TOTAL RA FOR NTNC BY 903.0	A-080	WAIVED			
RA-226 OR TOTAL RA BY 903.0 C.E.	A-081	WAIVED			
RADIUM 226	09501	WAIVED			
RADIUM 228	11501	WAIVED			

**Testing interval is in months;*
0 = No data for this constituent and is DUE NOW
999 = Waived testing (not required)
I = Invalid (NOT) valid analyses reported

System Number: ***3107318***

System Name: ***SIERRA WOODS LODGE***

PS Code: ***3107318-001***

Source Name: ***WELL 01***

Source Number: ***001***

Source Status: ***ACTIVE UNTREATED***

Water type: ***GROUNDWATER OR WELL***

	STORET NUMBER	TESTING INTERVAL (MONTHS)*	LAST TEST DATE (yyyy/mm/dd)	LAST RESULT REPORTED	NEXT TEST DATE (yyyy/mm)
RADIOLOGICAL					
RADIUM, TOTAL, MDA95-NTNC ONLY, BY 903.0	A-082	WAIVED			
STRONTIUM-90	13501	WAIVED			
TRITIUM	07000	WAIVED			
URANIUM (PCI/L)	28012	WAIVED			
REGULATED SOC					
2,3,7,8-TCDD (DIOXIN)	34676	WAIVED			
2,4,5-TP (SILVEX)	39045	WAIVED			
2,4-D	39730	WAIVED			
ALACHLOR	77825	WAIVED			
ATRAZINE	39033	WAIVED			
BENTAZON	38710	WAIVED			
BENZO (A) PYRENE	34247	WAIVED			
CARBOFURAN	81405	WAIVED			
CHLORDANE	39350	WAIVED			
DALAPON	38432	WAIVED			
DI(2-ETHYLHEXYL)ADIPATE	A-026	WAIVED			
DI(2-ETHYLHEXYL)PHTHALATE	39100	WAIVED			
DIBROMOCHLOROPROPANE (DBCP)	38761	WAIVED			
DINOSEB	81287	WAIVED			
DIQUAT	78885	WAIVED			
ENDOTHALL	38926	WAIVED			
ENDRIN	39390	WAIVED			
ETHYLENE DIBROMIDE (EDB)	77651	WAIVED			
GLYPHOSATE	79743	WAIVED			
HEPTACHLOR	39410	WAIVED			
HEPTACHLOR EPOXIDE	39420	WAIVED			
HEXACHLOROBENZENE	39700	WAIVED			
HEXACHLOROCYCLOPENTADIENE	34386	WAIVED			
LINDANE	39340	WAIVED			

**Testing interval is in months;*
0 = No data for this constituent and is DUE NOW
999 = Waived testing (not required)
I = Invalid (NOT) valid analyses reported

System Number: ***3107318***

System Name: ***SIERRA WOODS LODGE***

PS Code: ***3107318-001***

Source Name: ***WELL 01***

Source Number: ***001***

Source Status: ***ACTIVE UNTREATED***

Water type: ***GROUNDWATER OR WELL***

	STORET NUMBER	TESTING INTERVAL (MONTHS)*	LAST TEST DATE (yyyy/mm/dd)	LAST RESULT REPORTED	NEXT TEST DATE (yyyy/mm)
REGULATED SOC					
METHOXYCHLOR	39480	WAIVED			
MOLINATE	82199	WAIVED			
OXAMYL	38865	WAIVED			
PENTACHLOROPHENOL	39032	WAIVED			
PICLORAM	39720	WAIVED			
POLYCHLORINATED BIPHENYLS, TOTAL, AS DCB	39516	WAIVED			
SIMAZINE	39055	WAIVED			
THIOBENCARB	A-001	WAIVED			
TOXAPHENE	39400	WAIVED			
REGULATED VOC					
1,1,1-TRICHLOROETHANE	34506	WAIVED			
1,1,2,2-TETRACHLOROETHANE	34516	WAIVED			
1,1,2-TRICHLORO-1,2,2-TRIFLUOROETHANE	81611	WAIVED			
1,1,2-TRICHLOROETHANE	34511	WAIVED			
1,1-DICHLOROETHANE	34496	WAIVED			
1,1-DICHLOROETHYLENE	34501	WAIVED			
1,2,4-TRICHLOROBENZENE	34551	WAIVED			
1,2-DICHLOROBENZENE	34536	WAIVED			
1,2-DICHLOROETHANE	34531	WAIVED			
1,2-DICHLOROPROPANE	34541	WAIVED			
1,3-DICHLOROPROPENE (TOTAL)	34561	WAIVED			
1,4-DICHLOROBENZENE	34571	WAIVED			
BENZENE	34030	WAIVED			
CARBON TETRACHLORIDE	32102	WAIVED			
CIS-1,2-DICHLOROETHYLENE	77093	WAIVED			
DICHLOROMETHANE	34423	WAIVED			
ETHYLBENZENE	34371	WAIVED			
METHYL-TERT-BUTYL-ETHER (MTBE)	46491	WAIVED			
MONOCHLOROBENZENE	34301	WAIVED			

**Testing interval is in months;*
0 = No data for this constituent and is DUE NOW
999 = Waived testing (not required)
I = Invalid (NOT) valid analyses reported

System Number: ***3107318***

System Name: ***SIERRA WOODS LODGE***

PS Code: ***3107318-001***

Source Name: ***WELL 01***

Source Number: ***001***

Source Status: ***ACTIVE UNTREATED***

Water type: ***GROUNDWATER OR WELL***

	STORET NUMBER	TESTING INTERVAL (MONTHS)*	LAST TEST DATE (yyyy/mm/dd)	LAST RESULT REPORTED	NEXT TEST DATE (yyyy/mm)
REGULATED VOC					
STYRENE	77128	WAIVED			
TETRACHLOROETHYLENE	34475	WAIVED			
TOLUENE	34010	WAIVED			
TRANS-1,2-DICHLOROETHYLENE	34546	WAIVED			
TRICHLOROETHYLENE	39180	WAIVED			
TRICHLOROFLUOROMETHANE	34488	WAIVED			
VINYL CHLORIDE	39175	WAIVED			
XYLENES (TOTAL)	81551	WAIVED			
SECONDARY/GP					
AGGRSSIVE INDEX (CORROSIVITY)	82383	WAIVED			
BICARBONATE ALKALINITY	00440	000			DUE
CALCIUM	00916	000			DUE
CARBONATE ALKALINITY	00445	000			DUE
CHLORIDE	00940	WAIVED			
COLOR	00081	WAIVED			
COPPER	01042	WAIVED			
FOAMING AGENTS (MBAS)	38260	WAIVED			
HARDNESS (TOTAL) AS CACO3	00900	000			DUE
HYDROXIDE ALKALINITY	71830	000			DUE
IRON	01045	000			DUE
MAGNESIUM	00927	000			DUE
MANGANESE	01055	000			DUE
ODOR THRESHOLD @ 60 C	00086	WAIVED			
PH, LABORATORY	00403	000			DUE
SILVER	01077	WAIVED			
SODIUM	00929	000			DUE
SPECIFIC CONDUCTANCE	00095	WAIVED			
SULFATE	00945	WAIVED			
TOTAL DISSOLVED SOLIDS	70300	WAIVED			

**Testing interval is in months;*
0 = No data for this constituent and is DUE NOW
999 = Waived testing (not required)
I = Invalid (NOT) valid analyses reported

System Number: ***3107318***

System Name: ***SIERRA WOODS LODGE***

PS Code: ***3107318-001***

Source Name: ***WELL 01***

Source Number: ***001***

Source Status: ***ACTIVE UNTREATED***

Water type: ***GROUNDWATER OR WELL***

SECONDARY/GP	STORET NUMBER	TESTING INTERVAL (MONTHS)*	LAST TEST DATE (yyyy/mm/dd)	LAST RESULT REPORTED	NEXT TEST DATE (yyyy/mm)
TURBIDITY, LABORATORY	82079	WAIVED			
ZINC	01092	WAIVED			

**Testing interval is in months;*
0 = No data for this constituent and is DUE NOW
999 = Waived testing (not required)
I = Invalid (NOT) valid analyses reported

System Number: ***3107320***

System Name: ***FRED HASWELL PROPERTIES***

PS Code: ***3107320-001***

Source Name: ***WELL #1***

Source Number: ***001***

Source Status: ***ACTIVE UNTREATED***

Water type: ***GROUNDWATER OR WELL***

	STORET NUMBER	TESTING INTERVAL (MONTHS)*	LAST TEST DATE (yyyy/mm/dd)	LAST RESULT REPORTED	NEXT TEST DATE (yyyy/mm)
GENERAL NON CHAP 15					
DIAZINON	39570	WAIVED			
INORGANIC					
ALUMINUM	01105	WAIVED			
ANTIMONY	01097	WAIVED			
ARSENIC	01002	WAIVED			
ASBESTOS	81855	WAIVED			
BARIUM	01007	WAIVED			
BERYLLIUM	01012	WAIVED			
CADMIUM	01027	WAIVED			
CHROMIUM (TOTAL)	01034	WAIVED			
CYANIDE	01291	WAIVED			
FLUORIDE (F) (NATURAL-SOURCE)	00951	WAIVED			
LEAD	01051	WAIVED			
MERCURY	71900	WAIVED			
NICKEL	01067	WAIVED			
PERCHLORATE	A-031	WAIVED			
SELENIUM	01147	WAIVED			
THALLIUM	01059	WAIVED			
NITRATE/NITRITE					
NITRATE (AS NO3)	71850	WAIVED			
NITRITE (AS N)	00620	WAIVED			
RADIOLOGICAL					
GROSS ALPHA	01501	WAIVED			
GROSS BETA	03501	WAIVED			
RA-226 FOR CWS OR TOTAL RA FOR NTNC BY 903.0	A-080	WAIVED			
RA-226 OR TOTAL RA BY 903.0 C.E.	A-081	WAIVED			
RADIUM 226	09501	WAIVED			
RADIUM 228	11501	WAIVED			

**Testing interval is in months;*
0 = No data for this constituent and is DUE NOW
999 = Waived testing (not required)
I = Invalid (NOT) valid analyses reported

System Number: ***3107320***

System Name: ***FRED HASWELL PROPERTIES***

PS Code: ***3107320-001***

Source Name: ***WELL #1***

Source Number: ***001***

Source Status: ***ACTIVE UNTREATED***

Water type: ***GROUNDWATER OR WELL***

	STORET NUMBER	TESTING INTERVAL (MONTHS)*	LAST TEST DATE (yyyy/mm/dd)	LAST RESULT REPORTED	NEXT TEST DATE (yyyy/mm)
RADIOLOGICAL					
RADIUM, TOTAL, MDA95-NTNC ONLY, BY 903.0	A-082	WAIVED			
STRONTIUM-90	13501	WAIVED			
TRITIUM	07000	WAIVED			
URANIUM (PCI/L)	28012	WAIVED			
REGULATED SOC					
2,3,7,8-TCDD (DIOXIN)	34676	WAIVED			
2,4,5-TP (SILVEX)	39045	WAIVED			
2,4-D	39730	WAIVED			
ALACHLOR	77825	WAIVED			
ATRAZINE	39033	WAIVED			
BENTAZON	38710	WAIVED			
BENZO (A) PYRENE	34247	WAIVED			
CARBOFURAN	81405	WAIVED			
CHLORDANE	39350	WAIVED			
DALAPON	38432	WAIVED			
DI(2-ETHYLHEXYL)ADIPATE	A-026	WAIVED			
DI(2-ETHYLHEXYL)PHTHALATE	39100	WAIVED			
DIBROMOCHLOROPROPANE (DBCP)	38761	WAIVED			
DINOSEB	81287	WAIVED			
DIQUAT	78885	WAIVED			
ENDOTHALL	38926	WAIVED			
ENDRIN	39390	WAIVED			
ETHYLENE DIBROMIDE (EDB)	77651	WAIVED			
GLYPHOSATE	79743	WAIVED			
HEPTACHLOR	39410	WAIVED			
HEPTACHLOR EPOXIDE	39420	WAIVED			
HEXACHLOROBENZENE	39700	WAIVED			
HEXACHLOROCYCLOPENTADIENE	34386	WAIVED			
LINDANE	39340	WAIVED			

**Testing interval is in months;*
0 = No data for this constituent and is DUE NOW
999 = Waived testing (not required)
I = Invalid (NOT) valid analyses reported

System Number: ***3107320***

System Name: ***FRED HASWELL PROPERTIES***

PS Code: ***3107320-001***

Source Name: ***WELL #1***

Source Number: ***001***

Source Status: ***ACTIVE UNTREATED***

Water type: ***GROUNDWATER OR WELL***

	STORET NUMBER	TESTING INTERVAL (MONTHS)*	LAST TEST DATE (yyyy/mm/dd)	LAST RESULT REPORTED	NEXT TEST DATE (yyyy/mm)
REGULATED SOC					
METHOXYCHLOR	39480	WAIVED			
MOLINATE	82199	WAIVED			
OXAMYL	38865	WAIVED			
PENTACHLOROPHENOL	39032	WAIVED			
PICLORAM	39720	WAIVED			
POLYCHLORINATED BIPHENYLS, TOTAL, AS DCB	39516	WAIVED			
SIMAZINE	39055	WAIVED			
THIOBENCARB	A-001	WAIVED			
TOXAPHENE	39400	WAIVED			
REGULATED VOC					
1,1,1-TRICHLOROETHANE	34506	WAIVED			
1,1,2,2-TETRACHLOROETHANE	34516	WAIVED			
1,1,2-TRICHLORO-1,2,2-TRIFLUOROETHANE	81611	WAIVED			
1,1,2-TRICHLOROETHANE	34511	WAIVED			
1,1-DICHLOROETHANE	34496	WAIVED			
1,1-DICHLOROETHYLENE	34501	WAIVED			
1,2,4-TRICHLOROBENZENE	34551	WAIVED			
1,2-DICHLOROBENZENE	34536	WAIVED			
1,2-DICHLOROETHANE	34531	WAIVED			
1,2-DICHLOROPROPANE	34541	WAIVED			
1,3-DICHLOROPROPENE (TOTAL)	34561	WAIVED			
1,4-DICHLOROBENZENE	34571	WAIVED			
BENZENE	34030	WAIVED			
CARBON TETRACHLORIDE	32102	WAIVED			
CIS-1,2-DICHLOROETHYLENE	77093	WAIVED			
DICHLOROMETHANE	34423	WAIVED			
ETHYLBENZENE	34371	WAIVED			
METHYL-TERT-BUTYL-ETHER (MTBE)	46491	WAIVED			
MONOCHLOROBENZENE	34301	WAIVED			

**Testing interval is in months;*
0 = No data for this constituent and is DUE NOW
999 = Waived testing (not required)
I = Invalid (NOT) valid analyses reported

System Number: ***3107320***

System Name: ***FRED HASWELL PROPERTIES***

PS Code: ***3107320-001***

Source Name: ***WELL #1***

Source Number: ***001***

Source Status: ***ACTIVE UNTREATED***

Water type: ***GROUNDWATER OR WELL***

	STORET NUMBER	TESTING INTERVAL (MONTHS)*	LAST TEST DATE (yyyy/mm/dd)	LAST RESULT REPORTED	NEXT TEST DATE (yyyy/mm)
REGULATED VOC					
STYRENE	77128	WAIVED			
TETRACHLOROETHYLENE	34475	WAIVED			
TOLUENE	34010	WAIVED			
TRANS-1,2-DICHLOROETHYLENE	34546	WAIVED			
TRICHLOROETHYLENE	39180	WAIVED			
TRICHLOROFLUOROMETHANE	34488	WAIVED			
VINYL CHLORIDE	39175	WAIVED			
XYLENES (TOTAL)	81551	WAIVED			
SECONDARY/GP					
AGGRSSIVE INDEX (CORROSIVITY)	82383	WAIVED			
BICARBONATE ALKALINITY	00440	WAIVED			
CALCIUM	00916	WAIVED			
CARBONATE ALKALINITY	00445	WAIVED			
CHLORIDE	00940	WAIVED			
COLOR	00081	WAIVED			
COPPER	01042	WAIVED			
FOAMING AGENTS (MBAS)	38260	WAIVED			
HARDNESS (TOTAL) AS CACO3	00900	WAIVED			
HYDROXIDE ALKALINITY	71830	WAIVED			
IRON	01045	WAIVED			
MAGNESIUM	00927	WAIVED			
MANGANESE	01055	WAIVED			
ODOR THRESHOLD @ 60 C	00086	WAIVED			
PH, LABORATORY	00403	WAIVED			
SILVER	01077	WAIVED			
SODIUM	00929	WAIVED			
SPECIFIC CONDUCTANCE	00095	WAIVED			
SULFATE	00945	WAIVED			
TOTAL DISSOLVED SOLIDS	70300	WAIVED			

**Testing interval is in months;*
0 = No data for this constituent and is DUE NOW
999 = Waived testing (not required)
I = Invalid (NOT) valid analyses reported

System Number: ***3107320***

System Name: ***FRED HASWELL PROPERTIES***

PS Code: ***3107320-001***

Source Name: ***WELL #1***

Source Number: ***001***

Source Status: ***ACTIVE UNTREATED***

Water type: ***GROUNDWATER OR WELL***

	STORET NUMBER	TESTING INTERVAL (MONTHS)*	LAST TEST DATE (yyyy/mm/dd)	LAST RESULT REPORTED	NEXT TEST DATE (yyyy/mm)
SECONDARY/GP					
TURBIDITY, LABORATORY	82079	WAIVED			
ZINC	01092	WAIVED			

**Testing interval is in months;*
0 = No data for this constituent and is DUE NOW
999 = Waived testing (not required)
I = Invalid (NOT) valid analyses reported

System Number: ***3107323***

System Name: ***JESUIT RETREAT CENTER OF THE SIERRA***

PS Code: ***3107323-002***

Source Name: ***WELL #2***

Source Number: ***002***

Source Status: ***ACTIVE UNTREATED***

Water type: ***GROUNDWATER OR WELL***

	STORET NUMBER	TESTING INTERVAL (MONTHS)*	LAST TEST DATE (yyyy/mm/dd)	LAST RESULT REPORTED	NEXT TEST DATE (yyyy/mm)	
GENERAL NON CHAP 15						
DIAZINON	39570	WAIVED				
INORGANIC						
ALUMINUM	01105	WAIVED				
ANTIMONY	01097	WAIVED				
ARSENIC	01002	WAIVED				
ASBESTOS	81855	WAIVED				
BARIUM	01007	WAIVED				
BERYLLIUM	01012	WAIVED				
CADMIUM	01027	WAIVED				
CHROMIUM (TOTAL)	01034	WAIVED				
CYANIDE	01291	WAIVED				
FLUORIDE (F) (NATURAL-SOURCE)	00951	000				**DUE**
LEAD	01051	WAIVED				
MERCURY	71900	WAIVED				
NICKEL	01067	WAIVED				
PERCHLORATE	A-031	WAIVED	2008/07/10	< 4.000		
SELENIUM	01147	WAIVED				
THALLIUM	01059	WAIVED				
NITRATE/NITRITE						
NITRATE (AS NO3)	71850	012	2011/11/30	4.950	2012/11	
NITRITE (AS N)	00620	036	**2009/03/09**	.000	**2012/03**	**DUE**
RADIOLOGICAL						
GROSS ALPHA	01501	WAIVED				
GROSS BETA	03501	WAIVED				
RA-226 FOR CWS OR TOTAL RA FOR NTNC BY 903.0	A-080	WAIVED				
RA-226 OR TOTAL RA BY 903.0 C.E.	A-081	WAIVED				
RADIUM 226	09501	WAIVED				
RADIUM 228	11501	WAIVED				

**Testing interval is in months;*
0 = No data for this constituent and is DUE NOW
999 = Waived testing (not required)
I = Invalid (NOT) valid analyses reported

System Number: ***3107323***

System Name: ***JESUIT RETREAT CENTER OF THE SIERRA***

PS Code: ***3107323-002***

Source Name: ***WELL #2***

Source Number: ***002***

Source Status: ***ACTIVE UNTREATED***

Water type: ***GROUNDWATER OR WELL***

	STORET NUMBER	TESTING INTERVAL (MONTHS)*	LAST TEST DATE (yyyy/mm/dd)	LAST RESULT REPORTED	NEXT TEST DATE (yyyy/mm)
RADIOLOGICAL					
RADIUM, TOTAL, MDA95-NTNC ONLY, BY 903.0	A-082	WAIVED			
STRONTIUM-90	13501	WAIVED			
TRITIUM	07000	WAIVED			
URANIUM (PCI/L)	28012	WAIVED			
REGULATED SOC					
2,3,7,8-TCDD (DIOXIN)	34676	WAIVED			
2,4,5-TP (SILVEX)	39045	WAIVED			
2,4-D	39730	WAIVED			
ALACHLOR	77825	WAIVED			
ATRAZINE	39033	WAIVED			
BENTAZON	38710	WAIVED			
BENZO (A) PYRENE	34247	WAIVED			
CARBOFURAN	81405	WAIVED			
CHLORDANE	39350	WAIVED			
DALAPON	38432	WAIVED			
DI(2-ETHYLHEXYL)ADIPATE	A-026	WAIVED			
DI(2-ETHYLHEXYL)PHTHALATE	39100	WAIVED			
DIBROMOCHLOROPROPANE (DBCP)	38761	WAIVED			
DINOSEB	81287	WAIVED			
DIQUAT	78885	WAIVED			
ENDOTHALL	38926	WAIVED			
ENDRIN	39390	WAIVED			
ETHYLENE DIBROMIDE (EDB)	77651	WAIVED			
GLYPHOSATE	79743	WAIVED			
HEPTACHLOR	39410	WAIVED			
HEPTACHLOR EPOXIDE	39420	WAIVED			
HEXACHLOROBENZENE	39700	WAIVED			
HEXACHLOROCYCLOPENTADIENE	34386	WAIVED			
LINDANE	39340	WAIVED			

**Testing interval is in months;*
0 = No data for this constituent and is DUE NOW
999 = Waived testing (not required)
I = Invalid (NOT) valid analyses reported

System Number: ***3107323***

System Name: ***JESUIT RETREAT CENTER OF THE SIERRA***

PS Code: ***3107323-002***

Source Name: ***WELL #2***

Source Number: ***002***

Source Status: ***ACTIVE UNTREATED***

Water type: ***GROUNDWATER OR WELL***

	STORET NUMBER	TESTING INTERVAL (MONTHS)*	LAST TEST DATE (yyyy/mm/dd)	LAST RESULT REPORTED	NEXT TEST DATE (yyyy/mm)
REGULATED SOC					
METHOXYCHLOR	39480	WAIVED			
MOLINATE	82199	WAIVED			
OXAMYL	38865	WAIVED			
PENTACHLOROPHENOL	39032	WAIVED			
PICLORAM	39720	WAIVED			
POLYCHLORINATED BIPHENYLS, TOTAL, AS DCB	39516	WAIVED			
SIMAZINE	39055	WAIVED			
THIOBENCARB	A-001	WAIVED			
TOXAPHENE	39400	WAIVED			
REGULATED VOC					
1,1,1-TRICHLOROETHANE	34506	WAIVED			
1,1,2,2-TETRACHLOROETHANE	34516	WAIVED			
1,1,2-TRICHLORO-1,2,2-TRIFLUOROETHANE	81611	WAIVED			
1,1,2-TRICHLOROETHANE	34511	WAIVED			
1,1-DICHLOROETHANE	34496	WAIVED			
1,1-DICHLOROETHYLENE	34501	WAIVED			
1,2,4-TRICHLOROBENZENE	34551	WAIVED			
1,2-DICHLOROBENZENE	34536	WAIVED			
1,2-DICHLOROETHANE	34531	WAIVED			
1,2-DICHLOROPROPANE	34541	WAIVED			
1,3-DICHLOROPROPENE (TOTAL)	34561	WAIVED			
1,4-DICHLOROBENZENE	34571	WAIVED			
BENZENE	34030	WAIVED			
CARBON TETRACHLORIDE	32102	WAIVED			
CIS-1,2-DICHLOROETHYLENE	77093	WAIVED			
DICHLOROMETHANE	34423	WAIVED			
ETHYLBENZENE	34371	WAIVED			
METHYL-TERT-BUTYL-ETHER (MTBE)	46491	WAIVED			
MONOCHLOROBENZENE	34301	WAIVED			

**Testing interval is in months;*
0 = No data for this constituent and is DUE NOW
999 = Waived testing (not required)
I = Invalid (NOT) valid analyses reported

System Number: ***3107323***

System Name: ***JESUIT RETREAT CENTER OF THE SIERRA***

PS Code: ***3107323-002***

Source Name: ***WELL #2***

Source Number: ***002***

Source Status: ***ACTIVE UNTREATED***

Water type: ***GROUNDWATER OR WELL***

	STORET NUMBER	TESTING INTERVAL (MONTHS)*	LAST TEST DATE (yyyy/mm/dd)	LAST RESULT REPORTED	NEXT TEST DATE (yyyy/mm)
REGULATED VOC					
STYRENE	77128	WAIVED			
TETRACHLOROETHYLENE	34475	WAIVED			
TOLUENE	34010	WAIVED			
TRANS-1,2-DICHLOROETHYLENE	34546	WAIVED			
TRICHLOROETHYLENE	39180	WAIVED			
TRICHLOROFLUOROMETHANE	34488	WAIVED			
VINYL CHLORIDE	39175	WAIVED			
XYLENES (TOTAL)	81551	WAIVED			
SECONDARY/GP					
AGGRSSIVE INDEX (CORROSIVITY)	82383	WAIVED			
BICARBONATE ALKALINITY	00440	000			DUE
CALCIUM	00916	000			DUE
CARBONATE ALKALINITY	00445	000			DUE
CHLORIDE	00940	WAIVED			
COLOR	00081	WAIVED			
COPPER	01042	WAIVED			
FOAMING AGENTS (MBAS)	38260	WAIVED			
HARDNESS (TOTAL) AS CACO3	00900	000			DUE
HYDROXIDE ALKALINITY	71830	000			DUE
IRON	01045	000			DUE
MAGNESIUM	00927	000			DUE
MANGANESE	01055	000			DUE
ODOR THRESHOLD @ 60 C	00086	WAIVED			
PH, LABORATORY	00403	000			DUE
SILVER	01077	WAIVED			
SODIUM	00929	000			DUE
SPECIFIC CONDUCTANCE	00095	WAIVED			
SULFATE	00945	WAIVED			
TOTAL DISSOLVED SOLIDS	70300	WAIVED			

**Testing interval is in months;*
0 = No data for this constituent and is DUE NOW
999 = Waived testing (not required)
I = Invalid (NOT) valid analyses reported

System Number: ***3107323***

System Name: ***JESUIT RETREAT CENTER OF THE SIERRA***

PS Code: ***3107323-002***

Source Name: ***WELL #2***

Source Number: ***002***

Source Status: ***ACTIVE UNTREATED***

Water type: ***GROUNDWATER OR WELL***

	STORET NUMBER	TESTING INTERVAL (MONTHS)*	LAST TEST DATE (yyyy/mm/dd)	LAST RESULT REPORTED	NEXT TEST DATE (yyyy/mm)
SECONDARY/GP					
TURBIDITY, LABORATORY	82079	WAIVED			
ZINC	01092	WAIVED			

**Testing interval is in months;*
0 = No data for this constituent and is DUE NOW
999 = Waived testing (not required)
I = Invalid (NOT) valid analyses reported

System Number: ***3107324***

System Name: ***KILNER PARK***

PS Code: ***3107324-001***

Source Name: ***WELL 01***

Source Number: ***001***

Source Status: ***ACTIVE UNTREATED***

Water type: ***GROUNDWATER OR WELL***

	STORET NUMBER	TESTING INTERVAL (MONTHS)*	LAST TEST DATE (yyyy/mm/dd)	LAST RESULT REPORTED	NEXT TEST DATE (yyyy/mm)	
GENERAL NON CHAP 15						
DIAZINON	39570	WAIVED				
INORGANIC						
ALUMINUM	01105	WAIVED				
ANTIMONY	01097	WAIVED				
ARSENIC	01002	WAIVED				
ASBESTOS	81855	WAIVED				
BARIUM	01007	WAIVED				
BERYLLIUM	01012	WAIVED				
CADMIUM	01027	WAIVED				
CHROMIUM (TOTAL)	01034	WAIVED				
CYANIDE	01291	WAIVED				
FLUORIDE (F) (NATURAL-SOURCE)	00951	000				**DUE**
LEAD	01051	WAIVED				
MERCURY	71900	WAIVED				
NICKEL	01067	WAIVED				
PERCHLORATE	A-031	WAIVED				
SELENIUM	01147	WAIVED				
THALLIUM	01059	WAIVED				
NITRATE/NITRITE						
NITRATE (AS NO3)	71850	012	2010/06/22	.000	2011/06	**DUE**
NITRITE (AS N)	00620	000				**DUE**
RADIOLOGICAL						
GROSS ALPHA	01501	WAIVED				
GROSS BETA	03501	WAIVED				
RA-226 FOR CWS OR TOTAL RA FOR NTNC BY 903.0	A-080	WAIVED				
RA-226 OR TOTAL RA BY 903.0 C.E.	A-081	WAIVED				
RADIUM 226	09501	WAIVED				
RADIUM 228	11501	WAIVED				

**Testing interval is in months;*
0 = No data for this constituent and is DUE NOW
999 = Waived testing (not required)
I = Invalid (NOT) valid analyses reported

System Number: ***3107324***

System Name: ***KILNER PARK***

PS Code: ***3107324-001***

Source Name: ***WELL 01***

Source Number: ***001***

Source Status: ***ACTIVE UNTREATED***

Water type: ***GROUNDWATER OR WELL***

	STORET NUMBER	TESTING INTERVAL (MONTHS)*	LAST TEST DATE (yyyy/mm/dd)	LAST RESULT REPORTED	NEXT TEST DATE (yyyy/mm)
RADIOLOGICAL					
RADIUM, TOTAL, MDA95-NTNC ONLY, BY 903.0	A-082	WAIVED			
STRONTIUM-90	13501	WAIVED			
TRITIUM	07000	WAIVED			
URANIUM (PCI/L)	28012	WAIVED			
REGULATED SOC					
2,3,7,8-TCDD (DIOXIN)	34676	WAIVED			
2,4,5-TP (SILVEX)	39045	WAIVED			
2,4-D	39730	WAIVED			
ALACHLOR	77825	WAIVED			
ATRAZINE	39033	WAIVED			
BENTAZON	38710	WAIVED			
BENZO (A) PYRENE	34247	WAIVED			
CARBOFURAN	81405	WAIVED			
CHLORDANE	39350	WAIVED			
DALAPON	38432	WAIVED			
DI(2-ETHYLHEXYL)ADIPATE	A-026	WAIVED			
DI(2-ETHYLHEXYL)PHTHALATE	39100	WAIVED			
DIBROMOCHLOROPROPANE (DBCP)	38761	WAIVED			
DINOSEB	81287	WAIVED			
DIQUAT	78885	WAIVED			
ENDOTHALL	38926	WAIVED			
ENDRIN	39390	WAIVED			
ETHYLENE DIBROMIDE (EDB)	77651	WAIVED			
GLYPHOSATE	79743	WAIVED			
HEPTACHLOR	39410	WAIVED			
HEPTACHLOR EPOXIDE	39420	WAIVED			
HEXACHLOROBENZENE	39700	WAIVED			
HEXACHLOROCYCLOPENTADIENE	34386	WAIVED			
LINDANE	39340	WAIVED			

**Testing interval is in months;*
0 = No data for this constituent and is DUE NOW
999 = Waived testing (not required)
I = Invalid (NOT) valid analyses reported

System Number: ***3107324***

System Name: ***KILNER PARK***

PS Code: ***3107324-001***

Source Name: ***WELL 01***

Source Number: ***001***

Source Status: ***ACTIVE UNTREATED***

Water type: ***GROUNDWATER OR WELL***

	STORET NUMBER	TESTING INTERVAL (MONTHS)*	LAST TEST DATE (yyyy/mm/dd)	LAST RESULT REPORTED	NEXT TEST DATE (yyyy/mm)
REGULATED SOC					
METHOXYCHLOR	39480	WAIVED			
MOLINATE	82199	WAIVED			
OXAMYL	38865	WAIVED			
PENTACHLOROPHENOL	39032	WAIVED			
PICLORAM	39720	WAIVED			
POLYCHLORINATED BIPHENYLS, TOTAL, AS DCB	39516	WAIVED			
SIMAZINE	39055	WAIVED			
THIOBENCARB	A-001	WAIVED			
TOXAPHENE	39400	WAIVED			
REGULATED VOC					
1,1,1-TRICHLOROETHANE	34506	WAIVED			
1,1,2,2-TETRACHLOROETHANE	34516	WAIVED			
1,1,2-TRICHLORO-1,2,2-TRIFLUOROETHANE	81611	WAIVED			
1,1,2-TRICHLOROETHANE	34511	WAIVED			
1,1-DICHLOROETHANE	34496	WAIVED			
1,1-DICHLOROETHYLENE	34501	WAIVED			
1,2,4-TRICHLOROBENZENE	34551	WAIVED			
1,2-DICHLOROBENZENE	34536	WAIVED			
1,2-DICHLOROETHANE	34531	WAIVED			
1,2-DICHLOROPROPANE	34541	WAIVED			
1,3-DICHLOROPROPENE (TOTAL)	34561	WAIVED			
1,4-DICHLOROBENZENE	34571	WAIVED			
BENZENE	34030	WAIVED			
CARBON TETRACHLORIDE	32102	WAIVED			
CIS-1,2-DICHLOROETHYLENE	77093	WAIVED			
DICHLOROMETHANE	34423	WAIVED			
ETHYLBENZENE	34371	WAIVED			
METHYL-TERT-BUTYL-ETHER (MTBE)	46491	WAIVED			
MONOCHLOROBENZENE	34301	WAIVED			

**Testing interval is in months;*
0 = No data for this constituent and is DUE NOW
999 = Waived testing (not required)
I = Invalid (NOT) valid analyses reported

System Number: ***3107324***

System Name: ***KILNER PARK***

PS Code: ***3107324-001***

Source Name: ***WELL 01***

Source Number: ***001***

Source Status: ***ACTIVE UNTREATED***

Water type: ***GROUNDWATER OR WELL***

	STORET NUMBER	TESTING INTERVAL (MONTHS)*	LAST TEST DATE (yyyy/mm/dd)	LAST RESULT REPORTED	NEXT TEST DATE (yyyy/mm)
REGULATED VOC					
STYRENE	77128	WAIVED			
TETRACHLOROETHYLENE	34475	WAIVED			
TOLUENE	34010	WAIVED			
TRANS-1,2-DICHLOROETHYLENE	34546	WAIVED			
TRICHLOROETHYLENE	39180	WAIVED			
TRICHLOROFLUOROMETHANE	34488	WAIVED			
VINYL CHLORIDE	39175	WAIVED			
XYLENES (TOTAL)	81551	WAIVED			
SECONDARY/GP					
AGGRSSIVE INDEX (CORROSIVITY)	82383	WAIVED			
BICARBONATE ALKALINITY	00440	000			DUE
CALCIUM	00916	000			DUE
CARBONATE ALKALINITY	00445	000			DUE
CHLORIDE	00940	WAIVED			
COLOR	00081	WAIVED			
COPPER	01042	WAIVED			
FOAMING AGENTS (MBAS)	38260	WAIVED			
HARDNESS (TOTAL) AS CACO3	00900	000			DUE
HYDROXIDE ALKALINITY	71830	000			DUE
IRON	01045	000			DUE
MAGNESIUM	00927	000			DUE
MANGANESE	01055	000			DUE
ODOR THRESHOLD @ 60 C	00086	WAIVED			
PH, LABORATORY	00403	000			DUE
SILVER	01077	WAIVED			
SODIUM	00929	000			DUE
SPECIFIC CONDUCTANCE	00095	WAIVED			
SULFATE	00945	WAIVED			
TOTAL DISSOLVED SOLIDS	70300	WAIVED			

**Testing interval is in months;*
0 = No data for this constituent and is DUE NOW
999 = Waived testing (not required)
I = Invalid (NOT) valid analyses reported

System Number: ***3107324***

System Name: ***KILNER PARK***

PS Code: ***3107324-001***

Source Name: ***WELL 01***

Source Number: ***001***

Source Status: ***ACTIVE UNTREATED***

Water type: ***GROUNDWATER OR WELL***

SECONDARY/GP

	STORET NUMBER	TESTING INTERVAL (MONTHS)*	LAST TEST DATE (yyyy/mm/dd)	LAST RESULT REPORTED	NEXT TEST DATE (yyyy/mm)
TURBIDITY, LABORATORY	82079	WAIVED			
ZINC	01092	WAIVED			

**Testing interval is in months;*
0 = No data for this constituent and is DUE NOW
999 = Waived testing (not required)
I = Invalid (NOT) valid analyses reported

System Number: ***3107327***

System Name: ***HIDDEN FALLS***

PS Code: ***3107327-001***

Source Name: ***WELL #1***

Source Number: ***001***

Source Status: ***ACTIVE UNTREATED***

Water type: ***GROUNDWATER OR WELL***

	STORET NUMBER	TESTING INTERVAL (MONTHS)*	LAST TEST DATE (yyyy/mm/dd)	LAST RESULT REPORTED	NEXT TEST DATE (yyyy/mm)
GENERAL NON CHAP 15					
DIAZINON	39570	WAIVED			
INORGANIC					
ALUMINUM	01105	WAIVED			
ANTIMONY	01097	WAIVED			
ARSENIC	01002	WAIVED			
ASBESTOS	81855	WAIVED			
BARIUM	01007	WAIVED			
BERYLLIUM	01012	WAIVED			
CADMIUM	01027	WAIVED			
CHROMIUM (TOTAL)	01034	WAIVED			
CYANIDE	01291	WAIVED			
FLUORIDE (F) (NATURAL-SOURCE)	00951	WAIVED	2011/11/02	.210	
LEAD	01051	WAIVED			
MERCURY	71900	WAIVED			
NICKEL	01067	WAIVED			
PERCHLORATE	A-031	WAIVED			
SELENIUM	01147	WAIVED			
THALLIUM	01059	WAIVED			
NITRATE/NITRITE					
NITRATE (AS NO3)	71850	WAIVED	2011/11/02	.000	
NITRITE (AS N)	00620	WAIVED	2011/11/02	.000	
RADIOLOGICAL					
GROSS ALPHA	01501	WAIVED			
GROSS BETA	03501	WAIVED			
RA-226 FOR CWS OR TOTAL RA FOR NTNC BY 903.0	A-080	WAIVED			
RA-226 OR TOTAL RA BY 903.0 C.E.	A-081	WAIVED			
RADIUM 226	09501	WAIVED			
RADIUM 228	11501	WAIVED			

**Testing interval is in months;*
0 = No data for this constituent and is DUE NOW
999 = Waived testing (not required)
I = Invalid (NOT) valid analyses reported

System Number: ***3107327***

System Name: ***HIDDEN FALLS***

PS Code: ***3107327-001***

Source Name: ***WELL #1***

Source Number: ***001***

Source Status: ***ACTIVE UNTREATED***

Water type: ***GROUNDWATER OR WELL***

	STORET NUMBER	TESTING INTERVAL (MONTHS)*	LAST TEST DATE (yyyy/mm/dd)	LAST RESULT REPORTED	NEXT TEST DATE (yyyy/mm)
RADIOLOGICAL					
RADIUM, TOTAL, MDA95-NTNC ONLY, BY 903.0	A-082	WAIVED			
STRONTIUM-90	13501	WAIVED			
TRITIUM	07000	WAIVED			
URANIUM (PCI/L)	28012	WAIVED			
REGULATED SOC					
2,3,7,8-TCDD (DIOXIN)	34676	WAIVED			
2,4,5-TP (SILVEX)	39045	WAIVED			
2,4-D	39730	WAIVED			
ALACHLOR	77825	WAIVED			
ATRAZINE	39033	WAIVED			
BENTAZON	38710	WAIVED			
BENZO (A) PYRENE	34247	WAIVED			
CARBOFURAN	81405	WAIVED			
CHLORDANE	39350	WAIVED			
DALAPON	38432	WAIVED			
DI(2-ETHYLHEXYL)ADIPATE	A-026	WAIVED			
DI(2-ETHYLHEXYL)PHTHALATE	39100	WAIVED			
DIBROMOCHLOROPROPANE (DBCP)	38761	WAIVED			
DINOSEB	81287	WAIVED			
DIQUAT	78885	WAIVED			
ENDOTHALL	38926	WAIVED			
ENDRIN	39390	WAIVED			
ETHYLENE DIBROMIDE (EDB)	77651	WAIVED			
GLYPHOSATE	79743	WAIVED			
HEPTACHLOR	39410	WAIVED			
HEPTACHLOR EPOXIDE	39420	WAIVED			
HEXACHLOROBENZENE	39700	WAIVED			
HEXACHLOROCYCLOPENTADIENE	34386	WAIVED			
LINDANE	39340	WAIVED			

**Testing interval is in months;*
0 = No data for this constituent and is DUE NOW
999 = Waived testing (not required)
I = Invalid (NOT) valid analyses reported

System Number: ***3107327***

System Name: ***HIDDEN FALLS***

PS Code: ***3107327-001***

Source Name: ***WELL #1***

Source Number: ***001***

Source Status: ***ACTIVE UNTREATED***

Water type: ***GROUNDWATER OR WELL***

	STORET NUMBER	TESTING INTERVAL (MONTHS)*	LAST TEST DATE (yyyy/mm/dd)	LAST RESULT REPORTED	NEXT TEST DATE (yyyy/mm)
REGULATED SOC					
METHOXYCHLOR	39480	WAIVED			
MOLINATE	82199	WAIVED			
OXAMYL	38865	WAIVED			
PENTACHLOROPHENOL	39032	WAIVED			
PICLORAM	39720	WAIVED			
POLYCHLORINATED BIPHENYLS, TOTAL, AS DCB	39516	WAIVED			
SIMAZINE	39055	WAIVED			
THIOBENCARB	A-001	WAIVED			
TOXAPHENE	39400	WAIVED			
REGULATED VOC					
1,1,1-TRICHLOROETHANE	34506	WAIVED			
1,1,2,2-TETRACHLOROETHANE	34516	WAIVED			
1,1,2-TRICHLORO-1,2,2-TRIFLUOROETHANE	81611	WAIVED			
1,1,2-TRICHLOROETHANE	34511	WAIVED			
1,1-DICHLOROETHANE	34496	WAIVED			
1,1-DICHLOROETHYLENE	34501	WAIVED			
1,2,4-TRICHLOROBENZENE	34551	WAIVED			
1,2-DICHLOROBENZENE	34536	WAIVED			
1,2-DICHLOROETHANE	34531	WAIVED			
1,2-DICHLOROPROPANE	34541	WAIVED			
1,3-DICHLOROPROPENE (TOTAL)	34561	WAIVED			
1,4-DICHLOROBENZENE	34571	WAIVED			
BENZENE	34030	WAIVED			
CARBON TETRACHLORIDE	32102	WAIVED			
CIS-1,2-DICHLOROETHYLENE	77093	WAIVED			
DICHLOROMETHANE	34423	WAIVED			
ETHYLBENZENE	34371	WAIVED			
METHYL-TERT-BUTYL-ETHER (MTBE)	46491	WAIVED			
MONOCHLOROBENZENE	34301	WAIVED			

**Testing interval is in months;*
0 = No data for this constituent and is DUE NOW
999 = Waived testing (not required)
I = Invalid (NOT) valid analyses reported

System Number: ***3107327***

System Name: ***HIDDEN FALLS***

PS Code: ***3107327-001***

Source Name: ***WELL #1***

Source Number: ***001***

Source Status: ***ACTIVE UNTREATED***

Water type: ***GROUNDWATER OR WELL***

	STORET NUMBER	TESTING INTERVAL (MONTHS)*	LAST TEST DATE (yyyy/mm/dd)	LAST RESULT REPORTED	NEXT TEST DATE (yyyy/mm)
REGULATED VOC					
STYRENE	77128	WAIVED			
TETRACHLOROETHYLENE	34475	WAIVED			
TOLUENE	34010	WAIVED			
TRANS-1,2-DICHLOROETHYLENE	34546	WAIVED			
TRICHLOROETHYLENE	39180	WAIVED			
TRICHLOROFLUOROMETHANE	34488	WAIVED			
VINYL CHLORIDE	39175	WAIVED			
XYLENES (TOTAL)	81551	WAIVED			
SECONDARY/GP					
AGGRSSIVE INDEX (CORROSIVITY)	82383	WAIVED			
BICARBONATE ALKALINITY	00440	WAIVED			
CALCIUM	00916	WAIVED			
CARBONATE ALKALINITY	00445	WAIVED			
CHLORIDE	00940	WAIVED			
COLOR	00081	WAIVED			
COPPER	01042	WAIVED			
FOAMING AGENTS (MBAS)	38260	WAIVED			
HARDNESS (TOTAL) AS CACO3	00900	WAIVED			
HYDROXIDE ALKALINITY	71830	WAIVED			
IRON	01045	WAIVED			
MAGNESIUM	00927	WAIVED			
MANGANESE	01055	WAIVED			
ODOR THRESHOLD @ 60 C	00086	WAIVED			
PH, LABORATORY	00403	WAIVED			
SILVER	01077	WAIVED			
SODIUM	00929	WAIVED			
SPECIFIC CONDUCTANCE	00095	WAIVED			
SULFATE	00945	WAIVED			
TOTAL DISSOLVED SOLIDS	70300	WAIVED			

**Testing interval is in months;*
0 = No data for this constituent and is DUE NOW
999 = Waived testing (not required)
I = Invalid (NOT) valid analyses reported

System Number: ***3107327***

System Name: ***HIDDEN FALLS***

PS Code: ***3107327-001***

Source Name: ***WELL #1***

Source Number: ***001***

Source Status: ***ACTIVE UNTREATED***

Water type: ***GROUNDWATER OR WELL***

	STORET NUMBER	TESTING INTERVAL (MONTHS)*	LAST TEST DATE (yyyy/mm/dd)	LAST RESULT REPORTED	NEXT TEST DATE (yyyy/mm)
SECONDARY/GP					
TURBIDITY, LABORATORY	82079	WAIVED			
ZINC	01092	WAIVED			

**Testing interval is in months;*
0 = No data for this constituent and is DUE NOW
999 = Waived testing (not required)
I = Invalid (NOT) valid analyses reported

System Number: ***3107329***

System Name: ***ANTELOPE OAKS WATER SYSTEM***

PS Code: ***3107329-001***

Source Name: ***WELL #1***

Source Number: ***001***

Source Status: ***ACTIVE UNTREATED***

Water type: ***GROUNDWATER OR WELL***

	STORET NUMBER	TESTING INTERVAL (MONTHS)*	LAST TEST DATE (yyyy/mm/dd)	LAST RESULT REPORTED	NEXT TEST DATE (yyyy/mm)	
GENERAL NON CHAP 15						
DIAZINON	39570	WAIVED				
INORGANIC						
ALUMINUM	01105	WAIVED				
ANTIMONY	01097	WAIVED				
ARSENIC	01002	WAIVED				
ASBESTOS	81855	WAIVED				
BARIUM	01007	WAIVED				
BERYLLIUM	01012	WAIVED				
CADMIUM	01027	WAIVED				
CHROMIUM (TOTAL)	01034	WAIVED				
CYANIDE	01291	WAIVED				
FLUORIDE (F) (NATURAL-SOURCE)	00951	000				**DUE**
LEAD	01051	WAIVED				
MERCURY	71900	WAIVED				
NICKEL	01067	WAIVED				
PERCHLORATE	A-031	WAIVED				
SELENIUM	01147	WAIVED				
THALLIUM	01059	WAIVED				
NITRATE/NITRITE						
NITRATE (AS NO3)	71850	012	2011/12/27	7.320	2012/12	
NITRITE (AS N)	00620	000				**DUE**
RADIOLOGICAL						
GROSS ALPHA	01501	WAIVED	2012/03/28	< .000		
GROSS BETA	03501	WAIVED				
RA-226 FOR CWS OR TOTAL RA FOR NTNC BY 903.0	A-080	WAIVED				
RA-226 OR TOTAL RA BY 903.0 C.E.	A-081	WAIVED				
RADIUM 226	09501	WAIVED				
RADIUM 228	11501	WAIVED				

**Testing interval is in months;*
0 = No data for this constituent and is DUE NOW
999 = Waived testing (not required)
I = Invalid (NOT) valid analyses reported

System Number: ***3107329***

System Name: ***ANTELOPE OAKS WATER SYSTEM***

PS Code: ***3107329-001***

Source Name: ***WELL #1***

Source Number: ***001***

Source Status: ***ACTIVE UNTREATED***

Water type: ***GROUNDWATER OR WELL***

	STORET NUMBER	TESTING INTERVAL (MONTHS)*	LAST TEST DATE (yyyy/mm/dd)	LAST RESULT REPORTED	NEXT TEST DATE (yyyy/mm)
RADIOLOGICAL					
RADIUM, TOTAL, MDA95-NTNC ONLY, BY 903.0	A-082	WAIVED			
STRONTIUM-90	13501	WAIVED			
TRITIUM	07000	WAIVED			
URANIUM (PCI/L)	28012	WAIVED			
REGULATED SOC					
2,3,7,8-TCDD (DIOXIN)	34676	WAIVED			
2,4,5-TP (SILVEX)	39045	WAIVED			
2,4-D	39730	WAIVED			
ALACHLOR	77825	WAIVED			
ATRAZINE	39033	WAIVED			
BENTAZON	38710	WAIVED			
BENZO (A) PYRENE	34247	WAIVED			
CARBOFURAN	81405	WAIVED			
CHLORDANE	39350	WAIVED			
DALAPON	38432	WAIVED			
DI(2-ETHYLHEXYL)ADIPATE	A-026	WAIVED			
DI(2-ETHYLHEXYL)PHTHALATE	39100	WAIVED			
DIBROMOCHLOROPROPANE (DBCP)	38761	WAIVED			
DINOSEB	81287	WAIVED			
DIQUAT	78885	WAIVED			
ENDOTHALL	38926	WAIVED			
ENDRIN	39390	WAIVED			
ETHYLENE DIBROMIDE (EDB)	77651	WAIVED			
GLYPHOSATE	79743	WAIVED			
HEPTACHLOR	39410	WAIVED			
HEPTACHLOR EPOXIDE	39420	WAIVED			
HEXACHLOROBENZENE	39700	WAIVED			
HEXACHLOROCYCLOPENTADIENE	34386	WAIVED			
LINDANE	39340	WAIVED			

**Testing interval is in months;*
0 = No data for this constituent and is DUE NOW
999 = Waived testing (not required)
I = Invalid (NOT) valid analyses reported

System Number: ***3107329***

System Name: ***ANTELOPE OAKS WATER SYSTEM***

PS Code: ***3107329-001***

Source Name: ***WELL #1***

Source Number: ***001***

Source Status: ***ACTIVE UNTREATED***

Water type: ***GROUNDWATER OR WELL***

	STORET NUMBER	TESTING INTERVAL (MONTHS)*	LAST TEST DATE (yyyy/mm/dd)	LAST RESULT REPORTED	NEXT TEST DATE (yyyy/mm)
REGULATED SOC					
METHOXYCHLOR	39480	WAIVED			
MOLINATE	82199	WAIVED			
OXAMYL	38865	WAIVED			
PENTACHLOROPHENOL	39032	WAIVED			
PICLORAM	39720	WAIVED			
POLYCHLORINATED BIPHENYLS, TOTAL, AS DCB	39516	WAIVED			
SIMAZINE	39055	WAIVED			
THIOBENCARB	A-001	WAIVED			
TOXAPHENE	39400	WAIVED			
REGULATED VOC					
1,1,1-TRICHLOROETHANE	34506	WAIVED	2011/06/21	.000	
1,1,2,2-TETRACHLOROETHANE	34516	WAIVED	2011/06/21	.000	
1,1,2-TRICHLORO-1,2,2-TRIFLUOROETHANE	81611	WAIVED	2011/06/21	.000	
1,1,2-TRICHLOROETHANE	34511	WAIVED	2011/06/21	.000	
1,1-DICHLOROETHANE	34496	WAIVED	2011/06/21	.000	
1,1-DICHLOROETHYLENE	34501	WAIVED	2011/06/21	.000	
1,2,4-TRICHLOROBENZENE	34551	WAIVED	2011/06/21	.000	
1,2-DICHLOROBENZENE	34536	WAIVED	2011/06/21	.000	
1,2-DICHLOROETHANE	34531	WAIVED	2011/06/21	.000	
1,2-DICHLOROPROPANE	34541	WAIVED	2011/06/21	.000	
1,3-DICHLOROPROPENE (TOTAL)	34561	WAIVED	2011/06/21	.000	
1,4-DICHLOROBENZENE	34571	WAIVED	2011/06/21	.000	
BENZENE	34030	WAIVED	2011/06/21	.500	
CARBON TETRACHLORIDE	32102	WAIVED	2011/06/21	.000	
CIS-1,2-DICHLOROETHYLENE	77093	WAIVED	2011/06/21	.000	
DICHLOROMETHANE	34423	WAIVED	2011/06/21	.000	
ETHYLBENZENE	34371	WAIVED	2011/06/21	.000	
METHYL-TERT-BUTYL-ETHER (MTBE)	46491	WAIVED	2011/06/21	.000	
MONOCHLOROBENZENE	34301	WAIVED	2011/06/21	.000	

**Testing interval is in months;*
0 = No data for this constituent and is DUE NOW
999 = Waived testing (not required)
I = Invalid (NOT) valid analyses reported

System Number: ***3107329***

System Name: ***ANTELOPE OAKS WATER SYSTEM***

PS Code: ***3107329-001***

Source Name: ***WELL #1***

Source Number: ***001***

Source Status: ***ACTIVE UNTREATED***

Water type: ***GROUNDWATER OR WELL***

	STORET NUMBER	TESTING INTERVAL (MONTHS)*	LAST TEST DATE (yyyy/mm/dd)	LAST RESULT REPORTED	NEXT TEST DATE (yyyy/mm)
REGULATED VOC					
STYRENE	77128	WAIVED	2011/06/21	.000	
TETRACHLOROETHYLENE	34475	WAIVED	2011/06/21	3.270	
TOLUENE	34010	WAIVED	2011/06/21	.000	
TRANS-1,2-DICHLOROETHYLENE	34546	WAIVED	2011/06/21	.000	
TRICHLOROETHYLENE	39180	WAIVED	2011/06/21	.000	
TRICHLOROFLUOROMETHANE	34488	WAIVED	2011/06/21	.000	
VINYL CHLORIDE	39175	WAIVED	2011/06/21	.000	
XYLENES (TOTAL)	81551	WAIVED	2011/06/21	.000	
SECONDARY/GP					
AGGRSSIVE INDEX (CORROSIVITY)	82383	WAIVED			
BICARBONATE ALKALINITY	00440	000			DUE
CALCIUM	00916	000			DUE
CARBONATE ALKALINITY	00445	000			DUE
CHLORIDE	00940	WAIVED			
COLOR	00081	WAIVED			
COPPER	01042	WAIVED			
FOAMING AGENTS (MBAS)	38260	WAIVED			
HARDNESS (TOTAL) AS CACO3	00900	000			DUE
HYDROXIDE ALKALINITY	71830	000			DUE
IRON	01045	000			DUE
MAGNESIUM	00927	000			DUE
MANGANESE	01055	000			DUE
ODOR THRESHOLD @ 60 C	00086	WAIVED			
PH, LABORATORY	00403	000			DUE
SILVER	01077	WAIVED			
SODIUM	00929	000			DUE
SPECIFIC CONDUCTANCE	00095	WAIVED			
SULFATE	00945	WAIVED			
TOTAL DISSOLVED SOLIDS	70300	WAIVED			

**Testing interval is in months;*
0 = No data for this constituent and is DUE NOW
999 = Waived testing (not required)
I = Invalid (NOT) valid analyses reported

System Number: ***3107329***

System Name: ***ANTELOPE OAKS WATER SYSTEM***

PS Code: ***3107329-001***

Source Name: ***WELL #1***

Source Number: ***001***

Source Status: ***ACTIVE UNTREATED***

Water type: ***GROUNDWATER OR WELL***

SECONDARY/GP

	STORET NUMBER	TESTING INTERVAL (MONTHS)*	LAST TEST DATE (yyyy/mm/dd)	LAST RESULT REPORTED	NEXT TEST DATE (yyyy/mm)
TURBIDITY, LABORATORY	82079	WAIVED			
ZINC	01092	WAIVED			

**Testing interval is in months;*
0 = No data for this constituent and is DUE NOW
999 = Waived testing (not required)
I = Invalid (NOT) valid analyses reported

System Number: ***3107330***

System Name: ***445 WARD AVE WELL***

PS Code: ***3107330-001***

Source Name: ***EXISTING WELL***

Source Number: ***001***

Source Status: ***ACTIVE UNTREATED***

Water type: ***GROUNDWATER OR WELL***

	STORET NUMBER	TESTING INTERVAL (MONTHS)*	LAST TEST DATE (yyyy/mm/dd)	LAST RESULT REPORTED	NEXT TEST DATE (yyyy/mm)
GENERAL NON CHAP 15					
DIAZINON	39570	WAIVED			
INORGANIC					
ALUMINUM	01105	WAIVED			
ANTIMONY	01097	WAIVED			
ARSENIC	01002	WAIVED			
ASBESTOS	81855	WAIVED			
BARIUM	01007	WAIVED			
BERYLLIUM	01012	WAIVED			
CADMIUM	01027	WAIVED			
CHROMIUM (TOTAL)	01034	WAIVED			
CYANIDE	01291	WAIVED			
FLUORIDE (F) (NATURAL-SOURCE)	00951	000			DUE
LEAD	01051	WAIVED			
MERCURY	71900	WAIVED			
NICKEL	01067	WAIVED			
PERCHLORATE	A-031	WAIVED	2009/09/08	.000	
SELENIUM	01147	WAIVED			
THALLIUM	01059	WAIVED			
NITRATE/NITRITE					
NITRATE (AS NO3)	71850	000			DUE
NITRITE (AS N)	00620	000			DUE
RADIOLOGICAL					
GROSS ALPHA	01501	WAIVED			
GROSS BETA	03501	WAIVED			
RA-226 FOR CWS OR TOTAL RA FOR NTNC BY 903.0	A-080	WAIVED			
RA-226 OR TOTAL RA BY 903.0 C.E.	A-081	WAIVED			
RADIUM 226	09501	WAIVED			
RADIUM 228	11501	WAIVED			

**Testing interval is in months;*
0 = No data for this constituent and is DUE NOW
999 = Waived testing (not required)
I = Invalid (NOT) valid analyses reported

System Number: ***3107330***

System Name: ***445 WARD AVE WELL***

PS Code: ***3107330-001***

Source Name: ***EXISTING WELL***

Source Number: ***001***

Source Status: ***ACTIVE UNTREATED***

Water type: ***GROUNDWATER OR WELL***

	STORET NUMBER	TESTING INTERVAL (MONTHS)*	LAST TEST DATE (yyyy/mm/dd)	LAST RESULT REPORTED	NEXT TEST DATE (yyyy/mm)
RADIOLOGICAL					
RADIUM, TOTAL, MDA95-NTNC ONLY, BY 903.0	A-082	WAIVED			
STRONTIUM-90	13501	WAIVED			
TRITIUM	07000	WAIVED			
URANIUM (PCI/L)	28012	WAIVED			
REGULATED SOC					
2,3,7,8-TCDD (DIOXIN)	34676	WAIVED			
2,4,5-TP (SILVEX)	39045	WAIVED			
2,4-D	39730	WAIVED			
ALACHLOR	77825	WAIVED			
ATRAZINE	39033	WAIVED			
BENTAZON	38710	WAIVED			
BENZO (A) PYRENE	34247	WAIVED			
CARBOFURAN	81405	WAIVED			
CHLORDANE	39350	WAIVED			
DALAPON	38432	WAIVED			
DI(2-ETHYLHEXYL)ADIPATE	A-026	WAIVED			
DI(2-ETHYLHEXYL)PHTHALATE	39100	WAIVED			
DIBROMOCHLOROPROPANE (DBCP)	38761	WAIVED			
DINOSEB	81287	WAIVED			
DIQUAT	78885	WAIVED			
ENDOTHALL	38926	WAIVED			
ENDRIN	39390	WAIVED			
ETHYLENE DIBROMIDE (EDB)	77651	WAIVED			
GLYPHOSATE	79743	WAIVED			
HEPTACHLOR	39410	WAIVED			
HEPTACHLOR EPOXIDE	39420	WAIVED			
HEXACHLOROBENZENE	39700	WAIVED			
HEXACHLOROCYCLOPENTADIENE	34386	WAIVED			
LINDANE	39340	WAIVED			

**Testing interval is in months;*
0 = No data for this constituent and is DUE NOW
999 = Waived testing (not required)
I = Invalid (NOT) valid analyses reported

System Number: ***3107330***

System Name: ***445 WARD AVE WELL***

PS Code: ***3107330-001***

Source Name: ***EXISTING WELL***

Source Number: ***001***

Source Status: ***ACTIVE UNTREATED***

Water type: ***GROUNDWATER OR WELL***

	STORET NUMBER	TESTING INTERVAL (MONTHS)*	LAST TEST DATE (yyyy/mm/dd)	LAST RESULT REPORTED	NEXT TEST DATE (yyyy/mm)
REGULATED SOC					
METHOXYCHLOR	39480	WAIVED			
MOLINATE	82199	WAIVED			
OXAMYL	38865	WAIVED			
PENTACHLOROPHENOL	39032	WAIVED			
PICLORAM	39720	WAIVED			
POLYCHLORINATED BIPHENYLS, TOTAL, AS DCB	39516	WAIVED			
SIMAZINE	39055	WAIVED			
THIOBENCARB	A-001	WAIVED			
TOXAPHENE	39400	WAIVED			
REGULATED VOC					
1,1,1-TRICHLOROETHANE	34506	WAIVED			
1,1,2,2-TETRACHLOROETHANE	34516	WAIVED			
1,1,2-TRICHLORO-1,2,2-TRIFLUOROETHANE	81611	WAIVED			
1,1,2-TRICHLOROETHANE	34511	WAIVED			
1,1-DICHLOROETHANE	34496	WAIVED			
1,1-DICHLOROETHYLENE	34501	WAIVED			
1,2,4-TRICHLOROBENZENE	34551	WAIVED			
1,2-DICHLOROBENZENE	34536	WAIVED			
1,2-DICHLOROETHANE	34531	WAIVED			
1,2-DICHLOROPROPANE	34541	WAIVED			
1,3-DICHLOROPROPENE (TOTAL)	34561	WAIVED			
1,4-DICHLOROBENZENE	34571	WAIVED			
BENZENE	34030	WAIVED			
CARBON TETRACHLORIDE	32102	WAIVED			
CIS-1,2-DICHLOROETHYLENE	77093	WAIVED			
DICHLOROMETHANE	34423	WAIVED			
ETHYLBENZENE	34371	WAIVED			
METHYL-TERT-BUTYL-ETHER (MTBE)	46491	WAIVED			
MONOCHLOROBENZENE	34301	WAIVED			

**Testing interval is in months;*
0 = No data for this constituent and is DUE NOW
999 = Waived testing (not required)
I = Invalid (NOT) valid analyses reported

System Number: ***3107330***

System Name: ***445 WARD AVE WELL***

PS Code: ***3107330-001***

Source Name: ***EXISTING WELL***

Source Number: ***001***

Source Status: ***ACTIVE UNTREATED***

Water type: ***GROUNDWATER OR WELL***

	STORET NUMBER	TESTING INTERVAL (MONTHS)*	LAST TEST DATE (yyyy/mm/dd)	LAST RESULT REPORTED	NEXT TEST DATE (yyyy/mm)
REGULATED VOC					
STYRENE	77128	WAIVED			
TETRACHLOROETHYLENE	34475	WAIVED			
TOLUENE	34010	WAIVED			
TRANS-1,2-DICHLOROETHYLENE	34546	WAIVED			
TRICHLOROETHYLENE	39180	WAIVED			
TRICHLOROFLUOROMETHANE	34488	WAIVED			
VINYL CHLORIDE	39175	WAIVED			
XYLENES (TOTAL)	81551	WAIVED			
SECONDARY/GP					
AGGRSSIVE INDEX (CORROSIVITY)	82383	WAIVED			
BICARBONATE ALKALINITY	00440	000			DUE
CALCIUM	00916	000			DUE
CARBONATE ALKALINITY	00445	000			DUE
CHLORIDE	00940	WAIVED			
COLOR	00081	WAIVED			
COPPER	01042	WAIVED			
FOAMING AGENTS (MBAS)	38260	WAIVED			
HARDNESS (TOTAL) AS CACO3	00900	000			DUE
HYDROXIDE ALKALINITY	71830	000			DUE
IRON	01045	000			DUE
MAGNESIUM	00927	000			DUE
MANGANESE	01055	000			DUE
ODOR THRESHOLD @ 60 C	00086	WAIVED			
PH, LABORATORY	00403	000			DUE
SILVER	01077	WAIVED			
SODIUM	00929	000			DUE
SPECIFIC CONDUCTANCE	00095	WAIVED	2009/09/08	120.000	
SULFATE	00945	WAIVED			
TOTAL DISSOLVED SOLIDS	70300	WAIVED			

**Testing interval is in months;*
0 = No data for this constituent and is DUE NOW
999 = Waived testing (not required)
I = Invalid (NOT) valid analyses reported

System Number: ***3107330***

System Name: ***445 WARD AVE WELL***

	STORET NUMBER	TESTING INTERVAL (MONTHS)*	LAST TEST DATE (yyyy/mm/dd)	LAST RESULT REPORTED	NEXT TEST DATE (yyyy/mm)

PS Code: ***3107330-001***

Source Name: ***EXISTING WELL***

Source Number: ***001***

Source Status: ***ACTIVE UNTREATED***

Water type: ***GROUNDWATER OR WELL***

SECONDARY/GP

TURBIDITY, LABORATORY	82079	WAIVED			
ZINC	01092	WAIVED			

**Testing interval is in months;*
0 = No data for this constituent and is DUE NOW
999 = Waived testing (not required)
I = Invalid (NOT) valid analyses reported

System Number: ***3107332***

System Name: ***BEAR VALLEY YMCA CAMP***

PS Code: ***3107332-001***

Source Name: ***WELL #1***

Source Number: ***001***

Source Status: ***ACTIVE UNTREATED***

Water type: ***GROUNDWATER OR WELL***

	STORET NUMBER	TESTING INTERVAL (MONTHS)*	LAST TEST DATE (yyyy/mm/dd)	LAST RESULT REPORTED	NEXT TEST DATE (yyyy/mm)
GENERAL NON CHAP 15					
DIAZINON	39570	WAIVED			
INORGANIC					
ALUMINUM	01105	WAIVED			
ANTIMONY	01097	WAIVED			
ARSENIC	01002	WAIVED			
ASBESTOS	81855	WAIVED			
BARIUM	01007	WAIVED			
BERYLLIUM	01012	WAIVED			
CADMIUM	01027	WAIVED			
CHROMIUM (TOTAL)	01034	WAIVED			
CYANIDE	01291	WAIVED			
FLUORIDE (F) (NATURAL-SOURCE)	00951	000			DUE
LEAD	01051	WAIVED			
MERCURY	71900	WAIVED			
NICKEL	01067	WAIVED			
PERCHLORATE	A-031	WAIVED			
SELENIUM	01147	WAIVED			
THALLIUM	01059	WAIVED			
NITRATE/NITRITE					
NITRATE (AS NO3)	71850	000			DUE
NITRITE (AS N)	00620	000			DUE
RADIOLOGICAL					
GROSS ALPHA	01501	WAIVED			
GROSS BETA	03501	WAIVED			
RA-226 FOR CWS OR TOTAL RA FOR NTNC BY 903.0	A-080	WAIVED			
RA-226 OR TOTAL RA BY 903.0 C.E.	A-081	WAIVED			
RADIUM 226	09501	WAIVED			
RADIUM 228	11501	WAIVED			

**Testing interval is in months;*
0 = No data for this constituent and is DUE NOW
999 = Waived testing (not required)
I = Invalid (NOT) valid analyses reported

System Number: ***3107332***

System Name: ***BEAR VALLEY YMCA CAMP***

PS Code: ***3107332-001***

Source Name: ***WELL #1***

Source Number: ***001***

Source Status: ***ACTIVE UNTREATED***

Water type: ***GROUNDWATER OR WELL***

	STORET NUMBER	TESTING INTERVAL (MONTHS)*	LAST TEST DATE (yyyy/mm/dd)	LAST RESULT REPORTED	NEXT TEST DATE (yyyy/mm)
RADIOLOGICAL					
RADIUM, TOTAL, MDA95-NTNC ONLY, BY 903.0	A-082	WAIVED			
STRONTIUM-90	13501	WAIVED			
TRITIUM	07000	WAIVED			
URANIUM (PCI/L)	28012	WAIVED			
REGULATED SOC					
2,3,7,8-TCDD (DIOXIN)	34676	WAIVED			
2,4,5-TP (SILVEX)	39045	WAIVED			
2,4-D	39730	WAIVED			
ALACHLOR	77825	WAIVED			
ATRAZINE	39033	WAIVED			
BENTAZON	38710	WAIVED			
BENZO (A) PYRENE	34247	WAIVED			
CARBOFURAN	81405	WAIVED			
CHLORDANE	39350	WAIVED			
DALAPON	38432	WAIVED			
DI(2-ETHYLHEXYL)ADIPATE	A-026	WAIVED			
DI(2-ETHYLHEXYL)PHTHALATE	39100	WAIVED			
DIBROMOCHLOROPROPANE (DBCP)	38761	WAIVED			
DINOSEB	81287	WAIVED			
DIQUAT	78885	WAIVED			
ENDOTHALL	38926	WAIVED			
ENDRIN	39390	WAIVED			
ETHYLENE DIBROMIDE (EDB)	77651	WAIVED			
GLYPHOSATE	79743	WAIVED			
HEPTACHLOR	39410	WAIVED			
HEPTACHLOR EPOXIDE	39420	WAIVED			
HEXACHLOROBENZENE	39700	WAIVED			
HEXACHLOROCYCLOPENTADIENE	34386	WAIVED			
LINDANE	39340	WAIVED			

**Testing interval is in months;*
0 = No data for this constituent and is DUE NOW
999 = Waived testing (not required)
I = Invalid (NOT) valid analyses reported

System Number: ***3107332***

System Name: ***BEAR VALLEY YMCA CAMP***

PS Code: ***3107332-001***

Source Name: ***WELL #1***

Source Number: ***001***

Source Status: ***ACTIVE UNTREATED***

Water type: ***GROUNDWATER OR WELL***

	STORET NUMBER	TESTING INTERVAL (MONTHS)*	LAST TEST DATE (yyyy/mm/dd)	LAST RESULT REPORTED	NEXT TEST DATE (yyyy/mm)
REGULATED SOC					
METHOXYCHLOR	39480	WAIVED			
MOLINATE	82199	WAIVED			
OXAMYL	38865	WAIVED			
PENTACHLOROPHENOL	39032	WAIVED			
PICLORAM	39720	WAIVED			
POLYCHLORINATED BIPHENYLS, TOTAL, AS DCB	39516	WAIVED			
SIMAZINE	39055	WAIVED			
THIOBENCARB	A-001	WAIVED			
TOXAPHENE	39400	WAIVED			
REGULATED VOC					
1,1,1-TRICHLOROETHANE	34506	WAIVED			
1,1,2,2-TETRACHLOROETHANE	34516	WAIVED			
1,1,2-TRICHLORO-1,2,2-TRIFLUOROETHANE	81611	WAIVED			
1,1,2-TRICHLOROETHANE	34511	WAIVED			
1,1-DICHLOROETHANE	34496	WAIVED			
1,1-DICHLOROETHYLENE	34501	WAIVED			
1,2,4-TRICHLOROBENZENE	34551	WAIVED			
1,2-DICHLOROBENZENE	34536	WAIVED			
1,2-DICHLOROETHANE	34531	WAIVED			
1,2-DICHLOROPROPANE	34541	WAIVED			
1,3-DICHLOROPROPENE (TOTAL)	34561	WAIVED			
1,4-DICHLOROBENZENE	34571	WAIVED			
BENZENE	34030	WAIVED			
CARBON TETRACHLORIDE	32102	WAIVED			
CIS-1,2-DICHLOROETHYLENE	77093	WAIVED			
DICHLOROMETHANE	34423	WAIVED			
ETHYLBENZENE	34371	WAIVED			
METHYL-TERT-BUTYL-ETHER (MTBE)	46491	WAIVED			
MONOCHLOROBENZENE	34301	WAIVED			

**Testing interval is in months;*
0 = No data for this constituent and is DUE NOW
999 = Waived testing (not required)
I = Invalid (NOT) valid analyses reported

System Number: ***3107332***

System Name: ***BEAR VALLEY YMCA CAMP***

PS Code: ***3107332-001***

Source Name: ***WELL #1***

Source Number: ***001***

Source Status: ***ACTIVE UNTREATED***

Water type: ***GROUNDWATER OR WELL***

	STORET NUMBER	TESTING INTERVAL (MONTHS)*	LAST TEST DATE (yyyy/mm/dd)	LAST RESULT REPORTED	NEXT TEST DATE (yyyy/mm)
REGULATED VOC					
STYRENE	77128	WAIVED			
TETRACHLOROETHYLENE	34475	WAIVED			
TOLUENE	34010	WAIVED			
TRANS-1,2-DICHLOROETHYLENE	34546	WAIVED			
TRICHLOROETHYLENE	39180	WAIVED			
TRICHLOROFLUOROMETHANE	34488	WAIVED			
VINYL CHLORIDE	39175	WAIVED			
XYLENES (TOTAL)	81551	WAIVED			
SECONDARY/GP					
AGGRSSIVE INDEX (CORROSIVITY)	82383	WAIVED			
BICARBONATE ALKALINITY	00440	000			DUE
CALCIUM	00916	000			DUE
CARBONATE ALKALINITY	00445	000			DUE
CHLORIDE	00940	WAIVED			
COLOR	00081	WAIVED			
COPPER	01042	WAIVED			
FOAMING AGENTS (MBAS)	38260	WAIVED			
HARDNESS (TOTAL) AS CACO3	00900	000			DUE
HYDROXIDE ALKALINITY	71830	000			DUE
IRON	01045	000			DUE
MAGNESIUM	00927	000			DUE
MANGANESE	01055	000			DUE
ODOR THRESHOLD @ 60 C	00086	WAIVED			
PH, LABORATORY	00403	000			DUE
SILVER	01077	WAIVED			
SODIUM	00929	000			DUE
SPECIFIC CONDUCTANCE	00095	WAIVED			
SULFATE	00945	WAIVED			
TOTAL DISSOLVED SOLIDS	70300	WAIVED			

**Testing interval is in months;*
0 = No data for this constituent and is DUE NOW
999 = Waived testing (not required)
I = Invalid (NOT) valid analyses reported

System Number: ***3107332***

System Name: ***BEAR VALLEY YMCA CAMP***

PS Code: ***3107332-001***

Source Name: ***WELL #1***

Source Number: ***001***

Source Status: ***ACTIVE UNTREATED***

Water type: ***GROUNDWATER OR WELL***

	STORET NUMBER	TESTING INTERVAL (MONTHS)*	LAST TEST DATE (yyyy/mm/dd)	LAST RESULT REPORTED	NEXT TEST DATE (yyyy/mm)
SECONDARY/GP					
TURBIDITY, LABORATORY	82079	WAIVED			
ZINC	01092	WAIVED			

**Testing interval is in months;*
0 = No data for this constituent and is DUE NOW
999 = Waived testing (not required)
I = Invalid (NOT) valid analyses reported

System Number: ***3107334***

System Name: ***KINGVALE H2O SYSTEM***

PS Code: ***3107334-002***

Source Name: ***WELL # 1***

Source Number: ***002***

Source Status: ***ACTIVE UNTREATED***

Water type:

	STORET NUMBER	TESTING INTERVAL (MONTHS)*	LAST TEST DATE (yyyy/mm/dd)	LAST RESULT REPORTED	NEXT TEST DATE (yyyy/mm)
GENERAL NON CHAP 15					
DIAZINON	39570	WAIVED			
INORGANIC					
ALUMINUM	01105	WAIVED			
ANTIMONY	01097	WAIVED			
ARSENIC	01002	WAIVED			
ASBESTOS	81855	WAIVED			
BARIUM	01007	WAIVED			
BERYLLIUM	01012	WAIVED			
CADMIUM	01027	WAIVED			
CHROMIUM (TOTAL)	01034	WAIVED			
CYANIDE	01291	WAIVED			
FLUORIDE (F) (NATURAL-SOURCE)	00951	WAIVED			
LEAD	01051	WAIVED			
MERCURY	71900	WAIVED			
NICKEL	01067	WAIVED			
PERCHLORATE	A-031	WAIVED			
SELENIUM	01147	WAIVED			
THALLIUM	01059	WAIVED			
NITRATE/NITRITE					
NITRATE (AS NO3)	71850	WAIVED			
NITRITE (AS N)	00620	WAIVED			
RADIOLOGICAL					
GROSS ALPHA	01501	WAIVED			
GROSS BETA	03501	WAIVED			
RA-226 FOR CWS OR TOTAL RA FOR NTNC BY 903.0	A-080	WAIVED			
RA-226 OR TOTAL RA BY 903.0 C.E.	A-081	WAIVED			
RADIUM 226	09501	WAIVED			
RADIUM 228	11501	WAIVED			

**Testing interval is in months;*
0 = No data for this constituent and is DUE NOW
999 = Waived testing (not required)
I = Invalid (NOT) valid analyses reported

System Number: ***3107334***

System Name: ***KINGVALE H2O SYSTEM***

PS Code: ***3107334-002***

Source Name: ***WELL # 1***

Source Number: ***002***

Source Status: ***ACTIVE UNTREATED***

Water type:

	STORET NUMBER	TESTING INTERVAL (MONTHS)*	LAST TEST DATE (yyyy/mm/dd)	LAST RESULT REPORTED	NEXT TEST DATE (yyyy/mm)
RADIOLOGICAL					
RADIUM, TOTAL, MDA95-NTNC ONLY, BY 903.0	A-082	WAIVED			
STRONTIUM-90	13501	WAIVED			
TRITIUM	07000	WAIVED			
URANIUM (PCI/L)	28012	WAIVED			
REGULATED SOC					
2,3,7,8-TCDD (DIOXIN)	34676	WAIVED			
2,4,5-TP (SILVEX)	39045	WAIVED			
2,4-D	39730	WAIVED			
ALACHLOR	77825	WAIVED			
ATRAZINE	39033	WAIVED			
BENTAZON	38710	WAIVED			
BENZO (A) PYRENE	34247	WAIVED			
CARBOFURAN	81405	WAIVED			
CHLORDANE	39350	WAIVED			
DALAPON	38432	WAIVED			
DI(2-ETHYLHEXYL)ADIPATE	A-026	WAIVED			
DI(2-ETHYLHEXYL)PHTHALATE	39100	WAIVED			
DIBROMOCHLOROPROPANE (DBCP)	38761	WAIVED			
DINOSEB	81287	WAIVED			
DIQUAT	78885	WAIVED			
ENDOTHALL	38926	WAIVED			
ENDRIN	39390	WAIVED			
ETHYLENE DIBROMIDE (EDB)	77651	WAIVED			
GLYPHOSATE	79743	WAIVED			
HEPTACHLOR	39410	WAIVED			
HEPTACHLOR EPOXIDE	39420	WAIVED			
HEXACHLOROBENZENE	39700	WAIVED			
HEXACHLOROCYCLOPENTADIENE	34386	WAIVED			
LINDANE	39340	WAIVED			

**Testing interval is in months;*
0 = No data for this constituent and is DUE NOW
999 = Waived testing (not required)
I = Invalid (NOT) valid analyses reported

System Number: ***3107334***

System Name: ***KINGVALE H2O SYSTEM***

PS Code: ***3107334-002***

Source Name: ***WELL # 1***

Source Number: ***002***

Source Status: ***ACTIVE UNTREATED***

Water type:

	STORET NUMBER	TESTING INTERVAL (MONTHS)*	LAST TEST DATE (yyyy/mm/dd)	LAST RESULT REPORTED	NEXT TEST DATE (yyyy/mm)
REGULATED SOC					
METHOXYCHLOR	39480	WAIVED			
MOLINATE	82199	WAIVED			
OXAMYL	38865	WAIVED			
PENTACHLOROPHENOL	39032	WAIVED			
PICLORAM	39720	WAIVED			
POLYCHLORINATED BIPHENYLS, TOTAL, AS DCB	39516	WAIVED			
SIMAZINE	39055	WAIVED			
THIOBENCARB	A-001	WAIVED			
TOXAPHENE	39400	WAIVED			
REGULATED VOC					
1,1,1-TRICHLOROETHANE	34506	WAIVED			
1,1,2,2-TETRACHLOROETHANE	34516	WAIVED			
1,1,2-TRICHLORO-1,2,2-TRIFLUOROETHANE	81611	WAIVED			
1,1,2-TRICHLOROETHANE	34511	WAIVED			
1,1-DICHLOROETHANE	34496	WAIVED			
1,1-DICHLOROETHYLENE	34501	WAIVED			
1,2,4-TRICHLOROBENZENE	34551	WAIVED			
1,2-DICHLOROBENZENE	34536	WAIVED			
1,2-DICHLOROETHANE	34531	WAIVED			
1,2-DICHLOROPROPANE	34541	WAIVED			
1,3-DICHLOROPROPENE (TOTAL)	34561	WAIVED			
1,4-DICHLOROBENZENE	34571	WAIVED			
BENZENE	34030	WAIVED			
CARBON TETRACHLORIDE	32102	WAIVED			
CIS-1,2-DICHLOROETHYLENE	77093	WAIVED			
DICHLOROMETHANE	34423	WAIVED			
ETHYLBENZENE	34371	WAIVED			
METHYL-TERT-BUTYL-ETHER (MTBE)	46491	WAIVED			
MONOCHLOROBENZENE	34301	WAIVED			

**Testing interval is in months;*
0 = No data for this constituent and is DUE NOW
999 = Waived testing (not required)
I = Invalid (NOT) valid analyses reported

System Number: ***3107334***

System Name: ***KINGVALE H2O SYSTEM***

PS Code: ***3107334-002***

Source Name: ***WELL # 1***

Source Number: ***002***

Source Status: ***ACTIVE UNTREATED***

Water type:

	STORET NUMBER	TESTING INTERVAL (MONTHS)*	LAST TEST DATE (yyyy/mm/dd)	LAST RESULT REPORTED	NEXT TEST DATE (yyyy/mm)
REGULATED VOC					
STYRENE	77128	WAIVED			
TETRACHLOROETHYLENE	34475	WAIVED			
TOLUENE	34010	WAIVED			
TRANS-1,2-DICHLOROETHYLENE	34546	WAIVED			
TRICHLOROETHYLENE	39180	WAIVED			
TRICHLOROFLUOROMETHANE	34488	WAIVED			
VINYL CHLORIDE	39175	WAIVED			
XYLENES (TOTAL)	81551	WAIVED			
SECONDARY/GP					
AGGRSSIVE INDEX (CORROSIVITY)	82383	WAIVED			
BICARBONATE ALKALINITY	00440	WAIVED			
CALCIUM	00916	WAIVED			
CARBONATE ALKALINITY	00445	WAIVED			
CHLORIDE	00940	WAIVED			
COLOR	00081	WAIVED			
COPPER	01042	WAIVED			
FOAMING AGENTS (MBAS)	38260	WAIVED			
HARDNESS (TOTAL) AS CACO3	00900	WAIVED			
HYDROXIDE ALKALINITY	71830	WAIVED			
IRON	01045	WAIVED			
MAGNESIUM	00927	WAIVED			
MANGANESE	01055	WAIVED			
ODOR THRESHOLD @ 60 C	00086	WAIVED			
PH, LABORATORY	00403	WAIVED			
SILVER	01077	WAIVED			
SODIUM	00929	WAIVED			
SPECIFIC CONDUCTANCE	00095	WAIVED			
SULFATE	00945	WAIVED			
TOTAL DISSOLVED SOLIDS	70300	WAIVED			

**Testing interval is in months;*
0 = No data for this constituent and is DUE NOW
999 = Waived testing (not required)
I = Invalid (NOT) valid analyses reported

System Number: ***3107334***

System Name: ***KINGVALE H2O SYSTEM***

PS Code: ***3107334-002***

Source Name: ***WELL # 1***

Source Number: ***002***

Source Status: ***ACTIVE UNTREATED***

Water type:

SECONDARY/GP	STORET NUMBER	TESTING INTERVAL (MONTHS)*	LAST TEST DATE (yyyy/mm/dd)	LAST RESULT REPORTED	NEXT TEST DATE (yyyy/mm)
TURBIDITY, LABORATORY	82079	WAIVED			
ZINC	01092	WAIVED			

**Testing interval is in months;*
0 = No data for this constituent and is DUE NOW
999 = Waived testing (not required)
I = Invalid (NOT) valid analyses reported

System Number: ***3107336***

System Name: ***EL SANCHO WATER SYSTEM***

PS Code: ***3107336-001***

Source Name: ***WELL # 1***

Source Number: ***001***

Source Status: ***ACTIVE UNTREATED***

Water type:

	STORET NUMBER	TESTING INTERVAL (MONTHS)*	LAST TEST DATE (yyyy/mm/dd)	LAST RESULT REPORTED	NEXT TEST DATE (yyyy/mm)
GENERAL NON CHAP 15					
DIAZINON	39570	WAIVED			
INORGANIC					
ALUMINUM	01105	WAIVED			
ANTIMONY	01097	WAIVED			
ARSENIC	01002	WAIVED			
ASBESTOS	81855	WAIVED			
BARIUM	01007	WAIVED			
BERYLLIUM	01012	WAIVED			
CADMIUM	01027	WAIVED			
CHROMIUM (TOTAL)	01034	WAIVED			
CYANIDE	01291	WAIVED			
FLUORIDE (F) (NATURAL-SOURCE)	00951	WAIVED			
LEAD	01051	WAIVED			
MERCURY	71900	WAIVED			
NICKEL	01067	WAIVED			
PERCHLORATE	A-031	WAIVED			
SELENIUM	01147	WAIVED			
THALLIUM	01059	WAIVED			
NITRATE/NITRITE					
NITRATE (AS NO3)	71850	WAIVED			
NITRITE (AS N)	00620	WAIVED			
RADIOLOGICAL					
GROSS ALPHA	01501	WAIVED			
GROSS BETA	03501	WAIVED			
RA-226 FOR CWS OR TOTAL RA FOR NTNC BY 903.0	A-080	WAIVED			
RA-226 OR TOTAL RA BY 903.0 C.E.	A-081	WAIVED			
RADIUM 226	09501	WAIVED			
RADIUM 228	11501	WAIVED			

**Testing interval is in months;*
0 = No data for this constituent and is DUE NOW
999 = Waived testing (not required)
I = Invalid (NOT) valid analyses reported

System Number: ***3107336***

System Name: ***EL SANCHO WATER SYSTEM***

PS Code: ***3107336-001***

Source Name: ***WELL # 1***

Source Number: ***001***

Source Status: ***ACTIVE UNTREATED***

Water type:

	STORET NUMBER	TESTING INTERVAL (MONTHS)*	LAST TEST DATE (yyyy/mm/dd)	LAST RESULT REPORTED	NEXT TEST DATE (yyyy/mm)
RADIOLOGICAL					
RADIUM, TOTAL, MDA95-NTNC ONLY, BY 903.0	A-082	WAIVED			
STRONTIUM-90	13501	WAIVED			
TRITIUM	07000	WAIVED			
URANIUM (PCI/L)	28012	WAIVED			
REGULATED SOC					
2,3,7,8-TCDD (DIOXIN)	34676	WAIVED			
2,4,5-TP (SILVEX)	39045	WAIVED			
2,4-D	39730	WAIVED			
ALACHLOR	77825	WAIVED			
ATRAZINE	39033	WAIVED			
BENTAZON	38710	WAIVED			
BENZO (A) PYRENE	34247	WAIVED			
CARBOFURAN	81405	WAIVED			
CHLORDANE	39350	WAIVED			
DALAPON	38432	WAIVED			
DI(2-ETHYLHEXYL)ADIPATE	A-026	WAIVED			
DI(2-ETHYLHEXYL)PHTHALATE	39100	WAIVED			
DIBROMOCHLOROPROPANE (DBCP)	38761	WAIVED			
DINOSEB	81287	WAIVED			
DIQUAT	78885	WAIVED			
ENDOTHALL	38926	WAIVED			
ENDRIN	39390	WAIVED			
ETHYLENE DIBROMIDE (EDB)	77651	WAIVED			
GLYPHOSATE	79743	WAIVED			
HEPTACHLOR	39410	WAIVED			
HEPTACHLOR EPOXIDE	39420	WAIVED			
HEXACHLOROBENZENE	39700	WAIVED			
HEXACHLOROCYCLOPENTADIENE	34386	WAIVED			
LINDANE	39340	WAIVED			

**Testing interval is in months;*
0 = No data for this constituent and is DUE NOW
999 = Waived testing (not required)
I = Invalid (NOT) valid analyses reported

System Number: ***3107336***

System Name: ***EL SANCHO WATER SYSTEM***

PS Code: ***3107336-001***

Source Name: ***WELL # 1***

Source Number: ***001***

Source Status: ***ACTIVE UNTREATED***

Water type:

	STORET NUMBER	TESTING INTERVAL (MONTHS)*	LAST TEST DATE (yyyy/mm/dd)	LAST RESULT REPORTED	NEXT TEST DATE (yyyy/mm)
REGULATED SOC					
METHOXYCHLOR	39480	WAIVED			
MOLINATE	82199	WAIVED			
OXAMYL	38865	WAIVED			
PENTACHLOROPHENOL	39032	WAIVED			
PICLORAM	39720	WAIVED			
POLYCHLORINATED BIPHENYLS, TOTAL, AS DCB	39516	WAIVED			
SIMAZINE	39055	WAIVED			
THIOBENCARB	A-001	WAIVED			
TOXAPHENE	39400	WAIVED			
REGULATED VOC					
1,1,1-TRICHLOROETHANE	34506	WAIVED			
1,1,2,2-TETRACHLOROETHANE	34516	WAIVED			
1,1,2-TRICHLORO-1,2,2-TRIFLUOROETHANE	81611	WAIVED			
1,1,2-TRICHLOROETHANE	34511	WAIVED			
1,1-DICHLOROETHANE	34496	WAIVED			
1,1-DICHLOROETHYLENE	34501	WAIVED			
1,2,4-TRICHLOROBENZENE	34551	WAIVED			
1,2-DICHLOROBENZENE	34536	WAIVED			
1,2-DICHLOROETHANE	34531	WAIVED			
1,2-DICHLOROPROPANE	34541	WAIVED			
1,3-DICHLOROPROPENE (TOTAL)	34561	WAIVED			
1,4-DICHLOROBENZENE	34571	WAIVED			
BENZENE	34030	WAIVED			
CARBON TETRACHLORIDE	32102	WAIVED			
CIS-1,2-DICHLOROETHYLENE	77093	WAIVED			
DICHLOROMETHANE	34423	WAIVED			
ETHYLBENZENE	34371	WAIVED			
METHYL-TERT-BUTYL-ETHER (MTBE)	46491	WAIVED			
MONOCHLOROBENZENE	34301	WAIVED			

**Testing interval is in months;*
0 = No data for this constituent and is DUE NOW
999 = Waived testing (not required)
I = Invalid (NOT) valid analyses reported

System Number: ***3107336***

System Name: ***EL SANCHO WATER SYSTEM***

PS Code: ***3107336-001***

Source Name: ***WELL # 1***

Source Number: ***001***

Source Status: ***ACTIVE UNTREATED***

Water type:

	STORET NUMBER	TESTING INTERVAL (MONTHS)*	LAST TEST DATE (yyyy/mm/dd)	LAST RESULT REPORTED	NEXT TEST DATE (yyyy/mm)
REGULATED VOC					
STYRENE	77128	WAIVED			
TETRACHLOROETHYLENE	34475	WAIVED			
TOLUENE	34010	WAIVED			
TRANS-1,2-DICHLOROETHYLENE	34546	WAIVED			
TRICHLOROETHYLENE	39180	WAIVED			
TRICHLOROFLUOROMETHANE	34488	WAIVED			
VINYL CHLORIDE	39175	WAIVED			
XYLENES (TOTAL)	81551	WAIVED			
SECONDARY/GP					
AGGRSSIVE INDEX (CORROSIVITY)	82383	WAIVED			
BICARBONATE ALKALINITY	00440	WAIVED			
CALCIUM	00916	WAIVED			
CARBONATE ALKALINITY	00445	WAIVED			
CHLORIDE	00940	WAIVED			
COLOR	00081	WAIVED			
COPPER	01042	WAIVED			
FOAMING AGENTS (MBAS)	38260	WAIVED			
HARDNESS (TOTAL) AS CACO3	00900	WAIVED			
HYDROXIDE ALKALINITY	71830	WAIVED			
IRON	01045	WAIVED			
MAGNESIUM	00927	WAIVED			
MANGANESE	01055	WAIVED			
ODOR THRESHOLD @ 60 C	00086	WAIVED			
PH, LABORATORY	00403	WAIVED			
SILVER	01077	WAIVED			
SODIUM	00929	WAIVED			
SPECIFIC CONDUCTANCE	00095	WAIVED			
SULFATE	00945	WAIVED			
TOTAL DISSOLVED SOLIDS	70300	WAIVED			

**Testing interval is in months;*
0 = No data for this constituent and is DUE NOW
999 = Waived testing (not required)
I = Invalid (NOT) valid analyses reported

System Number: ***3107336***

System Name: ***EL SANCHO WATER SYSTEM***

PS Code: ***3107336-001***

Source Name: ***WELL # 1***

Source Number: ***001***

Source Status: ***ACTIVE UNTREATED***

Water type:

SECONDARY/GP	STORET NUMBER	TESTING INTERVAL (MONTHS)*	LAST TEST DATE (yyyy/mm/dd)	LAST RESULT REPORTED	NEXT TEST DATE (yyyy/mm)
TURBIDITY, LABORATORY	82079	WAIVED			
ZINC	01092	WAIVED			

**Testing interval is in months;*
0 = No data for this constituent and is DUE NOW
999 = Waived testing (not required)
I = Invalid (NOT) valid analyses reported