Home (/) Asthma Data County Asthma Profiles (/asthma-data/county-asthma-profiles) San Diego County Asthma Profile

San Diego County Asthma Profile

modified on: Thursday, 01 September 2016

In San Diego County, approximately 412,000 children and adults have been diagnosed with asthma.

Scroll down to browse the full County Profile. Or, download a printer-friendly PDF.

COUNTY PROFILE INDICATORS

Lifetime Asthma Prevalence	Emergency Department Visits
Active Asthma Prevalence	Asthma Hospitalizations
Work-Related Asthma	Asthma Deaths
Asthma Management Plans	Outdoor Air Quality ¹⁵
Asthma Risk Factors	Notes

County Population			County Population		
	Age	Population	%	Race/Ethnicity ¹	%
	0-4	213,088	6.7	Asian/PI	11.4
	5-17	512,931	16.0	Black	4.7
	18-64	2,072,631	64.8	Hispanic	33.6
	65+	399,513	12.5	White	46.6
	Total	3,198,165		Other	3.7

DATASOURCE:California Department of Finance, 2014 (2013 release)

LIFETIME ASTHMA PREVALENCE,2 2011-2012

Percent with Lifetime Asthma (95% Confidence Interval³)

	Age	San Diego County	California
Children	0-4		9.7 (7.2-12.3)
	5-17	19.4 (14.8-24.0)	17.1 (15.5-18.7)
Adults	18-64	12.8 (10.7-14.9)	14.0 (13.4-14.7)
	65+	10.2 (8.5-11.9)	12.0 (11.1-12.8)
Totals:	0-17	18.0 (14.0-22.0)	15.4 (14.0-16.7)
	18+	12.4 (10.6-14.2)	13.7 (13.1-14.3)
	All Ages	13.7 (12.0-15.4)	14.1 (13.6-14.6)

datasource: California Health Interview Survey (CHIS), 2014

ACTIVE ASTHMA PREVALENCE,4 2014

Percent with Active Asthma (95% Confidence Interval³)

	Age	San Diego County	California
Children	0-4		6.3 (4.6-8.0)
	5-17	10.4 (4.7-16.0)	11.6 (10.2-13.0)
Adults	18-64	7.2 (4.5-9.8)	7.6 (7.1-8.1)
	65+	11.0* (3.8-18.3)	8.2 (7.5-8.9)
Totals:	0-17	9.0 (4.5-13.6)	10.1 (9.0-11.3)
	18+	7.9 (5.3-10.5)	7.7 (7.3-8.2)
	All Ages	7.5 (6.3-8.6)	8.3 (7.9-8.7)

datasource: California Health Interview Survey (CHIS), 2014

WORK-RELATED ASTHMA5

Studies show that asthma is commonly caused or triggered by workplace exposures, but work-related asthma

(http://www.dph.ca.gov/programs/ohsep/Pages/Asthma.aspx) is under-recognized and under-diagnosed. Research confirms that 15-30% of current adult asthma was initiated by work exposures, meaning that an estimated 24,300-48,600 adults in San Diego County have asthma caused by work.⁶

datasource: CHIS, 2014

ASTHMA MANAGEMENT PLANS

National guidelines recommend that health care providers give all patients with asthma a written self-management plan. In San Diego County, 83.2% (95% CI 78.5-88.0) of people with asthma have NOT received a written asthma management plan from a health care provider.

datasource: CHIS, 2014

ASTHMA RISK FACTORS, 2014

San Diego County Risk Factors

Risk Factor	Percent (95% Confidence Interval)
Percent of adults who are current smokers	12.2 (10.5-13.9)
Percent of adults and children exposed to second- hand smoke in the home	5.7 (4.6-6.9)
Percent of adults who are obese ⁷ (BMI>=30)	22.1 (20.1-24.0)
Percent of people below the Federal Poverty Level	11.9 (NA)
Unemployment Rate	9.7 (NA)
atasource: CHIS, 2011-2012	

ASTHMA DEATHS,9 2008-2010

datasource: California Death Statistical Master Files, 2008-201

ASTHMA EMERGENCY DEPARTMENT VISITS, 10 2014

Number of ED Visits Due to Asthma (N) and Age-Adjusted Rate¹¹ (per 10,000 residents)

		San Diego	San Diego County		rnia
	Age	N	Rate	N	Rate
Children	0-4	1,980	93.1	26,268	103.4
	5-17	2,591	50.3	47,613	72.4
Adults	18-64	5,631	27.4	95,689	39.2
	65+	1,107	28.0	17,374	36.1
Totals:	0-17	4,571	61.8	73,881	80.7
	18+	6,738	27.5	113,063	38.6
	All Ages	11,309	36.3	186,944	49.5

datasource: Office of Statewide Health Planning and Development (OSHPD), 2014

Expected Source of Payment for Asthma ED Visits

Payment Source	San Diego County	California
Medicare	13.15%	13.29%
Medi-Cal	51.71%	48.56%
Private	23.42%	26.32%
Other	11.72%	11.84%

datasource: Office of Statewide Health Planning and Development (OSHPD), 2014

ASTHMA HOSPITALIZATIONS,12 2014

Number of Hospitalizations Due to Asthma (N) and Age-Adjusted Rate¹¹ (per 10,000 residents)

		San Diego County		California	
	Age	N	Rate	N	Rate
Children	0-4	420	19.7	4,994	19.6
	5-17	325	6.3	5,037	7.7
Adults	18-64	828	3.9	12,134	4.7
	65+	486	12.3	7,208	15.2
Totals:	0-17	745	9.9	10,031	10.9
	18+	1,314	5.3	19,342	6.5
	All Ages	2,059	6.5	29,373	7.6

datasource: Office of Statewide Health Planning and Development (OSHPD), 2014

Average Charges¹³ Per Asthma Hospitalization

	Age	San Diego County	California
Children	0-17	\$32,728.07	\$27,127.04
Adults	18+	\$40,929.97	\$46,783.17
Total	All Ages	\$37,864.44	\$39,860.44

datasource: Office of Statewide Health Planning and Development (OSHPD), 2014


Expected Source of Payment for Asthma Hospitalizations

Payment Source	San Diego County	California
Medicare	27.73%	28.24%
Medi-Cal	41.91%	46.46%
Private	23.41%	20.34%
Other	6.95%	4.96%

datasource: Office of Statewide Health Planning and Development (OSHPD), 2014

ASTHMA DISPARITIES


Age-Adjusted Asthma Hospitalizations and ED Visits per 10,000 San Diego County Residents by Race/Ethnicity, 2014



Data Source: datasource: Office of Statewide Health Planning and Development (OSHPD), 2014


HEALTHY PEOPLE 201014

Asthma Hospitalizations per 10,000 Residents by Age, Compared to HP2010 Targets, California and San Diego County, 2014




HOSPITALIZATION RATES OVER TIME

Age-Adjusted Asthma Hospitalizations per 10,000 Residents, San Diego County and California, 2004-2014



Data Source: datasource: Office of Statewide Health Planning and Development (OSHPD), 2004-2014

Asthma ED Visits per 10,000 Residents by Age, Compared to HP2020 Targets, California and San Diego County, 2014




NOTES

Estimates marked with an asterisk () have large confidence intervals, interpret with caution. Estimates marked with a dash (-) are statistically unstable, so are unreported.

- 1. PI = Pacific Islander; Please see technical notes for more information on race/ethnicity categorizations.
- Lifetime asthma prevalence is the proportion of people in the population who have ever been diagnosed with asthma by a health provider.
 The 95% confidence interval (CI) is a range that expresses a level of certainty about an estimate based on the margin of error.
- The 95% CI means that we are 95 percent confident that this range contains the true population percent. A narrow CI means that there is less variability in the estimate and/or there is a larger sample size. A wide CI indicates more variability and/or a smaller sample size.
- 4. Active asthma prevalence is the proportion of people in the population who have ever been diagnosed with asthma by a health provider and report that they still have asthma and/or report that they had an episode or attack within the past 12 months.
- 5. Work-related asthma is asthma that is caused or triggered by conditions or substances in the workplace.
- 6. Balmes J, Becklake M, Blanc P, et al. Environmental and Occupational Health Assembly, American Thoracic Society. American Thoracic Society Statement: Occupational Contribution to the Burden of Airway Disease. Am J Respir Crit Care Med. 2003;167:787-797; Lutzker L, Rafferty A, Brunner W, et al. Prevalence of Work-related Asthma in Michigan, Minnesota, and Oregon. Journal of Asthma. 2010;47:156-161.
- Obesity is defined as a body mass index (BMI) of 30 or greater.
- 8. Data Sources for Asthma Risk Factors: Smoking CHIS, 2009; Obesity CHIS, 2009; Poverty Level American Community Survey, 2007-2009; Unemployment Rate State of California Employment Development Department. 2009
- 9. An asthma death is a death where asthma was indicated as the underlying cause on the death certificate. The rate of asthma deaths is the number of deaths per 1,000,000 residents, age-adjusted to the 2000 U.S. population.
- 10. An asthma ED visit is an admission to a licensed ED in California with the primary diagnosis of asthma. The rate of asthma ED visits is the number of visits per 10,000 residents, age-adjusted to the 2000 U.S. population.
- 11. Population denominators for rates are from the California Department of Finance. All rates are age-adjusted to the 2000 U.S. population. Age-adjusted rates are modified to eliminate the effect of different age distributions in different populations. Rates based on numbers <20 are not reported.
- 12. An asthma hospitalization is a discharge from a licensed acute care hospital in California with the primary diagnosis of asthma. The rate of asthma hospitalizations is the number of hospitalizations per 10,000 residents, age-adjusted to the 2000 U.S. population.
- 13. Charges for asthma hospitalizations are the only type of data available to assess the costs of asthma in California counties. However, there are many other costs associated with asthma, including other types of health care utilization, medications, and indirect costs due to factors such as school and work missed.
- 14. Healthy People 2010 (HP2010) is a set of national benchmarks for a wide range of health topics, including asthma. For more information on HP2010, visit
- www.healthypeople.gov (/www.healthypeople.gov).

 15. Outdoor air quality data—including exposures such as PM2.5, PM10, ozone, and traffic pollution—can be found online through the California Environmental Health Tracking Program's Air Quality Data Query (http://www.ehib.org/page_isp?page_key=80) or on the California Air Resources Board (http://www.arb.ca.gov/aqd/aqdpage.htm) website.

Further details about the data presented in this report can be found in the accompanying Technical Notes document.



Collaborations Asthma Data Projects Resources About Us The Asthma in California Report California Asthma Quality Improvement Initiative CAP Publications (/resources/publications) (/asthma-data/cal-asthma-report) (/collaborations/cap) Contact Us (/about-us/contact-us) County Asthma Profiles Childcare Training Video SEHAC (Schools) (/asthma-data/county-asthma-profiles) (/resources/childcare-training-video) (/collaborations/sehac) (/about-us/our-vision) CHHC (Housing) County Comparisons (/asthma-data/county-comparisons) (/collaborations/chhc) (/about-us/our-team) Custom Data Request (/asthma-data/datarequest) Fact Sheets (/asthma-data/factsheets)