

## California Device Recall Information Sheet

### Food and Drug Branch – Device Recalls

Merit Medical Systems, Inc. basixTOUCH Inflation Device

| Recall Date | Product Description                                                                                                  | Recalling Firm                 | Recall Reason                                                                                                                                                                        |
|-------------|----------------------------------------------------------------------------------------------------------------------|--------------------------------|--------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|
| 10/11/2024  | basixTOUCH Inflation Device<br><br>REF: IN8130/JPC, IN8152/C,<br>IN8302/C, IN8352/C, IN8802/C,<br>IN8130/C, IN8130/C | Merit Medical<br>Systems, Inc. | Inflation devices may have a small hole in the sterile barrier of the device and use of affected devices may result in exposure to pathogens/pyrogens which could lead to infection. |

| Recall Class | Product Identification                                                                                                                                                                                                                                                                                                          | Distribution                                                                                                                                                                             | Affected Dates    |
|--------------|---------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|-------------------|
| II           | REF: IN8130/JPC<br>UDI-DI: 00884450621073<br>Lot(Expiration):<br>H2929530(4/29/2027)<br><br>REF: IN8152/C<br>UDI-DI: 00884450621301<br>Lot(Expiration):<br>H2925219(4/22/2027),<br>H2929412(4/29/2027),<br>H2938005(5/12/2027),<br>H2938006(5/12/2027),<br>H2943498(5/19/2027),<br>H2943499(5/19/2027),<br>H2972593(5/26/2027), | REF: IN8152/C<br>185 units in California<br><br>REF: IN8802/C<br>225 units in California<br><br>REF: IN8130/C<br>535 units in California<br><br>REF: IN8140/A<br>155 units in California | August and prior. |

|                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                              |  |  |
|----------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|--|--|
| <p>H2972594(5/26/2027),<br/>H2978092(6/3/2027)</p> <p>REF: IN8302/C<br/>UDI-DI: 00884450621325<br/>Lot(Expiration):<br/>H2925221(4/22/2027)</p> <p>REF: IN8352/C<br/>UDI-DI: 00884450621349<br/>Lot(Expiration):<br/>H2934719(5/5/2027)</p> <p>REF: IN8802/C<br/>UDI-DI: 00884450621417<br/>Lot(Expiration):<br/>H2925222(4/22/2027),<br/>H2934720(5/12/2027),<br/>H2943517(5/19/2027),<br/>H2972598(5/26/2027)</p> <p>REF: IN8130/C<br/>UDI-DI: 00884450621059<br/>Lot(Expiration):<br/>H2925215(4/22/2027),<br/>H2929410(4/29/2027),<br/>H2934714(5/5/2027),<br/>H2937998(5/12/2027),<br/>H2938000(5/12/2027),<br/>H2943487(5/19/2027).</p> <p>REF: IN8130/C<br/>UDI-DI: 00884450621059<br/>Lot(Expiration):<br/>H2972590(5/26/2027),<br/>H2978089(6/3/2027),<br/>H2978090(6/3/2027),<br/>H2978091(6/3/2027),<br/>H2989571(6/17/2027).</p> |  |  |
|----------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|--|--|

For additional information, please visit the [FDA Website](#).