

CDPH SUMMARY OF DOMOIC ACID LEVELS IN CRAB

SEPTEMBER 1, 2024 - MAY 22, 2025

PORT	COLLECTION SITE	SAMPLE COLLECTION DATE	CRAB TYPE VISCERA	INDIVIDUAL SAMPLE RESULTS (FDA ACTION LEVEL >30 PPM)						AVERAGE LEVEL (Information)	PERCENT OF SAMPLES EXCEEDING ACTION LEVEL
Half Moon Bay/SF	Pillar Point	9/22/2024	Dungeness Crab	<2.5	<2.5	<2.5	<2.5	<2.5	<2.5	Non-Detect	0%
Half Moon Bay/SF	Pigeon Point	9/22/2024	Dungeness Crab	<2.5	<2.5	<2.5	<2.5	<2.5	<2.5	Non-Detect	0%
Bodega Bay	Point Reyes	9/24/2024	Dungeness Crab	<2.5	2.5	12	<2.5	4.8	18	6.2	0%
Bodega Bay	Bodega Head	9/24/2024	Dungeness Crab	<2.5	<2.5	<2.5	2.5	<2.5	7.8	1.7	0%
Bodega Bay	Russian River	9/24/2024	Dungeness Crab	<2.5	4.2	49	<2.5	44	27	20.7	33.3%
Bodega Bay	Salt Point	9/24/2024	Dungeness Crab	<2.5	<2.5	<2.5	<2.5	16	<2.5	2.7	0%
Monterey	Monterey Bay	10/4/2024	Dungeness Crab	<2.5	<2.5	3.3	<2.5	5.8	<2.5	1.5	0%
Bodega Bay	Russian River	10/6/2024	Dungeness Crab	<2.5	3.3	7.7	38	<2.5	<2.5	8.2	16.7%
Eureka	LP Eureka	10/8/2024	Dungeness Crab	25	9	<2.5	<2.5	15	23	12.0	0%
Eureka	Eel River	10/8/2024	Dungeness Crab	49	20	14	4.9	8	11	17.8	16.7%
Morro Bay	Avila Beach	10/11/2024	Dungeness Crab	8.1	6.7	<2.5	3.7	3	4.3	4.3	0%
Ft. Bragg	Usal	10/15/2024	Dungeness Crab	3.1	6.7	2.7	4	4	3.7	4	0%
Crescent City	Klamath River	10/12/2024	Dungeness Crab	51	98	18	10	37	12	37.7	50%
Crescent City	George Reef	10/12/2024	Dungeness Crab	21	34	25	19	7.8	29	22.6	16.7%
Half Moon Bay/SF	Duxbury Reef	10/19/2024	Dungeness Crab	14	<2.5	6.3	<2.5	<2.5	<2.5	3.4	0%
Bodega Bay	Russian River - 1st retest	10/26/2024	Dungeness Crab	<2.5	<2.5	3	<2.5	8.6	<2.5	1.9	0
Eureka	Eel River - 1st retest	10/25/2024	Dungeness Crab	21	4.2	6.3	23	26	6.5	14.5	0
Eureka	Eel River - 2nd retest	11/2/2024	Dungeness Crab	14	2.8	22	<2.5	<2.5	6.5	7.6	0
Crescent City	Klamath River - 1st retest	11/8/2024	Dungeness Crab	21	10	15	<2.5	12	23	16.2	0
Crescent City	George Reef - 1st retest	11/8/2024	Dungeness Crab	33	24	11	29	16	33	24.3	33.3%
Bodega Bay	Russian River - 2nd retest	11/8/2024	Dungeness Crab	<2.5	<2.5	<2.5	3.4	<2.5	<2.5	0.6	0%
Trinidad Head	Lagoons	11/7/2024	Dungeness Crab	17	14	13	5.9	9.6	11	11.8	0%
Trinidad Head	Trinidad Head	11/8/2024	Dungeness Crab	15	5.1	6.2	21	3.6	5.1	9.3	0%
Crescent City	Klamath River - 2nd retest	11/26/2024	Dungeness Crab	13	7.3	11	12	8	17	11.4	0%
Crescent City	George Reef - repeat 1st retest	11/26/2024	Dungeness Crab	9.9	11	9.3	3.3	17	19	11.6	0%
Ft. Bragg	Manchester Beach	12/4/2024	Dungeness Crab	2.8	8.2	<2.5	<2.5	<2.5	<2.5	1.8	0%
Crescent City	George Reef - repeat 2nd retest	12/3/2024	Dungeness Crab	7.8	<2.5	9	3.2	<2.5	5.7	4.3	0%
Crescent City	Block 108	3/24/25; 4/01/25	Rock Crab	<2.5	<2.5	3.7	<2.5	2.5	<2.5	1.0	0%
Point Conception	Block 657	5/2/2025	Rock Crab	<2.5	<2.5	<2.5	4.2	<2.5	7.5	1.9	0%

1 SET = 6 SAMPLES

rev. May 22, 2025

Confidential - Low