



California Indoor Radon Test Results

updated: Feb 2016

Zip Code	Number of Tests Reported to CDPH	Number of Tests at or $\geq 4\text{pCi/L}$	Percent of Tests $\geq 4\text{pCi/L}$	Max. Result (pCi/L)
90000	4	0		0.4
90001	45	1	2.2%	4.1
90002	4	0		1.6
90003	8	0		1.8
90004	61	0		3.9
90005	12	0		1.8
90006	14	0		1.6
90007	45	1	2.2%	136.9
90008	4	0		1.3
90010	11	1	9.1%	6.3
90011	1	0		0.5
90012	9	0		1.8
90013	6	0		2.3
90014	11	0		0.4
90015	1	0		0.9
90016	9	0		1.2
90017	18	0		2.5
90018	5	0		1.7
90019	23	0		2.6
90020	18	0		3
90021	3	1	33.3%	6.5
90022	2	0		1.4

90023	6	0		2.6
90024	93	3	3.2%	6
90025	128	9	7.0%	36.6
90026	56	6	10.7%	7
90027	72	14	19.4%	9.8
90028	13	0		1.8
90029	6	0		0.9
90031	22	0		2
90032	11	1	9.1%	9.5
90033	4	0		0.5
90034	54	0		2.7
90035	46	0		2.5
90036	68	1	1.5%	21.7
Zip Code	Number of Tests Reported to CDPH	Number of Tests at or \geq 4pCi/L	Percent of Tests \geq 4pCi/L	Max. Result (pCi/L)
90037	4	0		1.1
90038	10	3	30.0%	19
90039	23	2	8.7%	6.3
90040	1	0		0
90041	30	1	3.3%	7.3
90042	31	2	6.5%	16.4
90043	15	4	26.7%	13.3
90044	2	0		0.9
90045	70	4	5.7%	8.3
90046	96	7	7.3%	13.9
90047	11	0		1.8
90048	54	5	9.3%	9.5
90049	198	15	7.6%	13.5
90050	1	0		3.3

90052	1	0		0
90056	8	0		1
90057	25	1	4.0%	5.4
90059	7	0		3.1
90061	2	0		2.1
90062	2	0		0.7
90063	3	0		3.5
90064	109	1	0.9%	5.9
90065	30	7	23.3%	7.7
90066	119	8	6.7%	63.6
90067	8	0		1.9
90068	134	12	9.0%	30.2
90069	38	0		2.2
90071	1	0		0.9
90076	1	0		0
90077	87	20	23.0%	25.7
90078	4	2	50.0%	5.7
90082	1	0		0
90086	1	0		0
90093	2	0		2.4
90201	5	0		1.1
Zip Code	Number of Tests Reported to CDPH	Number of Tests at or ≥ 4pCi/L	Percent of Tests ≥ 4pCi/L	Max. Result (pCi/L)
90202	1	0		1
90209	6	0		1.2
90210	172	15	8.7%	36.7
90211	35	0		2.4
90212	52	3	5.8%	6
90213	5	0		0.9

90220	5	0		1
90221	1	0		0
90222	1	0		0.7
90224	2	1	50.0%	6.1
90230	44	4	9.1%	7.6
90232	33	3	9.1%	5.2
90233	1	0		0.6
90240	6	0		0.5
90241	14	0		0.6
90242	9	0		1.5
90245	105	1	1.0%	5
90247	22	0		3.6
90248	3	0		1.2
90249	9	0		2.3
90250	32	0		2.8
90254	40	1	2.5%	11.3
90255	1	0		0
90260	9	0		1.4
90262	6	0		0.6
90264	1	0		0.3
90265	94	15	16.0%	32.8
90266	65	1	1.5%	7.8
90267	3	0		0.9
90270	1	0		1.3
90272	331	24	7.3%	31
90274	412	121	29.4%	540.1
90275	447	90	20.1%	141
90277	105	4	3.8%	11
90278	65	1	1.5%	5.3

Zip Code	Number of Tests Reported to CDPH	Number of Tests at or \geq 4pCi/L	Percent of Tests \geq 4pCi/L	Max. Result (pCi/L)
90280	12	0		0.8
90290	61	2	3.3%	11.2
90291	46	2	4.3%	8.7
90292	32	2	6.3%	7.8
90293	23	0		1.3
90294	2	0		0.2
90295	1	0		0.5
90296	1	0		2.5
90301	3	1	33.3%	7.6
90302	5	0		0.9
90303	2	0		3.9
90304	2	0		1
90305	2	0		0.2
90309	1	0		0.4
90401	22	0		2
90402	106	22	20.8%	18.6
90403	51	3	5.9%	11.4
90404	16	0		3.5
90405	74	3	4.1%	7.5
90406	2	0		0.7
90409	1	0		3.4
90501	32	0		1.7
90502	21	6	28.6%	77.6
90503	39	3	7.7%	7.7
90504	26	0		2.3
90505	71	5	7.0%	9.7
90506	1	1	100.0%	4.6

90509	2	0		1.1
90510	1	0		0
90601	14	1	7.1%	12.8
90602	8	3	37.5%	12.2
90603	17	1	5.9%	15.9
90604	14	3	21.4%	12.8
90605	11	2	18.2%	9
90606	8	0		2.2
Zip Code	Number of Tests Reported to CDPH	Number of Tests at or \geq 4pCi/L	Percent of Tests \geq 4pCi/L	Max. Result (pCi/L)
90620	25	0		1.1
90621	16	1	6.3%	4.4
90623	19	0		1.1
90630	52	1	1.9%	5.1
90631	40	6	15.0%	9.7
90637	3	0		0.2
90638	38	0		2.8
90640	20	0		2.6
90650	15	0		2.4
90660	6	0		0.7
90670	4	0		2.2
90680	10	0		1.1
90701	8	0		1
90703	20	0		1.2
90704	1	0		0.2
90706	25	0		0.9
90710	17	0		1.6
90711	2	0		0.6
90712	22	0		1.5

90713	32	0		2.5
90715	4	0		1.3
90716	2	0		1
90717	30	3	10.0%	5.7
90720	37	0		3.1
90723	19	0		0.8
90731	61	7	11.5%	39.2
90732	97	6	6.2%	12.8
90733	1	0		0.6
90740	32	1	3.1%	6.1
90743	1	0		0
90744	7	0		0.8
90745	9	0		2.3
90746	10	0		1.3
90755	10	0		2.7
90801	1	0		0.6
Zip Code	Number of Tests Reported to CDPH	Number of Tests at or ≥ 4pCi/L	Percent of Tests ≥ 4pCi/L	Max. Result (pCi/L)
90802	38	0		2.1
90803	60	0		1.9
90804	20	1	5.0%	4.9
90805	11	0		0.6
90806	13	0		3.2
90807	26	0		2
90808	35	0		1.5
90809	2	0		0
90810	12	0		0.5
90813	8	0		0.4
90814	10	0		1.7

90815	48	3	6.3%	5.4
90832	2	0		2.7
90853	1	0		0.8
91001	58	4	6.9%	4.8
91004	1	0		2.8
91006	53	0		1.5
91007	21	0		3
91009	1	0		0.2
91010	13	0		1.3
91011	85	7	8.2%	36.9
91012	2	0		0.4
91016	26	0		1.6
91017	1	0		0
91020	13	0		2.4
91024	19	0		2.2
91030	49	10	20.4%	9.1
91031	2	1	50.0%	13.5
91037	1	0		2.6
91040	43	0		2.6
91042	63	4	6.3%	15.3
91077	1	0		0
91101	43	1	2.3%	8.4
91102	2	0		1.2
91103	23	0		1.3
Zip Code	Number of Tests Reported to CDPH	Number of Tests at or ≥ 4pCi/L	Percent of Tests ≥ 4pCi/L	Max. Result (pCi/L)
91104	28	3	10.7%	5.7
91105	39	1	2.6%	4.8
91106	29	2	6.9%	5.4

91107	60	1	1.7%	5.1
91108	49	1	2.0%	4
91109	3	0		1.2
91118	2	0		0
91125	1	0		2.3
91201	21	0		2.4
91202	27	0		1.9
91203	11	1	9.1%	8.6
91204	1	0		0
91205	5	1	20.0%	5.1
91206	38	0		2.9
91207	19	0		1.7
91208	54	1	1.9%	4.2
91209	2	0		1.7
91214	46	0		3.6
91301	553	50	9.0%	33.9
91302	359	71	19.8%	110.6
91303	48	4	8.3%	11
91304	214	35	16.4%	17
91306	71	8	11.3%	7.7
91307	234	69	29.5%	47.5
91308	2	1	50.0%	6.1
91309	1	0		0.8
91311	239	43	18.0%	29.3
91313	2	0		1
91316	194	49	25.3%	51.6
91319	1	0		0
91320	265	12	4.5%	10.4
91321	34	2	5.9%	60.4

91324	78	11	14.1%	13.7
91325	125	35	28.0%	28.9
91326	176	6	3.4%	7.2
Zip Code	Number of Tests Reported to CDPH	Number of Tests at or \geq 4pCi/L	Percent of Tests \geq 4pCi/L	Max. Result (pCi/L)
91330	3	1	33.3%	104.2
91331	40	0		1.2
91333	1	0		1.4
91335	142	23	16.2%	10.9
91337	3	1	33.3%	4.7
91340	2	0		1.4
91342	76	14	18.4%	7.1
91343	111	9	8.1%	8.5
91344	150	24	16.0%	24.9
91345	22	0		1.2
91350	52	1	1.9%	9.6
91351	25	0		2.4
91352	21	2	9.5%	4.5
91354	31	0		1.1
91355	66	0		3.2
91356	227	37	16.3%	44.9
91357	4	0		2.7
91358	3	0		1.7
91359	18	0		2.1
91360	268	17	6.3%	20.1
91361	322	24	7.5%	10.4
91362	640	91	14.2%	29.3
91363	1	0		2.9
91364	328	108	32.9%	85.8

91365	19	8	42.1%	27.8
91367	393	131	33.3%	43.6
91372	9	4	44.4%	8.5
91376	2	0		1.2
91377	170	22	12.9%	15.3
91380	4	0		0.5
91381	20	0		1.4
91384	32	1	3.1%	7.9
91385	1	0		2.2
91387	34	0		1.3
91390	15	0		2.9
Zip Code	Number of Tests Reported to CDPH	Number of Tests at or \geq 4pCi/L	Percent of Tests \geq 4pCi/L	Max. Result (pCi/L)
91392	2	0		0.9
91394	4	0		0.5
91401	70	0		2.3
91402	38	0		3.6
91403	149	28	18.8%	20.1
91405	41	0		2
91406	94	2	2.1%	99.6
91408	1	1	100.0%	4.4
91409	6	0		1.5
91411	32	0		2.8
91412	1	0		0.5
91413	4	1	25.0%	4
91416	1	0		3.6
91423	243	51	21.0%	13.7
91426	7	5	71.4%	10.2
91436	311	29	9.3%	31.4

91501	19	0		2.2
91502	17	0		2
91503	2	0		0.6
91504	47	0		2.1
91505	74	0		3.2
91506	26	1	3.8%	8.7
91508	1	0		0
91510	5	0		2
91522	2	0		0.4
91601	67	0		2.7
91602	59	2	3.4%	7.6
91604	129	23	17.8%	43.7
91605	60	1	1.7%	11
91606	53	3	5.7%	21.6
91607	99	0		3.6
91608	4	0		1
91617	2	0		0.2
91701	34	0		1.9
91702	12	0		1.4
Zip Code	Number of Tests Reported to CDPH	Number of Tests at or ≥ 4pCi/L	Percent of Tests ≥ 4pCi/L	Max. Result (pCi/L)
91706	8	0		1
91708	2	0		0.5
91709	49	0		3.3
91710	18	0		2.9
91711	47	0		3.3
91718	6	0		1.7
91719	11	0		1.4
91720	21	0		2.6

91722	5	0		1
91723	8	0		0.9
91724	23	3	13.0%	7.4
91730	40	0		3.2
91731	3	0		0.6
91732	5	0		0.9
91733	1	0		0.5
91737	18	2	11.1%	9.8
91739	16	0		1
91740	31	0		2.6
91741	13	0		1.3
91744	11	1	9.1%	6.4
91745	27	0		3.9
91746	9	0		2.9
91748	24	0		1.7
91750	20	0		2.1
91752	4	0		1
91754	17	0		2.1
91755	7	0		1.1
91756	1	0		1
91759	4	1	25.0%	36.8
91760	3	0		1
91761	7	0		0.7
91762	21	0		2.2
91763	3	0		0.3
91764	24	1	4.2%	4.6
91765	60	11	18.3%	7.3
Zip Code	Number of Tests Reported to CDPH	Number of Tests at or ≥ 4pCi/L	Percent of Tests ≥ 4pCi/L	Max. Result (pCi/L)

91766	59	11	18.6%	159.6
91767	12	0		0.5
91768	3	0		1.1
91769	1	0		0
91770	22	2	9.1%	4.9
91772	1	0		0.6
91773	26	0		3.1
91775	21	0		1.7
91776	11	0		1.8
91780	21	0		1.1
91784	20	0		2
91785	1	0		0.6
91786	24	2	8.3%	14.7
91787	1	0		2.7
91788	1	0		1.5
91789	27	0		3.8
91790	14	0		1.8
91791	16	1	6.3%	7.5
91792	9	1	11.1%	4.3
91801	34	1	2.9%	10.4
91803	14	0		1.2
91901	9	0		3
91902	3	0		1.4
91903	2	0		2.7
91905	1	0		1.2
91906	4	1	25.0%	4.7
91910	23	2	8.7%	4.8
91911	6	0		1.3
91913	31	0		2.6

91914	5	0		0.3
91915	9	1	11.1%	4.5
91916	8	0		3.7
91919	1	0		0.6
91931	1	0		0
91932	22	0		1.3
Zip Code	Number of Tests Reported to CDPH	Number of Tests at or \geq 4pCi/L	Percent of Tests \geq 4pCi/L	Max. Result (pCi/L)
91934	2	0		0.6
91935	8	0		2.3
91941	33	3	9.1%	8.2
91942	23	1	4.3%	6
91943	1	0		0.5
91944	3	0		0.7
91945	7	0		2
91950	12	0		1.1
91962	1	1	100.0%	6
91977	17	0		1.3
91978	1	0		0.5
92003	9	0		3.5
92004	2	0		1
92007	8	0		1.3
92008	38	1	2.6%	33.3
92009	30	1	3.3%	8.9
92010	4	0		2.3
92011	6	3	50.0%	17.7
92014	20	1	5.0%	4.5
92019	19	0		2.4
92020	29	0		2.6

92021	36	2	5.6%	18.1
92022	1	0		1
92024	48	5	10.4%	15.4
92025	44	7	15.9%	7.6
92026	31	1	3.2%	5
92027	17	2	11.8%	39.3
92028	64	4	6.3%	5.3
92029	11	2	18.2%	7.7
92030	2	0		2.5
92033	4	0		1.8
92036	22	2	9.1%	100
92037	57	7	12.3%	12.9
92038	3	0		0.8
92040	59	0		3.5
Zip Code	Number of Tests Reported to CDPH	Number of Tests at or \geq 4pCi/L	Percent of Tests \geq 4pCi/L	Max. Result (pCi/L)
92054	35	0		2.1
92055	41	0		1.1
92056	46	0		3.6
92057	15	0		2
92058	2	0		1.2
92059	4	0		0
92060	1	1	100.0%	6.9
92061	1	0		0.8
92064	58	5	8.6%	5.3
92065	65	6	9.2%	6.2
92067	7	1	14.3%	10
92069	34	2	5.9%	7.2
92070	18	0		1.9

92071	29	2	6.9%	9.7
92072	1	0		2.3
92075	20	2	10.0%	4
92078	14	0		2
92081	3	0		0.3
92082	12	4	33.3%	5.7
92083	22	1	4.5%	5
92084	40	1	2.5%	4.1
92085	1	0		0.6
92086	2	1	50.0%	94.4
92088	1	0		1
92091	2	0		0.4
92092	1	0		0
92093	2	1	50.0%	11.4
92101	9	1	11.1%	5.8
92102	7	0		1.8
92103	25	1	4.0%	4.4
92104	21	2	9.5%	10.6
92105	14	1	7.1%	25.6
92106	19	1	5.3%	4.1
92107	19	2	10.5%	7.4
92108	6	0		1.5
Zip Code	Number of Tests Reported to CDPH	Number of Tests at or ≥ 4pCi/L	Percent of Tests ≥ 4pCi/L	Max. Result (pCi/L)
92109	16	0		2.2
92110	21	0		2.4
92111	15	4	26.7%	6.8
92113	3	1	33.3%	6.7
92114	3	0		1.8

92115	26	4	15.4%	15.6
92116	12	0		2.3
92117	19	3	15.8%	45.2
92118	19	2	10.5%	4.6
92119	24	0		3.7
92120	34	4	11.8%	5.5
92121	34	1	2.9%	5.1
92122	31	0		2.4
92123	11	0		2.9
92124	39	0		3.6
92126	470	7	1.5%	9.8
92127	20	1	5.0%	4.1
92128	36	0		3.4
92129	34	1	2.9%	4
92130	45	0		1.8
92131	22	0		3.8
92138	1	0		1.2
92139	4	0		0.8
92150	1	0		0.8
92154	4	0		0.7
92160	8	0		0.5
92173	14	1	7.1%	4.3
92191	2	0		0.6
92201	17	0		1.5
92202	1	0		0.5
92203	10	0		1
92210	7	0		1.2
92211	15	0		0.7
92220	10	1	10.0%	14.8

Zip Code	Number of Tests Reported to CDPH	Number of Tests at or \geq 4pCi/L	Percent of Tests \geq 4pCi/L	Max. Result (pCi/L)
92223	19	0		2.4
92225	1	0		1
92227	6	0		2.5
92230	2	0		0
92231	2	0		0.8
92232	91	0		3.5
92234	16	0		1.4
92235	2	0		0.9
92236	2	0		1.1
92239	1	0		0.3
92240	15	0		2.3
92241	2	0		0
92242	1	0		0
92243	3	0		0.3
92244	6	0		3.5
92249	1	0		0
92251	12	0		1.1
92252	7	0		2.4
92253	24	0		3.3
92254	1	0		0.1
92256	3	1	33.3%	12.2
92258	5	0		0.6
92260	36	2	5.6%	10.7
92261	3	1	33.3%	16.2
92262	40	1	2.5%	15.3
92263	2	0		0.6
92264	23	0		3.8

92268	2	0		1.7
92270	31	2	6.5%	66.6
92274	2	0		2.5
92277	20	0		2.3
92278	773	16	2.1%	10.5
92284	20	0		2.5
92285	3	0		3
92286	1	0		1.1
92301	11	1	9.1%	5.6
Zip Code	Number of Tests Reported to CDPH	Number of Tests at or \geq 4pCi/L	Percent of Tests \geq 4pCi/L	Max. Result (pCi/L)
92305	4	2	50.0%	7.8
92307	33	2	6.1%	10.2
92308	10	0		2.4
92310	22	0		2
92311	45	2	4.4%	5.3
92312	2	0		1.2
92313	6	0		3.7
92314	11	1	9.1%	8
92315	10	2	20.0%	6.4
92316	2	0		0.6
92317	4	3	75.0%	12.4
92320	4	0		1.2
92321	1	0		2.6
92322	2	1	50.0%	4.3
92324	12	0		1
92325	22	12	54.5%	31.6
92326	1	0		0.9
92328	1	0		1.1

92329	3	0		2.5
92335	59	0		3.6
92336	23	0		2.5
92337	3	0		0.5
92338	1	0		0.3
92340	5	1	20.0%	8.9
92341	15	11	73.3%	12.4
92342	4	0		1.2
92344	2	0		2
92345	25	0		2.4
92346	21	0		2
92347	1	0		1.4
92352	11	5	45.5%	13.8
92354	13	0		2.8
92356	5	3	60.0%	35.5
92358	1	0		0.6
92359	4	0		1.7
Zip Code	Number of Tests Reported to CDPH	Number of Tests at or ≥ 4pCi/L	Percent of Tests ≥ 4pCi/L	Max. Result (pCi/L)
92363	55	0		1.5
92366	27	4	14.8%	11.7
92371	10	1	10.0%	4.7
92372	1	0		1
92373	35	0		2.8
92374	97	0		3.1
92375	3	0		1.2
92376	13	0		1.9
92377	5	0		1.5
92382	6	3	50.0%	7.3

92386	4	0		1.1
92391	8	1	12.5%	7.6
92392	18	0		1.8
92393	1	0		0.6
92395	8	0		2.2
92397	14	1	7.1%	4.3
92398	2	0		0.8
92399	22	0		3.9
92401	3	0		0.8
92404	13	1	7.7%	6.3
92405	6	0		1.2
92407	7	0		1.6
92410	1	0		2.2
92412	1	0		0.5
92416	1	0		0
92501	12	1	8.3%	9.6
92503	22	0		1.6
92504	23	1	4.3%	5.5
92505	13	0		1.5
92506	30	1	3.3%	4.5
92507	47	0		1.8
92508	11	0		0.8
92509	14	0		3.3
92519	1	0		1
92530	7	0		0.9
Zip Code	Number of Tests Reported to CDPH	Number of Tests at or ≥ 4pCi/L	Percent of Tests ≥ 4pCi/L	Max. Result (pCi/L)
92532	3	0		2.5
92536	2	0		1.4

92539	2	0		3.6
92543	10	0		2.2
92544	23	0		1.8
92545	6	0		1.6
92546	1	0		1.2
92548	1	0		0.4
92549	9	2	22.2%	4.7
92551	4	0		1
92553	13	0		2.1
92555	7	1	14.3%	4.5
92556	1	0		2.6
92557	20	0		3.1
92561	3	0		1.2
92562	38	1	2.6%	17.1
92563	29	2	6.9%	17.2
92567	2	0		0
92570	5	0		1.7
92571	1	0		2.8
92582	9	2	22.2%	4.5
92583	13	0		2.3
92584	11	1	9.1%	5.1
92585	6	0		0.9
92586	12	0		1.9
92587	20	4	20.0%	9.6
92589	1	1	100.0%	47.2
92590	3	0		1.3
92591	13	0		1.5
92592	18	0		1.6
92595	12	0		3.3

92596	2	0		0.6
92602	11	1	9.1%	4.2
92603	23	0		1.5
92604	47	4	8.5%	7.3
Zip Code	Number of Tests Reported to CDPH	Number of Tests at or \geq 4pCi/L	Percent of Tests \geq 4pCi/L	Max. Result (pCi/L)
92606	18	0		2.5
92607	1	0		0.1
92610	23	1	4.3%	6.5
92612	31	2	6.5%	17.1
92614	74	2	2.7%	7.6
92615	4	0		1.1
92617	8	0		3
92618	36	0		2.5
92620	59	3	5.1%	8.2
92624	4	1	25.0%	10.1
92625	49	5	10.2%	15.6
92626	83	7	8.4%	6.6
92627	52	2	3.8%	6.6
92628	2	0		0.9
92629	45	0		2.6
92630	97	0		2.9
92637	11	0		2.2
92646	77	0		3.3
92647	110	2	1.8%	8
92648	72	2	2.8%	18.7
92649	55	2	3.6%	7.7
92651	57	2	3.5%	12.9
92653	117	8	6.8%	15.8

92654	6	0		1.9
92655	10	0		0.8
92656	86	2	2.3%	10.8
92657	23	0		2.1
92660	65	0		2.7
92663	62	8	12.9%	8.3
92672	55	4	7.3%	15.7
92673	90	1	1.1%	6.1
92674	1	1	100.0%	5.1
92675	45	5	11.1%	6.1
92676	6	0		1.7
92677	164	10	6.1%	22
Zip Code	Number of Tests Reported to CDPH	Number of Tests at or ≥ 4pCi/L	Percent of Tests ≥ 4pCi/L	Max. Result (pCi/L)
92679	117	2	1.7%	8.1
92680	1	0		0.3
92683	52	0		3.5
92684	1	0		1
92685	55	0		0.5
92688	90	0		3.5
92690	5	0		1
92691	106	5	4.7%	7.5
92692	126	5	4.0%	11.6
92693	3	0		2.4
92694	19	0		1.6
92697	2	0		0.6
92698	1	0		2.1
92701	9	0		1.5
92703	4	0		0.9

92704	18	2	11.1%	7.7
92705	76	5	6.6%	6
92706	15	0		3.2
92707	14	0		3.1
92708	59	0		2.8
92711	1	0		1.3
92728	1	0		0.6
92756	1	0		0.3
92780	48	1	2.1%	4.6
92781	2	0		0.7
92782	37	5	13.5%	8.2
92801	33	2	6.1%	10.6
92802	17	0		0.9
92804	32	0		2.9
92805	32	1	3.1%	5.6
92806	35	1	2.9%	5.8
92807	59	5	8.5%	28
92808	32	0		2.8
92814	1	0		0.5
92817	2	0		0.5
Zip Code	Number of Tests Reported to CDPH	Number of Tests at or \geq 4pCi/L	Percent of Tests \geq 4pCi/L	Max. Result (pCi/L)
92821	65	1	1.5%	5.9
92822	1	0		0.9
92823	5	2	40.0%	6.1
92831	56	3	5.4%	9
92832	13	0		2.6
92833	47	2	4.3%	5.6
92834	9	0		1.3

92835	24	2	8.3%	4.4
92840	59	0		1.9
92841	10	0		1.8
92843	5	0		1.2
92844	14	0		1.3
92845	24	0		1.9
92860	5	1	20.0%	4.4
92861	12	4	33.3%	21
92863	1	0		2.5
92865	149	5	3.4%	11.2
92866	18	0		1.5
92867	49	4	8.2%	22
92868	4	0		1.4
92869	39	1	2.6%	4.6
92870	71	9	12.7%	17.2
92879	9	0		2.3
92880	18	1	5.6%	7
92881	8	0		1.5
92882	30	0		2.2
92883	9	1	11.1%	4.8
92885	1	0		0.6
92886	84	7	8.3%	13.6
92887	51	4	7.8%	8.3
93001	85	12	14.1%	8.3
93002	7	0		3.4
93003	240	8	3.3%	7.4
93004	69	0		3.1
93005	2	0		1.7

Zip Code	Number of Tests Reported to CDPH	Number of Tests at or \geq 4pCi/L	Percent of Tests \geq 4pCi/L	Max. Result (pCi/L)
93006	2	0		1.3
93010	168	16	9.5%	9
93011	9	1	11.1%	5.3
93012	152	3	2.0%	24.6
93013	57	0		2.6
93014	3	1	33.3%	13.3
93015	44	8	18.2%	28.6
93016	2	0		2.9
93017	1	0		2.2
93020	3	0		2.5
93021	271	13	4.8%	9.3
93022	124	5	4.0%	13.7
93023	276	13	4.7%	8.6
93024	3	0		1.3
93030	40	1	2.5%	10.5
93031	4	0		1
93032	1	0		1.6
93033	16	0		1.5
93035	26	0		3.4
93036	22	1	4.5%	5.2
93041	23	0		2.3
93044	1	0		1
93060	71	3	4.2%	7.4
93061	3	1	33.3%	12.2
93062	31	0		3.6
93063	392	42	10.7%	23.6
93065	406	24	5.9%	44.1

93066	79	13	16.5%	18.4
93067	69	35	50.7%	106.4
93101	77	1	1.3%	11.1
93102	3	0		0.8
93103	105	17	16.2%	58.6
93105	430	123	28.6%	926.7
93106	3	0		0.5
93107	2	0		2.4
Zip Code	Number of Tests Reported to CDPH	Number of Tests at or \geq 4pCi/L	Percent of Tests \geq 4pCi/L	Max. Result (pCi/L)
93108	259	51	19.7%	37.6
93109	126	9	7.1%	134
93110	150	12	8.0%	18.2
93111	181	17	9.4%	117.8
93116	12	3	25.0%	26.7
93117	341	61	17.9%	57.5
93118	2	0		1.9
93120	1	0		1.1
93121	1	0		2.1
93130	9	4	44.4%	17.7
93140	20	2	10.0%	18.5
93150	3	1	33.3%	9.9
93160	3	0		0
93190	2	0		0.6
93202	2	0		1
93203	9	1	11.1%	4.1
93204	34	3	8.8%	7.6
93205	3	0		1
93206	1	0		1

93207	6	2	33.3%	27.1
93208	1	0		0.7
93210	15	0		3.6
93212	14	5	35.7%	6.8
93215	4	0		2.2
93218	1	0		0
93219	1	0		1
93220	3	1	33.3%	13.4
93221	41	6	14.6%	13.6
93222	19	10	52.6%	9.8
93223	5	0		2.6
93225	8	4	50.0%	16.5
93227	2	1	50.0%	4.2
93230	25	1	4.0%	5.3
93235	5	1	20.0%	7.5
93237	3	0		2.6
Zip Code	Number of Tests Reported to CDPH	Number of Tests at or ≥ 4pCi/L	Percent of Tests ≥ 4pCi/L	Max. Result (pCi/L)
93238	5	5	100.0%	6.9
93239	4	0		0.4
93240	9	0		3.6
93241	3	0		1
93243	1	0		1
93244	3	0		0.9
93245	9	1	11.1%	4
93247	14	0		2.8
93250	29	12	41.4%	7.3
93251	1	0		1.7
93252	2	0		2.1

93254	1	0		1.1
93255	2	1	50.0%	4.3
93256	1	0		1.6
93257	150	23	15.3%	22.9
93260	2	2	100.0%	33
93261	1	0		2.4
93263	36	2	5.6%	19.7
93265	37	4	10.8%	12.6
93267	5	0		2.9
93268	12	1	8.3%	12.2
93270	13	9	69.2%	11.9
93271	54	21	38.9%	82.3
93272	1	0		1.8
93274	98	27	27.6%	17.3
93275	1	1	100.0%	7.3
93277	174	46	26.4%	14.2
93279	3	0		3.2
93280	27	0		3.3
93283	2	0		3
93285	3	0		1
93286	5	0		2.8
93290	2	0		2.6
93291	90	28	31.1%	16.1
93292	77	24	31.2%	10.9
Zip Code	Number of Tests Reported to CDPH	Number of Tests at or ≥ 4pCi/L	Percent of Tests ≥ 4pCi/L	Max. Result (pCi/L)
93301	18	1	5.6%	4.5
93302	1	0		1.3
93303	1	0		1.8

93304	17	0		2.5
93305	12	1	8.3%	8.5
93306	63	9	14.3%	19.3
93307	69	7	10.1%	10.1
93308	44	2	4.5%	8.1
93309	52	1	1.9%	4.4
93311	50	3	6.0%	7.1
93312	79	6	7.6%	14.1
93313	14	1	7.1%	4.8
93314	59	8	13.6%	7
93384	1	0		2.5
93388	1	1	100.0%	4.1
93389	3	0		1.7
93390	1	0		1.1
93401	201	5	2.5%	10.3
93402	126	0		2.2
93404	1	0		0
93405	108	3	2.8%	22.1
93406	4	0		1.9
93420	220	13	5.9%	9.1
93422	192	38	19.8%	57.6
93423	3	0		3.3
93424	1	0		1.1
93426	4	0		3.3
93427	8	0		2.4
93428	71	0		3.8
93430	23	2	8.7%	10.8
93432	3	0		1.7
93433	48	1	2.1%	4.9

93434	1	0		0.4
93436	812	168	20.7%	109.2
93437	18	3	16.7%	50.6
Zip Code	Number of Tests Reported to CDPH	Number of Tests at or \geq 4pCi/L	Percent of Tests \geq 4pCi/L	Max. Result (pCi/L)
93438	15	3	20.0%	4.6
93440	2	0		1.5
93442	59	1	1.7%	15.4
93443	2	0		1.1
93444	91	0		3.7
93445	23	0		1.3
93446	169	16	9.5%	14.8
93447	5	0		3.3
93449	42	4	9.5%	19.5
93450	1	0		0.6
93451	10	2	20.0%	11.4
93452	41	19	46.3%	118.6
93453	15	0		2.7
93454	45	5	11.1%	10.6
93455	78	3	3.8%	8.4
93456	2	0		1
93457	2	0		2.8
93458	11	0		1
93460	30	6	20.0%	9
93461	1	0		2.8
93463	22	1	4.5%	4.4
93464	2	0		2.2
93465	73	19	26.0%	29.8
93501	7	1	14.3%	4.4

93505	21	3	14.3%	9.4
93510	11	0		1.9
93512	2	0		1.5
93513	19	3	15.8%	5.1
93514	186	63	33.9%	48.3
93515	6	1	16.7%	6.5
93516	2	0		1.9
93517	20	8	40.0%	18.4
93518	8	0		2.8
93523	1	0		2
93524	2	0		0
Zip Code	Number of Tests Reported to CDPH	Number of Tests at or \geq 4pCi/L	Percent of Tests \geq 4pCi/L	Max. Result (pCi/L)
93526	34	2	5.9%	5.2
93529	10	6	60.0%	13.6
93530	1	0		0
93531	1	0		1.5
93532	2	0		2.3
93534	31	0		2.6
93535	25	0		1.7
93536	43	2	4.7%	14.5
93541	12	5	41.7%	7.1
93543	5	0		1.2
93544	2	0		0.4
93545	11	5	45.5%	7.5
93546	171	75	43.9%	67.3
93550	30	0		3.6
93551	40	0		1.8
93552	6	0		1.6

93553	8	0		1.1
93554	2	0		1.8
93555	56	3	5.4%	10.9
93556	2	0		1
93558	1	0		1
93560	27	4	14.8%	4.3
93561	69	16	23.2%	11.6
93581	2	0		0
93582	2	0		0.8
93590	1	0		0
93591	1	0		0
93601	29	1	3.4%	8.2
93602	11	4	36.4%	10.1
93603	1	0		0.8
93604	18	5	27.8%	14.1
93608	1	0		0
93609	4	0		3.9
93610	4	0		1.2
93611	45	3	6.7%	20
Zip Code	Number of Tests Reported to CDPH	Number of Tests at or ≥ 4pCi/L	Percent of Tests ≥ 4pCi/L	Max. Result (pCi/L)
93612	34	2	5.9%	6.7
93613	2	1	50.0%	14.8
93614	27	1	3.7%	5.1
93615	1	0		2
93616	16	0		2.5
93618	28	0		3.1
93619	27	4	14.8%	7.8
93622	2	0		1

93623	3	1	33.3%	5.3
93625	9	0		2.7
93626	7	0		2.8
93630	38	16	42.1%	6
93631	17	1	5.9%	6.6
93635	22	0		2.2
93636	2	0		2.1
93637	15	0		3.6
93638	22	2	9.1%	14.4
93639	1	0		1
93640	2	0		1
93641	2	0		1.7
93643	68	21	30.9%	132
93644	150	29	19.3%	710
93645	1	0		1
93646	2	0		1.6
93647	3	0		2.3
93648	57	4	7.0%	4.7
93650	1	0		2
93651	8	0		2.6
93653	7	0		3.7
93654	19	3	15.8%	13.9
93656	3	0		2.6
93657	15	2	13.3%	7.6
93660	2	0		1.6
93661	1	0		2.7
93662	10	1	10.0%	4
Zip Code	Number of Tests Reported to CDPH	Number of Tests at or \geq 4pCi/L	Percent of Tests \geq 4pCi/L	Max. Result (pCi/L)

93667	11	3	27.3%	10.9
93669	3	1	33.3%	5.3
93675	5	0		3.7
93701	3	1	33.3%	4.4
93702	6	0		1.1
93703	21	0		3.5
93704	27	2	7.4%	4.4
93705	14	0		2.9
93706	30	8	26.7%	8.8
93708	1	0		2.9
93710	36	2	5.6%	4.9
93711	76	15	19.7%	9.4
93712	1	0		1.5
93714	1	0		0.8
93720	48	5	10.4%	14
93722	42	1	2.4%	5.3
93723	8	1	12.5%	4.3
93725	21	1	4.8%	4
93726	25	0		3.3
93727	22	0		3.9
93728	5	0		1.7
93730	5	0		3.2
93740	17	2	11.8%	9.1
93747	2	0		0
93755	12	0		2.2
93777	1	0		0.5
93790	1	0		1.6
93901	137	5	3.6%	7.4
93902	1	0		0

93905	27	3	11.1%	6
93906	107	2	1.9%	5.8
93907	117	1	0.9%	5.8
93908	142	3	2.1%	6.3
93912	1	0		0.8
93921	19	1	5.3%	6.3
Zip Code	Number of Tests Reported to CDPH	Number of Tests at or \geq 4pCi/L	Percent of Tests \geq 4pCi/L	Max. Result (pCi/L)
93922	3	0		2
93923	170	12	7.1%	16.8
93924	99	26	26.3%	23.5
93925	2	0		1.8
93926	5	1	20.0%	4.4
93927	8	0		3.5
93930	31	5	16.1%	7.7
93933	71	1	1.4%	42.3
93940	321	17	5.3%	55.5
93942	2	0		0
93950	192	1	0.5%	23.6
93953	90	3	3.3%	20.3
93955	88	0		2.2
93960	8	0		1.3
93962	1	0		1.8
94002	144	20	13.9%	26.4
94005	9	0		3
94010	114	4	3.5%	16.7
94011	2	0		1.1
94014	32	0		2.3
94015	46	0		2.2

94016	1	0		0.7
94017	1	0		1.3
94018	4	0		1
94019	46	0		3.8
94020	10	4	40.0%	28.3
94021	2	0		1.7
94022	75	4	5.3%	9.5
94023	6	0		1.2
94024	59	3	5.1%	16.2
94025	153	25	16.3%	35.9
94026	7	1	14.3%	4.7
94027	56	19	33.9%	20.6
94028	58	9	15.5%	18
94029	1	0		1.4
Zip Code	Number of Tests Reported to CDPH	Number of Tests at or ≥ 4pCi/L	Percent of Tests ≥ 4pCi/L	Max. Result (pCi/L)
94030	47	0		3
94037	17	1	5.9%	5.5
94038	17	0		2.7
94039	7	1	14.3%	7.4
94040	55	2	3.6%	7.7
94041	14	0		1.6
94042	4	0		1.9
94043	51	2	3.9%	4.5
94044	82	2	2.4%	6.6
94060	1	0		1.8
94061	52	5	9.6%	25.9
94062	192	52	27.1%	228.8
94063	41	14	34.1%	12.8

94065	24	0		3.4
94066	58	3	5.2%	8.5
94070	104	5	4.8%	5.7
94074	1	0		0.5
94080	96	2	2.1%	15.2
94085	55	8	14.5%	8.5
94086	46	5	10.9%	10.8
94087	103	12	11.7%	26.6
94088	1	0		0.9
94089	15	0		3.3
94101	2	0		1.6
94102	43	0		1.3
94103	14	1	7.1%	15.1
94104	5	0		2.2
94105	15	2	13.3%	6.1
94107	47	0		3.9
94108	7	0		1.1
94109	36	0		2.1
94110	59	4	6.8%	5.7
94111	13	0		1.1
94112	37	4	10.8%	16
94114	65	3	4.6%	8.4
Zip Code	Number of Tests Reported to CDPH	Number of Tests at or ≥ 4pCi/L	Percent of Tests ≥ 4pCi/L	Max. Result (pCi/L)
94115	23	0		2.6
94116	34	0		1.6
94117	29	4	13.8%	26.9
94118	32	2	6.3%	9.3
94119	1	0		1

94121	36	3	8.3%	14.3
94122	58	2	3.4%	10
94123	27	0		3.7
94124	83	0		2.1
94126	2	0		0.5
94127	33	3	9.1%	4.9
94128	1	0		1.2
94129	15	1	6.7%	4.4
94131	35	0		3.8
94132	6	1	16.7%	5.3
94133	20	0		2.9
94134	7	1	14.3%	4.7
94137	1	0		1.9
94142	1	0		0
94150	1	1	100.0%	11.9
94188	1	0		0
94203	4	1	25.0%	4.4
94234	5	2	40.0%	7
94271	1	1	100.0%	6
94301	78	18	23.1%	16.5
94302	2	1	50.0%	14.9
94303	30	0		3.4
94304	5	0		1.7
94305	14	1	7.1%	6.9
94306	65	8	12.3%	6.7
94401	24	1	4.2%	4.4
94402	145	6	4.1%	19
94403	91	5	5.5%	8.2
94404	60	0		2.6

94455	1	0		1.1
Zip Code	Number of Tests Reported to CDPH	Number of Tests at or \geq 4pCi/L	Percent of Tests \geq 4pCi/L	Max. Result (pCi/L)
94501	59	3	5.1%	31
94502	18	0		3.9
94503	18	0		1.3
94505	1	0		1
94506	28	1	3.6%	12
94507	13	3	23.1%	14.5
94508	4	0		2.7
94509	16	1	6.3%	4.3
94510	27	1	3.7%	19.3
94511	3	0		1
94513	11	0		1.9
94514	8	0		1
94515	1	0		1.6
94516	2	0		1
94517	6	0		1.5
94518	30	1	3.3%	4
94519	6	0		1.6
94520	19	0		2.6
94521	36	5	13.9%	12.4
94523	39	1	2.6%	7.3
94524	27	0		2.2
94525	1	0		0
94526	82	1	1.2%	4.8
94528	3	0		1.9
94530	31	0		2.8
94531	7	0		2.9

94533	38	0		2.1
94534	13	0		1.9
94536	63	3	4.8%	7
94537	1	0		0.9
94538	63	2	3.2%	4.3
94539	52	0		3.6
94540	1	0		1
94541	23	0		2.7
94542	6	0		1.8
Zip Code	Number of Tests Reported to CDPH	Number of Tests at or \geq 4pCi/L	Percent of Tests \geq 4pCi/L	Max. Result (pCi/L)
94544	28	2	7.1%	4.7
94545	454	14	3.1%	14.8
94546	40	2	5.0%	38.4
94547	9	0		1.6
94549	92	7	7.6%	10.4
94550	47	3	6.4%	8.1
94551	13	0		3
94552	18	1	5.6%	6.9
94553	33	3	9.1%	28.3
94555	25	1	4.0%	4.3
94556	31	0		2.4
94558	89	9	10.1%	17.7
94559	18	2	11.1%	4.3
94560	23	0		1.2
94561	5	0		2.6
94563	42	3	7.1%	6.2
94564	12	0		3.5
94565	34	2	5.9%	6.3

94566	36	2	5.6%	8.9
94568	27	1	3.7%	5.5
94571	5	0		3.5
94574	18	4	22.2%	8.3
94577	43	1	2.3%	7.2
94578	18	2	11.1%	8.5
94579	10	0		2.2
94580	13	0		3.3
94581	1	0		0
94582	72	1	1.4%	4.2
94583	52	4	7.7%	6.6
94585	10	0		1
94586	30	6	20.0%	8.3
94587	28	0		2.5
94588	105	5	4.8%	14.3
94589	11	0		1.1
94590	18	3	16.7%	13.6
Zip Code	Number of Tests Reported to CDPH	Number of Tests at or ≥ 4pCi/L	Percent of Tests ≥ 4pCi/L	Max. Result (pCi/L)
94591	17	2	11.8%	4.1
94592	2	0		1.2
94595	9	1	11.1%	5.8
94596	39	1	2.6%	5.3
94597	52	5	9.6%	7.9
94598	39	3	7.7%	42.4
94599	4	0		1
94601	35	0		1
94602	35	1	2.9%	4
94603	19	0		1.5

94605	49	3	6.1%	5.5
94606	14	1	7.1%	4.3
94607	5	0		1
94608	17	5	29.4%	7.9
94609	28	5	17.9%	6.1
94610	23	1	4.3%	8.6
94611	101	10	9.9%	12
94612	46	0		3.8
94618	40	5	12.5%	11.3
94619	47	0		2.5
94621	46	0		1.5
94650	3	0		0.6
94702	38	0		2.8
94703	33	1	3.0%	8.9
94704	37	0		3.4
94705	24	2	8.3%	58.7
94706	29	1	3.4%	21.7
94707	59	4	6.8%	6.5
94708	43	2	4.7%	5
94709	7	0		1
94710	7	0		2.9
94801	5	0		2.8
94803	13	0		3.2
94804	34	0		1.7
94805	12	1	8.3%	8.4
Zip Code	Number of Tests Reported to CDPH	Number of Tests at or ≥ 4pCi/L	Percent of Tests ≥ 4pCi/L	Max. Result (pCi/L)
94806	52	0		2.3
94901	53	0		3.9

94903	38	5	13.2%	14.1
94904	28	3	10.7%	7.2
94905	1	0		0.8
94915	1	0		0.6
94920	24	2	8.3%	5.6
94924	4	0		2
94925	16	1	6.3%	4.1
94927	1	1	100.0%	4
94928	25	1	4.0%	8.1
94930	9	0		2.7
94931	10	0		1.5
94933	3	0		1
94937	5	2	40.0%	4.6
94939	17	4	23.5%	5.9
94941	67	4	6.0%	8.9
94942	1	0		0
94945	32	0		3.2
94946	1	0		0.7
94947	43	3	7.0%	11.7
94949	23	0		2.2
94950	1	0		0.6
94951	4	0		1
94952	43	6	14.0%	30.8
94953	1	0		1.1
94954	34	0		2.4
94956	4	0		1.2
94957	5	0		1.7
94960	62	0		3.8
94965	32	0		1.8

94966	1	0		1
94970	1	0		0.9
94971	1	0		1.3
94973	5	0		3.5
Zip Code	Number of Tests Reported to CDPH	Number of Tests at or \geq 4pCi/L	Percent of Tests \geq 4pCi/L	Max. Result (pCi/L)
94975	1	0		1.1
94976	1	0		0.7
94979	1	0		0
95001	6	0		2.4
95002	1	0		0.6
95003	266	11	4.1%	20.5
95004	18	0		3.8
95005	96	30	31.3%	81
95006	77	7	9.1%	8.8
95008	61	4	6.6%	5.4
95010	71	1	1.4%	6.2
95012	7	0		1.5
95014	93	4	4.3%	38.3
95017	3	1	33.3%	7.4
95018	116	28	24.1%	262.1
95019	8	0		1.8
95020	30	1	3.3%	4.6
95023	26	0		1.9
95030	37	7	18.9%	14.7
95031	2	0		1
95032	54	3	5.6%	5.5
95033	188	65	34.6%	57.2
95035	44	0		3.1

95037	35	2	5.7%	33.4
95038	2	0		0.8
95039	1	0		0.5
95045	3	1	33.3%	4.6
95046	7	2	28.6%	737.5
95050	40	6	15.0%	9.8
95051	63	0		3.3
95054	16	1	6.3%	4.3
95056	14	0		1.2
95060	538	39	7.2%	25.5
95061	2	0		0.7
95062	268	3	1.1%	10.8
Zip Code	Number of Tests Reported to CDPH	Number of Tests at or ≥ 4pCi/L	Percent of Tests ≥ 4pCi/L	Max. Result (pCi/L)
95063	4	0		2
95064	19	2	10.5%	16.1
95065	104	3	2.9%	8.4
95066	165	21	12.7%	31.5
95067	5	0		1.2
95070	108	12	11.1%	7.2
95071	1	0		2.3
95073	104	4	3.8%	7.7
95075	1	0		1.8
95076	230	1	0.4%	8.7
95108	2	0		0
95110	10	1	10.0%	4.4
95111	9	0		2
95112	31	1	3.2%	12.7
95113	6	0		0.8

95116	7	0		2.1
95117	31	4	12.9%	11.4
95118	37	3	8.1%	6.1
95119	7	0		1.6
95120	55	5	9.1%	10.8
95121	10	0		2.7
95122	10	0		3.1
95123	54	1	1.9%	4.8
95124	42	2	4.8%	4.3
95125	106	14	13.2%	39.6
95126	62	1	1.6%	9.3
95127	26	2	7.7%	9
95128	29	3	10.3%	5.5
95129	33	0		3
95130	9	0		3.2
95131	37	0		2.5
95132	21	0		2.2
95133	5	0		2.1
95134	10	0		2.9
95135	12	0		3.1
Zip Code	Number of Tests Reported to CDPH	Number of Tests at or \geq 4pCi/L	Percent of Tests \geq 4pCi/L	Max. Result (pCi/L)
95136	7	0		2.6
95138	21	0		1.3
95139	9	1	11.1%	4.9
95140	2	0		1.2
95148	17	0		2.9
95150	1	1	100.0%	7.5
95151	1	1	100.0%	5.6

95153	2	0		0.6
95158	1	0		0
95160	2	0		3
95164	3	0		0.8
95203	8	2	25.0%	6.5
95204	23	0		3.2
95205	8	1	12.5%	18
95206	6	0		2.4
95207	102	23	22.5%	13.5
95209	26	5	19.2%	7.9
95210	8	3	37.5%	7.9
95212	11	6	54.5%	18.5
95215	20	11	55.0%	30
95219	20	1	5.0%	4.1
95220	6	1	16.7%	4.3
95221	14	2	14.3%	6.2
95222	70	9	12.9%	15.1
95223	141	58	41.1%	24.2
95224	25	18	72.0%	95.5
95225	11	4	36.4%	6.8
95226	2	1	50.0%	4.3
95227	1	0		0
95228	41	8	19.5%	11.7
95232	7	4	57.1%	12.1
95233	31	16	51.6%	86.8
95236	7	1	14.3%	4.1
95237	1	0		1.4
95240	24	3	12.5%	5.1

Zip Code	Number of Tests Reported to CDPH	Number of Tests at or \geq 4pCi/L	Percent of Tests \geq 4pCi/L	Max. Result (pCi/L)
95241	5	0		3.6
95242	19	3	15.8%	13.2
95245	63	17	27.0%	22.6
95246	36	8	22.2%	12.4
95247	137	39	28.5%	41.7
95248	9	5	55.6%	12.3
95249	59	12	20.3%	12.2
95250	4	1	25.0%	7.3
95251	9	1	11.1%	5.6
95252	208	48	23.1%	19
95254	15	6	40.0%	14.7
95255	30	13	43.3%	18.1
95257	2	2	100.0%	10.4
95258	2	0		0.7
95269	3	1	33.3%	9.4
95290	1	0		0.2
95301	10	0		1.8
95304	7	0		2.7
95305	7	1	14.3%	4.5
95306	6	1	16.7%	7.3
95307	5	0		1.6
95309	1	0		1
95310	68	24	35.3%	48.1
95311	5	0		3.3
95315	2	0		3.6
95316	3	1	33.3%	4.3
95317	1	0		0.8

95318	8	0		3.3
95320	5	1	20.0%	16.9
95321	172	74	43.0%	45.5
95322	2	0		1.2
95323	2	0		1.5
95324	5	0		3.1
95325	1	0		0.6
95326	3	0		2.7
Zip Code	Number of Tests Reported to CDPH	Number of Tests at or \geq 4pCi/L	Percent of Tests \geq 4pCi/L	Max. Result (pCi/L)
95327	72	18	25.0%	19.8
95329	37	15	40.5%	15.7
95330	3	0		1.5
95333	1	0		0.4
95335	20	9	45.0%	12.7
95336	8	0		2.6
95337	6	1	16.7%	6.7
95338	31	2	6.5%	24.5
95340	40	10	25.0%	9
95341	1	0		2.1
95344	1	1	100.0%	6.1
95345	1	0		1.2
95346	48	21	43.8%	26.7
95347	1	1	100.0%	7.1
95348	14	1	7.1%	4
95350	14	0		3.8
95351	10	1	10.0%	5.9
95355	35	7	20.0%	10.1
95356	17	2	11.8%	5.9

95357	2	0		2.6
95358	7	0		2.4
95360	3	0		1.6
95361	28	1	3.6%	5.3
95363	1	0		1.1
95364	12	4	33.3%	12.6
95366	10	0		1.7
95367	6	4	66.7%	973
95370	683	223	32.7%	58.9
95372	48	11	22.9%	10.5
95373	7	0		2.2
95375	7	3	42.9%	15.3
95376	20	1	5.0%	5.8
95377	8	0		2.8
95379	83	34	41.0%	62.3
95380	9	0		2.5
Zip Code	Number of Tests Reported to CDPH	Number of Tests at or ≥ 4pCi/L	Percent of Tests ≥ 4pCi/L	Max. Result (pCi/L)
95381	1	0		0.9
95382	6	0		1.5
95383	164	61	37.2%	21.7
95386	1	0		1.8
95389	5	0		3.1
95391	2	0		1.9
95401	28	0		2.6
95402	4	0		0.7
95403	16	0		3.1
95404	37	1	2.7%	7.2
95405	19	1	5.3%	10

95407	18	0		1.2
95409	24	3	12.5%	14.4
95410	1	0		0.2
95415	2	0		1.3
95416	2	0		0.9
95419	1	0		1.9
95422	15	0		3.7
95423	5	0		1
95425	5	0		1.3
95428	1	0		1.4
95431	1	0		1.3
95436	5	0		3.9
95437	14	3	21.4%	9.8
95439	4	0		2.1
95442	2	0		0.8
95443	1	0		1.5
95446	1	0		0
95448	50	5	10.0%	8.7
95451	16	5	31.3%	16.1
95452	2	0		1.3
95453	20	0		1.9
95454	1	0		1.6
95456	1	0		1
95457	7	0		2.7
Zip Code	Number of Tests Reported to CDPH	Number of Tests at or ≥ 4pCi/L	Percent of Tests ≥ 4pCi/L	Max. Result (pCi/L)
95458	1	1	100.0%	11.1
95459	3	0		1.6
95460	5	0		1.9

95461	5	0		1
95462	1	0		1.4
95463	2	0		3.5
95464	2	0		0.9
95467	1	0		2.1
95468	2	0		0.6
95469	7	2	28.6%	15.7
95470	4	0		1.7
95471	1	0		1
95472	31	0		3.3
95473	4	0		1.2
95476	37	2	5.4%	6.7
95482	17	0		1.5
95485	1	0		1
95486	2	0		1
95490	8	0		2.3
95492	16	1	6.3%	5.2
95497	1	0		1
95501	33	1	3.0%	8.6
95502	2	0		0
95503	11	0		1.2
95511	5	0		1.8
95518	2	0		0
95519	1	0		1.2
95521	19	0		1.8
95524	5	0		2.4
95525	2	0		1
95526	2	0		1
95531	11	1	9.1%	30.2

95536	2	0		1
95537	1	0		0
95540	5	0		1
Zip Code	Number of Tests Reported to CDPH	Number of Tests at or \geq 4pCi/L	Percent of Tests \geq 4pCi/L	Max. Result (pCi/L)
95546	1	0		2.1
95547	3	0		1.4
95548	2	0		1.1
95549	2	0		1
95551	8	0		1
95556	1	0		1
95558	1	0		0
95560	6	0		3
95562	3	0		1
95563	2	0		1
95564	1	0		1
95565	1	0		1.3
95567	1	0		0.8
95569	1	0		1
95570	2	0		1
95573	2	0		1
95589	8	0		1
95595	1	0		1
95601	5	1	20.0%	4.2
95602	106	11	10.4%	13.5
95603	175	12	6.9%	136.9
95604	8	2	25.0%	5.1
95605	5	0		0.6
95607	2	0		3.2

95608	39	3	7.7%	10.9
95609	1	0		0.9
95610	24	1	4.2%	4.7
95611	2	0		1.3
95612	2	0		0
95613	1	0		1.6
95614	64	4	6.3%	15.9
95616	76	5	6.6%	6.2
95617	1	0		1.5
95618	22	0		2.9
95619	46	4	8.7%	9.8
Zip Code	Number of Tests Reported to CDPH	Number of Tests at or \geq 4pCi/L	Percent of Tests \geq 4pCi/L	Max. Result (pCi/L)
95620	6	0		1.6
95621	41	1	2.4%	5.1
95623	45	5	11.1%	8
95624	26	2	7.7%	10.7
95626	8	1	12.5%	4
95627	2	0		1.1
95628	81	7	8.6%	11.4
95629	28	8	28.6%	13
95630	83	9	10.8%	9.9
95631	86	16	18.6%	22.1
95632	12	3	25.0%	46.8
95633	15	5	33.3%	9
95634	21	1	4.8%	6.8
95635	4	0		3.1
95636	8	0		3
95638	2	0		0

95640	118	34	28.8%	10.8
95641	2	0		1.2
95642	108	26	24.1%	46.6
95645	1	0		0.9
95646	7	3	42.9%	7.7
95648	129	10	7.8%	208
95650	91	3	3.3%	7.1
95651	15	3	20.0%	9.7
95653	4	0		0.4
95655	3	1	33.3%	5.3
95656	8	2	25.0%	7.3
95658	96	9	9.4%	9.7
95659	1	0		1
95660	24	1	4.2%	9.4
95661	110	5	4.5%	7.1
95662	36	2	5.6%	7.8
95663	25	2	8.0%	5.3
95664	14	1	7.1%	6
95665	124	57	46.0%	57.3
Zip Code	Number of Tests Reported to CDPH	Number of Tests at or ≥ 4pCi/L	Percent of Tests ≥ 4pCi/L	Max. Result (pCi/L)
95666	163	61	37.4%	43.7
95667	325	72	22.2%	24.3
95669	43	13	30.2%	38.8
95670	64	13	20.3%	22.7
95671	1	0		0
95672	54	0		3.6
95673	2	0		0.8
95674	3	0		1

95675	11	9	81.8%	11.5
95677	116	5	4.3%	5.1
95678	122	1	0.8%	8.2
95681	5	0		1.6
95682	279	9	3.2%	10.5
95683	11	2	18.2%	8.9
95684	26	5	19.2%	25.9
95685	131	35	26.7%	85.5
95687	35	3	8.6%	7.8
95688	23	0		3.3
95689	64	20	31.3%	23.5
95690	1	0		1.1
95691	42	0		2.6
95692	3	1	33.3%	8.3
95693	3	0		3
95694	7	2	28.6%	8
95695	26	0		2.1
95698	1	0		1.1
95699	1	0		0.3
95701	8	2	25.0%	7.4
95703	29	3	10.3%	19.6
95709	58	16	27.6%	13.5
95712	2	0		1
95713	50	13	26.0%	11.4
95714	3	1	33.3%	13.7
95717	1	0		0
95722	87	12	13.8%	24.1
Zip Code	Number of Tests Reported to CDPH	Number of Tests at or ≥ 4pCi/L	Percent of Tests ≥ 4pCi/L	Max. Result (pCi/L)

95726	76	20	26.3%	28.9
95728	4	0		1.5
95736	9	0		3.1
95741	4	0		2.2
95742	10	2	20.0%	6.4
95746	198	12	6.1%	7.7
95747	182	9	4.9%	7.8
95757	14	0		2.4
95758	25	3	12.0%	8.6
95762	283	10	3.5%	13
95763	3	0		3.7
95765	114	3	2.6%	7.9
95776	7	1	14.3%	5.1
95804	1	0		2.7
95811	2	0		1.5
95814	3	0		0.5
95815	5	0		1.5
95816	23	1	4.3%	10.6
95817	20	1	5.0%	4.5
95818	49	9	18.4%	10.4
95819	28	4	14.3%	6.2
95820	13	1	7.7%	11.2
95821	29	3	10.3%	7.8
95822	18	0		2.3
95823	7	0		1.5
95824	6	0		1
95825	9	0		1.4
95826	29	2	6.9%	6.5
95827	10	3	30.0%	17.2

95828	22	2	9.1%	8
95829	19	1	5.3%	4.1
95831	64	3	4.7%	33.2
95832	2	0		1
95833	19	0		1.8
95834	41	0		2.8
Zip Code	Number of Tests Reported to CDPH	Number of Tests at or \geq 4pCi/L	Percent of Tests \geq 4pCi/L	Max. Result (pCi/L)
95835	8	2	25.0%	10.3
95837	2	0		0.5
95841	14	1	7.1%	15.9
95842	16	2	12.5%	23.1
95843	22	1	4.5%	4.4
95851	2	0		0
95857	1	0		0.6
95864	26	2	7.7%	10.7
95889	1	0		0.7
95899	8	0		1.1
95901	22	0		2
95902	1	0		1.5
95903	1	0		0
95913	1	0		1
95916	1	0		1
95917	2	0		1
95918	3	0		3
95919	2	0		1.3
95922	2	0		1.4
95924	3	0		1
95926	31	0		3.9

95927	5	1	20.0%	12
95928	27	2	7.4%	10.8
95934	9	1	11.1%	10.5
95940	3	0		0.7
95941	1	0		1
95942	4	1	25.0%	4.7
95943	2	0		1
95945	315	66	21.0%	29.5
95946	148	0		2.9
95947	19	2	10.5%	6
95948	3	0		1
95949	232	22	9.5%	14.3
95951	2	0		1
95953	7	0		1.7
Zip Code	Number of Tests Reported to CDPH	Number of Tests at or \geq 4pCi/L	Percent of Tests \geq 4pCi/L	Max. Result (pCi/L)
95954	4	0		3.5
95956	7	1	14.3%	14.7
95957	3	2	66.7%	6
95959	340	59	17.4%	28.6
95960	5	0		1.5
95962	1	0		0.9
95963	4	0		1
95965	13	0		1
95966	11	1	9.1%	7.2
95969	36	2	5.6%	30.5
95971	112	44	39.3%	30
95973	12	3	25.0%	11.8
95975	16	0		2.3

95977	2	0		1
95979	2	0		2.3
95983	2	0		3.6
95984	1	1	100.0%	14.1
95987	1	1	100.0%	8.6
95988	7	0		1.8
95991	20	3	15.0%	12.5
95992	1	0		2.4
95993	12	3	25.0%	7.7
96001	42	0		2.1
96002	26	0		3.9
96003	46	6	13.0%	53.6
96006	2	0		2.6
96007	25	2	8.0%	11.5
96008	2	0		3.1
96009	2	0		1
96010	1	0		0.6
96013	5	0		2.6
96019	8	1	12.5%	52.9
96020	27	4	14.8%	9.5
96021	7	0		1
96022	18	0		3
Zip Code	Number of Tests Reported to CDPH	Number of Tests at or ≥ 4pCi/L	Percent of Tests ≥ 4pCi/L	Max. Result (pCi/L)
96023	4	0		2.3
96025	3	0		1.8
96027	4	0		1
96028	2	0		1
96032	3	0		1

96038	2	0		1.1
96039	2	0		1.5
96040	1	0		0.7
96041	3	0		1.7
96044	1	0		1.1
96049	6	4	66.7%	9.2
96050	2	0		2.1
96051	1	0		2
96052	2	0		1
96055	3	0		1.8
96056	3	0		1.7
96057	4	0		1.4
96059	1	0		1
96062	1	0		1
96063	2	1	50.0%	17.9
96064	5	0		1
96065	4	1	25.0%	14.4
96067	18	2	11.1%	8
96069	1	1	100.0%	9.1
96073	5	0		2.8
96076	1	0		1.1
96079	1	0		1
96080	22	2	9.1%	7.5
96084	1	0		1.2
96086	2	0		1
96087	2	0		1
96088	8	0		1.2
96089	2	0		1
96090	1	0		0

Zip Code	Number of Tests Reported to CDPH	Number of Tests at or \geq 4pCi/L	Percent of Tests \geq 4pCi/L	Max. Result (pCi/L)
96091	2	0		1
96093	4	0		1
96094	6	0		1.4
96096	1	0		2.3
96097	12	0		2.3
96099	3	0		1
96101	9	0		2.9
96103	39	3	7.7%	13.5
96104	6	3	50.0%	12.3
96105	6	1	16.7%	6.2
96106	1	0		1.5
96107	13	10	76.9%	55.4
96109	2	0		1.7
96110	1	0		0.5
96111	1	0		0.7
96112	29	4	13.8%	7.3
96113	1	0		1.3
96114	9	1	11.1%	12.8
96116	1	1	100.0%	4.6
96118	1	0		1.2
96120	131	45	34.4%	33
96122	40	3	7.5%	7.3
96124	3	0		2
96126	1	0		1.4
96128	1	0		1
96129	1	0		0.6
96130	35	2	5.7%	13.4

96133	1	0		1.8
96134	6	0		1.6
96135	2	0		0.7
96137	25	6	24.0%	18.2
96140	34	8	23.5%	8.9
96141	14	3	21.4%	6.5
96142	11	2	18.2%	29.8
96143	55	11	20.0%	19.1
96145	115	30	26.1%	15.7
Zip Code	Number of Tests Reported to CDPH	Number of Tests at or ≥ 4pCi/L	Percent of Tests ≥ 4pCi/L	Max. Result (pCi/L)
96146	26	3	11.5%	5.1
96148	29	6	20.7%	7.1
96150	866	444	51.3%	50.6
96151	694	180	25.9%	124.6
96152	9	3	33.3%	7.5
96153	3	1	33.3%	8.9
96154	6	6	100.0%	10
96155	39	11	28.2%	69.5
96156	41	25	61.0%	56.8
96157	13	9	69.2%	13.7
96158	122	58	47.5%	34.6
96160	81	26	32.1%	14.4
96161	350	97	27.7%	72.2
96162	58	17	29.3%	59.6
98401	1	0		0.9

End of Worksheet

This report displays the short-term indoor radon tests reported to CDPH. This data is provided for informational purposes only. Test results are reported to the California Department of Public Health Indoor Radon Program by

certified radon laboratories and measurement professionals. Data is not suitable for statistical or geospatial analysis. This report is not a substitute for testing for radon; the only way to know if a building has radon is to test. The California Department of Public Health recommends that you take action to reduce radon levels in your home if they are 4pCi/L or greater.

[Visit the Indoor Radon Program at \[www.cdph.ca.gov/radon\]\(http://www.cdph.ca.gov/radon\) for more information.](http://www.cdph.ca.gov/radon)

Test. Fix. Save a Life.