

CDPH ASP Toolkit 2015

Example 11.2 Palomar Health Restricted Antibiotic Report (1 of 3)

Palomar Pomerado Health
Antibiotic Committee
May 2014

Report on Use of Restricted Antibiotics By Non-Infectious Disease Specialists at PMC and POM (March through April 2014)

Antibiotics restricted to infectious disease specialist:

linezolid	voriconazole	foscarnet	cidofovir
quinupristin-dalfopristin	caspofungin	imipenem-	Amphotericin B
daptomycin	itraconazole	cilastatin	Meropenem

Antibiotics which are not restricted, but whose use are strongly discouraged:

Tobramycin III

Restricted antibiotics ordered by non-ID-specialist:

Antibiotic	MD/ site	Specialty	Comments	Discontinued after RPh intervention
INAPPROPRIATE				
Daptomycin	K3/PMC	CARD SURG	Empiric therapy of a Staphylococcal bacteremia.	ID physician switched patient to cefazolin.
Daptomycin	L3/PMC	INTERN MED	Empiric therapy for a UTI	ID physician switched patient to Meropenem & Fluconazole.
Ciprofloxacin IV	SSS1/ PMC	INTERN MED	Empiric therapy for a UTI	Clinical pharmacist intervened. Pt was switched to Ceftriaxone after one dose
Ciprofloxacin IV	MMMM/ POM	GI	Empiric therapy for ischemic colitis	ID pharmacist was out of town.
Linezolid	I/POM	PUL	Treatment of an Enterococcal UTI in a penicillin-allergic patient. Pathogen was sensitive to Vancomycin	Patient expired after two doses. Incident occurred over the weekend. ID pharmacist was never notified.
Ganciclovir	JJ1/PMC	INTERN MED	Physician order entry error. He meant to order Acyclovir IV to treat shingles	Clinical pharmacist intervened. Pt was switched to acyclovir.
Meropenem	M3/POM	PUL	Treatment of an Enterobacter UTI	Clinical pharmacist intervened. Pt was switched to Ceftriaxone

For more info about this example contact Olga DeTorres, PharmD at Olga.DeTorres@palomarhealth.org

CDPH ASP Toolkit 2015

Example 11.2 Palomar Health Restricted Antibiotic Report (continued 2 of 3)

Meropenem	N3/ PHDC	PED	Empiric therapy for a UTI.	Pt was transferred to Rady's Children's Hospital after 2 doses. ID pharmacist was never notified.
Meropenem	KK1/ POM	INTERN MED	Treatment of an ESBL-producing E.coli UTI sensitive to cefotetan.	Clinical pharmacist intervened. Pt was switched to Cefotetan after one day.
Linezolid	A2/PMC	INTERN MED	Treatment of an Enterococcal UTI in a penicillin-allergic patient	ID pharmacist was never notified.
Meropenem	KK1/ PMC	INTERN MED	Treatment of an ESBL-producing E.coli UTI sensitive to cefotetan.	Clinical pharmacist intervened. MD chose not to change order.
APPROPRIATE				
Amikacin	ZZZ/ PMC	INTERN MED	Treatment of MDRO Pseudomonas osteomyelitis	
Quinupristin/ Dalfopristin	TT/PMC	PUL	Treatment of VRE bacteremia	
Linezolid	TT/PMC	PUL	Treatment of VRE bacteremia	
Linezolid	H3/PMC	INTERN MED	VRE UTI sensitive only to linezolid.	
Meropenem	ZZZ/ PHDC	INTERN MED	ESBL-producing E.coli UTI in a cefotetan-allergic patient	
Meropenem	L3/PMC	INTERN MED	Treatment of MDRO Pseudomonas UTI	
Meropenem	KK1/ POM	INTERN MED	Treatment of MDRO Proteus UTI	
Tobramycin Inhalation	O3/ PMC	ORTHO SURG	Continuation of home medication. Patient has chronic lung disease.	
Tobramycin Inhalation	XXXX/ PMC	INTERN MED	Continuation of home medication. Patient has chronic lung disease	
Tobramycin Inhalation	M2/ PMC	INTERN MED	Continuation of home medication. Patient has Cystic Fibrosis	
Tobramycin Inhalation	UUU/ PMC	INTERN MED	Continuation of home medication. Patient has Cystic Fibrosis	
Voriconazole	WWW1/ PMC	INTERN MED	Continuation of home medication. Patient is a S/P BMT.	
Voriconazole	T/PMC	PUL	Continuation of home medication. Patient has pulmonary Aspergillosis	
Daptomycin	U/PMC	VASC SURG	Surgical prophylaxis for a vascular graft in a vancomycin-allergic patient	
Daptomycin	R1/PMC	NEURO SURG	Surgical prophylaxis in a vancomycin-allergic patient	
Daptomycin	A/PMC	NEPH	VRE UTI in a patient taking an SSRI	
Ciprofloxacin	MMM/ PMC	INTERN	Empiric therapy for meningitis in a patient	


For more info about this example contact Olga DeTorres, PharmD at Olga.DeTorres@palomarhealth.org

CDPH does not endorse the specific content or recommendations included in these examples. They are for illustrative purposes only.

CDPH ASP Toolkit 2015

Example 11.2 Palomar Health Restricted Antibiotic Report (continued 3 of 3)

cin IV	PMC	MED	who experienced an allergic reaction to ceftriaxone.	
Ertapenem	G3/POM	INTERN MED	Discharge dose for a patient with an ESBL-producing E. coli UTI	
Tobramycin Inhalation	VVV/PMC	INTERN MED	Continuation of home medication. Patient has chronic lung disease.	



For more info about this example contact Olga DeTorres, PharmD at Olga.DeTorres@palomarhealth.org