

Healthcare-Associated Infections Program Adherence Monitoring **Central Line Maintenance Practices**

Facility name: Facility ID:	
Assessment completed by:	
Date:	
Unit:	

Regular monitoring with feedback of results to staff can improve adherence to central line maintenance practices. Use this tool to identify gaps and opportunities for improvement. Monitoring may be performed in any type of patient care location where central lines are used.

Instructions: Use this tool to evaluate patients/residents with a central line. Review documentation and observe tubing and condition of dressings. Observe each practice and check "Yes" if adherent and "No" if not. In the last columns, record the total number of "Yes" for adherent practices observed and the total number of observations ("Yes" + "No"). Calculate adherence percentage in the last row. "Essential" practices are considered core strategies and should be correctly practiced for each line insertion.

Central Line Maintenance Practices		CVC Patient Patient 1		CVC Patient Patient 2		CVC Patient Patient 3		CVC Patient Patient 4		Adherence by Task	
										# Observed	
DO1. Essential: Optimal site is selected, avoiding the femoral site in all	Yes	No	Yes	☐ No	Yes	□No	Yes	☐ No			
adult patients and the subclavian vein preferred in ICU patients.											
DO2. Essential: Dressings that are wet, soiled, or dislodged are	Yes	☐ No	Yes	☐ No	Yes	☐ No	Yes	☐ No			
changed promptly; they are clean, intact, and dated.											
DO3. Essential: Chlorhexidine-containing dressing used for patients >2	Yes	☐ No	Yes	☐ No	Yes	☐ No	Yes	☐ No			
months old.											
DO4. Essential: Sterile gauze, sterile transparent or sterile semi-	Yes	No	Yes	☐ No	Yes Yes	☐ No	Yes Yes	☐ No			
permeable dressing is used to cover catheter site and in place <7 days.											
Mark No if no date on dressing.											
DO5. Essential: The need for CVC is assessed daily by practitioner, with	Yes Yes	☐ No	Yes	☐ No	Yes Yes	☐ No	Yes Yes	☐ No			
prompt removal of unnecessary lines. Review chart											
DO6. Essential: Daily bathing with at least a 2% CHG solution is performed.	Yes Yes	☐ No	Yes	☐ No	Yes Yes	☐ No	Yes Yes	☐ No			
All CVC patients ICU only (At minimum) Review chart											
DO7. Tubing and administration set have been in place <7 days.	Yes	No	Yes	☐ No	Yes	☐ No	Yes	□No			
Mark <i>No</i> if no date on tubing.											
DO8. If receiving TPN/lipids, tubing is dated to ensure change every 24	Yes	No	Yes	☐ No	Yes	ON	Yes	ON			
hours. Mark <i>No</i> if not dated.	□ N/	Ά		N/A		N/A	<u> </u>	N/A			
DO9. Antiseptic containing protector caps are utilized for all line	Yes	☐ No	Yes	☐ No	Yes	☐ No	Yes	☐ No			
connectors if policy.											
DO10. CVC insertion date documented. Review chart	Yes	☐ No	Yes	☐ No	Yes	☐ No	Yes	☐ No			
All essential components met:	Yes [No	Yes	□No	Yes	□No	Yes	□No			
Total # Contact	Precautions Observations ("# Observed"):						Adherence %				
		c observed (i.e., cell is blank), do not count in total # Observed.						(Total "# Yes" ÷			
		ce for all patients Yes No									