

Pre- and Post-Training Questions

Module 1 Standard Precautions

Facilitator notes: Use the pre- and post-training questions below to gauge knowledge before and after each course. Note that this will add an additional 5-10 minutes before and after each module. You may alternatively use these questions for an optional post-training discussion. Results of these tests can help facilitators determine which infection prevention and control concepts were well-understood during the training session and which need additional time or training. We suggest printing a copy of the pre- and post-training tests for each participant. Answers may be collected anonymously if preferred. Participants should have access to the correct answers after the tests are administered; facilitators may decide to review the questions and answers as a group.

Module 1: Standard Precautions Answer Key

Answers are highlighted in yellow.

1. What is the preferred method of hand hygiene in a healthcare setting if hands are not visibly soiled and the resident does not have a *C. difficile* infection?
 - a) Handwashing with soap and water
 - b) Alcohol-based hand rub (ABHR)
 - c) Antiseptic hand wash
 - d) Surgical scrub
2. When you see a sharps disposal container overfilled, you should immediately notify the party responsible for emptying the container.
 - a) True
 - b) False
3. Separating clean and dirty medical devices (e.g., blood pressure cuffs, wheelchairs) can help prevent the spread of infection.
 - a) True
 - b) False

Module 1 Pre-Training Test: **Standard Precautions**

Name:

1. What is the preferred method of hand hygiene in a healthcare setting if hands are not visibly soiled and the resident does not have a *C. difficile* infection?
 - a) Handwashing with soap and water
 - b) Alcohol-based hand rub (ABHR)
 - c) Antiseptic hand wash
 - d) Surgical scrub

2. When you see a sharps disposal container overfilled, you should immediately notify the party responsible for emptying the container.
 - a) True
 - b) False

3. Separating clean and dirty medical devices (e.g., blood pressure cuffs, wheelchairs) can help prevent the spread of infection.
 - a) True
 - b) False

Module 1 Post-Training Evaluation: **Standard Precautions**

Name:

1. What is the preferred method of hand hygiene in a healthcare setting if hands are not visibly soiled and the resident does not have a *C. difficile* infection?
 - a) Handwashing with soap and water
 - b) Alcohol-based hand rub (ABHR)
 - c) Antiseptic hand wash
 - d) Surgical scrub

2. When you see a sharps disposal container overfilled, you should immediately notify the party responsible for emptying the container.
 - b. True
 - c. False

3. Separating clean and dirty medical devices (e.g., blood pressure cuffs, wheelchairs) can help prevent the spread of infection.
 - a) True
 - b) False