PRINTED: 09/19/2012 FORM APPROVED

STATEMENT OF DEFICIENCIES AND PLAN OF CORRECTION		(X1) PROVIDER/SUPPLIER/CLIA IDENTIFICATION NUMBER:		(X2) MULTIPLE CONSTRUCTION A. BUILDING B. WING			(X3) DATE SURVEY COMPLETED	
CA920000024			Pay			02/0	02/09/2012	
					STATE, ZIP CODE			
				NGATE ST N, CA 91042				
(X4) ID PREFIX TAG	SUMMARY STATEMENT OF DEFICIENCIES (EACH DEFICIENCY MUST BE PRECEDED BY FULL REGULATORY OR LSC IDENTIFYING INFORMATION)			ID PREFIX TAG	(EACH CORRECTIVE CROSS-REFERENCED	OVIDER'S PLAN OF CORRECTION (X5) CORRECTIVE ACTION SHOULD BE REFERENCED TO THE APPROPRIATE DEFICIENCY) (X5) COMPLETE DATE		
A 000	Initial Comments			A 000				
	The following reflects the findings of the California Department of Public Health during a staffing visit: Representing the Department: Associate Governmental Program Analyst. Welfare and Institutions Code Section 14126.022 is attached hereto and incorporated herein as 'Attachment A.' The statute was met as evidenced by the following findings:						,	
	Based on record review and interview, the above nursing facility was found in compliance with Health and Safety Code 1276.5, the requirement for a minimum of 3.2 nursing hours per patient day, for 24 randomly selected days from							
	November 8, 2011 through February 4, 2012.							
			}					
			of the property of the state of					
			,					
¥							1	
Licensing and Certification Division TITLE AMMINIST (X6) DATE (M) ON								

California Department of Public Health

LABORATORY DIRECTOR'S OR PROVIDER/SUPPLIER REPRESENTATIVE'S SIGNATURE

If continuation sheet 1 of

M12D11