


California Department of Public Health

STATEMENT OF DEFICIENCIES AND PLAN OF CORRECTION	(X1) PROVIDER/SUPPLIER/CLIA IDENTIFICATION NUMBER:  <b>CA910000048</b>	(X2) MULTIPLE CONSTRUCTION A. BUILDING: _____  B. WING: _____	(X3) DATE SURVEY COMPLETED  <b>08/20/2014</b>
---	---	--	--

NAME OF PROVIDER OR SUPPLIER  <b>HERITAGE REHABILITATION CENTER</b>	STREET ADDRESS, CITY, STATE, ZIP CODE <b>21414 S. VERMONT AVENUE TORRANCE, CA 90502</b>
---	--

(X4) ID PREFIX TAG	SUMMARY STATEMENT OF DEFICIENCIES (EACH DEFICIENCY MUST BE PRECEDED BY FULL REGULATORY OR LSC IDENTIFYING INFORMATION)	ID PREFIX TAG	PROVIDER'S PLAN OF CORRECTION (EACH CORRECTIVE ACTION SHOULD BE CROSS-REFERENCED TO THE APPROPRIATE DEFICIENCY)	(X5) COMPLETE DATE
A 000	<p><b>Initial Comments</b></p> <p>The following reflects the findings of the California Department of Public Health during a staffing visit: Representing the Department: [REDACTED] Associate Governmental Program Analyst.</p> <p>Welfare and Institutions (W&amp;I) Code section 14126.022 sets forth the Department's authority to conduct audits of direct caregiver nursing services provided to residents of skilled nursing facilities, and to establish procedures for conducting such audits through All Facility Letters (AFLs). W&amp;I Code section 14126.022 is available through the following link: <a href="http://www.leginfo.ca.gov/cgi-bin/displaycode?section=wic&amp;group=14001-15000&amp;file=14126-14126.036">http://www.leginfo.ca.gov/cgi-bin/displaycode?section=wic&amp;group=14001-15000&amp;file=14126-14126.036</a></p> <p>AFL 11-19, setting forth the audit process and guidelines for facilities is available through the following link: <a href="http://www.cdph.ca.gov/certlic/facilities/Documents/LNC-AFL-11-19.pdf">http://www.cdph.ca.gov/certlic/facilities/Documents/LNC-AFL-11-19.pdf</a>.</p> <p>Health and Safety Code (HSC), setting forth the requirements for Certified Nurse Assistants is available through the following link: <a href="http://www.leginfo.ca.gov/cgi-bin/displaycode?section=hsc&amp;group=01001-02000&amp;file=1337-1338.5">http://www.leginfo.ca.gov/cgi-bin/displaycode?section=hsc&amp;group=01001-02000&amp;file=1337-1338.5</a></p> <p>The statute was met as evidenced by the following findings:</p> <p>Based on record review and interview, the above nursing facility was found in compliance with Health and Safety Code 1276.5, the requirement for a minimum of 3.2 nursing hours per patient day, for 24 randomly selected days from</p> <p>March 17, 2014 through June 16, 2014.</p>	A 000		

Licensing and Certification Division LABORATORY DIRECTOR'S OR PROVIDER/SUPPLIER REPRESENTATIVE'S SIGNATURE  	TITLE <b>ADMINISTRATOR</b>	(X6) DATE <b>10/1/14</b>
--	-------------------------------	-----------------------------