## **COVID-19 Vaccinations Data Dictionary - Recipient View**

Last Updated 9/14/2023

## LHJ Data Source in IRIS

View Name: VW\_ALL\_ IIS\_RECIPIENTS\_LHJ

View Description: This is a <u>recipient level view</u> that contains one row per vaccine recipient and is used by the California Department of Public Health (CDPH) vaccine data team for calculations that involve measures of people (e.g., partially/fully vaccinated, race/ethnicity). The data include COVID-19 vaccine doses reported to the California Immunization Registry (CAIR2) and the Healthy Futures Registry (the San Diego Immunization Registry was integrated into CAIR2 in April 2022). Doses administered by the following federal agencies and reported directly to the CDC are not included: Veterans Health Administration, Department of Defense, the Federal Bureau of Prisons, and some Indian Health Service clinics.

## **FIELD DEFINITIONS**

Field No.	COVID-19 Data Element	Variable Name	Data Element Description	Value Set
1	Recipient ID	recip_id	Unique ID for this recipient. This can be the ID used by your system or a randomly assigned unique identifier. However, the ID must be consistent across reports to allow linking doses to the same recipient ID.	n/a
2	Administration date – Dose 1	ds1_admin_date	The first recorded dose administration date for the recipient. Ignores DOSE_NUM field in VW_ALL_IIS_LHJ for determination.	n/a



Field	COVID-19 Data	Variable Name	Data Element Description	Value Set
No.	Element			
3	Administration date – Dose 2	ds2_admin_date	The second recorded dose administration date for the recipient.	n/a
			Ignores DOSE_NUM field in VW_ALL_IIS_LHJ for determination.	
4	Administration date – Dose 3	ds3_admin_date	The third recorded dose administration date for the recipient.	n/a
			Ignores DOSE_NUM field in VW_ALL_IIS_LHJ for determination.	
5	Administration date – Dose 4	ds4_admin_date	The fourth recorded dose administration date for the recipient.	n/a
			Ignores DOSE_NUM field in VW_ALL_IIS_LHJ for determination.	
6	Administration date – Dose 5	ds5_admin_date	The fifth recorded dose administration date for the recipient.	n/a
			Ignores DOSE_NUM field in VW_ALL_IIS_LHJ for determination.	
7	Administration date – Dose 6	ds6_admin_date	The sixth recorded dose administration date for the recipient.	n/a
			Ignores DOSE_NUM field in VW_ALL_IIS_LHJ for determination.	
8	Vaccine types received	vax_received	The manufacturer name (s) of all vaccines received, for up to 4 doses.	Locally Defined Value Set: Moderna Pfizer J&J
9	Vaccination status	fully_vaccinated	Recipient's vaccination status. The following criteria were removed on 2/22/2022:	Locally Defined Value Set: FALSE (Partially vaccinated) TRUE (Fully vaccinated)
			- Three or more vaccination records - Only dose in IRIS is labeled as dose number 2	A vaccine recipient is considered fully vaccinated if they meet at least one of the following criteria: 1) They received one dose of J&J

Field No.	COVID-19 Data Element	Variable Name	Data Element Description	Value Set
				<ul> <li>2) They received two Pfizer doses &gt;= 17 days apart</li> <li>3) They received two Moderna doses &gt;= 24 days apart</li> <li>4) They received a combination of Pfizer/Moderna doses &gt;= 17 days apart</li> <li>5) They received two Novavax doses &gt;=17 days apart</li> <li>6) They are 6 months-4 years old and received three Pfizer doses (first two doses &gt;= 17 days apart, and third dose &gt;= 52 days after second dose)</li> </ul>
10	Recipient name: first	recip_first_name	Recipient's first name. UPDATED 9/7/2022. Derived from value recorded for most recent dose. Previously derived from second dose value.	n/a
11	Recipient name: middle	recip_middle_name	Recipient's middle name. UPDATED 9/7/2022. Derived from value recorded for most recent dose. Previously derived from second dose value.	n/a
12	Recipient name: last	recip_last_name	Recipient's last name. UPDATED 9/7/2022. Derived from value recorded for most recent dose. Previously derived from second dose value.	n/a
13	Recipient date of birth	recip_dob	Recipient's date of birth. UPDATED 9/7/2022. Derived from value recorded for most recent dose. Previously derived from second dose value.	n/a
14	Recipient age	recip_age	Recipient's age in years. UPDATED 9/7/2022. Derived from value recorded for most recent dose. Previously derived from second dose value.	n/a
15	Recipient age group	recip_age_group	Recipient's age group, in years. UPDATED 9/7/2022. Derived from value recorded for most recent dose. Previously derived from second dose value.	Locally Defined Value Set: Under 5 5-11 12-17 18-49 50-64 65+

Field No.	COVID-19 Data Element	Variable Name	Data Element Description	Value Set
				Unknown* Birthdates within 60 days of the vaccination date are categorized as 'Unknown'
16	Recipient sex	recip_sex	Recipient sex. UPDATED 9/7/2022. Derived from value recorded for most recent dose. Previously derived from second dose value.	HL7 User Defined Table 0001 M (Male) F (Female) U (Unknown/undifferentiated)
17	Recipient race/ethnicity	recip_race_eth	Recipient's race/ethnicity. UPDATED 9/7/2022. Derived from value recorded for most recent dose. Previously derived from second dose value.	When ethnicity is marked 'Hispanic or Latino' then 'Latino', when more than one specified race code (1002-5, 2028-9, 2076-8, 2054-5, 2106-3) is noted then 'Multiracial', otherwise first race is noted.
				Derived from original ethnicity and race codes: HL7 User Defined Table 0189 2135-2 (Hispanic or Latino) 2186-5 (Not Hispanic or Latino) PHC1175 (Prefer not to say) UNK (Unknown ethnicity) POL (Unable to report to do policy/law)
				HL7 User Defined Table 0005 1002-5 (American Indian or Alaska Native) 2028-9 (Asian) 2076-8 (Native Hawaiian or Other Pacific Islander) 2054-5 (Black or African American) 2106-3 (White) 2131-1 (Other Race) UNK (Unknown) POL (Unable to report due to policy/law)
18	Recipient address: street	recip_address_street	The street component of the recipient's address. UPDATED 4/5/2022. Derived from value recorded for most recent dose. Previously derived from second dose value.	n/a

Field No.	COVID-19 Data Element	Variable Name	Data Element Description	Value Set
19	Recipient address: street 2	recip_address_street_2	The street 2 component of the recipient's address. UPDATED 4/5/2022. Derived from value recorded for most recent dose. Previously derived from second dose value. Previous name: recip_recip_address_street_2.	n/a
20	Recipient address: city	recip_address_city	The city component of the recipient's address. UPDATED 4/5/2022. Derived from value recorded for most recent dose. Previously derived from second dose value.	n/a
21	Recipient address: zip code	recip_address_zip	The zip code of the recipient's address (5 digit or 10 digits, with hyphen, are acceptable). UPDATED 4/5/2022. Derived from value recorded for most recent dose. Previously derived from second dose value.	n/a
22	Recipient county name	recip_county_label	The county name component of the recipient's address. UPDATED 4/5/2022. Derived from value recorded for most recent dose. Previously derived from second dose value. 'Outside California' category includes out-of-state residents and records where recipient's state of residence is blank.	Derived from FIPs based on County_Code. When recip_address_county is null, derived from recip_address_zip. See Recip_Address_County_New.
23	Responsible organization	responsible_org	The name of the parent organization or health system that originated and is accountable for the content of the record. If an organization has several clinics or facilities, this would be the organization that represents all of the clinics/facilities. (The "Administered at location" field is the name of individual physical location.)	n/a

Field No.	COVID-19 Data Element	Variable Name	Data Element Description	Value Set
			UPDATED 4/5/2022. Derived from value recorded for most recent dose. Previously derived from second dose value.	
24	Administered at location	admin_name	The name of the physical clinic or facility that reported the vaccination, refusal, or missed appointment. In a small practice setting, this could be the same as the responsible organization.	n/a
			UPDATED 4/5/2022. Derived from value recorded for most recent dose. Previously derived from second dose value.	
25	Administration address: zip code	admin_address_zip	The zip code component of where the vaccine is being administered/ planned to be administered. Exception for mobile clinics.	n/a
			UPDATED 4/5/2022. Derived from value recorded for most recent dose. Previously derived from second dose value.	
26	Administration address: county name	admin_county_label	The county component of where the vaccine is being administered/ planned to be administered. Exception for mobile clinics.	Join with FIPS table based on County_Code to get the name/desc.
			UPDATED 4/5/2022. Derived from value recorded for most recent dose. Previously derived from second dose value.	
27	Mixed zip	mixed_zip	If recipient zip code is null, this field is populated by admin zip code.	
			UPDATED 7/26/2022. Derived from value recorded for most recent dose. Previously derived from second dose value.	
28	Mixed county	mixed_county	If recip_address_county_new is NULL or unknown, populate this with admin_county_label.	
			UPDATED 7/26/2022. Derived from value recorded for most recent dose. Previously derived from second dose value.	

Field No.	COVID-19 Data Element	Variable Name	Data Element Description	Value Set
			'Outside California' category includes out-of-state residents and records where recipient's state of residence is blank.	
29	Local health jurisdiction		Local health jurisdiction of recipient's residence; if zip code (mixed_zip) is in Berkeley, Long Beach, or Pasadena cities, LHJ = Berkeley, Long Beach and Pasadena, respectively, otherwise LHJ = mixed_county. UPDATED 7/26/2022. Derived from value recorded for most recent dose. Previously derived from second dose value. 'Outside California' category includes out-of-state residents and records where recipient's state of residence is blank.	<pre>when mixed_zip in ('94701', '94702', '94703', '94704', '94705', '94707', '94708', '94709', '94710', '94712', '94720') then 'Berkeley' when mixed_zip in ('90801', '90802', '90803', '90804', '90805', '90806', '90807', '90808', '90809', '90810', '90813', '90814', '90815', '90822', '90831', '90832', when mixed_zip in ('90833', '90834', '90835', '90840', '90842', '90844', '90845', '90846', '90847', '90848', '90853', '90888', '90899') then 'Long Beach' when left(mixed_zip,5) in ('91101', '91102', '91103', '91104', '91105', '91106', '91107', '91109', '91110', '91114', '91115', '91116', '91117', '91121', '91123', '91124', '91125', '91126', '91129', '91131', '91182', '91184', '91185', '91188', '91189', '91191', '91199') then 'Pasadena' ELSE mixed_county</pre>
30	VEM quartile	hpiquartile	Vaccine Equity Metric (VEM) score quartiles based on mixed_zip. Vaccine Equity Metric (VEM) score quartiles combine the Public Health Alliance of Southern California's Healthy Places Index (HPI) measure with CDPH-derived scores to estimate factors that impact health, like income, education, and access to health care. Zip codes range from less healthy community conditions in Quartile 1 to more healthy community conditions in Quartile 4.	Locally Defined Value Set: 1 (VEM Quartile 1) 2 (VEM Quartile 2) 3 (VEM Quartile 3) 4 (VEM Quartile 4) Null (no VEM score assigned)

Field No.	COVID-19 Data Element	Variable Name	Data Element Description	Value Set
			UPDATED 7/26/2022. Derived from value recorded for most recent dose. Previously derived from second dose value.	
31	VEM quartile based on recipient zip code	hpiquartile_rcp_zip	<ul> <li>Vaccine Equity Metric (VEM) score quartiles based on recipient zip code.</li> <li>Vaccine Equity Metric (VEM) score quartiles combine the Public Health Alliance of Southern California's Healthy Places Index (HPI) measure with CDPH-derived scores to estimate factors that impact health, like income, education, and access to health care. Zip codes range from less healthy community conditions in Quartile 1 to more healthy community conditions in Quartile 4.</li> <li>UPDATED 7/26/2022. Derived from value recorded for most recent dose. Previously derived from second dose value.</li> </ul>	Locally Defined Value Set: 1 (VEM Quartile 1) 2 (VEM Quartile 2) 3 (VEM Quartile 3) 4 (VEM Quartile 4) Null (no VEM score assigned)
32	Recipient address: county based on zip code	hpi_county_rcp_zip	The county name of the recipient's address, derived from the zip code of the recipient's address. UPDATED 7/26/2022. Derived from value recorded for most recent dose. Previously derived from second dose value.	County derived from recip_address_zip.
33	Administered at location: type	admin_type_desc	The characteristic of the provider site that reported the vaccination, refusal, or missed appointment. UPDATED 4/5/2023. Derived from value recorded for most recent dose. Previously derived from second dose value.	Labels from Locally Defined Value Set: 1 (Commercial vaccination service provider) 2 (Corrections/detention health services) 3 (Health center – community) 4 (Health center – migrant or refugee) 5 (Health center – occupational) 6 (Health center – STD/HIV clinic) 7 (Health center – student) 8 (Home health care provider) 9 (Hospital) 10 (Indian Health Service) 11 (Tribal health) 12 (Medical practice – family medicine)

Field No.	COVID-19 Data Element	Variable Name	Data Element Description	Value Set
				<ul> <li>13 (Medical practice – pediatrics)</li> <li>14 (Medical practice – internal medicine)</li> <li>15 (Medical practice – OB/GYN)</li> <li>16 (Medical practice – other specialty)</li> <li>17 (Pharmacy – chain)</li> <li>18 (Pharmacy – independent)</li> <li>19 (Public health provider – public health clinic)</li> <li>20 (Public health provider – Federally Qualified</li> <li>Health Center)</li> <li>21 (Public health provider – Rural Health Clinic)</li> <li>22 (Long-term care – nursing home, skilled</li> <li>nursing facility, federally certified)</li> <li>23 (Long-term care – nursing home, skilled</li> <li>nursing facility, non-federally certified)</li> <li>24 (Long-term care – intellectual or</li> <li>developmental disability)</li> <li>26 (Long-term care – combination)</li> <li>27 (Urgent care)</li> <li>28 (Other)</li> <li>UNK (Unknown)</li> </ul>
34	MCE	MCE	Provider affiliated with state agency multi-county entity, health system multi-county entity, or pharmacy entity participating in CDC Long Term Care or Retail Pharmacy Partnership programs. UPDATED 4/5/2023. Derived from value recorded for most recent dose. Previously derived from second dose value.	Locally Defined Value Set: CDCR (State Agency MCE - California Department of Corrections and Rehabilitation) DHS (State Agency MCE - Department of State Hospitals) AHMC Healthcare (Health System MCE) Dignity Health (Health System MCE) Kaiser Permanente (Health System MCE) Providence (Health System MCE) Sutter Health (Health System MCE) UC Health (Health System MCE) UC Health (Health System MCE) UC Health (Health System MCE) UC Health (Health System MCE) CVS (Pharmacy) Rite Aid (Pharmacy) Walgreens (Pharmacy) Albertson Companies, Inc. (Pharmacy)

Field No.	COVID-19 Data Element	Variable Name	Data Element Description	Value Set
				Costco (Pharmacy) Kroger (Pharmacy) Walmart (Pharmacy) Topco (Pharmacy) Good Neighbor (Pharmacy) Health Mart (Pharmacy) CPESN (Pharmacy) Cardinal (Pharmacy) GeriMed (Pharmacy) MHA (Pharmacy) Premier-Innovatix (Pharmacy)
35	Lot numbers	lot_numbers	The lot numbers for all COVID vaccinations administered, concatenated.	n/a
36	Original dose number – Dose 1	ds1_orig_dose_num	Original reported dose number in vaccination series for first dose.	Locally Defined Value Set: 1 (Valid first dose) 2 (Valid second dose) 3 (Valid third dose) INV (Invalid dose) UNK (Unknown validity)
37	Original dose number – Dose 2	ds2_orig_dose_num	Original reported dose number in vaccination series for second dose.	Locally Defined Value Set: 1 (Valid first dose) 2 (Valid second dose) 3 (Valid third dose) INV (Invalid dose) UNK (Unknown validity)
38	Original dose number – Dose 3	ds3_orig_dose_num	Original reported dose number in vaccination series for third dose.	Locally Defined Value Set: 1 (Valid first dose) 2 (Valid second dose) 3 (Valid third dose) INV (Invalid dose) UNK (Unknown validity)

Field No.	COVID-19 Data Element	Variable Name	Data Element Description	Value Set
39	Original dose number – Dose 4	ds4_orig_dose_num	Original reported dose number in vaccination series for fourth dose.	Locally Defined Value Set: 1 (Valid first dose) 2 (Valid second dose) 3 (Valid third dose) INV (Invalid dose) UNK (Unknown validity)
40	Original dose number – Dose 5	ds5_orig_dose_num	Original reported dose number in vaccination series for fifth dose.	Locally Defined Value Set: 1 (Valid first dose) 2 (Valid second dose) 3 (Valid third dose) INV (Invalid dose) UNK (Unknown validity)
41	Original dose number – Dose 6	ds6_orig_dose_num	Original reported dose number in vaccination series for sixth dose.	Locally Defined Value Set: 1 (Valid first dose) 2 (Valid second dose) 3 (Valid third dose) INV (Invalid dose) UNK (Unknown validity)
42	Dose 1 vaccination event ID	ds1_vax_event_id	The vaccination event's unique identifier within the system for first reported dose (based on vaccination date).	n/a
43	Dose 2 vaccination event ID	ds2_vax_event_id	The vaccination event's unique identifier within the system for second reported dose (based on vaccination date).	n/a
44	Dose 3 vaccination event ID	ds3_vax_event_id	The vaccination event's unique identifier within the system for third reported dose (based on vaccination date).	n/a
45	Dose 4 vaccination event ID	ds4_vax_event_id	The vaccination event's unique identifier within the system for fourth reported dose (based on vaccination date).	n/a
46	Dose 5 vaccination event ID	ds5_vax_event_id	The vaccination event's unique identifier within the system for fifth reported dose (based on vaccination date).	n/a

Field	COVID-19 Data	Variable Name	Data Element Description	Value Set
No.	Element			
47	Deep (	deC yes event id	The vaccination event's unique identifier within the	
47	Dose 6 vaccination	ds6_vax_event_id	system for sixth reported dose (based on	n/a
	event ID		vaccination date).	
48	Snapshot time	snapshot_time	Data current as of this timestamp.	n/a
40	Shapshot time	shapshot_time	Data current as of this timestamp.	17 a
49	Partially	partially_vaccinated_date	Date recipient became partially vaccinated (i.e.,	n/a
	vaccinated		received first dose of Pfizer or Moderna).	
	date			
50	Fully	fully_vaccinated_date	Date recipient became fully vaccinated.	n/a
	vaccinated			
51	date Email	Email_Address	Recipient's email.	
51	Email	Email_Address	Recipient's email.	
			UPDATED 4/5/2023. Derived from value recorded	
			for most recent dose. Previously derived from	
			second dose value.	
52	Phone number	Phone_Number	Recipient's phone number.	
		_		
			UPDATED 4/5/2023. Derived from value recorded	
			for most recent dose. Previously derived from	
			second dose value.	
53	Additional	HAS_ADDITIONAL_DOSE_AND_24_DAY	Received additional dose administered at least 24	0 (FALSE)
	dose flag	S	days after series completion (Pfizer recipients 5+	1 (TRUE)
			years of age, Moderna and J&J recipients 18+ years	
			of age).	
			Includes any dose that was administered at least 24	
			days after series completion (2 mRNA or 1 J&J).	
			Includes both additional doses and booster doses.	
			UPDATED 8/24/2022. Derived from value recorded	
			for most recent dose. Previously derived from	
			second dose value.	
54	Additional	HAS_ADDITIONAL_DOSE_AND_52_DAY	Additional dose administered at least 52 days after	0 (FALSE)
	dose flag – 52	S	series completion	1 (TRUE)
	day interval			

Field	COVID-19 Data	Variable Name	Data Element Description	Value Set
No.	Element			
			UPDATED 8/24/2022. Derived from value recorded	
			for most recent dose. Previously derived from	
			second dose value.	
55	Recipient address: state	RECIP_ADDRESS_STATE	The state component of the recipient's address.	US Postal Service two-character state codes
			UPDATED 4/5/2022. Derived from value recorded	
			for most recent dose. Previously derived from	
			second dose value.	
56	Administration	ADMIN_ADDRESS_STATE	The state component of where the vaccine is	US Postal Service two-character state codes
	address: state		administered/ planned to be administered.	
			Exception for mobile clinics.	
			UPDATED 4/5/2022. Derived from value recorded	
			for most recent dose. Previously derived from	
			second dose value.	
57	Patient sharing	LOCKED_IND	Patient sharing status.	0 (FALSE)
	indicator			1 (TRUE)
			If 1, patient has requested that their record not be	
			shared with organizations other than their own	
50	Deseter		provider or public health.	
58	Booster	IS_BOOSTER_ELIGIBLE	A vaccine recipient is considered eligible for a	0 (FALSE)
	eligibility flag		booster if they meet at least one of the following criteria:	1 (TRUE)
			Monovalent Booster Eligibility	
			Age 5-11 (Suppress on/after 10/13/2022): 3 <sup>rd</sup> dose	
			(original booster) - Pfizer Monovalent Booster at	
			least 136 days after 2 <sup>nd</sup> dose (Pfizer Pediatric)	
			Age 12+ (Suppress on/after 09/06/2022): 3 <sup>rd</sup> dose	
			(original booster) - Pfizer Monovalent Booster at	
			least 136 days after 2 <sup>nd</sup> dose	
			(Pfizer/Moderna/Novavax)	
			Age 18+ (Suppress on/after 09/06/2022): 3 <sup>rd</sup> dose	
			(original booster) - Moderna Monovalent Booster at	

Field No.	COVID-19 Data Element	Variable Name	Data Element Description	Value Set
			least 136 days after 2 <sup>nd</sup> dose (Pfizer/Moderna/Novavax)	
			Age 18+ (Suppress on/after 09/06/2022): 2 <sup>nd</sup> dose (original booster) - J&J at least 52 days after 1 <sup>st</sup> dose (J&J)	
			Bivalent Booster Eligibility	
			Age 6 months-5: 3 <sup>rd</sup> dose – Moderna pediatric bivalent booster at least 52 days after 2 <sup>nd</sup> dose (Moderna Under 6)	
			Age 5+: 3 <sup>rd</sup> dose (updated booster) - Pfizer pediatric bivalent booster at least 52 days after 2 <sup>nd</sup> dose (Pfizer Pediatric/Moderna Under 6)	
			Age group 6-11: 3 <sup>rd</sup> dose (updated booster) - Pfizer Pediatric/Moderna bivalent booster at least 52 days after 2 <sup>nd</sup> dose (Pfizer Pediatric/Moderna)	
			Age 12+: 3 <sup>rd</sup> dose (updated booster) - Pfizer/Moderna bivalent booster at least 52 days after 2 <sup>nd</sup> dose (Pfizer/Moderna/Novavax) or last monovalent booster (Pfizer/Moderna)	
			Age 18+: 2 <sup>nd</sup> dose (updated booster) - Pfizer/Moderna bivalent booster at least 52 days after 1 <sup>st</sup> dose (J&J) or last monovalent booster (Pfizer/Moderna)	

Field No.	COVID-19 Data Element	Variable Name	Data Element Description	Value Set
59	Booster dose flag - bivalent	BIVALENT_BOOSTER	Age 6 months-5: 3 <sup>rd</sup> dose – Moderna pediatric bivalent booster at least 52 days after 2 <sup>nd</sup> dose (Moderna Under 6)Age 5+: 3 <sup>rd</sup> dose (updated booster) - Pfizer pediatric bivalent booster at least 52 days after 2 <sup>nd</sup> dose (Pfizer Pediatric/Moderna Under 6)Age group 6-11: 3 <sup>rd</sup> dose (updated booster) - Pfizer Pediatric/Moderna bivalent booster at least 52 days after 2 <sup>nd</sup> dose (Pfizer Pediatric/Moderna)Age 12+: 3 <sup>rd</sup> dose (Pfizer Pediatric/Moderna)Age 12+: 3 <sup>rd</sup> dose (updated booster) - Pfizer/Moderna bivalent booster at least 52 days after 2 <sup>nd</sup> dose (Pfizer/Moderna/Novavax) or last monovalent booster (Pfizer/Moderna)Age 18+: 2 <sup>nd</sup> dose (updated booster) - 	0 (FALSE) 1 (TRUE)
60	Census tract – recipient	CENSUS_TRACT	2020 census tract based on recipient address only.	
61	address (2020) Census tract – recipient address (2010)	CENSUS_TRACT_10	2010 census tract based on recipient address only.	
62	Census tract – administration address	CENSUS_TRACT_ADMIN_10	2010 census tract based on vaccinating provider's address only.	
63	HPI 3.0 - census tract	HPI_3_TRACT	Healthy Places Index 3.0 score quartile based on the 2010 census tract from the recipient's address.	Healthy Places Index Locally Defined Value Set: 1 (HPI Quartile 1) 2 (HPI Quartile 2) 3 (HPI Quartile 3) 4 (HPI Quartile 4)

Field No.	COVID-19 Data Element	Variable Name	Data Element Description	Value Set
				Null (no HPI score assigned)
64	HPI 3.0 – zip	HPI_3_ZIP	Healthy Places Index 3.0 score quartile based on the recipient's address zip (if null, uses the ZCTA zip from the <u>zip-to-ZCTA crosswalk</u> ); if recipient's address zip is still null, uses the vaccinating provider's address zip (if provider's address zip is null, uses the ZCTA from the <u>zip-to-ZCTA crosswalk</u> ).	Healthy Places Index Locally Defined Value Set: 1 (HPI Quartile 1) 2 (HPI Quartile 2) 3 (HPI Quartile 3) 4 (HPI Quartile 4) Null (no HPI score assigned)
65	HPI 3.0 - mixed	HPI_3_MIXED	HPI_3_TRACT; if null, uses HPI_3_ZIP.	Healthy Places Index Locally Defined Value Set: 1 (HPI Quartile 1) 2 (HPI Quartile 2) 3 (HPI Quartile 3) 4 (HPI Quartile 4) Null (no HPI score assigned)
66	Recipient address: county based on HPI_3_MIXED	HPI_COUNTY_RCP_MIXED	The county name of the recipient's address, derived from HPI_3_MIXED.	
67	Recipient address: concatenated	MIXED_ADDRESS	Concatenation of the recipient address street, city, state, and zip code.	n/a
68	Administration address: concatenated	MIXED_ADMIN_ADDRESS	Concatenation of the vaccinating provider's address street, city, state, and zip code.	n/a
69	Up to date status	VACCINE_STATUS	A vaccine recipient is considered up to date with COVID-19 vaccines if they meet at least one of the following criteria based on CDC recommended products, ages, and minimum intervals between doses: Age 6+: 1 updated (bivalent) Pfizer or Moderna vaccine.	Locally Defined Value Set: Not_Up_to_Date Up_to_Date

Field No.	COVID-19 Data Element	Variable Name	Data Element Description	Value Set
			Age 6 months-5: 2 or 3 doses of COVID vaccine, including at least 1 dose of updated (bivalent) Pfizer or Moderna vaccine, as recommended based on previous doses and age. UPDATED 5/17/2023.	
70	Bivalent booster date	BIVALENT_BOOSTER_DATE	Date recipient received bivalent booster dose.	n/a

Notes:

Minimum intervals are based on CDC recommendations, using 28-day months and including a 4-day grace period.