



California – Chlamydia, Gonorrhea, and Early Syphilis Rates by County, 2020


Chlamydia



Early Syphilis



Gonorrhea






Note: Rates are per 100,000 population.
Source: California Department of Public Health, STD Control Branch

California – Chlamydia, Gonorrhea, and Early Syphilis

Ranking of County Rates for 2020

(with 95% Confidence Intervals*)












* Confidence intervals were calculated using Clopper-Pearson method; not shown for counties with zero cases.

Note: Rates are per 100,000 population.

Source: California Department of Public Health, STD Control Branch

California . Chlamydia, Gonorrhea, and Early Syphilis

Rates by Age Group (2020), Race/Ethnicity (2020), and Year



■ Female ■ Male

— Female — Male

* Race data may be missing for a substantial number of cases (see Data Limitations page).
 * ENPNS: Early non-primary non-secondary syphilis.
 Notes: Rates are per 100,000 population.
 Caution should be observed when interpreting rates based on few events and/or small populations.
 Source: California Department of Public Health, STD Control Branch

California State – Chlamydia, Gonorrhea, and Early Syphilis Cases and Rates Tables by Gender & Age Group for 2020

Acronym List: CT = Chlamydia, GC = Gonorrhea, P&S = Primary and Secondary

Gender & Age Group	CT Cases	CT Percent ¹	CT Rate	GC Cases	GC Percent ¹	GC Rate	P&S Syphilis Cases	P&S Syphilis Percent ¹	P&S Syphilis Rate	Early Syphilis Cases	Early Syphilis Percent ¹	Early Syphilis Rate	Population Number	Population Percent ¹
State Total	177,248	100.0%	445.5	77,823	100.0%	195.6	7,505	100.0%	18.9	7,616	100.0%	19.1	39,782,419	100.0%
Female Total	108,474	61.2%	542.0	28,151	36.2%	140.7	1,565	20.9%	7.8	1,250	16.4%	6.2	20,013,113	50.3%
Ages 00 - 09	26	0.0%	1.1	20	0.1%	0.8	0	0.0%	0.0	0	0.0%	0.0	2,361,765	11.8%
10 - 14	506	0.5%	40.0	122	0.4%	9.7	2	10.0%	0.2	2	0.2%	0.2	1,263,578	6.3%
15 - 19	22,932	21.2%	1,693.2	4,052	14.4%	299.2	67	4.3%	4.9	72	5.8%	5.3	1,354,358	6.8%
20 - 24	42,053	38.8%	2,880.1	7,794	27.8%	533.8	251	16.0%	17.2	212	17.0%	14.5	1,460,107	7.3%
25 - 29	21,988	20.3%	1,628.0	6,251	22.3%	462.8	306	19.6%	22.7	291	23.3%	21.5	1,350,635	6.7%
30 - 34	10,234	9.4%	797.1	4,077	14.5%	317.6	306	19.6%	23.8	257	20.6%	20.0	1,283,824	6.4%
35 - 44	7,735	7.1%	300.3	4,109	14.6%	159.5	407	26.0%	15.8	286	22.9%	11.1	2,575,961	12.9%
45+	2,847	2.6%	34.0	1,649	5.9%	19.7	226	14.4%	2.7	130	10.4%	1.6	8,362,886	41.8%
Not Specified	153	0.1%	-	77	0.3%	-	0	0.0%	-	0	0.0%	-		
Male Total	68,235	38.5%	345.2	49,424	63.5%	250.0	5,934	79.1%	30.0	6,354	83.4%	32.1	19,769,306	49.7%
Ages 00 - 09	17	0.0%	0.7	10	0.0%	0.4	0	0.0%	0.0	0	0.0%	0.0	2,471,915	12.5%
10 - 14	96	0.1%	7.3	32	0.1%	2.4	1	0.0%	0.1	1	0.0%	0.1	1,312,839	6.6%
15 - 19	6,758	9.9%	480.4	2,717	5.5%	193.1	183	3.1%	13.0	96	1.5%	6.8	1,406,835	7.1%
20 - 24	18,941	27.8%	1,215.9	9,110	18.5%	584.8	775	13.1%	49.8	512	8.1%	32.9	1,557,723	7.9%
25 - 29	15,910	23.3%	1,106.6	11,328	23.0%	787.9	1,232	20.8%	85.7	1,065	16.8%	74.1	1,437,757	7.3%
30 - 34	10,694	15.7%	801.3	9,589	19.4%	718.5	1,063	17.9%	79.7	1,168	18.4%	87.5	1,334,501	6.8%
35 - 44	9,775	14.3%	367.7	9,991	20.3%	375.8	1,371	23.1%	51.6	1,621	25.5%	61.0	2,658,722	13.4%
45+	5,954	8.7%	78.5	6,555	13.3%	86.4	1,309	22.1%	17.2	1,891	29.8%	24.9	7,589,015	38.4%
Not Specified	90	0.1%	-	92	0.2%	-	0	0.0%	-	0	0.0%	-		

¹ Gender specific age groups and race/ethnicity percent calculations exclude "Not Specified" from the denominator.

² Overall state rates were calculated using the July 1 county population estimates from the Department of Finance. (For California, the July 1, 2020 estimate is 39,782,419).

Note: Rates for chlamydia, gonorrhea, P&S syphilis, and early syphilis are per 100,000 population. Caution should be observed when interpreting rates based on few events and/or small populations.

Source: California Department of Public Health, STD Control Branch



California State – Chlamydia, Gonorrhea, and Early Syphilis Cases and Rates Tables by Gender & Race/Ethnicity for 2020

Acronym List: CT = Chlamydia, GC = Gonorrhea, P&S = Primary and Secondary

Gender & Race/Ethnicity	CT Cases	CT Percent ¹	CT Rate	GC Cases	GC Percent ¹	GC Rate	P&S Syphilis Cases	P&S Syphilis Percent ¹	P&S Syphilis Rate	Early Syphilis Cases	Early Syphilis Percent ¹	Early Syphilis Rate	Population Number	Population Percent ¹
State Total	177,248	100.0%	445.5	77,823	100.0%	195.6	7,505	100.0%	18.9	7,616	100.0%	19.1	39,782,419	100.0%
Female Total	108,474	61.2%	542.0	28,151	36.2%	140.1	1,565	20.9%	7.8	1,250	16.4%	6.2	20,013,113	50.3%
American Indian/ Alaska Native	219	0.6%	208.5	145	0.8%	138.0	5	0.4%	4.8	10	0.9%	9.5	105,035	0.5%
Asian/Pacific Islander	2,421	6.3%	73.4	696	4.0%	21.1	43	3.3%	1.3	32	3.0%	1.0	3,297,852	16.5%
Black/African American	7,937	20.6%	674.6	4,526	25.9%	384.7	235	18.1%	20.0	201	18.9%	17.1	1,176,547	5.9%
Latina/Hispanic	17,907	46.5%	233.3	7,242	41.4%	94.4	478	36.8%	6.2	507	47.8%	6.6	7,675,049	38.4%
White	10,058	26.1%	137.5	4,866	27.8%	66.5	537	41.4%	7.3	311	29.3%	4.3	7,314,602	36.5%
Other/Multi/Not Specified	69,932	64.5%	-	10,676	37.9%	-	267	17.1%	-	189	15.1%	-	444,028	2.2%
Male Total	68,235	38.5%	345.2	49,424	63.5%	250.0	5,934	79.1%	30.0	6,354	83.4%	32.1	19,769,306	49.7%
American Indian/ Alaska Native	151	0.5%	152.0	166	0.5%	167.1	26	0.5%	26.2	18	0.3%	18.1	99,370	0.5%
Asian/Pacific Islander	2,318	7.9%	78.0	1,818	5.6%	61.2	366	7.1%	12.3	389	6.8%	13.1	2,972,887	15.0%
Black/African American	6,827	23.2%	570.6	8,466	26.3%	707.6	751	14.7%	62.8	799	14.0%	66.8	1,196,432	6.1%
Latino/Hispanic	10,933	37.1%	139.9	11,935	37.0%	152.7	2,194	42.8%	28.1	2,738	48.0%	35.0	7,814,800	39.5%
White	9,209	31.3%	127.0	9,830	30.5%	135.6	1,784	34.8%	24.6	1,758	30.8%	24.2	7,250,804	36.7%
Other/Multi/Not Specified	38,797	56.9%	-	17,209	34.8%	-	813	13.7%	-	652	10.3%	-	435,013	2.2%

¹ Gender specific age groups and race/ethnicity percent calculations exclude "Not Specified" from the denominator.

² Overall state rates were calculated using the July 1 county population estimates from the Department of Finance. (For California, the July 1, 2020 estimate is 39,782,419).

Note: Rates for chlamydia, gonorrhea, P&S syphilis, and early syphilis are per 100,000 population. Caution should be observed when interpreting rates based on few events and/or small populations.

Source: California Department of Public Health, STD Control Branch

California State – Congenital Syphilis Cases and Rate, 2016–2020

Congenital Syphilis	2016	2017	2018	2019	2020
Cases	214	288	328	446	483
Rate per 100,000 live births	43.8	61	72.2	99.9	114.9

