



## Countries and Territories with Zika Virus Transmission or Risk (Date of confirmation of first locally acquired case)

**Areas with Active Zika Transmission:** Testing of *symptomatic persons and asymptomatic pregnant women* recommended

### Americas

- Anguilla (6/22/16)
- Antigua and Barbuda (7/27/16)
- Argentina (5/18/16)
- Aruba (2/15/16)
- Bahamas (8/18/16)
- Barbados (1/15/16)
- Belize (4/13/16)
- Bolivia (1/16/16)
- Bonaire (2/15/16)
- British Virgin Islands (9/1/16)
- Colombia (10/16/16)
- Commonwealth of Puerto Rico (12/31/15)
- Costa Rica (12/20/15)
- Cuba (3/14/16)
- Curacao (1/28/16)
- Dominica (3/15/16)
- Dominican Republic (1/20/16)
- Ecuador (1/15/16)
- El Salvador (11/24/15)
- French Guiana (12/21/15)
- Grenada (5/2016)
- Guatemala (11/2015)
- Guyana (1/14/16)
- Haiti (1/2016)
- Honduras (12/16/15)
- Jamaica (1/2016)
- Mexico (11/26/15)
- Montserrat (11/2016)
- Nicaragua (1/27/16)
- Panama (12/3/15)
- Paraguay (11/2015)
- Peru (2/2016)
- Saba (8/22/16)
- Saint Kitts and Nevis (9/2016)
- Saint Lucia (4/2016)
- Saint Martin (1/18/16)
- Saint Vincent and the Grenadines (2/23/16)
- Sint Eustatius (8/22/16)
- Sint Maarten (2/12/16)
- Suriname (11/2/15)
- Trinidad and Tobago (2/17/16)
- Turks and Caicos (7/27/16)
- United States - Miami Dade County, FL (7/15/16)<sup>a</sup>
- United States – Cameron County, TX (10/29/16)<sup>b</sup>
- U.S. Virgin Islands 1/2016
- Venezuela (11/27/16)

<sup>a</sup> Pregnant women, who lived in or traveled to Miami-Dade county between July 15, 2016 and July 28, 2017, and who conceived up until July 28, 2017 may be tested. Pregnant women who have had unprotected sexual contact with a partner who has lived in or traveled to Miami-Dade county between July 15, 2016 and June 2, 2017 may be tested

<sup>b</sup> Pregnant women who have traveled to Cameron County may be tested. For testing of symptomatic non-pregnant individuals, 2 or more symptoms are required if they traveled to Cameron County, and 3 or more symptoms are required if they traveled to anywhere else in Texas.

<sup>c</sup> Symptomatic pregnant women who have traveled to the state of Gujarat, India (the state where local transmission has been reported) may be tested. For testing of symptomatic non-pregnant individuals, 2 or more symptoms are required if they traveled to Gujarat, India, and 3 or more symptoms are required if they traveled to anywhere else in India.



---

## Countries and Territories with Zika Virus Transmission or Risk (Date of confirmation of first locally acquired case)

**Areas with Active Zika Transmission:** Testing of *symptomatic persons and asymptomatic pregnant women* recommended

### Oceania/Pacific Islands

- Fiji (4/1/16)
- Marshall Islands (2/2016)
- Micronesia (3/2016)
- Palau (11/2016)
- Papua New Guinea (3/11/16)
- Samoa (11/2015)
- Solomon Islands (3/2017)
- Tonga (2/2016)

### South East Asia

- Indonesia (3/2016)
- Maldives (1/2016)
- Philippines (3/2016)
- Singapore (8/2016)

### Africa

- Angola (3/2017)
- Cape Verde (10/2015)
- Guinea-Bissau (3/2017)

<sup>a</sup> Pregnant women, who lived in or traveled to Miami-Dade county between July 15, 2016 and July 28, 2017, and who conceived up until July 28, 2017 may be tested. Pregnant women who have had unprotected sexual contact with a partner who has lived in or traveled to Miami-Dade county between July 15, 2016 and June 2, 2017 may be tested

<sup>b</sup> Pregnant women who have traveled to Cameron County may be tested. For testing of symptomatic non-pregnant individuals, 2 or more symptoms are required if they traveled to Cameron County, and 3 or more symptoms are required if they traveled to anywhere else in Texas.

<sup>c</sup> Symptomatic pregnant women who have traveled to the state of Gujarat, India (the state where local transmission has been reported) may be tested. For testing of symptomatic non-pregnant individuals, 2 or more symptoms are required if they traveled to Gujarat, India, and 3 or more symptoms are required if they traveled to anywhere else in India.



---

## Countries and Territories with Zika Virus Transmission or Risk (Date of confirmation of first locally acquired case)

**Other Areas with Zika Risk:** Testing of *only symptomatic* persons recommended

### Africa

- Benin (3/15/17)
- Burkina-Faso (3/15/17)
- Burundi (3/15/17)
- Cameroon (3/15/17)
- Central Africa Republic (3/15/17)
- Chad (3/15/17)
- Congo (Congo-Brazzaville) (3/15/17)
- Cote d'Ivoire (3/15/17)
- Democratic Republic of the Congo (Congo-Kinshasa) (3/15/17)
- Equatorial Guinea (3/15/17)
- Gabon (3/15/17)
- Gambia (3/15/17)
- Ghana (3/15/17)
- Guinea (3/15/17)
- Kenya (3/15/17)
- Liberia (3/15/17)

- Mali (3/15/17)
- Niger (3/15/17)
- Nigeria (3/15/17)
- Rwanda (3/15/17)
- Senegal (3/15/17)
- Sierra Leone (3/15/17)
- South Sudan (3/15/17)
- Sudan (3/15/17)
- Tanzania (3/15/17)
- Togo (3/15/17)
- Uganda (3/15/17)

### Americas

- Cayman Islands (8/11/16)
- Guadeloupe (1/18/16)
- Martinique (12/21/15)

### Asia

- Bangladesh (3/15/17)
- Burma (Myanmar) (7/2016)
- Cambodia (7/2016)
- India (3/15/17)<sup>c</sup>
- Laos (7/2016)
- Malaysia (3/2016)
- Pakistan (3/15/17)
- Thailand (3/2016)
- Timor-Leste (East Timor) (7/2016)
- Vietnam (3/2016)

### South America

- Brazil (5/2015)

<sup>a</sup> Pregnant women, who lived in or traveled to Miami-Dade county between July 15, 2016 and July 28, 2017, and who conceived up until July 28, 2017 may be tested. Pregnant women who have had unprotected sexual contact with a partner who has lived in or traveled to Miami-Dade county between July 15, 2016 and June 2, 2017 may be tested

<sup>b</sup> Pregnant women who have traveled to Cameron County may be tested. For testing of symptomatic non-pregnant individuals, 2 or more symptoms are required if they traveled to Cameron County, and 3 or more symptoms are required if they traveled to anywhere else in Texas.

<sup>c</sup> Symptomatic pregnant women who have traveled to the state of Gujarat, India (the state where local transmission has been reported) may be tested. For testing of symptomatic non-pregnant individuals, 2 or more symptoms are required if they traveled to Gujarat, India, and 3 or more symptoms are required if they traveled to anywhere else in India.