
CA-ADAP Formulary Review: NITAZOXANIDE (ALINIA)

MAY 2023

CARRIE HOLDEN, PHARM.D



CA-ADAP Formulary Review: AGENDA



NITAZOXANIDE (ALINIA)





CRYPTOSPORIDIOSIS ('Crypto')

- Affects the small bowel mucosa
- Caused by the parasite Cryptosporidium
 - Outer shell allows it to survive outside the body for long periods of time
 - Makes it very tolerant to chlorine disinfection
- Diarrhea, vomiting, and weight loss are the most common symptoms
- Ingesting stool-tainted food or water is most common method of transmission

Leading cause of waterborne disease among humans in the

US



CRYPTO and PLWHIV

- <1 case per 1,000 person-years in US</p>
- Can be serious, long-lasting, and sometimes fatal
- CD4+<200 more likely to cause severe symptoms and complications
- CD4+>200 may have no symptoms but still carry the parasite

Person-to-person transmission common, especially

among MSM





TREATMENT of CRYPTOSPORIDIOSIS



- Most people w/healthy immune systems will recover without treatment
 - Drink fluids to avoid dehydration
 - Anti-diarrheal medicine may slow diarrhea
 - Nitazoxanide is approved for the treatment of diarrhea caused by Cryptosporidium parvum and Giardia lamblia
 - Nitazoxanide is not indicated for use in HIVinfected or immunodeficient patients
 - People w/HIV not taking ART should initiate ART to achieve immune restoration to CD4>100



Crypto Treatment: Nitazoxanide



- An antiprotozoal indicated for the treatment of diarrhea caused by Giardia lamblia or Cryptosporidium parvum
- Has not been shown to be effective in HIV-infected patients
- Oral suspension indicated for age 1+

Dosage 12 years and older	UNIQUE Denials Nov 2022 – Apr 2023	AZ	СТ	FL	NY	TX	WA
500mg every 12 hours with food x 3 days	NONE	Y	-	-	-	-	-



Off-Label Recommendations

Both drugs currently on ADAP formulary

Drug Name	Comments
CLARITHROMYCIN (BIAXIN)	 Drug may have activity against Cryptosporidium parvum
PAROMOMYCIN (HUMATIN)	 Drug may have activity against Cryptosporidium parvum Has specific off-label dosing for PLWHIV



Formulary Management Recommendations: NITAZOXANIDE



1

NITAXOZANIDE

Consider addition to the ADAP formulary.



References



- Alinia(R). Available at: https://www.alinia.com/wp-content/uploads/2017/08/prescribing-information.pdf (Accessed: 18 May 2023).
- Cryptosporidiosis (2019) Cryptosporidiosis | Johns Hopkins Medicine. Available at: https://www.hopkinsmedicine.org/health/conditions-and-diseases/cryptosporidiosis#:~:text=Key%20points-,Cryptosporidiosis%20is%20an%20infection%20that%20causes%20diarrhea.,are%20the%20most%20common%20symptoms. (Accessed: 18 May 2023).
- Cryptosporidiosis (crypto) (2023) Windsor-Essex County Health Unit. Available at: https://www.wechu.org/food-safety-drinking-water/cryptosporidiosis (Accessed: 19 May 2023).
- *Cryptosporidiosis:* NIH (no date) *Cryptosporidiosis* | NIH. Available at: https://clinicalinfo.hiv.gov/en/guidelines/hiv-clinicalguidelines-adult-and-adolescent-opportunistic-infections/cryptosporidiosis (Accessed: 19 May 2023).
- Parasites cryptosporidium (also known as 'crypto') (2019) Centers for Disease Control and Prevention. Available at: https://www.cdc.gov/parasites/crypto/index.html (Accessed: 18 May 2023).
- Rossignol JF. Nitazoxanide in the treatment of acquired immune deficiency syndrome-related cryptosporidiosis: results of the United States compassionate use program in 365 patients. Aliment Pharmacol Ther. 2006 Sep 1;24(5):887-94. doi: 10.1111/j.1365-2036.2006.03033.x. PMID: 16918894.
- Rossignol JF, Hidalgo H, Feregrino M, Higuera F, Gomez WH, Romero JL, Padierna J, Geyne A, Ayers MS. A double-'blind' placebo-controlled study of nitazoxanide in the treatment of cryptosporidial diarrhoea in AIDS patients in Mexico. Trans R Soc Trop Med Hyg. 1998 Nov-Dec;92(6):663-6. doi: 10.1016/s0035-9203(98)90804-5. PMID: 10326116.



Confidentiality statement



By receipt of this presentation, each recipient agrees that the information contained herein will be kept confidential and that the information will not be photocopied, reproduced, or distributed to or disclosed to others at any time without the prior written consent of Magellan Health, Inc.

The information contained in this presentation is intended for educational purposes only and is not intended to define a standard of care or exclusive course of treatment, nor be a substitute for treatment.

The information contained in this presentation is intended for educational purposes only and should not be considered legal advice. Recipients are encouraged to obtain legal guidance from their own legal advisors.

