

## **SUPPLEMENTAL STATEMENT OF REASONS**

The California Department of Public Health (Department) has instituted additional changes to these proposed regulations which are discussed below. These changes are either initiated by the Department or in response to comments that were received during the 45-day public comment period, which ended on August 5, 2019. Additional discussion to the Initial Statement of Reasons (ISR) and documents relied upon, identified below, are added to the rulemaking file.

**Documents Relied Upon:** For purposes of Government Code section 11347.1, this document, "Supplemental Statement of Reasons," is added to the rulemaking file, deemed a document relied upon, and designated as **Reference 11**.

### Regulation Text:

**Section 30307(d):** Except for the following, no additional changes to this section are proposed:

- The text is revised to clarify which value must be recorded. As proposed, the user was required to record two values (i.e., total fluoroscopic irradiation time and cumulative air kerma). However, the total fluoroscopic irradiation time is needed only when the equipment does not provide cumulative air kerma value.
- The first sentence is further revised for clarity and simplicity by splitting the sentence into two sentences.
- The last (i.e., third) sentence is revised for clarity and simplicity.

**Section 30418(d)(1):** Except for the following, no additional changes to this section are proposed:

- As initially noticed, section 30418(d) was not proposed to be revised. However, due to the proposed revision of section 30423, to which section 30418(d)(1) cites, section 30418(d)(1) is revised to ensure the provision correctly cites to section 30423(b)(1) for clarity.

**Section 30441:** Except for the following, no additional changes to this section are proposed:

- Due to comments, subsection (a)(9) is deleted for further evaluation.
- Due to deletion of subsection (a)(9), paragraphs (10) through (18) of subsection (a) are recodified to maintain a coherent structure.
- Subsection (a)(15), recodified to (a)(14), is revised to remove unnecessary language since the certificate or permit, issued pursuant to the cited sections, states what is authorized. For clarity, a comma is added between "arts" and "provided."