



California Drug Recall Information



Recall Name

**Medisca Recalls L-citrulline
Due to Potentially Subpotent Product**

Recall Date	Product Description	Recalling Firm	Recall Reason																
2/14/14	L-citrulline products	Medisca, Inc. Plattsburgh, NY	<i>Product testing indicated that no L-citrulline was found in the products labeled as L-citrulline.</i>																
Recall Class	Product Identification	Distribution	Affected Dates																
N/A	Suspected Lots Recalled: <table border="1" data-bbox="354 1129 961 1423"> <tbody> <tr> <td>1 kg</td> <td>96453/A</td> <td>95482/A</td> <td>2.8 L white HDPE bottles</td> </tr> <tr> <td>500g</td> <td>96453/B</td> <td>95482/B</td> <td>1000 mL white HDPE bottles</td> </tr> <tr> <td>100g</td> <td>96453/C</td> <td>95482/C</td> <td>300 mL white HDPE bottles</td> </tr> <tr> <td>25g</td> <td>96453/D</td> <td>95482/D</td> <td>100 mL white HDPE bottles</td> </tr> </tbody> </table>	1 kg	96453/A	95482/A	2.8 L white HDPE bottles	500g	96453/B	95482/B	1000 mL white HDPE bottles	100g	96453/C	95482/C	300 mL white HDPE bottles	25g	96453/D	95482/D	100 mL white HDPE bottles	CA, nationwide	Distributed between: 5/1/13 and 9/16/13
1 kg	96453/A	95482/A	2.8 L white HDPE bottles																
500g	96453/B	95482/B	1000 mL white HDPE bottles																
100g	96453/C	95482/C	300 mL white HDPE bottles																
25g	96453/D	95482/D	100 mL white HDPE bottles																

FOR ADDITIONAL INFORMATION, PLEASE VISIT:

<http://www.fda.gov/Drugs/DrugSafety/ucm385964.htm>