

Table 18. Rates of central line-associated bloodstream infection in patient care locations providing neonatal step-down care, reported by California hospitals, January - December 2012 (inclusive)

Reporting hospital*	Cases	Central line-days	Rate	95% Confidence Interval	Statistical interpretation**
STATE OF CALIFORNIA POOLED DATA	1	889	1.12		
† ALAMEDA COUNTY MED CTR	0	48	-----	-----	+
ALAMEDA COUNTY MED CTR, OAKLAND					
ALAMEDA COUNTY MED CTR-FAIRMONT CAMPUS, SAN LEANDRO					
EL CENTRO REGIONAL MED CTR	0	5	-----	-----	+
KAISER FOUNDATION HOSP, FRESNO	0	6	-----	-----	+
KAISER FOUNDATION HOSP, SANTA ROSA	0	2	-----	-----	+
KAISER FOUNDATION HOSP-SOUTH SACRAMENTO	0	1	-----	-----	+
† KAISER FOUNDATION HOSPS	0	32	-----	-----	+
KAISER FOUNDATION HOSP, MODESTO					
KAISER FOUNDATION HOSP, MANTECA					
LUCILE SALTER PACKARD CHILDREN'S HOSP AT STANFORD, PALO ALTO	0	210	0.00	(0.00,14.27)	⊙
MEMORIAL MED CTR, MODESTO	0	20	-----	-----	+
METHODIST HOSP OF SACRAMENTO	1	100	10.00	(0.25,55.72)	⊙
† MILLS-PENINSULA HEALTH SERVICES	0	3	-----	-----	+
MILLS HEALTH CTR, SAN MATEO					
MILLS-PENINSULA MED CTR, BURLINGAME					
POMERADO HOSP, POWAY	0	25	-----	-----	+
† SCRIPPS HEALTH	0	23	-----	-----	+
SCRIPPS MERCY HOSP, SAN DIEGO					
SCRIPPS MERCY HOSP CHULA VISTA					
SHARP CHULA VISTA MED CTR	0	116	0.00	(0.00,25.83)	⊙
SUTTER DELTA MED CTR, ANTIOCH	0	45	-----	-----	+
† SUTTER MED CTR, CASTRO VALLEY	0	7	-----	-----	+
EDEN MED CTR, CASTRO VALLEY					
SAN LEANDRO HOSP					
UNIVERSITY OF CALIFORNIA DAVIS MED CTR, SACRAMENTO	0	205	0.00	(0.00,14.61)	⊙
WATSONVILLE COMMUNITY HOSP	0	41	-----	-----	+

* Hospitals with only one acute care campus associated with their license were listed by the campus name; hospitals with more than one campus associated with their license were listed by licensee names with acute care campus name(s) indented below

**Statistical interpretation indicates hospital-specific rates that were statistically higher (●), lower (○), or no different (⊙) than California average rates, or rates that were not tested due to too few central line-days or too few hospitals reported (+)

† Hospital reported infection data aggregated over all acute care campuses

‡ Hospital reported infection data separately by acute care campus

Notes: Rate per 1000 central line days; 95% confidence interval calculated for rates based on exact Poisson distribution; ----- indicates data not shown due to too few central line-days reported; neonatal step down general care locations specialize in preterm and/or ill infants with birth weight ≥1500 grams requiring resuscitation and stabilization before transfer to a facility at which newborn intensive care is provided

Source: Central Line-Associated Bloodstream Infections and Central Line Insertion Practices in California Hospitals, January through December 2012. California Department of Public Health