

**CLABSI Table 4. Rates of central line-associated bloodstream infection and central line insertion practices (CLIP) adherence percent in patient care locations providing medical/surgical critical care, reported by California major teaching hospitals, January - December 2013 (inclusive).**

Reporting hospital*	Cases	Central line-days	Rate	95% Confidence Interval	Statistical interpretation**	CLIP Adherence %
<b>STATE OF CALIFORNIA POOLED DATA</b>	<b>65</b>	<b>49588</b>	<b>1.31</b>			<b>97.9</b>
CEDARS-SINAI MED CTR, LOS ANGELES	1	1143	0.87	(0.02,4.87)	⊙	97.1
COMMUNITY REGIONAL MED CTR, FRESNO	17	8678	1.96	(1.14,3.14)	⊙	95.0
KAISER FOUNDATION HOSP, LOS ANGELES	3	3303	0.91	(0.19,2.65)	⊙	88.5
KECK HOSP OF USC, LOS ANGELES	9	3268	2.75	(1.26,5.23)	⊙	99.4
† LOMA LINDA UNIVERSITY MED CTR	1	548	1.82	(0.05,10.17)	⊙	96.9
LOMA LINDA UNIV HEART & SURGICAL HOSP, REDLANDS	.	.	.			.
LOMA LINDA UNIV MED CTR EAST HOSP, LOMA LINDA	.	.	.			.
LOMA LINDA UNIV MED CTR, LOMA LINDA	.	.	.			.
RIVERSIDE COUNTY REGIONAL MED CTR, MORENO VALLEY	3	6254	0.48	(0.10,1.40)	⊙	99.8
SANTA MONICA, UCLA MED CTR AND ORTHOPAEDIC	9	4356	2.07	(0.94,3.92)	⊙	99.1
† SCRIPPS HEALTH	3	2749	1.09	(0.23,3.19)	⊙	97.3
SCRIPPS MERCY HOSP, SAN DIEGO	.	.	.			.
SCRIPPS MERCY HOSP CHULA VISTA	.	.	.			.
STANFORD HOSP, STANFORD	1	6602	0.15	(0.00,0.84)	○	99.9
UNIVERSITY OF CALIFORNIA DAVIS MED CTR, SACRAMENTO	1	1439	0.69	(0.02,3.87)	⊙	96.0
† UNIVERSITY OF CALIFORNIA, SAN DIEGO	7	5135	1.36	(0.55,2.81)	⊙	98.6
UNIVERSITY OF CALIFORNIA, SAN DIEGO MED CTR	.	.	.			.
UCSD-LA JOLLA, JOHN M.& SALLY B. THORNTON HOSP	.	.	.			.
† UNIVERSITY OF CALIFORNIA, SAN FRANCISCO	10	6113	1.64	(0.78,3.01)	⊙	98.4
UCSF MED CTR, SAN FRANCISCO	.	.	.			.
UCSF MED CTR AT MOUNT ZION, SAN FRANCISCO	.	.	.			.

\* Hospitals with only one acute care campus associated with their license were listed by the campus name; hospitals with more than one campus associated with their license were listed by licensee names with acute care campus name(s) indented below

\*\*Statistical interpretation indicates hospital-specific rates that were statistically higher (●), lower (○), or no different (⊙) than California average rates, or rates that were not tested due to too few central line-days or too few hospitals reported in the location category (†)

† Hospital reported infection data aggregated over all acute care campuses

‡ Hospital reported infection data separately by acute care campus

Notes: Rate per 1000 central line days; 95% confidence interval calculated for rates based on exact Poisson distribution; medical/surgical critical care locations specialize in care of critically ill patients with medical and/or surgical conditions

Source: Central Line-Associated Bloodstream Infections and Central Line Insertion Practices in California Hospitals, January through December 2013. California Department of Public Health