

CLABSI Table 16. Central Line-Associated Bloodstream Infection (CLABSI) Rates and Central Line Insertion Practices (CLIP) Adherence Percentages in Neonatal Critical Care Units for Neonates Weighing Between 1001 and 1500 Grams at Birth, Reported by California Hospitals, January - December 2014

Hospitals highlighted in red did not participate in 2014 data validation; completeness of reported infections has not been evaluated.

County	Hospital Name	CLABSI count	Central line-days	Rate per 1000*	95% Confidence Interval**	Statistical Interpretation***	CLIP Adherence %^
	STATE OF CALIFORNIA POOLED DATA	32	35918	0.89			96.1
Alameda	Alta Bates Summit Medical Center-Alta Bates Campus	1	709	1.41	(0.04,7.86)	N	100
Alameda	Children's Hospital & Research Center Oakland	1	419	2.39	(0.06,13.30)	N	100
Alameda	Kaiser Foundation Hospital, Fremont	0	91	0	(0.00,32.92)	N	94.3
Alameda	Kaiser Foundation Hospital, Oakland/Richmond	2	341	5.87	(0.71,21.19)	N	93
Butte	Enloe Medical Center - Esplanade	0	2	.	-----	---	.
Contra Costa	John Muir Medical Center-Walnut Creek Campus	0	238	0	(0.00,12.59)	N	88.9
Contra Costa	Kaiser Foundation Hospital, Walnut Creek	0	265	0	(0.00,11.30)	N	97.6
Fresno	Clovis Community Medical Center	0	24	.	-----	---	100
Fresno	Community Regional Medical Center	0	1339	0	(0.00,2.24)	N	98.7
Kern	Bakersfield Memorial Hospital	0	724	0	(0.00,4.14)	N	98.3
Kern	Kern Medical Center	0	875	0	(0.00,3.42)	N	100
<i>Kern</i>	<i>Mercy Southwest Hospital</i>	<i>0</i>	<i>390</i>	<i>0</i>	<i>(0.00,7.68)</i>	<i>N</i>	<i>100</i>
Kern	San Joaquin Community Hospital	0	126	0	(0.00,23.78)	N	98.4
Los Angeles	Antelope Valley Hospital	1	135	7.41	(0.19,41.27)	N	97.8
Los Angeles	California Hospital Medical Center - Los Angeles	0	3	.	-----	---	100
Los Angeles	Cedars-Sinai Medical Center	1	564	1.77	(0.04,9.88)	N	90.8
Los Angeles	Centinela Hospital Medical Center	1	84	11.9	(0.30,66.33)	N	94.7
Los Angeles	Childrens Hospital Los Angeles	0	1295	0	(0.00,2.31)	N	85.1
Los Angeles	Citrus Valley Medical Center - IC Campus	0	430	0	(0.00,6.97)	N	94.8
Los Angeles	Earl & Loraine Miller Children's Hospital	0	864	0	(0.00,3.47)	N	93.1
Los Angeles	Garfield Medical Center	0	38	.	-----	---	100
Los Angeles	Glendale Adventist Medical Center	0	218	0	(0.00,13.74)	N	97.2
<i>Los Angeles</i>	<i>Glendale Memorial Hospital and Health Center</i>	<i>0</i>	<i>164</i>	<i>0</i>	<i>(0.00,18.27)</i>	<i>N</i>	<i>100</i>
Los Angeles	Good Samaritan Hospital, Los Angeles	0	451	0	(0.00,6.64)	N	100
Los Angeles	Henry Mayo Newhall Hospital	0	33	.	-----	---	.
Los Angeles	Hollywood Presbyterian Medical Center	0	385	0	(0.00,7.78)	N	98
Los Angeles	Huntington Memorial Hospital	0	400	0	(0.00,7.49)	N	98.1
Los Angeles	Kaiser Foundation Hospital, Baldwin Park	0	52	0	(0.00,57.61)	N	80
Los Angeles	Kaiser Foundation Hospital, Downey	0	333	0	(0.00,9.00)	N	99.4
Los Angeles	Kaiser Foundation Hospital, Los Angeles	1	437	2.29	(0.06,12.75)	N	96.1
Los Angeles	Kaiser Foundation Hospital, Panorama City	0	405	0	(0.00,7.40)	N	64.3
Los Angeles	Kaiser Foundation Hospital, South Bay	0	2	.	-----	---	.
Los Angeles	Kaiser Foundation Hospital, West LA	0	82	0	(0.00,36.53)	N	84.6
Los Angeles	Kaiser Foundation Hospital, Woodland Hills	0	1	.	-----	---	100
Los Angeles	LAC+USC Medical Center	0	497	0	(0.00,6.03)	N	98.8

CLABSI Table 16. Central Line-Associated Bloodstream Infection (CLABSI) Rates and Central Line Insertion Practices (CLIP) Adherence Percentages in Neonatal Critical Care Units for Neonates Weighing Between 1001 and 1500 Grams at Birth, Reported by California Hospitals, January - December 2014

Hospitals highlighted in red did not participate in 2014 data validation; completeness of reported infections has not been evaluated.

County	Hospital Name	CLABSI count	Central line-days	Rate per 1000*	95% Confidence Interval**	Statistical Interpretation***	CLIP Adherence %^
	STATE OF CALIFORNIA POOLED DATA	32	35918	0.89			96.1
<i>Los Angeles</i>	<i>LAC/Harbor-UCLA Medical Center</i>	<i>0</i>	<i>345</i>	<i>0</i>	<i>(0.00,8.68)</i>	<i>N</i>	<i>86.8</i>
<i>Los Angeles</i>	<i>Los Angeles County Olive View-UCLA Medical Center</i>	<i>0</i>	<i>72</i>	<i>0</i>	<i>(0.00,41.61)</i>	<i>N</i>	<i>100</i>
Los Angeles	Methodist Hospital of Southern California	0	13	.	-----	---	100
Los Angeles	Northridge Hospital Medical Center	0	68	0	(0.00,44.05)	N	100
Los Angeles	PIH Hospital - Downey	0	20	.	-----	---	100
Los Angeles	Pomona Valley Hospital Medical Center	1	1316	0.76	(0.02,4.23)	N	93
Los Angeles	Presbyterian Intercommunity Hospital	0	501	0	(0.00,5.98)	N	100
Los Angeles	Providence Holy Cross Medical Center	0	38	.	-----	---	.
Los Angeles	Providence Little Company of Mary Medical Center Torrance	0	99	0	(0.00,30.26)	N	97.2
Los Angeles	Providence Saint John's Health Center	0	142	0	(0.00,21.10)	N	100
Los Angeles	Providence Saint Joseph Medical Center	0	25	.	-----	---	100
<i>Los Angeles</i>	<i>Providence Tarzana Medical Center</i>	<i>0</i>	<i>177</i>	<i>0</i>	<i>(0.00,16.93)</i>	<i>N</i>	<i>95</i>
Los Angeles	Ronald Reagan UCLA Medical Center	1	786	1.27	(0.03,7.09)	N	96.6
Los Angeles	Saint Francis Medical Center	0	480	0	(0.00,6.24)	N	98
Los Angeles	San Gabriel Valley Medical Center	0	63	0	(0.00,47.55)	N	100
<i>Los Angeles</i>	<i>Santa Monica - UCLA Medical Center and Orthopaedic Hospital</i>	<i>0</i>	<i>187</i>	<i>0</i>	<i>(0.00,16.02)</i>	<i>N</i>	<i>100</i>
Los Angeles	St. Mary Medical Center, Long Beach	0	88	0	(0.00,34.04)	N	100
Los Angeles	Torrance Memorial Medical Center	2	197	10.15	(1.23,36.67)	H	92.9
Los Angeles	Valley Presbyterian Hospital	0	140	0	(0.00,21.40)	N	96.8
Los Angeles	West Hills Hospital & Medical Center	0	51	0	(0.00,58.74)	N	100
Los Angeles	White Memorial Medical Center	1	125	8	(0.20,44.57)	N	100
Madera	Children's Hospital Central California	1	1785	0.56	(0.01,3.12)	N	98.6
Monterey	Natividad Medical Center	0	23	.	-----	---	100
Orange	AHMC Anaheim Regional Medical Center	0	108	0	(0.00,27.74)	N	100
<i>Orange</i>	<i>Children's Hospital at Mission</i>	<i>0</i>	<i>116</i>	<i>0</i>	<i>(0.00,25.83)</i>	<i>N</i>	<i>100</i>
Orange	Children's Hospital of Orange County	1	670	1.49	(0.04,8.32)	N	98.9
Orange	Fountain Valley Regional Hospital & Medical Center	0	319	0	(0.00,9.39)	N	100
Orange	Hoag Memorial Hospital Presbyterian	0	160	0	(0.00,18.72)	N	.
Orange	Kaiser Foundation Hospital, Orange County, Anaheim	1	394	2.54	(0.06,14.14)	N	91
Orange	Kaiser Foundation Hospital, Orange County, Irvine	0	6	.	-----	---	76.5
Orange	Saddleback Memorial Medical Center	0	13	.	-----	---	100
Orange	St. Jude Medical Center	0	87	0	(0.00,34.43)	N	100
Orange	University of California Irvine Medical Center	0	374	0	(0.00,8.01)	N	98.3
Orange	Western Medical Center Santa Ana	0	63	0	(0.00,47.55)	N	100
Placer	Kaiser Foundation Hospital, Roseville	0	542	0	(0.00,5.53)	N	98.6

CLABSI Table 16. Central Line-Associated Bloodstream Infection (CLABSI) Rates and Central Line Insertion Practices (CLIP) Adherence Percentages in Neonatal Critical Care Units for Neonates Weighing Between 1001 and 1500 Grams at Birth, Reported by California Hospitals, January - December 2014

Hospitals highlighted in red did not participate in 2014 data validation; completeness of reported infections has not been evaluated.

County	Hospital Name	CLABSI count	Central line-days	Rate per 1000*	95% Confidence Interval**	Statistical Interpretation***	CLIP Adherence %^
	STATE OF CALIFORNIA POOLED DATA	32	35918	0.89			96.1
Placer	Sutter Roseville Medical Center	0	17	.	-----	---	100
Riverside	Desert Regional Medical Center	0	132	0	(0.00,22.69)	N	86.7
Riverside	Kaiser Foundation Hospital, Riverside	0	151	0	(0.00,19.84)	N	100
Riverside	Parkview Community Hospital Medical Center	0	115	0	(0.00,26.05)	N	100
Riverside	Riverside Community Hospital	0	250	0	(0.00,11.98)	N	97.8
Riverside	Riverside County Regional Medical Center	1	179	5.59	(0.14,31.13)	N	100
Sacramento	Mercy San Juan Medical Center	0	463	0	(0.00,6.47)	N	99.5
Sacramento	Sutter General Hospital	1	473	2.11	(0.05,11.78)	N	98
Sacramento	University of California Davis Medical Center	1	455	2.2	(0.06,12.25)	N	94.6
San Bernardino	Arrowhead Regional Medical Center	0	181	0	(0.00,16.55)	N	97.6
San Bernardino	Community Hospital of San Bernardino	0	8	.	-----	---	100
San Bernardino	Kaiser Foundation Hospital, Fontana	1	358	2.79	(0.07,15.56)	N	44.7
San Bernardino	Kaiser Foundation Hospital, Ontario	0	9	.	-----	---	90.9
San Bernardino	Loma Linda University Medical Center	3	1403	2.14	(0.44,6.25)	N	92.1
San Bernardino	Redlands Community Hospital	0	118	0	(0.00,25.39)	N	98.6
San Bernardino	San Antonio Community Hospital	0	388	0	(0.00,7.72)	N	94.6
San Bernardino	St. Bernardine Medical Center	0	92	0	(0.00,32.56)	N	97.7
San Bernardino	St. Mary Medical Center, Apple Valley	0	71	0	(0.00,42.19)	N	73.3
San Bernardino	Victor Valley Global Medical Center	0	1	.	-----	---	.
San Diego	Grossmont Hospital	0	171	0	(0.00,17.52)	N	97.2
San Diego	Kaiser Foundation Hospital, San Diego	0	475	0	(0.00,6.31)	N	99.5
San Diego	Rady Children's Hospital - San Diego	0	696	0	(0.00,4.30)	N	99.2
San Diego	Scripps Mercy Hospital	0	10	.	-----	---	94.1
San Diego	Sharp Mary Birch Hospital For Women And Newborns	2	1697	1.18	(0.14,4.26)	N	99.9
San Diego	Tri-City Medical Center	0	136	0	(0.00,22.03)	N	100
San Diego	University of California, San Diego Medical Center	0	660	0	(0.00,4.54)	N	100
San Francisco	California Pacific Medical Center – California West Campus Hospital	0	428	0	(0.00,7.00)	N	75.4
San Francisco	Kaiser Foundation Hospital, San Francisco	0	240	0	(0.00,12.48)	N	100
San Francisco	San Francisco General Hospital	0	16	.	-----	---	100
San Francisco	UCSF Medical Center	0	491	0	(0.00,6.10)	N	100
San Joaquin	Dameron Hospital	0	193	0	(0.00,15.52)	N	83.1
San Joaquin	San Joaquin General Hospital	0	105	0	(0.00,28.53)	N	100
San Joaquin	St. Joseph's Medical Center Of Stockton	0	1	.	-----	---	93.8
San Luis Obispo	Sierra Vista Regional Medical Center	1	112	8.93	(0.23,49.75)	N	90.5
<i>Santa Barbara</i>	<i>Marian Regional Medical Center</i>	<i>0</i>	<i>100</i>	<i>0</i>	<i>(0.00,29.96)</i>	<i>N</i>	<i>100</i>

CLABSI Table 16. Central Line-Associated Bloodstream Infection (CLABSI) Rates and Central Line Insertion Practices (CLIP) Adherence Percentages in Neonatal Critical Care Units for Neonates Weighing Between 1001 and 1500 Grams at Birth, Reported by California Hospitals, January - December 2014

Hospitals highlighted in red did not participate in 2014 data validation; completeness of reported infections has not been evaluated.

County	Hospital Name	CLABSI count	Central line-days	Rate per 1000*	95% Confidence Interval**	Statistical Interpretation***	CLIP Adherence %^
	STATE OF CALIFORNIA POOLED DATA	32	35918	0.89			96.1
Santa Barbara	Santa Barbara Cottage Hospital	1	70	14.29	(0.36,79.59)	N	98.7
Santa Clara	El Camino Hospital	0	197	0	(0.00,15.21)	N	100
Santa Clara	Good Samaritan Hospital, San Jose	1	368	2.72	(0.07,15.14)	N	96.7
Santa Clara	Kaiser Foundation Hospital, Santa Clara	1	369	2.71	(0.07,15.10)	N	91.1
Santa Clara	Lucile Salter Packard Children's Hospital at Stanford	0	835	0	(0.00,3.59)	N	99.3
Santa Clara	O'Connor Hospital	0	50	0	(0.00,59.91)	---	92.3
Santa Clara	Santa Clara Valley Medical Center	1	249	4.02	(0.10,22.38)	N	88
Santa Cruz	Dominican Hospital	0	46	.	-----	---	100
Shasta	Mercy Medical Center Redding	0	112	0	(0.00,26.75)	N	100
Solano	Northbay Medical Center	1	54	18.52	(0.47,103.18)	N	100
Sonoma	Santa Rosa Memorial Hospital	0	11	.	-----	---	.
Sonoma	Sutter Santa Rosa Regional Hospital	1	106	9.43	(0.24,52.56)	N	100
<i>Stanislaus</i>	<i>Doctors Medical Center</i>	<i>0</i>	<i>399</i>	<i>0</i>	<i>(0.00,7.51)</i>	<i>N</i>	<i>98</i>
Stanislaus	Kaiser Foundation Hospital, Manteca	0	82	0	(0.00,36.53)	N	100
Tulare	Kaweah Delta Medical Center	0	187	0	(0.00,16.02)	N	98.1
Ventura	Community Memorial Hospital - San Buenaventura	0	176	0	(0.00,17.02)	N	.
Ventura	Los Robles Hospital & Medical Center	0	53	0	(0.00,56.52)	N	100
<i>Ventura</i>	<i>Simi Valley Hospital & Health Care Services</i>	<i>0</i>	<i>45</i>	<i>.</i>	<i>-----</i>	<i>---</i>	<i>94.4</i>
<i>Ventura</i>	<i>St Johns Regional Medical Center</i>	<i>0</i>	<i>36</i>	<i>.</i>	<i>-----</i>	<i>---</i>	<i>95.7</i>
Ventura	Ventura County Medical Center	0	69	0	(0.00,43.42)	N	96.9

*Rate per 1000 central line days

**95% confidence interval calculated for rates based on exact Poisson distribution.

*** Statistical interpretation indicates hospital-specific rates that were statistically higher (H), lower (L), or no different (N) than California average rates, or rates that were not tested due to too few central line-days or too few hospitals reported (---).

^ Reported neonatal critical care CLIP data is combined for all birthweight categories.

Source: Central Line-Associated Bloodstream Infections and Central Line Insertion Practices in California Hospitals, January 2014 through December 2014 (Inclusive).