

CLABSI Table 6. Central Line-Associated Bloodstream Infection (CLABSI) Rates and Central Line Insertion Practices (CLIP) Adherence Percentages in Medical Critical Care Units, Reported by California Major Teaching Hospitals, January-December 2015

County	Hospital Name	CLABSI count	Central line days	Rate per 1000*	95% Confidence Interval**	Statistical Interpretation***	CLIP Adherence %^
	STATE OF CALIFORNIA POOLED DATA	107	68796	1.56			98.0
Fresno	Community Regional Medical Center	6	2425	2.47	(0.91,5.39)	No difference	90.2
Los Angeles	California Hospital Medical Center - Los Angeles	3	2108	1.42	(0.29,4.16)	No difference	100
Los Angeles	Cedars-Sinai Medical Center	3	5333	0.56	(0.12,1.64)	No difference	98.6
Los Angeles	Kaiser Foundation Hospital, Los Angeles	1	1679	0.60	(0.02,3.32)	No difference	100
Los Angeles	Keck Hospital of USC	2	1462	1.37	(0.17,4.94)	No difference	95.8
Los Angeles	LAC+USC Medical Center	17	4253	4.00	(2.33,6.40)	Higher	98.9
Los Angeles	LAC/Harbor-UCLA Medical Center	3	2217	1.35	(0.28,3.95)	No difference	98.8
Los Angeles	LAC/Olive View-UCLA Medical Center	1	1622	0.62	(0.02,3.44)	No difference	100
Los Angeles	Ronald Reagan UCLA Medical Center	30	12939	2.32	(1.56,3.31)	No difference	98.7
Los Angeles	White Memorial Medical Center	0	338	0.00	(0.00,8.86)	No difference	
Orange	University of California Irvine Medical Center	3	4458	0.67	(0.14,1.97)	No difference	100
Sacramento	Mercy San Juan Medical Center	0	5928	0.00	(0.00,0.51)	Lower	97.8
Sacramento	University of California Davis Medical Center	4	2189	1.83	(0.50,4.68)	No difference	99.0
San Bernardino	Arrowhead Regional Medical Center	2	1892	1.06	(0.13,3.82)	No difference	100
San Bernardino	Loma Linda University Medical Center	9	7737	1.16	(0.53,2.21)	No difference	94.8
San Diego	Scripps Mercy Hospital	1	1375	0.73	(0.02,4.05)	No difference	98.9
San Diego	University of California, San Diego Medical Center	7	3378	2.07	(0.83,4.27)	No difference	98.4
San Francisco	San Francisco General Hospital	2	2170	0.92	(0.11,3.33)	No difference	97.7
Santa Clara	Santa Clara Valley Medical Center	11	3301	3.33	(1.66,5.96)	Higher	99.3
Santa Clara	Stanford Health Care	2	1992	1.00	(0.12,3.63)	No difference	99.3

*CLABSI rate per 1000 central line days.

**95% confidence interval calculated for rates based on exact Poisson distribution.

*** Statistical interpretation indicates hospital-specific rates that were statistically higher, lower, or no different than California average rates, or rates that were not tested due to too few central line-days or too few hospitals reported.

^ The CLIP bundle includes eight components: hand hygiene, recommend skin preparation agent, allowing the skin preparation agent to dry, and five maximal sterile barriers (cap, mask, gown, gloves, and drape).

Source: Central Line-Associated Bloodstream Infections and Central Line Insertion Practices in California Hospitals, January through December 2015. California Department of Public Health.