

CLABSI Table 13. Central Line-Associated Bloodstream Infection (CLABSI) Rates and Central Line Insertion Practices (CLIP) Adherence Percentages in Long-Term Acute Critical Care Units, Reported by California Hospitals, January-December 2015

County	Hospital Name	CLABSI count	Central line days	Rate per 1000*	95% Confidence Interval**	Statistical Interpretation***	CLIP Adherence % [^]
	STATE OF CALIFORNIA POOLED DATA	107	23608	4.53			98.6
Alameda	Kindred Hospital, San Francisco Bay Area	2	1619	1.24	(0.15,4.46)	Lower	100
Los Angeles	Barlow Respiratory Hospital	0	672	0.00	(0.00,4.46)	Lower	100
Los Angeles	Kindred Hospital, Baldwin Park	7	1631	4.29	(1.73,8.84)	No difference	
Los Angeles	Kindred Hospital, La Mirada	6	998	6.01	(2.21,13.09)	No difference	100
Los Angeles	Kindred Hospital, Los Angeles	4	1404	2.85	(0.78,7.29)	No difference	98.8
Los Angeles	Kindred Hospital, San Gabriel Valley	4	1171	3.42	(0.93,8.75)	No difference	
Los Angeles	Kindred Hospital, South Bay, Gardena	9	1350	6.67	(3.05,12.66)	No difference	100
Orange	Kindred Hospital, Brea	9	856	10.51	(4.81,19.96)	Higher	100
Orange	Kindred Hospital, Santa Ana	5	1409	3.55	(1.15,8.28)	No difference	
Orange	Kindred Hospital, Westminster	28	3953	7.08	(4.71,10.24)	Higher	97.8
Riverside	Kindred Hospital, Riverside	4	1713	2.34	(0.64,5.98)	No difference	100
Sacramento	Vibra Hospital of Sacramento	1	1192	0.84	(0.02,4.67)	No difference	100
San Bernardino	Kindred Hospital, Ontario	6	1590	3.77	(1.38,8.21)	No difference	
San Bernardino	Kindred Hospital, Rancho	8	1611	4.97	(2.14,9.78)	No difference	100
San Diego	Kindred Hospital, San Diego	8	1098	7.29	(3.15,14.36)	No difference	90.5
San Diego	Vibra Hospital of San Diego	6	1341	4.47	(1.64,9.74)	No difference	100

*CLABSI rate per 1000 central line days.

**95% confidence interval calculated for rates based on exact Poisson distribution.

*** Statistical interpretation indicates hospital-specific rates that were statistically higher, lower, or no different than California average rates, or rates that were not tested due to too few central line days or too few hospitals reported.

[^] The CLIP bundle includes eight components: hand hygiene, recommend skin preparation agent, allowing the skin preparation agent to dry, and five maximal sterile barriers (cap, mask, gown, gloves, and drape).

Source: Central Line-Associated Bloodstream Infections and Central Line Insertion Practices in California Hospitals, January through December 2015. California Department of Public Health.