

CLABSI Table 21. Central Line-Associated Bloodstream Infection (CLABSI) Rates in Neonatal Step-Down Care Wards, Reported by California Hospitals, January - December 2015

County	Hospital Name	CLABSI count	Central line days	Rate per 1000*	95% Confidence Interval**	Statistical Interpretation***
	STATE OF CALIFORNIA POOLED DATA	0	1771	0.00		
Alameda	Highland Hospital	0	22			
Alameda	Washington Hospital	0	66	0.00	(0.00,45.39)	No difference
Contra Costa	Contra Costa Regional Medical Center	0	4			
Contra Costa	Sutter Delta Medical Center	0	6			
Fresno	Kaiser Foundation Hospital, Fresno	0	1			
Madera	Valley Children's Hospital	0	20			
Monterey	Community Hospital of The Monterey Peninsula	0	1			
Orange	Garden Grove Hospital and Medical Center	0	13			
Sacramento	Kaiser Foundation Hospital, South Sacramento	0	2			
Sacramento	Methodist Hospital of Sacramento	0	98	0.00	(0.00,30.57)	No difference
Sacramento	University of California Davis Medical Center	0	717	0.00	(0.00,4.18)	No difference
San Diego	Pomerado Hospital	0	10			
San Diego	Rady Children's Hospital - San Diego	0	715	0.00	(0.00,4.19)	No difference
San Diego	Sharp Chula Vista Medical Center	0	16			
Santa Clara	Kaiser Foundation Hospital, San Jose	0	1			
Santa Clara	Lucile Packard Children's Hospital Stanford	0	55	0.00	(0.00,54.47)	No difference
Santa Cruz	Watsonville Community Hospital	0	17			
Solano	Kaiser Foundation Hospital and Rehab Center, Vallejo	0	4			
Sonoma	Kaiser Foundation Hospital, Santa Rosa	0	3			

*CLABSI rate per 1000 central line days.

**95% confidence interval calculated for rates based on exact Poisson distribution.

*** Statistical interpretation indicates hospital-specific rates that were statistically higher, lower, or no different than California average rates, or rates that were not tested due to too few central line days or too few hospitals reported.

Source: Central Line-Associated Bloodstream Infections in California Hospitals, January through December 2015. California Department of Public Health.