Table 36. Rates of temporary central line-associated bloodstream infection in patient care locations providing pediatric bone marrow transplant care, reported by California hospitals, January - December 2011 (inclusive)

Reporting hospital*	Cases	Central line-days	Rate	95% Confidence Interval	Statistical interpretation**
STATE OF CALIFORNIA POOLED DATA	**3**	**1269**	**2.36**		
CHILDRENS HOSP OF LOS ANGELES	0	751	0.00	(0.00,3.99)	✦
CHILDREN'S HOSP OF ORANGE COUNTY, ORANGE	3	518	5.79	(1.19,16.93)	✦

* Hospitals with only one acute care campus associated with their license were listed by the campus name; hospitals with more than one campus associated with their license were listed by licensee names with acute care campus name(s) indented below

**Statistical interpretation indicates hospital-specific rates that were statistically higher (●), lower (○), or no different (⊙) than California average rates, or rates that were not tested due to too few central line-days or too few hospitals reported (✦)

† Hospital reported infection data aggregated over all acute care campuses

‡ Hospital reported infection data separately by acute care campus

Notes: Rate per 1000 central line days; 95% confidence interval calculated for rates based on exact Poisson distribution; ------ indicates data not shown due to too few central line-days reported; pediatric bone marrow transplant special care locations specialize in patients who undergo bone marrow (stem cell) transplant for the treatment of various disorders

Source: Central Line-Associated Bloodstream Infections in California Hospitals, January through December 2011. California Department of Public Health