

Table 25. Rates of central line-associated bloodstream infection in general care in jail settings, reported by California hospitals, April 2010 - March 2011 (inclusive)

Reporting hospital*	Cases	Central line-days	Patient days	Device utilization ratio	Rate	95% Confidence Interval	Statistical interpretation**	
							CA	U.S.
STATE OF CALIFORNIA POOLED DATA	18	8051	36454	0.22	2.2			
† ALVARADO HOSP, LLC	3	1117	6073	0.18	2.7	(0.6, 7.8)	⊙	
ALVARADO HOSP CAMPUS #1, SAN DIEGO								
ALVARADO HOSP CAMPUS #2, SAN DIEGO								
† CATHOLIC HEALTHCARE WEST	12	4914	10107	0.49	2.4	(1.3, 4.3)	⊙	
MERCY HOSP, BAKERSFIELD								
MERCY SOUTHWEST HOSP, BAKERSFIELD								
DELANO REGIONAL MED CTR	0	169	2171	0.08	0.0	(0.0, 17.7)	⊙	
DOCTORS MED CTR, SAN PABLO	2	150	736	0.20	13.3	(1.6, 48.2)	⊙	
LAC+USC MED CTR, LOS ANGELES	0	2	573	0.00	-----	-----	—	
RIVERSIDE COUNTY REGIONAL MED CTR, MORENO VALLEY	1	778	6955	0.11	1.3	(0.0, 7.2)	⊙	
SAN JOAQUIN COMMUNITY HOSP, BAKERSFIELD	0	517	6114	0.08	0.0	(0.0, 5.8)	⊙	
TRI-CITY MED CTR, OCEANSIDE	0	23	83	0.28	-----	-----	—	
TWIN CITIES COMMUNITY HOSP, TEMPLETON	0	228	1209	0.19	0.0	(0.0, 13.1)	⊙	
WESTERN MED CTR ANAHEIM	0	153	2433	0.06	0.0	(0.0, 19.6)	⊙	

* Hospitals with only one acute care campus associated with their license were listed by the campus name; hospitals with more than one campus associated with their license were listed by licensee names with acute care campus name(s) indented below

**Statistical interpretation indicates, compared with California (CA) and U.S. average rates, hospital-specific rates that were significantly (statistically) higher (●), lower (○), no different (⊙), not tested due to unstable rates (—) or not tested due to too few hospitals reporting (*); hospital-specific patient care locations with no comparable published U.S. average rates are left blank

† Hospital reported infection data aggregated over all acute care campuses

‡ Hospital reported infection data separately by acute care campus

Notes: Rate per 1000 central line days; device utilization ratio is central line days/patient days for months when central lines were used; 95% confidence interval calculated for rates based on exact Poisson distribution; ----- indicates data not shown due to unstable rates; jail general care locations provide evaluation and treatment of patients who are in custody of law enforcement during their treatment

Source: Central Line-Associated Bloodstream Infections in California Hospitals, April 2010 through March 2011. California Department of Public Health