



FACT SHEET

IMMUNIZATION BRANCH • CALIFORNIA DEPARTMENT OF PUBLIC HEALTH
850 Marina Bay Parkway, Building P • Richmond, CA 94804 • www.getimmunizedca.org

March 2010

How Is California Doing on the National Immunization Survey?

Vaccination coverage in California is at or near all-time high levels. California's goal for the year 2010 is 90% coverage for all individual vaccines and 80% coverage for all childhood vaccine series by 19-35 months of age. The Immunization Branch, local health departments, and physicians are working together to get more children vaccinated on time and to protect them from vaccine-preventable diseases.

ESTIMATED PERCENT OF CALIFORNIA CHILDREN AGE 19–35 MONTHS VACCINATED, BY VACCINE AND SERIES¹

Year of Survey	2004	2005	2006	2007	2008
Time of Birth	Feb 2001- May 2003	Feb 2002- July 2004	Feb 2003- July 2005	Feb 2004- July 2006	Feb 2005- July 2007
4+DTaP	85.3 (±3.2)	83.5 (±4.0)	85.0 (±3.8)	84.9 (±4.0)	86.8 (±3.5)
3+Polio	90.6 (±2.7)	90.5 (±2.9)	93.9 (±2.2)	92.3 (±3.1)	95.7 (±2.0)
1+MMR	93.1 (±2.1)	91.6 (±2.6)	92.8 (±2.6)	94.6 (±2.4)	92.7 (±2.8)
3+Hib	91.7 (±2.5)	93.7 (±2.0)	93.4 (±2.2)	92.7 (±2.8)	94.1 (±2.3)
3+HepB	90.4 (±2.6)	92.6 (±2.3)	95.0 (±1.7)	91.6 (±3.2)	94.7 (±2.5)
1+Var	90.2 (±2.4)	89.5 (±3.1)	91.4 (±3.0)	93.2 (±2.6)	92.4 (±2.7)
4+PCV7	—	—	—	—	83.0 (±3.9)
4:3:1:3:3³	81.3 (±3.4)	77.9 (±4.4)	80.2 (±4.2)	79.4 (±4.5)	80.6 (±4.1)
4:3:1:3:3:1⁴	78.6 (±3.5)	74.0 (±4.8)	78.5 (±4.3)	77.1 (±4.7)	78.7 (±4.2)
4:3:1:3:3:1:4⁵	—	—	—	—	70.5 (±4.7)

1. The National Immunization Survey (NIS) provides national and state estimates of vaccination coverage—including new vaccines as they are licensed and recommended for use (www.cdc.gov/vaccines/stats-surv/imz-coverage.htm#nis). Numbers preceding vaccine indicate the number of doses. Abbreviations are: DTaP for any diphtheria and tetanus toxoids and pertussis vaccines; Polio for any poliovirus vaccine; MMR for measles-mumps-rubella vaccine; Hib for *Haemophilus influenzae* type b vaccine; HepB for hepatitis B vaccine; Var for varicella vaccine; and PCV for pneumococcal conjugate vaccine.
2. Four or more doses of DTaP, three or more doses of Polio, one or more doses of MMR, and three or more doses of Hib.
3. Four or more doses of DTaP, three or more doses of Polio, one or more doses of MMR, three or more doses of Hib, and three or more doses of HepB.
4. Four or more doses of DTaP, three or more doses of Polio, one or more doses of MMR, three or more doses of Hib, three or more doses of HepB, and one or more doses of Var.
5. Four or more doses of DTaP, three or more doses of Polio, one or more doses of MMR, three or more doses of Hib, three or more doses of HepB, one or more doses of Var., and 4 or more doses of PCV7.