

Review of Therapeutic Packages

Revised: 08/17/09

Review of Therapeutic Packages

The items to be discussed related to therapeutic packages include:

- **Overview of Differences in Therapeutic Food Packages due to Interim Rule**
 - Child soy package (not a therapeutic package)

- **Therapeutic Packages for Children**
 - Prescribing therapeutic packages for younger children ≥ 12 months through 23 months

 - Prescribing therapeutic packages for older children ≥ 24 months

 - Formula chart of allowable amounts for therapeutic formula for children

- **Therapeutic Packages for Infants**
 - Fully formula fed infants
 - Prescribing packages for fully formula fed infants 0-3 months of age and 4-5 months of age
 - Prescribing packages for fully formula fed infants 6-11 months of age
 - Therapeutic formula packages with infant food
 - Increased therapeutic formula packages with NO infant food
 - Formula chart of allowable amounts for therapeutic formula for infants
 - Formula chart of allowable amounts for increased therapeutic formula with NO food

 - Combo breastfeeding infants
 - Combo mostly breastfeeding with therapeutic formula
 - Prescribing packages for combo mostly breastfeeding infants 0-3 months of age and 4-5 months of age
 - Prescribing packages for combo mostly breastfeeding infants 6-11 months of age
 - Therapeutic formula packages with infant food
 - Increased therapeutic formula packages with NO infant food
 - Formula chart of allowable amounts for combo mostly breastfeeding with therapeutic formula

- Combo some breastfeeding
 - Prescribing packages for combo some breastfeeding infants 0-3 months of age and 4-5 months of age
 - Prescribing packages for combo some breastfeeding infants 6-11 months of age
 - Therapeutic formula packages with infant food
 - Increased therapeutic formula packages with NO infant food
 - Formula chart of allowable amounts for combo some breastfeeding with therapeutic formula

- **Therapeutic Packages for Women**
 - Pregnant Women
 - Prescribing packages for pregnant women with singletons
 - Prescribing packages for pregnant women with multiples

 - Non-Breastfeeding Women
 - Prescribing packages for non-breastfeeding women

 - Breastfeeding Women
 - Prescribing packages for fully breastfeeding women with singletons
 - Prescribing packages for fully breastfeeding women with multiples
 - Prescribing packages for combo breastfeeding women with multiples
 - Prescribing packages for combo mostly breastfeeding women
 - Prescribing packages for combo some breastfeeding women

Overview of Differences in Therapeutic Food Packages due to Interim Rule

The Interim Rule puts forth a new situation for participants with special needs related to their food intake. WIC's medically fragile infants, children and women will be offered all of the WIC foods, not only cereal and juice, in addition to the therapeutic formula. The Interim Rule defines Package 3 as the food package for participants with special dietary needs supported by medical documentation. Similar to current practice, a medical provider must prescribe the appropriate therapeutic formula (also known as "medically necessary formula") or medical food for an infant, child or woman. The new component of the therapeutic food package is that a medical provider must also prescribe the WIC foods within this package that the participant may or may not have. If there are food restrictions, staff will need to tailor out these restricted food items from the food package before printing. Further details will be explained in later sections of this module.

The medical provider must also document the time duration for the special dietary needs so that staff can enter in an expiration date on the ISIS screen, similar to current practice. This training module aims to present the ISIS changes related to therapeutic packages as a result of the Interim Rule. While the changes to ISIS are based on policy changes regarding therapeutics and this module includes some references to operations, this module does not provide all of the necessary information to have a thorough understanding of the policies specific to participants with special needs.

Child soy and tofu package (not a therapeutic package)

The child's soy and tofu packages (CT4S for the younger child and CP4S for the older child) are not therapeutic food packages. These child packages, however, do require documentation from a medical provider (completion of the "Soy Request" portion of the Pediatric Referral form). The qualifying conditions for a soy and tofu package for a child may include, but are not limited to, milk allergy, severe lactose mal-digestion, and vegan diet. A request for soy and tofu from the medical provider is needed only once during a child's participation in WIC, and can cover the issuance of a soy and tofu package in subsequent certification periods beyond the one in which the soy request was obtained. A mother can choose to opt out of the soy and tofu package for her child at any time during the child's participation in WIC without a note from the medical provider.

WIC staff shall document in ISIS the receipt of the soy and tofu request from the medical provider. It is best practice to document a change in the package issuance if a mother chooses to opt out of the soy and tofu package for her child. Please refer to the ISIS Training Module on the Child Category for more details on issuing soy and tofu packages to children. Women do not require medical documentation to receive soy or tofu products.

Therapeutic Packages for Children

Prescribing therapeutic packages for younger children ≥ 12 months through 23 months

With documentation from a medical provider, a child ≥ 12 months through 23 months may receive the designated therapeutic package that contains whole milk and other WIC foods according to the prescription. The therapeutic packages for the younger child are shown below.

- CT4C RX, Whole Milk, Contract Formula
- CT4P RX, Whole Milk, Therap Form-Other Provider
- CT4G RX, Whole Milk, Therap Form-State WIC
- CT4A RX, Whole Milk, Therap Form-WIC Agency


Staff accesses the therapeutic packages for the younger child through the default food package CT4W (Standard Child < 24 Months, Whole Milk).

Modification to ISIS Prescribe Food Package Screen – CT4W

```
Session A
File Edit View Communication Actions Window ZipPrint Help
PrtScr Color Clipbrd Index
IRX15M01 CALIFORNIA WIC INFORMATION SYSTEM 8/07/09
100BWALK PRESCRIBE FOOD PACKAGE 02:07 PM
INDIVIDUAL NAME: YOUNGER CHILD ID: 950921914YC
FOOD PACKAGE ID: CT4W NAME: STANDARD CHILD < 24 MONTHS, WHOLE MILK
DOES THIS PARTICIPANT WANT A DIFFERENT FOOD PACKAGE?
PRESS F5 TO SEE OTHER OPTIONS.
FOOD PACKAGE PRESCRIPTION FOR CERTIFICATION PERIOD
ID TLR HOLD ID TLR HOLD ID TLR HOLD ID TLR HOLD
AUG CT4W _ DEC CT4W _
SEP CT4W _ JAN CT4W _
OCT CT4W _
NOV CT4W _
Command ===>
F: 1=Hst 2=View 3=Ext 4=Opt 5=Chg Pkg 7=Tlr 9=Comm 11=Done 12=Prev
MA a 23/015
Connected to remote server/host hwdc3270.cahwnet.gov using lu/pool DTSS23NH and port 23
\\dhssacpct01\1541-4th-PCF-Q03 HP Color LJ 55
start ZipPrint - (A) Session A Review of The... 2:07 PM
```

Staff selects the F5 Change Package key from the Prescribe Food Package screen to view the four therapeutic packages for the young child. Please note the therapeutic packages for the younger child are not displayed together on the pick list; rather, they are listed in alpha-numeric order.


Modification to ISIS Change Food Package Screen – CT4W



Staff will select the correct package from the pick list on the Change Food Package screen, and press F11. For example, if the medical documentation indicates the younger child needs contract formula, staff selects the CT4C (Rx, Whole Milk, Contract Formula) food package.


Staff will then get to view the selected food package on the View Food Package screen.

Modification to ISIS View Food Package Screen – CT4C



After pressing F11 again, staff will be returned to the Prescribe Food Package screen.


Modification to ISIS Prescribe Food Package Screen – CT4C



Similar to existing practice, staff enters in the month and year the prescription is good through, which is found from the Pediatric Referral form in the duration information. The logic continues to exist in ISIS that an individual hold will be placed in the month prior to the expiration month. Staff will also need to answer any formula questions that are present on the prescription screen.


The screen below displays the contract formula selections available for the younger child (these selections are also available for the older child).

ISIS Contract Formula List Pop-Up Screen - Child



As mentioned earlier, the Interim Rule requires that a medical provider designates whether there are food restrictions, and if so, which foods are not to be issued to the participant. As a result, a new question appears on this screen, “Are there restrictions on any WIC foods?” This question requires a Yes or No response. If staff attempts to leave the screen without answering this question, ISIS will display an error message on the top of the screen, “Input is required for restriction question – enter Y or N.”


Modification to ISIS Prescribe Food Package Screen with Restriction Question Error Message – CT4C



If there are no food restrictions noted from the medical provider, staff enter N for the restriction question, press F11, and will leave the prescription screen.

If there are food restrictions noted on the Pediatric Referral form, staff must answer Y to the question, "Are there food restrictions on any WIC foods?" According to policy, staff must tailor out the foods that have been identified as not appropriate and should not be issued. If staff attempt to leave this screen without choosing the tailor key, ISIS will display a reminder message on the top of the screen, "Press F7=TLr to Tailor Food Package". If staff presses F11 a second time, ISIS will move forward without requiring the tailoring function.

Modification to ISIS Prescribe Food Package Screen with Tailor Reminder Message – CT4C



Tailoring the food package is the same process as currently exists in ISIS. For the therapeutic packages, there are separate checks for different food types with the exception of beans and peanut butter (as with non-therapeutic packages, participants will make this choice at the store). Each check for the different food types, however, will print the total amount allowed for the participant for that package (for example, a child receiving the CT4C package will receive one check for 32 ounces of whole grains). Please note, consistent with current ISIS logic, if changes to the food questions need to be made, tailoring to the food package must first be removed.

Modification to ISIS Tailor Food Package Screen – CT4C

Session A

File Edit View Communication Actions Window ZipPrint Help

PrintScreen Color Clipboard Index

IRX14M01 CALIFORNIA WIC INFORMATION SYSTEM 8/07/09
 100BWALK TAILOR FOOD PACKAGE 03:28 PM

INDIVIDUAL NAME: YOUNGER CHILD ID: 950921914YC
 FOOD PACKAGE ID: CT4C NAME: RX, WHOLE MILK, CONTRACT FORMULA

ENTER THE NUMBER OF MONTHS TO TAILOR OR "F" FOR FULL CERT PERIOD: __
 To tailor, type "D" next to the food item(s) to be deleted and press F11.

DELETE	FOOD	ITEM
-	4 CN ENFAMIL LIPIL W/IRON PWDR	1011
-	5 CN ENFAMIL LIPIL W/IRON PWDR	1012
-	\$6 FRUIT AND VEGETABLE	2004
-	WHOLE MLK-1 GAL & 1 HALF GAL	2204
-	WHOLE MILK - 2 GALLONS	2205
-	EGG - 1 DOZEN	2330
-	CHEESE - 1 (16 OZ)	2340
-	128 OZ JUICE	2351
-	CEREAL (36 OZ)	2371
-	BEANS - DRY 1 LB OR PB	2381
-	WHOLE GRAINS (32 OZ)	2396

Command ==> █
 F: 1=Help 4=Options 9=Comments 11=Done 12=Prev

MA a 23/016

Connected to remote server/host hwdc3270.cahwnet.gov using lu/pool DTSS23NH and port 23 \\ydhssacpcfh01\1541-4th-PCF-Q03 HP Color LJ 55

start ZipPrint - ... Session A Review of ... Inbox - Mi... 3:28 PM

Prescribing therapeutic packages for older children ≥ 24 months

With documentation from a medical provider, a child ≥ 24 months may receive the designated therapeutic package that contains lower fat milk and other WIC foods according to the prescription. The therapeutic packages for the older child are shown below.

- CF4C RX, Lower Fat Milk, Contract Formula
- CF4P RX, Lower Fat Milk, Therap Form-Other Provider
- CF4G RX, Lower Fat Milk, Therap Form-State WIC
- CF4A RX, Lower Fat Milk, Therap Form-WIC Agency


Staff accesses the therapeutic packages for the older child through the default food package CP4 (Standard Child ≥ 24 months, Lower Fat Milk). The pathways and screens for issuing the older child a therapeutic food package are similar to those for the younger child.

Modification to ISIS Prescribe Food Package Screen – CP4

```
Session A
File Edit View Communication Actions Window ZipPrint Help
PrtScrn Color Clipbrd Index
IRX15M01 CALIFORNIA WIC INFORMATION SYSTEM 8/10/09
100BWALK PRESCRIBE FOOD PACKAGE 10:37 AM
INDIVIDUAL NAME: OLDER CHILD ID: 4739222100C
FOOD PACKAGE ID: CP4 NAME: STANDARD CHILD => 24 MONTHS, LOWER FAT MILK
DOES THIS PARTICIPANT WANT A DIFFERENT FOOD PACKAGE?
PRESS F5 TO SEE OTHER OPTIONS.
FOOD PACKAGE PRESCRIPTION FOR CERTIFICATION PERIOD
ID TLR HOLD ID TLR HOLD ID TLR HOLD ID TLR HOLD
AUG CP4 - DEC CP4 -
SEP CP4 - JAN CP4 -
OCT CP4 -
NOV CP4 -
Command ==>
F: 1=Hst 2=View 3=Ext 4=0pt 5=Chg Pkg 7=Tlr 9=Comm 11=Done 12=Prev
MA a 23/016
Connected to remote server/host hwdc3270.cahwnet.gov using lu/pool DTSS2FPS and port 23
\\dhssacpcf01\1541-4th-PCF-Q03 HP Color LJ 55
start Review of ... ZipPrint - ... Session A Inbox - Mi... 10:39 AM
```

Staff selects the F5 Change Package key from the Prescribe Food Package screen to view the four therapeutic packages for the older child. Please note for the older child that the therapeutic packages are listed in alpha-numeric order.


Modification to ISIS Change Food Package Screen – CP4



Staff will select the correct package from the pick list on the Change Food Package screen, and press F11. For example, if the medical documentation indicates the child needs a therapeutic formula that the local WIC agency can print, staff selects the CF4A (Rx, Lower Fat Milk, Therap Form-WIC Agency) food package.

Staff will then get to view the selected food package on the View Food Package screen.

Modification to ISIS View Food Package Screen – CF4A



After pressing F11 again, staff will be returned to the Prescribe Food Package screen.

Modification to ISIS Prescribe Food Package Screen – CF4A

```

Session A
File Edit View Communication Actions Window ZipPrint Help
PrtScrn Color Clipbrd Index
IRX29M01          CALIFORNIA WIC INFORMATION SYSTEM          8/10/09
100BWALK          PRESCRIBE FOOD PACKAGE                    10:43 AM

INDIVIDUAL NAME:  OLDER                      CHILD                      ID: 4739222100C
FOOD PKG ID: CF4A  NAME: RX, LOWER FAT MILK, THERAP FORM-WIC AGENCY

MONTH AND YEAR PRESCRIPTION GOOD THROUGH:  __ __
ARE THERE RESTRICTIONS ON ANY WIC FOODS?  _

1. "Which formula do you use?"  _

FOOD PACKAGE PRESCRIPTION FOR CERTIFICATION PERIOD
  ID TLR HOLD      ID TLR HOLD      ID TLR HOLD      ID TLR HOLD
AUG  CF4A          _  DEC  CF4A          _
SEP  CF4A          _  JAN  CF4A          _
OCT  CF4A          _
NOV  CF4A          _
Command ===>
F: 1=Hst 2=View 3=Ext 4=Opt 5=Chg Pkg 7=Tlr 9=Comm 11=Done 12=Prev
  
```

MA a 23/015


Connected to remote server/host hwdc3270.cahwnet.gov using lu/pool DTSS2FPS and port 23 \\dhssacpcf01\1541-4th-PCF-Q03 HP Color LJ 55

start Review of ... ZipPrint - ... Session A Inbox - Mi... 10:43 AM

Similar to existing practice, staff enters in the month and year the prescription is good through, which is found from the Pediatric Referral form in the duration information. The logic continues to exist in ISIS that an individual hold will be placed in the month prior to the expiration month. Staff will also need to answer any formula questions that are present on the prescription screen.

The screen below displays the therapeutic formula selections available for the older child (these are also available for the younger child).

ISIS Therapeutic Formula List Pop-Up Screen - Child



As mentioned earlier, the Interim Rule requires that a medical provider designates whether there are any food restrictions, and if so, which foods are not to be issued to the participant. As a result, for all therapeutic food packages where food is included, the new question appears on the Prescribe Food Package screen, “Are there restrictions on any WIC foods?” This question requires a Yes or No response. If staff attempts to leave the screen without answering this question, ISIS will display an error message on the top of the screen, “Input is required for restriction question – enter Y or N.” If there are no food restrictions noted from the medical provider, staff enter N for the restriction question, press F11, and then leave the prescription screen.

If there are food restrictions noted on the Pediatric Referral form, staff enters Y for the restriction question, presses F7 Tailor key to tailor out these foods for the number of months identified by the medical provider, and completes the tailoring process. Please note, consistent with current ISIS logic, if changes to the food questions need to be made, any tailoring to the food package must first be removed.

Formula chart of allowable amounts for therapeutic formula for children

The following chart shows the maximum number of cans for each type and kind of contract formula that is contained in the CT4C and CF4C therapeutic packages.

Children Needing Contract Formula - Types and Amounts by Age

Food Package	Age in Months	Formula Type and Amounts			
		Enfamil LIPIL, Prosobee (Powder)	Enfamil LIPIL, Prosobee (Concentrate)	Enfamil A.R. (Powder only)	Enfamil Gentlease (Powder only)
CT4C or CF4C	12 – 60	9 cans	35 cans	9 cans	10 cans

The following chart shows the maximum number of cans for each type and kind of therapeutic formula that is contained in the CT4A and CF4A therapeutic packages.

Children Needing Therapeutic Formula - Types and Amounts by Age

Food Package	Age in Months	Formula Type and Amounts				
		NeoSure (Powder only)	Enfacare Lipil (Powder only)	Alimentum (Powder only)	Nutramigen LIPIL (Concentrate only)	PediaSure (Vanilla only)
CT4A or CF4A	12 – 60	10 cans	11 cans	7 cans	35 cans	108 bottles

Therapeutic Packages for Infants

Fully Formula Fed Infants

Prescribing packages for fully formula fed infants 0-3 months of age and 4-5 months of age

With documentation from a medical provider an infant 0-3 months of age and 4-5 months of age may receive the designated therapeutic package that contains the appropriate formula according to the prescription. These age groups are discussed together since they only receive formula and no solid foods.

The therapeutic packages for a fully formula fed infant 0-3 months of age are shown below:


- IF1P 0-3 mo, Therap Formula-Other Provider
- IF1G 0-3 mo, Therap Formula-State WIC
- IF1A 0-3 mo, Therap Formula-WIC Agency

The therapeutic packages for a fully formula fed infant 4-5 months of age are shown below:

- IFQP 4-5 mo, Therap Formula-Other Provider
- IFQG 4-5 mo, Therap Formula-State WIC
- IFQA 4-5 mo, Therap Formula-WIC Agency


The therapeutic packages are assessable by two different ways in ISIS. At the Health Information – Infant screen, if staff discover that the infant is taking therapeutic formula and answer the question, “How are you feeding your baby?” with a T (Therapeutic formula) response, this feeding choice will be carried into the prescription screen for the infant.

ISIS Health Information – Infant Screen



When staff reaches the Prescribe Food Package screen in this example, the default food package is IF1A (0-3 mo, Therap Formula – WIC Agency), a package selection that assumes the WIC Agency is printing out the therapeutic formula for the infant. If this is not the case, staff select F5 Change Package key to select one of the other package options (either State WIC ordering special formula – IF1G, or the therapeutic formula is coming from another provider – IF1P). The screen print of the therapeutic package options for this age group is shown in the upcoming section in this module.

Modification to ISIS Prescribe Food Package Screen – IF1A



The second way in which staff accesses the therapeutic packages is through the Prescribe Food Package screen. Often, staff does not discover that a therapeutic formula may be necessary until the question, "Which formula do you use to feed your baby?" is asked from the Prescribe Food Package screen. For the remainder of this module, this navigation route will be used to display access to the therapeutic food packages.

Staff may access the therapeutic packages for the 0-3 months of age infant through the default food package IF1 (0-3 mo, Contract Formula). Staff may access the therapeutic packages for the 4-5 months of age infant through the default food package IFQ (4-5 mo, Contract Formula). Screen prints shown below are for the infant 0-3 months of age and are similar for the infant 4-5 months of age.

Modification to ISIS Prescribe Food Package Screen – IF1

```

Session A
File Edit View Communication Actions Window ZipPrint Help
PrtScr Color Clipbrd Index
IRX21M01 CALIFORNIA WIC INFORMATION SYSTEM 8/08/09
100BWALK PRESCRIBE FOOD PACKAGE 02:16 PM

INDIVIDUAL NAME: INFANT ONE ID: 75592201310
FOOD PKG ID: IF1 NAME: 0-3 MO, CONTRACT FORMULA


If feeding choice has changed, enter new choice and press F10.
FEEDING CHOICE: E
1. "Which formula do you use to feed your baby?" E
2. "Would you like the formula in concentrate or powdered form?" P
3. "Do you want all the formula on one check?" Y

FOOD PACKAGE PRESCRIPTION FOR CERTIFICATION PERIOD
ID TLR HOLD ID TLR HOLD ID TLR HOLD ID TLR HOLD
AUG IF1 - DEC IF2 - APR IF2 -
SEP IF1 - JAN IF2 - MAY IF2 -
OCT IFQ - FEB IF2 - JUN IF2 -
NOV IFQ - MAR IF2 -
Command ==>
F: 1=Hst 2=View 3=Ext 4=Opt 5=Chg Pkg 7=Tlr 9=Comm 10=Shw Chg 11=Done 12=Prev

MA a 23/019
Connected to remote server/host hwdc3270.cahwnet.gov using lu/pool DTSS20IT and port 23 \\DHSWICSNA02\WIC_PTRS_LAN31 on hpcolorLa
Start G:\Dia... Review... ZipPrin... Sessio... Inbox -... 2:17 PM
  
```


Upon entering the Prescribe Food Package screen for both age groups, the default feeding choice is set to F (Formula) and must be changed to T (Therapeutic formula) followed by pressing F10 Show Change. The food package will be changed to IF1A (0-3 mo, Therap Formula – WIC Agency) for an infant 0-3 months of age. The food package will be changed to IFQA (4-5 mo, Therap Formula – WIC Agency) for an infant 4-5 months of age.

Modification to ISIS Prescribe Food Package Screen – IF1A



Staff may select the F5 Change Package key from the Prescribe Food Package screen to view other therapeutic packages available.


Modification to ISIS Change Food Package Screen – IF1A



Staff may select the correct package from the pick list on the Change Food Package screen, and press F11 to view the package and be returned to the Prescribe Food Package screen.

Staff will then need to enter the month and year the prescription is good through and answer the formula questions, if any, on the Prescribe Food Package screen before pressing F11 to complete the prescription process.

Modification to ISIS Prescribe Food Package Screen with Fields Completed – IF1A



Session A [Close] [Maximize] [Print]

File Edit View Communication Actions Window ZipPrint Help

PrtScrn Color Clipbrd Index

IRX28M01 **CALIFORNIA WIC INFORMATION SYSTEM** **8/10/09**
100BWALK **PRESCRIBE FOOD PACKAGE** **11:11 AM**

INDIVIDUAL NAME: INFANT ONE **ID:** 75592201310
FOOD PKG ID: IF1A **NAME:** 0-3 MO, THERAP FORMULA - WIC AGENCY

If feeding choice has changed, enter new choice and press F10.
FEEDING CHOICE: I

MONTH AND YEAR PRESCRIPTION GOOD THROUGH: 10 09

1. "Which formula do you use to feed your baby?" N
2. "Do you want all the formula on one check?" N

FOOD PACKAGE PRESCRIPTION FOR CERTIFICATION PERIOD

	ID	TLR	HOLD	ID	TLR	HOLD	ID	TLR	HOLD	ID	TLR	HOLD
AUG	IF1A			DEC	IF2A		APR	IF2A				
SEP	IF1A		-	JAN	IF2A		MAY	IF2A				-
OCT	IFQA		-	FEB	IF2A		JUN	IF2A				-
NOV	IFQA		-	MAR	IF2A							

Command ==> █

F: 1=Hst 2=View 3=Ext 4=Opt 5=Chg Pkg 7=Tlr 9=Comm 10=Shw Chg 11=Done 12=Prev

MA a 23/015

Connected to remote server/host hwdc3270.cahwnet.gov using lu/pool DTSS2FPS and port 23 \\yfhssacpcf01\1541-4th-PCF-Q03 HP Color LJ 55

start [Taskbar icons: Review of ..., ZipPrint - (A), Session A, Inbox - Mic...] 11:11 AM

Prescribing packages for fully formula fed infants 6-11 months of age

With documentation from a medical provider an infant 6-11 months of age may receive the designated therapeutic package that contains the appropriate formula and infant food according to the prescription.

The therapeutic packages for a fully formula fed infant 6-11 months of age are shown below:

- IF2P 6-11 mo, Infant Food+Therap Formula-Other Provider
- IF2G 6-11 mo, Infant Food+Therap Formula-State WIC
- IF2A 6-11 mo, Infant Food+Therap Formula-WIC Agency

There are a set of therapeutic packages for a fully formula feeding infant 6-11 months of age who may not have any infant food according to the medical provider and thus receives an increased amount of therapeutic formula. These food packages are shown below:

- IF3P 6-11 mo, RX NO Infant Food, Incr Therap-Other Provider
- IF3G 6-11 mo, RX NO Infant Food, Incr Therap-State WIC
- IF3A 6-11 mo, RX NO Infant Food, Incr Therap-WIC Agency

Therapeutic Formula Packages with Infant Food

Staff accesses the therapeutic packages for the 6-11 months of age infant through the default food package IF2 (6-11 mo, Infant Food+Contract Formula), as shown in the screen print below.

Modification to ISIS Prescribe Food Package Screen – IF2

Session A
File Edit View Communication Actions Window ZipPrint Help

PrintScreen Color Clipboard Index

IRX21M01 CALIFORNIA WIC INFORMATION SYSTEM 8/11/09
100BWALK PRESCRIBE FOOD PACKAGE 09:17 AM

INDIVIDUAL NAME: INFANT TWO ID: 161922309IT
FOOD PKG ID: IF2 NAME: 6-11 MO, INFANT FOOD + CONTRACT FORMULA

If feeding choice has changed, enter new choice and press F10.
FEEDING CHOICE: F

1. "Which formula do you use to feed your baby?" E
2. "Would you like the formula in concentrate or powdered form?" P
3. "Do you want all the formula on one check?" Y
4. "You can get up to three 8-ounce boxes of cereal for your baby. How many do you want?" 3

FOOD PACKAGE PRESCRIPTION FOR CERTIFICATION PERIOD

	ID	TLR	HOLD	ID	TLR	HOLD	ID	TLR	HOLD	ID	TLR	HOLD
AUG	IF2		—	DEC	IF2	—						
SEP	IF2		—	JAN	IF2	—						
OCT	IF2		—									
NOV	IF2		—									

Command ==>
F: 1=Hst 2=View 3=Ext 4=Opt 5=Chg Pkg 7=Tlr 9=Comm 10=Shw Chg 11=Done 12=Prev


MA a 23/017

Connected to remote server/host hwdc3270.cahwnet.gov using lu/pool DTSS2ESL and port 23 \\dhssacpcfh01\1541-4th-PCF-Q03 HP Color LJ 55

start G:\Diane P... Review of T... ZipPrint - (A) Session A 9:18 AM


Upon entering the Prescribe Food Package screen, the default feeding choice is set to F (Formula) and must be changed to T (Therapeutic formula) followed by pressing F10 Show Change. The food package will be changed to IF2A (6-11 mo, Infant Food+Therap Formula – WIC Agency) for an infant 6-11 months of age.

Modification to ISIS Prescribe Food Package Screen – IF2A



Staff may select the F5 Change Package key from the Prescribe Food Package screen to view other therapeutic packages available. The therapeutic packages with NO Infant Food will be discussed in the following section in this module.


Modification to ISIS Change Food Package Screen – IF2A



Staff may select the correct package from the pick list on the Change Food Package screen, and press F11 to view the package and be returned to the Prescribe Food Package screen.

Staff will then need to enter the month and year the prescription is good through and answer the formula questions, if any, on the Prescribe Food Package screen before pressing F11 to complete the prescription process.


ISIS Modification to Prescribe Food Package Screen with Fields Completed – IF2A



For infants 6-11 months of age, the restriction question will appear on the Prescribe Food Package screen to allow staff to document whether or not the medical provider has determined any restrictions on infant foods. This question requires a Yes or No response. If staff attempts to leave the screen without answering this question, ISIS will display an error message on the top of the screen, "Input is required for restriction question – enter Y or N."


If there are food restrictions noted on the Pediatric Referral form, staff must answer Y to the question, "Are there food restrictions on any WIC foods?" According to policy, staff must tailor out the infant foods that have been identified as not appropriate and should not be issued. If staff attempt to leave this screen without choosing the tailor key, ISIS will display a reminder message on the top of the screen, "Press F7=TLr to Tailor Food Package". If staff presses F11 a second time, ISIS will move forward without requiring the tailoring function.

Modification to ISIS Prescribe Food Package Screen with Tailor Reminder Message – IF2A



Tailoring the food package is the same process as currently exists in ISIS. The screen print below shows the infant food items that would be able to be tailored if the medical provider indicated such.

Modification to ISIS Tailor Food Package Screen – IF2A




Increased Therapeutic Formula Packages with NO Infant Food

There may be instances whereby the medical provider indicates on the Pediatric Referral form that an infant 6-11 months of age cannot tolerate infant food and needs increased therapeutic formula. If this is the case, the Interim Rule allows this infant to receive an additional amount of formula since no infant food is being provided.


Staff can access the therapeutic packages with NO Infant food for the infant 6-11 months of age through the default food package IF2 (6-11 mo, Infant Food+Contract Formula), as shown in the next series of screen prints below.

Modification to Prescribe Food Package Screen with Fields Completed – IF2



Upon entering the Prescribe Food Package screen, the default feeding choice is set to F (Formula) and must be changed to T (Therapeutic formula) followed by pressing F10 Show Change. The food package will be changed to IF2A (6-11 mo, Infant Food+Therap Formula – WIC Agency) for an infant 6-11 months of age.


Modification to ISIS Prescribe Food Package Screen – IF2A



In order to access the NO Infant Food therapeutic packages, staff must select F5 Change Package key. The pick list of age appropriate therapeutic food packages appears, with the three NO Infant Food therapeutic packages available for selection.


The IF3A food package is selected in this example below. Staff presses F11 to view the package and then returns to the Prescribe Food Package screen.

Modification to ISIS Change Food Package Screen – IF2A



Staff will then need to enter the month and year the prescription is good through and answer the formula questions on the Prescribe Food Package screen before pressing F11 to complete the prescription process. Notice that the restriction question is not present on this screen, since this package contains no food to restrict.

Modification to ISIS Prescribe Food Package Screen – IF3A



Formula chart of allowable amounts for therapeutic formula for infants

The chart that follows shows the maximum number of cans for each type and kind of therapeutic formula for a fully formula fed infant.

Formula Fed Infant – Therapeutic Formula Allowed by Infant Age

Food Package	Age in Months	Formula Type and Amounts		
		NeoSure and EnfaCare LIPIL (Powder only)	Alimentum (Powder only)	Nutramigen LIPIL (Concentrate only)
IF1A (0-3 mos)	0	10 cans	7 cans	31 cans
	1	10 cans	7 cans	31 cans
	2	10 cans	7 cans	31 cans
	3	10 cans	7 cans	31 cans
IFQA (4-5 mos)	4	11 cans	8 cans	34 cans
	5	11 cans	8 cans	34 cans
IF2A (6-12 mos)	6	8 cans	6 cans	24 cans
	7	8 cans	6 cans	24 cans
	8	8 cans	6 cans	24 cans
	9	8 cans	6 cans	24 cans
	10	8 cans	6 cans	24 cans
	11	8 cans	6 cans	24 cans
	12	8 cans	6 cans	24 cans

Formula chart of allowable amounts for increased therapeutic formula with NO food

The chart that follows shows the maximum number of cans for each type and kind of therapeutic formula for the fully formula fed infant receiving the increased therapeutic no infant food package.

Formula Fed Infant – Increased Therapeutic Formula Allowed (No Food) by Infant Age

Food Package	Age in Months	Formula Type and Amounts		
		NeoSure and EnfaCare LIPIL (Powder only)	Alimentum (Powder only)	Nutramigen LIPIL (Concentrate only)
IF3A (6-12 mos)	6	11 cans	8 cans	34 cans
	7	11 cans	8 cans	34 cans
	8	11 cans	8 cans	34 cans
	9	11 cans	8 cans	34 cans
	10	11 cans	8 cans	34 cans
	11	11 cans	8 cans	34 cans
	12	11 cans	8 cans	34 cans

Combo Breastfeeding Infants

Combo Mostly Breastfeeding Infants with Therapeutic Formula

Prescribing packages for combo mostly breastfeeding and therapeutic formula infants 0-3 months of age and 4-5 months of age

The Interim Rule identifies a distinction in the amount of breastfeeding an infant is receiving when the infant is not fully breastfeeding. Infants who are breastfeeding and also taking some formula are not either combo mostly breastfeeding or combo some breastfeeding. The distinction between these two is defined as the amount of formula the infant is being fed. This is explained in the “Review of Infant Category and Food Package Changes” ISIS module and can be reviewed in detail in that document.

With documentation from a medical provider an infant 0-3 months of age and 4-5 months of age may receive the designated therapeutic package in combination with breastfeeding that contains the appropriate formula according to the prescription. These age groups are discussed together since they only receive formula and no solid foods.

The therapeutic packages for a combo mostly breastfeeding infant 0-3 months of age who is using therapeutic formula are shown below:

- IC1P 1-3 mo, Therap Formula-Other Provider
- IC1G 1-3 mo, Therap Formula-State WIC
- IC1A 1-3 mo, Therap Formula-WIC Agency


The therapeutic packages for a combo mostly breastfeeding infant 4-5 months of age who is using therapeutic formula are shown below:

- ICQP 4-5 mo, Therap Formula-Other Provider
- ICQG 4-5 mo, Therap Formula-State WIC
- ICQA 4-5 mo, Therap Formula-WIC Agency

Assuming that staff answered C for Combo feeding as the response to the question, “How are you feeding your baby?” on the Health Information – Infant screen, staff may access the therapeutic packages for the combo mostly breastfed 0-3 months of age infant through the default food package IC1 (1-3 mo, Mostly Breastfed). Staff may access the therapeutic packages for the combo mostly breastfed 4-5 months of age infant through the default food package ICQ (4-5 mo, Mostly Breastfed). Screen prints shown below are for the infant 0-3 months of age and are similar for the infant 4-5 months of age.


Please note: for the combo breastfeeding infant with therapeutic formula, the first 30 day logic does not apply.

Modification to ISIS Prescribe Food Package Screen – IC1




Upon entering the Prescribe Food Package screen for both age groups, the default feeding choice is set to C (Combo feeding) and must be changed to Z (Combo + Therapeutic formula) followed by pressing F10 Show Change. The food package will be changed to IC1A (1-3 mo, Mostly BF, Therap – WIC Agency) for an infant 0-3 months of age. The food package will be changed to ICQA (4-5 mo, Mostly BF, Therap – WIC Agency) for an infant 4-5 months of age.

Modification to ISIS Prescribe Food Package Screen – IC1A



Staff may select the F5 Change Package key from the Prescribe Food Package screen to view other therapeutic packages available to the combo mostly breastfed infant.


Modification to ISIS Change Food Package Screen – IC1A



Staff may select the correct package from the pick list on the Change Food Package screen, and press F11 to view the package and be returned to the Prescribe Food Package screen.

Staff will then need to enter the month and year the prescription is good through and answer the formula questions, if any, on the Prescribe Food Package screen before pressing F11 to complete the prescription process.

Modification to ISIS Prescribe Food Package Screen with Fields Completed – IC1A



Prescribing packages for combo mostly breastfeeding and therapeutic formula infants 6-11 months of age

With documentation from a medical provider an infant 6-11 months of age may receive the designated therapeutic package in combination with breastfeeding that contains the appropriate formula and infant food according to the prescription.

The therapeutic packages for a combo mostly breastfeeding infant 6-11 months of age are shown below:

- IC2P 6-11 mo, Mostly BF+Infant Fd-Therap-Other Provider
- IC2G 6-11 mo, Mostly BF+Infant Fd-Therap-State WIC
- IC2A 6-11 mo, Mostly BF+Infant Fd-Therap-WIC Agency

There are a set of therapeutic packages for a combo mostly breastfeeding infant 6-11 months of age who may not have any infant food according to the medical provider and thus receives an increased amount of therapeutic formula. These food packages are shown below:

- IC3P 6-11 mo, Most BF-RX NO Food-Incr Therap-Other Provider
- IC3G 6-11 mo, Most BF-RX NO Food-Incr Therap-State WIC
- IC3A 6-11 mo, Most BF-RX NO Food-Incr Therap-WIC Agency

Therapeutic Formula Packages with Infant Food

Staff accesses the therapeutic packages for the combo mostly breastfeeding 6-11 months of age infant through the default food package IC2 (6-11 mo, Mostly BF + Infant Food + Contract Formula), as shown in the screen print below.

Modification to ISIS Prescribe Food Package Screen – IC2

Session A

File Edit View Communication Actions Window ZipPrint Help

PrtScrn Color Clipbrd Index

IRX22M01 CALIFORNIA WIC INFORMATION SYSTEM 8/12/09
100DPHIL PRESCRIBE FOOD PACKAGE 05:21 PM

INDIVIDUAL NAME: JANICE HARDY ID: 371922417JH
FOOD PKG ID: IC2 NAME: 6-11 MO, MOSTLY BF + INFANT FOOD

If feeding choice has changed, enter new choice and press F10.
FEEDING CHOICE: C

1. "Which formula do you use to feed your baby?" E
2. "Would you like the formula in concentrate or powdered form?" P
3. "How many ounces of formula do you feed your baby in one day?"
OR "How many cans of formula do you use each month?"
4. "You can get up to three 8-ounce boxes of cereal for your baby. How many do you want?" 3

FOOD PACKAGE PRESCRIPTION FOR CERTIFICATION PERIOD

	ID	TLR	HOLD		ID	TLR	HOLD		ID	TLR	HOLD		ID	TLR	HOLD
AUG	IC2			DEC	IC2										
SEP	IC2		—	JAN	IC2		—								
OCT	IC2		—												
NOV	IC2		—												

Command ==>

F: 1=Hst 2=View 3=Ext 4=Opt 5=Chg Pkg 7=Tlr 9=Comm 10=Shw Chg 11=Done 12=Prev


MA a 08/066

Connected to remote server/host hwdc3270.cahwnet.gov using lu/pool DTSS2EVZ and port 23

Start Administrato... Y:\FOOD PA... 2 Microsoft... ZipPrint - (A) Session A 2 Microsoft... 5:22 PM


Upon entering the Prescribe Food Package screen, the default feeding choice is set to F (Formula) and must be changed to Z (Combo + Therapeutic formula) followed by pressing F10 Show Change. The food package will be changed to IC2A (6-11 mo, Mostly BF + Infant Food-Therap – WIC Agency) for an infant 6-11 months of age.

Modification to ISIS Prescribe Food Package Screen – IC2A



Staff may select the F5 Change Package key from the Prescribe Food Package screen to view other therapeutic packages available. The therapeutic packages for infants who are combo some breastfeeding as well as infants who need increased therapeutic formula with NO infant food are listed and may be selected if appropriate.


Modification to ISIS Change Food Package Screen – IC2A



Staff may select the correct package from the pick list on the Change Food Package screen, and press F11 to view the package and be returned to the Prescribe Food Package screen.

Staff will then need to enter the month and year the prescription is good through and answer the formula questions, if any, on the Prescribe Food Package screen before pressing F11 to complete the prescription process.

ISIS Modification to Prescribe Food Package Screen with Fields Completed – IC2A



For infants 6-11 months of age, the restriction question will appear on the Prescribe Food Package screen to allow staff to document whether or not the medical provider has determined any restrictions on infant foods. This question requires a Yes or No response. If there are food restrictions, staff must select the F7 Tailor key to tailor out the restricted foods, as described earlier in this module.

Increased Therapeutic Formula Packages with NO Infant Food

There may be instances whereby the medical provider indicates on the Pediatric Referral form that an infant 6-11 months of age who is combo breastfeeding with therapeutic formula, cannot tolerate infant food and needs increased therapeutic formula. If this is the case, the Interim Rule allows this infant to receive an additional amount of formula since no infant food is being provided.

Staff can access the therapeutic packages with NO infant food for the infant 6-11 months of age, who is combo mostly breastfeeding, through the default food package IC2A (6-11 mo, Mostly BF + Infant Food-Therap-WIC Agency).

ISIS Modification to Prescribe Food Package Screen – IC2A

Session A

File Edit View Communication Actions Window ZipPrint Help

PrtScrn Color Clipbrd Index

IRX27M01 CALIFORNIA WIC INFORMATION SYSTEM 8/12/09
100DPHIL PRESCRIBE FOOD PACKAGE 05:26 PM

INDIVIDUAL NAME: JANICE HARDY ID: 371922417JH
FOOD PKG ID: IC2A NAME: 6-11MO, MOSTLY BF+ INFANT FOOD-THERAP-WIC AGENCY

If feeding choice has changed, enter new choice and press F10.
FEEDING CHOICE: Z

MONTH AND YEAR PRESCRIPTION GOOD THROUGH: 10 09
ARE THERE RESTRICTIONS ON ANY INFANT FOODS? Y

1. "Which formula do you use to feed your baby?" N
2. "HOW MANY OUNCES OF FORMULA DO YOU FEED YOUR BABY IN ONE DAY?" 06
OR "HOW MANY CANS OF FORMULA DO YOU USE EACH MONTH?" 1
3. "YOU CAN GET UP TO THREE 8-OUNCE BOXES OF CEREAL FOR YOUR BABY. HOW MANY DO YOU WANT?" 3

FOOD PACKAGE PRESCRIPTION FOR CERTIFICATION PERIOD

	ID	TLR	HOLD	ID	TLR	HOLD	ID	TLR	HOLD	ID	TLR	HOLD
AUG	IC2A		-	DEC	IC2A							
SEP	IC2A		-	JAN	IC2A							
OCT	IC2A		-									
NOV	IC2A		-									

Command ==>


F: 1=Hst 2=View 3=Ext 4=0pt 5=Chg Pkg 7=Tlr 9=Comm 10=Shw Chg 11=Done 12=Prev

MA a 13/065

Connected to remote server/host hwdc3270.cahwnet.gov using lu/pool DTSS2EVZ and port 23

Start Administrato... Y:\FOOD PA... 2 Microsoft... ZipPrint - (A) Session A 2 Microsoft... 5:29 PM

In this example, staff selects the IC3A (6-11 mo, Most BF-RX NO Food-Incr Tharap – WIC Agency) food package from the pick list, press F11 and the Prescribe Food Package screen displays this food package selection. Staff will then need to enter the month and year the prescription is good through and answer the formula questions on the Prescribe Food Package screen before pressing F11 to complete the prescription process. Notice that the restriction question is not present on this screen, since this package contains no food to restrict.



Formula chart of allowable amounts for combo mostly breastfeeding with therapeutic formula

The chart that follows shows the maximum number of cans for each type and kind of therapeutic formula for a combo mostly breastfeeding infant taking therapeutic formula.

Combo Mostly Breastfeeding Infant – Therapeutic Formula Allowed by Infant Age

Food Package	Age in Months	Formula Type and Amounts		
		NeoSure and EnfaCare LIPIL (Powder only)	Alimentum (Powder only)	Nutramigen LIPIL (Concentrate only)
IC1A (0-3 mos)	0	1 - 5 cans	1 - 3 cans	1 - 14 cans
	1	1 - 5 cans	1 - 3 cans	1 - 14 cans
	2	1 - 5 cans	1 - 3 cans	1 - 14 cans
	3	1 - 5 cans	1 - 3 cans	1 - 14 cans
ICQA (4-5 mos)	4	1 - 6 cans	1 - 4 cans	1 - 17 cans
	5	1 - 6 cans	1 - 4 cans	1 - 17 cans
IC2A (6-12 mos)	6	1 - 4 cans	1 - 3 cans	1 - 12 cans
	7	1 - 4 cans	1 - 3 cans	1 - 12 cans
	8	1 - 4 cans	1 - 3 cans	1 - 12 cans
	9	1 - 4 cans	1 - 3 cans	1 - 12 cans
	10	1 - 4 cans	1 - 3 cans	1 - 12 cans
	11	1 - 4 cans	1 - 3 cans	1 - 12 cans
	12	1 - 4 cans	1 - 3 cans	1 - 12 cans

Combo Mostly Breastfeeding Infant – Increased Therapeutic Formula Allowed (No Food) by Infant Age

Food Package	Age in Months	Formula Type and Amounts		
		NeoSure and EnfaCare LIPIL (Powder only)	Alimentum (Powder only)	Nutramigen LIPIL (Concentrate only)
IC3A (6-12 mos)	6	1-6 cans	1-4 cans	1-17 cans
	7	1-6 cans	1-4 cans	1-17 cans
	8	1-6 cans	1-4 cans	1-17 cans
	9	1-6 cans	1-4 cans	1-17 cans
	10	1-6 cans	1-4 cans	1-17 cans
	11	1-6 cans	1-4 cans	1-17 cans
	12	1-6 cans	1-4 cans	1-17 cans

Combo Some Breastfeeding Infants with Therapeutic Formula

Prescribing packages for combo some breastfeeding and therapeutic formula infants 0-3 months of age and 4-5 months of age

With documentation from a medical provider an infant 0-3 months of age and 4-5 months of age may receive the designated therapeutic package in combination with breastfeeding that contains the appropriate formula according to the prescription. These age groups are discussed together since they only receive formula and no solid foods.

The therapeutic packages for a combo some breastfeeding infant 0-3 months of age who is using therapeutic formula are shown below:

- IO1P 1-3 mo, Some BF, Therap-Other Provider
- IO1G 1-3 mo, Some BF, Therap-State WIC
- IO1A 1-3 mo, Some BF, Therap-WIC Agency

The therapeutic packages for a combo some breastfeeding infant 4-5 months of age who is using therapeutic formula are shown below:

- IOQP 4-5 mo, Some BF, Therap-Other Provider
- IOQG 4-5 mo, Some BF, Therap-State WIC
- IOQA 4-5 mo, Some BF, Therap-WIC Agency

For the combo some breastfeeding infant taking therapeutic formula, the same approach exists for selecting therapeutic food packages as was explained in the previous section for the combo mostly breastfeeding infant.

Prescribing packages for combo some breastfeeding and therapeutic formula infants 6-11 months of age

With documentation from a medical provider an infant 6-11 months of age may receive the designated therapeutic package in combination with breastfeeding that contains the appropriate formula and infant food according to the prescription.

The therapeutic packages for a combo some breastfeeding infant 6-11 months of age are shown below:

- IO2P 6-11 mo, Some BF+Infant Fd-Therap-Other Provider
- IO2G 6-11 mo, Some BF+Infant Fd-Therap-State WIC
- IO2A 6-11 mo, Some BF+Infant Fd-Therap-WIC Agency

There are a set of therapeutic packages for a combo some breastfeeding infant 6-11 months of age who may not have any infant food according to the medical provider and thus receives an increased amount of therapeutic formula. These food packages are shown below:

- IO3P 6-11 mo, Some BF-RX NO Food-Incr Therap-Other Provider
- IO3G 6-11 mo, Some BF-RX NO Food-Incr Therap-State WIC
- IO3A 6-11 mo, Some BF-RX NO Food-Incr Therap-WIC Agency

For the combo some breastfeeding infant taking therapeutic formula, the same approach exists for selecting therapeutic food packages as was explained in the previous section for the combo mostly breastfeeding infant.

Formula chart of allowable amounts for combo some breastfeeding with therapeutic formula

The chart that follows shows the maximum number of cans for each type and kind of therapeutic formula for a combo some breastfeeding infant taking therapeutic formula.

Combo Some Breastfeeding Infant – Therapeutic Formula Allowed by Infant Age

Food Package	Age in Months	Formula Type and Amounts		
		NeoSure and EnfaCare LIPIL (Powder only)	Alimentum (Powder only)	Nutramigen LIPIL (Concentrate only)
IO1A (0-3 mos)	0	6 - 10 cans	4 – 7 cans	15 - 31 cans
	1	6 - 10 cans	4 – 7 cans	15 - 31 cans
	2	6 - 10 cans	4 – 7 cans	15 - 31 cans
	3	6 - 10 cans	4 – 7 cans	15 - 31 cans
IOQA (4-5 mos)	4	7 - 11 cans	5 - 8 cans	18 - 34 cans
	5	7 - 11 cans	5 - 8 cans	18 - 34 cans
IO2A (6-12 mos)	6	5 - 8 cans	4 - 6 cans	13 - 24 cans
	7	5 - 8 cans	4 - 6 cans	13 - 24 cans
	8	5 - 8 cans	4 - 6 cans	13 - 24 cans
	9	5 - 8 cans	4 - 6 cans	13 - 24 cans
	10	5 - 8 cans	4 - 6 cans	13 - 24 cans
	11	5 - 8 cans	4 - 6 cans	13 - 24 cans
	12	5 - 8 cans	4 - 6 cans	13 - 24 cans

Combo Some Breastfeeding Infant – Increased Therapeutic Formula Allowed (No Food) by Infant Age

Food Package	Age in Months	Formula Type and Amounts		
		NeoSure and EnfaCare LIPIL (Powder only)	Alimentum (Powder only)	Nutramigen LIPIL (Concentrate only)
IO3A (6-12 mos)	6	7 - 11 cans	5 - 8 cans	18 - 34 cans
	7	7 - 11 cans	5 - 8 cans	18 - 34 cans
	8	7 - 11 cans	5 - 8 cans	18 - 34 cans
	9	7 - 11 cans	5 - 8 cans	18 - 34 cans
	10	7 - 11 cans	5 - 8 cans	18 - 34 cans
	11	7 - 11 cans	5 - 8 cans	18 - 34 cans
	12	7 - 11 cans	5 - 8 cans	18 - 34 cans

Therapeutic Packages for Women

With documentation from a medical provider, pregnant, non-breastfeeding, and breastfeeding women may receive a designated therapeutic package. In contrast to current ISIS practices, formula will no longer be printed on food instruments for women receiving therapeutic packages (formula will only be available from other providers or through the state WIC program). Since therapeutic packages for women are very rarely issued, screen prints for only one example of women receiving a therapeutic package will be shown below (the logic and processes for prescribing, issuing, and tailoring the therapeutic packages is consistent between all categories of women).

Pregnant Women


Prescribing packages for pregnant women with singleton

With documentation from a medical provider, pregnant women with singleton may receive a designated therapeutic package that contains WIC foods according to the prescription. The therapeutic packages for pregnant women with singleton are shown below.

- PF5P RX, Therap Form-Other Provider
- PF5G RX, Therap Form-State WIC


Staff accesses the therapeutic packages for pregnant women with singleton through the default food package PS5 (Standard Pregnant) on the Prescribe Food Package screen.

Modification to ISIS Prescribe Food Package Screen – PS5




Staff selects the F5 Change Package key from the Prescribe Food Package screen to view the two therapeutic packages for pregnant women with singleton. Please note that packages are listed in alpha-numeric order on the pick list.

Modification to ISIS Change Food Package Screen – PS5



Staff will select the correct package from the pick list on the Change Food Package screen, and press F11. Staff will then get to view the selected food package on the View Food Package screen.

Modification to ISIS View Food Package Screen – PF5G



The screenshot shows a terminal window titled "Session A" with a menu bar (File, Edit, View, Communication, Actions, Window, ZipPrint, Help) and a toolbar (PrintScreen, Color, Clipboard, Index). The main display area has a black background with green and yellow text. At the top, it shows "CALIFORNIA WIC INFORMATION SYSTEM" and "VIEW FOOD PACKAGE" in green, with session identifiers "IRX12M01" and "100BWALK" in yellow on the left, and the date "8/12/09" and time "11:10 AM" in yellow on the right. Below this, it displays "FOOD PACKAGE ID: PF5G NAME: RX, THERAPEUTIC FORM-STATE WIC" in green. A table of food items follows, with columns for ITEM, QUANTITY, and DESCRIPTION. At the bottom of the terminal, it shows "Command ==>" and "F: 1=Help 11=Done 12=Prev". The Windows taskbar at the bottom shows the start button, several open applications, and the system tray with the time "11:10 AM".

ITEM	QUANTITY	DESCRIPTION
2006	- 01	FOOD INSTRUMENT \$8 FRUIT AND VEGETABLE
2213	- 01	FOOD INSTRUMENT LOWER FAT MILK - 1 GAL & 1 QT
2214	- 01	FOOD INSTRUMENT LWER FAT MLK-1 GAL & 1 HLF GAL
2215	- 01	FOOD INSTRUMENT LOWER FAT MILK - 2 GALLONS
2330	- 01	FOOD INSTRUMENT EGGS - 1 DOZEN
2340	- 01	FOOD INSTRUMENT CHEESE - 1 (16 OZ)
2352	- 01	FOOD INSTRUMENT 144 OZ JUICE
2371	- 01	FOOD INSTRUMENT CEREAL (36 OZ)
2381	- 01	FOOD INSTRUMENT BEANS - DRY 1 LB OR PB
2382	- 01	FOOD INSTRUMENT BEANS - DRY 1 LB
2395	- 01	FOOD INSTRUMENT WHOLE GRAINS (16 OZ)

After pressing F11 again, staff will be returned to the Prescribe Food Package screen.

Modification to ISIS Prescribe Food Package Screen – PF5G

IRXEPM01 100BWALK	CALIFORNIA WIC INFORMATION SYSTEM PRESCRIBE FOOD PACKAGE	08/12/09 05:51 PM									
INDIVIDUAL NAME: GERTRUDE MILLER ID: 459865320GM											
FOOD PKG ID: PF5G NAME: RX, THERAPEUTIC FORM-STATE WIC											
MONTH AND YEAR PRESCRIPTION GOOD THROUGH: ___ ___											
ARE THERE RESTRICTIONS ON ANY WIC FOODS? ___											
FOOD PACKAGE PRESCRIPTION FOR CERTIFICATION PERIOD											
ID	TLR	HOLD	ID	TLR	HOLD	ID	TLR	HOLD	ID	TLR	HOLD
AUG	PF5G	-	DEC	PF5G	-						
SEP	PF5G	-	JAN	PF5G	-						
OCT	PF5G	-	FEB	PF5G	-						
NOV	PF5G	-									
Command ==>											
F: 1=Hst 2=View 3=Ext 4=Opt 5=Chg Pkg 7=Tlr 9=Comm 10=Shw Chg 11=Done 12=Prev											

As mentioned earlier, the Interim Rule requires that a medical provider designates whether are food restrictions, and if so, which foods are not to be issued to the participant. As a result, a new question appears on this screen, “Are there restrictions on any WIC foods?” This question requires a Yes or No response. If staff attempts to leave the screen without answering this question, ISIS will display an error message on the top of the screen, “Input is required for restriction question – enter Y or N.”

If there are no food restrictions noted from the medical provider, staff enter N for the restriction question, press F11, and leave the prescription screen. If there are food restrictions noted on the referral form, staff must answer Y to the question, “Are there food restrictions on any WIC foods?” According to policy, staff must tailor out the foods that have been identified as not appropriate and should not be issued. If staff attempt to leave this screen without choosing the tailor key, ISIS will display a reminder message on the top of the screen, “Press F7=Tlr to Tailor Food Package.” If staff presses F11 a second time, ISIS will move forward without requiring the tailoring function.

Modification to ISIS Prescribe Food Package Screen with Tailor Reminder Message – PF5G

```

IRXEPM01          CALIFORNIA WIC INFORMATION SYSTEM          08/12/09
100BWALK          PRESCRIBE FOOD PACKAGE                    05:51 PM
  PRESS F7=TLR TO TAILOR FOOD PACKAGE.
INDIVIDUAL NAME: GERTRUDE    MILLER          ID: 459865320GM
FOOD PKG ID: PF5G   NAME: RX, THERAPEUTIC FORM-STATE WIC


MONTH AND YEAR PRESCRIPTION GOOD THROUGH: ___ __
ARE THERE RESTRICTIONS ON ANY WIC FOODS? ___

FOOD PACKAGE PRESCRIPTION FOR CERTIFICATION PERIOD
  ID  TLR  HOLD    ID  TLR  HOLD    ID TLR  HOLD  ID TLR  HOLD
AUG  PF5G  _   DEC  PF5G  _
SEP  PF5G  _   JAN  PF5G  _
OCT  PF5G  _   FEB  PF5G  _
NOV  PF5G  _

Command ==>
F: 1=Hst 2=View 3=Ext 4=Opt 5=Chg Pkg 7=Tlr 9=Comm 10=Shw Chg 11=Done 12=Prev
  
```

Tailoring the food package is the same process as currently exists in ISIS. For the therapeutic packages, there are separate checks for different food types with the exception of beans and peanut butter (as with non-therapeutic packages, participants will make this choice at the store). Each check for the different food types, however, will print the total amount for the participant for that package (for example, a woman receiving a PF5G package will receive one check for 32 ounces of whole grains). Please note, consistent with current ISIS logic, if changes to the food questions need to be made, tailoring to the food package must first be removed.

Modification to ISIS Tailor Food Package Screen – PF5G



Prescribing packages for pregnant women with multiples

With documentation from a medical provider, pregnant women with multiples may receive a designated therapeutic package that contains WIC foods according to the prescription. The therapeutic packages for pregnant women with multiples are shown below.

- PF7P RX, Therap Form-Other Provider
- PF7G RX, Therap Form-State WIC

Staff accesses the therapeutic packages for pregnant women with multiples through the default food package PM7 (Standard Pregnant with Multiples) on the Prescribe Food Package screen.

Non-Breastfeeding Women

Prescribing packages for non-breastfeeding women

With documentation from a medical provider, non-breastfeeding women may receive a designated therapeutic package that contains WIC foods according to the prescription. The therapeutic packages for non-breastfeeding women are shown below.

- NF6P RX, Therap Formula-Other Provider
- NF6G RX, Therap Formula-State WIC

Staff accesses the therapeutic packages for non-breastfeeding women through the default food package NS6 (Standard Non-Breastfeeding) on the Prescribe Food Package screen.

Breastfeeding Women

Prescribing packages for fully breastfeeding women with singleton

With documentation from a medical provider, fully breastfeeding women with singleton may receive a designated therapeutic package that contains WIC foods according to the prescription. The therapeutic packages for fully breastfeeding women with singleton are shown below.

- BF7P RX, Therap Formula-Other Provider
- BF7G RX, Therap Formula-State WIC

Staff accesses the therapeutic packages for fully breastfeeding women with singleton through the default food package BE7 (Standard Fully Breastfeeding) on the Prescribe Food Package screen.

Prescribing packages for fully breastfeeding women with multiples

With documentation from a medical provider, fully breastfeeding women with multiples may receive a designated therapeutic package that contains WIC foods according to the prescription. The therapeutic packages for fully breastfeeding women with multiples are shown below.

- BM8P RX, Therap Formula-Other Provider
- BM8G RX, Therap Formula-State WIC

Staff accesses the therapeutic packages for fully breastfeeding women with multiples through the default food package BM8 (Standard Fully Breastfeeding Multiples) on the Prescribe Food Package screen.

Prescribing packages for combo breastfeeding women with multiples

With documentation from a medical provider, combo breastfeeding women with multiples may receive a designated therapeutic package that contains WIC foods according to the prescription. The therapeutic packages for combo breastfeeding women with multiples are shown below.

- BM7P RX, Therap Formula-Other Provider
- BM7G RX, Therap Formula-State WIC

Staff accesses the therapeutic packages for combo breastfeeding women with multiples through the default food package BM7 (Standard Breastfeeding Multiples Combo) on the Prescribe Food Package screen.

Prescribing packages for combo mostly breastfeeding women

With documentation from a medical provider, combo mostly breastfeeding women may receive a designated therapeutic package that contains WIC foods according to the prescription. The therapeutic packages for combo mostly breastfeeding women are shown below.

- BF5P RX, Therap Formula-Other Provider, Mostly BF
- BF5G RX, Therap Formula-State WIC, Mostly BF

Staff accesses the therapeutic packages for combo mostly breastfeeding women through the default food package BC5 (Standard Combo Mostly Breastfeeding) on the Prescribe Food Package screen.

Prescribing packages for combo some breastfeeding women

With documentation from a medical provider, combo some breastfeeding women in the first six months after delivery may receive a designated therapeutic package that contains WIC foods according to the prescription. The therapeutic packages for combo some breastfeeding women are shown below.

- BO6P RX, Therap Formula-Other Provider, Some BF < 6 mos
- BO6G RX, Therap Formula-State WIC, Some BF < 6 mos

Staff accesses the therapeutic packages for combo some breastfeeding women through the default food package BO6 (Standard Combo Some Breastfeeding < 6 mos) on the Prescribe Food Package screen. Combo some breastfeeding women are not eligible to receive food after six months post-partum and, thus, do not have any therapeutic packages available. Combo some breastfeeding women who were receiving a therapeutic package during the first six months post-partum are eligible to continue on the WIC program as a participant receiving nutrition education and breastfeeding support. These women will be issued a BO6N package (Standard Combo Some BF \geq 6 mos – No Checks) and ISIS will make this adjustment to the prescription automatically in the seventh month after delivery.