



California Food Recall Information



Recall Name

LifeVantage Corporation Recalls Selected Lots of Protandim Dietary Supplement Due to Possible Foreign Materials - Small Metal Fragments

Recall Date	Product Description	Recalling Firm	Recall Reason																						
12/5/12	Bottles of Protandim dietary supplement	LifeVantage Corporation Salt Lake City, CA	Possible foreign material - small metal fragments																						
Recall Class	Product Identification	Distribution	Affected Dates																						
N/A	Protandim dietary supplement <ul style="list-style-type: none"> Packed in a cylindrical blue bottle Contains thirty (30) caplets per bottle Lot numbers are located on the left side of the front of the label, directly above the RFID scan bar <table border="0"> <thead> <tr> <th><u>Lot#</u></th> <th><u>Expiration Date</u></th> </tr> </thead> <tbody> <tr><td>12-0258</td><td>7/2/2015</td></tr> <tr><td>12-0259</td><td>7/3/2015</td></tr> <tr><td>12-0292</td><td>7/9/2015</td></tr> <tr><td>12-0294</td><td>7/11/2015</td></tr> <tr><td>12-0295</td><td>7/12/2015</td></tr> <tr><td>12-0304</td><td>7/18/2015</td></tr> <tr><td>12-0306</td><td>8/16/2015</td></tr> <tr><td>12-0307</td><td>8/17/2015</td></tr> <tr><td>12-0373</td><td>8/21/2015</td></tr> <tr><td>12-0382</td><td>9/21/2015</td></tr> </tbody> </table> Product Labels	<u>Lot#</u>	<u>Expiration Date</u>	12-0258	7/2/2015	12-0259	7/3/2015	12-0292	7/9/2015	12-0294	7/11/2015	12-0295	7/12/2015	12-0304	7/18/2015	12-0306	8/16/2015	12-0307	8/17/2015	12-0373	8/21/2015	12-0382	9/21/2015	Nationwide including California Independent distributors	Expiration date: 7/2/2015 - 9/21/2015 Distributed between: July and November 2012
<u>Lot#</u>	<u>Expiration Date</u>																								
12-0258	7/2/2015																								
12-0259	7/3/2015																								
12-0292	7/9/2015																								
12-0294	7/11/2015																								
12-0295	7/12/2015																								
12-0304	7/18/2015																								
12-0306	8/16/2015																								
12-0307	8/17/2015																								
12-0373	8/21/2015																								
12-0382	9/21/2015																								

FOR ADDITIONAL INFORMATION, PLEASE VISIT:

<http://www.fda.gov/Safety/Recalls/ucm331258.htm?source=govdelivery>