



**HEALTH DATA SUMMARIES  
FOR  
CALIFORNIA COUNTIES  
2002**

# HEALTH DATA SUMMARIES FOR CALIFORNIA COUNTIES 2002

Planning and Data Analysis / Fred Richards and Daniel Cox  
304 S Street, 3<sup>rd</sup> Floor  
Sacramento, CA 95814

Department of Health Services  
State of California  
Diana M. Bontá, R.N., Dr. P.H., Director

Grantland Johnson, Secretary  
Health and Human Services Agency

Gray Davis, Governor  
State of California

Karen Flannigan, Chief  
Planning and Data Analysis Section

Michael L. Rodrian, Chief  
Center for Health Statistics

Michael Quinn, Chief  
Office of Health Information and Research

Charles Hardy, Chief  
Office of Vital Records



## ACKNOWLEDGEMENTS

The willing cooperation and assistance of a large number of people made this report possible. Data for this report were provided by various Federal and State agencies including the Census Bureau; Health Care Financing Administration; California Department of Health Services; Department of Finance; Department of Social Services; Department of Developmental Services; Department of Rehabilitation; Department of Mental Health; Department of Industrial Relations; Department of Education; Employment Development Department; California Highway Patrol; Department of Alcohol and Drug Programs; Department of Consumer Affairs: Board of Dental Examiners and Medical Board; and the Office of Statewide Health Planning and Development.

Those persons who provided assistance on this report include:

Stan Bissell  
Bonnie Collins  
Jim Creeger  
Sandy Ficenec  
Gloria Gantt  
Denise Gilson  
Sally Jew  
Marjorie MarLiu

Brian Lueck  
Jim Matthews  
Bob Mone  
Alan Oppenheim  
Jeanette Rainey  
Kathy Riedmiller  
Cindy Schmidt  
Rhoda Slagle

Mich Tashiro  
Laurie Vazquez  
Nadine Wei  
Bonnie Williams  
Jim Winter  
Charlene Wolfe  
Helen Zheng

Additionally, since the majority of indicators in this report are derived from California's vital statistics data system, appreciation is expressed to all Office of Vital Records staff who collect, verify, code and process California's birth, death, and fetal death certificates. Cover photography by John McCoy.

## TABLE OF CONTENTS

|   |            |
|---|------------|
| <b>Acknowledgements .....</b>                                   | <b>i</b>   |
| <b>Introduction.....</b>  | <b>iii</b> |
| <b>Map of California Counties .....</b>                         | <b>iv</b>  |
| <b>Section I: Individual County Health Data Summaries .....</b> | <b>1</b>   |
| <b>Section II: Cross-County Comparisons.....</b>                | <b>237</b> |
| <b>City Health Department Data .....</b>                        | <b>261</b> |
| <b>Section III: Definitions and Sources of Data .....</b>       | <b>262</b> |
| <b>Notes: .....</b>   | <b>276</b> |

## INTRODUCTION

The purpose of this report is to present, in a single volume, a county specific baseline of data that describe:

|                                       |   |                             |
|---------------------------------------|---|-----------------------------|
| Population                            | Age-Adjusted and Age-Specific Death Rates | Medi-Cal and Medicare Data  |
| Socioeconomic Status                  | Mortality by Cause of Death               | Health Services Utilization |
| Birth Data                            | Communicable Disease Data                 | Health Resources            |
| Infant, Neonatal and Perinatal Deaths | County Health Indicators                  |                             |

This report is divided into three sections. Section I contains all 180 health and socio-economic indicators for each individual county. Section II contains these same indicators in a manner that facilitates cross-county comparisons. Section III presents the definitions and sources of data used in the development of each indicator. Data presented in this report are not intended to be exhaustive but will strive to present a balance of frequently requested data from various sources at the State and Federal levels. For each indicator, the specific source used in acquiring the data is identified in Section III so that the user can obtain more detailed information if needed. This report contains the most recent point-in-time data for each indicator.

### IMPORTANT NOTE

When making cross-county comparisons, it is important to remember that many of the rates presented in this report for smaller counties, as well as those based on a small number of events in larger counties (e.g., infant death rates by race), can fluctuate significantly from year to year. The rates that are based on too few events have an asterisk (\*) next to them indicating that the rate is unreliable (relative standard error greater than or equal to 23% of the rate). The symbol “N” denotes that a rate was not calculated for less than 5 events or 1,000 births in accordance with standard statistical procedure. The under reporting certain events (e.g., communicable diseases) can also contribute to county differences in some of these indicators. Therefore, caution should be used when making cross-county comparisons only on the indicators in this report. A more thorough analysis of county differences should include an examination of trend data over several years and the effects of sampling variability (see Joel C. Kleinman, *Statistical Notes for Health Planners, “Mortality”*, Number 3, National Center for Health Statistics, February 1977).

Questions concerning the County Health Data Summaries and suggestions for inclusion of additional data items in future reports should be directed:

Fred Richards, Research Analyst  
Planning and Data Analysis Section  
Department of Health Services  
304 S Street, Third Floor  
Sacramento, CA 95814  
(916) 445-6355



SECTION I

INDIVIDUAL

COUNTY HEALTH

DATA SUMMARIES

| TOTAL POPULATION       |            | PERCENT BELOW POVERTY LEVEL (1999)                            |           | LIVE BIRTHS (2000)   |         |
|------------------------|------------|---|-----------|--|---------|
| Census Year 2000       | 33,871,648 | Total population  | 14.2 %    | Number of Live Births By:                                      |         |
| Projection Year 2010   | 40,262,400 | Children under 6  | 20.4 %    | County of Residence  | 531,285 |
| Projection Year 2020   | 45,821,900 | Persons aged 65+  | 8.1 %     | County of Occurrence   | 532,611 |
| AGE (2000)             |            |   |           | Birth Rate (births per 1,000 population)                       | 15.4    |
| Under Age 5            | 6.8%       | Whites  | 7.8 %     | Fertility rate (births per 1,000 women aged 15-44, 98-00 avg.) | 71.3    |
| Age 5-17               | 17.7%      | Blacks  | 22.4 %    | Low birthweight (under 2,500 grams)                            | 6.2 %   |
| Age 18-64              | 65.2%      | Hispanics   | 22.1 %    | Very low birthweight (under 1,500 grams)                       | 1.1 %   |
| Age 65+                | 10.2%      | Asian/Pacific Islanders                                       | 12.9 %    | Unmarried  | 32.7 %  |
|                        |            | American Indian   | 21.9 %    | Cesarean section delivery                                      | 23.4 %  |
|                        |            | HOUSING VALUE (2000)  |           | Mothers who gave birth outside county of residence             | 9.3 %   |
|                        |            | Median housing-unit value                                     | \$211,500 | Mothers with less than 12 years education                      | 30.8 %  |
| SEX (2000)             |            | CALWORKS (2002)   |           | Teenage mothers (<18)  | 3.7 %   |
| Females                | 50.2%      | CalWorks enrollees as a percent of state population           | 1.4 %     | Mothers with no 1st trimester prenatal care                    | 15.5 %  |
| Males                  | 49.8%      | SSI/SSP (2002)  |           | Percent of Births by Mother's Race/Ethnicity:                  |         |
| RACE/ETHNICITY (2000)  |            | SSI/SSP recipients as a percent of state population           | 3.1 %     | White/Other  | 31.7 %  |
| White                  | 46.7%      | UNEMPLOYMENT (2002)   |           | Black  | 6.1 %   |
| Black                  | 6.4%       | Percent of civilian labor force unemployed                    | 6.4 %     | Hispanic   | 48.6 %  |
| Hispanic               | 32.4%      | EDUCATION   |           | Asian/Pacific Islander   | 11.5 %  |
| American Indian        | 0.5%       | Percent of persons aged 25+ not completing high-school (2000) | 23.2 %    | American Indian  | 0.4 %   |
| Asian/Pacific Islander | 11.1%      | Enrollment K-12 (2001-2002)                                   | 6,795,939 | Multiple Race  | 1.2 %   |
| URBAN/RURAL (2000)     |            | PRINCIPAL PAYMENT SOURCE FOR BIRTH DELIVERIES                 |           |  |         |
| Urban                  | 94.5%      | Medi-Cal/other gov't  | 42.4 %    |  |         |
| Rural                  | 5.5%       | HMO and prepaid plans   | 34.1 %    |  |         |
| FAMILY INCOME (1999)   |            | Private insurance   | 20.7 %    |  |         |
| Median family income   | \$53,025   |   |           |  |         |

| DEATHS (2000)                                     |          | CAUSES OF DEATH (1999-2000 AVG.)                      |       | INFANT DEATHS (2000)   |      |
|---|----------|---|-------|--|------|
| Number of Deaths By:                              |          | Deaths per 100,000 Population Due To:                 |       | Number of Infant Deaths<br>(Under 1 Year of Age) 2,884             |      |
| County of Residence                               | 228,281  | Heart Disease   | 203.1 | Infant Death Rate (Deaths<br>per 1,000 Live Births) 5.4            |      |
| County of Occurrence                              | 230,505  | All Malignant Neoplasms                               | 155.4 | INFANT DEATH RATES (1999 BIRTH COHORT)                             |      |
|   |          | Breast Cancer   | 24.5  |  |      |
|   |          | Lung Cancer   | 40.2  | Infant Deaths per 1,000 Live Births by<br>Mother's Race/Ethnicity: |      |
| Crude Death Rate (Deaths<br>per 1,000 Population) | 6.6      | Stroke  | 53.1  | All Race/Ethnic Groups   | 5.5  |
| AGE-ADJUSTED DEATH RATE<br>(1998-2000 AVERAGE)    |          | Unintentional Injuries                                | 26.1  | White  | 4.6  |
| Age-Adjusted Deaths per<br>100,000 Population     | 773.8    | Pneumonia and Influenza                               | 24.0  | Black  | 12.6 |
| AGE-SPECIFIC DEATH RATES<br>(1998-2000 AVERAGE)   |          | Chronic Lower Respiratory Disease                     | 38.1  | Hispanic   | 5.2  |
| Deaths per 100,000 Population:                    |          | Acquired Immune Deficiency Syndrome                   | 4.4   | Asian, American Indian, Other                                      | 4.5  |
| 1 to 4 Years Old                                  | 26.3     | Chronic Liver Disease/Cirrhosis                       | 10.6  | PERINATAL DEATHS (1999 BIRTH COHORT)                               |      |
| 5 to 14 Years Old                                 | 15.1     | Suicide   | 9.0   | Number of Perinatal Deaths<br>(Neonatal Plus Fetal) 4,818          |      |
| 15 to 24 Years Old                                | 68.6     | Diabetes Mellitus                                     | 17.9  | Perinatal Death Rate by Mother's Race/Ethnicity:                   |      |
| 25 to 34 Years Old                                | 85.5     | Homicide  | 6.1   | All Race/Ethnic Groups   | 9.3  |
|   |          | FETAL AND NEONATAL DEATHS (2000)                      |       | White  | 8.1  |
| 35 to 44 Years Old                                | 162.1    | Number of Fetal Deaths                                | 3,046 | Black  | 18.9 |
| 45 to 54 Years Old                                | 369.9    | Fetal Death Ratio (Deaths<br>per 1,000 Live Births)   | 5.7   | Hispanic   | 8.9  |
| 55 to 64 Years Old                                | 849.7    | Number of Neonatal Deaths<br>(Under 28 Days of Age)   | 1,957 | Asian, American Indian, Other                                      | 7.5  |
| 65 to 74 Years Old                                | 2,128.5  | Neonatal Death Rate (Deaths<br>per 1,000 Live Births) | 3.7   |  |      |
| 75 to 84 Years Old                                | 5,192.6  |   |       |  |      |
| Over 84 Years Old                                 | 14,064.3 |   |       |  |      |

| REPORTED COMMUNICABLE DISEASES<br>(1998-2000 AVERAGE)               |              |             | STATE HEALTH INDICATORS<br>(continued)                            |               | MEDI-CAL<br>(2000)   |           |
|---|--------------|-------------|---|---------------|--|-----------|
| Number and Rate per 100,000 Population                              |              |             | Mortality Rate Per 100,000 Pop. (1999-2000 Avg.)                  |               | MEDI-CAL Deliveries by:  |           |
| <u>DISEASE</u>  | <u>CASES</u> | <u>RATE</u> | Work Related Injury Deaths  | 492.5         | County of Beneficiary  | 224,405   |
| Hepatitis   | 5,145.7      | 15.1        | Mortality Rate  | 1.5           |  |           |
| Measles   | 15.0         | 0.0 *       | Drug Related Deaths (1999-2000 Avg.)                              | 2,896.0       | Fee for Service  | 159,750   |
| Shigellosis   | 2,750.0      | 8.1         | Mortality Rate  | 8.7           | Managed Care   | 64,655    |
| Tuberculosis  | 3,586.7      | 10.5        | Homicide by Weapons (2000)  | 2,074         | MEDI-CAL Abortions by:   | 45,794    |
| Syphilis  | 312.0        | 0.9         | Homicide by Handguns  | 1,242         | (Resident beneficiary) FFS   |           |
| Chlamydia   | 85,627.0     | 251.3       | Kindergarten Students Needing One<br>or More Immunizations (2001) | 40,979        | County Hospitals   | 1,482     |
| Gonorrhea   | 19,946.3     | 58.5        |   | 7.8 %         | Community Hospitals  | 4,214     |
| CUMULATIVE AIDS CASES AND INCIDENCE<br>1981 through January 2002    |              |             | MEDI-CAL DATA<br>(AVERAGE MONTHLY, 2000)                          |               | MEDI-CAL PHP ENROLLEES (2000)  |           |
| AIDS Cases  | 124,118      |             | MEDI-CAL Users (FFS):   | 1,745,029     | Average Monthly Prepaid  |           |
| Number of deaths  | 75,491       |             | Percent of State Population                                       | 5.2 %         | Health Plan Enrollees  | 2,158,642 |
| Mortality (percent of AIDS cases<br>resulting in deaths)            | 61.3 %       |             | Percent of Eligibles (FFS)  | 68.5 %        | DENTI-CAL SERVICES (2000)  |           |
| STATE HEALTH INDICATORS   |              |             | Total MEDI-CAL Eligibles:   |               | Average Monthly Users  |           |
| Persons Injured in Traffic Accidents<br>County of Occurrence (2000) | 303,023      |             | Percent of State Population                                       | 5,110,015     | 255,834  |           |
| Substance Abuse Admissions (2000)                                   |              |             | MEDI-CAL Payments (FFS) :   |               | MEDI-CAL/MEDICARE (2002)   |           |
| Methamphetamine   | 37,338       |             | Amount  | \$933,586,711 | Percent of MEDI-CAL Eligibles<br>Who are also eligible<br>for Medicare |           |
| Cocaine   | 25,097       |             | Amount per User   | \$535.00      | 16.8 %   |           |
| Marijuana   | 20,181       |             | MEDI-CAL ELIGIBLES BY RACE/ETHNICITY<br>(2000)                    |               | MEDICARE ENROLLEES (2000)  |           |
| Alcohol   | 55,242       |             | White   | 26.6 %        | TOTAL MEDICARE ENROLLEES   |           |
|   |              |             | Black   | 13.2 %        | Number   | 3,893,987 |
|   |              |             | Hispanic  | 41.3 %        | Percent of State Population  | 11.5 %    |
|   |              |             | American Indian/Alaskan Native                                    | 0.4 %         | Enrollees Aged 65+   |           |
|   |              |             | Asian/Pacific Islander  | 7.6 %         | Number   | 3,430,506 |
|   |              |             | Not Reported  | 10.9 %        | Percent of State Population  | 10.1 %    |
|   |              |             |   |               | Disability Beneficiaries:  |           |
|   |              |             |   |               | Number   | 463,481   |
|   |              |             |   |               | Percent of State Population  | 1.4 %     |

| PROGRAM CLIENTS/SERVICES   | HOSPITALS (2000)  | HOSPICE CARE  |  |
|--|---|---|--|
| Percent Early Postpartum Breastfeeding Initiation 1998-2000 Average 81.2 %           | Number of General Acute Care (GAC) Hospitals 410                      | Number of Freestanding Hospice Care Facilities (2000) 129                 |  |
| Family Planning Clients by All Funding Sources (2001) 1,397,837                      | Number of Licensed GAC Beds 69,882                                    | HOSPITAL UTILIZATION (2000)   |  |
| Women and Children Under Age 5 Receiving WIC Services (07/02) 1,408,656              | Number of Licensed GAC Beds per 1,000 Population 2.1                  | Number of GAC Discharges from GAC Hospitals 2,993,626                     |  |
| Child Health/Disability Prevention Screens (FY 2000-2001) 2,193,157                  | LTC (2000)  |   |  |
| California Children's Services Cases (08/02) 64,825                                  | Number of Long Term Care Facilities and Hospitals with LTC Beds 1,070 | Average GAC Occupancy Rate in GAC Hospitals 53.3                          |  |
| Developmental Disability Clients (08/02) 182,183                                     | Number of Licensed LTC Beds 132,262                                   | Average GAC Length of Stay in GAC Hospitals (days) 4.5                    |  |
| Rehabilitation Clients (FY 2000-2001) 74,083   | LTC (2000)  |   |  |
| State Mental Hospital Admissions (FY 2000-2001) 2,689                                | Number of Licensed Beds per 1,000 Population 3.9                      | Number of LTC Discharges from LTC Facilities 335,506                      |  |
| Persons Receiving Preventive Health Care for the Aging Services (FY 2001-2002) 8,844 | PHYSICIANS (2001)   |   |  |
| Assessment Clients 8,844   | Number of Active Non-Federal Physicians 84,675                        | Average Occupancy Rate of LTC Facilities and Hospitals with LTC Beds 80.6 |  |
| Total Client Encounters 14,148   | Number of Persons per Physician 400                                   | COUNTY HEALTH COSTS (FY 2000-2001)  |  |
|  | DENTISTS (2002)   |   |  |
|  | Number of Licensed Dentists (Non-Federal) 26,940                      | Estimated Net State Health Care Costs \$1,979,111,080                     |  |
|  | Number of Persons per Dentist 1,257                                   | Estimated Net State Cost per Capita \$58.43                               |  |
|  | CLINICS (2000)  |   |  |
|  | Number of Licensed Community and Free Clinics 704                     |   |  |
|  | Number of Specialty Clinics 640                                       |   |  |
|  | HOME HEALTH AGENCIES (2000)   |   |  |
|  | Number of Licensed Home Health Agencies 941                           |   |  |

| TOTAL POPULATION       |           | PERCENT BELOW POVERTY LEVEL (1999)                            |           | LIVE BIRTHS (2000)   |   |        |
|------------------------|-----------|---|-----------|--|---|--------|
| Census Year 2000       | 1,443,741 | Total population  | 11.0 %    | Number of Live Births By:                                      |   |        |
| Projection Year 2010   | 1,671,200 | Children under 6  | 12.6 %    | County of Residence  | 22,164                                      |        |
| Projection Year 2020   | 1,811,800 | Persons aged 65+  | 8.1 %     | County of Occurrence   | 22,765                                      |        |
| AGE (2000)             |           |   |           | Birth Rate (births per 1,000 population)                       | 15.1  |        |
| Under Age 5            | 6.8%      | Whites  | 5.9 %     | Fertility rate (births per 1,000 women aged 15-44, 98-00 avg.) | 66.7  |        |
| Age 5-17               | 17.7%     | Blacks  | 21.2 %    | Low birthweight (under 2,500 grams)                            | 6.7 %                                       |        |
| Age 18-64              | 65.2%     | Hispanics   | 13.7 %    | Very low birthweight (under 1,500 grams)                       | 1.2 %                                       |        |
| Age 65+                | 10.2%     | Asian/Pacific Islanders                                       | 11.2 %    |  |   |        |
|                        |           | American Indian   | 13.5 %    |  |   |        |
|                        |           | HOUSING VALUE (2000)  |           |  |   |        |
|                        |           | Median housing-unit value                                     | \$303,100 |  |   |        |
| SEX (2000)             |           | CALWORKS (2002)   |           |  |   |        |
| Females                | 50.9%     | CalWorks enrollees as a percent of county population          | 1.0 %     | Unmarried  | 26.8 %                                      |        |
| Males                  | 49.1%     |   |           | Cesarean section delivery                                      | 20.3 %                                      |        |
|                        |           | SSI/SSP (2002)  |           |  |   |        |
| RACE/ETHNICITY (2000)  |           | SSI/SSP recipients as a percent of county population          |           | Mothers who gave birth outside county of residence             | 15.3 %                                      |        |
| White                  | 40.9%     |   |           | Mothers with less than 12 years education                      | 20.3 %                                      |        |
| Black                  | 14.6%     | UNEMPLOYMENT (2002)   |           | Teenage mothers (<18)  | 2.7 %                                       |        |
| Hispanic               | 19.0%     | Percent of civilian labor force unemployed                    |           | 6.1 %  | Mothers with no 1st trimester prenatal care |        |
| American Indian        | 0.4%      | EDUCATION   |           |  |   |        |
| Asian/Pacific Islander | 20.9%     | Percent of persons aged 25+ not completing high-school (2000) |           | 17.6 %   | 10.2 %                                      |        |
|                        |           | Enrollment K-12 (2001-2002)                                   |           | 248,423  |   |        |
| URBAN/RURAL (2000)     |           | PRINCIPAL PAYMENT SOURCE FOR BIRTH DELIVERIES                 |           | Percent of Births by Mother's Race/Ethnicity:                  |   |        |
| Urban                  | 99.4%     | Medi-Cal/other gov't  |           | 25.6 %   | White/Other                                 | 29.7 % |
| Rural                  | 0.6%      |   |           | Black  |   | 14.3 % |
| FAMILY INCOME (1999)   |           | HMO and prepaid plans   |           | 45.8 %   | Hispanic                                    | 28.4 % |
| Median family income   | \$65,857  | Private insurance   |           | 25.8 %   | Asian/Pacific Islander                      | 25.2 % |
|                        |           |   |           | American Indian  |   | 0.2 %  |
|                        |           |   |           | Multiple Race  |   | 1.6 %  |

| DEATHS (2000)                                  |          | CAUSES OF DEATH (1999-2000 AVG.)                   |       | INFANT DEATHS (2000)  |      |
|--|----------|--|-------|---|------|
| Number of Deaths By:                           |          | Deaths per 100,000 Population Due To:              |       | Number of Infant Deaths (Under 1 Year of Age) 103               |      |
| County of Residence                            | 9,841    | Heart Disease                                      | 198.5 | Infant Death Rate (Deaths per 1,000 Live Births) 4.6            |      |
| County of Occurrence                           | 9,809    | All Malignant Neoplasms                            | 163.0 |   |      |
|  |          | Breast Cancer                                      | 26.7  |   |      |
|  |          | Lung Cancer  | 43.0  |   |      |
| Crude Death Rate (Deaths per 1,000 Population) | 6.7      | Stroke   | 59.3  |   |      |
| AGE-ADJUSTED DEATH RATE (1998-2000 AVERAGE)    |          | Unintentional Injuries                             | 23.5  | INFANT DEATH RATES (1999 BIRTH COHORT)                          |      |
| Age-Adjusted Deaths per 100,000 Population     | 785.5    | Pneumonia and Influenza                            | 21.2  | Infant Deaths per 1,000 Live Births by Mother's Race/Ethnicity: |      |
| AGE-SPECIFIC DEATH RATES (1998-2000 AVERAGE)   |          | Chronic Lower Respiratory Disease                  | 32.7  | All Race/Ethnic Groups  | 5.5  |
| Deaths per 100,000 Population:                 |          | Acquired Immune Deficiency Syndrome                | 6.1   | White   | 3.9  |
| 1 to 4 Years Old                               | 21.7     | Chronic Liver Disease/Cirrhosis                    | 10.1  | Black   | 11.6 |
| 5 to 14 Years Old                              | 12.0     | Suicide  | 7.7   | Hispanic  | 4.6  |
| 15 to 24 Years Old                             | 65.5     | Diabetes Mellitus                                  | 19.4  | Asian, American Indian, Other                                   | 5.5  |
| 25 to 34 Years Old                             | 90.6     | Homicide   | 7.6   | PERINATAL DEATHS (1999 BIRTH COHORT)                            |      |
| 35 to 44 Years Old                             | 164.6    | FETAL AND NEONATAL DEATHS (2000)                   |       | Number of Perinatal Deaths (Neonatal Plus Fetal) 213            |      |
| 45 to 54 Years Old                             | 379.1    | Number of Fetal Deaths                             | 136   | Perinatal Death Rate by Mother's Race/Ethnicity:                |      |
| 55 to 64 Years Old                             | 866.1    | Fetal Death Ratio (Deaths per 1,000 Live Births)   | 6.1   | All Race/Ethnic Groups  | 10.3 |
| 65 to 74 Years Old                             | 2,219.7  | Number of Neonatal Deaths (Under 28 Days of Age)   | 66    | White   | 9.0  |
| 75 to 84 Years Old                             | 5,266.9  | Neonatal Death Rate (Deaths per 1,000 Live Births) | 3.0   | Black   | 20.6 |
| Over 84 Years Old                              | 14,063.7 |  |       | Hispanic  | 6.2  |
|  |          |  |       | Asian, American Indian, Other                                   | 9.8  |

| REPORTED COMMUNICABLE DISEASES<br>(1998-2000 AVERAGE)               |              |             | COUNTY HEALTH INDICATORS<br>(continued)                           |                | MEDI-CAL<br>(2000)   |         |
|---|--------------|-------------|---|----------------|--|---------|
| Number and Rate per 100,000 Population                              |              |             | Mortality Rate Per 100,000 Pop. (1999-2000 Avg.)                  |                | MEDI-CAL Deliveries by:  |         |
| <u>DISEASE</u>  | <u>CASES</u> | <u>RATE</u> | Work Related Injury Deaths  | 12.0           | County of Beneficiary  | 6,486   |
| Hepatitis   | 113.3        | 7.8         | Mortality Rate  | 0.8 *          | Fee for Service  | 3,929   |
| Measles   | 1.3          | 0.1 *       | Drug Related Deaths (1999-2000 Avg.)                              | 123.0          | Managed Care   | 2,557   |
| Shigellosis   | 120.7        | 8.3         | Mortality Rate  | 8.2            | MEDI-CAL Abortions by:   | 1,920   |
| Tuberculosis  | 239.0        | 16.5        | Homicide by Weapons (2000)  | 110            | (Resident beneficiary) FFS   |         |
| Syphilis  | 10.3         | 0.7 *       | Homicide by Handguns  | 60             | County Hospitals   | 163     |
| Chlamydia   | 4,455.0      | 307.5       | Kindergarten Students Needing One<br>or More Immunizations (2001) | 1,951<br>9.9 % | Community Hospitals  | 50      |
| Gonorrhea   | 1,842.3      | 127.2       |   |                | Clinics  | 471     |
| CUMULATIVE AIDS CASES AND INCIDENCE<br>1981 through January 2002    |              |             | MEDI-CAL DATA<br>(AVERAGE MONTHLY, 2000)                          |                | MEDI-CAL PHP ENROLLEES (2000)  |         |
|   |              |             | MEDI-CAL Users (FFS): 61,800                                      |                | Average Monthly Prepaid  |         |
| AIDS Cases  | 6,143        |             | Percent of County Population                                      | 4.3 %          | Health Plan Enrollees  | 103,219 |
| Number of deaths  | 3,658        |             | Percent of Eligibles (FFS)  | 72.5 %         | DENTI-CAL SERVICES (2000)  |         |
| Mortality (percent of AIDS cases<br>resulting in deaths)            | 60.0 %       |             | Total MEDI-CAL Eligibles:   | 188,445        | Average Monthly Users  |         |
| COUNTY HEALTH INDICATORS  |              |             | Percent of County Population                                      |                | 9,161  |         |
|   |              |             | MEDI-CAL Payments (FFS) :   |                | MEDI-CAL/MEDICARE (2002)   |         |
| Persons Injured in Traffic Accidents<br>County of Occurrence (2000) | 13,266       |             | Amount  | \$36,391,181   | Percent of MEDI-CAL Eligibles<br>Who are also eligible<br>for Medicare |         |
| Substance Abuse Admissions (2000)                                   |              |             | Amount per User   | \$588.85       | 18.9 %   |         |
| Methamphetamine   | 973          |             | MEDI-CAL ELIGIBLES BY RACE/ETHNICITY<br>(2000)                    |                | MEDI-CAL ENROLLEES (2000)  |         |
| Cocaine   | 1,757        |             | White   | 18.3 %         | TOTAL MEDICARE ENROLLEES   |         |
| Marijuana   | 682          |             | Black   | 37.1 %         | Number   |         |
| Alcohol   | 1,625        |             | Hispanic  | 16.7 %         | Percent of County Population   |         |
|   |              |             | American Indian/Alaskan Native                                    | 0.3 %          | Enrollees Aged 65+   |         |
|   |              |             | Asian/Pacific Islander  | 14.3 %         | Number   |         |
|   |              |             | Not Reported  | 13.3 %         | Percent of County Population   |         |
|   |              |             |   |                | 9.4 %  |         |
|   |              |             |   |                | Disability Beneficiaries:  |         |
|   |              |             |   |                | Number   |         |
|   |              |             |   |                | 19,901   |         |
|   |              |             |   |                | Percent of County Population   |         |
|   |              |             |   |                | 1.4 %  |         |

| PROGRAM CLIENTS/SERVICES   |        | HOSPITALS (2000)  |       | HOSPICE CARE   |              |
|--|--------|---|-------|--|--------------|
| Percent Early Postpartum Breastfeeding Initiation 1998-2000 Average            | 85.3 % | Number of General Acute Care (GAC) Hospitals                    | 18    | Number of Freestanding Hospice Care Facilities (2000)                | 5            |
| Family Planning Clients by All Funding Sources (2001)                          | 32,918 | Number of Licensed GAC Beds                                     | 2,901 | HOSPITAL UTILIZATION (2000)  |              |
|  |        | Number of Licensed GAC Beds per 1,000 Population                | 2.0   | Number of GAC Discharges from GAC Hospitals                          | 139,234      |
| Women and Children Under Age 5 Receiving WIC Services (07/02)                  | 37,363 | LTC (2000)  |       | Average GAC Occupancy Rate in GAC Hospitals                          | 56.8         |
|  |        | Number of Long Term Care Facilities and Hospitals with LTC Beds | 67    | Average GAC Length of Stay in GAC Hospitals (days)                   | 4.3          |
| Child Health/Disability Prevention Screens (FY 2000-2001)                      | 56,025 | Number of Licensed LTC Beds                                     | 5,240 | LTC (2000)   |              |
|  |        | Number of Licensed Beds per 1,000 Population                    | 3.6   | Number of LTC Discharges from LTC Facilities                         | 10,136       |
| California Children's Services Cases (08/02)                                   | 4      | PHYSICIANS (2001)   |       | Average Occupancy Rate of LTC Facilities and Hospitals with LTC Beds | 89.5         |
|  |        | Number of Active Non-Federal Physicians                         | 3,666 | COUNTY HEALTH COSTS (FY 2000-2001)                                   |              |
| Developmental Disability Clients (08/02)                                       | 6,840  | Number of Persons per Physician                                 | 394   | Estimated Net County Health Care Costs                               | \$89,011,831 |
|  |        | DENTISTS (2002)   |       | Estimated Net County Cost per Capita                                 | \$61.65      |
| Rehabilitation Clients (FY 2000-2001)  | 3,029  | Number of Licensed Dentists (Non-Federal)                       | 1,252 |  |              |
|  |        | Number of Persons per Dentist                                   | 1,153 |  |              |
| State Mental Hospital Admissions (FY 2000-2001)                                | 44     | CLINICS (2000)  |       |  |              |
|  |        | Number of Licensed Community and Free Clinics                   | 44    |  |              |
| Persons Receiving Preventive Health Care for the Aging Services (FY 2001-2002) | 0      | Number of Specialty Clinics                                     | 31    |  |              |
|  |        | HOME HEALTH AGENCIES (2000)                                     |       |  |              |
| Assessment Clients   | 0      | Number of Licensed Home Health Agencies                         | 40    |  |              |
| Total Client Encounters  | 0      |   |       |  |              |

| TOTAL POPULATION             |          | PERCENT BELOW POVERTY LEVEL (1999)                   |           | LIVE BIRTHS (2000)   |        |
|------------------------------|----------|--|-----------|--|--------|
| Census Year 2000             | 1,208    | Total population                                     | 19.5 %    | Number of Live Births By:                                      |        |
| Projection Year 2010         | 1,400    | Children under 6                                     | 46.9 %    | County of Residence  | 9      |
| Projection Year 2020         | 1,700    | Persons aged 65+                                     | 10.1 %    | County of Occurrence   | 0      |
| <b>AGE (2000)</b>            |          |  |           | Birth Rate (births per 1,000 population)                       | 7.4    |
| Under Age 5                  | 5.0%     | Whites   | 14.1 %    | Fertility rate (births per 1,000 women aged 15-44, 98-00 avg.) | 40.7 * |
| Age 5-17                     | 17.8%    | Blacks   | 0.0 %     | Low birthweight (under 2,500 grams)                            | 0.0 %  |
| Age 18-64                    | 67.2%    | Hispanics  | 36.5 %    | Very low birthweight (under 1,500 grams)                       | 0.0 %  |
| Age 65+                      | 9.9%     | Asian/Pacific Islanders                              | 0.0 %     |  |        |
|                              |          | American Indian                                      | 37.6 %    |  |        |
|                              |          | <b>HOUSING VALUE (2000)</b>                          |           |  |        |
|                              |          | Median housing-unit value                            | \$184,200 |  |        |
| <b>SEX (2000)</b>            |          | <b>CALWORKS (2002)</b>                               |           |  |        |
| Females                      | 47.4%    | CalWorks enrollees as a percent of county population | 2.6 %     | Unmarried  | 44.4 % |
| Males                        | 52.6%    |  |           | Cesarean section delivery                                      | 11.1 % |
|                              |          | <b>SSI/SSP (2002)</b>                                |           |  |        |
| <b>RACE/ETHNICITY (2000)</b> |          | SSI/SSP recipients as a percent of county population |           | Mothers who gave birth outside county of residence             |        |
| White                        | 71.8%    | 1.9 %  |           | 100.0 %  |        |
| Black                        | 0.6%     | <b>UNEMPLOYMENT (2002)</b>                           |           | Mothers with less than 12 years education                      |        |
| Hispanic                     | 7.8%     | Percent of civilian labor force unemployed           |           | 22.2 %   |        |
| American Indian              | 15.6%    | 11.7 %   |           | Teenage mothers (<18)  |        |
| Asian/Pacific Islander       | 0.4%     | Enrollment K-12 (2001-2002)                          |           | 250  |        |
| <b>URBAN/RURAL (2000)</b>    |          | <b>PRINCIPAL PAYMENT SOURCE FOR BIRTH DELIVERIES</b> |           | Percent of Births by Mother's Race/Ethnicity:                  |        |
| Urban                        | 0.0%     | Medi-Cal/other gov't                                 |           | White/Other  |        |
| Rural                        | 100.0%   | 55.6 %   |           | Black  |        |
| <b>FAMILY INCOME (1999)</b>  |          | HMO and prepaid plans                                |           | Hispanic   |        |
| Median family income         | \$50,250 | 0.0 %  |           | Asian/Pacific Islander   |        |
|                              |          | Private insurance                                    |           | American Indian  |        |
|                              |          | 44.4 %   |           | Multiple Race  |        |
|                              |          |  |           | 11.1 %   |        |

| DEATHS (2000)                                  |            | CAUSES OF DEATH (1999-2000 AVG.)                   |         | INFANT DEATHS (2000)  |     |
|--|------------|--|---------|---|-----|
| Number of Deaths By:                           |            | Deaths per 100,000 Population Due To:              |         | Number of Infant Deaths (Under 1 Year of Age) 0                 |     |
| County of Residence                            | 6          | Heart Disease                                      | 122.3 * | Infant Death Rate (Deaths per 1,000 Live Births) 0.0            |     |
| County of Occurrence                           | 11         | All Malignant Neoplasms                            | 203.9 * |   |     |
|  |            | Breast Cancer                                      | 0.0     |   |     |
|  |            | Lung Cancer  | 81.6 *  |   |     |
| Crude Death Rate (Deaths per 1,000 Population) | 4.9 *      | Stroke   | 40.8 *  | INFANT DEATH RATES (1999 BIRTH COHORT)                          |     |
| AGE-ADJUSTED DEATH RATE (1998-2000 AVERAGE)    |            | Unintentional Injuries                             | 0.0     | Infant Deaths per 1,000 Live Births by Mother's Race/Ethnicity: |     |
| Age-Adjusted Deaths per 100,000 Population     | 657.2 *    | Pneumonia and Influenza                            | 81.6 *  | All Race/Ethnic Groups  | 0.0 |
| AGE-SPECIFIC DEATH RATES (1998-2000 AVERAGE)   |            | Chronic Lower Respiratory Disease                  | 40.8 *  | White   | 0.0 |
| Deaths per 100,000 Population:                 |            | Acquired Immune Deficiency Syndrome                | 0.0     | Black   | 0.0 |
| 1 to 4 Years Old                               | 0.0        | Chronic Liver Disease/Cirrhosis                    | 0.0     | Hispanic  | 0.0 |
| 5 to 14 Years Old                              | 0.0        | Suicide  | 0.0     | Asian, American Indian, Other                                   | 0.0 |
| 15 to 24 Years Old                             | 0.0        | Diabetes Mellitus                                  | 0.0     | PERINATAL DEATHS (1999 BIRTH COHORT)                            |     |
| 25 to 34 Years Old                             | 0.0        | Homicide   | 0.0     | Number of Perinatal Deaths (Neonatal Plus Fetal) 0              |     |
|  |            | FETAL AND NEONATAL DEATHS (2000)                   |         | Perinatal Death Rate by Mother's Race/Ethnicity:                |     |
| 35 to 44 Years Old                             | 152.9 *    | Number of Fetal Deaths                             | 0       | All Race/Ethnic Groups  | 0.0 |
| 45 to 54 Years Old                             | 704.2 *    | Fetal Death Ratio (Deaths per 1,000 Live Births)   | 0.0     | White   | 0.0 |
| 55 to 64 Years Old                             | 1,052.6 *  | Number of Neonatal Deaths (Under 28 Days of Age)   | 0       | Black   | 0.0 |
| 65 to 74 Years Old                             | 1,282.1 *  | Neonatal Death Rate (Deaths per 1,000 Live Births) | 0.0     | Hispanic  | 0.0 |
| 75 to 84 Years Old                             | 4,444.4 *  |  |         | Asian, American Indian, Other                                   | 0.0 |
| Over 84 Years Old                              | 10,416.7 * |  |         |   |     |

| REPORTED COMMUNICABLE DISEASES<br>(1998-2000 AVERAGE)               |              |             | COUNTY HEALTH INDICATORS<br>(continued)                           |             | MEDI-CAL<br>(2000)   |   |
|---|--------------|-------------|---|-------------|--|---|
| Number and Rate per 100,000 Population                              |              |             | Mortality Rate Per 100,000 Pop. (1999-2000 Avg.)                  |             | MEDI-CAL Deliveries by:  |   |
| <u>DISEASE</u>  | <u>CASES</u> | <u>RATE</u> | Work Related Injury Deaths  | 0.0         | County of Beneficiary  | 5 |
| Hepatitis   | 0.0          | 0.0         | Mortality Rate  | 0.0         |  |   |
| Measles   | 0.0          | 0.0         | Drug Related Deaths (1999-2000 Avg.)                              | 0.0         | Fee for Service  | 5 |
| Shigellosis   | 0.0          | 0.0         | Mortality Rate  | 0.0         | Managed Care   | 0 |
| Tuberculosis  | 0.0          | 0.0         | Homicide by Weapons (2000)  | 0           | MEDI-CAL Abortions by:   | 0 |
| Syphilis  | 0.0          | 0.0         | Homicide by Handguns  | 0           | (Resident beneficiary) FFS   |   |
| Chlamydia   | 1.3          | 108.8 *     | Kindergarten Students Needing One<br>or More Immunizations (2001) | 3<br>11.5 % | County Hospitals   | 0 |
| Gonorrhea   | 0.0          | 0.0         |   |             | Community Hospitals  | 0 |
|   |              |             |   |             | Clinics  | 0 |
|   |              |             |   |             | Physician Offices  | 0 |
| CUMULATIVE AIDS CASES AND INCIDENCE<br>1981 through January 2002    |              |             | MEDI-CAL DATA<br>(AVERAGE MONTHLY, 2000)                          |             | MEDI-CAL PHP ENROLLEES (2000)  |   |
| AIDS Cases  | 0            |             | MEDI-CAL Users (FFS):   | 67          | Average Monthly Prepaid<br>Health Plan Enrollees                       | 0 |
| Number of deaths  | 0            |             | Percent of County Population                                      | 5.5 %       |  |   |
| Mortality (percent of AIDS cases<br>resulting in deaths)            | 0.0 %        |             | Percent of Eligibles (FFS)  | 35.8 %      | DENTI-CAL SERVICES (2000)  |   |
|   |              |             | Total MEDI-CAL Eligibles:   | 187         | Average Monthly Users  |   |
|   |              |             | Percent of County Population                                      | 15.3 %      | 4  |   |
|   |              |             | MEDI-CAL Payments (FFS) :   |             | MEDI-CAL/MEDICARE (2002)   |   |
|   |              |             | Amount  | \$17,953    | Percent of MEDI-CAL Eligibles<br>Who are also eligible<br>for Medicare |   |
|   |              |             | Amount per User   | \$267.96    | 11.2 %   |   |
|   |              |             |   |             | MEDI-CAL/MEDICARE (2002)   |   |
|   |              |             |   |             | MEDICARE ENROLLEES (2000)  |   |
|   |              |             |   |             | TOTAL MEDICARE ENROLLEES   |   |
|   |              |             |   |             | Number   |   |
|   |              |             |   |             | 131  |   |
|   |              |             |   |             | Percent of County Population   |   |
|   |              |             |   |             | 10.8 %   |   |
|   |              |             |   |             | Enrollees Aged 65+   |   |
|   |              |             |   |             | Number   |   |
|   |              |             |   |             | 111  |   |
|   |              |             |   |             | Percent of County Population   |   |
|   |              |             |   |             | 9.2 %  |   |
|   |              |             |   |             | Disability Beneficiaries:  |   |
|   |              |             |   |             | Number   |   |
|   |              |             |   |             | 20   |   |
|   |              |             |   |             | Percent of County Population   |   |
|   |              |             |   |             | 1.7 %  |   |
| COUNTY HEALTH INDICATORS  |              |             | MEDI-CAL ELIGIBLES BY RACE/ETHNICITY<br>(2000)                    |             |  |   |
| Persons Injured in Traffic Accidents<br>County of Occurrence (2000) | 55           |             | White   | 33.1 %      |  |   |
| Substance Abuse Admissions (2000)                                   |              |             | Black   | 1.7 %       |  |   |
| Methamphetamine   | 0            |             | Hispanic  | 0.6 %       |  |   |
| Cocaine   | 0            |             | American Indian/Alaskan Native                                    | 53.0 %      |  |   |
| Marijuana   | 0            |             | Asian/Pacific Islander  | 0.0 %       |  |   |
| Alcohol   | 2            |             | Not Reported  | 11.6 %      |  |   |

| PROGRAM CLIENTS/SERVICES   |          | HOSPITALS (2000)  |     | HOSPICE CARE   |        |
|--|----------|---|-----|--|--------|
| Percent Early Postpartum Breastfeeding Initiation 1998-2000 Average            | 92.1 % * | Number of General Acute Care (GAC) Hospitals                    | 0   | Number of Freestanding Hospice Care Facilities (2000)                | 0      |
| Family Planning Clients by All Funding Sources (2001)                          | 252      | Number of Licensed GAC Beds                                     | 0   | HOSPITAL UTILIZATION (2000)  |        |
|  |          | Number of Licensed GAC Beds per 1,000 Population                | 0.0 | Number of GAC Discharges from GAC Hospitals                          | 0      |
| Women and Children Under Age 5 Receiving WIC Services (07/02)                  | 11       | LTC (2000)  |     | Average GAC Occupancy Rate in GAC Hospitals                          | 0.0    |
|  |          | Number of Long Term Care Facilities and Hospitals with LTC Beds | 0   | Average GAC Length of Stay in GAC Hospitals (days)                   | 0.0    |
| Child Health/Disability Prevention Screens (FY 2000-2001)                      | 595      | Number of Licensed LTC Beds                                     | 0   | LTC (2000)   |        |
|  |          | Number of Licensed Beds per 1,000 Population                    | 0.0 | Number of LTC Discharges from LTC Facilities                         | 0      |
| California Children's Services Cases (08/02)                                   | 1        | PHYSICIANS (2001)   |     | Average Occupancy Rate of LTC Facilities and Hospitals with LTC Beds | 0.0    |
|  |          | Number of Active Non-Federal Physicians                         | 0   | COUNTY HEALTH COSTS (FY 2000-2001)                                   |        |
| Developmental Disability Clients (08/02)                                       | 8        | Number of Persons per Physician                                 | 0   | Estimated Net County Health Care Costs                               | DNR    |
|  |          | DENTISTS (2002)   |     | Estimated Net County Cost per Capita                                 | \$0.00 |
| Rehabilitation Clients (FY 2000-2001)  | 1        | Number of Licensed Dentists (Non-Federal)                       | 0   |  |        |
|  |          | Number of Persons per Dentist                                   | 0   |  |        |
| State Mental Hospital Admissions (FY 2000-2001)                                | 0        | CLINICS (2000)  |     |  |        |
|  |          | Number of Licensed Community and Free Clinics                   | 0   |  |        |
| Persons Receiving Preventive Health Care for the Aging Services (FY 2001-2002) | 0        | Number of Specialty Clinics                                     | 0   |  |        |
|  |          | HOME HEALTH AGENCIES (2000)                                     |     |  |        |
| Assessment Clients   | 0        | Number of Licensed Home Health Agencies                         | 0   |  |        |
| Total Client Encounters  | 0        |   |     |  |        |

| TOTAL POPULATION       |          | PERCENT BELOW POVERTY LEVEL (1999)                            |           | LIVE BIRTHS (2000)   |        |
|------------------------|----------|---|-----------|--|--------|
| Census Year 2000       | 35,100   | Total population  | 9.2 %     | Number of Live Births By:                                      |        |
| Projection Year 2010   | 39,300   | Children under 6  | 15.1 %    | County of Residence  | 235    |
| Projection Year 2020   | 41,300   | Persons aged 65+  | 5.4 %     | County of Occurrence   | 179    |
| AGE (2000)             |          |   |           | Birth Rate (births per 1,000 population)                       | 6.6    |
| Under Age 5            | 4.2%     | Whites  | 8.9 %     | Fertility rate (births per 1,000 women aged 15-44, 98-00 avg.) | 45.9   |
| Age 5-17               | 16.4%    | Blacks  | 0.0 %     | Low birthweight (under 2,500 grams)                            | 3.4 %  |
| Age 18-64              | 61.4%    | Hispanics   | 14.3 %    | Very low birthweight (under 1,500 grams)                       | 0.4 %  |
| Age 65+                | 18.0%    | Asian/Pacific Islanders                                       | 2.9 %     | Unmarried  | 31.5 % |
|                        |          | American Indian   | 10.1 %    | Cesarean section delivery                                      | 28.9 % |
|                        |          | HOUSING VALUE (2000)  |           | Mothers who gave birth outside county of residence             | 44.7 % |
|                        |          | Median housing-unit value                                     | \$153,600 | Mothers with less than 12 years education                      | 12.3 % |
| SEX (2000)             |          | CALWORKS (2002)   |           | Teenage mothers (<18)  | 1.7 %  |
| Females                | 44.9%    | CalWorks enrollees as a percent of county population          | 0.7 %     | Mothers with no 1st trimester prenatal care                    | 15.0 % |
| Males                  | 55.1%    | SSI/SSP (2002)  |           | Percent of Births by Mother's Race/Ethnicity:                  |        |
| RACE/ETHNICITY (2000)  |          | SSI/SSP recipients as a percent of county population          | 1.4 %     | White/Other  | 83.0 % |
| White                  | 82.4%    | UNEMPLOYMENT (2002)   |           | Black  | 0.4 %  |
| Black                  | 3.8%     | Percent of civilian labor force unemployed                    | 4.8 %     | Hispanic   | 11.1 % |
| Hispanic               | 8.9%     | EDUCATION   |           | Asian/Pacific Islander   | 1.7 %  |
| American Indian        | 1.5%     | Percent of persons aged 25+ not completing high-school (2000) | 16.0 %    | American Indian  | 1.7 %  |
| Asian/Pacific Islander | 1.0%     | Enrollment K-12 (2001-2002)                                   | 5,690     | Multiple Race  | 2.1 %  |
| URBAN/RURAL (2000)     |          | PRINCIPAL PAYMENT SOURCE FOR BIRTH DELIVERIES                 |           |  |        |
| Urban                  | 39.4%    | Medi-Cal/other gov't  | 32.1 %    |  |        |
| Rural                  | 60.6%    | HMO and prepaid plans   | 28.2 %    |  |        |
| FAMILY INCOME (1999)   |          | Private insurance   | 38.5 %    |  |        |
| Median family income   | \$51,226 |   |           |  |        |

| DEATHS (2000)                                       |          | CAUSES OF DEATH (1999-2000 AVG.)                   |        | INFANT DEATHS (2000)  |     |
|---|----------|--|--------|---|-----|
| Number of Deaths By:                                |          | Deaths per 100,000 Population Due To:              |        | Number of Infant Deaths (Under 1 Year of Age)                   | 1   |
| County of Residence                                 | 374      | Heart Disease                                      | 331.3  | Infant Death Rate (Deaths per 1,000 Live Births)                | N   |
| County of Occurrence                                | 339      | All Malignant Neoplasms                            | 258.6  | <b>INFANT DEATH RATES (1999 BIRTH COHORT)</b>                   |     |
| Crude Death Rate (Deaths per 1,000 Population)      | 10.6     | Breast Cancer                                      | 34.6 * | Infant Deaths per 1,000 Live Births by Mother's Race/Ethnicity: |     |
|   |          | Lung Cancer  | 68.3   | All Race/Ethnic Groups  | N   |
|   |          | Stroke   | 84.3   | White   | 0.0 |
| <b>AGE-ADJUSTED DEATH RATE (1998-2000 AVERAGE)</b>  |          | Unintentional Injuries                             | 39.2 * | Black   | 0.0 |
| Age-Adjusted Deaths per 100,000 Population          | 716.9    | Pneumonia and Influenza                            | 36.3 * | Hispanic  | 0.0 |
|   |          | Chronic Lower Respiratory Disease                  | 66.8   | Asian, American Indian, Other                                   | N   |
| <b>AGE-SPECIFIC DEATH RATES (1998-2000 AVERAGE)</b> |          | Acquired Immune Deficiency Syndrome                | 1.5 *  | <b>PERINATAL DEATHS (1999 BIRTH COHORT)</b>                     |     |
| Deaths per 100,000 Population:                      |          | Chronic Liver Disease/Cirrhosis                    | 11.6 * | Number of Perinatal Deaths (Neonatal Plus Fetal)                |     |
| 1 to 4 Years Old                                    | 56.1 *   | Suicide  | 24.7 * | 2   |     |
| 5 to 14 Years Old                                   | 45.6 *   | Diabetes Mellitus                                  | 13.1 * | Perinatal Death Rate by Mother's Race/Ethnicity:                |     |
| 15 to 24 Years Old                                  | 40.5 *   | Homicide   | 4.4 *  | All Race/Ethnic Groups  | N   |
| 25 to 34 Years Old                                  | 152.7 *  | <b>FETAL AND NEONATAL DEATHS (2000)</b>            |        | White   | N   |
| 35 to 44 Years Old                                  | 166.2 *  | Number of Fetal Deaths                             | 0      | Black   | 0.0 |
| 45 to 54 Years Old                                  | 437.2    | Fetal Death Ratio (Deaths per 1,000 Live Births)   | 0.0    | Hispanic  | 0.0 |
| 55 to 64 Years Old                                  | 865.9    | Number of Neonatal Deaths (Under 28 Days of Age)   | 1      | Asian, American Indian, Other                                   | 0.0 |
| 65 to 74 Years Old                                  | 1,828.4  | Neonatal Death Rate (Deaths per 1,000 Live Births) | N      |   |     |
| 75 to 84 Years Old                                  | 4,520.4  |  |        |   |     |
| Over 84 Years Old                                   | 12,428.6 |  |        |   |     |

| REPORTED COMMUNICABLE DISEASES<br>(1998-2000 AVERAGE)               |              |             | COUNTY HEALTH INDICATORS<br>(continued)                           |           | MEDI-CAL<br>(2000)   |        |
|---|--------------|-------------|---|-----------|--|--------|
| Number and Rate per 100,000 Population                              |              |             | Mortality Rate Per 100,000 Pop. (1999-2000 Avg.)                  |           | MEDI-CAL Deliveries by:  |        |
| <u>DISEASE</u>  | <u>CASES</u> | <u>RATE</u> | Work Related Injury Deaths  | 0.0       | County of Beneficiary  | 80     |
| Hepatitis   | 4.0          | 11.6 *      | Mortality Rate  | 0.0       | Fee for Service  | 80     |
| Measles   | 0.0          | 0.0         | Drug Related Deaths (1999-2000 Avg.)                              | 2.0       | Managed Care   | 0      |
| Shigellosis   | 1.7          | 4.8 *       | Mortality Rate  | 5.3 *     | MEDI-CAL Abortions by:   | 43     |
| Tuberculosis  | 0.7          | 1.9 *       | Homicide by Weapons (2000)  | 1         | (Resident beneficiary) FFS   |        |
| Syphilis  | 0.0          | 0.0         | Homicide by Handguns  | 1         | County Hospitals   | 0      |
| Chlamydia   | 13.0         | 37.8 *      | Kindergarten Students Needing One<br>or More Immunizations (2001) | 11        | Community Hospitals  | 2      |
| Gonorrhea   | 2.3          | 6.8 *       |   | 3.1 %     | Clinics  | 19     |
|   |              |             | MEDI-CAL DATA<br>(AVERAGE MONTHLY, 2000)                          |           | MEDI-CAL PHP ENROLLEES (2000)  |        |
| CUMULATIVE AIDS CASES AND INCIDENCE<br>1981 through January 2002    |              |             | MEDI-CAL Users (FFS):   |           | Average Monthly Prepaid  |        |
| AIDS Cases  | 40           |             | Percent of County Population                                      | 1,514     | Health Plan Enrollees  | 0      |
| Number of deaths  | 20           |             | Percent of Eligibles (FFS)  | 4.3 %     | DENTI-CAL SERVICES (2000)  |        |
| Mortality (percent of AIDS cases<br>resulting in deaths)            | 50.0 %       |             | Total MEDI-CAL Eligibles:   | 60.3 %    | Average Monthly Users  |        |
|   |              |             | Percent of County Population                                      | 2,510     | 111  |        |
|   |              |             | MEDI-CAL Payments (FFS) :   | 7.1 %     | MEDI-CAL/MEDICARE (2002)   |        |
|   |              |             | Amount  | \$726,747 | Percent of MEDI-CAL Eligibles<br>Who are also eligible<br>for Medicare |        |
|   |              |             | Amount per User   | \$480.02  | 25.7 %   |        |
|   |              |             | MEDI-CAL ELIGIBLES BY RACE/ETHNICITY<br>(2000)                    |           | MEDICARE ENROLLEES (2000)  |        |
| COUNTY HEALTH INDICATORS  |              |             |   |           | TOTAL MEDICARE ENROLLEES   |        |
| Persons Injured in Traffic Accidents<br>County of Occurrence (2000) | 356          |             | White   | 86.9 %    | Number   | 6,846  |
| Substance Abuse Admissions (2000)                                   |              |             | Black   | 0.5 %     | Percent of County Population   | 19.5 % |
| Methamphetamine   | 15           |             | Hispanic  | 5.3 %     | Enrollees Aged 65+   |        |
| Cocaine   | 3            |             | American Indian/Alaskan Native                                    | 1.0 %     | Number   | 6,147  |
| Marijuana   | 7            |             | Asian/Pacific Islander  | 0.6 %     | Percent of County Population   | 17.5 % |
| Alcohol   | 32           |             | Not Reported  | 5.7 %     | Disability Beneficiaries:  |        |
|   |              |             |   |           | Number   | 699    |
|   |              |             |   |           | Percent of County Population   | 2.0 %  |

| PROGRAM CLIENTS/SERVICES   |        | HOSPITALS (2000)   | HOSPICE CARE  |
|--|--------|--|---|
| Percent Early Postpartum Breastfeeding Initiation 1998-2000 Average            | 84.3 % | Number of General Acute Care (GAC) Hospitals<br>0                    | Number of Freestanding Hospice Care Facilities (2000)<br>0                      |
| Family Planning Clients by All Funding Sources (2001)                          | 1,829  | Number of Licensed GAC Beds<br>0                                     | HOSPITAL UTILIZATION (2000)<br>Number of GAC Discharges from GAC Hospitals<br>0 |
|  |        | Number of Licensed GAC Beds per 1,000 Population<br>0.0              |   |
| Women and Children Under Age 5 Receiving WIC Services (07/02)                  | 495    | LTC (2000)   |   |
|  |        | Number of Long Term Care Facilities and Hospitals with LTC Beds<br>1 | Average GAC Occupancy Rate in GAC Hospitals<br>0.0                              |
| Child Health/Disability Prevention Screens (FY 2000-2001)                      | 1,754  | Number of Licensed LTC Beds<br>199                                   | Average GAC Length of Stay in GAC Hospitals (days)<br>0.0                       |
|  |        | LTC (2000)   |   |
| California Children's Services Cases (08/02)                                   | 114    | Number of Licensed Beds per 1,000 Population<br>5.7                  | Number of LTC Discharges from LTC Facilities<br>338                             |
|  |        | PHYSICIANS (2001)  |   |
| Developmental Disability Clients (08/02)                                       | 147    | Number of Active Non-Federal Physicians<br>62                        | Average Occupancy Rate of LTC Facilities and Hospitals with LTC Beds<br>72.1    |
|  |        | Number of Persons per Physician<br>566                               |   |
| Rehabilitation Clients (FY 2000-2001)  | 45     | COUNTY HEALTH COSTS (FY 2000-2001)                                   |   |
|  |        | DENTISTS (2002)  |   |
| State Mental Hospital Admissions (FY 2000-2001)                                | 4      | Number of Licensed Dentists (Non-Federal)<br>22                      | Estimated Net County Health Care Costs<br>DNR                                   |
|  |        | Number of Persons per Dentist<br>1,595                               | Estimated Net County Cost per Capita<br>\$0.00                                  |
| Persons Receiving Preventive Health Care for the Aging Services (FY 2001-2002) | 0      | CLINICS (2000)   |   |
|  |        | Number of Licensed Community and Free Clinics<br>1                   |   |
| Assessment Clients<br>Total Client Encounters                                  | 0<br>0 | Number of Specialty Clinics<br>0                                     |   |
|  |        | HOME HEALTH AGENCIES (2000)  |   |
|  |        | Number of Licensed Home Health Agencies<br>0                         |   |

| TOTAL POPULATION       |          | PERCENT BELOW POVERTY LEVEL (1999)                            |           | LIVE BIRTHS (2000)  |        |
|------------------------|----------|---|-----------|---|--------|
| Census Year 2000       | 203,171  | Total population  | 19.8 %    | Number of Live Births By:                                 |        |
| Projection Year 2010   | 259,800  | Children under 6  | 28.1 %    | County of Residence                                       | 2,196  |
| Projection Year 2020   | 308,900  | Persons aged 65+  | 7.3 %     | County of Occurrence                                      | 2,624  |
| AGE (2000)             |          |   |           | Birth Rate (births per 1,000 population)                  | 10.7   |
| Under Age 5            | 5.7%     | Whites  | 16.4 %    | Fertility rate (births per 1,000 women 15-44, 98-00 avg.) | 54.3   |
| Age 5-17               | 18.3%    | Blacks  | 39.4 %    | Low birthweight (under 2,500 grams)                       | 5.0 %  |
| Age 18-64              | 60.2%    | Hispanics   | 30.0 %    | Very low birthweight (under 1,500 grams)                  | 0.9 %  |
| Age 65+                | 15.8%    | Asian/Pacific Islanders                                       | 48.8 %    | Unmarried   | 33.9 % |
|                        |          | American Indian   | 31.7 %    | Cesarean section delivery                                 | 20.9 % |
|                        |          | HOUSING VALUE (2000)  |           | Mothers who gave birth outside county of residence        | 5.7 %  |
|                        |          | Median housing-unit value                                     | \$129,800 | Mothers with less than 12 years education                 | 23.6 % |
| SEX (2000)             |          | CALWORKS (2002)   |           | Teenage mothers (<18)                                     | 4.5 %  |
| Females                | 51.0%    | CalWorks enrollees as a percent of county population          | 2.0 %     | Mothers with no 1st trimester prenatal care               | 25.5 % |
| Males                  | 49.0%    | SSI/SSP (2002)  |           | Percent of Births by Mother's Race/Ethnicity:             |        |
| RACE/ETHNICITY (2000)  |          | SSI/SSP recipients as a percent of county population          | 4.3 %     | White/Other   | 69.2 % |
| White                  | 80.0%    | UNEMPLOYMENT (2002)   |           | Black   | 1.2 %  |
| Black                  | 1.3%     | Percent of civilian labor force unemployed                    | 8.2 %     | Hispanic  | 19.3 % |
| Hispanic               | 10.5%    | EDUCATION   |           | Asian/Pacific Islander                                    | 6.2 %  |
| American Indian        | 1.6%     | Percent of persons aged 25+ not completing high-school (2000) | 17.7 %    | American Indian   | 1.4 %  |
| Asian/Pacific Islander | 3.4%     | Enrollment K-12 (2001-2002)                                   | 36,654    | Multiple Race   | 2.6 %  |
| URBAN/RURAL (2000)     |          | PRINCIPAL PAYMENT SOURCE FOR BIRTH DELIVERIES                 |           |   |        |
| Urban                  | 82.1%    | Medi-Cal/other gov't  | 51.6 %    |   |        |
| Rural                  | 17.9%    | HMO and prepaid plans   | 9.2 %     |   |        |
| FAMILY INCOME (1999)   |          | Private insurance   | 36.9 %    |   |        |
| Median family income   | \$41,010 |   |           |   |        |

| DEATHS (2000)                                  |          | CAUSES OF DEATH (1999-2000 AVG.)                   |       | INFANT DEATHS (2000)  |        |
|--|----------|--|-------|---|--------|
| Number of Deaths By:                           |          | Deaths per 100,000 Population Due To:              |       | Number of Infant Deaths (Under 1 Year of Age)                   | 14     |
| County of Residence                            | 2,134    | Heart Disease                                      | 269.1 | Infant Death Rate (Deaths per 1,000 Live Births)                | 6.4 *  |
| County of Occurrence                           | 2,288    | All Malignant Neoplasms                            | 245.1 |   |        |
|  |          | Breast Cancer                                      | 32.5  |   |        |
|  |          | Lung Cancer  | 74.2  |   |        |
| Crude Death Rate (Deaths per 1,000 Population) | 10.4     | Stroke   | 93.3  | INFANT DEATH RATES (1999 BIRTH COHORT)                          |        |
| AGE-ADJUSTED DEATH RATE (1998-2000 AVERAGE)    |          | Unintentional Injuries                             | 41.1  | Infant Deaths per 1,000 Live Births by Mother's Race/Ethnicity: |        |
| Age-Adjusted Deaths per 100,000 Population     | 779.7    | Pneumonia and Influenza                            | 35.3  | All Race/Ethnic Groups  | 5.8 *  |
| AGE-SPECIFIC DEATH RATES (1998-2000 AVERAGE)   |          | Chronic Lower Respiratory Disease                  | 73.9  | White   | 6.3 *  |
| Deaths per 100,000 Population:                 |          | Acquired Immune Deficiency Syndrome                | 1.7 * | Black   | N      |
| 1 to 4 Years Old                               | 35.7 *   | Chronic Liver Disease/Cirrhosis                    | 14.4  | Hispanic  | N      |
| 5 to 14 Years Old                              | 19.0 *   | Suicide  | 17.1  | Asian, American Indian, Other                                   | N      |
| 15 to 24 Years Old                             | 86.1     | Diabetes Mellitus                                  | 20.8  | PERINATAL DEATHS (1999 BIRTH COHORT)                            |        |
| 25 to 34 Years Old                             | 101.5    | Homicide   | 2.9 * | Number of Perinatal Deaths (Neonatal Plus Fetal)                | 23     |
|  |          | FETAL AND NEONATAL DEATHS (2000)                   |       | Perinatal Death Rate by Mother's Race/Ethnicity:                |        |
| 35 to 44 Years Old                             | 219.7    | Number of Fetal Deaths                             | 14    | All Race/Ethnic Groups  | 10.1   |
| 45 to 54 Years Old                             | 491.4    | Fetal Death Ratio (Deaths per 1,000 Live Births)   | 6.4 * | White   | 11.2 * |
| 55 to 64 Years Old                             | 1,049.5  | Number of Neonatal Deaths (Under 28 Days of Age)   | 4     | Black   | 0.0    |
| 65 to 74 Years Old                             | 2,187.2  | Neonatal Death Rate (Deaths per 1,000 Live Births) | N     | Hispanic  | N      |
| 75 to 84 Years Old                             | 4,649.9  |  |       | Asian, American Indian, Other                                   | N      |
| Over 84 Years Old                              | 12,627.3 |  |       |   |        |

| REPORTED COMMUNICABLE DISEASES<br>(1998-2000 AVERAGE)               |              |             | COUNTY HEALTH INDICATORS<br>(continued)                           |             | MEDI-CAL<br>(2000)   |       |
|---|--------------|-------------|---|-------------|--|-------|
| Number and Rate per 100,000 Population                              |              |             | Mortality Rate Per 100,000 Pop. (1999-2000 Avg.)                  |             | MEDI-CAL Deliveries by:  |       |
| <u>DISEASE</u>  | <u>CASES</u> | <u>RATE</u> | Work Related Injury Deaths  | 3.5         | County of Beneficiary  | 1,203 |
| Hepatitis   | 15.3         | 7.5 *       | Mortality Rate  | 1.8 *       |  |       |
| Measles   | 0.0          | 0.0         | Drug Related Deaths (1999-2000 Avg.)                              | 13.5        | Fee for Service  | 1,203 |
| Shigellosis   | 8.0          | 3.9 *       | Mortality Rate  | 7.0 *       | Managed Care   | 0     |
| Tuberculosis  | 4.0          | 2.0 *       | Homicide by Weapons (2000)  | 8           | MEDI-CAL Abortions by:   | 629   |
| Syphilis  | 0.0          | 0.0         | Homicide by Handguns  | 2           | (Resident beneficiary) FFS   |       |
| Chlamydia   | 340.3        | 166.7       | Kindergarten Students Needing One<br>or More Immunizations (2001) | 161         | County Hospitals   | 1     |
| Gonorrhea   | 28.0         | 13.7        |   | 6.2 %       | Community Hospitals  | 26    |
| CUMULATIVE AIDS CASES AND INCIDENCE<br>1981 through January 2002    |              |             | MEDI-CAL DATA<br>(AVERAGE MONTHLY, 2000)                          |             | MEDI-CAL PHP ENROLLEES (2000)  |       |
|   |              |             | MEDI-CAL Users (FFS): 21,705                                      |             | Average Monthly Prepaid  |       |
| AIDS Cases  | 212          |             | Percent of County Population                                      | 10.7 %      | Health Plan Enrollees  | 0     |
| Number of deaths  | 126          |             | Percent of Eligibles (FFS)  | 56.2 %      | DENTI-CAL SERVICES (2000)  |       |
| Mortality (percent of AIDS cases<br>resulting in deaths)            | 59.0 %       |             | Total MEDI-CAL Eligibles:   | 38,604      | Average Monthly Users  |       |
| COUNTY HEALTH INDICATORS  |              |             | Percent of County Population                                      |             | 18.8 %   |       |
|   |              |             | MEDI-CAL Payments (FFS) :   |             | MEDI-CAL/MEDICARE (2002)   |       |
| Persons Injured in Traffic Accidents<br>County of Occurrence (2000) | 1,506        |             | Amount  | \$9,923,170 | Percent of MEDI-CAL Eligibles<br>Who are also eligible<br>for Medicare |       |
| Substance Abuse Admissions (2000)                                   |              |             | Amount per User   | \$457.18    | 18.7 %   |       |
| Methamphetamine   | 454          |             | MEDI-CAL ELIGIBLES BY RACE/ETHNICITY<br>(2000)                    |             | MEDI-CAL/MEDICARE (2002)   |       |
| Cocaine   | 27           |             | White   | 67.9 %      | TOTAL MEDICARE ENROLLEES   |       |
| Marijuana   | 121          |             | Black   | 3.0 %       | Number   |       |
| Alcohol   | 350          |             | Hispanic  | 10.9 %      | Percent of County Population   |       |
|   |              |             | American Indian/Alaskan Native                                    | 1.5 %       | Enrollees Aged 65+   |       |
|   |              |             | Asian/Pacific Islander  | 8.9 %       | Number   |       |
|   |              |             | Not Reported  | 7.7 %       | Percent of County Population   |       |
|   |              |             |   |             | Disability Beneficiaries:  |       |
|   |              |             |   |             | Number   |       |
|   |              |             |   |             | Percent of County Population   |       |

| PROGRAM CLIENTS/SERVICES   |        | HOSPITALS (2000)  |       | HOSPICE CARE   |        |
|--|--------|---|-------|--|--------|
| Percent Early Postpartum Breastfeeding Initiation 1998-2000 Average            | 85.3 % | Number of General Acute Care (GAC) Hospitals                    | 5     | Number of Freestanding Hospice Care Facilities (2000)                | 1      |
| Family Planning Clients by All Funding Sources (2001)                          | 9,711  | Number of Licensed GAC Beds                                     | 582   | HOSPITAL UTILIZATION (2000)  |        |
|  |        | Number of Licensed GAC Beds per 1,000 Population                | 2.9   | Number of GAC Discharges from GAC Hospitals                          | 23,950 |
| Women and Children Under Age 5 Receiving WIC Services (07/02)                  | 6,880  | LTC (2000)  |       | Average GAC Occupancy Rate in GAC Hospitals                          | 46.4   |
|  |        | Number of Long Term Care Facilities and Hospitals with LTC Beds | 11    | Average GAC Length of Stay in GAC Hospitals (days)                   | 4.1    |
| Child Health/Disability Prevention Screens (FY 2000-2001)                      | 14,739 | Number of Licensed LTC Beds                                     | 1,130 | LTC (2000)   |        |
|  |        | Number of Licensed Beds per 1,000 Population                    | 5.6   | Number of LTC Discharges from LTC Facilities                         | 1,907  |
| California Children's Services Cases (08/02)                                   | 805    | PHYSICIANS (2001)   |       | Average Occupancy Rate of LTC Facilities and Hospitals with LTC Beds | 90.8   |
|  |        | Number of Active Non-Federal Physicians                         | 423   | COUNTY HEALTH COSTS (FY 2000-2001)                                   |        |
| Developmental Disability Clients (08/02)                                       | 2,123  | Number of Persons per Physician                                 | 480   | Estimated Net County Health Care Costs                               | DNR    |
|  |        | DENTISTS (2002)   |       | Estimated Net County Cost per Capita                                 | \$0.00 |
| Rehabilitation Clients (FY 2000-2001)  | 872    | Number of Licensed Dentists (Non-Federal)                       | 143   |  |        |
|  |        | Number of Persons per Dentist                                   | 1,421 |  |        |
| State Mental Hospital Admissions (FY 2000-2001)                                | 10     | CLINICS (2000)  |       |  |        |
|  |        | Number of Licensed Community and Free Clinics                   | 14    |  |        |
| Persons Receiving Preventive Health Care for the Aging Services (FY 2001-2002) | 0      | Number of Specialty Clinics                                     | 6     |  |        |
|  |        | HOME HEALTH AGENCIES (2000)                                     |       |  |        |
| Assessment Clients   | 0      | Number of Licensed Home Health Agencies                         | 13    |  |        |
| Total Client Encounters  | 0      |   |       |  |        |

| TOTAL POPULATION       |          | PERCENT BELOW POVERTY LEVEL (1999)                            |        | LIVE BIRTHS (2000)   |        |
|------------------------|----------|---|--------|--|--------|
| Census Year 2000       | 40,554   | Total population  | 11.8 % | Number of Live Births By:                                      |        |
| Projection Year 2010   | 53,400   | Children under 6  | 18.7 % | County of Residence  | 309    |
| Projection Year 2020   | 62,200   | Persons aged 65+  | 6.2 %  | County of Occurrence   | 64     |
| AGE (2000)             |          | HOUSING VALUE (2000)  |        | Birth Rate (births per 1,000 population)                       | 7.5    |
| Under Age 5            | 4.4%     | Whites  | 10.9 % | Fertility rate (births per 1,000 women aged 15-44, 98-00 avg.) | 41.8   |
| Age 5-17               | 18.4%    | Blacks  | 28.6 % | Low birthweight (under 2,500 grams)                            | 5.5 %  |
| Age 18-64              | 59.0%    | Hispanics   | 17.9 % | Very low birthweight (under 1,500 grams)                       | 1.3 %  |
| Age 65+                | 18.2%    | Asian/Pacific Islanders                                       | 14.1 % | Unmarried  | 23.9 % |
|                        |          | American Indian   | 32.9 % | Cesarean section delivery                                      | 28.8 % |
| SEX (2000)             |          | CALWORKS (2002)   |        | Mothers who gave birth outside county of residence             | 80.9 % |
| Females                | 50.4%    | CalWorks enrollees as a percent of county population          | 0.9 %  | Mothers with less than 12 years education                      | 11.3 % |
| Males                  | 49.6%    | SSI/SSP (2002)  |        | Teenage mothers (<18)  | 1.9 %  |
| RACE/ETHNICITY (2000)  |          | SSI/SSP recipients as a percent of county population          | 2.1 %  | Mothers with no 1st trimester prenatal care                    | 11.6 % |
| White                  | 87.5%    | UNEMPLOYMENT (2002)   |        | Percent of Births by Mother's Race/Ethnicity:                  |        |
| Black                  | 0.7%     | Percent of civilian labor force unemployed                    | 6.8 %  | White/Other  | 88.7 % |
| Hispanic               | 6.8%     | EDUCATION   |        | Black  | 0.3 %  |
| American Indian        | 1.5%     | Percent of persons aged 25+ not completing high-school (2000) | 14.3 % | Hispanic   | 7.4 %  |
| Asian/Pacific Islander | 0.9%     | Enrollment K-12 (2001-2002)                                   | 6,981  | Asian/Pacific Islander   | 0.6 %  |
| URBAN/RURAL (2000)     |          | PRINCIPAL PAYMENT SOURCE FOR BIRTH DELIVERIES                 |        | American Indian  | 1.3 %  |
| Urban                  | 18.1%    | Medi-Cal/other gov't  | 37.3 % | Multiple Race  | 1.3 %  |
| Rural                  | 81.9%    | HMO and prepaid plans   | 15.3 % |  |        |
| FAMILY INCOME (1999)   |          | Private insurance   | 46.1 % |  |        |
| Median family income   | \$47,379 |   |        |  |        |

| DEATHS (2000)                                  |          | CAUSES OF DEATH (1999-2000 AVG.)                   |        | INFANT DEATHS (2000)  |     |
|--|----------|--|--------|---|-----|
| Number of Deaths By:                           |          | Deaths per 100,000 Population Due To:              |        | Number of Infant Deaths (Under 1 Year of Age)                   | 1   |
| County of Residence                            | 382      | Heart Disease                                      | 294.4  | Infant Death Rate (Deaths per 1,000 Live Births)                | N   |
| County of Occurrence                           | 270      | All Malignant Neoplasms                            | 266.0  | INFANT DEATH RATES (1999 BIRTH COHORT)                          |     |
| Crude Death Rate (Deaths per 1,000 Population) | 9.3      | Breast Cancer                                      | 34.0 * |   |     |
|  |          | Lung Cancer  | 98.5   | Infant Deaths per 1,000 Live Births by Mother's Race/Ethnicity: |     |
| AGE-ADJUSTED DEATH RATE (1998-2000 AVERAGE)    |          | Stroke   | 65.3   | All Race/Ethnic Groups  | 0.0 |
| Age-Adjusted Deaths per 100,000 Population     | 724.0    | Unintentional Injuries                             | 59.1   | White   | 0.0 |
| AGE-SPECIFIC DEATH RATES (1998-2000 AVERAGE)   |          | Pneumonia and Influenza                            | 17.2 * | Black   | 0.0 |
| Deaths per 100,000 Population:                 |          | Chronic Lower Respiratory Disease                  | 66.5   | Hispanic  | 0.0 |
| 1 to 4 Years Old                               | 19.7 *   | Acquired Immune Deficiency Syndrome                | 3.7 *  | Asian, American Indian, Other                                   | 0.0 |
| 5 to 14 Years Old                              | 6.4 *    | Chronic Liver Disease/Cirrhosis                    | 14.8 * | PERINATAL DEATHS (1999 BIRTH COHORT)                            |     |
| 15 to 24 Years Old                             | 83.0 *   | Suicide  | 19.7 * |   |     |
| 25 to 34 Years Old                             | 148.9 *  | Diabetes Mellitus                                  | 14.8 * | Number of Perinatal Deaths (Neonatal Plus Fetal)                | 2   |
| 35 to 44 Years Old                             | 277.4 *  | Homicide   | 3.7 *  | Perinatal Death Rate by Mother's Race/Ethnicity:                |     |
| 45 to 54 Years Old                             | 436.1    | FETAL AND NEONATAL DEATHS (2000)                   |        | All Race/Ethnic Groups  | N   |
| 55 to 64 Years Old                             | 873.9    | Number of Fetal Deaths                             | 3      | White   | N   |
| 65 to 74 Years Old                             | 2,187.5  | Fetal Death Ratio (Deaths per 1,000 Live Births)   | N      | Black   | 0.0 |
| 75 to 84 Years Old                             | 3,927.7  | Number of Neonatal Deaths (Under 28 Days of Age)   | 0      | Hispanic  | 0.0 |
| Over 84 Years Old                              | 12,014.0 | Neonatal Death Rate (Deaths per 1,000 Live Births) | 0.0    | Asian, American Indian, Other                                   | 0.0 |

| REPORTED COMMUNICABLE DISEASES<br>(1998-2000 AVERAGE)               |              |             | COUNTY HEALTH INDICATORS<br>(continued)                           |        | MEDI-CAL<br>(2000)   |     |
|---|--------------|-------------|---|--------|--|-----|
| Number and Rate per 100,000 Population                              |              |             | Mortality Rate Per 100,000 Pop. (1999-2000 Avg.)                  |        | MEDI-CAL Deliveries by:  |     |
| <u>DISEASE</u>  | <u>CASES</u> | <u>RATE</u> | Work Related Injury Deaths  | 0.0    | County of Beneficiary  | 120 |
| Hepatitis   | 0.7          | 1.6 *       | Mortality Rate  | 0.0    |  |     |
| Measles   | 0.0          | 0.0         | Drug Related Deaths (1999-2000 Avg.)                              | 3.5    | Fee for Service  | 120 |
| Shigellosis   | 0.7          | 1.6 *       | Mortality Rate  | 10.5 * | Managed Care   | 0   |
| Tuberculosis  | 0.3          | 0.8 *       | Homicide by Weapons (2000)  | 4      | MEDI-CAL Abortions by:   | 69  |
| Syphilis  | 0.0          | 0.0         | Homicide by Handguns  | 3      | (Resident beneficiary) FFS   |     |
| Chlamydia   | 14.0         | 34.5 *      | Kindergarten Students Needing One<br>or More Immunizations (2001) | 7      | County Hospitals   | 1   |
| Gonorrhea   | 1.7          | 4.1 *       |   | 1.7 %  | Community Hospitals  | 1   |
| CUMULATIVE AIDS CASES AND INCIDENCE<br>1981 through January 2002    |              |             | MEDI-CAL DATA<br>(AVERAGE MONTHLY, 2000)                          |        | MEDI-CAL PHP ENROLLEES (2000)  |     |
|   |              |             | MEDI-CAL Users (FFS):   |        | Average Monthly Prepaid  |     |
| AIDS Cases  | 15           |             | Percent of County Population                                      | 2,616  | Health Plan Enrollees  | 0   |
| Number of deaths  | 8            |             | Percent of Eligibles (FFS)  | 6.5 %  | DENTI-CAL SERVICES (2000)  |     |
| Mortality (percent of AIDS cases<br>resulting in deaths)            | 53.0 %       |             | Total MEDI-CAL Eligibles:   | 52.6 % | Average Monthly Users  |     |
| COUNTY HEALTH INDICATORS  |              |             | Percent of County Population                                      |        | 248  |     |
|   |              |             | MEDI-CAL Payments (FFS) :   |        | MEDI-CAL/MEDICARE (2002)   |     |
| Persons Injured in Traffic Accidents<br>County of Occurrence (2000) | 393          |             | Amount  | 4,977  | Percent of MEDI-CAL Eligibles<br>Who are also eligible<br>for Medicare |     |
| Substance Abuse Admissions (2000)                                   |              |             | Amount per User   | 12.1 % | 16.9 %   |     |
| Methamphetamine   | 137          |             | MEDI-CAL ELIGIBLES BY RACE/ETHNICITY<br>(2000)                    |        | MEDI-CAL ENROLLEES (2000)  |     |
| Cocaine   | 19           |             | White   | 88.7 % | TOTAL MEDICARE ENROLLEES   |     |
| Marijuana   | 85           |             | Black   | 0.9 %  | Number   |     |
| Alcohol   | 255          |             | Hispanic  | 3.8 %  | 7,851  |     |
|   |              |             | American Indian/Alaskan Native                                    | 0.9 %  | Percent of County Population   |     |
|   |              |             | Asian/Pacific Islander  | 0.6 %  | 19.4 %   |     |
|   |              |             | Not Reported  | 5.2 %  | Enrollees Aged 65+   |     |
|   |              |             |   |        | Number   |     |
|   |              |             |   |        | 6,875  |     |
|   |              |             |   |        | Percent of County Population   |     |
|   |              |             |   |        | 17.0 %   |     |
|   |              |             |   |        | Disability Beneficiaries:  |     |
|   |              |             |   |        | Number   |     |
|   |              |             |   |        | 976  |     |
|   |              |             |   |        | Percent of County Population   |     |
|   |              |             |   |        | 2.4 %  |     |

| PROGRAM CLIENTS/SERVICES   |        | HOSPITALS (2000)   | HOSPICE CARE   |
|--|--------|--|--|
| Percent Early Postpartum Breastfeeding Initiation 1998-2000 Average            | 82.5 % | Number of General Acute Care (GAC) Hospitals<br>0                    | Number of Freestanding Hospice Care Facilities (2000)<br>0   |
| Family Planning Clients by All Funding Sources (2001)                          | 2,738  | Number of Licensed GAC Beds<br>0                                     | <b>HOSPITAL UTILIZATION (2000)</b><br>Number of GAC Discharges from GAC Hospitals<br>0<br><br>Average GAC Occupancy Rate in GAC Hospitals<br>0.0 |
|  |        | Number of Licensed GAC Beds per 1,000 Population<br>0.0              |  |
| Women and Children Under Age 5 Receiving WIC Services (07/02)                  | 648    | <b>LTC (2000)</b>  |  |
|  |        | Number of Long Term Care Facilities and Hospitals with LTC Beds<br>2 | Average GAC Length of Stay in GAC Hospitals (days)<br>0.0  |
| Child Health/Disability Prevention Screens (FY 2000-2001)                      | 2,890  | Number of Licensed LTC Beds<br>132                                   | <b>LTC (2000)</b><br>Number of LTC Discharges from LTC Facilities<br>231   |
|  |        | Number of Licensed Beds per 1,000 Population<br>3.3                  |  |
| California Children's Services Cases (08/02)                                   | 96     | <b>PHYSICIANS (2001)</b>   |  |
|  |        | Number of Active Non-Federal Physicians<br>47                        | Average Occupancy Rate of LTC Facilities and Hospitals with LTC Beds<br>90.7   |
| Developmental Disability Clients (08/02)                                       | 162    | Number of Persons per Physician<br>863                               | <b>COUNTY HEALTH COSTS (FY 2000-2001)</b><br>Estimated Net County Health Care Costs<br>DNR   |
|  |        | <b>DENTISTS (2002)</b>   |  |
| Rehabilitation Clients (FY 2000-2001)  | 80     | Number of Licensed Dentists (Non-Federal)<br>28                      | Estimated Net County Cost per Capita<br>\$0.00   |
|  |        | Persons per Dentist<br>1,448   |  |
| State Mental Hospital Admissions (FY 2000-2001)                                | 1      | <b>CLINICS (2000)</b>  |  |
|  |        | Number of Licensed Community and Free Clinics<br>1                   |  |
| Persons Receiving Preventive Health Care for the Aging Services (FY 2001-2002) | 0      | Number of Specialty Clinics<br>1                                     |  |
|  |        | <b>HOME HEALTH AGENCIES (2000)</b>                                   |  |
| Assessment Clients   | 0      | Number of Licensed Home Health Agencies<br>3                         |  |
| Total Client Encounters  | 0      |  |  |

| TOTAL POPULATION       |          | PERCENT BELOW POVERTY LEVEL (1999)                            |           | LIVE BIRTHS (2000)   |        |
|------------------------|----------|---|-----------|--|--------|
| Census Year 2000       | 18,804   | Total population  | 16.1 %    | Number of Live Births By:                                      |        |
| Projection Year 2010   | 29,200   | Children under 6  | 19.8 %    | County of Residence  | 330    |
| Projection Year 2020   | 39,200   | Persons aged 65+  | 8.2 %     | County of Occurrence   | 165    |
| AGE (2000)             |          |   |           | Birth Rate (births per 1,000 population)                       | 17.2   |
| Under Age 5            | 8.1%     | Whites  | 9.3 %     | Fertility rate (births per 1,000 women aged 15-44, 98-00 avg.) | 79.9   |
| Age 5-17               | 23.5%    | Blacks  | 10.9 %    | Low birthweight (under 2,500 grams)                            | 4.8 %  |
| Age 18-64              | 57.1%    | Hispanics   | 22.2 %    | Very low birthweight (under 1,500 grams)                       | 1.2 %  |
| Age 65+                | 11.4%    | Asian/Pacific Islanders                                       | 18.1 %    | Unmarried  | 33.0 % |
|                        |          | American Indian   | 35.1 %    | Cesarean section delivery                                      | 21.2 % |
|                        |          | HOUSING VALUE (2000)  |           | Mothers who gave birth outside county of residence             | 52.7 % |
|                        |          | Median housing-unit value                                     | \$107,500 | Mothers with less than 12 years education                      | 50.0 % |
| SEX (2000)             |          | CALWORKS (2002)   |           | Teenage mothers (<18)  | 5.5 %  |
| Females                | 49.2%    | CalWorks enrollees as a percent of county population          | 0.9 %     | Mothers with no 1st trimester prenatal care                    | 31.3 % |
| Males                  | 50.8%    | SSI/SSP (2002)  |           | Percent of Births by Mother's Race/Ethnicity:                  |        |
| RACE/ETHNICITY (2000)  |          | SSI/SSP recipients as a percent of county population          | 2.3 %     | White/Other  | 32.1 % |
| White                  | 48.0%    | UNEMPLOYMENT (2002)   |           | Black  | 0.0 %  |
| Black                  | 0.5%     | Percent of civilian labor force unemployed                    | 26.1 %    | Hispanic   | 62.7 % |
| Hispanic               | 46.5%    | EDUCATION   |           | Asian/Pacific Islander   | 0.9 %  |
| American Indian        | 1.7%     | Percent of persons aged 25+ not completing high-school (2000) | 36.0 %    | American Indian  | 3.6 %  |
| Asian/Pacific Islander | 1.5%     | Enrollment K-12 (2001-2002)                                   | 4,461     | Multiple Race  | 0.6 %  |
| URBAN/RURAL (2000)     |          | PRINCIPAL PAYMENT SOURCE FOR BIRTH DELIVERIES                 |           |  |        |
| Urban                  | 51.0%    | Medi-Cal/other gov't  | 65.8 %    |  |        |
| Rural                  | 49.0%    | HMO and prepaid plans   | 7.3 %     |  |        |
| FAMILY INCOME (1999)   |          | Private insurance   | 25.5 %    |  |        |
| Median family income   | \$40,138 |   |           |  |        |

| DEATHS (2000)                                  |           | CAUSES OF DEATH (1999-2000 AVG.)                   |        | INFANT DEATHS (2000)  |  |
|--|-----------|--|--------|---|--|
| Number of Deaths By:                           |           | Deaths per 100,000 Population Due To:              |        | Number of Infant Deaths (Under 1 Year of Age) 2                 |  |
| County of Residence                            | 144       | Heart Disease                                      | 199.1  | Infant Death Rate (Deaths per 1,000 Live Births) N              |  |
| County of Occurrence                           | 122       | All Malignant Neoplasms                            | 194.1  |   |  |
| Crude Death Rate (Deaths per 1,000 Population) | 7.5       | Breast Cancer                                      | 20.5 * |   |  |
|  |           | Lung Cancer  | 62.2 * |   |  |
| AGE-ADJUSTED DEATH RATE (1998-2000 AVERAGE)    |           | Stroke   | 39.8 * | INFANT DEATH RATES (1999 BIRTH COHORT)                          |  |
| Age-Adjusted Deaths per 100,000 Population     | 725.4     | Unintentional Injuries                             | 24.9 * | Infant Deaths per 1,000 Live Births by Mother's Race/Ethnicity: |  |
| AGE-SPECIFIC DEATH RATES (1998-2000 AVERAGE)   |           | Pneumonia and Influenza                            | 24.9 * | All Race/Ethnic Groups N  |  |
| Deaths per 100,000 Population:                 |           | Chronic Lower Respiratory Disease                  | 42.3 * | White N   |  |
| 1 to 4 Years Old                               | 0.0       | Acquired Immune Deficiency Syndrome                | 2.5 *  | Black 0.0   |  |
| 5 to 14 Years Old                              | 52.1 *    | Chronic Liver Disease/Cirrhosis                    | 10.0 * | Hispanic N  |  |
| 15 to 24 Years Old                             | 61.3 *    | Suicide  | 12.4 * | Asian, American Indian, Other 0.0                               |  |
| 25 to 34 Years Old                             | 112.3 *   | Diabetes Mellitus                                  | 14.9 * | PERINATAL DEATHS (1999 BIRTH COHORT)                            |  |
| 35 to 44 Years Old                             | 184.0 *   | Homicide   | 14.9 * | Number of Perinatal Deaths (Neonatal Plus Fetal) 3              |  |
| 45 to 54 Years Old                             | 451.2 *   | FETAL AND NEONATAL DEATHS (2000)                   |        | Perinatal Death Rate by Mother's Race/Ethnicity:                |  |
| 55 to 64 Years Old                             | 1,045.7 * | Number of Fetal Deaths                             | 2      | All Race/Ethnic Groups N  |  |
| 65 to 74 Years Old                             | 2,338.7   | Fetal Death Ratio (Deaths per 1,000 Live Births)   | N      | White N   |  |
| 75 to 84 Years Old                             | 4,505.5   | Number of Neonatal Deaths (Under 28 Days of Age)   | 2      | Black 0.0   |  |
| Over 84 Years Old                              | 9,636.2   | Neonatal Death Rate (Deaths per 1,000 Live Births) | N      | Hispanic N  |  |
|  |           |  |        | Asian, American Indian, Other 0.0                               |  |

| REPORTED COMMUNICABLE DISEASES<br>(1998-2000 AVERAGE)               |              |             | COUNTY HEALTH INDICATORS<br>(continued)                           |           | MEDI-CAL<br>(2000)   |        |
|---|--------------|-------------|---|-----------|--|--------|
| Number and Rate per 100,000 Population                              |              |             | Mortality Rate Per 100,000 Pop. (1999-2000 Avg.)                  |           | MEDI-CAL Deliveries by:  |        |
| <u>DISEASE</u>  | <u>CASES</u> | <u>RATE</u> | Work Related Injury Deaths  | 0.5       | County of Beneficiary  | 215    |
| Hepatitis   | 2.3          | 11.6 *      | Mortality Rate  | 2.9 *     |  |        |
| Measles   | 0.0          | 0.0         | Drug Related Deaths (1999-2000 Avg.)                              | 1.5       | Fee for Service  | 215    |
| Shigellosis   | 2.0          | 10.0 *      | Mortality Rate  | 8.4 *     | Managed Care   | 0      |
| Tuberculosis  | 0.3          | 1.7 *       | Homicide by Weapons (2000)  | 4         | MEDI-CAL Abortions by:   | 36     |
| Syphilis  | 0.0          | 0.0         | Homicide by Handguns  | 2         | (Resident beneficiary) FFS   |        |
| Chlamydia   | 29.7         | 147.7       | Kindergarten Students Needing One<br>or More Immunizations (2001) | 19        | County Hospitals   | 1      |
| Gonorrhea   | 1.7          | 8.3 *       |   | 5.9 %     | Community Hospitals  | 2      |
| CUMULATIVE AIDS CASES AND INCIDENCE<br>1981 through January 2002    |              |             | MEDI-CAL DATA<br>(AVERAGE MONTHLY, 2000)                          |           | MEDI-CAL PHP ENROLLEES (2000)  |        |
|   |              |             | MEDI-CAL Users (FFS):   | 1,750     | Average Monthly Prepaid  |        |
| AIDS Cases  | 12           |             | Percent of County Population                                      | 9.3 %     | Health Plan Enrollees  | 0      |
| Number of deaths  | 12           |             | Percent of Eligibles (FFS)  | 52.9 %    | DENTI-CAL SERVICES (2000)  |        |
| Mortality (percent of AIDS cases<br>resulting in deaths)            | 100.0 %      |             | Total MEDI-CAL Eligibles:   | 3,306     | Average Monthly Users  | 88     |
| COUNTY HEALTH INDICATORS  |              |             | Percent of County Population                                      | 17.3 %    | MEDI-CAL/MEDICARE (2002)   |        |
|   |              |             | MEDI-CAL Payments (FFS) :   |           | Percent of MEDI-CAL Eligibles<br>Who are also eligible<br>for Medicare | 18.1 % |
| Persons Injured in Traffic Accidents<br>County of Occurrence (2000) | 226          |             | Amount  | \$711,678 | MEDICARE ENROLLEES (2000)  |        |
| Substance Abuse Admissions (2000)                                   |              |             | Amount per User   | \$406.67  | TOTAL MEDICARE ENROLLEES   |        |
| Methamphetamine   | 6            |             | MEDI-CAL ELIGIBLES BY RACE/ETHNICITY<br>(2000)                    |           | Number   | 2,483  |
| Cocaine   | 0            |             | White   | 34.5 %    | Percent of County Population   | 13.2 % |
| Marijuana   | 7            |             | Black   | 0.5 %     | Enrollees Aged 65+   |        |
| Alcohol   | 20           |             | Hispanic  | 53.9 %    | Number   | 2,170  |
|   |              |             | American Indian/Alaskan Native                                    | 1.8 %     | Percent of County Population   | 11.5 % |
|   |              |             | Asian/Pacific Islander  | 1.1 %     | Disability Beneficiaries:  |        |
|   |              |             | Not Reported  | 8.2 %     | Number   | 313    |
|   |              |             |   |           | Percent of County Population   | 1.7 %  |

| PROGRAM CLIENTS/SERVICES   |        | HOSPITALS (2000)  | HOSPICE CARE   |
|--|--------|---|--|
| Percent Early Postpartum Breastfeeding Initiation 1998-2000 Average            | 81.2 % | Number of General Acute Care (GAC) Hospitals<br>0<br>Number of Licensed GAC Beds<br>0                                 | Number of Freestanding Hospice Care Facilities (2000)<br>0                                 |
| Family Planning Clients by All Funding Sources (2001)                          | 1,075  | Number of Licensed GAC Beds per 1,000 Population<br>0.0   | <b>HOSPITAL UTILIZATION (2000)</b><br>Number of GAC Discharges from GAC Hospitals<br>0     |
| Women and Children Under Age 5 Receiving WIC Services (07/02)                  | 1,270  | <b>LTC (2000)</b><br>Number of Long Term Care Facilities and Hospitals with LTC Beds<br>1                             | Average GAC Occupancy Rate in GAC Hospitals<br>0.0   |
| Child Health/Disability Prevention Screens (FY 2000-2001)                      | 3,595  | Number of Licensed LTC Beds<br>90   | Average GAC Length of Stay in GAC Hospitals (days)<br>0.0                                  |
| California Children's Services Cases (08/02)                                   | 143    | Number of Licensed Beds per 1,000 Population<br>4.8   | <b>LTC (2000)</b><br>Number of LTC Discharges from LTC Facilities<br>41                    |
| Developmental Disability Clients (08/02)                                       | 59     | <b>PHYSICIANS (2001)</b><br>Number of Active Non-Federal Physicians<br>12<br>Number of Persons per Physician<br>1,567 | Average Occupancy Rate of LTC Facilities and Hospitals with LTC Beds<br>79.5               |
| Rehabilitation Clients (FY 2000-2001)  | 22     | <b>DENTISTS (2002)</b><br>Number of Licensed Dentists (Non-Federal)<br>3<br>Number of Persons per Dentist<br>6,268    | <b>COUNTY HEALTH COSTS (FY 2000-2001)</b><br>Estimated Net County Health Care Costs<br>DNR |
| State Mental Hospital Admissions (FY 2000-2001)                                | 1      | <b>CLINICS (2000)</b><br>Number of Licensed Community and Free Clinics<br>1<br>Number of Specialty Clinics<br>1       | Estimated Net County Cost per Capita<br>\$0.00   |
| Persons Receiving Preventive Health Care for the Aging Services (FY 2001-2002) |        |   |  |
| Assessment Clients   | 0      |   |  |
| Total Client Encounters  | 0      | <b>HOME HEALTH AGENCIES (2000)</b><br>Number of Licensed Home Health Agencies<br>1                                    |  |

| TOTAL POPULATION       |           | PERCENT BELOW POVERTY LEVEL (1999)                            |           | LIVE BIRTHS (2000)   |        |
|------------------------|-----------|---|-----------|--|--------|
| Census Year 2000       | 948,816   | Total population  | 7.6 %     | Number of Live Births By:                                      |        |
| Projection Year 2010   | 1,071,400 | Children under 6  | 10.5 %    | County of Residence  | 13,204 |
| Projection Year 2020   | 1,152,900 | Persons aged 65+  | 6.0 %     | County of Occurrence   | 11,321 |
| AGE (2000)             |           |   |           | Birth Rate (births per 1,000 population)                       | 13.7   |
| Under Age 5            | 7.0%      | Whites  | 4.5 %     | Fertility rate (births per 1,000 women aged 15-44, 98-00 avg.) | 66.8   |
| Age 5-17               | 19.6%     | Blacks  | 17.2 %    | Low birthweight (under 2,500 grams)                            | 6.5 %  |
| Age 18-64              | 62.2%     | Hispanics   | 13.1 %    | Very low birthweight (under 1,500 grams)                       | 1.0 %  |
| Age 65+                | 11.3%     | Asian/Pacific Islanders                                       | 6.7 %     | Unmarried  | 24.1 % |
|                        |           | American Indian   | 12.6 %    | Cesarean section delivery                                      | 21.5 % |
|                        |           | HOUSING VALUE (2000)  |           | Mothers who gave birth outside county of residence             | 29.9 % |
|                        |           | Median housing-unit value                                     | \$267,800 | Mothers with less than 12 years education                      | 16.8 % |
| SEX (2000)             |           | CALWORKS (2002)   |           | Teenage mothers (<18)  | 2.2 %  |
| Females                | 51.2%     | CalWorks enrollees as a percent of county population          | 0.8 %     | Mothers with no 1st trimester prenatal care                    | 9.9 %  |
| Males                  | 48.8%     | SSI/SSP (2002)  |           | Percent of Births by Mother's Race/Ethnicity:                  |        |
| RACE/ETHNICITY (2000)  |           | SSI/SSP recipients as a percent of county population          | 2.2 %     | White/Other  | 46.5 % |
| White                  | 57.9%     | UNEMPLOYMENT (2002)   |           | Black  | 9.8 %  |
| Black                  | 9.2%      | Percent of civilian labor force unemployed                    | 4.5 %     | Hispanic   | 27.7 % |
| Hispanic               | 17.7%     | EDUCATION   |           | Asian/Pacific Islander   | 13.5 % |
| American Indian        | 0.4%      | Percent of persons aged 25+ not completing high-school (2000) | 13.1 %    | American Indian  | 0.2 %  |
| Asian/Pacific Islander | 11.2%     | Enrollment K-12 (2001-2002)                                   | 181,520   | Multiple Race  | 1.5 %  |
| URBAN/RURAL (2000)     |           | PRINCIPAL PAYMENT SOURCE FOR BIRTH DELIVERIES                 |           |  |        |
| Urban                  | 97.9%     | Medi-Cal/other gov't  | 19.8 %    |  |        |
| Rural                  | 2.1%      | HMO and prepaid plans   | 60.4 %    |  |        |
| FAMILY INCOME (1999)   |           | Private insurance   | 17.8 %    |  |        |
| Median family income   | \$73,039  |   |           |  |        |

| DEATHS (2000)                                       |          | CAUSES OF DEATH (1999-2000 AVG.)                   |       | INFANT DEATHS (2000)  |        |
|---|----------|--|-------|---|--------|
| Number of Deaths By:                                |          | Deaths per 100,000 Population Due To:              |       | Number of Infant Deaths (Under 1 Year of Age)                   | 64     |
| County of Residence                                 | 6,648    | Heart Disease                                      | 194.3 | Infant Death Rate (Deaths per 1,000 Live Births)                | 4.8    |
| County of Occurrence                                | 6,587    | All Malignant Neoplasms                            | 172.2 | <b>INFANT DEATH RATES (1999 BIRTH COHORT)</b>                   |        |
| Crude Death Rate (Deaths per 1,000 Population)      | 6.9      | Breast Cancer                                      | 28.1  | Infant Deaths per 1,000 Live Births by Mother's Race/Ethnicity: |        |
|   |          | Lung Cancer  | 44.4  | All Race/Ethnic Groups  | 5.0    |
| <b>AGE-ADJUSTED DEATH RATE (1998-2000 AVERAGE)</b>  |          | Stroke   | 68.8  | White   | 2.6 *  |
| Age-Adjusted Deaths per 100,000 Population          | 769.8    | Unintentional Injuries                             | 22.5  | Black   | 12.6 * |
|   |          | Pneumonia and Influenza                            | 20.2  | Hispanic  | 6.0    |
| <b>AGE-SPECIFIC DEATH RATES (1998-2000 AVERAGE)</b> |          | Chronic Lower Respiratory Disease                  | 39.7  | Asian, American Indian, Other                                   | 5.1 *  |
| Deaths per 100,000 Population:                      |          | Acquired Immune Deficiency Syndrome                | 3.7   | <b>PERINATAL DEATHS (1999 BIRTH COHORT)</b>                     |        |
| 1 to 4 Years Old                                    | 31.3 *   | Chronic Liver Disease/Cirrhosis                    | 10.4  | Number of Perinatal Deaths (Neonatal Plus Fetal)                | 118    |
| 5 to 14 Years Old                                   | 17.8     | Suicide  | 8.6   | Perinatal Death Rate by Mother's Race/Ethnicity:                |        |
| 15 to 24 Years Old                                  | 62.1     | Diabetes Mellitus                                  | 17.0  | All Race/Ethnic Groups  | 9.3    |
| 25 to 34 Years Old                                  | 94.8     | Homicide   | 6.5   | White   | 6.7    |
|   |          | <b>FETAL AND NEONATAL DEATHS (2000)</b>            |       | Black   | 22.7   |
| 35 to 44 Years Old                                  | 157.7    | Number of Fetal Deaths                             | 75    | Hispanic  | 9.9    |
| 45 to 54 Years Old                                  | 330.0    | Fetal Death Ratio (Deaths per 1,000 Live Births)   | 5.7   | Asian, American Indian, Other                                   | 6.8 *  |
| 55 to 64 Years Old                                  | 737.4    | Number of Neonatal Deaths (Under 28 Days of Age)   | 48    |   |        |
| 65 to 74 Years Old                                  | 1,971.3  | Neonatal Death Rate (Deaths per 1,000 Live Births) | 3.6   |   |        |
| 75 to 84 Years Old                                  | 5,269.2  |  |       |   |        |
| Over 84 Years Old                                   | 15,181.5 |  |       |   |        |

| REPORTED COMMUNICABLE DISEASES<br>(1998-2000 AVERAGE)               |              |             | COUNTY HEALTH INDICATORS<br>(continued)                           |              | MEDI-CAL<br>(2000)   |         |
|---|--------------|-------------|---|--------------|--|---------|
| Number and Rate per 100,000 Population                              |              |             | Mortality Rate Per 100,000 Pop. (1999-2000 Avg.)                  |              | MEDI-CAL Deliveries by:  |         |
| <u>DISEASE</u>  | <u>CASES</u> | <u>RATE</u> | Work Related Injury Deaths  | 11.5         | County of Beneficiary  | 3,229   |
| Hepatitis   | 76.0         | 8.2         | Mortality Rate  | 1.3 *        |  |         |
| Measles   | 0.7          | 0.1 *       | Drug Related Deaths (1999-2000 Avg.)                              | 64.0         | Fee for Service  | 2,034   |
| Shigellosis   | 54.0         | 5.9         | Mortality Rate  | 6.8          | Managed Care   | 1,195   |
| Tuberculosis  | 92.3         | 10.0        | Homicide by Weapons (2000)  | 56           | MEDI-CAL Abortions by:   | 1,087   |
| Syphilis  | 3.0          | 0.3 *       | Homicide by Handguns  | 35           | (Resident beneficiary) FFS   |         |
| Chlamydia   | 1,800.0      | 195.3       | Kindergarten Students Needing One<br>or More Immunizations (2001) | 626<br>4.6 % | County Hospitals   | 87      |
| Gonorrhea   | 592.3        | 64.3        |   |              | Community Hospitals  | 20      |
| CUMULATIVE AIDS CASES AND INCIDENCE<br>1981 through January 2002    |              |             | MEDI-CAL DATA<br>(AVERAGE MONTHLY, 2000)                          |              | MEDI-CAL PHP ENROLLEES (2000)  |         |
|   |              |             | MEDI-CAL Users (FFS):   | 29,670       | Average Monthly Prepaid  |         |
| AIDS Cases  | 2,238        |             | Percent of County Population                                      | 3.1 %        | Health Plan Enrollees  | 43,658  |
| Number of deaths  | 1,427        |             | Percent of Eligibles (FFS)  | 72.0 %       | DENTI-CAL SERVICES (2000)  |         |
| Mortality (percent of AIDS cases<br>resulting in deaths)            | 64.0 %       |             | Total MEDI-CAL Eligibles:   | 84,881       | Average Monthly Users  | 3,908   |
| COUNTY HEALTH INDICATORS  |              |             | Percent of County Population                                      | 8.8 %        | MEDI-CAL/MEDICARE (2002)   |         |
|   |              |             | MEDI-CAL Payments (FFS) :   |              | Percent of MEDI-CAL Eligibles<br>Who are also eligible<br>for Medicare |         |
| Persons Injured in Traffic Accidents<br>County of Occurrence (2000) | 6,263        |             | Amount  | \$17,331,307 | 19.1 %   |         |
| Substance Abuse Admissions (2000)                                   |              |             | Amount per User   | \$584.14     | MEDICARE ENROLLEES (2000)  |         |
| Methamphetamine   | 1,582        |             | MEDI-CAL ELIGIBLES BY RACE/ETHNICITY<br>(2000)                    |              | TOTAL MEDICARE ENROLLEES   |         |
| Cocaine   | 1,571        |             | White   | 31.8 %       | Number   | 116,643 |
| Marijuana   | 498          |             | Black   | 27.5 %       | Percent of County Population   | 12.3 %  |
| Alcohol   | 2,745        |             | Hispanic  | 22.1 %       | Enrollees Aged 65+   |         |
|   |              |             | American Indian/Alaskan Native                                    | 0.1 %        | Number   | 103,330 |
|   |              |             | Asian/Pacific Islander  | 7.6 %        | Percent of County Population   | 10.9 %  |
|   |              |             | Not Reported  | 10.9 %       | Disability Beneficiaries:  |         |
|   |              |             |   |              | Number   | 13,313  |
|   |              |             |   |              | Percent of County Population   | 1.4 %   |

| PROGRAM CLIENTS/SERVICES   |        | HOSPITALS (2000)  |       | HOSPICE CARE   |              |
|--|--------|---|-------|--|--------------|
| Percent Early Postpartum Breastfeeding Initiation 1998-2000 Average            | 86.9 % | Number of General Acute Care (GAC) Hospitals                    | 10    | Number of Freestanding Hospice Care Facilities (2000)                | 4            |
| Family Planning Clients by All Funding Sources (2001)                          | 21,239 | Number of Licensed GAC Beds                                     | 1,556 | HOSPITAL UTILIZATION (2000)  |              |
|  |        | Number of Licensed GAC Beds per 1,000 Population                | 1.6   | Number of GAC Discharges from GAC Hospitals                          | 73,434       |
| Women and Children Under Age 5 Receiving WIC Services (07/02)                  | 19,279 | LTC (2000)  |       | Average GAC Occupancy Rate in GAC Hospitals                          | 56.9         |
|  |        | Number of Long Term Care Facilities and Hospitals with LTC Beds | 35    | Average GAC Length of Stay in GAC Hospitals (days)                   | 4.4          |
| Child Health/Disability Prevention Screens (FY 2000-2001)                      | 22,746 | Number of Licensed LTC Beds                                     | 3,248 | LTC (2000)   |              |
|  |        | Number of Licensed Beds per 1,000 Population                    | 3.4   | Number of LTC Discharges from LTC Facilities                         | 7,389        |
| California Children's Services Cases (08/02)                                   | 1      | PHYSICIANS (2001)   |       | Average Occupancy Rate of LTC Facilities and Hospitals with LTC Beds | 85.2         |
|  |        | Number of Active Non-Federal Physicians                         | 2,403 | COUNTY HEALTH COSTS (FY 2000-2001)                                   |              |
| Developmental Disability Clients (08/02)                                       | 4,169  | Number of Persons per Physician                                 | 395   | Estimated Net County Health Care Costs                               | \$77,875,096 |
|  |        | DENTISTS (2002)   |       | Estimated Net County Cost per Capita                                 | \$82.08      |
| Rehabilitation Clients (FY 2000-2001)  | 2,438  | Number of Licensed Dentists (Non-Federal)                       | 862   |  |              |
|  |        | Number of Persons per Dentist                                   | 1,101 |  |              |
| State Mental Hospital Admissions (FY 2000-2001)                                | 56     | CLINICS (2000)  |       |  |              |
|  |        | Number of Licensed Community and Free Clinics                   | 13    |  |              |
| Persons Receiving Preventive Health Care for the Aging Services (FY 2001-2002) | 0      | Number of Specialty Clinics                                     | 18    |  |              |
|  |        | HOME HEALTH AGENCIES (2000)                                     |       |  |              |
| Assessment Clients   | 0      | Number of Licensed Home Health Agencies                         | 18    |  |              |
| Total Client Encounters  | 0      |   |       |  |              |

| TOTAL POPULATION       |          | PERCENT BELOW POVERTY LEVEL (1999)                            |           | LIVE BIRTHS (2000)   |        |
|------------------------|----------|---|-----------|--|--------|
| Census Year 2000       | 27,507   | Total population  | 20.2 %    | Number of Live Births By:                                      |        |
| Projection Year 2010   | 34,500   | Children under 6  | 34.4 %    | County of Residence  | 316    |
| Projection Year 2020   | 39,000   | Persons aged 65+  | 8.2 %     | County of Occurrence   | 319    |
| AGE (2000)             |          |   |           | Birth Rate (births per 1,000 population)                       | 11.2   |
| Under Age 5            | 5.5%     | Whites  | 17.3 %    | Fertility rate (births per 1,000 women aged 15-44, 98-00 avg.) | 52.9   |
| Age 5-17               | 19.5%    | Blacks  | 11.9 %    | Low birthweight (under 2,500 grams)                            | 5.1 %  |
| Age 18-64              | 62.4%    | Hispanics   | 26.6 %    | Very low birthweight (under 1,500 grams)                       | 0.3 %  |
| Age 65+                | 12.5%    | Asian/Pacific Islanders                                       | 49.9 %    | Unmarried  | 51.9 % |
|                        |          | American Indian   | 25.8 %    | Cesarean section delivery                                      | 19.0 % |
|                        |          | HOUSING VALUE (2000)  |           | Mothers who gave birth outside county of residence             | 11.7 % |
|                        |          | Median housing-unit value                                     | \$121,100 | Mothers with less than 12 years education                      | 35.4 % |
| SEX (2000)             |          | CALWORKS (2002)   |           | Teenage mothers (<18)  | 9.5 %  |
| Females                | 44.8%    | CalWorks enrollees as a percent of county population          | 2.3 %     | Mothers with no 1st trimester prenatal care                    | 20.3 % |
| Males                  | 55.2%    | SSI/SSP (2002)  |           | Percent of Births by Mother's Race/Ethnicity:                  |        |
| RACE/ETHNICITY (2000)  |          | SSI/SSP recipients as a percent of county population          | 5.3 %     | White/Other  | 63.9 % |
| White                  | 70.1%    | UNEMPLOYMENT (2002)   |           | Black  | 0.0 %  |
| Black                  | 4.2%     | Percent of civilian labor force unemployed                    | 9.2 %     | Hispanic   | 16.8 % |
| Hispanic               | 13.9%    | EDUCATION   |           | Asian/Pacific Islander   | 3.5 %  |
| American Indian        | 5.8%     | Percent of persons aged 25+ not completing high-school (2000) | 28.4 %    | American Indian  | 7.9 %  |
| Asian/Pacific Islander | 2.3%     | Enrollment K-12 (2001-2002)                                   | 5,250     | Multiple Race  | 7.6 %  |
| URBAN/RURAL (2000)     |          | PRINCIPAL PAYMENT SOURCE FOR BIRTH DELIVERIES                 |           |  |        |
| Urban                  | 67.9%    | Medi-Cal/other gov't  | 64.0 %    |  |        |
| Rural                  | 32.1%    | HMO and prepaid plans   | 7.6 %     |  |        |
| FAMILY INCOME (1999)   |          | Private insurance   | 25.2 %    |  |        |
| Median family income   | \$36,056 |   |           |  |        |

| DEATHS (2000)                                  |         | CAUSES OF DEATH (1999-2000 AVG.)                   |        | INFANT DEATHS (2000)  |     |
|--|---------|--|--------|---|-----|
| Number of Deaths By:                           |         | Deaths per 100,000 Population Due To:              |        | Number of Infant Deaths (Under 1 Year of Age)                   | 2   |
| County of Residence                            | 269     | Heart Disease                                      | 200.9  | Infant Death Rate (Deaths per 1,000 Live Births)                | N   |
| County of Occurrence                           | 299     | All Malignant Neoplasms                            | 196.0  | INFANT DEATH RATES (1999 BIRTH COHORT)                          |     |
|  |         | Breast Cancer                                      | 17.9 * |   |     |
|  |         | Lung Cancer  | 60.9 * | Infant Deaths per 1,000 Live Births by Mother's Race/Ethnicity: |     |
| Crude Death Rate (Deaths per 1,000 Population) | 9.5     | Stroke   | 51.1 * | All Race/Ethnic Groups  | N   |
| AGE-ADJUSTED DEATH RATE (1998-2000 AVERAGE)    |         | Unintentional Injuries                             | 37.9 * | White   | N   |
| Age-Adjusted Deaths per 100,000 Population     | 776.2   | Pneumonia and Influenza                            | 32.9 * | Black   | 0.0 |
| AGE-SPECIFIC DEATH RATES (1998-2000 AVERAGE)   |         | Chronic Lower Respiratory Disease                  | 47.8 * | Hispanic  | 0.0 |
| Deaths per 100,000 Population:                 |         | Acquired Immune Deficiency Syndrome                | 0.0    | Asian, American Indian, Other                                   | 0.0 |
| 1 to 4 Years Old                               | 23.7 *  | Chronic Liver Disease/Cirrhosis                    | 13.2 * | PERINATAL DEATHS (1999 BIRTH COHORT)                            |     |
| 5 to 14 Years Old                              | 24.5 *  | Suicide  | 13.2 * |   |     |
| 15 to 24 Years Old                             | 68.7 *  | Diabetes Mellitus                                  | 21.4 * | Number of Perinatal Deaths (Neonatal Plus Fetal)                | 1   |
| 25 to 34 Years Old                             | 87.4 *  | Homicide   | 6.6 *  | Perinatal Death Rate by Mother's Race/Ethnicity:                |     |
|  |         | FETAL AND NEONATAL DEATHS (2000)                   |        | All Race/Ethnic Groups  | N   |
| 35 to 44 Years Old                             | 286.6 * | Number of Fetal Deaths                             | 2      | White   | N   |
| 45 to 54 Years Old                             | 598.1   | Fetal Death Ratio (Deaths per 1,000 Live Births)   | N      | Black   | 0.0 |
| 55 to 64 Years Old                             | 1,184.7 | Number of Neonatal Deaths (Under 28 Days of Age)   | 0      | Hispanic  | 0.0 |
| 65 to 74 Years Old                             | 2,399.8 | Neonatal Death Rate (Deaths per 1,000 Live Births) | 0.0    | Asian, American Indian, Other                                   | 0.0 |
| 75 to 84 Years Old                             | 4,903.2 |  |        |   |     |
| Over 84 Years Old                              | 8,781.4 |  |        |   |     |

| REPORTED COMMUNICABLE DISEASES<br>(1998-2000 AVERAGE)               |              |             | COUNTY HEALTH INDICATORS<br>(continued)                           |        | MEDI-CAL<br>(2000)   |     |
|---|--------------|-------------|---|--------|--|-----|
| Number and Rate per 100,000 Population                              |              |             | Mortality Rate Per 100,000 Pop. (1999-2000 Avg.)                  |        | MEDI-CAL Deliveries by:  |     |
| <u>DISEASE</u>  | <u>CASES</u> | <u>RATE</u> | Work Related Injury Deaths  | 0.5    | County of Beneficiary  | 194 |
| Hepatitis   | 5.3          | 17.6 *      | Mortality Rate  | 1.7 *  |  |     |
| Measles   | 0.0          | 0.0         | Drug Related Deaths (1999-2000 Avg.)                              | 4.0    | Fee for Service  | 194 |
| Shigellosis   | 0.0          | 0.0         | Mortality Rate  | 14.5 * | Managed Care   | 0   |
| Tuberculosis  | 0.7          | 2.2 *       | Homicide by Weapons (2000)  | 1      | MEDI-CAL Abortions by:   | 63  |
| Syphilis  | 0.0          | 0.0         | Homicide by Handguns  | 0      | (Resident beneficiary) FFS   |     |
| Chlamydia   | 28.3         | 93.3        | Kindergarten Students Needing One<br>or More Immunizations (2001) | 9      | County Hospitals   | 0   |
| Gonorrhea   | 2.3          | 7.7 *       |   | 2.9 %  | Community Hospitals  | 17  |
| CUMULATIVE AIDS CASES AND INCIDENCE<br>1981 through January 2002    |              |             | MEDI-CAL DATA<br>(AVERAGE MONTHLY, 2000)                          |        | MEDI-CAL PHP ENROLLEES (2000)  |     |
|   |              |             | MEDI-CAL Users (FFS):   |        | Average Monthly Prepaid  |     |
| AIDS Cases  | 25           |             | Percent of County Population                                      | 3,509  | Health Plan Enrollees  | 0   |
| Number of deaths  | 13           |             | Percent of Eligibles (FFS)  | 12.8 % | DENTI-CAL SERVICES (2000)  |     |
| Mortality (percent of AIDS cases<br>resulting in deaths)            | 52.0 %       |             | Total MEDI-CAL Eligibles:   | 57.3 % | Average Monthly Users  |     |
| COUNTY HEALTH INDICATORS  |              |             | Percent of County Population                                      |        | 124  |     |
|   |              |             | MEDI-CAL Payments (FFS) :   |        | MEDI-CAL/MEDICARE (2002)   |     |
| Persons Injured in Traffic Accidents<br>County of Occurrence (2000) | 285          |             | Amount  | 6,122  | Percent of MEDI-CAL Eligibles<br>Who are also eligible<br>for Medicare |     |
| Substance Abuse Admissions (2000)                                   |              |             | Amount per User   | 21.7 % | 18.8 %   |     |
| Methamphetamine   | 40           |             | MEDI-CAL ELIGIBLES BY RACE/ETHNICITY<br>(2000)                    |        | MEDI-CAL ENROLLEES (2000)  |     |
| Cocaine   | 4            |             | White   | 69.9 % | TOTAL MEDICARE ENROLLEES   |     |
| Marijuana   | 33           |             | Black   | 0.5 %  | Number   |     |
| Alcohol   | 48           |             | Hispanic  | 7.5 %  | 4,251  |     |
|   |              |             | American Indian/Alaskan Native                                    | 7.8 %  | Percent of County Population   |     |
|   |              |             | Asian/Pacific Islander  | 6.3 %  | 15.5 %   |     |
|   |              |             | Not Reported  | 8.0 %  | Enrollees Aged 65+   |     |
|   |              |             |   |        | Number   |     |
|   |              |             |   |        | 3,374  |     |
|   |              |             |   |        | Percent of County Population   |     |
|   |              |             |   |        | 12.3 %   |     |
|   |              |             |   |        | Disability Beneficiaries:  |     |
|   |              |             |   |        | Number   |     |
|   |              |             |   |        | 877  |     |
|   |              |             |   |        | Percent of County Population   |     |
|   |              |             |   |        | 3.2 %  |     |

| PROGRAM CLIENTS/SERVICES   |        | HOSPITALS (2000)  |       | HOSPICE CARE   |        |
|--|--------|---|-------|--|--------|
| Percent Early Postpartum Breastfeeding Initiation 1998-2000 Average            | 89.1 % | Number of General Acute Care (GAC) Hospitals                    | 1     | Number of Freestanding Hospice Care Facilities (2000)                | 0      |
| Family Planning Clients by All Funding Sources (2001)                          | 676    | Number of Licensed GAC Beds                                     | 59    | HOSPITAL UTILIZATION (2000)  |        |
|  |        | Number of Licensed GAC Beds per 1,000 Population                | 2.1   | Number of GAC Discharges from GAC Hospitals                          | 3,048  |
| Women and Children Under Age 5 Receiving WIC Services (07/02)                  | 1,204  | LTC (2000)  |       | Average GAC Occupancy Rate in GAC Hospitals                          | 55.0   |
|  |        | Number of Long Term Care Facilities and Hospitals with LTC Beds | 1     | Average GAC Length of Stay in GAC Hospitals (days)                   | 3.9    |
| Child Health/Disability Prevention Screens (FY 2000-2001)                      | 1,606  | Number of Licensed LTC Beds                                     | 99    | LTC (2000)   |        |
|  |        | Number of Licensed Beds per 1,000 Population                    | 3.6   | Number of LTC Discharges from LTC Facilities                         | 198    |
| California Children's Services Cases (08/02)                                   | 97     | PHYSICIANS (2001)   |       | Average Occupancy Rate of LTC Facilities and Hospitals with LTC Beds | 78.9   |
|  |        | Number of Active Non-Federal Physicians                         | 51    | COUNTY HEALTH COSTS (FY 2000-2001)                                   |        |
| Developmental Disability Clients (08/02)                                       | 206    | Number of Persons per Physician                                 | 539   | Estimated Net County Health Care Costs                               | DNR    |
|  |        | DENTISTS (2002)   |       | Estimated Net County Cost per Capita                                 | \$0.00 |
| Rehabilitation Clients (FY 2000-2001)  | 113    | Number of Licensed Dentists (Non-Federal)                       | 13    |  |        |
|  |        | Number of Persons per Dentist                                   | 2,116 |  |        |
| State Mental Hospital Admissions (FY 2000-2001)                                | 7      | CLINICS (2000)  |       |  |        |
|  |        | Number of Licensed Community and Free Clinics                   | 1     |  |        |
| Persons Receiving Preventive Health Care for the Aging Services (FY 2001-2002) | 0      | Number of Specialty Clinics                                     | 0     |  |        |
|  |        | HOME HEALTH AGENCIES (2000)                                     |       |  |        |
| Assessment Clients   | 0      | Number of Licensed Home Health Agencies                         | 1     |  |        |
| Total Client Encounters  | 0      |   |       |  |        |

| TOTAL POPULATION       |          | PERCENT BELOW POVERTY LEVEL (1999)                            |           | LIVE BIRTHS (2000)   |        |
|------------------------|----------|---|-----------|--|--------|
| Census Year 2000       | 156,299  | Total population  | 7.1 %     | Number of Live Births By:                                      |        |
| Projection Year 2010   | 212,000  | Children under 6  | 9.5 %     | County of Residence  | 1,628  |
| Projection Year 2020   | 252,900  | Persons aged 65+  | 5.0 %     | County of Occurrence   | 1,169  |
| AGE (2000)             |          |   |           | Birth Rate (births per 1,000 population)                       | 10.3   |
| Under Age 5            | 5.7%     | Whites  | 6.1 %     | Fertility rate (births per 1,000 women aged 15-44, 98-00 avg.) | 51.0   |
| Age 5-17               | 20.4%    | Blacks  | 4.0 %     | Low birthweight (under 2,500 grams)                            | 5.7 %  |
| Age 18-64              | 61.5%    | Hispanics   | 15.6 %    | Very low birthweight (under 1,500 grams)                       | 0.7 %  |
| Age 65+                | 12.4%    | Asian/Pacific Islanders                                       | 4.1 %     |  |        |
|                        |          | American Indian   | 17.2 %    |  |        |
|                        |          | HOUSING VALUE (2000)  |           |  |        |
|                        |          | Median housing-unit value                                     | \$194,400 |  |        |
| SEX (2000)             |          | CALWORKS (2002)   |           |  |        |
| Females                | 50.1%    | CalWorks enrollees as a percent of county population          | 0.6 %     | Unmarried  | 24.1 % |
| Males                  | 49.9%    |   |           | Cesarean section delivery                                      | 22.4 % |
|                        |          | SSI/SSP (2002)  |           |  |        |
| RACE/ETHNICITY (2000)  |          | SSI/SSP recipients as a percent of county population          |           | Mothers who gave birth outside county of residence             |        |
| White                  | 84.9%    |   |           | 40.4 %   |        |
| Black                  | 0.5%     | UNEMPLOYMENT (2002)   |           | Mothers with less than 12 years education                      |        |
| Hispanic               | 9.3%     | Percent of civilian labor force unemployed                    |           | 14.5 %   |        |
| American Indian        | 0.8%     |   |           | Teenage mothers (<18)  |        |
| Asian/Pacific Islander | 2.2%     | EDUCATION   |           | 1.8 %  |        |
|                        |          | Percent of persons aged 25+ not completing high-school (2000) |           | Mothers with no 1st trimester prenatal care                    |        |
|                        |          | 10.9 %  |           | 13.7 %   |        |
|                        |          | Enrollment K-12 (2001-2002)                                   |           | 30,469   |        |
| URBAN/RURAL (2000)     |          | PRINCIPAL PAYMENT SOURCE FOR BIRTH DELIVERIES                 |           | Percent of Births by Mother's Race/Ethnicity:                  |        |
| Urban                  | 63.0%    | Medi-Cal/other gov't  |           | White/Other  |        |
| Rural                  | 37.0%    |   |           | 75.3 %   |        |
|                        |          | HMO and prepaid plans   |           | Black  |        |
|                        |          | 23.2 %  |           | 0.4 %  |        |
| FAMILY INCOME (1999)   |          | Private insurance   |           | Hispanic   |        |
| Median family income   | \$60,250 | 45.5 %  |           | 18.1 %   |        |
|                        |          |   |           | Asian/Pacific Islander   |        |
|                        |          |   |           | 3.9 %  |        |
|                        |          |   |           | American Indian  |        |
|                        |          |   |           | 0.4 %  |        |
|                        |          |   |           | Multiple Race  |        |
|                        |          |   |           | 1.6 %  |        |

| DEATHS (2000)                                  |          | CAUSES OF DEATH (1999-2000 AVG.)                   |        | INFANT DEATHS (2000)  |       |
|--|----------|--|--------|---|-------|
| Number of Deaths By:                           |          | Deaths per 100,000 Population Due To:              |        | Number of Infant Deaths (Under 1 Year of Age) 3                 |       |
| County of Residence                            | 1,101    | Heart Disease                                      | 196.8  | Infant Death Rate (Deaths per 1,000 Live Births) N              |       |
| County of Occurrence                           | 947      | All Malignant Neoplasms                            | 191.7  | INFANT DEATH RATES (1999 BIRTH COHORT)                          |       |
|  |          | Breast Cancer                                      | 27.4   |   |       |
|  |          | Lung Cancer  | 50.6   | Infant Deaths per 1,000 Live Births by Mother's Race/Ethnicity: |       |
| Crude Death Rate (Deaths per 1,000 Population) | 7.0      | Stroke   | 46.2   | All Race/Ethnic Groups  | 3.7 * |
| AGE-ADJUSTED DEATH RATE (1998-2000 AVERAGE)    |          | Unintentional Injuries                             | 32.2   | White   | 3.9 * |
| Age-Adjusted Deaths per 100,000 Population     | 724.7    | Pneumonia and Influenza                            | 22.0   | Black   | 0.0   |
| AGE-SPECIFIC DEATH RATES (1998-2000 AVERAGE)   |          | Chronic Lower Respiratory Disease                  | 37.6   | Hispanic  | 0.0   |
| Deaths per 100,000 Population:                 |          | Acquired Immune Deficiency Syndrome                | 1.6 *  | Asian, American Indian, Other                                   | N     |
| 1 to 4 Years Old                               | 39.9 *   | Chronic Liver Disease/Cirrhosis                    | 12.4 * | PERINATAL DEATHS (1999 BIRTH COHORT)                            |       |
| 5 to 14 Years Old                              | 14.8 *   | Suicide  | 12.7   |   |       |
| 15 to 24 Years Old                             | 65.3 *   | Diabetes Mellitus                                  | 17.8   | Number of Perinatal Deaths (Neonatal Plus Fetal) 12             |       |
| 25 to 34 Years Old                             | 84.1 *   | Homicide   | 2.5 *  | Perinatal Death Rate by Mother's Race/Ethnicity:                |       |
|  |          | FETAL AND NEONATAL DEATHS (2000)                   |        | All Race/Ethnic Groups  | 7.3 * |
| 35 to 44 Years Old                             | 178.2    | Number of Fetal Deaths                             | 10     | White   | 7.8 * |
| 45 to 54 Years Old                             | 315.5    | Fetal Death Ratio (Deaths per 1,000 Live Births)   | 6.1 *  | Black   | 0.0   |
| 55 to 64 Years Old                             | 791.3    | Number of Neonatal Deaths (Under 28 Days of Age)   | 1      | Hispanic  | N     |
| 65 to 74 Years Old                             | 1,910.9  | Neonatal Death Rate (Deaths per 1,000 Live Births) | N      | Asian, American Indian, Other                                   | 0.0   |
| 75 to 84 Years Old                             | 4,654.9  |  |        |   |       |
| Over 84 Years Old                              | 14,204.3 |  |        |   |       |

| REPORTED COMMUNICABLE DISEASES<br>(1998-2000 AVERAGE)               |              |             | COUNTY HEALTH INDICATORS<br>(continued)                           |             | MEDI-CAL<br>(2000)   |        |
|---|--------------|-------------|---|-------------|--|--------|
| Number and Rate per 100,000 Population                              |              |             | Mortality Rate Per 100,000 Pop. (1999-2000 Avg.)                  |             | MEDI-CAL Deliveries by:  |        |
| <u>DISEASE</u>  | <u>CASES</u> | <u>RATE</u> | Work Related Injury Deaths  | 2.0         | County of Beneficiary  | 468    |
| Hepatitis   | 25.3         | 16.1        | Mortality Rate  | 1.2 *       |  |        |
| Measles   | 0.0          | 0.0         | Drug Related Deaths (1999-2000 Avg.)                              | 12.5        | Fee for Service  | 468    |
| Shigellosis   | 3.0          | 1.9 *       | Mortality Rate  | 7.8 *       | Managed Care   | 0      |
| Tuberculosis  | 2.7          | 1.7 *       | Homicide by Weapons (2000)  | 3           | MEDI-CAL Abortions by:   | 189    |
| Syphilis  | 0.0          | 0.0         | Homicide by Handguns  | 0           | (Resident beneficiary) FFS   |        |
| Chlamydia   | 95.0         | 60.5        | Kindergarten Students Needing One<br>or More Immunizations (2001) | 137         | County Hospitals   | 0      |
| Gonorrhea   | 9.3          | 5.9 *       |   | 6.6 %       | Community Hospitals  | 18     |
|   |              |             | MEDI-CAL DATA<br>(AVERAGE MONTHLY, 2000)                          |             | MEDI-CAL PHP ENROLLEES (2000)  |        |
| CUMULATIVE AIDS CASES AND INCIDENCE<br>1981 through January 2002    |              |             | MEDI-CAL Users (FFS):   | 5,660       | Average Monthly Prepaid  |        |
| AIDS Cases  | 156          |             | Percent of County Population                                      | 3.6 %       | Health Plan Enrollees  | 119    |
| Number of deaths  | 95           |             | Percent of Eligibles (FFS)  | 56.4 %      | DENTI-CAL SERVICES (2000)  |        |
| Mortality (percent of AIDS cases<br>resulting in deaths)            | 61.0 %       |             | Total MEDI-CAL Eligibles:   | 10,149      | Average Monthly Users  | 691    |
|   |              |             | Percent of County Population                                      | 6.4 %       | MEDI-CAL/MEDICARE (2002)   |        |
|   |              |             | MEDI-CAL Payments (FFS) :   |             | Percent of MEDI-CAL Eligibles<br>Who are also eligible<br>for Medicare |        |
|   |              |             | Amount  | \$2,573,935 | 23.3 %   |        |
|   |              |             | Amount per User   | \$454.76    | MEDICARE ENROLLEES (2000)  |        |
| COUNTY HEALTH INDICATORS  |              |             | MEDI-CAL ELIGIBLES BY RACE/ETHNICITY<br>(2000)                    |             | TOTAL MEDICARE ENROLLEES   |        |
| Persons Injured in Traffic Accidents<br>County of Occurrence (2000) | 1,521        |             | White   | 76.3 %      | Number   | 24,967 |
| Substance Abuse Admissions (2000)                                   |              |             | Black   | 0.8 %       | Percent of County Population   | 16.0 % |
| Methamphetamine   | 250          |             | Hispanic  | 14.4 %      | Enrollees Aged 65+   |        |
| Cocaine   | 38           |             | American Indian/Alaskan Native                                    | 0.6 %       | Number   | 21,876 |
| Marijuana   | 312          |             | Asian/Pacific Islander  | 1.4 %       | Percent of County Population   | 14.0 % |
| Alcohol   | 536          |             | Not Reported  | 6.6 %       | Disability Beneficiaries:  |        |
|   |              |             |   |             | Number   | 3,091  |
|   |              |             |   |             | Percent of County Population   | 2.0 %  |

| PROGRAM CLIENTS/SERVICES   |        | HOSPITALS (2000)  |       | HOSPICE CARE   |        |
|--|--------|---|-------|--|--------|
| Percent Early Postpartum Breastfeeding Initiation 1998-2000 Average            | 89.5 % | Number of General Acute Care (GAC) Hospitals                    | 1     | Number of Freestanding Hospice Care Facilities (2000)                | 1      |
| Family Planning Clients by All Funding Sources (2001)                          | 4,066  | Number of Licensed GAC Beds                                     | 75    | HOSPITAL UTILIZATION (2000)  |        |
|  |        | Number of Licensed GAC Beds per 1,000 Population                | 0.5   | Number of GAC Discharges from GAC Hospitals                          | 4,046  |
| Women and Children Under Age 5 Receiving WIC Services (07/02)                  | 2,528  | LTC (2000)  |       | Average GAC Occupancy Rate in GAC Hospitals                          | 49.4   |
|  |        | Number of Long Term Care Facilities and Hospitals with LTC Beds | 3     | Average GAC Length of Stay in GAC Hospitals (days)                   | 3.4    |
| Child Health/Disability Prevention Screens (FY 2000-2001)                      | 6,643  | Number of Licensed LTC Beds                                     | 297   | LTC (2000)   |        |
|  |        | Number of Licensed Beds per 1,000 Population                    | 1.9   | Number of LTC Discharges from LTC Facilities                         | 508    |
| California Children's Services Cases (08/02)                                   | 481    | PHYSICIANS (2001)   |       | Average Occupancy Rate of LTC Facilities and Hospitals with LTC Beds | 77.2   |
|  |        | Number of Active Non-Federal Physicians                         | 251   | COUNTY HEALTH COSTS (FY 2000-2001)                                   |        |
| Developmental Disability Clients (08/02)                                       | 594    | Number of Persons per Physician                                 | 623   | Estimated Net County Health Care Costs                               | DNR    |
|  |        | DENTISTS (2002)   |       | Estimated Net County Cost per Capita                                 | \$0.00 |
| Rehabilitation Clients (FY 2000-2001)  | 354    | Number of Licensed Dentists (Non-Federal)                       | 131   |  |        |
|  |        | Number of Persons per Dentist                                   | 1,193 |  |        |
| State Mental Hospital Admissions (FY 2000-2001)                                | 3      | CLINICS (2000)  |       |  |        |
|  |        | Number of Licensed Community and Free Clinics                   | 2     |  |        |
| Persons Receiving Preventive Health Care for the Aging Services (FY 2001-2002) | 478    | Number of Specialty Clinics                                     | 1     |  |        |
|  |        | HOME HEALTH AGENCIES (2000)                                     |       |  |        |
| Assessment Clients   | 497    | Number of Licensed Home Health Agencies                         | 5     |  |        |
| Total Client Encounters  |        |   |       |  |        |

| TOTAL POPULATION       |           | PERCENT BELOW POVERTY LEVEL (1999)                            |         | LIVE BIRTHS (2000)   |        |
|------------------------|-----------|---|---------|--|--------|
| Census Year 2000       | 799,407   | Total population  | 22.9 %  | Number of Live Births By:                                      |        |
| Projection Year 2010   | 970,900   | Children under 6  | 34.1 %  | County of Residence  | 14,262 |
| Projection Year 2020   | 1,134,600 | Persons aged 65+  | 9.9 %   | County of Occurrence   | 15,023 |
| AGE (2000)             |           | HOUSING VALUE (2000)  |         | Birth Rate (births per 1,000 population)                       | 17.5   |
| Under Age 5            | 8.5%      | Whites  | 9.8 %   | Fertility rate (births per 1,000 women aged 15-44, 98-00 avg.) | 81.8   |
| Age 5-17               | 23.6%     | Blacks  | 34.0 %  | Low birthweight (under 2,500 grams)                            | 6.6 %  |
| Age 18-64              | 58.0%     | Hispanics   | 30.6 %  | Very low birthweight (under 1,500 grams)                       | 1.4 %  |
| Age 65+                | 9.9%      | Asian/Pacific Islanders                                       | 38.5 %  | Unmarried  | 42.0 % |
|                        |           | American Indian   | 34.3 %  | Cesarean section delivery                                      | 23.5 % |
| SEX (2000)             |           | CALWORKS (2002)   |         | Mothers who gave birth outside county of residence             | 5.5 %  |
| Females                | 49.9%     | CalWorks enrollees as a percent of county population          | 2.4 %   | Mothers with less than 12 years education                      | 40.2 % |
| Males                  | 50.1%     | SSI/SSP (2002)  |         | Teenage mothers (<18)  | 6.9 %  |
| RACE/ETHNICITY (2000)  |           | SSI/SSP recipients as a percent of county population          | 4.4 %   | Mothers with no 1st trimester prenatal care                    | 16.0 % |
| White                  | 39.7%     | UNEMPLOYMENT (2002)   |         | Percent of Births by Mother's Race/Ethnicity:                  |        |
| Black                  | 5.0%      | Percent of civilian labor force unemployed                    | 15.9 %  | White/Other  | 25.1 % |
| Hispanic               | 44.0%     | EDUCATION   |         | Black  | 5.5 %  |
| American Indian        | 0.8%      | Percent of persons aged 25+ not completing high-school (2000) | 32.5 %  | Hispanic   | 59.1 % |
| Asian/Pacific Islander | 8.0%      | Enrollment K-12 (2001-2002)                                   | 192,161 | Asian/Pacific Islander   | 8.6 %  |
| URBAN/RURAL (2000)     |           | PRINCIPAL PAYMENT SOURCE FOR BIRTH DELIVERIES                 |         | American Indian  | 0.8 %  |
| Urban                  | 87.4%     | Medi-Cal/other gov't  | 59.7 %  | Multiple Race  | 0.7 %  |
| Rural                  | 12.6%     | FAMILY INCOME (1999)  |         |  |        |
| Median family income   | \$38,455  | HMO and prepaid plans   | 17.7 %  |  |        |
|                        |           | Private insurance   | 20.4 %  |  |        |

| DEATHS (2000)                                       |          | CAUSES OF DEATH (1999-2000 AVG.)                   |       | INFANT DEATHS (2000)  |        |
|---|----------|--|-------|---|--------|
| Number of Deaths By:                                |          | Deaths per 100,000 Population Due To:              |       | Number of Infant Deaths (Under 1 Year of Age)                   | 102    |
| County of Residence                                 | 5,360    | Heart Disease                                      | 199.3 | Infant Death Rate (Deaths per 1,000 Live Births)                | 7.2    |
| County of Occurrence                                | 5,654    | All Malignant Neoplasms                            | 145.4 | <b>INFANT DEATH RATES (1999 BIRTH COHORT)</b>                   |        |
| Crude Death Rate (Deaths per 1,000 Population)      | 6.6      | Breast Cancer                                      | 20.4  | Infant Deaths per 1,000 Live Births by Mother's Race/Ethnicity: |        |
|   |          | Lung Cancer  | 37.6  | All Race/Ethnic Groups  | 7.0    |
| <b>AGE-ADJUSTED DEATH RATE (1998-2000 AVERAGE)</b>  |          | Stroke   | 52.3  | White   | 7.9    |
| Age-Adjusted Deaths per 100,000 Population          | 814.6    | Unintentional Injuries                             | 36.3  | Black   | N      |
|   |          | Pneumonia and Influenza                            | 19.4  | Hispanic  | 5.1    |
| <b>AGE-SPECIFIC DEATH RATES (1998-2000 AVERAGE)</b> |          | Chronic Lower Respiratory Disease                  | 37.0  | Asian, American Indian, Other                                   | 9.1 *  |
| Deaths per 100,000 Population:                      |          | Acquired Immune Deficiency Syndrome                | 3.8   | <b>PERINATAL DEATHS (1999 BIRTH COHORT)</b>                     |        |
| 1 to 4 Years Old                                    | 35.4     | Chronic Liver Disease/Cirrhosis                    | 11.1  | Number of Perinatal Deaths (Neonatal Plus Fetal)                | 160    |
| 5 to 14 Years Old                                   | 19.4     | Suicide  | 7.6   | Perinatal Death Rate by Mother's Race/Ethnicity:                |        |
| 15 to 24 Years Old                                  | 85.0     | Diabetes Mellitus                                  | 23.9  | All Race/Ethnic Groups  | 11.3   |
| 25 to 34 Years Old                                  | 103.6    | Homicide   | 4.9   | White   | 11.5   |
|   |          | <b>FETAL AND NEONATAL DEATHS (2000)</b>            |       | Black   | N      |
| 35 to 44 Years Old                                  | 196.6    | Number of Fetal Deaths                             | 70    | Hispanic  | 10.1   |
| 45 to 54 Years Old                                  | 402.2    | Fetal Death Ratio (Deaths per 1,000 Live Births)   | 4.9   | Asian, American Indian, Other                                   | 12.1 * |
| 55 to 64 Years Old                                  | 986.6    | Number of Neonatal Deaths (Under 28 Days of Age)   | 68    |   |        |
| 65 to 74 Years Old                                  | 2,287.2  | Neonatal Death Rate (Deaths per 1,000 Live Births) | 4.8   |   |        |
| 75 to 84 Years Old                                  | 5,282.1  |  |       |   |        |
| Over 84 Years Old                                   | 13,855.9 |  |       |   |        |

| REPORTED COMMUNICABLE DISEASES<br>(1998-2000 AVERAGE)            |              |             | COUNTY HEALTH INDICATORS<br>(continued)                           |              | MEDI-CAL<br>(2000)   |         |
|--|--------------|-------------|---|--------------|--|---------|
| Number and Rate per 100,000 Population                           |              |             | Mortality Rate Per 100,000 Pop. (1999-2000 Avg.)                  |              | MEDI-CAL Deliveries by:  |         |
| <u>DISEASE</u>   | <u>CASES</u> | <u>RATE</u> | Work Related Injury Deaths  | 16.5         | County of Beneficiary  | 8,631   |
| Hepatitis  | 148.7        | 18.6        | Mortality Rate  | 2.2 *        |  |         |
| Measles  | 0.0          | 0.0         | Drug Related Deaths (1999-2000 Avg.)                              | 58.0         | Fee for Service  | 4,682   |
| Shigellosis  | 63.3         | 7.9         | Mortality Rate  | 8.1          | Managed Care   | 3,949   |
| Tuberculosis   | 102.0        | 12.7        | Homicide by Weapons (2000)  | 38           | MEDI-CAL Abortions by:   | 1,588   |
| Syphilis   | 17.0         | 2.1 *       | Homicide by Handguns  | 13           | (Resident beneficiary) FFS   |         |
| Chlamydia  | 3,374.3      | 421.7       | Kindergarten Students Needing One<br>or More Immunizations (2001) | 566<br>3.9 % | County Hospitals   | 5       |
| Gonorrhea  | 625.3        | 78.2        |   |              | Community Hospitals  | 85      |
| CUMULATIVE AIDS CASES AND INCIDENCE<br>1981 through January 2002 |              |             | MEDI-CAL DATA<br>(AVERAGE MONTHLY, 2000)                          |              | MEDI-CAL PHP ENROLLEES (2000)  |         |
|  |              |             | MEDI-CAL Users (FFS): 69,377                                      |              | Average Monthly Prepaid  |         |
| AIDS Cases   | 1,175        |             | Percent of County Population                                      | 8.7 %        | Health Plan Enrollees  | 130,720 |
| Number of deaths   | 705          |             | Percent of Eligibles (FFS)  | 87.6 %       | DENTI-CAL SERVICES (2000)  |         |
| Mortality (percent of AIDS cases<br>resulting in deaths)         | 60.0 %       |             | Total MEDI-CAL Eligibles:   | 209,907      | Average Monthly Users  |         |
| COUNTY HEALTH INDICATORS   |              |             | Percent of County Population                                      |              | 11,559   |         |
|  |              |             | MEDI-CAL Payments (FFS) :   |              | MEDI-CAL/MEDICARE (2002)   |         |
| Persons Injured in Traffic Accidents                             | 7,222        |             | Amount  | \$27,717,875 | Percent of MEDI-CAL Eligibles<br>Who are also eligible<br>for Medicare |         |
| County of Occurrence (2000)                                      |              |             | Amount per User   | \$399.53     | 12.2 %   |         |
| Substance Abuse Admissions (2000)                                |              |             | MEDI-CAL ELIGIBLES BY RACE/ETHNICITY<br>(2000)                    |              | MEDI-CAL/MEDICARE (2002)   |         |
| Methamphetamine  | 804          |             | White   | 18.5 %       | MEDICARE ENROLLEES (2000)  |         |
| Cocaine  | 880          |             | Black   | 9.1 %        | TOTAL MEDICARE ENROLLEES   |         |
| Marijuana  | 406          |             | Hispanic  | 50.0 %       | Number   |         |
| Alcohol  | 1,186        |             | American Indian/Alaskan Native                                    | 0.3 %        | 90,311   |         |
|  |              |             | Asian/Pacific Islander  | 12.2 %       | Percent of County Population   |         |
|  |              |             | Not Reported  | 9.9 %        | 11.3 %   |         |
|  |              |             |   |              | Enrollees Aged 65+   |         |
|  |              |             |   |              | Number   |         |
|  |              |             |   |              | 77,259   |         |
|  |              |             |   |              | Percent of County Population   |         |
|  |              |             |   |              | 9.7 %  |         |
|  |              |             |   |              | Disability Beneficiaries:  |         |
|  |              |             |   |              | Number   |         |
|  |              |             |   |              | 13,052   |         |
|  |              |             |   |              | Percent of County Population   |         |
|  |              |             |   |              | 1.6 %  |         |

| PROGRAM CLIENTS/SERVICES   |        | HOSPITALS (2000)   | HOSPICE CARE   |
|--|--------|--|--|
| Percent Early Postpartum Breastfeeding Initiation 1998-2000 Average            | 77.0 % | Number of General Acute Care (GAC) Hospitals 11                    | Number of Freestanding Hospice Care Facilities (2000) 3  |
| Family Planning Clients by All Funding Sources (2001)                          | 34,102 | Number of Licensed GAC Beds 1,377                                  | <b>HOSPITAL UTILIZATION (2000)</b><br>Number of GAC Discharges from GAC Hospitals 70,468<br>Average GAC Occupancy Rate in GAC Hospitals 55.1<br>Average GAC Length of Stay in GAC Hospitals (days) 3.9 |
|  |        | Number of Licensed GAC Beds per 1,000 Population 1.7               |  |
| Women and Children Under Age 5 Receiving WIC Services (07/02)                  | 47,845 | <b>LTC (2000)</b>  |  |
|  |        | Number of Long Term Care Facilities and Hospitals with LTC Beds 34 | Number of LTC Discharges from LTC Facilities 4,478   |
| Child Health/Disability Prevention Screens (FY 2000-2001)                      | 95,891 | Number of Licensed LTC Beds 3,289                                  | <b>LTC (2000)</b><br>Average Occupancy Rate of LTC Facilities and Hospitals with LTC Beds 87.3   |
|  |        | Number of Licensed Beds per 1,000 Population 4.1                   |  |
| California Children's Services Cases (08/02)                                   | 5,987  | <b>PHYSICIANS (2001)</b>   |  |
|  |        | Number of Active Non-Federal Physicians 1,529                      | <b>COUNTY HEALTH COSTS (FY 2000-2001)</b><br>Estimated Net County Health Care Costs \$36,887,975<br>Estimated Net County Cost per Capita \$46.14   |
| Developmental Disability Clients (08/02)                                       | 5,169  | Number of Persons per Physician 523                                |  |
|  |        | <b>DENTISTS (2002)</b>   |  |
| Rehabilitation Clients (FY 2000-2001)  | 1,656  | Number of Licensed Dentists (Non-Federal) 475                      |  |
|  |        | Number of Persons per Dentist 1,683                                |  |
| State Mental Hospital Admissions (FY 2000-2001)                                | 51     | <b>CLINICS (2000)</b>  |  |
|  |        | Number of Licensed Community and Free Clinics 19                   |  |
| Persons Receiving Preventive Health Care for the Aging Services (FY 2001-2002) | 739    | Number of Specialty Clinics 17                                     |  |
|  |        | <b>HOME HEALTH AGENCIES (2000)</b>                                 |  |
| Assessment Clients   | 739    | Number of Licensed Home Health Agencies 20                         |  |
| Total Client Encounters  | 970    |  |  |

| TOTAL POPULATION       |          | PERCENT BELOW POVERTY LEVEL (1999)                            |        | LIVE BIRTHS (2000)   |        |
|------------------------|----------|---|--------|--|--------|
| Census Year 2000       | 26,453   | Total population  | 18.1 % | Number of Live Births By:                                      |        |
| Projection Year 2010   | 36,700   | Children under 6  | 29.7 % | County of Residence  | 385    |
| Projection Year 2020   | 46,500   | Persons aged 65+  | 7.6 %  | County of Occurrence   | 3      |
| AGE (2000)             |          |   |        | Birth Rate (births per 1,000 population)                       | 14.3   |
| Under Age 5            | 7.5%     | Whites  | 12.6 % | Fertility rate (births per 1,000 women aged 15-44, 98-00 avg.) | 66.3   |
| Age 5-17               | 23.2%    | Blacks  | 32.9 % | Low birthweight (under 2,500 grams)                            | 6.2 %  |
| Age 18-64              | 56.3%    | Hispanics   | 23.8 % | Very low birthweight (under 1,500 grams)                       | 1.0 %  |
| Age 65+                | 13.0%    | Asian/Pacific Islanders                                       | 50.3 % | Unmarried  | 33.2 % |
|                        |          | American Indian   | 40.8 % | Cesarean section delivery                                      | 18.2 % |
|                        |          | HOUSING VALUE (2000)  |        | Mothers who gave birth outside county of residence             | 99.5 % |
|                        |          | Median housing-unit value                                     | 94,900 | Mothers with less than 12 years education                      | 38.7 % |
| SEX (2000)             |          | CALWORKS (2002)   |        | Teenage mothers (<18)  | 7.3 %  |
| Females                | 49.4%    | CalWorks enrollees as a percent of county population          | 1.4 %  | Mothers with no 1st trimester prenatal care                    | 28.1 % |
| Males                  | 50.6%    | SSI/SSP (2002)  |        | Percent of Births by Mother's Race/Ethnicity:                  |        |
| RACE/ETHNICITY (2000)  |          | SSI/SSP recipients as a percent of county population          | 3.0 %  | White/Other  | 49.1 % |
| White                  | 62.6%    | UNEMPLOYMENT (2002)   |        | Black  | 0.3 %  |
| Black                  | 0.4%     | Percent of civilian labor force unemployed                    | 13.2 % | Hispanic   | 43.4 % |
| Hispanic               | 29.6%    | EDUCATION   |        | Asian/Pacific Islander   | 3.1 %  |
| American Indian        | 1.7%     | Percent of persons aged 25+ not completing high-school (2000) | 31.5 % | American Indian  | 0.5 %  |
| Asian/Pacific Islander | 3.3%     | Enrollment K-12 (2001-2002)                                   | 6,138  | Multiple Race  | 3.6 %  |
| URBAN/RURAL (2000)     |          | PRINCIPAL PAYMENT SOURCE FOR BIRTH DELIVERIES                 |        |  |        |
| Urban                  | 56.6%    | Medi-Cal/other gov't  | 59.7 % |  |        |
| Rural                  | 43.4%    | HMO and prepaid plans   | 7.8 %  |  |        |
| FAMILY INCOME (1999)   |          | Private insurance   | 30.9 % |  |        |
| Median family income   | \$37,023 |   |        |  |        |

| DEATHS (2000)                                  |          | CAUSES OF DEATH (1999-2000 AVG.)                   |        | INFANT DEATHS (2000)  |     |
|--|----------|--|--------|---|-----|
| Number of Deaths By:                           |          | Deaths per 100,000 Population Due To:              |        | Number of Infant Deaths (Under 1 Year of Age) 1                 |     |
| County of Residence                            | 258      | Heart Disease                                      | 233.8  | Infant Death Rate (Deaths per 1,000 Live Births) N              |     |
| County of Occurrence                           | 146      | All Malignant Neoplasms                            | 223.3  |   |     |
|  |          | Breast Cancer                                      | 31.8 * |   |     |
|  |          | Lung Cancer  | 70.3   |   |     |
| Crude Death Rate (Deaths per 1,000 Population) | 9.6      | Stroke   | 79.1   | INFANT DEATH RATES (1999 BIRTH COHORT)                          |     |
| AGE-ADJUSTED DEATH RATE (1998-2000 AVERAGE)    |          | Unintentional Injuries                             | 36.9 * | Infant Deaths per 1,000 Live Births by Mother's Race/Ethnicity: |     |
| Age-Adjusted Deaths per 100,000 Population     | 798.6    | Pneumonia and Influenza                            | 35.2 * | All Race/Ethnic Groups  | N   |
| AGE-SPECIFIC DEATH RATES (1998-2000 AVERAGE)   |          | Chronic Lower Respiratory Disease                  | 44.0 * | White   | N   |
| Deaths per 100,000 Population:                 |          | Acquired Immune Deficiency Syndrome                | 1.8 *  | Black   | 0.0 |
| 1 to 4 Years Old                               | 53.2 *   | Chronic Liver Disease/Cirrhosis                    | 15.8 * | Hispanic  | 0.0 |
| 5 to 14 Years Old                              | 21.3 *   | Suicide  | 19.3 * | Asian, American Indian, Other                                   | 0.0 |
| 15 to 24 Years Old                             | 117.2 *  | Diabetes Mellitus                                  | 17.6 * | PERINATAL DEATHS (1999 BIRTH COHORT)                            |     |
| 25 to 34 Years Old                             | 86.0 *   | Homicide   | 3.5 *  | Number of Perinatal Deaths (Neonatal Plus Fetal) 1              |     |
| 35 to 44 Years Old                             | 194.9 *  | FETAL AND NEONATAL DEATHS (2000)                   |        | Perinatal Death Rate by Mother's Race/Ethnicity:                |     |
| 45 to 54 Years Old                             | 460.3 *  | Number of Fetal Deaths                             | 4      | All Race/Ethnic Groups  | N   |
| 55 to 64 Years Old                             | 944.4    | Fetal Death Ratio (Deaths per 1,000 Live Births)   | N      | White   | N   |
| 65 to 74 Years Old                             | 2,301.3  | Number of Neonatal Deaths (Under 28 Days of Age)   | 0      | Black   | 0.0 |
| 75 to 84 Years Old                             | 5,480.4  | Neonatal Death Rate (Deaths per 1,000 Live Births) | 0.0    | Hispanic  | 0.0 |
| Over 84 Years Old                              | 12,000.0 |  |        | Asian, American Indian, Other                                   | 0.0 |

| REPORTED COMMUNICABLE DISEASES<br>(1998-2000 AVERAGE)               |              |             | COUNTY HEALTH INDICATORS<br>(continued)                           |                | MEDI-CAL<br>(2000)   |     |
|---|--------------|-------------|---|----------------|--|-----|
| Number and Rate per 100,000 Population                              |              |             | Mortality Rate Per 100,000 Pop. (1999-2000 Avg.)                  |                | MEDI-CAL Deliveries by:  |     |
| <u>DISEASE</u>  | <u>CASES</u> | <u>RATE</u> | Work Related Injury Deaths  | 0.5            | County of Beneficiary  | 208 |
| Hepatitis   | 2.3          | 8.2 *       | Mortality Rate  | 2.1 *          |  |     |
| Measles   | 0.0          | 0.0         | Drug Related Deaths (1999-2000 Avg.)                              | 0.0            | Fee for Service  | 208 |
| Shigellosis   | 0.7          | 2.3 *       | Mortality Rate  | 0.0            | Managed Care   | 0   |
| Tuberculosis  | 0.3          | 1.2 *       | Homicide by Weapons (2000)  | 1              | MEDI-CAL Abortions by:   | 55  |
| Syphilis  | 0.0          | 0.0         | Homicide by Handguns  | 0              | (Resident beneficiary) FFS   |     |
| Chlamydia   | 29.3         | 103.1       | Kindergarten Students Needing One<br>or More Immunizations (2001) | 25<br>5.8 %    | County Hospitals   | 0   |
| Gonorrhea   | 0.7          | 2.3 *       |   |                | Community Hospitals  | 3   |
| CUMULATIVE AIDS CASES AND INCIDENCE<br>1981 through January 2002    |              |             | MEDI-CAL DATA<br>(AVERAGE MONTHLY, 2000)                          |                | MEDI-CAL PHP ENROLLEES (2000)  |     |
|   |              |             | MEDI-CAL Users (FFS):   |                | Average Monthly Prepaid  |     |
| AIDS Cases  | 11           |             | Percent of County Population                                      | 2,602<br>9.8 % | Health Plan Enrollees  | 0   |
| Number of deaths  | 6            |             | Percent of Eligibles (FFS)  | 53.4 %         | DENTI-CAL SERVICES (2000)  |     |
| Mortality (percent of AIDS cases<br>resulting in deaths)            | 55.0 %       |             | Total MEDI-CAL Eligibles:   | 4,877          | Average Monthly Users  |     |
| COUNTY HEALTH INDICATORS  |              |             | Percent of County Population                                      |                | 103  |     |
|   |              |             | MEDI-CAL Payments (FFS) :   |                | MEDI-CAL/MEDICARE (2002)   |     |
| Persons Injured in Traffic Accidents<br>County of Occurrence (2000) | 169          |             | Amount  | \$1,106,032    | Percent of MEDI-CAL Eligibles<br>Who are also eligible<br>for Medicare |     |
| Substance Abuse Admissions (2000)                                   |              |             | Amount per User   | \$425.07       | 16.9 %   |     |
| Methamphetamine   | 48           |             | MEDI-CAL ELIGIBLES BY RACE/ETHNICITY<br>(2000)                    |                | MEDICARE ENROLLEES (2000)  |     |
| Cocaine   | 0            |             | White   | 49.3 %         | TOTAL MEDICARE ENROLLEES   |     |
| Marijuana   | 50           |             | Black   | 0.6 %          | Number   |     |
| Alcohol   | 105          |             | Hispanic  | 29.0 %         | 3,981  |     |
|   |              |             | American Indian/Alaskan Native                                    | 2.2 %          | Percent of County Population   |     |
|   |              |             | Asian/Pacific Islander  | 9.6 %          | 15.0 %   |     |
|   |              |             | Not Reported  | 9.2 %          | Enrollees Aged 65+   |     |
|   |              |             |   |                | Number   |     |
|   |              |             |   |                | 3,444  |     |
|   |              |             |   |                | Percent of County Population   |     |
|   |              |             |   |                | 13.0 %   |     |
|   |              |             |   |                | Disability Beneficiaries:  |     |
|   |              |             |   |                | Number   |     |
|   |              |             |   |                | 537  |     |
|   |              |             |   |                | Percent of County Population   |     |
|   |              |             |   |                | 2.0 %  |     |

| PROGRAM CLIENTS/SERVICES   |        | HOSPITALS (2000)  |       | HOSPICE CARE   |        |
|--|--------|---|-------|--|--------|
| Percent Early Postpartum Breastfeeding Initiation 1998-2000 Average            | 90.1 % | Number of General Acute Care (GAC) Hospitals                    | 0     | Number of Freestanding Hospice Care Facilities (2000)                | 0      |
| Family Planning Clients by All Funding Sources (2001)                          | 2,276  | Number of Licensed GAC Beds                                     | 0     | HOSPITAL UTILIZATION (2000)  |        |
|  |        | Number of Licensed GAC Beds per 1,000 Population                | 0.0   | Number of GAC Discharges from GAC Hospitals                          | 0      |
| Women and Children Under Age 5 Receiving WIC Services (07/02)                  | 1,638  | LTC (2000)  |       | Average GAC Occupancy Rate in GAC Hospitals                          | 0.0    |
|  |        | Number of Long Term Care Facilities and Hospitals with LTC Beds | 1     | Average GAC Length of Stay in GAC Hospitals (days)                   | 0.0    |
| Child Health/Disability Prevention Screens (FY 2000-2001)                      | 2,538  | Number of Licensed LTC Beds                                     | 76    | LTC (2000)   |        |
|  |        | Number of Licensed Beds per 1,000 Population                    | 2.9   | Number of LTC Discharges from LTC Facilities                         | 169    |
| California Children's Services Cases (08/02)                                   | 164    | PHYSICIANS (2001)   |       | Average Occupancy Rate of LTC Facilities and Hospitals with LTC Beds | 85.0   |
|  |        | Number of Active Non-Federal Physicians                         | 10    | COUNTY HEALTH COSTS (FY 2000-2001)                                   |        |
| Developmental Disability Clients (08/02)                                       | 187    | Number of Persons per Physician                                 | 2,645 | Estimated Net County Health Care Costs                               | DNR    |
|  |        | DENTISTS (2002)   |       | Estimated Net County Cost per Capita                                 | \$0.00 |
| Rehabilitation Clients (FY 2000-2001)  | 85     | Number of Licensed Dentists (Non-Federal)                       | 6     |  |        |
|  |        | Number of Persons per Dentist                                   | 4,409 |  |        |
| State Mental Hospital Admissions (FY 2000-2001)                                | 4      | CLINICS (2000)  |       |  |        |
|  |        | Number of Licensed Community and Free Clinics                   | 3     |  |        |
| Persons Receiving Preventive Health Care for the Aging Services (FY 2001-2002) | 0      | Number of Specialty Clinics                                     | 0     |  |        |
|  |        | HOME HEALTH AGENCIES (2000)                                     |       |  |        |
| Assessment Clients   | 0      | Number of Licensed Home Health Agencies                         | 0     |  |        |
| Total Client Encounters  | 0      |   |       |  |        |

| TOTAL POPULATION       |          | PERCENT BELOW POVERTY LEVEL (1999)                            |           | LIVE BIRTHS (2000)   |        |
|------------------------|----------|---|-----------|--|--------|
| Census Year 2000       | 126,518  | Total population  | 19.5 %    | Number of Live Births By:                                      |        |
| Projection Year 2010   | 136,500  | Children under 6  | 27.9 %    | County of Residence  | 1,371  |
| Projection Year 2020   | 142,100  | Persons aged 65+  | 7.2 %     | County of Occurrence   | 1,406  |
| AGE (2000)             |          |   |           | Birth Rate (births per 1,000 population)                       | 10.7   |
| Under Age 5            | 5.6%     | Whites  | 16.8 %    | Fertility rate (births per 1,000 women aged 15-44, 98-00 avg.) | 50.8   |
| Age 5-17               | 17.6%    | Blacks  | 49.2 %    | Low birthweight (under 2,500 grams)                            | 5.4 %  |
| Age 18-64              | 64.3%    | Hispanics   | 30.1 %    | Very low birthweight (under 1,500 grams)                       | 0.5 %  |
| Age 65+                | 12.5%    | Asian/Pacific Islanders                                       | 39.1 %    | Unmarried  | 39.8 % |
|                        |          | American Indian   | 31.0 %    | Cesarean section delivery                                      | 21.3 % |
|                        |          | HOUSING VALUE (2000)  |           | Mothers who gave birth outside county of residence             | 2.2 %  |
|                        |          | Median housing-unit value                                     | \$133,500 | Mothers with less than 12 years education                      | 21.0 % |
| SEX (2000)             |          | CALWORKS (2002)   |           | Teenage mothers (<18)  | 3.6 %  |
| Females                | 50.6%    | CalWorks enrollees as a percent of county population          | 1.7 %     | Mothers with no 1st trimester prenatal care                    | 18.9 % |
| Males                  | 49.4%    | SSI/SSP (2002)  |           | Percent of Births by Mother's Race/Ethnicity:                  |        |
| RACE/ETHNICITY (2000)  |          | SSI/SSP recipients as a percent of county population          | 4.7 %     | White/Other  | 74.2 % |
| White                  | 81.6%    | UNEMPLOYMENT (2002)   |           | Black  | 0.7 %  |
| Black                  | 0.8%     | Percent of civilian labor force unemployed                    | 6.8 %     | Hispanic   | 10.6 % |
| Hispanic               | 6.5%     | EDUCATION   |           | Asian/Pacific Islander   | 2.1 %  |
| American Indian        | 5.3%     | Percent of persons aged 25+ not completing high-school (2000) | 15.1 %    | American Indian  | 7.9 %  |
| Asian/Pacific Islander | 1.8%     | Enrollment K-12 (2001-2002)                                   | 21,439    | Multiple Race  | 2.5 %  |
| URBAN/RURAL (2000)     |          | PRINCIPAL PAYMENT SOURCE FOR BIRTH DELIVERIES                 |           |  |        |
| Urban                  | 69.5%    | Medi-Cal/other gov't  | 49.4 %    |  |        |
| Rural                  | 30.5%    | HMO and prepaid plans   | 2.3 %     |  |        |
| FAMILY INCOME (1999)   |          | Private insurance   | 42.1 %    |  |        |
| Median family income   | \$39,370 |   |           |  |        |

| DEATHS (2000)                                  |          | CAUSES OF DEATH (1999-2000 AVG.)                   |       | INFANT DEATHS (2000)  |       |
|--|----------|--|-------|---|-------|
| Number of Deaths By:                           |          | Deaths per 100,000 Population Due To:              |       | Number of Infant Deaths (Under 1 Year of Age) 10                |       |
| County of Residence                            | 1,202    | Heart Disease                                      | 228.0 | Infant Death Rate (Deaths per 1,000 Live Births) 7.3 *          |       |
| County of Occurrence                           | 1,211    | All Malignant Neoplasms                            | 220.1 |   |       |
|  |          | Breast Cancer                                      | 44.3  |   |       |
|  |          | Lung Cancer  | 50.5  |   |       |
| Crude Death Rate (Deaths per 1,000 Population) | 9.4      | Stroke   | 71.7  | INFANT DEATH RATES (1999 BIRTH COHORT)                          |       |
| AGE-ADJUSTED DEATH RATE (1998-2000 AVERAGE)    |          | Unintentional Injuries                             | 52.1  | Infant Deaths per 1,000 Live Births by Mother's Race/Ethnicity: |       |
| Age-Adjusted Deaths per 100,000 Population     | 925.7    | Pneumonia and Influenza                            | 31.3  | All Race/Ethnic Groups  | 4.1 * |
| AGE-SPECIFIC DEATH RATES (1998-2000 AVERAGE)   |          | Chronic Lower Respiratory Disease                  | 58.4  | White   | N     |
| Deaths per 100,000 Population:                 |          | Acquired Immune Deficiency Syndrome                | 3.9 * | Black   | 0.0   |
| 1 to 4 Years Old                               | 37.7 *   | Chronic Liver Disease/Cirrhosis                    | 16.8  | Hispanic  | N     |
| 5 to 14 Years Old                              | 20.7 *   | Suicide  | 17.2  | Asian, American Indian, Other                                   | N     |
| 15 to 24 Years Old                             | 96.8 *   | Diabetes Mellitus                                  | 25.9  | PERINATAL DEATHS (1999 BIRTH COHORT)                            |       |
| 25 to 34 Years Old                             | 111.5    | Homicide   | 5.5 * | Number of Perinatal Deaths (Neonatal Plus Fetal) 12             |       |
|  |          | FETAL AND NEONATAL DEATHS (2000)                   |       | Perinatal Death Rate by Mother's Race/Ethnicity:                |       |
| 35 to 44 Years Old                             | 261.2    | Number of Fetal Deaths                             | 8     | All Race/Ethnic Groups  | 8.2 * |
| 45 to 54 Years Old                             | 500.6    | Fetal Death Ratio (Deaths per 1,000 Live Births)   | 5.8 * | White   | 9.3 * |
| 55 to 64 Years Old                             | 1,184.3  | Number of Neonatal Deaths (Under 28 Days of Age)   | 7     | Black   | 0.0   |
| 65 to 74 Years Old                             | 2,561.6  | Neonatal Death Rate (Deaths per 1,000 Live Births) | 5.1 * | Hispanic  | 0.0   |
| 75 to 84 Years Old                             | 5,895.0  |  |       | Asian, American Indian, Other                                   | N     |
| Over 84 Years Old                              | 15,261.8 |  |       |   |       |

| REPORTED COMMUNICABLE DISEASES<br>(1998-2000 AVERAGE)               |              |             | COUNTY HEALTH INDICATORS<br>(continued)                           |              | MEDI-CAL<br>(2000)   |        |
|---|--------------|-------------|---|--------------|--|--------|
| Number and Rate per 100,000 Population                              |              |             | Mortality Rate Per 100,000 Pop. (1999-2000 Avg.)                  |              | MEDI-CAL Deliveries by:  |        |
| <u>DISEASE</u>  | <u>CASES</u> | <u>RATE</u> | Work Related Injury Deaths  | 7.5          | County of Beneficiary  | 654    |
| Hepatitis   | 22.7         | 17.8        | Mortality Rate  | 5.7 *        |  |        |
| Measles   | 0.0          | 0.0         | Drug Related Deaths (1999-2000 Avg.)                              | 27.5         | Fee for Service  | 654    |
| Shigellosis   | 8.3          | 6.5 *       | Mortality Rate  | 21.0         | Managed Care   | 0      |
| Tuberculosis  | 9.7          | 7.6 *       | Homicide by Weapons (2000)  | 4            | MEDI-CAL Abortions by:   | 414    |
| Syphilis  | 0.0          | 0.0         | Homicide by Handguns  | 2            | (Resident beneficiary) FFS   |        |
| Chlamydia   | 372.7        | 291.9       | Kindergarten Students Needing One<br>or More Immunizations (2001) | 146<br>9.8 % | County Hospitals   | 2      |
| Gonorrhea   | 87.0         | 68.2        |   |              | Community Hospitals  | 122    |
| CUMULATIVE AIDS CASES AND INCIDENCE<br>1981 through January 2002    |              |             | MEDI-CAL DATA<br>(AVERAGE MONTHLY, 2000)                          |              | MEDI-CAL PHP ENROLLEES (2000)  |        |
|   |              |             | MEDI-CAL Users (FFS):   | 13,092       | Average Monthly Prepaid  |        |
| AIDS Cases  | 199          |             | Percent of County Population                                      | 10.3 %       | Health Plan Enrollees  | 0      |
| Number of deaths  | 121          |             | Percent of Eligibles (FFS)  | 60.2 %       | DENTI-CAL SERVICES (2000)  |        |
| Mortality (percent of AIDS cases<br>resulting in deaths)            | 61.0 %       |             | Total MEDI-CAL Eligibles:   | 21,752       | Average Monthly Users  | 733    |
| COUNTY HEALTH INDICATORS  |              |             | Percent of County Population                                      | 17.0 %       | MEDI-CAL/MEDICARE (2002)   |        |
|   |              |             | MEDI-CAL Payments (FFS) :   |              | Percent of MEDI-CAL Eligibles<br>Who are also eligible<br>for Medicare | 19.5 % |
| Persons Injured in Traffic Accidents<br>County of Occurrence (2000) | 1,160        |             | Amount  | \$6,081,395  | MEDICARE ENROLLEES (2000)  |        |
| Substance Abuse Admissions (2000)                                   |              |             | Amount per User   | \$464.51     | TOTAL MEDICARE ENROLLEES   |        |
| Methamphetamine   | 232          |             | MEDI-CAL ELIGIBLES BY RACE/ETHNICITY<br>(2000)                    |              | Number   | 19,244 |
| Cocaine   | 15           |             | White   | 75.5 %       | Percent of County Population   | 15.2 % |
| Marijuana   | 73           |             | Black   | 1.7 %        | Enrollees Aged 65+   |        |
| Alcohol   | 369          |             | Hispanic  | 4.0 %        | Number   | 15,526 |
|   |              |             | American Indian/Alaskan Native                                    | 7.5 %        | Percent of County Population   | 12.3 % |
|   |              |             | Asian/Pacific Islander  | 3.9 %        | Disability Beneficiaries:  |        |
|   |              |             | Not Reported  | 7.5 %        | Number   | 3,718  |
|   |              |             |   |              | Percent of County Population   | 2.9 %  |

| PROGRAM CLIENTS/SERVICES   |        | HOSPITALS (2000)   | HOSPICE CARE   |
|--|--------|--|--|
| Percent Early Postpartum Breastfeeding Initiation 1998-2000 Average            | 89.6 % | Number of General Acute Care (GAC) Hospitals<br>3                    | Number of Freestanding Hospice Care Facilities (2000)<br>2                   |
| Family Planning Clients by All Funding Sources (2001)                          | 9,316  | Number of Licensed GAC Beds<br>266                                   | <b>HOSPITAL UTILIZATION (2000)</b>   |
| Women and Children Under Age 5 Receiving WIC Services (07/02)                  | 3,926  | Number of Licensed GAC Beds per 1,000 Population<br>2.1              | Number of GAC Discharges from GAC Hospitals<br>9,444                         |
| Child Health/Disability Prevention Screens (FY 2000-2001)                      | 7,697  | <b>LTC (2000)</b>  | Average GAC Occupancy Rate in GAC Hospitals<br>40.3                          |
| California Children's Services Cases (08/02)                                   | 585    | Number of Long Term Care Facilities and Hospitals with LTC Beds<br>5 | Average GAC Length of Stay in GAC Hospitals (days)<br>4.1                    |
| Developmental Disability Clients (08/02)                                       | 1,152  | Number of Licensed LTC Beds<br>455                                   | <b>LTC (2000)</b>  |
| Rehabilitation Clients (FY 2000-2001)  | 721    | Number of Licensed Beds per 1,000 Population<br>3.6                  | Number of LTC Discharges from LTC Facilities<br>1,056                        |
| State Mental Hospital Admissions (FY 2000-2001)                                | 16     | <b>PHYSICIANS (2001)</b>   | Average Occupancy Rate of LTC Facilities and Hospitals with LTC Beds<br>89.6 |
| Persons Receiving Preventive Health Care for the Aging Services (FY 2001-2002) | 548    | Number of Active Non-Federal Physicians<br>296                       | <b>COUNTY HEALTH COSTS (FY 2000-2001)</b>                                    |
| Assessment Clients   | 548    | Number of Persons per Physician<br>427                               | Estimated Net County Health Care Costs<br>DNR                                |
| Total Client Encounters  | 803    | <b>DENTISTS (2002)</b>   | Estimated Net County Cost per Capita<br>\$0.00                               |
|  |        | Number of Licensed Dentists (Non-Federal)<br>88                      |  |
|  |        | Number of Persons per Dentist<br>1,438                               |  |
|  |        | <b>CLINICS (2000)</b>  |  |
|  |        | Number of Licensed Community and Free Clinics<br>10                  |  |
|  |        | Number of Specialty Clinics<br>3                                     |  |
|  |        | <b>HOME HEALTH AGENCIES (2000)</b>                                   |  |
|  |        | Number of Licensed Home Health Agencies<br>7                         |  |

| TOTAL POPULATION       |          | PERCENT BELOW POVERTY LEVEL (1999)                            |        | LIVE BIRTHS (2000)   |        |
|------------------------|----------|---|--------|--|--------|
| Census Year 2000       | 142,361  | Total population  | 22.6 % | Number of Live Births By:                                      |        |
| Projection Year 2010   | 217,500  | Children under 6  | 29.3 % | County of Residence  | 2,572  |
| Projection Year 2020   | 294,200  | Persons aged 65+  | 13.6 % | County of Occurrence   | 2,550  |
| AGE (2000)             |          | HOUSING VALUE (2000)  |        | Birth Rate (births per 1,000 population)                       | 17.3   |
| Under Age 5            | 7.7%     | Whites  | 11.1 % | Fertility rate (births per 1,000 women aged 15-44, 98-00 avg.) | 78.2   |
| Age 5-17               | 23.8%    | Blacks  | 25.5 % | Low birthweight (under 2,500 grams)                            | 4.9 %  |
| Age 18-64              | 58.5%    | Hispanics   | 25.9 % | Very low birthweight (under 1,500 grams)                       | 1.1 %  |
| Age 65+                | 10.0%    | Asian/Pacific Islanders                                       | 14.5 % | Unmarried  | 42.5 % |
|                        |          | American Indian   | 29.7 % | Cesarean section delivery                                      | 33.9 % |
| SEX (2000)             |          | CALWORKS (2002)   |        | Mothers who gave birth outside county of residence             | 4.9 %  |
| Females                | 47.8%    | CalWorks enrollees as a percent of county population          | 2.4 %  | Mothers with less than 12 years education                      | 32.2 % |
| Males                  | 52.2%    | SSI/SSP (2002)  |        | Teenage mothers (<18)  | 6.1 %  |
| RACE/ETHNICITY (2000)  |          | SSI/SSP recipients as a percent of county population          | 5.1 %  | Mothers with no 1st trimester prenatal care                    | 23.5 % |
| White                  | 20.2%    | UNEMPLOYMENT (2002)   |        | Percent of Births by Mother's Race/Ethnicity:                  |        |
| Black                  | 3.6%     | Percent of civilian labor force unemployed                    | 14.5 % | White/Other  | 9.7 %  |
| Hispanic               | 72.2%    | EDUCATION   |        | Black  | 0.7 %  |
| American Indian        | 1.2%     | Percent of persons aged 25+ not completing high-school (2000) | 41.0 % | Hispanic   | 87.8 % |
| Asian/Pacific Islander | 1.8%     | Enrollment K-12 (2001-2002)                                   | 35,751 | Asian/Pacific Islander   | 1.5 %  |
| URBAN/RURAL (2000)     |          | PRINCIPAL PAYMENT SOURCE FOR BIRTH DELIVERIES                 |        | American Indian  | 0.0 %  |
| Urban                  | 85.2%    | Medi-Cal/other gov't  | 56.4 % | Multiple Race  | 0.2 %  |
| Rural                  | 14.8%    | FAMILY INCOME (1999)  |        |  |        |
| Median family income   | \$35,226 | HMO and prepaid plans   | 1.3 %  |  |        |
|                        |          | Private insurance   | 31.7 % |  |        |

| DEATHS (2000)                                  |         | CAUSES OF DEATH (1999-2000 AVG.)                   |        | INFANT DEATHS (2000)  |       |
|--|---------|--|--------|---|-------|
| Number of Deaths By:                           |         | Deaths per 100,000 Population Due To:              |        | Number of Infant Deaths (Under 1 Year of Age) 12                |       |
| County of Residence                            | 840     | Heart Disease                                      | 162.3  | Infant Death Rate (Deaths per 1,000 Live Births) 4.7 *          |       |
| County of Occurrence                           | 783     | All Malignant Neoplasms                            | 129.0  |   |       |
|  |         | Breast Cancer                                      | 23.3 * |   |       |
|  |         | Lung Cancer  | 32.9   |   |       |
| Crude Death Rate (Deaths per 1,000 Population) | 5.6     | Stroke   | 36.6   | INFANT DEATH RATES (1999 BIRTH COHORT)                          |       |
| AGE-ADJUSTED DEATH RATE (1998-2000 AVERAGE)    |         | Unintentional Injuries                             | 48.2   | Infant Deaths per 1,000 Live Births by Mother's Race/Ethnicity: |       |
| Age-Adjusted Deaths per 100,000 Population     | 699.6   | Pneumonia and Influenza                            | 7.3 *  | All Race/Ethnic Groups  | 5.3 * |
| AGE-SPECIFIC DEATH RATES (1998-2000 AVERAGE)   |         | Chronic Lower Respiratory Disease                  | 24.6   | White   | 9.4 * |
| Deaths per 100,000 Population:                 |         | Acquired Immune Deficiency Syndrome                | 3.0 *  | Black   | 0.0   |
| 1 to 4 Years Old                               | 27.9 *  | Chronic Liver Disease/Cirrhosis                    | 15.0   | Hispanic  | 4.3 * |
| 5 to 14 Years Old                              | 23.6 *  | Suicide  | 8.3 *  | Asian, American Indian, Other                                   | 0.0   |
| 15 to 24 Years Old                             | 60.0 *  | Diabetes Mellitus                                  | 16.6   | PERINATAL DEATHS (1999 BIRTH COHORT)                            |       |
| 25 to 34 Years Old                             | 100.3   | Homicide   | 3.3 *  | Number of Perinatal Deaths (Neonatal Plus Fetal) 22             |       |
|  |         | FETAL AND NEONATAL DEATHS (2000)                   |        | Perinatal Death Rate by Mother's Race/Ethnicity:                |       |
| 35 to 44 Years Old                             | 198.5   | Number of Fetal Deaths                             | 15     | All Race/Ethnic Groups  | 8.9   |
| 45 to 54 Years Old                             | 473.8   | Fetal Death Ratio (Deaths per 1,000 Live Births)   | 5.8 *  | White   | N     |
| 55 to 64 Years Old                             | 1,008.4 | Number of Neonatal Deaths (Under 28 Days of Age)   | 10     | Black   | 0.0   |
| 65 to 74 Years Old                             | 2,298.2 | Neonatal Death Rate (Deaths per 1,000 Live Births) | 3.9 *  | Hispanic  | 10.1  |
| 75 to 84 Years Old                             | 4,340.9 |  |        | Asian, American Indian, Other                                   | 0.0   |
| Over 84 Years Old                              | 8,735.4 |  |        |   |       |

| REPORTED COMMUNICABLE DISEASES<br>(1998-2000 AVERAGE)               |              |             | COUNTY HEALTH INDICATORS<br>(continued)                           |              | MEDI-CAL<br>(2000)   |        |
|---|--------------|-------------|---|--------------|--|--------|
| Number and Rate per 100,000 Population                              |              |             | Mortality Rate Per 100,000 Pop. (1999-2000 Avg.)                  |              | MEDI-CAL Deliveries by:  |        |
| <u>DISEASE</u>  | <u>CASES</u> | <u>RATE</u> | Work Related Injury Deaths  | 5.5          | County of Beneficiary  | 1,388  |
| Hepatitis   | 85.7         | 57.0        | Mortality Rate  | 4.5 *        |  |        |
| Measles   | 0.0          | 0.0         | Drug Related Deaths (1999-2000 Avg.)                              | 14.5         | Fee for Service  | 1,388  |
| Shigellosis   | 21.0         | 14.0        | Mortality Rate  | 11.6 *       | Managed Care   | 0      |
| Tuberculosis  | 34.3         | 22.8        | Homicide by Weapons (2000)  | 4            | MEDI-CAL Abortions by:   | 195    |
| Syphilis  | 0.0          | 0.0         | Homicide by Handguns  | 1            | (Resident beneficiary) FFS   |        |
| Chlamydia   | 306.0        | 203.5       | Kindergarten Students Needing One<br>or More Immunizations (2001) | 146<br>5.8 % | County Hospitals   | 0      |
| Gonorrhea   | 28.7         | 19.1        |   |              | Community Hospitals  | 13     |
| CUMULATIVE AIDS CASES AND INCIDENCE<br>1981 through January 2002    |              |             | MEDI-CAL DATA<br>(AVERAGE MONTHLY, 2000)                          |              | MEDI-CAL PHP ENROLLEES (2000)  |        |
|   |              |             | MEDI-CAL Users (FFS):   | 19,786       | Average Monthly Prepaid  |        |
| AIDS Cases  | 110          |             | Percent of County Population                                      | 13.9 %       | Health Plan Enrollees  | 0      |
| Number of deaths  | 56           |             | Percent of Eligibles (FFS)  | 53.2 %       | DENTI-CAL SERVICES (2000)  |        |
| Mortality (percent of AIDS cases<br>resulting in deaths)            | 51.0 %       |             | Total MEDI-CAL Eligibles:   | 37,189       | Average Monthly Users  | 1,660  |
| COUNTY HEALTH INDICATORS  |              |             | Percent of County Population                                      | 25.0 %       | MEDI-CAL/MEDICARE (2002)   |        |
|   |              |             | MEDI-CAL Payments (FFS) :   |              | Percent of MEDI-CAL Eligibles<br>Who are also eligible<br>for Medicare | 21.5 % |
| Persons Injured in Traffic Accidents<br>County of Occurrence (2000) | 1,172        |             | Amount  | \$7,127,219  | MEDICARE ENROLLEES (2000)  |        |
| Substance Abuse Admissions (2000)                                   |              |             | Amount per User   | \$360.22     | TOTAL MEDICARE ENROLLEES   |        |
| Methamphetamine   | 119          |             | MEDI-CAL ELIGIBLES BY RACE/ETHNICITY<br>(2000)                    |              | Number   | 17,523 |
| Cocaine   | 16           |             | White   | 14.5 %       | Percent of County Population   | 12.3 % |
| Marijuana   | 13           |             | Black   | 1.9 %        | Enrollees Aged 65+   |        |
| Alcohol   | 70           |             | Hispanic  | 68.1 %       | Number   | 15,145 |
|   |              |             | American Indian/Alaskan Native                                    | 0.7 %        | Percent of County Population   | 10.6 % |
|   |              |             | Asian/Pacific Islander  | 0.3 %        | Disability Beneficiaries:  |        |
|   |              |             | Not Reported  | 14.5 %       | Number   | 2,378  |
|   |              |             |   |              | Percent of County Population   | 1.7 %  |

| PROGRAM CLIENTS/SERVICES   |        | HOSPITALS (2000)  |       | HOSPICE CARE   |        |
|--|--------|---|-------|--|--------|
| Percent Early Postpartum Breastfeeding Initiation 1998-2000 Average            | 74.1 % | Number of General Acute Care (GAC) Hospitals                    | 2     | Number of Freestanding Hospice Care Facilities (2000)                | 1      |
| Family Planning Clients by All Funding Sources (2001)                          | 4,800  | Number of Licensed GAC Beds                                     | 187   | HOSPITAL UTILIZATION (2000)  |        |
|  |        | Number of Licensed GAC Beds per 1,000 Population                | 1.3   | Number of GAC Discharges from GAC Hospitals                          | 11,620 |
| Women and Children Under Age 5 Receiving WIC Services (07/02)                  | 7,023  | LTC (2000)  |       | Average GAC Occupancy Rate in GAC Hospitals                          | 60.0   |
|  |        | Number of Long Term Care Facilities and Hospitals with LTC Beds | 3     | Average GAC Length of Stay in GAC Hospitals (days)                   | 3.5    |
| Child Health/Disability Prevention Screens (FY 2000-2001)                      | 14,845 | Number of Licensed LTC Beds                                     | 253   | LTC (2000)   |        |
|  |        | Number of Licensed Beds per 1,000 Population                    | 1.8   | Number of LTC Discharges from LTC Facilities                         | 256    |
| California Children's Services Cases (08/02)                                   | 1,127  | PHYSICIANS (2001)   |       | Average Occupancy Rate of LTC Facilities and Hospitals with LTC Beds | 90.0   |
|  |        | Number of Active Non-Federal Physicians                         | 120   | COUNTY HEALTH COSTS (FY 2000-2001)                                   |        |
| Developmental Disability Clients (08/02)                                       | 784    | Number of Persons per Physician                                 | 1,186 | Estimated Net County Health Care Costs                               | DNR    |
|  |        | DENTISTS (2002)   |       | Estimated Net County Cost per Capita                                 | \$0.00 |
| Rehabilitation Clients (FY 2000-2001)  | 566    | Number of Licensed Dentists (Non-Federal)                       | 45    |  |        |
|  |        | Number of Persons per Dentist                                   | 3,164 |  |        |
| State Mental Hospital Admissions (FY 2000-2001)                                | 11     | CLINICS (2000)  |       |  |        |
|  |        | Number of Licensed Community and Free Clinics                   | 6     |  |        |
| Persons Receiving Preventive Health Care for the Aging Services (FY 2001-2002) | 0      | Number of Specialty Clinics                                     | 4     |  |        |
|  |        | HOME HEALTH AGENCIES (2000)                                     |       |  |        |
| Assessment Clients   | 0      | Number of Licensed Home Health Agencies                         | 5     |  |        |
| Total Client Encounters  | 0      |   |       |  |        |

| TOTAL POPULATION       |          | PERCENT BELOW POVERTY LEVEL (1999)                            |           | LIVE BIRTHS (2000)   |   |
|------------------------|----------|---|-----------|--|---|
| Census Year 2000       | 17,945   | Total population  | 12.6 %    | Number of Live Births By:                                      |   |
| Projection Year 2010   | 19,400   | Children under 6  | 20.2 %    | County of Residence  | 167   |
| Projection Year 2020   | 20,700   | Persons aged 65+  | 8.3 %     | County of Occurrence   | 203   |
| AGE (2000)             |          |   |           | Birth Rate (births per 1,000 population)                       | 9.2   |
| Under Age 5            | 5.4%     | Whites  | 9.4 %     | Fertility rate (births per 1,000 women aged 15-44, 98-00 avg.) | 56.7  |
| Age 5-17               | 19.0%    | Blacks  | 70.0 %    | Low birthweight (under 2,500 grams)                            | 6.0 %                                       |
| Age 18-64              | 56.5%    | Hispanics   | 23.6 %    |  |   |
| Age 65+                | 19.1%    | Asian/Pacific Islanders                                       | 7.5 %     |  |   |
|                        |          | American Indian   | 22.7 %    |  |   |
|                        |          | HOUSING VALUE (2000)  |           |  |   |
|                        |          | Median housing-unit value                                     | \$161,300 | Very low birthweight (under 1,500 grams)                       | 0.6 %                                       |
| SEX (2000)             |          | CALWORKS (2002)   |           |  |   |
| Females                | 51.2%    | CalWorks enrollees as a percent of county population          | 0.7 %     | Unmarried  | 38.3 %                                      |
| Males                  | 48.8%    | SSI/SSP (2002)  |           | Cesarean section delivery                                      | 15.0 %                                      |
| RACE/ETHNICITY (2000)  |          | SSI/SSP recipients as a percent of county population          |           | Mothers who gave birth outside county of residence             | 10.2 %                                      |
| White                  | 74.4%    |   |           | Mothers with less than 12 years education                      | 22.2 %                                      |
| Black                  | 0.1%     | UNEMPLOYMENT (2002)   |           | Teenage mothers (<18)  | 5.4 %                                       |
| Hispanic               | 12.6%    | Percent of civilian labor force unemployed                    |           | 6.0 %  | Mothers with no 1st trimester prenatal care |
| American Indian        | 9.4%     | EDUCATION   |           | Percent of Births by Mother's Race/Ethnicity:                  |   |
| Asian/Pacific Islander | 1.0%     | Percent of persons aged 25+ not completing high-school (2000) |           | 17.7 %   | White/Other                                 |
|                        |          | Enrollment K-12 (2001-2002)                                   |           | 3,413  | Black                                       |
| URBAN/RURAL (2000)     |          | PRINCIPAL PAYMENT SOURCE FOR BIRTH DELIVERIES                 |           |  | Hispanic                                    |
| Urban                  | 58.0%    | Medi-Cal/other gov't  |           | 59.3 %   | Asian/Pacific Islander                      |
| Rural                  | 42.0%    | HMO and prepaid plans   |           | 2.4 %  | American Indian                             |
| FAMILY INCOME (1999)   |          | Private insurance   |           | 37.1 %   | Multiple Race                               |
| Median family income   | \$44,970 |   |           |  | 4.8 %                                       |

| DEATHS (2000)                                  |          | CAUSES OF DEATH (1999-2000 AVG.)                   |        | INFANT DEATHS (2000)  |     |
|--|----------|--|--------|---|-----|
| Number of Deaths By:                           |          | Deaths per 100,000 Population Due To:              |        | Number of Infant Deaths (Under 1 Year of Age)                   | 1   |
| County of Residence                            | 189      | Heart Disease                                      | 324.3  | Infant Death Rate (Deaths per 1,000 Live Births)                | N   |
| County of Occurrence                           | 179      | All Malignant Neoplasms                            | 248.0  | INFANT DEATH RATES (1999 BIRTH COHORT)                          |     |
|  |          | Breast Cancer                                      | 37.4 * |   |     |
|  |          | Lung Cancer  | 84.5 * | Infant Deaths per 1,000 Live Births by Mother's Race/Ethnicity: |     |
| Crude Death Rate (Deaths per 1,000 Population) | 10.4     | Stroke   | 70.9 * | All Race/Ethnic Groups  | 0.0 |
| AGE-ADJUSTED DEATH RATE (1998-2000 AVERAGE)    |          | Unintentional Injuries                             | 24.5 * | White   | 0.0 |
| Age-Adjusted Deaths per 100,000 Population     | 734.3    | Pneumonia and Influenza                            | 51.8 * | Black   | 0.0 |
| AGE-SPECIFIC DEATH RATES (1998-2000 AVERAGE)   |          | Chronic Lower Respiratory Disease                  | 70.9 * | Hispanic  | 0.0 |
| Deaths per 100,000 Population:                 |          | Acquired Immune Deficiency Syndrome                | 0.0    | Asian, American Indian, Other                                   | 0.0 |
| 1 to 4 Years Old                               | 0.0      | Chronic Liver Disease/Cirrhosis                    | 30.0 * | PERINATAL DEATHS (1999 BIRTH COHORT)                            |     |
| 5 to 14 Years Old                              | 0.0      | Suicide  | 13.6 * |   |     |
| 15 to 24 Years Old                             | 39.9 *   | Diabetes Mellitus                                  | 21.8 * | Number of Perinatal Deaths (Neonatal Plus Fetal)                | 0   |
| 25 to 34 Years Old                             | 42.0 *   | Homicide   | 0.0    | Perinatal Death Rate by Mother's Race/Ethnicity:                |     |
| 35 to 44 Years Old                             | 199.2 *  | FETAL AND NEONATAL DEATHS (2000)                   |        | All Race/Ethnic Groups  | 0.0 |
| 45 to 54 Years Old                             | 486.1 *  | Number of Fetal Deaths                             | 0      | White   | 0.0 |
| 55 to 64 Years Old                             | 933.4 *  | Fetal Death Ratio (Deaths per 1,000 Live Births)   | 0.0    | Black   | 0.0 |
| 65 to 74 Years Old                             | 1,973.9  | Number of Neonatal Deaths (Under 28 Days of Age)   | 1      | Hispanic  | 0.0 |
| 75 to 84 Years Old                             | 4,737.1  | Neonatal Death Rate (Deaths per 1,000 Live Births) | N      | Asian, American Indian, Other                                   | 0.0 |
| Over 84 Years Old                              | 12,691.8 |  |        |   |     |

| REPORTED COMMUNICABLE DISEASES<br>(1998-2000 AVERAGE)               |              |             | COUNTY HEALTH INDICATORS<br>(continued)                           |        | MEDI-CAL<br>(2000)   |    |
|---|--------------|-------------|---|--------|--|----|
| Number and Rate per 100,000 Population                              |              |             | Mortality Rate Per 100,000 Pop. (1999-2000 Avg.)                  |        | MEDI-CAL Deliveries by:  |    |
| <u>DISEASE</u>  | <u>CASES</u> | <u>RATE</u> | Work Related Injury Deaths  | 0.0    | County of Beneficiary  | 89 |
| Hepatitis   | 0.3          | 1.8 *       | Mortality Rate  | 0.0    |  |    |
| Measles   | 0.0          | 0.0         | Drug Related Deaths (1999-2000 Avg.)                              | 1.0    | Fee for Service  | 89 |
| Shigellosis   | 1.0          | 5.5 *       | Mortality Rate  | 4.9 *  | Managed Care   | 0  |
| Tuberculosis  | 0.3          | 1.8 *       | Homicide by Weapons (2000)  | 1      | MEDI-CAL Abortions by:   | 24 |
| Syphilis  | 0.0          | 0.0         | Homicide by Handguns  | 0      | (Resident beneficiary) FFS   |    |
| Chlamydia   | 22.3         | 121.7       | Kindergarten Students Needing One<br>or More Immunizations (2001) | 9      | County Hospitals   | 0  |
| Gonorrhea   | 0.7          | 3.6 *       |   | 3.7 %  | Community Hospitals  | 11 |
| CUMULATIVE AIDS CASES AND INCIDENCE<br>1981 through January 2002    |              |             | MEDI-CAL DATA<br>(AVERAGE MONTHLY, 2000)                          |        | MEDI-CAL PHP ENROLLEES (2000)  |    |
|   |              |             | MEDI-CAL Users (FFS):   |        | Average Monthly Prepaid  |    |
| AIDS Cases  | 12           |             | Percent of County Population                                      | 1,353  | Health Plan Enrollees  | 0  |
| Number of deaths  | 7            |             | Percent of Eligibles (FFS)  | 7.5 %  | DENTI-CAL SERVICES (2000)  |    |
| Mortality (percent of AIDS cases<br>resulting in deaths)            | 58.0 %       |             | Total MEDI-CAL Eligibles:   | 57.1 % | Average Monthly Users  |    |
| COUNTY HEALTH INDICATORS  |              |             | Percent of County Population                                      |        | 50   |    |
|   |              |             | MEDI-CAL Payments (FFS) :   |        | MEDI-CAL/MEDICARE (2002)   |    |
| Persons Injured in Traffic Accidents<br>County of Occurrence (2000) | 226          |             | Amount  | 2,369  | Percent of MEDI-CAL Eligibles<br>Who are also eligible<br>for Medicare |    |
| Substance Abuse Admissions (2000)                                   |              |             | Amount per User   | 13.0 % | 22.9 %   |    |
| Methamphetamine   | 15           |             | MEDI-CAL ELIGIBLES BY RACE/ETHNICITY<br>(2000)                    |        | MEDI-CAL ENROLLEES (2000)  |    |
| Cocaine   | 0            |             | White   |        | TOTAL MEDICARE ENROLLEES   |    |
| Marijuana   | 15           |             | Black   |        | Number   |    |
| Alcohol   | 15           |             | Hispanic  | 57.2 % | 3,754  |    |
|   |              |             | American Indian/Alaskan Native                                    | 0.7 %  | Percent of County Population   |    |
|   |              |             | Asian/Pacific Islander  | 18.0 % | 20.9 %   |    |
|   |              |             | Not Reported  | 15.5 % | Enrollees Aged 65+   |    |
|   |              |             |   | 0.7 %  | Number   |    |
|   |              |             |   | 7.9 %  | 3,394  |    |
|   |              |             |   |        | Percent of County Population   |    |
|   |              |             |   |        | 18.9 %   |    |
|   |              |             |   |        | Disability Beneficiaries:  |    |
|   |              |             |   |        | Number   |    |
|   |              |             |   |        | 360  |    |
|   |              |             |   |        | Percent of County Population   |    |
|   |              |             |   |        | 2.0 %  |    |

| PROGRAM CLIENTS/SERVICES   |        | HOSPITALS (2000)  |       | HOSPICE CARE   |        |
|--|--------|---|-------|--|--------|
| Percent Early Postpartum Breastfeeding Initiation 1998-2000 Average            | 90.6 % | Number of General Acute Care (GAC) Hospitals                    | 2     | Number of Freestanding Hospice Care Facilities (2000)                | 0      |
| Family Planning Clients by All Funding Sources (2001)                          | 935    | Number of Licensed GAC Beds                                     | 38    | HOSPITAL UTILIZATION (2000)  |        |
|  |        | Number of Licensed GAC Beds per 1,000 Population                | 2.1   | Number of GAC Discharges from GAC Hospitals                          | 1,131  |
| Women and Children Under Age 5 Receiving WIC Services (07/02)                  | 632    | LTC (2000)  |       | Average GAC Occupancy Rate in GAC Hospitals                          | 25.4   |
|  |        | Number of Long Term Care Facilities and Hospitals with LTC Beds | 1     | Average GAC Length of Stay in GAC Hospitals (days)                   | 3.1    |
| Child Health/Disability Prevention Screens (FY 2000-2001)                      | 1,798  | Number of Licensed LTC Beds                                     | 45    | LTC (2000)   |        |
|  |        | Number of Licensed Beds per 1,000 Population                    | 2.5   | Number of LTC Discharges from LTC Facilities                         | 52     |
| California Children's Services Cases (08/02)                                   | 108    | PHYSICIANS (2001)   |       | Average Occupancy Rate of LTC Facilities and Hospitals with LTC Beds | 96.8   |
|  |        | Number of Active Non-Federal Physicians                         | 43    | COUNTY HEALTH COSTS (FY 2000-2001)                                   |        |
| Developmental Disability Clients (08/02)                                       | 90     | Number of Persons per Physician                                 | 417   | Estimated Net County Health Care Costs                               | DNR    |
|  |        | DENTISTS (2002)   |       | Estimated Net County Cost per Capita                                 | \$0.00 |
| Rehabilitation Clients (FY 2000-2001)  | 50     | Number of Licensed Dentists (Non-Federal)                       | 15    |  |        |
|  |        | Number of Persons per Dentist                                   | 1,196 |  |        |
| State Mental Hospital Admissions (FY 2000-2001)                                | 2      | CLINICS (2000)  |       |  |        |
|  |        | Number of Licensed Community and Free Clinics                   | 4     |  |        |
| Persons Receiving Preventive Health Care for the Aging Services (FY 2001-2002) | 0      | Number of Specialty Clinics                                     | 0     |  |        |
|  |        | HOME HEALTH AGENCIES (2000)                                     |       |  |        |
| Assessment Clients   | 0      | Number of Licensed Home Health Agencies                         | 1     |  |        |
| Total Client Encounters  | 0      |   |       |  |        |

| TOTAL POPULATION       |           | PERCENT BELOW POVERTY LEVEL (1999)                            |         | LIVE BIRTHS (2000)   |        |
|------------------------|-----------|---|---------|--|--------|
| Census Year 2000       | 661,645   | Total population  | 20.8 %  | Number of Live Births By:                                      |        |
| Projection Year 2010   | 871,600   | Children under 6  | 31.2 %  | County of Residence  | 11,680 |
| Projection Year 2020   | 1,088,600 | Persons aged 65+  | 10.5 %  | County of Occurrence   | 11,186 |
| AGE (2000)             |           | HOUSING VALUE (2000)  |         | Birth Rate (births per 1,000 population)                       | 17.2   |
| Under Age 5            | 8.4%      | Whites  | 12.1 %  | Fertility rate (births per 1,000 women aged 15-44, 98-00 avg.) | 82.9   |
| Age 5-17               | 23.5%     | Blacks  | 36.0 %  | Low birthweight (under 2,500 grams)                            | 6.6 %  |
| Age 18-64              | 58.7%     | Hispanics   | 31.0 %  | Very low birthweight (under 1,500 grams)                       | 1.4 %  |
| Age 65+                | 9.4%      | Asian/Pacific Islanders                                       | 14.8 %  | Unmarried  | 42.3 % |
|                        |           | American Indian   | 24.6 %  | Cesarean section delivery                                      | 20.2 % |
| SEX (2000)             |           | CALWORKS (2002)   |         | Mothers who gave birth outside county of residence             | 7.0 %  |
| Females                | 48.7%     | CalWorks enrollees as a percent of county population          | 2.2 %   | Mothers with less than 12 years education                      | 35.9 % |
| Males                  | 51.3%     | SSI/SSP (2002)  |         | Teenage mothers (<18)  | 6.5 %  |
| RACE/ETHNICITY (2000)  |           | SSI/SSP recipients as a percent of county population          | 3.8 %   | Mothers with no 1st trimester prenatal care                    | 17.5 % |
| White                  | 49.5%     | UNEMPLOYMENT (2002)   |         | Percent of Births by Mother's Race/Ethnicity:                  |        |
| Black                  | 5.7%      | Percent of civilian labor force unemployed                    | 12.7 %  | White/Other  | 33.8 % |
| Hispanic               | 38.4%     | EDUCATION   |         | Black  | 5.5 %  |
| American Indian        | 0.9%      | Percent of persons aged 25+ not completing high-school (2000) | 31.5 %  | Hispanic   | 55.8 % |
| Asian/Pacific Islander | 3.3%      | Enrollment K-12 (2001-2002)                                   | 157,088 | Asian/Pacific Islander   | 3.2 %  |
| URBAN/RURAL (2000)     |           | PRINCIPAL PAYMENT SOURCE FOR BIRTH DELIVERIES                 |         | American Indian  | 0.5 %  |
| Urban                  | 88.3%     | Medi-Cal/other gov't  | 58.4 %  | Multiple Race  | 0.9 %  |
| Rural                  | 11.7%     | FAMILY INCOME (1999)  |         |  |        |
| Median family income   | \$39,403  | HMO and prepaid plans   | 19.5 %  |  |        |
|                        |           | Private insurance   | 20.7 %  |  |        |

| DEATHS (2000)                                  |          | CAUSES OF DEATH (1999-2000 AVG.)                   |       | INFANT DEATHS (2000)  |      |
|--|----------|--|-------|---|------|
| Number of Deaths By:                           |          | Deaths per 100,000 Population Due To:              |       | Number of Infant Deaths (Under 1 Year of Age)                   | 86   |
| County of Residence                            | 4,617    | Heart Disease                                      | 227.2 | Infant Death Rate (Deaths per 1,000 Live Births)                | 7.4  |
| County of Occurrence                           | 4,450    | All Malignant Neoplasms                            | 146.6 | INFANT DEATH RATES (1999 BIRTH COHORT)                          |      |
| Crude Death Rate (Deaths per 1,000 Population) | 6.8      | Breast Cancer                                      | 21.4  |   |      |
|  |          | Lung Cancer  | 42.0  | Infant Deaths per 1,000 Live Births by Mother's Race/Ethnicity: |      |
| AGE-ADJUSTED DEATH RATE (1998-2000 AVERAGE)    |          | Stroke   | 49.2  | All Race/Ethnic Groups  | 6.9  |
| Age-Adjusted Deaths per 100,000 Population     | 836.0    | Unintentional Injuries                             | 38.7  | White   | 5.1  |
| AGE-SPECIFIC DEATH RATES (1998-2000 AVERAGE)   |          | Pneumonia and Influenza                            | 22.7  | Black   | N    |
| Deaths per 100,000 Population:                 |          | Chronic Lower Respiratory Disease                  | 49.9  | Hispanic  | 5.8  |
| 1 to 4 Years Old                               | 34.8 *   | Acquired Immune Deficiency Syndrome                | 2.0   | Asian, American Indian, Other                                   | N    |
| 5 to 14 Years Old                              | 20.2     | Chronic Liver Disease/Cirrhosis                    | 14.5  | PERINATAL DEATHS (1999 BIRTH COHORT)                            |      |
| 15 to 24 Years Old                             | 80.6     | Suicide  | 9.8   |   |      |
| 25 to 34 Years Old                             | 114.3    | Diabetes Mellitus                                  | 18.9  | Number of Perinatal Deaths (Neonatal Plus Fetal)                | 125  |
| 35 to 44 Years Old                             | 220.1    | Homicide   | 7.2   | Perinatal Death Rate by Mother's Race/Ethnicity:                |      |
| 45 to 54 Years Old                             | 467.0    | FETAL AND NEONATAL DEATHS (2000)                   |       |   |      |
| 55 to 64 Years Old                             | 1,116.0  | Number of Fetal Deaths                             | 80    | All Race/Ethnic Groups  | 10.9 |
| 65 to 74 Years Old                             | 2,488.1  | Fetal Death Ratio (Deaths per 1,000 Live Births)   | 6.8   | White   | 8.1  |
| 75 to 84 Years Old                             | 5,411.3  | Number of Neonatal Deaths (Under 28 Days of Age)   | 55    | Black   | N    |
| Over 84 Years Old                              | 12,403.5 | Neonatal Death Rate (Deaths per 1,000 Live Births) | 4.7   | Hispanic  | 9.8  |
|  |          |  |       | Asian, American Indian, Other                                   | N    |

| REPORTED COMMUNICABLE DISEASES<br>(1998-2000 AVERAGE)               |              |             | COUNTY HEALTH INDICATORS<br>(continued)                           |              | MEDI-CAL<br>(2000)   |        |
|---|--------------|-------------|---|--------------|--|--------|
| Number and Rate per 100,000 Population                              |              |             | Mortality Rate Per 100,000 Pop. (1999-2000 Avg.)                  |              | MEDI-CAL Deliveries by:  |        |
| <u>DISEASE</u>  | <u>CASES</u> | <u>RATE</u> | Work Related Injury Deaths  | 17.0         | County of Beneficiary  | 6,500  |
| Hepatitis   | 164.7        | 24.9        | Mortality Rate  | 2.8 *        |  |        |
| Measles   | 0.0          | 0.0         | Drug Related Deaths (1999-2000 Avg.)                              | 84.0         | Fee for Service  | 3,803  |
| Shigellosis   | 55.7         | 8.4         | Mortality Rate  | 13.8         | Managed Care   | 2,697  |
| Tuberculosis  | 53.0         | 8.0         | Homicide by Weapons (2000)  | 37           | MEDI-CAL Abortions by:   | 744    |
| Syphilis  | 11.3         | 1.7 *       | Homicide by Handguns  | 21           | (Resident beneficiary) FFS   |        |
| Chlamydia   | 2,095.0      | 316.2       | Kindergarten Students Needing One<br>or More Immunizations (2001) | 618          | County Hospitals   | 0      |
| Gonorrhea   | 494.0        | 74.6        |   | 5.2 %        | Community Hospitals  | 68     |
| CUMULATIVE AIDS CASES AND INCIDENCE<br>1981 through January 2002    |              |             | MEDI-CAL DATA<br>(AVERAGE MONTHLY, 2000)                          |              | MEDI-CAL PHP ENROLLEES (2000)  |        |
|   |              |             | MEDI-CAL Users (FFS):   | 44,595       | Average Monthly Prepaid  |        |
| AIDS Cases  | 1,151        |             | Percent of County Population                                      | 6.7 %        | Health Plan Enrollees  | 74,666 |
| Number of deaths  | 505          |             | Percent of Eligibles (FFS)  | 71.3 %       | DENTI-CAL SERVICES (2000)  |        |
| Mortality (percent of AIDS cases<br>resulting in deaths)            | 44.0 %       |             | Total MEDI-CAL Eligibles:   | 137,193      | Average Monthly Users  | 8,002  |
| COUNTY HEALTH INDICATORS  |              |             | Percent of County Population                                      | 20.2 %       | MEDI-CAL/MEDICARE (2002)   |        |
|   |              |             | MEDI-CAL Payments (FFS) :   |              | Percent of MEDI-CAL Eligibles<br>Who are also eligible<br>for Medicare | 13.6 % |
| Persons Injured in Traffic Accidents<br>County of Occurrence (2000) | 5,686        |             | Amount  | \$19,193,453 | MEDICARE ENROLLEES (2000)  |        |
| Substance Abuse Admissions (2000)                                   |              |             | Amount per User   | \$430.39     | TOTAL MEDICARE ENROLLEES   |        |
| Methamphetamine   | 1,451        |             | MEDI-CAL ELIGIBLES BY RACE/ETHNICITY<br>(2000)                    |              | Number   | 74,183 |
| Cocaine   | 303          |             | White   | 32.2 %       | Percent of County Population   | 11.2 % |
| Marijuana   | 739          |             | Black   | 10.6 %       | Enrollees Aged 65+   |        |
| Alcohol   | 534          |             | Hispanic  | 46.6 %       | Number   | 60,659 |
|   |              |             | American Indian/Alaskan Native                                    | 0.3 %        | Percent of County Population   | 9.2 %  |
|   |              |             | Asian/Pacific Islander  | 1.7 %        | Disability Beneficiaries:  |        |
|   |              |             | Not Reported  | 8.7 %        | Number   | 13,524 |
|   |              |             |   |              | Percent of County Population   | 2.0 %  |

| PROGRAM CLIENTS/SERVICES   |        | HOSPITALS (2000)  |       | HOSPICE CARE   |              |
|--|--------|---|-------|--|--------------|
| Percent Early Postpartum Breastfeeding Initiation 1998-2000 Average            | 74.4 % | Number of General Acute Care (GAC) Hospitals                    | 9     | Number of Freestanding Hospice Care Facilities (2000)                | 3            |
| Family Planning Clients by All Funding Sources (2001)                          | 25,008 | Number of Licensed GAC Beds                                     | 1,097 | HOSPITAL UTILIZATION (2000)  |              |
|  |        | Number of Licensed GAC Beds per 1,000 Population                | 1.7   | Number of GAC Discharges from GAC Hospitals                          | 53,892       |
| Women and Children Under Age 5 Receiving WIC Services (07/02)                  | 46,992 | LTC (2000)  |       | Average GAC Occupancy Rate in GAC Hospitals                          | 56.3         |
|  |        | Number of Long Term Care Facilities and Hospitals with LTC Beds | 14    | Average GAC Length of Stay in GAC Hospitals (days)                   | 4.2          |
| Child Health/Disability Prevention Screens (FY 2000-2001)                      | 69,658 | Number of Licensed LTC Beds                                     | 1,630 | LTC (2000)   |              |
|  |        | Number of Licensed Beds per 1,000 Population                    | 2.5   | Number of LTC Discharges from LTC Facilities                         | 3,547        |
| California Children's Services Cases (08/02)                                   | 3,807  | PHYSICIANS (2001)   |       | Average Occupancy Rate of LTC Facilities and Hospitals with LTC Beds |              |
|  |        | Number of Active Non-Federal Physicians                         | 948   | 88.6   |              |
| Developmental Disability Clients (08/02)                                       | 4,447  | Number of Persons per Physician                                 | 698   | COUNTY HEALTH COSTS (FY 2000-2001)                                   |              |
|  |        | DENTISTS (2002)   |       | Estimated Net County Health Care Costs                               | \$30,998,491 |
| Rehabilitation Clients (FY 2000-2001)  | 1,474  | Number of Licensed Dentists (Non-Federal)                       | 269   | Estimated Net County Cost per Capita                                 | \$46.85      |
|  |        | Number of Persons per Dentist                                   | 2,460 |  |              |
| State Mental Hospital Admissions (FY 2000-2001)                                | 89     | CLINICS (2000)  |       |  |              |
|  |        | Number of Licensed Community and Free Clinics                   | 21    |  |              |
| Persons Receiving Preventive Health Care for the Aging Services (FY 2001-2002) |        | Number of Specialty Clinics                                     | 16    |  |              |
|  |        | HOME HEALTH AGENCIES (2000)                                     |       |  |              |
| Assessment Clients   | 0      | Number of Licensed Home Health Agencies                         | 10    |  |              |
| Total Client Encounters  | 0      |   |       |  |              |

| TOTAL POPULATION             |          | PERCENT BELOW POVERTY LEVEL (1999)                            |        | LIVE BIRTHS (2000)   |        |
|------------------------------|----------|---|--------|--|--------|
| Census Year 2000             | 129,461  | Total population  | 19.5 % | Number of Live Births By:                                      |        |
| Projection Year 2010         | 165,300  | Children under 6  | 29.4 % | County of Residence  | 2,174  |
| Projection Year 2020         | 198,700  | Persons aged 65+  | 8.8 %  | County of Occurrence   | 2,583  |
| <b>AGE (2000)</b>            |          |   |        | Birth Rate (births per 1,000 population)                       | 16.2   |
| Under Age 5                  | 8.1%     | Whites  | 8.4 %  | Fertility rate (births per 1,000 women aged 15-44, 98-00 avg.) | 85.8   |
| Age 5-17                     | 20.9%    | Blacks  | 21.8 % | Low birthweight (under 2,500 grams)                            | 5.8 %  |
| Age 18-64                    | 63.6%    | Hispanics   | 30.7 % |  |        |
|                              |          | Asian/Pacific Islanders                                       | 11.3 % |  |        |
|                              |          | American Indian   | 29.2 % |  |        |
|                              |          | <b>HOUSING VALUE (2000)</b>                                   |        |  |        |
| Age 65+                      | 7.4%     | Median housing-unit value                                     | 97,600 | Very low birthweight (under 1,500 grams)                       | 1.0 %  |
| <b>SEX (2000)</b>            |          | <b>CALWORKS (2002)</b>  |        |  |        |
| Females                      | 42.6%    | CalWorks enrollees as a percent of county population          | 1.8 %  | Unmarried  | 38.3 % |
| Males                        | 57.4%    |   |        | Cesarean section delivery                                      | 27.8 % |
|                              |          | <b>SSI/SSP (2002)</b>   |        |  |        |
| <b>RACE/ETHNICITY (2000)</b> |          | SSI/SSP recipients as a percent of county population          | 3.2 %  | Mothers who gave birth outside county of residence             | 11.4 % |
| White                        | 41.6%    |   |        |  |        |
| Black                        | 8.0%     | <b>UNEMPLOYMENT (2002)</b>                                    |        | Mothers with less than 12 years education                      | 32.8 % |
| Hispanic                     | 43.6%    | Percent of civilian labor force unemployed                    | 16.9 % | Teenage mothers (<18)  | 6.0 %  |
| American Indian              | 1.0%     | <b>EDUCATION</b>  |        | Mothers with no 1st trimester prenatal care                    | 21.6 % |
| Asian/Pacific Islander       | 3.0%     | Percent of persons aged 25+ not completing high-school (2000) | 31.2 % |  |        |
|                              |          | Enrollment K-12 (2001-2002)                                   | 27,103 |  |        |
| <b>URBAN/RURAL (2000)</b>    |          | <b>PRINCIPAL PAYMENT SOURCE FOR BIRTH DELIVERIES</b>          |        | Percent of Births by Mother's Race/Ethnicity:                  |        |
| Urban                        | 86.9%    | Medi-Cal/other gov't  | 48.9 % | White/Other  | 33.3 % |
| Rural                        | 13.1%    |   |        | Black  | 4.8 %  |
| <b>FAMILY INCOME (1999)</b>  |          | HMO and prepaid plans   | 11.6 % | Hispanic   | 55.6 % |
| Median family income         | \$38,111 | Private insurance   | 19.4 % | Asian/Pacific Islander   | 3.8 %  |
|                              |          |   |        | American Indian  | 1.3 %  |
|                              |          |   |        | Multiple Race  | 0.9 %  |

| DEATHS (2000)                                  |          | CAUSES OF DEATH (1999-2000 AVG.)                   |        | INFANT DEATHS (2000)  |        |
|--|----------|--|--------|---|--------|
| Number of Deaths By:                           |          | Deaths per 100,000 Population Due To:              |        | Number of Infant Deaths (Under 1 Year of Age) 13                |        |
| County of Residence                            | 710      | Heart Disease                                      | 170.6  | Infant Death Rate (Deaths per 1,000 Live Births) 6.0 *          |        |
| County of Occurrence                           | 606      | All Malignant Neoplasms                            | 109.6  |   |        |
|  |          | Breast Cancer                                      | 16.9 * |   |        |
|  |          | Lung Cancer  | 25.1   |   |        |
| Crude Death Rate (Deaths per 1,000 Population) | 5.3      | Stroke   | 40.8   | INFANT DEATH RATES (1999 BIRTH COHORT)                          |        |
| AGE-ADJUSTED DEATH RATE (1998-2000 AVERAGE)    |          | Unintentional Injuries                             | 34.4   | Infant Deaths per 1,000 Live Births by Mother's Race/Ethnicity: |        |
| Age-Adjusted Deaths per 100,000 Population     | 873.3    | Pneumonia and Influenza                            | 10.5 * | All Race/Ethnic Groups  | 7.9 *  |
| AGE-SPECIFIC DEATH RATES (1998-2000 AVERAGE)   |          | Chronic Lower Respiratory Disease                  | 34.0   | White   | 6.4 *  |
| Deaths per 100,000 Population:                 |          | Acquired Immune Deficiency Syndrome                | 4.0 *  | Black   | N      |
| 1 to 4 Years Old                               | 33.6 *   | Chronic Liver Disease/Cirrhosis                    | 12.9 * | Hispanic  | 7.9 *  |
| 5 to 14 Years Old                              | 11.0 *   | Suicide  | 8.5 *  | Asian, American Indian, Other                                   | 0.0    |
| 15 to 24 Years Old                             | 59.8 *   | Diabetes Mellitus                                  | 30.7   | PERINATAL DEATHS (1999 BIRTH COHORT)                            |        |
| 25 to 34 Years Old                             | 82.7     | Homicide   | 2.0 *  | Number of Perinatal Deaths (Neonatal Plus Fetal) 21             |        |
| 35 to 44 Years Old                             | 201.7    | FETAL AND NEONATAL DEATHS (2000)                   |        | Perinatal Death Rate by Mother's Race/Ethnicity:                |        |
| 45 to 54 Years Old                             | 518.2    | Number of Fetal Deaths                             | 11     | All Race/Ethnic Groups  | 9.7    |
| 55 to 64 Years Old                             | 999.8    | Fetal Death Ratio (Deaths per 1,000 Live Births)   | 5.1 *  | White   | 11.4 * |
| 65 to 74 Years Old                             | 2,701.0  | Number of Neonatal Deaths (Under 28 Days of Age)   | 9      | Black   | N      |
| 75 to 84 Years Old                             | 5,915.0  | Neonatal Death Rate (Deaths per 1,000 Live Births) | 4.1 *  | Hispanic  | 9.6 *  |
| Over 84 Years Old                              | 13,380.1 |  |        | Asian, American Indian, Other                                   | 0.0    |

| REPORTED COMMUNICABLE DISEASES<br>(1998-2000 AVERAGE)               |              |             | COUNTY HEALTH INDICATORS<br>(continued)                           |             | MEDI-CAL<br>(2000)   |        |
|---|--------------|-------------|---|-------------|--|--------|
| Number and Rate per 100,000 Population                              |              |             | Mortality Rate Per 100,000 Pop. (1999-2000 Avg.)                  |             | MEDI-CAL Deliveries by:  |        |
| <u>DISEASE</u>  | <u>CASES</u> | <u>RATE</u> | Work Related Injury Deaths  | 7.0         | County of Beneficiary  | 1,084  |
| Hepatitis   | 35.7         | 28.8        | Mortality Rate  | 6.3 *       |  |        |
| Measles   | 0.0          | 0.0         | Drug Related Deaths (1999-2000 Avg.)                              | 10.5        | Fee for Service  | 1,084  |
| Shigellosis   | 3.3          | 2.7 *       | Mortality Rate  | 10.0 *      | Managed Care   | 0      |
| Tuberculosis  | 12.0         | 9.7 *       | Homicide by Weapons (2000)  | 3           | MEDI-CAL Abortions by:   | 265    |
| Syphilis  | 0.0          | 0.0         | Homicide by Handguns  | 1           | (Resident beneficiary) FFS   |        |
| Chlamydia   | 390.0        | 315.3       | Kindergarten Students Needing One<br>or More Immunizations (2001) | 95          | County Hospitals   | 1      |
| Gonorrhea   | 53.7         | 43.4        |   | 4.0 %       | Community Hospitals  | 15     |
|   |              |             | MEDI-CAL DATA<br>(AVERAGE MONTHLY, 2000)                          |             | MEDI-CAL PHP ENROLLEES (2000)  |        |
| CUMULATIVE AIDS CASES AND INCIDENCE<br>1981 through January 2002    |              |             | MEDI-CAL Users (FFS):   | 12,644      | Average Monthly Prepaid  |        |
| AIDS Cases  | 166          |             | Percent of County Population                                      | 9.8 %       | Health Plan Enrollees  | 0      |
| Number of deaths  | 61           |             | Percent of Eligibles (FFS)  | 56.9 %      | DENTI-CAL SERVICES (2000)  |        |
| Mortality (percent of AIDS cases<br>resulting in deaths)            | 37.0 %       |             | Total MEDI-CAL Eligibles:   | 22,208      | Average Monthly Users  | 830    |
|   |              |             | Percent of County Population                                      | 16.5 %      | MEDI-CAL/MEDICARE (2002)   |        |
| COUNTY HEALTH INDICATORS  |              |             | MEDI-CAL Payments (FFS) :   |             | Percent of MEDI-CAL Eligibles<br>Who are also eligible<br>for Medicare |        |
| Persons Injured in Traffic Accidents<br>County of Occurrence (2000) | 967          |             | Amount  | \$4,423,810 | 13.8 %   |        |
| Substance Abuse Admissions (2000)                                   |              |             | Amount per User   | \$349.87    | MEDI-CAL ENROLLEES (2000)  |        |
| Methamphetamine   | 126          |             | MEDI-CAL ELIGIBLES BY RACE/ETHNICITY<br>(2000)                    |             | TOTAL MEDICARE ENROLLEES   |        |
| Cocaine   | 30           |             | White   | 26.0 %      | Number   | 10,624 |
| Marijuana   | 70           |             | Black   | 8.5 %       | Percent of County Population   | 8.2 %  |
| Alcohol   | 96           |             | Hispanic  | 54.2 %      | Enrollees Aged 65+   |        |
|   |              |             | American Indian/Alaskan Native                                    | 0.3 %       | Number   | 8,916  |
|   |              |             | Asian/Pacific Islander  | 1.7 %       | Percent of County Population   | 6.9 %  |
|   |              |             | Not Reported  | 9.3 %       | Disability Beneficiaries:  |        |
|   |              |             |   |             | Number   | 1,708  |
|   |              |             |   |             | Percent of County Population   | 1.3 %  |

| PROGRAM CLIENTS/SERVICES   |        | HOSPITALS (2000)   | HOSPICE CARE   |
|--|--------|--|--|
| Percent Early Postpartum Breastfeeding Initiation 1998-2000 Average            | 70.8 % | Number of General Acute Care (GAC) Hospitals<br>3                    | Number of Freestanding Hospice Care Facilities (2000)<br>0                   |
| Family Planning Clients by All Funding Sources (2001)                          | 3,423  | Number of Licensed GAC Beds<br>147                                   | <b>HOSPITAL UTILIZATION (2000)</b>   |
| Women and Children Under Age 5 Receiving WIC Services (07/02)                  | 6,297  | Number of Licensed GAC Beds per 1,000 Population<br>1.1              | Number of GAC Discharges from GAC Hospitals<br>8,499                         |
| Child Health/Disability Prevention Screens (FY 2000-2001)                      | 5,826  | <b>LTC (2000)</b>  | Average GAC Occupancy Rate in GAC Hospitals<br>50.7                          |
| California Children's Services Cases (08/02)                                   | 467    | Number of Long Term Care Facilities and Hospitals with LTC Beds<br>3 | Average GAC Length of Stay in GAC Hospitals (days)<br>3.2                    |
| Developmental Disability Clients (08/02)                                       | 706    | Number of Licensed LTC Beds<br>306                                   | <b>LTC (2000)</b>  |
| Rehabilitation Clients (FY 2000-2001)  | 197    | Number of Licensed Beds per 1,000 Population<br>2.4                  | Number of LTC Discharges from LTC Facilities<br>465                          |
| State Mental Hospital Admissions (FY 2000-2001)                                | 17     | <b>PHYSICIANS (2001)</b>   | Average Occupancy Rate of LTC Facilities and Hospitals with LTC Beds<br>83.3 |
| Persons Receiving Preventive Health Care for the Aging Services (FY 2001-2002) | 422    | Number of Active Non-Federal Physicians<br>126                       | <b>COUNTY HEALTH COSTS (FY 2000-2001)</b>                                    |
| Assessment Clients   | 422    | Number of Persons per Physician<br>1,027                             | Estimated Net County Health Care Costs<br>DNR                                |
| Total Client Encounters  | 614    | <b>DENTISTS (2002)</b>   | Estimated Net County Cost per Capita<br>\$0.00                               |
|  |        | Number of Licensed Dentists (Non-Federal)<br>49                      |  |
|  |        | Number of Persons per Dentist<br>2,642                               |  |
|  |        | <b>CLINICS (2000)</b>  |  |
|  |        | Number of Licensed Community and Free Clinics<br>3                   |  |
|  |        | Number of Specialty Clinics<br>3                                     |  |
|  |        | <b>HOME HEALTH AGENCIES (2000)</b>                                   |  |
|  |        | Number of Licensed Home Health Agencies<br>2                         |  |

| TOTAL POPULATION       |          | PERCENT BELOW POVERTY LEVEL (1999)                            |        | LIVE BIRTHS (2000)   |        |
|------------------------|----------|---|--------|--|--------|
| Census Year 2000       | 58,309   | Total population  | 17.6 % | Number of Live Births By:                                      |        |
| Projection Year 2010   | 77,600   | Children under 6  | 27.6 % | County of Residence  | 583    |
| Projection Year 2020   | 93,000   | Persons aged 65+  | 7.3 %  | County of Occurrence   | 380    |
| AGE (2000)             |          | HOUSING VALUE (2000)  |        | Birth Rate (births per 1,000 population)                       | 9.9    |
| Under Age 5            | 5.3%     | Whites  | 15.5 % | Fertility rate (births per 1,000 women aged 15-44, 98-00 avg.) | 56.2   |
| Age 5-17               | 18.8%    | Blacks  | 39.0 % | Low birthweight (under 2,500 grams)                            | 5.0 %  |
| Age 18-64              | 56.4%    | Hispanics   | 21.6 % | Very low birthweight (under 1,500 grams)                       | 0.9 %  |
| Age 65+                | 19.5%    | Asian/Pacific Islanders                                       | 19.5 % | Unmarried  | 42.4 % |
|                        |          | American Indian   | 31.2 % | Cesarean section delivery                                      | 18.4 % |
| SEX (2000)             |          | CALWORKS (2002)   |        | Mothers who gave birth outside county of residence             | 36.2 % |
| Females                | 50.6%    | CalWorks enrollees as a percent of county population          | 2.5 %  | Mothers with less than 12 years education                      | 27.4 % |
| Males                  | 49.4%    | SSI/SSP (2002)  |        | Teenage mothers (<18)  | 4.5 %  |
| RACE/ETHNICITY (2000)  |          | SSI/SSP recipients as a percent of county population          | 5.5 %  | Mothers with no 1st trimester prenatal care                    | 27.5 % |
| White                  | 80.5%    | UNEMPLOYMENT (2002)   |        | Percent of Births by Mother's Race/Ethnicity:                  |        |
| Black                  | 2.1%     | Percent of civilian labor force unemployed                    | 8.9 %  | White/Other  | 70.7 % |
| Hispanic               | 11.4%    | EDUCATION   |        | Black  | 2.1 %  |
| American Indian        | 2.4%     | Percent of persons aged 25+ not completing high-school (2000) | 22.7 % | Hispanic   | 17.3 % |
| Asian/Pacific Islander | 0.9%     | Enrollment K-12 (2001-2002)                                   | 10,904 | Asian/Pacific Islander   | 1.2 %  |
| URBAN/RURAL (2000)     |          | PRINCIPAL PAYMENT SOURCE FOR BIRTH DELIVERIES                 |        | American Indian  | 5.8 %  |
| Urban                  | 55.6%    | Medi-Cal/other gov't  | 55.5 % | Multiple Race  | 2.2 %  |
| Rural                  | 44.4%    | FAMILY INCOME (1999)  |        |  |        |
| Median family income   | \$35,818 | HMO and prepaid plans   | 10.3 % |  |        |
|                        |          | Private insurance   | 28.2 % |  |        |

| DEATHS (2000)                                  |          | CAUSES OF DEATH (1999-2000 AVG.)                   |        | INFANT DEATHS (2000)  |     |
|--|----------|--|--------|---|-----|
| Number of Deaths By:                           |          | Deaths per 100,000 Population Due To:              |        | Number of Infant Deaths (Under 1 Year of Age) 2                 |     |
| County of Residence                            | 825      | Heart Disease                                      | 375.4  | Infant Death Rate (Deaths per 1,000 Live Births) N              |     |
| County of Occurrence                           | 688      | All Malignant Neoplasms                            | 281.1  |   |     |
|  |          | Breast Cancer                                      | 33.5 * |   |     |
|  |          | Lung Cancer  | 100.3  |   |     |
| Crude Death Rate (Deaths per 1,000 Population) | 14.0     | Stroke   | 116.6  | INFANT DEATH RATES (1999 BIRTH COHORT)                          |     |
| AGE-ADJUSTED DEATH RATE (1998-2000 AVERAGE)    |          | Unintentional Injuries                             | 62.6   | Infant Deaths per 1,000 Live Births by Mother's Race/Ethnicity: |     |
| Age-Adjusted Deaths per 100,000 Population     | 856.5    | Pneumonia and Influenza                            | 29.1 * | All Race/Ethnic Groups  | 0.0 |
| AGE-SPECIFIC DEATH RATES (1998-2000 AVERAGE)   |          | Chronic Lower Respiratory Disease                  | 73.7   | White   | 0.0 |
| Deaths per 100,000 Population:                 |          | Acquired Immune Deficiency Syndrome                | 5.1 *  | Black   | 0.0 |
| 1 to 4 Years Old                               | 36.8 *   | Chronic Liver Disease/Cirrhosis                    | 24.0 * | Hispanic  | 0.0 |
| 5 to 14 Years Old                              | 8.5 *    | Suicide  | 18.0 * | Asian, American Indian, Other                                   | 0.0 |
| 15 to 24 Years Old                             | 61.0 *   | Diabetes Mellitus                                  | 32.6   | PERINATAL DEATHS (1999 BIRTH COHORT)                            |     |
| 25 to 34 Years Old                             | 176.6 *  | Homicide   | 4.3 *  | Number of Perinatal Deaths (Neonatal Plus Fetal) 4              |     |
|  |          | FETAL AND NEONATAL DEATHS (2000)                   |        | Perinatal Death Rate by Mother's Race/Ethnicity:                |     |
| 35 to 44 Years Old                             | 403.4    | Number of Fetal Deaths                             | 2      | All Race/Ethnic Groups  | N   |
| 45 to 54 Years Old                             | 621.4    | Fetal Death Ratio (Deaths per 1,000 Live Births)   | N      | White   | N   |
| 55 to 64 Years Old                             | 1,328.1  | Number of Neonatal Deaths (Under 28 Days of Age)   | 1      | Black   | N   |
| 65 to 74 Years Old                             | 2,597.1  | Neonatal Death Rate (Deaths per 1,000 Live Births) | N      | Hispanic  | N   |
| 75 to 84 Years Old                             | 4,623.9  |  |        | Asian, American Indian, Other                                   | N   |
| Over 84 Years Old                              | 11,060.1 |  |        |   |     |

| REPORTED COMMUNICABLE DISEASES<br>(1998-2000 AVERAGE)               |              |             | COUNTY HEALTH INDICATORS<br>(continued)                           |             | MEDI-CAL<br>(2000)   |                          |
|---|--------------|-------------|---|-------------|--|--------------------------|
| Number and Rate per 100,000 Population                              |              |             | Mortality Rate Per 100,000 Pop. (1999-2000 Avg.)                  |             | MEDI-CAL Deliveries by:  |                          |
| <u>DISEASE</u>  | <u>CASES</u> | <u>RATE</u> | Work Related Injury Deaths  | 2.0         | County of Beneficiary  | 356                      |
| Hepatitis   | 7.3          | 12.6 *      | Mortality Rate  | 3.8 *       |  |                          |
| Measles   | 0.0          | 0.0         | Drug Related Deaths (1999-2000 Avg.)                              | 11.0        | Fee for Service  | 356                      |
| Shigellosis   | 1.0          | 1.7 *       | Mortality Rate  | 19.7 *      | Managed Care   | 0                        |
| Tuberculosis  | 2.0          | 3.4 *       | Homicide by Weapons (2000)  | 5           | MEDI-CAL Abortions by:   | 161                      |
| Syphilis  | 0.0          | 0.0         | Homicide by Handguns  | 3           | (Resident beneficiary) FFS   |                          |
| Chlamydia   | 50.3         | 86.3        | Kindergarten Students Needing One<br>or More Immunizations (2001) | 121         | County Hospitals   | 2                        |
| Gonorrhea   | 5.3          | 9.1 *       |   | 16.2 %      | Community Hospitals  | 23                       |
| CUMULATIVE AIDS CASES AND INCIDENCE<br>1981 through January 2002    |              |             | MEDI-CAL DATA<br>(AVERAGE MONTHLY, 2000)                          |             | MEDI-CAL PHP ENROLLEES (2000)  |                          |
| AIDS Cases  | 140          |             | MEDI-CAL Users (FFS):   | 7,819       | Average Monthly Prepaid  |                          |
| Number of deaths  | 75           |             | Percent of County Population                                      | 13.4 %      | Health Plan Enrollees  | 0                        |
| Mortality (percent of AIDS cases<br>resulting in deaths)            | 54.0 %       |             | Percent of Eligibles (FFS)  | 61.9 %      | DENTI-CAL SERVICES (2000)  |                          |
| COUNTY HEALTH INDICATORS  |              |             | Total MEDI-CAL Eligibles:   | 12,634      | Average Monthly Users  | 420                      |
| Persons Injured in Traffic Accidents<br>County of Occurrence (2000) | 536          |             | Percent of County Population                                      | 21.4 %      | MEDI-CAL/MEDICARE (2002)   |                          |
| Substance Abuse Admissions (2000)                                   |              |             | MEDI-CAL Payments (FFS) :   |             | Percent of MEDI-CAL Eligibles<br>Who are also eligible<br>for Medicare |                          |
| Methamphetamine   | 226          |             | Amount  | \$3,483,626 | 23.9 %   |                          |
| Cocaine   | 24           |             | Amount per User   | \$445.53    | MEDI-CAL ENROLLEES (2000)  |                          |
| Marijuana   | 150          |             | MEDI-CAL ELIGIBLES BY RACE/ETHNICITY<br>(2000)                    |             |  | TOTAL MEDICARE ENROLLEES |
| Alcohol   | 187          |             | White   | 77.6 %      | Number   | 12,832                   |
|   |              |             | Black   | 4.1 %       | Percent of County Population   | 22.0 %                   |
|   |              |             | Hispanic  | 8.0 %       | Enrollees Aged 65+   |                          |
|   |              |             | American Indian/Alaskan Native                                    | 2.6 %       | Number   | 10,568                   |
|   |              |             | Asian/Pacific Islander  | 1.1 %       | Percent of County Population   | 18.1 %                   |
|   |              |             | Not Reported  | 6.7 %       | Disability Beneficiaries:  |                          |
|   |              |             |   |             | Number   | 2,264                    |
|   |              |             |   |             | Percent of County Population   | 3.9 %                    |

| PROGRAM CLIENTS/SERVICES   |        | HOSPITALS (2000)   | HOSPICE CARE   |
|--|--------|--|--|
| Percent Early Postpartum Breastfeeding Initiation 1998-2000 Average            | 81.6 % | Number of General Acute Care (GAC) Hospitals<br>2                    | Number of Freestanding Hospice Care Facilities (2000)<br>1                   |
| Family Planning Clients by All Funding Sources (2001)                          | 726    | Number of Licensed GAC Beds<br>109                                   | <b>HOSPITAL UTILIZATION (2000)</b>   |
| Women and Children Under Age 5 Receiving WIC Services (07/02)                  | 2,072  | Number of Licensed GAC Beds per 1,000 Population<br>1.9              | Number of GAC Discharges from GAC Hospitals<br>3,714                         |
| Child Health/Disability Prevention Screens (FY 2000-2001)                      | 3,008  | <b>LTC (2000)</b>  | Average GAC Occupancy Rate in GAC Hospitals<br>35.9                          |
| California Children's Services Cases (08/02)                                   | 369    | Number of Long Term Care Facilities and Hospitals with LTC Beds<br>3 | Average GAC Length of Stay in GAC Hospitals (days)<br>3.9                    |
| Developmental Disability Clients (08/02)                                       | 464    | Number of Licensed LTC Beds<br>288                                   | <b>LTC (2000)</b>  |
| Rehabilitation Clients (FY 2000-2001)  | 198    | Number of Licensed Beds per 1,000 Population<br>4.9                  | Number of LTC Discharges from LTC Facilities<br>503                          |
| State Mental Hospital Admissions (FY 2000-2001)                                | 5      | <b>PHYSICIANS (2001)</b>   | Average Occupancy Rate of LTC Facilities and Hospitals with LTC Beds<br>80.8 |
| Persons Receiving Preventive Health Care for the Aging Services (FY 2001-2002) | 494    | Number of Active Non-Federal Physicians<br>80                        | <b>COUNTY HEALTH COSTS (FY 2000-2001)</b>                                    |
| Assessment Clients   | 494    | Number of Persons per Physician<br>729                               | Estimated Net County Health Care Costs<br>DNR                                |
| Total Client Encounters  | 842    | <b>DENTISTS (2002)</b>   | Estimated Net County Cost per Capita<br>\$0.00                               |
|  |        | Number of Licensed Dentists (Non-Federal)<br>23                      |  |
|  |        | Number of Persons per Dentist<br>2,535                               |  |
|  |        | <b>CLINICS (2000)</b>  |  |
|  |        | Number of Licensed Community and Free Clinics<br>2                   |  |
|  |        | Number of Specialty Clinics<br>1                                     |  |
|  |        | <b>HOME HEALTH AGENCIES (2000)</b>                                   |  |
|  |        | Number of Licensed Home Health Agencies<br>4                         |  |

| TOTAL POPULATION       |          | PERCENT BELOW POVERTY LEVEL (1999)                            |        | LIVE BIRTHS (2000)   |        |
|------------------------|----------|---|--------|--|--------|
| Census Year 2000       | 33,828   | Total population  | 14.0 % | Number of Live Births By:                                      |        |
| Projection Year 2010   | 43,400   | Children under 6  | 21.1 % | County of Residence  | 263    |
| Projection Year 2020   | 49,500   | Persons aged 65+  | 7.8 %  | County of Occurrence   | 237    |
| AGE (2000)             |          | HOUSING VALUE (2000)  |        | Birth Rate (births per 1,000 population)                       | 7.4    |
| Under Age 5            | 5.0%     | Whites  | 12.1 % | Fertility rate (births per 1,000 women aged 15-44, 98-00 avg.) | 47.9   |
| Age 5-17               | 16.9%    | Blacks  | 10.9 % | Low birthweight (under 2,500 grams)                            | 6.1 %  |
| Age 18-64              | 69.1%    | Hispanics   | 22.1 % | Very low birthweight (under 1,500 grams)                       | 1.1 %  |
| Age 65+                | 9.0%     | Asian/Pacific Islanders                                       | 11.9 % | Unmarried  | 16.7 % |
|                        |          | American Indian   | 36.2 % | Cesarean section delivery                                      | 21.7 % |
| SEX (2000)             |          | CALWORKS (2002)   |        | Mothers who gave birth outside county of residence             | 11.8 % |
| Females                | 37.2%    | CalWorks enrollees as a percent of county population          | 1.2 %  | Mothers with less than 12 years education                      | 15.6 % |
| Males                  | 62.8%    | SSI/SSP (2002)  |        | Teenage mothers (<18)  | 3.8 %  |
| RACE/ETHNICITY (2000)  |          | SSI/SSP recipients as a percent of county population          | 2.6 %  | Mothers with no 1st trimester prenatal care                    | 18.0 % |
| White                  | 70.6%    | UNEMPLOYMENT (2002)   |        | Percent of Births by Mother's Race/Ethnicity:                  |        |
| Black                  | 8.8%     | Percent of civilian labor force unemployed                    | 8.9 %  | White/Other  | 77.2 % |
| Hispanic               | 13.8%    | EDUCATION   |        | Black  | 1.1 %  |
| American Indian        | 2.8%     | Percent of persons aged 25+ not completing high-school (2000) | 20.4 % | Hispanic   | 12.9 % |
| Asian/Pacific Islander | 1.1%     | Enrollment K-12 (2001-2002)                                   | 5,320  | Asian/Pacific Islander   | 1.9 %  |
| URBAN/RURAL (2000)     |          | PRINCIPAL PAYMENT SOURCE FOR BIRTH DELIVERIES                 |        | American Indian  | 3.4 %  |
| Urban                  | 41.2%    | Medi-Cal/other gov't  | 44.9 % | Multiple Race  | 3.0 %  |
| Rural                  | 58.8%    | FAMILY INCOME (1999)  |        |  |        |
| Median family income   | \$43,398 | HMO and prepaid plans   | 16.7 % |  |        |
|                        |          | Private insurance   | 36.1 % |  |        |

| DEATHS (2000)                                       |         | CAUSES OF DEATH (1999-2000 AVG.)                   |        | INFANT DEATHS (2000)  |     |
|---|---------|--|--------|---|-----|
| Number of Deaths By:                                |         | Deaths per 100,000 Population Due To:              |        | Number of Infant Deaths (Under 1 Year of Age)                   | 4   |
| County of Residence                                 | 188     | Heart Disease                                      | 164.7  | Infant Death Rate (Deaths per 1,000 Live Births)                | N   |
| County of Occurrence                                | 139     | All Malignant Neoplasms                            | 126.4  | <b>INFANT DEATH RATES (1999 BIRTH COHORT)</b>                   |     |
| Crude Death Rate (Deaths per 1,000 Population)      | 5.3     | Breast Cancer                                      | 18.2 * | Infant Deaths per 1,000 Live Births by Mother's Race/Ethnicity: |     |
|   |         | Lung Cancer  | 46.9 * | All Race/Ethnic Groups  | N   |
| <b>AGE-ADJUSTED DEATH RATE (1998-2000 AVERAGE)</b>  |         | Stroke   | 31.2 * | White   | N   |
| Age-Adjusted Deaths per 100,000 Population          | 648.6   | Unintentional Injuries                             | 12.8 * | Black   | 0.0 |
|   |         | Pneumonia and Influenza                            | 17.0 * | Hispanic  | 0.0 |
| <b>AGE-SPECIFIC DEATH RATES (1998-2000 AVERAGE)</b> |         | Chronic Lower Respiratory Disease                  | 48.3 * | Asian, American Indian, Other                                   | 0.0 |
| Deaths per 100,000 Population:                      |         | Acquired Immune Deficiency Syndrome                | 1.4 *  | <b>PERINATAL DEATHS (1999 BIRTH COHORT)</b>                     |     |
| 1 to 4 Years Old                                    | 23.8 *  | Chronic Liver Disease/Cirrhosis                    | 7.1 *  | Number of Perinatal Deaths (Neonatal Plus Fetal)                | 1   |
| 5 to 14 Years Old                                   | 8.3 *   | Suicide  | 15.6 * | Perinatal Death Rate by Mother's Race/Ethnicity:                |     |
| 15 to 24 Years Old                                  | 31.4 *  | Diabetes Mellitus                                  | 11.4 * | All Race/Ethnic Groups  | N   |
| 25 to 34 Years Old                                  | 39.3 *  | Homicide   | 4.3 *  | White   | 0.0 |
|   |         | <b>FETAL AND NEONATAL DEATHS (2000)</b>            |        | Black   | 0.0 |
| 35 to 44 Years Old                                  | 163.2 * | Number of Fetal Deaths                             | 0      | Hispanic  | 0.0 |
| 45 to 54 Years Old                                  | 408.0 * | Fetal Death Ratio (Deaths per 1,000 Live Births)   | 0.0    | Asian, American Indian, Other                                   | N   |
| 55 to 64 Years Old                                  | 842.7   | Number of Neonatal Deaths (Under 28 Days of Age)   | 2      |   |     |
| 65 to 74 Years Old                                  | 2,014.4 | Neonatal Death Rate (Deaths per 1,000 Live Births) | N      |   |     |
| 75 to 84 Years Old                                  | 4,249.6 |  |        |   |     |
| Over 84 Years Old                                   | 9,686.6 |  |        |   |     |

| REPORTED COMMUNICABLE DISEASES<br>(1998-2000 AVERAGE)               |              |             | COUNTY HEALTH INDICATORS<br>(continued)                           |             | MEDI-CAL<br>(2000)   |        |
|---|--------------|-------------|---|-------------|--|--------|
| Number and Rate per 100,000 Population                              |              |             | Mortality Rate Per 100,000 Pop. (1999-2000 Avg.)                  |             | MEDI-CAL Deliveries by:  |        |
| <u>DISEASE</u>  | <u>CASES</u> | <u>RATE</u> | Work Related Injury Deaths  | 0.5         | County of Beneficiary  | 125    |
| Hepatitis   | 12.7         | 36.0 *      | Mortality Rate  | 1.5 *       |  |        |
| Measles   | 0.0          | 0.0         | Drug Related Deaths (1999-2000 Avg.)                              | 1.5         | Fee for Service  | 125    |
| Shigellosis   | 1.0          | 2.8 *       | Mortality Rate  | 4.8 *       | Managed Care   | 0      |
| Tuberculosis  | 0.7          | 1.9 *       | Homicide by Weapons (2000)  | 0           | MEDI-CAL Abortions by:   | 32     |
| Syphilis  | 0.0          | 0.0         | Homicide by Handguns  | 0           | (Resident beneficiary) FFS   |        |
| Chlamydia   | 22.0         | 62.5        | Kindergarten Students Needing One<br>or More Immunizations (2001) | 37          | County Hospitals   | 0      |
| Gonorrhea   | 3.0          | 8.5 *       |   | 10.0 %      | Community Hospitals  | 3      |
|   |              |             | MEDI-CAL DATA<br>(AVERAGE MONTHLY, 2000)                          |             | MEDI-CAL PHP ENROLLEES (2000)  |        |
| CUMULATIVE AIDS CASES AND INCIDENCE<br>1981 through January 2002    |              |             | MEDI-CAL Users (FFS):   |             | Average Monthly Prepaid  |        |
| AIDS Cases  | 47           |             | Percent of County Population                                      | 2,377       | Health Plan Enrollees  | 0      |
| Number of deaths  | 18           |             | Percent of Eligibles (FFS)  | 7.0 %       | DENTI-CAL SERVICES (2000)  |        |
| Mortality (percent of AIDS cases<br>resulting in deaths)            | 38.0 %       |             | Total MEDI-CAL Eligibles:   | 57.0 %      | Average Monthly Users  |        |
|   |              |             | Percent of County Population                                      | 4,173       | 89   |        |
|   |              |             | MEDI-CAL Payments (FFS) :   | 11.7 %      | MEDI-CAL/MEDICARE (2002)   |        |
|   |              |             | Amount  | \$1,035,500 | Percent of MEDI-CAL Eligibles<br>Who are also eligible<br>for Medicare |        |
|   |              |             | Amount per User   | \$435.63    | 19.5 %   |        |
|   |              |             | MEDI-CAL ELIGIBLES BY RACE/ETHNICITY<br>(2000)                    |             | MEDICARE ENROLLEES (2000)  |        |
| COUNTY HEALTH INDICATORS  |              |             |   |             | TOTAL MEDICARE ENROLLEES   |        |
| Persons Injured in Traffic Accidents<br>County of Occurrence (2000) | 299          |             | White   | 77.5 %      | Number   | 3,788  |
| Substance Abuse Admissions (2000)                                   |              |             | Black   | 2.3 %       | Percent of County Population   | 11.2 % |
| Methamphetamine   | 81           |             | Hispanic  | 7.9 %       | Enrollees Aged 65+   |        |
| Cocaine   | 4            |             | American Indian/Alaskan Native                                    | 5.9 %       | Number   | 3,163  |
| Marijuana   | 73           |             | Asian/Pacific Islander  | 0.7 %       | Percent of County Population   | 9.4 %  |
| Alcohol   | 131          |             | Not Reported  | 5.7 %       | Disability Beneficiaries:  |        |
|   |              |             |   |             | Number   | 625    |
|   |              |             |   |             | Percent of County Population   | 1.8 %  |

| PROGRAM CLIENTS/SERVICES   |        | HOSPITALS (2000)  |       | HOSPICE CARE   |        |
|--|--------|---|-------|--|--------|
| Percent Early Postpartum Breastfeeding Initiation 1998-2000 Average            | 89.2 % | Number of General Acute Care (GAC) Hospitals                    | 0     | Number of Freestanding Hospice Care Facilities (2000)                | 0      |
| Family Planning Clients by All Funding Sources (2001)                          | 1,291  | Number of Licensed GAC Beds                                     | 0     | HOSPITAL UTILIZATION (2000)  |        |
|  |        | Number of Licensed GAC Beds per 1,000 Population                | 0.0   | Number of GAC Discharges from GAC Hospitals                          | 0      |
| Women and Children Under Age 5 Receiving WIC Services (07/02)                  | 887    | LTC (2000)  |       | Average GAC Occupancy Rate in GAC Hospitals                          | 0.0    |
|  |        | Number of Long Term Care Facilities and Hospitals with LTC Beds | 1     | Average GAC Length of Stay in GAC Hospitals (days)                   | 0.0    |
| Child Health/Disability Prevention Screens (FY 2000-2001)                      | 1,149  | Number of Licensed LTC Beds                                     | 96    | LTC (2000)   |        |
|  |        | Number of Licensed Beds per 1,000 Population                    | 2.8   | Number of LTC Discharges from LTC Facilities                         | 53     |
| California Children's Services Cases (08/02)                                   | 105    | PHYSICIANS (2001)   |       | Average Occupancy Rate of LTC Facilities and Hospitals with LTC Beds | 97.7   |
|  |        | Number of Active Non-Federal Physicians                         | 46    | COUNTY HEALTH COSTS (FY 2000-2001)                                   |        |
| Developmental Disability Clients (08/02)                                       | 190    | Number of Persons per Physician                                 | 735   | Estimated Net County Health Care Costs                               | DNR    |
|  |        | DENTISTS (2002)   |       | Estimated Net County Cost per Capita                                 | \$0.00 |
| Rehabilitation Clients (FY 2000-2001)  | 124    | Number of Licensed Dentists (Non-Federal)                       | 23    |  |        |
|  |        | Number of Persons per Dentist                                   | 1,471 |  |        |
| State Mental Hospital Admissions (FY 2000-2001)                                | 4      | CLINICS (2000)  |       |  |        |
|  |        | Number of Licensed Community and Free Clinics                   | 8     |  |        |
| Persons Receiving Preventive Health Care for the Aging Services (FY 2001-2002) | 0      | Number of Specialty Clinics                                     | 1     |  |        |
|  |        | HOME HEALTH AGENCIES (2000)                                     |       |  |        |
| Assessment Clients   | 0      | Number of Licensed Home Health Agencies                         | 1     |  |        |
| Total Client Encounters  | 0      |   |       |  |        |

| TOTAL POPULATION       |            | PERCENT BELOW POVERTY LEVEL (1999)                            |           | LIVE BIRTHS (2000)   |         |
|------------------------|------------|---|-----------|--|---------|
| Census Year 2000       | 9,519,338  | Total population  | 17.9 %    | Number of Live Births By:                                      |         |
| Projection Year 2010   | 10,605,200 | Children under 6  | 25.6 %    | County of Residence  | 157,391 |
| Projection Year 2020   | 11,584,800 | Persons aged 65+  | 10.5 %    | County of Occurrence   | 161,185 |
| AGE (2000)             |            | HOUSING VALUE (2000)  |           | Birth Rate (births per 1,000 population)                       | 16.2    |
| Under Age 5            | 7.7%       | Whites  | 8.5 %     | Fertility rate (births per 1,000 women aged 15-44, 98-00 avg.) | 74.3    |
| Age 5-17               | 20.3%      | Blacks  | 24.4 %    | Low birthweight (under 2,500 grams)                            | 6.4 %   |
| Age 18-64              | 62.2%      | Hispanics   | 24.2 %    | Very low birthweight (under 1,500 grams)                       | 1.2 %   |
| Age 65+                | 9.7%       | Asian/Pacific Islanders                                       | 13.9 %    | Unmarried  | 38.2 %  |
|                        |            | American Indian   | 22.5 %    | Cesarean section delivery                                      | 25.9 %  |
| SEX (2000)             |            | CALWORKS (2002)   |           | Mothers who gave birth outside county of residence             | 3.0 %   |
| Females                | 50.6%      | CalWorks enrollees as a percent of county population          | 1.9 %     | Mothers with less than 12 years education                      | 36.8 %  |
| Males                  | 49.4%      | SSI/SSP (2002)  |           | Teenage mothers (<18)  | 3.9 %   |
| RACE/ETHNICITY (2000)  |            | SSI/SSP recipients as a percent of county population          | 3.7 %     | Mothers with no 1st trimester prenatal care                    | 12.7 %  |
| White                  | 31.1%      | UNEMPLOYMENT (2002)   |           | Percent of Births by Mother's Race/Ethnicity:                  |         |
| Black                  | 9.5%       | Percent of civilian labor force unemployed                    | 6.4 %     | White/Other  | 18.3 %  |
| Hispanic               | 44.6%      | EDUCATION   |           | Black  | 8.3 %   |
| American Indian        | 0.3%       | Percent of persons aged 25+ not completing high-school (2000) | 30.1 %    | Hispanic   | 62.1 %  |
| Asian/Pacific Islander | 12.1%      | Enrollment K-12 (2001-2002)                                   | 1,935,108 | Asian/Pacific Islander   | 10.2 %  |
| URBAN/RURAL (2000)     |            | PRINCIPAL PAYMENT SOURCE FOR BIRTH DELIVERIES                 |           | American Indian  | 0.1 %   |
| Urban                  | 99.3%      | Medi-Cal/other gov't  | 49.5 %    | Multiple Race  | 0.8 %   |
| Rural                  | 0.7%       | HMO and prepaid plans   | 28.9 %    |  |         |
| FAMILY INCOME (1999)   |            | Private insurance   | 19.2 %    |  |         |
| Median family income   | \$46,452   |   |           |  |         |

| DEATHS (2000)                                  |          | CAUSES OF DEATH (1999-2000 AVG.)                   |       | INFANT DEATHS (2000)  |      |
|--|----------|--|-------|---|------|
| Number of Deaths By:                           |          | Deaths per 100,000 Population Due To:              |       | Number of Infant Deaths (Under 1 Year of Age) 777               |      |
| County of Residence                            | 59,032   | Heart Disease                                      | 202.7 | Infant Death Rate (Deaths per 1,000 Live Births) 4.9            |      |
| County of Occurrence                           | 60,238   | All Malignant Neoplasms                            | 137.3 |   |      |
|  |          | Breast Cancer                                      | 22.2  |   |      |
|  |          | Lung Cancer  | 32.9  |   |      |
| Crude Death Rate (Deaths per 1,000 Population) | 6.1      | Stroke   | 45.5  | INFANT DEATH RATES (1999 BIRTH COHORT)                          |      |
| AGE-ADJUSTED DEATH RATE (1998-2000 AVERAGE)    |          | Unintentional Injuries                             | 20.5  | Infant Deaths per 1,000 Live Births by Mother's Race/Ethnicity: |      |
| Age-Adjusted Deaths per 100,000 Population     | 769.1    | Pneumonia and Influenza                            | 24.3  | All Race/Ethnic Groups  | 5.6  |
| AGE-SPECIFIC DEATH RATES (1998-2000 AVERAGE)   |          | Chronic Lower Respiratory Disease                  | 30.3  | White   | 4.9  |
| Deaths per 100,000 Population:                 |          | Acquired Immune Deficiency Syndrome                | 5.6   | Black   | 10.7 |
| 1 to 4 Years Old                               | 24.4     | Chronic Liver Disease/Cirrhosis                    | 11.1  | Hispanic  | 5.1  |
| 5 to 14 Years Old                              | 13.9     | Suicide  | 7.4   | Asian, American Indian, Other                                   | 4.6  |
| 15 to 24 Years Old                             | 79.6     | Diabetes Mellitus                                  | 19.0  | PERINATAL DEATHS (1999 BIRTH COHORT)                            |      |
| 25 to 34 Years Old                             | 88.1     | Homicide   | 9.7   | Number of Perinatal Deaths (Neonatal Plus Fetal) 1,497          |      |
|  |          | FETAL AND NEONATAL DEATHS (2000)                   |       | Perinatal Death Rate by Mother's Race/Ethnicity:                |      |
| 35 to 44 Years Old                             | 156.9    | Number of Fetal Deaths                             | 974   | All Race/Ethnic Groups  | 9.5  |
| 45 to 54 Years Old                             | 365.7    | Fetal Death Ratio (Deaths per 1,000 Live Births)   | 6.2   | White   | 8.8  |
| 55 to 64 Years Old                             | 844.7    | Number of Neonatal Deaths (Under 28 Days of Age)   | 531   | Black   | 16.7 |
| 65 to 74 Years Old                             | 2,125.1  | Neonatal Death Rate (Deaths per 1,000 Live Births) | 3.4   | Hispanic  | 8.8  |
| 75 to 84 Years Old                             | 5,202.2  |  |       | Asian, American Indian, Other                                   | 7.0  |
| Over 84 Years Old                              | 13,774.9 |  |       |   |      |

| REPORTED COMMUNICABLE DISEASES<br>(1998-2000 AVERAGE)               |              |             | COUNTY HEALTH INDICATORS<br>(continued)   |                  | MEDI-CAL<br>(2000)                                    |         |
|---|--------------|-------------|---|------------------|---|---------|
| Number and Rate per 100,000 Population                              |              |             | Mortality Rate Per 100,000 Pop. (1999-2000 Avg.)  |                  | MEDI-CAL Deliveries by:                               |         |
| <u>DISEASE</u>  | <u>CASES</u> | <u>RATE</u> | Work Related Injury Deaths  | 102.5            | County of Beneficiary                                 | 82,267  |
| Hepatitis   | 1,443.7      | 14.8        | Mortality Rate  | 1.1              | Fee for Service                                       | 59,559  |
| Measles   | 3.3          | 0.0 *       | Drug Related Deaths (1999-2000 Avg.)  | 746.5            | Managed Care  | 22,708  |
| Shigellosis   | 849.0        | 8.7         | Mortality Rate  | 7.8              | MEDI-CAL Abortions by:                                | 10,882  |
| Tuberculosis  | 1,261.0      | 13.0        | Homicide by Weapons (2000)  | 1,000            | (Resident beneficiary) FFS                            |         |
| Syphilis  | 129.7        | 1.3         | Homicide by Handguns  | 714              | County Hospitals                                      | 272     |
| Chlamydia   | 29,714.0     | 305.5       | Kindergarten Students Needing One<br>or More Immunizations (2001)   | 15,687<br>10.4 % | Community Hospitals                                   | 1,840   |
| Gonorrhea   | 7,046.7      | 72.4        | MEDI-CAL DATA<br>(AVERAGE MONTHLY, 2000)  |                  | Clinics   | 1,792   |
| CUMULATIVE AIDS CASES AND INCIDENCE<br>1981 through January 2002    |              |             | MEDI-CAL Users (FFS): 603,127<br>Percent of County Population 6.3 %<br>Percent of Eligibles (FFS) 66.4 %                                      |                  | MEDI-CAL PHP ENROLLEES (2000)                         |         |
|   |              |             |   |                  | Average Monthly Prepaid Health Plan Enrollees 998,414 |         |
| AIDS Cases  | 43,661       |             | Total MEDI-CAL Eligibles: 1,906,907<br>Percent of County Population 19.6 %  |                  | DENTI-CAL SERVICES (2000)                             |         |
| Number of deaths  | 27,139       |             |   |                  | Average Monthly Users 94,575                          |         |
| Mortality (percent of AIDS cases<br>resulting in deaths)            | 62.0 %       |             | MEDI-CAL Payments (FFS) :<br>Amount \$341,893,496<br>Amount per User \$566.87   |                  | MEDI-CAL/MEDICARE (2002)                              |         |
| COUNTY HEALTH INDICATORS  |              |             |   |                  | MEDI-CAL ELIGIBLES BY RACE/ETHNICITY<br>(2000)        |         |
| Persons Injured in Traffic Accidents<br>County of Occurrence (2000) | 88,801       |             | White 17.6 %<br>Black 15.5 %<br>Hispanic 51.6 %<br>American Indian/Alaskan Native 0.1 %<br>Asian/Pacific Islander 6.0 %<br>Not Reported 9.1 % |                  |   |         |
| Substance Abuse Admissions (2000)                                   |              |             |   |                  | TOTAL MEDICARE ENROLLEES                              |         |
| Methamphetamine   | 4,211        |             |   |                  | Number  | 981,626 |
| Cocaine   | 9,072        |             |   |                  | Percent of County Population                          | 10.3 %  |
| Marijuana   | 3,684        |             |   |                  | Enrollees Aged 65+                                    |         |
| Alcohol   | 9,345        |             |   |                  | Number  | 876,386 |
|   |              |             |   |                  | Percent of County Population                          | 9.2 %   |
|   |              |             |   |                  | Disability Beneficiaries:                             |         |
|   |              |             |   |                  | Number  | 105,240 |
|   |              |             |   |                  | Percent of County Population                          | 1.1 %   |

| PROGRAM CLIENTS/SERVICES   |         | HOSPITALS (2000)   | HOSPICE CARE   |
|--|---------|--|--|
| Percent Early Postpartum Breastfeeding Initiation 1998-2000 Average            | 77.4 %  | Number of General Acute Care (GAC) Hospitals<br>110                    | Number of Freestanding Hospice Care Facilities (2000)<br>36                  |
| Family Planning Clients by All Funding Sources (2001)                          | 597,872 | Number of Licensed GAC Beds<br>23,662                                  | <b>HOSPITAL UTILIZATION (2000)</b>   |
| Women and Children Under Age 5 Receiving WIC Services (07/02)                  | 541,416 | Number of Licensed GAC Beds per 1,000 Population<br>2.5                | Number of GAC Discharges from GAC Hospitals<br>931,371                       |
| Child Health/Disability Prevention Screens (FY 2000-2001)                      | 792,563 | <b>LTC (2000)</b>  | Average GAC Occupancy Rate in GAC Hospitals<br>53.5                          |
| California Children's Services Cases (08/02)                                   | 3       | Number of Long Term Care Facilities and Hospitals with LTC Beds<br>369 | Average GAC Length of Stay in GAC Hospitals (days)<br>5.0                    |
| Developmental Disability Clients (08/02)                                       | 53,899  | Number of Licensed LTC Beds<br>37,673                                  | <b>LTC (2000)</b>  |
| Rehabilitation Clients (FY 2000-2001)  | 22,971  | Number of Licensed Beds per 1,000 Population<br>4.0                    | Number of LTC Discharges from LTC Facilities<br>72,648                       |
| State Mental Hospital Admissions (FY 2000-2001)                                | 1,015   | <b>PHYSICIANS (2001)</b>   | Average Occupancy Rate of LTC Facilities and Hospitals with LTC Beds<br>86.0 |
| Persons Receiving Preventive Health Care for the Aging Services (FY 2001-2002) |         | Number of Active Non-Federal Physicians<br>24,653                      | <b>COUNTY HEALTH COSTS (FY 2000-2001)</b>                                    |
| Assessment Clients   | 0       | Number of Persons per Physician<br>386                                 | Estimated Net County Health Care Costs<br>\$743,027,386                      |
| Total Client Encounters  | 0       | <b>DENTISTS (2002)</b>   | Estimated Net County Cost per Capita<br>\$78.05                              |
|  |         | Number of Licensed Dentists (Non-Federal)<br>7,440                     |  |
|  |         | Number of Persons per Dentist<br>1,279                                 |  |
|  |         | <b>CLINICS (2000)</b>  |  |
|  |         | Number of Licensed Community and Free Clinics<br>172                   |  |
|  |         | Number of Specialty Clinics<br>169                                     |  |
|  |         | <b>HOME HEALTH AGENCIES (2000)</b>                                     |  |
|  |         | Number of Licensed Home Health Agencies<br>355                         |  |

| TOTAL POPULATION       |          | PERCENT BELOW POVERTY LEVEL (1999)                            |           | LIVE BIRTHS (2000)   |        |
|------------------------|----------|---|-----------|--|--------|
| Census Year 2000       | 123,109  | Total population  | 21.4 %    | Number of Live Births By:                                      |        |
| Projection Year 2010   | 178,900  | Children under 6  | 35.9 %    | County of Residence  | 2,107  |
| Projection Year 2020   | 229,200  | Persons aged 65+  | 9.0 %     | County of Occurrence   | 1,437  |
| AGE (2000)             |          |   |           | Birth Rate (births per 1,000 population)                       | 16.5   |
| Under Age 5            | 7.7%     | Whites  | 10.0 %    | Fertility rate (births per 1,000 women aged 15-44, 98-00 avg.) | 71.7   |
| Age 5-17               | 22.0%    | Blacks  | 23.5 %    | Low birthweight (under 2,500 grams)                            | 5.6 %  |
| Age 18-64              | 59.3%    | Hispanics   | 33.4 %    | Very low birthweight (under 1,500 grams)                       | 1.1 %  |
| Age 65+                | 11.0%    | Asian/Pacific Islanders                                       | 17.8 %    | Unmarried  | 45.8 % |
|                        |          | American Indian   | 38.9 %    | Cesarean section delivery                                      | 22.6 % |
|                        |          | HOUSING VALUE (2000)  |           | Mothers who gave birth outside county of residence             | 42.3 % |
|                        |          | Median housing-unit value                                     | \$118,800 | Mothers with less than 12 years education                      | 46.3 % |
| SEX (2000)             |          | CALWORKS (2002)   |           | Teenage mothers (<18)  | 7.1 %  |
| Females                | 52.1%    | CalWorks enrollees as a percent of county population          | 2.3 %     | Mothers with no 1st trimester prenatal care                    | 20.4 % |
| Males                  | 47.9%    | SSI/SSP (2002)  |           | Percent of Births by Mother's Race/Ethnicity:                  |        |
| RACE/ETHNICITY (2000)  |          | SSI/SSP recipients as a percent of county population          | 3.1 %     | White/Other  | 28.8 % |
| White                  | 46.6%    | UNEMPLOYMENT (2002)   |           | Black  | 2.2 %  |
| Black                  | 3.8%     | Percent of civilian labor force unemployed                    | 14.6 %    | Hispanic   | 66.3 % |
| Hispanic               | 44.3%    | EDUCATION   |           | Asian/Pacific Islander   | 1.1 %  |
| American Indian        | 1.4%     | Percent of persons aged 25+ not completing high-school (2000) | 34.6 %    | American Indian  | 1.0 %  |
| Asian/Pacific Islander | 0.4%     | Enrollment K-12 (2001-2002)                                   | 26,111    | Multiple Race  | 0.5 %  |
| URBAN/RURAL (2000)     |          | PRINCIPAL PAYMENT SOURCE FOR BIRTH DELIVERIES                 |           |  |        |
| Urban                  | 66.0%    | Medi-Cal/other gov't  | 65.9 %    |  |        |
| Rural                  | 34.0%    | HMO and prepaid plans   | 11.8 %    |  |        |
| FAMILY INCOME (1999)   |          | Private insurance   | 20.7 %    |  |        |
| Median family income   | \$39,226 |   |           |  |        |

| DEATHS (2000)                                  |          | CAUSES OF DEATH (1999-2000 AVG.)                   |        | INFANT DEATHS (2000)  |        |
|--|----------|--|--------|---|--------|
| Number of Deaths By:                           |          | Deaths per 100,000 Population Due To:              |        | Number of Infant Deaths (Under 1 Year of Age) 12                |        |
| County of Residence                            | 881      | Heart Disease                                      | 209.0  | Infant Death Rate (Deaths per 1,000 Live Births) 5.7 *          |        |
| County of Occurrence                           | 762      | All Malignant Neoplasms                            | 156.8  |   |        |
|  |          | Breast Cancer                                      | 18.3 * |   |        |
|  |          | Lung Cancer  | 43.9   |   |        |
| Crude Death Rate (Deaths per 1,000 Population) | 6.9      | Stroke   | 42.3   | INFANT DEATH RATES (1999 BIRTH COHORT)                          |        |
| AGE-ADJUSTED DEATH RATE (1998-2000 AVERAGE)    |          | Unintentional Injuries                             | 37.0   | Infant Deaths per 1,000 Live Births by Mother's Race/Ethnicity: |        |
| Age-Adjusted Deaths per 100,000 Population     | 755.9    | Pneumonia and Influenza                            | 17.2   | All Race/Ethnic Groups  | 4.6 *  |
| AGE-SPECIFIC DEATH RATES (1998-2000 AVERAGE)   |          | Chronic Lower Respiratory Disease                  | 43.5   | White   | N      |
| Deaths per 100,000 Population:                 |          | Acquired Immune Deficiency Syndrome                | 3.3 *  | Black   | 0.0    |
| 1 to 4 Years Old                               | 27.7 *   | Chronic Liver Disease/Cirrhosis                    | 12.7 * | Hispanic  | 5.4 *  |
| 5 to 14 Years Old                              | 20.8 *   | Suicide  | 7.4 *  | Asian, American Indian, Other                                   | 0.0    |
| 15 to 24 Years Old                             | 92.4 *   | Diabetes Mellitus                                  | 25.9   | PERINATAL DEATHS (1999 BIRTH COHORT)                            |        |
| 25 to 34 Years Old                             | 103.6 *  | Homicide   | 6.6 *  | Number of Perinatal Deaths (Neonatal Plus Fetal) 23             |        |
|  |          | FETAL AND NEONATAL DEATHS (2000)                   |        | Perinatal Death Rate by Mother's Race/Ethnicity:                |        |
| 35 to 44 Years Old                             | 206.7    | Number of Fetal Deaths                             | 20     | All Race/Ethnic Groups  | 11.7   |
| 45 to 54 Years Old                             | 431.9    | Fetal Death Ratio (Deaths per 1,000 Live Births)   | 9.5    | White   | N      |
| 55 to 64 Years Old                             | 986.9    | Number of Neonatal Deaths (Under 28 Days of Age)   | 6      | Black   | N      |
| 65 to 74 Years Old                             | 2,066.5  | Neonatal Death Rate (Deaths per 1,000 Live Births) | 2.8 *  | Hispanic  | 10.6 * |
| 75 to 84 Years Old                             | 4,721.8  |  |        | Asian, American Indian, Other                                   | N      |
| Over 84 Years Old                              | 12,316.2 |  |        |   |        |

| REPORTED COMMUNICABLE DISEASES<br>(1998-2000 AVERAGE)               |              |             | COUNTY HEALTH INDICATORS<br>(continued)                           |             | MEDI-CAL<br>(2000)   |        |
|---|--------------|-------------|---|-------------|--|--------|
| Number and Rate per 100,000 Population                              |              |             | Mortality Rate Per 100,000 Pop. (1999-2000 Avg.)                  |             | MEDI-CAL Deliveries by:  |        |
| <u>DISEASE</u>  | <u>CASES</u> | <u>RATE</u> | Work Related Injury Deaths  | 3.0         | County of Beneficiary  | 1,323  |
| Hepatitis   | 46.0         | 37.8        | Mortality Rate  | 2.7 *       |  |        |
| Measles   | 0.0          | 0.0         | Drug Related Deaths (1999-2000 Avg.)                              | 7.0         | Fee for Service  | 1,320  |
| Shigellosis   | 16.0         | 13.1 *      | Mortality Rate  | 6.4 *       | Managed Care   | 3      |
| Tuberculosis  | 10.0         | 8.2 *       | Homicide by Weapons (2000)  | 10          | MEDI-CAL Abortions by:   | 351    |
| Syphilis  | 1.0          | 0.8 *       | Homicide by Handguns  | 6           | (Resident beneficiary) FFS   |        |
| Chlamydia   | 286.0        | 234.9       | Kindergarten Students Needing One<br>or More Immunizations (2001) | 180         | County Hospitals   | 0      |
| Gonorrhea   | 35.3         | 29.0        |   | 8.0 %       | Community Hospitals  | 17     |
|   |              |             | MEDI-CAL DATA<br>(AVERAGE MONTHLY, 2000)                          |             | MEDI-CAL PHP ENROLLEES (2000)  |        |
| CUMULATIVE AIDS CASES AND INCIDENCE<br>1981 through January 2002    |              |             | MEDI-CAL Users (FFS):   | 13,836      | Average Monthly Prepaid  |        |
| AIDS Cases  | 104          |             | Percent of County Population                                      | 11.2 %      | Health Plan Enrollees  | 364    |
| Number of deaths  | 56           |             | Percent of Eligibles (FFS)  | 54.1 %      | DENTI-CAL SERVICES (2000)  |        |
| Mortality (percent of AIDS cases<br>resulting in deaths)            | 54.0 %       |             | Total MEDI-CAL Eligibles:   | 25,942      | Average Monthly Users  | 1,637  |
|   |              |             | Percent of County Population                                      | 20.3 %      | MEDI-CAL/MEDICARE (2002)   |        |
| COUNTY HEALTH INDICATORS  |              |             | MEDI-CAL Payments (FFS) :   |             | Percent of MEDI-CAL Eligibles<br>Who are also eligible<br>for Medicare |        |
| Persons Injured in Traffic Accidents<br>County of Occurrence (2000) | 1,222        |             | Amount  | \$5,267,112 | 13.7 %   |        |
| Substance Abuse Admissions (2000)                                   |              |             | Amount per User   | \$380.68    | MEDICARE ENROLLEES (2000)  |        |
| Methamphetamine   | 284          |             | MEDI-CAL ELIGIBLES BY RACE/ETHNICITY<br>(2000)                    |             | TOTAL MEDICARE ENROLLEES   |        |
| Cocaine   | 52           |             | White   | 27.8 %      | Number   | 18,052 |
| Marijuana   | 192          |             | Black   | 4.3 %       | Percent of County Population   | 14.7 % |
| Alcohol   | 200          |             | Hispanic  | 58.0 %      | Enrollees Aged 65+   |        |
|   |              |             | American Indian/Alaskan Native                                    | 0.7 %       | Number   | 15,354 |
|   |              |             | Asian/Pacific Islander  | 0.8 %       | Percent of County Population   | 12.5 % |
|   |              |             | Not Reported  | 8.4 %       | Disability Beneficiaries:  |        |
|   |              |             |   |             | Number   | 2,698  |
|   |              |             |   |             | Percent of County Population   | 2.2 %  |

| PROGRAM CLIENTS/SERVICES   |        | HOSPITALS (2000)  |       | HOSPICE CARE   |        |
|--|--------|---|-------|--|--------|
| Percent Early Postpartum Breastfeeding Initiation 1998-2000 Average            | 75.9 % | Number of General Acute Care (GAC) Hospitals                    | 3     | Number of Freestanding Hospice Care Facilities (2000)                | 2      |
| Family Planning Clients by All Funding Sources (2001)                          | 4,994  | Number of Licensed GAC Beds                                     | 347   | HOSPITAL UTILIZATION (2000)  |        |
|  |        | Number of Licensed GAC Beds per 1,000 Population                | 2.8   | Number of GAC Discharges from GAC Hospitals                          | 16,061 |
| Women and Children Under Age 5 Receiving WIC Services (07/02)                  | 7,366  | LTC (2000)  |       | Average GAC Occupancy Rate in GAC Hospitals                          | 66.3   |
|  |        | Number of Long Term Care Facilities and Hospitals with LTC Beds | 4     | Average GAC Length of Stay in GAC Hospitals (days)                   | 5.2    |
| Child Health/Disability Prevention Screens (FY 2000-2001)                      | 14,485 | Number of Licensed LTC Beds                                     | 369   | LTC (2000)   |        |
|  |        | Number of Licensed Beds per 1,000 Population                    | 3.0   | Number of LTC Discharges from LTC Facilities                         | 474    |
| California Children's Services Cases (08/02)                                   | 747    | PHYSICIANS (2001)   |       | Average Occupancy Rate of LTC Facilities and Hospitals with LTC Beds | 85.9   |
|  |        | Number of Active Non-Federal Physicians                         | 134   | COUNTY HEALTH COSTS (FY 2000-2001)                                   |        |
| Developmental Disability Clients (08/02)                                       | 763    | Number of Persons per Physician                                 | 919   | Estimated Net County Health Care Costs                               | DNR    |
|  |        | DENTISTS (2002)   |       | Estimated Net County Cost per Capita                                 | \$0.00 |
| Rehabilitation Clients (FY 2000-2001)  | 100    | Number of Licensed Dentists (Non-Federal)                       | 48    |  |        |
|  |        | Number of Persons per Dentist                                   | 2,565 |  |        |
| State Mental Hospital Admissions (FY 2000-2001)                                | 8      | CLINICS (2000)  |       |  |        |
|  |        | Number of Licensed Community and Free Clinics                   | 3     |  |        |
| Persons Receiving Preventive Health Care for the Aging Services (FY 2001-2002) | 215    | Number Specialty Clinics  | 3     |  |        |
|  |        | HOME HEALTH AGENCIES (2000)                                     |       |  |        |
| Assessment Clients   | 296    | Number of Licensed Home Health Agencies                         | 1     |  |        |
| Total Client Encounters  |        |   |       |  |        |

| TOTAL POPULATION       |          | PERCENT BELOW POVERTY LEVEL (1999)                            |        | LIVE BIRTHS (2000)   |        |
|------------------------|----------|---|--------|--|--------|
| Census Year 2000       | 247,289  | Total population  | 6.6 %  | Number of Live Births By:                                      |        |
| Projection Year 2010   | 263,500  | Children under 6  | 7.6 %  | County of Residence  | 2,824  |
| Projection Year 2020   | 273,800  | Persons aged 65+  | 4.5 %  | County of Occurrence   | 1,933  |
| AGE (2000)             |          | HOUSING VALUE (2000)  |        | Birth Rate (births per 1,000 population)                       | 11.3   |
| Under Age 5            | 5.4%     | Whites  | 4.8 %  | Fertility rate (births per 1,000 women aged 15-44, 98-00 avg.) | 47.5   |
| Age 5-17               | 14.9%    | Blacks  | 19.9 % | Low birthweight (under 2,500 grams)                            | 6.1 %  |
| Age 18-64              | 66.2%    | Hispanics   | 15.4 % | Very low birthweight (under 1,500 grams)                       | 0.9 %  |
| Age 65+                | 13.5%    | Asian/Pacific Islanders                                       | 9.0 %  | Unmarried  | 12.5 % |
|                        |          | American Indian   | 10.4 % | Cesarean section delivery                                      | 22.1 % |
| SEX (2000)             |          | CALWORKS (2002)   |        | Mothers who gave birth outside county of residence             | 41.0 % |
| Females                | 50.4%    | CalWorks enrollees as a percent of county population          | 0.3 %  | Mothers with less than 12 years education                      | 15.9 % |
| Males                  | 49.6%    | SSI/SSP (2002)  |        | Teenage mothers (<18)  | 0.7 %  |
| RACE/ETHNICITY (2000)  |          | SSI/SSP recipients as a percent of county population          | 1.4 %  | Mothers with no 1st trimester prenatal care                    | 12.7 % |
| White                  | 78.6%    | UNEMPLOYMENT (2002)   |        | Percent of Births by Mother's Race/Ethnicity:                  |        |
| Black                  | 2.8%     | Percent of civilian labor force unemployed                    | 3.4 %  | White/Other  | 67.8 % |
| Hispanic               | 11.1%    | EDUCATION   |        | Black  | 1.7 %  |
| American Indian        | 0.3%     | Percent of persons aged 25+ not completing high-school (2000) | 8.8 %  | Hispanic   | 21.3 % |
| Asian/Pacific Islander | 4.6%     | Enrollment K-12 (2001-2002)                                   | 35,845 | Asian/Pacific Islander   | 6.9 %  |
| URBAN/RURAL (2000)     |          | PRINCIPAL PAYMENT SOURCE FOR BIRTH DELIVERIES                 |        | American Indian  | 0.3 %  |
| Urban                  | 94.2%    | Medi-Cal/other gov't  | 19.9 % | Multiple Race  | 1.2 %  |
| Rural                  | 5.8%     | HMO and prepaid plans   | 60.2 % |  |        |
| FAMILY INCOME (1999)   |          | Private insurance   | 17.6 % |  |        |
| Median family income   | \$88,934 |   |        |  |        |

| DEATHS (2000)                                  |          | CAUSES OF DEATH (1999-2000 AVG.)                   |       | INFANT DEATHS (2000)  |       |
|--|----------|--|-------|---|-------|
| Number of Deaths By:                           |          | Deaths per 100,000 Population Due To:              |       | Number of Infant Deaths (Under 1 Year of Age) 10                |       |
| County of Residence                            | 1,833    | Heart Disease                                      | 194.5 | Infant Death Rate (Deaths per 1,000 Live Births) 3.5 *          |       |
| County of Occurrence                           | 1,829    | All Malignant Neoplasms                            | 182.3 |   |       |
|  |          | Breast Cancer                                      | 37.1  |   |       |
|  |          | Lung Cancer  | 42.3  |   |       |
| Crude Death Rate (Deaths per 1,000 Population) | 7.3      | Stroke   | 74.9  | INFANT DEATH RATES (1999 BIRTH COHORT)                          |       |
| AGE-ADJUSTED DEATH RATE (1998-2000 AVERAGE)    |          | Unintentional Injuries                             | 22.9  | Infant Deaths per 1,000 Live Births by Mother's Race/Ethnicity: |       |
| Age-Adjusted Deaths per 100,000 Population     | 727.6    | Pneumonia and Influenza                            | 30.4  | All Race/Ethnic Groups  | 2.6 * |
| AGE-SPECIFIC DEATH RATES (1998-2000 AVERAGE)   |          | Chronic Lower Respiratory Disease                  | 37.6  | White   | N     |
| Deaths per 100,000 Population:                 |          | Acquired Immune Deficiency Syndrome                | 3.4 * | Black   | N     |
| 1 to 4 Years Old                               | 12.0 *   | Chronic Liver Disease/Cirrhosis                    | 9.3   | Hispanic  | 0.0   |
| 5 to 14 Years Old                              | 5.7 *    | Suicide  | 11.1  | Asian, American Indian, Other                                   | N     |
| 15 to 24 Years Old                             | 36.0 *   | Diabetes Mellitus                                  | 10.1  | PERINATAL DEATHS (1999 BIRTH COHORT)                            |       |
| 25 to 34 Years Old                             | 37.4 *   | Homicide   | 1.4 * | Number of Perinatal Deaths (Neonatal Plus Fetal) 19             |       |
|  |          | FETAL AND NEONATAL DEATHS (2000)                   |       | Perinatal Death Rate by Mother's Race/Ethnicity:                |       |
| 35 to 44 Years Old                             | 113.7    | Number of Fetal Deaths                             | 17    | All Race/Ethnic Groups  | 7.1   |
| 45 to 54 Years Old                             | 334.8    | Fetal Death Ratio (Deaths per 1,000 Live Births)   | 6.0 * | White   | 6.5 * |
| 55 to 64 Years Old                             | 744.4    | Number of Neonatal Deaths (Under 28 Days of Age)   | 9     | Black   | N     |
| 65 to 74 Years Old                             | 1,660.2  | Neonatal Death Rate (Deaths per 1,000 Live Births) | 3.2 * | Hispanic  | N     |
| 75 to 84 Years Old                             | 4,786.1  |  |       | Asian, American Indian, Other                                   | N     |
| Over 84 Years Old                              | 16,726.7 |  |       |   |       |

| REPORTED COMMUNICABLE DISEASES<br>(1998-2000 AVERAGE)               |              |             | COUNTY HEALTH INDICATORS<br>(continued)                           |              | MEDI-CAL<br>(2000)                    |        |
|---|--------------|-------------|---|--------------|---------------------------------------|--------|
| Number and Rate per 100,000 Population                              |              |             | Mortality Rate Per 100,000 Pop. (1999-2000 Avg.)                  |              | MEDI-CAL Deliveries by:               |        |
| <u>DISEASE</u>  | <u>CASES</u> | <u>RATE</u> | Work Related Injury Deaths  | 2.0          | County of Beneficiary                 | 565    |
| Hepatitis   | 27.3         | 11.1        | Mortality Rate  | 0.7 *        |                                       |        |
| Measles   | 0.0          | 0.0         | Drug Related Deaths (1999-2000 Avg.)                              | 28.5         | Fee for Service                       | 563    |
| Shigellosis   | 18.3         | 7.4 *       | Mortality Rate  | 10.6         | Managed Care                          | 2      |
| Tuberculosis  | 13.7         | 5.5 *       | Homicide by Weapons (2000)  | 5            | MEDI-CAL Abortions by:                | 281    |
| Syphilis  | 0.7          | 0.3 *       | Homicide by Handguns  | 4            | (Resident beneficiary) FFS            |        |
| Chlamydia   | 262.7        | 106.3       | Kindergarten Students Needing One<br>or More Immunizations (2001) | 191<br>6.9 % | County Hospitals                      | 5      |
| Gonorrhea   | 45.3         | 18.3        |   |              | Community Hospitals                   | 9      |
| CUMULATIVE AIDS CASES AND INCIDENCE<br>1981 through January 2002    |              |             | MEDI-CAL DATA<br>(AVERAGE MONTHLY, 2000)                          |              | MEDI-CAL PHP ENROLLEES (2000)         |        |
|   |              |             | MEDI-CAL Users (FFS): 6,125                                       |              | Average Monthly Prepaid               |        |
| AIDS Cases  | 1,507        |             | Percent of County Population                                      | 2.5 %        | Health Plan Enrollees                 | 240    |
| Number of deaths  | 823          |             | Percent of Eligibles (FFS)  | 57.7 %       | DENTI-CAL SERVICES (2000)             |        |
| Mortality (percent of AIDS cases<br>resulting in deaths)            | 55.0 %       |             | Total MEDI-CAL Eligibles:   | 10,847       | Average Monthly Users                 | 628    |
| COUNTY HEALTH INDICATORS  |              |             | Percent of County Population                                      |              | MEDI-CAL/MEDICARE (2002)              |        |
|   |              |             | 4.3 %   |              | Percent of MEDI-CAL Eligibles         |        |
| Persons Injured in Traffic Accidents<br>County of Occurrence (2000) | 1,867        |             | MEDI-CAL Payments (FFS) :   |              | Who are also eligible<br>for Medicare | 29.0 % |
| Substance Abuse Admissions (2000)                                   |              |             | Amount  | \$3,786,524  | MEDICARE ENROLLEES (2000)             |        |
| Methamphetamine   | 187          |             | Amount per User   | \$618.21     | TOTAL MEDICARE ENROLLEES              |        |
| Cocaine   | 218          |             | MEDI-CAL ELIGIBLES BY RACE/ETHNICITY<br>(2000)                    |              | Number                                | 34,467 |
| Marijuana   | 104          |             | White   | 47.7 %       | Percent of County Population          | 13.9 % |
| Alcohol   | 1,181        |             | Black   | 9.5 %        | Enrollees Aged 65+                    |        |
|   |              |             | Hispanic  | 26.9 %       | Number                                | 31,785 |
|   |              |             | American Indian/Alaskan Native                                    | 0.2 %        | Percent of County Population          | 12.9 % |
|   |              |             | Asian/Pacific Islander  | 5.6 %        | Disability Beneficiaries:             |        |
|   |              |             | Not Reported  | 10.1 %       | Number                                | 2,682  |
|   |              |             |   |              | Percent of County Population          | 1.1 %  |

| PROGRAM CLIENTS/SERVICES   |        | HOSPITALS (2000)  |       | HOSPICE CARE   |        |
|--|--------|---|-------|--|--------|
| Percent Early Postpartum Breastfeeding Initiation 1998-2000 Average            | 92.7 % | Number of General Acute Care (GAC) Hospitals                    | 4     | Number of Freestanding Hospice Care Facilities (2000)                | 0      |
| Family Planning Clients by All Funding Sources (2001)                          | 7,737  | Number of Licensed GAC Beds                                     | 475   | HOSPITAL UTILIZATION (2000)  |        |
|  |        | Number of Licensed GAC Beds per 1,000 Population                | 1.9   | Number of GAC Discharges from GAC Hospitals                          | 17,148 |
| Women and Children Under Age 5 Receiving WIC Services (07/02)                  | 2,552  | LTC (2000)  |       | Average GAC Occupancy Rate in GAC Hospitals                          | 46.0   |
|  |        | Number of Long Term Care Facilities and Hospitals with LTC Beds | 16    | Average GAC Length of Stay in GAC Hospitals (days)                   | 4.7    |
| Child Health/Disability Prevention Screens (FY 2000-2001)                      | 3,800  | Number of Licensed LTC Beds                                     | 1,258 | LTC (2000)   |        |
|  |        | Number of Licensed Beds per 1,000 Population                    | 5.1   | Number of LTC Discharges from LTC Facilities                         | 2,463  |
| California Children's Services Cases (08/02)                                   | 442    | PHYSICIANS (2001)   |       | Average Occupancy Rate of LTC Facilities and Hospitals with LTC Beds | 89.3   |
|  |        | Number of Active Non-Federal Physicians                         | 1,406 | COUNTY HEALTH COSTS (FY 2000-2001)                                   |        |
| Developmental Disability Clients (08/02)                                       | 996    | Number of Persons per Physician                                 | 176   | Estimated Net County Health Care Costs                               | DNR    |
|  |        | DENTISTS (2002)   |       | Estimated Net County Cost per Capita                                 | \$0.00 |
| Rehabilitation Clients (FY 2000-2001)  | 505    | Number of Licensed Dentists (Non-Federal)                       | 347   |  |        |
|  |        | Number of Persons per Dentist                                   | 713   |  |        |
| State Mental Hospital Admissions (FY 2000-2001)                                | 8      | CLINICS (2000)  |       |  |        |
|  |        | Number of Licensed Community and Free Clinics                   | 9     |  |        |
| Persons Receiving Preventive Health Care for the Aging Services (FY 2001-2002) | 446    | Number of Specialty Clinics                                     | 4     |  |        |
|  |        | HOME HEALTH AGENCIES (2000)                                     |       |  |        |
| Assessment Clients   | 510    | Number of Licensed Home Health Agencies                         | 8     |  |        |
| Total Client Encounters  |        |   |       |  |        |

| TOTAL POPULATION       |          | PERCENT BELOW POVERTY LEVEL (1999)                            |           | LIVE BIRTHS (2000)   |        |
|------------------------|----------|---|-----------|--|--------|
| Census Year 2000       | 17,130   | Total population  | 14.8 %    | Number of Live Births By:                                      |        |
| Projection Year 2010   | 21,500   | Children under 6  | 13.1 %    | County of Residence  | 126    |
| Projection Year 2020   | 24,300   | Persons aged 65+  | 9.0 %     | County of Occurrence   | 4      |
| AGE (2000)             |          |   |           | Birth Rate (births per 1,000 population)                       | 7.3    |
| Under Age 5            | 4.4%     | Whites  | 13.0 %    | Fertility rate (births per 1,000 women aged 15-44, 98-00 avg.) | 43.5   |
| Age 5-17               | 17.2%    | Blacks  | 20.6 %    | Low birthweight (under 2,500 grams)                            | 7.9 %  |
| Age 18-64              | 61.2%    | Hispanics   | 19.7 %    | Very low birthweight (under 1,500 grams)                       | 0.8 %  |
| Age 65+                | 17.2%    | Asian/Pacific Islanders                                       | 16.1 %    | Unmarried  | 34.1 % |
|                        |          | American Indian   | 24.7 %    | Cesarean section delivery                                      | 27.0 % |
|                        |          | HOUSING VALUE (2000)  |           | Mothers who gave birth outside county of residence             | 96.8 % |
|                        |          | Median housing-unit value                                     | \$141,900 | Mothers with less than 12 years education                      | 16.7 % |
| SEX (2000)             |          | CALWORKS (2002)   |           | Teenage mothers (<18)  | 5.6 %  |
| Females                | 48.8%    | CalWorks enrollees as a percent of county population          | 1.1 %     | Mothers with no 1st trimester prenatal care                    | 32.8 % |
| Males                  | 51.2%    | SSI/SSP (2002)  |           | Percent of Births by Mother's Race/Ethnicity:                  |        |
| RACE/ETHNICITY (2000)  |          | SSI/SSP recipients as a percent of county population          | 1.8 %     | White/Other  | 84.9 % |
| White                  | 84.9%    | UNEMPLOYMENT (2002)   |           | Black  | 0.0 %  |
| Black                  | 0.6%     | Percent of civilian labor force unemployed                    | 8.5 %     | Hispanic   | 6.3 %  |
| Hispanic               | 7.8%     | EDUCATION   |           | Asian/Pacific Islander   | 0.8 %  |
| American Indian        | 3.1%     | Percent of persons aged 25+ not completing high-school (2000) | 14.9 %    | American Indian  | 6.3 %  |
| Asian/Pacific Islander | 0.8%     | Enrollment K-12 (2001-2002)                                   | 2,781     | Multiple Race  | 1.6 %  |
| URBAN/RURAL (2000)     |          | PRINCIPAL PAYMENT SOURCE FOR BIRTH DELIVERIES                 |           |  |        |
| Urban                  | 0.0%     | Medi-Cal/other gov't  | 44.4 %    |  |        |
| Rural                  | 100.0%   | HMO and prepaid plans   | 11.1 %    |  |        |
| FAMILY INCOME (1999)   |          | Private insurance   | 38.1 %    |  |        |
| Median family income   | \$42,655 |   |           |  |        |

| DEATHS (2000)                                  |         | CAUSES OF DEATH (1999-2000 AVG.)                   |        | INFANT DEATHS (2000)  |     |
|--|---------|--|--------|---|-----|
| Number of Deaths By:                           |         | Deaths per 100,000 Population Due To:              |        | Number of Infant Deaths (Under 1 Year of Age) 2                 |     |
| County of Residence                            | 152     | Heart Disease                                      | 263.2  | Infant Death Rate (Deaths per 1,000 Live Births) N              |     |
| County of Occurrence                           | 109     | All Malignant Neoplasms                            | 312.1  |   |     |
|  |         | Breast Cancer                                      | 61.4 * |   |     |
|  |         | Lung Cancer  | 88.7 * |   |     |
| Crude Death Rate (Deaths per 1,000 Population) | 8.8     | Stroke   | 70.4 * | INFANT DEATH RATES (1999 BIRTH COHORT)                          |     |
| AGE-ADJUSTED DEATH RATE (1998-2000 AVERAGE)    |         | Unintentional Injuries                             | 70.4 * | Infant Deaths per 1,000 Live Births by Mother's Race/Ethnicity: |     |
| Age-Adjusted Deaths per 100,000 Population     | 736.6   | Pneumonia and Influenza                            | 12.2 * | All Race/Ethnic Groups  | N   |
| AGE-SPECIFIC DEATH RATES (1998-2000 AVERAGE)   |         | Chronic Lower Respiratory Disease                  | 67.3 * | White   | N   |
| Deaths per 100,000 Population:                 |         | Acquired Immune Deficiency Syndrome                | 0.0    | Black   | 0.0 |
| 1 to 4 Years Old                               | 102.6 * | Chronic Liver Disease/Cirrhosis                    | 12.2 * | Hispanic  | 0.0 |
| 5 to 14 Years Old                              | 0.0     | Suicide  | 9.2 *  | Asian, American Indian, Other                                   | 0.0 |
| 15 to 24 Years Old                             | 96.2 *  | Diabetes Mellitus                                  | 21.4 * | PERINATAL DEATHS (1999 BIRTH COHORT)                            |     |
| 25 to 34 Years Old                             | 82.3 *  | Homicide   | 3.1 *  | Number of Perinatal Deaths (Neonatal Plus Fetal) 1              |     |
| 35 to 44 Years Old                             | 254.0 * | FETAL AND NEONATAL DEATHS (2000)                   |        | Perinatal Death Rate by Mother's Race/Ethnicity:                |     |
| 45 to 54 Years Old                             | 504.0 * | Number of Fetal Deaths                             | 1      | All Race/Ethnic Groups  | N   |
| 55 to 64 Years Old                             | 1,117.3 | Fetal Death Ratio (Deaths per 1,000 Live Births)   | N      | White   | N   |
| 65 to 74 Years Old                             | 2,180.1 | Number of Neonatal Deaths (Under 28 Days of Age)   | 2      | Black   | 0.0 |
| 75 to 84 Years Old                             | 4,302.8 | Neonatal Death Rate (Deaths per 1,000 Live Births) | N      | Hispanic  | 0.0 |
| Over 84 Years Old                              | 9,432.2 |  |        | Asian, American Indian, Other                                   | 0.0 |

| REPORTED COMMUNICABLE DISEASES<br>(1998-2000 AVERAGE)               |              |             | COUNTY HEALTH INDICATORS<br>(continued)                           |              | MEDI-CAL<br>(2000)   |        |
|---|--------------|-------------|---|--------------|--|--------|
| Number and Rate per 100,000 Population                              |              |             | Mortality Rate Per 100,000 Pop. (1999-2000 Avg.)                  |              | MEDI-CAL Deliveries by:  |        |
| <u>DISEASE</u>  | <u>CASES</u> | <u>RATE</u> | Work Related Injury Deaths  | 0.5          | County of Beneficiary  | 64     |
| Hepatitis   | 2.7          | 16.3 *      | Mortality Rate  | 1.9 *        |  |        |
| Measles   | 0.0          | 0.0         | Drug Related Deaths (1999-2000 Avg.)                              | 1.5          | Fee for Service  | 64     |
| Shigellosis   | 0.7          | 4.1 *       | Mortality Rate  | 9.4 *        | Managed Care   | 0      |
| Tuberculosis  | 0.7          | 4.1 *       | Homicide by Weapons (2000)  | 0            | MEDI-CAL Abortions by:   | 17     |
| Syphilis  | 0.3          | 2.0 *       | Homicide by Handguns  | 0            | (Resident beneficiary) FFS   |        |
| Chlamydia   | 10.3         | 63.2 *      | Kindergarten Students Needing One<br>or More Immunizations (2001) | 28<br>15.4 % | County Hospitals   | 0      |
| Gonorrhea   | 0.7          | 4.1 *       |   |              | Community Hospitals  | 0      |
| CUMULATIVE AIDS CASES AND INCIDENCE<br>1981 through January 2002    |              |             | MEDI-CAL DATA<br>(AVERAGE MONTHLY, 2000)                          |              | MEDI-CAL PHP ENROLLEES (2000)  |        |
|   |              |             | MEDI-CAL Users (FFS):   | 1,085        | Average Monthly Prepaid  |        |
| AIDS Cases  | 12           |             | Percent of County Population                                      | 6.3 %        | Health Plan Enrollees  | 0      |
| Number of deaths  | 4            |             | Percent of Eligibles (FFS)  | 59.6 %       | DENTI-CAL SERVICES (2000)  |        |
| Mortality (percent of AIDS cases<br>resulting in deaths)            | 33.0 %       |             | Total MEDI-CAL Eligibles:   | 1,821        | Average Monthly Users  | 97     |
| COUNTY HEALTH INDICATORS  |              |             | Percent of County Population                                      | 10.5 %       | MEDI-CAL/MEDICARE (2002)   |        |
|   |              |             | MEDI-CAL Payments (FFS) :   |              | Percent of MEDI-CAL Eligibles<br>Who are also eligible<br>for Medicare | 22.1 % |
| Persons Injured in Traffic Accidents<br>County of Occurrence (2000) | 135          |             | Amount  | \$546,287    | MEDICARE ENROLLEES (2000)  |        |
| Substance Abuse Admissions (2000)                                   |              |             | Amount per User   | \$503.49     | TOTAL MEDICARE ENROLLEES   |        |
| Methamphetamine   | 27           |             | MEDI-CAL ELIGIBLES BY RACE/ETHNICITY<br>(2000)                    |              | Number   | 3,001  |
| Cocaine   | 0            |             | White   | 88.7 %       | Percent of County Population   | 17.5 % |
| Marijuana   | 11           |             | Black   | 0.5 %        | Enrollees Aged 65+   |        |
| Alcohol   | 89           |             | Hispanic  | 2.9 %        | Number   | 2,614  |
|   |              |             | American Indian/Alaskan Native                                    | 3.1 %        | Percent of County Population   | 15.3 % |
|   |              |             | Asian/Pacific Islander  | 0.3 %        | Disability Beneficiaries:  |        |
|   |              |             | Not Reported  | 4.5 %        | Number   | 387    |
|   |              |             |   |              | Percent of County Population   | 2.3 %  |

| PROGRAM CLIENTS/SERVICES   |        | HOSPITALS (2000)   | HOSPICE CARE   |
|--|--------|--|--|
| Percent Early Postpartum Breastfeeding Initiation 1998-2000 Average            | 86.0 % | Number of General Acute Care (GAC) Hospitals<br>0                    | Number of Freestanding Hospice Care Facilities (2000)<br>1   |
| Family Planning Clients by All Funding Sources (2001)                          | 237    | Number of Licensed GAC Beds<br>0                                     | <b>HOSPITAL UTILIZATION (2000)</b><br>Number of GAC Discharges from GAC Hospitals<br>0<br><br>Average GAC Occupancy Rate in GAC Hospitals<br>0.0 |
|  |        | Number of Licensed GAC Beds per 1,000 Population<br>0.0              |  |
| Women and Children Under Age 5 Receiving WIC Services (07/02)                  | 254    | <b>LTC (2000)</b>  |  |
|  |        | Number of Long Term Care Facilities and Hospitals with LTC Beds<br>0 | Average GAC Length of Stay in GAC Hospitals (days)<br>0.0  |
| Child Health/Disability Prevention Screens (FY 2000-2001)                      | 500    | Number of Licensed LTC Beds<br>0                                     | <b>LTC (2000)</b><br>Number of LTC Discharges from LTC Facilities<br>0   |
|  |        | Number of Licensed Beds per 1,000 Population<br>0.0                  |  |
| California Children's Services Cases (08/02)                                   | 58     | <b>PHYSICIANS (2001)</b>   |  |
|  |        | Number of Active Non-Federal Physicians<br>14                        | Average Occupancy Rate of LTC Facilities and Hospitals with LTC Beds<br>0.0  |
| Developmental Disability Clients (08/02)                                       | 72     | Number of Persons per Physician<br>1,224                             | <b>COUNTY HEALTH COSTS (FY 2000-2001)</b><br>Estimated Net County Health Care Costs<br>DNR   |
|  |        | <b>DENTISTS (2002)</b>   |  |
| Rehabilitation Clients (FY 2000-2001)  | 10     | Number of Licensed Dentists (Non-Federal)<br>7                       | Estimated Net County Cost per Capita<br>\$0.00   |
|  |        | Number of Persons per Dentist<br>2,447                               |  |
| State Mental Hospital Admissions (FY 2000-2001)                                | 1      | <b>CLINICS (2000)</b>  |  |
|  |        | Number of Licensed Community and Free Clinics<br>1                   |  |
| Persons Receiving Preventive Health Care for the Aging Services (FY 2001-2002) | 0      | Number of Specialty Clinics<br>0                                     |  |
|  |        | <b>HOME HEALTH AGENCIES (2000)</b>                                   |  |
| Assessment Clients   | 0      | Number of Licensed Home Health Agencies<br>2                         |  |
| Total Client Encounters  | 0      |  |  |

| TOTAL POPULATION       |          | PERCENT BELOW POVERTY LEVEL (1999)                            |           | LIVE BIRTHS (2000)   |   |        |
|------------------------|----------|---|-----------|--|---|--------|
| Census Year 2000       | 86,265   | Total population  | 15.9 %    | Number of Live Births By:                                      |   |        |
| Projection Year 2010   | 103,200  | Children under 6  | 25.8 %    | County of Residence  | 1,083                                       |        |
| Projection Year 2020   | 116,700  | Persons aged 65+  | 7.7 %     | County of Occurrence   | 1,031                                       |        |
| AGE (2000)             |          |   |           | Birth Rate (births per 1,000 population)                       | 12.4  |        |
| Under Age 5            | 6.0%     | Whites  | 12.4 %    | Fertility rate (births per 1,000 women aged 15-44, 98-00 avg.) | 60.3  |        |
| Age 5-17               | 19.6%    | Blacks  | 24.7 %    | Low birthweight (under 2,500 grams)                            | 3.2 %                                       |        |
| Age 18-64              | 60.9%    | Hispanics   | 26.6 %    | Very low birthweight (under 1,500 grams)                       | 0.6 %                                       |        |
| Age 65+                | 13.6%    | Asian/Pacific Islanders                                       | 21.7 %    |  |   |        |
|                        |          | American Indian   | 26.6 %    |  |   |        |
|                        |          | HOUSING VALUE (2000)  |           |  |   |        |
|                        |          | Median housing-unit value                                     | \$170,200 |  |   |        |
| SEX (2000)             |          | CALWORKS (2002)   |           |  |   |        |
| Females                | 50.3%    | CalWorks enrollees as a percent of county population          | 1.6 %     | Unmarried  | 38.7 %                                      |        |
| Males                  | 49.7%    |   |           | Cesarean section delivery                                      | 18.2 %                                      |        |
|                        |          | SSI/SSP (2002)  |           |  |   |        |
| RACE/ETHNICITY (2000)  |          | SSI/SSP recipients as a percent of county population          |           | Mothers who gave birth outside county of residence             | 8.0 %                                       |        |
| White                  | 74.9%    |   |           | Mothers with less than 12 years education                      | 29.1 %                                      |        |
| Black                  | 0.5%     | UNEMPLOYMENT (2002)   |           | Teenage mothers (<18)  | 4.7 %                                       |        |
| Hispanic               | 16.5%    | Percent of civilian labor force unemployed                    |           | 8.5 %  | Mothers with no 1st trimester prenatal care |        |
| American Indian        | 4.0%     | EDUCATION   |           |  |   |        |
| Asian/Pacific Islander | 1.3%     | Percent of persons aged 25+ not completing high-school (2000) |           | 19.2 %   | 41.7 %                                      |        |
|                        |          | Enrollment K-12 (2001-2002)                                   |           | 16,247   |   |        |
| URBAN/RURAL (2000)     |          | PRINCIPAL PAYMENT SOURCE FOR BIRTH DELIVERIES                 |           | Percent of Births by Mother's Race/Ethnicity:                  |   |        |
| Urban                  | 54.0%    | Medi-Cal/other gov't  |           | 61.5 %   | White/Other                                 | 55.0 % |
| Rural                  | 46.0%    | HMO and prepaid plans   |           | 7.9 %  | Black                                       | 0.2 %  |
| FAMILY INCOME (1999)   |          | Private insurance   |           | 28.4 %   | Hispanic                                    | 34.0 % |
| Median family income   | \$42,168 |   |           | Asian/Pacific Islander   |   | 0.9 %  |
|                        |          |   |           | American Indian  |   | 6.6 %  |
|                        |          |   |           | Multiple Race  |   | 1.7 %  |

| DEATHS (2000)                                  |          | CAUSES OF DEATH (1999-2000 AVG.)                   |        | INFANT DEATHS (2000)  |       |
|--|----------|--|--------|---|-------|
| Number of Deaths By:                           |          | Deaths per 100,000 Population Due To:              |        | Number of Infant Deaths (Under 1 Year of Age) 9                 |       |
| County of Residence                            | 816      | Heart Disease                                      | 227.6  | Infant Death Rate (Deaths per 1,000 Live Births) 8.3 *          |       |
| County of Occurrence                           | 738      | All Malignant Neoplasms                            | 219.7  |   |       |
|  |          | Breast Cancer                                      | 31.4 * |   |       |
|  |          | Lung Cancer  | 59.6   |   |       |
| Crude Death Rate (Deaths per 1,000 Population) | 9.3      | Stroke   | 66.9   | INFANT DEATH RATES (1999 BIRTH COHORT)                          |       |
| AGE-ADJUSTED DEATH RATE (1998-2000 AVERAGE)    |          | Unintentional Injuries                             | 39.9   | Infant Deaths per 1,000 Live Births by Mother's Race/Ethnicity: |       |
| Age-Adjusted Deaths per 100,000 Population     | 839.6    | Pneumonia and Influenza                            | 25.8   | All Race/Ethnic Groups  | N     |
| AGE-SPECIFIC DEATH RATES (1998-2000 AVERAGE)   |          | Chronic Lower Respiratory Disease                  | 57.9   | White   | N     |
| Deaths per 100,000 Population:                 |          | Acquired Immune Deficiency Syndrome                | 1.1 *  | Black   | 0.0   |
| 1 to 4 Years Old                               | 22.1 *   | Chronic Liver Disease/Cirrhosis                    | 13.5 * | Hispanic  | N     |
| 5 to 14 Years Old                              | 23.8 *   | Suicide  | 19.1 * | Asian, American Indian, Other                                   | N     |
| 15 to 24 Years Old                             | 67.2 *   | Diabetes Mellitus                                  | 24.7   | PERINATAL DEATHS (1999 BIRTH COHORT)                            |       |
| 25 to 34 Years Old                             | 116.2 *  | Homicide   | 6.2 *  | Number of Perinatal Deaths (Neonatal Plus Fetal) 7              |       |
| 35 to 44 Years Old                             | 250.2    | FETAL AND NEONATAL DEATHS (2000)                   |        | Perinatal Death Rate by Mother's Race/Ethnicity:                |       |
| 45 to 54 Years Old                             | 401.9    | Number of Fetal Deaths                             | 7      | All Race/Ethnic Groups  | 6.9 * |
| 55 to 64 Years Old                             | 1,041.7  | Fetal Death Ratio (Deaths per 1,000 Live Births)   | 6.5 *  | White   | 8.6 * |
| 65 to 74 Years Old                             | 2,311.6  | Number of Neonatal Deaths (Under 28 Days of Age)   | 5      | Black   | 0.0   |
| 75 to 84 Years Old                             | 5,250.2  | Neonatal Death Rate (Deaths per 1,000 Live Births) | 4.6 *  | Hispanic  | N     |
| Over 84 Years Old                              | 14,748.4 |  |        | Asian, American Indian, Other                                   | 0.0   |

| REPORTED COMMUNICABLE DISEASES<br>(1998-2000 AVERAGE)               |              |             | COUNTY HEALTH INDICATORS<br>(continued)                           |             | MEDI-CAL<br>(2000)   |     |
|---|--------------|-------------|---|-------------|--|-----|
| Number and Rate per 100,000 Population                              |              |             | Mortality Rate Per 100,000 Pop. (1999-2000 Avg.)                  |             | MEDI-CAL Deliveries by:  |     |
| <u>DISEASE</u>  | <u>CASES</u> | <u>RATE</u> | Work Related Injury Deaths  | 2.5         | County of Beneficiary  | 641 |
| Hepatitis   | 10.7         | 12.0 *      | Mortality Rate  | 2.9 *       |  |     |
| Measles   | 0.0          | 0.0         | Drug Related Deaths (1999-2000 Avg.)                              | 13.5        | Fee for Service  | 641 |
| Shigellosis   | 22.0         | 24.7        | Mortality Rate  | 15.3 *      | Managed Care   | 0   |
| Tuberculosis  | 3.0          | 3.4 *       | Homicide by Weapons (2000)  | 5           | MEDI-CAL Abortions by:   | 248 |
| Syphilis  | 0.0          | 0.0         | Homicide by Handguns  | 0           | (Resident beneficiary) FFS   |     |
| Chlamydia   | 138.3        | 155.5       | Kindergarten Students Needing One<br>or More Immunizations (2001) | 109         | County Hospitals   | 1   |
| Gonorrhea   | 6.7          | 7.5 *       |   | 10.6 %      | Community Hospitals  | 153 |
| CUMULATIVE AIDS CASES AND INCIDENCE<br>1981 through January 2002    |              |             | MEDI-CAL DATA<br>(AVERAGE MONTHLY, 2000)                          |             | MEDI-CAL PHP ENROLLEES (2000)  |     |
|   |              |             | MEDI-CAL Users (FFS): 9,298                                       |             | Average Monthly Prepaid  |     |
| AIDS Cases  | 187          |             | Percent of County Population                                      | 10.8 %      | Health Plan Enrollees  | 0   |
| Number of deaths  | 119          |             | Percent of Eligibles (FFS)  | 60.5 %      | DENTI-CAL SERVICES (2000)  |     |
| Mortality (percent of AIDS cases<br>resulting in deaths)            | 64.0 %       |             | Total MEDI-CAL Eligibles:   | 15,370      | Average Monthly Users  |     |
| COUNTY HEALTH INDICATORS  |              |             | Percent of County Population                                      |             | 405  |     |
|   |              |             | MEDI-CAL Payments (FFS) :   |             | MEDI-CAL/MEDICARE (2002)   |     |
| Persons Injured in Traffic Accidents<br>County of Occurrence (2000) | 807          |             | Amount  | \$4,127,612 | Percent of MEDI-CAL Eligibles<br>Who are also eligible<br>for Medicare |     |
| Substance Abuse Admissions (2000)                                   |              |             | Amount per User   | \$443.92    | 19.6 %   |     |
| Methamphetamine   | 241          |             | MEDI-CAL ELIGIBLES BY RACE/ETHNICITY<br>(2000)                    |             | MEDI-CAL ENROLLEES (2000)  |     |
| Cocaine   | 7            |             | White   | 65.0 %      | TOTAL MEDICARE ENROLLEES   |     |
| Marijuana   | 140          |             | Black   | 1.1 %       | Number   |     |
| Alcohol   | 313          |             | Hispanic  | 18.1 %      | 13,767   |     |
|   |              |             | American Indian/Alaskan Native                                    | 6.9 %       | Percent of County Population   |     |
|   |              |             | Asian/Pacific Islander  | 0.8 %       | 16.0 %   |     |
|   |              |             | Not Reported  | 8.1 %       | Enrollees Aged 65+   |     |
|   |              |             |   |             | Number   |     |
|   |              |             |   |             | 11,388   |     |
|   |              |             |   |             | Percent of County Population   |     |
|   |              |             |   |             | 13.2 %   |     |
|   |              |             |   |             | Disability Beneficiaries:  |     |
|   |              |             |   |             | Number   |     |
|   |              |             |   |             | 2,379  |     |
|   |              |             |   |             | Percent of County Population   |     |
|   |              |             |   |             | 2.8 %  |     |

| PROGRAM CLIENTS/SERVICES   |        | HOSPITALS (2000)  |       | HOSPICE CARE   |        |
|--|--------|---|-------|--|--------|
| Percent Early Postpartum Breastfeeding Initiation 1998-2000 Average            | 89.2 % | Number of General Acute Care (GAC) Hospitals                    | 3     | Number of Freestanding Hospice Care Facilities (2000)                | 0      |
| Family Planning Clients by All Funding Sources (2001)                          | 3,655  | Number of Licensed GAC Beds                                     | 171   | HOSPITAL UTILIZATION (2000)  |        |
|  |        | Number of Licensed GAC Beds per 1,000 Population                | 2.0   | Number of GAC Discharges from GAC Hospitals                          | 6,628  |
| Women and Children Under Age 5 Receiving WIC Services (07/02)                  | 3,169  | LTC (2000)  |       | Average GAC Occupancy Rate in GAC Hospitals                          | 37.1   |
|  |        | Number of Long Term Care Facilities and Hospitals with LTC Beds | 5     | Average GAC Length of Stay in GAC Hospitals (days)                   | 3.5    |
| Child Health/Disability Prevention Screens (FY 2000-2001)                      | 5,683  | Number of Licensed LTC Beds                                     | 388   | LTC (2000)   |        |
|  |        | Number of Licensed Beds per 1,000 Population                    | 4.5   | Number of LTC Discharges from LTC Facilities                         | 454    |
| California Children's Services Cases (08/02)                                   | 597    | PHYSICIANS (2001)   |       | Average Occupancy Rate of LTC Facilities and Hospitals with LTC Beds | 74.5   |
|  |        | Number of Active Non-Federal Physicians                         | 208   | COUNTY HEALTH COSTS (FY 2000-2001)                                   |        |
| Developmental Disability Clients (08/02)                                       | 633    | Number of Persons per Physician                                 | 415   | Estimated Net County Health Care Costs                               | DNR    |
|  |        | DENTISTS (2002)   |       | Estimated Net County Cost per Capita                                 | \$0.00 |
| Rehabilitation Clients (FY 2000-2001)  | 434    | Number of Licensed Dentists (Non-Federal)                       | 63    |  |        |
|  |        | Number of Persons per Dentist                                   | 1,369 |  |        |
| State Mental Hospital Admissions (FY 2000-2001)                                | 10     | CLINICS (2000)  |       |  |        |
|  |        | Number of Licensed Community and Free Clinics                   | 8     |  |        |
| Persons Receiving Preventive Health Care for the Aging Services (FY 2001-2002) | 0      | Number of Specialty Clinics                                     | 3     |  |        |
|  |        | HOME HEALTH AGENCIES (2000)                                     |       |  |        |
| Assessment Clients   | 0      | Number of Licensed Home Health Agencies                         | 4     |  |        |
| Total Client Encounters  | 0      |   |       |  |        |

| TOTAL POPULATION             |          | PERCENT BELOW POVERTY LEVEL (1999)                            |           | LIVE BIRTHS (2000)   |   |
|------------------------------|----------|---|-----------|--|---|
| Census Year 2000             | 210,554  | Total population  | 21.7 %    | Number of Live Births By:                                      |   |
| Projection Year 2010         | 266,700  | Children under 6  | 29.9 %    | County of Residence  | 3,874                                       |
| Projection Year 2020         | 322,700  | Persons aged 65+  | 10.7 %    | County of Occurrence   | 3,157                                       |
| <b>AGE (2000)</b>            |          |   |           | Birth Rate (births per 1,000 population)                       | 18.1  |
| Under Age 5                  | 8.9%     | Whites  | 11.4 %    | Fertility rate (births per 1,000 women aged 15-44, 98-00 avg.) | 81.2  |
| Age 5-17                     | 25.6%    | Blacks  | 31.3 %    | Low birthweight (under 2,500 grams)                            | 6.2 %                                       |
| Age 18-64                    | 56.0%    | Hispanics   | 27.5 %    |  |   |
|                              |          | Asian/Pacific Islanders                                       | 37.9 %    |  |   |
|                              |          | American Indian   | 22.6 %    |  |   |
|                              |          | <b>HOUSING VALUE (2000)</b>                                   |           |  |   |
| Age 65+                      | 9.5%     | Median housing-unit value                                     | \$111,100 | Very low birthweight (under 1,500 grams)                       | 1.2 %                                       |
| <b>SEX (2000)</b>            |          | <b>CALWORKS (2002)</b>  |           |  |   |
| Females                      | 50.2%    | CalWorks enrollees as a percent of county population          | 2.6 %     | Unmarried  | 38.1 %                                      |
| Males                        | 49.8%    |   |           | Cesarean section delivery                                      | 24.0 %                                      |
|                              |          | <b>SSI/SSP (2002)</b>   |           |  |   |
| <b>RACE/ETHNICITY (2000)</b> |          | SSI/SSP recipients as a percent of county population          |           | Mothers who gave birth outside county of residence             | 24.8 %                                      |
| White                        | 40.6%    |   |           |  |   |
| Black                        | 3.6%     | <b>UNEMPLOYMENT (2002)</b>                                    |           | Mothers with less than 12 years education                      | 39.3 %                                      |
| Hispanic                     | 45.3%    | Percent of civilian labor force unemployed                    |           | 18.2 %   |   |
|                              |          | <b>EDUCATION</b>  |           | Teenage mothers (<18)  | 5.9 %                                       |
| American Indian              | 0.5%     | Percent of persons aged 25+ not completing high-school (2000) |           | 36.2 %   |   |
| Asian/Pacific Islander       | 6.8%     | Enrollment K-12 (2001-2002)                                   |           | 55,081   | Mothers with no 1st trimester prenatal care |
|                              |          |   |           |  | 39.0 %                                      |
| <b>URBAN/RURAL (2000)</b>    |          | <b>PRINCIPAL PAYMENT SOURCE FOR BIRTH DELIVERIES</b>          |           | Percent of Births by Mother's Race/Ethnicity:                  |   |
| Urban                        | 83.1%    | Medi-Cal/other gov't  |           | 57.8 %   | White/Other                                 |
| Rural                        | 16.9%    | HMO and prepaid plans   |           | 7.1 %  | Black                                       |
|                              |          | Private insurance   |           | 31.3 %   | Hispanic                                    |
| <b>FAMILY INCOME (1999)</b>  |          |   |           |  | Asian/Pacific Islander                      |
| Median family income         | \$38,009 |   |           |  | American Indian                             |
|                              |          |   |           |  | Multiple Race                               |
|                              |          |   |           |  | 1.0 %                                       |

| DEATHS (2000)                                       |          | CAUSES OF DEATH (1999-2000 AVG.)                   |       | INFANT DEATHS (2000)  |       |
|---|----------|--|-------|---|-------|
| Number of Deaths By:                                |          | Deaths per 100,000 Population Due To:              |       | Number of Infant Deaths (Under 1 Year of Age) 19                |       |
| County of Residence                                 | 1,318    | Heart Disease                                      | 166.1 | Infant Death Rate (Deaths per 1,000 Live Births) 4.9            |       |
| County of Occurrence                                | 1,100    | All Malignant Neoplasms                            | 144.5 |   |       |
|   |          | Breast Cancer                                      | 27.8  |   |       |
|   |          | Lung Cancer  | 36.1  |   |       |
| Crude Death Rate (Deaths per 1,000 Population)      | 6.1      | Stroke   | 47.5  | <b>INFANT DEATH RATES (1999 BIRTH COHORT)</b>                   |       |
| <b>AGE-ADJUSTED DEATH RATE (1998-2000 AVERAGE)</b>  |          | Unintentional Injuries                             | 39.4  | Infant Deaths per 1,000 Live Births by Mother's Race/Ethnicity: |       |
| Age-Adjusted Deaths per 100,000 Population          | 852.2    | Pneumonia and Influenza                            | 14.7  | All Race/Ethnic Groups  | 4.1 * |
| <b>AGE-SPECIFIC DEATH RATES (1998-2000 AVERAGE)</b> |          | Chronic Lower Respiratory Disease                  | 44.6  | White   | N     |
| Deaths per 100,000 Population:                      |          | Acquired Immune Deficiency Syndrome                | 2.8 * | Black   | 0.0   |
| 1 to 4 Years Old                                    | 29.6 *   | Chronic Liver Disease/Cirrhosis                    | 10.4  | Hispanic  | 3.2 * |
| 5 to 14 Years Old                                   | 29.6 *   | Suicide  | 8.5 * | Asian, American Indian, Other                                   | N     |
| 15 to 24 Years Old                                  | 82.5     | Diabetes Mellitus                                  | 24.0  | <b>PERINATAL DEATHS (1999 BIRTH COHORT)</b>                     |       |
| 25 to 34 Years Old                                  | 96.3     | Homicide   | 5.9 * | Number of Perinatal Deaths (Neonatal Plus Fetal) 33             |       |
| 35 to 44 Years Old                                  | 206.2    | <b>FETAL AND NEONATAL DEATHS (2000)</b>            |       | Perinatal Death Rate by Mother's Race/Ethnicity:                |       |
| 45 to 54 Years Old                                  | 453.4    | Number of Fetal Deaths                             | 28    | All Race/Ethnic Groups  | 9.0   |
| 55 to 64 Years Old                                  | 1,105.9  | Fetal Death Ratio (Deaths per 1,000 Live Births)   | 7.2   | White   | 7.5 * |
| 65 to 74 Years Old                                  | 2,425.7  | Number of Neonatal Deaths (Under 28 Days of Age)   | 14    | Black   | 0.0   |
| 75 to 84 Years Old                                  | 5,274.8  | Neonatal Death Rate (Deaths per 1,000 Live Births) | 3.6 * | Hispanic  | 8.7   |
| Over 84 Years Old                                   | 14,617.7 |  |       | Asian, American Indian, Other                                   | N     |

| REPORTED COMMUNICABLE DISEASES<br>(1998-2000 AVERAGE)               |              |             | COUNTY HEALTH INDICATORS<br>(continued)                           |              | MEDI-CAL<br>(2000)   |        |
|---|--------------|-------------|---|--------------|--|--------|
| Number and Rate per 100,000 Population                              |              |             | Mortality Rate Per 100,000 Pop. (1999-2000 Avg.)                  |              | MEDI-CAL Deliveries by:  |        |
| <u>DISEASE</u>  | <u>CASES</u> | <u>RATE</u> | Work Related Injury Deaths  | 5.5          | County of Beneficiary  | 2,408  |
| Hepatitis   | 62.3         | 29.6        | Mortality Rate  | 3.0 *        |  |        |
| Measles   | 0.0          | 0.0         | Drug Related Deaths (1999-2000 Avg.)                              | 14.5         | Fee for Service  | 2,408  |
| Shigellosis   | 10.0         | 4.7 *       | Mortality Rate  | 8.1 *        | Managed Care   | 0      |
| Tuberculosis  | 9.7          | 4.6 *       | Homicide by Weapons (2000)  | 6            | MEDI-CAL Abortions by:   | 617    |
| Syphilis  | 5.3          | 2.5 *       | Homicide by Handguns  | 0            | (Resident beneficiary) FFS   |        |
| Chlamydia   | 456.0        | 216.4       | Kindergarten Students Needing One<br>or More Immunizations (2001) | 185<br>4.5 % | County Hospitals   | 3      |
| Gonorrhea   | 60.0         | 28.5        |   |              | Community Hospitals  | 23     |
| CUMULATIVE AIDS CASES AND INCIDENCE<br>1981 through January 2002    |              |             | MEDI-CAL DATA<br>(AVERAGE MONTHLY, 2000)                          |              | MEDI-CAL PHP ENROLLEES (2000)  |        |
|   |              |             | MEDI-CAL Users (FFS):   | 26,239       | Average Monthly Prepaid  |        |
| AIDS Cases  | 148          |             | Percent of County Population                                      | 12.5 %       | Health Plan Enrollees  | 0      |
| Number of deaths  | 91           |             | Percent of Eligibles (FFS)  | 47.2 %       | DENTI-CAL SERVICES (2000)  |        |
| Mortality (percent of AIDS cases<br>resulting in deaths)            | 61.0 %       |             | Total MEDI-CAL Eligibles:   | 55,547       | Average Monthly Users  | 2,596  |
| COUNTY HEALTH INDICATORS  |              |             | Percent of County Population                                      | 25.9 %       | MEDI-CAL/MEDICARE (2002)   |        |
|   |              |             | MEDI-CAL Payments (FFS) :   |              | Percent of MEDI-CAL Eligibles<br>Who are also eligible<br>for Medicare |        |
| Persons Injured in Traffic Accidents<br>County of Occurrence (2000) | 2,171        |             | Amount  | \$8,580,001  | 12.3 %   |        |
| Substance Abuse Admissions (2000)                                   |              |             | Amount per User   | \$326.99     | MEDI-CAL ENROLLEES (2000)  |        |
| Methamphetamine   | 387          |             | MEDI-CAL ELIGIBLES BY RACE/ETHNICITY<br>(2000)                    |              | TOTAL MEDICARE ENROLLEES   |        |
| Cocaine   | 100          |             | White   | 24.8 %       | Number   | 19,676 |
| Marijuana   | 301          |             | Black   | 6.4 %        | Percent of County Population   | 9.3 %  |
| Alcohol   | 288          |             | Hispanic  | 47.4 %       | Enrollees Aged 65+   |        |
|   |              |             | American Indian/Alaskan Native                                    | 0.3 %        | Number   | 16,872 |
|   |              |             | Asian/Pacific Islander  | 7.6 %        | Percent of County Population   | 8.0 %  |
|   |              |             | Not Reported  | 13.5 %       | Disability Beneficiaries:  |        |
|   |              |             |   |              | Number   | 2,804  |
|   |              |             |   |              | Percent of County Population   | 1.3 %  |

| PROGRAM CLIENTS/SERVICES   |        | HOSPITALS (2000)   | HOSPICE CARE   |
|--|--------|--|--|
| Percent Early Postpartum Breastfeeding Initiation 1998-2000 Average            | 77.4 % | Number of General Acute Care (GAC) Hospitals<br>4                    | Number of Freestanding Hospice Care Facilities (2000)<br>1                   |
| Family Planning Clients by All Funding Sources (2001)                          | 9,034  | Number of Licensed GAC Beds<br>327                                   | <b>HOSPITAL UTILIZATION (2000)</b>   |
| Women and Children Under Age 5 Receiving WIC Services (07/02)                  | 14,543 | Number of Licensed GAC Beds per 1,000 Population<br>1.6              | Number of GAC Discharges from GAC Hospitals<br>12,904                        |
| Child Health/Disability Prevention Screens (FY 2000-2001)                      | 22,740 | <b>LTC (2000)</b>  | Average GAC Occupancy Rate in GAC Hospitals<br>40.1                          |
| California Children's Services Cases (08/02)                                   | 1,736  | Number of Long Term Care Facilities and Hospitals with LTC Beds<br>8 | Average GAC Length of Stay in GAC Hospitals (days)<br>3.8                    |
| Developmental Disability Clients (08/02)                                       | 1,363  | Number of Licensed LTC Beds<br>562                                   | <b>LTC (2000)</b>  |
| Rehabilitation Clients (FY 2000-2001)  | 288    | Number of Licensed Beds per 1,000 Population<br>2.7                  | Number of LTC Discharges from LTC Facilities<br>921                          |
| State Mental Hospital Admissions (FY 2000-2001)                                | 21     | <b>PHYSICIANS (2001)</b>   | Average Occupancy Rate of LTC Facilities and Hospitals with LTC Beds<br>85.1 |
| Persons Receiving Preventive Health Care for the Aging Services (FY 2001-2002) |        | Number of Active Non-Federal Physicians<br>224                       | <b>COUNTY HEALTH COSTS (FY 2000-2001)</b>                                    |
| Assessment Clients   | 0      | Number of Persons per Physician<br>940                               | Estimated Net County Health Care Costs<br>\$8,096,002                        |
| Total Client Encounters  | 0      | <b>DENTISTS (2002)</b>   | Estimated Net County Cost per Capita<br>\$38.45                              |
|  |        | Number of Licensed Dentists (Non-Federal)<br>82                      |  |
|  |        | Number of Persons per Dentist<br>2,568                               |  |
|  |        | <b>CLINICS (2000)</b>  |  |
|  |        | Number of Licensed Community and Free Clinics<br>8                   |  |
|  |        | Number of Specialty Clinics<br>7                                     |  |
|  |        | <b>HOME HEALTH AGENCIES (2000)</b>                                   |  |
|  |        | Number of Licensed Home Health Agencies<br>7                         |  |

| TOTAL POPULATION       |          | PERCENT BELOW POVERTY LEVEL (1999)                            |        | LIVE BIRTHS (2000)   |        |
|------------------------|----------|---|--------|--|--------|
| Census Year 2000       | 9,449    | Total population  | 21.5 % | Number of Live Births By:                                      |        |
| Projection Year 2010   | 10,700   | Children under 6  | 31.9 % | County of Residence  | 80     |
| Projection Year 2020   | 11,500   | Persons aged 65+  | 8.6 %  | County of Occurrence   | 49     |
| AGE (2000)             |          |   |        | Birth Rate (births per 1,000 population)                       | 8.4    |
| Under Age 5            | 5.6%     | Whites  | 17.3 % | Fertility rate (births per 1,000 women aged 15-44, 98-00 avg.) | 38.9   |
| Age 5-17               | 20.1%    | Blacks  | 41.7 % | Low birthweight (under 2,500 grams)                            | 3.8 %  |
| Age 18-64              | 56.8%    | Hispanics   | 46.1 % |  |        |
| Age 65+                | 17.6%    | Asian/Pacific Islanders                                       | 21.2 % |  |        |
|                        |          | American Indian   | 41.8 % |  |        |
|                        |          | HOUSING VALUE (2000)  |        |  |        |
|                        |          | Median housing-unit value                                     | 69,100 | Very low birthweight (under 1,500 grams)                       | 0.0 %  |
| SEX (2000)             |          | CALWORKS (2002)   |        |  |        |
| Females                | 49.4%    | CalWorks enrollees as a percent of county population          | 1.8 %  | Unmarried  | 28.8 % |
| Males                  | 50.6%    |   |        | Cesarean section delivery                                      | 18.8 % |
|                        |          | SSI/SSP (2002)  |        |  |        |
| RACE/ETHNICITY (2000)  |          | SSI/SSP recipients as a percent of county population          |        | Mothers who gave birth outside county of residence             | 41.3 % |
| White                  | 81.1%    |   | 3.1 %  |  |        |
| Black                  | 0.6%     | UNEMPLOYMENT (2002)   |        | Mothers with less than 12 years education                      | 23.7 % |
| Hispanic               | 11.5%    | Percent of civilian labor force unemployed                    | 9.7 %  | Teenage mothers (<18)  | 3.8 %  |
| American Indian        | 3.6%     | EDUCATION   |        |  |        |
| Asian/Pacific Islander | 0.7%     | Percent of persons aged 25+ not completing high-school (2000) | 22.9 % | Mothers with no 1st trimester prenatal care                    | 21.8 % |
|                        |          | Enrollment K-12 (2001-2002)                                   | 2,407  |  |        |
| URBAN/RURAL (2000)     |          | PRINCIPAL PAYMENT SOURCE FOR BIRTH DELIVERIES                 |        | Percent of Births by Mother's Race/Ethnicity:                  |        |
| Urban                  | 30.6%    | Medi-Cal/other gov't  | 57.1 % | White/Other  | 77.5 % |
| Rural                  | 69.4%    |   |        | Black  | 0.0 %  |
| FAMILY INCOME (1999)   |          | HMO and prepaid plans   | 0.0 %  | Hispanic   | 13.8 % |
| Median family income   | \$35,978 | Private insurance   | 39.0 % | Asian/Pacific Islander   | 1.3 %  |
|                        |          |   |        | American Indian  | 3.8 %  |
|                        |          |   |        | Multiple Race  | 3.8 %  |



| REPORTED COMMUNICABLE DISEASES<br>(1998-2000 AVERAGE)               |              |             | COUNTY HEALTH INDICATORS<br>(continued)                           |        | MEDI-CAL<br>(2000)   |    |
|---|--------------|-------------|---|--------|--|----|
| Number and Rate per 100,000 Population                              |              |             | Mortality Rate Per 100,000 Pop. (1999-2000 Avg.)                  |        | MEDI-CAL Deliveries by:  |    |
| <u>DISEASE</u>  | <u>CASES</u> | <u>RATE</u> | Work Related Injury Deaths  | 0.0    | County of Beneficiary  | 43 |
| Hepatitis   | 0.7          | 6.4 *       | Mortality Rate  | 0.0    |  |    |
| Measles   | 0.0          | 0.0         | Drug Related Deaths (1999-2000 Avg.)                              | 1.0    | Fee for Service  | 43 |
| Shigellosis   | 0.0          | 0.0         | Mortality Rate  | 10.1 * | Managed Care   | 0  |
| Tuberculosis  | 0.7          | 6.4 *       | Homicide by Weapons (2000)  | 0      | MEDI-CAL Abortions by:   | 10 |
| Syphilis  | 0.0          | 0.0         | Homicide by Handguns  | 0      | (Resident beneficiary) FFS   |    |
| Chlamydia   | 7.0          | 67.4 *      | Kindergarten Students Needing One<br>or More Immunizations (2001) | 13     | County Hospitals   | 0  |
| Gonorrhea   | 0.7          | 6.4 *       |   | 8.6 %  | Community Hospitals  | 0  |
| CUMULATIVE AIDS CASES AND INCIDENCE<br>1981 through January 2002    |              |             | MEDI-CAL DATA<br>(AVERAGE MONTHLY, 2000)                          |        | MEDI-CAL PHP ENROLLEES (2000)  |    |
|   |              |             | MEDI-CAL Users (FFS):   |        | Average Monthly Prepaid  |    |
| AIDS Cases  | 1            |             | Percent of County Population                                      | 1,125  | Health Plan Enrollees  | 0  |
| Number of deaths  | 1            |             | Percent of Eligibles (FFS)  | 11.9 % | DENTI-CAL SERVICES (2000)  |    |
| Mortality (percent of AIDS cases<br>resulting in deaths)            | 100.0 %      |             | Total MEDI-CAL Eligibles:   | 55.9 % | Average Monthly Users  |    |
| COUNTY HEALTH INDICATORS  |              |             | Percent of County Population                                      |        | 21   |    |
|   |              |             | MEDI-CAL Payments (FFS) :   |        | MEDI-CAL/MEDICARE (2002)   |    |
| Persons Injured in Traffic Accidents<br>County of Occurrence (2000) | 99           |             | Amount  | 2,011  | Percent of MEDI-CAL Eligibles<br>Who are also eligible<br>for Medicare |    |
| Substance Abuse Admissions (2000)                                   |              |             | Amount per User   | 21.1 % | 16.7 %   |    |
| Methamphetamine   | 23           |             | MEDI-CAL ELIGIBLES BY RACE/ETHNICITY<br>(2000)                    |        | MEDI-CAL ENROLLEES (2000)  |    |
| Cocaine   | 1            |             | White   |        | TOTAL MEDICARE ENROLLEES   |    |
| Marijuana   | 10           |             | Black   |        | Number   |    |
| Alcohol   | 34           |             | Hispanic  | 76.6 % | 1,695  |    |
|   |              |             | American Indian/Alaskan Native                                    | 0.2 %  | Percent of County Population   |    |
|   |              |             | Asian/Pacific Islander  | 11.2 % | 17.9 %   |    |
|   |              |             | Not Reported  | 6.4 %  | Enrollees Aged 65+   |    |
|   |              |             |   | 11.2 % | Number   |    |
|   |              |             |   | 6.4 %  | 1,445  |    |
|   |              |             |   | 0.3 %  | Percent of County Population   |    |
|   |              |             |   | 5.3 %  | 15.3 %   |    |
|   |              |             |   |        | Disability Beneficiaries:  |    |
|   |              |             |   |        | Number   |    |
|   |              |             |   |        | 250  |    |
|   |              |             |   |        | Percent of County Population   |    |
|   |              |             |   |        | 2.6 %  |    |

| PROGRAM CLIENTS/SERVICES   |        | HOSPITALS (2000)  |       | HOSPICE CARE   |        |
|--|--------|---|-------|--|--------|
| Percent Early Postpartum Breastfeeding Initiation 1998-2000 Average            | 88.4 % | Number of General Acute Care (GAC) Hospitals                    | 0     | Number of Freestanding Hospice Care Facilities (2000)                | 0      |
| Family Planning Clients by All Funding Sources (2001)                          | 237    | Number of Licensed GAC Beds                                     | 0     | HOSPITAL UTILIZATION (2000)  |        |
|  |        | Number of Licensed GAC Beds per 1,000 Population                | 0.0   | Number of GAC Discharges from GAC Hospitals                          | 0      |
| Women and Children Under Age 5 Receiving WIC Services (07/02)                  | 240    | LTC (2000)  |       | Average GAC Occupancy Rate in GAC Hospitals                          | 0.0    |
|  |        | Number of Long Term Care Facilities and Hospitals with LTC Beds | 0     | Average GAC Length of Stay in GAC Hospitals (days)                   | 0.0    |
| Child Health/Disability Prevention Screens (FY 2000-2001)                      | 626    | Number of Licensed LTC Beds                                     | 0     | LTC (2000)   |        |
|  |        | Number of Licensed Beds per 1,000 Population                    | 0.0   | Number of LTC Discharges from LTC Facilities                         | 0      |
| California Children's Services Cases (08/02)                                   | 52     | PHYSICIANS (2001)   |       | Average Occupancy Rate of LTC Facilities and Hospitals with LTC Beds | 0.0    |
|  |        | Number of Active Non-Federal Physicians                         | 5     | COUNTY HEALTH COSTS (FY 2000-2001)                                   |        |
| Developmental Disability Clients (08/02)                                       | 50     | Number of Persons per Physician                                 | 1,890 | Estimated Net County Health Care Costs                               | DNR    |
|  |        | DENTISTS (2002)   |       | Estimated Net County Cost per Capita                                 | \$0.00 |
| Rehabilitation Clients (FY 2000-2001)  | 78     | Number of Licensed Dentists (Non-Federal)                       | 4     |  |        |
|  |        | Number of Persons per Dentist                                   | 2,362 |  |        |
| State Mental Hospital Admissions (FY 2000-2001)                                | 1      | CLINICS (2000)  |       |  |        |
|  |        | Number of Licensed Community and Free Clinics                   | 1     |  |        |
| Persons Receiving Preventive Health Care for the Aging Services (FY 2001-2002) | 0      | Number of Specialty Clinics                                     | 0     |  |        |
|  |        | HOME HEALTH AGENCIES (2000)                                     |       |  |        |
| Assessment Clients   | 0      | Number of Licensed Home Health Agencies                         | 1     |  |        |
| Total Client Encounters  | 0      |   |       |  |        |

| TOTAL POPULATION       |          | PERCENT BELOW POVERTY LEVEL (1999)                            |           | LIVE BIRTHS (2000)   |   |
|------------------------|----------|---|-----------|--|---|
| Census Year 2000       | 12,853   | Total population  | 11.5 %    | Number of Live Births By:                                      |   |
| Projection Year 2010   | 15,200   | Children under 6  | 11.6 %    | County of Residence  | 128   |
| Projection Year 2020   | 17,000   | Persons aged 65+  | 1.9 %     | County of Occurrence   | 82  |
| AGE (2000)             |          |   |           | Birth Rate (births per 1,000 population)                       | 9.7   |
| Under Age 5            | 5.7%     | Whites  | 8.7 %     | Fertility rate (births per 1,000 women aged 15-44, 98-00 avg.) | 59.0  |
| Age 5-17               | 17.3%    | Blacks  | 0.0 %     | Low birthweight (under 2,500 grams)                            | 1.6 %   |
| Age 18-64              | 69.4%    | Hispanics   | 21.2 %    | Very low birthweight (under 1,500 grams)                       | 0.0 %   |
| Age 65+                | 7.6%     | Asian/Pacific Islanders                                       | 0.0 %     |  |   |
|                        |          | American Indian   | 46.7 %    |  |   |
|                        |          | HOUSING VALUE (2000)  |           |  |   |
|                        |          | Median housing-unit value                                     | \$236,300 |  |   |
| SEX (2000)             |          | CALWORKS (2002)   |           |  |   |
| Females                | 45.1%    | CalWorks enrollees as a percent of county population          | 0.5 %     | Unmarried  | 21.9 %  |
| Males                  | 54.9%    |   |           | Cesarean section delivery                                      | 22.7 %  |
|                        |          | SSI/SSP (2002)  |           |  |   |
| RACE/ETHNICITY (2000)  |          | SSI/SSP recipients as a percent of county population          |           | Mothers who gave birth outside county of residence             | 40.6 %  |
| White                  | 76.5%    |   |           | Mothers with less than 12 years education                      | 25.0 %  |
| Black                  | 0.4%     | UNEMPLOYMENT (2002)   |           | Teenage mothers (<18)  | 3.1 %   |
| Hispanic               | 17.7%    | Percent of civilian labor force unemployed                    |           | 4.6 %  | Mothers with no 1st trimester prenatal care   |
| American Indian        | 2.1%     | EDUCATION   |           |  |   |
| Asian/Pacific Islander | 1.2%     | Percent of persons aged 25+ not completing high-school (2000) |           | 12.1 %   | Percent of Births by Mother's Race/Ethnicity: |
|                        |          | Enrollment K-12 (2001-2002)                                   |           | 2,307  | White/Other                                   |
| URBAN/RURAL (2000)     |          | PRINCIPAL PAYMENT SOURCE FOR BIRTH DELIVERIES                 |           |  |   |
| Urban                  | 45.4%    | Medi-Cal/other gov't  |           | 50.8 %   | Black   |
| Rural                  | 54.6%    | HMO and prepaid plans   |           | 1.6 %  | Hispanic                                      |
| FAMILY INCOME (1999)   |          | Private insurance   |           | 46.9 %   | Asian/Pacific Islander                        |
| Median family income   | \$50,487 |   |           |  |   |
|                        |          |   |           | American Indian  | 0.8 %   |
|                        |          |   |           | Multiple Race  | 0.8 %   |

| DEATHS (2000)                                       |           | CAUSES OF DEATH (1999-2000 AVG.)                   |         | INFANT DEATHS (2000)  |     |
|---|-----------|--|---------|---|-----|
| Number of Deaths By:                                |           | Deaths per 100,000 Population Due To:              |         | Number of Infant Deaths (Under 1 Year of Age)                   | 1   |
| County of Residence                                 | 48        | Heart Disease                                      | 69.9 *  | Infant Death Rate (Deaths per 1,000 Live Births)                | N   |
| County of Occurrence                                | 38        | All Malignant Neoplasms                            | 111.8 * |   |     |
|   |           | Breast Cancer                                      | 20.2 *  |   |     |
|   |           | Lung Cancer  | 28.0 *  |   |     |
| Crude Death Rate (Deaths per 1,000 Population)      | 3.7       | Stroke   | 23.3 *  | <b>INFANT DEATH RATES (1999 BIRTH COHORT)</b>                   |     |
| <b>AGE-ADJUSTED DEATH RATE (1998-2000 AVERAGE)</b>  |           | Unintentional Injuries                             | 46.6 *  | Infant Deaths per 1,000 Live Births by Mother's Race/Ethnicity: |     |
| Age-Adjusted Deaths per 100,000 Population          | 474.7 *   | Pneumonia and Influenza                            | 9.3 *   | All Race/Ethnic Groups  | N   |
| <b>AGE-SPECIFIC DEATH RATES (1998-2000 AVERAGE)</b> |           | Chronic Lower Respiratory Disease                  | 18.6 *  | White   | N   |
| Deaths per 100,000 Population:                      |           | Acquired Immune Deficiency Syndrome                | 4.7 *   | Black   | 0.0 |
| 1 to 4 Years Old                                    | 0.0       | Chronic Liver Disease/Cirrhosis                    | 18.6 *  | Hispanic  | 0.0 |
| 5 to 14 Years Old                                   | 42.3 *    | Suicide  | 0.0     | Asian, American Indian, Other                                   | 0.0 |
| 15 to 24 Years Old                                  | 53.2 *    | Diabetes Mellitus                                  | 9.3 *   | <b>PERINATAL DEATHS (1999 BIRTH COHORT)</b>                     |     |
| 25 to 34 Years Old                                  | 74.6 *    | Homicide   | 4.7 *   | Number of Perinatal Deaths (Neonatal Plus Fetal)                | 1   |
| 35 to 44 Years Old                                  | 193.2 *   | <b>FETAL AND NEONATAL DEATHS (2000)</b>            |         | Perinatal Death Rate by Mother's Race/Ethnicity:                |     |
| 45 to 54 Years Old                                  | 238.0 *   | Number of Fetal Deaths                             | 1       | All Race/Ethnic Groups  | N   |
| 55 to 64 Years Old                                  | 562.4 *   | Fetal Death Ratio (Deaths per 1,000 Live Births)   | N       | White   | N   |
| 65 to 74 Years Old                                  | 800.0 *   | Number of Neonatal Deaths (Under 28 Days of Age)   | 1       | Black   | 0.0 |
| 75 to 84 Years Old                                  | 4,267.6 * | Neonatal Death Rate (Deaths per 1,000 Live Births) | N       | Hispanic  | 0.0 |
| Over 84 Years Old                                   | 5,555.6 * |  |         | Asian, American Indian, Other                                   | 0.0 |

| REPORTED COMMUNICABLE DISEASES<br>(1998-2000 AVERAGE)               |              |             | COUNTY HEALTH INDICATORS<br>(continued)                           |           | MEDI-CAL<br>(2000)   |    |
|---|--------------|-------------|---|-----------|--|----|
| Number and Rate per 100,000 Population                              |              |             | Mortality Rate Per 100,000 Pop. (1999-2000 Avg.)                  |           | MEDI-CAL Deliveries by:  |    |
| <u>DISEASE</u>  | <u>CASES</u> | <u>RATE</u> | Work Related Injury Deaths  | 1.0       | County of Beneficiary  | 64 |
| Hepatitis   | 1.3          | 12.4 *      | Mortality Rate  | 9.0 *     |  |    |
| Measles   | 0.0          | 0.0         | Drug Related Deaths (1999-2000 Avg.)                              | 0.0       | Fee for Service  | 64 |
| Shigellosis   | 1.0          | 9.3 *       | Mortality Rate  | 0.0       | Managed Care   | 0  |
| Tuberculosis  | 0.0          | 0.0         | Homicide by Weapons (2000)  | 1         | MEDI-CAL Abortions by:   | 21 |
| Syphilis  | 0.0          | 0.0         | Homicide by Handguns  | 1         | (Resident beneficiary) FFS   |    |
| Chlamydia   | 16.7         | 155.3 *     | Kindergarten Students Needing One<br>or More Immunizations (2001) | 8         | County Hospitals   | 0  |
| Gonorrhea   | 1.0          | 9.3 *       |   | 5.3 %     | Community Hospitals  | 9  |
| CUMULATIVE AIDS CASES AND INCIDENCE<br>1981 through January 2002    |              |             | MEDI-CAL DATA<br>(AVERAGE MONTHLY, 2000)                          |           | MEDI-CAL PHP ENROLLEES (2000)  |    |
|   |              |             | MEDI-CAL Users (FFS):   |           | Average Monthly Prepaid  |    |
| AIDS Cases  | 5            |             | Percent of County Population                                      | 353       | Health Plan Enrollees  | 0  |
| Number of deaths  | 3            |             | Percent of Eligibles (FFS)  | 2.7 %     | DENTI-CAL SERVICES (2000)  |    |
| Mortality (percent of AIDS cases<br>resulting in deaths)            | 60.0 %       |             | Total MEDI-CAL Eligibles:   | 49.4 %    | Average Monthly Users  |    |
| COUNTY HEALTH INDICATORS  |              |             | Percent of County Population                                      |           | 8  |    |
|   |              |             | MEDI-CAL Payments (FFS) :   |           | MEDI-CAL/MEDICARE (2002)   |    |
| Persons Injured in Traffic Accidents<br>County of Occurrence (2000) | 179          |             | Amount  | \$176,555 | Percent of MEDI-CAL Eligibles<br>Who are also eligible<br>for Medicare |    |
| Substance Abuse Admissions (2000)                                   |              |             | Amount per User   | \$500.16  | 11.5 %   |    |
| Methamphetamine   | 19           |             | MEDI-CAL ELIGIBLES BY RACE/ETHNICITY<br>(2000)                    |           | MEDI-CAL ENROLLEES (2000)  |    |
| Cocaine   | 7            |             | White   | 54.9 %    | TOTAL MEDICARE ENROLLEES   |    |
| Marijuana   | 20           |             | Black   | 0.6 %     | Number   |    |
| Alcohol   | 128          |             | Hispanic  | 29.1 %    | 833  |    |
|   |              |             | American Indian/Alaskan Native                                    | 8.3 %     | Percent of County Population   |    |
|   |              |             | Asian/Pacific Islander  | 1.0 %     | 6.5 %  |    |
|   |              |             | Not Reported  | 6.1 %     | Enrollees Aged 65+   |    |
|   |              |             |   |           | Number   |    |
|   |              |             |   |           | 740  |    |
|   |              |             |   |           | Percent of County Population   |    |
|   |              |             |   |           | 5.8 %  |    |
|   |              |             |   |           | Disability Beneficiaries:  |    |
|   |              |             |   |           | Number   |    |
|   |              |             |   |           | 93   |    |
|   |              |             |   |           | Percent of County Population   |    |
|   |              |             |   |           | 0.7 %  |    |

| PROGRAM CLIENTS/SERVICES   |        | HOSPITALS (2000)  |       | HOSPICE CARE   |        |
|--|--------|---|-------|--|--------|
| Percent Early Postpartum Breastfeeding Initiation 1998-2000 Average            | 89.9 % | Number of General Acute Care (GAC) Hospitals                    | 1     | Number of Freestanding Hospice Care Facilities (2000)                | 0      |
| Family Planning Clients by All Funding Sources (2001)                          | 573    | Number of Licensed GAC Beds                                     | 15    | HOSPITAL UTILIZATION (2000)  |        |
|  |        | Number of Licensed GAC Beds per 1,000 Population                | 1.2   | Number of GAC Discharges from GAC Hospitals                          | 530    |
| Women and Children Under Age 5 Receiving WIC Services (07/02)                  | 388    | LTC (2000)  |       | Average GAC Occupancy Rate in GAC Hospitals                          | 23.3   |
|  |        | Number of Long Term Care Facilities and Hospitals with LTC Beds | 0     | Average GAC Length of Stay in GAC Hospitals (days)                   | 2.4    |
| Child Health/Disability Prevention Screens (FY 2000-2001)                      | 568    | Number of Licensed LTC Beds                                     | 0     | LTC (2000)   |        |
|  |        | Number of Licensed Beds per 1,000 Population                    | 0.0   | Number of LTC Discharges from LTC Facilities                         | 0      |
| California Children's Services Cases (08/02)                                   | 81     | PHYSICIANS (2001)   |       | Average Occupancy Rate of LTC Facilities and Hospitals with LTC Beds | 0.0    |
|  |        | Number of Active Non-Federal Physicians                         | 30    | COUNTY HEALTH COSTS (FY 2000-2001)                                   |        |
| Developmental Disability Clients (08/02)                                       | 50     | Number of Persons per Physician                                 | 428   | Estimated Net County Health Care Costs                               | DNR    |
|  |        | DENTISTS (2002)   |       | Estimated Net County Cost per Capita                                 | \$0.00 |
| Rehabilitation Clients (FY 2000-2001)  | 3      | Number of Licensed Dentists (Non-Federal)                       | 7     |  |        |
|  |        | Number of Persons per Dentist                                   | 1,836 |  |        |
| State Mental Hospital Admissions (FY 2000-2001)                                | 0      | CLINICS (2000)  |       |  |        |
|  |        | Number of Licensed Community and Free Clinics                   | 0     |  |        |
| Persons Receiving Preventive Health Care for the Aging Services (FY 2001-2002) | 0      | Number of Specialty Clinics                                     | 0     |  |        |
|  |        | HOME HEALTH AGENCIES (2000)                                     |       |  |        |
| Assessment Clients   | 0      | Number of Licensed Home Health Agencies                         | 0     |  |        |
| Total Client Encounters  | 0      |   |       |  |        |

| TOTAL POPULATION       |          | PERCENT BELOW POVERTY LEVEL (1999)                            |           | LIVE BIRTHS (2000)   |        |
|------------------------|----------|---|-----------|--|--------|
| Census Year 2000       | 401,762  | Total population  | 13.5 %    | Number of Live Births By:                                      |        |
| Projection Year 2010   | 493,100  | Children under 6  | 18.3 %    | County of Residence  | 6,900  |
| Projection Year 2020   | 590,700  | Persons aged 65+  | 6.8 %     | County of Occurrence   | 6,444  |
| AGE (2000)             |          |   |           | Birth Rate (births per 1,000 population)                       | 16.9   |
| Under Age 5            | 7.8%     | Whites  | 6.2 %     | Fertility rate (births per 1,000 women aged 15-44, 98-00 avg.) | 87.3   |
| Age 5-17               | 20.6%    | Blacks  | 16.2 %    | Low birthweight (under 2,500 grams)                            | 5.6 %  |
| Age 18-64              | 61.6%    | Hispanics   | 20.3 %    | Very low birthweight (under 1,500 grams)                       | 1.1 %  |
| Age 65+                | 10.0%    | Asian/Pacific Islanders                                       | 10.4 %    | Unmarried  | 35.7 % |
|                        |          | American Indian   | 22.4 %    | Cesarean section delivery                                      | 21.9 % |
|                        |          | HOUSING VALUE (2000)  |           | Mothers who gave birth outside county of residence             | 7.7 %  |
|                        |          | Median housing-unit value                                     | \$265,800 | Mothers with less than 12 years education                      | 46.7 % |
| SEX (2000)             |          | CALWORKS (2002)   |           | Teenage mothers (<18)  | 4.6 %  |
| Females                | 48.2%    | CalWorks enrollees as a percent of county population          | 1.1 %     | Mothers with no 1st trimester prenatal care                    | 21.4 % |
| Males                  | 51.8%    | SSI/SSP (2002)  |           | Percent of Births by Mother's Race/Ethnicity:                  |        |
| RACE/ETHNICITY (2000)  |          | SSI/SSP recipients as a percent of county population          | 2.1 %     | White/Other  | 22.4 % |
| White                  | 40.3%    | UNEMPLOYMENT (2002)   |           | Black  | 1.8 %  |
| Black                  | 3.5%     | Percent of civilian labor force unemployed                    | 15.5 %    | Hispanic   | 68.8 % |
| Hispanic               | 46.8%    | EDUCATION   |           | Asian/Pacific Islander   | 5.2 %  |
| American Indian        | 0.4%     | Percent of persons aged 25+ not completing high-school (2000) | 31.6 %    | American Indian  | 0.2 %  |
| Asian/Pacific Islander | 6.2%     | Enrollment K-12 (2001-2002)                                   | 78,793    | Multiple Race  | 1.0 %  |
| URBAN/RURAL (2000)     |          | PRINCIPAL PAYMENT SOURCE FOR BIRTH DELIVERIES                 |           |  |        |
| Urban                  | 89.2%    | Medi-Cal/other gov't  | 57.9 %    |  |        |
| Rural                  | 10.8%    | HMO and prepaid plans   | 1.5 %     |  |        |
| FAMILY INCOME (1999)   |          | Private insurance   | 39.3 %    |  |        |
| Median family income   | \$51,169 |   |           |  |        |

| DEATHS (2000)                                  |          | CAUSES OF DEATH (1999-2000 AVG.)                   |       | INFANT DEATHS (2000)  |       |
|--|----------|--|-------|---|-------|
| Number of Deaths By:                           |          | Deaths per 100,000 Population Due To:              |       | Number of Infant Deaths (Under 1 Year of Age) 39                |       |
| County of Residence                            | 2,344    | Heart Disease                                      | 159.2 | Infant Death Rate (Deaths per 1,000 Live Births) 5.7            |       |
| County of Occurrence                           | 2,272    | All Malignant Neoplasms                            | 143.2 |   |       |
|  |          | Breast Cancer                                      | 22.1  |   |       |
|  |          | Lung Cancer  | 38.1  |   |       |
| Crude Death Rate (Deaths per 1,000 Population) | 5.7      | Stroke   | 47.3  | INFANT DEATH RATES (1999 BIRTH COHORT)                          |       |
| AGE-ADJUSTED DEATH RATE (1998-2000 AVERAGE)    |          | Unintentional Injuries                             | 25.7  | Infant Deaths per 1,000 Live Births by Mother's Race/Ethnicity: |       |
| Age-Adjusted Deaths per 100,000 Population     | 737.7    | Pneumonia and Influenza                            | 16.6  | All Race/Ethnic Groups  | 4.2   |
| AGE-SPECIFIC DEATH RATES (1998-2000 AVERAGE)   |          | Chronic Lower Respiratory Disease                  | 35.2  | White   | 7.3 * |
| Deaths per 100,000 Population:                 |          | Acquired Immune Deficiency Syndrome                | 2.2 * | Black   | N     |
| 1 to 4 Years Old                               | 14.1 *   | Chronic Liver Disease/Cirrhosis                    | 9.5   | Hispanic  | 2.9 * |
| 5 to 14 Years Old                              | 12.8 *   | Suicide  | 6.3   | Asian, American Indian, Other                                   | N     |
| 15 to 24 Years Old                             | 75.5     | Diabetes Mellitus                                  | 15.9  | PERINATAL DEATHS (1999 BIRTH COHORT)                            |       |
| 25 to 34 Years Old                             | 71.5     | Homicide   | 7.0   | Number of Perinatal Deaths (Neonatal Plus Fetal) 65             |       |
|  |          | FETAL AND NEONATAL DEATHS (2000)                   |       | Perinatal Death Rate by Mother's Race/Ethnicity:                |       |
| 35 to 44 Years Old                             | 129.6    | Number of Fetal Deaths                             | 27    | All Race/Ethnic Groups  | 9.6   |
| 45 to 54 Years Old                             | 331.7    | Fetal Death Ratio (Deaths per 1,000 Live Births)   | 3.9   | White   | 14.0  |
| 55 to 64 Years Old                             | 778.3    | Number of Neonatal Deaths (Under 28 Days of Age)   | 30    | Black   | N     |
| 65 to 74 Years Old                             | 2,056.3  | Neonatal Death Rate (Deaths per 1,000 Live Births) | 4.3   | Hispanic  | 8.4   |
| 75 to 84 Years Old                             | 5,099.9  |  |       | Asian, American Indian, Other                                   | N     |
| Over 84 Years Old                              | 13,489.1 |  |       |   |       |

| REPORTED COMMUNICABLE DISEASES<br>(1998-2000 AVERAGE)               |              |             | COUNTY HEALTH INDICATORS<br>(continued)                           |              | MEDI-CAL<br>(2000)   |        |
|---|--------------|-------------|---|--------------|--|--------|
| Number and Rate per 100,000 Population                              |              |             | Mortality Rate Per 100,000 Pop. (1999-2000 Avg.)                  |              | MEDI-CAL Deliveries by:  |        |
| <u>DISEASE</u>  | <u>CASES</u> | <u>RATE</u> | Work Related Injury Deaths  | 9.0          | County of Beneficiary  | 3,760  |
| Hepatitis   | 60.3         | 15.3        | Mortality Rate  | 2.4 *        |  |        |
| Measles   | 0.3          | 0.1 *       | Drug Related Deaths (1999-2000 Avg.)                              | 28.5         | Fee for Service  | 2,429  |
| Shigellosis   | 38.0         | 9.6         | Mortality Rate  | 7.8          | Managed Care   | 1,331  |
| Tuberculosis  | 43.3         | 11.0        | Homicide by Weapons (2000)  | 25           | MEDI-CAL Abortions by:   | 1,043  |
| Syphilis  | 1.3          | 0.3 *       | Homicide by Handguns  | 16           | (Resident beneficiary) FFS   |        |
| Chlamydia   | 892.0        | 225.7       | Kindergarten Students Needing One<br>or More Immunizations (2001) | 255<br>4.1 % | County Hospitals   | 40     |
| Gonorrhea   | 88.7         | 22.4        |   |              | Community Hospitals  | 25     |
| CUMULATIVE AIDS CASES AND INCIDENCE<br>1981 through January 2002    |              |             | MEDI-CAL DATA<br>(AVERAGE MONTHLY, 2000)                          |              | MEDI-CAL PHP ENROLLEES (2000)  |        |
| AIDS Cases  | 799          |             | MEDI-CAL Users (FFS):   | 13,677       | Average Monthly Prepaid  |        |
| Number of deaths  | 446          |             | Percent of County Population                                      | 3.4 %        | Health Plan Enrollees  | 0      |
| Mortality (percent of AIDS cases<br>resulting in deaths)            | 56.0 %       |             | Percent of Eligibles (FFS)  | 102.1 %*     | DENTI-CAL SERVICES (2000)  |        |
| COUNTY HEALTH INDICATORS  |              |             | Total MEDI-CAL Eligibles:   | 51,567       | Average Monthly Users  | 2,319  |
| Persons Injured in Traffic Accidents<br>County of Occurrence (2000) | 2,908        |             | Percent of County Population                                      | 12.6 %       | MEDI-CAL/MEDICARE (2002)   |        |
| Substance Abuse Admissions (2000)                                   |              |             | MEDI-CAL Payments (FFS) :   |              | Percent of MEDI-CAL Eligibles<br>Who are also eligible<br>for Medicare |        |
| Methamphetamine   | 230          |             | Amount  | \$5,331,112  | 15.5 %   |        |
| Cocaine   | 271          |             | Amount per User   | \$389.79     | MEDI-CAL ENROLLEES (2000)  |        |
| Marijuana   | 74           |             |   |              | TOTAL MEDICARE ENROLLEES   |        |
| Alcohol   | 495          |             | MEDI-CAL ELIGIBLES BY RACE/ETHNICITY<br>(2000)                    |              | Number   | 42,773 |
|   |              |             | White   | 18.2 %       | Percent of County Population   | 10.6 % |
|   |              |             | Black   | 3.7 %        | Enrollees Aged 65+   |        |
|   |              |             | Hispanic  | 63.6 %       | Number   | 38,089 |
|   |              |             | American Indian/Alaskan Native                                    | 0.2 %        | Percent of County Population   | 9.5 %  |
|   |              |             | Asian/Pacific Islander  | 3.1 %        | Disability Beneficiaries:  |        |
|   |              |             | Not Reported  | 11.3 %       | Number   | 4,684  |
|   |              |             |   |              | Percent of County Population   | 1.2 %  |

| PROGRAM CLIENTS/SERVICES   |        | HOSPITALS (2000)  | HOSPICE CARE   |
|--|--------|---|--|
| Percent Early Postpartum Breastfeeding Initiation 1998-2000 Average            | 91.8 % | Number of General Acute Care (GAC) Hospitals<br>4                     | Number of Freestanding Hospice Care Facilities (2000)<br>4   |
| Family Planning Clients by All Funding Sources (2001)                          | 16,851 | Number of Licensed GAC Beds<br>491                                    | <b>HOSPITAL UTILIZATION (2000)</b><br>Number of GAC Discharges from GAC Hospitals<br>33,130<br><br>Average GAC Occupancy Rate in GAC Hospitals<br>70.3         |
|  |        | Number of Licensed GAC Beds per 1,000 Population<br>1.2               |  |
| Women and Children Under Age 5 Receiving WIC Services (07/02)                  | 20,018 | <b>LTC (2000)</b>   |  |
|  |        | Number of Long Term Care Facilities and Hospitals with LTC Beds<br>15 | Average GAC Length of Stay in GAC Hospitals (days)<br>3.8  |
| Child Health/Disability Prevention Screens (FY 2000-2001)                      | 16,441 | Number of Licensed LTC Beds<br>1,065                                  | <b>LTC (2000)</b><br>Number of LTC Discharges from LTC Facilities<br>2,204<br><br>Average Occupancy Rate of LTC Facilities and Hospitals with LTC Beds<br>88.0 |
|  |        | Number of Licensed Beds per 1,000 Population<br>2.7                   |  |
| California Children's Services Cases (08/02)                                   | 1,996  | <b>PHYSICIANS (2001)</b>  |  |
|  |        | Number of Active Non-Federal Physicians<br>799                        |  |
| Developmental Disability Clients (08/02)                                       | 1,290  | Number of Persons per Physician<br>503                                | <b>COUNTY HEALTH COSTS (FY 2000-2001)</b><br>Estimated Net County Health Care Costs<br>\$18,063,135<br><br>Estimated Net County Cost per Capita<br>\$44.96     |
|  |        |   |  |
| Rehabilitation Clients (FY 2000-2001)  | 867    | <b>DENTISTS (2002)</b>  |  |
|  |        | Number of Licensed Dentists (Non-Federal)<br>295                      |  |
| State Mental Hospital Admissions (FY 2000-2001)                                | 21     | Number of Persons per Dentist<br>1,362                                |  |
|  |        | <b>CLINICS (2000)</b>   |  |
| Persons Receiving Preventive Health Care for the Aging Services (FY 2001-2002) |        | Number of Licensed Community and Free Clinics<br>13                   |  |
|  |        | Number of Specialty Clinics<br>5                                      |  |
| Assessment Clients   | 0      | <b>HOME HEALTH AGENCIES (2000)</b>                                    |  |
| Total Client Encounters  | 0      | Number of Licensed Home Health Agencies<br>13                         |  |

| TOTAL POPULATION             |          | PERCENT BELOW POVERTY LEVEL (1999)                            |           | LIVE BIRTHS (2000)   |        |
|------------------------------|----------|---|-----------|--|--------|
| Census Year 2000             | 124,279  | Total population  | 8.3 %     | Number of Live Births By:                                      |        |
| Projection Year 2010         | 143,900  | Children under 6  | 12.1 %    | County of Residence  | 1,497  |
| Projection Year 2020         | 158,400  | Persons aged 65+  | 5.6 %     | County of Occurrence   | 1,233  |
| <b>AGE (2000)</b>            |          |   |           | Birth Rate (births per 1,000 population)                       | 11.9   |
| Under Age 5                  | 6.1%     | Whites  | 6.1 %     | Fertility rate (births per 1,000 women aged 15-44, 98-00 avg.) | 59.1   |
| Age 5-17                     | 18.1%    | Blacks  | 13.8 %    | Low birthweight (under 2,500 grams)                            | 5.3 %  |
| Age 18-64                    | 60.5%    | Hispanics   | 14.6 %    | Very low birthweight (under 1,500 grams)                       | 0.8 %  |
| Age 65+                      | 15.4%    | Asian/Pacific Islanders                                       | 4.4 %     | Unmarried  | 22.1 % |
|                              |          | American Indian   | 5.2 %     | Cesarean section delivery                                      | 20.1 % |
|                              |          | <b>HOUSING VALUE (2000)</b>                                   |           | Mothers who gave birth outside county of residence             | 30.3 % |
|                              |          | Median housing-unit value                                     | \$251,300 | Mothers with less than 12 years education                      | 29.0 % |
| <b>SEX (2000)</b>            |          | <b>CALWORKS (2002)</b>  |           | Teenage mothers (<18)  | 2.8 %  |
| Females                      | 50.1%    | CalWorks enrollees as a percent of county population          | 0.3 %     | Mothers with no 1st trimester prenatal care                    | 26.5 % |
| Males                        | 49.9%    | <b>SSI/SSP (2002)</b>   |           | Percent of Births by Mother's Race/Ethnicity:                  |        |
| <b>RACE/ETHNICITY (2000)</b> |          | SSI/SSP recipients as a percent of county population          | 1.5 %     | White/Other  | 48.8 % |
| White                        | 69.1%    | <b>UNEMPLOYMENT (2002)</b>                                    |           | Black  | 0.2 %  |
| Black                        | 1.2%     | Percent of civilian labor force unemployed                    | 4.0 %     | Hispanic   | 45.5 % |
| Hispanic                     | 23.7%    | <b>EDUCATION</b>  |           | Asian/Pacific Islander   | 3.8 %  |
| American Indian              | 0.5%     | Percent of persons aged 25+ not completing high-school (2000) | 19.6 %    | American Indian  | 0.3 %  |
| Asian/Pacific Islander       | 3.1%     | Enrollment K-12 (2001-2002)                                   | 22,520    | Multiple Race  | 1.1 %  |
| <b>URBAN/RURAL (2000)</b>    |          | <b>PRINCIPAL PAYMENT SOURCE FOR BIRTH DELIVERIES</b>          |           |  |        |
| Urban                        | 84.1%    | Medi-Cal/other gov't  | 29.9 %    |  |        |
| Rural                        | 15.9%    | HMO and prepaid plans   | 50.3 %    |  |        |
| <b>FAMILY INCOME (1999)</b>  |          | Private insurance   | 18.2 %    |  |        |
| Median family income         | \$61,410 |   |           |  |        |

| DEATHS (2000)                                       |          | CAUSES OF DEATH (1999-2000 AVG.)                   |        | INFANT DEATHS (2000)  |       |
|---|----------|--|--------|---|-------|
| Number of Deaths By:                                |          | Deaths per 100,000 Population Due To:              |        | Number of Infant Deaths (Under 1 Year of Age)                   | 6     |
| County of Residence                                 | 1,295    | Heart Disease                                      | 278.9  | Infant Death Rate (Deaths per 1,000 Live Births)                | 4.0 * |
| County of Occurrence                                | 1,349    | All Malignant Neoplasms                            | 229.8  |   |       |
|   |          | Breast Cancer                                      | 27.8 * |   |       |
|   |          | Lung Cancer  | 65.9   |   |       |
| Crude Death Rate (Deaths per 1,000 Population)      | 10.3     | Stroke   | 107.9  | <b>INFANT DEATH RATES (1999 BIRTH COHORT)</b>                   |       |
| <b>AGE-ADJUSTED DEATH RATE (1998-2000 AVERAGE)</b>  |          | Unintentional Injuries                             | 32.4   | Infant Deaths per 1,000 Live Births by Mother's Race/Ethnicity: |       |
| Age-Adjusted Deaths per 100,000 Population          | 788.9    | Pneumonia and Influenza                            | 48.4   | All Race/Ethnic Groups  | N     |
| <b>AGE-SPECIFIC DEATH RATES (1998-2000 AVERAGE)</b> |          | Chronic Lower Respiratory Disease                  | 61.5   | White   | 0.0   |
| Deaths per 100,000 Population:                      |          | Acquired Immune Deficiency Syndrome                | 3.2 *  | Black   | 0.0   |
| 1 to 4 Years Old                                    | 42.9 *   | Chronic Liver Disease/Cirrhosis                    | 14.8 * | Hispanic  | N     |
| 5 to 14 Years Old                                   | 10.1 *   | Suicide  | 6.0 *  | Asian, American Indian, Other                                   | 0.0   |
| 15 to 24 Years Old                                  | 60.1 *   | Diabetes Mellitus                                  | 23.6   | <b>PERINATAL DEATHS (1999 BIRTH COHORT)</b>                     |       |
| 25 to 34 Years Old                                  | 56.3 *   | Homicide   | 2.8 *  | Number of Perinatal Deaths (Neonatal Plus Fetal)                | 11    |
| 35 to 44 Years Old                                  | 151.5    | <b>FETAL AND NEONATAL DEATHS (2000)</b>            |        | Perinatal Death Rate by Mother's Race/Ethnicity:                |       |
| 45 to 54 Years Old                                  | 330.9    | Number of Fetal Deaths                             | 5      | All Race/Ethnic Groups  | 7.3 * |
| 55 to 64 Years Old                                  | 781.8    | Fetal Death Ratio (Deaths per 1,000 Live Births)   | 3.3 *  | White   | N     |
| 65 to 74 Years Old                                  | 2,100.6  | Number of Neonatal Deaths (Under 28 Days of Age)   | 2      | Black   | 0.0   |
| 75 to 84 Years Old                                  | 5,614.6  | Neonatal Death Rate (Deaths per 1,000 Live Births) | N      | Hispanic  | N     |
| Over 84 Years Old                                   | 15,304.1 |  |        | Asian, American Indian, Other                                   | 0.0   |

| REPORTED COMMUNICABLE DISEASES<br>(1998-2000 AVERAGE)               |              |             | COUNTY HEALTH INDICATORS<br>(continued)                           |              | MEDI-CAL<br>(2000)   |        |
|---|--------------|-------------|---|--------------|--|--------|
| Number and Rate per 100,000 Population                              |              |             | Mortality Rate Per 100,000 Pop. (1999-2000 Avg.)                  |              | MEDI-CAL Deliveries by:  |        |
| <u>DISEASE</u>  | <u>CASES</u> | <u>RATE</u> | Work Related Injury Deaths  | 2.0          | County of Beneficiary  | 468    |
| Hepatitis   | 10.0         | 8.0 *       | Mortality Rate  | 1.6 *        |  |        |
| Measles   | 0.0          | 0.0         | Drug Related Deaths (1999-2000 Avg.)                              | 6.5          | Fee for Service  | 192    |
| Shigellosis   | 11.0         | 8.8 *       | Mortality Rate  | 4.9 *        | Managed Care   | 276    |
| Tuberculosis  | 3.7          | 2.9 *       | Homicide by Weapons (2000)  | 3            | MEDI-CAL Abortions by:   | 121    |
| Syphilis  | 0.0          | 0.0         | Homicide by Handguns  | 1            | (Resident beneficiary) FFS   |        |
| Chlamydia   | 113.3        | 90.6        | Kindergarten Students Needing One<br>or More Immunizations (2001) | 121<br>7.7 % | County Hospitals   | 0      |
| Gonorrhea   | 14.0         | 11.2 *      |   |              | Community Hospitals  | 4      |
| CUMULATIVE AIDS CASES AND INCIDENCE<br>1981 through January 2002    |              |             | MEDI-CAL DATA<br>(AVERAGE MONTHLY, 2000)                          |              | MEDI-CAL PHP ENROLLEES (2000)  |        |
|   |              |             | MEDI-CAL Users (FFS):   | 1,386        | Average Monthly Prepaid  |        |
| AIDS Cases  | 199          |             | Percent of County Population                                      | 1.1 %        | Health Plan Enrollees  | 0      |
| Number of deaths  | 128          |             | Percent of Eligibles (FFS)  | 199.7 %*     | DENTI-CAL SERVICES (2000)  |        |
| Mortality (percent of AIDS cases<br>resulting in deaths)            | 64.0 %       |             | Total MEDI-CAL Eligibles:   | 8,251        | Average Monthly Users  | 354    |
| COUNTY HEALTH INDICATORS  |              |             | Percent of County Population                                      | 6.6 %        | MEDI-CAL/MEDICARE (2002)   |        |
|   |              |             | MEDI-CAL Payments (FFS) :   |              | Percent of MEDI-CAL Eligibles<br>Who are also eligible<br>for Medicare |        |
| Persons Injured in Traffic Accidents<br>County of Occurrence (2000) | 1,344        |             | Amount  | \$1,237,471  | 25.5 %   |        |
| Substance Abuse Admissions (2000)                                   |              |             | Amount per User   | \$892.84     | MEDICARE ENROLLEES (2000)  |        |
| Methamphetamine   | 202          |             | MEDI-CAL ELIGIBLES BY RACE/ETHNICITY<br>(2000)                    |              | TOTAL MEDICARE ENROLLEES   |        |
| Cocaine   | 17           |             | White   | 49.9 %       | Number   | 22,054 |
| Marijuana   | 99           |             | Black   | 1.8 %        | Percent of County Population   | 17.7 % |
| Alcohol   | 105          |             | Hispanic  | 38.2 %       | Enrollees Aged 65+   |        |
|   |              |             | American Indian/Alaskan Native                                    | 0.2 %        | Number   | 19,223 |
|   |              |             | Asian/Pacific Islander  | 1.3 %        | Percent of County Population   | 15.5 % |
|   |              |             | Not Reported  | 8.5 %        | Disability Beneficiaries:  |        |
|   |              |             |   |              | Number   | 2,831  |
|   |              |             |   |              | Percent of County Population   | 2.3 %  |

| PROGRAM CLIENTS/SERVICES   | HOSPITALS (2000)   | HOSPICE CARE   |  |
|--|--|--|--|
| Percent Early Postpartum Breastfeeding Initiation 1998-2000 Average            | Number of General Acute Care (GAC) Hospitals<br>2                    | Number of Freestanding Hospice Care Facilities (2000)<br>1                   |  |
| Family Planning Clients by All Funding Sources (2001)                          | Number of Licensed GAC Beds<br>275                                   | HOSPITAL UTILIZATION (2000)  |  |
| Women and Children Under Age 5 Receiving WIC Services (07/02)                  | Number of Licensed GAC Beds per 1,000 Population<br>2.2              | Number of GAC Discharges from GAC Hospitals<br>10,774                        |  |
| Child Health/Disability Prevention Screens (FY 2000-2001)                      | LTC (2000)   |  |  |
| California Children's Services Cases (08/02)                                   | Number of Long Term Care Facilities and Hospitals with LTC Beds<br>9 | Average GAC Occupancy Rate in GAC Hospitals<br>58.3                          |  |
| Developmental Disability Clients (08/02)                                       | Number of Licensed LTC Beds<br>674                                   | Average GAC Length of Stay in GAC Hospitals (days)<br>5.2                    |  |
| Rehabilitation Clients (FY 2000-2001)  | LTC (2000)   |  |  |
| State Mental Hospital Admissions (FY 2000-2001)                                | Number of Licensed Beds per 1,000 Population<br>5.4                  | Number of LTC Discharges from LTC Facilities<br>1,356                        |  |
| Persons Receiving Preventive Health Care for the Aging Services (FY 2001-2002) | PHYSICIANS (2001)  |  |  |
| Assessment Clients   | Number of Active Non-Federal Physicians<br>444                       | Average Occupancy Rate of LTC Facilities and Hospitals with LTC Beds<br>82.1 |  |
| Total Client Encounters  | Number of Persons per Physician<br>280                               | COUNTY HEALTH COSTS (FY 2000-2001)   |  |
|  | DENTISTS (2002)  |  |  |
|  | Number of Licensed Dentists (Non-Federal)<br>104                     | Estimated Net County Health Care Costs<br>DNR                                |  |
|  | Number of Persons per Dentist<br>1,195                               | Estimated Net County Cost per Capita<br>\$0.00                               |  |
|  | CLINICS (2000)   |  |  |
|  | Number of Licensed Community and Free Clinics<br>2                   |  |  |
|  | Number of Specialty Clinics<br>3                                     |  |  |
|  | HOME HEALTH AGENCIES (2000)  |  |  |
|  | Number of Licensed Home Health Agencies<br>3                         |  |  |

| TOTAL POPULATION       |          | PERCENT BELOW POVERTY LEVEL (1999)                            |        | LIVE BIRTHS (2000)   |        |
|------------------------|----------|---|--------|--|--------|
| Census Year 2000       | 92,033   | Total population  | 8.1 %  | Number of Live Births By:                                      |        |
| Projection Year 2010   | 117,300  | Children under 6  | 9.9 %  | County of Residence  | 759    |
| Projection Year 2020   | 133,200  | Persons aged 65+  | 4.9 %  | County of Occurrence   | 950    |
| AGE (2000)             |          | HOUSING VALUE (2000)  |        | Birth Rate (births per 1,000 population)                       | 8.2    |
| Under Age 5            | 4.7%     | Whites  | 7.6 %  | Fertility rate (births per 1,000 women aged 15-44, 98-00 avg.) | 44.1   |
| Age 5-17               | 18.4%    | Blacks  | 12.3 % | Low birthweight (under 2,500 grams)                            | 4.7 %  |
| Age 18-64              | 59.4%    | Hispanics   | 10.9 % | Very low birthweight (under 1,500 grams)                       | 0.5 %  |
| Age 65+                | 17.4%    | Asian/Pacific Islanders                                       | 12.9 % | Unmarried  | 24.8 % |
|                        |          | American Indian   | 12.0 % | Cesarean section delivery                                      | 19.0 % |
| SEX (2000)             |          | CALWORKS (2002)   |        | Mothers who gave birth outside county of residence             | 18.8 % |
| Females                | 50.4%    | CalWorks enrollees as a percent of county population          | 0.5 %  | Mothers with less than 12 years education                      | 15.2 % |
| Males                  | 49.6%    | SSI/SSP (2002)  |        | Teenage mothers (<18)  | 2.0 %  |
| RACE/ETHNICITY (2000)  |          | SSI/SSP recipients as a percent of county population          | 1.6 %  | Mothers with no 1st trimester prenatal care                    | 18.9 % |
| White                  | 90.3%    | UNEMPLOYMENT (2002)   |        | Percent of Births by Mother's Race/Ethnicity:                  |        |
| Black                  | 0.3%     | Percent of civilian labor force unemployed                    | 4.8 %  | White/Other  | 81.8 % |
| Hispanic               | 5.7%     | EDUCATION   |        | Black  | 0.0 %  |
| American Indian        | 0.7%     | Percent of persons aged 25+ not completing high-school (2000) | 9.7 %  | Hispanic   | 13.4 % |
| Asian/Pacific Islander | 0.8%     | Enrollment K-12 (2001-2002)                                   | 15,880 | Asian/Pacific Islander   | 2.2 %  |
| URBAN/RURAL (2000)     |          | PRINCIPAL PAYMENT SOURCE FOR BIRTH DELIVERIES                 |        | American Indian  | 0.4 %  |
| Urban                  | 56.7%    | Medi-Cal/other gov't  | 33.8 % | Multiple Race  | 1.7 %  |
| Rural                  | 43.3%    | FAMILY INCOME (1999)  |        |  |        |
| Median family income   | \$52,697 | HMO and prepaid plans   | 6.9 %  |  |        |
|                        |          | Private insurance   | 53.8 % |  |        |

| DEATHS (2000)                                  |          | CAUSES OF DEATH (1999-2000 AVG.)                   |        | INFANT DEATHS (2000)  |     |
|--|----------|--|--------|---|-----|
| Number of Deaths By:                           |          | Deaths per 100,000 Population Due To:              |        | Number of Infant Deaths (Under 1 Year of Age)                   | 1   |
| County of Residence                            | 858      | Heart Disease                                      | 235.1  | Infant Death Rate (Deaths per 1,000 Live Births)                | N   |
| County of Occurrence                           | 810      | All Malignant Neoplasms                            | 253.2  | INFANT DEATH RATES (1999 BIRTH COHORT)                          |     |
|  |          | Breast Cancer                                      | 31.4 * |   |     |
|  |          | Lung Cancer  | 75.0   | Infant Deaths per 1,000 Live Births by Mother's Race/Ethnicity: |     |
| Crude Death Rate (Deaths per 1,000 Population) | 9.2      | Stroke   | 92.0   | All Race/Ethnic Groups  | N   |
| AGE-ADJUSTED DEATH RATE (1998-2000 AVERAGE)    |          | Unintentional Injuries                             | 33.0   | White   | N   |
| Age-Adjusted Deaths per 100,000 Population     | 655.5    | Pneumonia and Influenza                            | 25.0   | Black   | 0.0 |
| AGE-SPECIFIC DEATH RATES (1998-2000 AVERAGE)   |          | Chronic Lower Respiratory Disease                  | 75.0   | Hispanic  | 0.0 |
| Deaths per 100,000 Population:                 |          | Acquired Immune Deficiency Syndrome                | 1.6 *  | Asian, American Indian, Other                                   | 0.0 |
| 1 to 4 Years Old                               | 27.2 *   | Chronic Liver Disease/Cirrhosis                    | 8.5 *  | PERINATAL DEATHS (1999 BIRTH COHORT)                            |     |
| 5 to 14 Years Old                              | 17.3 *   | Suicide  | 18.6 * |   |     |
| 15 to 24 Years Old                             | 59.6 *   | Diabetes Mellitus                                  | 12.2 * | Number of Perinatal Deaths (Neonatal Plus Fetal)                | 5   |
| 25 to 34 Years Old                             | 99.6 *   | Homicide   | 3.7 *  | Perinatal Death Rate by Mother's Race/Ethnicity:                |     |
|  |          | FETAL AND NEONATAL DEATHS (2000)                   |        | All Race/Ethnic Groups  | N   |
| 35 to 44 Years Old                             | 176.8    | Number of Fetal Deaths                             | 1      | White   | N   |
| 45 to 54 Years Old                             | 316.6    | Fetal Death Ratio (Deaths per 1,000 Live Births)   | N      | Black   | 0.0 |
| 55 to 64 Years Old                             | 732.7    | Number of Neonatal Deaths (Under 28 Days of Age)   | 1      | Hispanic  | N   |
| 65 to 74 Years Old                             | 1,599.6  | Neonatal Death Rate (Deaths per 1,000 Live Births) | N      | Asian, American Indian, Other                                   | 0.0 |
| 75 to 84 Years Old                             | 4,026.9  |  |        |   |     |
| Over 84 Years Old                              | 13,110.7 |  |        |   |     |

| REPORTED COMMUNICABLE DISEASES<br>(1998-2000 AVERAGE)               |              |             | COUNTY HEALTH INDICATORS<br>(continued)                           |             | MEDI-CAL<br>(2000)   |     |
|---|--------------|-------------|---|-------------|--|-----|
| Number and Rate per 100,000 Population                              |              |             | Mortality Rate Per 100,000 Pop. (1999-2000 Avg.)                  |             | MEDI-CAL Deliveries by:  |     |
| <u>DISEASE</u>  | <u>CASES</u> | <u>RATE</u> | Work Related Injury Deaths  | 2.0         | County of Beneficiary  | 277 |
| Hepatitis   | 7.0          | 7.4 *       | Mortality Rate  | 2.4 *       | Fee for Service  | 277 |
| Measles   | 0.0          | 0.0         | Drug Related Deaths (1999-2000 Avg.)                              | 6.0         | Managed Care   | 0   |
| Shigellosis   | 0.0          | 0.0         | Mortality Rate  | 6.3 *       | MEDI-CAL Abortions by:   | 130 |
| Tuberculosis  | 1.3          | 1.4 *       | Homicide by Weapons (2000)  | 1           | (Resident beneficiary) FFS   |     |
| Syphilis  | 0.3          | 0.4 *       | Homicide by Handguns  | 0           | County Hospitals   | 0   |
| Chlamydia   | 56.7         | 60.3        | Kindergarten Students Needing One<br>or More Immunizations (2001) | 84          | Community Hospitals  | 8   |
| Gonorrhea   | 2.3          | 2.5 *       |   | 8.8 %       | Clinics  | 52  |
|   |              |             | MEDI-CAL DATA<br>(AVERAGE MONTHLY, 2000)                          |             | MEDI-CAL PHP ENROLLEES (2000)  |     |
| CUMULATIVE AIDS CASES AND INCIDENCE<br>1981 through January 2002    |              |             | MEDI-CAL Users (FFS):   |             | Average Monthly Prepaid  |     |
| AIDS Cases  | 125          |             | Percent of County Population                                      | 3,775       | Health Plan Enrollees  | 0   |
| Number of deaths  | 64           |             | Percent of Eligibles (FFS)  | 4.1 %       | DENTI-CAL SERVICES (2000)  |     |
| Mortality (percent of AIDS cases<br>resulting in deaths)            | 51.0 %       |             | Total MEDI-CAL Eligibles:   | 59.9 %      | Average Monthly Users  |     |
|   |              |             | Percent of County Population                                      | 6,297       | 352  |     |
| COUNTY HEALTH INDICATORS  |              |             | MEDI-CAL Payments (FFS) :   |             | MEDI-CAL/MEDICARE (2002)   |     |
| Persons Injured in Traffic Accidents<br>County of Occurrence (2000) | 941          |             | Amount  | \$2,190,427 | Percent of MEDI-CAL Eligibles<br>Who are also eligible<br>for Medicare |     |
| Substance Abuse Admissions (2000)                                   |              |             | Amount per User   | \$580.25    | 27.0 %   |     |
| Methamphetamine   | 109          |             | MEDI-CAL ELIGIBLES BY RACE/ETHNICITY<br>(2000)                    |             | MEDICARE ENROLLEES (2000)  |     |
| Cocaine   | 7            |             | White   | 86.4 %      | TOTAL MEDICARE ENROLLEES   |     |
| Marijuana   | 46           |             | Black   | 0.4 %       | Number   |     |
| Alcohol   | 158          |             | Hispanic  | 4.8 %       | 16,371   |     |
|   |              |             | American Indian/Alaskan Native                                    | 0.7 %       | Percent of County Population   |     |
|   |              |             | Asian/Pacific Islander  | 0.7 %       | 17.8 %   |     |
|   |              |             | Not Reported  | 7.0 %       | Enrollees Aged 65+   |     |
|   |              |             |   |             | Number   |     |
|   |              |             |   |             | 14,672   |     |
|   |              |             |   |             | Percent of County Population   |     |
|   |              |             |   |             | 15.9 %   |     |
|   |              |             |   |             | Disability Beneficiaries:  |     |
|   |              |             |   |             | Number   |     |
|   |              |             |   |             | 1,699  |     |
|   |              |             |   |             | Percent of County Population   |     |
|   |              |             |   |             | 1.8 %  |     |

| PROGRAM CLIENTS/SERVICES   |        | HOSPITALS (2000)   | HOSPICE CARE   |
|--|--------|--|--|
| Percent Early Postpartum Breastfeeding Initiation 1998-2000 Average            | 93.1 % | Number of General Acute Care (GAC) Hospitals<br>1                    | Number of Freestanding Hospice Care Facilities (2000)<br>2   |
| Family Planning Clients by All Funding Sources (2001)                          | 2,502  | Number of Licensed GAC Beds<br>104                                   | <b>HOSPITAL UTILIZATION (2000)</b><br>Number of GAC Discharges from GAC Hospitals<br>6,306<br><br>Average GAC Occupancy Rate in GAC Hospitals<br>61.6        |
|  |        | Number of Licensed GAC Beds per 1,000 Population<br>1.1              |  |
| Women and Children Under Age 5 Receiving WIC Services (07/02)                  | 1,543  | <b>LTC (2000)</b>  |  |
|  |        | Number of Long Term Care Facilities and Hospitals with LTC Beds<br>5 | Average GAC Length of Stay in GAC Hospitals (days)<br>3.7  |
| Child Health/Disability Prevention Screens (FY 2000-2001)                      | 2,276  | Number of Licensed LTC Beds<br>412                                   | <b>LTC (2000)</b><br>Number of LTC Discharges from LTC Facilities<br>632<br><br>Average Occupancy Rate of LTC Facilities and Hospitals with LTC Beds<br>78.1 |
|  |        | Number of Licensed Beds per 1,000 Population<br>4.5                  |  |
| California Children's Services Cases (08/02)                                   | 286    | <b>PHYSICIANS (2001)</b>   |  |
|  |        | Number of Active Non-Federal Physicians<br>241                       |  |
| Developmental Disability Clients (08/02)                                       | 374    | Number of Persons per Physician<br>382                               | <b>COUNTY HEALTH COSTS (FY 2000-2001)</b><br>Estimated Net County Health Care Costs<br>DNR<br><br>Estimated Net County Cost per Capita<br>\$0.00             |
|  |        |  |  |
| Rehabilitation Clients (FY 2000-2001)  | 165    | <b>DENTISTS (2002)</b>   |  |
|  |        | Number of Licensed Dentists (Non-Federal)<br>82                      |  |
| State Mental Hospital Admissions (FY 2000-2001)                                | 10     | Number Persons per Dentist<br>1,122                                  |  |
|  |        | <b>CLINICS (2000)</b>  |  |
| Persons Receiving Preventive Health Care for the Aging Services (FY 2001-2002) |        | Number of Licensed Community and Free Clinics<br>3                   |  |
|  |        | Number of Specialty Clinics<br>1                                     |  |
| Assessment Clients   | 0      |  |  |
| Total Client Encounters  | 0      | <b>HOME HEALTH AGENCIES (2000)</b>                                   |  |
|  |        | Number of Licensed Home Health Agencies<br>2                         |  |

| TOTAL POPULATION       |           | PERCENT BELOW POVERTY LEVEL (1999)                            |           | LIVE BIRTHS (2000)   |        |
|------------------------|-----------|---|-----------|--|--------|
| Census Year 2000       | 2,846,289 | Total population  | 10.3 %    | Number of Live Births By:                                      |        |
| Projection Year 2010   | 3,266,700 | Children under 6  | 14.0 %    | County of Residence  | 46,980 |
| Projection Year 2020   | 3,541,700 | Persons aged 65+  | 6.2 %     | County of Occurrence   | 49,455 |
| AGE (2000)             |           |   |           | Birth Rate (births per 1,000 population)                       | 16.2   |
| Under Age 5            | 7.6%      | Whites  | 4.7 %     | Fertility rate (births per 1,000 women aged 15-44, 98-00 avg.) | 78.5   |
| Age 5-17               | 19.4%     | Blacks  | 11.5 %    | Low birthweight (under 2,500 grams)                            | 5.5 %  |
| Age 18-64              | 63.1%     | Hispanics   | 19.1 %    | Very low birthweight (under 1,500 grams)                       | 0.9 %  |
| Age 65+                | 9.9%      | Asian/Pacific Islanders                                       | 11.5 %    | Unmarried  | 25.5 % |
|                        |           | American Indian   | 17.3 %    | Cesarean section delivery                                      | 23.4 % |
|                        |           | HOUSING VALUE (2000)  |           | Mothers who gave birth outside county of residence             | 5.4 %  |
|                        |           | Median housing-unit value                                     | \$270,000 | Mothers with less than 12 years education                      | 31.2 % |
| SEX (2000)             |           | CALWORKS (2002)   |           | Teenage mothers (<18)  | 2.7 %  |
| Females                | 50.2%     | CalWorks enrollees as a percent of county population          | 0.6 %     | Mothers with no 1st trimester prenatal care                    | 11.4 % |
| Males                  | 49.8%     | SSI/SSP (2002)  |           | Percent of Births by Mother's Race/Ethnicity:                  |        |
| RACE/ETHNICITY (2000)  |           | SSI/SSP recipients as a percent of county population          | 2.0 %     | White/Other  | 34.6 % |
| White                  | 51.3%     | UNEMPLOYMENT (2002)   |           | Black  | 1.2 %  |
| Black                  | 1.5%      | Percent of civilian labor force unemployed                    | 3.6 %     | Hispanic   | 48.9 % |
| Hispanic               | 30.8%     | EDUCATION   |           | Asian/Pacific Islander   | 13.9 % |
| American Indian        | 0.3%      | Percent of persons aged 25+ not completing high-school (2000) | 20.5 %    | American Indian  | 0.2 %  |
| Asian/Pacific Islander | 13.8%     | Enrollment K-12 (2001-2002)                                   | 563,402   | Multiple Race  | 0.8 %  |
| URBAN/RURAL (2000)     |           | PRINCIPAL PAYMENT SOURCE FOR BIRTH DELIVERIES                 |           |  |        |
| Urban                  | 99.8%     | Medi-Cal/other gov't  | 35.3 %    |  |        |
| Rural                  | 0.2%      | HMO and prepaid plans   | 43.2 %    |  |        |
| FAMILY INCOME (1999)   |           | Private insurance   | 18.7 %    |  |        |
| Median family income   | \$64,611  |   |           |  |        |

| DEATHS (2000)                                  |          | CAUSES OF DEATH (1999-2000 AVG.)                   |       | INFANT DEATHS (2000)  |  |
|--|----------|--|-------|---|--|
| Number of Deaths By:                           |          | Deaths per 100,000 Population Due To:              |       | Number of Infant Deaths 231<br>(Under 1 Year of Age)            |  |
| County of Residence                            | 16,520   | Heart Disease                                      | 188.0 | Infant Death Rate (Deaths per 1,000 Live Births) 4.9            |  |
| County of Occurrence                           | 16,769   | All Malignant Neoplasms                            | 143.7 |   |  |
|  |          | Breast Cancer                                      | 22.0  |   |  |
|  |          | Lung Cancer  | 35.9  |   |  |
| Crude Death Rate (Deaths per 1,000 Population) | 5.7      | Stroke   | 48.0  |   |  |
| AGE-ADJUSTED DEATH RATE (1998-2000 AVERAGE)    |          | Unintentional Injuries                             | 21.0  | INFANT DEATH RATES (1999 BIRTH COHORT)                          |  |
| Age-Adjusted Deaths per 100,000 Population     | 785.8    | Pneumonia and Influenza                            | 23.9  | Infant Deaths per 1,000 Live Births by Mother's Race/Ethnicity: |  |
| AGE-SPECIFIC DEATH RATES (1998-2000 AVERAGE)   |          | Chronic Lower Respiratory Disease                  | 33.2  | All Race/Ethnic Groups 4.6                                      |  |
| Deaths per 100,000 Population:                 |          | Acquired Immune Deficiency Syndrome                | 2.1   | White 3.3   |  |
| 1 to 4 Years Old                               | 23.0     | Chronic Liver Disease/Cirrhosis                    | 7.9   | Black N   |  |
| 5 to 14 Years Old                              | 12.8     | Suicide  | 8.0   | Hispanic 5.4  |  |
| 15 to 24 Years Old                             | 54.5     | Diabetes Mellitus                                  | 14.4  | Asian, American Indian, Other 3.9                               |  |
| 25 to 34 Years Old                             | 66.7     | Homicide   | 2.8   | PERINATAL DEATHS (1999 BIRTH COHORT)                            |  |
| 35 to 44 Years Old                             | 116.7    | FETAL AND NEONATAL DEATHS (2000)                   |       | Number of Perinatal Deaths (Neonatal Plus Fetal) 390            |  |
| 45 to 54 Years Old                             | 267.4    | Number of Fetal Deaths                             | 254   | Perinatal Death Rate by Mother's Race/Ethnicity:                |  |
| 55 to 64 Years Old                             | 670.2    | Fetal Death Ratio (Deaths per 1,000 Live Births)   | 5.4   | All Race/Ethnic Groups 8.3                                      |  |
| 65 to 74 Years Old                             | 1,922.8  | Number of Neonatal Deaths (Under 28 Days of Age)   | 157   | White 7.3   |  |
| 75 to 84 Years Old                             | 5,721.3  | Neonatal Death Rate (Deaths per 1,000 Live Births) | 3.3   | Black N   |  |
| Over 84 Years Old                              | 16,955.8 |  |       | Hispanic 9.0  |  |
|  |          |  |       | Asian, American Indian, Other 6.8                               |  |

| REPORTED COMMUNICABLE DISEASES<br>(1998-2000 AVERAGE)            |              |             | COUNTY HEALTH INDICATORS<br>(continued)                           |                | MEDI-CAL<br>(2000)            |        |
|--|--------------|-------------|---|----------------|-------------------------------|--------|
| Number and Rate per 100,000 Population                           |              |             | Mortality Rate Per 100,000 Pop. (1999-2000 Avg.)                  |                | MEDI-CAL Deliveries by:       |        |
| <u>DISEASE</u>   | <u>CASES</u> | <u>RATE</u> | Work Related Injury Deaths  | 32.5           | County of Beneficiary         | 16,399 |
| Hepatitis  | 349.0        | 12.5        | Mortality Rate  | 1.2            | Fee for Service               | 11,923 |
| Measles  | 2.3          | 0.1 *       | Drug Related Deaths (1999-2000 Avg.)                              | 202.0          | Managed Care                  | 4,476  |
| Shigellosis  | 192.7        | 6.9         | Mortality Rate  | 7.3            | MEDI-CAL Abortions by:        | 2,327  |
| Tuberculosis   | 263.3        | 9.4         | Homicide by Weapons (2000)  | 56             | (Resident beneficiary) FFS    |        |
| Syphilis   | 28.0         | 1.0         | Homicide by Handguns  | 23             | County Hospitals              | 1      |
| Chlamydia  | 4,323.3      | 155.1       | Kindergarten Students Needing One<br>or More Immunizations (2001) | 3,473<br>7.7 % | Community Hospitals           | 215    |
| Gonorrhea  | 553.7        | 19.9        |   |                | Clinics                       | 446    |
| CUMULATIVE AIDS CASES AND INCIDENCE<br>1981 through January 2002 |              |             | MEDI-CAL DATA<br>(AVERAGE MONTHLY, 2000)                          |                | MEDI-CAL PHP ENROLLEES (2000) |        |
|  |              |             | MEDI-CAL Users (FFS): 52,477                                      |                | Average Monthly Prepaid       |        |
| AIDS Cases   | 5,977        |             | Percent of County Population                                      | 1.8 %          | Health Plan Enrollees         | 0      |
| Number of deaths   | 3,181        |             | Percent of Eligibles (FFS)  | 175.2 %*       | DENTI-CAL SERVICES (2000)     |        |
| Mortality (percent of AIDS cases<br>resulting in deaths)         | 53.0 %       |             | Total MEDI-CAL Eligibles:   | 248,438        | Average Monthly Users         |        |
| COUNTY HEALTH INDICATORS   |              |             | Percent of County Population                                      |                | 15,132                        |        |
|  |              |             | MEDI-CAL Payments (FFS) :   |                | MEDI-CAL/MEDICARE (2002)      |        |
| Persons Injured in Traffic Accidents                             |              |             | Amount  | \$27,819,647   | Percent of MEDI-CAL Eligibles |        |
| County of Occurrence (2000)                                      | 22,996       |             | Amount per User   | \$530.13       | Who are also eligible         |        |
| Substance Abuse Admissions (2000)                                |              |             | MEDI-CAL ELIGIBLES BY RACE/ETHNICITY<br>(2000)                    |                | for Medicare                  |        |
| Methamphetamine  | 1,974        |             | White   | 23.5 %         | 20.0 %                        |        |
| Cocaine  | 673          |             | Black   | 2.3 %          | MEDI-CAL ENROLLEES (2000)     |        |
| Marijuana  | 942          |             | Hispanic  | 44.8 %         | TOTAL MEDICARE ENROLLEES      |        |
| Alcohol  | 3,302        |             | American Indian/Alaskan Native                                    | 0.1 %          | Number                        |        |
|  |              |             | Asian/Pacific Islander  | 14.4 %         | 290,206                       |        |
|  |              |             | Not Reported  | 14.9 %         | Percent of County Population  |        |
|  |              |             |   |                | 10.2 %                        |        |
|  |              |             |   |                | Enrollees Aged 65+            |        |
|  |              |             |   |                | Number                        |        |
|  |              |             |   |                | 265,313                       |        |
|  |              |             |   |                | Percent of County Population  |        |
|  |              |             |   |                | 9.3 %                         |        |
|  |              |             |   |                | Disability Beneficiaries:     |        |
|  |              |             |   |                | Number                        |        |
|  |              |             |   |                | 24,893                        |        |
|  |              |             |   |                | Percent of County Population  |        |
|  |              |             |   |                | 0.9 %                         |        |

| PROGRAM CLIENTS/SERVICES   |         | HOSPITALS (2000)  |       | HOSPICE CARE   |               |
|--|---------|---|-------|--|---------------|
| Percent Early Postpartum Breastfeeding Initiation 1998-2000 Average            | 82.5 %  | Number of General Acute Care (GAC) Hospitals                    | 35    | Number of Freestanding Hospice Care Facilities (2000)                | 4             |
| Family Planning Clients by All Funding Sources (2001)                          | 91,177  | Number of Licensed GAC Beds                                     | 5,570 | HOSPITAL UTILIZATION (2000)  |               |
|  |         | Number of Licensed GAC Beds per 1,000 Population                | 2.0   | Number of GAC Discharges from GAC Hospitals                          | 240,518       |
| Women and Children Under Age 5 Receiving WIC Services (07/02)                  | 113,035 | LTC (2000)  |       | Average GAC Occupancy Rate in GAC Hospitals                          | 51.4          |
|  |         | Number of Long Term Care Facilities and Hospitals with LTC Beds | 67    | Average GAC Length of Stay in GAC Hospitals (days)                   | 4.4           |
| Child Health/Disability Prevention Screens (FY 2000-2001)                      | 168,125 | Number of Licensed LTC Beds                                     | 8,008 | LTC (2000)   |               |
|  |         | Number of Licensed Beds per 1,000 Population                    | 2.8   | Number of LTC Discharges from LTC Facilities                         | 21,478        |
| California Children's Services Cases (08/02)                                   | 2       | PHYSICIANS (2001)   |       | Average Occupancy Rate of LTC Facilities and Hospitals with LTC Beds | 85.0          |
|  |         | Number of Active Non-Federal Physicians                         | 7,700 | COUNTY HEALTH COSTS (FY 2000-2001)                                   |               |
| Developmental Disability Clients (08/02)                                       | 13,174  | Number of Persons per Physician                                 | 370   | Estimated Net County Health Care Costs                               | \$109,195,578 |
|  |         | DENTISTS (2002)   |       | Estimated Net County Cost per Capita                                 | \$38.36       |
| Rehabilitation Clients (FY 2000-2001)  | 4,084   | Number of Licensed Dentists (Non-Federal)                       | 2,885 |  |               |
|  |         | Number of Persons per Dentist                                   | 987   |  |               |
| State Mental Hospital Admissions (FY 2000-2001)                                | 94      | CLINICS (2000)  |       |  |               |
|  |         | Number of Licensed Community and Free Clinics                   | 23    |  |               |
| Persons Receiving Preventive Health Care for the Aging Services (FY 2001-2002) | 1,242   | Number of Specialty Clinics                                     | 49    |  |               |
|  |         | HOME HEALTH AGENCIES (2000)                                     |       |  |               |
| Assessment Clients   | 3,721   | Number of Licensed Home Health Agencies                         | 42    |  |               |
| Total Client Encounters  |         |   |       |  |               |

| TOTAL POPULATION       |          | PERCENT BELOW POVERTY LEVEL (1999)                            |        | LIVE BIRTHS (2000)   |        |
|------------------------|----------|---|--------|--|--------|
| Census Year 2000       | 248,399  | Total population  | 5.8 %  | Number of Live Births By:                                      |        |
| Projection Year 2010   | 339,300  | Children under 6  | 7.0 %  | County of Residence  | 3,046  |
| Projection Year 2020   | 406,900  | Persons aged 65+  | 3.8 %  | County of Occurrence   | 2,540  |
| AGE (2000)             |          | HOUSING VALUE (2000)  |        | Birth Rate (births per 1,000 population)                       | 12.1   |
| Under Age 5            | 6.4%     | Whites  | 5.0 %  | Fertility rate (births per 1,000 women aged 15-44, 98-00 avg.) | 56.4   |
| Age 5-17               | 20.1%    | Blacks  | 11.5 % | Low birthweight (under 2,500 grams)                            | 6.2 %  |
| Age 18-64              | 60.4%    | Hispanics   | 12.7 % | Very low birthweight (under 1,500 grams)                       | 0.8 %  |
| Age 65+                | 13.1%    | Asian/Pacific Islanders                                       | 4.9 %  | Unmarried  | 16.7 % |
|                        |          | American Indian   | 6.8 %  | Cesarean section delivery                                      | 23.0 % |
| SEX (2000)             |          | CALWORKS (2002)   |        | Mothers who gave birth outside county of residence             | 50.4 % |
| Females                | 50.9%    | CalWorks enrollees as a percent of county population          | 0.4 %  | Mothers with less than 12 years education                      | 11.4 % |
| Males                  | 49.1%    | SSI/SSP (2002)  |        | Teenage mothers (<18)  | 1.8 %  |
| RACE/ETHNICITY (2000)  |          | SSI/SSP recipients as a percent of county population          | 1.6 %  | Mothers with no 1st trimester prenatal care                    | 12.7 % |
| White                  | 83.4%    | UNEMPLOYMENT (2002)   |        | Percent of Births by Mother's Race/Ethnicity:                  |        |
| Black                  | 0.8%     | Percent of civilian labor force unemployed                    | 4.6 %  | White/Other  | 76.5 % |
| Hispanic               | 9.7%     | EDUCATION   |        | Black  | 0.6 %  |
| American Indian        | 0.7%     | Percent of persons aged 25+ not completing high-school (2000) | 9.5 %  | Hispanic   | 15.4 % |
| Asian/Pacific Islander | 3.0%     | Enrollment K-12 (2001-2002)                                   | 61,192 | Asian/Pacific Islander   | 4.5 %  |
| URBAN/RURAL (2000)     |          | PRINCIPAL PAYMENT SOURCE FOR BIRTH DELIVERIES                 |        | American Indian  | 0.5 %  |
| Urban                  | 78.8%    | Medi-Cal/other gov't  | 17.0 % | Multiple Race  | 2.2 %  |
| Rural                  | 21.2%    | FAMILY INCOME (1999)  |        |  |        |
| Median family income   | \$65,858 | HMO and prepaid plans   | 53.8 % |  |        |
|                        |          | Private insurance   | 27.3 % |  |        |

| DEATHS (2000)                                  |          | CAUSES OF DEATH (1999-2000 AVG.)                   |       | INFANT DEATHS (2000)  |  |
|--|----------|--|-------|---|--|
| Number of Deaths By:                           |          | Deaths per 100,000 Population Due To:              |       | Number of Infant Deaths (Under 1 Year of Age) 22                |  |
| County of Residence                            | 1,919    | Heart Disease                                      | 215.1 | Infant Death Rate (Deaths per 1,000 Live Births) 7.2            |  |
| County of Occurrence                           | 2,181    | All Malignant Neoplasms                            | 217.0 |   |  |
|  |          | Breast Cancer                                      | 32.7  |   |  |
|  |          | Lung Cancer  | 68.0  |   |  |
| Crude Death Rate (Deaths per 1,000 Population) | 7.6      | Stroke   | 64.6  |   |  |
| AGE-ADJUSTED DEATH RATE (1998-2000 AVERAGE)    |          | Unintentional Injuries                             | 26.9  | INFANT DEATH RATES (1999 BIRTH COHORT)                          |  |
| Age-Adjusted Deaths per 100,000 Population     | 795.0    | Pneumonia and Influenza                            | 26.3  | Infant Deaths per 1,000 Live Births by Mother's Race/Ethnicity: |  |
| AGE-SPECIFIC DEATH RATES (1998-2000 AVERAGE)   |          | Chronic Lower Respiratory Disease                  | 55.0  | All Race/Ethnic Groups 4.4 *                                    |  |
| Deaths per 100,000 Population:                 |          | Acquired Immune Deficiency Syndrome                | 1.7 * | White 3.5 *   |  |
| 1 to 4 Years Old                               | 10.4 *   | Chronic Liver Disease/Cirrhosis                    | 9.4   | Black N   |  |
| 5 to 14 Years Old                              | 10.6 *   | Suicide  | 10.0  | Hispanic N  |  |
| 15 to 24 Years Old                             | 42.2 *   | Diabetes Mellitus                                  | 14.5  | Asian, American Indian, Other N                                 |  |
| 25 to 34 Years Old                             | 83.2     | Homicide   | 1.9 * | PERINATAL DEATHS (1999 BIRTH COHORT)                            |  |
| 35 to 44 Years Old                             | 129.1    | FETAL AND NEONATAL DEATHS (2000)                   |       | Number of Perinatal Deaths (Neonatal Plus Fetal) 15             |  |
| 45 to 54 Years Old                             | 306.5    | Number of Fetal Deaths                             | 14    | Perinatal Death Rate by Mother's Race/Ethnicity:                |  |
| 55 to 64 Years Old                             | 734.9    | Fetal Death Ratio (Deaths per 1,000 Live Births)   | 4.6 * | All Race/Ethnic Groups 5.1 *                                    |  |
| 65 to 74 Years Old                             | 2,159.3  | Number of Neonatal Deaths (Under 28 Days of Age)   | 17    | White 4.7 *   |  |
| 75 to 84 Years Old                             | 5,767.1  | Neonatal Death Rate (Deaths per 1,000 Live Births) | 5.6 * | Black 0.0   |  |
| Over 84 Years Old                              | 15,518.1 |  |       | Hispanic N  |  |
|  |          |  |       | Asian, American Indian, Other 0.0                               |  |

| REPORTED COMMUNICABLE DISEASES<br>(1998-2000 AVERAGE)               |              |             | COUNTY HEALTH INDICATORS<br>(continued)                           |             | MEDI-CAL<br>(2000)   |        |
|---|--------------|-------------|---|-------------|--|--------|
| Number and Rate per 100,000 Population                              |              |             | Mortality Rate Per 100,000 Pop. (1999-2000 Avg.)                  |             | MEDI-CAL Deliveries by:  |        |
| <u>DISEASE</u>  | <u>CASES</u> | <u>RATE</u> | Work Related Injury Deaths  | 4.0         | County of Beneficiary  | 583    |
| Hepatitis   | 19.7         | 8.4         | Mortality Rate  | 1.6 *       |  |        |
| Measles   | 0.0          | 0.0         | Drug Related Deaths (1999-2000 Avg.)                              | 12.0        | Fee for Service  | 583    |
| Shigellosis   | 5.3          | 2.3 *       | Mortality Rate  | 5.2 *       | Managed Care   | 0      |
| Tuberculosis  | 3.0          | 1.3 *       | Homicide by Weapons (2000)  | 5           | MEDI-CAL Abortions by:   | 344    |
| Syphilis  | 0.0          | 0.0         | Homicide by Handguns  | 1           | (Resident beneficiary) FFS   |        |
| Chlamydia   | 188.7        | 80.7        | Kindergarten Students Needing One<br>or More Immunizations (2001) | 290         | County Hospitals   | 3      |
| Gonorrhea   | 17.0         | 7.3 *       |   | 6.6 %       | Community Hospitals  | 8      |
| CUMULATIVE AIDS CASES AND INCIDENCE<br>1981 through January 2002    |              |             | MEDI-CAL DATA<br>(AVERAGE MONTHLY, 2000)                          |             | MEDI-CAL PHP ENROLLEES (2000)  |        |
|   |              |             | MEDI-CAL Users (FFS): 8,439                                       |             | Average Monthly Prepaid  |        |
| AIDS Cases  | 142          |             | Percent of County Population                                      | 3.4 %       | Health Plan Enrollees  | 10,308 |
| Number of deaths  | 81           |             | Percent of Eligibles (FFS)  | 58.3 %      | DENTI-CAL SERVICES (2000)  |        |
| Mortality (percent of AIDS cases<br>resulting in deaths)            | 57.0 %       |             | Total MEDI-CAL Eligibles:   | 24,794      | Average Monthly Users  |        |
| COUNTY HEALTH INDICATORS  |              |             | Percent of County Population                                      |             | 9.8 %  |        |
|   |              |             | MEDI-CAL Payments (FFS) :   |             | MEDI-CAL/MEDICARE (2002)   |        |
| Persons Injured in Traffic Accidents<br>County of Occurrence (2000) | 2,498        |             | Amount  | \$4,778,423 | Percent of MEDI-CAL Eligibles<br>Who are also eligible<br>for Medicare |        |
| Substance Abuse Admissions (2000)                                   |              |             | Amount per User   | \$566.23    | 15.3 %   |        |
| Methamphetamine   | 428          |             | MEDI-CAL ELIGIBLES BY RACE/ETHNICITY<br>(2000)                    |             | MEDI-CAL ENROLLEES (2000)  |        |
| Cocaine   | 41           |             | White   | 74.0 %      | TOTAL MEDICARE ENROLLEES   |        |
| Marijuana   | 166          |             | Black   | 1.9 %       | Number   |        |
| Alcohol   | 509          |             | Hispanic  | 13.1 %      | Percent of County Population   |        |
|   |              |             | American Indian/Alaskan Native                                    | 1.0 %       | Enrollees Aged 65+   |        |
|   |              |             | Asian/Pacific Islander  | 1.3 %       | Number   |        |
|   |              |             | Not Reported  | 8.7 %       | Percent of County Population   |        |
|   |              |             |   |             | Disability Beneficiaries:  |        |
|   |              |             |   |             | Number   |        |
|   |              |             |   |             | Percent of County Population   |        |

| PROGRAM CLIENTS/SERVICES   |        | HOSPITALS (2000)  |       | HOSPICE CARE   |             |
|--|--------|---|-------|--|-------------|
| Percent Early Postpartum Breastfeeding Initiation 1998-2000 Average            | 89.7 % | Number of General Acute Care (GAC) Hospitals                    | 3     | Number of Freestanding Hospice Care Facilities (2000)                | 0           |
| Family Planning Clients by All Funding Sources (2001)                          | 5,272  | Number of Licensed GAC Beds                                     | 381   | HOSPITAL UTILIZATION (2000)  |             |
|  |        | Number of Licensed GAC Beds per 1,000 Population                | 1.5   | Number of GAC Discharges from GAC Hospitals                          | 24,625      |
| Women and Children Under Age 5 Receiving WIC Services (07/02)                  | 3,390  | LTC (2000)  |       | Average GAC Occupancy Rate in GAC Hospitals                          | 68.0        |
|  |        | Number of Long Term Care Facilities and Hospitals with LTC Beds | 10    | Average GAC Length of Stay in GAC Hospitals (days)                   | 3.9         |
| Child Health/Disability Prevention Screens (FY 2000-2001)                      | 6,257  | Number of Licensed LTC Beds                                     | 1,145 | LTC (2000)   |             |
|  |        | Number of Licensed Beds per 1,000 Population                    | 4.6   | Number of LTC Discharges from LTC Facilities                         | 2,025       |
| California Children's Services Cases (08/02)                                   | 474    | PHYSICIANS (2001)   |       | Average Occupancy Rate of LTC Facilities and Hospitals with LTC Beds | 81.5        |
|  |        | Number of Active Non-Federal Physicians                         | 669   | COUNTY HEALTH COSTS (FY 2000-2001)                                   |             |
| Developmental Disability Clients (08/02)                                       | 1,241  | Number of Persons per Physician                                 | 371   | Estimated Net County Health Care Costs                               | \$5,757,430 |
|  |        | DENTISTS (2002)   |       | Estimated Net County Cost per Capita                                 | \$23.18     |
| Rehabilitation Clients (FY 2000-2001)  | 747    | Number of Licensed Dentists (Non-Federal)                       | 282   |  |             |
|  |        | Number of Persons per Dentist                                   | 881   |  |             |
| State Mental Hospital Admissions (FY 2000-2001)                                | 16     | CLINICS (2000)  |       |  |             |
|  |        | Number of Licensed Community and Free Clinics                   | 4     |  |             |
| Persons Receiving Preventive Health Care for the Aging Services (FY 2001-2002) | 484    | Number of Specialty Clinics                                     | 4     |  |             |
|  |        | HOME HEALTH AGENCIES (2000)                                     |       |  |             |
| Assessment Clients   | 489    | Number of Licensed Home Health Agencies                         | 6     |  |             |
| Total Client Encounters  |        |   |       |  |             |

| TOTAL POPULATION       |          | PERCENT BELOW POVERTY LEVEL (1999)                            |           | LIVE BIRTHS (2000)   |        |
|------------------------|----------|---|-----------|--|--------|
| Census Year 2000       | 20,824   | Total population  | 13.1 %    | Number of Live Births By:                                      |        |
| Projection Year 2010   | 22,700   | Children under 6  | 20.1 %    | County of Residence  | 150    |
| Projection Year 2020   | 23,500   | Persons aged 65+  | 6.4 %     | County of Occurrence   | 128    |
| AGE (2000)             |          |   |           | Birth Rate (births per 1,000 population)                       | 7.1    |
| Under Age 5            | 4.5%     | Whites  | 11.1 %    | Fertility rate (births per 1,000 women aged 15-44, 98-00 avg.) | 34.9   |
| Age 5-17               | 18.2%    | Blacks  | 70.8 %    | Low birthweight (under 2,500 grams)                            | 4.0 %  |
| Age 18-64              | 59.4%    | Hispanics   | 31.8 %    | Very low birthweight (under 1,500 grams)                       | 0.0 %  |
| Age 65+                | 17.9%    | Asian/Pacific Islanders                                       | 11.3 %    |  |        |
|                        |          | American Indian   | 32.8 %    |  |        |
|                        |          | HOUSING VALUE (2000)  |           |  |        |
|                        |          | Median housing-unit value                                     | \$137,900 |  |        |
| SEX (2000)             |          | CALWORKS (2002)   |           |  |        |
| Females                | 50.0%    | CalWorks enrollees as a percent of county population          | 0.9 %     | Unmarried  | 26.0 % |
| Males                  | 50.0%    |   |           | Cesarean section delivery                                      | 24.7 % |
|                        |          | SSI/SSP (2002)  |           |  |        |
| RACE/ETHNICITY (2000)  |          | SSI/SSP recipients as a percent of county population          |           | Mothers who gave birth outside county of residence             |        |
| White                  | 88.7%    |   |           | 22.0 %   |        |
| Black                  | 0.6%     | UNEMPLOYMENT (2002)   |           | Mothers with less than 12 years education                      |        |
| Hispanic               | 5.7%     | Percent of civilian labor force unemployed                    |           | 19.3 %   |        |
| American Indian        | 2.1%     |   |           | Teenage mothers (<18)  |        |
| Asian/Pacific Islander | 0.6%     | EDUCATION   |           | 6.0 %  |        |
|                        |          | Percent of persons aged 25+ not completing high-school (2000) |           | Mothers with no 1st trimester prenatal care                    |        |
|                        |          | 12.0 %  |           | 20.0 %   |        |
|                        |          | Enrollment K-12 (2001-2002)                                   |           | 3,533  |        |
| URBAN/RURAL (2000)     |          | PRINCIPAL PAYMENT SOURCE FOR BIRTH DELIVERIES                 |           | Percent of Births by Mother's Race/Ethnicity:                  |        |
| Urban                  | 12.8%    | Medi-Cal/other gov't  |           | White/Other  |        |
| Rural                  | 87.2%    |   |           | 84.7 %   |        |
|                        |          | HMO and prepaid plans   |           | Black  |        |
|                        |          | 0.0 %   |           | 0.0 %  |        |
| FAMILY INCOME (1999)   |          | Private insurance   |           | Hispanic   |        |
| Median family income   | \$46,119 | 49.3 %  |           | 9.3 %  |        |
|                        |          |   |           | Asian/Pacific Islander   |        |
|                        |          |   |           | 1.3 %  |        |
|                        |          |   |           | American Indian  |        |
|                        |          |   |           | 3.3 %  |        |
|                        |          |   |           | Multiple Race  |        |
|                        |          |   |           | 1.3 %  |        |



| REPORTED COMMUNICABLE DISEASES<br>(1998-2000 AVERAGE)               |              |             | COUNTY HEALTH INDICATORS<br>(continued)                           |        | MEDI-CAL<br>(2000)   |    |
|---|--------------|-------------|---|--------|--|----|
| Number and Rate per 100,000 Population                              |              |             | Mortality Rate Per 100,000 Pop. (1999-2000 Avg.)                  |        | MEDI-CAL Deliveries by:  |    |
| <u>DISEASE</u>  | <u>CASES</u> | <u>RATE</u> | Work Related Injury Deaths  | 0.5    | County of Beneficiary  | 74 |
| Hepatitis   | 1.7          | 8.0 *       | Mortality Rate  | 3.7 *  |  |    |
| Measles   | 0.0          | 0.0         | Drug Related Deaths (1999-2000 Avg.)                              | 2.0    | Fee for Service  | 74 |
| Shigellosis   | 1.0          | 4.8 *       | Mortality Rate  | 9.1 *  | Managed Care   | 0  |
| Tuberculosis  | 0.3          | 1.6 *       | Homicide by Weapons (2000)  | 1      | MEDI-CAL Abortions by:   | 29 |
| Syphilis  | 0.0          | 0.0         | Homicide by Handguns  | 0      | (Resident beneficiary) FFS   |    |
| Chlamydia   | 11.0         | 53.1 *      | Kindergarten Students Needing One<br>or More Immunizations (2001) | 9      | County Hospitals   | 0  |
| Gonorrhea   | 1.3          | 6.4 *       |   | 4.6 %  | Community Hospitals  | 0  |
| CUMULATIVE AIDS CASES AND INCIDENCE<br>1981 through January 2002    |              |             | MEDI-CAL DATA<br>(AVERAGE MONTHLY, 2000)                          |        | MEDI-CAL PHP ENROLLEES (2000)  |    |
|   |              |             | MEDI-CAL Users (FFS):   |        | Average Monthly Prepaid  |    |
| AIDS Cases  | 6            |             | Percent of County Population                                      | 1,626  | Health Plan Enrollees  | 0  |
| Number of deaths  | 5            |             | Percent of Eligibles (FFS)  | 7.8 %  | DENTI-CAL SERVICES (2000)  |    |
| Mortality (percent of AIDS cases<br>resulting in deaths)            | 83.0 %       |             | Total MEDI-CAL Eligibles:   | 63.4 % | Average Monthly Users  |    |
| COUNTY HEALTH INDICATORS  |              |             | Percent of County Population                                      |        | 22   |    |
|   |              |             | MEDI-CAL Payments (FFS) :   |        | MEDI-CAL/MEDICARE (2002)   |    |
| Persons Injured in Traffic Accidents<br>County of Occurrence (2000) | 238          |             | Amount  | 2,563  | Percent of MEDI-CAL Eligibles<br>Who are also eligible<br>for Medicare |    |
| Substance Abuse Admissions (2000)                                   |              |             | Amount per User   | 12.2 % | 22.4 %   |    |
| Methamphetamine   | 18           |             | MEDI-CAL ELIGIBLES BY RACE/ETHNICITY<br>(2000)                    |        | MEDI-CAL ENROLLEES (2000)  |    |
| Cocaine   | 1            |             | White   | 83.1 % | TOTAL MEDICARE ENROLLEES   |    |
| Marijuana   | 20           |             | Black   | 2.4 %  | Number   |    |
| Alcohol   | 71           |             | Hispanic  | 4.5 %  | 3,877  |    |
|   |              |             | American Indian/Alaskan Native                                    | 3.0 %  | Percent of County Population   |    |
|   |              |             | Asian/Pacific Islander  | 0.2 %  | 18.6 %   |    |
|   |              |             | Not Reported  | 6.8 %  | Enrollees Aged 65+   |    |
|   |              |             |   |        | Number   |    |
|   |              |             |   |        | 3,321  |    |
|   |              |             |   |        | Percent of County Population   |    |
|   |              |             |   |        | 15.9 %   |    |
|   |              |             |   |        | Disability Beneficiaries:  |    |
|   |              |             |   |        | Number   |    |
|   |              |             |   |        | 556  |    |
|   |              |             |   |        | Percent of County Population   |    |
|   |              |             |   |        | 2.7 %  |    |

| PROGRAM CLIENTS/SERVICES   |        | HOSPITALS (2000)  |       | HOSPICE CARE   |      |
|--|--------|---|-------|--|------|
| Percent Early Postpartum Breastfeeding Initiation 1998-2000 Average            | 92.4 % | Number of General Acute Care (GAC) Hospitals                    | 1     | Number of Freestanding Hospice Care Facilities (2000)                | 0    |
| Family Planning Clients by All Funding Sources (2001)                          | 857    | Number of Licensed GAC Beds                                     | 10    | HOSPITAL UTILIZATION (2000)  |      |
|  |        | Number of Licensed GAC Beds per 1,000 Population                | 0.5   | Number of GAC Discharges from GAC Hospitals                          | 357  |
| Women and Children Under Age 5 Receiving WIC Services (07/02)                  | 505    | LTC (2000)  |       | Average GAC Occupancy Rate in GAC Hospitals                          | 25.4 |
|  |        | Number of Long Term Care Facilities and Hospitals with LTC Beds | 1     | Average GAC Length of Stay in GAC Hospitals (days)                   | 2.6  |
| Child Health/Disability Prevention Screens (FY 2000-2001)                      | 1,090  | Number of Licensed LTC Beds                                     | 56    | LTC (2000)   |      |
|  |        | Number of Licensed Beds per 1,000 Population                    | 2.7   | Number of LTC Discharges from LTC Facilities                         | 63   |
| California Children's Services Cases (08/02)                                   | 57     | PHYSICIANS (2001)   |       | Average Occupancy Rate of LTC Facilities and Hospitals with LTC Beds |      |
|  |        | Number of Active Non-Federal Physicians                         | 28    | 94.5   |      |
| Developmental Disability Clients (08/02)                                       | 100    | Number of Persons per Physician                                 | 744   | COUNTY HEALTH COSTS (FY 2000-2001)                                   |      |
| Rehabilitation Clients (FY 2000-2001)  | 92     | DENTISTS (2002)   |       | Estimated Net County Health Care Costs                               |      |
|  |        | Number of Licensed Dentists (Non-Federal)                       | 16    | \$1,851,472  |      |
| State Mental Hospital Admissions (FY 2000-2001)                                | 1      | Number of Persons per Dentist                                   | 1,302 | Estimated Net County Cost per Capita                                 |      |
|  |        | CLINICS (2000)  |       | \$88.91  |      |
| Persons Receiving Preventive Health Care for the Aging Services (FY 2001-2002) | 0      | Number of Licensed Community and Free Clinics                   | 1     |  |      |
|  |        | Number of Specialty Clinics                                     | 0     |  |      |
| Assessment Clients   | 0      | HOME HEALTH AGENCIES (2000)                                     |       |  |      |
| Total Client Encounters  | 0      | Number of Licensed Home Health Agencies                         | 1     |  |      |

| TOTAL POPULATION       |           | PERCENT BELOW POVERTY LEVEL (1999)                            |           | LIVE BIRTHS (2000)   |        |
|------------------------|-----------|---|-----------|--|--------|
| Census Year 2000       | 1,545,387 | Total population  | 14.2 %    | Number of Live Births By:                                      |        |
| Projection Year 2010   | 2,159,700 | Children under 6  | 20.5 %    | County of Residence  | 24,832 |
| Projection Year 2020   | 2,817,600 | Persons aged 65+  | 7.6 %     | County of Occurrence   | 23,049 |
| AGE (2000)             |           |   |           | Birth Rate (births per 1,000 population)                       | 15.7   |
| Under Age 5            | 7.9%      | Whites  | 8.5 %     | Fertility rate (births per 1,000 women aged 15-44, 98-00 avg.) | 75.4   |
| Age 5-17               | 22.5%     | Blacks  | 20.6 %    | Low birthweight (under 2,500 grams)                            | 6.3 %  |
| Age 18-64              | 57.0%     | Hispanics   | 21.0 %    | Very low birthweight (under 1,500 grams)                       | 1.2 %  |
| Age 65+                | 12.7%     | Asian/Pacific Islanders                                       | 14.4 %    | Unmarried  | 36.4 % |
|                        |           | American Indian   | 21.4 %    | Cesarean section delivery                                      | 22.9 % |
|                        |           | HOUSING VALUE (2000)  |           | Mothers who gave birth outside county of residence             | 13.7 % |
|                        |           | Median housing-unit value                                     | \$146,500 | Mothers with less than 12 years education                      | 32.1 % |
| SEX (2000)             |           | CALWORKS (2002)   |           | Teenage mothers (<18)  | 4.6 %  |
| Females                | 50.2%     | CalWorks enrollees as a percent of county population          | 1.2 %     | Mothers with no 1st trimester prenatal care                    | 18.9 % |
| Males                  | 49.8%     | SSI/SSP (2002)  |           | Percent of Births by Mother's Race/Ethnicity:                  |        |
| RACE/ETHNICITY (2000)  |           | SSI/SSP recipients as a percent of county population          | 2.5 %     | White/Other  | 34.5 % |
| White                  | 51.0%     | UNEMPLOYMENT (2002)   |           | Black  | 5.6 %  |
| Black                  | 6.0%      | Percent of civilian labor force unemployed                    | 5.4 %     | Hispanic   | 54.2 % |
| Hispanic               | 36.2%     | EDUCATION   |           | Asian/Pacific Islander   | 3.7 %  |
| American Indian        | 0.7%      | Percent of persons aged 25+ not completing high-school (2000) | 25.0 %    | American Indian  | 0.5 %  |
| Asian/Pacific Islander | 3.8%      | Enrollment K-12 (2001-2002)                                   | 356,088   | Multiple Race  | 1.2 %  |
| URBAN/RURAL (2000)     |           | PRINCIPAL PAYMENT SOURCE FOR BIRTH DELIVERIES                 |           |  |        |
| Urban                  | 93.2%     | Medi-Cal/other gov't  | 46.6 %    |  |        |
| Rural                  | 6.8%      | HMO and prepaid plans   | 39.1 %    |  |        |
| FAMILY INCOME (1999)   |           | Private insurance   | 11.1 %    |  |        |
| Median family income   | \$48,409  |   |           |  |        |

| DEATHS (2000)                                  |          | CAUSES OF DEATH (1999-2000 AVG.)                   |       | INFANT DEATHS (2000)  |       |
|--|----------|--|-------|---|-------|
| Number of Deaths By:                           |          | Deaths per 100,000 Population Due To:              |       | Number of Infant Deaths (Under 1 Year of Age) 167               |       |
| County of Residence                            | 12,061   | Heart Disease                                      | 264.0 | Infant Death Rate (Deaths per 1,000 Live Births) 6.7            |       |
| County of Occurrence                           | 11,541   | All Malignant Neoplasms                            | 179.3 |   |       |
|  |          | Breast Cancer                                      | 27.1  |   |       |
|  |          | Lung Cancer  | 48.8  |   |       |
| Crude Death Rate (Deaths per 1,000 Population) | 7.6      | Stroke   | 56.2  | INFANT DEATH RATES (1999 BIRTH COHORT)                          |       |
| AGE-ADJUSTED DEATH RATE (1998-2000 AVERAGE)    |          | Unintentional Injuries                             | 32.4  | Infant Deaths per 1,000 Live Births by Mother's Race/Ethnicity: |       |
| Age-Adjusted Deaths per 100,000 Population     | 776.2    | Pneumonia and Influenza                            | 22.6  | All Race/Ethnic Groups  | 6.1   |
| AGE-SPECIFIC DEATH RATES (1998-2000 AVERAGE)   |          | Chronic Lower Respiratory Disease                  | 54.4  | White   | 5.4   |
| Deaths per 100,000 Population:                 |          | Acquired Immune Deficiency Syndrome                | 4.8   | Black   | 17.5  |
| 1 to 4 Years Old                               | 40.2     | Chronic Liver Disease/Cirrhosis                    | 12.8  | Hispanic  | 5.3   |
| 5 to 14 Years Old                              | 15.9     | Suicide  | 10.7  | Asian, American Indian, Other                                   | 5.9 * |
| 15 to 24 Years Old                             | 72.1     | Diabetes Mellitus                                  | 15.7  | PERINATAL DEATHS (1999 BIRTH COHORT)                            |       |
| 25 to 34 Years Old                             | 115.6    | Homicide   | 5.3   | Number of Perinatal Deaths (Neonatal Plus Fetal) 213            |       |
|  |          | FETAL AND NEONATAL DEATHS (2000)                   |       | Perinatal Death Rate by Mother's Race/Ethnicity:                |       |
| 35 to 44 Years Old                             | 189.4    | Number of Fetal Deaths                             | 147   | All Race/Ethnic Groups  | 9.0   |
| 45 to 54 Years Old                             | 433.3    | Fetal Death Ratio (Deaths per 1,000 Live Births)   | 5.9   | White   | 8.2   |
| 55 to 64 Years Old                             | 999.9    | Number of Neonatal Deaths (Under 28 Days of Age)   | 111   | Black   | 20.2  |
| 65 to 74 Years Old                             | 2,266.4  | Neonatal Death Rate (Deaths per 1,000 Live Births) | 4.5   | Hispanic  | 8.1   |
| 75 to 84 Years Old                             | 4,808.5  |  |       | Asian, American Indian, Other                                   | 8.3 * |
| Over 84 Years Old                              | 12,589.0 |  |       |   |       |

| REPORTED COMMUNICABLE DISEASES<br>(1998-2000 AVERAGE)            |              |             | COUNTY HEALTH INDICATORS<br>(continued)                           |                | MEDI-CAL<br>(2000)   |        |
|--|--------------|-------------|---|----------------|--|--------|
| Number and Rate per 100,000 Population                           |              |             | Mortality Rate Per 100,000 Pop. (1999-2000 Avg.)                  |                | MEDI-CAL Deliveries by:  |        |
| <u>DISEASE</u>   | <u>CASES</u> | <u>RATE</u> | Work Related Injury Deaths  | 32.0           | County of Beneficiary  | 10,999 |
| Hepatitis  | 553.0        | 36.4        | Mortality Rate  | 2.2            | Fee for Service  | 7,623  |
| Measles  | 0.0          | 0.0         | Drug Related Deaths (1999-2000 Avg.)                              | 133.0          | Managed Care   | 3,376  |
| Shigellosis  | 84.3         | 5.6         | Mortality Rate  | 9.3            | MEDI-CAL Abortions by:   | 1,386  |
| Tuberculosis   | 74.7         | 4.9         | Homicide by Weapons (2000)  | 79             | (Resident beneficiary) FFS   |        |
| Syphilis   | 3.7          | 0.2 *       | Homicide by Handguns  | 50             | County Hospitals   | 87     |
| Chlamydia  | 2,544.0      | 167.4       | Kindergarten Students Needing One<br>or More Immunizations (2001) | 1,711<br>6.3 % | Community Hospitals  | 110    |
| Gonorrhea  | 400.3        | 26.3        | MEDI-CAL DATA<br>(AVERAGE MONTHLY, 2000)                          |                | Clinics  | 428    |
| CUMULATIVE AIDS CASES AND INCIDENCE<br>1981 through January 2002 |              |             | MEDI-CAL Users (FFS):   |                | Physician Offices  | 761    |
|  |              |             | Percent of County Population                                      |                | MEDI-CAL PHP ENROLLEES (2000)  |        |
| AIDS Cases   |              |             | Percent of Eligibles (FFS)  |                | Average Monthly Prepaid  |        |
| Number of deaths   |              |             | Total MEDI-CAL Eligibles:   |                | Health Plan Enrollees  |        |
| Mortality (percent of AIDS cases<br>resulting in deaths)         |              |             | Percent of County Population                                      |                | 99,403   |        |
| AIDS Cases   |              |             | Percent of County Population                                      |                | DENTI-CAL SERVICES (2000)  |        |
| Number of deaths   |              |             | MEDI-CAL Payments (FFS) :   |                | Average Monthly Users  |        |
| Mortality (percent of AIDS cases<br>resulting in deaths)         |              |             | Amount  |                | 10,634   |        |
| AIDS Cases   |              |             | Amount per User   |                | MEDI-CAL/MEDICARE (2002)   |        |
| Number of deaths   |              |             |   |                | Percent of MEDI-CAL Eligibles<br>Who are also eligible<br>for Medicare |        |
| Mortality (percent of AIDS cases<br>resulting in deaths)         |              |             |   |                | 16.6 %   |        |
| AIDS Cases   |              |             |   |                | MEDICARE ENROLLEES (2000)  |        |
| Number of deaths   |              |             |   |                | TOTAL MEDICARE ENROLLEES   |        |
| Mortality (percent of AIDS cases<br>resulting in deaths)         |              |             |   |                | Number   |        |
| AIDS Cases   |              |             |   |                | 205,027  |        |
| Number of deaths   |              |             |   |                | Percent of County Population   |        |
| Mortality (percent of AIDS cases<br>resulting in deaths)         |              |             |   |                | 13.3 %   |        |
| AIDS Cases   |              |             |   |                | Enrollees Aged 65+   |        |
| Number of deaths   |              |             |   |                | Number   |        |
| Mortality (percent of AIDS cases<br>resulting in deaths)         |              |             |   |                | 182,202  |        |
| AIDS Cases   |              |             |   |                | Percent of County Population   |        |
| Number of deaths   |              |             |   |                | 11.8 %   |        |
| Mortality (percent of AIDS cases<br>resulting in deaths)         |              |             |   |                | Disability Beneficiaries:  |        |
| AIDS Cases   |              |             |   |                | Number   |        |
| Number of deaths   |              |             |   |                | 22,825   |        |
| Mortality (percent of AIDS cases<br>resulting in deaths)         |              |             |   |                | Percent of County Population   |        |
| AIDS Cases   |              |             |   |                | 1.5 %  |        |
| Number of deaths   |              |             |   |                |  |        |
| Mortality (percent of AIDS cases<br>resulting in deaths)         |              |             |   |                |  |        |
| AIDS Cases   |              |             |   |                |  |        |
| Number of deaths   |              |             |   |                |  |        |
| Mortality (percent of AIDS cases<br>resulting in deaths)         |              |             |   |                |  |        |
| AIDS Cases   |              |             |   |                |  |        |
| Number of deaths   |              |             |   |                |  |        |
| Mortality (percent of AIDS cases<br>resulting in deaths)         |              |             |   |                |  |        |
| AIDS Cases   |              |             |   |                |  |        |
| Number of deaths   |              |             |   |                |  |        |
| Mortality (percent of AIDS cases<br>resulting in deaths)         |              |             |   |                |  |        |
| AIDS Cases   |              |             |   |                |  |        |
| Number of deaths   |              |             |   |                |  |        |
| Mortality (percent of AIDS cases<br>resulting in deaths)         |              |             |   |                |  |        |
| AIDS Cases   |              |             |   |                |  |        |
| Number of deaths   |              |             |   |                |  |        |
| Mortality (percent of AIDS cases<br>resulting in deaths)         |              |             |   |                |  |        |
| AIDS Cases   |              |             |   |                |  |        |
| Number of deaths   |              |             |   |                |  |        |
| Mortality (percent of AIDS cases<br>resulting in deaths)         |              |             |   |                |  |        |
| AIDS Cases   |              |             |   |                |  |        |
| Number of deaths   |              |             |   |                |  |        |
| Mortality (percent of AIDS cases<br>resulting in deaths)         |              |             |   |                |  |        |
| AIDS Cases   |              |             |   |                |  |        |
| Number of deaths   |              |             |   |                |  |        |
| Mortality (percent of AIDS cases<br>resulting in deaths)         |              |             |   |                |  |        |
| AIDS Cases   |              |             |   |                |  |        |
| Number of deaths   |              |             |   |                |  |        |
| Mortality (percent of AIDS cases<br>resulting in deaths)         |              |             |   |                |  |        |
| AIDS Cases   |              |             |   |                |  |        |
| Number of deaths   |              |             |   |                |  |        |
| Mortality (percent of AIDS cases<br>resulting in deaths)         |              |             |   |                |  |        |
| AIDS Cases   |              |             |   |                |  |        |
| Number of deaths   |              |             |   |                |  |        |
| Mortality (percent of AIDS cases<br>resulting in deaths)         |              |             |   |                |  |        |
| AIDS Cases   |              |             |   |                |  |        |
| Number of deaths   |              |             |   |                |  |        |
| Mortality (percent of AIDS cases<br>resulting in deaths)         |              |             |   |                |  |        |
| AIDS Cases   |              |             |   |                |  |        |
| Number of deaths   |              |             |   |                |  |        |
| Mortality (percent of AIDS cases<br>resulting in deaths)         |              |             |   |                |  |        |
| AIDS Cases   |              |             |   |                |  |        |
| Number of deaths   |              |             |   |                |  |        |
| Mortality (percent of AIDS cases<br>resulting in deaths)         |              |             |   |                |  |        |
| AIDS Cases   |              |             |   |                |  |        |
| Number of deaths   |              |             |   |                |  |        |
| Mortality (percent of AIDS cases<br>resulting in deaths)         |              |             |   |                |  |        |
| AIDS Cases   |              |             |   |                |  |        |
| Number of deaths   |              |             |   |                |  |        |
| Mortality (percent of AIDS cases<br>resulting in deaths)         |              |             |   |                |  |        |
| AIDS Cases   |              |             |   |                |  |        |
| Number of deaths   |              |             |   |                |  |        |
| Mortality (percent of AIDS cases<br>resulting in deaths)         |              |             |   |                |  |        |
| AIDS Cases   |              |             |   |                |  |        |
| Number of deaths   |              |             |   |                |  |        |
| Mortality (percent of AIDS cases<br>resulting in deaths)         |              |             |   |                |  |        |
| AIDS Cases   |              |             |   |                |  |        |
| Number of deaths   |              |             |   |                |  |        |
| Mortality (percent of AIDS cases<br>resulting in deaths)         |              |             |   |                |  |        |
| AIDS Cases   |              |             |   |                |  |        |
| Number of deaths   |              |             |   |                |  |        |
| Mortality (percent of AIDS cases<br>resulting in deaths)         |              |             |   |                |  |        |
| AIDS Cases   |              |             |   |                |  |        |
| Number of deaths   |              |             |   |                |  |        |
| Mortality (percent of AIDS cases<br>resulting in deaths)         |              |             |   |                |  |        |
| AIDS Cases   |              |             |   |                |  |        |
| Number of deaths   |              |             |   |                |  |        |
| Mortality (percent of AIDS cases<br>resulting in deaths)         |              |             |   |                |  |        |
| AIDS Cases   |              |             |   |                |  |        |
| Number of deaths   |              |             |   |                |  |        |
| Mortality (percent of AIDS cases<br>resulting in deaths)         |              |             |   |                |  |        |
| AIDS Cases   |              |             |   |                |  |        |
| Number of deaths   |              |             |   |                |  |        |
| Mortality (percent of AIDS cases<br>resulting in deaths)         |              |             |   |                |  |        |
| AIDS Cases   |              |             |   |                |  |        |
| Number of deaths   |              |             |   |                |  |        |
| Mortality (percent of AIDS cases<br>resulting in deaths)         |              |             |   |                |  |        |
| AIDS Cases   |              |             |   |                |  |        |
| Number of deaths   |              |             |   |                |  |        |
| Mortality (percent of AIDS cases<br>resulting in deaths)         |              |             |   |                |  |        |
| AIDS Cases   |              |             |   |                |  |        |
| Number of deaths   |              |             |   |                |  |        |
| Mortality (percent of AIDS cases<br>resulting in deaths)         |              |             |   |                |  |        |
| AIDS Cases   |              |             |   |                |  |        |
| Number of deaths   |              |             |   |                |  |        |
| Mortality (percent of AIDS cases<br>resulting in deaths)         |              |             |   |                |  |        |
| AIDS Cases   |              |             |   |                |  |        |
| Number of deaths   |              |             |   |                |  |        |
| Mortality (percent of AIDS cases<br>resulting in deaths)         |              |             |   |                |  |        |
| AIDS Cases   |              |             |   |                |  |        |
| Number of deaths   |              |             |   |                |  |        |
| Mortality (percent of AIDS cases<br>resulting in deaths)         |              |             |   |                |  |        |
| AIDS Cases   |              |             |   |                |  |        |
| Number of deaths   |              |             |   |                |  |        |
| Mortality (percent of AIDS cases<br>resulting in deaths)         |              |             |   |                |  |        |
| AIDS Cases   |              |             |   |                |  |        |
| Number of deaths   |              |             |   |                |  |        |
| Mortality (percent of AIDS cases<br>resulting in deaths)         |              |             |   |                |  |        |
| AIDS Cases   |              |             |   |                |  |        |
| Number of deaths   |              |             |   |                |  |        |
| Mortality (percent of AIDS cases<br>resulting in deaths)         |              |             |   |                |  |        |
| AIDS Cases   |              |             |   |                |  |        |
| Number of deaths   |              |             |   |                |  |        |
| Mortality (percent of AIDS cases<br>resulting in deaths)         |              |             |   |                |  |        |
| AIDS Cases   |              |             |   |                |  |        |
| Number of deaths   |              |             |   |                |  |        |
| Mortality (percent of AIDS cases<br>resulting in deaths)         |              |             |   |                |  |        |
| AIDS Cases   |              |             |   |                |  |        |
| Number of deaths   |              |             |   |                |  |        |
| Mortality (percent of AIDS cases<br>resulting in deaths)         |              |             |   |                |  |        |
| AIDS Cases   |              |             |   |                |  |        |
| Number of deaths   |              |             |   |                |  |        |
| Mortality (percent of AIDS cases<br>resulting in deaths)         |              |             |   |                |  |        |
| AIDS Cases   |              |             |   |                |  |        |
| Number of deaths   |              |             |   |                |  |        |
| Mortality (percent of AIDS cases<br>resulting in deaths)         |              |             |   |                |  |        |
| AIDS Cases   |              |             |   |                |  |        |
| Number of deaths   |              |             |   |                |  |        |
| Mortality (percent of AIDS cases<br>resulting in deaths)         |              |             |   |                |  |        |
| AIDS Cases   |              |             |   |                |  |        |
| Number of deaths   |              |             |   |                |  |        |
| Mortality (percent of AIDS cases<br>resulting in deaths)         |              |             |   |                |  |        |
| AIDS Cases   |              |             |   |                |  |        |
| Number of deaths   |              |             |   |                |  |        |
| Mortality (percent of AIDS cases<br>resulting in deaths)         |              |             |   |                |  |        |
| AIDS Cases   |              |             |   |                |  |        |
| Number of deaths   |              |             |   |                |  |        |
| Mortality (percent of AIDS cases<br>resulting in deaths)         |              |             |   |                |  |        |
| AIDS Cases   |              |             |   |                |  |        |
| Number of deaths   |              |             |   |                |  |        |
| Mortality (percent of AIDS cases<br>resulting in deaths)         |              |             |   |                |  |        |
| AIDS Cases   |              |             |   |                |  |        |
| Number of deaths   |              |             |   |                |  |        |
| Mortality (percent of AIDS cases<br>resulting in deaths)         |              |             |   |                |  |        |
| AIDS Cases   |              |             |   |                |  |        |
| Number of deaths   |              |             |   |                |  |        |
| Mortality (percent of AIDS cases<br>resulting in deaths)         |              |             |   |                |  |        |
| AIDS Cases   |              |             |   |                |  |        |
| Number of deaths   |              |             |   |                |  |        |
| Mortality (percent of AIDS cases<br>resulting in deaths)         |              |             |   |                |  |        |
| AIDS Cases   |              |             |   |                |  |        |
| Number of deaths   |              |             |   |                |  |        |
| Mortality (percent of AIDS cases<br>resulting in deaths)         |              |             |   |                |  |        |
| AIDS Cases   |              |             |   |                |  |        |
| Number of deaths   |              |             |   |                |  |        |
| Mortality (percent of AIDS cases<br>resulting in deaths)         |              |             |   |                |  |        |
| AIDS Cases   |              |             |   |                |  |        |
| Number of deaths   |              |             |   |                |  |        |
| Mortality (percent of AIDS cases<br>resulting in deaths)         |              |             |   |                |  |        |
| AIDS Cases   |              |             |   |                |  |        |
| Number of deaths   |              |             |   |                |  |        |
| Mortality (percent of AIDS cases<br>resulting in deaths)         |              |             |   |                |  |        |
| AIDS Cases   |              |             |   |                |  |        |
| Number of deaths   |              |             |   |                |  |        |
| Mortality (percent of AIDS cases<br>resulting in deaths)         |              |             |   |                |  |        |
| AIDS Cases   |              |             |   |                |  |        |
| Number of deaths   |              |             |   |                |  |        |
| Mortality (percent of AIDS cases<br>resulting in deaths)         |              |             |   |                |  |        |
| AIDS Cases   |              |             |   |                |  |        |
| Number of deaths   |              |             |   |                |  |        |
| Mortality (percent of AIDS cases<br>resulting in deaths)         |              |             |   |                |  |        |
| AIDS Cases   |              |             |   |                |  |        |
| Number of deaths   |              |             |   |                |  |        |
| Mortality (percent of AIDS cases<br>resulting in deaths)         |              |             |   |                |  |        |
| AIDS Cases   |              |             |   |                |  |        |
| Number of deaths   |              |             |   |                |  |        |
| Mortality (percent of AIDS cases<br>resulting in deaths)         |              |             |   |                |  |        |
| AIDS Cases   |              |             |   |                |  |        |
| Number of deaths   |              |             |   |                |  |        |
| Mortality (percent of AIDS cases<br>resulting in deaths)         |              |             |   |                |  |        |
| AIDS Cases   |              |             |   |                |  |        |
| Number of deaths   |              |             |   |                |  |        |
| Mortality (percent of AIDS cases<br>resulting in deaths)         |              |             |   |                |  |        |
| AIDS Cases   |              |             |   |                |  |        |
| Number of deaths   |              |             |   |                |  |        |
| Mortality (percent of AIDS cases<br>resulting in deaths)         |              |             |   |                |  |        |
| AIDS Cases   |              |             |   |                |  |        |
| Number of deaths   |              |             |   |                |  |        |
| Mortality (percent of AIDS cases<br>resulting in deaths)         |              |             |   |                |  |        |
| AIDS Cases   |              |             |   |                |  |        |
| Number of deaths   |              |             |   |                |  |        |
| Mortality (percent of AIDS cases<br>resulting in deaths)         |              |             |   |                |  |        |
| AIDS Cases   |              |             |   |                |  |        |
| Number of deaths   |              |             |   |                |  |        |
| Mortality (percent of AIDS cases<br>resulting in deaths)         |              |             |   |                |  |        |
| AIDS Cases   |              |             |   |                |  |        |
| Number of deaths   |              |             |   |                |  |        |
| Mortality (percent of AIDS cases<br>resulting in deaths)         |              |             |   |                |  |        |
| AIDS Cases   |              |             |   |                |  |        |
| Number of deaths   |              |             |   |                |  |        |
| Mortality (percent of AIDS cases<br>resulting in deaths)         |              |             |   |                |  |        |
| AIDS Cases   |              |             |   |                |  |        |
| Number of deaths   |              |             |   |                |  |        |
| Mortality (percent of AIDS cases<br>resulting in deaths)         |              |             |   |                |  |        |
| AIDS Cases   |              |             |   |                |  |        |
| Number of deaths   |              |             |   |                |  |        |
| Mortality (percent of AIDS cases<br>resulting in deaths)         |              |             |   |                |  |        |
| AIDS Cases   |              |             |   |                |  |        |
| Number of deaths   |              |             |   |                |  |        |
| Mortality (percent of AIDS cases<br>resulting in deaths)         |              |             |   |                |  |        |
| AIDS Cases   |              |             |   |                |  |        |
| Number of deaths   |              |             |   |                |  |        |
| Mortality (percent of AIDS cases<br>resulting in deaths)         |              |             |   |                |  |        |
| AIDS Cases   |              |             |   |                |  |        |
| Number of deaths   |              |             |   |                |  |        |
| Mortality (percent of AIDS cases<br>resulting in deaths)         |              |             |   |                |  |        |
| AIDS Cases   |              |             |   |                |  |        |
| Number of deaths   |              |             |   |                |  |        |
| Mortality (percent of AIDS cases<br>resulting in deaths)         |              |             |   |                |  |        |
| AIDS Cases   |              |             |   |                |  |        |
| Number of deaths   |              |             |   |                |  |        |
| Mortality (percent of AIDS cases<br>resulting in deaths)         |              |             |   |                |  |        |
| AIDS Cases   |              |             |   |                |  |        |
| Number of deaths   |              |             |   |                |  |        |
| Mortality (percent of AIDS cases<br>resulting in deaths)         |              |             |   |                |  |        |
| AIDS Cases   |              |             |   |                |  |        |
| Number of deaths   |              |             |   |                |  |        |
| Mortality (percent of AIDS cases<br>resulting in deaths)         |              |             |   |                |  |        |
| AIDS Cases   |              |             |   |                |  |        |
| Number of deaths   |              |             |   |                |  |        |
| Mortality (percent of AIDS cases<br>resulting in deaths)         |              |             |   |                |  |        |
| AIDS Cases   |              |             |   |                |  |        |
| Number of deaths   |              |             |   |                |  |        |
| Mortality (percent of AIDS cases<br>resulting in deaths)         |              |             |   |                |  |        |
| AIDS Cases   |              |             |   |                |  |        |
| Number of deaths   |              |             |   |                |  |        |
| Mortality (percent of AIDS cases<br>resulting in deaths)         |              |             |   |                |  |        |
| AIDS Cases   |              |             |   |                |  |        |
| Number of deaths   |              |             |   |                |  |        |
| Mortality (percent of AIDS cases<br>resulting in deaths)         |              |             |   |                |  |        |
| AIDS Cases   |              |             |   |                |  |        |
| Number of deaths   |              |             |   |                |  |        |
| Mortality (percent of AIDS cases<br>resulting in deaths)         |              |             |   |                |  |        |
| AIDS Cases   |              |             |   |                |  |        |
| Number of deaths   |              |             |   |                |  |        |
| Mortality (percent of AIDS cases<br>resulting in deaths)         |              |             |   |                |  |        |
| AIDS Cases   |              |             |   |                |  |        |
| Number of deaths   |              |             |   |                |  |        |
| Mortality (percent of AIDS cases<br>resulting in deaths)         |              |             |   |                |  |        |
| AIDS Cases   |              |             |   |                |  |        |
| Number of deaths   |              |             |   |                |  |        |
| Mortality (percent of AIDS cases<br>resulting in deaths)         |              |             |   |                |  |        |
| AIDS Cases   |              |             |   |                |  |        |
| Number of deaths   |              |             |   |                |  |        |
| Mortality (percent of AIDS cases<br>resulting in deaths)         |              |             |   |                |  |        |
| AIDS Cases   |              |             |   |                |  |        |
| Number of deaths   |              |             |   |                |  |        |
| Mortality (percent of AIDS cases<br>resulting in deaths)         |              |             |   |                |  |        |
| AIDS Cases   |              |             |   |                |  |        |
| Number of deaths   |              |             |   |                |  |        |
| Mortality (percent of AIDS cases<br>resulting in deaths)         |              |             |   |                |  |        |
| AIDS Cases   |              |             |   |                |  |        |
| Number of deaths   |              |             |   |                |  |        |
| Mortality (percent of AIDS cases<br>resulting in deaths)         |              |             |   |                |  |        |
| AIDS Cases   |              |             |   |                |  |        |
| Number of deaths   |              |             |   |                |  |        |
| Mortality (percent of AIDS cases<br>resulting in deaths)         |              |             |   |                |  |        |
| AIDS Cases   |              |             |   |                |  |        |
| Number of deaths   |              |             |   |                |  |        |
| Mortality (percent of AIDS cases<br>resulting in deaths)         |              |             |   |                |  |        |
| AIDS Cases   |              |             |   |                |  |        |
| Number of deaths   |              |             |   |                |  |        |

| PROGRAM CLIENTS/SERVICES   |         | HOSPITALS (2000)  |       | HOSPICE CARE   |              |
|--|---------|---|-------|--|--------------|
| Percent Early Postpartum Breastfeeding Initiation 1998-2000 Average            | 75.4 %  | Number of General Acute Care (GAC) Hospitals                    | 17    | Number of Freestanding Hospice Care Facilities (2000)                | 7            |
| Family Planning Clients by All Funding Sources (2001)                          | 45,925  | Number of Licensed GAC Beds                                     | 2,752 | HOSPITAL UTILIZATION (2000)  |              |
|  |         | Number of Licensed GAC Beds per 1,000 Population                | 1.8   | Number of GAC Discharges from GAC Hospitals                          | 135,658      |
| Women and Children Under Age 5 Receiving WIC Services (07/02)                  | 61,960  | LTC (2000)  |       | Average GAC Occupancy Rate in GAC Hospitals                          | 52.3         |
|  |         | Number of Long Term Care Facilities and Hospitals with LTC Beds | 48    | Average GAC Length of Stay in GAC Hospitals (days)                   | 3.9          |
| Child Health/Disability Prevention Screens (FY 2000-2001)                      | 103,358 | Number of Licensed LTC Beds                                     | 4,444 | LTC (2000)   |              |
|  |         | Number of Licensed Beds per 1,000 Population                    | 2.9   | Number of LTC Discharges from LTC Facilities                         | 15,005       |
| California Children's Services Cases (08/02)                                   | 8,137   | PHYSICIANS (2001)   |       | Average Occupancy Rate of LTC Facilities and Hospitals with LTC Beds | 86.7         |
|  |         | Number of Active Non-Federal Physicians                         | 2,241 | COUNTY HEALTH COSTS (FY 2000-2001)                                   |              |
| Developmental Disability Clients (08/02)                                       | 7,696   | Number of Persons per Physician                                 | 690   | Estimated Net County Health Care Costs                               | \$54,427,566 |
|  |         | DENTISTS (2002)   |       | Estimated Net County Cost per Capita                                 | \$35.22      |
| Rehabilitation Clients (FY 2000-2001)  | 3,153   | Number of Licensed Dentists (Non-Federal)                       | 797   |  |              |
|  |         | Number of Persons per Dentist                                   | 1,939 |  |              |
| State Mental Hospital Admissions (FY 2000-2001)                                | 126     | CLINICS (2000)  |       |  |              |
|  |         | Number of Licensed Community and Free Clinics                   | 20    |  |              |
| Persons Receiving Preventive Health Care for the Aging Services (FY 2001-2002) |         | Number of Specialty Clinics                                     | 43    |  |              |
|  |         | HOME HEALTH AGENCIES (2000)                                     |       |  |              |
| Assessment Clients   | 0       | Number of Licensed Home Health Agencies                         | 31    |  |              |
| Total Client Encounters  | 0       |   |       |  |              |

| TOTAL POPULATION       |           | PERCENT BELOW POVERTY LEVEL (1999)                            |           | LIVE BIRTHS (2000)   |        |
|------------------------|-----------|---|-----------|--|--------|
| Census Year 2000       | 1,223,499 | Total population  | 14.1 %    | Number of Live Births By:                                      |        |
| Projection Year 2010   | 1,486,500 | Children under 6  | 21.4 %    | County of Residence  | 18,192 |
| Projection Year 2020   | 1,707,600 | Persons aged 65+  | 6.6 %     | County of Occurrence   | 20,245 |
| AGE (2000)             |           |   |           | Birth Rate (births per 1,000 population)                       | 14.6   |
| Under Age 5            | 7.3%      | Whites  | 9.5 %     | Fertility rate (births per 1,000 women aged 15-44, 98-00 avg.) | 68.3   |
| Age 5-17               | 20.3%     | Blacks  | 23.7 %    | Low birthweight (under 2,500 grams)                            | 6.5 %  |
| Age 18-64              | 61.3%     | Hispanics   | 19.5 %    | Very low birthweight (under 1,500 grams)                       | 1.3 %  |
| Age 65+                | 11.1%     | Asian/Pacific Islanders                                       | 20.6 %    | Unmarried  | 34.4 % |
|                        |           | American Indian   | 20.9 %    | Cesarean section delivery                                      | 20.5 % |
|                        |           | HOUSING VALUE (2000)  |           | Mothers who gave birth outside county of residence             | 7.0 %  |
|                        |           | Median housing-unit value                                     | \$144,200 | Mothers with less than 12 years education                      | 22.3 % |
| SEX (2000)             |           | CALWORKS (2002)   |           | Teenage mothers (<18)  | 3.5 %  |
| Females                | 51.1%     | CalWorks enrollees as a percent of county population          | 2.3 %     | Mothers with no 1st trimester prenatal care                    | 20.5 % |
| Males                  | 48.9%     | SSI/SSP (2002)  |           | Percent of Births by Mother's Race/Ethnicity:                  |        |
| RACE/ETHNICITY (2000)  |           | SSI/SSP recipients as a percent of county population          | 4.1 %     | White/Other  | 48.3 % |
| White                  | 57.8%     | UNEMPLOYMENT (2002)   |           | Black  | 11.1 % |
| Black                  | 9.7%      | Percent of civilian labor force unemployed                    | 5.0 %     | Hispanic   | 23.2 % |
| Hispanic               | 16.0%     | EDUCATION   |           | Asian/Pacific Islander   | 13.9 % |
| American Indian        | 0.7%      | Percent of persons aged 25+ not completing high-school (2000) | 16.7 %    | American Indian  | 0.6 %  |
| Asian/Pacific Islander | 11.4%     | Enrollment K-12 (2001-2002)                                   | 250,934   | Multiple Race  | 2.6 %  |
| URBAN/RURAL (2000)     |           | PRINCIPAL PAYMENT SOURCE FOR BIRTH DELIVERIES                 |           |  |        |
| Urban                  | 97.6%     | Medi-Cal/other gov't  | 39.9 %    |  |        |
| Rural                  | 2.4%      | HMO and prepaid plans   | 44.0 %    |  |        |
| FAMILY INCOME (1999)   |           | Private insurance   | 15.1 %    |  |        |
| Median family income   | \$43,816  |   |           |  |        |

| DEATHS (2000)                                  |          | CAUSES OF DEATH (1999-2000 AVG.)                   |       | INFANT DEATHS (2000)  |       |
|--|----------|--|-------|---|-------|
| Number of Deaths By:                           |          | Deaths per 100,000 Population Due To:              |       | Number of Infant Deaths (Under 1 Year of Age) 105               |       |
| County of Residence                            | 8,991    | Heart Disease                                      | 216.7 | Infant Death Rate (Deaths per 1,000 Live Births) 5.8            |       |
| County of Occurrence                           | 9,568    | All Malignant Neoplasms                            | 180.1 |   |       |
|  |          | Breast Cancer                                      | 29.0  |   |       |
|  |          | Lung Cancer  | 50.3  |   |       |
| Crude Death Rate (Deaths per 1,000 Population) | 7.2      | Stroke   | 61.5  | INFANT DEATH RATES (1999 BIRTH COHORT)                          |       |
| AGE-ADJUSTED DEATH RATE (1998-2000 AVERAGE)    |          | Unintentional Injuries                             | 26.3  | Infant Deaths per 1,000 Live Births by Mother's Race/Ethnicity: |       |
| Age-Adjusted Deaths per 100,000 Population     | 867.0    | Pneumonia and Influenza                            | 30.5  | All Race/Ethnic Groups  | 6.7   |
| AGE-SPECIFIC DEATH RATES (1998-2000 AVERAGE)   |          | Chronic Lower Respiratory Disease                  | 46.6  | White   | 4.8   |
| Deaths per 100,000 Population:                 |          | Acquired Immune Deficiency Syndrome                | 4.4   | Black   | 16.9  |
| 1 to 4 Years Old                               | 34.4     | Chronic Liver Disease/Cirrhosis                    | 10.8  | Hispanic  | 6.9   |
| 5 to 14 Years Old                              | 20.0     | Suicide  | 11.1  | Asian, American Indian, Other                                   | 5.5 * |
| 15 to 24 Years Old                             | 72.8     | Diabetes Mellitus                                  | 17.8  | PERINATAL DEATHS (1999 BIRTH COHORT)                            |       |
| 25 to 34 Years Old                             | 103.0    | Homicide   | 6.2   | Number of Perinatal Deaths (Neonatal Plus Fetal) 182            |       |
|  |          | FETAL AND NEONATAL DEATHS (2000)                   |       | Perinatal Death Rate by Mother's Race/Ethnicity:                |       |
| 35 to 44 Years Old                             | 175.9    | Number of Fetal Deaths                             | 111   | All Race/Ethnic Groups  | 10.2  |
| 45 to 54 Years Old                             | 427.9    | Fetal Death Ratio (Deaths per 1,000 Live Births)   | 6.1   | White   | 9.2   |
| 55 to 64 Years Old                             | 1,014.1  | Number of Neonatal Deaths (Under 28 Days of Age)   | 60    | Black   | 19.7  |
| 65 to 74 Years Old                             | 2,426.9  | Neonatal Death Rate (Deaths per 1,000 Live Births) | 3.3   | Hispanic  | 8.4   |
| 75 to 84 Years Old                             | 5,621.3  |  |       | Asian, American Indian, Other                                   | 9.4   |
| Over 84 Years Old                              | 15,665.5 |  |       |   |       |

| REPORTED COMMUNICABLE DISEASES<br>(1998-2000 AVERAGE)            |              |             | COUNTY HEALTH INDICATORS<br>(continued)                           |                 | MEDI-CAL<br>(2000)   |         |
|--|--------------|-------------|---|-----------------|--|---------|
| Number and Rate per 100,000 Population                           |              |             | Mortality Rate Per 100,000 Pop. (1999-2000 Avg.)                  |                 | MEDI-CAL Deliveries by:  |         |
| <u>DISEASE</u>   | <u>CASES</u> | <u>RATE</u> | Work Related Injury Deaths  | 13.5            | County of Beneficiary  | 7,504   |
| Hepatitis  | 116.7        | 9.8         | Mortality Rate  | 1.2 *           |  |         |
| Measles  | 0.3          | 0.0 *       | Drug Related Deaths (1999-2000 Avg.)                              | 97.0            | Fee for Service  | 3,258   |
| Shigellosis  | 61.3         | 5.2         | Mortality Rate  | 8.2             | Managed Care   | 4,246   |
| Tuberculosis   | 109.7        | 9.2         | Homicide by Weapons (2000)  | 75              | MEDI-CAL Abortions by:   | 2,165   |
| Syphilis   | 1.3          | 0.1 *       | Homicide by Handguns  | 37              | (Resident beneficiary) FFS   |         |
| Chlamydia  | 4,343.3      | 365.3       | Kindergarten Students Needing One<br>or More Immunizations (2001) | 2,109<br>11.3 % | County Hospitals   | 5       |
| Gonorrhea  | 1,359.0      | 114.3       |   |                 | Community Hospitals  | 74      |
| CUMULATIVE AIDS CASES AND INCIDENCE<br>1981 through January 2002 |              |             | MEDI-CAL DATA<br>(AVERAGE MONTHLY, 2000)                          |                 | MEDI-CAL PHP ENROLLEES (2000)  |         |
|  |              |             | MEDI-CAL Users (FFS): 56,935                                      |                 | Average Monthly Prepaid  |         |
| AIDS Cases   | 3,084        |             | Percent of County Population                                      | 4.7 %           | Health Plan Enrollees  | 155,255 |
| Number of deaths   | 1,838        |             | Percent of Eligibles (FFS)  | 69.2 %          | DENTI-CAL SERVICES (2000)  |         |
| Mortality (percent of AIDS cases<br>resulting in deaths)         | 60.0 %       |             | Total MEDI-CAL Eligibles:   | 237,587         | Average Monthly Users  |         |
| COUNTY HEALTH INDICATORS   |              |             | Percent of County Population                                      |                 | 4,226  |         |
|  |              |             | MEDI-CAL Payments (FFS) :   |                 | MEDI-CAL/MEDICARE (2002)   |         |
| Persons Injured in Traffic Accidents                             | 14,082       |             | Amount  | \$28,536,669    | Percent of MEDI-CAL Eligibles<br>Who are also eligible<br>for Medicare |         |
| County of Occurrence (2000)                                      |              |             | Amount per User   | \$501.21        | 13.3 %   |         |
| Substance Abuse Admissions (2000)                                |              |             | MEDI-CAL ELIGIBLES BY RACE/ETHNICITY<br>(2000)                    |                 | MEDI-CAL/MEDICARE (2002)   |         |
| Methamphetamine  | 1,441        |             | White   | 39.9 %          | MEDICARE ENROLLEES (2000)  |         |
| Cocaine  | 602          |             | Black   | 20.4 %          | TOTAL MEDICARE ENROLLEES   |         |
| Marijuana  | 570          |             | Hispanic  | 14.7 %          | Number   |         |
| Alcohol  | 1,368        |             | American Indian/Alaskan Native                                    | 0.5 %           | 152,198  |         |
|  |              |             | Asian/Pacific Islander  | 15.2 %          | Percent of County Population   |         |
|  |              |             | Not Reported  | 9.4 %           | 12.4 %   |         |
|  |              |             |   |                 | Enrollees Aged 65+   |         |
|  |              |             |   |                 | Number   |         |
|  |              |             |   |                 | 128,078  |         |
|  |              |             |   |                 | Percent of County Population   |         |
|  |              |             |   |                 | 10.5 %   |         |
|  |              |             |   |                 | Disability Beneficiaries:  |         |
|  |              |             |   |                 | Number   |         |
|  |              |             |   |                 | 24,120   |         |
|  |              |             |   |                 | Percent of County Population   |         |
|  |              |             |   |                 | 2.0 %  |         |

| PROGRAM CLIENTS/SERVICES   |        | HOSPITALS (2000)  | HOSPICE CARE   |
|--|--------|---|--|
| Percent Early Postpartum Breastfeeding Initiation 1998-2000 Average            | 78.7 % | Number of General Acute Care (GAC) Hospitals<br>11                    | Number of Freestanding Hospice Care Facilities (2000)<br>2   |
| Family Planning Clients by All Funding Sources (2001)                          | 31,303 | Number of Licensed GAC Beds<br>2,520                                  | <b>HOSPITAL UTILIZATION (2000)</b><br>Number of GAC Discharges from GAC Hospitals<br>124,059<br><br>Average GAC Occupancy Rate in GAC Hospitals<br>60.0        |
|  |        | Number of Licensed GAC Beds per 1,000 Population<br>2.1               |  |
| Women and Children Under Age 5 Receiving WIC Services (07/02)                  | 37,388 | <b>LTC (2000)</b>   |  |
|  |        | Number of Long Term Care Facilities and Hospitals with LTC Beds<br>38 | Average GAC Length of Stay in GAC Hospitals (days)<br>4.5  |
| Child Health/Disability Prevention Screens (FY 2000-2001)                      | 71,960 | Number of Licensed LTC Beds<br>3,884                                  | <b>LTC (2000)</b><br>Number of LTC Discharges from LTC Facilities<br>9,276<br><br>Average Occupancy Rate of LTC Facilities and Hospitals with LTC Beds<br>90.0 |
|  |        | Number of Licensed Beds per 1,000 Population<br>3.2                   |  |
| California Children's Services Cases (08/02)                                   | 3      | <b>PHYSICIANS (2001)</b>  |  |
|  |        | Number of Active Non-Federal Physicians<br>3,191                      |  |
| Developmental Disability Clients (08/02)                                       | 7,941  | Number of Persons per Physician<br>383                                | <b>COUNTY HEALTH COSTS (FY 2000-2001)</b><br>Estimated Net County Health Care Costs<br>\$75,208,846<br><br>Estimated Net County Cost per Capita<br>\$61.47     |
|  |        | <b>DENTISTS (2002)</b>  |  |
| Rehabilitation Clients (FY 2000-2001)  | 1,957  | Number of Licensed Dentists (Non-Federal)<br>941                      |  |
|  |        | Number of Persons per Dentist<br>1,300                                |  |
| State Mental Hospital Admissions (FY 2000-2001)                                | 77     | <b>CLINICS (2000)</b>   |  |
|  |        | Number of Licensed Community and Free Clinics<br>17                   |  |
| Persons Receiving Preventive Health Care for the Aging Services (FY 2001-2002) |        | Number of Specialty Clinics<br>24                                     |  |
|  |        | <b>HOME HEALTH AGENCIES (2000)</b>                                    |  |
| Assessment Clients   | 0      | Number of Licensed Home Health Agencies<br>33                         |  |
| Total Client Encounters  | 0      |   |  |

| TOTAL POPULATION       |          | PERCENT BELOW POVERTY LEVEL (1999)                            |           | LIVE BIRTHS (2000)   |        |
|------------------------|----------|---|-----------|--|--------|
| Census Year 2000       | 53,234   | Total population  | 10.0 %    | Number of Live Births By:                                      |        |
| Projection Year 2010   | 72,000   | Children under 6  | 10.1 %    | County of Residence  | 876    |
| Projection Year 2020   | 86,800   | Persons aged 65+  | 8.5 %     | County of Occurrence   | 546    |
| AGE (2000)             |          |   |           | Birth Rate (births per 1,000 population)                       | 16.1   |
| Under Age 5            | 8.8%     | Whites  | 4.6 %     | Fertility rate (births per 1,000 women aged 15-44, 98-00 avg.) | 84.1   |
| Age 5-17               | 23.4%    | Blacks  | 28.1 %    | Low birthweight (under 2,500 grams)                            | 5.8 %  |
| Age 18-64              | 59.7%    | Hispanics   | 15.1 %    | Very low birthweight (under 1,500 grams)                       | 1.4 %  |
| Age 65+                | 8.1%     | Asian/Pacific Islanders                                       | 4.2 %     | Unmarried  | 29.5 % |
|                        |          | American Indian   | 18.5 %    | Cesarean section delivery                                      | 22.8 % |
|                        |          | HOUSING VALUE (2000)  |           | Mothers who gave birth outside county of residence             | 42.0 % |
|                        |          | Median housing-unit value                                     | \$284,000 | Mothers with less than 12 years education                      | 30.0 % |
| SEX (2000)             |          | CALWORKS (2002)   |           | Teenage mothers (<18)  | 3.5 %  |
| Females                | 49.4%    | CalWorks enrollees as a percent of county population          | 0.9 %     | Mothers with no 1st trimester prenatal care                    | 14.9 % |
| Males                  | 50.6%    | SSI/SSP (2002)  |           | Percent of Births by Mother's Race/Ethnicity:                  |        |
| RACE/ETHNICITY (2000)  |          | SSI/SSP recipients as a percent of county population          | 1.5 %     | White/Other  | 33.2 % |
| White                  | 46.0%    | UNEMPLOYMENT (2002)   |           | Black  | 0.5 %  |
| Black                  | 0.9%     | Percent of civilian labor force unemployed                    | 11.4 %    | Hispanic   | 62.3 % |
| Hispanic               | 47.9%    | EDUCATION   |           | Asian/Pacific Islander   | 2.7 %  |
| American Indian        | 0.5%     | Percent of persons aged 25+ not completing high-school (2000) | 25.1 %    | American Indian  | 0.2 %  |
| Asian/Pacific Islander | 2.3%     | Enrollment K-12 (2001-2002)                                   | 12,371    | Multiple Race  | 0.6 %  |
| URBAN/RURAL (2000)     |          | PRINCIPAL PAYMENT SOURCE FOR BIRTH DELIVERIES                 |           |  |        |
| Urban                  | 77.6%    | Medi-Cal/other gov't  | 35.9 %    |  |        |
| Rural                  | 22.4%    | HMO and prepaid plans   | 17.8 %    |  |        |
| FAMILY INCOME (1999)   |          | Private insurance   | 45.4 %    |  |        |
| Median family income   | \$60,665 |   |           |  |        |

| DEATHS (2000)                                  |          | CAUSES OF DEATH (1999-2000 AVG.)                   |        | INFANT DEATHS (2000)  |     |
|--|----------|--|--------|---|-----|
| Number of Deaths By:                           |          | Deaths per 100,000 Population Due To:              |        | Number of Infant Deaths (Under 1 Year of Age)                   | 4   |
| County of Residence                            | 284      | Heart Disease                                      | 144.7  | Infant Death Rate (Deaths per 1,000 Live Births)                | N   |
| County of Occurrence                           | 240      | All Malignant Neoplasms                            | 135.8  | INFANT DEATH RATES (1999 BIRTH COHORT)                          |     |
|  |          | Breast Cancer                                      | 30.3 * |   |     |
|  |          | Lung Cancer  | 29.9 * | Infant Deaths per 1,000 Live Births by Mother's Race/Ethnicity: |     |
| Crude Death Rate (Deaths per 1,000 Population) | 5.2      | Stroke   | 44.9   | All Race/Ethnic Groups  | N   |
| AGE-ADJUSTED DEATH RATE (1998-2000 AVERAGE)    |          | Unintentional Injuries                             | 28.0 * | White   | 0.0 |
| Age-Adjusted Deaths per 100,000 Population     | 636.1    | Pneumonia and Influenza                            | 23.0 * | Black   | N   |
| AGE-SPECIFIC DEATH RATES (1998-2000 AVERAGE)   |          | Chronic Lower Respiratory Disease                  | 35.9 * | Hispanic  | N   |
| Deaths per 100,000 Population:                 |          | Acquired Immune Deficiency Syndrome                | 2.0 *  | Asian, American Indian, Other                                   | 0.0 |
| 1 to 4 Years Old                               | 47.7 *   | Chronic Liver Disease/Cirrhosis                    | 10.0 * | PERINATAL DEATHS (1999 BIRTH COHORT)                            |     |
| 5 to 14 Years Old                              | 12.5 *   | Suicide  | 2.0 *  |   |     |
| 15 to 24 Years Old                             | 75.9 *   | Diabetes Mellitus                                  | 15.0 * | Number of Perinatal Deaths (Neonatal Plus Fetal)                | 5   |
| 25 to 34 Years Old                             | 93.6 *   | Homicide   | 3.0 *  | Perinatal Death Rate by Mother's Race/Ethnicity:                |     |
|  |          | FETAL AND NEONATAL DEATHS (2000)                   |        | All Race/Ethnic Groups  | N   |
| 35 to 44 Years Old                             | 104.6 *  | Number of Fetal Deaths                             | 4      | White   | 0.0 |
| 45 to 54 Years Old                             | 314.7    | Fetal Death Ratio (Deaths per 1,000 Live Births)   | N      | Black   | 0.0 |
| 55 to 64 Years Old                             | 613.3    | Number of Neonatal Deaths (Under 28 Days of Age)   | 4      | Hispanic  | N   |
| 65 to 74 Years Old                             | 1,479.3  | Neonatal Death Rate (Deaths per 1,000 Live Births) | N      | Asian, American Indian, Other                                   | 0.0 |
| 75 to 84 Years Old                             | 4,843.5  |  |        |   |     |
| Over 84 Years Old                              | 11,316.9 |  |        |   |     |

| REPORTED COMMUNICABLE DISEASES<br>(1998-2000 AVERAGE)            |              |             | COUNTY HEALTH INDICATORS<br>(continued)                           |                | MEDI-CAL<br>(2000)            |     |
|--|--------------|-------------|---|----------------|-------------------------------|-----|
| Number and Rate per 100,000 Population                           |              |             | Mortality Rate Per 100,000 Pop. (1999-2000 Avg.)                  |                | MEDI-CAL Deliveries by:       |     |
| <u>DISEASE</u>   | <u>CASES</u> | <u>RATE</u> | Work Related Injury Deaths  | 1.0            | County of Beneficiary         | 313 |
| Hepatitis  | 7.3          | 14.6 *      | Mortality Rate  | 2.0 *          |                               |     |
| Measles  | 0.0          | 0.0         | Drug Related Deaths (1999-2000 Avg.)                              | 3.0            | Fee for Service               | 313 |
| Shigellosis  | 10.0         | 20.0 *      | Mortality Rate  | 6.5 *          | Managed Care                  | 0   |
| Tuberculosis   | 3.3          | 6.7 *       | Homicide by Weapons (2000)  | 3              | MEDI-CAL Abortions by:        | 152 |
| Syphilis   | 0.0          | 0.0         | Homicide by Handguns  | 2              | (Resident beneficiary) FFS    |     |
| Chlamydia  | 66.0         | 131.8       | Kindergarten Students Needing One<br>or More Immunizations (2001) | 51<br>5.2 %    | County Hospitals              | 1   |
| Gonorrhea  | 6.3          | 12.6 *      |   |                | Community Hospitals           | 23  |
| CUMULATIVE AIDS CASES AND INCIDENCE<br>1981 through January 2002 |              |             | MEDI-CAL DATA<br>(AVERAGE MONTHLY, 2000)                          |                | MEDI-CAL PHP ENROLLEES (2000) |     |
|  |              |             | MEDI-CAL Users (FFS):   |                | Average Monthly Prepaid       |     |
| AIDS Cases   | 34           |             | Percent of County Population                                      | 2,518<br>4.7 % | Health Plan Enrollees         | 0   |
| Number of deaths   | 17           |             | Percent of Eligibles (FFS)  | 51.3 %         | DENTI-CAL SERVICES (2000)     |     |
| Mortality (percent of AIDS cases<br>resulting in deaths)         | 50.0 %       |             | Total MEDI-CAL Eligibles:   | 4,911          | Average Monthly Users         |     |
| COUNTY HEALTH INDICATORS   |              |             | Percent of County Population                                      |                | 181                           |     |
|  |              |             | MEDI-CAL Payments (FFS) :   |                | MEDI-CAL/MEDICARE (2002)      |     |
| Persons Injured in Traffic Accidents                             |              |             | Amount  | \$1,123,776    | Percent of MEDI-CAL Eligibles |     |
| County of Occurrence (2000)                                      | 513          |             | Amount per User   | \$446.30       | Who are also eligible         |     |
| Substance Abuse Admissions (2000)                                |              |             | MEDI-CAL ELIGIBLES BY RACE/ETHNICITY<br>(2000)                    |                | for Medicare                  |     |
| Methamphetamine  | 22           |             | White   | 22.0 %         | 17.6 %                        |     |
| Cocaine  | 2            |             | Black   | 1.0 %          | MEDI-CAL ENROLLEES (2000)     |     |
| Marijuana  | 21           |             | Hispanic  | 64.6 %         | TOTAL MEDICARE ENROLLEES      |     |
| Alcohol  | 30           |             | American Indian/Alaskan Native                                    | 0.4 %          | Number                        |     |
|  |              |             | Asian/Pacific Islander  | 0.8 %          | 4,475                         |     |
|  |              |             | Not Reported  | 11.2 %         | Percent of County Population  |     |
|  |              |             |   |                | 8.4 %                         |     |
|  |              |             |   |                | Enrollees Aged 65+            |     |
|  |              |             |   |                | Number                        |     |
|  |              |             |   |                | 3,959                         |     |
|  |              |             |   |                | Percent of County Population  |     |
|  |              |             |   |                | 7.4 %                         |     |
|  |              |             |   |                | Disability Beneficiaries:     |     |
|  |              |             |   |                | Number                        |     |
|  |              |             |   |                | 516                           |     |
|  |              |             |   |                | Percent of County Population  |     |
|  |              |             |   |                | 1.0 %                         |     |

| PROGRAM CLIENTS/SERVICES   |        | HOSPITALS (2000)   | HOSPICE CARE   |
|--|--------|--|--|
| Percent Early Postpartum Breastfeeding Initiation 1998-2000 Average            | 86.1 % | Number of General Acute Care (GAC) Hospitals<br>1                    | Number of Freestanding Hospice Care Facilities (2000)<br>0   |
| Family Planning Clients by All Funding Sources (2001)                          | 1,871  | Number of Licensed GAC Beds<br>49                                    | <b>HOSPITAL UTILIZATION (2000)</b><br>Number of GAC Discharges from GAC Hospitals<br>2,229<br><br>Average GAC Occupancy Rate in GAC Hospitals<br>36.8        |
|  |        | Number of Licensed GAC Beds per 1,000 Population<br>0.9              |  |
| Women and Children Under Age 5 Receiving WIC Services (07/02)                  | 1,996  | <b>LTC (2000)</b>  |  |
|  |        | Number of Long Term Care Facilities and Hospitals with LTC Beds<br>1 | Average GAC Length of Stay in GAC Hospitals (days)<br>3.0  |
| Child Health/Disability Prevention Screens (FY 2000-2001)                      | 3,875  | Number of Licensed LTC Beds<br>70                                    | <b>LTC (2000)</b><br>Number of LTC Discharges from LTC Facilities<br>101<br><br>Average Occupancy Rate of LTC Facilities and Hospitals with LTC Beds<br>93.8 |
|  |        | Number of Licensed Beds per 1,000 Population<br>1.3                  |  |
| California Children's Services Cases (08/02)                                   | 180    | <b>PHYSICIANS (2001)</b>   |  |
|  |        | Number of Active Non-Federal Physicians<br>37                        |  |
| Developmental Disability Clients (08/02)                                       | 180    | Number of Persons per Physician<br>1,439                             | <b>COUNTY HEALTH COSTS (FY 2000-2001)</b><br>Estimated Net County Health Care Costs<br>DNR<br><br>Estimated Net County Cost per Capita<br>\$0.00             |
|  |        |  |  |
| Rehabilitation Clients (FY 2000-2001)  | 133    | <b>DENTISTS (2002)</b>   |  |
|  |        | Number of Licensed Dentists (Non-Federal)<br>19                      |  |
| State Mental Hospital Admissions (FY 2000-2001)                                | 2      | Number of Persons per Dentist<br>2,802                               |  |
|  |        | <b>CLINICS (2000)</b>  |  |
| Persons Receiving Preventive Health Care for the Aging Services (FY 2001-2002) |        | Number of Licensed Community and Free Clinics<br>1                   |  |
|  |        | Number of Specialty Clinics<br>0                                     |  |
| Assessment Clients   | 0      |  |  |
| Total Client Encounters  | 0      | <b>HOME HEALTH AGENCIES (2000)</b>                                   |  |
|  |        | Number of Licensed Home Health Agencies<br>2                         |  |

| TOTAL POPULATION       |           | PERCENT BELOW POVERTY LEVEL (1999)                            |           | LIVE BIRTHS (2000)   |        |
|------------------------|-----------|---|-----------|--|--------|
| Census Year 2000       | 1,709,434 | Total population  | 15.8 %    | Number of Live Births By:                                      |        |
| Projection Year 2010   | 2,231,600 | Children under 6  | 23.3 %    | County of Residence  | 28,657 |
| Projection Year 2020   | 2,800,900 | Persons aged 65+  | 8.4 %     | County of Occurrence   | 25,150 |
| AGE (2000)             |           |   |           | Birth Rate (births per 1,000 population)                       | 16.4   |
| Under Age 5            | 8.4%      | Whites  | 10.2 %    | Fertility rate (births per 1,000 women aged 15-44, 98-00 avg.) | 76.3   |
| Age 5-17               | 23.9%     | Blacks  | 23.0 %    | Low birthweight (under 2,500 grams)                            | 6.6 %  |
| Age 18-64              | 59.1%     | Hispanics   | 20.7 %    | Very low birthweight (under 1,500 grams)                       | 1.4 %  |
| Age 65+                | 8.6%      | Asian/Pacific Islanders                                       | 14.1 %    | Unmarried  | 38.3 % |
|                        |           | American Indian   | 24.1 %    | Cesarean section delivery                                      | 23.5 % |
|                        |           | HOUSING VALUE (2000)  |           | Mothers who gave birth outside county of residence             | 20.0 % |
|                        |           | Median housing-unit value                                     | \$131,500 | Mothers with less than 12 years education                      | 31.8 % |
| SEX (2000)             |           | CALWORKS (2002)   |           | Teenage mothers (<18)  | 4.8 %  |
| Females                | 50.1%     | CalWorks enrollees as a percent of county population          | 1.9 %     | Mothers with no 1st trimester prenatal care                    | 21.0 % |
| Males                  | 49.9%     | SSI/SSP (2002)  |           | Percent of Births by Mother's Race/Ethnicity:                  |        |
| RACE/ETHNICITY (2000)  |           | SSI/SSP recipients as a percent of county population          | 3.1 %     | White/Other  | 31.5 % |
| White                  | 44.0%     | UNEMPLOYMENT (2002)   |           | Black  | 9.0 %  |
| Black                  | 8.8%      | Percent of civilian labor force unemployed                    | 5.1 %     | Hispanic   | 52.7 % |
| Hispanic               | 39.2%     | EDUCATION   |           | Asian/Pacific Islander   | 5.0 %  |
| American Indian        | 0.6%      | Percent of persons aged 25+ not completing high-school (2000) | 25.8 %    | American Indian  | 0.4 %  |
| Asian/Pacific Islander | 4.8%      | Enrollment K-12 (2001-2002)                                   | 417,064   | Multiple Race  | 1.2 %  |
| URBAN/RURAL (2000)     |           | PRINCIPAL PAYMENT SOURCE FOR BIRTH DELIVERIES                 |           |  |        |
| Urban                  | 94.4%     | Medi-Cal/other gov't  | 48.1 %    |  |        |
| Rural                  | 5.6%      | HMO and prepaid plans   | 35.4 %    |  |        |
| FAMILY INCOME (1999)   |           | Private insurance   | 14.9 %    |  |        |
| Median family income   | \$46,574  |   |           |  |        |

| DEATHS (2000)                                  |          | CAUSES OF DEATH (1999-2000 AVG.)                   |       | INFANT DEATHS (2000)  |  |
|--|----------|--|-------|---|--|
| Number of Deaths By:                           |          | Deaths per 100,000 Population Due To:              |       | Number of Infant Deaths (Under 1 Year of Age) 201               |  |
| County of Residence                            | 11,121   | Heart Disease                                      | 201.0 | Infant Death Rate (Deaths per 1,000 Live Births) 7.0            |  |
| County of Occurrence                           | 11,706   | All Malignant Neoplasms                            | 140.4 |   |  |
|  |          | Breast Cancer                                      | 22.4  |   |  |
|  |          | Lung Cancer  | 38.5  |   |  |
| Crude Death Rate (Deaths per 1,000 Population) | 6.4      | Stroke   | 42.0  |   |  |
| AGE-ADJUSTED DEATH RATE (1998-2000 AVERAGE)    |          | Unintentional Injuries                             | 25.5  | INFANT DEATH RATES (1999 BIRTH COHORT)                          |  |
| Age-Adjusted Deaths per 100,000 Population     | 906.4    | Pneumonia and Influenza                            | 18.1  | Infant Deaths per 1,000 Live Births by Mother's Race/Ethnicity: |  |
| AGE-SPECIFIC DEATH RATES (1998-2000 AVERAGE)   |          | Chronic Lower Respiratory Disease                  | 47.1  | All Race/Ethnic Groups 7.2                                      |  |
| Deaths per 100,000 Population:                 |          | Acquired Immune Deficiency Syndrome                | 3.1   | White 6.5   |  |
| 1 to 4 Years Old                               | 32.5     | Chronic Liver Disease/Cirrhosis                    | 10.8  | Black 15.6  |  |
| 5 to 14 Years Old                              | 19.6     | Suicide  | 10.2  | Hispanic 6.0  |  |
| 15 to 24 Years Old                             | 81.5     | Diabetes Mellitus                                  | 21.7  | Asian, American Indian, Other 6.7 *                             |  |
| 25 to 34 Years Old                             | 100.1    | Homicide   | 7.7   | PERINATAL DEATHS (1999 BIRTH COHORT)                            |  |
| 35 to 44 Years Old                             | 185.1    | FETAL AND NEONATAL DEATHS (2000)                   |       | Number of Perinatal Deaths (Neonatal Plus Fetal) 279            |  |
| 45 to 54 Years Old                             | 428.2    | Number of Fetal Deaths                             | 153   | Perinatal Death Rate by Mother's Race/Ethnicity:                |  |
| 55 to 64 Years Old                             | 1,115.8  | Fetal Death Ratio (Deaths per 1,000 Live Births)   | 5.3   | All Race/Ethnic Groups 9.8                                      |  |
| 65 to 74 Years Old                             | 2,671.6  | Number of Neonatal Deaths (Under 28 Days of Age)   | 137   | White 8.7   |  |
| 75 to 84 Years Old                             | 5,994.4  | Neonatal Death Rate (Deaths per 1,000 Live Births) | 4.8   | Black 18.8  |  |
| Over 84 Years Old                              | 15,283.9 |  |       | Hispanic 8.9  |  |
|  |          |  |       | Asian, American Indian, Other 8.1 *                             |  |

| REPORTED COMMUNICABLE DISEASES<br>(1998-2000 AVERAGE)            |              |             | COUNTY HEALTH INDICATORS<br>(continued)                           |                | MEDI-CAL<br>(2000)   |         |
|--|--------------|-------------|---|----------------|--|---------|
| Number and Rate per 100,000 Population                           |              |             | Mortality Rate Per 100,000 Pop. (1999-2000 Avg.)                  |                | MEDI-CAL Deliveries by:  |         |
| <u>DISEASE</u>   | <u>CASES</u> | <u>RATE</u> | Work Related Injury Deaths  | 32.5           | County of Beneficiary  | 12,478  |
| Hepatitis  | 211.7        | 12.5        | Mortality Rate  | 2.0            | Fee for Service  | 8,284   |
| Measles  | 0.0          | 0.0         | Drug Related Deaths (1999-2000 Avg.)                              | 160.0          | Managed Care   | 4,194   |
| Shigellosis  | 72.3         | 4.3         | Mortality Rate  | 10.1           | MEDI-CAL Abortions by:   | 2,677   |
| Tuberculosis   | 106.0        | 6.3         | Homicide by Weapons (2000)  | 145            | (Resident beneficiary) FFS   |         |
| Syphilis   | 9.7          | 0.6 *       | Homicide by Handguns  | 82             | County Hospitals   | 121     |
| Chlamydia  | 4,687.3      | 277.5       | Kindergarten Students Needing One<br>or More Immunizations (2001) | 1,301<br>4.3 % | Community Hospitals  | 242     |
| Gonorrhea  | 903.3        | 53.5        |   |                | Clinics  | 272     |
| CUMULATIVE AIDS CASES AND INCIDENCE<br>1981 through January 2002 |              |             | MEDI-CAL DATA<br>(AVERAGE MONTHLY, 2000)                          |                | MEDI-CAL PHP ENROLLEES (2000)  |         |
|  |              |             | MEDI-CAL Users (FFS): 90,822                                      |                | Average Monthly Prepaid  |         |
| AIDS Cases   | 2,874        |             | Percent of County Population                                      | 5.3 %          | Health Plan Enrollees  | 134,068 |
| Number of deaths   | 1,584        |             | Percent of Eligibles (FFS)  | 66.8 %         | DENTI-CAL SERVICES (2000)  |         |
| Mortality (percent of AIDS cases<br>resulting in deaths)         | 55.0 %       |             | Total MEDI-CAL Eligibles:   | 269,996        | Average Monthly Users  |         |
| COUNTY HEALTH INDICATORS   |              |             | Percent of County Population                                      |                | 15.5 %   |         |
|  |              |             | MEDI-CAL Payments (FFS) :   |                | MEDI-CAL/MEDICARE (2002)   |         |
| Persons Injured in Traffic Accidents                             | 15,786       |             | Amount  | \$50,237,485   | Percent of MEDI-CAL Eligibles<br>Who are also eligible<br>for Medicare |         |
| County of Occurrence (2000)                                      |              |             | Amount per User   | \$553.14       | 14.0 %   |         |
| Substance Abuse Admissions (2000)                                |              |             | MEDI-CAL ELIGIBLES BY RACE/ETHNICITY<br>(2000)                    |                | MEDI-CAL/MEDICARE (2002)   |         |
| Methamphetamine  | 2,332        |             | White   | 32.2 %         | MEDICARE ENROLLEES (2000)  |         |
| Cocaine  | 550          |             | Black   | 16.2 %         | TOTAL MEDICARE ENROLLEES   |         |
| Marijuana  | 872          |             | Hispanic  | 38.9 %         | Number   |         |
| Alcohol  | 2,159        |             | American Indian/Alaskan Native                                    | 0.5 %          | 168,837  |         |
|  |              |             | Asian/Pacific Islander  | 3.2 %          | Percent of County Population   |         |
|  |              |             | Not Reported  | 9.0 %          | 9.9 %  |         |
|  |              |             |   |                | Enrollees Aged 65+   |         |
|  |              |             |   |                | Number   |         |
|  |              |             |   |                | 141,780  |         |
|  |              |             |   |                | Percent of County Population   |         |
|  |              |             |   |                | 8.3 %  |         |
|  |              |             |   |                | Disability Beneficiaries:  |         |
|  |              |             |   |                | Number   |         |
|  |              |             |   |                | 27,057   |         |
|  |              |             |   |                | Percent of County Population   |         |
|  |              |             |   |                | 1.6 %  |         |

| PROGRAM CLIENTS/SERVICES   | HOSPITALS (2000)  | HOSPICE CARE   |  |
|--|---|--|--|
| Percent Early Postpartum Breastfeeding Initiation 1998-2000 Average            | Number of General Acute Care (GAC) Hospitals<br>20                    | Number of Freestanding Hospice Care Facilities (2000)<br>10                  |  |
| Family Planning Clients by All Funding Sources (2001)                          | Number of Licensed GAC Beds<br>3,408                                  | HOSPITAL UTILIZATION (2000)  |  |
| Women and Children Under Age 5 Receiving WIC Services (07/02)                  | Number of Licensed GAC Beds per 1,000 Population<br>2.0               | Number of GAC Discharges from GAC Hospitals<br>158,191                       |  |
| Child Health/Disability Prevention Screens (FY 2000-2001)                      | LTC (2000)  |  |  |
| California Children's Services Cases (08/02)                                   | Number of Long Term Care Facilities and Hospitals with LTC Beds<br>49 | Average GAC Occupancy Rate in GAC Hospitals<br>58.0                          |  |
| Developmental Disability Clients (08/02)                                       | Number of Licensed LTC Beds<br>4,729                                  | Average GAC Length of Stay in GAC Hospitals (days)<br>4.6                    |  |
| Rehabilitation Clients (FY 2000-2001)  | Number of Licensed Beds per 1,000 Population<br>2.8                   | LTC (2000)   |  |
| State Mental Hospital Admissions (FY 2000-2001)                                | PHYSICIANS (2001)   |  |  |
| Persons Receiving Preventive Health Care for the Aging Services (FY 2001-2002) | Number of Active Non-Federal Physicians<br>2,953                      | Average Occupancy Rate of LTC Facilities and Hospitals with LTC Beds<br>85.5 |  |
| Assessment Clients   | Number of Persons per Physician<br>579                                | COUNTY HEALTH COSTS (FY 2000-2001)   |  |
| Total Client Encounters  | DENTISTS (2002)   |  |  |
|  | Number of Licensed Dentists (Non-Federal)<br>980                      | Estimated Net County Health Care Costs<br>\$56,756,045                       |  |
|  | Number of Persons per Dentist<br>1,744                                | Estimated Net County Cost per Capita<br>\$33.20                              |  |
|  | CLINICS (2000)  |  |  |
|  | Number of Licensed Community and Free Clinics<br>12                   |  |  |
|  | Number of Specialty Clinics<br>31                                     |  |  |
|  | HOME HEALTH AGENCIES (2000)   |  |  |
|  | Number of Licensed Home Health Agencies<br>52                         |  |  |

| TOTAL POPULATION       |           | PERCENT BELOW POVERTY LEVEL (1999)                            |           | LIVE BIRTHS (2000)   |        |
|------------------------|-----------|---|-----------|--|--------|
| Census Year 2000       | 2,813,833 | Total population  | 12.4 %    | Number of Live Births By:                                      |        |
| Projection Year 2010   | 3,388,400 | Children under 6  | 17.5 %    | County of Residence  | 44,272 |
| Projection Year 2020   | 3,863,500 | Persons aged 65+  | 6.8 %     | County of Occurrence   | 45,757 |
| AGE (2000)             |           |   |           | Birth Rate (births per 1,000 population)                       | 15.5   |
| Under Age 5            | 7.1%      | Whites  | 7.2 %     | Fertility rate (births per 1,000 women aged 15-44, 98-00 avg.) | 67.6   |
| Age 5-17               | 18.7%     | Blacks  | 18.4 %    | Low birthweight (under 2,500 grams)                            | 6.0 %  |
| Age 18-64              | 63.1%     | Hispanics   | 22.0 %    | Very low birthweight (under 1,500 grams)                       | 1.3 %  |
| Age 65+                | 11.2%     | Asian/Pacific Islanders                                       | 11.4 %    | Unmarried  | 28.2 % |
|                        |           | American Indian   | 19.4 %    | Cesarean section delivery                                      | 23.4 % |
|                        |           | HOUSING VALUE (2000)  |           | Mothers who gave birth outside county of residence             | 0.7 %  |
|                        |           | Median housing-unit value                                     | \$227,200 | Mothers with less than 12 years education                      | 25.1 % |
| SEX (2000)             |           | CALWORKS (2002)   |           | Teenage mothers (<18)  | 3.1 %  |
| Females                | 49.7%     | CalWorks enrollees as a percent of county population          | 0.9 %     | Mothers with no 1st trimester prenatal care                    | 16.8 % |
| Males                  | 50.3%     | SSI/SSP (2002)  |           | Percent of Births by Mother's Race/Ethnicity:                  |        |
| RACE/ETHNICITY (2000)  |           | SSI/SSP recipients as a percent of county population          | 2.5 %     | White/Other  | 38.2 % |
| White                  | 55.0%     | UNEMPLOYMENT (2002)   |           | Black  | 5.6 %  |
| Black                  | 5.5%      | Percent of civilian labor force unemployed                    | 3.7 %     | Hispanic   | 43.7 % |
| Hispanic               | 26.7%     | EDUCATION   |           | Asian/Pacific Islander   | 10.1 % |
| American Indian        | 0.5%      | Percent of persons aged 25+ not completing high-school (2000) | 17.4 %    | American Indian  | 0.4 %  |
| Asian/Pacific Islander | 9.1%      | Enrollment K-12 (2001-2002)                                   | 539,137   | Multiple Race  | 1.6 %  |
| URBAN/RURAL (2000)     |           | PRINCIPAL PAYMENT SOURCE FOR BIRTH DELIVERIES                 |           |  |        |
| Urban                  | 96.1%     | Medi-Cal/other gov't  | 40.6 %    |  |        |
| Rural                  | 3.9%      | HMO and prepaid plans   | 34.5 %    |  |        |
| FAMILY INCOME (1999)   |           | Private insurance   | 17.4 %    |  |        |
| Median family income   | \$53,438  |   |           |  |        |

| DEATHS (2000)                                  |          | CAUSES OF DEATH (1999-2000 AVG.)                   |       | INFANT DEATHS (2000)  |       |
|--|----------|--|-------|---|-------|
| Number of Deaths By:                           |          | Deaths per 100,000 Population Due To:              |       | Number of Infant Deaths (Under 1 Year of Age) 263               |       |
| County of Residence                            | 19,621   | Heart Disease                                      | 193.8 | Infant Death Rate (Deaths per 1,000 Live Births) 5.9            |       |
| County of Occurrence                           | 20,337   | All Malignant Neoplasms                            | 161.5 |   |       |
|  |          | Breast Cancer                                      | 26.9  |   |       |
|  |          | Lung Cancer  | 42.1  |   |       |
| Crude Death Rate (Deaths per 1,000 Population) | 6.9      | Stroke   | 53.5  | INFANT DEATH RATES (1999 BIRTH COHORT)                          |       |
| AGE-ADJUSTED DEATH RATE (1998-2000 AVERAGE)    |          | Unintentional Injuries                             | 25.7  | Infant Deaths per 1,000 Live Births by Mother's Race/Ethnicity: |       |
| Age-Adjusted Deaths per 100,000 Population     | 769.3    | Pneumonia and Influenza                            | 24.9  | All Race/Ethnic Groups  | 5.5   |
| AGE-SPECIFIC DEATH RATES (1998-2000 AVERAGE)   |          | Chronic Lower Respiratory Disease                  | 38.6  | White   | 5.3   |
| Deaths per 100,000 Population:                 |          | Acquired Immune Deficiency Syndrome                | 4.6   | Black   | 14.2  |
| 1 to 4 Years Old                               | 20.1     | Chronic Liver Disease/Cirrhosis                    | 8.6   | Hispanic  | 4.8   |
| 5 to 14 Years Old                              | 11.4     | Suicide  | 10.7  | Asian, American Indian, Other                                   | 3.7 * |
| 15 to 24 Years Old                             | 56.5     | Diabetes Mellitus                                  | 14.9  | PERINATAL DEATHS (1999 BIRTH COHORT)                            |       |
| 25 to 34 Years Old                             | 59.6     | Homicide   | 3.4   | Number of Perinatal Deaths (Neonatal Plus Fetal) 409            |       |
|  |          | FETAL AND NEONATAL DEATHS (2000)                   |       | Perinatal Death Rate by Mother's Race/Ethnicity:                |       |
| 35 to 44 Years Old                             | 169.4    | Number of Fetal Deaths                             | 228   | All Race/Ethnic Groups  | 9.4   |
| 45 to 54 Years Old                             | 419.7    | Fetal Death Ratio (Deaths per 1,000 Live Births)   | 5.1   | White   | 8.4   |
| 55 to 64 Years Old                             | 805.3    | Number of Neonatal Deaths (Under 28 Days of Age)   | 184   | Black   | 20.6  |
| 65 to 74 Years Old                             | 2,096.8  | Neonatal Death Rate (Deaths per 1,000 Live Births) | 4.2   | Hispanic  | 8.8   |
| 75 to 84 Years Old                             | 5,202.8  |  |       | Asian, American Indian, Other                                   | 8.0   |
| Over 84 Years Old                              | 14,034.4 |  |       |   |       |

| REPORTED COMMUNICABLE DISEASES<br>(1998-2000 AVERAGE)            |              |             | COUNTY HEALTH INDICATORS<br>(continued)                           |                | MEDI-CAL<br>(2000)   |         |
|--|--------------|-------------|---|----------------|--|---------|
| Number and Rate per 100,000 Population                           |              |             | Mortality Rate Per 100,000 Pop. (1999-2000 Avg.)                  |                | MEDI-CAL Deliveries by:  |         |
| <u>DISEASE</u>   | <u>CASES</u> | <u>RATE</u> | Work Related Injury Deaths  | 48.0           | County of Beneficiary  | 13,273  |
| Hepatitis  | 414.3        | 14.4        | Mortality Rate  | 1.7            | Fee for Service  | 9,074   |
| Measles  | 1.7          | 0.1 *       | Drug Related Deaths (1999-2000 Avg.)                              | 265.0          | Managed Care   | 4,199   |
| Shigellosis  | 253.7        | 8.8         | Mortality Rate  | 10.1           | MEDI-CAL Abortions by:   | 1,933   |
| Tuberculosis   | 310.0        | 10.7        | Homicide by Weapons (2000)  | 97             | (Resident beneficiary) FFS   |         |
| Syphilis   | 25.3         | 0.9         | Homicide by Handguns  | 37             | County Hospitals   | 0       |
| Chlamydia  | 7,724.0      | 267.8       | Kindergarten Students Needing One<br>or More Immunizations (2001) | 2,185<br>5.2 % | Community Hospitals  | 149     |
| Gonorrhea  | 1,648.3      | 57.1        |   |                | Clinics  | 1,139   |
| CUMULATIVE AIDS CASES AND INCIDENCE<br>1981 through January 2002 |              |             | MEDI-CAL DATA<br>(AVERAGE MONTHLY, 2000)                          |                | MEDI-CAL PHP ENROLLEES (2000)  |         |
|  |              |             | MEDI-CAL Users (FFS): 108,907                                     |                | Average Monthly Prepaid  |         |
| AIDS Cases   | 11,086       |             | Percent of County Population                                      | 3.9 %          | Health Plan Enrollees  | 157,106 |
| Number of deaths   | 6,271        |             | Percent of Eligibles (FFS)  | 79.4 %         | DENTI-CAL SERVICES (2000)  |         |
| Mortality (percent of AIDS cases<br>resulting in deaths)         | 57.0 %       |             | Total MEDI-CAL Eligibles:   | 294,297        | Average Monthly Users  |         |
| COUNTY HEALTH INDICATORS   |              |             | Percent of County Population                                      |                | 10.3 %   |         |
|  |              |             | MEDI-CAL Payments (FFS) :   |                | MEDI-CAL/MEDICARE (2002)   |         |
| Persons Injured in Traffic Accidents                             | 23,399       |             | Amount  | \$62,760,073   | Percent of MEDI-CAL Eligibles<br>Who are also eligible<br>for Medicare |         |
| County of Occurrence (2000)                                      |              |             | Amount per User   | \$576.27       | 20.2 %   |         |
| Substance Abuse Admissions (2000)                                |              |             | MEDI-CAL ELIGIBLES BY RACE/ETHNICITY<br>(2000)                    |                | MEDICARE ENROLLEES (2000)  |         |
| Methamphetamine  | 4,476        |             | White   | 31.2 %         | TOTAL MEDICARE ENROLLEES   |         |
| Cocaine  | 1,308        |             | Black   | 13.5 %         | Number   |         |
| Marijuana  | 2,456        |             | Hispanic  | 34.1 %         | 340,624  |         |
| Alcohol  | 3,886        |             | American Indian/Alaskan Native                                    | 0.4 %          | Percent of County Population   |         |
|  |              |             | Asian/Pacific Islander  | 6.8 %          | 12.1 %   |         |
|  |              |             | Not Reported  | 13.9 %         | Enrollees Aged 65+   |         |
|  |              |             |   |                | Number   |         |
|  |              |             |   |                | 305,445  |         |
|  |              |             |   |                | Percent of County Population   |         |
|  |              |             |   |                | 10.9 %   |         |
|  |              |             |   |                | Disability Beneficiaries:  |         |
|  |              |             |   |                | Number   |         |
|  |              |             |   |                | 35,179   |         |
|  |              |             |   |                | Percent of County Population   |         |
|  |              |             |   |                | 1.3 %  |         |

| PROGRAM CLIENTS/SERVICES   |         | HOSPITALS (2000)  | HOSPICE CARE  |
|--|---------|---|---|
| Percent Early Postpartum Breastfeeding Initiation 1998-2000 Average            | 86.8 %  | Number of General Acute Care (GAC) Hospitals<br>26                    | Number of Freestanding Hospice Care Facilities (2000)<br>7  |
| Family Planning Clients by All Funding Sources (2001)                          | 112,815 | Number of Licensed GAC Beds<br>5,077                                  | <b>HOSPITAL UTILIZATION (2000)</b><br>Number of GAC Discharges from GAC Hospitals<br>235,893<br><br>Average GAC Occupancy Rate in GAC Hospitals<br>56.2         |
|  |         | Number of Licensed GAC Beds per 1,000 Population<br>1.8               |   |
| Women and Children Under Age 5 Receiving WIC Services (07/02)                  | 112,020 | <b>LTC (2000)</b>   |   |
|  |         | Number of Long Term Care Facilities and Hospitals with LTC Beds<br>88 | Average GAC Length of Stay in GAC Hospitals (days)<br>4.4   |
| Child Health/Disability Prevention Screens (FY 2000-2001)                      | 139,046 | Number of Licensed LTC Beds<br>8,913                                  | <b>LTC (2000)</b><br>Number of LTC Discharges from LTC Facilities<br>19,428<br><br>Average Occupancy Rate of LTC Facilities and Hospitals with LTC Beds<br>86.9 |
|  |         | Number of Licensed Beds per 1,000 Population<br>3.2                   |   |
| California Children's Services Cases (08/02)                                   | 3       | <b>PHYSICIANS (2001)</b>  |   |
|  |         | Number of Active Non-Federal Physicians<br>7,835                      |   |
| Developmental Disability Clients (08/02)                                       | 13,119  | Number of Persons per Physician<br>359                                | <b>COUNTY HEALTH COSTS (FY 2000-2001)</b><br>Estimated Net County Health Care Costs<br>\$141,490,462<br><br>Estimated Net County Cost per Capita<br>\$50.28     |
|  |         | <b>DENTISTS (2002)</b>  |   |
| Rehabilitation Clients (FY 2000-2001)  | 4,087   | Number of Licensed Dentists (Non-Federal)<br>2,222                    |   |
|  |         | Number of Persons per Dentist<br>1,266                                |   |
| State Mental Hospital Admissions (FY 2000-2001)                                | 181     | <b>CLINICS (2000)</b>   |   |
|  |         | Number of Licensed Community and Free Clinics<br>63                   |   |
| Persons Receiving Preventive Health Care for the Aging Services (FY 2001-2002) | 1,157   | Number of Specialty Clinics<br>50                                     |   |
|  |         | <b>HOME HEALTH AGENCIES (2000)</b>                                    |   |
| Assessment Clients   | 1,394   | Number of Licensed Home Health Agencies<br>54                         |   |
| Total Client Encounters  |         |   |   |

| TOTAL POPULATION       |          | PERCENT BELOW POVERTY LEVEL (1999)                            |           | LIVE BIRTHS (2000)   |        |
|------------------------|----------|---|-----------|--|--------|
| Census Year 2000       | 776,733  | Total population  | 11.3 %    | Number of Live Births By:                                      |        |
| Projection Year 2010   | 787,500  | Children under 6  | 13.0 %    | County of Residence  | 8,657  |
| Projection Year 2020   | 755,800  | Persons aged 65+  | 10.5 %    | County of Occurrence   | 12,484 |
| AGE (2000)             |          |   |           | Birth Rate (births per 1,000 population)                       | 11.0   |
| Under Age 5            | 4.1%     | Whites  | 7.7 %     | Fertility rate (births per 1,000 women aged 15-44, 98-00 avg.) | 48.5   |
| Age 5-17               | 10.5%    | Blacks  | 25.1 %    | Low birthweight (under 2,500 grams)                            | 6.4 %  |
| Age 18-64              | 71.8%    | Hispanics   | 15.6 %    | Very low birthweight (under 1,500 grams)                       | 1.1 %  |
| Age 65+                | 13.7%    | Asian/Pacific Islanders                                       | 10.9 %    | Unmarried  | 24.5 % |
|                        |          | American Indian   | 17.6 %    | Cesarean section delivery                                      | 19.3 % |
|                        |          | HOUSING VALUE (2000)  |           | Mothers who gave birth outside county of residence             | 4.3 %  |
|                        |          | Median housing-unit value                                     | \$396,400 | Mothers with less than 12 years education                      | 19.2 % |
| SEX (2000)             |          | CALWORKS (2002)   |           | Teenage mothers (<18)  | 1.9 %  |
| Females                | 49.2%    | CalWorks enrollees as a percent of county population          | 0.6 %     | Mothers with no 1st trimester prenatal care                    | 13.0 % |
| Males                  | 50.8%    | SSI/SSP (2002)  |           | Percent of Births by Mother's Race/Ethnicity:                  |        |
| RACE/ETHNICITY (2000)  |          | SSI/SSP recipients as a percent of county population          | 5.8 %     | White/Other  | 33.3 % |
| White                  | 43.6%    | UNEMPLOYMENT (2002)   |           | Black  | 8.3 %  |
| Black                  | 7.6%     | Percent of civilian labor force unemployed                    | 6.6 %     | Hispanic   | 21.8 % |
| Hispanic               | 14.1%    | EDUCATION   |           | Asian/Pacific Islander   | 34.3 % |
| American Indian        | 0.3%     | Percent of persons aged 25+ not completing high-school (2000) | 18.8 %    | American Indian  | 0.1 %  |
| Asian/Pacific Islander | 31.1%    | Enrollment K-12 (2001-2002)                                   | 87,514    | Multiple Race  | 1.8 %  |
| URBAN/RURAL (2000)     |          | PRINCIPAL PAYMENT SOURCE FOR BIRTH DELIVERIES                 |           |  |        |
| Urban                  | 100.0%   | Medi-Cal/other gov't  | 28.9 %    |  |        |
| Rural                  | 0.0%     | HMO and prepaid plans   | 58.1 %    |  |        |
| FAMILY INCOME (1999)   |          | Private insurance   | 11.5 %    |  |        |
| Median family income   | \$63,545 |   |           |  |        |

| DEATHS (2000)                                      |       | CAUSES OF DEATH (1999-2000 AVG.)                   |       | INFANT DEATHS (2000)  |  |
|--|-------|--|-------|---|--|
| Number of Deaths By:                               |       | Deaths per 100,000 Population Due To:              |       | Number of Infant Deaths (Under 1 Year of Age) 35                |  |
| County of Residence                                | 6,468 | Heart Disease                                      | 233.0 | Infant Death Rate (Deaths per 1,000 Live Births) 4.0            |  |
| County of Occurrence                               | 6,708 | All Malignant Neoplasms                            | 192.1 |   |  |
| Crude Death Rate (Deaths per 1,000 Population) 8.2 |       | Breast Cancer                                      | 23.1  |   |  |
|  |       | Lung Cancer  | 45.9  |   |  |
| AGE-ADJUSTED DEATH RATE (1998-2000 AVERAGE)        |       | Stroke   | 75.4  | INFANT DEATH RATES (1999 BIRTH COHORT)                          |  |
| Age-Adjusted Deaths per 100,000 Population 698.4   |       | Unintentional Injuries                             | 35.7  | Infant Deaths per 1,000 Live Births by Mother's Race/Ethnicity: |  |
| AGE-SPECIFIC DEATH RATES (1998-2000 AVERAGE)       |       | Pneumonia and Influenza                            | 38.5  | All Race/Ethnic Groups 3.9                                      |  |
| Deaths per 100,000 Population:                     |       | Chronic Lower Respiratory Disease                  | 39.7  | White 3.0 *   |  |
| 1 to 4 Years Old 16.1 *                            |       | Acquired Immune Deficiency Syndrome                | 25.1  | Black N   |  |
| 5 to 14 Years Old 11.5 *                           |       | Chronic Liver Disease/Cirrhosis                    | 11.6  | Hispanic 2.7 *  |  |
| 15 to 24 Years Old 72.6                            |       | Suicide  | 11.2  | Asian, American Indian, Other 3.7 *                             |  |
| 25 to 34 Years Old 112.5                           |       | Diabetes Mellitus                                  | 16.3  | PERINATAL DEATHS (1999 BIRTH COHORT)                            |  |
| 35 to 44 Years Old 215.2                           |       | Homicide   | 6.4   | Number of Perinatal Deaths (Neonatal Plus Fetal) 53             |  |
| 45 to 54 Years Old 449.8                           |       | FETAL AND NEONATAL DEATHS (2000)                   |       | Perinatal Death Rate by Mother's Race/Ethnicity:                |  |
| 55 to 64 Years Old 883.2                           |       | Number of Fetal Deaths                             | 58    | All Race/Ethnic Groups 6.5                                      |  |
| 65 to 74 Years Old 1,831.4                         |       | Fetal Death Ratio (Deaths per 1,000 Live Births)   | 6.7   | White 4.1 *   |  |
| 75 to 84 Years Old 4,283.3                         |       | Number of Neonatal Deaths (Under 28 Days of Age)   | 24    | Black 19.1 *  |  |
| Over 84 Years Old 11,546.6                         |       | Neonatal Death Rate (Deaths per 1,000 Live Births) | 2.8   | Hispanic 6.0 *  |  |
|  |       |  |       | Asian, American Indian, Other 5.6 *                             |  |

| REPORTED COMMUNICABLE DISEASES<br>(1998-2000 AVERAGE)               |              |             | COUNTY HEALTH INDICATORS<br>(continued)                           |              | MEDI-CAL<br>(2000)   |         |
|---|--------------|-------------|---|--------------|--|---------|
| Number and Rate per 100,000 Population                              |              |             | Mortality Rate Per 100,000 Pop. (1999-2000 Avg.)                  |              | MEDI-CAL Deliveries by:  |         |
| <u>DISEASE</u>  | <u>CASES</u> | <u>RATE</u> | Work Related Injury Deaths  | 7.5          | County of Beneficiary  | 2,616   |
| Hepatitis   | 216.0        | 27.4        | Mortality Rate  | 0.9 *        |  |         |
| Measles   | 0.3          | 0.0 *       | Drug Related Deaths (1999-2000 Avg.)                              | 158.5        | Fee for Service  | 1,861   |
| Shigellosis   | 206.7        | 26.2        | Mortality Rate  | 18.2         | Managed Care   | 755     |
| Tuberculosis  | 204.0        | 25.9        | Homicide by Weapons (2000)  | 59           | MEDI-CAL Abortions by:   | 1,238   |
| Syphilis  | 35.7         | 4.5         | Homicide by Handguns  | 18           | (Resident beneficiary) FFS   |         |
| Chlamydia   | 2,807.7      | 355.9       | Kindergarten Students Needing One<br>or More Immunizations (2001) | 684          | County Hospitals   | 195     |
| Gonorrhea   | 1,871.7      | 237.2       |   | 10.3 %       | Community Hospitals  | 182     |
| CUMULATIVE AIDS CASES AND INCIDENCE<br>1981 through January 2002    |              |             | MEDI-CAL DATA<br>(AVERAGE MONTHLY, 2000)                          |              | MEDI-CAL PHP ENROLLEES (2000)  |         |
|   |              |             | MEDI-CAL Users (FFS):   | 51,871       | Average Monthly Prepaid  |         |
| AIDS Cases  | 24,962       |             | Percent of County Population                                      | 6.7 %        | Health Plan Enrollees  | 38,469  |
| Number of deaths  | 16,988       |             | Percent of Eligibles (FFS)  | 74.2 %       | DENTI-CAL SERVICES (2000)  |         |
| Mortality (percent of AIDS cases<br>resulting in deaths)            | 68.0 %       |             | Total MEDI-CAL Eligibles:   | 108,345      | Average Monthly Users  | 6,010   |
| COUNTY HEALTH INDICATORS  |              |             | Percent of County Population                                      | 13.8 %       | MEDI-CAL/MEDICARE (2002)   |         |
|   |              |             | MEDI-CAL Payments (FFS) :   |              | Percent of MEDI-CAL Eligibles<br>Who are also eligible<br>for Medicare |         |
| Persons Injured in Traffic Accidents<br>County of Occurrence (2000) | 6,913        |             | Amount  | \$33,050,286 | MEDICARE ENROLLEES (2000)  |         |
| Substance Abuse Admissions (2000)                                   |              |             | Amount per User   | \$637.16     | TOTAL MEDICARE ENROLLEES   |         |
| Methamphetamine   | 1,012        |             | MEDI-CAL ELIGIBLES BY RACE/ETHNICITY<br>(2000)                    |              | Number   | 116,057 |
| Cocaine   | 3,384        |             | White   | 20.8 %       | Percent of County Population   | 14.9 %  |
| Marijuana   | 820          |             | Black   | 20.8 %       | Enrollees Aged 65+   |         |
| Alcohol   | 4,536        |             | Hispanic  | 13.6 %       | Number   | 102,434 |
|   |              |             | American Indian/Alaskan Native                                    | 0.1 %        | Percent of County Population   | 13.2 %  |
|   |              |             | Asian/Pacific Islander  | 18.8 %       | Disability Beneficiaries:  |         |
|   |              |             | Not Reported  | 25.9 %       | Number   | 13,623  |
|   |              |             |   |              | Percent of County Population   | 1.8 %   |

| PROGRAM CLIENTS/SERVICES   |        | HOSPITALS (2000)  |       | HOSPICE CARE   |               |
|--|--------|---|-------|--|---------------|
| Percent Early Postpartum Breastfeeding Initiation 1998-2000 Average            | 85.4 % | Number of General Acute Care (GAC) Hospitals                    | 12    | Number of Freestanding Hospice Care Facilities (2000)                | 2             |
| Family Planning Clients by All Funding Sources (2001)                          | 24,205 | Number of Licensed GAC Beds                                     | 3,552 | HOSPITAL UTILIZATION (2000)  |               |
|  |        | Number of Licensed GAC Beds per 1,000 Population                | 4.6   | Number of GAC Discharges from GAC Hospitals                          | 94,313        |
| Women and Children Under Age 5 Receiving WIC Services (07/02)                  | 16,579 | LTC (2000)  |       | Average GAC Occupancy Rate in GAC Hospitals                          | 38.0          |
|  |        | Number of Long Term Care Facilities and Hospitals with LTC Beds | 19    | Average GAC Length of Stay in GAC Hospitals (days)                   | 5.2           |
| Child Health/Disability Prevention Screens (FY 2000-2001)                      | 22,663 | Number of Licensed LTC Beds                                     | 1,445 | LTC (2000)   |               |
|  |        | Number of Licensed Beds per 1,000 Population                    | 1.9   | Number of LTC Discharges from LTC Facilities                         | 3,653         |
| California Children's Services Cases (08/02)                                   | 1,931  | PHYSICIANS (2001)   |       | Average Occupancy Rate of LTC Facilities and Hospitals with LTC Beds |               |
|  |        | Number of Active Non-Federal Physicians                         | 4,769 | 88.5   |               |
| Developmental Disability Clients (08/02)                                       | 2,222  | Number of Persons per Physician                                 | 163   | COUNTY HEALTH COSTS (FY 2000-2001)                                   |               |
|  |        | DENTISTS (2002)   |       | Estimated Net County Health Care Costs                               | \$149,549,424 |
| Rehabilitation Clients (FY 2000-2001)  | 2,141  | Number of Licensed Dentists (Non-Federal)                       | 1,143 | Estimated Net County Cost per Capita                                 | \$192.54      |
|  |        | Number of Persons per Dentist                                   | 680   |  |               |
| State Mental Hospital Admissions (FY 2000-2001)                                | 79     | CLINICS (2000)  |       |  |               |
|  |        | Number of Licensed Community and Free Clinics                   | 27    |  |               |
| Persons Receiving Preventive Health Care for the Aging Services (FY 2001-2002) |        | Number of Specialty Clinics                                     | 8     |  |               |
|  |        | HOME HEALTH AGENCIES (2000)                                     |       |  |               |
| Assessment Clients   | 0      | Number of Licensed Home Health Agencies                         | 19    |  |               |
| Total Client Encounters  | 0      |   |       |  |               |

| TOTAL POPULATION       |          | PERCENT BELOW POVERTY LEVEL (1999)                            |         | LIVE BIRTHS (2000)   |        |
|------------------------|----------|---|---------|--|--------|
| Census Year 2000       | 563,598  | Total population  | 17.7 %  | Number of Live Births By:                                      |        |
| Projection Year 2010   | 727,800  | Children under 6  | 25.7 %  | County of Residence  | 9,603  |
| Projection Year 2020   | 887,600  | Persons aged 65+  | 10.0 %  | County of Occurrence   | 9,198  |
| AGE (2000)             |          | HOUSING VALUE (2000)  |         | Birth Rate (births per 1,000 population)                       | 16.7   |
| Under Age 5            | 8.0%     | Whites  | 8.6 %   | Fertility rate (births per 1,000 women aged 15-44, 98-00 avg.) | 76.2   |
| Age 5-17               | 23.0%    | Blacks  | 28.0 %  | Low birthweight (under 2,500 grams)                            | 6.4 %  |
| Age 18-64              | 58.4%    | Hispanics   | 25.4 %  | Very low birthweight (under 1,500 grams)                       | 1.1 %  |
| Age 65+                | 10.6%    | Asian/Pacific Islanders                                       | 28.1 %  | Unmarried  | 38.4 % |
|                        |          | American Indian   | 26.0 %  | Cesarean section delivery                                      | 21.3 % |
| SEX (2000)             |          | CALWORKS (2002)   |         | Mothers who gave birth outside county of residence             | 10.2 % |
| Females                | 50.0%    | CalWorks enrollees as a percent of county population          | 2.1 %   | Mothers with less than 12 years education                      | 31.6 % |
| Males                  | 50.0%    | SSI/SSP (2002)  |         | Teenage mothers (<18)  | 5.2 %  |
| RACE/ETHNICITY (2000)  |          | SSI/SSP recipients as a percent of county population          | 4.2 %   | Mothers with no 1st trimester prenatal care                    | 29.9 % |
| White                  | 47.4%    | UNEMPLOYMENT (2002)   |         | Percent of Births by Mother's Race/Ethnicity:                  |        |
| Black                  | 6.4%     | Percent of civilian labor force unemployed                    | 11.0 %  | White/Other  | 34.8 % |
| Hispanic               | 30.5%    | EDUCATION   |         | Black  | 7.5 %  |
| American Indian        | 0.6%     | Percent of persons aged 25+ not completing high-school (2000) | 28.8 %  | Hispanic   | 42.7 % |
| Asian/Pacific Islander | 11.3%    | Enrollment K-12 (2001-2002)                                   | 136,252 | Asian/Pacific Islander   | 12.8 % |
| URBAN/RURAL (2000)     |          | PRINCIPAL PAYMENT SOURCE FOR BIRTH DELIVERIES                 |         | American Indian  | 0.4 %  |
| Urban                  | 90.1%    | Medi-Cal/other gov't  | 38.1 %  | Multiple Race  | 1.5 %  |
| Rural                  | 9.9%     | HMO and prepaid plans   | 32.9 %  |  |        |
| FAMILY INCOME (1999)   |          | Private insurance   | 24.8 %  |  |        |
| Median family income   | \$46,919 |   |         |  |        |

| DEATHS (2000)                                       |          | CAUSES OF DEATH (1999-2000 AVG.)                   |       | INFANT DEATHS (2000)  |        |
|---|----------|--|-------|---|--------|
| Number of Deaths By:                                |          | Deaths per 100,000 Population Due To:              |       | Number of Infant Deaths (Under 1 Year of Age)                   | 66     |
| County of Residence                                 | 4,209    | Heart Disease                                      | 229.7 | Infant Death Rate (Deaths per 1,000 Live Births)                | 6.9    |
| County of Occurrence                                | 4,241    | All Malignant Neoplasms                            | 164.8 |   |        |
|   |          | Breast Cancer                                      | 24.3  |   |        |
|   |          | Lung Cancer  | 47.3  |   |        |
| Crude Death Rate (Deaths per 1,000 Population)      | 7.3      | Stroke   | 67.7  | <b>INFANT DEATH RATES (1999 BIRTH COHORT)</b>                   |        |
| <b>AGE-ADJUSTED DEATH RATE (1998-2000 AVERAGE)</b>  |          | Unintentional Injuries                             | 37.0  | Infant Deaths per 1,000 Live Births by Mother's Race/Ethnicity: |        |
| Age-Adjusted Deaths per 100,000 Population          | 818.8    | Pneumonia and Influenza                            | 24.1  | All Race/Ethnic Groups  | 4.2    |
| <b>AGE-SPECIFIC DEATH RATES (1998-2000 AVERAGE)</b> |          | Chronic Lower Respiratory Disease                  | 48.3  | White   | 3.4 *  |
| Deaths per 100,000 Population:                      |          | Acquired Immune Deficiency Syndrome                | 2.2   | Black   | N      |
| 1 to 4 Years Old                                    | 33.9 *   | Chronic Liver Disease/Cirrhosis                    | 12.9  | Hispanic  | 3.3 *  |
| 5 to 14 Years Old                                   | 19.7     | Suicide  | 10.0  | Asian, American Indian, Other                                   | 5.7 *  |
| 15 to 24 Years Old                                  | 78.8     | Diabetes Mellitus                                  | 23.0  | <b>PERINATAL DEATHS (1999 BIRTH COHORT)</b>                     |        |
| 25 to 34 Years Old                                  | 120.5    | Homicide   | 7.2   | Number of Perinatal Deaths (Neonatal Plus Fetal)                | 81     |
| 35 to 44 Years Old                                  | 198.3    | <b>FETAL AND NEONATAL DEATHS (2000)</b>            |       | Perinatal Death Rate by Mother's Race/Ethnicity:                |        |
| 45 to 54 Years Old                                  | 464.1    | Number of Fetal Deaths                             | 46    | All Race/Ethnic Groups  | 9.1    |
| 55 to 64 Years Old                                  | 1,057.3  | Fetal Death Ratio (Deaths per 1,000 Live Births)   | 4.8   | White   | 6.4    |
| 65 to 74 Years Old                                  | 2,449.5  | Number of Neonatal Deaths (Under 28 Days of Age)   | 47    | Black   | N      |
| 75 to 84 Years Old                                  | 5,109.6  | Neonatal Death Rate (Deaths per 1,000 Live Births) | 4.9   | Hispanic  | 9.2    |
| Over 84 Years Old                                   | 12,969.6 |  |       | Asian, American Indian, Other                                   | 10.1 * |

| REPORTED COMMUNICABLE DISEASES<br>(1998-2000 AVERAGE)               |              |             | COUNTY HEALTH INDICATORS<br>(continued)                           |              | MEDI-CAL<br>(2000)   |        |
|---|--------------|-------------|---|--------------|--|--------|
| Number and Rate per 100,000 Population                              |              |             | Mortality Rate Per 100,000 Pop. (1999-2000 Avg.)                  |              | MEDI-CAL Deliveries by:  |        |
| <u>DISEASE</u>  | <u>CASES</u> | <u>RATE</u> | Work Related Injury Deaths  | 12.0         | County of Beneficiary  | 4,524  |
| Hepatitis   | 75.3         | 13.3        | Mortality Rate  | 2.3          |  |        |
| Measles   | 0.0          | 0.0         | Drug Related Deaths (1999-2000 Avg.)                              | 63.0         | Fee for Service  | 2,495  |
| Shigellosis   | 57.7         | 10.2        | Mortality Rate  | 11.8         | Managed Care   | 2,029  |
| Tuberculosis  | 70.3         | 12.4        | Homicide by Weapons (2000)  | 39           | MEDI-CAL Abortions by:   | 732    |
| Syphilis  | 11.0         | 1.9 *       | Homicide by Handguns  | 20           | (Resident beneficiary) FFS   |        |
| Chlamydia   | 1,608.3      | 283.8       | Kindergarten Students Needing One<br>or More Immunizations (2001) | 545<br>5.4 % | County Hospitals   | 8      |
| Gonorrhea   | 468.7        | 82.7        |   |              | Community Hospitals  | 33     |
| CUMULATIVE AIDS CASES AND INCIDENCE<br>1981 through January 2002    |              |             | MEDI-CAL DATA<br>(AVERAGE MONTHLY, 2000)                          |              | MEDI-CAL PHP ENROLLEES (2000)  |        |
|   |              |             | MEDI-CAL Users (FFS):   | 34,810       | Average Monthly Prepaid  |        |
| AIDS Cases  | 799          |             | Percent of County Population                                      | 6.2 %        | Health Plan Enrollees  | 60,296 |
| Number of deaths  | 460          |             | Percent of Eligibles (FFS)  | 74.8 %       | DENTI-CAL SERVICES (2000)  |        |
| Mortality (percent of AIDS cases<br>resulting in deaths)            | 58.0 %       |             | Total MEDI-CAL Eligibles:   | 106,816      | Average Monthly Users  | 5,722  |
| COUNTY HEALTH INDICATORS  |              |             | Percent of County Population                                      | 18.6 %       | MEDI-CAL/MEDICARE (2002)   |        |
|   |              |             | MEDI-CAL Payments (FFS) :   |              | Percent of MEDI-CAL Eligibles<br>Who are also eligible<br>for Medicare | 15.2 % |
| Persons Injured in Traffic Accidents<br>County of Occurrence (2000) | 6,956        |             | Amount  | \$17,286,398 | MEDICARE ENROLLEES (2000)  |        |
| Substance Abuse Admissions (2000)                                   |              |             | Amount per User   | \$496.59     | TOTAL MEDICARE ENROLLEES   |        |
| Methamphetamine   | 502          |             | MEDI-CAL ELIGIBLES BY RACE/ETHNICITY<br>(2000)                    |              | Number   | 68,348 |
| Cocaine   | 353          |             | White   | 28.1 %       | Percent of County Population   | 12.1 % |
| Marijuana   | 263          |             | Black   | 13.1 %       | Enrollees Aged 65+   |        |
| Alcohol   | 2,299        |             | Hispanic  | 28.7 %       | Number   | 57,394 |
|   |              |             | American Indian/Alaskan Native                                    | 0.4 %        | Percent of County Population   | 10.2 % |
|   |              |             | Asian/Pacific Islander  | 16.3 %       | Disability Beneficiaries:  |        |
|   |              |             | Not Reported  | 13.4 %       | Number   | 10,954 |
|   |              |             |   |              | Percent of County Population   | 1.9 %  |

| PROGRAM CLIENTS/SERVICES   | HOSPITALS (2000)  | HOSPICE CARE   |  |
|--|---|--|--|
| Percent Early Postpartum Breastfeeding Initiation 1998-2000 Average            | Number of General Acute Care (GAC) Hospitals<br>8                     | Number of Freestanding Hospice Care Facilities (2000)<br>1                   |  |
| Family Planning Clients by All Funding Sources (2001)                          | Number of Licensed GAC Beds<br>981                                    | HOSPITAL UTILIZATION (2000)  |  |
| Women and Children Under Age 5 Receiving WIC Services (07/02)                  | Number of Licensed GAC Beds per 1,000 Population<br>1.7               | Number of GAC Discharges from GAC Hospitals<br>51,747                        |  |
| Child Health/Disability Prevention Screens (FY 2000-2001)                      | LTC (2000)  |  |  |
| California Children's Services Cases (08/02)                                   | Number of Long Term Care Facilities and Hospitals with LTC Beds<br>27 | Average GAC Occupancy Rate in GAC Hospitals<br>60.3                          |  |
| Developmental Disability Clients (08/02)                                       | Number of Licensed LTC Beds<br>2,850                                  | Average GAC Length of Stay in GAC Hospitals (days)<br>4.2                    |  |
| Rehabilitation Clients (FY 2000-2001)  | Number of Licensed Beds per 1,000 Population<br>5.1                   | LTC (2000)   |  |
| State Mental Hospital Admissions (FY 2000-2001)                                | PHYSICIANS (2001)   |  |  |
| Persons Receiving Preventive Health Care for the Aging Services (FY 2001-2002) | Number of Active Non-Federal Physicians<br>827                        | Average Occupancy Rate of LTC Facilities and Hospitals with LTC Beds<br>90.3 |  |
| Assessment Clients   | Number of Persons per Physician<br>681                                | COUNTY HEALTH COSTS (FY 2000-2001)   |  |
| Total Client Encounters  | DENTISTS (2002)   |  |  |
|  | Number of Licensed Dentists (Non-Federal)<br>306                      | Estimated Net County Health Care Costs<br>\$43,536,937                       |  |
|  | Number of Persons per Dentist<br>1,842                                | Estimated Net County Cost per Capita<br>\$77.25                              |  |
|  | CLINICS (2000)  |  |  |
|  | Number of Licensed Community and Free Clinics<br>13                   |  |  |
|  | Number of Specialty Clinics<br>11                                     |  |  |
|  | HOME HEALTH AGENCIES (2000)   |  |  |
|  | Number of Licensed Home Health Agencies<br>14                         |  |  |

| TOTAL POPULATION       |          | PERCENT BELOW POVERTY LEVEL (1999)                            |        | LIVE BIRTHS (2000)   |        |
|------------------------|----------|---|--------|--|--------|
| Census Year 2000       | 246,681  | Total population  | 12.8 % | Number of Live Births By:                                      |        |
| Projection Year 2010   | 323,100  | Children under 6  | 13.9 % | County of Residence  | 2,435  |
| Projection Year 2020   | 390,900  | Persons aged 65+  | 5.9 %  | County of Occurrence   | 2,369  |
| AGE (2000)             |          | HOUSING VALUE (2000)  |        | Birth Rate (births per 1,000 population)                       | 9.7    |
| Under Age 5            | 5.0%     | Whites  | 10.7 % | Fertility rate (births per 1,000 women aged 15-44, 98-00 avg.) | 42.7   |
| Age 5-17               | 16.6%    | Blacks  | 27.3 % | Low birthweight (under 2,500 grams)                            | 5.3 %  |
| Age 18-64              | 63.9%    | Hispanics   | 20.0 % | Very low birthweight (under 1,500 grams)                       | 0.7 %  |
| Age 65+                | 14.5%    | Asian/Pacific Islanders                                       | 22.3 % | Unmarried  | 27.6 % |
|                        |          | American Indian   | 14.6 % | Cesarean section delivery                                      | 20.1 % |
| SEX (2000)             |          | CALWORKS (2002)   |        | Mothers who gave birth outside county of residence             | 7.6 %  |
| Females                | 48.6%    | CalWorks enrollees as a percent of county population          | 0.6 %  | Mothers with less than 12 years education                      | 20.0 % |
| Males                  | 51.4%    | SSI/SSP (2002)  |        | Teenage mothers (<18)  | 3.1 %  |
| RACE/ETHNICITY (2000)  |          | SSI/SSP recipients as a percent of county population          | 1.9 %  | Mothers with no 1st trimester prenatal care                    | 17.9 % |
| White                  | 76.1%    | UNEMPLOYMENT (2002)   |        | Percent of Births by Mother's Race/Ethnicity:                  |        |
| Black                  | 1.9%     | Percent of civilian labor force unemployed                    | 3.1 %  | White/Other  | 64.6 % |
| Hispanic               | 16.3%    | EDUCATION   |        | Black  | 0.7 %  |
| American Indian        | 0.6%     | Percent of persons aged 25+ not completing high-school (2000) | 14.4 % | Hispanic   | 29.0 % |
| Asian/Pacific Islander | 2.7%     | Enrollment K-12 (2001-2002)                                   | 40,692 | Asian/Pacific Islander   | 3.1 %  |
| URBAN/RURAL (2000)     |          | PRINCIPAL PAYMENT SOURCE FOR BIRTH DELIVERIES                 |        | American Indian  | 0.2 %  |
| Urban                  | 81.2%    | Medi-Cal/other gov't  | 37.0 % | Multiple Race  | 2.0 %  |
| Rural                  | 18.8%    | FAMILY INCOME (1999)  |        |  |        |
| Median family income   | \$52,447 | HMO and prepaid plans   | 31.0 % |  |        |
|                        |          | Private insurance   | 29.2 % |  |        |

| DEATHS (2000)                                  |          | CAUSES OF DEATH (1999-2000 AVG.)                   |       | INFANT DEATHS (2000)  |       |
|--|----------|--|-------|---|-------|
| Number of Deaths By:                           |          | Deaths per 100,000 Population Due To:              |       | Number of Infant Deaths (Under 1 Year of Age) 11                |       |
| County of Residence                            | 1,976    | Heart Disease                                      | 247.5 | Infant Death Rate (Deaths per 1,000 Live Births) 4.5 *          |       |
| County of Occurrence                           | 1,915    | All Malignant Neoplasms                            | 188.4 |   |       |
|  |          | Breast Cancer                                      | 30.3  |   |       |
|  |          | Lung Cancer  | 51.6  |   |       |
| Crude Death Rate (Deaths per 1,000 Population) | 7.9      | Stroke   | 68.6  | INFANT DEATH RATES (1999 BIRTH COHORT)                          |       |
| AGE-ADJUSTED DEATH RATE (1998-2000 AVERAGE)    |          | Unintentional Injuries                             | 33.7  | Infant Deaths per 1,000 Live Births by Mother's Race/Ethnicity: |       |
| Age-Adjusted Deaths per 100,000 Population     | 709.9    | Pneumonia and Influenza                            | 24.6  | All Race/Ethnic Groups  | 3.4 * |
| AGE-SPECIFIC DEATH RATES (1998-2000 AVERAGE)   |          | Chronic Lower Respiratory Disease                  | 47.8  | White   | 3.2 * |
| Deaths per 100,000 Population:                 |          | Acquired Immune Deficiency Syndrome                | 1.4 * | Black   | 0.0   |
| 1 to 4 Years Old                               | 24.0 *   | Chronic Liver Disease/Cirrhosis                    | 9.7   | Hispanic  | N     |
| 5 to 14 Years Old                              | 17.1 *   | Suicide  | 11.5  | Asian, American Indian, Other                                   | 0.0   |
| 15 to 24 Years Old                             | 41.7 *   | Diabetes Mellitus                                  | 16.3  | PERINATAL DEATHS (1999 BIRTH COHORT)                            |       |
| 25 to 34 Years Old                             | 55.2     | Homicide   | 1.6 * | Number of Perinatal Deaths (Neonatal Plus Fetal) 13             |       |
| 35 to 44 Years Old                             | 161.1    | FETAL AND NEONATAL DEATHS (2000)                   |       | Perinatal Death Rate by Mother's Race/Ethnicity:                |       |
| 45 to 54 Years Old                             | 438.7    | Number of Fetal Deaths                             | 15    | All Race/Ethnic Groups  | 5.5 * |
| 55 to 64 Years Old                             | 774.9    | Fetal Death Ratio (Deaths per 1,000 Live Births)   | 6.2 * | White   | 4.4 * |
| 65 to 74 Years Old                             | 1,869.5  | Number of Neonatal Deaths (Under 28 Days of Age)   | 7     | Black   | 0.0   |
| 75 to 84 Years Old                             | 4,685.5  | Neonatal Death Rate (Deaths per 1,000 Live Births) | 2.9 * | Hispanic  | N     |
| Over 84 Years Old                              | 12,975.2 |  |       | Asian, American Indian, Other                                   | N     |

| REPORTED COMMUNICABLE DISEASES<br>(1998-2000 AVERAGE)               |              |             | COUNTY HEALTH INDICATORS<br>(continued)                           |              | MEDI-CAL<br>(2000)   |        |
|---|--------------|-------------|---|--------------|--|--------|
| Number and Rate per 100,000 Population                              |              |             | Mortality Rate Per 100,000 Pop. (1999-2000 Avg.)                  |              | MEDI-CAL Deliveries by:  |        |
| <u>DISEASE</u>  | <u>CASES</u> | <u>RATE</u> | Work Related Injury Deaths  | 6.0          | County of Beneficiary  | 967    |
| Hepatitis   | 8.0          | 3.2 *       | Mortality Rate  | 2.2 *        |  |        |
| Measles   | 0.0          | 0.0         | Drug Related Deaths (1999-2000 Avg.)                              | 25.0         | Fee for Service  | 967    |
| Shigellosis   | 3.7          | 1.5 *       | Mortality Rate  | 10.9 0.0     | Managed Care   | 0      |
| Tuberculosis  | 10.3         | 4.2 *       | Homicide by Weapons (2000)  | 3            | MEDI-CAL Abortions by:   | 402    |
| Syphilis  | 0.3          | 0.1 *       | Homicide by Handguns  | 0            | (Resident beneficiary) FFS   |        |
| Chlamydia   | 310.3        | 125.2       | Kindergarten Students Needing One<br>or More Immunizations (2001) | 144<br>5.3 % | County Hospitals   | 2      |
| Gonorrhea   | 29.3         | 11.8        |   |              | Community Hospitals  | 29     |
| CUMULATIVE AIDS CASES AND INCIDENCE<br>1981 through January 2002    |              |             | MEDI-CAL DATA<br>(AVERAGE MONTHLY, 2000)                          |              | MEDI-CAL PHP ENROLLEES (2000)  |        |
|   |              |             | MEDI-CAL Users (FFS):   | 12,453       | Average Monthly Prepaid  |        |
| AIDS Cases  | 476          |             | Percent of County Population                                      | 5.0 %        | Health Plan Enrollees  | 0      |
| Number of deaths  | 216          |             | Percent of Eligibles (FFS)  | 56.7 %       | DENTI-CAL SERVICES (2000)  |        |
| Mortality (percent of AIDS cases<br>resulting in deaths)            | 45.0 %       |             | Total MEDI-CAL Eligibles:   | 21,955       | Average Monthly Users  | 930    |
| COUNTY HEALTH INDICATORS  |              |             | Percent of County Population                                      | 8.8 %        | MEDI-CAL/MEDICARE (2002)   |        |
|   |              |             | MEDI-CAL Payments (FFS) :   |              | Percent of MEDI-CAL Eligibles<br>Who are also eligible<br>for Medicare | 22.6 % |
| Persons Injured in Traffic Accidents<br>County of Occurrence (2000) | 1,877        |             | Amount  | \$5,794,716  | MEDICARE ENROLLEES (2000)  |        |
| Substance Abuse Admissions (2000)                                   |              |             | Amount per User   | \$465.33     | TOTAL MEDICARE ENROLLEES   |        |
| Methamphetamine   | 116          |             | MEDI-CAL ELIGIBLES BY RACE/ETHNICITY<br>(2000)                    |              | Number   | 39,242 |
| Cocaine   | 21           |             | White   | 60.5 %       | Percent of County Population   | 15.9 % |
| Marijuana   | 145          |             | Black   | 2.4 %        | Enrollees Aged 65+   |        |
| Alcohol   | 223          |             | Hispanic  | 27.5 %       | Number   | 34,603 |
|   |              |             | American Indian/Alaskan Native                                    | 0.3 %        | Percent of County Population   | 14.0 % |
|   |              |             | Asian/Pacific Islander  | 1.6 %        | Disability Beneficiaries:  |        |
|   |              |             | Not Reported  | 7.7 %        | Number   | 4,639  |
|   |              |             |   |              | Percent of County Population   | 1.9 %  |

| PROGRAM CLIENTS/SERVICES   |        | HOSPITALS (2000)  |       | HOSPICE CARE   |              |
|--|--------|---|-------|--|--------------|
| Percent Early Postpartum Breastfeeding Initiation 1998-2000 Average            | 92.0 % | Number of General Acute Care (GAC) Hospitals                    | 4     | Number of Freestanding Hospice Care Facilities (2000)                | 1            |
| Family Planning Clients by All Funding Sources (2001)                          | 8,714  | Number of Licensed GAC Beds                                     | 414   | HOSPITAL UTILIZATION (2000)  |              |
|  |        | Number of Licensed GAC Beds per 1,000 Population                | 1.7   | Number of GAC Discharges from GAC Hospitals                          | 12,585       |
| Women and Children Under Age 5 Receiving WIC Services (07/02)                  | 4,746  | LTC (2000)  |       | Average GAC Occupancy Rate in GAC Hospitals                          | 42.0         |
|  |        | Number of Long Term Care Facilities and Hospitals with LTC Beds | 8     | Average GAC Length of Stay in GAC Hospitals (days)                   | 5.1          |
| Child Health/Disability Prevention Screens (FY 2000-2001)                      | 8,956  | Number of Licensed LTC Beds                                     | 889   | LTC (2000)   |              |
|  |        | Number of Licensed Beds per 1,000 Population                    | 3.6   | Number of LTC Discharges from LTC Facilities                         | 758          |
| California Children's Services Cases (08/02)                                   | 761    | PHYSICIANS (2001)   |       | Average Occupancy Rate of LTC Facilities and Hospitals with LTC Beds | 88.4         |
|  |        | Number of Active Non-Federal Physicians                         | 670   | COUNTY HEALTH COSTS (FY 2000-2001)                                   |              |
| Developmental Disability Clients (08/02)                                       | 1,533  | Number of Persons per Physician                                 | 368   | Estimated Net County Health Care Costs                               | \$17,311,956 |
|  |        | DENTISTS (2002)   |       | Estimated Net County Cost per Capita                                 | \$70.18      |
| Rehabilitation Clients (FY 2000-2001)  | 720    | Number of Licensed Dentists (Non-Federal)                       | 185   |  |              |
|  |        | Number of Persons per Dentist                                   | 1,333 |  |              |
| State Mental Hospital Admissions (FY 2000-2001)                                | 38     | CLINICS (2000)  |       |  |              |
|  |        | Number of Licensed Community and Free Clinics                   | 9     |  |              |
| Persons Receiving Preventive Health Care for the Aging Services (FY 2001-2002) | 0      | Number of Specialty Clinics                                     | 8     |  |              |
|  |        | HOME HEALTH AGENCIES (2000)                                     |       |  |              |
| Assessment Clients   | 0      | Number of Licensed Home Health Agencies                         | 5     |  |              |
| Total Client Encounters  | 0      |   |       |  |              |

| TOTAL POPULATION       |          | PERCENT BELOW POVERTY LEVEL (1999)                            |           | LIVE BIRTHS (2000)   |        |
|------------------------|----------|---|-----------|--|--------|
| Census Year 2000       | 707,161  | Total population  | 5.8 %     | Number of Live Births By:                                      |        |
| Projection Year 2010   | 794,600  | Children under 6  | 6.4 %     | County of Residence  | 10,440 |
| Projection Year 2020   | 834,500  | Persons aged 65+  | 5.1 %     | County of Occurrence   | 6,116  |
| AGE (2000)             |          |   |           | Birth Rate (births per 1,000 population)                       | 14.5   |
| Under Age 5            | 6.4%     | Whites  | 3.6 %     | Fertility rate (births per 1,000 women aged 15-44, 98-00 avg.) | 67.0   |
| Age 5-17               | 16.5%    | Blacks  | 11.2 %    | Low birthweight (under 2,500 grams)                            | 6.1 %  |
| Age 18-64              | 64.6%    | Hispanics   | 10.7 %    | Very low birthweight (under 1,500 grams)                       | 1.0 %  |
| Age 65+                | 12.5%    | Asian/Pacific Islanders                                       | 5.1 %     | Unmarried  | 18.6 % |
|                        |          | American Indian   | 12.7 %    | Cesarean section delivery                                      | 20.8 % |
|                        |          | HOUSING VALUE (2000)  |           | Mothers who gave birth outside county of residence             | 49.1 % |
|                        |          | Median housing-unit value                                     | \$469,200 | Mothers with less than 12 years education                      | 20.2 % |
| SEX (2000)             |          | CALWORKS (2002)   |           | Teenage mothers (<18)  | 1.8 %  |
| Females                | 50.6%    | CalWorks enrollees as a percent of county population          | 0.2 %     | Mothers with no 1st trimester prenatal care                    | 13.4 % |
| Males                  | 49.4%    | SSI/SSP (2002)  |           | Percent of Births by Mother's Race/Ethnicity:                  |        |
| RACE/ETHNICITY (2000)  |          | SSI/SSP recipients as a percent of county population          | 1.6 %     | White/Other  | 38.3 % |
| White                  | 49.8%    | UNEMPLOYMENT (2002)   |           | Black  | 2.3 %  |
| Black                  | 3.4%     | Percent of civilian labor force unemployed                    | 4.3 %     | Hispanic   | 31.5 % |
| Hispanic               | 21.9%    | EDUCATION   |           | Asian/Pacific Islander   | 25.5 % |
| American Indian        | 0.2%     | Percent of persons aged 25+ not completing high-school (2000) | 14.7 %    | American Indian  | 0.2 %  |
| Asian/Pacific Islander | 21.1%    | Enrollment K-12 (2001-2002)                                   | 106,394   | Multiple Race  | 1.3 %  |
| URBAN/RURAL (2000)     |          | PRINCIPAL PAYMENT SOURCE FOR BIRTH DELIVERIES                 |           |  |        |
| Urban                  | 98.6%    | Medi-Cal/other gov't  | 22.2 %    |  |        |
| Rural                  | 1.4%     | HMO and prepaid plans   | 64.7 %    |  |        |
| FAMILY INCOME (1999)   |          | Private insurance   | 11.9 %    |  |        |
| Median family income   | \$80,737 |   |           |  |        |

| DEATHS (2000)                                  |          | CAUSES OF DEATH (1999-2000 AVG.)                   |       | INFANT DEATHS (2000)  |       |
|--|----------|--|-------|---|-------|
| Number of Deaths By:                           |          | Deaths per 100,000 Population Due To:              |       | Number of Infant Deaths (Under 1 Year of Age) 55                |       |
| County of Residence                            | 4,706    | Heart Disease                                      | 177.9 | Infant Death Rate (Deaths per 1,000 Live Births) 5.3            |       |
| County of Occurrence                           | 4,674    | All Malignant Neoplasms                            | 172.9 |   |       |
|  |          | Breast Cancer                                      | 27.2  |   |       |
|  |          | Lung Cancer  | 43.9  |   |       |
| Crude Death Rate (Deaths per 1,000 Population) | 6.6      | Stroke   | 65.7  |   |       |
| AGE-ADJUSTED DEATH RATE (1998-2000 AVERAGE)    |          | Unintentional Injuries                             | 20.3  | INFANT DEATH RATES (1999 BIRTH COHORT)                          |       |
| Age-Adjusted Deaths per 100,000 Population     | 662.5    | Pneumonia and Influenza                            | 27.1  | Infant Deaths per 1,000 Live Births by Mother's Race/Ethnicity: |       |
| AGE-SPECIFIC DEATH RATES (1998-2000 AVERAGE)   |          | Chronic Lower Respiratory Disease                  | 35.7  | All Race/Ethnic Groups  | 4.1   |
| Deaths per 100,000 Population:                 |          | Acquired Immune Deficiency Syndrome                | 1.8   | White   | N     |
| 1 to 4 Years Old                               | 18.4 *   | Chronic Liver Disease/Cirrhosis                    | 7.2   | Black   | N     |
| 5 to 14 Years Old                              | 11.4 *   | Suicide  | 8.0   | Hispanic  | 6.7 * |
| 15 to 24 Years Old                             | 43.1     | Diabetes Mellitus                                  | 14.5  | Asian, American Indian, Other                                   | 5.0 * |
| 25 to 34 Years Old                             | 66.4     | Homicide   | 2.4 * | PERINATAL DEATHS (1999 BIRTH COHORT)                            |       |
| 35 to 44 Years Old                             | 118.8    | FETAL AND NEONATAL DEATHS (2000)                   |       | Number of Perinatal Deaths (Neonatal Plus Fetal) 68             |       |
| 45 to 54 Years Old                             | 271.3    | Number of Fetal Deaths                             | 53    | Perinatal Death Rate by Mother's Race/Ethnicity:                |       |
| 55 to 64 Years Old                             | 654.3    | Fetal Death Ratio (Deaths per 1,000 Live Births)   | 5.1   | All Race/Ethnic Groups  | 6.7   |
| 65 to 74 Years Old                             | 1,726.3  | Number of Neonatal Deaths (Under 28 Days of Age)   | 43    | White   | 2.5 * |
| 75 to 84 Years Old                             | 4,638.9  | Neonatal Death Rate (Deaths per 1,000 Live Births) | 4.1   | Black   | N     |
| Over 84 Years Old                              | 13,139.5 |  |       | Hispanic  | 8.7   |
|  |          |  |       | Asian, American Indian, Other                                   | 8.3   |

| REPORTED COMMUNICABLE DISEASES<br>(1998-2000 AVERAGE)               |              |             | COUNTY HEALTH INDICATORS<br>(continued)                           |              | MEDI-CAL<br>(2000)   |        |
|---|--------------|-------------|---|--------------|--|--------|
| Number and Rate per 100,000 Population                              |              |             | Mortality Rate Per 100,000 Pop. (1999-2000 Avg.)                  |              | MEDI-CAL Deliveries by:  |        |
| <u>DISEASE</u>  | <u>CASES</u> | <u>RATE</u> | Work Related Injury Deaths  | 4.5          | County of Beneficiary  | 1,711  |
| Hepatitis   | 75.7         | 10.3        | Mortality Rate  | 0.6 *        |  |        |
| Measles   | 1.0          | 0.1 *       | Drug Related Deaths (1999-2000 Avg.)                              | 51.5         | Fee for Service  | 1,115  |
| Shigellosis   | 97.7         | 13.3        | Mortality Rate  | 6.8          | Managed Care   | 596    |
| Tuberculosis  | 62.7         | 8.5         | Homicide by Weapons (2000)  | 10           | MEDI-CAL Abortions by:   | 1,194  |
| Syphilis  | 2.3          | 0.3 *       | Homicide by Handguns  | 8            | (Resident beneficiary) FFS   |        |
| Chlamydia   | 1,002.0      | 136.3       | Kindergarten Students Needing One<br>or More Immunizations (2001) | 826<br>9.9 % | County Hospitals   | 168    |
| Gonorrhea   | 197.7        | 26.9        |   |              | Community Hospitals  | 63     |
| CUMULATIVE AIDS CASES AND INCIDENCE<br>1981 through January 2002    |              |             | MEDI-CAL DATA<br>(AVERAGE MONTHLY, 2000)                          |              | MEDI-CAL PHP ENROLLEES (2000)  |        |
|   |              |             | MEDI-CAL Users (FFS):   | 5,336        | Average Monthly Prepaid  |        |
| AIDS Cases  | 1,908        |             | Percent of County Population                                      | 0.8 %        | Health Plan Enrollees  | 0      |
| Number of deaths  | 1,180        |             | Percent of Eligibles (FFS)  | 149.5 %*     | DENTI-CAL SERVICES (2000)  |        |
| Mortality (percent of AIDS cases<br>resulting in deaths)            | 62.0 %       |             | Total MEDI-CAL Eligibles:   | 41,354       | Average Monthly Users  | 1,765  |
| COUNTY HEALTH INDICATORS  |              |             | Percent of County Population                                      | 5.8 %        | MEDI-CAL/MEDICARE (2002)   |        |
|   |              |             | MEDI-CAL Payments (FFS) :   |              | Percent of MEDI-CAL Eligibles<br>Who are also eligible<br>for Medicare |        |
| Persons Injured in Traffic Accidents<br>County of Occurrence (2000) | 5,066        |             | Amount  | \$6,319,303  | 30.6 %   |        |
| Substance Abuse Admissions (2000)                                   |              |             | Amount per User   | \$1,184.28   | MEDI-CAL ENROLLEES (2000)  |        |
| Methamphetamine   | 677          |             | MEDI-CAL ELIGIBLES BY RACE/ETHNICITY<br>(2000)                    |              | TOTAL MEDICARE ENROLLEES   |        |
| Cocaine   | 879          |             | White   | 23.4 %       | Number   | 90,435 |
| Marijuana   | 486          |             | Black   | 9.2 %        | Percent of County Population   | 12.8 % |
| Alcohol   | 1,913        |             | Hispanic  | 38.6 %       | Enrollees Aged 65+   |        |
|   |              |             | American Indian/Alaskan Native                                    | 0.1 %        | Number   | 83,141 |
|   |              |             | Asian/Pacific Islander  | 9.2 %        | Percent of County Population   | 11.8 % |
|   |              |             | Not Reported  | 19.4 %       | Disability Beneficiaries:  |        |
|   |              |             |   |              | Number   | 7,294  |
|   |              |             |   |              | Percent of County Population   | 1.0 %  |

| PROGRAM CLIENTS/SERVICES   |        | HOSPITALS (2000)  | HOSPICE CARE   |
|--|--------|---|--|
| Percent Early Postpartum Breastfeeding Initiation 1998-2000 Average            | 91.8 % | Number of General Acute Care (GAC) Hospitals<br>9                     | Number of Freestanding Hospice Care Facilities (2000)<br>4                   |
| Family Planning Clients by All Funding Sources (2001)                          | 20,595 | Number of Licensed GAC Beds<br>1,385                                  | <b>HOSPITAL UTILIZATION (2000)</b>   |
| Women and Children Under Age 5 Receiving WIC Services (07/02)                  | 13,823 | Number of Licensed GAC Beds per 1,000 Population<br>2.0               | Number of GAC Discharges from GAC Hospitals<br>46,819                        |
| Child Health/Disability Prevention Screens (FY 2000-2001)                      | 23,036 | <b>LTC (2000)</b>   | Average GAC Occupancy Rate in GAC Hospitals<br>42.4                          |
| California Children's Services Cases (08/02)                                   | 0      | Number of Long Term Care Facilities and Hospitals with LTC Beds<br>20 | Average GAC Length of Stay in GAC Hospitals (days)<br>4.6                    |
| Developmental Disability Clients (08/02)                                       | 2,551  | Number of Licensed LTC Beds<br>1,893                                  | <b>LTC (2000)</b>  |
| Rehabilitation Clients (FY 2000-2001)  | 1,637  | Number of Licensed Beds per 1,000 Population<br>2.7                   | Number of LTC Discharges from LTC Facilities<br>3,951                        |
| State Mental Hospital Admissions (FY 2000-2001)                                | 37     | <b>PHYSICIANS (2001)</b>  | Average Occupancy Rate of LTC Facilities and Hospitals with LTC Beds<br>87.1 |
| Persons Receiving Preventive Health Care for the Aging Services (FY 2001-2002) |        | Number of Active Non-Federal Physicians<br>2,326                      | <b>COUNTY HEALTH COSTS (FY 2000-2001)</b>                                    |
| Assessment Clients   | 0      | Number of Persons per Physician<br>304                                | Estimated Net County Health Care Costs<br>\$35,449,186                       |
| Total Client Encounters  | 0      | <b>DENTISTS (2002)</b>  | Estimated Net County Cost per Capita<br>\$50.13                              |
|  |        | Number of Licensed Dentists (Non-Federal)<br>770                      |  |
|  |        | Number of Persons per Dentist<br>918                                  |  |
|  |        | <b>CLINICS (2000)</b>   |  |
|  |        | Number of Licensed Community and Free Clinics<br>7                    |  |
|  |        | Number of Specialty Clinics<br>9                                      |  |
|  |        | <b>HOME HEALTH AGENCIES (2000)</b>                                    |  |
|  |        | Number of Licensed Home Health Agencies<br>18                         |  |

| TOTAL POPULATION       |          | PERCENT BELOW POVERTY LEVEL (1999)                            |           | LIVE BIRTHS (2000)   |        |
|------------------------|----------|---|-----------|--|--------|
| Census Year 2000       | 399,347  | Total population  | 14.3 %    | Number of Live Births By:                                      |        |
| Projection Year 2010   | 467,700  | Children under 6  | 18.5 %    | County of Residence  | 5,682  |
| Projection Year 2020   | 552,700  | Persons aged 65+  | 6.2 %     | County of Occurrence   | 5,826  |
| AGE (2000)             |          |   |           | Birth Rate (births per 1,000 population)                       | 14.0   |
| Under Age 5            | 6.5%     | Whites  | 9.5 %     | Fertility rate (births per 1,000 women aged 15-44, 98-00 avg.) | 64.0   |
| Age 5-17               | 18.4%    | Blacks  | 15.3 %    | Low birthweight (under 2,500 grams)                            | 5.5 %  |
| Age 18-64              | 62.4%    | Hispanics   | 21.3 %    | Very low birthweight (under 1,500 grams)                       | 1.1 %  |
| Age 65+                | 12.7%    | Asian/Pacific Islanders                                       | 19.1 %    | Unmarried  | 29.7 % |
|                        |          | American Indian   | 19.1 %    | Cesarean section delivery                                      | 24.1 % |
|                        |          | HOUSING VALUE (2000)  |           | Mothers who gave birth outside county of residence             | 2.2 %  |
|                        |          | Median housing-unit value                                     | \$293,000 | Mothers with less than 12 years education                      | 36.1 % |
| SEX (2000)             |          | CALWORKS (2002)   |           | Teenage mothers (<18)  | 4.2 %  |
| Females                | 50.0%    | CalWorks enrollees as a percent of county population          | 0.9 %     | Mothers with no 1st trimester prenatal care                    | 21.6 % |
| Males                  | 50.0%    | SSI/SSP (2002)  |           | Percent of Births by Mother's Race/Ethnicity:                  |        |
| RACE/ETHNICITY (2000)  |          | SSI/SSP recipients as a percent of county population          | 2.2 %     | White/Other  | 33.2 % |
| White                  | 56.9%    | UNEMPLOYMENT (2002)   |           | Black  | 1.5 %  |
| Black                  | 2.1%     | Percent of civilian labor force unemployed                    | 4.4 %     | Hispanic   | 59.1 % |
| Hispanic               | 34.2%    | EDUCATION   |           | Asian/Pacific Islander   | 4.1 %  |
| American Indian        | 0.5%     | Percent of persons aged 25+ not completing high-school (2000) | 20.8 %    | American Indian  | 0.4 %  |
| Asian/Pacific Islander | 4.1%     | Enrollment K-12 (2001-2002)                                   | 73,298    | Multiple Race  | 1.4 %  |
| URBAN/RURAL (2000)     |          | PRINCIPAL PAYMENT SOURCE FOR BIRTH DELIVERIES                 |           |  |        |
| Urban                  | 95.2%    | Medi-Cal/other gov't  | 52.7 %    |  |        |
| Rural                  | 4.8%     | HMO and prepaid plans   | 11.8 %    |  |        |
| FAMILY INCOME (1999)   |          | Private insurance   | 32.9 %    |  |        |
| Median family income   | \$54,042 |   |           |  |        |

| DEATHS (2000)                                       |          | CAUSES OF DEATH (1999-2000 AVG.)                   |       | INFANT DEATHS (2000)  |       |
|---|----------|--|-------|---|-------|
| Number of Deaths By:                                |          | Deaths per 100,000 Population Due To:              |       | Number of Infant Deaths (Under 1 Year of Age)                   | 32    |
| County of Residence                                 | 2,917    | Heart Disease                                      | 207.4 | Infant Death Rate (Deaths per 1,000 Live Births)                | 5.6   |
| County of Occurrence                                | 2,943    | All Malignant Neoplasms                            | 156.1 | <b>INFANT DEATH RATES (1999 BIRTH COHORT)</b>                   |       |
| Crude Death Rate (Deaths per 1,000 Population)      | 7.2      | Breast Cancer                                      | 20.3  | Infant Deaths per 1,000 Live Births by Mother's Race/Ethnicity: |       |
|   |          | Lung Cancer  | 40.3  | All Race/Ethnic Groups  | 5.1   |
| <b>AGE-ADJUSTED DEATH RATE (1998-2000 AVERAGE)</b>  |          | Stroke   | 64.7  | White   | 4.1 * |
| Age-Adjusted Deaths per 100,000 Population          | 717.2    | Unintentional Injuries                             | 33.3  | Black   | 0.0   |
|   |          | Pneumonia and Influenza                            | 26.5  | Hispanic  | 6.0   |
| <b>AGE-SPECIFIC DEATH RATES (1998-2000 AVERAGE)</b> |          | Chronic Lower Respiratory Disease                  | 36.0  | Asian, American Indian, Other                                   | N     |
| Deaths per 100,000 Population:                      |          | Acquired Immune Deficiency Syndrome                | 1.3 * | <b>PERINATAL DEATHS (1999 BIRTH COHORT)</b>                     |       |
| 1 to 4 Years Old                                    | 29.0 *   | Chronic Liver Disease/Cirrhosis                    | 9.9   | Number of Perinatal Deaths (Neonatal Plus Fetal)                | 43    |
| 5 to 14 Years Old                                   | 16.1 *   | Suicide  | 10.4  | Perinatal Death Rate by Mother's Race/Ethnicity:                |       |
| 15 to 24 Years Old                                  | 42.0     | Diabetes Mellitus                                  | 15.2  | All Race/Ethnic Groups  | 7.8   |
| 25 to 34 Years Old                                  | 64.9     | Homicide   | 2.2 * | White   | 6.6 * |
|   |          | <b>FETAL AND NEONATAL DEATHS (2000)</b>            |       | Black   | N     |
| 35 to 44 Years Old                                  | 137.0    | Number of Fetal Deaths                             | 32    | Hispanic  | 8.5   |
| 45 to 54 Years Old                                  | 331.7    | Fetal Death Ratio (Deaths per 1,000 Live Births)   | 5.6   | Asian, American Indian, Other                                   | N     |
| 55 to 64 Years Old                                  | 695.1    | Number of Neonatal Deaths (Under 28 Days of Age)   | 24    |   |       |
| 65 to 74 Years Old                                  | 1,936.1  | Neonatal Death Rate (Deaths per 1,000 Live Births) | 4.2   |   |       |
| 75 to 84 Years Old                                  | 4,876.8  |  |       |   |       |
| Over 84 Years Old                                   | 14,025.4 |  |       |   |       |

| REPORTED COMMUNICABLE DISEASES<br>(1998-2000 AVERAGE)               |              |             | COUNTY HEALTH INDICATORS<br>(continued)                           |              | MEDI-CAL<br>(2000)   |        |
|---|--------------|-------------|---|--------------|--|--------|
| Number and Rate per 100,000 Population                              |              |             | Mortality Rate Per 100,000 Pop. (1999-2000 Avg.)                  |              | MEDI-CAL Deliveries by:  |        |
| <u>DISEASE</u>  | <u>CASES</u> | <u>RATE</u> | Work Related Injury Deaths  | 6.0          | County of Beneficiary  | 2,705  |
| Hepatitis   | 38.3         | 9.4         | Mortality Rate  | 1.5 *        |  |        |
| Measles   | 0.0          | 0.0         | Drug Related Deaths (1999-2000 Avg.)                              | 42.5         | Fee for Service  | 1,693  |
| Shigellosis   | 43.3         | 10.6        | Mortality Rate  | 10.6         | Managed Care   | 1,012  |
| Tuberculosis  | 26.7         | 6.5         | Homicide by Weapons (2000)  | 10           | MEDI-CAL Abortions by:   | 448    |
| Syphilis  | 0.7          | 0.2 *       | Homicide by Handguns  | 5            | (Resident beneficiary) FFS   |        |
| Chlamydia   | 788.3        | 193.1       | Kindergarten Students Needing One<br>or More Immunizations (2001) | 396<br>6.9 % | County Hospitals   | 0      |
| Gonorrhea   | 48.3         | 11.8        |   |              | Community Hospitals  | 26     |
|   |              |             |   |              | Clinics  | 380    |
|   |              |             |   |              | Physician Offices  | 42     |
| CUMULATIVE AIDS CASES AND INCIDENCE<br>1981 through January 2002    |              |             | MEDI-CAL DATA<br>(AVERAGE MONTHLY, 2000)                          |              | MEDI-CAL PHP ENROLLEES (2000)  |        |
| AIDS Cases  | 676          |             | MEDI-CAL Users (FFS):   | 7,615        | Average Monthly Prepaid  |        |
| Number of deaths  | 463          |             | Percent of County Population                                      | 1.9 %        | Health Plan Enrollees  | 0      |
| Mortality (percent of AIDS cases<br>resulting in deaths)            | 68.0 %       |             | Percent of Eligibles (FFS)  | 144.8 %*     |  |        |
|   |              |             | Total MEDI-CAL Eligibles:   | 46,252       | DENTI-CAL SERVICES (2000)  |        |
|   |              |             | Percent of County Population                                      | 11.4 %       | Average Monthly Users  | 2,497  |
|   |              |             | MEDI-CAL Payments (FFS) :   |              | MEDI-CAL/MEDICARE (2002)   |        |
|   |              |             | Amount  | \$2,260,901  | Percent of MEDI-CAL Eligibles<br>Who are also eligible<br>for Medicare | 17.4 % |
|   |              |             | Amount per User   | \$296.90     | MEDICARE ENROLLEES (2000)  |        |
|   |              |             |   |              | TOTAL MEDICARE ENROLLEES   |        |
|   |              |             | MEDI-CAL ELIGIBLES BY RACE/ETHNICITY<br>(2000)                    |              | Number   | 55,009 |
|   |              |             | White   | 27.5 %       | Percent of County Population   | 13.8 % |
|   |              |             | Black   | 3.7 %        | Enrollees Aged 65+   |        |
|   |              |             | Hispanic  | 56.3 %       | Number   | 48,814 |
|   |              |             | American Indian/Alaskan Native                                    | 0.4 %        | Percent of County Population   | 12.2 % |
|   |              |             | Asian/Pacific Islander  | 2.0 %        | Disability Beneficiaries:  |        |
|   |              |             | Not Reported  | 10.0 %       | Number   | 6,195  |
|   |              |             |   |              | Percent of County Population   | 1.6 %  |
| COUNTY HEALTH INDICATORS  |              |             |   |              |  |        |
| Persons Injured in Traffic Accidents<br>County of Occurrence (2000) | 2,816        |             |   |              |  |        |
| Substance Abuse Admissions (2000)                                   |              |             |   |              |  |        |
| Methamphetamine   | 647          |             |   |              |  |        |
| Cocaine   | 259          |             |   |              |  |        |
| Marijuana   | 377          |             |   |              |  |        |
| Alcohol   | 871          |             |   |              |  |        |

| PROGRAM CLIENTS/SERVICES   | HOSPITALS (2000)  | HOSPICE CARE   |
|--|---|--|
| Percent Early Postpartum Breastfeeding Initiation 1998-2000 Average            | Number of General Acute Care (GAC) Hospitals<br>5                     | Number of Freestanding Hospice Care Facilities (2000)<br>0                   |
| Family Planning Clients by All Funding Sources (2001)                          | Number of Licensed GAC Beds<br>665                                    | HOSPITAL UTILIZATION (2000)  |
| Women and Children Under Age 5 Receiving WIC Services (07/02)                  | Number of Licensed GAC Beds per 1,000 Population<br>1.7               |  |
| Child Health/Disability Prevention Screens (FY 2000-2001)                      | LTC (2000)  |  |
|  | Number of Long Term Care Facilities and Hospitals with LTC Beds<br>13 | Number of GAC Discharges from GAC Hospitals<br>31,209                        |
| California Children's Services Cases (08/02)                                   | Number of Licensed LTC Beds<br>1,104                                  | Average GAC Occupancy Rate in GAC Hospitals<br>52.2                          |
|  | Number of Licensed Beds per 1,000 Population<br>2.8                   | Average GAC Length of Stay in GAC Hospitals (days)<br>4.1                    |
| Developmental Disability Clients (08/02)                                       | LTC (2000)  |  |
|  | Number of Active Non-Federal Physicians<br>1,098                      | Number of LTC Discharges from LTC Facilities<br>2,027                        |
| Rehabilitation Clients (FY 2000-2001)  | Number of Persons per Physician<br>364                                | Average Occupancy Rate of LTC Facilities and Hospitals with LTC Beds<br>86.5 |
|  | DENTISTS (2002)   |  |
| State Mental Hospital Admissions (FY 2000-2001)                                | Number of Licensed Dentists (Non-Federal)<br>307                      | Estimated Net County Health Care Costs<br>\$19,716,382                       |
|  | Number of Persons per Dentist<br>1,301                                |  |
| Persons Receiving Preventive Health Care for the Aging Services (FY 2001-2002) | CLINICS (2000)  |  |
|  | Number of Licensed Community and Free Clinics<br>11                   | Estimated Net County Cost per Capita<br>\$49.37                              |
| Number of Specialty Clinics<br>8   |   |  |
| Assessment Clients<br>Total Client Encounters                                  | HOME HEALTH AGENCIES (2000)   |  |
|  | Number of Licensed Home Health Agencies<br>11                         |  |

| TOTAL POPULATION       |           | PERCENT BELOW POVERTY LEVEL (1999)                            |         | LIVE BIRTHS (2000)   |        |
|------------------------|-----------|---|---------|--|--------|
| Census Year 2000       | 1,682,585 | Total population  | 7.5 %   | Number of Live Births By:                                      |        |
| Projection Year 2010   | 1,987,800 | Children under 6  | 8.3 %   | County of Residence  | 27,612 |
| Projection Year 2020   | 2,163,000 | Persons aged 65+  | 6.4 %   | County of Occurrence   | 32,322 |
| AGE (2000)             |           | HOUSING VALUE (2000)  |         | Birth Rate (births per 1,000 population)                       | 16.2   |
| Under Age 5            | 7.1%      | Whites  | 4.3 %   | Fertility rate (births per 1,000 women aged 15-44, 98-00 avg.) | 70.8   |
| Age 5-17               | 17.7%     | Blacks  | 9.7 %   | Low birthweight (under 2,500 grams)                            | 6.1 %  |
| Age 18-64              | 65.7%     | Hispanics   | 13.2 %  | Very low birthweight (under 1,500 grams)                       | 1.1 %  |
| Age 65+                | 9.5%      | Asian/Pacific Islanders                                       | 7.5 %   | Unmarried  | 20.6 % |
|                        |           | American Indian   | 12.7 %  | Cesarean section delivery                                      | 20.8 % |
| SEX (2000)             |           | CALWORKS (2002)   |         | Mothers who gave birth outside county of residence             | 2.1 %  |
| Females                | 49.3%     | CalWorks enrollees as a percent of county population          | 0.6 %   | Mothers with less than 12 years education                      | 22.7 % |
| Males                  | 50.7%     | SSI/SSP (2002)  |         | Teenage mothers (<18)  | 2.2 %  |
| RACE/ETHNICITY (2000)  |           | SSI/SSP recipients as a percent of county population          | 2.2 %   | Mothers with no 1st trimester prenatal care                    | 13.0 % |
| White                  | 44.2%     | UNEMPLOYMENT (2002)   |         | Percent of Births by Mother's Race/Ethnicity:                  |        |
| Black                  | 2.6%      | Percent of civilian labor force unemployed                    | 7.3 %   | White/Other  | 28.7 % |
| Hispanic               | 24.0%     | EDUCATION   |         | Black  | 2.0 %  |
| American Indian        | 0.3%      | Percent of persons aged 25+ not completing high-school (2000) | 16.6 %  | Hispanic   | 34.0 % |
| Asian/Pacific Islander | 25.7%     | Enrollment K-12 (2001-2002)                                   | 289,108 | Asian/Pacific Islander   | 32.0 % |
| URBAN/RURAL (2000)     |           | PRINCIPAL PAYMENT SOURCE FOR BIRTH DELIVERIES                 |         | American Indian  | 0.2 %  |
| Urban                  | 98.8%     | Medi-Cal/other gov't  | 21.6 %  | Multiple Race  | 0.8 %  |
| Rural                  | 1.2%      | FAMILY INCOME (1999)  |         |  |        |
| Median family income   | \$81,717  | HMO and prepaid plans   | 49.4 %  |  |        |
|                        |           | Private insurance   | 27.8 %  |  |        |

| DEATHS (2000)                                  |          | CAUSES OF DEATH (1999-2000 AVG.)                   |       | INFANT DEATHS (2000)  |     |
|--|----------|--|-------|---|-----|
| Number of Deaths By:                           |          | Deaths per 100,000 Population Due To:              |       | Number of Infant Deaths (Under 1 Year of Age) 123               |     |
| County of Residence                            | 8,802    | Heart Disease                                      | 148.7 | Infant Death Rate (Deaths per 1,000 Live Births) 4.5            |     |
| County of Occurrence                           | 9,568    | All Malignant Neoplasms                            | 124.2 |   |     |
|  |          | Breast Cancer                                      | 20.7  |   |     |
|  |          | Lung Cancer  | 28.2  |   |     |
| Crude Death Rate (Deaths per 1,000 Population) | 5.1      | Stroke   | 42.7  | INFANT DEATH RATES (1999 BIRTH COHORT)                          |     |
| AGE-ADJUSTED DEATH RATE (1998-2000 AVERAGE)    |          | Unintentional Injuries                             | 18.0  | Infant Deaths per 1,000 Live Births by Mother's Race/Ethnicity: |     |
| Age-Adjusted Deaths per 100,000 Population     | 696.9    | Pneumonia and Influenza                            | 20.6  | All Race/Ethnic Groups  | 5.0 |
| AGE-SPECIFIC DEATH RATES (1998-2000 AVERAGE)   |          | Chronic Lower Respiratory Disease                  | 26.4  | White   | 5.0 |
| Deaths per 100,000 Population:                 |          | Acquired Immune Deficiency Syndrome                | 1.9   | Black   | N   |
| 1 to 4 Years Old                               | 21.9     | Chronic Liver Disease/Cirrhosis                    | 8.5   | Hispanic  | 6.0 |
| 5 to 14 Years Old                              | 13.5     | Suicide  | 7.1   | Asian, American Indian, Other                                   | 3.2 |
| 15 to 24 Years Old                             | 45.2     | Diabetes Mellitus                                  | 13.5  | PERINATAL DEATHS (1999 BIRTH COHORT)                            |     |
| 25 to 34 Years Old                             | 63.2     | Homicide   | 2.4   | Number of Perinatal Deaths (Neonatal Plus Fetal) 209            |     |
|  |          | FETAL AND NEONATAL DEATHS (2000)                   |       | Perinatal Death Rate by Mother's Race/Ethnicity:                |     |
| 35 to 44 Years Old                             | 105.9    | Number of Fetal Deaths                             | 144   | All Race/Ethnic Groups  | 7.9 |
| 45 to 54 Years Old                             | 260.0    | Fetal Death Ratio (Deaths per 1,000 Live Births)   | 5.2   | White   | 7.6 |
| 55 to 64 Years Old                             | 622.6    | Number of Neonatal Deaths (Under 28 Days of Age)   | 93    | Black   | N   |
| 65 to 74 Years Old                             | 1,712.4  | Neonatal Death Rate (Deaths per 1,000 Live Births) | 3.4   | Hispanic  | 8.0 |
| 75 to 84 Years Old                             | 4,786.1  |  |       | Asian, American Indian, Other                                   | 6.6 |
| Over 84 Years Old                              | 15,376.2 |  |       |   |     |

| REPORTED COMMUNICABLE DISEASES<br>(1998-2000 AVERAGE)               |              |             | COUNTY HEALTH INDICATORS<br>(continued)                           |                | MEDI-CAL<br>(2000)   |        |
|---|--------------|-------------|---|----------------|--|--------|
| Number and Rate per 100,000 Population                              |              |             | Mortality Rate Per 100,000 Pop. (1999-2000 Avg.)                  |                | MEDI-CAL Deliveries by:  |        |
| <u>DISEASE</u>  | <u>CASES</u> | <u>RATE</u> | Work Related Injury Deaths  | 18.0           | County of Beneficiary  | 6,392  |
| Hepatitis   | 140.7        | 8.1         | Mortality Rate  | 1.1 *          | Fee for Service  | 4,769  |
| Measles   | 0.0          | 0.0         | Drug Related Deaths (1999-2000 Avg.)                              | 75.0           | Managed Care   | 1,623  |
| Shigellosis   | 147.0        | 8.5         | Mortality Rate  | 4.2            | MEDI-CAL Abortions by:   | 2,649  |
| Tuberculosis  | 243.3        | 14.0        | Homicide by Weapons (2000)  | 34             | (Resident beneficiary) FFS   |        |
| Syphilis  | 3.0          | 0.2 *       | Homicide by Handguns  | 10             | County Hospitals   | 241    |
| Chlamydia   | 3,561.0      | 205.6       | Kindergarten Students Needing One<br>or More Immunizations (2001) | 2,095<br>8.5 % | Community Hospitals  | 20     |
| Gonorrhea   | 439.0        | 25.3        |   |                | Clinics  | 827    |
| CUMULATIVE AIDS CASES AND INCIDENCE<br>1981 through January 2002    |              |             | MEDI-CAL DATA<br>(AVERAGE MONTHLY, 2000)                          |                | MEDI-CAL PHP ENROLLEES (2000)  |        |
|   |              |             | MEDI-CAL Users (FFS): 55,498                                      |                | Average Monthly Prepaid  |        |
| AIDS Cases  | 3,272        |             | Percent of County Population                                      | 3.3 %          | Health Plan Enrollees  | 61,009 |
| Number of deaths  | 1,894        |             | Percent of Eligibles (FFS)  | 65.6 %         | DENTI-CAL SERVICES (2000)  |        |
| Mortality (percent of AIDS cases<br>resulting in deaths)            | 58.0 %       |             | Total MEDI-CAL Eligibles:   | 145,668        | Average Monthly Users  |        |
| COUNTY HEALTH INDICATORS  |              |             | Percent of County Population                                      |                | 7,602  |        |
|   |              |             | 8.5 %   |                | MEDI-CAL/MEDICARE (2002)   |        |
| Persons Injured in Traffic Accidents<br>County of Occurrence (2000) | 13,907       |             | MEDI-CAL Payments (FFS) :   |                | Percent of MEDI-CAL Eligibles<br>Who are also eligible<br>for Medicare |        |
| Substance Abuse Admissions (2000)                                   |              |             | Amount  | \$35,891,384   | 24.4 %   |        |
| Methamphetamine   | 2,799        |             | Amount per User   | \$646.71       | MEDI-CAL ENROLLEES (2000)  |        |
| Cocaine   | 957          |             | MEDI-CAL ELIGIBLES BY RACE/ETHNICITY<br>(2000)                    |                | TOTAL MEDICARE ENROLLEES   |        |
| Marijuana   | 1,057        |             | White   | 18.6 %         | Number   |        |
| Alcohol   | 2,493        |             | Black   | 4.1 %          | Percent of County Population   |        |
|   |              |             | Hispanic  | 37.3 %         | Enrollees Aged 65+   |        |
|   |              |             | American Indian/Alaskan Native                                    | 0.2 %          | Number   |        |
|   |              |             | Asian/Pacific Islander  | 19.1 %         | Percent of County Population   |        |
|   |              |             | Not Reported  | 20.7 %         | Disability Beneficiaries:  |        |
|   |              |             |   |                | Number   |        |
|   |              |             |   |                | Percent of County Population   |        |
|   |              |             |   |                | 15,447   |        |
|   |              |             |   |                | 0.9 %  |        |

| PROGRAM CLIENTS/SERVICES   |        | HOSPITALS (2000)  |       | HOSPICE CARE   |         |
|--|--------|---|-------|--|---------|
| Percent Early Postpartum Breastfeeding Initiation 1998-2000 Average            | 89.4 % | Number of General Acute Care (GAC) Hospitals                    | 14    | Number of Freestanding Hospice Care Facilities (2000)                | 9       |
| Family Planning Clients by All Funding Sources (2001)                          | 39,535 | Number of Licensed GAC Beds                                     | 3,550 | HOSPITAL UTILIZATION (2000)  |         |
|  |        | Number of Licensed GAC Beds per 1,000 Population                | 2.1   | Number of GAC Discharges from GAC Hospitals                          | 153,817 |
| Women and Children Under Age 5 Receiving WIC Services (07/02)                  | 30,397 | LTC (2000)  |       | Average GAC Occupancy Rate in GAC Hospitals                          | 52.3    |
|  |        | Number of Long Term Care Facilities and Hospitals with LTC Beds | 55    | Average GAC Length of Stay in GAC Hospitals (days)                   | 4.4     |
| Child Health/Disability Prevention Screens (FY 2000-2001)                      | 48,268 | Number of Licensed LTC Beds                                     | 5,652 | LTC (2000)   |         |
|  |        | Number of Licensed Beds per 1,000 Population                    | 3.4   | Number of LTC Discharges from LTC Facilities                         | 10,427  |
| California Children's Services Cases (08/02)                                   | 5,471  | PHYSICIANS (2001)   |       | Average Occupancy Rate of LTC Facilities and Hospitals with LTC Beds |         |
|  |        | Number of Active Non-Federal Physicians                         | 5,372 | 89.5   |         |
| Developmental Disability Clients (08/02)                                       | 6,300  | Number of Persons per Physician                                 | 313   | COUNTY HEALTH COSTS (FY 2000-2001)                                   |         |
| Rehabilitation Clients (FY 2000-2001)  | 2,799  | DENTISTS (2002)   |       | Estimated Net County Health Care Costs                               |         |
|  |        | Number of Licensed Dentists (Non-Federal)                       | 1,908 | \$143,252,301  |         |
| State Mental Hospital Admissions (FY 2000-2001)                                | 94     | Number of Persons per Dentist                                   | 882   | Estimated Net County Cost per Capita                                 |         |
|  |        | CLINICS (2000)  |       | \$85.14  |         |
| Persons Receiving Preventive Health Care for the Aging Services (FY 2001-2002) |        | Number of Licensed Community and Free Clinics                   | 29    |  |         |
|  |        | Number of Specialty Clinics                                     | 21    |  |         |
| Assessment Clients   | 0      | HOME HEALTH AGENCIES (2000)                                     |       |  |         |
| Total Client Encounters  | 0      | Number of Licensed Home Health Agencies                         | 31    |  |         |

| TOTAL POPULATION       |          | PERCENT BELOW POVERTY LEVEL (1999)                            |           | LIVE BIRTHS (2000)   |        |
|------------------------|----------|---|-----------|--|--------|
| Census Year 2000       | 255,602  | Total population  | 11.9 %    | Number of Live Births By:                                      |        |
| Projection Year 2010   | 311,900  | Children under 6  | 14.1 %    | County of Residence  | 3,505  |
| Projection Year 2020   | 370,600  | Persons aged 65+  | 6.3 %     | County of Occurrence   | 3,617  |
| AGE (2000)             |          |   |           | Birth Rate (births per 1,000 population)                       | 13.5   |
| Under Age 5            | 6.1%     | Whites  | 8.7 %     | Fertility rate (births per 1,000 women aged 15-44, 98-00 avg.) | 62.9   |
| Age 5-17               | 17.7%    | Blacks  | 19.3 %    | Low birthweight (under 2,500 grams)                            | 5.2 %  |
| Age 18-64              | 66.3%    | Hispanics   | 19.3 %    | Very low birthweight (under 1,500 grams)                       | 1.0 %  |
| Age 65+                | 10.0%    | Asian/Pacific Islanders                                       | 11.3 %    |  |        |
|                        |          | American Indian   | 13.8 %    |  |        |
|                        |          | HOUSING VALUE (2000)  |           |  |        |
|                        |          | Median housing-unit value                                     | \$377,500 |  |        |
| SEX (2000)             |          | CALWORKS (2002)   |           |  |        |
| Females                | 50.1%    | CalWorks enrollees as a percent of county population          | 0.6 %     | Unmarried  | 30.4 % |
| Males                  | 49.9%    |   |           | Cesarean section delivery                                      | 18.9 % |
|                        |          | SSI/SSP (2002)  |           |  |        |
| RACE/ETHNICITY (2000)  |          | SSI/SSP recipients as a percent of county population          |           | Mothers who gave birth outside county of residence             |        |
| White                  | 65.5%    |   |           | 6.8 %  |        |
| Black                  | 0.8%     | UNEMPLOYMENT (2002)   |           | Mothers with less than 12 years education                      |        |
| Hispanic               | 26.8%    | Percent of civilian labor force unemployed                    |           | 34.4 %   |        |
| American Indian        | 0.5%     | EDUCATION   |           | Teenage mothers (<18)  |        |
| Asian/Pacific Islander | 3.4%     | Percent of persons aged 25+ not completing high-school (2000) |           | 3.1 %  |        |
|                        |          | Enrollment K-12 (2001-2002)                                   |           | 45,278   |        |
| URBAN/RURAL (2000)     |          | PRINCIPAL PAYMENT SOURCE FOR BIRTH DELIVERIES                 |           | Mothers with no 1st trimester prenatal care                    |        |
| Urban                  | 85.3%    | Medi-Cal/other gov't  |           | 11.4 %   |        |
| Rural                  | 14.7%    | HMO and prepaid plans   |           | Percent of Births by Mother's Race/Ethnicity:                  |        |
| FAMILY INCOME (1999)   |          | Private insurance   |           | White/Other  |        |
| Median family income   | \$61,941 |   |           | 43.8 %   |        |
|                        |          |   |           | Black  |        |
|                        |          |   |           | 0.6 %  |        |
|                        |          |   |           | Hispanic   |        |
|                        |          |   |           | 49.9 %   |        |
|                        |          |   |           | Asian/Pacific Islander   |        |
|                        |          |   |           | 2.9 %  |        |
|                        |          |   |           | American Indian  |        |
|                        |          |   |           | 0.2 %  |        |
|                        |          |   |           | Multiple Race  |        |
|                        |          |   |           | 0.7 %  |        |

| DEATHS (2000)                  |          | CAUSES OF DEATH (1999-2000 AVG.)      |       | INFANT DEATHS (2000)                             |        |
|--------------------------------|----------|---------------------------------------|-------|--|--------|
| Number of Deaths By:           |          | Deaths per 100,000 Population Due To: |       | Number of Infant Deaths                          | 16     |
| County of Residence            | 1,689    | Heart Disease                         | 195.6 | (Under 1 Year of Age)                            |        |
| County of Occurrence           | 1,653    | All Malignant Neoplasms               | 133.5 | Infant Death Rate (Deaths                        | 4.6    |
| Crude Death Rate (Deaths       |          | Breast Cancer                         | 23.8  | per 1,000 Live Births)                           |        |
| per 1,000 Population)          | 6.5      | Lung Cancer                           | 31.5  |  |        |
|                                |          | Stroke                                | 46.5  | INFANT DEATH RATES (1999 BIRTH COHORT)           |        |
|                                |          | Unintentional Injuries                | 24.2  | Infant Deaths per 1,000 Live Births by           |        |
| AGE-ADJUSTED DEATH RATE        |          | Pneumonia and Influenza               | 21.1  | Mother's Race/Ethnicity:                         |        |
| (1998-2000 AVERAGE)            |          | Chronic Lower Respiratory Disease     | 43.4  | All Race/Ethnic Groups                           | 5.8    |
| Age-Adjusted Deaths per        |          | Acquired Immune Deficiency Syndrome   | 4.1 * | White  | 4.0 *  |
| 100,000 Population             | 692.5    | Chronic Liver Disease/Cirrhosis       | 10.4  | Black  | N      |
|                                |          | Suicide                               | 11.9  | Hispanic   | 6.4 *  |
| AGE-SPECIFIC DEATH RATES       |          | Diabetes Mellitus                     | 16.4  | Asian, American Indian, Other                    | 0.0    |
| (1998-2000 AVERAGE)            |          | Homicide                              | 2.7 * |  |        |
| Deaths per 100,000 Population: |          | FETAL AND NEONATAL DEATHS (2000)      |       | PERINATAL DEATHS (1999 BIRTH COHORT)             |        |
| 1 to 4 Years Old               | 11.8 *   | Number of Fetal Deaths                | 19    | Number of Perinatal Deaths                       | 43     |
| 5 to 14 Years Old              | 10.7 *   | Fetal Death Ratio (Deaths             | 5.4   | (Neonatal Plus Fetal)                            |        |
| 15 to 24 Years Old             | 56.8 *   | per 1,000 Live Births)                |       | Perinatal Death Rate by Mother's Race/Ethnicity: |        |
| 25 to 34 Years Old             | 81.5     | Number of Neonatal Deaths             | 13    | All Race/Ethnic Groups                           | 12.4   |
| 35 to 44 Years Old             | 131.7    | (Under 28 Days of Age)                |       | White  | 13.1   |
| 45 to 54 Years Old             | 320.2    | Neonatal Death Rate (Deaths           | 3.7 * | Black  | N      |
| 55 to 64 Years Old             | 677.2    | per 1,000 Live Births)                |       | Hispanic   | 10.4 * |
| 65 to 74 Years Old             | 1,766.4  |                                       |       | Asian, American Indian, Other                    | 0.0    |
| 75 to 84 Years Old             | 4,703.6  |                                       |       |  |        |
| Over 84 Years Old              | 13,743.8 |                                       |       |  |        |

| REPORTED COMMUNICABLE DISEASES<br>(1998-2000 AVERAGE)               |              |             | COUNTY HEALTH INDICATORS<br>(continued)                           |              | MEDI-CAL<br>(2000)   |        |
|---|--------------|-------------|---|--------------|--|--------|
| Number and Rate per 100,000 Population                              |              |             | Mortality Rate Per 100,000 Pop. (1999-2000 Avg.)                  |              | MEDI-CAL Deliveries by:  |        |
| <u>DISEASE</u>  | <u>CASES</u> | <u>RATE</u> | Work Related Injury Deaths  | 0.5          | County of Beneficiary  | 1,380  |
| Hepatitis   | 31.0         | 12.1        | Mortality Rate  | 0.2 *        |  |        |
| Measles   | 3.3          | 1.3 *       | Drug Related Deaths (1999-2000 Avg.)                              | 28.0         | Fee for Service  | 840    |
| Shigellosis   | 22.7         | 8.9         | Mortality Rate  | 10.7         | Managed Care   | 540    |
| Tuberculosis  | 10.0         | 3.9 *       | Homicide by Weapons (2000)  | 9            | MEDI-CAL Abortions by:   | 791    |
| Syphilis  | 0.3          | 0.1 *       | Homicide by Handguns  | 7            | (Resident beneficiary) FFS   |        |
| Chlamydia   | 426.0        | 166.5       | Kindergarten Students Needing One<br>or More Immunizations (2001) | 222<br>6.4 % | County Hospitals   | 3      |
| Gonorrhea   | 37.0         | 14.5        |   |              | Community Hospitals  | 11     |
| CUMULATIVE AIDS CASES AND INCIDENCE<br>1981 through January 2002    |              |             | MEDI-CAL DATA<br>(AVERAGE MONTHLY, 2000)                          |              | MEDI-CAL PHP ENROLLEES (2000)  |        |
|   |              |             | MEDI-CAL Users (FFS):   | 4,492        | Average Monthly Prepaid  |        |
| AIDS Cases  | 531          |             | Percent of County Population                                      | 1.8 %        | Health Plan Enrollees  | 0      |
| Number of deaths  | 305          |             | Percent of Eligibles (FFS)  | 205.6 %*     | DENTI-CAL SERVICES (2000)  |        |
| Mortality (percent of AIDS cases<br>resulting in deaths)            | 57.0 %       |             | Total MEDI-CAL Eligibles:   | 23,432       | Average Monthly Users  | 1,246  |
| COUNTY HEALTH INDICATORS  |              |             | Percent of County Population                                      | 9.0 %        | MEDI-CAL/MEDICARE (2002)   |        |
|   |              |             | MEDI-CAL Payments (FFS) :   |              | Percent of MEDI-CAL Eligibles<br>Who are also eligible<br>for Medicare |        |
| Persons Injured in Traffic Accidents<br>County of Occurrence (2000) | 1,917        |             | Amount  | \$2,114,875  | MEDICARE ENROLLEES (2000)  |        |
| Substance Abuse Admissions (2000)                                   |              |             | Amount per User   | \$470.81     | TOTAL MEDICARE ENROLLEES   |        |
| Methamphetamine   | 229          |             | MEDI-CAL ELIGIBLES BY RACE/ETHNICITY<br>(2000)                    |              | Number   | 27,940 |
| Cocaine   | 162          |             | White   | 38.2 %       | Percent of County Population   | 10.9 % |
| Marijuana   | 224          |             | Black   | 1.7 %        | Enrollees Aged 65+   |        |
| Alcohol   | 817          |             | Hispanic  | 48.0 %       | Number   | 24,468 |
|   |              |             | American Indian/Alaskan Native                                    | 0.2 %        | Percent of County Population   | 9.6 %  |
|   |              |             | Asian/Pacific Islander  | 1.3 %        | Disability Beneficiaries:  |        |
|   |              |             | Not Reported  | 10.7 %       | Number   | 3,472  |
|   |              |             |   |              | Percent of County Population   | 1.4 %  |

| PROGRAM CLIENTS/SERVICES   |        | HOSPITALS (2000)  |       | HOSPICE CARE   |              |
|--|--------|---|-------|--|--------------|
| Percent Early Postpartum Breastfeeding Initiation 1998-2000 Average            | 93.7 % | Number of General Acute Care (GAC) Hospitals                    | 3     | Number of Freestanding Hospice Care Facilities (2000)                | 0            |
| Family Planning Clients by All Funding Sources (2001)                          | 14,442 | Number of Licensed GAC Beds                                     | 336   | HOSPITAL UTILIZATION (2000)  |              |
|  |        | Number of Licensed GAC Beds per 1,000 Population                | 1.3   | Number of GAC Discharges from GAC Hospitals                          | 11,788       |
| Women and Children Under Age 5 Receiving WIC Services (07/02)                  | 7,656  | LTC (2000)  |       | Average GAC Occupancy Rate in GAC Hospitals                          | 38.3         |
|  |        | Number of Long Term Care Facilities and Hospitals with LTC Beds | 12    | Average GAC Length of Stay in GAC Hospitals (days)                   | 4.0          |
| Child Health/Disability Prevention Screens (FY 2000-2001)                      | 23,534 | Number of Licensed LTC Beds                                     | 1,085 | LTC (2000)   |              |
|  |        | Number of Licensed Beds per 1,000 Population                    | 4.2   | Number of LTC Discharges from LTC Facilities                         | 1,584        |
| California Children's Services Cases (08/02)                                   | 1,112  | PHYSICIANS (2001)   |       | Average Occupancy Rate of LTC Facilities and Hospitals with LTC Beds | 87.7         |
|  |        | Number of Active Non-Federal Physicians                         | 610   | COUNTY HEALTH COSTS (FY 2000-2001)                                   |              |
| Developmental Disability Clients (08/02)                                       | 1,035  | Number of Persons per Physician                                 | 419   | Estimated Net County Health Care Costs                               | \$18,556,067 |
|  |        | DENTISTS (2002)   |       | Estimated Net County Cost per Capita                                 | \$72.60      |
| Rehabilitation Clients (FY 2000-2001)  | 805    | Number of Licensed Dentists (Non-Federal)                       | 204   |  |              |
|  |        | Number of Persons per Dentist                                   | 1,253 |  |              |
| State Mental Hospital Admissions (FY 2000-2001)                                | 12     | CLINICS (2000)  |       |  |              |
|  |        | Number of Licensed Community and Free Clinics                   | 8     |  |              |
| Persons Receiving Preventive Health Care for the Aging Services (FY 2001-2002) |        | Number of Specialty Clinics                                     | 4     |  |              |
|  |        | HOME HEALTH AGENCIES (2000)                                     |       |  |              |
| Assessment Clients   | 0      | Number of Licensed Home Health Agencies                         | 6     |  |              |
| Total Client Encounters  | 0      |   |       |  |              |

| TOTAL POPULATION       |          | PERCENT BELOW POVERTY LEVEL (1999)                            |           | LIVE BIRTHS (2000)   |        |
|------------------------|----------|---|-----------|--|--------|
| Census Year 2000       | 163,256  | Total population  | 15.4 %    | Number of Live Births By:                                      |        |
| Projection Year 2010   | 203,500  | Children under 6  | 24.3 %    | County of Residence  | 1,828  |
| Projection Year 2020   | 231,000  | Persons aged 65+  | 7.3 %     | County of Occurrence   | 1,877  |
| AGE (2000)             |          |   |           | Birth Rate (births per 1,000 population)                       | 11.1   |
| Under Age 5            | 5.9%     | Whites  | 13.7 %    | Fertility rate (births per 1,000 women aged 15-44, 98-00 avg.) | 53.2   |
| Age 5-17               | 20.2%    | Blacks  | 27.3 %    | Low birthweight (under 2,500 grams)                            | 6.2 %  |
| Age 18-64              | 58.6%    | Hispanics   | 24.0 %    | Very low birthweight (under 1,500 grams)                       | 1.1 %  |
| Age 65+                | 15.2%    | Asian/Pacific Islanders                                       | 32.4 %    | Unmarried  | 36.5 % |
|                        |          | American Indian   | 29.2 %    | Cesarean section delivery                                      | 24.8 % |
|                        |          | HOUSING VALUE (2000)  |           | Mothers who gave birth outside county of residence             | 4.2 %  |
|                        |          | Median housing-unit value                                     | \$120,800 | Mothers with less than 12 years education                      | 18.8 % |
| SEX (2000)             |          | CALWORKS (2002)   |           | Teenage mothers (<18)  | 3.8 %  |
| Females                | 51.3%    | CalWorks enrollees as a percent of county population          | 1.8 %     | Mothers with no 1st trimester prenatal care                    | 12.7 % |
| Males                  | 48.7%    | SSI/SSP (2002)  |           | Percent of Births by Mother's Race/Ethnicity:                  |        |
| RACE/ETHNICITY (2000)  |          | SSI/SSP recipients as a percent of county population          | 4.5 %     | White/Other  | 81.5 % |
| White                  | 86.4%    | UNEMPLOYMENT (2002)   |           | Black  | 0.8 %  |
| Black                  | 0.7%     | Percent of civilian labor force unemployed                    | 8.6 %     | Hispanic   | 9.9 %  |
| Hispanic               | 5.5%     | EDUCATION   |           | Asian/Pacific Islander   | 2.5 %  |
| American Indian        | 2.5%     | Percent of persons aged 25+ not completing high-school (2000) | 16.7 %    | American Indian  | 3.0 %  |
| Asian/Pacific Islander | 1.9%     | Enrollment K-12 (2001-2002)                                   | 33,434    | Multiple Race  | 2.2 %  |
| URBAN/RURAL (2000)     |          | PRINCIPAL PAYMENT SOURCE FOR BIRTH DELIVERIES                 |           |  |        |
| Urban                  | 68.9%    | Medi-Cal/other gov't  | 50.8 %    |  |        |
| Rural                  | 31.1%    | HMO and prepaid plans   | 0.3 %     |  |        |
| FAMILY INCOME (1999)   |          | Private insurance   | 47.8 %    |  |        |
| Median family income   | \$40,491 |   |           |  |        |

| DEATHS (2000)                                       |          | CAUSES OF DEATH (1999-2000 AVG.)                   |       | INFANT DEATHS (2000)  |       |
|---|----------|--|-------|---|-------|
| Number of Deaths By:                                |          | Deaths per 100,000 Population Due To:              |       | Number of Infant Deaths (Under 1 Year of Age)                   | 11    |
| County of Residence                                 | 1,644    | Heart Disease                                      | 263.1 | Infant Death Rate (Deaths per 1,000 Live Births)                | 6.0 * |
| County of Occurrence                                | 1,775    | All Malignant Neoplasms                            | 223.4 |   |       |
|   |          | Breast Cancer                                      | 34.4  |   |       |
|   |          | Lung Cancer  | 72.4  |   |       |
| Crude Death Rate (Deaths per 1,000 Population)      | 10.0     | Stroke   | 58.1  | <b>INFANT DEATH RATES (1999 BIRTH COHORT)</b>                   |       |
| <b>AGE-ADJUSTED DEATH RATE (1998-2000 AVERAGE)</b>  |          | Unintentional Injuries                             | 50.8  | Infant Deaths per 1,000 Live Births by Mother's Race/Ethnicity: |       |
| Age-Adjusted Deaths per 100,000 Population          | 887.4    | Pneumonia and Influenza                            | 30.1  | All Race/Ethnic Groups  | 4.3 * |
| <b>AGE-SPECIFIC DEATH RATES (1998-2000 AVERAGE)</b> |          | Chronic Lower Respiratory Disease                  | 81.8  | White   | 4.7 * |
| Deaths per 100,000 Population:                      |          | Acquired Immune Deficiency Syndrome                | 1.8 * | Black   | 0.0   |
| 1 to 4 Years Old                                    | 22.9 *   | Chronic Liver Disease/Cirrhosis                    | 15.5  | Hispanic  | N     |
| 5 to 14 Years Old                                   | 29.0 *   | Suicide  | 18.4  | Asian, American Indian, Other                                   | 0.0   |
| 15 to 24 Years Old                                  | 73.2 *   | Diabetes Mellitus                                  | 27.2  | <b>PERINATAL DEATHS (1999 BIRTH COHORT)</b>                     |       |
| 25 to 34 Years Old                                  | 122.7    | Homicide   | 4.7 * | Number of Perinatal Deaths (Neonatal Plus Fetal)                | 15    |
| 35 to 44 Years Old                                  | 246.3    | <b>FETAL AND NEONATAL DEATHS (2000)</b>            |       | Perinatal Death Rate by Mother's Race/Ethnicity:                |       |
| 45 to 54 Years Old                                  | 432.6    | Number of Fetal Deaths                             | 6     | All Race/Ethnic Groups  | 8.1 * |
| 55 to 64 Years Old                                  | 1,006.7  | Fetal Death Ratio (Deaths per 1,000 Live Births)   | 3.3 * | White   | 8.0 * |
| 65 to 74 Years Old                                  | 2,483.1  | Number of Neonatal Deaths (Under 28 Days of Age)   | 7     | Black   | N     |
| 75 to 84 Years Old                                  | 5,787.3  | Neonatal Death Rate (Deaths per 1,000 Live Births) | 3.8 * | Hispanic  | 0.0   |
| Over 84 Years Old                                   | 15,414.3 |  |       | Asian, American Indian, Other                                   | N     |

| REPORTED COMMUNICABLE DISEASES<br>(1998-2000 AVERAGE)               |              |             | COUNTY HEALTH INDICATORS<br>(continued)                           |              | MEDI-CAL<br>(2000)   |        |
|---|--------------|-------------|---|--------------|--|--------|
| Number and Rate per 100,000 Population                              |              |             | Mortality Rate Per 100,000 Pop. (1999-2000 Avg.)                  |              | MEDI-CAL Deliveries by:  |        |
| <u>DISEASE</u>  | <u>CASES</u> | <u>RATE</u> | Work Related Injury Deaths  | 5.5          | County of Beneficiary  | 908    |
| Hepatitis   | 32.0         | 18.7        | Mortality Rate  | 3.2 *        |  |        |
| Measles   | 0.0          | 0.0         | Drug Related Deaths (1999-2000 Avg.)                              | 24.5         | Fee for Service  | 908    |
| Shigellosis   | 3.3          | 1.9 *       | Mortality Rate  | 15.2         | Managed Care   | 0      |
| Tuberculosis  | 4.7          | 2.7 *       | Homicide by Weapons (2000)  | 3            | MEDI-CAL Abortions by:   | 459    |
| Syphilis  | 0.0          | 0.0         | Homicide by Handguns  | 1            | (Resident beneficiary) FFS   |        |
| Chlamydia   | 333.7        | 194.9       | Kindergarten Students Needing One<br>or More Immunizations (2001) | 166<br>7.5 % | County Hospitals   | 0      |
| Gonorrhea   | 49.0         | 28.6        |   |              | Community Hospitals  | 9      |
| CUMULATIVE AIDS CASES AND INCIDENCE<br>1981 through January 2002    |              |             | MEDI-CAL DATA<br>(AVERAGE MONTHLY, 2000)                          |              | MEDI-CAL PHP ENROLLEES (2000)  |        |
|   |              |             | MEDI-CAL Users (FFS):   | 18,315       | Average Monthly Prepaid  |        |
| AIDS Cases  | 129          |             | Percent of County Population                                      | 11.2 %       | Health Plan Enrollees  | 0      |
| Number of deaths  | 93           |             | Percent of Eligibles (FFS)  | 59.4 %       | DENTI-CAL SERVICES (2000)  |        |
| Mortality (percent of AIDS cases<br>resulting in deaths)            | 72.0 %       |             | Total MEDI-CAL Eligibles:   | 30,846       | Average Monthly Users  | 1,530  |
| COUNTY HEALTH INDICATORS  |              |             | Percent of County Population                                      | 18.7 %       | MEDI-CAL/MEDICARE (2002)   |        |
|   |              |             | MEDI-CAL Payments (FFS) :   |              | Percent of MEDI-CAL Eligibles<br>Who are also eligible<br>for Medicare |        |
| Persons Injured in Traffic Accidents<br>County of Occurrence (2000) | 1,805        |             | Amount  | \$8,812,223  | MEDICARE ENROLLEES (2000)  |        |
| Substance Abuse Admissions (2000)                                   |              |             | Amount per User   | \$481.15     | TOTAL MEDICARE ENROLLEES   |        |
| Methamphetamine   | 504          |             | MEDI-CAL ELIGIBLES BY RACE/ETHNICITY<br>(2000)                    |              | Number   | 31,635 |
| Cocaine   | 26           |             | White   | 81.1 %       | Percent of County Population   | 19.4 % |
| Marijuana   | 192          |             | Black   | 1.7 %        | Enrollees Aged 65+   |        |
| Alcohol   | 575          |             | Hispanic  | 3.3 %        | Number   | 25,700 |
|   |              |             | American Indian/Alaskan Native                                    | 2.4 %        | Percent of County Population   | 15.7 % |
|   |              |             | Asian/Pacific Islander  | 4.1 %        | Disability Beneficiaries:  |        |
|   |              |             | Not Reported  | 7.4 %        | Number   | 5,935  |
|   |              |             |   |              | Percent of County Population   | 3.6 %  |

| PROGRAM CLIENTS/SERVICES   |        | HOSPITALS (2000)  |       | HOSPICE CARE   |        |
|--|--------|---|-------|--|--------|
| Percent Early Postpartum Breastfeeding Initiation 1998-2000 Average            | 88.7 % | Number of General Acute Care (GAC) Hospitals                    | 5     | Number of Freestanding Hospice Care Facilities (2000)                | 0      |
| Family Planning Clients by All Funding Sources (2001)                          | 5,728  | Number of Licensed GAC Beds                                     | 527   | HOSPITAL UTILIZATION (2000)  |        |
|  |        | Number of Licensed GAC Beds per 1,000 Population                | 3.2   | Number of GAC Discharges from GAC Hospitals                          | 22,063 |
| Women and Children Under Age 5 Receiving WIC Services (07/02)                  | 5,705  | LTC (2000)  |       | Average GAC Occupancy Rate in GAC Hospitals                          | 58.1   |
|  |        | Number of Long Term Care Facilities and Hospitals with LTC Beds | 7     | Average GAC Length of Stay in GAC Hospitals (days)                   | 4.9    |
| Child Health/Disability Prevention Screens (FY 2000-2001)                      | 9,665  | Number of Licensed LTC Beds                                     | 832   | LTC (2000)   |        |
|  |        | Number of Licensed Beds per 1,000 Population                    | 5.1   | Number of LTC Discharges from LTC Facilities                         | 1,505  |
| California Children's Services Cases (08/02)                                   | 827    | PHYSICIANS (2001)   |       | Average Occupancy Rate of LTC Facilities and Hospitals with LTC Beds | 84.8   |
|  |        | Number of Active Non-Federal Physicians                         | 429   | COUNTY HEALTH COSTS (FY 2000-2001)                                   |        |
| Developmental Disability Clients (08/02)                                       | 1,570  | Number of Persons per Physician                                 | 381   | Estimated Net County Health Care Costs                               | DNR    |
|  |        | DENTISTS (2002)   |       | Estimated Net County Cost per Capita                                 | \$0.00 |
| Rehabilitation Clients (FY 2000-2001)  | 446    | Number of Licensed Dentists (Non-Federal)                       | 116   |  |        |
|  |        | Number of Persons per Dentist                                   | 1,407 |  |        |
| State Mental Hospital Admissions (FY 2000-2001)                                | 15     | CLINICS (2000)  |       |  |        |
|  |        | Number of Licensed Community and Free Clinics                   | 9     |  |        |
| Persons Receiving Preventive Health Care for the Aging Services (FY 2001-2002) | 0      | Number of Specialty Clinics                                     | 6     |  |        |
|  |        | HOME HEALTH AGENCIES (2000)                                     |       |  |        |
| Assessment Clients   | 0      | Number of Licensed Home Health Agencies                         | 8     |  |        |
| Total Client Encounters  | 0      |   |       |  |        |

| TOTAL POPULATION       |          | PERCENT BELOW POVERTY LEVEL (1999)                            |           | LIVE BIRTHS (2000)   |         |
|------------------------|----------|---|-----------|--|---------|
| Census Year 2000       | 3,555    | Total population  | 11.3 %    | Number of Live Births By:                                      |         |
| Projection Year 2010   | 3,800    | Children under 6  | 13.3 %    | County of Residence  | 21      |
| Projection Year 2020   | 3,800    | Persons aged 65+  | 2.2 %     | County of Occurrence   | 0       |
| AGE (2000)             |          |   |           | Birth Rate (births per 1,000 population)                       | 5.8     |
| Under Age 5            | 4.1%     | Whites  | 11.3 %    | Fertility rate (births per 1,000 women aged 15-44, 98-00 avg.) | 26.7 *  |
| Age 5-17               | 19.2%    | Blacks  | 100.0 %   | Low birthweight (under 2,500 grams)                            | 0.0 %   |
| Age 18-64              | 59.0%    | Hispanics   | 7.1 %     | Very low birthweight (under 1,500 grams)                       | 0.0 %   |
| Age 65+                | 17.7%    | Asian/Pacific Islanders                                       | 0.0 %     | Unmarried  | 38.1 %  |
|                        |          | American Indian   | 6.7 %     | Cesarean section delivery                                      | 19.0 %  |
|                        |          | HOUSING VALUE (2000)  |           | Mothers who gave birth outside county of residence             | 100.0 % |
|                        |          | Median housing-unit value                                     | \$128,600 | Mothers with less than 12 years education                      | 23.8 %  |
| SEX (2000)             |          | CALWORKS (2002)   |           | Teenage mothers (<18)  | 0.0 %   |
| Females                | 49.5%    | CalWorks enrollees as a percent of county population          | 1.0 %     | Mothers with no 1st trimester prenatal care                    | 33.3 %  |
| Males                  | 50.5%    | SSI/SSP (2002)  |           | Percent of Births by Mother's Race/Ethnicity:                  |         |
| RACE/ETHNICITY (2000)  |          | SSI/SSP recipients as a percent of county population          | 2.2 %     | White/Other  | 85.7 %  |
| White                  | 90.3%    | UNEMPLOYMENT (2002)   |           | Black  | 0.0 %   |
| Black                  | 0.2%     | Percent of civilian labor force unemployed                    | 14.8 %    | Hispanic   | 14.3 %  |
| Hispanic               | 6.0%     | EDUCATION   |           | Asian/Pacific Islander   | 0.0 %   |
| American Indian        | 1.6%     | Percent of persons aged 25+ not completing high-school (2000) | 14.8 %    | American Indian  | 0.0 %   |
| Asian/Pacific Islander | 0.2%     | Enrollment K-12 (2001-2002)                                   | 764       | Multiple Race  | 0.0 %   |
| URBAN/RURAL (2000)     |          | PRINCIPAL PAYMENT SOURCE FOR BIRTH DELIVERIES                 |           |  |         |
| Urban                  | 0.0%     | Medi-Cal/other gov't  | 71.4 %    |  |         |
| Rural                  | 100.0%   | HMO and prepaid plans   | 0.0 %     |  |         |
| FAMILY INCOME (1999)   |          | Private insurance   | 23.8 %    |  |         |
| Median family income   | \$42,756 |   |           |  |         |

| DEATHS (2000)                                  |            | CAUSES OF DEATH (1999-2000 AVG.)                   |         | INFANT DEATHS (2000)  |     |
|--|------------|--|---------|---|-----|
| Number of Deaths By:                           |            | Deaths per 100,000 Population Due To:              |         | Number of Infant Deaths (Under 1 Year of Age) 0                 |     |
| County of Residence                            | 29         | Heart Disease                                      | 248.0 * | Infant Death Rate (Deaths per 1,000 Live Births) 0.0            |     |
| County of Occurrence                           | 31         | All Malignant Neoplasms                            | 277.2 * |   |     |
|  |            | Breast Cancer                                      | 58.1 *  |   |     |
|  |            | Lung Cancer  | 87.5 *  |   |     |
| Crude Death Rate (Deaths per 1,000 Population) | 8.0        | Stroke   | 73.0 *  | INFANT DEATH RATES (1999 BIRTH COHORT)                          |     |
| AGE-ADJUSTED DEATH RATE (1998-2000 AVERAGE)    |            | Unintentional Injuries                             | 29.2 *  | Infant Deaths per 1,000 Live Births by Mother's Race/Ethnicity: |     |
| Age-Adjusted Deaths per 100,000 Population     | 624.4 *    | Pneumonia and Influenza                            | 58.4 *  | All Race/Ethnic Groups  | 0.0 |
| AGE-SPECIFIC DEATH RATES (1998-2000 AVERAGE)   |            | Chronic Lower Respiratory Disease                  | 14.6 *  | White   | 0.0 |
| Deaths per 100,000 Population:                 |            | Acquired Immune Deficiency Syndrome                | 0.0     | Black   | 0.0 |
| 1 to 4 Years Old                               | 0.0        | Chronic Liver Disease/Cirrhosis                    | 14.6 *  | Hispanic  | 0.0 |
| 5 to 14 Years Old                              | 0.0        | Suicide  | 14.6 *  | Asian, American Indian, Other                                   | 0.0 |
| 15 to 24 Years Old                             | 0.0        | Diabetes Mellitus                                  | 14.6 *  | PERINATAL DEATHS (1999 BIRTH COHORT)                            |     |
| 25 to 34 Years Old                             | 0.0        | Homicide   | 14.6 *  | Number of Perinatal Deaths (Neonatal Plus Fetal) 0              |     |
|  |            | FETAL AND NEONATAL DEATHS (2000)                   |         | Perinatal Death Rate by Mother's Race/Ethnicity:                |     |
| 35 to 44 Years Old                             | 214.6 *    | Number of Fetal Deaths                             | 0       | All Race/Ethnic Groups  | 0.0 |
| 45 to 54 Years Old                             | 415.9 *    | Fetal Death Ratio (Deaths per 1,000 Live Births)   | 0.0     | White   | 0.0 |
| 55 to 64 Years Old                             | 683.8 *    | Number of Neonatal Deaths (Under 28 Days of Age)   | 0       | Black   | 0.0 |
| 65 to 74 Years Old                             | 1,898.7 *  | Neonatal Death Rate (Deaths per 1,000 Live Births) | 0.0     | Hispanic  | 0.0 |
| 75 to 84 Years Old                             | 4,134.4 *  |  |         | Asian, American Indian, Other                                   | 0.0 |
| Over 84 Years Old                              | 10,510.5 * |  |         |   |     |

| REPORTED COMMUNICABLE DISEASES<br>(1998-2000 AVERAGE)               |              |             | COUNTY HEALTH INDICATORS<br>(continued)                           |           | MEDI-CAL<br>(2000)   |    |
|---|--------------|-------------|---|-----------|--|----|
| Number and Rate per 100,000 Population                              |              |             | Mortality Rate Per 100,000 Pop. (1999-2000 Avg.)                  |           | MEDI-CAL Deliveries by:  |    |
| <u>DISEASE</u>  | <u>CASES</u> | <u>RATE</u> | Work Related Injury Deaths  | 0.5       | County of Beneficiary  | 15 |
| Hepatitis   | 0.0          | 0.0         | Mortality Rate  | 12.0 *    |  |    |
| Measles   | 0.0          | 0.0         | Drug Related Deaths (1999-2000 Avg.)                              | 0.0       | Fee for Service  | 15 |
| Shigellosis   | 0.0          | 0.0         | Mortality Rate  | 0.0       | Managed Care   | 0  |
| Tuberculosis  | 0.0          | 0.0         | Homicide by Weapons (2000)  | 0         | MEDI-CAL Abortions by:   | 5  |
| Syphilis  | 0.0          | 0.0         | Homicide by Handguns  | 0         | (Resident beneficiary) FFS   |    |
| Chlamydia   | 1.3          | 38.9 *      | Kindergarten Students Needing One<br>or More Immunizations (2001) | 4         | County Hospitals   | 1  |
| Gonorrhea   | 0.7          | 19.5 *      |   | 10.0 %    | Community Hospitals  | 1  |
| CUMULATIVE AIDS CASES AND INCIDENCE<br>1981 through January 2002    |              |             | MEDI-CAL DATA<br>(AVERAGE MONTHLY, 2000)                          |           | MEDI-CAL PHP ENROLLEES (2000)  |    |
|   |              |             | MEDI-CAL Users (FFS):   |           | Average Monthly Prepaid  |    |
| AIDS Cases  | 4            |             | Percent of County Population                                      | 206       | Health Plan Enrollees  | 0  |
| Number of deaths  | 4            |             | Percent of Eligibles (FFS)  | 5.8 %     | DENTI-CAL SERVICES (2000)  |    |
| Mortality (percent of AIDS cases<br>resulting in deaths)            | 100.0 %      |             | Total MEDI-CAL Eligibles:   | 61.1 %    | Average Monthly Users  |    |
| COUNTY HEALTH INDICATORS  |              |             | Percent of County Population                                      |           | MEDI-CAL/MEDICARE (2002)   |    |
|   |              |             | 9.3 %   |           | Percent of MEDI-CAL Eligibles<br>Who are also eligible<br>for Medicare |    |
| Persons Injured in Traffic Accidents<br>County of Occurrence (2000) | 44           |             | MEDI-CAL Payments (FFS) :   |           | 33.2 %   |    |
| Substance Abuse Admissions (2000)                                   |              |             | Amount  | \$202,352 | MEDI-CAL ENROLLEES (2000)  |    |
| Methamphetamine   | 10           |             | Amount per User   | \$982.29  | TOTAL MEDICARE ENROLLEES   |    |
| Cocaine   | 1            |             | MEDI-CAL ELIGIBLES BY RACE/ETHNICITY<br>(2000)                    |           | Number   |    |
| Marijuana   | 10           |             | White   | 84.9 %    | Enrollees Aged 65+   |    |
| Alcohol   | 22           |             | Black   | 3.2 %     | Number   |    |
|   |              |             | Hispanic  | 5.4 %     | Percent of County Population   |    |
|   |              |             | American Indian/Alaskan Native                                    | 0.0 %     | 605  |    |
|   |              |             | Asian/Pacific Islander  | 0.0 %     | Percent of County Population   |    |
|   |              |             | Not Reported  | 6.6 %     | 17.0 %   |    |
|   |              |             |   |           | Disability Beneficiaries:  |    |
|   |              |             |   |           | Number   |    |
|   |              |             |   |           | Percent of County Population   |    |
|   |              |             |   |           | 80   |    |
|   |              |             |   |           | 2.3 %  |    |

| PROGRAM CLIENTS/SERVICES   |         | HOSPITALS (2000)   | HOSPICE CARE   |
|--|---------|--|--|
| Percent Early Postpartum Breastfeeding Initiation 1998-2000 Average            | 87.0 %* | Number of General Acute Care (GAC) Hospitals<br>0<br>Number of Licensed GAC Beds<br>0                                | Number of Freestanding Hospice Care Facilities (2000)<br>0   |
| Family Planning Clients by All Funding Sources (2001)                          | 176     | Number of Licensed GAC Beds per 1,000 Population<br>0.0  | <b>HOSPITAL UTILIZATION (2000)</b><br>Number of GAC Discharges from GAC Hospitals<br>0<br>Average GAC Occupancy Rate in GAC Hospitals<br>0.0 |
| Women and Children Under Age 5 Receiving WIC Services (07/02)                  | 60      | <b>LTC (2000)</b><br>Number of Long Term Care Facilities and Hospitals with LTC Beds<br>0                            | Average GAC Length of Stay in GAC Hospitals (days)<br>0.0  |
| Child Health/Disability Prevention Screens (FY 2000-2001)                      | 121     | Number of Licensed LTC Beds<br>0<br>Number of Licensed Beds per 1,000 Population<br>0.0                              | <b>LTC (2000)</b><br>Number of LTC Discharges from LTC Facilities<br>0   |
| California Children's Services Cases (08/02)                                   | 13      | <b>PHYSICIANS (2001)</b><br>Number of Active Non-Federal Physicians<br>1<br>Number of Persons per Physician<br>3,555 | Average Occupancy Rate of LTC Facilities and Hospitals with LTC Beds<br>0.0  |
| Developmental Disability Clients (08/02)                                       | 21      |  | <b>COUNTY HEALTH COSTS (FY 2000-2001)</b>  |
| Rehabilitation Clients (FY 2000-2001)  | 13      | <b>DENTISTS (2002)</b><br>Number of Licensed Dentists (Non-Federal)<br>2<br>Number of Persons per Dentist<br>1,778   | Estimated Net County Health Care Costs<br>DNR  |
| State Mental Hospital Admissions (FY 2000-2001)                                | 0       |  | Estimated Net County Cost per Capita<br>\$0.00   |
| Persons Receiving Preventive Health Care for the Aging Services (FY 2001-2002) |         | <b>CLINICS (2000)</b><br>Number of Licensed Community and Free Clinics<br>1<br>Number of Specialty Clinics<br>0      |  |
| Assessment Clients   | 0       |  |  |
| Total Client Encounters  | 0       | <b>HOME HEALTH AGENCIES (2000)</b><br>Number of Licensed Home Health Agencies<br>0                                   |  |

| TOTAL POPULATION       |          | PERCENT BELOW POVERTY LEVEL (1999)                            |           | LIVE BIRTHS (2000)   |        |
|------------------------|----------|---|-----------|--|--------|
| Census Year 2000       | 44,301   | Total population  | 18.6 %    | Number of Live Births By:                                      |        |
| Projection Year 2010   | 49,700   | Children under 6  | 31.7 %    | County of Residence  | 412    |
| Projection Year 2020   | 53,900   | Persons aged 65+  | 7.3 %     | County of Occurrence   | 302    |
| AGE (2000)             |          |   |           | Birth Rate (births per 1,000 population)                       | 9.2    |
| Under Age 5            | 5.1%     | Whites  | 16.3 %    | Fertility rate (births per 1,000 women aged 15-44, 98-00 avg.) | 50.5   |
| Age 5-17               | 18.9%    | Blacks  | 25.7 %    | Low birthweight (under 2,500 grams)                            | 7.0 %  |
| Age 18-64              | 57.9%    | Hispanics   | 27.8 %    | Very low birthweight (under 1,500 grams)                       | 1.0 %  |
| Age 65+                | 18.1%    | Asian/Pacific Islanders                                       | 54.5 %    | Unmarried  | 36.2 % |
|                        |          | American Indian   | 31.7 %    | Cesarean section delivery                                      | 18.0 % |
|                        |          | HOUSING VALUE (2000)  |           | Mothers who gave birth outside county of residence             | 28.9 % |
|                        |          | Median housing-unit value                                     | \$100,300 | Mothers with less than 12 years education                      | 24.0 % |
| SEX (2000)             |          | CALWORKS (2002)   |           | Teenage mothers (<18)  | 4.1 %  |
| Females                | 50.9%    | CalWorks enrollees as a percent of county population          | 1.6 %     | Mothers with no 1st trimester prenatal care                    | 17.7 % |
| Males                  | 49.1%    | SSI/SSP (2002)  |           | Percent of Births by Mother's Race/Ethnicity:                  |        |
| RACE/ETHNICITY (2000)  |          | SSI/SSP recipients as a percent of county population          | 5.0 %     | White/Other  | 73.8 % |
| White                  | 83.3%    | UNEMPLOYMENT (2002)   |           | Black  | 1.0 %  |
| Black                  | 1.3%     | Percent of civilian labor force unemployed                    | 13.0 %    | Hispanic   | 16.7 % |
| Hispanic               | 7.6%     | EDUCATION   |           | Asian/Pacific Islander   | 1.2 %  |
| American Indian        | 3.6%     | Percent of persons aged 25+ not completing high-school (2000) | 16.2 %    | American Indian  | 3.9 %  |
| Asian/Pacific Islander | 1.3%     | Enrollment K-12 (2001-2002)                                   | 7,386     | Multiple Race  | 2.9 %  |
| URBAN/RURAL (2000)     |          | PRINCIPAL PAYMENT SOURCE FOR BIRTH DELIVERIES                 |           |  |        |
| Urban                  | 35.4%    | Medi-Cal/other gov't  | 55.0 %    |  |        |
| Rural                  | 64.6%    | HMO and prepaid plans   | 0.5 %     |  |        |
| FAMILY INCOME (1999)   |          | Private insurance   | 42.3 %    |  |        |
| Median family income   | \$36,890 |   |           |  |        |

| DEATHS (2000)                                  |          | CAUSES OF DEATH (1999-2000 AVG.)                   |        | INFANT DEATHS (2000)  |     |
|--|----------|--|--------|---|-----|
| Number of Deaths By:                           |          | Deaths per 100,000 Population Due To:              |        | Number of Infant Deaths (Under 1 Year of Age)                   | 2   |
| County of Residence                            | 480      | Heart Disease                                      | 272.0  | Infant Death Rate (Deaths per 1,000 Live Births)                | N   |
| County of Occurrence                           | 448      | All Malignant Neoplasms                            | 265.3  | INFANT DEATH RATES (1999 BIRTH COHORT)                          |     |
|  |          | Breast Cancer                                      | 32.8 * |   |     |
|  |          | Lung Cancer  | 72.5   | Infant Deaths per 1,000 Live Births by Mother's Race/Ethnicity: |     |
| Crude Death Rate (Deaths per 1,000 Population) | 10.7     | Stroke   | 75.8   | All Race/Ethnic Groups  | N   |
| AGE-ADJUSTED DEATH RATE (1998-2000 AVERAGE)    |          | Unintentional Injuries                             | 51.3   | White   | N   |
| Age-Adjusted Deaths per 100,000 Population     | 817.3    | Pneumonia and Influenza                            | 41.3 * | Black   | 0.0 |
| AGE-SPECIFIC DEATH RATES (1998-2000 AVERAGE)   |          | Chronic Lower Respiratory Disease                  | 61.3   | Hispanic  | 0.0 |
| Deaths per 100,000 Population:                 |          | Acquired Immune Deficiency Syndrome                | 0.0    | Asian, American Indian, Other                                   | 0.0 |
| 1 to 4 Years Old                               | 0.0      | Chronic Liver Disease/Cirrhosis                    | 19.0 * | PERINATAL DEATHS (1999 BIRTH COHORT)                            |     |
| 5 to 14 Years Old                              | 29.3 *   | Suicide  | 22.3 * |   |     |
| 15 to 24 Years Old                             | 75.7 *   | Diabetes Mellitus                                  | 23.4 * | Number of Perinatal Deaths (Neonatal Plus Fetal)                | 0   |
| 25 to 34 Years Old                             | 106.6 *  | Homicide   | 1.1 *  | Perinatal Death Rate by Mother's Race/Ethnicity:                |     |
| 35 to 44 Years Old                             | 243.3 *  | FETAL AND NEONATAL DEATHS (2000)                   |        | All Race/Ethnic Groups  | 0.0 |
| 45 to 54 Years Old                             | 427.7    | Number of Fetal Deaths                             | 1      | White   | 0.0 |
| 55 to 64 Years Old                             | 1,147.8  | Fetal Death Ratio (Deaths per 1,000 Live Births)   | N      | Black   | 0.0 |
| 65 to 74 Years Old                             | 2,342.8  | Number of Neonatal Deaths (Under 28 Days of Age)   | 2      | Hispanic  | 0.0 |
| 75 to 84 Years Old                             | 4,560.0  | Neonatal Death Rate (Deaths per 1,000 Live Births) | N      | Asian, American Indian, Other                                   | 0.0 |
| Over 84 Years Old                              | 14,707.0 |  |        |   |     |

| REPORTED COMMUNICABLE DISEASES<br>(1998-2000 AVERAGE)               |              |             | COUNTY HEALTH INDICATORS<br>(continued)                           |        | MEDI-CAL<br>(2000)   |     |
|---|--------------|-------------|---|--------|--|-----|
| Number and Rate per 100,000 Population                              |              |             | Mortality Rate Per 100,000 Pop. (1999-2000 Avg.)                  |        | MEDI-CAL Deliveries by:  |     |
| <u>DISEASE</u>  | <u>CASES</u> | <u>RATE</u> | Work Related Injury Deaths  | 1.0    | County of Beneficiary  | 185 |
| Hepatitis   | 3.3          | 7.4 *       | Mortality Rate  | 2.4 *  | Fee for Service  | 185 |
| Measles   | 0.0          | 0.0         | Drug Related Deaths (1999-2000 Avg.)                              | 4.0    | Managed Care   | 0   |
| Shigellosis   | 1.3          | 3.0 *       | Mortality Rate  | 9.3 *  | MEDI-CAL Abortions by:   | 88  |
| Tuberculosis  | 1.3          | 3.0 *       | Homicide by Weapons (2000)  | 1      | (Resident beneficiary) FFS   |     |
| Syphilis  | 0.0          | 0.0         | Homicide by Handguns  | 1      | County Hospitals   | 2   |
| Chlamydia   | 58.7         | 130.8       | Kindergarten Students Needing One<br>or More Immunizations (2001) | 32     | Community Hospitals  | 5   |
| Gonorrhea   | 6.3          | 14.1 *      |   | 6.6 %  | Clinics  | 74  |
| CUMULATIVE AIDS CASES AND INCIDENCE<br>1981 through January 2002    |              |             | MEDI-CAL DATA<br>(AVERAGE MONTHLY, 2000)                          |        | MEDI-CAL PHP ENROLLEES (2000)  |     |
|   |              |             | MEDI-CAL Users (FFS):   |        | Average Monthly Prepaid  |     |
| AIDS Cases  | 38           |             | Percent of County Population                                      | 4,572  | Health Plan Enrollees  | 0   |
| Number of deaths  | 19           |             | Percent of Eligibles (FFS)  | 10.3 % | DENTI-CAL SERVICES (2000)  |     |
| Mortality (percent of AIDS cases<br>resulting in deaths)            | 50.0 %       |             | Total MEDI-CAL Eligibles:   | 55.5 % | Average Monthly Users  |     |
| COUNTY HEALTH INDICATORS  |              |             | Percent of County Population                                      |        | 425  |     |
|   |              |             | MEDI-CAL Payments (FFS) :   |        | MEDI-CAL/MEDICARE (2002)   |     |
| Persons Injured in Traffic Accidents<br>County of Occurrence (2000) | 361          |             | Amount  | 8,232  | Percent of MEDI-CAL Eligibles<br>Who are also eligible<br>for Medicare |     |
| Substance Abuse Admissions (2000)                                   |              |             | Amount per User   | 18.4 % | 21.7 %   |     |
| Methamphetamine   | 87           |             | MEDI-CAL ELIGIBLES BY RACE/ETHNICITY<br>(2000)                    |        | MEDI-CAL ENROLLEES (2000)  |     |
| Cocaine   | 5            |             | White   | 77.2 % | TOTAL MEDICARE ENROLLEES   |     |
| Marijuana   | 53           |             | Black   | 2.0 %  | Number   |     |
| Alcohol   | 192          |             | Hispanic  | 6.5 %  | 9,569  |     |
|   |              |             | American Indian/Alaskan Native                                    | 3.4 %  | Percent of County Population   |     |
|   |              |             | Asian/Pacific Islander  | 2.8 %  | 21.6 %   |     |
|   |              |             | Not Reported  | 8.1 %  | Enrollees Aged 65+   |     |
|   |              |             |   |        | Number   |     |
|   |              |             |   |        | 8,204  |     |
|   |              |             |   |        | Percent of County Population   |     |
|   |              |             |   |        | 18.5 %   |     |
|   |              |             |   |        | Disability Beneficiaries:  |     |
|   |              |             |   |        | Number   |     |
|   |              |             |   |        | 1,365  |     |
|   |              |             |   |        | Percent of County Population   |     |
|   |              |             |   |        | 3.1 %  |     |

| PROGRAM CLIENTS/SERVICES   |        | HOSPITALS (2000)   | HOSPICE CARE  |
|--|--------|--|---|
| Percent Early Postpartum Breastfeeding Initiation 1998-2000 Average            | 87.7 % | Number of General Acute Care (GAC) Hospitals<br>0                    | Number of Freestanding Hospice Care Facilities (2000)<br>1                      |
| Family Planning Clients by All Funding Sources (2001)                          | 1,147  | Number of Licensed GAC Beds<br>0                                     | HOSPITAL UTILIZATION (2000)<br>Number of GAC Discharges from GAC Hospitals<br>0 |
|  |        | Number of Licensed GAC Beds per 1,000 Population<br>0.0              |   |
| Women and Children Under Age 5 Receiving WIC Services (07/02)                  | 1,326  | LTC (2000)   |   |
|  |        | Number of Long Term Care Facilities and Hospitals with LTC Beds<br>2 | Average GAC Occupancy Rate in GAC Hospitals<br>0.0                              |
| Child Health/Disability Prevention Screens (FY 2000-2001)                      | 2,828  | Number of Licensed LTC Beds<br>158                                   | Average GAC Length of Stay in GAC Hospitals (days)<br>0.0                       |
|  |        | LTC (2000)   |   |
| California Children's Services Cases (08/02)                                   | 239    | Number of Licensed Beds per 1,000 Population<br>3.6                  | Number of LTC Discharges from LTC Facilities<br>307                             |
|  |        | PHYSICIANS (2001)  |   |
| Developmental Disability Clients (08/02)                                       | 253    | Number of Active Non-Federal Physicians<br>77                        | Average Occupancy Rate of LTC Facilities and Hospitals with LTC Beds<br>82.4    |
|  |        | Number of Persons per Physician<br>575                               |   |
| Rehabilitation Clients (FY 2000-2001)  | 188    | COUNTY HEALTH COSTS (FY 2000-2001)                                   |   |
|  |        | DENTISTS (2002)  |   |
| State Mental Hospital Admissions (FY 2000-2001)                                | 4      | Number of Licensed Dentists (Non-Federal)<br>29                      | Estimated Net County Health Care Costs<br>DNR                                   |
|  |        | Number of Persons per Dentist<br>1,528                               | Estimated Net County Cost per Capita<br>\$0.00                                  |
| Persons Receiving Preventive Health Care for the Aging Services (FY 2001-2002) |        | CLINICS (2000)   |   |
|  |        | Number of Licensed Community and Free Clinics<br>6                   |   |
| Assessment Clients<br>Total Client Encounters                                  | 0<br>0 | Number of Specialty Clinics<br>0                                     |   |
|  |        | HOME HEALTH AGENCIES (2000)  |   |
|  |        | Number of Licensed Home Health Agencies<br>4                         |   |

| TOTAL POPULATION       |          | PERCENT BELOW POVERTY LEVEL (1999)                            |           | LIVE BIRTHS (2000)   |        |
|------------------------|----------|---|-----------|--|--------|
| Census Year 2000       | 394,542  | Total population  | 8.3 %     | Number of Live Births By:                                      |        |
| Projection Year 2010   | 485,500  | Children under 6  | 11.9 %    | County of Residence  | 5,891  |
| Projection Year 2020   | 559,500  | Persons aged 65+  | 6.3 %     | County of Occurrence   | 5,447  |
| AGE (2000)             |          |   |           | Birth Rate (births per 1,000 population)                       | 14.7   |
| Under Age 5            | 7.3%     | Whites  | 6.0 %     | Fertility rate (births per 1,000 women aged 15-44, 98-00 avg.) | 66.7   |
| Age 5-17               | 21.1%    | Blacks  | 13.9 %    | Low birthweight (under 2,500 grams)                            | 6.8 %  |
| Age 18-64              | 62.2%    | Hispanics   | 11.1 %    | Very low birthweight (under 1,500 grams)                       | 1.2 %  |
| Age 65+                | 9.5%     | Asian/Pacific Islanders                                       | 6.6 %     | Unmarried  | 33.0 % |
|                        |          | American Indian   | 14.3 %    | Cesarean section delivery                                      | 21.6 % |
|                        |          | HOUSING VALUE (2000)  |           | Mothers who gave birth outside county of residence             | 19.4 % |
|                        |          | Median housing-unit value                                     | \$178,300 | Mothers with less than 12 years education                      | 18.7 % |
| SEX (2000)             |          | CALWORKS (2002)   |           | Teenage mothers (<18)  | 3.2 %  |
| Females                | 49.6%    | CalWorks enrollees as a percent of county population          | 0.9 %     | Mothers with no 1st trimester prenatal care                    | 24.4 % |
| Males                  | 50.4%    | SSI/SSP (2002)  |           | Percent of Births by Mother's Race/Ethnicity:                  |        |
| RACE/ETHNICITY (2000)  |          | SSI/SSP recipients as a percent of county population          | 2.4 %     | White/Other  | 40.8 % |
| White                  | 49.2%    | UNEMPLOYMENT (2002)   |           | Black  | 14.3 % |
| Black                  | 14.6%    | Percent of civilian labor force unemployed                    | 5.1 %     | Hispanic   | 27.6 % |
| Hispanic               | 17.6%    | EDUCATION   |           | Asian/Pacific Islander   | 13.3 % |
| American Indian        | 0.6%     | Percent of persons aged 25+ not completing high-school (2000) | 16.2 %    | American Indian  | 0.4 %  |
| Asian/Pacific Islander | 13.2%    | Enrollment K-12 (2001-2002)                                   | 79,435    | Multiple Race  | 3.3 %  |
| URBAN/RURAL (2000)     |          | PRINCIPAL PAYMENT SOURCE FOR BIRTH DELIVERIES                 |           |  |        |
| Urban                  | 95.9%    | Medi-Cal/other gov't  | 37.0 %    |  |        |
| Rural                  | 4.1%     | HMO and prepaid plans   | 55.0 %    |  |        |
| FAMILY INCOME (1999)   |          | Private insurance   | 7.5 %     |  |        |
| Median family income   | \$60,597 |   |           |  |        |

| DEATHS (2000)                                  |          | CAUSES OF DEATH (1999-2000 AVG.)                   |       | INFANT DEATHS (2000)  |       |
|--|----------|--|-------|---|-------|
| Number of Deaths By:                           |          | Deaths per 100,000 Population Due To:              |       | Number of Infant Deaths (Under 1 Year of Age) 27                |       |
| County of Residence                            | 2,564    | Heart Disease                                      | 167.1 | Infant Death Rate (Deaths per 1,000 Live Births) 4.6            |       |
| County of Occurrence                           | 2,416    | All Malignant Neoplasms                            | 155.2 |   |       |
|  |          | Breast Cancer                                      | 26.3  |   |       |
|  |          | Lung Cancer  | 44.5  |   |       |
| Crude Death Rate (Deaths per 1,000 Population) | 6.4      | Stroke   | 55.8  | INFANT DEATH RATES (1999 BIRTH COHORT)                          |       |
| AGE-ADJUSTED DEATH RATE (1998-2000 AVERAGE)    |          | Unintentional Injuries                             | 23.3  | Infant Deaths per 1,000 Live Births by Mother's Race/Ethnicity: |       |
| Age-Adjusted Deaths per 100,000 Population     | 866.7    | Pneumonia and Influenza                            | 21.4  | All Race/Ethnic Groups  | 4.5   |
| AGE-SPECIFIC DEATH RATES (1998-2000 AVERAGE)   |          | Chronic Lower Respiratory Disease                  | 34.5  | White   | 2.6 * |
| Deaths per 100,000 Population:                 |          | Acquired Immune Deficiency Syndrome                | 5.0   | Black   | N     |
| 1 to 4 Years Old                               | 31.1 *   | Chronic Liver Disease/Cirrhosis                    | 9.9   | Hispanic  | 5.0 * |
| 5 to 14 Years Old                              | 13.9 *   | Suicide  | 9.1   | Asian, American Indian, Other                                   | N     |
| 15 to 24 Years Old                             | 63.5     | Diabetes Mellitus                                  | 16.6  | PERINATAL DEATHS (1999 BIRTH COHORT)                            |       |
| 25 to 34 Years Old                             | 94.5     | Homicide   | 5.9   | Number of Perinatal Deaths (Neonatal Plus Fetal) 43             |       |
|  |          | FETAL AND NEONATAL DEATHS (2000)                   |       | Perinatal Death Rate by Mother's Race/Ethnicity:                |       |
| 35 to 44 Years Old                             | 161.1    | Number of Fetal Deaths                             | 40    | All Race/Ethnic Groups  | 7.7   |
| 45 to 54 Years Old                             | 346.0    | Fetal Death Ratio (Deaths per 1,000 Live Births)   | 6.8   | White   | 5.5 * |
| 55 to 64 Years Old                             | 984.5    | Number of Neonatal Deaths (Under 28 Days of Age)   | 15    | Black   | N     |
| 65 to 74 Years Old                             | 2,424.2  | Neonatal Death Rate (Deaths per 1,000 Live Births) | 2.5 * | Hispanic  | 6.4 * |
| 75 to 84 Years Old                             | 5,934.5  |  |       | Asian, American Indian, Other                                   | N     |
| Over 84 Years Old                              | 16,053.9 |  |       |   |       |

| REPORTED COMMUNICABLE DISEASES<br>(1998-2000 AVERAGE)               |              |             | COUNTY HEALTH INDICATORS<br>(continued)                           |              | MEDI-CAL<br>(2000)   |        |
|---|--------------|-------------|---|--------------|--|--------|
| Number and Rate per 100,000 Population                              |              |             | Mortality Rate Per 100,000 Pop. (1999-2000 Avg.)                  |              | MEDI-CAL Deliveries by:  |        |
| <u>DISEASE</u>  | <u>CASES</u> | <u>RATE</u> | Work Related Injury Deaths  | 6.0          | County of Beneficiary  | 1,756  |
| Hepatitis   | 98.0         | 25.0        | Mortality Rate  | 1.5 *        |  |        |
| Measles   | 0.0          | 0.0         | Drug Related Deaths (1999-2000 Avg.)                              | 27.5         | Fee for Service  | 495    |
| Shigellosis   | 23.0         | 5.9         | Mortality Rate  | 7.3          | Managed Care   | 1,261  |
| Tuberculosis  | 36.3         | 9.3         | Homicide by Weapons (2000)  | 21           | MEDI-CAL Abortions by:   | 845    |
| Syphilis  | 2.0          | 0.5 *       | Homicide by Handguns  | 10           | (Resident beneficiary) FFS   |        |
| Chlamydia   | 1,085.0      | 276.6       | Kindergarten Students Needing One<br>or More Immunizations (2001) | 332<br>5.6 % | County Hospitals   | 7      |
| Gonorrhea   | 298.0        | 76.0        |   |              | Community Hospitals  | 25     |
| CUMULATIVE AIDS CASES AND INCIDENCE<br>1981 through January 2002    |              |             | MEDI-CAL DATA<br>(AVERAGE MONTHLY, 2000)                          |              | MEDI-CAL PHP ENROLLEES (2000)  |        |
|   |              |             | MEDI-CAL Users (FFS):   | 4,415        | Average Monthly Prepaid  |        |
| AIDS Cases  | 1,286        |             | Percent of County Population                                      | 1.1 %        | Health Plan Enrollees  | 0      |
| Number of deaths  | 644          |             | Percent of Eligibles (FFS)  | 264.8 %      | DENTI-CAL SERVICES (2000)  |        |
| Mortality (percent of AIDS cases<br>resulting in deaths)            | 50.0 %       |             | Total MEDI-CAL Eligibles:   | 41,576       | Average Monthly Users  | 2,046  |
| COUNTY HEALTH INDICATORS  |              |             | Percent of County Population                                      | 10.4 %       | MEDI-CAL/MEDICARE (2002)   |        |
|   |              |             | MEDI-CAL Payments (FFS) :   |              | Percent of MEDI-CAL Eligibles<br>Who are also eligible<br>for Medicare |        |
| Persons Injured in Traffic Accidents<br>County of Occurrence (2000) | 3,401        |             | Amount  | \$985,235    | MEDICARE ENROLLEES (2000)  |        |
| Substance Abuse Admissions (2000)                                   |              |             | Amount per User   | \$223.16     | TOTAL MEDICARE ENROLLEES   |        |
| Methamphetamine   | 454          |             | MEDI-CAL ELIGIBLES BY RACE/ETHNICITY<br>(2000)                    |              | Number   | 39,533 |
| Cocaine   | 370          |             | White   | 30.4 %       | Percent of County Population   | 10.0 % |
| Marijuana   | 223          |             | Black   | 31.1 %       | Enrollees Aged 65+   |        |
| Alcohol   | 494          |             | Hispanic  | 18.4 %       | Number   | 33,985 |
|   |              |             | American Indian/Alaskan Native                                    | 0.4 %        | Percent of County Population   | 8.6 %  |
|   |              |             | Asian/Pacific Islander  | 8.4 %        | Disability Beneficiaries:  |        |
|   |              |             | Not Reported  | 11.3 %       | Number   | 5,548  |
|   |              |             |   |              | Percent of County Population   | 1.4 %  |

| PROGRAM CLIENTS/SERVICES   |        | HOSPITALS (2000)  |       | HOSPICE CARE   |              |
|--|--------|---|-------|--|--------------|
| Percent Early Postpartum Breastfeeding Initiation 1998-2000 Average            | 82.3 % | Number of General Acute Care (GAC) Hospitals                    | 4     | Number of Freestanding Hospice Care Facilities (2000)                | 1            |
| Family Planning Clients by All Funding Sources (2001)                          | 8,160  | Number of Licensed GAC Beds                                     | 560   | HOSPITAL UTILIZATION (2000)  |              |
|  |        | Number of Licensed GAC Beds per 1,000 Population                | 1.4   | Number of GAC Discharges from GAC Hospitals                          | 25,904       |
| Women and Children Under Age 5 Receiving WIC Services (07/02)                  | 10,781 | LTC (2000)  |       | Average GAC Occupancy Rate in GAC Hospitals                          | 52.4         |
|  |        | Number of Long Term Care Facilities and Hospitals with LTC Beds | 12    | Average GAC Length of Stay in GAC Hospitals (days)                   | 4.1          |
| Child Health/Disability Prevention Screens (FY 2000-2001)                      | 13,604 | Number of Licensed LTC Beds                                     | 1,124 | LTC (2000)   |              |
|  |        | Number of Licensed Beds per 1,000 Population                    | 2.8   | Number of LTC Discharges from LTC Facilities                         | 2,010        |
| California Children's Services Cases (08/02)                                   | 724    | PHYSICIANS (2001)   |       | Average Occupancy Rate of LTC Facilities and Hospitals with LTC Beds | 80.3         |
|  |        | Number of Active Non-Federal Physicians                         | 683   | COUNTY HEALTH COSTS (FY 2000-2001)                                   |              |
| Developmental Disability Clients (08/02)                                       | 2,340  | Number of Persons per Physician                                 | 578   | Estimated Net County Health Care Costs                               | \$13,645,605 |
|  |        | DENTISTS (2002)   |       | Estimated Net County Cost per Capita                                 | \$34.59      |
| Rehabilitation Clients (FY 2000-2001)  | 1,445  | Number of Licensed Dentists (Non-Federal)                       | 267   |  |              |
|  |        | Number of Persons per Dentist                                   | 1,478 |  |              |
| State Mental Hospital Admissions (FY 2000-2001)                                | 59     | CLINICS (2000)  |       |  |              |
|  |        | Number of Licensed Community and Free Clinics                   | 5     |  |              |
| Persons Receiving Preventive Health Care for the Aging Services (FY 2001-2002) | 0      | Number of Specialty Clinics                                     | 6     |  |              |
|  |        | HOME HEALTH AGENCIES (2000)                                     |       |  |              |
| Assessment Clients   | 0      | Number of Licensed Home Health Agencies                         | 8     |  |              |
| Total Client Encounters  | 0      |   |       |  |              |

| TOTAL POPULATION       |          | PERCENT BELOW POVERTY LEVEL (1999)                            |        | LIVE BIRTHS (2000)   |        |
|------------------------|----------|---|--------|--|--------|
| Census Year 2000       | 458,614  | Total population  | 8.1 %  | Number of Live Births By:                                      |        |
| Projection Year 2010   | 557,300  | Children under 6  | 10.3 % | County of Residence  | 5,651  |
| Projection Year 2020   | 628,400  | Persons aged 65+  | 5.7 %  | County of Occurrence   | 5,803  |
| AGE (2000)             |          | HOUSING VALUE (2000)  |        | Birth Rate (births per 1,000 population)                       | 12.2   |
| Under Age 5            | 6.0%     | Whites  | 6.2 %  | Fertility rate (births per 1,000 women aged 15-44, 98-00 avg.) | 58.7   |
| Age 5-17               | 18.4%    | Blacks  | 19.9 % | Low birthweight (under 2,500 grams)                            | 5.7 %  |
| Age 18-64              | 62.9%    | Hispanics   | 14.2 % | Very low birthweight (under 1,500 grams)                       | 1.0 %  |
| Age 65+                | 12.6%    | Asian/Pacific Islanders                                       | 9.3 %  | Unmarried  | 25.8 % |
|                        |          | American Indian   | 13.3 % | Cesarean section delivery                                      | 19.9 % |
| SEX (2000)             |          | CALWORKS (2002)   |        | Mothers who gave birth outside county of residence             | 5.6 %  |
| Females                | 50.8%    | CalWorks enrollees as a percent of county population          | 0.5 %  | Mothers with less than 12 years education                      | 28.7 % |
| Males                  | 49.2%    | SSI/SSP (2002)  |        | Teenage mothers (<18)  | 2.6 %  |
| RACE/ETHNICITY (2000)  |          | SSI/SSP recipients as a percent of county population          | 1.9 %  | Mothers with no 1st trimester prenatal care                    | 12.8 % |
| White                  | 74.5%    | UNEMPLOYMENT (2002)   |        | Percent of Births by Mother's Race/Ethnicity:                  |        |
| Black                  | 1.3%     | Percent of civilian labor force unemployed                    | 4.3 %  | White/Other  | 57.3 % |
| Hispanic               | 17.3%    | EDUCATION   |        | Black  | 1.3 %  |
| American Indian        | 0.8%     | Percent of persons aged 25+ not completing high-school (2000) | 15.1 % | Hispanic   | 34.0 % |
| Asian/Pacific Islander | 3.2%     | Enrollment K-12 (2001-2002)                                   | 80,746 | Asian/Pacific Islander   | 4.5 %  |
| URBAN/RURAL (2000)     |          | PRINCIPAL PAYMENT SOURCE FOR BIRTH DELIVERIES                 |        | American Indian  | 0.6 %  |
| Urban                  | 85.7%    | Medi-Cal/other gov't  | 29.8 % | Multiple Race  | 1.5 %  |
| Rural                  | 14.3%    | FAMILY INCOME (1999)  |        |  |        |
| Median family income   | \$61,921 | HMO and prepaid plans   | 47.8 % |  |        |
|                        |          | Private insurance   | 20.5 % |  |        |

| DEATHS (2000)                  |          | CAUSES OF DEATH (1999-2000 AVG.)      |       | INFANT DEATHS (2000)                             |       |
|--------------------------------|----------|---------------------------------------|-------|--|-------|
| Number of Deaths By:           |          | Deaths per 100,000 Population Due To: |       | Number of Infant Deaths                          | 27    |
| County of Residence            | 3,835    | Heart Disease                         | 243.6 | (Under 1 Year of Age)                            |       |
| County of Occurrence           | 3,906    | All Malignant Neoplasms               | 204.1 | Infant Death Rate (Deaths                        | 4.8   |
| Crude Death Rate (Deaths       |          | Breast Cancer                         | 31.7  | per 1,000 Live Births)                           |       |
| per 1,000 Population)          | 8.3      | Lung Cancer                           | 51.3  |  |       |
|                                |          | Stroke                                | 77.3  | INFANT DEATH RATES (1999 BIRTH COHORT)           |       |
| AGE-ADJUSTED DEATH RATE        |          | Unintentional Injuries                | 30.1  | Infant Deaths per 1,000 Live Births by           |       |
| (1998-2000 AVERAGE)            |          | Pneumonia and Influenza               | 27.2  | Mother's Race/Ethnicity:                         |       |
| Age-Adjusted Deaths per        |          | Chronic Lower Respiratory Disease     | 47.9  | All Race/Ethnic Groups                           | 5.5   |
| 100,000 Population             | 777.8    | Acquired Immune Deficiency Syndrome   | 3.9   | White  | 4.7 * |
| AGE-SPECIFIC DEATH RATES       |          | Chronic Liver Disease/Cirrhosis       | 9.3   | Black  | N     |
| (1998-2000 AVERAGE)            |          | Suicide                               | 11.2  | Hispanic   | 5.1 * |
| Deaths per 100,000 Population: |          | Diabetes Mellitus                     | 17.3  | Asian, American Indian, Other                    | N     |
| 1 to 4 Years Old               | 29.1 *   | Homicide                              | 2.3 * | PERINATAL DEATHS (1999 BIRTH COHORT)             |       |
| 5 to 14 Years Old              | 19.4 *   | FETAL AND NEONATAL DEATHS (2000)      |       | Number of Perinatal Deaths                       | 50    |
| 15 to 24 Years Old             | 63.6     | Number of Fetal Deaths                | 31    | (Neonatal Plus Fetal)                            |       |
| 25 to 34 Years Old             | 91.2     | Fetal Death Ratio (Deaths             | 5.5   | Perinatal Death Rate by Mother's Race/Ethnicity: |       |
| 35 to 44 Years Old             | 169.9    | per 1,000 Live Births)                |       | All Race/Ethnic Groups                           | 9.2   |
| 45 to 54 Years Old             | 334.0    | Number of Neonatal Deaths             | 15    | White  | 6.5   |
| 55 to 64 Years Old             | 801.5    | (Under 28 Days of Age)                |       | Black  | N     |
| 65 to 74 Years Old             | 2,077.9  | Neonatal Death Rate (Deaths           | 2.7 * | Hispanic   | 10.6  |
| 75 to 84 Years Old             | 5,246.3  | per 1,000 Live Births)                |       | Asian, American Indian, Other                    | N     |
| Over 84 Years Old              | 14,825.8 |                                       |       |  |       |

| REPORTED COMMUNICABLE DISEASES<br>(1998-2000 AVERAGE)               |              |             | COUNTY HEALTH INDICATORS<br>(continued)                           |              | MEDI-CAL<br>(2000)   |        |
|---|--------------|-------------|---|--------------|--|--------|
| Number and Rate per 100,000 Population                              |              |             | Mortality Rate Per 100,000 Pop. (1999-2000 Avg.)                  |              | MEDI-CAL Deliveries by:  |        |
| <u>DISEASE</u>  | <u>CASES</u> | <u>RATE</u> | Work Related Injury Deaths  | 9.0          | County of Beneficiary  | 1,670  |
| Hepatitis   | 43.7         | 9.7         | Mortality Rate  | 2.0 *        |  |        |
| Measles   | 0.0          | 0.0         | Drug Related Deaths (1999-2000 Avg.)                              | 46.0         | Fee for Service  | 1,663  |
| Shigellosis   | 31.3         | 7.0         | Mortality Rate  | 9.7          | Managed Care   | 7      |
| Tuberculosis  | 16.7         | 3.7 *       | Homicide by Weapons (2000)  | 11           | MEDI-CAL Abortions by:   | 952    |
| Syphilis  | 0.7          | 0.1 *       | Homicide by Handguns  | 4            | (Resident beneficiary) FFS   |        |
| Chlamydia   | 521.3        | 115.8       | Kindergarten Students Needing One<br>or More Immunizations (2001) | 383          | County Hospitals   | 7      |
| Gonorrhea   | 42.7         | 9.5         |   | 6.5 %        | Community Hospitals  | 62     |
|   |              |             | MEDI-CAL DATA<br>(AVERAGE MONTHLY, 2000)                          |              | MEDI-CAL PHP ENROLLEES (2000)  |        |
| CUMULATIVE AIDS CASES AND INCIDENCE<br>1981 through January 2002    |              |             | MEDI-CAL Users (FFS):   | 18,511       | Average Monthly Prepaid  |        |
| AIDS Cases  | 1,672        |             | Percent of County Population                                      | 4.0 %        | Health Plan Enrollees  | 24,147 |
| Number of deaths  | 1,043        |             | Percent of Eligibles (FFS)  | 57.3 %       | DENTI-CAL SERVICES (2000)  |        |
| Mortality (percent of AIDS cases<br>resulting in deaths)            | 62.0 %       |             | Total MEDI-CAL Eligibles:   | 56,472       | Average Monthly Users  | 1,433  |
|   |              |             | Percent of County Population                                      | 12.1 %       | MEDI-CAL/MEDICARE (2002)   |        |
| COUNTY HEALTH INDICATORS  |              |             | MEDI-CAL Payments (FFS) :   |              | Percent of MEDI-CAL Eligibles<br>Who are also eligible<br>for Medicare |        |
| Persons Injured in Traffic Accidents<br>County of Occurrence (2000) | 4,391        |             | Amount  | \$17,996,863 | 15.3 %   |        |
| Substance Abuse Admissions (2000)                                   |              |             | Amount per User   | \$972.23     | MEDICARE ENROLLEES (2000)  |        |
| Methamphetamine   | 1,342        |             | MEDI-CAL ELIGIBLES BY RACE/ETHNICITY<br>(2000)                    |              | TOTAL MEDICARE ENROLLEES   |        |
| Cocaine   | 193          |             | White   | 56.2 %       | Number   | 63,540 |
| Marijuana   | 1,060        |             | Black   | 3.7 %        | Percent of County Population   | 13.9 % |
| Alcohol   | 4,278        |             | Hispanic  | 25.3 %       | Enrollees Aged 65+   |        |
|   |              |             | American Indian/Alaskan Native                                    | 1.5 %        | Number   | 55,893 |
|   |              |             | Asian/Pacific Islander  | 3.2 %        | Percent of County Population   | 12.2 % |
|   |              |             | Not Reported  | 10.0 %       | Disability Beneficiaries:  |        |
|   |              |             |   |              | Number   | 7,647  |
|   |              |             |   |              | Percent of County Population   | 1.7 %  |

| PROGRAM CLIENTS/SERVICES   |        | HOSPITALS (2000)  |       | HOSPICE CARE   |        |
|--|--------|---|-------|--|--------|
| Percent Early Postpartum Breastfeeding Initiation 1998-2000 Average            | 91.5 % | Number of General Acute Care (GAC) Hospitals                    | 10    | Number of Freestanding Hospice Care Facilities (2000)                | 3      |
| Family Planning Clients by All Funding Sources (2001)                          | 15,542 | Number of Licensed GAC Beds                                     | 792   | HOSPITAL UTILIZATION (2000)  |        |
|  |        | Number of Licensed GAC Beds per 1,000 Population                | 1.7   | Number of GAC Discharges from GAC Hospitals                          | 34,141 |
| Women and Children Under Age 5 Receiving WIC Services (07/02)                  | 9,729  | LTC (2000)  |       | Average GAC Occupancy Rate in GAC Hospitals                          | 48.0   |
|  |        | Number of Long Term Care Facilities and Hospitals with LTC Beds | 20    | Average GAC Length of Stay in GAC Hospitals (days)                   | 4.1    |
| Child Health/Disability Prevention Screens (FY 2000-2001)                      | 11,576 | Number of Licensed LTC Beds                                     | 1,604 | LTC (2000)   |        |
|  |        | Number of Licensed Beds per 1,000 Population                    | 3.5   | Number of LTC Discharges from LTC Facilities                         | 2,438  |
| California Children's Services Cases (08/02)                                   | 6      | PHYSICIANS (2001)   |       | Average Occupancy Rate of LTC Facilities and Hospitals with LTC Beds | 89.7   |
|  |        | Number of Active Non-Federal Physicians                         | 1,264 | COUNTY HEALTH COSTS (FY 2000-2001)                                   |        |
| Developmental Disability Clients (08/02)                                       | 3,318  | Number of Persons per Physician                                 | 363   | Estimated Net County Health Care Costs                               | DNR    |
|  |        | DENTISTS (2002)   |       | Estimated Net County Cost per Capita                                 | \$0.00 |
| Rehabilitation Clients (FY 2000-2001)  | 1,190  | Number of Licensed Dentists (Non-Federal)                       | 390   |  |        |
|  |        | Number of Persons per Dentist                                   | 1,176 |  |        |
| State Mental Hospital Admissions (FY 2000-2001)                                | 48     | CLINICS (2000)  |       |  |        |
|  |        | Number of Licensed Community and Free Clinics                   | 14    |  |        |
| Persons Receiving Preventive Health Care for the Aging Services (FY 2001-2002) | 0      | Number of Specialty Clinics                                     | 12    |  |        |
|  |        | HOME HEALTH AGENCIES (2000)                                     |       |  |        |
| Assessment Clients   | 0      | Number of Licensed Home Health Agencies                         | 18    |  |        |
| Total Client Encounters  | 0      |   |       |  |        |

| TOTAL POPULATION             |          | PERCENT BELOW POVERTY LEVEL (1999)                            |           | LIVE BIRTHS (2000)   |        |
|------------------------------|----------|---|-----------|--|--------|
| Census Year 2000             | 446,997  | Total population  | 16.0 %    | Number of Live Births By:                                      |        |
| Projection Year 2010         | 587,600  | Children under 6  | 22.2 %    | County of Residence  | 7,241  |
| Projection Year 2020         | 712,100  | Persons aged 65+  | 8.8 %     | County of Occurrence   | 8,037  |
| <b>AGE (2000)</b>            |          | <b>Whites</b>   |           | Birth Rate (births per 1,000 population)                       | 15.9   |
| Under Age 5                  | 8.0%     | Blacks  | 10.7 %    | Fertility rate (births per 1,000 women aged 15-44, 98-00 avg.) | 72.5   |
| Age 5-17                     | 23.2%    | Hispanics   | 26.5 %    | Low birthweight (under 2,500 grams)                            | 5.6 %  |
| Age 18-64                    | 58.4%    | Asian/Pacific Islanders                                       | 23.2 %    | Very low birthweight (under 1,500 grams)                       | 1.1 %  |
| Age 65+                      | 10.4%    | American Indian   | 25.4 %    | Unmarried  | 35.4 % |
|                              |          | <b>HOUSING VALUE (2000)</b>                                   |           | Cesarean section delivery                                      | 22.2 % |
|                              |          | Median housing-unit value                                     | \$125,300 | Mothers who gave birth outside county of residence             | 4.5 %  |
| <b>SEX (2000)</b>            |          | <b>CALWORKS (2002)</b>  |           | Mothers with less than 12 years education                      | 31.3 % |
| Females                      | 50.8%    | CalWorks enrollees as a percent of county population          | 1.7 %     | Teenage mothers (<18)  | 4.9 %  |
| Males                        | 49.2%    | <b>SSI/SSP (2002)</b>   |           | Mothers with no 1st trimester prenatal care                    | 16.5 % |
| <b>RACE/ETHNICITY (2000)</b> |          | SSI/SSP recipients as a percent of county population          |           | Percent of Births by Mother's Race/Ethnicity:                  |        |
| White                        | 57.3%    | 3.9 %   |           | White/Other  | 43.8 % |
| Black                        | 2.4%     | <b>UNEMPLOYMENT (2002)</b>                                    |           | Black  | 2.3 %  |
| Hispanic                     | 31.7%    | Percent of civilian labor force unemployed                    |           | Hispanic   | 46.5 % |
| American Indian              | 0.8%     | 12.3 %  |           | Asian/Pacific Islander   | 4.8 %  |
| Asian/Pacific Islander       | 4.4%     | <b>EDUCATION</b>  |           | American Indian  | 0.3 %  |
|                              |          | Percent of persons aged 25+ not completing high-school (2000) |           | Multiple Race  | 1.8 %  |
|                              |          | 29.6 %  |           |  |        |
| <b>URBAN/RURAL (2000)</b>    |          | Enrollment K-12 (2001-2002)                                   |           |  |        |
| Urban                        | 91.0%    | 106,606   |           |  |        |
| Rural                        | 9.0%     | <b>PRINCIPAL PAYMENT SOURCE FOR BIRTH DELIVERIES</b>          |           |  |        |
| <b>FAMILY INCOME (1999)</b>  |          | Medi-Cal/other gov't  |           |  |        |
| Median family income         | \$44,703 | 46.7 %  |           |  |        |
|                              |          | HMO and prepaid plans   |           |  |        |
|                              |          | 38.0 %  |           |  |        |
|                              |          | Private insurance   |           |  |        |
|                              |          | 12.7 %  |           |  |        |

| DEATHS (2000)                                       |          | CAUSES OF DEATH (1999-2000 AVG.)                   |       | INFANT DEATHS (2000)  |      |
|---|----------|--|-------|---|------|
| Number of Deaths By:                                |          | Deaths per 100,000 Population Due To:              |       | Number of Infant Deaths (Under 1 Year of Age)                   | 51   |
| County of Residence                                 | 3,401    | Heart Disease                                      | 239.2 | Infant Death Rate (Deaths per 1,000 Live Births)                | 7.0  |
| County of Occurrence                                | 3,671    | All Malignant Neoplasms                            | 171.1 | <b>INFANT DEATH RATES (1999 BIRTH COHORT)</b>                   |      |
| Crude Death Rate (Deaths per 1,000 Population)      | 7.5      | Breast Cancer                                      | 24.1  | Infant Deaths per 1,000 Live Births by Mother's Race/Ethnicity: |      |
|   |          | Lung Cancer  | 50.8  | All Race/Ethnic Groups  | 8.4  |
| <b>AGE-ADJUSTED DEATH RATE (1998-2000 AVERAGE)</b>  |          | Stroke   | 56.5  | White   | 8.2  |
| Age-Adjusted Deaths per 100,000 Population          | 880.0    | Unintentional Injuries                             | 38.2  | Black   | N    |
|   |          | Pneumonia and Influenza                            | 29.6  | Hispanic  | 9.2  |
| <b>AGE-SPECIFIC DEATH RATES (1998-2000 AVERAGE)</b> |          | Chronic Lower Respiratory Disease                  | 45.1  | Asian, American Indian, Other                                   | N    |
| Deaths per 100,000 Population:                      |          | Acquired Immune Deficiency Syndrome                | 2.0 * | <b>PERINATAL DEATHS (1999 BIRTH COHORT)</b>                     |      |
| 1 to 4 Years Old                                    | 30.0 *   | Chronic Liver Disease/Cirrhosis                    | 12.1  | Number of Perinatal Deaths (Neonatal Plus Fetal)                | 83   |
| 5 to 14 Years Old                                   | 20.2 *   | Suicide  | 8.1   | Perinatal Death Rate by Mother's Race/Ethnicity:                |      |
| 15 to 24 Years Old                                  | 69.1     | Diabetes Mellitus                                  | 21.6  | All Race/Ethnic Groups  | 11.6 |
| 25 to 34 Years Old                                  | 114.3    | Homicide   | 4.3   | White   | 10.8 |
|   |          | <b>FETAL AND NEONATAL DEATHS (2000)</b>            |       | Black   | N    |
| 35 to 44 Years Old                                  | 202.2    | Number of Fetal Deaths                             | 50    | Hispanic  | 13.8 |
| 45 to 54 Years Old                                  | 447.5    | Fetal Death Ratio (Deaths per 1,000 Live Births)   | 6.9   | Asian, American Indian, Other                                   | N    |
| 55 to 64 Years Old                                  | 1,101.1  | Number of Neonatal Deaths (Under 28 Days of Age)   | 28    |   |      |
| 65 to 74 Years Old                                  | 2,588.9  | Neonatal Death Rate (Deaths per 1,000 Live Births) | 3.9   |   |      |
| 75 to 84 Years Old                                  | 5,680.4  |  |       |   |      |
| Over 84 Years Old                                   | 14,604.1 |  |       |   |      |

| REPORTED COMMUNICABLE DISEASES<br>(1998-2000 AVERAGE)               |              |             | COUNTY HEALTH INDICATORS<br>(continued)                           |              | MEDI-CAL<br>(2000)   |        |
|---|--------------|-------------|---|--------------|--|--------|
| Number and Rate per 100,000 Population                              |              |             | Mortality Rate Per 100,000 Pop. (1999-2000 Avg.)                  |              | MEDI-CAL Deliveries by:  |        |
| <u>DISEASE</u>  | <u>CASES</u> | <u>RATE</u> | Work Related Injury Deaths  | 7.0          | County of Beneficiary  | 3,489  |
| Hepatitis   | 82.7         | 18.5        | Mortality Rate  | 1.7 *        |  |        |
| Measles   | 0.0          | 0.0         | Drug Related Deaths (1999-2000 Avg.)                              | 56.0         | Fee for Service  | 2,686  |
| Shigellosis   | 28.7         | 6.4         | Mortality Rate  | 13.5         | Managed Care   | 803    |
| Tuberculosis  | 25.3         | 5.7         | Homicide by Weapons (2000)  | 16           | MEDI-CAL Abortions by:   | 891    |
| Syphilis  | 3.7          | 0.8 *       | Homicide by Handguns  | 7            | (Resident beneficiary) FFS   |        |
| Chlamydia   | 1,015.0      | 227.5       | Kindergarten Students Needing One<br>or More Immunizations (2001) | 371<br>4.5 % | County Hospitals   | 5      |
| Gonorrhea   | 201.0        | 45.1        |   |              | Community Hospitals  | 27     |
| CUMULATIVE AIDS CASES AND INCIDENCE<br>1981 through January 2002    |              |             | MEDI-CAL DATA<br>(AVERAGE MONTHLY, 2000)                          |              | MEDI-CAL PHP ENROLLEES (2000)  |        |
| AIDS Cases  | 565          |             | MEDI-CAL Users (FFS):   | 33,350       | Average Monthly Prepaid  |        |
| Number of deaths  | 322          |             | Percent of County Population                                      | 7.5 %        | Health Plan Enrollees  | 34,103 |
| Mortality (percent of AIDS cases<br>resulting in deaths)            | 57.0 %       |             | Percent of Eligibles (FFS)  | 65.9 %       | DENTI-CAL SERVICES (2000)  |        |
| COUNTY HEALTH INDICATORS  |              |             | MEDI-CAL ELIGIBLES BY RACE/ETHNICITY<br>(2000)                    |              | Average Monthly Users  |        |
| Persons Injured in Traffic Accidents<br>County of Occurrence (2000) | 5,288        |             | Total MEDI-CAL Eligibles:   | 84,742       | 4,560  |        |
| Substance Abuse Admissions (2000)                                   |              |             | Percent of County Population                                      | 18.6 %       | MEDI-CAL/MEDICARE (2002)   |        |
| Methamphetamine   | 1,143        |             | MEDI-CAL Payments (FFS) :   |              | Percent of MEDI-CAL Eligibles<br>Who are also eligible<br>for Medicare |        |
| Cocaine   | 107          |             | Amount  | \$14,456,373 | 16.4 %   |        |
| Marijuana   | 329          |             | Amount per User   | \$433.47     | MEDI-CAL ENROLLEES (2000)  |        |
| Alcohol   | 598          |             | Not Reported  | 9.8 %        | TOTAL MEDICARE ENROLLEES   |        |
|   |              |             | White   | 43.9 %       | Number   |        |
|   |              |             | Black   | 4.4 %        | 55,410   |        |
|   |              |             | Hispanic  | 36.1 %       | Percent of County Population   |        |
|   |              |             | American Indian/Alaskan Native                                    | 0.2 %        | 12.4 %   |        |
|   |              |             | Asian/Pacific Islander  | 5.6 %        | Enrollees Aged 65+   |        |
|   |              |             | Not Reported  | 9.8 %        | Number   |        |
|   |              |             |   |              | 46,195   |        |
|   |              |             |   |              | Percent of County Population   |        |
|   |              |             |   |              | 10.3 %   |        |
|   |              |             |   |              | Disability Beneficiaries:  |        |
|   |              |             |   |              | Number   |        |
|   |              |             |   |              | 9,215  |        |
|   |              |             |   |              | Percent of County Population   |        |
|   |              |             |   |              | 2.1 %  |        |

| PROGRAM CLIENTS/SERVICES   |        | HOSPITALS (2000)  |       | HOSPICE CARE   |              |
|--|--------|---|-------|--|--------------|
| Percent Early Postpartum Breastfeeding Initiation 1998-2000 Average            | 75.6 % | Number of General Acute Care (GAC) Hospitals                    | 5     | Number of Freestanding Hospice Care Facilities (2000)                | 1            |
| Family Planning Clients by All Funding Sources (2001)                          | 14,580 | Number of Licensed GAC Beds                                     | 901   | HOSPITAL UTILIZATION (2000)  |              |
|  |        | Number of Licensed GAC Beds per 1,000 Population                | 2.0   | Number of GAC Discharges from GAC Hospitals                          | 42,537       |
| Women and Children Under Age 5 Receiving WIC Services (07/02)                  | 18,757 | LTC (2000)  |       | Average GAC Occupancy Rate in GAC Hospitals                          | 62.1         |
|  |        | Number of Long Term Care Facilities and Hospitals with LTC Beds | 17    | Average GAC Length of Stay in GAC Hospitals (days)                   | 4.7          |
| Child Health/Disability Prevention Screens (FY 2000-2001)                      | 35,623 | Number of Licensed LTC Beds                                     | 1,739 | LTC (2000)   |              |
|  |        | Number of Licensed Beds per 1,000 Population                    | 3.9   | Number of LTC Discharges from LTC Facilities                         | 2,815        |
| California Children's Services Cases (08/02)                                   | 2,332  | PHYSICIANS (2001)   |       | Average Occupancy Rate of LTC Facilities and Hospitals with LTC Beds |              |
|  |        | Number of Active Non-Federal Physicians                         | 706   | 91.7   |              |
| Developmental Disability Clients (08/02)                                       | 2,723  | Number of Persons per Physician                                 | 633   | COUNTY HEALTH COSTS (FY 2000-2001)                                   |              |
|  |        | DENTISTS (2002)   |       | Estimated Net County Health Care Costs                               | \$17,643,300 |
| Rehabilitation Clients (FY 2000-2001)  | 655    | Number of Licensed Dentists (Non-Federal)                       | 248   | Estimated Net County Cost per Capita                                 | \$39.47      |
|  |        | Number of Persons per Dentist                                   | 1,802 |  |              |
| State Mental Hospital Admissions (FY 2000-2001)                                | 37     | CLINICS (2000)  |       |  |              |
|  |        | Number of Licensed Community and Free Clinics                   | 10    |  |              |
| Persons Receiving Preventive Health Care for the Aging Services (FY 2001-2002) | 485    | Number of Specialty Clinics                                     | 9     |  |              |
|  |        | HOME HEALTH AGENCIES (2000)                                     |       |  |              |
| Assessment Clients   | 485    | Number of Licensed Home Health Agencies                         | 8     |  |              |
| Total Client Encounters  | 600    |   |       |  |              |

| TOTAL POPULATION             |         | PERCENT BELOW POVERTY LEVEL (1999)                            |           | LIVE BIRTHS (2000)   |   |          |        |
|------------------------------|---------|---|-----------|--|---|----------|--------|
| Census Year 2000             | 78,930  | Total population  | 15.5 %    | Number of Live Births By:                                      |   |          |        |
| Projection Year 2010         | 99,600  | Children under 6  | 23.3 %    | County of Residence  | 1,166   |          |        |
| Projection Year 2020         | 115,600 | Persons aged 65+  | 7.7 %     | County of Occurrence   | 2,013   |          |        |
| <b>AGE (2000)</b>            |         | <b>HOUSING VALUE (2000)</b>                                   |           | Birth Rate (births per 1,000 population)                       | 14.5  |          |        |
| Under Age 5                  | 7.3%    | Whites  | 10.1 %    | Fertility rate (births per 1,000 women aged 15-44, 98-00 avg.) | 69.2  |          |        |
| Age 5-17                     | 21.7%   | Blacks  | 17.6 %    | Low birthweight (under 2,500 grams)                            | 5.7 %   |          |        |
| Age 18-64                    | 58.7%   | Hispanics   | 30.7 %    | Very low birthweight (under 1,500 grams)                       | 0.9 %   |          |        |
| Age 65+                      | 12.4%   | Asian/Pacific Islanders                                       | 12.7 %    | Unmarried  | 30.4 %  |          |        |
| <b>SEX (2000)</b>            |         | <b>CALWORKS (2002)</b>  |           | Cesarean section delivery                                      | 25.7 %  |          |        |
| Females                      | 50.5%   | Median housing-unit value                                     | \$120,700 | Mothers who gave birth outside county of residence             | 10.8 %  |          |        |
| Males                        | 49.5%   | SSI/SSP (2002)  |           | Mothers with less than 12 years education                      | 29.5 %  |          |        |
| <b>RACE/ETHNICITY (2000)</b> |         | SSI/SSP recipients as a percent of county population          |           | 3.7 %  | Teenage mothers (<18)                         | 3.3 %    |        |
| White                        | 60.2%   | <b>UNEMPLOYMENT (2002)</b>                                    |           | <b>EDUCATION</b>   |   |          |        |
| Black                        | 1.8%    | Percent of civilian labor force unemployed                    |           | 16.0 %   | Mothers with no 1st trimester prenatal care   | 34.0 %   |        |
| Hispanic                     | 22.2%   | <b>EDUCATION</b>  |           | <b>URBAN/RURAL (2000)</b>                                      |   |          |        |
| American Indian              | 1.2%    | Percent of persons aged 25+ not completing high-school (2000) |           | 27.0 %   | Urban   | 85.5%    |        |
| Asian/Pacific Islander       | 11.3%   | Enrollment K-12 (2001-2002)                                   |           | 17,196   | Rural   | 14.5%    |        |
| <b>URBAN/RURAL (2000)</b>    |         | <b>PRINCIPAL PAYMENT SOURCE FOR BIRTH DELIVERIES</b>          |           | <b>FAMILY INCOME (1999)</b>                                    |   |          |        |
| Urban                        | 85.5%   | Medi-Cal/other gov't  |           | 53.1 %   | Median family income                          | \$44,336 |        |
| Rural                        | 14.5%   | HMO and prepaid plans   |           | 6.4 %  | Private insurance                             |          | 39.5 % |
| <b>FAMILY INCOME (1999)</b>  |         | Private insurance   |           | 39.5 %   | Percent of Births by Mother's Race/Ethnicity: |          |        |
| Median family income         |         | \$44,336  |           | White/Other  |   | 47.8 %   |        |
|                              |         |   |           | Black  |   | 1.8 %    |        |
|                              |         |   |           | Hispanic   |   | 34.0 %   |        |
|                              |         |   |           | Asian/Pacific Islander   |   | 14.7 %   |        |
|                              |         |   |           | American Indian  |   | 0.9 %    |        |
|                              |         |   |           | Multiple Race  |   | 0.9 %    |        |

| DEATHS (2000)                                  |          | CAUSES OF DEATH (1999-2000 AVG.)                   |        | INFANT DEATHS (2000)  |       |
|--|----------|--|--------|---|-------|
| Number of Deaths By:                           |          | Deaths per 100,000 Population Due To:              |        | Number of Infant Deaths (Under 1 Year of Age)                   | 7     |
| County of Residence                            | 710      | Heart Disease                                      | 269.4  | Infant Death Rate (Deaths per 1,000 Live Births)                | 6.0 * |
| County of Occurrence                           | 468      | All Malignant Neoplasms                            | 167.5  |   |       |
|  |          | Breast Cancer                                      | 26.0 * |   |       |
|  |          | Lung Cancer  | 54.4   |   |       |
| Crude Death Rate (Deaths per 1,000 Population) | 8.9      | Stroke   | 83.1   | INFANT DEATH RATES (1999 BIRTH COHORT)                          |       |
|  |          | Unintentional Injuries                             | 46.9   | Infant Deaths per 1,000 Live Births by Mother's Race/Ethnicity: |       |
| AGE-ADJUSTED DEATH RATE (1998-2000 AVERAGE)    |          | Pneumonia and Influenza                            | 26.3   | All Race/Ethnic Groups  | N     |
| Age-Adjusted Deaths per 100,000 Population     | 807.7    | Chronic Lower Respiratory Disease                  | 58.1   | White   | N     |
|  |          | Acquired Immune Deficiency Syndrome                | 3.8 *  | Black   | 0.0   |
| AGE-SPECIFIC DEATH RATES (1998-2000 AVERAGE)   |          | Chronic Liver Disease/Cirrhosis                    | 10.0 * | Hispanic  | N     |
| Deaths per 100,000 Population:                 |          | Suicide  | 12.5 * | Asian, American Indian, Other                                   | N     |
| 1 to 4 Years Old                               | 33.5 *   | Diabetes Mellitus                                  | 10.0 * | PERINATAL DEATHS (1999 BIRTH COHORT)                            |       |
| 5 to 14 Years Old                              | 15.7 *   | Homicide   | 2.5 *  | Number of Perinatal Deaths (Neonatal Plus Fetal)                |       |
| 15 to 24 Years Old                             | 93.0 *   | FETAL AND NEONATAL DEATHS (2000)                   |        | 11  |       |
| 25 to 34 Years Old                             | 107.2 *  | Number of Fetal Deaths                             | 8      | Perinatal Death Rate by Mother's Race/Ethnicity:                |       |
| 35 to 44 Years Old                             | 182.1    | Fetal Death Ratio (Deaths per 1,000 Live Births)   | 6.9 *  | All Race/Ethnic Groups  | 9.7 * |
| 45 to 54 Years Old                             | 382.3    | Number of Neonatal Deaths (Under 28 Days of Age)   | 3      | White   | N     |
| 55 to 64 Years Old                             | 973.9    | Neonatal Death Rate (Deaths per 1,000 Live Births) | N      | Black   | N     |
| 65 to 74 Years Old                             | 2,493.3  |  |        | Hispanic  | N     |
| 75 to 84 Years Old                             | 5,417.5  |  |        | Asian, American Indian, Other                                   | N     |
| Over 84 Years Old                              | 12,584.8 |  |        |   |       |

| REPORTED COMMUNICABLE DISEASES<br>(1998-2000 AVERAGE)            |              |             | COUNTY HEALTH INDICATORS<br>(continued)                           |             | MEDI-CAL<br>(2000)            |        |
|--|--------------|-------------|---|-------------|-------------------------------|--------|
| Number and Rate per 100,000 Population                           |              |             | Mortality Rate Per 100,000 Pop. (1999-2000 Avg.)                  |             | MEDI-CAL Deliveries by:       |        |
| <u>DISEASE</u>   | <u>CASES</u> | <u>RATE</u> | Work Related Injury Deaths  | 4.5         | County of Beneficiary         | 644    |
| Hepatitis  | 13.3         | 16.7 *      | Mortality Rate  | 6.0 *       |                               |        |
| Measles  | 0.0          | 0.0         | Drug Related Deaths (1999-2000 Avg.)                              | 4.5         | Fee for Service               | 644    |
| Shigellosis  | 3.3          | 4.2 *       | Mortality Rate  | 5.9 *       | Managed Care                  | 0      |
| Tuberculosis   | 6.3          | 7.9 *       | Homicide by Weapons (2000)  | 2           | MEDI-CAL Abortions by:        | 132    |
| Syphilis   | 0.0          | 0.0         | Homicide by Handguns  | 1           | (Resident beneficiary) FFS    |        |
| Chlamydia  | 125.7        | 157.1       | Kindergarten Students Needing One<br>or More Immunizations (2001) | 52          | County Hospitals              | 0      |
| Gonorrhea  | 25.0         | 31.3        |   | 4.1 %       | Community Hospitals           | 4      |
|  |              |             | MEDI-CAL DATA<br>(AVERAGE MONTHLY, 2000)                          |             | MEDI-CAL PHP ENROLLEES (2000) |        |
| CUMULATIVE AIDS CASES AND INCIDENCE<br>1981 through January 2002 |              |             | MEDI-CAL Users (FFS):   | 7,521       | Average Monthly Prepaid       |        |
| AIDS Cases   | 58           |             | Percent of County Population                                      | 9.5 %       | Health Plan Enrollees         | 0      |
| Number of deaths   | 42           |             | Percent of Eligibles (FFS)  | 55.0 %      | DENTI-CAL SERVICES (2000)     |        |
| Mortality (percent of AIDS cases<br>resulting in deaths)         | 72.0 %       |             | Total MEDI-CAL Eligibles:   | 13,665      | Average Monthly Users         | 839    |
|  |              |             | Percent of County Population                                      | 17.0 %      | MEDI-CAL/MEDICARE (2002)      |        |
|  |              |             | MEDI-CAL Payments (FFS) :   |             | Percent of MEDI-CAL Eligibles |        |
|  |              |             | Amount  | \$3,301,619 | Who are also eligible         |        |
|  |              |             | Amount per User   | \$438.99    | for Medicare                  |        |
|  |              |             |   |             | 19.6 %                        |        |
|  |              |             | MEDI-CAL ELIGIBLES BY RACE/ETHNICITY<br>(2000)                    |             | MEDICARE ENROLLEES (2000)     |        |
| COUNTY HEALTH INDICATORS   |              |             |   |             | TOTAL MEDICARE ENROLLEES      |        |
| Persons Injured in Traffic Accidents                             |              |             | White   | 48.1 %      | Number                        | 10,883 |
| County of Occurrence (2000)                                      | 767          |             | Black   | 2.2 %       | Percent of County Population  | 13.8 % |
| Substance Abuse Admissions (2000)                                |              |             | Hispanic  | 30.2 %      | Enrollees Aged 65+            |        |
| Methamphetamine  | 0            |             | American Indian/Alaskan Native                                    | 0.6 %       | Number                        | 9,173  |
| Cocaine  | 0            |             | Asian/Pacific Islander  | 7.9 %       | Percent of County Population  | 11.6 % |
| Marijuana  | 0            |             | Not Reported  | 11.0 %      | Disability Beneficiaries:     |        |
| Alcohol  | 0            |             |   |             | Number                        | 1,710  |
|  |              |             |   |             | Percent of County Population  | 2.2 %  |

| PROGRAM CLIENTS/SERVICES   |        | HOSPITALS (2000)  |       | HOSPICE CARE   |             |
|--|--------|---|-------|--|-------------|
| Percent Early Postpartum Breastfeeding Initiation 1998-2000 Average            | 79.8 % | Number of General Acute Care (GAC) Hospitals                    | 1     | Number of Freestanding Hospice Care Facilities (2000)                | 0           |
| Family Planning Clients by All Funding Sources (2001)                          | 2,489  | Number of Licensed GAC Beds                                     | 132   | HOSPITAL UTILIZATION (2000)  |             |
|  |        | Number of Licensed GAC Beds per 1,000 Population                | 1.7   | Number of GAC Discharges from GAC Hospitals                          | 6,921       |
| Women and Children Under Age 5 Receiving WIC Services (07/02)                  | 3,642  | LTC (2000)  |       | Average GAC Occupancy Rate in GAC Hospitals                          | 59.4        |
|  |        | Number of Long Term Care Facilities and Hospitals with LTC Beds | 4     | Average GAC Length of Stay in GAC Hospitals (days)                   | 4.1         |
| Child Health/Disability Prevention Screens (FY 2000-2001)                      | 4,395  | Number of Licensed LTC Beds                                     | 408   | LTC (2000)   |             |
|  |        | Number of Licensed Beds per 1,000 Population                    | 5.2   | Number of LTC Discharges from LTC Facilities                         | 717         |
| California Children's Services Cases (08/02)                                   | 455    | PHYSICIANS (2001)   |       | Average Occupancy Rate of LTC Facilities and Hospitals with LTC Beds | 85.9        |
|  |        | Number of Active Non-Federal Physicians                         | 164   | COUNTY HEALTH COSTS (FY 2000-2001)                                   |             |
| Developmental Disability Clients (08/02)                                       | 421    | Number of Persons per Physician                                 | 481   | Estimated Net County Health Care Costs                               | \$6,507,173 |
|  |        | DENTISTS (2002)   |       | Estimated Net County Cost per Capita                                 | \$82.44     |
| Rehabilitation Clients (FY 2000-2001)  | 135    | Number of Licensed Dentists (Non-Federal)                       | 62    |  |             |
|  |        | Number of Persons per Dentist                                   | 1,273 |  |             |
| State Mental Hospital Admissions (FY 2000-2001)                                | 14     | CLINICS (2000)  |       |  |             |
|  |        | Number of Licensed Community and Free Clinics                   | 5     |  |             |
| Persons Receiving Preventive Health Care for the Aging Services (FY 2001-2002) | 0      | Number of Specialty Clinics                                     | 4     |  |             |
|  |        | HOME HEALTH AGENCIES (2000)                                     |       |  |             |
| Assessment Clients   | 0      | Number of Licensed Home Health Agencies                         | 6     |  |             |
| Total Client Encounters  | 0      |   |       |  |             |

| TOTAL POPULATION       |          | PERCENT BELOW POVERTY LEVEL (1999)                            |        | LIVE BIRTHS (2000)   |        |
|------------------------|----------|---|--------|--|--------|
| Census Year 2000       | 56,039   | Total population  | 17.3 % | Number of Live Births By:                                      |        |
| Projection Year 2010   | 71,500   | Children under 6  | 30.8 % | County of Residence  | 686    |
| Projection Year 2020   | 85,100   | Persons aged 65+  | 9.2 %  | County of Occurrence   | 589    |
| AGE (2000)             |          | HOUSING VALUE (2000)  |        | Birth Rate (births per 1,000 population)                       | 12.1   |
| Under Age 5            | 6.3%     | Whites  | 13.4 % | Fertility rate (births per 1,000 women aged 15-44, 98-00 avg.) | 60.2   |
| Age 5-17               | 21.1%    | Blacks  | 15.4 % | Low birthweight (under 2,500 grams)                            | 6.3 %  |
| Age 18-64              | 56.6%    | Hispanics   | 33.9 % | Very low birthweight (under 1,500 grams)                       | 0.9 %  |
| Age 65+                | 15.9%    | Asian/Pacific Islanders                                       | 22.6 % | Unmarried  | 41.3 % |
|                        |          | American Indian   | 29.5 % | Cesarean section delivery                                      | 20.8 % |
| SEX (2000)             |          | CALWORKS (2002)   |        | Mothers who gave birth outside county of residence             | 24.3 % |
| Females                | 50.6%    | CalWorks enrollees as a percent of county population          | 2.0 %  | Mothers with less than 12 years education                      | 30.3 % |
| Males                  | 49.4%    | SSI/SSP (2002)  |        | Teenage mothers (<18)  | 5.5 %  |
| RACE/ETHNICITY (2000)  |          | SSI/SSP recipients as a percent of county population          | 4.3 %  | Mothers with no 1st trimester prenatal care                    | 15.4 % |
| White                  | 78.5%    | UNEMPLOYMENT (2002)   |        | Percent of Births by Mother's Race/Ethnicity:                  |        |
| Black                  | 0.5%     | Percent of civilian labor force unemployed                    | 7.7 %  | White/Other  | 68.7 % |
| Hispanic               | 15.8%    | EDUCATION   |        | Black  | 0.3 %  |
| American Indian        | 1.8%     | Percent of persons aged 25+ not completing high-school (2000) | 24.3 % | Hispanic   | 25.7 % |
| Asian/Pacific Islander | 0.8%     | Enrollment K-12 (2001-2002)                                   | 11,445 | Asian/Pacific Islander   | 1.2 %  |
| URBAN/RURAL (2000)     |          | PRINCIPAL PAYMENT SOURCE FOR BIRTH DELIVERIES                 |        | American Indian  | 2.5 %  |
| Urban                  | 50.9%    | Medi-Cal/other gov't  | 58.5 % | Multiple Race  | 1.6 %  |
| Rural                  | 49.1%    | FAMILY INCOME (1999)  |        |  |        |
| Median family income   | \$37,277 | HMO and prepaid plans   | 2.3 %  |  |        |
|                        |          | Private insurance   | 37.8 % |  |        |

| DEATHS (2000)                                  |          | CAUSES OF DEATH (1999-2000 AVG.)                   |        | INFANT DEATHS (2000)  |        |
|--|----------|--|--------|---|--------|
| Number of Deaths By:                           |          | Deaths per 100,000 Population Due To:              |        | Number of Infant Deaths (Under 1 Year of Age)                   | 3      |
| County of Residence                            | 617      | Heart Disease                                      | 295.7  | Infant Death Rate (Deaths per 1,000 Live Births)                | N      |
| County of Occurrence                           | 453      | All Malignant Neoplasms                            | 278.6  | INFANT DEATH RATES (1999 BIRTH COHORT)                          |        |
|  |          | Breast Cancer                                      | 35.2 * |   |        |
|  |          | Lung Cancer  | 93.2   | Infant Deaths per 1,000 Live Births by Mother's Race/Ethnicity: |        |
| Crude Death Rate (Deaths per 1,000 Population) | 10.9     | Stroke   | 74.4   | All Race/Ethnic Groups  | 9.5 *  |
| AGE-ADJUSTED DEATH RATE (1998-2000 AVERAGE)    |          | Unintentional Injuries                             | 54.7   | White   | 11.9 * |
| Age-Adjusted Deaths per 100,000 Population     | 863.6    | Pneumonia and Influenza                            | 37.6   | Black   | 0.0    |
| AGE-SPECIFIC DEATH RATES (1998-2000 AVERAGE)   |          | Chronic Lower Respiratory Disease                  | 82.4   | Hispanic  | N      |
| Deaths per 100,000 Population:                 |          | Acquired Immune Deficiency Syndrome                | 1.8 *  | Asian, American Indian, Other                                   | 0.0    |
| 1 to 4 Years Old                               | 67.7 *   | Chronic Liver Disease/Cirrhosis                    | 12.5 * | PERINATAL DEATHS (1999 BIRTH COHORT)                            |        |
| 5 to 14 Years Old                              | 16.6 *   | Suicide  | 17.9 * |   |        |
| 15 to 24 Years Old                             | 68.0 *   | Diabetes Mellitus                                  | 37.6   | Number of Perinatal Deaths (Neonatal Plus Fetal)                | 6      |
| 25 to 34 Years Old                             | 102.2 *  | Homicide   | 3.6 *  | Perinatal Death Rate by Mother's Race/Ethnicity:                |        |
| 35 to 44 Years Old                             | 282.8    | FETAL AND NEONATAL DEATHS (2000)                   |        | All Race/Ethnic Groups  | N      |
| 45 to 54 Years Old                             | 566.1    | Number of Fetal Deaths                             | 4      | White   | N      |
| 55 to 64 Years Old                             | 1,158.7  | Fetal Death Ratio (Deaths per 1,000 Live Births)   | N      | Black   | 0.0    |
| 65 to 74 Years Old                             | 2,449.3  | Number of Neonatal Deaths (Under 28 Days of Age)   | 1      | Hispanic  | N      |
| 75 to 84 Years Old                             | 5,314.0  | Neonatal Death Rate (Deaths per 1,000 Live Births) | N      | Asian, American Indian, Other                                   | 0.0    |
| Over 84 Years Old                              | 13,127.6 |  |        |   |        |

| REPORTED COMMUNICABLE DISEASES<br>(1998-2000 AVERAGE)            |              |             | COUNTY HEALTH INDICATORS<br>(continued)                           |             | MEDI-CAL<br>(2000)   |     |
|--|--------------|-------------|---|-------------|--|-----|
| Number and Rate per 100,000 Population                           |              |             | Mortality Rate Per 100,000 Pop. (1999-2000 Avg.)                  |             | MEDI-CAL Deliveries by:  |     |
| <u>DISEASE</u>   | <u>CASES</u> | <u>RATE</u> | Work Related Injury Deaths  | 1.0         | County of Beneficiary  | 419 |
| Hepatitis  | 9.3          | 16.7 *      | Mortality Rate  | 1.6 *       |  |     |
| Measles  | 0.0          | 0.0         | Drug Related Deaths (1999-2000 Avg.)                              | 7.0         | Fee for Service  | 419 |
| Shigellosis  | 0.7          | 1.2 *       | Mortality Rate  | 13.8 *      | Managed Care   | 0   |
| Tuberculosis   | 1.7          | 3.0 *       | Homicide by Weapons (2000)  | 5           | MEDI-CAL Abortions by:   | 123 |
| Syphilis   | 0.0          | 0.0         | Homicide by Handguns  | 0           | (Resident beneficiary) FFS   |     |
| Chlamydia  | 85.7         | 153.5       | Kindergarten Students Needing One<br>or More Immunizations (2001) | 47          | County Hospitals   | 0   |
| Gonorrhea  | 6.7          | 11.9 *      |   | 5.7 %       | Community Hospitals  | 2   |
|  |              |             | MEDI-CAL DATA<br>(AVERAGE MONTHLY, 2000)                          |             | MEDI-CAL PHP ENROLLEES (2000)  |     |
| CUMULATIVE AIDS CASES AND INCIDENCE<br>1981 through January 2002 |              |             | MEDI-CAL Users (FFS):   |             | Average Monthly Prepaid  |     |
| AIDS Cases   | 26           |             | Percent of County Population                                      | 6,346       | Health Plan Enrollees  | 0   |
| Number of deaths   | 12           |             | Percent of Eligibles (FFS)  | 11.3 %      | DENTI-CAL SERVICES (2000)  |     |
| Mortality (percent of AIDS cases<br>resulting in deaths)         | 46.0 %       |             | Total MEDI-CAL Eligibles:   | 60.6 %      | Average Monthly Users  |     |
|  |              |             | Percent of County Population                                      | 10,469      | 318  |     |
|  |              |             | MEDI-CAL Payments (FFS) :   | 18.5 %      | MEDI-CAL/MEDICARE (2002)   |     |
|  |              |             | Amount  | \$2,844,088 | Percent of MEDI-CAL Eligibles<br>Who are also eligible<br>for Medicare |     |
|  |              |             | Amount per User   | \$448.17    | 20.8 %   |     |
|  |              |             | MEDI-CAL ELIGIBLES BY RACE/ETHNICITY<br>(2000)                    |             | MEDICARE ENROLLEES (2000)  |     |
| COUNTY HEALTH INDICATORS   |              |             |   |             | TOTAL MEDICARE ENROLLEES   |     |
| Persons Injured in Traffic Accidents                             |              |             | White   | 73.3 %      | Number   |     |
| County of Occurrence (2000)                                      | 568          |             | Black   | 1.1 %       | 9,343  |     |
| Substance Abuse Admissions (2000)                                |              |             | Hispanic  | 17.3 %      | Percent of County Population   |     |
| Methamphetamine  | 414          |             | American Indian/Alaskan Native                                    | 1.4 %       | Enrollees Aged 65+   |     |
| Cocaine  | 21           |             | Asian/Pacific Islander  | 0.6 %       | Number   |     |
| Marijuana  | 133          |             | Not Reported  | 6.3 %       | 7,816  |     |
| Alcohol  | 342          |             |   |             | Percent of County Population   |     |
|  |              |             |   |             | 13.9 %   |     |
|  |              |             |   |             | Disability Beneficiaries:  |     |
|  |              |             |   |             | Number   |     |
|  |              |             |   |             | 1,527  |     |
|  |              |             |   |             | Percent of County Population   |     |
|  |              |             |   |             | 2.7 %  |     |

| PROGRAM CLIENTS/SERVICES   |        | HOSPITALS (2000)  |       | HOSPICE CARE   |        |
|--|--------|---|-------|--|--------|
| Percent Early Postpartum Breastfeeding Initiation 1998-2000 Average            | 83.8 % | Number of General Acute Care (GAC) Hospitals                    | 0     | Number of Freestanding Hospice Care Facilities (2000)                | 0      |
| Family Planning Clients by All Funding Sources (2001)                          | 1,767  | Number of Licensed GAC Beds                                     | 0     | HOSPITAL UTILIZATION (2000)  |        |
|  |        | Number of Licensed GAC Beds per 1,000 Population                | 0.0   | Number of GAC Discharges from GAC Hospitals                          | 0      |
| Women and Children Under Age 5 Receiving WIC Services (07/02)                  | 2,463  | LTC (2000)  |       | Average GAC Occupancy Rate in GAC Hospitals                          | 0.0    |
|  |        | Number of Long Term Care Facilities and Hospitals with LTC Beds | 3     | Average GAC Length of Stay in GAC Hospitals (days)                   | 0.0    |
| Child Health/Disability Prevention Screens (FY 2000-2001)                      | 4,231  | Number of Licensed LTC Beds                                     | 180   | LTC (2000)   |        |
|  |        | Number of Licensed Beds per 1,000 Population                    | 3.2   | Number of LTC Discharges from LTC Facilities                         | 223    |
| California Children's Services Cases (08/02)                                   | 325    | PHYSICIANS (2001)   |       | Average Occupancy Rate of LTC Facilities and Hospitals with LTC Beds | 91.4   |
|  |        | Number of Active Non-Federal Physicians                         | 56    | COUNTY HEALTH COSTS (FY 2000-2001)                                   |        |
| Developmental Disability Clients (08/02)                                       | 528    | Number of Persons per Physician                                 | 1,001 | Estimated Net County Health Care Costs                               | DNR    |
|  |        | DENTISTS (2002)   |       | Estimated Net County Cost per Capita                                 | \$0.00 |
| Rehabilitation Clients (FY 2000-2001)  | 192    | Number of Licensed Dentists (Non-Federal)                       | 21    |  |        |
|  |        | Number of Persons per Dentist                                   | 2,669 |  |        |
| State Mental Hospital Admissions (FY 2000-2001)                                | 5      | CLINICS (2000)  |       |  |        |
|  |        | Number of Licensed Community and Free Clinics                   | 2     |  |        |
| Persons Receiving Preventive Health Care for the Aging Services (FY 2001-2002) | 0      | Number of Specialty Clinics                                     | 1     |  |        |
|  |        | HOME HEALTH AGENCIES (2000)                                     |       |  |        |
| Assessment Clients   | 0      | Number of Licensed Home Health Agencies                         | 2     |  |        |
| Total Client Encounters  | 0      |   |       |  |        |

| TOTAL POPULATION       |          | PERCENT BELOW POVERTY LEVEL (1999)                            |           | LIVE BIRTHS (2000)   |   |        |
|------------------------|----------|---|-----------|--|---|--------|
| Census Year 2000       | 13,022   | Total population  | 18.7 %    | Number of Live Births By:                                      |   |        |
| Projection Year 2010   | 14,400   | Children under 6  | 32.4 %    | County of Residence  | 85  |        |
| Projection Year 2020   | 15,400   | Persons aged 65+  | 7.2 %     | County of Occurrence   | 54  |        |
| AGE (2000)             |          |   |           | Birth Rate (births per 1,000 population)                       | 6.5   |        |
| Under Age 5            | 4.2%     | Whites  | 17.4 %    | Fertility rate (births per 1,000 women aged 15-44, 98-00 avg.) | 39.8  |        |
| Age 5-17               | 18.6%    | Blacks  | 0.0 %     | Low birthweight (under 2,500 grams)                            | 5.9 %                                       |        |
| Age 18-64              | 60.0%    | Hispanics   | 19.9 %    | Very low birthweight (under 1,500 grams)                       | 0.0 %                                       |        |
| Age 65+                | 17.2%    | Asian/Pacific Islanders                                       | 7.6 %     |  |   |        |
|                        |          | American Indian   | 38.3 %    |  |   |        |
|                        |          | HOUSING VALUE (2000)  |           |  |   |        |
|                        |          | Median housing-unit value                                     | \$112,000 |  |   |        |
| SEX (2000)             |          | CALWORKS (2002)   |           |  |   |        |
| Females                | 49.0%    | CalWorks enrollees as a percent of county population          | 1.4 %     | Unmarried  | 28.2 %                                      |        |
| Males                  | 51.0%    |   |           | Cesarean section delivery                                      | 16.5 %                                      |        |
|                        |          | SSI/SSP (2002)  |           |  |   |        |
| RACE/ETHNICITY (2000)  |          | SSI/SSP recipients as a percent of county population          |           | Mothers who gave birth outside county of residence             | 37.7 %                                      |        |
| White                  | 86.6%    |   |           | Mothers with less than 12 years education                      | 17.6 %                                      |        |
| Black                  | 0.4%     | UNEMPLOYMENT (2002)   |           | Teenage mothers (<18)  | 3.5 %                                       |        |
| Hispanic               | 4.0%     | Percent of civilian labor force unemployed                    |           | 13.8 %   | Mothers with no 1st trimester prenatal care |        |
| American Indian        | 4.5%     | EDUCATION   |           |  |   |        |
| Asian/Pacific Islander | 0.6%     | Percent of persons aged 25+ not completing high-school (2000) |           | 19.0 %   | 15.3 %                                      |        |
|                        |          | Enrollment K-12 (2001-2002)                                   |           | 2,193  |   |        |
| URBAN/RURAL (2000)     |          | PRINCIPAL PAYMENT SOURCE FOR BIRTH DELIVERIES                 |           | Percent of Births by Mother's Race/Ethnicity:                  |   |        |
| Urban                  | 0.0%     | Medi-Cal/other gov't  |           | 48.8 %   | White/Other                                 | 80.0 % |
| Rural                  | 100.0%   | HMO and prepaid plans   |           | 1.2 %  | Black                                       | 0.0 %  |
| FAMILY INCOME (1999)   |          | Private insurance   |           | 45.2 %   | Hispanic                                    | 8.2 %  |
| Median family income   | \$34,343 |   |           | Asian/Pacific Islander   |   | 2.4 %  |
|                        |          |   |           | American Indian  |   | 2.4 %  |
|                        |          |   |           | Multiple Race  |   | 7.1 %  |

| DEATHS (2000)                                  |           | CAUSES OF DEATH (1999-2000 AVG.)                   |         | INFANT DEATHS (2000)  |  |
|--|-----------|--|---------|---|--|
| Number of Deaths By:                           |           | Deaths per 100,000 Population Due To:              |         | Number of Infant Deaths (Under 1 Year of Age) 0                 |  |
| County of Residence                            | 140       | Heart Disease                                      | 250.9   | Infant Death Rate (Deaths per 1,000 Live Births) 0.0            |  |
| County of Occurrence                           | 94        | All Malignant Neoplasms                            | 295.8   |   |  |
| Crude Death Rate (Deaths per 1,000 Population) | 10.7      | Breast Cancer                                      | 52.9 *  |   |  |
|  |           | Lung Cancer  | 108.6 * |   |  |
| AGE-ADJUSTED DEATH RATE (1998-2000 AVERAGE)    |           | Stroke   | 59.9 *  | INFANT DEATH RATES (1999 BIRTH COHORT)                          |  |
| Age-Adjusted Deaths per 100,000 Population     | 896.1     | Unintentional Injuries                             | 71.1 *  | Infant Deaths per 1,000 Live Births by Mother's Race/Ethnicity: |  |
| AGE-SPECIFIC DEATH RATES (1998-2000 AVERAGE)   |           | Pneumonia and Influenza                            | 37.4 *  | All Race/Ethnic Groups N  |  |
| Deaths per 100,000 Population:                 |           | Chronic Lower Respiratory Disease                  | 48.7 *  | White N   |  |
| 1 to 4 Years Old                               | 0.0       | Acquired Immune Deficiency Syndrome                | 3.7 *   | Black 0.0   |  |
| 5 to 14 Years Old                              | 0.0       | Chronic Liver Disease/Cirrhosis                    | 15.0 *  | Hispanic 0.0  |  |
| 15 to 24 Years Old                             | 98.0 *    | Suicide  | 11.2 *  | Asian, American Indian, Other 0.0                               |  |
| 25 to 34 Years Old                             | 127.0 *   | Diabetes Mellitus                                  | 33.7 *  | PERINATAL DEATHS (1999 BIRTH COHORT)                            |  |
| 35 to 44 Years Old                             | 280.7 *   | Homicide   | 11.2 *  | Number of Perinatal Deaths (Neonatal Plus Fetal) 0              |  |
| 45 to 54 Years Old                             | 564.5 *   | FETAL AND NEONATAL DEATHS (2000)                   |         | Perinatal Death Rate by Mother's Race/Ethnicity:                |  |
| 55 to 64 Years Old                             | 1,397.4 * | Number of Fetal Deaths                             | 1       | All Race/Ethnic Groups 0.0                                      |  |
| 65 to 74 Years Old                             | 2,325.6   | Fetal Death Ratio (Deaths per 1,000 Live Births)   | N       | White 0.0   |  |
| 75 to 84 Years Old                             | 5,286.0   | Number of Neonatal Deaths (Under 28 Days of Age)   | 0       | Black 0.0   |  |
| Over 84 Years Old                              | 13,782.1  | Neonatal Death Rate (Deaths per 1,000 Live Births) | 0.0     | Hispanic 0.0  |  |
|  |           |  |         | Asian, American Indian, Other 0.0                               |  |

| REPORTED COMMUNICABLE DISEASES<br>(1998-2000 AVERAGE)               |              |             | COUNTY HEALTH INDICATORS<br>(continued)                           |        | MEDI-CAL<br>(2000)   |        |
|---|--------------|-------------|---|--------|--|--------|
| Number and Rate per 100,000 Population                              |              |             | Mortality Rate Per 100,000 Pop. (1999-2000 Avg.)                  |        | MEDI-CAL Deliveries by:  |        |
| <u>DISEASE</u>  | <u>CASES</u> | <u>RATE</u> | Work Related Injury Deaths  | 0.5    | County of Beneficiary  | 43     |
| Hepatitis   | 1.0          | 7.5 *       | Mortality Rate  | 4.6 *  |  |        |
| Measles   | 0.0          | 0.0         | Drug Related Deaths (1999-2000 Avg.)                              | 0.0    | Fee for Service  | 43     |
| Shigellosis   | 0.0          | 0.0         | Mortality Rate  | 0.0    | Managed Care   | 0      |
| Tuberculosis  | 0.0          | 0.0         | Homicide by Weapons (2000)  | 2      | MEDI-CAL Abortions by:   | 31     |
| Syphilis  | 0.0          | 0.0         | Homicide by Handguns  | 2      | (Resident beneficiary) FFS   |        |
| Chlamydia   | 6.7          | 49.9 *      | Kindergarten Students Needing One<br>or More Immunizations (2001) | 3      | County Hospitals   | 0      |
| Gonorrhea   | 1.0          | 7.5 *       |   | 2.1 %  | Community Hospitals  | 4      |
| CUMULATIVE AIDS CASES AND INCIDENCE<br>1981 through January 2002    |              |             | MEDI-CAL DATA<br>(AVERAGE MONTHLY, 2000)                          |        | MEDI-CAL PHP ENROLLEES (2000)  |        |
|   |              |             | MEDI-CAL Users (FFS):   |        | Average Monthly Prepaid  |        |
| AIDS Cases  | 12           |             | Percent of County Population                                      | 1,301  | Health Plan Enrollees  | 0      |
| Number of deaths  | 9            |             | Percent of Eligibles (FFS)  | 10.0 % | DENTI-CAL SERVICES (2000)  |        |
| Mortality (percent of AIDS cases<br>resulting in deaths)            | 75.0 %       |             | Total MEDI-CAL Eligibles:   | 59.6 % | Average Monthly Users  | 109    |
| COUNTY HEALTH INDICATORS  |              |             | Percent of County Population                                      |        | MEDI-CAL/MEDICARE (2002)   |        |
|   |              |             | MEDI-CAL Payments (FFS) :   |        | Percent of MEDI-CAL Eligibles<br>Who are also eligible<br>for Medicare |        |
| Persons Injured in Traffic Accidents<br>County of Occurrence (2000) | 166          |             | Amount  | 2,183  |  |        |
| Substance Abuse Admissions (2000)                                   |              |             | Amount per User   | 16.7 % | MEDICARE ENROLLEES (2000)  |        |
| Methamphetamine   | 35           |             | MEDI-CAL ELIGIBLES BY RACE/ETHNICITY<br>(2000)                    |        | TOTAL MEDICARE ENROLLEES   |        |
| Cocaine   | 2            |             | White   |        | Number   | 2,592  |
| Marijuana   | 41           |             | Black   | 90.4 % | Percent of County Population   | 19.9 % |
| Alcohol   | 56           |             | Hispanic  | 0.3 %  | Enrollees Aged 65+   |        |
|   |              |             | American Indian/Alaskan Native                                    | 1.2 %  | Number   | 2,091  |
|   |              |             | Asian/Pacific Islander  | 1.7 %  | Percent of County Population   | 16.1 % |
|   |              |             | Not Reported  | 0.5 %  | Disability Beneficiaries:  |        |
|   |              |             |   | 6.0 %  | Number   | 501    |
|   |              |             |   |        | Percent of County Population   | 3.8 %  |

| PROGRAM CLIENTS/SERVICES   |        | HOSPITALS (2000)   | HOSPICE CARE  |
|--|--------|--|---|
| Percent Early Postpartum Breastfeeding Initiation 1998-2000 Average            | 92.3 % | Number of General Acute Care (GAC) Hospitals<br>0                    | Number of Freestanding Hospice Care Facilities (2000)<br>0                          |
| Family Planning Clients by All Funding Sources (2001)                          | 377    | Number of Licensed GAC Beds<br>0                                     | HOSPITAL UTILIZATION (2000)<br>Number of GAC Discharges from GAC Hospitals<br>0     |
|  |        | Number of Licensed GAC Beds per 1,000 Population<br>0.0              |   |
| Women and Children Under Age 5 Receiving WIC Services (07/02)                  | 335    | LTC (2000)   |   |
|  |        | Number of Long Term Care Facilities and Hospitals with LTC Beds<br>0 | Average GAC Occupancy Rate in GAC Hospitals<br>0.0                                  |
| Child Health/Disability Prevention Screens (FY 2000-2001)                      | 518    | Number of Licensed LTC Beds<br>0                                     | Average GAC Length of Stay in GAC Hospitals (days)<br>0.0                           |
|  |        | Number of Licensed Beds per 1,000 Population<br>0.0                  |   |
| California Children's Services Cases (08/02)                                   | 65     | LTC (2000)   |   |
|  |        | Number of LTC Discharges from LTC Facilities<br>0                    | Average Occupancy Rate of LTC Facilities and Hospitals with LTC Beds<br>0.0         |
| Developmental Disability Clients (08/02)                                       | 58     | PHYSICIANS (2001)  |   |
|  |        | Number of Active Non-Federal Physicians<br>11                        | COUNTY HEALTH COSTS (FY 2000-2001)<br>Estimated Net County Health Care Costs<br>DNR |
| Rehabilitation Clients (FY 2000-2001)  | 11     | Number of Persons per Physician<br>1,184                             |   |
|  |        | DENTISTS (2002)  |   |
| State Mental Hospital Admissions (FY 2000-2001)                                | 2      | Number of Licensed Dentists (Non-Federal)<br>7                       | Estimated Net County Cost per Capita<br>\$0.00                                      |
|  |        | Number of Persons per Dentist<br>1,860                               |   |
| Persons Receiving Preventive Health Care for the Aging Services (FY 2001-2002) | 0      | CLINICS (2000)   |   |
|  |        | Number of Licensed Community and Free Clinics<br>1                   | HOME HEALTH AGENCIES (2000)   |
| Assessment Clients   | 0      | Number of Specialty Clinics<br>0                                     |   |
| Total Client Encounters  | 0      | HOME HEALTH AGENCIES (2000)  |   |
|  |        | Number of Licensed Home Health Agencies<br>1                         |   |

| TOTAL POPULATION       |          | PERCENT BELOW POVERTY LEVEL (1999)                            |        | LIVE BIRTHS (2000)   |        |
|------------------------|----------|---|--------|--|--------|
| Census Year 2000       | 368,021  | Total population  | 23.9 % | Number of Live Births By:                                      |        |
| Projection Year 2010   | 469,800  | Children under 6  | 35.8 % | County of Residence  | 7,251  |
| Projection Year 2020   | 570,900  | Persons aged 65+  | 10.5 % | County of Occurrence   | 6,611  |
| AGE (2000)             |          |   |        | Birth Rate (births per 1,000 population)                       | 19.3   |
| Under Age 5            | 8.9%     | Whites  | 11.8 % | Fertility rate (births per 1,000 women aged 15-44, 98-00 avg.) | 88.2   |
| Age 5-17               | 24.8%    | Blacks  | 37.1 % | Low birthweight (under 2,500 grams)                            | 6.0 %  |
| Age 18-64              | 56.5%    | Hispanics   | 33.6 % | Very low birthweight (under 1,500 grams)                       | 1.2 %  |
| Age 65+                | 9.8%     | Asian/Pacific Islanders                                       | 24.7 % | Unmarried  | 42.2 % |
|                        |          | American Indian   | 32.0 % | Cesarean section delivery                                      | 27.0 % |
|                        |          | HOUSING VALUE (2000)  |        | Mothers who gave birth outside county of residence             | 11.8 % |
|                        |          | Median housing-unit value                                     | 97,800 | Mothers with less than 12 years education                      | 43.3 % |
| SEX (2000)             |          | CALWORKS (2002)   |        | Teenage mothers (<18)  | 6.7 %  |
| Females                | 50.0%    | CalWorks enrollees as a percent of county population          | 2.8 %  | Mothers with no 1st trimester prenatal care                    | 21.0 % |
| Males                  | 50.0%    | SSI/SSP (2002)  |        | Percent of Births by Mother's Race/Ethnicity:                  |        |
| RACE/ETHNICITY (2000)  |          | SSI/SSP recipients as a percent of county population          | 4.0 %  | White/Other  | 26.8 % |
| White                  | 41.8%    | UNEMPLOYMENT (2002)   |        | Black  | 1.2 %  |
| Black                  | 1.4%     | Percent of civilian labor force unemployed                    | 17.8 % | Hispanic   | 68.3 % |
| Hispanic               | 50.8%    | EDUCATION   |        | Asian/Pacific Islander   | 2.6 %  |
| American Indian        | 0.8%     | Percent of persons aged 25+ not completing high-school (2000) | 38.3 % | American Indian  | 0.6 %  |
| Asian/Pacific Islander | 3.2%     | Enrollment K-12 (2001-2002)                                   | 89,828 | Multiple Race  | 0.4 %  |
| URBAN/RURAL (2000)     |          | PRINCIPAL PAYMENT SOURCE FOR BIRTH DELIVERIES                 |        |  |        |
| Urban                  | 81.1%    | Medi-Cal/other gov't  | 60.7 % |  |        |
| Rural                  | 18.9%    | HMO and prepaid plans   | 4.6 %  |  |        |
| FAMILY INCOME (1999)   |          | Private insurance   | 32.3 % |  |        |
| Median family income   | \$36,297 |   |        |  |        |

| DEATHS (2000)                                  |          | CAUSES OF DEATH (1999-2000 AVG.)                   |       | INFANT DEATHS (2000)  |       |
|--|----------|--|-------|---|-------|
| Number of Deaths By:                           |          | Deaths per 100,000 Population Due To:              |       | Number of Infant Deaths (Under 1 Year of Age) 48                |       |
| County of Residence                            | 2,639    | Heart Disease                                      | 200.2 | Infant Death Rate (Deaths per 1,000 Live Births) 6.6            |       |
| County of Occurrence                           | 2,491    | All Malignant Neoplasms                            | 143.7 |   |       |
|  |          | Breast Cancer                                      | 22.0  |   |       |
|  |          | Lung Cancer  | 37.5  |   |       |
| Crude Death Rate (Deaths per 1,000 Population) | 7.0      | Stroke   | 51.8  | INFANT DEATH RATES (1999 BIRTH COHORT)                          |       |
| AGE-ADJUSTED DEATH RATE (1998-2000 AVERAGE)    |          | Unintentional Injuries                             | 46.4  | Infant Deaths per 1,000 Live Births by Mother's Race/Ethnicity: |       |
| Age-Adjusted Deaths per 100,000 Population     | 818.8    | Pneumonia and Influenza                            | 24.5  | All Race/Ethnic Groups  | 5.9   |
| AGE-SPECIFIC DEATH RATES (1998-2000 AVERAGE)   |          | Chronic Lower Respiratory Disease                  | 41.4  | White   | 7.3 * |
| Deaths per 100,000 Population:                 |          | Acquired Immune Deficiency Syndrome                | 1.2 * | Black   | 0.0   |
| 1 to 4 Years Old                               | 34.4 *   | Chronic Liver Disease/Cirrhosis                    | 12.8  | Hispanic  | 5.6   |
| 5 to 14 Years Old                              | 22.3 *   | Suicide  | 8.6   | Asian, American Indian, Other                                   | 0.0   |
| 15 to 24 Years Old                             | 91.6     | Diabetes Mellitus                                  | 21.9  | PERINATAL DEATHS (1999 BIRTH COHORT)                            |       |
| 25 to 34 Years Old                             | 122.9    | Homicide   | 5.1   | Number of Perinatal Deaths (Neonatal Plus Fetal) 88             |       |
|  |          | FETAL AND NEONATAL DEATHS (2000)                   |       | Perinatal Death Rate by Mother's Race/Ethnicity:                |       |
| 35 to 44 Years Old                             | 227.6    | Number of Fetal Deaths                             | 37    | All Race/Ethnic Groups  | 12.9  |
| 45 to 54 Years Old                             | 451.8    | Fetal Death Ratio (Deaths per 1,000 Live Births)   | 5.1   | White   | 18.0  |
| 55 to 64 Years Old                             | 1,041.9  | Number of Neonatal Deaths (Under 28 Days of Age)   | 31    | Black   | N     |
| 65 to 74 Years Old                             | 2,408.5  | Neonatal Death Rate (Deaths per 1,000 Live Births) | 4.3   | Hispanic  | 10.8  |
| 75 to 84 Years Old                             | 5,112.9  |  |       | Asian, American Indian, Other                                   | N     |
| Over 84 Years Old                              | 12,851.4 |  |       |   |       |

| REPORTED COMMUNICABLE DISEASES<br>(1998-2000 AVERAGE)               |              |             | COUNTY HEALTH INDICATORS<br>(continued)                           |              | MEDI-CAL<br>(2000)   |        |
|---|--------------|-------------|---|--------------|--|--------|
| Number and Rate per 100,000 Population                              |              |             | Mortality Rate Per 100,000 Pop. (1999-2000 Avg.)                  |              | MEDI-CAL Deliveries by:  |        |
| <u>DISEASE</u>  | <u>CASES</u> | <u>RATE</u> | Work Related Injury Deaths  | 6.0          | County of Beneficiary  | 4,564  |
| Hepatitis   | 65.0         | 17.5        | Mortality Rate  | 1.8 *        |  |        |
| Measles   | 0.0          | 0.0         | Drug Related Deaths (1999-2000 Avg.)                              | 37.5         | Fee for Service  | 3,757  |
| Shigellosis   | 31.7         | 8.5         | Mortality Rate  | 11.5         | Managed Care   | 807    |
| Tuberculosis  | 22.0         | 5.9         | Homicide by Weapons (2000)  | 17           | MEDI-CAL Abortions by:   | 676    |
| Syphilis  | 2.0          | 0.5 *       | Homicide by Handguns  | 10           | (Resident beneficiary) FFS   |        |
| Chlamydia   | 1,140.0      | 306.7       | Kindergarten Students Needing One<br>or More Immunizations (2001) | 372<br>5.1 % | County Hospitals   | 0      |
| Gonorrhea   | 101.0        | 27.2        |   |              | Community Hospitals  | 111    |
| CUMULATIVE AIDS CASES AND INCIDENCE<br>1981 through January 2002    |              |             | MEDI-CAL DATA<br>(AVERAGE MONTHLY, 2000)                          |              | MEDI-CAL PHP ENROLLEES (2000)  |        |
|   |              |             | MEDI-CAL Users (FFS):   | 44,418       | Average Monthly Prepaid  |        |
| AIDS Cases  | 259          |             | Percent of County Population                                      | 12.1 %       | Health Plan Enrollees  | 32,232 |
| Number of deaths  | 169          |             | Percent of Eligibles (FFS)  | 67.8 %       | DENTI-CAL SERVICES (2000)  |        |
| Mortality (percent of AIDS cases<br>resulting in deaths)            | 65.0 %       |             | Total MEDI-CAL Eligibles:   | 97,736       | Average Monthly Users  | 4,518  |
| COUNTY HEALTH INDICATORS  |              |             | Percent of County Population                                      | 26.1 %       | MEDI-CAL/MEDICARE (2002)   |        |
|   |              |             | MEDI-CAL Payments (FFS) :   |              | Percent of MEDI-CAL Eligibles<br>Who are also eligible<br>for Medicare |        |
| Persons Injured in Traffic Accidents<br>County of Occurrence (2000) | 3,565        |             | Amount  | \$24,827,001 | MEDI-CAL ENROLLEES (2000)  |        |
| Substance Abuse Admissions (2000)                                   |              |             | Amount per User   | \$558.94     | TOTAL MEDICARE ENROLLEES   |        |
| Methamphetamine   | 304          |             | MEDI-CAL ELIGIBLES BY RACE/ETHNICITY<br>(2000)                    |              | Number   | 40,952 |
| Cocaine   | 64           |             | White   | 26.0 %       | Percent of County Population   | 11.1 % |
| Marijuana   | 416          |             | Black   | 2.6 %        | Enrollees Aged 65+   |        |
| Alcohol   | 731          |             | Hispanic  | 58.9 %       | Number   | 34,395 |
|   |              |             | American Indian/Alaskan Native                                    | 0.2 %        | Percent of County Population   | 9.3 %  |
|   |              |             | Asian/Pacific Islander  | 3.7 %        | Disability Beneficiaries:  |        |
|   |              |             | Not Reported  | 8.6 %        | Number   | 6,557  |
|   |              |             |   |              | Percent of County Population   | 1.8 %  |

| PROGRAM CLIENTS/SERVICES   |        | HOSPITALS (2000)  |       | HOSPICE CARE   |              |
|--|--------|---|-------|--|--------------|
| Percent Early Postpartum Breastfeeding Initiation 1998-2000 Average            | 77.6 % | Number of General Acute Care (GAC) Hospitals                    | 5     | Number of Freestanding Hospice Care Facilities (2000)                | 1            |
| Family Planning Clients by All Funding Sources (2001)                          | 12,785 | Number of Licensed GAC Beds                                     | 679   | HOSPITAL UTILIZATION (2000)  |              |
|  |        | Number of Licensed GAC Beds per 1,000 Population                | 1.8   | Number of GAC Discharges from GAC Hospitals                          | 28,877       |
| Women and Children Under Age 5 Receiving WIC Services (07/02)                  | 26,165 | LTC (2000)  |       | Average GAC Occupancy Rate in GAC Hospitals                          | 47.8         |
|  |        | Number of Long Term Care Facilities and Hospitals with LTC Beds | 13    | Average GAC Length of Stay in GAC Hospitals (days)                   | 4.1          |
| Child Health/Disability Prevention Screens (FY 2000-2001)                      | 39,025 | Number of Licensed LTC Beds                                     | 1,347 | LTC (2000)   |              |
|  |        | Number of Licensed Beds per 1,000 Population                    | 3.7   | Number of LTC Discharges from LTC Facilities                         | 2,311        |
| California Children's Services Cases (08/02)                                   | 3,011  | PHYSICIANS (2001)   |       | Average Occupancy Rate of LTC Facilities and Hospitals with LTC Beds |              |
|  |        | Number of Active Non-Federal Physicians                         | 447   | 89.2   |              |
| Developmental Disability Clients (08/02)                                       | 4,082  | Number of Persons per Physician                                 | 823   | COUNTY HEALTH COSTS (FY 2000-2001)                                   |              |
|  |        | DENTISTS (2002)   |       | Estimated Net County Health Care Costs                               | \$14,082,263 |
| Rehabilitation Clients (FY 2000-2001)  | 560    | Number of Licensed Dentists (Non-Federal)                       | 161   | Estimated Net County Cost per Capita                                 | \$38.26      |
|  |        | Number of Persons per Dentist                                   | 2,286 |  |              |
| State Mental Hospital Admissions (FY 2000-2001)                                | 24     | CLINICS (2000)  |       |  |              |
|  |        | Number of Licensed Community and Free Clinics                   | 12    |  |              |
| Persons Receiving Preventive Health Care for the Aging Services (FY 2001-2002) | 549    | Number of Specialty Clinics                                     | 12    |  |              |
|  |        | HOME HEALTH AGENCIES (2000)                                     |       |  |              |
| Assessment Clients   | 688    | Number of Licensed Home Health Agencies                         | 7     |  |              |
| Total Client Encounters  |        |   |       |  |              |

| TOTAL POPULATION       |          | PERCENT BELOW POVERTY LEVEL (1999)                            |        | LIVE BIRTHS (2000)   |        |
|------------------------|----------|---|--------|--|--------|
| Census Year 2000       | 54,501   | Total population  | 11.4 % | Number of Live Births By:                                      |        |
| Projection Year 2010   | 68,200   | Children under 6  | 21.3 % | County of Residence  | 427    |
| Projection Year 2020   | 77,200   | Persons aged 65+  | 4.0 %  | County of Occurrence   | 504    |
| AGE (2000)             |          | HOUSING VALUE (2000)  |        | Birth Rate (births per 1,000 population)                       | 7.7    |
| Under Age 5            | 4.5%     | Whites  | 10.7 % | Fertility rate (births per 1,000 women aged 15-44, 98-00 avg.) | 42.9   |
| Age 5-17               | 16.2%    | Blacks  | 9.5 %  | Low birthweight (under 2,500 grams)                            | 5.9 %  |
| Age 18-64              | 60.8%    | Hispanics   | 17.0 % | Very low birthweight (under 1,500 grams)                       | 0.7 %  |
| Age 65+                | 18.5%    | Asian/Pacific Islanders                                       | 11.0 % | Unmarried  | 32.6 % |
|                        |          | American Indian   | 17.7 % | Cesarean section delivery                                      | 27.9 % |
| SEX (2000)             |          | CALWORKS (2002)   |        | Mothers who gave birth outside county of residence             | 8.4 %  |
| Females                | 47.3%    | CalWorks enrollees as a percent of county population          | 1.6 %  | Mothers with less than 12 years education                      | 17.6 % |
| Males                  | 52.7%    | SSI/SSP (2002)  |        | Teenage mothers (<18)  | 3.5 %  |
| RACE/ETHNICITY (2000)  |          | SSI/SSP recipients as a percent of county population          | 2.7 %  | Mothers with no 1st trimester prenatal care                    | 10.5 % |
| White                  | 85.1%    | UNEMPLOYMENT (2002)   |        | Percent of Births by Mother's Race/Ethnicity:                  |        |
| Black                  | 2.1%     | Percent of civilian labor force unemployed                    | 7.0 %  | White/Other  | 84.8 % |
| Hispanic               | 8.2%     | EDUCATION   |        | Black  | 0.0 %  |
| American Indian        | 1.6%     | Percent of persons aged 25+ not completing high-school (2000) | 15.7 % | Hispanic   | 9.8 %  |
| Asian/Pacific Islander | 0.8%     | Enrollment K-12 (2001-2002)                                   | 8,317  | Asian/Pacific Islander   | 1.6 %  |
| URBAN/RURAL (2000)     |          | PRINCIPAL PAYMENT SOURCE FOR BIRTH DELIVERIES                 |        | American Indian  | 1.6 %  |
| Urban                  | 53.4%    | Medi-Cal/other gov't  | 46.4 % | Multiple Race  | 2.1 %  |
| Rural                  | 46.6%    | HMO and prepaid plans   | 5.9 %  |  |        |
| FAMILY INCOME (1999)   |          | Private insurance   | 45.2 % |  |        |
| Median family income   | \$44,327 |   |        |  |        |

| DEATHS (2000)                                  |          | CAUSES OF DEATH (1999-2000 AVG.)                   |        | INFANT DEATHS (2000)  |     |
|--|----------|--|--------|---|-----|
| Number of Deaths By:                           |          | Deaths per 100,000 Population Due To:              |        | Number of Infant Deaths (Under 1 Year of Age) 6                 |     |
| County of Residence                            | 585      | Heart Disease                                      | 316.7  | Infant Death Rate (Deaths per 1,000 Live Births) N              |     |
| County of Occurrence                           | 532      | All Malignant Neoplasms                            | 254.4  |   |     |
|  |          | Breast Cancer                                      | 36.6 * |   |     |
|  |          | Lung Cancer  | 73.2   |   |     |
| Crude Death Rate (Deaths per 1,000 Population) | 10.6     | Stroke   | 66.8   | INFANT DEATH RATES (1999 BIRTH COHORT)                          |     |
| AGE-ADJUSTED DEATH RATE (1998-2000 AVERAGE)    |          | Unintentional Injuries                             | 43.9   | Infant Deaths per 1,000 Live Births by Mother's Race/Ethnicity: |     |
| Age-Adjusted Deaths per 100,000 Population     | 791.2    | Pneumonia and Influenza                            | 34.8   | All Race/Ethnic Groups  | N   |
| AGE-SPECIFIC DEATH RATES (1998-2000 AVERAGE)   |          | Chronic Lower Respiratory Disease                  | 53.1   | White   | N   |
| Deaths per 100,000 Population:                 |          | Acquired Immune Deficiency Syndrome                | 3.7 *  | Black   | 0.0 |
| 1 to 4 Years Old                               | 16.4 *   | Chronic Liver Disease/Cirrhosis                    | 12.8 * | Hispanic  | 0.0 |
| 5 to 14 Years Old                              | 5.5 *    | Suicide  | 14.6 * | Asian, American Indian, Other                                   | N   |
| 15 to 24 Years Old                             | 29.8 *   | Diabetes Mellitus                                  | 16.5 * | PERINATAL DEATHS (1999 BIRTH COHORT)                            |     |
| 25 to 34 Years Old                             | 75.3 *   | Homicide   | 2.7 *  | Number of Perinatal Deaths (Neonatal Plus Fetal) 3              |     |
| 35 to 44 Years Old                             | 165.0 *  | FETAL AND NEONATAL DEATHS (2000)                   |        | Perinatal Death Rate by Mother's Race/Ethnicity:                |     |
| 45 to 54 Years Old                             | 406.6    | Number of Fetal Deaths                             | 2      | All Race/Ethnic Groups  | N   |
| 55 to 64 Years Old                             | 1,221.4  | Fetal Death Ratio (Deaths per 1,000 Live Births)   | N      | White   | N   |
| 65 to 74 Years Old                             | 2,197.9  | Number of Neonatal Deaths (Under 28 Days of Age)   | 1      | Black   | 0.0 |
| 75 to 84 Years Old                             | 4,722.8  | Neonatal Death Rate (Deaths per 1,000 Live Births) | N      | Hispanic  | 0.0 |
| Over 84 Years Old                              | 14,294.8 |  |        | Asian, American Indian, Other                                   | 0.0 |

| REPORTED COMMUNICABLE DISEASES<br>(1998-2000 AVERAGE)               |              |             | COUNTY HEALTH INDICATORS<br>(continued)                           |                | MEDI-CAL<br>(2000)   |     |
|---|--------------|-------------|---|----------------|--|-----|
| Number and Rate per 100,000 Population                              |              |             | Mortality Rate Per 100,000 Pop. (1999-2000 Avg.)                  |                | MEDI-CAL Deliveries by:  |     |
| <u>DISEASE</u>  | <u>CASES</u> | <u>RATE</u> | Work Related Injury Deaths  | 1.0            | County of Beneficiary  | 197 |
| Hepatitis   | 11.7         | 21.4 *      | Mortality Rate  | 1.8 *          |  |     |
| Measles   | 0.0          | 0.0         | Drug Related Deaths (1999-2000 Avg.)                              | 2.5            | Fee for Service  | 197 |
| Shigellosis   | 0.0          | 0.0         | Mortality Rate  | 4.5 *          | Managed Care   | 0   |
| Tuberculosis  | 3.3          | 6.1 *       | Homicide by Weapons (2000)  | 2              | MEDI-CAL Abortions by:   | 109 |
| Syphilis  | 0.0          | 0.0         | Homicide by Handguns  | 0              | (Resident beneficiary) FFS   |     |
| Chlamydia   | 49.7         | 90.9        | Kindergarten Students Needing One<br>or More Immunizations (2001) | 108<br>18.3 %  | County Hospitals   | 3   |
| Gonorrhea   | 6.3          | 11.6 *      |   |                | Community Hospitals  | 0   |
| CUMULATIVE AIDS CASES AND INCIDENCE<br>1981 through January 2002    |              |             | MEDI-CAL DATA<br>(AVERAGE MONTHLY, 2000)                          |                | MEDI-CAL PHP ENROLLEES (2000)  |     |
|   |              |             | MEDI-CAL Users (FFS):   |                | Average Monthly Prepaid  |     |
| AIDS Cases  | 60           |             | Percent of County Population                                      | 4,014<br>7.4 % | Health Plan Enrollees  | 0   |
| Number of deaths  | 36           |             | Percent of Eligibles (FFS)  | 63.1 %         | DENTI-CAL SERVICES (2000)  |     |
| Mortality (percent of AIDS cases<br>resulting in deaths)            | 60.0 %       |             | Total MEDI-CAL Eligibles:   | 6,364          | Average Monthly Users  |     |
| COUNTY HEALTH INDICATORS  |              |             | Percent of County Population                                      |                | 349  |     |
|   |              |             | MEDI-CAL Payments (FFS) :   |                | MEDI-CAL/MEDICARE (2002)   |     |
| Persons Injured in Traffic Accidents<br>County of Occurrence (2000) | 485          |             | Amount  | \$1,976,689    | Percent of MEDI-CAL Eligibles<br>Who are also eligible<br>for Medicare |     |
| Substance Abuse Admissions (2000)                                   |              |             | Amount per User   | \$492.45       | 22.6 %   |     |
| Methamphetamine   | 97           |             | MEDI-CAL ELIGIBLES BY RACE/ETHNICITY<br>(2000)                    |                | MEDI-CAL ENROLLEES (2000)  |     |
| Cocaine   | 7            |             | White   | 87.1 %         | TOTAL MEDICARE ENROLLEES   |     |
| Marijuana   | 49           |             | Black   | 0.8 %          | Number   |     |
| Alcohol   | 128          |             | Hispanic  | 3.5 %          | 10,842   |     |
|   |              |             | American Indian/Alaskan Native                                    | 1.5 %          | Percent of County Population   |     |
|   |              |             | Asian/Pacific Islander  | 0.8 %          | 19.9 %   |     |
|   |              |             | Not Reported  | 6.3 %          | Enrollees Aged 65+   |     |
|   |              |             |   |                | Number   |     |
|   |              |             |   |                | 9,535  |     |
|   |              |             |   |                | Percent of County Population   |     |
|   |              |             |   |                | 17.5 %   |     |
|   |              |             |   |                | Disability Beneficiaries:  |     |
|   |              |             |   |                | Number   |     |
|   |              |             |   |                | 1,307  |     |
|   |              |             |   |                | Percent of County Population   |     |
|   |              |             |   |                | 2.4 %  |     |

| PROGRAM CLIENTS/SERVICES   |        | HOSPITALS (2000)   | HOSPICE CARE  |
|--|--------|--|---|
| Percent Early Postpartum Breastfeeding Initiation 1998-2000 Average            | 87.5 % | Number of General Acute Care (GAC) Hospitals<br>1                    | Number of Freestanding Hospice Care Facilities (2000)<br>1  |
| Family Planning Clients by All Funding Sources (2001)                          | 1,213  | Number of Licensed GAC Beds<br>12                                    | <b>HOSPITAL UTILIZATION (2000)</b><br>Number of GAC Discharges from GAC Hospitals<br>541<br><br>Average GAC Occupancy Rate in GAC Hospitals<br>26.1         |
|  |        | Number of Licensed GAC Beds per 1,000 Population<br>0.2              |   |
| Women and Children Under Age 5 Receiving WIC Services (07/02)                  | 1,061  | <b>LTC (2000)</b>  |   |
|  |        | Number of Long Term Care Facilities and Hospitals with LTC Beds<br>1 | Average GAC Length of Stay in GAC Hospitals (days)<br>2.1   |
| Child Health/Disability Prevention Screens (FY 2000-2001)                      | 1,882  | Number of Licensed LTC Beds<br>120                                   | <b>LTC (2000)</b><br>Number of LTC Discharges from LTC Facilities<br>41<br><br>Average Occupancy Rate of LTC Facilities and Hospitals with LTC Beds<br>35.1 |
|  |        | Number of Licensed Beds per 1,000 Population<br>2.2                  |   |
| California Children's Services Cases (08/02)                                   | 209    | <b>PHYSICIANS (2001)</b>   |   |
|  |        | Number of Active Non-Federal Physicians<br>115                       |   |
| Developmental Disability Clients (08/02)                                       | 271    | Number of Persons per Physician<br>474                               | <b>COUNTY HEALTH COSTS (FY 2000-2001)</b><br>Estimated Net County Health Care Costs<br>DNR<br><br>Estimated Net County Cost per Capita<br>\$0.00            |
|  |        |  |   |
| Rehabilitation Clients (FY 2000-2001)  | 78     | <b>DENTISTS (2002)</b>   |   |
|  |        | Number of Licensed Dentists (Non-Federal)<br>39                      |   |
| State Mental Hospital Admissions (FY 2000-2001)                                | 3      | Number of Persons per Dentist<br>1,397                               |   |
|  |        | <b>CLINICS (2000)</b>  |   |
| Persons Receiving Preventive Health Care for the Aging Services (FY 2001-2002) |        | Number of Licensed Community and Free Clinics<br>2                   |   |
|  |        | Number of Specialty Clinics<br>2                                     |   |
| Assessment Clients   | 0      |  |   |
| Total Client Encounters  | 0      | <b>HOME HEALTH AGENCIES (2000)</b>                                   |   |
|  |        | Number of Licensed Home Health Agencies<br>4                         |   |

| TOTAL POPULATION       |           | PERCENT BELOW POVERTY LEVEL (1999)                            |           | LIVE BIRTHS (2000)   |        |
|------------------------|-----------|---|-----------|--|--------|
| Census Year 2000       | 753,197   | Total population  | 9.2 %     | Number of Live Births By:                                      |        |
| Projection Year 2010   | 877,400   | Children under 6  | 13.1 %    | County of Residence  | 11,768 |
| Projection Year 2020   | 1,007,200 | Persons aged 65+  | 6.3 %     | County of Occurrence   | 11,032 |
| AGE (2000)             |           |   |           | Birth Rate (births per 1,000 population)                       | 15.4   |
| Under Age 5            | 7.5%      | Whites  | 5.1 %     | Fertility rate (births per 1,000 women aged 15-44, 98-00 avg.) | 74.8   |
| Age 5-17               | 21.0%     | Blacks  | 12.3 %    | Low birthweight (under 2,500 grams)                            | 5.9 %  |
| Age 18-64              | 61.4%     | Hispanics   | 16.5 %    | Very low birthweight (under 1,500 grams)                       | 1.1 %  |
| Age 65+                | 10.2%     | Asian/Pacific Islanders                                       | 7.2 %     | Unmarried  | 23.1 % |
|                        |           | American Indian   | 15.6 %    | Cesarean section delivery                                      | 25.5 % |
|                        |           | HOUSING VALUE (2000)  |           | Mothers who gave birth outside county of residence             | 10.3 % |
|                        |           | Median housing-unit value                                     | \$248,700 | Mothers with less than 12 years education                      | 32.9 % |
| SEX (2000)             |           | CALWORKS (2002)   |           | Teenage mothers (<18)  | 3.2 %  |
| Females                | 50.1%     | CalWorks enrollees as a percent of county population          | 0.6 %     | Mothers with no 1st trimester prenatal care                    | 10.3 % |
| Males                  | 49.9%     | SSI/SSP (2002)  |           | Percent of Births by Mother's Race/Ethnicity:                  |        |
| RACE/ETHNICITY (2000)  |           | SSI/SSP recipients as a percent of county population          | 1.8 %     | White/Other  | 37.7 % |
| White                  | 56.8%     | UNEMPLOYMENT (2002)   |           | Black  | 1.5 %  |
| Black                  | 1.8%      | Percent of civilian labor force unemployed                    | 4.7 %     | Hispanic   | 47.8 % |
| Hispanic               | 33.4%     | EDUCATION   |           | Asian/Pacific Islander   | 5.2 %  |
| American Indian        | 0.4%      | Percent of persons aged 25+ not completing high-school (2000) | 19.9 %    | American Indian  | 0.2 %  |
| Asian/Pacific Islander | 5.4%      | Enrollment K-12 (2001-2002)                                   | 158,377   | Multiple Race  | 1.1 %  |
| URBAN/RURAL (2000)     |           | PRINCIPAL PAYMENT SOURCE FOR BIRTH DELIVERIES                 |           |  |        |
| Urban                  | 96.8%     | Medi-Cal/other gov't  | 38.0 %    |  |        |
| Rural                  | 3.2%      | HMO and prepaid plans   | 20.2 %    |  |        |
| FAMILY INCOME (1999)   |           | Private insurance   | 39.9 %    |  |        |
| Median family income   | \$65,285  |   |           |  |        |

| DEATHS (2000)                                  |          | CAUSES OF DEATH (1999-2000 AVG.)                   |       | INFANT DEATHS (2000)  |       |
|--|----------|--|-------|---|-------|
| Number of Deaths By:                           |          | Deaths per 100,000 Population Due To:              |       | Number of Infant Deaths (Under 1 Year of Age) 48                |       |
| County of Residence                            | 4,778    | Heart Disease                                      | 170.8 | Infant Death Rate (Deaths per 1,000 Live Births) 4.1            |       |
| County of Occurrence                           | 4,546    | All Malignant Neoplasms                            | 152.9 |   |       |
|  |          | Breast Cancer                                      | 28.5  |   |       |
|  |          | Lung Cancer  | 40.1  |   |       |
| Crude Death Rate (Deaths per 1,000 Population) | 6.2      | Stroke   | 51.5  | INFANT DEATH RATES (1999 BIRTH COHORT)                          |       |
| AGE-ADJUSTED DEATH RATE (1998-2000 AVERAGE)    |          | Unintentional Injuries                             | 28.1  | Infant Deaths per 1,000 Live Births by Mother's Race/Ethnicity: |       |
| Age-Adjusted Deaths per 100,000 Population     | 755.7    | Pneumonia and Influenza                            | 19.1  | All Race/Ethnic Groups  | 5.2   |
| AGE-SPECIFIC DEATH RATES (1998-2000 AVERAGE)   |          | Chronic Lower Respiratory Disease                  | 34.1  | White   | 3.9 * |
| Deaths per 100,000 Population:                 |          | Acquired Immune Deficiency Syndrome                | 2.1   | Black   | N     |
| 1 to 4 Years Old                               | 25.2 *   | Chronic Liver Disease/Cirrhosis                    | 9.7   | Hispanic  | 4.7   |
| 5 to 14 Years Old                              | 12.8 *   | Suicide  | 8.4   | Asian, American Indian, Other                                   | N     |
| 15 to 24 Years Old                             | 56.8     | Diabetes Mellitus                                  | 18.7  | PERINATAL DEATHS (1999 BIRTH COHORT)                            |       |
| 25 to 34 Years Old                             | 73.2     | Homicide   | 3.6   | Number of Perinatal Deaths (Neonatal Plus Fetal) 104            |       |
|  |          | FETAL AND NEONATAL DEATHS (2000)                   |       | Perinatal Death Rate by Mother's Race/Ethnicity:                |       |
| 35 to 44 Years Old                             | 147.3    | Number of Fetal Deaths                             | 52    | All Race/Ethnic Groups  | 9.0   |
| 45 to 54 Years Old                             | 288.5    | Fetal Death Ratio (Deaths per 1,000 Live Births)   | 4.4   | White   | 7.4   |
| 55 to 64 Years Old                             | 641.3    | Number of Neonatal Deaths (Under 28 Days of Age)   | 37    | Black   | N     |
| 65 to 74 Years Old                             | 1,942.1  | Neonatal Death Rate (Deaths per 1,000 Live Births) | 3.1   | Hispanic  | 10.3  |
| 75 to 84 Years Old                             | 5,573.8  |  |       | Asian, American Indian, Other                                   | N     |
| Over 84 Years Old                              | 14,892.6 |  |       |   |       |

| REPORTED COMMUNICABLE DISEASES<br>(1998-2000 AVERAGE)               |              |             | COUNTY HEALTH INDICATORS<br>(continued)                           |                | MEDI-CAL<br>(2000)   |        |
|---|--------------|-------------|---|----------------|--|--------|
| Number and Rate per 100,000 Population                              |              |             | Mortality Rate Per 100,000 Pop. (1999-2000 Avg.)                  |                | MEDI-CAL Deliveries by:  |        |
| <u>DISEASE</u>  | <u>CASES</u> | <u>RATE</u> | Work Related Injury Deaths  | 12.5           | County of Beneficiary  | 4,196  |
| Hepatitis   | 71.0         | 9.5         | Mortality Rate  | 1.7 *          |  |        |
| Measles   | 0.3          | 0.0 *       | Drug Related Deaths (1999-2000 Avg.)                              | 64.0           | Fee for Service  | 4,196  |
| Shigellosis   | 47.7         | 6.4         | Mortality Rate  | 8.7            | Managed Care   | 0      |
| Tuberculosis  | 54.3         | 7.3         | Homicide by Weapons (2000)  | 24             | MEDI-CAL Abortions by:   | 1,277  |
| Syphilis  | 2.0          | 0.3 *       | Homicide by Handguns  | 15             | (Resident beneficiary) FFS   |        |
| Chlamydia   | 1,045.3      | 140.3       | Kindergarten Students Needing One<br>or More Immunizations (2001) | 1,169<br>9.6 % | County Hospitals   | 37     |
| Gonorrhea   | 98.7         | 13.2        |   |                | Community Hospitals  | 170    |
| CUMULATIVE AIDS CASES AND INCIDENCE<br>1981 through January 2002    |              |             | MEDI-CAL DATA<br>(AVERAGE MONTHLY, 2000)                          |                | MEDI-CAL PHP ENROLLEES (2000)  |        |
|   |              |             | MEDI-CAL Users (FFS):   | 36,763         | Average Monthly Prepaid  |        |
| AIDS Cases  | 852          |             | Percent of County Population                                      | 4.9 %          | Health Plan Enrollees  | 0      |
| Number of deaths  | 507          |             | Percent of Eligibles (FFS)  | 53.0 %         | DENTI-CAL SERVICES (2000)  |        |
| Mortality (percent of AIDS cases<br>resulting in deaths)            | 60.0 %       |             | Total MEDI-CAL Eligibles:   | 69,303         | Average Monthly Users  | 3,394  |
| COUNTY HEALTH INDICATORS  |              |             | Percent of County Population                                      | 9.1 %          | MEDI-CAL/MEDICARE (2002)   |        |
|   |              |             | MEDI-CAL Payments (FFS) :   |                | Percent of MEDI-CAL Eligibles<br>Who are also eligible<br>for Medicare | 19.9 % |
| Persons Injured in Traffic Accidents<br>County of Occurrence (2000) | 6,418        |             | Amount  | \$15,005,563   | MEDICARE ENROLLEES (2000)  |        |
| Substance Abuse Admissions (2000)                                   |              |             | Amount per User   | \$408.17       | TOTAL MEDICARE ENROLLEES   |        |
| Methamphetamine   | 424          |             | MEDI-CAL ELIGIBLES BY RACE/ETHNICITY<br>(2000)                    |                | Number   | 85,195 |
| Cocaine   | 194          |             | White   | 27.0 %         | Percent of County Population   | 11.3 % |
| Marijuana   | 228          |             | Black   | 2.7 %          | Enrollees Aged 65+   |        |
| Alcohol   | 632          |             | Hispanic  | 56.7 %         | Number   | 75,652 |
|   |              |             | American Indian/Alaskan Native                                    | 0.3 %          | Percent of County Population   | 10.0 % |
|   |              |             | Asian/Pacific Islander  | 2.2 %          | Disability Beneficiaries:  |        |
|   |              |             | Not Reported  | 11.1 %         | Number   | 9,543  |
|   |              |             |   |                | Percent of County Population   | 1.3 %  |

| PROGRAM CLIENTS/SERVICES   |        | HOSPITALS (2000)  |       | HOSPICE CARE   |              |
|--|--------|---|-------|--|--------------|
| Percent Early Postpartum Breastfeeding Initiation 1998-2000 Average            | 86.8 % | Number of General Acute Care (GAC) Hospitals                    | 8     | Number of Freestanding Hospice Care Facilities (2000)                | 5            |
| Family Planning Clients by All Funding Sources (2001)                          | 22,551 | Number of Licensed GAC Beds                                     | 1,076 | HOSPITAL UTILIZATION (2000)  |              |
|  |        | Number of Licensed GAC Beds per 1,000 Population                | 1.4   | Number of GAC Discharges from GAC Hospitals                          | 57,506       |
| Women and Children Under Age 5 Receiving WIC Services (07/02)                  | 22,187 | LTC (2000)  |       | Average GAC Occupancy Rate in GAC Hospitals                          | 65.3         |
|  |        | Number of Long Term Care Facilities and Hospitals with LTC Beds | 17    | Average GAC Length of Stay in GAC Hospitals (days)                   | 4.5          |
| Child Health/Disability Prevention Screens (FY 2000-2001)                      | 32,467 | Number of Licensed LTC Beds                                     | 1,614 | LTC (2000)   |              |
|  |        | Number of Licensed Beds per 1,000 Population                    | 2.1   | Number of LTC Discharges from LTC Facilities                         | 2,506        |
| California Children's Services Cases (08/02)                                   | 2,447  | PHYSICIANS (2001)   |       | Average Occupancy Rate of LTC Facilities and Hospitals with LTC Beds |              |
|  |        | Number of Active Non-Federal Physicians                         | 1,553 | 89.1   |              |
| Developmental Disability Clients (08/02)                                       | 4,061  | Number of Persons per Physician                                 | 485   | COUNTY HEALTH COSTS (FY 2000-2001)                                   |              |
|  |        | DENTISTS (2002)   |       | Estimated Net County Health Care Costs                               | \$43,663,345 |
| Rehabilitation Clients (FY 2000-2001)  | 1,689  | Number of Licensed Dentists (Non-Federal)                       | 588   | Estimated Net County Cost per Capita                                 | \$57.97      |
|  |        | Number of Persons per Dentist                                   | 1,281 |  |              |
| State Mental Hospital Admissions (FY 2000-2001)                                | 16     | CLINICS (2000)  |       |  |              |
|  |        | Number of Licensed Community and Free Clinics                   | 12    |  |              |
| Persons Receiving Preventive Health Care for the Aging Services (FY 2001-2002) |        | Number of Specialty Clinics                                     | 18    |  |              |
|  |        | HOME HEALTH AGENCIES (2000)                                     |       |  |              |
| Assessment Clients   | 0      | Number of Licensed Home Health Agencies                         | 21    |  |              |
| Total Client Encounters  | 0      |   |       |  |              |

| TOTAL POPULATION       |          | PERCENT BELOW POVERTY LEVEL (1999)                            |           | LIVE BIRTHS (2000)   |        |
|------------------------|----------|---|-----------|--|--------|
| Census Year 2000       | 168,660  | Total population  | 18.4 %    | Number of Live Births By:                                      |        |
| Projection Year 2010   | 205,000  | Children under 6  | 18.0 %    | County of Residence  | 2,246  |
| Projection Year 2020   | 236,400  | Persons aged 65+  | 7.4 %     | County of Occurrence   | 1,854  |
| AGE (2000)             |          |   |           | Birth Rate (births per 1,000 population)                       | 13.1   |
| Under Age 5            | 6.5%     | Whites  | 13.3 %    | Fertility rate (births per 1,000 women aged 15-44, 98-00 avg.) | 52.6   |
| Age 5-17               | 18.7%    | Blacks  | 34.2 %    | Low birthweight (under 2,500 grams)                            | 5.3 %  |
| Age 18-64              | 65.5%    | Hispanics   | 19.1 %    | Very low birthweight (under 1,500 grams)                       | 1.2 %  |
| Age 65+                | 9.4%     | Asian/Pacific Islanders                                       | 40.7 %    | Unmarried  | 25.1 % |
|                        |          | American Indian   | 14.1 %    | Cesarean section delivery                                      | 16.9 % |
|                        |          | HOUSING VALUE (2000)  |           | Mothers who gave birth outside county of residence             | 36.3 % |
|                        |          | Median housing-unit value                                     | \$169,800 | Mothers with less than 12 years education                      | 27.2 % |
| SEX (2000)             |          | CALWORKS (2002)   |           | Teenage mothers (<18)  | 3.3 %  |
| Females                | 51.1%    | CalWorks enrollees as a percent of county population          | 1.2 %     | Mothers with no 1st trimester prenatal care                    | 27.2 % |
| Males                  | 48.9%    | SSI/SSP (2002)  |           | Percent of Births by Mother's Race/Ethnicity:                  |        |
| RACE/ETHNICITY (2000)  |          | SSI/SSP recipients as a percent of county population          | 2.7 %     | White/Other  | 47.6 % |
| White                  | 58.1%    | UNEMPLOYMENT (2002)   |           | Black  | 1.5 %  |
| Black                  | 1.9%     | Percent of civilian labor force unemployed                    | 5.9 %     | Hispanic   | 40.3 % |
| Hispanic               | 25.9%    | EDUCATION   |           | Asian/Pacific Islander   | 8.8 %  |
| American Indian        | 0.7%     | Percent of persons aged 25+ not completing high-school (2000) | 20.2 %    | American Indian  | 0.4 %  |
| Asian/Pacific Islander | 10.0%    | Enrollment K-12 (2001-2002)                                   | 31,317    | Multiple Race  | 1.2 %  |
| URBAN/RURAL (2000)     |          | PRINCIPAL PAYMENT SOURCE FOR BIRTH DELIVERIES                 |           |  |        |
| Urban                  | 90.7%    | Medi-Cal/other gov't  | 40.3 %    |  |        |
| Rural                  | 9.3%     | HMO and prepaid plans   | 42.0 %    |  |        |
| FAMILY INCOME (1999)   |          | Private insurance   | 16.4 %    |  |        |
| Median family income   | \$51,623 |   |           |  |        |

| DEATHS (2000)                                       |          | CAUSES OF DEATH (1999-2000 AVG.)                   |       | INFANT DEATHS (2000)  |       |
|---|----------|--|-------|---|-------|
| Number of Deaths By:                                |          | Deaths per 100,000 Population Due To:              |       | Number of Infant Deaths (Under 1 Year of Age)                   | 14    |
| County of Residence                                 | 1,063    | Heart Disease                                      | 151.7 | Infant Death Rate (Deaths per 1,000 Live Births)                | 6.2 * |
| County of Occurrence                                | 910      | All Malignant Neoplasms                            | 153.3 | <b>INFANT DEATH RATES (1999 BIRTH COHORT)</b>                   |       |
| Crude Death Rate (Deaths per 1,000 Population)      | 6.2      | Breast Cancer                                      | 28.4  | Infant Deaths per 1,000 Live Births by Mother's Race/Ethnicity: |       |
|   |          | Lung Cancer  | 39.5  | All Race/Ethnic Groups  |       |
|   |          | Stroke   | 59.7  | White   |       |
| <b>AGE-ADJUSTED DEATH RATE (1998-2000 AVERAGE)</b>  |          | Unintentional Injuries                             | 24.3  | Black   |       |
| Age-Adjusted Deaths per 100,000 Population          | 811.9    | Pneumonia and Influenza                            | 30.5  | Hispanic  |       |
|   |          | Chronic Lower Respiratory Disease                  | 45.4  | Asian, American Indian, Other                                   |       |
|   |          | Acquired Immune Deficiency Syndrome                | 2.5 * | <b>PERINATAL DEATHS (1999 BIRTH COHORT)</b>                     |       |
| <b>AGE-SPECIFIC DEATH RATES (1998-2000 AVERAGE)</b> |          | Chronic Liver Disease/Cirrhosis                    | 13.1  | Number of Perinatal Deaths (Neonatal Plus Fetal)                |       |
| Deaths per 100,000 Population:                      |          | Suicide  | 12.1  | Perinatal Death Rate by Mother's Race/Ethnicity:                |       |
| 1 to 4 Years Old                                    | 25.1 *   | Diabetes Mellitus                                  | 18.0  | All Race/Ethnic Groups  |       |
| 5 to 14 Years Old                                   | 17.2 *   | Homicide   | 3.4 * | White   |       |
| 15 to 24 Years Old                                  | 46.1 *   | <b>FETAL AND NEONATAL DEATHS (2000)</b>            |       | Black   |       |
| 25 to 34 Years Old                                  | 57.4 *   | Number of Fetal Deaths                             | 15    | Hispanic  |       |
| 35 to 44 Years Old                                  | 180.5    | Fetal Death Ratio (Deaths per 1,000 Live Births)   | 6.7 * | Asian, American Indian, Other                                   |       |
| 45 to 54 Years Old                                  | 483.8    | Number of Neonatal Deaths (Under 28 Days of Age)   | 12    |   |       |
| 55 to 64 Years Old                                  | 917.4    | Neonatal Death Rate (Deaths per 1,000 Live Births) | 5.3 * |   |       |
| 65 to 74 Years Old                                  | 2,168.4  |  |       |   |       |
| 75 to 84 Years Old                                  | 5,446.4  |  |       |   |       |
| Over 84 Years Old                                   | 14,582.3 |  |       |   |       |

| REPORTED COMMUNICABLE DISEASES<br>(1998-2000 AVERAGE)               |              |             | COUNTY HEALTH INDICATORS<br>(continued)                           |              | MEDI-CAL<br>(2000)   |        |
|---|--------------|-------------|---|--------------|--|--------|
| Number and Rate per 100,000 Population                              |              |             | Mortality Rate Per 100,000 Pop. (1999-2000 Avg.)                  |              | MEDI-CAL Deliveries by:  |        |
| <u>DISEASE</u>  | <u>CASES</u> | <u>RATE</u> | Work Related Injury Deaths  | 2.0          | County of Beneficiary  | 915    |
| Hepatitis   | 39.7         | 24.7        | Mortality Rate  | 1.5 *        |  |        |
| Measles   | 0.0          | 0.0         | Drug Related Deaths (1999-2000 Avg.)                              | 10.5         | Fee for Service  | 902    |
| Shigellosis   | 7.7          | 4.8 *       | Mortality Rate  | 8.3 *        | Managed Care   | 13     |
| Tuberculosis  | 8.7          | 5.4 *       | Homicide by Weapons (2000)  | 6            | MEDI-CAL Abortions by:   | 340    |
| Syphilis  | 0.0          | 0.0         | Homicide by Handguns  | 4            | (Resident beneficiary) FFS   |        |
| Chlamydia   | 261.0        | 162.3       | Kindergarten Students Needing One<br>or More Immunizations (2001) | 150<br>6.6 % | County Hospitals   | 0      |
| Gonorrhea   | 27.0         | 16.8        |   |              | Community Hospitals  | 41     |
| CUMULATIVE AIDS CASES AND INCIDENCE<br>1981 through January 2002    |              |             | MEDI-CAL DATA<br>(AVERAGE MONTHLY, 2000)                          |              | MEDI-CAL PHP ENROLLEES (2000)  |        |
|   |              |             | MEDI-CAL Users (FFS):   | 11,336       | Average Monthly Prepaid  |        |
| AIDS Cases  | 168          |             | Percent of County Population                                      | 6.7 %        | Health Plan Enrollees  | 846    |
| Number of deaths  | 98           |             | Percent of Eligibles (FFS)  | 51.4 %       | DENTI-CAL SERVICES (2000)  |        |
| Mortality (percent of AIDS cases<br>resulting in deaths)            | 58.0 %       |             | Total MEDI-CAL Eligibles:   | 22,906       | Average Monthly Users  | 1,383  |
| COUNTY HEALTH INDICATORS  |              |             | Percent of County Population                                      | 13.4 %       | MEDI-CAL/MEDICARE (2002)   |        |
|   |              |             | MEDI-CAL Payments (FFS) :   |              | Percent of MEDI-CAL Eligibles<br>Who are also eligible<br>for Medicare |        |
| Persons Injured in Traffic Accidents<br>County of Occurrence (2000) | 1,375        |             | Amount  | \$4,324,161  | MEDICARE ENROLLEES (2000)  |        |
| Substance Abuse Admissions (2000)                                   |              |             | Amount per User   | \$381.45     | TOTAL MEDICARE ENROLLEES   |        |
| Methamphetamine   | 574          |             | MEDI-CAL ELIGIBLES BY RACE/ETHNICITY<br>(2000)                    |              | Number   | 17,766 |
| Cocaine   | 66           |             | White   | 44.3 %       | Percent of County Population   | 10.5 % |
| Marijuana   | 261          |             | Black   | 3.9 %        | Enrollees Aged 65+   |        |
| Alcohol   | 462          |             | Hispanic  | 34.1 %       | Number   | 15,333 |
|   |              |             | American Indian/Alaskan Native                                    | 0.6 %        | Percent of County Population   | 9.1 %  |
|   |              |             | Asian/Pacific Islander  | 7.1 %        | Disability Beneficiaries:  |        |
|   |              |             | Not Reported  | 9.9 %        | Number   | 2,433  |
|   |              |             |   |              | Percent of County Population   | 1.4 %  |

| PROGRAM CLIENTS/SERVICES   | HOSPITALS (2000)   | HOSPICE CARE   |
|--|--|--|
| Percent Early Postpartum Breastfeeding Initiation 1998-2000 Average            | Number of General Acute Care (GAC) Hospitals<br>2                    | Number of Freestanding Hospice Care Facilities (2000)<br>1                   |
| Family Planning Clients by All Funding Sources (2001)                          | Number of Licensed GAC Beds<br>155                                   | HOSPITAL UTILIZATION (2000)  |
| Women and Children Under Age 5 Receiving WIC Services (07/02)                  | Number of Licensed GAC Beds per 1,000 Population<br>0.9              |  |
| Child Health/Disability Prevention Screens (FY 2000-2001)                      | LTC (2000)   |  |
|  | Number of Long Term Care Facilities and Hospitals with LTC Beds<br>8 | Number of GAC Discharges from GAC Hospitals<br>7,382                         |
| California Children's Services Cases (08/02)                                   | Number of Licensed LTC Beds<br>772                                   | Average GAC Occupancy Rate in GAC Hospitals<br>36.2                          |
|  | Number of Licensed Beds per 1,000 Population<br>4.6                  | Average GAC Length of Stay in GAC Hospitals (days)<br>2.8                    |
| Developmental Disability Clients (08/02)                                       | LTC (2000)   |  |
|  | Number of Active Non-Federal Physicians<br>505                       | Number of LTC Discharges from LTC Facilities<br>1,481                        |
| Rehabilitation Clients (FY 2000-2001)  | PHYSICIANS (2001)  |  |
|  | Number of Persons per Physician<br>334                               | Average Occupancy Rate of LTC Facilities and Hospitals with LTC Beds<br>81.0 |
| State Mental Hospital Admissions (FY 2000-2001)                                | DENTISTS (2002)  |  |
|  | Number of Licensed Dentists (Non-Federal)<br>105                     | Estimated Net County Health Care Costs<br>\$7,549,826                        |
| Persons Receiving Preventive Health Care for the Aging Services (FY 2001-2002) | CLINICS (2000)   |  |
|  | Number of Licensed Community and Free Clinics<br>5                   | Estimated Net County Cost per Capita<br>\$44.76                              |
| Number of Specialty Clinics<br>1   |  |  |
| Assessment Clients<br>Total Client Encounters                                  | HOME HEALTH AGENCIES (2000)  |  |
|  | Number of Licensed Home Health Agencies<br>1                         |  |

| TOTAL POPULATION             |          | PERCENT BELOW POVERTY LEVEL (1999)                            |        | LIVE BIRTHS (2000)   |   |        |
|------------------------------|----------|---|--------|--|---|--------|
| Census Year 2000             | 60,219   | Total population  | 20.8 % | Number of Live Births By:                                      |   |        |
| Projection Year 2010         | 71,400   | Children under 6  | 29.4 % | County of Residence  | 1,056                                       |        |
| Projection Year 2020         | 81,900   | Persons aged 65+  | 7.8 %  | County of Occurrence   | 4   |        |
| <b>AGE (2000)</b>            |          | <b>HOUSING VALUE (2000)</b>                                   |        | Birth Rate (births per 1,000 population)                       | 17.4  |        |
| Under Age 5                  | 8.2%     | Whites  | 16.5 % | Fertility rate (births per 1,000 women aged 15-44, 98-00 avg.) | 75.0  |        |
| Age 5-17                     | 22.8%    | Blacks  | 23.6 % | Low birthweight (under 2,500 grams)                            | 6.7 %                                       |        |
| Age 18-64                    | 58.3%    | Hispanics   | 28.2 % | Very low birthweight (under 1,500 grams)                       | 0.9 %                                       |        |
| Age 65+                      | 10.6%    | Asian/Pacific Islanders                                       | 35.9 % | Unmarried  | 35.2 %                                      |        |
| <b>SEX (2000)</b>            |          | <b>CALWORKS (2002)</b>  |        | Cesarean section delivery                                      | 23.3 %                                      |        |
| Females                      | 49.6%    | Median housing-unit value                                     | 89,700 | Mothers who gave birth outside county of residence             | 99.6 %                                      |        |
| Males                        | 50.4%    | SSI/SSP (2002)  |        | Mothers with less than 12 years education                      | 34.4 %                                      |        |
| <b>RACE/ETHNICITY (2000)</b> |          | SSI/SSP recipients as a percent of county population          |        | 5.4 %  | Teenage mothers (<18)                       | 5.2 %  |
| White                        | 65.3%    | <b>UNEMPLOYMENT (2002)</b>                                    |        | <b>EDUCATION</b>   |   |        |
| Black                        | 3.0%     | Percent of civilian labor force unemployed                    |        | 14.7 %   | Mothers with no 1st trimester prenatal care | 37.0 % |
| Hispanic                     | 17.4%    | <b>EDUCATION</b>  |        | <b>PRINCIPAL PAYMENT SOURCE FOR BIRTH DELIVERIES</b>           |   |        |
| American Indian              | 2.2%     | Percent of persons aged 25+ not completing high-school (2000) |        | 28.2 %   | White/Other                                 | 59.4 % |
| Asian/Pacific Islander       | 7.6%     | Enrollment K-12 (2001-2002)                                   |        | 14,543   | Black                                       | 2.8 %  |
| <b>URBAN/RURAL (2000)</b>    |          | <b>PRINCIPAL PAYMENT SOURCE FOR BIRTH DELIVERIES</b>          |        | <b>Percent of Births by Mother's Race/Ethnicity:</b>           |   |        |
| Urban                        | 69.9%    | Medi-Cal/other gov't  |        | 64.4 %   | Hispanic                                    | 23.7 % |
| Rural                        | 30.1%    | <b>FAMILY INCOME (1999)</b>                                   |        | HMO and prepaid plans  |   | 10.3 % |
| Median family income         | \$34,103 | Private insurance   |        | 24.0 %   | American Indian                             | 1.5 %  |
|                              |          |   |        | Multiple Race  |   | 2.0 %  |

| DEATHS (2000)                                  |          | CAUSES OF DEATH (1999-2000 AVG.)                   |        | INFANT DEATHS (2000)  |       |
|--|----------|--|--------|---|-------|
| Number of Deaths By:                           |          | Deaths per 100,000 Population Due To:              |        | Number of Infant Deaths (Under 1 Year of Age) 10                |       |
| County of Residence                            | 550      | Heart Disease                                      | 245.0  | Infant Death Rate (Deaths per 1,000 Live Births) 9.5 *          |       |
| County of Occurrence                           | 701      | All Malignant Neoplasms                            | 196.6  |   |       |
|  |          | Breast Cancer                                      | 26.9 * |   |       |
|  |          | Lung Cancer  | 74.5   |   |       |
| Crude Death Rate (Deaths per 1,000 Population) | 9.0      | Stroke   | 78.5   | INFANT DEATH RATES (1999 BIRTH COHORT)                          |       |
| AGE-ADJUSTED DEATH RATE (1998-2000 AVERAGE)    |          | Unintentional Injuries                             | 55.5   | Infant Deaths per 1,000 Live Births by Mother's Race/Ethnicity: |       |
| Age-Adjusted Deaths per 100,000 Population     | 1,045.2  | Pneumonia and Influenza                            | 30.9   | All Race/Ethnic Groups  | 7.0 * |
| AGE-SPECIFIC DEATH RATES (1998-2000 AVERAGE)   |          | Chronic Lower Respiratory Disease                  | 67.4   | White   | 7.7 * |
| Deaths per 100,000 Population:                 |          | Acquired Immune Deficiency Syndrome                | 2.4 *  | Black   | 0.0   |
| 1 to 4 Years Old                               | 14.9 *   | Chronic Liver Disease/Cirrhosis                    | 18.2 * | Hispanic  | N     |
| 5 to 14 Years Old                              | 13.7 *   | Suicide  | 15.9 * | Asian, American Indian, Other                                   | 0.0   |
| 15 to 24 Years Old                             | 64.0 *   | Diabetes Mellitus                                  | 23.8 * | PERINATAL DEATHS (1999 BIRTH COHORT)                            |       |
| 25 to 34 Years Old                             | 128.4 *  | Homicide   | 4.0 *  | Number of Perinatal Deaths (Neonatal Plus Fetal) 10             |       |
|  |          | FETAL AND NEONATAL DEATHS (2000)                   |        | Perinatal Death Rate by Mother's Race/Ethnicity:                |       |
| 35 to 44 Years Old                             | 265.0    | Number of Fetal Deaths                             | 6      | All Race/Ethnic Groups  | 9.9 * |
| 45 to 54 Years Old                             | 641.8    | Fetal Death Ratio (Deaths per 1,000 Live Births)   | 5.7 *  | White   | N     |
| 55 to 64 Years Old                             | 1,727.0  | Number of Neonatal Deaths (Under 28 Days of Age)   | 7      | Black   | N     |
| 65 to 74 Years Old                             | 3,354.6  | Neonatal Death Rate (Deaths per 1,000 Live Births) | 6.6 *  | Hispanic  | N     |
| 75 to 84 Years Old                             | 6,582.1  |  |        | Asian, American Indian, Other                                   | N     |
| Over 84 Years Old                              | 13,415.8 |  |        |   |       |

| REPORTED COMMUNICABLE DISEASES<br>(1998-2000 AVERAGE)               |              |             | COUNTY HEALTH INDICATORS<br>(continued)                           |             | MEDI-CAL<br>(2000)   |     |
|---|--------------|-------------|---|-------------|--|-----|
| Number and Rate per 100,000 Population                              |              |             | Mortality Rate Per 100,000 Pop. (1999-2000 Avg.)                  |             | MEDI-CAL Deliveries by:  |     |
| <u>DISEASE</u>  | <u>CASES</u> | <u>RATE</u> | Work Related Injury Deaths  | 1.0         | County of Beneficiary  | 571 |
| Hepatitis   | 22.3         | 35.4        | Mortality Rate  | 1.6 *       |  |     |
| Measles   | 0.0          | 0.0         | Drug Related Deaths (1999-2000 Avg.)                              | 9.0         | Fee for Service  | 571 |
| Shigellosis   | 0.7          | 1.1 *       | Mortality Rate  | 16.4 *      | Managed Care   | 0   |
| Tuberculosis  | 7.0          | 11.1 *      | Homicide by Weapons (2000)  | 3           | MEDI-CAL Abortions by:   | 161 |
| Syphilis  | 0.0          | 0.0         | Homicide by Handguns  | 1           | (Resident beneficiary) FFS   |     |
| Chlamydia   | 115.0        | 182.4       | Kindergarten Students Needing One<br>or More Immunizations (2001) | 201         | County Hospitals   | 0   |
| Gonorrhea   | 22.3         | 35.4        |   | 16.0 %      | Community Hospitals  | 1   |
|   |              |             | MEDI-CAL DATA<br>(AVERAGE MONTHLY, 2000)                          |             | MEDI-CAL PHP ENROLLEES (2000)  |     |
| CUMULATIVE AIDS CASES AND INCIDENCE<br>1981 through January 2002    |              |             | MEDI-CAL Users (FFS):   |             | Average Monthly Prepaid  |     |
| AIDS Cases  | 55           |             | Percent of County Population                                      | 8,376       | Health Plan Enrollees  | 0   |
| Number of deaths  | 36           |             | Percent of Eligibles (FFS)  | 13.9 %      | DENTI-CAL SERVICES (2000)  |     |
| Mortality (percent of AIDS cases<br>resulting in deaths)            | 65.0 %       |             | Total MEDI-CAL Eligibles:   | 54.0 %      | Average Monthly Users  |     |
|   |              |             | Percent of County Population                                      | 15,521      | 770  |     |
| COUNTY HEALTH INDICATORS  |              |             | MEDI-CAL Payments (FFS) :   |             | MEDI-CAL/MEDICARE (2002)   |     |
| Persons Injured in Traffic Accidents<br>County of Occurrence (2000) | 675          |             | Amount  | \$3,051,211 | Percent of MEDI-CAL Eligibles<br>Who are also eligible<br>for Medicare |     |
| Substance Abuse Admissions (2000)                                   |              |             | Amount per User   | \$364.28    | 14.3 %   |     |
| Methamphetamine   | 257          |             | MEDI-CAL ELIGIBLES BY RACE/ETHNICITY<br>(2000)                    |             | MEDICARE ENROLLEES (2000)  |     |
| Cocaine   | 8            |             | White   | 58.5 %      | TOTAL MEDICARE ENROLLEES   |     |
| Marijuana   | 70           |             | Black   | 3.2 %       | Number   |     |
| Alcohol   | 132          |             | Hispanic  | 12.8 %      | 8,121  |     |
|   |              |             | American Indian/Alaskan Native                                    | 1.0 %       | Percent of County Population   |     |
|   |              |             | Asian/Pacific Islander  | 15.7 %      | 13.5 %   |     |
|   |              |             | Not Reported  | 8.6 %       | Enrollees Aged 65+   |     |
|   |              |             |   |             | Number   |     |
|   |              |             |   |             | 6,493  |     |
|   |              |             |   |             | Percent of County Population   |     |
|   |              |             |   |             | 10.8 %   |     |
|   |              |             |   |             | Disability Beneficiaries:  |     |
|   |              |             |   |             | Number   |     |
|   |              |             |   |             | 1,628  |     |
|   |              |             |   |             | Percent of County Population   |     |
|   |              |             |   |             | 2.7 %  |     |

| PROGRAM CLIENTS/SERVICES   |        | HOSPITALS (2000)  |       | HOSPICE CARE   |        |
|--|--------|---|-------|--|--------|
| Percent Early Postpartum Breastfeeding Initiation 1998-2000 Average            | 71.3 % | Number of General Acute Care (GAC) Hospitals                    | 1     | Number of Freestanding Hospice Care Facilities (2000)                | 0      |
| Family Planning Clients by All Funding Sources (2001)                          | 2,002  | Number of Licensed GAC Beds                                     | 137   | HOSPITAL UTILIZATION (2000)  |        |
|  |        | Number of Licensed GAC Beds per 1,000 Population                | 2.3   | Number of GAC Discharges from GAC Hospitals                          | 6,614  |
| Women and Children Under Age 5 Receiving WIC Services (07/02)                  | 3,636  | LTC (2000)  |       | Average GAC Occupancy Rate in GAC Hospitals                          | 80.9   |
|  |        | Number of Long Term Care Facilities and Hospitals with LTC Beds | 1     | Average GAC Length of Stay in GAC Hospitals (days)                   | 5.6    |
| Child Health/Disability Prevention Screens (FY 2000-2001)                      | 4,588  | Number of Licensed LTC Beds                                     | 86    | LTC (2000)   |        |
|  |        | Number of Licensed Beds per 1,000 Population                    | 1.4   | Number of LTC Discharges from LTC Facilities                         | 199    |
| California Children's Services Cases (08/02)                                   | 422    | PHYSICIANS (2001)   |       | Average Occupancy Rate of LTC Facilities and Hospitals with LTC Beds | 94.1   |
|  |        | Number of Active Non-Federal Physicians                         | 67    | COUNTY HEALTH COSTS (FY 2000-2001)                                   |        |
| Developmental Disability Clients (08/02)                                       | 360    | Number of Persons per Physician                                 | 899   | Estimated Net County Health Care Costs                               | DNR    |
|  |        | DENTISTS (2002)   |       | Estimated Net County Cost per Capita                                 | \$0.00 |
| Rehabilitation Clients (FY 2000-2001)  | 119    | Number of Licensed Dentists (Non-Federal)                       | 14    |  |        |
|  |        | Number of Persons per Dentist                                   | 4,301 |  |        |
| State Mental Hospital Admissions (FY 2000-2001)                                | 10     | CLINICS (2000)  |       |  |        |
|  |        | Number of Licensed Community and Free Clinics                   | 2     |  |        |
| Persons Receiving Preventive Health Care for the Aging Services (FY 2001-2002) | 0      | Number of Specialty Clinics                                     | 1     |  |        |
|  |        | HOME HEALTH AGENCIES (2000)                                     |       |  |        |
| Assessment Clients   | 0      | Number of Licensed Home Health Agencies                         | 1     |  |        |
| Total Client Encounters  | 0      |   |       |  |        |

## SECTION II

HEALTH DATA

CROSS - COUNTY

COMPARISONS

TABLE 1  
POPULATION DATA BY COUNTY  
CALIFORNIA

| COUNTY       | TOTAL POPULATION 2000 |                | AGE  |        |         |       | SEX      |        | RACE/ETHNICITY |       |          |                 |                   | Projected Population 2010 | Projected Population 2020 |
|--------------|-----------------------|----------------|------|--------|---------|-------|----------|--------|----------------|-------|----------|-----------------|-------------------|---------------------------|---------------------------|
|              | NUMBER OF PERSONS     | % URBAN (2000) | % <5 | % 5-17 | % 18-64 | % 65+ | % FEMALE | % MALE | WHITE          | BLACK | HISPANIC | AMERICAN INDIAN | ASIAN/PACIFIC IS. |                           |                           |
| CALIFORNIA   | 33,871,648            | 94.5%          | 6.8% | 17.7%  | 65.2%   | 10.2% | 50.2%    | 49.8%  | 46.7%          | 6.4%  | 32.4%    | 0.5%            | 11.1%             | 40,262,400                | 45,821,900                |
| ALAMEDA      | 144,374               | 99.4%          | 6.8% | 17.7%  | 65.2%   | 10.2% | 50.9%    | 49.1%  | 40.9%          | 14.6% | 19.0%    | 0.4%            | 20.9%             | 1,671,200                 | 1,811,800                 |
| ALPINE       | 1,208                 | 0.0%           | 5.0% | 17.8%  | 67.2%   | 9.9%  | 47.4%    | 52.6%  | 71.8%          | 0.6%  | 7.8%     | 15.6%           | 0.4%              | 1,400                     | 1,700                     |
| AMADOR       | 35,100                | 39.4%          | 4.2% | 16.4%  | 61.4%   | 18.0% | 44.9%    | 55.1%  | 82.4%          | 3.8%  | 8.9%     | 1.5%            | 1.0%              | 39,300                    | 41,300                    |
| BUTTE        | 203,171               | 82.1%          | 5.7% | 18.3%  | 60.2%   | 15.8% | 51.0%    | 49.0%  | 80.0%          | 1.3%  | 10.5%    | 1.6%            | 3.4%              | 259,800                   | 308,900                   |
| CALAVERAS    | 40,554                | 18.1%          | 4.4% | 18.4%  | 59.0%   | 18.2% | 50.4%    | 49.6%  | 87.5%          | 0.7%  | 6.8%     | 1.5%            | 0.9%              | 53,400                    | 62,200                    |
| COLUSA       | 18,804                | 51.0%          | 8.1% | 23.5%  | 57.1%   | 11.4% | 49.2%    | 50.8%  | 48.0%          | 0.5%  | 46.5%    | 1.7%            | 1.5%              | 29,200                    | 39,200                    |
| CONTRA COSTA | 948,816               | 97.9%          | 7.0% | 19.6%  | 62.2%   | 11.3% | 51.2%    | 48.8%  | 57.9%          | 9.2%  | 17.7%    | 0.4%            | 11.2%             | 1,071,400                 | 1,152,900                 |
| DEL NORTE    | 27,507                | 67.9%          | 5.5% | 19.5%  | 62.4%   | 12.5% | 44.8%    | 55.2%  | 70.1%          | 4.2%  | 13.9%    | 5.8%            | 2.3%              | 34,500                    | 39,000                    |
| EL DORADO    | 156,299               | 63.0%          | 5.7% | 20.4%  | 61.5%   | 12.4% | 50.1%    | 49.9%  | 84.9%          | 0.5%  | 9.3%     | 0.8%            | 2.2%              | 212,000                   | 252,900                   |
| FRESNO       | 799,407               | 87.4%          | 8.5% | 23.6%  | 58.0%   | 9.9%  | 49.9%    | 50.1%  | 39.7%          | 5.0%  | 44.0%    | 0.8%            | 8.0%              | 970,900                   | 1,134,600                 |
| GLENN        | 26,453                | 56.6%          | 7.5% | 23.2%  | 56.3%   | 13.0% | 49.4%    | 50.6%  | 62.6%          | 0.4%  | 29.6%    | 1.7%            | 3.3%              | 36,700                    | 46,500                    |
| HUMBOLDT     | 126,518               | 69.5%          | 5.6% | 17.6%  | 64.3%   | 12.5% | 50.6%    | 49.4%  | 81.6%          | 0.8%  | 6.5%     | 5.3%            | 1.8%              | 136,500                   | 142,100                   |
| IMPERIAL     | 142,361               | 85.2%          | 7.7% | 23.8%  | 58.5%   | 10.0% | 47.8%    | 52.2%  | 20.2%          | 3.6%  | 72.2%    | 1.2%            | 1.8%              | 217,500                   | 294,200                   |
| INYO         | 17,945                | 58.0%          | 5.4% | 19.0%  | 56.5%   | 19.1% | 51.2%    | 48.8%  | 74.4%          | 0.1%  | 12.6%    | 9.4%            | 1.0%              | 19,400                    | 20,700                    |
| KERN         | 661,645               | 88.3%          | 8.4% | 23.5%  | 58.7%   | 9.4%  | 48.7%    | 51.3%  | 49.5%          | 5.7%  | 38.4%    | 0.9%            | 3.3%              | 871,600                   | 1,088,600                 |
| KINGS        | 129,461               | 86.9%          | 8.1% | 20.9%  | 63.6%   | 7.4%  | 42.6%    | 57.4%  | 41.6%          | 8.0%  | 43.6%    | 1.0%            | 3.0%              | 165,300                   | 198,700                   |
| LAKE         | 58,309                | 55.6%          | 5.3% | 18.8%  | 56.4%   | 19.5% | 50.6%    | 49.4%  | 80.5%          | 2.1%  | 11.4%    | 2.4%            | 0.9%              | 77,600                    | 93,000                    |
| LASSEN       | 33,828                | 41.2%          | 5.0% | 16.9%  | 69.1%   | 9.0%  | 37.2%    | 62.8%  | 70.6%          | 8.8%  | 13.8%    | 2.8%            | 1.1%              | 43,400                    | 49,500                    |
| LOS ANGELES  | 9,519,338             | 99.3%          | 7.7% | 20.3%  | 62.2%   | 9.7%  | 50.6%    | 49.4%  | 31.1%          | 9.5%  | 44.6%    | 0.3%            | 12.1%             | 10,605,200                | 11,584,800                |
| MADERA       | 123,109               | 66.0%          | 7.7% | 22.0%  | 59.3%   | 11.0% | 52.1%    | 47.9%  | 46.6%          | 3.8%  | 44.3%    | 1.4%            | 0.4%              | 178,900                   | 229,200                   |
| MARIN        | 247,289               | 94.2%          | 5.4% | 14.9%  | 66.2%   | 13.5% | 50.4%    | 49.6%  | 78.6%          | 2.8%  | 11.1%    | 0.3%            | 4.6%              | 263,500                   | 273,800                   |
| MARIPOSA     | 17,130                | 0.0%           | 4.4% | 17.2%  | 61.2%   | 17.2% | 48.8%    | 51.2%  | 84.9%          | 0.6%  | 7.8%     | 3.1%            | 0.8%              | 21,500                    | 24,300                    |
| MENDOCINO    | 86,265                | 54.0%          | 6.0% | 19.6%  | 60.9%   | 13.6% | 50.3%    | 49.7%  | 74.9%          | 0.5%  | 16.5%    | 4.0%            | 1.3%              | 103,200                   | 116,700                   |
| MERCED       | 210,554               | 83.1%          | 8.9% | 25.6%  | 56.0%   | 9.5%  | 50.2%    | 49.8%  | 40.6%          | 3.6%  | 45.3%    | 0.5%            | 6.8%              | 266,700                   | 322,700                   |
| MODOC        | 9,449                 | 30.6%          | 5.6% | 20.1%  | 56.8%   | 17.6% | 49.4%    | 50.6%  | 81.1%          | 0.6%  | 11.5%    | 3.6%            | 0.7%              | 10,700                    | 11,500                    |
| MONO         | 12,853                | 45.4%          | 5.7% | 17.3%  | 69.4%   | 7.6%  | 45.1%    | 54.9%  | 76.5%          | 0.4%  | 17.7%    | 2.1%            | 1.2%              | 15,200                    | 17,000                    |
| MONTEREY     | 401,762               | 89.2%          | 7.8% | 20.6%  | 61.6%   | 10.0% | 48.2%    | 51.8%  | 40.3%          | 3.5%  | 46.8%    | 0.4%            | 6.2%              | 493,100                   | 590,700                   |
| NAPA         | 124,279               | 84.1%          | 6.1% | 18.1%  | 60.5%   | 15.4% | 50.1%    | 49.9%  | 69.1%          | 1.2%  | 23.7%    | 0.5%            | 3.1%              | 143,900                   | 158,400                   |
| NEVADA       | 92,033                | 56.7%          | 4.7% | 18.4%  | 59.4%   | 17.4% | 50.4%    | 49.6%  | 90.3%          | 0.3%  | 5.7%     | 0.7%            | 0.8%              | 117,300                   | 133,200                   |
| ORANGE       | 2,846,289             | 99.8%          | 7.6% | 19.4%  | 63.1%   | 9.9%  | 50.2%    | 49.8%  | 51.3%          | 1.5%  | 30.8%    | 0.3%            | 13.8%             | 3,266,700                 | 3,541,700                 |

TABLE 1  
POPULATION DATA BY COUNTY  
CALIFORNIA

| COUNTY          | TOTAL POPULATION 2000 |                | AGE  |        |         |       | SEX      |        | RACE/ETHNICITY |       |          |                 |                   | Projected Population 2010 | Projected Population 2020 |
|-----------------|-----------------------|----------------|------|--------|---------|-------|----------|--------|----------------|-------|----------|-----------------|-------------------|---------------------------|---------------------------|
|                 | NUMBER OF PERSONS     | % URBAN (2000) | % <5 | % 5-17 | % 18-64 | % 65+ | % FEMALE | % MALE | WHITE          | BLACK | HISPANIC | AMERICAN INDIAN | ASIAN/PACIFIC IS. |                           |                           |
| PLACER          | 248,399               | 78.8%          | 6.4% | 20.1%  | 60.4%   | 13.1% | 50.9%    | 49.1%  | 83.4%          | 0.8%  | 9.7%     | 0.7%            | 3.0%              | 339,300                   | 406,900                   |
| PLUMAS          | 20,824                | 12.8%          | 4.5% | 18.2%  | 59.4%   | 17.9% | 50.0%    | 50.0%  | 88.7%          | 0.6%  | 5.7%     | 2.1%            | 0.6%              | 22,700                    | 23,500                    |
| RIVERSIDE       | 1,545,387             | 93.2%          | 7.9% | 22.5%  | 57.0%   | 12.7% | 50.2%    | 49.8%  | 51.0%          | 6.0%  | 36.2%    | 0.7%            | 3.8%              | 2,159,700                 | 2,817,600                 |
| SACRAMENTO      | 1,223,499             | 97.6%          | 7.3% | 20.3%  | 61.3%   | 11.1% | 51.1%    | 48.9%  | 57.8%          | 9.7%  | 16.0%    | 0.7%            | 11.4%             | 1,486,500                 | 1,707,600                 |
| SAN BENITO      | 53,234                | 77.6%          | 8.8% | 23.4%  | 59.7%   | 8.1%  | 49.4%    | 50.6%  | 46.0%          | 0.9%  | 47.9%    | 0.5%            | 2.3%              | 72,000                    | 86,800                    |
| SAN BERNARDINO  | 1,709,434             | 94.4%          | 8.4% | 23.9%  | 59.1%   | 8.6%  | 50.1%    | 49.9%  | 44.0%          | 8.8%  | 39.2%    | 0.6%            | 4.8%              | 2,231,600                 | 2,800,900                 |
| SAN DIEGO       | 2,813,833             | 96.1%          | 7.1% | 18.7%  | 63.1%   | 11.2% | 49.7%    | 50.3%  | 55.0%          | 5.5%  | 26.7%    | 0.5%            | 9.1%              | 3,388,400                 | 3,863,500                 |
| SAN FRANCISCO   | 776,733               | 100.0%         | 4.1% | 10.5%  | 71.8%   | 13.7% | 49.2%    | 50.8%  | 43.6%          | 7.6%  | 14.1%    | 0.3%            | 31.1%             | 787,500                   | 755,800                   |
| SAN JOAQUIN     | 563,598               | 90.1%          | 8.0% | 23.0%  | 58.4%   | 10.6% | 50.0%    | 50.0%  | 47.4%          | 6.4%  | 30.5%    | 0.6%            | 11.3%             | 727,800                   | 887,600                   |
| SAN LUIS OBISPO | 246,681               | 81.2%          | 5.0% | 16.6%  | 63.9%   | 14.5% | 48.6%    | 51.4%  | 76.1%          | 1.9%  | 16.3%    | 0.6%            | 2.7%              | 323,100                   | 390,900                   |
| SAN MATEO       | 707,161               | 98.6%          | 6.4% | 16.5%  | 64.6%   | 12.5% | 50.6%    | 49.4%  | 49.8%          | 3.4%  | 21.9%    | 0.2%            | 21.1%             | 794,600                   | 834,500                   |
| SANTA BARBARA   | 399,347               | 95.2%          | 6.5% | 18.4%  | 62.4%   | 12.7% | 50.0%    | 50.0%  | 56.9%          | 2.1%  | 34.2%    | 0.5%            | 4.1%              | 467,700                   | 552,700                   |
| SANTA CLARA     | 1,682,585             | 98.8%          | 7.1% | 17.7%  | 65.7%   | 9.5%  | 49.3%    | 50.7%  | 44.2%          | 2.6%  | 24.0%    | 0.3%            | 25.7%             | 1,987,800                 | 2,163,000                 |
| SANTA CRUZ      | 255,602               | 85.3%          | 6.1% | 17.7%  | 66.3%   | 10.0% | 50.1%    | 49.9%  | 65.5%          | 0.8%  | 26.8%    | 0.5%            | 3.4%              | 311,900                   | 370,600                   |
| SHASTA          | 163,256               | 68.9%          | 5.9% | 20.2%  | 58.6%   | 15.2% | 51.3%    | 48.7%  | 86.4%          | 0.7%  | 5.5%     | 2.5%            | 1.9%              | 203,500                   | 231,000                   |
| SIERRA          | 3,555                 | 0.0%           | 4.1% | 19.2%  | 59.0%   | 17.7% | 49.5%    | 50.5%  | 90.3%          | 0.2%  | 6.0%     | 1.6%            | 0.2%              | 3,800                     | 3,800                     |
| SISKIYOU        | 44,301                | 35.4%          | 5.1% | 18.9%  | 57.9%   | 18.1% | 50.9%    | 49.1%  | 83.3%          | 1.3%  | 7.6%     | 3.6%            | 1.3%              | 49,700                    | 53,900                    |
| SOLANO          | 394,542               | 95.9%          | 7.3% | 21.1%  | 62.2%   | 9.5%  | 49.6%    | 50.4%  | 49.2%          | 14.6% | 17.6%    | 0.6%            | 13.2%             | 485,500                   | 559,500                   |
| SONOMA          | 458,614               | 85.7%          | 6.0% | 18.4%  | 62.9%   | 12.6% | 50.8%    | 49.2%  | 74.5%          | 1.3%  | 17.3%    | 0.8%            | 3.2%              | 557,300                   | 628,400                   |
| STANISLAUS      | 446,997               | 91.0%          | 8.0% | 23.2%  | 58.4%   | 10.4% | 50.8%    | 49.2%  | 57.3%          | 2.4%  | 31.7%    | 0.8%            | 4.4%              | 587,600                   | 712,100                   |
| SUTTER          | 78,930                | 85.5%          | 7.3% | 21.7%  | 58.7%   | 12.4% | 50.5%    | 49.5%  | 60.2%          | 1.8%  | 22.2%    | 1.2%            | 11.3%             | 99,600                    | 115,600                   |
| TEHAMA          | 56,039                | 50.9%          | 6.3% | 21.1%  | 56.6%   | 15.9% | 50.6%    | 49.4%  | 78.5%          | 0.5%  | 15.8%    | 1.8%            | 0.8%              | 71,500                    | 85,100                    |
| TRINITY         | 13,022                | 0.0%           | 4.2% | 18.6%  | 60.0%   | 17.2% | 49.0%    | 51.0%  | 86.6%          | 0.4%  | 4.0%     | 4.5%            | 0.6%              | 14,400                    | 15,400                    |
| TULARE          | 368,021               | 81.1%          | 8.9% | 24.8%  | 56.5%   | 9.8%  | 50.0%    | 50.0%  | 41.8%          | 1.4%  | 50.8%    | 0.8%            | 3.2%              | 469,800                   | 570,900                   |
| TUOLUMNE        | 54,501                | 53.4%          | 4.5% | 16.2%  | 60.8%   | 18.5% | 47.3%    | 52.7%  | 85.1%          | 2.1%  | 8.2%     | 1.6%            | 0.8%              | 68,200                    | 77,200                    |
| VENTURA         | 753,197               | 96.8%          | 7.5% | 21.0%  | 61.4%   | 10.2% | 50.1%    | 49.9%  | 56.8%          | 1.8%  | 33.4%    | 0.4%            | 5.4%              | 877,400                   | 1,007,200                 |
| YOLO            | 168,660               | 90.7%          | 6.5% | 18.7%  | 65.5%   | 9.4%  | 51.1%    | 48.9%  | 58.1%          | 1.9%  | 25.9%    | 0.7%            | 10.0%             | 205,000                   | 236,400                   |
| YUBA            | 60,219                | 69.9%          | 8.2% | 22.8%  | 58.3%   | 10.6% | 49.6%    | 50.4%  | 65.3%          | 3.0%  | 17.4%    | 2.2%            | 7.6%              | 71,400                    | 81,900                    |

TABLE 2  
SOCIOECONOMIC DATA BY COUNTY  
CALIFORNIA

| COUNTY       | Percent Below Poverty Level (1999) |                  |                 |       |       |          |                   |                 | Median Family Income (1999) | Median Housing Value (2000) | CalWorks % of Population (Jan.2002) | SSI/SSP % of Population (Jan.2002) | Unemployment % of Civilian Labor Force (Feb. 2002) | Education                           |                           |
|--------------|------------------------------------|------------------|-----------------|-------|-------|----------|-------------------|-----------------|-----------------------------|-----------------------------|-------------------------------------|------------------------------------|--|-------------------------------------|---------------------------|
|              | Total Population                   | Children Under 6 | Persons Age 65+ | White | Black | Hispanic | Asian/ Pacific Is | American Indian |                             |                             |                                     |                                    |  | % Age 25+ Not Finishing High School | Enrollment K-12 (2001-02) |
| CALIFORNIA   | 14.2                               | 20.4             | 8.1             | 7.8   | 22.4  | 22.1     | 12.9              | 21.9            | \$53,025                    | \$211,500                   | 1.4                                 | 3.1                                | 6.4  | 23.2                                | 6,795,939                 |
| ALAMEDA      | 11.0                               | 12.6             | 8.1             | 5.9   | 21.2  | 13.7     | 11.2              | 13.5            | 65,857                      | 303,100                     | 1.0                                 | 3.1                                | 6.1  | 17.6                                | 248,423                   |
| ALPINE       | 19.5                               | 46.9             | 10.1            | 14.1  | 0.0   | 36.5     | 0.0               | 37.6            | 50,250                      | 184,200                     | 2.6                                 | 1.9                                | 5.6  | 11.7                                | 250                       |
| AMADOR       | 9.2                                | 15.1             | 5.4             | 8.9   | 0.0   | 14.3     | 2.9               | 10.1            | 51,226                      | 153,600                     | 0.7                                 | 1.4                                | 4.8  | 16.0                                | 5,690                     |
| BUTTE        | 19.8                               | 28.1             | 7.3             | 16.4  | 39.4  | 30.0     | 48.8              | 31.7            | 41,010                      | 129,800                     | 2.0                                 | 4.3                                | 8.2  | 17.7                                | 36,654                    |
| CALAVERAS    | 11.8                               | 18.7             | 6.2             | 10.9  | 28.6  | 17.9     | 14.1              | 32.9            | 47,379                      | 156,900                     | 0.9                                 | 2.1                                | 6.8  | 14.3                                | 6,981                     |
| COLUSA       | 16.1                               | 19.8             | 8.2             | 9.3   | 10.9  | 22.2     | 18.1              | 35.1            | 40,138                      | 107,500                     | 0.9                                 | 2.3                                | 26.1   | 36.0                                | 4,461                     |
| CONTRA COSTA | 7.6                                | 10.5             | 6.0             | 4.5   | 17.2  | 13.1     | 6.7               | 12.6            | 73,039                      | 267,800                     | 0.8                                 | 2.2                                | 4.5  | 13.1                                | 181,520                   |
| DEL NORTE    | 20.2                               | 34.4             | 8.2             | 17.3  | 11.9  | 26.6     | 49.9              | 25.8            | 36,056                      | 121,100                     | 2.3                                 | 5.3                                | 9.2  | 28.4                                | 5,250                     |
| EL DORADO    | 7.1                                | 9.5              | 5.0             | 6.1   | 4.0   | 15.6     | 4.1               | 17.2            | 60,250                      | 194,400                     | 0.6                                 | 1.5                                | 4.7  | 10.9                                | 30,469                    |
| FRESNO       | 22.9                               | 34.1             | 9.9             | 9.8   | 34.0  | 30.6     | 38.5              | 34.3            | 38,455                      | 104,900                     | 2.4                                 | 4.4                                | 15.9   | 32.5                                | 192,161                   |
| GLENN        | 18.1                               | 29.7             | 7.6             | 12.6  | 32.9  | 23.8     | 50.3              | 40.8            | 37,023                      | 94,900                      | 1.4                                 | 3.0                                | 13.2   | 31.5                                | 6,138                     |
| HUMBOLDT     | 19.5                               | 27.9             | 7.2             | 16.8  | 49.2  | 30.1     | 39.1              | 31.0            | 39,370                      | 133,500                     | 1.7                                 | 4.7                                | 6.8  | 15.1                                | 21,439                    |
| IMPERIAL     | 22.6                               | 29.3             | 13.6            | 11.1  | 25.5  | 25.9     | 14.5              | 29.7            | 35,226                      | 100,000                     | 2.4                                 | 5.1                                | 14.5   | 41.0                                | 35,751                    |
| INYO         | 12.6                               | 20.2             | 8.3             | 9.4   | 70.0  | 23.6     | 7.5               | 22.7            | 44,970                      | 161,300                     | 0.7                                 | 2.3                                | 6.0  | 17.7                                | 3,413                     |
| KERN         | 20.8                               | 31.2             | 10.5            | 12.1  | 36.0  | 31.0     | 14.8              | 24.6            | 39,403                      | 93,300                      | 2.2                                 | 3.8                                | 12.7   | 31.5                                | 157,088                   |
| KINGS        | 19.5                               | 29.4             | 8.8             | 8.4   | 21.8  | 30.7     | 11.3              | 29.2            | 38,111                      | 97,600                      | 1.8                                 | 3.2                                | 16.9   | 31.2                                | 27,103                    |
| LAKE         | 17.6                               | 27.6             | 7.3             | 15.5  | 39.0  | 21.6     | 19.5              | 31.2            | 35,818                      | 122,600                     | 2.5                                 | 5.5                                | 8.9  | 22.7                                | 10,904                    |
| LASSEN       | 14.0                               | 21.1             | 7.8             | 12.1  | 10.9  | 22.1     | 11.9              | 36.2            | 43,398                      | 106,700                     | 1.2                                 | 2.6                                | 8.9  | 20.4                                | 5,320                     |
| LOS ANGELES  | 17.9                               | 25.6             | 10.5            | 8.5   | 24.4  | 24.2     | 13.9              | 22.5            | 46,452                      | 209,300                     | 1.9                                 | 3.7                                | 6.4  | 30.1                                | 1,935,108                 |
| MADERA       | 21.4                               | 35.9             | 9.0             | 10.0  | 23.5  | 33.4     | 17.8              | 38.9            | 39,226                      | 118,800                     | 2.3                                 | 3.1                                | 14.6   | 34.6                                | 26,111                    |
| MARIN        | 6.6                                | 7.6              | 4.5             | 4.8   | 19.9  | 15.4     | 9.0               | 10.4            | 88,934                      | 514,600                     | 0.3                                 | 1.4                                | 3.4  | 8.8                                 | 35,845                    |
| MARIPOSA     | 14.8                               | 13.1             | 9.0             | 13.0  | 20.6  | 19.7     | 16.1              | 24.7            | 42,655                      | 141,900                     | 1.1                                 | 1.8                                | 8.5  | 14.9                                | 2,781                     |
| MENDOCINO    | 15.9                               | 25.8             | 7.7             | 12.4  | 24.7  | 26.6     | 21.7              | 26.6            | 42,168                      | 170,200                     | 1.6                                 | 4.0                                | 8.5  | 19.2                                | 16,247                    |
| MERCED       | 21.7                               | 29.9             | 10.7            | 11.4  | 31.3  | 27.5     | 37.9              | 22.6            | 38,009                      | 111,100                     | 2.6                                 | 4.1                                | 18.2   | 36.2                                | 55,081                    |
| MODOC        | 21.5                               | 31.9             | 8.6             | 17.3  | 41.7  | 46.1     | 21.2              | 41.8            | 35,978                      | 69,100                      | 1.8                                 | 3.1                                | 9.7  | 22.9                                | 2,407                     |
| MONO         | 11.5                               | 11.6             | 1.9             | 8.7   | 0.0   | 21.2     | 0.0               | 46.7            | 50,487                      | 236,300                     | 0.5                                 | 0.8                                | 4.6  | 12.1                                | 2,307                     |
| MONTEREY     | 13.5                               | 18.3             | 6.8             | 6.2   | 16.2  | 20.3     | 10.4              | 22.4            | 51,169                      | 265,800                     | 1.1                                 | 2.1                                | 15.5   | 31.6                                | 78,793                    |
| NAPA         | 8.3                                | 12.1             | 5.6             | 6.1   | 13.8  | 14.6     | 4.4               | 5.2             | 61,410                      | 251,300                     | 0.3                                 | 1.5                                | 4.0  | 19.6                                | 22,520                    |
| NEVADA       | 8.1                                | 9.9              | 4.9             | 7.6   | 12.3  | 10.9     | 12.9              | 12.0            | 52,697                      | 205,700                     | 0.5                                 | 1.6                                | 4.8  | 9.7                                 | 15,880                    |
| ORANGE       | 10.3                               | 14.0             | 6.2             | 4.7   | 11.5  | 19.1     | 11.5              | 17.3            | 64,611                      | 270,000                     | 0.6                                 | 2.0                                | 3.6  | 20.5                                | 563,402                   |

TABLE 2  
SOCIOECONOMIC DATA BY COUNTY  
CALIFORNIA

| COUNTY          | Percent Below Poverty Level (1999) |                  |                 |       |       |          |                  |                 | Median Family Income (1999) | Median Housing Value (2000) | CalWorks % of Population (Jan.2002) | SSI/SSP % of Population (Jan.2002) | Unemployment % of Civilian Labor Force (Feb. 2002) | Education                           |                           |
|-----------------|------------------------------------|------------------|-----------------|-------|-------|----------|------------------|-----------------|-----------------------------|-----------------------------|-------------------------------------|------------------------------------|--|-------------------------------------|---------------------------|
|                 | Total Population                   | Children Under 6 | Persons Age 65+ | White | Black | Hispanic | Asian/Pacific Is | American Indian |                             |                             |                                     |                                    |  | % Age 25+ Not Finishing High School | Enrollment K-12 (2001-02) |
| PLACER          | 5.8                                | 7.0              | 3.8             | 5.0   | 11.5  | 12.7     | 4.9              | 6.8             | 65,858                      | 213,900                     | 0.4                                 | 1.6                                | 4.6  | 9.5                                 | 61,192                    |
| PLUMAS          | 13.1                               | 20.1             | 6.4             | 11.1  | 70.8  | 31.8     | 11.3             | 32.8            | 46,119                      | 137,900                     | 0.9                                 | 3.0                                | 13.8   | 12.0                                | 3,533                     |
| RIVERSIDE       | 14.2                               | 20.5             | 7.6             | 8.5   | 20.6  | 21.0     | 14.4             | 21.4            | 48,409                      | 146,500                     | 1.2                                 | 2.5                                | 5.4  | 25.0                                | 356,088                   |
| SACRAMENTO      | 14.1                               | 21.4             | 6.6             | 9.5   | 23.7  | 19.5     | 20.6             | 20.9            | 43,816                      | 144,200                     | 2.3                                 | 4.1                                | 5.0  | 16.7                                | 250,934                   |
| SAN BENITO      | 10.0                               | 10.1             | 8.5             | 4.6   | 28.1  | 15.1     | 4.2              | 18.5            | 60,665                      | 284,000                     | 0.9                                 | 1.5                                | 11.4   | 25.1                                | 12,371                    |
| SAN BERNARDINO  | 15.8                               | 23.3             | 8.4             | 10.2  | 23.0  | 20.7     | 14.1             | 24.1            | 46,574                      | 131,500                     | 1.9                                 | 3.1                                | 5.1  | 25.8                                | 417,064                   |
| SAN DIEGO       | 12.4                               | 17.5             | 6.8             | 7.2   | 18.4  | 22.0     | 11.4             | 19.4            | 53,438                      | 227,200                     | 0.9                                 | 2.5                                | 3.7  | 17.4                                | 539,137                   |
| SAN FRANCISCO   | 11.3                               | 13.0             | 10.5            | 7.7   | 25.1  | 15.6     | 10.9             | 17.6            | 63,545                      | 396,400                     | 0.6                                 | 5.8                                | 6.6  | 18.8                                | 87,514                    |
| SAN JOAQUIN     | 17.7                               | 25.7             | 10.0            | 8.6   | 28.0  | 25.4     | 28.1             | 26.0            | 46,919                      | 142,400                     | 2.1                                 | 4.2                                | 11.0   | 28.8                                | 136,252                   |
| SAN LUIS OBISPO | 12.8                               | 13.9             | 5.9             | 10.7  | 27.3  | 20.0     | 22.3             | 14.6            | 52,447                      | 230,000                     | 0.6                                 | 1.9                                | 3.1  | 14.4                                | 40,692                    |
| SAN MATEO       | 5.8                                | 6.4              | 5.1             | 3.6   | 11.2  | 10.7     | 5.1              | 12.7            | 80,737                      | 469,200                     | 0.2                                 | 1.6                                | 4.3  | 14.7                                | 106,394                   |
| SANTA BARBARA   | 14.3                               | 18.5             | 6.2             | 9.5   | 15.3  | 21.3     | 19.1             | 19.1            | 54,042                      | 293,000                     | 0.9                                 | 2.2                                | 4.4  | 20.8                                | 73,298                    |
| SANTA CLARA     | 7.5                                | 8.3              | 6.4             | 4.3   | 9.7   | 13.2     | 7.5              | 12.7            | 81,717                      | 446,400                     | 0.6                                 | 2.2                                | 7.3  | 16.6                                | 289,108                   |
| SANTA CRUZ      | 11.9                               | 14.1             | 6.3             | 8.7   | 19.3  | 19.3     | 11.3             | 13.8            | 61,941                      | 377,500                     | 0.6                                 | 2.0                                | 9.8  | 16.8                                | 45,278                    |
| SHASTA          | 15.4                               | 24.3             | 7.3             | 13.7  | 27.3  | 24.0     | 32.4             | 29.2            | 40,491                      | 120,800                     | 1.8                                 | 4.5                                | 8.6  | 16.7                                | 33,434                    |
| SIERRA          | 11.3                               | 13.3             | 2.2             | 11.3  | 100.0 | 7.1      | 0.0              | 6.7             | 42,756                      | 128,600                     | 1.0                                 | 2.2                                | 14.8   | 14.8                                | 764                       |
| SISKIYOU        | 18.6                               | 31.7             | 7.3             | 16.3  | 25.7  | 27.8     | 54.5             | 31.7            | 36,890                      | 100,300                     | 1.6                                 | 5.0                                | 13.0   | 16.2                                | 7,386                     |
| SOLANO          | 8.3                                | 11.9             | 6.3             | 6.0   | 13.9  | 11.1     | 6.6              | 14.3            | 60,597                      | 178,300                     | 0.9                                 | 2.4                                | 5.1  | 16.2                                | 79,435                    |
| SONOMA          | 8.1                                | 10.3             | 5.7             | 6.2   | 19.9  | 14.2     | 9.3              | 13.3            | 61,921                      | 273,200                     | 0.5                                 | 1.9                                | 4.3  | 15.1                                | 80,746                    |
| STANISLAUS      | 16.0                               | 22.2             | 8.8             | 10.7  | 26.5  | 23.2     | 25.4             | 19.3            | 44,703                      | 125,300                     | 1.7                                 | 3.9                                | 12.3   | 29.6                                | 106,606                   |
| SUTTER          | 15.5                               | 23.3             | 7.7             | 10.1  | 17.6  | 30.7     | 12.7             | 19.4            | 44,336                      | 120,700                     | 1.3                                 | 3.7                                | 16.0   | 27.0                                | 17,196                    |
| TEHAMA          | 17.3                               | 30.8             | 9.2             | 13.4  | 15.4  | 33.9     | 22.6             | 29.5            | 37,277                      | 103,000                     | 2.0                                 | 4.3                                | 7.7  | 24.3                                | 11,445                    |
| TRINITY         | 18.7                               | 32.4             | 7.2             | 17.4  | 0.0   | 19.9     | 7.6              | 38.3            | 34,343                      | 112,000                     | 1.4                                 | 4.0                                | 13.8   | 19.0                                | 2,193                     |
| TULARE          | 23.9                               | 35.8             | 10.5            | 11.8  | 37.1  | 33.6     | 24.7             | 32.0            | 36,297                      | 97,800                      | 2.8                                 | 4.0                                | 17.8   | 38.3                                | 89,828                    |
| TUOLUMNE        | 11.4                               | 21.3             | 4.0             | 10.7  | 9.5   | 17.0     | 11.0             | 17.7            | 44,327                      | 149,800                     | 1.6                                 | 2.7                                | 7.0  | 15.7                                | 8,317                     |
| VENTURA         | 9.2                                | 13.1             | 6.3             | 5.1   | 12.3  | 16.5     | 7.2              | 15.6            | 65,285                      | 248,700                     | 0.6                                 | 1.8                                | 4.7  | 19.9                                | 158,377                   |
| YOLO            | 18.4                               | 18.0             | 7.4             | 13.3  | 34.2  | 19.1     | 40.7             | 14.1            | 51,623                      | 169,800                     | 1.2                                 | 2.7                                | 5.9  | 20.2                                | 31,317                    |
| YUBA            | 20.8                               | 29.4             | 7.8             | 16.5  | 23.6  | 28.2     | 35.9             | 29.5            | 34,103                      | 89,700                      | 2.9                                 | 5.4                                | 14.7   | 28.2                                | 14,543                    |

TABLE 3  
2000 BIRTH DATA BY COUNTY  
CALIFORNIA

| COUNTY       | Number of Live Births by County of Residence | Birth Rate Per 1,000 Population | Number of Live Births by County of Occurrence | Percent of Births by Mother's Race/Ethnicity |       |          |          |      | % Low Birth-Weight | % Very Low Birth-Weight | % Age of Mothers Under 18 | % Not Married | % Mothers Under 12 Years Education | % No First Trimester Prenatal Care | % By Cesarean Section | % Born Out-of-County | Percent of Births Funded By |                       |                   | Fertility Rate Females Ages 15-44 |
|--------------|--|---------------------------------|---|--|-------|----------|----------|------|--------------------|-------------------------|---------------------------|---------------|------------------------------------|------------------------------------|-----------------------|----------------------|-----------------------------|-----------------------|-------------------|-----------------------------------|
|              |  |                                 |   | White/Other                                  | Black | Hispanic | Asian/PI | AI   |                    |                         |                           |               |                                    |                                    |                       |                      | MediCal and Other Gov't     | HMO and Prepaid Plans | Private Insurance |                                   |
|              |  |                                 |   |  |       |          |          |      |                    |                         |                           |               |                                    |                                    |                       |                      |                             |                       |                   |                                   |
| CALIFORNIA   | 531,285                                      | 15.4                            | 532,611                                       | 31.7   | 6.1   | 48.6     | 11.5     | 0.4  | 6.2                | 1.1                     | 3.7                       | 32.7          | 30.8                               | 15.5                               | 23.4                  | 9.3                  | 42.4                        | 34.1                  | 20.7              | 71.3                              |
| ALAMEDA      | 22,164                                       | 15.1                            | 22,765  | 29.7   | 14.3  | 28.4     | 25.2     | 0.2  | 6.7                | 1.2                     | 2.7                       | 26.8          | 20.3                               | 10.2                               | 20.3                  | 15.3                 | 25.6                        | 45.8                  | 25.8              | 66.7                              |
| ALPINE       | 9  | 7.4                             | 0   | 33.3   | 0.0   | 0.0      | 11.1     | 44.4 | 0.0                | 0.0                     | 0.0                       | 44.4          | 22.2                               | 44.4                               | 11.1                  | 100.0                | 55.6                        | 0.0                   | 44.4              | 40.7 *                            |
| AMADOR       | 235  | 6.6                             | 179   | 83.0   | 0.4   | 11.1     | 1.7      | 1.7  | 3.4                | 0.4                     | 1.7                       | 31.5          | 12.3                               | 15.0                               | 28.9                  | 44.7                 | 32.1                        | 28.2                  | 38.5              | 45.9                              |
| BUTTE        | 2,196  | 10.7                            | 2,624   | 69.2   | 1.2   | 19.3     | 6.2      | 1.4  | 5.0                | 0.9                     | 4.5                       | 33.9          | 23.6                               | 25.5                               | 20.9                  | 5.7                  | 51.6                        | 9.2                   | 36.9              | 54.3                              |
| CALAVERAS    | 309  | 7.5                             | 64  | 88.7   | 0.3   | 7.4      | 0.6      | 1.3  | 5.5                | 1.3                     | 1.9                       | 23.9          | 11.3                               | 11.6                               | 28.8                  | 80.9                 | 37.3                        | 15.3                  | 46.1              | 41.8                              |
| COLUSA       | 330  | 17.2                            | 165   | 32.1   | 0.0   | 62.7     | 0.9      | 3.6  | 4.8                | 1.2                     | 5.5                       | 33.0          | 50.0                               | 31.3                               | 21.2                  | 52.7                 | 65.8                        | 7.3                   | 25.5              | 79.9                              |
| CONTRA COSTA | 13,204                                       | 13.7                            | 11,321  | 46.5   | 9.8   | 27.7     | 13.5     | 0.2  | 6.5                | 1.0                     | 2.2                       | 24.1          | 16.8                               | 9.9                                | 21.5                  | 29.9                 | 19.8                        | 60.4                  | 17.8              | 66.8                              |
| DEL NORTE    | 316  | 11.2                            | 319   | 63.9   | 0.0   | 16.8     | 3.5      | 7.9  | 5.1                | 0.3                     | 9.5                       | 51.9          | 35.4                               | 20.3                               | 19.0                  | 11.7                 | 64.0                        | 7.6                   | 25.2              | 52.9                              |
| EL DORADO    | 1,628  | 10.3                            | 1,169   | 75.3   | 0.4   | 18.1     | 3.9      | 0.4  | 5.7                | 0.7                     | 1.8                       | 24.1          | 14.5                               | 13.7                               | 22.4                  | 40.4                 | 29.2                        | 23.2                  | 45.5              | 51.0                              |
| FRESNO       | 14,262                                       | 17.5                            | 15,023  | 25.1   | 5.5   | 59.1     | 8.6      | 0.8  | 6.6                | 1.4                     | 6.9                       | 42.0          | 40.2                               | 16.0                               | 23.5                  | 5.5                  | 59.7                        | 17.7                  | 20.4              | 81.8                              |
| GLENN        | 385  | 14.3                            | 3   | 49.1   | 0.3   | 43.4     | 3.1      | 0.5  | 6.2                | 1.0                     | 7.3                       | 33.2          | 38.7                               | 28.1                               | 18.2                  | 99.5                 | 59.7                        | 7.8                   | 30.9              | 66.3                              |
| HUMBOLDT     | 1,371  | 10.7                            | 1,406   | 74.2   | 0.7   | 10.6     | 2.1      | 7.9  | 5.4                | 0.5                     | 3.6                       | 39.8          | 21.0                               | 18.9                               | 21.3                  | 2.2                  | 49.4                        | 2.3                   | 42.1              | 50.8                              |
| IMPERIAL     | 2,572  | 17.3                            | 2,550   | 9.7  | 0.7   | 87.8     | 1.5      | 0.0  | 4.9                | 1.1                     | 6.1                       | 42.5          | 32.2                               | 23.5                               | 33.9                  | 4.9                  | 56.4                        | 1.3                   | 31.7              | 78.2                              |
| INYO         | 167  | 9.2                             | 203   | 51.5   | 0.6   | 27.5     | 2.4      | 13.2 | 6.0                | 0.6                     | 5.4                       | 38.3          | 22.2                               | 31.3                               | 15.0                  | 10.2                 | 59.3                        | 2.4                   | 37.1              | 56.7                              |
| KERN         | 11,680                                       | 17.2                            | 11,186  | 33.8   | 5.5   | 55.8     | 3.2      | 0.5  | 6.6                | 1.4                     | 6.5                       | 42.3          | 35.9                               | 17.5                               | 20.2                  | 7.0                  | 58.4                        | 19.5                  | 20.7              | 82.9                              |
| KINGS        | 2,174  | 16.2                            | 2,583   | 33.3   | 4.8   | 55.6     | 3.8      | 1.3  | 5.8                | 1.0                     | 6.0                       | 38.3          | 32.8                               | 21.6                               | 27.8                  | 11.4                 | 48.9                        | 11.6                  | 19.4              | 85.8                              |
| LAKE         | 583  | 9.9                             | 380   | 70.7   | 2.1   | 17.3     | 1.2      | 5.8  | 5.0                | 0.9                     | 4.5                       | 42.4          | 27.4                               | 27.5                               | 18.4                  | 36.2                 | 55.5                        | 10.3                  | 28.2              | 56.2                              |
| LASSEN       | 263  | 7.4                             | 237   | 77.2   | 1.1   | 12.9     | 1.9      | 3.4  | 6.1                | 1.1                     | 3.8                       | 16.7          | 15.6                               | 18.0                               | 21.7                  | 11.8                 | 44.9                        | 16.7                  | 36.1              | 47.9                              |
| LOS ANGELES  | 157,391                                      | 16.2                            | 161,185                                       | 18.3   | 8.3   | 62.1     | 10.2     | 0.1  | 6.4                | 1.2                     | 3.9                       | 38.2          | 36.8                               | 12.7                               | 25.9                  | 3.0                  | 49.5                        | 28.9                  | 19.2              | 74.3                              |
| MADERA       | 2,107  | 16.5                            | 1,437   | 28.8   | 2.2   | 66.3     | 1.1      | 1.0  | 5.6                | 1.1                     | 7.1                       | 45.8          | 46.3                               | 20.4                               | 22.6                  | 42.3                 | 65.9                        | 11.8                  | 20.7              | 71.7                              |
| MARIN        | 2,824  | 11.3                            | 1,933   | 67.8   | 1.7   | 21.3     | 6.9      | 0.3  | 6.1                | 0.9                     | 0.7                       | 12.5          | 15.9                               | 12.7                               | 22.1                  | 41.0                 | 19.9                        | 60.2                  | 17.6              | 47.5                              |
| MARIPOSA     | 126  | 7.3                             | 4   | 84.9   | 0.0   | 6.3      | 0.8      | 6.3  | 7.9                | 0.8                     | 5.6                       | 34.1          | 16.7                               | 32.8                               | 27.0                  | 96.8                 | 44.4                        | 11.1                  | 38.1              | 43.5                              |
| MENDOCINO    | 1,083  | 12.4                            | 1,031   | 55.0   | 0.2   | 34.0     | 0.9      | 6.6  | 3.2                | 0.6                     | 4.7                       | 38.7          | 29.1                               | 41.7                               | 18.2                  | 8.0                  | 61.5                        | 7.9                   | 28.4              | 60.3                              |
| MERCED       | 3,874  | 18.1                            | 3,157   | 29.0   | 2.8   | 59.4     | 7.5      | 0.2  | 6.2                | 1.2                     | 5.9                       | 38.1          | 39.3                               | 39.0                               | 24.0                  | 24.8                 | 57.8                        | 7.1                   | 31.3              | 81.2                              |
| MODOC        | 80   | 8.4                             | 49  | 77.5   | 0.0   | 13.8     | 1.3      | 3.8  | 3.8                | 0.0                     | 3.8                       | 28.8          | 23.7                               | 21.8                               | 18.8                  | 41.3                 | 57.1                        | 0.0                   | 39.0              | 38.9                              |
| MONO         | 128  | 9.7                             | 82  | 60.2   | 0.0   | 35.2     | 3.1      | 0.8  | 1.6                | 0.0                     | 3.1                       | 21.9          | 25.0                               | 17.3                               | 22.7                  | 40.6                 | 50.8                        | 1.6                   | 46.9              | 59.0                              |
| MONTEREY     | 6,900  | 16.9                            | 6,444   | 22.4   | 1.8   | 68.8     | 5.2      | 0.2  | 5.6                | 1.1                     | 4.6                       | 35.7          | 46.7                               | 21.4                               | 21.9                  | 7.7                  | 57.9                        | 1.5                   | 39.3              | 87.3                              |
| NAPA         | 1,497  | 11.9                            | 1,233   | 48.8   | 0.2   | 45.5     | 3.8      | 0.3  | 5.3                | 0.8                     | 2.8                       | 22.1          | 29.0                               | 26.5                               | 20.1                  | 30.3                 | 29.9                        | 50.3                  | 18.2              | 59.1                              |
| NEVADA       | 759  | 8.2                             | 950   | 81.8   | 0.0   | 13.4     | 2.2      | 0.4  | 4.7                | 0.5                     | 2.0                       | 24.8          | 15.2                               | 18.9                               | 19.0                  | 18.8                 | 33.8                        | 6.9                   | 53.8              | 44.1                              |
| ORANGE       | 46,980                                       | 16.2                            | 49,455  | 34.6   | 1.2   | 48.9     | 13.9     | 0.2  | 5.5                | 0.9                     | 2.7                       | 25.5          | 31.2                               | 11.4                               | 23.4                  | 5.4                  | 35.3                        | 43.2                  | 18.7              | 78.5                              |

TABLE 3  
2000 BIRTH DATA BY COUNTY  
CALIFORNIA

| COUNTY          | Number of Live Births by County of Residence | Birth Rate Per 1,000 Population | Number of Live Births by County of Occurrence | Percent of Births by Mother's Race/Ethnicity |       |          |          |     | % Low Birth-Weight | % Very Low Birth-Weight | % Age of Mothers Under 18 | % Not Married | % Mothers Under 12 Years Education | % No First Trimester Prenatal Care | % By Cesarean Section | % Born Out-of-County | Percent of Births Funded By |                       |                   | Fertility Rate Females Ages 15-44 |
|-----------------|--|---------------------------------|---|--|-------|----------|----------|-----|--------------------|-------------------------|---------------------------|---------------|------------------------------------|------------------------------------|-----------------------|----------------------|-----------------------------|-----------------------|-------------------|-----------------------------------|
|                 |  |                                 |   | White/Other                                  | Black | Hispanic | Asian/PI | AI  |                    |                         |                           |               |                                    |                                    |                       |                      | MediCal and Other Gov't     | HMO and Prepaid Plans | Private Insurance |                                   |
|                 |  |                                 |   |  |       |          |          |     |                    |                         |                           |               |                                    |                                    |                       |                      |                             |                       |                   |                                   |
| PLACER          | 3,046  | 12.1                            | 2,540   | 76.5   | 0.6   | 15.4     | 4.5      | 0.5 | 6.2                | 0.8                     | 1.8                       | 16.7          | 11.4                               | 12.7                               | 23.0                  | 50.4                 | 17.0                        | 53.8                  | 27.3              | 56.4                              |
| PLUMAS          | 150  | 7.1                             | 128   | 84.7   | 0.0   | 9.3      | 1.3      | 3.3 | 4.0                | 0.0                     | 6.0                       | 26.0          | 19.3                               | 20.0                               | 24.7                  | 22.0                 | 46.0                        | 0.0                   | 49.3              | 34.9                              |
| RIVERSIDE       | 24,832                                       | 15.7                            | 23,049  | 34.5   | 5.6   | 54.2     | 3.7      | 0.5 | 6.3                | 1.2                     | 4.6                       | 36.4          | 32.1                               | 18.9                               | 22.9                  | 13.7                 | 46.6                        | 39.1                  | 11.1              | 75.4                              |
| SACRAMENTO      | 18,192                                       | 14.6                            | 20,245  | 48.3   | 11.1  | 23.2     | 13.9     | 0.6 | 6.5                | 1.3                     | 3.5                       | 34.4          | 22.3                               | 20.5                               | 20.5                  | 7.0                  | 39.9                        | 44.0                  | 15.1              | 68.3                              |
| SAN BENITO      | 876  | 16.1                            | 546   | 33.2   | 0.5   | 62.3     | 2.7      | 0.2 | 5.8                | 1.4                     | 3.5                       | 29.5          | 30.0                               | 14.9                               | 22.8                  | 42.0                 | 35.9                        | 17.8                  | 45.4              | 84.1                              |
| SAN BERNARDINO  | 28,657                                       | 16.4                            | 25,150  | 31.5   | 9.0   | 52.7     | 5.0      | 0.4 | 6.6                | 1.4                     | 4.8                       | 38.3          | 31.8                               | 21.0                               | 23.5                  | 20.0                 | 48.1                        | 35.4                  | 14.9              | 76.3                              |
| SAN DIEGO       | 44,272                                       | 15.5                            | 45,757  | 38.2   | 5.6   | 43.7     | 10.1     | 0.4 | 6.0                | 1.3                     | 3.1                       | 28.2          | 25.1                               | 16.8                               | 23.4                  | 0.7                  | 40.6                        | 34.5                  | 17.4              | 67.6                              |
| SAN FRANCISCO   | 8,657  | 11.0                            | 12,484  | 33.3   | 8.3   | 21.8     | 34.3     | 0.1 | 6.4                | 1.1                     | 1.9                       | 24.5          | 19.2                               | 13.0                               | 19.3                  | 4.3                  | 28.9                        | 58.1                  | 11.5              | 48.5                              |
| SAN JOAQUIN     | 9,603  | 16.7                            | 9,198   | 34.8   | 7.5   | 42.7     | 12.8     | 0.4 | 6.4                | 1.1                     | 5.2                       | 38.4          | 31.6                               | 29.9                               | 21.3                  | 10.2                 | 38.1                        | 32.9                  | 24.8              | 76.2                              |
| SAN LUIS OBISPO | 2,435  | 9.7                             | 2,369   | 64.6   | 0.7   | 29.0     | 3.1      | 0.2 | 5.3                | 0.7                     | 3.1                       | 27.6          | 20.0                               | 17.9                               | 20.1                  | 7.6                  | 37.0                        | 31.0                  | 29.2              | 42.7                              |
| SAN MATEO       | 10,440                                       | 14.5                            | 6,116   | 38.3   | 2.3   | 31.5     | 25.5     | 0.2 | 6.1                | 1.0                     | 1.8                       | 18.6          | 20.2                               | 13.4                               | 20.8                  | 49.1                 | 22.2                        | 64.7                  | 11.9              | 67.0                              |
| SANTA BARBARA   | 5,682  | 14.0                            | 5,826   | 33.2   | 1.5   | 59.1     | 4.1      | 0.4 | 5.5                | 1.1                     | 4.2                       | 29.7          | 36.1                               | 21.6                               | 24.1                  | 2.2                  | 52.7                        | 11.8                  | 32.9              | 64.0                              |
| SANTA CLARA     | 27,612                                       | 16.2                            | 32,322  | 28.7   | 2.0   | 34.0     | 32.0     | 0.2 | 6.1                | 1.1                     | 2.2                       | 20.6          | 22.7                               | 13.0                               | 20.8                  | 2.1                  | 21.6                        | 49.4                  | 27.8              | 70.8                              |
| SANTA CRUZ      | 3,505  | 13.5                            | 3,617   | 43.8   | 0.6   | 49.9     | 2.9      | 0.2 | 5.2                | 1.0                     | 3.1                       | 30.4          | 34.4                               | 11.4                               | 18.9                  | 6.8                  | 40.2                        | 18.1                  | 38.7              | 62.9                              |
| SHASTA          | 1,828  | 11.1                            | 1,877   | 81.5   | 0.8   | 9.9      | 2.5      | 3.0 | 6.2                | 1.1                     | 3.8                       | 36.5          | 18.8                               | 12.7                               | 24.8                  | 4.2                  | 50.8                        | 0.3                   | 47.8              | 53.2                              |
| SIERRA          | 21   | 5.8                             | 0   | 85.7   | 0.0   | 14.3     | 0.0      | 0.0 | 0.0                | 0.0                     | 0.0                       | 38.1          | 23.8                               | 33.3                               | 19.0                  | 100.0                | 71.4                        | 0.0                   | 23.8              | 26.7 *                            |
| SISKIYOU        | 412  | 9.2                             | 302   | 73.8   | 1.0   | 16.7     | 1.2      | 3.9 | 7.0                | 1.0                     | 4.1                       | 36.2          | 24.0                               | 17.7                               | 18.0                  | 28.9                 | 55.0                        | 0.5                   | 42.3              | 50.5                              |
| SOLANO          | 5,891  | 14.7                            | 5,447   | 40.8   | 14.3  | 27.6     | 13.3     | 0.4 | 6.8                | 1.2                     | 3.2                       | 33.0          | 18.7                               | 24.4                               | 21.6                  | 19.4                 | 37.0                        | 55.0                  | 7.5               | 66.7                              |
| SONOMA          | 5,651  | 12.2                            | 5,803   | 57.3   | 1.3   | 34.0     | 4.5      | 0.6 | 5.7                | 1.0                     | 2.6                       | 25.8          | 28.7                               | 12.8                               | 19.9                  | 5.6                  | 29.8                        | 47.8                  | 20.5              | 58.7                              |
| STANISLAUS      | 7,241  | 15.9                            | 8,037   | 43.8   | 2.3   | 46.5     | 4.8      | 0.3 | 5.6                | 1.1                     | 4.9                       | 35.4          | 31.3                               | 16.5                               | 22.2                  | 4.5                  | 46.7                        | 38.0                  | 12.7              | 72.5                              |
| SUTTER          | 1,166  | 14.5                            | 2,013   | 47.8   | 1.8   | 34.0     | 14.7     | 0.9 | 5.7                | 0.9                     | 3.3                       | 30.4          | 29.5                               | 34.0                               | 25.7                  | 10.8                 | 53.1                        | 6.4                   | 39.5              | 69.2                              |
| TEHAMA          | 686  | 12.1                            | 589   | 68.7   | 0.3   | 25.7     | 1.2      | 2.5 | 6.3                | 0.9                     | 5.5                       | 41.3          | 30.3                               | 15.4                               | 20.8                  | 24.3                 | 58.5                        | 2.3                   | 37.8              | 60.2                              |
| TRINITY         | 85   | 6.5                             | 54  | 80.0   | 0.0   | 8.2      | 2.4      | 2.4 | 5.9                | 0.0                     | 3.5                       | 28.2          | 17.6                               | 15.3                               | 16.5                  | 37.7                 | 48.8                        | 1.2                   | 45.2              | 39.8                              |
| TULARE          | 7,251  | 19.3                            | 6,611   | 26.8   | 1.2   | 68.3     | 2.6      | 0.6 | 6.0                | 1.2                     | 6.7                       | 42.2          | 43.3                               | 21.0                               | 27.0                  | 11.8                 | 60.7                        | 4.6                   | 32.3              | 88.2                              |
| TUOLUMNE        | 427  | 7.7                             | 504   | 84.8   | 0.0   | 9.8      | 1.6      | 1.6 | 5.9                | 0.7                     | 3.5                       | 32.6          | 17.6                               | 10.5                               | 27.9                  | 8.4                  | 46.4                        | 5.9                   | 45.2              | 42.9                              |
| VENTURA         | 11,768                                       | 15.4                            | 11,032  | 37.7   | 1.5   | 47.8     | 5.2      | 0.2 | 5.9                | 1.1                     | 3.2                       | 23.1          | 32.9                               | 10.3                               | 25.5                  | 10.3                 | 38.0                        | 20.2                  | 39.9              | 74.8                              |
| YOLO            | 2,246  | 13.1                            | 1,854   | 47.6   | 1.5   | 40.3     | 8.8      | 0.4 | 5.3                | 1.2                     | 3.3                       | 25.1          | 27.2                               | 27.2                               | 16.9                  | 36.3                 | 40.3                        | 42.0                  | 16.4              | 52.6                              |
| YUBA            | 1,056  | 17.4                            | 4   | 59.4   | 2.8   | 23.7     | 10.3     | 1.5 | 6.7                | 0.9                     | 5.2                       | 35.2          | 34.4                               | 37.0                               | 23.3                  | 99.6                 | 64.4                        | 10.1                  | 24.0              | 75.0                              |

TABLE 4  
 COUNTY DEATH DATA,  
 AGE-ADJUSTED AND AGE-SPECIFIC DEATH RATES (1998-2000 AVERAGE) BY COUNTY

| COUNTY       | 2000 COUNTY DEATH DATA |                      |            | AGE ADJUSTED RATE | DEATHS PER 100,000 POPULATION |        |         |         |         |         |           |           |           |            |
|--------------|------------------------|----------------------|------------|-------------------|-------------------------------|--------|---------|---------|---------|---------|-----------|-----------|-----------|------------|
|              | COUNTY OF RESIDENCE    | COUNTY OF OCCURRENCE | CRUDE RATE |                   | AGE-SPECIFIC DEATH RATES      |        |         |         |         |         |           |           |           |            |
|              |                        |                      |            |                   | 01-04                         | 05-14  | 15-24   | 25-34   | 35-44   | 45-54   | 55-64     | 65-74     | 75-84     | 85 & +     |
| CALIFORNIA   | 228,281                | 230,505              | 6.6        | 773.8             | 26.3                          | 15.1   | 68.6    | 85.5    | 162.1   | 369.9   | 849.7     | 2,128.5   | 5,192.6   | 14,064.3   |
| ALAMEDA      | 9,841                  | 9,809                | 6.7        | 785.5             | 21.7                          | 12.0   | 65.5    | 90.6    | 164.6   | 379.1   | 866.1     | 2,219.7   | 5,266.9   | 14,063.7   |
| ALPINE       | 6                      | 11                   | 4.9 *      | 657.2 *           | 0.0                           | 0.0    | 0.0     | 0.0     | 152.9 * | 704.2 * | 1,052.6 * | 1,282.1 * | 4,444.4 * | 10,416.7 * |
| AMADOR       | 374                    | 339                  | 10.6       | 716.9             | 56.1 *                        | 45.6 * | 40.5 *  | 152.7 * | 166.2 * | 437.2   | 865.9     | 1,828.4   | 4,520.4   | 12,428.6   |
| BUTTE        | 2,134                  | 2,288                | 10.4       | 779.7             | 35.7 *                        | 19.0 * | 86.1    | 101.5   | 219.7   | 491.4   | 1,049.5   | 2,187.2   | 4,649.9   | 12,627.3   |
| CALAVERAS    | 382                    | 270                  | 9.3        | 724.0             | 19.7 *                        | 6.4 *  | 83.0 *  | 148.9 * | 277.4 * | 436.1   | 873.9     | 2,187.5   | 3,927.7   | 12,014.0   |
| COLUSA       | 144                    | 122                  | 7.5        | 725.4             | 0.0                           | 52.1 * | 61.3 *  | 112.3 * | 184.0 * | 451.2 * | 1,045.7 * | 2,338.7   | 4,505.5   | 9,636.2    |
| CONTRA COSTA | 6,648                  | 6,587                | 6.9        | 769.8             | 31.3 *                        | 17.8   | 62.1    | 94.8    | 157.7   | 330.0   | 737.4     | 1,971.3   | 5,269.2   | 15,181.5   |
| DEL NORTE    | 269                    | 299                  | 9.5        | 776.2             | 23.7 *                        | 24.5 * | 68.7 *  | 87.4 *  | 286.6 * | 598.1   | 1,184.7   | 2,399.8   | 4,903.2   | 8,781.4    |
| EL DORADO    | 1,101                  | 947                  | 7.0        | 724.7             | 39.9 *                        | 14.8 * | 65.3 *  | 84.1 *  | 178.2   | 315.5   | 791.3     | 1,910.9   | 4,654.9   | 14,204.3   |
| FRESNO       | 5,360                  | 5,654                | 6.6        | 814.6             | 35.4                          | 19.4   | 85.0    | 103.6   | 196.6   | 402.2   | 986.6     | 2,287.2   | 5,282.1   | 13,855.9   |
| GLENN        | 258                    | 146                  | 9.6        | 798.6             | 53.2 *                        | 21.3 * | 117.2 * | 86.0 *  | 194.9 * | 460.3 * | 944.4     | 2,301.3   | 5,480.4   | 12,000.0   |
| HUMBOLDT     | 1,202                  | 1,211                | 9.4        | 925.7             | 37.7 *                        | 20.7 * | 96.8 *  | 111.5   | 261.2   | 500.6   | 1,184.3   | 2,561.6   | 5,895.0   | 15,261.8   |
| IMPERIAL     | 840                    | 783                  | 5.6        | 699.6             | 27.9 *                        | 23.6 * | 60.0 *  | 100.3   | 198.5   | 473.8   | 1,008.4   | 2,298.2   | 4,340.9   | 8,735.4    |
| INYO         | 189                    | 179                  | 10.4       | 734.3             | 0.0                           | 0.0    | 39.9 *  | 42.0 *  | 199.2 * | 486.1 * | 933.4 *   | 1,973.9   | 4,737.1   | 12,691.8   |
| KERN         | 4,617                  | 4,450                | 6.8        | 836.0             | 34.8 *                        | 20.2   | 80.6    | 114.3   | 220.1   | 467.0   | 1,116.0   | 2,488.1   | 5,411.3   | 12,403.5   |
| KINGS        | 710                    | 606                  | 5.3        | 873.3             | 33.6 *                        | 11.0 * | 59.8 *  | 82.7    | 201.7   | 518.2   | 999.8     | 2,701.0   | 5,915.0   | 13,380.1   |
| LAKE         | 825                    | 688                  | 14.0       | 856.5             | 36.8 *                        | 8.5 *  | 61.0 *  | 176.6 * | 403.4   | 621.4   | 1,328.1   | 2,597.1   | 4,623.9   | 11,060.1   |
| LASSEN       | 188                    | 139                  | 5.3        | 648.6             | 23.8 *                        | 8.3 *  | 31.4 *  | 39.3 *  | 163.2 * | 408.0 * | 842.7     | 2,014.4   | 4,249.6   | 9,686.6    |
| LOS ANGELES  | 59,032                 | 60,238               | 6.1        | 769.1             | 24.4                          | 13.9   | 79.6    | 88.1    | 156.9   | 365.7   | 844.7     | 2,125.1   | 5,202.2   | 13,774.9   |
| MADERA       | 881                    | 762                  | 6.9        | 755.9             | 27.7 *                        | 20.8 * | 92.4 *  | 103.6 * | 206.7   | 431.9   | 986.9     | 2,066.5   | 4,721.8   | 12,316.2   |
| MARIN        | 1,833                  | 1,829                | 7.3        | 727.6             | 12.0 *                        | 5.7 *  | 36.0 *  | 37.4 *  | 113.7   | 334.8   | 744.4     | 1,660.2   | 4,786.1   | 16,726.7   |
| MARIPOSA     | 152                    | 109                  | 8.8        | 736.6             | 102.6 *                       | 0.0    | 96.2 *  | 82.3 *  | 254.0 * | 504.0 * | 1,117.3   | 2,180.1   | 4,302.8   | 9,432.2    |
| MENDOCINO    | 816                    | 738                  | 9.3        | 839.6             | 22.1 *                        | 23.8 * | 67.2 *  | 116.2 * | 250.2   | 401.9   | 1,041.7   | 2,311.6   | 5,250.2   | 14,748.4   |
| MERCED       | 1,318                  | 1,100                | 6.1        | 852.2             | 29.6 *                        | 29.6 * | 82.5    | 96.3    | 206.2   | 453.4   | 1,105.9   | 2,425.7   | 5,274.8   | 14,617.7   |
| MODOC        | 92                     | 72                   | 9.6        | 750.6             | 68.4 *                        | 25.9 * | 59.8 *  | 61.8 *  | 169.9 * | 290.6 * | 956.3 *   | 2,341.0   | 4,600.9   | 13,421.8   |
| MONO         | 48                     | 38                   | 3.7        | 474.7 *           | 0.0                           | 42.3 * | 53.2 *  | 74.6 *  | 193.2 * | 238.0 * | 562.4 *   | 800.0 *   | 4,267.6 * | 5,555.6 *  |
| MONTEREY     | 2,344                  | 2,272                | 5.7        | 737.7             | 14.1 *                        | 12.8 * | 75.5    | 71.5    | 129.6   | 331.7   | 778.3     | 2,056.3   | 5,099.9   | 13,489.1   |
| NAPA         | 1,295                  | 1,349                | 10.3       | 788.9             | 42.9 *                        | 10.1 * | 60.1 *  | 56.3 *  | 151.5   | 330.9   | 781.8     | 2,100.6   | 5,614.6   | 15,304.1   |
| NEVADA       | 858                    | 810                  | 9.2        | 655.5             | 27.2 *                        | 17.3 * | 59.6 *  | 99.6 *  | 176.8   | 316.6   | 732.7     | 1,599.6   | 4,026.9   | 13,110.7   |
| ORANGE       | 16,520                 | 16,769               | 5.7        | 785.8             | 23.0                          | 12.8   | 54.5    | 66.7    | 116.7   | 267.4   | 670.2     | 1,922.8   | 5,721.3   | 16,955.8   |

TABLE 4  
COUNTY DEATH DATA,  
AGE-ADJUSTED AND AGE-SPECIFIC DEATH RATES (1998-2000 AVERAGE) BY COUNTY

| COUNTY          | 2000 COUNTY DEATH DATA |                      |            | AGE ADJUSTED RATE | DEATHS PER 100,000 POPULATION |        |        |         |         |         |           |           |           |            |
|-----------------|------------------------|----------------------|------------|-------------------|-------------------------------|--------|--------|---------|---------|---------|-----------|-----------|-----------|------------|
|                 | COUNTY OF RESIDENCE    | COUNTY OF OCCURRENCE | CRUDE RATE |                   | AGE-SPECIFIC DEATH RATES      |        |        |         |         |         |           |           |           |            |
|                 |                        |                      |            |                   | 01-04                         | 05-14  | 15-24  | 25-34   | 35-44   | 45-54   | 55-64     | 65-74     | 75-84     | 85 & +     |
| PLACER          | 1,919                  | 2,181                | 7.6        | 795.0             | 10.4 *                        | 10.6 * | 42.2 * | 83.2    | 129.1   | 306.5   | 734.9     | 2,159.3   | 5,767.1   | 15,518.1   |
| PLUMAS          | 205                    | 174                  | 9.8        | 743.4             | 96.5 *                        | 13.4 * | 85.6 * | 72.0 *  | 228.1 * | 372.8 * | 1,240.8   | 1,979.3   | 4,113.7   | 12,195.1   |
| RIVERSIDE       | 12,061                 | 11,541               | 7.6        | 776.2             | 40.2                          | 15.9   | 72.1   | 115.6   | 189.4   | 433.3   | 999.9     | 2,266.4   | 4,808.5   | 12,589.0   |
| SACRAMENTO      | 8,991                  | 9,568                | 7.2        | 867.0             | 34.4                          | 20.0   | 72.8   | 103.0   | 175.9   | 427.9   | 1,014.1   | 2,426.9   | 5,621.3   | 15,665.5   |
| SAN BENITO      | 284                    | 240                  | 5.2        | 636.1             | 47.7 *                        | 12.5 * | 75.9 * | 93.6 *  | 104.6 * | 314.7   | 613.3     | 1,479.3   | 4,843.5   | 11,316.9   |
| SAN BERNARDINO  | 11,121                 | 11,706               | 6.4        | 906.4             | 32.5                          | 19.6   | 81.5   | 100.1   | 185.1   | 428.2   | 1,115.8   | 2,671.6   | 5,994.4   | 15,283.9   |
| SAN DIEGO       | 19,621                 | 20,337               | 6.9        | 769.3             | 20.1                          | 11.4   | 56.5   | 59.6    | 169.4   | 419.7   | 805.3     | 2,096.8   | 5,202.8   | 14,034.4   |
| SAN FRANCISCO   | 6,468                  | 6,708                | 8.2        | 698.4             | 16.1 *                        | 11.5 * | 72.6   | 112.5   | 215.2   | 449.8   | 883.2     | 1,831.4   | 4,283.3   | 11,546.6   |
| SAN JOAQUIN     | 4,209                  | 4,241                | 7.3        | 818.8             | 33.9 *                        | 19.7   | 78.8   | 120.5   | 198.3   | 464.1   | 1,057.3   | 2,449.5   | 5,109.6   | 12,969.6   |
| SAN LUIS OBISPO | 1,976                  | 1,915                | 7.9        | 709.9             | 24.0 *                        | 17.1 * | 41.7 * | 55.2    | 161.1   | 438.7   | 774.9     | 1,869.5   | 4,685.5   | 12,975.2   |
| SAN MATEO       | 4,706                  | 4,674                | 6.6        | 662.5             | 18.4 *                        | 11.4 * | 43.1   | 66.4    | 118.8   | 271.3   | 654.3     | 1,726.3   | 4,638.9   | 13,139.5   |
| SANTA BARBARA   | 2,917                  | 2,943                | 7.2        | 717.2             | 29.0 *                        | 16.1 * | 42.0   | 64.9    | 137.0   | 331.7   | 695.1     | 1,936.1   | 4,876.8   | 14,025.4   |
| SANTA CLARA     | 8,802                  | 9,568                | 5.1        | 696.9             | 21.9                          | 13.5   | 45.2   | 63.2    | 105.9   | 260.0   | 622.6     | 1,712.4   | 4,786.1   | 15,376.2   |
| SANTA CRUZ      | 1,689                  | 1,653                | 6.5        | 692.5             | 11.8 *                        | 10.7 * | 56.8 * | 81.5    | 131.7   | 320.2   | 677.2     | 1,766.4   | 4,703.6   | 13,743.8   |
| SHASTA          | 1,644                  | 1,775                | 10.0       | 887.4             | 22.9 *                        | 29.0 * | 73.2 * | 122.7   | 246.3   | 432.6   | 1,006.7   | 2,483.1   | 5,787.3   | 15,414.3   |
| SIERRA          | 29                     | 31                   | 8.0        | 624.4 *           | 0.0                           | 0.0    | 0.0    | 0.0     | 214.6 * | 415.9 * | 683.8 *   | 1,898.7 * | 4,134.4 * | 10,510.5 * |
| SISKIYOU        | 480                    | 448                  | 10.7       | 817.3             | 0.0                           | 29.3 * | 75.7 * | 106.6 * | 243.3 * | 427.7   | 1,147.8   | 2,342.8   | 4,560.0   | 14,707.0   |
| SOLANO          | 2,564                  | 2,416                | 6.4        | 866.7             | 31.1 *                        | 13.9 * | 63.5   | 94.5    | 161.1   | 346.0   | 984.5     | 2,424.2   | 5,934.5   | 16,053.9   |
| SONOMA          | 3,835                  | 3,906                | 8.3        | 777.8             | 29.1 *                        | 19.4 * | 63.6   | 91.2    | 169.9   | 334.0   | 801.5     | 2,077.9   | 5,246.3   | 14,825.8   |
| STANISLAUS      | 3,401                  | 3,671                | 7.5        | 880.0             | 30.0 *                        | 20.2 * | 69.1   | 114.3   | 202.2   | 447.5   | 1,101.1   | 2,588.9   | 5,680.4   | 14,604.1   |
| SUTTER          | 710                    | 468                  | 8.9        | 807.7             | 33.5 *                        | 15.7 * | 93.0 * | 107.2 * | 182.1   | 382.3   | 973.9     | 2,493.3   | 5,417.5   | 12,584.8   |
| TEHAMA          | 617                    | 453                  | 10.9       | 863.6             | 67.7 *                        | 16.6 * | 68.0 * | 102.2 * | 282.8   | 566.1   | 1,158.7   | 2,449.3   | 5,314.0   | 13,127.6   |
| TRINITY         | 140                    | 94                   | 10.7       | 896.1             | 0.0                           | 0.0    | 98.0 * | 127.0 * | 280.7 * | 564.5 * | 1,397.4 * | 2,325.6   | 5,286.0   | 13,782.1   |
| TULARE          | 2,639                  | 2,491                | 7.0        | 818.8             | 34.4 *                        | 22.3 * | 91.6   | 122.9   | 227.6   | 451.8   | 1,041.9   | 2,408.5   | 5,112.9   | 12,851.4   |
| TUOLUMNE        | 585                    | 532                  | 10.6       | 791.2             | 16.4 *                        | 5.5 *  | 29.8 * | 75.3 *  | 165.0 * | 406.6   | 1,221.4   | 2,197.9   | 4,722.8   | 14,294.8   |
| VENTURA         | 4,778                  | 4,546                | 6.2        | 755.7             | 25.2 *                        | 12.8 * | 56.8   | 73.2    | 147.3   | 288.5   | 641.3     | 1,942.1   | 5,573.8   | 14,892.6   |
| YOLO            | 1,063                  | 910                  | 6.2        | 811.9             | 25.1 *                        | 17.2 * | 46.1 * | 57.4 *  | 180.5   | 483.8   | 917.4     | 2,168.4   | 5,446.4   | 14,582.3   |
| YUBA            | 550                    | 701                  | 9.0        | 1,045.2           | 14.9 *                        | 13.7 * | 64.0 * | 128.4 * | 265.0   | 641.8   | 1,727.0   | 3,354.6   | 6,582.1   | 13,415.8   |

TABLE 5  
 INFANT, NEONATAL AND PERINATAL DEATHS  
 CALIFORNIA

| COUNTY       | 2000<br>TOTAL<br>FETAL<br>DEATHS | FETAL<br>DEATH<br>RATIO PER<br>1000 LIVE<br>BIRTHS | 2000<br>TOTAL<br>NEONATAL<br>DEATHS<br><28 DAYS | NEONATAL<br>DEATH<br>RATE<br>PER 1000<br>LIVE BIRTHS | 2000<br>TOTAL<br>INFANT<br>DEATHS | INFANT<br>DEATHS<br>PER 1000<br>LIVE<br>BIRTHS | INFANT DEATH RATE BY MOTHERS RACE<br>BIRTH COHORT FILE (1999) |       |        |          |                 | TOTAL<br>PERINATAL<br>DEATHS | PERINATAL DEATH RATE BY MOTHERS RACE<br>BIRTH COHORT FILE (1999) |        |       |          |                 |
|--------------|----------------------------------|--|---|--|-----------------------------------|--|---|-------|--------|----------|-----------------|------------------------------|--|--------|-------|----------|-----------------|
|              |                                  |  |   |  |                                   |  | TOTAL   | WHITE | BLACK  | HISPANIC | ASIAN/<br>OTHER |                              | TOTAL  | WHITE  | BLACK | HISPANIC | ASIAN/<br>OTHER |
| CALIFORNIA   | 3,046                            | 5.7  | 1,957   | 3.7  | 2,884                             | 5.4  | 5.5   | 4.6   | 12.6   | 5.2      | 4.5             | 4,818                        | 9.3  | 8.1    | 18.9  | 8.9      | 7.5             |
| ALAMEDA      | 136                              | 6.1  | 66  | 3.0  | 103                               | 4.6  | 5.5   | 3.9   | 11.6   | 4.6      | 5.5             | 213                          | 10.3   | 9.0    | 20.6  | 6.2      | 9.8             |
| ALPINE       | 0                                | 0.0  | 0   | 0.0  | 0                                 | 0.0  | 0.0   | 0.0   | 0.0    | 0.0      | 0.0             | 0                            | 0.0  | 0.0    | 0.0   | 0.0      | 0.0             |
| AMADOR       | 0                                | 0.0  | 1   | N  | 1                                 | N  | N   | 0.0   | 0.0    | 0.0      | N               | 2                            | N  | N      | 0.0   | 0.0      | 0.0             |
| BUTTE        | 14                               | 6.4 *  | 4   | N  | 14                                | 6.4 *  | 5.8 *   | 6.3 * | N      | N        | N               | 23                           | 10.1   | 11.2 * | 0.0   | N        | N               |
| CALAVERAS    | 3                                | N  | 0   | 0.0  | 1                                 | N  | 0.0   | 0.0   | 0.0    | 0.0      | 0.0             | 2                            | N  | N      | 0.0   | 0.0      | 0.0             |
| COLUSA       | 2                                | N  | 2   | N  | 2                                 | N  | N   | N     | 0.0    | N        | 0.0             | 3                            | N  | N      | 0.0   | N        | 0.0             |
| CONTRA COSTA | 75                               | 5.7  | 48  | 3.6  | 64                                | 4.8  | 5.0   | 2.6 * | 12.6 * | 6.0      | 5.1 *           | 118                          | 9.3  | 6.7    | 22.7  | 9.9      | 6.8 *           |
| DEL NORTE    | 2                                | N  | 0   | 0.0  | 2                                 | N  | N   | N     | 0.0    | 0.0      | 0.0             | 1                            | N  | N      | 0.0   | 0.0      | 0.0             |
| EL DORADO    | 10                               | 6.1 *  | 1   | N  | 3                                 | N  | 3.7 *   | 3.9 * | 0.0    | 0.0      | N               | 12                           | 7.3 *  | 7.8 *  | 0.0   | N        | 0.0             |
| FRESNO       | 70                               | 4.9  | 68  | 4.8  | 102                               | 7.2  | 7.0   | 7.9   | N      | 5.1      | 9.1 *           | 160                          | 11.3   | 11.5   | N     | 10.1     | 12.1 *          |
| GLENN        | 4                                | N  | 0   | 0.0  | 1                                 | N  | N   | N     | 0.0    | 0.0      | 0.0             | 1                            | N  | N      | 0.0   | 0.0      | 0.0             |
| HUMBOLDT     | 8                                | 5.8 *  | 7   | 5.1 *  | 10                                | 7.3 *  | 4.1 *   | N     | 0.0    | N        | N               | 12                           | 8.2 *  | 9.3 *  | 0.0   | 0.0      | N               |
| IMPERIAL     | 15                               | 5.8 *  | 10  | 3.9 *  | 12                                | 4.7 *  | 5.3 *   | 9.4 * | 0.0    | 4.3 *    | 0.0             | 22                           | 8.9  | N      | 0.0   | 10.1     | 0.0             |
| INYO         | 0                                | 0.0  | 1   | N  | 1                                 | N  | 0.0   | 0.0   | 0.0    | 0.0      | 0.0             | 0                            | 0.0  | 0.0    | 0.0   | 0.0      | 0.0             |
| KERN         | 80                               | 6.8  | 55  | 4.7  | 86                                | 7.4  | 6.9   | 5.1   | N      | 5.8      | N               | 125                          | 10.9   | 8.1    | N     | 9.8      | N               |
| KINGS        | 11                               | 5.1 *  | 9   | 4.1 *  | 13                                | 6.0 *  | 7.9 *   | 6.4 * | N      | 7.9 *    | 0.0             | 21                           | 9.7  | 11.4 * | N     | 9.6 *    | 0.0             |
| LAKE         | 2                                | N  | 1   | N  | 2                                 | N  | 0.0   | 0.0   | 0.0    | 0.0      | 0.0             | 4                            | N  | N      | N     | N        | N               |
| LASSEN       | 0                                | 0.0  | 2   | N  | 4                                 | N  | N   | N     | 0.0    | 0.0      | 0.0             | 1                            | N  | 0.0    | 0.0   | 0.0      | N               |
| LOS ANGELES  | 974                              | 6.2  | 531   | 3.4  | 777                               | 4.9  | 5.6   | 4.9   | 10.7   | 5.1      | 4.6             | 1,497                        | 9.5  | 8.8    | 16.7  | 8.8      | 7.0             |
| MADERA       | 20                               | 9.5  | 6   | 2.8 *  | 12                                | 5.7 *  | 4.6 *   | N     | 0.0    | 5.4 *    | 0.0             | 23                           | 11.7   | N      | N     | 10.6 *   | N               |
| MARIN        | 17                               | 6.0 *  | 9   | 3.2 *  | 10                                | 3.5 *  | 2.6 *   | N     | N      | 0.0      | N               | 19                           | 7.1  | 6.5 *  | N     | N        | N               |
| MARIPOSA     | 1                                | N  | 2   | N  | 2                                 | N  | N   | N     | 0.0    | 0.0      | 0.0             | 1                            | N  | N      | 0.0   | 0.0      | 0.0             |
| MENDOCINO    | 7                                | 6.5 *  | 5   | 4.6 *  | 9                                 | 8.3 *  | N   | N     | 0.0    | N        | N               | 7                            | 6.9 *  | 8.6 *  | 0.0   | N        | 0.0             |
| MERCED       | 28                               | 7.2  | 14  | 3.6 *  | 19                                | 4.9  | 4.1 *   | N     | 0.0    | 3.2 *    | N               | 33                           | 9.0  | 7.5 *  | 0.0   | 8.7      | N               |
| MODOC        | 0                                | 0.0  | 0   | 0.0  | 0                                 | 0.0  | N   | N     | 0.0    | 0.0      | 0.0             | 1                            | N  | N      | 0.0   | 0.0      | 0.0             |
| MONO         | 1                                | N  | 1   | N  | 1                                 | N  | N   | N     | 0.0    | 0.0      | 0.0             | 1                            | N  | N      | 0.0   | 0.0      | 0.0             |
| MONTEREY     | 27                               | 3.9  | 30  | 4.3  | 39                                | 5.7  | 4.2   | 7.3 * | N      | 2.9 *    | N               | 65                           | 9.6  | 14.0   | N     | 8.4      | N               |
| NAPA         | 5                                | 3.3 *  | 2   | N  | 6                                 | 4.0 *  | N   | 0.0   | 0.0    | N        | 0.0             | 11                           | 7.3 *  | N      | 0.0   | N        | 0.0             |
| NEVADA       | 1                                | N  | 1   | N  | 1                                 | N  | N   | N     | 0.0    | 0.0      | 0.0             | 5                            | N  | N      | 0.0   | N        | 0.0             |
| ORANGE       | 254                              | 5.4  | 157   | 3.3  | 231                               | 4.9  | 4.6   | 3.3   | N      | 5.4      | 3.9             | 390                          | 8.3  | 7.3    | N     | 9.0      | 6.8             |

TABLE 5  
 INFANT, NEONATAL AND PERINATAL DEATHS  
 CALIFORNIA

| COUNTY          | 2000<br>TOTAL<br>FETAL<br>DEATHS | FETAL<br>DEATH<br>RATIO PER<br>1000 LIVE<br>BIRTHS | 2000<br>TOTAL<br>NEONATAL<br>DEATHS<br><28 DAYS | NEONATAL<br>DEATH<br>RATE<br>PER 1000<br>LIVE BIRTHS | 2000<br>TOTAL<br>INFANT<br>DEATHS | INFANT<br>DEATHS<br>PER 1000<br>LIVE<br>BIRTHS | INFANT DEATH RATE BY MOTHERS RACE<br>BIRTH COHORT FILE (1999) |        |       |          |                 | TOTAL<br>PERINATAL<br>DEATHS | PERINATAL DEATH RATE BY MOTHERS RACE<br>BIRTH COHORT FILE (1999) |       |        |          |                 |
|-----------------|----------------------------------|--|---|--|-----------------------------------|--|---|--------|-------|----------|-----------------|------------------------------|--|-------|--------|----------|-----------------|
|                 |                                  |  |   |  |                                   |  | TOTAL   | WHITE  | BLACK | HISPANIC | ASIAN/<br>OTHER |                              | TOTAL  | WHITE | BLACK  | HISPANIC | ASIAN/<br>OTHER |
|                 |                                  |  |   |  |                                   |  | PLACER  | 14     | 4.6 * | 17       | 5.6 *           |                              | 22   | 7.2   | 4.4 *  | 3.5 *    | N               |
| PLUMAS          | 2                                | N  | 1   | N  | 2                                 | N  | 0.0   | 0.0    | 0.0   | 0.0      | 0.0             | 1                            | N  | N     | 0.0    | 0.0      | 0.0             |
| RIVERSIDE       | 147                              | 5.9  | 111   | 4.5  | 167                               | 6.7  | 6.1   | 5.4    | 17.5  | 5.3      | 5.9 *           | 213                          | 9.0  | 8.2   | 20.2   | 8.1      | 8.3 *           |
| SACRAMENTO      | 111                              | 6.1  | 60  | 3.3  | 105                               | 5.8  | 6.7   | 4.8    | 16.9  | 6.9      | 5.5 *           | 182                          | 10.2   | 9.2   | 19.7   | 8.4      | 9.4             |
| SAN BENITO      | 4                                | N  | 4   | N  | 4                                 | N  | N   | 0.0    | N     | N        | 0.0             | 5                            | N  | 0.0   | 0.0    | N        | 0.0             |
| SAN BERNARDINO  | 153                              | 5.3  | 137   | 4.8  | 201                               | 7.0  | 7.2   | 6.5    | 15.6  | 6.0      | 6.7 *           | 279                          | 9.8  | 8.7   | 18.8   | 8.9      | 8.1 *           |
| SAN DIEGO       | 228                              | 5.1  | 184   | 4.2  | 263                               | 5.9  | 5.5   | 5.3    | 14.2  | 4.8      | 3.7 *           | 409                          | 9.4  | 8.4   | 20.6   | 8.8      | 8.0             |
| SAN FRANCISCO   | 58                               | 6.7  | 24  | 2.8  | 35                                | 4.0  | 3.9   | 3.0 *  | N     | 2.7 *    | 3.7 *           | 53                           | 6.5  | 4.1 * | 19.1 * | 6.0 *    | 5.6 *           |
| SAN JOAQUIN     | 46                               | 4.8  | 47  | 4.9  | 66                                | 6.9  | 4.2   | 3.4 *  | N     | 3.3 *    | 5.7 *           | 81                           | 9.1  | 6.4   | N      | 9.2      | 10.1 *          |
| SAN LUIS OBISPO | 15                               | 6.2 *  | 7   | 2.9 *  | 11                                | 4.5 *  | 3.4 *   | 3.2 *  | 0.0   | N        | 0.0             | 13                           | 5.5 *  | 4.4 * | 0.0    | N        | N               |
| SAN MATEO       | 53                               | 5.1  | 43  | 4.1  | 55                                | 5.3  | 4.1   | N      | N     | 6.7 *    | 5.0 *           | 68                           | 6.7  | 2.5 * | N      | 8.7      | 8.3             |
| SANTA BARBARA   | 32                               | 5.6  | 24  | 4.2  | 32                                | 5.6  | 5.1   | 4.1 *  | 0.0   | 6.0      | N               | 43                           | 7.8  | 6.6 * | N      | 8.5      | N               |
| SANTA CLARA     | 144                              | 5.2  | 93  | 3.4  | 123                               | 4.5  | 5.0   | 5.0    | N     | 6.0      | 3.2             | 209                          | 7.9  | 7.6   | N      | 8.0      | 6.6             |
| SANTA CRUZ      | 19                               | 5.4  | 13  | 3.7 *  | 16                                | 4.6  | 5.8   | 4.0 *  | N     | 6.4 *    | 0.0             | 43                           | 12.4   | 13.1  | N      | 10.4 *   | 0.0             |
| SHASTA          | 6                                | 3.3 *  | 7   | 3.8 *  | 11                                | 6.0 *  | 4.3 *   | 4.7 *  | 0.0   | N        | 0.0             | 15                           | 8.1 *  | 8.0 * | N      | 0.0      | N               |
| SIERRA          | 0                                | 0.0  | 0   | 0.0  | 0                                 | 0.0  | 0.0   | 0.0    | 0.0   | 0.0      | 0.0             | 0                            | 0.0  | 0.0   | 0.0    | 0.0      | 0.0             |
| SISKIYOU        | 1                                | N  | 2   | N  | 2                                 | N  | N   | N      | 0.0   | 0.0      | 0.0             | 0                            | 0.0  | 0.0   | 0.0    | 0.0      | 0.0             |
| SOLANO          | 40                               | 6.8  | 15  | 2.5 *  | 27                                | 4.6  | 4.5   | 2.6 *  | N     | 5.0 *    | N               | 43                           | 7.7  | 5.5 * | N      | 6.4 *    | N               |
| SONOMA          | 31                               | 5.5  | 15  | 2.7 *  | 27                                | 4.8  | 5.5   | 4.7 *  | N     | 5.1 *    | N               | 50                           | 9.2  | 6.5   | N      | 10.6     | N               |
| STANISLAUS      | 50                               | 6.9  | 28  | 3.9  | 51                                | 7.0  | 8.4   | 8.2    | N     | 9.2      | N               | 83                           | 11.6   | 10.8  | N      | 13.8     | N               |
| SUTTER          | 8                                | 6.9 *  | 3   | N  | 7                                 | 6.0 *  | N   | N      | 0.0   | N        | N               | 11                           | 9.7 *  | N     | N      | N        | N               |
| TEHAMA          | 4                                | N  | 1   | N  | 3                                 | N  | 9.5 *   | 11.9 * | 0.0   | N        | 0.0             | 6                            | N  | N     | 0.0    | N        | 0.0             |
| TRINITY         | 1                                | N  | 0   | 0.0  | 0                                 | 0.0  | N   | N      | 0.0   | 0.0      | 0.0             | 0                            | 0.0  | 0.0   | 0.0    | 0.0      | 0.0             |
| TULARE          | 37                               | 5.1  | 31  | 4.3  | 48                                | 6.6  | 5.9   | 7.3 *  | 0.0   | 5.6      | 0.0             | 88                           | 12.9   | 18.0  | N      | 10.8     | N               |
| TUOLUMNE        | 2                                | N  | 1   | N  | 6                                 | N  | N   | N      | 0.0   | 0.0      | N               | 3                            | N  | N     | 0.0    | 0.0      | 0.0             |
| VENTURA         | 52                               | 4.4  | 37  | 3.1  | 48                                | 4.1  | 5.2   | 3.9 *  | N     | 4.7      | N               | 104                          | 9.0  | 7.4   | N      | 10.3     | N               |
| YOLO            | 15                               | 6.7 *  | 12  | 5.3 *  | 14                                | 6.2 *  | 3.3 *   | N      | N     | N        | 0.0             | 18                           | 8.4 *  | 5.7 * | N      | N        | N               |
| YUBA            | 6                                | 5.7 *  | 7   | 6.6 *  | 10                                | 9.5 *  | 7.0 *   | 7.7 *  | 0.0   | N        | 0.0             | 10                           | 9.9 *  | N     | N      | N        | N               |

TABLE 6  
MORTALITY BY CAUSE OF DEATH  
CALIFORNIA

| COUNTY       | DEATH RATES BY CAUSE (1999-2000)<br>RATES PER 100,000 POPULATION |            |                      |             |        |                        |                         |                                   |       |                                  |         |                   |          |
|--------------|--|------------|----------------------|-------------|--------|------------------------|-------------------------|-----------------------------------|-------|----------------------------------|---------|-------------------|----------|
|              | HEART DISEASE  | ALL CANCER | FEMALE BREAST CANCER | LUNG CANCER | STROKE | UNINTENTIONAL INJURIES | PNEUMONIA AND INFLUENZA | CHRONIC LOWER RESPIRATORY DISEASE | AIDS  | CHRONIC LIVER DISEASE/ CIRRHOSIS | SUICIDE | DIABETES MELLITUS | HOMICIDE |
| CALIFORNIA   | 203.1  | 155.4      | 24.5                 | 40.2        | 53.1   | 26.1                   | 24.0                    | 38.1                              | 4.4   | 10.6                             | 9.0     | 17.9              | 6.1      |
| ALAMEDA      | 198.5  | 163.0      | 26.7                 | 43.0        | 59.3   | 23.5                   | 21.2                    | 32.7                              | 6.1   | 10.1                             | 7.7     | 19.4              | 7.6      |
| ALPINE       | 122.3 *  | 203.9 *    | 0.0                  | 81.6 *      | 40.8 * | 0.0                    | 81.6 *                  | 40.8 *                            | 0.0   | 0.0                              | 0.0     | 0.0               | 0.0      |
| AMADOR       | 331.3  | 258.6      | 34.6 *               | 68.3        | 84.3   | 39.2 *                 | 36.3 *                  | 66.8                              | 1.5 * | 11.6 *                           | 24.7 *  | 13.1 *            | 4.4 *    |
| BUTTE        | 269.1  | 245.1      | 32.5                 | 74.2        | 93.3   | 41.1                   | 35.3                    | 73.9                              | 1.7 * | 14.4                             | 17.1    | 20.8              | 2.9 *    |
| CALAVERAS    | 294.4  | 266.0      | 34.0 *               | 98.5        | 65.3   | 59.1                   | 17.2 *                  | 66.5                              | 3.7 * | 14.8 *                           | 19.7 *  | 14.8 *            | 3.7 *    |
| COLUSA       | 199.1  | 194.1      | 20.5 *               | 62.2 *      | 39.8 * | 24.9 *                 | 24.9 *                  | 42.3 *                            | 2.5 * | 10.0 *                           | 12.4 *  | 14.9 *            | 14.9 *   |
| CONTRA COSTA | 194.3  | 172.2      | 28.1                 | 44.4        | 68.8   | 22.5                   | 20.2                    | 39.7                              | 3.7   | 10.4                             | 8.6     | 17.0              | 6.5      |
| DEL NORTE    | 200.9  | 196.0      | 17.9 *               | 60.9 *      | 51.1 * | 37.9 *                 | 32.9 *                  | 47.8 *                            | 0.0   | 13.2 *                           | 13.2 *  | 21.4 *            | 6.6 *    |
| EL DORADO    | 196.8  | 191.7      | 27.4                 | 50.6        | 46.2   | 32.2                   | 22.0                    | 37.6                              | 1.6 * | 12.4 *                           | 12.7    | 17.8              | 2.5 *    |
| FRESNO       | 199.3  | 145.4      | 20.4                 | 37.6        | 52.3   | 36.3                   | 19.4                    | 37.0                              | 3.8   | 11.1                             | 7.6     | 23.9              | 4.9      |
| GLENN        | 233.8  | 223.3      | 31.8 *               | 70.3        | 79.1   | 36.9 *                 | 35.2 *                  | 44.0 *                            | 1.8 * | 15.8 *                           | 19.3 *  | 17.6 *            | 3.5 *    |
| HUMBOLDT     | 228.0  | 220.1      | 44.3                 | 50.5        | 71.7   | 52.1                   | 31.3                    | 58.4                              | 3.9 * | 16.8                             | 17.2    | 25.9              | 5.5 *    |
| IMPERIAL     | 162.3  | 129.0      | 23.3 *               | 32.9        | 36.6   | 48.2                   | 7.3 *                   | 24.6                              | 3.0 * | 15.0                             | 8.3 *   | 16.6              | 3.3 *    |
| INYO         | 324.3  | 248.0      | 37.4 *               | 84.5 *      | 70.9 * | 24.5 *                 | 51.8 *                  | 70.9 *                            | 0.0   | 30.0 *                           | 13.6 *  | 21.8 *            | 0.0      |
| KERN         | 227.2  | 146.6      | 21.4                 | 42.0        | 49.2   | 38.7                   | 22.7                    | 49.9                              | 2.0   | 14.5                             | 9.8     | 18.9              | 7.2      |
| KINGS        | 170.6  | 109.6      | 16.9 *               | 25.1        | 40.8   | 34.4                   | 10.5 *                  | 34.0                              | 4.0 * | 12.9 *                           | 8.5 *   | 30.7              | 2.0 *    |
| LAKE         | 375.4  | 281.1      | 33.5 *               | 100.3       | 116.6  | 62.6                   | 29.1 *                  | 73.7                              | 5.1 * | 24.0 *                           | 18.0 *  | 32.6              | 4.3 *    |
| LASSEN       | 164.7  | 126.4      | 18.2 *               | 46.9 *      | 31.2 * | 12.8 *                 | 17.0 *                  | 48.3 *                            | 1.4 * | 7.1 *                            | 15.6 *  | 11.4 *            | 4.3 *    |
| LOS ANGELES  | 202.7  | 137.3      | 22.2                 | 32.9        | 45.5   | 20.5                   | 24.3                    | 30.3                              | 5.6   | 11.1                             | 7.4     | 19.0              | 9.7      |
| MADERA       | 209.0  | 156.8      | 18.3 *               | 43.9        | 42.3   | 37.0                   | 17.2                    | 43.5                              | 3.3 * | 12.7 *                           | 7.4 *   | 25.9              | 6.6 *    |
| MARIN        | 194.5  | 182.3      | 37.1                 | 42.3        | 74.9   | 22.9                   | 30.4                    | 37.6                              | 3.4 * | 9.3                              | 11.1    | 10.1              | 1.4 *    |
| MARIPOSA     | 263.2  | 312.1      | 61.4 *               | 88.7 *      | 70.4 * | 70.4 *                 | 12.2 *                  | 67.3 *                            | 0.0   | 12.2 *                           | 9.2 *   | 21.4 *            | 3.1 *    |
| MENDOCINO    | 227.6  | 219.7      | 31.4 *               | 59.6        | 66.9   | 39.9                   | 25.8                    | 57.9                              | 1.1 * | 13.5 *                           | 19.1 *  | 24.7              | 6.2 *    |
| MERCED       | 166.1  | 144.5      | 27.8                 | 36.1        | 47.5   | 39.4                   | 14.7                    | 44.6                              | 2.8 * | 10.4                             | 8.5 *   | 24.0              | 5.9 *    |
| MODOC        | 216.7  | 163.7 *    | 29.5 *               | 57.8 *      | 96.3 * | 28.9 *                 | 38.5 *                  | 81.9 *                            | 4.8 * | 14.4 *                           | 24.1 *  | 9.6 *             | 0.0      |
| MONO         | 69.9 *   | 111.8 *    | 20.2 *               | 28.0 *      | 23.3 * | 46.6 *                 | 9.3 *                   | 18.6 *                            | 4.7 * | 18.6 *                           | 0.0     | 9.3 *             | 4.7 *    |
| MONTEREY     | 159.2  | 143.2      | 22.1                 | 38.1        | 47.3   | 25.7                   | 16.6                    | 35.2                              | 2.2 * | 9.5                              | 6.3     | 15.9              | 7.0      |
| NAPA         | 278.9  | 229.8      | 27.8 *               | 65.9        | 107.9  | 32.4                   | 48.4                    | 61.5                              | 3.2 * | 14.8 *                           | 6.0 *   | 23.6              | 2.8 *    |
| NEVADA       | 235.1  | 253.2      | 31.4 *               | 75.0        | 92.0   | 33.0                   | 25.0                    | 75.0                              | 1.6 * | 8.5 *                            | 18.6 *  | 12.2 *            | 3.7 *    |
| ORANGE       | 188.0  | 143.7      | 22.0                 | 35.9        | 48.0   | 21.0                   | 23.9                    | 33.2                              | 2.1   | 7.9                              | 8.0     | 14.4              | 2.8      |

TABLE 6  
MORTALITY BY CAUSE OF DEATH  
CALIFORNIA

| COUNTY          | DEATH RATES BY CAUSE (1999-2000)<br>RATES PER 100,000 POPULATION |            |                      |             |        |                        |                         |                                   |       |                                  |         |                   |          |
|-----------------|--|------------|----------------------|-------------|--------|------------------------|-------------------------|-----------------------------------|-------|----------------------------------|---------|-------------------|----------|
|                 | HEART DISEASE  | ALL CANCER | FEMALE BREAST CANCER | LUNG CANCER | STROKE | UNINTENTIONAL INJURIES | PNEUMONIA AND INFLUENZA | CHRONIC LOWER RESPIRATORY DISEASE | AIDS  | CHRONIC LIVER DISEASE/ CIRRHOSIS | SUICIDE | DIABETES MELLITUS | HOMICIDE |
| PLACER          | 215.1  | 217.0      | 32.7                 | 68.0        | 64.6   | 26.9                   | 26.3                    | 55.0                              | 1.7 * | 9.4                              | 10.0    | 14.5              | 1.9 *    |
| PLUMAS          | 258.3  | 289.7      | 43.3 *               | 91.7        | 43.4 * | 53.1 *                 | 24.1 *                  | 96.6                              | 2.4 * | 14.5 *                           | 16.9 *  | 21.7 *            | 0.0      |
| RIVERSIDE       | 264.0  | 179.3      | 27.1                 | 48.8        | 56.2   | 32.4                   | 22.6                    | 54.4                              | 4.8   | 12.8                             | 10.7    | 15.7              | 5.3      |
| SACRAMENTO      | 216.7  | 180.1      | 29.0                 | 50.3        | 61.5   | 26.3                   | 30.5                    | 46.6                              | 4.4   | 10.8                             | 11.1    | 17.8              | 6.2      |
| SAN BENITO      | 144.7  | 135.8      | 30.3 *               | 29.9 *      | 44.9   | 28.0 *                 | 23.0 *                  | 35.9 *                            | 2.0 * | 10.0 *                           | 2.0 *   | 15.0 *            | 3.0 *    |
| SAN BERNARDINO  | 201.0  | 140.4      | 22.4                 | 38.5        | 42.0   | 25.5                   | 18.1                    | 47.1                              | 3.1   | 10.8                             | 10.2    | 21.7              | 7.7      |
| SAN DIEGO       | 193.8  | 161.5      | 26.9                 | 42.1        | 53.5   | 25.7                   | 24.9                    | 38.6                              | 4.6   | 8.6                              | 10.7    | 14.9              | 3.4      |
| SAN FRANCISCO   | 233.0  | 192.1      | 23.1                 | 45.9        | 75.4   | 35.7                   | 38.5                    | 39.7                              | 25.1  | 11.6                             | 11.2    | 16.3              | 6.4      |
| SAN JOAQUIN     | 229.7  | 164.8      | 24.3                 | 47.3        | 67.7   | 37.0                   | 24.1                    | 48.3                              | 2.2   | 12.9                             | 10.0    | 23.0              | 7.2      |
| SAN LUIS OBISPO | 247.5  | 188.4      | 30.3                 | 51.6        | 68.6   | 33.7                   | 24.6                    | 47.8                              | 1.4 * | 9.7                              | 11.5    | 16.3              | 1.6 *    |
| SAN MATEO       | 177.9  | 172.9      | 27.2                 | 43.9        | 65.7   | 20.3                   | 27.1                    | 35.7                              | 1.8   | 7.2                              | 8.0     | 14.5              | 2.4 *    |
| SANTA BARBARA   | 207.4  | 156.1      | 20.3                 | 40.3        | 64.7   | 33.3                   | 26.5                    | 36.0                              | 1.3 * | 9.9                              | 10.4    | 15.2              | 2.2 *    |
| SANTA CLARA     | 148.7  | 124.2      | 20.7                 | 28.2        | 42.7   | 18.0                   | 20.6                    | 26.4                              | 1.9   | 8.5                              | 7.1     | 13.5              | 2.4      |
| SANTA CRUZ      | 195.6  | 133.5      | 23.8                 | 31.5        | 46.5   | 24.2                   | 21.1                    | 43.4                              | 4.1 * | 10.4                             | 11.9    | 16.4              | 2.7 *    |
| SHASTA          | 263.1  | 223.4      | 34.4                 | 72.4        | 58.1   | 50.8                   | 30.1                    | 81.8                              | 1.8 * | 15.5                             | 18.4    | 27.2              | 4.7 *    |
| SIERRA          | 248.0 *  | 277.2 *    | 58.1 *               | 87.5 *      | 73.0 * | 29.2 *                 | 58.4 *                  | 14.6 *                            | 0.0   | 14.6 *                           | 14.6 *  | 14.6 *            | 14.6 *   |
| SISKIYOU        | 272.0  | 265.3      | 32.8 *               | 72.5        | 75.8   | 51.3                   | 41.3 *                  | 61.3                              | 0.0   | 19.0 *                           | 22.3 *  | 23.4 *            | 1.1 *    |
| SOLANO          | 167.1  | 155.2      | 26.3                 | 44.5        | 55.8   | 23.3                   | 21.4                    | 34.5                              | 5.0   | 9.9                              | 9.1     | 16.6              | 5.9      |
| SONOMA          | 243.6  | 204.1      | 31.7                 | 51.3        | 77.3   | 30.1                   | 27.2                    | 47.9                              | 3.9   | 9.3                              | 11.2    | 17.3              | 2.3 *    |
| STANISLAUS      | 239.2  | 171.1      | 24.1                 | 50.8        | 56.5   | 38.2                   | 29.6                    | 45.1                              | 2.0 * | 12.1                             | 8.1     | 21.6              | 4.3      |
| SUTTER          | 269.4  | 167.5      | 26.0 *               | 54.4        | 83.1   | 46.9                   | 26.3                    | 58.1                              | 3.8 * | 10.0 *                           | 12.5 *  | 10.0 *            | 2.5 *    |
| TEHAMA          | 295.7  | 278.6      | 35.2 *               | 93.2        | 74.4   | 54.7                   | 37.6                    | 82.4                              | 1.8 * | 12.5 *                           | 17.9 *  | 37.6              | 3.6 *    |
| TRINITY         | 250.9  | 295.8      | 52.9 *               | 108.6 *     | 59.9 * | 71.1 *                 | 37.4 *                  | 48.7 *                            | 3.7 * | 15.0 *                           | 11.2 *  | 33.7 *            | 11.2 *   |
| TULARE          | 200.2  | 143.7      | 22.0                 | 37.5        | 51.8   | 46.4                   | 24.5                    | 41.4                              | 1.2 * | 12.8                             | 8.6     | 21.9              | 5.1      |
| TUOLUMNE        | 316.7  | 254.4      | 36.6 *               | 73.2        | 66.8   | 43.9                   | 34.8                    | 53.1                              | 3.7 * | 12.8 *                           | 14.6 *  | 16.5 *            | 2.7 *    |
| VENTURA         | 170.8  | 152.9      | 28.5                 | 40.1        | 51.5   | 28.1                   | 19.1                    | 34.1                              | 2.1   | 9.7                              | 8.4     | 18.7              | 3.6      |
| YOLO            | 151.7  | 153.3      | 28.4                 | 39.5        | 59.7   | 24.3                   | 30.5                    | 45.4                              | 2.5 * | 13.1                             | 12.1    | 18.0              | 3.4 *    |
| YUBA            | 245.0  | 196.6      | 26.9 *               | 74.5        | 78.5   | 55.5                   | 30.9                    | 67.4                              | 2.4 * | 18.2 *                           | 15.9 *  | 23.8 *            | 4.0 *    |

TABLE 7  
COMMUNICABLE DISEASE DATA BY COUNTY  
CALIFORNIA

| COUNTY       | REPORTED COMMUNICABLE DISEASE CASES AND RATES PER 100,000 POPULATION(1998-2000 AVERAGE ) |        |                     |        |                         |        |                          |       |                      |       |                       |        |                       |         |
|--------------|--|--------|---------------------|--------|-------------------------|--------|--------------------------|-------|----------------------|-------|-----------------------|--------|-----------------------|---------|
|              | HEPATITIS<br>REPORTED  |        | MEASLES<br>REPORTED |        | SHIGELLOSIS<br>REPORTED |        | TUBERCULOSIS<br>REPORTED |       | SYPHILIS<br>REPORTED |       | GONORRHEA<br>REPORTED |        | CHLAMYDIA<br>REPORTED |         |
|              | CASES  | RATE   | CASES               | RATE   | CASES                   | RATE   | CASES                    | RATE  | CASES                | RATE  | CASES                 | RATE   | CASES                 | RATE    |
| CALIFORNIA   | 5,145.7  | 15.1   | 15.0                | 0.04 * | 2,750.0                 | 8.1    | 3,586.7                  | 10.5  | 312.0                | 0.9   | 19,946.3              | 58.5   | 85,627.0              | 251.3   |
| ALAMEDA      | 113.3  | 7.8    | 1.3                 | 0.09 * | 120.7                   | 8.3    | 239.0                    | 16.5  | 10.3                 | 0.7 * | 1,842.3               | 127.2  | 4,455.0               | 307.5   |
| ALPINE       | 0.0  | 0.0    | 0.0                 | 0.00   | 0.0                     | 0.0    | 0.0                      | 0.0   | 0.0                  | 0.0   | 0.0                   | 0.0    | 1.3                   | 108.8 * |
| AMADOR       | 4.0  | 11.6 * | 0.0                 | 0.00   | 1.7                     | 4.8 *  | 0.7                      | 1.9 * | 0.0                  | 0.0   | 2.3                   | 6.8 *  | 13.0                  | 37.8 *  |
| BUTTE        | 15.3   | 7.5 *  | 0.0                 | 0.00   | 8.0                     | 3.9 *  | 4.0                      | 2.0 * | 0.0                  | 0.0   | 28.0                  | 13.7   | 340.3                 | 166.7   |
| CALAVERAS    | 0.7  | 1.6 *  | 0.0                 | 0.00   | 0.7                     | 1.6 *  | 0.3                      | 0.8 * | 0.0                  | 0.0   | 1.7                   | 4.1 *  | 14.0                  | 34.5 *  |
| COLUSA       | 2.3  | 11.6 * | 0.0                 | 0.00   | 2.0                     | 10.0 * | 0.3                      | 1.7 * | 0.0                  | 0.0   | 1.7                   | 8.3 *  | 29.7                  | 147.7   |
| CONTRA COSTA | 76.0   | 8.2    | 0.7                 | 0.07 * | 54.0                    | 5.9    | 92.3                     | 10.0  | 3.0                  | 0.3 * | 592.3                 | 64.3   | 1,800.0               | 195.3   |
| DEL NORTE    | 5.3  | 17.6 * | 0.0                 | 0.00   | 0.0                     | 0.0    | 0.7                      | 2.2 * | 0.0                  | 0.0   | 2.3                   | 7.7 *  | 28.3                  | 93.3    |
| EL DORADO    | 25.3   | 16.1   | 0.0                 | 0.00   | 3.0                     | 1.9 *  | 2.7                      | 1.7 * | 0.0                  | 0.0   | 9.3                   | 5.9 *  | 95.0                  | 60.5    |
| FRESNO       | 148.7  | 18.6   | 0.0                 | 0.00   | 63.3                    | 7.9    | 102.0                    | 12.7  | 17.0                 | 2.1 * | 625.3                 | 78.2   | 3,374.3               | 421.7   |
| GLENN        | 2.3  | 8.2 *  | 0.0                 | 0.00   | 0.7                     | 2.3 *  | 0.3                      | 1.2 * | 0.0                  | 0.0   | 0.7                   | 2.3 *  | 29.3                  | 103.1   |
| HUMBOLDT     | 22.7   | 17.8   | 0.0                 | 0.00   | 8.3                     | 6.5 *  | 9.7                      | 7.6 * | 0.0                  | 0.0   | 87.0                  | 68.2   | 372.7                 | 291.9   |
| IMPERIAL     | 85.7   | 57.0   | 0.0                 | 0.00   | 21.0                    | 14.0   | 34.3                     | 22.8  | 0.0                  | 0.0   | 28.7                  | 19.1   | 306.0                 | 203.5   |
| INYO         | 0.3  | 1.8 *  | 0.0                 | 0.00   | 1.0                     | 5.5 *  | 0.3                      | 1.8 * | 0.0                  | 0.0   | 0.7                   | 3.6 *  | 22.3                  | 121.7   |
| KERN         | 164.7  | 24.9   | 0.0                 | 0.00   | 55.7                    | 8.4    | 53.0                     | 8.0   | 11.3                 | 1.7 * | 494.0                 | 74.6   | 2,095.0               | 316.2   |
| KINGS        | 35.7   | 28.8   | 0.0                 | 0.00   | 3.3                     | 2.7 *  | 12.0                     | 9.7 * | 0.0                  | 0.0   | 53.7                  | 43.4   | 390.0                 | 315.3   |
| LAKE         | 7.3  | 12.6 * | 0.0                 | 0.00   | 1.0                     | 1.7 *  | 2.0                      | 3.4 * | 0.0                  | 0.0   | 5.3                   | 9.1 *  | 50.3                  | 86.3    |
| LASSEN       | 12.7   | 36.0 * | 0.0                 | 0.00   | 1.0                     | 2.8 *  | 0.7                      | 1.9 * | 0.0                  | 0.0   | 3.0                   | 8.5 *  | 22.0                  | 62.5    |
| LOS ANGELES  | 1,443.7  | 14.8   | 3.3                 | 0.03 * | 849.0                   | 8.7    | 1,261.0                  | 13.0  | 129.7                | 1.3   | 7,046.7               | 72.4   | 29,714.0              | 305.5   |
| MADERA       | 46.0   | 37.8   | 0.0                 | 0.00   | 16.0                    | 13.1 * | 10.0                     | 8.2 * | 1.0                  | 0.8 * | 35.3                  | 29.0   | 286.0                 | 234.9   |
| MARIN        | 27.3   | 11.1   | 0.0                 | 0.00   | 18.3                    | 7.4 *  | 13.7                     | 5.5 * | 0.7                  | 0.3 * | 45.3                  | 18.3   | 262.7                 | 106.3   |
| MARIPOSA     | 2.7  | 16.3 * | 0.0                 | 0.00   | 0.7                     | 4.1 *  | 0.7                      | 4.1 * | 0.3                  | 2.0 * | 0.7                   | 4.1 *  | 10.3                  | 63.2 *  |
| MENDOCINO    | 10.7   | 12.0 * | 0.0                 | 0.00   | 22.0                    | 24.7   | 3.0                      | 3.4 * | 0.0                  | 0.0   | 6.7                   | 7.5 *  | 138.3                 | 155.5   |
| MERCED       | 62.3   | 29.6   | 0.0                 | 0.00   | 10.0                    | 4.7 *  | 9.7                      | 4.6 * | 5.3                  | 2.5 * | 60.0                  | 28.5   | 456.0                 | 216.4   |
| MODOC        | 0.7  | 6.4 *  | 0.0                 | 0.00   | 0.0                     | 0.0    | 0.7                      | 6.4 * | 0.0                  | 0.0   | 0.7                   | 6.4 *  | 7.0                   | 67.4 *  |
| MONO         | 1.3  | 12.4 * | 0.0                 | 0.00   | 1.0                     | 9.3 *  | 0.0                      | 0.0   | 0.0                  | 0.0   | 1.0                   | 9.3 *  | 16.7                  | 155.3 * |
| MONTEREY     | 60.3   | 15.3   | 0.3                 | 0.08 * | 38.0                    | 9.6    | 43.3                     | 11.0  | 1.3                  | 0.3 * | 88.7                  | 22.4   | 892.0                 | 225.7   |
| NAPA         | 10.0   | 8.0 *  | 0.0                 | 0.00   | 11.0                    | 8.8 *  | 3.7                      | 2.9 * | 0.0                  | 0.0   | 14.0                  | 11.2 * | 113.3                 | 90.6    |
| NEVADA       | 7.0  | 7.4 *  | 0.0                 | 0.00   | 0.0                     | 0.0    | 1.3                      | 1.4 * | 0.3                  | 0.4 * | 2.3                   | 2.5 *  | 56.7                  | 60.3    |
| ORANGE       | 349.0  | 12.5   | 2.3                 | 0.08 * | 192.7                   | 6.9    | 263.3                    | 9.4   | 28.0                 | 1.0   | 553.7                 | 19.9   | 4,323.3               | 155.1   |

TABLE 7  
COMMUNICABLE DISEASE DATA BY COUNTY  
CALIFORNIA

| COUNTY          | REPORTED COMMUNICABLE DISEASE CASES AND RATES PER 100,000 POPULATION(1998-2000 AVERAGE) |        |                  |        |                      |        |                       |        |                   |       |                    |        |                    |        |
|-----------------|---|--------|------------------|--------|----------------------|--------|-----------------------|--------|-------------------|-------|--------------------|--------|--------------------|--------|
|                 | HEPATITIS REPORTED  |        | MEASLES REPORTED |        | SHIGELLOSIS REPORTED |        | TUBERCULOSIS REPORTED |        | SYPHILIS REPORTED |       | GONORRHEA REPORTED |        | CHLAMYDIA REPORTED |        |
|                 | CASES   | RATE   | CASES            | RATE   | CASES                | RATE   | CASES                 | RATE   | CASES             | RATE  | CASES              | RATE   | CASES              | RATE   |
| PLACER          | 19.7  | 8.4    | 0.0              | 0.00   | 5.3                  | 2.3 *  | 3.0                   | 1.3 *  | 0.0               | 0.0   | 17.0               | 7.3 *  | 188.7              | 80.7   |
| PLUMAS          | 1.7   | 8.0 *  | 0.0              | 0.00   | 1.0                  | 4.8 *  | 0.3                   | 1.6 *  | 0.0               | 0.0   | 1.3                | 6.4 *  | 11.0               | 53.1 * |
| RIVERSIDE       | 553.0   | 36.4   | 0.0              | 0.00   | 84.3                 | 5.6    | 74.7                  | 4.9    | 3.7               | 0.2 * | 400.3              | 26.3   | 2,544.0            | 167.4  |
| SACRAMENTO      | 116.7   | 9.8    | 0.3              | 0.03 * | 61.3                 | 5.2    | 109.7                 | 9.2    | 1.3               | 0.1 * | 1,359.0            | 114.3  | 4,343.3            | 365.3  |
| SAN BENITO      | 7.3   | 14.6 * | 0.0              | 0.00   | 10.0                 | 20.0 * | 3.3                   | 6.7 *  | 0.0               | 0.0   | 6.3                | 12.6 * | 66.0               | 131.8  |
| SAN BERNARDINO  | 211.7   | 12.5   | 0.0              | 0.00   | 72.3                 | 4.3    | 106.0                 | 6.3    | 9.7               | 0.6 * | 903.3              | 53.5   | 4,687.3            | 277.5  |
| SAN DIEGO       | 414.3   | 14.4   | 1.7              | 0.06 * | 253.7                | 8.8    | 310.0                 | 10.7   | 25.3              | 0.9   | 1,648.3            | 57.1   | 7,724.0            | 267.8  |
| SAN FRANCISCO   | 216.0   | 27.4   | 0.3              | 0.04 * | 206.7                | 26.2   | 204.0                 | 25.9   | 35.7              | 4.5   | 1,871.7            | 237.2  | 2,807.7            | 355.9  |
| SAN JOAQUIN     | 75.3  | 13.3   | 0.0              | 0.00   | 57.7                 | 10.2   | 70.3                  | 12.4   | 11.0              | 1.9 * | 468.7              | 82.7   | 1,608.3            | 283.8  |
| SAN LUIS OBISPO | 8.0   | 3.2 *  | 0.0              | 0.00   | 3.7                  | 1.5 *  | 10.3                  | 4.2 *  | 0.3               | 0.1 * | 29.3               | 11.8   | 310.3              | 125.2  |
| SAN MATEO       | 75.7  | 10.3   | 1.0              | 0.14 * | 97.7                 | 13.3   | 62.7                  | 8.5    | 2.3               | 0.3 * | 197.7              | 26.9   | 1,002.0            | 136.3  |
| SANTA BARBARA   | 38.3  | 9.4    | 0.0              | 0.00   | 43.3                 | 10.6   | 26.7                  | 6.5    | 0.7               | 0.2 * | 48.3               | 11.8   | 788.3              | 193.1  |
| SANTA CLARA     | 140.7   | 8.1    | 0.0              | 0.00   | 147.0                | 8.5    | 243.3                 | 14.0   | 3.0               | 0.2 * | 439.0              | 25.3   | 3,561.0            | 205.6  |
| SANTA CRUZ      | 31.0  | 12.1   | 3.3              | 1.30 * | 22.7                 | 8.9    | 10.0                  | 3.9 *  | 0.3               | 0.1 * | 37.0               | 14.5   | 426.0              | 166.5  |
| SHASTA          | 32.0  | 18.7   | 0.0              | 0.00   | 3.3                  | 1.9 *  | 4.7                   | 2.7 *  | 0.0               | 0.0   | 49.0               | 28.6   | 333.7              | 194.9  |
| SIERRA          | 0.0   | 0.0    | 0.0              | 0.00   | 0.0                  | 0.0    | 0.0                   | 0.0    | 0.0               | 0.0   | 0.7                | 19.5 * | 1.3                | 38.9 * |
| SISKIYOU        | 3.3   | 7.4 *  | 0.0              | 0.00   | 1.3                  | 3.0 *  | 1.3                   | 3.0 *  | 0.0               | 0.0   | 6.3                | 14.1 * | 58.7               | 130.8  |
| SOLANO          | 98.0  | 25.0   | 0.0              | 0.00   | 23.0                 | 5.9    | 36.3                  | 9.3    | 2.0               | 0.5 * | 298.0              | 76.0   | 1,085.0            | 276.6  |
| SONOMA          | 43.7  | 9.7    | 0.0              | 0.00   | 31.3                 | 7.0    | 16.7                  | 3.7 *  | 0.7               | 0.1 * | 42.7               | 9.5    | 521.3              | 115.8  |
| STANISLAUS      | 82.7  | 18.5   | 0.0              | 0.00   | 28.7                 | 6.4    | 25.3                  | 5.7    | 3.7               | 0.8 * | 201.0              | 45.1   | 1,015.0            | 227.5  |
| SUTTER          | 13.3  | 16.7 * | 0.0              | 0.00   | 3.3                  | 4.2 *  | 6.3                   | 7.9 *  | 0.0               | 0.0   | 25.0               | 31.3   | 125.7              | 157.1  |
| TEHAMA          | 9.3   | 16.7 * | 0.0              | 0.00   | 0.7                  | 1.2 *  | 1.7                   | 3.0 *  | 0.0               | 0.0   | 6.7                | 11.9 * | 85.7               | 153.5  |
| TRINITY         | 1.0   | 7.5 *  | 0.0              | 0.00   | 0.0                  | 0.0    | 0.0                   | 0.0    | 0.0               | 0.0   | 1.0                | 7.5 *  | 6.7                | 49.9 * |
| TULARE          | 65.0  | 17.5   | 0.0              | 0.00   | 31.7                 | 8.5    | 22.0                  | 5.9    | 2.0               | 0.5 * | 101.0              | 27.2   | 1,140.0            | 306.7  |
| TUOLUMNE        | 11.7  | 21.4 * | 0.0              | 0.00   | 0.0                  | 0.0    | 3.3                   | 6.1 *  | 0.0               | 0.0   | 6.3                | 11.6 * | 49.7               | 90.9   |
| VENTURA         | 71.0  | 9.5    | 0.3              | 0.04 * | 47.7                 | 6.4    | 54.3                  | 7.3    | 2.0               | 0.3 * | 98.7               | 13.2   | 1,045.3            | 140.3  |
| YOLO            | 39.7  | 24.7   | 0.0              | 0.00   | 7.7                  | 4.8 *  | 8.7                   | 5.4 *  | 0.0               | 0.0   | 27.0               | 16.8   | 261.0              | 162.3  |
| YUBA            | 22.3  | 35.4   | 0.0              | 0.00   | 0.7                  | 1.1 *  | 7.0                   | 11.1 * | 0.0               | 0.0   | 22.3               | 35.4   | 115.0              | 182.4  |

TABLE 8  
COUNTY HEALTH INDICATORS  
CALIFORNIA

| COUNTY       | AIDS CASES AND CUMULATIVE<br>INCIDENCE 1981 THROUGH 1/02 |                     |                   | SELECTED COUNTY HEALTH INDICATORS |                       |       |              |        |                                   |         |           |         |                                |         | Kindergarteners<br>Needing One or More<br>Immunizations (2001) |          |
|--------------|--|---------------------|-------------------|-----------------------------------|-----------------------|-------|--------------|--------|-----------------------------------|---------|-----------|---------|--------------------------------|---------|--|----------|
|              | AIDS<br>Cases  | Number of<br>Deaths | Mortality<br>Rate | Traffic<br>Injuries<br>2000       | Work Related          |       | Drug Related |        | Substance Abuse Admissions (2000) |         |           |         | Homicides by<br>Weapons (2000) |         | Number   | % of all |
|              |  |                     |                   |                                   | (1999-2000 2 yr avg.) |       | Deaths       | Rate   | Metham-<br>phetamine              | Cocaine | Marijuana | Alcohol | Total                          | Handgun |  |          |
|              |  |                     |                   |                                   | Deaths                | Rate  |              |        |                                   |         |           |         |                                |         |  |          |
| CALIFORNIA   | 124,118  | 75,491              | 61.3              | 303,023                           | 492.5                 | 1.5   | 2,896.0      | 8.7    | 37,338                            | 25,097  | 20,181    | 55,242  | 2,074                          | 1,242   | 40,979   | 7.8      |
| ALAMEDA      | 6,143  | 3,658               | 60.0              | 13,266                            | 12.0                  | 0.8 * | 123.0        | 8.2    | 973                               | 1,757   | 682       | 1,625   | 110                            | 60      | 1,951  | 9.9      |
| ALPINE       | 0  | 0                   | 0.0               | 55                                | 0.0                   | 0.0   | 0.0          | 0.0    | 0                                 | 0       | 0         | 2       | 0                              | 0       | 3  | 11.5     |
| AMADOR       | 40   | 20                  | 50.0              | 356                               | 0.0                   | 0.0   | 2.0          | 5.3 *  | 15                                | 3       | 7         | 32      | 1                              | 1       | 11   | 3.1      |
| BUTTE        | 212  | 126                 | 59.0              | 1,506                             | 3.5                   | 1.8 * | 13.5         | 7.0 *  | 454                               | 27      | 121       | 350     | 8                              | 2       | 161  | 6.2      |
| CALAVERAS    | 15   | 8                   | 53.0              | 393                               | 0.0                   | 0.0   | 3.5          | 10.5 * | 137                               | 19      | 85        | 255     | 4                              | 3       | 7  | 1.7      |
| COLUSA       | 12   | 12                  | 100.0             | 226                               | 0.5                   | 2.9 * | 1.5          | 8.4 *  | 6                                 | 0       | 7         | 20      | 4                              | 2       | 19   | 5.9      |
| CONTRA COSTA | 2,238  | 1,427               | 64.0              | 6,263                             | 11.5                  | 1.3 * | 64.0         | 6.8    | 1,582                             | 1,571   | 498       | 2,745   | 56                             | 35      | 626  | 4.6      |
| DEL NORTE    | 25   | 13                  | 52.0              | 285                               | 0.5                   | 1.7 * | 4.0          | 14.5 * | 40                                | 4       | 33        | 48      | 1                              | 0       | 9  | 2.9      |
| EL DORADO    | 156  | 95                  | 61.0              | 1,521                             | 2.0                   | 1.2 * | 12.5         | 7.8 *  | 250                               | 38      | 312       | 536     | 3                              | 0       | 137  | 6.6      |
| FRESNO       | 1,175  | 705                 | 60.0              | 7,222                             | 16.5                  | 2.2 * | 58.0         | 8.1    | 804                               | 880     | 406       | 1,186   | 38                             | 13      | 566  | 3.9      |
| GLENN        | 11   | 6                   | 55.0              | 169                               | 0.5                   | 2.1 * | 0.0          | 0.0    | 48                                | 0       | 50        | 105     | 1                              | 0       | 25   | 5.8      |
| HUMBOLDT     | 199  | 121                 | 61.0              | 1,160                             | 7.5                   | 5.7 * | 27.5         | 21.0   | 232                               | 15      | 73        | 369     | 4                              | 2       | 146  | 9.8      |
| IMPERIAL     | 110  | 56                  | 51.0              | 1,172                             | 5.5                   | 4.5 * | 14.5         | 11.6 * | 119                               | 16      | 13        | 70      | 4                              | 1       | 146  | 5.8      |
| INYO         | 12   | 7                   | 58.0              | 226                               | 0.0                   | 0.0   | 1.0          | 4.9 *  | 15                                | 0       | 15        | 15      | 1                              | 0       | 9  | 3.7      |
| KERN         | 1,151  | 505                 | 44.0              | 5,686                             | 17.0                  | 2.8 * | 84.0         | 13.8   | 1,451                             | 303     | 739       | 534     | 37                             | 21      | 618  | 5.2      |
| KINGS        | 166  | 61                  | 37.0              | 967                               | 7.0                   | 6.3 * | 10.5         | 10.0 * | 126                               | 30      | 70        | 96      | 3                              | 1       | 95   | 4.0      |
| LAKE         | 140  | 75                  | 54.0              | 536                               | 2.0                   | 3.8 * | 11.0         | 19.7 * | 226                               | 24      | 150       | 187     | 5                              | 3       | 121  | 16.2     |
| LASSEN       | 47   | 18                  | 38.0              | 299                               | 0.5                   | 1.5 * | 1.5          | 4.8 *  | 81                                | 4       | 73        | 131     | 0                              | 0       | 37   | 10.0     |
| LOS ANGELES  | 43,661   | 27,139              | 62.0              | 88,801                            | 102.5                 | 1.1   | 746.5        | 7.8    | 4,211                             | 9,072   | 3,684     | 9,345   | 1,000                          | 714     | 15,687   | 10.4     |
| MADERA       | 104  | 56                  | 54.0              | 1,222                             | 3.0                   | 2.7 * | 7.0          | 6.4 *  | 284                               | 52      | 192       | 200     | 10                             | 6       | 180  | 8.0      |
| MARIN        | 1,507  | 823                 | 55.0              | 1,867                             | 2.0                   | 0.7 * | 28.5         | 10.6   | 187                               | 218     | 104       | 1,181   | 5                              | 4       | 191  | 6.9      |
| MARIPOSA     | 12   | 4                   | 33.0              | 135                               | 0.5                   | 1.9 * | 1.5          | 9.4 *  | 27                                | 0       | 11        | 89      | 0                              | 0       | 28   | 15.4     |
| MENDOCINO    | 187  | 119                 | 64.0              | 807                               | 2.5                   | 2.9 * | 13.5         | 15.3 * | 241                               | 7       | 140       | 313     | 5                              | 0       | 109  | 10.6     |
| MERCED       | 148  | 91                  | 61.0              | 2,171                             | 5.5                   | 3.0 * | 14.5         | 8.1 *  | 387                               | 100     | 301       | 288     | 6                              | 0       | 185  | 4.5      |
| MODOC        | 1  | 1                   | 100.0             | 99                                | 0.0                   | 0.0   | 1.0          | 10.1 * | 23                                | 1       | 10        | 34      | 0                              | 0       | 13   | 8.6      |
| MONO         | 5  | 3                   | 60.0              | 179                               | 1.0                   | 9.0 * | 0.0          | 0.0    | 19                                | 7       | 20        | 128     | 1                              | 1       | 8  | 5.3      |
| MONTEREY     | 799  | 446                 | 56.0              | 2,908                             | 9.0                   | 2.4 * | 28.5         | 7.8    | 230                               | 271     | 74        | 495     | 25                             | 16      | 255  | 4.1      |
| NAPA         | 199  | 128                 | 64.0              | 1,344                             | 2.0                   | 1.6 * | 6.5          | 4.9 *  | 202                               | 17      | 99        | 105     | 3                              | 1       | 121  | 7.7      |
| NEVADA       | 125  | 64                  | 51.0              | 941                               | 2.0                   | 2.4 * | 6.0          | 6.3 *  | 109                               | 7       | 46        | 158     | 1                              | 0       | 84   | 8.8      |
| ORANGE       | 5,977  | 3,181               | 53.0              | 22,996                            | 32.5                  | 1.2   | 202.0        | 7.3    | 1,974                             | 673     | 942       | 3,302   | 56                             | 23      | 3,473  | 7.7      |

TABLE 8  
COUNTY HEALTH INDICATORS  
CALIFORNIA

| COUNTY          | AIDS CASES AND CUMULATIVE INCIDENCE 1981 THROUGH 1/02 |                  |                | SELECTED COUNTY HEALTH INDICATORS |                                    |        |              |        |                                   |         |           |         |                             |         | Kindergarteners Needing One or More Immunizations (2001) |          |
|-----------------|---|------------------|----------------|-----------------------------------|------------------------------------|--------|--------------|--------|-----------------------------------|---------|-----------|---------|-----------------------------|---------|--|----------|
|                 | AIDS Cases  | Number of Deaths | Mortality Rate | Traffic Injuries 2000             | Work Related (1999-2000 2 yr avg.) |        | Drug Related |        | Substance Abuse Admissions (2000) |         |           |         | Homicides by Weapons (2000) |         | Number   | % of all |
|                 |   |                  |                |                                   | Deaths                             | Rate   | Deaths       | Rate   | Methamphetamine                   | Cocaine | Marijuana | Alcohol | Total                       | Handgun |  |          |
|                 |   |                  |                |                                   |                                    |        |              |        |                                   |         |           |         |                             |         |  |          |
| PLACER          | 142   | 81               | 57.0           | 2,498                             | 4.0                                | 1.6 *  | 12.0         | 5.2 *  | 428                               | 41      | 166       | 509     | 5                           | 1       | 290  | 6.6      |
| PLUMAS          | 6   | 5                | 83.0           | 238                               | 0.5                                | 3.7 *  | 2.0          | 9.1 *  | 18                                | 1       | 20        | 71      | 1                           | 0       | 9  | 4.6      |
| RIVERSIDE       | 4,501   | 2,182            | 48.0           | 12,968                            | 32.0                               | 2.2    | 133.0        | 9.3    | 2,541                             | 398     | 682       | 1,481   | 79                          | 50      | 1,711  | 6.3      |
| SACRAMENTO      | 3,084   | 1,838            | 60.0           | 14,082                            | 13.5                               | 1.2 *  | 97.0         | 8.2    | 1,441                             | 602     | 570       | 1,368   | 75                          | 37      | 2,109  | 11.3     |
| SAN BENITO      | 34  | 17               | 50.0           | 513                               | 1.0                                | 2.0 *  | 3.0          | 6.5 *  | 22                                | 2       | 21        | 30      | 3                           | 2       | 51   | 5.2      |
| SAN BERNARDINO  | 2,874   | 1,584            | 55.0           | 15,786                            | 32.5                               | 2.0    | 160.0        | 10.1   | 2,332                             | 550     | 872       | 2,159   | 145                         | 82      | 1,301  | 4.3      |
| SAN DIEGO       | 11,086  | 6,271            | 57.0           | 23,399                            | 48.0                               | 1.7    | 265.0        | 10.1   | 4,476                             | 1,308   | 2,456     | 3,886   | 97                          | 37      | 2,185  | 5.2      |
| SAN FRANCISCO   | 24,962  | 16,988           | 68.0           | 6,913                             | 7.5                                | 0.9 *  | 158.5        | 18.2   | 1,012                             | 3,384   | 820       | 4,536   | 59                          | 18      | 684  | 10.3     |
| SAN JOAQUIN     | 799   | 460              | 58.0           | 6,956                             | 12.0                               | 2.3 *  | 63.0         | 11.8   | 502                               | 353     | 263       | 2,299   | 39                          | 20      | 545  | 5.4      |
| SAN LUIS OBISPO | 476   | 216              | 45.0           | 1,877                             | 6.0                                | 2.2 *  | 25.0         | 10.9   | 116                               | 21      | 145       | 223     | 3                           | 0       | 144  | 5.3      |
| SAN MATEO       | 1,908   | 1,180            | 62.0           | 5,066                             | 4.5                                | 0.6 *  | 51.5         | 6.8    | 677                               | 879     | 486       | 1,913   | 10                          | 8       | 826  | 9.9      |
| SANTA BARBARA   | 676   | 463              | 68.0           | 2,816                             | 6.0                                | 1.5 *  | 42.5         | 10.6   | 647                               | 259     | 377       | 871     | 10                          | 5       | 396  | 6.9      |
| SANTA CLARA     | 3,272   | 1,894            | 58.0           | 13,907                            | 18.0                               | 1.1 *  | 75.0         | 4.2    | 2,799                             | 957     | 1,057     | 2,493   | 34                          | 10      | 2,095  | 8.5      |
| SANTA CRUZ      | 531   | 305              | 57.0           | 1,917                             | 0.5                                | 0.2 *  | 28.0         | 10.7   | 229                               | 162     | 224       | 817     | 9                           | 7       | 222  | 6.4      |
| SHASTA          | 129   | 93               | 72.0           | 1,805                             | 5.5                                | 3.2 *  | 24.5         | 15.2   | 504                               | 26      | 192       | 575     | 3                           | 1       | 166  | 7.5      |
| SIERRA          | 4   | 4                | 100.0          | 44                                | 0.5                                | 12.0 * | 0.0          | 0.0    | 10                                | 1       | 10        | 22      | 0                           | 0       | 4  | 10.0     |
| SISKIYOU        | 38  | 19               | 50.0           | 361                               | 1.0                                | 2.4 *  | 4.0          | 9.3 *  | 87                                | 5       | 53        | 192     | 1                           | 1       | 32   | 6.6      |
| SOLANO          | 1,286   | 644              | 50.0           | 3,401                             | 6.0                                | 1.5 *  | 27.5         | 7.3    | 454                               | 370     | 223       | 494     | 21                          | 10      | 332  | 5.6      |
| SONOMA          | 1,672   | 1,043            | 62.0           | 4,391                             | 9.0                                | 2.0 *  | 46.0         | 9.7    | 1,342                             | 193     | 1,060     | 4,278   | 11                          | 4       | 383  | 6.5      |
| STANISLAUS      | 565   | 322              | 57.0           | 5,288                             | 7.0                                | 1.7 *  | 56.0         | 13.5   | 1,143                             | 107     | 329       | 598     | 16                          | 7       | 371  | 4.5      |
| SUTTER          | 58  | 42               | 72.0           | 767                               | 4.5                                | 6.0 *  | 4.5          | 5.9 *  | 0                                 | 0       | 0         | 0       | 2                           | 1       | 52   | 4.1      |
| TEHAMA          | 26  | 12               | 46.0           | 568                               | 1.0                                | 1.6 *  | 7.0          | 13.8 * | 414                               | 21      | 133       | 342     | 5                           | 0       | 47   | 5.7      |
| TRINITY         | 12  | 9                | 75.0           | 166                               | 0.5                                | 4.6 *  | 0.0          | 0.0    | 35                                | 2       | 41        | 56      | 2                           | 2       | 3  | 2.1      |
| TULARE          | 259   | 169              | 65.0           | 3,565                             | 6.0                                | 1.8 *  | 37.5         | 11.5   | 304                               | 64      | 416       | 731     | 17                          | 10      | 372  | 5.1      |
| TUOLUMNE        | 60  | 36               | 60.0           | 485                               | 1.0                                | 1.8 *  | 2.5          | 4.5 *  | 97                                | 7       | 49        | 128     | 2                           | 0       | 108  | 18.3     |
| VENTURA         | 852   | 507              | 60.0           | 6,418                             | 12.5                               | 1.7 *  | 64.0         | 8.7    | 424                               | 194     | 228       | 632     | 24                          | 15      | 1,169  | 9.6      |
| YOLO            | 168   | 98               | 58.0           | 1,375                             | 2.0                                | 1.5 *  | 10.5         | 8.3 *  | 574                               | 66      | 261       | 462     | 6                           | 4       | 150  | 6.6      |
| YUBA            | 55  | 36               | 65.0           | 675                               | 1.0                                | 1.6 *  | 9.0          | 16.4 * | 257                               | 8       | 70        | 132     | 3                           | 1       | 201  | 16.0     |

TABLE 9  
PERSONS CERTIFIED ELIGIBLE FOR MEDI-CAL AND MEDICARE  
CALIFORNIA, 2000

| COUNTY       | AVERAGE MONTHLY MEDI-CAL ELIGIBLES (FFS+HCPs+COHS) |                       | % ELIGIBLE FOR MEDI-CAL BY RACE/ETHNICITY |       |          |                                 |                         |              | MEDICARE ENROLLEES |                       |                          |                       |                 |                       | Percent of Dual Eligibles Medicare/ Medi-Cal |
|--------------|--|-----------------------|---|-------|----------|---------------------------------|-------------------------|--------------|--------------------|-----------------------|--------------------------|-----------------------|-----------------|-----------------------|--|
|              | Number   | Percent of Population | White                                     | Black | Hispanic | American Indian/ Alaskan Native | Asian/ Pacific Islander | Not Reported | Age 65 and Over    |                       | Disability Beneficiaries |                       | Total Enrollees |                       |  |
|              |  |                       |   |       |          |                                 |                         |              | Number             | Percent of Population | Number                   | Percent of Population | Number          | Percent of Population |  |
| CALIFORNIA   | 5,110,015  | 14.8                  | 26.6                                      | 13.2  | 41.3     | 0.4                             | 7.6                     | 10.9         | 3,430,506          | 10.1                  | 463,481                  | 1.4                   | 3,893,987       | 11.5                  | 16.8   |
| ALAMEDA      | 188,445  | 12.8                  | 18.3                                      | 37.1  | 16.7     | 0.3                             | 14.3                    | 13.3         | 135,851            | 9.4                   | 19,901                   | 1.4                   | 155,752         | 10.8                  | 18.9   |
| ALPINE       | 187  | 15.3                  | 33.1                                      | 1.7   | 0.6      | 53.0                            | 0.0                     | 11.6         | 111                | 9.2                   | 20                       | 1.7                   | 131             | 10.8                  | 11.2   |
| AMADOR       | 2,510  | 7.1                   | 86.9                                      | 0.5   | 5.3      | 1.0                             | 0.6                     | 5.7          | 6,147              | 17.5                  | 699                      | 2.0                   | 6,846           | 19.5                  | 25.7   |
| BUTTE        | 38,604   | 18.8                  | 67.9                                      | 3.0   | 10.9     | 1.5                             | 8.9                     | 7.7          | 31,315             | 15.4                  | 5,094                    | 2.5                   | 36,409          | 17.9                  | 18.7   |
| CALAVERAS    | 4,977  | 12.1                  | 88.7                                      | 0.9   | 3.8      | 0.9                             | 0.6                     | 5.2          | 6,875              | 17.0                  | 976                      | 2.4                   | 7,851           | 19.4                  | 16.9   |
| COLUSA       | 3,306  | 17.3                  | 34.5                                      | 0.5   | 53.9     | 1.8                             | 1.1                     | 8.2          | 2,170              | 11.5                  | 313                      | 1.7                   | 2,483           | 13.2                  | 18.1   |
| CONTRA COSTA | 84,881   | 8.8                   | 31.8                                      | 27.5  | 22.1     | 0.1                             | 7.6                     | 10.9         | 103,330            | 10.9                  | 13,313                   | 1.4                   | 116,643         | 12.3                  | 19.1   |
| DEL NORTE    | 6,122  | 21.7                  | 69.9                                      | 0.5   | 7.5      | 7.8                             | 6.3                     | 8.0          | 3,374              | 12.3                  | 877                      | 3.2                   | 4,251           | 15.5                  | 18.8   |
| EL DORADO    | 10,149   | 6.4                   | 76.3                                      | 0.8   | 14.4     | 0.6                             | 1.4                     | 6.6          | 21,876             | 14.0                  | 3,091                    | 2.0                   | 24,967          | 16.0                  | 23.3   |
| FRESNO       | 209,907  | 25.7                  | 18.5                                      | 9.1   | 50.0     | 0.3                             | 12.2                    | 9.9          | 77,259             | 9.7                   | 13,052                   | 1.6                   | 90,311          | 11.3                  | 12.2   |
| GLENN        | 4,877  | 18.1                  | 49.3                                      | 0.6   | 29.0     | 2.2                             | 9.6                     | 9.2          | 3,444              | 13.0                  | 537                      | 2.0                   | 3,981           | 15.0                  | 16.9   |
| HUMBOLDT     | 21,752   | 17.0                  | 75.5                                      | 1.7   | 4.0      | 7.5                             | 3.9                     | 7.5          | 15,526             | 12.3                  | 3,718                    | 2.9                   | 19,244          | 15.2                  | 19.5   |
| IMPERIAL     | 37,189   | 25.0                  | 14.5                                      | 1.9   | 68.1     | 0.7                             | 0.3                     | 14.5         | 15,145             | 10.6                  | 2,378                    | 1.7                   | 17,523          | 12.3                  | 21.5   |
| INYO         | 2,369  | 13.0                  | 57.2                                      | 0.7   | 18.0     | 15.5                            | 0.7                     | 7.9          | 3,394              | 18.9                  | 360                      | 2.0                   | 3,754           | 20.9                  | 22.9   |
| KERN         | 137,193  | 20.2                  | 32.2                                      | 10.6  | 46.6     | 0.3                             | 1.7                     | 8.7          | 60,659             | 9.2                   | 13,524                   | 2.0                   | 74,183          | 11.2                  | 13.6   |
| KINGS        | 22,208   | 16.5                  | 26.0                                      | 8.5   | 54.2     | 0.3                             | 1.7                     | 9.3          | 8,916              | 6.9                   | 1,708                    | 1.3                   | 10,624          | 8.2                   | 13.8   |
| LAKE         | 12,634   | 21.4                  | 77.6                                      | 4.1   | 8.0      | 2.6                             | 1.1                     | 6.7          | 10,568             | 18.1                  | 2,264                    | 3.9                   | 12,832          | 22.0                  | 23.9   |
| LASSEN       | 4,173  | 11.7                  | 77.5                                      | 2.3   | 7.9      | 5.9                             | 0.7                     | 5.7          | 3,163              | 9.4                   | 625                      | 1.8                   | 3,788           | 11.2                  | 19.5   |
| LOS ANGELES  | 1,906,907  | 19.6                  | 17.6                                      | 15.5  | 51.6     | 0.1                             | 6.0                     | 9.1          | 876,386            | 9.2                   | 105,240                  | 1.1                   | 981,626         | 10.3                  | 14.9   |
| MADERA       | 25,942   | 20.3                  | 27.8                                      | 4.3   | 58.0     | 0.7                             | 0.8                     | 8.4          | 15,354             | 12.5                  | 2,698                    | 2.2                   | 18,052          | 14.7                  | 13.7   |
| MARIN        | 10,847   | 4.3                   | 47.7                                      | 9.5   | 26.9     | 0.2                             | 5.6                     | 10.1         | 31,785             | 12.9                  | 2,682                    | 1.1                   | 34,467          | 13.9                  | 29.0   |
| MARIPOSA     | 1,821  | 10.5                  | 88.7                                      | 0.5   | 2.9      | 3.1                             | 0.3                     | 4.5          | 2,614              | 15.3                  | 387                      | 2.3                   | 3,001           | 17.5                  | 22.1   |
| MENDOCINO    | 15,370   | 17.6                  | 65.0                                      | 1.1   | 18.1     | 6.9                             | 0.8                     | 8.1          | 11,388             | 13.2                  | 2,379                    | 2.8                   | 13,767          | 16.0                  | 19.6   |
| MERCED       | 55,547   | 25.9                  | 24.8                                      | 6.4   | 47.4     | 0.3                             | 7.6                     | 13.5         | 16,872             | 8.0                   | 2,804                    | 1.3                   | 19,676          | 9.3                   | 12.3   |
| MODOC        | 2,011  | 21.1                  | 76.6                                      | 0.2   | 11.2     | 6.4                             | 0.3                     | 5.3          | 1,445              | 15.3                  | 250                      | 2.6                   | 1,695           | 17.9                  | 16.7   |
| MONO         | 714  | 5.4                   | 54.9                                      | 0.6   | 29.1     | 8.3                             | 1.0                     | 6.1          | 740                | 5.8                   | 93                       | 0.7                   | 833             | 6.5                   | 11.5   |
| MONTEREY     | 51,567   | 12.6                  | 18.2                                      | 3.7   | 63.6     | 0.2                             | 3.1                     | 11.3         | 38,089             | 9.5                   | 4,684                    | 1.2                   | 42,773          | 10.6                  | 15.5   |
| NAPA         | 8,251  | 6.6                   | 49.9                                      | 1.8   | 38.2     | 0.2                             | 1.3                     | 8.5          | 19,223             | 15.5                  | 2,831                    | 2.3                   | 22,054          | 17.7                  | 25.5   |
| NEVADA       | 6,297  | 6.8                   | 86.4                                      | 0.4   | 4.8      | 0.7                             | 0.7                     | 7.0          | 14,672             | 15.9                  | 1,699                    | 1.8                   | 16,371          | 17.8                  | 27.0   |
| ORANGE       | 248,438  | 8.6                   | 23.5                                      | 2.3   | 44.8     | 0.1                             | 14.4                    | 14.9         | 265,313            | 9.3                   | 24,893                   | 0.9                   | 290,206         | 10.2                  | 20.0   |

TABLE 9  
PERSONS CERTIFIED ELIGIBLE FOR MEDI-CAL AND MEDICARE  
CALIFORNIA, 2000

| COUNTY          | AVERAGE MONTHLY<br>MEDI-CAL ELIGIBLES<br>(FFS+HCPs+COHS) |                          | % ELIGIBLE FOR MEDI-CAL BY RACE/ETHNICITY |       |          |  |                               |                 | MEDICARE ENROLLEES |                          |                             |                          |                    |                          | Percent of<br>Dual<br>Eligibles<br>Medicare/<br>Medi-Cal |
|-----------------|--|--------------------------|---|-------|----------|--|-------------------------------|-----------------|--------------------|--------------------------|-----------------------------|--------------------------|--------------------|--------------------------|--|
|                 | Number   | Percent of<br>Population | White                                     | Black | Hispanic | American<br>Indian/<br>Alaskan<br>Native | Asian/<br>Pacific<br>Islander | Not<br>Reported | Age 65 and Over    |                          | Disability<br>Beneficiaries |                          | Total<br>Enrollees |                          |  |
|                 |  |                          |   |       |          |  |                               |                 | Number             | Percent of<br>Population | Number                      | Percent of<br>Population | Number             | Percent of<br>Population |  |
| PLACER          | 24,794   | 9.8                      | 74.0                                      | 1.9   | 13.1     | 1.0                                      | 1.3                           | 8.7             | 30,567             | 12.3                     | 3,310                       | 1.3                      | 33,877             | 13.6                     | 15.3   |
| PLUMAS          | 2,563  | 12.2                     | 83.1                                      | 2.4   | 4.5      | 3.0                                      | 0.2                           | 6.8             | 3,321              | 15.9                     | 556                         | 2.7                      | 3,877              | 18.6                     | 22.4   |
| RIVERSIDE       | 196,498  | 12.5                     | 33.9                                      | 11.9  | 41.5     | 0.5                                      | 2.4                           | 9.8             | 182,202            | 11.8                     | 22,825                      | 1.5                      | 205,027            | 13.3                     | 16.6   |
| SACRAMENTO      | 237,587  | 19.1                     | 39.9                                      | 20.4  | 14.7     | 0.5                                      | 15.2                          | 9.4             | 128,078            | 10.5                     | 24,120                      | 2.0                      | 152,198            | 12.4                     | 13.3   |
| SAN BENITO      | 4,911  | 9.0                      | 22.0                                      | 1.0   | 64.6     | 0.4                                      | 0.8                           | 11.2            | 3,959              | 7.4                      | 516                         | 1.0                      | 4,475              | 8.4                      | 17.6   |
| SAN BERNARDINO  | 269,996  | 15.5                     | 32.2                                      | 16.2  | 38.9     | 0.5                                      | 3.2                           | 9.0             | 141,780            | 8.3                      | 27,057                      | 1.6                      | 168,837            | 9.9                      | 14.0   |
| SAN DIEGO       | 294,297  | 10.3                     | 31.2                                      | 13.5  | 34.1     | 0.4                                      | 6.8                           | 13.9            | 305,445            | 10.9                     | 35,179                      | 1.3                      | 340,624            | 12.1                     | 20.2   |
| SAN FRANCISCO   | 108,345  | 13.8                     | 20.8                                      | 20.8  | 13.6     | 0.1                                      | 18.8                          | 25.9            | 102,434            | 13.2                     | 13,623                      | 1.8                      | 116,057            | 14.9                     | 35.9   |
| SAN JOAQUIN     | 106,816  | 18.6                     | 28.1                                      | 13.1  | 28.7     | 0.4                                      | 16.3                          | 13.4            | 57,394             | 10.2                     | 10,954                      | 1.9                      | 68,348             | 12.1                     | 15.2   |
| SAN LUIS OBISPO | 21,955   | 8.8                      | 60.5                                      | 2.4   | 27.5     | 0.3                                      | 1.6                           | 7.7             | 34,603             | 14.0                     | 4,639                       | 1.9                      | 39,242             | 15.9                     | 22.6   |
| SAN MATEO       | 41,354   | 5.8                      | 23.4                                      | 9.2   | 38.6     | 0.1                                      | 9.2                           | 19.4            | 83,141             | 11.8                     | 7,294                       | 1.0                      | 90,435             | 12.8                     | 30.6   |
| SANTA BARBARA   | 46,252   | 11.4                     | 27.5                                      | 3.7   | 56.3     | 0.4                                      | 2.0                           | 10.0            | 48,814             | 12.2                     | 6,195                       | 1.6                      | 55,009             | 13.8                     | 17.4   |
| SANTA CLARA     | 145,668  | 8.5                      | 18.6                                      | 4.1   | 37.3     | 0.2                                      | 19.1                          | 20.7            | 149,095            | 8.9                      | 15,447                      | 0.9                      | 164,542            | 9.8                      | 24.4   |
| SANTA CRUZ      | 23,432   | 9.0                      | 38.2                                      | 1.7   | 48.0     | 0.2                                      | 1.3                           | 10.7            | 24,468             | 9.6                      | 3,472                       | 1.4                      | 27,940             | 10.9                     | 20.9   |
| SHASTA          | 30,846   | 18.7                     | 81.1                                      | 1.7   | 3.3      | 2.4                                      | 4.1                           | 7.4             | 25,700             | 15.7                     | 5,935                       | 3.6                      | 31,635             | 19.4                     | 20.2   |
| SIERRA          | 337  | 9.3                      | 84.9                                      | 3.2   | 5.4      | 0.0                                      | 0.0                           | 6.6             | 605                | 17.0                     | 80                          | 2.3                      | 685                | 19.3                     | 33.2   |
| SISKIYOU        | 8,232  | 18.4                     | 77.2                                      | 2.0   | 6.5      | 3.4                                      | 2.8                           | 8.1             | 8,204              | 18.5                     | 1,365                       | 3.1                      | 9,569              | 21.6                     | 21.7   |
| SOLANO          | 41,576   | 10.4                     | 30.4                                      | 31.1  | 18.4     | 0.4                                      | 8.4                           | 11.3            | 33,985             | 8.6                      | 5,548                       | 1.4                      | 39,533             | 10.0                     | 18.7   |
| SONOMA          | 56,472   | 12.1                     | 56.2                                      | 3.7   | 25.3     | 1.5                                      | 3.2                           | 10.0            | 55,893             | 12.2                     | 7,647                       | 1.7                      | 63,540             | 13.9                     | 15.3   |
| STANISLAUS      | 84,742   | 18.6                     | 43.9                                      | 4.4   | 36.1     | 0.2                                      | 5.6                           | 9.8             | 46,195             | 10.3                     | 9,215                       | 2.1                      | 55,410             | 12.4                     | 16.4   |
| SUTTER          | 13,665   | 17.0                     | 48.1                                      | 2.2   | 30.2     | 0.6                                      | 7.9                           | 11.0            | 9,173              | 11.6                     | 1,710                       | 2.2                      | 10,883             | 13.8                     | 19.6   |
| TEHAMA          | 10,469   | 18.5                     | 73.3                                      | 1.1   | 17.3     | 1.4                                      | 0.6                           | 6.3             | 7,816              | 13.9                     | 1,527                       | 2.7                      | 9,343              | 16.7                     | 20.8   |
| TRINITY         | 2,183  | 16.7                     | 90.4                                      | 0.3   | 1.2      | 1.7                                      | 0.5                           | 6.0             | 2,091              | 16.1                     | 501                         | 3.8                      | 2,592              | 19.9                     | 23.1   |
| TULARE          | 97,736   | 26.1                     | 26.0                                      | 2.6   | 58.9     | 0.2                                      | 3.7                           | 8.6             | 34,395             | 9.3                      | 6,557                       | 1.8                      | 40,952             | 11.1                     | 13.5   |
| TUOLUMNE        | 6,364  | 11.5                     | 87.1                                      | 0.8   | 3.5      | 1.5                                      | 0.8                           | 6.3             | 9,535              | 17.5                     | 1,307                       | 2.4                      | 10,842             | 19.9                     | 22.6   |
| VENTURA         | 69,303   | 9.1                      | 27.0                                      | 2.7   | 56.7     | 0.3                                      | 2.2                           | 11.1            | 75,652             | 10.0                     | 9,543                       | 1.3                      | 85,195             | 11.3                     | 19.9   |
| YOLO            | 22,906   | 13.4                     | 44.3                                      | 3.9   | 34.1     | 0.6                                      | 7.1                           | 9.9             | 15,333             | 9.1                      | 2,433                       | 1.4                      | 17,766             | 10.5                     | 15.5   |
| YUBA            | 15,521   | 25.5                     | 58.5                                      | 3.2   | 12.8     | 1.0                                      | 15.7                          | 8.6             | 6,493              | 10.8                     | 1,628                       | 2.7                      | 8,121              | 13.5                     | 14.3   |

TABLE 10  
SELECTED MEDI-CAL DATA BY COUNTY  
CALIFORNIA, 2000

| COUNTY       | AVERAGE MONTHLY MEDI-CAL FEE-FOR-SERVICE USERS |                       |                      | DENTI-CAL<br>Average Monthly Users | MEDI-CAL SERVICES   |                         |                                |                                   |                    |        |                  |        | MEDI-CAL<br>Avg. Monthly Managed Care Beneficiaries | MEDI-CAL PAYMENTS FEE-FOR-SERVICE |                         |
|--------------|--|-----------------------|----------------------|------------------------------------|---------------------|-------------------------|--------------------------------|-----------------------------------|--------------------|--------|------------------|--------|---|-----------------------------------|-------------------------|
|              | Number   | Percent of Population | Percent of Eligibles |                                    | Medi-Cal Deliveries |                         |                                | Fee For Service Induced Abortions |                    |        |                  |        |   | Average Monthly Dollar Amount     | Average Amount per User |
|              |  |                       |                      | Total by County of Beneficiary     | FFS Deliveries      | Managed Care Deliveries | Total by County of Beneficiary | By Type of Provider               |                    |        |                  |        |   |                                   |                         |
|              |  |                       |                      |                                    |                     |                         |                                | County Hospital                   | Community Hospital | Clinic | Physician Office |        |   |                                   |                         |
| CALIFORNIA   | 1,745,029                                      | 5.2                   | 68.5                 | 255,834                            | 224,405             | 159,750                 | 64,655                         | 45,794                            | 1,482              | 4,214  | 14,428           | 25,670 | 2,158,642   | \$933,586,711                     | \$535.00                |
| ALAMEDA      | 61,800   | 4.3                   | 72.5                 | 9,161                              | 6,486               | 3,929                   | 2,557                          | 1,920 **                          | 163                | 50     | 471              | 1,236  | 103,219   | 36,391,181                        | 588.85                  |
| ALPINE       | 67   | 5.5                   | 35.8                 | 4                                  | 5                   | 5                       | 0                              | 0                                 | 0                  | 0      | 0                | 0      | 0   | 17,953                            | 267.96                  |
| AMADOR       | 1,514  | 4.3                   | 60.3                 | 111                                | 80                  | 80                      | 0                              | 43                                | 0                  | 2      | 19               | 22     | 0   | 726,747                           | 480.02                  |
| BUTTE        | 21,705   | 10.7                  | 56.2                 | 1,838                              | 1,203               | 1,203                   | 0                              | 629                               | 1                  | 26     | 569              | 33     | 0   | 9,923,170                         | 457.18                  |
| CALAVERAS    | 2,616  | 6.5                   | 52.6                 | 248                                | 120                 | 120                     | 0                              | 69                                | 1                  | 1      | 8                | 59     | 0   | 1,044,745                         | 399.37                  |
| COLUSA       | 1,750  | 9.3                   | 52.9                 | 88                                 | 215                 | 215                     | 0                              | 36                                | 1                  | 2      | 27               | 6      | 0   | 711,678                           | 406.67                  |
| CONTRA COSTA | 29,670   | 3.1                   | 72.0                 | 3,908                              | 3,229               | 2,034                   | 1,195                          | 1,087 **                          | 87                 | 20     | 756              | 224    | 43,658  | 17,331,307                        | 584.14                  |
| DEL NORTE    | 3,509  | 12.8                  | 57.3                 | 124                                | 194                 | 194                     | 0                              | 63                                | 0                  | 17     | 42               | 4      | 0   | 1,436,676                         | 409.43                  |
| EL DORADO    | 5,660  | 3.6                   | 56.4                 | 691                                | 468                 | 468                     | 0                              | 189                               | 0                  | 18     | 125              | 46     | 119   | 2,573,935                         | 454.76                  |
| FRESNO       | 69,377   | 8.7                   | 87.6                 | 11,559                             | 8,631               | 4,682                   | 3,949                          | 1,588 **                          | 5                  | 85     | 235              | 1,263  | 130,720   | 27,717,875                        | 399.53                  |
| GLENN        | 2,602  | 9.8                   | 53.4                 | 103                                | 208                 | 208                     | 0                              | 55                                | 0                  | 3      | 51               | 1      | 0   | 1,106,032                         | 425.07                  |
| HUMBOLDT     | 13,092   | 10.3                  | 60.2                 | 733                                | 654                 | 654                     | 0                              | 414                               | 2                  | 122    | 261              | 29     | 0   | 6,081,395                         | 464.51                  |
| IMPERIAL     | 19,786   | 13.9                  | 53.2                 | 1,660                              | 1,388               | 1,388                   | 0                              | 195                               | 0                  | 13     | 34               | 148    | 0   | 7,127,219                         | 360.22                  |
| INYO         | 1,353  | 7.5                   | 57.1                 | 50                                 | 89                  | 89                      | 0                              | 24                                | 0                  | 11     | 2                | 11     | 0   | 700,211                           | 517.52                  |
| KERN         | 44,595   | 6.7                   | 71.3                 | 8,002                              | 6,500               | 3,803                   | 2,697                          | 744 **                            | 0                  | 68     | 8                | 668    | 74,666  | 19,193,453                        | 430.39                  |
| KINGS        | 12,644   | 9.8                   | 56.9                 | 830                                | 1,084               | 1,084                   | 0                              | 265                               | 1                  | 15     | 15               | 234    | 0   | 4,423,810                         | 349.87                  |
| LAKE         | 7,819  | 13.4                  | 61.9                 | 420                                | 356                 | 356                     | 0                              | 161                               | 2                  | 23     | 112              | 24     | 0   | 3,483,626                         | 445.53                  |
| LASSEN       | 2,377  | 7.0                   | 57.0                 | 89                                 | 125                 | 125                     | 0                              | 32                                | 0                  | 3      | 28               | 1      | 0   | 1,035,500                         | 435.63                  |
| LOS ANGELES  | 603,127  | 6.3                   | 66.4                 | 94,575                             | 82,267              | 59,559                  | 22,708                         | 10,882 **                         | 272                | 1,840  | 1,792            | 6,978  | 998,414   | 341,893,496                       | 566.87                  |
| MADERA       | 13,836   | 11.2                  | 54.1                 | 1,637                              | 1,323               | 1,320                   | 3                              | 351                               | 0                  | 17     | 41               | 293    | 364   | 5,267,112                         | 380.68                  |
| MARIN        | 6,125  | 2.5                   | 57.7                 | 628                                | 565                 | 563                     | 2                              | 281                               | 5                  | 9      | 201              | 66     | 240   | 3,786,524                         | 618.21                  |
| MARIPOSA     | 1,085  | 6.3                   | 59.6                 | 97                                 | 64                  | 64                      | 0                              | 17                                | 0                  | 0      | 0                | 17     | 0   | 546,287                           | 503.49                  |
| MENDOCINO    | 9,298  | 10.8                  | 60.5                 | 405                                | 641                 | 641                     | 0                              | 248                               | 1                  | 153    | 70               | 24     | 0   | 4,127,612                         | 443.92                  |
| MERCED       | 26,239   | 12.5                  | 47.2                 | 2,596                              | 2,408               | 2,408                   | 0                              | 617                               | 3                  | 23     | 23               | 568    | 0   | 8,580,001                         | 326.99                  |
| MODOC        | 1,125  | 11.9                  | 55.9                 | 21                                 | 43                  | 43                      | 0                              | 10                                | 0                  | 0      | 5                | 5      | 0   | 684,000                           | 608.00                  |
| MONO         | 353  | 2.7                   | 49.4                 | 8                                  | 64                  | 64                      | 0                              | 21                                | 0                  | 9      | 1                | 11     | 0   | 176,555                           | 500.16                  |
| MONTEREY     | 13,677   | 3.4                   | 102.1 *              | 2,319                              | 3,760               | 2,429                   | 1,331                          | 1,043 **                          | 40                 | 25     | 259              | 719    | 0   | 5,331,112                         | 389.79                  |
| NAPA         | 1,386  | 1.1                   | 199.7 *              | 354                                | 468                 | 192                     | 276                            | 121 **                            | 0                  | 4      | 44               | 73     | 0   | 1,237,471                         | 892.84                  |
| NEVADA       | 3,775  | 4.1                   | 59.9                 | 352                                | 277                 | 277                     | 0                              | 130                               | 0                  | 8      | 52               | 70     | 0   | 2,190,427                         | 580.25                  |
| ORANGE       | 52,477   | 1.8                   | 175.2 *              | 15,132                             | 16,399              | 11,923                  | 4,476                          | 2,327 **                          | 1                  | 215    | 446              | 1,665  | 0   | 27,819,647                        | 530.13                  |

TABLE 10  
SELECTED MEDI-CAL DATA BY COUNTY  
CALIFORNIA, 2000

| COUNTY          | AVERAGE MONTHLY MEDI-CAL FEE-FOR-SERVICE USERS |                             |                            | DENTI-CAL<br>Average<br>Monthly<br>Users | MEDI-CAL SERVICES                    |                   |                            |                                      |                                   |                       |        |                     | MEDI-CAL<br>Avg. Monthly<br>Managed<br>Care<br>Beneficiaries | MEDI-CAL PAYMENTS<br>FEE-FOR-SERVICE |                               |
|-----------------|--|-----------------------------|----------------------------|--|--------------------------------------|-------------------|----------------------------|--------------------------------------|-----------------------------------|-----------------------|--------|---------------------|--|--------------------------------------|-------------------------------|
|                 | Number   | Percent<br>of<br>Population | Percent<br>of<br>Eligibles |  | Medi-Cal Deliveries                  |                   |                            |                                      | Fee For Service Induced Abortions |                       |        |                     |  | Average<br>Monthly Dollar<br>Amount  | Average<br>Amount<br>per User |
|                 |  |                             |                            |  | Total by<br>County of<br>Beneficiary | FFS<br>Deliveries | Managed Care<br>Deliveries | Total by<br>County of<br>Beneficiary | County<br>Hospital                | Community<br>Hospital | Clinic | Physician<br>Office |  |                                      |                               |
| PLACER          | 8,439  | 3.4                         | 58.3                       | 900                                      | 583                                  | 583               | 0                          | 344                                  | 3                                 | 8                     | 211    | 122                 | 10,308   | 4,778,423                            | 566.23                        |
| PLUMAS          | 1,626  | 7.8                         | 63.4                       | 22                                       | 74                                   | 74                | 0                          | 29                                   | 0                                 | 0                     | 27     | 2                   | 0  | 1,004,371                            | 617.69                        |
| RIVERSIDE       | 64,979   | 4.2                         | 66.9                       | 10,634                                   | 10,999                               | 7,623             | 3,376                      | 1,386 **                             | 87                                | 110                   | 428    | 761                 | 99,403   | 35,193,302                           | 541.61                        |
| SACRAMENTO      | 56,935   | 4.7                         | 69.2                       | 4,226                                    | 7,504                                | 3,258             | 4,246                      | 2,165 **                             | 5                                 | 74                    | 1,415  | 671                 | 155,255  | 28,536,669                           | 501.21                        |
| SAN BENITO      | 2,518  | 4.7                         | 51.3                       | 181                                      | 313                                  | 313               | 0                          | 152                                  | 1                                 | 23                    | 28     | 100                 | 0  | 1,123,776                            | 446.30                        |
| SAN BERNARDINO  | 90,822   | 5.3                         | 66.8                       | 15,432                                   | 12,478                               | 8,284             | 4,194                      | 2,677 **                             | 121                               | 242                   | 272    | 2,042               | 134,068  | 50,237,485                           | 553.14                        |
| SAN DIEGO       | 108,907  | 3.9                         | 79.4                       | 16,899                                   | 13,273                               | 9,074             | 4,199                      | 1,933 **                             | 0                                 | 149                   | 1,139  | 645                 | 157,106  | 62,760,073                           | 576.27                        |
| SAN FRANCISCO   | 51,871   | 6.7                         | 74.2                       | 6,010                                    | 2,616                                | 1,861             | 755                        | 1,238 **                             | 195                               | 182                   | 466    | 395                 | 38,469   | 33,050,286                           | 637.16                        |
| SAN JOAQUIN     | 34,810   | 6.2                         | 74.8                       | 5,722                                    | 4,524                                | 2,495             | 2,029                      | 732 **                               | 8                                 | 33                    | 219    | 472                 | 60,296   | 17,286,398                           | 496.59                        |
| SAN LUIS OBISPO | 12,453   | 5.0                         | 56.7                       | 930                                      | 967                                  | 967               | 0                          | 402                                  | 2                                 | 29                    | 217    | 154                 | 0  | 5,794,716                            | 465.33                        |
| SAN MATEO       | 5,336  | 0.8                         | 149.5 *                    | 1,765                                    | 1,711                                | 1,115             | 596                        | 1,194                                | 168                               | 63                    | 323    | 640                 | 0  | 6,319,303                            | 1,184.28                      |
| SANTA BARBARA   | 7,615  | 1.9                         | 144.8 *                    | 2,497                                    | 2,705                                | 1,693             | 1,012                      | 448                                  | 0                                 | 26                    | 380    | 42                  | 0  | 2,260,901                            | 296.90                        |
| SANTA CLARA     | 55,498   | 3.3                         | 65.6                       | 7,602                                    | 6,392                                | 4,769             | 1,623                      | 2,649 **                             | 241                               | 20                    | 827    | 1,561               | 61,009   | 35,891,384                           | 646.71                        |
| SANTA CRUZ      | 4,492  | 1.8                         | 205.6 *                    | 1,246                                    | 1,380                                | 840               | 540                        | 791 **                               | 3                                 | 11                    | 466    | 311                 | 0  | 2,114,875                            | 470.81                        |
| SHASTA          | 18,315   | 11.2                        | 59.4                       | 1,530                                    | 908                                  | 908               | 0                          | 459                                  | 0                                 | 9                     | 428    | 22                  | 0  | 8,812,223                            | 481.15                        |
| SIERRA          | 206  | 5.8                         | 61.1                       | 4  | 15                                   | 15                | 0                          | 5                                    | 1                                 | 1                     | 2      | 1                   | 0  | 202,352                              | 982.29                        |
| SISKIYOU        | 4,572  | 10.3                        | 55.5                       | 425                                      | 185                                  | 185               | 0                          | 88                                   | 2                                 | 5                     | 74     | 7                   | 0  | 1,815,218                            | 397.03                        |
| SOLANO          | 4,415  | 1.1                         | 264.8 *                    | 2,046                                    | 1,756                                | 495               | 1,261                      | 845 **                               | 7                                 | 25                    | 192    | 621                 | 0  | 985,235                              | 223.16                        |
| SONOMA          | 18,511   | 4.0                         | 57.3                       | 1,433                                    | 1,670                                | 1,663             | 7                          | 952                                  | 7                                 | 62                    | 793    | 90                  | 24,147   | 17,996,863                           | 972.23                        |
| STANISLAUS      | 33,350   | 7.5                         | 65.9                       | 4,560                                    | 3,489                                | 2,686             | 803                        | 891 **                               | 5                                 | 27                    | 25     | 834                 | 34,103   | 14,456,373                           | 433.47                        |
| SUTTER          | 7,521  | 9.5                         | 55.0                       | 839                                      | 644                                  | 644               | 0                          | 132                                  | 0                                 | 4                     | 101    | 27                  | 0  | 3,301,619                            | 438.99                        |
| TEHAMA          | 6,346  | 11.3                        | 60.6                       | 318                                      | 419                                  | 419               | 0                          | 123                                  | 0                                 | 2                     | 116    | 5                   | 0  | 2,844,088                            | 448.17                        |
| TRINITY         | 1,301  | 10.0                        | 59.6                       | 109                                      | 43                                   | 43                | 0                          | 31                                   | 0                                 | 4                     | 27     | 0                   | 0  | 680,588                              | 523.13                        |
| TULARE          | 44,418   | 12.1                        | 67.8                       | 4,518                                    | 4,564                                | 3,757             | 807                        | 676 **                               | 0                                 | 111                   | 35     | 530                 | 32,232   | 24,827,001                           | 558.94                        |
| TUOLUMNE        | 4,014  | 7.4                         | 63.1                       | 349                                      | 197                                  | 197               | 0                          | 109                                  | 3                                 | 0                     | 1      | 105                 | 0  | 1,976,689                            | 492.45                        |
| VENTURA         | 36,763   | 4.9                         | 53.0                       | 3,394                                    | 4,196                                | 4,196             | 0                          | 1,277                                | 37                                | 170                   | 223    | 847                 | 0  | 15,005,563                           | 408.17                        |
| YOLO            | 11,336   | 6.7                         | 51.4                       | 1,383                                    | 915                                  | 902               | 13                         | 340                                  | 0                                 | 41                    | 173    | 126                 | 846  | 4,324,161                            | 381.45                        |
| YUBA            | 8,376  | 13.9                        | 54.0                       | 770                                      | 571                                  | 571               | 0                          | 161                                  | 0                                 | 1                     | 123    | 37                  | 0  | 3,051,211                            | 364.28                        |
| NOT REPORTED    | 4,847  | NA                          | NA                         | 2,353                                    |                                      |                   |                            |                                      |                                   |                       |        |                     | 0  | 4,288,808                            | 884.84                        |

TABLE 11  
PROGRAM CLIENTS/SERVICES  
CALIFORNIA

| COUNTY       | % Early Postpartum Breastfeeding Initiation (1998-2000 Avg.) | 2001 Family Planning by All Funding Sources | Women/ Children <5 Receiving WIC Services (July 2002) | Child Health/ Disability Prevention Services (FY 00-01) | California Children Services Cases (Aug 2002) | Developmental Disability Clients (Aug 2002) | Preventive Health Care for the Aging (FY 01-02) |                         | Rehabilitation Clients (FY 00-01) | State Mental Hospital Admissions (FY 00-01) | Hospice Facilities (2000) |
|--------------|--|---|---|---|---|---|---|-------------------------|-----------------------------------|---|---------------------------|
|              |  |   |   |   |   |   | Comprehensive Assessment Clients                | Total Client Encounters |                                   |   |                           |
| CALIFORNIA   | 81.2   | 1,397,837                                   | 1,408,656   | 2,193,157   | 64,825  | 182,183                                     | 8,844   | 14,148                  | 74,083                            | 2,689                                       | 129                       |
| ALAMEDA      | 85.3   | 32,918                                      | 37,363  | 56,025  | 4   | 6,840                                       | 0   | 0                       | 3,029                             | 44  | 5                         |
| ALPINE       | 92.1 *   | 252   | 11  | 595   | 1   | 8   | 0   | 0                       | 1                                 | 0   | 0                         |
| AMADOR       | 84.3   | 1,829                                       | 495   | 1,754   | 114   | 147   | 0   | 0                       | 45                                | 4   | 0                         |
| BUTTE        | 85.3   | 9,711                                       | 6,880   | 14,739  | 805   | 2,123                                       | 0   | 0                       | 872                               | 10  | 1                         |
| CALAVERAS    | 82.5   | 2,738                                       | 648   | 2,890   | 96  | 162   | 0   | 0                       | 80                                | 1   | 0                         |
| COLUSA       | 81.2   | 1,075                                       | 1,270   | 3,595   | 143   | 59  | 0   | 0                       | 22                                | 1   | 0                         |
| CONTRA COSTA | 86.9   | 21,239                                      | 19,279  | 22,746  | 1   | 4,169                                       | 0   | 0                       | 2,438                             | 56  | 4                         |
| DEL NORTE    | 89.1   | 676   | 1,204   | 1,606   | 97  | 206   | 0   | 0                       | 113                               | 7   | 0                         |
| EL DORADO    | 89.5   | 4,066                                       | 2,528   | 6,643   | 481   | 594   | 478   | 497                     | 354                               | 3   | 1                         |
| FRESNO       | 77.0   | 34,102                                      | 47,845  | 95,891  | 5,987   | 5,169                                       | 739   | 970                     | 1,656                             | 51  | 3                         |
| GLENN        | 90.1   | 2,276                                       | 1,638   | 2,538   | 164   | 187   | 0   | 0                       | 85                                | 4   | 0                         |
| HUMBOLDT     | 89.6   | 9,316                                       | 3,926   | 7,697   | 585   | 1,152                                       | 548   | 803                     | 721                               | 16  | 2                         |
| IMPERIAL     | 74.1   | 4,800                                       | 7,023   | 14,845  | 1,127   | 784   | 0   | 0                       | 566                               | 11  | 1                         |
| INYO         | 90.6   | 935   | 632   | 1,798   | 108   | 90  | 0   | 0                       | 50                                | 2   | 0                         |
| KERN         | 74.4   | 25,008                                      | 46,992  | 69,658  | 3,807   | 4,447                                       | 0   | 0                       | 1,474                             | 89  | 3                         |
| KINGS        | 70.8   | 3,423                                       | 6,297   | 5,826   | 467   | 706   | 422   | 614                     | 197                               | 17  | 0                         |
| LAKE         | 81.6   | 726   | 2,072   | 3,008   | 369   | 464   | 494   | 842                     | 198                               | 5   | 1                         |
| LASSEN       | 89.2   | 1,291                                       | 887   | 1,149   | 105   | 190   | 0   | 0                       | 124                               | 4   | 0                         |
| LOS ANGELES  | 77.4   | 597,872                                     | 541,416   | 792,563   | 3   | 53,899                                      | 0   | 0                       | 22,971                            | 1,015                                       | 36                        |
| MADERA       | 75.9   | 4,994                                       | 7,366   | 14,485  | 747   | 763   | 215   | 296                     | 100                               | 8   | 2                         |
| MARIN        | 92.7   | 7,737                                       | 2,552   | 3,800   | 442   | 996   | 446   | 510                     | 505                               | 8   | 0                         |
| MARIPOSA     | 86.0   | 237   | 254   | 500   | 58  | 72  | 0   | 0                       | 10                                | 1   | 1                         |
| MENDOCINO    | 89.2   | 3,655                                       | 3,169   | 5,683   | 597   | 633   | 0   | 0                       | 434                               | 10  | 0                         |
| MERCED       | 77.4   | 9,034                                       | 14,543  | 22,740  | 1,736   | 1,363                                       | 0   | 0                       | 288                               | 21  | 1                         |
| MODOC        | 88.4   | 237   | 240   | 626   | 52  | 50  | 0   | 0                       | 78                                | 1   | 0                         |
| MONO         | 89.9   | 573   | 388   | 568   | 81  | 50  | 0   | 0                       | 3                                 | 0   | 0                         |
| MONTEREY     | 91.8   | 16,851                                      | 20,018  | 16,441  | 1,996   | 1,290                                       | 0   | 0                       | 867                               | 21  | 4                         |
| NAPA         | 91.1   | 9,666                                       | 3,198   | 3,846   | 369   | 716   | 0   | 0                       | 587                               | 17  | 1                         |
| NEVADA       | 93.1   | 2,502                                       | 1,543   | 2,276   | 286   | 374   | 0   | 0                       | 165                               | 10  | 2                         |
| ORANGE       | 82.5   | 91,177                                      | 113,035   | 168,125   | 2   | 13,174                                      | 1,242   | 3,721                   | 4,084                             | 94  | 4                         |

TABLE 11  
PROGRAM CLIENTS/SERVICES  
CALIFORNIA

| COUNTY          | % Early Postpartum Breastfeeding Initiation (1998-2000 Avg.) | 2001 Family Planning by All Funding Sources | Women/ Children <5 Receiving WIC Services (July 2002) | Child Health/ Disability Prevention Services (FY 00-01) | California Children Services Cases (Aug 2002) | Develop- mental Disability Clients (Aug 2002) | Preventive Health Care for the Aging (FY 01-02) |                         | Rehabilitation Clients (FY 00-01) | State Mental Hospital Admissions (FY 00-01) | Hospice Facilities (2000) |
|-----------------|--|---|---|---|---|---|---|-------------------------|-----------------------------------|---|---------------------------|
|                 |  |   |   |   |   |   | Comprehensive Assessment Clients                | Total Client Encounters |                                   |   |                           |
| PLACER          | 89.7   | 5,272                                       | 3,390   | 6,257   | 474   | 1,241   | 484   | 489                     | 747                               | 16  | 0                         |
| PLUMAS          | 92.4   | 857   | 505   | 1,090   | 57  | 100   | 0   | 0                       | 92                                | 1   | 0                         |
| RIVERSIDE       | 75.4   | 45,925                                      | 61,960  | 103,358   | 8,137   | 7,696   | 0   | 0                       | 3,153                             | 126   | 7                         |
| SACRAMENTO      | 78.7   | 31,303                                      | 37,388  | 71,960  | 3   | 7,941   | 0   | 0                       | 1,957                             | 77  | 2                         |
| SAN BENITO      | 86.1   | 1,871                                       | 1,996   | 3,875   | 180   | 180   | 0   | 0                       | 133                               | 2   | 0                         |
| SAN BERNARDINO  | 72.9   | 59,110                                      | 70,718  | 141,736   | 7,951   | 9,470   | 591   | 1,330                   | 4,199                             | 177   | 10                        |
| SAN DIEGO       | 86.8   | 112,815                                     | 112,020   | 139,046   | 3   | 13,119  | 1,157   | 1,394                   | 4,087                             | 181   | 7                         |
| SAN FRANCISCO   | 85.4   | 24,205                                      | 16,579  | 22,663  | 1,931   | 2,222   | 0   | 0                       | 2,141                             | 79  | 2                         |
| SAN JOAQUIN     | 78.6   | 21,665                                      | 26,115  | 43,430  | 4,583   | 4,300   | 0   | 0                       | 674                               | 36  | 1                         |
| SAN LUIS OBISPO | 92.0   | 8,714                                       | 4,746   | 8,956   | 761   | 1,533   | 0   | 0                       | 720                               | 38  | 1                         |
| SAN MATEO       | 91.8   | 20,595                                      | 13,823  | 23,036  | 0   | 2,551   | 0   | 0                       | 1,637                             | 37  | 4                         |
| SANTA BARBARA   | 89.3   | 17,226                                      | 15,762  | 28,895  | 1,696   | 2,612   | 502   | 571                     | 1,632                             | 25  | 0                         |
| SANTA CLARA     | 89.4   | 39,535                                      | 30,397  | 48,268  | 5,471   | 6,300   | 0   | 0                       | 2,799                             | 94  | 9                         |
| SANTA CRUZ      | 93.7   | 14,442                                      | 7,656   | 23,534  | 1,112   | 1,035   | 0   | 0                       | 805                               | 12  | 0                         |
| SHASTA          | 88.7   | 5,728                                       | 5,705   | 9,665   | 827   | 1,570   | 0   | 0                       | 446                               | 15  | 0                         |
| SIERRA          | 87.0 *   | 176   | 60  | 121   | 13  | 21  | 0   | 0                       | 13                                | 0   | 0                         |
| SISKIYOU        | 87.7   | 1,147                                       | 1,326   | 2,828   | 239   | 253   | 0   | 0                       | 188                               | 4   | 1                         |
| SOLANO          | 82.3   | 8,160                                       | 10,781  | 13,604  | 724   | 2,340   | 0   | 0                       | 1,445                             | 59  | 1                         |
| SONOMA          | 91.5   | 15,542                                      | 9,729   | 11,576  | 6   | 3,318   | 0   | 0                       | 1,190                             | 48  | 3                         |
| STANISLAUS      | 75.6   | 14,580                                      | 18,757  | 35,623  | 2,332   | 2,723   | 485   | 600                     | 655                               | 37  | 1                         |
| SUTTER          | 79.8   | 2,489                                       | 3,642   | 4,395   | 455   | 421   | 0   | 0                       | 135                               | 14  | 0                         |
| TEHAMA          | 83.8   | 1,767                                       | 2,463   | 4,231   | 325   | 528   | 0   | 0                       | 192                               | 5   | 0                         |
| TRINITY         | 92.3   | 377   | 335   | 518   | 65  | 58  | 0   | 0                       | 11                                | 2   | 0                         |
| TULARE          | 77.6   | 12,785                                      | 26,165  | 39,025  | 3,011   | 4,082   | 549   | 688                     | 560                               | 24  | 1                         |
| TUOLUMNE        | 87.5   | 1,213                                       | 1,061   | 1,882   | 209   | 271   | 0   | 0                       | 78                                | 3   | 1                         |
| VENTURA         | 86.8   | 22,551                                      | 22,187  | 32,467  | 2,447   | 4,061   | 0   | 0                       | 1,689                             | 16  | 5                         |
| YOLO            | 87.4   | 4,737                                       | 5,042   | 9,874   | 561   | 767   | 492   | 823                     | 232                               | 20  | 1                         |
| YUBA            | 71.3   | 2,002                                       | 3,636   | 4,588   | 422   | 360   | 0   | 0                       | 119                               | 10  | 0                         |

TABLE 12  
HEALTH RESOURCE DATA BY COUNTY

| COUNTY       | GENERAL ACUTE CARE HOSPITALS GAC 2000 |          |                 |                 |                |                     | LONG TERM CARE FACILITIES LTC 2000 |          |                 |                 |                | OTHER FACILITIES 2000      |                 |                      | DOCTORS AND DENTISTS       |                         |                             |                          | COUNTY HEALTH COSTS          |                              |
|--------------|---------------------------------------|----------|-----------------|-----------------|----------------|---------------------|------------------------------------|----------|-----------------|-----------------|----------------|----------------------------|-----------------|----------------------|----------------------------|-------------------------|-----------------------------|--------------------------|------------------------------|------------------------------|
|              | Total                                 | Licensed |                 | GAC Dis-charges | Occupancy Rate | Avg. Length of Stay | Total                              | Licensed |                 | LTC Dis-charges | Occupancy Rate | Community and Free Clinics | Special Clinics | Home Health Agencies | Active Non-Federal Doctors | Avg. Persons per Doctor | Active Non-Federal Dentists | Avg. Persons per Dentist | ESTIMATED 2000-2001          |                              |
|              |                                       | GAC Beds | Beds/1,000 Pop. |                 |                |                     |                                    | LTC Beds | Beds/1,000 Pop. |                 |                |                            |                 |                      |                            |                         |                             |                          | Net County Health Care Costs | Health Care Costs Per Capita |
| CALIFORNIA   | 410                                   | 69,882   | 2.1             | 2,993,626       | 53.3           | 4.5                 | 1,070                              | 132,262  | 3.9             | 335,506         | 80.6           | 704                        | 640             | 941                  | 84,675                     | 400                     | 26,940                      | 1,257                    | \$1,979,111,080              | \$58.43                      |
| ALAMEDA      | 18                                    | 2,901    | 2.0             | 139,234         | 56.8           | 4.3                 | 67                                 | 5,240    | 3.6             | 10,136          | 89.5           | 44                         | 31              | 40                   | 3,666                      | 394                     | 1,252                       | 1,153                    | 89,011,831                   | 61.65                        |
| ALPINE       | 0                                     | 0        | 0.0             | 0               | 0              | 0                   | 0                                  | 0        | 0.0             | 0               | 0              | 0                          | 0               | 0                    | 0                          | 0                       | 0                           | 0                        | DNR                          |                              |
| AMADOR       | 0                                     | 0        | 0.0             | 0               | 0              | 0                   | 1                                  | 199      | 5.7             | 338             | 72.1           | 1                          | 0               | 0                    | 62                         | 566                     | 22                          | 1,595                    | DNR                          |                              |
| BUTTE        | 5                                     | 582      | 2.9             | 23,950          | 46.4           | 4.1                 | 11                                 | 1,130    | 5.6             | 1,907           | 90.8           | 14                         | 6               | 13                   | 423                        | 480                     | 143                         | 1,421                    | DNR                          |                              |
| CALAVERAS    | 0                                     | 0        | 0.0             | 0               | 0              | 0                   | 2                                  | 132      | 3.3             | 231             | 90.7           | 1                          | 1               | 3                    | 47                         | 863                     | 28                          | 1,448                    | DNR                          |                              |
| COLUSA       | 0                                     | 0        | 0.0             | 0               | 0              | 0                   | 1                                  | 90       | 4.8             | 41              | 79.5           | 1                          | 1               | 1                    | 12                         | 1,567                   | 3                           | 6,268                    | DNR                          |                              |
| CONTRA COSTA | 10                                    | 1,556    | 1.6             | 73,434          | 56.9           | 4.4                 | 35                                 | 3,248    | 3.4             | 7,389           | 85.2           | 13                         | 18              | 18                   | 2,403                      | 395                     | 862                         | 1,101                    | 77,875,096                   | 82.08                        |
| DEL NORTE    | 1                                     | 59       | 2.1             | 3,048           | 55.0           | 3.9                 | 1                                  | 99       | 3.6             | 198             | 78.9           | 1                          | 0               | 1                    | 51                         | 539                     | 13                          | 2,116                    | DNR                          |                              |
| EL DORADO    | 1                                     | 75       | 0.5             | 4,046           | 49.4           | 3.4                 | 3                                  | 297      | 1.9             | 508             | 77.2           | 2                          | 1               | 5                    | 251                        | 623                     | 131                         | 1,193                    | DNR                          |                              |
| FRESNO       | 11                                    | 1,377    | 1.7             | 70,468          | 55.1           | 3.9                 | 34                                 | 3,289    | 4.1             | 4,478           | 87.3           | 19                         | 17              | 20                   | 1,529                      | 523                     | 475                         | 1,683                    | 36,887,975                   | 46.14                        |
| GLENN        | 0                                     | 0        | 0.0             | 0               | 0              | 0                   | 1                                  | 76       | 2.9             | 169             | 85.0           | 3                          | 0               | 0                    | 10                         | 2,645                   | 6                           | 4,409                    | DNR                          |                              |
| HUMBOLDT     | 3                                     | 266      | 2.1             | 9,444           | 40.3           | 4.1                 | 5                                  | 455      | 3.6             | 1,056           | 89.6           | 10                         | 3               | 7                    | 296                        | 427                     | 88                          | 1,438                    | DNR                          |                              |
| IMPERIAL     | 2                                     | 187      | 1.3             | 11,620          | 60.0           | 3.5                 | 3                                  | 253      | 1.8             | 256             | 90.0           | 6                          | 4               | 5                    | 120                        | 1,186                   | 45                          | 3,164                    | DNR                          |                              |
| INYO         | 2                                     | 38       | 2.1             | 1,131           | 25.4           | 3.1                 | 1                                  | 45       | 2.5             | 52              | 96.8           | 4                          | 0               | 1                    | 43                         | 417                     | 15                          | 1,196                    | DNR                          |                              |
| KERN         | 9                                     | 1,097    | 1.7             | 53,892          | 56.3           | 4.2                 | 14                                 | 1,630    | 2.5             | 3,547           | 88.6           | 21                         | 16              | 10                   | 948                        | 698                     | 269                         | 2,460                    | 30,998,491                   | 46.85                        |
| KINGS        | 3                                     | 147      | 1.1             | 8,499           | 50.7           | 3.2                 | 3                                  | 306      | 2.4             | 465             | 83.3           | 3                          | 3               | 2                    | 126                        | 1,027                   | 49                          | 2,642                    | DNR                          |                              |
| LAKE         | 2                                     | 109      | 1.9             | 3,714           | 35.9           | 3.9                 | 3                                  | 288      | 4.9             | 503             | 80.8           | 2                          | 1               | 4                    | 80                         | 729                     | 23                          | 2,535                    | DNR                          |                              |
| LASSEN       | 0                                     | 0        | 0.0             | 0               | 0              | 0                   | 1                                  | 96       | 2.8             | 53              | 97.7           | 8                          | 1               | 1                    | 46                         | 735                     | 23                          | 1,471                    | DNR                          |                              |
| LOS ANGELES  | 110                                   | 23,662   | 2.5             | 931,371         | 53.5           | 5.0                 | 369                                | 37,673   | 4.0             | 72,648          | 86.0           | 172                        | 169             | 355                  | 24,653                     | 386                     | 7,440                       | 1,279                    | 743,027,386                  | 78.05                        |
| MADERA       | 3                                     | 347      | 2.8             | 16,061          | 66.3           | 5.2                 | 4                                  | 369      | 3.0             | 474             | 85.9           | 3                          | 3               | 1                    | 134                        | 919                     | 48                          | 2,565                    | DNR                          |                              |
| MARIN        | 4                                     | 475      | 1.9             | 17,148          | 46.0           | 4.7                 | 16                                 | 1,258    | 5.1             | 2,463           | 89.3           | 9                          | 4               | 8                    | 1,406                      | 176                     | 347                         | 713                      | DNR                          |                              |
| MARIPOSA     | 0                                     | 0        | 0.0             | 0               | 0              | 0                   | 0                                  | 0        | 0.0             | 0               | 0.0            | 1                          | 0               | 2                    | 14                         | 1,224                   | 7                           | 2,447                    | DNR                          |                              |
| MENDOCINO    | 3                                     | 171      | 2.0             | 6,628           | 37.1           | 3.5                 | 5                                  | 388      | 4.5             | 454             | 74.5           | 8                          | 3               | 4                    | 208                        | 415                     | 63                          | 1,369                    | DNR                          |                              |
| MERCED       | 4                                     | 327      | 1.6             | 12,904          | 40.1           | 3.8                 | 8                                  | 562      | 2.7             | 921             | 85.1           | 8                          | 7               | 7                    | 224                        | 940                     | 82                          | 2,568                    | 8,096,002                    | 38.45                        |
| MODOC        | 0                                     | 0        | 0.0             | 0               | 0              | 0                   | 0                                  | 0        | 0.0             | 0               | 0.0            | 1                          | 0               | 1                    | 5                          | 1,890                   | 4                           | 2,362                    | DNR                          |                              |
| MONO         | 1                                     | 15       | 1.2             | 530             | 23.3           | 2.4                 | 0                                  | 0        | 0.0             | 0               | 0              | 0                          | 0               | 0                    | 30                         | 428                     | 7                           | 1,836                    | DNR                          |                              |
| MONTEREY     | 4                                     | 491      | 1.2             | 33,130          | 70.3           | 3.8                 | 15                                 | 1,065    | 2.7             | 2,204           | 88.0           | 13                         | 5               | 13                   | 799                        | 503                     | 295                         | 1,362                    | 18,063,135                   | 44.96                        |
| NAPA         | 2                                     | 275      | 2.2             | 10,774          | 58.3           | 5.2                 | 9                                  | 674      | 5.4             | 1,356           | 82.1           | 2                          | 3               | 3                    | 444                        | 280                     | 104                         | 1,195                    | DNR                          |                              |
| NEVADA       | 1                                     | 104      | 1.1             | 6,306           | 61.6           | 3.7                 | 5                                  | 412      | 4.5             | 632             | 78.1           | 3                          | 1               | 2                    | 241                        | 382                     | 82                          | 1,122                    | DNR                          |                              |
| ORANGE       | 35                                    | 5,570    | 2.0             | 240,518         | 51.4           | 4.4                 | 67                                 | 8,008    | 2.8             | 21,478          | 85.0           | 23                         | 49              | 42                   | 7,700                      | 370                     | 2,885                       | 987                      | 109,195,578                  | 38.36                        |

TABLE 12  
HEALTH RESOURCE DATA BY COUNTY

| COUNTY          | GENERAL ACUTE CARE HOSPITALS GAC 2000 |          |                 |                 |                |                     | LONG TERM CARE FACILITIES LTC 2000 |          |                 |                 |                | OTHER FACILITIES 2000      |                 |                      | DOCTORS AND DENTISTS       |                         |                             |                          | COUNTY HEALTH COSTS          |                              |
|-----------------|---------------------------------------|----------|-----------------|-----------------|----------------|---------------------|------------------------------------|----------|-----------------|-----------------|----------------|----------------------------|-----------------|----------------------|----------------------------|-------------------------|-----------------------------|--------------------------|------------------------------|------------------------------|
|                 | Total                                 | Licensed |                 | GAC Dis-charges | Occupancy Rate | Avg. Length of Stay | Total                              | Licensed |                 | LTC Dis-charges | Occupancy Rate | Community and Free Clinics | Special Clinics | Home Health Agencies | Active Non-Federal Doctors | Avg. Persons per Doctor | Active Non-Federal Dentists | Avg. Persons per Dentist | ESTIMATED 2000-2001          |                              |
|                 |                                       | GAC Beds | Beds/1,000 Pop. |                 |                |                     |                                    | LTC Beds | Beds/1,000 Pop. |                 |                |                            |                 |                      |                            |                         |                             |                          | Net County Health Care Costs | Health Care Costs Per Capita |
| PLACER          | 3                                     | 381      | 1.5             | 24,625          | 68.0           | 3.9                 | 10                                 | 1,145    | 4.6             | 2,025           | 81.5           | 4                          | 4               | 6                    | 669                        | 371                     | 282                         | 881                      | 5,757,430                    | 23.18                        |
| PLUMAS          | 1                                     | 10       | 0.5             | 357             | 25.4           | 2.6                 | 1                                  | 56       | 2.7             | 63              | 94.5           | 1                          | 0               | 1                    | 28                         | 744                     | 16                          | 1,302                    | 1,851,472                    | 88.91                        |
| RIVERSIDE       | 17                                    | 2,752    | 1.8             | 135,658         | 52.3           | 3.9                 | 48                                 | 4,444    | 2.9             | 15,005          | 86.7           | 20                         | 43              | 31                   | 2,241                      | 690                     | 797                         | 1,939                    | 54,427,566                   | 35.22                        |
| SACRAMENTO      | 11                                    | 2,520    | 2.1             | 124,059         | 60.0           | 4.5                 | 38                                 | 3,884    | 3.2             | 9,276           | 90.0           | 17                         | 24              | 33                   | 3,191                      | 383                     | 941                         | 1,300                    | 75,208,846                   | 61.47                        |
| SAN BENITO      | 1                                     | 49       | 0.9             | 2,229           | 36.8           | 3.0                 | 1                                  | 70       | 1.3             | 101             | 93.8           | 1                          | 0               | 2                    | 37                         | 1,439                   | 19                          | 2,802                    | DNR                          |                              |
| SAN BERNARDINO  | 20                                    | 3,408    | 2.0             | 158,191         | 58.0           | 4.6                 | 49                                 | 4,729    | 2.8             | 12,387          | 85.5           | 12                         | 31              | 52                   | 2,953                      | 579                     | 980                         | 1,744                    | 56,756,045                   | 33.20                        |
| SAN DIEGO       | 26                                    | 5,077    | 1.8             | 235,893         | 56.2           | 4.4                 | 88                                 | 8,913    | 3.2             | 19,428          | 86.9           | 63                         | 50              | 54                   | 7,835                      | 359                     | 2,222                       | 1,266                    | 141,490,462                  | 50.28                        |
| SAN FRANCISCO   | 12                                    | 3,552    | 4.6             | 94,313          | 38.0           | 5.2                 | 19                                 | 1,445    | 1.9             | 3,653           | 88.5           | 27                         | 8               | 19                   | 4,769                      | 163                     | 1,143                       | 680                      | 149,549,424                  | 192.54                       |
| SAN JOAQUIN     | 8                                     | 981      | 1.7             | 51,747          | 60.3           | 4.2                 | 27                                 | 2,850    | 5.1             | 5,091           | 90.3           | 13                         | 11              | 14                   | 827                        | 681                     | 306                         | 1,842                    | 43,536,937                   | 77.25                        |
| SAN LUIS OBISPO | 4                                     | 414      | 1.7             | 12,585          | 42.0           | 5.1                 | 8                                  | 889      | 3.6             | 758             | 88.4           | 9                          | 8               | 5                    | 670                        | 368                     | 185                         | 1,333                    | 17,311,956                   | 70.18                        |
| SAN MATEO       | 9                                     | 1,385    | 2.0             | 46,819          | 42.4           | 4.6                 | 20                                 | 1,893    | 2.7             | 3,951           | 87.1           | 7                          | 9               | 18                   | 2,326                      | 304                     | 770                         | 918                      | 35,449,186                   | 50.13                        |
| SANTA BARBARA   | 5                                     | 665      | 1.7             | 31,209          | 52.2           | 4.1                 | 13                                 | 1,104    | 2.8             | 2,027           | 86.5           | 11                         | 8               | 11                   | 1,098                      | 364                     | 307                         | 1,301                    | 19,716,382                   | 49.37                        |
| SANTA CLARA     | 14                                    | 3,550    | 2.1             | 153,817         | 52.3           | 4.4                 | 55                                 | 5,652    | 3.4             | 10,427          | 89.5           | 29                         | 21              | 31                   | 5,372                      | 313                     | 1,908                       | 882                      | 143,252,301                  | 85.14                        |
| SANTA CRUZ      | 3                                     | 336      | 1.3             | 11,788          | 38.3           | 4.0                 | 12                                 | 1,085    | 4.2             | 1,584           | 87.7           | 8                          | 4               | 6                    | 610                        | 419                     | 204                         | 1,253                    | 18,556,067                   | 72.60                        |
| SHASTA          | 5                                     | 527      | 3.2             | 22,063          | 58.1           | 4.9                 | 7                                  | 832      | 5.1             | 1,505           | 84.8           | 9                          | 6               | 8                    | 429                        | 381                     | 116                         | 1,407                    | DNR                          |                              |
| SIERRA          | 0                                     | 0        | 0.0             | 0               | 0              | 0                   | 0                                  | 0        | 0.0             | 0               | 0.0            | 1                          | 0               | 0                    | 1                          | 3,555                   | 2                           | 1,778                    | DNR                          |                              |
| SISKIYOU        | 0                                     | 0        | 0.0             | 0               | 0              | 0                   | 2                                  | 158      | 3.6             | 307             | 82.4           | 6                          | 0               | 4                    | 77                         | 575                     | 29                          | 1,528                    | DNR                          |                              |
| SOLANO          | 4                                     | 560      | 1.4             | 25,904          | 52.4           | 4.1                 | 12                                 | 1,124    | 2.8             | 2,010           | 80.3           | 5                          | 6               | 8                    | 683                        | 578                     | 267                         | 1,478                    | 13,645,605                   | 34.59                        |
| SONOMA          | 10                                    | 792      | 1.7             | 34,141          | 48.0           | 4.1                 | 20                                 | 1,604    | 3.5             | 2,438           | 89.7           | 14                         | 12              | 18                   | 1,264                      | 363                     | 390                         | 1,176                    | DNR                          |                              |
| STANISLAUS      | 5                                     | 901      | 2.0             | 42,537          | 62.1           | 4.7                 | 17                                 | 1,739    | 3.9             | 2,815           | 91.7           | 10                         | 9               | 8                    | 706                        | 633                     | 248                         | 1,802                    | 17,643,300                   | 39.47                        |
| SUTTER          | 1                                     | 132      | 1.7             | 6,921           | 59.4           | 4.1                 | 4                                  | 408      | 5.2             | 717             | 85.9           | 5                          | 4               | 6                    | 164                        | 481                     | 62                          | 1,273                    | 6,507,173                    | 82.44                        |
| TEHAMA          | 0                                     | 0        | 0.0             | 0               | 0              | 0                   | 3                                  | 180      | 3.2             | 223             | 91.4           | 2                          | 1               | 2                    | 56                         | 1,001                   | 21                          | 2,669                    | DNR                          |                              |
| TRINITY         | 0                                     | 0        | 0.0             | 0               | 0              | 0                   | 0                                  | 0        | 0.0             | 0               | 0.0            | 1                          | 0               | 1                    | 11                         | 1,184                   | 7                           | 1,860                    | DNR                          |                              |
| TULARE          | 5                                     | 679      | 1.8             | 28,877          | 47.8           | 4.1                 | 13                                 | 1,347    | 3.7             | 2,311           | 89.2           | 12                         | 12              | 7                    | 447                        | 823                     | 161                         | 2,286                    | 14,082,263                   | 38.26                        |
| TUOLUMNE        | 1                                     | 12       | 0.2             | 541             | 26.1           | 2.1                 | 1                                  | 120      | 2.2             | 41              | 35.1           | 2                          | 2               | 4                    | 115                        | 474                     | 39                          | 1,397                    | DNR                          |                              |
| VENTURA         | 8                                     | 1,076    | 1.4             | 57,506          | 65.3           | 4.5                 | 17                                 | 1,614    | 2.1             | 2,506           | 89.1           | 12                         | 18              | 21                   | 1,553                      | 485                     | 588                         | 1,281                    | 43,663,345                   | 57.97                        |
| YOLO            | 2                                     | 155      | 0.9             | 7,382           | 36.2           | 2.8                 | 8                                  | 772      | 4.6             | 1,481           | 81.0           | 5                          | 1               | 1                    | 505                        | 334                     | 105                         | 1,606                    | 7,549,826                    | 44.76                        |
| YUBA            | 1                                     | 137      | 2.3             | 6,614           | 80.9           | 5.6                 | 1                                  | 86       | 1.4             | 199             | 94.1           | 2                          | 1               | 1                    | 67                         | 899                     | 14                          | 4,301                    | DNR                          |                              |

# CITY HEALTH DEPARTMENTS

**TABLE 13  
CITY HEALTH DEPARTMENTS  
CALIFORNIA**

|   | <b>Berkeley</b><br>102,743 |                     | <b>Long Beach</b><br>461,522 |                     | <b>Pasadena</b><br>133,936 |                     |
|---|----------------------------|---------------------|------------------------------|---------------------|----------------------------|---------------------|
| Population (2000)                               |                            |                     |                              |                     |                            |                     |
| Live Births (2000)                              | <b>number</b>              | <b>rate</b>         | <b>number</b>                | <b>rate</b>         | <b>number</b>              | <b>rate</b>         |
| Residence                                       | 946                        | 9.2                 | 8,409                        | 18.2                | 2,327                      | 17.4                |
| Occurrence                                      | 7,336                      |                     | 9,448                        |                     | 4,654                      |                     |
| Low Birthweight (residence)                     | 55                         | 5.8%                | 605                          | 7.2%                | 183                        | 7.9%                |
| No 1st Trimester Prenatal Care (residence)      | 45                         | 4.8%                | 1,277                        | 15.2%               | 247                        | 10.6%               |
|   |                            |                     |                              |                     |                            |                     |
| Total Deaths                                    |                            |                     |                              |                     |                            |                     |
| Residence                                       | 629                        | 6.1                 | 3,261                        | 7.1                 | 1,214                      | 9.1                 |
| Occurrence                                      | 917                        |                     | 3,715                        |                     | 1,385                      |                     |
| Fetal Deaths                                    | 6                          | <b>ratio</b><br>N   | 52                           | <b>ratio</b><br>6.2 | 10                         | <b>ratio</b><br>4.3 |
| Infant Deaths                                   | 1                          | <b>rate</b><br>N    | 56                           | <b>rate</b><br>6.7  | 17                         | <b>rate</b><br>7.3  |
| Leading Causes of Death (2000, residence)       | <b>number</b>              | <b>crude rate**</b> | <b>number</b>                | <b>crude rate**</b> | <b>number</b>              | <b>crude rate**</b> |
| Heart Disease (ICD-10 I00-I09,I11,I13,I20-I51)  | 195                        | 189.8               | 1,132                        | 245.3               | 382                        | 285.2               |
| Cancer (ICD-10 C00-C97)                         | 150                        | 146.0               | 642                          | 139.1               | 272                        | 203.1               |
| Stroke (ICD-10 I60-I69)                         | 75                         | 73.0                | 231                          | 50.1                | 103                        | 76.9                |
| CLRD* Deaths (ICD-10 J40-J47)                   | 13                         | 12.7                | 211                          | 45.7                | 59                         | 44.1                |
| Accidents ICD-10 V01-X59,Y85-Y86)               | 24                         | 23.4                | 108                          | 23.4                | 41                         | 30.6                |
| Pneumonia and Influenza Deaths (ICD-10 J10-J18) | 14                         | 13.6                | 108                          | 23.4                | 75                         | 56.0                |
| Diabetes (ICD-10 E10-E14)                       | 15                         | 14.6                | 95                           | 20.6                | 36                         | 26.9                |
| Alzheimer's (ICD-10 G30)                        | 18                         | 17.5                | 39                           | 8.5                 | 21                         | 15.7                |
| Cirrhosis (ICD-10 K70,K73-K74)                  | 3                          | 2.9                 | 45                           | 9.8                 | 11                         | 8.2                 |
| Suicide (ICD-10 X60-X84,Y87.0)                  | 3                          | 2.9                 | 43                           | 9.3                 | 16                         | 11.9                |

HEALTH DATA SUMMARIES FOR CALIFORNIA COUNTIES 2002

CENTER FOR HEALTH STATISTICS, DEPARTMENT OF HEALTH SERVICES

Source: U.S. Census Bureau, Census 2000 of Population and Housing, Summary File 1. Produced by the California State Census Data Center.

\* Chronic lower respiratory disease.

\*\* Leading cause crude death rates are per 100,000 population.

N-rates and ratios are not calculated for fewer than 5 events or less than 1000 births.

Live birth and death rates are per 1,000 population. Fetal death ratios and infant death rates are per 1,000 live births.

SECTION III

HEALTH DATA

DEFINITIONS

AND

SOURCES OF DATA

POPULATION CHARACTERISTICS

| DATA ITEM  | DEFINITION/DESCRIPTION  | DATA SOURCES   |
|--|---|--|
| Total Population (2000)<br><br>Projection for Year: 2010<br><br>Projection for Year: 2020                      |   | U.S. Census Bureau, Census 2000 of Population and Housing, Summary File 1. Produced by the California State Census Data Center.<br><br>State of California, Department of Finance, Demographic Research Unit, County Population Projections, Estimated July 1, 1990-1996 and Projections for 1997 through 2040, December 1998. |
| BY AGE GROUP<br><br>Under age 5<br>Age 5-17<br>Age 18-64<br>Age 65+  |   | U.S. Census Bureau, Census 2000 of Population and Housing, Summary File 1. Produced by the State of California Department of Finance Census Data Center.   |
| By Sex<br><br>Percent Females<br>Percent Males   |   | U.S. Census Bureau, Census 2000 of Population and Housing, Summary File 1. Produced by the California State Census Data Center.  |
| By Race/Ethnicity<br><br>White<br><br>Black<br><br>Hispanic<br><br>American Indian,<br>Asian, Pacific Islander |   | Source: U.S. Census Bureau, Census 2000 of Population and Housing, Summary File 1. Produced by the California State Census Data Center.  |
| Urban/Rural (2000)<br><br>Percent Urban<br><br>Percent Rural   | Urban includes places of 2,500 or more persons incorporated as cities, villages, boroughs, and towns. | U.S. Census Bureau, Census 2000 of Population and Housing, Summary File 3.   |

SOCIOECONOMIC CHARACTERISTICS

| DATA ITEM  | DEFINITION/DESCRIPTION   | DATA SOURCES  |
|--|--|---|
| Below Poverty Level                                    | 1999 data. Federally established "poverty" thresholds: two persons were \$10,869, \$17,029 for four, and \$22,727 for six.   | U.S. Census Bureau, Census 2000 of Population and Housing, Summary File 3.  |
| Total Population                                       |  |   |
| Children Under 6                                       |  |   |
| Persons Age 65+  |  |   |
| White  |  |   |
| Black  |  |   |
| Hispanic   |  |   |
| Asian/Pacific Islander<br>Native American              |  |   |
| Median Family Income                                   | 1999 data  | U.S. Census Bureau, Census 2000 of Population and Housing, Summary File 3.  |
| Median Housing Value                                   | 2000 data  |   |
| Cal Works<br>% of Population                           | 2002 data<br>CalWorks recipients by place of residence per 100 population.   | Statistical Services Bureau, Department of Social Sevicees, State of California.<br>State of California, Department of Finance, Race/Ethnic Population with Age and Sex Detail, 1970-2040. Sacramento, CA, December 1998. |
| SSI/SSP<br>% of Population                             | 2002 data  | State of California, Statistical Services Bureau, Department of Social Services, population projections same as above.  |
| Unemployment % of Civilian Labor Force                 | Annual average number of unemployed persons as a percent of the civilian labor force; not seasonally adjusted. These data are preliminary and my be subject to change. | Labor Market Information Division, Employment Development Department, Monthly Labor Force Data For Counties, 2002.  |
| % Age 25+ Not Finishing High School<br>Enrollment K-12 | 2000 data<br>Grades K-12; (Public and Private Schools)   | U.S. Census Bureau, Census 2000 of Population and Housing, Summary File 3.<br>State of California, Department of Education, Enrollment Data FY2001-2002.  |

## LIVE BIRTHS

| DATA ITEM   | DEFINITION/DESCRIPTION   | DATA SOURCES  |
|---|--|---|
| Number of Live Births by Place of Residence and occurrence (2000)<br>Birth Rate   | Number of live births by place of residence per 1,000 estimated population   | State of California, Department of Health Services, Birth Records.<br><br>Demographic Research Unit, Department of Finance, 1999 Estimates of the Population of California Counties, Report E-2, July 1, 1990-2000. May 2001. |
| Percent of Births by Race/Ethnicity (2000):<br>White/Other<br>Black<br>Hispanic<br>Asian/Pacific Islander<br>American Indian/Alaska Native<br>Multiple Race | Race/Ethnicity--The designations White/Other, Black, Hispanic, Asian/Pacific Islander and American Indian are mutually exclusive categories. Multiple race includes the percent of births to mothers selecting two or more races of self identification.<br><br>Due to the unknowns category not listed in this report the total percent may not add to exactly 100 percent. | State of California, Department of Health Services, Birth Records.  |
| % Low Birthweight (2000)<br><br>% Very Low Birthweight (2000)   | Number of births weighing less than 2500 grams as a percent of all live births.<br><br>Number of births weighing less than 1500 grams as a percent of all live births.   | State of California, Department of Health Services, Birth Records.  |
| % of Mothers Under Age 18 Years (2000)<br><br>% Not Married (2000)  | Number of births to mothers less than age 18 as a percent of all live births.<br><br>Starting in 1997 unmarried status is determined through verbal response by the mother when the birth certificate is filled out. Prior to 1977, the unmarried status was estimated.  | State of California, Department of Health Services, Birth Records.  |

## LIVE BIRTHS (Continued)

| DATA ITEM                                    | DEFINITION/DESCRIPTION  | DATA SOURCES  |
|--|---|---|
| % Mothers Under 12 Years of Education (2000) | Number of mothers with less than 12 years education as a percent of all mothers with reported education.  | State of California, Department of Health Services, Birth Records.  |
| % No First Trimester Prenatal Care (2000)    | Number of births in which there were "zero" prenatal care visits reported or care began in the second or third trimester as a percent of all live births with reported prenatal care. | State of California, Department of Health Services, Birth Records.  |
| % By Cesarean Section (2000)                 | Number of births delivered by cesarean section as a percent of all births with a reported method of delivery.   | State of California, Department of Health Services, Birth Records.  |
| % Born Out of County (2000)                  | Number of births occurring outside the county of residence of the mother as a percent of all live births occurring to mothers residing in that county.                                | State of California, Department of Health Services, Birth Records.  |
| % Funded by Medi-Cal (2000)                  | Number of births with Medi-Cal or other government program as the expected principal source of payment for delivery as a percent of all live births.                                  | State of California, Department of Health Services, Birth Records.  |
| % Funded by HMO/Prepaid (2000)               | Number of births with HMO or other prepaid plan as the expected principal source of payment for delivery as a percent of all live births.   |   |
| % Funded by Private Ins. (2000)              | Number of births with private insurance as the expected principal source of payment for delivery as a percent of all live births.   |   |
| General Fertility Rate                       | Three year average number of resident live births per 1,000 women aged 15-44.   | State of California, Department of Health Services, Birth Records.<br>State of California, Department of Finance, Race/Ethnic Population with Age and Sex Detail, 1970-2040, December 1988. |

## DEATHS

| DATA ITEM  | DEFINITION/DESCRIPTION  | DATA SOURCES   |
|--|---|--|
| Deaths By County of Residence                    | Calendar year 2000  | State of California, Department of Health Services, Death Records.   |
| Deaths By County of Occurrence                   | Calendar year 2000  |  |
| Crude Death Rate (2000)                          | Number of deaths per 1,000 population   | State of California, Department of Health Services, Death Records. Demographic Research Unit, Department of Finance, 1999 Estimates of the Population of California Counties, Report E-2, July 1, 1990-2000. May 2001. Department of Finance, 1999 Estimates with Age, Sex and Race/Ethnic Detail, May 2000. |
| Age-Adjusted Death Rate (per 100,000 population) | Three year average annual rate, direct method of adjustment using 2000 U.S. standard population.(mid year 1999 pop.)  |  |
| Age-Specific Death Rates                         | 1998-2000 average annual number of deaths in each age group per 100,000 population in that age group.   | State of California, Department of Health Services, Death Records.<br><br>Department of Finance, 1999 Estimates with Age,sex and Race/Ethnic Detail, May 2000.   |
| Age 1-4  |   |  |
| Age 5-14   |   |  |
| Age 15-24  |   |  |
| Age 25-34  |   |  |
| Age 35-44  |   |  |
| Age 45-54  |   |  |
| Age 55-64  |   |  |
| Age 65-74  |   |  |
| Age 75-84  |   |  |
| Age 85+  |   |  |
| Fetal & Neonatal Deaths                          | 20 weeks or more gestation.<br><br>Number of fetal deaths (20 or more weeks of gestation) per 1,000 live births.<br><br>Deaths under 28 days old.<br><br>Number of neonatal deaths per 1,000 live births. | State of California, Department of Health Services, Fetal Death Records.<br><br>State of California, Department of Health Services, Death Records.   |
| Fetal Deaths                                     |   |  |
| Fetal Death Ratio                                |   |  |
| Neonatal Deaths                                  |   |  |
| Neonatal Death Rate                              |   |  |

DEATHS (Continued)

| DATA ITEM   | DEFINITION/DESCRIPTION  | DATA SOURCES   |
|---|---|--|
| Infant Deaths (2000)<br><br>Infant Death Rate   | Deaths under one year of age<br><br>Number of infant deaths per 1,000 live births   | State of California, Department of Health Services, Death Records.   |
| Infant Death Rates (1999 Birth Cohort)<br>All Race/Ethnic Groups<br>White<br>Black<br>Hispanic<br>Asian, Other  | Number of infant deaths among the 1999 birth cohort per 1,000 live births (cohort rate).  | State of California, Department of Health Services, 1999 Birth Cohort Records.   |
| Perinatal Deaths<br><br>Perinatal Death Rate (1999 Birth Cohort)<br>All Race/Ethnic Groups<br>White<br>Black<br>Hispanic<br>Asian, Other  | Neonatal deaths plus fetal deaths<br><br>Number of perinatal deaths among the 1999 birth cohort per 1,000 total births (cohort rate); total births plus fetal deaths; fetal deaths under 20 weeks gestation are excluded.   | State of California, Department of Health Services, 1999 Birth Cohort Records.   |
| Deaths By Cause<br><br>Heart Disease.....<br>All Cancer.....<br>Breast Cancer.....<br>Lung Cancer.....<br>Stroke.....<br>Unintentional Injury.....<br>Pneumonia/Influenza.....<br>Chronic Lower Respiratory Disease<br>AIDS.....<br>Chronic Liver Disease/Cirrhosis.....<br>Suicide.....<br>Diabetes Mellitus.....<br>Homicide..... | 2 year annual average crude death rate due to a particular cause of death per 100,000 mid-year population(1999).<br>ICD 10th Revision:<br>ICD codes I00-I09, I11, I13, I20-I51.<br>ICD codes C00-C97.<br>ICD codes C50.<br>ICD codes C33-C34.<br>ICD codes I60-I69.<br>ICD codes V01-X59, Y85-Y86.<br>ICD codes J10-J18.<br>ICD codes J40-J47.<br>ICD codes B20-B24.<br>ICD codes K70, K73-K74.<br>ICD codes X60-X84, Y87.0.<br>ICD codes E10-E14.<br>ICD codes X85-Y09, Y87.1. | State of California, Department of Health Services, Death Records.<br><br>State of California, Department of Finance, 1999 Estimates with Age, Sex and Race/Ethnic Detail, May 2000. |

COMMUNICABLE DISEASES

| DATA ITEM   | DEFINITION/DESCRIPTION  | DATA SOURCES  |
|---|---|---|
| <p>Hepatitis</p> <p>Measles</p> <p>Shigellosis</p> <p>Tuberculosis</p> <p>Syphilis</p> <p>Gonorrhea</p> <p>Chlamydia</p> <p>Number of Reported Cases:</p> <p>Cases Rates:</p> | <p>Type A, type B, type unspecified, type non-A, non-B.</p> <p>Rubeola</p> <p>Bacillary Dysentery</p> <p>Primary and secondary cases</p> <p>Average number of cases, for a three-year period. Due to rounding, some small counties may show zero reported cases, but still have a case rate, or may have a different case rate for two diseases showing the same number of cases.</p> <p>Three year average number of reported cases per 100,000 mid year population.</p> | <p>State of California, Department of Health Services, Division of Communicable Disease Control.</p> <p>State of California, Department of Health Services, Tuberculosis Control Unit.</p> <p>State of California, Department of Health Services. Sexually Transmitted Disease Control Program.</p> |
| <p>AIDS Cases and Cumulative Incidence (1981-1/02)</p> <p>AIDS Cases</p> <p>Number of Deaths</p> <p>Mortality Rate</p>  | <p>Number of Acquired Immunodeficiency Syndrome cases reported at onset of illness as of 1981 thru 1/02.</p> <p>Percentage of AIDS deaths based on the number of cumulative AIDS cases.</p>   | <p>State of California, Department of Health Services, Office of AIDS.</p>  |

COUNTY HEALTH INDICATORS

| DATA ITEM   | DEFINITION/DESCRIPTION  | DATA SOURCES  |
|---|---|---|
| Traffic Accident Injuries                         | Includes victims in motor vehicles, including motorcycles, bicyclists, and pedestrians; excludes fatalities.  | California Highway Patrol, <i>2000 Annual Report of Fatal and Injury Motor Vehicle Traffic Collisions</i> .   |
| Work Related Fatalities                           | Two year average of work related fatalities (1999-2000) ICD codes V01-Y89 and place of death coded "workplace".   | State of California, Department of Health Services, Death Records.<br><br>Three year average of drug related fatalities,(1999-2000) ICD Codes F11.0-F11.5, F11.7-F11.9, F12.0-F12.5, F12.7-F12.9, F13.0-F13.5, F13.7-F13.9, F14.0-F14.5, F14.7-F14.9, F15.0-F15.5, F15.7-F15.9, F16.0-F16.5, F16.7-F16.9, F17.0-F17.5, F17.7-F17.9, F18.0-F18.5, F18.7-F18.9, F19.0-F19.5, F19.7-F19.9, X40-X44, X60-X64, X85, Y10-Y14. |
| Work Related Death Rate                           | Rates are per 100,000 population (mid-year) age-adjusted to the U.S. standard million population.   |   |
| Drug Related Fatalities                           |   |   |
| Drug Related Death Rate                           | Rates are per 100,000 population (mid-year) age-adjusted to the U.S. standard million population.   |   |
| Substance Abuse Admissions                        | Number of persons admitted to public facilities for substance abuse rehabilitation.<br><br>The Counties of Sutter and Yuba were reported as a combined total. | State of California, Department of Alcohol and Drug Programs, Research and Policy Analysis Branch.  |
| Methamphetamine                                   |   |   |
| Cocaine<br>Marijuana                              |   |   |
| Homicides   | Willful homicide crimes, 2000   | State of California, Department of Justice, Law Enforcement Information Center.   |
| Total   |   |   |
| By Handguns                                       |   |   |
| Kindergarteners Needing One or More Immunizations | Includes Polio, DPT, MMR 1&2, and Hep B., Varicella.  | State of California, Department of Health Services, Immunization Branch.  |
| Number (2001)                                     |   |   |
| % of All students                                 |   |   |

MEDI-CAL AND MEDICARE ELIGIBLES

| DATA ITEM   | DEFINITION/DESCRIPTION   | DATA SOURCES   |
|---|--|--|
| <p>Medi-Cal Enrollees</p> <p>Number of Eligibles</p> <p>% of County Population</p> <p>Eligibles by Race/Ethnicity</p> <p>White, Black</p> <p>Hispanic</p> <p>American Indian/Alaskan Native</p> <p>Asian/Pacific Islander</p> <p>Not Reported</p> | <p>Number of average monthly eligibles; includes fee-for-service, Health Care Plan (formally Prepaid Health Plan) and County Organized Health Systems.</p> <p>Medi-Cal eligibles as a percent of the total county population</p> <p>Percent of eligibles by race/ethnicity</p>   | <p>State of California, Department of Health Services, Medical Care Statistics Section, California Medical Assistance Program, <i>Annual Statistical Report, Calender Year 2000</i> .</p> <p>U.S. Census Bureau, Census 2000 of Population and Housing, Summary File 1. Produced by the California State Census Data Center.</p> |
| <p>Medicare Enrollees</p> <p>Enrollees Age 65+(2000)</p> <p>% of County Population</p> <p>Disability Beneficiaries (2000)</p> <p>% of County Population</p> <p>Total Enrollees<br/>Number Enrolled</p> <p>% of County Population</p>              | <p>Includes those aged 65 and over enrolled in hospital and/or supplementary medical insurance.</p> <p>Number of enrollees aged 65+ as a percent of the total county population.</p> <p>Includes those persons under age 65 entitled to cash disability benefits for at least 24 consecutive months and those eligible solely on the basis of end-stage renal disease enrolled in hospital and/or supplementary medical insurance.</p> <p>Number of diability beneficiaries as a percent of the total county population.</p> <p>Combined Enrollees 65+ and Disability Beneficiaries.</p> | <p>U.S. Department of Health and Human Services, Medicaid Statistics Branch, Health Care Financing Administration, Office of Information Services.</p> <p>U.S. Census Bureau, Census 2000 of Population and Housing, Summary File 1. Produced by the California State Census Data Center.</p>                                    |
| <p>% of Dual Eligibles</p>  | <p>Those eligible for both the Federal "Medicare" and State "Medi-Cal" programs as a percentage of those eligible for Medi-Cal.</p>  | <p>State of California, Department of Health Services, Medical Care Statistics Section.</p>  |

MEDI-CAL DATA

| DATA ITEM  | DEFINITION/DESCRIPTION   | DATA SOURCES  |
|--|--|---|
| Fee For Service<br><br>Average Monthly Users<br>% of Population (2000)<br>% of Eligibles   | Monterey, Napa, Orange, San Mateo, Santa Barbara, Santa Cruz and Solano are organized health system counties with fee for service exceptions for certain procedures. | State of California, Department of Health Services, Medical Care Statistics Section, <i>Annual Statistical Report, Calender Year 2000.</i>                                |
| Denti-Cal<br><br>Average Monthly Users   | Number of average monthly dental users.  |   |
| Medi-Cal Deliveries (2000)<br><br>Total By County of Beneficiary<br><br>Fee For Service Total<br><br>Managed Care Total            | These data includes deliveries which occurred during calendar year 2000.<br><br>Managed Care deliveries are now captured by Hospital Discharge Files.                | State of California, Department of Health Services, Medical Care Statistics Section, <i>Medi-Cal Funded Deliveries, 2000.</i>   |
| Induced Abortions<br><br>Total By County of Beneficiary<br>County Hospitals<br>Community Hospitals<br>Clinic<br>Physician's Office | Number of FFS abortions that occurred during calendar year 2000. Abortions performed for enrollees in Prepaid Health Plans are not included in these totals.         | State of California, Department of Health Services, Medical Care Statistics Section, <i>Medi-Cal Funded Induced Abortions, 2000.</i>                                      |
| Pre-paid Health Plan<br><br>Average Monthly Enrollees  | Number of average monthly prepaid health plan enrollees.   | State of California, Department of Health Services, Medical Care Statistics Section, <i>Annual Statistical Report, Calender Year 2000.</i>                                |
| Medi-Cal Payments<br><br>Dollar Amount<br><br>Average Amount Per User  | Total average monthly payments made to providers for the services they provided to Medi-Cal users; fee for service only.   | State of California, Department of Health Services, Department of Health Services, Medical Care Statistics Section, <i>Annual Statistical Report, Calender Year 2000.</i> |

PROGRAMS CLIENTS/SERVICES

| DATA ITEM   | DEFINITION/DESCRIPTION   | DATA SOURCES   |
|---|--|--|
| <p>Exclusively Breastfeeding Rate</p> <p>Total Breastfeeding Rate</p> | <p>Proportion of mothers that breastfeed at time of hospital discharge includes both those exclusively breastfeeding and those supplementing breastfeeding with formula.</p> | <p>State of California, Department of Health Services, Maternal and Child Health Branch, using data collected by the Genetic Disease Branch, Newborn Screening Survey.</p> |
| <p>Family Planning Clients</p>  | <p>"Family PACT" program</p>   | <p>State of California, Department of Health Services, Office of Family Planning (OFP), All Visits Reported to OFP.</p>  |
| <p>Women/Children &lt;5 Receiving WIC Services</p>                    | <p>Number of low-income women and children under age 5 receiving services under the Women, Infants and Children (WIC) Supplemental Food Program.</p>                         | <p>State of California, Department of Health Services, Women, Infant and Children Supplemental Food Branch,</p>  |
| <p>Children Health/Disability Prevention Screens</p>                  | <p>Number of child health and disability prevention screens under all funding sources (Medi-Cal, 100 percent State-funded, other, and unknown).</p>                          | <p>State of California, Department of Health Services, Children's Medical Services Branch.</p>   |
| <p>California Children Services Cases</p>                             | <p>Number of cases by county for persons under age 21 receiving diagnostic, treatment, and therapy services from California Children Services Program.</p>                   | <p>State of California, Department of Health Services, Children's Medical Services Branch.</p>   |

PROGRAMS CLIENTS/SERVICES (continued)

| DATA ITEM                            | DEFINITION/DESCRIPTION   | DATA SOURCES   |
|--------------------------------------|--|--|
| Developmental Disability Clients     | Includes active clients in all service categories (diagnostic evaluation, all needed services, awaiting other services, case management only, etc.)            | State of California, Planning and Research Branch, Department of Developmental Services.                 |
| Preventive Health Care for the Aging | Unduplicated number of adults 55 years and older who received clinical preventive health services as part of the Preventive Health Care for the Aging Program. | State of California, Department of Health Services, Preventive Health Care for the Aging.                |
| Rehabilitation Services Clients      | Total open cases   | State of California, Department of Rehabilitation, Administrative Services Division, Statistics Section. |
| State Mental Hospital Admissions     | Includes both LPS and non-LPS admissions, (LPS refers to Lanterman, Petris, and Short; State legislation governing admissions to State mental hospitals).      | State of California Department of Mental Health, Systems Planning, Development and Evaluation            |
| Hospice Facilities                   | Number of freestanding facilities in each county.  | State of California, Office of Statewide Health Planning Data User's Support Group and Development.      |

HEALTH RESOURCES DATA

| DATA ITEM                             | DEFINITION/DESCRIPTION  | DATA SOURCES   |
|---------------------------------------|---|--|
| Licensed Hospitals                    |   |  |
| Total Number                          | Number of licensed community General Acute Care Hospitals (GAC).  | State of California, Office of Statewide Health Planning and Development, Data User's Support Group. |
| Licensed Beds                         | Number of licensed general acute care beds.   |  |
| Licensed Beds Per 1000 Population     | Number of licensed beds per 1,000 total county population.  |  |
| Total Discharges                      | Number of licensed hospital patient discharges.   |  |
| Total Occupancy Rate                  | Number of average daily patient days divided by available licensed bed capacity.  |  |
| Average Length of Stay                | Number of patient days divided by number of discharges.   |  |
| Long Term Care Facilities (LTC)       |   |  |
| Total Number                          | Excludes congregate living health facilities, Skilled Nursing Facility-based hospices, and other non-comparable facilities. | State of California, Office of Statewide Health Planning and Development, Data User's Support Group. |
| Licensed LTC Beds                     | Number of licensed LTC beds.  |  |
| Licensed LTC Beds Per 1000 Population | Number of licensed LTC beds per 1,000 total county population.  |  |
| LTC Discharges                        | Number of LTC discharges.   |  |
| LTC Occupancy Rate                    | Number of LTC patient days divided by available LTC bed capacity.   |  |

## HEALTH RESOURCES DATA (Continued)

Page: 275

| DATA ITEM                              | DEFINITION/DESCRIPTION  | DATA SOURCES   |
|--|---|--|
| Other Facilities                       |   |  |
| Community and Free Clinics             | Number of community and free clinics licensed as of calendar year.  | State of California, Office of Statewide Health Planning and Development, Data User's Support Group.   |
| Speciality Clinics                     | Number of Speciality Clinics licensed as of calendar year.  |  |
| Home Health Agencies                   | Number of home health agencies licensed as of calendar year.  |  |
| Physicians and Dentists                |   |  |
| Active Non-Federal Physicians          | Number of active non-federal physicians, including residents and interns, doctors, in-patient care and in medical teaching, administration, research, etc.  | Medical Board of California, Physicians and Surgeons valid licenses.   |
| Active Non-Federal Dentists            | Number of active non-federal dentists.  | State of California, Department of Consumer Affairs.   |
| Estimated Net County Health Care Costs | Net county health care costs are "expenditures for county health services, less revenues received for county health services, plus federal revenue sharing funds budgeted or expended for health services" (AB8, Section 16701b). Includes all county health care costs (public health services, inpatient health services, and outpatient health services). Reporting is now voluntary by each county. | State of California, Department of Health Services, County Health Services Branch, <i>Health Services Appropriations, Revenues, and Net County Costs for California Counties</i> .           |
| Estimated Health Care Costs Per Capita | Net county health care costs per person.  | State of California, Department of Finance, Demographic Research Unit, Department of Finance, 1998 County Race/Ethnic Population Estimates of California, With Age and Sex Detail, May 2000. |

## NOTES

The majority of indicators in this report are by county of residence. Those indicators that are not by county of residence are labeled as county of occurrence within the descriptive title of the data element.

Most of the indicators are by calendar year; the rest are by fiscal year.

For some indicators, the sum of the county data may not equal the State total due to rounding or the inclusion in the State total of “unknown” county data.

For a correct understanding of the meaning of each indicator, the definitions in Section III should be referenced. For more detailed information concerning a particular indicator, the data source for each indicator listed in Section III should be contacted.

The reliability of the rates presented in this report have been calculated and those that have a relative standard error equal to or greater than 23 percent have been noted by an asterisk (\*) and caution should be used in interpreting these rates. The symbol “N” denotes that a rate was not calculated for less than 5 events or less than 1,000 births in smaller counties.

Three-year average rates are calculated with mid-year population.