

**LEAD HAZARD EVALUATION REPORT****Section 1 – Date of Lead Hazard Evaluation** \_\_\_\_\_**Section 2 – Type of Lead Hazard Evaluation (Check one box only)**

Lead Inspection     Risk assessment     Clearance Inspection     Other (specify) \_\_\_\_\_

**Section 3 – Structure Where Lead Hazard Evaluation Was Conducted**

Address [number, street, apartment (if applicable)]		City	County	Zip Code
Construction date (year) of structure	Type of structure (check one box only)			
	<input type="checkbox"/> Multi-unit building	<input type="checkbox"/> School or daycare	<input type="checkbox"/> Single family dwelling	
	<input type="checkbox"/> Other (specify) _____			

**Section 4 – Owner of Structure (if business/agency, list contact person)**

Name		Telephone number		
Address [number, street, apartment (if applicable)]		City	State	Zip Code

**Section 5 – Results of Lead Hazard Evaluation (check all that apply)**

No lead-based paint detected.     Lead-based paint detected.  
 No lead hazards detected.     Lead hazards detected.

**Section 6 – Individual Conducting Lead Hazard Evaluation**

Name		Telephone number		
Address [number, street, apartment (if applicable)]		City	State	Zip Code
<del>DHS</del> <u>CDPH</u> certification number	Signature		Date	
Name and <del>DHS</del> <u>CDPH</u> certification number of any other individuals conducting sampling or testing (if applicable)				

**Section 7 – Attachments**

- A. A foundation diagram or sketch of the structure indicating the specific locations of each lead hazard or presence of lead-based paint;  
 B. Each testing method, device, and sampling procedure used;  
 C. All data collected, including quality control data, laboratory results, including laboratory name, address, and phone number.

First copy and attachments retained by inspector

Second copy and attachments retained by owner

Third copy only (no attachments) mailed or faxed to:

~~Department of Health Services  
 Childhood Lead Poisoning Prevention Branch  
 LHE Reports  
 5801 Christie Avenue, 600  
 Emeryville, California 94608  
 FAX (510) 869-3953~~

California Department of Public Health  
 Childhood Lead Poisoning Prevention Branch Reports  
 850 Marina Bay Parkway, Building P, Third Floor  
 Richmond, CA 94804-6403  
 Fax: (510) 620-5656